

3 1761 049402090 5



Digitized by the Internet Archive
in 2008 with funding from
Microsoft Corporation







ROYAL BOTANIC GARDENS, KEW.

H A N D - L I S T

OF

T R E E S A N D S H R U B S ,

Excluding Coniferæ,

G R O W N I N A R B O R E T U M .

(SECOND EDITION.)



L O N D O N :

S O L D A T T H E R O Y A L B O T A N I C G A R D E N S , K E W .

P R I N T E D F O R H I S M A J E S T Y ' S S T A T I O N E R Y O F F I C E .

B Y D A R L I N G & S O N , L T D . , 3 4 - 4 0 , B A C O N S T R E E T , E .

—
1902.

Price 1s. 3d.

Crown 1s. 6d.

86294
18/08
28

QK

73

K4H29

1902

P R E F A C E.

THE present is the first of a series of Hand-lists of the collections of living plants cultivated in the Royal Gardens which it is intended to issue from time to time.

It is hoped that they will be found useful in indicating to visitors interested in particular groups of plants, the species which Kew already possesses. In the hands of correspondents they will serve to show in what directions the collections may be added to. It is further hoped that they may be found of some value in establishing an approximate standard of nomenclature, which is often much confused in gardens and too frequently erroneous.

This is particularly the case with woody plants (shrubs and trees) grown in the open air. The preparation of the present list has accordingly been first taken in hand; it represents the work of many years, and has only been accomplished with considerable labour.

A rough census of the species and distinct varieties of plants cultivated at Kew gives the total number as, approximately, 20,000. Of these 3,000 are hardy shrubs or trees.

The first catalogue of the plants cultivated at Kew was that of Sir John Hill, published in 1768 (second edition 1769). This was entitled *Hortus Kewensis*, and

was an octavo volume of 458 pages. It has been reckoned to contain 3,389 species, of which 488 were hardy trees and shrubs.

In 1789 the elder Aiton published a more critical *Hortus Kewensis*, in which 5,535 species are enumerated.

The younger Aiton published in 1810 to 1813 a second edition in five volumes, "and in 1814 a catalogue or epitome, as it is called, of the species contained in the five volumes, for the use of practical gardeners; it contains . . . 314 additional species, the total number being 11,013."

This is the latest comprehensive list of plants in cultivation at Kew which has been published.

Occasionally lists of special collections have been issued since this date. Catalogues of the Ferns were issued in 1845, 1856, and 1868; of the Hardy Herbaceous plants in 1853; of Succulent plants in 1856; of *Aroideæ* in 1878; of *Bromeliaceæ* in 1879; of *Aloineæ*, *Yuccoideæ*, and Agaves in 1880; of Economic plants in 1881; of Palms in 1882; of Primulas in 1886; and of Orchids flowered at Kew, in 1891. Since 1885 lists of seeds available for distribution with other botanical establishments have been issued annually.

An Arboretum has been for more than a century a feature of the Kew establishment. Perhaps it dates its formal commencement from 1762, when "all the Duke of Argyll's trees and shrubs were removed to the Princess of Wales's garden at Kew, which now excels all others, under the direction of Lord Bute."

"The old Arboretum in part still exists near the main gate on Kew Green. Many trees have perished and have been removed from age; but those that remain include some of the finest specimens of rare trees in the Gardens." (Some further particulars are given in the *Kew Bulletin* for 1891, page 316.)

The Botanical Garden, which was opened to the public in 1841, with Sir William Hooker as Director, comprised only about 11 acres; it included, however, the old Arboretum. In 1844, by permission of the Queen, about 47 acres, including the ornamental piece of water in front of the Palm House, was added for the formation of a Pinetum. This was too near the smoke of suburban London, and it has lost its distinctive character. But many of the trees planted at this time are now of considerable magnitude.

The "Pleasure Grounds and Gardens at Kew" were in the occupation of the King of Hanover for sporting purposes at the time the Botanic Garden was given to the nation. The woods were filled with rough scrub for cover. In 1845 they were placed in the charge of Sir W. Hooker, with the "intention that they should be formed into a national arboretum." A plan for the purpose was prepared in 1846 by W. A. Nesfield. The main features were carried out at the time, and the general principle has been worked upon ever since. In 1850 the Nursery was formed. In 1870 the new Pinetum was commenced.

The late Director, Sir Joseph Hooker (1865-1885), spared no pains to amass the most complete collection which could be formed of hardy woody plants. These

were obtained from public and private correspondents and establishments at home and abroad, partly by purchase, partly by gift and exchange. They had necessarily for the most part to be planted under the names with which they were received, and these, from confusion or accident, were often erroneous.

A great difficulty arose in rectifying this, from the fact that woody plants can rarely be identified with any accuracy till they flower or fruit. The process of accurate identification in an extensive arboretum is necessarily, therefore, a very slow one.

A further difficulty arises in a public arboretum from the fact that, though the specimens were all carefully labelled with their history and a corresponding register kept, these labels are apt to be misplaced or lost. To remedy this a separate Herbarium was formed, in which a specimen was preserved of every species or variety planted out, with the name under which and the source from which it was received. By reference to this Herbarium it was possible, in a large number of cases, to correct the nomenclature.

By this means it has also been possible to draw up the list of which the present is the first instalment. It must still be regarded as in some sense provisional and open to correction. But it has been possible to reduce an immense number of "trade" and "garden" names, and to bring the nomenclature to something like a standard.

It only remains to note that in this list the names of some plants will be found which are accorded specific rank on account of their distinctness from a cultural point of view, although botanists would regard them as mere varieties.

PREFACE TO SECOND EDITION.

THE first edition of the Hand-list of Trees and Shrubs (excluding Coniferæ) grown in the Kew Arboretum (Part I., 1894 : Part II., 1896) has been for some time exhausted.

It is now republished in one volume after having been carefully revised and enlarged by the addition of the names of numerous species which have been added to the collection since the first edition was prepared.

The number of hardy shrubs and trees now enumerated amounts to about 4,500.

W. T. T. D.

Kew, Nov., 1902.

DICOTYLEDONS.

POLYPETALAE.

THALAMIFLORA E.

Ranunculaceae.

Clematis aethusifolia, *Turcz.* Amurland and North China

C. nutans var. aethusifolia, *O. Kuntze.*

Var. *latisecta*, *Marim.* Bot. Mag. t. 6542.

C. alpina, *Mill.* North Europe, &c.

Atragene alpina, *L.*; Bot. Mag. t. 530.

A. austriaca, *Scop.*

A. sibirica, *L.*; Bot. Mag. t. 1951.

A. Wenderothii, *Schlecht.*

C. apiifolia, *DC.* China and Japan.

C. virginiana, *Lour.* (not *L.*).

C. japonica, *Hort.* (not *Thunb.*).

C. Armandi, *Franch.* Nouv. Arch. Mus. s. 2, viii. t. 2.
China.

C. aromatica, *Lenné & C. Koch.* (*C. integrifolia* × *recta*);
Lavallée Clématites à grandes fleurs t. 9. Garden
origin.

C. coerulea odorata, *Hort.*

C. davurica, *Hort.*

C. odorata, *Hort.*

C. odorata coerulea, *Hort.*

C. Bergeroni, *A. Lavall.* Clématites à grandes fleurs t. 10.
Origin unknown.

C. brevicaudata, DC. Mongolia and Mandshuria.

C. Pierotii, Hort. (not Miq.).

C. calycina, Ait. : Bot. Mag. t. 959. Balearic Islands.

C. balearica, Rich. (not Pers.). Gard. Chron. 1878, ix. 501.

C. campaniflora, Brot. ; Lodd. Bot. Cab. t. 987. Portugal.

C. campanulata, Hort.

C. crispa, Hort. (not L.).

C. parviflora, DC.

C. revoluta, Desf.

C. viornioides, Hort.

C. cirrhosa, L. : Bot. Mag. t. 1070. South Europe.

C. balearica, Pers. (not Rich.).

C. pedicellata, Lindl.

C. polymorpha, Viv.

C. semitriloba, Løg.

C. connata, DC : Garden and Forest 1891, iv. 234, f. 42. Himalaya.

C. montana, Hort. (not Wall.).

C. venosa, Royle.

C. crispa, L. : Bot. Mag. t. 1892 Eastern United States.

C. cordata, Bot. Mag. t. 1816.

C. cylindrica, Bot. Mag. t. 1160.

C. Simsii, Sweet.

C. Viorna, Andr. Bot. Rep. t. 71 (not L.).

C. Flammula, L. : Reichb. Fl. Germ. iv. tt. 62, 63. Europe, &c.

C. angustifolia, Jacq.

C. caespitosa, Scop.

C. canaliculata, Lag.

C. Flammula—*cont.*

C. *fragrans*, *Tenore*.

C. *maritima*, *All.*

C. *paniculata*, *Hort.* (not *Thunb.*).

Var. *rubro-marginata*, *Hort.*

C. florida, *Thunb.*; Bot. Mag. t. 834. Japan.

C. *Fortunei*, *Hort.*

C. fusca, *Turcz.*; Gartenflora 1864, t. 456. N.E. Asia

C. *kamtschatica*, *Bunge*.

C. grata, *Wall.* Plant. As. Rar. t. 98. Himalaya.

C. Hendersonii, *Chandl.* (*Viticella* × *integrifolia*). Garden origin.

C. heracleaefolia, *DC.* China.

C. *Hookeri*, *Decne*.

C. *tubulosa*, *Turcz*.

C. *tubulosa* var. *Hookeri*, Bot. Mag. t. 6801.

Var. *davidiana*, *Franch.*

C. *daveyana*, *Hort.*

C. *davidiana*, *Verlot Rev. Hort.* 1867, 9.

C. *tubulosa*, *Hook.* Bot. Mag. t. 4269.

Var. *Lavallei*, *O. Kuntze*.

C. *Lavallei*, *Decne.* Rev. des Clém. tub. 241, t. 16.

Var. *stans*, *O. Kuntze*. Japan.

C. *stans*, *Decne.*; Bot. Mag. t. 6810.

C. *Kousabotan*, *Decne.* Nouvelles Archives du Muséum ser. 2, iv. t. 13.

C. *Savatieri*, *Decne.* Nouvelles Archives du Muséum ser. 2, iv. t. 16.

C. Jackmani, *T. Moore Florist and Pomologist* 1864, 193, t. (C. *lanuginosa* × *Viticella*). Garden origin.

C. *hakonensis*, *Lavallée* (not *Franch.* & *Savat.*).

- C. lanuginosa**, *Lindl.* Paxt. Fl. Gard. iii. 107, t. 94. China.
- C. leiocarpa**, *Oliv.* Hook. Ic. Plant. t. 1533. China.
- C. ligusticifolia**, *Nutt.*; Britt. & Br. Illustr. Fl. ii. 68, f. W. United States.
- C. montana**, *Wall.*; Bot. Reg. xxvi. t. 53. Himalaya.
C. anemoneflora, *D. Don.*
Var. **rubens**, *O. Kuntze.* China.
- C. orientalis**, *L.* Orient.
C. graveolens, *Lindl.*; Bot. Mag. t. 4495.
C. flava, *Moench.*
C. Wilfordii, *Hort.*
Var. **tangutica**, *Maxim.*; Bot. Mag. t. 7710.
- C. paniculata**, *Thunb.*; Garden and Forest 1890, 621, f. 82
Japan.
C. Vitalba var. *japonica*, *Houttuyn.*
- C. patens**, *Morr. & Decne.* China and Japan.
C. coerulea, *Lindl.* Bot. Reg. t. 1955.
C. coerulea grandiflora, *Hort.*
- C. Pitcheri**, *Torr. & Gray.* Colorado, &c.
C. coloradensis, *Buckl.*
Var. **lasiostylis**, *A. Gray.*
- C. Pseudo-flammula**, *Schmalh.* Caucasus.
- C. Scottii**, *Porter.* N.W. America.
- C. songarica**, *Bunge.* N.E. Asia.
- C. verticillaris**, *DC.* N.America. "Purple Virgin's Bower."
Atragene americana, *Sims* Bot. Mag. t. 887.
- C. Viorna**, *L.*; Andr. Bot. Rep. i. t. 71. United States.
"Leather Flower."

C. virginiana, *L.*; Watson Dendr. Brit. i. t. 74. United States.

C. cordata, *Pursh.*

C. cordifolia, *Moench.*

C. fragrans, *Salisb.*

C. Vitalba, *L.*; Eng. Bot. ed. 3, t. 1. Europe, &c. "Old Man's Beard."

C. bannatica, *Wierzb.*

C. taurica, *Bess.*

C. Viticella, *L.*; Bot. Mag. t. 565. Europe.

C. hybrida, *Hort.*

Var. *flore pleno*.

Many garden varieties.

Xanthorrhiza apiifolia, *L'Hérit.*; Bot. Mag. t. 1736. United States. "Shrub Yellow-root."

**Paeonia lutea*, *Franch.*; Bot. Mag. t. 7788. Mountains of Yunnan.

P. Moutan, *Sims* Bot. Mag. tt. 1154, 2175. China. "The Moutan" or Tree Paeony.

P. arborea, *Donn.*

Calycanthaceae.

Calycanthus floridus, *L.*; Bot. Mag. t. 503. South United States. "Carolina Allspice."

C. sterilis, *Walt.*

Butneria florida, *Kearney.*

Var. *albus*.

C. glaucus, *Willd.* South United States.

- C. bullatus, *Hort.*
- C. ferax, *Michx.*
- C. fertilis, *Walt.*; Bot. Reg. t. 404.
- C. floridus elongatus, *Hort.*
- C. floridus var. inodorus, *Torr. & Gray.*
- C. floridus var. laevigatus, *Torr. & Gray.*
- C. floridus longifolius, *Hort.*
- C. floridus ovatus, *Hort.*; Arbor. Segrez. Ic. xxiv.
- C. inodorus, *Elliott.*
- C. laevigatus, *Willd.*
- C. nanus, *Loisel.* Nouv. Duham. i. 219, t. 48.
- C. pennsylvanicus, *Hort.*
- C. prunifolius, *Hort.*
- Butneria fertilis, *Kearney.*

C. occidentalis, *Hook & Arn.*; Bot. Mag. t. 4808. California.

- C. macrophyllus, *Hort.*

Chimonanthus fragrans, *Lindl.* China and Japan.

Calycanthus praecox, *L.*; Bot. Mag. t. 466.

Var. *grandiflorus*, *Lindl.* Bot. Reg. t. 451.

Magnoliaceae.

**Drimys aromatica*, *F. Muell.* Tasmania and Victoria.

Tasmannia aromatica, *R. Br.*; Bot. Reg. 1845, t. 43.

**D. Winteri*, *Forst.*: Bot. Mag. t. 4800. South America.
“Winter’s Bark.”

D. chilensis, *DC.*

D. granatensis, *L. f.*

D. mexicana, *DC.*

Wintera aromatica, *Murr.*

Winterana aromatica, *Soland.*

**Illicium floridanum*, *Ellis*; Bot. Mag. t. 439. South United States.

**I. religiosum*, *Sieb. & Zucc.*; Bot. Mag. t. 3965. China and Japan.

Magnolia acuminata, *L.*: Bot. Mag. t. 2427. Sargent Silva of North America tt. 4, 5. United States. "Cucumber Tree ; Mountain Magnolia."

Var. *cordata*, *Sargent* Silva of North America t. 6.

M. cordata, *Michx.*; Bot. Reg. t. 325. South United States.

**M. Campbellii*, *Hook. f. & Thoms.*; Bot. Mag. t. 6793. Eastern Himalaya.

M. Delavayi, *Franch.* Plantae Delavayanae tt. 9, 10. Yunnan.

M. conspicua, *Salisb.*; Garden Sept. 22, 1888. China and Japan. "Yulan."

M. Yulan, *Desf.*; Bot. Mag. t. 1621.

M. Fraseri, *Walt.*; Sargent Silva of North America tt. 11, 12. South United States.

M. auricularis, *Salisb.*

M. auriculata, *Lam.*; Bot. Mag. t. 1206

M. pyramidalis, *Burtr.*

M. glauca, *L.*; Lodd. Bot. Cab. t. 245 : Sargent Silva of North America t. 3. United States. "Swamp Bay ; Laurel Magnolia."

M. fragrans, *Salisb.*

M. longifolia, *Sweet.*

M. virginiana, *L.* var. *glauca*.

- M. grandiflora**, L. South United States. "Bull Bay"
M. foetida, Sargent Silva of North America tt. 1, 2.
- Var. *angustifolia*, Hort.
M. Hartwegii, Hort.
M. Hartwicus, Hort.
M. salicifolia, Hort.
- Var. *ferruginea*, Hort.
- Var. *lanceolata*, Ait.: Bot. Mag. t. 1952.
M. exoniensis, Lodd.
- Var. *undulata*, Hort.
- M. hypoleuca**, Sieb. & Zucc.; Garden and Forest 1888, i.
 305, f. 49. Japan.
- M. Kobus**, DC.; Sargent Forest Flora of Japan t. 3.
 Japan.
M. Thurberi, Hort.
- M. Lennei**, Van Houtte Flore des Serres t. 1693. (*M. conspicua* × *obovata*). Garden origin.
- M. macrophylla**, Michx.: Bot. Mag. t. 2189. Sargent Silva of North America tt. 7, 8. South United States.
- M. Norbertii**, Hort. (*M. conspicua* × *obovata*). Garden origin.
M. norbertiana, Hort.
- M. obovata**, Thunb. China (cultivated only in Japan).
M. discolor, Vent.
M. denudata, Lam.
M. liliiflora, Lam.
M. purpurea, Curt. Bot. Mag. t. 390.
Buergeria obovata, Sieb. & Zucc.
Talauma obovata, Huwe.
T. Sieboldi, Miq.
Yulania japonica, Spach.

- M. parviflora**, *Sieb. & Zucc.*; Bot. Mag. t. 7411. Japan.
- M. soulangeana**, *Hort.* (*M. conspicua* × *obovata*). Garden origin.
- M. Yulan var. soulangeana*, *Lindl.* Bot. Reg. t. 1164.
- M. alexandrina*, *Hort.*
- Var. *nigra*, *Hort.* (*M. conspicua* × *obovata*). Garden origin.
- M. stellata**, *Maxim.*; Bot. Mag. t. 6370. Japan.
- M. halleana*, *Hort.*
- Buergeria stellata*, *Sieb. & Zucc.*
- Talauma stellata*, *Miq.*
- M. superba**, *Hort.* (*M. conspicua* × *obovata*). Garden origin.
- M. conspicua superba*, *Hort.*
- M. thompsoniana**, *Hort.* Garden and Forest i. 269, f. 43
(*M. glauca* × *tripetala*?) Garden origin.
- M. glauca var. major*, Bot. Mag. t. 2164.
- M. tripetala**, *L.*; Loud. Arb. Brit. i. 269, t. 5; Sargent Silva of North America tt. 9, 10. United States.
"Umbrella Tree; Elk-wood."
- M. frondosa*, *Salisb.*
- M. Umbrella*, *Lam.*
- M. Watsoni**, *Hook. f.* Bot. Mag. t. 7157. Japan.
- M. parviflora*, *Hort.* (not *Sieb. & Zucc.*).
- **Michelia compressa*, *Sargent* Garden and Forest 1893, 77.
f. 13. Japan.
- Magnolia compressa*, *Maxim.*

Liriodendron tulipifera, *L.*; Bot. Mag. t. 275; Sargent Silva of North America tt. 13, 14. United States.
"Tulip Tree."

Var. *aureo-marginata*.

Var. *chinensis*, *Hemsl.* China.

Var. *contorta*.

Var. *fastigiata*.

Schizandra chinensis, *Baill.*: Arbor. Segrez. t. 26. China and Japan.

S. japonica, *Hance*.

Kadsura chinensis, *Turcz.* (not *Hance*).

Maximowiczia chinensis, *Rupr.*

**Kadsura chinensis*, *Hance* (not *Turcz.*). China and Japan.

K. japonica, *Benth.* *

*Var. *variegata*.

Trochodendraceae.

Cercidiphyllum japonicum, *Sieb. & Zucc.* Sargent Forest Flora of Japan tt. 6, 7. Japan.

Eucommia ulmoides, *Oliver.* Hook. Ic. Plant. tt. 1950, 2261. China.

Euptelea davidiana, *Baill.*

Trochodendron aralioides, *Sieb. & Zucc.*; Bot. Mag. t. 7375. Japan.

Gymnanthus paradoxus, *Jungh.*

Tetracentron sinense, *Oliv.* Hook. Icon. Plant. t. 1892. China.



Anonaceae.

Asimina triloba, *Dunal*; Bot. Mag. t. 5854. South United States. "Papaw."

A. campaniflora, *Spach*.

Anona triloba, *L.*

Porceelia triloba, *Pers.*

Uvaria triloba, *Torr. & Gray.*

Menispermaceae.

Cocculus carolinus, *DC.*; Loud. Arbor. i. 298, f. 45. South United States.

Androphylax scandens, *Wendl.*

Baumgartia scandens, *Moench.*

Cebatha Carolina, *Britton*; Britt. & Br. Illustr. Fl. ii. 94, f.

Cocculidium populifolium, *Spach*.

Menispermum carolinum, *L.*

Wendlandia populifolia, *Willd.*

W. caroliniana, *Nutt.*

**C. laurifolius*, *DC.* Himalaya and Japan.

C. Thunbergi, *DC.* Japan.

Menispermum canadense, *L.*; Bot. Mag. t. 1910. North America. "Moonseed."

M. angulatum, *Moench.*

M. smilacinum, *DC.*

Cissampelos Smilacina, *L.*

M. dauricum, *DC.* Siberia, China, and Japan.

M. dahuricum, *Maxim.* Diagn. Pl. Nov. v. t. 2.

Berberidaceae.

**Lardizabala biternata*, *Ruiz. & Pav.*; Bot. Mag. t. 4501.
Chili.

**Stauntonia hexaphylla*, *Decne.*; Sieb. & Zucc. Fl. Jap. t. 76.
China and Japan.

**Holboellia latifolia*, *Wall.* Himalaya.

Stauntonia latifolia, *Wall.*; Gard. Chron. 1883, xix.
345.

Akebia lobata, *Decne.*; Bot. Mag. t. 7485. Japan.

A. quinata, *DC.*; Bot. Mag. t. 4864. China & Japan.

**Berberidopsis corallina*, *Hook. f.* Bot. Mag. t. 5343. Chili.

Berberis actinacantha, *Mart.*; Bot. Reg. xxxi. t. 55. Chili,

B. aetnensis, *Presl*; Flora Sardoa t. 5. Sardinia, Corsica.
&c.

B. angulosa, *Wall.*; Bot. Mag. t. 7071. Himalaya.

B. Aquifolium, *Pursh*; Bot. Reg. t. 1425. Western North
America.

Mahonia Aquifolium, *Paxt.*

Var. *fascicularis*, *Nichols.*

B. *fascicularis*, *Sims* Bot. Mag. t. 2396.

Mahonia fascicularis, *DC.*

Var. *latifolia*, *Hort.*

Var. *macrophylla*, *Hort.*

Var. *murrayana*, *Hort.*

Var. *rotundifolia*, *Hort.*

Var. *undulata nana*, *Hort.*

B. aristata, DC. Himalaya.

- B. asiatica, Hort. (not Wall).
- B. coerulescens, Hort.
- B. dealbata, Hort. (not Lindl.).
- B. macrophylla, Hort.
- B. nepalensis, Hort.
- B. serratifolia, Hort.
- B. virgata, Hort.

Var. **floribunda**, Hook. f. & Thoms. Temperate Himalaya.

- B. floribunda, Wall.
- B. coriacea, Hort.
- B. coriaria, Lindl. Bot. Reg. xxvii. t. 46.
- B. umbellata, Lindl. Bot. Reg. xxx. t. 44 (not Wall.).

***B. asiatica**, Roeb. ; Deless. Ic. Sel. ii. t. 1. Himalaya.

B. buxifolia, Lam. ; Bot. Mag. t. 6505. Chili.

- B. dulcis, Sweet.
- B. rotundifolia, Hort.

Var. **aureo-marginata**, Hort.

Var. **nana**, Hort.

B. canadensis, Pursh ; Loud. Arbor. i. 303, f. 48. Canada &c. "American Barberry."

B. concinna, Hook. f. Bot. Mag. t. 4744. Himalaya.

B. congestiflora, Gay. var. **hakeoides**, Hook. f. Bot. Mag. t. 6770. Chili.

B. cretica, L. ; Sibth. Flora Graeca t. 342. Mediterranean region.

B. Darwinii, Hook. Bot. Mag. t. 4590. Chili.

Var. **nana**, Hort.



- B. *diaphana*, *Maxim.* Flora Tangutica 32, t. 8. N.W. China.
- B. *dictyophylla*, *Franchet* Plantae Delavayanae 39, t. 11. Yunnan.
- B. *empetrifolia*, *Lam.*; Bot. Reg. xxvi. t. 27. Chili.
 B. *cuneata*, *Hort.* (not *DC.*).
 B. *rubricaulis*, *Hort.*
 B. *revoluta*, *Smith.*
- B. *Fendleri*, *A. Gray*; Garden and Forest 1888, 462, f. 72. S. Rocky Mountains.
- B. *Fortunei*, *Lindl.* Journ. Hort. Soc. Lond. i. 300. China.
- *B. *Fremonti*, *Torr.*; Garden and Forest 1888, 497, f. 77. South-west United States.
 B. *trifoliata*, *Torr.* (in part).
- B. *Guimpelii*, *C. Koch.* Origin uncertain.
- B. *heterophylla*, *Juss.*; Hook. Exotic Flora i. t. 14. Chili.
 B. *tricuspidata*, *Sm.*
- B. *heteropoda*, *Schrenk*; Garden and Forest viii. 455, f. Central Asia.
- B. *ilicifolia*, *Forst.*; Bot. Mag. t. 4308. Straits of Magellan.
- B. *integerrima*, *Bunge Reliq. Lehm.* t. 1. Central Asia.
 B. *densiflora*, *Boiss. & Buhse.*
 Var. Pyracantha.
- B. *japonica*, *R. Br.* China and Japan.
 B. *Bealei*, *Fortune* Bot. Mag. t. 4852.
 B. *bealei var. planifolia*. Bot. Mag. t. 4846.
 Mahonia *japonica*, *Thunb.*

- B. *Lycium*, *Royle*; Bot. Mag. t. 7075. Himalaya.
- B. *angustifolia*, *Roxb.*
 - B. *aristata*, *Hort.* (not *DC.*).
 - B. *aurahuacensis*, *Hort.* (not *Lem.*).
 - B. *elegans*, *Hort.*
 - B. *glauca*, *Hort.*
 - B. *glaucescens*, *Hort.*
- B. *montana*, *C. Gay.* Chili.
- B. *nepalensis*, *Spreng.* Kashmir, &c.
- B. *leschenaultiana*, *Wall.*
 - Mahonia intermedia*, *Hort.*
 - M. japonica*, *DC.*
 - M. napaulensis*, *DC.*
 - M. Sieboldi*, *Hort. Segrez.*
- B. *nervosa*, *Pursh*; Bot. Mag. t. 3949. North - west America.
- B. *glumacea*, *Spreng.*
 - Mahonia glumacea*, *DC.*
 - M. nervosa*, *Nutt.*
- B. *Neuberti* (*B. Aquifolium* × *vulgaris*); Gard. Chron. 1891, ix. 72.
- B. *ilicifolia*, *Hort.* (not *Forst.*).
- B. *pruinosa*, *Franchet.* Yunnan.
- B. *repens*, *Lindl.* Bot. Reg. t. 1176. North America.
- Mahonia repens*, *G. Don.*
- B. *ruscifolia*, *Lam.* Illustr. t. 253, f. 2. Argentina.
- B. *serotina*, *Lange* Botanisk Tidsskrift ser. 3. ii. t. 4 Origin unknown.
- B. *sibirica*, *Pall.*; Bot. Reg. t. 487. Siberia. &c.

- B. *Sieboldii*, *Miq.*; Garden and Forest 1890, 249. China and Japan.
- B. *sinensis*, *Desf.*; Bot. Mag. t. 6573. China and Japan.
 B. *chinensis*, *Hort.*
 B. *monosperma*, *Hort.* (not *Ruiz.* & *Pav.*).
- B. *stenophylla*, *Moore* (not *Hance*), (*empetrifolia* × *Darwinii*) Gard. Chron. 1880, xiv. 213, f. 41. Garden origin.
- Var. *reflexa*.
 B. *reflexa*, *Hort.*
- B. *Thunbergii*, *DC.*; Bot. Mag. t. 6646; Garden and Forest 1889, ii. 53, f. Japan.
 B. *Maximowiczii*, *Regel*.
- Var. *Dawsoni*, *Hort.*
 Var. *macrocarpa*, *Hort.*
 Var. *myrtifolia*, *Hort.* *
- B. *umbellata*, *Wall.* Temperate Himalaya.
 B. *aristata*, *Hook.* Bot. Mag. t. 2549 (not *Wall.*)
- B. *valdiviana*, *Phil.* Chili.
- B. *virescens*, *Hook. f.* Bot. Mag. t. 7116. Himalaya.
 B. *aristata*, *Hort.* (not *Wall.*).
 B. *aristata micrantha*, *Hort.*
 B. *belstaniana*, *Hort.*
 B. *macrosepala*, *Hort.*
- Var. *fructu rubro*.
 Var. *macrocarpa*.
- B. *vulgaris*, *L.*; Eng. Bot. ed. 3, t. 51. Europe, Temperate Asia, N. Africa. "Barberry."
 Var. *albo-spicata* *Krynsii*, *Hort.*

B. vulgaris—*cont.*

- Var. *brachybotrys*, *Hook. f.* Himalaya.
 Var. *foliis purpureis*.
 Var. *foliis variegatis*.
 Var. *fructu albo*.
 Var. *fructu nigro*.
 Var. *rufocincta*, *Hort.*

The following are slight forms of **B. vulgaris**.

- B. abortiva**, *Renault*.
B. acida, *Gilib.*
B. actinacantha, *Hort.* (not *Mart.*).
B. altaica, *Hort.*
B. amurensis, *Rupr.*
B. angulizans, *Hort.*
B. apyrena, *Hort.*
B. arborescens, *Hort.*
B. articulata, *Loisel.*
B. asperma, *Poit. & Turp.*; *Garden* 1889, **xxxv.** 264,
 pl. 692.
B. aurea, *Tausch.*
B. buenos-ayrensis, *Hort.*
B. chilensis, *Hort.* (not *Gill.*).
B. corallina, *Hort.*
B. crataegina, *DC.*
B. crenulata, *Schrud.*
B. dealbata, *Hort.* (not *Lindl.*).
B. declinata, *Hort.*
B. dentata, *Tausch.*

B. vulgaris—*cont.*

- B. dulcis, *Schrud.* (not *Sweet*).
- B. dumetorum, *Gouan.*
- B. edulis, *Hort.*
- B. elongata, *Hort.*
- B. emarginata, *Willd.*
- B. erecta, *Hort.*
- B. Fenzleri, *Hort.* (not *A. Gray*).
- B. floribunda, *Hort.* (not *Wall.*).
- B. globularis, *Hort.*
- B. heterophylla, *Hort.* (not *Juss.*).
- B. hypoleuca, *Hort.* (not *Lindl.*).
- B. iberica, *Hort.* (not *Steven*).
- B. ilicifolia, *Hort.* (not *Forst.*).
- B. innoxinata, *Kielm.*
- B. laxiflora, *Hort.* “
- B. lycioides, *Hort.*
- B. macracantha, *Hort.*
- B. macrantha, *Schrud.*
- B. macrocarpa, *Hort.*
- B. marginata, *Hort.* (not *C. Gay*).
- B. maxima, *Hort.*
- B. microphylla, *Hort.*
- B. mitis, *Hort.*
- B. moranensis, *Hort. Panormit.*
- B. nitens, *Schrud.*
- B. pangharengensis, *Hort.*
- B. petiolaris, *Hort.*
- B. provincialis, *Hort.*
- B. sanguinolenta, *Hort.*
- B. spathulata, *Hort.*
- B. sulcata, *Hort.*

B. wallichiana, DC.; Bot. Mag. t. 4656. Himalaya and China.

B. Jamesoni, Hort. (not Lindl.).

B. Hookeri, Hort.

Var. *latifolia*, Hook. f. & Thoms.

B. Knightii, Hort. Paris. (not C. Koch).

B. macrophylla, Hort.

Var. *microcarpa*, Hook. f. & Thoms. Khasia Hills.

Var. *pallida*, Hook. f. & Thoms. Bhotan.

**Nandina domestica*, Thunb.; Bot. Mag. t. 1109. China and Japan.

Papaveraceae.

**Romneya Coulteri*, Harvey; Garden Nov. 1884. California.

Cruciferae.

Alyssum spinosum, L. South Europe.

**Vella Pseudocytisus*, L.: Bot. Reg. t. 293. Spain. "Cress Rocket."

**V. spinosa*, Boiss. Spain.

Cistaceae.

Cistus albidus, L.; Sweet Cistinæ t. 31. South-west Europe.

C. corbariensis, Pourr.; (*C. populifolius* × *salvifolius*). South Europe.

C. cupanianus, Sweet Cistinæ t. 70.

C. crispus, L.; Sweet Cistinæ t. 22. Mediterranean Region.

Figure 2. Results of the simulation




Figure 2. Results of the simulation

C. cyprius*, *Lam.*; Sweet Cistineae t. 39. **Cyprus.

C. Delilei, *Burnat.* South-west Europe.

C. albido-crispus, *Delile.*

C. crispo-albidus, *Timb.*

C. florentinus, *Lam.*; Sweet Cistineae t. 59. (*C. salvifolius* × *monspeliensis*.) South-west Europe.

C. hirsutus, *Lam.*; Sweet Cistineae t. 19. South-west Europe.

C. albiflorus, *Hort.*

C. laxus, *Ait.*

C. ladanifero-monspeliensis, *Lor.* South-west Europe.

C. ladaniferus var. immaculatus, *Godr.*

**C. ladaniferus*, *L.*; Bot. Mag. t. 112. South-west Europe.

C. laurifolius, *L.*; Sweet Cistineae t. 52. South-west Europe.

C. longifolius, *Lam.*; Sweet Cistineae t. 12. (? *C. populifolius* × *monspeliensis*.) South-west Europe.

C. lusitanicus, *Hort.* (*C. monspeliensis* × *ladaniferus*.)

C. monspeliensis, *L.*; Sweet Cistineae t. 27. Mediterranean Region.

C. affinis, *Guss.*

C. Clusii, *Hort.* (not *Dunal*).

**C. parviflorus*, *Lam.*; Sweet Cistineae t. 14. Crete, &c.

C. complicatus, *Lam.*

**C. populifolius*, *L.*; Sweet Cistineae t. 23. South-western Europe.

C. purpureus, *Lam.*; Bot. Reg. t. 408; Sweet Cistineae t. 17. Levant.

- C. recognitus**, *Rouy & Fouc.* **C. laurifolius** × **mon-**
speliensis.) S. Europe.
- C. salvifolius**, *L.*; Sweet Cistineæ t. 54. **Mediterranean**
Region.
- ***C. tauricus**, *J. & C. Presl.* Crimea.
- ***C. vaginatus**, *Dryan. L.*; Bot. Reg. t. 225. **Canary Islands.**
C. candidissimus, *Dunal.*
C. symphytifolius, *Lam.*
Rhodocistus bertholetianus, *Spreng.*
- C. villosus**, *L.*; Sweet Cistineæ tt. 70, 35; Bot. Mag. t. 43.
Mediterranean Region.
- C. incanus**, *L.*
- Var. **corsicus**.
C. corsicus, *Soleir.*
- Var. **creticus**, *Nym.* "Gum Cistus."
C. creticus, *L.*; Sweet Cistineæ t. 112.
C. gorganicus, *Tenore.*
- Var. **rotundifolius**, *Willk. & Lange.*
C. rotundifolius, Sweet Cistineæ t. 75.
- Var. **undulatus**, *Willk.*
C. undulatus, *Dunal*; Sweet Cistineæ t. 63.
- Helianthemum alysoïdes**, *Vent.* Choix t. 20. South-
western Europe.
- Var. **cheiranthoides**.
H. lasianthum, *Pers.*
Cistus lasianthus, *Lam.*
- ***H. ambiguum**, *Pomel.* Algeria.
- ***H. canariense**, *Pers.* North-west Africa and Canary
Islands
- H. glaucum**, Sweet Cistineæ t. 111 (not *Pers.*).

- H. formosum, *Dunal*; Sweet Cistineæ t. 50; Maund
Botanist iii. t. 131. Portugal.
- H. glaucum, *Pers.* var. *suffruticosum*. Lag. Flor. For.
Esp. ii. t. 79/2. Western Mediterranean Region.
- H. halimifolium, *Pers.*; Sweet Cistineæ t. 4. Mediter-
ranean Region.
- H. hirtum, *Mill.* South-west Europe.
H. hispidum, *Dunal*.
H. majoranaefolium, *DC.*
- H. italicum, *Pers.* Europe.
Var. *oelandicum*, *DC.*; Sweet Cistineæ t. 85.
Cistus *oelandicus*, *L.*
- *H. leptophyllum, *Dunal*. Spain.
- H. Libanotis, *Willd.* Spain, Portugal.
H. rosmarinifolium, *Hort.*
Halimium *rosmarinifolium*, *Spach.*
- H. ocyoides, *Pers.*; Sweet Cistineæ tt. 40, 13. Spain,
Portugal.
H. algarvense, *Dunal*.
Cistus *ocymifolium*, *Pourr.*
- H. origanifolium, *Pers.* Europe.
H. marifolium, *Dunal*.
- H. polifolium, *Pers.*; Sweet Cistineæ t. 88. Europe.
H. apenninum, *DC.*; Sweet Cistineæ t. 62.
Cistus *appeninus*, *L.*
- H. rubellum, *Presl.* Western Mediterranean Region.
H. hymettium, *Boiss.* & *Heldr.*

H. umbellatum, *Mill.*; Sweet Cistineae t. 5. Mediterranean Region.

Halimium umbellatum, *Spach.*

Var. *syriacum*.

H. syriacum, *Boiss.*

***H. velutinum**, *Pomel.* Algeria.

H. vineale, *Pers.*; Sweet Cistineae t. 77. Europe, Asia Minor

H. canum, *Dunal*; Sweet Cistineae t. 56.

H. marifolium, *DC.*

H. piloselloides, *Billot.*

H. pulchellum, Sweet Cistineae t. 74.

Cistus anglicus, *L.*

C. marifolius, *Sm.*

H. vulgare, *Gaertn.*; Engl. Bot. ed. 3, t. 168. Europe,
"Rock Rose."

Var. *crocatum*.

H. hyssopifolium crocatum, Sweet Cistineae t. 92.

Var. *croceum*.

H. croceum, Sweet Cistineae t. 53.

Var. *croceum flore pleno*.

Var. *cupreum*.

H. hyssopifolium cupreum, Sweet Cistineae t. 58.

Var. *diversifolium multiplex*.

H. diversifolium multiplex, Sweet Cistineae t. 98.

Var. *hyssopifolium multiplex*.

H. hyssopifolium multiplex, Sweet Cistineae t. 72.

Var. *mutable*.

H. mutabile roseum, Sweet Cistineae t. 106.

H. vulgare—*cont.*

Var. *rhodanthum*.

H. rhodanthum, *Sweet Cistineae* t. 7.

Var. *roseum*.

H. rhodanthum roseum, *Hort.*

H. roseum, *Sweet Cistineae* t. 55.

Var. *roseum multiplex*.

H. roseum multiplex, *Sweet Cistineae* t. 86.

Var. *serpyllifolium*.

H. serpyllifolium, *Sweet Cistineae* t. 60.

Var. *stramineum*.

H. stramineum, *Sweet Cistineae* t. 93.

Var. *surrejanum*.

H. surrejanum, *Mill.*; *Sweet Cistineae* t. 28.

H. rosmarinifolium, *Hort.*

Var. *venustum*.

H. venustum, *Sweet Cistineae* t. 10.

Violaceae.

Hymenanthera crassifolia, *Hook. f.*; *Gard. Chron.* 1875,
iii. 237. f. 42. New Zealand.

Bixaceae.

**Azara dentata*, *Ruiz & Pav.*; *Bot. Reg.* t. 1788. Chili.

**A. Gilliesii*, *Hook & Arn.*; *Bot. Mag.* t. 5178. Chili.
Quillaia petiolaris, *D. Don.*

**A. integrifolia*, *Ruiz & Pav.* Chili.

Var. *variegata*.

A. microphylla, *Hook. f.* *Gard. Chron.* 1874, i. 81 f. 21.
Chili.

Myrtophyllum chilense, *Turcz.*

Idesia polycarpa, *Marim.*; Bot. Mag. t. 6794. China and Japan.

Flacourzia japonica, *Hort.*

Polycarpa Maximowiczii, *Hort.*

Poliothyrsis sinensis, *Oliv.* Hook. Icon. Plant. t. 1885. China.

Pittosporaceae.

**Pittosporum crassifolium*, *Soland.*; Bot. Mag. t. 5978.
New Zealand. "Kars."

P. Ralphii, *T. Kirk.*

**P. tenuifolium*, *Banks & Soland.*; Kirk Forest Flora t. 46.
New Zealand.

**P. Tobira*, *Ait.*; Bot. Mag. t. 1396. China and Japan.
P. chinense, *Doum.*

**P. undulatum*, *Vent.*; Bot. Reg. t. 16. Australia.

**Bursaria spinosa*, *Cav.*; Bot. Mag. t. 1767. Australia.
Azara lanceolata, *Hort.*

Itea spinosa, *Andr.* Bot. Rep. v. t. 314.

Polygalaceae.

Polygala Chamaebuxus, *L.*; Bot. Mag. t. 316. Alps.
Chamaebuxus alpestris, *Spach.*

Var. *purpurea*.

Frankeniaceae.

Frankenia laevis, *L.*; Engl. Bot. ed. 3, t. 190. Europe.
"Sea-Heath."

Tamaricaceae.

Tamarix anglica, *Webb.* Sea shores of Western Europe.
"Tamarisk."

T. chinensis, *Lour.* China and Japan.

T. gallica var. chinensis, *Ehrenb.*

T. japonica, *Hort.*

T. plumosa, *Hort.*

T. gallica, *L.* Mediterranean region.

T. hispida, *Willd.* var. *kashgarica*. *Gard. Chron* 1897,
xxii. 337, f. Western Asia.

T. hispida, *Willd.*; *Rev. Hort.* 1894, 352, pl.

T. kashgarica, *Hort.*

T. Pallasii, *Desv.* Eastern Europe to Afghanistan.

T. caspica, *Hort.* (in part).

T. gallica, *Hort.* (not *L.*).

T. odessana, *Hort.*

Var. *macrostemon*, *Bunge.*

Var. *moldavica*, *Bunge.*

T. indica, *Hort.* (in part).

Var. *rosea*.

T. hispida var. aestivalis, *Rev. Hortie.* 1901, 379,
f. 158.

T. tetrandra, *Pall.* Mediterranean region, Eastern Europe,
&c.

T. africana, *Bory & Chaub.* (not *L.*).

T. algeriensis, *Hort.*

T. caspica, *Hort.* (in part).

T. chinensis, *Hort.* (not *Lour.*).

T. parviflora, *Hort.* (not *DC.*).

Myricaria germanica, *Desv.* Europe, &c.

M. dahurica, *Hort.*

Tamarix germanica, *L.*; *Flora Danica* ii. t. 234.

Hypericaceae.

Ascyrum hypericoides, L.; Britt. & Br. Illustr. Fl. ii. 428, f.
United States, &c. "St. Andrew's Cross."
A. Crux-andrea, L.

Hypericum adpressum, Barton. Eastern United States.
H. fastigiatum, Ell.

***H.** aegyptiacum, L.; Bot. Mag. t. 6481. South Mediterranean Region.

H. Androsaemum, L.; Engl. Bot. ed. 3, t. 264. Europe.
"Tutsan."

H. arborescens, Hort.
H. caprifolium, Hort. (not Boiss.).
H. glandulosum, Hort. (not Ait.).
H. webbianum, Hort. (not Spach).
Androsaemum officinale, L.

Var. aureum, Hort.
H. hircinum aureum. Hort.

H. Ascyron, L.; Gartenflora t. 1381. Northern Asia, North America.

H. ascyroides, Willd.
H. macrocarpum, Michx.
H. pyramidatum, Ait.

H. aureum, Bartr.; Garden and Forest 1889, ii. 184, f. 103.
South United States.

H. amoenum, Pursh.
H. frondosum, Michx.
H. rugelianum, Kunze.

***H.** balearicum, L.; Bot. Mag. t. 137. Mediterranean Region.

- H. Buckleii**, *M. A. Curtis.* Mountains of North and South Carolina and Georgia.
- H. Buckleyi, *S. Wats.*; Garden and Forest, 1891, iv. 581, f. 91.
- H. calycinum**, *L.*; Bot. Mag. t. 146. Orient. "Tutsan." *Eremanthe calycina*, *Spach.*
- ***H. chinense**, *L.*; Gard. Chron. 1887, i. 705, f. 135. China and Japan.
- H. aureum, *Lour.* (not *Bartr.*).
 - H. monogynum, *L.*; Bot. Mag. t. 334.
 - H. salicifolium, *Sieb. & Zucc.*
 - Norysca aurea*, *Blume.*
 - N. chinensis, *Spach.*
- ***H. Coris**, *L.*; Bot. Mag. t. 6563. Central and Southern Europe.
- H. densiflorum**, *Pursh.*; Garden and Forest 1890, iii. 527, f. 67. North America.
- H. fasciculatum, *Hort.* (not *Lam.*).
 - H. galioides, *Pursh* (not *Lam.*).
 - H. prolificum var. *densiflorum*, *A. Gray.*
- H. elatum**, *Ait.*; Engl. Bot. ed. 3, t. 265. Canaries.
- H. glandulosum, *Hort.*
 - H. grandifolium, *Choisy.*
 - H. hircinum, *Hort.* (not *L.*).
 - H. multiflorum, *Hort.* (not *H.B.K.*).
 - H. platyphyllum, *Hort.*
 - Androsaemum foliosum, *Ait.*
 - A. parviflorum, *Spach.*
 - A. pyramidale, *Spach.*
 - A. webbianum, *Spach.*

- **H. empetrifolium*, Willd.; Bot. Mag. t. 6764. Greece, &c.
H. multicaule, Lam.
H. Coris, Sibth. Fl. Graeca t. 777 (not *L.*)
- H. erectum*, Thunb. Japan.
- H. galoides*, Lam.; Gard. and Forest 1897, 433, f. 55.
 South-eastern United States.
H. axillare, Lam. (not Michx.).
- H. hircinum*, L.; Engl. Bot. ed. 3, t. 266. Europe, &c.
H. anglicum, Hort. (not Bertol.).
H. chinense, Hort. (not *L.*).
- H. hookerianum*, Wight & Arn. Himalaya.
H. oblongifolium, Choisy; Bot. Mag. t. 4949.
- *Var. *Leschenaultii*, Dyer. Sikkim, Nepaul, Java.
H. Leschenaultii, Choisy.
H. triflorum, Blume.
- H. inodorum*, Mill. Orient.
H. ramosissimum, Ledeb.
Androsaemum xylosteifolium, Jaub. & Spach Illustr. Plant. Or. t. 38.
- H. kalmianum*, L.; Garden and Forest 1890, 113. North America.
- H. lobocarpum*, Gutting; Garden and Forest 1897, 453.
 South United States.
- H. moserianum*, Rev. Hort. 1889, 464. (*calycinum* ×
patulum.) Garden origin.
- H. nudiflorum*, Michx. Southern United States.
H. cistifolium, Coulter (not Lam.).
- H. patulum*, Thunb.; Bot. Mag. t. 5693. India, China, &c.
H. Gumbletoni, Hort. Segrez.
H. oudiens, Hort.

H. prolificum, *L.*; Loud. Arb. i. 401, v. 2541, f.; Garden and Forest 1890, 526. North America.

H. kalmianum, *Hort.* (not *L.*).

H. foliosum, *Jacq.*

Myriandra prolificata, *Spach.*

H. uralum, *D. Don.*: Bot. Mag. t. 2375. Himalaya.

H. nepalense, *Hort.*

Ternstroemiaceae.

***Cleyera ochnacea**, *DC.* Himalaya, China, and Japan.

C. japonica, *Sieb. & Zucc.* Fl. Jap. 153, t. 81 (not *Thunb.*).

*Var. *variegata*.

***C. Fortunei**, *Hook. f.* Bot. Mag. t. 7434.

C. japonica foliis variegatis, *Hort.*

Eurya latifolia variegata, *Hort.*

Eurya japonica, *Thunb.*; Fl. Jap. 191, t. 25. India, China, and Japan.

***Actinidia arguta**, *Planch.* Japan.

Trochostigma arguta, *Sieb. & Zucc.*

***A. callosa**, *Lindl.* Amur, China, and Japan.

A. chinensis, *Planch.*; Hook. Icon. Plant. t. 1593. China.

***A. Kolomikta**, *Rupr.*; Rev. Hort. 1872, 395, f. 43. Amur, China and Japan.

Kolomikta mandschurica, *Regel.*

***A. polygama**, *Sieb. & Zucc.*; Tokio Hort. Bot. ii. t. 20. Japan.

Trochostigma polygama, *Sieb. & Zucc.*

**A. volubilis*, *Franch.* & *Sav.*; *Lavallée Arbor. Segrez.*
Ic. xxv. Japan.

Trochostigma volubile, *Sieb.* & *Zucc.*

Stachyurus praecox, *Sieb.* & *Zucc.*; Bot. Mag. t. 6631.
China and Japan.

Stuartia pentagyna, *L'Hérit.*; Bot. Mag. t. 3918. South
United States.

Stuartia montana, *Bartr.*

Malachodendron ovatum, *Cav.*

M. pentagynum, *Chois.*

Stewartia Malachodendron, *Miller.*

S. Pseudo-camellia, *Maxim.*; Bot. Mag. t. 7045. Japan.

S. grandiflora, *Briot Rev. Hort.* 1879, 430, t.

S. japonica, *Hort.*

S. virginica, *Cav.* South United States.

S. Malachodendron, *L.*

S. marylandica, *Donn*; *Andr. Bot. Rep.* vi. t. 397.

**Gordonia Lasianthus*, *L.*; Bot. Mag. t. 668. South United
States. "Loblolly Bay."

G. pyramidalis, *Salisb.*

**G. pubescens*, *L'Hérit.*; *Loud. Arbor.* i. 380, f. 94. South
United States.

Franklinia Altamaha, *Marsh.*

Gordonia Altamaha, *Sargent Silva of North America*
t. 22.

G. Franklini, *L'Hérit.*

Lacathea florida, *Salisb.*

Michauxia sessilis, *Salisb.*

Camellia japonica, *Sieb.* & *Zucc.* Japan.

Many garden varieties.

***Camellia Thea**, *Link.* Assam, &c.

C. theifera, *Griff.*

Thea assamica, *Mast.*

T. chinensis, *Sims* Bot. Mag. t. 998.

Malvaceae.

Lavatera arborea, *L.*; Eng. Bot. ed. 3, t. 279. Europe, &c.
“Tree Mallow.”

Plagianthus Lyalli, *Hook. f.*; Bot. Mag. t. 5935. New Zealand. “Whau-whi.”

***P. betulinus**, *A. Cunn.* New Zealand.

***P. Lampeni**, *Booth*; Gard. Chron. 1884, xxii. 200, f. 39. Tasmania.

P. pulchellus A. Gray var. tomentosa.

***P. pulchellus**, *A. Gray.* Australia.

***Abutilon vitifolium**, *D.C.*; Bot. Reg. xxx. t. 57. Chili.

***A. megapotamicum**, *St. Hil.*: Flore des Serres t. 1599. Brazil, &c.

A. vexillarium, *Morr.*; Bot. Mag. t. 5717.

Hibiscus syriacus, *L.*; Bot. Mag. t. 83. Orient.

Althaea Frutex, *Hort.*

Many garden varieties.

Sterculiaceae.

***Sterculia platanifolia**, *L.* China and Japan.

S. tomentosa, *Thumb.*; Icon. Plant. Japan. decas iv. t. 8.

S. Mariesii, *Hort.*

***Fremontia californica**, *Torr.*; Bot. Mag. t. 5591 : Sargent Silva of North America t. 23. California.

Tiliaceae.

Grewia parviflora, *Bunge*; *Gartenfl.* 1889, 601, f. 88.
China.

Tilia americana, *L.*; *Loud. Arbor.* i. 373, t. 22; *Sargent Silva of North America* tt. 24, 25. *North America.*
“Basswood.”

T. canadensis, *Michx.*

T. caroliniana, *Mill.*

T. glabra, *Vent.*

T. latifolia, *Salisb.*

T. longifolia dentata, *Hort.*

T. mississipiensis, *Hort.*

T. neglecta, *Spach.*

T. nigra, *Borkh.*

T. pubescens, *Nouv. Duhamel* (not *Ait.*).

T. argentea, *Desf.*; *Reichb⁴. Fl. Germ.* 6, 324. *East Europe.*
“White Lime.”

T. alba, *Hort.* in part (not *Ait.*)

T. americana pubescens, *Hort.*

T. europaea alba, *Hort.*

T. heterophylla, *Hort.* in part (not *Vent.*)

T. pubescens Parmentieri, *Hort.*

T. rotundifolia, *Vent.*

T. tomentosa, *Moench.*

T. cordata, *Mill.* *Europe, North Asia.*

T. microphylla, *Vent.*

T. parvifolia *Ehrh.*; *Engl. Bot. ed. 3*, t. 287.

T. sylvestris, *Desf.*

T. ulmifolia, *Scop.*; *Garden and Forest* 1889, 257,
f. 111.

Var. *japonica*.

T. dasystyla, *Stev.* Caucasus.

T. euchlora, *C. Koch.*

T. flavescens, *R. Br.* (*americana* × *cordata*). Garden origin.

T. henryana, *Szysz.*; *Hook. Ic. Plant.* t. 1927. China.

T. heterophylla, *Vent.*; *Sargent Silva of North America* t. 27. South-eastern United States. "Bee-Tree, White Basswood."

T. alba, *Michx.*

T. americana, var. *heterophylla*; *Loud. Arbor.* i. 375. t. 23.

T. laxiflora, *Pursh.* (not *Michx.*).

T. macrophylla, *Hort.*

T. mandschurica, *Rupr.* Mandshuria.

T. miqueliania, *Marim.*; *Garden and Forest* 1893, vi. 113. f. 19. Japan.

T. mongolica, *Maxim.* *Enum. Plant. Mongol.* 118, t. 11. Southern Mongolia.

T. orbicularis, *Jouin.* (*petiolaris* × *euchlora*). Garden origin.

T. petiolaris, *DC.*; *Bot. Mag.* t. 6737. East Europe.

T. alba, *Koehne*: *Dippel* (not *Ait.*).

T. alba pendula, *Hort.*

T. americana var. *pendula*, *C. Koch.*

T. argentea pendula, *Hort.*

T. heterophylla, *Hort.* in part (not *Vent.*).

T. latifolia alba, *Hort.*

T. pannonica, *Jacq. f.*

T. Parmentieri pendula, *Hort.*

T. platyphylla pendula *Hort.*

T. platyphyllus, *Scop.*; Garden and Forest 1889, 256,
f. 109. Europe.

T. cordifolia, *Bess.*

T. europaea, *L.* (in part).

T. grandifolia, *Ehrh.*

T. mollis, *Spach.*

T. mutabilis, *Host.*

T. neglecta, *Hort.* (not *Spach*).

T. pauciflora, *Hayne.*

Var. *aspleniifolia*.

T. laciniata, *Hort.*

T. grandifolia laciniata, *Hort.*

Var. *aurantia*.

T. europaea aurantia, *Hort.*

T. europaea aurea, *Hort.*

Var. *corallina*, *Ait.* *

T. corallina, *Sm.*

T. spectabilis, *Host.*

Var. *filicifolia nova*, *Hort.*

Var. *obliqua*.

T. Beaumontii, *Hort.*

T. Hostii, *Ortm.*

T. obliqua, *Host.*

Var. *oxycarpa*.

T. cordifolia var. oxycarpa *Reichb*

T. europaea glauca, *Hort.*

Var. *pyramidalis*, *Hort.*

Var. *pyramidalis aurea*, *Hort.*

Var. *sphaerocarpa*.

T. cordifolia var. sphaerocarpa, *Reichb.*

T. platyphyllus—*cont.*

Var. *tortuosa*, *Bean.*

Var. *vitifolia*.

T. vitifolia, *Host.*

T. grandifolia var. vitifolia, *Kuntze.*

T. pubescens, *Ait.*; Sargent Silva of North America t. 26.
East United States.

T. americana, *Walt.* (not *L.*).

T. americana var. pubescens, *Loud.*

T. americana var. Walteri, *Wood.*

T. grata, *Salisb.*

T. hybrida superba, *Hort.*

T. laxiflora, *Michx.*

T. truncata, *Spach.*

T. spectabilis, *Dippel.* (*petiolaris* × *americana*). Garden origin.

T. blechiana, *Arbor. Zoesch.*

T. alba spectabilis, *Hort.*

T. sublanata, *Sink.* var. *variegata*. (*T. platyphyllus* × *superulmifolia*.) East Europe.

T. europaea, *Hort.*

T. vulgaris, *Hayne*; Garden and Forest 1889, ii. 256, f. 110.
Europe. "Common Lime."

T. corylifolia, *Host.*

T. europaea, *L.* (in part).

T. glauca, *Hort.*

T. hollandica, *Mill.*

T. intermedia, *Ehrh.*

T. hybrida, *Bechst.*

Var. *caucasica*.

T. intermedia var. caucasica.

T. parvifolio-grandifolia, *Bayer.*



***Aristotelia Macqui**, *L'Hérit.*; Gard. Chron. 1875, iv. 773.
Chili.

Var. *variegata*.

***A. racemosa**, *Hook. f.*; Kirk Forest Flora of New Zealand t. 113. New Zealand. "Makomako."

Linaceae.

Linum arboreum, *L.*; Bot. Mag. t. 234. Greece, &c.
"Tree Flax."

Rutaceae.

Ruta graveolens, *L.*; Bentl. & Trim. Med. Pl. t. 44. South Europe, &c. "Common Rue."

Var. *variegata*.

Choisya ternata, *H.B.K.*; Gard. Chron. 1890, vii. 465,
Mexico.

C. grandiflora, *Regel* Gartenfl. t. 876.

***Zanthoxylum ailanthoides**, *Sieb. & Zucc.* Japan and Formosa.

***Z. alatum**, *Roxb.* India.

Z. americanum, *Mill.*; Britt. & Br. Illust. Fl. ii. 353, f.
United States. "Prickly Ash, Toothache Tree."

Z. fraxineum, *Willd.*; Loud. Arbor. i. 488, f. 158.

Z. fraxinifolium, *Marsh.* (not *Walt.*).

Z. ramiflorum, *Michx.*

Z. Bungei, *Planch.* China.

Z. piperitum, *DC.* China and Japan.

Z. planispinum, *Sieb. & Zucc.* Japan.

Z. schinifolium, *Sieb. & Zucc.* Japan.

Phellodendron amurense, *Rupr.* Amurland, &c.

Zanthoxylum piperitum, *Hort.* (not *Sieb.* & *Zucc.*).

P. japonicum, *Maxim.* Japan.

Ptelea Baldwinii, *Torr. & Gray.* Northern California, &c.

P. angustifolia, *Benth.*

P. trifoliata, *L.*; *Gard. Chron.* 1880, xiii. 369, f. 67; *Sargent Silva of North America* tt. 33, 34. United States. "Hop Tree."

Var. *aurea*.

Var. *fastigiata*.

Var. *glaucia*.

Var. *heterophylla*.

Var. *mollis*.

P. mollis, *Curt.*

Skimmia Fortunei, *Mast.* China.

S. japonica, *Hort.*; *Bot. Mag.* t. 4719 (not *Thunb.*).

S. rubella, *Carr.*

S. japonica, *Thunb.*; *Gard. Chron.* 1889, v. 521, f. 89; 524, f. 90. Japan.

S. oblata, *Moore*.

Var. *obovata*.

Var. *variegata*.

Seedling varieties or sexual forms of this are:—

S. fragrans, *Carr.*

S. fragrantissima, *Hort.*

S. Foremani, *Hort.*; *Gard. Chron.* 1889, v. 553, f. 94.

S. intermedia, *Carr.*

S. oblata var. ovata, *Carr.*

S. japonica—*cont.*

- S. *oblata* var. *speciosa*, *Hort.*
- S. *oblata* var. *Veitchii*, *Carr.*
- S. *Rogersii*, *Hort.*

S. Laureola, *Hook. f.* Himalaya.

- S. *aromatica*, *Hort.*
- Laureola fragrans*, *Roem.*
- Limonia Laureola*, *Wall.*

Egle sepiaria, *DC.* China and Japan.

- Citrus trifolia*, *Thunb.*
- C. trifoliata*, *L.*; *Bot. Mag.* t. 6513.
- Limonia trifoliata*, *Hort.*
- Pseudaegle sepiaria*, *Miq.*
- Triphasia trifoliata*, *Hort.*

Simarubaceae.**Ailanthus glandulosa**, *Desf.*; *Gard. Chron.* 1887, ii. 365, f. 76. China. “Tree of Heaven.”

- A. japonica*, *Hort.*
- A. macrophylla*, *Hort.*
- A. purpurascens*, *Hort.*
- A. rubra*, *Hort.*

Var. *pendula*.

Cneorum tricoccum**, *L.* Mediterranean Region.Picrasma quassoides**, *Benn.* Himalaya, China and Japan.
P. ailantoides, *Planch.*

Meliaceae.

Cedrela sinensis, *A. Juss.*; Rev. Hort. 1891, 573, ff. 150-2.
China and Japan.

Ailanthus flavescens, *Carr.*

Cedrela chinensis, *Karel.*

Toona sinensis, *Roem.*

Aquifoliaceae.

Ilex ambigua, *Chapm.*; Loud. Arbor. ii. 521, f. 190. South United States.

Cassine caroliniana, *Walt.*

Nemopanthus ambiguus, *Wood.*

Prinos ambiguus, *Michx.*

I. Amelanchier, *Curtis*; Garden and Forest 1889, 41, f. 88.
South United States.

Prinos lanceolata, *Pursh.*

I. Aquifolium, *L.*; Engl. Bot. ed. 3, t. 316. Europe,
Western Asia. "Common Holly."

Aquifolium spinosum, *Gaertn.*

Var. *albo-lineata*.

Var. *altaclarensis*.

Var. *angustifolia*. Gard. Chron. 1874, ii. 751, f. 154.

myrtifolia stricta.

serratifolia.

Var. *angustifolia variegata*.

Var. *argentea longifolia*.

Var. *argentea marginata*.

albo-marginata.

argentea lato-marginata.

variegata argentea.

I. *Aquifolium*—*cont.*

Var. *argentea medio-picta*. Gard. Chron. 1875, iv. 688,
f. 142. "Silver Milkmaid."

albo-picta.

Var. *argentea pendula*. "Perry's Weeping."

albo-marginata pendula.

pendula *argentea purpurea*.

pendula variegata.

Var. *argentea regina*. Gard. Chron. 1875, iv. 687, f. 141.
"Silver Queen."

Var. *atrovirens*.

maderensis *atrovirens*.

Var. *aurea angustifolia*. Gard. Chron. 1876, v. 44, f. 6.
angustifolia aurea marginata.

Var. *aurea marginata*.

marginata aurea.

Var. *aurea marginata bromeliaefolia*. Gard. Chron. 1876,
v. 437, f. 84.
bromeliaefolia aureo-marginata.

Var. *aurea medio-picta*. Gard. Chron. 1876, v. 336, f. 68
69. "Gold Milkmaid."
aureo-picta.

Var. *aurea pendula*. "Waterer's Gold Weeping."


pendula aurea variegata.

Var. *aurea regina*. Gard. Chron. 1876, v. 44, f. 8.
"Golden Queen."

Var. *aurea vestita*.

Var. *balearica*.

Var. *calamistrata*.



I. *Aquifolium*—*cont.*

- Var. *camelliaefolia*. Gard. Chron. 1874, ii. 812, f. 164, b.
 laurifolia longifolia.
- Var. *ciliata*. Gard. Chron. 1874, ii. 752, f. 153.
- Var. *ciliata major*. Gard. Chron. 1874, ii. 752, f. 151.
- Var. *Cookii*.
- Var. *crassifolia*. Gard. Chron. 1874, ii. 752, f. 152.
 serrata.
- Var. *crispa*.
- Var. *crispa picta*.
- Var. *donningtonensis*. Gard. Chron. 1874, ii. 687, f. 138.
 (2, 3).
- Var. *elliptica*.
 flammea angustifolia.
- Var. *ferox*. "Hedgehog Holly."
 echinata.
- Var. *ferox argentea*. Gard. Chron. 1876, v. 43, f. 9.
 ferox argentea variegata.
- Var. *ferox aurea*. Gard. Chron. 1876, v. 616, f. 117.
 ferox aurea picta.
 ferox foliis aureis.
- Var. *Fisherii*.
- Var. *flavescens*. "Moonlight."
- Var. *Foxii*. Gard. Chron. 1874, ii. 752, f. 150.
- Var. *fructu-luteo*.
 flava.
- Var. *handsworthensis*. Gard. Chron. 1875, iv. 741.
 f. 150. "Handsworth New Silver."
 argentea longifolia.
 handsworthensis argentea variegata.

I. Aquifolium—cont.

- Var. **Hendersoni**. Gard. Chron. 1874, ii. 752, f. 148.
- Var. **heterophylla**. Gard. Chron. 1874, ii. 520, f. 105, 2.
heterophylla major.
- Aquifolium forma kewensis*, Loesener.
- Var. **Hodginsii**.
- Shepherdii.
- Var. **integritolia**. Gard. Chron. 1874, ii. 812, f. 164, e.
rotundifolia.
senescens.
- Var. **latifolia aureo-marginata**.
- Var. **latispina**. Gard. Chron. 1874, ii. 812, f. 164, f.
- Var. **latispina major**.
- Var. **latispina minor**.
- Var. **lawsoniana**. Gard. Chron. 1876, v. 624, f. 110.
lawsoniana variegata.
- Var. **lawsoniana aureo-picta**.
- Var. **lutescens**.
- Var. **maderensis atrovirens**.
- Var. **maderensis variegata**.
- Var. **marginata**, Loud.; Gard. Chron. 1874, ii. 812,
f. 164, g.
contorta.
- Var. **Marnockii**.
- Var. **monstrosa**.
- Var. **Mundyi**.
- Var. **myrtifolia**. Gard. Chron. 1874, ii. 687, f. 138, 4.

I. Aquifolium—cont.

Var. *myrtiflora aurea*.

Var. *nigrescens*.

Var. *nobilis*. Gard. Chron. 1874, ii. 432, f. 89.

Urquharti.

Var. *obscura*.

Var. *ovata*. Gard. Chron. ii. 1874, ii. 752, f. 149.

Var. *pendula*.

Var. *pendula tricolor*.

Var. *platyphylla*.

I. Perado, *Webb. & Berth.* (not *Ait.*).

Var. *recurva*. Gard. Chron. 1874, ii. 687, f. 138, 6.

serratifolia compacta.

tortuosa.

Var. *scotica*. Gard. Chron. 1874, ii. 812, f. 164, a.

I. Dahoon, *Hort.* (not *Walt.*).

Var. *scotica aurea*.

Var. *smithiana*. Gard. Chron. 1874, ii. 520, f. 106.

Var. *tortuosa*.

Var. *watereriana*. Gard. Chron. 1874, ii. 232, f. 49.

aurea pumila.

compacta aurea.

nana aurea.

nana aurea variegata.

Var. *whittingtonensis*. Gard. Chron. 1874, ii. 687,
f. 138, 1.

Var. *Wilsonii*.

I. Cassine, Walt. South United States. "Cassena."

I. florida, Lam.

I. ligustrina, Jacq.

I. religiosa, Bartr.

I. vomitoria, Ait.

Cassine caroliniana, *Lam.*

C. Peragua, L.

I. cornuta, Lindl. & Paxt.; Bot. Mag. t. 5059. China.

I. furcata, Hort.

I. crenata, Thunb. Japan.

Var. **major**.

Ilex Fortunei, Hort. (not *Lindl.*).

Var. **Mariesii**.

Iris Mariesii, Hort. Veitch.

Var. **variegata**.

***I. Dahoon, Walt.**; Loud. Arbor. ii. 517, f. 184. South United States.

I. cassinoides, Link.

I. laurifolia, Nutt.

I. decidua, Walt.; Gard. Chron. 1880, xiv. 689; f. 129. Sargent Silva of North America t. 49. South United States.

I. aestivalis, Lam.

I. prinoides, Ait.; Wats. Dendr. Brit. ii. t. 115.

Prinos deciduus, DC.

I. dipyrena, Wall.; Brandis Forest Flora t. 15. Himalaya. "Himalayan Holly."

I. glabra, A. Gray; Britt. & Br. Illustr. Fl. ii. 391, f. Eastern United States. "Inkberry."

Prinos glaber, L.; Lodd. Bot. Cab. t. 450.



I. integra, *Thunb.* China and Japan.

I. *Aquifolium* *Bessoni*, *Hort.*

I. *integrifolia*, *Hort.*

Othera japonica, *Hort.*

I. laevigata, *A. Gray*; *Garden and Forest* 1891, 221.
Eastern United States.

Prinos laevigatus, *Pursh*; *Wats. Dendr. Brit. i. t. 28.*

I. latifolia, *Thunb.*; *Bot. Mag. t. 5597.* Japan. "Toraia."

I. *magnoliaefolia*, *Hort.*

I. *Tarajo*, *Hort.*

I. macropoda, *Miq.* Japan.

I. opaca, *Ait.*; *Sargent Silva of North America t. 45:*
Wats. Dendr. Brit. i. t. 3. Eastern United States.
"American Holly."

I. *canadensis*, *Marsh.* (not *Hort.*).

I. *laxiflora*, *Lam.*

I. *quercifolia*, *Meerb.*

I. pedunculosa, *Miq.* Japan.

**I. Peredo*, *Ait.*; *Lodd. Bot. Cab. t. 549.* Azores.

I. Pernyi, *Franch.*; *Hook. Icon. Plant. t. 1539.* China.

I. rugosa, *F. Schmidt* *Reisen im Amurlande*, 122, t. 3,
N.E. Asia.

I. Sieboldi, *Miq.* Japan.

Var. *fructu albo*.

I. verticillata, *A. Gray.* North America. "Black Alder,
Winterberry."

Prinos canadensis, *Hort.*

P. confertus, *Moench.*

P. Gronovii, *Michx.*



I. verticillata—*cont.*

P. padifolius, *Hort.*

P. prunifolius, *Hort.*

P. verticillatus, *L.*; Wats. *Dendr. Brit.* i. t. 30.

Var. *chrysocarpa*, *Robinson*.

Nemopanthus canadensis, *DC.* Canada, &c. “Mountain Holly.”

Alex canadensis, *Michx.*

I. delicatula, *Bartr.*

Ilicioides mucronata, *Britton*: *Britt. & Br. Illustr. Fl.* ii. 393, f.

Prinos integrifolius, *Elliott*.

Cyrillaceae.

Cyrrilla racemiflora, *L.*; Sargent *Silva of North America*. t. 51. South United States. “Leatherwood.”

C. caroliniana, *Michx.*

C. racemosa, *Loud.*

Andromeda plumata, *Bartr.*

Itea Cyrilla, *Sw.*

***Cliftonia ligustrina**, *Banks.* Florida and Georgia. “Titi.”
Mylocarpum ligustrinum, *Willd.*; *Bot. Mag.* t. 1625.

Celastraceae.

Euonymus alatus, *Thunb.*; *Regel Fl. Ussur.* t. 7, f. 1-4. Japan, &c.

E. americanus, *L.*; Nonv. *Duhamel* iii. t. 9. United States. “Strawberry Bush.”

Var *angustifolius*.

Var. *pendulus*.

- E. atropurpureus**, *Jacq.*; Sargent Silva of North America t. 53. Eastern North America. "Burning Bush."
E. americanus, *Hort.* (not L.).
E. macrocarpus, *Hort.*
- E. bungeanus**, *Maxim.* China.
E. micranthus, *Bunge.*
- E. europaeus**, *L.*; Eng. Bot. ed. 3, t 317. Europe, Western Siberia. "Spindle-Tree."
E. vulgaris, *Scop.*
- Var. *atropurpureus*, *Hort.*
E. *purpureus*, *Hort.*
- Var. *aucubaefolius*, *Hort.*
- Var. *foliis argenteo-variegatis*.
- Var. *foliis aureo-variegatis*.
- Var. *fructu albo*.
- Var. *fructu violaceo*.
- Var. *ovatus*.
- Var. *pallidus*.
- E. hamiltonianus**, *Wall.* Japan, &c.
- E. japonicus**, *Thunb.* China and Japan.
- Var. *albo-marginatus*.
- Var. *aureus*.
- Var. *latifolius albo-variegatus*.
- Var. *macrophyllus*.
E. *robustus*, *Hort.*
- Var. *microphyllus*, *Hort.*
Eurya *microphylla*, *Hort.*
- Var. *ovatus aureus*.
- Var. *pulchellus foliis argenteis*.

E. latifolius, *Scop.*; Bot. Mag. t. 2384. Europe, Asia.

E. Maackii, *Rupr.* Amurland.

E. macropterus, *Rupr.* Maxim. Flora Tangutica t. 19, f. 11. Amurland.

E. nanus, *Bieb.* Caucasus, &c.

E. americanus angustifolius, *Hort.*

E. angustifolius, *Hort.* (not *Pursh*).

E. angustifolius pulchellus, *Hort.*

E. Lilieurii, *Hort.*

E. linifolius, *Hort.*

E. rosmarinifolius, *Hort.*

Var. **compactus**, *Hort.*

Var. **Koopmanni**.

E. Koopmanni, *Lauche*; Wittmack Garten-Zeitung 1883, 112, t. [3], f. 2.

Var. **variegatus**, *Hort.*

E. obovatus, *Nutt.*; Garden and Forest 1896, 385, f. 51. Canada, Northern and Central United States.

E. americanus var. **obovatus**, *Torr.* & *Gray*.

E. oxyphyllus, *Miq.* China and Japan.

E. latifolius, *A. Gray* (not *Scop.*).

***E. pendulus**, *Wall.* Himalaya.

E. fimbriatus, *Hort.* (not *Wall.*): Flore des Serres vii. 1851, 71.

E. radicans, *Sieb. & Zucc.* Japan.

Var. **Carrièrei**.

E. Carrièrei, *Vauvrel.* Rev. Hort. 1885, 295. (E. repens, *Carr.* Rev. Hort. 1885, 295, is a branch sport of this form.)

E. radicans—*cont.*

- Var. foliis pictis.
- Var. foliis roseo-argenteis.
- Var. foliis tricoloribus.
- Var. microphyllus.
- Var. Silver Gem.
- Var. viridis.

E. sieboldianus, *Blume*. China and Japan.

E. thunbergianus, *Blume*. Amurland, Japan, &c.

E. subtriflorus, *Blume*.

E. verrucosus, *Scop.*; *Nouv. Duhamel* iii. t. 8. East Europe to Amurland.

Pachystima Canbyi, *A. Gray*: Meehan The Native Flowers . . . of the United States i. t. 44. North Carolina and Virginia.

P. Myrsinites, *Rafin.* Western North America.

Myginda myrtifolia, *Nutt.*: Hook. Flora Boreali-American i. 120. t. 41.

Celastrus articulatus, *Thunb.*; *Garden and Forest* 1890, 551, f. 73. China and Japan.

C. orbiculatus, *Lam.*

C. Orixia, *Hort.* (not *Sieb. & Zucc.*).

C. punctatus, *Thunb.*

C. hypoglaucus, *Hemsl.* Central China.

C. latifolius, *Hemsl.* Central China.

C. Orixia, *Sieb. & Zucc.* Japan.

Celastrus japonica, *C. Koch*.

Evodia ramiflora, *A. Gray*.

Orixia japonica, *Thunb.*: *Gartenflora* t. 1232.



C. scandens, *L.*; Loud. Arbor. ii. 502, f. 171. North America. "Staff-tree, Wax-work."

C. bullatus, *L.*

C. serratus, *Hochst.* Abyssinia.

Maytenus chilensis, *DC.* Chili.

Rhamnaceae.

Paliurus australis, *Gaertn.* South Europe. "Christ's Thorn."

P. aculeatus, *Lam.*; Nouv. Duhamel iii. 17.

Zizyphus vulgaris, *L.*; Sibth. Fl. Graeca t. 241. South-eastern Europe to Afghanistan. "Jujube."

Berchemia racemosa, *Sieb. & Zucc.* Japan.

Var. *variegata*.

B. volubilis, *DC*; Loud. "Arbor. ii. 528, f. 196. Southern United States. "Supple-Jack."

Rhamnus scandens, *Hill.*

R. volubilis, *L. f.*

Rhamnus Alaternus, *L.*; Nouv. Duhamel ii. t. 14. South West Europe.

Var. *angustifolia*.

R. angustifolia, *Mill.*

R. Clusii, *Willd.*

R. Perrieri, *Hort.*

R. utilis, *Hort.* (not *Decne.*).

Var. *aurea*.

Var. *angustifolia variegata*.

Var. *latifolia*.

Var. *maculata*.

Var. *variegata*.

R. alnifolia, *L'Hérit.*; Loud. Arbor. ii. 536, f. 206. United States.

R. franguloides, *Michx.*

R. alpina, *L.*; Lodd. Bot. Cab. t. 1077. Alps.

R. arguta, *Maxim.* China and Japan.

R. californica, *Eschsch.* California. "Indian Cherry."

Rhamnus intermedia, *Hort.*

R. laurifolia, *Nutt.*

R. oleifolia, *Hook.*; Rev. Hort. 1874, 354, f. 47.

R. pedunculata, *Hort.*

Frangula californica, *A. Gray.*

Var. *hirtella*.

R. carniolica, *Kern.* Carniolia.

R. caroliniana, *Walt.*; *Nutt. Sylva* ii. 50, t. 59. Southern United States.

R. californica, *Hort.* (not *Eschsch.*).

Frangula caroliniana, *A. Gray.*

R. cathartica, *L.*; Engl. Bot. ed. 3, t. 318. Europe, Asia.
"Common Buckthorn."

R. fragrans, *Hort.*

R. infectoria, *Hort.* (not *L.*).

R. Pallasii, *Hort.* (not *Fisch.* & *Mey.*).

R. Wicklius, *Hort.*

R. costata, *Maxim.* Japan.

R. crenata, *Sieb. & Zucc.* Japan.

R. oreigenes, *Hance.*

Frangula crenata, *Miq.*

θ_0

$\theta = 180^\circ$

θ_0

$\theta = 0^\circ$

R. davurica, *Pall.* Siberia to China.

R. *baptica*, *Decne.*

R. *crenata*, *Garden and Forest* ix. 425, f. (not *Sieb.* & *Zucc.*).

R. *utilis*, *Decne.*

R. *virgata*, *Roxb.*

R. Erythroxylon, *Pall.* Caucasus, &c.

R. Frangula, *L.*; *Engl. Bot. ed. 3*, t. 319. Europe. "Berry-bearing Alder."

R. *latifolia*, *Hort.* (not *L'Hérit.*).

Var. *angustifolia*.

R. *franguloides*, *Hort.* (not *Michx.*).

Var. *asplenifolia*, *Hort.*

Var. *latifolia*.

R. *sibirica*, *Hort.*

R. hybrida, *L'Hérit.* (*R. Alaternus* ♂ × *alpina* ♀). Europe.

R. *semperfurens*, *Hort.*

R. *subsemperfurens*, *Hort.*

Var. *Billardi*, *Lavall.*

R. *Billardi*, *Hort.*

R. *ovalifolia*, *Hort.*


R. infectoria, *L.*; *Tchichat.* Asie Mineure t. 9. South Europe, &c. "Avignon Berry."

R. *oleoides*, *Hort.* (not *L.*).

R. *prunifolia*, *Hort.* (not *Sieb.*).

R. japonica, *Maxim.* Japan.

R. lanceolata, *Pursh*; *Gray Genera* ii. 180, f. 168. North America.



- R. libanotica, *Boiss.*; Bot. Mag. t. 6721. Asia Minor and Syria.
 R. alpina var. colchica, *Kusnetzoff*.
 R. castaneifolia, *Hort.*
 R. grandifolia, *Hort.* (not *Fisch. & Mey.*).
 R. Imeritiae, *Hort.*
 R. imeritina, *Koehne*.
- R. oleoides, *L.* South-west Europe.
 R. amygdaloides, *DC.* (in part.)
- R. parvifolia, *Bunge.* China.
- R. pumila, *Turra.* Mountains of Central, South and Eastern Europe.
 R. pusilla, *Tenore*.
 R. rupestris, *Vill.* (not *Scop.*).
- R. punctata, *Boiss.* Asia Minor, &c.
- R. purpurea, *Edgew.* Western Himalaya.
- R. purshiana, *DC.*; Loud. Arbor. ii. 538, f. 211. California. "Cascara Sagrada."
 Frangula purshiana, *Cooper*.
 Rhamnus rubra, *Greene*.
- R. rupestris, *Scop.* Flora Carniolica i. t. 5. South-eastern Europe.
- R. saxatilis, *L.*; Jacq. Fl. Austr. i. t. 53. Europe, &c.
- R. spathulifolia, *Fisch. & Mey.* Caucasus.
- R. tinctoria, *Waldst. & Kit.* Europe, Asia.
 R. chlorophorus, *Decne*.
 R. globosus, *Bunge*.
- Hovenia dulcis, *Thunb.*; Bot. Mag. t. 2360. Himalaya, China, &c.



- Ceanothus americanus*, *L.*; Bot. Mag. t. 1479. Eastern United States. "New Jersey Tea."
C. intermedium, *Pursh.*
Var. *nanus roseus*.
Var. *opacus*, *Lange*.
C. Arnoldi, *Hort.* Garden hybrid.
C. azureus, *Desf.* Mexico.
C. latifolius, *Hort.*
C. cuneatus, *Nutt.* Oregon to Lower California.
C. verrucosus, *Nutt.*; Bot. Mag. t. 4660.
C. delilianus, *Spach.* Origin uncertain.
**C. divaricatus*, *Nutt.* California.
C. Fendleri, *A. Gray.* Colorado, New Mexico, Arizona.
**C. hirsutus*, *Nutt.* Coast Range of Central California.
**C. integrifolius*, *Hook. & Arn.*; Bot. Mag. t. 7640. California.
C. californicus, *Kellogg*.
C. nevadensis, *Kellogg*.
**C. macrocarpus*, *Nutt.* California.
**C. microphyllus*, *Michx.* Florida.
C. ovatus, *Desf.* Canada to Texas.
**C. pilosus*, *Torr. & Gray*; Bot. Mag. t. 4815. California.
**C. parvifolius*, *Trelease*. California to Oregon.
C. integrifolius var. *parvifolius*, *S. Wats.*
**C. rigidus*, *Nutt.*; Bot. Mag. t. 4664. California.

***C. sorediatus**, *Hook. & Arn.* Coast Range of Southern California.

***C. spinosus**, *Nutt.* Middle Coast Range, California.

***C. thyrsiflorus**, *Hschsch.*; Bot. Reg. 30, t. 38. Sargent Silva of North America t. 64. California. "California Lilac."

C. elegans, *Lem.*

C. radicans superba, *Hort.*

***C. veitchianus**, *Hook.* Bot. Mag. t. 5127. California.

***C. velutinus**, *Dougl.*; *Hook. Fl. Bor. Am.* i. 125, t. 45. British America to California, Colorado, &c.

Colletia cruciata, *Gill & Hook.*; Bot. Mag. t. 5033. Uruguay.

C. armata, *Miers.*

C. bictonensis, *Lindl. Journ. Hort. Soc.* v. 31.

C. ferox, *Gill.*

C. horrida, *Hort.*

C. polyacantha, *Hort.*

C. spinosa, *Lam.*

C. spinosissima, *Hort.*

C. valdiviana, *Phil.*

***Discaria longispina**, *Miers.* Uruguay.

Colletia longispina, *Hook. & Arn.*

D. serratifolia, *Benth. & Hook. f.*; *Gard. Chron.* 1876, vi. 325, f. 65. Chili, &c.

Colletia Chacaye, *G. Don.*

C. nutans, *Hort.*

C. serratifolia, *Vent.*

***D. Toumatou**, *Raoul*; *Kirk Forest Flora of New Zealand* t. 136. New Zealand. "Wild Irishman."

Ampelidaceae.

Vitis aestivalis, *Michx.*; Loud. Arbor. i. 479, f. 142.
United States. "Summer Grape."

V. intermedia, *Muhl.*

V. labruscoides, *Muhl.*

V. virginiana, *Hort.*

Var. *Linsecomii*, *Munson*. "Pinewood or Turkey Grape."
V. Linsecomii, *Buckl.*

V. amurensis, *Rupr.* Amurland, North China, &c.

V. vinifera var. amurensis, *Regel.*

V. pubescens, *Hort.*

V. regelianus, *Hort.*

V. arborea, *L.* South United States.

V. bipinnata, *Torr. & Gray.*

Ampelopsis bipinnata, *Michx.*

Cissus arborea, *Desmoul.*

C. bipinnata, *Nutt.*

V. arizonica, *Engelm.* Arizona. "Cañon Grape."

V. arizonensis, *Hort.*

V. californica, *Hort.*

V. Berlandieri, *Planch.* Texas, &c.

V. monticola, *Engelm.*


V. bicolor, *Leconte.* Eastern United States. "Blue Grape."

V. bourquiniana, *Munson.* South California. "Valley Grape."

V. aestivalis, *Michx.* var. *b Bourquiniana*, *Bailey.*

Var. *Herbemont*. Cultivated variety.

Var. *Le Noir*. Cultivated variety.



V. brevipedunculata, *Hort. Kew.* China, &c.

Ampelopsis brevipedunculata, *Koehne.*

Cissus brevipedunculata, *Maxim.*

V. californica, *Benth.* Central and South California and North Oregon.

V. caribaea, *Hook.* (not *DC.*)

V. candicans, *Engelm.* Eastern Texas. "Mustang Grape."

**V. capreolata*, *D. Don.* Himalaya.

V. hederacea, *Wall.*

Cissus capreolata, *Walp.*

C. nepaulensis, *DC.*

C. serrulata, *Roxb.*

C. Wrightii, *Hort.*

Tetrastigma serrulatum, *Planch.*

V. caribaea, *DC.* var. *Blancoi*. Florida.

V. Blancoi, *Munson.*

V. Champini, *Planch.* South-western Texas. (Probably a hybrid of *V. rupestris* or *V. Berlandieri* and *V. candicans*.)

V. cinerea, *Engelm.* Central Illinois to Kansas, Texas, &c.
"Sweet Winter Grape."

V. aestivalis var. *cinerea*, *Engelm.*

V. canescens, *Hort.*

V. Coignetiae, *Pul.* & *Planch.* Japan.

V. congesta, *Hort.*

V. cordifolia, *Michx.*; Loud. Arbor i. 480, f. 143. United States. "Chicken Grape."

V. vulpina var. *cordifolia*, *Regel.*

V. virginiana, *Hort.*

V. doaniana, *Munson*; Garden and Forest, 1896, 455 f. 59.
North-west Texas, &c. (Probably a hybrid of
which *V. candicans* is one of the parents.)

***V. erioclada**, *Wight & Arn.* India.

V. ficifolia, *Bunge*. China and Japan.

V. flexuosa, *Thunb.* China and Japan.

V. parvifolia, *Roxb.*

V. succisa, *Hance*.

V. girdiana, *Munson*. South California. "Valley Grape."

V. heterophylla, *Thunb.* China and Japan.

V. davidiana, *Carr.*

V. elegans, *Hort.*

Ampelopsis aconitifolia, *Hort.*

A. heterophylla, *Sieb. & Zucc.*

C. bryonifolia *Regel.*

Var. **humulifolia**, *Hook. f.* Bot. Mag. t. 5682.

Ampelopsis humulifolia, *Bunge*.

Var. **variegata**.

V. heterophylla var. tricolor.

***V. himalayana**, *Brand.* Himalaya.

V. neilgherrensis, *Wright* Ic. t. 965.

Ampelopsis himalayana, *Royle*.

Cissus himalayana, *Walp.*

V. inconstans, *Miq.* China and Japan.

V. Roylei, *Hort.*

Ampelopsis tricuspidata, *Sieb. & Zucc.*

A. Veitchii, *Hort.* Gard. Chron. ii. 1880, xiv. 664,
f. 126.

Cissus Thunbergii, *Sieb. & Zucc.*



V. inconstans—*cont.*

C. Veitchii, *Carr.*

Parthenocissus tricuspidata, *Planch.*

Var. *purpurea*.

Var. *robusta*.

V. indivisa, *Willd.* South United States.

Ampelopsis cordata, *Michx.*

A. *cordifolia*, *Rafin.*

Cissus Ampelopsis, *Pers.*

V. japonica, *Thunb.* Eastern Asia.

Cissus cyanocarpa, *Miq.*

C. *japonica*, *Willd.*

C. *leucocarpa*, *Blume.*

V. Labrusca, *L.*; Loud. Arbor. i. 479, f. 141. New England to Georgia. "Fox" Grape, Skunk Grape." The parent of the greater part of American cultivated grapes.

V. Longii, *Prince.* North-west Texas and New Mexico.

V. *Solonis*, *Hort.*

V. munsoniana, *Simpson.* Florida. "Mustang Grape of Florida, Bird Grape, Everbearing Grape."

V. orientalis, *Boiss.* Orient.

Ampelopsis orientalis, *Planch.*

Cissus clematifolia, *Cav.*

C. *orientalis*, *Lam.*; Wats. Dendr. Brit. t. 113.

C. *pinnata*, *Soland.*

V. palmata, *Vahl.* Illinois and Missouri to Louisiana and Texas. "Red or Cat Grape."

V. *riparia* var. *palmata*, *Planch.*

V. *rubra*, *Michx.*

V. *virginiana*, *Poir.*



V. persica, *Boiss.* Persia to Afghanistan.

Ampelopsis vitifolia, *Planch.*

Cissus vitifolia, *Boiss.*

V. quinquefolia, *Lam.* North America. "Virginia Creeper."

Ampelopsis hederacea, *DC.*

A. quinquefolia, *Michx.*

Parthenocissus quinquefolia, *Planch.*

P. radicantissima, *Koechne & Graebner.*

Vitis radicantissima, *Hort.*

Var. *hirsuta*.

Ampelopsis hirsuta, *Donn.*

Var. *incisa*.

Var. *major*.

Var. *muralis*.

Ampelopsis Engelmanni, *Hort.*

Parthenocissus Engelmanni, *Koechne & Graebn.*

V. Romaneti, *Caill.* North China.

V. rotundifolia, *Michx.* South and South-western United States. "Muscadine Southern Fox Grape."

V. rupestris, *Scheele.* South United States. "Sand or Sugar Grape."

V. serianaefolia, *Muxim.* China and Japan.

Ampelopsis serianaefolia, *Bunge.*

Cissus viticifolia, *Sieb. & Zure.*

Paullinia japonica, *Thunb.*

Vitis aconitifolia, *Hance.*

***V. striata**, *Baker.* Rio Grande do Sul.

Ampelopsis sempervirens, *Hort. Gard. Mag.* February 13, 1886, 91.

Cissus striata, *Ruiz. & Pav.*



V. Thunbergii, Sieb. & Zucc. China and Japan.

V. Sieboldii, Hort.

V. ficifolia var. Sieboldii, Lavallée.

V. Treleasei, Munson. Texas, Arizona, &c.

V. vinifera, L. Orient. "Grape Vine."

Var. *corinthiaca*. "Currant Grape."

V. *corinthiaca*, Rafin.

Var. *laciniosa*. "Parsley-leaved Vine."

V. *laciniosa*, L.

V. *apiifolia*, Hort.

Var. *purpurea*. "Teinturier Grape."

Var. *sylvestris*.

V. *sylvestris*, Gmelin.

V. *cebennensis*, Jord.

? Var. *Davidii*.

Spinovitis *Davidii*, Carr.

V. vulpina, L. North America. "Riverbank or Frost Grape."

V. *riparia*, Michx.; Bot. Mag. t. 2429.

V. *cordifolia* var. *riparia*, A. Gray.

V. *odoratissima*, Donn. (is male plant of this species).

Sapindaceae.

***Kolreuteria bipinnata**, Franchet Revue Horticole 1888, 393, f. 93. China.

K. paniculata, Lam.; Gard. Chron. 1887, ii. 561, f. 111. China.

K. *floribunda*, Hort.

K. *japonica*, Hort.

Aesculus californica, Nutt.; Sargent Silva of North America tt. 71, 72; Bot. Mag. t. 5077, California.

Calothrysus californicus, Spach.

Pavia californica, Hartw.

A. carnea, Willd.; Watson Dendr. Brit. ii. 121. Garden Hybrid. "Red Horse Chestnut."

A. floribunda, Hort.

A. rubicunda, DC.; Flore des Serres t. 2229-30.

A. spectabilis, Hort.

Pavia watsoniana, Spach.

Var. *atropurpurea*, Hort.

Var. *Briotii*, Hort.

Var. *Mauroyi*, Hort.

Var. *pendula*, Hort.

A. flava, Ait. West Pennsylvania to Georgia and Texas.
"Sweet Buckeye."

A. lucida, Hort. (not Spach).

A. lutea, Wangh.

A. octandra, Marsh.; Sargent Silva of North America tt. 69,70.

Pavia bicolor, Rafin.

P. flava, Moench.

P. fulva, Rafin.

P. hybrida, Hart.

P. lutea, Poir.

P. macrocarpa, Hort.

P. pallida bicolor, Hort.

Var. *purpurascens*, A. Gray. South-western United States.

A. discolor, Pursh.; Bot. Reg. t. 310.

A. hybrida, DC.

A. lutea var. discolor, Dippel.



Æ. flava—*cont.*

- Æ. octandra var. hybrida*, *Sargent.*
Æ. Pavia var. discolor, *Torr. & Gray.*
Pavia discolor, *Poir.*
P. hybrida, *DC.*
P. rosea, *Hort.*

Var. *sanguinea*.Var. *Whitleyi*, *Hort.*

Æ. glabra, *Willd.*; Sargent Silva of North America
 tt. 67, 68. United States. "Ohio Buckeye."

- Æ. echinata*, *Muhl.*
Æ. ohioensis, *DC.*
Æ. pallida, *Willd.*
Pavia glabra, *Spach.*
P. ohioensis, *Michx.*
P. pallida, *Spach.*

Var. *arguta*, *Robinson.* Texas, &c.*Æ. arguta*, *Buckl.*

Æ. Hippocastanum, *L.* Mountains of South-eastern Europe.
 "Horse Chestnut."

Var. *crispum*.Var. *flore pleno*, Illustration Horticole ii. t. 50.*Æ. Schirnhoferi*, *Hort.*Var. *foliis aureis variegatis*.Var. *laciniata*.

- Æ. asplenifolia*, *Hort.*
Æ. heterophylla, *Hort.*
Æ. incisa, *Hort.*

Var. *Memmingeri*.Var. *pyramidalis*.



Æ. indica, *Colebr.*; Bot. Mag. t. 5117. Western Himalaya.
"Indian Horse Chestnut."

Æ. Lyoni, *Hort.* (*flava* × *Pavia*). Garden origin.
Pavia Lyoni, *Hort.*

Æ. neglecta, *Lindl.*; Bot. Reg. t. 1009. Garden origin.
Æ. discolor × *flava*, *Koehne*.


Æ. parviflora, *Walt.* South-eastern United States.
Æ. macrostachya, *Pers.*; Bot. Mag. t. 2118.
Macrothyrus discolor, *Spach*.
Pavia alba, *Poir.*
P. edulis, *Poit.*
P. macrostachya, *Loisel.*

Æ. Pavia, *L.* S. United States. "Red Buckeye."
Æ. humilis, *Lodd.*; Bot. Reg. t. 1018.
Pavia atropurpurea, *Spach*.
P. humilis, *G. Don*.
P. lindleyana, *Spach*.
P. lucida, *Spach*.
P. Michauxii, *Spach*.
P. nana, *Hort.*
P. pendula, *Hort.*
P. pumila, *Hort.*
P. rubra, *Lam.*
P. willdenowiana, *Spach*.

Æ. plantierensis, *E. André*. Garden origin.
Æ. Hippocastanum × *carnea*.

Æ. turbinata, *Blume*; Rev. Hort. 1888, 496, ff. 120-4.
China, Japan.

**Ungnadia speciosa*, *Endl.*; Flore des Serres x. t. 1076.
Mexico, &c. "Spanish Buckeye."



Xanthoceras sorbifolia, *Bunge*; Bot. Mag. t. 6923. North China.

***Sapindus marginatus**, *Willd.*; Sargent Silva of North America t. 76. South United States. "Soap-berry, Wild China Tree."

Acer ambiguum, *Dippel.* Japan.

A. *Dippeli*, *Schwerin*.

A. argutum, *Maxim.*; Gard. Chron. 1881, xv. 725, f. 132. Japan.

A. campestre, *L.*; Engl. Bot. ed. 3, t. 321. Europe, West Asia. "Common Maple."

Var. *collinum*, *Wallr.*

A. *campestre* var. *leiocarpum*, *DC.*

Var. *compactum*.

Var. *hebecarpum*, *DC.*

A. *campestre* var. *lasiocarpum*, *Winnm.*

A. *campestre* var. *pubescens*, *Boenningh.*

A. *hyrcanum*, *Hort.* (not *Fisch. & Mey.*).

Var. *pendulum* foliis variegatis.

Var. *pulverulentum*.

A. *campestre* foliis punctatis.

A. *campestre* maculatum.

Var. *Schwerini*.


Var. *variegatum*.

A. *campestre* argenteo-marginatum.

A. capillipes, *Maxim.* Japan.

A. *pennsylvanicum* var. *capillipes*, *Wesmael.*

A. carpinifolium, *Sieb. & Zucc.*; Gard. Chron. ii. 1881, xv. 564, f. 105. Japan.



A. circinatum, *Pursh*; Sargent Silva of North America t. 88. California, &c. "Vine Maple."

A. virgatum, *Rafin.*

A. cissifolium, *C. Koch.* Japan.

Negundo cissifolium, *Sieb. & Zucc.*

N. nikoense, *Miq.* (not *Maxim.*).

A. coriaceum, *Tausch.* (*Pseudo-plantanus* × *monspessulanum*), Garden origin.

A. trilobatum, *Hort.*

A. crataegifolium, *Sieb. & Zucc.* Flora Japonica t. 147. Japan.

Var. *Veitchi*, *Nichols.*

A. creticum, *L.*; Loud. Encyclop. of Trees and Shrubs 94, f. 142, 121, f. 163. Asia Minor.

A. barbatum, *Petz. & Kirchn.* (not *Michx.*).

A. parvifolium, *Tausch.*

A. polymorphum, *Spach* (not *Sieb. & Zucc.*).

A. dasycarpum, *Ehrh.*; Gard. Chron. 1881, xv. 137, f. 24; Garden and Forest iv. 133, f. 26. Eastern North America. "Silver Maple."

A. album, *Hort.*

A. Douglassi, *Arbor. Zesch.*

A. eriocarpum, *Michx.*

A. palmatum, *Hort.* (not *Thunb.*).

A. Pavia, *Hort.*

A. rubrum, *L.* var. *pallidum*, *Ait.*

A. saccharinum, *L.*; Sargent Silva of North America t. 93.

A. saccharinum flori lanum, *Hort.*

A. dasycarpum—*cont.*

A. *Saccharum*, *Marsh* (not *Britton*).

A. *Saira*, *Hort.*

A. *tomentosum*, *Hort.*

Var. foliis albo-variegatis.

Var. Juhlkei.

Var. laciniatum, Pax.

A. *heterophyllum*, *Hort.*

A. *Wagneri dissectum*, *Hort.*

A. *Wieri laciniatum*; *Wiener Illust. Garten-Zeitung*, vii. 410.

Var. lutescens.

Var. macrophyllum.

Var. pendulum.

Var. pulverulentum.

Var. pyramidalis.

Var. tripartitum.

A. diabolicum, Blume; *Gard. Chron.* 1881, xv. 532, f. 100.
Japan.

A. *pulchrum*, *Hort.*

A. Dieckii, Pax. Garden origin.

A. *Lobelia var Dieckii, Pax.*

A. *platanoides var. integrilobum, Zabel* *Gartenfl.*
1887, 437, f.

A. distylum, Sieb. & Zucc.; *Gard. Chron.* 1881, xv. 499,
f. 93. Japan.

A. Duretti, Hort. (*Pseudo-platanus × monspessulanum*)
Garden hybrid.

A. Ginnala, Maxim. Amurland, &c.

A. tataricum var. acuminatum, *Franch.*

A. tataricum var. *Ginnala, Maxim.*

A. tataricum var. laciniatum, *Regel.*

Var. Semenowii, Pax.

A. Semenowii, *Regel & Herder.*

A. tataricum var. *Semenowii, Nichols.* Gard.
Chron. 1881, xv. 74, f. 12.

A. glabrum, Torr. & Gray; Sargent Silva of North America t. 89. Western North America.

A. Douglasii, *Hook.*

A. tripartitum, *Nutt.*

A. grandidentatum, Nutt. Western North America.

A. barbatum var. *grandidentatum, Sargent Silva of North America* t. 92.

A. saccharinum var. *floridanum, Chapm.*

A. Heldreichi, Boiss. & Heldr.; Gard. Chron. 1881, xv. 141, f. 25. Eastern Europe.

A. Henryi, Pax; Hook. Icon. Plant. t. 1896. Central China.

A. heterophyllum, Willd.; Garden ii. 283, f. Orient.

A. microphyllum, *Hort.*

A. obtusifolium, *Sibth.*

A. orientale, *C. Koch.*

A. sempervirens, *Hort.*

A. Hookeri, Miq. Himalaya and China.


A. hybridum, Spach: Engler, Das Pflanzenreich 1902,
Aceraceæ f. 4. (*Pseudo-platanus* × *opulifolium*).

A. *Pseudo-platanus* var. *opulifolium, Hort.*

A. hyrcanum, Fisch. & Mey. Caucasus.

A. caucasicum, *Hort.* -

A. ibericum, *Hort.* (in part).



A. hyrcanum—*cont.*

- A. italum *var. hyrcanum*, Pax.
- A. lobatum, Gordon; Garden, iii. 69, f.
- A. tauricum, Hort. (in part).

A. insigne, Boiss. & Buhse. var. velutinum, Boiss.; Gard. Chron. 1891, x. 189, f. 24. Northern Persia.

A. japonicum, Thunb.; Sieb. & Zucc. Fl. Jap. ii. t. 144. Japan.

- A. maerophyllum, Hort. (not Pursh).
- A. palmatum macrophyllum, Hort.
- A. vitifolium, Hort.

Var. *aureum*, Schiverin.

Var. *microphyllum*, Hort. Veitch.

A. laetum, C. A. Mey.; Gartenfl. 1887, 433, f. 109. Caucasus. &c.

Var. *rubrum*.

- A. colchicum rubrum, Hort.

A. leucoderme, Small. North Carolina to Florida and Alabama.

A. Lobelii, Tenore Flora Neapolitana v. 291, t. 199. Southern Italy.

- A. atheniense, Hort.
- A. platanoides *var. integrilobum*, Tausch.
- A. platanoides, L. *var. Lobelii*, Loud. Arbor. 444, f. 120.


A. macrophyllum, Pursh; Sargent Silva of North America tt. 86, 87. California, &c.

- A. murrayanum, Hort.
- A. speciosum, Hort.

A. mandschuricum, Maxim. Mandshuria.

A. micranthum, Sieb. & Zucc. Fl. Jap. 141, t. 80. Japan.

A. Miyabei, Maxim; Garden and Forest 1893, 143, f. Japan.



- A.** *monspessulanum*, *L.*; Loud. Arbor. i. 458, f. 131.
Mediterranean Region. "Montpelier Maple."
A. heterophyllum, *Hort.* (not *Willd.*)
A. ibericum, *Bieb.*
A. illyricum, *Jacq.*
A. liburnicum, *Hort.*
A. littorale, *Hort.*
A. monspeliense, *Hort.*
A. trifolium, *Duham.*
A. trilobum, *Moench.*
A. trilobatum, *Lam.*
- A.** *neglectum*, *Lange.* Garden origin.
A. aetnense, *Hort.*
A. campestre \times *Lobelii*, Koehne.
A. campestre var. *aetnense*.
A. zöschense, *Pax.*
- A.** *Negundo*, *L.*; Sargent Silva of North America t. 96.
United States. "Box Elder."
Negundo aceroides, *Moench.*
N. fraxinifolium, *Nutt.*
- Var. *californicum*, Sargent Silva of North America t. 97.
Acer californicum, *Dietr.*
Negundo californicum, *Torr. & Gray.*
- Var. *crispum*, *G. Don*; Loud. Encycl. of Trees and Shrubs, 122, f. 165.
- Var. *foliis marginatis aureis*.
- Var. *laciniatum*, *Hort.*
- Var. *variegatum*, *Hort.*
- Var. *versicolor*, *Dieck.*
- Var. *violaceum*, *Kirchner.*



A. nikoense, *Maxim.* (not *Miq.*) ; Garden and Forest 1893,
155, f. 26. Japan.

A. maximowiczianum, *Miq.*

Negundo nikoense, *Nichols.*

A. opulifolium, *Vill.* Europe. "Italian Maple."

A. italicum, *Lauche.*

A. italicum, *Lauth.*

A. Opalus, *Ait.* Garden, 1872, 443, f.

A. rotundifolium, *Lam.*

Var. *neapolitanum*.

A. hybridum, *Hort.*

A. neapolitanum, *Tenore* Flora Neapolitana t. 100.

A. obtusatum var. neapolitanum, *Hort.*

Var. *obtusatum*.

A. obtusatum, *Kit.* *

A. palmatum, *Thunb.* ; Loud. Encycl. of Trees and Shrubs
90, f. 158. Japan.

A. polymorphum, *Sieb. & Zucc.* Fl. Jap. 83, t. 145.

Palmatum Group.

Var. *aureum*.

Acer japonicum polymorphum aureum. *Hort.*

Var. *crispum*, Illustration Horticle, 1870, t. 43.

A. crispatum, *Hort.*


Var. *linearilobum*, *Sieb. & Zucc.* Fl. Jap. 84. t. 146.

A. integrum, *Hort.*

Var. *roseo-marginatum*.

A. japonicum roseo-marginatum, *Hort.*

A. polymorphum roseo-marginatum, *Hort.*



Septemlobum Group.

Var. *sanguineum*, Carr.

Var. *septemlobum*, C. Koch.

A. *septemlobum*, Thunb.

Var. *septemlobum atropurpurem*.

A. *atropurpureum*, Hort.

A. *japonicum atropurpureum*, Hort.

Var. *septemlobum bicolor*, Hort.

Var. *septemlobum elegans*.

Var. *septemlobum elegans purpureum*.

A. *digitatum atropurpureum*, Hort.

Dissectum Group.

Var. *dissectum*.

A. *dissectum*, Thunb.

A. *japonicum dissectum*, Hort.

A. *palmatifidum*, Hort.

A. *palmatum pinnatifidum*, Hort.

A. *polymorphum var. decompositum*, Sieb. & Zucc.
Fl. Jap. 84, t. 146.

Var. *dissectum ornatum*, Illustration Horticole 1870,
244, t. 46.

A. *japonicum ornatum*, Hort.

A. *palmatifidum ornatum*, Hort.

A. *palmatifidum rubrum*, Hort.

Var. *dissectum sessilifolium*, Gard. Chron. 1881, xvi. 137,
f. 30.

Negundo *sessilifolium*, Sieb. & Zucc.



A. pennsylvanicum, *L.* ; Sargent Silva of North America
tt. 84, 85. Eastern United States. "Moose Wood."

A. canadense, *Marsh*

A. hybridum, *Bosc.*

A. striatum, *Du Roi.*

A. pictum, *Thunb.* Mandshuria, Japan.

Var. **Mono**.

A. Mono, *Maxim.*

Var. **variegatum**.

A. pictum tricolor.

A. platanoides, *L.* ; Loud. Encycl. of Trees and Shrubs 83,
104, 105. Europe. "Norway Maple."

Var. **columnare**, *Carr.*

Var. **cucullatum**.

Var. **dilaceratum**, *Dieck.*

Var. **globosum**.

A. globosum, *Hort.*

Var. **heterophyllum variegatum**, *Hort.*

A. digitatum aureo-marginatum, *Hort.*

Var. **laciniatum**.

A. crispum, *Hort.*; Loud. Encycl. of Trees and
Shrubs 84, f. 128.

A. laciniosum, *Hort.*

Var. **maculatum**, *Schwerin.*

Var. **nanum**, *Nichols.*


Var. **palmatum**.

A. dissectum, *Hort.*

A. Lorbergi, *Hort.*

A. palmatifidum, *Hort.*

A. platanoides digitatum, *Hort.*



A. platanoides—cont.

Var. *purpureum*.

Var. *pyramidalis nanum*.

Var. *Reitenbachii*.

Var. *rubrum*, *Regel* Gartenflora 1867, 163, f. 545.

Var. *Schwedleri*; *Gard. Chron.* 1881, xv. 565, f. 106.

 A. *Schneideri*, *Hort.*

Var. *undulatum*, *Dieck.*

A. Pseudo-platanus, L.; Eng. Bot. ed. 3, t. 320. Central Europe, Western Asia. "Sycamore."

Var. *atropurpureum*.

Var. *aucubaefolium*.

Var. *bicolor*, *Späth.*

Var. *elegantissimum*, *Perkins.*

Var. *euchlorum*.

Var. *flavo-marginatum*, *Loud.* "Corstorphine Plane."

 A. *P. corstorphinensis*, *Hort.*

 A. *P. lutescens*, *Hort.*

Var. *foliis albo-variegatis*.

Var. *Leopoldi*, Illustration Horticole xi. t. 411.

Var. *luteo-virens*, *Simon-Louis.*

Var. *nervosum*, *Schwerin.*

Var. *Nizeti*, *Schwerin.*

 A. *foliis purpureis aureo-variegatis*.

Var. *Prinz Handjery*, *Hort.*

Var. *purpureo-variegatum*, *Hort.*



A. Pseudo-platanus—cont.Var. *purpureum*, Loud.A. P. var. *rubrum*, Hort.A. *nigrum*, Hort.Var. *webbianum*, Hort.Var. *Worlei*, Schwerin.**A. purpurascens, Franch. & Sav. Japan.****A. rubrum**, L. ; Sargent Silva of North America t. 94.
United States. "Red Maple."A. *carolinianum*, Hort.A. *coccineum*, Michx. fil.A. *floridanum*, Hort.A. *glaucum*, Hort.A. *globosum*, Hort.A. *hypoleucum*, Hort.A. *leucophyllum*, Hort.A. *virginianum*, Hort.A. *Wagneri*, Hort.Var. *Drummondii*, Sargent Silva of North America, t. 95.A. *Drummondii*, Hook. & Arn.Var. *pendulum*.Var. *sanguineum*.A. *fulgens*, Hort.A. *sanguineum*, Spach.A. *splendens*, Hort.A. *tomentosum*, Hort.A. *microphyllum*, Pax.**A. rufinerve**, Sieb. & Zucc. Flora Jap. t. 158. China and Japan.Var. *albo-limbatum*, Hook. Bot. Mag. t. 5793.



- A. *saccharinum*, *Wangenh.* United States. "Sugar Maple."
 A. *barbatum*, *Sargent Silva of North America* t. 90.
 A. *saccharophorum*, *C. Koch.*
 A. *Saccharum*, *Britt.* (not *Marsh*).
 Var. *columnare*.
 Var. *monumentale*.
 Var. *nigrum*.
 A. *barbatum var. nigrum*, *Sargent Silva of North America* t. 91.
 A. *nigrum*, *Michx.*
 A. *sieboldianum*, *Miq.*; *Gard. Chron.* 1881, xv. 590, f. 113.
 Japan.
 A. *japonicum var. sieboldianum*, *Franch. & Sav.*
 A. *palmatum* *Kaempferi*, *Hort.*
 A. *spicatum*, *L.*; *Sargent Silva of North America* tt. 82,
 83. United States. "Mountain Maple."
 A. *montanum*, *Ait.*
 A. *parviflorum*, *Ehrh.*
 A. *pennsylvanicum*, *Duroi* (not *L.*).
 A. *rugosum*, *Hort.*
 A. *tataricum*, *L.*; *Watson Dendr. Brit.* t. 160. Eastern
 Europe, &c.
 A. *cordifolium*, *Moench.*
 Var. *rubrum*.
 A. *Tchonoskii*, *Marim.* Japan.
 A. *tenellum*, *Pax*; *Hook. Icon. Plant.* t. 1897. Central
 China.
 A. *tetrandrum*, *Pax*. Central China.
 A. *Trautvetteri*, *Medwedjeff*; *Gartenfl.* 1891, ff. 58-61.
 Caucasus.
 A. *insigne*, *Nichols.* *Gard. Chron.* 1881, xvi. 75, f. 14.
 A. *insigne var. Trautvetteri*, *Pax*.



A. trinerve, *Dippel.* Japan, &c.

A. trifidum, *Hort.* (not *Hook. & Arn.*).

A. truncatum, *Bunge.* China.

A. laetum var. *truncatum*, *Regel.*

A. *Lobelii* var. *truncatum*, *Wesmael.*

A. Volxemi, *Masters* Gard. Chron. 1877, vii. 72, f. 10; 1891, x. 11, f. 2. Caucasus.

Dipteronia sinensis, *Oliver*; *Hook. Icon. Plant.* t. 1898. Central China.

Staphylea Bumalda, *Sieb. & Zucc. Fl. Jap.* t. 95. Japan.

S. colchica, *Stev.*; *Gard. Chron.* 1887, ii. 713, f. 137. Caucasus.

Hooibrenckia formosa, *Hort.*

S. regeliana, *Hort.*

S. Coulombieri, *André* (*pinnata* × *colchica*).

S. pinnata, *L.* Eng. Bot. ed. 3, t. 322. South Europe. "Bladder-nut."

S. trifolia, *L.*; *Gartenflora* 1888, 529. North America. "American Bladder-nut."

***Euscaphis staphyleoides**, *Sieb. & Zucc. Fl. Jap.* t. 67. China and Japan.

E. japonica, *Dippel.*

Sabiaceæ.

Meliosma myriantha, *Sieb. & Zucc.* China and Japan.


Anacardiaceæ.

Rhus canadensis, *Marsh.* North America.

R. aromatica, *Ait.*; *Britt. & Br. Illustr. Fl.* ii. 387, f.

R. suaveolens, *Ait.*

Var. *trilobata*, *A. Gray.*



R. copallina, L. : *Dippel* Handbuch der Laubholzkunde ii.
368, f. 169. Eastern United States. "Dwarf
Sumach."

R. cotinoides, Nutt. Southern United States. "Chittam
Wood."

Cotinus americanus, Nutt. North American Sylva ii.
t. 81 ; Sargent Silva of North America t. 98.

R. Cotinus, L. ; Jacq. Flora Austrica t. 210. Europe, &c.
"Venetian Sumach."

Var. *atropurpurea*.

Var. *pendula*.

R. glabra, L. ; Loud. Arbor. ii. 551, f. 225. United States.
"Smooth Sumach."

R. caroliniana, Mill.

R. coccinea, Hort.

R. elegans, Ait. ; Wats. Dendr. Brit. i. t. 16.

R. sanguinea, Hort.

Var. *laciniata*, Carr. Revue Horticole 1863, f. 1.

***R. insignis**, Hook. f. Himalaya.

R. Michauxi, Sargent Garden and Forest 1895, 404, f. 55.
South United States.

R. pumila, Michx.

R. Osbeckii, DC. ; Revue Horticole 1867, f. 14. China and
Japan.

R. japonica Osbecki, Hort.

R. semialata var. *Osbeckii*, DC.

R. typhina Osbecki, Hort.

***R. punjabensis**, J. L. Stew. Himalaya.

R. sylvestris, Sieb. & Zucc. China and Japan.

R. Toxicodendron, *L.*; Loud. Arbor. ii. 556, f. 23. North America and Japan. "Poison Ivy, Poison Oak."

R. ambigua, *Lavallée*.

R. japonica, *Hort.*

R. radicans, *L.*; Bot. Mag. t. 1806.

R. ternata, *Hort.*

R. trifoliata, *Hort.*

Ampelopsis Hoggii, *Hort.*

A. japonica, *Hort.*

Toxicodendron pubescens, *Mill.*

T. vulgare, *Mill.*

R. trichocarpa, *Miq.* Japan, Corea.

R. typhina, *L.*; Loud. Arbor. ii. 550, f. 224. Eastern United States. "Staghorn Sumach."

R. americana, *Hort.*

R. canadensis, *Hort.* (not *Michx.*).

R. coriaria, *Hort.* (not *L.*).

R. frutescens, *Hort.*

R. glabra, *Hort.* (not *L.*).

R. gracilis, *Hort.*

R. hirta, *Sudw.*

R. viridiflora, *Poir.* (male plant).

Var. *laciniata*.

R. venenata, *DC.*; Loud. Arbor. ii. 552, f. 226. Eastern United States. "Poison Sumach."


R. vernix, *L.*; Watson Dendr. Brit. i. t. 19.

Toxicodendron pinnatum, *Mill.*

R. vernicifera, *DC.* China and Japan. "Lacquer Tree."

R. vernix, *Thunb.* (not *L.*).

R. Wallichii, *Hook. f.* Himalaya.



**Pistacia atlantica*, *Desf.* North Africa.

**P. cappadocica*, *Planch.* Sicily, &c.
P. hybrida, *Gasparini*.

**P. chinensis*, *Bunge*. China.

**P. Lentiscus*, *L.*; *Bot. Mag.* t. 1967. Mediterranean Region. "Mastic Tree."
P. massiliensis, *Mill.*

**P. Terebinthus*, *L.*; *Bentl.* & *Trim.* *Med. Plants* t. 69.
 South Europe. "China Turpentine Tree."

**Schinus bonplandianus*, *March*. South Brazil.
S. dependens var. *subintegra*, *Engler*.
Duvaua longifolia, *Lindl.* *Bot. Reg.* xxix. t. 59.
D. spinescens, *Tenore*.

**S. dependens*, *Ortega*. Chili.
Duvaua dependens, *DC.*; *Bot. Reg.* t. 1573.
 Var. *ovata*.

Coriariaceae.

Coriaria japonica, *A. Gray*; *Bot. Mag.* t. 7509. Japan.

C. myrtifolia, *L.*; *Wats.* *Dendr. Brit.* ii. t. 103. Mediterranean Region. "Redoul."

C. nepalensis, *Wall.* Himalaya.

C. terminalis, *Hemsl.* *Hook. Icon. Plant.* t. 2220. Western China and Himalaya.

C. nepalensis, *Hort.* (not *Wall.*)

Leguminosae.

**Anagyris foetida*, *L.*; *Revue Horticole* 1869, 290.
 Mediterranean Region.



**Piptanthus nepalensis*, Sweet British Flower Garden
t. 264. Temperate Himalaya.

Anagyris indica, Lindl.

A. nepalensis, Graham.

Baptisia nepalensis, Hook. Exot. Flora t. 131.

Thermopsis laburnifolia, G. Don.

T. nepaulensis, DC.

Lupinus arboreus, L.; Bot. Mag. t. 682. California.
"Tree Lupin."

L. macrocarpus, Hook. & Arn.

L. rivularis, Agardh.

L. sericeus, Eschsch.

**Adenocarpus decorticans*, Boiss.; Gard. Chron. 1886, xxv.
725. f. 160. Spain.

Laburnum Adami, Lavall. (*L. vulgare* × *Cytisus purpureus*). "Purple Laburnum."

Cytisus Adami, Poit.

C. Laburnum var. purpureus, Hort.; Bot. Reg. t. 1965.

Laburnum vulgare flore rubro, Hort.

L. vulgare purpurascens, Hort.

L. alpinum, J. S. Presl. Europe. "Scotch Laburnum."

Cytisus alpinus, Mill.

Var. *autumnalis*, Hort.

Var. *biferum*, Hort.

L. biflorum, Hort.

L. chrysophyllum, Hort.

Var. *fragrans*, Hort. (not Griseb.).

Var. *grandiflorum*, Hort.

Var. *hirsutum*, Hort.

Var. *pilosum*, Wetst.



L. caramanicum, *Benth. & Hook. f.* Asia Minor.

Cytisus caramanicus, *Lavall.*

Podocytisus caramanicus, *Boiss.*

L. Parksii, *Hort.* (*alpinum* × *vulgare*).

L. Vossii, *Hort.* Garden Origin.

L. vulgare, *J. S. Presl.* Europe. "Laburnum."

L. anagyroides, *Medic.*

Cytisus Laburnum, *L.*

Var. *Alschingeri*, *Briq.*

Cytisus Alschingeri, *Vis.*

Var. *Carlieri*, *Hort.*

Cytisus Carlieri, *Hort.*

Var. *foliis aureis*.

Var. *intermedium*, *Hort.*

Var. *involutum*, *Hort.*

L. vulgare monstrosum, *Hort.*

L. vulgare bullatum, *Hort.*

Var. *jacquinianum*, *Beck.*

L. tarquinianum, *Hort.*

Var. *linnaeanum*.

L. vulgare var. typicum, *Beck.*

Cytisus Laburnum subsp-linnaeanum, *Wetst.*

Var. *monstrosum cristatum*, *Hort.*

Var. *pendulum*, *Hort.*

L. vulgare pendulum elegans, *Hort.*

Var. *quercifolium*, *Hort.*

Var. *semperflorens*, *Hort.*

Var. *sessilifolium*, *Hort.*



L. Watereri, Hort. (*alpinum × vulgare.*)

Cytisus Watereri, Wetst.

Petteria ramentacea, Presl. Eastern Europe.

Cytisus fragrans, Weld.

C. ramentaceus, Sieb.

C. Weldenii, Vis.; *Bot. Reg. xxxix.* t. 40.

Laburnum Weldenii, Lavallée.

L. fragrans, Griseb.

Genista aethnensis, DC.; *Moris Flora Sardoa* t. 28.

Sicily, &c.

Dendrospartum aetnense, Spach.

Spartium aetnense, Biv.; *Bot. Mag.* t. 2674.

S. trispernum, Smith.

G. anglica, L.: *Engl. Bot. ed. 3, t. 326.* Europe. "Needle Furze, Petty Whin."

G. brutia, Tenore.

G. minor, Lam.

G. aspalathoides, Lam.; *Moris Flora Sardoa* tt. 29, 30.
South-western Europe.

Spartium erinaceoides, Loisel.

S. aspalathoides, Desf.

G. cinerea, DC.; *Reichb. Ic. Flor. Germ.* t. 2092. South-western Europe.

G. ramosissima, Boiss. (not *Poir.*).

Spartium cinereum, Vill.

S. sphaerocarpum, Lapeyr.

G. ferox, Poir. North Africa.

G. germanica, L.; *Flora Danica xi.* t. 1826. Europe.

Scorpius spinosus, Moench.



G. hispanica, *L.*; Rev. Hort. 1888, 36. South west Europe.
“Spanish Gorse.”

G. villosa, *Lam.*

Spartium hispanicum, *Spreng.*

Ulex nanus, *Hort.* (not *Forst.*).

U. pyramidalis, *Hort.*

G. horrida, *DC.* Southern France, Spain.

G. lusitanica, *Desf.*

Cytisus tragacanthaeformis, *Poirr.*

Spartium horridum, *Vahl.*

Var. *erinacea*. Near Lyons.

G. erinacea, *Gilib.*

G. lugdunensis, *Jord.*

G. pilosa, *L.*; Engl. Bot. ed. 3, t. 327. Europe.

G. radiata, *Scop.*; Reichb. Ic. Flor. Germ. t. 2083. Central
and Southern Europe.

G. hispanica, *Hort.* (not *L.*).

G. holopetala, *Reichb.*

Cytisus radiatus, *Kit.*

Spartium radiatum, *L.*

G. sagittalis, *L.*; Reichb. Ic. Flor. Germ. t. 2081. Europe.

G. herbacea, *Lam.*

Cytisus sagittalis, *Kit.*

Spartium sagittale, *Roth.*

G. tinctoria, *L.*; Engl. Bot. ed. 3, t. 328. Europe, &c.
“Dyers’ Greenweed.”

G. fragrans, *Hort.* (not *Spach.*)

Carniola tinctoria, *Presl.*

Spartium tinctorium, *Roth.*



G. tinctoria—cont.Var. *elatior*.

- G. anxantica*, *Griseb.*
- G. dumetorum*, *Hort.*
- G. elata*, *Wender.*
- G. elatior*, *Koch.*
- G. frutescens*, *Hort.*
- G. italica*, *Hort.*
- G. marginata*, *Bess.*
- G. multibracteata*, *Hort.*
- G. ovata*, *Hort.*
- G. polygalaefolia*, *Hort.*
- G. pubescens*, *Lang.*
- G. sibirica*, *Reichb.*
- G. thyrsiflora*, *Hort.*
- G. virgata*, *Hoppe* (not *DC.*).

Var. *flore pleno*.Var. *mantica*.

- G. mantica*, *Pollini.*

G. virgata, *DC.*; Bot. Reg. **xxx**. t. 11. Madeira.

- G. cinerea*, *Hort.* (not *DC.*).
- G. elata*, *Hort.* (not *Wender.*).
- G. gracilis*, *Poir.*
- Cytisus tener*, *Jacq.*
- Spartium virgatum*, *Ait.*

Spartium junceum, *L.*; Bot. Mag. t. **85**. South Europe.
“Yellow Spanish Broom.”

- Genista juncea*, *Lam.*
- Spartianthus junceus*, *Link.*

Var. *flore pleno*.



Erinacea pungens, *Boiss.*; Bot. Mag. t. 676. Eastern Pyrenees, North-west Africa.

E. Ervillei, *Hort.*

Ulex europaeus, *L.*; Engl. Bot. ed. 3, t. 323. Europe.
"Furze, Whin, Gorse."

Var. *flore pleno*.

Var. *strictus* (Mackay).

U. Gallii, *Planch.*; Engl. Bot. ed. 3, t. 324. Western Europe.

U. nanus, *Forst.*; Engl. Bot. ed. 3, t. 325. Western Europe.

U. europaeus nanus, *Hort.*

***U. parviflorus**, *Pourr.* Reichb. Icon. Fl. Germ. t. 2068.
South France, Spain, &c.

***U. welwitschianus**, *Planch.* South-west Europe.

Cytisus albus, *L.* Spain and Portugal. "White Spanish Broom."

C. multiflorus albus, *Hort.*

Genista multiflora, *Loisel.*

Sarothamnus albus, *Presl.*

S. parviflorus, *Willk.*

Spartium album, *Desf.*

S. multiflorum, *L'Hérit.*; Lodd. Bot. Cab. t. 1052.

Var. *incarnatus*, *Hort. Kew.*

C. Ardoini, *Fourn.*; Moggr. Flora of Mentone t. 58. Maritime Alps.

C. austriacus, *L.*; Jacq. Fl. Austr. i. t. 21. Eastern Europe.

C. banaticus, *Griseb.*

C. serotinus, *Hort.* (not *Kit.*).

C. Beanii, *Nichols.* (*Ardoini* × *biflorus*). Garden Origin.



C. biflorus, *L'Hérit.* : Bot. Reg. t. 308. Eastern Europe.

- C. canariensis, *Hort.*
- C. caucasicus, *Hort.*
- C. elongatus, *Waldst. & Kit.*
- C. leucanthus, *Hort.* (not *Waldst. & Kit.*).
- C. medicaginoides, *Hort.*
- C. polytrichus, *Hort.*
- C. ratisbonensis, *Schaeff.*
- C. ruthenicus, *Fisch.*
- C. serotinus, *Kit.*
- C. supinus, *Hort.* (not *Jacquin*).
- C. uralensis, *Hort.*

C. capitatus, *Jacq.* ; Lodd. Bot. Cab. t. 497. Europe.

- C. calycinus, *Hort.*
- C. nigricans nanus, *Hort.*

C. ciliatus, *Wahlenb.* Eastern Europe.

- C. hirsutus *subsp. ciliatus*. *Briquet.*

C. decumbens, *Walp.* Europe.

- Genista Halleri, *Reyn.*
- G. prostrata, *Lam.*

C. glabrescens, *Sartor.* South Switzerland, North Italy.

C. hirsutus, *L.* ; Bot. Mag. t. 6819. South Europe and Asia Minor.

- C. falcatus, *Waldst. & Kit.*
- C. leucotrichus, *Schur.*
- C. polytrichus, *Hort.*
- C. tournefortianus, *Loisel.*
- C. triflorus, *Lam.* (not *L'Hérit.*).
- C. uralensis, *Hort.* (in part).

Var. **hirsutissimus**.

- C. hirsutissimus, *C. Koch.*



- C. kewensis**, *Bean.* (*Ardoini* × *albus*). Garden origin.
- C. leucanthus**, *Waldst. & Kit.*; *Bot. Mag.* t. 1438. Balkans.
- C. *albus*, *Hacquet* (not *L.*).
 - C. *frivaldszkyanus*, *Degen.*
 - C. *schipkaensis*, *Dieck.*
- ***C. linifolius**, *Lam.* South-west Europe.
- Genista linifolia*, *L.*
 - Spartium linifolium*, *Desf.*
 - Teline linifolia*, *Webb.*
- C. monspessulanus**, *L.*; *Reich. Ic. Fl. Germ.* t. 2079. Mediterranean region.
- Genista candicans*, *L.*
 - G. triangularis*, *Hort.* (not *Willd.*).
 - G. triquetra*, *Hort.* (not *Ait.*).
 - Teline candicans*, *Webb.*
- C. nigricans**, *L.*; *Bot. Reg.* t. 802. Europe.
- Lembotropis nigricans*, *Griseb.*
 - C. Carlieri*, *Hort.*
 - C. elongatus*, *Hort.* (not *Waldst. & Kit.*).
 - C. longispicatus*, *Hort.*
 - C. reflexus*, *Hort.*
- C. praecox**, *Hort.* (*purgans* × *albus*). Garden origin.
- C. purgans**, *Boiss.*; *Deutsche Garten-Zeitung* 1886. 447. South-west Europe.
- Genista daurica*, *Hort.*
 - G. purgans*, *L.*
 - G. spartoides*, *Hort.*
 - Sarothamnus purgans*, *Gren. & Godr.*
 - Spartium purgans*, *L.*
 - Spartocytisus purgans*, *Webb.*
- C. purpureus**, *Scop.*; *Bot. Mag.* t. 1176 Eastern Europe.



C. scoparius, *Link.* Europe. "Common Broom."

Genista scoparia, *Lam.*

Sarothamnus scoparius, *Koch*; Eng. Bot. ed. 3, t. 329.

S. vulgaris, *Wimm.*

Spartium scoparium, *L.*

Var. *andréanus*.

Genista andréana, Revue Horticole 1886, 572.

Var. *flore pleno*.

Var. *foliis variegatis*.

Var. *pendulus*.

C. grandiflorus, *Hort.* (not *DC.*).

Genista grandiflora, *Hort.*

Var. *sulphureus*.

C. sessilifolius, *L.*; Bot. Mag. t. 255. South Europe.

Cytisus quinquefolius, *Hort.*

Lembotropis sessilifolius, *Griseb.*

C. versicolor, *Dippel* (*purpureus* × *hirsutus*). Garden origin.

C. purpureus *incarnatus*, *Hort.*

C. elongatus, *Hort.* (in part).

C. erectus, *Hort.*


Ononis aragonensis, *Asso*; Engl. & Drude, Vegetation der Erde i. 187, f. Pyrenees.

O. fruticosa, *L.*; Bot. Mag. t. 317. South Europe.

O. Natrix, *L.*; Bot. Mag. t. 329. Europe.

O. rotundifolius, *L.*; Bot. Mag. t. 335. South Europe.

Dorycnium suffruticosum, *Vill.*; Jordan Observat. iii. t. 4. South Europe.



**Medicago arborea*, *L.*; Lodd. Bot. Cab. t. 1379. South Europe.

**Anthyllis Hermanniae*, *L.*; Bot. Mag. t. 2576. South Europe.

Cytisus graecus, *L.*

**Psoralea glandulosa*, *L.*; Bot. Mag. t. 990. Chili.

Amorpha californica, *Nutt.* California.

A. canescens, *Nutt.*; Bot. Mag. t. 6618. United States.
“Lead Plant, Shoe-strings.”

A. fruticosa, *L.*; Bot. Reg. t. 127. South United States.
“False Indigo.”

A. canescens, *Hort.*

A. caroliniana, *Hort.*

A. coerulea, *Hort.*

A. crocea, *Hort.*

A. dealbata, *Hort.*

A. elatior, *Hort.*

A. emarginata, *Hort.*

A. fragrans, *Hort.*

A. Gardneri, *Hort.*

A. glabra, *Hort.*

A. Lewisii, *Hort.*

A. ludoviciana, *Hort.*

A. marginata, *Hort.*

A. pubescens, *Hort.*

A. tenesseeensis, *Hort.*

A. tomentosa, *Hort.*

A. nana, *Nutt.* North America.

A. microphylla, *Pursh.*



A. virgata, *Small* Bull. Torrey Bot. Club. xxi. (1894) 17
t. 171. Georgia.

Indigofera bungeana, *Walp.* China.

I. decora, *Lindl.*; Bot. Mag. t. 5063. China and Japan.
I. floribunda alba, *Hort.*

I. gerardiana, *Wall.* Himalaya.

I. atropurpurea, *Hort.*

I. coronillaefolia, *Hort.*

I. Dosua, Bot. Reg. xxviii. t. 57. (not *Hamilt.*).

I. floribunda, *Hort.*

I. heterantha, *Wall.* (in part).

I. hebe petala, *Benth.* Himalaya.

Wistaria brachybotrys, *Sieb. & Zucc.* Fl. Jap. t. 45 Japan.

W. chinensis, *DC.* China.

W. polystachya, *C. Koch.*

Glycine chinensis, *Sims* Bot. Mag. t. 2083.

Var. *flore albo*.

Var. *flore pleno*. Gard. Chron. 1901 xxix., 403, f. 151.

Var. *foliis variegatis*.

W. frutescens, *DC.* United States.

Glycine frutescens, *L.*; Bot. Mag. t. 2103.

Var. *flore albo*.

Var. *magnifica*. Flore des Serres ix. t. 1151.

W. japonica, *Sieb. & Zucc.* Fl. Jap. t. 43. Japan.

Milletia japonica, *A. Gray.*



- W. multijuga, *Van Houtte Flore des Serres* t. 2002. China.
W. grandiflora, *Hort.*
Var. flore albo.

Robinia hispida, L.; Bot. Mag. t. 311. South United States. "Rose Acacia."
R. montana, *Bartr.*
R. rosea, *Marsh.*
Var. inermis, *Carr.*
R. complexa, *Hort.*
R. hispida rosea, *Hort.*
R. macrophylla, *Hort.*

R. neomexicana, A. Gray; Bot. Mag. t. 7726. Rocky Mountains.
Var. luxurians, *Dieck.*

R. Pseudacacia, L.; Loud. Arbor ii. 609, tt. 83-86. Eastern United States. "Locust, Acacia."
Var. amorphifolia.
Var. angustifolia.
R. angustifolia elegans, *Hort.*
R. microphylla, *Hort.*
R. myrtifolia, *Hort.*
R. umbraculifera angustifolia, *Hort.*
Var. aurea.
Var. bella-rosea.
Var. bessoniana.
Var. bessoniana latifolia.
Var. coluteoides.
Var. crispa.
R. Pseudacacia insignis, *Hort.*



R Pseudacacia—cont.

Var. *decaisneana*, *Carr. Rev. Hort.* 1863, 151, cum. ic.

Var. *decaisneana flore rubro*.

Var. *dubia*.

Var. *elegans*.

Var. *fabreana*.

Var. *fastigiata*.

pyramidalis.

stricta.

Var. *gigantea*.

Var. *heterophylla*.

Var. *inermis*.

Var. *inermis latifolia*.

Var. *inermis variegata*.

Var. *linearis*.

Var. *mimosaefolia*.

Var. *monophylla*.

unifoliolata.

Var. *monophylla fastigiata*.

Var. *monopnylla pendula*.

Var. *pendula*.

Var. *pendulifolia purpurea*.

Var. *Rehderi*.

Var. *revoluta*.

Var. *robusta Vignei*.

R. elegans, Hort.

R. microphylla, Hort.



R. Pseudacacia—*cont.*

Var. *rosynskiana*.

Var. *semperflorens*.

Var. *tortuosa*.

Var. *ulriciana*.

Var. *variegata*.

R. viscosa, *Vent.* South United States. "Clammy Locust."

R. glutinosa, *Curt.* Bot. Mag. t. 560.

Carmichaelia australis, *R. Br.* New Zealand. "Makaka."

Notospartium nanum, *Hort.*

**C. Enysii*, *T. Kirk.* Trans. N. Z. Inst. xvi. t. 30. New Zealand.

C. flagelliformis, *Colenso.* New Zealand.

Notospartium Carmichaeliae, *Hook. f.* Bot. Mag. t. 6741. New Zealand.

Sphaerophysa Salsula, *DC.* N. Asia, &c.

Colutea caspica, *Bieb.*

Colutea arborescens, *L.*; Bot. Mag. t. 81. Mediterranean region. "Bladder Senna."

C. aurantiaca, *Hort.*


C. arborescens flore luteo, *Hort.*

C. crocea, *Hort.*

Var. *crispa*.

C. cilicia, *Boiss.* Asia Minor.

Var. *bullata*.



C. cruenta, *Ait.* Orient.

- C. arborescens flore rubro, *Hort.*
- C. brevialata, *Hort.*
- C. orientalis, *Lam.*
- C. purpurea, *Hort.*
- C. sanguinea, *Pall.*

C. istria, *Mill.* Asia Minor

- C. halepica, *Lam.*
- C. microphylla, *Delile.*
- C. Pocockii, *Ait.*
- C. procumbens, *L'Hérit.*

C. longialata, *Koehne.* Asia Minor.

- C. melanocalyx, *Hort.* (not *Boiss.*) *Gard. Chron.* 1894.
xvi. 155. f.

C. persica, *Boiss.* Persia.

Halimodendron argenteum, *DC.* Siberia, &c. "Salt Tree."

Caragana argentea, *Lam.*

Robinia Halodendron, *L'Hérit.*; *Bot. Mag.* t. 1016.

Var. flore purpureo.

Caragana arborescens, *Lam.* Siberia, &c.

Caragana inermis, *Moench.*

C. japonica, *Hort.*

C. macracantha, *Hort.*

C. mongolica, *Hort.*

C. vulgaris, *Hort.*

Robinia Caragana, *L.*

Var. nana, *Hort.*

Var. pendula.

Var. pulverulenta, *Hort.*

Var. Redowskii (*DC.*).



C. aurantiaca, *Koehne*. Central Asia.

C. arenaria, *Dippel*.

Var. *erecta*.

C. brevispina, *Royle*. Himalaya.

C. triflora, *Lindl. & Paxt.* Flower Garden ii. f. 212.

C. Chamlagu, *Lam.* China and Japan.

C. chinensis, *Turcz.*

Robinia Chamlagu, *L'Hérit.*

R. chinensis, *Pers.*

C. cuneifolia, *Dippel*. Central Asia. ?

C. Redowskii, *Hort.* (not *DC.*).

Robinia Caragana var. arenaria, Bot. Mag. t. 1886.

C. frutescens, *DC.*; Sweet Brit. Flower Garden t. 227.

South Russia to Japan.

C. cuneata, *Moench*.

C. digitata, *Lam.*

C. Frutex, *C. Koch*.

C. pygmaea, *Hort.* (not *DC.*).

C. rosea, *Turcz.*

Robinia frutescens, *L.*

R. sinensis, *Hort.*

Var. *angustifolia*.

Var. *grandiflora*.

Var. *mollis*.

Var. *pendula*.

Var. *sylvatica*.

C. jubata, *Poir.*; Gartenflora 1861, t. 331. Siberia.

C. microphylla, *Lam.* Altai and Dauria eastward.

C. Altagana, *Poir.*

C. arborescens arenaria, *Hort.*

Robinia Altagana, *Pall.*

R. glomerata, *Hort.*

C. pygmaea, *DC.*; Bot. Reg. t. 1021. Caucasus to Himalaya.

C. arborescens gracilis, *Hort.*

C. gracilis, *Hort.*

C. spinosa, *DC.* Siberia.

C. spinosissima, *C. Koch.*

Robinia ferox, *Pall.*

R. spinosa, *L.*

C. tragacanthoides, *Poir.* Siberia.

Calophaca wolgarica, *Fisch.*; Watson Dendr. Brit. ii. t. 83.
South Russia.

C. nepalensis, *Hort.*

Colutea wolgarica. *Lam.*

Astragalus Echinus. *DC.* Astrag. 197, t. 34. Syria.

A. Tragacantha, *L.*: Watson Dendr. Brit. ii. t. 84. Asia Minor.

Coronilla emeroides, *Boiss.*: Reich. Ic. Flor. Germ. t. 2238.
South-east Europe, &c.

C. Emerus, *L.*: Bot. Mag. t. 445. Europe, &c. "Scorpion Senna."

C. pauciflorus. *Lam.*

C. juncea, *L.*; Bot. Reg. t. 820. South Europe.

Hedysarum multijugum, *Maxim.*; Gartenflora t. 1122.
Southern Mongolia.



Desmodium bracteosum, DC. North America "Tick-trefoil, Tick-seed."

D. cuspidatum, Hook.

Meibomia bracteosa, O. Kuntze; Britton & Brown Illustr. Flora ii. 317, f.

D. canescens, DC. North America.

Meibomia canescens, O. Kuntze; Britton & Brown Illustr. Flora ii. 317, f.

D. ciliare, DC. North America.

Meibomia obtusa, Vail; Britton & Brown Illustr. Flora ii. 321, f.

D. marylandicum, Boott. North America.

Meibomia marylandica, O. Kuntze; Britton & Brown Illustr. Flora ii. 320, f.

D. paniculatum, DC. North America.

Meibomia paniculata, O. Kuntze; Britton & Brown Illustr. Flora ii. 318, f.

D. tiliaefolium, G. Don. Himalaya.

D. viridiflorum, Beck. United States.

Meibomia viridiflora, O. Kuntze; Britton & Brown Illustr. Flora ii. 319, f.

Lespedeza bicolor, Turcz.; Garden and Forest 1892, 114, f. 18. China and Japan.

Var. *intermedia*.

L. Buergeri, Miq. Japan.

L. capitata, Michx.; Britton & Brown Illustr. Flora ii. 324, f. "Round-headed Bush Clover."

Hedysarum frutescens, Willd.

L. cyrotobotrya, Miq. Japan.

L. gerardiana, *R. Grah.* Himalaya.

L. juncea, *Pers.* Himalaya, &c.

L. macrocarpa, *Bunge.* China.

L. Sieboldi, *Miq.*; Garden and Forest 1892, 115, f. 19.
North China and Japan.

L. bicolor, *Hook. f.*; Bot. Mag. t. 6602.

L. bicolor var. Sieboldi, *Maxim.*

Desmodium japonicum, *Hort.* (not *Miq.*).

D. penduliflorum, *Oudem.* Gard. Chron. 1883, xx.
749.

D. racemosum, *Sieb. & Zucc.*

L. violacea, *Pers.*; Britton & Brown Illustr. Flora ii. 322,
f. "Bush Clover."

Cladrastis amurensis, *Benth.*; Bot. Mag. t. 6551. Amur-
land.

Maackia amurensis, *Rupr.*

Var. *Buergeri*, *Hort.*

C. tinctoria, *Rafin.* United States. "Yellow Wood."

C. lutea, *C. Koch*; Sargent Silva of North America
tt. 119, 120.

Virgilia lutea, *Michx.*

Sophora japonica, *L.*; Andrews Bot. Repos. ix. t. 385.
China.

S. sinica, *Hort.*

Styphnolobium japonicum, *Schott.*

Var. *pendula*.

Var. *variegata*.

S. Korolkowi, *Hort.* China.



S. macrocarpa, *Sm.*; Lodd. Bot. Cab. t. 1125. Chili.

Edwardsia chilensis, *Miers*.

S. pachycarpa, *Schrenk*. Central Asia.

Goebelia pachycarpa, *Bunge*.

***S. secundiflora**, *Lag.*; Rev. Hort. 1854, 201, t. 11. Mexico.

S. tetraptera, *Ait.*; Bot. Mag. t. 167. New Zealand.
"Houma."

Edwardsia grandiflora, *Salisb*.

Var. *microphylla*, *Hook. f.*

Sophora microphylla, *Ait.*

Edwardsia microphylla, *Salisb*.

E. macnabiana, *R. Grah.* Bot. Mag. t. 3735.

S. viciifolia, *Hance*. China.

S. violacea, *Hort.* (not *Thwaites*). China.

Platysprion platycarpum, *Maxim.* Japan.

Sophora platycarpa, *Maxim.*

Styphnolobium platycarpum, *Hort.*

Caesalpinia japonica, *Sieb. & Zucc.*; Gard. Chron. 1888, iv.
513, f. 73. Japan.

C. crista, *Thunb.*

C. sepiaria, *Miq.*

Gymnocladus canadensis, *Lam.*; Loud. Encycl. of Trees
and Shrubs 256, f. 418. North America. "Kentucky Coffee Tree."

G. dioicus, *C. Koch*; Sargent Silva of North America
tt. 123, 124.

Hyperanthera dioica, *Vahl*.

Var. *foliis variegatis*.

***G. chinensis**, *Baill.*; Hook. Ic. Pl. t. 1412. China.

Gleditschia aquatica, *Marsh.*; Sargent Silva of North America tt. 127, 128. South United States. "Water Locust."

G. monosperma, *Walt.*

G. inermis, *Miller.*

G. australis, *Hemsl.* Journ. Linn. Soc. **xxiii**. t. 5. South China.

G. sinensis, *Hort.* (not *Lam.*).

G. Delavayi, *Franch.* Yunnan.

G. japonica, *Miq.*; Sargent Forest Flora of Japan t. 11. Japan.

G. macracantha, *Desf.* China?

G. Fontanesii, *Spach.*

G. sinensis, *Lam.* China, &c.

G. ferox, *Desf.*

G. horrida, *Willd.*

G. maerantha, *Hort.*

G. macrosperma, *Hort.*

Var. *nana*.

G. inermis, *Hort.*

Var. *pendula*.

G. texana, *Sargent.* Texas.

G. triacanthos, *L.*; Loud. Arb. et Frut. ii. 650, f. 90-1; Sargent Silva of North America tt. 125, 126. Eastern United States. "Honey Locust."

G. brachycarpa, *Pursh.*

G. Bujoti, *Hort.*

G. caspica, *Hort.* (not *Desf.*).

G. spinosa, *Marsh.*

Var. *foliis variegatis*.

G. Bujoti pendula.

G. excelsa pendula.



Cassia marylandica, L.; Bentl. & Trimen Medic. Pl. t. 88.
United States. "Wild or American Senna."

Cercis canadensis, L.; Loud. Arb. et Frut. ii. 659, f. 101-3;
Sargent Silva of North America tt. 133, 134. North
America. "Redbud."

Siliquastrum canadense, Moench.

Var. *flore pleno*.

Var. *pubescens*.

C. chinensis, Bunge. China and Japan.

C. japonica, Flore des Serres t. 849.

C. occidentalis, A. Gray. California.

C. californica, Torr.

C. reniformis, S. Watson. Texas.

C. texensis, Sargent Silva of North America t. 135.

C. Siliquastrum, L.; Bot. Mag. 1138. Mediterranean
region. "Judas Tree."

Var. *alba*.

Var. *carnea*.

***Albizzia Julibrissin**, Durraz. Orient. "Pink Siris."

Acacia Julibrissin, Willd.

Mimosa Julibrissin, Forst.

Rosaceae.

† AMYGDALUS.

Prunus Amygdalus, Stokes; Bentl. & Trim. Med. Pl. t. 99.
South Europe, Levant, &c.

Amygdalus communis, L. "Almond."

the first time, and the first time I was ever asked to do it, I was very nervous.

It's been a long time since I've done it, but I still remember it well. I think it's because it was my first time.

I'm not sure if I'll ever do it again, but I would like to. I think it's a good way to show your appreciation for someone.

I'm not sure if I'll ever do it again, but I would like to. I think it's a good way to show your appreciation for someone.

I'm not sure if I'll ever do it again, but I would like to. I think it's a good way to show your appreciation for someone.

I'm not sure if I'll ever do it again, but I would like to. I think it's a good way to show your appreciation for someone.

I'm not sure if I'll ever do it again, but I would like to. I think it's a good way to show your appreciation for someone.

I'm not sure if I'll ever do it again, but I would like to. I think it's a good way to show your appreciation for someone.

I'm not sure if I'll ever do it again, but I would like to. I think it's a good way to show your appreciation for someone.

I'm not sure if I'll ever do it again, but I would like to. I think it's a good way to show your appreciation for someone.

I'm not sure if I'll ever do it again, but I would like to. I think it's a good way to show your appreciation for someone.

I'm not sure if I'll ever do it again, but I would like to. I think it's a good way to show your appreciation for someone.

I'm not sure if I'll ever do it again, but I would like to. I think it's a good way to show your appreciation for someone.

I'm not sure if I'll ever do it again, but I would like to. I think it's a good way to show your appreciation for someone.

Prunus Amygdalus—cont.

Var. *alba*.

Var. *amara*, *Stokes*. "Bitter Almond."

Amygdalus communis var. amara, *DC.*

A. amara, *Hayn.*

Var. *amara sylvestris*.

Var. *dulcis*, *Stokes*. "Sweet Almond."

Amygdalus communis var. dulcis, *DC.*

Var. *macrocarpa*, *Nichols.*

Amygdalus communis var. macrocarpa, *Ser.*

Var. *pendula*.

Var. *pumila*.

Var. *persicoides*, *Nichols.* ? *Amygalus × Persica*.

Persica amygdaloides, *Duham.*

Amygdalus communis var. persicoides, *Ser.*

P. Andersoni, *Greene*. Western United States.

P. davidiana, *Franchet*; *Gard. Chron.* 1892, xi. 529. f.
China.

Persica var. davidiana, *Dipp.*

Persica davidiana, *Carr. Rev. Hort.* 1872, 75, f. 10.

Amygdalus davidiana, *Dieck.*

Armeniaca davidiana, *Hort.*

(The presumed source of the cultivated Peach.)

P. eburnea, *Aitch. & Hemsl.* Persia, &c.


Amygdalus eburnea, *Spach.*

P. incana, *Stev.*; *Bot. Reg.* xxv. t. 58. Asia Minor, &c.

Amygdalus incana, *Pall.*

A. nana var. incana, *Loud.*

Cerasus incana, *Boiss.*



P. Jacquemontii, *Hook. f.*; Bot. Mag. t. 6976. Afghanistan,
&c.

P. humilis, *Brandis* (not *Bunge*).

Amygdalus humilis, *Edgew.*

P. nana, *Stokes*. South Russia, &c. "Russian Almond."
Amygdalus nana, *L.*; Bot. Mag. t. 161.

Var. *alba*.

Var. *georgica*.

Var. *gessleriana*.

***P. orientalis**, *Walp.* Orient.

Amygdalus argentea, *Lam.*

A. orientalis, *Ait.*; Lodd. Bot. Cab. t. 1137.

Cerasus orientalis, *Spach.*

P. Persica, *Stokes*. China, &c. "Peach."

Persica vulgaris, *Mill.*

Amygdalus Persica, *L.*

Var. *camelliaeflora*.

Var. *Chrysanthemum*.

Var. *dianthiflora plena*.

Var. *flore albo pleno*.

Amygdalus prunifolius flore albo, *Hort.*

Var. *flore roseo pleno*.

Amygdalus prunifolius flore pleno, *Hort.*

Var. *foliis aureis*.

Var. *foliis rubris*.

Persica atropurpurea, *Hort.*

Amygdalus Persica foliis rubris, Flore des Serres
t. 1986.

Amygdalus atropurpurea, *Hort.*

theoretical and practical applications of the new communication technology.

The second section consists of two parts. The first part is a theoretical discussion of the relationship between the new communication technology and the traditional communication technology.

The second part is a practical discussion of the relationship between the new communication technology and the traditional communication technology.

The third section consists of two parts. The first part is a theoretical discussion of the relationship between the new communication technology and the traditional communication technology.

The second part is a practical discussion of the relationship between the new communication technology and the traditional communication technology.

The fourth section consists of two parts. The first part is a theoretical discussion of the relationship between the new communication technology and the traditional communication technology.

The second part is a practical discussion of the relationship between the new communication technology and the traditional communication technology.

The fifth section consists of two parts. The first part is a theoretical discussion of the relationship between the new communication technology and the traditional communication technology.

The second part is a practical discussion of the relationship between the new communication technology and the traditional communication technology.

The sixth section consists of two parts. The first part is a theoretical discussion of the relationship between the new communication technology and the traditional communication technology.

The second part is a practical discussion of the relationship between the new communication technology and the traditional communication technology.

The seventh section consists of two parts. The first part is a theoretical discussion of the relationship between the new communication technology and the traditional communication technology.

The second part is a practical discussion of the relationship between the new communication technology and the traditional communication technology.

The eighth section consists of two parts. The first part is a theoretical discussion of the relationship between the new communication technology and the traditional communication technology.

The second part is a practical discussion of the relationship between the new communication technology and the traditional communication technology.

P. Persica—*cont.*

Var. *Hancei pendula*.

Var. *ispahanensis*.

Amygdalus ispahanensis, Thouin.

A. nectarina, Ait.

Var. *magnifica*.

P. *Simonii, Carr.*; Rev. Hort. 1872, 111 (coloured plate).
China. "Apricot Plum."

Persica Simonii, Lavallée.

Amygdalus Simonii, Dieck.

†† ARMENIACA.

P. *Armeniaca, L.* Northern China, &c. "Apricot."

Armeniaca vulgaris, Lam.

P. *brigantiaca, Vill.* South-east France. "Briançon Apricot."

P. armeniaca var. brigantiaca, Dippel.

P. brigantina, Nyman.

Armeniaca brigantiaca, Pers.

P. *dasyarpa, Ehrh.*; Bot. Reg. t. 1243. ? Garden Hybrid.
"Black Apricot."

P. Armeniaca var. dasycarpa, C. Koch.

Armeniaca atropurpurea, Loisel.

A. dasycarpa, Pers.

A. fusca, Turp. & Poit.


P. *Mume, Sieb. & Zucc. Fl. Jap.* i. 29, t. 11. Japan.
"Mume, Japanese Apricot."

P. Myrobalana fl. roseis, Hort. gall.

Armeniaca Mume, De Vriese.

Var. *flore pleno*.

Var. *pendula*.



P. sibirica, *L.*; Lodd. Bot. Cab. t. 1627. Mongolia.

P. Armeniaca var. sibirica, *C. Koch.*

Armeniaca sibirica, *Pers.*

P. tomentosa, *Thunb.*; Sieb. & Zucc. Fl. Jap. i. 51, t. 22. China and Japan.

P. trichocarpa, *Bunge.*

Armeniaca tomentosa, *Hort.*

P. triloba, *Lindl.*: Flore des Serres t. 1532. China.

Amygdalopsis Lindleyi, *Carr.*

Armeniaca triloba, *Hort.*

Prunopsis Lindleyi, *Andr.*

Var. *Petzoldii*, *Nichols.*

P. Petzoldi, *C. Koch.* Deutsche Garten Zeitung 1886, 257.

P. virgata, *Hort.*

Amygdalopsis virgata, *Hort.*

Amygdalus chinensis, *Hort.*

Armeniaca Petzoldii, *Hort.*

††† PRUNUS.

P. alleghaniensis, *Porter*; Sargent Silva of North America t. 153. South United States. "Allegheny Plum."

P. americana, *Marsh*; Sargent Silva of North America t. 150. North America. "Wild Yellow or Red Plum."

P. texana, *Scheele.*

Var. *salicifolia*.

P. angustifolia, *Marshall*; Sargent Silva of North America t. 152. South-eastern United States. "Chickasaw Plum, Mountain Cherry."

P. Chicasa, *Michx.*

Cerasus Chicasa, *Ser.*

P. baldschuanica, *Regel.* Bokhara.

P. cerasifera, *Ehrh.*; *Bot. Mag.* t. 5934. ? Caucasus.
“Myrobalan, Cherry Plum.”

P. domestica var. Myrobalan, *L.*

P. mirobalana, *Loisel.*

Cerasus myrobalanos, *Hort.*

Var. *angustifolia pendula*, *Dieck.*

Var. *atropurpurea*, *Dieck.* Persia.

P. Pissardi, *Carr. Rev. Hort.* 1881, 190 (coloured plate).

P. Cocomilio, *Tenore Flora Napolit.* t. 144. South Italy.

P. communis, *Hudson.* Origin uncertain. “Wild Plum.”

P. domestica, *L.*; *Eng. Bot. ed. 3*, t. 410.

Var. *claudiana*.

P. claudiana, *Poir.*

Var. *juliana*. “Prunier de St. Julien.”

P. domestica var. juliana, *DC.*

Var. *juliana pendula*.

Var. *pruneauliana*. “Quetsche.”

P. domestica var. pruneauliana, *DC.*

P. oeconomica, *Borkh.*

P. pyramidalis, *DC.*

Sub-var. *flore pleno*.

P. oeconomica flore pleno.

P. divaricata, *Lebed.*; *Bot. Mag.* t. 6519. Caucasus.

P. cerasifera var. divaricata, *Bailey.*

P. hortulana, *Bailey*; *Sargent Silva of North America* t. 151. North America. “Wild Goose Plum.”

P. insititia, *L.* : Eng. Bot. ed. 3, t. 409. Europe, Orient.
“Bullace.”

P. italicica, *Borkh.* var. *flore pleno*. Origin uncertain.
Polypetalia speciosa, *Hort.*

P. maritima, *Wangenh.*; Britt. & Br. Illustr. Flora ii.
249, f. East United States. “Beach Plum.”

P. acuminata, *Michx.* (not *Hook. f.*).

Var. *fructu luteo*.

P. monticola, *C. Koch.* Asia Minor.

P. nigra, *Ait.*; Sargent Silva of North America t. 149.
North America, &c. “Canada Plum, Red Plum.”

P. orthosepala, *Koehne.* Texas.

P. plantierensis, *Hort.* ? A cultivated form of *P. cerasifera*.

P. spinosa, *L.*; Eng. Bot. ed. 3, t. 408. Europe, North
Asia. “Sloe, Blackthorn.”

P. fruticans, *Weihe.*

Var. *flore pleno*.

P. tarda, *Sargent.* Eastern Texas.

P. triflora, *Roxb.* China, &c. “Japanese Plum.”

P. japonica, *Hort.* (not *Thunb.*).

P. Watsoni, *Sargent* Garden and Forest 1894, 134 f. 25.
Nebraska to Arkansas. “Sand Plum.”

P. angustifolia var. *Watsoni*, *Waugh.*

††† CERASUS.

P. acida, *Borkh.* Europe.

Cerasus acida, *Dum.*

C. caproniana, *DC.*

P. acida—*cont.*

Var. *dumosa*.

Var. *flore pleno* *foliis variegatis*.

Var. *humilis*, *Hort.*

Cerasus caproniana humilis, *Hort.*

Var. *Marasca*.

Var. *salicifolia*.

Var. *semperflorens*. “All Saints’ Cherry.”

P. semperflorens, *Ehrh.*

Cerasus semperflorens, *DC.*

C. vulgaris var. *semperflorens*, *Loud.* Encycl. 281, f. 449.

Var. *umbraculifera*.

P. Avium, *L.*; Eng. Bot. ed. 3, t. 411. Europe, &c.
“Gean, Mazzard.”

Cerasus Avium, *Moench.*

C. domestica, *Hort.*

C. dulcis, *Gaertn.*

C. nigra, *Mill.*

C. sylvestris, *Loud.*

Var. *asplenifolia*.

Var. *decumana*.

C. macrophylla, *Hort.*

C. nicotianaeifolia. Belgique Horticole 1866, 65,
pl. 5, 6.

Var. *flore pleno*.

Prunus Avium multiplex, *Hort.*

Cerasus domestica flore pleno, *Hort.*

Var. *juliana*.

C. juliana, *DC.*

P. Avium—cont.

Var. *laciniata*.

C. vulgaris laciniata, *Hort.*

Var. *nana*.

Var. *pendula*.

C. latifolia pendula, *Hort.*

Var. *praemorsa*.

P. Besseyi, *Bailey*; *Britton & Brown Illustr. Flora* ii. 251,
f. North-western United States. "Sand Cherry."

P. pumila var. Besseyi, *Waugh*.

P. Cerasus, *L.*; *Eng. Bot. ed. 3*, t. 412. Europe. &c.
"Wild or Dwarf Cherry, Morello Cherry."

P. acida, *Ehrh.*

P. austera, *Ehrh.*

Cerasus acida, *Mill.*

C. vulgaris, *Mill.*

Var. *persiciflora*.

Cerasus vulgaris var. persiciflora, *Loud.*

Var. *Rhexii flore pleno*. *Garten Zeitung* 1886, 224,
f. 53-4.

C. caproniana multiplex, *Hort.*

C. caproniana ranunculiflora, *Hort.* *Flore des Serres* t. 1805.

C. ranunculiflora, *Hort.*

P. Chamaecerasus, *Jacq. Icon. Plant. Rar.* t. 90. Europe.
"Ground Cherry."

P. fruticosa, *Pall.* *Flora Rossica* i. t. 19; *Revue Hortic.* 1902, 88, t.

P. intermedia, *Poir.*

Cerasus Chamaecerasus, *Loisel.*

C. fruticans, *Hort.*

C. intermedia, *Loisel.*

P. Chamaecerasus—cont.

C. pumila, *Pall.*

C. sibirica, *Hort.*

Chamaecerasus fruticosa, *Pers.*

Var. *pendula*.

C. *japonica pendula*, *Hort.*

C. *myrtifolia pendula*, *Hort.*

C. *pennsylvanica pendula*, *Hort.*

Var. *reflexa*, *Hort.* ? *Chamaecerasus × semperflorens*.

Var. *variegata*.

P. *sinensis variegata*, *Hort.*

P. fenzliana, *Fritsch.* Caucasus.

P. humilis, *Bunge.* China.

P. *japonica*, *Carr.* Rev. Hort. 1873, 457, f. 41 (not *Thunb.*).

P. *Bungei*, *Walp.*

P. japonica, *Thunb.*; *Sieb.* & *Zucc.* Fl. Jap. i. 172, t. 90.
China and Japan.

P. *chinensis*, *Blume.*

P. *sinensis*, *Pers.*

Cerasus glandulosa, *Loisel.*

C. *japonica*, *Loisel.*

Var. *flore albo pleno*, *Sieb.* & *Zucc.* Fl. Jap. i. 172, t. 90.
f. iii.

Var. *flore roseo pleno*.

Amygdalus pumila, *Sims* Bot. Mag. t. 2176.

P. Maximowiczii, *Rupr.*; Garden and Forest 1893, 195,
f. 31. Japan.

P. microcarpa, *C. A. Mey.* Persia, &c.

P. miqueliania, *Maxim.*; Garden and Forest 1888, 196,
f. 37. Japan.

Cerasus herincquiana, *Lavallée* Arb. Segrez. t. xxxv.

- P. pendula, *Maxim.*; Garden Land Forest 196, f. 36.
 Japan. "Rose-bud Cherry."
Cerasus Itosakura, Sieb.
C. japonica rosea, Hort.
C. pendula rosea, Hort.
C. subhirtella, Miq. (in part.)
- P. pensylvanica, *L. f.*; Sargent Silva of North America t. 156. North America. "Wild Red Cherry."
P. borealis, Poir.; Lodd. Bot. Cab. t. 1596.
P. lanceolata, Willd.
Cerasus borealis, Michx.
C. pensylvanica, Loisel.
- P. prostrata, *Labill.*; Sibth. & Sm. Fl. Graeca t. 478.
 Orient.
Cerasus prostrata, Spach.
- P. Pseudo-cerasus, *Lindl.*; Gard. Chron. 1890, vii. 609,
 f. 99. China and Japan.
P. paniculata, Ker. Bot. Reg. t. 800.
Cerasus caproniana flore roseo pleno.
C. lannesiana, Carr.
C. Pseudo-cerasus, Loud.
C. Sieboldi rubra, Hort.
C. Watereri, Hort.
 Var. flore luteo pleno. Gard. Chron. 1896, xix. 516, f. 79.
- P. Puddum, *Roxb.* Himalaya.
- P. pumila, *L.*; Britt. & Br. Illustr. Flora ii. 250, f. North America. "Sand Cherry."
P. depressa, Pursh; Lodd. Bot. Cab. t. 1607.
P. prostrata, Hort. (not *Labill.*).
P. Susquehana, Willd.
Cerasus depressa, Ser.
C. glauca, Moench.
C. pumila, Michx.
C. Susquehana, Eat. & Wright.



P. serrulata, *Lindl.* China and Japan.

P. serratifolia rosea plena, *Hort.*

Cerasus serrulata, *G. Don.*; *Nichols. Dictionary of Gardening* f.

C. carnea plena, *Hort.*

C. hortensis flore roseo pleno, *Hort.*

C. juliana rosea, *Hort.*

C. Sieboldi, *Carr.*

C. sinensis nova, *Hort.*

P. subhirtella, *Miq.*; *Bot. Mag. t. 7508.* Japan.

P. tortuosa, *Dieck.* Asia Minor, &c.

Cerasus tortuosa, *Boiss. & Heldr.*

†††† PADUS.

P. cornuta, *Royle.* Himalaya,

Cerasus cornuta, *Wall.*

Padus cornuta, *Carr. Rev. Hort. 1869*, f. 61.

P. Cuthbertii, *Small.* Central Georgia.

P. demissa, *Walp.*; *Britt. & Br. Illustr. Flora ii. 252*, f.

United States.

P. virginiana var. demissa, *Torr.*

Cerasus demissa, *Nutt.*

Padus demissa, *Ruem.*

P. emarginata, *Walp.*; *Sargent Silva of North America* t. 157. Western United States.

P. pattoniana, *Hort.*

Cerasus pattoniana, *Carr. Rev. Hort. 1872*, 135, f.

P. graeca, *Desf.* (*Mahaleb* × *Avium*). Europe.

P. cerasifolia, *Hort.*

Cerasus fontanesiana, *Spach.*



P. grayana, *Maxim.* Japan.

P. Padus var. japonica, *A. Gray.*

P. Maacki, *Rupr.* Mandshuria.

P. Mahaleb, *L.*; *Jacq. Fl. Austr.* iii. t. 227. Europe, &c
“Bois de Ste. Lucie, St. Lucie Cherry.”

P. cupaniana, *Guss.*

P. odorata, *Lam.*

Cerasus Mahaleb, *Mill.*

Padus Mahaleb, *Borck.*

Var. *chrysocarpa*.

Var. *globosa*.

Var. *monstrosa*.

Var. *pendula*.

Var. *variegata*.

P. Padus, *L.*; *Eng. Bot. ed. 3*, t. 413. Europe, Asia.
“Bird-Cherry.”

Cerasus Padus, *DC.*

Padus germanica, *Borek.*

P. racemosa, *Lam.*

Var. *aucubaefolia*, *Hort.*

Var. *aurea*.

Var. *flore pleno*.

Var. *leucocarpa*.

Var. *pendula*.

Var. *pubescens*.

Var. *rotundifolia*, *Hort.*

P. laucheana, *Bolle.*

Var. *sibirica parviflora*.

Var. *stricta*, *Hort.*



P. serotina, *Ehrh.*; Sargent Silva of North America t. 159.
United States. "Rum Cherry, Wild Black Cherry."

P. cartilaginea, *Lehm.*

Padus cartilaginea, *Roem.*

P. serotina, *Agardh.*

Var. *asplenifolia*.

Var. *pendula*.

Padus serotina pendula, *Hort.*

Var. *salicifolia*, *Koehne*. Southern United States,
Mexico, Peru. "Capollin."

P. Capuli, *Cav.*

P. copallina, *Hort.*

P. salicifolia, *H. B. K.*

Cerasus Capollin, *DC.*

C. Capuli, *Ser.*; *Lavall. Arbor. Segrez.* t. xxxiv.

Padus capulinos, *Hort.*

P. Ssiori, *F. Schmidt*. Sachalin.

P. virginiana, *L.*; Sargent Silva of North America t. 158.
United States. "Choke Cherry."

P. rubra, *Ait.*

Padus oblonga, *Moench.*

P. serotina, *Roem.*

Cerasus micrantha, *Spach.*

C. virginiana, *Loisel.*

Var. *asplenifolia*.

Var. *nana monstrosa*, *Hort.*

††††† LAUROCERASUS.

***P. caroliniana**, *Ait.*; Sargent Silva of North America
t. 160. Southern United States. "Wild Orange,
Mock Orange."



**P. caroliniana*—*cont.*

P. serratifolia, *Marsh.*

Cerasus caroliniana, *Michx.*; *Loud. Arbor.* ii. 720.
f. 423.

Laurocerasus caroliniana, *Roem.*

Padus caroliniana, *Hort.*

**P. ilicifolia*, *Walp.*; *Sargent Silva of North America*
t. 162. *Western United States*. “*Islay, Spanish*
Wild Cherry.”

Cerasus ilicifolia, *Nutt.*; *Paxt. Fl. Gard.* iii. 44, f. 254.

Laurocerasus ilicifolia, *Roem.*

**Var. integrifolia*, *Sudw.*; *Sargent Silva of North*
America t. 163. “*Catalina Cherry*.”

P. occidentalis, *Hort.* (not *Sw.*).

P. Laurocerasus, *L.*; *Bentl. & Trim. Med. Pl.* t. 98. *East*
Europe, Orient. “*Cherry Laurel*.”

Cerasus Laurocerasus, *Loisel.*

Padus Laurocerasus, *Mill.*

Var. angustifolia.

Var. Bernhardti.

Var. camelliaefolia.

magnoliaefolia.

Var. caucasica. *Gard. Chron.* 1889, v. 620, f.

Var. colchica. *Gard. Chron.* 1889, v. 620, f.

Var. compacta.


Var. foliis variegatis.

Var. latifolia.

Var. Otinii.

Var. parvifolia.

Hartogia capensis, *Hort.*



P. Laurocerasus—cont.

Var. *pyramidalis*.

Var. *rotundifolia*.

Var. *salicifolia*.

Var. *schipkaensis*.

Var. *serbica*.

Var. *versaillensis*.

P.¹ lusitanica, L. f. Spain and Portugal. "Portugal Laurel."

Cerasus lusitanica, *Loisel.*

Padus eglandulosa, *Moench.*

P. lusitanica, *Borck.*

Var. *azorica*.

Var. *coriacea*.

Var. *myrtifolia*.

Var. *ormstoniensis*.

Var. *variegata*.

Nuttallia cerasiformis, Torr. & Gray; Gard. Chron. 1883,
xix. 309, f. 44. California. "Oso Berry."

Prunus californica, *Hort.*

Spiraea acutifolia, Willd. Origin uncertain.

S. [Aitchisoni, Hemsl.; Gard. Chron. 1900, xxviii. 254,
f. 75. Afghanistan.

Sorbaria Aitchisoni, *Hemsl.*

S. albiflora × pachystachys.

S. alpina, Pall. Fl. Rossica i. 35, t. 20. North-eastern
Russia—Asia.

S. arguta, *Zabel.* Garden origin.

S. multiflora alba, Hort.

S. assimilis, *Zabel.* (*betulifolia* × *pumila*).

S. bella, *Sims* Bot. Mag. t. 2426. Temperate Himalaya.

S. amoena, Hort.

S. callosa indica, Hort.

S. Hookeri, Hort.

S. ovata, Hort.

S. betulifolia, *Pall.* Fl. Ross. i. t. 16. Northern Hemisphere.

S. betulifolia var. rosea.

S. chamaedrifolia var. betulifolia, Loud. Arb. et Frut. Brit. ii. 725.

S. splendens, Hort.

S. blanda, *Zabel.* (*cantoniensis* × *pubescens*).

S. arctica, Hort.

S. Blumei, *D. Don.*; Belgique Horticole 1858, 129, t. China and Japan.

S. chamaedrifolia, Blume (not *L.*).

S. rupestris, Sieb.

S. brachybotrys, *Lange* (*canescens* × *Douglasi*). Garden Hybrid.

S. luxuriosa, Lavall.

S. pruinosa, Kirchn.


S. bracteata, *Zabel.* Garten-Zeitung 1886, 21, f.; Bot. Mag. t. 7429. Japan.

S. nipponica, Maxim.

S. rotundifolia alba, Hort.

S. brumalis, *Lange.* Garden origin.

S. vaccinifolia, Hort. (not *D. Don*).



- S. bullata, *Maxim.* Gardener's Magazine, July 31, 1886,
446. Japan.
S. crispifolia, *Hort.*
- S. caespitosa, *Nutt.* Rocky Mountains.
Petrophyton caespitosum, *Rydb.*
- S. cana, *Waldst. & Kit.* Eastern Europe.
S. hypericifolia, *Hort.* (not *L.*).
S. regeliana, *Hort.* (not *C. Koch*).
- S. canescens, *D. Don.* Himalaya.
S. argentea, *Hort.*
S. cuneata, *Hort.*
S. cuneifolia, *Wall.*
S. cuneifolia glauca, *Hort.*
S. dahurica, *Hort.*
S. decumbens, *Hort.* (not *W. Koch*).
S. flagellaris, *Hort.*
S. flagelliformis, *Hort.*
S. hypericifolia crenata, *Hort.*
S. indica, *Hort.*
S. lanata, *Hort.*
S. myrtifolia, *Hort.*
S. nepalensis, *Hort.*
S. nivea, *Hort.*
S. nutans, *Royle.*
S. ovalifolia, *Hort.*
S. rhamnifolia, *Hort.*
S. rhombifolia, *Hort.*
S. rotundifolia, *Lindl.*
S. ruscifolia, *Hort.*
S. serrata, *Hort.*
S. serratifolia, *Hort.*
S. Standishi, *Hort.*
S. vaccinifolia, *Hort.* (in part).



S. cantoniensis, *Lour.* China, Japan, and Himalaya.

S. corymbosa, *Roxb.*

S. japonica, *Sieb.* (not *L. f.*).

S. lanceolata, *Poir.*

S. reevesiana, *Lindl.* Bot. Reg. xxx. t. 10.

Var. *flore pleno*.

S. chamaedrifolia, *L.*; Bot. Reg. xv. t. 1222. Europe, &c.

S. ceanothifolia, *Tausch.*

S. rothomagensis, *Hort.*

S. ulmifolia, *Scop.*

Var. *flexuosa*, *Maxim.* South Siberia, &c.

S. flexuosa, *Fisch.*

Var. *Jakobsenii*.

Var. *subracemosa*.

S. conferta, *Zabel* (*cana* × *crenata*). Garden origin.

S. savranica, *Hort.*

S. conspicua, *Zabel*. Garden hybrid.

S. corymbosa, *Rafin.*; Lodd. Bot. Cab. t. 671. United States.

S. crataegifolia, *Link.*

S. crenata, *L.*; Lodd. Bot. Cab. t. 1252. Eastern Europe, &c.

S. crenifolia, *C. A. Meyer.*

S. dasyantha, *Bunge.* China.

S. chinensis, *Maxim.*

S. pubescens, *Lindl.* Bot. Reg. 1847 t. 38.

S. decumbens, *W. Koch*; Gard. Chron. 1879, xi. 752.

 f. 108. Europe.

S. procumbens, *Hort.*



S. decumbens—*cont.*

Var. tomentosa, *Poech.* Tyrol, &c.

S. decumbens var. bellunensis, *Bizzozero.*

S. Hacqueti, *Fenzl.*

S. lancifolia, *Hoffmansegg.*

S. pubescens, *Hort.* (not *Turcz.*).

S. discolor, *Pursh.* North-west America.

S. ariaefolia, *Smith*; Bot. Reg. t. 1365.

Var. dumosa, *S. Watson.* California.

S. dumosa, *Nutt.*

S. Boursieri, *Carr.* Rev. Hort. 1859, 519, f. 108.

S. Douglasi, *Hook.* Bot. Mag. t. 5151. North-west America.

S. tomentosa argentea, *Hort.*

S. Douglasi × **superba**. Garden origin.**S. expansa**, *Wall.* Himalaya.

S. kumaonensis, *Hort.*

S. Fontanesii, *Billiard.* (*canescens* × *salicifolia*).**S. gemmata**, *Zabel.* China.**S. Henryi**, *Hemsl.* Journ. Linn. Soc. xxiii. t. 6. Central China.**S. hypericifolia**, *L.* Northern Hemisphere.

S. thalictroides, *Pall.*

S. inflexa, *C. Koch.* (*crenata* × *mollis*).**S. intermedia**, *Lemoine* (*japonica alba* × *Douglasii*).**S. japonica**, *L. f.* India, China, and Japan.

S. bellioides, *Hort.*

S. callosa, *Thunb.*

S. Fortunei, *Planch.*; Bot. Mag. t. 5164.



S. japonica—*cont.*Var. **alba**.S. *albiflora*, *Miquel*.S. *callosa* flore albo.S. *lanceolata*, *Hort.* (not *Poir.*).Var. **Bumalda**.S. *Bumalda*, *Hort.*; *Revue de l'Hort. Belge* 1891,
xvii. 12.Var. **Froebelii**.Var. **glabrata**, *Nichols.*S. *glabrata*, *Lange*.Var. **macrophylla**, *Zabel*.S. *Fortunei macrophylla*, *Hort.*Var. **ruberrima**.S. *ruberrima*, *C. Koch.*Var. **superba**.S. *callosa superba*, *Hort.*S. *laevigata*, *L.* Siberia, &cSibiraea *laevigata*, *Maxim.*S. *lindleyana*, *Wall.*; *Bot. Reg.* xxxi. 33. Himalaya, &c.Sorbaria *lindleyana*, *Maxim.*S. *longigemmis*, *Maxim.*; *Garden and Forest* 1894, 345.
f. 56. China.S. **Margaritae**, *Zabel*. (*japonica* × *superba*).S. *media*, *F. Schmidt*. Europe, &c.S. *confusa*, *Reg.* & *Korn.*S. *oblongifolia*, *Waldst.*Var. **glabrescens**, *Zabel*.



S. Menziesii, *Hook.* North-western America.

Var. *angustifolia*, *Zabel.*

Var. *Billiardii*, *Hort.*

Var. *eximia*, *Hort.*

Var. *lenneana*, *Hort.*

Var. *macrothyrsa*, *Zabel.*

Var. *ovalifolia*, *Zabel.*

Var. *pseudo-Douglasii*, *Zabel.*

Var. *triumphans*, *Hort.*

S. microthyrsa, *Zabel.* (*salicifolia* × *media*).

S. Millefolium, *Torr.*; *Garden and Forest* 1889, 509, f. 137: Bot. Mag. t. 7810. California, &c.

S. mongolica, *Maxim.* Mongolia and China.

S. nivea, *Hort.* (*canescens* × *expansa*).

Var. *albo-carnea*.

S. nobleana, *Hook.* Bot. Mag. t. 5169. California.

S. californica, *Hort.*

S. paniculata rosea, *Hort.*

S. sanssouciana, *C. Koch.*

S. syringiflora, *Hort.*

S. notha, *Zabel.* (*corymbosa* × *latifolia*).

Var. *supercorymbosa*.

Var. *superlatifolia*.

S. pikoviensis, *Besser.* (*crenata* × *media*).

S. Nicoudierti, *Bosc.*

S. prunifolia, *Sieb & Zucc.* China and Japan.

Var. *flore pleno*. Fl. Jap. t. 70.



- S. pubescens**, *Turcz.*; Garden^g and Forest 1888, 331, f.
China, &c.
- S. chinensis, *Hort.*
- S. pulchella**, *Kunze*. (*bella* × *expansa*).
- S. revirescens**, *Zabel*. (*expansa* × *japonica*).
Var. *parviflora*, *Zabel*.
- S. salicifolia**, *L.* Eastern Europe to Japan.
Var. *floribus albis*.
Var. *floribus roseis*.
Var. *latifolia*, *Zabel*.
 S. carpinifolia, *Willd.*
 S. latifolia, *Borkh.*
Var. *paniculata*, *Maxim.* North America.
 S. alba, *Du Roi*; Gard. Chron. 1879, xi. 753, f. 109.
 S. lanceolata, *Borkh.*
Var. *minor*.
- S. Schinabecki**, *Zabel* (*chamaedrifolia* × *trilobata*). Garden origin.
- S. semperflorens**, *Hort.* (*japonica* × *salicifolia*).
- S. sorbifolia**, *L.*; Bailey Cyclopedia of Amer. Horticulture iv. 1686, f. Himalaya to Japan, &c.
 S. floribunda, *Hort.*
 S. Foxii, *Hort.*
 S. Pallasi, *Hort.*
 S. pinnata, *Michx.*
 Sorbaria sorbifolia, *A. Br.*
- S. Thunbergi**, *Sieb & Zucc.* Fl. Jap. t. 69. China and Japan.
 S. Thompsoni, *Hort.*
- S. tomentosa**, *L.*; Britt. & Br. Illustr. Fl. ii. 196, f. United States. "Hardhack, Steeple-Bush."

S. trilobata, *L.*; *Garden and Forest* 1888, 452, f. 71.
North Asia.

S. crenata var. sublobata, *Regel*.

S. hypericifolia trilobata, *Hort.*

S. rupestris, *Hort.* (not *Sieb.*).

S. thalictroides, *Hort.* (not *L.*).

S. tristis, *Zabel*. Origin unknown.

S. Ho^keri, *Hort.*

S. vaccinifolia, *D. Don*. Himalaya.

S. laxiflora, *Lindl.*

S. venustulus, *Kit. & Bouché*.

S. Van Houttei, *Briot*. (*cantoniensis* × *trilobata*). *Garden and Forest* 1889, 317, f. Garden origin.

Neillia amurensis, *Benth & Hook*. Amurland, &c.

Physocarpus amurensis, *Maxim*.

Spiraea amurensis, *Maxim*.

N. capitata, *Greene*. California.

Physocarpus capitatus, *O. Kuntze*.

Spiraea capitata, *Pursh*.

S. opulifolia var. mollis, *Hook*.

N. malvacea, *Greene*. Rocky Mountains, &c.

N. Torreyi, *Hook f. Bot. Mag. t. 7758*.

N. opulifolia, *Benth. & Hook*. North America. "Nine-Bark."

Physocarpus opulifolius, *Maxim*.

Spiraea opulifolia, *L.*; *Loud. Arb. et Frut.* ii. 723, f. 427-8.

Var. *inebrians*.

Physocarpus opulifolius var. inebrians, *Zabel*.

Spiraea inebrians, *Hort*.

Var. *lutea*.



N. sinensis, *Hemsl.*; *Hook. Icon. Plant.* t. 1540. Central China.

N. thyrsiflora, *D. Don*; *Rev. Hort.* 1888, 416, f. 95-96. Himalaya.

N. Torreyi, *S. Watson*; *Garden and Forest* 1889, 4, f. 84. California.

Physocarpus monogynus, *Coulter*.

P. Torreyi, *Maxim.*

P. pauciflorus, *Zabel*.

Spiraea monogyna, *Torr.*

S. opulifolia var. pauciflora, *Torr & Gray*.

Stephanandra flexuosa, *Sieb & Zucc.* China and Japan.

Spiraea incisa, *Thunb.*

Stephanandra incisa, *Zabel*.

S. Tanakae, *Franch. & Sav.*; *Bot. Mag.* t. 7593. Japan.

Neillia Tanakae, *Franch. & Sav.*

Echochorda grandiflora, *Lindl.*; *Garden February 24, 1877.* col. plate. China.

Amelanchier racemosa, *Lindl.*

Spiraea grandiflora, *Hook. Bot. Mag.* t. 4765.

E. Alberti, *Regel. Descr. Pl. Nov. fasc. ix. t. 13.* Turkestan.

E. Korolkowi, *Lavall.*

Albertia simplicifolia, *Regel*.

Kerria japonica, *DC.*; *Bot. Reg.* t. 1873. China.

Corchorus japonicus, *Thunb.*

Var. *flore pleno*, *Bot. Mag.* t. 1296.

Var. *foliis argenteis variegatis*.

Var. *foliis aureis variegatis*.

Rhodotypos kerrioides, *Sieb & Zucc.*; *Bot. Mag.* t. 5805.

China and Japan.

Neviusia alabamensis, *A. Gray*; Bot. Mag. t. 6806. Alabama.

**Quillaja Saponaria*, *Molini*; Rev. Hort. 1873, 253, f. 27. Chili.

**Eucryphia Billardieri*, *Spach var. Milligani*, *Hook. f. Bot. Mag. t. 7200*. Tasmania.

**E. cordifolia*, *Cav.*; Gard. Chron. 1897, xxii. 247, f. Chili.

E. pinnatifolia, *Gay*; Bot. Mag. t. 7067. Chili.

Rubus affinis, *Weihe & Nees* Die Deutschen Brombeerstr. t. 3. Europe.

R. Arrhenii, *Lange*. Europe.

**R. australis*, *Forst.*; Hook. f. Flora of New Zealand, i. t. 14. New Zealand. "Tataramoa."

R. balfourianus, *Blox.* Europe.

R. Bellardi, *Weihe var. dentatus*. Europe.

R. biflorus, *Buchan.* Temperate Himalaya.

R. Bloxami, *Lees.* Europe.

R. boraeanus, *Genev.* Europe.

R. Borreri, *Salter var. dentatifolius*, *Briggs.* Europe.

R. caesius, *L.*; Eng. Bot. ed. 3, t. 456. Europe. "Dewberry."

R. calvatus, *Blox.* Europe.

R. canadensis, *L.*; Britt. & Br. Illustr. Fl. ii. 205, f. North America. "Low Blackberry."


R. chroösepalus, *Focke*; Hook. Icon. Plant. t. 1952. Central China.

- R. cinerosus*, *Rogers.* Britain.
R. pulcherrimus var. setosus, *A. Ley.*
- R. Colemani*, *Blox.* Europe.
- R. cordifolius*, *Bab.* (not *Waldst. & Kit.*). Europe.
- R. coreanus*, *Miq.* China and Corea.
- R. corylifolius*, *Sm.*; Eng. Bot. ed. 3, t. 455. Europe.
- R. crataegifolius*, *Bunge.* North-east Asia and Japan.
- R. cuneifolius*, *E. Merc.* (not *Pursh*). Europe.
- R. deliciosus*, *James*; Bot. Mag. t. 6062. Rocky Mountains.
- R. dumetorum*, *Weihe & Nees* Die Deutsch. Brombeerstr. t. 45a. Europe.
- R. dumnoniensis*, *Bab.* Britain (Devonshire).
- R. echinatus*, *Lindl.* Europe.
R. rudis, *Bab.* (not *Weihe & Nees*).
- R. erythrinus*, *Gener.* Europe.
- R. exsecatus*, *Muell.* Europe.
- R. foliosus*, *Weihe & Nees* Die Deutsch. Brombeerstr. t. 28. Europe.
R. derasus, *Lej. & Muell.*
R. flexuosus, *P. J. Muell.*
R. Guentheri, *Bab.*
R. saltuum, *Focke.*
- R. fuscus*, *Weihe & Nees.* Europe.
- R. glandulosus*, *Bell.*; Eng. Bot. ed. 3, t. 454. Europe.
R. griffithianus, *Rogers.* Britain.
- R. Henryi*, *Hemsl.*; Hook. Icon. Plant. t. 1705. Central China.
- R. hispidus*, *L.*; Britt. & Br. Illustr. Fl. ii. 203, f. North America.
R. obovalis, *Michx.*

- R. horridus*, *Schultz.* Europe.
R. dumetorum var. ferox, *Weihe & Nees.*
- R. hystrix*, *Weihe & Nees* Die Deutsch. Brombeerstr. t. 41
 Europe.
- R. ichangensis*, *Hemsl. & Kuntze.* Central China.
- R. Idaeus*, *L.*; Eng. Bot. ed. 3, t. 442. Europe, West Asia.
 "Wild Raspberry."
- Var. *Leesii*, *Bab.*; Eng. Bot. ed. 3, t. 443. South-west Britain.
- R. imbricatus*, *F. Hort.* Britain.
- R. innominatus*, *S. Moore.* China.
- R. insularis*, *F. Aresch.* Scandinavia.
- R. irenaeus*, *Focke.* Central China.
- R. Koehleri*, *Weihe & Nees*; Eng. Bot. ed. 3, t. 453.
 Europe.
- R. kuntzeanus*, *Hemsl.* Central China.
- R. laciniatus*, *Willd.*; Journal of Horticulture, December 20, 1883, 533, f. 105. Garden origin.
- R. laciniatus elegans*, *Hort.*
R. laciniatus minor, *Hort.*
R. Quintlandii, *Hort.*
- R. lasiostylus*, *Focke*; Hook. Ic. Pl. t. 1951. China.
- R. lentiginosus*, *Lees.* Europe.
R. cambricus, *Focke.*
- R. leucodermis*, *Dougl.* North-west America.
- R. leucostachys*, *Sm.*; Eng. Bot. ed. 3, t. 448. Europe.
 Var. *gymnostachys*, *Genev.*
R. macrothyrso, *J. Lange.*
R. macrothrysus, *N. E. Brown.*
- R. lindleyanus*, *Lees.* Britain.

- R. *longithyrsiger*, *Lees.* Britain.
 R. *pyramidalis*, *Bab.*
- R. *macrophyllus*, *Weihe & Nees*; Eng. Bot. ed. 3, t. 450.
- R. *macrostemon*, *Focke.* Germany.
- R. *melanolasius*, *Focke*; Neub. Gart. Magaz. 1899, 14. North America.
- R. *mercicus*, *Bagnall* var. *chrysoxylon*, *Rogers.* Wales.
- R. *micans*, *Gren. & Godr.* Europe.
 R. *adscitus*, *Gener.*
- R. *morifolius*, *Sieb.* Japan.
- R. *mucronatus*, *Blox.* Britain.
 R. *mucronulatus*, *Syme* Eng. Bot. ed. 3, t. 451.
- R. *mutabilis*, *Genev.* Europe.
- R. *neglectus*, *Peck*; Britton & Brown Illustr. Flora, ii. 201, f. United States.
- R. *nobilis*, *Regel.* (*odoratus* × *Idaeus*). Garden origin.
 R. *nepalensis*, *Hort.*
- R. *nutans*, *Wall.*; Bot. Mag. t. 5023. Himalaya.
- R. *nutkanus*, *Moc.*; Bot. Mag. t. 3543. North America.
 "Salmon-berry."
- R. *occidentalis*, *L.*; Loud. Arb. et Frut. ii. 736, f. 451.
 North-west America. "Thimble-berry."
 Var. *albus*.
- R. *odoratus*, *L.*: Bot. Mag. t. 323. North America.
 "Purple-flowering Raspberry."
- R. *opacus*, *Focke.* Europe.
- R. *pallidus*, *Weihe & Nees.* Europe.

- R. palmatus**, *Thunb.*; Bot. Mag. t. 7801. Japan, China.
 R. coptophyllus, *A. Gray*.
 R. incisus, *Hort.* (not *Thunb.*).
R. Parkeri, *Hance*. East and Central China.
R. parvifolius, *L.* China and Japan.
 R. chinensis, *Thunb.*
 R. purpureus, *Bunge*.
 R. triphyllus, *Thunb.*
R. phoenicolasius, *Maxim.*; Bot. Mag. t. 6479. China and Japan.
R. pileatus, *Focke*. Central China.
R. Playfairii, *Hemsl.* Central China.
R. pubescens, *Anct. Angl.* Britain.
R. pulcherrimus, *Neuman*. Europe.
R. Purchasi, *Blox.* Britain.
R. Radula, *Weihe*; Eng. Bot. ed. 3, t. 452. Europe.
 R. melanoxylon, *Bloxam*.
 Var. *anglicanus*, *Rogers*.
R. ramosus, *Blor.* Britain.
R. rhamnifolius, *Weihe & Nees*: Eng. Bot. ed. 3, t. 446. Europe.
 Var. *flore pleno*.
R. rhenanus, *Muell.* Europe.
R. scaber, *Weihe & Nees* Die Deutsch. Brombeerstr. t. 32 Europe.
R. silvaticus, *Weihe & Nees* Die Deutsch. Brombeerstr. t. 15. Europe.
***R. sorbifolius**, *Marin.* China, &c.
R. spectabilis, *Pursh*: Bot. Reg. t. 1424. California, &c.



- R. spectabilis** × **Idaeus.** Garden hybrid.
- R. Sprengelii,** *Weihe & Nees* Die Deutschen Brombeerstr.
t. 10. Europe.
- R. strigosus,** *Michx.*; Britt. & Br. Illustr. Fl. ii. 200, f.
North America. "Wild Red Raspberry."
- R. suberectus,** *Anders.*; Eng. Bot. ed. 3, t. 444. Europe.
- R. thyrsiflorus,** *Weihe & Nees* Die Deutsch. Brombeerstr.
t. 34. Europe.
- R. thyrssiger,** *Bab.* Britain.
- R. thyrsoideus,** *Wimm.* Europe.
- Var. *flore pleno.*
- R. *rosaeflorus coronarias*, *Hort.*
 - R. *fruticosus albus*, *Hort.*
- R. tomentosus,** *Bork.* Europe.
- R. triflorus,** *Richards.*; Hook. Fl. Bor. Amer. t. 62. North America.
- R. *americanus*, *Britton*; Britt. & Br. Illustr. Fl. ii. 201, f.
- R. trivialis,** *Michx.*; Britton & Brown Illustr. Flora ii. 204,
f. United States. "Low Bush Blackberry."
- R. ulmifolius,** *Schott.* Europe.
- R. *dalmaticus*, *Guss.*
 - R. *discolor*, *Bab.* (not *Weihe & Nees*).
 - R. *rusticanus*, *Merc.*; Eng. Bot. ed. 3, t. 447.
- Var. *flore pleno.*
- R. *bellidiflorus*, *C. Koch.*
- Var. *foliis variegatis.*
- Var. *inermis.*
- R. *inermis*, *Hort.*
- Var. *leucocarpus.*
- R. *fruticosus*, *L.* var. *leucocarpus*, *Ser.*

R. ursinus, *Cham. & Schlecht.* North America.

R. villicaulis, *Weihe & Nees* Die Deutsch. Brombeerstr.
t. 17. Europe.

Var. *elegans*.

Var. *Selmeri*, *Rogers.* Europe.

R. affinis, *Blox.*

R. Selmeri, *Lindb.*

R. villosus, *Ait.*; *Brit. & Br. Illustr. Fl.* ii. 202, f. North America. "High Blackberry."

Var. *flore pleno*.

R. xanthocarpus, *Bur. & Franch.* North China.

Purshia tridentata, *DC.*; *Bot. Reg.* t. 1446. North-west America.

**Chamaebatia foliolosa*, *Benth.*; *Bot. Mag.* t. 5171. California.

Cercocarpus ledifolius, *Nutt.*; *Hook. Ic. Plant.* t. 324 Western North America. "Mountain Mahogany."

Var. *angustifolius*.

**C. parvifolius*, *Nutt.* California.

Cowania mexicana × *Purshia tridentata*.

Dryas octopetala, *L.*; *Eng. Bot.* ed. 3, t. 460. Arctic and alpine regions of North Temperate Zone. "Mountain Avens."

Var. *Drummondi*, *S. Watson.* North America.

D. Drummondi, *Hook.*; *Bot. Mag.* t. 2972.

**Fallugia paradoxa*, *Endl.* : *Bot. Mag.* t. 6660. California,
&c.

F. mexicana, *Walp.*

Sieversia paradoxa, *D. Dom.*

Potentilla davurica, *Nestl.* China, &c.

P. glabra, *Lodd.* *Bot. Cab.* t. 914.

P. fruticosa var. davurica, *Lehm.*

P. Friedrichseni, *Späth.* (*davurica* × *fruticosa*). Garden
origin.

P. fruticosa, *L.* ; *Eng. Bot.* ed. 3, t. 436. Northern Hemi-
sphere.

P. floribunda, *Pursh.*

P. micrandra, *Kochne.* Origin uncertain.

P. salesoviana, *Steph.* ; *Bot. Mag.* t. 7258. Siberia, &c.
Comarum Salesowii, *Bunge.*

**Margyricarpus setosus*, *Ruiz & Pav.* Chili, &c.

Rosa acicularis, *Lindl.* *Monogr.* t. 8. Siberia, &c.

R. carelica, *Fries.*

Var. *nipponensis*, *Hook. f.* *Bot. Mag.* t. 7646. Japan.
R. nipponensis, *Crép.*

R. agrestis, *Savi.* Europe, &c.

R. sepium, *Thunb.* : *Eng. Bot.* ed. 3, t. 470.

Var. *belgradensis*, *Nichols.*

R. belgradensis, *Panç.*

Var. *inodora*.

R. inodora, *Fries* ; *Flora Danica* t. 2906

- R. alba**, *L.* (? *canina* × *gallica*). Andrews Roses t. 10.
Europe, &c.
- Var. *suaveolens*, *Dieck*; Gartenflora 1889, 128.
- R. Alberti**, *Regel*. Turkestan.
- R. cipina**, *L.*; Bot. Reg. t. 424. Europe.
- R. *inermis*, *Mill.*
- R. *pendulina*, *L.*
- Var. *pyrenaica*, *Gouan*; Bot. Mag. t. 6724.
- R. alpina** × *indica*. "Boursault Rose."
- R. anemoneaeflora**, *Fortune*. (*multiflora* × *laevigata*?).
China.
- R. arvensis**, *Huds.*; Engl. Bot. ed. 3, t. 426. Europe.
"Ayrshire Rose."
- R. *repens*, *Scop.*
- Var. *Andersonii*, *Hort.*
- Var. *capreolata*; Bot. Mag. t. 2054.
- R. *capreolata*, *Neill*.
- Var. *flore pleno*.
- Var. *variegata*.
- ***R. Banksiae**, *R. Br.* China. "Banksian Rose."
- R. *inermis*, *Roxb.*
- Var. *flore albo pleno*; Bot. Mag. t. 1954.
- Var. *lutea*; Bot. Mag. t. 7171.
- R. beggeriana**, *Schrenk*; Linn. Soc. Journ. xix. t. 1. Asia.
- R. *afghanica*, *Hort.*
- R. *anserinaefolia*, *Boiss.*
- Var. *nigrescens*.
- Var. *Schrenki*.

R. blanda, *Ait.* North America.

R. *fraxinifolia*, *Borek.*; Bot. Reg. t. 458.

R. *lucida*, *Hort.* (not *Ehrh.*).

Var. *arkansana*. Western United States.

R. *arkansana*, *Porter.*

Var. *Sayi*.

R. *Sayi*, *Schwein.*

Var. *setigera*.

Var. *willmottiana*, *Baker.*

R. bourbonia, *Roessig.* (*indica* × *gallica*). Garden origin
"Bourbon Rose."

R. *canina burboniana*, *Réd. Les Roses* iii. t. 105.

***R. bracteata**, *Wendl.*; Bot. Mag. t. 1377. China. "Macartney Rose."

R. *lucida*, *Laur. Roses* t. 84.

R. *macartnea*, *Hort.*

R. bracteata × *laevigata*. Garden origin.

R. *alba odorata*, *Hort.*

R. *bracteata flore pleno*, *Hort.*

R. byzantina, *Dieck.* Eastern Europe, &c.

R. californica, *Cham. & Schlecht.* Western North America.

Var. *flore pleno*.

Var. *nana*.

Var. *ultramontana*.

R. calocarpa, *André.* (*rugosa* × *indica*).

R. *rugosa calocarpa*; Rev. Hortic 1891, 129, f. 75

- R. canina, L.** North Temperate Zone. "Dog-rose"
- Var. *Allionii*, *Rouy & Fouc.* Alpes Maritimes
R. Allionii, *Burnat & Gremli.*
- Var. *andegavensis*, *Baker.*
R. andegavensis, *Bastard.*
- Var. *arvatica*, *Baker.*
- Var. *Bakeri*, *Baker.*
R. Bakeri, *Déségl.*; Engl. Bot. ed. 3, t. 473.
- Var. *complicata*.
R. complicata, *Gren.*
R. glauca var. complicata, *H. Braun.*
R. Reuteri var. complicata, *Christ.*
- Var. *coriifolia*, *Baker*; Engl. Bot. ed. 3, t. 472.
R. coriifolia, *Fries.*
- Var. *dumetorum*, *Baker.*
R. dumetorum, *Thuill.*
- Var. *glauea*, *Desv.*
R. canina var. Reuteri, *Baker.*
R. glauca, *Vill.*
- Var. *lutetiana*, *Baker.*
R. lutetiana, *Leman.*
- Var. *obtusifolia*.
R. obtusifolia, *Desv.*
- Var. *pruinosa*, *Baker.*
- Var. *Scheutzii*. Scandinavia.
R. mollis var. Scheutzii, *R. Keller.*
- Var. *suberistata*, *Baker.*
- Var. *tomentella*, *Baker.*
R. tomentella, *Leman.*
- Var. *urbica*, *Baker.*
R. dumetorum var. urbica, *Christ.*
R. urbica, *Leman.*

R. carolina, *L.* : Lindl. Monogr. t. 4. North America.

R. corymbosa, *Ehrh.*

R. hudsoniana, *Red.*

R. pennsylvanica, *Michx.*

Var. **nuttalliana**.

R. nuttalliana, *Hort.*

R. cinnamomea, *L.* : Lindl. Monogr. t. 5. North Temperate Zone.

R. davurica, *Pall.*

R. gorenkensis, *Fisch.*

R. majalis, *Herrm.*

Var. **flore pleno**.

Var. **glandulifolia**, *Crépin.*

Var. **sibirica**.

R. damascena, *Miller* : Red. Roses i. t. 137 (*gallica* × *moschata* ?). East Europe, Orient. "Damask Rose."

Var. **trigintipetala**.

R. gallica var. *trigintipetala*, *Dieck* ; Gard. Chron. 1890, vii. 45, f. 8.

Var. **variegata**. "York and Lancaster Rose."

R. Duponti, *Déségl.* (*gallica* × *moschata*).

R. moschata var. *nivea* ; Bot. Reg. t. 861.

R. nivea, *Dupont* (not *DC*).

R. elymaitica, *Boiss.* Persia.

R. Engelmannii, *S. Wats.* ; Garden and Forest 1889, 376, t. 121. Western North America.

R. fedtschenkoana, *Regel* : Bot. Mag. t. 7770. Turkestan.

R. Fendlerii, *Crép.* New Mexico.

- R. ferœx**, *Bieb.* Cent. Pl. Rar. t. 37 (not *Ait.*). Caucasus, &c.
 R. horrida, *Fisch.*
- R. foliolosa**, *Nutt.*; Garden and Forest 1890, 101, f. 22.
 North America.
- ***R. fortuneana**, *Lindl.*; Lindl. & Paxt. Fl. Gard. t. 171.
 China. (*Banksiae* × *laevigata*.)
- R. fulgida**, *Hort.* (Gloire des Rosomanes).
- R. gallica**, *L.*; Bentl. & Trim. Med. Plants t. 104. South
 and Central Europe.
- Var. *centifolia*, *Koehne*.
 R. *centifolia*, *L.*; Bentl. & Trim. Med. Pl. t. 105.
- Var. *cuprea*.
- Var. *incarnata*.
 R. *incarnata*. *Hook. f.* Bot. Mag. t. 7035 (not *Mill.*).
- Var. *maxima*.
- Var. *muscosa*. "Moss Rose."
 R. *muscosa*, *Mill.*
 R. *provincialis* *muscosa*; Bot. Reg. t. 53.
- Var. *nana*.
- Var. *pomponia*.
 R. *nana* *muscosa*; Andrews Roses t. 65.
 R. *pomponia*, *DC.*
- Var. *provincialis*. "Provence Rose."
 R. *provincialis*, *Mill.*; Andrews Roses t. 22.
- Var. *pumila*, *Braun*.
 R. *pumila*, *Jacq.* Fl. Austr. ii. t. 198.
- Var. *versicolor*, *Sims* Bot. Mag. t. 1794.
 R. *Rosa-mundi*, *Hort.*
- Var. *violacea*.

- R. geminata*, *Rau* (*gallica* × *arvensis*) Red. *Les Roses* ii.
t. 83. Europe.
R. hybrida, *Schleich.*
- **R. gigantea*, *Crép.*; *Gard. Chron.* 1889, vi. 13, f. 4. Burma.
- R. glutinosa*, *Sibth. & Sm. Fl. Graec.* t. 482. Orient.
R. dalmatica, *Kerner.*
- R. gymnocarpa*, *Nutt.*; *Bot. Mex. Bound.* t. 24 Western
North America.
Var. *pisocarpa*.
R. pisocarpa, *A. Gray*; *Bot. Mag.* t. 6857.
R. pisiformis, *Hort.*
- R. Hardii*, *Cels frères*; *Gard. Chron.* 1885, xxiv. 468, f. 101.
(*simplicifolia* × *involucrata*.)
- R. hemisphaerica*, *Herrm.* Persia and Asia Minor.
R. glaucophylla, *Ehrh.*
R. Rapinii, *Boiss.*
R. sulphurea. *Ait.*: *Andrews Roses* t. 91; *Bot. Reg.*
t. 46.
- R. heterophylla*, *Ochet* (*rugosa alba* × *lutea*); *Journ. Soc.*
Nat. d'hort. Francee 1897, 778, f.
- R. hibernica*, *Sm.*; *Eng. Bot. ed. 3*, t. 463. (*spinosissima* ×
canina?) England and Ireland.
Var. *glabra*, *Baker.*
Var. *Grovesii*, *Baker.*
- R. humilis*, *Marsh.*; *Britt. & Br. Illustr. Fl.* ii. 231, f.
North America.
R. parviflora, *Ehrh.*
R. microcarpa, *Hort.*
- Var. *triloba*; *Garden and Forest* 1889, 77, f. 93.

R. indica, *L.* (in part). China. "Monthly Rose."

R. chinensis, *Jacq. f.*

R. chinensis var. indica, *Koehne*.

Var. *fragrans*, *Red. Les Roses* i. 61.

R. indica odoratissima, *Lindl. Bot. Reg.* t. 804.

Var. *minima*. "Fairy Rose."

R. lawranceana, *Sweet* ; *Bot. Reg.* t. 538.

R. semperflorens var. minima, *Sims Bot. Mag.* t. 1762.

Var. *monstrosa*.

R. sempervirens monstrosa, *Hort.*

Var. *sanguinea*. "Crimson China Rose."

Var. *semperflorens*.

R. bengalensis, *Pers.*

R. semperflorens, *Curt.* ; *Bot. Mag.* t. 284.

***R. involucrata**, *Roxb.* ; *Bot. Reg.* t. 739. India.

R. clinophylla, *Thory*.

R. Lyellii, *Lindl. Monogr.* t. 1.

R. palustris, *Hamilt.*

R. involuta, *Sm.* ; *Eng. Bot. ed. 1*, t. 2068. Europe.

R. spinosissima × *tomentosa* ?

Var. *Sabini*, *Baker*.

R. Sabini, *Woods* ; *Eng. Bot. ed. 3*, t. 465.

Var. *Wilsoni*, *Baker*. (*spinosa* × *mollis*?).

R. Wilsoni, *Borrer* ; *Eng. Bot. ed. 3*, t. 464.

R. Iwara, *Sieb.* (*rugosa* × *multiflora*). Japan.

R. Jundzillii, *Besser*. Europe.

R. trachyphylla, *Rau*.

***R. laevigata**, *Michx.* China. "Cherokee Rose."

R. Camellia, *Hort.*

R. camelliaeefolia, *Hort.*

R. cherokeensis, *Donn.*

R. hystrix, *Lindl.*

R. nivea, *DC.*

R. sinica, *Murr.*; Bot. Mag. t. 2847; Bot. Reg. t. 1922.

R. ternata, *Poir.*

R. triphylla, *Roxb.*

Var. **Anemone**. Rev. Hortic. 1901, 548.

laevigata × *indica*?

R. laxa, *Retz.* Siberia.

***R. leschenaultiana**, *Thory & Red.* India.

R. lutea, *Miller*: Bot. Mag. t. 363. Orient. "Austrian Briar."

R. chlorophylla, *Ehrh.* *

R. Eglanteria, *L.* (in part.).

R. foetida, *Allioni*.

Var. **bicolor**, Bot. Mag. t. 1077.

R. punicea, *Miller*.

R. macrantha, *Hort.* (*gallica* × *canina*) Rev. Hortic. 1901, 548, t. Europe.

R. macrophylla, *Lindl.* Monogr. t. 6. Himalaya, China.

R. Malyi, *Kerner*. Tyrol. (*alpina* × *spinossissima*?)

R. micrantha, *Sm.*; Eng. Bot. ed. 3, t. 469. Europe.

Var. **Briggsei**, *Baker*. South of England.

R. microphylla, *Roxb.*; Bot. Mag. t. 6548. China.

R. chlorocarpa, *Rygel*.

Var. **flore pleno**.

R. mollis, Sm. Europe.

R. ciliato-petala, Besser,

R. mollissima, Fries.; Eng. Bot. ed. 3, t. 466.

R. villosa, L. (in part).

Var. albo-vittata.

R. moschata, Herrm.: South Europe to India. "Musk Rose."

R. Brownii, Spreng.

R. Brunonii, Lindl.: Bot. Mag. t. 4030.

R. Brunonis, Wall.

Var. flore pleno.

Var. Pissarti. Persia.

R. Pissarti, Carr. Rev. Hortic. 1880. 314, 5.

R. Pissardi, Carr.

R. Nasturana, Christ.

R. multiflora, Thunb.: Bot. Mag. t. 7119. China and Japan.

R. dubia, Carr. Rev. Hortic. 1868, 269.

R. intermedia, Carr. Rev. Hortic. 1868, 270, ff. 29, 30.

R. polyantha, Sieb. & Zucc.

R. simplex, Hort.

Var. flore pleno.

Var. Thunbergii, Hort.

R. multiflora × **indica**. Garden origin.

R. polyantha, Hort. (not Sieb. & Zucc.).

R. multiflora × **moschata**. Garden origin.

R. polyantha grandiflora, Hort.

R. nitida, Willd.; Lindl. Monogr. t. 2. North America.

R. noisettiana, Red. (**indica** × **moschata**). Redouté Roses ii. 77. Garden origin. "Noisette Rose."

R. floribunda, Andrews.

R. nutkana, *Presl* : Garden and Forest 1888, 449. North America. "Wasatch Rose."

R. parviflora, *Ehrh.*; Bot. Reg. t. 452. Garden origin. "Rose de Meaux."

R. burgundica, *Rössig*; Redouté Roses t. 133.

R. remensis, *Desf.*

R. pendulina, *L.* (*spinosissima* × *alpina*). Europe.

R. gentilis, *Sternb.*

R. reversa, *Waldst. & Kit.*

R. rubella, *Sm.* Eng. Bot. ed. 3, t. 462.

R. stricta, *Muhl.*

R. phoenicea, *Boiss.* Orient.

R. pomifera, *Herrm.*; Bot. Mag. t. 7241. Gard Chron. 1886, xxv, 237, f. 45. Europe. "Apple Rose."

R. macrocarpa, *Hort.* *

R. villosa var. *pomifera*, *Desv.*

R. rubiginosa, *L.*; Eng. Bot. ed. 3, t. 468. Europe. "Eglantine or Sweet Briar."

R. Eglanteria, *Miller* (not *L.*).

R. suaveolens, *Pursh.*

Var. *major*.

R. rubrifolia, *Vill.*; Bot. Reg. t. 430. Mountains of Europe.

R. ferruginea, *Hort.*

R. pyrenaica, *Hort.* (not *Gouan*.).

R. romana, *Hort.*

R. rubicunda, *Hall. f.*

R. ruga, *Lindl.* Bot. Reg. t. 1389. (*arvensis* × *indica*). Garden origin.

R. rugosa, *Thunb.* Japan.

R. Andreae, *Lange*.

R. ferox, *Lawr.* ; Bot. Reg. t. 420.

R. regeliania, *Linden & André*.

Var. *alba*, Garden May 13, 1876.

Var. *flore pleno*.

Var. *floribunda*.

Var. *glabriuscula*.

Var. *kamchatica*.

R. kamchatica, *Vent.* ; Bot. Reg. t. 419.

R. rugosa \times General Jacqueminot. (Mrs. Anthony Waterer).

R. sancta, *A. Rich.* Abyssinia.

**R. sempervirens*, *L.* ; Bot. Reg. t. 465. South Europe, &c.

R. longicuspis, *Bert.*

R. prostrata, *DC.*

R. scandens, *Mill.*

R. Seraphini, *Viviani* ; Bot. Mag. t. 7761. Corsica, Sardinia, &c.

R. apennina, *Woods.*

R. cretica var. Seraphini, *Wallr.*

R. parvifolia, *Sanguin.*

R. sericea, *Lindl.* Monogr. t. 12. India.

R. tetrapetala, *Royle.*

R. setigera, *Michx.* North America. "Prairie Rose."

R. rubifolia, *R. Br.* ; Lindl. Monogr. t. 15.

***R. simplicifolia**, *Salisb.* : Gard. Chron. 1885, xxiv. f. 100.
Orient.

R. berberifolia, *Pall.* ; Bot. Mag. t. 7096.

R. persica, *Otto Kunze*.

Hultheimia berberifolia, *Dum.*

Lowea berberifolia, *Lindl.*

R. spinosissima, *L.* : Eng. Bot. ed. 3, t. 461. Europe and Siberia. "Scoteh or Burnet Rose."

R. pimpinellifolia, *L.*

R. scotica, *Mill.*

Var. **altaica**.

R. altaica, *Willd.*

R. grandiflora, *Lindl.* Bot. Reg. t. 885.

R. cistiflora, *Hort.*

Var. **flore luteo pleno**.

Var. **fulgens**, *Hort.*

Var. **Harrisoni**.

R. lutea Harrisoni, *Hort.*

Var. **hispida**.

R. hispida, *Sims.* Bot. Mag. t. 1570.

R. lutescens, *Pursh* ; *Lindl.* Monogr. t. 9.

R. spinosissima luteola, Andrews Roses ii. t. 128.

Var. **lutea**.

R. ochroleuca, *Hort.* (not *Waitz.*).

Var. **myriacantha**.

R. myriacantha, *DC.* : *Lindl.* Monogr. t. 10.

Var. **penicillata**, *Hort.*

Var. **picta**, *Hort.*

Var. **rubra**. Andrews Roses t. 124.

Var. **venulosa**, *Hort.*

- R. *spinulifolia*, *Dematra*; Red. Les Roses t. 7. Switzerland.
 R. *alpina* × *tomentosa*.
- R. *stylosa*, Desv. *var. evanida*, Christ. South England.
 C. *canina* × *arvensis*?
- R. *tomentosa*, Sm.; Eng. Bot. ed. 3, t. 467. Europe.
 Var. *dimorpha*.
 R. *dimorpha*, Besser.
- Var. *scabriuscula*, Bakr.
- Var. *sylvestris*, Lindl.
- Var. *woodsiana*, Groves.
- R. *virginiana*, Mill. Eastern United States.
 R. *lucida*, Ehrh.; Red. Les Roses i. 45, t.
- Var. *alba*.
- Var. *flore pleno*.
 R. *Rapa*, Bosc; Red. Les Roses ii. 7.
- R. *watsoniana*, Crisp.; Garden and Forest 1890, 477, t. 59.
 Japan.
- R. *webbiana*, Wall.: Royle Illustr. t. 42. Himalaya.
- R. *wichuraiana*, Crisp.; Garden and Forest 1891, 569, f.
 China and Japan.
 R. *Luciae*, Hook. f. Bot. Mag. t. 7421.
- R. *wichuraiana rubra*, Hort. (*wichuraiana* × Crimson
 Rambler) Rev. Hortic. 1901, 20, t.
- R. *xanthina*, Lindl.: Bot. Mag. t. 7666. Persia, Afghan-
 istan, &c.
 R. *Ecae*, Aitch. & Hemsl. Jour. Linn. Soc. xix. t. 8.
 R. *platyacantha*, Schrenk.

† PYROPHORUM.

Pyrus amygdaliformis, Vill. South Europe, &c.

P. cuneifolia, Guss.

P. eriopleura, Reichb.

P. nivalis, Lindl. Bot. Reg. t. 1484 (not Jacquin).

P. oblongifolia, Spach.

P. parviflora, Desf.

P. pyraima, Rafin.

P. salicifolia, Hort.

Var. oblongifolia.

P. oblongifolia, Spach.

P. auricularis, Knoop. (*Aria × communis*). Europe.

P. bollwylleriana, DC. .

P. irregularis, Moench.

P. Pollyceria, L. : Lodd. Cab. t. 1009.

P. pollvilleriana, Poirph.

P. pollwylleriana, Decne.

P. tomentosa, Moench.

Lazarolus Pollycerii, Medic.

P. Balansae, Decne. Jard. Fruit. du Muséum t. 6. Persia.

P. betulaefolia, Bunge; Jard. Fruit. du Muséum t. xx. China and Japan.

P. canescens, Spach; Jard. Fruit. du Muséum t. xix. Origin uncertain.

P. communis, L. : Eng. Bot. ed. 3. t. 488. Europe, Asia. "Wild Pear."

P. scandinavica, Hort.

Var. cotinifolia.

Var. fascicularis.

Var. jaspidea.

Var. pendula.

P. cordata, *Desv.*; Jard. Fruit. du Muséum t. iii. Europe.
 &c.

P. boissieriana, *Buhse*.

P. communis var. azarolifera, *Durieu*.

P. communis var. Briggsii, *Boswell*.

P. elaeagrifolia, *Pall.*; *Decne.* Jard. Fruit. du Muséum
 t. 17. Caucasus. Asia Minor.

P. communis var. elaeagrifolia, *Hort.*

P. pubescens, *Hort.*

P. glabra, *Boiss.* Persia.

P. syriaca var. glabra, *Wenzig*.

P. heterophylla, *Regel & Schmalz*; *Gard. Chron.* 1890. vii.
 115. Asia.

Var. *Koopmannii*.

P. longipes, *Coss.* & *Durieu*; Jard. Fruit. du Muséum
 t. iv. Algeria.

P. malifolia, *Spach*; Jard. Fruit. du Muséum t. xxxii.
 Hybrid origin.

P. Michauxi, *Bosc*; Jard. Fruit. du Muséum t. 16. Asia?

P. persica, *Hort.* (not *Pers.*).

P. praecox, *Hort.*

P. nivalis, *Jucq.*; Jard. Fruit. du Muséum t. xxi. Levant.
 &c.

P. salvifolia, *DC.*; *Bot. Reg.* t. 1482.

Var. *variegata*.

P. Pashia, *Buch.-Ham.*; Jard. Fruit. du Muséum t. vii.
 India.

P. nepalensis, *Hort.*

P. variolosa, *Wall.*

P. salicifolia, L.; Jard. Fruit. du Muséum t. xii. Levant.
P. orientalis, Hort.

Var. *pendula*.

P. sinaica, Thouin; Jard. Fruit. du Muséum t. xv. Asia Minor.

P. sinensis, Lindl. Bot. Reg. t. 1248; Gard. Chron. 1900, xxviii. 298, f. China. "Sand Pear."

P. chinensis, Roxb.

P. communis var. *sinensis*, C. Koch.

P. japonica, Hort.

P. Sieboldii, Carr.

P. ussuriensis, Maxim.

Var. *Simonii*, Dieck.

P. Simonii, Carr.

P. Tschonoskii, Maxim.: Garden and Forest 1894, 54, f. 9. Japan.

†† MALUS.

P. angustifolia, Ait.: Sargent Silva of North America t. 169. United States.

P. coronaria var. *angustifolia*, Wenzig.

Malus sempervirens, Desf.

M. microcarpa *sempervirens*, Carr.

P. baccata, L.; Bot. Mag. t. 6112. Himalaya, &c. to Japan.
 "Siberian Crab."

P. sibirica, Hort. (in part).

P. tartarica, Hort.

Malus baccata, Desf.

M. cerasifera, Spach.

M. rossica, Medic.

Var. *pendula*.

P. coronaria, *L.*; *Bot. Mag.* t. 2009. Eastern United States. "American Crab Apple."

Crataegus coronaria, *Salisb.*

Malus coronaria, *Mill.*

M. microcarpa var. coronaria, *Carr.* *Rev. Hort.* 1884, f. 24.

Var. *flore pleno*.

P. angustifolia *flore pleno*, *Hort.*

P. denticulata, *Lavall.* ? China.

P. floribunda, *Nichols.* Japan.

P. Toringo × *baccata*, *Dieck.*

Malus floribunda, *Sieb.* : Garden, October 14, 1876.

M. microcarpa var. floribunda, *Carr.*

Var. *atrosanguinea*.

Var. *citrifolia polypetala*, *Hort.*

P. halliana, *Voss.* Origin uncertain.

P. floribunda *flore pleno*, *Hort.*

P. Parkmanii, *Hort.*

Malus halleana, *Koehne.*

P. ioensis, *L. H. Bailey.* United States.

P. coronaria *var. ioensis*, *Wood*; *Sargent Silva of North America* t. 168. "Prairie States Crab."

P. Malus, *L.*; *Eng. Bot. ed. 3*, tt. 489, 490. Europe, &c.
"Crab Apple."

Malus communis, *Lam.*

M. sylvestris, *Mill.*

Var. *astracanica*.

P. astracanica, *DC.*

Var. *coccinea*.

P. *Malus*—*cont*

- Var. *dioica*.
- M. *dioica*, *Moench.*
- Var. *flexilis*.
- Var. *flore albo pleno*.
- Var. *mitis*, *Wallr.*
- Var. *monstrosa*.
- Var. *nervosa*.
- Var. *pendula*.
- Var. *rosea*.

P. *niedzwetzkyana*, *Dieck.* Caucasus.

P. *Malus* var. *niedzwetzkyana*, *Hort.*

P. *orthocarpa*, *Nichols.* Japan.

Malus *edulis*, *Hort.*
M. *orthocarpa*, *Lavall.*

P. *prunifolia*, *Willd.*; Bot. Mag. t. 6158. Siberia, &c.

P. *sibirica*, *Hort.* (in part).
Malus *hybrida*, *Desf.*
M. *prunifolia*, *Spach.*

Var. *cerasiformis*.

Var. *chlorocarpa*.

Var. *flore pleno*.

Var. *fructu coccineo*.

Var. *fructu dulcis*.

Var. *intermedia*, *Regel.*

Var. *pendula*.

Var. *xanthocarpa*.

P. Ringo, *Maxim.* Japan.

Malus microcarpa var. Ringo, *Carr.*

M. Ringo, *Sieb.*

Var. *fastigiata bifera*, *Hort.*

Var. *sublobata*, *Zabel.*

P. rivularis, *Dougl.*; Sargent *Sylva of North America* iv. 77, t. 170. North California to Alaska. "Oregon Crab Apple."

P. diversifolia, *Bong.*

P. fusca, *Rafin.*

P. subcordata, *Ledeb.*

Malus diversifolia, *Roem.*

M. rivularis, *Roem.*

M. subcordata, *Roem.*

Var. *integrifolia*, *Zabel.*

P. Scheideckeri, *Spath.* (*prunifolia* × *floribunda*). Garden origin.

P. Malus var. Scheideckeri, *Hort.*

P. floribunda var. Scheideckeri, *Hort.*

P. sikkimensis, *Hook. f.* Bot. Mag. t. 7430. India.

P. baccata indica, *Hort.*

P. spectabilis, *Alt.*; Bot. Mag. t. 267. China and Japan.

P. japonica floribunda, *Hort.*

Malus chinensis, *Hort.*

M. sinensis, *Dum.*

M. spectabilis, *Desf.*

Var. *flore albo*.

Var. *flore pleno*.

Var. *Kaido*.

P. spectabilis × Ringo?

Pyrus pyramidalis grandiflora, *Hort.*

P. *Toringo*, *Sieb.* Japan.

P. *Malus Toringo*, *Hort.*

P. *Sieboldi*, *Regel.*

Malus microcarpa var. Toringo, *Garr.*

M. rivularis, *Dougl. var. Toringo*, *Dieck.*

M. spectabilis var. Toringo, *Larall.*

Sorbus Toringo, *Sieb.*

Var. *major*, *Hort.*

P. *Toringo* × *spectabilis* flore pleno.

P. *Tenorei carnea plena*, *Hort.*

††† ARIA.

Pyrus alnifolia, *French & Sav.*; Bot. Mag. t. 7773. Japan
and China.

Aria tiliaefolia, *Decne.*

Crataegus alnifolia, *Sieb. & Zucc.*

Sorbus alnifolia, *Hort.*

P. *alpina*, *Willd.* (*arbutifolia* × *Aria*). Garden origin.

P. *densiflora*, *Hort.*

Aronia densiflora, *Spach.*

Sorbus alpina, *Hedlund.*

Var. *compacta*.

Var. *superaria*.

P. *Aria*, *L.*: Eng. Bot. ed. 3, t. 482. North Temperate
Zone. "White Beam."

P. *badensis*, *Hort.*

P. *meridionalis*, *Guss.*

P. *odorata*, *Hort.*

Aria nivea, *Hort.*

Azarolus Aria, *Borkh.*

P. Aria—cont.

Mespilus Aria, *Scop.*

Pirenia Aria, *Clairv.*

Var. *angustifolia*, *Lindl.*

Var. *arioides*.

Sorbus arioides, *Michalet.*

Var. *chrysophylla*, *Hort.*

Var. *flabelliformis*.

P. edulis, *Wats.* *Dendr. Brit.* i. t. 52 (not *Willd.*).

Crataegus Aria var. *flabelliformis*, *Spach.*

C. corymbosa, *Desf.*

Sorbus Aria rotundifolia, *Hort.*

S. corymbosa, *Lodd.*

S. flabellata, *Hort.*

Var. *graeca*, *Boiss.*

P. Aria, *Sibth.* *Fl. Graeca* t. 474.

Sorbus graeca, *Lodd.*

S. nivea, *Hort.* (not *Host*).

Var. *lutescens*.

Sorbus Aria lutescens, *Hort.*

Var. *quercooides*, *Hort.*

Var. *salicifolia*, *Hort.*

P. Aria longifolia, *Hort.*

P. Sorbus argentea, *Hort.*

Sorbus argentea, *Hort.*

Var. *sulphurea*.

Sorbus Aria, *Crantz.*

S. sulphurea, *Hort.*

Var. *undulata*, *Lindl.*



P. Chamaemespilus, *L.* Alps of Europe.

Aria Chamaemespilus, *Host.*

Aronia Chamaemespilus, *Pers.*

Crataegus Chamaemespilus, *Jacq. Fl. Austr.* iii. t. 231.

Mespilus Chamaemespilus, *L.*

Sorbus Chamaemespilus, *Crantz.*

P. crataegifolia, *Turg. Tozz.*; *Bot. Mag.* t. 7423. North Italy.

Cormus florentina, *Decne.*

Crataegus florentina, *Zuccagni.*

Malus crataegifolia, *Koehne.*

Mespilus florentina, *Bertol.*

Sorbus florentina, *Nym.*

P. decaisneana, *Nichols.* Origin unknown.

Aria decaisneana, *Lavall. Arb. Segrez.* t. xviii.

P. glabrata, *Hort.* Origin uncertain.

Sorbus glabrata, *Hort. Vrat.*

P. Hostii, *Hort.* Austrian Alps. (*Aria × Chamaemespilus*.)

P. sudetica, *Tausch.*

Aria Hostii, *Jacq. f.*

Hahnia Hostii, *Dippel.*

P. intermedia, *Ehrh.* Europe.

P. scandica, *Aschers.*; *Eng. Bot.* ed. 3, t. 484.

P. sorbifolia, *Hort.*

P. Sorbus corymbiflora, *Hort.*

P. suecica, *Roehl.*

Aria scandica, *Decne.*

Sorbus Mougeoti, *Goult.*

S. quercifolia, *Hort.*

S. scandica, *Fries.*



P. lanata, *D. Don.* Himalaya.

Sorbus majestica, *Hort.*

P. pinnatifida, *Ehrh.*; *Gard. Chron.* 1883, xx. 493. Europe.

P. Aria var. fennica, *Hook. f.*

P. fennica, *Bab.*

Sorbus fennica, *Kalm.*

S. hybrida, *L.*

S. sambucifolia, *Hort.* (not *Cham. & Schlecht.*).

Var. *fastigiata*.

P. rotundifolia, *Bechst.* Europe.

P. Aria-torminalis, *Irm.*

P. atrovirens, *Hort.*

P. decipiens, *Bechst.*

P. latifolia, *Syme.*

P. semilobata, *Bechst.*

Aria latifolia, *Spach.*

Crataegus dentata, *Thuill.*

C. hybrida, *Bechst.*

C. latifolia, *Lam.*

Sorbus atrovirens, *Hort.*

S. latifolia, *Pers.*

S. terminali-hybrida, *Godr.*

P. rupicola, *Syme* Eng. Bot. ed. 3, t. 483. Britain.

Sorbus oblongifolia, *Reichb.*

P. Torminalis, *DC.*; Eng. Bot. ed. 3, t. 481. Europe
“Wild Service.”

Crataegus Torminalis, *L.*

Sorbus Torminalis, *Crantz.*

Torminaria Clusii, *Roem.*

T. vulgaris, *Schur.*



P. trilobata, DC. Syria.

Cormus trilobata, Decne.

Crataegus trilobata, Labill.

Sorbus trilobata, Boiss.

P. vestita, Wall. India.

P. Aria nepalensis, Hort.

P. crenata, Lindl. Bot. Reg. t. 1655 (not *D. Don*).

P. nepalensis, Hort.

P. Thomsoni, Hort. (not *King*).

Aria dentata, Hort.

A. lanata, Decne.

Sorbus magnifica, Hort.

S. nepalensis, Hort.

S. vestita, Lodd.

††† SORBUS.

Pyrus americana, DC. Sargent Silva of North America iv. tt. 171-2. North America. "American Mountain Ash."

P. Sorbus polonica, Hort.

Sorbus americana, Marsh.

S. Aucuparia var. americana, Pers.

S. humifusa, Rafin.

Var. *fructu albo*.

Var. *microcarpa, Torr. & Gray.*

Pyrns microcarpa, Spreng.

Sorbs americana var. microcarpa, Wenzig.

S. microcarpa, Pursh.

S. riparia, Rafin.

Var. *nana*.



Pyrus Aucuparia, *Gaertn.*; Eng. Bot. ed. 3, t. 486. Northern Hemisphere. "Mountain Ash or Rowan-tree."

Aucuparia sylvestris, *Medic.*

Mespilus Aucuparia, *All.*

Pirenia Aucuparia, *Clairv.*

Sorbus Aucuparia, *L.*

Var. *asplenifolia*.

Var. *Backhousei*.

Var. *discolor*.

Var. *dulcis*.

Var. *fastigiata*.

Var. *fructu luteo*.

Var. *Hodginsii*.

Var. *moravica*.

Var. *pendula*.

Var. *pendula Dawsonii*.

Var. *pendula variegata*.

Var. *satureifolia*, *Hort.*

P. hybrida, *Moench* Verz. ausländ. Bäume und Stauden 90, f. 6 (*tarbutifolia* × *Aucuparia*). Garden origin.

P. spuria, *DC.*

Amelanchier pinnata, *Hort.*

Aronia sorbifolia, *Spach.*

Crataegus sorbifolia, *Desf.*

Mespilus sorbifolia, *Poir.*

Sorbus heterophylla, *C. Koch.*

S. spuria, *Pers.*

Var. *pendula*.



P. lanuginosa, DC. Eastern Europe.

Pyrus hybrida lanuginosa, Hort.

Sorbus lanuginosa, Kit.

P. microphylla, Wall. Himalaya.

P. minima, Ley. Journal of Botany 1897, t. 372.[†] Britain.

Sorbus minima, Hedlund.

P. neuillyensis, Hort. (*Aucuparia* × *hybrida* ?). Garden origin.

Sorbus neuillyensis, Dippel.

P. sambucifolia, Cham. & Schlecht.; Sargent Silva of North America tt. 173, 174. North-eastern Asia, North America.

P. Sorbus, Gaertn. Europe. "Service Tree."

P. domestica, Sm. ; Gard. Chron. 1876, vi 649. f. 125.

P. serrulata, Hort.

Cormus domestica, Spach. ,

Mespilus domestica, All.

Sorbus domestica, L.

Var. *maliformis*, Lodd.

Var. *pyriformis*, Lodd.

P. thianschanica, Regel Gartenflora 1891, 8. Eastern Asia.

Sorbus thianschanica, Rupr.

†††† ADENORACHIS.

Pyrus arbutifolia, L. f. North America. "Choke-berry."

Aronia pirifolia, Pers.

A. arbutifolia, Medic. ; Britt. & Br. Ill. Fl. ii. 236, f.

Azarolus arbutifolia, Borkh.

Sorbus arbutifolia, C. Koch.

P. nigra, Sargent Garden and Forest 1890, 416. North America.

††††† PSEUDOCYDONIA.

P. Delavayi, *Franch.* Yunnan.

†††††† MESPILUS.

Pyrus germanica, *Hook. f.* Europe, Asia. "Medlar."

Mespilus domestica, *Gater.*

M. germanica, *L.*; *Eng. Bot. ed. 3*, t. 478.

M. vulgaris, *Reichb.*

P. lobata, *Nichols.* Garden origin?

Crataegus grandiflora, *C. Koch.*

C. lobata, *Bosc.*

Mespilus grandiflora, *Sm.*

M. lobata, *Poir.*; *Bot. Mag. t. 3442.*

M. Smithii, *DC.*

**Cydouia cathayensis*, *Hemsl.*; *Hook. Ic. Plant. II. 2657.*
2658. China.

Pyrus cathayensis, *Hemsl.*

C. japonica, *Thunb.* China and Japan. "Japanese Quince."

C. japonica, *Pers.*

C. ligustrina, *Loisel.*

C. speciosa, *Sweet.*

Chaenomeles japonica, *Lindl.*

Malus japonica, *Andr. Bot. Rep. t. 462.*

Var. *camelliaefolia*.

Pyrus japonica, *Pers.*; *Bot. Mag. t. 692.*

Var. *candicans*.

Var. *lutec-viridis*.

Var. *Moerloesi*.

Var. *nivalis*.

C. japonica—*cont.*

Var. *princeps*.

Var. *sulphurea perfecta*.

Var. *versicolor lutescens*.

C. Maulei, *T. Moore*; *Florist and Pomologist* 1875, 49, t.
Japan.

Chaenomeles alpina, *Koehne*.

C. Maulei, *Lavall.*

C. Sargentii, *Lemoine*.

Pseudo-chaenomeles Maulei, *Carr.*

Pyrus japonica var. alpina, *Maxim.*

P. japonica var. pygmaea, *Maxim.*

P. Maulei, *Masters Gard. Chron.* 1874, i. 756, 159.
Bot. Mag. t. 6780.

Var. *alba*.

Var. *atrosanguinea*.

Var. *superba*.

**C. sinensis*, *Thouin*; *Rev. Hortic.* 1889, 228, t. China.
“Chinese Quince.”

Chaenomeles chinensis, *Koehne*.

Pyrus chinensis, *Sprengel*.

P. sinensis, *Poir.*

C. vulgaris, *Pers.* Native Country unknown. “Quince.”

C. chinensis, *Lindl.* Bot. Reg. t. 905.

Pyrus Cydonia, *L.*: *Bentl. & Trim. Med. Plants.* t. 106.

Var. *lusitanica*.

C. lusitanica, *Mill.*

Var. *maliformis*.

C. maliformis, *Mill.*

Sorbus Cydonia, *Crantz*.



Crataego-mespilus Dardari, Simon Louis. Graft Hybrid.

Crataegus acutiloba, Sargent. United States and Canada.
C. coccinea var. indentata, Hort.

C. altaica, Ledeb.; Lange Revis. Spec. Crat. t. 5. Altai Mountains.

C. purpurea var. altaica, Loud. Arb. et Fruit. Brit. ii. §23, f. 583.

C. sanguinea var. incisa, Regel.

C. sanguinea var. xanthocarpa, Regel.

C. ambigua, Becker. Russia.

C. anomala, Sargent. Northern United States and Canada.

C. apiifolia, Michx.; Sargent Silva of North America t. 188. South United States. "Parsley-leaved Thorn."

C. aprica, Beadle. South-eastern United States.

C. arnoldiana, Sargent. Massachusetts.

C. Azarolus, L. Orient, &c.

C. Aronia, Lindl. Bot. Reg. t. 1897.

C. pontica, C. Koch.

C. triloba, Pers.

Mespilus Azarolus, Poir.

M. Aronia, Spach.

Var. *macrocarpa*.

C. Boyntoni, Beadle. North Carolina.

C. berberifolia, Torr & Gray. South United States.

C. Crus-galli var. berberifolia, Sargent Silva of North America t. 179.

C. canadensis, Sargent. Canada.

C. Canbyi, *Sargent*. South-eastern United States.

C. Carrièrei, *Vauvel*. Garden origin.

C. hybrida Carrièrei, *Hort*.

C. Lavalléi, *Herincq*. Arb. Segr. t. 7.

C. mexicana Carrièrei, *Hort*.

C. olivaeformis, *Hort*.

Mespilus Carrièrei, *Hort*.

C. champlainensis, *Sargent*. Northern United States and Canada.

C. chlorosarca, *Maxim*. Mandshuria.

C. mandschurica, *Hort*.

C. sanguinea var. Schröderi, *Regel Gartenflora* 1880, 219.

C. coccinea, *L.*; *Sargent Silva of North America* t. 189. Eastern United States. "Scarlet Haw."

C. acerifolia, *Hort*.

Mespilus coccinea, *Marsh*.

Var. *flabellata*, *Britton*; *Britt. & Br. Illustr. Fl.* ii. 242, f.

Var. *rotundifolia*, *Sargent*.

C. coccinea, *Lindl. Bot. Reg. t. 1957*. (not *L.*)

C. glandulosa, *Aiton*.

C. horrida, *Medic*.

C. rotundifolia, *Moench*; *Britt. & Brown Illustr. Fl.* ii. 243, f.

Mespilus glandulosa, *Ehrh*.

M. rotundifolia, *Du Roi*.

Var. *maxima*.

C. collina, *Chapman*. Southern Appalachian foot-hill region.



- C. cordata, Bot. Reg. t. 1151. North America.
 "W^ason Thorn."
- C. acerifolia, *Moench.*
- C. flexispina, *Hort.*
- C. populifolia, *Walt.*
- Mespilus acerifolia, *Burgsd.*
- M. cordata, *C. Koch.*
- *C. crenulata, *Rorb.*; Bot. Reg. 1844, t. 52. Himalaya.
 C. Pyracantha var. crenulata.
 Mespilus crenulata, *D. Don.*
 Pyracantha crenulata, *Roem.*
- C. Crus-galli, *L.*; Sargent Silva of North America t. 178.
 North America. "Cockspur Thorn, Newcastle
 Thorn."
- C. germanica, *Hort.*
- C. lucida, *Miller.*
- C. watsoniana, *Roem.*
- Mespilus cuneifolia, *Moench.*
- M. lucida, *Ehrh.*
- M. watsoniana, *Spach.*
- Var. arbutifolia, *Hort.*
- Var. Downingii.
 C. Downingii, *Hort.*
- Var. fontanesiana, *Wenzig.*
 C. bosciana, *Roem.*
- Mespilus bosciana, *Spach.*
- M. fontanesiana, *Spach.*
- Var. linearis, *DC.*
 C. linearifolia, *Hort.*
- C. linearis, *Pers.*
- C. stipulacea microphylla, *Hort.*



C. Crus-galli— cont.

Mespilus linearis, *Desf.*

M. lucida var. angustifolia, *Ehrh.*

Var. ovalifolia, *Lindl.* Bot. Reg. t. 1860.

C. ovalifolia, *DC.*

Mespilus elliptica, *Guimpel.*

M. ovalifolia, *Hornem.*

M. prunellifolia, *Poir.*

Var. prunifolia, *Torr. & Gray.*

C. caroliniana, *Lodd.*

C. ingestria, *Lodd.*

C. prunifolia, *Lindl.* Bot. Reg. t. 1868.

Mespilus prunifolia, *Poir.*

Var. pyracanthifolia, *Ait.*

C. coursetiana, *Roem.*

C. Crus-galli var. salicifolia, *Ait.*

C. nana, *DC.*

C. salicifolia, *Hort.*

Mespilus Crus-galli var. salicifolia, *Hayne.*

M. nana, *Dum.*

M. salicifolia, *C. Koch.*

Var. splendens, *Lodd.*

C. splendens, *Hort.*

Mespilus badiata, *Bosc.*

C. cuneata, *Sieb. & Zucc.*; *Arbor. Segrez.* t. v. Japan.

C. alnifolia, *Hort.* (not *Sieb. & Zucc.*).

C. spathulata, *Hort.* (not *Michx.*).

Mespilus cuneata, *C. Koch.*

C. densiflora, *Sargent.* Northern United States and Canada.



- C. *dippeliana*, *Lange* Revis. Spec. Crat. t. 10. Origin uncertain.
- C. *celsiana*, *Dippel*.
 - C. *leeana*, *Hort.*
 - C. *tanacetifolia var. leeana*, *Hort.*
- C. *Douglasii*, *Lindl.* Bot. Reg. t. 1810. Western North America.
- C. *punctata var. brevispina*, *Dougl.*
 - C. *rivularis*, *Brewer & Watson* (not *Nuttall*).).
 - C. *sanguinea*, *Nutt.*
 - C. *sanguinea var. Douglasii*, *Torr. & Gray.*
- Var. *rivularis*, *Sargent Silva of North America* t. 176.
- C. *macnabiana*, *Hort.*
 - C. *rivularis*, *Nuttall.*
 - Mespilus *rivularis*, *Wenzig.*
- C. *dsungarica*, *Zabel.* Northern Asia.
- C. *pinnatifida var. songariča*, *Dippel.*
- C. *durobriensis*, *Sargent.* Western New York.
- C. *fecunda*, *Sargent.* Missouri.
- C. *elliptica*, *Hort.*
- C. *flava*, *Ait.*; *Sargent Silva of North America* t. 189.
South-eastern United States. "Yellow Haw."
- C. *carolina*, *Pers.* (not *Lodd.*).
 - C. *flava var. lobata*, *Lindl.* Bot. Reg. t. 1932.
 - C. *glandulosa*, *Ait.* (not *Willd.*).
 - C. *turbinata*, *Pursh.*
 - Mespilus *caroliniana*, *Poir.*
 - M. *flava*, *Willd.*
 - M. *flexispina*, *C. Koch* (not *Moench*).
 - M. *turbinata*, *Spreng.*
- Var. *elliptica*.

- C. Heldreichii, *Boiss.* Greece.
- C. heterophylla, *Flügge*; Bot. Reg. t. 1161 and 1847. Orient.
- C. Azarolus var. heterophylla, *Regel.*
 - C. monogyna var. heterophylla, *Hort.*
 - C. multiflora, *Hort.*
 - C. Oxyacantha var. heterophylla, *Hort.*
 - Mespilus Aronia, *Wats.* Dendr. Brit. t. 165 (not *Willd.*).
 - M.-constantinopolitana, *Hort.*
 - M. heterophylla, *C. Koch.*
- C. hiemalis, *Lange* Revis. Spec. Crat. t. 9. Origin uncertain.
- C. Crus-galli × pentagyna, *Koehne.*
- Var. pubescens, *Dippel.*
- C. integriloba, *Sargent.* Northern United States and Canada.
- C. intricata, *Lange* Revisio Spec. Crat. t. 1. North America.
- C. Korolkowi, *L. Henry* Rev. Hortic. 1901, 308 t. Central Asia.
- C. lambertiana, *Lange* (nigra? × sanguinea). Garden Origin.
- C. laurentiana, *Sargent.* Canada.
- C. lobulata, *Sargent.* Western New England.
- C. macracantha, *Lodd.* United States.
- C. coccinea var. macracantha, *Dudley.*
 - C. glandulosa, *Willd.* (not *Aiton*). Bot. Cab. t. 1012.
 - C. glandulosa var. macracantha, *Lindl.* Bot. Reg. t. 1917.
 - C. pruinosa, *Hort.* (not *Wendl.*).

C. maloides, *Sargent.* Eastern Florida.

C. melanocarpa, *Bieb.* Caucasus, &c.

C. lambertiana, *Hort.*

C. monogyna var. nigra, *Pall.*

C. oliveriana, *Bosc.*

C. Oxyacantha var. oliveriana, *Lindl.* Bot. Reg. t. 1933.

C. Pallasii, *Griseb.*

C. platyphylla, *Lindl.* Bot. Reg. t. 1874.

C. mexicana, *Mor. & Sess.*; Bot. Reg. t. 1910. Mexico.

Mespilus mexicana, *C. Koch.*

C. mollis, *Scheele*; *Sargent Silva of North America*, t. 182. United States.

C. coccinea var. mollis, *Torr. & Gray.*

C. coccinea glandulosa, *Hort.*

C. coccinea Kelmanni, *Hort.*

C. mespilifolia, *Hort.*

C. subvillosa, *Torr.*

C. texana, *Buckley.*

C. tomentosa, *Emers.* (not *L.*).

C. tomentosa var. mollis, *A. Gray.*

C. urasina, *Hort.*

Mespilus coccinea, *Schmidt* (not *L.*).

M. coccinea var. pubescens, *Tausch.*

M. pubescens, *Wendl.* (not *Humb. & Boupl.*).

C. nigra, *Waldst. & Kit.*; Lodd. Bot. Cab. t. 1021. Eastern Europe.

C. carpathica, *Lodd.*

C. versicolor, *Rochel.*

Mespilus nigra, *Willd.*



C. nitida, *Sargent.* Illinois.

C. viridis var. nitida, *Britt. & Br.* Illustr. Fl. ii. 242, f.

C. occidentalis, *Britton.* Northern Rocky Mountain region.

C. erythropoda, *Ash.*

C. orientalis, *Pall.*; Bot. Reg. t. 1852. Orient.

C. flatellata, *Heldr.*

C. odorata, *Bosc.*

C. odoratissima, *Lindl.* Bot. Reg. t. 1885.

C. sanguinea, *Schrad.* (not *Pallas*).

C. schraderiana, *Ledeb.*

C. Tournefortii, *Griseb.*

Mespilus Aronia, *Willd.*

C. Oxyacantha, *L.* Europe, North Africa, West Asia
“Hawthorn, Whitethorn.”

Sub-species *monogyna*, *Jacq.*

Mespilus monogyna, *Willd.*

M. Oxyacantha, *DC.*

M. triloba, *Poir.*

Var. *aurea*, *Loud.*

C. flava, *Hort.*

Var. *auriculata*, *Mérat.*

Var. *cabulica*, *Hort.*

Var. *crispa pendula*, *Hort.*

Var. *eriocarpa*, *Hort.*

Var. *flexuosa*, *Loud.*

C. tortuosa, *Hort.*

Var. *foliis argenteis*, *Hort.*

C. Oxyacantha variegata, *Hort.*

Sub-species monogyna—*cont.*

Var. *foliis aureis*, *Lodd.*

C. *Oxyacantha lutescens*, *Hort.*

Var. *fusca*, *Hort.*

Var. *fuscata*, *Hort.*

Var. *Gireoudi*, *Späth.*

Var. *granatensis*.

Var. *Gumperi versicolor*, *Hort.*

Var. *horrida*, *Hort.* *Gard. Chron.* 1898, xxiv. 13, f. 5.

C. *spinosisima*, *Hort.* (not *Lodd.*).

Var. *Insegnae*.

C. *brevispina*, *Kunze.*

C. *Insegnae*, *Tineo.*

C. *monogyna var. brevispina*, *Dippel.*

Var. *laciniata*, *Loud.*

C. *apiifolia*, *Hort.*

C. *dissecta*, *Hort.*

C. *fissa*, *Bosc.*

C. *laciniata*, *Lodd.*

Var. *macrocarpa*.

C. *macrocarpa*, *Hegetsch.*

Var. *oxyphylla*.

Var. *pendula*, *Lodd.*

Var. *pendula variegata*.

Var. *pinnatiloba*.

Var. *polyacantha*.

C. *polyacantha*, *Jan.*

Var. *praecox*, *Hort.* “Glastonbury Thorn.”



Sub-species monogyna—cont.

- Var. *pteridifolia*, *Loud.*
- C. pectinata*, *Hort.*
- C. pterifolia*, *Lodd.*
- Var. *quercifolia*, *Hort.*
- Var. *ramulis aureis*.
- Var. *Reginae*, *Hort.*
- Var. *rubrinervis*.
- Var. *salisburifolia*.
- Var. *semperflorens*. *Carr.*
- C. Bruantii*, *Hort.*
- Var. *sesteriana*, *Hort.*
- Var. *sibirica*, *Loud.*
- C. sibirica*, *Lodd.*
- Var. *stricta*, *Lodd.*
- C. fastigiata*, *Hort.*
- C. Oxyacantha var. rigida*, *Ronalds.*
- Var. *variegata*.
- Var. *Zaboon*, *Hort.*

Sub-species, oxyacanthoides (*Thunill.*) ; Bot. Reg. t. 1128.

- C. Oxyacantha glomerata*, *Hort.*
- C. obtusata*, *DC.*
- Mespilus Oxyacantha*, *C. Koch.*
- Var. *atrofusca*, *Hort.*
- Var. *flore pleno albo*, Fl. des. Serres **xv**. t. 1509 (2).
- Var. *flore pleno coccineo*, Ill. Hort. t. 536.
- Var. *flore pleno puniceo*.
- Var. *flore pleno roseo*.



Sub-species, oxyacanthoides—cont.

Var. *flore pleno rubro*, Fl. des Serres xv. t. 1509 (3).

Var. *flore puniceo*, Fl. des Serres xv. t. 1509 (1).

Var. *fructu luteo*.

Var. *incisa*, *Hort.*

C. pastorum, Sargent. Massachusetts.

C. pentagyna, Kit. Eastern Europe.

Mespilus pentagyna, *C. Koch.*

C. pinnatifida, Bunge. China, &c.

C. Oxyacantha var. pinnatifida, *Regel.*

C. dahurica, *Hort.*

Mespilus pinnatifida, *C. Koch.*

Var. major, N.E.Br. Gard. Chron. 1886, xxvi. 621, f. 121.

C. californica, *Hort.*

C. chinensis, *Hort.*

C. Korolkowi, *Hort.* (not *L. Henry*).

C. Layi, *Gord.*

C. tartarica, *Hort.*

praecox, Sargent. Northern United States and Canada.

C. glandulosa typica, *Regel.*

Pringlei, Sargent. Northern United States and Canada.

pruinosa, Wendl. Northern United States.

punctata, Jacq.; Sargent Silva of North America t. 184.

East and North America.

C. latifolia, *DC.*

C. Loddigesii, *Hort. Segr.*

C. obovatifolia, *Roem.*

C. tomentosa var. punctata, *A. Gray.*



C. punctata—*cont.*

Mespilus cuneifolia, *Ehrh.*
M. cuneiformis, *Marsh.*
M. punctata, *Loisel.*
M. pyrifolia, *Desf.* (not *Willd.*).

Var. *brevispina*.

Var. *striata*.

Var. *xanthocarpa*, *Jacq.*; *Arb. Segrez.* t. 16.

C. aurea, *Hort.*

Mespilus cornifolia, *Poir.*

C. Pyracantha, *Pers.* South Europe, &c. “Buisson ardent.”

Cotoneaster Pyracantha, *Spach.*

Mespilus Pyracantha, *L.*

Pyracantha coccinea, *Roem.*

Var. *Lalandi*, *Hort.*

Var. *pendula*.

C. sanguinea, *Pall.* Siberia, &c.

C. praecox, *Hort.*

C. purpurea, *Loud.*

C. spinosissima, *Lodd.* *Bot. Cab.* t. 1100.

Mespilus sanguinea, *C. Koch.*

Var. *songorica*.

Mespilus dsungarica, *Hort.*

sinaica, *Boiss.* Orient.

C. Aronia, *Decne.*

C. maroccana, *Lindl.* *Bot. Reg.* t. 1855.

sorbifolia, *Lange.* Origin unknown.

C. *spathulata*, *Michx.*; Sargent Silva of North America t. 185. Southern United States.

C. microcarpa, *Lindl.* Bot. Reg. t. 1846.

C. virginica, *Hort.*

Cotoneaster spathulata, *Wenzig.*

Mespilus spathulata, *Poir.*

C. *succulenta*, *Link.*; Lange Revis. Spec. Crat. t. 8b. Northern United States and Canada.

C. glandulosa var. *succulenta*, *Lauche.*

C. macracantha var. *minor*, *Loud.*

C. rotundifolia var. *succulenta*, *Dippel.*

Mespilus succulenta, *Sweet.*

C. *tanacetifolia*, *Pers.*; Bot. Reg. t. 1884. Orient.

Mespilus tanacetifolia, *C. Koch.*

Var. *fructu albo*.

C. *tiliaeefolia*, *Kochne.* North America.

Mespilus tiliaefolia, *C. Koch.*

C. *tomentosa*, *L.*; Sargent Silva of North America t. 183. Eastern United States, &c.

C. elliptica, *Hort.*

C. latifolia, *Pers.*

C. leucophloeos, *Moench.*

C. pyrifolia, *Ait.* (not *Desf.*).

C. tomentosa var. *pyrifolia*, *A. Gray.*

Mespilus Calpodendron, *Ehrh.*

M. latifolia, *Poir.*

M. pyrifolia, *Willd.*

M. tomentosa, *Castigl.*



C. uniflora, *Muench.*; Sargent Silva of North America t. 191. Southern United States.

C. aemula, *Hort. Paris.*

C. betulaefolia, *Lodd.*

C. flexuosa, *DC.*

C. florida, *Lodd.*

C. grossulariaefolia, *Lodd.*

C. parvifolia, *Adans.*

C. Pinshow, *Hort.*

C. unilateralis, *Pers.*

Mespilus axillaris, *Pers.*

M. flexispina, *Muench.*

M. flexuosa, *Poir.*

M. parvifolia, *Willd.*

M. uniflora, *Wenzig.*

M. xanthocarpa, *L. jit.*

C. Vailiae, *Britton*: Britt. & Br. Illustr. Fl. ii. 245, f. Virginia and North Carolina.

C. viridis, *L.*; Sargent Silva of North America t. 187. Southern United States.

C. apiifolia, *Loud.* (not *Michx.*).

C. arborescens, *Elliott.*

C. trilobata, *Hort.*

Cotoneaster acuminata, *Lindl.* Himalaya.

C. royleana, *Hort.*

Mespilus acuminata, *Lodd.* Bot. Cab. t. 919.

C. acutifolia, *Lindl.* (not *Turcz.*). Mongolia.

C. lucida, *Schlecht.*

C. sinensis, *Hort.*

Var. *pekinensis*, *Koechne.*



C. affinis, *Lindl.* Himalaya.

C. rosea, *Edgr.*

Mespilus affinis, *D. Don.*

C. arborescens, *Zabel.* Himalaya.

C. compta, *Hort.* (not *Lemaire*).

C. granatensis, *Hort.* (not *Boiss.*).

C. Lindleyi, *Hort.* (not *Steud.*).

C. nummularia, *C. Koch.*

C. bacillaris, *Wall.* Himalaya.

C. obtusa, *Wall.*

Var. *floribunda*, *Hort.*

C. buxifolia, *Wall.*; *Refug. Bot.* i. t. 52. Himalaya.

C. hookeriana, *Hort.*

C. marginata, *Hort.*

C. repens, *Hort.*

C. uniflora, *Hort.* (not *Bunge*).

C. Wheeleri, *Hort.*

C. disticha, *Lange.* Himalaya.

C. Hookeri, *Hort.*

C. Franchetii, *Bois*; *Rev. Hortic.* 1902, 379, ff. 159, 160, 161, 164. Yunnan.

C. frigida, *Wall.*; *Bot. Reg.* t. 1229. Himalaya.

C. affinis, *Hort.* (not *Lindl.*).

C. himalayensis, *Hort.*

C. horizontalis, *Decne.*; *Rev. Hort.* 1889, 348. Himalaya.

C. davidianna, *Hort.*

C. acuminata, *Lindl.* var. *prostrata*, *Dippel.*



C. integerrima, Medic. Mountains of Europe. &c.

C. melanocarpa, Bl.

C. nigra, Wahlberg.

C. villosa, Hort.

C. vulgaris, Lindl.

Crataegus Cotoneaster, Borkh.

Mespilus Cotoneaster, L.

M. melanocarpa, Fisch.

C. lanata, Decne. Himalaya.

C. laxiflora, Jacq. ; Bot. Reg. t. 1305 ; Bot. Mag. t. 3519.
Siberia.

C. Lindleyi, Steudel. Himalaya.

C. elliptica, Hort.

C. laevis, Hort.

C. nummularia, Lindl. (not Fisch. & Mey.). Loud.
Arboret. . . . Brit. ii. 872, f.

C. microphylla, Wall. ; Bot. Reg. t. 1114. Himalaya.

Var. *glacialis*, Hook. f.

C. congesta, Baker Refug. Bot. i. t. 51.

C. multiflora, Bunge. China.

C. reflexa, Curr.

C. vulgaris var. glabrata.

C. Nummularia, Fisch. & Mey. Europe, Asia.

C. Fontanesii, Spach.

C. racemiflora, C. Koch.

Mespilus racemiflora, Desf.

C. pannosa, Franch. : Le Jardin 1898, f. 120 : Rev. Hortic.
1902, 381, f. 163. Yunnan.

C. rotundifolia, Wall. ; Refug. Bot. i. t. 54. Himalaya.

C. microphylla var. Uva-ursi, Lindl.

Var. *prostrata*, Baker Refug. Bot. i. t. 53.

C. Simonsii, *Baker* Refug. Bot. i. t. 55. Himalaya.

C. acutifolia, *Turez.*

C. himalaiensis, *Hort.*

C. nepalensis, *Hort.*

C. thymifolia, *Baker* Refug. Bot. i. t. 50. Himalaya.

C. tomentosa, *Lindl.* Alps, &c.

Mespilus coccinea, *Waldst. & Kit.*

M. eriocarpa, *DC.*

M. tomentosa, *Mill.*

C. uniflora, *Bunge.* Siberia, &c.

C. nigra var. uniflora, *Regel.*

C. Uva-ursi, *Pall.*

***Photinia benthamiana**, *Hance.* China.

P. serrulata, *Lindl.* China.

P. dentata, *Hortl.*

P. glabra, *Hort.* (not *Decne.*).

Crataegus glabra, *Thunb.*; Bot. Mag. t. 2105.

C. serratifolia, *Desf.*

Var. *rotundifolia*.

P. variabilis, *Hemsl.* China and Japan.

P. laevis, *DC.*

P. villosa, *DC.*

Crataegus laevis, *Thunb.*

C. villosa, *Thunb.*

Pourthiae arguta, *Hort.* (not *Decne.*).

Heteromeles arbutifolia, *Roemer.* California. "Toyon or Tollen."

Photinia arbutifolia, *Lindl.* Bot. Reg. t. 491.



- ***Eriobotrya japonica**, Lindl. China and Japan. "Loquat."
Mespilus japonica, Thunb.; Bot. Reg. t. 365.
Photinia japonica, Franch. & Sav.

- ***Raphiolepis japonica**, Sieb. & Zucc. Japan.
R. integerrima, Hort.
R. japonica, Sieb. & Zucc. var. *integerrima*, Hook. Bot. Mag. t. 5510.
R. Mertensii, Sieb. & Zucc.
R. ovata, Hort.
Mespilus Seiboldi, Blume.

- ***Stranvaesia glaucescens**, Lindl. Bot. Reg. t. 1956. Himalaya.

- S. undulata**, Decne. China.

- Amelanchier alnifolia**, Nutt.: Garden and Forest 1888, 185.
 North-western America.

- A. alpina*, Hort.
A. canadensis var. *alnifolia*, Torr. & Gray.
A. canadensis var. *florida*, Hort.
A. canadensis var. *florida parvifolia*, Hort.
A. canadensis var. *pumila*, Torr. & Gray.
A. florida, Lindl. Bot. Reg. t. 1589.
A. japonica, Hort. (not Miquel).
A. montana, Hort.
A. ovalis var. *semi-integritolia*, Hook.
A. parvifolia, Hort.
Aronia alnifolia, Nutt.

- A. asiatica**, Walpers. Japan.

- A. canadensis* var. *japonica*, Miq.
A. japonica, Miq.
Aronia asiatica, Sieb. & Zucc.



A. *canadensis*, *Medic.* North America. "June-berry,
Service-berry."

A. asiatica, *Hort.* (not *Walp.*).

A. Botryapimum, *Lindl.*

A. canadensis var. sanguinea, *DC.*

A. canadensis var. spicata, *Lam.*

A. lancifolia, *Hort.*

A. ovalis, *Medic.*

A. sanguinea, *Lindl.* Bot. Reg. t. 1171.

A. spicata, *C. Koch.*

A. stricta, *Hort.*

Aronia *Botryapimum*, *Pers.*

A. sanguinea, *Nutt.*

Crataegus racemosa, *Lam.*

C. spicata, *Lam.*

Mespilus arborea, *Michx.*

M. canadensis, *L.*

M. nivea, *Marsh.*

Pyrus Botryapimum, *L. f.*

P. sanguinea, *Pursh.*

Var. *oblongifolia*, *Torr. & Gray*; Bot. Mag. t. 7619.

Eastern United States and Canada. "Swamp
Sugar Pear."

A. canadensis var. obovalis, *Sargent.*

A. oblongifolia, *Roem.*

A. *oligocarpa*, *Roem.*; Garden and Forest 1888, 245, f. 41.

Northern United States.

A. *utahensis*, *Koehne*. North America.

A. *vulgaris*, *Moench.*; Gard. Chron. 1890, vii. 621, f. 104.

Europe, &c.

A. rotundifolia, *Deene.*

Aronia Amelanchier, *Reichb.*



A. vulgaris—cont.

- A. rotundifolia*, *Pers.*
Crataegus Amelanchier, *Desf.*
C. rotundifolia, *Lam.*
Mespilus Amelanchier, *L.*
Pyrus Amelanchier, *Willd.*
Sorbus Amelanchier, *Crantz.*

Var. *cretica*, *Boiss.* Asia Minor, &c.

- Amelanchier cretica*, *C. Koch.*
A. suborbicularis, *Borkh.*
Aronia cretica, *Pers.*
Crataegus cretica, *Desf.*
Pyrus cretica, *Willd.*

Peraphyllum ramosissimum, *Nutt.*: Bot. Mag. t. 7420.
Oregon, &c.

Saxifragacēae.

**Hydrangea altissima*, *Wall.* Himalaya.

H. arborescens, *L.* : Bot. Mag. t. 437. Eastern United States.

- H. cordata*, *Pursh*; *Wats.* Dendr. Brit. i. t. 42.
H. frutescens, *Marsh.*
H. urticaefolia, *Hort.*
H. vulgaris, *Mickev.*

H. aspera, *D. Don.* Himalaya and China.

Var. *macrophylla*, *Hemsl.* China.

H. Bretschneideri, *Dipp.* China.

- H. pekinensis*, *Hort.*
H. pubescens, *Decne.*

H. vestita var. pubescens, *Maxim.* Garden and Forest 1890, 17, f. 3 : 1893, 396, f. 60.



**H. hortensis*, *Sm.* : Bot Mag. t. 438. China and Japan.

H. Hortensia, *DC.*

H. japonica, *Sieb.*

H. mutabilis, *Hort.*

H. opuloides, *Lam.*

Hortensia mutabilis, *Hort.*

H. rosea, *Desf.*

H. speciosa, *Pers.*

Var. *acuminata*, *A. Gray.*

H. acuminata, *Sieb. & Zucc.* Fl. Jap. t. 56; Rev.
Hort. 1874, t. 91.

H. Buergeri, *Sieb. & Zucc.* Fl. Jap. t. 57.

Var *Lindleyi*.

H. hortensis roseo-alba.

H. japonica var. *coerulescens*, *Regel.*

H. japonica var. *Lindleyi*.

H. japonica var. *roseo-alba*, *Regel.*

H. roseo-alba, Fl. des Serres tt. 1649-50.

*Var. *Mariesii*. Garden liv. t. 1196.

*Var. *nigra*.

Hortensia nigra, *Carr.*

Hydrangea cyanoclada, *Hort.*

H. mandschurica nova, *Hort.*

H. opuloides cyanoclada, *Dipp.*

H. ramis pictis, *Hort.*

Var. *stellata*, *Marm.*

H. stellata, *Sieb. & Zucc.* Fl. Jap. t. 59.

Var. *stellata fimbriata*.

Var. *stellata rosea*.

*Var. *variegata*.

H. japonica variegata, *Regel.*



**H. involucrata*, Sieb. & Zucc. Fl. Jap. tt. 63, 64. Japan.

H. longipes, Hemsl. China.

H. paniculata, Sieb. & Zucc. Fl. Jap. t. 61. Japan.

Var. *grandiflora*, Sieb.

H. paniculata var. *floribunda*, Regel Gartenflora 1867, t. 530.

H. paniculata var. *hortensis*, Marim.

H. petiolaris, Sieb. & Zucc.; Bot. Mag. t. 6788. Japan.

H. bracteata, Sieb. & Zucc.

H. cordifolia, Sieb. & Zucc.

H. scandens, Maxim.

Schizophragma hydrangeoides, Hort. (not Sieb. & Zucc.).

H. quercifolia, Bartr.; Bot. Mag. t. 975. Southern United States.

H. platanifolia, Hort.

H. radiata, Walt.; Britt. & Br. Illustr. Fl. ii. 185, f. South-eastern United States.

H. discolor, Rafin.

H. nivea, Michx.; Wats. Dendr. Brit. i. t. 43.

Var. *canescens*, Nichols.

H. canescens, C. Koch.

Hydrangea glauca, Hort.

H. sinensis, Hort.

H. serrata, Ser. Japan.


H. Thunbergi, Sieb.; Sieb. & Zucc. Fl. Jap. t. 58. Japan.

H. cyanea, Hort.

H. vestita, Wall. Himalaya.

H. heteromalla, D. Don.

H. pubescens, Deene.; Gard. Chron. 1884, xxii. 617. f. 107.



- H. virens*, Sieb. ; Sieb. & Zucc. Fl. Jap. t. 60. Japan.
- Schizophragma hydrangeoides*, Sieb. & Zucc. Fl. Jap. t. 26. Japan.
- S. integrifolia*, Oliver Icon. Plant. t. 1934. China.
- **Deutzia corymbosa*, R. Br. Himalaya.
- D. crenata*, Sieb. & Zucc. Fl. Jap. i. 19, t. 6. Japan.
- D. californica, Hort.
 - D. Fortunei, Hort.
 - D. scabra, Lindl. Bot. Reg. t. 1718 (not Thunb.).
 - D. scabra var. crenata, Maxim.
 - D. sieboldiana, Hort. (not Maxim.).
 - D. Watereri, Hort.
 - Var. flore pleno extus purpurea.
 - Var. punctata.
- D. discolor*, Hemsl. China.
- Var. purpurascens. Bot. Mag. t. 7708.
- D. gracilis*, Sieb. & Zucc. ; Flore des Serres vi. 611. Japan.
- Var. foliis aureis.
 - Var. marmorata.
 - Var. variegata.
- D. gracilis campanulata*, Hort. (*gracilis* ♀ × *discolor* purpurascens ♂).
- D. kalmiaeiflora*, Lemoine. (*gracilis* purpurascens ♀ × *parviflora* ♂).
- D. Lemoinei*, Hort. (*gracilis* × *parviflora*). Le Jardin 1895. 243.
- D. parviflora*, Bunge : Garden and Forest 1888, 365. China.
- D. scabra*, Thunb. ; Sieb. & Zucc. Fl. Jap. t. 7. China and Japan.



D. setchuenensis, *Franch.* China.

D. corymbiflora, *Lemoine* Rev. Hort. 1898, 402, f. 138.

D. corymbosa, *André* Rev. Hort. 1897, 466, f. 139.

D. sieboldiana, *Marin.* Japan.

D. staminea, *R. Br.*; Bot. Reg. xxxiii. t. 13. Himalaya.

D. brunoniana, *Wall.*

D. canescens, *Hort.*

D. corymbosa, *Lindl.* Bot. Reg. xxvi. t. 5.

**Decumaria barbara*, *L.*; *Britt.* & *Br.* Illustr. Fl. ii. 185, f. Southern United States.

D. Forsythia, *Michx.*

D. radicans, *Moench.*

D. sarmentosa, *Bosc.*

D. scandens, *Salish.*

Forsythia scandens, *Wall.*

Philadelphus acuminatus, *Lange* Bot. Tidsskrift ser. 3, vol. ii. 131, t. 2. Origin uncertain.

P. cordifolius, *Lange* Botanisk Tidsskrift ser. 3, vol. ii. t. 3. Origin uncertain.

P. coronarius, *L.* Asia. "Mock Orange."

P. triflorus, *Hort.*

Var. *dianthiflorus plenus*.

Var. *flore pleno*.

Var. *foliis argenteo-variegatis*.

Var. *foliis aureis*.

Var. *nanus*, *Mill.*

Var. *Satsumi*, *Marin.*

Var. *tomentosus*, *Hook. f. & Thoms.* Himalaya to China.

Philadelphus tomentosus, *Wall.*



P. *Falconeri*, *Hort.* Origin uncertain.

P. *gordonianus*, *Lindl.* Bot. Reg. xxv. t. 32. Western United States.

P. *grandiflorus*, *Willd.*; Britt. & Br. Illustr. Fl. ii. 186, f. Southern United States.

Philadelphus columbiensis, *Hort.*

P. *inodorus* var. *grandiflorus*, *A. Gray.*

P. *laxus*, *Lodd.*

P. *speciosus*, *Schrad.*; Bot. Reg. t. 2003.

Deutzia corymbosa, *Hort.*

D. *sanguinea*, *Hort.*

Var. *floribundus*, *Torr. & Gray.*

P. *floribundus*, *Schrad.*

P. *grandiflorus*, *Lindl.* Bot. Reg. t. 570.

P. *latifolius*, *Schrad.*

P. *verrucosus*, *Schrad.*

P. *Zeyheri*, *Schrad.*

Var. *laxus*, *Torr. & Gray.*

P. *humilis*, *Hort.*

P. *ignea*, *Hort.*

P. *laxus*, *Schrad.*

P. *pubescens*, *Lodd.*

P. *hirsutus*, *Nutt.*; Bot. Mag. t. 5334. Oregon.

Philadelphus Godohokeri, *Hort.*

P. *gracilis*, *Lodd.*

P. *trinervius*, *Schrad.*

P. *vilosus*, *Lodd.*

Deutzia Godohokeri, *Hort.*

P. *inodorus*, *L.*; Britt. & Br. Illustr. Fl. ii. 186. Southern United States.

P. insignis, *Carr.* Garden origin.

P. Billardi, *Hort.*

P. Lemoinei, *Hort.* (*microphyllus* × *coronarius*) Garden and Forest 1889, f. 154. Garden origin.

Var. *erectus*.

P. Lewisii, *Pursh.* Western North America.

P. thyrsiflorus, *Hort.*

P. sanguineus, *Hort.*

Var. *californicus*, *A. Gray.* California.

P. coronarius nivalis, *Hort.*

P. nivalis, *Hort.*

**P. mexicanus*, *Schlecht.*; Gard. Chron. 1883, xix. 753, f. 123; Bot. Mag. t. 7600. Mexico.

P. microphyllus, *A. Gray*; Gard. Chron. 1887, ii. 156. Colorado, &c.

P. pekinensis, *Rupr.* China.

P. Satsumi, *Siebold*; Lindl. & Paxt. Fl. Gard. ii. 103, f. 188. Japan, &c.

Philadelphus japonicus, *Hort.*

P. Ledebourii, *Hort.*

P. pulchella, *Hort.*

P. Roylei, *Hort.*

P. Schrenckii, *Rupr.*

P. speciosus, *Hort.*

P. Yokohama, *Sieb.*

Deutzia japonica, *Hort.*

D. pulchella, *Hort.*

P. undulatus, *Hort.* Origin unknown.

**Platycrater arguta*, *Sieb.* & *Zucc.* Fl. Jap. i. t. 27. Japan.

P. Sieboldii, *Hort.*

Jamesenia americana, *Torr. & Gray*; Bot. Mag. t. 6142.
Rocky Mountains.

Fendlera rupicola, *A. Gray*; Garden and Forest 1889,
112, f. 98. South-west United States.

**Carpentaria californica*, *Torrey*; Bot. Mag. t. 6911.
California.

Escallonia exoniensis, *Hort.* Garden origin.

**E. floribunda*, *H. B. & K.*; Bot. Mag. t. 6404. Colombia,
Ecuador, &c.

**E. illinita*, *Prest.*; Bot. Reg. t. 1900. Chili.

E. langleyensis, *Hort.*; Gard. Chron. 1898, xxiv. 11, f. 4.
E. macrantha \times *philippiana*. Journ. of Hortic. 1897,
Sept. 9, 237, f. 33.

**E. littoralis*, *Phil.* Chili.

**E. macrantha*, *Hook. & Arn.*; Bot. Mag. t. 4473. Chiloe.
E. bicolor, *Hort.*
E. Ingrami, *Hort.*
E. rubra Ingrami, *Hort.*

**E. montana*, *Phil.* Chili.

**E. montevidensis*, *DC.*; Bot. Reg. t. 1467. Montevideo, &c.
E. floribunda var. *montevidensis*, *Cham. & Schlecht.*

E. philippiana, *Masters* Gard. Chron. 1878. x. 109, f. 13.
Valdivia.

**E. pterocladioides*, *Hook.* Bot. Mag. t. 4827. Western Patagonia.

**E. pulverulenta*, *Pers.*; Sweet Brit. Fl. Garden ser. ii.
t. 310 Chili.

**E. punctata*, DC. Chili.

E. rubra var. punctata, Hook. f. Bot. Mag. t. 6599.

E. sanguinea, Hort.

**E. revoluta*, Pers.; Bot. Mag. t. 6949. Chili.

E. affinis, Ruprecht.

**E. rubra*, Pers.; Bot. Mag. t. 2890. Chili.

Var. *pallida*.

E. poeppigiana, DC.

**E. viscosa*, Forbes; Ic. Selectae Horti Thenensis i. t. 16. Chili.

**Itea ilicifolia*, Oliver; Hook. Icon. Plant. t. 1538. China.

I. virginica, L.; Bot. Mag. t. 2409. Eastern United States.

**Weinmannia trichosperma*, Cav. Chili.

Ribes alpinum, L.: Lodd. Bot. Cab. t. 1486; Eng. Bot. ed. 3, t. 519. Northern Hemisphere.

Ribes grossulariaefolium, Reichb.

R. opulifolium, Hort.

Var. *foliis aureis*, Hort.

Var. *laciniatum*, Hort.

Var. *pumilum*, Lindl.

Var. *sterile*, Wallr.

R. dioicum, Moench.

R. americanum, Mill. North America.

Ribes campanulatum, Moench.

R. floridum, L'Hérit.; Britt. & Br. Illustr. Fl. ii. 191, f.

R. missouriense, Hort. (not Nuttall).

R. pensylvanicum, Lam.

R. recurvatum, Michx.

Coreosma florida, Spach.

R. amictum, *Grene.* California, &c.

R. aureum, *Pursh*; Bot. Reg. t. 125. Western North America. "Buffalo or Missouri Currant."

Ribes fragrans, *Lodd.* Bot. Cab. t. 1533.

R. odoratum, *Wendl.*

R. palmatum, *Desf.*

R. utahense, *Hort.*

Chrysobotrya revoluta, *Spach.*

Var. *aurantiacum*, *Hort.*

Var. *praecox*, *Lindl.*

Var. *serotinum*, *Lindl.*

Var. *tenuiflorum*, *Torr.*

R. tenuiflorum, *Lindl.* Bot. Reg. t. 1274.

R. bracteosum, *Dougl.*: Bot. Mag. t. 7419. Western North America.

R. cereum, *Dougl.*: Bot. Mag. t. 3008. Western United States, &c.

R. inebrians, *Lindl.* Bot. Reg. t. 1471.

R. Kunthii, *Hort.*

R. mexicanum, *Hort.*

R. reniforme, *Nutt.*

R. Cynosbati, *L.*; Loud. Arb. ii. 970, f. 719. Eastern United States.

R. gracile, *Torrey.*

Grossularia Cynosbati, *Spach.*

R. Diacantha, *Pall.* Fl. Ross. t. 66. Siberia, &c.

R. cuneatum, *Kar.* & *Kir.*

R. saxatile, *Pall.*

Grossularia diacantha, *Mill.*

Var. *atrorubens*.

Var. *melanocarpum*.

- R. *divaricatum*, *Dougl.*; Bot. Reg. t. 1359. Western North America.
 R. *triflorum*, *Hook.*
 R. *villosum*, *Nutt.* (not *Gay*).
- R. *fasciculatum*, *Sieb. & Zucc.*; Möller's Deutsche Garten-Zeitung 1889, 571. Japan, &c.
- Var. *Billiardii*.
 R. *Billiardii*, *Carr.*
- Var. *chinense*.
- R. *gordonianum*, *Lem.* (*sanguineum* × *aureum*); Fl. des Serres ii. 165. Garden origin.
 R. *Beatonii*, *Hort.*
 R. *londonianum*, *Hort.*
- R. *gracile*, *Michx.* North-western United States.
 R. *missouriense*, *Nutt.*
 R. *niveum*, *Lindl.* Bot. Reg. t. 1692.
 Grossularia *nivea*, *Spach.*
- R. *Grossularia*, *L.*; Eng. Bot. ed. 3, t. 518. Northern Hemisphere. "Gooseberry."
 R. *alpestre*, *Wall.*
 R. *Uva-crispa*, *DC.*
- R. *grossularioides*, *Maxim.* China and Japan.
 R. *macrocalyx*, *Hance.*
- R. *himalayense*, *Decne.* (not *Royle*). Himalaya.
- R. *lacustre*, *Poir.*; Bot. Mag. t. 6492. North America.
 R. *echinatum*, *Dougl.*
- R. *laxiflorum*, *Pursh.* Western United States.
 R. *affine*, *Dougl.*

R. Lobbii, *A. Gray*: *Gard. Chron.* 1883, xix. 11, f. 1.
California.

R. subvestitum, *Hook.* *Bot. Mag.* t. 4931.

R. Menziesii, *Pursh*: *Bot. Reg.* xxxiii. t. 56. Western
North America.

R. ferox, *Smith*.

R. multiflorum, *Waldst. & Kit.*: *Bot. Mag.* t. 2368. South-
east Europe.

R. album multiflorum, *Hort.*

R. urceolatum, *Tausch.*

R. vitifolium, *Host.*

R. nigrum, *L.*: *Engl. Bot. ed. 3*, t. 523. North Europe and
North Asia. "Black Currant."

Var. *altaicum*.

R. Dikuscha, *Fisch.*

Var. *dissectum*.

Var. *laciniatum*.

R. aconitifolium, *Hort.*

Var. *reticulatum aureum*.

Var. *variegatum*.

R. orientale, *Desf.* Orient, &c.

R. leptostachyum, *Deone*: *Jacq. Voyage iv*. 65 t. 76.

R. punctatum, *Lindl.* *Bot. Reg.* t. 1278 (not *Ruit* &
Par.).

R. oxycanthoides, *L.*: *Bot. Mag.* t. 6892. North America.
(Parent of the American garden Gooseberries.)

R. hirtellum, *Michx.*

R. irriguum, *Dougl.*

R. saxosum, *Hook.*

R. setosum, *Lindl.*

R. stenophyllum, *Hort.*

Var. *Purpusii*, *Smith*.

- R. petraeum, *Wulf.*; Reichb. Fl. Germ. xxiii. t. 138.
Europe, &c.
- R. atropurpureum, *C. A. Meyer.*
- R. Biebersteinii, *Berl.*
- R. carpaticum, *Kit.*
- R. caucasicum, *Bieb.*
- R. macrobotrys, *Hort.*
- R. prostratum ringens, *Hort.*
- R. ringens, *Hort.*
- R. triste, *Bunge.*
- R. pinetorum, *Greene.* New Mexico.
- R. prostratum, *L'Hérit.* North America.
- R. glandulosum, *Ait.*
- R. trifidum, *Michx.*
- R. punctatum, *Ruiz & Pav.*; Bot. Reg. t. 1658. Chili.
- R. robustum, *Hort.* Origin unknown.
- R. rotundifolium, *Michx.* Eastern United States.
- R. gracile, *Pursh* (not *Michx.*).
- R. triflorum, *Willd.*; Lodd. Bot. Cab. t. 1094.
- R. rubrum, *L.*; Eng. Bot. ed. 3, t. 520. Northern Hemisphere. "Red Currant."
- Var. album, *Desf.* "White Currant."
- Var. foliis luteo-variegatis.
- Var. Schlechtendalii.
- R. Schlechtendalii, *Lange* Flora Danica t. 2892.
North Europe.
- Var. smithianum, *Syme*; Eng. Bot. ed. 3, t. 521.
- Var. subglandulosum, *Maxim.*

R. sanguineum, *Pursh* ; Bot. Mag. t. 3335. California, &c.
"Flowering Currant."

Var. *albidum*, *Parton*.

Var. *atrorubens*.

Var. *atrosanguineum*.

Var. *carneum*, *Hort.*

R. *carnenum grandiflorum*, *Hort.*

Var. *davidianum*, *Hort.*

Var. *epruinosum*, *C. Koch*.

Var. *flore pleno*.

Var. *glutinosum*, *A. Gray*.

R. *glutinosum*, *Benth.*

Var. *intermedium*, *Hort.*

Var. *malvaceum*, *S. Wats.*

R. *malvaceum*, *Sm.* ; Sweet British Flower Garden
ser. ii. t. 340.

R. speciosum, *Pursh* : Bot. Mag. t. 3530. California.

R. *fuehnsioides*, *Mag. et Sessé*.

R. *stamineum*, *Sm.*

Robsonia *speciosa*, *Spach*.

R. stenocarpum, *Marin.* China.

R. valdivianum, *Phil.* Chili.

**R. viburnifolium*, *A. Gray*. California.

R. villosum, *C. Gay* : Bot. Mag. t. 7611. Chili.

R. *Bridgesii*, *Hort.*

R. *chilense*, *C. Koch*.

R. *gayanum*, *Hort.*

R. *Lavallei*, *Hort.*

Hamamelidaceae.

Parrotia jacquemontiana, Deene.; Bot. Mag. t. 7501. Western Himalaya.

Fothergilla involucrata, Falconer.

P. persica, C. A. Meyer; Bot. Mag. t. 5744. Persia.

Hamamelis persica, DC.

Fothergilla Gardeni, Murr. South-eastern United States.

Fothergilla alnifolia, L. f.; Bot. Mag. t. 1341.

F. carolina, Britt.

**Distylium racemosum*, Sieb. & Zucc. Flor. Jap. t. 94. Japan.

Sycopsis sinensis, Oliver Hook. Icon. Plant. t. 1931. China.

**Corylopsis himalayana*, Griff.; Bot. Mag. t. 6779. Himalaya.

**C. pauciflora*, Sieb. & Zucc. Fl. Jap. i. t. 20. Japan.

C. spicata, Sieb. & Zucc.; Bot. Mag. t. 5458. Japan.

Hamamelis arborea, Masters Gard. Chron. 1881, xv. 205, f. 38. Japan. "Mansak."

H. japonica, Hook. f. Bot Mag. t. 6659.

H. japonica, Sieb. & Zucc. Japan.

Var. *zuccariniana*.

H. zuccariniana, Hort.

H. mollis, Oliver Hook. Ic. Plant. t. 1742. China.

H. virginica, L.; Bot. Mag. t. 6684. Eastern North America. "Witch Hazel."

**Loropetalum chinense*, *R. Br.* : Gard. Chron. 1883, xix. 152, f. 23. China, &c.

Disanthus cercidifolia, *Maxim.* ; Garden and Forest 1893, 215. Japan.

**Liquidambar formosana*, *Hance* ; Hook. Icon. Plant. t. 1020. China and Japan.

L. acerifolia, *Maxim.*

L. Maximowiczii, *Miq.*

L. orientalis, *Mill.* ; Hook. Icon. Plant. t. 1019. Asia Minor.

L. imberbe, *Ait.*

L. styraciflua, *L.* : Sargent Silva of North America t. 199. United States. "Sweet Gum."

Myrtaceae.

**Eucalyptus coccifera*, *Hook. f.* Bot. Mag. t. 4637. Tasmania.

E. Gunnii, *Hook. f.* Flora Tasmaniae t. 27. Tasmania.

E. urnigera, *Hook. f.* : Gard. Chron. 1888, iii. 460, f. 64. Tasmania.

E. whittinghamensis, *Hort.*

**Myrtus communis*, *L.* Mediterranean region. "Myrtle." *M. lusitanica*, *Willd.*

Var. *tarentina*, *L.*

M. tarentina, *Mill.* : Laguna, Comision de la Flora Forestal Espanola t. 9a.

**M. Ugni*, *Molina*. Chili. "Myrtilla."

Engenia Ugni, *Hook. & Arn.* ; Bot. Mag. t. 4626.

Lythraceae.

Nesaea salicifolia, *H.B.K.*; *Reichb.* *Hort. Bot.* t. 166.
Tropical America.

Heimia salicifolia, *Link & Otto.*

Var. *grandiflora*, *Lindl.* *Bot. Reg.* xxvii. t. 60.

**Punica Granatum*, *L.*; *Bot. Mag.* t. 1832. Persia, &c.
"Pomegranate."

Var. *nana*.

Punica nana, *L.*; *Bot. Mag.* t. 634.

Onagraceae.

Zauschneria californica, *Presl*; *Bot. Mag.* t. 4493. California.

Fuchsia corallina, *Hort.* Garden origin.

F. exoniensis, *Hort.*

F. globosa, *Lindl.* *Bot. Reg.* t. 1556. Mexico.

F. macrostemma, *Ruiz & Pav.* South America.

F. coccinea, *Bot. Mag.* t. 97 (not *Aiton*).

F. gracilis, *Lindl.*

F. magellanica, *Lam.*

F. virgata, *Sweet.*

F. Riccartoni, *Hort.* Garden origin.

Passifloraceae.

'*Passiflora coerulea*, *L.*; *Bot. Mag.* t. 28. Southern Brazil.
"Passion Flower."

Umbelliferae.

**Bupleurum fruticosum*, *L.*; *Wats.* *Dendr. Brit.* i. t. 14.
Mediterranean region.

Araliaceae.

Aralia chinensis, *L. var. elata*, *Dippel.* China, &c.

A. mandschurica, *Rupr. & Maxim.*

Dimorphanthus elatus, *Miq.* *Comment. Phytogr.* t. 12.

D. mandschuricus, *Maxim.*

Var. *albo-marginata*.

Var. *canescens*.

A. spinosa canescens, *Hort.*

Var. *pyramidalis*, *Hort.*

A. spinosa, *L.*; *Sargent Silva of North America* t. 211.
Eastern United States. "Hercules' Club, Angelica
Tree."

Acanthopanax ricinifolium, *Seem.* China and Japan.

Aralia Maximowiczii, *Van Houtte Fl. des Serres*
xx. t. 2067.

A. ricinifolia, *Hort.*

Kalopanax ricinifolium, *Miq.*

Panax ricinifolium, *Sieb. & Zucc.*

A. sessiliflorum, *Seem.* China.

Panax sessiliflorum, *Rupr. & Maxim.*

P. sessilifolium, *C. Koch.*

A. spinosum, *Miq.* China and Japan.

Aralia pentaphylla, *Thunb.*

Panax spinosum, *L.*

Var. *variegatum*.

P. quinquefolium variegatum, *Hort.*



Fatsia horrida, *Benth.* & *Hook. f.*; Dippel Handbuch der Laubholzkunde iii. 239. North-west America and North-east Asia.

Echinopanax horridus, *Decne.* & *Planch.*

Oplopanax horridum, *Miq.*

Panax horridum, *Sm.*

F. japonica, *Decne.* & *Planch.*; Gartenflora 1863, t. 420.
Japan.

Aralia japonica, *Thunb.*

A. Sieboldii, *Sieb.*

Var. *variegata*.

Helwingia rusciflora, *Willd.*; *Sieb.* & *Zucc.* Fl. Jap. i. t. 86.
Japan.

H. japonica, *Morr.* & *Decne.*

H. ruscifolia, *Steud.*

Eleutherococcus senticosus, *Maxim.*: Gartenflora 1863,
t. 393. China.

**Dendropanax japonicum*, *Seem.* China, Japan, and Hi-malaya.

Hedera japonica, *Jungh.*

Textoria japonica, *Miq.*

Hedera Helix, *L.*; Eng. Bot. ed. 3, t. 633. Europe, North Africa, North Asia. "Ivy."

Var. *algeriensis*.

H. viridis, *Hort.*

Var. *algeriensis variegata*.

Var. *amurensis*.

H. acuta.



Hedera Helix—cont.

- Var. *angularis*, *Hibberd.*
- Var. *angularis foliis aureis*.
- Var. *arborescens*.
- Var. *arborescens foliis argenteis marginatis*.
- Var. *arborescens foliis aureis*
- Var. *atropurpurea*.
- Var. *aurantiaca*, *André Rev. Hort.* 1884, 84 (coloured plate).
- Var. *aurea elegantissima*.
- Var. *aureola*.
- Var. *azorica*, *Hort.*; *Gard. Mag.* October 15, 1887, f.
H. *ficula*.
- Var. *azorica variegata*.
- Var. *baccifera major*.
- Var. *caenwoodiana*.
- Var. *canariensis*. "Irish Ivy."
H. *canariensis*, *Willd.*
H. *grandifolia*.
H. *hibernica*.
H. *vegeta*.
- Var. *canariensis arborescens*.
- Var. *canariensis aureo-maculata*.
- Var. *canariensis foliis argenteis*.
- Var. *canariensis nova*.
- Var. *Cavendishi*.
H. *marginata elegans*.
H. *marginata minor*.



Hedera Helix—cont.

Var. *chrysocarpa*.

H. baccifera lutea.

Var. *chrysomela*.

H. spectabilis aurea.

Var. *chrysophylla*, *Hibberd.*

H. digitata aurea.

H. palmata aurea.

Var. *colchica*.

H. caucasica, *Hort.*

H. colchica, *C. Koch.*

H. cordifolia, *Hort.*

H. coriacea, *Hort.*

H. rcegneriana, *Hort.*

Var. *colchica arborescens*.

Var. *conglomerata*.

Var. *contracta*.

Var. *corrugata*.

Var. *crenata*.

H. digitata nova.

H. vitifolia.

Var. *Crippsii*.

Var. *cuspidata minor*.

Var. *deltoidea*.

H. rhomboidea obovata.

Var. *dentata*.

Var. *digitata*.

H. palmata.

H. pennsylvanica.



Hedera Helix—cont.

Var. *digitata nana*.

Var. *discolor*.

H. marmorata elegans.

H. minor marmorata.

H. minor variegata.

Var. *donerailensis*.

Var. *farleyensis*.

Var. *flavescens*.

Var. *gigantea*.

Var. *gracilis*.

Var. *hallamensis*.

Var. *heidelbergensis*.

Var. *heterophylla*, *Hibberd.*

Var. *himalaica*.

H. cinerea, *Hibberd.*

Var. *hybrida marginata*.

Var. *intermedia*.

Var. *lacteola*.

Var. *lobata major*.

Var. *lucida*.

H. poeticae.

Var. *macrodonta*.

Var. *maculata*.

H. latifolia maculata.

H. latimaculata.

*Var. *maderensis variegata*.

Var. *marginata major*.

H. argentea major.



Hedera Helix—*cont.*

- H. argentea scandens.
- H. marginata argentea.
- H. marginata elegantissima.
- H. marginata grandis.
- H. marginata pulchella.
- Var. marginata media.
- Var. marginata purpurea.
- Var. marginata rubra.
 - H. argentea rubra.
 - H. elegantissima.
- Var. marmorata elegans.
- Var. minima, *Hibberd.*
 - H. donerailensis.
- Var. minor.
- Var. minor variegata.
- Var. netleyensis.
- Var. nigra.
 - H. willsiana.
- Var. ovata.
- Var. palmata aurea.
- Var. pedata.
- Var. pustulata.
- Var. rhombea (*Sieb. & Zucc.*).
 - H. japonica argentea.
 - H. japonica variegata.
 - H. submarginata, *Hibberd.*
- Var. rugosa.
- Var. sagittaefolia.

Hedera Helix—cont.

- Var. *spectabilis*.
- Var. *spectabilis aurea*.
- Var. *succinata*, *Hibberd.*
- Var. *sulphurea*, *Hibberd.*
 H. marginata canescens.
- Var. *taurica*.
- Var. *tortuosa*.
 H. Glymii
- Var. *triloba*.
- Var. *venosa*.
- Var. *walthamensis*.

Cornaceae.

Märlea platanifolia, *Sieb. & Zucc.* "China and Japan.

Corokea Cotoneaster, *Raoul.* *Nouv. Zel.* t. 20. New Zealand.

ornus alba, *L.* North Asia.

C. tartarica, *Mill.*

Var. *Froebeli*, *Hort.*

Var. *Gouchaulti*, *Carr.*

Var. *sibirica*.

C. sibirica, *Lodd.*

Var. *sibirica variegata*, *Hort.*

Var. *Spaethii*, *Wittm.*

C. sibirica Spaethii, *Hort.*

C. Spaethii, *Hort.*

Var. *variegata*, *Hort.*

- C. alternifolia, *L. f.*; Sargent *Sylva of North America* t. 216. North America.
 C. alterna, *Marsh.*
- C. Amomum, *Mill.*; Britt. & Br. *Illustr. Flora* ii. 544, f. North America. "Kiunikinnik."
 C. asperifolia, *Hort.* (not *Michx.*).
 C. citrina, *Hort.*
 C. coerulea, *Lam.*
 C. cyanocarpa, *Moench.*
 C. lanuginosa, *Michx.*
 C. rubiginosa, *Ehrh.*
 C. sericea, *L.*; Loud. *Arb. et Frut.* ii. t. 1013, f. 766.
 Var. *angustifolia*.
 Var. *grandifolia*.
 Var. *parvifolia*.
- C. asperifolia, *Michx.*; Britton & Brown *Illustr. Flora* ii. 544, f. North America.
- C. Baileyi, *Coulter & Evans*; *Garden and Forest* 1890, 465, f. 58. North America.
- C. brachypoda, *C. A. Meyer.* Japan.
 Var. *variegata*. *Journ. of Hortic.* ser. iii. xxviii. 129, f. 20.
- C. Bretschneideri, *L. Henry Le Jardin* 1899, 309, f. China.
 C. candidissima, *Marsh.*; Britt. & Br. *Illustr. Fl.* ii. 545. North America.
 C. albida, *Ehrh.*
 C. fastigiata, *Michx.*
 C. femina, *Dippel* (not *Miller*).
 C. oblongata, *Hort.*
 C. paniculata, *L'Hérit.*
 C. stricta, *Lam.*
- Var. *variegata*.



**C. capitata*, *Wall.* North India to China.

Benthamia fragifera, *Lindl.*; Bot. Mag. t. 4641.

C. circinata, *L'Hérit.*; Loud. Arb. et Frut. ii. 1014, f. 767.
North America.

C. rugosa, *Lam.*

C. tomentosula, *Michx.*

C. verrucosa, *Hort.*

C. florida, *L.*; Sargent Silva of North America tt. 212, 213.
Eastern North America. "Flowering Dogwood."
Benthamia florida, *Spach.*

Var. *flore rubro*.

Var. *pendula*.

C. glabrata, *Benth.* Western United States.

C. Hessei, *Koehne.* Eastern Asia?

**C. Kousa*, *Buerger.*: Garden, February 25, 1893. Japan.
C. japonica, *Koehne* (not *Thunb.*).
Benthamia japonica, *Sieb. & Zucc. Fl. Jap.* i. t. 16.

C. macrophylla, *Wall.* North India to Japan.

C. brachypoda, *Hort.* (not *Fisch. & Mey.*).

C. crispula, *Hance.*

C. religiana, *Hort.*

C. Thelicanis, *Lebas Rev. Hort.* 1875, 395, f. 64.

C. theleriana, *Hort.*

Var. *variegata*.

"*Mas*, *L.* Europe, &c. "Cornelian Cherry, Cornel."

C. maseula, *L.*: Bot. Mag. t. 2675.

Var. *aurea elegantissima*, *Hort.*

C. elegantissima, *Hort.*



C. Mas—cont.

Var. *fructu violaceo*.

Var. *lanceolata*.

Var. *nana*.

C *pumila*, *Hort.*

Var. *variegata*.

Var. *xanthocarpa*.

C. Nuttallii, *Audub.*: Sargent Silva of North America
tt. 214, 215. Western North America.

C. officinalis, *Sieb. & Zucc.* Fl. Jap. i. t. 50. Japan.

C. pubescens, *Nutt.* Western North America.

C. Purpusi, *Koehne*. Ohio.

C. sanguinea, *L.*; Eng. Bot. ed. 3, t. 635. Europe, North
and Western Asia. "Common Dogwood."

Var. *candidissima*, *Hort.*

Var. *viridissima*, *Dieck.*

C *stricta*, *Hort.* (not *L'Hérit.*).

Var. *variegata*, *Hort.*

C. stolonifera, *Michx.*; Britton & Brown Illustr. Flora ii.
545 f. North America. "Red-Osier Dogwood."

C *alba*, *Wangenh.* (not *L.*).

Var. *flaviramea*.

C *alba* var. *flaviramea*, *Späth.*

C. stricta, *L'Hérit.*; Britton & Brown Illustr. Flora ii.
546 f. South United States.

C *fastigiata*, *Michx.*

C *femina*, *Mill.*

Aucuba himalaica, *Hook. f. & Thoms.*: Hook. f. Himalay.
Plants t. 12. Eastern temperate Himalaya.

A. japonica, *Thunb.*; *Bot. Mag.* t. 1197. Japan.

Var. *Bruantii*.

Var. *crassifolia*.

Var. *dentata*.

Var. *dentata variegata*.

Var. *fructu albo*.

Var. *grandis*.

Var. *latimaculata*.

Var. *longifolia*.

Var. *longifolia picta*.

Var. *macrodonta*.

Var. *macrophylla*.

Var. *macrophylla dentata*.

Var. *macrophylla maculata*.

Var. *macrophylla picta*.

Var. *maculata* ♂ ♀.

Var. *nana rotundifolia*.

Var. *picta*. ♀.

Var. *pygmaea*.

Var. *rotundifolia*.

Var. *salicifolia*.

Var. *splendida*.

Var. *viridis*. ♂, ♀.

Tarrya elliptica, *Dougl.*; *Bot. Reg.* t. 1686. California.

**G. flavescens*, *S. Wats.* Western North America.

**G. Fremontii*, *Torr.*; *Gard. Chron.* 1881, xv. 431, f. 83.
Western North America.

**G. macrophylla*, *Benth.* Mexico.

G. Thureti, *Carr.* (*Fadyenii* × *elliptica*); *Rev. Hort.* 1879,
154, ff. 33, 4. Garden origin.

**Griselinia littoralis*, *Raoul*; *Kirk Forest Flora of New Zealand* t. 42. New Zealand.

**G. lucida*, *Forst.*; *Kirk Forest Flora* t. 41. New Zealand.
“Kapook.”

Var. *macrophylla*, *Hook. f.*

Nyssa aquatica, *Marsh.*; *Sargent Silva of North America* t. 220. South United States. “Tupelo Gum.”

N. tomentosa, *Michx.*

N. uniflora, *Wangenh.*

N. Ogeche, *Marsh.*: *Sargent Silva* t. 219. South United States. “Ogeechee Lime; Sonr Tupelo.”

N. capitata, *Walt.*

N. sylvatica, *Marsh.*; *Sargent Silva of North America* t. 217. North America. “Tupelo, Pepperidge.”

N. multiflora, *Wangenh.*

Lavidia involucrata, *Baill.*; *Hook. Icon. Plant.* t. 1961.
Western China.

GAMOPETALAE.

Caprifoliaceae.

Umbucus canadensis, *L.*; *Bentl. & Trimen Medicinal Plants* t. 138. North America.

S. glauca, Nutt.; Sargent Silva of North America t. 222.
Western United States.

S. californica, C. Koch.

S. semperflorens, Hort.

S. melanocarpa, A. Gray. Western North America.

S. mexicana, Presl. California, Arizona, &c.

S. velutina, Dur.

S. plantierensis, Hort.

S. nigra, L.; Eng. Bot. ed. 3, t. 637. Europe, W. Asia, N. Africa. "Common Elder."

Var. *aureo-marginata*.

Var. *aureo-variegata*.

Var. *flore pleno*.

Var. *foliis aureis*. "Golden Elder."

Var. *fructu albo*.

Var. *heterophylla*.

S. cannabifolia, Hort.

Var. *laciniata*.

S. cannabifolia linearis, Hort.

S. heterophylla dissecta, Hort.

S. laciniata, Mill.

Var. *leucocarpa*.

Var. *linearis*.

Var. *lutescens*.

Var. *monstrosa*.

Var. *pendula*.

Var. *pulverulenta*.

Var. *pyramidalis*.



S. nigra—cont.

Var. *roseo flore pleno*.

Var. *rotundifolia*.

Var. *swindonensis*.

Var. *tricolor*.

Var. *variegata*.

Var. *virescens*.

S. racemosa, L.; Flora Danica t. 2951. Northern Hemisphere. "Red-berried Elder."

S. sieboldiana, Blume.

S. Williamsii, Hance.

Var. *arborescens*.

Var. *dahurica*.

Var. *foliis aureis*.

Var. *laciniata*.

S. racemosa ovata.

S. racemosa pteridifolia.

Var. *plumosa*.

Var. *plumosa aurea*.

Var. *pubescens*, Dippel.

S. pubens, Michx.

S. pubescens, Pers.

Var. *rosaeflora*, Dippel.

S. rosaeflora, Carr. Rev. Hort. 1869, 434, f.

Var. *serratifolia*.

S. ornata, Hort.

Var. *spectabilis*.

Var. *tenuifolia*.



S. thunbergiana, *Blume.* Japan.

Viburnum acerifolium, *L.*; *Wats. Dendr. Brit.* ii. t. 118.
Northern United States. "Dockmackie."

V. bullatum, *Hort.* Origin uncertain.

V. burejaeticum, *Reyel.* & *Herd.*; *Gartenflora* 1862, 407,
t. 384. China.

V. burejanum, *Herd.*

**V. Carlesii*, *Hemsley.* Corea.

V. cassinoides, *L.* Northern United States, &c. "Wither-
rod."

V. nudum var. *cassinoides*, *Torr. & Gray.*

V. pyrifolium, *Pursh.*

V. squamatum, *Willd.*: *Wats. Dendr. Brit.* i. t. 24.

**V. coriaceum*, *Blume.* Himalaya, China, &c.

V. cylindraceum, *Ham.*

V. cotinifolium, *D. Don*; *Bot. Rég.* t. 1650. Himalaya.

V. multratum, *C. Koch.*

V. dentatum, *L.*; *Wats. Dendr. Brit.* i. t. 25. North
America. "Arrow-wood."

V. acuminatum, *Hort.*

V. montanum, *Lodd.*

Var. *variegatum*.

V. dilatatum, *Thunb.*; *Bot. Mag.* t. 6215. Japan.

V. Mariesii, *Hort.*

V. erosum, *Thunb.*; *Garden Land Forest* 1896, 85, f. 9.
Japan.

V. dilatatum var. *formosanum*, *Maxim.*

V. furcatum, *Blume.* China and Japan.

V. cordifolium, *Hook. f. & Thoms.*

V. lantanoides, *Miq.* (not *Michx.*).

V. hanceanum, *Maxim.* China.

V. tomentosum, *Hance* (not *Thunb.*).

V. Lantana, *L.*; Eng. Bot. ed. 3, t. 640. Europe, N. & W. Asia, N. Africa. "Wayfaring Tree."

V. macrophyllum, *Hort.*

V. tomentosum, *Lam.* (not *Thunb.*).

Var. *foliis aureis variegatis*.

Var. *foliis punctatis*.

V. lantanoides, *Michx.*: Garden and Forest 1889, 535, t. 141. North America. "Hobble-bush."

V. alnifolium, *Marsh.*

V. grandifolium, *Sm.*

V. indicum, *Hort.*

V. Lantana *var. canadense*, *Pers.*

V. Lantana *var. grandifolium*, *Ait.*

V. Lentago, *L.*; Sargent Silva of North America v. 96, tt. 223, 224. North America. "Sheep-berry."

V. acuminatum, *Hort.* (not *Wall.*).

V. nitidum, *Hort.*

V. pirifolium, *Hort.* (not *Poir.*).

V. prunifolium, *Hort.* (not *L.*).

V. macrocephalum, *Fortune* Bot. Reg. 1847, t. 43 (sterile form). China.

V. Fortunei, *Hort. gall.*

V. Keteleeri, *Carr.* Rev. Hort. 1863, 270, f. 31 (fertile form).

V. molle, *Michx.* Garden and Forest 1891, 30, f. 8. North America.

V. mexicanum, *Hort. gall.*



V. nudum, *L.*; Bot. Mag. t. 2281. Eastern and Southern United States.

V. anglicum, *Hort.*

V. longifolium, *Hort.*

V. nitidum, *Hort.*

***V. odoratissimum**, *Ker-Gawl.* Bot. Reg. t. 456. China.

V. Awafuki, *Hort.*

V. sinensis, *Zeyher.*

V. Opulus, *L.*; Eng. Bot. ed. 3, t. 639. Northern hemisphere. "Guilder Rose."

V. americanum, *Mill.*

V. edule, *Pursh.*

V. lobatum, *Lam.*

V. opuloides, *Muhl.*

V. Opulus var. americanum, *Ait.*

V. Opulus var. edule, *Michx.*

V. Oxycoccus, *Pursh.*

Var. *fructu luteo*.

Var. *nanum*.

Var. *roseum* Tatteri.

Var. *sterile*. "Snowball Tree."

V. pauciflorum, *Pylaie*; Garden and Forest 1890, 5, f. 11. North America.

V. phlebotrichum, *Sieb. & Zucc.* Japan.

V. Wrightii, *Miq.*

V. prunifolium, *L.*; Sargent Silva of North America t. 225. North America. "Black Haw."

V. laevigatum, *Hort.*

V. obovatum, *Hort.*

V. pirifolium, *Poir.*

V. punicaefolium, *Hort.*



- V. pubescens, *Pursh*; Garden and Forest 1890, 125, f. 26.
North America.
- V. rhytidophyllum, *Hemsl.* Central China.
- V. rufidulum, *Rafin.* Southern United States. "Southern Blaek Haw."
- V. prunifolium var. ferrugineum, *Torr. & Gray.*
- V. rufotomentosum, *Small*; *Britt. & Br. Illustr. Fl.* iii. 233, f.
- V. Sargentii, *Koehne*. N. China.
- V. Sieboldii, *Miq.* Japan.
- V. reticulatum, *Hort.*
- V. stellulatum, *Wall.* Himalaya.
- V. Tinus, *L.*; *Bot. Mag.* t. 38. Mediterranean region.
"Laurustinus."
- Var. Froebeli.
- Var. hirtum.
- Var. lucidum.
- Var. purpureum.
- Var. pyramidale.
- V. tomentosum, *Thunb.* Japan.
- V. plicatum, *Sieb. & Zucc. Fl. Jap.* t. 38.
- V. plicatum var. tomentosum, *Miq.*
- Var. plicatum, *Maxim.*
- V. plicatum, *Thunb.*; *Sieb. & Zucc. Fl. Jap.* t. 37.
- Var. plicatum grandiflorum.
- V. utile, *Hemsl.* Central China.
- Symporicarpus Heyeri, *Dippel.* Western United States.
S. occidentalis var. Heyeri, *Dieck.*
- S. mollis, *Nutt.* var. ciliatus, (*Nutt.*). California.



S. occidentalis, *R. Br.* Western N. America. "Wolf-berry."

Symphoria occidentalis, *R. Br.*

S. orbiculatus, *Moench.* North America. "Indian Currant; Coral-berry."

S. fructo rubro, *Hort.*

S. glomeratus, *C. Koch.*

S. parviflorus, *Desf.*

S. vulgaris, *Michx.*

Symphoria glomerata, *Pers.*

Var. *variegatus*.

S. oreophilus, *A. Gray.* Western N. America.

S. racemosus, *Michx.* N. America. "Snowberry."

Symphoria racemosa, *Pers.*; Bot. Mag. t. 2211.

S. rotundifolius, *A. Gray* (not *C. Koch*). Western United States.

S. glaucescens, *Hort.*

Abelia chinensis, *R. Br.* China.

A. rupestris, *Hort.* (not *Lindl.*).

A. uniflora, *R. Br.*; Bot. Mag. t. 4694.

Linnaea chinensis, *A. Br.* & *Vatke.*

L. rupestris, *A. Br.* & *Vatke.*

Var. *alba*.

***A. floribunda**, *Deege.*; Bot. Mag. t. 4316. Mexico.

***A. serrata**, *Sieb.* & *Zucc.* Fl. Jap. I, t. 34. Japan.

***A. spathulata**, *Sieb.* & *Zucc.*; Bot. Mag. t. 6601. Japan.

A. triflora, *R. Br.*; *Lindl.* & *Paxt.* Fl. Gard. iii. 93, t. 91. Temperate Himalaya.

Linnaea triflora, *A. Br.* & *Vatke.*



Linnaea borealis, *L.*; Lodd. Bot. Cab. t. 183. Northern hemisphere. "Twin-flower."

* *Lonicera acuminata*, *Wall.* Temperate Himalaya.

L. alpigena, *L.*; Jacquin Flora Austriaca iii. t. 274. European Alps, Himalaya.

Caprifolium alpigenum, *Gaertn.*

C. alpinum, *Lam.*

Chamaecerasus alpigenus, *Medic.*

Isika alpigena, *Borkh.*

I. lucida, *Moench.*

Xylosteum alpinum, *Dum.*

Var. *nana*.

L. Altmannii, *Regel & Schmalh.* Turkestan.

L. Amherstii, *Dippel.* Himalaya.

L. angustifolia, *Wall.*; Journ. Hort. Soc. Lond. 1848, iii. 238, f. Temperate Himalaya.

L. bella, *Zabel.* (*Morrowi* × *tatarica*). Garden origin.

L. Morrowi var. *rosea*, *Dippel.*

L. Browni, *Carr.* Garden origin.

L. sempervirens var. *Browni*, *Hort.* (probably a hybrid between *Sullivanti* or *glauea* and *semper-virens*).

L. caerulea, *L.*; Bot. Mag. t. 1965. Northern hemisphere.

Caprifolium caeruleum, *Lam.*

Xylosteum caeruleum, *Dum.-Cours.*

Var. *glabriuscula*.

Var. *graciliflora*, *Dippel.*

L. Karelina, *Hort.* (not *Bunge*).

Var. *viridifolia*, *Dippel.*

L. Kirilowi, *Hort.*



L. Caprifolium, *L.*; Eng. Bot. ed. 3, pt. 641. Central and S. Europe, W. Asia.

L. americana, *C. Koch.*

L. ciliosa, *Hort.* (not *Poir.*).

L. grata, *Soland.*

L. pallida, *Host.*

Caprifolium gratum, *Pursh.*

C. hortense, *Lam.*

C. perfoliatum, *Roebl.*

L. chrysanthia, *Turcz.*; Gartenflora 1863, t. 404. Amur-land, &c.

L. gibbiflora, *Maxim.* (not *Dippel*).

L. Xylosteum var. chrysanthia, *Regel.*

Xylosteum gibbiflorum, *Rupr.* & *Maxim.*

L. ciliata, *Muhl.*; Britt. & Br. Ill. Flora iii. 241, f. Eastern United States. "Fly Honeysuckle."

L. canadensis, *Muhl.*

Xylosteum ciliatum, *Pursh.*

L. ciliosa, *Poir.* Western North America.

L. occidentalis, *Hook.*

Caprifolium ciliosum, *Pursh.*

C. occidentale, *Lindl.* Bot. Reg. t. 1457.

L. coerulescens, *Dippel* Laubholzk. i. 233, f. 149. Garden origin.

L. tatarica × *Xylosteum*.

L. conjugalis, *Kellogg.* Western North America.

L. depressa, *Koyle.* Alpine Himalaya.

L. parvifolia, *Edgew.*

Var. **Myrtillus**.

L. Myrtillus, *Hook. f.* & *Thoms.*



L. dioica, *L.*; Bot. Reg. t. 138. North America.

L. glauca, *Hill.*

L. macrophylla, *Hort.*

L. media, *Murr.*

L. parviflora, *Lam.*

Caprifolium bracteatum, *Michx.*

C. dioicum, *Roem. & Schultz.*

C. glaucum, *Moench.*

C. parviflorum, *Pursh.*

**L. etrusca*, *Santi*; Reichb. Fl. Germ. xvii. t. 1172. South Europe, &c.

L. atrosanguinea, *Hort.*

L. gigantea, *Hort.*

Caprifolium etruscum, *Roem. & Schultz.*

C. giganteum, *Hort.*

Var. *superba*.

L. gigantea superba, *Hort*

Var. *viscidula*, *Boiss.* Asia Minor.

L. flava, *Sims* Bot. Mag. t. 1318; Garden and Forest 1890, 190. f. 31. South Carolina.

Caprifolium flavum, *Ell.*

C. Fraseri, *Pursh.*

L. fragrantissima, *Lindl. & Paxt.* Fl. Gard. iii. 75, f. 268. China.

L. candidissima, *Hort.*

L. caprifolioides, *C. Koch.*

L. Niaguarilli, *Hort.*

L. odoratissima, *Hort.*

L. volgarensis, *Hort.*

Chamaecerasus Niaguarilli, *Hort.*

L. gibbiflora, *Dippel Laubholzk.* i. 237, f. 151. (*chrysanthia* × *ruprechtiana*). Mandshuria.

L. glabrata, *Wall.* Himalaya.



L. gracilipes, *Miq.* Japan.

L. Philomelae, *Hort.*

L. Heckrottii, *Hort.* (probably hybrid between *semperf*-
virens and some European species). Garden origin.

L. hirsuta, *Eaton*; Bot. Mag. t. 3103. N. America.

L. Douglasii, *Hort.* (not *DC.*)

L. pilosa, *Hort.*

L. pubescens, *Sweet.*

L. villosa, *Muhl.*

Caprifolium Douglasii, *Lindl.*

C. pilosum, *Hort.*

C. pubescens, *Goldie.*

L. hispida, *Pall.* Central Asia, Siberia, &c.

L. bracteata, *Royce.*

L. hispidula, *Dougl.* Bot. Reg. t. 1761. Western North
America.

L. iberica, *Birb.* Caucasus.

L. chlamydophora, *C. Koch.*

L. ciliaris, *Hort.*

Xylosteum ibericum, *Bieb.*

L. implexa, *Soland.*; Bot. Mag. t. 640. South Europe.

L. balearica, *DC.*

Caprifolium balearicum, *Dum.-Cours.*

L. involucrata, *Banks*; Bot. Reg. t. 1179. N.W. America.

L. bordwelliana, *Hort.*

L. flavescens, *Dippel.*

L. gibbosa, *Hort.*

L. intermedia, *Kellogg.*

L. Ledebourii, *Eschsch.*

L. moquiniana, *DC.*

Xylosteum involucratum, *Rich.*

Var. *humilis*.



L. italicica, *Schmidt.* (*Caprifolium* × *etrusca* ?) Garden origin.

L. Caprifolium, *Hort.* (not *L.*).

L. etrusca, *Hort.* (not *Santi*).

Caprifolium magnevillea, *Hort.*

L. Magnevillea, *Hort.*

L. occidentalis, *Hort.*

L. japonica, *Thunb.* China and Japan.

Var. *aureo-reticulata*.

L. brachypoda var. *reticulata*, *Belg. Hort.* 1871, 59, t. 5.

L. brachypoda var. *foliis aureo-reticulatis*. *Ill. Hort.* 1862, t. 337.

Var. *chinensis*, *Baker.*

L. chinensis, *Wats. Dendr. Brit.* ii. t. 117.

Var. *flexuosa*.

L. brachypoda, *DC.*

L. flexuosa, *Thunb.*; *Bot. Reg.* t. 712.

Var. *halliana*; *American Gardening* xii. 663.

L. flexuosa var. *halleana*, *Dippel.*

L. halleana, *Hort.*

Caprifolium hallianum, *Hort.*

C. japonicum var. *Halli*, *Hort.*

L. Karelini, *Bunge.* Central Asia.

L. Kesselringi, *Regel Gartenflora* 1891, 124. Kamtchatka.

L. orientalis var. *kamtschatica*, *Hort.*

L. savranica, *Hort.*

L. Korolkowii, *Stapf Garden and Forest* 1894, 34, f. 4. Turkestan.

L. floribunda, *Zabel* (not *Boiss. & Buhse*); *Wittmack Gartentflora* 1893, 103, f.



L. longiflora, DC. China.

Caprifolium longiflorum, Lindl. Bot. Reg. t. 1232.

L. Maacki, Herd. ; Gartenflora t. 1162. Mandshuria, &c.

Xylosteum Maackii, Rupr.

L. Maximowiczii, Maxim.: Gartenflora t. 597. Amurland, &c.

Xylosteum Maximowiczii, Rupr.

L. microphylla, Willd. : Ledeb. Icon. Pl. Fl. Rose. t. 213. Altai to Kashmir.

L. bungeana, Ledeb.

L. sieversiana, Bunge.

L. minutiflora, Zabel. (*micrantha* × *Xylosteum*). Garden origin.

L. Morrowi, A. Gray ; American Gardening xi. 1267. Japan.

L. Mouraviae, Hort.

L. mündeniensis, Rehder (*bella* × *gibbiflora*), Gartenflora 1893, 101. Garden origin.

L. muscaviensis, Rehder (*Morrowi* × *ruprechtiana*). Gartenflora 1893, 101.

L. nervosa, Maxim. China.

L. nigra, L. ; Jacq. Fl. Austriaca t. 314. European Alps, &c.

L. altaica, Hort. (not Pall.).

Chamaecerasus nigra, Med.

Xylosteum nigrum, Mill.

L.'notha grandiflora, Zabel. Garden origin.

L. nummulariaefolia, Jaub. & Spach. Orient.

L. Xylosteum, Sibth. & Sm. Fl. Graeca t. 223 (not *L.*).

L. oblongifolia, *Hook.*; Britt. & Br. Illustr. Fl. iii., 240, f.
Canada and North United States.

L. obovata, *Royle*. Temperate Himalaya.

L. orientalis, *Lam.*; Gartenflora t. 359. Orient.

L. caucasica, *Bieb.*

L. discolor, *Hort.*

L. goveniana, *Wall.*

L. occidentalis, *Hort.* (not *Hook.*).

L. schmitziana, *Dippel*.

L. Periclymenum, *L.*: Eng. Bot. ed. 3, t. 642. Europe, &c.
"Woodbine; Honeysuckle."

Caprifolium Periclymenum, *Roem.* & *Schultz.*

C. sylvaticum, *Lam.*

Periclymenum germanicum, *Mill.*

Var. *belgica*.

Var. *quercifolia*.

L. verna variegata, *Hort.*

Caprifolium quercifolium, *Hort.*

Var. *serotina*.

L. serotina, *Hort.*

L. pileata, *Oliver* *Hook. Icon. Plant.* t. 1585. Central China.

L. plantierensis, *E. André* Ill. *Hort. xviii.* t. 86. Garden origin.


L. ciliosa var. *plantierensis*, *Dippel*.

(Probably a hybrid of *semperflorens* with *Sibiricum* or *glauca*.)

L. purpurascens, *Walp.* Subalpine Himalaya.

L. sericea, *Royle*.

Xylosteum purpurascens, *Jacquem. Voy. Bot.* 79, t. 87.



L. pyrenaica, *L.*; Bot. Mag. t. 7774. Pyrenees.

Caprifolium pyrenaicum, *Lam.*

L. quinquelocularis, *Hardw.* Temperate Himalaya.

L. diversifolia, *Wall.*; Bot. Reg. xxx. t. 33.

L. regelianiana, *Petz.* & *Kirchn.*; Dippel Laubholzk. i. 220, f. 140. Amurland.

L. chrysantha × *Xylosteum*, *Rehder.*

L. rupicola, *Hook. f.* & *Thoms.* Himalaya.

L. ruprechtiana, *Regel.* Gartenflora 1870, 68, t. 645. Mandshuria, &c.

L. salicifolia, *Zabel.* (*micrantha* × *ruprechtiana*). Garden origin.

L. ruprechtiana var. *salicifolia*, *Dippel.*

L. segregans, *Lavallée.* Origin uncertain.

L. diversifolia, *Hort.* (not *Wall.*).

L. hispida, *Hort.* (not *Pall.*).

L. quinquelocularis × *Xylosteum*?

L. sempervirens, *L.*; Bot. Mag. t. 781. South United States. "Trumpet Honeysuckle."

L. caroliniana, *Marsh.*

L. fuchsoides, *Hort.* (not *Hemsl.*).

L. virginiana, *Marsh.*

Caprifolium sempervirens, *Michx.* .

Periclymenum sempervirens, *Mill.*

Var. *minor*. Bot. Mag. t. 1753.

spinosa, *Jacquem.* Eastern Turkestan, &c.

L. Alberti, *Regel*; Bot. Mag. t. 7394.

Xylosteum spinosum, *Deenc.*



L. Standishii, *Hook.* Bot. Mag. t. 5709. China.

L. fragrantissima, *Carr.* (not *Paxt.*).

L. odoratissima, *Hort.*

L. sinensis, *Hort.*

Chamaecerasus Standishii, *Lesc.*

L. Sullivantii, *A. Gray*; Garden and Forest 1890, 191, f. 32. North-Eastern United States.

L. flava, *Hort.* Rev. Hortic. 1856, 221 t. (not *Sims*).

L. syringantha, *Maxim.*; Gartenflora 1892, 564, ff. 115, 116. China.

L. tangutica, *Maxim.*; Gartenflora 1891, 580, ff. 104, 105. China.

L. tatarica, *L.*; Bot. Reg. t. 31. Siberia, &c.

Chamaecerasus tatarica, *Medic.*

Xylosteum cordatum, *Moench.*

X. tataricum, *Medic.*

Var. *nana*.

Var. *pulcherrima*.

Var. *punicea*.

L. punicea, *Sims* Bot. Mag. t. 2469.

Var. *speciosa*, *Carr.* Rev. Hortic. 1868, 392, t.

var. *splendens*, *Regel*.

L. thibetica, *Bur. & Franch.* Tibet.

L. tomentella, *Hook. f. & Thoms.*; Bot. Mag. t. 6486. Temperate Himalaya.

L. tragophylla, *Hemsl.* Central China.

L. translucens, *Carr.* Origin uncertain.



L. Xylosteum, *L.*; Eng. Bot. ed. 3, t. 643. Europe,
Northern Asia.

L. dumetorum, *Moench*.

L. vulgare, *Roehl*.

L. xylosteoides, *Tausch*.

Caprifolium dumetorum, *Pers.*

Chamaecerasus Xylosteum, *Medic.*

Leycesteria formosa, *Wall.*: Bot. Mag. t. 3699. Temperate
Himalaya.

L. nepalensis, *Hort.*

Var. *variegata*.

Diervilla floribunda, *Sieb. & Zucc.* Fl. Jap. t. 32. Japan.

D. multiflora, *Lemaire*.

Var. *Lavallei*, *Hort.*

Var. *Lowei*, *Hort.*

Var. *versicolor*, *Rehder*.

D. versicolor, *Sieb. & Zucc.* Fl. Jap. t. 33.

D. florida, *Sieb. & Zucc.* China.

D. rosea, *Walp.*

Weigela amabilis, *Hort.*

W. rosea, *Lindl.*; Bot. Mag. t. 4396.

Var. *candida*.

Var. *variegata*.

D. grandiflora, *Sieb. & Zucc.* Fl. Jap. t. 31. Japan.

D. coraeensis, *DC.*

D. amabilis, *Carr.*; Flore des Serres t. 855.

D. hybrida, *Hort.* (This has been proposed as a collective name for the hybrids of the above-mentioned species, which are more common in cultivation than the species themselves.)



D. japonica, DC. Japan.

Weigela japonica, Thunb.

Var. *hortensis*, Rehder.

D. hortensis, Sieb. & Zucc. Fl. Jap. 1. 70, t. 29.
Japan.

Var. *Looymansii aurea*.

D. Lonicera, Mill. North America.

D. canadensis, Willd.

D. humilis, Pers. ; Bot. Mag. t. 1796.

D. lutea, Pursh.

D. Tournefortii, Michx.

D. trifida, Moench.

D. middendorfiana, Carr. Siberia, &c.

Calyptrostigma middendorfianum, Trautv. & Mey. ;
Gartenflora 1857, 347, t. 183.

Weigela middendorfiana, Hort.

D. praecox, Lemoine ; Gartenflora 1897, t. 1441. Japan.

D. sessilifolia, Buckl. ; Lavallée Arbor. Segrez. Ic. 25, t. 8.
Carolina and Tennessee.

Var. *splendens*.

D. splendens, Carr.

Rubiaceae.

Phalanthus occidentalis, L. : Rev. Hort. 1889, 280, f. 70.
North America. "Button-bush."

Prosma acerosa, A. Cunn. New Zealand.

Var. *prostrata*.



Compositae.

**Aplopappus ericoides*, DC.; Gard. Chron. 1896, xx. 301,
f. 57. California.

Diplopappus ericoides, Less.

Ericameria microphylla, Nutt.

Haplopappus ericoides, Benth. & Hook. f.

Bigelovia Douglasii, A. Gray. Western North America.

B. *viscidiflora*, DC.

Brickellia linearifolia, Klatt.

Chrysanthemum pumilus, Nutt.

C. *viscidiflorus*, Nutt.

Linosyris viscidiflora, Torr. & Gray.

Var. *tortifolia*, A. Gray.

Linosyris lanceolata, Hook.

B. *graveolens*, A. Gray. Western North America.

B. *dracunculoides*, DC.

Chrysocoma dracunculoides, Pursh (not Lam.).

C. *graveolens*, Nutt.

Chrysanthemum dracunculoides, Nutt.

C. *speciosus*, Nutt.

Linosyris graveolens, Torr. & Gray.

Olearia Haastii, Hook. f.; Bot. Mag. t. 6592. New Zealand.

*O. *macrodonta*, Baker Bot. Mag. t. 7065. New Zealand.

O. *dentata*, Hook. f.

*O. *stellulata*, DC. Australia.

O. *gunniana*, Hook. f. Bot. Mag. t. 4638.

Eurybia gunniana, DC.



***O. Traversii**, *F. Muell.*; Gard. Chron. 1887, ii. 187, f. 42.
New Zealand.

Eurybia Traversii, *F. Muell.*

Microglossa albescens, *C. B. Clarke*; Bot. Mag. t. 6672.
Himalaya.

M. cabulica, *C. B. Clarke*.

Amphiraphis albescens, *DC.*

Aster albescens, *Walp.*

A. cabulicus, *Lindl.*

Baccharis halimifolia, *L.*; Dippel Laubholzk. i. 294, f. 195.
N. America. "Groundsel Tree."

B. patagonica, *Hook. & Arn.* Magellanic region.

B. salicina, *Torr. & Gray.* Colorado to Texas.

B. salicifolia, *Nutt.*

***Helichrysum antennarium**, *F. Muell.* Australia.
Swammerdamia Antennaria, *DC.*

***H. glomeratum**, *Nichols.* New Zealand.

Ozothamnus glomeratus, *Hook. f.*

Swammerdamia glomerata, *Raoul.*

***H. rosmarinifolium**, *DC.* Victoria and Tasmania.
"Snow in Summer."

Ozothamnus rosmarinifolius, *DC.*

H. serotinum, *Boiss.* South-Western Europe.

Cassinia fulvida, *Hook. f.*: Gartenflora, 1890, 241, f. 56.
New Zealand.

Diplopappus chrysophyllus. *Hort.*

***C. leptophylla**, *Hort.* New Zealand.

Calea leptophylla, *Forst.*



**C. Vauvilliersii*, *Hook. f.* New Zealand.

Diplopappus Vauvilliersii, *Hort.*

Ozothamnus Vauvilliersii, *Homb. Jacq. & Mont.*
Voyage de l'Astrolabe t. 55.

Iva frutescens, *L.*; *Britt. & Br. Illustr. Fl.* iii. 292, f.
Massachusetts to Florida, &c. "Marsh Elder."

Santolina Chamaecyparissus, *L.* South Europe. "Lavender
Cotton."

S. incana, *Lam.*

S. rosmarinifolia, *L.* Spain and Portugal.

S. pectinata, *Lag.*

S. viridis, *Willd.* South Europe.

S. virens, *Mill.*

Artemisia Abrotanum, *L.* South Europe. "Southern-
wood."

A. arborescens, *L.* South Europe.

A. austriaca, *Jacq.* Eastern Europe, &c.

A. procera, *Willd.* South-East Europe, Asia Minor. "Sage-
bush."

A. tridentata, *Nutt.* Western United States.

**Senecio laxifolius*, *J. Buch.*; *Bot. Mag.* t. 7378. New
Zealand.

S. Grayii, *Hort.*

S. latifolius, *Hort.* (not *Banks & Soland.*). *Gard.*
Chron. 1894, xvi. 315, f. 43.



Vacciniaceae.

Gaylussacia brachycera, *Torr. & Gray* : Pennsylvania to Virginia. "Box Huckleberry."

Adnaria brachycera, *O. Kuntze*.

Vaccinium brachycerum, *Michx.*

V. buxifolium, *Salisb.* ; Bot. Mag. t. 968.

G. dumosa, *Torr. & Gray* ; Newfoundland and Eastern United States. "Dwarf Huckleberry."

Vaccinium dumosum, *Andr.* Bot. Rep. t. 112 : Bot. Mag. t. 1106.

V. frondosum, *Michx.* (not *L.*).

G. frondosa, *Torr. & Gray* ; Gard. Chron. 1890, vii. 580, f. 93. Eastern United States. "Blue Tangle ; Dangleberry."

Vaccinium frondosum, *L.* ; Andr. Bot. Rep. t. 140.

V. glaucum, *Michx.*

V. venustum, *Ait.*

G. resinosa, *Torr. & Gray*. North America. "Black Huckleberry."

Vaccinium parviflorum, *Andr.* Bot. Rep. t. 125.

V. resinosum, *Ait.* ; Bot. Mag. t. 1288.

V. ursina, *Torr. & Gray*. Mountains of North and South Carolina.

Vaccinium ursinum, *M. A. Curt.*

Vaccinium arboreum, *Marsh.* : Lodd. Bot. Cab. t. 1885 ; Sargent Silva of North America v. 119, t. 230. Florida and Texas to North Carolina and South Illinois. "Farkle-berry."

V. diffusum, *Ait.* ; Bot. Mag. t. 1607.

Arctostaphylos, *L.* : Bot. Mag. t. 974. Caucasus, &c.



V. canadense, *Kalm*; Bot. Mag. t. 3446. North America.
“Canadian Whortleberry.”

V. album, *Lam.* (not *L.*).

V. ciliatum, *Thunb.* Japan.

V. corymbosum, *L.*; Bot. Mag. t. 3433. North America.
“Common Blueberry; Swamp Blueberry.”

V. disomorphum, *Michx.*

V. Marianum, *Wats.* Dendr. Brit. t. 124.

Var. *amoenum*, *A. Gray.*

V. amoenum, *Ait.*; Andr. Bot. Rep. t. 138.

Var. *fuscatum*, *A. Gray*; Southern United States.

V. fuscatum, *Ait.*

V. crassifolium, *Andr.* Bot. Rep. t. 105; Bot. Mag. t. 1152.
North Carolina to Georgia.

V. carnosum, *Pers.*

V. myrtifolium, *Michx.*

V. erythrocarpum, *Michx.*; Bot. Mag. t. 7413. Virginia to
Georgia.

Oxyeoccus erectus, *Pursh.*

O. erythrocarpus, *Pers.*

***V. glauco-album**, *Hook. f.* Himalaya.

V. hirsutum, *Buckl.*; Garden and Forest 1889, 365, f. 119.
Mountains of North Carolina.

V. intermedium, *Ruthe* (*Myrtillus* × *Vitis-Idaea*): Journ.
Linn. Soc. xxiv. 125, t. 3. Europe.

I. japonicum, *Miq.* Japan.

V. Mortiniae, *Benth.*; Bot. Mag. t. 6872. Andes of
Ecuador.



***V. Myrsinites**, *Lam.* South United States.

V. Sprengelii, *Hort.* (not *Wall.*).

V. nitidum var. decumbens, *Sims* Bot. Mag. t. 1550.

V. Myrtillus, *L.*; Eng. Bot. ed. 3, t. 879. Northern hemisphere. "Whortleberry; Bilberry; Blaeberry."

Var. *fructu albo*.

V. occidentale, *A. Gray.* Mountains of California and Utah.

V. ovatum, *Pursh*; Bot. Mag. t. 4732. Vancouver's Island to Monterey, &c.

V. prunifolium, *Hort.*

V. padifolium, *Sm.*; Bot. Mag. t. 7305. Madeira.

V. Arctostaphylos var. padifolium, *Loud.*

V. maderense, *Link.*

V. parvifolium, *Sm.*; *Hook. Fl. Bor. Am.* t. 128. North California to Alaska and the Aleutian Islands. "Dwarf Blueberry."

V. pensylvanicum, *Lam.*; Bot. Mag. t. 3434. North America.

V. humile, *Willd.*

V. myrtilloides, *Michx.* (not *Hook.*).

V. ramulosum, *Willd.*

V. tenellum, *Pursh.*

Var. *angustifolium*, *A. Gray.*

V. angustifolium, *Ait.*

V. salicinum, *Aschers.*

V. stamineum, *L.*; *Andr. Bot. Rep.* t. 263. Maine and Michigan to Florida and Louisiana. "Deerberry."

V. album, *Pursh* (not *L.*).

V. elevatum, *Soland.*



V. *uliginosum*, *L.*; Eng. Bot. ed. 3, t. 878. Northern hemisphere.

V. gaultherioides, *Bigel.*

V. pubescens, *Wormsk.*

V. *vacillans*, *Soland.* New England to North Carolina and Missouri.

V. *Vitis-idaea*, *L.*; Eng. Bot. ed. 3, t. 877. Northern hemisphere. "Cowberry."

V. punctatum, *Lam.*

Vitis-Idaea punctata, *Moench.*

Var. *major*, *Lodd.* Bot. Cab. t. 616.

Var. *minor*.

Oxycoccus macrocarpus, *Pers.* North America. "American Cranberry."

Vaccinium macrocarpon, *Ait.*; Bot. Mag. t. 2586.

V. Oxycoccus var. oblongifolium, *Michx.*

O. palustris, *Pers.* Northern hemisphere. "Cranberry."

O. vulgaris, *Pursh.*

Vaccinium Oxycoccus, *L.*; Eng. Bot. ed. 3, t. 876.

Chiogenes serpyllifolia, *Salisb.*; Britt. & Br. Illustr. Fl. ii. 581, f. North America. "Creeping Snowberry."

C. hispidula, *Torr. & Gray.*

Gaultheria hispidula, *Muhl.*

G. serpyllifolia, *Pursh.*

Oxycoccus hispidulus, *Pers.*

Vaccinium hispidulum, *L.*

Ericaceae.

Arbutus Andrachne, *L.*; Bot. Mag. t. 2024. Levant, &c.

A. integrifolia, *Lam.*

A. Sieberi, *Klotzsch.*



- A. hybrida**, *Ker.-Gawl.* Bot. Reg. t. 619. (*Andrachne* × *Unedo*). Garden origin.
- A. *Andrachne var. serratifolia*, *Hort.*
- A. *andrachnoides*, *Link.*
- A. *magnifica*, *Hort.*
- A. *Milleri*, *Hort.*
- A. *photiniaefolia*, *Hort.*
- A. *Rollissoni*, *Hort.*
- A. *serratifolia*, *Lodd.*
- A. Menziesii**, *Pursh*; Sargent Silva of North America t. 231. California, &c. "Madroño."
- A. *procera*, *Dougl.*; Bot. Reg. t. 1753.
- A. *Andrachne*, *Hort.* (not *L.*).
- A. Unedo**, *L.*; Gard. Chron. 1878, x. 689, f. 115. Southern Europe (Ireland). "Strawberry Tree."
- Unedo *edulis*, *Hoffmogg. & Link.*
- Var. *compacta*.
- Var. *integerrima*, *Sims* Bot. Mag. t. 2319.
- A. *rotundifolia*, *Hort.*
- Var. *microphylla*.
- A. *microphylla*, *Hort.*
- Var. *quercifolia*.
- Var. *rubra*, *Ait.*
- A. *Croomii*, *Hort.*
- rctostaphylos alpina*, *Spreng.*; Eng. Bot. ed. 3, t. 880. Northern hemisphere.
- Arbutus *alpina*, *L.*
- A. *diversifolia*, *Parry*. California.



A. pungens, H.B.K. California.

A. Hookeri, G. Don.

Arbutus pungens, Hook. & Arn.

**A. tomentosa*, Lindl. Bot. Reg. t. 1791. California, &c.
"Manzanita."

Arbutus tomentosa, Pursh.

A. Uva-ursi, Spreng.; Eng. Bot. ed. 3, t. 881. Northern hemisphere. "Bearberry."

A. officinalis, Wimm. & Grab.

Arbutus Uva-ursi, L.

Pernettya arctica, Hort.

Var. *californica*.

A. californica, Hort.

A. viscosa, Parry. Pacific coast of N. America.

Pernettya mucronata, Gaudich. Magellanic region.

P. angustifolia, Hort.

P. Cummingi, Hort.

P. Drummondi, Hort.

P. speciosa, Hort.

Arbutus mucronata, L.; Bot. Mag. t. 3093.

Many garden varieties.

Fruiticola, Philippi: Koehne Dendrologie 470, f. 75.
Chili.

Gaultheria antipoda, Forst. Tasmania and New Zealand.

**G. nummularioides*, D. Don; Gard. Chron. 1884, xxii.
457, f. 84. Himalaya, &c.

G. Nummulariae, DC.

G. procumbens, L.; Bot. Mag. t. 1966. North America.
"Creeping Wintergreen."

Gautiera procumbens, Torr.



G. pyrolaefolia, *Hook. f.* Himalaya.

G. pyroloides, *Hook. f. & Thoms.*

G. Shallon, *Pursh.*; *Bot. Mag.* t. 2843. Western North America. "Shallon; Salal."

Cassandra calyculata, *D. Don.* Northern hemisphere.
"Leather-leaf."

Andromeda calyculata, *L.*; *Bot. Reg.* t. 1286.

Chamaedaphne calyculata, *Moench.*

Lyonia calyculata, *Reichb.*

Var. *latifolia*.

Var. *nana*.

Cassiope fastigiata, *D. Don*; *Bot. Mag.* t. 4796. Alpine Himalaya.

Andromeda fastigiata, *Wall.*

C. hypnoides, *D. Don.* Arctic regions of northern hemisphere.

Andromeda hypnoides, *L.*; *Bot. Mag.* t. 2936.

C. tetragona, *D. Don.* Arctic regions of northern hemisphere.

Andromeda tetragona, *L.*; *Bot. Mag.* t. 3181.

Leucothoe axillaris, *D. Don.* South-eastern United States.

Andromeda axillaris, *Lam.*; *Bot. Mag.* t. 2357.

L. Catesbaei, *A. Gray.* Virginia to Georgia.

L. spinulosa, *D. Don.*

Andromeda angustata, *Hort.*

A. axillaris, *Michx.*

A. Catesbaei, *Walt.*; *Bot. Mag.* t. 1955.

A. spinulosa, *Pursh.*



L. Davisiae, *Torr.*; Bot. Mag. t. 6247. California.
L. Lobbi, *Hort.*

L. racemosa, *A. Gray.* North America.

L. spicata, *G. Don.*

Andromeda paniculata, *L.*

A. racemosa, *L.*

A. spicata, *Wats.* Dendr. Brit. t. 36.

A. tomentosa, *Dum.-Cours.*

Lyonia racemosa, *G. Don.*

L. recurva, *A. Gray.* Virginia to Alabama.

Andromeda recurva, *Buckl.*

Oxydendron arboreum, *DC.*; Sargent Silva of North America t. 235. North America. "Sorrel Tree; Sourwood."

Andromeda arborea, *L.*; Bot. Mag. t. 905.

Lyonia arborea, *D. Don.*

Epigaea repens, *L.*; Andr. Bot. Rep. t. 102. North America.

Lyonia ligustrina, *DC.* North America.

L. capreaefolia, *Wats.* Dendr. Brit. t. 37.

L. multiflora, *Wats.* Dendr. Brit. 128.

L. paniculata, *Nut.*

L. parabolica, *C. Koch.*

L. salicifolia, *Wats.* Dendr. Brit. 127.

Andromeda ligustrina, *Muhl.*

A. parabolica, *Duham.*

A. tomentosa, *Hort.*

Xolisma ligustrina, *Britt. & Br.* Illustr. Fl. ii. 570, f.

Var. *pubescens*, *A. Gray.*



Zenobia speciosa, *D. Don.* Florida to North Carolina.

Andromeda cassinefolia, *Sims.*; *Bot. Mag.* t. 970.

A. nitida, *Hort.*

A. nuda, *Hort.*

A. speciosa, *Michx.*

A. viridis, *Hort.*

Var. pulverulenta. *Gard. Chron.* 1890, viii. 612, f. 100.

A. dealbata, *Lindl. Bot. Reg.* t. 1010.

A. pulverulenta, *Bartr.*

A. speciosa var. glauca, *Wats. Dendr. Brit.* t. 126.

Lyonia pulverulenta, *C. Koch.*

Var. quercifolia, *Hort.*

Andromeda polifolia, *L.*; *Eng. Bot. ed. 3*, t. 883. Northern and Arctic regions.

A. glaucophylla, *Link.*

A. rosmarinifolia, *Pursh.*

Rhododendron polifolium, *Scop.*

Var. angustifolia.

Var. major.

ieris floribunda, *Benth. & Hook. f.* Virginia to Georgia.

Andromeda floribunda, *Pursh*; *Bot. Mag.* t. 1566; *Bot. Reg.* t. 807.


Leucothoe floribunda, *D. Don.*

Portuna floribunda, *Nutt.*

Zenobia floribunda, *DC.*

? *. formosa*, *D. Don*; *Gard. Chron.* 1881, xv. 568, f. 107.
Temperate Himalaya, China.

Andromeda formosa, *Wall.*



P. japonica, *D. Don* ; Gard. Chron. 1882, xvii. 796, f. 120.
Japan.

Andromeda japonica, *Thunb.* ; Fl. Jap. 181, t. 22.

Var. *variegata*.

P. mariana, *Benth. & Hook. f.* Rhode Island to Florida,
&c. "Stagger-Bush."

Andromeda mariana, *L.* ; Bot. Mag. t. 1579.

A. pulchella, *Salisb.*

Leucothoe mariana, *DC.*

Lyonia mariana, *D. Don*.

P. nitida, *Benth. & Hook. f.* North Carolina to Florida
and Louisiana.

Andromeda coriacea, *Ait.* ; Bot. Mag. t. 1095.

A. lucida, *Lam.* (not *Jacq.*).

A. marginata, *Duham.*

A. mariana, *Jacq.* (not *L.*).

A. myrtifolia, *Salisb.*

A. nitida, *Burtr.*

Leucothoe coriacea, *DC.*

Lyonia marginata, *D. Don*.

P. ovalifolia, *D. Don.* Temperate Himalaya.

Andromeda ovalifolia, *Wall.* ; Loud. Arbor. Brit. 570,
f. 1070.

Enkianthus campanulatus, *Nichols.* ; Bot. Mag. t. 705.
Japan.

Andromeda campanulata, *Miq.*

E. cernuus, *Benth. & Hook. f.* Japan.

Andromeda cernua, *Miq.*

Meisteria cernua, *Sieb. & Zucc.*

E. himalaicus, *Hook. f. & Thoms.* ; Bot. Mag. t. 6460. Hi-
malaya, China.



E. japonicus, *Hook. f.* Bot. Mag. t. 5822. Japan.

Calluna vulgaris, *Salisb.*; Eng. Bot. ed. 3, t. 894. Europe,
&c. "Ling."

Erica vulgaris, *L.*

Var. *alba*.

Var. *alba aurea*.

Var. *alba minor*.

Var. *alba pilosa*.

Var. *alba pumila*.

Var. *alba rigida*.

Var. *alba Serlei*.

Var. *alba tenella*.

Var. *Alporti*.

Var. *argentea*.

Var. *aurea*.

Var. *cuprea*.

Var. *flore pleno*.

Var. *Foxii*.

Var. *Hammondi*.

Var. *hypnoides*.

Var. *lanulosa*.

Var. *minima*.

Var. *pygmaea*.

Var. *rosea*.

Var. *rubra*.

Var. *tenuis*.

**Erica arborea*, *L.*; Moggridge Flora of Mentone t. 59 b.
Mediterranean and Caucasus.

Var. *alpina*, *Dieck.*

**E. australis*, *L.* Portugal, &c.

E. carnea, *L.*; Bot. Mag. t. 11. Europe.

E. herbacea, *L.*

Var. *alba*.

E. ciliaris, *L.*; Eng. Bot. ed. 3, t. 887; Bot. Mag. t. 484.
South-Western Europe. (Cornwall, &c.)

Var. *mawiana*. Portugal.

E. mawiana, *Hort.*

E. cinerea, *L.*; Eng. Bot. ed. 3, t. 891. West Europe to
Germany and North Italy.

Var. *alba*.

Var. *alba minor*.

Var. *atropurpurea*.

Var. *atrosanguinea*.

Var. *coccinea*.

Var. *polypetala*.

Var. *purpurea*.

Var. *rosea*.

**E. lusitanica*, *Rudolph.* Spain and Portugal.

E. codonodes, *Lindl.* Bot. Reg. t. 1698; Gard. Chron.
1877, vii. 463, f. 70.

E. polytrichifolia, *Salish.*

E. lusitanica × *arborea*. Garden origin.

E. Mackaii, *Hook.* Spain, Galway.

E. mackaiana, *Bab.*; Eng. Bot. ed. 3, t. 890.

E. Tetralix var. mackayana, *Hort.*

E. mediterranea, *L.* South-west France, Spain.

Var. *alba*.

Var. *glaucia*.

Var. *hibernica*, *Hork.*

E. hibernica, *Syme* Eng. Bot. t. 892.

Var. *hybrida*.

Var. *nana*.

E. multiflora, *L.*; Moggridge Flora of Mentone t. 59a.
South Europe.

E. peduncularis, *J. & C. Presl.* (not *Salisb.*).

E. scoparia, *L.*; Moggridge Flora of Mentone t. 59c.
Western Mediterranean region.

E. arborea, *Hort.* (not *L.*).

E. virgulata, *Wendl.*

E. stricta, *Donn*; Andr. Heathery, ii. t. 92. South Europe.

E. corsica, *DC.*

E. multicaulis, *Salisb.*

E. pendula, *Wendl.*

E. ramulosa, *Vir.*

E. Tetralix, *L.*; Eng. Bot. ed. 3, t. 889. North and West Europe to Russia. "Cross-leaved Heath."

Var. *alba*.

Var. *mollis*.

Var. *rubra*.

E. vagans, *L.*; Eng. Bot. ed. 3, t. 893. South-western Europe (Cornwall). "Cornish Heath."

Var. *alba*.

Var. *grandiflora*.

Var. *rubra*.



E. Watsoni, DC. South-western England.

E. Tetralicii-ciliaris, *Syme* Eng. Bot. ed. 3, t. 888.

Bruckenthalia spiculifolia, Reichb. Eastern Europe, Asia Minor.

Erica spiculifolia, Sibth. Fl. Graeca t. 353.

Menziesia Bruckenthalii, Baumg.

Loiseleuria procumbens, Desv.; Lodd. Bot. Cab. t. 762. Arctic and Alpine Europe, Asia, America. "Alpine Azalea."

Azalea procumbens, L.

Chamaeledon procumbens, Link.

Bryanthus Breweri, A. Gray. Sierra Nevada, California.

B. empetriformis, A. Gray. British Columbia to California, &c.

Menziesia empetriformis, Sm.; Bot. Mag. t. 3176.

M. Grahami, Hook.

Phyllodoce empetriformis, D. Don.

P. Grahami, Nutt.

B. erectus, Lindl. & Paxt. Fl. Gard. i. 97, pl. 19. Garden origin.

B. empetriformis × Rhodothamnus Chamaecistus.

B. taxifolius, A. Gray. Cold regions of northern hemisphere.

B. caeruleus, Dippel.

Andromeda caerulea, L.

A. taxifolia, Pall.

Menziesia caerulea, Sw.; Eng. Bot. ed. 3, t. 886.

Phyllodoce caerulea, Bab.

P. taxifolia, Salish.



Daboëcia polifolia, *D. Don*; Eng. Bot. ed. 3, t. 885. Ireland,
West France, Spain, Portugal, Azores. "St.
Dabeoc's Heath."

D. cantabrica, *C. Koch.*

Andromeda Daboecia, *L.*

Menziesia polifolia, *Juss.*

Var. *alba*.

Var. *bicolor*.

Var. *pygmaea*, *Hort. Kew.*

Kalmia angustifolia, *L.*; Bot. Mag. t. 331. North America.
"Sheep Laurel."

Var. *glauca*.

Var. *lucida*.

Var. *nana*.

Var. *nitida*.

Var. *ovata*.

Var. *rosea*.

Var. *rubra*.

K. glauca, *Ait.*; Bot. Mag. t. 177. North America.

K. latifolia, *L.*; Bot. Mag. t. 175. North America.
"Calico-Bush."

Var. *myrtifolia*.

Var. *polypetala*. Garden and Forest 1890, 453, f. 56.

Rhodothamnus Chamaecistus, *Reichb.* Austrian Alps.

Rhododendron Chamaecistus, *L.*; Bot. Mag. t. 488.

Leiophyllum buxifolium, *Ell.*; Bot. Mag. t. 6752. New Jersey to Florida, and the mountains of Carolina.
“Sand Myrtle.”

L. serpyllifolium, *DC.*

L. thymifolium, *G. Don.*

Ammyrsine buxifolia, *Pursh.*

Ledum buxifolium, *Berg.*

L. intermedium, *Hort.*

L. thymifolium, *Lam.*

Var. *prostratum*.

L. Lyoni, *Sweet.*

L. prostratum, *Loud.*

Aminyrsine prostrata, *Sweet.*

Elliottia paniculata, *Benth. & Hook. f.* Japan.

Tripetaleia paniculata, *Sieb. & Zucc.*

E. racemosa, *Muhl.*; Garden and Forest 1894, 205, f. 37
Georgia.

Ledum glandulosum, *Nutt.*: Bot. Mag. t. 7610. California,
British Columbia, and northern Rocky Mountains.

L. latifolium, *Ait.* North America. “Labrador Tea.”

L. canadense, *Lodd.*; Bot. Cab. t. 1049.

L. groenlandicum, *Retz.*

L. hirsutum, *Hort.*

L. palustre var. canadense, *Hort.*

L. palustre var. decumbens, *Hort.*

L. palustre var. latifolium, *Michx.*

L. palustre var. medium, *Hort.*

Var. *compactum*.

L. compactum, *Hort.*

L. palustre, *L.*; Lodd. Bot. Cab. t. 560. Northern and Arctic Regions.

L. angustifolium, *Hort.*

L. longifolium, *Hort.*

L. odoratum, *Hort.*

Var. *dilatatum*.

† AZALEASTRUM.

Rhododendron albiflorum, *Hook.*; Bot. Mag. t. 3670. Northern Rocky Mountains and Oregon to British Columbia.

R. ovatum, *Planch.* China.

Azalea ovata, *Lindl.*; Bot. Mag. t. 5064.

†† AZALEA.

R. Albrechti, *Maxim.* Japan.

R. arborescens, *Torr.*; Garden and Forest 1888, 404, f. 64. Mountain region from Pennsylvania to North Carolina and Tennessee.

Azalea arborescens, *Pursh.*

A. fragrans, *Rafin.*

R. calendulaceum, *Torr.* Pennsylvania to Georgia.

Azalea calendulacea, *Michx.*

A. pontica var. *calendulacea*, *Pers.*

Var. *flammea*. Bot. Mag. t. 2143.

Var. *Morteri*, *Sweet* Brit. Fl. Gard. iv. t. 10.

"*R. calendulaceum* × red variety of *R. nudiflorum*."

Many garden varieties and hybrids.



R. dilatatum, *Miq.* Japan.

R. flavum, *G. Don.* Caucasus, &c.

Azalea pontica, *L.*; Bot. Mag. t. 433.

Anthodendron flavum, *Reichb.*

Var. *albiflorum*.

Azalea pontica *var. albiflora*, Bot. Mag. t. 2383.

Var. *ardens*, *Sweet* Brit. Fl. Gard. vii. t. 306.

Many garden varieties and hybrids.

**R. indicum*, *Sweet.* China and Japan. "Indian Azalea."

Azalea indica, *L.*

Var. *amoenum*, *Maxim.*

R. amoenum, *Planch.*

Azalea amoena, *Lindl. & Paxt.* Fl. Gard. iii. t. 89; Bot. Mag. t. 4728.

Var. *amoenum splendens*.

Var. *balsaminaeflorum*.

Azalea balsaminaeflora, *Carr.*; Rev. Hort. 1882, pl.

A. Rollisoni, *Hort.*

A. rosaeflora, *Hort.*

Var. *Caldwelli*.

Var. *calyciflorum*.

Var. *Kaempferi*, *Maxim.*

R. Sieboldi, *Miq.*

Var. *obtusum*.

R. obtusum, *Planch.*

R. Sieboldi var. minus, *Miq.*

Azalea obtusa, *Lindl.* Bot. Reg. xxxii. t. 37.

Var. *obtusum album*.



**R. ledifolium*, *G. Don.* Japan, China, &c.

R. leucanthum, *Blume.*

R. rosmarinifolium, *Dippel.*

Azalea indica var. alba, *Lindl.* Bot. Reg. t. 811.

A. ledifolia, *Hook.* Bot. Mag. t. 2901.

A. liliiflora, *Poit.*

Var. *narcissiflorum*.

**R. linearifolium*, *Sieb. & Zucc.* Japan.

R. rosmarinifolium, *Hort.* (not *Dippel*).

Azalea linearifolia, *Hook.* Bot. Mag. t. 5769.

R. nudiflorum, *Torr.* Canada to Florida and Texas.
"Pinxter Flower."

R. bicolor, *Sweet.*

R. canescens, *G. Don.*

Azalea bicolor, *Pursh.*

A. canescens, *Michx.*

A. lutea, *L.*

A. nudiflora, *L.*; Bot. Mag. t. 180.

A. periclymenoides, *Michx.*

Var. *carneum*.

Azalea nudiflora var. carneum, Bot. Reg. t. 120.

Var. *eximium*, *D. Don*; Sweet Brit. Fl. Gard. vi. t. 291.

"*R. nudiflorum coccineum majus* × *R. arboreum*."

Var. *rubrum*.

Azalea nudiflora var. rubra, *Lodd.* Bot. Cab. t. 51.

Many garden varieties and hybrids.

R. occidentale, *A. Gray*; Bot. Mag. t. 5005. California.

A. occidentalis, *Torr. & Gr.*

R. quinquefolium, *Bisset & S. Moore.* Japan.



R. Rhodora, *J. F. Gmel.* North America.

R. canadense, *Dippel.*

R. pulchellum, *Salisb.*

Rhodora canadensis, *L.*; Bot. Mag. t. 474.

R. congesta, *Moench.*

R. rhombicum, *Miq.*: Bot. Mag. t. 6972. Japan.

R. reticulatum, *D. Don.*

Azalea reticulata, *C. Koch.*

A. rhombica, *Hort.*

***R. Schlippenbachii**, *Maxim.*; Bot. Mag. t. 7373. Mandshuria and Japan.

***R. serpyllifolium**, *Miq.* Japan.

Azalea serpyllifolia, *A. Gray.*

R. sinense, *Sweet* Brit. Fl. Gard. t. 290; Bot. Mag. t. 5905. China and Japan.

R. molle, *Sieb. & Zucc.*

Azalea japonica, *A. Gray.*

A. mollis, *Blume.*

A. pontica, *L.* var. *sinensis*, *Lindl.* Bot. Reg. t. 1253.

A. sinensis, *Lodd.* Bot. Cab. t. 885.

Many garden varieties.

R. Tschonoskii, *Maxim.* Rhod. As. Orient. t. 3, f. 8a. Japan.

R. Vaseyi, *A. Gray*; Garden and Forest 1888, 376, f. 60. Mountains of North and South Carolina.

Var. *album*.

R. viscosum, *Torr.* North America. "Swamp Honey-suckle."

Anthodendron viscosum, *Reichb.*

Azalea viscosa, *L.*



R. viscosum—*cont.*

Var. glaucum, *A. Gray.*

R. glaucum, *G. Don* (not *Hook. f.*).

Azalea glauca, *Lam.*

A. viscosa var. glauca, *Michx.*

††† EURHODODENDRON.

R. afghanicum, *Aitch. & Hemsl.* Journ. Linn. Soc. xix. t. 21.
Afghanistan.

R. altaclerense, *Lindl.* Bot. Reg. t. 1414. Garden origin.

R. arboreum (*hybridum*) *altaclerense*; Bot. Mag. t. 3423.

“*R. arboreum* × (*catawbiense* × *ponticum*).”

R. Anthopogon, *D. Don*; Bot. Mag. t. 3947. Alpine
Himalaya and Northern Asia.

R. arboreum, *Sm.* var. *Campbelliae*. Temperate Himalaya.
R. Campbelliae, *Hook. f.* Rhod. Sikkim Himal. t. 6.

R. aucubaefolium, *Hemsl.* Central China.

R. Augustinii, *Hemsl.* Central China.

R. auriculatum, *Hemsl.* Central China.

R. blandianum, *Martr.* L'Horticulteur Français 1859,
t. 13. Garden origin.

R. arboreum × ?

R. brachycarpum, *G. Don*: Garden and Forest 1888, 293,
f. 46. Japan.

R. californicum, *Hook.* Bot. Mag. t. 4863. California, &c.



- R. campanulatum**, *D. Don*; Bot. Mag. t. 3759. Alpine Himalaya.
- R. aeruginosum, *Hook. f.*
- Var. *album*.
- Var. *pictum*.
- Var. *Wallichii*, *Hook. f.*
- R. Batemani, *Hook.* Bot. Mag. t. 5387.
- R. campylocarpum**, *Hook. f.* Bot. Mag. t. 4968. Sikkim, &c.
- R. catawbiense**, *Michx.*; Bot. Mag. t. 1671. High mountains from Virginia to Georgia.
- Var. *fastuosum*.
- R. *fastuosum*, *Van Houtte* Flore des Serres t. 143.
- Many garden varieties and hybrids.
- R. caucasicum**, *Pall.* Caucasus.
- R. *caucaseum*, *Sims* Bot. Mag. t. 1145.
- Var. *flore albo*.
- Var. *pictum*.
- R. ciliatum**, *Hook. f.* Rhod. Sikkim. Himal. t. 24. Sikkim.
- R. cinnabarinum**, *Hook. f.* Rhod. Sikkim Himal. t. 28. Sikkim, &c.
- R. *blandfordiaeflorum*, *Hook. f.* Bot. Mag. t. 4930.
- R. collettianum**, *Aitch. & Hemsl.*; Bot. Mag. t. 7019. Afghanistan.
- R. *afghanicum*, *Hort.* (not *Aitch. & Hemsl.*).
- R. Cunninghamii**, *Hort.* (*maximum* × *arboreum*). Garden origin.
- R. dauricum**, *L.* Dauria to Mandshuria and Sachalin.
- R. *dahuricum*, *Dippel*.
- Var. *atrovirens*.



R. decorum, *Franch.* Yunnan.

R. Delavayi, *Franch.* Yunnan.

R. ferrugineum, *L.*; *Lodd. Bot. Cab.* t. 65. Alps of Europe.
"Rose des Alpes."

Var. *album*, *Sweet Brit. Fl. Gard.* 1838, t. 258.

Var. *atrococcineum*.

Var. *erectum*.

Var. *hybridum*.

Var. *myrtifolium*. Austrian Alps.

R. myrtifolium, *Schott. & Kotschy* (not *Lodd.*).

Var. *variegatum*.

The three following are plants of garden origin in all probability derived from *R. ferrugineum* and *punctatum*.

R. arbutifolium, *Hort.*

R. daphnoides, *Hort.*

R. Hammondi, *Hort.*

R. tenellum, *Hort.*

R. Wilsoni, *Hort.* (not *Hook.*).

R. Fortunei, *Lindl.*; *Bot. Mag.* t. 5596. China.

R. fulgens, *Hook. f.* Rhod. Sikkim Himal. t. 25. Nepal and Sikkim.

R. glaucum, *Hook. f.* *Bot. Mag.* t. 4721. Sikkim and Bhotan.

R. halense, *Gremb.* (*subferrugineum* × *hirsutum*). Austrian Alps.

R. hirsutiforme, *Gremb.* (*subferrugineum* × *hirsutum*). Austrian Alps.



- R. hirsutum, L.; Bot. Mag. t. 1853. Alps of Europe.
"Rose des Alpes."
- R. hypoglaucum, Hemsl. Central China.
- R. intermedium, Tausch. Tyrol, &c.
- R. kamtchaticum, Pall.; Gartenflora t. 1260. North Asia.
- R. kewense, W. Wats. (*griffithianum* × *Hookeri*.) Garden,
1892, xlvi. t. 474. Garden origin.
- *R. Keysii, Nutt.; Bot. Mag. t. 4875. Bhotan.
- *R. lacteum, Franch. Yunnan.
- R. lepidotum, Wall.; Bot. Mag. t. 4657. Temperate and
Alpine Himalaya.
- R. Luscombei, W. Wats. (*Fortunei* × *Thomsoni*.) Garden
origin.
- Var. *splendens*.
- R. Manglesii, Hort. (*Aucklandi* × *album elegans*); Gard.
Chron. 1885, xxiv. 49, f. 9. Garden origin.
- R. maximum, L.; Bot. Mag. t. 951. North America.
- R. procerum, Salisb.
 - R. purpureum, G. Don.
 - R. Purshii, G. Don.
- L. micranthum, Turcz. China.
- L. Metternichii, Sieb. & Zucc. Fl. Jap. t. 9. Japan.
- Var. *pentamerum*.
- L. myrtifolium, Lodd. Bot. Cab. t. 908. Garden origin.
- ? R. hirsutum × *punctatum*.
 - R. ovalifolium, Hort.
 - R. ovatum, Hort. (not Maxim.).
 - R. ponticum var. *myrtifolium*, Loud.



- R. niveum*, *Hook. f.* Bot. Mag. t. 4730. Sikkim.
- R. nobleanum*, *Lindl.* Bot. Reg. t. 1820. Garden origin.
- R. arboreum* × *caucasicum*.
 - R. caucasicum* var. *nobleanum*, *Loud.*
- R. parvifolium*, *Adams.*; Gartenflora 1877, t. 904. Siberia.
China, &c.
- R. parviflorum*, *Ait.*
 - Azalea ferruginosa*, *Pall. Fl. Ross.* t. 72.
- R. pittosporaeifolium*, *Hemsl.* Central China.
- R. ponticum*, *L.*; Bot. Mag. t. 650. Spain, Portugal, Asia Minor.
- R. baeticum*, *Boiss. & Reut.*
- Var. *album*.
- Var. *cheiranthifolium*.
- R. cheiranthifolium*, *Hort.*
- Var. *daphnoides*, *Hort.*
- R. daphnoides*, *Hort.* (in part).
- Var. *lancifolium*.
- R. lancifolium*, *Moench.*
- Var. *variegatum*.
- . *praecox*, *Carr.* Rev. Hortic. 1868, 211, t. (*ciliatum* × *dauricum*). Garden origin.
- . *Przewalskii*, *Maxim.* China.
- . *pulcherrimum*, *Lindl.* (*arboreum* × *caucasicum*).
- R. caucasicum* var. *pulcherrimum*, *Loud.*
- punctatum*, *Andr.* Bot. Rep. t. 36.; Bot. Reg. t. 37.
Alleghany Mountains from North Carolina to Georgia.
- R. minus*, *Michx.*

- R. racemosum**, *Franch.*; Bot. Mag. t. 7301; Garden 1892, xlvi. 311, pl. Western China.
- B. roseum odoratum**, *Hort. Davies*. Garden origin.
"Hardy white Azalea × hardy scarlet Rhododendron."
- R. rubiginosum**, *Franch.*; Bot. Mag. t. 7621. Yunnan.
- R. russelianum**, *Sweet* Brit. Fl. Gard. iv. t. 91. (*catawbiense* × *arboreum*).
- R. Smirnowi**, *Trautv.*; Gartenflora t. 1226, f. 2. Caucasus.
- R. Smithii**, *Hort.* var. *elegans*. Garden origin.
- R. Thomsoni**, *Hook. f.*: Bot. Mag. t. 4997. Nepal and Sikkim.
- R. tortonianum**, *Hort.* Garden origin.
- R. Ungerni**, *Trautv.*; Gartentlora t. 1226, f. 1. Caucasus.
- R. venustum**, *D. Don*; Sweet Brit. Fl. Gard. ser. ii. t. 285 (*caucasicum* × *arboreum*).
R. Jacksoni, *Hort.*
- R. virgatum**, *Hook. f.*; Bot. Mag. t. 5060. Sikkim.
- R. yunnanense**, *Franch.*: Bot. Mag. t. 7614. Yunnan.

††† HYBRIDS BETWEEN AZALEA AND RHODODENDRON.

- R. azaleoides**, *Desf.* (*viscosum* × *maximum*). Garden origin.
- R. hybridum**, *Ker-Gawl.* Bot. Reg. t. 195.
- R. odoratum**, *Lodd.*
- R. fragrans**, *Part.* Mag. of Bot. x. t. 147.
- R. ponticum** var. *deciduum*, *Audr.* Bot. Rep. t. 379.
- R. ponticum** var. *azaleoides*.
- R. maximum** hybridum, Bot. Mag. t. 3454.



R. Cartoni, *Hort.*; Bot. Reg. t. 1449. Garden origin.

"*Azalea nudiflora* × *Rhododendron catawbiense*."

R. gemmiferum, *Hort.* Garden origin.

R. gowenianum, *Sweet* Brit. Fl. Gard. ser. i. t. 263. Garden origin. "(*Azalea nudiflora* or *viscosa*) × (*R. ponticum* × *catawbiense*)."

R. nudiflorum var. *govenianum*, *Loud.*

Rhododendron Smithii, *Hort.* (not *Sweet*) var. *aureum*, *Part.* Mag. Bot. ix. t. 79. "Rhododendron seedling × *Azalea sinensis*."

Under the generic name Azaleodendron a number of hybrids between *R. sinensis* (*Azalea mollis*) and an evergreen hybrid Rhododendron have been distributed from Belgium.

Menziesia globularis, *Salisb.* Alleghany Mountains from Pennsylvania to Georgia.

M. ferruginea var. *globularis*, *Sims* Bot. Mag. t. 1571.

M. pilosa, *Britt. & Br.* Illustr. Fl. ii. 562, f.

Clethra acuminata, *Michx.*: Lodd. Bot. Cab. t. 1427. Virginia to Georgia. "White Alder."

C. montana, *Bartr.*

C. alnifolia, *L.* Maine to Florida. "Sweet Pepperbush."

Var. *Michauxii*.

C. Michauxii, *Court.*

Var. *paniculata*.

C. paniculata, *Ait.*

Var. *scabra*.

C. scabra, *Pers.*



C. alnifolia—*cont.*

- Var. *tomentosa*, *Michx.*; *Garden and Forest* 1891, 64, f. 14.
C. incana, *Pers.*
C. pubescens, *Willd.*
C. tomentosa, *Lam.*; *Bot. Mag.* t. 3743.

C. canescens, *Reinw.* China, Japan, &c.

- C. barbinervis*, *Sieb. & Zucc.*; *Gartenflora* 1870, t. 654.
C. lancifolia, *Turcz.*
C. Fabri, *Hance.*

Diapensiaceae.

Diapensia lapponica, *L.*; *Bot. Mag.* t. 1108. Mountains in high latitudes of northern hemisphere.

Myrsinaceae.

**Myrsine africana*, *L.* Himalaya, Tropical and South Africa, Azores.

**Ardisia japonica*, *Blume.* China and Japan.

- A. odontophylla*, *Lindl.* *Bot. Reg.* t. 1892.
Bladhia glabra, *Thunb.*
B. japonica, *Thunb.*

Sapotaceae.

**Bumelia lanuginosa*, *Pers.*; Sargent Silva of North America, t. 247. Southern United States, &c.

Sideroxylon lanuginosum, *Michx.*

**B. lycioides*, *Guentz f.*; Sargent Silva of North America, t. 248. South United States. "Southern Buckthorn."

Sideroxylon lycioides, *L.*



Ebenaceae.

**Diospyros Kaki*, L. Japan. "Kaki."

D. Lotus, L.; Loud. Arb. et Frut. Brit. 625, f. 1214.
Temperate Asia (naturalized in South Europe?).
"Common Date Plum."

D. calycina, Hort.

D. virginiana, L.; Sargent Silva of North America,
t.t. 252-3. United States. "Persimmon."

D. concolor, Moench.

D. digyna, Hort.

D. distyla, Hort.

Styraceae.

Symplocos crataegoides, Buch-Ham.; Garden and Forest
1892, 89, f. 15. Himalaya to Japan.

**S. japonica*, A.DC.; Lindl. & Paxt. Fl. Gard. i. 61, f. 39.
China and Japan. "Kuroki."

S. lucida, Sieb. & Zucc. Fl. Jap. t. 24.

**S. paniculata*, Miq. Japan.


**S. tinctoria*, L'Hérit. Delaware to Florida and Louisiana.
"Horse-sugar."

Halesia corymbosa, Nichols. Japan.

Pterostyrax corymbosum, Sieb. & Zucc. Fl. Jap. t. 47.

H. diptera, L.; Lodd. Bot. Cab. t. 1172. Georgia and
Florida to Louisiana.

Mohrodendron dipterum, Britton; Sargent Silva
of North America t. 249.



H. hispida, *Mast.* *Gard. Chron.* 1884, xxii. 176, f. 34.
China and Japan. "Asagara."

Pterostyrax hispidum, *Sieb. & Zucc.*; *Rev. Hort.* 1875,
308, f. 50.

H. parviflora, *Michx.* Georgia and Florida.

H. tetraptera, *L.*: *Bot. Mag.* t. 910. West Virginia and
Illinois to Florida. "Snowdrop or Silver-bell
Tree."

Mohrodendron Carolinum, *Britton*: *Sargent Silva*
tt. 257-8. Florida.

Var. *Meehani*, *Sargent* *Garden and Forest* 1892, 535,
f. 91.

H. Meehani, *Hort.*

Styrax americanum, *Lam.* Virginia to Florida, Louisiana
and Arkansas.

Halesia parviflora, *Lindl.* *Bot. Reg.* t. 952 (not *Michx.*).

S. japonicum, *Sieb. & Zucc.* *Fl. Jap.* t. 23; *Regel Garten-*
flora, t. 583. China and Japan.

S. Obassia, *Sieb. & Zucc.*: *Bot. Mag.* t. 7039. Japan.

S. officinale, *L.*: *Moggr. Flora of Mentone* t. 60. South
Europe, Asia Minor. "Storax."

**S. serrulatum*, *Roxb.*; *Bot. Mag.* t. 5950. Eastern India.

Oleaceae.

**Jasminum floridum*, *Bunge.*: *Bot. Mag.* t. 6719. China.
J. subulatum, *Lindl.*

J. fruticans, *L.*; *Bot. Mag.* t. 461. Mediterranean region
and Orient.

J. collinum, *Salisb.*

J. heterophyllum, *Moench.*



J. humile, *L.*; Bot. Reg. t. 350. Sub-tropical Himalaya.

J. chrysanthum, *Roxb.*

J. Fulleri, *Hort.*

J. pubigerum, *Hort.* (not *D. Don*).

J. Reevesii, *Hort.*

J. revolutum, *Sims.* Bot. Mag. t. 1731.

J. wallichianum, *Lindl.*

J. nudiflorum, *Lindl.*; Bot. Mag. t. 4649. China and Japan.

Var. *foliis aureis*.

J. officinale, *L.*; Bot. Mag. t. 31. Persia and North-western India. "Jessamine."

J. ochroleucum, *Hort.*

Var. *affine*, *Dippel*.

J. affine, *Royle*; Bot. Reg. xxxi. t. 26; Carr. Rev. Hort. 1878, 428, f. 87.

J. grandiflorum, *Hort.* (not *L.*).

Var. *foliis aureis*.

***J. primulinum**, *Hemsl.*; Hook. Icon. Plant. t. 2384. Yunnan.

Forsythia europaea, *Degen & Baldacci*. Albania.

F. intermedia, *Zabel*; Gartenflora 1891, 397, f. (*suspensa* × *viridissima*). Garden origin.

Var. *densiflora*, *Koechne*.

Var. *vitellina*, *Koechne*.

F. suspensa, *Vahl*; Bot. Mag. t. 4995. China.

F. Fortunei, *Hort.*

F. Sieboldi, *Hort.*

F. viridissima, *Lindl.* Bot. Reg. 1847, t. 39. China.



- Syringa amurensis**, *Rupr.*; Garden and Forest 1889, 271,
f. 112. China, Japan, and Mandshuria.
Ligustrina amurensis, *Rupr.*; Gartenflora 1863, t. 396.
- S. chinensis**, *Willd.*; Nouveau Duhamel ii. t. 63 (*vulgaris*
× *persica*). Garden origin. "Rouen Lilac."
- S. correlata**, *A. Br.*
- S. dubia**, *Pers.*
- S. rothomagensis**, *Mirb.*
- S. sibirica**, *Hort.*
- Var. metensis**, *Hort.*
- Var. rubra**, *Lodd.*
- Var. saugeana**, *Hort.*
- S. Emodi**, *Wall.*; Bot. Reg. xxxi. t. 6. Himalaya.
Var. foliis rubris.
- Var. rosea**, *Cornu*; Rev. Hort. 1888, 492, t. North China.
S. Bretschneideri, *Hort.*
- S. villosa**, *Sargent* Garden and Forest 1888, 521,
f. 83.
- Var. variegata**.
- S. japonica**, *Decne.*; Garden and Forest 1889, 295, f. 115.
Japan.
Ligustrina amurensis *var. japonica*, *Maxim.*
- S. Josikaea**, *Jacq. f.*; Bot. Mag. t. 3278. Transsylvania.
Var. eximia.
- S. oblata**, *Lindl.*; Garden and Forest 1888, 221, f. 39. China.
S. chinensis, *Blume* (not *Willd.*).
- S. pekinensis**, *Rupr.* Mountains of Northern China.
S. amurensis *var. pekinensis*, *Maxim.*
Ligustrina pekinensis, *Regel.*
- Var. pendula**.



S. persica, L.; Bot. Mag. t. 486. Afghanistan. "Persian Lilac."

Var. *alba*.

S. Steenecruyssii, *Hort.*

Var. *laciniata*, *Vahl*; Lodd. Bot. Cab. t. 1107.

S. *filicifolia*, *Hort.*

S. *laciniata*, *Mill.*

S. *pteridifolia*, *Hort.*

S. *pinnata*, *Hort.*

S. villosa, *Vahl*; Bot. Mag. t. 7064; Garden and Forest 1888, 414, f. 67. North China.

S. *pubescens*, *Turecz.*

S. *verrucosa*, *Hort.*

S. vulgaris, L.; Bot. Mag. t. 183. Eastern Europe.
"Common Lilac."

Var. *foliis aureis*.

Many garden varieties.

† *ORNUS*.

Fraxinus bracteata, *Hemsl.* Central China.

F. bungeana, *DC.*; Garden and Forest 1894, 5, f. 1. China and Japan.

F. *chinensis*, *Herd.* (not *Wall.*).

F. *floribunda*, *Bunge* (not *Wall.*).

F. *obovata*, *Blume*.

F. *Ornus var. bungeana*, *Hance*.

Var. *microphylla*.

F. *chinensis*, *Roxb.* China.



- F.** *dipetala*, *Hook. & Arn.*; Sargent Silva of North America t. 261. California. "Fringe-flowered Ash."
Ornus dipetala, *Nutt.*
- F.** *floribunda*, *Wall.* Himalaya.
Ornus floribunda, *A. Dietr.*
- F.** *longicuspis*, *Sieb. & Zucc.* Japan.
- F.** *Mariesii*, *Hook. f.* Bot. Mag. t. 6678. China.
- F.** *Ornus*, *L.*: Bentl. & Trim. Medicinal Plants t. 170. Mediterranean region and Orient. "Manna Ash."
F. florifera, *Scop.*
F. paniculata, *Mill.*
Ornus europaea, *Pers.*: Loud. Arbor. et Frut. Brit. 652, f. 1266.
- Var. *angustifolia*.
 Var. *latifolia*, *Ait.*; Wats. Dendr. Brit. t. 107.
F. rotundifolia, *Hort.* (not *Lam.*).
F. Theophrasti, *Hort.*
Ornus rotundifolia, *Hort.*
Ornus Theophrasti, *Hort.*
- Var. *variegata*.
- ' *platypoda*, *Oliver* : Hook. Icon. Plant. t. 1929. China.
F. sieboldiana, *Hort.* (not *Blume*).
F. Sieboldii, *Hort.*
- ' *raibocarpa*, *Regel* : Dippel Laubholzk. i. 93, f. 50. Turkestan.
- ' *rotundifolia*, *Lam.*; Dippel Laubholzk. i. 61, f. 25. South Europe, &c.
F. argentea, *Loisel.*
F. mannifera, *Hort.*
Ornus rotundifolia, *Pers.*
- sieboldiana*, *Blume*; Dippel Laubholzk. i. 63, f. 27.

†† FRAXINASTER.

Fraxinus americana, *L.*; Sargent Silva of North America
t.t. 268, 269. North America. "White Ash."

F. acuminata, *Lam.*

F. alba, *Marsh.*

F. canadensis, *Gaertn.*

F. cinerea, *Bosc.*

F. curvidens, *Hort.*

F. disolor, *Muhl.*

F. epiptera, *Michx.*

F. glauca, *Hort.*

F. juglandifolia, *Lam.*

F. mixta, *Bosc.*

F. pannosa, *Bosc.*

Var. microcarpa, *A. Gray.*

F. albicans, *Buckl.*

F. americana var. *epiptera*, *C. Koch.*

F. americana *longifolia*, *Hort.*

F. Curtissii, *Vasey.*

F. lancea, *Bosc.*

F. Novae-Angliae, *Hort.*

Var. aucubaefolia, *Hort.*

Var. foliis argenteis variegatis.

†. angustifolia, *Vahl*; Dippel Lanbholzk. i. 91, f. 48.
South Europe, &c.

F. australis, *J. Gay.*

F. calabrica, *Hort.*

F. chinensis, *Lodd.* (not *Roxb.*).

F. excelsior var. *australis*, *Gay.*

F. excelsior var. *salicifolia*, *Hort.*



F. angustifolia—*cont.*

- F. lucida, *Hort.*
- F. oxycarpa, *Willd.*
- F. oxyphylla, *Bieb.*
- F. rostrata, *DC.*
- F. salicifolia, *Hort.*

Var. *lasiorachis*.

F. anomala, *Torr.* : Sargent Silva of North America t. 266.
Utah.

F. berlandieriana, *DC.* : Sargent Silva of North America
t. 273. Southern Mexico.

- F. americana var. *berlandieriana*, *Wesmael.*
- F. pubescens var. *Lindheimeri*, *Wenzig.*
- F. trialata, *Buckl.*
- F. viridis var. *berlandieriana*, *Torr.*

F. caroliniana, *Mill.* : Sargent Silva of North America
t.t. 274, 275. Southern United States. "Water
Ash : Swamp Ash."

- F. americana, *Marsh.* (not *Lam.*).
- F. cubensis, *Griseb.*
- F. curvidens, *Hoffmigg.*
- F. nigra var. *caroliniana*, *Wesmael.*
- F. nigrescens, *Buckl.*
- F. Nuttallii, *Buckl.*
- F. pallida, *Bosc.*
- F. pauciflora, *Nutt.*
- F. platycarpa, *Michx.*
- F. pubescens, *Bosc* (not *Lam.*).
- F. triptera, *Nutt.*

F. chinensis, *Rorb.* China.

F. dimorpha, *Coss.* & *Dur.* North Africa.

F. *incana*, *Carr.*

F. *xanthophylla*, *Hort.*

F. *xanthoxyloides*, *Hort.*

Var. *dumosa*, *Carr.*

F. Elonza, *Dippel* Laubholzk. i. 87, f. 46. Origin uncertain.

F. excelsior, *L.*; Eng. Bot. ed. 3, t. 1402. Europe, North Africa. "Common Ash."

Var. *amarissima*, *Dippel*.

F. *amarissima*, *Hort.*

Var. *angustifolia*, *Loud.*

F. *heterophylla*, *Hort.* (not *Vahl*).

F. *salicifolia*, *Hort.* (in part).

Var. *atrovirens nana*.

Var. *aurea*, *Loud.*

F. *aurea*, *Pers.*

Var. *aurea pendula*, *Hort.*

Var. *concavifolia*.

Var. *cortice variegato*.

Var. *crispa*, *Loud.*

F. *americana crispa*, *Hort.*

F. *atrovirens*, *Desf.*

F. *coriacea*, *Hort.*

F. *crispa*, *Bosc.*

F. *excelsior var. atrovirens*, *Dippel*.


F. *excelsior var. cucullata*, *Hort.*

F. *glomerata*, *Hort.*

F. *nigra*, *Hort.* (not *Marsh.*).

Var. *cucullata*.

Var. *foliis argenteis*.



F. excelsior—cont.

Var. *fungosa*, *Lodd.*

Var. *globosa*, *Hort.*

Var. *heterophylla*, *Loud.* *Arb. et Frut. Brit.* 643, f. 1249.

F. excelsior var. *diversifolia*, *Ait.*

F. heterophylla, *Vahl.*

F. integrifolia, *Hort.*

F. monophylla, *Desf.*

F. rufa, *Bosc.*

F. simplicifolia, *Willd.*

Var. *heterophylla laciniata*.

F. excelsior var. *imbricata*, *Hort.*

F. monophylla laciniata, *Hort.*

Var. *heterophylla pendula*.

Var. *longibotrys*.

Var. *lutea*, *Hort.*

Var. *monstrosa*, *Hort.*

Var. *myrtifolia*, *Hort.*

F. polemoniifolia, *Hort.*

F. viridis nobilis, *Hort.*

Var. *obliqua*.

F. obliqua, *Tausch.*

Var. *pendula*, *Ait.* "Weeping Ash."

Var. *pendula Wentworthi*. "Wentworth Weeping Ash."

Var. *scolopendrifolia*.

Var. *spectabilis*, *Hort.*

Var. *stricta*, *Loud.*

Var. *Transoni*.

Var. *verrucosa*.

Var. *verticillata*, *Hort.*

F. verticillata, *Lodd.*



- F. expansa**, *Hort.* (*americana* × *viridis* ? *Koehne*).
F. glabra, *Lawson.* (*pennsylvanica* × *viridis* ? *Koehne*).
F. mandshurica, *Rupr.* Corea, Mandshuria to Sachalin and Japan.
F. nigra, *Marsh.* : Sargent Silva of North America t. 265.
 "Black Ash"
 F. *americana* var. *sambucifolia*, *D. J. Browne*.
 F. *Novae-Angliae*, *Duroi*.
 F. *sambucifolia*, *Lam.*
F. numidica, *Dippel* Laubholzk. i. 96, f. 52. North Africa.
F. oregona, *Nutt.* ; Sargent Silva of North America t. 276.
 Western United States.
 F. *californica*, *Hort.* (in part).
 F. *latifolia*, *Benth.*
 Var. *foliis pulverulentis*.
F. parvifolia, *Lam.* ; Loud. Arb. et Frut. Brit. 644, f. 1251.
 S. Europe, Orient.
 F. *lentiscifolia*, *Desf.*
 F. *oxycarpa* var. *parvifolia*, *Boiss.*
 F. *persica*, *Boiss.*
 Var. *pendula*.
 F. *lentiscifolia* var. *pendula*, *Kirchn.*
 F. *tamariscifolia* var. *pendula*, *Dippel*.
 Var. *nana*.
 F. *lentiscifolia* *nana*, *Hort.*
 F. *tamariscifolia* var. *nana*, *Dippel*.
 ' **F. pennsylvanica**, *Marsh*: Sargent Silva of North America t. 271. North America. "Red Ash."
 F. *americana* var. *pubescens*, *D. J. Browne*.
 F. *epiptera*, *Hort.* (not *Michx.*).
 F. *longifolia*, *Bosc.*
 F. *Novae Angliae*, *Mill.* (not *Hort.*).
 F. *oblongocarpa*, *Buckl.*



F. *pennsylvanica*—*cont.*F. *pubescens*, *Lam.*F. *subvillosa*, *Bosc.*F. *tomentosa*, *Michx.*F. *viridis* var. *pubescens*, *Hitchcock.*Var. *foliis argenteis marginatis*.Var. *lanceolata*, *Sargent Silva of North America* t. 272.

North America. "Green Ash."

F. *caroliniana*, *Willd.* (not *Mill.* nor *Lam.*).F. *expansa*, *Willd.*F. *juglandifolia*, *Willd.*F. *lanceolata*, *Borkh.*; *Britt. & Br. Illustr. Flora* ii. 601, f.F. *pubescens*, *Torr.* (not *Lam.*).F. *viridis*, *Michx.*F. *platypoda*, *Oliver Hook. Icon. Pl.* t. 1929.F. *serratifolia*, *Hort.* (not *Michx.*).F. *Sieboldii*.F. *sieboldiana*, *Dippel* (not *Blume*).F. *potamophila*, *Herd.*; *Dippel Laubholzk.* i. 98, f. 54.
Turkestan, &c.F. *quadrangulata*, *Michx.*; *Sargent Silva of North America*, t. 263. United States. "Blue Ash."F. *quadrangularis*, *Lodd.*F. *tetragona*, *Bosc.*F. *Regelii*, *Dippel Laubholzk.* i. 97, f. 53. Turkestan.F. *sogdiana*, *Hort.* (not *Bunge*).F. *rhyncophylla*, *Hance*; *Garden and Forest* 1893. 484, f. 70. China.F. *chinensis* var. *rhyncophylla*, *Hemsl.*F. *sogdiana*, *Bunge*; *Dippel Laubholzk.* i. 92, f. 49.
Turkestan.F. *turkestanica*, *Hort.*



F. Veltheimi, *Dieck* (*parvifolia* × *excelsior monophylla*).
Garden origin.

F. lentiscifolia var. monophylla.

F. parvifolia var. monophylla, *Dippel*.

F. velutina, *Torr.*; Sargent Silva of North America t. 267.
Western United States.

Fontanesia Fortunei, *Carr. Rev. Hort.* 1859, 43, f. 9. China.

F. chinensis, *Hance*.

F. philliraeoides var. chinensis, *Debeauv.*

F. philliraeoides, *Labill.*; *Dippel Laubholzk.* i. 102, f. 57.
Asia Minor.

F. linearis, *Hort.*

F. nana, *Hort.*

Var. *longifolia*, *Dippel Laubholzk.* i. 103, f. 58.

F. californica, *Hort.*

**Forestiera acuminata*, *Poir.*; *Dippel Laubholzk.* i. 120,
f. 70. Southern United States.

F. ligustrina, *Willd.* (not *Poir.*).

Adelia acuminata, *Michx.*

Borya acuminata, *Willd.*

Phillyraea angustifolia, *L.* Mediterranean region.

P. media var. angustifolia. *Loud. Arb. et. Frut. Brit.*
632, f. 1227.

Var. *rosmarinifolia*, *Ait.*

P. rosmarinifolia, *Mill.*

P. decora, *Boiss. & Bal.*; *Gard. Chron.* 1888, iv. 673, f. 96.
Lazistan.

P. laurifolia, *Hort.*

P. Medwedewi, *Sredinski*.

P. vilmoriniana, *Boiss.*; *Bot. Mag.* t. 6800.

P. vilmoriensis, *Hort.*



P. latifolia, *L.*; Hempel & Wilhelm Die Bäume und Sträucher . . . iii. 123, f. 333. Mediterranean region.

P. media var. latifolia, *Loud.* Arb. et Frut. Brit. 633, f. 1231.

P. spinosa, *Tenore*.

Var. *ilicifolia*.

Var. *rotundifolia*.

P. media, *L.*; *Loud.* Arb. Brit. 632, f. 1226. Mediterranean region.

P. variabilis var. media.

Var. *buxifolia*, *Ait.*

Var. *oleaefolia*, *Ait.*

P. oleaefolia, *Mill.*

Osmanthus Aquifolium, *Siebold*; Gard. Chron. 1877, vii. 239, f. 37. Japan.

Ilex Aquifolium, *Thunb.* (not *L.*).

Olea Aquifolium, *Sieb. & Zucc.*

O. aquifolia, *Dippel*.

Var. *heterophyllum variegatus*.

Var. *ilicifolius*.

Olea aquifolia var. ilicifolia, *Dippel* Laubholzk. i. 141, f. 89.

Var. *ilicifolius latifolius*.

Var. *ilicifolius latifolius variegatus*.

Var. *ilicifolius purpureus*.

Var. *ilicifolius variegatus*.

Var. *myrtifolius*.

O. myrtifolius, *Hort.*

Olea aquifolia var. myrtifolia, *Dippel*.

Var. *rotundifolius*.

Chionanthus retusus, *Lindl. & Paxt.* Fl. Gard. iii. 85, f. 273 ;
Gard. Chron. 1885, xxiii. 821, f. 178. China and
Japan.

C. chinensis, *Maxim.*

C. virginica, *L.* ; *Lodd. Bot. Cab.* t. 1264. South Pennsylvania to Florida and Texas. "Fringe-tree."

C. trifida, *Moench.*

Var. *latifolia*, *Dippel.*

C. montana, *Pursh.*

Var. *pubescens*.

C. maritima, *Pursh* ; *Gartenflora* t. 564.

C. pubescens, *H. B. K.*

**Olea europaea*, *L.* ; *Bentl. & Trim. Medicinal Plants*
t. 172. Asia Minor and Syria (cultivated elsewhere).
"Olive."

Ligustrum deciduum, *Hemsl.* Central China.

L. delavayanum, *Hariot*, Rev. Hortic. 1901, 496, f. China.

L. Ibota, *Sieb.* ; Garden and Forest 1893, 425, f. 61.
China, Japan and Sachalin.

L. amurense, *Hort.* (not *Carr.*).

L. ciliatum, *Sieb.*

L. obtusifolium, *Sieb. & Zucc.*

L. regelianum, *Hort.*

L. Roxburghii, *Hort.* (not *Blume*).

L. Stauntoni, *Hort.* (not *DC.*).

Daphniphyllum Roxburghii, *Hort.*

Var *obovatum*.

Var. *regelianum*, *Rehder.*

L. regelianum, *Hort.*

L. insulare, *Deege.*; Dippel Laubholzk. i. 122, f. 71.
Origin uncertain.

L. angustifolium, *Hort.*

L. insulense, *Hort.*

L. linearis, *Hort.*

L. longifolium, *Hort.* (in part).

L. Stauntoni, *Hort.* (in part).

L. japonicum, *Thunb.*; Lindl. & Paxt. Fl. Gard. ii. 117,
f. 196. China, Japan, &c.

L. bullatum, *Hort.*

L. glabrum, *Hort.*

L. kellerianum, *Hort.*

L. Kellermannii, *Van Houtte.*

L. latifolium robustum, *Hort.*

L. lucidum, *Hort.* (not *Ait.*).

L. macrophyllum, *Hort.*

L. ovalifolium, *Hort.* (not *Hassk.*).

L. Roxburghii, *Blume.*

L. Sieboldi, *Hort.*

L. spicatum, *Hort.*

L. syringaeformis, *Hort.*

Var. *coriaceum*.

L. coriaceum, *Carr.* Rev. Hort. 1874, 418, f. 56;
Bot. Mag. t. 7519. China.

L. lucidum var. coriaceum, *Deege.*

Var. *coriaceum involutum*.


L. lucidum, *Ait.*; Bot. Mag. t. 2565. China.

L. japonicum, *Hort.* (not *Thunb.*).

L. longifolium, *Hort.* (in part).

L. magnoliaefolium, *Hort.*

L. sinense latifolium robustum, *Hort.*; Gard. Chron.
1878, x. 753, f. 125.



L. lucidum—*cont.*

Var. *Alivoni*, *Hort.*

Var. *tricolor*, *Hort.*

L. japonicum tricolor, *Hort.*

Var. *aureo-variegatum*, *Hort.*

L. japonicum aureo-variegatum, *Hort.*

L. macrophyllum aureo-variegatum.

**L. massalongianum*, *Vis.*; *Gard. Chron.* 1881, xvi. 149, f. 33.

L. angustifolium, *Hort.* (in part).

L. japonicum, *Hort.* (in part).

L. longifolium, *Hort.* (in part).

L. myrtifolium, *Hort.*

L. rosmarinifolium, *Hort.*

L. spicatum, *Hort.* (in part).

L. ovalifolium, *Hassk.*; *Dippel Laubholzk.* i. 134, f. 84.
Japan.

L. amurense, *Carr. Rev. Hort.* 1861, 352, f. 85.

L. californicum, *Hort.* (in part).

L. japonicum, *var. ovalifolium*, *Blume.*

L. ovatum, *Hort.*

L. reticulatum, *Hort.*

Var. *foliis aureis*.

L. californicum aureum, *Hort.*

L. elegantissimum, *Hort.*

L. Quihoui, *Carr.*: *Gard. Chron.* 1882, xviii. 277, f. 51.
China.

L. brachystachium, *Decne.*



L. sinense, *Lour.*; *Gard. Chron.* 1858, 621, f.; 1878, x. 365.
f. 64; *Garden and Forest* 1890, 213, f. 36. China.

L. californicum, *Hort.* (in part).

L. chinense, *Carr.*

L. chinense nanum, *Hort.*

L. Fortunei, *Hort.*

L. frondosum, *Hort.*

L. Ibota, var. *villosum*, *Hort.*

L. Stauntoni, *DC.*

L. villosum, *May.*

Var. *foliis aureis variegatis*.

L. strongylophyllum, *Hemsl.* China.

L. vulgare, *L.*; *Eng. Bot. ed. 3*, t. 904. Europe, North Africa. "Common Privet."

Var. *aureum*.

Var. *buxifolium*.

Var. *chlorocarpum*, *Loud.*

Var. *glaucum*.

Var. *italicum*.

L. italicum, *Mill.*

L. sempervirens, *Fl. Core.*

Var. *pendulum*.

Var. *variegatum*, *Loud.*


Var. *xanthocarpum*, *Loud.*

Apocynaceae.

Vinca difformis, *Poirr.* South-western Europe.

V. acutiflora, *Bert.*

V. media, *Hoffmogg. & Link.*; *Reichb. Ic. Fl. Germ.* 1063, f. ii.



V. major, *L.*; Eng. Bot. ed. 3, t. 905. Europe, &c.

Var. *elegantissima*, *Hort.*

V. minor, *L.*; Eng. Bot. ed. 3, t. 906. Europe, Western Asia. "Periwinkle."

Var. *azurea*.

Var. *flore albo*.

Var. *foliis argenteis*, *Lodd.*

Var. *foliis aureis*, *Lodd.*

Var. *flore pleno*.

Var. *flore puniceo*, *Lodd.*

**Trachelospermum jasminoides*, *Lemaire*. China and Japan.

Malouetia asiatica, *Sieb. & Zucc.*

Parechites Thunbergii, *A. Gray*.

Rhynchospermum jasminoides, *Lindl.*; Bot. Mag. t. 4737.

T. crocostomum, *Stapf*. China ?

Asclepiadaceae.

**Araujia sericofera*, *Brot.* Brazil, &c.

Physianthus albens, *Mart.*; Bot. Mag. t. 3201.

Periploca graeca, *L.*; Bot. Mag. t. 2289. South-eastern Europe, Orient.

P. maculata, *Moench*.

**Metaplexis Stauntoni*, *Roem. & Schult.*; Dippel Laubholzk. i. 160, f. 97. China, Japan, &c.

M. chinensis, *Decne.*

M. rostrata, *Turcz.*

Urostelma chinense, *Bunge*.



***Marsdenia erecta**, *R. Br.*; Dippel Laubholzk. i. 161, f. 98.
Eastern Europe, Asia Minor.

Cynanchum erectum, *L.*

Loganiaceae.

Buddleia albiflora, *Hemsl.* Central China.

***B. Colvillei**, *Hook. f. & Thoms.*; Bot. Mag. t. 7449.
Sikkim.

B. globosa, *Hope*; Bot. Mag. t. 174. Chili, Peru.

B. capitata, *Jacq.*

B. globiflora, *Mirb.*

B. intermedia, *Carr. Rev. Hortic.* 1873, 150, t. (curviflora × lindleyana). Garden origin.

B. japonica, *Hemsl.* Japan.

B. curviflora, *André* (not *Hook. & Arn.*); Ill. Hort. xvii. t. 25.

Var. *insignis*.

B. insignis, *Carr. Rev. Hort.* 1878, 330, f. 76.

***Buddleia lindleyana**, *Fortune* Bot. Reg. xxxii. t. 4. China and Japan.

B. salicifolia, *Hort.* (not *Vahl*).

B. paniculata, *Wall.* Afghanistan and Burma to China.

B. crispa, *Benth.*; Bot. Mag. t. 4793.

B. variabilis, *Hemsl.*; Bot. Mag. t. 7609. China.

Var. *veitchiana*.

***Desfontainea spinosa**, *Ruiz. & Pav.*; Bot. Mag. t. 4781. Chili, Peru, &c.

Boraginaceae.

Ehretia acuminata, *R. Br.* Himalaya, Japan, &c.

E. serrata, *Roxb.*; Bot. Reg. t. 1097.

Cardiandra alternifolia, *Hort.* (not *Sieb. & Zucc.*).

Cordia thrysiflora, *Sieb. & Zucc.*

E. macrophylla, *Wall.* Himalaya.

Lithospermum prostratum, *Lois.*; Journ. Hort. s. 3, xxv. 404. South Europe.

L. fruticosum, *Hort.* (not *L.*).

Lithodora prostrata, *Griseb.*

Moltkia petraea, *Boiss.* Dalmatia.

Echium petraeum, *Tratt.*; Bot. Reg. 1843, t. 26.

Lithospermum petraeum, *A. DC.*; Bot. Mag. t. 5942.

L. rosmarinifolium, *Reichb.*

Convolvulaceae.

**Calystegia macrostegia*, *Nichols.* Lower California.

Convolvulus macrostegius, *Greene*; Bot. Mag. t. 7717.

C. occidentalis, *S. Wats.*


**Convolvulus Cneorum*, *L.*; Bot. Mag. t. 459. South Europe.

C. argenteus, *Lam.*

Solanaceae.

**Solanum crispum*, *Ruiz. & Pav.*; Bot. Mag. t. 3795. Chili.

3. *Dulcamara*, *L.*; Bentl. & Trimen Medicinal Plants t. 190. Europe, &c. "Bitter-sweet."



S. Dulcamara—*cont.*

Var. *flore lacteo*.

Var. *foliis variegatis*.

Var. *fructu luteo*.

***S. jasminoides**, *Part. Magaz. of Botany* viii. t. 5. Brazil.

S. boerhaviaefolium, *Sendtn.*

S. lyratum, *Thunb.* China and Japan.

***Lycium afrum**, *L.*; *Bot. Reg.* t. 354. Cape of Good Hope,
&c.

L. purpureum, *Hort.*

***L. chilense**, *Miers Illustr. S. Amer. Plants* t. 72. Chili.

L. chinense, *Mill.*; *Dippel Laubholzk.* i. 25, f. 11; *Wats. Dendr. Brit.* t. 8. China. “Box Thorn; Tea Tree.”

L. barbarum, *Hort.* (not *L.*).

L. chinense var. *trewianum*.

L. lanceolatum, *Hort.*

L. megistocarpum, *Dun.*

L. ovatum, *C. Koch.* (not *Poir.*).

L. peruvianum, *Hort.*

L. trewianum, *Roem. & Schult.*

Var. *variegata*.

L. barbarum *foliis aureis variegatis*, *Hort.*

L. grevilleanum, *Gillies*; *Miers Illustr. S. Amer. Plants* t. 73. Argentina.

L. halimifolium, *Mill.* Origin uncertain.

L. barbarum, *Ait.* (not *L.*).

L. europaeum, *Gouan* (not *L.*).

L. halimifolium—*cont.*

L. turbinatum, *Poir.*

L. vulgare, *Dun.*

Jasminoides flaccida, *Moench.*

L. pallidum, *Miers*; Garden and Forest 1888, 341, f. 54.
New Mexico, Arizona, &c.

L. rhombifolium, Dippel Laubholzk. i. 24, f. 10. China.

L. barbarum, *Wats.* Dendr. Brit. t. 9 (not *L.*).

L. ovatum, *Poir.*

Jasminoides rhombifolium, *Moench.*

L. Richii, *A. Gray.* California.

**Cestrum Parqui*, *L'Hérit.* : Bot. Mag. t. 1770. Chili.

C. virgatum, *Ruiz & Pav.* .

**Fabiana imbricata*, *Ruiz. & Pav.* ; Bot. Reg. xxv. t. 59.
Peru, &c. “Pichi.”

Scrophulariaceae.

**Brandisia racemosa*, *Hemsl.* ; Hook. Icon. Plant. t. 2383.
Yunnan.

Paulownia imperialis, *Sieb. & Zucc.* ; Bot. Mag. t. 4666.
Japan. “Kiri.”

P. tomentosa, *Steud.*

Bignonia tomentosa, *Thunb.*

Incarvillea tomentosa, *Spreng.*

**Pentstemon corymbosus*, *Benth.* California.

P. heterophyllus, *Lindl.* ; Bot. Mag. t. 3853. California.

P. Menziesii, *Hook.* Bot. Mag. t. 6834. British Columbia
California, &c.

Var. *Lewisii*, (*Benth.*).

Var. *Scouleri*, *A. Gray.*

P. *Scouleri*, *Lindl.* Bot. Reg. t. 1277.

Veronica amplexicaulis, *Armstr.*; Bot. Mag. t. 7370. New Zealand.

**V. Andersoni*, *Lindl. & Paxt.* Fl. Gard. ii. t. 38. Garden origin.

V. anomala, *Armstr.*; Bot. Mag. t. 7360. New Zealand.

V. arborea, *J. Buch.* New Zealand.

V. Armstrongii, *T. Kirk* Trans. New Zeal. Inst. xxxi.
tt. 28-29. New Zealand.

V. azurea, *Link.* Garden origin.

V. buxifolia, *Benth.* New Zealand.

**V. candida*, *Lodd.* Origin uncertain.

V. carnea, *Amstr.* New Zealand.

V. Catarractae, *Forst.* New Zealand.

V. chathamica, *J. Buch.* Trans. N. Z. Inst. vii. t. 13, f. 1.
New Zealand.

V. Colensoi, *Hook. f.* Bot. Mag. t. 7296. New Zealand.

V. cupressoides, *Hook. f.* Bot. Mag. t. 7348. New Zealand.

V. salicornoides, *Hort.* (not *Hook. f.*).

Var. *variabilis*, *N. E. Br.* Gard. Chron. 1888. iii. 20,
f.f. 4-7.

V. decumbens, *Armstr.* New Zealand.

- V. Derwentia, *Andr.* Bot. Rep. t. 531. New Zealand.
- V. Dieffenbachii, *Benth.*; Bot. Mag. t. 7656. New Zealand.
- *V. diosmifolia, *R. Cunn.* New Zealand.
- Var. *trisepala*, *Kirk*; Bot. Mag. t. 7539.
- V. *trisepala*, *Colenso*
- V. elliptica, *Forst.* New Zealand.
- V. decussata, *Ait.*; Bot. Mag. t. 242.
- V. Menziesii, *Benth.*
- *V. Fairfieldii, *Hook. f.* Bot. Mag. t. 7323. Garden origin.
- V. fruticulosa, *L.*; *Reichb.* Ic. Crit. x. f. 905. Europe, &c.
- V. glauco-caerulea, *Armstr.* New Zealand.
- V. guthriana, *Hort.* Garden origin.
- V. Hectori, *Hook. f.* Bot. Mag. t. 7415. New Zealand.
- *V. hulkeana, *F. Muell.*; Bot. Mag. t. 5484. New Zealand.
- V. ignota, *Waugh.* New Zealand.
- V. Kirkii, *Armstr.* New Zealand.
- *V. lavaudiana, *Raoul*; Bot. Mag. t. 7210. New Zealand.
- V. Lindsayi, *Hort.* (*amplexicaulis* × [*pimeleoides*]); *Gard.* Chron. 1898, xxiv. 331, f. 97. Garden origin.
- V. Lewisii, *Armstr.* New Zealand.
- V. ligustrifolia, *A. Cunn.* New Zealand.
- V. loganioides, *Armstr.*; Bot. Mag. t. 7404. New Zealand.
- *V. Lyallii, *Hook. f.* Bot. Mag. t. 7338. New Zealand.
- *V. macrocarpa, *Vahl.* var. *stricta*. New Zealand.

V. macroura, *Hook. f.* New Zealand.

V. monticola, *Armstr.* New Zealand.

V. newryensis, *Hort.* Garden origin.

**V. parviflora*, *Vahl.* var. *angustifolia*, *Hook. f.* Bot. Mag. t. 5965. New Zealand. "Koro-miko."

V. angustifolia, *A. Rich.*

V. stenophylla, *Steud.*

V. pimeleoides, *Hook. f.* New Zealand.

V. pinguiifolia, *Hook. f.* Bot. Mag. t. 6147. New Zealand.

V. carnosula, *Hook. f.* Bot. Mag. t. 6587 (not Handb. New Zeal. Fl.).

V. rakaiensis, *Armstr.* New Zealand.

V. Colensoi var. *gracilis*, *Hort.*

**V. salicifolia*, *Forst.*; Kirk Forest Flora of New Zealand t. 120. "Korumeek."

Var. *gracilis*.

V. speciosa, *R. Cunn.*; Bot. Mag. t. 4057. New Zealand.

V. tobarcorensis, *Hort.* Garden origin.

V. Traversii, *Hook. f.* Bot. Mag. t. 6390. New Zealand.

V. vernicosa, *Hook. f.* New Zealand.

Bignoniaceae.

ignonia capreolata, *L.*; Bot. Mag. t. 864. South United States. "Cross-vine."

Anisostichus capreolatus, *Bur.*

Catalpa bignonioides, *Walt.* South United States.
"Indian Bean."

C. arguta, *Hort.*

C. cassinaefolia, *Hort.*

C. Catalpa, *Karsten*; Sargent Silva of North America
t.t. 288, 289.

C. communis, *Dum.-Cours.*

C. cordifolia, *Moench.*

C. syringaeifolia, *Sims* Bot. Mag. t. 1094.

Bignonia Catalpa, *L.*

Var. *aurea*.

Var. *nana*.

C. Bungei nana *Hori*.

Var. *variegata*.

C. Bungei, *C. A. Mey.*; Nouv. Arch. Mus. Paris ser. 3,
vi. t. 4. China.

C. cordifolia, *Jaume Nouv. Duham* t. 5. Western Kentucky
and Tennessee, &c. "Western Catalpa."

C. speciosa, *Warder*; Sargent Silva of North America
t.t. 290, 291.

C. cordifolia × *Kaempferi*. Garden origin.

C. Fargesi, *Bureau Nouv. Arch. Mus. Paris* ser. 3, vi. t. 3.
China.

C. Kaempferi, *Sieb. & Zucc.*; Bot. Mag. t. 6611. Japan.

C. bignonioides var. *Kaempferi*, *DC.*

C. Bungei, *Hort.* (not *C. A. Mey.*).

C. himalayensis, *Hort.*

C. himalaica, *Hort.*

C. ovata, *G. Don.*

Bignonia Catalpa, *Thunb.*

C. Kaempferi—*cont.*

Var. *flavescens*, *Hort. Kew.*

C. Wallichii, *Hort.*

Var. *purpurea*.

***Tecoma grandiflora**, *Loisel.* China and Japan.

T. chinensis, *C. Koch.*

Bignonia chinensis, *Lam.*

B. grandiflora, *Thunb.*; *Bot. Mag.* t. 1398.

Incarvillea grandiflora, *Poir.*

Var. *sanguinea*.

Bignonia sanguinea, *Hort.*

T. radicans, *Juss.* North America. “Trumpet-flower.”

Bignonia radicans, *L.*; *Bot. Mag.* t. 485.

***Eccremocarpus scaber**, *Ruiz & Pav.*; *Bot. Reg.* t. 930.
Chili.

Calampelis scaber, *D. Don.*

Selaginaceae.

Globularia cordifolia, *L.*; *Jacq. Flora Austriaca* t. 245.
South Europe, &c.

Verbenaceae.

***Lippia citriodora**, *H. B. & K.* South America. “Scented
Verbena.”

Aloysia citriodora, *Orteg.*

Verbena triphylla, *L'Hérit.*; *Bot. Mag.* t. 367.

**Rhaphithamnus cyanocarpus*, *Miers*; Bot. Mag. t. 6849.
Chili.

Citharexylon cyanocarpum, *Hook. & Arn.*

Duranta umbellata, *Miers*.

Poeppigia cyanocarpa, *Bertero*.

Callicarpa americana, *L.*; Britt. & Brown Illustr. Fl. iii. 74.
Virginia to Texas. "French Mulberry."

C. japonica, *Thunb.*; Gard. Chron. 1871, 173, f. 39. China.
Japan, Corea. "Murasaki."

C. longifolia, Bot. Reg. t. 864.

C. Murasaki, *Hort.*

Galphimia hirsuta, *Hort.* (not *Carv.*).

**C. purpurea*, *Juss.* China and Japan.

C. gracilis, *Sieb. & Zucc.*

Porphyra dichotoma, *Lour.*

Diostea juncea, *Miers*; Bot. Mag. t. 7695. Chili.

D. chamaedryfolia, *Hort.*

Baillonia juncea, *Benth.*

Dipyrena dentata, *Philippi*.

Lippia juncea, *Schauer*.

Verbena juncea, *Hook. & Arn.*

**Vitex Agnus-castus*, *L.*; Moggridge Flora of Mentone
t. 14. Mediterranean region, &c. "Chaste Tree."

**V. incisa*, *Lam.* Illustr. t. 541, f. 2. China.

V. Agnus-castus var. arborea, *Hort.*

V. Negundo, *Curt.* Bot. Mag. t. 364 (not *Lam.*).

V. Negundo var. incisa, *C. B. Clarke*.



**Clerodendron foetidum*, *Bunge*; Bot. Mag. t. 4880. China.
C. Bungei, *Steud.*

C. trichotomum, *Thunb.*; Bot. Mag. t. 6561. China and Japan. "Kusagi."

Caryopteris Mastacanthus, *Schauer*; Bot. Mag. t. 6799. China and Japan.

C. incana, *Miq.*

Barbula sinensis, *Lour.*

Mastacanthus sinensis, *Endl.*

Nepeta incana, *Thunb.*

N. japonica, *Willd.*

Var. *candicans*.

C. candicans, *Hort.*

Labiatae.

**Lavandula dentata*, *L.*; Bot. Mag. t. 400. Mediterranean region.

Stoechas dentata, *Mill.*

**L. pedunculata*, *Carv.*; Laguna Fl. Forest. Esp. ii. t. 46, 2. Spain and Portugal.

L. Spica, *Carv.*; Laguna Fl. Forest. Esp. ii. t. 46, 3. Mediterranean region.

Var. *alba*.

Var. *nana*.

L. vera, *DC.*; Bentl. & Trim. Medicinal Plants t. 199. Mediterranean region.

L. angustifolia, *Hayne*.

L. officinalis, *Chaix*.

L. pyrenaica, *DC.*

**Elsholtzia polystachya*, *Benth.* Temperate Himalaya.

Colebrookia oppositifolia, *Lodd.* Bot. Cab. t. 487.

Thymus azoricus, *Lodd.* Bot. Cab. t. 1530. Azores.

T. Chamaedrys, *Fries*; Eng. Bot. ed. 3, t. 1044. Europe, &c. "Common Thyme."

Var. *comosus*.

T. comosus, *Heuff.*

T. rotundifolius, *Schur.*

T. transsilvanicus, *Schur.*

Var. *montanus*.

T. collinus, *Bieb.*

T. montanus, *Waldst. & Kit.*

T. citriodorus, *Schreb.* South Europe.

T. Serpyllum, *L.*; Eng. Bot. ed. 3, t. 1043. Europe, &c.

Var. *pulchellus* (*Bluff* & *Fingerh.*).

Var. *variegatus*.

Var. *lanuginosus*.

T. lanuginosus, *Mill.*

T. vulgaris, *L.*; Bentl. & Trim. Medicinal Plants t. 205. South Europe. "Garden Thyme."

T. Zygis, *L.*; Laguna Fl. Forest. Esp. ii. t. 704. Spain and Portugal.

T. tenuifolius, *Mill.*

Satureia montana, *L.*; Sibth. & Sm. Flora Graeca t. 543. Europe, &c. "Winter Savory."

S. hyssopifolia, *Bert.*

S. Kitaibeli, *Wierzb.*

S. variegata, *Host.*

Satureia montana—*cont.*

Micromeria montana, *Reichb.*

M. variegata, *Reichb.*

Var. *illyrica*.

S. illyrica, *Host.*

Hyssopus officinalis, *L.*; *Reich. Fl. Germ.* t. 1259. South Europe, &c. “*Hyssop.*”

Var. *decumbens*.

H. decumbens, *Jord. & Fourr. Icones Fl. Eur.* t. 198.

Var. *aristatus*.

H. aristatus, *Godr.*; *Jord. & Fourr. Icones Fl. Eur.* t. 196.

Micromeria graeca, *Benth.* Mediterranean region.

Satureia graeca, *L.*; *Sibth. & Sm. Fl. Graeca* t. 542.

S. micrantha, *Hoffmigg. & Link.*

S. nervosa, *Desf.*

Thymus hirtus, *Soland.*

T. micranthus, *Brot.*

M. rupestris, *Benth.* Eastern Europe.

Calamintha rupestris, *Hort.*

Melissa alba, *Waldst. & Kit. Pl. Hung.* t. 205.

Nepeta croatica, *Spreng.*

N. pumila, *Spreng.*

Satureia rupestris, *Wulf.*

S. thymifolia, *Scop.*

Salvia officinalis, *L.*; *Bentl. & Trim. Medicinal Plants* t. 206. South Europe. “*Sage.*”

Var. *flore albo*.

Var. *variegata*.

Rosmarinus officinalis, *L.*; Benth. & Trim. Medicinal Plants t. 207. "Rosemary."

Var. *foliis aureis*.

**Ballota spinosa*, *Link*; Moggridge Flora of Mentone t. 84. Riviera.

Moluccella frutescens, *L.*

**Phlomis fruticosa*, *L.*; Bot. Mag. t. 1843. South Europe, &c. "Jerusalem Sage."

P. ferruginea, *Hort.* (not *Tenore*).

**P. lunatifolia*, *Sibth.* & *Sm.*; Bot. Mag. t. 7699. Asia Minor.

Teucrium fruticans, *L.* South Europe, &c.

T. latifolium, *L.*; Bot. Mag. t. 245.

T. tomentosum, *Moench*.

T. Marum, *L.* South-western Europe.

T. maritimum, *Lam.*

T. subspinosum, *Poirr.*

Chamaedrys Marum, *Moench*.

T. montanum, *L.*; Sibth. & Sm. Fl. Graeca t. 534. South Europe, &c.

T. supinum, *L.*

Polium montanum, *L.*

T. Polium, *L.*; Sibth. Fl. Graeca t. 535. Mediterranean region.

Plantaginaceae.

Plantago Cynops, *L.*; Jacq. Fragmenta Botanica t. 81. South Europe.

P. genevensis, *Poir.*

MONOCHLAMYDEAE.

Chenopodiaceae.

Atriplex Breweri, *S. Wats.* California.

A. canescens, *James.* Western North America.

A. confertifolia, *S. Wats.*; U. S. Dep. Agric. Rep. 1887,
t. 16. Western United States.

Obione confertifolia, *Torr.*

A. Halimus, *L.*; Sibth. Fl. Graeca t. 962. South Europe,
&c. "Tree Purslane."

A. occidentalis, *Hort.*

Chenopodium Halimus, *Thunb.*

A. Nuttallii, *S. Wats.* North-western America.

A. portulacoides, *L.*; Eng. Bot. ed. 3, t. 1208. Europe, &c.

Obione portulacoides, *Moq.*

Halimus portulacoides, *Dum.*

Eurotia ceratioides, *C. A. Mey.* Caucasus, Asia Minor, &c.

Suaeda fruticosa, *Forsk.*; Eng. Bot. ed. 3, t. 1178.
Northern temperate regions.

Chenopodium fruticosum, *L.*

Cochliospermum fruticosum, *Lag.*

Salsola fruticosa, *L.*

Schoberia fruticosa, *C. A. Mey.*

Sarcobatus Maximiliani, *Nees.* North America. "Grease-
wood."

S. vermiculatus, *Torr.*; Britt. & Br. Illustr. Fl.
i. 584, f.

Phytolaccaceae.

***Ercilla volubilis**, *A. Juss.* Chili, Peru, &c.

E. spicata, *Moq.*; *Hook. Bot. Misc.* iii. 169, f. 102.

Bridgesia spicata, *Hook. & Arn.*

Galvesia spicata, *Bert.*

Polygonaceae.

***Eriogonum rubescens**, *Greene.* California.

E. suffruticosum, *S. Wats.* Texas.

E. umbellatum, *Torr.* Colorado to Oregon and California.

Atraphaxis buxifolia, *Jaub. & Spach.* Caucasus.

Polygonum buxifolium, *Bieb.*

P. caucasicum, *Hoffm.*

P. crispulum, *Sims Bot. Mag.* t. 1065.

Tragopyrum buxifolium, *Bieb.*

A. lanceolata, *Bunge.* Temperate Asia.

Tragopyrum lanceolatum, *Bieb.*

Polygonella lanceolata, *Meisn.*

A. Muschketowi, *Krassn.*; *Bot. Mag.* t. 7435. Central Asia.

Tragopyrum lanceolatum var. *latifolium*, *Regel Gar-*
tenflora t. 1344.

A. spinosa, *L.* Orient.

A. Fischeri, *Jaub. & Spach.*

Tragopyrum spinosum, *Presl.*

A. Tournefortii, *Jaub. & Spach* Ill. *Plant. Orient.* t. 112.
Syria.

Polygonum baldschuanicum, *Regel*; Bot. Mag. t. 7544.
Bokhara.

P. multiflorum, *Thunb.* China and Japan.

Muehlenbeckia adpressa, *Meisn.* Australia.

Polygonum adpressum, *Labill.*; Bot. Mag. t. 3145.

M. axillaris, *Hook. f.* New Zealand, &c.

M. nana, *Hort.*

M. complexa, *Meisn.* New Zealand.

M. varians, *Meisn.* Origin uncertain.

M. varium, *Hort.*

Brunnichia cirrhosa, *Banks.* Southern United States.

Rayania ovata, *Walt.*

Polygonum claviculatum, *Hort.*

Aristolochiaceae.

Aristolochia californica, *Torr.* California.

***A. altissima**, *Desf.*; Bot. Mag. t. 6586. Sicily and Algeria.

A. Sipho, *L'Hérit.*; Bot. Mag. t. 534. United States.

A. frutescens, *Marsh.*


A. macrophylla, *Lam.*

Siphisia Sipho, *Klotzsch.*

A. tomentosa, *Sims* Bot. Mag. t. 1369. Southern United States.

A hirsuta, *Muhl.*

Siphisia tomentosa, *Rafin.*



Chloranthaceae.

**Chloranthus brachystachys*, *Blume*. China, Japan, &c.

Lauraceae.

**Cinnamomum Loureirii*, *Nees*. Cochin China. "Nikei."

**Persea Lingue*, *Nees*. Chili.

Laurus Lingue, *Ruiz & Pav.*

Sassafras officinale, *Nees*. United States.

S. albidum, *Nees*.

S. Sassafras, *Karst.*; Sargent Silva of North America
tt. 304-5.

S. variifolium, *O. Kunze*.

Laurus albida, *Nutt.*

L. diversifolia, *Stokes*.

L. Sassafras, *L.*; Loud. Arb. et Frut. Brit. 684, f. 1333.

L. variifolia, *Salisb.*

Persea Sassafras, *Spreng.*

Tetranthera albida, *Spreng.*

**Litsaea cupularis*, *Hemsl.* China.

L. geniculata, *Benth. & Hook. f.* Southern United States.
"Pond Spice."


Laurus geniculata, *Michx.*; Bot. Mag. t. 1471.

Tetranthera geniculata, *Nees*.

**L. japonica*, *Mirb.* China, Japan, &c.

Tetranthera japonica, *Spreng.*: Sieb. & Zucc. Fl. Jap.
t. 87.

Tomex japonica, *Thunb.*



**Umbellularia californica*, Nutt. California.

Drimophyllum pauciflorum, Nutt.

Oreodaphne californica, Nees ; Bot. Mag. t. 5320.

Tetranthera californica, Hook. & Arn.

Lindera Benzoin, Blume. United States. "Spice Bush ; Benjamin Bush."

Benzoin Benzoin, Coulter ; Britt. & Br. Illustr. Fl. ii. 98, f.

B. odoriferum, Nees.

B. aestivale, Nees.

Laurus aestivalis, L.

L. Benzoin, L.

**L. glauca*, Blume ; Shirasawa Iconogr. Ess. Forest. du Japon t. 44. Japan. "Mura datsi."

**L. hypoglaaca*, Maxim. Japan.

L. obtusiloba, Blume ; Garden and Forest 1893, 295, f. 42. Japan.

**L. sericea*, Blume. Japan.

Benzoin sericeum, Sieb. & Zucc.

L. triloba, Blume. Japan.

Laurus nobilis, L. ; Bentl. & Trim. Medicinal Plants t. 221. Mediterranean region. "Sweet Bay."


Var. *angustifolia*.

Proteaceae.

**Grevillea rosmarinifolia*, A. Cunn. ; Bot. Mag. t. 5971. New South Wales.

**G. juniperina*, R. Br. var. *sulphurea*, Benth. New South Wales.

G. sulphurea, A. Cunn. ; Lodd. Bot. Cab. t. 1723.



Thymelaeaceae.

Daphne alpina, *L.*; Lodd. Bot. Cab. t. 66. South Europe.

D. candida, *Vitm.*

Thymelaea alpina, *All.*

T. candida, *Scop.*

D. altaica, *Pall.*; Bot. Mag. t. 1875. Siberia.

D. blagayana, *Freyer*; Bot. Mag. t. 7579; Garden 1878, xiv. 200, t. 143. Carniola.

D. caucasica, *Pall.*; Bot. Mag. t. 7388. Caucasus.

D. euphorbioides, *Pusch.*

D. salicifolia, *Lam.*

D. Cneorum, *L.*; Bot. Mag. t. 313. South Europe, &c.
“Garland-flower.”

D. odoratum, *Lam.*

Thymelaea Cneorum, *Scop.*

Var. major.

Var. Verloti. Dauphiny.

D. Verloti, *Gren. & Godr.*; Rev. Hortic. 1901, 304, f. 130.

D. Dauphini, *Hort.* (*sericea* × *odora*). Garden origin.

D. Delphini, *Hort.*

D. Delphinium, *Hort.*

D. hybrida, *Lindl.* Bot. Reg. t. 1177.

D. hyemalis, *Hort.*

***Daphne Genkwa**, *Sieb. & Zucc.* Fl. Jap. i. 137, t. 75.
China and Japan.

D. Fortunei, *Lindl.*



D. Laureola, *L.*; Bentl. & Trim. Medicinal Plants t. 226.
Europe, North Africa, West Asia. "Spurge Laurel."

D. major, *Lam.*

Thymelaea Laureola, *Scop.*

Var. *Philippi*.

D. *Philippi*, *Gren. & Godr.* Pyrenees.

Var. *purpurea*.

D. *houtteana*, *Planch.*

D. *Mezereum* foliis atropurpureis. Flore des Serres
vi. t. 592.

D. *Mezereum* var. *atropurpurea*, *Dippel.*

D. Mezereum, *L.*; Bentl. & Trim. Medicinal Plants t. 225.
Europe, Siberia. "Mezereon."

Mezereum officinarum, *C. A. Mey.*

Thymelaea *Mezereum*, *Scop.*

T. *praecox*, *Gilib.*

Var. *flore albo*. Garden 1886, xxix. 602, t. 550.

Var. *flore albo pleno*. Garden 1886, xxix. 602, t. 550.

Var. *grandiflora*.

D. *autumnalis*, *Hort.*

***D. odora**, *Thunb.*; Bot. Mag. t. 1587. China and Japan.

D. *indica*, *Loisel.* (not *L.*).

D. *japonica*, *Sieb. & Zucc.*

D. *sinensis*, *Lam.*

D. oleoides, *Schreb.*; Bot. Mag. t. 1917. South Europe, &c.


D. *Cneorum maxima*, *Hort.*

D. *collina* var. *neapolitana*, *Lindl.* Bot. Reg. t. 822.

D. *delahayana*, *Hort.*

D. *fioniana*, *Hort.*

D. *neapolitana*, *Lodd.*



D. oleoides—*cont.*

Var. elegantissima, *Hort.*

D. neapolitana *elegantissima*, *Hort.*

D. petraea. *Leybold*; Dippel Laubholzk. iii. 196. f. 102.
Tyrol.

D. rupestris. *Facch.*

D. pontica, *L.*; Bot. Mag. t. 1282. Orient.

D. sericea, *Vahl*. South Europe.

D. alpina, *Savi* (not *L.*).

D. australis, *Cyr.*; Bot. Reg. xxiv. t. 56.

D. collina, *Sm.*; Bot. Mag. t. 428.

D. striata, *Tratt.*; Reichb. Fl. Germ. xi. t. 554. Europe.

Dirca palustris, *L.*; Bot. Reg. t. 292. North America.
“Leatherwood.”

***Edgeworthia chrysantha**, *Lindl.* Bot. Reg. 1847. t. 48.
China, Japan.

***Wikstroemia canescens**, *Meissn.* var. *Ganpi*, *Miq.* Japan.

Passerina Ganpi, *Sieb.* & *Zucc.*

Stellera japonica, *Sieb.*

Elaeagnaceae.

Elaeagnus angustifolia, *L.*; Bot. Reg. t. 1156. Mediterranean region and Orient.

E. argentea, *Moench* (not *Pursh*).

E. flava, *Hort.*

E. hortensis, *Bieb.*

E. incana, *Lam.*

Elaeagnus angustifolia—cont.

E. songorica, *Fisch.*

E. spinosa, *L.*

Var. *elliptica*.

Var. *microcarpa*.

E. argentea, *Pursh*; *Wats.* *Dendr. Brit.* ii. t. 161. North America. "Silver Berry."

Shepherdia argentea, *Hort.* (not *Nutt.*).

E. glabra, *Thunb.* China, Japan, &c. "Yama Gumi."

E. tenuiflora, *Benth.*

Var. *variegata*.

E. macrophylla, *Thunb.*; *Bot. Mag.* t. 7638. Japan and Formosa. "Fon Gumi."

E. multiflora, *Thunb.*; *Bot. Mag.* t. 7341. China, Japan.

E. crispa, *Thunb.*

E. edulis, *Sieb.*

E. longipes, *A. Gray*; *Gard. Chron.* 1873, 1114, f. 206.

E. odorata *edulis*, *Hort.*

E. rotundifolia, *Gagn.*

E. orientalis, *L.*; *Pallas Flora Rossica* t. 5. Orient.

E. sativa, *Hort.*

E. tomentosa, *Moench.*

Elaeagnus pungens, *Thunb.* China and Japan. "Natsu Gumi."


E. reflexa, *E. Morr.* & *Decne.*

E. sinensis, *Hort.*

Var. *aurea*, *Hort.*

Var. *aureo-picta*.

Elaeagnus pungens—cont.Var. *Simonii*.E. *Simonii*, Carr.Var. *Simonii aureo-variegata*.Var. *tricolor*, Hort.Var. *variegata*, Hort.E. *umbellata*, Thunb.; Rev. Hortic. 1901, 85, f. Japan.
“Masiro Gumi.”E. *conferta*, Hort.E. *japonica*, Hort.E. *latifolia*, Hort. (not L.).E. *longipes crispa*, Hort.E. *parvifolia*, Wall.; Bot. Reg. xxix. t. 51.E. *tenuifolia*, Hort. (not Benth.).Hippophae *rhamnoides*, L. Gardeners' Magazine 1894, 791.
f. Europe, Temperate Asia. “Sea Buckthorn.”Osyris *rhamnoides*, Scop.Var. *angustifolia*.Var. *taurica*.H. *salicifolia*, D. Don. Himalaya.Shepherdia *argentea*, Nutt.; Gartenflora 1889, 626, f.
North America. “Buffalo Berry.”Hippophae *argentea*, Pursh.Lepargyrea *argentea*, Greene; Britt. & Br. Illustr.
Fl. ii. 467, f.S. *canadensis*, Nutt. North America.Hippophae *canadensis*, L.Lepargyrea *canadensis*, Greene; Britt. & Br. Illustr.
Fl. ii. 467, f.



Loranthaceae.

Loranthus europaeus, *Jacq.* Flora Austriaca i. t. 30. South Europe and Orient.

Viscum album, *L.*; Gard. Chron. 1873, 1703, f. 340; Garden 1872, ii. 536, ff. Europe, N. Asia. "Mistletoe."

Santalaceae.

Buckleya distichophylla, *Torr.*; Garden and Forest 1890, 236, f. 37. North Carolina.

Berya distichophylla, *Nutt.*

Euphorbiaceae.

Securinega ramiflora, *Muell. Arg.* Eastern Asia.

Flueggea suffruticosa, *Baill.*

Geblera suffruticosa, *Fisch. & Mey.*

Phyllanthus ramiflorus, *Pers.*

Xylophyllea ramiflora, *Ait.*

Sarcococca hookeriana, *Baill.*; Garden 1884, xxv. 359, f. Himalaya.

Buxus balearica, *Lam.* Balearic Islands.


B. sempervirens var. *gigantea*; Nouv. Duham. i. 82, t. 23.

. *Harlandi*, *Hance.* China.

. *chinensis*, *Hort.*

japonica, *Muell. Arg.* Japan.

microphylla, *Sieb. & Zucc.* Japan.



- B. sempervirens, L.; Eng. Bot. ed. 3, t. 1252. Europe,
N. Africa, N. & W. Asia.
- Var. *arborescens*, Loud.
- B. *arborescens*, Mill.
- Var. *argentea*, Hort.
- B. *argenteo-marginata*, Hort.
- Var. *aurea maculata*, Hort.
- Var. *aurea pendula*, Hort.
- Var. *aureo-marginata*, Hort.
- Var. *elegantissima*, Hort.
- Var. *Handsworthii*, Hort.
- Var. *latifolia*, Hort.
- Var. *latifolia bullata*, Hort.
- Var. *latifolia macrophylla*, Hort.
- Var. *latifolia maculata*, Hort.
- Var. *latifolia nova*, Hort.
- Var. *longifolia*, Hort.
- Var. *myosotifolia*, Hort.
- Var. *myrtifolia*, Loud.
- B. *myrtifolia*, Lam.
- B. *sempervirens* var. *Leptophylla*, Nouv. Duham. i.
23, f. 3.
- Var. *navicularis*.
- B. *navicularis*, Hort.
- Var. *pendula*.
- Var. *Ponteyi*, Hort.
- Var. *prostrata*, Hort.
- Var. *pyramidalis*.

B. Semperfirens—*cont.*Var. *rosmarinifolia*, *Baill.*B. *rosmarinifolius*, *Hort.*B. *thymifolia*, *Hort.*Var. *salicifolia elata*.Var. *suffruticosa*, *Loud.* “Edging Box.”B. *suffruticosa*, *Mill.*Var. *undulifolia*.**B. wallichiana**, *Baill.* Himalaya.B. *himalayensis*, *Hort.*B. *longifolia*, *Jacquem.*B. *sempervirens* var. *arborea*, *Wall.*

Pachysandra procumbens, *Michx.*; Bot. Mag. t. 1964.
North America *

P. terminalis, *Sieb. & Zucc.* Japan.**Andrachne colchica**, *Fisch. & Mey.* Caucasus.

Daphniphyllum macropodum, *Miq.*: Shirasawa Iconogr.
Ess. Forest. du Japon t. 54. China and Japan.
“Sioumi.”

D. *glaucescens*, *Hort.* (not *Blume*).D. *Teysmanni*, *Hort.* (not *Kurz*).Var. *jezoensis*.D. *jezoensis*, *Hort.*Var. *concolor*, *Dippel.*D. *glaucescens* var. *viridis*, *Hort.*Var. *variegata*.

Urticaceae.

Ulmus alata, *Michx.*; Sargent Silva of North America t. 313. Southern United States. "Wahoo; Winged Elm."

U. americana var. alata, *Spach.*

U. pumila, *Walt.* (not *L.*).

U. americana, *L.*; Sargent Silva of North America t. 311. North America. "American or White Elm."

U. alba, *Rafin.*

U. floridana, *Chapm.*

U. mollifolia, *Marsh.*

U. pendula, *Willd.*

Var. *pendula*.

U. campestris, *L.*; Bentl. & Trim. Medic. Plants t. 232. Europe, North Africa, Siberia. "Common Elm."

U. angustifolia, *Moench.*

U. minor, *Mill.*

U. nana, *Borkh.*

U. nemorosa, *Borkh.*

U. nuda, *Ehrh.*

U. suberosa, *Ehrh.*

U. suberosa var. genuina, *Syme* Eng. Bot. ed. 3, t. 1285.

Var. *antarctica*, *Hort.*

Var. *antarctica aurea*, *Hort.*

U. *campestris* var. *aurea*, *Morren* Belg. Hortic. 1866, 356, t. 19.

U. *Rosseelsii*, *Hort.*

Var. *antarctica pendula*, *Hort.*

Var. *Berardi*, *Simon-Louis* Cat. Gen. 1869, f. 7; Dippel Laubholzk. ii. 24, f. 7.



U. campestris—*cont.*

Var. *betulaefolia*, *Loud.*

U. betulaefolia, *Lodd.*

Var. *cretensis*, *Hort.*

Var. *erecta*, *Loud.*

Var. *gracilis*, *Hort.*

Var. *japonica*, *Sargent.* Japan.

Var. *latifolia variegata*, *Hort.*

Var. *Louis Van Houtte*.

Var. *microphylla pendula*, *Hort.*

Var. *modiolina*, *Hort.*

Var. *myrtifolia*, *Hort.*

V. buxifolia, *Hort.*

Var. *pendula nova*, *Hort.*

Var. *pyramidalis*, *Hort.*

Var. *sarniensis*, *Loud.* "Jersey Elm."

U. sarniensis, *Lodd.*

Var. *suberosa*, *Loud.* "Cork-barked Elm."

U. suberosa, *Moench.*

Var. *suberosa pendula*, *Hort.*

Var. *tortuosa*, *Loud.*

U. tortuosa, *Lodd.*

Var. *umbraculifera*, *Trautv.*

Var. *umbraculifera gracilis*.

Var. *variegata*, *Hort.*

Var. *variegata nova*, *Hort.*

Var. *viminalis*, *Loud.*

U. viminalis, *Lodd.*

U. campestris—*cont.*

Var. *viminalis stricta*, *Hort.*

Var. *viminalis variegata*, *Hort.*

U. campestris.

Var. *viscosa*, *Hort.*

Var. *webbiana*, *Hort.*

Var. *Wheatleyi*, *Hort.*

U. crassifolia, *Nutt.*; Sargent Silva of North America t. 315. Arkansas, Texas, &c. "Cedar Elm."

U. opaca, *Nutt.*

U. elliptica, *C. Koch*; Dippel Laubholzk. ii. 31, f. 9. Turkestan.

U. Heyderi, *Spueth*.

U. longifolia, *Hort.*

U. sibirica, *Hort.*

U. fulva, *Michx.*: Sargent Silva of North America t. 314; Bentl. & Trim. Medic. Plants t. 233. North America. "Slippery Elm."

U. americana var. *fulva*, *Loud.*

U. americana var. *rubra*, *Ait.*

U. rubra, *Michx.*

Var. *pendula*.

U. glabra, *Mill.* Europe.

U. campestris var. *laevis*, *Spach*.

U. carpinifolia, *Lindl.*

U. inaequalis, *Bosc*.

U. montana var. *glabra*, *Loud.*

U. nitens, *Moench*.

U. suberosa var. *glabra*, *Syme Eng. Bot.* t. 1286.

U. *glabra*—*cont.*

Var. *cornubiensis*. “Cornish Elm.”

U. *campestris* *var.* *cornubiensis*, *Loud.*

U. *stricta*, *Lindl.*

Var. *pendula*, *Nichols.*

Var. *pendula nova*, *Hort.*

U. *campestris pendula nova*, *Hort.*

Var. *rubra*.

U. *corylifolia rubra*, *Hort.*

U. *montana*, *With.* ; Eng. Bot. ed. 3, t. 1287 ; Flora Danica t. 2533. Europe, North Asia. “Scotch or Wych Elm.”

U. *alba*, *Waldst. & Kit.*

U. *fulva*, *Hort.* (not *Michx.*).

U. *major*, *Sm.*

U. *scabra*, *Mill.*

Var. *atropurpurea*, *Hort.*

Var. *aurea*, *Hort.*

U. *campestris var. aurea*, *Hort.*

Var. *cinerea*, *Lavall.*

U. *cinerea*, *Hort.*

Var. *crispa*, *Loud.*

U. *adiantifolia*, *Hort.*

U. *asplenifolia*, *Hort.*

U. *campestris var. crispa*, *Desf.*

U. *campestris var. urticaefolia*, *Hort.*

U. *crispa*, *Willd.*

U. *effusa crispa*, *Hort.*

U. *effusa cristata*, *Hort.*

U. *urticaefolia*, *Hort.*

U. montana—*cont.*

Var. *cucullata*, *Hort.*

Var. *Dauvessei*, *Hort.*

U. campestris var. *Dauvessei*, *Hort.*

Var. *Dovaei*, *Hort.*

U. campestris var. *Dovaei*, *Hort.*

U. scabra var. *Dovaei*, *Hort.*

Var. *etrusca*, *Hort.*

U. campestris var. *etrusca*, *Hort.*

Var. *fastigiata*, *Loud.* “Exeter Elm; Ford’s Elm.”

U. Dampieri, *Hort.*

U. exoniensis, *Hort.*

U. Fordi, *Hort.*

U. glabra replicata, *Hort.*

U. montana var. *pyramidalis*, *C. Koch.*

U. ohioensis, *Hort.*

U. plumosa, *Hort.*

Var. *fastigiata aurea*, *Hort.*

U. Dampieri aurea, *Hort.*

U. Dampieri Wredei, *Hort.*

U. Wredei, *Hort.*

Var. *gigantea*, *Hort.*

Var. *laciniata*, *Trautv.*

U. intermedia, *Hort.*

U. montana var. *tiliaeefolia*, *Hort.*

U. montana var. *tricuspis*, *Dippel.*

U. montana var. *tridens*, *Hort.*

U. montana var. *triserrata*, *Hort.*

U. triserrata, *Hort.*

Var. *latifolia nigricans*, *Hort.*

U *montana*—*cont.*

Var. *libro rubro*, *Hort.*

Var. *lutescens*, *Dippel.*

U. campestris var. lutescens, *Dieck.*

Var. *macrophylla*, *Hort.*

U. campestris var. macrophylla, *Spach.*

Var. *macrophylla fastigiata*, *Hort.*

Var. *nana*.

U. latifolia nana, *Hort.*

Var. *nigra*, *Loud.* “Black Irish Elm.”

U. nigra, *Lodd.*

Var. *pendula*, *Loud.* *Arb. & Frut. Brit.* 721, f. 1398.

U. americana pendula, *Hort.*

U. fulva pendula, *Hort.*

U. glabra decumbens, *Hort.*

U. glabra pendula, *Hort.*

U. horizontalis, *Hort.*

Var. *pendula variegata*, *Hort.*

Var. *purpurea*.

U. corylifolia purpurea, *Hort.*

Var. *scotica*, *Hort.*

Var. *serpentina*, *Hort.*

Var. *superba*, *Hort.*

Var. *vegeta*, *Loud.*

U. glabra var. vegeta, *Dippel.*

U. parviflora, *Jacq.*; *Dippel Laubholzk.* ii. 35, f. 11. China
and Japan.

U. campestris var. chinensis, *Hort.*

U. chinensis, *Pers.*

U. parviflora—*cont.*

U. pumila, *Hort.* (not *L.*).

U. virgata, *Roxb.*

Microptelea parvifolia, *Spach.*

Planera parvifolia, *Sweet.*

U. pedunculata, *Fouger.* Europe, &c.

U. ciliata, *Ehrh.*

U. effusa, *Willd.*; Loud. Encycl. Trees and Shrubs
720, f. 1397; Flora Danica t. 2830.

U. laevis, *Pall.*

U. octandra, *Schkuhr.*

U. racemosa, *Borkh.* (not *D. Thomas*).

U. pinnato-ramosa, *Dieck.* Siberia.**U. pumila**, *L.* Northern Asia.

U. Koopmanni, *Hort.*

U. microphylla, *Pers.*

U. racemosa, *D. Thomas*; Sargent Silva of North America
t. 312. North America. "Rock Elm."
U. serotina, *Sargent.* Southern United States.**U. turkestanica**, *Regel.* Turkestan.**Planera aquatica**, *Gmel.*; Sargent Silva of North America
t. 316.**Zelkova acuminata**, *Planch.*; Shirasawa Iconogr. Ess.
Forest. du Japon t. 36. Japan. "Keaki."

Z. Keaki, *Maxim.*; Dippel Laubholzk. ii. 41, f. 15.

Planera acuminata, *Lindl.*

P. cuspidata, *Hort.*

P. japonica, *Miq.*

Ulmus Keaki, *Sieb.*

Zelkova acuminata—cont.*U. monumentalis*, *Hort.**Z. crenata*, *Spach.* Caucasus.*Z. carpinifolia*, *Dippel.**Abelicea ulmoides*, *O. Kuntze.**Planera carpinifolia*, *Wats.* *Dendr. Brit.* ii. t. 106.*P. crenata*, *Desf.**P. Gmelini*, *Hort.* (not *Michx.*).*P. Richardi*, *Michx.**Ulmus polygama*, *Rich.*Var. *pendula*, *Hort.**Z. Verschaffeltii*, *Dippel* *Laubholzk.* ii. 40, f. 14. East Asia.*Z. japonica* var. *Verschaffeltii*, *Hort.**Ulmus pendula laciniata* *Pitteursii*, *Hort.**Ulmus Verschaeffeltii*, *Hort.**Celtis australis*, *L.*; *Wats. Dendr. Brit.* ii. t. 105. Mediterranean region.*C. serrata*, *Hort.**C. caucasica*, *Willd.* Caucasus, &c.*C. glabrata*, *Stev.* Orient, &c.*C. caucasica*, *Hohen.* (not *Stev.*)*C. glabra*, *Hort.* (not *Planch.*)*C. kotschyana*, *Stev.**C. Tournefortii* var. *glabrata*, *Boiss.**C. mississippiensis*, *Bosc*; *Sargent Silva of North America* t. 318. South United States. "Sugarberry."*C. Berlandieri*, *Klotzsch.**C. integrifolia*, *Nutt.**C. laevigata*, *Willd.*

C. mississippiensis—*cont.*

C. Lindheimeri, *C. Koch.*

C. occidentalis, *Sargent* Garden and Forest iii. 39 (in part), ff. 9, 10, 11.

C. texana, *Scheele.*

C. occidentalis, *L.*; *Sargent Silva of North America* t. 317.
North America. "Hackberry."

C. americana, *Hort.* (not *L.*).

C. audibertiae, *Spach.*

C. cordata, *Pers.*

C. crassifolia, *Lam.*

C. Douglasii, *Planch.*

C. obliqua, *Moench.*

C. procera, *Salisb.*

C. reticulata, *Cooper* (not *Torr.*).

Ulmus cordata, *Hort.*

Var. *grandidentata*, *Dippel.*

C. grandidentata, *Tenore.*

Var. *pumila*, *A. Gray.* South-eastern United States to Utah, &c.

C. sinensis, *Pers.*; *Shirasawa Iconogr. des Ess. Forest. du Japon* t. 36, ff. 18–21. China and Japan. "Senoki."

C. japonica, *Planch.*

C. Tournefortii, *Lam.* Orient.

C. glabrata, *Hort.* (not *Stev.*).

C. orientalis, *Mill.*

Aphananthe aspera, *Planch.*; *Shirasawa Iconogr. des Ess. Forest. du Japon* t. 37, ff. 10–20. China and Japan. "Muku."

Celtis Muku, *Sieb. & Zucc.*

Aphananthe aspera—*cont.*

Homoiceltis aspera, *Blume*.

Sponia nudiflora, *Sieb. & Zucc.*

Prunus aspera, *Thunb.*

Broussonetia Kazinoki, *Sieb.* : *Icones Horti Thenensis* ii.
t. 45. Japan.

B. Kaempferi, *Sieb.*

B. Sieboldii, *Blume*.

Morus Kaempferi, *Seringe*.

B. papyrifera, *Vent.*; *Bot. Mag.* t. 2358. China, Japan,
Polynesia, &c.

Morus papyrifera, *L.*

Papyrius japonica, *Poir.*

Var. *cucullata*, *Loud.*

B. cucullata, *Hort.*

B. navicularis, *Lodd.*

B. spathulata, *Hort.*

Var. *laciniata*, *Seringe*.

B. dissecta, *Hort.*

B. heterophylla, *Hort.*

Var. *macrophylla*, *Hort.*

Maclura aurantiaca, *Nutt.*; *Gard. Chron.* 1894, xvi. 693,
f. 88. South United States. "Osage Orange."

M. Calcargothi, *Hort.* (not *A. Cunn.*).

Broussonetia tinctoria, *Torr.* (not *Kunth*).

Toxylon pomiferum, *Rafin.*: *Sargent Silva of North
America* tt. 322, 323.

Var. *inermis*, *André Revue Hortic.* 1896, 33, f. 10.



Morus alba, L.; Brandis Forest Flora t. 47. Temperate and subtropical Asia. "White Mulberry."

M. *alpina*, *Hort.*

Var. **Colombassa**, *Seringe* Description . . . des Muriers, t. 14.

M. *serotina*, *Mart.*

Var. **constantinopolitana**, *Loud.*; Dippel Laubholzk. ii. 11, f. 2.

M. *constantinopolitana*, *Poir.*

M. *byzantina*, *Sieber.*

Var. **Gasparini**, *Hort.*

Var. **heterophylla**, *Hort.*

Var. **italica**, *Loud.*

M. *italica*, *Poir.*

Var. **laciiniata**, *Hort.*

M. *nigra laciniata*, *Hort.*

Var. **latifolia**, *Bur.*

M. *alba var. Lhow*, *Seringe.*

M. *alba var. multicaulis*, *Loud.*

M. *chinensis*, *Lodd.*

M. *intermedia*, *Perrottet.*

M. *latifolia*, *Poir.* (not *Hort.*).

M. *multicaulis*, *Perrottet.*

M. *sinensis*, *Hort.*

M. *tatarica*, *Desf.*

Var. **macrophylla**, *Loud.*

M. *alba var. latifolia*, *Hort.* (not *Poir.*).

M. *alba var. Moretti*, *Seringe.*

M. *hispanica*, *Hort.*

M. *macrophylla*, *Moretti.*

M. *Moretti*, *Audib.*

Morus alba—*cont.*

M. morettiana, *Jacq.*

M. neapolitana, *Hort.*

Var. pendula, *Hort.*

Var. pumila, *Loud.*

M. alba var. *nana*, *Hort.*

M. pumila, *Balb.*

Var. rosea, *Seringe.*

M. lucida, *Hort.*

Var. stylosa, *Bureau.*

M. japonica, *Audib.*

Var. Tokwa, *Bur.*

M. Tokwa, *Sieb.*

Var. urticaefolia, *Hort.*

Var. venosa, *Delile*; Dippel Laubholzk. ii. 13, f. 4.

M. alba var. *fibrosa*, *Seringe.*

M. alba var. *nervosa*, *Lodd.*

M. nervosa, *Hort.*

M. Cedrona, *Hort.* Garden origin.


M. globosa, *Rothe* (*alba* × *rubra* ?). Garden origin.

M. nigra, *L.*; *Wats. Dendr. Brit.* ii. t. 159; *Bentl. & Trim. Medic. Plants* t. 229. Native country unknown. “Black Mulberry.”

M. rubra, *L.*; *Sargent Silva of North America* t. 320. North America. “Red Mulberry.”

M. canadensis, *Poir.*

M. missouriensis, *Audib.*



M. rubra—*cont.*

M. pensylvanica, *Nois.*

M. scabra, *Willd.*

M. virginica, *Duham.*

Var. laciniata.

M. canadensis var. laciniata, *Hort.*

***Ficus Carica**, *L.*; *Trans. Lin. Soc. ser. ii. 3, t. 46*; *Bentl. & Trim. Medic. Plants t. 228.* Afghanistan, Eastern Persia. "Common Fig."

F. communis, *Lam.*

F. hirta, *Hort.* (not *Vahl*).

Cudrania triloba, *Hance*; *Icones Plantarum t. 1792.* China. "Silkworm Thorn."

C. tricuspidata, *Bureau*.

Maclura tricuspidata, *Carr. Rev. Hort. 1864*, 390, f. 37; 1872, 56, f. 7.

Platanaceae.

Platanus acerifolia, *Willd.*; *Jaennicke Die Gattung Platanus t. viii.* Orient. "London Plane."

P. algeriensis, *Hort.* —

P. californica, *Hort.* (not *Benth.*).

P. hispanica, *Tenore*.

P. integrifolia, *Hort.*

P. intermedia, *Hort.*

P. macrophylla, *Cree.*

P. occidentalis, *Wats. Dendr. Brit. t. 100* (not *L.*).

P. orientalis var. *acerifolia* *Loud. Arb. Brit. 928*, f. 1733.

P. pyramidalis, *Hort.*

P. racemosa, *Hort.* (not *Nutt.*).

P. vulgaris var. *acerifolia*, *Hort.*

Platanus acerifolia—*cont.*

Var. *Süttneri*, *Hort.*

P. occidentalis Süttneri, *Hort.*

P. occidentalis argentea variegata.

P. cuneata, *Willd.* Orient.

P. digitata, *Gord.*; *Jaennicke Die Gattung Platanus t. ii. f. 13.*

P. nepalensis, *Hort.*

P. nepalensis laciniata, *Hort.*

P. orientalis var. cuneata, *Loud. Arb. Brit. 929, f. 1734; Jaennicke Die Gattung Platanus t. iii. ff. 3-7.*

P. palmata superba, *Hort.*

P. occidentalis, *L.*; *Sargent Silva of North America* tt. 326, 327. North America. "Button Wood."

P. vulgaris var. angulosa, *Spach.*

P. orientalis, *L.*; *Wats. Dendr. Brit. t. 101; Sibth. Flora Graeca t. 945.* Orient. "Oriental Plane."

P. heterophylla, *Hort.*

P. liquidambarifolia, *Hort.*

P. vitifolia, *Hort.*

P. vulgaris, *Spach.*

Juglandaceae.

Carya alba, *Nutt.*; *Loud. Arb. Brit. iii. 1446, f. 1269.* North America. "Shell-bark Hickory."

C. ovata, *C. Koch.*

Hicoria ovata, *Britton*; *Sargent Silva of North America* tt. 316, 347.

Juglans ovata, *Mill.*

J. squamosa, *Michx. f.*

C. amara, Nutt. North America. "Bitter-Nut."

Hicoria minima, Britton; Sargent Silva of North America tt. 340, 341.

Juglans alba var. minima, Marsh.

J. amara, Michx. f.

J. angustifolia, Poir.

J. cordiformis, Wangenb.

C. aquatica, Nutt. South United States. "Water Hickory, Bitter Pecan."

Hicoria aquatica, Britt.; Sargent Silva of North America t. 344.

C. myristicaeformis, Nutt. Southern United States. "Nutmeg Hickory."

Hicoria myristicaeformis, Britton; Sargent Silva of North America tt. 342, 343.

H. fernowiana, Sudworth.

Juglans myristicaeformis, Michx. f.

C. olivaeformis, Nutt. Southern United States. "Pecan."

C. angustifolia, Sweet.

C. illinoensis, C. Koch.

C. tetraptera, Liebm.

Hicoria Pecan, Britton; Sargent Silva of North America tt. 338, 339.

H. texana, Le Conte.

Juglans cylindrica, Poir.

J. illinoensis, Wangenb.

J. olivaeformis, Michx.

J. Pecan, Marsh.

C. porcina, Nutt. North America. "Pig-nut."

C. amara var. porcina, Darby.

C. glabra, Spach.

C. porcina—cont.*C. obcordata*, *Sweet*.*Hicoria glabra*, *Britton*; *Sargent Silva of North America*, tt. 352, 353.*Juglans glabra*, *Mill.**J. obcordata*, *Muehlenb. & Willd.**J. porcina*, *Michx.**J. squamosa*, *Poir.* (not *Michx. f.*).*Var. microcarpa*.*C. microcarpa*, *Nutt.**Hicoria glabra var. odorata*, *Sargent Silva of North America*, t. 354.*H. microcarpa*, *Britton*.*H. odorata*, *Dippel*.*Juglans alba var. odorata*, *Marsh.**C. sulcata*, *Nutt.*; *Loud. Arb. Brit.* iii. 1448, f. 1271.
United States. "Big Shell-bark; King-nut."*C. cordiformis*, *C. Koch*.*C. pubescens*, *Sweet*.*Hicoria acuminata*, *Dippel*.*H. laciniosa*, *Sargent Silva of North America* tt. 348, 349.*H. sulcata*, *Britton*.*Juglans laciniosa*, *Michx. f.**J. sulcata*, *Pursh*.*C. tomentosa*, *Nutt.*; *Loud. Arb. Brit.* iii. 1445, f. 1267.
North America.*C. alba*, *C. Koch*. (not *Nutt.*).*Hicoria alba*, *Britton*; *Sargent Silva of North America* tt. 350, 351.*Juglans alba*, *L.**J. tomentosa*, *Poir.*

Juglans alata, Carr. (*cinerea* × *regia*), Garden and Forest 1894, 435, f. 69. Garden origin.

J. californica, S. Wats.: Sargent Silva of North America t. 337. California.

J. cinerea, L.; Sargent Silva of North America tt. 331, 332. North America. "Butternut."

J. cathartica, Michx. f.

J. oblonga, Mill.

J. oblonga var. alba, Marsh.

Carya cathartica, Bartom.

Var. *microcarpa*.

J. cordiformis, Maxim.; Shirasawa Iconogr. des Essens Forest. du Japon t. 17; Gard. Chron. 1901, xxx. Suppl. Oct. 19. Japan.

J. japonica, Hort.

J. mandshurica, Maxim.: Gard. Chron. 1888, iv. 384, f. 53. Amurland.

J. regia var. octogona, Carr.

J. nigra, L.; Sargent Silva of North America tt. 333, 334. North America. "Black Walnut."

J. Pittieri, Morr.

Var. *racemosa*.

J. pyriformis, Carr. (not Liebm.). (*nigra* × *regia*). Garden origin.

J. hybrida, Hort.

J. intermedia, Lavallée.

J. regia, L.; Loud. Encycl. of Trees and Shrubs 732, f. 1416. Caucasus and Armenia to Himalaya. "Common Walnut."

J. kumaonensis, Hort.

Var. *barteriana*, Hort. -

J. regia—*cont.*

Var. laciniata, *Loud.*

J. filicifolia, *Lodd.*

J. heterophylla, *Hort.*

Var. maxima.

J. macrocarpa, *Hort.*

Var. monophylla.

Var. pendula.

Var. praeparturiens, *Hort.*

J. fertilis, *Hort.*

J. frutescens, *Hort.*

Var. racemosa.

Var. rubra, Wien. Illustr. Gart.-Zeit. 1898, t. 1.

J. rupestris, *Engelm.*; Sargent Silva of North America
t. 335. Western United States.

J. californica, *Rothrock* (not *S. Wats.*).

J. fruticosa, *Hort.*

J. sieboldiana, *Maxim.* Japan.

J. ailantifolia, *Carr.* Rev. Hort. 1878, 414, f. 86.

J. mandshurica var. *ailantifolia*, *Lavallée*.

J. macrophylla, *Hort.*


J. vilmoriniana, *Carr.* (? *nigra* × *regia*). Garden and
Forest 1891, 52, ff. 11, 12.

J. intermedia var. *vilmoriniana*, *Dippel.* Garden
origin.

Pterocarya caucasica, *C. A. Mey.*; Gard. Chron. 1894, xvi.
365, f. 47. Caucasus, &c.

P. dumosa, *Lavallée*.

P. fraxinifolia, *Spach*; Lavall. Arbor. Segrez. t. xxi.;
Gard. Chron. 1888, 380, f. 52.



Pterocarya caucasica—*cont.*

P. pterocarpa, *Kunth*.

P. spachiana, *Lavall.* Arbor. Segrez. t. xx.

Juglans fraxinifolia, *Poir.* (not *Lam.*).

P. rhoifolia, *Sieb. & Zucc.*; Flora Japonica t. 150. Japan.

P. japonica, *Hort.*

P. sorbifolia, *Sieb. & Zucc.*

P. stenoptera, *C. DC.*; Lavall. Arbor. Segrez. t. xix. China.

P. chinensis, *Hort.*

P. laevigata, *Hort.*

P. sinensis, *Hort.*

Myricaceae.

Myrica asplenifolia, *L.* North America.

Comptonia asplenifolia, *Banks*; *Wats.* Dendr. Brit. t. 166.

M. Comptonia, *C. DC.*

Liquidambar asplenifolium, *L.*

M. californica, *Cham. & Schlecht.*; Journ. Hort. Soc. vii.

283, f. California. "Californian Wax Myrtle."

Gale californica, *Greene*.

M. carolinensis, *Mill.*; Garden and Forest 1894, 477, t. 46.

United States.

M. pensylvanica, *Lam.*; Nouv. Duham. ii. 190, t. 55.

M. cerifera, *L.*; Garden and Forest 1894, 476, f. 75. United

States, &c. "Wax Myrtle."

M. Gale, *L.*; Engl. Bot. ed. 3, t. 1298. Northern Hemisphere. "Sweet Gale."

Var. *tomentosa*.

Cupuliferae.

† BETULEAE.

Betula alba, *L.* Northern Hemisphere.

- B. *aetnensis*, *Raf.*
- B. *gummifera*, *Bert.*
- B. *odorata*, *Reichb.* (not *Bechst.*).
- B. *pendula*, *Roth.*
- B. *verrucosa*, *Ehrh.*; Engl. Bot. ed. 3, t. 1295.

Varieties of Subspecies.—I. Verrucosa.

Var. *dalecarlica*.

- B. *dalecarlica*, *L. f.*
- B. *hybrida*, *Blom.*
- B. *laciniata*, *Wahlenb.*
- B. *lobulata*, *C. Anders.*

Var. *dentata viscosa*.

Var. *fastigiata*, *Hort.*

Var. *oycowiensis*, *Regel.*
B. *oycowiensis*, *Bess.*

Var. *pendula*, *Hort.* “Weeping Birch.”

- B. *nigra pendula*, *Hort.*
- B. *tristis*, *Hort.*

Var. *pendula nana*, *Hort.*

Var. *pendula Youngi*, *Hort.* “Young’s Weeping Birch.”


Var. *purpurea*, *Hort.*

Var. *pyramidalis*, *Hort.*

- B. *pendula var. pyramidalis*, *Dippel.*

*Varieties of Subspecies.—II. Pubescens.**Betula alba*—*cont.*Var. *carpathica*, *C. Koch.*(pendula × pubescens? *Koehne*).Var. *crenata nana*, *Hort.*Var. *foliis aureis*, *Hort.*Var. *latifolia*.B. *latifolia*, *Tausch.*Var. *Murithii*.B. *Murithii*, *Gaud.*; Bull. Soc. Bot. Suisse 1895,
Heft v. 16, f.B. *nigra*, *Murith.*Var. *pontica*, *Hort.*; Loud. Arb. Brit. 838, f. 1527:
Wats. Dendr. Brit. t. 94.Var. *pubescens*, *Loud.*B. *bella*, *Hort.*B. *glutinosa*, *Wallr.*B. *odorata*, *Bechst.*B. *pubescens*, *Ehrh.*Var. *Tauschii*, *Franch. & Savat.*B. *alba* var. *japonica*, *Miq.*Var. *turkestanica* *Fetisowi*, *Hort.*Var. *undulata*, *Hort.*Var. *urticifolia*, *Spach.*B. *heterophylla*, *Hort.*B. *urticifolia*, *Regel.*B. *virgultosa*, *Fries.*B. *alba* × *humilis*, *Zabel.* North Asia.B. *humilis* var. *Zabelii*, *Dippel.*

- B. *alnoides*, *Wall.* var. *pyrifolia*, *Franch.* Central China.
- B. *alpestris*, *Fries*; *Flora Danica Suppl.* t. 37. North Europe.
 B. *humilis*, *Hartm.* (not *Schrank*).
 B. *corylifolia*, *Regel & Maxim.*; *Bot. Mag. Jap.* 1894, viii. t. 6, ff. 20-22. Japan.
- B. *davurica*, *Pall.* *Flora Rossica* t. 39, f. a. North Asia, North America.
- B. *Ermanii*, *Cham.*; *Bot. Mag. Jap.* 1894, viii. t. 6, ff. 7-9. Japan.
- B. *fruticosa*, *Pall.* *Flora Rossica* t. 40, ff. a, b, c. North Europe, North Asia.
- Var. *Gmelini*, *Regel*.
 B. *divaricata*, *Lebed.*
 B. *Gmelini*, *Bunge*.
- B. *globispica*, *Shirai* *Bot. Mag. Jap.* viii. 1894, t. 6. Japan.
- B. *grossa*, *Sieb & Zucc.*; *Shirasawa Iconogr. Ess. Forest du Japon* t. 22. Japan.
- B. *humilis*, *Schrank*. Northern Hemisphere.
 B. *fruticosa*, *Wats.* *Dendr. Brit.* t. 154 (not *Pall.*).
 B. *oycowiensis*, *Reichb.*
 B. *Socolowii*, *Jacq. f.*
- Var. *fastigiata*, *Hort.*
- Var. *kanitschatica*, *Hort.*
- Var. *Mansfieldi*, *Hort.*
- Var. *quebecensis*.
 B. *quebecensis*, *Burgsd.*
- B. *intermedia*, *Thomas*; *Flora Danica* t. 2852. Alpine and Artic Europe.
 B. *hybrida* var. *Kochii*, *Regel*.



- B. *lenta*, L.; Wats. Dendr. Brit. t. 144; Sargent Silva of North America t. 448. North America. "Cherry Birch."
- B. *carpinifolia*, Ehrh.
- B. *nigra*, *Du Roi* (not L.).
- B. *lutea*, Michx.: Sargent Silva of North America t. 449. North America. "Yellow Birch."
- B. *excelsa*, Pursh. (not Ait.).
- B. *lenta* var. *lutea*, Regel.
- B. *persicifolia*, Hort.
- B. *Maximowiczii*, Regel: Bot. Mag. Jap. viii. 1894, t. 6, ff. 36-8. Japan.
- B. *Medwediewi*, Regel Gartenflora 1887, 384, f. Caucasus.
- B. *nana*, L.: Engl. Bot. ed. 3, t. 1297. Northern Hemisphere.
- B. *nigra*, L.; Wats. Dendr. Brit. t. 153; Sargent Silva of North America t. 452. United States. "Red Birch."
- B. *angulata*, Lodd.
- B. *canescens*, Hort.
- B. *flavescens*, Hort.
- B. *lanulosa*, Michx.
- B. *rufra*, Michx.
- B. *occidentalis*, Hook.; Sargent Silva of North America t. 453. Western North America. "Black Birch."
- B. *alba* subsp. *occidentalis*, Regel.
- B. *papyrifera*, Marsh.; Sargent Silva of North America t. 451. North America. "Paper Birch; Canoe Birch."
- B. *alba* var. *papyrifera*, Spach.
- B. *amygdalifolia*, Hort.
- B. *cordifolia*, Regel.



B. papyrifera—*cont.*

- B. Ermani, *Rothrock* (not *Cham.*).
- B. excelsa, *Ait.*
- B. glandulosa, *Hort.* (not *Michx.*).
- B. grandis, *Schrad.*
- B. latifolia, *Hort.*
- B. occidentalis, *Lyall* (not *Hook.*).
- B. papyracea, *Dryand.*; Wats. *Dendr. Brit.* t. 152.
- B. platyphylla, *Hort.*
- B. pyrifolia, *Hort.*

Var *occidentalis*, *Dippel.*

- B. americana, *Hort.*

B. papyrifera × *pumila*. Garden origin.

- B. *populifolia*, *Marsh.*; Sargent *Silva of North America* t. 450; Wats. *Dendr. Brit.* ii. t. 151. North America. "Gray Birch."
- B. *acuminata*, *Ehrh.*
- B. *alba* var. *populifolia*, *Spach.*
- B. *laciniata*, *Hort.* (not *Wahlenb.*).
- B. *populifolia*, *Ait.*
- B. *populifolia pendula*, *Hort.*

B. pumila, *L.*; Wats. *Dendr. Brit.* t. 97. North America.
"Low Birch."

- B. *dahurica*, *Hort.* (not *Pall.*).
- B. *fruticans*, *Hort.* (not *Pall.*).
- B. *nana rotundifolia*, *Hort.*
- B. *rotundifolia*, *Hort.*

Var. *fastigiata*, *Hort.*

- B. *ulmifolia*, *Sieb.* & *Zucc.*; *Bot. Mag. Jap.* viii. 1894. t. 6, ff. 16–19. Japan, &c.
- B. *alba* var. *costata*, *Hort.*
- B. *costata*, *Trautv.*

B. utilis, *D. Don.* Himalaya, &c.

B. Bhojpattra, *Wall.*

B. Jacquemontii, *Spach.*

Alnus barbata, *C. A. Mey.* (not *Fries*). Caucasus.

A. glutinosa var. acutifolia, *Spach.*

A. glutinosa var. barbata, *Ledeb.*

A. cordifolia, *Tenore*; *Gard. Chron.* 1883, xix, 285, f. 42.
South Europe.

A. cordata, *Desf.*

A. macrocarpa, *Req.* (not *Lodd.*).

A. neapolitana, *Savi.*

A. rotundifolia, *Bert.*

Betula cordata, *Lois.*

A. firma, *Sieb. & Zucc.*: *Dippel Laubholzk.* ii, 147, f. 69.
Japan.

A. firma var. multinervis, *Hort.*

A. glutinosa, *Medic.*: *Engl. Bot.* ed. 3, t. 1294. Europe.
N. Africa, W. & N. Asia. "Common Alder."

A. nigra, *Gilib.*

A. sibirica, *Hort.* (not *Fisch.*).

Var. **aurea**, *Lemaire* Ill. *Hortic.* 1866, t. 490.

Var. **imperialis**, *Hort.*

A. glutinosa imperialis asplenifolia, *Hort.*; Ill.
Hortic. 1859, 97, f.

A. imperialis, *Hort.*

Var. **incisa**, *Willd.*

A. glutinosa var. oxyacanthaeifolia, *Spach*; *Loud.*
Eneycl. Trees and Shrubs. 833, f. 1513.

A. oxyacanthaeifolia, *Lodd.*

A. glutinosa—*cont.*

Var. *laciñiata*, *Willd.*; Loud. Encycl. Trees and Shrubs 832, f. 1512.

A. glutinosa var. pinnatifida, *Spach.*

Var. *pyramidalis*, *Hort.*

A. birkiana, *Hort.*

Var. *quercifolia*. *Willd.*

A. quercifolia, *Willd.*

Var. *ruberinervia*, *Hort.*

Var. *sorbifolia*, *Hort.*

A. incana, *Moench*; Loud. Encycl. Trees and Shrubs 834, f. 1517. Northern temperate regions. "Speckled Alder."

A. autumnalis, *Hort.* (not *Hartig*).

A. lanuginosa, *Gilib.*

A. maritima japonica viridis, *Hort.*

A. serrulata, *Hort.* (not *Willd.*).

Var. *aurea*.

Var. *glaucia*, *Regel.*

A. glauca, *Michx.*

A. incana var. glabrescens, *Spach.*

A. incana var. tirolensis, *Saut.*

Var. *hirsuta*.

A. hirsuta, *Turcz.*

Var. *incisa*, *Hort.*

A. incana pinnatifida, *Hort.*

Betula pinnata, *Lundm.*

Var. *monstrosa*, *Späth.*

Var. *pendula nova*, *Hort.*

Var. *ramulis coccineis*, *Hort.*

A. japonica, *Sieb. & Zucc.*; Garden and Forest 1893, 345.
f. 53. Japan.

A. firma, *Hort.* (not *Sieb. & Zucc.*).

A. glutinosa prunifolia, *Hort.*

A. Harinoki, *Siebold*.

A. maritima var. *japonica*, *Regel*.

A. maritima, *Nutt.*; Garden and Forest 1891, 269, f. 47.
North America. "Seaside Alder."

A. oblongata, *Dippel*, Laubholzk. ii. 152, ff. 72-3.

A. nitida, *Endl.*; Brandis Forest Flora 461, t. 57; Bot.
Mag. t. 7654. Western temperate Himalaya.
"Gira."

Clethropsis nitida, *Spath*.

A. oregona, *Nutt.*; Sargent Silva of North America t. 454.
Western North America.

A. incana var. *rubra*, *Regel*.

A. rhombifolia, *Hort.* (not *Nutt.*).

A. rubra, *Bongard*.

A. rugosa, *Hort.* (not *Ehrh.*).

A. tinctoria, *Hort.* (in part).

A. orientalis, *Decne.* Orient.

A. macrophylla, *Hort.* (in part).

Var. *pubescens*.

A. pubescens, *Tausch.* Europe.

A. autumnalis, *Hort.* (in part).

A. badensis, *Lange*.

A. barbata, *Fries* (not *C. A. Mey.*)

A. barbata var. *pubescens*, *Dippel*.

A. glutinosa × *incana*.

A. incano-glutinosa, *A. Braun*.

A. serrulata, *Hort.* (in part).

- A. *rhombifolia*, Nutt.; Sargent Silva of North America t. 456. California, &c. "White Alder."
- A. *serrulata*, Willd.; Dippel Laubholzk. ii. 155, f. 75. North America. "Smooth Alder."
- A. *americana*, Hort.
- A. *autumnalis*, Hartig.
- A. *canadensis*, Lodd.
- A. *fruticosa*, Hort. (not Rupr.).
- A. *latifolia*, Desf.
- A. *macrophylla*, Desf.
- A. *rubra*, Desf.
- A. *rugosa*, C. Koch; Britt. & Br. Illustr. Fl. i. 512, f.
- A. *serrata*, Hort.
- Betula *serrulata*, Ait.
- A. *subcordata*, C. A. Mey.; Dippel Laubholzk. ii. 150, f. 70. Caucasus.
- A. *cordifolia* var. *subcordata*, Regel.
- A. *macrophylla*, Hort. (in part).
- A. *vilmoriniana*, Hort.
- A. *tenuifolia*, Nutt. Western North America.
- A. *occidentalis*, Dippel.
- Var. *Purpusi*, Korthne. Colorado.
- A. *incana virescens*, S. Wats.
- A. *viridis*, DC.; Loud. Encycl. Trees and Shrubs 836. f. 1521. Northern regions. "Mountain Elder."
- A. *Alnobetula*, C. Koch.; Britt. & Br. Illustr. Fl. i. 512, f.
- A. *alpina*, Borchh.
- A. *crispa*, Pursh.
- A. *fruticosa*, Rupr.
- A. *mitchelliana*, M. A. Curt.

A. viridis—cont.

- A. ovata*, *Lodd.* Bot. Cab. t. 1141.
A. undulata, *Willd.*
Alnaster fruticosa, *Lebed.*
A. viridis, *Spach.*
Betula Alnobetula, *Ehrh.*
B. crispa, *Ait.*
B. ovata, *Schrantz*; Wats. Dendr. Brit. t. 96.
B. viridis, *Chaiex.*

Var. *parvifolia*, *Dippel.*

A. brembana, *Rota.*

†† CORYLEAE.

Carpinus Betulus, *L.*; Engl. Bot. ed. 3, t. 1293. Europe.
 W. Asia. “Hornbeam.”

Var. *asplenifolia*, *Hort.*

C. Betulus laciniata, *Hort.*

Var. *Carpinizza*.

C. Carpinizza, *Kit.*

Var. *columnaris*, *Hort.*

Var. *incisa*, *Ait.*

C. Betulus var. quercifolia, *Desf.*

C. Betulus var. heterophylla, *Hort.*

Ostrya quercifolia, *Hort.*

Var. *marmorata*, *Hort.*

Var. *pendula*, *Hort.*

Var. *purpurea*, *Hort.*

Var. *pyramidalis*, *Hort.*

Var. *rubra*, *Hort.*

Var. *variegata*, *Hort.*

C. caroliniana, Walt.; Sargent Silva of North America t. 447; Dippel Laubholzk. ii. 141, f. 66. North America. "American Hornbeam."

C. americana, Michx.; Wats. Dendr. Brit. t. 157.

C. virginiana, Michx. (not Mill).

C. cordata, Blume; Garden & Forest viii. 295, f. Japan.

Distegocarpus cordata, A.DC.

Var. *chinensis*, Franch. Central China.

C. japonica, Blume. Japan.

C. Carpinus, Sargent Forest Flora of Japan f. 21.

Distegocarpus Carpinus, Sieb. & Zucc.

C. laxiflora, Blume; Shirasawa Iconogr. Ess. Forestières du Japon i. t. 25. Japan.

Var. *macrostachya*, Oliver. Central China.

C. orientalis, Mill.; Wats. Dendr. Brit. t. 98. South Europe, Orient.

C. duinensis, Scop.

C. Turczaninovii, Hance. China.

Ostryopsis davidiana, Decne; Dippel Laubholzk. ii. 136, f. 65. China, &c.

Ostrya carpinifolia, Scop.; Garden, 1877, xii. 372, f. S. Europe, Orient. "Hop Hornbeam."

O. italica, Spach.

O. vulgaris, Willd.; Wats. Dendr. Brit. t. 143.

Carpinus Ostrya, L.

O. japonica, Sargent Garden and Forest 1893, 384, f. Japan.

O. virginica, Willd. North America. "Ironwood."

O. virginiana, C. Koch; Sargent Silva of North America t. 445.

Carpinus triflora, Moench.

C. virginiana, Mill.

Corylus americana, Walt.; Dippel Laubholzk. ii. 131, f. 62.

Eastern North America.

C. calyculata, Dippel

C. cornuta, Hort.

C. humilis, Willd.

C. mexicana, Hort.

C. rostrata, Hort. in part (not *Ait.*).

C. virginiana, Hort.

C. virginica, Hort.

C. Avellana, L.; Engl. Bot. ed. 3, t. 1292. Europe West Asia, &c. "Common Hazel."

C. californica, Hort.

Var. *aurea*.

Var. *contorta*, Hort.; Gard. Chron. 1874, i. 115, f. 32.

Var. *heterophylla*, Loud.

C. heterophylla, Loud.

C. laciniata, Hort.

C. urticaefolia, Hort.

Var. *pendula*.

Var. *prolifica*, Hort.

C. Colurna, L.: Wats. Dendr. Brit. t. 99. South-east Europe to Himalaya. "Constantinople Hazel."

C. arborea, Hort.

C. arborescens, Moench.

C. Colurna—*cont.*

- C. bizantina, *Desf.*
- C. Jacquemontii, *Decne.*
- C. lacera, *Walt.*

C. ferox, *Wall.* var *tibetica*, *Franch.* Central and Western China.

C. heterophylla, *Fisch.* Japan, &c.

- C. americana, *Siebold* (not *Walt.*).
- C. Avellana, *Thunb.* (not *L.*).
- C. Hasibani, *Siebold*.
- C. sieboldiana, *Blume*.
- C. tetraphylla, *Lebleb.*
- C. Thunbergii, *Blume*.

C. mandshurica, *Maxim.* Amurland, Japan, &c.
C. Avellana *var.* *mandshurica*, *DC.*

C. maxima, *Mill.* South Europe, &c.

- C. Avellana *var.* *rubra*, *Lam.*
- C. *Lamberti*, *Lodd.*
- C. *pontica*, *C. Koch.*
- C. *rubra*, *Borkh.*
- C. *tubulosa*, *Willd.*

Var. *alba*.

Var. *atropurpurea*, *Dippel.*

- C. Avellana *var.* *atropurpurea*, *Hort.*
- C. Avellana *var.* *purpurea*, *Loud.*
- C. *purpurea*, *Lodd.*
- C. *tubulosa* *var.* *atropurpurea*.

Var. *barcelonensis*, *Hort.*

- C. Avellana *var.* *barcelonensis*, *Loud.*
- C. Avellana *var.* *grandis*, *Hort.*

C. maxima—*cont.*Var. *tenuis*, *Hort.*C. *Avellana var. tenuis*, *Loud.***C. rostrata**, *Ait.*: Garden & Forest 1895, 345, f. 48.
North America.C. *cornuta*, *Hort.* (in part).

††† QUERCINEAE.

Quercus acuta, *Thunb.*; Woods and Forests 1884, 88, f.
Japan. "Akakasi."Q. *angustifolia*, *Hort.*Q. *Buergerii*, *Blume.*Q. *cuspidata latifolia*, *Hort.*Q. *marginata*, *Blume.*Var. *bambusaefolia*.Q. *bambusacfolia*, *Mast.***Q. Aegilops**, *L.*; South Europe, Orient. "Valonia Oak."Q. *graeca*, *Kotschy* Eichen t. 30.Q. *ventricosa*, *Hort.*Var. *macrolepis*, *Boiss.* Crete, Greece.Q. *macrolepis*, *Kotschy* Eichen t. 16.Var. *Pyrami*, *Boiss.*Q. *Pyrami*, *Kotschy* Eichen t. 3.Var. *Ungeri*, *Boiss.*Q. *Ungeri*, *Kotschy* Eichen t. 13.Q. *Vallonea*, *A. DC.***Q. agrifolia**, *Nee*: Sargent Silva of North America t. 403.
California. "Eneina."Q. *arcoglandis*, *Kellogg.*Q. *berberidifolia*, *Liebm.*Q. *oxyadenia*, *Torr.*

- Q. alba**, L.; Sargent Silva of North America tt. 356-7.
North America. "White Oak."
- Q. alnifolia**, Poech; Kotschy Eichen t. 6; Garden 1880,
xviii. 486, f. Cyprus. "Golden Cyprus Oak."
- Q. Cypria, Janb. & Spach. (not Kotschy).
- Q. Ballota**, Desf. Spain, Portugal. "Sweet Acorn Oak."
- Q. cyclophylla, Welw.
- Q. Ilex var. Ballota, Dippel.
- Q. rotundifolia, Lam.
- Q. bicolor**, Willd. North America. "Swamp White Oak."
- Q. bicolor var. platanoides, A. DC.
- Q. castaneaefolia, Hort. (not C. A. Mey.).
- Q. pandurata, Hort.
- Q. pannosa, Bosc.
- Q. platanoides, Sudw.: Sargent Silva of North America
tt. 380-1.
- Q. Prinus var. bicolor, Spach.
- Q. Prinus discolor, Michx. Hist. Arb. Am. ii. 46. t. 6.
- Q. Prinus tomentosa, Michx. Hist. Chênes Am. t. 9.
- Q. castaneaefolia**, C. A. Mey.; Kotschy Eichen t. 40. Can-
census.
- Q. Cerris**, L.; Loud. Encycl. 855. ff. South and Eastern
Europe, Asia Minor, &c. "Turkey Oak."
- Q. Aegilops, Hort. (not L.).
- Q. appennina, Hort. (not Lam.).
- Q. australis, Hort (not Link).
- Q. carlsruensis, Hort.
- Q. crinita, Lam.
- Q. dentata, Hort. (not Thunb.).
- Q. halophila, Bosc.
- Q. Pseudo-suber, Hort. (not Desf.).

Q. Cerris—cont.

Q. Ragnal, *Loud.*

Q. Tournefortii, *Willd.*

Var. *austriaca*, *Loud.* *Arb.* iii. 1848, f. 1708; *Encycl.* 857, f. 1559.

Q. *austriaca*, *Willd.*; *Kotschy Eichen* t. 20.

Var. *cana major*, *Loud.* *Encycl. Trees*, 857, f. 1560.

Var. *cana minor*, *Hort.*

Var. *crispa*.

Q. *Cerris lucombeana crispa*.

Var. *fulhamensis*, *Loud.* *Arb.* iii. 1850; *Encycl. Trees* 858, f. 1561. "Fulham Oak."

Q. *Cerris var. dentata*, *Wats.* *Dendr. Brit.* t. 93 (not *Thunb.*).

Q. *Cerris hybrida dentata*, *Sweet.*

Q. *Cerris var. subperennis*, *A. DC.* (in part).

Var. *fulhamensis latifolia*, *Loud.*

Q. *fulhamensis macrophyllus*, *Hort.*

Var. *Hentzei*.

Var. *karlsruhensis*.

Var. *laciniata*, *Loud.* *Encycl. Trees & Shrubs* 856, f. 1558.

Q. *asplenifolia*, *Hort.*

Q. *Cerris dissecta*, *Hort.*

Q. *Cerris laciniosa*, *Hort.*

Q. *heterophylla*, *Hort.*

Var. *longifolia nova*, *Hort.*

Var. *variegata*, *Loud.*

Q. *Cerris argentea*, *Hort.*

Q. *Cerris elegantissima*, *Hort.*

Q. chrysolepis, *Linn.*; Sargent Silva of North America t. 398. Oregon, California. "Manl Oak."

Q. crassipocula, *Torr.*

Q. fulvescens, *Kellogg*.

Q. cinerea, *Michx.*; Dippel Laubholzk. ii. 105, f. 47. Southern United States. "Blue Jack."

Q. brevifolia, Sargent Silva of North America t. 431.

Q. humilis, *Walt.* (not *Lam.*).

Q. Phellos var. brevifolia, *Lamb.*

Q. Phellos var. humilis, *Pursh.*

Q. Phellos var. sericea, *Ait.*

Q. coccifera, *L.*; Hook. f. Trans. Linn. Soc. xxiii. t. 37; Laguna Flora Forestal Española t. 37. Mediterranean region. "Kermes Oak."

Q. kermesina, *Hort.*

Q. coccinea, *Muenchh.*; Sargent Silva of North America tt. 412-3. North America. "Scarlet Oak."

Q. repanda, *Hort.*

Q. conferta, *Kit.*; Gard. Chron. 1876, v. 85, f. 18; Kotschy Eichen t. 14. Italy to Hungary, &c.

Q. Aesculus, *Heuff.* (not *Baiss.*).

Q. Farnetto, *Tenore*.

Q. hungarica, *Hubeny*; Hempel & Wilhelm Die Bäume und Sträucher . . . t. 24.

Q. latifolia dentata, *Hort.*

Q. maeranthera, *Hort.* (not *C. A. Mey.*).

Q. pannonica, *Hort.*

Q. sessiliflora var. pannonica, *Hort.*

Q. Tenorei, *Hort.*

Q. crispula, *Blume*. Japan. "Nara gasi."

Var. **grosseserrata**, *Franch.* & *Savat.*

Q. grosseserrata, *Blume*.

Q. cuneata, *Wangenh.* United States. "Spanish Oak."

Q. digitata, *Sudw.* ; Sargent Silva of North America. tt. 420-1.

Q. discolor, *Spach.* (not *Ait.*).

Q. elongata, *Willd.*

Q. falcata, *Michx.*

Q. hudsonica, *Hort.*

Q. nigra var. digitata, *Marsh.*

Q. triloba, *Michx.*

Q. cuspidata, *Thunb.* ; Sieb. & Zucc. Fl. Jap. t. 2 ; Gard. Chron. 1879, 233, f. 38. Japan.

Var. *variegata*. Gard. Chron. 1879, xii. 232, f. 38.

Q. Dalechampii, *Tenore.* South Europe.

Q. Robur var. Tenorei, *A. DC.*

Q. densiflora, *Hook. & Arn.* ; Sargent Silva of North America t. 438. Oregon, California. "Tan Bark Oak."

Q. echinacea, *Torr.*

Q. dentata, *Thunb.*; Sargent Forest Flora of Japan t. 23. Japan. "Kashiwa."

Q. Daimyo, *Hort.*

Q. obovata, *Bunge.*

Q. pannosa, *Hort.*

Q. Douglassii, *Hook. & Arn.* ; Sargent Silva of North America t. 386. California. "Blue Oak."

Q. Ransomi, *Kellogg.*

Q. Gambelii, *Nutt.*; Sargent Silva of North America tt. 366-7. Colorado, &c. "Shin Oak."

Q. undulata, *S. Wats.* (in part).

Q. undulata var. Gambelii, *Engelm.*

- Q. *garryana*, *Hook.*; Sargent Silva of North America t. 364-5. North-Western America.
 Q. *Gilberti*, *Girrene*.
 Q. *Jacobi*, *R. Br. Campst.*
 Q. *Neaei*, *Liebm.*
- Q. *georgiana*, *M. A. Curt.*; Sargent Silva of North America t. 425. Georgia.
- Q. *glabra*, *Thunb.*; Sieb. & Zucc. Fl. Jap. t. 89; Gard. Chron. 1880, xiv. 785, f. 153. Japan.
 Q. *latifolia*, *Hort.*
- Q. *glandulifera*, *Blume*; Shirasawa Iconogr. Ess. Forest. du Japon t. 26, ff. 13-24. Japan. "Iodame."
 Q. *dentata Albertii*, *Hort.*
- Q. *glauca*, *Thunb.*; Shirasawa Iconogr. Ess. Forest. du Japon t. 32, ff. 14-24. Japan. "Ara kasi."
- Q. *heterophylla*, *Michx. f.*; Sargent Silva of North America t. 436. United States.
 Q. *aquatica nana*, *Hort.**
 Q. *Phellos* × *velutina*.
- Q. *Ilex*, *L.*: Wats. Dendr. Brit. t. 90. Mediterranean region. "Holm Oak."
 Q. *pseudococcifera*, *Hort.* (not *Desf.*).
 Var. *crispa*, *Loud.*
 Var. *diversifolia*, *Hort.*
 Q. *Cerris Lucombeana incisa*, *Hort.*
 Q. *Fordii diversifolia*, *Hort.*
 Var. *Fordii*, *Hort.*
 Var. *Genabii*, *Hort.*
 Var. *Gramuntia*, *Hort.*
 Q. *Cookii*, *Loud.*
 Q. *hispanica*, *Cook.*



Q. Ilex—cont.

Var. *latifolia*, *Loud.* Encycl. Trees 881, f. 1610.

Q. *Ilex agrifolia*, *Hort.*

Q. *Ilex oblonga*, *Hort.*

Var. *macrophylla*, *Hort.*

Var. *rotundifolia*, *Hort.*

Var. *Smilax*, *Hort.*

Q. *ilicifolia*, *Wangenh.* Eastern United States. "Bear Oak."

Q. *Banisteri*, *Michx.*

Q. *discolor* var. *Banisteri*, *Spach.*

Q. *nana*, *Sargent Silva of North America* t. 424.

Q. *rubra* var. *nana*, *Marsh.*

Q. *imbricaria*, *Michx.*; *Sargent Silva of North America* t. 432. United States. "Shingle Oak."

Q. *Castanea*, *Hort.* (not *Née*).

Q. *laurifolia*, *Hort.* (not *Michx.*).

Q. *Phellos* var. *imbricaria*, *Spach.*

Q. *imbricaria* × *palustris*, *Engelm.* United States.

Q. *inectoria*, *Oliv.*; *Bentl. & Trim. Medicinal Plants* t. 249. South-Eastern Europe to Persia.

Q. *sericea*, *Hort.*

Var. *Cypri*.

Q. *Kelloggii*, *Newb.* Oregon and California.

Q. *californica*, *Cooper*; *Sargent Silva of North America* t. 416.

Q. *nigra* Barroni, *Hort.*

Q. *sonomensis*, *A. DC.*

Q. *tinctoria* var. *californica*, *Torr.*

Q. lanuginosa, *Thuill.* Europe, West Asia.

Q. Aegilops, *Hort.* (not *L.*).

Q. ajudaghensis, *Hort.*

Q. alba de Rousseau, *Hort.*

Q. apennina, *Guss.* (not *Lam.*).

Q. budayana, *Habert.*

Q. collina, *Schleich.*

Q. conglomerata, *Pers.*

Q. cupaniana, *Guss.*

Q. faginea, *Rohr.* (not *Lam.*).

Q. hartwissiana, *Stev.*

Q. Hentzei, *Hort.*

Q. Pseudo-aegilops, *Hort.*

Q. pubescens, *Willd.*; *Hempel & Wilhelm Die Bäume und Sträucher.* i. t. 23.

Q. Robur var. lanuginosa, *Lam.*

Q. sessilitflora var. pubescens, *Loud.*

Q. Streimii, *Heuff.*

Q. villosa, *Hort.*

Var. *dissecta*.

Q. ajudaghensis *dissecta*, *Hort.*

Var. *pendula*.

Q. laurifolia, *Michx.*; *Sargent Silva of North America* tt. 429-30. Virginia to Louisiana..

Q. aquatica var. *laurifolia*, *A. DC.*

Q. laurifolia *hybrida*, *Michx.*

Q. obtusa, *Pursh.*

Q. Phellos var. *laurifolia*, *Chapm.*

Q. leana, *Nutt.* United States.

Q. imbricaria × *coccinea*, *Engelm.*

Q. imbricaria × *velutina*, *Sargent Silva of North America* t. 434.

- Q. Libani, *Oliv.*; Rev. Hortic. 1872, 155, f. 18. Asia Minor.
 "Lebanon Oak."
- Q. Carduchorum, *Kotschy*.
- Q. Libani var. calliprinos, *Kotschy*.
- Var. angustifolia.
- Var. macrocarpa.
- Q. lobata, *Nér*; Sargent Silva of North America t. 362.
 California. "Valley Oak."
- Q. Hindsii, *Benth.*
- Q. longiglanda, *Frémont*.
- Q. lucombeana, *Holv.* Philosophical Transactions 1772,
 lxii, 306 (abridged edition); Loud. Encycl. Trees
 858, f. 1562. "Lucombe Oak." ? Cerris × Suber.
- Q. Cerris var. subperennis, *A. DC.* (in part).
- Q. exoniensis, *Lodd.*
- Q. nepaulensis, *Hort.* (not *Desf.*).
- Q. Neumannii, *Hort.*
- Q. serratifolia, *Hort. Bataar.*
- Q. lusitanica, *Lam.*; Laguna Flora Forestal Española t. 32.
 South Europe. Asia Minor.
- Q. australis, *Link.*
- Q. esculenta, *Hort.*
- Q. faginea, *Lam.*
- Q. lusitanica, *Webb.* var. *Clusii*, *A. DC.*
- Q. Valentina, *Lam.*
- Var. *Boissieri*, *A. DC.*
- Q. Boissieri, *Rend.*
- Q. rigida, *C. Koch* (not *Willd.*).
- Q. lyrata, *Walt.*; Sargent Silva of North America t. 374.
 Southern United States. "Overcup Oak."

Q. macedonica, A. DC. Italy to Macedonia, &c.

Q. *Aesculus*, Griseb. (not L.).

Q. *trojana*, Webb.

Q. macranthera, Fisch. & Mey.; Dippel Laubholzk. ii. 72, f. 28. Armenia, &c.

Q. macrocarpa, Michx.; Sargent Silva of North America tt. 371-3. North America "Burr Oak."

Q. *macrophylla*, Hort.

Q. *ramosa*, Booth.

Var. *olivaeformis*, A. Gray.

Q. *olivaeformis*, Michx.

Q. *paludosa*, Hort.

Q. macrocarpa × **Muehlenbergii**. United States.

Q. marilandica, Muenchh.; Sargent Silva of North America tt. 426-7. United States. "Black Jack."

Q. *ferruginea*, Michx.

Q. *nigra*, Wunghen. (not L.).

Q. Michauxii, Nutt.; Sargent Silva of North America tt. 382-3. Southern United States. "Cow Oak."

Q. *bicolor*, A. DC. (in part).

Q. *bicolor* subsp. *Michauxii*, Engelm.

Q. *Prinus*, Walt. (not L.).

Q. *Prinus var. discolor*, Curtis.

Q. *Prinus var. Michauxii*, Chapm.

Q. *Prinus palustris*, Michx.: Loud. Arb. Brit. iii. 1872, f. 1735.

Q. Mirbeckii, Dur.: Revue Generale de Botanique iv. t. 1-3. Spain, Portugal and North Africa.

Q. *grossedentata*, Hort.

Q. *Mirbeckii*—*cont.*

Q. *lusitanica* *var.* *baetica*, *Webb.*

Q. *Mierbeckii*, *Dippel.*

Q. *ventricosa*, *Hort.*

Q. *Zang*, *Hort.*

Q. *mongolica*, *Fisch.* : Dippel Laubholzk. ii. 82, f. 33.
Mandshuria, &c.

Q. *Muehlenbergii*, *Engelm.* United States. "Yellow Oak;
Yellow Chestnut Oak."

Q. *acuminata*, *Sargent* Silva of North America t. 337.

Q. *Prinus var. acuminata*, *Michx.*

Q. *nigra*, *L.*; Sargent Silva of North America t. 428.
Southern United States. "Water Oak."

Q. *aquatica*, *Walt.*

Q. *hemisphaerica*, *Willd.*

Q. *nigra var. aquatica*, *Lam.*

Q. *nigra var. trifida*, *Marsh.*

Q. *uliginosa*, *Wangenh.*

Q. *palustris*, *Muenchh.*; Sargent Silva of North America
tt. 422-3. United States. "Pin Oak."

Q. *rubra var. dissecta*, *Lam.*

Q. *rubra var. ramosissima*, *Marsh.*

Var. *pendula*.

Q. *pedunculata*, *Ehrh.*; Engl. Bot. ed. 3, t. 1288. Europe,
Asia. "Common Oak."

Q. *fructipendula*, *Schrantz.*

Q. *germanica*, *Lusch.*

Q. *longaeva*, *Salisb.*

Q. *malacophylla*, *Schultz.*

Q. *racemosa*, *Lam.*

Q. *Robur var. pedunculata*.

Q. pedunculata—*cont.*

Var. *aurea leucocarpa*, *Hort.*

Var. *brutia*.

Q. brutia, *Tenore Flora Napolitana* t. 197.

Var. *columnaris*, *Hort.*

Var. *compacta*, *Hort.*

Var. *Concordia*, *Lem. Illustr. Hortie. xiv.* t. 537.

Q. foliis aureis, *Hort.*

Var. *fastigiata*, *DC.*; *Gard. Chron. 1883, xix.* 179, f. 26.
 “Cypress Oak.”

Q. cypresoides, *Hort.*

Q. fastigiata, *Lam.*

Q. pyramidalis, *Gmel.*

Var. *fastigiata cucullata*, *Hort.*

Var. *fastigiata excelsa*, *Hort.*

Var. *fastigiata Grangei*, *Hort.*

Var. *fastigiata oxyacanthifolia*, *Hort.*

Var. *fastigiata tortuosa*, *Hort.*

Var. *fastigiata variegata*, *Hort.*

Q. fastigiata foliis punetatis, *Hort.*

Var. *fastigiata viridis*, *Hort.*

Var. *filicifolia*, *Lem. Illustr. Hortie. 1854*, f. “Fern-leaved Oak.”

Q. asplenifolia, *Hort.*

Q. pectinata, *Hort.*

Q. pinnata, *Hort.*

Q. taraxacifolia, *Hort.*

Var. *granbyana*, *Hort.*

C. pedunculata—*cont.*Var. *Haas*, *A. DC.*Q. *Haas*, *Kotschy* Eichen, t. 2.Var. *heterophylla*, *Loud.* *Arb. Brit.* iii. 1732, ff. 1569–71.Q. *comptoniaefolia*, *Hort.*Q. *dissecta*, *Hort.*Q. *diversifolia cucullata*, *Hort.*Q. *Fennessi*, *Hort.*Q. *Fenzleyi*, *Hort.*Q. *Hentzii*, *Hort.*Q. *incisa*, *Hort.*Q. *laciniata*, *Hort.*Q. *pedunculata Hodginsii*, *Hort.*Q. *salicifolia*, *Hort.*Q. *Tenorei*, *Hort.*Var. *latifolia*, *Hort.*Var. *pendula*, *Loud.* *Arb. Brit.* iii. 1732. “Weeping Oak.”Q. *Dauvessei*, *Hort.*Q. *horizontalis*, *Hort.*Q. *pendula*, *Lodd.*Q. *pendula nova*, *Hort.*Var. *purpurascens*, *DC.*Q. *atropurpurea*, *Hort.*Q. *atrosanguinea*, *Hort.*Q. *cuprea*, *Hort.*Q. *europaea purpurea*, *Hort.*Q. *nigra purpurea*, *Hort.*Q. *pedunculata nigra*, *Hort.*Q. *pedunculata var. purpurea*, *Loud.*

Q. pedunculata—*cont.*

Q. pedunculata var. *sanguinea*, *Bechst.*

Q. *Robur nigra*, Flore des Serres t. 1783.

Q. *Robur nigricans*, *Hort.*

Var. *scolopendrifolia*, *Hort.*

Var. *Thomasii*, *Tenore.*

Q. *Robur var. Thomasii*, *A. DC.*

Var. *toureaensis*, *Hort.*

Var. *Trinessi*, *Hort.*

Var. *umbraculifera*, *Hort.*

Var. *umbraculifera Ligini*.

Var. *variegata*, *Hort.*

Q. *elegantissima*, *Hort.*

Q. *Phellos*, *L.*; Sargent Silva of North America t. 435.
United States. "Willow Oak."

Q. *Robur microcarpa*, *Hort.*

Q. *salicifolia*, *Hort.* (not *Née.*).

Q. *phillyraeoides*, *A. Gray*; Shirasawa Iconogr. Essen.
Forest. du Japon t. 31, ff. 1-12. Japan.

Q. *rotunda*, *Hort.*

Var. *crispa*, *Hort.*

Q. *pontica*, *C. Koch*; Gartenflora, 1891, 510, f. 95. Lazistan.

Q. *prinoides*, *Willd.*; Sargent Silva of North America t. 378.
United States. "Chincapin Oak."

Q. *Chinquapin*, *Pursh.*

Q. *Muehlenbergii var. humilis*, *Britton.*

Q. *Prinus Chincapin*, *Michx.* Hist. Arb. Am. ii. 64.
t. 10.

Q. *Prinus var. humilis*, *Marsh.*

Q. Prinus, L.; Sargent Silva of North America tt. 375-6.
Eastern North America. "Chestnut Oak."

Q. bicolor, Hort.

Q. Castanea, Hort. (not Née.).

Q. castaneaefolia, Hort. (not C. A. Mey.).

Q. montana, Willd.

Q. monticola, Petz. & Kirchn.

Q. sericea, Hort.

Q. Pseudo-suber, Santi; Hempel & Wilhelm Die Bäume und Sträucher des Waldes ii. 82, f. 175. South Europe.

Q. Fontanesii, Guss.

Q. hispanica, Lam.

Q. pumila, Walt.: Sargent Silva of North America t. 404. North Carolina to Florida. "Running Oak."

Q. cinerea var. pumila, Curtis.

Q. Phellos var. nana, A. DC.

Q. Phellos var. pumila, Dippel.

Q. sericea, Willd.

***Q. reticulata, Humb. & Bonpl.**; Sargent Silva of North America t. 390. Mexico, Arizona, &c.

Q. rubra, L.; Sargent Silva of North America tt. 409-10.
North America. "Red Oak."

Q. ambigua, Michx.

Q. borealis, Hort.

Q. coccinea, Hort. (not L.).

Q. coccinea var. ambigua, A. Gray.

Q. coccinea var. macrophylla, Hort.

Q. grayana, Hort.

Q. triloba, Hort.

Var. aurea, Dippel.

Q. americana aurea, Hort.

Q. rubra—*cont.*

Var. *longifolia*, *Hort.*

Var. *palustrifolia*, *Hort.*

Var. *pendula*.

Q. coccinea pendula, *Hort.*

Var. *Schrefeldii*, *Dippel.*

Q. serrata, *Thunb.*; *Dippel Laubholzk.* ii. 101, f. 44.
China, Japan, &c.

Q. Bombyx tomentosa, *Hort.*

Q. chinensis, *Bunge.*

Var. *pendula*.

Q. sessiliflora, *Salisb.*; *Engl. Bot. ed. 3*, t. 1289. Europe,
W. Asia.

Q. acuminata, *Hort.*

Q. aurea, *Wiersb.*

Q. condensata, *Schur.*

Q. pallida, *Heuff.*

Q. pedemontana, *Colla.*

Q. rubens, *Hort.*

Q. sinuata, *Hort.*

Q. Turneri, *Hort.* (not *Willd.*).

Var. *afghanistanensis*, *Hort.*

Var. *alnoides*, *Hort.*

Var. *cochleata*, *Hort.*

Var. *devoniana*, *Hort.*

Var. *dschorochensis*.

Q. dschorocheensis, *C. Koch.*

Var. *falkenbergensis*, *Hort.*

Var. *geltoviana*, *Hort.*

Q. sessiliflora—*cont.*

Var. *Giesleri*, *Hort.*

Var. *iberica*, *Hort.*

Var. *laciniata*, *Koehne*.

Var. *longifolia*, *Lauche*.

Var. *mespilifolia*, *Wallr.*

Q. *Louetti*, *Hort.*

Q. *Robur Louetti*, *Hort.*

Var. *rubicunda*.

Q. *sessiliflora purpurea*, *Hort.*

Q. stellata, *Wangenh.* United States. "Post Oak."

Q. *alba var. minor*, *Marsh.*

Q. *Drummondii*, *Liebm.*

Q. *minor*, *Sargent Silva of North America*, tt. 368, 369.

Q. *obtusiloba*, *Michx.*

Q. *villosa*, *Walt.*

Q. Suber, *L.*: Kotschy Eichen t. 33; Laguna Flora Forestal Española t. 34. South Europe, North Africa. "Cork Oak."

Q. *bivioniana*, *Guss.*

Q. texana, *Buckl.*; Sargent Silva of North America t. 411. Garden and Forest 1894, 514, ff. 81, 82. United States.

Q. *rubra var. texana*, *Buckl.*

Q. thalassica, *Hance*. Japan.

Q. *sieboldiana*, *Blume*.

Q. Toza, *Bosc*; Laguna Flora Forestal Española t. 31. South Western Europe.

Q. *Brossa*, *Bosc*.

Q. Toza—*cont.*

- Q. Camata, *Hort.*
- Q. lanata, *Hort.* (not *Sm.*).
- Q. pubescens, *Brot.* (not *Willd.*).
- Q. pyrenaica, *Willd.*
- Q. ramosa, *Hort.*
- Q. stolonifera, *Lapeyr.*
- Q. Tauzin, *Pers.*

Var. *splendens*, *Hort.*

Q. *Turneri*, *Willd.* Garden Origin. *Ilex × pedunculata* or *Cerris*?

- Q. austriaca *hybrida*, *Hort.*
- Q. austriaca *sempervirens*, *Hort.*
- Q. austriaca *splendens*, *Hort.*
- Q. *Cerris austriaca sempervirens*, *Hort.*
- Q. *glandulifera*, *Mast. Gard. Chron.* 1880, xiv. 714, f. 134 (not *Blume*).
- Q. *hybrida*, *Hort.*
- Q. *sclerophylla*, *Hort.* (not *Lindl. & Paxt.*).
- Q. *sempervirens*, *Hort.*

Q. *undulata*, *Torr.*; Sargent Silva of North America t. 385. Western North America. "Scrub Oak."

- Q. *Emoryi*, *Porter & Coulter* (not *Torr.*).
- Q. *Fendleri*, *Liebm.*
- Q. *grisea*, *Liebm.*
- Q. *oblongifolia*, *Torr.*
- Q. *pungens*, *Liebm.*

Q. *variabilis*, *Blume*; Shirasawa Iconogr. Ess. Forest. du Japan t. 28. Japan.

Q. *velutina*, *Lam.*; Sargent Silva of North America
tt. 414, 415. North America. "Yellow Bark Oak."

Q. coccinea var. tinctoria, *A.DC.*

Q. discolor, *Ait.*

Q. flaccida, *Hort.*

Q. nigra, *Du Roi* (not *L.*).

Q. sericifolia, *Hort.*

Q. tinctoria, *Michx.*

Q. vibrayana, *Franch & Savat.* Japan.

Q. bambusaefolia, *Fortune* (not *Hance*).

Q. virginiana, *Miller*; Sargent Silva of North America tt.
394-6. Southern United States.

Q. sempervirens, *Walter* (not *Miller*). .

Q. virens, *Ait.*

Var. *angustifolia*.

Var. *rubrifolia*.

Q. Wislizeni, *A.DC.*; Sargent Silva of North America t.
406. California.

Castanopsis chrysophylla, *A.DC.*; Sargent Silva of North
America t. 439. California and Oregon. "Golden-
leaved Chestnut."

Castanea chrysophylla, *Hook. Bot. Mag.* t. 4953.

C. sempervirens, *Kellogg*.

Castanea crenata, *Sieb. & Zucc.*; Dippel Laubholzk. ii. 56,
f. 23. Japan. "Japanese Chestnut."

C. chinensis, *Hassk.* (not *Spreng.*).

C. pumila, *Hassk.* (not *Mill.*).

C. stricta, *Sieb. & Zucc.*

C. japonica, *Blume*.

*C. vulgaris var. *japonica**, *A.DC.*

- C. dentata, *Borkh.*; Sargent Silva of North America tt. 440, 441. North America. "American Chestnut."
C. americana, *Rafin.*
C. sativa var. americana, *Sargent.*
C. vesca var. americana, *Michx.*
C. vulgaris var. americana, *A.DC.*
- C. pumila, *Mill.*; Sargent Silva of North America tt. 442-3; Loud. Encycl. Trees 914, ff. 1707-8. Southern Pennsylvania to Northern Florida. "Chinquapin."
Fagus pumila, *L.*
- C. sativa, *Mill.* South Europe, North Africa, Orient.
"Sweet Chestnut."
C. vesca, *Gaertn.*; Loud. Encycl. Trees 913, f. 1706.
C. vulgaris, *Lam.*
- Var. albo-marginata, *Hort.*
Var. asplenifolia, *Hort.* ,
Var. aureo-marginata, *Hort.*
Var. crispa, *Hort.*
Var. downtowniana, *Hort.*
Var. filipendula, *Hort.*
Var. glaberrima, *Hort.*
Var. heterophylla, *Hort.*
Var. heterophylla dissecta, *Hort.*
Var. laciniata, *Hort.*
Var. maculata, *Hort.*
Var. monstrosa, *Dippel.*
C. bullata, *Hort.*
C. cochleata, *Hort.*
C. cucullata, *Hort.* -

C. sativa—cont.

Var. *Moorei*, *Hort.*

Var. *prolifera*, *C. Koch.*

Var. *pyramidalis*, *Hort.*

Fagus ferruginea, *Ait.*; Dippel Laubholzk. ii. 53, f. 22.
North America. "American Beech."

F. americana, *Sweet*; Sargent Silva of North America
t. 344.

F. atropunicea, *Sudworth*.

F. caroliniana, *Loud.*

F. nigra, *Rafin.*

F. rotundifolia, *Rafin.*

Var. *latifolia*, *Hort.*

Var. *macrophylla*, *Hort.*

F. sylvatica, *L.*; Engl. Bot. ed. 3, t. 1291. Europe, Asia
Minor, &c. "Common Beech."

Var. *asiatica*.

Var. *atropurpurea*, *Hort.*

Var. *aurea* Spæthii, *Hort.*

Var. *aureo-variegata*, *Hort.*

Var. *castaneaefolia*, *Hort.*

Var. *cochleata*, *Hort.*

F. ferruginea cochleata, *Hort.*

Var. *conglomerata*, *Hort.*

Var. *cristata*, *Lodd.*; Loud. Encycl. Trees 906, f. 1694.

F. sylvatica crispa, *Hort.*

Var. *cuprea*, *Lodd.* "Copper Beech."

Var. *grandidentata*, *Hort.*

F. sylvatica—*cont.*

Var. *heterophylla*, *Loud.* Encycl. Trees 906, ff. 1692–3.

F. comptoniaefolia, *Hort.*

F. incisa, *Hort.*

F. laciniata, *Hort.*

F. salicifolia, *Hort.*

F. sylvatica asplenifolia, *Lodd.*

Var. *macrophylla*, *Hort.*

F. latifolia, *Hort.*

F. monstrosa latifolia, *Hort.*

Var. *miltonensis*, *Hort.*

Var. *nana pendula*, *Hort.*

Var. *nigra*, *Hort.*

Var. *norwegiensis*, *Hort.*

Var. *pagnyensis*, *Hort.*

Var. *pendula*, *Lodd.*

Var. *pendula bornyensis*, *Hort.*

Var. *purpurea*, *Ait.* “Purple Beech.”

Var. *purpurea major*, *Hort.*

Var. *purpurea nova*, *Hort.*

Var. *purpurea pendula*, *Hort.* “Weeping Purple Beech.”

Var. *quercooides*, *Pers.*

F. quercifolia, *Hort.*

Var. *remillyensis*, *Hort.*

Var. *retroflexa*, *Hort.*

Var. *Sieboldii*, *Maxim.* : Shirasawa Iconogr. Essen.
Forest. du Japon t. 25. Japan.

F. Sieboldii, *Endl.*

F. sylvatica—*cont.*

- Var. *tortuosa*, *Hort.*
- Var. *tricolor*, *Hort.*
- Var. *undulata*, *Hort.*
- Var. *variegata*, *Hort.*
- Var. *Zlatia*, *Spaeth.* “Golden Beech.”

Salicaceae.

Salix adenophylla, *Hook.*; Kong. Svensk. Vet.-Akad. Handl. vi. t. 8, f. 95. Labrador.

S. alba, *L.*; Eng. Bot. ed. 3, t. 1309. Europe, Asia, North Africa. “White Willow.”

Var. *argentea*.

- S. alba leucophylla*, *Hort.*
- S. argentea*, *Wimm.*
- S. leucophylla*, *Hort.*
- S. regalis*, *Hort.*
- S. splendens*, *Bray.*

Var. *britzensis*, *Spacth.*

Var. *caerulea* *Syme* Eng. Bot. ed. 3, t. 1310.

- S. caerulea*, *Sm.*

Var. *caerulea pendula*.

Var. *vitellina*, *W. Koch*; Eng. Bot. ed. 3, t. 1311
S. vitellina, *L.*

Var. *vitellina pendula nova*.

S. alpigena, *Kern.* Tyrol, &c.

S. ambigua, *Ehrh.*; Eng. Bot. ed. 3, t. 1355. Europe.

S. repens × *aurita*.

S. spathulata, *Willd.*

S. versifolia, *Wahlenb.*

S. angustifolia, *Willd.* (not *Wulf.*). Caucasus, North Asia.

S. Arbuscula, *L.*; Kong. Svensk. Vet.-Akad. Handl. vi. t. vii. f. 80. Europe, North Asia.

S. carinata, *Sm.*

Var. *prunifolia*, *Syme* Eng. Bot. ed. 3, t. 1372.

S. prunifolia, *Sm.* Eng. Bot. t. 1361.

S. arctica, *Pall.*; Flora Danica t. 2488. Arctic regions.

S. [aurita *L.*; Forbes Salict. Woburn. t. 124. Europe, North Asia.

S. aurita-incipitana, *Wimm.* Europe.

S. reticulata, *Hort.* (not *L.*).

S. aurita-Lapporum. Europe.

S. Lapporum × *aurita*.

S. aurita × *Myrsinites*. Europe.

S. saxetana, *F. B. White.*

S. aurita × *phylicifolia*. ♂. Europe.

S. aurita × *repens*. Europe.

S. aurita × *viminalis*. Europe.

S. fruticosa, *Doell.*

S. babylonica, *L.*; Forbes Salict. Woburn. t. 22. Japan.
"Weeping Willow."

S. japonica, *Blume* (not *Thunb.*).

S. neapolitana, *Hort.*

S. babylonica—*cont.*

S. pendula, *Moench.*

S. perpendens, *Ser.*

S. riparia, *Hort.* (not *Willd.*).

Var. annularis.

S. annularis, *Forbes Salict.* Woburn. t. 21.

S. crispa, *Hort.*

Var. ramulis aureis.

Var. Salamoni, *Hort.*

S. caesia, *Vil.* Mountains of Switzerland, Tyrol, and South-western Europe.

S. myrtilloides, *Forbes Salict.* Woburn. t. 66 (not *L.*).

S. prostrata, *Ehrh.*

S. Zabeli pendula, *Hort.*

S. candida, *Fluegge*; *Forbes Salict.* Woburn. t. 91. North America. "Sage Willow."

S. incana, *Michx.* (not *Schrantz*).

S. nivea, *Sm.*

S. tomentosa, *Schrad.*

S. Caprea, *L.*; *Forbes Salict.* Woburn. t. 122; *Eng. Bot.* ed. 3, t. 1331. Europe, North Asia. "Common Sallow, Goat Willow."

S. aurigerana, *Lapeyr.*

S. hybrida, *Vill.*

S. tomentosa, *Ser.*

S. ulmifolia, *Thuill.*

Var. pendula, *Hort.*

S. Kilmarnocki, *Hort.*

S. Caprea × *cinerea*. Europe.

S. moschata, *Hort.*

S. Richardti, *Kern.*

S. cernua, *Linton.* Europe.

S. herbacea × *repens*.

S. cinerea, *L.*; Eng. Bot. ed. 3, t. 1327. Europe, North and West Asia.

S. acuminata, *Hoffm.*

S. dumetorum, *Suter.*

S. oleifolia, *Sm.* (not *Vill.*).

S. polymorpha, *Host.*

S. rufinervis, *DC.*

Var. *aquatica*, *Syme* Eng. Bot. ed. 3, t. 1328.

S. aquatica, *Sm.*

Var. *Medemii*, *Boiss.*

S. Medemii, *Boiss.*

Var. *tricolor*, *Dippel.*

S. Caprea tricolor, *Hort.*

S. cinerea-*repens*, *Wimm.* Europe.

S. repens × *cinerea*.

S. commutata, *Bebb.* North-western United States.

S. Hookeriana, *Hort.* (not *Barratt*).

S. cordata, *Muhl.*; Dippel Laubholzk. ii. 283, f. 134. Northern and Arctic America.

Var. *glaucophylla*, *Bebb.*

Var. *rigida*, *Anderss.*

S. cordata-*rigida*, *A. Gray.*

S. myricoides, *Muhl.*

S. rigida, *Willd.*

Var. *sericea*, *Anderss.*

Var. *vestita*, *Anderss.*

S. coriacea, *Forbes* Salict. Woburn. t. 112. Europe.

S. nigricans × *aurita*.

S. Cotteti, *Lagg.* Tyrol.

S. retusa var. *nigrescens*, *Kern.*

S. cuspidata, *Schultz.*; Dippel Laubholzk. ii. 216, f. 109. Europe.

S. fragilis-*pentandra*, *Weinm.*

S. Meyeriana, *Rostkov.*: *Forbes* Salict. Woburn. t. 33.

S. pentandra-*fragilis*, *Wimm.*

S. Pockornyi, *Kern.*

S. daphnoides, *Vill.*; Flora Danica t. 2919. Europe, &c.
"Violet Willow."

S. aglaia, *Hort.*

S. bigemmiflora, *Hoffm.*

S. glauca, *Hort.* (not *L.*).

S. jaspidea, *Hort.*

S. pomeranica, *Willd.*

S. praecox, *Hoppe*; *Forbes* Salict. Woburn. t. 26.

Var. *acutifolia*, *Anderss.*

S. acutifolia, *Willd.*

S. caspica, *Hort.*

S. daphnoides var. *angustifolia*, *Weinm.*

S. pruinosa, *Wendl.*

S. violacea, *Forbes* Salict. Woburn. t. 25.

S. decipiens, *Hoffm.*; *Forbes* Salict. Woburn. t. 29. Europe.

S. fragilis var. *decipiens*, *Koch.*

S. triandra × *fragilis*, *F. B. White.*

S. discolor, *Muhl.*; Sargent Silva of North America t. 478.
North America.

S. sensitiva, *Barratt.*

S. doniana, Sm. Engl. Bot. t. 2559. Europe.

S. parviflora, Host.

S. purpurea-repens, Wimm.

S. repens-purpurea, Weinm.

S. elegantissima, C. Koch; Semaine Horticole 1898. 363.

Origin uncertain.

S. americana pendula, Hort.

S. babylonica femina, Hort.

S. fragili-babylonica, Regel.

S. sibirica, Hort. *aliq.*

S. Sieboldi, Hort.

S. Erdingeri, Kerner (*Caprea* × *daphnoides*). Europe.

S. fragilis, L.: Engl. Bot. ed. 3, t. 1306. Europe, N. and W. Asia. "Crack Willow."

S. bigemmis, Hort. (not Hoffm.).

S. cerasifera, Hort. (not Schleich.).

S. conformis, Hort.

S. mascula, Hort.

S. meyeriana, Willd.

S. monandra, Hort. (not Hoffm.).

S. russelliana, Sm.

S. serrulata, Hort. (not Willd.).

S. silesiaca, Hort. (not Willd.).

Var. *basfordiana*.

S. basfordiana, Salter Gard. Chron. 1882, xvii. 298, ff. 41-2.

S. sanguinea, Scaling.

Var. *latifolia*, Anderss.

S. ammaniana, Hort. (not Willd.).

S. excelsa, Tausch.

S. monspeliensis, Forbes Salict. Woburn. t. 30.

- S. glauca**, *L.* (not *Sm.*). Alpine and Arctic regions of northern hemisphere.
- S. sericea*, *Forbes* *Salict.* *Woburn.* t. 74.
- S. gracilistyla**, *Miq.* Japan.
- S. mutabilis*, *Hort.*
- S. Grahami**, *Borr.*; *Engl. Bot.* ed. 3, t. 1377. Scotland.
- S. herbacea* × *phylicifolia* ?
- S. hastata**, *L.*; *Forbes* *Salict.* *Woburn.* t. 35. Mountains of Europe and N. Asia.
- S. cerasifolia*, *Schleich.*
- S. elegans*, *Host.*
- S. eriantha*, *Schleich.*
- S. malifolia*, *Sm.*; *Forbes* *Salict.* *Woburn.* t. 36.
- S. Pontederae*, *Vill.*
- S. pontederana*, *Loisel.* (not *Willd.*).
- S. serrulata*, *Willd.*
- S. viburnoides*, *Schleich.*
- S. herbacea**, *L.*; *Eng. Bot.* ed. 3, t. 1378. Mountains of northern hemisphere.
- S. herbacea* × *lanata*. Europe.
- S. hexandra**, *Ehrh.*; *Kong. Svensk. Vet.-Akad. Handl.* iii, f. 27. Europe.
- S. pentandra* × *alba*.
- S. hippophaifolia**, *Thuill.*; *Coss. Flore de Paris* t. 28, f. Europe.
- S. alba* var. *hippophaifolia*, *Ser.*
- S. multiformis*, *Doell.* var. *hippophaifolia*, *Anderss.*
- S. triandra-viminalis*, *Wimm.*
- S. virescens*, *Forbes* (not *Vill.*); *Loud. Arb. Brit.* iii. 1531.

S. hookeriana, *Barratt*; Sargent Silva t. 485; Dippel Laubholzk. ii. 303, f. 142. N. America.

S. humilis, *Marsh.*; Dippel Laubholzk. ii. 268, f. 128. N. America. "Prairie Willow."

S. conifera, *Muhl.*

S. muehlenbergiana, *Barratt*.

S. recurvata, *Pursh*.

S. incana, *Schrink*; Forbes Salict. Woburn. t. 90. Europe.

S. angustifolia, *Poir.*

S. cyllenea, *Boiss.*

S. Elaeagnos, *Srop.*

S. lavandulaefolia, *Lapeyr.*

S. linearis, *Forbes* Salict. Woburn. t. 89.

S. Reginae, *Hort.*

S. riparia, *Willd.*

S. rosmarinifolia, *Gouan* (not *L.*).

S. viminalis, *Balb.* (not *L.*).

S. japonica, *Thunb.* Japan.

S. babylonica var. *japonica*, *Anderss.*

Var. **Lavalléei**.

S. lanata, *L.*; Forbes Salict. Woburn. t. 71; Engl. Bot. ed. 3, t. 1367. Northern and Arctic Europe, &c.

S. chrysantha, *Vahl.*

S. lanuginosa, *Pall.*

S. Lapponum, *L.*; Forbes Salict. Woburn. t. 73. Mountains of Europe and N. Asia.

S. arenaria, *Willd.*

S. elaeagnifolia, *Forbes* Salict. Woburn. t. 69.

S. glauca, *Sm.* Engl. Bot. t. 1810.

S. glaucophylla, *Bess.*

S. Lapponum—*cont.*

S. lactea, *Bray*.

S. leucophylla, *Willd.*

S. limosa, *Wahlenb.*

S. nitens, *Gilib.*

S. sudetica, *Host.*

S. stuartiana, *Forbes* *Salict.* *Woburn.* t. 72.

Var. *helvetica*, *F. B. White*.

S. helvetica, *Vill.*

S. nivea, *Ser.*

S. tomentosa, *Hort.* (not *Schrad.*).

S. Lapponum-phylicifolia, *Lintom*. Europe.

S. lasiandra, *Benth.*; *Sargent Silva of North America* t. 469.
Western United States.

S. arguta var. *lasiandra*, *Anderss.*

S. hoffmanniana, *Hook. & Arn.* (not *Sm.*).

S. laurina, *Sm.*; *Engl. Bot. ed. 3*, t. 1333. Europe.

S. bicolor, *Sm.* *Engl. Bot. t.* 1806.

S. bicolor × *Caprea*?

S. discolor, *Hort.* (not *Muhl.*).

S. phylicifolia × *Caprea*?

S. lutescens, *Kern.* Europe.

S. aurita-cinerea, *Wimm.*

S. multinervis, *Doelt.*

S. lucida, *Muhl.*; *Sargent Silva of North America* t. 473;
Loud. Arb. Brit. iii. 1504, f. 1301. North America.
"Shining Willow."

S. myricoides, *Hort.* (not *Muhl.*).

S. Myrsinites, *L.*; *Engl. Bot. ed. 3*, t. 1375; *Flora Danica*
t. 1054. Northern hemisphere.

S. alpina, *Scop.*



S. Myrsinites—*cont.*

S. arbutifolia, *Ser.*

S. dubia, *Suter*.

S. rectijulis, *Trautv.*

Var. jacquiniana, *Anderss.* Austrian Alps.

S. jacquiniana, *Willd.*

S. Jacquinii, *Host.*

Var. latifolia, *Anderss.*

S. procumbens, *Forbes* *Salict.* Woburn. t. 61.

S. retusa, *With.* (not *L.*).

S. Myrsinites × nigricans. Europe.

S. Myrsinites-nigricans, *Wimm.*

S. punctata, *Wahl.*

S. Wahlenbergii, *Anderss.*

S. Myrsinites × phylicifolia. Europe.

S. myrtilloides, *L.* : Kong. Svensk. Vet.-Akad. vi. t. 5, f. 53. Northern Hemisphere.

S. elegans, *Bess.*

Var. pedicellaris, *Anderss.* North America.

S. Nicholsoni, *Dieck.* North America.

S. myricoides × *nigra* ? *Koehne*.

S. nigra × *myricoides* (*cordata*) ? *Dieck.*

Var. purpurascens, *Dieck.*

S. nigra, *Marsh.*; Sargent Silva t. 162. North America.
“Black Willow.”

S. ambigua, *Pursh.*

S. caroliniana, *Michx.*

S. nigra—*cont.*

S. flavo-virens, *Hornem.*

S. houstoniana, *Pursh.*

S. ligustrina, *Michx. f.*

Var. *falcata*.**S. nigricans**, *Sm.* Alps of North and Central Europe.

*S. phylicifolia var. *nigricans**, *F. B. White.*

Var *andersoniana*, *Syme Engl. Bot. ed. 3*, t. 1351.

S. andersoniana, *Forbes Salict. Woburn.* t. 109.

Var. *ansoniana*.

S. ansoniana, *Forbes Salict. Woburn.* t. 107.

Var. *atrovirens*.

S. atrovirens, *Forbes Salict. Woburn.* t. 108.

Var. *australis*.

S. australis, *Forbes Salict. Woburn.* t. 103.

Var. *cotinifolia*, *Syme Engl. Bot. ed. 3*, t. 1348.

S. cotinifolia, *Sm. Engl. Bot.* t. 1403.

Var. *damascena*, *Syme Engl. Bot. ed. 3*, t. 1352.

S. damascena, *Forbes.*

Var. *firma*.

S. firma, *Forbes Salict. Woburn.* t. 106.

Var. *forsteriana*, *Syme Engl. Bot. ed. 3*, t. 1349.

S. forsteriana, *Sm. Engl. Bot.* t. 2344.

Var. *grisonensis*.

S. grisonensis, *Forbes Salict. Woburn.* t. 99.

Var. *helvetica*.

S. helvetica, *Forbes* (not *Vill.*).

Var. *hirta*, *Syme Engl. Bot. ed. 3*, t. 1354.

S. hirta, *Sm. Engl. Bot.* t. 1401.

S. nigricans—*cont.*

Var. *lacustris*.

S. lacustris, *Forbes*.

Var. *menthifolia*, *Host*.

Var. *moabitica*, *K. Bolle*.

Var. *petraea*, *Syme Engl. Bot. ed. 3*, t. 1353.

S. petraea, *Anderss.*; *Sm. Engl. Bot. t. 2725*.

Var. *prunifolia*, *Hort.*

Var. *rivularis*.

S. rivularis, *Forbes Salict. Woburn. t. 102*.

Var. *rotundifolia*.

S. rotundata, *Forbes Salict. Woburn. t. 104*.

Var. *rupestris*, *Syme Engl. Bot. ed. 3*, t. 1350.

S. rupestris, *Donn*; *Sm. Engl. Bot. t. 2342*.

Var. *strepida*.

S. nigricans × *cineræa*.

S. strepida, *Forbes Salict. Woburn. t. 100*.

Var. *stylaris*.

S. stylaris, *Ser.*

Var. *vallesiaca*, *Hort.*

Var. *vaudensis*.

S. vaudensis, *Forbes Salict. Woburn. t. 117*.

Var. *viburnoides*, *Hort.*

S. nigricans × *phylicifolia*. Europe.

S. patula, *Seringe*. Europe.

S. aurita-incana.

S. holosericea, *Hort.* (not *Willd.*).

S. incana-aurita, *Wimm.*

S. Patula—*cont.*

S. micheliana, *Hort.* (not *Forbes*).

S. oleaefolia, *Anderss.*

S. oleifolia, *Forbes* Salict. Woburn. t. 96.

S. salviaefolia, *Link.*

S. Paulinae, Suenderm. Fimberthal, North-west Tyrol.

S. reticulata × *Myrsinites*?

S. pentandra, *L.*; *Forbes* Salict. Woburn. t. 34. Europe,
North Asia. "Bay-leaved Willow."

S. humboldtiana, *Hort.* (not *Willd.*).

S. lucida, *Forbes* Salict. Woburn. t. 32 (not *Muhl.*).

S. meyeriana, *Borrer* (not *Willd.*).

S. petiolaris, *Sm.*; *Forbes* Salict. Woburn. t. 23; *Dippel*
Laubholzk. ii. 260, f. 121. North America.

S. discolor, *Hort.* (not *Muhl.*).

S. fuscata, *Pursh.*

Var. *sericea*, *Anderss.* "Silky Willow."

S. grisea, *Willd.*

S. petiolaris var. *grisea*, *Torr.*

S. pratensis, *Hort.*

S. sericea, *Marsh.*; *Britt. & Br.* Ill. Flora i. 499, f.

S. phylicifolia, *L.* Alps of Northern and Central Europe.
"Tea-leaved Willow."

S. bicolor, *Ehrh.*

Var. *borreriana*, *Syme* Eng. Bot. ed. 3, t. 1344.

S. borreriana, *Sm.* Eng. Bot. t. 2619.

Var. *croweana*, *Syme* Eng. Bot. ed. 3, t. 1338.

S. croweana, *Sm.* Eng. Bot. t. 1146.

Var. *laxiflora*, *Syme* Eng. Bot. ed. 3, t. 1340.

S. laxiflora, *Anderss.*; *Sm.* Eng. Bot. t. 2749.

S. phylicifolia—*cont.*

Var. *nitens*, *Syme* Eng. Bot. ed. 3, t. 1337.

S. *nitens*, *Anderss.*; Sm. Eng. Bot. t. 2655.

Var. *patens*.

S. *patens*, *Forbes* Salict. Woburn. t. 39.

Var. *phillyreifolia*, *Syme* Eng. Bot. ed. 3, t. 1345.

S. *phillyreifolia*, *Borrer*; Sm. Eng. Bot. t. 2660.

Var. *tenuior*.

Var. *tetrapla*, *Syme* Eng. Bot. ed. 3, t. 1343.

S. *tetrapla*, *Walker*; Sm. Eng. Bot. t. 2702.

Var. *weigeliana*, *Syme* Eng. Bot. ed. 3, t. 1336.

S. *weigeliana*, *Willd.*; Sm. Eng. Bot. t. 2656.

S. *wulfeniana*, *Sm.*

S. purpurea, *L.*; Eng. Bot. ed. 3, t. 1316: *Forbes* Salict.

Woburn. t. 1. Europe, Central and North Asia.

“Purple Osier.”

S. *amplexicaulis*, *Hort.*

S. *carniolica*, *Host.*

S. *fissa*, *Wahlenb.* (not *Hoffm.*).

S. *fuscata*, *Hort.*

S. *monandra*, *Hoffm.*

S. *rosmarinifolia*, *Hort.* (not *L.*).

S. *uralensis*, *Hort.*

Var. *lambertiana*, *Anderss.*; Eng. Bot. ed. 3, t. 1318.

S. *lambertiana*, *Forbes* Salict. Woburn. tt. 3, 4.

S. *pratensis*, *Scop.*

S. *woolgariana*, *Borrer*.

Var. *pendula*. “American Weeping Willow.”

S. *americana pendula*, *Hort.*

S. *nigra pendula*, *Hort.*

Var. *scharfenbergensis*, *K. Bolle*.

S. pyrifolia, Anderss. Rocky Mountains.

S. pyrolifolia, Ledeb. var. *hoyeriana*, Dippel. North Asia, North America.

S. repens, L. Europe, North Asia.

Var. *argentea*, Syne Eng. Bot. ed. 3, t. 1362.

S. argentea, Sm. Eng. Bot. t. 1364.

S. californica, Hort.

S. sericea, Hort. (not Marsh).

S. sericea pendula, Hort.

S. woolseyana, Hort.

S. reticulata, L.; Eng. Bot. ed. 3, t. 1379. Arctic and alpine regions of northern hemisphere.

Chamitea reticulata, Kern.: Dippel Laubholzk. ii. 212, f. 106.

S. retusa, L.; Forbes Salict. Woburn. t. 139. Europe, North Asia.

Var. *serpyllifolia*, Anderss.; Forbes Salict. Woburn. t. 65.

S. serpyllifolia, Scop.

S. retusa × *herbacea*. Europe.

S. rosmarinifolia, L.; Forbes Salict. Woburn. t. 87. Europe.

S. angustifolia, Wulf. (not Willd.).

S. Arbuscula, Forbes Salict. Woburn. t. 86.

S. caesia, Hort. (not Vitt.).

S. canalicularis, Bess.

S. integra, Thunb.

S. littoralis, Host.

S. marinifolia, Willd.

S. pratensis, Host.

S. repens var. *rosmarinifolia*, Anderss.

S. tenuis, Host.

S. rostrata, *Richards.* North America.

S. bebbiana, *Sargent Silva* t. 477.

S. livida var. occidentalis, *A. Gray.*

S. vagans var. rostrata, *Anderss.*

S. rotundifolia, *Nutt.* North-west America.

S. rubra, *Huds.*; *Forbes Salict.* Woburn. t. 4. Europe.

S. concolor, *Host.*

S. fissa, *Hoffm.* (not *Wahlenb.*).

S. membranacea, *Thuill.*

S. purpurea × *viminalis*.

Var. **forbyana**, *Syme Eng. Bot.* ed. 3., t. 1321.

S. forbyana, *Wimm.*; *Forbes Salict.* Woburn. t. 5.

Var. **Helix**, *Syme Eng. Bot.* ed. 3, t. 1319.

S. Helix, *Sm. Eng. Bot.* t. 1343.

S. purpurea var. *Helix*, *Anderss.*

S. pyramidalis, *Hort.*

S. Sadleri, *Syme Journ. Bot.* 1875, t. 158. Perthshire,
Aberdeenshire, &c.

S. herbacea × *lanata*?

S. lanata var. *Sadleri*, *F. B. White.*

S. secerneta, *F. B. White.* Britain.

S. purpurea × *phylicifolia*.

S. sesquitertia, *F. B. White.* Britain.


S. purpurea × *aurita* × *phylicifolia*.

S. sieboldiana, *Blume.* Japan.

S. silesiaca, *Willd.*; *Kong. Svensk. Vet.-Akad. Handl.* vi.
t. 4, f. 42. Europe.

S. *fagifolia*, *Willd.*

S. *lasiocarpa*, *Wimm.*



S. silesiaca—cont.

S. Ludwigii, Schkuhr.

S. silesiaco-Lapponum, Wimm.

Var. caucasica, Anderss.

S. caucasica, Anderss.

Var. subcaprea, Anderss.

S. Caprea-silesiaca, Wimm.

S. smithiana, Willd.; Flora Danica t. 2551. Europe.

S. mollissima, Sm. (not Ehrh.).

S. pannosa, Hort. (not Schleich.).

S. viminalis × *Capreae*?

Var. acuminata, Anderss.

S. acuminata, Sm.; Eng. Bot. ed. 3, t. 1326.

S. Calodendron, Wimm.

S. Caprea-dasyclados, Wimm.

S. dasyclados, Wimm.

Var. ferruginea.

S. cinerea-viminalis, Wimm.

S. ferruginea, Barrer; Eng. Bot. ed. 3, t. 1325.

Var. velutina, Anderss.

S. holosericea, Willd.

S. micheliana, Forbes Salict. Woburn, t. 135.

S. rugosa, Leefr.

S. sobrina, F. B. White. Europe.

S. herbacea × *Lapponum*.


S. sordida, Kern. Europe.

S. cinerea-purpurea, Wimm.

S. pontederana, Schleich. var. *sordida*, Anderss.

S. purpurea × *cinerea*.

S. subpurpurea cinerea, Kern.



S. spuria, Schleich. Europe.

S. Arbuscula \times Lappum.

S. stipularis, Sm. Eng. Bot. t. 1214. Europe.

S. viminalis \times smithiana ?

S. triandra, L.; Eng. Bot. ed. 3, t. 1313. Europe, North Asia. "Almond-leaved or French Willow."

S. hoppeana, Willd.

S. tenuiflora, Host.

Var. **amygdalina**, Syme Eng. Bot. ed. 3, t. 1315.

S. amygdalina, L.

Var. **hoffmanniana**, Syme Eng. Bot. ed. 3, t. 1314.

S. hoffmanniana, Sm.

S. undulata, Ehrh.; Eng. Bot. ed. 3, t. 1312. Europe.

S. lanceolata, Sm. Eng. Bot. t. 1436.

S. triandra-alba, Wimm.

S. viminalis, L.; Forbes Salict. Woburn. t. 133. Russia and North Asia. (Cultivated throughout Europe). "Osier."

S. longifolia, Lam.

S. tristis, Hort. (not Ait.).

S. virescens, Vill. (not Forbes).

S. viridis, Fries; Kong. Svensk. Vet.-Akad. Handl. vi. t. 3, f. 29. Europe.

S. fragilis, Forbes Salict. Woburn. t. 27 (not L.).

S. fragilis \times alba.

S. montana, Forbes Salict. Woburn. t. 19.

S. wardiana, F. B. White (phylicifolia \times cinerea). Britain

Populus alba, L. : Eng. Bot. ed. 3, t. 1299. Europe, North Africa, North and West Asia. "White Poplar; Abele."

Var. *nivea*.

- P. *acerifolia*, *Hort.*
- P. *arembergiana*, *Hort.*
- P. *arembergica*, *Hort.*
- P. *argentea*, *Hort.*

Var. *pyramidalis*.

- P. *alba* var. *croatica*, *Wesmael.*
- P. *bolleana*, *Lanche*; Gard. Chron. 1882, xviii. 557, f. 96.
- P. *croatica*, *Waldst. & Kit.*
- P. *Korolkowi*, *Hort.*

Var. *macrophylla*, *Hort.*

- P. *Picarti*, *Hort.*

Var. *foliis aureis variegatis*.

Var. *globosa*, *Hort.*

P. *angustifolia*, *James* : Sargent Silva of North America t. 492. North America.

- P. *balsamifera* var. *angustifolia*, *S. Watson.*
- P. *canadensis* var. *angustifolia*, *Wesmael.*
- P. *salicifolia*, *Rufin.*

P. *balsamifera*, L. : Sargent Silva of North America t. 490. North America. "Balsam Poplar."

Var. *candicans*, A. *Gray* : Sargent Silva of North America t. 491.

- P. *candicans*, *Ait.*
- P. *ontariensis*, *Hort.*

Var. *elongata*.

Var. *variegata*.

- P. berolinensis*, *Dippel.* Origin uncertain.
P. laurifolia var. berolinensis, *Hort.*
P. hybrida var. berolinensis, *C. Koch.*
P. balsamifera berolinensis, *Hort.*
P. laurifolia \times *deltaidea* ?
- P. canescens*, *Snb.*; Eng. Bot. ed. 3, t. 1300. "Gray Poplar."
P. albo-tremula, *Krausse.*
- P. certinensis*, *Hort.* Garden origin.
- P. deltaidea*, *Marsh.*; Sargent Silva of North America
 tt. 494, 495. North America. "Cottonwood."
P. Acladesca, *Lindl.*
P. angulata, *Ait.*
P. angulosa, *Michx.*
P. canadensis, *Moench.*
P. carolinensis, *Moench.*
P. cordata, *Hort.*
P. dilatata var. carolinensis, *Willd.*
P. glandulosa, *Moench.*
P. heterophylla, *Duroi* (not *L.*).
P. laevigata, *Ait.*
P. latifolia, *Moench.*
P. macrophylla, *Hort.*
P. marylandica, *Bosc.*
P. monilifera, *Ait.*
P. nigra, *Marsh.* (not *L.*).
P. nigra var. helvetica, *Poir.*
P. nigra var. virginiana, *Castigl.*
P. serotina, *Hartig.*
P. virginiana, *Fouger.*

P. deltoidea—*cont.*

Var. *aurea*, *Van Geert.*

P. canadensis aurea, *Hort.*

P. vanhoutteana, *Hort.*

Var. *erecta*.

P. canadensis var. erecta, *Dippel.*

P. monilifera var. erecta, *Selys.*

Var. *Eugenei*, *Nichols.*

P. canadensis var. Eugenei, *Hort. Zoesch.*

P. Eugenei, *Hort.*

P. pyramidalis var. meetensis, *Mathieu.*

P. Fremontii, *S. Wats.* : Sargent Silva of North America t. 496. California, &c.

P. grandidentata, *Michx.*; Sargent Silva of North America t. 488. North America.

P. heterophylla, *L.*: Sargent Silva of North America t. 489. North America. “Swamp Cottonwood.”

P. argentea, *Michx. f.* Hist. Arb. Am. iii. 290, t. 9.

P. balsamifera, *Mill.* (not *L.*).

P. cordifolia, *Burgsdorf.*

P. ontariensis macrophylla, *Hort.*

P. lasiocarpa, *Olivier* Icon. Plant. t. 1943. Central China.

P. laurifolia, *Lebed.* Altai region of Southern Siberia.

P. balsamifera var. laurifolia, *Wesmael.*

P. balsamifera var. viminalis, *Loud.*

P. crispa, *Hort.*

P. crispa Lindleyi, *Hort.*

P. lindleyana, *Booth.*

P. longifolia, *Fisch.*

P. salicifolia, *Hort.*

P. laurifolia—*cont.*

P. undulata, *Hort.*

P. viminalis, *Lodd.*

P. moscoviensis, *Schroeder*. Origin uncertain.

P. nigra, *L.*; Eng. Bot. ed. 3, t. 1302. Europe, North Asia.

P. fistula, *Hort.*

P. versicolor, *Salisb.*

P. vistulensis, *Hort.*

Var. *betulaefolia*, *Wesmael*.

P. betulifolia, *Pursh*.

P. hudsonica, *Michx.* Hist. Arbr. Am. iii. 293, t. 10,
f. 1.

Var. *Nolestii*.

P. Nolestii, *Hort.*

Var. *pyramidalis*, *Spach*.

P. dilatata, *Suland*.

P. fastigiata, *Pers.*

P. italicica, *Moench*.

P. pannonica, *Hort.*

P. polonica, *Hort.*

P. pyramidalis, *Salisb.*

Var. *pyramidalis gigantea*.

P. fastigiata gigantea.

P. petrowskyana, *Schroeder*. Garden origin.

canadensis × *suaveolens* ?

P. plantierensis, *Simon-Louis*. (*nigra betulifolia* × *nigra fastigiata* ?). Garden origin.

P. fastigiata plantierensis, *Hort.*

P. rasumowskyana, *Schroeder*. Garden origin.

nigra × *suaveolens* ?

- P. Sieboldii, Miq.** Japan.
P. rotundifolia, Hort.
- P. Simonii, Carr.**; Dippel Laubholzk. ii. t. 211, f. 10.
 China.
P. balsamifera var. Simonii, Dieck.
- P. suaveolens, Fisch.** North-west India to Japan, &c.
P. balsamifera var. suaveolens, Loud.
P. macrocarpa, Schrenk.
P. pseudobalsamifera, Fisch.
- P. tremula, L.**; Eng. Bot. ed. 3, t. 1301. Europe, North Africa, North Asia. "Aspen."
P. australis, Tenore.
P. cilicica, Kotschy.
- Var. *pendula*.
P. pendula, Burgesdorff.
P. supina, Lodd.
- Var. *purpurea*.
- Var. *villosa, Syme.*
P. canescens, Reichb. (not Sm.).
P. villosa, Láng.
- P. tremuloides, Michx.**; Sargent Silva of North America t. 487. North America. "American Aspen."
P. atheniensis, C. Koch.
P. benzoifera, Tausch.
P. graeca, Lancke.
P. tremuliformis, Emerson.
P. trepida, Willd.
- Var. *pendula*. "Parasol de St. Julien."
P. juliana pendula, Hort.

P. trichocarpa, *Hook.* ; Sargent Silva of North America t. 493. Western North America. "Black Cottonwood."

P. balsamifera var. trichocarpa, *S. Wats.*

P. tristis, *Fisch.* ; Dippel Laubholzk. ii. 205, f. 98. North-eastern Asia.

Var. *elongata*, *Koehne*.

P. candicans elongata, *Dippel*.

P. Viadri, *M. Ruediger*. Origin uncertain.

P. Wobstii, *Schroeder*. Garden origin ?

P. balsamifera var. Wobstii, *Dippel Laubholzk.* ii. 207, f. 101.

Empetraceae.

Empetrum nigrum, *L.* ; Eng. Bot. ed. 3, t. 1251. North temperate and arctic zones. "Crowberry."

E. crassifolium, *Rafin.*

E. procumbens, *L.*

Var. *scoticum*, *Loud.*

E. scoticum, *Hook.*

Var. *tomentosum*, *Dippel*.

E. tomentosum, *Hort.*

Corema album, *D. Don* : Laguna Fl. For. Esp. ii. t. 47. Portugal.

Empetrum lusitanicum, *Hort.*

C. Conradii, *Torr.* ; Britt. & Br. Illustr. Fl. ii. 384, f. Northern United States, &c.

Empetrum Conradii, *Torr.*

GYMNOSPERMEA E.

Gnetaceae.

- Ephedra americana**, *Humb. & Bonpl.* var. *andina*, *Stapf.*
Chili.
- E. *andina*, *Poepp. & Endl.*; Miers Contr. Bot. ii. t. 76 b.
 - E. *bracteata*, *Miers*.
 - E. *chilensis*, *Miers*.
 - E. *monticola*, *Miers*.
- E. distachya**, *L.*; Reichb. Ic. Fl. Germ. xi. t. 539, f. 1148.
Europe, Asia Minor.
- E. *monostachya*, *L.*
- E. foliata**, *C. A. Mey.* Northern and Central Asia.
- E. *asparagooides*, *Griff.*
 - E. *kokanica*, *Regel*.
 - E. *peduncularis*, *Boiss.*
- E. fragilis**, *Desf.*; Sibth. Fl. Graeca t. 961. Mediterranean
region, &c.
- Var. *campylopoda*, *Stapf.*
 - E. *campylopoda*, *C. A. Mey.*
- E. gerardiana**, *Wall.* Himalaya.
- E. *vulgaris*, *Aitch.*
- E. helvetica**, *C. A. Mey.*: Christ Fl. de la Suisse . . .
pl. 1. Switzerland, Italy, Southern France.
- E. *distachya*, *Suter* (not *L.*).
- E. intermedia**, *Schrenk & C. A. Mey.* Central Asia, &c.
- E. nebrodensis**, *Tineo.* Mediterranean region.
- E. trifurca**, *Torr.* Western North America.

MONOCOTYLEDONS.

Liliaceae.

† SMILACEAE.

Smilax aspera, *L.*; Nouv. Duham. i. 234, t. 53. Mediterranean region, &c. "Rough Bindweed."

S. sagittaefolia, *Lodd.* Bot. Cab. t. 1799.

Var. **maculata**, *A.DC.* East Indies.

S. maculata, *Roxb.*

Var. **mauritanica**, *A.DC.*

S. catalonica, *Poir.*

S. mauritanica, *Desf.*; Flore des Serres t. 1049.

S. Bona-nox, *L.* var. *hastata*, *A.DC.* South United States

S. hastata, *Willd.*

S. Cantab, *Lynch*; Gardēn lvi. 505. f. Origin uncertain.

S. China, *L.* China, Japan, &c.

S. japonica, *A. Gray.*

S. Pteropus, *Miq.*

Coprosmanthus japonicus, *Kunth.*

S. excelsa, *L.*; Nouv. Duham. i. 236, t. 54; Sibth. Fl. Graeca t. 959. South-west Europe, Asia Minor, &c.

S. canariensis, *H. C. Wats.* (in part).

S. China, *S. T. Gmel.* (not *L.*).

S. laevis, *Gueldenst.* (not *Wall.*).

S. glauca, *Walt.*; Bot. Mag. t. 1846. North America.
"Carrion-Flower."

S. Sarsaparilla, *L.* (in part).

S. spinulosa, *Sm.*

- S. hispida**, *Muhl.* North America.
S. grandifolia, *Buckl.*
- S. laurifolia**, *L.*; Britt. & Br. Illustr. Fl. i. 441, f.
 Southern United States.
- S. Pseudo-China**, *L.*; Britt. & Br. Illustr. Fl. i. 441, f.
 Southern United States.
- S. rotundifolia**, *L.* North America. "Horse-brier;
 Greenbrier."
- S. cednea*, *L.*
- S. quadrangularis*, *Muhl.*; Wats. Dendr. Brit. t. 109.
- S. Sarsaparilla*, *Hort.*
- S. virginiana*, *Hort.* (not *Mill.*).
- S. tamnoides**, *L.* North America.
S. tamnifolia, *Michx.*
Coprosmanthus tamnifolius, *Kunth.*
- S. Walteri**, *Pursh.* North America.

†† ASPARAGEAE.

- Ruscus aculeatus**, *L.*; Eng. Bot. ed. 3, t. 1516. Europe,
 &c. "Butcher's Broom."
- Var. *angustifolius*.
R. angustifolius, *Hort.*
- R. Hypoglossum**, *L.*; Sibth. Fl. Graeca t. 955. South
 Europe.
R. Hypophyllum var. *Hypoglossum*, *Lam.*
- R. Hypophyllum**, *L.*; Bot. Mag. t. 2049. South-west
 Europe, North Africa.
Ruscus microglossus, *Bert.*

Danaea Laurus, *Medic.* Asia Minor, &c. "Alexandrian Laurel."

D. racemosa, *Moench*; Wats. *Dendr. Brit.* t. 145.

Danaida racemosa, *Link*.

Ruscus racemosus, *L.*

Asparagus aphyllus, *L.* Mediterranean region.

A. horridus, *Hort.*

††† LUZURIAGEAE.

**Luzuriaga radicans*, *Ruiz & Pav.*; *Bot. Mag.* t. 6465.
Chili, Peru.

††† DRACAENEAE.

Yucca angustifolia, *Pursh*; *Bot. Mag.* t. 2236. Missouri
to Colorado and New Mexico.

Var. *stricta*, *Baker*.

Y. angustifolia var. mollis, *Engelm.*

Y. stricta, *Sims* *Bot. Mag.* t. 2222.

Y. filamentosa, *L.*; *Bot. Mag.* t. 900. Southern United States.

Var. *flaccida*, *Baker*.

Y. flaccida, *Haw.*; *Bot. Reg.* t. 1895.

Var. *variegata*.

Y. glauca, *Sims* *Bot. Mag.* t. 2662. Southern United States.

Y. gloriosa, *L.*; *Bot. Mag.* t. 1260. Southern United States.
"Adam's Needle."

Var. *Ellacombei*, *Baker*.

Y. Ellacombei, *Baker*; *Saund. Ref. Bot.* t. 317.

Var. *variegata*, *Hort.*

Y. orchoides, *Carr.* Rev. Hortic. 1861, 369, ff. 89, 90.
Southern United States.

Y. filamentosa var. orchoides, *Baker.*

Var. *major*, *Baker* Bot. Mag. t. 6316.

Y. recurvifolia, *Salisb.*; Saund. Ref. Bot. t. 321. Southern
United States.

Y. japonica, *Hort.*

Y. pendula, *Sieb.*

Y. recurva, *Haw.*

Var. *variegata*, *Hort.*

Y. rupicola, *Scheele*; Bot. Mag. t. 7172. Southern United
States and Mexico.

Y. contorta, *Hort.*

Y. lutescens, *Carr.*

Y. tortifolia, *Lindh.*

Palmae.

Trachycarpus excelsus, *H. Wendl.* Japan. "Chusan Palm."

T. Fortunei, *H. Wendl.*

Chamaerops excelsa, *Thunb.*

C. Fortunei, *Hook.* Bot. Mag. t. 5221.

Gramineae.

† FESTUCEAE.

Arundo Donax, *L.* Mediterranean region, &c.

Donax arundinaceus, *Beauv.*

Scolochloa arundinacea, *Mert. & Koch.*

Var. *macrophylla*.

Var. *variegata*, *Hort.*

†† BAMBUSEAE.

Arundinaria anceps, *Mitford*. Origin uncertain.

A. *spathiflora*, *Trin.*?

A. [*aristata*, *Gamble*. North-eastern Himalaya.

A. *auricoma*, *Mitford*. Japan.

A. *Fortunei var. aurea*, *Hort.*

Bambusa *Fortunei var. aurea*, *Hort.*

B. *Maximowiczii*, *Hort.* (in part).

A. *chrysanthia*, *Mitford*. Japan.

Bambusa *chrysanthia*, *Hort.*

*A. *falcata*, *Nees*. Himalaya.

Bambusa *falcata*, *Hort.*

B. *gracilis*, *Hort.* (in part).

*A. [*Falconeri*, *Milford*. Himalaya.

Thamnocalamus *Falconeri*, *Hook. f.*

A. [*Fortunei*, *A.* & *C. Rivière*.

A. *diversifolia*, *Kurz*. Japan.

Bambusa *Fortunei foliis niveo-vittatis*, *Van Houtte*
Flore des Serres xv. 69, t. 1535.

B. *Fortunei var. variegata*, *Hort.*

B. *picta*, *Sieb.* & *Zucc.*

B. *variegata*, *Standish*.

A. *Hindsii*, *Munro*. Japan.

Bambusa *Chino*, *Franch.* & *Savat.*?

B. *erecta*, *Hort.*

B. *jacile*, *Hort.*

Kanzan-chiku, *Hort. Jap.*

A. Hindsii—*cont.*

Var. *graminea*, *Bean*.

Bambusa *graminea*, *Hort.*

Taimin-chiku, *Hort. Jap.*

***A. hookeriana**, *Munro*. Sikkim.

A. humilis, *Mitford*. Japan.

A. *Fortunei* *Hort.* (green form).

Bambusa *gracilis* *Hort.* (in part).

A. japonica, *Sieb.* & *Zucc.*: *Gard. Chron.* 1894, **xv**. 289.
f. 26 Japan.

Bambusa Metake, *Sieb.*

Phyllostachys *bambusoides*, *Hort.* (not *Sieb.* & *Zucc.*).
Médaké, *Hort. Jap.*

A. Kokantsik, *Kurz*. Japan.

Bambusa *marmorea*, *Mitford* Bamboo Garden 93, f.
Kan-chiku, *Hort. Jap.*

A. Kumasasa, *Kurz*. Japan.

A. *metallica*, *Mitford* *Gard. Chron.* 1898, **xxiv**. 274,
f. 75.

Bambusa *palmata*, *Burbridge*; *Mitford* Bamboo Garden
79, f.; *Gard. Chron.* 1890, vii. 641, f. 1: 1894, **xv**. 169,
f. 18. Japan.

***A. paniculata**, *Makino* *Bot. Mag. Tokio*, xiv. 50.

Kanéyama-daké, *Hort. Jap.*

Kumazasa, *Hort. Jap.*

A. macrosperma, *Michx.* North America. "Large Cane."

Var. *tecta*, *A. Gray*. "Switch Cane."

A. *macrosperma* var. *suffruticosa*.

Bambusa *Hermannii*, *Hort.*

B. *Neumannii*, *Hort.*

A. nitida, *Mitford*. Central China.

A. *khasiana*, *Hort.* (not *Munro*).

Bambusa Kan-si, *Hort. Chin.*

***A. nobilis**, *Mitford*. Origin uncertain.

A. pumila, *Mitford*. Japan.

Bambusa pumila, *Hort.*

A. pygmaea, *Kurz*. Japan.

Bambusa pygmaea, *Miq.*

Nézasa, *Hort. Jap.*

A. racemosa, *Munro*. North India.

A. Simoni, *A. & C. Rivière*. *Gard. Chron.* 1894, x v. 301, f. 35. China.

Bambusa Simoni, *Carr.*

B. viridi-striata, *Hort.*

Narihiradaké, *Hort. Jap.*

Var. **Chino**, *Makino*.

A. *Laydekeri*, *Hook. f.*; *Mitford Bamboo Garden* 92, f.

Bambusa Laydekeri, *Marliac*.

Hakoné-daké or *Hakoné-chiku*, *Hort. Jap.*

Var. **variegata**, *Hook. f.* *Bot. Mag.* t. 7146.

Bambusa albo-striata, *Hort.*

B. *Maximowiczii*, *Hort.* (in part).

B. *plicata*, *Hort.*

A. Veitchii, *N. E. Brown*; *Mitford Bamboo Garden* 77, f. Japan, &c.

A. *albo-marginata*, *Makino*.

A. *kurilensis var. paniculata*, *Schmidt*.

A. Veitchii—cont.

- Bambusa albo-marginata, *Hort.*
 B. senanensis, *Franch & Savat.*
 B. tessellata, *Hort.* (not *Munro*).
 B. Veitchii, *Carr.*
 Ko-Kumazasa, *Hort. Jap.*
 Yakiba-zasa, *Hort. Jap.*

Bambusa angustifolia, *Mitford.* Japan.

B. Vilmorini, *Hort.*

B. disticha, *Mitford.* Origin uncertain.

B. nana, *Hort.* (not *Roxb.*).
 Hôô-chiku, *Hort. Jap.*

B. macroculmis, *A. Rivière.* Origin unknown.B. Nagashima, *Marliac.* Japan.B. quadrangularis, *Fenzl.* China ?, Japan.

Shiho-chiku or Shikaku-daké, *Hort. Jap.*

B. tessellata, *Munro*; *Gard. Chron.* 1894, **xv.** 167, f. 17
China, Japan.

B. Ragamowski, *Hort.*
 Arundo Ragamowski, *Hort.*
 Bi-chiku, *Hort. Jap.*

Phyllostachys aurea, *A. & C. Rivière.* Japan.

Bambusa aurea, *Hort.*
 B. sterilis, *Kurz.*
 Hôrai-chiku, *Hort. Jap.*
 Taibô-chiku, *Hort. Jap.*
 Hotei-chiku, *Hort. Jap.*

P. bambusoides, *Sieb. & Zucc.* Japan.

Ya-daké, *Hort. Jap.*

Phyllostachys fastuosa, *Hort.*

Bambusa fastuosa, *Hort.*

Arundinaria fastuosa, *Hort. Kew.* Japan.

Madaradaké ? *Hort. Jap.*

P. flexuosa, *A. & C. Rivière.* North China.

Bambusa flexuosa, *Hort.* (not *Munro*).

P. fulva, *Mitford Gard. Chron.* 1898, xxiv. 246, f. 68.
Japan.

Ôgon-chiku, *Hort. Jap.*

P. Henonis, *Mitford.* Japan.

Bambusa Henonis, *Hort.*

Ha-chiku, *Hort. Jap.*

P. mitis, *A. & C. Rivière.* Japan.

Bambusa mitis, *Hort.* (not *Poir.*).

Môsô-chiku, *Hort. Jap.*

A deformed state of this (often found also in *P. aurra*)
is—

P. heterocyla, *Mitford Bamboo Garden* 160, f. Japan.
“Tortoise-shell Bamboo.”

Bambusa heterocyla, *Carr. Rev. Hortic.* 1878, 354,
f. 80.

Kiko-chiku and Kimon-chiku, *Hort. Jap.*

P. nigra, *Munro*; *Gard. Chron.* 1894, xv. 369, f. 46.
Japan.

Bambusa nigra, *Lodd.*

Kuro-daké, *Hort. Jap.*

Goma-dake, *Hort. Jap.*

Kuro-chiku, *Hort. Jap.*

Var. *boryana*.

Bambusa boryana, *Marliac.*

P. boryana, *Mitford.*

Var. *punctata*, *Bean.*

Bambusa nigro-punctata, *Hort.*

Goma-daké, *Hort. Jap.*

P. Quilioi, A. & C. Rivière ; Gard. Chron. 1894, xv. 431, f. 52. Japan.

Bambusa Duquilioi, Hort.

B. Mazeli, Hort.

B. Quilioi, Carr.

B. senanensis, Hort. Abbotbury.

Madaké, Hort. Jap.

Var. *Castillonis*.

P. *Castillonis*, Mitford. Japan.

B. *Castilloni*, Carr. Rev. Hort. 1886, 513, f. 122.

Bambusa *Castillonis*, Marliac.

Kimmei-chiku, Hort. Jap.

Var. *marliacea*.

P. *marliacea*, Mitford. Japan.

Bambusa *marliacea*, Hort.

Shibo-chiku and Shiwa-chiku, Hort. Jap.

P. *ruscifolia*, Hort. Kew. Japan.

P. *Kumasaca*, Munro ; Gard. Chron. 1894, xv. 369, f. 45.

P. *Kumasasa*, Mitford.

Bambusa *ruscifolia*, Sieb.

B. *viminalis*, Hort.

Bungozasa or Gomai-zasa, Hort. Jap.

P. *sulphurea*, A. & C. Rivière. Japan.

Arundinaria *stolonifera*, Kurz.

Bambusa *sulphurea*, Hort.

P. *violascens*, A. & C. Rivière. Japan ?

Bambusa *violascens*, Hort.

P. *viridi-glaucescens*, A. & C. Rivière ; Gard. Chron. 1894, xv. 433, f. 53. China.

Bambusa *viridi-glaucescens*, Carr.

ADDITIONS AND CORRECTIONS.

- Page 89. *For Iris Mariesii read I[lex] Mariesii.*
- „ 123. *For Kolreuteria read Koelreuteria.*
- „ 375. *Transfer Deutzia corymbosa, Hort., from Philadelphus grandiflorus to P. inodorus.* ~~§ 125~~
- „ 497. *Insert Azalea verticillata, Bart., as a synonym of Rhododendron arborescens.*
- „ 517. *Insert R. aureum magnificum, Henders. Bouq. t. 46, as a synonym of Rhododendron Smithii var. aureum.*
- „ 603. *For E[laeagnus] tenuiflora read E. tenuiflora.*

INDEX.

A.	Page.		Page.
<i>Abelia</i> 435		<i>Anagyris</i> 161	
<i>Abelicea</i> 627		<i>Anagyris</i> 163	
<i>Abutilon</i> 63		<i>Andrachne</i> 611	
<i>Acacia</i> 205		<i>Andromeda</i> 481	
<i>Acanthopanax</i> 309		<i>Andromeda</i> 93, 477-483, 491, 493	
<i>Acer</i> 131		<i>Androphylax</i> 21	
<i>Actinidia</i> 59		<i>Androsaemum</i> 53, 55, 57	
<i>Adelia</i> 545		<i>Anisostichus</i> 571	
<i>Adenocarpus</i> 163		<i>Anona</i> 21	
<i>Adnaria</i> 465		<i>Anthodendron</i> 499, 503	
<i>Ægle</i> 77		<i>Anthyllis</i> 181	
<i>Æsculus</i> 125		<i>Aphananthe</i> 629	
<i>Ailanthus</i> 77		<i>Aplopappus</i> 459	
<i>Ailanthus</i> 79		<i>Aquifolium</i> 79	
<i>Akebia</i> 23		<i>Aralia</i> 399	
<i>Albertia</i> 253		<i>Aralia</i> 399, 401	
<i>Albizzia</i> 205		<i>Araujia</i> 557	
<i>Alnaster</i> 669		<i>Arbutus</i> 471	
<i>Alnus</i> 661		<i>Arbutus</i> 473, 475	
<i>Aloysia</i> 575		<i>Arctostaphylos</i> 473	
<i>Althaea</i> 63		<i>Ardisia</i> 519	
<i>Alyssum</i> 37		<i>Aria</i> 309, 313, 317	
<i>Amelanchier</i> 361		<i>Aristolochia</i> 591	
<i>Amelanchier</i> 253, 319		<i>Aristotelia</i> 73	
<i>Amyrsine</i> 495		<i>Armeniaca</i> 207, 211, 213	
<i>Amorpha</i> 181		<i>Aronia</i> 309, 313, 319, 321, 361-365	
<i>Ampelopsis</i> 113, 121, 159		<i>Artemisia</i> 163	
<i>Amygdalopsis</i> 213		<i>Arundinaria</i> 779	
<i>Amygdalus</i> 205, 213, 223		<i>Arundinaria</i> 789	
<i>Amphiraphis</i> 461		<i>Arundo</i> 777	
		<i>Arundo</i> 785	

	Page.		Page.		
Ascyrum 53	Bladhia 519		
Asimina 21	Borya 545		
Asparagus 775	Brandisia 565		
Aster 461	Brickellia 459		
Astragalus 195	Bridgesia 589		
Atragene 1, 7	Broussonetia 631		
Atraphaxis 589	Broussonetia 631		
Atriplex 587	Bruckenthalia 491		
Aucuba 419	Brunnichia 591		
Aucuparia 319	Bryanthus 491		
Azalea ...	491, 497-505, 513, 791	Buckleya 607		
Azaleodendron 517	Buddleia 559		
Azara 47	Buergeria 15, 17		
Azara 49	Bumelia 519		
Azarolus 309, 321	Bupleurum 399		
B.					
Baccharis 461	Bursaria 49		
Baillonia 577	Butneria 9, 11		
Ballota 585	Buxus 607		
Bambusa 785	C.			
Bambusa ...	779-789	Caesalpinia 201		
Baptisia 163	Calamintha 583		
Barbula 579	Calampelis 575		
Baumgartia 21	Calea 461		
Benthamia 415	Callicarpa 577		
Benzoin 595	Calluna 485		
Berberidopsis 23	Calophaca 195		
Berberis 23	Calothrysus 125		
Berchemia 101	Calycanthus 9		
Berya 607	Calycanthus 11		
Betula 651	Calyptrostigma 457		
Betula ...	661, 663, 667, 669	Calystegia 561		
Bigelovia 459	Camellia 61		
Bignonia 571	Caprifolium ...	437-451, 455		
Bignonia 565, 573, 575	Caragana 191		

	Page.		Page.
<i>Caragana</i> ...	191	<i>Chamaedaphne</i> ...	477
<i>Cardiandra</i> ...	561	<i>Chamaedrys</i> ...	585
<i>Carmichaelia</i> ...	189	<i>Chamaeledon</i> ...	491
<i>Carniola</i> ...	169	<i>Chamaerops</i> ...	777
<i>Carpentaria</i> ...	379	<i>Chamitea</i> ...	749
<i>Carpinus</i> ...	669	<i>Chenopodium</i> ...	587
<i>Carpinus</i> ...	671, 673	<i>Chimonanthus</i> ...	11
<i>Carya</i> ...	639	<i>Chiogenes</i> ...	471
<i>Carya</i> ...	645	<i>Chionanthus</i> ...	549
<i>Caryopteris</i> ...	579	<i>Chloranthus</i> ...	593
<i>Cassandra</i> ...	477	<i>Choisya</i> ...	73
<i>Cassia</i> ...	205	<i>Chrysobotrya</i> ...	383
<i>Cassine</i> ...	79, 89	<i>Chrysocoma</i> ...	459
<i>Cassinia</i> ...	461	<i>Chrysothamnus</i> ...	459
<i>Cassiope</i> ...	477	<i>Cinnamomum</i> ...	593
<i>Castanea</i> ...	713	<i>Cissampelos</i> ...	21
<i>Castanea</i> ...	713	<i>Cissus</i> ...	113-121
<i>Castanopsis</i> ...	713	<i>Cistus</i> ...	37
<i>Catalpa</i> ...	573	<i>Cistus</i> ...	41-45
<i>Ceanothus</i> ...	109	<i>Citharexylon</i> ...	577
<i>Cebatha</i> ...	21	<i>Citrus</i> ...	77
<i>Cedrela</i> ...	79	<i>Cladrastis</i> ...	199
<i>Celastrus</i> ...	99	<i>Clematis</i> ...	1
<i>Celtis</i> ...	627	<i>Clerodendron</i> ...	579
<i>Celtis</i> ...	629	<i>Clethra</i> ...	517
<i>Cephalanthus</i> ...	457	<i>Clethropsis</i> ...	665
<i>Cerasus</i> ...	207-235	<i>Cleyera</i> ...	59
<i>Cercidiphyllum</i> ...	19	<i>Cliftonia</i> ...	93
<i>Cercis</i> ...	205	<i>Cneorum</i> ...	77
<i>Cercocarpus</i> ...	267	<i>Cocculidium</i> ...	21
<i>Cestrum</i> ...	565	<i>Cocculus</i> ...	21
<i>Chaenomeles</i> ...	323, 325	<i>Coehliospermum</i> ...	587
<i>Chamaebatia</i> ...	267	<i>Colebrookia</i> ...	581
<i>Chamaebuxus</i> ...	49	<i>Colletia</i> ...	111
<i>Chamaecerasus</i> ...	223, 437, 441, 447, 453, 455	<i>Colletia</i> ...	111
		<i>Colutea</i> ...	189
		<i>Colutea</i> ...	189, 195

	Page.		Page.
Comarum ...	269	Daphniphyllum...	611
Comptonia ...	649	Daphniphyllum ...	549
Convolvulus ...	561	Davidia ...	421
Convolvulus	561	Decumaria ...	373
Coprosma ...	457	Dendropanax ...	401
Coprosmanthus ...	771, 773	Dendrospartum ...	167
Corchorus ...	253	Desfontainea ...	559
Cordia ...	561	Desmodium ...	197
Corema ...	767	Desmodium ...	199
Coreosma ...	381	Deutzia ...	371
Coriaria ...	161	Deutzia ...	375, 377, 791
Cormus ...	313, 317, 321	Diapensia ...	519
Cornus ...	411	Diervilla ...	455
Corokea ...	411	Dimorphanthus ...	399
Coronilla ...	195	Diospyros ...	521
Corylopsis ...	393	Diostea ...	577
Corylus ...	673	Diplopappus ...	459-463
Cotinus ...	157	Dipteronia ...	155
Cotoneaster ...	353	Dipyrena ...	577
Cotoneaster ...	349, 351	Dirca ...	601
Cowania ...	267	Disanthus ...	395
Crataego-mespilus ...	327	Discaria ...	111
Crataegus ...	327	Distegocarpus ...	671
Crataegus 303, 311-319, 325, 357, 359, 363, 365		Distylium ...	393
Cudrania ...	637	Donax ...	777
Cydonia ...	323	Dorycnium ...	179
Cynanchum ...	559	Drimophyllum ...	595
Cyrilla ...	93	Drimys ...	11
Cytisus ...	173	Dryas ...	267
Cytisus ...	163-171, 181	Duranta ...	577
		Duvaua ...	161
D.			
Daböecia ...	493	E.	
Danaea ...	775	Eccremocarpus ...	575
Danaida ...	775	Echinopanax ...	401
Daphne ...	597	Echium ...	561

	Page.			Page.
Edgeworthia	...	601	F.	
Edwardsia	...	201	Fabiana	...
Edwarsia	...	201	...	565
Ehretia	...	561	Fagus	...
Elaeagnus	...	601	...	717
Eleutherococcus	...	401	Fagus	...
Elliottia	...	495	...	715
Elscholtzia	...	581	Fallugia	...
Empetrum	...	767	...	269
Empetrum	...	767	Fatsia	...
Enkianthus	...	483	...	401
Ephedra	...	769	Fendlera	...
Epigaea	...	479	...	379
Ercilla	...	589	Ficus	...
Eremanthe	...	55	...	637
Erica	...	487	Flacourtia	...
Erica	...	485, 491	...	49
Ericameria	...	459	Flueggea	...
Erinacea	...	173	...	607
Eriobotrya	...	361	Fontanesia	...
Eriogonum	...	589	...	545
Escallonia	...	379	Forestiera	...
Eucalyptus	...	395	...	545
Eucommia	...	19	Forsythia	...
Eucryphia	...	255	...	525
Eugenia	...	395	Fothergilla	...
Euonymus	...	93	...	393
Euptelea	...	19	Fothergilla	...
Eurotia	...	587	...	393
Eurya	...	59	Frangula	...
Eurya	...	59, 95	...	103
Eurybia	...	459, 461	Frankenia	...
Euscaphis	...	155	...	49
Evodia	...	99	Franklinia	...
Exochorda	...	253	...	61
			Fraxinus	...
			...	529
			Fremontia	...
			...	63
			Fuchsia	...
			...	397
			G.	
			Gale	...
			...	649
			Galpinia	...
			...	577
			Galvesia	...
			...	589
			Garrya	...
			...	419
			Gaultheria	...
			...	475
			Gaultheria	...
			...	471
			Gautiera	...
			...	475
			Gaylussacia	...
			...	465
			Geblera	...
			...	607
			Genista	...
			...	167

		Page.			Page.
<i>Genista</i>	...	171-179	<i>Hippophae</i>	...	605
<i>Gleditschia</i>	...	203	<i>Hippophae</i>	...	605
<i>Globularia</i>	...	575	<i>Holboellia</i>	...	23
<i>Glycine</i>	...	183	<i>Homoiceltis</i>	...	631
<i>Goebelia</i>	...	201	<i>Hooibrenckia</i>	...	155
<i>Gordonia</i>	...	61	<i>Hortensia</i>	...	367
<i>Grevillea</i>	...	595	<i>Hovenia</i>	...	107
<i>Grewia</i>	...	65	<i>Hultheimia</i>	...	293
<i>Griselinia</i>	...	421	<i>Hydrangea</i>	...	365
<i>Grossularia</i>	...	383, 385	<i>Hymenanthera</i>	...	47
<i>Gymnanthus</i>	...	19	<i>Hyperanthera</i>	...	201
<i>Gymnocladus</i>	...	201	<i>Hypericum</i>	...	53
			<i>Hyssopus</i>	...	583

H.

<i>Hahnia</i>	...	313
<i>Halesia</i>	...	521
<i>Halesia</i>	...	523
<i>Halimum</i>	...	43, 45
<i>Halimodendron</i>	...	191
<i>Halimus</i>	...	587
<i>Hamamelis</i>	...	393
<i>Hamamelis</i>	...	393
<i>Haplopappus</i>	...	459
<i>Hartogia</i>	...	233
<i>Hedera</i>	...	401
<i>Hedera</i>	...	401
<i>Hedysarum</i>	...	195
<i>Hedysarum</i>	...	197
<i>Heimia</i>	...	397
<i>Helianthemum</i>	...	41
<i>Helichrysum</i>	...	461
<i>Helwingia</i>	...	401
<i>Heteromeles</i>	...	359
<i>Hibiscus</i>	...	63
<i>Hicoria</i>	...	639-643

I.

<i>Idesia</i>	...	49
<i>Ilex</i>	...	79
<i>Ilex</i>	...	93, 547
<i>Ilicioides</i>	...	93
<i>Illicium</i>	...	13
<i>Incarvillea</i>	...	565, 575
<i>Indigofera</i>	...	183
<i>Isika</i>	...	437
<i>Itea</i>	...	381
<i>Itea</i>	...	49, 93
<i>Iva</i>	...	463

J.

<i>Jamesia</i>	...	379
<i>Jasminoides</i>	...	565
<i>Jasminum</i>	...	523
<i>Juglans</i>	...	645
<i>Juglans</i>	...	639-643, 649

	Page.		Page.
	K.		
Kadsura	19
Kadsura	19
Kalmia	493
Kalopanax	399
Kerria	253
Kolomikta	59
Koelreuteria	...	123, 791	
	L.		
Laburnum	163
Laburnum	167
Lacathea	61
Lardizabala	23
Laurocerasus	233
Laureola	77
Laurus	593
Laurus	593, 595
Lavandula	579
Lavatera	63
Lazarolus	297
Ledum	495
Ledum	495
Leiophyllum	495
Lembotropis	177, 179
Lepargyreia	605
Lespedeza	197
Leucothoe	477
Leucothoe	481
Leycesteria	455
Ligustrina	527
Ligustrum	549
Limonia	77
Lindera	595
	M.		
Linnaea	437
Linnaea	435
Linosyris	459
Linum	73
Lippia	575
Lippia	577
Liquidambar	395
Liquidambar	649
Liriodendron	19
Lithodora	561
Lithospermum	561
Lithospermum	561
Litsaea	593
Loiseluria	491
Lonicera	437
Loranthus	607
Loropetalum	395
Lowea	293
Lupinus	163
Luzuriaga	775
Lycium	563
Lyonia	479
Lyonia	477-483
	M.		
Maackia	199
Maclura	631
Maclura	637
Macrothyrsus	129
Magnolia	13
Magnolia	17
Mahonia	23, 27, 29
Malachodendron	61
Malouetia	557
Malus	301-309, 313, 323

	Page.		Page.
Margyricarpus ...	269	Myrsine ...	519
Marlea ...	411	Myrtophyllum ...	47
Marsdenia ...	559	Myrtus ...	395
Mastacanthus ...	579		
Maximowiczia ...	19		
Maytenus ...	101	N.	
Medicago ...	181	Nandina ...	37
Meibomia ...	197	Negundo ...	133, 141-145
Meisteria ...	483	Neillia ...	251
Meliosma ...	155	Neillia ...	253
Melissa ...	583	Nemopanthus ...	93
Menispermum ...	21	Nemopanthus ...	79
Menispermum ...	21	Nepeta ...	579, 583
Menziesia ...	517	Nesaea ...	397
Menziesia ...	491, 493	Neviusia ...	255
Mespilus 311, 313, 319, 321, 325- 341, 345-365		Norysca ...	55
Metaplexis ...	557	Notospartium ...	189
Mezereum ...	599	Notospartium ...	189
Michauxia ...	61	Nuttallia ...	235
Michelia ...	17	Nyssa ...	421
Microglossa ...	461		
Microptelea ...	625		
Micromeria ...	583	O.	
Micromeria ...	583	Obione ...	587
Millettia ...	183	Olea ...	549
Mimosa ...	205	Olea ...	547
Mohrodendron ...	521, 523	Olearia ...	459
Moltkia ...	561	Ononis ...	179
Moluccella ...	585	Oplopanax ...	401
Morus ...	633	Oreodaphne ...	595
Morus ...	631	Orixa ...	99
Muehlenbeckia ...	591	Ornus ...	531
Myginda ...	99	Osmanthus ...	547
Mylocarpum ...	93	Ostrya ...	671
Myriandra ...	59	Ostrya ...	669
Myrica ...	649	Ostryopsis ...	671
Myricaria ...	51		

		Page.		Page.
Osyris	...	605	Phellodendron	...
Othera	...	91	Photinia	...
Oxycoccus	...	471	Philadelphus	...
Oxycoccus	...	467, 471	Phillyraea	...
Oxydendron	...	479	Phlomis	...
Ozothamnus	...	461, 463	Photinia	...
P.				
Pachysandra	...	611	Phyllostachys	...
Pachystima	...	99	Phyllostachys	...
Padus	...	227-235	Physianthus	...
Paeonia	...	9	Physocarpus	...
Paliurus	...	101	Picrasma	...
Panax	...	399, 401	Pieris	...
Papyrius	...	631	Piptanthus	...
Parechites	...	557	Pirenia	...
Parrotia	...	393	Pistacia	...
Parthenocissus	...	119, 121	Pittosporum	...
Passerina	...	601	Plagianthus	...
Passiflora	...	397	Planera	...
Paulownia	...	565	Planera	...
Paullinia	...	121	Plantago	...
Pavia	...	125-129	Platanus	...
Pentstemon	...	565	Platycrater	...
Peraphyllum	...	365	Platyosprion	...
Periclymenum	...	449, 451	Podocytisus	...
Periploca	...	557	Poeppigia	...
Pernettya	...	475	Poliothyrsis	...
Pernettya	...	475	Polium	...
Persea	...	593	Polycarpa	...
Persea	...	593	Polygala	...
Persica	...	207-211	Polygonella	...
Petrophyton	...	239	Polygonum	...
Petteria	...	167	Polygonum	...
			Polypetalia	...

		Page.		Page.
Populus	...	757	Rhododendron	...
Porcelia	...	21	Rhododendron	...
Porphyra	...	577	Rhodora	...
Portuna	...	481	Rhodothamnus	...
Potentilla	...	269	Rhodotypos	...
Pourthiae	...	359	Rhus	...
Prinos	...	79, 89-93	Rhynchospermum	...
Prunopsis	...	213	Ribes	...
Prunus	...	205	Robinia	...
Prunus	...	235, 631	Robinia	...
Psendaegle	...	77	Robsonia	...
Pseudo-chaenomeles	...	325	Romneya	...
Psoralea	...	181	Rosa	...
Ptelea	...	75	Rosmarinus	...
Pterocarya	...	647	Rubus	...
Pterostyrax	...	521, 523	Ruscus	...
Punica	...	397	Ruscus	...
Purshia	...	267	Ruta	...
Pyracantha	...	331, 349		
Pyrus	...	297, 325		
Pyrus	...	323, 325, 363, 365		
			S.	
	Q.		Salix	...
Quercus	...	677	Salsola	...
Quillaja	...	255	Salvia	...
Quillaia	...	47	Sambucus	...
	R.		Santolina	...
Raphiolepis	...	361	Sapindus	...
Rayania	...	591	Sarcobatus	...
Rhamnus	...	101	Sarcococca	...
Rhamnus	...	101	Sarothamnus	...
Rhaphithamnus	...	577	Sassafras	...
Rhodocistus	...	41	Satureia	...
			Satureia	...
			Schinus	...
			Schizandra	...

	Page.		Page.
<i>Schizophragma</i> ...	371	<i>Stoechas</i> 579
<i>Schizophragma</i> ...	369	<i>Stranvaesia</i> 361
<i>Schoberia</i> ...	587	<i>Stuartia</i> 61
<i>Scloochloa</i> ...	777	<i>Styphnolobium</i> ...	199, 201
<i>Scorpius</i> ...	167	<i>Styrax</i> 523
<i>Securinega</i> ...	607	<i>Suaeda</i> 587
<i>Senecio</i> ...	463	<i>Swammerdamia</i> 461
<i>Shepherdia</i> ...	605	<i>Sycopsis</i> 393
<i>Shepherdia</i> ...	603	<i>Symphoria</i> 435
<i>Sibiraea</i> ...	245	<i>Syphoricarpus</i> 433
<i>Sideroxylon</i> ...	519	<i>Symplocos</i> 521
<i>Sieversia</i> ...	269	<i>Syringa</i> 527
<i>Siliquastrum</i> ...	205		
<i>Siphisia</i> ...	591		
<i>Skimmia</i> ...	75		
<i>Smilax</i> ...	771		
<i>Solanum</i> ...	561		
<i>Sophora</i> ...	199		
<i>Sophora</i> ...	201		
<i>Sorbaria</i> ...	235, 245, 249		
<i>Sorbus</i> ...	309-321, 325, 365		
<i>Spartianthus</i> ...	171		
<i>Spartium</i> ...	171		
<i>Spartium</i> ...	167-173, 177, 179		
<i>Spartocytisus</i> ...	177		
<i>Sphaerophysa</i> ...	189		
<i>Spinovitis</i> ...	123		
<i>Spiraea</i> ...	235		
<i>Spiraea</i> ...	251, 253		
<i>Sponia</i> ...	631		
<i>Stachyurus</i> ...	61		
<i>Staphylea</i> ...	155		
<i>Stauntonia</i> ...	23		
<i>Stauntonia</i> ...	23		
<i>Stellera</i> ...	601		
<i>Stephanandra</i> ...	253		
<i>Sterculia</i> ...	63		
<i>Stewartia</i> ...	61		
		T.	
		<i>Talauma</i> 15, 17
		<i>Tamarix</i> 49
		<i>Tamarix</i> 51
		<i>Tasmannia</i> 11
		<i>Tecoma</i> 575
		<i>Teline</i> 177
		<i>Tetracentron</i> 19
		<i>Tetranthera</i> 593, 595
		<i>Tetrastigma</i> 115
		<i>Teucrium</i> 585
		<i>Textoria</i> 401
		<i>Thamnochalamus</i> 779
		<i>Thea</i> 63
		<i>Thermopsis</i> 163
		<i>Thymelaea</i> 597, 599
		<i>Thymus</i> 581
		<i>Thymus</i> 583
		<i>Tilia</i> 65
		<i>Tomex</i> 593
		<i>Toona</i> 79
		<i>Torminaria</i> 315
		<i>Toxicodendron</i> 159
		<i>Toxylon</i> 631

	Page		Page.
Trachelospermum	... 557	W.	
Trachycarpus	... 777	Weigela 455, 457
Tragopyrum	... 589	Weinmannia 381
Tripetaleia	... 495	Wendlandia 21
Triphasia	... 77	Wikstroemia 601
Trochodendron	... 19	Wintera 11
Trochostigma	... 59, 61	Winterana 11
		Wistaria 183
U.			
Ulex 173		
Ulex 169	X.	
Ulmus 613	Xanthoceras 131
Ulmus 625-629	Xanthorrhiza 9
Umbellularia 595	Xolisma 479
Unedo 473	Xylophylla 607
Ungnadia 129	Xylosteum	437, 439, 443, 447-453
Urostelma 557		
Uvaria 21		
V.			
Vaccinium 465	Y.	
Vaccinium	... 465, 471	Yucca 775
Vella 37	Yulania 15
Verbena	... 575, 577		
Veronica 567	Z.	
Viburnum 427	Zanthoxylum 73
Vinca 555	Zanthoxylum 75
Virgilia 199	Zauschneria 397
Viscum 607	Zelkova 625
Vitex 577	Zenobia 481
Vitis 113	Zenobia 481, 483
Vitis-Idaea 471	Zizyphus 101

ROYAL BOTANIC GARDENS, KEW.

HAND-LIST

OF

TREES AND SHRUBS,

Excluding Coniferæ,

GROWN IN ARBORETUM.

(SECOND EDITION.)



LONDON:

SOLD AT THE ROYAL BOTANIC GARDENS, KEW
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

—
1902.

Price 1s. 3d.

DARLING & SON LTD.



GUIDES ON SALE

AT THE

ROYAL BOTANIC GARDENS, KEW.

Key Plan and Index to the Royal Botanic Gardens, Kew. 5th Ed. 1900. Price 2*½d.* By post 2*½d.*

Official Guide to the Museums of Economic Botany. No. 1: Dicotyledons and Gymnosperms. [Under revision.]

Official Guide to the Museums of Economic Botany. No. 2: Monocotyledons and Cryptogams. 1894. Price 4*d.* By post 5*d.*

Official Guide to the Museums of Economic Botany. No. 3: Timbers. 2nd Ed., revised and augmented. 1893. Price 3*d.* By post 4*d.*

Official Guide to the North Gallery. 5th Ed., revised and augmented. 1892. Price 4*d.* By post 5*½d.*

Hand-list of Trees and Shrubs grown in Arboretum. 2nd Ed. Price 1*s.* 3*d.* By post 1*s.* 7*d.*

Hand-list of Coniferæ grown in the Royal Gardens. 1896. [Under revision.]

Hand-list of Ferns and Fern Allies cultivated in the Royal Gardens. 1895. Price 6*d.* By post 7*½d.*

Hand-list of Herbaceous Plants cultivated in the Royal Gardens. 2nd Ed. 1902. Price 1*s.* 9*d.* By post 2*s.* 2*d.* Cloth boards, price 2*s.* 6*d.* By post 2*s.* 11*d.*

Hand-list of Orchids cultivated in the Royal Gardens. 1896. Price 6*d.* By post 8*d.*

Hand-list of Tender Monocotyledons cultivated in the Royal Gardens. 1897. Price 9*d.* By post 11*½d.*

Hand-list of Orchids and Hand-list of Tender Monocotyledons, in one volume, cloth boards. Price 2*s.* By post 2*s.* 4*½d.*

Hand-list of Tender Dicotyledons cultivated in the Royal Gardens 1899. Price 2*s.* 6*d.* By post, Inland, 2*s.* 10*d.*; Foreign and Colonial, 2*s.* 11*d.* Cloth boards, price 3*s.* By post, Inland, 3*s.* 4*d.*; Foreign and Colonial, 3*s.* 5*d.*

Mycologic Flora of the Royal Gardens, Kew. 1897. Price 4*d.* By post 5*d.*

Money orders to be made payable at Kew Post Office to W. Watson, Curator Royal Botanic Gardens, Kew.

2786

