

















# Plant Sale Catalog





Name & Photo	Description:
#11 (Frederick)	<i>Parentage unknown</i>
900-76 (Frederick)	
<b>Aaron Heckler (Huber)</b>	<i>Selection from degronianum, infra; specific variant uncertain</i>  Purple; Flowers in dome trusses of 11, broadly funnel-campanulate, 5 wavy-edged lobes, strong purplish pink in bud, opening inside very pale purple, shading darker to very pale purple at margins, and with sparse, vivid reddish orange speckling; outside very pale purple with light purple midribs. Trusses 5in(12.5) high by 7in(17.5cm); 5 ft. (30yr); -10F(-23C); Robert L. Huber, Salford, PA, selection 1977; reg. 1998.
<b>adenopodum (Gable)</b> 	<i>Selection of species.</i>  Pink; Flowers light apple blossom rapidly fading to white; leaves with gray indumentum, early May, 4' x 4'
<b>adenopodum 'Curly Aden' (Herbert)</b>	
<b>adenopodum x metternichii var. micranthum (Blyth)</b>	<i>adenopodum x metternichii var. micranthum</i>  Pink, ARS Seed Exchange 1983-562, pink flowers, late April - early May, medium green foliage, plastered indumentum, 2.5' x 3.5' (25 years)
<b>adenopodum x metternichii var. tsukusianum (Gable)</b>	<i>adenopodum x metternichii var. tsukusianum</i>
<b>Alandale (Nearing/Gable)</b>	<i>maximum x fortunei subsp. discolor (Sw 9015-01)</i>  Lavender, very pale lavender exterior, white interior, yellowish green blotch, midseason





Name & Photo	Description:
<p><b>Albert Close (Fraser/Gable)</b></p> 	<p><i>maximum x macrophyllum</i></p> <p>Pink; Flower broadly funnel-shaped; bright rose-pink with chocolate-red spotting in throat. Held in conical trusses of 23; Late; 5 ft.; 10°F (-23°C); Leaves bluish-green, held 3 years. Straggly, open grower. Tolerates sun and heat; Elepidote</p>
<p><b>Alice Poore (Dexter/Moseley)</b></p> 	<p><i>Parentage unknown</i></p> <p>Pink; Light pink with large dark brownish red center; Early Midseason; 5ft; -15F(-26C); Probably a Ben Moseley selection.</p>
<p><b>Aloha (Phetteplace/Paden)</b></p> 	<p><i>Vulcan x degroianum ssp yakushmanum, Exbury form</i></p> <p>Pink; Flower openly funnel-shaped, wavy edges, 2¾" across, deep pink fading to pale purplish-pink. Held in dome-shaped truss of about 19 flowers; Early Midseason; 3 ft.; -10°F (-23°C); Leaves elliptic, convex, acute apex, cuneate base, 2" to 3" long, bullate, olive green with orange-yellow indumentum, leaves retained 3 years. New growth has white indumentum. Dense, rounded habit; Elepidote</p>
<p><b>Alumni Day (Nearing/Gable)</b></p> 	





Name & Photo	Description:
<p><b>Always Admired (Swarthmore)</b></p> 	<p><i>(Scintillation x unknown) x haematodes</i></p> <p>Pink; Flowers peachy pink and yellow; Midseason; 4 ft.; -15F(-26C); Scintillation-like foliage. Compact habit. Dr. John Wister, 1965</p>
<p><b>Angel Glow (Konrad)</b></p>	<p><i>maximum, white form x degrobianum ssp yakushmanum Koichiro Wada</i></p> <p>White; Covers itself with "glowing" white full trusses; Late Midseason; 5 ft.; -15°F; well formed, compact plant.</p>
<p><b>Angel Powder (Delp)</b></p> 	<p><i>Epoch x mucronulatum, white flowered</i></p> <p>White; Flower widely funnel-shaped, frilly, 2 1/5" across, white with yellowish-green dorsal spots. Held in multiple terminal buds each with 6 flowers; Midseason; 5 ft.; -15°F (-26°C); Leaves broadly acute apex, cuneate base, 3/4" long. Upright habit; Lepidote</p>
<p><b>Anna Caroline Gable (Gable)</b></p> 	<p><i>adenopodum x degrobianum ssp. Heptamerum</i></p> <p>Gable, pale pink flowers, indumentum, tight plant habit, early to mid-May, 3' x 3'</p>
<p><b>Anne Glass (Mrs Powell Glass) (Gable)</b></p> 	<p><i>Catalgla x decorum</i></p> <p>White; large white flat trusses are surrounded by a collar of good green foliage. A nice clear white. 'Catalgla' is an acronym for R. catawbiense album var. 'Glass'. Powell Glass found a white R. catawbiense while fishing in a mountain stream in Virginia and sent seed from this plant to Gable.</p>

Name & Photo	Description:
<p><b>Annie Dalton (Gable)</b></p> 	<p><i>(decorum x griersonianum) X America</i></p> <p>Pink; Large, lax trusses of apricot pink flowers, 4in(10cm) wide; Midseason to Late Midseason; 5 ft.; -15F(-26C); Leaves 8.25in(21cm) long. J. Gable, cross; reg. 1960. A.E. 1960.</p>
<p><b>Antigua (Becales/Herbert)</b></p> 	<p><i>Mary Belle x Dexter's Apricot</i></p> <p>Pinkish yellow; Flowers of azalea pink shading to Naples yellow, base of throat blood red, dorsal blotch; corolla openly funnel-shaped, 5 lobes, 3.25in(8cm) across. Lax trusses of 10; Midseason; 5 ft.; -5F(-21C); Plant as wide as tall. Joe Becales, cross; Charles Herbert, reg. 1977.</p>
<p><b>Antioch (MacMullan)</b></p> 	<p><i>(Dexter's Champagne x campylocarpum var. Elatum Group) x Ray Kruse's hardy apricot/yellow hybrid</i></p> <p>Yellow; large yellow flowers, mid- to late May, hardy to -10; 4' x 4'; MacMullan, 1979.</p>
<p><b>Antoinette Janus (Becales)</b></p> 	<p><i>(yakushmanum x Mars) x Leo</i></p> <p>Red flowers with fine darker red speckling in corolla, 36 flowers in a large conical truss, midseason</p>




Name & Photo	Description:
<p><b>Apollo 11 (Herbert)</b></p> 	<p><i>Parentage unknown</i></p> <p>White; elepidote; Midseason; 6 ft.; -20F(-29C); Herbert.</p>
<p><b>Atroflo #2 (Gable)</b></p> 	<p><i>Atrosanguineum or smirnowii x floccigerum</i></p> <p>Red; great red with outstanding indumented foliage. It will bloom in shade or partial shade and buds up young. #2 is the hardier than #1. Gable recorded the cross as 'Atrosanguineum' x floccigerum Rock 18469. The latter was a plant from Joseph Rock's 1929 expedition to China.</p>
<p><b>Atroflo (Gable)</b></p> 	<p><i>Atrosanguineum or smirnowii x floccigerum</i></p> <p>Pink; Flower openly funnel-shaped, up to 2" across, bright rose pink with darker spots. Held in lax flat trusses of 10-12 flowers; Midseason to Late Midseason; 6 ft.; -10°F (-23°C); Leaves long, narrow, matte green with thick fawn indumentum. Useful as a tall hedge; Elepidote.</p>
<p><b>augustinii 'Gable Hardy' (Gable)</b></p>	<p><i>Selection of species</i></p> <p>Blue, purplish blue, early May, 4' x 4'.</p>
<p><b>Bagoly's Beauty (Bagoly/Tietjens)</b></p>	<p><i>Mars x Koichiro Wada (degronianum ssp. yakushmanum)</i></p> <p>Red; Rose red buds open to flowers roseine purple; ball truss of 16; Midseason; 3 ft.; -10F(-23C); Elliptic leaves, pale beige indumentum; plant broad. Bagoly, cross 1966; Marie Tietjens, reg. 1986.</p>



Name & Photo	Description:
<p><b>Bali (Leach)</b></p> 	<p><i>catawbiense</i> var <i>album</i> x [<i>neriiflorum</i> x <i>dichroanthum</i>) x <i>fortunei</i> ssp. <i>Discolor</i></p> <p>Pink; Flower widely funnel-shaped, slightly wavy lobes, 3½" across, light purplish-pink with a pale yellowish-green throat, reverse deep purplish-pink. Held in flat trusses of 14-17 flowers; Late Midseason; 5 ft.; -15°F (-26°C); Leaves narrowly elliptic, apiculate apex, rounded base, slightly convex, 4½" long, yellowish-green, retained 2 years. Rounded, spreading habit, 1.5x wider than tall. Likes filtered afternoon sun; Elepidote.</p>
<p><b>Beaufort (Gable)</b></p> 	<p><i>Boule de Neige</i> x <i>fortunei</i></p> <p>White: Fragrant white flowers, tinted mauve. Trusses of 14, reported by some to be a shy bloomer, it puts on a real show when given more sun; Midseason; 5 ft.; -20F(-29C); Resists insects, compact plant. Compact habit; large leaves. Joseph Gable.</p>
<p><b>Becales Sassy (Becales)</b></p>	<p><i>Lady Clermont</i> x <i>yakushimanum</i></p> <p>Pink, spotted coral pink in a round tight truss, doesn't fade, slight indumentum, good tight plant habit. This is an Elliott 'Sassy' registered plant.</p>
<p><b>Beechwood Pink (Gable/Herbert)</b></p> 	<p><i>Atrosanguineum</i> x <i>fortunei</i></p> <p>Pink; Flowers bright fuchsia pink in large trusses; Midseason; 6 ft.; -15F(-26C); Joe Gable, cross; C. Herbert, reg. 1962. A.E. 1960.</p>
<p><b>Bethany Jade (Doppel)</b></p> 	<p><i>A. Bedford</i> x <i>Jonathan Shaw</i></p> <p>Purple; Crossed and raised by John Doppel - Flowers 3" wide- slightly wavy edges - 10 in a truss - 4" x 6", Outer part of petal moderate purple shading lighter in center- Black dorsal blotch. Leaves medium green. Shrub 5' high x 5' wide in 10 years. Blooms late May. Hardy in zone 6. Registered by John Doppel in 2005</p>





Name & Photo	Description:
<p><b>Big Catmar (Gable)</b></p> 	<p><i>Catalpa x 'Mars'</i></p> <p>Pink; deep edging of each flower surrounds a center of marshmallow-like white; robust growers with large leaves; hardy in southern Canada; deer don't seem to like it; it's a bit hard to root.</p>
<p><b>Big Savage (Yates)</b></p>	<p><i>(catawbiense v. album Glass, Catalpa x fortunei) x Cadis</i></p> <p>Pink; Flowers lavender-pink with greenish throat, widely funnel shape and 5 or 6 lobes; trusses of 13; Late Midseason; 5.5 ft.; -10F(-23C); Plant dense, vigorous, large glossy foliage. Yates, reg. 1972.</p>
<p><b>Bikini Island (Leach)</b></p> 	<p><i>Scarlet Blast x [(catawbiense x degranianum ssp yakushmanum) x (Fanfare x Gertrude Schale)]</i></p> <p>Red; Flower openly funnel-shaped, of heavy substance, 2½" across, red, unmarked. Held in dome-shaped truss with 13 flowers; Midseason; 4 ft.; -20°F (-29°C); Leaves elliptic, broadly acute apex, rounded base, 3½" to 4½" long, flat, deep green, retained 3 years; Elepidote</p>
<p><b>Bisque (Ahern)</b></p> 	<p><i>Rio x Tan</i></p> <p>Peach; Cross by Tom Ahern - Raised by John Doppel - Truss 10 flowers - ball truss 6" x 6" , buds - apricot, Flowers light peach -deeper in center of flower, sparse greenish brown spotting on dorsal area. Blooms - early May , Leaves-5½" x 2" -flat medium green, Shrub 4' high x 3' wide in 10 years. Hardy in zone 6 , Registered by John Doppel - 2005.</p>
<p><b>Blazen Sun (Leach/Pride)</b></p> 	<p><i>(Nereid x fortunei ssp. discolor) x Russell Harmon</i></p> <p>Pink, flowers of deep purplish pink on edges fading to light yellow centers, early June, 5' x 4'; Leach, 2003. (Sunburst. Grown by O. Pride. Registered by A.R. Brooks)</p>





Name & Photo	Description:
<p><b>Blue Ensign (Slocock)</b></p> 	<p><i>Parentage unknown</i></p> <p>Purple; Flower openly funnel-shaped, wavy edges, 2-3/8" across, purple and a white throat, with a prominent dark purple blotch. Held in ball-shaped trusses of 15-18 flowers; Midseason; 4 ft.; -15°F (-26°C); Leaves elliptic, 4" to 6" long, matte, dark green. Leaves have a tendency to spot. Dense, spreading habit. Tolerates heat well; Elepidote.</p>
<p><b>Bob Hickey (Becales)</b></p> 	<p><i>(Gable's Flamingo x Exotic) x Golden Star</i></p> <p>Yellow flowers, midseason</p>
<p><b>Bobbie's Butter x Helen Everett (Becales)</b></p> 	<p><i>Bobbie's Butter x Helen Everitt (Bobbie's Butter = Dexter's Champagne x campylocarpum or dichroanthum)</i></p> <p>Yellow, yellow flowers, perfect truss, midseason. May be named clone Andrea.</p>
<p><b>Bosutch (Gable)</b></p> 	<p><i>Boule de Neige x sutchuenense</i></p> <p>Pink; Campanulate flowers pink, fading white with prominent dark red spots on upper lobe; conical trusses of 15; Early; 2.5 ft.; -5F(-21C); Plant of good habit; dark green foliage. Joe Gable, cross 1933; reg. 1991 by Gable Study Group.</p>
<p><b>brachycarpum var. tigerstedii x Crest (Becales)</b></p>	<p><i>brachycarpum var. tigerstedii x Crest</i></p> <p>White, cream flowers, midseason</p>










Name & Photo	Description:
<b>brachycarpum x Phipps Yellow (Ahern)</b>	<i>brachycarpum x Phipps Yellow</i>  White; ivory flowers, dense ball truss.
<b>Break Fast (Byrkit/Winter)</b>	<i>Parentage unknown</i>  Yellow; lax trusses of light yellow totally cover the plant; tight compact plant with shiny dark green leaves; elepidote; Early; 3 ft.; -5F(-21C); Winter.
<b>Cadis (Gable)</b> 	<i>Caroline x fortunei ssp discolor</i>  Pink; Flower 3½" to 5" across, wavy-edges, fragrant, light pink, flushed yellow. Held in flat trusses with 9-11 flowers. Bloom is best when plant is 5 years or older; Fragrant; Late Midseason; 5 ft.; -15°F (-26°C); Leaves 2¾" long, light green. Dense, spreading habit; Elepidote
<b>Calafrilly (Doppel)</b> 	<i>Calsap open pollinated</i>  Lavender; Flowers 2½" wide., 15 in a conical truss 5½" high 5" wide. Very pale lavender with a black blotch. Very frilly petal edges. Leaves medium green 4½" x 1¼". Shrub grows somewhat taller than wide. Blooms in mid May. Hardy in zone 6. Raised by John Doppel
<b>Calameres (Wister)</b>	<i>Parentage unknown</i>  Lavender, early to mid-May
<b>Caroline (Gable)</b> 	<i>decorum? x brachycarpum?</i>  Lavender; Flower slightly scented, orchid lavender with an orange blotch in throat. Held in ball-shaped truss; slightly fragrant; Late Midseason; 6 ft.; -15°F (-26°C); Densely foliated with light green, slightly-twisted leaves. An upright-growing large and vigorous shrub. Plant in full sun or part shade, but fragrance more pronounced in a sunny location; Elepidote.
<b>Caroline Cream or Mrs. Henry Yates</b>	<i>Parentage unknown</i>




Name & Photo	Description:
<b>carolinianum x hippophaeoides (Gable Cross)</b>	<i>carolinianum x hippophaeoides</i> Kehr, purple, April, 4.5' x 5' (45 years). Kehr's original plant is in Beaudry's garden.
<b>Carte Blanche (Shapiro)</b>	<i>brachycarpum x Bonfire</i> Pink; Flowers in domed trusses of 18-20, open funnel-shaped, with 5 wavy-edged lobes, deep purplish pink in bud, opening light purplish pink and aging to white, retaining color longer on outside and on margins; brilliant yellow spots on dorsal lobe. Trusses 5.5in(14cm) wide x 5 in(12.7cm) high; Late Midseason; 6 ft.; -15F(-26C); B. & M. Shapiro, cross 1965; reg. 1993.
<b>Catalpa x campanulatum (Gable Cross)</b>	
<b>Chalfont (Dexter/Swarthmore)</b> 	<i>Parentage unknown (Sw 60 R 6)</i> Lavender, pale lavender flowers, exceptionally fragrant, midseason, 6' x 6'
<b>Charlie Herbert (Herbert/Rahn)</b>	<i>Captain Jack x degroianum ssp. yakushmanum Exbury form</i> Pink; Widely funnelcampanulate flowers with 5 wavy-edged lobes; deep purplish pink buds open pale purplish pink outside. Dome-shaped trusses 5in (12.7cm) wide hold 17; Midseason; 3 ft.; 0F(-18C); Leaves with undersurface coated with plastered hairs, moderate yellow green. Charles Herbert, cross 1970; Clarence & Evelyn Rahn, reg. 1990; described by Robert Huber.
<b>Chatham (Dexter/Scott Arb.)</b> 	<i>Parentage unknown</i> Pink; Flower openly funnel-shaped, wavy lobes, 4" across, fragrant, light purplish-pink with moderate purplish red spotting on dorsal lobes. Ball-to dome-shaped trusses hold 11-12 flowers; Fragrant; Early Midseason; 3 ft.; -5°F (-21°C); Leaves elliptic to near narrowly elliptic, mucronate apex, cuneate to almost rounded base, moderate olive green, retained 2 years. Broad, rounded habit; Elepidote.





Name & Photo	Description:
<p><b>Cherry Vanilla (Gable)</b></p> 	<p><i>Mary Belle x vernicosum (Rock 18139)</i></p> <p>Pink; striped pink and cream; Midseason; 3 ft.; shiny leaves.</p>
<p><b>Christina Dee (Doppel)</b></p> 	<p><i>Casanova x Wyandanch Pink</i></p> <p>Pink; Crossed and raised by John Doppel. Flowers 2" wide - 15 in a ball truss 5"x5", Pinkish cream fading to cream, Light maroon dorsal spotting fades tan. Leaves 4 3/4" x 1 1/2" - medium green. Shrub 4' x 3 1/2' in 10 years. Blooms early May Hardy in zone 6. Registered in 2005 by John Doppel</p>
<p><b>Conewago (Improved) (Gable)</b></p> 	<p><i>minus var minus Carolinianum Group x mucronulatum</i></p> <p>Lavender; Flower funnel-shaped, 2" across, rosy lavender. Truss holds 2-5 flowers; Early to Early Midseason; 4 ft.; -25°F (-32°C); Leaves elliptic to narrowly obovate, mucronate apex, cuneate base, 3" long, moderately glossy. Dense growth habit; Lepidote</p>
<p><b>Contessa (MacMullan)</b></p> 	<p><i>(metternichii var. Hondoense, Oki Island form x Jean Marie de Montagu) x (Jean Marie de Montagu x Mars)</i></p> <p>Red, very deep red flowers, mid-May, hardy to -12; 5' x 4'; MacMullan. 1983.</p>

Name & Photo	Description:
<p><b>County of York (Gable)</b></p> 	<p><i>Catawbiense Album x Loderi King George</i></p> <p>White; Flower broadly funnel-shaped, 4" across, white with olive-green blotch in throat. Held in dome-shaped trusses of 13 flowers. Prefers light shade; Midseason to Late Midseason; 6 ft.; -15°F (-26°C); Leaves elliptic, convex, up to 10" long, glossy, dark green. Sprawling, open growth habit; Elepidote.</p>
<p><b>Courtney (Becales)</b></p>	
<p><b>Crystal Yellow (Delp)</b></p>	<p><i>Keystone x Cecil</i></p> <p>Yellow; pale yellow flowers with brilliant greenish-yellow throat; Early Midseason, 5 ft.</p>
<p><b>Dark Throat (Rhein)</b></p> 	<p><i>Lady Longman x fortunei</i></p> <p>Pink; Flowers in dome-shaped trusses, deep rose, maroon throat, lower lobe white with rose edges, white pistils; Early Midseason to Midseason; 5 ft.; Hardy to at least -15F(-26C); Plant compact, medium height. Cross by Dr. W.L. Rhein, Mechanicsburg, PA; reg. 1999.</p>
<p><b>David Gable (Gable)</b></p> 	<p><i>Atrosanguineum x fortunei ssp fortunei</i></p> <p>Pink; Flower 3½" across, deep purplish-pink with an deep red blotch in throat. Held in dome-shaped truss of about 8 flowers; Early Midseason to Midseason; 5 ft.; -15°F (-26°C); Leaves elliptic, acute apex, cuneate base, 7" long, medium green. Give full sun for greater compactness; Elepidote.</p>
<p><b>Dead Ringer (Bahnson/Ring)</b></p> 	<p><i>Phyllis Ballard x catawbiense Clark's White</i></p> <p>Red; Flowers in lax truss of 13, funnel-shaped, slightly wavy lobes of 5, strong red in bud, opening inside vivid purplish red with light yellow in throat and on dorsal lobe; outside vivid purplish red. Trusses 4in(10cm) high by 5.5in(14cm) wide. Very floriferous; Early Midseason ; 4 ft.; -15F(-26C); Open growth habit. E.R. Bahnson, cross 1974 (ARS seed lot 74-516); introducer, Mowbray Gardens, Amelia, OH; Dr. T.L. Ring, raiser; reg. 1996.</p>





Name & Photo	Description:
<p><b>Delkyn (Swarthmore)</b></p> 	<p><i>Scintillation x haematodes</i></p> <p>Pink; A Swarthmore hybrid, named by Dr. John Wister; possibly a seedling of a Dexter hybrid; grown in the Philadelphia area; a little tender.</p>
<p><b>Delp's Mighty Mite (Delp)</b></p>	<p><i>(Achiever x polycladum Scintillans Group no. 2) selfed</i></p> <p>Purple, lepidote, vivid light purple, mid-May, 7' x 6'; Delp. 1995.</p>
<p><b>Delp's Showoff (Delp)</b></p>	<p><i>minus Carolinianum Group--Epoch x (minus Carolinianum Gp pink, Achiever x pemakoense, Patulum Group)</i></p> <p>Purple; Flowers in trusses of 8 (multiple buds), open funnel-shaped, 5-lobed, light to very pale purple with light greenish yellow dorsal spots and moderate red anthers; Early; 4 ft.; -20F(-29C); Weldon Delp, cross 1985; reg. 1994.</p>
<p><b>Dexter's Agatha (Dexter/Scott Arb.)</b></p>	<p><i>Pygmalion x (haematodes x Wellfleet)</i></p> <p>Red; Purplish red flowers, 3in(7.8cm) wide, 6- or 7-lobed; spherical trusses of 10.; Midseason; 4 ft.; -5F(-21C); Plant as broad as high; olive green leaves. Dexter, cross; Tyler Arboretum, reg. 1981.</p>
<p><b>Dexter's Harlequin (Dexter/Scott Arb.)</b></p> 	<p><i>(Pygmalion x haematodes) x Wellfleet</i></p> <p>Pink, White; Flower widely funnel-shaped, frilly, 3¼" across, deep purplish-pink at edges, fading to near white at center and 2 small rays in dorsal throat. Held in ball-shaped trusses of 10-15; Midseason; 5 ft.; -5°F (-21°C); Leaves elliptic to narrowly elliptic, apiculate apex, cuneate to rounded base, flat with slightly undulate edges, 4" - 6" long, slightly glossy, olive green, retained 2 years. Upright grower; Elepidote.</p>
<p><b>Dexter's Zanzibar (Dexter)</b></p> 	<p><i>Parentage unknown (Dexter-Ross Z)</i></p> <p>Pink; tan to peach flowers, fragrant, early May, 5' x 5'. Bears flowers rivaling those of 'Dexter's Champagne</p>




Name & Photo	Description:
<p><b>Diane's Delight (Doppel)</b></p> 	<p><i>Peter Alan x Anah Krushke</i></p> <p>Purple; Crossed and raised by John Doppel. Flowers 2 1/2 " wide - 20 in a conical truss 6" high 6 1/2 "wide. Reddish purple with a black dorsal blotch. Leaves dark green 4 1/2" x 1 1/2". Shrub 4 1/2' x 4' in 10 years. Habit somewhat open. Blooms in mid May. Hardy in zone 6. Registered in 2005 by John Doppel.</p>
<p><b>Disca (Gable)</b></p> 	<p><i>fortunei ssp. discolor x Caroline</i></p> <p>White; Fragrant flowers, white tinged with pink, frilled edges, large dome-shaped trusses; Late Midseason; 5 ft.; -10F(-23C); Likes light shade. Vigorous. Gable, 1944.</p>
<p><b>Doctor William Fleming (Pride)</b></p> 	<p><i>Boule de Neige x vernicosum R. 18139--Mt. Siga</i></p> <p>Peach; Blooms a very pretty peach color; Early Midseason; 5 ft.; -15F(-26C); Compact plant habit. Orlando S. Pride, 1975.</p>
<p><b>Dolly Madison (Leach)</b></p> 	<p><i>catawbiense var album x [fortunei x (arboreum x griffithianum)]</i></p> <p>White; Flower openly campanulate, 3 1/4" across, white with reddish-brown dual rayed dorsal blotch. Full truss of about 12 flowers; Early Midseason; 5 ft.; -20°F (-29°C); Leaves oblanceolate, apiculate apex, cuneate base, flat, 2 1/2" long, semi-glossy, dark green. Yellowish-green petioles. Plant grows 2x wider than tall; Elepidote.</p>




Name & Photo	Description:
<p><b>Double Dip (Gable)</b></p> 	<p><i>Catalpa x degroianum ssp yakushmanum</i></p> <p>White; Flower openly funnel-shaped, 2" across, yellowish-white lightly spotted brilliant yellow-green at base of dorsal lobe. Dome-shaped truss has 13 flowers; Midseason; 3 ft.; -15°F (-26°C); Leaves elliptic, broadly acute apex, cuneate base, flat, 4¾" long, semi-glossy, dark yellowish green with plastered, brownish-orange hairs below on petiole. Compact, dense plant habit; Elepidote.</p>
<p><b>Dream of Kings (Frederick)</b></p> 	<p><i>Arthur Bedford x Purple Splendour</i></p> <p>Purple; Flower openly funnel-shaped, wavy lobes, 3½" across, light purple with a large, dark purple blotch. Conical truss holds 16-20 flowers; Late Midseason; 4 ft.; 0°F (-18°C); Leaves narrowly elliptic to elliptic, acute apex, cuneate base, 6" long, glossy, dark green, held for 2 years. Upright, moderate branching habit; Elepidote.</p>
<p><b>Earl Cordy (Cordy/Looye)</b></p>	<p><i>Mary Belle x Mary Garrison x Rio</i></p> <p>Cordy/Looye, yellow flowers, mid-May, 4' x 4'. Hybridized by Cordy. Seed raised by Looye, who selected a plant and named it for Cordy.</p>
<p><b>Earl's Gold (Cordy)</b></p>	<p><i>Janet Blair x Mrs W.R. Coe x Debutante (Debutante = yakushmanum x Mars)</i></p> <p>Yellow, medium yellow flowers, mid-May, light green glossy foliage, 4' x 5'</p>
<p><b>Eastern Sappho (Rhein)</b></p> 	<p><i>Sappho x Janet Blair</i></p> <p>White; Flowers in ball trusses of 20, open funnel-shaped, 5 wavy-edged lobes, very light purple, tipped light purple in bud, opening inside yellowish white, with a large heavily spotted, deep purplish red blotch on the dorsal lobe and light purple lobe tips; outside light purple; Midseason; 6 ft.; -25F(-32C); Leaves slightly glossy, moderate olive green. Dr. W.L. Rhein, cross 1973; reg. 1995 by American Rhododendron Society, Susquehanna Valley Chapter.</p>





Name & Photo	Description:
<p><b>Edgemont (Dexter/Wister)</b></p> 	<p><i>Parentage unknown</i></p> <p>Pink; Purplish pink flowers with greenish yellow throat, very fragrant; Early Midseason; 6 ft.; Dexter cross; G. Wister, reg. 1980.</p>
<p><b>El Salto (Rhein)</b></p> 	<p><i>Sappho x Janet Blair</i></p> <p>Purple; Flowers in dome trusses of 13, openly funnel-shaped, 5 wavy-edged lobes, strong and light purple in bud, opening yellowish white flushed light purple at margins and with deep purplish red dorsal spotting; Midseason; 7 ft.; -25F(-32C); Leaves held 3 years, dark yellowish green. Dr. W.L Rhein, cross 1974; reg. 1996 by Registration Committee, Susquehanna Valley Chapter, ARS.</p>
<p><b>Eminent (Green/Tyler Arb.)</b></p> 	<p><i>Scintillation x haematodes (Sw 58-279-E)</i></p> <p>Pink, reddish pink, mid- to late May. Wister.</p>
<p><b>Enigma (Consolini/Scott Arb.)</b></p> 	<p><i>fortunei x maximum x haematodes ??</i></p> <p>Red; Strong purplish red flowers shading to strong purplish pink with brilliant yellowish green spotting and strong yellowish green rays in throat. Truss 7in(18cm) wide; Midseason; 7 ft.; -5F(-21C); A. Consolini, cross; Swarthmore College, reg. 1985.</p>








Name & Photo	Description:
<p><b>Extra Dividend (Rhein)</b></p> 	<p><i>Scintillation x Mary Garrison</i></p> <p>Pink; Flowers in lax trusses of 8-9, openly funnel-shaped, with 7 wavy-edged lobes, pale purplish pink with moderate purplish pink longitudinal markings inside and out; moderate orange yellow spotting on upper lobe; trusses 5in(12.7cm) high by 6.5in(16.5cm); Midseason; 7 ft.; -25F(-32C); Leaves held 2 years, dull, moderate olive green. Dr. W.L. Rhein, Mechanicsburg, PA, cross 1977; reg. 1996 by Susquehanna Valley Chapter, ARS.</p>
<p><b>Eye Pleaser (Delp?)</b></p> 	<p><i>Harvest Moon x Ice Cube</i></p> <p>White; Large, creamy white flowers with a well-defined reddish-bronze dorsal flare; glossy, deep green leaves</p>
<p><b>Fairhaven (Dexter/Swarthmore)</b></p> 	<p><i>Parentage unknown (Dexter No. 44)</i></p> <p>Pink, deep pink buds open to mixed pink and white flowers with yellowish green dots, midseason. Dexter.</p>
<p><b>Faisa (Delp)</b></p> 	<p><i>Achiever x polycladum Scintillans Group</i></p> <p>Purple, Pink; Flower openly funnel-shaped, 1-3/8" across, reddish purple in bud, opening to a blend of light purple and moderate purplish pink. Trusses of 6; Midseason; 3 ft.; -20°F (-29°C); Leaves broadly acute apex, cuneate base, 1½" long; Lepidote.</p>




Name & Photo	Description:
<p><b>Fashion Plate (Becales)</b></p> 	<p><i>[(fortunei cream x vernicosum 18139) x Mary Belle] x [(Dido x Chlorops x lacteum) x Golden Star]</i></p> <p>Yellow; Large 5" yellow flowers. Breeding contains: Gables Fortunei Cream, R. vernicosum 18139, Mary Belle, R. lacteum, Dido, R. chlorops and Golden Star</p>
<p><b>Fitz</b></p>	<p><i>Parentage unknown</i></p> <p>Al Fitzburg, pure white, plastered indumentum, tight plant habit, mid-May, 3.5 x 4 (12)</p>
<p><b>Flaming Snow (Dexter/Tyler Arb.)</b></p> 	<p><i>Parentage unknown</i></p> <p>White; Flower openly funnel-shaped, wavy edges, 3" across, slightly fragrant, open light pink and quickly fade to almost white with deep pink to purplish-red spots. Held in ball-shaped trusses of 10-12; Slightly Fragrant; Midseason; 6 ft.; -15°F (-26°C); Leaves oblanceolate to narrowly obovate, flat, acute apex, cuneate base, 5" to 6" long, glossy, yellowish-green, retained 2 years. Upright, dense habit; Elepidote.</p>
<p><b>Flawless (Delp)</b></p>	<p><i>Rocky Road x Rougemont</i></p> <p>Red; Flowers in trusses of 22, broadly funnel-shaped, with 5 very wavy-edged lobes, deep and strong red in bud, opens strong red and purplish red with a white flare, and deep greenish yellow dorsal spots. Conical trusses 8in(20.3cm) wide; Late Midseason; 4 ft.; -15F(-26C); Weldon Delp, cross 1989; reg. 1995.</p>
<p><b>Fragrant Stranger (Gable)</b></p> 	<p>A selction from <i>R. houlstonii</i></p>





Name & Photo	Description:
<p><b>Fred's Barbara (McNeil/Winter)</b></p> 	<p><i>Donna Hardgrove X</i>  <i>(degronianum ssp. yakushmanum x Harvest Moon)</i></p> <p>Pink; Flowers in ball trusses of 10-12, broadly funnel-campanulate, 7-lobed with wavy margins, light pink in bud, opening white with greenish yellow markings deep in throat.; Early Midseason; 5 ft.; -10F(-23C); Leaves held 2 years. John McNeil, cross 1976; Fred Winter, reg. 1997. (ARS Seed Exchange Lot 77-399)</p>
<p><b>French Cream (Ahern)</b></p>	<p><i>pseudochrysanthum x Fashion Plate</i></p> <p>White; ivory white flowers with a light maroon flare at dorsal base; Midseason; 4 ft.</p>
<p><b>Fruehlingheit (Gable)</b></p>	<p><i>Parentage unknown</i></p> <p>Pink, luminous pink, midseason, 5' x 6' (Herman Haas obtained plant from Gable)</p>
<p><b>Gable's 41-64 (Gable)</b></p> 	<p><i>Parentage unknown</i></p> <p>Pink; pink with a maroon center; Late Midseason; 5 ft.; open habit.</p>
<p><b>Gable's 6-60 (Gable)</b></p> 	<p><i>Parentage unknown</i></p>

Name & Photo	Description:
<p><b>Gable's Flamingo (Gable)</b></p> 	<p><i>Atrier Group x Dechaem Group</i></p> <p>Gable, deep pink streaked vivid red, mid-May, 3' x 3' (sibling of Mary Belle)</p>
<p><b>Gable's Pioneer (Gable)</b></p> 	<p><i>mucronulatum x racemosum</i></p> <p>Pink; Flowers 1in(2.5cm) wide, pink, borne in leaf axils along the stems; Very Early; 8 ft.; -25F(-32C); Leaves moderate olive green above, moderate yellow green below, with tiny brown scales above and below. Joe Gable, cross before 1946; Gable Study Group, reg. 1991; distributed as PIONEER by W. Baldseifen, 1967; Lepidote.</p>
<p><b>Gable's Red Head (Gable)</b></p> 	<p><i>Parentage unknown</i></p> <p>Flowers in lax truss, bright crimson red (reddest of the Atrier Group). resistant to <i>P. cinnamomi</i></p>
<p><b>Gable's Tom Thumb (Gable)</b></p>	<p><i>Mars x Conoco-cheague</i></p> <p>Red, clear red flowers, leaves indented at midsection, slow growing, 2' x 2'</p>
<p><b>Gary Herbert (Gable/Herbert)</b></p> 	<p><i>form of vernicosum R 18139</i></p> <p>Pink; Fragrant flower of shaded salmon tones, openly funnel-shaped, 3in(7.6cm) wide, ruffled; flat trusses of 7; Midseason; 4 ft.; -5F(-21C); Plant rounded, moderately branched; glossy leaves held 3 years. New growth showy; burgundy red bracts. Rock, collector, 1929; J. Gable, selection; Charles Herbert, reg. 1976.</p>




Name & Photo	Description:
<b>Gary Huber (Huber)</b>	<p><i>Mount Siga x unknown</i></p> <p>Red; Flowers in dome trusses of 14, 5 wavy-edged lobes, moderate purplish red for c.13mm at margins, shading inwards to moderate purplish pink in the throat and with moderate purplish red spotting in the dorsal throat, outside moderate purplish red; Midseason; 4 ft.; -10F(-23C); R.R. Huber, cross, 1967; R.R. &amp; H. Huber, reg 1993.</p>
<b>Gay Day (Delp)</b>	<p><i>minus Carolinianum Group--Epoch x (minus Carolinianum Gp pink, Achiever x pemakoense, Patulum Group)</i></p> <p>Purple; Flowers in terminal shoots of 6, open funnel-shaped, 5-lobed, moderate purplish pink to pale yellow green in bud, opening very pale purple with light greenish yellow dorsal spots; Early; 3 ft.; -15F(-26C); Weldon Delp, cross 1985; reg. 1992; Lepidote.</p>
<b>George Fraser (Fraser/Gable)</b>	<p><i>maximum x macrophyllum</i></p> <p>Pink; Very tall with a weeping habit; Elepidote</p>
<b>Gilbert Myers (Myers)</b> 	<p><i>Parentage unknown</i></p> <p>G. Myers, white with light purple margins and a yellowish green blotch, midseason, 5' x 4'</p>
<b>Glenda Farrell (Dexter/Wister/Tyler Arb.)</b> 	<p><i>Parentage unknown</i></p> <p>Red; Flower openly funnel-shaped, wavy to frilly lobes, 3" across, bright orange-red flower with dark specks and a red blotch; fades to reddish pink. Held in ball-shaped truss of 13 flowers; Early Midseason; 5 ft.; -5°F (-21°C); Leaves apiculate apex, cuneate base, 4" to 5" long, olive green, retained 2 years. Plant well-branched, broader than tall; Elepidote.</p>




Name & Photo	Description:
<p><b>Glenn Wise (Rhein)</b></p> 	<p><i>Lady Longman x fortunei</i></p> <p>Pink; Early Midseason; 6 ft.; -15F(-26C); Rounded, dense plant, needs partial shade; roots easily; may soon be in commerce. Dr. W.L. Rhein, Mechanicsburg, PA, cross 1982.</p>
<p><b>Golden Locket (Becales)</b></p> 	<p><i>(yakushmanum x Inca Gold) x Barbara Hardgrove</i></p> <p>Yellow, deep yellow flowers, lax truss, midseason</p>
<p><b>Golden Mean (Ahern)</b></p>	<p><i>September Song x White Dimples</i></p> <p>Pink, light creamy coral pink shading to yellowish cream, olive green flare, mid-May, 3.5' x 3.5'</p>
<p><b>Golden Pleasure (Fujioka)</b></p>	<p><i>Parentage unknown</i></p> <p>Yellow; Elepidote; Coral buds open to light yellow centers extending to light pink edges with red spotting on the upper lobes; Vigorous upright grower with glossy, medium green leaves; Mid-May; 5ft. x 4ft.; -5F(-21C); Fujioka cross, Ahern raised and registered 2003.</p>
<p><b>Golden Star x Sunny Day (Becales)</b></p>	<p><i>Golden Star x Sunny Day</i></p> <p>Yellow, light yellow flowers, midseason</p>
<p><b>Goody Goody Gumdrop (A. Smith/Delp)</b></p> 	<p><i>Vineland seedling x Calsap</i></p> <p>Purple; Blend of cyclamen purples in bud, opens to mallow purple edged with blend of light rose and phlox purple, dorsal spots of ruby red. A.W. Smith, cross; Delp, raiser.</p>





Name & Photo	Description:
<b>Grape Jam (Error in name)</b>	<p><i>minus Carolinianum pink form, Achiever x fastigiatum</i></p> <p>Violet; Flowers in trusses of 6, openly funnel-shaped, 5-lobed, moderate and strong violet in bud, opening strong and brilliant violet. Trusses 2.25in(3.3cm) wide; Early; 5 ft.; -20F(-29C); Weldon Delp, cross; Linda Pluta, Rosebay Gardens, Saugatuck, MI intro.; Joyce Delp Harris, Naturescapes, Harrisville, PA, reg. 1996.</p>
<b>Great Eastern (Dexter)</b> 	<p><i>Parentage unknown</i></p> <p>Pink; Flower openly funnel-shaped, wavy lobes, 2¾" across, fragrant, deep purplish-pink paling to light purplish-pink with blotch of greenish-yellow rays. Held in ball-shaped truss of 16 flowers; Fragrant; Late Midseason; 5 ft.; -10°F (-23°C); Leaves elliptic, flat, margins slightly undulate, mucronate, 4½" long, new leaves glossy, yellow-green, retained 1-2 years. Plant is broader than tall; Elepidote.</p>
<b>Gretchen (Nearing/Gable)</b> 	<p><i>(decorum x griffithianum) x Kettledrum</i></p> <p>Pink; Pink flowers, red-throated; large dome shape trusses; Late Midseason; 5 ft.; Plant habit and foliage both good, on a very floriferous hybrid. G.G. Nearing and J.B. Gable, 1958.</p>
<b>H.T. Skinner (?)</b> 	<p><i>Parentage unknown</i></p> <p>Lepidote, light yellow flowers, April, 5' x 4'</p>




Name & Photo	Description:
<p><b>Haag's Choice (Nearing/Gable)</b></p> 	<p><i>fortunei</i> or <i>fortunei</i> hybrid? x <i>Charles Dickens</i></p> <p>Lavender ; Flower pinkish lavender, held in conical trusses; Midseason; 4 ft.; -10°F (-23°C); Leaves elliptic, acute apex, cuneate base, 5½" long, dark green. Dense growth habit; Elepidote.</p>
<p><b>Hannah Grace (Ahern?)</b></p>	<p><i>Parentage unknown</i></p>
<p><b>Hannah Hersey (Gable)</b></p> 	<p><i>(catawbiense x fortunei) x campylocarpum</i></p> <p>Pink; Flowers broadly funnel-shaped, pink, flushed coral, with 5 wavy-edged lobes; Midseason; 5 ft.; -10F(-23C); Joe Gable, cross pre-1943; Gable Study Group, reg. 1991. Probably the best of the CatFortCampy seedlings.</p>
<p><b>Hardgrove's Deepest Yellow - selfed x Phipps Yellow (Becales)</b></p> 	<p><i>Hardgrove's Deepest Yellow - selfed x Phipps Yellow</i></p> <p>Yellow; lax truss; tall; elepidote; Midseason; 3 ft.; 0F(-18C); Hardgrove.</p>
<p><b>Harwich (Dexter/Swarthmore)</b></p> 	<p><i>Parentage unknown (Dexter 108)</i></p> <p>Lavender, pale lavender exterior and edges, almost white interior, greenish yellow blotch, early May.</p>










Name & Photo	Description:
<b>Hatchville (Dexter/Swarthmore)</b>	<i>Parentage unknown (Dexter 121)</i>  Lavender, creamy flowers suffused light lavender, very light green spotted blotch.
<b>Hat Trick (Tom Ring)</b>	<i>Catalpa x Graf Zeppelin</i>  Ring, large trusses of lavender pink flowers, mid-May, vigorous plant, 7' x 6 (12 years)
<b>Helene Huber (Herbert)</b> 	<i>fortunei ? x unknown</i>  Pink; 6ft(1.8m) -5F(-21C) ML Dark purplish pink buds open medium mauve pink, spotted almond shell brown, openly funnel-shaped, 3in(7.6cm) across, and very fragrant; spherical trusses of 14-16. Floriferous. Plant upright, rounded, Dexter, cross; Swarthmore College & Charles Herbert, raisers; Herbert, reg. 1978. [Photo by Bud Gehrlich]
<b>Henry R. Yates (Gable)</b> 	<i>wardii Litiense Group x unknown</i>  White; Flower 2.5in(6.4cm) across, creamy ivory with a bold yellow flare, funnel-campanulate; Early; 4 ft.; -5F(-21C); Plant compact and dense; leaves to 6in(15.2cm) long. Joe Gable, introduced 1958; reg. 1971.
<b>Herbert's Find (Gable)</b> 	<i>(decorum x griffithianum) x America</i>  Pink, orange and lavender in a rounded truss.




Name & Photo	Description:
<p><b>High Esteem (Swarthmore/Wister)</b></p> 	<p><i>Scintillation x haematodes (Sw 58-279-H)</i></p> <p>Pink, lavender and light pink flowers, late May.</p>
<p><b>Hi Tech (Looye)</b></p>	<p><i>(tetraploid carolinianum x fastigiatum) x (tetraploid carolinianum x Blue Diamond)</i></p> <p>Purple, lepidote, blend of strong and light purples in mid-May, 4' x 3'</p>
<p><b>Hindsight (Delp)</b></p>	<p><i>minus Carolinianum Group--Epoch x (minus Carolinianum Gp pink, Achiever x pemakoense, Patulum Group)</i></p> <p>Pink; Openly funnel-shaped, 5-lobed flowers, moderate, light and pale purplish pink in bud, opening very pale purple, edged light purple with vivid yellow green dorsal spots; multi-bud trusses 3.5in(9cm) wide, holding 6 flowers; Early; 3 ft.; Early; -15F(-26C); large leaves; Weldon Delp, cross 1985; reg. 1992; Lepidote.</p>
<p><b>Honeybrook (Ahern)</b></p> 	<p><i>Tom Everett x Fashion Plate</i></p> <p>Pink; Ruffled mauve buds open into pink wavy edged flowers fading to white with gold center. A vigorous grower that will remain compact with pinching. 4' midseason, hardy to -5F; Midseason; 5 ft; Ahern.</p>
<p><b>Hopewell (Gable)</b></p>	<p><i>Degram' x Atrier</i></p> <p>Pink; elepidote; Midseason; 6ft.; -10F(-23C); Gable.</p>
<p><b>Hotei x yakushmanum (MacMullan)</b></p> 	<p><i>Hotei x yakushmanum</i></p> <p>Yellow, pale yellow flowers, mid-May, 3' x 5'; MacMullan.</p>




Name & Photo	Description:
<p data-bbox="131 218 448 247"><b>Howard Roberts (Minahan)</b></p> 	<p data-bbox="630 218 915 247">Mary Belle x Odee Wright</p> <p data-bbox="630 281 1450 338">Minahan, light greenish yellow with a strong red basal blotch, glossy foliage, mid-May, 5' x 6'</p>
<p data-bbox="131 632 440 661"><b>Ida Bradour (Gable/Yates)</b></p> 	<p data-bbox="630 632 992 661"><i>Mary Belle x vernicosum R 18139</i></p> <p data-bbox="630 699 1450 821">Pink; Flowers in shades of pink, yellow green throat, saucer-shaped, 3in(7.6cm) wide; ball-shaped trusses of 12-14; Late Midseason; 5 ft.; -10F(-23C); Upright plant, arching branches, broader than high; narrow leaves. Joe Gable, cross; Mrs. Maletta Yates, reg. 1977.</p>
<p data-bbox="131 1010 513 1039"><b>Irresistible (Scott Arb/Tyler Arb)</b></p> 	<p data-bbox="630 1010 915 1039"><i>Scintillation x haematodes</i></p> <p data-bbox="630 1077 1292 1106">Pink, dark pink flowers with yellow centers, midseason, 4' x 4'</p>
<p data-bbox="131 1430 383 1459"><b>James Allison (Gable)</b></p> 	<p data-bbox="630 1430 1040 1459"><i>Mary Belle x R. vernicosum aff. 18139</i></p> <p data-bbox="630 1493 1450 1644">Yellow. Excellent light yellow with ruffled flowers for the Washington D.C. area. Gable's daughter Caroline introduced it after his death. Flowers 12 in ball truss, 6 flat-edged lobes, very light purple and very pale purple, blotch medium green in throat. Gable admired this plant but thought he should watch it to see how hardy it was.</p>

Name & Photo	Description:
<p><b>James Gable (Gable)</b></p> 	<p>Red; Single, hose-in-hose, widely funnel-shaped, rich red flowers with darker blotches, 2 inches wide. Flowers are borne in showy trusses from mid to late spring. Upright, evergreen shrub said to be the hardiest azalea around. Leaves are glossy, dark green, lance-shaped to ovate, around 1 inch long. Plant as you would any of the other azaleas: high and in well-drained, acid soil, rich with organic matter. The Gable hybrids are a group of azaleas that were introduced by the late Joseph Gable of Stewartstown, Pennsylvania. They are the result of crosses between <i>R. poukhanense</i> and <i>R. kaempferi</i>, as well as many other species and hybrids. Though azaleas have a potentially large list of possible pest and disease problems, they are usually trouble free if planted correctly in proper cultural conditions.</p>
<p><b>Janet Blair x Crest (Cordy)</b></p>	<p><i>Janet Blair x Crest</i></p> <p>Pink, pure pink flowers, mid-May, 3' x 3' (4 years); Cordy.</p>
<p><b>Janet Blair x williamsianum</b></p>	<p><i>Janet Blair x williamsianum</i></p> <p>Pink; Small pink flowers, semi-dwarf shrub, nice foliage, Seed Exchange. (Cordy)</p>
<p><b>Janet Sappho (Rhein)</b></p>	
<p><b>John Paul II (Minahan)</b></p> 	<p><i>Mars x (The Hon. Jean Marie de Montague x Cheer)</i></p> <p>Red ; Flower openly funnel-shaped, frilly edges, 2¾" across, deep red with pale yellow-green streaks on dorsal lobe. Held in ball-shaped trusses of 15 to 18; Midseason; 2 ft.; -25°F (-32°C); Leaves elliptic, concave, acute apex, cuneate base, 7" long, glossy, dark green, retained 2-3 years. Plant habit upright, and spreading, somewhat open; Elepidote.</p>
<p><b>Jonathan Bryce (Ahern)</b></p> 	<p><i>Blue Peter x White Dimples</i></p> <p>White; Flowers 18/domed truss, open funnel-shaped, 50 x 55mm, with 6 very wavy-edged lobes, light greyed lavender in bud, opening white inside and out, with a large, V- shaped dorsal flare composed of dark purple spots; Midseason; 3.5 ft.; Lvs obovate, 140 x 50mm, obtuse at apex, rounded at base, margins slightly downcurved, semi-glossy and dark green above, hairless; Hybridizer: T. Ahern (1994), Grown: J. Doppel (2000), Named and registered: J. Doppel (2005). Elepidote.</p>




Name & Photo	Description:
<p><b>Joseph Rock (Gable)</b></p> 	<p>(syn. 'Doctor Joseph Rock' or syn. 'Doctor Rock') Flowers peach pink.</p>
<p><b>June Miss (Scott Arb/Tyler Arb)</b></p> 	<p><i>maximum (pink flowered) x fortunei subsp. discolor</i></p> <p>Pink, light pink flowers, extremely fragrant, mid-June, 6' x 5'. Bred and named by the first director, Dr. John Wister, at the Scott Arboretum. He undertook a breeding program to have rhododendrons in bloom during Swarthmore College's graduation ceremony in June.</p>
<p><b>Katherine Dalton (Gable)</b></p> 	<p><i>smirnowii x fortunei ssp fortunei</i></p> <p>Pink; Flower large, lavender-pink. Held in flat truss of 8-12 flowers; Early Midseason; 5 ft.; -15°F (-26°C); Leaves long, glossy, deep green with slight indumentum; Elepidote.</p>
<p><b>Kayla Joy (Ahern)</b></p>	
<p><b>Kick-Off (Delp)</b></p>	<p><i>minus Carolinianum Group, pink form, Achiever x mucronulatum</i></p> <p>Purple; Buds of violet and strong purple open to light purple flowers, edged strong purple; dorsal spots greenish yellow; ball trusses of 12; Early Midseason; 4 ft.; -15F(-26C); Wavy-edged elliptic-obovate foliage, scaly on both surfaces. Weldon Delp, cross; A. &amp; S. Anderson, reg. 1989; Lepidote.</p>
<p><b>Kubla Khan x Honeydew (Becales)</b></p>	<p><i>Kubla Khan x Honeydew</i></p> <p>Pink, salmony colored flower with a large calyx, almost double in appearance, midseason</p>





Name & Photo	Description:
<p><b>Kulu (Gable)</b></p> 	<p><i>vernicosum x unknown</i></p> <p>Pink; Venetian pink flower, flushed deeper to French rose in the throat, openly funnel-shaped, to 4in(10.2cm) across, 7 wavy lobes; dome-shaped trusses of 7-10. Floriferous. Showy red bracts on new growth; Fragrant; Midseason; 6 ft.; -10F(-23C); Plant rounded, as wide as tall; leaves dark olive green. Rock, collected 1929; J. Gable, introduced 1958; Caroline Gable, reg. 1979.</p>
<p><b>Ladifor (Nearing/Gable)</b></p> 	<p><i>Lady Clementine Mitford x fortunei</i></p> <p>Pink flowers with bicolor effect, scented. Joseph B. Gable, before 1958.</p>
<p><b>Lady of Belfield (Dexter/Scott Arb.)</b></p> 	<p><i>Lady Eleanor Cathcart x decorum</i></p> <p>Pink; Buds deep purplish pink open lighter pink, with dark purplish red blotch and dorsal spots. Flowers 2.5in(6.5cm) wide, 22 per truss; Late; 6 ft.; -5F(-21C); Leaves to 6in (15cm) long. C.O.Dexter, cross; Tyler Arboretum, reg. 1985.</p>
<p><b>Lady of Decora (Swarthmore)</b></p> 	<p><i>Lady Eleanor Cathcart x decorum</i></p> <p>Pink; light pink with creamy eye, dark red blotch, late</p>




Name & Photo	Description:
<p><b>Lady of June (Dexter/Scott Arb.)</b></p> 	<p><i>Lady Eleanor Cathcart x decorum</i></p> <p>Pink; Flowers strong purplish pink fading lighter, distinct greenish yellow spots; trusses of 16; Late; 6 ft.; -5F(-21C); Plant upright, spreading broader than tall, olive green foliage. Dexter, cross; Dr. John Wister, namer; Gertrude Wister, reg. 1980.</p>
<p><b>Lady of Vernon (Dexter/Swarthmore)</b></p> 	<p><i>Maximum hybrid</i></p> <p>Pink; Palest pink, almost white; elepidote; long recurved leaves, strong maximum influence; Late; 2.5 ft. x 2 ft.</p>
<p><b>Lady of Wakefield (Dexter/Swarthmore)</b></p>	<p><i>Lady Eleanor Cathcart x decorum</i></p> <p>Pink; pinkish white, creamy centers, greenish blotch, plastered indumentum, late</p>
<p><b>Lavender Lady (Shammarello)</b></p>	<p><i>catawbiense hybrid</i></p> <p>Lavender with dark purple blotch on dorsal lobe, midseason</p>
<p><b>Lemon Tea (Shapiro)</b></p>	<p><i>Mary Fleming x keiskei</i></p> <p>Yellow, lepidote, light yellowish green with a brilliant greenish yellow throat, April, beautiful light green foliage, 3' x 4'</p>
<p><b>Lewisberry (Rhein)</b></p>	<p><i>Parentage unknown</i></p>
<p><b>Linnaeus (Rhein)</b></p> 	<p><i>Lady Longman x fortunei</i></p> <p>Purple; Early Midseason; 6.5 ft.; -15F(-26C); Large, compact plant. Dr. W.L. Rhein, cross 1978.</p>





Name & Photo	Description:
<b>Lisa (Gable)</b>	<i>catawbiense</i> var. <i>album</i> Glass, <i>Catalpa x Madonna</i>  White; Flowers, 4in(10cm) across, pale sap green blotch; trusses of 18; Late Midseason; 6 ft.; -15F(-26C); Elliptic leaves 8in(20.3cm) by 4in(10cm). Joe Gable, reg. 1964. P.A. 1962.
<b>Little Bonnie (Gable)</b>	<i>Gable's Tom Thumb hybrid</i>  Pink, buff edged pink, late midseason, 5' x 5'
<b>Little Woods - Delta (Gable)</b> 	<i>Parentage unknown</i>  The Little Woods Greek Series consists of plants from Joseph Gable's home, "Little Woods," in Stewartstown, Pa. Beginning in May 2007, Michael Mills and Karel Bernady, of the Greater Philadelphia Chapter, identified plants with noteworthy flowers. Because identifications are now impossible, each was assigned a Greek letter to distinguish it in future propagations. Although it is possible that non-Gable plants are in the collection, the overwhelming odds are that they are Gable hybrids. Because the cuttings were from decades-old survivors, it is as yet impossible to indicate growth rates. All are May bloomers.
<b>Little Woods - Lambda (Gable)</b>	<i>Parentate unknown</i>  May bloomer, see Little Wood - Delta for history.
<b>Little Woods - Mu (Gable)</b> 	<i>Parentate unknown</i>  May bloomer, see Little Wood - Delta for history
<b>Little Woods - Psi (Gable)</b> 	<i>Parentate unknown</i>  May bloomer, see Little Wood - Delta for history.










Name & Photo	Description:
<p><b>Little Woods - Theta Two (Gable)</b></p> 	<p><i>Parentage unknown</i></p> <p>May bloomer, see Little Wood - Delta for history.</p>
<p><b>Lucknow (Rosenthal)</b></p>	<p><i>(Phipps Yellow x Pacific Gold) x Janet Blair</i></p> <p>Yellow, yellow flowers with hint of orange aging to yellow, mid- to late May, 4' x 4' (6 years); ARS Seed Exchange 2002-96; Rosenthal.</p>
<p><b>Marie Tietjens (Bagoly/Tietjens)</b></p>	<p><i>Gable's R. vernicosum Rock 18139 (RHS 03788) Clone #1 x Full Moon</i></p> <p>Red; Buds are a darker pink than corollas. Flowers openly funnel-shaped, 3½" across x 2½" long, with 7 wavy lobes, slightly fragrant, soft spirea red, unmarked, ball trusses of 7; Late Midseason; 3 ft.; -10F(-23C); Plant upright, branching well, L. Bagoly, cross 1969; Marie Tietjens, raiser; reg. 1976.</p>
<p><b>Maroon Sappho (Rhein)</b></p> 	<p><i>Sappho x Janet Blair</i></p> <p>Plant hardy to -15F(-26C).</p>
<p><b>Marshall Stilwell (Cowles)</b></p>	<p><i>Parentage unknown</i></p> <p>Pink; flowers open pink and fade to light yellow inside and in throat, moderately scented; Late Midseason; 4 ft.</p>
<p><b>Marshfield (Dexter/Swarthmore)</b></p> 	<p><i>Parentage unknown (Dexter 173)</i></p> <p>Pink, dark pink fading lighter towards center, red blotch in throat, midseason, compact shrub. A Dexter hybrid named for a town of this name in Massachusetts.</p>





Name & Photo	Description:
<p><b>Mary Belle (Gable)</b></p> 	<p><i>Atrier x Dechaem</i></p> <p>Orange; Flower broadly funnel-shaped, frilly-edges, 3½" to 4" across, salmon peach with cardinal red blotch and spotting. Held in flat-topped, ball truss with 10-11 flowers; Midseason; 5 ft.; -15°F (-26°C); Leaves elliptic, apiculate apex, cuneate base, up to 5½" long, crinkled, light green, can be yellowish. Plant does best with filtered light; Elepidote.</p>
<p><b>Mary Garrison (Gable)</b></p> 	<p><i>fortunei, cream form x vernicosum R 18139</i></p> <p>Yellow; Large lax truss of pinkish cream with a distinct reddish-brown blotch fading to creamy yellow' Early Midseason; 4 ft.; -10F(-23C); Mounding plant habit; Difficult to propagate, but a good parent of yellows. Joe Gable.</p>
<p><b>Mary Garrison x Apricot Fantasy (Becales)</b></p>	<p><i>Mary Garrison x Apricot Fantasy</i></p> <p>Yellow flowers</p>
<p><b>Mary K. (Gable)</b></p> 	<p><i>catawbiense var. album Glass, Catalgla x fortunei</i></p> <p>Purple; Flowers in ball trusses of 12, broadly funnel-shaped, 6 flat-edged lobes, very pale purple in bud, opening inside very light purple and very pale purple with a Vshaped medium green blotch about .6in(15mm) long in dorsal throat; 5 ft; -10F(-23); Leaves semi-glossy, moderate olive green. Joe Gable, cross 1943; reg. by Jane Goodrich, Vienna, VA</p>
<p><b>Mary's Choice (Reiley)</b></p>	
<p><b>Max Tietjens (Walbrecht/Teitjens)</b></p> 	<p><i>Dexter's Champagne x Dexter's Honeydew</i></p> <p>Pink; Flowers in domed trusses of 12, openly funnel-shaped, 7-lobed with wavy margins, scented; light purplish pink in bud, opening yellowish white, with pale purplish pink margins and strong yellowish green center; outside pale purplish pink. Trusses 6in(15.3cm) high by 7in(17.7cm); Midseason; 7 ft.; -10F(-23C)Leaves moderate olive green. E. Walbrecht, cross 1972; Marie Tietjens, reg. 1997.</p>




Name & Photo	Description:
<p><b>Maxhaem Salmon (Gable)</b></p> 	<p><i>maximum x haematodes</i></p> <p>Pink; Salmon pink flowers, medium-sized, in well-filled trusses, open funnel-shaped; 5 smooth-edged lobes. Floriferous. Nice dark green foliage with sparse tan indumentum when young, aging to rust-colored; Late Midseason; 4 ft.; -15F(-26C); Pollen of haematodes, "true form", from E.J.P. Magor, Cornwall. Joseph B. Gable, cross 1935; Gable Study Group, reg. 1991; Jane Goodrich, Secretary.</p>
<p><b>maximum 'Red'</b></p> 	<p><i>Selection of species</i></p>
<p><b>maximum x Sir Charles Lemon (Kehr?)</b></p>	<p><i>maximum x Sir Charles Lemon</i></p> <p>White flowers, big rounded truss, indumentum, mid-May</p>
<p><b>Megansett (Dexter/Swarthmore)</b></p>	<p><i>Parentage unknown (Dexter 187)</i></p> <p>Pink, very light lavender-pink with pink edges, green blotch, midseason</p>
<p><b>metternichii var. tsukusianum</b></p>	<p><i>Selection of species</i></p>
<p><b>Mikey (Delp)</b></p> 	<p><i>Blue Peter x Ice Cube</i></p> <p>Purple; Buds of Bishop's violet open to flowers of very pale and strong purples, with a flare of beetroot purple; hardy to -25F(-32C); Medium size; Weldon Delp.</p>

Name & Photo	Description:
<p><b>Mindoro (Rhein)</b></p> 	<p>Yellow; pale yellow; good foliage, elepidote; Midseason; 3 ft.; Rhein.</p>
<p><b>Mist Maiden (Leach)</b></p> 	<p><i>degronianum ssp yakushmanum form</i></p> <p>Pink; Flower openly funnel-shaped, wavy lobes, 2½" across, pale purplish-pink aging to white with moderate yellow dorsal spotting and deep purple-pink stripe. Ball-shaped trusses of 14-17 flowers; Midseason; 3 ft.; -20°F (-29°C); Leaves oblanceolate, acute apex, cuneate base, 5¾" long, convex, yellow-green, retained 5 years. New growth has grayish-tan indumentum. Grows broader than tall; Elepidote.</p>
<p><b>Misty Morn (Frederick)</b></p>	<p><i>unknown x Purple Splendour</i></p> <p>Violet; Flowers purple violet, rays of olive yellow, openly funnel-shaped, 3.5in(8.9cm) across, of 5 frilled lobes, trusses of 12-14; Midseason; 5 ft.; -5F(-21C); Plant wider than tall; elliptic leaves; new growth bluish green. Mrs. H.A. Frederick, Jr., reg. 1976.</p>
<p><b>Morning Melody (Doppel)</b></p> 	<p><i>Parentage unknown</i></p> <p>Orange; Flowers 3¼" wide, 15 in a ball truss 6" high x 7" wide, Light orange with orange red dorsal speckling. Leaves medium green 4½"x1½". Shrub grows somewhat taller than wide. Blooms in mid may. Hardy in zone 6. Raised by John Doppel.</p>
<p><b>Morris 452 (Dexter/Morris Arb.)</b></p> 	<p><i>Parentage unknown</i></p> <p>Pink; Dexter at Morris Arboretum, pink, midseason, 6' x 6'.</p>





Name & Photo	Description:
<p><b>Moss Creek (Rhein)</b></p> 	<p><i>Marchioness of Lansdowne x Janet Blair</i></p> <p>Pink; Midseason; 6 ft.; -15F(-26C); Plant tall, well-formed, compact, suntolerant; easily rooted but not in commerce. Dr. W.L. Rhein, Mechanicsburg, PA, cross 1979.</p>
<p><b>Mount Apo (Rhein)</b></p> 	
<p><b>Mount Siga (Gable)</b></p> 	<p><i>vernicosum x unknown</i></p> <p>Pink; Orient pink, slightly deeper in throat, faint spots of peach, 4in(10.2cm) wide, 7 wavy lobes; Early Midseason; 5 ft.; -5F(-21C); Rock, seed collector; Joseph Gable, raiser; Caroline Gable, reg. 1979.</p>
<p><b>Mrs. J.G. Millais x LaBar's White</b></p>	<p><i>Mrs. J.G. Millias x LaBar's White</i></p> <p>White flowers, midseason, 4 x 5</p>
<p><b>Ned's #1 (Schrope)</b></p> 	<p><i>yakushmanum hybrid.</i></p> <p>Pink; N. Schrope hybrid, flowers open maroon and fade to white, wonderful foliage and plant habit, mid-May, 4' x 4'</p>




Name & Photo	Description:
<p><b>Off-shoot (Rhein)</b></p> 	<p><i>Holden x Mary Garrison</i></p> <p>Orange; Flowers in ball trusses of 17-19, funnel-shaped, 6-wavy-edged lobes, strong red in bud, opening pale orange below with strong pink highlights inside all lobes and moderate red spotting on dorsal lobe; outside midribs deep pink, more pronounced on dorsal lobe; stigma dark grayish purple; Early Midseason; 5 ft.; -15F(-26C); leaves moderate olive green. W.L. Rhein, cross 1977; reg. 1995, ARS Chapter, Susquehanna Valley.</p>
<p><b>Orange Honey (Pride)</b></p> 	<p><i>Blondie x catawbiense var. album Glass, Catalgla</i></p> <p>Pink; Lax trusses of salmon pink, like those of Mary Belle, 18-flowered trusses; flower shape widely funnel-campanulate; Late Midseason; 3 ft.; -15F(-26C); Orlando S. Pride, 1977.</p>
<p><b>Orange Ruffy (Ahern)</b></p> 	<p><i>Marshall Stilwell selfed</i></p> <p>Yellow; Flower broadly funnel-shaped, many strongly reflexed lobes, 4" across, golden yellow center shading to cream tinged orange near the edge, outside golden yellow with random pinkish orange streaks. Ball-shaped truss holds 8 flowers; Midseason; 3 ft.; -5°F (-21°C); Leaves elliptic, obtuse apex, rounded base, 4¾" long, mid green, retained 2 years. Intermediate habit; Elepidote.</p>
<p><b>Orange Sherbet (Pride)</b></p>	<p><i>Tahiti x Catalgla</i></p> <p>Pink, light pinkish orange, midseason, new growth orange-red, 5' x 5'; Pride.</p>
<p><b>Pa-Jo (Gable)</b></p>	<p><i>Probably a fortunei hybrid</i></p> <p>Purple; Flowers in somewhat lax trusses of 10, open funnel-shaped, heavy substance, very fragrant, 5 wavy edge lobes, strong purplish red/pink in bud, opening outside very pale purple at margins shading lighter and deep purplish pink midribs; inside very pale purple at margins shading to nearly white center with pale greenish yellow dorsal blotch spotted moderate yellow green; trusses 10in(25.5cm) wide by 5in(13cm); Midseason; 7 ft.; -15F(-26C); Leaves held 3-4 years, moderate olive green, sparse light tan hairs below. Joe Gable, cross late 1960s; named &amp; reg. 1995 by Joan and Paul Netherwood, Jr., Joppa, NJ</p>





Name & Photo	Description:
<p><b>Party Pink (Leach)</b></p> 	<p><i>Mrs Furnivall x catawbiense var album</i></p> <p>Pink; Flower openly funnel-shaped, 3" across, purplish-pink shading lighter in the center, with a yellow dorsal flare. Ball-shaped truss with 18 flowers; Midseason; 5 ft.; -20°F (-29°C); Leaves elliptic, apiculate tip, rounded base, 4¾" long, dark green, retained 3 years. Plant broad and dense; Elepidote.</p>
<p><b>Peaches (Gable)</b></p> 	<p><i>Parentage unknown</i></p> <p>Pink; The flowers open a clear peach pink color with no blue cast and eventually fade to a lighter shade; Lovely plant with good foliage and fit becomes a tall plant in time. George Ring speculated that it might be a smirnowwi cross because of the foliage but it is a selection from Gable's Woods where the results of the cross 'Atroflo' x 'Atrier' were planted. This is probably the correct parentage.</p>
<p><b>Penny (Rosenthal)</b></p>	<p><i>(Phipps Yellow x Pacific Gold) x Janet Blair</i></p> <p>Yellow; yellow flowers with hint of orange aging to yellow, mid- to late May; ARS Seed Exchange 2002-96, Rosenthal. (Cordy)</p>
<p><b>Perkiomen (Gable/Herbert)</b></p>	<p>Pink, pink with faint gold blotch, brown spots; elepidote.</p>
<p><b>Philip Dee (Doppel)</b></p> 	<p><i>Casanova x Peter Alan</i></p> <p>White; Flowers 12/ball truss, broadly funnel-shaped, c.50 x 65mm, with 5 flat to slightly wavy-edged lobes, pinkish lavender in bud, opening inside light cream with a prominent, dark maroon,dorsal blotch;outside cream with some lavender tinges; Late Midseason; 4 ft.; Leaves obovate, 100 x 50mm, obtuse at apex, rounded at base, margins moderately downcurved, semi-glossy and mid green above, hairless. Hybridized: J. Doppel (1995), Grown J. Doppel (2000), Named and registered: J. Doppel (2005); Elepidote</p>
<p><b>Pickering (Herbert)</b></p> 	<p><i>catawbiense var. album Glass, Catalgla x (fortunei x campylocarpum)</i></p> <p>Pink; Trusses of 8-10 flowers, light rose with deeper edges, 3 upper lobes pale yellow with darker spotting, throat yellow; corolla widely campanulate, to 3in(7.6cm) wide. Free-flowering; Late Midseason; 6 ft.; -5F(-21C); Plant slightly wider than tall; glossy leaves. Charles Herbert, reg. 1977.</p>





Name & Photo	Description:
<p><b>Pikeland (Herbert)</b></p> 	<p><i>keiskei x campylogynum, Tower Court form</i></p> <p>Pink; Flower pale rose with darker edges and spotting, 1.25in(3.2cm) across, 5 lobes; inflorescence of about 6 trusses, each 6 to 7 flowers. Free flowering; Early Midseason; 1 ft.; -5F(-21C); Plant rounded, as wide as tall; leaves 2.25in(5.7cm) long, scaly below, held 3 years. Charles Herbert, reg. 1976; Lepidote.</p>
<p><b>Pink Twins (Gable)</b></p> 	<p><i>red catawbiense x haematodes hybrid</i></p> <p>Pink; Flower widely funnel-campanulate, hose-in-hose, frilly edges, 2" across, light pink colored. Ball-shaped trusses of about 15; Midseason; 4 ft.; -10°F (-23°C); Leaves ovate to elliptic, mucronate apex, rounded base, 3" long, medium green with yellow stems. Compact and relatively slow growing plant when young; Elepidote.</p>
<p><b>Pride of Dorchester (Al Smith)</b></p>	<p><i>(smirnowii x Lady Bessborough) x degronianum ssp. yakushmanum, Koichiro Wada</i></p> <p>White: White flowers with red throat, narrow speckled red flare, wavy edge; ball trusses of 14; Late Midseason: 3 ft.; -15F(-26C); Elliptic leaves; fawn indumentum. A.W. Smith, reg. 1989.</p>
<p><b>Pride's Early Red (Pride)</b></p> 	<p>Red; A little known Lanny Pride plant from the "ice box" of western Pennsylvania. Most hardy reds tend to grow tall and gangly, but this cultivar is unusually compact. This compactness and its redder flowers on a tough Zone 5 plant are its differentiating qualities. The leaves are a dark forest green. It blooms earlier than other red ironclads</p>
<p><b>Pride's Pink Maximum (Pride)</b></p>	<p><i>Rhododendron maximum</i></p> <p>Pink selection of the large leaved elepidote Rhododendron native to the eastern US. It blooms in late June to early July. Best in partial shade. 6x4 feet in ten years.</p>











Name & Photo	Description:
<p><b>Pure Sex (Trautman)</b></p> 	<p><i>Janet Blair x Loderi Venus</i></p> <p>Pink, huge trusses of pink and white, no stamens, beautiful dark foliage, mid-May, 7' x 7'; Trautman.</p>
<p><b>Queen Anne's (Skinner)</b></p> 	<p><i>(brachycarpum x catawbiense) x unknown white fortunei hybrid</i></p> <p>White; Flower openly funnel-shaped, wavy lobes, 2½" across, very pale violet when first open, quickly fading to white. No markings. Flowers look doubled due to fused and petaloid stamens. Ball truss of 10 to 13 flowers; Early Midseason; 5 ft.; 0°F (-18°C); Leaves elliptic, apiculate apex, cuneate base, 3" long, glossy, olive green, retained 2 years. Rounded, open habit; Elepidote.</p>
<p><b>Quiet Quality (Dexter)</b></p> 	<p><i>Parentage unknown</i></p> <p>Pink; Flowers light purplish pink, paling to white in center, spotted yellowish green; frilled. Ball-shaped trusses of 9; Midseason; 5 ft.; -5F(-21C); Plant moderately branched; glossy foliage. Dexter, cross; Tyler Arboretum, reg. 1983.</p>
<p><b>R.O. Delp (Hinerman/Delp)</b></p> 	<p><i>Lodestar x Mary Belle</i></p> <p>a.k.a. RONALD OTTO DELP</p> <p>Pink; Openly funnel shape, 6 lobe flowers strong purplish red and strong to light purplish pink in bud, opening pale and strong purplish pink with pale yellow flare and throat, deep purplish red dorsal spots. Trusses 7.1 in(18cm) wide, holding 16 flowers; Late Midseason; 3 ft.; -20F(-29C); Often a parent of Delp hybrids. Dr. Doren Hinerman, Ann Arbor, MI, cross 1975; Weldon Delp, raiser; reg. 1992.</p>




Name & Photo	Description:
<b>Red Hot Mamma (T. Ring/Delp)</b>	<p><i>Anne Hardgrove x (#2 Red (Tom Ring) same as Anna Delp x Delp's Cindy Lou)</i></p> <p>Red; Flowers in conical trusses of 18, open funnel shape, 5 lobes, dark red and vivid red in bud, opening vivid red edged deep red; anthers dark red; Late Midseason; 3 ft.; -15F(-26C); Dr. Tom Ring, cross 1984; Weldon Delp raiser; reg. 1994.</p>
<b>Reiley White Cloud (Reiley)</b>	<p><i>sport from 'Wynterset White'</i></p> <p>White; Flowers 20/domed truss, open funnel-shaped, 45 x 70mm, with 5 wavy-edged lobes, pure white in bud, opening pure white throughout, without any tinge of lavender; the inconspicuous, sparse, bronze, dorsal spotting and red bud scales of 'Wynterset White' are retained. Calyx minute! Early Midseason; Leaves elliptic, 25- 50 x 50-55mm, acute at apex, cuneate at base, margins flat, dull green above, hairless; Grown: H.E. Reiley ( 995), named and registered by H.E. Reiley (2006). ; Elepidote</p>
<b>Reileyridge Bright Day (Reiley)</b> 	<p><i>Janet Blair x Ed's Red</i></p> <p>Pink, strong purplish pink with a strong orange yellow dorsal flare, midseason, 6' x 4'</p>
<b>Reileyridge Double Delight (Reiley)</b> 	<p><i>Evening Glow x Janet Blair</i></p> <p>Pink, light yellow inside, pink and yellow outside, moderately scented, dense habit, midseason, 4' x 4'</p>
<b>Reileyridge Low Boy (Fetterhoff/Reiley)</b> 	<p><i>Parentage unknown</i></p> <p>Pink, light yellow inside, pink and yellow outside, moderately scented, dense habit, midseason, 4' x 4'</p>





Name & Photo	Description:
<p><b>Reileyridge Picotee (Reiley)</b></p> 	<p><i>Janet Blair x Donna's Day</i></p> <p>Red, strong red with a light pink star-shaped center, lightly scented, mid-May, 5' x 4'</p>
<p><b>Reileyridge Sweet Sue (Reiley)</b></p> 	<p><i>fortunei x Caractacus</i></p> <p>Orchid flowers with dark purple center blotch, strongly scented, early - midseason, 10' x 15' (30 years)</p>
<p><b>Reileyridge Target (Reiley)</b></p> 	<p><i>(fortunei x Caractacus) x Caractacus</i></p> <p>Purplish pink flowers with deep red centers, strongly scented, early to midseason, 7' x 12' (30 years)</p>
<p><b>Renova (Rhein)</b></p>	
<p><b>Repose x Fashion Plate (Becales)</b></p>	<p><i>Repose x Fashion Plate</i></p> <p>Yellow, large light yellow flowers, large truss, mid-season</p>
<p><b>Rhein's Blue Ridge (Rhein)</b></p> 	<p><i>Mrs. Thomas Lowinsky x Janet Blair</i></p> <p>Elepidote</p>

Name & Photo	Description:
<b>Rhein's Durango (Rhein)</b> 	
<b>Rhein's Find</b> 	<i>Kluis Sensation x Cadis</i>  White; Off-white flowers with pale red blotches; Midseason
<b>Rhein's Luna (Rhein)</b> 	<i>minus var minus Carolinianum Group x Russautinii Group</i>  Purple; Flower openly funnel-shaped, 1-3/4" across, light purple edges shading lighter in throat. Ball-shaped truss with 4-6 flowers. Flowers don't produce pollen; Early Midseason; 5 ft.; -15°F (-26°C); Leaves elliptic, acute apex, cuneate base, convex, 2-3/4" to 3-1/8" long, semi-glossy, moderate olive green. Open growth habit; Lepidote.
<b>Rhein's Picotee (Rhein)</b> 	<i>Sappho x Janet Blair</i>  Purple; Flowers in dome trusses of 15-20, funnel-shaped, 5 very wavy-edged lobes, light purple margins, yellowish white star-shaped center, large areas of strong orange yellow spotting on dorsal lobe; trusses up to 7in(17.7cm) wide by up to 6in(15.3cm) high; Early; 6 ft.; -25F(-32C); Leaves held 2 years. Dr. W.L. Rhein, cross 1973; reg. 1995 for Susquehanna Valley Chapter, ARS.
<b>Rhein's Praecox (Rhein)</b>	




Name & Photo	Description:
<p><b>Rhein's White Star (Rhein)</b></p> 	<p><i>Madam Masson x Catawbiense Album</i></p> <p>Elepidote; -20F(-29C); Rhein.</p>
<p><b>Rhodworks (Delp)</b></p> 	<p><i>Parentage unknown</i></p> <p>Pink; Flowers 20 in truss, pale purplish pink, edged vivid purplish red.</p>
<p><b>Ring's Monarch (Tom Ring)</b></p> 	<p><i>Graf Zeppelin x Newburyport Belle (Fowle #19--unknown)</i></p> <p>Pink; Giant trusses 6in(15cm) by 4.5in(11cm) with flowers pink and white, 2.5in(6cm) in diameter. Floriferous. Foliage very dark green, indented seams; 3 ft.; -15F(-26C); Roots easily. Tissue cultured. Best of Show, Great Lakes Chapter, ARS, 1996. Dr. Tom Ring, cross c.1982. Mowbray Gardens, introduced.</p>
<p><b>Robert Allison (Gable)</b></p> 	<p><i>Caroline x fortunei ssp discolor</i></p> <p>Pink; Flower openly funnel-shaped, frilly edges, up to 3½" across, fragrant, very light pink with a pale yellow throat. Held in flat top-topped trusses; Fragrant; Late Midseason; 5 ft.; -10°F (-23°C); Leaves narrowly oblong to obovate, mucronate apex, cuneate base, 5" long, waxy, bluish-green. Upright growth habit; Elepidote.</p>




Name & Photo	Description:
<p><b>Robert Huber (Herbert)</b></p> 	<p><i>Everchoice x unknown</i></p> <p>Pink; Dark pink buds opening to orchid pink flowers, with darker pink edges, spotting of Spanish orange; spherical trusses of about 14; Midseason; 4 ft.; -5F(-21C); Probably a cross of 2 Dexter hybrids. Upright plant, almost as broad as tall; glossy, yellowish green foliage. S. Everitt, cross; Charles Herbert, reg. 1979.</p>
<p><b>Running Deer (Gable/Yates)</b></p> 	<p><i>Mars x Catalgla</i></p> <p>Pink; Flower is bright pink with a white blotch; elepidote; Midseason; 6 ft.; -20F(-29C); Gable.</p>
<p><b>Ruth Davis (Gable/Davis)</b></p> 	<p><i>degronianum ssp yakushmanum x degronianum ssp heptamerum</i></p> <p>White; Flower openly funnel-shaped, wavy lobes, 2¼" across, yellowish-white with yellowish-green blotch, reverse pink until fully open. Held in ball-shaped trusses of 17 flowers; Early Midseason; 3 ft.; -10°F (-23°C); Leaves oblanceolate, somewhat convex, 5" long, glossy, green with orange-white felt-like indumentum, slight tomentum on new growth. Leaves retained 3 years. Rounded habit; Elepidote.</p>
<p><b>Sagamore Bayside (Dexter/Scott Arb.)</b></p> 	<p><i>Dexter No. 16-- unknown fortunei hybrid</i></p> <p>Pink; Light purplish pink flower, wavy edges, yellow-green stripe down center; trusses of 9; 5 ft.; -5F(-21C); Dull olive green foliage; well-branched plant. Tyler Arboretum, reg. 1982.</p>
<p><b>(Scintillation x Apricot Nectar) x Phipps 32 (Becales)</b></p>	<p><i>(Scintillation x Apricot Nectar) x Phipps Yellow</i></p> <p>Becales, red buds open to yellow flowers, midseason</p>




Name & Photo	Description:
<b>Seraglio (MacMullan)</b>	<p><i>(Dexter's Brandy-green x Dexter's Champagne) x Mary Belle</i></p> <p>Pink, flowers of yellow, pink and apricot, early May, 4' x 5', hardy to -12; MacMullan.</p>
<b>Simple Gift (Ahern)</b>	
<b>Sir James (Gable)</b> 	<p><i>fortunei x unknown</i></p> <p>Pink; Midseason; Light pink flowers; floriferous; 5 ft.; -10F(-23C); Medium green foliage. Dexter hybrid; J.B. Gable, introduced.</p>
<b>Skylark (Gable)</b> 	<p><i>maximum x unknown</i></p> <p>Pink; Flowers 2.25in (6.3cm) wide, rose pink, paler towards center; Late; 4 ft.; -10F(-23C); Leaves dull moderate yellow green with very short reddish brown hairs below. Joe Gable, cross, pre-1974; W. Baldseifen, introduced; Gable Study Group, reg. 1991.</p>
<b>Smirfort (Gable)</b>	<p><i>smirnowii x fortunei</i></p> <p>Pink; 'SmirFort' is a large flowered plant and quite hardy light pink; -15F(-26C).</p>
<b>smirnowii (Ahern)</b> 	<p><i>species</i></p> <p>Pink; Funnel-campanulate, pink to rose-purple, spotted yellow to brown. Truss holds 6-15 flowers; Late Midseason; 4 ft.; -15°F (-26°C); Leaves oblanceolate to elliptic, up to 7" long, margins recurved, pale fawn to pale brown indumentum; Compact bush, more upright in shade.</p>
<b>smirnowii x Sir Charles Lemon (Becales)</b>	<p><i>smirnowii x Sir Charles Lemon</i></p> <p>Pink, pinkish white flowers, indumentum, early</p>





Name & Photo	Description:
<p><b>Snow Shimmer (Scott Arb)</b></p> 	<p><i>fortunei</i> ssp. <i>discolor</i> x (<i>maximum</i> x <i>fortunei</i> ssp. <i>discolor</i>)</p> <p>White; Flowers 4in(10cm) wide, 7 lobes, very fragrant, white, a pale yellow glow at center; ball shape trusses of 10; Late; 6 ft.; -5F(-21C); Plant broader than tall; olive green leaves, new growth greenish brown. John &amp; Gertrude Wister, Scott Horticultural Found., reg. 1980.</p>
<p><b>Sonny's Love (Reichart)</b></p> 	<p><i>Parentage unknown</i></p> <p>Purple; Flowers in multi-bud trusses of 12, ball shape trusses, saucer shape, double and semi-double, with petaloid stamens; 5 wavy edge lobes; light purple in bud, opening light purple throughout, unmarked. Multi-bud inflorescence 2in(5cm) high by 3in(7.6cm) wide; 6 ft.; -20F(-29C) (heat tolerant to 104F); Leaves held 2-3 years, glossy, dark green with tiny white scales. Seed collected wild in mountains near Sitka, Alaska 1986; L.W. Reichart, Glen Allen, MD, reg. 1996; Lepidote.</p>
<p><b>Spectacular (Cowles)</b></p> 	<p><i>Parentage unknown</i></p> <p>Pink: Openly funnel shape flowers, 7 wavy edge lobes, peach colored in bud, opening moderate yellowish pink with white ribs and strong yellow flare on centers of 3 lobes; ball shape trusses 8in(20.3cm) by 8in(20.3cm), holding 11-12 flower; Late Midseason; 6 ft.; 0 F(-18C); J.C. Cowles, cross; Heritage Plantation, raiser; Jean Beutler, namer; Dr. Don Kellam described.</p>
<p><b>Steelton (Rhein)</b></p>	
<p><b>Stokes Bronze Wings (Stokes)</b></p> 	<p><i>maximum</i> x <i>catawbiense</i></p> <p>Purple; Flower 2-1/8" across, blend of light and very light purple with a greenish-yellow flare and yellow-green spots on 3 upper lobes. Held in trusses with 30 flowers; Late; 6 ft.; -25°F (-32°C); Leaves elliptic, 5/4" long; Elepidote.</p>





Name & Photo	Description:
<p><b>Summer Jewel (Swarthmore)</b></p> 	<p><i>Alandale x discolor (Alandale = maximum x discolor)</i></p> <p>White; Large white flowers with faint yellowish ochre in throat. SW 58-627A; medium com pact plant, excellent foliag, late June.</p>
<p><b>Sun Spray x Fashion Plate (Becales)</b></p>	<p><i>Sun Spray x Fashion Plate</i></p> <p>Yellow, large light yellow flowers, midseason</p>
<p><b>Sunnyview (Delp)</b></p>	<p><i>Candidissimum x Slippery Rock--Newport F4</i></p> <p>Purple; Flowers in trusses of 16, broadly funnel-campanulate, 5 lobes, strong and light purple in bud, opening very pale purple edged with a blend of deep reddish purple and strong to light purple, and with a pale greenish yellow flare and moderate yellow green dorsal spots; Late Midseason; 4 ft.; -15F(-26C); Weldon Delp, cross 1974; reg. 1992.</p>
<p><b>Sunrise 76 (Gable)</b></p>	<p><i>Parentage unknown</i></p> <p>Gable, peachy cream flowers, nice dark green shiny foliage. Possibly the same plant as Gable's Sunrise (Gable)</p>
<p><b>SW 52-308 C (Swarthmore)</b></p>	<p><i>Parentage unknown</i></p>
<p><b>SW 58-279 MM (Swarthmore)</b></p> 	<p><i>Scintillation x haematodes ?</i></p>
<p><b>SW 58-281-H (Wister)</b></p> 	<p><i>Parentage unkown</i></p> <p>Wister, pink with yellow overtones, midseason, 5' x 5'</p>

Name & Photo	Description:
SW 60 R-15 (Swarthmore)	
SW 58-300M (Swarthmore)	
<p><b>Swatara (Doppel)</b></p> 	<p><i>Parentage unknown</i></p> <p>Pink; Flowers 3" wide - 8 in a ball truss, Pale pinkish cream fading to light cream with 2 small orangish dorsal streaks in throat. Leaves dark green-3 1/2" x 1 1/4". Shrub 4 1/2' x 3' in 10 years. Blooms mid May. Hardy in zone 6. Raised by John Doppel</p>
<p><b>Sweetness (MacMullan)</b></p> 	<p><i>(yakushmanum x Jean Marie de Montagu) x (metternichii var. Hondoense, Oki Island form x Jean Marie de Montagu)</i></p> <p>Pink, deep vibrant pink with paler throat and red dorsal flare, early to mid-May, hardy to -15, indumentum, low spreading shrub, 3' x 5'; MacMullan.</p>
<p><b>Thumbs Up (Ahern)</b></p>	<p><i>Mary Belle x pseudochrysanthum</i></p> <p>White; ivory white with maroon basal blotch and spotting; Midseason; 3 ft.; dense habit.</p>
<p><b>Tickley (Delp)</b></p>	<p><i>minus Carolinianum Group, pink form--Achiever x polycladum Scintillans Group</i></p> <p>Purple; Flowers in trusses of 6, open funnel-shaped, 5-lobed, strong and light purples in bud, opening to lighter flowers with deep purplish pink stamens and pistil. Trusses 2.75in(7cm) wide. Weldon Delp, cross 1974; Ginny Delp, named &amp; reg. 1995; Lepidote.</p>
<p><b>Todmorden (Dexter/Scott)</b></p> 	<p><i>(Pygmalion x haemotodes) x Wellfleet</i></p> <p>Pink; Flower widely funnel-shaped, wavy lobes, 3 1/2" across, deep purplish-pink edges shading to light purplish-pink, aging to nearly white, sparse light yellow-green spots. Held in ball-shaped trusses of 8-15 flowers; Late Midseason; 6 ft.; -10°F (-23°C); Leaves elliptic to nearly oblong, flat to concave, 5" long, dull, yellowish-green, retained 2 years. Upright, rounded habit; Elepidote.</p>

Name & Photo	Description:
<b>Trinity (Pride)</b>	<i>Janet Blair x Crest</i>  White, wavy-edged lobes, white, dark green foliage, midseason, 4' x 4'
<b>unknown red-white bicolor (Cowles?)</b>	
<b>Valley Creek (Gable/Herbert)</b> 	<i>Essex Scarlet x fortunei</i>  Pink; Deep rosy pink flowers, a dark blotch, 3.5in(9cm) wide, 5 to 7-lobes, slightly fragrant, in flat trusses of 10; Late Midseason; 6 ft.; -5F(-21C); An upright plant with stiff branches; narrowly elliptic leaves 6.75in(17cm) long, held 3 years. Joe Gable, cross; Charles Herbert, reg. 1976.
<b>Valley Forge #1 (Herbert)</b> 	<i>Atrosanguineum x (fortunei x williamsianum)</i>  Red; Flowers medium spinel red, spotted in cardinal red, heavily on dorsal lobe, 3.8in(9.5cm) wide, 7 lobes; trusses of 15-18; Late Midseason; 6 ft.; -5F(-21C); Plant upright, rounded, well-branched; glossy leaves 6 in(15.2cm) long. Charles Herbert, reg. 1976.
<b>Valley Forge #2 (Herbert)</b>	<i>Atrosanguineum x (fortunei x williamsianum)</i>  Pink; Rose with black blaze in throat; elepidote; Herbert.
<b>Verde (Rhein)</b> 	<i>Marchioness of Lansdowne x Janet Blair</i>  Hybrid by Dr. W.L. Rhein.

Name & Photo	Description:
<p data-bbox="131 218 557 281">[(Verna Phetteplace x yak. Exbury) x (Hotei x yak)] #2 (MacMullan)</p> 	<p data-bbox="626 218 1425 281"><i>[(Verna Phetteplace x yakushimanum Exbury) x (yakushimanum Exbury x Hotei)] #2</i></p> <p data-bbox="626 317 1430 380">Yellow, creamy yellow flowers, mid-May, fine shiny foliage, low growing, 3' x 5', hardy to -15</p>
<p data-bbox="131 627 488 659"><b>Vinecrest x Sweet Lulu (Looye)</b></p>	<p data-bbox="626 627 870 659"><i>Vinecrest x Sweet Lulu</i></p> <p data-bbox="626 695 1406 758">Yellow, medium yellow flowers, early May, 6' x 4' (10 years); ARS Seed Exchange 1999-883, Looye (Cordy).</p>
<p data-bbox="131 785 412 816"><b>Virginia Delp (Al Smith)</b></p> 	<p data-bbox="626 785 802 816"><i>Kristin x Calsap</i></p> <p data-bbox="626 852 1446 978">Light purple; very wavy-edged flower with light purple margins shading to very pale purple at center, large blotch moderate yellow. Tall, conical trusses 6in(15.2cm) x 6in; Late Midseason; 2.5 ft.; -15F(-26C); A.W. Smith, cross; reg. 1989.</p>
<p data-bbox="131 1205 363 1236"><b>Whittenton (Dexter)</b></p> 	<p data-bbox="626 1205 1292 1236"><i>Parentage unknown (Reputedly a subsection Fortunea hybrid)</i></p> <p data-bbox="626 1272 1446 1335">Pink; Flowers light purplish pink on a vigorous plant; fragrant. Midseason; 6 ft.; -15F(-26C); Dexter, cross; Willard, raiser; J. Wells, reg. 1980.</p>
<p data-bbox="131 1583 355 1614"><b>Will's Wisp (Rhein)</b></p> 	<p data-bbox="626 1583 805 1614"><i>fortune x Vulcan</i></p> <p data-bbox="626 1650 1438 1839">Pink; Flowers in conical trusses of 14, openly funnel-shaped, scented, 6 flat-edged lobes; deep pink in bud, opening pale orange yellow edge strong purplish pink, spotted and streaked vivid yellow green on upper lobes; outside midribs streaked deep pink; trusses 5in (12.7cm) high by 6.5in(16.5cm) wide; Midseason; 6 ft.; -20F(-29C); Dr. W.L. Rhein, Mechanicsburg, PA, cross; reg. 1996.</p>

Name & Photo	Description:
<b>Windbeam Improved (Mehlquist)</b>	<i>Parentage unknown</i>  White, white flowers tinged pink, early May, more compact habit than 'Windbeam' 3' x 3' (8 years); Mehlquist.
<b>World Peace (Tom Ring)</b>	<i>Catalpa x Graf Zeppelin</i>  White, pure white flowers, slight trace of indumentum on leaves, mid-May, 4' x 5'; Tom Ring.
<b>yakushmanum x Brittanica (Reese)</b>	<i>yakushmanum x Brittanica</i>
<b>yakushmanum x campanulatum</b>	<i>yakushmanum x campanulatum</i>  White flowers, very nice yakushmanum-like foliage, heavy indumentum, early to mid-May 3.5' x 3.5' (12 years); (Rarefind).
<b>yakushmanum x elegantum (Ahern?)</b>	<i>yakushmanum x elegantum</i>
<b>yakushmanum x falconeri</b>	<i>yakushmanum x falconeri</i>
<b>yakushmanum x forrestii (Reese)</b>	<i>yakushmanum x forrestii</i>
<b>yakushmanum x recurvoides</b>	<i>yakushmanum x recurvoides</i>
<b>Yate's Treena (Yates)</b> 	<i>(catawbiense var. album Glass, Catalpa x (wardii x unknown)) x (wardii x yakushmanum)</i>  Yellow; Buds of rose, shaded yellow, open to canary yellow flowers, dorsal rays of burgundy spots, 3in(7.6cm) across, 5 wavy-frilled lobes, domed truss of 12-14; Late Midseason; 3f t.; -10F(-23C); Upright, plant branched well, wider than tall; cypress green foliage to 4in (10.2cm), held 2 years. H. Yates cross; Mrs. Yates, reg. 1984.
<b>Zoe Graves (Dexter/Winterthur)</b> 	<i>Parentage unknown</i>  Purple; Broadly funnel shape flowers of 7 wavy-edged lobes, 3.3in(8cm) wide, light rose purple with deep purplish pink rims, a dark red blotch; domed truss of 10; Midseason; 4 ft.; -15F(-26C); Dull green, convex leaves. C.O. Dexter, cross; Winterthur Museum & Gardens, reg. 1987; elepidote.