



2011

Robin Lane Fox writes:

“Every keen gardener knows that Crûg Farm Plants is utterly special. Many would say that the range here is the outstanding nursery collection of its kind in Britain.”

Dan Hinkley writes:

“My frequent travelling companions Bleddyn and Sue Wynn Jones .. are unparalleled in regards to an astute eye and near maniacal approach to plant exploration,”

James Alexander-Sinclair writes:

“a dream nursery at the foot of Mount Snowdon. Their list contains mouthwatering stuff and their packaging is a work of art in itself”

Roy Lancaster writes:

“With limited time it is impossible to do justice to the many riches at Crûg Farm and I left reluctantly, with one thought in my head; if heaven is like this, here’s hoping”



We are pleased to report that the nursery is going from strength to strength. Partly due to a more flexible approach to access and a conscientious workforce, many thanks to all concerned. Without forgetting all the support from our loyal customers. Don't forget we

accept appointments all year round to collect containerised plants or select open ground plants for lifting at a convenient time. Our sales area will not be open over the winter months, but the plants are accessible to our staff.

Approaching the end of our 20th season may mean that we will be coming of age in 2011. Sue at least has risen to the challenge and has signed up to exhibit at the RHS Chelsea Flower Show. Fingers crossed. Luckily for me I'm banned from helping them, which must also mean I have come of age as a grumpy old man.

At last we made it back into the collecting fields of Asia this autumn, having finally shaken off the gangsters that masquerade under the respectability of banking. More interesting woodies to look forward to in the coming years as well as a good sprinkling of climbers and herbaceous. Great country to collect in, Korea is so buoyant, it's a pity that our American colleagues did not feel safe enough there to join us. Sue and I had a great time for one of the weeks exploring the islands off the south coast. Lots of thanks to Kihun Song for helping us, saved us a bomb on transport.

As always all the details of our opening hours are on the back cover of this list as well as a list of our events. For those of our customers who are unable to visit the nursery we are offering an online shopping experience, with deliveries throughout the UK and Europe, from **www.mailorder.crug-farm.co.uk**. Where there are search facilities by many criteria (i.e. colour), as well as by plant name, while indicating availability, pot sizes and prices. Our carrier, City Link offer an overnight fragile service, which should have your plants delivered in fresh condition before 5.30pm the following day to dispatch (UK). We have specially made boxes in 3 sizes giving us the option of dispatching plants from 30cm (1ft) to 295cm (10ft) tall. Our carriage charges are **by the box**, (volume not weight) hence please consider ordering enough plants to fill a box, rather than one plant as the carriage charge would be the same. There is no minimum charge for the plants purchased. For additional queries on plant availability etc contact Sue at **mailto:mailorder@crug-farm.co.uk**. We try our best to reply to any queries, a brief e-mail can be the surest way of a prompt reply. For any other information visit our nursery website via **www.crug-farm.co.uk** where there is additional information on our events, accommodation and some seasonal plantings.

Please note the lay-out of the following list avoiding repetition of collected plants, (**etc** signifying more collections available) the full list and descriptions are on our mailorder web-site where space is unlimited. Here there are not only descriptions of all of our plants, but photographs of most as well, this information is also accessible on the computer in our sales-area. We should forewarn our customers that as the season progresses many of our lines will be out of stock. Conversely new lines highlighted **bold** on this list, will be offered from January 1st on as they become available. Please note that some of the plants are ordinarily only available bare rooted,  indicating those plants.

Collector's References

These combination of initials and numbers are accession numbers that are assigned to collections we and others gather from wild populations from all over the world. These are assigned to each collection as they are made to enable interested parties to track their origins. The list of initials below are those assigned to our own collections as well as a few other collectors we introduce plants from.

AGS/ES	Alpine Garden Society Expedition Sikkim 1983
B&L	C.D. Brickell & A.C. Leslie
BSSS	Crûg Expedition, Jordan 1991
BSWJ	Bleddyn & Sue Wynn-Jones
BWJ	Bleddyn Wynn-Jones
CNDSC	C. Nelson & D. Sayers
CWJ	Finlay Colley & Bleddyn Wynn-Jones Taiwan 2007
DJH	Daniel J. Hinkley (followed by country and year code)
EDHCH	Eric Hammond China 1997
GWJ	Sally Goddard, B. & S. Wynn-Jones
GUIZ	Guizhou Expedition (1985)
HWJ	Crûg-Heronswood Joint Expeditions, Vietnam
HWJCM	Crûg-Heronswood Joint Expedition, E. Nepal 1995
HWJK	Crûg-Heronswood Joint Expedition, E. Nepal 2002
KR	Keith Rushforth
KWJ	Crûg-World of Ferns Joint Expedition Vietnam 2007
RH	M. Rickard & R. Hayward
SEP	Swedish Expedition to Pakistan
RWJ	Crûg-Rickard's Ferns Joint Expedition to Taiwan 2003
WWJ	Peter Wharton & Bleddyn Wynn-Jones, Vietnam 2006-7

Abbreviations

- aff. affinity to (bearing a similarity to)
- etc additional collections available
- f. forma
- sp. species
- ssp. subspecies
- x hybrid
- v. variety
-  plants only available bare root (open ground)

A

(Araliaceae)	Acanthopanax	hypoleucus BSWJ5532 aff. nakaianus BSWJ5027 -
	-	sciadophylloides BSWJ4728
	-	senticosus v. koreanus BSWJ4568
	-	sessiliflorus BSWJ4528 etc ♀
(Aceraceae)	Acer	albopurpurascens CWJ12361 buergerianum v. formosanum CWJ12477
	-	campbellii ssp. campbellii GWJ9360 ♀
	-	- v. fansipanense (<i>see A. pectinatum ssp. pectinatum</i>)
	-	carpinifolium BSWJ10955 etc
	-	caudatifolium BSWJ7053 etc
	-	caudatum GWJ9279 etc ♀
	-	- ssp. ukurunduense BSWJ8658 ♀
	-	circinatum BSWJ9565 ♀
	-	cissifolium BSWJ10801
	-	crataegifolium BSWJ11036 etc
	-	erythranthum BSWJ11733 etc
	-	fabri WWJ11614
	-	forrestii BWJ7515 ♀
	-	heptaphlebium BSWJ11713 etc
	-	japonicum BSWJ8417 ♀
	-	kawakamii BSWJ6734 etc
	-	laevigatum BSWJ11684
	-	mono v. marmoratum f. dissectum BSWJ8914 ♀
	-	morifolium BSWJ11473
	-	morrisonense BSWJ6710 etc
	-	oblongum KWJ12232 etc
	-	oliverianum ssp. formosanum CWJ12437 etc
	-	palmatum ssp. amoenum BSWJ10916 etc
	-	- v. coreanum BSWJ8606 ♀
	-	- v. matsumurae BSWJ11100 etc
	-	- v. micro-sieboldianum BSWJ8766 ♀
	-	pectinatum GWJ9354 ♀
	-	- ssp. pectinatum BSWJ8270 etc ♀
	-	pseudosieboldianum BSWJ8746 etc
	-	reticulatum BSWJ11698
	-	rubescens BSWJ6735 etc
	-	rufinerve BSWJ11571 etc
	-	serrulatum CWJ12437 etc
	-	shirasawanum v. tenuifolium BSWJ11096
	-	sieboldianum BSWJ11049 etc
	-	- v. tsushimense BSWJ10962
	-	sikkimense from northern Vietnam BSWJ11613 etc
	-	stachyophyllum BSWJ8101

Plants highlighted in bold are new to the 2011 list

(Aceraceae)	Acer	takesimense BSWJ8500 etc
	-	tataricum ssp. aidzuense
	-	BSWJ10958
	-	tegmentosum BSWJ8421 
	-	tonkinense ssp.
		liquidambarifolium
	-	DJHV06173
	-	truncatum v. barbinerve
		BSWJ8806 
(Berberidaceae)	Achlys	japonica
	-	triphylla
(Ranunculaceae)	Aconitum	albo-violaceum
	-	v. albiflorum BSWJ4105 etc
	-	- v. purpurea BSWJ8477
	-	arcuatum BSWJ774
	-	austroyunnanense BSWJ7902
	-	bartlettii BSWJ337
	-	bulbilliferum HWJK2120
	-	carmichaelii v. truppelianum
		HWJ732
	-	chiisanense BSWJ4446
	-	episcopale
	-	ferox from Nepal HWJK2217 
	-	fischeri BSWJ8809
	-	formosanum BSWJ3057
	-	fukutomei BSWJ337
	-	hemsleyanum
	-	jaluense BSWJ8741
	-	japonicum ssp. montanum
		BSWJ5507
	-	- ssp. subcuneatum BSWJ6228
	-	laciniatum GWJ9254 etc
	-	loczyanum BSWJ11529
	-	longecassidatum BSWJ8486 etc
	-	napiforme BSWJ943
	-	proliferum BSWJ4107
	-	pseudolaeve BSWJ8663
	-	- v. erectum BSWJ8466
		sennanense v. incisum
		BSWJ11032
	-	seoulense BSWJ694 etc
	-	sp. from Burma CNDS036
	-	sp. from Northern India
		GWJ9403
	-	spicatum GWJ9393 etc
	-	uchiyamai BSWJ1005 etc
	-	vilmorinianum BWJ8055
	-	yamazaki
	-	aff. zigzag v. ryohakuense
		BSWJ8906
(Ranunculaceae)	Actaea	alba (<i>see pachypoda</i>)
	-	americana (<i>see podocarpa</i>)

(Ranunculaceae)	Actaea	
-		arizonica
-		asiatica from China BWJ8174 etc
-		- from Japan BSWJ6351 etc
-		asiatica from Korea BSWJ4546 etc
-		bitternata BSWJ5591 etc
-		dahurica BSWJ8613 etc
-		frigida BSWJ2966 etc
-		heracleifolia BSWJ8843
-		japonica BSWJ5828 etc
-		- from Cheju Do BSWJ8758a etc
-		- v. acutiloba BSWJ6257
-		mairei BWJ7939 etc
-		matsumurae BSWJ11528 etc
-		pachypoda
-		podocarpa
-		rubra
-		rubra BSWJ9555
-		- f. neglecta
-		simplex BSWJ8664 etc
-		- 'Atropurpurea'
-		spicata
-		- native form
-		taiwanensis BSWJ3413 etc
-		yeoensis BSWJ6355 etc
(Actinidiaceae)	Actinidia	arguta BSWJ4592 etc
-		- 'Shoko' (F) BSWJ569
-		- 'Unchae' (M) BSWJ569
-		hypoleuca BSWJ5942 etc
-		kolomikta
-		- multiple seedlings of BSWJ4243
-		- 'Tomoko' (F) BSWJ4243
-		- 'Yazuaki' (M) BSWJ4243
-		latifolia BSWJ3563
-		petelotii HWJ628
-		pilosula (<i>tetramera</i> v. <i>malooides</i>)
-		polygama from Japan BSWJ5444 etc
-		-from Korea BSWJ8544 etc
-		sp. from China BWJ8161
-		aff. strigosa HWJK2367
(Campanulaceae)	Adenophora	capillaris v. leptosepala BWJ7986
-		aff. coelestis BWJ7998
-		grandiflora BSWJ8555 etc
-		jasionifolia BWJ7946
-		lamarckii BSWJ8738
-		maximowicziana
-		BSWJ11008
-		morrisonensis RWJ10008 etc
-		remotiflora BSWJ11016 etc
-		takedae BSWJ11424
-		aff. tracheliooides BSWJ8614
-		triphylla BSWJ10936

(Campanulaceae)	Adenophora	triphylla v. japonica BSWJ8835 etc
-	-	uehatae BSWJ126 etc
-	-	verticilliata BSWJ8608
(Hippocastanaceae)	Aesculus	wangii WWJ11886
(Lamiaceae)	Agastache	rugosa BSWJ4187 - 'Korean Zest' BSWJ735
-	-	altissima v. tanakai BSWJ6777 etc
(Simaroubaceae)	Ailanthus	acerifolia BSWJ4795
(Asteraceae)	Ainsliaea	- v. subapoda BSWJ11537 apiculata BSWJ11397 - v. acerifolia BSWJ6059 nervosa BSWJ11344 petelotii BSWJ11732 tonkinensis BSWJ11819 uniflora BSWJ11336
-	-	longeracemosa BSWJ3606
-	-	× pentaphylla BSWJ2829
-	-	quinata BSWJ4102 etc - variegated
-	-	- 'White Chocolate' BSWJ8415
-	-	- white flowered form
-	-	trifoliata BSWJ5063 etc
-	-	tuberosum BSWJ8881
(Alliaceae)	Allium	maximowiczii
(Betulaceae)	Alnus	pendula BSWJ10895
-	-	sieboldiana
(Zingiberaceae)	Alpinia	japonica BSWJ8889 aff. speciosa BSWJ11512
(Hamamelidaceae)	Altingia	poilanei BSWJ11756
(Araceae)	Amorphophallus	kiusianus BSWJ4845
(Vitaceae)	Ampelocissus	sikkimensis HWJK2066
(Vitaceae)	Ampelopsis	megalophylla
(Gesneriaceae)	Ancylostemon	convexus BSWJ6624 etc
(Ranunculaceae)	Anemone	apennina double blue chapaensis HWJ631 flaccida
-	-	hupehensis BWJ8190 etc
-	-	- v. japonica BSWJ4886
-	-	-- 'Pamina' ♀
-	-	× hybrida 'Honorine Jobert' ♀
-	-	- 'Lady Gilmour' ♀
-	-	- 'Margarete' ♀
-	-	- 'Queen Charlotte' ♀
-	-	- 'Richard Ahrens' ♀
-	-	- 'Rosenschale' ♀
-	-	- 'Whirlwind' ♀
-	-	keiskeana
-	-	leveillei
-	-	leveillei BWJ7919
-	-	× lipsiensis
-	-	matsudae BSWJ1452 etc
-	-	palmata ♀

(Ranunculaceae)	Anemone	pseudoaltaica
-		rivularis from China BWJ7611
-		sumatrana BSWJ11265
(Ranunculaceae)	Anemonella	thalictroides
(Ranunculaceae)	Anemonella	thalictroides 'Cameo'
-		- f. rosea
(Ranunculaceae)	Anemonopsis	macrophylla
-		- 'White Swan'
(Apiaceae)	Angelica	aff. acutiloba v. iwatensis BSWJ11197
-		anomala BSWJ10886
-		dahurica BSWJ8603
-		decurviva BSWJ5746
-		edulis BSWJ10968
-		gigas BSWJ4170
-		japonica BSWJ11480 etc
-		morii RWJ9802
-		pubescens BSWJ5593 etc
-		- matsumurae BSWJ6387
(Solanaceae)	Anisodus	carniolicoides BWJ7501 ♀
(Papilionaceae)	Apios	americana
(Ranunculaceae)	Aquilegia	buergeriana v. oxysepa BSWJ4775 etc ♀
-		rockii BSWJ7965 ♀
(Davalliaceae)	Araiostegia	hybrid blue
-		parvipinnata BSWJ1608
(Araliaceae)	Aralia	pulchra HWJ1007
-		apioides EDHCH9720
-		armata BSWJ6719 etc
-		bipinnata RWJ10101
-		cachemirica
-		californica
-		chapaensis HWJ723 etc
-		aff. chinensis BWJ8102
-		continentalis BSWJ4152 etc
-		cordata BSWJ5511 etc
-		decaisneana BSWJ3588 etc
-		elata BSWJ 5480
-		foliolosa BSWJ8360
-		kansuensis BSWJ7650 etc
-		racemosa BSWJ9570
-		aff. searelliana BSWJ11376
-		spinifolia BSWJ11745
-		vietnamensis BSWJ12349e
(Myrsinaceae)	Ardisia	japonica BSWJ1032
-		- v. minor BSWJ3809 etc
(Araceae)	Arisaema	consanguineum BSWJ071 etc
-		formosanum BSWJ280 etc
-		- f. stenophyllum BSWJ1477 etc
-		- v. bicolorifolium BSWJ3528 etc
-		grapsospadix BSWJ7000
-		kelung-insulare BSWJ256 etc
-		petelotii BSWJ9706
-		polyphyllum BSWJ3904 etc

(Araceae)	Arisaema	ringens f. praecox BSWJ1515 etc - f. sieboldii BSWJ551 etc taiwanense BSWJ269 etc - f. cinereus BSWJ1912 etc - v. brevipedunculatum BSWJ1859 etc - f. cinereus BSWJ1912 etc thunbergii ssp. autumnalis BSWJ1425 etc
(Araceae)	Arisarum	proboscideum
(Iridaceae)	Aristea	ecklonii
(Aristolochiaceae)	Aristolochia	cucurbitifolia BSWJ7043 griffithii BSWJ2118 heterophylla BSWJ3109 kaempferi BSWJ293 lukuensis BSWJ4960 manshuriensis BSWJ4284 moupinensis BWJ8181 onoei BSWJ4960 semperflorens
(Apiaceae)	Arracacia	sp. BSWJ9023
(Asteraceae)	Artemisia	kawakamii BSWJ088
(Araceae)	Arum	'Chameleon' italicum 'Marmoratum' - 'Spotted Jack' aethusifolius 'Little Gem' BSWJ 4475
(Rosaceae)	Aruncus	asiaticus BSWJ8624
(Aristolochiaceae)	Asarum	albomaculatum BSWJ1726 etc campaniforme canadense cardiophyllum BSWJ11742 caudatum - 'Album' - deciduous form caudigerum BSWJ1517 etc aff. caudigerum BSWJ12164 caulescens BSWJ 5886 etc delavayi epigynum 'Silver Web' BSWJ3442 europaeum fauriei hartwegii himalaicum GWJ9341 ❁ hypogynum BSWJ3628 etc infrapurpleum BSWJ1994 etc - 'Taroko Web' BSWJ209 leptophyllum BSWJ1983 etc macranthum BSWJ1691 etc maculatum BSWJ1114 etc magnificum maximum nipponicum BSWJ2839

(Aristolochiaceae)	Asarum	pulchellum
-	-	sieboldii
-	-	splendens
-	-	taipingshanianum BSWJ1688 etc
-	-	- 'Elfin Yellow' BSWJ1746
-	-	aff. wulingense
(Asparagaceae)	Asparagus	aff. meioclados BSWJ8309
-	-	schoberioides BSWJ8814
(Convallariaceae)	Aspidistra	attenuata BSWJ377
-	-	daibuensis BSWJ312b
-	-	aff. - 'Tidy Trim' BSWJ6866
-	-	- 'Totally Dotty' BSWJ3236
-	-	mushaensis BSWJ1953
-	-	- 'Spotty Dotty' BSWJ1949
-	-	zongbayi 'Uan Fat Lady'
-	-	sutepensis BSWJ5216
-	-	hayatae BSWJ8790
(Asteraceae)	Aster	cavaleri
(Ranunculaceae)	Asteropyrum	chinensis BWJ8178 ❁
(Saxifragaceae)	Astilbe	- v. davidii BSWJ8583 etc ❁
-	-	koreana BSWJ8611 etc
-	-	longicarpa BSWJ6711
-	-	microphylla BSWJ11085
-	-	rivularis GWJ9366 etc ❁
-	-	- v. myriantha BWJ8076a
-	-	thunbergii v. congesta
-	-	BSWJ10961
-	-	- v. aff. formosa BSWJ10946
-	-	- v. hachijoensis BSWJ5622
-	-	- v. okuyamae BSWJ10975
-	-	- v. sikokumontanum
-	-	BSWJ11164
-	-	- v. terrestris BSWJ6125
(Apiaceae)	Astrantia	'Buckland'
-	-	major 'Rubra'
-	-	- ssp. involucrata 'Shaggy'
-	-	- 'Sunningdale Variegated'
-	-	maxima
-	-	minor
(Aucubaceae)	Aucuba	japonica f. longifolia
-	-	- 'Salicifolia'
-	-	- 'Viridis'
-	-	omeiensis BWJ8048 etc

B

(Ranunculaceae)	Beesia	calthifolia
(Begoniaceae)	Begonia	annulata HWJK2424
-	-	'Candy Floss' BWJ7858
-	-	chapaensis HWJ642
-	-	chitoensis BSWJ1954
-	-	ferruginea BSWJ10479
-	-	grandis ssp. evansiana
-	-	- - 'Pink Parasol' BSWJ5702
-	-	- 'Sapporo'

Plants highlighted in bold are new to the 2011 list

(Begoniaceae)	Begonia	sikkimensis BSWJ2692
	-	aff. pedatifida DJHC98473
	-	'Pink Lady' BWJ8119
	-	putii BSWJ7245
	-	sinensis BWJ8133
	-	- 'Red Undies' BWJ8011
	-	sp. from China BWJ7840
	-	taliensis EDHCH042
	-	'Wild Swan' BWJ7772
(Iridaceae)	Belamcanda	chinensis BSWJ8692b
	-	- 'Crûg Colossal' BSWJ11373
(Flacourtiaceae)	Berberidopsis	corallina
(Berberidaceae)	Berberis	amurensis v. latifolia BSWJ8539 etc
	-	goudotii BSWJ10769
	-	insignis v. insignis BSWJ2432 etc
	-	aff. verticillata BSWJ10672
	-	virescens BSWJ2646d
(Saxifragaceae)	Bergenia	pacumbis BSWJ2693
(Betulaceae)	Betula	alleghaniensis dahurica BSWJ8462 ♀ ermanii BSWJ8801 insignis BSWJ11751 utilis GWJ9259 etc ♀
	-	aurea BSWJ9049
	-	triplinervia from Colombia BSWJ10696
	-	- from Mexico BSWJ10276
(Blechnaceae)	Blechnum	chilense
(Rutaceae)	Boenninghausenia	albiflora BSWJ1479 etc - pink tinged BSWJ3112
	-	japonica BSWJ4876 etc
	-	aff. acuminata BSWJ10617
	-	acutifolia BSWJ9094 etc
	-	boliviensis
	-	caldasii
	-	costaricensis BSWJ10467
	-	edulis BSWJ9017
	-	frondea
	-	hirsuta BSWJ10774
	-	multiflora BSWJ10681
	-	aconitifolia
(Saxifragaceae)	Boykinia	occidentalis ♀
	-	rotundifolia ♀
(Gesneriaceae)	Briggsia	kurzii GWJ9342
(Buddlejaceae)	Buddleja	asiatica BSWJ11278 auriculata colvilei BSWJ2121 etc - 'Kewensis' cordata. BSWJ10433 curviflora f. venenifera BSWJ6036 etc

(Buddlejaceae)	Buddleja	davidii BWJ8083
-	-	delavayi (heliophylla)
-	-	fallowiana BWJ7803
-	-	forrestii
-	-	japonica BSWJ8912
-	-	aff. lindleyana BSWJ11478
-	-	macrostachya HWJ602 etc
-	-	megalcephala BSWJ9106
-	-	nivea from Sikkim BSWJ2679
-	-	nivea v. yunnanensis BWJ8146
-	-	venenifera f. calvescens
		BSWJ895

C

(Asteraceae)	Cacalia	corymbosa HWJK2214
-	-	delphinifolia BSWJ5789 etc
-	-	farfarifolia v. acerina
-	-	BSWJ11541 etc
-	-	- v. bulbifera
-	-	hastatus v. farfaraefolius
-	-	BSWJ114680
-	-	kiusianus BSWJ11460
-	-	tebakoensis BSWJ11167 etc
		(now considered to be <i>Parasenecio</i>)
(Scrophulariaceae)	Calceolaria	perfoliata BSWJ10638
(Verbenaceae)	Callicarpa	japonica v. luxurians BSWJ8521
-	-	aff. tikusikensis BSWJ7127
(Campanulaceae)	Campanula	alliariifolia DHTU0126 ♀
-	-	punctata v. microdonta
-	-	BSWJ5553 ♀
-	-	'Sarastro'
-	-	takesimana BSWJ8499 ♀
-	-	-'Beautiful Truth'
(Cruciferae)	Cardamine	angustata
-	-	bulbifera
-	-	californica
-	-	diphylla
-	-	-'Eco Cut Leaf'
-	-	-'Eco Moonlight'
-	-	glanduligera
-	-	kitaibelii
-	-	laciniata
-	-	macrophylla 'Bright and Bronzy' BSWJ2165a
-	-	maxima
-	-	quinquifolia
-	-	trifolia
-	-	waldsteinii
-	-	yezoensis BSWJ4659 ♀
(Hydrangeaceae)	Cardiandra	alternifolia BSWJ5845 etc
-	-	-'Pink Geisha' BSWJ2803
-	-	amamiohshimensis

(<i>Hydrangeaceae</i>)	<i>Cardiandra</i>	formosana BSWJ2005 etc - 'Crûg's Abundant' BSWJ3632 - 'Hsitou' BSWJ7022 - 'Hsitou Splendour' BSWJ3618
	-	
	-	
	-	
(<i>Liliaceae</i>)	<i>Cardiocrinum</i>	cordatum BSWJ2812 etc - v. glehnii BSWJ4758 etc giganteum
	-	giganteum BSWJ2419 etc
	-	giganteum yunnanense
(<i>Liliaceae</i>)	<i>Cardiocrinum</i>	japonica BSWJ10803 etc
(<i>Corylaceae</i>)	<i>Carpinus</i>	kawakamii CWJ12412 etc laxiflora BSWJ10809 etc - v. longispica BSWJ8772 kawakamii CWJ12412 etc rankanensis RWJ9839 tschonoskii BSWJ10800
	-	petelotii BSWJ11818
	-	thalictroides
	-	- ssp. robustum
(<i>Zingiberaceae</i>)	<i>Caulokaempferia</i>	petelotii BSWJ11818
(<i>Berberidaceae</i>)	<i>Caulophyllum</i>	cathcartii 'Tenzing's Gold' BSWJ2281
	-	gracilis BSWJ7186 etc
(<i>Zingiberaceae</i>)	<i>Caulokaempferia</i>	spicata 'Arun Flame' HWJK2172
(<i>Zingiberaceae</i>)	<i>Cautleya</i>	- 'Crûg Canary' BSWJ2103 - 'Robusta'
	-	japonica BSWJ6636
	-	flagellaris BSWJ8572
(<i>Vitaceae</i>)	<i>Cayratia</i>	hookeri BSWJ11667
(<i>Celastraceae</i>)	<i>Celastrus</i>	kusanoi CWJ12445 orbiculatus v. papillosus BSWJ591
	-	paniculatus CWJ12478
	-	punctatus CWJ12439
	-	stephanotifolius BSWJ4727
(<i>Campanulaceae</i>)	<i>Centropogon</i>	cordifolius BSWJ10282 costaricæ BSWJ10455 ferrugineus BSWJ10665 hirsutus BSWJ10663 aff. valerii BSWJ10341 willdenowianus BSWJ10657
	-	aspernum BSWJ7260
	-	plumbaginoides
	-	willmottianum BWJ8140
(<i>Plumbaginaceae</i>)	<i>Ceratostigma</i>	pubescens GWJ9441
	-	roseum BSWJ10255
(<i>Asclepiadaceae</i>)	<i>Ceropegia</i>	japonica
(<i>Solanaceae</i>)	<i>Cestrum</i>	speciosa 'Crûg Cornetto' HWJ1056
(<i>Melanthiaceae</i>)	<i>Chionographis</i>	japonicus
(<i>Gesneriaceae</i>)	<i>Chirita</i>	oldhamii BSWJ2019 serratus
(<i>Chloranthaceae</i>)	<i>Chloranthus</i>	
	-	
	-	

(<i>Anthericaceae</i>)	<i>Chlorophytum</i>	nepalense BSWJ2393 etc
(<i>Asteraceae</i>)	<i>Chrysanthemum</i>	aff. yezoense BSWJ10872
(<i>Saxifragaceae</i>)	<i>Chrysosplenium</i>	davidianum
	-	flagelliferum BSWJ8902
	-	aff. hebetatum BSWJ9835
	-	lanuginosum v. formosanum BSWJ6979
	-	macrophyllum
	-	macrostemon v. shiobarensis BSWJ6173
(<i>Asteraceae</i>)	<i>Cicerbita</i>	sp. from China BWJ7891
(<i>Vitaceae</i>)	<i>Cissus</i>	aff. pedata BSWJ2371
(<i>Ranunculaceae</i>)	<i>Clematis</i>	acuminata v. sikkimensis BSWJ7202
	-	brachyura BSWJ8854
	-	buchananiana BSWJ8333a
	-	chiisanensis BSWJ4560 etc
	-	chinensis RWJ10042
	-	connata GWJ9386 etc
	-	fasciculiflora KWJ12160
	-	fasciculiflora L657
	-	fujisanensis BSWJ11370
	-	glaucophylla
	-	henryi BSWJ3403
	-	- v. morii BSWJ1668
	-	ianthina v. kupripoensis BSWJ700
	-	japonica BSWJ11204
	-	- v. obvallata BSWJ8900
	-	koreana
	-	loureiriana HWJ663
	-	meyeniana BSWJ6700
	-	montana from China BWJ8189b etc
	-	- from Nepal HWJK2156 etc
	-	- from Taiwan BSWJ6930 etc
	-	napaulensis
	-	parviloba v. bartlettii BSWJ6788 etc
	-	patens 'Korean Moon' BSWJ583
	-	psilandra CWJ12377
	-	rehderiana BWJ7538 etc
	-	repens 'Bells of Emei Shan' DJHC0540
	-	serratifolia from Korea BSWJ8458 etc
	-	sp. from China BWJ7630 etc
	-	sp. from China DJHC08052
	-	stans BSWJ5073 etc
	-	szuyuanensis BSWJ6791 etc
	-	tashiroi BSWJ7005 - 'Yellow Peril' BSWJ1423
	-	terniflora BSWJ5751 etc
	-	tongluensis GWJ9358 etc

(Ranunculaceae)	Clematis	uncinata BSWJ11368 etc
-		urticifolia BSWJ8640 etc
-		viorna
(Verbenaceae)	Clerodendrum	aff. mutabilis BSWJ6651
-		aff. subscaposum BSWJ11735
-		trichotomum 'Shiro' BSWJ4896
(Clethraceae)	Clethra	barbinervis BSWJ11562
(Convallariaceae)	Clintonia	andrewsiana
-		udensis
-		udensis from Nepal HWJK2339
-		umbellulata
(Apiaceae)	Coaxana	purpurea BSWJ9028
(Cobaeaceae)	Cobaea	lutea BSWJ9142a
(Menispermaceae)	Cocculus	orbiculatus BSWJ535
(Campanulaceae)	Codonopsis	affinis HWJCM70 etc
-		benthamii from Sikkim
-		GWJ9352
-		aff. celebica HWJ665
-		convolvulacea v. hirsuta
-		BWJ7812
-		dicentrifolia HWJCM267
-		forrestii BWJ7532 etc
-		gracilis HWJK2155 etc
-		grey-wilsonii
-		inflata GWJ9442
-		kawakamii BSWJ6975 etc
-		lanceolata BSWJ5437
-		pilosula BWJ7910
-		rotundifolia v. angustifolia
-		species from China BWJ8145
-		- from Nepal HWJK2105
-		subsimplex BWJ7502
-		viridiflora
-		viridis HWJK2435 etc
(Nyctaginaceae)	Colignonia	ovalifolia BSWJ10644
(Araceae)	Colocasia	formosana BSWJ6909
(Lamiaceae)	Colquhounia	coccinea v. mollis BSWJ7222
(Commelinaceae)	Commelina	tuberosa BSWJ10353
(Myricaceae)	Comptonia	peregrina
(Gesneriaceae)	Conandron	ramondioides BSWJ8929 etc
(Ranunculaceae)	Coptis	japonica
-		- v. dissecta
-		- v. major
-		omeiensis BSWJ7366
-		quinquefolia BSWJ1677
-		- v. ramosa
-		ramosa BSWJ6000 etc
-		trifolia
-		arborea
(Coriariaceae)	Coriaria	intermedia BSWJ019
-		japonica BSWJ2833 etc

(Coriariaceae)	Coriaria	japonica ssp. intermedia BSWJ3877
-	-	kingiana
-	-	microphylla BSWJ8999 etc
-	-	myrtifolia
-	-	nepalensis BWJ7755 etc
-	-	pteridoides
-	-	ruscifolia HCM98178
-	-	sarmentosa etc
-	-	terminalis v. xanthocarpa GWJ9204 etc
(Cornaceae)	Cornus	capitata
-	-	hongkongensis BSWJ11700 etc
-	-	- v. aff. gigantea KWJ12225
-	-	- v. tonkinensis BSWJ11791
-	-	kousa BSWJ5494
-	-	walteri BSWJ8776 ♀
(Poaceae)	Cortaderia	richardii ♀
(Apiaceae)	Cortiella	aff. hookeri HWJK2291
(Papaveraceae)	Corydalis	elata
-	-	flexuosa ‘Blue Panda’
-	-	- ‘China Blue’ CD&R528c
-	-	- ‘Père David’ CD&R528b
-	-	- ‘Purple Leaf’ CD&R528a
-	-	incisa BSWJ4417
-	-	siamense BSWJ7200
-	-	stipulata BSWJ2951
-	-	hualiensis BSWJ3143
(Rosaceae)	Cotoneaster	moupinensis BWJ8167
-	-	fasciculata BSWJ7197
(Gentianaceae)	Crawfurdia	aff. pasquieri BSWJ11725
-	-	speciosa BSWJ2138 etc
(Iridaceae)	Crocosmia	‘Emily McKenzie’
-	-	‘Mrs Geoffrey Howard’
-	-	‘Star of the East’
(Stemonaceae)	Croomia	heterosepala
(Rubiaceae)	Crusea	coccinea BSWJ10254
(Hypoxidaceae)	Curculigo	crassifolia BSWJ2318
(Menispermaceae)	Cyclea	polypetala KWJ12157
(Athyriaceae)	Cystopteris	moupinensis BSWJ6767

D

(Papaveraceae)	Dactylicapnos	lichiangensis (= ventii)
-	-	macrocapnos
-	-	scandens GWJ9438 etc
-	-	- f. thalictrifolia
-	-	torulosa BWJ7814
-	-	ventii GWJ9376
(Asteraceae)	Dahlia	australis BSWJ 10358 etc
-	-	coccinea BSWJ9126
-	-	excelsa BSWJ10233 etc
-	-	imperialis BSWJ8997
-	-	pinnata BSWJ10240
-	-	aff. purpusii BSWJ10321

(Ruscaceae)	Danae	racemosa
(Thymelaeaceae)	Daphne	arisanensis BSWJ6983
	-	genkwa
	-	pseudomezereum
	-	sp. from China DJHC98164
(Daphniphyllaceae)	Daphniphyllum	aff. angustifolium BSWJ8225 etc
(Daphniphyllaceae)	Daphniphyllum	kengii BSWJ7119
	-	aff. longeracemosum
	-	BSWJ11788
	-	macropodium from Cheju-Do
	-	BSWJ8763 etc
	-	macropodium from Ullüngdō
	-	BSWJ8507
	-	macropodium from Yakushima
	-	BSWJ11489
	-	- v. humile BSWJ11232 etc
	-	majus BSWJ11744
	-	oldhamii BSWJ6872
	-	paxianum BSWJ9755
	-	pentandrum BSWJ6888 etc
	-	teysmannii from Japan
	-	BSWJ11112 etc
	-	aff. teysmannii from Taiwan
	-	CWJ12350
(Saxifragaceae)	Darmera	peltata ♀
(Davalliaceae)	Davallia	mariesii BSWJ4448
(Urticaceae)	Debregeasia	longifolia BSWJ11686
(Lardizabalaceae)	Decaisnea	fargesii BWJ8070 etc
(Hydrangeaceae)	Decumaria	barbara
	-	sinensis
(Hydrangeaceae)	Deinanthe	bifida BSWJ5436 etc
	-	- 'Pink-Kii' BSWJ5012
	-	- 'Pink-Shi' BSWJ5655
	-	caerulea
	-	- x bifida 'Blue Blush'
(Ranunculaceae)	Delphinium	ceratophorum v. ceratophorum
	-	BWJ7799
	-	drepanocentrum HWJK2263
	-	glaciale HWJK2299
	-	aff. micropetalum CNDS031
	-	stapeliosmum BSWJ2960 etc
	-	aff. sutchuenense BWJ7867
	-	tenii BWJ7693 etc
	-	trifidus BSWJ11230
(Araliaceae)	Dendropanax	spinosa 'Harold Comber'
(Loganiaceae)	Desfontainia	calycosa BWJ8007
(Hydrangeaceae)	Deutzia	compacta GWJ9202 etc
	-	cordatula BSWJ6917 etc
	-	crenata BWJ8886 etc ♀
	-	- v. heterotricha BSWJ5805
	-	- v. nakaiana BSWJ11184
	-	glabrata BSWJ617 etc

(Hydrangeaceae)	<i>Deutzia</i>	glomeruliflora BWJ7742 ♀ gracilis BSWJ8927 - v. ogatae BSWJ8911 etc maximowicziana BSWJ11567 aff. monbeigii BWJ7728 paniculata BSWJ8592 parviflora v. barbinervis BSWJ8478 ♀ prunifolia BSWJ8588 pulchra BSWJ3870 etc purpurascens BWJ7859 scabra BSWJ11127 etc taiwanensis BSWJ6858 etc uniflorus BSWJ11336 (see <i>Ainsliaea uniflora</i>)
(Asteraceae)	<i>Diaspananthus</i>	
(Papaveraceae)	<i>Dicentra</i>	canadensis cucullaria formosa alba 'Langtrees' lichiangensis macrantha macrocapnos scandens GWJ9438 etc - f. thalictrifolia torulosa BWJ7814 ventii GWJ9376 (see also <i>Dactylicapnos</i>) febrifuga BSWJ2367 hirsuta from Lao BSWJ8371 - from Vietnam BSWJ8207 versicolor BSWJ6565 etc aff. yunnanensis BSWJ9734
(Hydrangeaceae)	<i>Dichroa</i>	dracomontanum ikizdere RCB059 quinqueloba cymosa grayi sinensis japonicus HWJ695
(Iridaceae)	<i>Dierama</i>	
(Scrophulariaceae)	<i>Digitalis</i>	arisanensis BSWJ1864 etc
(Dioscoreaceae)	<i>Dioscorea</i>	aspersa aspersa tall form fusco-picta longifolia BSWJ5284 etc
(Berberidaceae)	<i>Diphylleia</i>	luzoniense BSWJ3891 pernyi taiwanensis BSWJ3388 etc aff. undulata
(Dipsacaceae)	<i>Dipsacus</i>	aff. austrosinense BSWJ9777 etc
(Convallariaceae)	<i>Disporopsis</i>	bodinieri BWJ8128 etc cantonense BSWJ9715 - v. cantonense BSWJ5181 - - f. brunneum BSWJ5290 etc - v. kawakamii BSWJ1424 etc - v. multiflorum BSWJ11252 etc
(Convallariaceae)	<i>Disporum</i>	

(Convallariaceae)	Disporum	cantonicense v. sikkimense BSWJ2337 etc - v. y-tiense HWJ1045 etc -
		flavens BSWJ872 etc hookeri
		- v. oreganum
		lanuginosum
		leschenaultianum BSWJ9484 etc
		leucanthum BSWJ2389 etc
		longistylum L1564 etc
		lutescens
		maculatum
		megalanthum
		nantauense BSWJ359 etc
		sessile BSWJ2824 etc - ‘Aureovariegatum’
		- f. macrophyllum BSWJ4316
		- ‘Variegatum’
		smilacinum BSWJ713 etc - ‘Aureovariegatum’
		- pink
		smithii
		taiwanense BSWJ1513 etc
		tonkinensis BSWJ11814 etc
		trabeculatum
		- ‘Nakafu’
		uniflorum BSWJ651 etc
		viridescens BSWJ4598 etc
		vulgaris BSWJ2532
		winteri v. chilensis
(Podoaceae)	Dobinea	
(Winteraceae)	Drimys	

E

(Iridaceae)	Echeandia	formosa BSWJ9147
(Crassulaceae)	Echeveria	‘Crûg Ice’ BSWJ9103
	-	maxonii BSWJ10396
	-	montana BSWJ10277
(Araliaceae)	Eleutherococcus	trifoliatus RWJ10108 (see also <i>Acanthopanax</i>)
(Scrophulariaceae)	Ellisiophyllum	pinnatum BSWJ197
(Apiaceae)	Enantiophylla	heydeana BSWJ9114 etc
(Papaveraceae)	Eomecon	chionantha
(Ranunculaceae)	Eranthis	pinnatifida
(Phytolaccaceae)	Ercilla	volubilis
(Apiaceae)	Eryngium	cymosum BSWJ10267
	-	gracile BSWJ10441 etc
	-	guatemalense BSWJ8989 etc
	-	humile BSWJ10464
	-	longirameum BSWJ10351
	-	pandanifolium
	-	strotheri BSWJ9109 etc
(Liliaceae)	Erythronium	revolutum
	-	- Johnsoni
(Hyacinthaceae)	Eucomis	pole-evansii ‘Stars & Stripes’
	-	

(Celastraceae)	<i>Euonymus</i>	alatus BSWJ8794 - f. subtriflorus BSWJ11051 europaeus from Slovakia fortunei ‘Kewensis’ japonicus BSWJ11159 kachinensis BSWJ11668 morrisonensis BSWJ3700 oxyphyllus BSWJ10815 sachalinensis BSWJ10835 sieboldianus BSWJ10941 - v. sanguineus BSWJ11140 etc spraguei BSWJ12446 aff. theifolius GWJ9377 chinense v. simplicifolim BSWJ8449
(Asteraceae)	<i>Eupatorium</i>	sp. from Guatemala BSWJ9052 ♀
(Euphorbiaceae)	<i>Euphorbia</i>	- cornigera donii HWJK2405 griffithii ‘Dixter’ - ‘Fireglow’ - ‘King’s Capel’ mellifera robbiae rothiana GWJ9479a etc schillingii sikkimensis - ‘Crûg Contrast’ GWJ9214 stygiana
F		
(Polygonaceae)	<i>Fallopia</i>	multiflora v. hypoleuca BSWJ120
(Asteraceae)	<i>Farfugium</i>	formosanum BSWJ3739 etc japonicum BSWJ884 - double flowered
(Araliaceae)	<i>Fatsia</i>	polycarpa BSWJ7144 etc
(Rosaceae)	<i>Filipendula</i>	camtschatica BSWJ10987 kiraishiensis BSWJ1571 purpurea rubra ‘Venusta’ ♀
		rufinervis BSWJ8469 etc yezoensis BSWJ10828
(Liliaceae)	<i>Fritillaria</i>	camschatcensis pontica pyrenaica uva-vulpis verticillata
(Onagraceae)	<i>Fuchsia</i>	arborescens BSWJ10475 cordata BSWJ9095 etc cylindracea BSWJ10294 hemsleyana BSWJ10478 - ‘Silver Lining’ BSWJ10478 michoacanensis BSWJ9027 etc microphylla BSWJ10331

(Onagraceae)	Fuchsia	microphylla ssp. aprica BSWJ9101
-	-	- - 'Dolly's Dress' BSWJ9101
-	-	nigricans BSWJ10664
-	-	paniculata
-	-	petiolaris BSWJ10675
-	-	splendens BSWJ10469
G		
(Araliaceae)	Gamblea	pseudoevodiifolia BSWJ11707
(Geraniaceae)	Geranium	'Anne Thomson'
(Geraniaceae)	Geranium	aristatum 
-	-	'Bertie Crûg'
-	-	canariense
-	-	x cantabrigiense 
-	-	- 'Biokovo'
-	-	- 'St Ola'
-	-	'Chantilly'
-	-	christansonianum BWJ8022
-	-	clarkei 'Mount Stewart' 
-	-	clarum BSWJ10246
-	-	collinum 
-	-	dahuricum
-	-	dalmaticum
-	-	- album
-	-	'Dilys' 
-	-	'Diva' 
-	-	'Dusky Crûg'
-	-	'Elizabeth Ross'
-	-	erianthum 
-	-	- 'Calm Sea'
-	-	- 'Neptune'
-	-	gracile 
-	-	gymnocaulon 
-	-	hayatanum BSWJ164
-	-	himalayense 'Baby Blue'
-	-	- 'Gravetye'
-	-	- 'Irish Blue'
-	-	- 'Plenum' 
-	-	ibericum ssp. jubatum 
-	-	'Ivan'
-	-	'Johnson's Blue' 
-	-	'Kate'
-	-	'Khan' 
-	-	kishtvariense
-	-	koraiense BSWJ797 etc
-	-	koreanum BSWJ602
-	-	krameri BSWJ1142
-	-	lambertii 'Swansdown'
-	-	'Libretto'
-	-	linearilobum ssp. transversale
-	-	macrorrhizum 'Album'
-	-	- 'Czakor'

(<i>Geraniaceae</i>)	<i>Geranium</i>	macrorrhizum ‘Ingwersens Variety’ ♀
-	-	- ‘Lohfelden’
-	-	- ‘Pindus’ ♀
-	-	- ‘Ridsko’ ♀
-	-	- ‘Velbit’ ♀
-	-	- ‘White-Ness’
-	-	macrostylum
-	-	maculatum
-	-	maculatum f. <i>albiflorum</i>
-	-	✗ magnificum
-	-	malviflorum
-	-	✗ monacense
-	-	‘Nimbus’
-	-	nodosum ‘Svelte Lilac’
-	-	- ‘Swish Purple’
-	-	- ‘Whiteleaf’
-	-	‘Orion’
-	-	‘Orkney Blue’ ♀
-	-	‘Orkney Dawn’
-	-	✗ oxonianum ‘A. T. Johnson’ ♀
-	-	- ‘Crûg Star’
-	-	- ‘Fran’s Star’
-	-	- ‘Miriam Rundle’
-	-	- ‘Old Rose’
-	-	- ‘Rebecca Moss’
-	-	- ‘Rose Clare’
-	-	- ‘Rosenlicht’
-	-	- ‘Southcombe Double’
-	-	- ‘Southcombe Star’ ♀
-	-	- ‘Summer Surprise’
-	-	- ‘Susie White’
-	-	- f. <i>thurstonianum</i> ♀
-	-	- ‘Trevor’s White’
-	-	- ‘Wageningen’
-	-	- ‘Walter’s Gift’
-	-	- ‘Wargrave Pink’
-	-	palmatum
-	-	‘Patricia’
-	-	<i>phaeum</i> ‘Album’
-	-	- ‘David Bromley’
-	-	- ‘Joan Baker’
-	-	- ‘Mourning Widow’
-	-	- ‘Rose Madder’
-	-	- ‘Samobor’
-	-	- ‘Variegatum’
-	-	‘Phillippe Vapelle’
-	-	platyanthum
-	-	- v. <i>reinii</i>
-	-	platypetalum ♀
-	-	- ‘Georgia Blue’
-	-	pratense ‘Cluden Sapphire’
-	-	- ‘Galactic’
-	-	- ‘Mrs Kendall Clark’
-	-	- ‘Plenum Violaceum’

(<i>Geraniaceae</i>)	Geranium	pratense 'Rose Queen'
-	-	- stewartianum 'Elizabeth Yeo'
-	-	- 'Striatum' dwarf form
-	-	- Victor Reiter Strain
-	-	- 'Yorkshire Queen'
-	-	procurrens
-	-	psilostemon
-	-	- 'Bressingham Flair'
-	-	rectum
-	-	reflexum
-	-	regelii
-	-	renardii
-	-	- 'Whiteknights'
-	-	richardsonii
-	-	× riversleaianum 'Mavis Simpson'
-	-	rosthornii
-	-	rubescens = yeoi
-	-	rubifolium
-	-	sanguineum 'Album'
-	-	- 'Ankum's Pride'
-	-	- 'Belle Of Herterton'
-	-	- 'Cedric Morris'
-	-	- 'Elsbeth'
-	-	- 'Jubilee Pink'
-	-	- 'Max Frei'
-	-	- 'Nyewood'
-	-	- 'Shepherd's Warning'
-	-	- v. striatum 'Reginald Farrer'
-	-	-- 'Splendens'
-	-	shikokianum v. kaimontanum
-	-	- v. quelpaertense BSWJ1234
-	-	- v. yoshiiianum BSWJ6147
-	-	'Sirak'
-	-	soboliferum
-	-	'Spinners'
-	-	'Sue Crûg'
-	-	'Sue's Sister'
-	-	suzukii BSWJ016
-	-	svylvaticum f. albiflorum
-	-	- 'Amy Doncaster'
-	-	- 'Baker's Pink'
-	-	- 'Mayflower'
-	-	- 'Silva'
-	-	- wanneri
-	-	tuberosum ssp. linearifolium
-	-	versicolor 'Snow White'
-	-	wallichianum 'Buxton's Variety' (Blue)
-	-	- pink form
-	-	'Wisley Hybrid/Khan'
-	-	wlassovianum
-	-	yeoi
-	-	yesoense v. nipponicum

(Rosaceae)	Gillenia	trifoliata
(Ginkgoaceae)	Ginkgo	biloba BSWJ8753
(Iridaceae)	Gladiolus	cardinalis
	-	papilio
(Glaucidiaceae)	Glaucidium	palmatum
(Zingiberaceae)	Globba hookeri	HWJCM471
(Gunneraceae)	Gunnera	magellanica
(Cucurbitaceae)	Gynostemma	pentaphyllum BSWJ570

H

(Araliaceae)	Hedera	hibernica 'Digitata Crûg Gold'
(Zingiberaceae)	Hedychium	breviscaule BSWJ7171
	-	coccineum BSWJ5238
	-	- 'Tara'
	-	coronarium BSWJ3745
	-	densiflorum
	-	- 'Assam Orange'
	-	ellipticum BSWJ8354
	-	flavescens ❀
	-	gardnerianum ❀
	-	gracile ❀
	-	greenii
	-	maximum BSWJ8261 etc
	-	× raffillii
	-	spicatum BSWJ7231 etc
	-	- 'Liberty' BWJ8116
	-	- 'Singalila' BSWJ2303
	-	stenopetalum BSWJ7155
	-	thyrsiforme
	-	urophyllum HWJ604
	-	villosum v. tenuiflorum
	-	KWJ12305
	-	yunnanense BWJ7900 etc
(Asteraceae)	Helichrysum	wightii BSWJ9503
(Ranunculaceae)	Helleborus	× hybridus 'Picotee' ❀
	-	orientalis ssp. guttatus pink ❀
(Melanthiaceae)	Heloniopsis	acutifolia BSWJ218 etc
	-	kawanoi BSWJ11148
	-	koreana BSWJ4173
	-	- 'Temple Blue' BSWJ956
	-	leucantha
	-	orientalis BSWJ6380 etc
	-	- v. breviscapa BSWJ5873 etc
	-	- v. - 'A-so' BSWJ5850
	-	- v. - variegated
	-	- v. flava BSWJ11400
	-	- variegated
	-	tubiflora BSWJ822 etc
	-	umbellata BSWJ1839 etc
(Hemerocallidaceae)	Hemerocallis	aff. dumortieri BSWJ1283 ❀
	-	fulva kwanso BSWJ6328 ❀
	-	- v. longituba BSWJ8647 ❀
	-	longituba BSWJ4576 etc ❀
	-	minor BSWJ8841 ❀

(Ranunculaceae)	Hepatica	insularis BSWJ859
(Lardizabalaceae)	Holboellia	angustifolia
-	-	- ssp. linearifolia BWJ8004
-	-	- ssp. obtusa DJHC506
-	-	brachyandra HWJ1023
-	-	aff. chapaensis BSWJ7250
-	-	coriacea
-	-	coriacea BSWJ2818
-	-	fargesii
-	-	aff. grandiflora BSWJ8223 etc
-	-	latifolia HWJK2014 etc
-	-	- dark flowered from HWJK2213
-	-	- Multiple from HWJCM008
(Hostaceae)	Hosta	'Big Daddy'
-	-	capitata BSWJ588 ❁
-	-	'Frances Williams'
-	-	'Golden Tiara'
-	-	longipes BSWJ10806
-	-	minor BSWJ1209 etc
-	-	montana BSWJ4796 etc
-	-	minor BSWJ1209 etc
-	-	'Purple Dwarf'
-	-	'Saishu Jima'
-	-	'Snowden'
-	-	'Sum and Substance' ❁
-	-	ventricosa from Sichuan BSWJ8160
-	-	venusta BSWJ4389 ❁
-	-	yingeri BSWJ546
(Rhamnaceae)	Hovenia	dulcis BSWJ11024
(Hydrangeaceae)	Hydrangea	angustipetala BSWJ3454 etc
-	-	- f. formosa BSWJ7097
-	-	- f. macrosepala BSWJ3476 etc
-	-	- f. obovatifolia BSWJ3487b etc
-	-	- from Yakushima BSWJ6038 etc
-	-	anomala ssp. anomala BWJ8052 etc
-	-	-- 'Winter Glow' BSWJ2411
-	-	- ssp. glabra BSWJ6804
-	-	-- 'Crûg Coral' BSWJ3117
-	-	- ssp. petiolaris BSWJ6337 etc
-	-	-- v. cordifolia BSWJ6081 etc
-	-	-- - from Yakushima BSWJ11487 etc
-	-	-- v. tiliifolia BSWJ8497
-	-	- ssp. quelpartensis BSWJ8799 etc
-	-	arborescens ssp. radiata ❁
-	-	aspera
-	-	- Kawakamii BSWJ6827 etc
-	-	-- 'August Abundance' BSWJ1420
-	-	-- 'Formosa' BSWJ7025
-	-	-- 'September Splendour' BSWJ3462

- (*Hydrangeaceae*) *Hydrangea*
- *aspera* ‘Macrophylla’
 - ‘Mauvette’
 - ssp. *robustum* Himalayan form GWJ9430
 - ssp. *robustum* blue flowering WWJ11888
 - ssp. *sargentiana*
 - *aspera* ssp. *strigosa* BSWJ 8201 etc
 - ssp. *villosa*
 - *chinensis* f. *formosana*
BSWJ1488 etc
 - **from Sichuan BWJ8000**
 - from Taiwan BSWJ3410 etc
 - *glabrifolia* BSWJ3869
 - *glandulosa* BSWJ4031
 - *aff. gracilis* BSWJ3942
 - *grossiserrata* BSWJ11500 etc
 - *heteromalla* Bretschneideri
 - ‘Fan Si Pan’ BSWJ8311
 - from China BWJ7657 ♀
 - from India BSWJ2142 etc ♀
 - from Nepal HWJK2127 etc ♀
 - from Sikkim BSWJ2602 etc ♀
 - from Vietnam HWJ526 ♀
 - *hirta* BSWJ5000 etc
 - *indochinensis* BSWJ8307 etc
 - **f. purpurascens**
KWJ12233b
 - *integrifolia* BSWJ022 etc
 - *involucrata* **BSWJ4790**
 - dwarf form
 - ‘Hortensis’
 - ‘Multiplex’
 - ‘Sterilis’
 - ‘Plena’
 - ‘Viridescens’
 - *kwangsiensis* BSWJ11717 etc
 - *lingii* BSWJ11790
 - *lobbii* from Taiwan BSWJ3214 etc
 - from Philippines BSWJ3942 etc
 - *longifolia* CWJ12413 **etc**
 - *longipes*
 - v. *fulvescens* BWJ8188
 - *luteovenosa* BSWJ5602 etc
 - *macrophylla* ‘Pia’
 - *aff. mangshanensis* BSWJ 8120
 - *paniculata* from Japan
BSWJ5413 etc ♀
 - from Taiwan BSWJ3556 etc ♀
 - ‘Yuan-Yang’ BSWJ3804
 - *quelpartensis* BSWJ8846
 - *scandens* BSWJ5523 etc
 - ssp. *liukiuensis* BSWJ11471
 - *seemannii*

(<i>Hydrangeaceae</i>)	Hydrangea	serrata BSWJ4817 etc
-	-	- ssp. <i>angustata</i>
-	-	- 'Chiba Cherry-lips' BSWJ4817
-	-	- 'Chiri-san Sue' BSWJ4595
-	-	- 'Crûg Cobalt' BSWJ6241a
-	-	- 'Kiyosumi'
-	-	- v. <i>thunbergii</i> 'Plena'
-	-	<i>serratifolia</i> HCM98056
-	-	<i>sikokiana</i> BSWJ5601 etc
(<i>Papaveraceae</i>)	Hylomecon	erectum
-	-	<i>hylomeconoides</i>
-	-	<i>japonica</i>
(<i>Clusiaceae</i>)	Hypericum	aff. <i>uralum</i> HWJ520
I		
(<i>Aquifoliaceae</i>)	Ilex	<i>cornuta</i> BSWJ8756
(<i>Illiciaceae</i>)	Illicium	aff. griffithii WWJ11911
-	-	<i>majus</i> WWJ11919
-	-	<i>simonsii</i> BWJ8024
(<i>Balsaminaceae</i>)	Impatiens	'Emei Dawn' DJHC98415
-	-	<i>kerriae</i> BSWJ7220
-	-	aff. <i>langbianensis</i> HWJ1054
-	-	<i>macrophylla</i> BSWJ10157
-	-	namchabarwensis
-	-	<i>omeiana</i>
-	-	<i>omeiana</i> DJHC98492
-	-	- 'Ice Storm'
-	-	<i>polineae</i> BSWJ9722
-	-	<i>puberula</i> HWJK2063
-	-	<i>compacta</i> BWJ7620
-	-	<i>lutea</i> BWJ7784
-	-	<i>zhongdianensis</i> BWJ7692 etc
(<i>Bignoniaceae</i>)	Incarvillea	<i>balfouriana</i> BWJ7851
-	-	<i>cassioides</i>
-	-	<i>pendula</i> BWJ7741
(<i>Papilionaceae</i>)	Indigofera	<i>hookeri</i> GWJ9033 
-	-	<i>barbatula</i> BWJ7663 etc
-	-	<i>bulleyana</i> BWJ7912
-	-	<i>chrysographies</i> black form
-	-	<i>clarkei</i> BSWJ2122
-	-	<i>ensata</i> v. <i>spontanea</i> BSWJ1103 etc 
-	-	<i>formosana</i> BSWJ3076
-	-	<i>japonica</i> BSWJ8921
-	-	<i>orientalis</i>
-	-	<i>pseudacorus</i> from Japan BSWJ5018 
-	-	<i>tectorum</i> BWJ8191
(<i>Lamiaceae</i>)	Isodon	<i>longitubus</i> BSWJ11027
(<i>Ranunculaceae</i>)	Isopyrum	<i>dicarpon</i> BSWJ11555
-	-	<i>nipponicum</i>
-	-	<i>stoloniferum</i>

	J	
(Oleaceae)	Jasminum	fruticans
	-	humile f. wallichianum BSWJ2559
	-	officinale 'Crûg's Collection' BSWJ2987
(Berberidaceae)	Jeffersonia	diphylla
	-	dubia
(Scrophulariaceae)	Jovellana	violacea
(Juglandaceae)	Juglans	cathayensis from Taiwan BSWJ6778 etc
	-	aff. cathayensis from China BWJ8097
	-	mandschurica v. sieboldiana BSWJ11026
	K	
(Schisandraceae)	Kadsura	coccinea BSWJ11793
	-	japonica BSWJ4463 etc
(Araliaceae)	Kalopanax	septemlobus v. magnificus BSWJ10900
(Hydrangeaceae)	Kirengeshoma	palmata
	-	- v. koreana
(Asphodelaceae)	Kniphofia	caulescens
	-	northiae
	L	
(Lythraceae)	Lagerstroemia	subcostata CWJ12352
(Lamiaceae)	Lamium	orvala
(Solanaceae)	Leucophysalis	sinense BWJ8093
(Lamiaceae)	Leucosceptrum	canum GWJ9424
	-	japonicum BSWJ10981etc
	-	stellipilum v. formosanum BSWJ1804 etc
	-	- v. tosaense BSWJ8892
(Iridaceae)	Libertia	grandiflora ❀
(Asteraceae)	Ligularia	'Cheju Charmer' BSWJ1158
	-	corymbosa GWJ9404 etc
	-	fischeri from India BSWJ2570 ❀
	-	- from Japan BSWJ5653 etc ❀
	-	- from Korea BSWJ4478 ❀
	-	hodgsonii BSWJ10855
	-	intermedia BSWJ606a
	-	japonica 'Rising Sun' BSWJ6293
	-	przewalskii
	-	sibirica BSWJ4383 ❀
	-	- v. speciosa BSWJ5841 etc ❀
	-	'The Rocket'
(Apiaceae)	Ligusticum	sp. from China BWJ7668
(Liliaceae)	Lilium	auratum v. platyphyllum BSWJ4824

(Liliaceae)	Lilium	canadense columbianum BSWJ9564 davidii v. willmottiae distichum BSWJ794 duchartrei formosanum BSWJ1589 etc hansonii BSWJ4756 etc henryi lancifolium (tigrinum) BSWJ4352 etc - 'Flore Pleno' - v. fortunei BSWJ539 lankongense BWJ7691 etc leucanthum v. centifolium BWJ8130 longiflorum BSWJ11376 nanum nepalense BSWJ2985 etc oxypetalum v. insigne pardalinum poilanei HWJ681 rosthornii speciosum BSWJ4847 etc superbum taliense tsingtauense BSWJ519 etc vollmeri wigginsii xanthellum var. luteum
(Lauraceae)	Lindera	erythrocarpa BSWJ6271 etc lancea BSWJ11118 etc obtusiloba BSWJ11054 praecox BSWJ10802 - southern form BSWJ11125 sericea BSWJ11141 etc triloba BSWJ5570 etc umbellata BSWJ10881 - v. membranaceae BSWJ10837 koreana BSWJ8821 platyphylla BSWJ561 etc
(Convallariaceae)	Liriope	excelsa BSWJ9513 laxiflora BSWJ9064 montana BSWJ8220 etc sessilifolia BSWJ8875 tupa
(Campanulaceae)	Lobelia	ferruginea acuminata BSWJ3480 etc alseuosmoides glabrata BSWJ2150 henryi BWJ8109 japonica BSWJ4423 lanceolata BWJ7935
(Proteaceae)	Lomatia	
(Caprifoliaceae)	Lonicera	

(<i>Caprifoliaceae</i>)	Lonicera	macrantha BSWJ11606 etc
	-	similis v. delavayi
	-	sp. from Sikkim BSWJ2654
(<i>Myrtaceae</i>)	Luma	apiculata
(<i>Philesiaceae</i>)	Luzuriaga	polyphylla HCM98202
	-	radicans
	-	radicans RH0602
(<i>Caryophyllaceae</i>)	Lychnis	cognata BSWJ4234 etc
(<i>Solanaceae</i>)	Lycianthes	quichensis BSWJ10395
(<i>Araceae</i>)	Lysichiton	americanus
(<i>Primulaceae</i>)	Lysimachia	clethroides
	-	vulgaris ssp. davurica BSWJ8632
(<i>Gesneriaceae</i>)	Lysionotus	gamosepalus BSWJ7241
	-	kuangsiensis HWJ643 etc
	-	pauciflorus BSWJ189 etc
	-	serratus HWJK2426

M

(<i>Myrsinaceae</i>)	Maesa	japonica CWJ12371
(<i>Magnoliaceae</i>)	Magnolia	cathcartii HWJ874 etc
	-	chevalieri HWJ533 etc
	-	aff. floribunda v. tonkinensis
	-	DJHV06105
	-	floribunda v. tonkinensis
	-	WWJ12003 etc
	-	foveolata WWJ11929 etc
	-	sieboldii BSWJ4127
(<i>Berberidaceae</i>)	Mahonia	leschenaultii BSWJ9535
	-	nervosa BSWJ9562 etc
	-	oiwakensis BSWJ3660 etc
(<i>Convallariaceae</i>)	Maianthemum	amoenum BSWJ10390
	-	atropurpureum
	-	bifolium
	-	- ssp. kamtschaticum BSWJ4360 etc
	-	-- v. minimum
	-	canadense
	-	comaltepecense BSWJ10215
	-	flexuosum BSWJ9069 etc
	-	aff. flexuosum BSWJ9026 etc
	-	- v. erubescens BSWJ10403
	-	formosanum BSWJ349 etc
	-	fuscum
	-	- v. cordatum
	-	gigas BSWJ10470 etc
	-	henryi
	-	japonicum BSWJ1179 etc
	-	laxiflorum BSWJ10305
	-	oleraceum BSWJ2148
	-	paniculatum BSWJ9137 etc
	-	- purple flowered form
	-	BSWJ9137
	-	racemosum
	-	aff. salvinii BSWJ9000 etc
	-	scilloideum BSWJ10407 etc

(Convallariaceae)	Maianthemum	scilloideum v. roseum BSWJ10355
-	-	stellatum
-	-	szechuanicum
-	-	tatsienense
(Iridaceae)	Manfreda	variegata BSWJ10234
(Asclepiadaceae)	Marsdenia	formosana CWJ12354
(Woodsiaceae)	Matteuccia	struthiopteris 
(Papaveraceae)	Meconopsis	chelidoniifolia
(Lamiaceae)	Meehania	urticifolia BSWJ1210
(Apiaceae)	Melanoselinum	decipiens
(Meliaceae)	Melia	azedarach BSWJ7039
(Asclepiadaceae)	Metaplexis	japonica BSWJ8459
(Celastraceae)	Microtopis	petelotii HWJ719
(Poaceae)	Miscanthus	chejuensis BSWJ8803 flavidus BSWJ6749 floridulus HWJ522 etc nepalensis 'Shikola' BSWJ2302 transmorrisonensis BSWJ3697
-	-	repens
-	-	undulata BSWJ10928
-	-	- f. quelpartensis BSWJ4402
(Rubiaceae)	Mitchella	acerina BSWJ11029
-	-	formosana BSWJ125
(Saxifragaceae)	Mitella	furusei v. subramosa BSWJ11097
-	-	x inamii BSWJ11122
-	-	japonica BSWJ4971 etc
-	-	kiusiana BSWJ5401
-	-	makinoi BSWJ4992
-	-	pauciflora BSWJ6361
-	-	stylosa BSWJ5669
-	-	yoshinagae BSWJ4893 etc
(Apiaceae)	Molopospermum	peloponnesiacum
(Morinaceae)	Morinda	umbellata BSWJ11688
(Saxifragaceae)	Mukdenia	acanthifolia
-	-	rossii
(Apiaceae)	Myrrhidendron	glaucescens BSWJ10699

Some notes on our 2011 introductions :-

Woodies including some climbers primarily from our own wild seed collections

Acer is always a good place to start, *A. albopurpurascens* **CWJ12361** is a collection from our last encounter with this species, from Dasyueshan Forest western Taiwan in 2007. Bearing slender simple evergreen leaves with long tail-like tips and seed held in widely parted pairs. Our other additions are re-identifications, *A. campbellii* ssp. *campbellii* was *A. campbellii* v. *serratifolium*, while *A. pectinatum* ssp. *pectinatum* was *A. campbellii* v. *fansipanense*. Our thanks to Peter Gregory for his sterling work in identifying our stock of maples. *Actinidia tetramera* v. *maloides* will go down a bundle as a replacement name for *A. pilosola*, the wonderfully colourful species which unfortunately entered commerce with the wrong name. Ever since we collected *Alnus pendula* in Japan our appreciation of this genus has been aroused. Add the influence of Hugh McAllister sweet-talking us around the gardens at Ness and of course there are some must have species amongst both *Alnus* and *Betula* which we have grown from their seed. *A. maximowiczii* was a must as this AM form originated from a collection gathered by the late Kenneth Ashburner from the island of Ullüngdō off the eastern coast of Korea. Described as a large shrub with heart-shaped ribbed leaves bearing yellow-maroon catkins resulting in handsome cones by the winter. Meanwhile *A. sieboldiana* originates from across the Sea of Japan, with a similar shrub-like habit bearing broader more conspicuously ribbed leaves and larger cones, while being totally drought tolerant. *Betula alleghaniensis* originates from north America forming a small tree with attractive light brown bark with a silvery metallic sheen which peels into thin strips, with the added bonus of good autumnal colour to the foliage. While *B. insignis* **BSWJ11751** was re-identified by Hugh, these trees have gray exfoliating bark and ovate papery leaves with upright reddish cylindrical catkins. *Clematis viorna* is a curious small sub-shrubby species originating from the eastern side of the USA, with pendant violet-purple urn-shaped flowers. *Cotoneaster moupinensis* may be well known to some more experienced gardeners, all the same my collection **BWJ8167** from Baoxing in China has been very appealing in our woodland garden. Our inventory of *Euonymus* is growing steadily *E. alatus* f. *subtriflorus* **BSWJ11051** is of note in not bearing the winged branches normally associated with the spindle tree. While *E. europaeus* from Slovakia was an outstanding fruiting selection from Ness. *E. oxyphyllus* is steadily becoming better known and appreciated for its rounded red fruit, conversely *E. sachalinensis* is scarcely known. **BSWJ10835** was distinct in its shortly winged fruit on long slender stalks as we collected them in northern Japan. *Fuchsia nigricans* **BSWJ10664** and *F. petiolaris* **BSWJ10675** are both collections from the high mountains of Colombia where we photographed the tiny humming birds feeding

from their pendant red flowers. Only relatively few additions to the *Hydrangea* inventory this year with ***H. chinensis* from Sichuan BWJ8000** being a short chunky form with yellowish inflorescences. Also ***H. involucrata* BSWJ4790** was a charmer that we happened upon on our way to visit a friend in Chiba, Japan. No fluke involved with ***H. indochinensis* f. *purpurascens* KWJ12233b.** These were collected in a determined attempt to introduce this colourful form into cultivation, which has the undersides of the leaves decorated in different hues of red-purple. The same area of northern Vietnam is rich in *Illicium* and *Magnolia*. This is where ***I. aff. griffithii* WWJ11911** formed a large evergreen shrub with polished leaves on red-pink petioles, while the star-like (hence the name star anise) seed-heads were conspicuously large a consequence of the papery many petalled flowers. We are also adding additional collections of the superb evergreen trees ***M. floribunda* v. *tonkinensis*** and ***M. foveolata***, which I suspect I extolled the virtues of last year. We should also have some spiny ***Oplopanax japonica*** by early in the year, another exceptionally hardy cool-growing species, that has never before been offered. For somewhere warmer ***Pentapanax castanopsisicola* CWJ12411**, this time a hemi-epiphyte from Taiwan, the species I had been chasing for years, initially assuming it to be an aerial rooting climber. Still not able to come to terms that it is now considered to be a non spiny woody *Aralia*. Before we leave Taiwan ***Polyspora axialis* CWJ12363** was in full flow November-December 2007. What the *Camellia*-like flowers lacked in size (in comparison to our other species) they certainly made up with numbers. A great way to make oneself unpopular is to launch too few of a plant that everyone will crave. Such is the case with ***Rhodoleia* aff. *henryi* BSWJ11782**, which initially we had hundreds of, but unfortunately most of them damped off as tiny seedlings, hence our return to Vietnam is long overdue. ***Sarcococca coriacea* HWJK2428** will require a warm preferably frost-free site. It possesses the largest leaves that we have seen in the genus borne on stems to 3m tall. ***Schefflera multinervia* BSWJ11727** formed a small tree where we collected this seed, from a large inflorescence above the exotic large bi-whirled foliage. ***Schisandra*** were stunning in fruit this autumn, not neglecting the colourful flowers such as those we expect on our new hybrid ***S. rubriflora* × *incarnata***. Which will incorporate the bright rose-pink of *S. incarnata* with the red of *S. rubriflora*. ***Sorbus caloneura* GUIZ80** were given to us as seedlings by Ness gardens some time back. Long enough for them to have formed small trees with red flushed emerging ribbed leaves a fresh green by late spring, providing the perfect foil for the large dome-topped cymes of white flowers, which later mature into marble sized speckled fruit. ***S. carmesina* B&L12545** came at the same time, when it was still considered to be *S. huphensis*, which it differs from in bearing its crimson fading to pink fruit dependently annually. One reason why Ness regard it to be one of the most beautiful as well as a drought tolerant species. ***S. aff. cashmiriana* Berger 7512** is written up in Hugh's book

'SORBUS', where it is compared to the species and *S. gilgitana*. It is another species with white ovoid fruit, but is more amenable to cultivation, due to its readiness to fruit at a young age, consistently heavy fruiting while frugal on space. *S. rosea* SEP492 was a stunning site at Ness both this and last autumn. Named for its pink flowers and fruit, it is one of the most impressive of its group in the gardens. For rarity *S. discolors sect. KR5585* will be difficult to beat, a white fruiting tree with an attractive weeping habit originating from the Showa valley Tibet, collected by Keith Rushforth. Always leave the best till last, *S. vestita*, the Himalayan whitebeam is yet again grown from Ness seed. From their best form, with large parchment textured leaves silver on the undersides contrasting well with the warm russet fruit. The tender climber *Thunbergia laurifolia* BSWJ7166 managed to make itself at home in our stock tunnel, where it performs annually with long pendant racemes of its exotic yellow flowers encased in large orange bracts. The Flora Of China states that there is only one species of the little known *Tripterygium*, yet here we are offering our fourth. Do we loose faith in that publication or carry on? Admittedly there is not a huge difference in the second recognised Japanese species, *T. doianum*, mostly in the foliage being a different shape and smaller as well as the glabrous inflorescence. *Viburnum brachyandrum* BSWJ5784 is easily distinguishable from the rest of its clade within the genus. It fruits and flowers as well as its exuberant brethren, but in a somewhat more refined fashion, on slender reddened branches. *V. aff. clavum* WWJ12012 is a best guess with the available information to date (*Viburnum* still not compiled for FOC). The plants I collected seed from were only around 1m tall evergreen conspicuously veined with glaucous fruit contrasting with their red stalks. Both *V. aff. foetens* (Dcne) GWJ9227 and *V. aff. griffithianum* GWJ9388 are identifications from my copies of Flora of British India by Joseph Hooker (7 vol.), as we are unable to find them in any modern literature. I have also had to rake back to another relic tome for the identification of *V. aff. kansuense* BWJ7737, a very pretty small palmate-leaved species I collected in China in 2000. *V. aff. lautum* BSWJ10290 was previously listed as sp. from Mexico, while *V. aff. tinoides* BSWJ10612 is an evergreen species from our Colombian collections. It had been hiding amongst the vast number of viburnums we have amassed, for no other reason that they are too good not to cultivate once we find them. *V. luzonicum v. formosana* BSWJ3585 is a re-identification not to be confused with *V. formosanum* when we introduce it. The similarly named Filipino *V. luzonicum v. sinuatum* BSWJ4009 fooled us for years, as its foliage was tiny (while juvenile), indicating another species that you will find next inline in this ranting. At long last we do have a decent stock of the afore mentioned small leafed *V. parvifolium* BSWJ6768, which claims to be the smallest foliage in the genus. This is not its only charm, as these are hidden mid-summer by the sheer bulk of flowers, on the high mountains of Taiwan this is followed by corresponding fruiting. While still on

Taiwan *V. propinquum* CWJ12426 requires a proclamatory mention. Partly due to its geographical location, one can only presume is the resulting superior form of this collection, with more orbicular stiff foliage and superb blue fruit on those contrasting red stalks. Meanwhile the fruit on our Japanese collections of *V. phlebotrichum* BSWJ11058 resembled cherries hanging below the leaves on long slender stalks. ‘Too many to choose from’ I can already hear. At least that will not be a problem for this season with *V. sambucinum v. tomentosum* HWJ733, as we have already sold out. We had to use our stock to supplement the high demand for the species, which we introduced last season. Oh I almost forgot, its bigger and better.

N

(Berberidaceae)	Nandina	domestica BSWJ4923 etc
(Rosaceae)	Neillia	thyrsiflora v. tonkinensis HWJ505 ♀
(Lauraceae)	Neolitsea	aff. polycarpa KWJ12309
(Lamiaceae)	Nepeta	stewartiana BWJ7999
	-	subsessilis
(Amaryllidaceae)	Nerine	bowdenii 'Mollie Cowie'
(Liliaceae)	Nomocharis	aperta
	-	pardanthina f. punctata

O

(Onagraceae)	Oenothera	epilobiifolia 'Finlay's Fancy' BSWJ9043
(Iridaceae)	Olsynium	aff. trinervia BSWJ10459 (previously <i>Sisyrinchium</i>)
(Woodsiaceae)	Onoclea	sensibilis ♀
(Convallariaceae)	Ophiopogon	caulescens BSWJ8230 etc aff. caulescens BSWJ11287 etc
	-	clavatus KWJ12267
	-	formosanus BSWJ3659 etc
	-	intermedius BSWJ8244 etc
	-	- v. parviflora HWJK2093
	-	japonicus BSWJ1871
	-	scaber BSWJ1842 etc
	-	wallichianus v. pauciflorus GWJ9387
(Araliaceae)	Oplopanax	horridus BSWJ9551
	-	japonica
(Lamiaceae)	Origanum	'Rotkugel' ♀
	-	vulgaris formosanum BSWJ3180 ♀
(Apiaceae)	Osmorrhiza	aristata BSWJ1607 etc
(Osmundaceae)	Osmunda	asiatica
	-	claytoniana
(Oxalidaceae)	Oxalis	oregana
	-	- f. smalliana

P

(Cruciferae)	Pachyphragma	macrophyllum
(Buxaceae)	Pachysandra	axillaris 'Crûg's Cover' BWJ8032
(Paeoniaceae)	Paeonia	delavayi BWJ7775
	-	japonica 10985
(Araliaceae)	Panax	japonicus BWJ7932 etc
(Asteraceae)	Parasenecio	delphiniifolia BSWJ11189 etc farfarifolia v. bulbifera (see also as <i>Cacalia</i>)
	-	bockiana
(Trilliaceae)	Paris	chinensis
	-	- from Taiwan BSWJ265 etc

(<i>Trilliaceae</i>)	Paris	delavayi fargesii - v. brevipetalata fargesii v. petiolata forrestii incompleta japonica lancifolia - from Taiwan BSWJ3044 etc mairei polyphylla polyphylla BSWJ2125 etc - v. stenophylla quadrifolia tetraphylla thibetica - v. apetala verticillata - 'Ryokutei'
(<i>Vitaceae</i>)	Parthenocissus	henryana himalayana v. rubrifolia quinquefolia 'Guy's Garnet' semicordata BSWJ6551 thomsonii BWJ8123 tricuspidata 'Crûg Compact' BSWJ1162
(<i>Valerianaceae</i>)	Patrinia	gibbosa BSWJ876
	-	scabiosifolia BSWJ8740
(<i>Scrophulariaceae</i>)	Paulownia	kawakamii BSWJ9909 tomentosa coreana from Ullüngdô BSWJ8503
(<i>Convallariaceae</i>)	Peliosanthes	arisanensis BSWJ3639 caesia BSWJ5183
	-	teta v. humilis RWJ10044
(<i>Saxifragaceae</i>)	Peltoboykinia	watanabei
(<i>Poaceae</i>)	Pennisetum	alopecuroides BSWJ11434 - f. erythrochaetum 'Ferris' BSWJ8413 ♀
(<i>Scrophulariaceae</i>)	Penstemon	aff. gentianoides BSWJ10249 etc
(<i>Araliaceae</i>)	Pentapanax	castanopsisicola CWJ12411
	-	leschenaultii BSWJ9515
	-	longepedunculatus BSWJ11789
	-	subcordatus HWJK2385
	-	verticillatus BSWJ11797
(<i>Asclepiadaceae</i>)	Periploca	purpurea BSWJ7235
(<i>Lauraceae</i>)	Persea	japonica BSWJ8410
(<i>Polygonaceae</i>)	Persicaria	amplexicaulis v. pendula HWJK2255
	-	milletii
	-	tenuicaulis ♀
	-	virginiana 'Painters Palette'
(<i>Asteraceae</i>)	Petasites	japonicus v. giganteus
(<i>Gesneriaceae</i>)	Petrocosmea	formosa 'Crûg's Capricious' BWJ7249

(Gesneriaceae)	Petrocosmea	kerrii ‘Crème de Crûg’ BWJ6634
(Apiaceae)	Peucedanum	japonicum BSWJ8816b
(Rutaceae)	Phellodendron	amurensense BWJ11000
	-	japonicum BSWJ11175
(Hydrangeaceae)	Philadelphus	aff. calvescens BWJ8005
	-	delavayi v. purpurascens BWJ7540
	-	aff. incanus BSWJ8616
	-	mexicanus BSWJ10253 etc
	-	myrtoidea BSWJ10436 etc
	-	satsumi BSWJ10811 etc
	-	schrenkii BSWJ8616
	-	tomentosus BSWJ2707 etc
	-	magellanica
(Philesiaceae)	Philesia	atropurpurea BWJ7922
(Lamiaceae)	Phlomis	integrifolia HWJ946
(Rosaceae)	Photinia	lucida
	-	microphylla HWJ564 etc
	-	villosa BSWJ8665
	-	- v. coreana BSWJ8789 ♀
	-	- v. laevis BSWJ8877 ♀
	-	- v. zollingeri BSWJ8903
(Solanaceae)	Physaliastrum	sinense BWJ8093
(Solanaceae)	Physalis	campanula BSWJ10409
(Phytolaccaceae)	Phytolacca	acinosa HWJ647
	-	americana BSWJ1000 etc
	-	icosandra BSWJ8988 etc
	-	- Purpurescens BSWJ11251
	-	japonica BSWJ4897 etc
	-	octandra BSWJ9514 etc
	-	rivinoides BSWJ10264
	-	rugosa BSWJ10263
	-	formosa BSWJ2257
(Ericaceae)	Pieris	viburnoides BSWJ3565 etc
(Hydrangeaceae)	Pileostegia	cordata
(Araceae)	Pinellia	ternata BSWJ3532
	-	tripartita BSWJ1102
	-	- ‘Purple Face’ BSWJ4850
(Pittosporaceae)	Pittosporum	daphniphyloides BSWJ6789 etc
	-	glabratum BSWJ11685
	-	illicioides v. angustifolium BSWJ6771 etc
	-	- v. illicioides BSWJ6712 etc
	-	aff. oblongilimbum DJHV06137etc
(Hydrangeaceae)	Platycrater	arguta BSWJ6266 etc
(Lamiaceae)	Plectranthus	longitubus BSWJ11027
(Apiaceae)	Pleurospermum	aff. album KWJ12281
	-	aff. amabile BWJ7886
	-	benthamii BSWJ2988
	-	calcareum BWJ8008
	-	yunnanensis BSWJ7952a

(Berberidaceae)	<i>Podophyllum</i>	delavayi
	-	diforme
	-	<i>hexandrum chinensis</i>
	-	- <i>chinensis</i> BWJ7908
	-	peltatum
	-	pleianthum
	-	- from Taiwan BSWJ282
	-	- short form
	-	versipelle
(Convallariaceae)	<i>Polygonatum</i>	alte-lobatum BSWJ286 etc
	-	aff. <i>anomalum</i> BSWJ6599
	-	<i>arisanense</i> BSWJ271 etc
	-	biflorum
	-	<i>cathcartii</i> BSWJ2429
	-	<i>cirrhifolium</i>
	-	<i>cryptanthum</i>
	-	<i>curvistylum</i>
	-	cyrtonema
	-	<i>desoulavyi</i> v. <i>yezoense</i>
		BSWJ764
	-	<i>falcatum</i> BSWJ5101 etc
	-	<i>filipes</i>
	-	<i>fuscum</i>
	-	<i>geminiflorum</i>
	-	<i>graminifolium</i>
	-	<i>hirtum</i>
	-	<i>hookeri</i>
	-	<i>humile</i>
	-	× <i>hybridum</i> ♀
	-	- 'Striatum'
	-	<i>inflatum</i> BSWJ922 etc
	-	<i>involutratum</i> BSWJ4285 etc
	-	<i>kingianum</i> yellow flowering variety BSWJ6562 etc
	-	<i>lasianthum</i> BSWJ671 etc
	-	<i>nodosum</i>
	-	<i>odoratum</i>
	-	- v. <i>maximowiczii</i>
	-	- v. <i>pluriflorum</i> 'Variegatum'
	-	- 'Red Stem'
	-	- v. <i>thunbergii</i>
	-	<i>oppositifolium</i> BSWJ2537 etc
	-	<i>prattii</i>
	-	<i>pubescens</i>
	-	<i>punctatum</i> BSWJ2395 etc
	-	<i>roseum</i>
	-	<i>sibiricum</i>
	-	<i>stenanthum</i> BSWJ5727
	-	<i>stenophyllum</i>
	-	aff. <i>tessellatum</i> BSWJ9752
	-	<i>tonkinensis</i> HWJ551 etc
	-	- white/green flowering
		HWJ861

(Convallariaceae)	Polygonatum	verticillatum - 'Rubrum'
	-	zanlanscianense
(Polygonaceae)	Polygonum	chinense BSWJ11268
(Theaceae)	Polyspora	axialis CWJ12363
	-	longicarpa WWJ11604 etc
	-	speciosa BSWJ11750 etc
(Dryopteridaceae)	Polystichum	munitum
	-	aff. neolobatum BWJ8182
	-	rigens
(Primulaceae)	Primula	jesoana BSWJ618
	-	kisoana
	-	- v. shikokiana
(Rosaceae)	Prunus	maximowiczii BSWJ10967
(Asteraceae)	Psacalium	pinetorum BSWJ10269
(Papaveraceae)	Pteridophyllum	racemosum
(Pteridaceae)	Pteris	angustipinna BSWJ6738 etc
(Boraginaceae)	Pulmonaria	angustifolia 'Blaues Meer' ♀
	-	'Barfield Regalia' ♀
	-	'Botanic Hybrid' ♀
	-	'Cally Hybrid' ♀
	-	'Lewis Palmer' ♀
	-	'Little Star' ♀
	-	longifolia 'Bertram Anderson' ♀
	-	mollis ♀
	-	rubra 'Barfield Pink' ♀
	-	'Saint Ann's' ♀
	-	'Sissinghurst White' ♀

R

(Berberidaceae)	Ranzania	japonica
(Convallariaceae)	Reineckea	carnea
	-	- from Japan BSWJ4808 ♀
	-	- 'Baoxing Booty' BWJ8096
	-	aff. - 'Crûg's Broadleaf' BWJ8096
(Araceae)	Remusatia	hookeriana BSWJ2529
(Rosaceae)	Rhaphiolepis	indica BSWJ8405
	-	umbellata f. ovata BSWJ8401
(Polygonaceae)	Rheum	acuminatum HWJCM252 etc
	-	delavayi BWJ7592
	-	palmatum 'Atrosanguineum'
	-	ribes
(Crassulaceae)	Rhodiola	cretinii HWJK2283
	-	fastigiata BWJ7544
	-	sinuata HWJK2318 etc
	-	wallichiana HWJK2352 etc
(Ericaceae)	Rhododendron	arboreum BSWJ2244 ♀
	-	barbatum BSWJ2237 etc ♀
	-	mucronulatum BSWJ786 ♀
	-	- v. taquetii BSWJ4486 ♀
	-	niveum BSWJ2675 ♀
(Hamamelidaceae)	Rhodoleia	aff. henryi BSWJ11782 etc

(Rosaceae)	Rhodotypos	scandens
(Anacardiaceae)	Rhus	ambigua BSWJ3656 etc
	-	- large leafed BSWJ10884
(Grossulariaceae)	Ribes	griffithiana GWJ9331 
(Saxifragaceae)	Rodgersia	nepalensis HWJK2140
	-	pinnata BWJ7741a
	-	- 'Crûg Cardinal'
	-	- pink
	-	- white
	-	podophylla
	-	- from north Japan BSWJ10818 etc
	-	sambucifolia BWJ7899
(Convallariaceae)	Rohdea	japonica BSWJ4853 etc
	-	watanabei BSWJ1911 etc
(Rosaceae)	Rosa	macrophylla BSWJ2603 etc
	-	sericea v. morrisonensis BSWJ7139
	-	- ssp. omeiensis BWJ7550
(Zingiberaceae)	Roscoea	alpina
	-	- short form
	-	auriculata BSWJ2594 etc
	-	- early form
	-	- late form
	-	australis
	-	× beesiana
	-	- pale flowered
	-	cautleyoides
	-	- 'Crûg's Late Lemon' BWJ7781
	-	aff. praecox BWJ7848
	-	purpurea HWJK2020 etc
	-	- ' Brown Peacock '
	-	- tall form
	-	- 'Vannin' HWJK2406
	-	scillifolia f. atropurpurea
	-	- f. scillifolia (pink)
	-	tibetica BWJ7878 etc
	-	- f. atropurpurea BWJ7640
	-	arcticus
(Rosaceae)	Rubus	buergeri BSWJ5555
	-	formosensis BSWJ1798
	-	aff. gachetensis BSWJ10603
	-	henryi v. bambusarum
	-	lineatus
	-	- from Nepal HWJK2045
	-	- from Sumatra BSWJ11261
	-	- from Vietnam HWJ892
	-	pectinellus v. trilobus BSWJ1669b
	-	pentalobus BSWJ3878
	-	rolfei BSWJ3066 etc
	-	splendidissimus BSWJ2361 etc
	-	swinhoei BSWJ1735

(Rosaceae)	Rubus	taiwanicola CWJ12400 treutleri BSWJ2139 trilobus BSWJ9096
-	-	
-	-	
	S	
(Salicaceae)	Salix	fargesii
(Lamiaceae)	Salvia	ampelophylla BSWJ10751 bulleyana campanulata GWJ9294 etc - aff. var. hirtella GWJ9397 aff. chamaedryoides BSWJ9032 aff. curtiflora BSWJ10356 digitaloides BWJ7777 flava v. megalantha BWJ7974 glabrescens BSWJ11152 - v. robustum BSWJ11147 aff. holwayi BSWJ8995 aff. iodochroa BSWJ10252 karwinskii BSWJ9081 etc koyamae BSWJ10919 lavanduloides BSWJ9053 mexicana BSWJ10288 etc nana BSWJ10272 nipponica BSWJ5829 ❀ aff. nubicola BSWJ7639 ❀ aff. oblongifolia BSWJ10315 omeiana 'Crûg Thundercloud' BWJ8062
-	-	polystachya BSWJ8985
-	-	przewalskii BSWJ7920 etc
-	-	red species from Guatemala BSWJ10375
-	-	vitifolia BSWJ10236
(Caprifoliaceae)	Sambucus	mexicana BSWJ10349 racemosa 'Crûg Lace'
-	-	canadensis
(Papaveraceae)	Sanguinaria	hakusanensis BSWJ8709
(Rosaceae)	Sanguisorba	japonicum BSWJ8744
(Euphorbiaceae)	Sapium	balansae BSWJ7285 etc
(Buxaceae)	Sarcococca	brevifolia GWJ9480 confusa
-	-	coriacea HWJK2428
-	-	hookeriana HWJK2393
-	-	- v. digyna 'Purple Stem'
-	-	- v. digyna 'Schillingii'
-	-	- v. hookeriana BSWJ2585 etc
-	-	- v. humilis
-	-	ruscifolia
-	-	- v. chinensis
-	-	- v. - 'Dragon Gate'
-	-	saligna MFP2056
-	-	trinervia BSWJ9500 etc
-	-	wallichii BSWJ2291 etc
(Aristolochiaceae)	Saruma	henryi

(<i>Araceae</i>)	Sauromatum	venosum
(<i>Saxifragaceae</i>)	Saxifraga	cortusifolia BSWJ5879
	-	- 'Ruby Wedding' BSWJ4951
	-	- v. stolonifera BSWJ6205
	-	'Cuscutiformis'
	-	epiphylla 'Little Piggy'
	-	- 'Precious Piggy' BWJ7750
	-	- 'Purple Piggy'
	-	fortunei BSWJ6346
	-	- f. alpina from Hokkaido
	-	- 'Fumiko' BSWJ6124
	-	- v. koraiensis BSWJ8688
	-	- f. partita
	-	- v. pilosissima BSWJ8557 etc
	-	- 'Rubrifolia'
	-	hirsuta
	-	imparilis
	-	mertensiana
	-	nipponica 'Pink Pagoda'
	-	rufescens BWJ7510 etc
	-	sendaica
	-	stolonifera BSWJ4972
	-	- 'Hime'
	-	- 'Kinki Purple' BSWJ4972
(<i>Araliaceae</i>)	Schefflera	alpina BSWJ11827 etc
	-	aff. brevipedicellata HWJ870 etc
	-	aff. chapana BSWJ11833 etc
	-	enneaphylla HWJ1018
	-	gracilis HWJ622 etc
	-	fantsipanensis BSWJ11666 etc
	-	hoi BSWJ11747
	-	kornasii BSWJ11830
	-	lenticiata BSWJ9762
	-	macrophylla BSWJ9788 etc
	-	microphylla BSWJ3872
	-	multinervia BSWJ11727
	-	aff. myriocarpa BSWJ11828
	-	petelotii (<i>see macrophylla</i>)
	-	taiwaniana BSWJ7096 etc
	-	vietnamensis (<i>see kornasii</i>)
(<i>Schisandraceae</i>)	Schisandra	arisanensis BSWJ3050
	-	aff. bicolor BWJ8151
	-	chinensis BSWJ4611 etc
	-	grandiflora BSWJ2245
	-	- 'Jamu' (m) BSWJ2245
	-	- 'Lhalu' (f) BSWJ2245
	-	henryi v. yunnanensis BSWJ6546
	-	nigra BSWJ5897 etc
	-	aff. plena BSWJ664
	-	propinqua v. sinensis BWJ8148 etc
	-	repanda BSWJ11455

(Schisandraceae)	Schisandra	rubriflora BWJ7557 rubriflora x grandiflora rubriflora x incarnata
-	-	aff. corylifolium BWJ8150
-	-	aff. elliptifolium WWJ11905 etc
(Hydrangeaceae)	Schizophragma	hydrangeoides BSWJ5954 etc
-	-	- 'Cheju's Early' BSWJ1160
-	-	- 'Moonlight'
-	-	- f. quelpartensis BSWJ8771
-	-	- 'Roseum'
-	-	- from Ullüngdō BSWJ8505 etc
-	-	- from Yakushima BSWJ6119
(Hyacinthaceae)	Scilla	integrifolium v. fauriei
(Trilliaceae)	Scoliopus	BSWJ7052 etc
(Solanaceae)	Scopolia	scilloides BSWJ8812
(Lamiaceae)	Scutellaria	hallii
(Crassulaceae)	Sedum	carniolica
		maekawae BSWJ5557a
		beauverdii ssp. sapaensis
		HWJ824
		cryptomerioides BSWJ054
		kamtschaticum BSWJ10870
		- v. ellacombeanum BSWJ8853
		morrisonense BSWJ7078
		takesimense BSWJ8518 etc
		ussuriense 'Chuwangsan'
		BSWJ723
		viviparum BSWJ8480 etc
(Apiaceae)	Selinum	wallachianum HWJK2224 etc
(Ranunculaceae)	Semiacquilegia	ecalcarata
		- f. bicolor
		- 'Snowbell'
(Asteraceae)	Senecio	formosoides BSWJ10736 etc
		formosus BSWJ10700 etc
		gerberifolius BSWJ10357 etc
		mortoni GWJ9419
		smithii
(Caesalpiniaceae)	Senna	alata BSWJ9772
(Asteraceae)	Serratula	coronata v. insularis
		BSWJ8698
(Poaceae)	Setaria	aff. palmifolia BWJ8132
(Iridaceae)	Sisyrinchium	convolutum BSWJ9117 etc
		aff. trinervia BSWJ10459
		(see <i>Olsynium</i>)
		unispathaceum BSWJ10683
(Rutaceae)	Skimmia	anquetilia female
		anquetilia male
		arborescens BSWJ11799
		- ssp. nitida BSWJ8239
		arisanensis BSWJ7114 etc
		black fruiting species from
		northern Vietnam BSWJ8259
		x confusa 'Kew Green'
		japonica female BSWJ5053
		japonica male BSWJ5053

(Rutaceae)	Skimmia	japonica distincte-venulosa BSWJ3544
	-	- v. intermedia f. repens BSWJ5560 etc
	-	- ssp. reevesiana BSWJ3763 etc
	-	laureola ssp. laureola HWJK2095 etc
	-	- v. multinervia GWJ9374
(Smilacaceae)	Smilax	aspera
	-	china BSWJ4427etc
	-	glaucophylla BSWJ2971
	-	nipponica BSWJ4331
	-	sieboldii BSWJ744 etc
(Solanaceae)	Solanum	aff. stenophyllum BSWJ10744 shrubby sp. from Guatemala BSWJ10395 <i>(see Lycianthes)</i>
	-	aff. assurgens BWJ8185 ♀
(Rosaceae)	Sorbaria	sorbifolia v. stellipila BSWJ776 etc ♀
(Rosaceae)	Sorbus	alnifolia BSWJ10948 etc brevipetiolata BSWJ11771 caloneura GUIZ80 carmesina B&L12545 aff. cashmiriana Berger 5712 commixta BSWJ8496 - v. rufroferruginea BSWJ11486 - v. sachalinensis BSWJ8515 etc corymbifera WWJ11860 discolores sect. KR5585 epidendron WWJ11930 aff. filipes KR6453 aff. granulosa HWJ1041 japonica BSWJ10813 etc ligustrifolia WWJ12004 meliosmifolia BSWJ11709 microphylla GWJ9252 randaiensis BSWJ3202 rosea SEP492 subulata HWJ925 etc thompsonii GWJ9363 vestita (AGS/ES347) convallarioides
(Convallariaceae)	Speirantha	chinensis BSWJ6108
(Dennstaedtiaceae)	Sphenomeris	
(Rosaceae)	Spiraea	formosana BSWJ1597 hayatana RWJ10003 etc
(Stachyuraceae)	Stachyurus	aff. chinensis HWJK2052 himalaicus HWJCM009 lancifolius BSWJ5690 etc praecox BSWJ8898 etc - v. matsuzakii BSWJ11229 sigeyosii BSWJ6915 etc aff. szechuanensis BWJ8153

(<i>Staphyleaceae</i>)	<i>Staphylea</i>	bumalda BSWJ11053
(<i>Lardizabalaceae</i>)	<i>Stauntonia</i>	aff. <i>chinensis</i> DJHV06175
	-	hexaphylla BSWJ4858
	-	leucantha KWJ12218
	-	obovatifoliola BSWJ3685
	-	- from north Taiwan CWJ12353
	-	purpurea BSWJ3690 etc
	-	yaoshanensis BSWJ8223 etc
(<i>Menispermaceae</i>)	<i>Stephania</i>	longa KWJ12163
	-	rotunda BSWJ2396
	-	sinica BWJ8094
(<i>Theaceae</i>)	<i>Stewartia</i>	aff. <i>tetrandra</i> WWJ11896
	-	pseudocamellia BSWJ11044
	-	pteropetiolata BSWJ11726 etc
		rostrata
(<i>Convallariaceae</i>)	<i>Streptopus</i>	amplexicaulis
(<i>Acanthaceae</i>)	<i>Strobilanthes</i>	attenuata
	-	flexicaulis BSWJ354
	-	aff. <i>inflatus</i> BSWJ7754
	-	pentstemonoides HWJK2019
	-	rankanensis BSWJ1771
	-	wallachii
(<i>Papaveraceae</i>)	<i>Stylophorum</i>	diphyllum
	-	lasiocarpum
(<i>Styracaceae</i>)	<i>Styrax</i>	formosana v. formosana BSWJ6797 etc
	-	- v. <i>hayatiana</i> BSWJ6823
	-	japonica BSWJ8770 etc
	-	obassia BSWJ10890
	-	suberifolius WWJ11868
(<i>Caprifoliaceae</i>)	<i>Symphoricarpos</i>	guatemalensis BSWJ10316
(<i>Araceae</i>)	<i>Symplocarpus</i>	foetidus v. latissimus
(<i>Boraginaceae</i>)	<i>Symphytum</i>	'Hidcote Blue'
(<i>Asteraceae</i>)	<i>Syneilesis</i>	aconitifolia BSWJ879
	-	palmata BSWJ4149 etc
	-	subglabrata BSWJ298
	-	aff. <i>tagawae</i> BSWJ11191

T

(<i>Saxifragaceae</i>)	<i>Tanakaea</i>	radicans
(<i>Proteaceae</i>)	<i>Telopea</i>	truncata
(<i>Rutaceae</i>)	<i>Tetradium</i>	glabrifolium BSWJ6882 etc
	-	ruticarpum BSWJ3541
(<i>Araliaceae</i>)	<i>Tetrapanax</i>	papyrifer 'Di-Sue-Shan' BWJ12488
	-	- 'Rex' BSWJ1925
(<i>Ranunculaceae</i>)	<i>Thalictrum</i>	actaeifolium BSWJ4664 etc
	-	- v. <i>brevistylum</i> BSWJ8819
	-	aquilegiifolium v. intermedium BSWJ10965
	-	- v. <i>sibiricum</i> BSWJ11007
	-	chelidonii HWJK2216
	-	delavayi BWJ7903 etc

(Ranunculaceae)	Thalictrum	delavayi purple stemmed form BWJ7748
-	-	- v. acuminatum BWJ7535 etc
-	-	- v. decorum BWJ7770
-	-	- v. mucronatum DJHC473
-	-	diffusiflorum
-	-	filamentosum BSWJ777 etc
-	-	- v. yakusimense BSWJ6094
-	-	honanense BWJ7962
-	-	ichangense BSWJ8203
-	-	- v. minus 'Chinese Chintz'
-	-	javanicum BSWJ9506
-	-	- v. puberulum BSWJ6770
-	-	johnstonii BSWJ9127
-	-	minus v. hypoleucum BWJ10932 ❁
-	-	omeiense BWJ8049
-	-	osmundifolium
-	-	platycarpum HWJCM367 ❁
-	-	przewalskii
-	-	punctatum BSWJ1272
-	-	ramosum BWJ8126
-	-	reniforme BSWJ2610 etc
-	-	rochebruneanum
-	-	rubescens BSWJ10006
-	-	simplex v. brevipes BSWJ8883 ❁
-	-	tenuisubulatum BWJ7929 ❁
-	-	tuberiferum BSWJ10999
-	-	yunnanense
(Asclepiadaceae)	Thunbergia	aff. fragrans GWJ9441
-	-	laurifolia BSWJ7166
(Saxifragaceae)	Tiarella	polyphylla
-	-	- 'Baoxing Pink' BWJ8085
(Iridaceae)	Tigridia	immaculata BSWJ10393
-	-	orthantha 'Red-Hot Tiger' BSWJ10244
(Apiaceae)	Tilingia	ajanensis BSWJ11202
(Melanthiaceae)	Tofieldia	coccinea
(Apocynaceae)	Trachelospermum	asiaticum BSWJ4814
-	-	jasminoides BSWJ5117 etc
-	-	- 'Wilsonii' W776
(Boraginaceae)	Trachystemon	orientalis
(Ranunculaceae)	Trautvetteria	carolinensis v. japonica
-	-	- v. japonica BSWJ10861
-	-	- v. occidentalis
(Convallariaceae)	Tricyrtis	affinis BSWJ5640 etc
-	-	- 'Early Bird' BSWJ5525
-	-	flava
-	-	formosana BSWJ355 etc
-	-	- v. glandosa BSWJ7084
-	-	- v. glandosa
-	-	- v - 'Blu-Shing Toad' BSWJ052

(Convallariaceae)	Tricyrtis	formosana v. grandiflora 'W-Ho-Ping Toad' BSWJ6905 - 'Small Wonder' BSWJ306 - 'Spotted Toad' BSWJ1769 - v. stolonifera BSWJ7046 - 'Taroko Toad' BSWJ6705 - 'Tiny Toad' BSWJ7071 - 'Variegata' - 'Velvet Toad' RWJ10104 -
		hirta BSWJ2827etc hirta v. masamunei ishiiana - v. surugensis lasiocarpa BSWJ3635 etc - 'Royal Toad' BSWJ7014 latifolia BSWJ10996 'Lilac Towers' macrantha - ssp. macranthopsis -- 'Juro' macropoda from Japan BSWJ5847 etc - from Korea BSWJ1271 etc
		maculata HWJCM470 etc nana BSWJ11399 ohsumiensis perfoliata - 'Spring Shine' (v) ravenii BSWJ3229 setouchiensis BSWJ4701 suzukii RWJ10111 etc
(Trilliaceae)	Trillium	cernuum chloropetalum v. giganteum cuneatum erectum - f. albiflorum grandiflorum luteum recurvatum smallii taiwanensis BSWJ3411
(Caprifoliaceae)	Triostemon	himalayanum BWJ7907
(Gentianaceae)	Tripterospermum	aff. chevalieri BSWJ8359 cordifolium BSWJ081 distylum BSWJ11491 fasciculatum BSWJ11297 hirticalyx BSWJ11786 etc japonicum BSWJ5556 etc lanceolatum BSWJ085 etc pasquieri BSWJ11725 volubile BSWJ11774 doianum BSWJ11467 hypoglauc BWJ7852 regelii BSWJ5453 etc
(Celastraceae)	Tripterygium	

(Celastraceae)	Tripterygium	regelii occidentale BSWJ10921
	-	wilfordii WWJ12009
(Trochodendraceae)	Trochodendron	aralioides from Taiwan BSWJ12357 etc
(Tropaeolaceae)	Tropaeolum	ciliatum
	-	speciosum
(Convallariaceae)	Tupistra	aurantiaca BSWJ2267 etc
	-	tonkinensis HWJ562
	-	wattii BSWJ8297
U		
(Convallariaceae)	Uvularia	grandiflora
	-	- v. pallida
	-	- 'Susie Lewis'
	-	perfoliata
	-	sessilifolia
	-	- 'Cobblewood Gold'
V		
(Ericaceae)	Vaccinium	consanguineum BSWJ10486
	-	dunalianum v. caudatifolium BSWJ6816
	-	- v. megaphyllum HWJ515
(Berberidaceae)	Vancouveria	hexandra
	-	planipetala
(Melanthiaceae)	Veratrum	album
	-	- v. flavum
	-	- v. oxysepalum
	-	formosanum BSWJ1575 etc
	-	grandiflorum BSWJ4416 etc
	-	longebracteatum
	-	maackii v. japonicum
	-	- v. maackii BSWJ5831 etc
	-	nigrum
	-	schindleri BSWJ4068
	-	stamineum
	-	ussuriense BSWJ4450
(Scrophulariaceae)	Verbascum	densiflorum BSSS232
(Scrophulariaceae)	Veronicastrum	japonicum v. australe BSWJ11009
	-	aff. latifolium BWJ8158
	-	sibiricum BSWJ6352
	-	villosulum
(Caprifoliaceae)	Viburnum	aff. annamensis BSWJ8302 etc
	-	arboricolum BSWJ6913 etc
	-	atrocyanneum BSWJ7272 etc
	-	awabuki BSWJ8404
	-	- from Wabuka BSWJ11374
	-	betulifolium 'Hohuanshan' BSWJ3200
	-	brachyandrum BSWJ5784
	-	etc
	-	buddlejifolium ♀
	-	carlesii BSWJ8838

(Caprifoliaceae)	Viburnum	chingii ❀
-	-	aff. clavum WWJ12012
-	-	coriaceum BSWJ9719
-	-	cylindricum
-	-	- from China BWJ7778
-	-	- from Nepal HWJCM434
-	-	- from Thailand BSWJ6479 etc
-	-	dilatatum BSWJ5844 etc ❀
-	-	erosum BSWJ8735 etc
-	-	erubescens HWJK2163
-	-	aff. foetens (Dcne) GWJ9227
-	-	foetidum v. rectangulatum
-	-	BSWJ3451 etc ❀
-	-	furcatum BSWJ5939 etc
-	-	aff. griffithianum GWJ9388
-	-	harryanum
-	-	japonicum BSWJ5968
-	-	aff. kansuense BWJ7737
-	-	koreanum BSWJ4231
-	-	aff. lautum BSWJ10290
-	-	luzonicum BSWJ3637
-	-	- v. formosana BSWJ3585
-	-	- v. oblongum BSWJ3549
-	-	- v. sinuatum BSWJ4009
-	-	nervosum BSWJ2251a ❀
-	-	aff. odoratissimum BSWJ3913
-	-	odoratissimum RWJ10046
-	-	opus v. calvescens BSWJ10844
-	-	parvifolium BSWJ6768
-	-	phlebotrichum BSWJ11058
-	-	etc
-	-	pinchinchense BSWJ10660
-	-	propinquum CWJ12426
-	-	prunifolium
-	-	sambucinum HWJ838
-	-	- v. tomentosum HWJ733
-	-	sargentii BSWJ8695
-	-	sieboldii BSWJ2837 ❀
-	-	taiwanianum BSWJ3009 etc
-	-	aff. tinoides BSWJ10612
-	-	triphyllum BSWJ10757
-	-	urceolatum BSWJ6988
-	-	aff. venustum BSWJ10477
-	-	wrightii BSWJ5871 etc ❀
-	-	- v. stipellatum BSWJ8780a etc ❀
(Violaceae)	Viola	verecunda BSWJ604a
(Vitaceae)	Vitis	amurensis BSWJ4138
-	-	coignetiae BSWJ4744 etc
-	-	- v. glabrescens BSWJ8537
-	-	- from Japan BSWJ10882 etc
-	-	- from Korea BSWJ4550 etc
-	-	flexuosa BSWJ5568 etc
-	-	- v. choii BSWJ4101
-	-	- f. parvifolia BSWJ1946

(<i>Vitaceae</i>)	<i>Vitis</i>	<i>piasezkii</i> v. <i>pagnuccii</i>
	-	‘Spatchley Red’
	-	<i>thunbergii</i> BSWJ4702

W

(<i>Rosaceae</i>)	<i>Waldsteinia</i>	<i>ternata</i>
(<i>Caprifoliaceae</i>)	<i>Weigela</i>	<i>aff. decora</i> BSWJ10834
	-	<i>floribunda</i> BSWJ10831
	-	<i>florida</i> BSWJ8439
	-	<i>middendorffiana</i>
	-	<i>praecox</i> BSWJ8705
	-	- ‘Variegata’
	-	<i>subsessilis</i> BSWJ1056 etc
	-	<i>vacciniacea</i>
(<i>Ericaceae</i>)	<i>Wittsteinia</i>	<i>orientalis</i> v. <i>formosana</i>
(<i>Blechnaceae</i>)	<i>Woodwardia</i>	BSWJ6865

Y

(<i>Melanthiaceae</i>)	<i>Ypsilandra</i>	<i>thibetica</i>
--------------------------	-------------------	------------------

Z

(<i>Araceae</i>)	<i>Zantedeschia</i>	<i>aethiopica</i> ‘Crowborough’
	-	- ‘Luzon Lovely’ BSWJ3959
(<i>Rutaceae</i>)	<i>Zanthoxylum</i>	<i>acanthopodium</i> GWJ9287
	-	<i>ailanthoides</i> from Korea
	-	BSWJ8535
	-	- from Japan BSWJ11115 etc
	-	- <i>f. inermis</i> RWJ10048
	-	<i>armatum</i> HWJK2178
	-	<i>bungeanum</i> HWJK2131
	-	<i>aff. faurei</i> BSWJ11523
	-	<i>laetum</i> WWJ11678 etc
	-	<i>myriacanthum</i> BSWJ11844
	-	<i>nepalense</i> HWJK2199
	-	<i>oxyphyllum</i> GWJ9428
	-	<i>piperitum</i> BSWJ8543 etc
	-	<i>schinifolium</i> from Korea
	-	BSWJ8593
	-	- from Japan BSWJ11391 etc
(<i>Ulmaceae</i>)	<i>Zelkova</i>	<i>serrata</i> BSWJ8491
(<i>Melanthiaceae</i>)	<i>Zigadenus</i>	<i>volcanicus</i> BSWJ9110 etc
(<i>Zingiberaceae</i>)	<i>Zingiber</i>	mioga ‘Crûg’s Zing’ BSWJ4379

Herbaceous to tuberous including a few ferns

Aconitum sennanense v. incisum BSWJ11032 was growing as a relatively short upright species to 1m, with a terminal inflorescence of bright blue helmets, when we found it on a steep hillside amongst a vast colony of *Iris japonica* under tall conifers. It so happened that *Adenophora maximowicziana BSWJ11008* was collected just a bit further north in Gifu western Japan in part shade. A most unusual looking wiry species with a mass of small slender palest blue pendant flowers in succession for months. *A. aff. tracheliooides BSWJ8614* is at the other end of the spectrum being relatively robust growing, forming a compact slowly expanding clump of stems to 90cm tall. With heart-shaped leaves and by mid-summer bearing broad pale blue bell-flowers on long slender side branches. *A. verticilliata BSWJ8608* is a distinct species bearing tiered leaves in whorls of 3-6 up the slender stems to 1.5m tall. Terminating in a large diffuse inflorescence, of distinct blue flowers from May to November. Back to Japan for another endemic, *Ainsliaea uniflora BSWJ11336* a definite woodlander, forming a basal rosette of deeply lobed palmate leaves with tall slender wands of pendant purple protruding ray flowers encased in scaly bracts. *Anisodus carniolicoides BWJ7501* is more intriguing than beautiful forming a stout clump of lax stems with a steady supply of the large flared bell-shaped flowers typical of the potato family. Intriguing is also a fair description of our new *Asarum, A. cardiophyllum BSWJ11742* and *A. aff. caudigerum BSWJ12164* are both collected from limestone areas of northern Vietnam. With dark green glossy leaves and purple-brown flowers, the first mentioned possessing long spidery tips to the flowers. Similar in that spidery aspect is the **deciduous form** of *A. caudatum* from North America. *A. magnificum* also joins our long list with silvered leaves and a bi-coloured flowers. More intrigue with *Aspidistra aff. daibuensis 'Tidy Trim' BSWJ6866* a small form of this Taiwanese species we found in 1999 in the south of Hualien County. Of the same species *A. 'Totally Dotty' BSWJ3236* was from further into the mountains in 1996. Both cultivars will be formally described at the end of this text. *Begonia ferruginea BSWJ10479* meanwhile is a charming white flowering species which had formed a large colony in dense moist shade on the high Cordillera de Talamanca in Costa Rica. *Cestrum roseum BSWJ10255* has been offered before, but with the incorrect name, this is a fine red flowering species from Mexico, which we are still trialing for hardiness. Amongst our many members of *Convallariaceae* is a new batch of Japanese *Clintonia udensis* with its broad foliage. Followed by *Disporum cantoniense v. y-tiense HWJ104* a recently named variety we discovered in northern Vietnam, distinct for the length of its dark red flowers. *Maianthemum bifolium ssp. kamtschaticum v. minimum* is a very long name for a tiny plant, which supposedly originates from Yakushima, Japan, but the only place we have seen it was back on the mainland on Kyushu. *M. flexuosum v. erubescens BSWJ10403* is a reddish flowering variety of this Central American robust species. We find most of these grow far better in well drained

evergreen shade. Continuing with the same family *Ophiopogon aff. caulescens* **BSWJ11287** was a collection from Java with large fruit whereas *O. intermedius* **BSWJ8244** is additional sturdy collection from northern Vietnam with pale purple flowers. *Peliosanthes teta v. humilis* **RWJ10044** is an additional low growing collection from Taiwan, with parchment-like corrugated foliage. While *Peliosanthes caesia* **BSWJ5183** is one of our recently named discoveries, with quite different inflorescences of pale blue flowers, this time from northern Thailand. Never pleasant having to eat one's words, but on identifying *Polygonatum cyrtonema* from mainland China within a long grown stock that has finally reached flowering size, I have to accept that the species from Taiwan is re-classified as *P. arisanensis*. Another re-classification from Taiwan is *Tricyrtis ravenii* **BSWJ3229** an identity that we have been struggling with for years, that has again only recently been described. *Heloniopsis leucantha* is yet another new name to cultivation, this genus seems to be a difficult one to obtain any reliable information for classification. However I have finally acquired a copy of a paper published in 2004 which confirms that the above name covers the species which has long been cultivated in the UK as *H. kawanoi*. Hence *H. kawanoi* **BSWJ11148** is quite different to what has been cultivated under this name. This is the smallest species we have grown, with a distinct flowering period, from autumn through winter on a short scape, the flowers distinguishable from all other species by the tepals being longer than the stamen. *Eryngium longirameum* **BSWJ10351** joins the ranks of our Central American species, this small species with blue flowers was actually growing in swampy conditions when we found it with Andrea Jones who accompanied for her photographic skills. *Melanoselinum decipiens* may well be another umbellifer, but I suspect it will resent the wet, originating from Maderan slopes. *Filipendula yezoensis* **BSWJ10828** is a recently identified collection for us, gathered in the north of Honshu in 2005 and displaying its broad white inflorescences for the first time last year. *Hedychium villosum v. tenuiflorum* **KWJ12305** was easily distinguishable as it flowers for months, a diminutive evergreen species where we collected the abundant seed in northern Vietnam. Another ginger we are adding is *Roscoea purpurea 'Brown Peacock'* well known for its bronzy foliage. *Eomecon chionantha* is back on the menu after a long absence, but be careful as it can spread. We have been offering *Hylomecon erectum* for a number of years, yet reluctant to list it as the name is considered to be a synonym of *H. japonica*. Whatever we are growing differs from this in its larger longer lasting flowers. *Impatiens 'Emei Dawn'* **DJHC98415** may not sound familiar, but is one and the same as the species from China introduced under this accession number last year. The same could be said for *I. omeiana 'Ice Storm'*, which has finally achieved respectability after making do with 'silver leafed' for so long. *I. namchabarwensis* is new to us, given to us as a gift, one that we will surely be grateful for. It is another hardy low-growing species, but with blue flowers. *Isodon longitubus* **BSWJ11027** is mention again merely in consequence to a name change from *Plectranthus*. *Phlomis atropurpurea* **BWJ7922** though is a welcomed return, after our failing to keep up with demand, we finally have some good stock. *Manfreda variegata* **BSWJ10234** has

recently been transferred to the *Agavaceae* family, in fact the RHS Plant Finder lists it as an *Agave*. Maybe I should not comment on such changes as I have such little experience with this family, but I find the two genera difficult to marry. ***Mitella acerina BSWJ11029*** and ***M. furusei v. subramosa BSWJ11097*** are two more Japanese species well worth cultivating in a woodland garden. The first mentioned with larger foliage than any other we cultivate. Has anyone taken a good close look at the flowers of these? Intriguing as opposed to impressive. ***Sedum beauverdii ssp. sapaensis HWJ824*** is a prostrate growing species with linear leaves which turns out to be a new variety, yet another of our discoveries only recently described to science. We have grown ***Serratula coronata v. insularis BSWJ8698*** for some time as our accession number indicates. We find it to be a good garden plant flowering for a long time, but unfortunately for us, does not produce vast quantities of seed every year. ***Thalictrum aquilegiifolium v. intermedium BSWJ10965*** is a second collection of this dramatic species. This variety possessing only minor differences to the casual observer, such as being shorter than the lofty 2m of its partner. ***Tigridia immaculata BSWJ10393*** is quite different from our previous collection of this genus, this time from Guatemala. Where it grew at a lofty altitude near the summit of Volcán Zunil, where it only formed small plants. For us it flowers from mid-summer at only 15cm tall the orange-red flared flowers being pendant on wiry peduncles. The first of the ferns we are introducing this season is ***Araiostegia pulchra HWJ1007*** from Vietnam, with even finer divided frond than any we grow. ***Davallia mariesii BSWJ4448*** from an older collection in Korea has a similar habit, but much shorter. ***Sphenomeris chinensis BSWJ6108*** is a collection from Yakushima, that I have to admit I am not able to differentiate from *Araiostegia parvipinnata*, which according to all the floras does not grow there. We have grown ***Osmunda asiatica*** for many years to build up sufficient stocks to introduce this new species into cultivation, were it not for the tall spore-bearing fronds I would find it difficult to identify.

New cultivar names we are allocating

***Aspidistra daibuensi* 'Totally Dotty' BSWJ3236**

A distinct form of this species, which we have grown for many years, originating from a single plant we selected from the forest overlooking the South Cross Highway, southern Taiwan, which was still only a track at that time in 1996. This form was distinct amongst the colony we found by the broad oblong-lanceolate leaves being more heavily spotted and streaked in white than any others, to 1 m tall. This species grows quite happily for us in well drained dark shade out of doors sheltered from freezing winds. Avoid sodden soil/composts.

***Aspidistra aff. daibuensis* 'Tidy Trim' BSWJ6866**

A smaller form of this Taiwanese species we found in 1999 in the south of Hualien County, where it grew on the edge of the path. Under these conditions the leaves were only 10cm long while the habit was tight, forming a dense carpet of lightly spotted leaves. After cultivating since that time the leaves have become much larger closer to 60cm long, but narrow to only 5-7.5cm, while retaining the dense habit.

***Crusea coccinea* 'Crûg Crimson' BSWJ10254**

From a family of plants seldom seen as hardy, a prostrate growing creeping woodlander with fresh green small ribbed leaves on slender reddish rooting stems. Bearing bright red long trumpet-flowers in axillary clusters for month during the summer. One of our collections gathered from the high mountain forests of Oaxaca southern Mexico in 2004. Easily grown in sheltered full to part shade in a freely drained soil with some humus for moisture retention, or kept frost free in a container.

***Dahlia excelsa* 'Penelope Sky' BSWJ10233**

A stunning clump-forming perennial, where we found this species growing on the moist mountains to the east of Oaxaca southern Mexico in 2004 at around 2500m. Where it formed formidable clumps of strongly upright, almost bamboo-like bloomy stems to over 3m tall with several opposite branches from the shallowly cup-shaped nodes, in the upper parts bearing bronzy pinnate foliage and large lilac-purple ray flowers from July to frost. For a sunny warm spot in moist but drained fertile soil, best protected from severe frost, hardy for us in a field with a decent mulch. Named for our youngest granddaughter born April 1st 2009.

***Viburnum cylindricum* 'Crûg's Classic' BWJ7778**

Easily distinguished from the rest of this species, in that it is much smaller in habit, with smaller leaves and stature. Also it is much earlier to come into flower than any other form we cultivate, for us opening its wide cymes of white cylindrical flowers by mid-summer. Hence forming the small purple berries by late summer,

at which time our other forms are starting to flower. The collection appeared distinct in the wild, with decidedly serrated margins to the small ovate almost orbicular grey wax covered leaves on small shrubs to less than 2m tall. At 3100m the highest elevation we have found this species growing. In an area close to Lijiang in western Yunnan China where this shrub was plentiful in 2000.

**Remember that
we now offer
a mail order service
throughout Europe**

You can place your order online
at
www.mailorder.crug-farm.co.uk

Or if you prefer,
telephone 01248 670232



Small box



Medium box



Large box

*For that
special occasion ...
why not give one of our
Gift Vouchers?*

Events, Talks and Open Days at Crûg Farm Plants 2011

Saturday 23rd April

*R.H.S. Garden Event

Garden & Woodland Walk 2pm – 5pm

Ticket includes tea and cake

Saturday 30th April

Welsh Historic Garden Trust, Plant Fair

10am-5pm

Saturday 4th June

National Garden Scheme Open Day

10am-5pm

Saturday 18th June

*R.H.S. Garden Event

Pushing the Boundaries

10.30am – 4.30pm

ticket includes morning coffee and afternoon
tea Please bring picnic lunch.

Saturday 17th September

*R.H.S. Garden Events

Plant Collecting 10.30am – 5pm

Ticket includes morning coffee and
afternoon tea please bring picnic lunch.

***R.H.S. Garden Events**

(tickets only available in advance from Crûg
Farm Plants 01248 670232)

OPENING TIMES 2011

We are open 365 days of the year on
www.mailorder.crug-farm.co.uk

For on-site visits we open
*MARCH 31st – SEPTEMBER 17th
Thursday -to- Saturday 10am-5pm
incl. bank holiday Fridays

We are actively encouraging customers to arrange appointments at mutually convenient times throughout the year, particularly if you envisage a sizeable order.

*Please note we are no longer open on Sundays or Bank Holiday Mondays

Also guided tours by arrangement

Open days & Event

Griffith's Crossing, Caernarfon, Gwynedd, LL55 1TU

Tel: (+44) 01248 670232

E-mail: info@crug-farm.co.uk

Mail Order: mailorder@crug-farm.co.uk

Descriptive catalogue: www.crug-farm.co.uk

Mail Order: www.mailorder.crug-farm.co.uk

Proprietors: Bleddyn & Sue Wynn-Jones

How to find us:

