

# France - The Vercors

Naturetrek Tour Report

22 - 29 July 2007



*Scabiosa lucida*



Great-Banded Grayling



*Epipogium aphyllum*



*Dianthus monspesulanus*

Photos & report compiles by Paul Harnes



Naturetrek Cheriton Mill Cheriton Alresford Hampshire SO24 0NG England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: [info@naturetrek.co.uk](mailto:info@naturetrek.co.uk)

W: [www.naturetrek.co.uk](http://www.naturetrek.co.uk)

Tour Leaders: Paul Harmes (Botanist)  
Bruno Veillet (Local Guide)

Participants: Sara Corall  
Isabelle Lucus  
Wendy Mattingley  
John Mattingley  
Louis Moulin  
Annie Moulin  
Jameie Moulin

## Day 1

Sunday 22nd July

Weather: Heathrow: Cloudy and dry. France: Fine warm and Sunny.

Four tour members arrived at Heathrow Terminal 4 for the 08-40hrs British Airways flight BA360 to Lyon St Exupery, arriving at 11-10hrs local time. Meanwhile, Wendy and John arrived in Lyon from Amsterdam, and Isabel arrived by train from Paris. Those who needed to, soon cleared passport control and baggage reclaim and made their way out to the arrivals where they met up with Paul and Bruno, who showed all of us to the car park, where we boarded our minibus for the journey down to the Vercors region.

Our route took us down the A43 and A48 motorways. At Junction 9 on the A48, we drove westwards towards the Grenoble, Isere regional airport, where we explored the lanes and fields to the east and west of the airport. Numerous Black Kites were seen, together with Hen Harrier and Kestrel. A turtle Dove was gently 'purring' in nearby trees. We also caught site of a male Montague's Harrier hunting over the fields. The arable fields were quite plant rich too. *Legousia speculum-veneris* (Large Venus's Looking Glass), *Trifolium resupinatum* (Reversed Clover) and *Phycelia tancetifolia* (Phycelia) were all seen. Also a pair of Common Wall Lizards was spotted on a disused barn and several Tree Sparrows were seen in nearby bushes.

From here, we moved back towards the motorway, but did not join it. Instead we crossed over it and made our way to Chirens and a small wetland reserve, where several spikes of *Spiranthes aestivalis* (Summer Ladies Tresses) were seen, together with *Schoenus nigricans* (Black Bog Rush), and *Parnassia palustris* (Grass of Parnasus). From Chirens, we made our way back to the A48 via Voiron, and continued on south to Sessenage, where we turned up onto the Vercors plateaux, and on to Lans en Vercors. Here we made for the Hotel Val Fleuri, our base for the rest of the tour.

## Day 2

Monday 23rd July

Weather: Cloudy and very windy with some sun and the occasional shower.

Following a splendid breakfast, we made the short journey to the small hamlet of Les Merciers. Bruno took the birders off to try and find the elusive Wallcreeper. Meanwhile Paul and the botanists explored the rocky lane sides checking out plants and butterflies. It was, however, very windy, and Bruno was of the opinion that the Wallcreepers would not be showing. The birders did see Alpine Swift, Honey Buzzard and Raven, as well as Rock Bunting.

Meanwhile, the botanists explored the rocky roadside and adjacent meadows and found *Dianthus carthusianorum* (Carthusian Pink), *Gentiana cruciata* (Cross Gentian) and *Orchis ustulata* (Burnt tipped Orchid). Apollo Butterflies were also busy laying eggs on the Stonecrops.

After a brief stop, in Les Geymonds, to buy our picnic, we headed down the spectacular Gorges de la Bourne, making two stops to look for Dippers. The first was at the head of the gorge, and a single bird was seen. Here there was a good display of *Campanula patula* (Spreading Bellflower). Moving into the gorge, we made a second stop at the Pont de Valchevriere. Here, although we did not see any more Dippers, Bruno pointed out a single specimen of the rare *Juniperus thurifera* (French Alpine Juniper), perched high on a ledge. We stopped for lunch just outside St Julien en Vercors, where we were rewarded with good views of Short-toed Eagle and Black Kite. Because of the high winds, Bruno thought that we would stand a better chance of seeing the elusive Wall Creeper if we stayed in the gorges. To this end he suggested we stop at the stunning viewpoint at the Col de la Machine. Crag Martins, House Martins and Alpine Swift were seen, but still no Wall Creeper. The botanists found *Aconitum napellus* (Monkshood), *Dianthus monspesulanus* (Fringed Pink), *Aconitum lycoctanum* subsp. *vulparia* (Wolfsbane) and *Potentilla caulescens* (Lax Potentilla).

We now drove slowly through the Route de Combe Laval, a precipitous road which was hewn, by hand, from the cliff face in the late nineteenth century. Bruno suggested a stop mid way through, to check out the cliffs. This time we were rewarded with a single Wall Creeper, slowly working its busy way up the cliff face searching for food. Everyone in the group got wonderful and extended views of this enigmatic bird. Our homeward journey took us through St. Jean en Royans and Pont en Royans, where we made a brief stop to scan the hillsides for Ibex, before continuing our journey back to Lans en Vercors.

## Day 3

Tuesday 24th July

Weather: Dull and cloudy, brightening later.

We began today with a short drive towards St Nizier du Moucherotte, stopping in the forest. This wonderful example of natural mixed conifer and deciduous woodland is the home to a number of special plants, as well as birds. Black Woodpecker was heard calling in the distance and Goldcrest and Crested Tit were seen very clearly. However, it was the orchids that were to attract most attention. The small, eerily white spikes of *Epipogium aphyllum* (Ghost Orchid) were the highlight, and we found about twelve or so. In addition we saw *Epipactis microphylla*, *Goodyera repens* (Creeping Ladies Tresses), *Epipactis muelleri* (Mueller's Helleborine), *Epipactis Helleborine* (Broad-leaved Helleborine) and several spikes of *Pyrola media* (Intermediate Wintergreen).

Our next objective was the splendid limestone pavement and meadow complex at the Font d'Urle. Our route took us over the Col de la Chau. On our way up we stopped to admire the view over the Vally of Vassieux and the distant peak of the Grand Veymont, the highest point in the Vercors. Six Black Kites were observed circling over the valley below. *Epilobium fleischeri* (Alpine Willowherb), *Bupthalmum salicifolia* (Yellow Oxeye) and *Viola tricolor* subsp. *subalpina* (Alpine Heartsease) and a Blue Spot Hairstreak were also seen. Making our way over the Col, we made our way into the Font d'Urle, where set up our lunch. A large flock of Yellow-billed Chough, were in regular attendance for the duration of our stay.

After our picnic, we set off to explore. Some splendid views of Alpine Marmot were had by all, with Wheatear and Water Pipit feeding among the rocks. Bruno took us through a small cave, which passed through from one

side of a hill to the other. Flowers including, *Aster alpina* (Alpine Aster), *Erigeron alpinus* (Alpine Fleabane), *Botrichium Lunaria* (Moonwort), *Colchicum alpinum* (Alpine Autumn Crocus) and *Nigritella nigra* (Black Vanilla Orchid). Retracing our steps back over the Col de la Chau, we made a short stop at the cemetery, where the victims of the Nazi massacre at Vassieux, during the Second World War, are buried, before driving on south.

Our final objective today, was to watch Griffon Vultures returning to their roost, on the cliffs below the spectacular Col de Rousset. On the way we made a small detour, to check out a Golden eagle nest. Unfortunately, the birds had left. Driving through the tunnel at Rousset, we made our way a short distance down the valley, parking on a wide verge, where we were able to get particularly good views of these birds, as the sun was shining directly onto the cliff face. Approximately fifty birds were counted as well as a pair of Egyptian Vulture. Growing on the verge we also found *Campanula speciosa*, *Iberis stricta* subsp. *leptophylla* (Annual Candytuft), *Campanula trachelium* (Nettle-leaved Bellflower) and, in an adjacent *Abies alba* (European Silver Fir), we spotted *Viscum album* subsp. *abietes* (Mistletoe). As it was now getting quite late, we took dinner at the Hotel Bellier in La Chapelle en Vercors, before returning our hotel.

## Day 4

Wednesday 25th July

Weather: Fine Warm and Sunny.

We made a prompt start after breakfast, as we were planning to take a half day walk at the Cretes de la Moliere, near Autrans. Bruno had advised us that the car park was very popular with walkers, and he was not wrong. After parking the minibus we set off in a southerly direction, through mixed woodland, containing *Abies alba* (European Silver Fir), *Picea abies* (Spruce), *Fagus sylvestris* (Beech) and *Acer opalus* (Italian Maple). Our route took us along the top edge of an east facing cliff. Annie was busy with the butterfly net, and soon presented us with a splendid female Wart Biter Cricket and a Common Brassy Ringlet. Both were released unharmed. Great Tit, Crested Tit and Goldcrest were all recorded by the birders. Meanwhile the botanists had found *Cicerbita alpina* (Alpine Sow-thistle), *Campanula rhomboidalis* (A Bellflower), *Silene nutans* (Nottingham Catchfly), *Epilobium alpestre* (Whorled-leaved Willowherb) and *Ranunculus platanifolius* (A White Buttercup).

We continued on for about two and a half kilometers, before taking a descending path down into the meadows. At this point the clouds parted and we could clearly see Lans en Vercors in the east and Autrans in the west. We now turned north, back in the direction from which we had come. The flatter areas of the meadows were grazed by cattle, but the steeper banks leading up to the cliff were quite rich. *Gentiana lutea* (Great Yellow Gentian) and *Cirsium eriophorum* (Woolly Thistle) were common here in the grazed sections. Elsewhere, *Gymnadenia conopsea* subsp. *densiflora* (A Fragrant Orchid), *Briqua media* (Quaking Grass) and *Sideritis hyssopifolia* (Sideritis) were all seen. In this more open habitat, Kestrel, Yellow-billed Chough and Raven were all present. Along the margins of the woodland, Citril Finch and Ring Ouzel were seen fleetingly, but could be clearly heard. The meadows produced more Wart Biter Crickets, Chalkhill Blue, Common Brassy Ringlet and Heath Fritillary butterflies.

Returning to the vehicles, we enjoyed our picnic under some trees, whilst taking in the stunning views of the distant Alps. We now returned to our hotel, for a short rest, before taking a very early dinner. This was because we were going out, later, to see if we could see European Beaver. Leaving the hotel, we made our way north to St Nizier du Moucherotte, here we descended towards Grenoble and on toward Vif, where we visited a local reserve, where Beaver are known to live. This series of ponds and streams connects with the Isere River, and is shared by anglers and naturalists alike.

It was still very light when we arrived, so Bruno showed us where we would try to watch these secretive animals, before taking us to see a small dam, some freshly felled saplings and, also, footprints, all evidence that the beaver were here. *Salix viminalis* (Basket Willow), *Erigeron acer* (Blue Fleabane), *Typha latifolia* (Great Reedmace), *Sedum sediforme* and *Rubia perigrina* (Madder). As it was now getting dark, it was now time to settle down and wait to see if the Beaver were going to be active. A fleeting view of a Hobby was had and a distant Scops Owl was calling. European Nightjar was seen feeding over the lake and occasionally came quite close. After about half an hour, Bruno spotted a Beaver moving across the lake, and we all managed to see it in the gathering gloom. After a further lapse of about ten minutes, Paul spotted a second animal, a little closer than the first, but it soon dived. Unfortunately, that was all the activity for the night. As we left the pond, Paul began to answer the calling Scops Owl and it was not long before it came in very close. Bruno found it in the fork of a tree, and everyone have very clear and close views of this elusive bird. It was now time to head back to Lans and some well earned rest.

## Day 5

Thursday 26th July

Weather: Fine Warm and Sunny.

After breakfast, we left the hotel and made a short journey to Les Geymonds, where Bruno knew of a family of Marsh Warbler. Four of these scarce birds were seen, at close quarters, together with Red-backed Shrike and Yellowhammer. Moving on we made another stop in the Gorges de la Bourne to search for Dippers. Again, this had only limited success. Taking the Choranche road, we made a right turn towards Rencurel and on over the Col de Romeyere, stopping at the Canyon des Ecouges. Here, we parked the bus in a small car park, and walked down through the gorge to a viewpoint which gave us fabulous views down across the River Isere in the west. Silver Washed Fritillary was recored along with Comma. Sara spotted the leaves of *Primula auricula* (Bear's-ears) and *Pinguicula grandiflora* (Giant Butterwort) and a good stand of *Scrophularia nodosa* (Figwort). Looking out over the valley we watched a distant Short-toed Eagle circling, when Bruno found another Wallcreeper on a low cliff face, which we were all able to look down on. Before long it was joined by two more birds, which entertained us for some time. Reluctantly, we eventually had to drag ourselves away from this unique experience, and head off to our picnic spot at the Col de Mont Noir.

During the lunch stop, Annie was using the butterfly net and caught a Black-veined White, Provencal Fritillary and an Eastern Wood White. After completing our picnic, we made our way down through the village of Presles and on down the splendid cliffs of the Route de Presles, a magnificent limestone cliff formation, over-looking the Commune de Chatelus and the valley of the River Bourne. Here we saw Kestrel and Crag Martin as well as a noisy patrol of Alpine Swift and a solitary Black Kite. The remainder of the afternoon was spent in the picturesque town of Pont en Royans, where we indulged ourselves with a visit to the local ice cream café, whilst watching a Short-toed eagle and Scarce Swallowtail Butterfly. From here, we returned to Lans via the Gorges de la Bourne.

## Day 6

Friday 27th July

Weather: Fine warm and sunny.

An early morning walk, at the La Sierre ski station above Lans en Vercors, produced some very good sightings of Chamoix, as well as distant views of the rather shy Mouflon, with young.

The principal objective for today was to make a day-long walk up to the Pas du l'OEille, above Villard de Lans. Parking at the low level cable car station, we caught the 09-30hrs lift to the upper station at 1720m. We began to make our way up the well sign-posted track. As we progressed we saw Citril Finchs in some numbers and a solitary Siskin. *Hypericum richeri* subsp. *burseri* (A St.John's-wort), *Scabiosa lucida* (Scabious) and *Sedum aurium* (Stonecrop) we all spotted in some numbers. The path to the Pas du l'OEille was uneven, but not too difficult. Raven and Yellow-billed Chough were quite numerous, and several of the group saw Wallcreeper feeding. As it was quite hot, we took several rest stops for water, whilst not missing this opportunity to scan the slopes for Ungulates. It took us about two and a half hours to make the ascent passing *Arnica montana* (Arnica), *Doronicum grandiflora* (Leopard's-bane), *Allium narcissiflorum* (Nar and the seeding heads of *Pulsatilla alpina* (Alpine Pasque Flower) as we went. Water Pippits were also seen.

When we arrived at the Pas du l'OEille, we sat down and enjoyed the splendid views of the eastern side of the Vercors Plateaux, over-looking the Isere valley and affording distant views of Monte Aiguille. Some of the energetic group members who arrived first were rewarded with good views of Alpine Accentor. We set ourselves out on a grassy incline for our picnic, during which, careful scanning revealed a number of Chamoix and the usual flock of Yellow-billed Chough attempted to join us. On the descent, Sara's sharp eyes spotted a small patch of *Gentiana nivalis* (Snow Gentian) growing with *Dianthus furcatus* (A Pink). We took the opportunity to take on refreshments at the Café Altitude Cote 2000, before boarding the cable car for our descent.

After dinner a number of us joined Bruno and Paul in a hunt for owls, between Autrans and Maudre. The first stop was at a known roost for Long-eared Owl, but, unfortunately, they were not there, and there was little pellet evidence of their recent presence. Moving on to the forest behind Maudre, we stopped at three locations where Bruno used a tape to call Pigmy Owl and Tengmalm's Owl, with no more than a brief and very distant response. On the way back to the hotel, we did see Red Deer and Fox.

## Day 7

Saturday 28th July

Weather: Fine, hot and sunny.

Leaving Lans en Vercors, we once again headed for the Isere Valley at Claix, where we turned south onto the motorway. We continued south to the point where the auto-route ended, at Monestier de Clermont. Here we made our way through the village of St. Paul les Monestier and on to an area of hay meadows. We were hoping for a chance to see and hear Corncrake. Sadly, we were a day or so late, as the farmer had almost completed his haymaking and the birds were no long in residence. In an adjacent set-aside field we found Latticed Heath Moth and Common Blue Butterfly. Moving on, we made our way to Gresse en Vercors, where we drove up to a high level car park, just below the Pas du Serpaton. Dotted around the car park were the diminutive pale pink flowers of *Colchicum alpinum* (An alpine Crocus).

We distributed the picnic among the group, before setting off up the road towards the summit. Common Buzzard and Short-toed Eagle were seen as we went. At the top we took some time to admire the views and watch a Kestrel hunting and a busy Mistle Thrush. Meanwhile the botanists had found *Arctostaphylos uva-ursi* (Bearberry) and *Bupleurum petraeum* (Rock Hare's-ear). We moved a little way from our vantage point to a more sheltered spot, where Bruno and Paul set up the picnic. A family of Wheatears kept us company throughout the meal, whilst a couple of Yellow-billed Chough appeared out of nowhere!

On our way back to the vehicle, we stopped to watch an adult Winchat with one of its young. Both birds were perching obligingly on adjacent fence posts. Upon our return to the car park, Paul found a fine display of *Allium shaerocephalon* (Round-headed Leek). Some of the group began to walk back down the lane towards Gresse, in order to explore the botanically rich verges. They found *Goodyera repens* (Creeping Ladies Tresses), *Anacamptis pyramidalis* (Pyramidal Orchid) and *Knautia dipsacifolius* (Wood Scabius). From here we moved on to La batie, where we stopped to scan the lower slopes of the splendid Monte Aiguille for the elusive Ibex, but with no success. Great Banded Grayling was caught and identified, before being released unharmed. It was now time to make our way back to the motorway and up to Lans for dinner.

## Day 8

Sunday 29th July

Weather: Fine hot and sunny

We left Lans en Vercors after breakfast, and drove down towards Villard de Lans, where we turned off the main road and made our way up to an area of high meadows, surrounded by woodland, at Herbouilly. We parked in a wooded layby, where *Epipactis muelleri* was flowering well. Some of the grassland here had already been cut for hay, but there was still quite a lot that had not been mown. Bullfinch and Common Crossbill were seen as well as Ravens and Yellow-billed Cough soaring above the middle distant peaks. Wartbiter Cricket and Speckled Bush Cricket were found as well as Common Blue butterfly, as well as a single spike of *Platanthera chlorantha* (Greater Butterfly Orchid).

We made our way back towards Villard de Lans, finding a picnic site in the forest, where *Epipactis helleborine* (Broad-leaved Helleborine) were looking majestic. We made one last stop at the deserted village of Valchevriere, the site of a major encounter between the Resistance and the Nazis in the Second World War. Returning to our hotel to collect our luggage, we bid farewell to our host Mme. Bonnard and her husband, and began our journey back to Lyon. We retraced the route north on the A43 and A48 we had used when we had arrived, to the airport at Lyon for our flights back to the UK.

## Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit [www.naturetrek.co.uk](http://www.naturetrek.co.uk) to sign up.

## Species Lists

### Plants

<b>Group/Species</b>	<b>English Name(If any)</b>	<b>Location</b>
<b>PTERIDOPHYTES</b>	<b>FERNS &amp; ALLIES</b>	
<b>Equisetaceae</b>	<b>Horsetail Family</b>	
<i>Equisetum arvense</i>	Common Horsetail	Gorges de la Bourne
<i>Equisetum hymale</i>	Dutch Rush	Canyon des Ecouges
<i>Equisetum sylvatica</i>	Wood Horsetail	Herbouilly
<b>Aspleniaceae</b>	<b>Spleenwort Family</b>	
<i>Asplenium fontanum</i>	Smooth Rock Spleenwort	Les Merciers
<i>Asplenium ruta-muraria</i>	Wall Rue	Les Merciers
<i>Asplenium trichomanes</i>	Maidenhair Spleenwort	Les Merciers
<i>Asplenium viride</i>	Green Spleenwort	Les Merciers
<i>Ceterach officinarum</i>	Rustyback	Combe Laval
<b>Dennstaedtiaceae</b>	<b>Bracken Family</b>	
<i>Pteridium aquilinum</i>	Bracken	Common
<b>Dryopteridaceae</b>	<b>Buckler Fern Family</b>	
<i>Dryopteris carthusiana</i>	Narrow Buckler-fern	La Moliere
<i>Dryopteris dilatata</i>	Broad Buckler-fern	Bois des Mures
<i>Dryopteris felix-mas</i>	Male Fern	La Moliere
<i>Dryopteris villarii</i>		Font d'Urle
<i>Polystichum lonchitis</i>	Holly Fern	Pas de l'OEille
<b>Ophioglossaceae</b>	<b>Adder's-tongue Family</b>	
<i>Botrychium lunaria</i>	Moonwort	Font d'Urle
<b>Polypodiaceae</b>	<b>Polypody Family</b>	
<i>Polypodium australe</i>	Southern Polypody	Les Merciers
<b>Woodsiaceae (Athuriaceae)</b>	<b>Lady Fern Family</b>	
<i>Athyrium felix-femina</i>	Lady Fern	La Moliere
<i>Cystopteris fragalis</i>	Brittle Bladder Fern	Combe Laval
<i>Gymnocarpium robertianum</i>	Limestone Fern	Pas de l'OEille
<b>PINOPSIDA (GYMNOSPERMS)</b>	<b>CONIFERS</b>	
<b>Cupressaceae</b>	<b>Juniper Family</b>	
<i>Juniperus communis</i>	Juniper	Common
<i>Juniperus thurifera</i>	French Alpine Juniper	Gorges de la Bourne
<b>Pinaceae</b>	<b>Pine Family</b>	
<i>Abies alba</i>	European Silver Fir	Villard de Lans
<i>Picea abies ssp. abies</i>	Spruce	Villard de Lans
<i>Pinus sylvestris</i>	Scot's Pine	Col de Chau
<i>Pinus uncinata</i>	Mountain Pine	Pas de l'OEille
<b>MAGNOLIOPSIDA (ANGIOSPERMS)</b>	<b>FLOWERING PLANTS</b>	



**Magnoliidae (Dicotyledons)****Aceraceae**

*Acer campestre*  
*Acer opalus*  
*Acer pseudoplatanus*  
*Acer platanoides*

**Maple Family**

Field Maple Les Merciers  
 Italian Maple Combe Laval  
 Sycamore Common  
 Norway Maple Common

**Anacardiaceae**

*Cotinus coccycgia*

**Sumach Family**

Smoke Bush Below Presles

**Apiaceae (Umbelliferae)**

*Angelica sylvestris*  
*Astrantia major*  
*Bupleurum petraeum*  
*Doronicum grandiflora*  
*Erigeron alpina*  
*Erigeron annuus*  
*Eryngium campestre*  
*Heracleum sphondylium*  
*Laserpitium c.f. gallicum*  
*Laserpitium latifolium*  
*Laserpiterum siler*  
*Meam athamanticum*  
*Peucedanum veratrum*  
*Torilis japonica*  
*Trinia glauca*

**Carrot Family**

Wild Angelica Vif  
 Masterwort La Moliere  
 A Hare's-ear Pas de l'OEille  
 Leopard's-bane Pas de l'OEille  
 Alpine Fleabane Font d'Urle  
 Annual Fleabane La Moliere  
 Field Eryngo Common  
 Hogweed La Moliere  
 A Sermountain Presles  
 A Sermountain Gorges de la Bourne  
 A Sermountain La Moliere  
 Spignal La Moliere  
 Southern Masterwort Presles  
 Upright Hedge-parsley Font d'Urle  
 Honewort Font d'Urle

**Aquifoliaceae**

*Ilex aquifolia*

**Holly Family**

Holly Col de Chau

**Araliaceae**

*Hedera helix* agg

**Ivy Family**

Ivy Lans en Vercors

**Aristolochiaceae**

*Asarum europaeum*

**Birthwort Family**

Asarabacca Near Tourtre

**Asclepiadaceae**

*Vincetoxicum hirundinaria*

**Milkweed Family**

Swallow-wort Common

**Asteraceae (Compositae)**

*Achillea millefolium*  
*Adenostyles alliariae*  
*Aposeris foetida*  
*Arcitum minus*  
*Arnica montana*  
*Artemisia absinthium*  
*Aster alpinus*  
*Aster bellidiastrum*  
*Bellis perennis*  
*Bellis sylvestris*  
*Buphthalmum salicifolium*  
*Catanache caerulea*  
*Centaurea montana*

**Daisy Family**

Yarrow Common  
 Adenostyles Common  
 Aposeris Font d'Urle  
 Lesser Burdock Rancs de Chales  
 Arnica Pas de l'OEille  
 Wormwood Col de Rousset  
 Alpine Aster Font d'Urle  
 - Gorges de la Bourne  
 Daisy Lans en Vercors  
 Southern Daisy Les Ecouges  
 Yellow Ox-eye Pas de l'OEille  
 Catanache Verges  
 Perennial Cornflower La Moliere

<i>Cicerbita alpina</i>	Alpine Sow Thistle	La Moliere
<i>Cirsium acaule</i>	Stemless Thistle	La Moliere
<i>Cirsium eriophorum</i>	Wooly Thistle	Herbouilly
<i>Cirsium palustre</i>	Marsh Thistle	Wet Meadows
<i>Conyza canadensis</i>	Canadian Fleabane	Vif
<i>Erigeron acer</i>	Blue Fleabane	Vif
<i>Erigeron alpina</i>	Alpine Fleabane	Font d'Urle
<i>Eupatorium cannabinum</i>	Hemp Agrimony	Vif
<i>Gnaphalium sylvaticum</i>	Heath Cudweed	La Moliere
<i>Hieracium alpinum agg</i>	Alpine Hawkweed	Pas de l'OEille
<i>Helianthus annuus</i>	Sunflower	Near Grenoble Isere Airport
<i>Homogyne alpina</i>	Alpine Coltsfoot	Pas de l'OEille
<i>Lactuca perennis</i>	Blue or Mountain Lettuce	Presles
<i>Lapsana communis</i>	Nipplewort	Common
<i>Leucanthimum vulgare</i>	Ox-eye Daisy	Font d'Urle
<i>Matricaria discoidea</i>	Pinapple Weed	Font d'Urle
<i>Mycelis muralis</i>	Wall Lettuce	La Moliere
<i>Picris hieracioides</i>	Hawkweed oxtongue	Rancs de Chales
<i>Pilosella officinarum</i>	Mouse-eared Hawkweed	Les Merciers
<i>Prenanthes purpurea</i>	Purple Lettuce	Common
<i>Pulicaria dysenterica</i>	Fleabane	Vif
<i>Senecio ovatus subsp. Alpestris</i>	-	La Moliere
<i>Senecio vulgaris</i>	Groudsel	Lans en Vercors
<i>Serratula tinctoria</i>	Saw-wort	Font d'Urle
<i>Solidago gigantea</i>	-	Chirens
<i>Sonchus asper</i>	Prickly Sow-thistle	Lans en Vercors
<i>Sonchus oleraceus</i>	Smooth Sowthistle	Lans en Vercors
<i>Taraxacum agg</i>	Dandelion	Common in meadows
<i>Tussilago farfara</i>	Colt's-foot	Gorges de la Bourne
<b>Betulaceae (Corylaceae)</b>	<b>Birch Family</b>	
<i>Betula pendula</i>	Silver Birch	Font d'Urle
<i>Betula pubescens</i>	Downy Birch	Font d'Urle
<b>Boraginaceae</b>	<b>Forget-me-not Family</b>	
<i>Cynoglossum officinalis</i>	Hound's-tongue	Pas du Serpaton
<i>Echium plantagineum</i>	Purple Viper's Bugloss	Font d'Urle
<i>Echium vulgare</i>	Viper's Bugloss	Presles
<i>Myosotis alpestris</i>	Alpine Wood Forget-me-not	Pas de l'OEille
<i>Myosotis arvensis</i>	Field Forget-me-not	Above Autrans
<i>Pulmonaria montana</i>	Mountain Lungwort	Font d'Urle
<b>Brassicaceae (Cruciferae)</b>	<b>Cabbage Family</b>	
<i>Alliaria petiolata</i>	Garlic Mustard	La Moliere
<i>Arabidopsis thaliana</i>	Thale Cress	Lans en Vercors
<i>Biscutella brevicaulis</i>	Buckler Mustard	Font d'Urle
<i>Capsella bursa-pastoris</i>	Shepherd's Purse	Lans en Vercors
<i>Cardamine hirsuta</i>	Hairy Bittercress	Lans en Vercors
<i>Cardamine pratensis</i>	Lady's Smock or Cuckoo Flower	Les geymonds
<i>Draba aizoides (Over)</i>	Yellow Whitlow-grass	Font d'Urle
<i>Iberis stricta subsp. Leptophylla</i>	A Candytuft	Below the Col de Rousset
<i>Sinapis arvensis</i>	Charlock	Autrans
<b>Buddlejaceae</b>	<b>Butterfly-bush Family</b>	

<i>Buddleja davidii</i>	Butterfly-bush	Vif
<b>Campanulaceae</b>	<b>Bellflower Family</b>	
<i>Campanula cochlerifolia</i>	Fairy's Thimble	Common on rocks
<i>Campanula glomerata</i>	Clustered Bellflower	Bois des Mures
<i>Campanula patula</i>	Spreading Bellflower	Gorges de la Bourne
<i>Campanula persicifolia</i>	Peach-leaved Bellflower	Les Merciers
<i>Campanula ranunculoides</i>	Creeping Bellflower	Les Merciers
<i>Campanula rhomboidalis</i>	A Bellflower	La Moliere
<i>Campanula thyrsoides</i>	Yellow Bellflower	La Moliere
<i>Campanula rotundifolia</i>	Harebell	Common
<i>Campanula speciosa</i>	A Bellflower	Below the Col de Rousset
<i>Campanula trachelium</i>	Nettle-leaved Bellflower	Below the Col de Rousset
<i>Legousia speculum- veneris</i>	Large Venus's Looking-glass	Arable field near Grenoble Airport
<i>Phyteuma nigra</i>	Black Rampion	Verges
<i>Phyteuma orbiculare</i>	Round-headed Rampion	Les Merciers
<b>Cannabaceae</b>	<b>Hemp Family</b>	
<i>Humulus lupulus</i>	Hop	Pont en Royans
<b>Caprifoliaceae</b>	<b>Honeysuckle Family</b>	
<i>Lonicera alpigena</i>	Alpine Honeysuckle	La Moliere
<i>Lonicera nigra</i>	Black Honeysuckle	Les Merciers
<i>Lonicera periclymenum</i>	Honeysuckle	La Moliere
<i>Lonicera xylosteum</i>	Fly Honeysuckle	Gorges de la Bourne
<i>Sambucus ebulus</i>	Dwarf Elder	Vassieux cemetery
<i>Sambucus nigra</i>	Elder	La Moliere
<i>Sambucus racemosus</i>	Red-berried Elder	Rancs de Chales
<i>Viburnum lantana</i>	Wayfaring Tree	Les Merciers
<b>Caryophyllaceae</b>	<b>Pink Family</b>	
<i>A.serpyllifolia ssp. serpyllifolia</i>	Thyme-leaved Sandwort	Presles
<i>Cerastium arvense</i>	Field Mouse-ear	Common
<i>Cerastium fontanum</i>	Common Mouse-ear	Common
<i>Gerastium glomeratum</i>	Sticky Mouse-ear	Lans en Vercors
<i>Cerastium tomentosum</i>	Snow-in-Summer	Below the Col de Rousset
<i>Dianthus carthusianorum</i>	Carthusian Pink	Les Merciers
<i>Dianthus furcatus</i>	-	Pas de l'Oeille
<i>Dianthus gratianopolitanus</i>	Cheddar Pink	-
<i>Dianthus monspessulanus</i>	Fringed Pink	Common
<i>Dianthus sylvaticus</i>	Wood Pink	Les Merciers
<i>Gypsophila repens</i>	Gypsophila	Fonte d'Urle
<i>Lychnis flos-cuculi</i>	Ragged Robin	Les Geymonds
<i>Minuartia verna</i>	Spring Sandwort	Les Merciers
<i>Petrorhagia velutina</i>	Pink	Les Merciers
<i>Saponaria officinalis</i>	Soapwort	Les Jarrands
<i>Silene acaulis</i>	Moss Campion	Pas de l'OEille
<i>Silene dioica</i>	Red Campion	La Moliere
<i>Silene latifolia (S.alba)</i>	White Campion	Common
<i>Silene nutans</i>	Nottingham Catchfly	Presles
<i>Silene rupestris</i>	Rock Catchfly	Les Ecouges
<i>Silene vulgaris</i>	Bladder Campion	Common
<i>Stellaria graminea</i>	Lesser Stitchwort	La Moliere
<i>Stellaria nemorum</i>	Wood Stitchwort	La Moliere

<b>Chenopodiaceae</b> <i>Chenopodium bonus-henricus</i>	<b>Goose-foot Family</b> Good King Henry	Fonte d'Urle
<b>Cistaceae</b> <i>Helianthimum nummularium</i> <i>H.nummularium subsp. Grandiflorum</i>	<b>Rock-rose Family</b> Common Rockrose Rockrose	Font d'Urle Pas du l'Oeille
<b>Clusiaceae (Guttiferae, Hypericaceae)</b> <i>Hypericum alpestris</i> <i>Hypericum perforatum</i> <i>Hypericum richeri</i>	<b>St. John's-wort Family</b> Alpine St.John's-wort Perforate St. John's-wort -	Les Ecouges Preles Pas du l'Oeille
<b>Convolvulaceae</b> <i>Convolvulus arvensis</i> <i>Cuscuta epithymum</i> <i>Cuscuta europaeum</i>	<b>Bindweed Family</b> Field Bindweed Dodder Greater Dodder	Above Autrans Font d'Urle Les Merciers
<b>Cornaceae</b> <i>Cornus sanguinea</i> <i>Chamaepericlymenum suecicum</i>	<b>Dogwood Family</b> Dogwood Dwarf Cornel	La Moliere Pas du l'Oeille
<b>Corylaceae</b> <i>Carpinus betulus</i> <i>Corylus avellana</i>	<b>Hazel Family</b> Hornbeam Hazel	Combe Laval Les Merciers
<b>Crassulaceae</b> <i>Sedum acre</i> <i>Sedum album</i> <i>Sedum atratum</i> <i>Sedum dasyphyllum</i> <i>Sedum rupestre</i> <i>Sempervivum tectorum</i>	<b>Stonecrop Family</b> Biting Stonecrop White Stonecrop Dark Stonecrop Fat Stonecrop Large yellow Stonecrop Common Houseleek	Common Presles Pas du l'Oeille Common on rocks Les Merciers Font d'Urle
<b>Cucurbitaceae</b> <i>Bryonia cretica</i>	<b>Cucumber Family</b> White Bryony	Les Ecouges
<b>Dipsacaceae</b> <i>Dipsacus fullonum</i> <i>Knautia dipsacifolia</i> <i>Scabiosa columbaria</i> <i>Scabiosa lucida</i>	<b>Teasel Family</b> Teasel Wood Scabious Scabius Shining Scabious	Common Les Merciers Pas du l'Oeille
<b>Elaeagnaceae</b> <i>Hippophae rhamnoides</i>	<b>Oleaster Family</b> Sea Buckthorn	Vif
<b>Ericaceae</b> <i>Arctostaphylos uva-ursi</i> <i>Calluna vulgaris</i> <i>Vaccinium myrtillus</i>	<b>Heath family</b> Bearberry Heather Bilberry	Font d'Urle La Moliere La Moliere
<b>Euphorbiaceae</b> <i>Euphorbia amygdaloides</i> <i>Euphorbia cyparissias</i> <i>Euphorbia peplus</i> <i>Mercurialis perennis</i>	<b>Spurge Family</b> Wood Spurge Cypress Spurge Petty Spurge Dog's Mercury	Rancs de Chales Les Merciers Lans en Vercors Woods

**Fabaceae (Leguminosae)**

*Anthyllis montana*  
*Anthyllis vulneraria*  
*Clinopodium vulgare*  
*Hippocrepis comosa*  
*Laburnum anagyroides*  
*Lathyrus pratensis*  
*Lotus corniculatus*  
*Lotus subbiflorus*  
*Lotus uliginosa*  
*Medicago lupulina*  
*Melilotus alba*  
*Onobrychis viciifolia*  
*Ononis natrix*  
*Ononis repens*  
*Origanum vulgare*  
*Psoralea bituminosa*  
*Securigera varia (Coronilla varia)*  
*Trifolium arvense*  
*Trifolium aureum*  
*Trifolium campestre*  
*Trifolium dubium*  
*Trifolium medium*  
*Trifolium ochroleucon*  
*Trifolium pannonicum*  
*T.pratense subsp. pratense*  
*Trifolium pratense subsp. nivale*  
*Trifolium repens*  
*Trifolium resupinatum*  
*Trifolium rubens*  
*Trifolium scabrum*  
*Vicia cracca*  
*Vicia sativa ssp. segetalis*  
*Vicia sepium*

**Fagaceae**

*Carpinus betulus*  
*Fagus sylvatica*  
*Quercus pubescens*

**Gentianaceae**

*Gentiana clusii*  
*Gentiana cruciata*  
*Gentiana lutea (Leaves only)*  
*Gentiana nivalis*  
*Gentianella campestris*

**Geraniaceae**

*Erodium cicutarium*  
*Geranium columbinum*  
*Geranium dissectum*  
*Geranium lucidum*  
*Geranium molle*  
*Geranium nodosum*

**Pea Family**

Mountain Kidney-vetch  
Kidney Vetch  
Wild basil  
Horseshoe Vetch  
Laburnum  
Yellow Vetchling  
Bird's-foot Trefoil  
Hairy Bird's-foot Trefoil  
Large Bird's-foot Trefoil  
Black Medick  
White Melilot  
Sainfoin  
Yellow Restharrow  
Restharrow  
Wild Marjoram  
Pitch Trefoil  
Crown Vetch  
Hare's-foot Clover  
Large Yellow Clover  
Hop Trefoil  
Lesser Yellow Trefoil  
Zigzag Clover  
Sulphur Clover  
Hungarian Clover  
Red Clover  
Red Clover  
White Clover  
Reversed Clover  
Red Trefoil  
Rough Clover  
Tufted vetch  
Common Vetch  
Bush Vetch

Font d'Urle  
Les Merciers  
La Moliere  
Presles  
Below the Col de Rousset  
Presles  
La Chapelle  
Presles  
Les Geymonds  
La Chapelle  
Vif  
Common  
Verges  
Pas du Serpaton  
La Moliere  
Above Autrans  
Above Autrans  
Les Merciers  
Above Autrans  
Les Merciers  
Lans en Vercors  
Common  
Above Autrans  
Pas du l'Oeille  
Lans en Vercors  
Below the Col de Rousset  
Lans en Vercors  
Near grenoble Airport  
Maudre  
Les Merciers  
Roadsides  
Font d'Urle  
La Moliere

**Oak & Beech Family**

Hornbeam  
Beech  
Downy Oak

Combe Laval  
La Moliere  
Above Autrans

**Gentian Family**

Clusius's Gentian (Over)  
Cross gentian  
Yellow Gentian  
Snow Gentian  
Field Gentian

Font d'Urle  
Les Merciers  
Common  
Pas du l'Oeille  
Font d'Urle

**Geranium Family**

Common Stork's-bill  
Long-stalked Crane's-bill  
Cut-leaved Crane's-bill  
Shining Crane's-bill  
Dove's-foot Crane's-bill  
Knotted Crane's-bill

La Chapelle  
Service area South of Lyon  
Preles  
Preles  
Preles  
Rancs de Chales

<i>Geranium pyrenaicum</i>	Hedgerow Crane's-bill	Common
<i>Geranium purpureum</i>	Little Robin	Common
<i>Geranium robertianum</i>	Herb Robert	Common
<i>Geranium sylvaticum</i>	Wood Crane's-bill	Font d'Urle
<b>Globulariaceae</b>	<b>Globularia Family</b>	
<i>Globularia cordifolia</i>	Matted Globularia	Pas du l'Oeille
<b>Grossulariaceae</b>	<b>Gooseberry Family</b>	
<i>Ribes alpinum</i>	Mountain Currant	Les Merciers
<b>Juglandaceae</b>	<b>Walnut Family</b>	
<i>Juglans regia</i>	Walnut	Planted
<b>Lamiaceae (Labiatae)</b>	<b>Dead-nettle Family</b>	
<i>Acinos alpina</i>	Alpine Basil Thyme	Preles
<i>Ajuga genevensis</i>	Blue Bugle	Font d'Urle
<i>Ajuga pyramidalis</i>	Pyramidal Bugle	Pas du l'Oeille
<i>Calamintha grandiflora</i>	Large-flowered Calamint	Above Autrans
<i>Clinopodium vulgare</i>	Wild basil	Preles
<i>Galeopsis angustifolius</i>	Red Hempnettle	Rancs de Chales
<i>Galeopsis tetrahit agg</i>	Common Hempnettle	La Moliere
<i>Lamium purpureum</i>	Red Deadnettle	La Chapelle
<i>Lavandula officinalis</i>	Lavender	La Moliere
<i>Lycopus europaeus</i>	Gypsywort	Vif
<i>Marrubium vulgare</i>	White Horehound	Preles
<i>Mentha aquatica</i>	Water Mint	Chirens
<i>Mentha longifolia</i>	Horse Mint	Pont en Royans
<i>Oregano vulgare</i>	Marjoram	Common
<i>Prunella grandiflora</i>	Large-flowered Self-heal	Les Merciers
<i>Prunella vulgaris</i>	Self-heal	Below Col de Rousset
<i>Salvia pratensis</i>	Meadow Clary	Common
<i>Sideritis hyssopifolia</i>	Sideritis	Common
<i>Stachys alpina</i>	Alpine Woundwort	Common on woodland margins
<i>Stachys garganica</i>	Large Red Deadnettle	La Moliere
<i>Stachys recta</i>	Yellow Woundwort	Les Merciers
<i>Stachys sylvatica</i>	Hedge Woundwort	Rancs de Chales
<i>Teucrium chamaedrys</i>	Wall Germander	Common on rocks
<i>Teucrium montanum</i>	Mountain Germander	Font d'Urle
<i>Thymus polytrichis</i>	Wild Thyme	Les Merciers
<b>Lentabulariaceae</b>	<b>Bladderwort Family</b>	
<i>Pinguicula grandiflora (Leaves)</i>	Large-flowered Butterwort	Les Ecouges
<b>Linaceae</b>	<b>Flax Family</b>	
<i>Linum catharticum</i>	Purging or Fairy Flax	La Moliere
<i>Linum perenne agg</i>	Perennial Flax	Pas de l'Oeille
<i>L.suffruticosum ssp. salsoloides</i>	Pyrenean Flax	Presles
<b>Loranthaceae</b>	<b>Mistletoe Family</b>	
<i>Viscum album</i>	Mistletoe	Roadside on Poplar
<i>Viscum album subsp. abietis</i>	Mistletoe	Below the Col de Rousset
<b>Lythraceae</b>	<b>Loosestrife Family</b>	

<i>Lythrum salicaria</i>	Purple Loosestrife	Chirens
<b>Oleaceae</b>	<b>Olive Family</b>	
<i>Fraxinus excelsior</i>	Ash	Maudre
<i>Ligustrum vulgare</i>	Wild Privet	Vif
<b>Onagraceae</b>	<b>Willowherb Family</b>	
<i>Chamerion angustifolium</i>	Rosebay Willowherb	La Moliere
<i>Epilobium alpestre</i>	-	La Moliere
<i>Epilobium fleischeri</i>	Alpine Willowherb	Col de Chau
<i>Epilobium hirsutum</i>	Hairy Willowherb	Les Geymonds
<i>Epilobium montanum</i>	Broad-leaved Willowherb	Rancs de Chales
<b>Orobanchaceae</b>	<b>Broomrape Family</b>	
<i>Orobanche alba</i>	Thyme Broomrape	La Moliere
<i>Orobanche gracilis</i>	Slender Broomrape	Les Merciers
<b>Oxalidaceae</b>	<b>Wood-sorrel Family</b>	
<i>Oxalis acetosella</i>	Wood-sorrel	Bois des Mures
<b>Papaveraceae</b>	<b>Poppy Family</b>	
<i>Chelidonium majus</i>	Greater Celandine	Autrans
<i>Papaver rhoas</i>	Corn Poppy	Common
<b>Parnassiaceae</b>	<b>Grass of Parnassus Family</b>	
<i>Parnassia palustris</i>	Grass of Parnassus	Chirens
<b>Plantaginaceae</b>	<b>Plantain Family</b>	
<i>Plantago lanceolata</i>	Ribwort Plantain	Common
<i>Plantago majus</i>	Greater Plantain	Lans en Vercors
<i>Plantago media</i>	Hoary or Lamb's-tail Plantain	Common on Roadsides
<b>Plumbaginaceae</b>	<b>Thrift Family</b>	
<i>Armeria maritima</i> ssp. <i>alpina</i>	Mountain Thrift	Pas du l'Oeille
<b>Polygalaceae</b>	<b>Milkwort Family</b>	
<i>Polygala alpina</i>	Alpine Milkwort	Font d'Urle
<i>Polygala nicaeensis</i>	Nice Milkwort	Font d'Urle
<b>Polygonaceae</b>	<b>Knotweed Family</b>	
<i>Persicaria bistorta</i>	Bistort	Common in Meadows
<i>Rumex acetosa</i>	Sorrel	Font d'Urle
<i>Rumex scutatus</i>	French Sorrel	Presles
<b>Primulaceae</b>	<b>Primrose Family</b>	
<i>Anagallis arvensis</i>	Scarlet Pimpernel	Common
<i>Androsace villosa</i> (Over)	Woolly Rock-jasmine	Font d'Urle
<i>Lysimachia nummularia</i>	Creeping Jenny	Les Geymonds
<i>Lysimachia vulgaris</i>	Yellow Looestribe	Chirens
<i>Primula auricula</i>	Bear's-ear Primrose	Les Ecouges
<i>Primula integrifolia</i> (Leaves)	Entire-leaved Primrose	Pas de l'OEille
<i>Primula veris</i>	Cowslip	Common
<i>Soldanella alpina</i> (Leaves)	Alpine Snowbells	Pas de l'OEille
<b>Pyrolaceae</b>	<b>Wintergreen Family</b>	

<i>Monotropa hypopitys</i>	Yellow Birdsnest	Bois de Mures
<i>Pyrola media</i>	Intermediate Wintergreen	Bois de Mures
<b>Ranunculaceae</b>	<b>Buttercup Family</b>	
<i>A.lycoctonum subsp. vulparia</i>	Wolf's Bane	La Moliere
<i>Aconitum napellus</i>	Common Monkshood	Font d'Urle
<i>Actaea spicata</i>	Baneberry	Pas de l'Oeille
<i>Caltha palustris</i>	Kingcups	Les Merciers
<i>Clematis vitalba</i>	Old man's-beard	Les Merciers
<i>Helleborus foetidus</i>	Stinking Hellebore	Les Merciers
<i>Pulsatilla alpina (Over)</i>	Alpine Pasqueflower	Pas de l'Oeille
<i>Ranunculus aconitifolium</i>	Aconite-leaved Buttercup	La Moliere
<i>Ranunculus platanifolius</i>	-	Common on woodland margins
<i>Thalictrum minus</i>	Lesser Meadow Rue	Les Merciers
<b>Resedaceae</b>	<b>Mignonette Family</b>	
<i>Reseda lutea</i>	Wild Mignonette	Below the Col de Rousset
<i>Reseda luteola</i>	Weld	Sessenage
<b>Rhamnaceae</b>	<b>Buckthorn Family</b>	
<i>Rhamnus alpinus</i>	Alpine Buckthorn	Les Merciers
<b>Rosaceae</b>	<b>Rose Family</b>	
<i>Agrimonia eupatorium</i>	Agrimony	Vif
<i>Alchemilla alpina</i>	Alpine Lady's Mantle	Pas de l'Oeille
<i>Alchemilla glabra</i>	Smooth Lady's Mantle	Pas de l'Oeille
<i>Amelanchier ovalis</i>	Amelanchier	Col de Chau
<i>Aruncus dioicus</i>	Aruncus	Les Ecouges
<i>Crataegus monogyna</i>	Hawthorn	Common
<i>Dryas octopetala</i>	Mountain Avens	Font d'Urle
<i>Fragaria moschata</i>	Hautbois Strawberry	Herbouilly
<i>Fragaria vesca</i>	Wild Strawberry	Bois des Mures
<i>Filipendula ulmaria</i>	Meadowsweet	Les Geymonds
<i>Geum montanum</i>	Alpine Avens	Font d'Urle
<i>Geum rivale</i>	Water Avens	Les Geymonds
<i>Geum urbanum</i>	Wood Avens or Herb Bennet	Pas de l'Oeille
<i>Potentilla caulescens</i>	Lax Potentilla	Coombe Lavel
<i>Potentilla crantzii</i>	Alpine Cinquefoil	Font d'Urle
<i>Potentilla reptans</i>	Creeping Cinquefoil	Lans en Vercors
<i>Potentilla valderia</i>	Alchemilla-leaved Cinquefoil	Pas de l'Oeille
<i>Rosa pendulina</i>	Alpine Rose	Pas de l'Oeille
<i>Rubus idaeus</i>	Raspberry	Gorges de la Bourne
<i>Rubus fruticosus agg</i>	Bramble	Common
<i>Rubus saxatilis</i>	Stone Bramble	Bois des Mures
<i>Sanguisorba minor agg</i>	Salad Burnet	Col de Chau
<i>Sorbus aria agg</i>	Whitebeam	Common
<i>Sorbus aucuparia</i>	Rowen	La Moliere
<b>Rubiaceae</b>	<b>Bedstraw Family</b>	
<i>Asperula rupicola</i>	A Squinancywort	Les Merciers
<i>Cruciata laevipes</i>	Crosswort	La Moliere
<i>Galium aparine</i>	Clevers	Les Merciers
<i>Galium mollugo</i>	Hedge Bedstraw	Les Ecouges
<i>Galium odoratum</i>	Sweet Woodruff	Bois des Mures
<i>Rubia perigrina</i>	Wild Madder	Vif



<i>Sherardia arvensis</i>	Field Madder	Common
<b>Salicaceae</b>	<b>Poplar &amp; Willow Family</b>	
<i>Populus tremula</i>	Aspen	Les Merciers
<i>Salix herderacea</i>	Dwarf Willow	Pas de l'OEille
<i>Salix repens</i>	Creeping Willow	Chirens
<i>Salix viminalis</i>	Basket Willow	Vif
<b>Saxifragaceae</b>	<b>Saxifrage Family</b>	
<i>Saxifraga exarata</i> agg (Leaves)	Musky Saxifrage	Font d'Urle
<i>Saxifraga aizoides</i>	Yellow Saxifrage	Font d'Urle
<i>Saxifraga granulata</i> (Leaves)	Meadow Saxifrage	Very Common
<i>Saxifraga oppositifolia</i> (Leaves)	Purple Saxifrage	Font d'Urle
<i>Saxifraga paniculata</i> (S. aizoon)	Live-long Saxifrage	Les Merciers
<i>Saxifraga rotundifolia</i>	Round-leaved saxifrage	Les Merciers
<b>Scrophulariaceae</b>	<b>Figwort Family</b>	
<i>Antirrhinum latifolium</i>	-	Near Presles
<i>Cymbalaria muralis</i>	Ivy-leaved Toadflax	Pont en Royans
<i>Digitalis ambigua</i> (D. grandiflora)	Large Yellow Foxglove	Above Autrans
<i>Digitalis lutea</i>	Small Yellow Foxglove	Above Autrans
<i>Digitalis purpurea</i>	Foxglove	Common
<i>Erinus alpinus</i>	Fairy Foxglove	Pas de l'OEille
<i>Euphrasia roskoviana</i>	Eyebright	Les Merciers
<i>Linaria repens</i>	Striped Toadflax	Above Autrans
<i>Linaria supina</i> (L.pyrenaica)	Pyrenean Toadflax	Combe Laval
<i>Melampyrum nemorosum</i>	Cow-wheat	Common
<i>Pedicularis gyroflexa</i>	Tufted Lousewort	Font d'Urle
<i>Rhinanthus angustifolius</i> agg	Greater Rattle	Les Merciers
<i>Rhinanthus minor</i> agg	Hay Rattle	Les Merciers
<i>Scrophularia canina</i>	Dog Figwort	Pas de l'OEille
<i>Scrophularia nodosa</i>	Common Figwort	Les Ecouges
<i>Verbascum phlomoides</i>	Orange Mullein	Preles
<i>Verbascum pulverulentum</i>	Hoary Mullein	South of Lyon
<i>Veronica beccabunga</i>	Brook Lime	Les Ecouges
<i>Veronica officinalis</i>	Heath Speedwell	La Moliere
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell	Font d'Urle
<i>Veronica spicata</i>	Spiked Speedwell	Font d'Urle
<b>Solanaceae</b>	<b>Nightshade Family</b>	
<i>Solanum dulcamara</i>	Bittersweet	Vif
<b>Tiliaceae</b>	<b>Lime Family</b>	
<i>Tilia cordata</i>	Small-leaved Lime	Gorges de la Bourne
<b>Thymelaeaceae</b>	<b>Mezereon Family</b>	
<i>Daphne laureola</i>	Spurge Laural	Herbouilly
<i>Daphne mezereum</i>	Mezereon	Pas du l'Oeille
<b>Urticaceae</b>	<b>Nettle Family</b>	
<i>Parietaria judaica</i>	Pelitory of the Wall	Lans en Vercors
<i>Parietaria officinalis</i>	Large Pelitory of the Wall	Pont en Royans
<i>Urtica dioica</i>	Common Nettle	Lans en Vercors
<b>Valerianaceae</b>	<b>Valerian Family</b>	

<b><i>Centranthus angustifolius</i></b>	-	Below the Col de Rousset
<i>Centranthus ruber</i>	Red Valerian	Sessenage
<i>Valeriana officinalis</i>	Common Valerian	La Moliere
<i>Valeriana tripteris</i>	Three-leaved Valerian	Font d'Urle
<b>Verbenaceae</b>	<b>Vervain Family</b>	
<i>Verbena officinalis</i>	Vervain	La Moliere
<b>Violaceae</b>	<b>Violet Family</b>	
<i>Viola riviniana</i>	Common Dog Violet	La Moliere
<i>Viola tricolor subsp. subalpina</i>	Heartsease	Font d'Urle
	<b>Liliidae (Monocotyledons)</b>	
<b>Cyperaceae</b>	<b>Sedge Family</b>	
<i>Carex biglowii</i>	Stiff Sedge	Pas du l'Oeille
<i>Carex divulsa</i>	Grey Sedge	Common
<i>Carex flacca</i>	Glaucus Sedge	Common
<i>Carex pendula</i>	Pendulus Sedge	Vif
<i>Carex spicata</i>	Spiked Sedge	Pas du Serpaton
<i>Schoenus nigricans</i>	Black Bog-rush	Chirens
<b>Dioscoreaceae</b>	<b>Black Bryony Family</b>	
<i>Tamus communis</i>	Black Bryony	Above Autrans
<b>Juncaceae</b>	<b>Rush Family</b>	
<i>Juncus articulatus</i>	Jointed Rush	Vif
<i>Juncus conglomeratus</i>	Compact Rush	Les Geymonds
<i>Juncus effusus</i>	Soft Rush	Les Geymonds
<i>Juncus inflexus</i>	Hard rush	Les Geymonds
<i>Luzula forsteri</i>	Southern Woodrush	La Moliere
<i>Luzula luzuloides</i>	White Woodrush	Bois des Mures
<i>Luzula nivea</i>	Snowy Woodrush	Bois des Mures
<b>Liliaceae</b>	<b>Lily Family</b>	
<i>Allium narcissiflorum</i>	Narcissus-flowered Onion	Pas de l'OEille
<i>Allium oleraceum</i>	Field Garlic	Col de la Machine
<i>Allium rotundum</i>	-	Presles
<i>Allium senescens subsp. montanum</i>	Mountain Onion	Les Merciers
<i>Allium shaerocephalon</i>	Round-headed Leek	Font d'Urle
<i>Allium vineale</i>	Wild Onion	Pas du Serpaton
<i>Anthericum ramosum</i>	-	Presles
<i>Colchicum alpinum</i>	-	Font d'Urle
<i>Colchicum autumnale (leaves)</i>	Autumn Crocus	Common
<i>Lilium martagon</i>	Martagon Lily	La Moliere
<i>Paris quadrifolia</i>	Herb Paris	Woods
<i>Polygonatum verticillatum</i>	Whorled Solomon's Seal	Woods
<i>Ruscus aculeatus</i>	Butcher's-broom	Woods
<i>Veratrum album</i>	False White Helleborine	La Moliere
<b>Orchidaceae</b>	<b>Orchid Family</b>	
<i>Anacamptis pyramidalis</i>	Pyramidal Orchid	Presles
<i>Cephalanthera rubra</i>	Red Helleborine	Les Merciers
<i>Coeloglossum viride</i>	Frog Orchid	Font d'Urle
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid	La Moliere

<i>Epipactis atrorubens</i>	Dark Red Helleborine	Common
<i>Epipactis helleborine</i>	Broad-leaved Helleborine	Common
<i>Epipactis microphylla</i>	-	Bois des Mures
<i>Epipactis muelleri</i>	-	Bois des Mures
<i>Epipogium aphyllum</i>	Ghost Orchid	Bois des Mures
<i>Goodyera repens</i>	Creeping ladies Tresses	Bois des Mures
<i>G.conopsea subsp. densiflora</i>	Fragrant Orchid	La Moliere
<i>Listera ovata</i>	Twayblade	Herbouilly
<i>Neottia nidus-avis</i>	Birdsnest Orchid	Bois des Mures (Over)
<i>Nigritella nigra</i>	Black Vanilla Orchid	Font d'Urle
<i>Nigritella rubra</i>	Red Vanilla Orchid	Pas de l'Oeille
<i>Orchis ustulata</i>	Burnt-tipped Orchid	Les Merciers
<i>Platanthera bifolia</i>	Lesser Butterfly Orchid	Herbouilly
<i>Spiranthes aestivalis</i>	Summer Ladies Tresses	Chirens
<i>Traunsteinera globosa</i>	Round-headed Orchid	Pas de l'Oeille
<b>Poaceae (Gramineae)</b>	<b>Grass Family</b>	
<i>Agrostis gigantea</i>	Black Bent	Vif
<i>Arrhenathrum elatius</i>	False Oar-grass	La Moliere
<i>Brachypodium sylvaticum</i>	False Brome	Vif
<i>Bromus ramosus</i>	Wood Brome	La Moliere
<i>Briza media</i>	Quaking Grass	Les Merciers
<i>Calamagrostis epigejos</i>	Wood Small Reed	La Moliere
<i>Cynosurus cristatus</i>	Crested Dog's-tail	Meadows
<i>Dactylis glomerata</i>	Cock's-foot	Common
<i>Deschampsia flexuosa</i>	Wavy Hairgrass	La Moliere
<i>Elymus caninus</i>	Bearded Couch	La Moliere
<i>Festuca rubra agg</i>	Red Fescue	Common
<i>Hordelymus europaeus</i>	Wood Barley	Common in open woods
<i>Lolium perenne</i>	Perennial Rye-grass	Common
<i>Melica ciliata</i>	Soft Melick	Vif
<i>Millium effusum</i>	Wood Millet	La Moliere
<i>Panicum dichotimiflorum</i>	A Millet	Near Grenoble Isere Airport
<i>Phragmites australis</i>	Reed	Vif
<i>Poa annua</i>	Annual Meadow-grass	Common
<i>Poa nemoralis</i>	Wood Meadow-grass	Woods
<i>Sesleria caerulea</i>	Blue Moor-grass	Les Ecouges
<i>Setaria italica</i>	Large Bristle-grass	Near Grenoble Isere Airport
<i>Setaria verticillata</i>	Sticky Bristle-grass	Near Grenoble Isere Airport
<i>Trisetum flavescens</i>	Golden Oat	La Moliere
<b>Typhaceae</b>	<b>Bulrush Family</b>	
<i>Typha latifolia</i>	Reedmace	Vif

	Common name	Scientific name	TL	July							
				22	23	24	25	26	27	28	29
1	Grey Heron	<i>Ardea cinerea</i>	•		•		•	•	•	•	•
2	Mallard	<i>Anas platyrhynchos</i>	•	•	•		•				
3	Griffon Vulture	<i>Gyps fulvus</i>	•			•			•	•	
4	Egyptian Vulture	<i>Neophron perconopterus</i>	•			•					
5	Short-toed Eagle	<i>Circaetus gallicus</i>	•		•	•		•		•	
6	Black Kite	<i>Milvus migrans</i>	•	•	•	•	•	•		•	•
7	Hen Harrier	<i>Circus cyaneus</i>	•	•							
8	Montagu's Harrier	<i>Circus pygargus</i>	•	•							
9	Common Buzzard	<i>Buteo buteo</i>	•	•	•	•		•	•	•	•
10	Honey Buzzard	<i>Pernis apivorus</i>	•	•				•	•	•	
11	Sparrowhawk	<i>Accipiter nisus</i>	•		•	•		•	•		H
12	Common Kestrel	<i>Falco tinnunculus</i>	•	•	•	•	•	•	•	•	•
13	Hobby	<i>Falco subbuteo</i>	•				•				
14	Black Grouse	<i>Tetrao tetrix</i>	•						H		
15	Common Quail	<i>Coturnix coturnix</i>	•	H							
16	Moorhen	<i>Gallinula chloropus</i>	•				H				
17	Wood Pigeon	<i>Columba palumbus</i>	•	•	•	•	•	•		•	•
18	Feral Pigeon / Rock Dove	<i>Columba livia</i>	•	•	•	•	•	•	•	•	•
19	Collared Dove	<i>Streptopelia decaocto</i>	•	•	•		•			•	•
20	Turtle Dove	<i>Streptopelia turtur</i>	•	•	•						
21	Tawny Owl	<i>Strix aluco</i>	•	•					•		
22	Tengmalm's Owl	<i>Aegolius funereus</i>	•						H		
23	Little Owl	<i>Athene noctua</i>	•				H				
24	Scops Owl	<i>Otus scops</i>	•				•				
25	European Nightjar	<i>Caprimulgus europaeus</i>	•				•				
26	Common Swift	<i>Apus apus</i>	•	•	•	•	•	•	•	•	•
27	Alpine Swift	<i>Apus melba</i>	•		•		•	•	•	•	
28	Black Woodpecker	<i>Dryocopus martius</i>	•			H			H		
29	Green Woodpecker	<i>Picus viridis</i>	•			•	H	H	H	H	H
30	Great-spotted Woodpecker	<i>Dendrocopus major</i>	•	•	•	•		•	H		H
31	Wryneck	<i>Jynk torquilla</i>	•				H				
32	Skylark	<i>Alauda arvensis</i>	•			•	•				
33	Crag Martin	<i>Ptyonoprogne rupestris</i>	•		•	•		•			
34	Barn Swallow	<i>Hirundo rustica</i>	•	•	•	•	•	•	•	•	•
35	House Martin	<i>Delichon urbica</i>	•	•	•	•	•	•	•	•	•
36	Tree Pipit	<i>Anthus trivialis</i>	•				•				
37	Water Pipit	<i>Anthus spinoletta</i>	•			•			•	•	•
38	White Wagtail	<i>Motacilla alba</i>	•	•	•	•	•	•	•	•	•
39	Grey Wagtail	<i>Motacilla cinerea</i>	•	•	•	•	•	•	•	•	•
40	Dipper	<i>Cinclus cin</i>	•		•			•			
41	Wren	<i>Troglodytes troglodytes</i>	•			•	•	•	•		H
42	Duncock	<i>Prunella modularis</i>	•				•				•
43	Alpine Accentor	<i>Prunella collaris</i>	•						•		
44	Robin	<i>Erithacus rubecula</i>	•			•	•	H		H	H
44	Nightingale	<i>Luscinia megarhynchos</i>					LO				
45	Redstart	<i>Phoenicurus phoenicurus</i>	•				•		H		
46	Black Redstart	<i>Phoenicurus ochruros</i>	•	•	•	•	•	•	•	•	•
47	Whinchat	<i>Saxicola rubetra</i>	•	LO						•	
48	Northern Wheatear	<i>Oenanthe oenanthe</i>	•			•			•	•	
49	Mistle Thrush	<i>Turdus viscivorus</i>	•	•	•	•			•	•	•
50	Fieldfare	<i>Turdus pilaris</i>	•			•					

	Common name	Scientific name	TL	July								
				22	23	24	25	26	27	28	29	
51	Blackbird	<i>Turdus merula</i>	•	•	•	•	•	•	•	•	•	
52	Ring Ouzel	<i>Turdus torquatus alpestris</i>	•			•	•					
53	Garden warbler	<i>Sylvia borin</i>	•			•						
54	Blackcap	<i>Sylvia atricapilla</i>	•	•	•		H	H		•	H	
55	Reed Warbler	<i>Acrocephalus scirpaceus</i>	•				H					
56	Marsh Warbler	<i>Acrocephalus palustris</i>	•					•				
57	Chiffchaff	<i>Phylloscopus collybita</i>	•	•		H	H		•	•	H	
58	Goldcrest	<i>Regulus regulus</i>	•			•	•					
59	Firecrest	<i>Regulus ignicapillus</i>	•				•					
60	Great Tit	<i>Parus major</i>	•	•	H	•	•	•	•		•	
61	Coal Tit	<i>Parus ater</i>	•			•	•	•	•	•	•	
62	Blue Tit	<i>Parus caeruleus</i>	•	H	•	•	H	•	•	•	•	
63	Crested Tit	<i>Parus cristatus</i>	•			•	•	H	•		H	
64	Long-tailed Tit	<i>Aegithalos caudatus</i>	•				•					
65	Willow Tit	<i>Parus montanus</i>	•						•		H	
66	Nuthatch	<i>Sitta europaea</i>	•		H				H	•	•	
67	Treecreeper	<i>Certhia familiaris</i>	•			•						
68	Short-toed Treecreeper	<i>Certhia brachydactyla</i>	•							•		
69	Wallcreeper	<i>Tichodroma muraria</i>	•		1			4	2			
70	Red-backed Shrike	<i>Lanius collurio</i>	•	•		•		•		•		
71	Magpie	<i>Pica pica</i>	•	•	•	•	•	•	•	•	•	
72	Jay	<i>Garrulus glandarius</i>	•		•	•	•	•		•		
73	Jackdaw	<i>Corvus monedula</i>	•							•		
74	Yellow-billed Chough	<i>Pyrrhcorax graculus</i>	•			•	•		•	•	•	
75	Carriion Crow	<i>Corvus corone</i>	•	•	•	•	•	•	•	•	•	
76	Raven	<i>Corvus corax</i>	•		•	•	•	•	•	•	•	
77	Starling	<i>Sturnus vulgaris</i>	•	•			•				•	
78	House Sparrow	<i>Passer domesticus</i>	•	•	•	•	•	•	•	•	•	
79	Tree Sparrow	<i>Passer montanus</i>	•	•								
80	Chaffinch	<i>Fringilla coelebs</i>	•	•	•	•	•	•	•	•	•	
81	Linnet	<i>Acanthis cannabina</i>	•			•			H	•		
82	Common Crossbill	<i>Loxia curvirostra</i>	•								•	
83	Goldfinch	<i>Carduelis carduelis</i>	•	•	•	•	•	•	•	•	•	
84	Citril Finch	<i>Serinus citrinella</i>	•				H		•			
85	Greenfinch	<i>Carduelis chloris</i>	•	H	H	•	•	•	•	•	•	
86	Siskin	<i>Carduelis spinus</i>	•						•			
87	Serin	<i>Serinus serinus</i>	•		H	H	H		•	H		
88	Bullfinch	<i>Pyrrhula pyrrhula</i>	•		H		•				•	
89	Yellowhammer	<i>Emberiza citrinella</i>	•			•	H	•		•	H	
90	Cirl Bunting	<i>Emberiza cirlus</i>	•				•					
91	Rock Bunting	<i>Emberiza cia</i>	•		•							
<b>Daily Totals</b>					35	39	49	54	40	47	44	42

H = Heard only

LO = Leader only

## Butterflies

	<b>Common name</b>	<b>Scientific name</b>	<b>Location</b>
1	Swallowtail	<i>Papilio machaon</i>	Grenoble Iserre Airport
2	Scarce Swallowtail	<i>Iphiclides podalirius</i>	Pont en Royans
3	Apollo	<i>Parnassius apollo</i>	Les Merciers
4	Large White	<i>Pieris brassicae</i>	Chirens
5	Black-veined White	<i>Aporia crataegi</i>	Col de Mont Noir
6	Small White	<i>Artogeia rapae</i>	Grenoble Iserre Airport
7	Berger's Clouded Yellow	<i>Colias alfacariensis</i>	Pas de l'OEille
8	Cleopatra	<i>Gonepteryx Cleopatra</i>	Below Presles
9	Brimstone	<i>Gonepteryx rhamni</i>	Above Presles
10	Eastern Wood White	<i>Leptidea duponcheli</i>	Col de Mont Noir
11	Blue-spot Hairstreak	<i>Satyrrium spini</i>	Les Merciers
12	Brown Argus	<i>Aricia agrestis</i>	La Moliere
13	Chalk-Hill Blue	<i>Polyommatus coridon</i>	La Moliere
14	Provence Chalk-hill Blue	<i>Polyommatus hispana</i>	Monestier
15	Common Blue	<i>Polyommatus icarus</i>	Monestier
16	Southern White Admiral	<i>Limenitis reducta</i>	Presles
17	Red Admiral	<i>Vanessa atalanta</i>	Grenoble Iserre Airport
18	Painted Lady	<i>Vanessa cardui</i>	Les Geymonds
19	Small Tortoiseshell	<i>Aglais urticae</i>	Pas de l'OEille
20	Peacock	<i>Inachis io</i>	Grenoble Iserre Airport
21	Comma	<i>Polygonum c-album</i>	Les Ecouges
22	Silver-washed Fritillary	<i>Argynnis paphia</i>	Les Ecouges
23	Titian's Fritillary	<i>Clossiana titania cypris</i>	La Moliere
24	Heath Fritillary	<i>Mellicta athalia</i>	La Moliere
25	Provençal Fritillary	<i>Mellicta deione</i>	Col de Mont Noir
26	Marbled White	<i>Melanargia galathea</i>	Les Merciers
27	Great Banded Grayling	<i>Kanetisa circe</i>	La Batie
28	Common Brassy Ringlet	<i>Erebia cassioides</i>	La Moliere
29	Mountain Ringlet	<i>Erebia epiphron</i>	Pas de l'OEille
30	Arran Brown	<i>Erebia ligea</i>	Les Merciers
31	Meadow Brown	<i>Maniola jurtina</i>	Les Merciers
32	Dusky Meadow Brown	<i>Hyponephele lycaon</i>	Col de Mont Noir
33	Gatekeeper	<i>Pyronia tithonus</i>	Presles
34	Small Skipper	<i>Thymelicus sylvestris</i>	Les Merciers
35	Large Skipper	<i>Ochlodes venatus</i>	La Moliere

### Other Insects and Archnids

	<b>Common name</b>	<b>Scientific name</b>	<b>Location</b>
1	Wartbiter Cricket	<i>Decticus verrucivorus</i>	La Moliere
2	Cricket	<i>Gampsocleis glabra</i>	Herbouilly
3	Red-winged' Grasshopper	<i>Oedipoda germanica</i>	Pas du Serpaton
4	Rose Chafer	<i>Cetonia aurata</i>	La Moliere
5	Frog Hopper (Orange & Black)	<i>Cercopis vulnerata</i>	La Moliere
6	Soldier Beetle	<i>Rhagonycha fulva</i>	La Moliere
7	Black Weevil	<i>Liparus glabrirostris</i>	La Moliere
8	Carpenter Bee	<i>Xylocopa violacea</i>	Near Pont en Royans
9	Shieldbug	<i>Eurydema ornatum</i>	La Moliere
10	Spider	<i>Araneus quadratus</i>	Herbouilly
11	Spider	<i>Dysdera crocata</i>	Herbouilly
12	Hummingbird Hawkmoth	<i>Macroglossum stellatarum</i>	Near Pont en Royans
13	Five Spot Burnet Moth	<i>Zygaena trifolii</i>	La Moliere
14	Six Spot Burnet Moth	<i>Zygaena filipendulae</i>	Pas du Serpaton
15	Pine Prosessionary Moth (Nest)	<i>Thaumetopoea pityocampa</i>	Gresse en Vercors
16	Purple Treble-bar	<i>Aplocera praeformata</i>	La Moliere

	<b>Common name</b>	<b>Scientific name</b>	<b>Location</b>
17	Common Heath	<i>Ematurga atomaria atomaria</i>	St Paul-les-Monsetier
18	Laiticed Heath	<i>Chiasmia clathrata clathrata</i>	St Paul-les-Monsetier

### Mammals

	<b>Common name</b>	<b>Scientific name</b>	<b>Location</b>
1	Brown Hare	<i>Lepus capensis</i>	Near Grenoble Isere Airport
2	Alpine Marmot	<i>Marmotta marmotta</i>	Font d'Urle
3	Fox	<i>Vulpes vulpes</i>	Near Seyssins
4	Pine Marten	<i>Martes martes</i>	La Sierre, Lans en Vercors
5	European Beaver	<i>Castor fiber</i>	Vif
6	Mouflon	<i>Ovis musimon</i>	La Sierre, Lans en Vercors
7	Chamois	<i>Rupicapra rupicapra</i>	Les Merciers
8	Red Deer	<i>Cervus elaphus</i>	Near Meaudre
9	Roe Deer	<i>Capreolus capreolus</i>	Font d'Urle
10	Whiskered Bat	<i>Myotis mystacinus</i>	Gorges de Furon
11	Leisler's Bat	<i>Nyctalus leisleri</i>	Gorges de Furon
12	Common Pipistralle Bat	<i>Pipistrelles pipistrellus</i>	Gorges de Furon
13	Savi's Pipistrelle Bat	<i>Pipistrellus (Hysago) savi</i>	Gorges de Furon

### Reptiles & Amphibians

	<b>Common name</b>	<b>Scientific name</b>	<b>Location</b>
1	Alpine Newt	<i>Triturus triturus</i>	La Moliere
2	Common Frog	<i>Rana temporaria</i>	Vif
3	Common Lizard	<i>Lacerta vivipara</i>	Herbouilly
4	Common Wall Lizard	<i>Podarcis muralis</i>	Near Grenoble Isere Airport

### Other Groups

	<b>Common name</b>	<b>Scientific name</b>	<b>Location</b>
1	Roman Snail	<i>Helix pomatia</i>	Les Geymonds