



Laser Gaming Mouse | Powered by Razer®Precision

Version Information	
Product Name	Microsoft [®] Habu [™]
Product Version	Microsoft Habu v1.0
Mouse Version	Microsoft Habu v1.0
Product Dimensions	
Mouse Length	5.08 inches (129 millimeters)
Mouse Width	2.84 inches (72.2 millimeters)
Mouse Depth/Height	1.70 inches (43.3 millimeters)
Mouse Cable Length	66.6 +6/-0 inches (1692 +152/-0 millimeters)
Mouse Weight	4.19 ounces (119 grams)
Compatibility and Localization	
Interface	USB compatible
Operating Systems	Windows® XP Pro/Pro x64 Edition/Home/Media Center Edition
Top-line System Requirements	Requires a PC that meets the requirements for and has installed one of these operating systems:
Top into Cyclom Requirements	• Windows XP Pro/Pro x64 Edition/Home/Media Center Edition
	• 30 MB free hard drive
	CD Drive
	Powered USB port
	• Intenet access required
Compatibility Logos	Designed for Microsoft Windows XP
Companionity Logoo	Powered by Razer Precision
	Certified USB logo
Software Version	Razer Habu Software version 2.01 is required in order to enjoy full product functionality (including 32 kb on board memory feature).
	Trazer Habit Software version 2.5 i is required in order to enjoy run product functionality (including 32 kb on board memory reading).
Tracking Technology	Portuguesisian least en sine
Mouse Tracking System	Razer precision laser engine
Imaging Rate	More than 7080 frames per second
X-Y Resolution	2000 points per inch (79 points per millimeter)
Tracking Speed	Up to 45 inches (1143 millimeters) per second
Product Feature Performance	7 and an include hydrony with Donne Hamman and
Mouse Button Features	7 customizable buttons with Razer Hyperresponse
Right & Left Button Life	1,000,000 actuations per key
Top Button (2) Life	100,000 actuations per key
Side Button (2) Life	1,000,000 actuations per key
Wheel Button Life	150,000 actuations per key
Mouse Scrolling Features	Vertical scroll wheel
Wheel Vertical Scrolling Life	• 100,000 rotations away from user
0	• 150,000 rotations towards user
Storage Temperature & Humidity	-40 °F (-40 °C) to 140 °F (60 °C) at < 5% to 65% relative humidity (non-condensing)
Operating Temperature & Humidity	14 °F (-10 °C) to 140 °F (40 °C) at <5% to 80% relative humidity (non-condensing)
Certification Information	
Country of Manufacture	People's Republic of China (PRC)
ISO 9001 Qualified Manufacturer	Yes
FCC/IC	This device complies with part 15 of the FCC Rules and Canadian ICES-003. Operation is subject to the following two conditions: (1)
	This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that
	may cause undesired operation. Tested to comply with FCC standards. For home and office use. Model number: 1092, Microsoft Habu.
Laser Compliance	This device complies with International standard IEC 60825-1:2001-08 for a Class 1 laser product. This device also complies with 21
	CFR 1040.10 and 1040.11 except for deviations pursuant to Laser Notice No. 50, dated July 26, 2001.
Agency and Regulatory Marks	• FCC Declaration of Conformity (USA)
	UL and cUL Listed Accessory (USA and Canada)
	ICES-003 report on file (Canada)
	• TUV-T Certificate (European Union)
	CE Declaration of Conformity, Safety and EMC (European Union)
	GOST Certificate (Russia)
	VCCI Certificate (Japan)
	ACA/MED Declaration of Conformity (Australia and New Zealand)
	BSMI Certificate (Taiwan)
	MIC Certificate (Korea)
	CB Scheme Certificate (International)
Windows Hardware Quality Labs (WHQL)	ID: PENDING Microsoft Windows XP (x86, x64)

Results stated herein are based on internal Microsoft testing. Individual results and performance may vary. Any device images shown are not actual size. This document is provided for informational purposes only and is subject to change without notice. Microsoft makes no warranty, express or implied, with this document or the information contained herein. Review any public use or publications of any data herein with your local legal counsel.