

**ADOPTED RULE AMENDMENTS**  
**CHAPTER 62-340**  
**DELINEATION OF THE LANDWARD EXTENT OF**  
**WETLANDS AND SURFACE WATERS**

**Listing of Slash Pine and Gallberry as "Facultative" Wetland Plants**

(OGC No. 05-1915)

62-340.450 Vegetative Index.

(1) No change.

(2) No change.

(3) Facultative Species

<i>Acacia auriculiformis</i>	ear-leaved acacia
<i>Aletris spp</i>	colic-root
<i>Alopecurus carolinianus</i>	foxtail, tufted
<i>Anagallis pumila</i>	pimpernel, Florida
<i>Andropogon arctatus</i> (Campbell)	bluestem, savannah
<i>Andropogon brachystachys</i> (Campbell)	bluestem, short-spike
<i>Andropogon gerardii</i> (Campbell)	bluestem, big
<i>Andropogon perangustatus</i> (Campbell)	bluestem, slim
<i>Andropogon virginicus</i> (Campbell)	broom-sedge
<i>Ardisia spp.</i>	marlberry
<i>Aristida rhizomophora</i>	grass, rhizomatous three-awn
<i>Aristida spiciformis</i>	bottlebrush, three-awn
<i>Aristida stricta</i>	grass, pineland three-awn
<i>Aster dumosus</i>	aster, bushy

<i>Aster umbellatus</i>	aster, flat-top white
<i>Axonopus spp.</i>	carpet grass
<i>Baccharis dioica</i>	false-willow, broom-bush
<i>Baccharis glomeruliflora</i>	groundsel tree
<i>Baccharis halimifolia</i>	false-willow, eastern
<i>Bucida buceras</i>	gregory wood
<i>Bumelia celastrina</i>	bumelia, coastal
<i>Bumelia lycioides</i>	bumelia, buckthorn
<i>Bumelia reclinata</i>	bumelia
<i>Campanula americana</i>	bellflower, American
<i>Canna x generalis</i>	garden canna
<i>Carphephorus odoratissimus</i>	vanilla plant
<i>Carphephorus paniculatus</i>	deer-tongue
<i>Casuarina spp.</i>	casuarina
<i>Cayaponia quinqueloba</i>	cyaponia, five-lobe
<i>Cestrum diurnum</i>	day jessamine
<i>Chasmanthium latifolium</i>	spangle grass
<i>Chasmanthium sessiliflorum</i>	longleaf Chasmanthium
<i>Chiococca spp.</i>	snowberry
<i>Colubrina asiatica</i>	snakewood, Asian
<i>Conoclinium coelestinum</i>	mistflower
<i>Coreopsis tripteris</i>	tickseed, tall
<i>Cupaniopsis anacardioides</i>	carrotwood

<i>Cyperus cuspidatus</i>	flatsedge, coastal-plain
<i>Cyperus giganteus</i>	flatsedge
<i>Cyperus globulosus</i>	flatsedge, baldwin
<i>Cyperus huarmensis</i>	flatsedge, black
<i>Cyperus metzii</i>	flatsedge
<i>Cyperus retrorsus</i>	flatsedge
<i>Cyperus rotundus</i>	flatsedge, purple
<i>Cypselea humifusa</i>	panal
<i>Cyrilla racemiflora</i>	cyrilla, swamp
<i>Dichondra caroliniensis</i>	pony-foot
<i>Digitaria serotina</i>	crabgrass, dwarf
<i>Diospyros virginiana</i>	persimmon, common
<i>Drymaria cordata</i>	West Indian chickweed
<i>Elytraria caroliniensis</i>	scaly-stem, Carolina
<i>Eragrostis spp.</i>	lovegrass
<i>Erechites hieraciifolia</i>	fireweed
<i>Erigeron quercifolius</i>	fleabane
<i>Erithralis fruticosa</i>	black torchwood
<i>Eryngium baldwini</i>	coyote-thistle, Baldwin's
<i>Eupatorium spp.</i>	thoroughworts
except <i>E. leptophyllum</i>	
<i>Eustachys petracea</i>	finger grass
<i>Euthamia spp.</i>	bushy goldenrod

<i>Ficus aurea</i>	fig, Florida strangler
<i>Fimbristylis spathacea</i>	hurricane-grass
<i>Flaveria bidentis</i>	yellowtop
<i>Flaveria trinervia</i>	yellowtop
<i>Forestiera segregata</i>	privet, Florida
<i>Gaylussacia dumosa</i>	dwarf huckleberry
<i>Gaylussacia frondosa</i>	dangleberry
<i>Gratiola hispida</i>	hyssop, hispid
<i>Helenium amarum</i>	sneezeweed, pasture
<i>Helianthus floridanus</i>	sunflower, Florida
<i>Heliotropium curassavicum</i>	heliotrope, seaside
<i>Heliotropium polyphyllum</i>	heliotrope
<i>Hibiscus tiliaceus</i>	rosemallow, sea
<i>Hypericum hypericoides</i>	St. Andrew's cross
<u><i>Ilex glabra</i></u>	<u>gallberry</u>
<i>Ilex opaca</i> var. <i>opaca</i>	American holly
<i>Ilex vomitoria</i>	yaupon holly
<i>Jacquinia keyensis</i>	Joewood
<i>Juncus tenuis</i>	rush, path
<i>Kosteletzkya pentasperma</i>	mallow, coastal
<i>Lachnanthes caroliniana</i>	redroot
<i>Leptochloa virgata</i>	sprangle-top, tropic
<i>Liatris gracilis</i>	blazing star

<i>Liatris spicata</i>	gayfeather, spiked
<i>Lilium catesbaei</i>	lily, southern red
<i>Lindernia crustacea</i>	false-pimpernel, Malayan
<i>Linum floridanum</i>	flax, Florida yellow
<i>Linum medium</i>	flax, stiff yellow
<i>Lyonia ligustrina</i>	maleberry
<i>Manisuris cylindrica</i>	joint grass, pitted
<i>Maytenus phyllanthoides</i>	Florida mayten
<i>Melaleuca quinquenervia</i>	punk tree
<i>Melochia corchorifolia</i>	chocolate-weed
<i>Metopium toxiferum</i>	poison wood
<i>Mimosa pigra</i>	mimosa, black
<i>Morus rubra</i>	mulberry, red
<i>Muhlenbergia expansa</i>	cutover muhly
<i>Murdannia spp.</i>	dewflower
<i>Myosurus minimus</i>	mouse-tail, tiny
<i>Myrica cerifera</i>	bayberry, southern
<i>Myrsine guianensis</i>	myrsine, guiana
<i>Nephrolepis spp.</i>	sword ferns
<i>Neyraudia reynaudiana</i>	reed, silk
<i>Oplismenus setarius</i>	grass, woods
<i>Oryza sativa</i>	rice, cultivated
<i>Panicum anceps</i>	panicum, beaked

<i>Panicum commutatum (Hall)</i>	panicum
<i>Panicum hians</i>	panicum, gaping
<i>Panicum strigosum</i>	panicum
<i>Panicum tenue</i>	panicum
<i>Parietaria spp.</i>	pellitory
<i>Paspalum conjugatum</i>	paspalum, sour
<i>Paspalum dilatatum</i>	dallisgrass
<i>Paspalum fimbriatum</i>	paspalum, Panama
<i>Paspalum plicatulum</i>	paspalum, brown-seed
<i>Paspalum setaceum</i>	paspalum, thin
<i>Paspalum urvillei</i>	grass, vasey
<i>Pennisetum purpureum</i>	elephant ear grass
<i>Phyla spp.</i>	frog-fruit
<i>Phyllanthus urinaria</i>	leaf-flower, water
<u><i>Pinus elliotii</i></u>	<u>slash pine</u>
<i>Piriqueta caroliniana</i>	piriqueta
<i>Polypogon spp.</i>	grass, rabbit-foot
<i>Polypremium procumbens</i>	rustweed
<i>Psidium cattleianun</i>	guava, strawberry
<i>Psychotria spp.</i>	wild coffee
<i>Rhodomyrtus tomentosus</i>	downy rose myrtle
<i>Rubus spp.</i>	blackberries
<i>Ruellia caroliniensis</i>	wild petunia

<i>Sabal palmetto</i>	palm, cabbage
<i>Sacciolepis indica</i>	grass, glenwood
<i>Sambucus canadensis</i>	elderberry
<i>Sapium sebiferum</i>	tallow-tree, Chinese
<i>Schinus terebinthifolius</i>	pepper-tree, Brazilian
<i>Schizachyrium spp.</i>	bluestem
<i>Scoparia dulcis</i>	sweet broom
<i>Scutellaria floridana</i>	skullcap
<i>Scutellaria integrifolia</i>	rough skullcap
<i>Sebastiania fruticosa</i>	sebastian-bush, gulf
<i>Sesbania spp.</i>	rattle-bush
<i>Setaria geniculata</i>	grass, bristle
<i>Seymeria cassiodes</i>	black senna
<i>Solidago rugosa</i>	golden-rod, wrinkled
<i>Stillingia sylvatica</i>	queen's-delight, marsh
<i>var. tenuis</i>	
<i>Suriana maritima</i>	bay-cedar
<i>Syzygium spp.</i>	Java plum
<i>Thespesia populnea</i>	seaside mahoe
<i>Tradescantia fluminensis</i>	trailing spiderwort
<i>Trema spp.</i>	trema
<i>Tripsacum dactyloides</i>	grass, eastern gama
<i>Vaccinium elliotii</i>	blueberry, Elliott

*Verbesina virginica* crownbeard, white

*Wedelia trilobata* creeping ox-eye

Within Monroe County and the Key Largo portion of Miami-Dade County only, the following species shall be listed as Facultative:

*Alternanthera paronychioides* smooth chaff-flower

*Byrsonima lucida* locust-berry

*Ernodea littoralis* golden creeper

*Guapira discolor* blolly

*Manilkara bahamensis* wild dilly

*Pisonia rotundata* pisonia

*Pithecellobium keyensis* blackbead

*Pithecellobium unguis-cati* catsclaw

*Randia aculeata* box briar

*Reynosia septentrionalis* darling plum

*Thrinax radiata* Florida thatch palm

(4) No change.

Specific Authority 373.421 F.S. Law Implemented 373.421, 373.4211 F.S. History--

New 7-1-94, Formerly 17-340.450, Amended \_\_\_\_\_.

[S:\Rules\RULES\62-340-delineation\Rule\rule 62340 full 9-23-05.doc]