

Floristic Map Unit Fact Sheet

26851 Alluvium Semi-arid Plains Woodland

Description:

Low altitude, very low rainfall Box-Buloke-Pine woodlands with chenopods and dry grasses.

FMU Type:

Restricted

Typical Neighbours:

- 6058 - Darley Gravel Semi-arid Plains Woodland
- 3 - Basalt Semi-arid Plains Chenopod Grassy Savannah
- 25261 - Alluvium river (water area)
- 22928 - Alluvium flats subject to inundation

Conservation status: Corangamite - Naturally restricted and comprehensively cleared - Endangered

Original area: 322 ha. Current estimate 3.0 ha. or 1.0% plus scattered trees, a further 5 ha

Crown Land: Area 5.0 ha.

Largest Reserves (ha): No Reserves

(Teal font - Victoria, Green font - Corangamite, Header/footer colour = map colour: Majorelle Blue)

Major Localities (past and present)

Lara (0/222 R105 P3), Little River (2/63 R4 P0), Anakie (0/36 R0 P0),

Bracketed figures represents 'A/B' where A =current estimate and B = potential area in hectares. The prefixes R and P show the number of indigenous plant records and photographs held for the locality respectively. Total Area CCMA 322 ha Total Area Vic. 1320 ha.

Key Species

Some or all of these species should be present:

Eucalyptus leucoxylon

Yellow Gum



Indigenous Plant Species List

Species Revegetation Category

A **green dot** indicates Structural revegetation species; the main species that form the structure of the community or the habitat (also known as primary revegetation species).

A **yellow dot** indicates species that can be propagated, at least in small numbers but require the habitat to be established first i.e. the structural species. These are also referred to as secondary revegetation species.

A third category covers water plants - plants requiring waterlogged or flooded soils for at least part of the year. Many of these species are not generally part of the terrestrial Floristic Map Units but may be present in micro habitats (niches) at small scale. These are shown with a **blue dot**.

Some species, although native, are variously excellent colonisers, cosmopolitan or are likely to still occur at the site.

There is generally no need to plant these species which are shown with a **red dot**. Species not considered revegetation species for various reasons are shown with a **pink dot**.

Cover

The average recorded cover value (where known) is shown in **blue** after each species name.

Species FMU Distribution Category

Gx - where G = Generalist, x = number of FMUs species recorded in

Sx - where S = Specifist, x = number of FMUs species recorded in

R1 = Rare, species has to date only been recorded in one FMU

Species Record Confidence

- Superscript **1** after the Scientific Name indicates records for this species represent less than 1% of the total species record for the FMU.
- Superscript **2** indicates there are 20 records or less.

Climbers	<i>Asperula gemella</i>	Twin-leaf Bedstraw 4% G6	●
	<i>Clematis microphylla s.l.</i>	Small-leaved Clematis 4% G637	●
Epiphytes	<i>Amyema miquelii</i>	Box Mistletoe 1% G734	●
	<i>Amyema miraculosa subsp. boormanii</i>	Fleshy Mistletoe 1% G21	●
	<i>Amyema pendula subsp. Pendula</i>	Drooping Mistletoe G125	●
	<i>Amyema preissii</i>	Wire-leaf Mistletoe G82	●
	<i>Cassytha melantha</i>	Coarse Dodder-laurel G664	●
	<i>Cuscuta tasmanica</i>	Golden Dodder 1% G10	● ●
	<i>Lysiana exocarpi</i>	Harlequin Mistletoe 1% G80	●
	<i>Muellerina eucalyptoides</i>	Creeping Mistletoe G298	●
Grasses, Sedges and Rushes	<i>Amphibromus fluitans</i>	River Swamp Wallaby-grass G34	● ●
	<i>Amphibromus neesii</i>	Southern Swamp Wallaby-grass 2% G31	● ●
	<i>Amphibromus nervosus</i>	Common Swamp Wallaby-grass 10% G180	● ●
	<i>Anthosachne kingiana subsp. multiflora</i>	Short-awned Wheat-grass G13	●
	<i>Anthosachne scabra</i>	Common Wheat-grass G245	●
	<i>Anthosachne scabra s.l.</i>	Common Wheat-grass 1% G1607	●
	<i>Austrostipa acrociliata</i>	Graceful Spear-grass 1% G23	●
	<i>Austrostipa aristiglumis</i>	Plump Spear-grass 10% G63	●
	<i>Austrostipa bigeniculata</i>	Kneed Spear-grass 13% G224	● ●
	<i>Austrostipa blackii</i>	Crested Spear-grass 10% G124	●
	<i>Austrostipa elegantissima</i>	Feather Spear-grass 1% G202	●
	<i>Austrostipa eremophila</i>	Desert Spear-grass 1% G65	●
	<i>Austrostipa mollis</i>	Supple Spear-grass 1% G810	●
	<i>Austrostipa nitida</i>	Balcarra Spear-Grass 2% G42	●
	<i>Austrostipa nodosa</i>	Knotty Spear-grass 1% G118	●
	<i>Austrostipa scabra</i>	Rough Spear-grass 10% G344	●
	<i>Austrostipa scabra subsp. falcata</i>	Rough Spear-grass 10% G819	●
	<i>Austrostipa scabra subsp. scabra</i>	Rough Spear-grass 1% G114	●
	<i>Austrostipa scabra/nitida/nodosa spp. agg.</i>	Variable Spear-grass 23% G65	●
	<i>Austrostipa setacea</i>	Corkscrew Spear-grass 1% G51	●
	<i>Austrostipa trichophylla</i>	Spear-grass 10% G12	●
	<i>Bolboschoenus medianus</i>	Marsh Club-sedge G81	● ●
	<i>Bothriochloa macra</i>	Red-leg Grass 1% G284	●
	<i>Bromus arenarius</i>	Sand Brome G14	●
	<i>Carex appressa</i>	Tall Sedge 4% G1839	● ●
	<i>Carex bichenoviana</i>	Plains Sedge 4% G52	●
	<i>Carex gaudichaudiana</i>	Fen Sedge 6% G387	● ●

Grasses, Sedges and Rushes			
<i>Carex inversa</i>	Knob Sedge 20% G614	●	●
<i>Carex tereticaulis</i>	Poong'ort 10% G394	●	●
<i>Chloris truncata</i>	Windmill Grass 10% G452	●	
<i>Cynogeton dubium</i>	Slender Water-ribbons 1% S3	●	
<i>Cynogeton multifructum</i>	Northern Water-ribbons G11	●	●
<i>Cynogeton procerum</i>	Common Water-ribbons 4% G103	●	●
<i>Cynodon dactylon</i> var. <i>pulchellus</i>	Native Couch 1% G8	●	
<i>Cyperus bifax</i>	Downs Nutgrass 4% S4	●	
<i>Cyperus concinnus</i>	Trim Flat-sedge 1% S3	●	
<i>Cyperus difformis</i>	Variable Flat-sedge S4	●	
<i>Cyperus exaltatus</i>	Tall Flat-sedge 4% G26	●	●
<i>Cyperus gunnii</i> subsp. <i>gunnii</i>	Flecked Flat-sedge 1% G72	●	●
<i>Cyperus gymnocaulos</i>	Spiny Flat-sedge 10% G49	●	●
<i>Cyperus leptocarpus</i>	Button Rush S4	●	
<i>Cyperus pygmaeus</i>	Dwarf Flat-sedge R1	●	
<i>Cyperus rigidellus</i>	Curly Flat-sedge	●	
<i>Deyeuxia quadrisetoides</i>	Reed Bent-grass 1% G1204	●	
<i>Dianella admixta</i>	Black-anther Flax-lily 4% G796	●	
<i>Dianella laevis</i>	Smooth Flax-lily G41	●	
<i>Dianella longifolia</i> s.l.	Pale Flax-lily 1% G429	●	
<i>Dianella longifolia</i> var. <i>longifolia</i>	Pale Flax-lily 1% G119	●	
<i>Dianella porracea</i>	Riverine Flax-lily 1% G19	●	
<i>Dianella revoluta</i> s.l.	Black-anther Flax-lily G1359	●	
<i>Dianella revoluta</i> var. <i>revoluta</i>	Black-anther Flax-lily 1% G1819	●	
<i>Dianella</i> sp. aff. <i>longifolia</i> (Riverina)	Pale Flax-lily 1% G11	●	
<i>Dianella tarda</i>	Late-flower Flax-lily 1% G156	●	
<i>Dichelachne crinita</i>	Long-hair Plume-grass 1% G601	●	
<i>Digitaria ammophila</i>	Silky Umbrella-grass G8	●	
<i>Eleocharis acuta</i>	Common Spike-sedge 20% G618	●	●
<i>Eleocharis pallens</i>	Pale Spike-sedge 4% G20	●	●
<i>Eleocharis plana</i>	Flat Spike-sedge R1	●	
<i>Eleocharis pusilla</i>	Small Spike-sedge 10% G96	●	●
<i>Eleocharis sphacelata</i>	Tall Spike-sedge 1% G182	●	●
<i>Enneapogon avenaceus</i>	Common Bottle-washers 1% G53	●	
<i>Enteropogon acicularis</i>	Spider Grass 10% G99	●	
<i>Eragrostis australasica</i>	Cane Grass 4% G16	●	●
<i>Eragrostis brownii</i>	Common Love-grass 1% G599	●	
<i>Eragrostis dielsii</i>	Mallee Love-grass 1% G31	●	
<i>Eragrostis elongata</i>	Close-headed Love-grass 5% G37	●	●
<i>Eragrostis exigua</i>	Slender Love-grass	●	
<i>Eragrostis infecunda</i>	Southern Cane-grass 4% G88	●	●

Grasses, Sedges and Rushes			
<i>Eragrostis lacunaria</i>	Purple Love-grass 1% G15	●	
<i>Eragrostis parviflora</i>	Weeping Love-grass G31	●	
<i>Eragrostis setifolia</i>	Bristly Love-grass 1% G20	●	
<i>Eriochloa crebra</i>	Tall Cup-grass S2	●	
<i>Eulalia aurea</i>	Silky Browntop G7	●	
<i>Ficinia nodosa</i>	Knobby Club-sedge 2% G486	●	●
<i>Fimbristylis aestivalis</i>	Summer Fringe-sedge S2	●	
<i>Hemarthria uncinata</i> var. <i>uncinata</i>	Mat Grass 1% G424	●	●
<i>Isoetes muelleri</i>	Rock Quillwort G11	●	
<i>Isolepis australiensis</i>	Inland Club-sedge 2% S4	●	
<i>Isolepis congrua</i>	Slender Club-sedge G10	●	
<i>Isolepis hookeriana</i>	Grassy Club-sedge G77	●	●
<i>Isolepis platycarpa</i>	Broad-fruit Club-sedge 2% G113	●	●
<i>Juncus amabilis</i>	Hollow Rush 4% G438	●	●
<i>Juncus aridicola</i>	Tussock Rush 13% G29	●	
<i>Juncus bufonius</i>	Toad Rush 4% G509	●	●
<i>Juncus filicaulis</i>	Thread Rush 1% G59	●	
<i>Juncus flavidus</i>	Gold Rush 4% G379	●	●
<i>Juncus holoschoenus</i>	Joint-leaf Rush 1% G427	●	●
<i>Juncus ingens</i>	Giant Rush 2% G21	●	●
<i>Juncus pallidus</i>	Pale Rush 1% G959	●	
<i>Juncus radula</i>	Hoary Rush 1% G125	●	●
<i>Juncus remotiflorus</i>	Diffuse Rush 4% G161	●	
<i>Juncus sarophorus</i>	Broom Rush G458	●	●
<i>Juncus semisolitus</i>	Plains Rush 2% G42	●	●
<i>Juncus</i> sp. (section <i>Juncotypus</i>)	Leafless Rush 1% G89	●	
<i>Juncus subsecundus</i>	Finger Rush 4% G881	●	
<i>Juncus usitatus</i>	Billabong Rush 1% G56	●	●
<i>Lachnagrostis aemula</i>	Leafy Blown-grass 1% G83	●	●
<i>Lachnagrostis filiformis</i> s.l.	Common Blown-grass 4% G789	●	●
<i>Lachnagrostis filiformis</i> s.s.	Common Blown-grass 1% G383	●	●
<i>Lachnagrostis perennis</i> s.l.	Perennial Blown-grass G62	●	●
<i>Lomandra filiformis</i>	Wattle Mat-rush 1% G2212	●	
<i>Lomandra filiformis</i> subsp. <i>coriacea</i>	Wattle Mat-rush 1% G1779	●	
<i>Lomandra micrantha</i> subsp. <i>micrantha</i>	Small-flower Mat-rush G75	●	
<i>Microlaena stipoides</i> var. <i>stipoides</i>	Weeping Grass 30% G4133	●	
<i>Panicum decompositum</i> var. <i>decompositum</i>	Native Millet G19	●	●
<i>Panicum effusum</i>	Hairy Panic 1% G108	●	●
<i>Panicum laevinode</i>	Pepper Grass S5	●	

Grasses, Sedges and Rushes	<i>Paspalidium constrictum</i>	Knottybutt Grass 4% G24	●
	<i>Paspalidium jubiflorum</i>	Warrego Summer-grass G32	●
	<i>Phragmites australis</i>	Common Reed 10% G797	●
	<i>Poa fordeana</i>	Forde Poa 10% G20	●
	<i>Poa labillardierei</i>	Common Tussock-grass 20% G1703	●
	<i>Poa labillardierei</i> var. <i>labillardierei</i>	Common Tussock-grass 1% G665	●
	<i>Poa sieberiana</i>	Grey Tussock-grass 15% G1762	●
	<i>Poa sieberiana</i> var. <i>sieberiana</i>	Grey Tussock-grass 1% G1544	●
	<i>Pseudoraphis spinescens</i>	Spiny Mud-grass 1% G25	●
	<i>Rytidosperma bipartitum</i> s.l.	Leafy Wallaby-grass 1% G158	●
	<i>Rytidosperma caespitosum</i>	Common Wallaby-grass 20% G791	●
	<i>Rytidosperma duttonianum</i>	Brown-back Wallaby-grass 10% G319	●
	<i>Rytidosperma erianthum</i>	Hill Wallaby-grass 4% G642	●
	<i>Rytidosperma fulvum</i>	Copper-awned Wallaby-grass 4% G389	●
	<i>Rytidosperma geniculatum</i>	Kneed Wallaby-grass 1% G914	●
	<i>Rytidosperma pilosum</i> var. <i>pilosum</i>	Velvet Wallaby-grass G203	●
	<i>Rytidosperma racemosum</i> var. <i>racemosum</i>	Slender Wallaby-grass 4% G1341	●
	<i>Rytidosperma setaceum</i>	Bristly Wallaby-grass 20% G994	●
	<i>Rytidosperma setaceum</i> var. <i>brevisetum</i>	Short-bristle Wallaby-grass 1% G13	●
	<i>Rytidosperma setaceum</i> var. <i>setaceum</i>	Bristly Wallaby-grass 10% G538	●
	<i>Rytidosperma</i> sp. aff. <i>setaceum</i>	Wallaby Grass G26	●
	<i>Rytidosperma</i> spp..	Wallaby Grass 4% G394	●
	<i>Salsola tragus</i>	Prickly Saltwort 4% G84	●
	<i>Schoenoplectus tabernaemontani</i>	River Club-sedge G111	●
	<i>Schoenus latelaminatus</i>	Medusa Bog-sedge 2% G33	●
	<i>Sporobolus mitchellii</i>	Rat-tail Couch 1% G24	●
	<i>Sporobolus virginicus</i>	Salt Couch G81	●
	<i>Themeda avenacea</i>	Oat Kangaroo-grass S2	●
	<i>Themeda triandra</i>	Kangaroo Grass 10% G2709	●
	<i>Triglochin calcitrapa</i> s.l.	Spurred Arrowgrass 5% G28	●
	<i>Triglochin nana</i>	Dwarf Arrowgrass 2% G45	●
	<i>Typha domingensis</i>	Narrow-leaf Cumbungi 24% G398	●
	<i>Walwhalleya proluta</i>	Rigid Panic 20% G193	●
	<i>Acaena echinata</i>	Sheep's Burr 1% G1019	●
	<i>Acaena novae-zelandiae</i>	Bidgee-widgee G3202	●
	<i>Actinobole uliginosum</i>	Flannel Cudweed 10% G79	●
	<i>Ajuga australis</i>	Austral Bugle 1% G674	●
	<i>Alisma plantago-aquatica</i>	Water Plantain G111	●

Groundcovers (not grass-like)			
<i>Alternanthera denticulata</i> s.l.	Lesser Joyweed 4% G191	●	●
<i>Alternanthera denticulata</i> s.s.	Lesser Joyweed 1% G120	●	●
<i>Alternanthera denticulata-nodiflora</i> group	Lesser-Common Joyweed group 1% G28	●	
<i>Alternanthera nodiflora</i>	Common Joyweed 1% S5	●	
<i>Alternanthera</i> sp. 1 (Plains)	Plains Joyweed 1% G33	●	●
<i>Ammannia multiflora</i>	Jerry-jerry 1% S5	●	●
<i>Aphanes australiana</i>	Australian Piert 1% G51	●	
<i>Arthropodium fimbriatum</i>	Nodding Chocolate-lily 1% G309	●	
<i>Arthropodium minus</i>	Small Vanilla-lily 4% G286	●	
<i>Arthropodium</i> spp. (s.s.)	Vanilla Lily 1% G521	●	
<i>Arthropodium strictum</i> s.l.	Chocolate Lily 1% G1073	●	
<i>Arthropodium strictum</i> s.s.	Chocolate Lily 1% G324	●	
<i>Asperula conferta</i>	Common Woodruff 4% G838	●	
<i>Asperula scoparia</i> subsp. <i>scoparia</i>	Prickly Woodruff 10% G1087	●	
<i>Asperula subsimplex</i>	Water Woodruff G35	●	●
<i>Asperula wimmerana</i>	Wimmera Woodruff G18	●	
<i>Atriplex eardleyae</i>	Small Saltbush 2% G22	●	
<i>Atriplex holocarpa</i>	Pop Saltbush G7	●	
<i>Atriplex leptocarpa</i>	Slender-fruit Saltbush 10% G38	●	
<i>Atriplex limbata</i>	Spreading Saltbush G11	●	
<i>Atriplex papillata</i>	Coral Saltbush 1% G12	●	
<i>Atriplex pseudocampanulata</i>	Mealy Saltbush S2	●	
<i>Atriplex pumilio</i>	Mat Saltbush 5% G30	●	
<i>Atriplex semibaccata</i>	Berry Saltbush 4% G288	●	
<i>Atriplex spinibractea</i>	Spiny-fruit Saltbush S5	●	
<i>Atriplex suberecta</i>	Sprawling Saltbush S5	●	●
<i>Austrobryonia micrantha</i>	Mallee Cucumber S3	●	
<i>Azolla pinnata</i>	Ferny Azolla G20	●	●
<i>Azolla rubra</i>	Pacific Azolla 30% G144	●	●
<i>Bergia trimera</i>	Small Water-fire 2% G6	●	
<i>Boerhavia dominii</i>	Tah-vine G9	●	
<i>Brachyscome chrysoglossa</i>	Yellow-tongue Daisy 1% G11	●	
<i>Brachyscome ciliaris</i>	Variable Daisy 1% G45	●	
<i>Brachyscome ciliaris</i> var. <i>brachyglossa</i>	Variable Daisy	●	
<i>Brachyscome ciliaris</i> var. <i>ciliaris</i>	Variable Daisy 1% G19	●	
<i>Brachyscome ciliaris</i> var. <i>lanuginosa</i>	Variable Daisy S5	●	
<i>Brachyscome dentata</i>	Lobe-seed Daisy 1% G18	●	
<i>Brachyscome diversifolia</i>	Tall Daisy G59	●	
<i>Brachyscome goniocarpa</i>	Dwarf Daisy 4% G17	●	

Groundcovers (not grass-like)			
<i>Brachyscome gracilis</i> subsp. <i>robusta</i>	Billabong Daisy S2		●
<i>Brachyscome lineariloba</i>	Hard-head Daisy 4% G75		●
<i>Brachyscome muelleroides</i>	Mueller Daisy S2		●
<i>Brachyscome paludicola</i>	Woodland Swamp-daisy 1% G48	●	●
<i>Brachyscome sp. aff. readeri</i>	Riverina Daisy R1		●
<i>Brachyscome trachycarpa</i>	Inland Daisy		●
<i>Bulbine bulbosa</i>	Bulbine Lily 4% G651	●	
<i>Bulbine semibarbata</i>	Leek Lily 18% G59	●	
<i>Calandrinia calyptrotrata</i>	Pink Purslane 2% G170	●	
<i>Calandrinia eremaea</i>	Small Purslane 4% G82		●
<i>Calandrinia volubilis</i>	Twining Purslane G16		●
<i>Callitricha cyclocarpa</i>	Western Water-starwort		●
<i>Callitricha sonderi</i>	Matted Water-starwort G6		●
<i>Callitricha umbonata</i>	Winged Water-starwort S5		●
<i>Calocephalus citreus</i>	Lemon Beauty-heads 11% G359	●	
<i>Calocephalus sonderi</i>	Pale Beauty-heads 11% G15		●
<i>Calostemma purpureum</i> s.l.	Garland Lily 2% G8		●
<i>Calotis anthemoides</i>	Cut-leaf Burr-daisy 1% G39	●	●
<i>Calotis cuneifolia</i>	Blue Burr-daisy 4% G26		●
<i>Calotis erinacea</i>	Tangled Burr-daisy 1% G39		●
<i>Calotis hispidula</i>	Hairy Burr-daisy 4% G67		●
<i>Calotis scabiosifolia</i>	Rough Burr-daisy 1% G44	●	
<i>Calotis scabiosifolia</i> var. <i>scabiosifolia</i>	Rough Burr-daisy 1% G11		●
<i>Calotis scapigera</i>	Tufted Burr-daisy 4% G26	●	●
<i>Cardamine moirensis</i>	Riverina Bitter-cress 1% G11		●
<i>Cardamine paucijuga</i> s.l.	Annual Bitter-cress 1% G64		●
<i>Cardamine tenuifolia</i>	Slender Bitter-cress G51	●	●
<i>Carpobrotus modestus</i>	Inland Pigface 1% G308	●	
<i>Centella cordifolia</i>	Centella 10% G432	●	●
<i>Centipeda cunninghamii</i>	Common Sneezeweed 18% G269	●	●
<i>Centipeda minima</i> s.l.	Spreading Sneezeweed 1% G60	●	●
<i>Centipeda minima</i> subsp. <i>minima</i>	Spreading Sneezeweed 1% G14		●
<i>Centipeda nidiformis</i>	Cotton Sneezeweed		●
<i>Centipeda thespidioides</i> s.l.	Desert Sneezeweed G6		●
<i>Cheilanthes sieberi</i> subsp. <i>sieberi</i>	Narrow Rock-fern 4% G598	●	
<i>Chenopodium desertorum</i>	Frosted Goosefoot 4% G71	●	
<i>Chenopodium desertorum</i> subsp. <i>desertorum</i>	Frosted Goosefoot G30		●
<i>Chenopodium desertorum</i> subsp. <i>microphyllum</i>	Small-leaf Goosefoot 1% G68	●	
<i>Chenopodium glaucum</i>	Glaucous Goosefoot 1% G70	●	●

Groundcovers (not grass-like)			
<i>Chrysocephalum apiculatum</i> s.l.	Common Everlasting	18%	G729
<i>Chrysocephalum apiculatum</i> s.s.	Common Everlasting	2%	G48
<i>Chrysocephalum semipapposum</i>	Clustered Everlasting	11%	G736
<i>Chthonocephalus pseudevax</i>	Groundheads	2%	G25
<i>Clematis decipiens</i>	Slender Clematis		G28
<i>Clematis microphylla</i>	Small-leaved Clematis		G169
<i>Convolvulus erubescens</i> s.l.	Pink Bindweed	1%	G425
<i>Convolvulus graminetinus</i>	Grassland Bindweed	1%	S4
<i>Convolvulus remotus</i>	Grass Bindweed	1%	G111
<i>Coronidium gunnianum</i>	Pale Swamp Everlasting		G69
<i>Coronidium scorpioides</i> 'rutidolepis' s.l.' variant	Pale Everlasting		G290
<i>Cotula australis</i>	Common Cotula	4%	G363
<i>Craspedia glauca</i> s.l.	Common Billy-buttons		G521
<i>Craspedia haploorrhiza</i>	Plains Billy-buttons		S4
<i>Craspedia paludicola</i>	Swamp Billy-buttons		G66
<i>Craspedia variabilis</i>	Variable Billy-buttons		G148
<i>Crassula colorata</i>	Dense Crassula	1%	G128
<i>Crassula decumbens</i> var. <i>decumbens</i>	Spreading Crassula	1%	G385
<i>Crassula helmsii</i>	Swamp Crassula	1%	G235
<i>Crassula peduncularis</i>	Purple Crassula	1%	G69
<i>Crassula sieberiana</i>	Sieber Crassula	1%	G233
<i>Crassula sieberiana</i> s.l.	Sieber Crassula	4%	G777
<i>Crassula tetramera</i>	Australian Stonecrop	4%	G186
<i>Cressa australis</i>	Rosinweed	4%	G30
<i>Crinum flaccidum</i>	Darling Lily	2%	G11
<i>Cullen cinereum</i>	Hoary Scurf-pea	R1	
<i>Cullen pallidum</i>	Woolly Scurf-pea	2%	G12
<i>Cullen parvum</i>	Small Scurf-pea	1%	G23
<i>Cullen tenax</i>	Tough Scurf-pea	1%	G22
<i>Cymbonotus lawsonianus</i>	Bear's-ear	G15	
<i>Cymbonotus preissianus</i>	Austral Bear's-ear	1%	G857
<i>Damasonium minus</i>	Star Fruit	4%	G31
<i>Daucus glochidiatus</i>	Australian Carrot	10%	G936
<i>Dichondra repens</i>	Kidney-weed	4%	G2561
<i>Disphyma crassifolium</i> subsp. <i>clavellatum</i>	Rounded Noon-flower	25%	G134
<i>Dysphania cristata</i>	Crested Goosefoot		G26
<i>Dysphania glomulifera</i> subsp. <i>glomulifera</i>	Globular Pigweed	1%	G13
<i>Dysphania pumilio</i>	Clammy Goosefoot		G114

Groundcovers (not grass-like)			
<i>Eclipta platyglossa</i> subsp. <i>platyglossa</i>	Yellow Twin-heads	G14	
<i>Einadia hastata</i>	Saloop	G468	
<i>Einadia nutans</i>	Nodding Saltbush	10% G859	
<i>Elacholoma prostrata</i>	Small Monkey-flower	1% S5	
<i>Elatine gratioloides</i>	Waterwort	1% G60	
<i>Epilobium billardiereanum</i>	Variable Willow-herb	1% G749	
<i>Epilobium billardiereanum</i> subsp. <i>cinereum</i>	Grey Willow-herb	1% G458	
<i>Epilobium billardiereanum</i> subsp. <i>intermedium</i>	Variable Willow-herb	G37	
<i>Epilobium hirtigerum</i>	Hairy Willow-herb	1% G594	
<i>Eriochiton sclerolaenoides</i>	Woolly-fruit Bluebush	G21	
<i>Eriochlamys behrii</i>	Woolly Mantle	G16	
<i>Eriochlamys behrii</i> s.l.	Woolly Mantle	G11	
<i>Eriochlamys squamata</i>	Scaly Mantle	14% G7	
<i>Erodium crinitum</i>	Blue Heron's-bill	1% G114	
<i>Eryngium ovinum</i>	Blue Devil	1% G348	
<i>Eryngium paludosum</i>	Long Eryngium	1% G9	
<i>Ethuliopsis cunninghamii</i>	Tall Nut-heads	R1	
<i>Euchiton involucratus</i>	Star Cudweed	1% G647	
<i>Euchiton involucratus</i> s.l.	Common Cudweed	G477	
<i>Euchiton japonicus</i>	Creeping Cudweed	G1770	
<i>Euchiton japonicus</i> s.l.	Clustered/Creeping Cudweed	1% G375	
<i>Euchiton sphaericus</i>	Annual Cudweed	4% G527	
<i>Euchiton sphaericus</i> (narrow-leaf floodplain variant)	Annual Cudweed (narrow-leaf floodplain variant)	R1	
<i>Euphorbia drummondii</i> s.l.	Flat Spurge	G85	
<i>Geococcus pusillus</i>	Earth Cress	2% G19	
<i>Geranium retrorsum</i> s.l.	Grassland Crane's-bill	1% G396	
<i>Geranium solanderi</i> s.l.	Austral Crane's-bill	G789	
<i>Geranium solanderi</i> var. <i>solanderi</i> s.s.	Austral Crane's-bill	G54	
<i>Geranium</i> sp. 2	Variable Crane's-bill	G685	
<i>Glinus lotoides</i>	Hairy Carpet-weed	1% G6	
<i>Glinus oppositifolius</i>	Slender Carpet-weed	S4	
<i>Glossostigma cleistanthum</i>	Small-flower Mud-mat	R1	
<i>Glossostigma drummondii</i>	Desert Mud-mat	R1	
<i>Glossostigma elatinoides</i>	Small Mud-mat	1% G20	
<i>Glycine tabacina</i> s.l.	Variable Glycine	1% G158	
<i>Gnaphalium polycaulon</i>	Indian Cudweed	1% S4	
<i>Goodenia fascicularis</i>	Silky Goodenia	1% G21	
<i>Goodenia glauca</i>	Pale Goodenia	1% G25	
<i>Goodenia gracilis</i>	Slender Goodenia	4% G55	
<i>Goodenia heteromera</i>	Spreading Goodenia	1% G23	

Groundcovers (not grass-like)	<i>Goodenia humilis</i>	Swamp Goodenia 1% G205	●
	<i>Goodenia pinnatifida</i>	Cut-leaf Goodenia 1% G195	●
	<i>Goodenia pusilliflora</i>	Small-flower Goodenia 10% G49	●
	<i>Goodenia willisiana</i>	Sandhill Goodenia 1% G28	●
	<i>Gratiola peruviana</i>	Austral Brooklime G587	●
	<i>Gratiola pubescens</i>	Glandular Brooklime G70	●
	<i>Gratiola pumilo</i>	Dwarf Brooklime 1% G18	●
	<i>Hackelia suaveolens</i>	Sweet Hound's-tongue 1% G551	●
	<i>Haloragis aspera</i>	Rough Raspwort 1% G101	●
	<i>Haloragis glauca f. glauca</i>	Bluish Raspwort 4% G15	●
	<i>Haloragis heterophylla</i>	Varied Raspwort 1% G363	●
	<i>Harmsiodoxa blennodioides</i>	May Smocks 10% G23	●
	<i>Heliotropium curassavicum</i>	Smooth Heliotrope G15	●
	<i>Hornungia procumbens</i>	Oval Purse G9	●
	<i>Hyalosperma demissum</i>	Moss Sunray 4% G125	●
	<i>Hyalosperma praecox</i>	Mayweed Sunray 1% G21	●
	<i>Hydrocotyle laxiflora</i>	Stinking Pennywort 1% G2269	●
	<i>Hydrocotyle sibthorpioides</i>	Shining Pennywort 2% G455	●
	<i>Hypericum gramineum</i>	Small St John's Wort 1% G2707	●
	<i>Hypsela tridens</i>	Hypsela G8	●
	<i>Isoetopsis graminifolia</i>	Grass Cushion 1% G70	●
	<i>Isotoma fluviatilis subsp. australis</i>	Swamp Isotope G133	●
	<i>Kennedia prostrata</i>	Running Postman G811	●
	<i>Laphangium luteoalbum</i>	Jersey Cudweed 1% G758	●
	<i>Leiocarpa panaetioides</i>	Woolly Buttons 1% G17	●
	<i>Leiocarpa websteri</i>	Stalked Plover-daisy 2% G14	●
	<i>Lemna disperma</i>	Common Duckweed G106	●
	<i>Lepidium fasciculatum</i>	Bundled Peppercress 1% G9	●
	<i>Lepidium monoplocoides</i>	Winged Peppercress G10	●
	<i>Lepidium papillosum</i>	Warty Peppercress G6	●
	<i>Lepidium pseudohyssopifolium</i>	Native Peppercress 1% G21	●
	<i>Lepidium pseudopapillosum</i>	Erect Peppercress G6	●
	<i>Leptorhynchos squamatus</i>	Scaly Buttons 10% G563	●
	<i>Leptorhynchos tetrachaetus</i>	Beauty Buttons 4% G23	●
	<i>Lilaeopsis polyantha</i>	Australian Lilaeopsis G121	●
	<i>Limosella australis</i>	Austral Mudwort 1% G46	●
	<i>Limosella curdieana</i>	Large Mudwort 2% G7	●
	<i>Linum marginale</i>	Native Flax 1% G253	●
	<i>Lobelia concolor</i>	Poison Pratia 10% G58	●
	<i>Lobelia pratoides</i>	Poison Lobelia 1% G235	●
	<i>Lotus australis</i>	TBA S3	●
	<i>Lotus australis var. australis</i>	Austral Trefoil G32	●

Groundcovers (not grass-like)			
<i>Lotus cruentus</i>	Red Bird's-foot Trefoil 1% G14	●	
<i>Ludwigia peploides</i> subsp. <i>montevidensis</i>	Clove-strip 5% G32	●	●
<i>Lythrum hyssopifolia</i>	Small Loosestrife 4% G870	●	●
<i>Lythrum salicaria</i>	Purple Loosestrife G77	●	●
<i>Maireana cheelii</i>	Chariot Wheels 1% G8	●	
<i>Maireana enchytraenoides</i>	Wingless Bluebush 1% G174	●	
<i>Maireana excavata</i>	Bottle Bluebush 10% G30	●	
<i>Maireana humillima</i>	Dwarf Bluebush 4% G33	●	
<i>Maireana pentagona</i>	Hairy Bluebush 10% G30	●	
<i>Marsilea costulifera</i>	Narrow-leaf Nardoo 4% G23	●	●
<i>Marsilea drummondii</i>	Common Nardoo 30% G85	●	●
<i>Marsilea hirsuta</i>	Short-fruit Nardoo 2% G18	●	●
<i>Mentha australis</i>	River Mint 2% G115	●	●
<i>Mentha diemenica</i>	Slender Mint 1% G88	●	●
<i>Mentha laxiflora</i>	Forest Mint 1% G354	●	
<i>Mentha satureioides</i>	Creeping mint 1% G29	●	●
<i>Microtis unifolia</i>	Common Onion-orchid 1% G475	●	
<i>Millotia myosotidifolia</i>	Broad-leaf Millotia 4% G29	●	
<i>Millotia perpusilla</i>	Tiny Bow-flower 1% G41	●	
<i>Mimulus gracilis</i>	Slender Monkey-flower 1% G9	●	
<i>Minuria cunninghamii</i>	Bush Minuria G18	●	
<i>Minuria denticulata</i>	Woolly Minuria 1% G6	●	
<i>Minuria integriflora</i>	Smooth Minuria 1% G12	●	
<i>Minuria leptophylla</i>	Minnie Daisy 18% G37	●	
<i>Montia australasica</i>	White Purslane G157	●	●
<i>Myoporum parvifolium</i>	Creeping Myoporum G35	●	
<i>Myosurus australis</i>	Mousetail 1% G15	●	
<i>Myriophyllum rhizocephalus</i>	Woolly-heads 21% G61	●	
<i>Myriophyllum caput-medusae</i>	Coarse Water-milfoil G7	●	●
<i>Myriophyllum crispatum</i>	Upright Water-milfoil 60% G88	●	●
<i>Myriophyllum papillosum</i>	Robust Water-milfoil 10% G11	●	●
<i>Myriophyllum simulans</i>	Amphibious Water-milfoil G69	●	●
<i>Myriophyllum verrucosum</i>	Red Water-milfoil 1% G47	●	●
<i>Nicotiana goodspeedii</i>	Small-flower Tobacco S2	●	
<i>Nicotiana velutina</i>	Velvet Tobacco 4% G38	●	
<i>Nymphoides crenata</i>	Wavy Marshwort S3	●	
<i>Ophioglossum lusitanicum</i>	Austral Adder's-tongue 2% G114	●	●
<i>Ophioglossum polyphyllum</i>	Upright Adder's-tongue 2% G6	●	
<i>Ornduffia reniformis</i>	Running Marsh-flower G163	●	●
<i>Osteocarpum acropterum</i> var. <i>deminutum</i>	Babbagia 1% G33	●	
<i>Osteocarpum salsuginosum</i>	Bonefruit G18	●	

Groundcovers (not grass-like)			
<i>Ottelia ovalifolia</i> subsp. <i>ovalifolia</i>	Swamp Lily	G41	●
<i>Oxalis corniculata</i> s.l.	Yellow Wood-sorrel	1% G1084	●
<i>Oxalis exilis</i>	Shade Wood-sorrel	1% G974	●
<i>Oxalis perennans</i>	Grassland Wood-sorrel	4% G2159	●
<i>Oxalis thompsoniae</i>	Fluffy-fruit Wood-sorrel	G17	●
<i>Parietaria debilis</i> s.l.	Shade Pellitory	1% G132	●
<i>Parietaria debilis</i> s.s.	Shade Pellitory	1% G36	●
<i>Pauridia glabella</i> var. <i>glabella</i>	Tiny Star	1% G132	●
<i>Pauridia glabella/vaginata</i> spp. agg.	Tiny/Yellow Star species aggregate	1% G79	●
<i>Pelargonium rodneyanum</i>	Magenta Stork's-bill	1% G617	●
<i>Persicaria decipiens</i>	Slender Knotweed	G399	● ●
<i>Persicaria hydropiper</i>	Water Pepper	1% G202	● ●
<i>Persicaria lapathifolia</i>	Pale Knotweed	10% G48	● ●
<i>Persicaria praetermissa</i>	Spotted Knotweed	G118	● ●
<i>Persicaria prostrata</i>	Creeping Knotweed	4% G188	● ●
<i>Phyllanthus lacunarius</i>	Lagoon Spurge	S3	●
<i>Picris angustifolia</i>	Native Picris	G259	●
<i>Picris angustifolia</i> subsp. <i>angustifolia</i>	Coast Picris	G16	●
<i>Picris squarrosa</i>	Squat Picris	1% G9	●
<i>Pilularia novae-hollandiae</i>	Austral Pillwort	1% G14	● ●
<i>Plagiobothrys elachanthus</i>	Hairy Forget-me-not	1% G26	●
<i>Plagiobothrys plurisepaleus</i>	White Rochelia	2% G14	●
<i>Plantago cunninghamii</i>	Clay Plantain	10% G37	●
<i>Plantago drummondii</i>	Dark Plantain	4% G31	●
<i>Plantago gaudichaudii</i>	Narrow Plantain	1% G225	●
<i>Plantago hispida</i>	Hairy Plantain	1% G98	●
<i>Plantago turrifera</i>	Crowned Plantain	1% G26	●
<i>Plantago varia</i>	Variable Plantain	5% G1004	●
<i>Podolepis capillaris</i>	Wiry Podolepis	10% G48	●
<i>Pogonolepis muelleriana</i>	Stiff Cup-flower	20% G52	●
<i>Polycalymma stuartii</i>	Poached-eggs Daisy	4% G44	●
<i>Polygonum plebeium</i>	Small Knotweed	2% G13	● ●
<i>Portulaca oleracea</i>	Common Purslane	G93	●
<i>Potamogeton cheesemanii</i>	Red Pondweed	G20	● ●
<i>Potamogeton crispus</i>	Curly Pondweed	G38	● ●
<i>Potamogeton ochreatus</i>	Blunt Pondweed	G49	● ●
<i>Potamogeton sulcatus</i>	Furrowed Pondweed	S5	●
<i>Potamogeton tricarinatus</i> s.l.	Floating Pondweed	1% G119	● ●
<i>Pteridium esculentum</i> subsp. <i>esculentum</i>	Austral Bracken	1% G4330	●
<i>Ptilotus exaltatus</i>	Pink Mulla-mulla	G20	●
<i>Ptilotus nobilis</i> s.l.	Mulla Mulla	4% G29	●

Groundcovers (not grass-like)			
<i>Ptilotus seminudus</i>	Rabbit Tails	G32	●
<i>Ptilotus sessilifolius</i>	Crimson Tails	G11	●
<i>Ptilotus spathulatus</i>	Pussy Tails 1%	G103	●
<i>Pycnosorus chrysanthus</i>	Golden Billy-buttons 1%	G24	●
<i>Pycnosorus pleiocephalus</i>	Soft Billy-buttons	G15	●
<i>Ranunculus ?inundatus</i>	Buttercup 1%	G95	●
<i>Ranunculus inundatus</i>	River Buttercup 11%	G108	●
<i>Ranunculus lappaceus</i>	Australian Buttercup 1%	G507	●
<i>Ranunculus pentandrus</i> var. <i>platycarpus</i>	Inland Buttercup 1%	G18	●
<i>Ranunculus pumilio</i>	Ferny Small-flower Buttercup 1%	G74	●
<i>Ranunculus pumilio</i> var. <i>politus</i>	Ferny Small-flower Buttercup 1%	G6	●
<i>Ranunculus pumilio</i> var. <i>pumilio</i>	Ferny Small-flower Buttercup 1%	G47	●
<i>Ranunculus sessiliflorus</i>	Annual Buttercup	G148	●
<i>Ranunculus sessiliflorus</i> var. <i>sessiliflorus</i>	Annual Buttercup	G74	●
<i>Ranunculus undosus</i>	Swamp Buttercup 10%	G6	●
<i>Rhodanthe corymbiflora</i>	Paper Sunray 10%	G56	●
<i>Rhodanthe pygmaea</i>	Pygmy Sunray 4%	G73	●
<i>Rhodanthe stricta</i>	Slender Sunray	S2	●
<i>Rhodanthe stuartiana</i>	Clay Sunray 1%	G23	●
<i>Ricciocarpos natans</i>	Fringed Heartwort	G10	●
<i>Roepera ammophila</i>	Sand Twin-leaf	G38	●
<i>Roepera glauca</i>	Pale Twin-leaf 1%	G37	●
<i>Roepera iodocarpa</i>	Violet Twin-leaf	G15	●
<i>Roepera ovata</i>	Dwarf Twin-leaf	G18	●
<i>Roepera similis</i>	White Twin-leaf	G14	●
<i>Rorippa eustylis</i>	Dwarf Bitter-cress	G6	●
<i>Rorippa laciniata</i>	Jagged Bitter-cress 1%	G17	●
<i>Rumex bidens</i>	Mud Dock	G85	●
<i>Rumex brownii</i>	Slender Dock 4%	G1319	●
<i>Rumex crystallinus</i>	Glistening Dock 1%	S3	●
<i>Rumex crystallinus</i> s.l.	Glistening Dock 1%	G11	●
<i>Rumex dumosus</i>	Wiry Dock 15%	G193	●
<i>Rumex tenax</i>	Narrow-leaf Dock 1%	G30	●
<i>Salicornia blackiana</i>	Thick-head Glasswort	G22	●
<i>Salsola tragus</i> subsp. <i>tragus</i>	Prickly Saltwort 1%	G55	●
<i>Sarcozona praecox</i>	Sarcozona	G19	●
<i>Schenkia australis</i>	Spiked Centaury 1%	G27	●
<i>Scleroblitum atriplicinum</i>	Starry Goosefoot 13%	G21	●
<i>Sclerochlamys brachyptera</i>	Short-wing Saltbush 4%	G36	●
<i>Senecio campylocarpus</i>	Floodplain Fireweed	G27	●

Groundcovers (not grass-like)			
<i>Senecio cunninghamii</i> var. <i>cunninghamii</i>	Branching Groundsel	5% G21	●
<i>Senecio glomeratus</i>	Annual Fireweed	1% G1008	●
<i>Senecio glossanthus</i>	Slender Groundsel	G6	●
<i>Senecio glossanthus</i> s.l.	Slender Groundsel	4% G50	●
<i>Senecio lautus</i> s.l.	Variable Groundsel	2% S4	●
<i>Senecio pinnatifolius</i>	Variable Groundsel	4% G520	●
<i>Senecio pinnatifolius</i> var. <i>pinnatifolius</i>	Rock Groundsel	G44	●
<i>Senecio productus</i> subsp. <i>productus</i>	Riverina Groundsel	R1	●
<i>Senecio quadridentatus</i>	Cotton Fireweed	4% G2162	●
<i>Senecio runcinifolius</i>	Tall Fireweed	1% G29	●
<i>Senecio spanomerus</i>	Mallee Groundsel	1% G23	●
<i>Senecio tenuiflorus</i> s.l.	Slender Fireweed	G1113	●
<i>Sida ammophila</i>	Sand Sida	1% G11	●
<i>Sida corrugata</i>	Variable Sida	1% G128	●
<i>Sida corrugata</i> var. <i>angustifolia</i>	Variable Sida (narrow-lf form)	1% G10	●
<i>Sida corrugata</i> var. <i>corrugata</i> (= broad leaf form)	Variable Sida (broad-leaf form)	S2	●
<i>Sida intricata</i>	Twiggy Sida	1% G27	●
<i>Sida trichopoda</i>	Narrow-leaf Sida	1% G19	●
<i>Sigesbeckia australiensis</i> subsp. <i>australiensis</i>	Copper Weed	G46	●
<i>Sigesbeckia orientalis</i>	Indian Weed	G485	●
<i>Solanum esuriale</i>	Quena	1% G39	●
<i>Solanum lacunarium</i>	Lagoon Nightshade	R1	●
<i>Solenogyne dominii</i>	Smooth Solenogyne	1% G416	●
<i>Sonchus hydrophilus</i>	Native Sow-thistle	G46	●
<i>Spergularia brevifolia</i>	Salt Sea-spurrey	1% G37	●
<i>Spergularia marina</i>	Lesser Sea-spurrey	G6	●
<i>Spergularia media</i> s.l.	Coast Sand-spurrey	1% G63	●
<i>Sphaeromorphaea littoralis</i>	Spreading Nut-heads	1% G12	●
<i>Spirodela punctata</i>	Thin Duckweed	G27	●
<i>Stackhousia monogyna</i> s.l.	Creamy Stackhousia	1% G1016	●
<i>Stackhousia subterranea</i>	Plains Stackhousia	G27	●
<i>Stellaria angustifolia</i> subsp. <i>angustifolia</i>	Swamp Starwort	10% G96	●
<i>Stellaria angustifolia</i> subsp. <i>tenella</i>	Matted Starwort	1% G20	●
<i>Stellaria multiflora</i>	Rayless Starwort	1% G50	●
<i>Stellaria papillata</i>	Riverina Starwort	2% S2	●
<i>Stemodia florulenta</i>	Blue Rod	1% G19	●
<i>Stemodia glabella</i> s.l.	Blue Rod	1% G7	●
<i>Stuartina muelleri</i>	Spoon Cudweed	1% G368	●

Groundcovers (not grass-like)			
<i>Swainsona microphylla</i>	Small-leaf Swainson-pea	1% G17	●
<i>Swainsona phacoides</i>	Dwarf Swainson-pea	2% G11	●
<i>Swainsona procumbens</i>	Broughton Pea	1% G66	●
<i>Swainsona reticulata</i>	Kneed Swainson-pea	S3	●
<i>Tetragonia eremaea</i>	Desert Spinach	6% G10	●
<i>Tetragonia eremaea s.l.</i>	Desert Spinach	G16	●
<i>Tetragonia moorei</i>	Annual Spinach	G16	●
<i>Tetragonia tetragonoides</i>	New Zealand Spinach	2% G44	●
<i>Teucrium albicaule</i>	Scurfy Germander	1% G10	●
<i>Teucrium racemosum</i>	Grey Germander	1% G31	●
<i>Teucrium racemosum s.l.</i>	Grey Germander	4% G53	●
<i>Threlkeldia diffusa</i>	Coast Bonefruit	G46	● ●
<i>Thysanotus baueri</i>	Mallee Fringe-lily	1% G45	●
<i>Tortula atrovirens</i>	Flamingo Moss	S2	●
<i>Tricoryne elatior</i>	Yellow Rush-lily	5% G978	●
<i>Triptilodiscus pygmaeus</i>	Common Sunray	4% G204	●
<i>Typha orientalis</i>	Broad-leaf Cumbungi	G79	● ●
<i>Vallisneria americana var. americana</i>	Eel Grass	6% G22	● ●
<i>Verbena officinalis s.l.</i>	Common Verbena	S5	●
<i>Verbena officinalis var. gaudichaudii</i>	Native Verbena	G8	●
<i>Veronica plebeia</i>	Trailing Speedwell	1% G812	●
<i>Viola betonicifolia</i>	Showy Violet	G809	●
<i>Viola hederacea sensu Entwistle (1996)</i>	Ivy-leaf Violet	1% G1372	●
<i>Vittadinia australasica var. australasica</i>	Sticky New Holland Daisy	1% G23	●
<i>Vittadinia cervicularis</i>	Annual New Holland Daisy	1% G51	●
<i>Vittadinia cervicularis var. cervicularis</i>	Annual New Holland Daisy	2% G15	●
<i>Vittadinia cervicularis var. subcervicularis</i>	Annual New Holland Daisy	G9	●
<i>Vittadinia condyloides</i>	Club-hair New Holland Daisy	4% G26	●
<i>Vittadinia cuneata</i>	Fuzzy New Holland Daisy	1% G219	●
<i>Vittadinia cuneata var. cuneata</i>	Fuzzy New Holland Daisy	1% G152	●
<i>Vittadinia cuneata var. hirsuta</i>	Fuzzy New Holland Daisy	S3	●
<i>Vittadinia dissecta s.l.</i>	Dissected New Holland Daisy	1% G39	●
<i>Vittadinia dissecta var. hirta</i>	Dissected New Holland Daisy	4% G38	●
<i>Vittadinia gracilis</i>	Woolly New Holland Daisy	4% G290	●
<i>Vittadinia pterochaeta</i>	Winged New Holland Daisy	1% G15	●
<i>Wahlenbergia communis s.l.</i>	Tufted Bluebell	1% G166	●
<i>Wahlenbergia communis s.s.</i>	Tufted Bluebell	G79	●
<i>Wahlenbergia fluminalis</i>	River Bluebell	4% G52	●

Groundcovers (not grass-like)	<i>Wahlenbergia gracilenta</i>	Hairy Annual-bluebell 1% G153	●
	<i>Wahlenbergia gracilenta s.l.</i>	Annual Bluebell 4% G493	●
	<i>Wahlenbergia gracilis</i>	Sprawling Bluebell 5% G1203	●
	<i>Wahlenbergia luteola</i>	Bronze Bluebell 1% G254	●
	<i>Wahlenbergia multicaulis</i>	Branching Bluebell 1% G264	●
	<i>Wahlenbergia tumidifructa</i>	Mallee Annual-bluebell 2% G17	●
	<i>Wahlenbergia victoriensis</i>	Large-flowered Annual-bluebell G19	●
	<i>Wolfia australiana</i>	Tiny Duckweed G31	● ●
	<i>Wurmbea dioica</i>	Common Early Nancy 1% G655	●
	<i>Wurmbea dioica</i> subsp. <i>brevifolia</i>	Inland Early Nancy 2% G15	●
	<i>Xerochrysum bracteatum</i>	Golden Everlasting 1% G324	●
	<i>Xerochrysum viscosum</i>	Shiny Everlasting 1% G563	●
Shrubs	<i>Acacia acinacea</i>	Gold-dust Wattle 1% G244	●
	<i>Acacia acinacea</i> s.l.	Gold-dust Wattle 10% G717	●
	<i>Acacia brachybotrys</i> s.l.	Grey Mulga 4% G72	●
	<i>Acacia ligulata</i>	Small Cooba 5% G45	●
	<i>Acacia paradoxa</i>	Hedge Wattle 2% G1588	●
	<i>Acacia pycnantha</i>	Golden Wattle 5% G1748	●
	<i>Acacia spinescens</i>	Spiny Wattle G46	●
	<i>Acacia trineura</i>	Three-nerve Wattle G7	●
	<i>Alectryon oleifolius</i> subsp. <i>canescens</i>	Cattle Bush 4% G51	●
	<i>Atriplex acutibractea</i>	Pointed Saltbush G8	●
	<i>Atriplex acutibractea</i> subsp. <i>karoniensis</i>	Pointed Saltbush S5	●
	<i>Atriplex lindleyi</i>	Flat-top Saltbush 10% G26	●
	<i>Atriplex lindleyi</i> subsp. <i>conduplicata</i>	Baldoo S5	●
	<i>Atriplex lindleyi</i> subsp. <i>inflata</i>	Corky Saltbush 4% G25	●
	<i>Atriplex lindleyi</i> subsp. <i>lindleyi</i>	Flat-top Saltbush 1% G10	●
	<i>Atriplex nummularia</i>	Old-man Saltbush 4% G21	●
	<i>Atriplex nummularia</i> subsp. <i>nummularia</i>	Old-man Saltbush 1% G9	●
	<i>Atriplex nummularia</i> subsp. <i>omissa</i>	Dwarf Old-man Saltbush S2	●
	<i>Atriplex rhagodiooides</i>	Silver Saltbush 1% G9	●
	<i>Atriplex spongiosa</i>	Small Pop Saltbush G6	●
	<i>Atriplex stipitata</i>	Kidney Saltbush 1% G61	●
	<i>Atriplex vesicaria</i>	Bladder Saltbush 1% G43	●
	<i>Atriplex vesicaria</i> subsp. <i>macrocystidia</i>	Bladder Saltbush G14	●
	<i>Callistemon sieberi</i>	River Bottlebrush 15% G179	● ●
	<i>Chenopodium curvispicatum</i>	Cottony Saltbush 1% G52	●
	<i>Chenopodium nitrariaceum</i>	Nitre Goosefoot 4% G27	●

Shrubs

<i>Dillwynia cinerascens</i> s.l.	Grey Parrot-pea 1% G469	●
<i>Dillwynia cinerascens</i> s.s.	Grey Parrot-pea 1% G56	●
<i>Dissocarpus biflorus</i> var. <i>biflorus</i>	Twin-flower Saltbush G20	●
<i>Dissocarpus paradoxus</i>	Hard-head Saltbush 1% G34	●
<i>Dodonaea viscosa</i> subsp. <i>angustissima</i>	Slender Hop-bush 4% G180	●
<i>Dodonaea viscosa</i> subsp. <i>cuneata</i>	Wedge-leaf Hop-bush 4% G338	●
<i>Duma florulenta</i>	Tangled Lignum 20% G128	● ●
<i>Duma horrida</i> subsp. <i>horrida</i>	Spiny Lignum 1% G16	●
<i>Enchylaena tomentosa</i> var. <i>tomentosa</i>	Ruby Saltbush 20% G377	●
<i>Enchylaena tomentosa</i> var. <i>tomentosa</i> (<i>prostrate form</i>)	Ruby Saltbush (<i>prostrate southern form</i>) 1% G27	●
<i>Enchylaena tomentosa</i> var. <i>tomentosa</i> (<i>shrubby form</i>)	Ruby Saltbush (<i>shrubby inland form</i>) 4% G38	●
<i>Eremophila bignoniiflora</i>	Bignonia Emu-bush R1	●
<i>Eremophila deserti</i>	Turkey Bush 2% G44	●
<i>Eremophila divaricata</i> subsp. <i>divaricata</i>	Spreading Emu-bush 5% G9	●
<i>Eremophila longifolia</i>	Berrigan 1% G31	●
<i>Eremophila maculata</i> subsp. <i>maculata</i>	Spotted Emu-bush 1% S5	●
<i>Eutaxia microphylla</i>	Common Eutaxia G158	●
<i>Eutaxia microphylla</i> var. <i>diffusa</i>	Spreading Eutaxia 2% G55	●
<i>Exocarpos aphyllus</i>	Leafless Ballart G45	●
<i>Exocarpos sparteus</i>	Broom Ballart 1% G32	●
<i>Exocarpos strictus</i>	Pale-fruit Ballart 5% G715	●
<i>Frankenia foliosa</i>	Leafy Sea-heath 1% G10	●
<i>Frankenia serpyllifolia</i>	Bristly Sea-heath G9	●
<i>Glycyrrhiza acanthocarpa</i>	Southern Liquorice 1% G15	●
<i>Grevillea huegelii</i>	Comb Grevillea G22	●
<i>Hakea tephrosperma</i>	Hooked Needlewood 10% G31	●
<i>Jasminum didymum</i> subsp. <i>lineare</i>	Desert Jasmine 2% G10	●
<i>Lawrenzia squamata</i>	Thorny Lawrenzia G26	●
<i>Lycium australe</i>	Australian Box-thorn 1% G21	●
<i>Maireana aphylla</i>	Leafless Bluebush 2% G21	●
<i>Maireana appressa</i>	Grey Bluebush G26	●
<i>Maireana brevifolia</i>	Short-leaf Bluebush 10% G89	●
<i>Maireana decalvans</i> s.l.	Black Cotton-bush 4% G65	●
<i>Maireana erioclada</i>	Rosy Bluebush G29	●
<i>Maireana pentatropis</i>	Erect Bluebush G52	●
<i>Maireana pyramidata</i>	Sago Bush 1% G48	●

Shrubs			
	<i>Maireana radiata</i>	Radiant Bluebush	G23
	<i>Maireana rohrlachii</i>	Rohrlach's Bluebush	5% G24
	<i>Maireana sedifolia</i>	Pearl Bluebush	1% G27
	<i>Maireana triptera</i>	Three-wing Bluebush	1% G27
	<i>Maireana turbinata</i>	Satiny Bluebush	1% G31
	<i>Malacocera tricornis</i>	Goat Head	1% G20
	<i>Malva preissiana</i> s.l.	Australian Hollyhock	5% G9
	<i>Melaleuca halmaturorum</i>	Salt Paperbark	10% G47
	<i>Neobassia proceriflora</i>	Soda Bush	
	<i>Nitraria billardierei</i>	Nitre-bush	1% G42
	<i>Olearia pimeleoides</i>	Pimelea Daisy-bush	4% G41
	<i>Phyllanthus lacunellus</i>	Sandhill Spurge	1% G12
	<i>Pimelea curviflora</i> s.l.	Curved Rice-flower	1% G463
	<i>Pimelea humilis</i>	Common Rice-flower	G1629
	<i>Pimelea microcephala</i> subsp. <i>microcephala</i>	Mallee Rice-flower	1% G29
	<i>Pimelea spinescens</i> subsp. <i>spinescens</i>	Spiny Rice-flower	G84
	<i>Pittosporum angustifolium</i>	Weeping Pittosporum	4% G114
	<i>Rhagodia parabolica</i>	Fragrant Saltbush	G105
	<i>Rhagodia spinescens</i>	Hedge Saltbush	G34
	<i>Roepera apiculata</i>	Pointed Twin-leaf	1% G58
	<i>Roepera aurantiaca</i> subsp. <i>aurantiaca</i>	Shrubby Twin-leaf	G36
	<i>Roepera eremaea</i>	Climbing Twin-leaf	1% G28
	<i>Sclerolaena decurrens</i>	Green Copperburr	G10
	<i>Sclerolaena diacantha</i>	Grey Copperburr	10% G104
	<i>Sclerolaena divaricata</i>	Tangled Copperburr	10% G18
	<i>Sclerolaena intricata</i>	Poverty Bush	S2
	<i>Sclerolaena lanicuspis</i>	Woolly Copperburr	S5
	<i>Sclerolaena muricata</i>	Black Roly-poly	1% G40
	<i>Sclerolaena muricata</i> var. <i>muricata</i>	Black Roly-poly	2% G24
	<i>Sclerolaena muricata</i> var. <i>semiglabra</i>	Dark Roly-poly	4% G7
	<i>Sclerolaena muricata</i> var. <i>villosa</i>	Grey Roly-poly	4% G44
	<i>Sclerolaena obliquicuspis</i>	Limestone Copperburr	1% G66
	<i>Sclerolaena tricuspidis</i>	Streaked Copperburr	1% G24
	<i>Sclerolaena ventricosa</i>	Salt Copperburr	
	<i>Senna artemisioides</i> s.l.	Desert Cassia	1% G39
	<i>Senna artemisioides</i> subsp. <i>coriacea</i>	Broad-leaf Desert Cassia	6% G25
	<i>Senna artemisioides</i> subsp. <i>filifolia</i>	Fine-leaf Desert Cassia	1% G36

Shrubs	<i>Senna artemisioides</i> subsp. <i>peticolaris</i>	Woody Cassia 4% G35	●
	<i>Sida fibulifera</i>	Pin Sida 1% G21	●
	<i>Solanum laciniatum</i>	Large Kangaroo Apple 1% G525	●
	<i>Stelligera endecaspinus</i>	Star Bluebush 1% G18	●
	<i>Styphelia rufa</i>	Ruddy Beard-heath G122	●
	<i>Swainsona greyana</i>	Hairy Darling-pea S2	●
	<i>Tecticornia halocnemoides</i> subsp. <i>halocnemoides</i>	Grey Glasswort 1% G30	● ●
	<i>Tecticornia indica</i>	Brown-head Glasswort S4	●
	<i>Tecticornia indica</i> subsp. <i>leiostachya</i>	Brown-head Glasswort S2	●
	<i>Tecticornia pergranulata</i>	Blackseed Glasswort 10% G45	● ●
	<i>Tecticornia pergranulata</i> subsp. <i>pergranulata</i>	Blackseed Glasswort G19	● ●
	<i>Tecticornia pruinosa</i>	Bluish Glasswort 1% G13	●
	<i>Tecticornia syncarpa</i>	Fused Glasswort S3	●
	<i>Tecticornia triandra</i>	Desert Glasswort G17	●
	<i>Templetonia egena</i>	Round Templetonia G9	●
	<i>Templetonia stenophylla</i>	Leafy Templetonia 1% G84	●
Trees/Tall Shrubs	<i>Acacia dealbata</i>	Silver Wattle 10% G2861	●
	<i>Acacia implexa</i>	Lightwood 1% G1051	●
	<i>Acacia loderi</i>	Nealie G7	●
	<i>Acacia melvillei</i>	Yarran G12	●
	<i>Acacia oswaldii</i>	Umbrella Wattle 1% G61	●
	<i>Acacia salicina</i>	Willow Wattle G11	●
	<i>Acacia stenophylla</i>	Eumong G7	●
	<i>Allocasuarina luehmannii</i>	Buloke 10% G313	●
	<i>Bursaria spinosa</i>	Sweet Bursaria G467	●
	<i>Callitris glaucophylla</i>	White Cypress-pine 10% G95	●
	<i>Callitris gracilis</i>	Slender Cypress-pine 10% G94	●
	<i>Casuarina pauper</i>	Belah G44	●
	<i>Eucalyptus camaldulensis</i>	River Red-gum 30% G1435	● ●
	<i>Eucalyptus camaldulensis</i> subsp. <i>camaldulensis</i>	River Red-gum 4% G61	●
	<i>Eucalyptus dumosa</i>	Dumosa Mallee 10% G59	●
	<i>Eucalyptus largiflorens</i>	Black Box 20% G99	●
	<i>Eucalyptus leucoxylon</i> ²	Yellow Gum G149	●
	<i>Eucalyptus melliodora</i>	Yellow Box 18% G1425	●
	<i>Eucalyptus microcarpa</i>	Grey Box 20% G893	●
	<i>Eucalyptus oleosa</i> subsp. <i>oleosa</i>	Oil Mallee 30% G32	●
	<i>Eucalyptus socialis</i>	Grey Mallee G39	●
	<i>Eucalyptus tricarpa</i>	Red Ironbark G300	●
	<i>Exocarpos cupressiformis</i>	Cherry Ballart G2123	●

Trees/Tall Shrubs	<i>Hakea leucoptera</i> subsp. <i>leucoptera</i>	Silver Needlewood 5% G22	●
	<i>Melaleuca lanceolata</i>	Moonah 6% G188	●
	<i>Myoporum montanum</i>	Waterbush 1% G28	●
	<i>Myoporum platycarpum</i>	Sugarwood G46	●
	<i>Santalum lanceolatum</i>	Northern Sandalwood S5	●
unclassified	<i>Centipeda pleiocephala</i>	Tall Sneezeweed S2	●

Supporting Evidence (Vic.)		Additional field survey required, however few remnant sites exist							
A #Distinct	B % >10	C Total	D #/ha	E Area	F ~Remnant Area	H Rem. %	Compiler	Review 1	Review 2
1	0 %	2	0.00	1,318 ha	12 ha	0.9%	TDO		

