

LEGENDS OF THE FIGURES

N.B. The illustrations of the habit of the plant are all made after herbarium specimens. The position of the inflorescence and flowers is not always natural.

Fig. 1. *Pholidota clemensii* Ames.

a-plant; b-bract; c-flower; d-flower analysis, below from left to right: median sepal, lateral sepal, above from left to right: petal, lip; e- lip and column, lateral view; f-lip from above; g-column. (a-b. & d. SF (Moulton) 6651; c. & e-g. Leiden, cult. Hort. 22055).

Fig. 2. *Pholidota mediocris* de Vogel.

a-plant; b-bract; c-flower; d-flower analysis, below from left to right: median sepal, lateral sepal, above from left to right: petal, lip; e- lip and column, lateral view; f-lip from above; g-column. (a-d. & g. Burtt & Martin 5199; e-f. Geesink 9108).

Fig. 3. *Pholidota nervosa* (Blume) Rchb. f.

a-plant; b-bract; c-flower; d-flower analysis, below from left to right: median sepal, lateral sepal, above from left to right: petal, lip; e- lip and column, lateral view; f-lip from above; g-column. (a. Bakhuizen v.d. Brink 5043; b-g. Bogor, cult. Hort. 152).

Fig. 4. *Pholidota pectinata* Ames

a-plant; b-bract; c-flower; d-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; e-lip and column, lateral view; f- lip from above; g-column; h-anther; i pollinium. (a. Vermeulen & Duistermaat 1061; b-h. Vermeulen & Duistermaat 1003).

Fig. 5. *Pholidota schweinfurthiana* L.O. Williams.

a-plant; b-bract; c-flower; d-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; e-lip and column, lateral view; f- lip from above; g-column. (a-g. J.J. Wood 647).

Fig. 6. *Pholidota sulcata* J.J. Smith.

a-plant; b-flower; c-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; d-lip and column, lateral view; e-lip from above; f-column. (a. & c. Bogor, cult. Hort. (Hallier) s.n.; b. & d-g. Bogor, cult. Hort. (?Hallier) 97).

Fig. 7. *Pholidota advena* (Par. & Rchb. f.) Hooker f.

a-plant; b-bract; c-flower; d-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; e-lip and column, lateral view; f- column. (a. Parish 296; b-f. Rule 5348).

Fig. 8. *Pholidota articulata* Lindley.

a-plant; b-flower; c-flower analysis, from left to right: median sepal, petal, lateral

sepal, lip; d-lip and column, lateral view; e-column. (a. Bogor, cult. Hort. (Backer) s.n.; b-e. de Vogel 1132).

Fig. 9. *Pholidota guibertiae* Finet.

a-plant; b-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; c-lip and column, lateral view. (a-c. Guibert 18).

Fig. 10. *Pholidota recurva* Lindley.

a-plant; b-bract; c-flower; d-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; e-lip and column, lateral view; f- column. (a. Larsen, Smitinand & Warncke 34; b-f. Cumberlege 1009).

Fig. 11. *Pholidota camelostalix* Rchb. f. var. *camelostalix*.

a-plant; b-flower; c-flower analysis, below from left to right: median sepal, lateral sepal, above from left to right: petal, lip; d-lip and column, lateral view; e-column. (a-e. Backer 15865).

Fig. 12. *Pholidota camelostalix* Rchb. f. var. *vaginata* (Carr) de Vogel.

a-plant; b-flower; c-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; d-lip and column, lateral view; e-column. (a-e. Buennemeijer 8914).

Fig. 13. *Pholidota globosa* (Blume) Lindley.

a-plant; b-flower; c-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; d-lip and column, lateral view; e-column. (a-e. Blume s.n., Herb. Lugdunum Batavorum 904,44-199).

Fig. 14. *Pholidota longibulba* Holttum.

a-plant; b-flower; c-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; d-lip and column, lateral view; e-column. (a. Holttum s.n. (type); b-e. Carr 272).

Fig. 15. *Pholidota longilabra* de Vogel.

a-plant; b-bract; c-flower; d-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; e-lip and column, lateral view; f- lip from above; g-column. (a-g. de Wilde & de Wilde-Duyfjes 16302).

Fig. 16. *Pholidota gibbosa* (Blume) de Vriese.

a-plant; b-bract; c-flower; d-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; e-lip and column, lateral view; f- column; g-pollinia. (a. Blume s.n., Herb. Lugdunum Batavorum 903,16-2444; b-f. Leiden, cult. Hort. (de Vogel) 19947, g. Leiden, cult. Hort. 20613).

Fig. 17. *Pholidota ventricosa* (Blume) Rchb. f.

a-plant; b-bract; c-flower; d-flower analysis, below from left to right: median sepal, lateral sepal, above from left to right: petal, lip; e- lip and column, lateral view; f- column; g-pollinia. (a-f. de Vogel 5564, g. Leiden, cult. Hort. 21522).

Fig. 18. *Pholidota chinensis* Lindley.

a-plant; b-flower with bract; c-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; d-lip and column, lateral view; e- lip from above; f-column. (a. Kwangtung 78; b. & d-f. Leiden, cult. Hort. (Cribb) 23146; c. Poilane 4350).

Fig. 19. *Pholidota leveilleana* Schltr.

a-plant; b-flower; c-flower analysis, below from left to right: median sepal, lateral sepal, above from left to right: petal, lip; d-lip and column, lateral view; e-column. (a-e. Poilane 32058).

Fig. 20. *Pholidota roseans* Schltr.

a-plant; b-bract; c-flower; d-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; e-lip and column, lateral view; f- lip from above; g-column. (a-g. Feng 13589).

Fig. 21. *Pholidota rubra* Lindley.

a-plant; b-bract; c-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; d-lip and column, lateral view; e-lip from above; f-column. (a-f. Bor 20928).

Fig. 22. *Pholidota aidolepis* Seidenf. & de Vogel.

a-plant; b-flower; c-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; d-lip and column, lateral view; e-column. (a-e. GT 6338, a. after the fig. in Bot. Tidsskr. 65 (1969) 122).

Fig. 23. *Pholidota carnea* (Blume) Lindley var. *carnea*.

a-plant; b-bract; c-flower; d-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; e-lip and column, lateral view; f-column. (a. Blume 271 (left), Sarip 432 (right); b-f. Leiden, cult. Hort. (Franken & Roos 448) 21126).

Fig. 24. *Pholidota carnea* (Blume) Lindley var. *parviflora* (Hooker f.) de Vogel.

a. Flower.—*Pholidota carnea* (Blume) Lindley var. *pumila* (Ridley) de Vogel
b-plant; c-bract; d-flower; e-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; f-lip and column, lateral view; g-column. (a. Sinclair 9944; b-g. S.F. (Holttum) 28609).

Fig. 25. *Pholidota protracta* Hooker f.

a-plant; b-bract; c-flower; d-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; e-lip and column, lateral view; f- column. (a-f. Hara et all 6307224).

Fig. 26. *Pholidota imbricata* W.J. Hooker.

a-plant; b-bract; c-flower; d-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; e-lip and column, lateral view; f- column. (a. Chin see Ching 459; b-g. de Vogel 1085).

Fig. 27. *Pholidota pallida* Lindley

a-plant; b-c-bract; d-e-flower; f-flower analysis, below from left to right: petal, lip, above from left to right: median sepal, lateral sepal; g - lip and column, lateral view; h-column. (a. Geesink & Phengkhlay 6182; b. Tixier XIX; c. Leiden, cult. Hort. d-g. A.D. Kerr 3309).

Fig. 28. *Pholidota cantonensis* Rolfe.

a-plant; b-flower; c-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; d-lip and column, lateral view; e-column. (a. Kitamura s.n. (1932); b-g. Lodewijk 319).

Fig. 29. *Pholidota convallariae* (Rchb. f.) Hooker f. var. *convallariae*.

a-plant; b-bract; c-flower; d-flower analysis, below from left to right: median sepal, lateral sepal, above from left to right: petal, lip; e- lip and column, lateral view; f-column. (a. Docters van Leeuwen 3038; b-g. GT 8062).

Fig. 30. *Pholidota missionariorum* Gagnep.

a-plant; b-bract; c-flower; d-flower analysis, from left to right: median sepal, petal, lateral sepal, lip; e-lip and column, lateral view; f- column. (a-g. Martin 2976).

Fig. 31. *Pholidota yunnanensis* Rolfe.

a-plant; b-bract; c-flower; d-flower analysis, below from left to right: median sepal, lateral sepal, above from left to right: petal, lip; e- lip and column, lateral view; f-column. (a-g. Cavalerie & Fortunat 2338).




Fig. 1. *Pholidota clemensii* Ames




Fig. 2. *Pholidota mediocris* de Vogel




Fig. 3. *Pholidota nervosa* (Blume) Rchb. f.




Fig. 4. *Pholidota pectinata* Ames




Fig. 5. *Pholidota schweinfurthiana* L.O. Williams




Fig. 6. *Pholidota sulcata* J.J. Smith




Fig. 7. *Pholidota advena* (Par. & Rchb. f.) Hooker f.





Fig. 8. *Pholidota articulata* Lindley



86




Fig. 9. *Pholidota guibertiae* Finet




Fig. 10. *Pholidota recurva* Lindley




Fig. 11. *Pholidota camelostalix* Rchb. f. var. *camelostalix*

81




Fig. 12. *Pholidota camelostalix* Rchb. f. var. *vaginata* (Carr) de Vogel




Fig. 13. *Pholidota globosa* (Blume) Lindley




Fig. 14. *Pholidota longibulba* Holttum




Fig. 15. *Pholidota longilabra* de Vogel




Fig. 16. *Pholidota gibbosa* (Blume) de Vriese




Fig. 17. *Pholidota ventricosa* (Blume) Rchb. f.




Fig. 18. *Pholidota chinensis* Lindley




Fig. 19. *Pholidota leveilleana* Schltr




Fig. 20. *Pholidota roseans* Schltr




Fig. 21. *Pholidota rubra* Lindley




Fig. 22. *Pholidota aidiolepis* Seidenf. & de Vogel




Fig. 23. *Pholidota carnea* (Blume) Lindley var. *carnea*





Fig. 24. *Pholidota carnea* (Blume) Lindley var. *parviflora* (Hooker f.) de Vogel.—*Pholidota carnea* (Blume) Lindley var. *pumila* (Ridley) de Vogel



✓

81

Fig. 25. *Pholidota protracta* Hooker f.




Fig. 26. *Pholidota imbricata* W.J. Hooker




Fig. 27. *Pholidota pallida* Lindley




Fig. 28. *Pholidota cantonensis* Rolfe




Fig. 29. *Pholidota convallariae* (Rchb. f.) Hooker f. var. *convallariae*




Fig. 30. *Pholidota missionariorum* Gagn.




Fig. 31. *Pholidota yunnanensis* Rolfe

INDEX

Acanthoglossum Blume-1, 4, 9
 nervosum Blume-1, 4, 9, 13
Acoridium rhombophorum (Rchb.f.) Ames-78
Bracisepalum J.J. Smith-2
Camelostalix Pfitzer-2, 4, 27
 reichenbachii Pfitzer-2, 4, 30
Chelonanthera Blume-1, 2, 35
Chelonanthera sect. 1 Blume-4
 clypeata Pfitzer-37
 gibbosa Blume-1, 4, 37
 sulphurea Blume-1
 ventricosa Blume-1, 39
Chelonistele Pfitzer-1, 2
 kinabaluensis (Rolfe) de Vogel-78
 sulphurea (Blume) Pfitzer var. sulphurea-77
Coelogyne-1
Coelogyne sect. Articulatae Rchb. f.-4, 20
Coelogyne sect. Camelostalix Rchb. f.-4, 27
Coelogyne sect. Chelonanthera (Blume) Rchb. f.-4, 35
Coelogyne sect. Chinenses Rchb. f.-4, 41
Coelogyne sect. Crinonia (Blume) Rchb. f.-4, 49
Coelogyne sect. Imbricatae Rchb. f.-4, 57
Coelogyne sect. Undulatae Rchb. f.-4, 41
 (Pholidota) advena Par. & Rchb. f.-19
 articulata (Lindley) Rchb. f.-4, 22
 calceata (Rchb. f.) Rchb. f.-65
 camelostalix (Rchb. f.) Rchb. f.-4, 30
 carnea (Bl.) Rchb. f.-53
 chinensis (Lindley) Rchb. f.-4, 43
 clypeata Rchb. f.-37
 conchoidea (Lindley) Rchb. f.-59
 convallariae Rchb. f.-72
 corniculata Rchb. f.-43
 crotalina Rchb. f.-59
 gardneriana Lindley-76
 gibbosa (Blume) Rchb. f.-4, 31, 37
 khasiana Rchb. f.-22
 khasyana Rchb. f.-22
 loricata (Rchb. f.) Rchb. f.-59
 nervillosa Rchb. f.-13
 pholas Rchb. f.-43, 45
 recurva (Lindley) Rchb.f.-26
 (Pholidota) rhombophora-78
 rubra (Lindley) Rchb. f.-48
 suaveolens (Lindley) Hooker f.-78
 triotos Rchb. f.-59
 undulata (Lindley) Rchb. f.-4, 48
 ventricosa (Blume) Rchb. f.-39
Crinonia Blume-1, 2, 4, 49,
 carnea Blume-1, 4, 53
 elisabethiana (Ridley) Ridley-53
 elmeri Ames-53

globosa Blume-1, 31
 parviflora Pfitzer-55
 parviflora (Hooker f.) Ridley var. pumila
 Ridley-56
Cymbidium imbricatum Roxb.-59
Dendrochilum subgen. Aphanostelidion-77
 rhombophorum (Rchb.f.) Ames-78
Entomophobia de Vogel-2
kinabaluensis (Ames) de Vogel-77
Gastroglossis Rchb. f.-9
 montana Rchb. f.-9, 13
Geesinkorchis de Vogel-2
 phaiostele (Ridley) de Vogel-78
Hamulus-3
Heteranthus inflorescence-3
Hysteranthus inflorescence-3
 Mararova disticha-64
Nabalua Ames-2
Ornithidium imbricatum Wall.-59, 64
Pholidota Lindley ex W.J. Hooker-1, 2, 4
 Pholidota and its 9 sections-Map p. 7
Pholidota sect. *Acanthoglossum* (Blume) de Vogel-3, 4, 5, 6, 8, 9, Map p. 7
Pholidota sect. *Advena* de Vogel-8, 18, Map p. 7
Pholidota sect. *Articulatae* (Rchb. f.) Pfitzer-1, 2, 4, 6, 20, Map p. 7
Pholidota sect. *Camelostalix* (Rchb. f.) Carr-1, 4, 9, 27, Map p. 7
Pholidota sect. *Chelonanthera* (Blume) Butzin-1, 4, 8, 35, Map p. 7
Pholidota sect. *Chinenses* (Rchb. f.) de Vogel-1, 4, 8, 19, 41, Map p. 7
Pholidota sect. *Crinonia* (Blume) Butzin-1, 4, 8, 9, 49, Map p. 7
Pholidota sect. *Eupholidota* Bentham & Hooker f.-1, 4, 57
Pholidota sect. *Imbricatae* Rchb.f.-1
Pholidota sect. *Otochilooides* Bentham & Hooker f.-1, 2, 4, 20
Pholidota sect. *Pholidota*-2, 8, 57, Map p. 7
Pholidota sect. *Pseudopholidota* Ames-76
Pholidota sect. *Repentes* de Vogel-1, 8, 67, Map p. 7
 aculeata Bot. Reg. ex Steudel-75
 advena (Par. & Rchb. f.) Hooker f.-18, 19, Fig. 7
 aidolepis Seidenf. & de Vogel-51, Fig. 22
 annamensis Gagnep.-43, 45
 articulata Lindley-2, 4, 20, 24, 25, Fig. A p. 25, 21, Fig. 8, Plate 2a, 2b
 var. griffithii (Hooker f.) King & Pantl.-22
 var. minahassae (Schltr.) J.J. Smith-22
 var. obovata (Hooker f.) Tang & Wang-22
 assamica Regel-59, 64, 65

- beccarii Schltr.-60, 65
 bismarckiensis Schltr.-53
 bracteata (D. Don) Seidenf.-59, 64
 bracteata auct. non Seidenf.: Seidenf.-66
 caduca Ridley-37
 calceata Rchb. f.-65, 67
 camelostalix auct. non Rchb. f.: J.J. Smith-31
 camelostalix Rchb. f. -2, 4, 27, 29, 30
 var. camelostalix-29, 30, 64, Fig. 11, Plate 2c
 var. grandiflora J.J. Smith-30
 var. vaginata (Carr) De Vogel-1, 29, 30, 31, Fig. 12, Plate 2d, 3a
 cantonensis Rolfe-2, 69, 72, Fig. 28, Plate 5d
 carnea (Blume) Lindley-4, 49, 51, 52, 53
 var. carnea-2, 33, 53, 54, 55, Fig. 23, Plate 5a
 var. parviflora (Hooker f.) De Vogel-1, 53, 55, Fig. 24, Plate 5b
 var. pumila (Ridley) de Vogel-1, 2, 53, 56, Fig. 24, Plate 5c
 celebica Schltr.-53
 chinensis auct. non Lindley: Rchb. f.-43
 chinensis Lindley-2, 4, 18, 41, 43, 45, 46, Fig. 18, Plate 4c, 4d
 var. cylindracea Tang & Wang-43, 45
 clemensii Ames-2, 11, Fig. 1, Plate 1a
 clypeata-37
 conchoidea Lindley-59
 convallariae (Rchb. f.) Hooker f.-69, 70, 72
 var. breviscapa Deori & Joseph-71, 72
 var. convallariae-71, 72, Fig. 29, Plate 6d
 corniculata (Rchb. f.) Hooker f.-43, 45, 46
 crotalina Rchb. f.-59, 64
 cyclopetalala Kraenzlin-75
 decurva Ridley-22
 dentiloba J.J. Smith-11, 12
 elisabethiana Ridley-33, 53
 elmeri Ames-77
 fragrans Ridley-72
 gardneriana Wall. ex Steudel-76
 gibbosa (Blume) de Vriese-2, 4, 35, 36, 37, 38, Fig. 16, Plate 3c, 3d
 globosa (Blume) Lindley-2, 29, 31, 33, Fig. 13, Plate 3b
 globosa auct. non (Blume) Lindley: Seidenf.-51
 gracilis Hort. ex Orch. Rev.-76
 gracilis L.O. Williams-77
 grandis Ridley-39, 41, 65
 grandis auct. non Ridley: Kraenzlin-60
 griffithii Hooker f.-22, 24, 25
 guibertiae Finet-21, 24, Fig. 9
 henryi Kraenzlin-60
 imbricata W.J. Hooker-1, 2, 4, 58, 57, 59, 62, 63, 64, 65, 66, 67, Fig. 26, Plate 6a
 var. coriacea Hooker f.-59
 var. henryi (Kraenzlin) Tang & Wang-60
 var. longifolia Schltr.-60
 var. montana Schltr.-60
 var. papuana J.J. Smith-60, 65
 var. platyphylla Schltr.-60, 65
 var. sessile Hooker f.-66
 imbricata auct. non W.J. Hooker: Hook f.-66
 khasiyana Rchb. f.-22
 kinabaluensis Ames-77
 kouytcheensis Gagn.-74
 laucheana Kraenzlin-43, 45
 leveilleana Schltr.-43, 46, 47, Fig. 19
 longibulba Holttum-28, 33, Fig. 14
 longilabra de Vogel-28, 34, Fig. 15
 loricata Rchb. f.-59
 lugardii Rolfe-22
 mediocris de Vogel-1, 10, 12, Fig. 2
 membranacea Teijsman & Binnendijk-77
 micrantha Hooker f.-55
 minahassae Schltr.-22
 missionariorum Gagnep.-69, 73, Fig. 30
 nervosa (Blume) Rchb. f.-4, 9, 10, 13, Fig. 3, Plate 1b
 obovata Hooker f.-22
 pallida Lindley-2, 58, 62, 63, 64, 65, 66, 67, Fig. 27, Plate 6b, 6c
 pallida auct. non Lindley: Holttum-59
 parviflora Hooker f.-55
 var. pumila (Ridley) de Vogel-56
 pectinata Ames-10, 14, Fig. 4, Plate 1c
 pholas-45
 plicata Carr, nom. nud.-34
 protracta Hooker f.-51, 56, Fig. 25
 pusilla (Ridley) Kraenzlin-77
 pyrranthela Gagn.-43, 45
 recurva Lindley-21, 26, Fig. 10
 repens Rolfe-22
 rhombophora Rchb. f.-78
 roseans Schltr.-43, 47, Fig. 20
 rubra Lindley-4, 41, 43, 48, 76, Fig. 21
 rupestris Hand.-Mazz.-73
 rupestris auct. non Hand.-Mazz.: J.J. Smith-34
 schlechteri Gagnep.-66
 schweinfurthiana L.O. Williams-2, 10, 16, Fig. 5, Plate 1d
 sesquitorta Kraenzlin-39, 41
 sigmatochilus (Rolle) J.J. Smith-78
 sororia Schltr.-39, 41
 var. djamuensis Schltr.-39, 41
 spectabilis Kraenzlin ex Guill.-60
 suaveolens Lindley-78
 subcalceata Gagnep.-46
 sulcata J.J. Smith-10, 17, Fig. 6
 talangensis J.J. Smith, nom. nud.-31
 tixieri Guill.-66
 torricellensis-53, 54
 triloba J.J. Smith-78
 triotos (Rchb. f.) Pfitzer & Kraenzlin-59, 64
 tristis Lindl. ex Baxt.-76
 undulata Lindley-41, 48
 uraiensis Hayata-69
 vaginata Carr-2, 38
 ventricosa (Blume) Rchb. f.-2, 36, 39, 41, Fig. 17, Plate 4a, 4b
 wattii King & Pantl.-76
 wenshanica-116
 yunnanensis Rolfe-67, 69, 74, Fig. 31
 yunnanensis auct. non Rolfe: Schltr.-66

- | | |
|--|---|
| <i>yunpeensis</i> Hu-66 | <i>Synanthous inflorescence</i> -3 |
| <i>Proteranthonous</i> inflorescence-3 | <i>Thecostele</i> Rchb.f.-76, 77 |
| <i>Ptilocnema</i> D. Don-1, 4 | <i>alata</i> Par. & Rchb.f.-76, 77 |
| <i>bracteata</i> D. Don-1, 4, 59, 64 | <i>Tropidia</i> Blume-3 |
| | <i>Wellia, Thecka mararava</i> Rheed-59 |

ADDENDUM

After completing the manuscript a copy was received of an article by C. Sing-chi & Tsi Zhan-huo: *Duae Species Novae Orchidacearum Sinicarum*; Bull. Bot. Res. 8 (1988) p. 7-12. The authors describe *Pholidota wenshanica* from a plant cultivated in the Hortus Botanicus Beijingensis, collected in Yunnan, Wen Shan. I have not seen the holotype, Tsi 223 (PE), but the description and the line drawings do agree so very well with *Pholidota leveilleana* Schltr. that I am convinced that it is conspecific with that species.

LEGENDS OF THE PLATES

Plate 1

- a. *Pholidota clemensii* Ames
A. Lamb s.n., from Borneo, Sabah, Malaysia. Photograph A. Lamb (copy in collection Rijksherbarium Leiden)
- b. *Pholidota nervosa* (Blume) Rchb. f.
Utrecht, cult Hort., from Java, Indonesia. Photograph collection Instituut Systematische Plantkunde Utrecht (copy in collection Rijksherbarium Leiden)
- c. *Pholidota pectinata* Ames
A. Lamb s.n., from Borneo, Sabah, Malaysia. Photograph A. Lamb (copy in collection Rijksherbarium Leiden)
- d. *Pholidota schweinfurthiana* L.O. Williams
Leiden, cult. Hort. 26875, from Borneo, Brunei. Photograph B.N. Kieft (collection Rijksherbarium Leiden)

Plate 2

- a. *Pholidota articulata* Lindley
J. Comber s.n., from Java, Indonesia. Photograph J. Comber (copy in collection Rijksherbarium Leiden)
- b. *Pholidota articulata* Lindley
J. Comber, cult. s.n., from Java, Indonesia. Photograph J. Comber (copy in collection Rijksherbarium Leiden)
- c. *Pholidota camelostalix* Rchb. f. var. *camelostalix*
J. Comber s.n., from Java, Indonesia. Photograph J. Comber (copy in collection Rijksherbarium Leiden)
- d. *Pholidota camelostalix* Rchb. f. var. *vaginata* (Carr) de Vogel
J. Comber s.n., from Java, Indonesia. Photograph J. Comber (copy in collection Rijksherbarium Leiden)

Plate 3

- a. *Pholidota camelostalix* Rchb. f. var. *vaginata* (Carr) de Vogel
J. Comber s.n., from Java, Indonesia. Photograph J. Comber (copy in collection Rijksherbarium Leiden)
- b. *Pholidota globosa* (Blume) Lindley
J. Comber s.n., from Java, Indonesia. Photograph J. Comber (copy in collection Rijksherbarium Leiden)
- c. *Pholidota gibbosa* (Blume) de Vriese
J. Dransfield s.n., from Malay Peninsula, Malaysia. Photograph J. Dransfield (copy in collection Rijksherbarium Leiden)
- c. *Pholidota gibbosa* (Blume) de Vriese
Leiden, cult. Hort. (de Vogel) 19953 from Celebes, Indonesia. Photograph B.N. Kieft (collection Rijksherbarium)

Plate 4

- a. *Pholidota ventricosa* (Blume) Rchb. f.
J. Comber s.n., from Java, Indonesia. Photograph J. Comber (copy in collection Rijksherbarium Leiden)
- b. *Pholidota ventricosa* (Blume) Rchb. f.
Leiden, cult. Hort. (de Vogel) 25684 from Java, Indonesia. Photograph B.N. Kieft (collection Rijksherbarium)
- c. *Pholidota chinensis* Lindley
Leiden, cult. Hort. (Cribb) 23146 from Hong Kong. Photograph B.N. Kieft (collection Rijksherbarium)
- d. *Pholidota chinensis* Lindley
Lecoufle s.n. from Vietnam. Photograph collection Royal Botanic Gardens Kew

Plate 5

- a. *Pholidota carnea* (Blume) Lindley var. *carnea*
J. Comber s.n., from Java, Indonesia. Photograph J. Comber (copy in collection Rijksherbarium Leiden)
- b. *Pholidota carnea* (Blume) Lindley var. *parviflora* (Hooker f.) de Vogel
J. Dransfield s.n., from Malay Peninsula, Malaysia. Photograph J. Dransfield (copy in collection Rijksherbarium Leiden)
- c. *Pholidota carnea* (Blume) Lindley var. *pumila* (Hooker f.) de Vogel
Leiden, cult. Hort. (Wubben) 21840 from Malay Peninsula, Malaysia. Photograph B.N. Kieft (collection Rijksherbarium)
- d. *Pholidota cantonensis* Rolfe
Wubben, cult. s.n. from Formosa. Photograph L. Westra (copy in collection Rijksherbarium Leiden)

Plate 6


- a. *Pholidota imbricata* W.J. Hooker
A. Lamb s.n., from Borneo, Sabah, Malaysia. Photograph A. Lamb (copy in collection Rijksherbarium Leiden)
- b. *Pholidota pallida* Lindley
Leiden, cult. Hort. 24472, origin not known. Photograph B.N. Kieft (collection Rijksherbarium)
- c. *Pholidota pallida* Lindley
Leiden, cult. Hort. 24472, origin not known. Photograph B.N. Kieft (collection Rijksherbarium)
- d. *Pholidota convallariae* (Rchb. f.) Hooker f. var. *convallariae*
J. Comber s.n., from Java, Indonesia. Photograph J. Comber (copy in collection Rijksherbarium Leiden)



a. *Pholidota clemensii* Ames



b. *Pholidota nervosa* (Bl.) Rchb. f.



c. *Pholidota pectinata* Ames




d. *Pholidota schweinfurthiana* L.O. Williams

Plate 2



a. *Pholidota articulata* Lindley



b. *Pholidota articulata* Lindley



c. *Pholidota camelostalix* Rchb. f.
var. *camelostalix*



d. *Pholidota camelostalix* Rchb. f.
var. *vaginata* (Carr) de Vogel



a. *Pholidota camelostalix* Rchb. f.
var. *vaginata* (Carr) de Vogel



b. *Pholidota globosa* (Bl.) Lindley




c. *Pholidota gibbosa* (Bl.) de Vriese



d. *Pholidota gibbosa* (Bl.) de Vriese

Plate 4



a. *Pholidota ventricosa* (Bl.) Rchb. f.



b. *Pholidota ventricosa* (Bl.) Rchb. f.



c. *Pholidota chinensis* Lindley



d. *Pholidota chinensis* Lindley



a. *Pholidota carnea* (Bl.) Lindley
var. *carnea*



b. *Pholidota carnea* (Bl.) Lindley
var. *parviflora* (Hooker f.) de Vogel




c. *Pholidota carnea* (Bl.) Lindley
var. *pumila* (Hooker f.) de Vogel



d. *Pholidota cantonensis* Rolfe

Plate 6



a. *Pholidota imbricata* W.J. Hooker



b. *Pholidota pallida* Lindley



c. *Pholidota pallida* Lindley



d. *Pholidota convallariae* (Rchb. f.) Hooker f.
var. *convallariae*