

+**Laburnocytisus adamii** (1960.001720 - LA), **Laburnum alpinum** (XX.001660 - LC), **Laburnum** × **watereri** 'Parkesii' (XX.001727 - LA), **Laelia anceps** (2004.0627 - OH; 2006.0082 - OH; XX.013512 - OH), **Laelia anceps** subsp. **anceps** (XX.013444 - OH), **Laelia anceps** var. **dawsonii** (XX.013513 - OH), **Laelia gouldiana** (2006.0083 - OH), **Laelia harpophylla** (2004.0628 - OH), **Laelia milleri** × **Laeliocattleya Trick or Treat** (2011.0175 - OH), **Laelia purpurata** (2006.0084 - OH), **Laelia purpurata** var. **carnea** (2006.0085 - OH), **Laelia purpurata** var. **sanguinea** (2006.0086 - OH), **Laelia tenebrosa** (2006.0087 - OH), **Laeliocattleya Beaumesnil 'Roquebrune'** (2006.0006 - OH), **Laeliocattleya Coastal Sunrise** (2011.0174 - OH), **Laeliocattleya Gold Digger** (2011.0173 - OH), **Lagarostrobos franklinii** (XX.005227 - AY-B12), **Lamium album** (1999.3825 - Fam3), **Lampranthus emarginatus** (2000.2070 - Fam1), **Lardizabala biternata** (1909.010326 - WS), **Larix decidua** (XX.013684 - B1), **Larix decidua** var. **carpatica** (1922.009812 - A3), **Larix decidua** var. **polonica** (XX.009852 - A3), **Larix decidua** var. **polonica 'Pendula'** (1923.009809 - A3), **Larix** × **eurolepis** (1926.009807 - A3; XX.009803 - A3), **Larix kaempferi** (2006.1707 - A3), **Larix laricina** (1966.009800 - A3), **Larix** × **marschliinii** (2006.1706 - A3), **Larix** × **pendula** (XX.009805 - A3), **Lathyrus aureus** (2000.1460 - Fam2; XX.000847 - Fam2), **Lathyrus frolovii** (2013.0174 - Fam2), **Lathyrus grandiflorus** (XX.012387 - Fam2), **Lathyrus incanus** (XX.012386 - Fam2), **Lathyrus incurvus** (XX.003740 - AY-B08, RRA), **Lathyrus linifolius** (1998.0242 - AY-B07), **Lathyrus niger** (2000.2634 - LA), **Lathyrus odoratus** (2005.0169 - Fam2), **Lathyrus vernus** (1981.0313 - AY-B05; 2005.0076 - Fam2; 2005.0168 - Fam2; 2005.0370 - Fam2), **Lathyrus vernus 'Alboroseus'** (2000.3243 - AY-B05), **Laurus azorica** (XX.005872 - VB-w), **Lavandula angustifolia 'Ashdown Forest'** (2002.3098 - RRD), **Lavandula angustifolia 'Glasnevin'** (XX.005653 - RRA), **Lavandula angustifolia 'Loddon Pink'** (2005.1072 - AY-B10, RRG(w)), **Lavandula dentata** (1992.0104 - AY-B02, AY-B02), **Lavandula pinnata** (XX.008544 - AY-B15), **Lavandula stoechas 'Helmsdale'** (2017.0157 - RRH), **Lavatera bicolor** (1972.1491 - Fam2), **Lavatera cachemiriana** (2004.1264 - Fam2), **Ledum palustre** subsp. **groenlandicum 'Helma'** (2016.0054 - RRM, RRN), **Leontopodium alpinum** (2000.3244 - AY-T3; 2004.1265 - Fam3), **Leonurus cardiaca** (1998.1138 - Fam3), **Lepidozamia peroffskyana** (1997.0762 - PH-c), **Leptinella potentillina** (1958.003562 - AY-B08), **Leptodactylon pungens** subsp. **pulchriflorum** (1996.0978 - AY-T3), **Leptospermum flavescens** (2010.0537 - NZ-E), **Leptospermum liversidgei** (2003.1523 - RRJ), **Leptospermum scoparium 'Crimson Glory'** (2016.0057 - RRM), **Leptospermum scoparium 'Red Ensign'** (2016.0058 - RRN), **Leucanthemum vulgare 'Tizi-N-Tichka'** (1992.0735 - AY-B03), **Leucogenes leontopodium** (1994.0379 - AY-B03), **Leucojum aestivum** subsp. **pulchellum** (XX.012260 - Fam4), **Leucojum autumnale** (1992.0496 - AY-B05, AY-B05, AY-B05, AY-B05, AY-B06), × **Leucoraoulia 'Country Park'** (1995.0020 - AY-B01), **Leucothoe axillaris 'Curly Red'** (2016.0053 - RRM), **Leucothoe keiskei 'Burning Love'** (2016.0055 - RRN), **Leucothoe keiskei 'Royal Ruby'** (2016.0056 - RRM), **Leucothoe 'Little Flames'** (2016.0295 - RRO), **Leucothoe LOVITA 'Zebonard'** (2016.0296 - RRO), **Leucothoe populifolia** (XX.014063 - M1-K), **Leucothoe walteri** (XX.014027 - M1-C; XX.014082 - M1-K), **Lewisia catalpovii** var. **serrata** (2001.0902 - AY-B01), **Lewisia cotyledon** (1990.0037 - AY-B05, AY-B05; 1985.1676 - Fam1), **Leycesteria formosa** (2003.0253 - SL), **Libertia formosa** (2000.3103 - M2-H), **Libertia grandiflora** (XX.010864 - AB; XX.012266 - Fam4), **Licuala grandis** (2005.1539 - PH-c), **Ligularia fischeri** (2003.0351 - SL), **Ligularia** × **hessei** (1938.008236 - OB, T1), **Ligularia hodgsonii** (2013.0135 - Fam3), **Ligularia przewalskii** (2001.3772 - SL; 2003.0217 - SL; 2003.0352 - SL; 2004.2039 - SL), **Ligularia stenocephala** (2001.3760 - SL), **Ligularia tangutica** (2003.0218 - SL; 2003.0353 - SL), **Ligustrum amurense** (1998.1812 - C5; 2006.3552 - VG), **Ligustrum chenaultii** (2002.3104 - C5), **Ligustrum delavayanum** (1998.1978 - C5; XX.000479 - CH; 2010.1925 - CT-south), **Ligustrum** × **ibolium** (XX.000421 - CH), **Ligustrum ibota** (1925.010027 - C5), **Ligustrum indicum** (1998.1808 - C5), **Ligustrum japonicum** (2014.0005 - C5; XX.010466 - CT-south), **Ligustrum japonicum 'Texanum'** (2016.0288 - C5), **Ligustrum 'Linearifolium'** (1901.006481 - C5), **Ligustrum lucidum 'Aureovariegatum'** (2010.1926 - CH; XX.000449 - CH), **Ligustrum ovalifolium 'Aureum'** (2008.1718 - C5; XX.001153 - VG), **Ligustrum** × **pallasii** (1998.1803 - C5), **Ligustrum quihoui** (XX.010727 - AB; 1998.1810 - C5; XX.014017 - CH), **Ligustrum sinense** (1996.1528 - C5; 1998.1813 - C5; 1981.0328 - CH), **Ligustrum tschonoskii** var. **macrocarpum** (2001.0257 - C5; 1932.010243 - OA), **Ligustrum** × **vicaryi** (2008.1712 - C5; 1926.000396 - CH; XX.010217 - OA, OA; 1925.001152 - VG), **Ligustrum vulgare** (2006.3553 - VG), **Ligustrum vulgare 'Flora Fructo'** (2001.0258 - C5), **Ligustrum vulgare 'Laurifolium'** (1998.1979 - C5), **Ligustrum vulgare 'Lodense'** (2005.1115 - C5), **Lilium bakerianum** var. **aureum** (2006.0298 - Fam4), **Lilium brownii** (2001.1499 - SL), **Lilium davidii** (2006.0299 - Fam4), **Lilium formosanum** var. **pricei** (1995.1109 - AY-B05), **Lilium hansonii** (2006.0300 - Fam4), **Lilium henryi** (2000.3245 - AY-B09; 1999.3834 - Fam4; 2009.0472 - P5-d; 2001.1331 - RRA; 2001.1501 - SL), **Lilium 'Ivory Pixie'** (2015.0194 - RRH), **Lilium lankongense** (2006.0301 - Fam4), **Lilium longiflorum** (2001.1503 - SL), **Lilium lophophorum** (2006.0302 - Fam4), **Lilium majoense** (2006.0303 - Fam4), **Lilium martagon** (2006.0304 - Fam4), **Lilium martagon** var. **album** (2000.3838 - M2-H), **Lilium monadelphum** (2006.0305 - Fam4), **Lilium nepalense** (2006.0306 - Fam4), **Lilium pardalinum** (2006.0307 - Fam4), **Lilium primulinum ochraceum** (2006.0308 - Fam4), **Lilium regale** (XX.012269 - Fam4; 2001.1505 - SL), **Lilium tigrinum splendens** (2006.0316 - Fam4), **Limnanthes douglasii**

(2002.3504 - Fam2), **Limonium** binervosum (1990.0659 - AY-B06), *Limonium binervosum* agg. (2006.0544 - RRP), *Limonium cosyrense* (2000.1223 - AB; XX.003738 - AY-B06; 1996.0688 - RRC), *Limonium latifolium* (1999.3836 - Fam3), *Limonium mouretii* (XX.001224 - Fam3), **Linaria** alpina (2010.2040 - AB), **Lindera** fragrans (1981.1761 - SL), **Linum** flavum (1999.0471 - Fam2), *Linum perenne* (2013.0885 - Fam2), **Liparis** nutans (2006.0088 - OH), **Liquidambar** orientalis (XX.005018 - C2-W), *Liquidambar styraciflua* (XX.009955 - P5; 2004.2017 - T2), *Liquidambar styraciflua* 'Worplesdon' (2012.1994 - M1), **Liriodendron** chinense (XX.007697 - T2), *Liriodendron tulipifera* (XX.010431 - A3; XX.013831 - P6; 1958.007679 - T2), *Liriodendron tulipifera* 'Aureomarginatum' (1932.009815 - A3), **Liriope** muscari (1999.3840 - Fam4), **Lithocarpus** edulis (XX.014083 - M1-K), **Lithodora** diffusa 'Heavenly Blue' (2008.1737 - RRA), *Lithodora diffusa* 'Picos' (2000.1201 - AY-B01), *Lithodora diffusa* 'Star' (1997.0815 - AY-B04; 2015.0112 - RRB), *Lithodora oleifolia* (XX.003745 - AY-B10), **Lithops** bromfieldii var. mennellii (2009.0481 - CC), **Littonia** modesta (2006.0089 - OH), **Livistona** rotundifolia (1904.004037 - PH-a), **Lobelia** bridgesii (1994.1078 - AY-B10), *Lobelia excelsa* (1994.1077 - AY-B10), *Lobelia F1 Compliment* mixed (1999.2570 - M1-L, OB), *Lobelia laxiflora* var. angustifolia (2014.0338 - AY-B01, Fam3), *Lobelia × speciosa* 'Tania' (2008.0634 - OB, OBE), **Lockhartia** oerstedii (2006.0090 - OH), **Lonicera** albertii (1963.005969 - DZ-lon), *Lonicera × bella* 'Polyantha' (1984.1497 - DZ-lon), *Lonicera chaetocarpa* (1993.0035 - SL; 2003.0254 - SL), *Lonicera chrysantha* (1924.000469 - CH; XX.009544 - DZ-lon), *Lonicera deflexicalyx* var. xerocalyx (XX.005982 - DZ-lon), *Lonicera demissa* (2002.4273 - VG), *Lonicera dioica* (XX.005987 - DZ-lon), *Lonicera etrusca* (XX.008552 - WS), *Lonicera fragrantissima* (XX.010138 - CT-south; XX.005976 - DZ-lon; XX.005989 - DZ-lon; XX.009638 - OS; XX.010315 - WS), *Lonicera gibbiflora* (XX.005970 - DZ-lon), *Lonicera gynochlamydea* (2002.3939 - SL), *Lonicera × heckrottii* 'American Beauty' (2008.0260 - WS), *Lonicera henryi* (XX.009545 - DZ-lon; XX.009546 - DZ-lon; 1998.0648 - SL; 2002.4031 - SL; XX.005828 - VB-w; 1981.1764 - VG; 2008.1897 - WS), *Lonicera involucrata* (XX.009547 - DZ-lon), *Lonicera korolkowii* (XX.005197 - CT-north), *Lonicera lanceolata* (1995.1161 - VG), *Lonicera morrowii* (XX.005972 - DZ-lon; XX.005973 - DZ-lon), *Lonicera × muendeniensis* (XX.001099 - VG), *Lonicera nervosa* (XX.005986 - DZ-lon; XX.009631 - OS), *Lonicera nitida* 'Baggesen's Gold' (XX.009982 - SL), *Lonicera nitida* 'Ernest Wilson' (2000.3299 - SL), *Lonicera × notha* (XX.005981 - DZ-lon), *Lonicera periclymenum* (2004.2062 - WS), *Lonicera periclymenum* 'Serotina' (2008.0262 - WS), *Lonicera pileata* (XX.005979 - DZ-lon; 1994.0643 - SL), *Lonicera purpusii* (2006.2479 - M2-H), *Lonicera pyrenaica* (XX.005988 - DZ-lon), *Lonicera ruprechtiana* (2002.4274 - VG), *Lonicera standishii* (XX.005980 - DZ-lon), *Lonicera standishii* f. lancifolia (XX.009548 - DZ-lon; 1997.1514 - SL), *Lonicera tatarica* (XX.005978 - DZ-lon), *Lonicera tatarica* f. sibirica (XX.000971 - VG), *Lonicera tatarica* 'Rosea' (XX.010498 - CT-south), *Lonicera tatarica* 'Zabelii' (1982.1019 - DZ-lon), *Lonicera × tellmanniana* (XX.005909 - VB-w; 2008.1657 - WS), *Lonicera webbiana* (1977.0263 - DZ-lon), *Lonicera xylosteum* (1999.0259 - VG), **Lophomyrtus** obcordata (2000.3545 - NZ-E; XX.008583 - NZ-S; 2006.3556 - VG), **Lotus** creticus (1994.0481 - AY-B03), **Ludisia** discolor (2012.0888 - OH), **Luma** apiculata (XX.004698 - ES; 1995.1320 - M1-L; XX.010205 - OA; XX.009630 - OS; XX.009654 - OS; 2006.1662 - VG), *Luma apiculata* 'Glanleam Gold' (2000.3614 - CM-east; 2008.0104 - M2-H), *Luma chequen* (2006.3557 - VG), **Lunaria** annua (2005.0177 - Fam2; 2010.2022 - Fam3), **Lupinus** arboreus (2001.3381 - Fam2), *Lupinus luteus* (2005.0179 - Fam2), *Lupinus polyphyllus* (2004.1272 - Fam2), **Luzula** luzuloides (1974.0353 - Fam4), *Luzula sylvatica* (1972.0990 - Fam4), *Luzula sylvatica* 'Aurea' (2000.2281 - M2-B), *Luzula ulophylla* (1994.0273 - AY-B01, AY-B05), **Lycaste** aromatica (2006.0091 - OH), *Lycaste Auburn × Angulocaste Thomas* (2011.0106 - OH), *Lycaste bradeorum* (2006.0092 - OH), *Lycaste ciliata* (2006.0093 - OH), *Lycaste Garfield* (2006.0007 - OH), *Lycaste Hera* 'Golden Orb' (2011.0105 - OH), *Lycaste Larry Cox* (2006.0095 - OH), *Lycaste leucantha* (2006.0096 - OH), *Lycaste Lucianii* (2006.0099 - OH), *Lycaste macrobulbon* (2006.0097 - OH), *Lycaste skinneri* 'Rosea' (2006.0098 - OH), *Lycaste Stoneville* (2006.0008 - OH), *Lycaste tricolor* (2006.0100 - OH), *Lycaste Wyld Forest* (2006.0094 - OH), **Lychnis** chalcedonica (1987.1119 - Fam1; 2004.1274 - Fam1; 2014.0697 - Fam1), *Lychnis chalcedonica* 'Alba' (2004.1275 - Fam1), *Lychnis coronaria* (2014.0698 - Fam1), *Lychnis viscaria* (XX.004575 - RRA; 2005.1027 - RRD; 2013.0611 - RRF), *Lychnis yunnanensis* (2003.0219 - SL), **Lycium** andersonii (2000.3448 - Fam3), *Lycium barbarum* (1911.010322 - WS), *Lycium chinense* (XX.001281 - Fam3; 1907.010290 - WS), **Lygodium** japonicum (1977.2234 - PH-c, PH-c), **Lysichiton** americanus (2002.2153 - P5-d), **Lysimachia** baryostachys (2004.1907 - Fam3; 2003.2144 - SL), *Lysimachia clethroides* (1998.1160 - Fam3), *Lysimachia ephemereum* (XX.001241 - Fam3), *Lysimachia henryi* (2003.0255 - SL), *Lysimachia minoricensis* (1994.0752 - Fam3), *Lysimachia nemorum* subsp. azorica (1994.0396 - AY-B01), *Lysimachia nummularia* (2002.3505 - Fam3), *Lysimachia punctata* (XX.012463 - Fam3), *Lysimachia punctata* 'Alexander' (2000.3767 - OB), *Lysimachia yunnanensis* (2003.0220 - SL), **Lythrum** salicaria (1999.3845 - Fam2), *Lythrum virgatum* (1981.0563 - Fam2).

**Maackia amurensis** (2003.0221 - SL), **Maackia chinensis** (2002.2245 - SL), **Macadamia ternifolia** (XX.008557 - CLE-D), **Macleaya cordata** (2004.1838 - Fam2; 2011.0047 - OB), **Macleaya microcarpa** (XX.012393 - Fam2), **Maclura pomifera** (XX.010338 - WS), **Macrozamia communis** (XX.000905 - PH-c), **Maddenia hypoleuca** (XX.010812 - CH), **Magnolia acuminata** (2002.2246 - MG), **Magnolia acuminata** var. *subcordata* (XX.004364 - MG), **Magnolia campbellii** subsp. *mollicomata* (1942.009210 - G1), **Magnolia dawsoniana** (1927.012105 - EG-wall), **Magnolia delavayi** (XX.004369 - MG), **Magnolia denudata** (2001.3971 - SL), **Magnolia fraseri** (1937.004374 - MG), **Magnolia 'Galaxy'** (1983.0290 - M1), **Magnolia grandiflora** (XX.004376 - MG), **Magnolia japonica 'Bealei'** (XX.009254 - B3), **Magnolia kobus** (XX.008814 - M1-K), **Magnolia laevifolia** (2001.1719 - SL), **Magnolia liliiflora** (1997.0320 - M2-B), **Magnolia maudiae** (2003.0222 - SL), **Magnolia officinalis** (2002.2248 - SL), **Magnolia officinalis** var. *biloba* (1976.0727 - MG), **Magnolia sargentiana** (1937.012106 - EG-wall), **Magnolia sinensis** (2002.0340 - SL), **Magnolia × soulangeana** (1974.1457 - B3; 2010.0534 - M1-K; XX.004368 - MG; XX.004377 - MG), **Magnolia × soulangeana 'Alba Superba'** (1903.004361 - MG), **Magnolia × soulangeana 'Alexandrina'** (1980.2300 - MG), **Magnolia × soulangeana 'Amabilis'** (1894.004372 - MG), **Magnolia × soulangeana 'Brozzonii'** (1910.004375 - MG), **Magnolia × soulangeana 'Lennei'** (XX.004367 - MG), **Magnolia × soulangeana 'Lennei Alba'** (1974.1461 - MG), **Magnolia × soulangeana 'Speciosa'** (XX.014065 - M1-K), **Magnolia stellata 'Yellow Fever'** (1997.0323 - MG), **Magnolia tripetala** (2001.0211 - Fam0; XX.004373 - MG), **x Mahoberberis neubertii** (1963.011955 - B1-ber), **Mahonia × aldenhamensis** (XX.013946 - B1-mah), **Mahonia aquifolium** (XX.007787 - A5N; 2006.3558 - VG; XX.001074 - VG), **Mahonia aquifolium 'Atrovirens'** (XX.001071 - VG), **Mahonia aquifolium 'Undulata Nana'** (1893.013011 - B1-mah), **Mahonia 'Cantab'** (1988.0186 - B1-mah), **Mahonia confusa** (2004.2040 - SL), **Mahonia eurybracteata** subsp. *ganpinensis* 'Soft Caress' (2015.0350 - B1-mah), **Mahonia fortunei** (XX.013007 - B1-mah; XX.012122 - EG-wall), **Mahonia gracilipes** (1988.0182 - B1-mah), **Mahonia gracilis** (XX.013952 - B1-mah), **Mahonia × herveyi** (XX.013949 - B1-mah), **Mahonia 'Heterophylla'** (XX.013948 - B1-mah; XX.010102 - CT-south), **Mahonia japonica** (1988.0184 - B1-mah, B1-mah; XX.001599 - B1-mah; XX.013015 - B1-mah; XX.013950 - B1-mah), **Mahonia japonica 'Bealei'** (1978.1127 - B1-mah; 1988.0179 - B1-mah), **Mahonia japonica 'Hivernant'** (1988.0185 - B1-mah), **Mahonia japonica × napaulensis** (XX.004710 - ES), **Mahonia mairei** (XX.013953 - B1-mah), **Mahonia × media** (1978.1124 - B1-mah), **Mahonia × media 'Charity'** (1988.0187 - B1-mah; 2009.1770 - CT-south), **Mahonia × media 'Charity's Sister'** (1988.0188 - B1-mah), **Mahonia × media 'Lionel Fortescue'** (1988.0189 - B1-mah; 2009.0294 - OS), **Mahonia × media 'Winter Sun'** (1988.0190 - B1-mah), **Mahonia napaulensis** (XX.013951 - B1-mah; 1963.005846 - VB-w), **Mahonia nervosa** (1956.010377 - RRG(w)), **Mahonia nevinii** (2014.1150 - G1; 1927.005905 - VB-w), **Mahonia pinnata** (1979.0290 - B1-mah), **Mahonia pinnata** var. *moranensis* (1988.0194 - B1-mah), **Mahonia repens** (1988.0196 - B1-mah; XX.013012 - B1-mah), **Mahonia repens 'Rotundifolia'** (1988.0197 - B1-mah), **Mahonia toluacensis** (XX.013954 - B1-mah), **Mahonia trifolia** (1988.0198 - B1-mah), **Mahonia trifoliolata** (2009.0304 - VG), **Mahonia trifoliolata** var. *glauca* (1988.0200 - B1-mah; 2009.0329 - OS), **Mahonia 'Trifurcata'** (1978.1126 - B1-mah), **Mahonia × undulata** (XX.013945 - B1-mah), **Mahonia × wagneri** (1988.0201 - B1-mah; XX.011854 - OA2), **Malus × arnoldiana** (1960.010879 - A3), **Malus baccata** var. *mandshurica* (1994.1194 - A3), **Malus × dawsoniana** (1972.011862 - A3), **Malus doumeri** (2000.1695 - A3), **Malus 'Evereste'** (2003.2268 - A3; 2012.1995 - A3), **Malus 'Golden Hornet'** (2003.2269 - A3), **Malus 'Gorgeous'** (2003.2270 - A3), **Malus hupehensis** (2002.2249 - SL), **Malus ioensis** (1969.0414 - A3), **Malus 'James Grieve'** (2006.2316 - EG-wall; 2006.2317 - EG-wall), **Malus 'John Downie'** (2003.2271 - A3), **Malus praecox** (1982.1132 - A3), **Malus pumila** var. *paradisiaca* (1963.010877 - A3), **Malus 'Red Glow'** (2003.2273 - A3), **Malus 'Red Sentinel'** (2003.2274 - A3), **Malus 'Royal Beauty'** (2003.2272 - A3), **Malus 'Rudolph'** (2012.1996 - A3), **Malus toringo** (1994.1193 - A3), **Malus yunnanensis** (2002.1567 - A3; XX.000412 - CH; XX.001008 - VG), **Malva moschata** f. *alba* (2004.1280 - Fam2; 2005.0078 - Fam2), **Malva pusilla** (1985.1598 - Fam2), **Malvaviscus arboreus** (XX.008067 - PH-a), **Malvaviscus arboreus** var. *drummondii* (2010.0496 - AY-B14), **Malvaviscus arboreus** var. *mexicanus* (XX.008562 - AY-B14), **Mammillaria chionocephala** (2002.1176 - CC), **Mammillaria glauca** (2003.0015 - CC), **Mangifera indica** (2011.0907 - PH-c), **Marah fabaceus** (XX.010346 - WS), **Maranta cristata** (XX.009109 - PH-a), **Maranta leuconeura** var. *kerchoviana* (XX.009111 - PH-a), **Margyricarpus pinnatus** (2007.0394 - RRF), **Masdevallia coccinea** (2004.0634 - OH; 2006.0101 - OH), **Masdevallia coriacea** (2004.0633 - OH), **Masdevallia 'Frahl Marry Rahl'** (2004.0629 - OH), **Masdevallia measuresiana** (2004.0630 - OH), **Masdevallia nutans** (2004.0638 - OH), **Masdevallia paivaeana** (2004.0635 - OH), **Masdevallia peristeria** (2004.0637 - OH), **Masdevallia picta** (2004.0639 - OH), **Masdevallia polysticta** (2004.0632 - OH), **Masdevallia pyxis** (2004.0631 - OH), **Masdevallia rolfeana** (2004.0636 - OH), **Matthiola arborescens** (2004.1281 - Fam2), **Matthiola bicornis** (2005.0181 - Fam2), **Matthiola incana** (2005.0182 - Fam2), **Maxillaria aciantha** (2004.0080 - OH), **Maxillaria arachnites** (2006.0103 - OH), **Maxillaria molitor** (2006.0108 - OH; 2006.0109 - OH), **Maxillaria ochroleuca** (2006.0110 - OH), **Maxillaria porrecta** (2006.0104 - OH), **Maxillaria pseudoreichenheimiana** (2006.0112 - OH), **Maxillaria rhombea** (2006.0113 - OH), **Maxillaria rodigasiana** (2006.0114 - OH), **Maxillaria sanguinea** (2006.0115 - OH), **Maxillaria sophronitis** (2006.0116 - OH), **Maxillaria tenuifolia** (1994.0020 - OH; XX.012547 - OH), **Maytenus acuminata** (1959.010340 - WS; 2006.3623 - WS), **Maytenus boaria** (1913.004676 - ES, ES;



XX.001126 - VG), **Meconopsis baileyi** (2005.0060 - Fam2), **Meconopsis grandis** (2005.0184 - Fam2), **Meconopsis grandis** × **betonicifolia** (2005.0080 - Fam2), **Meconopsis horridula** (2005.0183 - Fam2), **Meconopsis paniculata** (2005.0059 - Fam2), **Medicago arborea** (XX.005565 - LC), **Medicago sativa** (2006.4229 - Fam2), **Melaleuca decussata** (2007.0985 - AY-B14, NZ-S), **Melaleuca diosmifolia** (1978.2461 - AY-B06), **Melaleuca hypericifolia** (2010.0498 - NZ-E), **Melia azedarach** (2003.1951 - AY-B14), **Melianthus comosus** (2003.1813 - RRA), **Melianthus major** (XX.010712 - R3; XX.005849 - VB-w), **Melicactus alpinus** (1921.006813 - RRA; 2012.0023 - RRH), **Melicactus angustifolius** (2000.3628 - NZ-E), **Melicactus crassifolius** (1995.1323 - NZ-E; 2000.3542 - NZ-W), **Melicactus latifolius** (2014.0489 - Fam2; 2000.3541 - NZ-S), **Melicactus novae-zelandiae** (2006.3559 - VG), **Meliosma veitchiorum** (1965.011165 - R4), **Meliiodendron xylocarpum** (2000.2130 - SL), **Mespilus germanica** 'Nottingham' (2010.1975 - C6), **Mestoklema arboriforme** (XX.012412 - Fam1), **Metapanax davidii** (XX.004684 - ES), **Metasequoia glyptostroboides** (XX.006612 - P2; 1948.009962 - P5; 1948.013805 - P6), **Meum athamanticum** (1999.3849 - Fam2), **Mexicoa ghiesbreghtiana** (2006.0117 - OH), **Michauxia campanuloides** (2004.1283 - Fam3), **Michelia doltsopa** (1983.1060 - AB), **Micromeria dalmatica** (2002.1948 - RRA), **Micromeria varia** (1993.0534 - AY-B05), **Microsorium punctata** (1966.001997 - PH-a), **Microsorium pustulatum** (2010.0647 - CLE-D), **Miltonia Golden Moir 'Golden Wonder'** (2004.0641 - OH), **Miltonia Honolulu 'Warnes Best'** (2004.0640 - OH), **Miltonia spectabilis** (2004.0644 - OH), **Miltonioides confusa** (2006.0118 - OH), **Mimulus 'Andean Nymph'** (1996.0983 - AY-B01), **Minuartia capillacea** (2004.1285 - Fam1), **Minuartia recurva** (2003.1846 - RRB), **Minuartia villarii** (1993.0145 - Fam1), **Mirabilis jalapa** (2005.0188 - Fam1), **Mirabilis nyctaginea** (2005.0386 - Fam1), **Miscanthus floridulus** (2001.3773 - SL, SL), **Miscanthus sacchariflorus** (XX.012274 - Fam4), **Miscanthus sinensis 'Variegatus'** (2000.3793 - AB), **Miscanthus sinensis 'Zebrinus'** (2000.3794 - AB), **Miscanthus transmorrisonensis** (2001.0474 - SL), **Mitella obovata** (2001.0373 - RRG(w)), **Mitella pentandra** (2004.0864 - Fam1), **Mitraria coccinea** (2000.3247 - AY-B04), **Moltkia doerfleri** (1985.1552 - AY-B06), **Montia sibirica** (2004.1287 - Fam1; 2005.0193 - Fam1), **Moraea huttonii** (1999.2444 - R3), **Moraea spathulata** (1980.0019 - R3), **Mormolyca hedwigiae** (2006.0106 - OH), **Morus alba** var. **tatarica** (XX.011169 - R4), **Morus nigra** (XX.011170 - R4; XX.011172 - R4; XX.011173 - R4), **Morus rubra** (1973.0305 - R4), **Muehlenbeckia axillaris** (XX.004717 - ES; XX.005916 - VB-w), **Muehlenbeckia complexa** (XX.012078 - RRJ), **Musa basjoo** (2000.3652 - AY-B14), **Muscari armeniacum** (1994.0797 - AB, AY-B02, AY-B02, AY-B02), **Muscari armeniacum 'Valerie Finnis'** (2001.3545 - RRB), **Muscari botryoides** (1984.0170 - RRA), **Muscari comosum** (1972.0568 - Fam4; 2009.2103 - RRH), **Muscari comosum 'Plumosum'** (2000.3248 - AY-B06), **Muscari muscarimi** (1971.0705 - Fam4), **Muscari neglectum** (XX.004649 - AY-B03; XX.012275 - Fam4), **Muscari 'Penhill'** (XX.006881 - AY-B05), **Muscari steupii** (1993.0712 - AY-B06), **Mutisia rosea** (1996.0815 - AY-B10), **Mutisia subspinosa** (1998.0285 - AY-B09), **Myoxanthus saurocephalus** (XX.002145 - OH), **Myrica californica** (XX.004703 - ES; XX.009629 - OS; XX.009650 - OS), **Myrica cerifera** (2006.3627 - RRN), **Myrsine africana** var. **retusa** (2006.3241 - RRL; 2000.3616 - SL), **Myrtus communis 'Laverocks variety'** (XX.000124 - RRG), **Myrtus communis** subsp. **tarentina** (2000.3795 - AB).

**Nandina domestica** (2000.3770 - AB; 2002.3317 - AY-B14; XX.005859 - VB-w; 1951.010263 - WS), **Nandina domestica 'Nana'** (2010.0531 - AY-B14), **Napoleonaea imperialis** (XX.004080 - PH-a), **Narcissus 'Amazing Grace'** (2017.1155 - VB-e), **Narcissus asturiensis** (XX.010863 - AY-B02), **Narcissus 'Baby Moon'** (2013.0614 - RRG(w)), **Narcissus 'Bandesara'** (2017.1161 - VB-e), **Narcissus bulbocodium** (1970.0972 - AY-B01; XX.011626 - AY-B02, AY-B02, AY-B02, AY-B02, AY-B03; 1970.0972 - AY-B05, AY-B06, AY-B06; 1996.0986 - AY-T1; 1970.0972 - RRA; 2000.4373 - RRB), **Narcissus 'Burt House'** (2017.1154 - VB-e), **Narcissus 'Calvaryman'** (2017.1162 - VB-e), **Narcissus 'Canaliculatus'** (XX.012277 - Fam4), **Narcissus 'Cherry Glow'** (2017.1160 - VB-e), **Narcissus 'Dena'** (2017.1153 - VB-e), **Narcissus 'Diversity'** (2017.1158 - VB-e), **Narcissus 'Drama Queen'** (2017.1159 - VB-e), **Narcissus 'Elka'** (2015.0483 - RRA), **Narcissus 'February Gold'** (2015.0873 - AY-B16; 1998.1339 - RRG), **Narcissus 'Golden Goal'** (2017.1157 - VB-e), **Narcissus 'Hawera'** (2013.0796 - RRB), **Narcissus × intermedius** (1970.0950 - AY-B06), **Narcissus 'Kaydee'** (2016.0742 - RRB; 2017.1156 - VB-e), **Narcissus 'Lauren'** (2016.0727 - RRB), **Narcissus 'Lilac Charm'** (2016.0743 - RRB), **Narcissus 'Prototype'** (2015.0482 - RRB), **Narcissus pseudomoschata milneri** (2001.1014 - RRF), **Narcissus pseudonarcissus** (XX.012279 - Fam4), **Narcissus 'Rip van Winkle'** (2015.0485 - RRA), **Narcissus 'Spoirot'** (2015.0677 - RRA), **Narcissus 'Sun Disc'** (2011.1334 - RRG(w)), **Narcissus 'Tresamble'** (2015.0484 - RRA), **Neillia affinis** var. **affinis** (XX.012349 - R6), **Neillia sinensis** (1910.012351 - R6), **Neillia thibetica** (1909.010157 - CT-south; 1927.012352 - R6), **Neillia uekii** (1919.012350 - R6), **Nemesia 'Innocence'** (2000.3249 - AY-B09, AY-B10), **Neobenthamia gracilis** (2006.0119 - OH), **Neobuxbaumia polylopha** (2002.1921 - CC; 2007.0085 - CC, CC, CC), **Neofinetia falcata** (White Tara × Crystal Palace) (2006.0120 - OH), **Neolauclea pulchella** (2006.0121 - OH), **Neolitsea**

sericea (XX.010633 - AB), **Neomoorea wallisii** (2014.0151 - OH), **Nepenthes burkei** (2011.0049 - OH), **Nepenthes khasiana** (2000.2908 - OH; 2000.4044 - OH), **Nepenthes × mixta** (2011.1378 - OH), **Nepenthes ventricosa** (2004.0546 - OH; 2010.1847 - OH, OH; 2012.0027 - OH), **Nepeta parnassica** (2001.1035 - RRD), **Nepeta 'Six Hills Giant'** (2008.0389 - AY-B10; 2006.0504 - OB; 2008.0389 - OB; 2011.1065 - RRA), **Nephrolepis exaltata** (2011.0893 - OH), **Nephrolepis exaltata 'Elegantissima'** (XX.002018 - PH-a), **Nerine bowdenii** (2006.0317 - Fam4), **Nerium oleander 'Variegata'** (1965.008591 - PH-c), **Nesocodon mauritanus** (1986.0844 - CLE-B), **Nicandra physalodes** (2005.0194 - Fam3), **Nicotiana glauca** (2010.1093 - Fam3), **Nicotiana langsdorffii** (2014.0708 - Fam3), **Nicotiana rustica** (2010.2029 - Fam3), **Nicotiana sylvestris** (2014.0709 - Fam3), **Nierembergia rivularis** (1996.0871 - AY-B04), **Nigella damascena** (2014.0668 - Fam2), **Nolina beldingi** (1992.0555 - AY-B01), **Nolina longifolia** (1977.0277 - AY-B14), **Nomocharis aperta** (2006.0318 - Fam4), **Nomocharis meleagrina** (2006.0319 - Fam4), **Nothofagus fusca** (2006.2480 - M2-H), **Notospartium carmichaeliae** (XX.001715 - LA; 2000.3051 - LB), **Notospartium torulosum** (1956.005564 - LC).

**Ochagavia carnea** (1934.010453 - AY-B15), **Ochroma pyramidale** (2008.2578 - PH-c), **Odontobrassia Billabong Select** (2004.0645 - OH), **Odontoglossum Gometz** (2004.0650 - OH), **Odontoglossum laeve** (2004.0646 - OH), **Oeceoclades saundersiana** (2006.0122 - OH), **Oemleria cerasiformis** (XX.001442 - C6; XX.001443 - C6), **Oenanthe crocata** (XX.001183 - Fam2), **Oenothera acaulis var. aurea** (2004.1293 - Fam2), **Oenothera deflexa** (2014.0339 - Fam2), **Oenothera kunthiana** (1992.0743 - AY-B06), **Oenothera macrocarpa** (1999.0309 - Fam2; 2005.0349 - Fam2), **Oenothera rosea** (XX.012400 - Fam2), **Oenothera speciosa** (2004.1295 - Fam2), **Oenothera versicolor** (2013.0894 - Fam2), **Oerstedella centradenia** (2006.0123 - OH), **Olea africana** (XX.008701 - AY-B02), **Olearia albida** (2000.3551 - NZ-S; 2012.1597 - NZ-S), **Olearia argophylla** (2012.1598 - NZ-S), **Olearia cheesemanii** (2002.0558 - NZ-S), **Olearia ilicifolia** (2000.3556 - NZ-W), **Olearia macrodonta** (2000.3490 - NZ-W), **Olearia macrodonta 'Talbot de Malahide'** (2000.3557 - NZ-S; 2000.3552 - NZ-W; 2000.3557 - NZ-W), **Olearia mollis** (2000.3558 - NZ-S; 2012.2298 - NZ-S; 2006.3560 - VG), **Olearia × mollis 'Zennorensis'** (2012.1606 - NZ-S), **Olearia nummularifolia** (2001.2692 - NZ-E; 2000.3561 - NZ-W; 2006.3561 - VG), **Olearia obcordata** (2012.1607 - NZ-S), **Olearia odorata** (2000.3564 - NZ-S), **Olearia paniculata** (2012.1608 - NZ-S, NZ-S), **Olearia rani** (2012.1609 - NZ-S), **Olearia solandri** (2000.3618 - NZ-E; 2001.2693 - NZ-S; 2000.3480 - NZ-W), **Olearia traversii** (XX.005039 - NZ-S), **Olearia virgata** (2000.3477 - NZ-E; 2000.3617 - NZ-S; 2000.3477 - NZ-W), **Olearia virgata var. lineata** (1999.3617 - NZ-E, NZ-E, NZ-S; 2000.3549 - NZ-S), **Olearia 'Waikariensis'** (2012.1610 - NZ-S), **Omphalodes cappadocica 'Starry Eyes'** (2000.3796 - AB; 1995.0415 - AY-B04; 2009.1833 - RRD), **Omphalodes verna** (XX.001275 - Fam3; 2000.3187 - RRG), **Oncidium altissimum** (XX.013446 - OH), **Oncidium excavatum** (XX.002594 - OH), **Oncidium Hawaiian Sunset** (2004.0655 - OH), **Oncidium ornithorynchum** (2004.0656 - OH; 2004.0657 - OH), **Oncidium 'Sharry Baby'** (2004.0651 - OH), **Oncidium sphacelatum** (1996.0417 - OH; 2004.0652 - OH), **Oncidium Sweet Sugar** (2004.0654 - OH), **Oncidium Sweet Sugar 'Gometz'** (2004.0653 - OH), **Onobrychis arenaria** (1999.1148 - Fam2), **Ononis spinosa** (1997.1136 - Fam2), **Onosma helvetica** (2014.0366 - Fam3), **Onosma rigida** (2004.1297 - Fam3), **Ophiopogon intermedius** (XX.012282 - Fam4), **Ophiopogon planiscapus 'Nigrescens'** (1999.3857 - RRA), **Opopanax hispidus** (1999.0195 - Fam2), **Oreocereus celsiana** (1983.1399 - CC), **Origanum 'Barbara Tingey'** (2004.0478 - AB, RRD), **Origanum × hybridinum** (XX.003765 - AB, AY-B03), **Origanum microphyllum** (2000.1272 - RRB, RRJ), **Orixa japonica** (XX.010366 - WS), **Ornithogalum longibracteatum** (XX.012906 - RRG(w)), **Ornithogalum umbellatum** (1995.0055 - AY-B05; 2000.1639 - Fam4), **Orychophragmus violaceus** (2005.0205 - Fam2), **Osmanthus × burkwoodii** (XX.010046 - CT-north; XX.001147 - VG), **Osmanthus delavayi** (2001.0389 - RRG(w)), **Osmoglossum pulchellum** (2006.0124 - OH), **Ostrya carpinifolia** (2006.3446 - T2; XX.007680 - T2), **Ostrya virginiana** (XX.013867 - A5S; XX.007681 - T2), **Othonna cheirifolia** (XX.012284 - AY-B09, Fam3), **Ourisia 'Loch Ewe'** (1998.0243 - AY-B08), **Ourisia 'Snowflake'** (1998.0244 - AY-B08), **Oxalis adenophylla** (1995.0057 - AY-B01, AY-T1; 2005.0806 - Fam2), **Oxalis articulata** (XX.012401 - Fam2), **Oxalis 'Beatrice Anderson'** (1998.0291 - AY-T3), **Oxalis deppei** (2006.0320 - Fam2), **Oxalis depressa** (2006.0321 - Fam2), **Oxalis lasiandra** (XX.000802 - Fam2), **Oxalis oregana 'Superba'** (1956.003058 - AY-B04), **Oxalis rubra** (XX.000803 - Fam2), **Oxalis rubra 'Alba'** (XX.005712 - Fam2), **Oxalis triangularis subsp. papilionacea** (2006.0322 - Fam2), **Oxalis tuberosa** (1999.3858 - Fam2), **Oxalis valdiviensis** (2005.0206 - Fam2), **Oxybaphus nyctagineus** (XX.001364 - Fam1).

## Key to the locations:

**A1:** Arboretum - South-East adjacent to Taxus, **A2:** Arboretum - North-East adjacent to Chain Tent, **A3:** Arboretum - North-West Adjacent to Tolka River, **A4:** Arboretum - South-West (Birch/Aesculus class), **A5N:** Arboretum - Far walls, from central path to Tolka., **A5S:** Arboretum - Far walls, from Yew class to central path., **AB:** Alpine Yard shrubbery North and East sides, **AY-B01:** Alpine yard bed: semi-circular bed at east end; centre, **AY-B02:** Alpine yard bed: semi-circular bed in south east corner, **AY-B03:** Alpine yard bed: bed on east-side of house; south end, **AY-B04:** Alpine yard bed: bed on south-east corner of house, **AY-B05:** Alpine yard bed: bed on east-side of house; middle section, **AY-B06:** Alpine yard bed: bed on east-side of house; north end, **AY-B07:** Alpine yard bed: semi-circular bed at east end; north end, **AY-B08:** Alpine yard bed: semi-circular bed at east end; south end, **AY-B09:** Alpine yard bed: bed along north wall; west of archway, **AY-B10:** Alpine yard bed: bed along north wall; east of archway, and beyond corner seat, **AY-B11:** Alpine yard bed: bed along east wall next to doorway, **AY-B12:** Alpine yard bed: bed at west end around compass points, **AY-B13:** Alpine yard bed: bed on west-side of house; north end, **AY-B14:** Alpine yard bed: bed on west-side of house; middle section, **AY-B15:** Alpine yard bed: bed on west-side of house; south end, **AY-B16:** Alpine yard bed: bed on south-side of house; east end, **Hostas**, **AY-T1:** Alpine yard trough: NW Corner, **AY-T2:** Alpine yard trough: SE Corner, **AY-T3:** Alpine yard trough: NE Corner, **B1:** Berberis Class Lawn (trees only), **B1-ber:** Berberidaceae Class, **B1-mah:** Mahonia Class, **B3:** Old Cedar Lawn Excluding Family Beds, **C1:** Class (Forsythia and Syringa) Opposite Alpine Yard, **C2-E:** Ailanthus Lawn - East, **C2-W:** Liquidamber Lawn - West, **C3-A:** Cotoneaster bed in NW corner, **C3-ana:** Anacardiaceae Class, **C3-B:** Cotoneaster bed on W side, **C3-rha:** Rhamnaceae Class, **C3-vib:** Viburnum Class, **C5:** Class (Zelkova Lawn), **C6:** Rosaceae Class lawn Near Semi-Circular, **CC:** Cactus and Succulent House, **CH:** Chinese Shrubbery, **CLE-B:** Curvilinear House: East, Planters on outer wall, **CLE-D:** Curvilinear House: East, Australia, **CM-east:** Cemetery Shrubbery (Between Dogyard Gate & Tower) including Cemetery Gate, **CP:** Car Park Beds (unspecified), **CT-north:** Chain Tent Shrubbery from Tolka to Gap but not including Chain Tent, **CT-south:** Chain Tent Shrubbery from Gap to Arboretum, **DZ-dtz:** Deutzia class, **DZ-lon:** Lonicera class, **DZ-phl:** Philadelphus class, **EG-wall:** Walled Garden - Walls, **EN:** Entrance to the Garden, beds outside the main gates, **ES:** Walled Garden - Shrubbery (under Maytenus boaria), **Fam0:** Family Beds: Paleotrees & Paleoherbs, **Fam1:** Family Beds: Saxifragales & Caryophyllids, **Fam2:** Family Beds: Rosids, **Fam3:** Family Beds: Asterids, **Fam4:** Family Beds: Monocots, **G1:** Front lawns: Lawn adjacent to & including WOODY PLANTS in the Director's garden, **G2:** Front lawns: Parrotia Lawn, **Iris:** Iris Collection, **LA:** Fabaceae Class Section A, **LB:** Fabaceae Class Section B, **LC:** Fabaceae Class Section C, **LD:** Fabaceae Class Section D, **M1:** Western Quadrant of Millfield; Main lawn trees & Shrubs, **M1-A:** Millfield: Rhodo island bed on south side, **M1-B:** Millfield: Hamamelis bed on south side, **M1-C:** Millfield: Island bed in outh-west corner, **M1-D:** Millfield: Rhodo island bed on west side, **M1-E:** Millfield: Rhodo island bed in north-west corner, **M1-F:** Millfield: Heather bed nearest Socrates, **M1-G:** Millfield: Tree heathers, **M1-H:** Millfield: Heather bed furthest from Socrates, **M1-J:** Millfield: Rhodo island bed in North-east corner, **M1-K:** Millfield: Rhodo island bed along side of eastern path, **M1-L:** Millfield: Rhodo island bed in South-east corner, **M2-B:** Millfield East: Riverside woodland Plot (Mag hypoleuca), **M2-E:** Millfield East: River edges each side of bridge, **M2-F:** Millfield East: Roses South of Bridge, both sides, **M2-H:** Millfield East: Rhododendron plot, **M2-J:** Millfield East: Island woodland Plot, **MG:** Magnolia Corral: Magnolias, **MG-C:** Magnolia Corral: Clematis Pergola, **NZ-E:** New Zealand Shrubbery: East, **NZ-S:** New Zealand Shrubbery: South, **NZ-W:** New Zealand Shrubbery: West, **O1:** Oak Class, Wild Garden Quadrant With Hickory, **O2:** Oak Class, Main Area With Cork Oak behind Chinese Shrubbery, **OA:** Office Border eastern side, permanent shrubs only, **OA2:** Shrubbery by Main Gate Shelter, **OB:** Office Border, Herbaceous Borders around Director's House, **OBE:** Office Border East, Herbaceous Borders opposite Director's House, **OH:** Orchid House, **OS:** Shrubbery Along Road-Wall Between Main Office and McCanns, **P2:** Pine Hill, large area opposite Yew Class, **P4:** Pine Hill, Lowest Part With Davidia and Copper Beech, **P5:** Area to east of bridge, surrounding the pond, **P5-a:** Rhododendron bed by Sequoiadendron, **P5-b:** Rhododendron bed by Rock Garden, **P5-c:** Bog bed at east end of pond, **P5-d:** Bog bed east of bridge, and below dry stone wall, **P6:** Area to West of Bridge Surrounding the Pond, **P6-a:** Rhododendron bed on south side of Pond, **P6-b:** Rhododendron bed on north side of Pond, **P6-c:** Bog bed to west of pond bridge, **P7-a:** Lawns Between Dry Stone Wall and Tolka: East, **P7-b:** Lawns Between Dry Stone Wall and Tolka: Centre, **P7-c:** Lawns Between Dry Stone Wall and Tolka: West, **PB-3:** Palm House Borders - Colletia Lawn, **PH-a:** Palm House - a: centre bed with stream, **PH-c:** Palm House - c: side benches, **R2:** Border in Front of Curvilinear House (East Cape), **R3:** Border in Front of Curvilinear House (West Cape), **R4:** Lawn in front of the Director's Residence, **R5:** Curvilinear Lawn, **R6:** Spiraea Lawn, **RRA:** Rockery: RA - Cedrus Comte de Dijon, **RRB:** Rockery, RB - Quadrant upslope from Cedrus, **RRC:** Rockery: RC - Ulmus, **RRD:** Rockery: RD - Fabiana, **RRF:** Rockery: RF - Pinus pinea, **RRG:** Rockery: RG - Shrubbery on upper pine hill lawn, **RRG(w):** Rockery: RG(w) - Pinus thunbergii, **RRH:** Rockery: RH -, **RRI:** Rockery: RI - Acer palmatum, **RRJ:** Rockery: RJ -, **RRL:** Rockery: RL - Rhododendron Shrubbery below Addison's Walk, **RRM:** Rockery: RM - New Ericaceous Bed, **RRN:** Rockery: RN - Rhododendron Shrubbery on lower pine hill lawn, **RRO:** Rockery: RO - semi-circular bed on SW.Side of Path - Ericaceous, **RRP:** Rockery: RP - corner to RO on SW.Side of Path (Herbaceous only), **RS:** Rose Garden: Trees, **RS-a:** Rose garden: Side lawns, clockwise from left, **RS-b:** Rose garden: NW quadrant, **RS-c:** Rose garden: NE quadrant, **RS-d:** Rose garden: SE quadrant, **RS-e:** Rose garden: SW quadrant, **RS-f:** Rose garden: Tolka wall, **RSG:** Rose garden Section: no location given, **RS-g:** Rose Garden: River bank, **SL:** Chinese Slope, **T1:** Tolka river along Millfield to rose garden bridge, **T2:** Tolka river from weir to western boundary wall, **TX:** Yew Class, **VB-a-01:** Vine Border, Hydrangea collection: Bed 1, **VB-a-02:** Vine Border, Hydrangea collection: Bed 2, **VB-b:** Vine Border, Buddleja collection, **VB-e:** Vine Border, Herbaceous Peonies, **VB-f:** Vine Border, Tree Peonies, **VB-h:** Vine Border, Herbaceous Peonies, **VB-w:** Vine Border, Walls, **VG:** Shrubbery along South side of Vegetable Garden, **WS:** Walls from Enclosed Garden Door to Tolka.