



Crûg
Farm
Plants

2008

Stephen Lacey writes:
“The passion of individual explorers and plant hunters is still vital in helping to discover and distribute the world’s rare and vulnerable plants, and save them from extinction.”

TELEGRAPH MAGAZINE

James Alexander-Sinclair:
“In the same way as every pampered lap dog has a hint of wolf in its blood stream, so every plant you buy has a wild relation ... He has the instincts of a truffle hound.”

SAGA MAGAZINE

Michael Heseltine writes:
“... is a must for the collector/gardener, not only to share the enthusiasm of the owners, Sue and Bleddyn Wynn-Jones, but to explore the very extensive offering of wild-collected species they have gathered.”

COUNTRY LIFE



We have survived another year, its 2008. You must be getting weary of our new offerings of even more exotic and exciting plants than ever before. But what else am I supposed to call them, just look at the list, you be the judge.

For details of some of our new introductions for this year please look at the back pages of this list, where we hope to tempt you with our efforts. Mail order may have finally arrived but we do still welcome visitors to the nursery. We still prefer to meet our customers in person and feel more than justified in claiming that a visit to our nursery and display gardens repays the effort of travelling to our beautiful North Wales site. Because of the changes in trading we are altering our opening times, which should be on the back cover of this list and on our web sites. (8th March this year).

The 2007 collecting trips were beyond all our expectations. Peter Wharton joined me in the north of Vietnam, where I had been collecting with the aid of a motorbike. I had secured permits for collecting in a restricted area, where Peter would conduct a survey of this previously un-botanised area, while our Vietnamese host, Du was collecting specimen for his institute. The weather was dreadful, I wasn't sure if I was going to end up with webbed feet or trench-foot. Whatever, the collections kept on rolling in with new plants almost overwhelming us. By the time Peter and Du left I was under the impression that it could not get any better than this. Well it did. Sue arrived accompanied by Ben Kettle (from what was Rickard's Hardy Ferns) again despite the weather we came up trumps time and time again. You will not be disappointed in future years with these collections. Nor my following leg, which Sue unfortunately missed (running the mail order), was in Taiwan where I was joined by Dan Hinkley and Finlay Colley. Our hosts in the National Museum of Taiwan Natural Science, went way beyond their brief in helping us, which of course came to fruition in some wonderful collections.

For those of our customers who are unable to visit the nursery we are offering an online shopping experience, with deliveries throughout the UK and Ireland only, from **www.mailorder.crug-farm.co.uk**. Where there are search facilities by many criteria as well as by name (i.e. colour), as well as indicating pot sizes and price. For queries on plant availability etc contact Sue at **mailorder@crug-farm.co.uk**. All of this is in addition to our online catalogue **www.crug-farm.co.uk** which is still there with information and photographs of all the plants we sell during the year. Our carrier, City Link offer an overnight fragile service, which should have your plants delivered in fresh condition before 5pm the following day to dispatch. We have specially made boxes in 3 sizes giving us the option of dispatching plants from 30cm (1ft) to 249cm (8ft) tall. Our carriage charges are by the box, (volume not weight) hence please consider ordering enough plants to fill a box, rather than one plant as the carriage charge would be the same. There is no minimum charge for the plants purchased. However we feel that we should forewarn our customers that as the season progresses many of our lines will be out of stock. Conversely new lines will only be offered/available after we

re-open our on-site sales in the spring (8th March this year).

We try our best to reply to any queries, but unfortunately we can be overwhelmed by sheer numbers. Brief e-mail can be the surest way of a reply.

Please note the lay-out of the following list avoiding repetition of collected plants, (**etc** signifying more available) the full list and descriptions are on our web-site where space is unlimited. **www.crug-farm.co.uk**. Here there are not only descriptions of all of our plants, but photographs of most as well, this information is also accessible on the computer in our sales-area.

Finally we would like to take the opportunity to thank all of our calling and mail-order customers for your support throughout 2007. With a special thanks to our hard working staff who made everything possible.

Bleddyn

Collector's References

These combinations of initials and numbers are accession numbers that are assigned to collections we and others gather from wild populations from all over the world. These are assigned to each collection as they are made to enable interested parties to track their origins. The list of initials below are those assigned to our own collections as well as a few other collectors we introduce plants from.

BSSS	Crûg Expedition, Jordan 1991
BSWJ	Bleddyn & Sue Wynn-Jones
BWJ	Bleddyn Wynn-Jones
CNDSC	C. Nelson & D. Sayers
DJH	Daniel J. Hinkley (followed by country and year code)
EDHCH	Eric Hammond, China 1997
GWJ	Goddard, B. & S. Wynn-Jones
HWJ	Crûg Heronswood Joint Expeditions, Vietnam
HWJCM	Crûg Heronswood Joint Expedition, E. Nepal 1995
HWJK	Crûg Heronswood Joint Expedition, E. Nepal 2002
RH	M. Rickard & R. Hayward
RWJ	Crûg / Rickard's Ferns Joint Expedition to Taiwan 2003
WWJ	Peter & Sarah Wharton, Bleddyn & Sue Wynn-Jones

Abbreviations

aff.	affinity to (bearing a similarity to)
etc	additional collections available
f.	forma
sp.	species
ssp.	subspecies
×	hybrid
v.	variety

		A
(<i>Araliaceae</i>)	Acanthopanax	hypoleucus BSWJ5532
	-	aff. nikaianus BSWJ5027
	-	sciadophylloides BSWJ4728
	-	senticosus v. koreanus BSWJ4568
	-	sessiliflorus BSWJ4528 etc
	-	cissifolius BWJ7713
(<i>Aceraceae</i>)	Acer	buergerianum v. formosanum BSWJ7032
	-	campbellii BWJ7685
	-	- v. fansipanense BSWJ8270 etc
	-	- ssp. flabelatum BWJ8057
	-	capillipes BSWJ10845 etc
	-	carpinifolium BSWJ10955 etc
	-	caudatifolium BSWJ7053
	-	- ssp. ukurunduense BSWJ8658
	-	caudatum GWJ9279 etc
	-	circinatum BSWJ9565
	-	cissifolium BSWJ10801
	-	crataegifolium BSWJ11036
	-	davidii BWJ8162 etc
	-	erythranthum BSWJ11733 etc
	-	forestii BWJ7515
	-	heptaphlebium BSWJ11713
	-	kawakamii BSWJ6734 etc
	-	laxiflorum HWJK2240
	-	mono ssp. okomotoanum BSWJ8516
	-	morifolium BSWJ10959 etc
	-	morrisonense BSWJ6710 etc
	-	oblongum HWJK2422
	-	- v. concolor HWJ869
	-	oliverianum ssp. formosanum BSWJ6773 etc
	-	palmatum ssp. amoenum BSWJ10916
	-	- v. coreanum BSWJ8606
	-	- ssp. matsumurae BSWJ11100
	-	- v. micro-sieboldianum BSWJ8766
	-	phlebanthum BSWJ9751 etc
	-	pseudosieboldianum BSWJ8746 etc
	-	reticulatum BSWJ11698
	-	rubescens BSWJ6735
	-	rufinerve BSWJ11571
	-	serrulatum BSWJ6760 etc
	-	sieboldianum BSWJ10962 etc
	-	aff. sikkimense HWJK2040
	-	shirasawanum v. tenuifolium BSWJ10916
	-	stachyophyllum BSWJ8101
	-	aff. sterculiaceum GWJ9317
	-	takesimense BSWJ8500 etc
	-	tataricum ssp. aidzuense BSWJ10958

(<i>Aceraceae</i>)	Acer	tegmentosum BSWJ8421
	-	tonkinense ssp. liquidambarifolium DJHV06173
	-	truncatum v. barbinerve BSWJ8806
(<i>Berberidaceae</i>)	Achlys	japonica
	-	triphylla
(<i>Ranunculaceae</i>)	Aconitum	albo-violaceum v. albiflorum BSWJ4105 etc
	-	arcuatum BSWJ774
	-	austroyunnanense BSWJ7902
	-	bartlettii BSWJ337
	-	carmichaelii v. truppelianum HWJ732
	-	chiisanense BSWJ4446
	-	episcopale
	-	ferox from Nepal HWJK2217
	-	fischeri BSWJ8809
	-	fukutomei v. formosanum BSWJ3057
	-	hemsleyanum
	-	jaluense BSWJ8741
	-	japonicum ssp. montanum BSWJ5507
	-	- ssp. subcuneatum BSWJ6228
	-	laciniatum GWJ9254
	-	longecassidatum BSWJ8486etc
	-	aff. nagarum BWJ7644
	-	napiforme BSWJ943
	-	proliferum BSWJ4107
	-	pseudolaeve BSWJ8663
	-	- v. erectum BSWJ8466
	-	seoulense BSWJ694 etc
	-	sp. from Burma CNDS036
	-	sp. from Northern India GWJ9393 etc
	-	spicatum GWJ9418 etc
	-	uchiyamai BSWJ1005 etc
	-	vilmorinianum BWJ8055
	-	yamazaki
(<i>Ranunculaceae</i>)	Actaea	alba
	-	arizonica
	-	asiatica from China BWJ8174 etc
	-	- from Japan BSWJ6351 etc
	-	- from Korea BSWJ4546 etc
	-	biternata BSWJ5591 etc
	-	dahaurica BSWJ8613 etc
	-	frigida BSWJ2966 etc
	-	heracleifolia BSWJ8843
	-	japonica BSWJ5828 etc
	-	- from Cheju Do BSWJ8758a etc
	-	- v. acutiloba BSWJ6257
	-	mairei BWJ7939 etc
	-	pachypoda
	-	podocarpa
	-	rubra

(<i>Ranunculaceae</i>)	<i>Actaea</i>	<i>rubra</i> BSWJ9555
	-	- <i>f. neglecta</i>
	-	<i>simplex</i> BSWJ8664 etc
	-	- ' <i>Atropurpurea</i> '
	-	<i>spicata</i>
	-	- <i>native form</i>
	-	<i>taiwanensis</i> BSWJ3413 etc
	-	<i>yesoensis</i> BSWJ6355 etc
(<i>Actinidiaceae</i>)	<i>Actinidia</i>	<i>arguta</i> BSWJ4592 etc
	-	- ' <i>Shoko</i> ' (F) BSWJ569
	-	- ' <i>Unchae</i> ' (M) BSWJ569
	-	<i>hypoleuca</i> BSWJ5942 etc
	-	<i>kolomikta</i>
	-	- ' <i>Tomoko</i> ' (F) BSWJ4243
	-	- ' <i>Yazuaki</i> ' (M) BSWJ4243
	-	<i>latifolia</i> BSWJ3563
	-	<i>petelotii</i> HWJ628
	-	<i>pilosula</i>
	-	<i>polygama</i> from Japan
	-	BSWJ5444 etc
	-	- from Korea BSWJ8544 etc
	-	<i>rufa</i> BSWJ6885 etc
	-	<i>sp. from China</i> BWJ8161
	-	<i>aff. strigosa</i> HWJK2367
	-	<i>tetramera</i> BSWJ3564
(<i>Campanulaceae</i>)	<i>Adenophora</i>	<i>capillaris v. leptosepala</i>
	-	BSWJ7986
	-	<i>aff. coelestis</i> BSWJ7998
	-	<i>grandiflora</i> BSWJ8555 etc
	-	<i>jaisionifolia</i> BWJ7946
	-	<i>lamarckii</i> BSWJ8738
	-	<i>morrisonensis</i> RWJ10008 etc
	-	<i>remotiflora</i> BSWJ11016
	-	<i>triphylla</i> BSWJ10936
	-	- <i>v. japonica</i> BSWJ8835 etc
	-	<i>uehatae</i> BSWJ126 etc
(<i>Ranunculaceae</i>)	<i>Adonis</i>	<i>amurensis</i>
(<i>Lamiaceae</i>)	<i>Agastache</i>	<i>rugosa</i> BSWJ4187
	-	- ' <i>Korean Zest</i> ' BSWJ735
(<i>Simaroubaceae</i>)	<i>Ailanthus</i>	<i>altissima v. tanakai</i>
	-	BSWJ6777 etc
(<i>Asteraceae</i>)	<i>Ainsliaea</i>	<i>acerifolia</i> BSWJ4795
	-	- <i>v. subapoda</i> BSWJ11537
	-	<i>aff. elegans</i> BSWJ11720
	-	<i>apiculata</i> BSWJ11397
	-	- <i>v. acerifolia</i> BSWJ6059
	-	<i>petelotii</i> BSWJ11732
	-	<i>tonkinensis</i> BSWJ11819
(<i>Lardizabalaceae</i>)	<i>Akebia</i>	<i>longeracemosa</i> BSWJ3606
	-	<i>× pentaphylla</i> BSWJ2829
	-	<i>quinata</i> BSWJ4102 etc
	-	- ' <i>White Chocolate</i> ' BSWJ8415
	-	- <i>white flowered form</i>
	-	<i>trifoliata</i> BSWJ5063 etc
(<i>Alliaceae</i>)	<i>Allium</i>	<i>tuberosum</i> BSWJ8881
(<i>Betulaceae</i>)	<i>Alnus</i>	<i>pendula</i> BSWJ10895
(<i>Zingiberaceae</i>)	<i>Alpinia</i>	<i>japonica</i> BSWJ8889

(<i>Hamamelidaceae</i>)	<i>Altingia</i>	<i>poilanei</i> BSWJ11756
(<i>Araceae</i>)	<i>Amorphophallus</i>	<i>kiusianus</i> BSWJ4845
(<i>Vitaceae</i>)	<i>Ampelocissus</i>	<i>sikkimensis</i> HWJK2066
(<i>Vitaceae</i>)	<i>Ampelopsis</i>	<i>megalophylla</i>
(<i>Gesneriaceae</i>)	<i>Ancylostemon</i>	<i>convexus</i> BSWJ6624 etc
(<i>Primulaceae</i>)	<i>Androsace</i>	sp. CD&R2477
(<i>Ranunculaceae</i>)	<i>Anemone</i>	<i>apennina</i> double blue
-	-	<i>chapaensis</i> HWJ631
-	-	<i>flaccida</i>
-	-	<i>hupehensis</i> BWJ8190 etc
-	-	- 'Bowles' Pink'
-	-	- v. <i>japonica</i> BSWJ4886
-	-	-- 'Pamina'
-	-	× <i>hybrida</i> 'Honorine Jobert'
-	-	- 'Lady Gilmour'
-	-	- 'Margarete'
-	-	- 'Queen Charlotte'
-	-	- 'Richard Ahrens'
-	-	- 'Rosenschale'
-	-	- 'Whirlwind'
-	-	<i>keiskeana</i>
-	-	<i>levellei</i>
-	-	<i>leveillei</i> BWJ7919
-	-	× <i>lipsiensis</i>
-	-	<i>matsudai</i> BSWJ1452 etc
-	-	- 'Taiwan's Tiny Treasure'
-	-	BSWJ7038
-	-	<i>nemorosa</i> 'Alba Plena'
-	-	- 'Allenii'
-	-	- 'Atrocaerulea'
-	-	- 'Blue Beauty'
-	-	- 'Blue Eyes'
-	-	- 'Bowles' Purple'
-	-	- 'Bracteata Pleniflora'
-	-	- 'Buckland'
-	-	- 'Cedric's Pink'
-	-	- 'Dee Day'
-	-	- 'Green Fingers'
-	-	- 'Lady Doneraile'
-	-	- 'Lychette'
-	-	- 'Parlez Vous'
-	-	- 'Pentre Pink'
-	-	- pink
-	-	- 'Robinsoniana'
-	-	- 'Rosea'
-	-	- 'Royal Blue'
-	-	- 'Viridiflora'
-	-	- 'Wilks' Giant'
-	-	- 'Wilks' White'
-	-	- 'Wyatt's Pink'
-	-	<i>palmata</i>
-	-	<i>pavonina</i>
-	-	<i>pseudoaltaica</i>
-	-	<i>ranunculoïdes</i>
-	-	<i>rivularis</i> from China BWJ7611
-	-	- from India GWJ9391
-	-	- from Nepal HWJK2353

(<i>Ranunculaceae</i>)	Anemone	vitifolia from India GWJ9434 etc
-	-	- from Nepal HWJK2044 etc
-	-	- from Vietnam BSWJ8202 etc
(<i>Ranunculaceae</i>)	Anemonella	thalictroides
-	-	- 'Cameo'
-	-	- f. rosea
(<i>Ranunculaceae</i>)	Anemonopsis	macrophylla
-	-	- 'White Swan'
(<i>Apiaceae</i>)	Angelica	aff. acutiloba v. iwatensis BSWJ11197
-	-	aff. anomala BSWJ10886
-	-	dahurica BSWJ8603
-	-	decursiva BSWJ5746
-	-	edulis BSWJ10968
-	-	gigas BSWJ4170
-	-	japonicum BSWJ11480 etc
-	-	morii RWJ9802
-	-	pubescens BSWJ5593
-	-	- matsumurae BSWJ6387
-	-	sp. from Guatemala BSWJ10345 (see <i>Prinosciadium</i>)
-	-	aff. ursina BSWJ10829
(<i>Papilionaceae</i>)	Apios	americana
(<i>Ranunculaceae</i>)	Aquilegia	buergeriana v. oxysepala BSWJ4775 etc
-	-	rockii BWJ7965
-	- × Semiaquilegia	hybrid blue
(<i>Davalliaceae</i>)	Araiostegia	parvipinnata BSWJ1608
(<i>Araliaceae</i>)	Aralia	apioides EDHCH9720
-	-	armata BSWJ6719 etc
-	-	bipinnata RWJ10101
-	-	californica
-	-	chapaense HWJ723 etc
-	-	aff. chinensis BWJ8102
-	-	continentalis BSWJ4152 etc
-	-	cordata BSWJ5511 etc
-	-	decaisneana BSWJ3588 etc
-	-	elata BSWJ 5480
-	-	foliosa BSWJ8360
-	-	kansuensis BWJ7650
-	-	racemosa BSWJ9570
-	-	sp. from China CD&R2289
-	-	spinifolia BSWJ11745
(<i>Myrsinaceae</i>)	Ardisia	japonica BSWJ3809 etc
(<i>Araceae</i>)	Arisaema	consanguineum BSWJ071 etc
-	-	formosanum BSWJ280 etc
-	-	- f. stenophyllum BSWJ1477 etc
-	-	- v. bicolorifolium BSWJ3528 etc
-	-	grapsospadix BSWJ7000
-	-	iyosanum BSWJ etc
-	-	kelung-insulare BSWJ256 etc
-	-	negeshii
-	-	petelotii BSWJ9706
-	-	polyphyllum BSWJ3904 etc
-	-	ringens f. praecox BSWJ1515 etc
-	-	- f. sieboldii BSWJ551 etc

(<i>Araceae</i>)	<i>Arisaema</i>	sikokianum
	-	taiwanense BSWJ269 etc
	-	- f. cinereus BSWJ1912 etc
	-	- v. brevipedunculatum BSWJ1859 etc
	-	thunbergii ssp. autumnalis BSWJ1425 etc
	-	yamatense v. sugimotoi BSWJ5092 etc
(<i>Araceae</i>)	<i>Arisarum</i>	proboscideum
(<i>Aristolochiaceae</i>)	<i>Aristolochia</i>	curcubitifolia BSWJ7403
	-	griffithii BSWJ2118
	-	heterophylla BSWJ3109
	-	kaempferi BSWJ293
	-	manshuriensis BSWJ4284 etc
	-	onoeci BSWJ4960
(<i>Apiaceae</i>)	<i>Arracacia</i>	sp. BSWJ9023
(<i>Asteraceae</i>)	<i>Artemisia</i>	kawakamii BSWJ088
(<i>Araceae</i>)	<i>Arum</i>	'Chameleon'
	-	italicum marmoratum
	-	- 'Spotted Jack'
(<i>Rosaceae</i>)	<i>Aruncus</i>	aethusifolius 'Little Gem' BSWJ 4475
	-	asiaticus BSWJ8624
(<i>Aristolochiaceae</i>)	<i>Asarum</i>	albomaculatum BSWJ1726 etc
	-	campaniforme
	-	canadense
	-	caudatum
	-	- 'Album'
	-	caudigerum BSWJ1517 etc
	-	caulescens BSWJ 5886 etc
	-	delavayi
	-	epigynum 'Silver Web' BSWJ3442
	-	europaeum
	-	fauriei
	-	hartwegii
	-	hypogynum BSWJ3628 etc
	-	infrapurpureum BSWJ1994 etc
	-	lemmonii
	-	leptophyllum BSWJ1983 etc
	-	macranthum BSWJ1691 etc
	-	maculatum BSWJ1114 etc
	-	marmoratum
	-	maximum
	-	pulchellum
	-	sieboldii
	-	splendens
	-	taipingshanianum BSWJ1688 etc
	-	- 'Elfin Yellow' BSWJ1746
(<i>Asparagaceae</i>)	<i>Asparagus</i>	aff. meiocladus BSWJ8309
(<i>Convallariaceae</i>)	<i>Aspidistra</i>	attenuata BSWJ377
	-	daibuensis BSWJ312b
	-	aff. saxicola 'Uan Fat Lady'
	-	suthepensis BSWJ5216
(<i>Asteraceae</i>)	<i>Aster</i>	hayatae BSWJ8790
	-	souliei BSWJ7655
(<i>Ranunculaceae</i>)	<i>Asteropyrum</i>	cavaleri

(<i>Saxifragaceae</i>)	Astilbe	chinensis BWJ8178
	-	- v. davidii BSWJ8583 etc
	-	koreana BSWJ8611 etc
	-	longicarpa BSWJ6711
	-	microphylla BSWJ11085
	-	rivularis GWJ9366
	-	- v. myriantha BWJ8076a
	-	thunbergii v. hachijoenensis BSWJ5622
	-	- v. sikokumontanum BSWJ11164
	-	- v. terrestris BSWJ6125
(<i>Apiaceae</i>)	Astrantia	'Buckland'
	-	major 'Rubra'
	-	- ssp. involucrata 'Shaggy'
	-	- 'Sunningdale Variegated'
	-	maxima
	-	minor
(<i>Aucubaceae</i>)	Aucuba	japonica f. longifolia
	-	- 'Salicifolia'
	-	omeiensis BWJ8048

B

(<i>Ranunculaceae</i>)	Beesia	calthifolia
(<i>Begoniaceae</i>)	Begonia	boliviensis
	-	'Candy Floss' BWJ7858
	-	chapaensis HWJ642
	-	chitoensis BSWJ1954
	-	formosana BSWJ7041
	-	grandis ssp. evansiana
	-	- - 'Pink Parasol' BSWJ5702
	-	- 'Sapporo'
	-	laciniata v. laciniata BSWJ7175 etc
	-	large sp. from Mexico BSWJ10279
	-	palmata BSWJ2692
	-	'Pink Lady' BWJ8119
	-	putii BSWJ7245
	-	sinensis BWJ8133
	-	- 'Red Undies' BWJ8011
	-	sp. from China BWJ7840
	-	sp. from Costa Rica BSWJ10479
	-	sp. from Guatemala BSWJ10442
	-	taliensis EDCDH042
	-	'Wild Swan' BWJ7772
(<i>Iridaceae</i>)	Belamcanda	chinensis BSWJ8692b
(<i>Flacourtiaceae</i>)	Berberidopsis	corallina
(<i>Berberidaceae</i>)	Berberis	amurensis v. latifolia BSWJ8539 etc
	-	goudotii BSWJ10769
	-	insignis v. insignis BSWJ2432 etc
	-	aff. verticillata BSWJ10672
	-	viracens BSWJ2646d
(<i>Betulaceae</i>)	Betula	alnoides BSWJ11751
	-	dahurica BSWJ8462

(<i>Betulaceae</i>)	Betula	ermanii BSWJ8801
	-	utilis GWJ9259 etc
(<i>Asteraceae</i>)	Bidens	aurea BSWJ9049
	-	triplinervia from Colombia BSWJ10696
	-	- from Mexico BSWJ10276
(<i>Blechnaceae</i>)	Blechnum	chilense
(<i>Rutaceae</i>)	Boenninghausenia	albiflora BSWJ1479 etc
	-	- pink tinged BSWJ3112
	-	japonica BSWJ4876 etc
(<i>Alstroemeriaceae</i>)	Bomarea	aff. acuminata BSWJ10617
	-	acutifolia BSWJ9094 etc
	-	boliviensis
	-	costaricensis BSWJ10467
	-	edulis BSWJ9017
	-	aff. frondea BSWJ10681
	-	salsilla
(<i>Saxifragaceae</i>)	Boykinia	aconitifolia
	-	occidentalis
	-	rotundifolia
(<i>Gesneriaceae</i>)	Briggsia	kurzii GWJ9342
(<i>Buddlejaceae</i>)	Buddleja	asiatica BSWJ7214 etc
	-	auriculata
	-	colvilei BSWJ2121 etc
	-	colvilei 'Kewensis'
	-	curviflora f. venenifera BSWJ6036 etc
	-	davidii BWJ8083
	-	delavayi (heliophylla)
	-	fallowiana BWJ7803
	-	forrestii
	-	japonica BSWJ8912
	-	aff. lindleyana BSWJ11478
	-	macrostachya HWJ602 etc
	-	megalcephala BSWJ9106
	-	nivea from Sikkim BSWJ2679
	-	- v. yunnanensis BWJ8146
	-	venenifera f. calvescens BSWJ895
(<i>Apiaceae</i>)	Bupleurum	candollii GWJ9405 etc
	-	longifolium ssp. aureum
	-	longiradiatum BSWJ8673

C

(<i>Asteraceae</i>)	Cacalia	corymbosa HWJK2214
	-	delphiniifolia BSWJ5789 etc
	-	farfaraefolia v. bulbifera
	-	aff. yatabei BSWJ11117 etc (see also Parasenecio)
(<i>Scrophulariaceae</i>)	Calceolaria	perfoliata BSWJ10638
(<i>Verbenaceae</i>)	Callicarpa	japonica v. luxurians BSWJ8521
(<i>Campanulaceae</i>)	Campanula	alliariifolia DHTU0126
	-	punctata v. microdonta BSWJ5553
	-	'Sarastro'
	-	takesimana BSWJ8499
	-	- 'Beautiful Truth'

(<i>Cruciferae</i>)	Cardamine	angustifolia
	-	bulbifera
	-	californica
	-	diphylla
	-	- 'Eco Cut Leaf'
	-	- 'Eco Moonlight'
	-	glanduligera
	-	heptaphylla
	-	kitaibelii
	-	macrophylla 'Bright and Bronzy' BSWJ2165a
	-	maxima
	-	quinqifolia
	-	trifolia
	-	waldsteinii
	-	yezoensis BSWJ4659
(<i>Hydrangeaceae</i>)	Cardiandra	alternifolia BSWJ5845 etc
	-	- 'Pink Geisha' BSWJ2803
	-	amamiohshimensis
	-	formosana BSWJ2005 etc
	-	- 'Crûg's Abundant' BSWJ3632
	-	- 'Hsitou' BSWJ7022
	-	- 'Hsitou Splendour' BSWJ3618
(<i>Liliaceae</i>)	Cardiocrinum	cordatum BSWJ2812 etc
	-	- v. glehnii BSWJ4758 etc
	-	giganteum
	-	giganteum BSWJ2419 etc
	-	- v. yunnanense
(<i>Corylaceae</i>)	Carpinus	japonica BSWJ10803 etc
	-	laxiflora BSWJ10809 etc
	-	rankanensis RWJ9839
	-	tschonoskii BSWJ10800
(<i>Berberidaceae</i>)	Caulophyllum	thalictroides
	-	- ssp. robustum
(<i>Zingiberaceae</i>)	Cautleya	cathcartii 'Tenzing's Gold' BSWJ2281
	-	gracilis BSWJ7186 etc
	-	spicata 'Arun Flame' HWJK2172
	-	- 'Crûg Canary' BSWJ2103
	-	- 'Robusta'
(<i>Celastraceae</i>)	Celastrus	flagellaris BSWJ8572
	-	stephanotifolius BSWJ4727
(<i>Campanulaceae</i>)	Centropogon	cordifolius BSWJ10282
	-	costaricae BSWJ10455
	-	hirsutus BSWJ10663
	-	aff. valerii BSWJ10341
	-	willdenowianus BSWJ10657
(<i>Plumbaginaceae</i>)	Ceratostigma	asperum BSWJ7260
	-	plumbaginoides
	-	willmottianum BWJ8140
(<i>Cercidiphyllaceae</i>)	Cercidiphyllum	magnificum Og 95.144
(<i>Asclepiadaceae</i>)	Ceropegia	pubescens GWJ9441
(<i>Melanthiaceae</i>)	Chionographis	japonica

(<i>Gesneriaceae</i>)	Chirita	speciosa 'Crûg Cornetto' HWJ1056
(<i>Chloranthaceae</i>)	Chloranthus	japonicus
	-	oldhamii BSWJ2019
	-	serratus
(<i>Anthericaceae</i>)	Chlorophytum	nepalense BSWJ2393 etc
(<i>Asteraceae</i>)	Chrysanthemum	aff. yezoense BSWJ10872
(<i>Saxifragaceae</i>)	Chrysosplenium	davidianum
	-	flagelliferum BSWJ8902
	-	languinosum v. formosanum BSWJ6979
	-	macrophyllum
	-	macrostemon v. shiobarense BSWJ6173
	-	sp. from Taiwan BSWJ9835
(<i>Asteraceae</i>)	Cicerbita	sp. from China BWJ7891
(<i>Asteraceae</i>)	Cirsium	subcoriaceum pink BSWJ10245
(<i>Vitaceae</i>)	Cissus	aff. pedata BSWJ2371
(<i>Ranunculaceae</i>)	Clematis	acuminata v. sikkimensis BSWJ7202
	-	apiifolia BSWJ6281 etc
	-	buchananiana BSWJ8333a
	-	campaniflora
	-	chiisanensis BSWJ4560 etc
	-	chinensis RWJ10042
	-	chrysocoma BWJ7700
	-	confusa HWJK2200 etc
	-	connata GWJ9386 etc
	-	crassifolia BSWJ6700
	-	fasciculaeflora L657
	-	glaucophylla
	-	grata BSWJ6874 etc
	-	grewiiflora HWJK2162 etc
	-	henryi BSWJ3403
	-	- v. morii BSWJ1668
	-	ianthina v. kupripoensis BSWJ700
	-	japonica BSWJ11204
	-	- v. obvallata BSWJ8900
	-	koreana etc
	-	- v. lutea
	-	lasiandra BSWJ4888 etc
	-	loureiriana HWJ663
	-	mandschurica BSWJ1060
	-	montana from China BWJ8189b etc
	-	- 'Freda'
	-	- 'Marjorie'
	-	- from Nepal HWJK2156 etc
	-	- from Taiwan BSWJ6930 etc
	-	napaulensis
	-	parviloba v. bartletii BSWJ6788 etc
	-	patens 'Korean Moon' BSWJ583
	-	pierotii BSWJ6281
	-	rehedriana BWJ7538 etc
	-	repens DJHC0540

(<i>Ranunculaceae</i>)	Clematis	serratifolia from Korea BSWJ8458 etc
-	-	sp. from China BWJ7630 etc
-	-	stans BSWJ5073 etc
-	-	szuyuanensis BSWJ6791 etc
-	-	tashiroi BSWJ7005
-	-	- 'Yellow Peril' BSWJ1423
-	-	terniflora BSWJ5751 etc
-	-	tongluensis GWJ9358 etc
-	-	uncinata BSWJ1893
-	-	urticifolia BSWJ8640 etc
(<i>Verbenaceae</i>)	Clerodendrum	aff. mutabilis BSWJ6651
-	-	aff. serratum DJHV06074
-	-	aff. subscaposum BSWJ11735
-	-	trichotomum white calyx BSWJ4896
(<i>Clethraceae</i>)	Clethra	barbinervis BSWJ11562
(<i>Papilionaceae</i>)	Clianthus	punicus
(<i>Convallariaceae</i>)	Clintonia	andrewsiana
-	-	borealis
-	-	udensis from Nepal HWJK2339
-	-	umbellulata
-	-	uniflora
(<i>Apiaceae</i>)	Coaxana	purpurea BSWJ9028
(<i>Cobaeaceae</i>)	Cobea	lutea BSWJ9142a
(<i>Menispermaceae</i>)	Cocculus	orbiculatus BSWJ535
(<i>Campanulaceae</i>)	Codonopsis	affinis HWJCM70 etc
-	-	benthamii from Sikkim GWJ9352
-	-	aff. celebica HWJ665
-	-	clematidea
-	-	convolvulacea v. hirsuta BWJ7812
-	-	dicentrifolia HWJCM267
-	-	forrestii BWJ7532 etc
-	-	gracilis HWJK2155 etc
-	-	grey-wilsonii
-	-	inflata GWJ9442
-	-	javanica BSWJ380
-	-	kawakamii BSWJ6975 etc
-	-	lanceolata BSWJ562
-	-	pilosula BWJ7910
-	-	species from China BWJ8145
-	-	- from Nepal HWJK2105
-	-	rotundifolia v. angustifolia
-	-	subsimplex BWJ7502
-	-	thalictrifolia MECC93
-	-	viridiflora
-	-	viridis HWJK2435 etc
(<i>Nyctaginaceae</i>)	Colignonia	ovalifolia BSWJ10644
(<i>Araceae</i>)	Colocasia	formosana BSWJ6909
(<i>Lamiaceae</i>)	Colquhounia	coccinea
-	-	- v. mollis BSWJ7222
(<i>Commelinaceae</i>)	Commelina	tuberosa BSWJ10353
(<i>Myricaceae</i>)	Comptonia	peregrina
(<i>Gesneriaceae</i>)	Conandron	ramondioides BSWJ8929 etc

(<i>Ranunculaceae</i>)	<i>Coptis</i>	<i>japonica</i>
	-	- v. <i>disecta</i>
	-	- v. <i>major</i>
	-	<i>omeiensis</i> BSWJ7366
	-	<i>quinquefolia</i> BSWJ1677
	-	- v. <i>ramosa</i>
	-	<i>ramosa</i> BSWJ6000 etc
	-	<i>trifolia</i>
(<i>Coriariaceae</i>)	<i>Coriaria</i>	<i>arborea</i> etc
	-	<i>intermedia</i> BSWJ019
	-	<i>japonica</i> BSWJ2833 etc
	-	- ssp. <i>intermedia</i> BSWJ3877
	-	<i>kingiana</i>
	-	<i>microphylla</i> BSWJ8999 etc
	-	<i>myrtifolia</i>
	-	<i>napalensis</i> BWJ7755 etc
	-	<i>pteridoides</i>
	-	<i>ruscifolia</i> HCM98178
	-	<i>sarmentosa</i> etc
	-	<i>terminalis</i> v. <i>xanthocarpa</i>
	-	GWJ9204 etc
(<i>Cornaceae</i>)	<i>Cornus</i>	<i>capitata</i>
	-	aff. <i>gigantea</i> HWJ834
	-	<i>hongkongensis</i> BSWJ11700 etc
	-	<i>kousa</i> BSWJ5494
	-	aff. <i>tonkinensis</i> BSWJ11791 etc
	-	<i>walteri</i> BSWJ8776
(<i>Poaceae</i>)	<i>Cortaderia</i>	<i>richardii</i>
(<i>Apiaceae</i>)	<i>Cortiella</i>	aff. <i>hookeri</i> HWJK2291
(<i>Primulaceae</i>)	<i>Cortusa</i>	<i>matthioli</i> BWJ7740
(<i>Papaveraceae</i>)	<i>Corydalis</i>	<i>decumbens</i> BSWJ11142
	-	<i>elata</i>
	-	<i>flexuosa</i> 'China Blue'
	-	CD&R528c
	-	- 'P'ere David' CD&R528b
	-	- 'Purple Leaf' CD&R528a
	-	<i>incisa</i> BSWJ4417
	-	<i>ochotensis</i> BSWJ917
	-	- v. <i>raddeana</i> BSWJ11057
	-	<i>siamense</i> BSWJ7200
	-	<i>stipulata</i> BSWJ2951
	-	<i>wilsonii</i>
(<i>Corylaceae</i>)	<i>Corylus</i>	<i>ferox</i> GWJ9293
(<i>Gentianaceae</i>)	<i>Crawfurdia</i>	<i>fasiculata</i> BSWJ7197
	-	<i>speciosa</i> BSWJ2138 etc
(<i>Iridaceae</i>)	<i>Crocoshmia</i>	'Emily McKenzie'
	-	'Mrs Geoffrey Howard'
	-	'Star of the East'
(<i>Stemonaceae</i>)	<i>Croomia</i>	<i>heterosepala</i>
(<i>Rubiaceae</i>)	<i>Crusea</i>	<i>coccinea</i> BSWJ10254
(<i>Hypoxidaceae</i>)	<i>Curculigo</i>	<i>crassifolia</i> BSWJ2318
(<i>Athyriaceae</i>)	<i>Cystopteris</i>	<i>moupinensis</i> BSWJ6767

D

(<i>Asteraceae</i>)	<i>Dahlia</i>	<i>australis</i> BSWJ10358 etc
	-	<i>coccinea</i> BSWJ9126
	-	<i>excelsa</i> BSWJ10233 etc

(<i>Asteraceae</i>)	Dahlia	imperialis BSWJ8997
	-	merckii 'Alba'
	-	pinnata BSWJ10240
	-	aff. purpusii BSWJ10321
(<i>Thymelaeaceae</i>)	Daphne	arisanensis BSWJ6983
	-	bholua seedling
	-	genkwa
	-	jezoensis
	-	pseudomezereum
	-	retusa
	-	sp. from China DJHC98164
	-	sureil GWJ9200 etc
(<i>Daphniphyllaceae</i>)	Daphniphyllum	calycinum BSWJ4058
	-	chartaceum BSWJ8225
	-	kengii BSWJ7119
	-	macropodium from Cheju-Do BSWJ8763 etc
	-	macropodium from Ullüngdö BSWJ8507
	-	- v. humile BSWJ11232 etc
	-	oldhamii BSWJ6872
	-	aff. paxianum BSWJ9755
	-	pentandrum BSWJ6888 etc
	-	teysmannii from Japan BSWJ11112 etc
(<i>Saxifragaceae</i>)	Darmera	peltata
(<i>Urticaceae</i>)	Debregeasia	longifolia BSWJ11686
(<i>Lardizabalaceae</i>)	Decaisnea	fargesii BWJ8070
(<i>Hydrangeaceae</i>)	Decumaria	barbara
	-	sinensis
(<i>Hydrangeaceae</i>)	Deinanthè	bifida BSWJ5436 etc
	-	- 'Pink-Kii' BSWJ5012
	-	- 'Pink-Shi' BSWJ5655
	-	caerulea
	-	- × bifida 'Blue Blush'
(<i>Ranunculaceae</i>)	Delphinium	ceratophorum v. ceratophorum BWJ7799
	-	aff. delavayi BWJ7796
	-	drepanocentrum HWJK2263
	-	glaciale HWJK2299
	-	aff. micropetalum CNDS031
	-	siamense BSWJ7278
	-	sp. from China BWJ7996
	-	stapeliosmum BSWJ2960 etc
	-	aff. sutchuenense BWJ7867
	-	tatsienense
	-	tenii BWJ7693 etc
	-	viscosum HWJK2268
(<i>Araliaceae</i>)	Dendropanax	trifidus BSWJ11230
(<i>Loganiaceae</i>)	Desfontainia	spinosa 'Harold Comber'
(<i>Hydrangeaceae</i>)	Deutzia	calycosa BWJ8007
	-	compacta GWJ9202
	-	cordatula BSWJ6917
	-	coreana BWJ8588
	-	crenata BWJ8886 etc
	-	- v. heterotricha BSWJ5805
	-	crenata v. nakaiana BSWJ8879

(<i>Hydrangeaceae</i>)	Deutzia	glabrata BSWJ617 etc
	-	glomeruliflora BWJ7742
	-	gracilis BSWJ8927
	-	-ogotae BSWJ8911
	-	aff. monbeigii BWJ7728
	-	parviflora v. barbinervis BSWJ8478
	-	pulchra BSWJ3870 etc
	-	purpurascens BWJ7859
	-	scabra BSWJ8924
	-	taiwanensis BSWJ6858
(<i>Papaveraceae</i>)	Dicentra	canadensis
	-	'Coldham'
	-	cucullaria
	-	formosa alba
	-	- ssp. oregona
	-	'Langtrees'
	-	lichiangensis GWJ9376 etc
	-	macrantha
	-	macrocapnos
	-	scandens GWJ9438 etc
	-	- f. thalictrifolia
	-	torulosa BWJ7814
	-	hirsuta from Lao BSWJ8371
	-	- from Vietnam BSWJ8207
	-	versicolor BSWJ6565 etc
	-	febrifuga BSWJ2367 etc
	-	aff. yunnanensis BSWJ9734
(<i>Iridaceae</i>)	Dierama	grandiflorum
(<i>Scrophulariaceae</i>)	Digitalis	ikizdere RCB059
(<i>Berberidaceae</i>)	Diphylleia	cymosa
	-	grayi
	-	sinensis
(<i>Asteraceae</i>)	Diplostephium	alveolatum BSWJ10686
(<i>Dipsacaceae</i>)	Dipsacus	japonicus HWJ695
(<i>Convallariaceae</i>)	Disporopsis	arisanensis BSWJ1864 etc
	-	aspera
	-	aspera tall form
	-	fusco-picta
	-	longifolia BSWJ5284 etc
	-	luzoniense BSWJ3891
	-	pernyi
	-	taiwanensis BSWJ3388 etc
	-	aff. undulata
(<i>Convallariaceae</i>)	Disporum	aff. austrosinense BSWJ9777 etc
	-	bodinieri DJHC765
	-	cantoniense BSWJ9715
	-	- v. cantoniense BSWJ5181
	-	- f. brunneum BSWJ5290 etc
	-	- v. kawakamii BSWJ1424
	-	- v. multiflorum BSWJ11252 etc
	-	- v. sikkimense BSWJ2337
	-	flavens BSWJ872 etc
	-	hookeri
	-	- v. oreganum
	-	lanuginosum
	-	leschenaultianum BSWJ9484 etc

(<i>Convallariaceae</i>)	Disporum	leucanthum BSWJ2389 etc
-	-	longistylum L1564
-	-	lutescens
-	-	maculatum
-	-	megalanthum
-	-	nantauense BSWJ359 etc
-	-	sessile BSWJ2824 etc
-	-	- 'Aureovariegatum'
-	-	- 'Variegatum'
-	-	smilacinum BSWJ713 etc
-	-	- 'Aureovariegatum'
-	-	- pink
-	-	smithii
-	-	taiwanense BSWJ1513 etc
-	-	trabeculatum
-	-	- 'Nakafu'
-	-	uniflorum BSWJ651 etc
-	-	viridescens BSWJ4598 etc
(<i>Podoaceae</i>)	Dobinea	vulgaris BSWJ2532
(<i>Winteraceae</i>)	Drimys	granatensis v. grandiflora BSWJ10777
-	-	winteri v. chilensis

E

(<i>Iradaeae</i>)	Echeandia	formosa BSWJ9417
(<i>Crassulaceae</i>)	Echeveria	'Crúg Ice' BSWJ9103
-	-	maxonii BSWJ10396
-	-	montana BSWJ10277
(<i>Thymelaeaceae</i>)	Edgeworthia	chrysantha BSWJ1048
(<i>Araliaceae</i>)	Eleutherococcus	trifoliatus RWJ10108
	(see also <i>Acanthopanax</i>)	
(<i>Scrophulariaceae</i>)	Ellisiophyllum	pinnatum BSWJ197
(<i>Apiaceae</i>)	Enantiophylla	heydeana BSWJ9114
-	-	sp. from Guatemala BSWJ10318
(<i>Ericaceae</i>)	Enkianthus	deflexus GWJ9225
(<i>Ranunculaceae</i>)	Eranthis	pinnatifida
(<i>Phytolaccaceae</i>)	Ercilla	volubilis
(<i>Apiaceae</i>)	Eryngium	cymosum BSWJ10267
-	-	ebracteatum CDR3248
-	-	guatemalense BSWJ8989 etc
-	-	pandanifolium
-	-	strotheri BSWJ9109 etc
(<i>Liliaceae</i>)	Erythronium	californicum 'White Beauty'
-	-	'Citronella'
-	-	dens-canis
-	-	- 'Frans Hals'
-	-	- 'Pink Perfection'
-	-	- 'Snowflake'
-	-	japonicum etc
-	-	'Jeannine'
-	-	'Kondo'
-	-	'Pagoda'
-	-	revolutum
-	-	- Johnsonii
(<i>Asteraceae</i>)	Espeletia	aff. summapacis BSWJ10766
(<i>Hyacinthaceae</i>)	Eucomis	'Stars & Stripes'

(<i>Celastraceae</i>)	Euonymus	alatus BSWJ8794
	-	fortunei 'Kewensis'
	-	japonicus BSWJ11159
	-	kachinensis BSWJ11668
	-	morrisonensis BSWJ3700
	-	rubescens BSWJ11668
	-	aff. sieboldianus BSWJ10941
	-	- v. sanguineus BSWJ11140
(<i>Asteraceae</i>)	Eupatorium	chinensis v. simplicifolium BSWJ8449
	-	sp. from Guatemala BSWJ9052
(<i>Euphorbiaceae</i>)	Euphorbia	cornigera
	-	donii HWJK2405
	-	griffithii 'Dixter'
	-	- 'King's Capel'
	-	mellifera
	-	rothiana GWJ9479a etc
	-	schillingii
	-	sikkimensis
	-	sikkimensis GWJ9214

F

(<i>Polygonaceae</i>)	Fallopia	multiflorum v. hypoleucum BSWJ120
(<i>Asteraceae</i>)	Farfugium	formosana BSWJ3739
	-	japonicum BSWJ884
	-	- double flowered
(<i>Araliaceae</i>)	Fatsia	polycarpa BSWJ7144 etc
(<i>Rosaceae</i>)	Filipendula	formosa BSWJ8707
	-	aff. kamschatca BSWJ10828
	-	kiraishiensis BSWJ1571
	-	palmata v. rufinervis BSWJ8469 etc
	-	purpurea
(<i>Liliaceae</i>)	Fritillaria	camschatcensis
	-	pallidiflora
	-	pontica
	-	pyrenaica
	-	uva-vulpis
	-	verticillata
(<i>Onagraceae</i>)	Fuchsia	arborescens BSWJ10475
	-	cordifolia BSWJ9095 etc
	-	hemsleyana BSWJ10478
	-	michoacanensis BSWJ9027 etc
	-	misrophylla BSWJ10331
	-	- ssp. aprica BSWJ9101
	-	paniculata
	-	splendens BSWJ10469

G

(<i>Geraniaceae</i>)	Geranium	'Anne Thomson'
	-	× antipodeum Crûg Strain
	-	aristatum
	-	'Bertie Crûg'
	-	'Black Ice'
	-	canariense

(Geraniaceae)	Geranium	× cantabrigiense
	-	- 'St Ola'
	-	'Chantilly'
	-	christansonianum BWJ8022
	-	clarkei 'Mount Stewart'
	-	dahuricum
	-	dalmaticum
	-	- album
	-	'Dilys'
	-	'Diva'
	-	'Dusky Crûg'
	-	'Elizabeth Ross'
	-	erianthum
	-	- 'Calm Sea'
	-	- 'Neptune'
	-	eriosstemon
	-	gracile
	-	guatemalense BSWJ9152 etc
	-	gymnocaulon
	-	harveyi
	-	hayatanum BSWJ164
	-	himalayense 'Baby Blue'
	-	- 'Gravetye'
	-	- 'Irish Blue'
	-	- 'Plenum'
	-	ibericum ssp. jubatum
	-	'Ivan'
	-	'Johnson's Blue'
	-	'Joy'
	-	'Kate'
	-	'Khan'
	-	kishtvariense
	-	koraiense BSWJ797 etc
	-	koreanum BSWJ602
	-	krameri BSWJ1142
	-	lambertii 'Swansdown'
	-	libani
	-	'Libretto'
	-	linearilobum ssp. transversale
	-	macrorrhizum 'Album'
	-	- 'Czakov'
	-	- 'Ingwersens Variety'
	-	- 'Lohfelden'
	-	- 'Pindus'
	-	- 'Ridsko'
	-	- 'Velbit'
	-	- 'White-Ness'
	-	macrostylum
	-	maculatum
	-	- f. albiflorum
	-	maderense
	-	× magnificum
	-	malviflorum
	-	- pink
	-	'Menna Bach'
	-	× monacense
	-	- 'Variegatum'

(Geraniaceae)	Geranium	'Nimbus'
-	-	nodosum 'Svelte Lilac'
-	-	- 'Swish Purple'
-	-	- 'Whiteleaf'
-	-	'Orion'
-	-	'Orkney Blue'
-	-	'Orkney Dawn'
-	-	× oxonianum 'A. T. Johnson'
-	-	- 'Crûg Star'
-	-	- 'Fran's Star'
-	-	- 'Miriam Rundle'
-	-	- 'Old Rose'
-	-	- 'Prestbury Blush'
-	-	- 'Rebecca Moss'
-	-	- 'Rose Clare'
-	-	- 'Rosenlicht'
-	-	- 'Southcombe Double'
-	-	- 'Southcombe Star'
-	-	- 'Summer Surprise'
-	-	- 'Susie White'
-	-	- f. thurstonianum
-	-	- 'Trevor's White'
-	-	- 'Wageningen'
-	-	- 'Walter's Gift'
-	-	- 'Wargrave Pink'
-	-	palmatum
-	-	× maderense
-	-	papuanum
-	-	'Patricia'
-	-	phaeum 'Album'
-	-	- 'David Bromley'
-	-	- 'Joan Baker'
-	-	- 'Mourning Widow'
-	-	- 'Rose Madder'
-	-	- 'Samobor'
-	-	'Phillippe Vapelle'
-	-	platyanthum
-	-	- v. reinii
-	-	platypetalum
-	-	- 'Georgia Blue'
-	-	pratense 'Cluden Sapphire'
-	-	- 'Galactic'
-	-	- 'Mrs Kendall Clark'
-	-	- 'Plenum Violaceum'
-	-	- 'Rose Queen'
-	-	- stewartianum 'Elizabeth Yeo'
-	-	- 'Striatum' dwarf form
-	-	- Victor Reiter Strain
-	-	- 'Yorkshire Queen'
-	-	procurrens
-	-	psilostemon
-	-	- 'Bressingham Flair'
-	-	'Rambling Robin'
-	-	regelii
-	-	renardii
-	-	- 'Whiteknights'
-	-	repens BSWJ9089

(<i>Geraniaceae</i>)	Geranium	richardsonii
-	-	× riversleianum 'Jean Armour'
-	-	- 'Mavis Simpson'
-	-	- 'Russell Pritchard'
-	-	rosthornii
-	-	rubescens = yeoi
-	-	rubifolium
-	-	sanguineum 'Album'
-	-	- 'Ankum's Pride'
-	-	- 'Belle Of Herterton'
-	-	- 'Cedric Morris'
-	-	- 'Elsbeth'
-	-	- 'Jubilee Pink'
-	-	- 'Max Frei'
-	-	- 'Nyewood'
-	-	- 'Shepherd's Warning'
-	-	- v. striatum 'Reginald Farrer'
-	-	- - 'Splendens'
-	-	shikokianum v. kaimontanum
-	-	- v. quelpaertense BSWJ1234
-	-	- v. yoshiianum BSWJ6147
-	-	'Sirak'
-	-	soboliferum
-	-	'Spinners'
-	-	'Sue Crûg'
-	-	'Sue's Sister'
-	-	suzukii BSWJ016
-	-	sylvaticum f. albiflorum
-	-	- 'Amy Doncaster'
-	-	- 'Baker's Pink'
-	-	- 'Mayflower'
-	-	- 'Silva'
-	-	- wanneri
-	-	tuberosum ssp. linearifolium
-	-	versicolor 'Snow White'
-	-	wallichianum 'Buxton's Variety'
-	-	(Blue)
-	-	- pink form
-	-	'Welsh Guinness'
-	-	'Wisley Hybrid / Khan'
-	-	wlassovianum
-	-	yeoi
-	-	yesoense v. nipponicum
(<i>Rosaceae</i>)	Gillenia	trifoliata
(<i>Ginkgoaceae</i>)	Ginkgo	biloba BSWJ8753
(<i>Iridaceae</i>)	Gladiolus	cardinalis
-	-	papilio
(<i>Glaucidiaceae</i>)	Glaucidium	palmatum
(<i>Acanthaceae</i>)	Goldfussia	aff. pentastemonoides HWJK2019
(<i>Gunneraceae</i>)	Gunnera	magellanica
(<i>Cucurbitaceae</i>)	Gynostemma	pentaphyllum BSWJ570

H

(<i>Apiaceae</i>)	Hacquetia	epipactis
(<i>Araliaceae</i>)	Hedera	hibernica 'Digitata Crûg Gold'
(<i>Zingiberaceae</i>)	Hedychium	brevicaule BSWJ7171

(<i>Zingiberaceae</i>)	Hedychium	coccineum BSWJ5238
	-	- 'Tara'
	-	densiflorum
	-	- 'Assam Orange'
	-	aff. ellipticum BSWJ8354
	-	flavescens
	-	gardnerianum
	-	gracile
	-	greenii
	-	maximum BSWJ8261 etc
	-	spicatum from Sichuan
		BWJ8116 etc
	-	- 'Singalila' BSWJ2303
	-	aff. stenopetalum BSWJ7155
	-	thyriforme
	-	yunnanense BWJ7900 etc
(<i>Asteraceae</i>)	Helichrysum	wightii BSWJ9503
(<i>Ranunculaceae</i>)	Helleborus	× hybridus selected seedlings
	-	- 'Picotee'
	-	- Ballard's Strain
(<i>Melanthiaceae</i>)	Heloniopsis	acutifolia BSWJ218 etc
	-	kawanoi
	-	orientalis from Japan
		BSWJ6380 etc
	-	- from Korea BSWJ822 etc
	-	orientalis breviscapa
	-	- variegated
	-	umbellata BSWJ1839 etc
(<i>Hemerocallidaceae</i>)	Hemerocallis	aff. dumortieri BSWJ1283
	-	fulva v. kwanso BSWJ6328
	-	longituba BSWJ4576
	-	minor BSWJ8841
(<i>Ranunculaceae</i>)	Hepatica	acutiloba blue
	-	- white
	-	americana
	-	henryi
	-	insularis BSWJ859 etc
	-	maxima BSWJ4344 etc
	-	nobilis blue
	-	- pink
	-	- white
	-	transilvanica
(<i>Lardizabalaceae</i>)	Holboellia	angustifolia ssp. obtusa
		DJHC506
	-	chapaensis HWJ1023
	-	coriacea
	-	fargesii
	-	grandiflora BSWJ8223 etc
	-	latifolia HWJK2014 etc
	-	- Multiple from HWJCM008
(<i>Hostaceae</i>)	Hosta	'Big Daddy'
	-	capitata BSWJ588
	-	'Golden Tiara'
	-	longipes BSWJ10806
	-	montana BSWJ4796 etc
	-	plantaginea
	-	'Saishu Jima'

(<i>Hostaceae</i>)	Hosta	'Snowden'
	-	'Sum and Substance'
	-	ventricosa from Sichuan
		BWJ8160
	-	venusta BSWJ4389
	-	yingeri BSWJ546
(<i>Rhamnaceae</i>)	Hovenia	dulcis BSWJ11024
(<i>Hydrangeaceae</i>)	Hydrangea	angustipetala BSWJ3454 etc
	-	- f. formosa BSWJ7097
	-	- f. macrosepala BSWJ3476 etc
	-	angustipetala f. obvoatifolia
		BSWJ3487b etc
	-	- from Yakushima
		BSWJ6038 etc
	-	anomala ssp. anomala BSWJ8052
	-	- - 'Winter Glow' BSWJ2411
	-	- ssp. glabra BSWJ6804
	-	- - 'Crûg Coral' BSWJ3117
	-	- ssp. petiolaris BSWJ6337 etc
	-	- - v. tiliifolia BSWJ8497
	-	- - from Yakushima
		BSWJ6081 etc
	-	- ssp. quelpartensis BSWJ8799 etc
	-	arborescens ssp. discolor
	-	- ssp. radiata
	-	aspera
	-	- Kawakamii BSWJ6827 etc
	-	- - 'August Abundance'
		BSWJ1420
	-	- - 'September Splendour'
		BSWJ3462
	-	- 'Macrophylla'
	-	- 'Mauvette'
	-	- ssp. sargentiana
	-	- ssp. strigosa BSWJ 8201 etc
	-	- ssp. villosa
	-	chinensis f. formosana
		BSWJ1488 etc
	-	- from Taiwan BSWJ3410 etc
	-	glandulosa BSWJ4031
	-	heteromalla Bretschneideri
	-	- 'Fan Si Pan' BSWJ8311
	-	- from China BSWJ7657
	-	- from India BSWJ2142 etc
	-	- from Nepal HWJCM148 etc
	-	- from Sikkim BSWJ2602 etc
	-	- from Vietnam HWJ526
	-	hirta BSWJ5000 etc
	-	indochinensis BSWJ8307 etc
	-	integrifolia BSWJ022 etc
	-	involucrata dwarf form
	-	- 'Hortensis'
	-	- 'Plena'
	-	- 'Viridescens'
	-	lobbii BSWJ3214 etc
	-	longipes
	-	- v. fulvescens BSWJ8188

(<i>Hydrangeaceae</i>)	Hydrangea	luteovenosa BSWJ5602 etc
-	-	macrophylla 'Pia'
-	-	aff. mangshanensis BSWJ 8120
-	-	paniculata from Japan
-	-	BSWJ5413 etc
-	-	- from Taiwan BSWJ3556 etc
-	-	quelpartensis BSWJ4400
-	-	quercifolia
-	-	scandens BSWJ5523 etc
-	-	scandens ssp. liukiensis
-	-	BSWJ6022
-	-	seemannii
-	-	serrata BSWJ4817 etc
-	-	- dwarf white
-	-	- 'Kiyosumi'
-	-	- v. thunbergii 'Plena'
-	-	serratifolia
-	-	serratifolia HCM98056
-	-	sikokiana BSWJ5601 etc
(<i>Ranunculaceae</i>)	Hydrastis	canadensis
(<i>Papaveraceae</i>)	Hylomecon	hylomeconoides
-	-	- japonica
(<i>Clusiaceae</i>)	Hypericum	aff. uralum HWJ520

I

(<i>Aquifoliaceae</i>)	Ilex	cinerea HWJ946
(<i>Illiciaceae</i>)	Illicium	simonsii BWJ8024
(<i>Balsaminaceae</i>)	Impatiens	kerriae BSWJ7220
-	-	aff. langbianensis HWJ1054
-	-	macrophylla BSWJ10157
-	-	omeiana
-	-	polineae BSWJ9722
-	-	puberula HWJK2063
(<i>Bignoniaceae</i>)	Incarvillea	compacta BWJ7620
-	-	lutea BWJ7784
-	-	zhongdianensis BWJ7692 etc
(<i>Papilionaceae</i>)	Indigofera	balfouriana BWJ7851
-	-	cassioides
-	-	heterantha
-	-	pendula BWJ7741
(<i>Asteraceae</i>)	Inula	hookeri GWJ9033
(<i>Iridaceae</i>)	Iris	barbatula BWJ7663 etc
-	-	bulleyana BWJ7912
-	-	chrysographes black form
-	-	clarkei BSWJ2122
-	-	ensata v. spontanea BSWJ1103 etc
-	-	formosana BSWJ3076
-	-	japonica BSWJ8921
-	-	pseudacorus from Japan
-	-	BSWJ5018
-	-	tectorum BWJ8191
(<i>Ranunculaceae</i>)	Isopyrum	nipponicum
-	-	- stoloniferum

J

- (*Oleaceae*) *Jasminum* humile f. wallichianum BSWJ2559
- officinale 'Crûg's Collection'
BSWJ2987
- (*Berberidaceae*) *Jeffersonia* diphylla
(*Scrophulariaceae*) *Jovellana* violacea
(*Juglandaceae*) *Juglans* cathayensis from Taiwan
BSWJ6778 etc
- from China BSWJ8097
- (*Juglandaceae*) *Juglans* mandshurica v. sieboldiana
BSWJ11026

K

- (*Schisandraceae*) *Kadsura* japonica BSWJ4463 etc
(*Araliaceae*) *Kalopanax* septemlobus v. lutchuensis
BSWJ5947
- (*Hydrangeaceae*) *Kirengeshoma* palmata
- v. koreana
- (*Asphodelaceae*) *Kniphofia* caulescens
- northiae

L

- (*Lamiaceae*) *Lamium* orvala
(*Solanaceae*) *Leucophysalis* sinense BSWJ8093
(*Lamiaceae*) *Leucosceptum* canum GWJ9424
- japonicum BSWJ10981 etc
- stellipilum v. formosana
BSWJ1804 etc
- v. tosaense BSWJ8892
- (*Iridaceae*) *Libertia* grandiflora
(*Asteraceae*) *Ligularia* aff. calthifolia BSWJ2977 etc
- 'Cheju Charmer' BSWJ1158
- corymbosa GWJ9404 etc
- dentata BSWJ10855
- fischeri from India
BSWJ2570 etc
- from Japan BSWJ5540 etc
- from Korea BSWJ4478 etc
- 'Gregynog Gold'
- intermedia BSWJ606a
- japonica 'Rising Sun' BSWJ6293
- przewalskii
- sibirica BSWJ4383
- v. kaialpina BSWJ6185 etc
- v. speciosa BSWJ5841 etc
- small sp. from China
BWJ7686 etc
- stenocephala from China
BWJ7964
- from Taiwan BSWJ283
- 'The Rocket'
(*Apiaceae*) *Ligusticum* sp. from China BSWJ7668
(*Liliaceae*) *Lilium* auratum v. platyphyllum
BSWJ4824
- canadense

(<i>Liliaceae</i>)	Lilium	columbianum BSWJ9564
	-	disticum BSWJ794
	-	duchartrei
	-	formosanum BSWJ1589 etc
	-	hansonii BSWJ4756 etc
	-	henryi
	-	lancifolium (tigridum) BSWJ4352 etc
	-	- 'Flore Pleno'
	-	- v. fortunei BSWJ539
	-	leichtlinii BSWJ4519
	-	leucanthum v. centifolium
	-	longiflorum BSWJ11376
	-	majoense
	-	nanum
	-	nepalense BSWJ2985 etc
	-	oxypetalum v. insigne
	-	pardalinum
	-	poilanei HWJ681
	-	rosthornii
	-	speciosum BSWJ4847 etc
	-	superbum
	-	taliense
	-	tsingtauense BSWJ519 etc
	-	vollmeri
(<i>Lauraceae</i>)	Lindera	erythrocarpa BSWJ6271 etc
	-	praecox BSWJ10802
	-	sericea BSWJ11141 etc
	-	triloba BSWJ5570
(<i>Hamamelidaceae</i>)	Liquidambar	formosana BSWJ6855
(<i>Convallariaceae</i>)	Liriope	koreana BSWJ8821
	-	platyphylla BSWJ561 etc
(<i>Campanulaceae</i>)	Lobelia	excelsa BSWJ9513
	-	laxiflora BSWJ9064
	-	seguinii BSWJ7065
	-	sp. nova from China GEY125
	-	- from Vietnam BSWJ8220 etc
	-	tupa
(<i>Proteaceae</i>)	Lomatia	ferruginea
(<i>Caprifoliaceae</i>)	Lonicera	acuminata BSWJ3480 etc
	-	alseuosmoides
	-	glabrata BSWJ2150
	-	henryi BWJ8109
	-	japonica BSWJ4423
	-	aff. lanceolata BWJ7935
	-	sp. from Sikkim BSWJ2654
(<i>Myrtaceae</i>)	Luma	apiculata
(<i>Papilionaceae</i>)	Lupinus	bogotensis BSWJ4234 etc
	-	costaricensis BSWJ10487
	-	montanus BSWJ10309
(<i>Philesiaceae</i>)	Luzuriaga	polyphylla HCM98202
	-	radicans
	-	radicans RH0602
(<i>Caryophyllaceae</i>)	Lychnis	cognata BSWJ4234 etc
(<i>Solanaceae</i>)	Lycianthes	quichensis BSWJ10395
(<i>Araceae</i>)	Lysichiton	americanus

(<i>Primulaceae</i>)	Lysimachia	clethroides
	-	aff. congestifolia HWJ846
(<i>Gesneriaceae</i>)	Lysionotus	gamosepalus BSWJ7241
	-	aff. kuangsiensis HWJ643
	-	pauciflora BSWJ189 etc
	-	serratus HWJK2426

M

(<i>Magnoliaceae</i>)	Magnolia	sieboldii BSWJ4127
	-	cathartii HWJ874
(<i>Berberidaceae</i>)	Mahonia	leschenaultii BSWJ9535
	-	nervosum BSWJ9562 etc
	-	oiwakensis BSWJ3660 etc
	-	pumila
(<i>Convallariaceae</i>)	Maianthemum	amoenum BSWJ10390
	-	atropurpureum
	-	bifolium
	-	bifolium ssp. kamtschaticum BSWJ4360 etc
	-	canadense
	-	comaltepecense BSWJ10215
	-	flexuosum BSWJ9069 etc
	-	aff. flexuosum BSWJ9026
	-	formosanum BSWJ349 etc
	-	forrestii
	-	fuscum
	-	henryi
	-	japonicum BSWJ1179 etc
	-	laxiflora BSWJ10305
	-	oleraceum BSWJ2148
	-	paniculatum BSWJ9137
	-	racemosa
	-	aff. salvinii BSWJ9000 etc
	-	stellatum
	-	szuechuanicum
	-	tatsienensis
(<i>Magnoliaceae</i>)	Manglietia	chevalieri HWJ533 etc
(<i>Woodsiaceae</i>)	Matteuccia	struthiopteris
(<i>Papaveraceae</i>)	Meconopsis	betonicifolia
	-	chelidoniifolia
	-	× sheldonii
(<i>Lamiaceae</i>)	Meehania	urticifolia BSWJ1210
(<i>Meliaceae</i>)	Melia	azedarach BSWJ7039
(<i>Meliosmaceae</i>)	Meliosma	parvifolia BSWJ8408
(<i>Asclepiadaceae</i>)	Metaplexis	japonica BSWJ8459
(<i>Celastraceae</i>)	Microtopis	petelotii HWJ719
(<i>Poaceae</i>)	Miscanthus	chejuensis BSWJ8803
	-	flavidus BSWJ6749
	-	floridulus HWJ522 etc
	-	nepalensis 'Shikola' BSWJ2302 etc
	-	transmorrisonensis BSWJ3697
(<i>Rubiaceae</i>)	Mitchella	repens
	-	undulata BSWJ10928
	-	undulata f. quelpartensis BSWJ4402

(<i>Saxifragaceae</i>)	Mitella	formosana BSWJ125
-	-	japonica BSWJ4971 etc
-	-	kiusiana BSWJ5401
-	-	makinoi BSWJ4992
-	-	pauciflora BSWJ6361
-	-	stylosa BSWJ5669
-	-	yoshinagae BSWJ4893 etc
(<i>Gesneriaceae</i>)	Mitraria	coccinea Lake Puye form
(<i>Apiaceae</i>)	Molopospermum	peloponnesiacum
(<i>Saxifragaceae</i>)	Mukdenia	acanthifolia
-	-	rossii
(<i>Boraginaceae</i>)	Myosotidium	hortensia
(<i>Apiaceae</i>)	Myrrhidendron	glaucescens BSWJ10699

N

(<i>Berberidaceae</i>)	Nandina	domestica BSWJ4923 etc
(<i>Rosaceae</i>)	Neillia	thyrsiflora v. tonkinensis HWJ505
(<i>Lamiaceae</i>)	Nepeta	stewartiana BWJ7999
-	-	subsessilis
(<i>Amaryllidaceae</i>)	Nerine	bowdenii 'Mollie Cowie'
(<i>Liliaceae</i>)	Nomocharis	aperta
-	-	pardanthina f. punctata

O

(<i>Onagraceae</i>)	Oenothera	'Finley's Fancy' BSWJ9043
(<i>Iridaceae</i>)	Olsynium	aff. trinerva BSWJ10459 (previously <i>Sisyrinchium</i>)
(<i>Woodsiaceae</i>)	Onoclea	sensibilis
(<i>Convallariaceae</i>)	Ophiopogon	caulescens HWJ590 etc
-	-	formosana BSWJ3659 etc
-	-	intermedius v. parviflora HWJK2093
-	-	japonicus BSWJ1871
-	-	scaber BSWJ1842 etc
-	-	sp. from Vietnam BWJ8244
-	-	wallichianus v. pauciflora GWJ9387
(<i>Saxifragaceae</i>)	Oresitrophe	rupifraga
(<i>Lamiaceae</i>)	Origanum	vulgaris formosanum BSWJ3180
(<i>Apiaceae</i>)	Osmorhiza	aristata BSWJ1607 etc
(<i>Osmundaceae</i>)	Osmunda	claytoniana
(<i>Scrophulariaceae</i>)	Ourisia	'Loch Ewe'
(<i>Oxalidaceae</i>)	Oxalis	oregana
-	-	- f. smalliana

P

(<i>Cruciferae</i>)	Pachyphragma	macrophyllum
(<i>Buxaceae</i>)	Pachysandra	axillaris 'Crûg's Cover' BWJ8032
-	-	procumbens
(<i>Paeoniaceae</i>)	Paeonia	delavayi BWJ7775
(<i>Araliaceae</i>)	Panax	japonicus BWJ7932 etc
(<i>Asteraceae</i>)	Parasenecio	delphiniifolia BSWJ11189 etc
-	-	farfaraefolia v. bulbifera

(<i>Trilliaceae</i>)	Paris	bockiana
	-	chinensis
	-	- from Taiwan BSWJ265 etc
	-	delavayi
	-	fargesii
	-	- v. brevipetalata
	-	- v. petiolata
	-	forrestii
	-	incompleta
	-	japonica
	-	lancefolia
	-	- from Taiwan BSWJ3044 etc
	-	mairei
	-	polyphylla
	-	polyphylla BSWJ2125 etc
	-	- v. stenophylla
	-	quadrifolia
	-	tetraphylla
	-	thibetica
	-	- v. apetala
	-	verticillata
	-	- 'Ryokutei'
(<i>Papilionaceae</i>)	Parochetus	communis Golden Triangle form BSWJ7215
(<i>Vitaceae</i>)	Parthenocissus	henryana
	-	himalayana v. rubrifolia
	-	quinquefolia 'Guy's Garnet'
	-	semicordata BSWJ6551
	-	thomsonii BWJ8123
	-	tricuspidata 'Crûg Compact' BSWJ1162
(<i>Passifloraceae</i>)	Passiflora	umbilicata
(<i>Valerianaceae</i>)	Patrinia	gibbosa BSWJ874
	-	scabiosifolia BSWJ8740
(<i>Scrophulariaceae</i>)	Paulownia	kawakamii BSWJ6784
	-	× taiwaniana BSWJ7134
	-	tomentosa coreana from Ullüngdō BSWJ8503
(<i>Convallariaceae</i>)	Peliosanthus	arisanensis BSWJ3639
(<i>Saxifragaceae</i>)	Peltoboykinia	watanabei
(<i>Poaceae</i>)	Pennisetum	alopecuroides f. erythrochaetum 'Ferris' BSWJ8413
(<i>Scrophulariaceae</i>)	Penstemon	aff. gentianoides BSWJ10249 etc
(<i>Araliaceae</i>)	Pentapanax	leschenaultii BSWJ9515
	-	longepedunculatus BSWJ11789
	-	subcordatus HWJK2385
	-	verticillatus BSWJ11797
(<i>Asclepiadaceae</i>)	Periploca	purpurea BSWJ7235
(<i>Polygonaceae</i>)	Persicaria	amplexicaulis v. pendula HWJK2255
	-	milletii
	-	tenuicaulis
	-	virginiana 'Painters Palette'
(<i>Gesneriaceae</i>)	Petrocosmea	kerrii 'Crème de Crûg' BWJ6634

(<i>Gesneriaceae</i>)	Petrocosmea	aff. martinii 'Crûg's Capricious' BWJ7249
(<i>Apiaceae</i>)	Peucedanum	japonicum BSWJ8816b
	-	siamicum BSWJ6487
(<i>Rutaceae</i>)	Phellodendron	amurense BWJ11000
	-	japonicum BSWJ11175
(<i>Hydrangeaceae</i>)	Philadelphus	aff. calvescens BWJ8005
	-	delavayi v. purpurascens BWJ7540
	-	aff. incanus BSWJ8616
	-	mexicana BSWJ10253 etc
	-	satsumi BSWJ10811
	-	schrenkii BSWJ8616
	-	tomentosus BSWJ2707 etc
(<i>Philesiaceae</i>)	Philesia	magellanica
(<i>Lamiaceae</i>)	Phlomis	atropurpurea BWJ7922
(<i>Rosaceae</i>)	Photinia	microphylla HWJ564 etc
	-	villosa BSWJ8877
	-	- v. laevis BSWJ8877
	-	- v. zollingeri BSWJ8903
(<i>Solanaceae</i>)	Physalium	sinense BWJ8093
(<i>Solanaceae</i>)	Physalis	angulata BSWJ7016 etc
	-	campanula BSWJ10409
(<i>Phytolaccaceae</i>)	Phytolacca	acinosa HWJ647
	-	americana BSWJ1000 etc
	-	icosandra BSWJ8988 etc
	-	- Purpurescens BSWJ11251
	-	japonica BSWJ4897 etc
	-	octandra BSWJ9514 etc
	-	rivinoïdes BSWJ10264
	-	rugosa BSWJ10263
(<i>Ericaceae</i>)	Pieris	formosa BSWJ2257
(<i>Hydrangeaceae</i>)	Pileostegia	viburnoides BSWJ3565 etc
(<i>Araceae</i>)	Pinellia	cordata
	-	ternata BSWJ3532
	-	tripartita BSWJ1102
	-	- 'Purple Face' BSWJ4850
(<i>Pittosporaceae</i>)	Pittosporum	daphniphylloides BSWJ6789 etc
	-	illicioides v. angustifolium BSWJ6771 etc
	-	- v. illicoides BSWJ6712 etc
	-	tobira BSWJ8757
(<i>Hydrangeaceae</i>)	Platycrater	arguta BSWJ6266 etc
(<i>Lamiaceae</i>)	Plectranthus	longitubus BSWJ11027
(<i>Apiaceae</i>)	Pleurospermum	aff. amabile BWJ7886
	-	benthamii BSWJ2988
	-	calcareum BWJ8008
(<i>Berberidaceae</i>)	Podophyllum	delavayi
	-	difforme
	-	hexandrum chinensis
	-	- chinensis BWJ7908
	-	peltatum
	-	pleianthum
	-	pleianthum BSWJ282
	-	- short form
	-	versipelle

(<i>Convallariaceae</i>)	<i>Polygonatum</i>	<i>alte-lobatum</i> BSWJ286 etc
-		<i>aff. anomalum</i> BSWJ6599
-		<i>arisanense</i> BSWJ1639
-		<i>biflorum</i>
-		<i>cirrhifolium</i>
-		<i>cryptanthum</i>
-		<i>curvistylum</i>
-		<i>cyrtonema</i> (Hua) BSWJ271 etc
-		<i>desoulavyi</i> v. <i>yezoense</i> BSWJ764
-		<i>falcatum</i> BSWJ5101 etc
-		<i>filipes</i>
-		<i>fuscum</i>
-		<i>geminiflorum</i>
-		<i>graminifolium</i>
-		<i>hirtum</i>
-		<i>hookeri</i>
-		<i>humile</i>
-		× <i>hybridum</i>
-		- 'Striatum'
-		<i>inflatum</i> BSWJ922 etc
-		<i>involucratum</i> BSWJ4285 etc
-		<i>kingianum</i> yellow flowering variety BSWJ6562 etc
-		<i>lasianthum</i> BSWJ671 etc
-		<i>nodosum</i>
-		<i>odoratum</i>
-		- v. <i>maximowiczii</i>
-		- v. <i>pluriflorum</i> 'Variegatum'
-		- 'Red Stem'
-		<i>oppositifolium</i> BSWJ2537 etc
-		<i>pubescens</i>
-		<i>punctatum</i> BSWJ2395 etc
-		<i>sibiricum</i>
-		<i>stenophyllum</i>
-		<i>aff. tessellatum</i> BSWJ9752
-		<i>tonkinensis</i> HWJ551 etc
-		<i>verticillatum</i>
-		<i>zanlanscianense</i>
(<i>Polygonaceae</i>)	<i>Polygonum</i>	<i>chinense</i> BSWJ11268
(<i>Rosaceae</i>)	<i>Polylepis</i>	<i>australis</i>
(<i>Dryopteridaceae</i>)	<i>Polystichum</i>	<i>munitum</i>
-		<i>aff. neobolatum</i> BWJ8182
-		<i>rigens</i>
(<i>Primulaceae</i>)	<i>Primula</i>	<i>glomerata</i> GWJ9213 etc
-		<i>jesoana</i> BSWJ618
-		<i>kisoana</i>
-		- v. <i>shikokiana</i>
-		<i>secundiflora</i> BWJ7587
(<i>Apiaceae</i>)	<i>Prionosciadium</i>	<i>thapsoides</i> BSWJ10345
-		(previously listed as <i>Angelica</i>)
(<i>Rosaceae</i>)	<i>Prunus</i>	<i>maximowiczii</i> BSWJ10967
(<i>Asteraceae</i>)	<i>Psacalium</i>	<i>pinetorum</i> BSWJ10269
(<i>Winteraceae</i>)	<i>Pseudowintera</i>	<i>colorata</i>
(<i>Papaveraceae</i>)	<i>Pteridophyllum</i>	<i>racemosum</i>
(<i>Pteridaceae</i>)	<i>Pteris</i>	<i>angustipinna</i> BSWJ6738 etc

(<i>Boraginaceae</i>)	Pulmonaria	'Barfield Regalia'
-	-	'Botanic Hybrid'
-	-	Cally hybrid
-	-	'Cotton Cool'
-	-	mollis
-	-	rubra albocorollata
-	-	- 'Ann'
-	-	'Saint Ann's'
(<i>Rosaceae</i>)	Purshia	aff. mexicana BSWJ9040

R

(<i>Berberidaceae</i>)	Ranzania	japonica
(<i>Convallariaceae</i>)	Reineckea	carnea
-	-	- from Japan BSWJ4808
-	-	- 'Baoxing Booty' BWJ8096
-	-	aff. - 'Crûg's Broadleaf' BWJ8096
(<i>Rosaceae</i>)	Rhaphiolepis	indica BSWJ8405
-	-	umbellata f. ovata BSWJ8401
(<i>Polygonaceae</i>)	Rheum	acuminatum HWJCM252 etc
-	-	alexandrae BWJ7670
-	-	delavayi BWJ7592
(<i>Crassulaceae</i>)	Rhodiola	bupleuroides HWJK2258
-	-	cretinii HWJK2283
-	-	aff. purpureoviridis BWJ7544
-	-	sinuata HWJK2318 etc
-	-	wallichiana HWJK2352 etc
(<i>Ericaceae</i>)	Rhododendron	barbatum BSWJ2237 etc
-	-	campanulatum HWJCM195
-	-	campylocarpum BSWJ2462
-	-	montroseanum hybrid
-	-	niveum BSWJ2675
-	-	thomsonii BSWJ2638
(<i>Hypoxidaceae</i>)	Rhodohypoxis	baurii pink
(<i>Rosaceae</i>)	Rhodotypos	scandens
(<i>Anacardiaceae</i>)	Rhus	ambigua BSWJ3656 etc
-	-	- large leafed BSWJ10884
(<i>Grossulariaceae</i>)	Ribes	griffithiana GWJ9331
(<i>Saxifragaceae</i>)	Rodgersia	pinnata BWJ7741a
-	-	- 'Crûg Cardinal'
-	-	- pink
-	-	pinnata white
-	-	podophylla
-	-	sambucifolia BWJ7899
(<i>Convallariaceae</i>)	Rohdea	japonica BSWJ4853 etc
-	-	watanabei BSWJ1911 etc
(<i>Rosaceae</i>)	Rosa	macrophylla BSWJ2603 etc
-	-	sericea v. morrisonensis
-	-	BSWJ7139
-	-	- ssp. omeiensis BWJ7550
(<i>Zingiberaceae</i>)	Roscoea	alpina
-	-	- short form
-	-	auriculata BSWJ2594
-	-	- early form
-	-	- late form
-	-	australis
-	-	'Beesiana'
-	-	- pale flowered

(<i>Zingiberaceae</i>)	Roscoea	purpurea HWJK2020 etc
-	-	scillifolia dark-flowered form
(<i>Lamiaceae</i>)	Rostrinucula	sp. from Vietnam BSWJ11739
(<i>Rosaceae</i>)	Rubus	arcticus
-	-	buergeri BSWJ5555
-	-	formosensis BSWJ1798
-	-	aff. gachetensis BSWJ10603
-	-	henryi v. bambusarum
-	-	lineatus
-	-	- from Nepal HWJK2045
-	-	- from Sumatra BSWJ11261
-	-	- from Vietnam HWJ892
-	-	parviflorus double form
-	-	pectinellus v. trilobus BSWJ1669b
-	-	pentalobus BSWJ3878
-	-	rolfei BSWJ3066 etc
-	-	splendidissimus BSWJ2361 etc
-	-	swinhoei BSWJ1735
-	-	taiwanicola BSWJ317
-	-	treutleri BSWJ2139
-	-	trilobus BSWJ9096

S

(<i>Salicaceae</i>)	Salix	fargesii
(<i>Lamiaceae</i>)	Salvia	ampelophylla BSWJ10751
-	-	bulleyana
-	-	campanulata GWJ9294 etc
-	-	aff. chamaedryoides BSWJ9032
-	-	aff. curtiflora BSWJ10356
-	-	digitaloides BWJ7777
-	-	flava v. megalantha BWJ7974
-	-	aff. glabrescens BSWJ10919
-	-	aff. holwayi BSWJ8995
-	-	aff. idochroa BSWJ10252
-	-	karwinskii BSWJ9081 etc
-	-	koyamae BSWJ10919
-	-	lavanduloides BSWJ9053
-	-	mexicana BSWJ10288 etc
-	-	nana BSWJ10272
-	-	nipponica BSWJ5829
-	-	aff. oblongifolia BSWJ10315
-	-	omeiana 'Crûg Thundercloud' BWJ8062
-	-	polystachya BWJ8985
-	-	przewalskii BWJ7920 etc
-	-	red species from Guatemala BSWJ10375
-	-	vitifolia BSWJ10236
(<i>Caprifoliaceae</i>)	Sambucus	chinensis BSWJ5960
-	-	formosana BSWJ1543
-	-	javanica / chinensis BSWJ4047
-	-	mexicana BSWJ10349
-	-	racemosa 'Crûg Lace'
(<i>Papaveraceae</i>)	Sanguinaria	canadensis
(<i>Rosaceae</i>)	Sanguisorba	hakusanensis BSWJ8709
(<i>Euphorbiaceae</i>)	Sapium	japonicum BSWJ8744

(<i>Buxaceae</i>)	Sarcococca	balansae BSWJ7285 etc
	-	confusa
	-	hookeriana HWJK2393
	-	- v. digyna 'Purple Stem'
	-	- v. - 'Schillingii'
	-	- v. hookeriana BSWJ2585 etc
	-	- v. humilis
	-	ruscifolia
	-	- v. chinensis
	-	- v. - 'Dragon Gate'
	-	saligna
	-	wallichii BSWJ2291 etc
(<i>Aristolochiaceae</i>)	Saruma	henryi
(<i>Araceae</i>)	Sauromatum	venosum
(<i>Asteraceae</i>)	Saussurea	deltoidea WWJ11652
(<i>Saxifragaceae</i>)	Saxifraga	cortusifolia BSWJ5879
	-	- 'Ruby Wedding' BSWJ4951
	-	- v. stolonifera BSWJ6205
	-	'Cuscutiformis'
	-	epiphylla 'Little Piggy'
	-	- 'Precious Piggy' BWJ7750
	-	- 'Purple Piggy'
	-	fortunei BSWJ6346
	-	- f. alpina from Hokkaido
	-	- 'Fumiko' BSWJ6124
	-	- v. koraiensis BSWJ8688
	-	- f. partita
	-	- v. pilosissima BSWJ8557 etc
	-	- 'Rubrifolia'
	-	hirsuta
	-	imparilis
	-	mertensiana
	-	nipponica 'Pink Pagoda'
	-	rotundifolia ssp. chrysospleniifolia
	-	rufescens BWJ7510 etc
	-	sendaica
	-	stolonifera BSWJ4972
	-	- 'Hime'
	-	- 'Kinki Purple' BSWJ4972
	-	veitchiana
(<i>Araliaceae</i>)	Schefflera	alpinia HWJ8247 etc
	-	aff. brevipedicellata HWJ870
	-	aff. chapana HWJ983
	-	aff. enneaphylla HWJ1018
	-	gracilis HWJ622
	-	fantsipanensis BSWJ8228
	-	impresa GWJ9375
	-	lenticeliata BSWJ9762
	-	macrophylla BSWJ9788 etc
	-	microphylla BSWJ3872
	-	petelotii BSWJ8210
		(see <i>macrophylla</i>)
		- taiwaniana BSWJ7096 etc
(<i>Schisandraceae</i>)	Schisandra	arisanensis BSWJ3050
	-	aff. bicolor BWJ8151
	-	chinensis BSWJ4611 etc

(<i>Schisandraceae</i>)	Schisandra	grandiflora BSWJ2245
	-	- 'Jamu' (m) BSWJ2245
	-	- 'Lahlu' (f) BSWJ2245
	-	henryi v. yunnanensis BSWJ6546
	-	aff. neglecta BWJ7739
	-	nigra BSWJ5897 etc
	-	propinqua v. sinensis BWJ8148 etc
	-	rubiflora BWJ7557
	-	rubriflora × grandiflora
	-	sphaerandra BWJ7898
	-	verrucosa HWJ664
(<i>Hydrangeaceae</i>)	Schizophragma	hydrangeoides BSWJ5954 etc
	-	- 'Cheju's Early' BSWJ1160
	-	- 'Moonlight'
	-	- f. quelpartensis BSWJ8771
	-	- 'Roseum'
	-	- from Ullüngdō BSWJ8505 etc
	-	- from Yakushima BSWJ6119
	-	integrifolium v. fauriei BSWJ7052 etc
	-	aff. megalocarpum BWJ8150
(<i>Hyacinthaceae</i>)	Scilla	scilloides BSWJ8812
(<i>Trilliaceae</i>)	Scoliopus	bigelowii
	-	hallii
(<i>Solanaceae</i>)	Scopolia	carniolica
(<i>Lamiaceae</i>)	Scutellaria	maekawae BSWJ5557a
(<i>Crassulaceae</i>)	Sedum	aff. cryptomerioides BSWJ054
	-	kamtschaticum BSWJ10870
	-	- v. ellacombeanum BSWJ8853
	-	linearifolium v. balfouri HWJ824
	-	takesimense BSWJ8518 etc
	-	ussuriense 'Chuwangsan' BSWJ723
	-	viviparum BSWJ8480 etc
(<i>Apiaceae</i>)	Selinum	wallichianum HWJK2224 etc
(<i>Ranunculaceae</i>)	Semiaquilegia	ecalcarata
	-	- f. bicolor
	-	- 'Snowbell'
(<i>Bambusoideae</i>)	Semiarundinaria	fastuosa v. viridis
(<i>Asteraceae</i>)	Senecio	formosoides BSWJ10736 etc
	-	formosus BSWJ10700 etc
	-	gerberaeifolius BSWJ10357 etc
	-	mortoni GWJ9419
	-	smithii
	-	sp. from Colombia BSWJ10703
	-	tanguiticus
(<i>Caesalpiniaceae</i>)	Senna	aff. alata BSWJ9772
(<i>Poaceae</i>)	Setaria	aff. palmifolia BWJ8132
(<i>Lardizabalaceae</i>)	Sinofranchetia	chinensis
(<i>Iridaceae</i>)	Sisyrinchium	convolutum BSWJ9117 etc
	-	aff. trinerva BSWJ10459
	-	(see <i>Olsynium</i>)

(<i>Iridaceae</i>)	Sisyrinchium	aff. unispithaceum BSWJ10683
(<i>Rutaceae</i>)	Skimmia	aff. arborescens GWJ9374
	-	- ssp. nitida BSWJ8239
	-	arisanensis BSWJ7114 etc
	-	× confusa 'Kew Green'
	-	japonica female BSWJ5053
	-	japonica male BSWJ5053
	-	- v. distincte-venulosa BSWJ3544
	-	- v. intermedia f. repens BSWJ5560
	-	- ssp. reevesiana BSWJ3763 etc
	-	laureola GWJ9364 etc
	-	- v. multinerva BSWJ8259
(<i>Smilacaceae</i>)	Smilax	aspera
	-	china BSWJ4427 etc
	-	glaucophylla BSWJ2971
	-	nipponica BSWJ4331
	-	sieboldii BSWJ744 etc
(<i>Solanaceae</i>)	Solanum	aff. stenophyllum BSWJ10744
	-	shrubby sp. from Guatemala BSWJ10395 (see <i>Lycianthes</i>)
(<i>Rosaceae</i>)	Sorbaria	aff. assurgens BWJ8185
	-	sorbifolia v. stellipila BSWJ776 etc
(<i>Rosaceae</i>)	Sorbus	aff. alnifolia BSWJ10948
	-	aff. amurensis BSWJ8665
	-	commixta BSWJ8496
	-	- v. rufoferruginea BSWJ6078
	-	aff. granulosa HWJ1041
	-	japonica BSWJ10813 etc
	-	aff. ligustrifolia HWJ984
	-	meliosmifolia BSWJ11771
	-	microphylla GWJ9252
	-	randaiensis BSWJ3202
	-	thompsonii GWJ9363
	-	aff. tibetica BWJ7757a
	-	verrucosa v. subulata HWJ579 etc
(<i>Convallariaceae</i>)	Speirantha	convallarioides
(<i>Rosaceae</i>)	Spiraea	formosana BSWJ1597
	-	hayatana RWJ10003 etc
(<i>Lamiaceae</i>)	Stachys	calcicola BSWJ10427
	-	coccinea BSWJ10418
	-	species from Guatemala BSWJ10300
(<i>Stachyuraceae</i>)	Stachyurus	himalaicus HWJCM009 etc
	-	lancifolius BSWJ5690 etc
	-	praecox BSWJ8898 etc
	-	- v. matsuzakii BSWJ11229
	-	sigeyosii BSWJ6915 etc
	-	sp. from Nepal HWJK2052
	-	aff. szechuanensis BWJ8153
(<i>Staphyleaceae</i>)	Staphylea	bumalda BSWJ11053
(<i>Lardizabalaceae</i>)	Stauntonia	aff. chinensis DJHV06175
	-	hexaphylla BSWJ4858
	-	obovatifoliola BSWJ3685
	-	purpurea BSWJ3690 etc

(<i>Lardizabalaceae</i>)	Stauntonia	yaoshanensis BSWJ8223 etc
(<i>Menispermaceae</i>)	Stephania	rotunda BSWJ2396
	-	sinica BWJ8094
(<i>Theaceae</i>)	Stewartia	pseudocamellia BSWJ11044
(<i>Convallariaceae</i>)	Streptopus	amplexicaulis
(<i>Acanthaceae</i>)	Strobilanthes	attenuata
	-	flexicaulis BSWJ354
	-	aff. inflatus BSWJ7754
	-	rankanensis BSWJ1771
	-	wallichii
(<i>Papaveraceae</i>)	Stylophorum	diphyllum
	-	lasiocarpum
(<i>Styracaceae</i>)	Styrax	formosana v. formosana BSWJ6797 etc
	-	formosana v. formosana v. hayatiana BSWJ6823
	-	japonica BSWJ8770 etc
	-	obassia BSWJ8428 etc
(<i>Caprifoliaceae</i>)	Symphoricarpos	guatemalensis BSWJ10316
(<i>Araceae</i>)	Symplocarpus	foetidus v. latissimus
	-	nipponicus
(<i>Boraginaceae</i>)	Symphytum	'Hidcote Blue'
(<i>Asteraceae</i>)	Syneilesis	aconitifolia BSWJ879
	-	palmata BSWJ4149 etc
	-	subglabrata BSWJ298
	-	aff. tagawae BSWJ11191

T

(<i>Saxifragaceae</i>)	Tanakaea	radicans
(<i>Proteaceae</i>)	Telopea	truncata
(<i>Rutaceae</i>)	Tetradium	glabrifolium BSWJ6882
	-	ruticarpum BSWJ3541
(<i>Araliaceae</i>)	Tetrapanax	papyrifera 'Rex' BSWJ1925
(<i>Ranunculaceae</i>)	Thalictrum	actaeifolium BSWJ4664 etc
	-	- v. brevistylum BSWJ8819
	-	aquilegifolium v. sibiricum BSWJ11007
	-	chelidonii HWJK2216
	-	delavayi BWJ7903 etc
	-	- purple stemmed form BWJ7748
	-	- v. acuminatum BWJ7535 etc
	-	- v. decorum BWJ7770
	-	- v. mucronatum DJHC473
	-	diffusiflorum
	-	aff. elegans HWJK2271
	-	filamentosum BSWJ777 etc
	-	- v. yakusimense BSWJ6094
	-	aff. foetidum BWJ7558
	-	ichangense BSWJ8203
	-	- v. minus 'Chinese Chintz'
	-	javanicum BSWJ9506
	-	- v. puberulum BSWJ6770
	-	johnsonii BSWJ9127 etc
	-	omeiense BWJ8049
	-	osmundifolium
	-	platycarpum HWJCM367

(<i>Ranunculaceae</i>)	<i>Thalictrum</i>	<i>przewalskii</i>
-	-	<i>punctatum</i> BSWJ1272
-	-	<i>ramosum</i> BWJ8126
-	-	<i>reniforme</i> BSWJ2610 etc
-	-	<i>reticulatum</i> BWJ7624
-	-	<i>rochebruneanum</i>
-	-	<i>simplex</i> v. <i>brevipes</i> BSWJ8883 etc
-	-	<i>tenuisubulatum</i> BWJ7929
-	-	<i>yunnanense</i>
(<i>Saxifragaceae</i>)	<i>Tiarella</i>	<i>polyphylla</i>
-	-	- 'Baoping Pink' BWJ8085
(<i>Iridaceae</i>)	<i>Tigrida</i>	<i>orthantha</i> BSWJ10244
(<i>Apiaceae</i>)	<i>Tilingia</i>	<i>ajanensis</i> BSWJ11202
(<i>Apocynaceae</i>)	<i>Trachelospermum</i>	<i>asiaticum</i> BSWJ4814
-	-	- v. <i>intermedium</i> BSWJ8733
-	-	<i>jasminoides</i> BSWJ5117 etc
-	-	- 'Wilsonii' W776
(<i>Boraginaceae</i>)	<i>Trachystemon</i>	<i>orientalis</i>
(<i>Ranunculaceae</i>)	<i>Trautvetteria</i>	<i>caroliniensis</i> v. <i>japonica</i>
-	-	- v. <i>occidentalis</i>
(<i>Convallariaceae</i>)	<i>Tricyrtis</i>	<i>affinis</i> BSWJ5640 etc
-	-	- 'Early Bird' BSWJ5525
-	-	<i>flava</i>
-	-	<i>formosana</i> BSWJ355 etc
-	-	- v. <i>glandosa</i> BSWJ7084
-	-	- - 'Blu-Shing Toad' BSWJ052
-	-	- v. <i>grandiflora</i> BSWJ6905
-	-	- 'Small Wonder' BSWJ306
-	-	- 'Spotted Toad' BSWJ1769
-	-	- v. <i>stolonifera</i> BSWJ7046
-	-	- 'Taroko Toad' BSWJ6705
-	-	- 'Tiny Toad' BSWJ7071
-	-	- 'Variegata'
-	-	- 'Velvet Toad' RWJ10104
-	-	<i>hirta</i> BSWJ2827 etc
-	-	<i>ishiiiana</i>
-	-	- v. <i>surugensis</i>
-	-	<i>lasiocarpa</i> BSWJ3635 etc
-	-	- 'Royal Toad' BSWJ7014
-	-	<i>latifolia</i> BSWJ10996
-	-	'Lilac Towers'
-	-	<i>macrantha</i>
-	-	- ssp. <i>macranthopsis</i>
-	-	- - 'Juro'
-	-	<i>macropoda</i> from Japan
-	-	BSWJ5847 etc
-	-	- from Korea BSWJ1271 etc
-	-	<i>maculata</i> HWJCM470 etc
-	-	<i>nana</i>
-	-	<i>ohsumiensis</i>
-	-	<i>perfoliata</i>
-	-	- 'Spring Shine'
-	-	<i>setouchiensis</i> BSWJ4701
-	-	species from Taiwan
-	-	BSWJ3229
-	-	<i>suzukii</i> RWJ10111 etc

(<i>Trilliaceae</i>)	Trillium	albidum
	-	angustipetalum
	-	camschatcense
	-	cernuum
	-	chloropetalum v. giganteum
	-	cuneatum
	-	erectum
	-	- f. albiflorum
	-	flexipes
	-	grandiflorum
	-	luteum
	-	pusillum v. virginianum
	-	recurvatum
	-	rugelii
	-	smallii
	-	sulcatum
	-	undulatum
	-	vaseyi
(<i>Caprifoliaceae</i>)	Triostemon	himalayanum BSWJ7907
(<i>Gentianaceae</i>)	Tripterospermum	aff. chevalieri BSWJ8359
	-	cordifolium BSWJ081
	-	fasciculatum BSWJ11297
	-	aff. hirticalyx BSWJ8264
	-	japonicum BSWJ5556 etc
	-	lanceolatum BSWJ085 etc
	-	taiwanense BSWJ1205 etc
(<i>Celastraceae</i>)	Tripterygium	regelii BSWJ5453 etc
	-	- v. occidentale BSWJ10921
(<i>Trochodendraceae</i>)	Trochodendron	aralioides from Taiwan BSWJ1651 etc
(<i>Ranunculaceae</i>)	Trollius	aff. buddae BSWJ7958
	-	yunnanensis v. eupetalus BSWJ7614
(<i>Tropaeolaceae</i>)	Tropaeolum	ciliatum
	-	speciosum
	-	tuberosum v. lineamaculatum 'Ken Aslet'
(<i>Convallariaceae</i>)	Tupistra	aurantiaca BSWJ2267 etc
	-	wattii BSWJ8297

U

(<i>Convallariaceae</i>)	Uvularia	grandiflora
	-	- v. pallida
	-	- 'Susie Lewis'
	-	perfoliata
	-	sessilifolia
	-	- 'Cobblewood Gold'
V		
(<i>Ericaceae</i>)	Vaccinium	dunalianum v. megaphyllum HWJ515
(<i>Berberidaceae</i>)	Vancouveria	chrysantha
	-	hexandra
	-	planipetala

(<i>Melanthiaceae</i>)	Veratrum	album
-	-	- v. flavum
-	-	- v. oxysepalum
-	-	formosanum BSWJ1575 etc
-	-	grandiflorum BSWJ4416 etc
-	-	longebracteatum
-	-	maackii v. japonicum
-	-	- v. maackii BSWJ5831 etc
-	-	nigrum
-	-	schindleri BSWJ4068
-	-	stamineum
-	-	ussierense BSWJ4450
(<i>Scrophulariaceae</i>)	Verbascum	bombyciferum BSSS232
(<i>Scrophulariaceae</i>)	Veronicastrum	aff. latifolium BWJ8158
-	-	sibiricum BSWJ6352
-	-	- ssp. japonicum v. australe BSWJ11009
-	-	villosulum
(<i>Caprifoliaceae</i>)	Viburnum	aff. annamensis BSWJ8302
-	-	arboricolum BSWJ6913 etc
-	-	atrocyaneum BSWJ7272 etc
-	-	awabuki BSWJ8404
-	-	- from Wabuka BSWJ11374
-	-	betulifolium 'Hohuanshan' BSWJ3200
-	-	buddlejifolium
-	-	carlesii BSWJ8838
-	-	coriaceum BSWJ9719
-	-	cylindricum
-	-	- from China BWJ7778
-	-	- from Nepal HWJCM434
-	-	- from Thailand BSWJ6479 etc
-	-	dilatatum BSWJ8734
-	-	aff. erosum BSWJ3585
-	-	foetidum v. rectangulatum BSWJ3637 etc
-	-	furcatum BSWJ5939 etc
-	-	grandiflorum HWJK2163
-	-	harryanum
-	-	japonicum BSWJ5968
-	-	koreanum BSWJ4231
-	-	luzonicum BSWJ3930
-	-	aff. - v. floribundum BSWJ8281
-	-	- v. oblongum BSWJ3549
-	-	nervosum BSWJ2251a
-	-	aff. odoratissimum BSWJ3913
-	-	odoratissimum RWJ10046
-	-	opulus v. calvescens BSWJ10844
-	-	pinchinchense BSWJ10660
-	-	propinquum BSWJ4009
-	-	punctatum BSWJ9532
-	-	sargentii BSWJ8695
-	-	sieboldii BSWJ2837
-	-	sp. from Mexico BSWJ10290
-	-	sp. from N. India GWJ9388
-	-	sp. from Sikkim GWJ9227
-	-	taiwanianum BSWJ3009 etc

(<i>Caprifoliaceae</i>)	<i>Viburnum</i>	aff. <i>tinoides</i> BSWJ10757
	-	<i>urceolatum</i> BSWJ6988
	-	aff. <i>venustum</i> BSWJ10477
	-	<i>wrightii</i> BSWJ8780 etc
	-	- <i>v. stipellatum</i> BSWJ5844 etc
(<i>Violaceae</i>)	<i>Viola</i>	<i>adenothrix</i> v. <i>tsugitakaensis</i> BSWJ6728
	-	<i>verecunda</i> BSWJ604a
(<i>Vitaceae</i>)	<i>Vitis</i>	<i>amurensis</i> BSWJ4138
	-	<i>coignetiae</i> BSWJ4744 etc
	-	- <i>v. glabrescens</i> BSWJ8537
	-	- from Japan BSWJ10882
	-	- from Korea BSWJ4550 etc
	-	<i>flexuosa</i> BSWJ5568 etc
	-	- <i>v. choii</i> BSWJ4101
	-	'Spetchley Red'
	-	<i>thunbergii</i> BSWJ4702

W

(<i>Rosaceae</i>)	<i>Waldsteinia</i>	<i>ternata</i>
(<i>Caprifoliaceae</i>)	<i>Weigela</i>	<i>florida</i> BSWJ8439
	-	<i>middendorffiana</i>
	-	<i>praecox</i> BSWJ8705
	-	<i>subsessilis</i> BSWJ1056 etc
(<i>Ericaceae</i>)	<i>Wittsteinia</i>	<i>vacciniacea</i>
(<i>Blechnaceae</i>)	<i>Woodwardia</i>	<i>orientalis</i> v. <i>formosana</i> BSWJ6865

Y

(<i>Melanthiaceae</i>)	<i>Ypsilandra</i>	<i>thibetica</i>
--------------------------	-------------------	------------------

Z

(<i>Araceae</i>)	<i>Zantedeschia</i>	<i>aethiopica</i> 'Luzon Lovely' BSWJ3959
(<i>Rutaceae</i>)	<i>Zanthoxylum</i>	<i>acanthopodium</i> GWJ9287
	-	<i>ailanthoides</i> from Korea BSWJ8535
	-	- from Japan BSWJ11115 etc
	-	- <i>f. inermis</i> RWJ10048
	-	<i>armatum</i> HWJK2178
	-	<i>bungeanum</i> HWJK2131
	-	<i>faurei</i> BSWJ11080
	-	<i>laetum</i> WWJ11678
	-	<i>myriacanthum</i> BSWJ11844
	-	<i>nepalense</i> HWJK2199
	-	<i>oxyphyllum</i> GWJ9428
	-	<i>piperitum</i> BSWJ8543 etc
	-	<i>schinifolium</i> from Korea BSWJ8593
	-	- from Japan BSWJ11391 etc
(<i>Ulmaceae</i>)	<i>Zelkova</i>	<i>serrata</i> BSWJ8491
(<i>Zingiberaceae</i>)	<i>Zingiber</i>	<i>mioga</i> BSWJ4379

SOME NOTES ON THIS YEAR'S INTRODUCTIONS MAINLY FROM OUR OWN WILD SEED COLLECTIONS

Woodies including climbers

Due to our expansion into mail-order we are able to offer many more species of open-ground grown hardy woodies while dormant in the winter months. This will enable us to greatly expand our range, without the need of expensive maintenance of large containerised plants.

In line with the last few years our inventory of *Acer* species has been expanded, this year even more so due to our open-ground policy. With so many differing opinions regarding the nomenclature of maples we are feeling somewhat squeezed like the proverbial 'Piggy in the Middle', but I am making an effort to match the correct names to the best of my ability. Inevitably some names will be changed in the future. It is so inconsiderate of plants not to have name plaques on them in the wild. Closely related to *A. palmatum*, *A. amoenum* and its variety *matsumurae* with their deeply lobed leaves, are collections we gathered on Honshu in 2005, when they were conspicuous in their autumnal hues. *A. rufinerve* was also colourful, but collected from the island of Shikoku, while *A. truncatum* was an earlier collection from Korea. But for one of the most outstanding shows of colour we have seen in the wild *A. shirasawanum v. tenuifolium* would certainly qualify for a prize. For the more protected areas of the country we have some outstanding collections from our stomping grounds in the north of Vietnam. Having searched the areas over five different seasons we qualify to appreciate the scarcity of some of these species that we have found, finding some of them only the one time in seed. Such plants are *A. erythranthum*, *A. heptaphlebium* and *A. reticulatum*, grab them while you can. We only have *A. tonkinense* thanks to Dan Hinkley's generosity in sharing his collections with us, guaranteed to sell on sight, not only is this plant comparable to fairy's teeth but stunning too. *Altingia poilanei* will be new to cultivation from one of our collections gathered in northern Vietnam. Where this *Hamamelis* relative forms bushy shrubs clothed in broad evergreen parchment-textured leaves, retaining the large globose pitted seed capsules when we were there. *Betula dahurica* was a conspicuous species where we collected the seed back in 2001 in Korea, meanwhile *B. alnoides* will be a new introduction from the north of Vietnam. *Buddleja asiatica* BSWJ11278 despite originating from our collection in equatorial Java, perversely stands out from our previous collections of this winter flowering tender species, in so far as it is more robust and cold tolerant. It may be a bit premature to change all of the names of the *Daphniphyllum* species that we cultivate, but I feel comfortable that the majority of changes are for the better. At long last *Daphniphyllum macropodum* has been (re)accepted along with its dwarf variety of *humile* as being the correct naming. While *D. glaucescens* was misapplied to the Taiwanese species, hence the change to *D. pentandrum* as well as *D. kengii*, just to confuse us even more the spelling has been changed/corrected on *D. teysmannii*. Then for the additional species, we are introducing the exceptionally rare *D. paxianum* from the upland area of southern Vietnam, where this species was very conspicuous with its bronzy foliage. The second species we are introducing this year is what we grow as *D. chartaceum* (alas another confused name). A distinct species from the mountains of northern Vietnam, with the

undersides of the leaves glaucous even white at certain stages, while the red petioles are held at a distinctive angle. *Debregeasia longifolia* is a decorative woody member of the nettle family (*Urticaceae*). The lance-shaped foliage may fool people even though the texture is rough, but the orange mulberry-like fruit held in clusters along the stems will be guaranteed to fox anyone. *Holboellia latifolia* **Multiple** is a new concept for these fruiting evergreen climbers. As individual plants are not compatible to bearing fruit we are clumping multiple seedlings from our HWJCM008 collection into each container. Hence with these plants you will not only have the wonderfully scented spring flowers for months, but they will be followed by sausage-shaped edible fruit in the summer. *Lindera praecox* was a really good acquisition to kick off our 2005 collections in the north of Japan. Where they had formed large shapely shrubs clothed in small yellow leaves bearing marble-sized fruit, to succeed the masses of small yellow flowers on the leafless branches in spring, as with all *Lindera*. *Morinda umbellata* is a restrained evergreen climber when we found it in the north of Vietnam twinning its way through shrubs. The small leaves are opposite while the clusters of white flowers are held in the axils, as will be the succeeding peculiar shaped orange fruit. Some *Pentapanax* have a strange habit in the wild, appearing to be aerial-rooting climbers, but start life as epiphytes eventually sending roots all the way down to the ground and eventually growing their own terrestrial roots (a hemi-epiphyte). This was how we found *P. longepedunculatus* growing from the bough of a large tree at 10m. With 7-foliolate pinnate leaves and large terminal umbels of black fruit. From another location but on an even taller precarious tree we collected (or more precisely I sent my young guide up) seed of *P. verticillatus* with broad tri-foliolate leaves and long panicles of small black fruit. *Philadelphus satsumi* is one of our introductions from the north of Japan, where the small slender shrubs were well laden with seed capsules indicating the preceding show of creamy white scented flowers. From further south on the west coast of Honshu we encountered a memorable display of black and red cherry-like fruit in broad racemes, on *Prunus maximowiczii* a sizeable deciduous shrub, which is valued by those who know it. *Schefflera* aff. *lenticeliata* is our only introduction of these wonderful shrubs for this year, as well as the only collection we made of this genera in the south of Vietnam. As its epithet suggests the lenticels are prominent on the green upright stems which bear the umbrella-like divided leaves. Yet another collection from the north of Vietnam, *Sorbus brevipetiolata* has wonderful glossy young bronzy growth which it retains for quite some time. Meanwhile the autumnal yellow contrasts well with the large marble-sized fruit which turn a russet colour. *Stauntonia* aff. *chinensis* was another generous gift from Dan on our arrival in Vietnam in 2006 (its not all in one direction either, you should have seen our gift of even rarer seed in the autumn of 2007). Having only seen the exceptionally long yellow fruit, but not the flowers it is difficult to wax lyrically, although the descriptions I have read give the flower colour as yellow with the female flowers larger, not grown a poor *Stauntonia* yet. Those of you who are keen on *Viburnum* will not be disappointed with this year's additions, *V. opulus* v. *calvescens* will be a new introduction from our Japanese collections where it formed small trees laden with red fruit. Our second collection of *V. awabuki* is from **Wabuka** (trust that is not lost on you) a small coastal town at about the most southerly point of Honshu, Japan. Where this distinctive evergreen is

commonly seen growing as windbreaks/hedging down to the very seashore in the teeth of their maritime typhoons. If that is not an indication of how to grow this undeserving reputedly tender species then our efforts have been for nothing. We also have (only few) *V. aff. odoratissimum* which we collected seed of in 1996 from close to the top of Mt. Pulog the highest mountain on Luzon, Philippines. Very distinct from what we know as the species with smaller stiffer leaves which are covered with inflated glands. You either love *Zanthoxylum* or despise them, for their distinctive aromatic foliage and impressive thorns or maybe it's the flavour of their culinary tender young leaves or seed/capsules that get to you. I'll not mention all of our new introduction, save one *Z. ailanthoides f. inermis* from Taiwan, a most peculiar form with barely a prickle to be seen, yet it will be as drought tolerant as any of them. Drought tolerance does anyone care after last summer? But keep note their time will come again as there is little to compare in grace or utility in such an arid grower.

Herbaceous or tuberous including climbers ... with new cultivars at the end

Aconitum japonicum ssp. montanum is our collection from the mountains of the Kii Peninsular in Japan. A valuable addition with its sky-blue helmets on arching stems, of deeply divided leaves, to only 80cm long. *A. vilmorinianum* will join our legion of valuable climbing species, which I collected from the slopes of E'meishan Sichuan in 2000. Again this robust species bears mid-pale blue helmets. For darker blue tinged with purple flowers we have *A. fischeri* a short species with finely divided leaves on short upright stems that we collected in Korea. All are mid-summer to early autumn flowering for us as are most of our Asiatic collections. *Ainsliaea elegans* is just one of several species we are adding from our collections from Vietnam and Japan. All are happy in shade, retaining their semi-evergreen decorative foliage if sheltered from extremes. From a contrasting environment on the seashore of Yakushima we have a replacement stock of *Angelica japonica*. Assuming we had missed this wonderful stately perennial species when we arrived it was only when we searched the undergrowth behind the beach that we finally found the remnant seed heads. *Aspidistra suthepensis* has been a long time bulking up to a size when we can offer some of this unusual species with relatively short distinctive mottled leaves on short petioles. A collection gathered in 1997 from the mountain that it is named for in northern Thailand. *Cacalia* (before you get too used to this name afraid it will soon to be re-named *Parasenecio*) are proving to be very popular woodland perennials for their diverse ornamental foliage, despite their uninspiring flowers. *C. aff. yatabei* is the only one we dare add to our list this year as so many of our new collections were not able to withstand the summer's deluge while still small. All the same keep an eye on our web site just in case we are able to offer more. *Centropogon* is another genera that has surprised us with its popularity, *C. hirsutus* and *C. willdenowianus* should keep the momentum of these brightly coloured Lobelia relatives going. While on the subject of brightly flowered perennials originating from the Americas, *Crusea coccinea* will be immensely popular. A low growing creeping woodlander with bright red trumpet-flowers for month during the summer, its just what you need to lift the woodland tone. Normally classified as shrubs *Ceratostigma asperum* is mentioned here along with other subshrubs. It was a small species where I collected it on hot

limestone in northern Thailand in 1999, creeping out from deep cracks with rounded foliage and the palest of blue flowers some even white. The identity of our collections of *Dahlia excelsa* are confirmed, as originally we thought they were *D. imperialis* possessing such a similar habit of gigantic growth. We have two collections which we grow in a field to bulk up, as they are hardy enough to grow to 3m tall and start flowering by July. *Disporum bodinieri* has inexplicably taken us a long time to bulk up. In our garden it is semi-evergreen only losing its leaves when the weather is frosty for some time. We also are fortunate that the flowers are borne in succession over a considerable time now the plants have clumped up. *D. cantoniense v. multiflorum* may require a bit more shelter as they were one of our target plants from the highlands of Indonesia and Malaysia. While the Sumatran collections appeared to have reddened flowers the Malay collections appeared more evergreen. *D. cantoniense v. sikkimense* has taken us since 1994 to propagate enough material to offer, as we anticipate a strong demand. The variety is distinct from all other *Disporum* in bearing the largest flowers all be it on a smaller plant. *Espeletia aff. summapacis* will be a challenge to grow, it is almost guaranteed to be admired by all. Best described as a yellow flowering *Celmisia* on a trunk, as so many of these high altitude plants evolve. We should have a few plants of *Lilium majoense* to offer, for those who are not familiar with it, the best description is that it is like *L. nepalense*, but originating from China and not stoloniferous. *L. poilanei* is similar, but with a more robust habit. It has to be originating from sheer shady cliffs in the north of Vietnam where the few remaining plants can be seen precariously perched and squeezing out of cracks high on the cliffs. Amenable to cultivation though they reach a lofty 2m tall in containers for us. *Luzuriaga radicans* may technically be a creeping shrub, but we value it for its small scaly evergreen leaves and pendant white flowers. Our additional form of this was collected by Martin Rickard and Dick Hayward on their trip to Chile, where it was acting as a climber on tree trunks. *L. polyphylla* has a more delicate appearance with narrower grey-green leaves very pale below, still with the starry white flowers and red fruit a collection by Dan Hinkley et al from Chile. With *Lysionotus serratus* we shall be adding yet another species to cultivation of these charming sub-shrubs from the *Saintpaulia* family. This is a wonderfully blue-veined flowering species we collected from Nepal in 2002, with robust stems to 60cm tall. We shall be adding two new species of *Maianthemum* this year *M. paniculatum* may confuse people initially, as the name has been misapplied to a Chinese species. This I discovered while researching in the Herbarium at Kew, not only was I surprised to learn they originated from Central America, but there were so many other species there as well. For us this is an evergreen with long lasting panicles of white flowers which bear large lilac tinted fruit which only turn red after about a year (yes 12 months). Undoubtedly the most conspicuous species in flower, *M. amoenum* is an epiphytic species in the wild. Our 2004 trip to Guatemala was timed to coincide with the fruiting of this bright pink flowering species, which bore their black fruit on contrasting red-pink stems while rooting into the mossy branches of low oak trees close to the summit of one of the towering extinct volcanoes. *Peliosanthes arisanensis* is a small species from Taiwan, where like their close relatives of *Aspidistra* thrive in shady moist forests, forming neat clumps of broad pleated leaves from the thin rhizomes which also bear the slender

upright stems of yellow-pink flowers. *Psacalium pinetorum* will be the first of several species that we hope to introduce, from Central America, where they inhabit the understorey of pine forests. Superficially imitating the foliage of a large *Podophyllum* (name no names but I have fooled a few people). The flowers undoubtedly give the game away though more akin to *Syneilesis*, but more substantial. *Salvia koyamae* is a pale yellow woodland species we collected in Japan in 2005. Where we generally see it at the edge of forests to only 40cm tall with the pale yellow wide mouths of the flowers contrasting with the purple anthers. **S. red species from Guatemala** has defied all attempts of identification so far, but it is closely related to *S. karwinskii* all be it with differing foliage. No such problem of identity with *S. vitifolia*, with bold *Vitis*-like soft grey foliage as well as the large bright blue flowers, towering above. *Senecio gerberaeifolius* has finally found its identity, aptly named with large yellow ray flowers and strap-shaped leaves, originating from the Huehuetenango plateau in Guatemala. *Stephania* are quite an unusual herbaceous twining climber from the moon-seed (*Menispermaceae*) family, with elegant perfoliate leaves all arising from a tuber. For me the foliage alone is worth it, but they do bear clusters of small flowers followed by conspicuous clusters of flat red fruit (containing the obligatory moon-seed). *S. rotunda* has a tuber which can get to 20 kg, some species are used in traditional medicine in Asia. *S. sinica* is a yellow flowering species with a smaller tuber, one of my collections from E'meishan Western China in 2000. Oops! Another name blunder – *Tigridia orthantha* (syn. *Rigidella*) grew in the same manner as *T. pavonia*, hence our mistake. No mistaking it when in flower, everybody wants one, it is bright though, scarlet speckled orange, with recurved flowers held in succession.

New cultivar names we are introducing

***Asarum infrapurpureum* ‘Taroko Web’**

Was our first collection of any *Asarum* (BSWJ209), used as a display plant ever since. It is a distinct form of the species with cordate (heart shaped) dark matt green leaves which are medium sized for this species, approximately 10 cm long, which are attractively striated silver on most of the larger veins. It is a collection from Taroko in the east of Taiwan, where it was growing perilously close to the road on our first trip to that country in 1992. We returned there in 1993, horrified to see the area had been sprayed with weed-killer, in some sort of economy drive. Our host in Taiwan happened to be the conservation officer at that time, we have never seen them use it again.

***Cautleya spicata* ‘Arun Flame’**

A distinct collection we gathered from Eastern Nepal in 2002 with Dan Hinkley and Jamaica Kincaid (HWJK2127). Which has the darkest red stems with yellow orange flushed flowers in dense terminal spikes, sheathed by dark red bracts, while the backs of the leaves are tinged purple-red. The plants are not quite as tall as our previous collections attaining just under 1m. We have found this collection to be perfectly hardy in an open field even in full sun, all we have done is to apply an 8cm bark mulch every winter.

***Paris verticillata* ‘Ryokutei’**

Is a selected form of this species which we purchased from a nursery in Japan. Which bears a double green flower, as the sepals (the bract-like arrangement behind the narrow petals) have kept on producing additional floral leaves. There is a story behind my initial sighting of this plant. While on a ‘shopping expedition’ in Japan one spring with Dan, we were visiting one of their more reputable nurseries. I found one plant of this Paris tucked away ... If you have Heronswood’s 2001 catalogue you can read the rest of the story. p.133.

***Reineckea carnea* ‘Crûg’s Broadleaf’**

An unusual form (if that’s what it is) of this evergreen woodland perennial closely related to lily of the valley. This form is distinct in bearing much broader spatulate leaves distinctly veined and not ribbed, on short upright stems from thick creeping rhizomes that spreads above ground. Bearing pink lily of the valley-like flowers August-October. Easily grown in any type of fertile soil preferably with some moisture retention, in full to part shade. One of my collections from moist woodlands on E’meishan Sichuan China in 2000 (BWJ8096).

***Sedum ussuriense* ‘Chuwangsan’**

A species we have been offering for a number of years which we collected in the unique limestone environment of Chuwangsan, South Korea. Where this unusual variety/form inhabits tiny nooks and crannies on cliffs of a narrow gorge. Hence its almost pendulous habit, forming small clumps of fat fleshy basal buds which burst open in early spring and slowly extend through the summer months to red wiry arching stems, with clasping grey fleshy serrated orbicular leaves spaced along them. Bearing by mid to late summer generous flat topped corymbs of rose-pink flowers. Flowering better in full sun-part shade in a well drained soil. Has been listed incorrectly as

Cotyledon in the Plant Finder, hence this re-naming. Previously offered as: *S. orbiculatum* BSWJ723.

***Schizophragma hydrangeoides* 'Cheju's Early'**

A distinct early flowering form of this deciduous, woody-stemmed, aerial rooting climber, that we collected from the island of Cheju-Dō, South Korea. With a pleasing habit of adhering itself close to its host support, bearing deeply toothed-serrated ovate leaves and lacy corymbs of small white fertile flowers fringed by large pure-white showy sepals. Distinctly earlier in this form, April-May at our nursery. Previously sold as: *S. hydrangeoides* f. *quelpartensis* BSWJ1160.

***Tricyrtis lasiocarpa* 'Royal Toad'**

Rescued from the scene of utter devastation in the Central Mountains of Taiwan after the '99 earthquake. Where this collection was made at 1480m from amongst the rubble of steep cliffs. With adherent clasping rhizomes and strong flexuous leafy stems to 90cm long, bearing good-sized terminal funnel-shaped flowers, distinctly royal-blue at the tips as the nights get cold in autumn, on this selection where we grow it. Easily grown in sun or part-shade in a moisture retentive fertile drained soil, protect roots from frost. Previously offered as: *T. lasiocarpa* BSWJ7014.

***Uvularia sessilifolia* 'Cobblewood Gold'**

A selection discovered by plantsman Darrell Probst in 1997 of a North American native in a patch of woods in western Massachusetts and named for his nursery. Slender shoots emerge in early spring, from narrow underground creeping rhizomes. The wiry stems are draped with small green leaves, which are richly enhanced by golden yellow variegation. The yellow, bell-shaped flower in early spring are of course a bonus.

Events, Talks and Open Days at Crûg Farm Plants 2008

Saturday & Sunday 5th & 6th April
Photography Workshop with Andrea Jones

Wednesday 16th April
***R.H.S. Garden Event**
Woodland Walk 2 – 5pm
Ticket includes tea and cake

Saturday 3rd May
Welsh Historic Garden Trust, Plant Fair
10am – 5pm

Sunday 25th May
National Garden Scheme Open Day
10am – 5pm

Saturday 14th June
Open Day – Fundraising for the Samaritans
10am – 5pm

Wednesday 16th July
***R.H.S. Garden Event**
A day studying climbers
10.30am – 5pm
Ticket includes morning coffee and afternoon tea.
Please bring picnic lunch

Wednesday 3rd September
***R.H.S. Garden Event**
Our last collecting trip to North Vietnam
10.30am – 5pm
Ticket includes morning coffee and afternoon tea.
Please bring picnic lunch

***R.H.S. Garden Events**
Tickets only available in advance
from RHS Ticket Line 0845 612 1253

OPENING TIMES 2008

We are open 365 days of the year on
www.mailorder.crug-farm.co.uk

For on-site visits we open
March 8th to September 27th*

MARCH TO JUNE

Thursday to Sunday 10am – 5pm
& Bank Holidays

JULY to SEPTEMBER*

Thursday to Saturday 10am – 5pm


*Please note – the nursery will be opening
2 weeks later this season.

*In the months of July, August and September
we close on Sundays and Bank Holidays

Also guided tours by arrangement

Open days & Event

How to find us:



Griffith's Crossing, Caernarfon, Gwynedd, LL55 1TU

Tel: (+44) 01248 670232

E-mail: info@crug-farm.co.uk

Mail Order: mailorder@crug-farm.co.uk

Descriptive catalogue: www.crug-farm.co.uk

Mail Order: www.mailorder.crug-farm.co.uk

Proprietors: Bleddyn & Sue Wynn-Jones