

2020/2021

Perennial Seeds · Staudensamen



Jelitto[®]

Price List 2020 / 2021

(valid for two years)

Mailing address:

Jelitto Staudensamen GmbH
Postfach 1264 · D-29685 Schwarmstedt
Telefon 0 50 71/98 29-0 · Telefax 0 50 71/98 29-27
Intern.: Phone +49 50 71/98 29-0 · Fax +49 50 71/98 29-27
<http://www.jelitto.com> · e-mail: info@jelitto.com

Delivery address:

Am Toggraben 3 · D-29690 Schwarmstedt

Office hours:

Monday – Friday, 8.00 – 16.45 C.E.T.

USA Office:

Jelitto Perennial Seeds
125 Chenoweth Ln. · Suite 301 · Louisville, KY 40207
Phone +1/502/895 0807 · Fax +1/502/895 3934
Manager: Mary Vaananen · e-mail: maryv@jelitto.com

UK & Ireland Agents:

Meadows (Fenton) Ltd - Jelitto Perennial Seeds
P.O. Box 78 · St Ives
Huntingdon · Cambs PE27 6ZA
Phone +44 (0) 1480-463 570 · Fax +44 (0) 1480-466 042
Office: Angela Whiting · e-mail: angela@jelitto.com
Manager: Luke Whiting · e-mail: Luke@jelitto.com

Japan Office:

Oscogarden Japan Inc.
1137-4, Kusabana, Akiruno-shi
Tokyo 197-0802
Phone +81(0) 42-518-7323 · Fax +81(0) 42-518-7324
e-mail: oscogarden@jelitto.com

Trade register: Walsrode HRB 497

General Manager: Georg G. Uebelhart

General directions:

Prices in EURO/€!

Minimum order value 25 € net. Orders less than 25 € will be charged the difference.

Minimum charge per item 2 € net.

During the busy season Jan./Febr. and May/June please allow 1-2 weeks for order processing. Please order well in advance!

Orders are generally shipped air parcel post but courier service is available upon request.

According to our experience it can take from pick-up to delivery up to 30 days via air parcel post and is impossible to track. By courier it will take 2, to maximum 5 days, and it is possible to track anytime, but is more expensive. The seed offered of endangered plants is not collected in the wild.

Our seed is not edible, and is only suitable for the production of plants. Please note that some seeds and plants are toxic! Jelitto Staudensamen GmbH cannot be held responsible if seeds or plants are eaten.

Online-Shop and websites:

<http://www.jelitto.com>

Download Order Form

Our VAT Reg. No. is:

DE 118576356

Payments requested by Credit card!



Other payment methods with credit approval:

- Direct money transfer in EURO € to one of our bank accounts (see right). All banking charges are for the account of the buyer.
- Check; Draft in EURO € drawn on a German bank. US \$ check drawn on a US-Bank, GBP £ cheque drawn on a UK-Bank. Other currencies cannot be accepted. All banking charges are for the account of the buyer.
- For the USA and Canada the invoice will be converted into US \$, for the UK the invoice will be converted into GBP £, according to the actual exchange rate. Conversion table see inside back cover.
- The prices in this list are not binding and exclude tax. Customers outside of Germany in the European-Union who do not have a VAT Reg. No. will be charged additional value added tax (Nov. 2019: 7%).

Please supply us with your VAT Reg. No. when ordering.

Bank accounts:

Commerzbank Celle, Germany
SWIFT-BIC: DRES DE FF257
IBAN: DE94 2578 0022 0419 9923 00

Kreissparkasse Walsrode, Germany
SWIFT-BIC: NOLA DE 21WAL
IBAN: DE32 2515 2375 0008 1280 01

Postbank Hamburg, Germany
SWIFT-BIC: PBNK DE FF200
IBAN: DE45 2001 0020 0278 0792 02

Basellandschaftliche Kantonalbank, Switzerland,
CH-4144 Arlesheim, SWIFT-BIC: BLKB CH 22 769
CHF-Acc. IBAN: CH37 0076 9016 3103 3751 4
€-Acc. IBAN: CH54 0076 9016 1443 0948 6

Commerzbank London Branch, UK
SWIFT-BIC: COBA GB 2X
GBP/£-Acc. IBAN: GB41 COBA 4062 0130 5094 50

Allium schoenoprasum 'Ornamental One Series'

Allium schoenoprasum, or simply the common chive, is a most well-known, useful and humble plant. Besides being grown for its culinary uses, its drought tolerance has lent itself to green roof and wall applications. You see very little use in an ornamental setting, maybe because the ordinary chive lacked good flower colors. Jelitto Perennial Seeds has focused on Multiple Use plants... edibles with ornamental qualities, developing clear distinct colors and consistent sturdy medium sized foliage. We have bred what we think is a multiple winner.

We are proud to introduce 'The Ornamental One' Chive Series! 'Pink One', 'Purple One', and 'White One' flowering plants available for the first time in single color seed strains. First year flowering, deliciously edible and highly ornamental, all three colors are uniform in height and flowering time, with good sturdy leaf blades. Multi-use plants are very desirable these days... garden to table... garden to vase... massed in garden settings... or use in container plantings. Just say, "I'll have the 'Pink One'".



Bulbine frutescens 'Avera Sun Series'

There is satisfaction in breeding multi-use plants for growers and gardeners. Do you know the useful Bulbine frutescens? This South African native is a succulent leaved clumping plant with lovely spikes of flowers in spring and fall. Its leaves yield a jelly similar to Aloe Vera that soothes burns, various skin ailments and instantly moisturizes dry skin with a neutral refreshing fragrance.

Jelitto Perennial Seeds' breeding program introduces the Bulbine frutescens Avera Sun-Series 'Avera Sunrise Yellow' and 'Avera Sunset Orange'... two distinct color strains with triple size blooms (compared to the species) that are first year flowering from seed. Cheerful yellow or orange stars grace these easy to grow drought tolerant succulents.

The deer resistant Avera Sun-Series can be grown year-round in frost free climates, as a patio plant, or will happily re-seed in your temperate garden guaranteeing flowers and soothing gel for next season.



2020/2021



Gaillardia aristata 'Fire Wheels'

With its unique flower color and form, Gaillardia 'Fanfare' took the horticulture world by storm and is still everybody's favorite Gaillardia. From a chance seedling found decades ago in the Jelitto production fields of the popular Gaillardia 'Kobold', comes the roots of the fancy frenzy of 'Fire Wheels'.

Jelitto Perennial Seeds breeding has made the cool tubular petals of the well-known 'Fanfare' available in a hardy, consistent, and easy to grow seed strain.

It has taken time to stabilize the fluted form, making sure that the flowers are true to type and the plants are hardy, vigorous, and long lasting. No patents or royalties need be paid as this easy to grow seed strain is easy on the budget. Easy to grow and beautiful in the garden, 'Fire Wheels' blankets the front of the border with gold, orange and red hues June through September.

We are quite happy with the results!

Sisyrinchium idahoense var. macounii 'Moody Blues'

Some say Siss-er-ink-ee-um, some say Siss-er-inch-ee-um.

Whether you ink or inch, this beautiful little blue-eyed member of the Iridaceae (Iris family) will make its mark in your garden life. Smaller in stature than its relative *S. angustifolium* but larger in flower, 'Moody Blues' is a beauty. This vigorous species of Idaho blue-eyed grass grows naturally in moist open meadows. Flowering May through July, the variety macounii is native to Washington State to British Columbia, and named for John Macoun, an Irish-born Canadian naturalist and explorer of the Canadian prairies.

Deep inky-blue centers surround bright golden sepals and petals of violet blue. These dramatic colors set the mood for delightful garden combinations whether planted in rockery, container, sunny garden bed or in the front of Prairie Garden like plantings. Plants grow to about 4-5 inches tall and 6 inches wide and are a food source for multiple pollinators and beneficial insects. Growers and gardeners alike will delight in *Sisyrinchium* 'Moody Blues'.

The Jelitto-Team: 32 dedicated employees have been working for Jelitto for many years. Their know-how and expertise is crucial to the success of the company. A sure guarantee for our future.



About us

- 2018 Allen W. Bush retires.
- 2016 JELITTO GOLDNUGGET SEED® are sold initially in 1000 seed-units.
- 2015 the Jelitto shop www.jelitto.com goes mobile.
- 2013 the new Jelitto shop www.jelitto.com goes online.
- 2012 Martin Bachor becomes proxy holder and reinforces the company management.
- 2012 spring sees the presentation of our new breeding station.
- 2007 Jelitto Perennial Seeds celebrated its 50 years anniversary.
- 2002 Georg Uebelhart is now majority shareholder.
- 1996 the North American office is opened, followed by an office for the United Kingdom and Ireland in 2000 and Japan in 2007.
- 1994 JELITTO GOLDNUGGET SEED® is brought to the market. This is the patented preparation process, designed to promote rapid germination of dormant seed.
- 1992 the company moved to its new location in Schwarmstedt, a northern German town near Hanover, which remains its headquarters. Apart from providing ample room for growth, the new site has a trial field of considerable size, expanded germination laboratories and seed processing equipment as well as the climate-controlled storage facilities and cold store.
- 1972 Jelitto Perennial Seeds became the first supplier to offer pure seeds of *Anemone sylvestris*, and other varieties with difficult cleaning process, improving the quality, particularly in terms of germination.
- 1957 Klaus R. Jelitto founds what will later become Jelitto Perennial Seeds in Sweden with company headquarters in Landskrona, later in Rellingen, Hamburg and Wedel.

The Production

70% of our current perennial assortment originates from our own production, distributed over the entire world in more than 20 countries.

All areas under cultivation are monitored closely and controlled by our qualified personnel for quality.

Why are we so committed to our own production in such a large number of countries?

Only in this way can we try to influence the optimum environment for seed production, taking into account the climate for maintaining the typical characteristics of the different varieties and forms. In this way we can release controlled and healthy seed for production: On the one hand, to safeguard future quality of our perennial seeds and, on the other hand, to safeguard delivery capacity by spreading the risk of harvest failures caused by natural environmental influences.

How important is the selection of the production location? There is an interplay between the climate and soil characteristics. For example, the blue poppy *Meconopsis betonicifolia*, does not grow well in Italy or Kentucky, but does so in Scandinavia. *Stokesia laevis* does not flourish in Scandinavia but does so in Italy and Kentucky.

We attach great importance to the preservation of the natural variability of botanical varieties by hand harvesting of early, as well as late, maturing seeds.

We also produce seed from endangered species under horticultural conditions in order to protect the natural location.



*Seed production:
Jelitto New Varieties*





Breeding work on Lupinus



Manual Cleaning



Germination testing equipment for perennial seeds

The Breeding

Since the company was established in 1957, it has been Jelitto Perennial Seeds objective to introduce new and improved perennials to the world market. Careful selection and breeding work is necessary to preserve the characteristics of existing varieties and possibly to improve them. For example, the quality of the deep burgundy-leaved Heuchera 'Palace Purple' deteriorated after many generations due to the growing percentage of green-leaved forms. Thanks to systematic breeding work we have been able to offer a good stable strain ever since.

Breeding work takes many years until a new and stable form can be selected. However, we do not shy away from the time and expense involved in achieving genuinely new and improved varieties. For example, Salvia 'Sky Dance' ('14); Lewisia 'Little Tutti Frutti' ('13); Alcea 'Las Vegas' ('12); Agastache 'Tango' ('11); Alcea Spotlight-Series ('10); Echinacea 'Magnus Superior' ('10); Echinacea 'Happy Star' ('09); Rudbeckia 'Sundance' ('08); Agastache 'Sangria' ('07); Coreopsis 'Elfin Gold' ('06); Penstemon 'Sunburst Amethyst' ('06); Helenium 'Tip Top' ('05); Scabiosa 'Pincushion Pink' ('04); Oenothera 'Silver Wings' ('04); Iberis 'Snow Cushion' ('02); Knautia 'Mars Midget' ('02); Thymus 'Magic Carpet' ('01); Polemonium 'Heavenly Habit' ('99); to name a few of our newer introductions.

We have also been able to introduce a large number of new varieties in close collaboration with friendly breeders and cultivators, such as Gaultheria 'Redwood' ('14); Trollius 'Morning Sun' ('12); Agastache 'Globetrotter' ('10); Penstemon 'War Axe' ('09); Salvia 'Twilight Serenade' ('08); Scabiosa 'Moon Dance' ('07); Gaillardia 'Amber Wheels' ('06); Sedum 'Oktoberfest' ('05); Echinacea 'Doubledecker' ('04); Heliopsis 'Summer Nights' ('04); Helleborus Lady-Series ('01); Hibiscus 'Galaxy' ('01); Echinacea 'Rubinstern' ('00); Aстранtia 'Ruby Cloud' ('96); Bergenia 'Winterglut' ('95); Achillea 'Colorado' ('93); Echinacea 'Magnus' ('85).

Just as important as the creation of new varieties is the harvest of elite seed for future seed production.

Elite seed, for stock production, is isolated from cross fertilisation, pollinated by hand often collected individually, observed and appraised over a period of up to five years. It then takes another 3 to 5 years until the first saleable seed can be harvested.



Trollius 'Golden Queen' germination comparison: untreated to JELITTO GOLD NUGGET SEED®

The Seed technology

We concentrate very carefully on the seed technology sector, with special attention to seed cleaning, suitable seed storage, quality control of the seed, as well as innovative germination techniques.

All seeds are carefully dried in Schwarmstedt. They are then cleaned gently to a purity level of over 98%.

Equipment and seed cleaning machines developed especially for us are a prerequisite for processing into pure seed. Examples: Anemone, Limonium, Phragmites.

Particularly important for us is the proper and individual storage of the seed in order to preserve its viability, from harvesting to shipment.

Experience gained over 50 years in storage technology and quality assurance means that we have harvest-fresh seed available in stock nearly all year.

More than 15.000 germination tests are carried out each year in our germination laboratories. Each batch is tested up to three times a year.

Particularly difficult and time consuming are germination tests on cold germinators as these must also go through a process in our laboratories of warm, cold and cool temperatures (according to our sowing instructions).

JELITTO SEED TECHNOLOGY - JET® represent our improvement in seed cleaning. JET® seeds have been rubbed, peeled, processed into pure seed for better mechanical handling and seed sowing, or heat-treated. The JET® process enhances germination on a growing number of seed items.

JELITTO GOLD NUGGET SEED® makes it possible for cold germinators to germinate quickly and uniformly without cold treatment.

In the nineteen seventies Klaus R. Jelitto developed a new procedure for systematically eliminating the natural seed dormancy for cold germinators and presented this innovative product for the first time in his perennial seed catalogue of 1978.

Thanks to extensive research we have been able to significantly extend the range of JELITTO GOLD NUGGET SEED® to more than 300 varieties. See the advantages yourself.

The question remains: germination in 2 to 3 weeks or wait 3 to 6 months? For a growing number of perennial producers the answer is obvious.



Anemone sylvestris: normal – pure seed

New additions to our range 2020

JELITTO GOLD NUGGET SEED®

EUPHORBIA palustris

☑ **THALICTRUM** rochebrunianum var. grandisepalum

☑ **VERONICASTRUM** virginicum f. caeruleum

Perennial Herbs - Culinary, Teas + Medicinal

☑ **ALLIUM** schoenoprasum 'Pink One'

☑ **ALLIUM** schoenoprasum 'Purple One'

☑ **ALLIUM** schoenoprasum 'White One'

☑ **BULBINE** frutescens 'Avera Sunset Orange'

☑ **BULBINE** frutescens 'Avera Sunrise Yellow'

☑ **CORIANDRUM** sativum 'Typ Dwarf Lemon'

☑ **CYNOGLOSSUM** creticum

☑ **DRACOCEPHALUM** moldavica

☑ **EPILOBIUM** angustifolium 'Album'

OCIMUM tenuiflorum

PLANTAGO lanceolata 'Liber'

☑ **RUTA** graveolens 'Jackman's Blue Strain'

☑ **SALVIA** apiana

☑ **SIDERITIS** scardica

☑ **VERBENA** officinalis var. grandiflora 'Brampton'

Herb Seeds from Organic Production

AGASTACHE rugosa f. albiflora

AJUGA genevensis

ALTHAEA cannabina

BELAMCANDA chinensis

CENTRANTHUS ruber var. coccineus

CEPHALARIA gigantea

CHENOPODIUM quinoa

CLEMATIS vitalba

☑ **CYNARA** cardunculus ssp. flavescens

☑ **ESCHSCHOLZIA** californica mixed colours

☑ **GALEGA** officinalis 'Alba'

HIERACIUM pilosella

KNAUTIA arvensis

LEUCANTHEMUM vulgare

LINUM perenne

☑ **LOBELIA** inflata

LUPINUS Perennis-Hybr. 'Russellmixture'

☑ **MENTHA** cervina 'Alba'

PLATYCODON grandiflorus 'Mariesii'

POTENTILLA argentea

☑ **SALVIA** moorcroftiana x indica 'Shangri-La'

SALVIA nemorosa 'Violettkönigin'

SALVIA pratensis

SALVIA sclarea var. turkestanica 'Vatican Pink'

SCABIOSA ochroleuca

SILENE alba

SILENE dioica

THYMUS zygis

VERBASCUM bombyciferum

VERBENA hastata

Perennials

ACONITUM lamarckii

ANCHUSA azurea 'Feltham Pride Strain'

☑ **ARALIA** cordata f. aurea

☑ **ASCLEPIAS** asperula

☑ **ASCLEPIAS** viridis

☑ **BELAMCANDA** flabellata 'Hello Orange'

☑ **CAMPANULA** carpatica 'Blue Clips'

CAMPANULA carpatica 'Deep Blue Clips'

☑ **CAMPANULA** carpatica 'White Clips'

CEPHALARIA alpina

☑ **CLEMATIS** hexapetala 'Mongolian Snowflakes'

CLEMATIS texensis

☑ **COREOPSIS** verticillata

☑ **CYCLAMEN** alpinum

CYCLAMEN coum 'Silver Leaf White'

☑ **CYCLAMEN** hederifolium f. albiflorum

CYCLAMEN hederifolium 'Silver Leaf White'

☑ **CYCLAMEN** persicum var. persicum

☑ **DELPHINIUM** requienii

EPHEDRA distachya ssp. helvetica

EUPHORBIA amygdaloides 'Purpurea'

FRITILLARIA pudica

☑ **GAILLARDIA** aristata 'Fire Wheels'

☑ **GALANTHUS** plicatus

☑ **GAZANIA** krebsiana 'Tanager®'

☑ **HIBISCUS** coccineus f. albiflorus

LAMIUM maculatum

☑ **LYTHRUM** salicaria 'Happy Lights'

ORNITHOGALUM pyrenaicum

☑ **POLYGONUM** virginianum 'Variegatum'

☑ **PRIMULA** 'Victoriana Silver Lace Black'

☑ **PULSATILLA** ambigua

☑ **SALVIA** candidissima

SAXIFRAGA cymbalaria

☑ **SISYRINCHIUM** idahoense var. mac. 'Moody Blues'

☑ **TEUCRIUM** orientale

VERATRUM viride

☑ **VERONICASTRUM** virginicum f. caeruleum

Ornamental Grasses

☑ **BOUTELOUA** gracilis 'Bad River'

☑ **CAREX** divulsa

☑ **MUHLENBERGIA** dumosa

☑ **PANICUM** virgatum 'Blue Giants'

New additions to our range 2019

Perennial Herbs - Culinary, Teas + Medicinal

☑ **BORAGO** officinalis 'Alba'

☑ **FRAGARIA** virginiana

☑ **TARAXACUM** albidum

☑ **TARAXACUM** pseudoroseum

Herb Seeds from Organic Production

ANEMOPSIS californica

☑ **ARGEMONE** platyceras

CENTAUREA cyanus 'Double Mixture'

☑ **CORIANDRUM** sativum 'Typ Dwarf Lemon'

CRYPTOTAENIA japonica f. viridis

☑ **ECHINACEA** purpurea 'Magnus'

☑ **MENTHA** suaveolens

☑ **OCIMUM** basilicum 'Ararat'

☑ **RUMEX** scutatus

VITEX agnus-castus

Perennials

☑ **AQUILEGIA** flavescens

☑ **CODONOPSIS** canescens

☑ **CORYDALIS** acaulis

DARLINGTONIA californica

☑ **DELOSPERMA** congestum f. album 'White Nugget'

DELPHINIUM nudicaule 'Fox'

DELPHINIUM 'Pink Princess'

DELPHINIUM 'Royal Aspirations'

☑ **KNAUTIA** macedonica 'Midget Mauves'

☑ **LYCHNIS** x haageana 'Molten Lava'

☑ **MANDRAGORA** caulescens

☑ **MECONOPSIS** balangensis

☑ **PARAQUILEGIA** microphylla

PENSTEMON 'Pinacolada Dark Rose Shades'

PENSTEMON 'Pinacolada Rosy Red Shades'

PENSTEMON 'Pinacolada Violet Shades'

PENSTEMON 'Pinacolada White Shades'

☑ **SALVIA** moorcroftiana x indica 'Shangri-La'

☑ **SCHIZOSTYLIS** coccinea

☑ **THALICTRUM** rochebrunianum var. grandisepalum

☑ **THYMUS** longiflorus

VANCOUVERIA hexandra

☑ **VERONICA** beccabunga

Number of pages
(incl. Cover Sheet):

We order to your terms:

Name: _____

Street + N°: _____

City: _____

Postcode: _____

Country: _____

Phone: _____

Fax: _____

E-mail: _____

Customer N°:

VAT REG N°: _____

Payment:

by Cheque

by Bank Transfer

by Direct Debit (only EURO Zone / We will send you a SEPA Direct Debit Mandate separately)

Charge my Credit Card:



Card Expiry Date:

 /

Credit Card N°:

(Please fill out all fields)

CVC Code*:

(*on the reverse of your credit card)

Cardholder's name: _____

Notes / Messages:

May we substitute with a similar item:

Yes

No

Printed Stick In Labels: _____ YY 004 Set (Sets)

Dispatch:

2-7 working days

(Air) mail:

+ (5-30 days)

Courier:

+ (2-5 days)

Minimum order value 25 € net

Date: _____

Signature: _____

Throughout the seed list on the following pages you will find:

Signs:

- NEW!** new introduction
- with picture in the catalogue

Examples out of our descriptions:

- = Awarded Plant
 - Jelitto Cultivars and New Introductions, All American Selection, Award of Garden Merit by RHS, Fleuro Select, International Hardy Plant Union, Perennial Plant Association, Plant Select, contact Plant Select for legal use of ® names
- 70 cm = height of plants
- VI-IX = flowering June - September
- JET®** = **JELITTO SEED TECHNOLOGY**
represents our improvement in seed cleaning.
JET® seeds have been rubbed, peeled or processed into pure seed for better mechanical handling and seed sowing.
The **JET®** process enhances germination on a growing number of seed items.
- [] = These specifications concern cultivar translations, the renaming of existing cultivars, and confusing marketing names given to the botanical species. We deliver the usual trade quality of seed.
While these specifications are not complete, they are compiled in good conscience to the best of our knowledge and will be updated online (www.jelitto.com).
For example:
ALYSSUM montanum 'Berggold' = translated = [Mountain Gold]
AQUILEGIA vulgaris 'William Guinness' = re-named = [Magpie]
NEPETA nervosa = marketing name = [Blue Moon]

- 1. Line: Amount of seeds in gram to get approx. 1000 plants.
(If sown directly into pots, trays or containers you will need an appropriate larger quantity.)
- 2. Line: The No of sowing directions, you will find it in English and other languages at the end of the catalogue.
(D, UK, F, S, NL, J, I)
- 3. Line:

| | |
|--|--|
| <ul style="list-style-type: none"> ornamental foliage plant first year flowering second year flowering flowering pot plant creeping, groundcovers climbing water or marshplant hanging plant winterprotection needed (Northern- and Central-Europe) Alpinehouse in winter cushion plant for the rockgarden | <ul style="list-style-type: none"> avoid lime annual biennial perennial solitary plant decorative fruit toxic plant officinal (medicinal) plant patio plants (Northern- and Central-Europe) flowers or seedcapsules for flower arrangement beneficial plant honey-bee food plant |
|--|--|
- Z1 - 11 Winter Hardiness Zones: give an approximate indication of the minimum temperature that a particular species can survive. Use this as a basic but not the end all for determining species suitable for your conditions. Other factors like soil and microclimate can influence winter hardiness to some degree. Source: RHS Index of Garden Plants, USDA Online Plant Database, A. Armitage - Herbaceous Perennial Plants and others.
Conversion table see inside back cover.

- Prices:
- 1000g = Prices in Euro for 1000 - 9999.9 gramm
 - 100g = Prices in Euro for 100 - 999.9 gramm
 - 10g = Prices in Euro for 10 - 99.9 gramm
 - 1g = Prices in Euro for 0.1 - 9.9 gramm
 - 1 P = Prices in Euro for 1 Portion (usually sufficient for approx. 50 plants)
 - 1000 seeds = Prices in Euro for 1000 seeds

Minimum charge per item 2€ net! Minimum order value 25€ net!
See also delivery terms on the inside back cover.

| | Gram to get 1000 plants | N° of the sowing directions | Special Hints | Prices in EURO net per: | | | Portion |
|--|-------------------------|-----------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | |
| ACHILLEA AA 029 millefolium 'Colorado', 60 cm, V-X, Z2-9 | 1 | 15 | | 544,00 | 68,00 | 8,60 | 2,80 |

Code No :
 Please always state our code number for each item on your order to prevent delays with delivery.

Fax Order Form Pages 5 – 6

The Fax Order Form as well as the Purchase Order Form can be downloaded on www.jelitto.com, see „Other“.



JELITTO GOLD NUGGET SEED® Pages 8 – 12

List of all available GOLD NUGGET SEED with important notes.

Perennial Herbs - Culinary, Teas and Medicinal Page 13 – 32

Perennial Medicinal-, Aromatic- and Culinary Herbs as well as annual herbs as a supplement to the assortment.



Herb Seeds from Organic Production Page 33 – 47



Certified seed in compliance with EU Regulation No. 834/2007 + 889/2008

Perennials Pages 48 – 190

The whole perennial seeds assortment with short plant descriptions, special hints and prices.

Printed Stick In Labels Page 190

We offer printed stick labels for your seed flats.

Ornamental Grasses Pages 191 – 208

The whole ornamental grasses assortment with short plant descriptions, special hints and prices.

Sowing directions pages 209 – 216

Sowing directions in D, UK, F, S, NL, J, I



Important notes!

This range – identified by G for GOLD NUGGET SEED® as the second letter in the item number – listed on this page and the following, no longer needs a period of low temperature to break dormancy. Depending on the variety, the seeds will germinate evenly and promptly 14 to 21 days after sowing. (Untreated seed would need two to six months).

The advantage is obvious – a shorter and more controlled growing period with more productive results! JELITTO GOLD NUGGET SEED® are also particularly suitable for sowing direct into cells so that subsequent pricking out can be dispensed with. They require only about half the amount of seed that would be required with untreated seed.

The minimum germination standard of GOLD NUGGET SEED® is >75%, respectively >88% under controlled conditions. Nevertheless, in order to obtain best possible results, we do recommend a multiplication factor of 2 or 3 when calculating seed requirements (3000 seeds for 1000 plants, 2-3 seeds per plant).

You can proceed according to our Sowing Instructions No. 15 or 16. Ideal germination temperature: 22°C (72°F). After germination, the seedlings must be kept cool (+5 to 10°C)(41 to 50°F) in the months with less daylight hours, but must not be exposed to frost. At this time, it is of great benefit if the seedlings can receive at least 8 – 12 hours of light per day. This requires additional lighting in the winter months.

Uncontrolled high temperatures during the summer months can have a deleterious effect on successful germination.

Some species germinate very fast without a cold treatment but need to be sown immediately after harvest. For example *Primula rosea* and *Pulsatilla vulgaris*.

JELITTO GOLD NUGGET SEED® is typified with 2% golden coloured seeds.

Please note that JELITTO GOLD NUGGET SEED® "pre-treated seed" should not be stored and should be used as soon as possible after receipt. JELITTO GOLD NUGGET SEED® should be kept in a cool place until it is used.

Please order Gold Nugget Seed® in number of seeds only. There are no 1000 seed units prepacked! Each order is weighed individually. You are welcome to order any amount, ie. 700 seeds or 15200 seeds. Please bear in mind our minimum quantity per item. Minimum charge per item 2 € net, price will be rounded up accordingly.

The price per 1000 seed is a fixed price for this number of seeds, while the quantity in weight may vary considerably between different seed lots. The number of seed per gram is counted for each seed lot individually. Seeds are measured according to weight and are not counted each time for every order. Therefore, the number of seed may vary and a ± difference of approx. 5% should be accepted with no compensation in any way due the technical circumstances.

| | Prices in EURO net per 1000 seeds | Minimum order quantity/ seeds | Nº. of the sowing directions | Special Hints | Code Nº |
|---|-----------------------------------|-------------------------------|------------------------------|---|---------|
| AG 019 ACAENA inermis 'Purpurea' | 24,00 | 100 | 16 | germinates after 5-6 weeks at +26°C | AG 019 |
| AG 005 ACAENA microphylla | 12,00 | 200 | 16 | germinates after 5-6 weeks at +26°C | AG 005 |
| AG 070 ACONITUM anthora | 18,00 | 150 | 15 | germinating in 4-6 weeks at 24°C days, 15°C nights | AG 070 |
| AG 090 ACONITUM napellus | 24,00 | 100 | 15 | germinating in 4-6 weeks at 24°C days, 15°C nights | AG 090 |
| AG 094 ACONITUM napellus 'Newry Blue' | 24,00 | 100 | 16 | germinating in 4-6 weeks at 24°C days, 15°C nights | AG 094 |
| AG 103 ACORUS calamus | 22,00 | 100 | 16 | requires 4-6 weeks for germination | AG 103 |
| AG 132 AETHIONEMA grandiflorum (pulchellum) | 24,00 | 100 | 15 | germination occurs in 1-2 weeks | AG 132 |
| AG 280 ALCEA (ALTHAEA) Ficifolia-Hybr. ['Happy Lights'] | 18,00 | 150 | 15 | varying temperatures beneficial, day 24°C, night 15°C | AG 280 |
| AG 285 ALCEA (ALTHAEA) Ficifolia-Hybr. 'Las Vegas' | 22,00 | 100 | 15 | varying temperatures beneficial, day 24°C, night 15°C | AG 285 |
| AG 286 ALCEA (ALTHAEA) Rosea-Hybr. 'Simplex' | 18,00 | 150 | 15 | varying temperatures beneficial, day 24°C, night 15°C | AG 286 |
| AG 310 ALCEA (ALTHAEA) rugosa | 18,00 | 150 | 15 | varying temperatures beneficial, day 24°C, night 15°C | AG 310 |
| AG 163 ALCHEMILLA epipsila | 12,00 | 200 | 16 | light-germinator, do not cover | AG 163 |
| AG 164 ALCHEMILLA erythropoda [Alma] | 12,00 | 200 | 15 | light-germinator, do not cover | AG 164 |
| AG 167 ALCHEMILLA mollis [Thriller, Irish Silk] | 2,40 | 1000 | 15 | light-germinator, do not cover | AG 167 |
| AG 168 ALCHEMILLA mollis 'Select' [Robustica, Giant Molly] | 3,60 | 500 | 15 | light-germinator, do not cover | AG 168 |
| AG 174 ALCHEMILLA sericata 'Gold Strike' | 12,00 | 200 | 15 | light-germinator, do not cover | AG 174 |
| AG 178 ALCHEMILLA xanthochlora (vulgaris) | 3,60 | 1000 | 16 | light-germinator, do not cover | AG 178 |
| AG 365 AMSONIA hubrichtii | 72,00 | 100 | 15 | | AG 365 |
| AG 366 AMSONIA tabernaemontana [Stars, Blue Star] | 72,00 | 100 | 15 | | AG 366 |
| AG 412 ANDROSACE villosa | 128,00 | 50 | 16 | requires 4-6 weeks for germination | AG 412 |
| AG 444 ANEMONE hupehensis (japonica) | 12,00 | 200 | 15 | | AG 444 |
| AG 460 ANEMONE multifida 'Major' [Annabella White] | 12,00 | 200 | 15 | | AG 460 |
| AG 448 ANEMONE multifida 'Rubra' [Annabella Deep Pink] | 12,00 | 200 | 15 | | AG 448 |
| AG 544 ANTHYLLIS vulneraria var. coccinea [Red Carpet] | 28,00 | 100 | 15 | germination occurs in 1-2 weeks | AG 544 |
| AG 601 AQUILEGIA buergeriana 'Calimero' [Blackcurrant Ice] | 18,00 | 150 | 16 | | AG 601 |
| AG 764 AQUILEGIA flabellata var. pumila 'Selection' | 18,00 | 150 | 15 | | AG 764 |
| AG 852 ARENARIA montana [Avalanche, Snowwhite] | 24,00 | 100 | 15 | requires 4-6 weeks for germination | AG 852 |
| AG 944 ARUNCUS aethusifolius [Noble Spirit] | 3,60 | 500 | 15 | | AG 944 |
| AG 952 ARUNCUS dioicus | 2,40 | 500 | 16 | varying temperatures, night 18°C, day 26°C, of benefit. | AG 952 |
| AG 976 ASCLEPIAS incarnata [Soulmate, Cinderella] | 22,00 | 100 | 15 | | AG 976 |
| AG 977 ASCLEPIAS incarnata 'Iceballet' [Milkmaid, Ice Follies] | 22,00 | 100 | 15 | | AG 977 |
| AG 985 ASCLEPIAS tuberosa ssp. interior | 32,00 | 100 | 15 | | AG 985 |
| AG 988 ASCLEPIAS tuberosa 'Gay Butterflies' | 32,00 | 100 | 15 | | AG 988 |
| AG 014 ASPHODELINE lutea [Gelbe Kerze, Yellow Candle] | 72,00 | 50 | 15 | dark-germinator, must be covered | AG 014 |
| BG 015 BAPTISIA australis [Caspian Blue] | 58,00 | 50 | 15 | | BG 015 |
| BG 012 BAPTISIA australis 'Alba' | 284,00 | 50 | 15 | | BG 012 |
| BG 017 BAPTISIA leucantha (lactea, alba var. macrophylla) | 104,00 | 50 | 16 | germinating in 4-6 weeks at 24°C days, 15°C nights | BG 017 |
| BG 020 BAPTISIA pendula (alba) | 162,00 | 50 | 15 | | BG 020 |
| CG 020 CALAMINTHA grandiflora [Elfin Purple] | 24,00 | 100 | 16 | varying temperatures, night 18°C, day 26°C, of benefit | CG 020 |
| CG 038 CALLIRHOE involucreta [Winecups, Buffalo Rose] | 72,00 | 50 | 16 | requires 4-6 weeks for germination | CG 038 |
| CG 043 CALTHA leptosepala | 24,00 | 100 | 15 | | CG 043 |
| CG 044 CALTHA palustris | 18,00 | 200 | 15 | | CG 044 |
| CG 045 CALTHA palustris var. alba | 32,00 | 100 | 15 | | CG 045 |
| CG 104 CAMPANULA collina | 6,00 | 400 | 15 | | CG 104 |
| CG 116 CAMPANULA garganica | 7,20 | 300 | 15 | dark-germinator, must be covered | CG 116 |
| CG 158 CAMPANULA latifolia var. macrantha [Amethyst] | 4,20 | 500 | 15 | | CG 158 |

STAUDENSAMEN · PERENNIAL SEEDS · GRAINES DE PLANTES VIVACES

Production – Breeding – Seed Technology

| | Prices in EURO net per 1000 seeds | Minimum order quantity/ seeds | Nº. of the sowing directions | Special Hints | Code Nº |
|--|---|-------------------------------------|------------------------------------|---|---------|
| CG 162 CAMPANULA latifolia var. macrantha 'Alba' | 4,20 | 500 | 15 | | CG 162 |
| CG 190 CAMPANULA portenschlagiana (muralis) | 12,00 | 300 | 15 | dark-germinator, must be covered | CG 190 |
| CG 194 CAMPANULA poscharskyana | 7,20 | 400 | 15 | | CG 194 |
| CG 200 CAMPANULA punctata f. rubriflora | 2,40 | 1000 | 15 | | CG 200 |
| CG 370 CHELONE glabra | 18,00 | 150 | 15 | varying temperatures beneficial, day 24°C, night 15°C | CG 370 |
| CG 372 CHELONE lyonii 'Pink Temptation' | 18,00 | 150 | 15 | varying temperatures beneficial, day 24°C, night 15°C | CG 372 |
| CG 374 CHELONE obliqua | 18,00 | 150 | 15 | varying temperatures beneficial, day 24°C, night 15°C | CG 374 |
| CG 375 CHELONE obliqua var. alba | 18,00 | 150 | 15 | varying temperatures beneficial, day 24°C, night 15°C | CG 375 |
| CG 378 CHIASTOPHYLLUM oppositifolium [Goldtröpfchen, Solar Yellow] | 3,60 | 1000 | 15 | germinates after 5-6 weeks at +26°C | CG 378 |
| CG 542 CISTUS incanus ssp. tauricus | 12,00 | 200 | 15 | | CG 542 |
| CG 584 CODONOPSIS clematidea [Lilac Eyes] | 9,80 | 300 | 15 | | CG 584 |
| CG 690 CYCLAMEN coum | 72,00 | 50 | 16 | dark-germinator, must be covered, allow 5-6 weeks | CG 690 |
| CG 695 CYCLAMEN coum ssp. caucasicum (caucasicum) | 144,00 | 50 | 16 | dark-germinator, must be covered, allow 5-6 weeks | CG 695 |
| CG 692 CYCLAMEN hederifolium (neapolitanum) | 72,00 | 50 | 16 | requires 4-6 weeks for germination | CG 692 |
| CG 694 CYCLAMEN hederifolium 'Perleenteppich' [White Pearls] | 144,00 | 50 | 16 | requires 4-6 weeks for germination | CG 694 |
| CG 698 CYCLAMEN hederifolium 'Rosenteppich' [Pink Pearls] | 144,00 | 50 | 16 | requires 4-6 weeks for germination | CG 698 |
| DG 420 DODECATHEON meadia | 12,00 | 200 | 15 | varying temperatures beneficial, day 24°C, night 15°C | DG 420 |
| DG 422 DODECATHEON meadia f. album | 72,00 | 100 | 15 | varying temperatures beneficial, day 24°C, night 15°C | DG 422 |
| DG 423 DODECATHEON meadia 'Goliath' | 12,00 | 200 | 15 | varying temperatures beneficial, day 24°C, night 15°C | DG 423 |
| DG 424 DODECATHEON meadia 'Red Colors' | 24,00 | 100 | 15 | varying temperatures beneficial, day 24°C, night 15°C | DG 424 |
| DG 421 DODECATHEON meadia Deluxe Mixture | 12,00 | 200 | 15 | varying temperatures beneficial, day 24°C, night 15°C | DG 421 |
| DG 425 DODECATHEON pulchellum | 36,00 | 100 | 15 | varying temperatures beneficial, day 24°C, night 15°C | DG 425 |
| DG 426 DODECATHEON tetrandrum (jeffreii) 'Rotlicht' [Red Light] | 36,00 | 100 | 15 | varying temperatures beneficial, day 24°C, night 15°C | DG 426 |
| DG 480 DRACOCEPHALUM argunense 'Fuji Blue' | 64,00 | 50 | 15 | | DG 480 |
| DG 482 DRACOCEPHALUM argunense 'Fuji White' | 64,00 | 50 | 15 | | DG 482 |
| EG 003 ECHINACEA angustifolia | 24,00 | 100 | 15 | germination occurs in 1-2 weeks | EG 003 |
| EG 005 ECHINACEA pallida 'Hula Dancer' | 24,00 | 100 | 15 | | EG 005 |
| EG 006 ECHINACEA paradoxa var. paradoxa | 24,00 | 100 | 15 | germination occurs in 1-2 weeks | EG 006 |
| EG 007 ECHINACEA simulata | 24,00 | 100 | 15 | | EG 007 |
| EG 008 ECHINACEA tennesseensis 'Rocky Top Hybr.' | 24,00 | 100 | 15 | | EG 008 |
| EG 130 ERODIUM manescavi | 98,00 | 50 | 16 | requires 4-6 weeks for germination | EG 130 |
| EG 202 EUPATORIUM fistulosum f. albidum 'Ivory Towers' | 7,20 | 400 | 15 | | EG 202 |
| EG 206 EUPATORIUM mac. 'Atropurpureum' (fist. 'Atropurpureum') [Glow] | 7,20 | 400 | 15 | | EG 206 |
| EG 212 EUPATORIUM purpureum | 5,40 | 400 | 15 | | EG 212 |
| EG 250 EUPHORBIA characias ssp. wulfenii (veneta) | 64,00 | 50 | 15 | varying temperatures beneficial, day 24°C, night 15°C | EG 250 |
| EG 226 EUPHORBIA coralloides | 32,00 | 100 | 15 | varying temperatures beneficial, day 24°C, night 15°C | EG 226 |
| EG 236 EUPHORBIA myrsinites | 64,00 | 50 | 15 | varying temperatures beneficial, day 24°C, night 15°C | EG 236 |
| NEW! EG 242 EUPHORBIA palustris | 148,00 | 50 | 15 | varying temperatures beneficial, day 24°C, night 15°C | EG 242 |
| EG 240 EUPHORBIA polychroma (epithymoides) | 32,00 | 100 | 15 | varying temperatures beneficial, day 24°C, night 15°C | EG 240 |
| FG 018 FILIPENDULA ulmaria | 5,40 | 400 | 15 | | FG 018 |
| GG 051 GAULTHERIA procumbens 'Redwood' TM | 7,20 | 300 | 16 | requires 4-6 weeks for germination | GG 051 |
| GG 070 GENTIANA acaulis (kochiana) | 12,00 | 200 | 15 | requires 4-6 weeks for germination | GG 070 |
| GG 083 GENTIANA angustifolia 'Frei-Hybr.' (acaulis 'Maxima') | 18,00 | 200 | 15 | requires 4-6 weeks for germination | GG 083 |
| GG 086 GENTIANA asclepiadea | 7,20 | 300 | 15 | | GG 086 |
| GG 090 GENTIANA asclepiadea var. alba | 12,00 | 300 | 15 | | GG 090 |
| GG 088 GENTIANA asclepiadea 'Pink Swallow' | 18,00 | 300 | 15 | | GG 088 |
| GG 102 GENTIANA clusii | 18,00 | 200 | 15 | requires 4-6 weeks for germination | GG 102 |
| GG 099 GENTIANA cruciata 'Blue Cross' | 6,00 | 400 | 15 | | GG 099 |
| GG 134 GENTIANA lutea | 6,00 | 400 | 15 | | GG 134 |
| GG 138 GENTIANA Makinoi-Hybr. 'Royal Blue' | 7,20 | 500 | 15 | | GG 138 |
| GG 148 GENTIANA oschtenica (verna ssp. oschtenica) | 48,00 | 200 | 15 | | GG 148 |
| GG 151 GENTIANA Paradoxa-Hybr. 'Blue Herald' | 7,20 | 500 | 15 | | GG 151 |
| GG 172 GENTIANA septemfida var. lagodechiana | 3,60 | 500 | 15 | germination occurs in 1-2 weeks | GG 172 |
| GG 174 GENTIANA septemfida var. lagodechiana 'Bella Alpinella' | 5,40 | 500 | 15 | germination occurs in 1-2 weeks | GG 174 |
| GG 173 GENTIANA septemfida var. lagodechiana 'Select' | 5,40 | 500 | 15 | germination occurs in 1-2 weeks | GG 173 |
| GG 190 GENTIANA triflora var. japonica | 4,20 | 500 | 15 | | GG 190 |
| GG 197 GENTIANA verna var. angulosa | 16,00 | 200 | 15 | | GG 197 |
| GG 195 GENTIANA verna var. angulosa 'Alba' | 18,00 | 200 | 15 | | GG 195 |

JELITTO GOLD NUGGET SEED®



TROLLIUS chinensis 'Golden Queen'
germination comparison: untreated to JELITTO GOLD NUGGET SEED®

VIOLA sororia 'Freckles'
germination comparison: untreated to JELITTO GOLD NUGGET SEED®

| STAUDENSAMEN · PERENNIAL SEEDS · GRAINES DE PLANTES VIVACES | | Production – Breeding – Seed Technology | | Prices in EURO net per 1000 seeds | Minimum order quantity/ seeds | N° of the sowing directions | Special Hints | Code N° |
|---|---|---|------|---|---|-----------------------------------|---------------|---------|
| GG 198 | ☑ GENTIANA verna ssp. tergestina | 12,00 | 200 | 15 | requires 4-6 weeks for germination. | GG 198 | | |
| GG 204 | ☑ GERANIUM bohemicum [Orchid Blue, Blue Rhapsody] | 64,00 | 50 | 15 | | GG 204 | | |
| GG 210 | GERANIUM endressii | 64,00 | 50 | 15 | | GG 210 | | |
| GG 215 | ☑ GERANIUM macrorrhizum, wild form | 64,00 | 50 | 16 | | GG 215 | | |
| GG 256 | ☑ GERANIUM maderense 'Guernsey White' | 240,00 | 50 | 15 | | GG 256 | | |
| GG 209 | GERANIUM palustre | 64,00 | 50 | 15 | | GG 209 | | |
| GG 218 | GERANIUM pratense | 64,00 | 50 | 15 | | GG 218 | | |
| GG 227 | GERANIUM pratense f. albiflorum | 128,00 | 50 | 15 | | GG 227 | | |
| GG 231 | ☑ GERANIUM pratense 'Dark Reiter' | 240,00 | 50 | 15 | germination occurs in 1-2 weeks | GG 231 | | |
| GG 237 | GERANIUM pratense 'Painter's Palette' | 64,00 | 50 | 15 | | GG 237 | | |
| GG 229 | ☑ GERANIUM pratense 'Striatum' [Splash-Splash, Bicolor] | 128,00 | 50 | 15 | germination occurs in 1-2 weeks | GG 229 | | |
| GG 222 | GERANIUM sanguineum [Vision Violet] | 125,00 | 50 | 15 | | GG 222 | | |
| GG 223 | GERANIUM sanguineum f. nanum | 240,00 | 50 | 15 | | GG 223 | | |
| GG 205 | GERANIUM sanguineum var. striatum [Vision Light Pink] | 125,00 | 50 | 15 | | GG 205 | | |
| GG 226 | GERANIUM sylvaticum | 64,00 | 50 | 15 | | GG 226 | | |
| GG 234 | GERANIUM wallichianum 'Buxton's Variety' | 240,00 | 50 | 15 | | GG 234 | | |
| GG 243 | GERANIUM wlassovianum | 128,00 | 50 | 15 | requires 4-6 weeks for germination. | GG 243 | | |
| GG 240 | GEUM coccineum Borisii-Strain [Tango, Queen of Orange, Cookie] | 28,00 | 100 | 15 | varying temperatures, night 18°C, day 26°C, of benefit. | GG 240 | | |
| GG 241 | ☑ GEUM coccineum 'Koi' | 28,00 | 100 | 15 | varying temperatures, night 18°C, day 26°C, of benefit. | GG 241 | | |
| GG 266 | ☑ GILLENIA trifoliata | 98,00 | 50 | 16 | requires 4-6 weeks for germination. | GG 266 | | |
| GG 296 | GLECHOMA hederacea | 4,20 | 500 | 16 | | GG 296 | | |
| GG 317 | GLYCYRRHIZA glabra | 72,00 | 50 | 15 | germination occurs in 1-2 weeks | GG 317 | | |
| GG 336 | ☑ GYPSOPHILA cerastioides [Pixie Splash] | 24,00 | 100 | 15 | germination occurs in 1-2 weeks | GG 336 | | |
| HG 052 | HELIANTHEMUM nummularium [Evergreen] | 7,20 | 300 | 15 | germination occurs in 1-2 weeks | HG 052 | | |
| HG 181 | ☑ HEUCHERA americana 'Dale's Strain' | 2,40 | 1000 | 15 | | HG 181 | | |
| HG 186 | ☑ HEUCHERA americana 'Palace Purple Select' | 3,60 | 1000 | 15 | | HG 186 | | |
| HG 189 | ☑ HEUCHERA pulchella | 2,40 | 1000 | 15 | | HG 189 | | |
| HG 196 | HEUCHERA sanguinea 'Leuchtkäfer' [Firefly] | 2,40 | 1000 | 15 | | HG 196 | | |
| HG 197 | HEUCHERA sanguinea 'White Cloud' | 2,40 | 1000 | 15 | | HG 197 | | |
| HG 190 | ☑ HEUCHERA villosa var. macrorrhiza [Autumn Bride] | 2,40 | 1000 | 15 | | HG 190 | | |
| HG 208 | ☑ HIBISCUS coccineus | 42,00 | 50 | 15 | dark-germinator, must be covered. | HG 208 | | |
| HG 210 | HIBISCUS moscheutos (palustris) | 42,00 | 50 | 15 | dark-germinator, must be covered. | HG 210 | | |
| HG 212 | ☑ HIBISCUS Moscheutos-Hybr. 'Galaxy' | 72,00 | 50 | 15 | dark-germinator, must be covered. | HG 212 | | |
| HG 280 | HUMULUS lupulus | 24,00 | 100 | 15 | | HG 280 | | |
| HG 314 | ☑ HYPERICUM calycinum [Rose of Sharon] | 18,00 | 200 | 15 | varying temperatures, night 18°C, day 26°C, of benefit. | HG 314 | | |
| HG 316 | ☑ HYPERICUM cerastioides (rhodophaeum) [Silvana] | 12,00 | 200 | 15 | varying temperatures, night 18°C, day 26°C, of benefit. | HG 316 | | |
| IG 004 | ☑ IBERIS aurosica 'Sweetheart' | 24,00 | 100 | 15 | varying temperatures beneficial, day 24°C, night 15°C | IG 004 | | |
| IG 024 | ☑ IBERIS sempervirens 'Snow Cushion' | 12,00 | 200 | 15 | varying temperatures beneficial, day 24°C, night 15°C | IG 024 | | |
| IG 114 | ☑ IRIS kaempferi (ensata) | 28,00 | 100 | 16 | requires 4-6 weeks for germination. | IG 114 | | |
| IG 160 | ☑ IRIS setosa ssp. canadensis (artica, hookeri, nana) | 36,00 | 50 | 16 | temperature +28°C beneficial. | IG 160 | | |
| KG 037 | ☑ KNIPHOFIA caulescens | 24,00 | 100 | 16 | requires 4-6 weeks for germination. | KG 037 | | |
| KG 041 | ☑ KNIPHOFIA hirsuta 'Fire Dance' [Traffic Lights] | 24,00 | 100 | 15 | dark-germinator, must be covered, allow 5-6 weeks. | KG 041 | | |
| KG 043 | ☑ KNIPHOFIA rooperi | 24,00 | 100 | 15 | | KG 043 | | |
| LG 042 | LATHYRUS latifolius 'Pink Pearl' | 42,00 | 50 | 15 | varying temperatures beneficial, day 24°C, night 15°C | LG 042 | | |
| LG 044 | LATHYRUS latifolius 'Red Pearl' | 42,00 | 50 | 15 | varying temperatures beneficial, day 24°C, night 15°C | LG 044 | | |
| LG 046 | LATHYRUS latifolius 'White Pearl' | 42,00 | 50 | 15 | varying temperatures beneficial, day 24°C, night 15°C | LG 046 | | |
| LG 058 | LATHYRUS vernus | 98,00 | 50 | 16 | requires 4-6 weeks for germination. | LG 058 | | |
| LG 070 | LAVANDULA angustifolia (officinalis) | 3,60 | 500 | 15 | | LG 070 | | |
| LG 074 | LAVANDULA angustifolia Hidcote Blue-Strain | 5,40 | 500 | 15 | | LG 074 | | |
| LG 076 | ☑ LAVANDULA angustifolia 'Hidcote Superior' | 6,20 | 500 | 15 | | LG 076 | | |
| LG 078 | LAVANDULA angustifolia Munstead-Strain | 3,60 | 500 | 15 | | LG 078 | | |
| LG 080 | ☑ LAVANDULA angustifolia 'Rosea' [Pink Perfume] | 9,80 | 500 | 15 | | LG 080 | | |
| LG 082 | LAVANDULA latifolia (spica) | 6,20 | 500 | 15 | | LG 082 | | |
| LG 086 | LAVANDULA stoechas | 9,80 | 500 | 15 | | LG 086 | | |
| LG 089 | LAVATERA cachemiriana | 24,00 | 100 | 15 | | LG 089 | | |
| LG 090 | LAVATERA thuringiaca | 24,00 | 100 | 15 | | LG 090 | | |
| LG 124 | ☑ LEWISIA Cotyledon-Hybr. 'Regenbogen' [Rainbow] | 72,00 | 100 | 16 | varying temperatures beneficial, day 24°C, night 15°C | LG 124 | | |
| LG 131 | LEWISIA Cotyledon-Hybr. 'Sunset-Strain' | 48,00 | 100 | 16 | varying temperatures beneficial, day 24°C, night 15°C | LG 131 | | |
| LG 145 | ☑ LEWISIA Longipetala-Hybr. 'Little Mango' | 72,00 | 100 | 16 | varying temperatures beneficial, day 24°C, night 15°C | LG 145 | | |
| LG 140 | ☑ LEWISIA Longipetala-Hybr. 'Little Peach' | 72,00 | 100 | 16 | varying temperatures beneficial, day 24°C, night 15°C | LG 140 | | |
| LG 135 | ☑ LEWISIA Longipetala-Hybr. 'Little Plum' | 72,00 | 100 | 16 | varying temperatures beneficial, day 24°C, night 15°C | LG 135 | | |
| LG 147 | ☑ LEWISIA Longipetala-Hybr. 'Little Raspberry' | 72,00 | 100 | 16 | varying temperatures beneficial, day 24°C, night 15°C | LG 147 | | |
| LG 148 | ☑ LEWISIA Longipetala-Hybr. 'Little Snowberry' | 72,00 | 100 | 16 | varying temperatures beneficial, day 24°C, night 15°C | LG 148 | | |
| LG 149 | ☑ LEWISIA Longipetala-Hybr. 'Little Tutti Frutti' | 72,00 | 100 | 16 | varying temperatures beneficial, day 24°C, night 15°C | LG 149 | | |
| LG 292 | LINARIA purpurea | 2,40 | 1000 | 15 | | LG 292 | | |
| LG 296 | LINARIA purpurea 'Canon Wert' | 2,40 | 1000 | 15 | | LG 296 | | |
| LG 294 | LINARIA purpurea 'Springside White' | 2,40 | 1000 | 15 | | LG 294 | | |
| LG 322 | LINUM capitatum [Sulphur] | 28,00 | 100 | 15 | | LG 322 | | |
| LG 331 | ☑ LINUM hypericifolium | 28,00 | 100 | 15 | | LG 331 | | |
| LG 332 | ☑ LINUM narbonense [Heavenly Blue] | 28,00 | 100 | 15 | | LG 332 | | |
| LG 370 | ☑ LOBELIA cardinalis | 3,60 | 500 | 16 | varying temperatures, night 18°C, day 26°C, of benefit. | LG 370 | | |
| LG 373 | LOBELIA sessilifolia | 12,00 | 200 | 15 | | LG 373 | | |
| LG 378 | ☑ LOBELIA siphilitica | 3,60 | 500 | 15 | | LG 378 | | |
| LG 379 | LOBELIA siphilitica 'Alba' | 3,60 | 500 | 15 | | LG 379 | | |
| LG 522 | ☑ LYSIMACHIA clethroides [Lady Jane] | 24,00 | 100 | 15 | | LG 522 | | |
| LG 524 | ☑ LYSIMACHIA punctata | 4,20 | 500 | 15 | | LG 524 | | |
| LG 527 | LYSIMACHIA vulgaris | 3,60 | 500 | 15 | | LG 527 | | |



RUDBECKIA fulgida var. sullivanti 'Goldsturm'
germination comparison: untreated to JELITTO GOLD NUGGET SEED®



RUDBECKIA fulgida var. sullivanti 'Goldsturm'
germination comparison: untreated to JELITTO GOLD NUGGET SEED®

| | Prices in EURO net per 1000 seeds | Minimum order quantity/ seeds | Nº. of the sowing directions | Special Hints | Code Nº |
|--------|-----------------------------------|-------------------------------|------------------------------|---|---------|
| LG 530 | 3,60 | 500 | 16 | varying temperatures, night 18°C, day 26°C, of benefit. | LG 530 |
| MG 030 | 9,80 | 200 | 15 | | MG 030 |
| MG 034 | 5,40 | 400 | 15 | | MG 034 |
| MG 038 | 5,40 | 400 | 15 | | MG 038 |
| MG 039 | 5,40 | 400 | 15 | | MG 039 |
| MG 043 | 9,80 | 200 | 15 | germination occurs in 1-2 weeks | MG 043 |
| MG 041 | 9,80 | 200 | 15 | germination occurs in 1-2 weeks | MG 041 |
| MG 060 | 36,00 | 100 | 15 | varying temperatures beneficial, day 24°C, night 15°C | MG 060 |
| MG 062 | 36,00 | 100 | 15 | varying temperatures beneficial, day 24°C, night 15°C | MG 062 |
| MG 063 | 36,00 | 100 | 15 | varying temperatures beneficial, day 24°C, night 15°C | MG 063 |
| MG 066 | 7,20 | 300 | 15 | varying temperatures beneficial, day 24°C, night 15°C | MG 066 |
| MG 075 | 24,00 | 100 | 15 | varying temperatures beneficial, day 24°C, night 15°C | MG 075 |
| MG 072 | 24,00 | 100 | 15 | varying temperatures beneficial, day 24°C, night 15°C | MG 072 |
| MG 067 | 48,00 | 100 | 15 | varying temperatures beneficial, day 24°C, night 15°C | MG 067 |
| OG 026 | 16,00 | 150 | 15 | germination occurs in 1-2 weeks | OG 026 |
| OG 027 | 32,00 | 100 | 15 | germination occurs in 1-2 weeks | OG 027 |
| OG 028 | 32,00 | 100 | 15 | germination occurs in 1-2 weeks | OG 028 |
| OG 062 | 32,00 | 100 | 15 | | OG 062 |
| PG 200 | 32,00 | 100 | 16 | requires 4-6 weeks for germination. | PG 200 |
| PG 208 | 3,60 | 300 | 15 | germination occurs in 1-2 weeks | PG 208 |
| PG 209 | 7,20 | 300 | 15 | germination occurs in 1-2 weeks | PG 209 |
| PG 218 | 16,00 | 150 | 16 | requires 4-6 weeks for germination. | PG 218 |
| PG 219 | 32,00 | 100 | 15 | | PG 219 |
| PG 224 | 6,20 | 300 | 15 | | PG 224 |
| PG 229 | 3,60 | 500 | 15 | | PG 229 |
| PG 231 | 3,60 | 500 | 15 | | PG 231 |
| PG 221 | 32,00 | 100 | 15 | | PG 221 |
| PG 236 | 6,20 | 300 | 15 | | PG 236 |
| PG 204 | 6,20 | 300 | 15 | | PG 204 |
| PG 250 | 3,60 | 500 | 15 | | PG 250 |
| PG 256 | 3,60 | 500 | 15 | | PG 256 |
| PG 252 | 6,20 | 300 | 16 | requires 4-6 weeks for germination. | PG 252 |
| PG 258 | 6,20 | 300 | 15 | | PG 258 |
| PG 280 | 12,00 | 200 | 15 | | PG 280 |
| PG 290 | 72,00 | 50 | 16 | requires 4-6 weeks for germination. | PG 290 |
| PG 294 | 42,00 | 200 | 15 | | PG 294 |
| PG 334 | 12,00 | 200 | 15 | germination occurs in 1-2 weeks | PG 334 |
| PG 360 | 12,00 | 200 | 15 | | PG 360 |
| PG 479 | 16,00 | 150 | 16 | varying temperatures beneficial, day 24°C, night 15°C | PG 479 |
| PG 560 | 16,00 | 200 | 16 | | PG 560 |
| PG 742 | 24,00 | 200 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 742 |
| PG 750 | 7,20 | 500 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 750 |
| PG 758 | 4,20 | 500 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 758 |
| PG 754 | 7,20 | 500 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 754 |
| PG 772 | 7,20 | 500 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 772 |
| PG 774 | 7,20 | 500 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 774 |
| PG 804 | 7,20 | 500 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 804 |
| PG 808 | 7,20 | 500 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 808 |
| PG 844 | 4,20 | 500 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 844 |
| PG 846 | 5,40 | 500 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 846 |
| PG 847 | 5,40 | 500 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 847 |
| PG 850 | 5,40 | 500 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 850 |
| PG 868 | 12,00 | 300 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 868 |
| PG 872 | 12,00 | 300 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 872 |
| PG 874 | 12,00 | 300 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 874 |
| PG 878 | 16,00 | 150 | 16 | varying temperatures beneficial, day 24°C, night 15°C | PG 878 |

JELITTO GOLD NUGGET SEED®

STAUDENSAMEN · PERENNIAL SEEDS · GRAINES DE PLANTES VIVACES

Production – Breeding – Seed Technology

| | Prices in EURO net per 1000 seeds | Minimum order quantity/ seeds | N° of the sowing directions | Special Hints | Code N° | |
|-------------|--|-------------------------------------|-----------------------------------|---------------|---|--------|
| PG 880 | PRIMULA x pubescens 'Kaleidoscope' | 24,00 | 100 | 16 | varying temperatures beneficial, day 24°C, night 15°C | PG 880 |
| PG 884 | PRIMULA pulverulenta | 7,20 | 500 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 884 |
| PG 890 | PRIMULA rosea 'Gigas' | 7,20 | 500 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 890 |
| PG 896 | PRIMULA secundiflora | 12,00 | 300 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 896 |
| PG 898 | PRIMULA sieboldii | 24,00 | 200 | 16 | varying temperatures beneficial, day 24°C, night 15°C | PG 898 |
| PG 902 | PRIMULA sinopurpurea (chionantha ssp. sinopurpurea) | 7,20 | 500 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 902 |
| PG 910 | PRIMULA veris (officinalis) | 4,20 | 500 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 910 |
| PG 916 | PRIMULA veris 'Sunset Shades' | 24,00 | 100 | 15 | varying temperatures beneficial, day 24°C, night 15°C | PG 916 |
| PG 926 | PRIMULA vulgaris (acaulis) | 32,00 | 100 | 15 | germinating in 4-6 weeks at 24°C days, 15°C nights | PG 926 |
| PG 927 | PRIMULA vulgaris ssp. sibthorpii (sibthorpii, woronowii) | 64,00 | 100 | 15 | germinating in 4-6 weeks at 24°C days, 15°C nights | PG 927 |
| PG 986 | PULSATILLA vernalis | 24,00 | 100 | 15 | requires 4-6 weeks for germination | PG 986 |
| PG 988 | PULSATILLA vulgaris | 16,00 | 150 | 15 | requires 4-6 weeks for germination | PG 988 |
| PG 990 | PULSATILLA vulgaris 'Alba' [Weiße Glocke, White Bells, White Swan] | 16,00 | 150 | 15 | requires 4-6 weeks for germination | PG 990 |
| PG 989 | PULSATILLA vulgaris 'Blaue Glocke' [Violet Bells] | 16,00 | 150 | 15 | requires 4-6 weeks for germination | PG 989 |
| PG 980 | PULSATILLA vulgaris 'Perlen Glocke' [Pearl Bells] | 16,00 | 150 | 15 | requires 4-6 weeks for germination | PG 980 |
| PG 991 | PULSATILLA vulgaris 'Rosen Glocke' [Rose Bells] | 16,00 | 150 | 15 | requires 4-6 weeks for germination | PG 991 |
| PG 992 | PULSATILLA vulgaris 'Rote Glocke' [Red Bells, Røde Klokke] | 16,00 | 150 | 15 | requires 4-6 weeks for germination | PG 992 |
| PG 800 | PULSATILLA vulgaris 'Prima Papagena' | 16,00 | 150 | 15 | requires 4-6 weeks for germination | PG 800 |
| RG 036 | RANUNCULUS gramineus | 48,00 | 50 | 16 | requires 4-6 weeks for germination | RG 036 |
| RG 090 | RHODIOLA rosea | 7,20 | 500 | 15 | | RG 090 |
| RG 130 | ROSMARINUS officinalis | 16,00 | 150 | 15 | | RG 130 |
| RG 160 | RUDBECKIA fulgida var. deamii | 12,00 | 200 | 15 | light-germinator, do not cover, night 18°C, day 26°C | RG 160 |
| RG 162 | RUDBECKIA fulgida var. fulgida | 12,00 | 200 | 16 | light-germinator, do not cover, night 18°C, day 26°C | RG 162 |
| RG 190 | RUDBECKIA fulgida var. speciosa (neumannii) | 12,00 | 200 | 15 | light-germinator, do not cover, night 18°C, day 26°C | RG 190 |
| RG 164 | RUDBECKIA fulgida var. sullivantii 'Goldsturm' | 8,40 | 300 | 15 | light-germinator, do not cover, night 18°C, day 26°C | RG 164 |
| RG 173 | RUDBECKIA missouriensis | 12,00 | 200 | 16 | light-germinator, do not cover, night 18°C, day 26°C | RG 173 |
| RG 202 | RUELLIA humilis | 148,00 | 50 | 15 | | RG 202 |
| SG 150 | SAPONARIA ocyroides 'Snow Tip' | 12,00 | 200 | 15 | | SG 150 |
| SG 144 | SAPONARIA officinalis | 12,00 | 200 | 15 | | SG 144 |
| SG 152 | SAPONARIA pumilio | 92,00 | 50 | 15 | | SG 152 |
| SG 400 | SEMPERVIVUM hybridum winter hardy varieties | 4,20 | 500 | 15 | germination occurs in 1-2 weeks | SG 400 |
| SG 432 | SIDA hermaphrodita | 16,00 | 150 | 15 | | SG 432 |
| SG 434 | SIDALCEA candida 'Bianca' | 18,00 | 150 | 15 | | SG 434 |
| SG 436 | SIDALCEA Malviflora-Hybr. 'Partygirl' [Rosanna] | 7,20 | 300 | 15 | | SG 436 |
| SG 437 | SIDALCEA Malviflora-Hybr. 'Rosaly' | 18,00 | 150 | 15 | | SG 437 |
| SG 510 | SISYRINCHIUM angustifolium | 16,00 | 150 | 16 | requires 4-6 weeks for germination | SG 510 |
| SG 511 | SISYRINCHIUM angustifolium f. album | 16,00 | 150 | 16 | requires 4-6 weeks for germination | SG 511 |
| SG 522 | SISYRINCHIUM californicum [Yellow Stone] | 32,00 | 100 | 15 | requires 4-6 weeks for germination | SG 522 |
| SG 534 | SISYRINCHIUM striatum | 24,00 | 100 | 15 | requires 4-6 weeks for germination | SG 534 |
| SG 560 | SOLDANELLA alpina | 24,00 | 100 | 15 | requires 4-6 weeks for germination | SG 560 |
| SG 562 | SOLDANELLA montana | 48,00 | 100 | 15 | requires 4-6 weeks for germination | SG 562 |
| SG 610 | STACHYS macrantha (grandiflora) | 48,00 | 50 | 15 | | SG 610 |
| SG 611 | STACHYS macrantha 'Morning Blush' | 72,00 | 50 | 15 | | SG 611 |
| TG 020 | TELLIMA grandiflora | 2,40 | 1000 | 15 | | TG 020 |
| TG 088 | THALICTRUM rochebrunianum [Lavender Mist] | 54,00 | 50 | 15 | | TG 088 |
| NEW! TG 089 | THALICTRUM rochebrunianum var. grandisepalum | 64,00 | 50 | 15 | | TG 089 |
| TG 096 | THERMOPSIS caroliniana (villosa) | 28,00 | 50 | 15 | | TG 096 |
| TG 098 | THERMOPSIS chinensis [Sunrise] | 54,00 | 50 | 15 | | TG 098 |
| TG 140 | TIARELLA wherryi (collina) [Silverado, Sugar Scoop] | 12,00 | 200 | 16 | requires 4-6 weeks for germination | TG 140 |
| TG 190 | TRICYRTIS hirta | 12,00 | 200 | 15 | | TG 190 |
| TG 192 | TRICYRTIS Hirta-Hybr. 'Miyazaki' | 24,00 | 100 | 15 | | TG 192 |
| TG 194 | TRICYRTIS latifolia (bakeri) | 24,00 | 100 | 15 | | TG 194 |
| TG 240 | TROLLIUS chinensis 'Goldkönigin' (ledbourii) [Golden Queen] | 12,00 | 200 | 15 | | TG 240 |
| TG 242 | TROLLIUS chinensis 'Morning Sun' | 36,00 | 100 | 16 | | TG 242 |
| TG 244 | TROLLIUS x cultorum 'New Moon' | 36,00 | 100 | 15 | | TG 244 |
| TG 248 | TROLLIUS x cultorum 'New Hybrids' | 12,00 | 200 | 15 | | TG 248 |
| TG 256 | TROLLIUS europaeus | 12,00 | 200 | 15 | | TG 256 |
| TG 257 | TROLLIUS europaeus f. compactus 'Lemon Supreme' | 36,00 | 100 | 15 | | TG 257 |
| TG 258 | TROLLIUS laxus var. albiflorus | 24,00 | 100 | 16 | | TG 258 |
| TG 260 | TROLLIUS pumilus | 24,00 | 100 | 15 | | TG 260 |
| VG 100 | VERBENA bonariensis [Buenos Aires, Finesse, Purple Top] | 6,20 | 500 | 15 | varying temperatures, night 18°C, day 26°C, of benefit. | VG 100 |
| VG 112 | VERBENA hastata 'Blue Spires' | 6,20 | 500 | 15 | varying temperatures, night 18°C, day 26°C, of benefit. | VG 112 |
| VG 113 | VERBENA hastata 'Pink Spires' | 6,20 | 500 | 15 | varying temperatures, night 18°C, day 26°C, of benefit. | VG 113 |
| VG 114 | VERBENA hastata 'White Spires' | 6,20 | 500 | 15 | varying temperatures, night 18°C, day 26°C, of benefit. | VG 114 |
| VG 120 | VERNONIA crinita | 12,00 | 200 | 15 | requires 4-6 weeks for germination | VG 120 |
| VG 124 | VERNONIA noveboracensis | 12,00 | 200 | 15 | requires 4-6 weeks for germination | VG 124 |
| VG 191 | VERONICASTRUM sibiricum | 3,60 | 600 | 15 | | VG 191 |
| VG 180 | VERONICASTRUM virginicum f. albiflorum | 3,60 | 600 | 15 | | VG 180 |
| NEW! VG 181 | VERONICASTRUM virginicum f. caeruleum | 3,60 | 600 | 15 | | VG 181 |
| VG 262 | VIOLA elatior | 12,00 | 200 | 15 | requires 4-6 weeks for germination | VG 262 |
| VG 234 | VIOLA labradorica hort. 'Purpurea' | 24,00 | 100 | 16 | requires 4-6 weeks for germination | VG 234 |
| VG 246 | VIOLA sororia 'Albiflora' | 18,00 | 150 | 15 | requires 4-6 weeks for germination | VG 246 |
| VG 252 | VIOLA sororia 'Dark Freckles' | 18,00 | 150 | 15 | requires 4-6 weeks for germination | VG 252 |
| VG 248 | VIOLA sororia 'Freckles' | 18,00 | 150 | 15 | requires 4-6 weeks for germination | VG 248 |
| VG 247 | VIOLA sororia 'Rubra' [Emperor Magenta Red] | 18,00 | 150 | 15 | requires 4-6 weeks for germination | VG 247 |
| VG 263 | VIOLA sororia 'Sorority Sisters' | 18,00 | 150 | 15 | requires 4-6 weeks for germination | VG 263 |
| ZG 004 | ZIGADENUS elegans | 24,00 | 100 | 15 | | ZG 004 |

Culinary and medicinal herbs and teas are becoming increasingly popular due to the growing trend towards a healthier lifestyle. In traditional Chinese medicine over 5000 different plants are currently used. Their popularity has led to an increased demand and Chinese medicinal herbs are now being grown successfully in Europe and America. We have decided to expand our original range of herbs by adding a further selection of mainly hardy, culinary and medicinal herbs and teas.

Following notes are made for better understanding:

⊗ = Kitchen herbs: herbs which are used for seasoning, as salad plants or ingredients for gourmet cooking.

① = Tea herbs: herbs which are used to make herbal teas.

⊕ = Bee herbs: bee- and pollinator friendly herbs.

Ⓜ = Herbal drugs: herbs which are used for medicinal purposes.

TCM plant = herbs which are used in traditional Chinese medicine.

BLBP plant provenance = abbreviation for the provenance of plants by the Bayerische Landesanstalt für Landwirtschaft (Bavarian regional authority for agriculture, previously Bayerischen Landesanstalt für Bodenkultur und Pflanzenbau).

These plants are selectively bred with distinctly better properties than normally available plant material. Plants with 'BLBP' provenance have been tested over a period of years on their suitability for field production, particularly with regard to quality and yield and on their botanic identity as stipulated by the pharmacopoeia.

These plants are therefore ideally suited for commercial field production. 'BLBP' certified plants also fulfil all specifications for ingredients stipulated by the Chinese pharmacopoeia. Unauthorised seed propagation is strictly prohibited.

In our new section we have deliberately omitted, toxic or poisonous plants, although many of these herbs are commonly used medicinally. Species not mentioned here may be found in the main assortment under "Special Hints" marked with a "⚠" (Aesclepias staff).

Warning! Supposedly non-toxic herbs taken in the wrong quantity can cause damage to health! All herbs should only be used with the appropriate expertise and in compliance with the regulations stipulated in the country of use. The information we have compiled is given in good faith and does not claim to be complete. We give no guarantee and accept no liability for its content.

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|--|--|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| ACHILLEA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| AA 028 | millefolium, wild form , Yarrow, 40 cm, white, VI-X, Z2-9 (<i>see also Organic-Seeds</i>) . . . ① ⊕ Ⓜ | 1 | 15 | 128,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| AA 033 | millefolium 'Proa' , 40 cm, pure white, uniform habit, tetraploid cultivar, high oil concentration, VI-VIII, Z2-9 (<i>see also Organic-Seeds</i>) ① ⊕ Ⓜ | 1 | 15 | 672,00 | 96,00 | 12,00 | 3,00 | 2,00 |
| AA 041 | nobilis , Noble Yarrow, 50 cm, cream-yellow, for dry places, VI-IX, Z5-7 (<i>see also Organic-Seeds</i>) ⊗ ⊕ ⊗ Ⓜ | 1 | 15 | 920,00 | 136,00 | 24,00 | 4,20 | 2,00 |
| ACMELLA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| AA 077 | ⊗ oleracea f. purpurea (SPILANTHES) [Bull's Eye, Electric Buttons, Peek-A-Boo] , Purple leaved Paracress, Toothache Plant, 30 cm, brown-yellow flower buds, bronze-green foliage, V-IX, Z9-11 (<i>see also Organic-Seeds</i>) ⊗ Ⓜ | 1 | 15 | – | 740,00 | 82,00 | 9,40 | 3,80 |
| AA 076 | oleracea f. viridis (SPILANTHES) , Green leaved Paracress, Eyeball Plant, 30 cm, yellow flowerheads, green foliage, V-IX, Z9-11 ⊗ Ⓜ | 1 | 15 | – | 580,00 | 64,00 | 8,00 | 3,20 |
| AGASTACHE (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| aurantiaca - see Organic Seed | | | | | | | | |
| AA 154 | ⊗ foeniculum (anisata-hort.) , True Anise-Hyssop, 70 cm, blue, dark green foliage, silvery underneath, true, VII-IX, Z5-9 (<i>see also Organic-Seeds</i>) ⊗ ⊕ ⊗ Ⓜ | 1 | 15 | 2688,00 | 384,00 | 48,00 | 6,00 | 3,00 |
| AA 156 | rugosa [Liquorice Blue, Blue Spike] , (Huo Xiang), Blue Anis Hyssop, 60 cm, blue lilac, aromatic, VI-IX, Z6-9, TCM plant (<i>see also Organic-Seeds</i>) ⊗ ⊕ ⊗ Ⓜ | 2 | 15 | 140,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| AA 157 | rugosa f. albiflora [Alabaster, Alba, Liquorice White, Snow Spike] , White Anis Hyssop, 60 cm, pure white, VI-IX, Z6-9 (<i>see also Organic-Seeds</i>) ⊗ ⊕ ⊗ Ⓜ | 2 | 15 | 224,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| AA 149 | ⊗ rugosa (foeniculum) 'Golden Jubilee' , (AAS) (FS), 50 cm, blue, unique golden foliage, attractive foliage plant, VI-X, Z6-9 ⊗ ⊕ ⊗ Ⓜ | 1 | 15 | – | 1920,00 | 240,00 | 32,00 | 6,00 |
| AA 162 | ⊗ rugosa 'Korean Zest' , Korean Mint, 50 cm, deep violet-blue, narrow blossom panicles, dark stems, compact, bushy habit, VII-IX, Z5-9 (<i>see also Organic-Seeds</i>) ⊗ ⊕ ⊗ Ⓜ | 1 | 15 | – | 392,00 | 56,00 | 8,00 | 2,40 |
| rupestris - see Organic Seed | | | | | | | | |
| AGRIMONIA (Rosaceae) | | | | | | | | |
| AA 155 | eupatoria , Common Agrimony, 50 cm, yellow, VI-VIII, Z3-8 (<i>see also Organic-Seeds</i>) . . ① ⊕ Ⓜ | 75 | 9 | 128,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| AA 151 | eupatoria var. alba , 50 cm, white flowering form, intense dark green, feathered foliage, VI-VIII, Z3-8 ⊕ ⊗ Ⓜ | 50 | 9 | – | 128,00 | 16,00 | 2,40 | 4,00 |
| procera - see Organic Seed | | | | | | | | |
| AGROSTEMMA - see Organic Seed | | | | | | | | |
| AJUGA - see Organic Seed | | | | | | | | |
| ALCEA (ALTHAEA) (Malvaceae) | | | | | | | | |
| AA 308 | ⊗ rosea var. nigra [Jet Black, Arabian Nights] , Hollyhock, 180 cm, single, black-red, V-X, Z3-9 (<i>see also Organic-Seeds</i>) ⊗ ⊕ ⊗ Ⓜ | 25 | 15 | 320,00 | 64,00 | 8,00 | 2,00 | 2,00 |



ACMELLA oleracea f. purpurea



AGASTACHE foeniculum



AGASTACHE rugosa 'Golden Jubilee'



AGASTACHE rugosa 'Korean Zest'

JELITTO
 GOLD NUGGET SEED®
 Perennial Herbs
 Culinary, Teas and
 Medicinal



ALLIUM ramosum



ALLIUM schoenoprasum 'White One'



ALLIUM schoenoprasum 'Pink One'



ALLIUM tricoccum



ALLIUM schoenoprasum 'Purple One'

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|---|---|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| ALCHEMILLA (Rosaceae) | | | | | | | | |
| AA 178 | xanthochlora (vulgaris) , Lady's Mantle, 50 cm, yellow-green, VI-VIII, Z3-8 (see also GOLD NUGGET SEED® + Organic-Seeds), pure seed ① | 1 | 1 | 1980,00 | 256,00 | 32,00 | 4,00 | 2,20 |
| ALLIUM (Alliaceae, Liliaceae) | | | | | | | | |
| AA 208 | fistulosum , Welsh Onion (Cong-Bai), 40 cm, yellowish-white, very large hollow leaves, VII-VIII, Z4-7, TCM plant (see also Organic-Seeds) ① ② ③ | 5 | 16 | 96,00 | 24,00 | 6,00 | 2,00 | 2,00 |
| AA 247 | ☑ ramosum (odorum) , Fragrant Flowered Garlic, 40 cm, bell shaped white umbels, similar to A. tuberosum, but earlier flowering, VI-VIII, Z5-9 (see also Organic-Seeds) ① ② ③ | 10 | 16 | – | 168,00 | 24,00 | 3,40 | 2,00 |
| AA 241 | schoenoprasum , Chives, 40 cm, lilac, V-VIII, Z3-9 (see also Organic-Seeds) ① ② | 3 | 15 | 120,00 | 18,00 | 6,00 | 2,00 | 2,00 |
| AA 239 | schoenoprasum 'Polyvit' , Vegetable Chives, 40 cm, lilac, medium-sized leaves, upright, V-VIII, Z3-9 (see also Organic-Seeds) ① ② | 3 | 15 | 476,00 | 68,00 | 11,40 | 2,00 | 2,00 |
| schoenoprasum Ornamental-One Series , ① ② ③, Ornamental Chives, 30 cm, brilliant colors, large and rich flowering, healthy medium size foliage, sturdy habit, first year flowering, V-VIII, Z3-9 | | | | | | | | |
| NEW! AA 244 | ☑ 'White One' , ① ② ③, pure crystal white | 3 | 15 | – | 860,00 | 92,00 | 9,80 | 3,60 |
| NEW! AA 245 | ☑ 'Purple One' , ① ② ③, brilliant violet-purple | | | | | | | |
| NEW! AA 246 | ☑ 'Pink One' , ① ② ③, brilliant pink | | | | | | | |
| AA 256 | ☑ tricoccum , Ramp, Wild Leek, Spring Onions, Chicagoua, 30 cm, blue-green broad foliage, flowering white after foliage has withdrawn, VII-IX, Z3-9 ① ② ③ | 150 | 1 | 1200,00 | 160,00 | 22,00 | 2,80 | 2,80 |
| AA 260 | tuberosum , Chinese Chives, Garlic Chives (Jiu-Zi), 50 cm, white, VI-IX, Z3-10, TCM plant (see also Organic-Seeds) ① ② ③ | 8 | 16 | 288,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| AA 258 | ursinum , Wood Garlic, Bear Garlic, Ramsons, 25 cm, white, V, Z3-9 (s. a. Organic-Seeds) ① ② ③ | 25 | 1 | 430,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| ALTHAEA - see also ALCEA (Malvaceae) | | | | | | | | |
| AA 283 | cannabinata , Hemp Marsh Mallow, 180 cm, rose-lavender with dark eye, deeply lobed leaves, VII-IX, Z3-10 (see also Organic-Seeds) ① ② | 15 | 8 | – | – | 38,00 | 4,80 | 3,40 |
| AT 282 | officinalis , Marshmallow, 180 cm, pink, V-IX, Z3-10, (see also Organic-Seeds), JET® - pure seed ① ② ③ ④ | 10 | 8 | 168,00 | 42,00 | 9,20 | 2,60 | 2,00 |
| AMMI - see Organic Seed | | | | | | | | |
| AMOMUM (Zingiberaceae) | | | | | | | | |
| AA 358 | subulatum , Black Cardamom (Yi Zhi Ren), 150 cm, yellowish-white, dense clumps, broad lanceolate foliage, VI-VII, Z9-10, TCM plant ① ② | 50 | 14 | 480,00 | 80,00 | 13,60 | 2,00 | 6,80 |

| | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | | |
|---|--|------------------------------|-------------------------|------------|-----------|----------|---------|------|
| | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion | |
| ANACYCLUS pyrethrum - see Organic Seed | | | | | | | | |
| ANCHUSA (Boraginaceae) | | | | | | | | |
| AA 378 | officinalis , Alkanet, 70 cm, carmine to dark violet, VI-IX, Z4-9 (<i>s. also Organic-Seeds</i>). (K) (B) (D) | 10 | 7 | 396,00 | 62,00 | 7,80 | 2,00 | 3,00 |
| ANEMOPSIS - see Organic Seed | | | | | | | | |
| ANETHUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| AA 484 | graveolens , Dill, 60 cm, yellow umbels, VI-VIII, Z6-10, ☉ (<i>see also Organic-Seeds</i>). . . (K) (B) (D) | 4 | 15 | 24,00 | 6,00 | 4,00 | 2,00 | 2,00 |
| ANGELICA (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| AA 492 | archangelica , Angelica, Holy Ghost, 180 cm, greenish-white to creamy umbels, VI-VIII, Z3-7 (<i>see also Organic-Seeds</i>) (K) (B) (D) | 20 | 9 | 120,00 | 26,00 | 6,00 | 2,00 | 2,00 |
| AA 494 | archangelica 'BLBP 01' , Angelica, Holy Ghost, 180 cm, greenish-white umbels, high content of essential oil, very high root yield, very vigorous, low disease risk, VI-VIII, Z3-7 (<i>see also Organic-Seeds</i>) (K) (B) (D) | 20 | 9 | 192,00 | 48,00 | 12,00 | 4,00 | 3,00 |
| AA 523 | dahurica 'BLBP 02' , Chinese Angelica (Bai Zhi), 180 cm, white umbels, large pinnatifid foliage, high content of essential oil, root extract and imperatorin, high root yield, VII-VIII, Z4-10, TCM plant. (B) (D) | 15 | 9 | 432,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| ANTHEMIS (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| AA 522 | tinctoria (COTA) , Dyer's Chamomile, 50 cm, golden, VII-IX, Z3-7 (<i>see also Organic-Seeds</i>) (K) (T) (B) | 1 | 15 | 120,00 | 24,00 | 6,00 | 2,00 | 2,00 |
| AA 526 | tinctoria 'Alba' , (K) (B), 40 cm, white, VII-IX, Z3-7 (K) (B) | 1 | 15 | – | 120,00 | 16,00 | 2,40 | 2,00 |
| AA 524 | tinctoria 'Kelwayi' , 40 cm, lemon yellow, VI-IX, Z3-7 (K) (B) | 1 | 15 | – | 98,00 | 14,00 | 2,00 | 2,00 |
| ANTHOXANTHUM (Poaceae, <i>Gramineae</i>) | | | | | | | | |
| ZA 036 | odoratum , Sweet Vernal Grass, 30 cm, V-VI, Z4-9 (<i>s. also Organic-Seeds</i>), .pure seed (K) (T) (D) | 5 | 15 | 240,00 | 60,00 | 12,00 | 2,00 | 2,00 |
| ANTHRISCUS (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| AA 539 | cerefolium , Chervil, 50 cm, white, VI-VIII, Z6-9, ☉-☉ (K) (D) | 5 | 15 | 26,00 | 6,00 | 4,00 | 2,00 | 2,00 |
| | cerefolium 'Fijne Krul' - see Organic Seed | | | | | | | |
| ANTHYLLIS vulneraria - see Organic Seed | | | | | | | | |
| AQUILEGIA chrysantha, vulgaris - see Organic Seed | | | | | | | | |
| ARCTIUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| AA 844 | lappa , Great Burdock (Niu-Bang-Zi), 140 cm, panicles with purple flower heads, large leaves, VI-IX, Z2-9, TCM plant (<i>see also Organic-Seeds</i>). (K) (D) | 30 | 15 | 88,00 | 22,00 | 5,00 | 2,00 | 2,50 |
| ARGEMONE platyceras - see Organic Seed | | | | | | | | |
| ARISTOLOCHIA (Aristolochiaceae) | | | | | | | | |
| AA 882 | (K) clematitis , Birthwort, 80 cm, light yellow, poisonous, V-VII, Z5-9 (<i>s. also Organic-Seeds</i>) (D) | 80 | 1 | 224,00 | 32,00 | 8,00 | 2,00 | 4,00 |
| ARNICA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| AA 904 | (K) chamissonis , Leafy Leopard's Bane, 50 cm, yellow, abundant flowers, VI-VIII, Z2-8 (<i>see also Organic-Seeds</i>) (B) (D) | 3 | 15 | 2520,00 | 360,00 | 48,00 | 6,40 | 3,20 |
| AA 908 | montana , Arnica, Mountain Tobacco, 50 cm, golden, lime-free soil, V-VII, Z5-8 (<i>see also Organic-Seeds</i>) (B) (D) | 5 | 15 | 1560,00 | 196,00 | 28,00 | 4,00 | 2,00 |
| AA 907 | (K) montana 'Arbo' , Mountain Arnica, 45 cm, large yellow flower heads, rich bloomer, healthy growth, suitable for soil with less than 1.5% CaCO ₃ content, specially for field production, high flower crop yield and required ingredients, good essential oil content of root extract, fulfils all medicinal standards, plant variety protection! V-VII, Z5-8. (B) (D) | 5 | 15 | 3980,00 | 540,00 | 76,00 | 9,60 | 3,20 |
| ARTEMISIA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| AA 915 | absinthium , Common Wormwood, Absinthe, 80 cm, yellow, grey-green foliage, VI-VIII, Z3-9 (<i>see also Organic-Seeds</i>). (T) (D) | 0,5 | 15 | 392,00 | 56,00 | 8,00 | 2,00 | 2,00 |
| AA 919 | (K) absinthium 'Silverado' , (K) (B), 60 cm, yellowish flower spikes, grey-white feltlike broad pinnatifid foliage, aromatic, sturdy and compact habit, especially hardy and ornamental selection VII-VIII, Z3-9 (<i>see also Organic-Seeds</i>) (T) (D) | 0,5 | 15 | – | 360,00 | 48,00 | 6,40 | 3,20 |
| AA 918 | annua , Sweet Annie (Qing Hao), 140 cm, yellowish-green, pinnatifid foliage, annual, VIII-X, Z6-10, TCM plant (<i>see also Organic-Seeds</i>) (T) (D) | 0,5 | 15 | – | 576,00 | 72,00 | 9,40 | 3,20 |
| AA 917 | dracunculus , Russian Tarragon, 100 cm, greenish, lanceolate foliage, VI-VIII, Z2-9 (<i>see also Organic-Seeds</i>) (K) (D) | 1 | 15 | 504,00 | 72,00 | 12,00 | 2,00 | 2,00 |

Fortsetzung auf der nächsten Seite



ARISTOLOCHIA clematitis



ARNICA chamissonis



ARNICA montana 'Arbo'



ARTEMISIA ludoviciana

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|--|---|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| ARTEMISIA continuation | | | | | | | | |
| AA 920 | genipi , Black Mugwort, 8 cm, grey felt-like, mat-like cushions, yellow blossom heads, VI-IX, Z3-7. | 0,5 | 15 | – | – | 432,00 | 48,00 | 7,00 |
| AA 930 | ludoviciana , Western Mugwort, White Prairie Sage, 60 cm, yellowish flowers, grey aromatic leaves, variable, VII-VIII, Z4-9. | 0,5 | 15 | – | 128,00 | 16,00 | 2,00 | 2,00 |
| AA 929 | scoparia 'BLBP 01' , Redstem Wormwood (Yin-Chen), 170 cm, greenish white panicles, rich bloomer, bipinnate leaves, high content of essential oil, very aromatic, high herb yield, X-XII, Z7-11, TCM plant, ☉ | 0,1 | 16 | – | – | – | 26,00 | 6,50 |
| AA 925 | vulgaris , Mugwort, Chinese Moxa (Ai-Ye), 120 cm, red-brown, dark green foliage, VI-VIII, Z2-9, TCM plant | 0,5 | 15 | 224,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| ASCLEPIAS tuberosa - see Organic Seed | | | | | | | | |
| ASPERULA odorata - see GALIUM odoratum | | | | | | | | |
| ASTRAGALUS (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | |
| AB 148 | mongholicus (membranaceus var. mongholicus) 'BLBP 04' , Chinese Milkvetch (Huang Qi), 130 cm, light yellow flowers, inflated red tinged seed husks, pinnatifid foliage, erect growth, high content of astragalosid IV, high root yield, thick roots, VII-VIII, Z5-9, TCM plant (<i>see also Organic-Seeds</i>) | 20 | 8 | 588,00 | 98,00 | 14,00 | 2,00 | 2,00 |
| ATRIPLEX - see Organic Seed | | | | | | | | |
| ATROPA - see Organic Seed | | | | | | | | |
| BARBAREA (Brassicaceae) | | | | | | | | |
| | vulgaris - see Organic Seed | | | | | | | |
| BA 025 | vulgaris 'Variegata' [Winter Cream] , 60 cm, yellow, green and yellow splashed leaves, V-VII, Z5-8. | 1 | 8 | – | 1390,00 | 176,00 | 22,00 | 4,00 |
| BELAMCANDA (Iridaceae) | | | | | | | | |
| BA 026 | chinensis [Freckle Face] , Leopard Flower, 60 cm, large bowl-shaped flowers, orange with red-brown spots, VII-IX, Z5-9, TCM plant (<i>see also Organic-Seeds</i>) | 60 | 7 | – | 192,00 | 24,00 | 3,20 | 8,00 |
| BELLIS (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| BA 029 | perennis , Common Daisy, English Daisy, 15 cm, white, II-VI, Z3-8 (<i>s. a. Organic-Seeds</i>). ☉ ☉ ☉ | 1 | 15 | 1620,00 | 180,00 | 20,00 | 2,40 | 2,00 |
| BERLANDIERA - see Organic Seed | | | | | | | | |
| BLITUM - see CHENOPODIUM | | | | | | | | |
| BORAGO (Boraginaceae) | | | | | | | | |
| BA 050 | officinalis , Borage, 60 cm, blue, VI-IX, Z7-11, ☉ (<i>see also Organic-Seeds</i>) | 50 | 15 | 52,00 | 9,00 | 4,00 | 2,00 | 2,00 |
| NEW! BA 051 | officinalis 'Alba' , White Flowering Borage, 50 cm, pure white, VI-IX, Z7-11, ☉ (<i>see also Organic-Seeds</i>) | 50 | 15 | 192,00 | 32,00 | 6,40 | 2,20 | 2,20 |



ASTRAGALUS mongholicus 'BLBP 04'



BARBAREA vulgaris 'Variegata'



BULBINE frutescens 'Avera Sunset Orange'



CHELIDONIUM majus 'Flore Pleno'



BULBINE frutescens 'Avera Sunrise Yellow'

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|---|--|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| BULBINE (Asphodelaceae, <i>Liliaceae</i>) | | | | | | | | |
| BA 088 | frutescens , Bulbine, Burn Jelly Plant, 40 cm, yellow-orange, succulent, fleshy leaves with characteristics similar to ALOE vera, V-IX, Z9-12 (see also Organic-Seeds) | 5 | 8 | – | 320,00 | 42,00 | 5,20 | 2,60 |
| NEW! BA 086 | ☑ frutescens 'Avera Sunrise Yellow' , 40 cm, brilliant yellow starflowers, large flowering, dense spikes, succulent foliage, healing like Aloe vera, useable as patio plant, first year flowering, V-IX, Z9-12. | 2 | 16 | – | – | – | 18,00 | 4,20 |
| NEW! BA 087 | ☑ frutescens 'Avera Sunset Orange' , 40 cm, brilliant orange starflowers, large flowering, dense spikes, succulent foliage, healing like Aloe vera, useable as patio plant, first year flowering, V-IX, Z9-12. | 2 | 16 | – | – | – | 18,00 | 4,20 |
| CALAMINTHA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| CA 021 | nepeta , Nepitella, Lesser Calamint, 40 cm, light blue-pink, permanent flowering, VII-IX, Z5-8 (see also Organic-Seeds) | 1 | 15 | – | 384,00 | 48,00 | 6,00 | 3,00 |
| CALENDULA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| CA 030 | officinalis , Pot Marigold, 40 cm, yellow-orange, single to double, for the biological disinfection of soil, amount needed 5gr/m ² , VII-X, Z5-10, ☉ (see also Organic-Seeds) | 50 | 15 | 35,00 | 9,00 | 4,00 | 2,00 | 2,00 |
| CALLIRHOE - see Organic Seed | | | | | | | | |
| CALLUNA vulgaris - see Organic Seed | | | | | | | | |
| CALTHA palustris - see Organic Seed | | | | | | | | |
| CAMPANULA (Campanulaceae) | | | | | | | | |
| CA 220 | rapunculus , Rampion, 70 cm, blossom panicles blue or white, VII-VIII, Z5-9 (see also Organic-Seeds) | 1 | 16 | – | – | 24,00 | 3,00 | 2,00 |
| CAPPARIS (Capparaceae) | | | | | | | | |
| CA 256 | spinosa , Caper, 60 cm, large white flowers with purple filaments, dwarf shrub with large blue-green foliage, for dry walls, V-IX, Z8-11 | 15 | 8 | 1575,00 | 210,00 | 28,00 | 4,20 | 4,20 |
| CA 257 | spinosa var. inermis [Spineless Select] , Spineless Caper Plant, 60 cm, white flowers with purple filaments, blue-green foliage, V-IX, Z7-11 | 15 | 8 | – | 280,00 | 36,00 | 5,20 | 5,20 |
| CARDAMINE pratensis - see Organic Seed | | | | | | | | |
| CARDIOSPERMUM - see Organic Seed | | | | | | | | |
| CARLINA acaulis - see Organic Seed | | | | | | | | |
| CARTHAMUS tinctorius - see Organic Seed | | | | | | | | |
| CARUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| CA 271 | carvi , Caraway, 60 cm, white, VI-VIII, Z2-9, ☉ (see also Organic-Seeds) | 10 | 15 | 24,00 | 6,00 | 4,00 | 2,00 | 2,00 |
| CENTAUREA atropurpurea, cyanus, montana - see Organic Seed | | | | | | | | |
| CENTAURIUM (Gentianaceae) | | | | | | | | |
| CA 340 | erythraea (umbellatum) , Centaury, Feverwort, 20 cm, pink, VII-X, Z5-9, ☉ | 1 | 16 | – | – | 68,00 | 9,80 | 3,20 |
| CENTRANTHUS ruber - see Organic Seed | | | | | | | | |
| CEPHALARIA gigantea - see Organic Seed | | | | | | | | |
| CHAMAEMELUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| CA 368 | nobile (ANTHEMIS) , Roman Chamomile, 30 cm, silver-white, yellow disc, VI-VIII, Z4-9 (see also Organic-Seeds) | 1 | 15 | 432,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| CHAMAENERION - see EPILOBIUM | | | | | | | | |
| CHAMOMILLA (MATRICARIA) (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| CA 386 | recutita , German Chamomile, Scented Mayweed, Matricary, 40 cm, white with yellow disc, V-IX, Z5-10, ☉ (see also Organic-Seeds) | 0,5 | 15 | 114,00 | 24,00 | 5,60 | 2,00 | 2,00 |
| CA 387 | recutita 'Bodegold' , German Chamomile, Scented Mayweed, Matricary, 40 cm, white with yellow disc, tetraploid cultivar with even flower horizon, high yields, large flowering, V-IX, Z5-10, ☉ | 0,5 | 15 | 192,00 | 32,00 | 7,20 | 2,00 | 2,00 |
| CA 389 | recutita 'Zloty Lan' , German Chamomile, Scented Mayweed, Matricary, 40 cm, white with yellow disc, tetraploid cultivar with high yields, large flowering, V-IX, Z5-10, ☉ (see also Organic-Seeds) | 0,5 | 16 | 132,00 | 28,00 | 6,80 | 2,00 | 2,00 |
| CHELIDONIUM (Papaveraceae) | | | | | | | | |
| CA 365 | majus , Greater Celandine (Bai-Qu-Cai), 50 cm, golden flowers, V-IX, Z4-8, TCM plant (see also Organic-Seeds) | 3 | 19 | 696,00 | 174,00 | 22,00 | 3,00 | 2,00 |
| CA 367 | ☑ majus 'Flore Pleno' , 40 cm, golden, double, V-IX, Z4-8 | 3 | 19 | – | – | 42,00 | 6,00 | 3,00 |
| CHENOPODIUM - see Organic Seed | | | | | | | | |
| CHRYSANTHEMUM balsamita, cinerariifolium, parthenium, vulgare - see TANACETUM | | | | | | | | |
| CHRYSANTHEMUM leucanthemum - see LEUCANTHEMUM + Organic Seed | | | | | | | | |
| CICORIUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| CA 496 | ☑ intybus var. intybus , Chicory, Succory, 80 cm, blue, VII-IX, Z2-9 (see also Organic-Seeds) | 3 | 15 | 168,00 | 24,00 | 6,00 | 2,00 | 2,00 |
| CIMICIFUGA (ACTAEA) (Ranunculaceae) | | | | | | | | |
| CA 504 | ☑ racemosa , Black Cohosh, 150 cm, white, abundant flowers, VI-VII, Z3-7 | 5 | 19 | – | 208,00 | 26,00 | 3,40 | 2,00 |
| CISTUS (Cistaceae) | | | | | | | | |
| CA 542 | ☑ incanus ssp. tauricus , Tauric Rock Rose, 100 cm, rose-purple, grey-green leaves, VI-VIII, Z7-10 (see also GOLD NUGGET SEED®) | 3 | 8 | 2350,00 | 336,00 | 42,00 | 5,20 | 2,60 |
| CLEMATIS integrifolia, vitalba - see Organic Seed | | | | | | | | |



CICHORIUM intybus var. intybus



CISTUS incanus ssp. tauricus











CODONOPSIS pilosula



COLCHICUM autumnale

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | Portion | |
|--|---|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | | |
| CLINOPODIUM (Lamiaceae, <i>Labiatae</i>) | | | | | | | | | |
| CA 578 | vulgare , Cushion Calamint, 40 cm, pink, aromatic foliage, VII-IX, Z6-9 | Ⓚ Ⓣ Ⓟ Ⓢ | 1 | 16 | – | 120,00 | 18,00 | 2,60 | 2,00 |
| CNICUS benedictus - see Organic Seed | | | | | | | | | |
| COCHLEARIA officinalis - see Organic Seed | | | | | | | | | |
| CODONOPSIS (Campanulaceae) | | | | | | | | | |
| CA 582 | pilosula , Tang Shen (Dong-Sen), up to 120 cm climbing, greenish yellow bellflowers, VI-IX, Z5-8, TCM plant (see also Organic-Seeds) | Ⓢ | 3 | 15 | – | 620,00 | 78,00 | 9,60 | 2,40 |
| COLCHICUM (Colchicaceae, Liliaceae) | | | | | | | | | |
| CA 593 | autumnale , Autumn Crocus, 15 cm, lilac, poisonous! VIII-X, Z4-7 (s. also Organic-Seeds) | Ⓢ Ⓢ | 30 | 6 | 288,00 | 48,00 | 8,00 | 2,00 | 2,00 |
| CORIANDRUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | | |
| CA 640 | sativum , Coriander, 50 cm, white-pink umbels, VI-IX, Z5-10, ☉ | | | | | | | | |
| | (see also Organic-Seeds) | Ⓚ Ⓢ Ⓢ | 30 | 15 | 24,00 | 6,00 | 4,00 | 2,00 | 2,00 |
| NEW! CA 643 | sativum 'Typ Dwarf Lemon' , Lemon Coriander, 30 cm, white to soft pink, early blooming, fast fruiting, fresh fruity lemon aroma of leaf and grain, sturdy, compact habit, VI-VII, Z5-10, ☉ (see also Organic-Seeds) | Ⓚ Ⓢ Ⓢ | 50 | 15 | 82,00 | 18,00 | 6,00 | 2,00 | 3,00 |
| CA 641 | sativum 'Typ Slowbolt' , Foliage Coriander, 50 cm, productive foliage selection, IX, Z5-10, ☉ (see also Organic-Seeds) | Ⓚ Ⓢ Ⓢ | 30 | 15 | 32,00 | 6,00 | 4,00 | 2,00 | 2,00 |
| COTA tinctoria - see ANTHEMIS tinctoria | | | | | | | | | |
| GRAMBE maritima - see Organic Seed | | | | | | | | | |
| CRITHMUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | | |
| CA 677 | maritimum , Sea Samphire, Sea Fennel, 40 cm, yellowish umbels, blue-green, feathery, succulent leaves, VII-IX, Z6-9 | Ⓚ Ⓢ | 15 | 9 | – | 192,00 | 24,00 | 3,00 | 2,30 |
| CRYPTOTAENIA (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | | |
| CA 720 | japonica f. atropurpurea [Purpurascens] , Purple-leaved Japanese Parsley, 40 cm, pink, very decorative, trifoliolate foliage, entire plant bronze-red, excellent foliage perennial, self seeds! V-VI, Z4-9 | Ⓚ Ⓢ | 3 | 8 | – | 1180,00 | 168,00 | 24,00 | 3,20 |
| | japonica f. viridis - see Organic Seed | | | | | | | | |
| CUMINUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | | |
| CA 684 | cuminum , Cumin, 25 cm, white-pink, VIII-IX, Z8-11, ☉ | Ⓚ Ⓢ | 15 | 16 | 54,00 | 18,00 | 6,00 | 2,00 | 2,00 |
| CYMOPOGON (Poaceae, <i>Gramineae</i>) | | | | | | | | | |
| ZA 126 | flexuosus , East Indian Lemongrass, 140 cm, foliage with intensive lemon fragrance, VIII-X, Z8-11, | pure seed Ⓚ Ⓣ Ⓢ | 1 | 15 | – | 1360,00 | 160,00 | 22,00 | 6,00 |
| CYNARA (Asteraceae, <i>Compositae</i>) | | | | | | | | | |
| CA 704 | cardunculus ssp. flavescens , (AGM), Cardoon, 100 cm, blue, excellent cut flowers, variable, VII-X, Z6-10 (see also Organic-Seeds) | Ⓚ Ⓢ Ⓢ | 80 | 15 | 96,00 | 24,00 | 5,00 | 2,00 | 2,50 |
| CA 706 | cardunculus f. scolymus Green Globe Typ [Imperial Star Typ] , Vegetable Globe Artichoke, 120 cm, very large bright violet blossoms, purple coloured phyllaries, solid and heavy buds, thornless foliage. Semi-early flowering cultivar especially suited for floral arrangements, VII-X, Z6-10 (see also Organic-Seeds) | Ⓚ Ⓢ Ⓢ | 100 | 15 | 360,00 | 62,00 | 12,00 | 2,00 | 4,80 |
| CYNOGLOSSUM (Boraginaceae) | | | | | | | | | |
| NEW! CA 714 | creticum , Blue Hound's Tongue, 40 cm, rose to light purple, veined, silky hairy foliage, dense rosettes, IV-VI, Z6-9, ☉ | Ⓚ Ⓢ | 80 | 16 | – | 72,00 | 9,60 | 2,00 | 4,20 |
| CA 709 | officinale , Dog's Tongue, 75 cm, purple-blue, V-VII, Z5-9 | | | | | | | | |
| | (see also Organic-Seeds) | Ⓢ Ⓢ | 60 | 8 | 160,00 | 32,00 | 8,00 | 2,00 | 4,00 |
| DIANTHUS carthusianorum, superbus - see Organic Seed | | | | | | | | | |
| DICTAMNUS - see Organic Seed | | | | | | | | | |
| DIGITALIS ambigua, lanata, purpurea - see Organic Seed | | | | | | | | | |
| DIPLOTAXIS tenuifolia - see Organic Seed | | | | | | | | | |

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|--|---|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| DIPSACUS sylvestris - see Organic Seed | | | | | | | | |
| DORYCNIUM hirsutum - see Organic Seed | | | | | | | | |
| DRACOCEPHALUM (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| NEW! DA 461 |  moldavica , Moldavian Dragonhead, Moldavian Balm, 40 cm, blue, selected form with high content of oil and high foliage yields, VII-VIII, Z6-10, ☉ (see also Organic-Seeds) ... ⓧ Ⓣ Ⓧ | 5 | 15 | 128,00 | 26,00 | 4,80 | 2,00 | 2,00 |
| ECHINACEA (RUBECKIA) (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| EA 003 |  angustifolia , Narrow Coneflower, up to 50 cm, pink to red, petals shorter but wider than <i>E. pallida</i> , with yellow pollen, VI-X, Z3-8 (s. also GOLD NUGGET SEED® + Organic-Seeds) ⓧ Ⓣ Ⓧ | 10 | 9 | 980,00 | 144,00 | 24,00 | 3,60 | 3,60 |
| EA 004 |  pallida , Pale Coneflower, 80 cm, pink, long hanging petals, with whitish pollen, VII-IX, Z3-8 (see also Organic-Seeds) ... ⓧ Ⓣ Ⓧ | 15 | 15 | 340,00 | 68,00 | 14,00 | 2,00 | 2,00 |
| EA 006 |  paradoxa var. paradoxa , 80 cm, bright yellow, very unusual, VII-X, Z4-9 (see also GOLD NUGGET SEED® + Organic-Seeds) ... ⓧ Ⓣ Ⓧ | 15 | 9 | – | 192,00 | 24,00 | 3,60 | 3,60 |
| RA 180 | purpurea (RUBECKIA) , Purple Coneflower, 100 cm, purple-rose, VII-IX, Z3-8 (see also Organic-Seeds) ... ⓧ Ⓣ Ⓧ | 10 | 15 | 160,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| EA 008 |  tennesseensis 'Rocky Top Hybr.' ,   60 cm, pink, bent upward petals, lanceolate foliage, VII-IX, Z4-9 (see also GOLD NUGGET SEED® + Organic-Seeds) ... ⓧ Ⓣ Ⓧ | 12 | 9 | 980,00 | 144,00 | 24,00 | 3,60 | 3,60 |
| ECHINOPS ritro - see Organic Seed | | | | | | | | |
| ECHIUM (Boraginaceae) | | | | | | | | |
| amoenum, russicum (rubrum) - see Organic Seed | | | | | | | | |
| EA 020 | vulgare , Viper's Bugloss, 80 cm, bright blue, V-VIII, Z3-11, ☉ (see also Organic-Seeds) ... ⓧ Ⓣ Ⓧ | 5 | 9 | 192,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| EPILOBIUM (Onagraceae) | | | | | | | | |
| EA 030 | angustifolium (CHAMAENERION) , Rosebay Willowherb, Fire Weed, 110 cm, lilac-rose, VI-IX, Z2-7 (see also Organic-Seeds) ... ⓧ Ⓣ Ⓧ Ⓨ | 1 | 15 | – | 192,00 | 24,00 | 3,20 | 2,00 |
| NEW! EA 031 |  angustifolium 'Album' , White Rosebay Willowherb, 110 cm, white, VI-IX, Z2-7 ... ⓧ Ⓣ Ⓧ Ⓨ | 1 | 15 | – | – | – | – | 4,80 |
| EA 042 | hirsutum , 70 cm, wine-red, VI-VIII, Z3-9 (see also Organic-Seeds) ... ⓧ Ⓣ Ⓧ | 1 | 15 | – | 192,00 | 24,00 | 3,20 | 2,00 |
| ERUCA (Brassicaceae, <i>Cruciferae</i>) | | | | | | | | |
| EA 135 | vesicaria ssp. sativa , Italian Rocket Salad, Arugula, 30 cm, white-yellow, pinnately lobed leaves, V-VII, Z6-9, ☉ (see also Organic-Seeds) ... ⓧ Ⓣ Ⓧ | 10 | 15 | 27,00 | 9,00 | 4,00 | 2,00 | 2,00 |
| ERYNGIUM maritimum - see Organic Seed | | | | | | | | |
| ESCHSCHOLZIA californica - see Organic Seed | | | | | | | | |
| EUPATORIUM cannabinum - see Organic Seed | | | | | | | | |



CRITHMUM maritimum



CYNARA cardunculus ssp. flavescens



ECHINACEA paradoxa var. paradoxa



EPILOBIUM angustifolium 'Album'



CYNOGLOSSUM creticum



FRAGARIA vesca



FRAGARIA vesca 'Alpine Yellow'



FRAGARIA vesca var. vesca



FRAGARIA virginiana

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | Portion |
|--|--|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | |
| EUPHORBIA (Euphorbiaceae) | | | | | | | | |
| EA 232 | lathyris , 90 cm, yellow-green, decorative, crosswise arranged foliage, VI-VIII, Z5-9, ☉ (see also Organic-Seeds) | 100 | 1 | – | 48,00 | 8,00 | 2,00 | 3,80 |
| FILIPENDULA (Rosaceae) | | | | | | | | |
| FA 018 | ulmaria , Meadowsweet, 150 cm, yellowish-white, VI-VIII, Z3-7 (see also GOLD NUGGET SEED® + Organic-Seeds) | 5 | 9 | 432,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| FOENICULUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| FA 008 | vulgare , Fennel (Hui-Xiang), 120 cm, yellow umbels, VII-IX, Z6-9, TCM plant (see also Organic-Seeds) | 30 | 15 | 45,00 | 9,00 | 4,00 | 2,00 | 2,00 |
| FA 024 | vulgare 'Purpureum' (Rubrum) [Smokey, Deco, Bronze] , Bronze Leaved Fennel, 80 cm, yellow, VII-IX, Z6-9 (see also Organic-Seeds) | 30 | 15 | 980,00 | 122,00 | 16,00 | 2,00 | 2,00 |
| FRAGARIA (Rosaceae) | | | | | | | | |
| indica - see DUCHESNEA | | | | | | | | |
| FA 009 | moschata , Musk Strawberry, 30 cm, white, large flowering, dioecious, blood-red berries, well above the foliage, hardly stoloniferous, V-VII, Z4-8 | 2 | 16 | – | – | 84,00 | 9,60 | 3,20 |
| FA 023 | vesca , Woodland Strawberry, 20 cm, white, often stoloniferous, V-VI, Z4-8 (see also Organic-Seeds) | 3 | 16 | 1792,00 | 224,00 | 28,00 | 3,60 | 2,00 |
| FA 025 | vesca var. semperflorens 'Alpine Yellow' [White Delight, White Solemacher Strain] , 20 cm, white, white-yellow berries, without stolons, V-VI, Z4-8 | 3 | 16 | – | 960,00 | 120,00 | 16,00 | 4,00 |
| FA 011 | vesca var. semperflorens 'Alexandria' , Alpine Strawberry, 20 cm, white, productive variety, mostly elongated red berries, without stolons, V-IX, Z4-8 (see also Organic-Seeds) | 3 | 16 | 1980,00 | 252,00 | 32,00 | 4,20 | 2,40 |
| FA 012 | vesca var. semperflorens 'Golden Alexandria' , Golden Leaved Alpine Strawberry, 20 cm, white, golden foliage in spring, changing to light green, red berries, without stolons, V-IX, Z4-8 | 3 | 16 | – | – | 120,00 | 16,00 | 4,00 |
| FA 013 | vesca var. semperflorens 'Verbesserte Rügen' [Baron Solemacher Strain] , Alpine Strawberry, 20 cm, white, long known, productive variety, mostly round red berries, without stolons, V-IX, Z4-8 | 3 | 16 | 1280,00 | 160,00 | 20,00 | 2,60 | 2,00 |
| FA 019 | vesca var. vesca , Woodland Strawberry, 20 cm, white, berries arching over its foliage, stoloniferous groundcover, V-VI, Z4-8 | 3 | 16 | 1792,00 | 224,00 | 28,00 | 3,60 | 2,00 |
| NEW! FA 017 | virginiana , Virginia Strawberry, 15 cm, white, aromatic fruits, glossy green foliage, IV-VI, Z3-9 | 1 | 16 | – | – | 192,00 | 24,00 | 4,80 |
| GALEGA (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | |
| GA 030 | officinalis , Goat's Rue, 100 cm, lilac with bluish banner, abundant and long blooming, VII-IX, Z3-7 (see also Organic-Seeds) | 20 | 16 | 320,00 | 68,00 | 12,00 | 2,00 | 2,00 |
| GA 031 | officinalis 'Alba' , 80 cm, pure white, bushy, upright habit, VII-IX, Z3-7 (see also Organic-Seeds) | 20 | 8 | – | – | 48,00 | 6,40 | 4,20 |
| GALIUM (Rubiaceae) | | | | | | | | |
| GA 034 | album (mollugo) , White Bedstraw, 20 cm, white, V-VIII, Z3-9 | 5 | 8 | – | 48,00 | 8,00 | 2,00 | 2,00 |
| GA 035 | odoratum (ASPERULA odorata) , Sweet Woodruff, 15 cm, white, V-VI, Z4-7 (see also Organic-Seeds), | 30 | 1 | – | 180,00 | 24,00 | 3,80 | 2,40 |
| GA 036 | verum , 30 cm, yellow, abundant flower panicles, V-IX, Z3-7 (see also Organic-Seeds) | 5 | 15 | – | 48,00 | 8,00 | 2,00 | 2,00 |
| GENTIANA (Gentianaceae) | | | | | | | | |
| asclepiadea - see GOLD NUGGET SEED® + Organic Seed | | | | | | | | |
| GA 134 | lutea , Yellow Gentian, Bitterwort, 100 cm, pure yellow, especially decorative and long lasting, VI-VIII, Z3-7 (see also GOLD NUGGET SEED® + Organic-Seeds) | 5 | 1 | 576,00 | 96,00 | 14,00 | 2,00 | 2,00 |
| GERANIUM robertianum - see Organic Seed | | | | | | | | |
| GEUM (Rosaceae) | | | | | | | | |
| GA 262 | urbanum , Common Avens, 30 cm, yellow, V-X, Z5-9 (see also Organic-Seeds) | 10 | 9 | 360,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| GINGIDIA (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| GA 268 | montana (ANGELICA gingidium) , Mountain Carrot, Maori Aniseed, 40 cm, white umbels, striking pinnate foliage, perennial, VI-VIII, Z6-9 | 5 | 1 | – | – | 48,00 | 6,20 | 3,10 |
| GLAUCIUM - see Organic Seed | | | | | | | | |

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|---|---|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| GLECHOMA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| GA 296 | hederacea , Ground Ivy, Alehoof, 20 cm, brilliant violet, dark green foliage, IV-V + IX-X, Z2-10 (<i>see also GOLD NUGGET SEED® + Organic-Seeds</i>) | 2 | 1 | – | 240,00 | 32,00 | 4,00 | 2,00 |
| GLYCYRRHIZA (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | |
| GA 316 | echinata , Roman Licorice, 200 cm, lilac, VI-IX, Z7-10 (<i>see also Organic-Seeds</i>) | 20 | 9 | – | 306,00 | 36,00 | 5,20 | 5,20 |
| GA 317 | glabra , Spanish Licorice, 120 cm, pale blue, VII-IX, Z7-10 (<i>see also GOLD NUGGET SEED® + Organic-Seeds</i>) | 20 | 9 | 1420,00 | 240,00 | 34,00 | 5,20 | 5,20 |
| GA 319 | uralensis , Chinese Licorice (Gan-Cao), 100 cm, white-violet, pinnatifid foliage, VI-IX, Z8-10, TCM plant | 30 | 16 | 980,00 | 180,00 | 26,00 | 3,80 | 6,50 |
| GA 321 | yunnanensis , Yunnan Licorice, 160 cm, violet, decorative seed heads, pinnatifid foliage, VI-VIII, Z6-10 | 30 | 20 | – | 480,00 | 68,00 | 9,80 | 4,90 |
| GRATIOLA (Scrophulariaceae) | | | | | | | | |
| GA 320 | officinalis , Hedge Hyssop, 30 cm, white-yellow, lanceolate foliage, VI-VIII, Z5-9 | 0,1 | 9 | – | – | – | – | 6,00 |
| GRINDELIA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| GA 324 | robusta (camporum) , Gumplant, Gumweed, 100 cm, yellow umbels, VI-VIII, Z6-10 (<i>see also Organic-Seeds</i>) | 5 | 16 | – | 144,00 | 18,00 | 2,40 | 2,40 |
| HELICHRYSUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| HA 082 | italicum , (AEM), Italian Everlasting, Curry Plant, 50 cm, yellow, silvery grey-green foliage, VI-VIII, Z7-10 (<i>see also Organic-Seeds</i>) | 0,5 | 15 | 6740,00 | 864,00 | 144,00 | 24,00 | 6,00 |
| HIBISCUS Moscheutos-Hybr. - see Organic Seed | | | | | | | | |
| HIERACIUM pilosella - see Organic Seed | | | | | | | | |
| HIEROCHLOE (Poaceae, <i>Gramineae</i>) | | | | | | | | |
| ZA 215 | odorata , Vanillagrass, 40 cm, loose panicles, reminding of BRIZA, dense clumps, with runners, intense vanilla-fragrance, V-VI, Z4-8, | 2 | 16 | – | – | 324,00 | 36,00 | 6,00 |
| HOYTUYNIA (Saururaceae) | | | | | | | | |
| HA 279 | cordata , Fishwort, 20 cm, white, heart-shaped foliage, VI-IX, Z6-9 | 0,25 | 1 | – | – | – | 48,00 | 6,00 |
| HUMULUS (Cannabaceae) | | | | | | | | |
| HA 280 | lupulus , 200 cm, Common Hops, greenish-yellow, hanging flowers, green foliage, VII-IX, Z4-9 (<i>see also GOLD NUGGET SEED® + Organic-Seeds</i>) | 10 | 1 | 980,00 | 192,00 | 32,00 | 4,40 | 4,40 |
| HYOSCYAMUS (Solanaceae) | | | | | | | | |
| HA 308 | niger , Black Henbane, 50 cm, cream colored flowers with purple veins, V-IX, Z4-7, ☹, poisonous! (<i>see also Organic-Seeds</i>) | 2 | 9 | – | – | 24,00 | 3,40 | 2,00 |
| HA 309 | niger var. pallidus , Black Henbane, 50 cm, pure cream yellow, without common vein markings, V-IX, Z4-7, ☹, poisonous! | 2 | 9 | – | – | 48,00 | 6,80 | 3,40 |

Perennial Herbs
Culinary, Teas and
Medicinal



GENTIANA lutea



GINGIDIA montana



HELICHRYSUM italicum



HYOSCYAMUS niger var. pallidus



GLYCYRRHIZA yunnanensis

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|--|---|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| HYPERICUM (Clusiaceae, <i>Guttiferae</i>) | | | | | | | | |
| HA 322 | hircinum , Lemon-St. John's Wort, 60 cm, yellow, shrubby habit, VII-VIII, Z6-9. ® ① | 0,5 | 16 | – | – | – | 48,00 | 6,00 |
| HA 336 | perforatum , St. John's Wort, 60 cm, yellow, V-VIII, Z2-9 (<i>see also Organic-Seeds</i>). ® ② | 2 | 16 | 192,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| HT 336 | perforatum , heat-treated seed is virtually Colletotrichum free, but secondary infection is still possible, please prevent! JET®- heat-treated seed | 2 | 16 | – | 96,00 | 16,00 | 2,80 | 2,40 |
| HA 337 | perforatum 'Topas' , 40 cm, yellow, higher hypericin concentration, V-VIII, Z2-9 (<i>see also Organic-Seeds</i>). ® ② | 2 | 16 | 288,00 | 48,00 | 8,00 | 2,00 | 2,00 |
| HT 337 | perforatum 'Topas' , heat-treated seed is virtually Colletotrichum free, but secondary infection is still possible, please prevent! JET®- heat-treated seed | 2 | 16 | – | 144,00 | 24,00 | 4,00 | 3,20 |
| HYSSOPUS (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| HA 347 | officinalis , Hyssop, 45 cm, mostly blue, rarely pink and white, VI-VIII, Z3-11 (<i>see also Organic-Seeds</i>). ® ① ② ③ ④ | 5 | 15 | 144,00 | 24,00 | 6,00 | 2,00 | 2,00 |
| HA 348 | ☒ officinalis 'Albus' [Nectar White] , 45 cm, pure white, VI-VIII, Z3-11 | 2 | 15 | 320,00 | 56,00 | 9,60 | 2,00 | 2,00 |
| HA 349 | ☒ officinalis 'Caeruleus' [Nectar Blue] , 45 cm, blue, VI-VIII, Z3-11 | | | | | | | |
| HA 350 | ☒ officinalis 'Roseus' [Nectar Rose] , 45 cm, pink, VI-VIII, Z3-11 | | | | | | | |
| HA 352 | officinalis Mix [Tricolor Trio, Nectar Mix] , 45 cm, white, pink, blue, VI-VIII, Z3-11 | | | | | | | |
| HA 356 | ☒ officinalis ssp. aristatus , 30 cm, brilliant dark blue flowers, compact bushy habit, stable, fine aromatic foliage, Lavender substitute for cold climates, flowering the first year from seed, VI-IX, Z3-11. ® ① ② ③ ④ | 2 | 15 | – | 540,00 | 68,00 | 8,40 | 4,00 |
| INULA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| IA 058 | helenium , Elecampane, 150 cm, yellow, VII-X, Z3-8 (<i>see also Organic-Seeds</i>). ® ⑤ ⑥ | 5 | 16 | 432,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| IRIS pseudacorus, sibirica, versicolor - see Organic Seed | | | | | | | | |
| ISATIS (Brassicaceae, <i>Cruciferae</i>) | | | | | | | | |
| IA 300 | tinctoria , Woad (Ban Lan Gen), 60 cm, yellow, V-VII, Z6-9, TCM plant, ☺ (<i>see also Organic-Seeds</i>). pure seed ® ⑦ | 3 | 15 | – | 160,00 | 22,00 | 3,00 | 3,00 |
| KNAUTIA arvensis - see Organic Seed | | | | | | | | |
| LAVANDULA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| LA 070 | angustifolia (officinalis) , True Lavender, 50 cm, blue, VII-IX, Z5-9 (<i>see also GOLD NUGGET SEED® + Organic-Seeds</i>). ® ① ② ③ ④ | 5 | 9 | 380,00 | 48,00 | 8,00 | 2,00 | 2,00 |
| LA 082 | angustifolia Munstead-Strain - see GOLD NUGGET SEED® + Organic Seed latifolia (spica) , Common Lavender, 35 cm, blue-violet, aromatic, VI-VII, Z6-9 (<i>see also GOLD NUGGET SEED® + Organic-Seeds</i>). ® ① ② ③ ④ | 5 | 9 | 1280,00 | 160,00 | 20,00 | 2,50 | 2,50 |



HYSSOPUS officinalis 'Albus'



HYSSOPUS officinalis 'Caeruleus'



HYSSOPUS officinalis 'Roseus'



HYSSOPUS officinalis ssp. aristatus



LEONURUS cardiaca



LEONURUS cardiaca 'Grobbebol'



LEONURUS japonicus



LEVISTICUM officinale

| | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | Portion | | |
|--|-------------------------|--|-------------------------|------------|-----------|----------|---------|------|------|
| | | | from 1000 g | from 100 g | from 10 g | from 1 g | | | |
| LEONURUS (Lamiaceae, <i>Labiatae</i>) | | | | | | | | | |
| LA 112 | ☒ | cardiaca , True Motherwort, 120 cm, light red, VI-IX, Z3-9 (<i>see also Organic-Seeds</i>). ☒ ☒ ☒ ☒ | 2 | 15 | 192,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| LA 109 | ☒ | cardiaca 'Grobbeol' , 80 cm, lilac-pink, ruffled attractive foliage, interesting foliage plant, VI-IX, Z3-9 ☒ ☒ ☒ ☒ | 2 | 15 | – | 288,00 | 36,00 | 4,60 | 3,00 |
| LA 111 | ☒ | japonicus (heterophyllus, sibiricus) , Chinese Motherwort (Yi-Mu-Cao), 120 cm, lilac-pink with dark lip, whorly flower heads, pinnatifid foliage, young leaves can be used as vegetable, second year flowering, VII-X, Z5-9, TCM plant, ☐ ☒ ☒ ☒ ☒ | 3 | 15 | 288,00 | 48,00 | 8,00 | 2,00 | 2,00 |
| LA 113 | | japonicus (heterophyllus) 'Alba' , 120 cm, pure white form, whorly flower heads, VII-X, Z5-9, TCM plant ☒ ☒ ☒ ☒ | 3 | 16 | 980,00 | 180,00 | 30,00 | 5,00 | 2,50 |
| LA 115 | | japonicus (heterophyllus) 'BLBP 02' , Chinese Motherwort (Yi-Mu-Cao), 140 cm, lilac pink, whorled inflorescences, pinnatifid foliage, tetragonal stems, reliable first year flowering, high content of extract and flavanoids, high herb yield, VII-X, Z5-9, TCM plant, ☐ (<i>see also Organic-Seeds</i>) ☒ ☒ ☒ ☒ | 3 | 16 | 980,00 | 180,00 | 30,00 | 5,00 | 2,50 |
| LEPIDIDIUM sativum - see Organic Seed | | | | | | | | | |
| LEUCANTHEMUM vulgare - see Organic Seed | | | | | | | | | |
| LEVISTICUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | | |
| LA 150 | ☒ | officinale , Lovage, Love Parsley, 160 cm, yellow-green, VI-IX, Z3-9 (<i>see also Organic-Seeds</i>) ☒ ☒ ☒ ☒ | 25 | 16 | 182,00 | 28,00 | 6,00 | 2,00 | 2,00 |
| LINARIA (Scrophulariaceae) | | | | | | | | | |
| LA 310 | ☒ | vulgaris , Toadflax, Butter-and-Eggs, 75 cm, yellow with orange, V-X, Z3-8 ☒ | 1 | 8 | 768,00 | 96,00 | 12,00 | 2,00 | 2,00 |
| LINUM perenne - see Organic Seed | | | | | | | | | |
| LOBELIA inflata - see Organic Seed | | | | | | | | | |
| LUPINUS Perennis-Hybr. - see Organic Seed | | | | | | | | | |
| LYCHNIS flos-cuculi - see Organic Seed | | | | | | | | | |
| LYCIUM (Solanaceae) | | | | | | | | | |
| LA 512 | ☒ | barbarum (chinense) , Goji-Berry, Chinese Wolfberry (Gou-Qi-Zi, Di-Gu-Pi), up to 300 cm, lilac flowers, yellow to orange-red berries, shrubby habit, VII-IX, Z5-9 (<i>see also Organic-Seeds</i>) ☒ ☒ ☒ ☒ | 2 | 16 | 2800,00 | 360,00 | 48,00 | 6,60 | 4,20 |
| LYCOPUS europaeus - see Organic Seed | | | | | | | | | |
| LYSIMACHIA vulgaris - see Organic Seed | | | | | | | | | |
| LYTHRUM salicaria - see Organic Seed | | | | | | | | | |
| MACLEAYA (Papaveraceae) | | | | | | | | | |
| cordata hort. - see microcarpa | | | | | | | | | |
| MA 008 | | cordata (Willd.), White Plume Poppy (Boluohui), 250 cm, white flower panicles, grey-green foliage, VII-IX, Z4-9, TCM plant ☒ | 3 | 1 | 4600,00 | 640,00 | 72,00 | 9,80 | 4,90 |
| MA 010 | ☒ | microcarpa (cordata hort.) , (Xiaoguoboluohui), 250 cm, blue-green leaves, whitish to pink-brown flowering panicles, VII-VIII, Z3-9, TCM plant ☒ | 2 | 9 | 3400,00 | 480,00 | 60,00 | 7,60 | 3,80 |
| MALVA (Malvaceae) | | | | | | | | | |
| MA 042 | ☒ | sylvestris , Common Mallow, High Mallow, 100 cm, violet, VI-IX, Z4-8 (<i>see also Organic-Seeds</i>) ☒ ☒ ☒ ☒ | 10 | 8 | 148,00 | 24,00 | 6,00 | 2,00 | 2,00 |
| MA 043 | ☒ | sylvestris ssp. mauritiana [Bibor Felho] , Blue Mallow, 100 cm, dark violet, VI-IX, Z4-8 (<i>see also GOLD NUGGET SEED® + Organic-Seeds</i>) ☒ ☒ ☒ ☒ | 10 | 8 | 120,00 | 24,00 | 6,00 | 2,00 | 2,00 |
| MA 041 | ☒ | sylvestris 'Zebrina' , 120 cm, white with violet, VI-IX, Z4-8 (<i>see also GOLD NUGGET SEED® + Organic-Seeds</i>) ☒ ☒ ☒ ☒ | 10 | 8 | 432,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| MARRUBIUM (Lamiaceae, <i>Labiatae</i>) | | | | | | | | | |
| MA 050 | | vulgare [Pompon] , White Horehound, 40 cm, white, VI-VIII, Z3-9 (<i>see also Organic-Seeds</i>) ☒ ☒ ☒ ☒ | 5 | 15 | 260,00 | 48,00 | 8,00 | 2,00 | 2,00 |
| MATRICARIA - see CHAMOMILLA | | | | | | | | | |
| MELILOTUS officinalis - see Organic Seed | | | | | | | | | |

 Perennial Herbs
 Culinary, Teas and
 Medicinal


LINARIA vulgaris



MACLEAYA microcarpa



MALVA sylvestris



MALVA sylvestris ssp. mauritiana



MELISSA officinalis 'Gold Leaf'



MELISSA officinalis 'Lemona'



MENTHA suaveolens



MERTENSIA maritima ssp. asiatica

| | Gram to get 1000 plants | Nº. of the sowing directions | Prices in EURO net per: | | | | Portion | |
|---|--|------------------------------|-------------------------|------------|-----------|----------|---------|------|
| | | | from 1000 g | from 100 g | from 10 g | from 1 g | | |
| MELISSA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| MA 098 | officinalis , Lemon Balm, 40 cm, pale yellow, V-VII, Z3-9 (<i>see also Organic-Seeds</i>) . (K) (T) (B) (D) | 3 | 16 | 198,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| | officinalis ssp. altissima - <i>see Organic Seed</i> | | | | | | | |
| MA 084 | (K) officinalis 'Gold Leaf' [All Gold] , Golden Lemon Balm, 40 cm, inconspicuous flowers, striking golden foliage in spring, changing to light green, for semi-shade, V-VII, Z3-9. (K) (T) (B) (D) | 2 | 16 | – | – | 120,00 | 16,00 | 4,00 |
| MA 099 | (K) officinalis 'Lemona' , Lemon Balm, 40 cm, yellowish-white, good hardy, productive and protected foliage cultivar, dwarf creeping at first, 2nd year upright habit, very high yielding, IV-VI, Z4-10 (<i>see also Organic-Seeds</i>) (K) (T) (B) (D) | 3 | 16 | 680,00 | 98,00 | 14,00 | 2,40 | 2,00 |
| MA 097 | officinalis 'Quedlinburger Niederliegende' , 40 cm, yellowish-white, productive foliage variety with high yields, first procumbent, second year upright habit, IV-VI, Z4-10 (<i>see also Organic-Seeds</i>) (K) (T) (B) (D) | 3 | 16 | 288,00 | 48,00 | 9,60 | 2,40 | 2,00 |
| MENTHA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| MA 085 | (K) aquatica , Water Mint, 50 cm, pink-lilac, entire plant strongly aromatic, VII-X, Z4-8 (<i>see also Organic-Seeds</i>) (K) (T) (B) (D) | 0,5 | 9 | – | 760,00 | 96,00 | 12,00 | 4,00 |
| | cervina - <i>see Organic Seed</i> | | | | | | | |
| MA 088 | longifolia (sylvestris) , Horsemint, 50 cm, light blue, VI-X, Z5-8 (K) (T) (D) | 1 | 16 | – | 440,00 | 64,00 | 8,00 | 3,00 |
| MA 086 | Piperita-Hybr. , Peppermint, 40 cm, lilac-pink, very variable, VI-X, Z2-9 (K) (T) (D) | 0,5 | 16 | 1480,00 | 198,00 | 26,00 | 3,60 | 2,00 |
| MA 087 | pulegium , Pennyroyal, 20 cm, lilac, VI-VIII, Z6-10 (<i>see also Organic-Seeds</i>) (K) (B) (D) | 0,5 | 16 | 1150,00 | 144,00 | 18,00 | 2,40 | 2,00 |
| MA 107 | requienii , Corsican Mint, 5 cm, light violet, lawn forming, intensive fragrance, VI-IX, Z6-10. (K) (B) (D) | 0,1 | 15 | – | – | – | 196,00 | 5,40 |
| MA 089 | Spicata-Hybr. , Spearmint, Lamb Mint, 30 cm, pink-white, variable, VI-X, Z2-9 (<i>see also Organic-Seeds</i>) (K) (T) (B) (D) | 0,5 | 16 | 1480,00 | 198,00 | 26,00 | 3,60 | 2,00 |
| MA 091 | (K) suaveolens (rotundifolia hort.) , Applemint, Round-leaved Mint, 30 cm, pink-white, hairy foliage, VII-IX, Z5-8 (<i>see also Organic-Seeds</i>) (K) (T) (D) | 0,5 | 16 | – | 256,00 | 32,00 | 4,00 | 2,00 |
| MERTENSIA (Boraginaceae) | | | | | | | | |
| MA 092 | (K) maritima ssp. asiatica (simplicissima) , Oyster-Leaf, 15 cm, brilliant blue, grey-bluish foliage, V-VII, Z3-7. (K) (B) | 10 | 8 | – | – | 520,00 | 64,00 | 9,80 |
| MESEMBRYANTHEMUM (Aizoaceae) | | | | | | | | |
| MA 095 | crystallinum , Iceplant, 20 cm, white, thick fleshy undulated foliage, VIII-IX, Z8-11, ☉ (K) | 1 | 15 | 2250,00 | 320,00 | 46,00 | 7,80 | 3,90 |
| MEUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| MA 100 | (K) athamanticum , Bearwort, Spignel, 40 cm, slender leaves, white blossom umbels, spicy scent, cut-green, V-VIII, Z6-9 (K) (D) | 10 | 1 | 896,00 | 112,00 | 14,00 | 2,20 | 2,20 |
| MICROMERIA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| MA 105 | thymifolia (CLINOPODIUM) , Mountain Mint, 25 cm, white with violet, VII-X, Z5-8 (K) (T) | 0,5 | 8 | – | – | – | 32,00 | 4,00 |
| MONARDA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| MA 194 | citriodora , Lemon-Mint, Lemon Bergamot, 80 cm, rosy-red, purple spotted whorl flowers, VI-IX, Z5-8, ☉ (K) (T) (B) (D) | 3 | 15 | 540,00 | 180,00 | 24,00 | 3,20 | 2,00 |
| MA 196 | didyma , Bergamot, Bee Balm, Oswego-Tea, 110 cm, mostly red, VI-IX, Z4-8 (<i>see also Organic-Seeds</i>) (K) (T) (B) (D) | 3 | 15 | – | 1540,00 | 162,00 | 18,00 | 6,00 |
| MA 208 | fistulosa , Horsemint, Wild Bergamot, 80 cm, mostly lilac, for dry locations, VII-IX, Z4-8 (<i>see also Organic-Seeds</i>) (K) (T) (B) (D) | 3 | 15 | 1960,00 | 280,00 | 35,00 | 4,60 | 2,30 |
| MA 210 | (K) punctata , Spotted Bee Balm, 90 cm, pink bracts, yellow, purple spots, VII-IX, Z4-8 (K) (T) (B) (D) | 3 | 16 | – | 369,00 | 46,00 | 6,20 | 3,10 |
| MYRRHIS (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| MA 250 | odorata , Sweet Cicely, Myrrth, Sweet Chervil, 120 cm, white umbels, entire plant aromatic, VI, Z4-8 (<i>see also Organic-Seeds</i>) (K) (B) (D) | 110 | 1 | 468,00 | 78,00 | 14,00 | 2,00 | 6,20 |
| NASTURTIUM (Brassicaceae) | | | | | | | | |
| NA 012 | officinale , Watercress, 40 cm, evergreen, V-X, Z5-8 (<i>see also Organic-Seeds</i>) (K) (D) | 1 | 15 | 360,00 | 52,00 | 7,40 | 2,00 | 2,00 |



MEUM athamanticum



MONARDA punctata



OCIMUM basilicum 'Adi'



OCIMUM basilicum 'Red Rubin'

| | | Gram to get 1000 plants | Nº. of the sowing directions | Prices in EURO net per: | | | | | |
|--|---|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion | |
| NEPETA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | | |
| NA 020 | <i>cataria</i> , Common Catmint, 60 cm, white, VI-X, Z3-8 (see also <i>Organic-Seeds</i>) | Ⓚ Ⓣ Ⓟ Ⓡ | 3 | 9 | 162,00 | 36,00 | 8,00 | 2,00 | 2,00 |
| NA 021 | <i>cataria</i> ssp. <i>citriodora</i> , Lemon Catmint, 60 cm, white, lemon scented, VI-X, Z3-8 (see also <i>Organic-Seeds</i>) | Ⓚ Ⓣ Ⓟ Ⓡ | 3 | 9 | 225,00 | 45,00 | 9,00 | 2,00 | 2,00 |
| | <i>racemosa</i> - see <i>Organic Seed</i> | | | | | | | | |
| NIGELLA sativa - see <i>Organic Seed</i> | | | | | | | | | |
| OCIMUM (Lamiaceae, <i>Labiatae</i>) | | | | | | | | | |
| OA 001 | <i>americanum</i> 'Lemonette', Lemon Basil, 40 cm, pale lilac-white, VI-IX, Z10-11, ☉ (see also <i>Organic-Seeds</i>) | Ⓚ Ⓡ | 4 | 15 | 192,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| | <i>basilicum</i> 'Ararat' - see <i>Organic Seed</i> | | | | | | | | |
| OA 003 | <i>basilicum</i> 'Cinnamon', Cinnamon Basil, 40 cm, lavender-pink, green-purple foliage, VI-IX, Z9-11, ☉ (see also <i>Organic-Seeds</i>) | Ⓚ Ⓡ | 4 | 15 | 224,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| OA 017 | <i>basilicum</i> F.- <i>Genoveser</i> -Hybr. 'Adi', Pot-Plant Basil, 20 cm, fusarium resistant F ₁ -Hybr., round, healthy foliage, VI-IX, Z10-11, ☉ (see also <i>Organic-Seeds</i>) | Ⓚ Ⓡ | 4 | 15 | 498,00 | 72,00 | 12,00 | 2,50 | 2,50 |
| OA 016 | <i>basilicum</i> F.- <i>Genoveser</i> -Hybr. 'Aroma 2', Large Sweet Basil, 50 cm, fusarium resistant F ₁ -Hybr., white, large, round, healthy foliage, VI-IX, Z10-11, ☉ (see also <i>Organic-Seeds</i>) | Ⓚ Ⓡ | 4 | 15 | 498,00 | 72,00 | 12,00 | 2,50 | 2,50 |
| OA 019 | <i>basilicum</i> 'Dark Opal', Purple-leaved Basil, 30 cm, pink, purple-black, excellent aromatic leaves, VI-IX, Z10-11, ☉ (see also <i>Organic-Seeds</i>) | Ⓚ Ⓡ | 4 | 15 | 252,00 | 42,00 | 7,20 | 2,00 | 2,00 |
| OA 004 | <i>basilicum</i> 'Genoveser', Large Sweet Basil, 50 cm, white, best for pesto, large round foliage, VI-IX, Z10-11, ☉ (see also <i>Organic-Seeds</i>) | Ⓚ Ⓡ | 4 | 15 | 112,00 | 18,00 | 6,00 | 2,00 | 2,00 |
| OA 005 | <i>basilicum</i> var. <i>minutum</i> 'Minette', Pot-Plant Basil, 20 cm, compact, fine foliage, VI-IX, Z10-11, ☉ (see also <i>Organic-Seeds</i>) | Ⓚ Ⓡ | 4 | 15 | 224,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| OA 007 | <i>basilicum</i> 'Purple Ruffles', (AAS), Red Ruffled Basil, 40 cm, pink, large crinkled dark purple leaves, VI-IX, Z10-11, ☉ | Ⓚ Ⓡ | 2 | 15 | – | 498,00 | 72,00 | 12,00 | 3,20 |
| OA 008 | <i>basilicum</i> 'Red Rubin', Purple-leaved Basil, 30 cm, pink-white, bronze-purple, excellent flavour, decorative foliage, VI-IX, Z10-11, ☉ (see also <i>Organic-Seeds</i>) | Ⓚ Ⓡ | 4 | 15 | 432,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| OA 021 | <i>basilicum</i> var. <i>thyriflorum</i> 'Thai', Thai Basil, 60 cm, red-purple, leaves with anise flavour, VII-IX, Z10-11, ☉ (see also <i>Organic-Seeds</i>) | Ⓚ Ⓡ | 3 | 15 | 498,00 | 72,00 | 12,00 | 2,50 | 2,50 |
| NEW! OA 015 | <i>tenuiflorum</i> (<i>sanctum</i>), Sacred Basil, Kapoor Tulsi, 50 cm, pink, aromatically fragrant, clove-like taste, VI-IX, Z10-11 | Ⓚ Ⓡ | 2 | 15 | – | 198,00 | 34,00 | 5,80 | 2,00 |
| OENOTHERA (Onagraceae) | | | | | | | | | |
| OA 011 | <i>biennis</i> , Evening Primrose, 80 cm, yellow, VI-VIII, Z3-8, ☉ (see also <i>Organic-Seeds</i>) | Ⓚ Ⓡ Ⓟ Ⓡ | 5 | 9 | 90,00 | 18,00 | 6,00 | 2,00 | 2,00 |
| ORIGANUM (Lamiaceae, <i>Labiatae</i>) | | | | | | | | | |
| | <i>libanoticum</i> - see <i>Organic Seed</i> | | | | | | | | |
| OA 093 | <i>majorana</i> , Sweet Marjoram, Garden Marjoram, 45 cm, white-pink, VI-VII, Z6-9, ☉ (see also <i>Organic-Seeds</i>) | Ⓚ Ⓣ Ⓡ | 2 | 15 | 128,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| OA 091 | <i>vulgare hort.</i> , Perennial Marjoram, 40 cm, pink, VII-X, Z4-8 (see also <i>Organic-Seeds</i>) | Ⓚ Ⓣ Ⓡ Ⓟ Ⓡ | 3 | 15 | 432,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| OA 094 | <i>vulgare, wild form</i> , Wild Marjoram, 35 cm, pale purple, aromatic, VII-X, Z4-8 | Ⓚ Ⓣ Ⓡ Ⓟ Ⓡ | 1 | 15 | 510,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| OA 092 | <i>vulgare</i> 'Album', 35 cm, white umbels, VI-IX, Z4-8 | Ⓚ Ⓡ | 0,5 | 16 | – | – | 72,00 | 9,00 | 3,00 |
| OA 096 | <i>vulgare</i> ssp. <i>hirtum</i> (<i>heracleoticum</i>), Pizza Oregano, Greek Oregano, 45 cm, mostly white, rarely pink, intensive fragrance, compact, VII-X, Z4-8 (see also <i>Organic-Seeds</i>) | Ⓚ Ⓣ Ⓡ Ⓟ Ⓡ | 3 | 15 | 780,00 | 112,00 | 14,00 | 2,00 | 2,00 |
| ORLAYA - see <i>Organic Seed</i> | | | | | | | | | |
| PAEONIA (Paeoniaceae) | | | | | | | | | |
| PA 003 | <i>officinalis</i> ssp. <i>banatica</i> , Common Peony, 60 cm, red with yellow stamens, V-VI, Z5-8 (see also <i>Organic-Seeds</i>) | Ⓡ Ⓡ | 250 | 6/10 | 960,00 | 120,00 | 15,00 | 2,00 | 9,00 |
| PANAX (Araliaceae) | | | | | | | | | |
| PA 012 | <i>ginseng</i> , Ginseng (Ren-Shen), 40 cm, white-green clusters between two handshaped leaves, red berries, roots very valuable for medical purposes, VI-VIII, Z5-8, TCM plant | Ⓡ | 50 | 1 | 1820,00 | 280,00 | 36,00 | 5,20 | 9,80 |
| PAPAVER (Papaveraceae) | | | | | | | | | |
| PA 095 | <i>rheas</i> , Corn Poppy, 50 cm, brilliant red, V-VIII, Z4-8, ☉ (see also <i>Organic-Seeds</i>) | Ⓚ Ⓡ Ⓟ Ⓡ | 0,25 | 9 | 136,00 | 32,00 | 6,00 | 2,00 | 2,00 |
| PASTINACA sativa - see <i>Organic Seed</i> | | | | | | | | | |
| PENSTEMON pseudospectabilis - see <i>Organic Seed</i> | | | | | | | | | |

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|--|--|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| PERILLA (Lamiaceae) | | | | | | | | |
| PA 273 | frutescens var. crispa 'Green Shiso' , Green Leaved Beefsteak Plant (Zi-Su-Ye), 50 cm, white, green-crinkled foliage, IX-X, Z7-11, TCM plant, ☉ | 3 | 15 | 480,00 | 96,00 | 12,00 | 2,00 | 2,00 |
| PA 267 | frutescens var. crispa (nankinensis) 'Red Shiso' , Beefsteak Plant, (Zi-Su-Ye), 50 cm, pink, purple-crinkled foliage, IX-X, Z7-11, TCM plant, ☉ (<i>see also Organic-Seeds</i>) | 3 | 15 | 480,00 | 96,00 | 12,00 | 2,00 | 2,00 |
| PETASITES (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| PA 262 | hybridus (officinalis) , Butterbur, Umbrella Plant, 100 cm, purple-rose, III-IV, Z3-8 (<i>see also Organic-Seeds</i>) | 1 | 9 | 896,00 | 128,00 | 16,00 | 2,00 | 2,00 |
| PETROSELINUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| PA 282 | crispum var. crispum , Double Curled Parsley, 40 cm, yellow, double-crinkled foliage, VI-VIII, Z5-9, ☉ (<i>see also Organic-Seeds</i>) | 5 | 15 | 90,00 | 18,00 | 6,00 | 2,00 | 2,00 |
| PA 284 | crispum var. neapolitanum (hortense) , Italian Parsley, Plain Parsley, 60 cm, 60 cm, yellow, plain glossy foliage, VI-VIII, Z5-9, ☉ (<i>see also Organic-Seeds</i>) | 5 | 15 | 45,00 | 9,00 | 4,00 | 2,00 | 2,00 |
| PEUCEDANUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| PA 270 | ostruthium , Masterwort, 60 cm, white or reddish, a very aromatic plant, VII-VIII, Z4-8 (<i>see also Organic-Seeds</i>) | 5 | 1 | – | 192,00 | 24,00 | 3,40 | 2,20 |
| PHACELIA tanacetifolia - see Organic Seed | | | | | | | | |
| PHYSALIS (Solanaceae) | | | | | | | | |
| PA 330 | alkekengi var. franchetii 'Gigantea' [Winter Cherry] , Chinese Lantern, Bladder Cherry, 100 cm, large, red fruits, VI-VII, Z3-9 (<i>see also Organic-Seeds</i>) | 5 | 9 | 432,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| PIMPINELLA (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| PA 393 | anisum , Anis, 40 cm, pink, VII-VIII, Z8-11, ☉ (<i>see also Organic-Seeds</i>) | 4 | 15 | 42,00 | 6,00 | 4,00 | 2,00 | 2,00 |
| PA 392 | saxifraga , Burnet Saxifrage, Small Pimpernel, 50 cm, white, rarely pink or red, VII-IX, Z4-8 (<i>see also Organic-Seeds</i>) | 3 | 16 | 336,00 | 48,00 | 8,00 | 2,00 | 2,00 |
| PLANTAGO (Plantaginaceae) | | | | | | | | |
| asiatica - see Organic Seed | | | | | | | | |
| PA 399 | coronopus 'Minutina' , Buck's Horn Plantain, 15 cm, yellowish, pinnatifid foliage, mild nutty flavour, VI-IX, Z5-8, ☉ (<i>see also Organic-Seeds</i>) | 1 | 15 | 188,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| PA 397 | lanceolata , Ribwort Plantain, 50 cm, white, V-IX, Z5-8 | 5 | 15 | 72,00 | 18,00 | 6,00 | 2,00 | 2,00 |
| NEW! PA 398 | lanceolata 'Libor' , Ribwort Plantain, 50 cm, white, large leaved and productive, tetraploid cultivar, V-IX, Z5-8 (<i>see also Organic-Seeds</i>) | 5 | 15 | 96,00 | 24,00 | 6,20 | 2,00 | 2,00 |
| PA 412 | major , Common Plantain, 40 cm, yellowish-green, VI-X, Z4-8 (<i>see also Organic-Seeds</i>) | 5 | 9 | 188,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| PA 400 | major 'Purple Perversion' , Fringed Purple Plantain, 40 cm, white, decorative fringed red foliage, V-VIII, Z3-9 | 1 | 9 | – | – | 72,00 | 9,00 | 4,50 |
| PA 404 | major 'Purpurea' (var. rubrifolia) , Red-leaved Plantain, 30 cm, white, very decorative, V-VII, Z3-9 (<i>see also Organic-Seeds</i>) | 1 | 9 | – | – | 72,00 | 9,00 | 4,50 |
| PA 405 | major 'Rosularis' [Bowles Variety] , Rose Plantain, 35 cm, green roselike leaf-rosettes, between large foliage, a curiosity, V-VII, Z3-9 | 1 | 9 | – | 576,00 | 72,00 | 9,00 | 4,50 |
| PA 401 | major 'Variegata' , 25 cm, white, broad dark green leaves and white marbled, V-VII, Z3-9 | 1 | 9 | – | 384,00 | 48,00 | 6,00 | 3,00 |
| PA 403 | media , Hoary Plantain, 30 cm, lilac, V-IX, Z5-8 | 1 | 9 | 188,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| PLATYCODON (Campanulaceae) | | | | | | | | |
| PA 434 | grandiflorus 'Mariesii' , (AGM), Balloon Flower, Chinese Bellflower (Jie-Geng), 50 cm, blue, winterhardy cultivar, VI-VIII, Z3-8, TCM plant (<i>see also Organic-Seeds</i>) | 3 | 15 | 864,00 | 144,00 | 18,00 | 2,40 | 2,00 |
| POLEMONIUM caeruleum - see Organic Seed | | | | | | | | |
| POLYGONUM (Polygonaceae) | | | | | | | | |
| PA 520 | bistorta (BISTORTA officinalis) , Bistort, Snakeweed, 70 cm, pink, V-VIII, Z3-9 | 10 | 1 | – | 144,00 | 18,00 | 2,40 | 2,40 |
| POTENTILLA (Rosaceae) | | | | | | | | |
| argentea - see Organic Seed | | | | | | | | |
| PA 560 | anserina , Goose Grass, 10 cm, golden, green feathered foliage, silvery underneath, V-IX, Z3-9 (<i>see also GOLD NUGGET SEED</i>) | 5 | 1 | 5480,00 | 680,00 | 98,00 | 14,00 | 7,00 |
| PA 588 | erecta (tormentilla) , Bloodroot, 15 cm, yellow, V-VIII, Z4-7 | 1 | 1 | – | 450,00 | 64,00 | 9,20 | 3,20 |



PEUCEDANUM ostruthium



PLANTAGO major 'Purple Perversion'



PLANTAGO major 'Purpurea'



PLANTAGO major 'Variegata'



POTENTILLA anserina



PULMONARIA officinalis








RHEUM officinale 'BLBP 01'



PYCNANTHEMUM pilosum



RHEUM rhabarbarum 'Glaskins Perpetual'

| | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | Portion |
|---|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | from 1000 g | from 100 g | from 10 g | from 1 g | |
| PRIMULA (Primulaceae) | | | | | | | |
| PA 910  veris (officinalis) , <small>(AGM)</small> , Cowslip, 20 cm, yellow, III-V, Z4-8 (see also GOLD NUGGET SEED® + Organic-Seeds) | 5 | 9 | 780,00 | 120,00 | 20,00 | 3,40 | 2,00 |
| PRUNELLA (Lamiaceae, <i>Labiatae</i>) | | | | | | | |
| PA 948 vulgaris , 20 cm, violet, VI-IX, Z3-8 | 2 | 15 | 396,00 | 72,00 | 10,00 | 2,00 | 2,00 |
| PA 950 vulgaris 'BLBP 01' , Allheal, Selfheal (Xia-Ku-Cao), 60 cm, blue-violet to reddish flowers in dense spikes, lanceolate foliage, with runners, high content of extract and ursolic-acid, high flower yield, VI-IX, Z3-8, TCM plant (see also Organic-Seeds) | 2 | 15 | – | 112,00 | 14,00 | 2,00 | 2,00 |
| PULMONARIA (Boraginaceae) | | | | | | | |
| PA 969  officinalis (ssp. obscura) , Jerusalem Cowslip, Lungwort, 25 cm, pink changing to violet, foliage mostly without spots, III-IV, Z4-8 (see also Organic-Seeds) | 15 | 1 | 896,00 | 112,00 | 14,00 | 2,00 | 2,00 |
| PULSATILLA pratensis + vulgaris - see Organic Seed | | | | | | | |
| PYCNANTHEMUM (Lamiaceae, <i>Labiatae</i>) | | | | | | | |
| PA 998  pilosum , American Mountain Mint, 70 cm, pale purple, aromatic foliage, VI-IX, Z4-8 (see also Organic-Seeds) | 3 | 16 | – | 320,00 | 40,00 | 5,00 | 2,50 |
| PYRETHRUM cinerariifolium - see TANACETUM cinerariifolium | | | | | | | |
| RESEDA - see Organic Seed | | | | | | | |
| RHEUM (Polygonaceae) | | | | | | | |
| RA 079  officinale 'BLBP 01' , Chinese Rhubarb (Da-Huang), 200 cm, whitish flowers, strong stems, large lobed leaves, high content of extract and rhein, very low to absent content of rhaponticin, high root yield, V-VII, Z6-9, TCM plant | 40 | 15 | 686,00 | 98,00 | 14,00 | 2,40 | 4,80 |
| RA 082 palmatum var. tanguticum , Chinese Rhubarb, Turkey Rhubarb (Da-Huang), 200 cm, white, pink or red, VI-VII, Z4-8, TCM plant | 30 | 15 | 2240,00 | 320,00 | 40,00 | 5,20 | 4,20 |
| RA 083 rhabarbarum (x hybridum) , Rhubarb, 120 cm, yellowish-white, large leaves, mostly red leafstalks, V-VI, Z2-9 (see also Organic-Seeds) | 60 | 15 | 240,00 | 32,00 | 6,00 | 2,00 | 3,20 |
| RA 087  rhabarbarum 'Glaskins Perpetual' , Garden Rhubarb, 150 cm, reddish-green, bright red and luscious leafstalks, early and late harvest possible from the second year, long known productive variety, V-VII, Z2-9 (see also Organic-Seeds) | 60 | 15 | 448,00 | 64,00 | 12,00 | 2,00 | 4,20 |
| RA 076 rhabarbarum 'Victoria' , Garden Rhubarb, 150 cm, green-reddish, thick green leaf stalks, large leaved late cultivar, V-VII, Z2-9 (see also Organic-Seeds) | 60 | 15 | 448,00 | 64,00 | 12,00 | 2,00 | 4,20 |
| RA 085 rhaponticum , Rhapontic-Rhubarb, 150 cm, greenish-white, large leaves, V-VI, Z2-9 | 50 | 15 | – | 98,00 | 16,00 | 2,00 | 3,20 |



RHODIOLA rosea



RUMEX sanguineus var. sanguineus



RUMEX scutatus

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | Portion | | |
|---|---|---|------------------------------|-------------------------|------------|-----------|----------|---------|-------|------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | | | |
| RHODIOLA (SEDUM) (Crassulaceae) | | | | | | | | | | |
| RA 090 | ☐ | rosea, Rose Root, 25 cm, yellowish umbel, dried root is rose-scented, V-VI, Z1-8 (see also GOLD NUGGET SEED®) | Ⓚ Ⓟ Ⓡ Ⓣ Ⓝ Ⓟ | 0,5 | 1 | – | – | 198,00 | 22,00 | 4,40 |
| RICINUS - see Organic Seed | | | | | | | | | | |
| ROSMARINUS (Lamiaceae, Labiatae) | | | | | | | | | | |
| RA 130 | | officinalis, Rosemary, 120 cm, blue, V-VII, Z5-9 (see also GOLD NUGGET SEED® + Organic-Seeds) | Ⓚ Ⓡ Ⓣ Ⓝ Ⓟ | 10 | 9 | 2300,00 | 288,00 | 36,00 | 4,50 | 3,00 |
| RUMEX (Polygonaceae) | | | | | | | | | | |
| RA 206 | | acetosa, Sorrel, Garden Sorrel, 50 cm, reddish-brown, V-VII, Z2-9 (s. a. Organic-Seeds) | Ⓚ Ⓝ Ⓟ | 5 | 15 | 252,00 | 42,00 | 8,00 | 2,00 | 2,00 |
| RA 207 | | acetosa 'De Belleville', Green Sorrel, 60 cm, reddish, large leaved, green, productive foliage variety, low content of acid, long known mild cultivated form, VI-VIII, Z2-9 (see also Organic-Seeds) | Ⓚ Ⓝ Ⓟ | 5 | 15 | 252,00 | 42,00 | 8,00 | 2,00 | 2,00 |
| RA 210 | | acetosella, Sheep's Sorrel, 30 cm, reddish-green, V-VII, Z2-8 (see also Organic-Seeds) | Ⓚ Ⓝ Ⓟ | 2 | 15 | 144,00 | 18,00 | 6,00 | 2,00 | 2,00 |
| RA 228 | ☐ | sanguineus var. sanguineus [Bloody Dock, Red Halley, Ruby Streak], 40 cm, lanceolate leaves with distinct red-purple leaf veins, attractive foliage plant! V-VII, Z5-8 (see also Organic-Seeds) | Ⓚ Ⓝ Ⓟ | 2 | 15 | 1372,00 | 196,00 | 28,00 | 4,00 | 2,00 |
| RA 238 | ☐ | scutatus, French Sorrel, 40 cm, white-green, shield shaped green juicy leaves with sour-lemon flavor, V-IX, Z4-8 (see also Organic-Seeds) | Ⓚ Ⓝ Ⓟ | 3 | 16 | – | 320,00 | 48,00 | 8,00 | 3,80 |
| scutatus ssp. glaucus - see Organic Seed | | | | | | | | | | |
| RUTA (Rutaceae) | | | | | | | | | | |
| RA 354 | ☐ | corsica, Corsican Rue, 40 cm, creamy white, blue-green foliage, zigzag growing habit, VI-VIII, Z7-10 | Ⓚ Ⓝ Ⓟ Ⓡ | 3 | 9 | – | – | – | 32,00 | 4,80 |
| RA 360 | | graveolens, Rue, Herb of Grace, 50 cm, yellow, evergreen, VI-VIII, Z5-9 (see also Organic-Seeds) | Ⓚ Ⓝ Ⓟ Ⓡ | 10 | 16 | 336,00 | 48,00 | 8,00 | 2,00 | 2,00 |
| NEW! RA 362 | ☐ | graveolens 'Jackman's Blue Strain', Rue, 50 cm, yellow, bluish grey aromatic foliage, compact habit, VI-VIII, Z5-9 | Ⓚ Ⓝ Ⓟ Ⓡ | 6 | 16 | – | – | – | 9,60 | 4,20 |
| RA 364 | ☐ | graveolens f. variegata, 50 cm, yellow, colourful variegated foliage in spring, changing to green towards winter, VI-VIII, Z5-9 | Ⓚ Ⓝ Ⓟ Ⓡ | 10 | 16 | – | 512,00 | 64,00 | 8,20 | 4,10 |
| SALVIA (Lamiaceae, Labiatae) | | | | | | | | | | |
| NEW! SA 019 | ☐ | apiana, Sacred Sage, 100 cm, white, attractive, silver grey foliage, aromatic, V-VIII Z7-9 | Ⓚ Ⓝ Ⓟ Ⓡ | 7 | 16 | – | – | – | 18,00 | 6,20 |
| SA 014 | ☐ | columbariae, Desert Chia, 30 cm, bright blue, pinnatifid foliage, drought tolerant, V-VII, Z6-10, ☉ | Ⓚ Ⓝ Ⓟ Ⓡ | 2 | 15 | – | 144,00 | 24,00 | 3,40 | 2,00 |
| hispanica - see Organic Seed | | | | | | | | | | |
| SA 041 | | lavandulifolia (officinalis var. lavandulifolia), Spanish Sage, 40 cm, blue-violet, grey-green narrow foliage, aromatic, VI-VIII, Z4-10 | Ⓚ Ⓡ Ⓣ Ⓝ Ⓟ | 20 | 15 | – | 152,00 | 19,20 | 2,60 | 2,60 |
| SA 080 | ☐ | miltiorrhiza 'BLBP 01', Chinese Sage, Red Sage (Dan-Shen), 60 cm, blue-purple whorl flowers, large blooming racemes, pinnatifid foliage, high content of tanshinone Ila, extract and salvianolic acid B, high root yield, VI-IX, Z6-10, TCM plant | Ⓚ Ⓝ Ⓟ | 5 | 15 | 1880,00 | 240,00 | 32,00 | 4,00 | 3,20 |
| NEW! SA 079 | ☐ | moorcroftiana x indica 'Shangri-La', (PS), 70 cm, lavender blue, finely veined, large flowers in dense whorls, reblooming after deadheading, attractive leaf clumps, V-VIII, Z5-9 (see also Organic-Seeds) | Ⓚ Ⓝ | 25 | 9 | – | 296,00 | 38,00 | 6,40 | 4,80 |
| nemorosa - see Organic Seed | | | | | | | | | | |
| SA 038 | | officinalis, Common Sage, 50 cm, lilac, aromatic, VI-VIII, Z4-10 (see also Organic-Seeds) | Ⓚ Ⓡ Ⓣ Ⓝ Ⓟ | 20 | 16 | 192,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| SA 040 | | officinalis 'Extrakta', Extract Sage, 60 cm, lilac, foliage with a high oil concentration, VI-VIII, Z4-10 (see also Organic-Seeds) | Ⓚ Ⓡ Ⓣ Ⓝ Ⓟ | 20 | 15 | 324,00 | 54,00 | 9,00 | 2,00 | 2,00 |
| SA 042 | | officinalis f. albiflora, 40 cm, pure white, VI-VIII, Z4-10 | Ⓚ Ⓡ Ⓣ Ⓝ Ⓟ | 20 | 15 | 744,00 | 124,00 | 16,00 | 2,00 | 2,00 |
| pratensis - see Organic Seed | | | | | | | | | | |
| SA 058 | | sclareia, Clary, Muscatel Sage, 100 cm, rosy-red bracts, pale lilac flowers, branched blossom panicles, VI-VII, Z4-8, ☉ (see also Organic-Seeds) | Ⓚ Ⓡ Ⓣ Ⓝ Ⓟ | 10 | 15 | 288,00 | 48,00 | 8,00 | 2,00 | 2,00 |
| SANGUISORBA (Rosaceae) | | | | | | | | | | |
| SA 088 | | minor hort., Salad Burnet, Small Burnet, 60 cm, greenish flower heads, V-VIII, Z4-8 (see also Organic-Seeds) | Ⓚ Ⓡ Ⓣ Ⓝ Ⓟ | 50 | 15 | 84,00 | 12,00 | 4,00 | 2,00 | 2,00 |
| SA 098 | | officinalis, Great Burnet (Di-Yu), 60 cm, blood-red, VI-VIII, Z3-8, TCM plant (see also Organic-Seeds) | Ⓚ Ⓡ Ⓣ Ⓝ Ⓟ | 3 | 16 | 576,00 | 72,00 | 12,00 | 2,00 | 2,00 |

| | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|---|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| SANICULA (Apiaceae, <i>Umbelliferae</i>) SA 110 europaea , Sanicle, 25 cm, white, V-VI, Z5-8 (<i>see also Organic-Seeds</i>) Ⓣ | 15 | 1 | 860,00 | 120,00 | 15,00 | 2,00 | 2,00 |
| SANTOLINA (Asteraceae, <i>Compositae</i>) SA 124 chamaecyparissus ssp. tomentosa [Santa] , Cotton Lavender, 25 cm, pale yellow, compact, silver foliage, VI-VIII, Z6-8 (<i>see also Organic-Seeds</i>) Ⓣ Ⓡ Ⓢ Ⓣ | 1 | 15 | – | 1296,00 | 144,00 | 16,00 | 4,60 |
| SA 126 etrusca , Etruscan Santolina, 40 cm, creamy white, grey-green aromatic foliage, VII-VIII, Z6-9 Ⓣ Ⓣ | 1 | 15 | – | – | 76,00 | 9,60 | 4,80 |
| SA 128 rosmarinifolia (viridis) , 30 cm, yellow, very decorative blue-green foliage, VII-VIII, Z6-8 Ⓣ Ⓣ | 1 | 15 | 3600,00 | 512,00 | 64,00 | 8,00 | 2,00 |
| SAPONARIA (Caryophyllaceae) SA 144 officinalis , Soapwort, 80 cm, pale pink, VI-IX, Z3-8 (<i>see also GOLD NUGGET SEED® + Organic-Seeds</i>) Ⓡ Ⓣ | 10 | 1 | 224,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| SAPOSHNIKOVIA (Apiaceae, <i>Umbelliferae</i>) SA 154 divaricata 'BLBP 03' , Chinese Laserwort (Fang Feng), 80 cm, white flower umbels, pinnatifid foliage, high content of extract and required essence, good root yield, VII-VIII, Z5-9, TCM plant Ⓣ | 10 | 16 | 820,00 | 128,00 | 16,00 | 2,00 | 2,00 |



RUTA corsica



RUTA graveolens 'Jackman's Blue Strain'



RUTA graveolens f. variegata



SALVIA apiana



SALVIA columbariae



SALVIA miltiorrhiza 'BLBP 01'



SANTOLINA etrusca



SANTOLINA rosmarinifolia



SAPOSHNIKOVIA divaricata 'BLBP 03'

Perennial Herbs
 Culinary, Teas and
 Medicinal



SCUTELLARIA baicalensis 'BLBP 02'



SIDERITIS scardica



SILYBUM marianum var. albiflorum



TARAXACUM albidum



TARAXACUM pseudorosaeum

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|--|--|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| SATUREJA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| SA 158 | hortensis , Summer Savory, 25 cm, lilac-white, VII-X, Z6-9, ☉ (see also <i>Organic-Seeds</i>) | 2 | 15 | 54,00 | 9,00 | 4,00 | 2,00 | 2,00 |
| SA 163 | montana , Winter Savory, 25 cm, white-pink, VIII-X, Z5-8, ♀ (see also <i>Organic-Seeds</i>) | 3 | 15 | 346,00 | 48,00 | 8,00 | 2,00 | 2,00 |
| SA 166 | montana var. citriodora , Lemon Savory, 25 cm, white-pink, aromatic lemon scented foliage, occasionally normal forms come up, VIII-X, Z5-8 | 2 | 9 | – | 620,00 | 78,00 | 9,60 | 3,20 |
| SA 164 | montana ssp. illyrica (subspicata) , ^{CS} , Purple Winter Savory, 15 cm, bright violet, VIII-X, Z5-8 (see also <i>Organic-Seeds</i>) | 1 | 9 | – | 620,00 | 78,00 | 9,60 | 3,20 |
| SA 167 | spicigera (repanda) , Creeping Savory, 20 cm, white rich flowering, aromatic semi-evergreen foliage, attractive late flowering groundcover, VIII-XI, Z6-9 | 2 | 16 | – | – | 42,00 | 6,00 | 2,00 |
| SCABIOSA ochroleuca - see <i>Organic Seed</i> | | | | | | | | |
| SCUTELLARIA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| baicalensis - see <i>Organic Seed</i> | | | | | | | | |
| SA 309 | baicalensis 'BLBP 02' , Baical Scullcap (Huang-Qin), 40 cm, bright blue flower spikes, strongly branched, bushy habit, high content of extract and baicaline, good root yield, VII-IX, Z4-8, TCM plant | 5 | 15 | 1600,00 | 200,00 | 26,00 | 3,40 | 2,00 |
| SEDUM (Crassulaceae) | | | | | | | | |
| SA 364 | reflexum (rupestre) , Stone Orpine, 30 cm, yellow, grey leaves, VI-VIII, Z4-9 (see also <i>Organic-Seeds</i>) | 0,5 | 4/15 | 2600,00 | 336,00 | 42,00 | 5,40 | 2,70 |
| SERRATULA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| SA 420 | tinctoria , 60 cm, purple red, VII-IX, Z5-8 | 5 | 9 | – | 570,00 | 72,00 | 9,00 | 6,80 |
| SIDERITIS (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| NEW! SA 444 | scardica , Greek Mountain Tea, 40 cm, yellow, large, candle-shaped inflorescences, woolly foliage, very aromatic, VI-VIII, Z6-9 | 5 | 15 | 3600,00 | 460,00 | 58,00 | 7,20 | 3,60 |
| SA 446 | syriaca , South Greek Mountain Tea, 25 cm, yellow, white-grey foliage, VI-VIII, Z6-9 (see also <i>Organic-Seeds</i>) | 3 | 15 | – | 624,00 | 78,00 | 9,80 | 3,60 |
| SIEGESBECKIA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| SA 455 | pubescens 'BLBP 01' , St. Pauls Wort (Xi-Xiang-Cao), 170 cm, small yellowish flower heads with sticky stems, strong thick leafy annual herb, high content of kirenos, very high herb yield, IX-X, Z6-10, TCM plant, ☉ | 5 | 16 | 686,00 | 98,00 | 14,00 | 2,00 | 2,00 |
| SILENE alba, diocia - see <i>Organic Seed</i> | | | | | | | | |

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|--|---|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| SILYBUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| SA 499 | marianum , St. Maria's Thistle, Blessed Thistle, Holy Thistle, 150 cm, purple, white marbled leaves, webbed stems and flower heads, VI-IX, Z6-9, ☉ (see also <i>Organic-Seeds</i>) | 50 | 15 | 128,00 | 32,00 | 8,00 | 2,00 | 2,80 |
| SA 500 | marianum var. albiflorum , St. Maria's Thistle, 120 cm, pure white form, white marbled leaves, webbed stems and flower heads, VI-IX, Z6-9, ☉-☉ | 50 | 15 | – | 98,00 | 26,00 | 5,20 | 5,20 |
| SMYRNIUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| SA 554 | olusatrum , Black Lovage, Alexanders, 120 cm, greenish-yellow umbels, substitute for Celery, V-VII, Z7-10, ☉ | 80 | 1 | – | 60,00 | 8,00 | 2,00 | 4,00 |
| SOLIDAGO (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| SA 586 | virgaurea , European Goldenrod, 70 cm, yellow, VII-IX, Z4-8 (see also <i>Organic-Seeds</i>) | 3 | 15 | 768,00 | 96,00 | 12,00 | 2,00 | 2,00 |
| SPILANTHES oleracea - see <i>ACMELLA oleracea</i> | | | | | | | | |
| STACHYS (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| SA 622 | officinalis , Betony, Bishopswort, 30 cm, pink, VII-VIII, Z4-7 (s. also <i>Organic-Seeds</i>) | 5 | 8 | 576,00 | 96,00 | 12,00 | 2,00 | 2,00 |
| STEVIA (Asteraceae) | | | | | | | | |
| SA 655 | rebaudiana , Sugar Leaf, Sweet Herb, 50 cm, white, soft and light-green foliage, IX-XI, Z9-11, (see also <i>Organic-Seeds</i>), pure seed | 0,5 | 16 | – | 7920,00 | 880,00 | 98,00 | 8,00 |
| SYMPHYTUM (Boraginaceae) | | | | | | | | |
| SA 720 | officinale , Comfrey, 80 cm, violet or cream-colored, V-VII, Z4-8 (see also <i>Organic-Seeds</i>) | 30 | 9 | 980,00 | 128,00 | 16,00 | 2,40 | 2,00 |
| TAGETES (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| lucida - see <i>Organic Seed</i> | | | | | | | | |
| TA 015 | patula/erecta Mix , French Marigold, 40 cm, yellow-orange, for the biological disinfection of soil, amount needed 2-3gr/m ² , VII-X, Z8-10, ☉ (see also <i>Organic-Seeds</i>) | 25 | 15 | 58,00 | 18,00 | 6,00 | 2,00 | 2,00 |
| TALINUM (Portulaccaceae) | | | | | | | | |
| TA 003 | paniculatum [Verde] , Jewels of Opar (Tu-Ren-Shen), 50 cm, pink flowers, reddish seed heads, glossy green leaf rosettes, TCM plant, VI-IX, Z9-11 | 1 | 15 | – | 720,00 | 96,00 | 12,00 | 2,20 |
| TANACETUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| TB 290 | balsamita , Costmary, 60 cm, white, grey-green aromatic foliage, VII-VIII, Z5-8 (see also <i>Organic-Seeds</i>) | 1 | 15 | 2240,00 | 320,00 | 48,00 | 7,40 | 3,80 |
| CA 384 | cinerariifolium (CHRYSANTHEMUM) , Dalmatian Pellitory, 50 cm, semispheric-shaped, bright white, good for cutting, stems 40 cm, V-VII, Z6-10 (see also <i>Organic-Seeds</i>) | 3 | 15 | – | – | 22,00 | 2,80 | 2,00 |
| CA 474 | parthenium (CHRYSANTHEMUM) , Feverfew, 90 cm, white, well branched, perennial but often used biennial, VI-VIII, Z5-8 (see also <i>Organic-Seeds</i>) | 1 | 16 | 350,00 | 50,00 | 10,00 | 2,00 | 2,00 |
| CA 476 | parthenium 'Golden Moss' , 20 cm, white, compact, moss-like golden foliage, VI-IX, Z5-8 | 0,25 | 16 | – | – | 420,00 | 48,00 | 6,00 |
| CA 482 | vulgare (CHRYSANTHEMUM) [Gold Sticks] , Tansy, 100 cm, golden, VII-IX, Z3-8 (see also <i>Organic-Seeds</i>) | 2 | 15 | 144,00 | 24,00 | 6,00 | 2,00 | 2,00 |
| TARAXACUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| NEW! TA 012 | albidum , White Dandelion, 30 cm, pure white flowers, rare, V-X, Z3-9 | 3 | 16 | – | – | 138,00 | 16,00 | 3,80 |
| TA 008 | officinale , Dandelion (Pu-Gong-Ying), 30 cm, yellow, V-X, Z3-9, TCM plant (see also <i>Organic-Seeds</i>) | 2 | 16 | 124,00 | 24,00 | 6,00 | 2,00 | 2,00 |
| NEW! TA 013 | pseudoroeseum , Pink Dandelion, 30 cm, pink with apricot-colored center, rare, V-X, Z3-9 | 3 | 16 | – | – | 138,00 | 16,00 | 3,80 |
| TEUCRIUM (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| TA 030 | chamaedrys hort. , Wall Germander, 30 cm, pink, evergreen, glossy foliage, VI-VIII, Z4-8 | 3 | 15 | – | 220,00 | 26,00 | 3,80 | 2,00 |
| THYMUS (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| fragrantissimus - see <i>Organic Seed</i> | | | | | | | | |
| TA 126 | mastichina , Mastic Thyme, Spanish Wood Marjoram, 30 cm, white, grey-green aromatic foliage, V-VIII, Z6-9 | 1 | 16 | – | – | 82,00 | 9,80 | 3,90 |
| TA 130 | pulegioides , Greater Wild Thyme, Field Thyme, 25 cm, mauve, VII-X, Z4-8 (see also <i>Organic-Seeds</i>) | 1 | 16 | 580,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| TA 134 | serpyllum hort. , Shepherd's Thyme, 15 cm, purple-violet, V-IX, Z4-8 (see also <i>Organic-Seeds</i>) | 1 | 15 | 860,00 | 140,00 | 24,00 | 3,80 | 2,20 |
| TA 144 | vulgaris 'French Summer' , French Thyme, 30 cm, pinkish-white, grey narrow leaves, VI-IX, Z7-10 (see also <i>Organic-Seeds</i>) | 1 | 15 | 484,00 | 88,00 | 16,00 | 2,90 | 2,00 |
| TA 142 | vulgaris 'Standard Winter' , Common Thyme, 20 cm, white-pink, VI-IX, Z5-9 (see also <i>Organic-Seeds</i>) | 1 | 15 | 242,00 | 44,00 | 8,00 | 2,00 | 2,00 |
| TA 146 | zygis , Spanish Thyme, 30 cm, white, pubescent aromatic foliage, evergreen, VI-VIII, Z6-9 (see also <i>Organic-Seeds</i>) | 0,5 | 16 | – | – | 82,00 | 9,80 | 3,90 |
| TRIGONELLA (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | |
| TA 221 | caerulea , Sweet Trifolium, 40 cm, blue, VI-VII, Z5-11, ☉ (see also <i>Organic-Seeds</i>) | 10 | 16 | 78,00 | 18,00 | 6,00 | 2,00 | 2,00 |
| TA 223 | foenum-graecum , Fenugreek, Greek Clover (Hu-Lu-Ba), 50 cm, yellowish-white with violet, trifoliated foliage, VI-VII, Z5-11, TCM plant, ☉ (see also <i>Organic-Seeds</i>) | 40 | 15 | 24,00 | 6,00 | 4,00 | 2,00 | 2,00 |
| TROPAEOLUM majus - see <i>Organic Seed</i> | | | | | | | | |
| TUSSILAGO - see <i>Organic Seed</i> | | | | | | | | |
| URTICA - see <i>Organic Seed</i> | | | | | | | | |
| VACCINIUM (Ericaceae) | | | | | | | | |
| VA 006 | macrocarpon , Cranberry, 40 cm, light purple, evergreen, large red berries, 1-2 cm ø, evergreen, VI-VIII, Z2-9 pure seed | 4 | 1 | – | 384,00 | 48,00 | 6,00 | 3,00 |
| VA 008 | myrtilus , Blueberry, 30 cm, light-green shoots, black-blue berries, IV-VI, Z3-8, (see also <i>Organic-Seeds</i>), pure seed | 1 | 16 | – | 192,00 | 24,00 | 3,00 | 2,00 |
| VA 012 | vitis-idaea , Mountain Cranberry, 15 cm, white to pink, evergreen groundcover, for partial shade or sun with sufficient moisture, V-VI, Z2-7 (s. also <i>Organic-Seeds</i>), pure seed | 1 | 8 | – | 192,00 | 24,00 | 3,00 | 2,00 |



TANACETUM parthenium 'Golden Moss'



VACCINIUM macrocarpon



VALERIANA officinalis 'BLBP 19'



VIOLA tricolor



VERBENA officinalis var. grandiflora 'Brampton'

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|---|---|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| VALERIANA (Valerianaceae) | | | | | | | | |
| VA 024 | officinalis , Common Valerian, 100 cm, white to pale pink, V-IX, Z3-9 (see also <i>Organic-Seeds</i>) | 10 | 16 | 520,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| VA 026 | officinalis 'BLBP 19' , Valerian, 80 cm, pinkish white umbels, pinnatifid foliage, high content of essential oil, valeric acid and extract, very high root yield, semi-coarse root structure, VI-VIII, Z3-9 (see also <i>Organic-Seeds</i>) | 5 | 16 | 1568,00 | 224,00 | 32,00 | 4,50 | 4,50 |
| VERBASCUM (Scrophulariaceae) | | | | | | | | |
| bombyciferum - see Organic Seed | | | | | | | | |
| VA 060 | densiflorum (thapsiforme) , Large-flowered Mullein, 100 cm, lemon yellow with dark center, VII-VIII, Z4-7, (see also <i>Organic-Seeds</i>) | 1 | 15 | 168,00 | 24,00 | 6,00 | 2,00 | 2,00 |
| nigrum, thapsus - see Organic Seed | | | | | | | | |
| VERBENA (Verbenaceae) | | | | | | | | |
| bonariensis - see Organic Seed | | | | | | | | |
| VA 104 | hastata , American Vervain, 120 cm, mostly blue, also pink and white, VI-IX, Z3-8 (see also <i>Organic-Seeds</i>) | 2 | 8 | – | 135,00 | 18,00 | 2,50 | 2,00 |
| VA 102 | officinalis , Common Vervain (Ma-Bian-Cao), 60 cm, pale lilac, VI-IX, Z3-8, TCM plant (see also <i>Organic-Seeds</i>) | 1 | 8 | 860,00 | 144,00 | 18,00 | 2,40 | 2,00 |
| NEW! VA 103 | officinalis var. grandiflora 'Brampton' , Common Vervain, 60 cm, lavender to light purple, rich flowering, deep purple foliage, richly branched ornamental foliage plant, VII-IX, Z4-9 | 1 | 8 | – | – | – | 18,00 | 4,80 |
| VERONICA (Scrophulariaceae) | | | | | | | | |
| VA 154 | officinalis , Common Speedwell, 15 cm, light blue, V-VI, Z3-8 (see also <i>Organic-Seeds</i>) | 0,5 | 9 | 588,00 | 98,00 | 14,00 | 2,00 | 2,00 |
| VERONICASTRUM (LEPTANDRA) (Scrophulariaceae) | | | | | | | | |
| VA 180 | virginicum f. albiflorum , Black Root, Physic Root, 175 cm, white, rarely light blue, VII-IX, Z3-8 (see also GOLD NUGGET SEED) | 0,5 | 9 | – | 260,00 | 34,00 | 4,20 | 2,00 |
| VIOLA (Violaceae) | | | | | | | | |
| VA 274 | tricolor , Wild Pansy, 30 cm, purple-yellow-white colour variants, bushy growth, mostly short-lived, IV-IX, Z3-9 (see also <i>Organic-Seeds</i>) | 2 | 15 | 480,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| VITEX (Verbenaceae) | | | | | | | | |
| VA 250 | agnus-castus , 100 cm, bright blue, blooms from one-year shoots when protected in winter. Cut back before covering for winter, IX-X, Z6-10 (see also <i>Organic-Seeds</i>) | 25 | 20 | 128,00 | 32,00 | 8,00 | 2,00 | 2,00 |

This new range of certified organic seeds contains a selection of our most popular culinary and medicinal herbs and teas. (Certification in compliance with EU Regulation No. 834/2007 + 889/2008).

The seeds are identified by an "O" for "organic" as the second letter of our item code.

Our company is listed under the No. D-NI-006-17409-BCD / DE-ÖKO-006-Kontrollstelle (German certification body) and is subject to annual examination on the basis of which an EU organic food certificate is issued.

This process guarantees transparency along the line from seed to consumer which is essential when dealing with organic products.

Our certificate/Documentary Evidence according Art. 29 can be downloaded at www.jelitto.com.

Please check with your local authority to determine if our EU certificate/Documentary Evidence is valid in your country.

As ultimate consumer you are in a position to choose the seeds you buy, with or without valid certification. It is up to you to make a contribution towards healthy, ecological products.

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|--|--|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| ACHILLEA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| AO 028 | millefolium, wild form , Yarrow, 40 cm, white, VI-X, Z2-9 (T) (B) (D) | 1 | 15 | 360,00 | 48,00 | 12,00 | 3,00 | 2,00 |
| AO 033 | millefolium 'Proa' , 40 cm, pure white, uniform habit, tetraploid cultivar, high oil concentration, VI-VIII, Z2-9 (T) (B) (D) | 1 | 15 | 768,00 | 96,00 | 12,00 | 3,00 | 2,00 |
| AO 041 | nobilis , Noble Yarrow, 50 cm, cream-yellow, for dry places, VI-IX, Z5-7 (K) (T) (B) (D) | 1 | 15 | 1380,00 | 240,00 | 32,00 | 4,20 | 2,00 |
| ACMELLA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| AO 077 | (K) oleracea f. purpurea (SPILANTHES) [Bull's Eye, Electric Buttons, Peek-A-Boo] , Purple leaved Paracress, Toothache Plant, 30 cm, brown-yellow flower buds, bronze-green foliage, V-IX, Z9-11 (K) (D) | 1 | 15 | – | – | 388,00 | 48,00 | 4,20 |
| AGASTACHE (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| AO 144 | aurantiaca [Apricot Sprite, Navajo Sunset] , 45 cm, brilliant light orange, silvery, aromatic foliage, VI-IX, Z5-9 (K) (T) (B) (D) | 2 | 15 | – | – | 242,00 | 28,00 | 6,20 |
| AO 154 | (K) foeniculum (anisata hort.) , True Anise-Hyssop, 70 cm, blue, dark green foliage, silvery underneath, true, VII-IX, Z5-9 (K) (T) (B) (D) | 1 | 15 | – | 760,00 | 96,00 | 12,00 | 3,20 |
| AO 156 | rugosa [Liquorice Blue, Blue Spike] , (Huo Xiang), Blue Anis Hyssop, 60 cm, blue-lilac, aromatic, VI-IX, Z6-9, TCM plant (K) (T) (B) (D) | 2 | 15 | – | 96,00 | 24,00 | 6,40 | 2,20 |
| NEW! AO 157 | rugosa f. albiflora [Alabaster, Alba, Liquorice White, Snow Spike] , White Anis Hyssop, 60 cm, pure white, VI-IX, Z6-9 (K) (T) (B) (D) | 2 | 15 | – | 96,00 | 24,00 | 6,40 | 2,20 |
| AO 162 | (K) rugosa 'Korean Zest' , Korean Mint, 50 cm, deep violet-blue, narrow blossom panicles, dark stems, compact, bushy habit, VII-IX, Z5-9 (K) (T) (B) (D) | 1 | 15 | – | 760,00 | 96,00 | 12,00 | 3,60 |
| AO 153 | (K) rupestris [Apache Sunset, Sunset Hyssop] , (PS), Sunset Hyssop, 60 cm, rose-orange, aromatic grey-green foliage, abundant flowering, for dry locations, VI-IX, Z6-10 (K) (T) (B) (D) | 2 | 15 | – | – | 288,00 | 36,00 | 7,20 |
| AGRIMONIA (Rosaceae) | | | | | | | | |
| AO 155 | eupatoria , Common Agrimony, 50 cm, yellow, VI-VIII, Z3-8 (T) (B) (D) | 75 | 9 | 380,00 | 76,00 | 12,00 | 2,00 | 4,00 |
| AO 173 | (K) procera (odorata) , Fragrant Agrimony, 100 cm, yellow, pinnatifid foliage, VI-IX, Z3-9 (T) (B) (D) | 100 | 9 | – | 118,00 | 22,00 | 4,20 | 9,80 |
| AGROSTEMMA (Caryophyllaceae) | | | | | | | | |
| AO 166 | (K) githago , Corn Cockle, 60 cm, purple-violet, VI-VIII, Z4-10, ☉ (D) | 30 | 15 | 42,00 | 12,00 | 3,20 | 2,00 | 2,00 |
| AJUGA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| NEW! AO 161 | genevensis , Upright Bugle, 15 cm, blue, IV-V, Z4-7 (B) (D) | 10 | 9 | – | 480,00 | 64,00 | 8,00 | 3,60 |
| AO 158 | reptans , Creeping Bugle, 15 cm, blue, V-VI, Z3-9 (B) (D) | 10 | 9 | – | – | 96,00 | 12,00 | 4,20 |
| ALCEA (ALTHAEA) (Malvaceae) | | | | | | | | |
| AO 308 | (K) rosea var. nigra [Jet Black, Arabian Nights] , Hollyhock, 180 cm, single, black-red, V-X, Z3-9 (K) (T) (B) (D) | 25 | 15 | 480,00 | 96,00 | 12,00 | 2,00 | 2,00 |
| ALCHEMILLA (Rosaceae) | | | | | | | | |
| AO 178 | xanthochlora (vulgaris) , Lady's Mantle, 50 cm, yellow-green, VI-VIII, Z3-8, pure seed (D) | 1 | 1 | – | 296,00 | 36,00 | 6,40 | 2,80 |
| ALLIUM (Alliaceae, <i>Liliaceae</i>) | | | | | | | | |
| AO 208 | fistulosum , Welsh Onion (Cong-Bai), 40 cm, yellowish-white, very large hollow leaves, VII-VIII, Z4-7, TCM plant (K) (B) (D) | 5 | 15 | 576,00 | 96,00 | 16,00 | 2,80 | 2,00 |
| AO 247 | (K) ramosum (odorum) , Fragrant Flowered Garlic, 40 cm, bell shaped white umbels, similar to <i>A. tuberosum</i> , but earlier flowering, VI-VIII, Z5-9 (K) (B) (D) | 10 | 15 | – | 238,00 | 34,00 | 5,20 | 3,80 |
| AO 241 | schoenoprasum , Chives, 40 cm, lilac, V-VIII, Z3-9 (K) (B) | 3 | 15 | 240,00 | 36,00 | 12,00 | 2,60 | 2,00 |

continued on the following page



ACMELLA oleracea f. purpurea



AGRIMONIA procera



AGROSTEMMA githago



ALCEA rosea var. nigra

Perennial Herbs
Culinary, Teas and
Medicinal

Herb Seeds from
Organic Production

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | Portion |
|---|--|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | |
| ALLIUM continuation | | | | | | | | |
| AO 239 | schoenoprasum 'Polyvit' , Vegetable Chives, 40 cm, lilac, medium-sized leaves, upright, V-VIII, Z3-9 (K) (B) | 3 | 15 | – | 132,00 | 18,00 | 3,20 | 3,20 |
| AO 260 | tuberosum , Chinese Chives, Garlic Chives (Jiu-Zi), 50 cm, white, VI-IX, Z3-10, TCM plant (K) (B) (D) | 8 | 15 | 576,00 | 96,00 | 16,00 | 2,80 | 2,00 |
| AO 258 | ursinum , Wood Garlic, Bear Garlic, Ramsons, 25 cm, white, V, Z3-9 (K) (B) (D) | 25 | 1 | 620,00 | 98,00 | 16,00 | 2,00 | 2,00 |
| ALTHAEA (Malvaceae) | | | | | | | | |
| NEW! AO 283 | cannabina , Hemp Marsh Mallow, 180 cm, rose-lavender with dark eye, deeply lobed leaves, VII-IX, Z3-10 (K) (B) | 15 | 8 | – | – | 78,00 | 9,60 | 4,80 |
| AO 282 | officinalis , Marshmallow, 180 cm, pink, V-IX, Z3-10 (K) (T) (B) (D) | 10 | 8 | 448,00 | 64,00 | 9,20 | 2,60 | 2,00 |
| AMMI (Apiaceae, Umbelliferae) | | | | | | | | |
| AO 357 | visnaga (DAUCUS visnaga) , Pick-Tooth, 60 cm, white umbels, densely feathered foliage, mostly annual, also for floral arrangements, VII-IX, Z6-10 (B) (D) | 2 | 15 | 396,00 | 82,00 | 16,00 | 3,20 | 2,00 |
| ANACYCLUS (Asteraceae, Compositae) | | | | | | | | |
| AO 367 | pyrethrum , Mount Atlas Daisy, Pellitory, 40 cm, white, feathered foliage, short lived, IV-VI, Z5-9 (K) (D) | 2 | 15 | – | 896,00 | 128,00 | 16,00 | 2,00 |
| AO 369 | pyrethrum var. depressus f. compactum 'Silberkissen' [Silver Kisses, Silver Cushion] , 10 cm, white, essential compact and more dense than former variety, shorter side shoots, IV-VI, Z5-9 (K) (D) | 2 | 15 | – | – | 192,00 | 24,00 | 6,00 |
| ANCHUSA (Boraginaceae) | | | | | | | | |
| AO 378 | officinalis , Alkanet, 70 cm, carmine to dark violet, VI-IX, Z4-9 (K) (B) (D) | 10 | 7 | – | 186,00 | 26,00 | 3,80 | 3,80 |
| ANEMOPSIS (Saururaceae) | | | | | | | | |
| NEW! AO 534 | californica (HOULTTUYNIA) , Yerba Mansa, 35 cm, white, broad, aromatic foliage, VI-VIII, Z4-8 (T) (D) | 1 | 9 | – | – | – | 28,00 | 3,80 |
| ANETHUM (Apiaceae, Umbelliferae) | | | | | | | | |
| AO 484 | graveolens , Dill, 60 cm, yellow umbels, VI-VIII, Z6-10, ☉ (K) (B) (D) | 4 | 15 | 98,00 | 24,00 | 6,00 | 2,00 | 2,00 |
| ANGELICA (Apiaceae, Umbelliferae) | | | | | | | | |
| AO 492 | archangelica , Angelica, Holy Ghost, 180 cm, greenish-white to creamy umbels, VI-VIII, Z3-7 (K) (B) (D) | 20 | 9 | 175,00 | 35,00 | 7,00 | 2,00 | 2,60 |
| AO 494 | archangelica 'BLBP 01' , Angelica, Holy Ghost, 180 cm, greenish-white umbels, high content of essential oil, very high root yield, very vigorous, low disease risk, VI-VIII, Z3-7 (K) (B) (D) | 20 | 9 | 288,00 | 48,00 | 8,00 | 2,00 | 3,00 |



AMMI visnaga



ANACYCLUS pyrethrum



AQUILEGIA chrysantha Denver Gold®



ARTEMISIA absinthium 'Silverado'



ARGEMONE platyceras

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | | |
|---|--|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion | |
| ANTHEMIS (Asteraceae, <i>Compositae</i>) | | | | | | | | | |
| | nobilis - see CHAMAEMELUM nobile | | | | | | | | |
| AO 522 | tinctoria (COTA), Dyer's Chamomile, 50 cm, golden, VII-IX, Z3-7. | Ⓚ Ⓣ Ⓟ | 1 | 15 | 240,00 | 48,00 | 12,00 | 4,00 | 2,00 |
| ANTHOXANTHUM (Poaceae, <i>Gramineae</i>) | | | | | | | | | |
| ZO 036 | odoratum , Sweet Vernal Grass, 30 cm, V-VI, Z4-9, pure seed | Ⓚ Ⓣ Ⓟ | 5 | 15 | 360,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| ANTHRISCUS (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | | |
| AO 539 | cerefolium 'Fijne Krul' , Chervil, 30 cm, white, double curled and productive foliage cultivar, VI-VIII, Z6-9, ☉ | Ⓚ Ⓣ Ⓟ | 5 | 15 | 148,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| ANTHYLLIS (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | | |
| AO 546 | vulneraria , Kidney Vetch, 15-20 cm, yellow-orange, V-VI, Z4-9, pure seed | Ⓚ Ⓣ | 8 | 8 | – | 160,00 | 22,00 | 3,20 | 3,20 |
| AQUILEGIA (Ranunculaceae) | | | | | | | | | |
| AO 755 | chrysantha Denver Gold ®, ☐PS, 80 cm, golden, robust and stable, reblooms after dead-heading, V-IX, Z3-8. | Ⓚ | 3 | 15 | – | – | 72,00 | 9,00 | 3,60 |
| AO 776 | vulgaris , Granny's Bonnet, 50 cm, blue, V-VI, Z3-8 | Ⓚ Ⓣ | 5 | 16 | 980,00 | 128,00 | 16,00 | 2,00 | 2,00 |
| ARCTIUM (Asteraceae, <i>Compositae</i>) | | | | | | | | | |
| AO 844 | lappa , Great Burdock (Niu-Bang-Zi), 140 cm, panicles with purple flower heads, large leaves, VI-IX, Z2-9, TCM plant | Ⓚ Ⓣ | 30 | 15 | 192,00 | 48,00 | 12,00 | 4,00 | 4,00 |
| ARGEMONE (Papaveraceae, <i>Fumariaceae</i>) | | | | | | | | | |
| NEW! AO 858 | platyceras (mexicana var. aculeatissima) , Prickly Poppy, 40 cm, white, bluish green foliage, VI-X, Z3-9, ☉ | Ⓚ Ⓣ Ⓟ | 10 | 1 | – | 120,00 | 22,00 | 3,60 | 2,00 |
| ARISTOLOCHIA (Aristolochiaceae) | | | | | | | | | |
| AO 882 | clematitis , Osterluzei, 80 cm, light yellow, poisonous, V-VII, Z5-9 | Ⓣ | 80 | 1 | 448,00 | 64,00 | 9,20 | 2,00 | 5,20 |
| ARNICA (Asteraceae, <i>Compositae</i>) | | | | | | | | | |
| AO 904 | chamissonis , Leafy Leopard's Bane, 50 cm, yellow, abundant flowers, VI-VIII, Z2-8 | Ⓚ Ⓣ | 3 | 15 | – | – | 72,00 | 9,60 | 3,20 |
| AO 908 | montana , Arnica, Mountain Tobacco, 50 cm, golden, lime-free soil, V-VII, Z5-8 | Ⓚ Ⓣ | 5 | 15 | – | 280,00 | 34,00 | 6,40 | 3,20 |
| ARTEMISIA (Asteraceae, <i>Compositae</i>) | | | | | | | | | |
| AO 915 | absinthium , Common Wormwood, Absinthe, 80 cm, yellow, grey-green foliage, VI-VIII, Z3-9. | Ⓣ Ⓣ | 0,5 | 15 | – | 588,00 | 84,00 | 12,00 | 3,00 |
| AO 919 | absinthium 'Silverado' ®, ☐PS, 60 cm, yellowish flower spikes, grey-white feltlike broad pinnatifid foliage, aromatic, sturdy and compact habit, especially hardy and ornamental selection VII-VIII, Z3-9 | Ⓣ Ⓣ | 0,5 | 15 | – | 360,00 | 48,00 | 6,40 | 3,20 |
| AO 918 | annua , Sweet Annie (Qing Hao), 140 cm, yellowish-green, pinnatifid foliage, annual, VIII-X, Z6-10, TCM plant | Ⓣ Ⓣ | 0,5 | 15 | – | 686,00 | 98,00 | 14,00 | 3,80 |
| AO 917 | dracunculus , Russian Tarragon, 100 cm, greenish, lanceolate foliage, VI-VIII, Z2-9. | Ⓚ Ⓣ | 1 | 15 | – | 172,00 | 22,00 | 2,80 | 2,00 |
| ASCLEPIAS (Asclepiadaceae) | | | | | | | | | |
| AO 984 | tuberosa , Butterfly Weed, 70 cm, orange, VI-VIII, Z3-8 | Ⓚ Ⓣ | 15 | 9 | – | 320,00 | 40,00 | 6,00 | 4,50 |
| ASTRAGALUS (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | | |
| AO 148 | mongholicus (membranaceus var. mongholicus) 'BLBP 04' , Chinese Milkvech (Huang Qi), 130 cm, light yellow flowers, inflated red tinged seed husks, pinnatifid foliage, erect growth, high content of astragalosid IV, high root yield, thick roots, VII-VIII, Z5-9, TCM plant | Ⓚ Ⓣ Ⓟ | 20 | 8 | – | 144,00 | 24,00 | 4,00 | 2,00 |
| ATRIplex (Chenopodiaceae, <i>Amaranthaceae</i>) | | | | | | | | | |
| AO 265 | hortensis var. rubra , Red leaved Garden Orache, 120 cm, purplish-red, heart shaped foliage, reddish flower spikes, VII-IX, Z5-10, ☉ pure seed | Ⓚ Ⓣ | 10 | 15 | 520,00 | 76,00 | 16,00 | 2,80 | 2,80 |
| ATROPA (Solanaceae) | | | | | | | | | |
| AO 188 | bella-donna , Deadly Nightshade, 150 cm, brown-green, brilliant black berries, poisonous! VI-VIII, Z5-10 | Ⓣ | 3 | 1 | 540,00 | 98,00 | 18,00 | 3,20 | 2,00 |
| BARBAREA (Brassicaceae) | | | | | | | | | |
| BO 038 | vulgaris , Rock Cress, Yellow Rocket, 60 cm, yellow, glossy green foliage, evergreen, V-VII, Z5-8. | Ⓚ Ⓣ Ⓟ | 1 | 15 | 320,00 | 54,00 | 9,20 | 2,00 | 2,00 |
| BELAMCANDA (Iridaceae) | | | | | | | | | |
| NEW! BO 026 | chinensis [Freckle Face] , Leopard Flower, 60 cm, large bowl-shaped flowers, orange with red-brown spots, VII-IX, Z5-9, TCM plant | Ⓚ Ⓣ Ⓟ | 60 | 7 | – | 240,00 | 40,00 | 6,80 | 6,80 |
| BELLIS (Asteraceae, <i>Compositae</i>) | | | | | | | | | |
| BO 029 | perennis , Common Daisy, English Daisy, 15 cm, white, II-VI, Z3-8. | Ⓚ Ⓣ Ⓟ | 1 | 15 | – | 396,00 | 44,00 | 4,80 | 2,00 |
| BERLANDIERA (Asteraceae, <i>Compositae</i>) | | | | | | | | | |
| BO 052 | lyriata [Chocolate Drop, Chocolate Daisy] , ☐PS, Chocolate Flower, Green Eyes, 25 cm, yellow, with chocolate fragrance, V-VII, Z5-10. pure seed | Ⓚ Ⓣ | 10 | 15 | – | 660,00 | 78,00 | 9,40 | 4,80 |
| BLITUM - see CHENOPODIUM | | | | | | | | | |
| BORAGO (Boraginaceae) | | | | | | | | | |
| BO 050 | officinalis , Borage, 60 cm, blue, VI-IX, Z7-11, ☉ | Ⓚ Ⓣ Ⓟ | 50 | 15 | 198,00 | 32,00 | 6,00 | 2,00 | 2,00 |
| BO 051 | officinalis 'Alba' , White Flowering Borage, 50 cm, pure white, VI-IX, Z7-11, ☉ | Ⓚ Ⓣ Ⓟ | 50 | 15 | – | 88,00 | 18,00 | 2,40 | 4,50 |

Herb Seeds from Organic Production



ATRIPLEX hortensis var. rubra



BERLANDIERA lyrata



BORAGO officinalis 'Alba'



CARTHAMUS tinctorius

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|---|--|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| BULBINE (Asphodelaceae, <i>Liliaceae</i>) | | | | | | | | |
| BO 088 | frutescens , Bulbine, Burn Jelly Plant, 40 cm, yellow-orange, succulent, fleshy leaves with characteristics similar to ALOE vera, V-IX, Z9-12 | 5 | 8 | – | – | 56,00 | 7,20 | 3,60 |
| CALAMINTHA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| CO 021 | nepeta , Nepitella, Lesser Calamint, 40 cm, light blue-pink, permanent flowering, VII-IX, Z5-8 | 1 | 15 | – | 998,00 | 128,00 | 16,00 | 3,60 |
| CALENDULA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| CO 030 | officinalis , Pot Marigold, 40 cm, yellow-orange, single to double, for the biological disinfection of soil, amount needed 5gr/m ² , VII-X, Z5-10, ☉ | 25 | 15 | 98,00 | 18,00 | 4,00 | 2,00 | 2,00 |
| CALLIRHOE (Malvaceae) | | | | | | | | |
| CO 041 | involuta var. tenuissima , 20 cm, bright pink, strongly pinnatifid foliage, VII-IX, Z4-9. | 20 | 14 | – | 480,00 | 60,00 | 7,60 | 7,60 |
| CALLUNA (Ericaceae) | | | | | | | | |
| CO 040 | vulgaris , Scots Heather, Ling, 30 cm, rose-lilac, VIII-IX, Z3-9, pure seed | 0,2 | 4/8 | – | 420,00 | 52,00 | 6,60 | 2,20 |
| CALTHA (Ranunculaceae) | | | | | | | | |
| CO 044 | palustris , Marsh Marigold, 30 cm, deep yellow, shiny green foliage, IV-V, Z3-7 | 4 | 2/3/18 | – | 294,00 | 42,00 | 6,00 | 2,00 |
| CAMPANULA (Campanulaceae) | | | | | | | | |
| CO 220 | rapunculus , Rampion, 70 cm, blossom panicles blue or white, VII-VIII, Z5-9 | 1 | 16 | – | – | 96,00 | 12,00 | 2,00 |
| CARDAMINE (Brassicaceae, <i>Cruciferae</i>) | | | | | | | | |
| CO 260 | pratensis , Cuckoo Flower, 40 cm, pale lilac or white, III-V, Z3-7 | 2 | 15 | – | 375,00 | 48,00 | 6,00 | 3,00 |
| CARDIOSPERMUM (Sapindaceae) | | | | | | | | |
| CO 267 | halicacabum [Green Lanterns] , Balloon Wine, Heart Pea, 180 cm, white, large green balloonlike inflated seed-pods, climbing, usually annual, V-X, Z9-11. | 150 | 16 | 480,00 | 96,00 | 16,00 | 2,40 | 5,80 |
| CARLINA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| CO 274 | acaulis ssp. caulescens (simplex) , Silver Thistle, 50 cm, large shiny white flowering heads with stem, VII-IX, Z3-9 | 15 | 15 | – | 384,00 | 48,00 | 6,00 | 6,00 |
| CARTHAMUS (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| CO 268 | tinctorius , Safflower, Dyer's Saffron (Hong-Hua), 50 cm, orange-yellow flower heads, VII-VIII, Z5-10, TCM plant, ☉ | 80 | 15 | 168,00 | 32,00 | 6,00 | 2,00 | 3,00 |
| CARUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| CO 271 | carvi , Caraway, 60 cm, white, VI-VIII, Z2-9, ☉ | 10 | 15 | 46,00 | 12,00 | 6,00 | 2,00 | 3,00 |
| CENTAUREA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| CO 303 | atropurpurea , 120 cm, deep purple, feathery foliage, VI-VIII, Z5-9 | 15 | 16 | – | 432,00 | 54,00 | 6,80 | 6,80 |
| CO 306 | cyanus 'Blaue Gefüllte' , Bachelor's Button, 50 cm, brilliant blue, double, VI-X, Z4-10, ☉ ☼ ☽ ☿ | 2 | 15 | 144,00 | 28,00 | 6,00 | 2,00 | 2,00 |
| NEW! CO 315 | cyanus 'Double Mixture' , Bachelor's Button, 50 cm, blue, pink and white colors, VI-X, Z4-10, ☉ ☼ ☽ ☿ | 2 | 15 | 180,00 | 36,00 | 7,20 | 2,00 | 2,00 |
| CO 320 | montana , Perennial Cornflower, Mountain Bluet, 50 cm, blue, first year flowering, V-VII, Z3-9. | 35 | 16 | – | – | 72,00 | 9,60 | 3,20 |
| CENTRANTHUS (Valerianaceae) | | | | | | | | |
| NEW! CO 348 | ruber var. coccineus [Pretty Betsy] , Red Valerian, 60 cm, light red, variable, V-VIII, Z5-8 ☼ ☽ ☿ | 5 | 16 | – | 768,00 | 96,00 | 12,00 | 3,20 |
| CEPHALARIA (Dipsacaceae) | | | | | | | | |
| NEW! CO 354 | gigantea , Giant Pincushion Flower, 200 cm, light yellow, scabiosa-like flowers, VI-VIII, Z4-7 | 50 | 9 | – | 288,00 | 36,00 | 4,60 | 4,60 |
| CHAMAEMELUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| CO 368 | nobile (ANTHEMIS) , Roman Chamomile, 30 cm, silver-white, yellow disc, VI-VIII, Z4-9 | 1 | 15 | – | 216,00 | 36,00 | 6,00 | 2,00 |

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|---|--|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| CHAMAENERION - see EPILOBIUM | | | | | | | | |
| CHAMOMILLA (MATRICARIA) (Asteraceae, Compositae) | | | | | | | | |
| CO 386 | recutita , German Chamomile, Scented Mayweed, Matricary, 40 cm, white with yellow disc, V-IX, Z5-10, ☉ | 0,5 | 15 | 292,00 | 46,00 | 9,20 | 2,00 | 2,00 |
| CO 389 | recutita 'Zloty Lan' , German Chamomile, Scented Mayweed, Matricary, 40 cm, white with yellow disc, tetraploid cultivar with high yields, large flowering, V-IX, Z5-10, ☉ | 0,5 | 16 | 292,00 | 46,00 | 9,20 | 2,00 | 2,00 |
| CHELIDONIUM (Papaveraceae) | | | | | | | | |
| CO 365 | majus , Greater Celandine (Bai-Qu-Cai), 50 cm, golden flowers, V-IX, Z4-8, TCM plant. | 3 | 19 | – | 396,00 | 66,00 | 9,00 | 2,00 |
| CHENOPODIUM (Chenopodiaceae, Amaranthaceae) | | | | | | | | |
| CO 390 | bonus-henricus , Good King Henry, 40 cm, greenish flowers, spinach-like leaves, V-IX, Z4-9, pure seed Ⓚ Ⓛ | 5 | 15 | 720,00 | 120,00 | 20,00 | 3,40 | 2,00 |
| CO 392 | capitatum (BLITUM) , Strawberry Blite, 30 cm, red, triangular foliage, brilliant red berries, annual, VI-VIII, Z4-10. Ⓚ Ⓛ | 0,5 | 15 | – | 980,00 | 128,00 | 16,00 | 4,00 |
| CO 393 | foliosum (BLITUM virgatum) [Strawberry Sticks] , True Strawberry Blite, 40 cm, reddish, small, triangular foliage, brilliant red berries, VI-VIII, Z4-10, ☉. Ⓚ Ⓛ | 2 | 15 | – | 580,00 | 84,00 | 12,00 | 3,20 |
| NEW! CO 395 | quinoa , Quinoa, 100 cm, reddish violet, leafy crop, VI-IX, Z4-10, ☉. Ⓚ | 5 | 15 | 54,00 | 18,00 | 6,00 | 2,00 | 2,00 |
| CHRYSANTHEMUM - see LEUCANTHEMUM + TANACETUM | | | | | | | | |
| CICHORIUM (Asteraceae, Compositae) | | | | | | | | |
| CO 496 | intybus var. intybus , Chicory, Succory, 80 cm, blue, VII-IX, Z2-9. Ⓚ Ⓛ Ⓞ | 3 | 15 | 336,00 | 56,00 | 9,40 | 2,00 | 2,00 |
| CLEMATIS (Ranunculaceae) | | | | | | | | |
| CO 555 | integrifolia Mongolian Bells® , Ⓟ, 35 cm, wide spectrum of colors, pink, white, lavender and blue, compact habit, V-IX, Z3-9, pure seed Ⓚ Ⓛ | 10 | 9 | – | 448,00 | 64,00 | 8,20 | 5,00 |
| NEW! CO 570 | vitalba , Old Man's Beard, 300 cm, very high climbing, white, VII-IX, Z3-8. pure seed Ⓚ Ⓛ | 20 | 1 | – | 96,00 | 15,00 | 2,40 | 2,00 |
| CNICUS (Asteraceae, Compositae) | | | | | | | | |
| CO 576 | benedictus (CENTAUREA) , Blessed Thistle, 40 cm, yellow, VI-VIII, Z5-9, ☉. Ⓚ Ⓛ | 60 | 15 | – | 64,00 | 12,00 | 2,00 | 2,00 |
| COCHLEARIA (Brassicaceae) | | | | | | | | |
| CO 574 | officinalis , Spoonwort, Scurvy Grass, 30 cm, white, spoon-like wintergreen foliage, V-VIII, Z5-8 Ⓚ Ⓛ | 2 | 15 | – | 132,00 | 22,00 | 3,60 | 2,00 |
| CODONOPSIS (Campanulaceae) | | | | | | | | |
| CO 582 | pilosula , Tang Shen (Dong-Sen), up to 120 cm climbing, greenish yellow bellflowers, VI-IX, Z5-8, TCM plant Ⓛ | 3 | 15 | – | – | 112,00 | 16,00 | 3,20 |



CENTAUREA atropurpurea



CHENOPODIUM bonus-henricus



CHENOPODIUM capitatum



CHENOPODIUM foliosum



CLEMATIS integrifolia Mongolian Bells®

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|---|---|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| COLCHICUM (Colchicaceae, Liliaceae) | | | | | | | | |
| CO 593 | ☑ autumnale , Autumn Crocus, 15 cm, lilac, poisonous! VIII-X, Z4-7 | 30 | 6 | 576,00 | 96,00 | 12,00 | 2,00 | 2,00 |
| CORIANDRUM (Apiaceae, Umbelliferae) | | | | | | | | |
| CO 640 | sativum , Coriander, 50 cm, white-pink umbels, VI-IX, Z5-10, ☉ | 30 | 16 | 72,00 | 18,00 | 6,00 | 2,00 | 3,00 |
| NEW! CO 643 | ☑ sativum 'Typ Dwarf Lemon' , Lemon Coriander, 30 cm, white to soft pink, early blooming, fast fruiting, fresh fruity lemon aroma of leaf and grain, sturdy, compact habit, VI-VII, Z5-10, ☉ | 50 | 15 | 96,00 | 18,00 | 6,00 | 2,00 | 3,00 |
| CO 641 | sativum 'Type Slowbolt' , Foliage Coriander, 50 cm, productive foliage selection, IX, Z5-10, ☉ | 30 | 16 | 96,00 | 18,00 | 6,00 | 2,00 | 3,00 |
| COTA tinctoria - see ANTHEMIS tinctoria | | | | | | | | |
| CRAMBE (Brassicaceae, Cruciferae) | | | | | | | | |
| CO 674 | ☑ maritima , (AGM) (PS), Sea Kale, 70 cm, white, blue-grey foliage, V-VII, Z5-8 | 100 | 8 | 675,00 | 135,00 | 18,00 | 2,60 | 9,00 |
| CRYPTOTAENIA (Apiaceae, Umbelliferae) | | | | | | | | |
| NEW! CO 718 | japonica f. viridis , Japanese Parsley, 60 cm, white, popular asian herb, V-VI, Z4-9 | 7,5 | 15 | – | – | 96,00 | 12,00 | 3,20 |
| CYNARA (Asteraceae, Compositae) | | | | | | | | |
| NEW! CO 704 | ☑ cardunculus ssp. flavescens , (AGM), Cardoon, 100 cm, blue, excellent cut flowers, variable, VII-X, Z6-10 | 80 | 15 | 288,00 | 42,00 | 7,20 | 2,00 | 3,60 |
| CO 706 | ☑ cardunculus f. scolymus Green Globe Typ [Imperial Star Typ] , Vegetable Globe Artichoke, 120 cm, very large bright violet blossoms, purple coloured phyllaries, solid and heavy buds, thornless foliage. Semi-early flowering cultivar especially suited for floral arrangements, VII-X, Z6-10 | 100 | 15 | 592,00 | 84,00 | 12,00 | 2,00 | 4,80 |
| CYNOGLOSSUM (Boraginaceae) | | | | | | | | |
| CO 709 | officinale , Dog's Tongue, 75 cm, purple-blue, V-VII, Z5-9, ☺ | 60 | 8 | 320,00 | 64,00 | 12,00 | 2,40 | 4,80 |
| DIANTHUS (Caryophyllaceae) | | | | | | | | |
| DO 162 | carthusianorum , Clusterhead Pink, 40 cm, purple-red, VI-IX, Z3-8 | 3 | 15 | – | 240,00 | 32,00 | 4,00 | 2,00 |
| DO 320 | ☑ superbus , Fringed Pink, 45 cm, pink-soft lilac, fragrant, VI-IX, Z3-9 | 1 | 15 | – | – | 48,00 | 6,00 | 2,20 |
| DICTAMNUS (Rutaceae) | | | | | | | | |
| DO 340 | albus var. purpureus (fraxinella) , (AGM), Dittany (Bai-Xian-Pi), 80 cm, pink flowers with dark veins, white roots, V-VI, Z3-8, TCM plant | 40 | 19 | – | 240,00 | 32,00 | 4,20 | 4,20 |



CNICUS benedictus



COCHLEARIA officinalis



CORIANDRUM sativum 'Typ Dwarf Lemon'



CRAMBE maritima



CYNARA scolymus Green Globe Typ



DIANTHUS superbus



DIGITALIS purpurea 'Berggold'



DORYCNIUM hirsutum



DRACOCEPHALUM moldavica



ECHINACEA pallida



ECHINACEA purpurea 'Magnus'



ECHINOPS ritro



ESCHSCHOLZIA californica mixed colours

Herb Seeds from Organic Production

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|---|---|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| DIGITALIS (Scrophulariaceae) | | | | | | | | |
| DO 350 | ambigua (grandiflora) , <small>(AGM)</small> , Yellow Foxglove, 80 cm, with large yellow bellflowers, VI-VII, Z3-8, poisonous! | 1 | 15 | – | 240,00 | 34,00 | 5,20 | 2,00 |
| DO 366 | lanata [Café Crème] , Woolly Foxglove, 80 cm, white-brown, VI-VIII, Z6-9, poisonous! | 1 | 15 | – | 198,00 | 30,00 | 4,20 | 2,00 |
| DO 386 | purpurea , Common Foxglove, 120 cm, red, rarely white, VI-VII, Z4-8, poisonous! | 1 | 15 | 288,00 | 48,00 | 8,00 | 2,00 | 2,00 |
| DO 383 | purpurea 'Berggold' , Red Foxglove, 140 cm, red, productive foliage, variety with high content of Digitalin in the seeds, good hardy, VI-VII, Z3-8, poisonous! | 1 | 15 | 560,00 | 96,00 | 16,00 | 2,80 | 2,00 |
| DIPLLOTAXIS (Brassicaceae, <i>Cruciferae</i>) | | | | | | | | |
| DO 406 | tenuifolia (RUCOLA silvatica) , Italian Wild Arugula, Sylvetta, 30 cm, yellow, robust and aromatic, strongly pinnatifid dark-green foliage, perennial, V-X, Z5-9 | 1 | 15 | 236,00 | 48,00 | 10,00 | 2,00 | 2,00 |
| DIPSACUS (Dipsacaceae) | | | | | | | | |
| DO 416 | sylvestris (fullonum) , 200 cm, lilac, excellent for dry flower bouquets, VII-VIII, Z3-9 | 10 | 15 | 320,00 | 78,00 | 18,00 | 3,60 | 2,00 |
| DORYCNIUM (LOTUS) (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | |
| DO 442 | hirsutum , <small>(AGM)</small> , 40 cm, pink, silky-silvery leaves, very decorative, VII-IX, Z6-10 | 10 | 9/10 | – | 460,00 | 62,00 | 8,00 | 6,00 |
| DRACOCEPHALUM (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| DO 461 | moldavica , Moldavian Dragonhead, Moldavian Balm, 40 cm, blue, selected form with high content of oil and high foliage yields, VII-VIII, Z6-10, ☉ | 5 | 15 | 198,00 | 32,00 | 5,20 | 2,00 | 2,00 |
| ECHINACEA (RUDBECKIA) (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| EO 003 | angustifolia , Narrow Coneflower, up to 50 cm, pink to red, petals shorter but wider than E. pallida, with yellow pollen, VI-X, Z3-8 | 10 | 9 | 1340,00 | 192,00 | 24,00 | 3,60 | 3,60 |
| EO 004 | pallida , Pale Coneflower, 80 cm, pink, long hanging petals, with whitish pollen, VII-IX, Z3-8 | 15 | 15 | 398,00 | 68,00 | 14,00 | 2,40 | 2,40 |
| EO 006 | paradoxa var. paradoxa , 80 cm, bright yellow, very unusual, VII-X, Z4-9 | 15 | 9 | – | 192,00 | 24,00 | 3,60 | 3,60 |
| RO 180 | purpurea (RUDBECKIA) , Purple Coneflower, 100 cm, purple-rose, VII-IX, Z3-8 | 10 | 15 | 192,00 | 32,00 | 8,00 | 2,00 | 2,00 |
| NEW! RO 182 | purpurea 'Magnus' , <small>(AGM) (PPA)</small> , Purple Coneflower, 100 cm, intense red, wide horizontal petals, very long lasting as a cut flower, VII-IX, Z3-8 | 10 | 15 | 1580,00 | 256,00 | 42,00 | 5,40 | 4,00 |
| EO 008 | tennesseensis 'Rocky Top Hybr.' , <small>(AGM)</small> , Tennessee Coneflower, 60 cm, pink, bent upward petals, lanceolate foliage, VII-IX, Z4-9 | 12 | 9 | 2520,00 | 360,00 | 48,00 | 6,00 | 4,50 |
| ECHINOPS (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| EO 014 | ritro , 100 cm, blue blossom heads, VII-IX, Z3-8, pure seed | 50 | 15 | 432,00 | 72,00 | 12,00 | 2,00 | 3,20 |



FRAGARIA vesca var. semp. 'Alexandria'



GALEGA officinalis 'Alba'



GERANIUM robertianum



HIBISCUS Moscheutos-Hybr. 'Galaxy'

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|--|---|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| ECHIUM (Boraginaceae) | | | | | | | | |
| EO 015 | ☒ amoenum (russicum f. nanum) 'Red Feathers' , [PS], 35 cm, russet-red compact flower spikes, narrow foliage, reblooms after dead-heading, V-VIII, Z3-9 | 5 | 15 | – | – | 144,00 | 18,00 | 6,00 |
| EO 017 | ☒ russicum (rubrum) , Russian Bugloss, 60 cm, dark red flower panicles, VI-VIII, Z5-8. | 5 | 15 | – | 720,00 | 90,00 | 12,00 | 4,80 |
| EO 020 | vulgare , Common Viper's Bugloss, 80 cm, brilliant blue, V-VIII, Z3-11, ☉ | 5 | 9 | – | 98,00 | 16,00 | 2,80 | 2,00 |
| EPILOBIUM (Onagraceae) | | | | | | | | |
| EO 030 | angustifolium (CHAMAENERION) , Rosebay Willowherb, Fire Weed, 110 cm, lilac-rose, VI-IX, Z2-7. | 1 | 15 | 1790,00 | 256,00 | 32,00 | 4,00 | 2,00 |
| EO 042 | hirsutum , 70 cm, wine-red, VI-VIII, Z3-9. | 1 | 15 | – | 256,00 | 32,00 | 4,00 | 2,00 |
| ERUCA (Brassicaceae, <i>Cruciferae</i>) | | | | | | | | |
| EO 135 | vesicaria ssp. sativa , Italian Rocket Salad, Arugula, 30 cm, white-yellow, pinnately lobed leaves, V-VII, Z6-9, ☉ | 10 | 15 | 96,00 | 24,00 | 6,00 | 2,00 | 2,00 |
| ERYNGIUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| EO 165 | ☒ maritimum , Sea Holly, 40 cm, blue-green, silver-grey foliage, VI-X, Z4-10 | 50 | 9 | 2060,00 | 294,00 | 36,00 | 4,50 | 9,00 |
| ESCHSCHOLZIA (Papaveraceae) | | | | | | | | |
| EO 310 | californica , California Poppy, 30 cm, yellow-orange, VI-X, Z5-10, ☉-☉ | 5 | 15 | 540,00 | 70,00 | 8,60 | 2,00 | 2,00 |
| NEW! EO 320 | ☒ californica mixed colours , California Poppy, 30 cm, yellow, orange, rose and red shades, VI-X, Z5-10, ☉-☉ | 5 | 15 | – | 96,00 | 15,00 | 2,60 | 2,00 |
| EUPATORIUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| EO 200 | cannabinum , Hemp Agrimony, 130 cm, reddish, VI-IX, Z4-8. | 2 | 9 | 1980,00 | 288,00 | 42,00 | 6,00 | 3,20 |
| EUPHORBIA (Euphorbiaceae) | | | | | | | | |
| EO 232 | lathyris , 90 cm, yellow-green, decorative, crosswise arranged foliage, VI-VIII, Z5-9, ☉ | 100 | 1 | – | 72,00 | 12,00 | 2,00 | 5,20 |
| FILIPENDULA (Rosaceae) | | | | | | | | |
| FO 018 | ulmaria , Meadowsweet, 150 cm, yellowish-white, VI-VIII, Z3-7. | 5 | 9 | 660,00 | 112,00 | 18,00 | 3,00 | 2,00 |
| FOENICULUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| FO 008 | vulgare , Fennel (Hui-Xiang), 120 cm, yellow umbels, VII-IX, Z6-9, TCM plant | 30 | 15 | 72,00 | 18,00 | 6,00 | 2,00 | 2,00 |
| FO 024 | vulgare 'Purpureum' (Rubrum) [Smokey, Deco, Bronze] , Bronze Leaved Fennel, 80 cm, yellow, VII-IX, Z6-9. | 30 | 15 | 1240,00 | 178,00 | 26,00 | 3,60 | 2,80 |
| FRAGARIA (Rosaceae) | | | | | | | | |
| FO 023 | ☒ vesca , Woodland Strawberry, 20 cm, white, mostly stoloniferous, V-VI, Z4-8. | 3 | 16 | 2048,00 | 252,00 | 32,00 | 4,20 | 2,40 |
| FO 011 | ☒ vesca var. semperflorens 'Alexandria' , Alpine Strawberry, 20 cm, white, productive variety, mostly elongated red berries, without stolons, V-IX, Z4-8 | 3 | 16 | – | 480,00 | 60,00 | 8,00 | 2,00 |
| GALEGA (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | |
| GO 030 | officinalis , Goat's Rue, 100 cm, lilac with bluish banner, abundant and long blooming, VII-IX, Z3-7 | 20 | 16 | – | 136,00 | 24,00 | 4,00 | 2,80 |
| NEW! GO 031 | ☒ officinalis 'Alba' , 80 cm, pure white, bushy, upright habit, VII-IX, Z3-7. | 20 | 8 | – | – | 48,00 | 6,40 | 4,20 |
| GALIUM (Rubiaceae) | | | | | | | | |
| GO 035 | odoratum (ASPERULA odorata) , Sweet Woodruff, 15 cm, white, V-VI, Z4-7, .pure seed ☒☒☒ | 30 | 1 | – | 280,00 | 36,00 | 5,20 | 3,60 |
| GO 036 | verum , Lady's Bedstraw, 30 cm, yellow, abundant flower panicles, V-IX, Z3-7. | 5 | 15 | 360,00 | 64,00 | 12,00 | 2,20 | 2,00 |
| GENTIANA (Gentianaceae) | | | | | | | | |
| GO 086 | ☒ asclepiadea , [AGM], Willow Gentian, 40 cm, dark blue, grows upright, blossoms axillary, VII-IX, Z3-7 | 1 | 1 | – | – | 192,00 | 24,00 | 4,80 |
| GO 134 | ☒ lutea , Yellow Gentian, Bitterwort, 100 cm, pure yellow, especially decorative and long lasting, VI-VIII, Z3-7 | 5 | 1 | 920,00 | 154,00 | 26,00 | 4,20 | 2,80 |
| GERANIUM (Geraniaceae) | | | | | | | | |
| GO 220 | ☒ robertianum , Herb Robert, 40 cm, purple-rose, forms rosettes, IV-X, Z4-9, ☉ | 5 | 16 | – | 450,00 | 60,00 | 8,00 | 4,00 |

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|---|--|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| GEUM (Rosaceae) | | | | | | | | |
| GO 262 | urbanum , Wood Avens, St. Benedict's Herb, 30 cm, yellow, V-X, Z5-9 | 10 | 9 | 480,00 | 96,00 | 20,00 | 4,00 | 2,00 |
| GLAUCIUM (Papaveraceae, <i>Fumariaceae</i>) | | | | | | | | |
| GO 290 | flavum , Horned Poppy, 50 cm, yellow-ochre, blue-grey foliage, VI-VII, Z6-9 | 4 | 9 | – | – | 64,00 | 8,40 | 2,40 |
| GLECHOMA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| GO 296 | hederacea , Ground Ivy, Alehoof, 20 cm, brilliant violet, dark green foliage, IV-V + IX-X, Z2-10 | 2 | 1 | 2976,00 | 496,00 | 68,00 | 8,60 | 2,00 |
| GLYCYRRHIZA (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | |
| GO 316 | echinata , Roman Liquorice, 200 cm, lilac, VI-IX, Z7-10 | 20 | 9 | – | 442,00 | 68,00 | 9,60 | 9,60 |
| GO 317 | glabra , Spanish Liquorice, 120 cm, pale blue, VII-IX, Z7-10 | 20 | 9 | – | 442,00 | 68,00 | 9,60 | 9,60 |
| GRINDELIA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| GO 324 | robusta (camporum) , Gumplant, Gumweed, 100 cm, yellow umbels, VI-VIII, Z6-10 | 5 | 15 | – | – | – | 7,20 | 3,60 |
| HELICHRYSUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| HO 082 | italicum , Italian Everlasting, Curry Plant, 50 cm, yellow, silvery grey-green foliage, VI-VIII, Z7-10 | 0,5 | 15 | – | – | 196,00 | 28,00 | 6,00 |
| HIBISCUS (Malvaceae) | | | | | | | | |
| HO 212 | Moscheutos-Hybr. 'Galaxy' , 120 cm, very large flowering mixture with exceptional colour display, blossoms up to 25 cm ø, clear colours, white, light pink, rose, dark rose, light red, deep red, mostly with red center, strong and healthy foliage, strict upright habit, very hardy selection from Gilberg Farms, flowers the first year if sown early, VI-X, Z5-9 | 30 | 20 | – | – | 58,00 | 7,20 | 3,60 |
| HIERACIUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| NEW! HO 228 | pilosella (PILOSELLA officinarum) , Hawkweed, 15 cm, yellow, grey felt-like, VI-VIII, Z4-10 | 0,5 | 15 | – | 680,00 | 98,00 | 16,00 | 2,00 |
| HUMULUS (Cannabaceae) | | | | | | | | |
| HO 280 | lupulus , 200 cm, Common Hops, greenish-yellow, hanging flowers, green foliage, VII-IX, Z4-9 | 10 | 1 | 1470,00 | 245,00 | 40,00 | 6,80 | 6,80 |
| HYOSCYAMUS (Solanaceae) | | | | | | | | |
| HO 308 | niger , Black Henbane, 50 cm, cream colored flowers with purple veins, V-IX, Z4-7, ☹, poisonous! | 2 | 9 | – | 310,00 | 36,00 | 4,20 | 2,00 |
| HYPERICUM (Clusiaceae, <i>Guttiferae</i>) | | | | | | | | |
| HO 336 | perforatum , St. John's Wort, 60 cm, yellow, V-VIII, Z2-9 | 2 | 16 | 252,00 | 42,00 | 9,20 | 2,00 | 2,00 |
| HO 337 | perforatum 'Topas' , 40 cm, yellow, higher hypericin concentration, V-VIII, Z2-9 | 2 | 16 | 348,00 | 58,00 | 9,60 | 2,00 | 2,00 |
| HYSSOPUS (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| HO 347 | officinalis , Hyssop, 45 cm, mostly blue, rarely pink and white, VI-VIII, Z3-11 | 5 | 15 | 288,00 | 48,00 | 12,00 | 2,00 | 2,00 |
| INULA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| IO 058 | helenium , Elecampane, 150 cm, yellow, VII-X, Z3-8 | 5 | 15 | – | 346,00 | 48,00 | 8,00 | 4,20 |
| IRIS (Iridaceae) | | | | | | | | |
| IO 144 | pseudacorus , Pale Yellow Iris, 100 cm, VI-VII, Z3-9 | 100 | 1/10 | 336,00 | 48,00 | 12,00 | 3,20 | 4,80 |
| IO 167 | sibirica, wild form , Siberian Iris, blue, 70 cm, VI-VII, Z3-9 | 30 | 1/10 | 576,00 | 96,00 | 12,00 | 3,20 | 3,20 |
| IO 192 | versicolor , Blue Flag Iris, 100 cm, blue-violet, V-VIII, Z3-8 | 30 | 1/10 | 960,00 | 180,00 | 30,00 | 4,80 | 4,80 |
| ISATIS (Brassicaceae, <i>Cruciferae</i>) | | | | | | | | |
| IO 300 | tinctoria , Woad (Ban Lan Gen), 60 cm, yellow, V-VII, Z6-9, TCM plant, ☹ pure seed | 3 | 15 | – | – | 78,00 | 14,00 | 4,80 |
| KNAUTIA (Dipsacaceae) | | | | | | | | |
| NEW! KO 030 | arvensis , Blue Buttons, 50 cm, violet-blue, V-VIII, Z4-10 | 20 | 16 | – | 256,00 | 32,00 | 4,20 | 2,20 |
| LAVANDULA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| LO 070 | angustifolia (officinalis) , True Lavender, 50 cm, blue, VII-IX, Z5-9 | 5 | 9 | 588,00 | 84,00 | 12,00 | 2,00 | 2,00 |
| LO 078 | angustifolia Munstead-Strain , Lavender, 40 cm, blue, VII-X, Z5-9 | 5 | 9 | – | 224,00 | 28,00 | 3,60 | 2,00 |
| LO 082 | latifolia (spica) , Common Lavender, 35 cm, blue-violet, aromatic, VI-VII, Z6-9 | 5 | 9 | 1780,00 | 254,00 | 36,00 | 5,20 | 2,80 |
| LEONURUS (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| LO 112 | cardiaca , True Motherwort, 120 cm, light red, VI-IX, Z3-9 | 2 | 15 | 520,00 | 84,00 | 12,00 | 3,00 | 2,00 |
| LO 115 | japonicus (heterophyllus, sibircus) 'BLBP 02' , Chinese Motherwort (Yi-Mu-Cao), 140 cm, lilac pink, whorled inflorescences, pinnatifid foliage, tetragonal stems, reliable first year flowering, high content of extract and flavanoids, high herb yield, VII-X, Z5-9, TCM plant, ☹ | 3 | 16 | 980,00 | 180,00 | 30,00 | 5,00 | 2,50 |
| LEPIDIUM (Brassicaceae, <i>Cruciferae</i>) | | | | | | | | |
| LO 105 | sativum , Garden Cress, 10 cm, white, uniform and fast growing cultivars, also suitable for outdoor field production, V-VII, Z5-11, ☹ | 10 | 15 | 26,00 | 6,00 | 4,00 | 2,00 | 2,00 |
| LEUCANTHEMUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| NEW! CO 424 | vulgare (CHRYSANTHEMUM leucanthemum, ircutianum) , Ox-eye Daisy, 60 cm, pure white with yellow disc, V-IX, Z2-8 | 3 | 15 | 480,00 | 80,00 | 14,00 | 2,40 | 2,00 |
| LEVISTICUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| LO 150 | officinale , Lovage, Love Parsley, 160 cm, yellow-green, VI-IX, Z3-9 | 25 | 16 | 312,00 | 48,00 | 7,40 | 2,00 | 2,00 |

Herb Seeds from Organic Production



HYOSCYAMUS niger



IRIS versicolor



LOBELIA inflata



LYCIUM barbarum

| | | | Gram to get 1000 plants | №. of the sowing directions | Prices in EURO net per: | | | | |
|---|--------|--|-------------------------|-----------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| LINUM (Linaceae) | | | | | | | | | |
| NEW! | LO 335 | perenne [Himmelszelt] , Perennial Flax, blue, 40 cm, VI-VIII, Z5-8 | 10 | 15 | – | 288,00 | 36,00 | 4,80 | 2,00 |
| LOBELIA (Campanulaceae) | | | | | | | | | |
| NEW! | LO 366 | inflata , Indian Tobacco, 50 cm, light blue, showy inflated seed heads, VI-VIII, Z4-9, ☉ | 0,15 | 16 | – | 396,00 | 48,00 | 6,00 | 2,00 |
| LUPINUS (Papilionaceae, Leguminosae) | | | | | | | | | |
| NEW! | LO 434 | Perennis-Hybr. Russellmixture' [Band of Nobles] , 100 cm, VI-VIII, Z3-8 | 50 | 7/10 | 960,00 | 128,00 | 18,00 | 2,80 | 4,20 |
| LYCHNIS (Caryophyllaceae) | | | | | | | | | |
| | LO 484 | flos-cuculi (SILENE) , Ragged Robin, 40 cm, pink, V-VI, Z3-8 | 0,5 | 16 | – | 160,00 | 22,00 | 3,00 | 2,00 |
| LYCIUM (Solanaceae) | | | | | | | | | |
| | LO 512 | barbarum (chinense) , Goji-Berry, Chinese Wolfberry (Gou-Qi-Zi, Di-Gu-Pi), up to 300 cm, lilac flowers, yellow to orangered berries, shrubby growth, VII-IX, Z5-9 | 2 | 16 | – | 720,00 | 96,00 | 13,20 | 6,60 |
| LYCOPUS (Lamiaceae, Labiatae) | | | | | | | | | |
| | LO 516 | europaeus , Gypsywort, Bugleweed, 60 cm, white, bushy growth, VI-VIII, Z4-9 | 1 | 1 | – | 160,00 | 20,00 | 2,60 | 2,00 |
| LYSIMACHIA (Primulaceae) | | | | | | | | | |
| | LO 527 | vulgaris , Yellow Loosestrife, 80 cm, golden, VI-VIII, Z4-9 | 1 | 9 | – | 160,00 | 20,00 | 2,60 | 2,00 |
| LYTHRUM (Lythraceae) | | | | | | | | | |
| | LO 530 | salicaria [Rosy Gem, Red Beauties] , Purple Loosestrife, 120 cm, carmine-pink, VI-IX, Z3-9 | 1 | 9 | 920,00 | 128,00 | 16,00 | 2,00 | 2,00 |
| MALVA (Malvaceae) | | | | | | | | | |
| | MO 042 | sylvestris , Common Mallow, High Mallow, 100 cm, violet, VI-IX, Z4-8 | 10 | 8 | 180,00 | 32,00 | 7,20 | 2,00 | 2,00 |
| | MO 043 | sylvestris ssp. mauritiana [Bibor Felho] , Blue Mallow, 100 cm, dark violet, VI-IX, Z4-8 | 10 | 8 | 180,00 | 32,00 | 7,20 | 2,00 | 2,00 |
| | MO 041 | sylvestris 'Zebrina' , 120 cm, white with violet, VI-IX, Z4-8 | 10 | 8 | 360,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| MARRUBIUM (Lamiaceae, Labiatae) | | | | | | | | | |
| | MO 050 | vulgare [Pompon] , White Horehound, 40 cm, white, VI-VIII, Z3-9 | 5 | 15 | 520,00 | 96,00 | 16,00 | 2,80 | 2,00 |
| MATRICARIA - see CHAMOMILLA | | | | | | | | | |
| MELILOTUS (Papilionaceae) | | | | | | | | | |
| | MO 112 | officinalis (arvensis) , Yellow Melilot, Sweet Clover, 100 cm, yellow, VI-IX, Z4-10, p. seed | 5 | 15 | 68,00 | 20,00 | 6,00 | 2,00 | 2,00 |
| MELISSA (Lamiaceae, Labiatae) | | | | | | | | | |
| | MO 098 | officinalis , Lemon Balm, 40 cm, pale yellow, V-VII, Z3-9 | 3 | 16 | 360,00 | 64,00 | 12,00 | 2,20 | 2,00 |
| | MO 101 | officinalis ssp. altissima , Crete Balm, Lime Balm, 60 cm, white, gently pubescent, lime-scented foliage, VI-VIII, Z4-10 | 3 | 15 | – | 720,00 | 120,00 | 16,00 | 4,00 |
| | MO 099 | officinalis 'Lemona' , Lemon Balm, 40 cm, yellowish-white, good hardy, productive and protected foliage cultivar, dwarf creeping at first, 2nd year upright habit, very high yielding, IV-VI, Z4-10 | 3 | 16 | 860,00 | 122,00 | 18,00 | 3,20 | 2,00 |
| | MO 097 | officinalis 'Quedlinburger Niederliegende' , 40 cm, yellowish-white, productive foliage variety with high yields, first procumbent, second year upright habit, IV-VI, Z4-10 | 3 | 16 | 432,00 | 72,00 | 12,00 | 2,20 | 2,00 |
| MENTHA (Lamiaceae, Labiatae) | | | | | | | | | |
| | MO 085 | aquatica , Water Mint, 50 cm, pink-lilac, entire plant strongly aromatic, VII-IX, Z4-8 | 0,5 | 9 | – | 760,00 | 96,00 | 12,00 | 4,00 |
| | MO 103 | cervina (PRESLIA) , Water Spearmint, 20 cm, lilac, narrow leaves, highly aromatic, VI-IX, Z6-9 | 0,25 | 9 | – | – | 96,00 | 12,00 | 3,80 |
| NEW! | MO 104 | cervina 'Alba' (PRESLIA) , White Water Spearmint, 20 cm, white, lanceolate leaves, very aromatic, VI-IX, Z6-9 | 0,25 | 9 | – | – | – | – | 4,20 |
| | MO 087 | pulegium , Pennyroyal, 20 cm, lilac, VI-VIII, Z6-10 | 0,5 | 16 | 2920,00 | 376,00 | 48,00 | 7,20 | 2,00 |
| | MO 089 | Spicata-Hybr. , Spearmint, Lamb Mint, 30 cm, pink-white, variable, VI-X, Z2-9 | 0,5 | 16 | – | 576,00 | 72,00 | 9,00 | 3,00 |
| NEW! | MO 091 | suaveolens (rotundifolia hort.) , Applemint, 30 cm, pink-white, rounded leaves, VII-IX, Z5-8 | 0,5 | 16 | – | 512,00 | 64,00 | 8,00 | 3,20 |

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | | |
|---|---|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion | |
| MONARDA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | | |
| MO 196 | didyma , Bergamot, Bee Balm, Osmego-Tea, 110 cm, mostly red, VI-IX, Z4-8 | Ⓚ Ⓣ Ⓟ Ⓡ Ⓢ | 3 | 15 | – | 2100,00 | 234,00 | 26,00 | 6,00 |
| MO 208 | fistulosa , Horsemint, Wild Bergamot, 80 cm, mostly lilac, for dry locations, VII-IX, Z4-8 | Ⓚ Ⓣ Ⓟ Ⓡ Ⓢ | 3 | 15 | – | 960,00 | 120,00 | 15,00 | 3,80 |
| MYRRHIS (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | | |
| MO 250 | odorata , Sweet Cicely, Myrrth, Sweet Chervil, 120 cm, white umbels, entire plant aromatic, VI, Z4-8 | Ⓚ Ⓟ Ⓡ Ⓢ | 110 | 1 | – | 156,00 | 28,00 | 5,00 | 9,20 |
| NASTURTIUM (Brassicaceae) | | | | | | | | | |
| NO 012 | officinale , Watercress, 40 cm, evergreen, V-X, Z5-8 | Ⓚ Ⓡ Ⓢ | 1 | 15 | – | 172,00 | 28,00 | 4,80 | 2,40 |
| NEPETA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | | |
| NO 020 | cataria , Common Catmint, 60 cm, white, VI-X, Z3-8 | Ⓚ Ⓣ Ⓟ Ⓡ Ⓢ | 3 | 9 | 320,00 | 54,00 | 9,00 | 2,00 | 2,00 |
| NO 021 | cataria ssp. citriodora , Lemon Catmint, 60 cm, white, lemon scented, VI-X, Z3-8 | Ⓚ Ⓣ Ⓟ Ⓡ Ⓢ | 3 | 9 | 480,00 | 96,00 | 16,00 | 3,20 | 2,00 |
| NO 024 | racemosa (x faassenii, mussinii) , (AGM), Catmint, 30 cm, light blue, blooms continuously, V-IX, Z3-8 | Ⓚ Ⓟ | 3 | 15 | – | 336,00 | 42,00 | 5,40 | 2,00 |
| NIGELLA (Ranunculaceae) | | | | | | | | | |
| NO 045 | sativa , Black Cumin, Fennel Flower, 25 cm, white-bluish, fine foliage, inflated seed capsules, VI-VIII, Z5-11, ☉ | Ⓚ Ⓟ Ⓡ Ⓢ | 10 | 15 | 78,00 | 16,00 | 4,00 | 2,00 | 2,00 |
| OCIMUM (Lamiaceae, <i>Labiatae</i>) | | | | | | | | | |
| 00 001 | americanum 'Limon' , Lemon Basil, 40 cm, pale lilac-white, VI-IX, Z10-11, ☉ | Ⓚ Ⓡ Ⓢ | 4 | 15 | – | 80,00 | 18,00 | 2,60 | 2,00 |
| NEW! 00 020 | basilicum 'Ararat' , Red Spotted Basil, 40 cm, pink flowers, dark purple spikelets, purplish red stems, vigorous foliage, reddish violet speckled, unique anise-licorice flavor, VII-IX, Z10-11, ☉ | Ⓚ Ⓡ Ⓢ | 4 | 15 | 640,00 | 84,00 | 12,00 | 2,50 | 2,50 |
| 00 003 | basilicum 'Cinnamon' , Cinnamon Basil, 40 cm, lavender-pink, green-purple foliage, VI-IX, Z9-11, ☉ | Ⓚ Ⓡ Ⓢ | 4 | 15 | – | 80,00 | 18,00 | 2,60 | 2,60 |
| 00 019 | basilicum 'Dark Opal' , Purple-leaved Basil, 30 cm, pink, purple-black, delicate aromatic foliage, VI-IX, Z10-11, ☉ | Ⓚ Ⓡ Ⓢ | 4 | 15 | 640,00 | 84,00 | 12,00 | 2,50 | 2,50 |
| 00 017 | basilicum F₁-Genoveser-Hybr. 'Adi' , Pot-Plant Basil, 20 cm, fusarium resistant F ₁ -Hybr., round, healthy foliage, VI-IX, Z10-11, ☉ | Ⓚ Ⓡ Ⓢ | 4 | 15 | 498,00 | 72,00 | 12,00 | 2,50 | 2,50 |
| 00 016 | basilicum F₁-Genoveser-Hybr. 'Aroma 2' , Large Sweet Basil, 50 cm, fusarium resistant F ₁ -Hybr., white, large, round, healthy foliage, VI-IX, Z10-11, ☉ | Ⓚ Ⓡ Ⓢ | 4 | 15 | 498,00 | 72,00 | 12,00 | 2,50 | 2,50 |
| 00 004 | basilicum 'Genoveser' , Large Sweet Basil, 50 cm, white, best for pesto, large round foliage, VI-IX, Z10-11, ☉ | Ⓚ Ⓡ Ⓢ | 4 | 15 | 136,00 | 34,00 | 9,00 | 3,00 | 2,00 |
| 00 006 | basilicum var. minutum , Bush Basil, 20 cm, white, very compact, bushy habit, small leaves, excellent as pot plant, VII-X, Z10-11, ☉ | Ⓚ Ⓡ Ⓢ | 4 | 15 | – | 80,00 | 18,00 | 2,60 | 2,00 |
| 00 008 | basilicum 'Red Rubin' , Purple-leaved Basil, 30 cm, pink-white, bronze-purple, excellent flavour, decorative foliage, VI-IX, Z10-11, ☉ | Ⓚ Ⓡ Ⓢ | 4 | 15 | 640,00 | 84,00 | 12,00 | 2,50 | 2,50 |
| 00 021 | basilicum var. thyrsoiflorum 'Thai' , Thai Basil, 60 cm, red-purple, leaves with anise flavour, VII-IX, Z10-11, ☉ | Ⓚ Ⓡ Ⓢ | 3 | 15 | 498,00 | 72,00 | 12,00 | 2,50 | 2,50 |
| OENOTHERA (Onagraceae) | | | | | | | | | |
| 00 011 | biennis , Evening Primrose, 80 cm, yellow, VI-VIII, Z3-8, ☉ | Ⓚ Ⓟ Ⓡ Ⓢ | 5 | 9 | 180,00 | 36,00 | 9,60 | 2,00 | 2,00 |
| ORIGANUM (Lamiaceae, <i>Labiatae</i>) | | | | | | | | | |
| 00 087 | libanoticum , (F ₁), Cascading Hopflower Oregano, 25 cm, pink, bracts often purple, blue-green foliage, V-X, Z6-9 | Ⓚ Ⓣ Ⓟ Ⓡ Ⓢ | 1 | 15 | – | – | – | 36,00 | 4,50 |
| 00 093 | majorana , Sweet Marjoram, Garden Marjoram, 45 cm, white-pink, VI-VII, Z6-9, ☉ | Ⓚ Ⓣ Ⓟ Ⓡ Ⓢ | 2 | 15 | 720,00 | 120,00 | 22,00 | 3,80 | 2,00 |
| 00 091 | vulgare hort. , Perennial Marjoram, 40 cm, pink, VII-X, Z4-8, 24 | Ⓚ Ⓣ Ⓟ Ⓡ Ⓢ | 3 | 15 | 510,00 | 78,00 | 12,00 | 2,00 | 2,00 |
| 00 096 | vulgare ssp. hirtum (heracleoticum) , Pizza Oregano, Greek Oregano, 45 cm, mostly white, rarely pink, intensive fragrance, compact, VII-X, Z4-8 | Ⓚ Ⓣ Ⓟ Ⓡ Ⓢ | 3 | 15 | – | 288,00 | 36,00 | 6,00 | 2,00 |
| ORLAYA (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | | |
| 00 097 | grandiflora [White Lace, White Finch] , White Lace Flower, 60 cm, magnificent white umbels with large outer blossoms, feathered foliage, shortlived but outstanding, VI-IX, Z5-9 | Ⓚ Ⓟ | 50 | 9 | 980,00 | 156,00 | 24,00 | 3,75 | 3,75 |
| PAEONIA (Paeoniaceae) | | | | | | | | | |
| PO 003 | officinalis ssp. banatica , Common Peony, 60 cm, red with yellow stamens, V-VI, Z5-8 | Ⓟ Ⓡ Ⓢ | 250 | 6/10 | 960,00 | 120,00 | 15,00 | 2,00 | 9,00 |

Herb Seeds from Organic Production



MALVA sylvestris 'Zebrina'



MENTHA aquatica



MENTHA cervina



MENTHA cervina 'Alba'



OCIMUM basilicum 'Ararat'



PAEONIA officinalis ssp. banatica



PULSATILLA pratensis ssp. nigricans



PULSATILLA vulgaris

| | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | Portion | |
|--|---|------------------------------|-------------------------|------------|-----------|----------|---------|------|
| | | | from 1000 g | from 100 g | from 10 g | from 1 g | | |
| PAPAVER (Papaveraceae) | | | | | | | | |
| PO 095 | rheas , Corn Poppy, 50 cm, brilliant red, V-VIII, Z4-8, ☉ | 0,25 | 9 | 280,00 | 42,00 | 7,40 | 2,00 | 2,00 |
| PASTINACA (Apiaceae, Umbelliferae) | | | | | | | | |
| PO 152 | sativa , Parsnip, 120 cm, yellow umbels, VII-VIII, Z4-8, ☉ | 7 | 8 | – | 216,00 | 36,00 | 6,00 | 3,00 |
| PENSTEMON (Scrophulariaceae) | | | | | | | | |
| PO 241 | pseudospectabilis , [PS], Desert Beardtongue, 80 cm, intense deep pink, grey-bluish foliage, V-VII, Z5-9 | 2 | 9 | – | 640,00 | 86,00 | 9,60 | 4,80 |
| PERILLA (Lamiaceae) | | | | | | | | |
| PO 267 | frutescens var. crispa (nankinensis) 'Red Shiso' , Beefsteak Plant (Zi-Su-Ye), 50 cm, pink, purple-crikkled foliage, IX-X, Z7-11, TCM plant, ☉ | 3 | 16 | – | – | 48,00 | 6,20 | 3,10 |
| PETASITES (Asteraceae, Compositae) | | | | | | | | |
| PO 262 | hybridus (officinalis) , Butterbur, Umbrella Plant, 100 cm, purple-rose, III-IV, Z3-8 | 1 | 9 | 1340,00 | 192,00 | 24,00 | 3,20 | 2,00 |
| PETROSELINUM (Apiaceae, Umbelliferae) | | | | | | | | |
| PO 282 | crispum var. crispum , Double Curled Parsley, 40 cm, yellow, double-crikkled foliage, VI-VIII, Z5-9, ☉ | 5 | 15 | 196,00 | 26,00 | 7,80 | 2,20 | 2,00 |
| PO 284 | crispum var. neapolitanum (hortense) , Italian Parsley, Plain Parsley, 60 cm, yellow, plain glossy foliage, high yielding cultivar, VI-VIII, Z5-9, ☉ | 5 | 15 | 112,00 | 14,00 | 4,50 | 2,20 | 2,00 |
| PEUCEDANUM (Apiaceae, Umbelliferae) | | | | | | | | |
| PO 270 | ostruthium , Masterwort, 60 cm, white or reddish, a very aromatic plant, VII-VIII, Z4-8 | 5 | 1 | – | 252,00 | 36,00 | 4,50 | 2,40 |
| PHACELIA (Hydrophyllaceae) | | | | | | | | |
| PO 278 | tanacetifolia , Fiddleneck, 80 cm, blue-lilac, for the organic revitalisation of spent soil, 5gr/m ² , VI-X, ☉ | 5 | 15 | 26,00 | 8,80 | 4,00 | 2,00 | 2,00 |
| PHYSALIS (Solanaceae) | | | | | | | | |
| PO 330 | alkekengi var. franchetii 'Gigantea' [Winter Cherry] , Chinese Lantern, Bladder Cherry, 100 cm, large, red fruits, VI-VII, Z3-9 | 5 | 9 | – | 216,00 | 36,00 | 6,00 | 3,00 |
| PIMPINELLA (Apiaceae, Umbelliferae) | | | | | | | | |
| PO 393 | anisum , Anis, 40 cm, pink, VII-VIII, Z8-11, ☉ | 4 | 15 | 198,00 | 34,00 | 6,80 | 2,00 | 2,00 |
| PO 392 | saxifraga , Burnet Saxifrage, Small Pimpernel, 50 cm, white, rarely pink or red, VII-IX, Z4-8 | 3 | 16 | 480,00 | 68,00 | 12,00 | 2,00 | 2,00 |
| PLANTAGO (Plantaginaceae) | | | | | | | | |
| PO 387 | asiatica , Asian Plantain (Che-Qian-Cao), 50 cm, greenish flowering spikes, very large leaves, VI-X, Z6-10, TCM plant | 0,5 | 9 | – | – | 96,00 | 16,00 | 2,40 |
| PO 399 | coronopus 'Minutina' , Buck's Horn Plantain, 15 cm, yellowish, pinnatifid foliage, mild nutty flavour, VI-IX, Z5-8, ☉ | 1 | 15 | 768,00 | 96,00 | 12,00 | 2,20 | 2,00 |
| PO 398 | lanceolata 'Liber' , Ribwort Plantain, 50 cm, white, large leaved and productive, tetraploid cultivar, V-IX, Z5-8 | 5 | 15 | 126,00 | 36,00 | 12,00 | 4,00 | 2,00 |
| PO 412 | major , Common Plantain, 40 cm, yellowish-green, VI-X, Z4-8 | 5 | 9 | 294,00 | 42,00 | 14,00 | 4,00 | 2,00 |
| PO 404 | major 'Purpurea' (var. rubrifolia) , Red-leaved Plantain, 30 cm, white, very decorative, V-VII, Z3-9 | 1 | 9 | – | 580,00 | 96,00 | 16,00 | 3,40 |
| PLATYCODON (Campanulaceae) | | | | | | | | |
| NEW! PO 434 | grandiflorus 'Mariesii' , [AGM], Balloon Flower, Chinese Bellflower (Jie-Geng), 50 cm, blue, winterhardy cultivar, VI-VIII, Z3-8, TCM plant | 3 | 15 | – | 360,00 | 46,00 | 5,80 | 2,20 |
| POLEMONIUM (Polemoniaceae) | | | | | | | | |
| PO 480 | caeruleum [Blue Pearl] , Jacob's Ladder, 60 cm, lavender-blue, abundant flowers, VI-VII, Z2-8 | 3 | 15 | – | 320,00 | 40,00 | 5,00 | 2,50 |
| POTENTILLA (Rosaceae) | | | | | | | | |
| NEW! PO 564 | argentea , Silver leaved Conquefoil, 25 cm, yellow, silver-grey foliage, V-VIII, Z4-8 | 1 | 16 | – | 240,00 | 30,00 | 3,80 | 2,00 |
| PRIMULA (Primulaceae) | | | | | | | | |
| PO 910 | veris (officinalis) , [AGM], Cowslip, 20 cm, yellow, III-V, Z4-8 | 5 | 8 | 1180,00 | 160,00 | 22,00 | 3,40 | 2,00 |

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|---|--|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| PRUNELLA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| PO 950 | vulgaris 'BLBP 01' , Allheal, Selfheal (Xia-Ku-Cao), 60 cm, blue-violet to reddish flowers in dense spikes, lanceolate foliage, with runners, high content of extract and ursolic-acid, high flower yield, VI-IX, Z3-8, TCM plant | 2 | 15 | – | 294,00 | 42,00 | 6,00 | 2,00 |
| PULMONARIA (Boraginaceae) | | | | | | | | |
| PO 969 | officinalis (ssp. obscura) , Jerusalem Cowslip, Lungwort, 25 cm, pink changing to violet, leaves mostly without spots, III-IV, Z4-8. | 15 | 1 | 1340,00 | 224,00 | 32,00 | 4,60 | 4,60 |
| PULSATILLA (ANEMONE) (Ranunculaceae) | | | | | | | | |
| PO 985 | pratensis ssp. nigricans , Meadow Pasque Flower, 20 cm, dark purple, nodding flowers, IV-VI, Z4-8, pure seed | 3 | 9 | – | 1530,00 | 192,00 | 24,00 | 7,20 |
| PO 988 | vulgaris, (AGM) , Pasque Flower, 30 cm, lilac to blue-violet, III-IV, Z5-8, pure seed | 5 | 9 | 3580,00 | 448,00 | 56,00 | 7,20 | 3,60 |
| PYCNANTHEMUM (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| PO 998 | pilosum , American Mountain Mint, 70 cm, pale purple, aromatic foliage, VI-IX, Z4-8. | 3 | 16 | – | – | 128,00 | 16,00 | 4,00 |
| RESEDA (Resedaceae) | | | | | | | | |
| RO 074 | lutea , Cutleaf Mignonette, 35 cm, yellowish flower panicles, V-IX, Z5-9. | 2 | 9 | – | 78,00 | 16,00 | 3,60 | 2,00 |
| RHEUM (Polygonaceae) | | | | | | | | |
| RO 083 | rhabarbarum (x hybridum) , Rhubarb, 120 cm, yellowish-white, large leaves, mostly red leafstalks, V-VI, Z2-9 | 60 | 15 | 336,00 | 48,00 | 8,00 | 2,00 | 3,20 |
| RO 087 | rhabarbarum 'Glaskins Perpetual' , Garden Rhubarb, 150 cm, reddish-green, bright red and luscious leafstalks, early and late harvest possible from the second year, long known productive variety, V-VII, Z2-9. | 60 | 15 | 672,00 | 96,00 | 18,00 | 3,00 | 4,80 |
| RO 076 | rhabarbarum 'Victoria' , Garden Rhubarb, 150 cm, green-reddish, thick green leaf stalks, large leaved late cultivar, V-VII, Z2-9 | 60 | 15 | 672,00 | 96,00 | 18,00 | 3,00 | 4,80 |
| RICINUS (Euphorbiaceae) | | | | | | | | |
| RO 109 | communis , Castor Bean, 150 cm, green-white, large, green foliage, VIII-X, Z8-10, poisonous! | 1000 | 8 | 240,00 | 60,00 | 12,00 | 2,00 | 6,40 |
| RO 112 | communis 'New Zealand Purple' , Red-leaved Castor Bean, 120 cm, white, red fruits, bronze red foliage, compact habit, VIII-X, Z8-10, poisonous! | 350 | 8 | 580,00 | 148,00 | 28,00 | 4,80 | 12,00 |
| ROSMARINUS (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| RO 130 | officinalis , Rosemary, 120 cm, blue, V-VII, Z5-9 | 10 | 8 | – | 540,00 | 62,00 | 6,90 | 3,80 |
| RUCOLA - see DIPLTAXIS | | | | | | | | |
| RUMEX (Polygonaceae) | | | | | | | | |
| RO 206 | acetosa , Sorrel, Garden Sorrel, 50 cm, reddish-brown, V-VII, Z2-9 | 5 | 15 | 432,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| RO 207 | acetosa 'De Belleville' , Green Sorrel, 60 cm, reddish, large leaved, green, productive foliage variety, low content of acid, long known mild cultivated form, VI-VIII, Z2-9 | 5 | 15 | 432,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| RO 210 | acetosella , Sheep's Sorrel, 30 cm, reddish-green, V-VII, Z2-8 | 2 | 9 | 360,00 | 48,00 | 6,40 | 2,20 | 2,20 |
| RO 228 | sanguineus var. sanguineus [Bloody Dock, Red Halley, Ruby Streak] , 40 cm, lanceolate leaves with distinct red-purple leaf veins, attractive foliage plant! V-VII, Z5-8, pure seed | 2 | 15 | 1760,00 | 252,00 | 36,00 | 6,20 | 4,80 |
| NEW! RO 238 | scutatus , French Sorrel, 40 cm, whitish-green, shield shaped green juicy leaves with sour-lemon flavor, V-IX, Z4-8, pure seed | 3 | 16 | – | – | 72,00 | 12,00 | 4,80 |
| RO 240 | scutatus ssp. glaucus 'Silver Leaf' , Silver French Sorrel, 40 cm, greenish-pink, bluish-silvery foliage, juicy, mildly sour flavor, V-IX, Z4-8, pure seed | 3 | 16 | – | – | 96,00 | 16,00 | 5,20 |
| RUTA (Rutaceae) | | | | | | | | |
| RO 360 | graveolens , Rue, Herb of Grace, 50 cm, yellow, evergreen, VI-VIII, Z5-9 | 10 | 16 | 864,00 | 144,00 | 24,00 | 6,00 | 3,00 |
| SALVIA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| SO 069 | hispanica , Mexican Chia, 150 cm, blue, seldom white, green foliage, VII-VIII, Z9-11, ☉ | 5 | 16 | 38,00 | 12,00 | 6,00 | 2,00 | 2,00 |
| NEW! SO 079 | moorcroftiana x indica 'Shangri-La' , ☉, 70 cm, lavender blue, finely veined, large flowers in dense whorls, reblooming after deadheading, attractive leaf clumps, V-VIII, Z5-9. | 25 | 9 | – | 296,00 | 38,00 | 6,40 | 4,80 |
| NEW! SO 036 | nemorosa 'Violettkönigin' [Violet Queen, West-Friesland] , Steppe Sage, 60 cm, violet, V-IX, Z4-8 | 3 | 15 | – | 480,00 | 60,00 | 7,60 | 2,60 |

Fortsetzung auf der nächsten Seite



RICINUS communis 'NZ Purple'



RUMEX scutatus ssp. glaucus 'Silver Leaf'



SALVIA hispanica



SALVIA moorcroftiana x ind. 'Shangri-La'



SANTOLINA *chamaecyp. ssp. tomentosa*



SATUREJA *montana ssp. illyrica*



TAGETES *lucida*



TANACETUM *balsamita*

| | | Gram to get 1000 plants | Nº. of the sowing directions | Prices in EURO net per: | | | | |
|---|--|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| SALVIA <i>continuation</i> | | | | | | | | |
| | SO 038 officinalis , Common Sage, 50 cm, lilac, aromatic, VI-VIII, Z4-10 | 20 | 15 | 296,00 | 48,00 | 7,20 | 2,00 | 2,00 |
| | SO 040 officinalis 'Extrakta', Extract Sage, 60 cm, lilac, foliage with high oil concentration, VI-VIII, Z4-10 | 20 | 15 | 448,00 | 64,00 | 9,00 | 2,00 | 2,00 |
| NEW! | SO 046 pratensis , Meadow Sage, 60 cm, blue, VI-VIII, Z3-8 | 5 | 15 | 1480,00 | 192,00 | 24,00 | 3,00 | 2,00 |
| | SO 058 sclarea , Clary, Muscatel Sage, 100 cm, rosy-red bracts, pale lilac flowers, branched blossom panicles, VI-VII, Z4-8, ☉ | 10 | 15 | 648,00 | 120,00 | 22,00 | 4,20 | 2,40 |
| NEW! | SO 059 sclarea var. turkestanica 'Vatican Pink', Clary Sage, 75 cm, very large, white-pink bracts, compact and more attractive than the species, VI-VII, Z4-8 | 10 | 15 | – | 296,00 | 54,00 | 7,40 | 3,80 |
| SANGUISORBA (Rosaceae) | | | | | | | | |
| | SO 088 minor hort. , Salad Burnet, Small Burnet, 60 cm, greenish flower heads, V-VIII, Z4-8 | 50 | 15 | 244,00 | 42,00 | 7,00 | 2,00 | 2,80 |
| | SO 098 officinalis , Great Burnet (Di-Yu), 60 cm, blood-red, VI-VIII, Z3-8, TCM plant. | 3 | 16 | – | 196,00 | 28,00 | 4,60 | 2,00 |
| SANICULA (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | |
| | SO 110 europaea , Sanicle, 25 cm, white, V-VI, Z5-8 | 15 | 1 | 1960,00 | 280,00 | 36,00 | 6,00 | 4,20 |
| SANTOLINA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| | SO 124 chamaecyparissus ssp. tomentosa [Santa], Cotton Lavender, 25 cm, pale yellow, compact, silver foliage, VI-VIII, Z6-8 | 1 | 15 | – | 1296,00 | 144,00 | 16,00 | 4,60 |
| SAPONARIA (Caryophyllaceae) | | | | | | | | |
| | SO 144 officinalis , Soapwort, 80 cm, pale pink, VI-IX, Z3-8 | 10 | 1 | 360,00 | 64,00 | 12,00 | 2,20 | 2,00 |
| SATUREJA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| | SO 158 hortensis , Summer Savory, 25 cm, lilac-white, VII-X, Z6-9, ☉ | 2 | 15 | 254,00 | 32,00 | 4,20 | 2,00 | 2,00 |
| | SO 163 montana , Winter Savory, 25 cm, white-pink, VIII-X, Z5-8, ☉ | 3 | 15 | 960,00 | 120,00 | 16,00 | 2,40 | 2,00 |
| | SO 164 montana ssp. illyrica (subspicata) , [CS], Purple Winter Savory, 15 cm, bright violet, VIII-X, Z5-8 | 1 | 9 | – | 620,00 | 78,00 | 9,60 | 3,20 |
| SCABIOSA (Dipsacaceae) | | | | | | | | |
| NEW! | SO 258 ochroleuca (columbaria ssp. ochroleuca) , Cream Pincushion, 80 cm, light yellow, VI-X, Z5-8 | 10 | 16 | – | 512,00 | 64,00 | 8,20 | 3,40 |
| SCUTELLARIA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| | SO 308 baicalensis , Baical Scullcap (Huang-Qin), 30 cm, blue, VII-IX, Z4-8, TCM plant | 5 | 15 | – | 620,00 | 78,00 | 9,60 | 3,80 |
| SEDUM (Crassulaceae) | | | | | | | | |
| | SO 364 reflexum (rupestre) , Stone Orpine, 30 cm, yellow, grey leaves, VI-VIII, Z4-9 | 0,5 | 4/15 | – | – | 64,00 | 8,20 | 2,90 |
| SIDERITIS (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| | SO 446 syriaca , South Greek Mountain Tea, 25 cm, yellow, white-grey foliage, VI-VIII, Z6-9 | 3 | 15 | – | 780,00 | 96,00 | 12,00 | 3,60 |
| SILENE see also LYCHNIS (Caryophyllaceae) | | | | | | | | |
| NEW! | SO 454 alba (latifolia) , White Campion, 45 cm, white, V-X, Z5-8 | 5 | 15 | – | 144,00 | 24,00 | 4,20 | 2,00 |
| NEW! | SO 466 dioica (MELANDRIUM rubrum) , Red Campion, 80 cm, light purple-red, V-IX, Z5-8 | 5 | 15 | – | 144,00 | 24,00 | 4,20 | 2,00 |
| SILYBUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| | SO 499 marianum , St. Maria's Thistle, Blessed Thistle, Holy Thistle, 150 cm, purple, white marbled leaves, webbed stems and flower heads, VI-IX, Z6-9, ☉ | 50 | 15 | 192,00 | 48,00 | 12,00 | 2,00 | 4,80 |
| SOLIDAGO (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| | SO 586 virgaurea , European Goldenrod, 70 cm, yellow, VII-IX, Z4-8 | 3 | 15 | 1980,00 | 288,00 | 36,00 | 4,50 | 2,00 |
| STACHYS (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| | SO 622 officinalis , Betony, Bishopswort, 30 cm, pink, VII-VIII, Z4-7 | 5 | 8 | – | 260,00 | 36,00 | 4,80 | 2,40 |
| STEVIA (Asteraceae) | | | | | | | | |
| | SO 655 rebaudiana , Sugar Leaf, Sweet Herb, 50 cm, white, soft and light-green foliage, IX-XI, Z9-11, pure seed | 0,5 | 16 | – | 7920,00 | 880,00 | 98,00 | 8,00 |

| | | Gram to get 1000 plants | N°. of the sowing directions | Prices in EURO net per: | | | | |
|--|--|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | | | from 1000 g | from 100 g | from 10 g | from 1 g | Portion |
| SYMPHYTUM (Boraginaceae) | | | | | | | | |
| S0 720 | officinale , Comfrey, 80 cm, violet or cream-colored, V-VII, Z4-8 | 30 | 9 | 1360,00 | 172,00 | 22,00 | 3,20 | 3,20 |
| TAGETES (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| TO 014 | lucida , Mexican Tarragon, Yauhtli, 40 cm, yellow-orange flower umbels, lanceolate foliage, perennial in mild locations, VII-IX, Z8-10 | 2 | 15 | – | 576,00 | 72,00 | 9,20 | 4,60 |
| TO 015 | patula/erecta Mix , French Marigold, 40 cm, yellow-orange, for the biological disinfection of soil, amount needed 2-3gr/m ² , VII-X, Z8-10, ☉ | 25 | 15 | 128,00 | 26,00 | 7,20 | 2,40 | 2,40 |
| TANACETUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| TO 290 | balsamita , Costmary, 60 cm, white, grey-green aromatic foliage, VII-VIII, Z5-8 | 1 | 15 | – | 980,00 | 140,00 | 22,00 | 7,20 |
| CO 384 | cinerariifolium (CHRYSANTHEMUM) , Dalmatian Pellitory, 50 cm, semispheric-shaped, bright white, good for cutting, stems 40 cm, V-VII, Z6-10 | 3 | 15 | – | 336,00 | 42,00 | 5,60 | 2,80 |
| CO 474 | parthenium (CHRYSANTHEMUM) , Feverfew, 90 cm, white, well branched, perennial but often used biennial, VI-VIII, Z5-8 | 1 | 15 | 892,00 | 126,00 | 22,00 | 3,60 | 2,40 |
| CO 482 | vulgare (CHRYSANTHEMUM) [Gold Sticks] , Tansy, 100 cm, golden, VII-IX, Z3-8 | 2 | 15 | 360,00 | 62,00 | 12,00 | 2,40 | 2,00 |
| TARAXACUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| TO 008 | officinale , Dandelion (Pu-Gong-Ying), 30 cm, yellow, V-X, Z3-9, TCM plant | 2 | 16 | 248,00 | 40,00 | 7,20 | 2,00 | 2,00 |
| THYMUS (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| TO 120 | fragrantissimus , Orange Thyme, 25 cm, pink, aromatic foliage, variable, VI-VII, Z6-9 | 1 | 15 | – | – | 72,00 | 12,00 | 3,20 |
| TO 130 | pulegioides , Greater Wild Thyme, Field Thyme, 25 cm, mauve, VII-X, Z4-8 | 1 | 15 | 1160,00 | 144,00 | 24,00 | 4,00 | 2,00 |
| TO 134 | serpyllum hort. , Shepherd's Thyme, 15 cm, purple-violet, V-IX, Z4-8 | 1 | 15 | 1740,00 | 216,00 | 36,00 | 6,00 | 3,40 |
| TO 144 | vulgaris 'French Summer' , French Thyme, 30 cm, pinkish-white, grey narrow leaves, VI-IX, Z7-10 | 1 | 15 | 960,00 | 160,00 | 28,00 | 4,80 | 2,40 |
| TO 142 | vulgaris 'Standard Winter' , Common Thyme, 20 cm, white-pink, VI-IX, Z5-9 | 1 | 15 | 420,00 | 72,00 | 12,00 | 2,00 | 2,00 |
| NEW! TO 146 | zygis , Spanish Thyme, 30 cm, white, pubescent aromatic foliage, evergreen, VI-VIII, Z6-9 | 0,5 | 16 | – | – | 164,00 | 22,00 | 4,80 |
| TRIGONELLA (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | |
| TO 221 | caerulea , Sweet Trifol, 40 cm, blue, VI-VII, Z5-11, ☉ | 10 | 16 | 148,00 | 36,00 | 12,00 | 4,00 | 2,60 |
| TO 223 | foenum-graecum , Fenugreek, Greek Clover (Hu-Lu-Ba), 50 cm, yellowish-white with violet, trifoliated foliage, VI-VII, Z5-11, TCM plant, ☉ | 40 | 15 | 48,00 | 12,00 | 8,00 | 2,00 | 2,00 |
| TROPAEOLUM (Tropeaeolaceae) | | | | | | | | |
| TO 263 | majus 'Mix' (NASTURTIUM) , Indian Cress, 40 cm, yellow, orange and red flowers, creeping, perennial but often grown annual, VII-X, Z7-10 | 300 | 15 | 196,00 | 28,00 | 3,80 | 2,00 | 3,80 |
| TUSSILAGO (Asteraceae) | | | | | | | | |
| TO 320 | farfara , Coltsfoot (Kuan-Dong-Hua), 30 cm, yellow, hairy leaves, III-IV, Z4-9, TCM plant | 0,5 | 15 | – | 256,00 | 42,00 | 7,20 | 2,40 |
| URTICA (Urticaceae) | | | | | | | | |
| UO 020 | dioica , Stinging Nettle, 120 cm, green, ovate pointed, toothed foliage, VII-X, Z2-9 | 0,5 | 15 | 248,00 | 40,00 | 7,00 | 2,00 | 2,00 |
| VACCINIUM (Ericaceae) | | | | | | | | |
| VO 008 | myrtillus , Blueberry, 30 cm, light-green shoots, black-blue berries, IV-VI, Z3-8, | 1 | 1 | – | 576,00 | 72,00 | 9,00 | 2,00 |
| VO 012 | vitis-idaea , Mountain Cranberry, 15 cm, white to pink, evergreen groundcover, for semi-shade or sun with sufficient moisture, V-VI, Z2-7, | 1 | 8 | – | 576,00 | 72,00 | 9,00 | 2,00 |
| VALERIANA (Valerianaceae) | | | | | | | | |
| VO 024 | officinalis , Common Valerian, 100 cm, white to pale pink, V-IX, Z3-9 | 10 | 16 | 980,00 | 128,00 | 18,00 | 3,00 | 2,00 |
| VO 026 | officinalis 'BLBP 19' , Valerian, 80 cm, pinkish white umbels, pinnatifid foliage, high content of essential oil, valeric acid and extract, very high root yield, semi-coarse root structure, VI-VIII, Z3-9 | 5 | 16 | – | 384,00 | 48,00 | 6,20 | 4,50 |
| VERBASCUM (Scrophulariaceae) | | | | | | | | |
| NEW! VO 050 | bombyciferum [Polar Summer, Silver Lining] , Silver Mullein, 160 cm, light yellow, silver-woolly leaves, nice woolly seed heads, VII-VIII, Z5-8 | 1 | 15 | – | – | 192,00 | 24,00 | 3,80 |
| VO 060 | densiflorum (thapsiforme) , Large-flowered Mullein, 100 cm, lemon yellow with dark center, VII-VIII, Z4-7, ☉ | 1 | 15 | – | – | 18,00 | 3,20 | 2,00 |
| VO 074 | nigrum, wild form , 120 cm, yellow, VI-IX, Z4-8, ☉ | 0,5 | 20 | – | – | 36,00 | 6,00 | 2,00 |
| VO 093 | thapsus , Aaron's Rod, Great Mullein, 180 cm, yellow, VI-IX, Z3-6, ☉ | 1 | 15 | 760,00 | 128,00 | 22,00 | 3,80 | 2,00 |
| VERBENA (Verbenaceae) | | | | | | | | |
| VO 100 | bonariensis [Buenos Aires, Finesse, Purple Top] , ^(AGM) Purpletop Vervain, 100 cm, bright violet-blue, good for cutting, moderately winter hardy, VII-X, Z7-10 | 1 | 8 | – | 512,00 | 64,00 | 8,20 | 4,10 |
| NEW! VO 104 | hastata , Blue Vervain, 120 cm, mostly blue, also pink and white, VI-IX, Z3-8 | 2 | 8 | – | 268,00 | 36,00 | 4,80 | 2,00 |
| VO 102 | officinalis , Common Vervain (Ma-Bian-Cao), 60 cm, pale lilac, VI-IX, Z3-8, TCM plant | 1 | 8 | – | 252,00 | 42,00 | 6,00 | 2,00 |
| VERONICA (Scrophulariaceae) | | | | | | | | |
| VO 154 | officinalis , Common Speedwell, 15 cm, light blue, V-VI, Z3-8 | 0,5 | 9 | – | 280,00 | 42,00 | 6,20 | 2,00 |
| VIOLA (Violaceae) | | | | | | | | |
| VO 274 | tricolor , Wild Pansy, 30 cm, purple-yellow-white colour variants, bushy growth, mostly short-lived, IV-IX, Z3-9 | 2 | 15 | – | 252,00 | 36,00 | 5,20 | 2,00 |
| VITEX (Verbenaceae) | | | | | | | | |
| NEW! VO 250 | agnus-castus , Monk's Pepper, 100 cm, bright blue, IX-X, Z6-10 | 25 | 20 | 192,00 | 32,00 | 8,00 | 2,00 | 2,00 |

| | Gram to get 1000 plants | №. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|-----------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ABELMOSCHUS (Malvaceae) | | | | | | | |
| manihot - see HIBISCUS manihot | | | | | | | |
| ABUTILON (Malvaceae) | | | | | | | |
| AA 008 | 10 | 20 | ☐ ^ | 230,00 | 28,70 | 3,60 | 3,60 |
| ACAENA (Rosaceae) | | | | | | | |
| AA 001 | 5 | 5 | ☞ ☛ | 350,00 | 44,00 | 5,60 | 2,30 |
| AA 002 | 5 | 5 | ☞ | 400,00 | 50,00 | 6,40 | 3,20 |
| AA 011 | 5 | 5 | ☞ | 512,00 | 64,00 | 8,00 | 4,00 |
| AA 003 | 8 | 5 | ☞ | 400,00 | 50,00 | 6,40 | 3,20 |
| AA 019 | 8 | 5 | ☞ ☛ | 512,00 | 64,00 | 8,00 | 4,00 |
| AA 005 | 5 | 5 | ☞ ☛ | 192,00 | 24,00 | 3,00 | 2,00 |
| AA 021 | 10 | 5 | ☞ | 576,00 | 72,00 | 8,00 | 6,00 |
| AA 007 | 5 | 5 | ☞ | 224,00 | 28,00 | 3,20 | 2,20 |
| AA 009 | 5 | 5 | ☞ | 512,00 | 64,00 | 8,00 | 4,00 |
| ACANTHUS (Acanthaceae) | | | | | | | |
| AA 012 | 400 | 1/8 | ✕ | 144,00 | 18,00 | 2,40 | 9,80 |
| AA 014 | 500 | 15 | ✕ ☞ | 96,00 | 12,00 | 2,00 | 9,80 |
| AA 015 | 600 | 16 | ☛ | – | 36,00 | 4,60 | 14,00 |
| ACHILLEA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| AA 022 | 1 | 15 | △ ✕ | 544,00 | 68,00 | 8,60 | 4,30 |
| AA 024 | 1 | 15 | ✕ | 165,00 | 22,00 | 2,80 | 2,00 |
| millefolium, wild form - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| AA 027 | 0,5 | 15 | ☞ ✕ ☞ | 544,00 | 68,00 | 8,60 | 2,80 |
| AA 026 | 1 | 15 | ☞ ✕ ☞ | 240,00 | 32,00 | 4,20 | 2,00 |
| AA 029 | 1 | 15 | △ ✕ ☞ | 544,00 | 68,00 | 8,60 | 2,80 |
| AA 031 | 1 | 15 | ☞ ✕ ☞ | 1590,00 | 188,00 | 22,00 | 4,00 |
| AA 038 | 1 | 9 | △ | – | 98,00 | 14,00 | 4,00 |
| nobilis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| AA 044 | 1 | 15 | ☞ ✕ ☞ | 96,00 | 16,00 | 2,00 | 2,00 |
| AA 048 | 1 | 15 | ☞ ✕ | 240,00 | 32,00 | 4,20 | 2,00 |
| serbica - see ageratifolia | | | | | | | |
| AA 056 | 1 | 15 | ✕ | 352,00 | 44,00 | 5,60 | 2,80 |
| AA 060 | 0,5 | 15 | △ ☞ | 620,00 | 78,00 | 9,80 | 4,00 |
| AA 058 | 0,25 | 15 | △ ☞ | – | 480,00 | 54,00 | 5,40 |
| ACHLYS (Berberidaceae) | | | | | | | |
| AA 061 | 25 | 1 | ☞ | 600,00 | 76,00 | 9,40 | 9,40 |
| ACINOS (Lamiaceae, <i>Labiatae</i>) | | | | | | | |
| AA 062 | 1 | 15 | △ ☞ ☞ | – | – | – | 4,20 |
| ACIPHYLLA (Apiaceae, <i>Umbelliferae</i>) | | | | | | | |
| AA 066 | 10 | 5 | △ Ca | 360,00 | 45,00 | 5,60 | 2,80 |
| AA 064 | 5 | 5 | △ Ca △ | 768,00 | 96,00 | 12,00 | 6,00 |
| AA 065 | 30 | 5 | Ca | 736,00 | 92,00 | 11,60 | 9,80 |
| AA 071 | 10 | 5 | △ Ca | 360,00 | 45,00 | 5,60 | 2,80 |
| AA 067 | 5 | 5 | △ Ca | 960,00 | 120,00 | 15,00 | 7,50 |
| AA 073 | 5 | 5 | △ Ca | 768,00 | 96,00 | 12,00 | 6,00 |
| AA 072 | 3 | 5 | △ Ca △ | – | 120,00 | 15,00 | 7,50 |
| AA 069 | 5 | 5 | △ Ca △ | 1152,00 | 144,00 | 18,00 | 9,00 |



ACAENA microphylla



ACHILLEA millefolium 'Cassis'



ACHILLEA tomentosa 'Golden Fleece'™



ACHLYS triphylla

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ACMELLA oleracea - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| ACONITUM (Ranunculaceae) | | | | | | | |
| AA 070 | | | | | | | |
| | | | | | | | |
| AA 074 | | | | | | | |
| AA 078 | | | | | | | |
| AA 083 | | | | | | | |
| NEW! AA 082 | | | | | | | |
| AA 086 | | | | | | | |
| AA 090 | | | | | | | |
| AA 092 | | | | | | | |
| AA 094 | | | | | | | |
| AA 102 | | | | | | | |
| ACORUS (Acoraceae, Araceae) | | | | | | | |
| AA 103 | | | | | | | |
| ACTAEA - see also CIMICIFUGA (Ranunculaceae) | | | | | | | |
| alba - see pachypoda | | | | | | | |
| AA 104 | | | | | | | |
| AA 105 | | | | | | | |
| AA 107 | | | | | | | |
| AA 106 | | | | | | | |
| AA 108 | | | | | | | |
| ACTINELLA - see HYMENOXYLS | | | | | | | |
| ADENOPHORA (Campanulaceae) | | | | | | | |
| AA 109 | | | | | | | |
| AA 112 | | | | | | | |
| ADENOSTYLES (CACALIA) (Asteraceae, Compositae) | | | | | | | |
| AA 116 | | | | | | | |
| ADLUMIA (Papaveraceae, Fumariaceae) | | | | | | | |
| AA 120 | | | | | | | |
| ADONIS (Ranunculaceae) | | | | | | | |
| AA 124 | | | | | | | |



ACIPHYLLA aurea



ACONITUM hemsleyanum 'Red Wine'



ACTAEA pachypoda f. rubrocarpa



ACTAEA pachypoda 'Silver Leaf'



ACTAEA rubra



ADENOPHORA liliifolia



ADLUMIA fungosa



ADONIS vernalis

Perennials



AETHIONEMA antitaurii



AETHIONEMA coridifolium



AETHIONEMA grandiflorum



AGASTACHE Aurantiaca-Hybr. 'Tango'



AGASTACHE Pallida-Hybr. 'Globetrotter'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| AETHIONEMA (Brassicaceae, <i>Cruciferae</i>) | | | | | | | |
| AA 134 | 2 | 9 | ☼ △ | 1280,00 | 160,00 | 20,00 | 5,00 |
| AA 130 | 2 | 15 | ☼ △ | 1200,00 | 150,00 | 19,00 | 5,00 |
| AA 132 | 3 | 9 | ☼ △ ☼ | 1024,00 | 128,00 | 16,00 | 4,00 |
| AA 135 | 2 | 9 | ☼ △ | 1200,00 | 150,00 | 19,00 | 5,00 |
| AA 136 | 2 | 9 | ☼ △ ☼ | – | 160,00 | 20,00 | 5,00 |
| AGAPANTHUS (Alliaceae, <i>Liliaceae</i>) | | | | | | | |
| AA 147 | 15 | 20 | ☼ ✂ ^ | – | – | 7,40 | 5,80 |
| AA 137 | 12 | 20 | ☼ ✂ ^ | 480,00 | 60,00 | 8,40 | 6,20 |
| AA 139 | 12 | 20 | ☼ ✂ ^ | 480,00 | 60,00 | 8,40 | 6,20 |
| AA 140 | 12 | 20 | ☼ ✂ ^ | 768,00 | 96,00 | 12,00 | 9,00 |
| AA 142 | 15 | 20 | ☼ ✂ ^ | 360,00 | 45,00 | 6,00 | 4,50 |
| AA 148 | 15 | 20 | ☼ ✂ ^ | 360,00 | 45,00 | 6,00 | 4,50 |
| AGASTACHE (Lamiaceae, <i>Labiatae</i>) | | | | | | | |
| AA 144 | 2 | 15 | ☼ ✂ ☼ | – | 162,00 | 18,00 | 6,00 |
| AA 138 | 2 | 15 | ☼ ✂ ☼ | 1940,00 | 216,00 | 24,00 | 6,00 |
| AA 152 | 2 | 15 | ☼ ✂ ☼ | – | – | 36,00 | 6,00 |
| AA 145 | 1 | 15 | ☼ ✂ ☼ | – | – | – | 6,00 |
| AA 150 | 1 | 9 | ☼ | 288,00 | 36,00 | 4,60 | 2,30 |
| AA 141 | 3 | 15 | ☼ ✂ ☼ | 448,00 | 64,00 | 8,00 | 4,00 |
| AA 153 | 2 | 15 | ☼ ✂ ☼ | – | – | 36,00 | 7,20 |
| AGERATINA altissima, aromatica - see EUPATORIUM | | | | | | | |
| AGRIMONIA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| AGROSTEMMA - see Organic Seed | | | | | | | |
| AIZOPSIS - see SEDUM | | | | | | | |

| | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | | |
|--|---|-------------------------|------------------------------------|---------------|-------------------------|-----------|----------|---------|------|------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion | | |
| AJUGA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | | | |
| AA 161 | genevensis , Upright Bugle, 15 cm, blue, IV-V, Z4-7 (<i>see also Organic-Seeds</i>) | 10 | 9 | WYΔ☼☼☼ | 256,00 | 32,00 | 4,00 | 2,00 | | |
| AA 158 | reptans , Creeping Bugle, 15 cm, blue, V-VI, Z3-9 (<i>see also Organic-Seeds</i>) | 10 | 9 | WY☼☼☼ | 384,00 | 48,00 | 6,00 | 3,00 | | |
| ALBUCA (Asparagaceae) | | | | | | | | | | |
| AA 186 | ☐ humilis , 15 cm, white star-flowers with green stripes, grass-like foliage, rare bulbous plant, VI-VII, Z7-9 | 10 | 9 | Δ | – | – | – | 7,50 | | |
| ALCEA (ALTHAEA) (Malvaceae) | | | | | | | | | | |
| AA 280 | Ficifolia-Hybr. [Happy Lights] , 180 cm, yellow, copper, pink, red, white, single flowers, fig-leaved, perennial, V-X, Z3-9 (<i>see also GOLD NUGGET SEED®</i>) | 25 | 9 | Sol × ☼☼ | 56,00 | 8,00 | 2,00 | 3,00 | | |
| AT 280 | Ficifolia-Hybr. [Happy Lights] , JET® - pure seed | 12 | 9 | | 245,00 | 35,00 | 5,00 | 4,20 | | |
| AT 285 | ☐ Ficifolia-Hybr. 'Las Vegas' , ☼☼, 160 cm, splendid mixture with brilliant colors of chestnut brown to red, pink shades to white, and yellow to copper colored, single flowers, remarkable fig-leaved, sturdy and perennial, first year flowering with early sowings, V-X, Z3-9 (<i>see also GOLD NUGGET SEED®</i>) | 12 | 9 | Sol × ☼☼ | 340,00 | 44,00 | 5,80 | 4,80 | | |
| AA 284 | ☐ pallida , 180 cm, lilac-rose, single, V-IX, Z3-8 | 20 | 8 | Sol | 120,00 | 15,00 | 2,00 | 3,50 | | |
| AA 286 | Rosea-Hybr. 'Simplex' , 180 cm, single flowers, mixed colors, perennial, V-X, Z3-9 (<i>see also GOLD NUGGET SEED®</i>) | 25 | 9 | ☼☼☼ | 56,00 | 8,00 | 2,00 | 3,00 | | |
| AT 286 | Rosea-Hybr. 'Simplex' , JET® - pure seed | 12 | 9 | ☼☼☼ | 245,00 | 35,00 | 5,00 | 4,20 | | |
| Rosea-Hybr. Spotlight-Series , 180 cm, single flowers, brilliant single colours, sturdy and perennial, first year flowering with early sowings, V-X, Z3-9 | | | | | | | | | | |
| AT 801 | ☐ 'Blacknight' , ☼☼, dark black-purple | 12 | 15 | Sol × ☼☼ | 688,00 | 86,00 | 9,80 | 6,40 | | |
| AT 806 | ☐ 'Mars Magic' , ☼☼, brilliant red colours | | | | | | | | | |
| AT 808 | ☐ 'Polarstar' , ☼☼, pure white with yellow eye | | | | | | | | | |
| AT 804 | ☐ 'Radiant Rose' , ☼☼, brilliant pink | | | | | | | | | |
| AT 802 | ☐ 'Sunshine' , ☼☼, brilliant light yellow | | | | | | | | | |
| rosea plena Chaters-Series , 180 cm, double flowers, V-X, Z3-10 | | | | | | | | | | |
| AT 293 | 'Chaters chestnut brown' | AT 290 | 'Chaters chamois' | 10 | 15 | × ☼ | 528,00 | 72,00 | 9,20 | 6,80 |
| AT 298 | 'Chaters pink' | AT 297 | 'Chaters purple' | | | | | | | |
| AT 300 | 'Chaters red (scarlet)' | AT 295 | 'Chaters salmon pink' | | | | | | | |
| AT 301 | 'Chaters violet' | AT 302 | 'Chaters white' [The Bride] | | | | | | | |
| AT 292 | 'Chaters yellow' [Banana] | | | | | | | | | |
| AT 304 | 'Chaters magnificent mixture' , JET® - pure seed | 10 | 15 | | | | | | | |
| AT 308 | ☐ rosea var. nigra [Jet Black, Arabian Nights] , Hollyhock, 180 cm, single, black-red, V-X, Z3-9 (<i>see also Organic-Seeds</i>) | 10 | 15 | ☼☼☼ | 310,00 | 38,00 | 5,00 | 4,20 | | |
| AA 310 | rugosa , 200 cm, brilliant yellow, single, V-IX, Z3-9 (<i>see also GOLD NUGGET SEED®</i>) | 20 | 8 | Sol ☼☼ | 120,00 | 15,00 | 2,20 | 3,50 | | |
| AA 313 | taurica , 160 cm, yellow, grey green lobed leaves, VI-IX, Z3-9 | 20 | 1 | Sol ☼☼ | 144,00 | 18,00 | 2,50 | 4,00 | | |



AGASTACHE rupestris



ALBUCA humilis



ALCEA pallida



ALCEA Rosea-Hybr. 'Blacknight'



ALCEA Ficifolia-Hybr. 'Las Vegas'



ALCEA Rosea-Hybr. 'Mars Magic'



ALCEA Rosea-Hybr. 'Polarstar'



ALCEA Rosea-Hybr. 'Radiant Rose'



ALCEA Rosea-Hybr. 'Sunshine'



ALCHEMILLA epipsila



ALCHEMILLA erythropoda



ALCHEMILLA sericata 'Gold Strike'



ALKANNA orientalis

| | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion |
| ALCHEMILLA (Rosaceae) all varieties pure seed | | | | | | | | |
| AA 160 | alpina , 15 cm, dense blossoms, yellow, foliage dark green, silvery base, groundcover, VI-VIII, Z3-8 | 1 | 1 | △ Ca ‡ | – | 96,00 | 12,00 | 6,00 |
| AA 163 | epipsila , 40 cm, yellowish, similar to A. mollis but smaller and more compact, VI-VII, Z3-8 (see also GOLD NUGGET SEED®) | 1 | 1 | × △ ⊕ | 460,00 | 58,00 | 7,20 | 3,60 |
| AA 164 | erythropoda [Alma], (AGM), 20 cm, yellow, often reddish coloured, groundcover, VI-VIII, Z3-8 (see also GOLD NUGGET SEED®) | 1 | 1 | ↗ ⊕ ♣ | 460,00 | 58,00 | 7,20 | 3,60 |
| AA 167 | mollis [Thriller, Irish Silk], (AGM), 50 cm, yellowish, leaves grey-green, VI, Z3-8 (see also GOLD NUGGET SEED®) | 1 | 1 | × | 224,00 | 28,00 | 3,60 | 3,60 |
| AA 168 | mollis 'Select' [Robustica, Giant Molly], 50 cm, greenish-yellow, veil-like flowers, robust and vigorous selection, stronger stems, uniform habit, strong grey-green foliage, VI, Z3-8 (see also GOLD NUGGET SEED®) | 1 | 1 | × ♣ ⊕ | 320,00 | 40,00 | 5,40 | 2,70 |
| AA 170 | saxatilis , 15 cm, yellow, groundcover, grows in non-alpine conditions better than A. alpina which is almost identical, VI-VIII, Z3-8 | 1 | 1 | ↗ ♣ | 768,00 | 96,00 | 12,00 | 6,00 |
| AA 174 | sericata 'Gold Strike', (AGM), 35 cm, bright greenish-yellow veil-like flower umbels, very free flowering, grey-green, velvety scalloped foliage, more deeply lobed leaves than A. mollis, robust, compact and consistent habit, VI-VIII, Z3-8 (see also GOLD NUGGET SEED®) | 2 | 1 | △ × ♣ ⊕ | 460,00 | 58,00 | 7,20 | 3,60 |
| AA 178 | xanthochlora (vulgaris), Lady's Mantle, 50 cm, yellow-green, VI-VIII, Z3-8 (see also GOLD NUGGET SEED® + Organic-Seeds) | 1 | 1 | ↗ ‡ | 256,00 | 32,00 | 4,00 | 2,20 |
| ALISMA (Alismataceae) | | | | | | | | |
| AA 180 | parviflorum , 70 cm, white umbels, large leaves, VI-IX, Z4-8 | 2 | 18 | ⊞ | 120,00 | 18,00 | 2,80 | 2,00 |
| AA 182 | plantago-aquatica , 70 cm, white umbel panicles, VI-IX, Z4-8 | 1 | 18 | ⊞ ‡ | 72,00 | 12,00 | 2,00 | 2,00 |
| ALKANNA (Boraginaceae) | | | | | | | | |
| AA 184 | orientalis , 40 cm, yellow, lanceolate basal leaves, IV-VI, Z5-9 | 10 | 15 | △ | 420,00 | 56,00 | 7,20 | 5,00 |
| ALLIUM (Alliaceae, Liliaceae) | | | | | | | | |
| AA 188 | acuminatum , 20 cm, purple-rose, V-VI, Z6-8 | 10 | 1 | △ | – | 62,00 | 8,00 | 4,00 |
| AA 190 | aflatunense , 100 cm, pale violet, V, Z7-9 | 25 | 1 | × | – | 24,00 | 3,00 | 3,00 |
| AA 192 | angulosum , Mouse Garlic, 35 cm, pale violet, cup shaped flower umbels, intensive green, angular edged foliage, VI-IX, Z3-9 | 5 | 15 | × | 160,00 | 20,00 | 2,60 | 2,00 |
| AA 242 | carinatum ssp. pulchellum , (AGM), 40 cm, violet, VII-VIII, Z3-9 | 7 | 1 | △ × | 256,00 | 32,00 | 4,00 | 2,00 |
| AA 243 | carinatum ssp. pulchellum f. album , (AGM), 40 cm, white, VII-VIII, Z3-9 | 7 | 1 | △ × | 768,00 | 96,00 | 12,00 | 6,00 |
| AA 198 | cernuum , 35 cm, soft-pink, nodding blossoms, VII-VIII, Z4-9 | 5 | 1 | △ ⊕ | 192,00 | 24,00 | 3,00 | 2,30 |
| AA 199 | cernuum 'Hidcote' (Major) [Pink Giant], (AGM), 40 cm, intensive pink, large flowering, very vigorous, flowers earlier than the species, V-VI, Z4-9 | 5 | 16 | △ ⊕ | 360,00 | 45,00 | 5,80 | 2,90 |
| AA 202 | christophii (albopilosum), (AGM), 40 cm, lilac, VI-VII, Z6-10 | 20 | 1 | × | – | 22,00 | 2,80 | 2,80 |
| fistulosum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ALLIUM continuation | | | | | | | |
| AA 210 | 5 | 9 | △ × | 384,00 | 48,00 | 6,00 | 3,00 |
| AA 217 | 10 | 16 | △ × | 548,00 | 74,00 | 9,40 | 3,20 |
| AA 216 | 25 | 1 | × | 128,00 | 16,00 | 2,00 | 2,00 |
| AA 218 | 15 | 1 | △ | 160,00 | 22,00 | 2,80 | 2,80 |
| montanum - see <i>senescens</i> ssp. <i>montanum</i> | | | | | | | |
| AA 230 | 15 | 1 | △ | 320,00 | 40,00 | 5,00 | 5,00 |
| AA 232 | 10 | 9 | △ × | 384,00 | 48,00 | 6,00 | 3,00 |
| AA 236 | 8 | 9 | △ × ⊕ | 540,00 | 68,00 | 8,60 | 3,80 |
| pulchellum - see <i>carinatum</i> ssp. <i>pulchellum</i> | | | | | | | |
| ramosum (odorum) - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| AA 248 | 20 | 1 | × | 112,00 | 14,00 | 2,00 | 2,00 |
| rosenbachianum, 90 cm, rose-violet, V-VI, Z6-9 | | | | | | | |
| schoenoprasum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| AA 257 | 10 | 9 | △ | 128,00 | 16,00 | 2,00 | 2,00 |
| AA 251 | 8 | 15 | △ ⊕ | - | 96,00 | 12,00 | 3,60 |
| AA 250 | 10 | 16 | △ | 128,00 | 16,00 | 2,00 | 2,00 |
| senescens ssp. <i>glaucum</i> , 30 cm, pink, bluish twisted foliage, VII-X, Z4-9 | | | | | | | |
| senescens ssp. <i>montanum</i> , 40 cm, pink, VII-VIII, Z3-8 | | | | | | | |
| siculum - see NECTAROSCORDUM siculum | | | | | | | |
| AA 254 | 5 | 1 | × | 460,00 | 54,00 | 6,00 | 3,00 |
| AA 255 | 10 | 1 | × | - | 32,00 | 4,00 | 4,00 |
| AA 259 | 5 | 16 | ⊕ ⊕ | 320,00 | 40,00 | 5,00 | 2,50 |
| suaveolens, Fragrant Leek, 40 cm, soft pink, for moist locations, VIII-IX, Z4-8 | | | | | | | |
| tricoccum - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| AA 261 | 15 | 8 | △ ⊕ | 160,00 | 20,00 | 2,80 | 2,80 |
| triquetrum, Three-cornered Leek, 40 cm, white with dark-green middle veins, bell shaped, III-V, Z7-9 | | | | | | | |
| tuberosum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| AA 263 | 10 | 1 | △ | - | 54,00 | 6,00 | 3,00 |
| unifolium, 30 cm, glossy pink, floriferous umbels, V-VII, Z5-10 | | | | | | | |
| ursinum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| ALOE parviflora - see HESPERALOE | | | | | | | |
| ALONSOA (Scrophulariaceae) | | | | | | | |
| AA 265 | 0,5 | 15 | ⊕ ⊕ | 128,00 | 16,00 | 2,00 | 2,00 |
| meridionalis [<i>Rebel</i>], 60 cm, cinnabar-red, blooms four months after sowing, good container plant for winter blooms, VII-XI, Z9-10 | | | | | | | |
| AA 267 | 0,5 | 15 | ⊕ ⊕ | 164,00 | 24,00 | 3,60 | 2,00 |
| meridionalis 'Shell Pink' [<i>Salmon Beauty</i>], 50 cm, pink, VII-XI, Z9-10 | | | | | | | |
| ALSTROEMERIA (Alstroemeriaceae, Amaryllidaceae) | | | | | | | |
| AA 274 | 50 | 8 | × | - | 36,00 | 4,50 | 4,50 |
| aurantiaca (<i>aurea</i>), 50 cm, yellow to orange, VI-VIII, Z7-10 | | | | | | | |
| AA 277 | 40 | 8 | × | 368,00 | 46,00 | 5,80 | 5,80 |
| hybrida 'Dandy Candy', 35 cm, vibrant colors, red, deep rose and picotee-type white with pink, very large flowering, all flowers with dark stripes and yellow markings, dwarf and compact habit, glossy green foliage, blooms all season, flowers the first year in greenhouse production, VI-X, Z8-10 | | | | | | | |
| AA 275 | 40 | 8 | × | 368,00 | 46,00 | 5,80 | 4,80 |
| psittacina (<i>pulchella</i>) 'Mona Lisa', 90 cm, dark red, greenish tips, the inner segments lined light reddish-brown, VII-X, Z7-10 | | | | | | | |
| ALTHAEA cannabina, officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| ALYSOIDEOS (Brassicaceae, <i>Cruciferae</i>) | | | | | | | |
| AA 316 | 10 | 15 | △ × | - | 24,00 | 3,00 | 2,30 |
| utriculata [<i>Tinkerbells, Lost April</i>], 20 cm, yellow, seed stalks for floral arrangements, IV-VI, Z5-9 | | | | | | | |
| ALYSSUM (Brassicaceae, <i>Cruciferae</i>) | | | | | | | |
| AA 320 | 5 | 15 | △ ⊕ | 160,00 | 20,00 | 2,50 | 2,00 |
| AA 324 | 5 | 9 | △ | 432,00 | 54,00 | 6,00 | 3,00 |
| AA 329 | 3 | 15 | ⊕ ⊕ | 740,00 | 82,00 | 9,20 | 3,80 |
| montanum 'Luna', 12 cm, intensive yellow, rich flowering, up to 2 weeks earlier than 'Mountain Gold', III-VI, Z3-7 | | | | | | | |
| AA 331 | 3 | 15 | ⊕ ⊕ | 576,00 | 64,00 | 7,20 | 3,60 |
| montanum 'Tekara', 10 cm, brilliant yellow, very uniform, grey foliage, flat cushions, III-IV, Z3-7 | | | | | | | |
| AA 328 | 3 | 15 | ⊕ ⊕ | 224,00 | 28,00 | 3,80 | 2,00 |
| montanum 'Mountain Gold' [<i>Berggold</i>], 15 cm, golden, loose cushions, III-VI, Z3-7 | | | | | | | |
| AA 330 | 3 | 9 | ⊕ ⊕ | 128,00 | 16,00 | 2,00 | 2,00 |
| AA 334 | 5 | 9 | ⊕ ⊕ | 168,00 | 21,00 | 2,60 | 2,00 |
| AA 340 | 3 | 15 | ⊕ ⊕ | 220,00 | 28,00 | 3,60 | 2,20 |
| petraeum (AURINIA), 30 cm, yellow panicles, decorative, inflated seed heads, V-VII, Z6-8 | | | | | | | |
| AA 341 | 3 | 15 | ⊕ ⊕ | 256,00 | 32,00 | 4,00 | 2,40 |
| repens, 50 cm, orange, V-VI, Z6-8 | | | | | | | |
| AA 340 | 3 | 15 | ⊕ ⊕ | 220,00 | 28,00 | 3,60 | 2,20 |
| saxatile 'Compactum Goldkugel' [<i>Gold Ball, Gold Bullet</i>], 15 cm, yellow, compact cultivar, IV-V, Z3-9 | | | | | | | |
| AA 344 | 3 | 15 | ⊕ ⊕ | 256,00 | 32,00 | 4,00 | 2,40 |
| saxatile 'Sulphureum', 40 cm, light yellow, IV-V, Z3-9 | | | | | | | |
| AA 342 | 2 | 15 | ⊕ ⊕ | - | 269,00 | 29,90 | 5,20 |
| saxatile 'Summit', 15 cm, golden, earliest cultivar, uniform compact habit, III-V, Z3-9 | | | | | | | |
| approx. 1100 seeds = 1g | | | | | | | |
| continued on the following page | | | | | | | |



ALLIUM flavum



ALLIUM hookeri var. muliense



ALLIUM sphaerocephalum



ALLIUM unifolium



ALSTROEMERIA hybrida 'Dandy Candy'


 ALYSSUM montanum 'Tekara'TM


ALYSSUM serpyllifolium



AMORPHA canescens

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ALYSSUM continuation | | | | | | | |
| AA 348 | 5 | 15 | △ w→ | 320,00 | 40,00 | 5,00 | 2,50 |
| serpyllifolium, 6 cm, light yellow, VI, Z4-7 spinosum - see PTILOTRICHUM spinosum | | | | | | | |
| AA 332 | 1 | 15 | △ ⊕ | – | 42,00 | 6,00 | 3,00 |
| tortuosum var. obovatum, 10 cm, brilliant yellow, rich flowering, silver-green foliage, IV-VI, Z2-8 | | | | | | | |
| AA 356 | 3 | 15 | ⊕ △ ⊕ | 256,00 | 32,00 | 4,20 | 2,10 |
| wulfenianum, 15 cm, golden, reblooming, more compact and longer-lived than A. montanum, V-VII, Z4-8 | | | | | | | |
| AMMI - see Organic Seed | | | | | | | |
| AMOMUM - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| AMORPHA (Papilionaceae, Leguminosae) | | | | | | | |
| AA 360 | 25 | 15 | △ ⊕ | 198,00 | 22,00 | 2,50 | 2,50 |
| canescens, 80 cm, blue, spikes 15 cm, for sunny, sandy and dry location, VII-IX, Z2-8 | | | | | | | |
| AMSONIA (Apocynaceae) | | | | | | | |
| AA 365 | 30 | 8 | × ⊕ | 288,00 | 32,00 | 3,80 | 3,80 |
| hubrichtii, (PPA), 90 cm, blue blossom umbels, very fine needle-shaped leaves, yellow fall colour, V-VII, Z4-9 (see also GOLD NUGGET SEED) | | | | | | | |
| AA 362 | 40 | 8 | ⊕ | 288,00 | 32,00 | 3,80 | 3,80 |
| illustris, 90 cm, light blue, leathery foliage, VI-VII, Z4-9 | | | | | | | |
| AA 363 | 25 | 9 | – | – | – | 7,20 | 6,00 |
| orientalis (RHAZYA), Eastern Blue Star, 40 cm, azure blue, persistent flowering, V-VII, Z6-10 | | | | | | | |
| AA 366 | 30 | 8 | ⊕ | 288,00 | 32,00 | 3,80 | 3,80 |
| tabernaemontana [Stars, Blue Star], 80 cm, light blue, broad leaves, V-VII, Z4-9 (see also GOLD NUGGET SEED) | | | | | | | |
| ANACYCLUS (Asteraceae, Compositae) | | | | | | | |
| pyrethrum - see Organic Seed | | | | | | | |
| AA 368 | 2 | 15 | △ ⊕ | 980,00 | 128,00 | 16,00 | 4,00 |
| pyrethrum var. depressus [Gartenzwerg, Spring Carpet, Gnome], 10 cm, white, underside red, silvery feathered foliage, IV-VI, Z5-9 | | | | | | | |
| AA 369 | 2 | 15 | △ ⊕ | 1400,00 | 176,00 | 22,00 | 6,00 |
| pyrethrum var. depressus f. compactum 'Silberkissen' [Silver Kisses, Silver Cushion], 10 cm, white, essential compact and more dense than former variety, shorter side shoots, IV-VI, Z5-9 (see also Organic-Seeds) | | | | | | | |
| ANAPHALIS (Asteraceae, Compositae) | | | | | | | |
| AA 371 | 0,5 | 4/9 | △ ⊕ | 640,00 | 80,00 | 10,00 | 4,00 |
| alpicola, 15 cm, white to brown-red, grey leaved carpets, VI-VIII, Z4-9 | | | | | | | |
| AA 372 | 0,5 | 4/15 | ⊕ × ⊕ | 490,00 | 60,00 | 7,60 | 2,00 |
| margaritacea 'Neuschnee' [New Snow], Pearly Everlasting, 50 cm, white, VII-IX, Z3-9 | | | | | | | |
| AA 374 | 0,5 | 4/16 | × △ ⊕ | – | 72,00 | 9,00 | 3,60 |
| triplinervis, (AGM), Pearly Everlasting, 30 cm, white, grey-white woolly, VII-VIII, Z4-8 | | | | | | | |
| ANCHUSA (Boraginaceae) | | | | | | | |
| AA 376 | 75 | 7 | ⊕ | 62,00 | 7,80 | 2,00 | 3,00 |
| azurea (italica) [Dropmore], 100 cm, gentian-blue, V-IX, Z3-10 | | | | | | | |
| NEW! AA 377 | 75 | 7 | ⊕ | 144,00 | 18,00 | 2,40 | 3,60 |
| azurea 'Feltham Pride Strain', 90 cm, gentian blue, dwarf and compact, V-IX, Z3-10 | | | | | | | |
| officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| ANDROSACE (Primulaceae) | | | | | | | |
| AA 380 | 2 | 1 | △ ⊕ | – | – | 76,00 | 7,80 |
| alpina, 10 cm, pink-white, VII-VIII, Z4-6 | | | | | | | |
| AA 384 | 3 | 1 | △ | – | 224,00 | 28,00 | 4,20 |
| carnea, 5 cm, pale pink to white, VI-VII, Z4-7 | | | | | | | |
| AA 392 | 3 | 1 | △ | – | 252,00 | 28,00 | 4,20 |
| carnea ssp. brigantiaca, 5 cm, white, IV-V, Z4-7 | | | | | | | |
| AA 394 | 2 | 5 | △ ⊕ | – | – | 48,00 | 6,80 |
| chamaejasme, 6 cm, white, rarely pink, yellow eye, V-VI, Z4-6 | | | | | | | |
| AA 395 | 3 | 1 | △ ⊕ | – | – | 32,00 | 4,20 |
| hedraeantha, 10 cm, pink flower umbels, cushion forming, IV-V, Z4-6 | | | | | | | |
| AA 406 | 2 | 15 | ⊕ △ | – | 216,00 | 24,00 | 3,20 |
| septentrionalis 'Star Dust', 25 cm, white, IV-V, Z3-7 | | | | | | | |
| AA 412 | 4 | 1 | △ | – | – | 42,00 | 7,80 |
| villosa, 5 cm, white or pink, yellow throat, VI-VII, Z3-7 (see also GOLD NUGGET SEED) | | | | | | | |
| ANEMONE (Ranunculaceae) | | | | | | | |
| alpina - see PULSATILLA | | | | | | | |
| alpina sulphurea - see PULSATILLA | | | | | | | |
| AA 428 | 4 | 9 | △ | – | 128,00 | 16,00 | 8,00 |
| baldensis, 10 cm, white with yellow stamens, VII-VIII, Z5-8, pure seed | | | | | | | |
| AA 432 | 10 | 1 | △ | – | 58,00 | 7,20 | 5,40 |
| canadensis, 30 cm, white, VI-VII, Z2-6, pure seed | | | | | | | |
| AA 436 | 2 | 9 | △ | 256,00 | 32,00 | 4,00 | 2,00 |
| cylindrica, 60 cm, white, VI-VII, Z4-7, pure seed | | | | | | | |
| AA 438 | 15 | 9 | △ ⊕ | 480,00 | 60,00 | 7,60 | 3,80 |
| fasciculata (narcissiflora var. caucasica), 40 cm, white, seldom pinkish red flower umbels, V-VII, Z2-7 | | | | | | | |
| AA 444 | 1 | 9 | × | 1580,00 | 198,00 | 25,00 | 5,00 |
| hupehensis (japonica) [Rose Beauty], 70 cm, white and pink, VIII-X, Z5-7 (see also GOLD NUGGET SEED) pure seed | | | | | | | |
| AA 452 | 15 | 9 | △ | 360,00 | 46,00 | 5,80 | 5,80 |
| leveillei, 50 cm, white umbels, outside often bluish, IV-V, Z5-8 | | | | | | | |

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|-----------------------------------|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ANEMONE continuation | | | | | | | |
| AA 472 | | | | | | | |
| | | | | | | | |
| AA 460 | | | | | | | |
| AA 448 | | | | | | | |
| AA 464 | | | | | | | |
| AA 470 | | | | | | | |
| AA 480 | | | | | | | |
| AA 486 | | | | | | | |
| AA 490 | | | | | | | |
| AA 502 | | | | | | | |
| ANEMONELLA (Ranunculaceae) | | | | | | | |
| AA 500 | | | | | | | |



ANEMONE huibrichtii



ANACYCLUS pyrethrum var. depressus f. compactum 'Silberkissen'



ANDROSACE carnea ssp. brigantiaea



ANEMONE canadensis



ANEMONE hupehensis



ANEMONE multifida 'Rubra'



ANEMONE narcissiflora



ANEMONE rivularis



ANEMONE sylvestris



ANEMONOPSIS macrophylla
































ANGELICA sylvestris 'Vicar's Mead'



ANISOTOME latifolia



ANTENNARIA dioica 'Rubra'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ANEMONOPSIS (Ranunculaceae) | | | | | | | |
| AA 504  macrophylla , 80 cm, light lilac nodding flowers, an excellent plant for shady and moist places, VII-VIII, Z4-7. | 5 | 8 | △ | – | 288,00 | 36,00 | 7,80 |
| ANEMOPSIS - see Organic Seed | | | | | | | |
| ANETHUM graveolens - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| ANGELICA (Apiaceae, <i>Umbelliferae</i>) | | | | | | | |
| archangelica - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| dahurica - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| AA 505 gigas , 140 cm, deep red, decorative foliage, VI-VIII, Z4-7. | 5 | 8 | ✕  | 1460,00 | 162,00 | 18,00 | 5,20 |
| AA 501 pachycarpa , 100 cm, attractive, glossy leathery foliage, white umbels, VII-IX, Z4-10. | 20 | 9 | ✕  | 256,00 | 32,00 | 4,00 | 4,00 |
| AA 516  sylvestris 'Vicar's Mead' (taiwaniana) [Ebony, Purpurea] , Purple Holy Ghost, 150 cm, large umbels of pale purple pink, dark reddish-purple stems and leaves, VI-IX, Z4. | 5 | 1 | Sol ☀  | 580,00 | 72,00 | 9,20 | 4,60 |
| ANISOTOME (Apiaceae, <i>Umbelliferae</i>) | | | | | | | |
| AA 497  latifolia , 60 cm, rosy-red, dense flower umbels, large leathery, pinnatifid foliage, glossy dark green, a rarity, VI-VII, Z7-9. | 7 | 1 | △ | – | 128,00 | 16,00 | 8,00 |
| AA 499 lyallii , 45 cm, white umbels, fine divided dark green foliage, VI-VIII, Z7-9. | 5 | 1 | ✕ | 576,00 | 72,00 | 9,00 | 4,50 |
| ANTENNARIA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| AA 512 dioica , 10 cm, pink-white, white felty leaves, for heather and rock garden, V-VI, Z4-7. | 0,25 | 15 | △   | 576,00 | 72,00 | 9,00 | 3,00 |
| AA 513  dioica 'Rubra' (var. rosea) , 10 cm, wine red, soft pink towards finishing, grey leaved, V-VI, Z4-7. | 0,25 | 15 | △   | 1536,00 | 192,00 | 24,00 | 6,00 |
| AA 517  plantaginifolia , Woman's Tobacco, 20 cm, white, remarkably wide, grey-green foliage, V-VII, Z2-7. | 0,25 | 8 | △   | – | 220,00 | 28,00 | 6,00 |
| ANTHEMIS (Asteraceae, <i>Compositae</i>) | | | | | | | |
| AA 515 carpatica 'Karpatschnee' ,   15 cm, snow white, long lasting abundant flowers, cushion forming, fast growing, reblooms, lime free soil, V-VII, Z3-8. | 2 | 15 | △ | – | 96,00 | 12,00 | 4,20 |
| nobilis - see CHAMAEMELUM nobile | | | | | | | |
| AA 520 sancti-johannis , 40 cm, bright orange, VI-VIII, Z3-8. | 2 | 15 |  | 98,00 | 14,00 | 2,00 | 2,00 |
| tinctoria - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| ANTHERICUM (Anthericaceae, <i>Liliaceae</i>) | | | | | | | |
| AA 530 liliago , 50 cm, white, V-VI, Z6-8. | 20 | 1 | – | – | 72,00 | 9,20 | 5,80 |
| liliastrum - see PARADISEA | | | | | | | |
| AA 538 ramosum , 70 cm, white, branched, VI-VIII, Z5-8. | 25 | 1 | – | – | 64,00 | 8,40 | 5,20 |
| ANTHRISCUS (Apiaceae, <i>Umbelliferae</i>) | | | | | | | |
| cerefolium - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| AA 540 sylvestris , Chervil, 60 cm, white, IV-VII, Z5-9. | 20 | 1 | ✕  | 48,00 | 6,00 | 2,00 | 2,00 |
| AA 541 sylvestris 'Ravenswing' , 60 cm, white, bronze-purple-red foliage, very decorative, IV-VII, Z6-9. | 15 | 1 | ✕  | 512,00 | 64,00 | 8,00 | 6,00 |
| ANTHYLLIS (Papilionaceae, <i>Leguminosae</i>) | | | | | | | |
| AA 542 montana 'Rubra' ,    10 cm, blood-red, VI-VIII, Z5-8, pure seed | 10 | 1 |  △ | – | 96,00 | 12,00 | 6,00 |
| AA 546 vulneraria , Kidney Vetch, 15-20 cm, yellow-orange, V-VI, Z4-9 (see also Organic-Seeds) pure seed | 8 | 8 | △   | 80,00 | 10,00 | 2,00 | 2,00 |
| AA 544 vulneraria var. coccinea [Red Carpet] , 15 cm, red-orange, V-VIII, Z5-9 (see also GOLD NUGGET SEED ®) pure seed | 8 | 9 | △   | 380,00 | 48,00 | 6,00 | 6,00 |
| ANTIRRHINUM (Scrophulariaceae) | | | | | | | |
| asarina - see ASARINA procumbens | | | | | | | |
| AA 552 braun-blauquetii [Lemon Sherbet, Candelabra] , 50 cm, white with yellow throat, large blossoms, IV-X, Z4-10. | 1 | 15 | △  | 448,00 | 56,00 | 7,00 | 3,50 |
| AA 550 sempervirens , 15 cm, white Snapdragon flowers, pale lilac striped with yellow throat, silky hairy wintergreen foliage, very attractive species for dry protected positions, VI-VII, Z6-8. | 0,25 | 1 | △  | – | 64,00 | 8,00 | 4,00 |

| | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|--|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|-------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion | |
| AQUILEGIA F₁-Hybr. (Ranunculaceae) | | | | | | | | | |
| caerulea Songbird-Series , 30-60 cm, a very early flowering columbine for container or rock gardens with extremely large flowers (5-9 cm), V-VII, Z4-7, . . . approx. 750 seeds = 1 g | | | | | | | | | |
| AA 584 | 'Songbird Blue Bird', (AGM), medium blue/white | } | 2 | 16 | △ ⊕ | - | 894,00 | 94,00 | 12,60 |
| AA 583 | 'Songbird Cardinal', dark red/white | | | | | | | | |
| AA 587 | 'Songbird Dove', (AGM), white | | | | | | | | |
| AA 588 | 'Songbird Goldfinch', yellow | | | | | | | | |
| AA 591 | 'Songbird Nightingale', lavender/white | | | | | | | | |
| AA 589 | 'Songbird Robin', pink/white | | | | | | | | |
| AA 593 | 'Songbird Mix', rich colors | | | | | | | | |
| caerulea State-Series [Swan-Series] , 50-80 cm, excellent outdoor performer and garden cut flower, uniform and multi-stemmed plants, very large blooms, V-VIII, Z3-7, . . . approx. 750 seeds = 1 g | | | | | | | | | |
| AA 710 | 'Alaska' [Swan White], (AGM), white | } | 2 | 16 | × △ ⊕ | - | 928,00 | 98,00 | 12,60 |
| AA 708 | 'Colorado' [Remembrance®, Swan Violet-White], (PS), royal purple/violet-white | | | | | | | | |
| AA 712 | 'Florida' [Swan Yellow], (AGM), yellow | | | | | | | | |
| AA 706 | 'Georgia' [Swan Red-White], red-white | | | | | | | | |
| AA 702 | 'Louisiana' [Swan Burgundy-White], (AGM), burgundy-white | | | | | | | | |
| AA 707 | 'Montana' [Swan Pink/Rose-White], pink/rose-white | | | | | | | | |
| AA 703 | 'Oregon' [Swan Pink-Yellow], pink-yellow | | | | | | | | |
| AA 704 | 'Vermont' [Swan Lavender], lavender | | | | | | | | |
| AA 700 | 'Virginia' [Swan Blue-White], blue-white | | | | | | | | |
| AA 715 | 'State-Series Mix' [Swan Series Mix] | | | | | | | | |
| fiabellata Cameo-Series , only 10 cm, one of the smallest, compact-growing dwarf columbines, ideal for use as pot-plant or for rock gardens, V-VI, Z3-7, . . . approx. 1000 seeds = 1 g | | | | | | | | | |
| AA 660 | 'Cameo Blue-White' | } | 2 | 16 | △ ⊕ | - | - | 58,00 | 9,80 |
| AA 662 | 'Cameo Lightred-White' | | | | | | | | |
| AA 664 | 'Cameo Pink-White' | | | | | | | | |
| AA 666 | 'Cameo White' | | | | | | | | |
| AA 668 | 'Cameo Softpink' | | | | | | | | |
| AA 670 | 'Cameo Mixture' | | | | | | | | |
| fiabellata Spring Magic-Series , 35 cm, early flowering and semi tall columbine series, 5 - 6 cm large flowers, abundant flowering and vigorous growing, delicate silvery-green foliage, V-VI, Z3-7, . . . approx. 650 seeds = 1 g | | | | | | | | | |
| AA 682 | 'Spring Magic Blue-White' | } | 2 | 16 | △ ⊕ | - | 420,00 | 49,00 | 9,80 |
| AA 685 | 'Spring Magic Light-Red-Yellow' | | | | | | | | |
| AA 686 | 'Spring Magic Pink-White' (PS) | | | | | | | | |
| AA 688 | 'Spring Magic White' | | | | | | | | |
| AA 687 | 'Spring Magic Yellow' | | | | | | | | |
| AA 690 | 'Spring Magic Mix' | | | | | | | | |
| vulgaris var. stellata plena Barlow-Series , 80 cm, fully double flowers, spurless, upright, also for cut flower production, V-VII, Z3-8, . . . approx. 650 seeds = 1 g | | | | | | | | | |
| AA 785 | ☑ 'Black Barlow', purple-black | } | 3 | 16 | × | 492,00 | 58,00 | 6,80 | 3,40 |
| AA 786 | 'Blue Barlow', violet-blue | | | | | | | | |
| AA 796 | ☑ 'Bordeaux Barlow', dark ruby | | | | | | | | |
| AA 787 | 'Christa Barlow', dark blue, white edged | | | | | | | | |
| AA 788 | ☑ 'Nora Barlow', pink, green-white edged | | | | | | | | |
| AA 789 | 'Rose Barlow', rose-pink | | | | | | | | |
| AA 799 | 'White Barlow', white with green tips | | | | | | | | |
| AA 779 | 'Barlow Choice Mix', color mixture | | | | | | | | |
| vulgaris Clementine-Series , 45 cm, double upright facing flowers, spurless, compact habit, suitable as flowering container plant, V-VIII, Z3-8, . . . approx. 750 seeds = 1 g | | | | | | | | | |
| AA 721 | 'Clementine Blue' | } | 1,5 | 16 | △ ⊕ | - | - | 198,00 | 12,60 |
| AA 723 | 'Clementine Dark Purple' | | | | | | | | |
| AA 725 | 'Clementine Red' | | | | | | | | |
| AA 726 | 'Clementine Rose' | | | | | | | | |
| AA 727 | 'Clementine Salmon Rose' | | | | | | | | |
| AA 729 | 'Clementine White' | | | | | | | | |
| AA 730 | 'Clementine Formula Mix' (PS) | | | | | | | | |

continued on the following page



ANTENNARIA plantaginifolia



AQUILEGIA 'Black Barlow'



AQUILEGIA 'Bordeaux Barlow'



AQUILEGIA 'Nora Barlow'



AQUILEGIA buergeriana



AQUILEGIA canadensis 'Little Lanterns'



AQUILEGIA flabellata var. pum. 'Selection'



AQUILEGIA flavescens

| | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion |
| AQUILEGIA continuation | | | | | | | | |
| vulgaris Winky-Series , 45 cm, upright facing flowers, abundant flowering, sturdy stems, compact habit, also suitable as pot-plant, V-VII, Z3-8, approx. 650 seeds = 1 g | | | | | | | | |
| AA 671 | 'Winky Early Sky Blue' | 2 | 16 | △ ⊕ | - | 432,00 | 48,00 | 9,40 |
| AA 672 | 'Winky Red-White' | | | | | | | |
| AA 674 | 'Winky Blue-White' | | | | | | | |
| AA 676 | 'Winky Purple-White' | | | | | | | |
| AA 678 | 'Winky Rose-Rose' | | | | | | | |
| AA 679 | 'Winky Single Formula Mix' | | | | | | | |
| AA 677 | 'Winky Double Dark-Blue-White' | 2 | 16 | △ ⊕ | - | 932,00 | 98,00 | 12,60 |
| AA 680 | 'Winky Double Rose-White' | | | | | | | |
| AA 673 | 'Winky Double Red-White' | | | | | | | |
| AA 675 | 'Winky Double White-White' | | | | | | | |
| AA 681 | 'Winky Double Formula Mix' | | | | | | | |
| akitensis - see flabellata | | | | | | | | |
| AA 594 | alpina , 50 cm, blue, cultivated form, V-VI, Z3-8 | 5 | 16 | | 192,00 | 28,00 | 4,00 | 2,00 |
| AA 598 | atrata , 50 cm, black-violet, V-VI, Z3-8 | 5 | 1 | △ | 352,00 | 44,00 | 6,20 | 3,10 |
| AA 599 | buergeriana (atropurpurea) , 45 cm, purple merges to yellow, even spurs, V-VI, Z6-9 | 2 | 8 | △ | 460,00 | 58,00 | 7,20 | 3,60 |
| AA 601 | buergeriana 'Calimero' [Blackcurrant Ice] , 20 cm, purple with light yellow corolla, compact, even spurs, V-VI, Z6-9 (see also GOLD NUGGET SEED) | 5 | 8 | △ ⊕ | 768,00 | 96,00 | 12,00 | 6,00 |
| AA 600 | caerulea, wild form , Colorado State Flower, 60 cm, blue with white corolla, rarely pure white, delicate foliage, V-VII, Z3-8 | 5 | 16 | × | - | 72,00 | 9,00 | 3,50 |
| Caerulea-Hybr. single colours , 60 cm, large flowers, long spurs, V-VII, Z3-8 | | | | | | | | |
| AA 604 | 'Blue Star', blue with white corolla | 5 | 16 | × | 224,00 | 32,00 | 4,60 | 2,30 |
| AA 608 | 'Heavenly Blue' [Sky Blue, Blue Dream], sky blue shades | | | | | | | |
| AA 610 | 'Koralle', coral colored shades with yellowish corolla | | | | | | | |
| AA 614 | 'Kristall' [White Star, Crystal Star], pure white | | | | | | | |
| AA 618 | 'Maxi' [Yellow Star], bright yellow | | | | | | | |
| AA 622 | 'Rotstern' [Crimson Star], carmine-red with white corolla | | | | | | | |
| AA 620 | 'Red Hobbit' [Danish Dwarf], 35 cm, a dwarf 'Rotstern', compact, VI-VIII, Z3-8 | 5 | 16 | △ | 768,00 | 96,00 | 12,00 | 6,00 |
| Caerulea-Hybr. Mixtures | | | | | | | | |
| AA 644 | (sibirica hort., vulgaris) 'Biedermeier', 35 cm, dwarf mix, bright colors, V-VI, Z2-8 | 5 | 16 | × | 180,00 | 22,00 | 2,80 | 2,00 |
| AA 632 | 'Dragon Fly', 50 cm, mixture, like McKana, but shorter, V-VII, Z3-8 | | | | | | | |
| AA 636 | 'McKana', 75 cm, giant blooming mixture, VI-VII, Z3-8 | 5 | 16 | × | 98,00 | 16,00 | 2,80 | 2,00 |
| AA 648 | canadensis , 45 cm, red with pale yellow corolla, V-VI, Z3-8 | 5 | 15 | △ | 320,00 | 40,00 | 5,00 | 2,50 |
| AA 649 | canadensis 'Corbett' , 30 cm, light yellow, V-VI, Z3-8 | 3 | 15 | ⊕ △ ⊕ | - | 256,00 | 32,00 | 5,40 |
| AA 650 | canadensis 'Little Lanterns' [Hummingbird, Rhubarb & Custard] , 25 cm, brilliant red with yellow corolla, dwarf and compact, V-VI, Z3-8 | 3 | 15 | ⊕ △ ⊕ | 980,00 | 124,00 | 16,00 | 4,80 |
| AA 647 | canadensis 'Pink Lanterns' , 30 cm, pink with straw-colored corolla, nodding flowers, delicate three-lobed foliage, an outstanding novelty from Dyck Arboretum, V-VII, Z3-8 | 2 | 15 | ⊕ △ ⊕ | - | - | 32,00 | 5,40 |
| AA 751 | chrysantha , 70 cm, yellow, smaller flowers, graceful growth, VI-VIII, Z3-8 | 3 | 15 | | - | 72,00 | 9,00 | 3,60 |
| AA 755 | chrysantha Denver Gold , 80 cm, golden, robust and stable, reblooms after dead-heading, V-IX, Z3-8 (see also Organic-Seeds) | 3 | 15 | △ × | - | 72,00 | 9,00 | 3,60 |
| AA 752 | chrysantha 'Yellow Queen' , 80 cm, golden, long spurs, large flowering, VI-VIII, Z3-8 | 5 | 15 | × | 224,00 | 32,00 | 4,60 | 2,30 |
| ecalcarata - see SEMIAQUILEGIA | | | | | | | | |
| AA 760 | flabellata var. pumila f. alba [White Angel] , 20 cm, wax-white, IV-VI, Z3-8 | 5 | 8 | ⊕ △ ⊕ | 896,00 | 112,00 | 15,00 | 5,00 |
| AA 592 | flabellata var. pumila f. kurilensis 'Rosea' , 20 cm, pink, V-VI, Z3-8 | 3 | 8 | ⊕ △ ⊕ | 896,00 | 112,00 | 15,00 | 5,00 |
| AA 590 | flabellata var. pumila 'Ministar' [Blue Angel] , 20 cm, blue, white nectary spurs, for rock garden, V-VI, Z3-8 | 5 | 8 | ⊕ △ ⊕ | 896,00 | 112,00 | 15,00 | 5,00 |
| AA 764 | flabellata var. pumila 'Selection' , 20 cm, bright blue with white nectary spurs, IV-VI, Z3-8 (see also GOLD NUGGET SEED) | 5 | 8 | ⊕ △ ⊕ | 580,00 | 72,00 | 9,00 | 3,50 |
| NEW! AA 766 | flavescens , 40 cm, yellow, often soft pink tinged petals, V-VI, Z3-8 | 2 | 16 | △ | - | 124,00 | 16,00 | 3,20 |
| AA 768 | formosa , 45 cm, brick-red with yellow, V-VI, Z3-8 | 5 | 8 | △ | - | 112,00 | 15,00 | 5,00 |
| AA 772 | glandulosa , 20 cm, large flowering, deep blue with white, delicate, V-VI, Z3-7 | 3 | 8 | △ | - | - | - | 9,80 |

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| AQUILEGIA continuation | | | | | | | |
| AA 773 | | 8 | △ | 460,00 | 58,00 | 7,20 | 3,60 |
| AA 774 | □ | 9 | △ | - | 112,00 | 15,00 | 5,00 |
| AA 771 | □ | 16 | × | 460,00 | 58,00 | 7,20 | 3,60 |
| AA 778 | □ | 9 | △ | 512,00 | 64,00 | 8,00 | 4,00 |
| AA 642 | □ | 16 | △ × | 320,00 | 40,00 | 5,00 | 2,50 |
| AA 740 | □ | 15 | △ | 1540,00 | 192,00 | 24,00 | 6,00 |
| AA 776 | | 16 | × | 112,00 | 14,00 | 2,00 | 2,00 |
| AA 777 | | 16 | △ × | 242,00 | 30,00 | 3,80 | 2,00 |
| AA 782 | | 16 | × | 242,00 | 30,00 | 3,80 | 2,00 |
| AA 783 | | 16 | × | 320,00 | 40,00 | 5,00 | 2,50 |
| AA 798 | | 16 | × | 492,00 | 58,00 | 6,80 | 3,40 |
| AA 790 | | 16 | × | 492,00 | 58,00 | 6,80 | 3,40 |
| AA 792 | | 16 | × | 168,00 | 21,00 | 2,80 | 2,00 |
| AA 795 | □ | 8 | ✦ × | 384,00 | 48,00 | 6,00 | 3,00 |
| AA 797 | □ | 8 | ✦ × | 384,00 | 48,00 | 6,00 | 3,00 |
| AA 794 | | 8 | ✦ × | 320,00 | 40,00 | 5,00 | 2,50 |
| ARABIS (Brassicaceae, Cruciferae) | | | | | | | |
| alpina ssp. caucasica - see caucasica | | | | | | | |
| AA 800 | | 15 | ✦ △ | 696,00 | 78,00 | 9,00 | 3,50 |
| AA 802 | | 15 | ✦ △ | 1386,00 | 154,00 | 18,00 | 7,00 |
| AA 804 | | 15 | ✦ △ | 128,00 | 16,00 | 2,00 | 2,00 |
| AA 808 | | 15 | ✦ △ | 3520,00 | 392,00 | 44,00 | 7,40 |
| AA 809 | | 15 | ✦ △ | - | - | 68,00 | 6,20 |
| AA 805 | □ | 15 | ✦ △ | - | 442,00 | 52,00 | 5,80 |
| AA 807 | □ | 15 | ✦ △ | - | 442,00 | 52,00 | 5,80 |

continued on the following page



AQUILEGIA olympica



AQUILEGIA rockii



AQUILEGIA sibirica



AQUILEGIA viridiflora



AQUILEGIA vulgaris 'Leprechaun Gold'



AQUILEGIA vulgaris 'Mellow Yellow'



ARABIS 'Little Treasure Deep Rose'™



ARABIS 'Little Treasure Deep White'™



ARABIS caucasica 'Pixie Cream'



ARALIA cordata f. aurea



ARENARIA ledebouriana

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ARABIS continuation | | | | | | | |
| AA 810 | 0,5 | 15 | ☼ △ ☼ | 1536,00 | 192,00 | 24,00 | 6,00 |
| AA 812 | 1 | 15 | ☼ △ ☼ | 2142,00 | 252,00 | 28,00 | 5,00 |
| AA 816 | 1 | 15 | ☼ △ ☼ | 240,00 | 32,00 | 4,00 | 2,00 |
| AA 832 | 0,5 | 9 | △ ↻ △ | 768,00 | 96,00 | 12,00 | 4,00 |
| ARALIA (Araliaceae) | | | | | | | |
| NEW! AA 843 | 3 | 8 | Sol ☼ ☼ | – | – | 16,00 | 4,20 |
| AA 830 | 5 | 8 | Sol ☼ ☼ | – | 42,00 | 5,20 | 2,80 |
| ARCTANTHEMUM (Asteraceae, Compositae) | | | | | | | |
| CA 382 | 2 | 15 | × | 720,00 | 90,00 | 12,00 | 6,00 |
| ARCTIUM lappa - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| ARCTOSTAPHYLOS (Ericaceae) | | | | | | | |
| AA 848 | 30 | 6 | ↻ ☼ △ | 160,00 | 20,00 | 2,60 | 2,60 |
| ARENARIA (Caryophyllaceae) | | | | | | | |
| AA 850 | 1 | 9 | △ | 1792,00 | 224,00 | 32,00 | 6,00 |
| AA 852 | 4 | 1 | △ ☼ ☼ | 768,00 | 96,00 | 12,00 | 6,00 |
| AA 855 | 0,25 | 15 | ☉ – ☺ | 128,00 | 16,00 | 2,00 | 2,00 |
| ARGEMONE (Papaveraceae, Fumariaceae) | | | | | | | |
| platyceras - see Organic Seed | | | | | | | |
| AA 860 | 10 | 1 | △ | 160,00 | 22,00 | 3,40 | 2,00 |
| ARISAEMA (Araceae) | | | | | | | |
| AA 876 | 45 | 16 | ☼ | – | 46,00 | 5,80 | 7,20 |
| AA 862 | 50 | 16 | ☼ | – | 60,00 | 7,50 | 9,60 |
| AA 826 | 30 | 16 | ☼ ☼ | – | 42,00 | 5,00 | 5,00 |
| AA 866 | 15 | 16 | ☼ △ | – | – | 9,80 | 5,20 |
| AA 870 | 60 | 16 | ☼ | 240,00 | 30,00 | 3,80 | 8,00 |
| AA 872 | 80 | 16 | ☼ △ | – | 24,00 | 3,20 | 8,00 |
| ARISTOLOCHIA clematitis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| ARMERIA (Plumbaginaceae) | | | | | | | |
| AA 902 | 5 | 9 | △ | – | 96,00 | 12,00 | 6,00 |
| AA 892 | 3 | 16 | × | – | 162,00 | 18,00 | 4,00 |
| AA 899 | 2 | 16 | △ ☼ ☼ | 464,00 | 58,00 | 7,20 | 3,60 |
| AA 886 | 1,5 | 16 | △ ☼ ☼ | – | 288,00 | 32,00 | 4,80 |
| AA 887 | 1,5 | 16 | △ ☼ ☼ | – | 288,00 | 32,00 | 4,80 |
| AA 901 | 2 | 16 | △ ☼ ☼ | 464,00 | 58,00 | 7,20 | 3,60 |
| AA 896 | 2 | 16 | × | 256,00 | 32,00 | 4,00 | 2,00 |
| AA 900 | 1,5 | 16 | △ ☼ ☼ | – | – | 64,00 | 7,80 |
| AA 903 | | | | | | | |
| AA 905 | | | | | | | |

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ARNEBIA (Boraginaceae) | | | | | | | |
| AA 910 | 30 | 1 | △ | 790,00 | 98,00 | 14,00 | 14,00 |
| AA 910 pulchra (echioides) , Prophet Flower, 25 cm, golden with black spots, rough lanceolate foliage, IV-V, Z5-9 | | | | | | | |
| ARNICA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| ARTEMISIA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| absinthium - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| annua - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| AA 916 | 0,5 | 15 | △ | - | - | 9,60 | 4,80 |
| AA 916 chamaemelifolia , 20 cm, aromatic, yellow, VI-VII, Z3-6 | | | | | | | |
| dracunculus - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| genipi - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| AA 926 | 0,5 | 15 | ☞ × Sol | 960,00 | 120,00 | 15,00 | 5,00 |
| AA 926 lactiflora , White Mugwort, 180 cm, white panicles, dark green foliage, IX-X, Z3-8 | | | | | | | |
| AA 928 | 0,5 | 15 | ☞ × △ ⊙ | - | - | 28,00 | 7,00 |
| AA 928 laxa (umbelliformis, mutellina) , 10 cm, intense fragrance, mat-forming, yellow blossom racemes, VII-IX, Z3-6 | | | | | | | |
| AA 930 | 0,5 | 15 | ☞ × | 128,00 | 16,00 | 2,00 | 2,00 |
| AA 930 ludoviciana , Western Mugwort, White Prairie Sage, 60 cm, yellowish flowers, grey aromatic leaves, variable, VII-VIII, Z4-9 | | | | | | | |
| scoparia - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| AA 937 | 2 | 15 | ☞ × △ ☛ | - | 192,00 | 24,00 | 7,20 |
| AA 937 stelleriana 'Mori's Strain' [Boughton Silver] , 20 cm, yellowish flowers, white felt-like pinnatifid lobed leaves, creeping, very attractive foliage plant, VI-VII, Z3-7 | | | | | | | |
| vulgaris - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| ARTHROPODIUM (Anthericaceae) | | | | | | | |
| AA 912 | 5 | 16 | ☛ | 240,00 | 30,00 | 3,80 | 3,80 |
| AA 912 cirratum , Rock Lily, 60 cm, white panicles, wide-lanceolate dark green foliage, V-VII, Z7-9 | | | | | | | |
| ARUM (Araceae) | | | | | | | |
| AA 933 | 100 | 6 | △ ☞ ☛ | 98,00 | 14,00 | 2,00 | 7,00 |
| AA 933 alpinum (cylindraceum) , 20 cm, green spathe, orange-red fruiting heads, IV-V, Z6-8 | | | | | | | |
| AA 936 | 100 | 6 | ☞ ☛ ☛ | 52,00 | 8,00 | 2,00 | 4,00 |
| AA 936 italicum ssp. italicum , 30 cm, orange-red berries, leaves silvery-white veined, IV-V, Z4-9 | | | | | | | |
| AA 940 | 100 | 6 | ☞ ☛ ☛ ☛ | 52,00 | 8,00 | 2,00 | 4,00 |
| AA 940 maculatum , 30 cm, coral-red berries, green to spotted leaves, IV-V, Z4-9 | | | | | | | |
| ARUNCUS (Rosaceae) | | | | | | | |
| AA 944 | 0,5 | 1 | △ ☞ | 768,00 | 96,00 | 12,00 | 3,00 |
| AA 944 aethusifolius [Noble Spirit] , 30 cm, white with partially red stems, fine feathery foliage, V-VII, Z3-9 (see also GOLD NUGGET SEED®) | | | | | | | |
| AA 952 | 1 | 9 | ☞ ☛ ☛ | 144,00 | 20,00 | 3,00 | 2,00 |
| AA 952 dioicus (sylvestris) , 160 cm, white, from selected plants, VI-VI, Z3-9 (see also GOLD NUGGET SEED®) | | | | | | | |
| AA 954 | 0,5 | 16 | ☛ △ ☛ | - | 864,00 | 96,00 | 9,60 |
| AA 954 dioicus Kneiffii-Hybr. 'Whirlwind' , 140 cm, bright creamy-white flower panicles, finely dissected pinnatifid foliage, slightly wider than 'Kneiffii', spherical up to 50 cm high foliage clumps, graceful and sturdy habit, slow growing but very durable and long lived foliage plant, V-VII, Z3-9 | | | | | | | |
| AA 958 | 0,5 | 9 | ☞ ☛ ☛ | 384,00 | 48,00 | 6,00 | 3,00 |
| AA 958 dioicus var. kamtschaticus , 90 cm, white panicles, compact habit, VI-VII, Z3-9 | | | | | | | |
| AA 948 | 1 | 16 | ☞ | 144,00 | 20,00 | 3,00 | 2,00 |
| AA 948 sinensis , 150 cm, white, blooms after A. dioicus, VI-VII, Z3-9 | | | | | | | |
| AA 956 | 1 | 16 | ☞ Sol | - | - | 9,00 | 3,20 |
| AA 956 sinensis 'Zweiweltenkind' [Child of Two Worlds] , 150 cm, white, upright panicles, hybrid between dioicus and sinensis, VI-VII, Z3-9 | | | | | | | |



ARENARIA montana



ARGEMONE polyanthemus



ARMERIA 'Morning Star Deep Pink'



ARMERIA maritima 'Morning Star White'



ARNEBIA pulchra



ARTEMISIA stelleriana 'Mori's Strain'



ARTHROPODIUM cirratum



ARUM italicum ssp. italicum

Perennials

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ASARINA (Scrophulariaceae) | | | | | | | |
| AA 964 | 1 | 9 | △ ↗ ↘ | 384,00 | 48,00 | 6,00 | 3,00 |
| ASARUM (Aristolochiaceae) | | | | | | | |
| AA 967 | 10 | 19 | ↗ ↘ ↙ ↘ | 460,00 | 54,00 | 6,00 | 4,50 |
| AA 968 | 12 | 19 | ↗ ↘ ↙ ↘ | – | 72,00 | 9,40 | 7,20 |
| AA 969 | 15 | 19 | △ | – | – | 9,40 | 7,20 |
| AA 972 | 12 | 19 | ↗ ↘ ↙ ↘ | 460,00 | 54,00 | 6,00 | 4,50 |
| ASCLEPIAS (Asclepiadaceae) | | | | | | | |
| NEW! AA 973 | 10 | 16 | ⊗ ⊗ | – | 96,00 | 12,00 | 4,80 |
| AA 974 | 10 | 15 | ⊗ ⊗ | 560,00 | 70,00 | 8,80 | 5,00 |
| AA 975 | 20 | 9 | ⊗ ⊗ | 360,00 | 46,00 | 5,80 | 5,80 |
| AA 976 | 20 | 9 | ⊗ ⊗ | 192,00 | 24,00 | 3,00 | 3,00 |
| AA 977 | 20 | 8 | ⊗ ⊗ | 192,00 | 24,00 | 3,00 | 3,00 |
| AA 978 | 20 | 9 | ⊗ ⊗ | 320,00 | 40,00 | 5,00 | 5,00 |
| AA 979 | 15 | 15 | ⊗ | 216,00 | 27,00 | 3,40 | 3,40 |
| AA 984 | 15 | 9 | ⊗ ⊗ | 160,00 | 20,00 | 3,00 | 3,00 |
| AA 985 | 15 | 9 | ⊗ ⊗ | 240,00 | 32,00 | 4,20 | 4,20 |
| AA 988 | 15 | 9 | ⊗ ⊗ | 320,00 | 40,00 | 5,80 | 5,80 |
| AA 986 | 15 | 9 | ⊗ ⊗ | 320,00 | 40,00 | 5,80 | 5,80 |
| AA 990 | 5 | 9 | ⊗ | 256,00 | 32,00 | 4,00 | 2,00 |
| NEW! AA 994 | 15 | 8 | ⊗ ⊗ | 520,00 | 64,00 | 8,00 | 4,50 |
| ASPARAGUS (Asparagaceae, Liliaceae) | | | | | | | |
| AA 992 | 50 | 7 | ⊗ ⊗ | – | 30,00 | 3,80 | 3,80 |
| AA 996 | 100 | 7 | ⊗ ⊗ | – | 16,00 | 2,00 | 3,80 |



ARUNCUS aethusifolius



ARUNCUS Kneiffii-Hybr. 'Whirlwind'



ASARUM europaeum



ASCLEPIAS incarnata 'Iceballet'



ASCLEPIAS asperula



ASTELIA banksii



ASTELIA chathamica



ASTER coloradoensis



ASTER turbinellus

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|--|---|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| ASTER continuation | | | | | | | | |
| AB 076 | macrophyllus (EURYBIA) , Bigleaf Aster, 80 cm, light violet to white umbels, VIII-IX, Z3-7 | 3 | 9 | ↗ | 768,00 | 96,00 | 12,00 | 6,00 |
| AB 080 | novae-angliae (SYMPHYOTRICHUM) , 160 cm, pink, red, purple, IX-X, Z2-8 | 2 | 16 | × | 648,00 | 72,00 | 8,00 | 4,00 |
| AB 088 | novi-belgii (SYMPHYOTRICHUM) , 140 cm, blue, pink and white colors, new variations, for groups, IX-X, Z2-8 | 5 | 16 | ⊗ × | 892,00 | 98,00 | 12,00 | 6,00 |
| AB 089 | oblongifolius (SYMPHYOTRICHUM) , Aromatic Aster, 50 cm, purple violet umbels, large flowering, VIII-X, Z4-9 | 1 | 15 | △ × | – | 98,00 | 14,00 | 7,00 |
| AB 092 | ptarmicoides (OLIGONEURON album) , 35 cm, white umbels, VII-IX, Z3-9 | 3 | 9 | × | 256,00 | 32,00 | 4,00 | 2,00 |
| AB 094 | puniceus (SYMPHYOTRICHUM) , 120 cm, violet-blue umbels, dark stems, VIII-X, Z3-9 | 3 | 9 | × | – | 112,00 | 14,00 | 7,00 |
| AB 095 | pyrenaicus , 50 cm, bluish lilac, robust habit, VIII-IX, Z5-7 | 3 | 9 | △ | 384,00 | 48,00 | 6,00 | 3,00 |
| AB 090 | spectabilis (EURYBIA) , Eastern Showy Aster, 40 cm, brilliant violet umbels, narrow foliage, VIII-X, Z4-9 | 3 | 9 | × △ | 480,00 | 60,00 | 8,00 | 4,00 |
| AB 100 | tongolensis (subcaeruleus) 'Wartburgstern' [Wartburg Star] , 50 cm, violet-blue, V-VI, Z4-8 | 5 | 16 | × △ | 288,00 | 36,00 | 4,60 | 2,30 |
| AB 106 | turbinellus (SYMPHYOTRICHUM) , (AGM), 120 cm, violet-blue, rich flowering and highly branched, very attractive Fall Aster, IX-XI, Z3-7 | 3 | 9 | × | 892,00 | 98,00 | 12,00 | 4,00 |
| ASTILBE (Saxifragaceae) | | | | | | | | |
| AB 110 | Arendsii-Hybr. 'Bunter Zauber' [Grande] , 80 cm, rich colour mix with upright, slender flowering panicles, VI-VII, Z4-8 | 0,25 | 16 | × | 2910,00 | 324,00 | 36,00 | 6,00 |
| AB 116 | Arendsii-Hybr. 'Showstar' , 35 cm, red, pink, cream to white, compact, VI-VIII, Z4-8 | 0,1 | 15 | × ⊕ | – | – | 320,00 | 9,60 |
| AB 124 | chinensis , 60 cm, lilac-rose, VII-IX, Z3-8 | 0,5 | 15 | × | 720,00 | 90,00 | 12,00 | 4,00 |
| AB 126 | chinensis var. pumila , (AGM), 25 cm, lilac-pink, upright panicles, magnificent groundcover, VIII-IX, Z3-8 | 0,5 | 15 | × ↗ | 1540,00 | 192,00 | 24,00 | 6,00 |
| AB 134 | chinensis var. taquetii Hybr. , 100 cm, lilac shades, tolerates dryness better than other Astilbes, VII, Z3-8 | 0,5 | 16 | × | 1152,00 | 144,00 | 18,00 | 5,00 |
| AB 132 | Japonica-Hybr. Mixture , 50 cm, pink, red, white, VI-VII, Z4-6 | 0,25 | 15 | × | – | 240,00 | 30,00 | 6,00 |
| AB 129 | myriantha , 50 cm, pink, semi-shade, VI-VII, Z4-7 | 0,5 | 9 | × | – | – | 30,00 | 6,00 |
| AB 135 | Thunbergii-Hybr. , 50 cm, white to pink, VII-VIII, Z4-8 | 0,25 | 9 | × | – | 240,00 | 30,00 | 6,00 |
| ASTILBOIDES (Saxifragaceae) | | | | | | | | |
| AB 138 | tabularis (RODGERSIA tabularis) , 100 cm, white, V-VII, Z4-8 | 0,25 | 15 | × ~ ♣ | – | – | 78,00 | 8,00 |
| ASTRAGALUS (Papilionaceae, Leguminosae) | | | | | | | | |
| AB 144 | canadensis , Canada Milkvetch, 100 cm, greenish-yellow spikes, VII-VIII, Z3-8 | 5 | 16 | | 176,00 | 22,00 | 3,00 | 2,20 |
| AB 146 | centralpinus , 80 cm, golden, dense spikes, woolly, feathery foliage, VII-VIII, Z4-9 | 15 | 8 | × △ | – | 32,00 | 4,00 | 4,00 |
| | membranaceus var. mongolicus - see Perennial Herbs + Organic Seed | | | | | | | |
| ASTRANTIA (Apiaceae, Umbelliferae) | | | | | | | | |
| AB 162 | major , 60 cm, white, pink veined, VI-VIII, Z5-7 | 10 | 1 | × ☼ | 224,00 | 28,00 | 3,50 | 3,50 |
| AB 165 | Major-Hybr. 'Primadonna' [Ruby Stars] , 70 cm, purple to rose shades, VI-VII, Z5-7 | 10 | 1 | × ☼ | 380,00 | 48,00 | 6,00 | 4,50 |
| AB 166 | Major-Hybr. 'Rosensinfonie' [Rose Symphony] , (AGM), 75 cm, a symphony of purple, red and pink shades, excellent cut flower, VI-VIII, Z5-7 | 10 | 1 | × ☼ | 380,00 | 48,00 | 6,00 | 4,50 |
| AB 170 | maxima , 40 cm, mostly pink, VI-VII, Z5-7 | 10 | 1 | × | 380,00 | 48,00 | 6,00 | 4,50 |
| AB 174 | minor , Lesser Masterwort, 40 cm, white, delicate, VII-VIII, Z5-7 | 3 | 1 | △ | – | 120,00 | 16,00 | 6,00 |
| ASYNEUMA (Campanulaceae) | | | | | | | | |
| AB 180 | canescens , 100 cm, blue-violet, VI-VIII, Z4-8 | 1 | 9 | △ | – | – | – | 5,80 |
| ATHAMANTA (Apiaceae, Umbelliferae) | | | | | | | | |
| AB 182 | cretensis , 25 cm, delicate leaves, white blossom panicles, V-VI, Z5-8 | 10 | 1 | △ | – | – | 7,80 | 3,20 |
| ATRIPLEX - see Organic Seed | | | | | | | | |
| ATROPA (Solanaceae) | | | | | | | | |
| AB 188 | bella-donna , Deadly Nightshade, 150 cm, brown-green, brilliant black berries, poisonous! VI-VIII, Z5-10 (see also Organic-Seeds) | 3 | 1 | ⊗ ☼ ☼ | 72,00 | 12,00 | 2,00 | 2,00 |

| | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion |
| AUBRIETA (Brassicaceae, <i>Cruciferae</i>) | | | | | | | | |
| x cultorum, IV-V, Z3-8 | | | | | | | | |
| AB 192 | 'Cascade Blue', 10 cm, deep blue, large flowers | 1 | 16 | ☼ ↗ ↘ △ | 440,00 | 56,00 | 7,20 | 3,60 |
| AB 194 | 'Cascade Purple', 10 cm, purple, large flowers | | | | | | | |
| AB 198 | 'Cascade Red', (AGM), 10 cm, carmine red, large flowers | | | | | | | |
| AB 216 | ☑ x cultorum 'Pixie Pearls', (CE), 10 cm, brilliant white, large flowering, healthy habit, dense cushions, IV-V, Z3-8 | 1 | 16 | ☼ ↗ ↘ △ | – | 342,00 | 38,00 | 6,40 |
| x cultorum, IV-V, Z3-8 | | | | | | | | |
| AB 218 | 'Royal Blue', 10 cm, deep blue, large flowers | 1 | 16 | ☼ ↗ ↘ △ | 360,00 | 48,00 | 6,40 | 2,80 |
| AB 222 | 'Royal Red', 10 cm, intense carmine-red, large flowers | | | | | | | |
| AB 223 | 'Royal Violet', 10 cm, dark violet, large flowers | | | | | | | |
| AB 226 | 'Whitewell Gem', 15 cm, dark purple | | | | | | | |
| AURINIA saxatilis - see ALYSSUM saxatile | | | | | | | | |
| BALSAMORHIZA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| BA 009 | sagittata, 40 cm, bright yellow, V-VI, Z4-7 | 20 | 1 | △ | 280,00 | 35,00 | 4,50 | 4,50 |
| BAPTISIA (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | |
| BA 015 | ☑ australis [<i>Caspian Blue</i>], (AGM) (PPA), 150 cm, entire plant blue-green, attractive foliage, blooms lilac-blue, VI-VIII, Z3-9 (see also GOLD NUGGET SEED) | 40 | 8 | Sol × | 160,00 | 20,00 | 2,50 | 2,50 |
| BA 012 | australis 'Alba', 120 cm, white flowering panicles, light green foliage, VI-VIII, Z3-9 (see also GOLD NUGGET SEED) | 40 | 8 | Sol × | – | 96,00 | 12,00 | 12,00 |
| BA 016 | ☑ australis var. minor (minor), 80 cm, lilac-blue, flowers distinct over the foliage, blue-green, compact, VI-VIII, Z3-9 | 40 | 8 | △ | 480,00 | 60,00 | 7,50 | 7,50 |
| BA 017 | leucantha (lactea, alba var. macrophylla), 120 cm, white, VI-VIII, Z3-9 (see also GOLD NUGGET SEED) | 40 | 8 | Sol | 256,00 | 32,00 | 4,00 | 4,00 |
| BA 018 | leucophaea (bracteata var. leucophaea), 50 cm, pale yellow, VI-VIII, Z3-9 | 40 | 8 | △ | 256,00 | 32,00 | 4,00 | 4,00 |
| minor - see australis var. minor | | | | | | | | |
| BA 020 | ☑ pendula (alba), 120 cm, pure white, new growth of stems and leaves is black-red, VI-VIII, Z3-9 (see also GOLD NUGGET SEED) | 40 | 8 | Sol × | 648,00 | 72,00 | 8,00 | 8,00 |
| BA 011 | perfoliata, 120 cm, yellow, blue-green eucalyptus-like foliage, VII-VIII, Z5-9 | 30 | 8 | Sol × | 480,00 | 60,00 | 7,50 | 7,50 |
| BA 019 | ☑ sphaerocarpa (viridis), 100 cm, brilliant yellow flower panicles, upright habit, VI-VIII, Z5-8 | 40 | 8 | Sol × | 648,00 | 72,00 | 8,00 | 8,00 |
| BA 021 | tinctoria, Wild Indigo, 100 cm, yellow flower racemes, VII-VIII, Z3-9 | 15 | 8 | ☼ ☽ | 960,00 | 120,00 | 16,00 | 9,80 |
| BARBAREA vulgaris - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| BARTSIA (Scrophulariaceae) | | | | | | | | |
| BA 022 | alpina, 15 cm, violet with dark violet bracts, V-VIII, Z4-7 | 0,5 | 1 | △ | – | – | 16,00 | 4,00 |



ASTILBE chinensis var. taquetii Hybr.



ASTRANTIA maxima



BAPTISIA australis



BAPTISIA australis var. minor



AUBRIETA x cultorum 'Pixie Pearls'

Perennials



BAPTISIA pendula



BAPTISIA sphaerocarpa



BELAMCANDA flabellata 'Hello Orange'










BELAMCANDA flabellata 'Hello Yellow'



BERGENIA cordifolia 'Winterglut'

| | | | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|---|--|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | | | from 100 g | from 10 g | from 1 g | Portion |
| BELAMCANDA (Iridaceae) | | | | | | | | | | |
| chinensis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | | |
| flabellata 'Hello Yellow', 40 cm, golden, large flowering, compact habit, VII-IX, Z5-9 | | | | | | | | | | |
| BA 027 | ☑ | | | 40 | 1/7 | ☼ × | 368,00 | 46,00 | 5,80 | 5,80 |
| NEW! BA 028 | ☑ | | | 40 | 1/7 | ☼ × | 368,00 | 46,00 | 5,80 | 5,80 |
| flabellata 'Hello Orange', 40 cm, brilliant orange with dark spots, large flowers, compact habit, VII-IX, Z5-9 | | | | | | | | | | |
| norisii - see PARDANCANDA | | | | | | | | | | |
| BELLIS (Asteraceae, <i>Compositae</i>) | | | | | | | | | | |
| perennis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | | |
| perennis Rominette-Series , 15 cm, quilled flowers, improvement over 'Pomponette', II-VI, Z4-7 | | | | | | | | | | |
| BA 035 | | | 'Rominette Carmine-rose' | 0,25 | 15 | ☼ △ ☼ | - | 342,00 | 38,00 | 3,40 |
| BA 030 | | | 'Rominette Pink' | | | | | | | |
| BA 031 | | | 'Rominette Red' | | | | | | | |
| BA 033 | | | 'Rominette White' | | | | | | | |
| BA 024 | | | 'Rominette Mixture' | | | | | | | |
| BERARDIA (Asteraceae, <i>Compositae</i>) | | | | | | | | | | |
| BA 032 | | | subcaulis, 5 cm, light yellow, VI-VII, Z4-7 | 20 | 16 | △ | - | - | 32,00 | 16,00 |
| BERGENIA (Saxifragaceae) | | | | | | | | | | |
| BA 034 | | | cordifolia, 60 cm, rosy-red, III-IV, Z3-8 | 1 | 15 | × △ ☼ | - | 340,00 | 38,00 | 4,80 |
| BA 036 | | | cordifolia 'New Hybrids' [New Winterflowering Hybrids], 45 cm, soft pink - dark red, III-V, Z3-8 | 1 | 15 | × △ ☼ | - | 360,00 | 42,00 | 5,20 |
| BA 040 | | | cordifolia 'Rotblum' [Red Beauty, Red Start], 60 cm, red blooming selection, attractive foliage, III-V, Z3-8 | 1 | 15 | × △ ☼ | 4320,00 | 480,00 | 52,00 | 6,20 |
| BA 042 | ☑ | | cordifolia 'Winterglut' [Winterglow], 45 cm, red blooming, improved 'Rotblum' with an incomparable red colored fall and winter foliage, also for flower arrangements, III-V, Z3-8 | 1 | 15 | ☼ × △ | - | 680,00 | 74,00 | 6,80 |
| BA 044 | | | crassifolia, 45 cm, purple-rose, nodding, III-V, Z3-8 | 1 | 15 | △ | - | 340,00 | 38,00 | 4,80 |
| BA 073 | ☑ | | emeiensis, 30 cm, pink-white, very large flowering, lustrous, attractive foliage, III-V, Z6-9 | 0,25 | 16 | ☼ × | - | - | 98,00 | 7,80 |
| BA 046 | | | purpurascens (delavayi), 50 cm, reddish blossom stems, rosy-red flowers, III-IV, Z3-8 | 1 | 15 | × △ ☼ | 2880,00 | 340,00 | 38,00 | 4,80 |
| BERKHEYA (Asteraceae, <i>Compositae</i>) | | | | | | | | | | |
| BA 039 | ☑ | | cirsifolia, 60 cm, pure white ray flowers with yellow center, very spiky foliage, VI-IX, Z8-10 | 6 | 15 | ☼ | 360,00 | 46,00 | 5,80 | 3,20 |
| BA 047 | ☑ | | multijuga [Golden Spikes], 60 cm, brilliant golden flowers, spiky foliage, VII-IX, Z7-10 | 8 | 15 | ☼ | 400,00 | 52,00 | 7,40 | 4,90 |
| BA 048 | ☑ | | purpurea [Silver Spikes, Zulu Warrior], 70 cm, large, lilac-white flowers, prickly, silvery foliage, VII-IX, Z6-10 | 10 | 16 | ☼ | 480,00 | 62,00 | 8,40 | 5,20 |
| BA 049 | | | radula, 50 cm, large yellow flowers, spiky foliage, VI-VIII, Z7-10 | 5 | 16 | ☼ ☼ | 360,00 | 46,00 | 5,80 | 3,20 |

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| BERLANDIERA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| BA 052  lyriata [Chocolate Drop, Chocolate Daisy],  , Chocolate Flower, Green Eyes, 25 cm, yellow, with chocolate fragrance, V-VII, Z5-10 (<i>see also Organic-Seeds</i>), pure seed | 10 | 15 | △ | 440,00 | 52,00 | 6,20 | 4,80 |
| BETONICA - see STACHYS | | | | | | | |
| BIGELOWIA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| BA 180  nuttallii , Nuttall's Rayless Goldenrod, 30 cm, dense yellow umbels, persistent flowering groundcover, VIII-X, Z4-10. | 1 | 16 | △ ×  | - | - | 42,00 | 3,80 |
| BISCUTELLA (Brassicaceae, <i>Cruciferae</i>) | | | | | | | |
| BA 054 laevigata , Buckler Mustard, 25 cm, yellow flower panicles, lanceolate foliage, V-VI, Z4-7, pure seed | 6 | 15 | △ × | 980,00 | 128,00 | 16,00 | 8,00 |
| BISTORTA - see POLYGONUM | | | | | | | |
| BLITUM - see CHENOPODIUM - see Organic Seed | | | | | | | |
| BOEHMERIA (Urticaceae) | | | | | | | |
| BA 220 sieboldiana , Rami, False Nettle, 120 cm, white, silver-green foliage, interesting foliage plant, IX-X, Z6-9 | 0,25 | 16 |    | - | - | 36,00 | 4,50 |
| BOLTONIA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| BA 059 asteroides var. latisquama 'Nana', 70 cm, pinkish-lilac, VIII-IX, Z3-7 | 3 | 9 | × | - | 58,00 | 7,20 | 3,60 |
| BA 055 decurrens , Winged False Aster, 160 cm, soft pink flower umbels, VIII-X, Z5-8 | 1 | 15 | × Sol | - | 96,00 | 12,00 | 4,00 |
| BORAGO officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| BOYKINIA tellimoides - see PELTOBOYKINIA tellimoides | | | | | | | |
| BRODIAEA pulchella - see DICHELOSTEMMA pulchellum | | | | | | | |
| BRUCKENTHALIA (Ericaceae) | | | | | | | |
| BA 066 spiculifolia (ERICA), 20 cm, pink, evergreen, VI-VIII, Z4-7 | 0,25 | 4/8 | △ | - | 176,00 | 22,00 | 4,00 |
| BULBINE - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| BULBINELLA (Asphodelaceae, <i>Liliaceae</i>) | | | | | | | |
| BA 090 angustifolia , 60 cm, pale yellow panicles, narrow leaved clumps, VI-VIII, Z6-9 | 6 | 9 | ^ × | 768,00 | 96,00 | 12,00 | 9,00 |
| BA 096 gibbsii var. balanifera , 50 cm, wide, yellow flower clusters, clump forming, VI-VIII, Z6-9 | 6 | 9 | ^ × | 768,00 | 96,00 | 12,00 | 9,00 |
| BA 100 hookeri , 60 cm, yellow panicles, dense leaf clumps, VI-VIII, Z6-9 | 6 | 9 | ^ × | 640,00 | 80,00 | 10,00 | 7,50 |



BERGENIA emeimensis



BERKHEYA cirsiifolia



BERKHEYA multijuga



BIGELOWIA nuttallii



BERKHEYA purpurea



BUPLEURUM longifolium 'Bronze Beauty'



CALAMINTHA nepeta 'White Cloud Strain'



CALLIRHOE involucrata var. tenuissima



CALTHA leptosepala



CAMPANULA barbata

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|---|---|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| BUPHTHALMUM (Asteraceae, Compositae) | | | | | | | | |
| BA 068 | salicifolium [Sunwheel], 50 cm, abundant golden blossoms, VI-VIII, Z3-9 | 5 | 15 | × | 128,00 | 16,00 | 2,00 | 2,00 |
| BA 069 | salicifolium ' Alpengold ', 50 cm, golden, double ray of petals, large blossoms, VI-VIII, Z3-9 | 5 | 15 | × | 320,00 | 40,00 | 5,00 | 2,50 |
| | speciosum - see TELEKIA | | | | | | | |
| BUPLEURUM (Apiaceae, Umbelliferae) | | | | | | | | |
| BA 076 | fruticosum, Shrubby Har's Ear, 150 cm, yellow, small evergreen shrub, VII-VIII, Z6-9 | 10 | 8 | Sol | – | 36,00 | 5,20 | 3,40 |
| BA 078 | longifolium ' Bronze Beauty ', 50 cm, yellow turning to bronze colored blossom, VI-VIII, Z3-8 | 5 | 1 | △ × | – | 58,00 | 7,20 | 3,60 |
| BA 080 | ranunculoides, 40 cm, yellow-green, grows well in limy soil, V-VII, Z5-9 | 5 | 1 | △ × | 256,00 | 32,00 | 4,00 | 2,00 |
| BUTOMUS (Butomaceae) | | | | | | | | |
| BA 140 | umbellatus, Flowering Rush, 100 cm, rosy-red umbels, narrow leaves, VI-VIII, Z4-6 | 3 | 8 | ≈ ≈ ≈ | 280,00 | 36,00 | 4,60 | 2,30 |
| CACHRYS (Apiaceae, Umbelliferae) | | | | | | | | |
| CA 004 | alpina, 120 cm, yellow umbels, fine feathered foliage, bushy clumps, VII-VIII, Z5-8 | 100 | 1 | × | 144,00 | 18,00 | 2,40 | 9,00 |
| CALAMINTHA (Lamiaceae, Labiatae) | | | | | | | | |
| | alpina - see ACINOS alpinus | | | | | | | |
| CA 020 | grandiflora [Elfin Purple], 20 cm, purple-rose, aromatic, V-VII, Z4-7 | 2 | 1 | △ ⊕ ☼ | – | 96,00 | 12,00 | 4,00 |
| CA 023 | nepeta - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed nepeta ssp. nepeta 'Blue Cloud Strain' , 30 cm, bright light-blue flowers, very valuable, permanent flowering perennial, minty aromatic foliage, ideal for edging borders, VI-X, Z5-9 | 1 | 15 | △ ⊕ ☼ | 420,00 | 60,00 | 8,60 | 3,00 |
| CA 018 | nepeta ssp. nepeta ' White Cloud Strain ', 30 cm, pure white flowers, very valuable, permanent flowering perennial, minty aromatic foliage, ideal for edging borders, V-X, Z5-9 | 1 | 15 | △ ⊕ ☼ | 420,00 | 60,00 | 8,60 | 3,00 |
| CALANDRINIA (Portulacaceae) | | | | | | | | |
| CA 022 | umbellata [Purple Moon, Ruby Tuesday], 15 cm, bright red-violet, VI-IX, Z7-10 | 1 | 15 | ⊕ △ ≈ ⊕ | 768,00 | 64,00 | 8,20 | 3,60 |
| CALCEOLARIA (Scrophulariaceae) | | | | | | | | |
| CA 024 | biflora ' Goldcap ' [Goldcrest], 10 cm, deep yellow, red dots, paired blooms, V-VI, Z5-8 | 0,25 | 4/16 | △ ⊕ | 2590,00 | 288,00 | 32,00 | 4,00 |
| CA 028 | fothergillii, 10 cm, yellow with red face, evergreen leaf-rosettes, VI-VII, Z6-9 | 0,1 | 1 | △ | – | – | 124,00 | 6,20 |
| | punctata - see JOVELLANA punctata | | | | | | | |
| CALENDULA officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |

| | Gram to get 1000 plants | N° of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|--|--|-----------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| CALLA (Araceae) | | | | | | | | |
| CA 036 | palustris, 25 cm, white spathe, spadix with red fruits, V-VII, Z4-9 | 10 | 18 | ♂ ♀ | 288,00 | 36,00 | 4,60 | 4,60 |
| CALLIRHOE (Malvaceae) | | | | | | | | |
| CA 037 | bushii, Bush's Poppy Mallow, 40 cm, bright magenta, large flowering, VII-VIII, Z4-9 | 20 | 1 | △ | 480,00 | 60,00 | 7,60 | 7,60 |
| CA 038 | involuta [<i>Winecups, Buffalo Rose</i>], (CPS), Poppy Mallow, 20 cm, bright carmine-rose, VII-IX, Z4-9 (see also GOLD NUGGET SEED®) | 20 | 8 | ♀ | 238,00 | 34,00 | 4,80 | 4,80 |
| CA 041 | involuta var. tenuissima, 20 cm, bright pink, strongly pinnatifid foliage, VII-IX, Z4-9 (see also Organic-Seeds) | 20 | 14 | △ | 480,00 | 60,00 | 7,60 | 7,60 |
| CALLUNA (Ericaceae) | | | | | | | | |
| CA 040 | vulgaris, Scots Heather, Ling, 30 cm, rose-lilac, VIII-IX, Z3-9 (see also Organic-Seeds), pure seed | 0,2 | 4/8 | ♂ ♀ | 294,00 | 42,00 | 6,00 | 2,00 |
| CALTHA (Ranunculaceae) | | | | | | | | |
| CA 043 | leptosepala, 20 cm, white, often outside bluish, III-IV, Z3-7 (see also GOLD NUGGET SEED®) | 3 | 2/3/18 | ♀ | 972,00 | 108,00 | 12,00 | 6,00 |
| CA 044 | palustris, (AGM), 30 cm, deep yellow, shiny green leaves, IV-V, Z3-7 (see also GOLD NUGGET SEED® + Organic-Seeds) | 4 | 2/3/18 | ♂ ♀ | 294,00 | 42,00 | 6,00 | 2,00 |
| CA 045 | palustris var. alba, 20 cm, white, III-IV, Z3-7 (see also GOLD NUGGET SEED®) | 2 | 2/3/18 | ♀ | – | 162,00 | 18,00 | 6,00 |
| CA 046 | palustris ssp. polypetala, 60 cm, golden, III-V, Z6-9 | 3 | 2/3/18 | ♀ | – | 48,00 | 6,00 | 3,00 |
| CALYLOPHUS (Onagraceae) | | | | | | | | |
| CA 047 | serrulatus (OENOTHERA), Shrubby Evening Primrose, 30 cm, yellow, lanceolate foliage, VI-X, Z4-9 | 0,5 | 9 | △ | – | – | – | 7,00 |
| CALYPTRIDUM (Portulacaceae) | | | | | | | | |
| CA 048 | umbellatum (SPARGUEA, CISTANTHE), Pussy Paws, 10 cm, white to pink, spherical umbels, flat rosettes, for dry locations, VII-IX, Z7-10 | 1 | 9 | △ | – | 192,00 | 24,00 | 6,00 |
| CAMASSIA (Hyacinthaceae, Liliaceae) | | | | | | | | |
| CA 051 | leichtlinii ssp. leichtlinii, (AGM), 100 cm, mostly creamy white, V-VII, Z3-7 | 15 | 8 | × | 192,00 | 24,00 | 3,20 | 3,20 |
| CA 050 | leichtlinii ssp. suksdorfii, (AGM), 100 cm, mostly blue, V-VI, Z3-7 | 15 | 8 | × | 192,00 | 24,00 | 3,20 | 3,20 |
| CA 054 | quamash, 60 cm, light blue racemes, V-VI, Z4-7 | 5 | 8 | × | 240,00 | 30,00 | 3,80 | 3,80 |
| CAMPANULA (Campanulaceae) | | | | | | | | |
| CA 060 | alliarifolia [<i>Ivory Bells</i>], 40 cm, white, grey-haired, very vigorous, sun and semi-shade, VII, Z3-7 | 2 | 16 | △ | 98,00 | 14,00 | 2,00 | 2,00 |
| CA 064 | alpestris (allionii), 5 cm, blue or white, large flowers, VII-VIII, Z4-8 | 1 | 1 | △ | – | 192,00 | 24,00 | 6,00 |
| CA 065 | americana, Tall Bellflower, 160 cm, mostly blue, VII-X, Z4-7 | 0,5 | 16 | ⊙ | – | 76,00 | 9,60 | 3,20 |
| CA 066 | aucherii (saxifraga ssp. aucherii), 10 cm, violet, early flowering, IV-V, Z4-8 | 1 | 8 | △ | – | 192,00 | 24,00 | 6,00 |
| CA 068 | barbata, 30 cm, china blue, V-VII, Z5-8 | 0,5 | 9 | △ | 680,00 | 84,00 | 9,20 | 4,60 |
| CA 070 | bellidifolia, 10 cm, violet-blue, dense cushions, V-VI, Z4-8 | 2 | 1 | △ | – | – | 24,00 | 6,00 |
| CA 072 | carpatica, (AGM), 20 cm, light blue, VII-IX, Z3-7 | 0,5 | 15 | △ | 120,00 | 20,00 | 3,20 | 2,00 |
| CA 076 | carpatica f. alba, 20 cm, white, VII-IX, Z3-7 | 0,5 | 15 | △ | 120,00 | 20,00 | 3,20 | 2,00 |
| NEW! CA 080 | carpatica 'Blue Clips', 20 cm, heavenly blue, VII-IX, Z3-7 | 1 | 16 | ⊙ △ | – | 420,00 | 46,00 | 4,80 |
| NEW! CA 081 | carpatica 'Deep Blue Clips', 20 cm, intense blue, VII-IX, Z3-7 | | | | | | | |
| NEW! CA 084 | carpatica 'White Clips', 20 cm, white, VII-IX, Z3-7 | | | | | | | |
| CA 090 | carpatica 'Pearl Deep Blue', F ₁ , 15 cm, dark blue, upright flowers, round habit, early flowering, VI-IX, Z3-7, approx. 2000 seeds = 1 g, pelleted seed | 1 | 15 | ⊙ △ | – | – | 52,00 | 6,50 |
| CA 091 | carpatica 'Pearl White', F ₁ , 15 cm, pure white, upright flowers, round habit, early flowering, VI-IX, Z3-7, approx. 2000 seeds = 1 g, pelleted seed | 1 | 15 | ⊙ △ | – | – | 52,00 | 6,50 |
| CA 085 | carpatica 'Blue Uniform', 20 cm, medium blue, compact and uniform in habit and flower, ideal as pot plant all year around, flowers 12 weeks after sowing, VII-IX, Z3-7 | 0,25 | 15 | ⊙ △ | – | 544,00 | 62,00 | 7,80 |
| CA 087 | carpatica 'White Uniform', 20 cm, pure white, compact and uniform in habit and flower, ideal as pot plant all year around, flowers 12 weeks after sowing, VII-IX, Z3-7 | 0,25 | 16 | ⊙ △ | – | 544,00 | 62,00 | 7,80 |
| CA 092 | cenisia, 5 cm, forms cushions, numerous stems with bright blue flowers, VII-VIII, Z4-7 | 0,5 | 1 | △ | – | – | 56,00 | 7,00 |
| CA 096 | cochlearifolia (pusilla), (AGM), 10 cm, blue, VI-VIII, Z3-8 | 0,25 | 8 | △ | – | 220,00 | 28,00 | 4,00 |
| CA 101 | cochlearifolia 'Bavaria Blue' [<i>Blue Baby</i>], (AGM), 10 cm, dark blue, compact, ideal as pot plant all year around, flowers 14 weeks after sowing, VI-VIII, Z3-9 | 0,25 | 16 | ⊙ △ | – | 380,00 | 40,00 | 7,00 |
| CA 102 | cochlearifolia 'Bavaria White' [<i>White Baby</i>], 10 cm, pure white, compact, ideal as pot plant all year around, flowers 14 weeks after sowing, VI-VIII, Z3-9 | 0,25 | 16 | ⊙ △ | – | 380,00 | 40,00 | 7,00 |

continued on the following page



CAMPANULA carpatica 'Blue Clips'



CAMPANULA carpatica 'White Clips'



CAMPANULA carpatica 'Blue Uniform'



CAMPANULA carpatica 'White Uniform'



CAMPANULA cochlearifolia



CAMPANULA collina



CAMPANULA glomerata 'Bellefleur Blue'®



CAMPANULA glomerata 'Bellefleur White'®



CAMPANULA lactiflora 'New Hybrids'



CAMPANULA persicifolia var. planiflora



CAMPANULA latifolia var. macr. 'Alba'



CAMPANULA persicifolia 'Telham Beauty'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|-------------------------------|--|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| CAMPANULA continuation | | | | | | | | |
| CA 104 | collina, 20 cm, violet bells, upright, V-VII, Z5-9 (see also GOLD NUGGET SEED®) | 1 | 9 | △ | 768,00 | 96,00 | 12,00 | 4,00 |
| CA 114 | fenestrellata, 10 cm, more compact than C. garganica, smaller leaves, hairy, intense blue, VI-VII, Z5-8 | 0,5 | 9 | △ | – | – | – | 7,00 |
| CA 116 | garganica, (AGM), 10 cm, star-shaped, erect blue blossoms, VI-VIII, Z3-8 (see also GOLD NUGGET SEED®) | 0,5 | 9 | △ | – | 324,00 | 36,00 | 5,80 |
| CA 125 | glomerata 'Bellefleur Blue'®, 20 cm, deep blue flower clusters, rich flowering, compact uniform habit, ideal for containers, first year flowering, VI-IX, Z3-8 | 0,25 | 15 | ① ② △ | – | 1450,00 | 162,00 | 6,80 |
| CA 127 | glomerata 'Bellefleur White'®, 20 cm, pure white flower clusters, rich flowering, compact uniform habit, ideal for containers, first year flowering, VI-IX, Z3-8 | 0,25 | 15 | ① ② △ | – | 1450,00 | 162,00 | 6,80 |
| CA 120 | glomerata var. acaulis, 25 cm, dark blue, VI-VIII, Z2-7 | 1 | 15 | △ | 630,00 | 78,00 | 9,80 | 3,40 |
| CA 124 | glomerata var. alba [Schneekrone], 30 cm, pure white, VI-VIII, Z2-7 | 1 | 15 | × | 630,00 | 78,00 | 9,80 | 3,40 |
| CA 128 | glomerata var. dahirica [Superba, Odessa], 50 cm, dark violet, VI-VIII, Z2-7 | 1 | 15 | × | 224,00 | 26,00 | 3,20 | 2,00 |
| | hofmannii - see SYMPHYANDRA hofmannii | | | | | | | |
| CA 135 | incurva, 30 cm, lavender blue, large flowers, grey-yellow rosettes, monocarpic, V-VII, Z6-9 | 0,25 | 9 | △ | – | 180,00 | 22,00 | 6,00 |
| CA 144 | lactiflora, 150 cm, milk-blue, VI-VII, Z3-7 | 0,5 | 16 | × | 2048,00 | 256,00 | 32,00 | 5,20 |
| CA 146 | lactiflora 'New Hybrids', 150 cm, white-rose-light violet-blue, VI-VIII, Z3-7 | 0,5 | 16 | × | 1800,00 | 225,00 | 28,00 | 4,60 |
| CA 158 | latifolia var. macrantha [Amethyst], 90 cm, lilac-blue, the most valuable of the tall bell flowers, VI-VII, Z3-6 (see also GOLD NUGGET SEED®) | 2 | 9 | × | 256,00 | 32,00 | 4,00 | 2,00 |
| CA 162 | latifolia var. macrantha 'Alba', 90 cm, pure white, VI-VII, Z3-6 (see also GOLD NUGGET SEED®) | 2 | 9 | × | 256,00 | 32,00 | 4,00 | 2,00 |
| CA 231 | linifolia (scheuchzeri, carnica), 15 cm, blue-violet, V-VII, Z3-7 | 0,25 | 8 | △ | – | – | – | 6,00 |
| CA 167 | medium Blue single, 80 cm, VI-VIII, Z5-9 | 1 | 15 | × | 192,00 | 24,00 | 3,00 | 2,00 |
| CA 168 | medium Rosepink single, 80 cm, VI-VIII, Z5-9 | | | | | | | |
| CA 169 | medium White single, 80 cm, VI-VIII, Z5-9 | | | | | | | |
| CA 179 | medium 'Calycanthera Mix', 75 cm, curly-divided double flowers, V-VIII, Z5-9 | 1 | 15 | × | – | 46,00 | 6,50 | 3,20 |
| CA 173 | medium fl. pl. 'Double Mixture', 80 cm, blue, pink, white, dense flowerballs, VI-VIII, Z5-9 | 1 | 15 | × | 276,00 | 46,00 | 6,50 | 3,20 |
| | muralis - see portenschlagiana | | | | | | | |
| CA 172 | ochroleuca, 60 cm, creamy-white bells, VI-VII, Z4-8 | 1 | 16 | × | 2890,00 | 340,00 | 38,00 | 3,40 |
| CA 170 | patula, 40 cm, purple-blue, VI-VII, Z4-8 | 1 | 9 | ⊙ | 288,00 | 36,00 | 4,60 | 2,30 |
| | pendula - see SYMPHYANDRA pendula | | | | | | | |
| CA 176 | persicifolia, wild form, Willow Bell, 100 cm, blue, loose flower panicles, VI-VII, Z3-7 | 0,5 | 16 | ⊙ | 160,00 | 20,00 | 2,50 | 2,00 |
| CA 178 | persicifolia 'Grandiflora Coerulea' [Blaue Glocke, Blue Bells], 100 cm, blue, VI-VII, Z3-7 | 0,5 | 16 | × | 256,00 | 32,00 | 4,00 | 2,00 |
| CA 182 | persicifolia 'Grandiflora Alba' [Weiße Glocke, White Bells], 100 cm, white, VI-VII, Z3-7 | 0,5 | 16 | × | 256,00 | 32,00 | 4,00 | 2,00 |
| CA 184 | persicifolia 'Telham Beauty', 100 cm, china blue, V-VI, Z3-7 | 0,5 | 16 | × | 320,00 | 40,00 | 5,00 | 2,50 |
| CA 188 | persicifolia var. planiflora (nitida), 20 cm, dwarf form of Peach Leaved Bell Flower, blue to white, dense flowering spikes, dense leathery rosettes, 98% true from seed, V-VII, Z3-7 | 0,25 | 16 | △ | – | 420,00 | 54,00 | 6,80 |
| CA 190 | portenschlagiana (muralis), (AGM), 20 cm, lilac-blue, abundant flowers, VI-VIII, Z4-8 (see also GOLD NUGGET SEED®) | 0,5 | 9 | △ | 6498,00 | 684,00 | 72,00 | 9,00 |
| CA 192 | portenschlagiana 'Blue Magic'® (muralis), 10 cm, intense dark-blue flowers, compact uniform habit, rich flowering, ideal for all-season containers, flowering 14 weeks after sowing, VI-IX, Z4-8 | 0,25 | 16 | ① ② △ | – | 1450,00 | 162,00 | 6,80 |
| CA 194 | poscharskyana, 20 cm, lilac-blue, vigorous, VI-IX, Z3-7 (see also GOLD NUGGET SEED®) | 0,5 | 9 | △ | – | 324,00 | 36,00 | 5,80 |
| CA 196 | pulla 'Blue Drops', 10 cm, dark violet bellflowers, large flowerheads, compact habit, V-VII, Z4-8 | 0,1 | 9 | ① ② △ | – | – | 58,00 | 7,20 |
| CA 198 | punctata [Ring of Bells], 25 cm, white and pink, VI-VII, Z5-9 | 1 | 9 | △ | 528,00 | 66,00 | 8,20 | 4,10 |
| CA 200 | punctata f. rubriflora, 25 cm, cream to purple, intense crimson spots, VI-VII, Z5-9 (see also GOLD NUGGET SEED®) | 1 | 9 | △ | 738,00 | 82,00 | 9,20 | 4,60 |
| | pusilla - see cochleariifolia | | | | | | | |
| CA 206 | pyramidalis, 140 cm, blue, winter hardy selection, VI-VIII, Z6-10 | 0,5 | 16 | × | 256,00 | 32,00 | 4,00 | 2,00 |
| CA 210 | pyramidalis 'Alba', 140 cm, pure white, VII-VIII, Z6-10 | 0,5 | 16 | × | 256,00 | 32,00 | 4,00 | 2,00 |
| CA 211 | pyramidalis Mixture, 140 cm, blue and white, VII-VIII, Z6-10 | 0,5 | 16 | × | 128,00 | 18,00 | 2,60 | 2,00 |
| CA 218 | rapunculoides, 100 cm, violet-blue, VI-IX, Z3-9 | 1 | 15 | × | 128,00 | 16,00 | 2,00 | 2,00 |
| | rapunculus - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| CA 226 | rotundifolia, 30 cm, light blue, VI-X, Z2-7 | 0,5 | 16 | △ | 288,00 | 36,00 | 4,60 | 2,30 |
| CA 223 | rotundifolia 'Thumbell Blue'™, 25 cm, violet blue bellflowers, abundant flowers, compact and uniform growth, flowers the first year, VI-X, Z3-7 | 0,25 | 15 | △ | 5600,00 | 620,00 | 68,00 | 7,20 |
| CA 224 | rotundifolia 'White Gem', 30 cm, large pure white bells, abundant flowering, VI-X, Z2-7 | 0,5 | 16 | △ | 768,00 | 96,00 | 12,00 | 4,00 |
| CA 230 | sarmatica, 40 cm, light blue, grey-feltlike foliage, VI-VII, Z4-7 | 2 | 16 | △ | 448,00 | 56,00 | 7,00 | 3,50 |
| CA 229 | saxifraga, 10 cm, violet-blue, lanceolate leaves, V-VI, Z3-7 | 1 | 8 | △ | 1390,00 | 176,00 | 22,00 | 6,00 |
| | scheuchzeri - see linifolia | | | | | | | |

continued on the following page



CAMPANULA portenschlagiana 'Blue Magic'®



CAMPANULA pulla 'Blue Drops'®



CAMPANULA punctata


 CAMPANULA rotundifolia 'Thumbell Blue'TM


CAMPANULA rotundifolia 'White Gem'



CAMPANULA thyrsoides



CAMPANULA trachelium var. alba



CARDIOCRINUM giganteum

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|--|---|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| CAMPANULA continuation | | | | | | | | |
| CA 227 | sibirica , 30 cm, violet blue, funnel-shaped bellflowers, V-VII, Z4-8 | 0,25 | 15 | △ | – | 210,00 | 26,00 | 4,40 |
| CA 228 | speciosa , 50 cm, light blue, cylindrical flower stems, often monocarpic, VI-VII, Z5-8 | 2 | 9 | △ | – | – | 24,00 | 6,00 |
| CA 233 | takesimana [Bellringers] , 40 cm, pink and white, large bellflowers, spotted, V-VII, Z5-8 | 1 | 9 | × | 1024,00 | 128,00 | 16,00 | 4,00 |
| CA 232 | takesimana 'Alba' , 40 cm, white bellflowers, purple spotted, V-VII, Z5-8 | 1 | 9 | × | – | 162,00 | 18,00 | 6,00 |
| CA 234 | thyrsoides , 50 cm, cream-colored, cylindrical, VII-VIII, Z4-8 | 2 | 9 | ⊙ | – | 96,00 | 12,00 | 4,00 |
| CA 238 | tommasiniana , (AEM), 20 cm, lilac-blue blossoms, 2 cm long, hanging, bright full shade, VII-VIII, Z5-9 | 0,25 | 1 | △ | – | – | 26,00 | 7,00 |
| CA 242 | trachelium , 80 cm, lilac, VII-IX, Z3-9 | 2 | 16 | △ | 128,00 | 16,00 | 2,00 | 2,00 |
| CA 243 | trachelium var. alba (Album) , 80 cm, white, VII-IX, Z3-9 | 1 | 16 | × | 320,00 | 45,00 | 6,40 | 3,20 |
| CA 246 | waldsteiniana , 12 cm, lilac, VI-VII, Z5-9 | 0,25 | 8 | △ | – | – | – | 7,00 |
| | wanneri - see SYMPHYANDRA wanneri | | | | | | | |
| | zanzegura - see SYMPHYANDRA zanzegura | | | | | | | |
| CAPPARIS spinosa - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | | |
| CARDAMINE (Brassicaceae, <i>Cruciferae</i>) | | | | | | | | |
| CA 260 | pratensis , Cuckoo Flower, 40 cm, pale lilac or white, III-V, Z3-7 (<i>see also Organic-Seeds</i>) | 2 | 15 | ⚡ | 288,00 | 36,00 | 4,60 | 2,00 |
| CARDIOCRINUM (Liliaceae) | | | | | | | | |
| CA 264 | giganteum (LILIUM) , up to 3 m, white, approx. 20 blossoms per stalk, interior red stripes, VII-VIII, Z5-9 | 15 | 5 | ^ | 272,00 | 34,00 | 4,40 | 4,40 |
| CARDIOSPERMUM - see Organic Seed | | | | | | | | |
| CARLINA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| CA 270 | acanthifolia , 30 cm, blossoms up to 20 cm ø, without stems, straw-colored, VII-VIII, Z4-9 | 20 | 15 | △ | 998,00 | 128,00 | 16,00 | 9,80 |
| CA 274 | acaulis ssp. caulescens (simplex) , 50 cm, Silver Thistle, large shiny white flowering heads with stem, VII-IX, Z3-9 (<i>see also Organic-Seeds</i>) | 15 | 15 | △ | 384,00 | 48,00 | 6,00 | 6,00 |
| CA 275 | acaulis ssp. caulescens 'Bronze' , (E), 50 cm, shiny white, leaves reddish-bronze, VII-IX, Z3-9 | 15 | 15 | △ | 576,00 | 72,00 | 8,00 | 8,00 |
| CA 278 | vulgaris , 50 cm, straw-colored, blossoms ca. 4 cm ø, several on each stem, VII-IX, Z4-9 | 5 | 15 | × | 160,00 | 20,00 | 2,50 | 2,00 |
| CA 277 | vulgaris 'Silver Star' , (E), 50 cm, silvery white flowers, large flowering, excellent cut flower, VII-IX, Z4-9 | 3 | 15 | × | – | 60,00 | 7,60 | 3,80 |
| CARTHAMUS tinctorius - see Organic Seed | | | | | | | | |
| CARUM carvi - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| CASSIA (SENNA) (Caesalpinaceae, <i>Leguminosae</i>) | | | | | | | | |
| CA 279 | didymobotrya , 150-250 cm, golden flower racemes, feathery foliage, VI-IX, Z9-10 | 120 | 1/10 | ⊠ | 160,00 | 20,00 | 2,50 | 6,00 |

| | | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | | |
|--|--|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|--|--|
| | | | | | | from 100 g | from 10 g | from 1 g | Portion | | |
| CASSIA continuation | | | | | | | | | | | |
| CA 281 | hebecarpa , 140 cm, yellow with black filaments, dense flower panicles, VIII-IX, Z4-9. | | 50 | 1/10 | ☐ Sol | 96,00 | 14,00 | 2,00 | 3,60 | | |
| CA 280 | marilandica , 120 cm, yellow, VI-IX, Z4-10 | | 50 | 1/10 | ☐ ☒ | 198,00 | 26,00 | 3,20 | 5,20 | | |
| CASTILLEJA (Scrophulariaceae) | | | | | | | | | | | |
| CA 284 | ☐ integra , Wholeleaf Indian Paintbrush, 20 cm, bright signal red bracts, grows well with ARTEMISIA, V-X, Z4-10 | | 0,5 | 9 | △ ☒ | - | - | 48,00 | 6,00 | | |
| CA 282 | miniata , Scarlet Paintbrush, 50 cm, orange-red, grows nicely with SEDUM spathulifolium and BOUTELOUA gracilis, IV-IX, Z4-8 | | 0,5 | 1 | △ | - | 288,00 | 36,00 | 6,00 | | |
| CA 285 | ☐ rhexifolia , Split Leaf Paintbrush, 30 cm, bright rosy-red flower spikes, growth best with CAREX, IV-IX, Z4-8 | | 0,5 | 1 | △ ☒ | - | - | 72,00 | 6,00 | | |
| CA 283 | ☐ sulphurea , Yellow Paintbrush, 30 cm, yellow flower spikes, grows well together with PENSTEMON and grasses, IV-IX, Z4-8 | | 0,5 | 1 | △ | - | 498,00 | 72,00 | 6,00 | | |
| CATANANCHE (Asteraceae, Compositae) | | | | | | | | | | | |
| CT 286 | ☐ caerulea [Amor Blue, Blue Cupidone], 60 cm, lilac-blue, grey-green foliage, VII-IX, Z4-9, JET® - rubbed seed | | 7,5 | 15 | ☒ ☐ ☒ | 384,00 | 48,00 | 6,00 | 3,00 | | |
| CT 287 | caerulea 'Alba' [Amor White, Stargazer, Bicolor], 60 cm, white with blue center, VII-IX, Z4-9, JET® - rubbed seed | | 7,5 | 15 | ☒ ☐ ☒ | 384,00 | 48,00 | 6,00 | 3,00 | | |



CARLINA acanthifolia



CARLINA acaulis ssp. caulescens



CASTILLEJA rhexifolia



CASTILLEJA integra



CASTILLEJA sulphurea



CATANANCHE caerulea

| | | Gram to get 1000 plants | Nº. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion |
| CELMISIA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| CA 293 | hookeri , 40 cm, white flowers up to 10 cm ø, woolly foliage, VII, Z6-9 | 5 | 3/15 | △ ^ | – | 220,00 | 24,00 | 7,20 |
| CA 295 | semicordata (coriacea) , 40 cm, white up to 6 cm ø, silvery clumps, for cool and well-drained locations, VII-VIII, Z6-9 | 5 | 3/16 | △ ^ | – | – | 24,00 | 7,20 |
| CA 297 | sessiliflora , 10 cm, white, large flowers, grey-green cushion, VI-IX, Z6-9 | 3 | 3/15 | △ ^ | – | – | 36,00 | 7,80 |
| CA 298 | spectabilis ssp. magnifica , 25 cm, white, silver-green clumps, VII-VIII, Z6-9 | 5 | 3/15 | △ ^ | – | – | 24,00 | 7,20 |
| CA 301 | spedenii , 10 cm, white, large flowering, dense cushions, VI-IX, Z6-9 | 3 | 3/15 | △ ^ | – | – | 36,00 | 7,80 |
| CA 300 | traversii , 30 cm, white, attractive orange felt-like clumps, VII-VIII, Z6-9 | 5 | 3/16 | △ ^ | – | – | 24,00 | 7,20 |
| CA 299 | walkeri , dwarf shrub up to 150 cm, white, grey-green leaf rosettes, very unusual, VII-VIII, Z6-9 | 5 | 3/8 | △ ^ | – | – | 24,00 | 7,20 |
| CENTAUREA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| CA 302 | alpestris (scabiosa ssp. alpestris) , 40 cm, purple, feathery foliage, VI-VII, Z3-9 | 10 | 16 | △ | 352,00 | 44,00 | 5,80 | 5,80 |
| CA 303 | atropurpurea , 120 cm, deep purple, feathery foliage, VI-VIII, Z5-9 (<i>see also Organic-Seeds</i>) | 15 | 16 | × | 432,00 | 54,00 | 6,80 | 6,80 |
| CA 305 | cheiranthifolia , 50 cm, light yellow to cream-white, VI-VIII, Z5-9 | 30 | 9 | × △ | – | 40,00 | 5,80 | 5,80 |
| CA 304 | cineraria (candidissima) , 40 cm, yellow, attractive silvery-grey, pinnatifid foliage, VII-VIII, Z5-9 <i>cyanus</i> - <i>see Organic Seed</i> | 10 | 16 | × △ | 192,00 | 24,00 | 3,60 | 2,00 |
| CA 308 | dealbata (PSEHELLUS) , 80 cm, fresh pink, VI-VII, Z3-9 | 20 | 15 | × | 128,00 | 16,00 | 2,00 | 2,00 |
| CA 312 | jacea , 80 cm, purple, VI-IX, Z5-8 | 10 | 15 | × | 98,00 | 14,00 | 2,00 | 2,00 |
| CA 316 | macrocephala , 150 cm, golden, decorative, VII-IX, Z3-7 | 40 | 15 | × | 28,00 | 4,00 | 2,00 | 2,00 |
| CA 320 | montana , 50 cm, Perennial Cornflower, blue, V-VII, Z3-9 <i>(see also Organic-Seeds)</i> | 35 | 16 | × | 144,00 | 22,00 | 3,20 | 2,00 |
| CA 321 | montana 'Alba' , 50 cm, white, up to 25% may revert to the original blue color, V-VII, Z3-9 | 35 | 16 | × | – | – | 5,80 | 5,80 |
| CA 322 | nigra , 70 cm, purple, VI-VIII, Z4-9 | 20 | 16 | × | 74,00 | 12,00 | 2,00 | 2,00 |
| CA 325 | orientalis , 70 cm, light yellow, VI-VIII, Z6-9 | 10 | 16 | × | 240,00 | 30,00 | 4,00 | 3,00 |
| CA 326 | phrygia , 60 cm, purple, buds wig-like, VII-VIII, Z5-8 | 5 | 16 | × | 144,00 | 18,00 | 2,50 | 2,00 |
| CA 324 | pulcherrima , 40 cm, pure pink, large flowering, grey feathered foliage, VI-VIII, Z4-8 | 10 | 16 | △ × | 464,00 | 58,00 | 7,20 | 7,20 |
| CA 330 | ruthenica , 120 cm, sulphur-yellow, dark green, pinnatifid foliage, VI-VII, Z3-8 | 30 | 16 | × | 256,00 | 32,00 | 4,00 | 4,00 |
| CA 332 | scabiosa , 100 cm, purple, scabiosa-blossom, VII-VIII, Z4-7 | 10 | 16 | × | 74,00 | 12,00 | 2,00 | 2,00 |
| CA 334 | triumfettii , Woolly Perennial Cornflower, 30 cm, blue-violet, grey-green foliage, V-VII, Z4-7 | 30 | 9 | △ | – | 64,00 | 9,20 | 6,00 |
| CENTAURIUM erythraea (umbellatum) - <i>see Perennial Herbs - Culinary, Teas and Medicinal</i> | | | | | | | | |
| CENTRANTHUS (Valerianaceae) | | | | | | | | |
| CA 346 | ruber 'Albus' [Snowcloud] , 60 cm, pure white, V-VIII, Z5-8 | 5 | 16 | × | 256,00 | 32,00 | 4,00 | 2,00 |
| CA 348 | ruber var. coccineus [Pretty Betsy] , 60 cm, light red, variable, V-VIII, Z5-8 (<i>s. a. Organic-Seeds</i>) | 5 | 16 | × | 256,00 | 32,00 | 4,00 | 2,00 |
| CA 349 | ruber var. coccineus 'Rosenrot' , 60 cm, uniformly light red, V-VIII, Z5-8 | 5 | 16 | × | 320,00 | 40,00 | 5,00 | 2,50 |
| CEPHALARIA (Dipsacaceae) | | | | | | | | |
| NEW! CA 350 | alpina , 150 cm, soft yellow, VI-VIII, Z4-7 | 50 | 8 | × | – | 32,00 | 4,00 | 6,20 |
| CA 354 | gigantea , 200 cm, light yellow, similar to scabiosa flowers, VI-VIII, Z4-7 (<i>s. a. Organic-Seeds</i>) | 50 | 9 | × | 192,00 | 24,00 | 3,00 | 5,00 |
| CA 358 | radiata (leucantha Baumg.) , 160 cm, creamy-yellow, variety with woody base, VII-VIII, Z4-7 | 10 | 9 | × | 128,00 | 16,00 | 2,00 | 2,00 |



CENTAUREA cineraria



CENTAUREA pulcherrima



CENTAUREA ruthenica



CERASTIUM tomentosum var. col. 'Celine'



CHELONE lyonii 'Pink Temptation'



CHIASTOPHYLLUM oppositifolium



CIMICIFUGA racemosa



CIRSIUM diacanthum

| | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion |
| CERASTIUM (Caryophyllaceae) | | | | | | | | |
| CA 359 | alpinum var. lanatum , 10 cm, white, densely haired, grey cushions, V-VI, Z3-7 | 1 | 9 | △ ⊕ | – | – | 36,00 | 6,00 |
| CA 362 | grandiflorum , 20 cm, white, mat forming, VI-VIII, Z4-7 | 0,5 | 8 | △ | – | – | 18,00 | 4,20 |
| CA 369 | tomentosum var. columnae 'Celine' , 15 cm, pure white, large flowers, narrow silver-grey foliage, dense cushions, reliable first year flowering, V-VI, Z3-7 | 1 | 15 | ⊕ ☼ △ | 576,00 | 72,00 | 9,60 | 3,20 |
| CA 364 | tomentosum var. columnae 'Silberteppich' [Silver Carpet, Snow in Summer] , 15 cm, white, large flowers, silver-white cushions, abundant flowering, V-VI, Z3-7 | 1 | 15 | △ ☼ ☼ ⊕ | 224,00 | 28,00 | 3,60 | 2,40 |
| CERINTHE (Boraginaceae) | | | | | | | | |
| CA 366 | glabra , 30 cm, yellow with purple circle, V-VII, Z4-7 | 15 | 16 | △ | – | 43,00 | 6,20 | 6,20 |
| CA 900 | major 'Purpurascens' [Kiwi Blue, Purple Bell] , 45 cm, blue-violet, steel blue bracts, very showy, VI-IX, Z5-9 | 100 | 15 | ⊕ ☼ ⊕ | 76,00 | 12,00 | 2,00 | 6,00 |
| CHAENORHINUM (Scrophulariaceae) | | | | | | | | |
| CA 371 | organifolium 'Blue Dreams' [Blue Eyes] , 15 cm, blue-lilac with yellow throat, small round leaves, compact, flowers the first year, VI-VIII, Z7-10 | 0,25 | 16 | ⊕ △ ⊕ | 1792,00 | 224,00 | 28,00 | 6,00 |
| CA 379 | villosum 'Little Dragons' , 15 cm, purple with darker veins and yellow throat, blue-green foliage, V-VII, Z7-10 | 0,1 | 15 | ⊕ △ ⊕ | – | – | 196,00 | 6,00 |
| CHAMAEMELUM nobile - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| CHAMAESPARTIUM - see GENISTA | | | | | | | | |
| CHAMAENERION - see EPILOBIUM | | | | | | | | |
| CHAMOMILLA recutita - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| CHEIRANTHUS allionii - see ERYSIMUM allionii | | | | | | | | |
| CHELIDONIUM majus - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| CHELONE (Scrophulariaceae) | | | | | | | | |
| barbata - see PENSTEMON barbatus | | | | | | | | |
| CA 370 | glabra , 80 cm, white to light pink, V-VI, Z3-8 (see also GOLD NUGGET SEED®) | 3 | 9 | ☼ ⊕ | 672,00 | 84,00 | 12,00 | 6,00 |
| CA 372 | lyonii 'Pink Temptation' , 40 cm, brilliant pink, compact habit, wide dark green foliage, VII-IX, Z3-7 (see also GOLD NUGGET SEED®) | 3 | 9 | △ × ⊕ | 768,00 | 96,00 | 12,00 | 6,00 |
| CA 374 | obliqua , 80 cm, dark pink, VIII-X, Z5-8 (see also GOLD NUGGET SEED®) | 3 | 9 | × ⊕ | 768,00 | 96,00 | 12,00 | 6,00 |
| CA 375 | obliqua var. alba , 80 cm, white, VIII-X, Z5-8 (see also GOLD NUGGET SEED®) | 3 | 9 | × ⊕ | 768,00 | 96,00 | 12,00 | 6,00 |
| CHENOPODIUM - see Organic Seed | | | | | | | | |
| CHIASTOPHYLLUM (Crassulaceae) | | | | | | | | |
| CA 378 | oppositifolium [Goldtröpfchen, Solar Yellow] , 20 cm, golden, hanging panicles, V-VII, Z4-8 (see also GOLD NUGGET SEED®) | 0,5 | 1/4 | △ | – | 432,00 | 48,00 | 6,00 |
| CHRYSANTHEMUM (Asteraceae, Compositae) | | | | | | | | |
| alpinum - see LEUCANTHEMOPSIS alpina | | | | | | | | |
| arcticum - see ARCTANTHEMUM arcticum | | | | | | | | |
| balsamita (TANACETUM) - see Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| cinerariifolium (TANACETUM) - see Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| coccineum - see TANACETUM coccineum | | | | | | | | |
| corymbosum - see TANACETUM corymbosum | | | | | | | | |
| ircutianum - see LEUCANTHEMUM vulgare | | | | | | | | |
| leucanthemum - see LEUCANTHEMUM vulgare + Organic Seed | | | | | | | | |
| macrophyllum - see TANACETUM macrophyllum | | | | | | | | |
| maximum hort. - see LEUCANTHEMUM x superbum | | | | | | | | |
| montanum - see LEUCANTHEMUM graminifolium | | | | | | | | |
| nipponicum - see NIPPONANTHEMUM nipponicum | | | | | | | | |
| parthenium (TANACETUM) - s. Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| serotinum - see LEUCANTHEMELLA serotina | | | | | | | | |
| vulgare (TANACETUM) - see Perennial Herbs - Culinary, Teas a. Medicinal + Organic Seed | | | | | | | | |
| weyrichii - see DENDRANTHEMA weyrichii | | | | | | | | |
| CHRYSOPSIS (Asteraceae, Compositae) | | | | | | | | |
| CA 492 | villosa (HETEROTHECA) , Golden Aster, 40 cm, golden, VI-VIII, Z3-8 | 2 | 15 | △ | – | 32,00 | 4,00 | 2,00 |
| CICHORIUM intybus var. intybus - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| CIMICIFUGA (ACTAEA) (Ranunculaceae) | | | | | | | | |
| CA 503 | foetida (A. cimicifuga) , Foetid Bugbane, 160 cm, yellow-greenish, VIII-IX, Z3-8 | 5 | 19 | ⊕ ☼ | – | 26,00 | 3,40 | 2,00 |
| CA 504 | racemosa (A. racemosa) , Black Cohosh, 150 cm, white, abundant flowers, VI-VII, Z3-7 | 5 | 19 | × ☼ × | 208,00 | 26,00 | 3,40 | 2,00 |
| CA 500 | racemosa var. cordifolia (rubifolia) (A. cordifolia) , 100 cm, cream-white, VIII-X, Z3-7 | 5 | 19 | × × | 144,00 | 18,00 | 2,60 | 2,60 |
| CA 506 | ramosa (A. simplex) , 200 cm, creamy-white, slightly hanging candles, IX, Z3-8 | 5 | 19 | × | – | 26,00 | 3,40 | 2,00 |
| CA 508 | ramosa 'Atropurpurea' (A. simplex) , 200 cm, creamy-white, intensive red-leaved, from selected plants, IX, Z3-8 | 5 | 19 | × ☼ | 384,00 | 48,00 | 6,00 | 3,00 |
| CIRSIUM (Asteraceae, Compositae) | | | | | | | | |
| CA 520 | acaule , 10 cm, purple-red, VII-IX, Z3-7 | 12 | 9 | △ | – | 96,00 | 12,00 | 5,20 |
| CA 524 | diacanthum (PTILOSTEMON diacantha) , Ivory Thistle, 50 cm, purple, striking foliage, VII-VIII, Z5-8 | 25 | 15 | △ ☼ ⊕ | 98,00 | 14,00 | 2,00 | 4,00 |
| CA 525 | echinocephalum (PTILOSTEMON, LAMIRA) , 30 cm, purple, striking marbled foliage, VII-IX, Z5-8 | 25 | 9 | △ ☼ × | 144,00 | 18,00 | 2,40 | 4,00 |
| CISTUS (Cistaceae) | | | | | | | | |
| CA 542 | incanus ssp. tauricus , Tauric Rock Rose, 100 cm, rose-purple, grey-green leaves, VI-VIII, Z7-10 (see also GOLD NUGGET SEED®) | 3 | 8 | ^ ☼ | 336,00 | 42,00 | 5,20 | 2,60 |
| CA 540 | laurifolius, (AGM) , 150 cm, white with yellow spot, grey-green foliage, evergreen, good winter hardy, VI-VIII, Z6-9 | 5 | 10 | ^ | 368,00 | 46,00 | 6,20 | 3,10 |
| CA 544 | monspeliensis , 80 cm, pure white blossoms, narrow foliage, IV-VII, Z7-10 | 3 | 8 | ^ | 336,00 | 42,00 | 5,20 | 2,60 |



CLEMATIS alpina



CLEMATIS heracleifolia



CLEMATIS integrifolia 'Blue Ribbons'



CLEMATIS tangutica



CLEMATIS hexapetala 'Mongolian Snowflakes'

| | | Gram to get 1000 plants | Nº. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|---|--------|--|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion | |
| CLAYTONIA sibirica - see MONTIA sibirica | | | | | | | | | |
| CLEMATIS (Ranunculaceae) all varieties pure seed | | | | | | | | | |
| | CA 550 | alpine, (AGM), 150 cm, blue, rarely white, V-VIII, Z4-7 | 10 | 9 | △ × | – | 64,00 | 8,00 | 4,00 |
| | CA 554 | flammula, 200 cm, pure white umbels, fragrant, VII-X, Z5-9 | 25 | 9 | △ × | 128,00 | 16,00 | 2,20 | 2,20 |
| | CA 556 | heracleifolia, 80 cm, indigo blue, VIII-IX, Z3-7 | 8 | 9 | △ × | 448,00 | 56,00 | 7,00 | 3,50 |
| NEW! | CA 551 | hexapetala 'Mongolian Snowflakes', (PS), 60 cm, white, perennial, V-VIII, Z5-9 | 10 | 8 | △ × | – | – | 26,00 | 7,60 |
| | CA 558 | integrifolia, 60 cm, steel blue, V-VIII, Z2-7 | 10 | 9 | △ × | 196,00 | 28,00 | 4,00 | 4,00 |
| | CA 553 | integrifolia 'Blue Ribbons', (AGM), 40 cm, indigo blue, large flowers, sturdy upright and bushy habit, decorative silvery flower heads, very durable perennial, V-VIII, Z2-7 | 15 | 9 | × △ × | – | 42,00 | 6,20 | 6,20 |
| | CA 555 | integrifolia Mongolian Bells®, (PS), 35 cm, wide spectrum of colors, pink, white, lavender and blue, compact habit, V-IX, Z3-9 (see also Organic-Seeds) | 10 | 9 | △ × | 448,00 | 64,00 | 8,20 | 5,00 |
| | CA 559 | Macropetala-Hybr., 100 cm, large flowers, light blue to violet, also pink and white, V-VI, Z4-7 | 10 | 9 | △ × | 360,00 | 45,00 | 5,80 | 4,40 |
| | CA 561 | mandschurica, 100 cm, large, white flowering umbels, VII-VIII, Z3-8 | 15 | 16 | △ × | 192,00 | 24,00 | 3,20 | 3,20 |
| | CA 567 | marmoraria, 8 cm, creamy-white flowers, graceful foliage, mostly evergreen, rare! IV-V, Z7-10 | 8 | 8 | △ × | – | – | – | 9,80 |
| | CA 560 | orientalis, 150 cm, golden, open flowers, VII-IX, Z5-9 | 3 | 15 | △ × | 256,00 | 32,00 | 4,00 | 2,00 |
| | CA 562 | paniculata (Gmel.), 200 cm, pure white umbels, endemic to New Zealand, VIII-X, Z5-9 | 5 | 9 | △ × | 496,00 | 62,00 | 7,80 | 3,90 |
| | CA 564 | recta, 100 cm, white umbels, VII-VIII, Z2-8 | 30 | 1 | △ × | 96,00 | 14,00 | 2,00 | 2,00 |
| | CA 565 | recta 'Purpurea', 120 cm, white, fragrant umbels, new growth of stems and foliage is red, VII-VIII, Z2-8 | 30 | 1 | △ × | 192,00 | 24,00 | 3,20 | 3,20 |
| | CA 566 | stans, Japanese Clematis, 160 cm, soft blue, nodding flowers, VIII-IX, Z4-8 | 3 | 9 | △ × | 256,00 | 32,00 | 4,00 | 2,00 |
| | CA 568 | tangutica [Radar Love, Helios], 200 cm, golden, VI, often VIII, Z3-7 | 4 | 15 | △ × | 192,00 | 24,00 | 3,00 | 3,00 |
| NEW! | CA 572 | texensis, 150 cm, red to dark rose, bell shaped flowers, VII-IX, Z4-8 | 30 | 1 | △ × | – | 74,00 | 9,20 | 5,80 |
| | CA 570 | vitalba, 300 cm, very high climbing, white, VII-IX, Z3-8 (see also Organic-Seeds) | 20 | 1 | △ × | 32,00 | 4,60 | 2,00 | 2,00 |
| | CA 571 | viticella, Italian Leather Flower, up to 200 cm, violet-purple, fragrant, vital plant growth, VI-VIII, Z5-9 | 50 | 6 | △ × | 180,00 | 26,00 | 3,80 | 5,80 |
| CLINOPODIUM (Lamiaceae, Labiatae) | | | | | | | | | |
| alpinum - see ACINOS alpinus | | | | | | | | | |
| grandiflorum, nepeta - see CALAMINTHA | | | | | | | | | |
| thymifolia - see MICROMERIA | | | | | | | | | |
| vulgare - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | | | |
| CLINTONIA (Convallariaceae) | | | | | | | | | |
| | CA 580 | borealis, Bluebird, 20 cm, white, spherical umbels, dense foliage clumps, blue berries, V-VI, Z3-9 | 5 | 9 | ⊗ | 320,00 | 42,00 | 5,40 | 3,20 |
| CNICUS benedictus - see Organic Seed | | | | | | | | | |
| COCHLEARIA officinalis - see Organic Seed | | | | | | | | | |

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| CODONOPSIS (Campanulaceae) | | | | | | | |
| NEW! CA 581 | 1 | 9 | △ | – | – | 56,00 | 7,20 |
| CA 584 | 2 | 9 | △ ⊕ | 360,00 | 45,00 | 5,00 | 2,50 |
| CA 583 | 0,3 | 16 | ∞ | – | – | – | 7,20 |
| CA 585 | 4 | 9 | ∞ | – | 192,00 | 24,00 | 6,00 |
| CA 588 | 2 | 16 | △ ⊕ | – | 96,00 | 12,00 | 4,00 |
| CA 588 ovata , 30 cm, light blue, longish-bellshaped flowers with darker veins, oval, blue-green foliage, VI-VIII, Z3-7 | | | | | | | |
| pilosula - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| COLCHICUM - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| COMARUM palustre - see POTENTILLA palustris | | | | | | | |
| COMMELINA (Commelinaceae) | | | | | | | |
| CA 594 | 10 | 15 | ⊕ ^ | 140,00 | 22,00 | 3,40 | 2,60 |
| CA 587 | 10 | 15 | ⊕ ^ | 280,00 | 44,00 | 6,80 | 3,40 |
| CA 589 | 10 | 15 | ⊕ △ ⊕ | 460,00 | 58,00 | 8,20 | 4,80 |
| CA 589 dianthifolia , Dayflower, 20 cm, bright blue flowers, large and abundant flowering, branched upright, dense clumps, narrow foliage, best hardy species. First year flowering, V-IX, Z6-11 | | | | | | | |
| CONOCLINIUM coelestinum - see EUPATORIUM coelestinum | | | | | | | |
| COREOPSIS (Asteraceae, <i>Compositae</i>) | | | | | | | |
| CA 598 | 5 | 16 | ⊕ ⊕ △ | 512,00 | 64,00 | 8,00 | 4,00 |
| CA 601 | 8 | 15 | △ | 192,00 | 24,00 | 3,00 | 2,00 |
| CA 602 | 8 | 15 | ⊕ × ⊕ | 512,00 | 64,00 | 8,00 | 4,00 |
| CA 603 | 6 | 15 | △ ⊕ ⊕ | 512,00 | 64,00 | 8,00 | 4,00 |
| CA 605 | 8 | 15 | ⊕ ⊕ | 1200,00 | 135,00 | 15,00 | 7,50 |
| CA 604 | 8 | 15 | ⊕ △ × ⊕ | 324,00 | 36,00 | 4,20 | 2,10 |
| CA 608 | 8 | 15 | × | 232,00 | 29,00 | 4,20 | 2,10 |
| CA 612 | 8 | 15 | ⊕ | 232,00 | 29,00 | 4,20 | 2,10 |
| CA 614 | 8 | 15 | × | 32,00 | 8,00 | 2,00 | 2,00 |
| CA 615 | 8 | 15 | ⊕ ⊕ | 1350,00 | 150,00 | 18,00 | 9,00 |
| CA 615 grandiflora 'Sunburst' , 90 cm, golden, double and semi-double flowers, VI-IX, Z5-9 | | | | | | | |
| CA 615 grandiflora 'Sunfire' , 45 cm, golden with burgundy red center, single and early flowering, compact habit, blooms in the first year until frost, VI-XI, Z6-9 | | | | | | | |

continued on the following page



CODONOPSIS convolvulacea



CODONOPSIS canescens



CODONOPSIS lanceolata



CODONOPSIS ovata



COMMELINA dianthifolia

| | | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|---|----|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | | from 100 g | from 10 g | from 1 g | Portion |
| COREOPSIS continuation | | | | | | | | | |
| CA 616 | grandiflora 'Sunray' [Sonnenstrahl] , <small>CFS</small> , 50 cm, golden, double and semi-double, VI-IX, Z5-9 | 8 | 15 | ☼ | 232,00 | 29,00 | 4,20 | 2,10 | |
| CA 624 | lanceolata 'Sterntaler' , 40 cm, yellow with brown circle, permanent bloomer, V-X, Z3-8 | 5 | 15 | ✕ | 176,00 | 24,00 | 3,00 | 2,00 | |
| CA 626 | major , 80 cm, golden star-flowers, like <i>C. verticillata</i> but with wider leaves, upright stable habit, VI-IX, Z5-9 | 3 | 9 | ✕ | – | 84,00 | 12,00 | 6,00 | |
| CA 627 | palmata , 60 cm, golden, narrow leaves, VII-VIII, Z4-9 | 10 | 9 | ✕ | 384,00 | 48,00 | 6,00 | 4,00 | |
| CA 625 | pubescens 'Sunshine Superman' , <small>CEB</small> , 25 cm, golden with orange disk, permanent flowering, hairy foliage, wide and bushy habit, VI-IX, Z5-9 | 5 | 15 | ☼ ✕ △ | 384,00 | 48,00 | 6,00 | 3,00 | |
| CA 629 | rosea [American Dream] , 25 cm, pink, VI-VII, Z4-9 | 1 | 16 | △ | 512,00 | 64,00 | 8,00 | 4,00 | |
| CA 630 | tripteris , up to 200 cm, light-yellow with dark center, straight and upright, VII-IX, Z4-9 | 5 | 9 | Sol ✕ | – | 48,00 | 6,00 | 4,50 | |
| NEW! CA 632 | verticillata , 80 cm, golden yellow, fine whorly foliage, rich flowering, VI-IX, Z4-9 | 3 | 1 | Sol ✕ | – | – | 18,00 | 4,80 | |
| CORIANDRUM sativum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |
| CORNUS (CHAMAEPERICLYMENUM) (Cornaceae) | | | | | | | | | |
| CA 642 | canadensis , <small>AGM</small> , 16 cm, white, red berries in fall, VI-VII, Z2-7 | 20 | 6 | ☼ ☼ ☼ ☼ ☼ △ | 380,00 | 48,00 | 6,20 | 3,50 | |
| CORONILLA varia - see SECURIGERA varia | | | | | | | | | |
| CORTIA wallichiana - see SELINUM wallichianum | | | | | | | | | |
| CORTUSA (Primulaceae) | | | | | | | | | |
| CA 648 | matthioli , 30 cm, purple-red, VI-VII, Z4-9 | 1 | 16 | △ | 2730,00 | 342,00 | 38,00 | 6,00 | |
| CORYDALIS (Papaveraceae) | | | | | | | | | |
| NEW! CA 652 | acaulis (PSEUDOFUMARIA) , 25 cm, creamy white, bluish green feathery foliage, wintergreen, V-X, Z5-8 | 3 | 19 | △ ☼ | – | – | 18,00 | 4,50 | |
| CA 655 | caseana ssp. brandegei , 120 cm, white-soft pink, with dark tips, blue-green pinnatifid foliage, upright majestic perennial, VII-VIII, Z4-7 | 10 | 19 | ☼ Sol | – | 86,00 | 12,00 | 6,00 | |
| CA 654 | cava (bulbosa) , 25 cm, lilac-pink, rarely white, shade, III-V, Z4-8 | 20 | 19 | ☼ ✕ ☼ | 128,00 | 16,00 | 2,00 | 2,00 | |
| CA 656 | cheilanthisfolia [Manchu] , 20 cm, yellow, fern-like foliage, decorative, V-VI, Z3-8 | 2 | 19 | △ ☼ | – | – | 18,00 | 4,50 | |
| CA 658 | lutea (PSEUDOFUMARIA) , 20 cm, yellow, blooms over a long season, V-IX, Z4-8 | 10 | 19 | △ ☼ | – | 62,00 | 7,80 | 3,90 | |
| CA 662 | nobilis , 40 cm, yellow-brown spotted, shade, IV-V, Z5-8 | 10 | 19 | △ | 336,00 | 42,00 | 5,40 | 2,70 | |
| CA 666 | ochroleuca (PSEUDOFUMARIA alba) , 20 cm, like <i>C. lutea</i> , but white with yellow spots, V-IX, Z4-8 | 10 | 19 | △ ☼ | – | 72,00 | 9,00 | 4,50 | |
| CA 667 | ophiocarpa , 40 cm, cream yellow flowers with reddish tips, bronze-green fern-like foliage, IV-VI, Z5-9 | 2 | 19 | ☼ ☼ | 496,00 | 62,00 | 7,80 | 3,90 | |
| CA 663 | sempervirens (CAPNOIDES) , 40 cm, pink with yellow, blue-green foliage, flowers all season, self-seeds, short lived, V-IX, Z5-7 | 2 | 9 | ☼ | 246,00 | 32,00 | 4,00 | 2,00 | |
| CA 664 | sempervirens 'Alba' , 40 cm, white with yellow, blue-green foliage, self-seeds, short lived, V-IX, Z5-7 | 2 | 9 | ☼ | – | 40,00 | 5,00 | 2,50 | |
| CA 668 | solida , 20 cm, lilac-pink, shade, III-IV, Z4-8 | 10 | 19 | ☼ | 144,00 | 18,00 | 2,25 | 2,25 | |



COREOPSIS auriculata f. nana 'Elfin Gold'



COREOPSIS grandiflora 'Heliot'



















COREOPSIS pub. 'Sunshine Superman'



COREOPSIS verticillata



CORTUSA matthioli

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| COSMOS (Asteraceae, <i>Compositae</i>) | | | | | | | |
| CA 660  atrosanguineus 'Black Magic' ,   Chocolate Cosmos, 60 cm, velvet burgundy-red almost black blossoms with dark chocolate fragrance, pinnatifid foliage, variable, unique seed strain, perennial if rootstock kept frost free during winter, VI-IX, Z8-12. | 25 | 16 | × ~ ⊕ ⊗ | – | 240,00 | 32,00 | 8,20 |
| COTA tinctoria - see ANTHEMIS tinctoria - see Perennial Herbs + Organic Seed | | | | | | | |
| COTULA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| CA 671 coronopifolia , Brass Buttons, 15 cm, small yellow heads, VI-VIII, Z6-11. | 0,25 | 15 | ⊕ ⊗ | 640,00 | 80,00 | 10,00 | 2,50 |
| CA 672  hispida , 20 cm, brilliant yellow, fine, grey cushions, VI-VIII, Z8-10. | 0,1 | 15 | △ ⊕ | – | 448,00 | 56,00 | 9,00 |
| CRAMBE (Brassicaceae, <i>Cruciferae</i>) | | | | | | | |
| CA 673  cordifolia ,   200 cm, white, VI-VII, Z5-8. | 60 | 8 | Sol × | 192,00 | 24,00 | 3,00 | 9,80 |
| CA 674  maritima ,    Sea Kale, 70 cm, white, blue-grey leaves, V-VII, Z5-8 (<i>s. a. Organic-Seeds</i>) | 100 | 8 | Sol ⊕ | 90,00 | 12,00 | 2,00 | 6,00 |
| CRASPEDIA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| CA 760  lanata , 20 cm, yellow flower heads, grey-feltlike foliage, VI-VII, Z7-9. | 1 | 3/16 | △ ^ | – | – | – | 7,40 |
| CREPIS (Asteraceae, <i>Compositae</i>) | | | | | | | |
| CA 670 pyrenaica , 40 cm, yellow, grey-green, VI-VIII, Z5-8. | 10 | 15 | | 369,00 | 46,00 | 5,70 | 4,30 |
| CRITHMUM maritimum - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| CROCOSMIA (Iridaceae) | | | | | | | |
| CA 682 Paniculata-Hybr. 'Orangerot' , 60 cm, orange-red, variable, VII-X, Z6-9. | 15 | 16 | × | 160,00 | 20,00 | 2,60 | 2,60 |
| CRUCIANELLA stylosa - see PHUOPSIS stylosa | | | | | | | |
| CRYPTOTAENIA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| CUCUBALUS (Caryophyllaceae) | | | | | | | |
| CA 780 baccifer (SILENE baccifer), Berry Catchfly, 120 cm, yellowish-white, black, berry-like fruits, VII-IX, Z6-9. | 5 | 16 | ⊕ ⊗ | 240,00 | 32,00 | 4,20 | 3,00 |
| CUMINUM cyminum - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| CYCLAMEN (Primulaceae) | | | | | | | |
| NEW! CA 686  alpinum (trochopteranthum) , 5 cm, dark rose, delicate foliage, II-IV, Z6-9. | 15 | 1 | △ | – | – | 16,00 | 6,80 |
| CA 688 cilicium ,  10 cm, deep rose, seldom white, IX-X, Z6-9 (<i>s. also GOLD NUGGET SEED®</i>). .. | 15 | 7 | △ | – | 144,00 | 16,00 | 6,80 |
| CA 690 coum ,  5 cm, carmine-rose to white, round to kidney-shaped leaves, II-III, Z5-9 (<i>see also GOLD NUGGET SEED®</i>). | 10 | 7 | △ | 648,00 | 72,00 | 8,00 | 6,00 |
| CA 695  coum ssp. caucasicum (caucasicum) , 5 cm, mostly pink, large flowering with dark eye, heart shaped leaves, II-III, Z5-9 (<i>see also GOLD NUGGET SEED®</i>) | 10 | 7 | △ | – | 144,00 | 16,00 | 6,80 |
| CA 691 coum 'Album' , 5 cm, white, II-III, Z5-9. | 10 | 7 | △ | – | 144,00 | 16,00 | 6,80 |
| CA 689 coum 'Rubrum' , 5 cm, red, II-III, Z5-9. | 10 | 7 | △ | – | – | 16,00 | 6,80 |

continued on the following page



CORYDALIS acaulis



COSMOS atrosanguineus 'Black Magic'



COTULA hispida



CRASPEDIA lanata



CRAMBE cordifolia

Perennials

| | | Gram to get 1000 plants | Nº. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|--|---|--|------------------------------|---------------|-------------------------|-----------|----------|---------|-------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion | |
| CYCLAMEN continuation | | | | | | | | | |
| CA 693 | ☑ | coum 'Silver Leaf Pink' , 5 cm, mostly pink, attractive silver foliage, II-III, Z5-9 | 10 | 7 | △ | – | – | 36,00 | 12,00 |
| NEW! CA 696 | | coum 'Silver Leaf White' , 5 cm, mostly white, striking silvery marbled foliage, II-III, Z5-9 | 10 | 7 | △ | – | – | 36,00 | 12,00 |
| europaeum - see purpurascens | | | | | | | | | |
| CA 697 | | graecum , (AGM), 10 cm, pink, attractive marbled foliage, IX-X, Z7-10 | 10 | 7 | △ | – | 144,00 | 16,00 | 6,80 |
| CA 692 | | hederifolium (neapolitanum) , (AGM), 10 cm, mostly pink, seldom white, variable, VIII-X, Z5-8 (see also GOLD NUGGET SEED®) | 15 | 7 | △ | 648,00 | 72,00 | 8,00 | 6,00 |
| NEW! CA 703 | ☑ | hederifolium f. albiflorum , (AGM), 10 cm, mostly white, variable, VIII-X, Z5-8 | 15 | 7 | △ | – | 72,00 | 8,00 | 6,00 |
| CA 694 | | hederifolium 'Perlenteppich' [White Pearls] , 10 cm, pure white, VIII-X, Z5-8 (see also GOLD NUGGET SEED®) | 15 | 7 | △ | 998,00 | 118,00 | 14,00 | 7,80 |
| CA 698 | | hederifolium 'Rosenteppich' [Pink Pearls] , 10 cm, pink, VIII-X, Z5-8 (see also GOLD NUGGET SEED®) | 15 | 7 | △ | 998,00 | 118,00 | 14,00 | 7,80 |
| CA 810 | | hederifolium 'Silver Leaf Pink' , 10 cm, mostly pink, striking silvery marbled foliage, VIII-X, Z5-8 | 15 | 7 | △ | – | – | 36,00 | 12,00 |
| NEW! CA 812 | | hederifolium 'Silver Leaf White' [Speedy Silver White] , 10 cm, mostly white, striking silvery marbled foliage, VIII-X, Z5-8 | 15 | 7 | △ | – | – | 36,00 | 12,00 |
| CA 699 | | mirabile , 10 cm, pink, IX-XI, Z6-9 | 10 | 7 | △ | – | 144,00 | 16,00 | 6,80 |
| neapolitanum - see hederifolium | | | | | | | | | |
| NEW! CA 730 | ☑ | persicum var. persicum , Wild Persian Cyclamen, 30 cm, white, rose to dark pink with red basal zone, fragrant, variable foliage markings, X-IV, Z9-11 | 20 | 9 | ☐ | – | 72,00 | 8,00 | 6,00 |
| CA 701 | | pseudibericum , (AGM), 10 cm, brilliant red, fragrant, IV-V, Z6-9 | 15 | 7 | △ | – | 144,00 | 16,00 | 6,80 |
| CA 700 | | purpurascens (europaeum) , (AGM), 10 cm, red, VII-IX, Z5-8 | 15 | 8 | △ | – | – | 24,00 | 9,80 |
| CA 702 | | repandum , 20 cm, pink, III-V, Z5-8 | 10 | 1 | △ | – | 144,00 | 16,00 | 6,80 |
| trochopteranthum - siehe alpinum | | | | | | | | | |
| CYMBALARIA (Scrophulariaceae) | | | | | | | | | |
| LA 284 | | muralis (LINARIA cymbalaria) , 10 cm, mauve, creeping or hanging, VI-IX, Z3-8 | 1 | 15 | ☐ | 216,00 | 27,00 | 3,40 | 2,00 |
| LA 285 | | pallida 'Albiflora' (LINARIA) , 10 cm, pure white with yellow throat, compact habit, intensive soft green foliage, VI-IX, Z3-8 | 1 | 15 | ☐ | 380,00 | 48,00 | 7,20 | 2,40 |
| CYNANCHUM - see VINCETOXICUM | | | | | | | | | |
| CYNARA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |
| CYNOGLOSSUM creticum, officinale - s. Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |
| DACTYLICAPNOS scandens - see DICENTRA scandens | | | | | | | | | |
| DALEA - see PETALOSTEMON | | | | | | | | | |
| DAPHNE (Thymelaeaceae) | | | | | | | | | |
| DA 014 | | mezereum , 90 cm, carmine-red, III-IV, Z3-8 | 150 | 5 | ☐ | – | 20,00 | 2,50 | 6,40 |
| DARLINGTONIA (Sarraceniaceae) | | | | | | | | | |
| NEW! DA 004 | | californica , Cobra Lily, 40 cm, yellowish purple flowers, tubular leaves, V-VII, Z7-11 | 1 | 1 | ☐ | – | 420,00 | 46,00 | 6,80 |
| DARMERA - see PELTIPHYLLUM | | | | | | | | | |



CYCLAMEN alpinum



CYCLAMEN coum ssp. caucasicum



CYCLAMEN coum 'Silver Leaf Pink'



CYCLAMEN hederifolium f. albiflorum



CYCLAMEN persicum var. persicum

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|----------------------------------|---|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| DATISCA (Datisceae) | | | | | | | | |
| DA 006 | cannabina , False Hemp, 200 cm, greenish-yellow flower clusters, pinnatifid foliage, VII-VIII, Z5-8 | 0,25 | 16 | Sol × 🍁 | – | 186,00 | 24,00 | 6,00 |
| DEINANTHE (Hydrangeaceae) | | | | | | | | |
| DA 025 | bifida , 40 cm, white blossoms, dense umbels, broad foliage, VII-VIII, Z6-9 | 0,25 | 9 | | – | 498,00 | 64,00 | 8,00 |
| DELOSPERMA (Aizoaceae) | | | | | | | | |
| DA 021 | 📦 congestum (basuticum) [Golden Nugget] , 10 cm, brilliant yellow, abundant flowering, V-VIII, Z5-9 | 1 | 16 | ↔️ △ 🌀 | 3200,00 | 396,00 | 48,00 | 5,40 |
| NEW! DA 031 | 📦 congestum f. album 'White Nugget' , 10 cm, creamy white, abundant flowering, dense, succulent foliage, V-IX, Z5-9 | 1 | 16 | 🌀 △ ↔️ 🌀 | – | – | 64,00 | 7,20 |
| DA 018 | cooperi [Table Mountain®] , [CPB], Ice Plant, 10 cm, carmine-red, V-VIII, Z5-9 | 0,25 | 16 | ↔️ △ 🌀 | – | 352,00 | 44,00 | 4,80 |
| DA 022 | 📦 floribundum Starburst® , [CPB], Ice Plant, 20 cm, brilliant pink-purple with lighter eye, forms shrub-like cushions, V-IX, Z6-9 | 0,25 | 16 | △ 🌀 🌀 | – | 440,00 | 56,00 | 5,80 |
| DA 019 | 📦 hispidia (DROSANTHEMUM) , 10 cm, purple-pink, good hardy, V-VIII, Z6-10 | 0,25 | 9 | △ | – | 792,00 | 88,00 | 7,20 |
| DA 030 | 📦 Luckhoffii-Hybr. [Desert Jewels] , 10 cm, orange, red, pink, white to yellow, very colorful mix with mostly lighter center, green foliage, V-IX, Z6-12 | 0,25 | 16 | △ 🌀 🌀 | – | – | 88,00 | 7,20 |
| DA 017 | sutherlandii , 8 cm, dark rosy-red with yellowish center, V-VIII, Z6-9 | 0,5 | 15 | ↔️ 🌀 🌀 | – | 396,00 | 48,00 | 5,40 |
| DA 016 | sutherlandii 'Peach Star' , 8 cm, brilliant pink with light yellow eye, V-VIII, Z6-9 | 0,5 | 15 | ↔️ 🌀 🌀 | – | – | – | 7,20 |
| DA 033 | hybridus Mixture , 10-30 cm, rich mixture of many nice species and cultivars, also for green roofs, V-VIII, Z6-10 | 0,5 | 16 | 🍁 △ | 1790,00 | 224,00 | 28,00 | 3,50 |



DELOSPERMA congestum



DELOSPERMA floribundum Starburst®



DELOSPERMA congestum f. album 'White Nugget'



DELOSPERMA Luckhoffii-Hybr.



DELOSPERMA hispidia



DELPHINIUM nudicaule 'Laurin'



DELPHINIUM requienii



DELPHINIUM semibarbatum



DELPHINIUM vestitum



DELPHINIUM 'Cobalt Dreams'



DELPHINIUM 'Innocence'



DELPHINIUM 'Pink Punch'



DELPHINIUM 'Mini Stars'



DELPHINIUM 'Blue Lace'



DELPHINIUM 'Green Twist'



DELPHINIUM 'Pagan Purples'



DELPHINIUM 'New Zealand Hybr. Mix'



DELPHINIUM 'Summer Colors'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|--|------------------------------|---------------|-------------------------|-----------|----------|---------------------------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| DELPHINIUM (Ranunculaceae) | | | | | | | |
| DA 027 | barbeyi (subalpinum), Subalpine Larkspur, 100 cm, dark blue-purple, dense panicles, broad dissected foliage, VII-VIII, Z4-7 | | | 5 | 8 | △ × | 512,00 64,00 8,00 6,00 |
| DA 028 | Belladonna 'Bellamosum' [<i>Blue Papillon</i>], 120 cm, dark gentian blue, VI-IX, Z3-8 | | | 8 | 20 | ⊕ × | 160,00 20,00 2,60 2,00 |
| DA 020 | Belladonna 'Casa Blanca' [<i>White Papillon</i>], 150 cm, pure white, VI-IX, Z3-8 | | | | | | |
| DA 024 | Belladonna 'Cliveden Beauty' [<i>Light Blue Papillon</i>], 150 cm, light blue, VI-IX, Z3-8 | | | | | | |
| DA 026 | Belladonna 'Connecticut Yankee' , [AAS], 90 cm, blue shades, lavender and white, VI-IX, Z3-8. | | | 8 | 20 | ⊕ × | 240,00 30,00 3,80 2,90 |
| DA 038 | exaltatum , 160 cm, blue-purple, narrow branched spikes, VII-VIII, Z4-8 | | | 5 | 8 | × | 512,00 64,00 8,00 6,00 |
| DA 042 | grandiflorum 'Blauer Zwerg' [<i>Blue Pygmy</i>], 40 cm, gentian blue, VI-VIII, Z3-8 | | | 5 | 15 | ⊕ ⊕ △ | 240,00 30,00 3,80 2,00 |
| DA 068 | maackianum , 60 cm, dark violet, large flowering, richly branched panicles, dissected roundish foliage, VI-VIII, Z3-7 | | | 5 | 1 | △ | – – – 6,00 |
| NEW! DA 059 | nudicaule 'Fox' , 25 cm, brilliant orange-red, compact habit, glossy green foliage, first year flowering, VI-VIII, Z6-10 | | | 3 | 15 | ⊕ ⊕ ^ | 1540,00 192,00 24,00 3,60 |
| DA 050 | nudicaule 'Laurin' [<i>Redcap</i>], 40 cm, orange-red, VI-VII, Z6-10 | | | 2 | 15 | ⊕ ^ | – 176,00 22,00 3,60 |
| NEW! DA 061 | requienii (maritimum), 80 cm, lilac blue blossom panicles, rich flowering, impressive glossy foliage, vigorous, mostly biennial, VI-IX, Z7-10 | | | 10 | 8 | ⊕ ⊕ | – 96,00 12,00 4,80 |
| DA 054 | semibarbatum (zalii, sulphureum) [<i>Sulphur Spike</i>], 170 cm, yellow, VI-VII, Z5-9 | | | 2 | 9 | ^ × | – 512,00 64,00 5,20 |
| DA 064 | vestitum , 60 cm, blue-violet with deep black bee, unusual rounded foliage, VII-IX, Z6-10 | | | 3 | 15 | – | – 96,00 12,00 3,20 |
| Elatum-Hybr. Guardian F,-Series , 160 cm, early flowering, uniform and fast growing, reliable flowering the 1. year after sowing, best for cut flower production, V-IX, Z3-8 | | | | 5 | 15 | × ⊕ ⊕ | – 880,00 98,00 12,00 |
| DA 600 | 'Guardian Blue' | | | | | | |
| DA 606 | 'Guardian White' | | | | | | |
| Elatum F,-Hybr. New Millennium-Series , 120-160 cm, outstanding colors and flower shapes with magnificently full, semi double to double blossoms, stable and strong flower stalks, vigorous growth, very good winterhardy, tolerate warmer and humid climates, VI-IX, Z3-8, approx. 350 seeds = 1g | | | | 5 | 20 | × ⊕ ⊕ | – 620,00 70,00 8,80 |
| DA 700 | 'Black Eyed Angels' , [EB], brilliant white with black bee, semi double | | | | | | |
| DA 703 | 'Cobalt Dreams' , [EB], brilliant cobalt blue with white bee, semi double | | | | | | |
| DA 704 | 'Dusky Maidens' , [EB] [CS], intensive pink with brown bee, semi double | | | | | | |
| DA 710 | 'Innocence' , [EB], pure white with white bee, semi double | | | | | | |
| DA 712 | 'Lilac Ladies' , [EB], deep mauve with white bee, semi double | | | | | | |
| DA 716 | 'Morning Lights' , [EB], blue-mauve with white bee, semi double | | | | | | |
| DA 719 | 'Pink Blush' , [EB], light coral pink with white bee, semi double | | | | | | |
| DA 720 | 'Pink Princess' , [EB], 60-80 cm, brilliant soft pink with white bee | | | | | | |
| DA 717 | 'Pink Punch' , [EB], intensive dark rose shades with white and brown bee, semi double | | | | | | |
| DA 718 | 'Purple Passion' , [EB], deep purple with white bee, semi double | | | | | | |
| NEW! DA 722 | 'Royal Aspirations' , [EB], deep blue with white bee | | | | | | |
| DA 726 | 'Sunny Skies' , [EB], pale blue with white bee, semi double | | | | | | |
| DA 730 | 'Sweethearts' , [EB] [AGM], intensive pink shades with white bee, semi double | | | | | | |
| DA 740 | 'Super Stars' (Genuine Mix) , [EB], formula mixture, white, pink, blue, purple and violet, semi double | | | | | | |
| DA 788 | 'Mini Stars' [Dwarf Stars] , [EB], 60-80 cm, dwarf and compact color mix, white, pink, blue and violet, semi double | | | 5 | 20 | ⊕ ⊕ | – 675,00 75,00 9,80 |
| DA 754 | 'Blue Lace' , [EB], light blue with a pink tinge, double | | | 5 | 20 | × ⊕ ⊕ | – 675,00 75,00 9,80 |
| DA 758 | 'Double Innocence' , [EB], pure creamy-white, double | | | | | | |
| DA 708 | 'Green Twist' , [EB], white with a green tinge and white-green bee, semi double | | | | | | |
| DA 762 | 'Pagan Purples' , [EB], dark blue-purple, double | | | | | | |
| DA 780 | 'Double Stars' , [EB], double flowering mix, white, pink, blue and violet shades | | | | | | |
| DA 790 | 'New Zealand Hybr. Mix' , [EB], Mixture of open pollinated New Millennium Delphiniums from selected stock, wide range of colour shades, VI-IX, Z3-8 | | | 5 | 20 | × ⊕ ⊕ | 840,00 112,00 15,00 7,50 |
| grandiflorum f. compactum Butterfly-Series , 40 cm, richly branched, first year flowering, VI-VIII, Z3-8 | | | | 5 | 15 | ⊕ △ | 192,00 28,00 4,00 2,40 |
| DA 046 | 'Blue Butterfly' , ultramarine blue | | | | | | |
| DA 044 | 'Light Blue Butterfly' , light blue | | | | | | |
| DA 043 | 'Rose Butterfly' , soft pink | | | | | | |
| DA 045 | 'White Butterfly' , pure white | | | | | | |
| grandiflorum Summer-Series , 20 cm, richly branched, compact habit, VI-VIII, Z3-8 | | | | 3 | 15 | ⊕ ⊕ △ | – 240,00 28,00 5,60 |
| DA 051 | 'Summer Blues' , brilliant light blue | | | | | | |
| DA 052 | 'Summer Cloud' , intense blue, white eye | | | | | | |
| DA 060 | 'Summer Morning' , soft pink | | | | | | |
| DA 053 | 'Summer Nights' , midnight blue | | | | | | |
| DA 055 | 'Summer Stars' , pure white | | | | | | |
| DA 057 | 'Summer Colors' , mixed colours | | | | | | |
| Pacific-Premium-Series , 160 cm, selected colours, mostly semi-double flowers, pyramid shaped flowering stalks, original quality, VI-IX, Z4-8 | | | | 10 | 20 | ⊕ × | 432,00 54,00 7,80 3,90 |
| DA 116 | 'Astolat Premium' , pinkish tones | | | | | | |
| DA 108 | 'Black Knight Premium' , dark violet | | | | | | |
| DA 112 | 'Blue Bird Premium' , medium blue with white bee | | | | | | |
| DA 113 | 'Blue Jay Premium' , medium blue with black bee | | | | | | |
| DA 107 | 'Camelliard Premium' , lavender with dark bee | | | | | | |
| DA 114 | 'Galahad Premium' , pure white | | | | | | |
| DA 118 | 'Guinevere Premium' , pinkish lavender | | | | | | |
| DA 119 | 'King Arthur Premium' , deep blue with white bee | | | | | | |
| DA 117 | 'Percival Premium' , white with dark bee | | | | | | |
| DA 110 | 'Summer Skies Premium' , sky blue | | | | | | |
| DA 120 | 'Premium Formula Mixture' (Roundtable) | | | | | | |

continued on the following page

| | | Gram to get 1000 plants | Nº. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion |
| DELPHINIUM <i>continuation</i> | | | | | | | | |
| Pacific-Hybr. Magic Fountains-Series , 70-90 cm, intensive colours, mostly semi-double flowers, cylindrical flowering stalks, dwarf and sturdy Pacific-Typ, VI-IX, Z3-8 | | | | | | | | |
| DB 010 | 'Dark blue', dark bee | 10 | 20 | ☼ ✂ | 420,00 | 58,00 | 8,40 | 4,20 |
| DB 014 | 'Dark blue', white bee | | | | | | | |
| DB 018 | 'Sky blue', white bee | | | | | | | |
| DB 020 | 'Cherry blossom', white bee | | | | | | | |
| DB 022 | 'Lavender', white bee | | | | | | | |
| DB 026 | 'Lilac-rose', white bee | | | | | | | |
| DB 016 | 'Mid blue', white bee | | | | | | | |
| DB 030 | 'Pure white' | | | | | | | |
| DB 034 | 'White', dark bee | | | | | | | |
| DB 038 | 'Mixture' | | | | | | | |
| Pacific-Group-Series , 180 cm, single to semi-double flowers, variable, occasional with off-colors, VI-IX, Z5-8 | | | | | | | | |
| DA 058 | Astolat-Group , pink | 10 | 20 | ☼ ✂ | 226,00 | 32,00 | 4,60 | 2,30 |
| DA 062 | Black Knight-Group , dark violet/black bee | | | | | | | |
| DA 066 | Blue Bird-Group , medium blue/white bee | | | | | | | |
| DA 078 | Galahad-Group , pure white | | | | | | | |
| DA 086 | King Arthur-Group , dark violet/white bee | | | | | | | |
| DA 090 | Summer Skies-Group , light blue tones | 10 | 20 | ☼ ✂ | 160,00 | 22,80 | 3,40 | 2,00 |
| DA 102 | Deluxe Mixture | | | | | | | |
| DENDRANTHEMA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| CA 484 | ☑ weyrichii (CHRYSANTHEMUM), 15 cm, pink, variable types, VI-VII, Z3-8 | 2 | 15 | △ | – | 90,00 | 12,00 | 4,00 |
| DESMODIUM (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | |
| DA 126 | ☑ canadense , 120 cm, dark pink, blossom panicles on upright stems, VII, Z2-9 | 10 | 15 | | – | 20,00 | 2,50 | 2,50 |
| DIANTHUS (Caryophyllaceae) | | | | | | | | |
| DA 130 | Allwoodii-Hybr. 'Allwoodii Alpinus' , 25 cm, pink shades mostly with dark eye, blue-green foliage, VI-VIII, Z4-8 | 3 | 15 | △ ☼ | 272,00 | 34,00 | 4,40 | 2,20 |
| DA 128 | alpinus , (AGM), 10 cm, red, mostly green foliage, variable, VI-VIII, Z3-7 | 3 | 15 | △ | – | – | – | 7,20 |
| DA 132 | amurensis [Siberian Blues], 30 cm, red-violet, VII-IX, Z3-7 | 3 | 15 | △ ☼ | 448,00 | 56,00 | 7,00 | 3,50 |
| DA 134 | arenarius , 30 cm, white, some with pink zone, fringed blossoms, VII-IX, Z3-8 | 3 | 15 | △ | 160,00 | 20,00 | 2,50 | 2,00 |
| DA 135 | ☑ arenarius f. nanus ' Little Maiden ', (AGM), 15 cm, pure white fringed flowers, fragrant, compact dwarf habit, blue-green foliage, forming dense cushions, VII-IX, Z3-8 | 2 | 15 | △ ◡ | 480,00 | 60,00 | 7,60 | 3,80 |
| DA 140 | ☑ barbatus ' Nigrescens ' [Sooty], (AGM), 35 cm, deeply maroon flowers, fragrant, green foliage matures to metallic mahogany coloured, V-VIII, Z3-8 | 2 | 15 | ✂ ☼ △ | 192,00 | 24,00 | 3,00 | 2,00 |
| DA 144 | barbatus ' Oeschberg ', 50 cm, purple-red, excellent for cutting, Original seed, V-VIII, Z3-8 | 2 | 15 | ✂ ☼ | 112,00 | 16,00 | 2,30 | 2,00 |



DENDRANTHEMA weyrichii



DIANTHUS arenarius 'Little Maiden'



DIANTHUS barbatus 'Nigrescens'



DIANTHUS deltoides 'Arctic Fire'



DIANTHUS petraeus ssp. noeanus

| | | Gram to get 1000 plants | Nº. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|------------------------------|---|---|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion |
| DIANTHUS continuation | | | | | | | | |
| DA 154 | barbatus Mixture , 50 cm, single, V-VIII, Z3-8 | 2 | 15 | ✕ | 32,00 | 8,00 | 2,00 | 2,00 |
| DA 142 | barbatus 'Indianertepich' , 30 cm, single alpine mixture, variable, V-VIII, Z3-8 | 2 | 15 | △ | 112,00 | 16,00 | 2,30 | 2,00 |
| DA 152 | barbatus nanus 'Midget' , 20 cm, rich, single mixture, dwarf, compact habit, V-VIII, Z3-8 | 2 | 15 | △ ⊕ | 280,00 | 36,00 | 4,60 | 2,30 |
| DA 150 | barbatus fl. pl. 'Super Duplex Mix' , 50 cm, good double, V-VIII, Z3-8 | 2 | 15 | ✕ | 112,00 | 16,00 | 2,30 | 2,00 |
| DA 138 | barbatus fl. pl. Nanus [Pinocchio] , 30 cm, dwarf, compact, double, rich mixture, variable, V-VIII, Z3-8 | 2 | 15 | △ | 112,00 | 16,00 | 2,30 | 2,00 |
| | | caesius - see gratianopolitanus | | | | | | |
| DA 162 | carthusianorum , Clusterhead Pink, 40 cm, purple-red, VI-IX, Z3-8 (see also Organic-Seeds) | 3 | 15 | ✕ | 72,00 | 12,00 | 2,00 | 2,00 |
| DA 165 | carthusianorum 'Rupert's Pink' , 20 cm, intense rosy-red, large flowering, grass-like foliage, compact habit, VI-IX, Z3-8 | 2 | 15 | △ ⊕ | – | 90,00 | 12,00 | 4,00 |
| | | caryophyllus fl. pl. Grenadin-Series , 50 cm, VI-VIII, Z7-10 | | | | | | |
| DA 166 | 'Grenadin Yellow' | 5 | 15 | ✕ ☺ | 96,00 | 14,00 | 2,00 | 2,00 |
| DA 168 | 'Grenadin Pink' | | | | | | | |
| DA 170 | 'Grenadin Red' | | | | | | | |
| DA 172 | 'Grenadin Scarlet' | | | | | | | |
| DA 174 | 'Grenadin White' | | | | | | | |
| DA 176 | 'Grenadin Mixture' | 5 | 15 | ✕ ☺ | 72,00 | 12,00 | 2,00 | 2,00 |
| DA 180 | caryophyllus 'Vienna Mixture' , 35 cm, mostly double, dwarf, VI-VII, Z7-10 | 5 | 15 | ☺ | 96,00 | 14,00 | 2,00 | 2,00 |
| DA 192 | cruentus , Blood Carnation, 50 cm, brilliant blood-red, perennial, VI-VIII, Z6-9 | 2 | 15 | ✕ △ | – | – | – | 4,00 |
| DA 194 | deltoides Heath Maiden Pink , 20 cm, wildform, dark rosy-red, intense green foliage cushions, VI-IX, Z3-8 | 1 | 15 | △ | 260,00 | 34,00 | 4,80 | 2,40 |
| | | deltoides single colours , 20 cm, VI-IX, Z3-8 | | | | | | |
| DA 196 | 'Albus' [Confetti White], pure white | 0,5 | 15 | △ ⊕ | 432,00 | 54,00 | 6,00 | 2,00 |
| DA 198 | 'Arctic Fire', white with brilliant red eye | | | | | | | |
| DA 204 | 'Brillant' [Confetti Cherry Red], bright red | | | | | | | |
| DA 208 | 'Erectus', 30 cm, red, upright, bushy habit, green foliage | | | | | | | |
| DA 212 | 'Flashing Light' [Leuchtfunk, Confetti Deep Red], scarlet red, dark foliage | | | | | | | |
| DA 214 | 'Roseus' [Confetti Carmine Pink], bright pink | | | | | | | |
| DA 228 | gratianopolitanus (caesius) 'Grandiflorus' , 20 cm, pink shades with dark eye, fragrant, V-VI, Z3-8 | 3 | 15 | △ ⊕ | 236,00 | 28,00 | 3,60 | 2,40 |
| DA 236 | gratianopolitanus 'Rosafeder' , 20 cm, pure pink, large flowers, fringed blossoms, V-VI, Z3-8 | 3 | 15 | △ | 624,00 | 78,00 | 9,80 | 3,40 |
| DA 250 | haematocalyx , 20 cm, intense pink, yellowish beneath, low cushions, VI-VII, Z7-9 | 2 | 9 | △ w→ | – | – | – | 6,00 |
| DA 238 | isensis 'Dancing Geisha' (chinensis var. laciniatus) , 30 cm, unusual large, drooping and fringed flowers, white, pink, purple and red shades, bluish foliage, VI-IX, Z5-9 | 2 | 15 | ⊕ ⊕ ✕ | – | 598,00 | 68,00 | 7,20 |
| DA 252 | knappii [Yellow Harmony] , Sulphur Pink, 35 cm, yellow blossom heads, VI-VIII, Z3-7 | 3 | 15 | △ | 720,00 | 90,00 | 12,00 | 4,00 |
| DA 254 | microlepis , 5 cm, pure pink, grey-green cushions, VI-VII, Z3-8 | 2 | 15 | △ ⊕ | – | – | – | 7,20 |
| DA 258 | nardiformis , 15 cm, purple-rose, blue-green cushions, VI, Z5-8 | 2 | 15 | △ | – | 48,00 | 6,00 | 3,00 |
| | | neglectus - see pavonius | | | | | | |
| DA 262 | nitidus , 25 cm, pink, loose cushions, VI-VII, Z5-8 | 2 | 15 | △ ⊕ | – | 140,00 | 18,00 | 6,00 |
| DA 260 | pavonius , 5 cm, purple-red, VI, Z4-8 | 2 | 15 | △ | 720,00 | 90,00 | 12,00 | 4,00 |
| DA 264 | petraeus , 15 cm, white, often fringed, dense cushions, stems single-flowered, variable, VI-VIII, Z4-7 | 2 | 16 | △ | 624,00 | 78,00 | 9,80 | 3,40 |
| DA 265 | petraeus ssp. noeanus , Fragrant Snowflake Garden Pink, 20 cm, white, countless deeply fringed single flowers, dense compact cushions, VI-VIII, Z4-8 | 2 | 9 | △ ⊕ | 768,00 | 96,00 | 12,00 | 4,00 |
| DA 268 | pinifolius , 40 cm, rose-lilac, compact cushion forming, needle like foliage, VI-VII, Z4-8 | 1 | 15 | △ ⊕ | – | 96,00 | 12,00 | 4,00 |
| DA 290 | plumarius Mixture , 50 cm, single flowers, V-VII, Z3-8 | 3 | 15 | ✕ △ | 32,00 | 8,00 | 2,00 | 2,00 |
| DA 271 | plumarius Nanus 'Sweetness' , 20 cm, soft pink, rose to dark red shades, mixture of single, fragrant flowers, dwarf, compact habit, V-IX, Z3-8 | 3 | 15 | ⊕ ⊕ △ | 1980,00 | 248,00 | 32,00 | 7,60 |
| DA 272 | plumarius fl. pl. 'Albus' , 50 cm, white, double and semi-double, V-VII, Z3-8 | 3 | 15 | ✕ | 256,00 | 32,00 | 4,00 | 2,00 |
| DA 276 | plumarius fl. pl. 'Roseus' , 50 cm, pink, double and semi-double, V-VII, Z3-8 | 3 | 15 | ✕ | 256,00 | 32,00 | 4,00 | 2,00 |
| DA 284 | plumarius fl. pl. 'Springcharme' [Spring Beauty, Frühlingssonne] , 50 cm, double mixture, V-VII, Z3-8 | 3 | 15 | ✕ | 192,00 | 24,00 | 3,00 | 2,00 |
| DA 288 | plumarius fl. pl. Nanus 'Pink Tones' , 25 cm, very dwarf, compact, good double, V-VII, Z3-8 | 3 | 15 | △ | – | 288,00 | 32,00 | 8,00 |
| DA 296 | pontederae , 50 cm, purple-red, V-VI, Z4-8 | 2 | 15 | △ | 192,00 | 24,00 | 3,00 | 2,00 |
| DA 300 | pyrenaicus , 30 cm, pink, upright, VI-VIII, Z4-8 | 3 | 16 | △ | – | – | 18,00 | 4,00 |
| DA 308 | spiculifolius , 15 cm, white, fringed flowers with red eye, fragrant, dense cushions, V-VIII, Z5-8 | 2 | 15 | △ ⊕ | 450,00 | 58,00 | 8,20 | 3,00 |
| DA 314 | strictus var. bebius , 15 cm, pure white, V-VII, Z3-8 | 3 | 8 | △ | 224,00 | 28,00 | 3,60 | 2,00 |
| DA 316 | subacaulis , 5 cm, light pink, beautiful, flat, blue-green cushions, V-VI, Z4-7 | 3 | 15 | △ | – | 140,00 | 18,00 | 6,00 |
| DA 320 | superbus , Fringed Pink, 45 cm, pink-soft lilac, fragrant, VI-IX, Z3-9 (see also Organic-Seeds) | 1 | 15 | ⊕ | 128,00 | 18,00 | 2,60 | 2,00 |
| DA 322 | superbus 'Primadonna' , 50 cm, pinkish-lilac, VI-VIII, Z3-9 | 1 | 15 | ✕ ⊕ | 384,00 | 48,00 | 6,00 | 3,00 |
| DA 323 | sylvestris , 20 cm, pink, VI-VIII, Z4-8 | 2 | 16 | △ | 400,00 | 44,00 | 5,00 | 2,50 |



DIANTHUS isensis 'Dancing Geisha'



DIANTHUS knappii



DIANTHUS nitidus



DIANTHUS spiculifolius



DIERAMA pulcherrimum 'Sieve Donard Hybr.'



DICENTRA scandens



DIGITALIS ambigua 'Carillon'



DIGITALIS x mertonensis



DIGITALIS purpurea 'Pam's Choice'



DIGITALIS purpurea 'Monstrosa'



DIGITALIS purpurea 'Snow Thimble'

| | Gram to get 1000 plants | N° of the sowing directions | Special Hints | Prices in EURO net per: | | | | | |
|---|---|-----------------------------|---------------|-------------------------|-----------|----------|---------|-------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | | |
| DIASCIA (Scrophulariaceae) | | | | | | | | | |
| DA 329 | barbarae 'Pink Queen' , Twinspur, 20 cm, light pink, large flowering, loose habit, annual, V-VIII, Z7-10 | 2 | 15 | ⊗ w | – | 36,00 | 4,80 | 2,40 | |
| DICENTRA (Papaveraceae, <i>Fumariaceae</i>) | | | | | | | | | |
| DA 327 | cucullaria , Dutchman's Bleeding Heart, 15 cm, white, graceful, dark bluish foliage, IV-V, Z5-8 | 5 | 1/6 | | – | 260,00 | 34,00 | 4,60 | |
| DA 330 | eximia , 30 cm, rosy-red, grows quickly, V-IX, Z3-8 | 10 | 1 | ⊗ Δ | 460,00 | 58,00 | 7,40 | 5,20 | |
| DA 333 | formosa , 30 cm, pink, VI-VIII, Z3-8 | 10 | 1 | Δ | – | 112,00 | 14,00 | 7,00 | |
| DA 337 | scandens (DACTYLICAPNOS) [Golden Tears], 200 cm, yellow with reddish tips, climbing, VI-VIII, Z4-7 | 5 | 3/1 | w ⊗ ⊗ | – | 84,00 | 12,00 | 4,00 | |
| DA 334 | spectabilis (LAMPROCAPNOS), [AGM], Bleeding Heart, 80 cm, pink, heart-shaped flowers, V, Z4-8 | 15 | 3/1 | × × | – | 224,00 | 28,00 | 8,40 | |
| DA 338 | spectabilis 'Alba' [Weißherz], [AGM], 80 cm, pure white forms, V, Z4-8 | 15 | 3/1 | × × | – | 224,00 | 28,00 | 8,40 | |
| DICHELOSTEMMA (Alliaceae, <i>Liliaceae</i>) | | | | | | | | | |
| DA 339 | pulchellum (BRODIAEA pulchella), 45 cm, violet umbels, IV-V, Z4-8 | 2 | 9 | × | 128,00 | 16,00 | 2,00 | 2,00 | |
| DICTAMNUS (Rutaceae) | | | | | | | | | |
| DA 340 | albus var. purpureus (fraxinella), [AGM], Dittany, 80 cm, soft pink with dark veined flowers, white roots, V-VI, Z3-8 (see also <i>Organic-Seeds</i>) | 40 | 19 | w ⊗ | 180,00 | 26,00 | 3,80 | 3,80 | |
| DA 342 | albus var. albiflorus , 80 cm, pure white flowers, V-VI, Z3-8 | 40 | 19 | w ⊗ | 240,00 | 32,00 | 4,20 | 4,20 | |
| DIERAMA (Iridaceae) | | | | | | | | | |
| DA 343 | igneum , 120 cm, bright lilac, open bell shaped flowers, very dense, arching flower spikes, grasslike foliage, VII-X, Z7-10 | 20 | 16 | × Δ Sol | – | 84,00 | 12,00 | 8,00 | |
| DA 346 | pulcherrimum , 150 cm, pale pink to purple flowers, IX-X, Z7-10 | 20 | 16 | Sol × | 340,00 | 42,00 | 5,10 | 5,10 | |
| DA 347 | pulcherrimum 'Album' , 150 cm, white, VIII-X, Z7-10 | 20 | 16 | Sol × | 512,00 | 64,00 | 8,00 | 8,00 | |
| DA 349 | pulcherrimum 'Dark Cerise' , 150 cm, dark purple, VIII-X, Z7-10 | 20 | 16 | Sol × | 512,00 | 64,00 | 8,00 | 8,00 | |
| DA 348 | pulcherrimum 'Sieve Donard Hybr.' [Angel Mix] , 140 cm, red, pink, purple and lavender colored bellflowers, compact habit, VIII-X, Z7-10 | 20 | 16 | Sol × | 340,00 | 42,00 | 5,10 | 5,10 | |
| DA 345 | trichorhizum , 60 cm, pink-purple bellflowers, upright branched flower spikes, compact, grasslike foliage clumps, VII-IX, Z6-10 | 15 | 16 | Δ × | – | 84,00 | 12,00 | 6,00 | |
| DIGITALIS (Scrophulariaceae) | | | | | | | | | |
| DA 350 | ambigua (grandiflora), [AGM], Yellow Foxglove, 80 cm, with large yellow bells, VI-VII, Z3-8 (see also <i>Organic-Seeds</i>) | 1 | 15 | × × | 120,00 | 17,00 | 2,50 | 2,00 | |
| DA 351 | ambigua 'Carillon' [Temple Bells], 35 cm, yellow bellflowers, especially dwarf, VI-VII, Z5-8 | 0,5 | 15 | Δ × × | 1240,00 | 148,00 | 18,00 | 4,50 | |
| DA 353 | ambigua 'Cream Bell' ™, [EB], 40 cm, cream yellow bellflowers, uniform and compact growth, uniform flowering in the first year without vernalization, VI-VIII, Z5-8 | 0,5 | 15 | Δ ⊗ × ⊗ | 3880,00 | 432,00 | 48,00 | 7,20 | |
| DA 354 | ferruginea 'Gigantea' , Rusty Foxglove, 160 cm, yellowish brown, VI-VIII, Z3-9 | 1 | 15 | × × | 160,00 | 20,00 | 2,50 | 2,00 | |
| DA 355 | ferruginea 'Gigantea Gelber Herold' [Krk-Island] , [EB], 150 cm, pure yellow, especially large blossoms, VI-VIII, Z3-9 | 1 | 15 | × × | 384,00 | 48,00 | 6,00 | 3,00 | |
| | grandiflora - see ambigua | | | | | | | | |
| | heywoodii - see purpurea ssp. heywoodii | | | | | | | | |
| DA 362 | laevigata , 80 cm, yellow, brown-spotted, graceful variety, perennial, VI-VIII, Z6-9 | 1 | 9 | × × | – | – | 12,00 | 4,00 | |
| DA 366 | lanata [Café Crème], 80 cm, Woolly Foxglove, white-brown, VI-VIII, Z6-9 (see also <i>Organic-Seeds</i>) | 1 | 15 | × w × | 98,00 | 14,00 | 2,00 | 2,00 | |
| DA 370 | lutea , 80 cm, light yellow, VI-VIII, Z3-9 | 1 | 15 | × w × | 32,00 | 8,00 | 2,00 | 2,00 | |
| DA 374 | x mertonensis [Summer King], [AGM], 80 cm, raspberry-rose, V-VI, Z3-8 | 1 | 15 | × × | 320,00 | 40,00 | 5,00 | 2,50 | |
| DA 378 | obscura Sunset [Dusky Maid], [PS], Sunset Foxglove, 45 cm, beige-brown, interesting variety, seed stalks for dried flower bouquets, VII-IX, Z4-8 | 1 | 16 | × × | 320,00 | 40,00 | 5,00 | 2,50 | |
| DA 382 | parviflora [Milk Chocolate], 60 cm, brown-red, dense candles, seed stalks for floral arrangements, VII-IX, Z3-9 | 1 | 15 | × Δ × | 256,00 | 32,00 | 4,00 | 2,00 | |
| DA 386 | purpurea , Red Foxglove, 120 cm, red, rarely white, VI-VII, Z4-8 (see also <i>Organic-Seeds</i>) | 1 | 15 | ⊗ × × × | 48,00 | 8,00 | 2,00 | 2,00 | |
| DA 388 | purpurea f. albiflora , 100 cm, large flowers, white with dark spots, VI-VII, Z4-8 | 1 | 15 | ⊗ × × × | 96,00 | 14,00 | 2,00 | 2,00 | |
| DA 389 | purpurea 'Apricot' [Sutton's Apricot, Apricot Delight, Apricot Beauty], [EB] [AGM], 100 cm, yellowish-pink, beautiful pastel color, VI-VII, Z4-8 | 1 | 15 | ⊗ × × × | 120,00 | 15,00 | 2,00 | 2,00 | |
| | purpurea 'Berggold' - see <i>Organic Seed</i> | | | | | | | | |
| DA 390 | purpurea 'Excelsior' , 120 cm, large flowering mixture, VI-VII, Z4-8 | 1 | 15 | ⊗ × × × | 96,00 | 14,00 | 2,00 | 2,00 | |
| DA 391 | purpurea 'Foxy' , 80 cm, large flowering mixture, blooms in the first year, VI-VII, Z4-8 | 1 | 15 | ⊗ × × × | 160,00 | 20,00 | 2,50 | 2,00 | |
| DA 392 | purpurea 'Gloxiniaeflora' , 150 cm, large flowering mixture, gloxinia-like flowers, VI-VII, Z4-8 | 1 | 15 | ⊗ × × × | 96,00 | 14,00 | 2,00 | 2,00 | |
| DA 399 | purpurea 'Monstrosa' , 120 cm, white and pink, every stem topped with an unusual large single flower, VI-VII, Z4-8 | 0,5 | 15 | ⊗ × × × | – | 72,00 | 9,60 | 4,80 | |
| DA 385 | purpurea 'Pam's Choice' [Elsie Kelsey], 120 cm, creamy-white bell flowers with deep burgundy splotched throats, very unusual, VI-VII, Z4-8 | 1 | 15 | ⊗ × × × | 576,00 | 72,00 | 9,60 | 4,80 | |
| DA 387 | purpurea 'Snow Thimble' , [EB], 100 cm, pure white bellshaped flowers, unspotted, large flowering, V-VII, Z4-8 | 1 | 15 | ⊗ × × × | 160,00 | 20,00 | 2,50 | 2,00 | |
| DA 384 | purpurea ssp. heywoodii [Silver Fox, Pink Champagne], 75 cm, creamy-white, flushed pink flowers, lanceolate, white woolly foliage, V-VII, Z4-8 | 1 | 16 | ⊗ Δ × × | 240,00 | 30,00 | 3,80 | 2,00 | |
| DA 393 | thapsi Spanish Peaks ®, [PS], 45 cm, purple-rose, throat spotted, branched flower stalks, perennial, V-VII, Z5-9 | 1 | 16 | 4 Δ × | 320,00 | 40,00 | 5,00 | 2,50 | |
| DA 352 | trojana [Helen of Troy], 60 cm, yellow to amber colored flowers with white lip, large flowering, glossy lanceolate leaves, VI-VIII, Z6-9 | 1 | 15 | × × | – | 48,00 | 6,80 | 3,40 | |
| | purpurea F.-Camelot-Series , 120 cm, especially large bell-flowers, dense spikes, more reliable first-year flowering, healthy and uniform growth, V-IX, Z4-8, approx. 800 seeds = 1g | | | | | | | | |
| DA 364 | 'Camelot Cream' | } pelleted seed | 2 | 15 | ⊗ × × | – | – | 78,00 | 9,80 |
| DA 365 | 'Camelot Lavender' | | | | | | | | |
| DA 368 | 'Camelot Rose' | | | | | | | | |
| DA 369 | 'Camelot White' | | | | | | | | |
| DA 372 | 'Camelot Mix' | | | | | | | | |
| DIONYSIA (Primulaceae) | | | | | | | | | |
| DA 396 | involuta , 10 cm, violet with eye, dense cushions, III-IV, Z7-9 | 1 | 16 | Δ Δ Δ | – | – | – | 12,00 | |
| DA 395 | involuta f. alba , 10 cm, white flowers, dense cushions, very rare, III-IV, Z7-9 | 1 | 16 | Δ Δ Δ | – | – | – | 12,00 | |
| DA 397 | teucroides , 5 cm, yellow, dense bushy, III-V, Z7-9 | 1 | 16 | Δ Δ Δ | – | – | – | 12,00 | |

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|---|---|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| DIPLLOTAXIS - see Organic Seed | | | | | | | | |
| DIPSACUS (Dipsacaceae) | | | | | | | | |
| DA 410 | sativus , 200 cm, white to lilac, use for dried flower bouquets, VII-VIII, Z4-8 | 10 | 15 | ☼☺⊗Ⓝ | 32,00 | 8,00 | 2,00 | 2,00 |
| DA 416 | sylvestris (fullonum) , 200 cm, lilac, excellent for dry flower bouquets, VII-VIII, Z3-9 (see also <i>Organic-Seeds</i>) | 10 | 15 | ☼☺⊗ | 32,00 | 8,00 | 2,00 | 2,00 |
| DODECATHEON (Primulaceae) | | | | | | | | |
| DA 418 | clevelandii , 35 cm, purple-red with yellow throat, V-VI, Z4-8 | 2 | 9 | ⊗ △ Ca | – | 144,00 | 18,00 | 6,00 |
| | jeffreyi - see tetrandrum | | | | | | | |
| DA 420 | meadia , (AGM), Shooting Star, 40 cm, pink, V-VI, Z3-7 (see also GOLD NUGGET SEED®) | 2 | 9 | ⊗ △ Ca | 675,00 | 90,00 | 12,00 | 4,00 |
| DA 422 | meadia f. album , (AGM), 40 cm, pure white, V-VI, Z3-7 (see also GOLD NUGGET SEED®) | 2 | 9 | ⊗ △ Ca | – | – | – | 8,00 |
| DA 423 | meadia 'Goliath' , (E), 70 cm, lilac-rose, very large flowering, strong stems, excellent cut flower, V-VI, Z3-7 (see also GOLD NUGGET SEED®) | 2 | 9 | ⊗ Ca | 768,00 | 96,00 | 12,00 | 4,00 |
| DA 424 | meadia 'Red Colors' , 40 cm, flowers intensive colored, V-VI, Z3-7 (see also GOLD NUGGET SEED®) | 2 | 9 | ⊗ △ Ca | 896,00 | 112,00 | 14,00 | 4,70 |
| DA 421 | meadia Deluxe mixture , 40 cm, white, pink, red, lilac, V-VI, Z3-7 (see also GOLD NUGGET SEED®) | 2 | 9 | ⊗ △ Ca | 576,00 | 72,00 | 9,20 | 3,10 |
| DA 425 | pulchellum , (AGM), 25 cm, lilac-rose, V-VI, Z3-7 (see also GOLD NUGGET SEED®) | 2 | 9 | ⊗ △ Ca | 1152,00 | 144,00 | 18,00 | 6,00 |
| DA 426 | tetrandrum (jeffreyi) 'Rotlicht' [Red Light], (E), 40 cm, bright red, V-VI, Z4-8 (see also GOLD NUGGET SEED®) | 2 | 9 | ⊗ △ Ca | – | 144,00 | 18,00 | 6,00 |
| DORONICUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| DA 428 | austriacum , 120 cm, golden, numerous flowers on multibranching stems, VI-VII, Z3-7 | 3 | 16 | | 369,00 | 46,00 | 6,20 | 3,10 |
| DA 434 | orientale 'Finesse' , 50 cm, yellow, fine radial blossoms, IV-V, Z3-7 | 3 | 15 | ⊗ | 1400,00 | 160,00 | 18,00 | 5,40 |
| DA 437 | orientale 'Leonardo'™ , (E) (E), 35 cm, large golden ray flowers, compact growth, very early flowering, III-V, Z3-8 | 2 | 15 | △ ☼ ☼ | – | 280,00 | 32,00 | 7,20 |
| DA 435 | orientale 'Little Leo' , 35 cm, golden yellow with a double set of petals, compact, IV-V, Z4-8 | 2 | 15 | ☼ | – | 320,00 | 36,00 | 7,80 |
| DA 438 | orientale 'Magnificum' [Medaillon d'Or], 50 cm, yellow, large blooms, IV-V, Z3-7 | 3 | 15 | ⊗ | 660,00 | 88,00 | 12,00 | 3,80 |
| DA 440 | pardalianches , 80 cm, flowers light yellow on branched stems, VI-VII, Z4-8 | 3 | 16 | | 320,00 | 40,00 | 5,00 | 2,50 |
| DOROTHEANTHUS (Aizoaceae) | | | | | | | | |
| DA 427 | bellidiformis , Livingstone Daisy, 20 cm, brilliant colours, white, yellow, pink to purple, VII-IX, Z6-10 | 1 | 15 | ☼ △ ☼ | 160,00 | 24,00 | 3,60 | 2,00 |
| DORYCNium (LOTUS) (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | |
| DA 442 | hirsutum , (AGM), 40 cm, white with pink, silky-silvery leaves, very decorative, VII-IX, Z6-10 (see also <i>Organic-Seeds</i>) | 10 | 9/10 | △ ⊗ ☼ | 460,00 | 62,00 | 8,00 | 6,00 |
| DA 443 | pentaphyllum ssp. germanicum , 50 cm, white, VII-IX, Z6-10 | 6 | 9/10 | | 184,00 | 23,00 | 3,00 | 2,00 |



DODECATHEON meadia Deluxe mixture



DORONICUM orientale 'Leonardo'™







DORYCNium pentaphyllum ssp. germanicum



DRABA aizoides 'Napoleon'™



DRACOCEPHALUM argunense 'Fuji Blue'

| | | | | Prices in EURO net per: | | | | | |
|--|-----------------------------|--|------|-------------------------|-----------|----------|---------|-------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | | |
| Gram to get 1000 plants | N° of the sowing directions | Special Hints | | | | | | | |
| DRABA (Brassicaceae, <i>Cruciferae</i>) | | | | | | | | | |
| DA 446 | | aizoides , 3 cm, yellow, very early, green cushions, evergreen, III-IV, Z3-8 | 1 | 15 | △ △ | 1800,00 | 240,00 | 32,00 | 4,00 |
| DA 467 | ☑ | aizoides 'Napoleon'™ , 10 cm, brilliant yellow, large and rich flowering, well branched and compact, evergreen rosettes, III-IV, Z3-8 | 1 | 15 | △ ☐ | – | 576,00 | 64,00 | 4,80 |
| DA 488 | | bruniifolia ssp. olympica , 5 cm, golden, very abundant flowering, dense cushions, IV-V, Z3-9 | 1 | 16 | △ △ | – | 340,00 | 42,00 | 6,50 |
| DA 455 | | cretica , 8 cm, light yellow racemes, compact cushions, hairy seed heads, III-V, Z7-10 | 1 | 16 | △ | – | – | 32,00 | 4,00 |
| DA 449 | | lasiocarpa , 8 cm, golden, III-IV, Z4-8 | 1 | 16 | △ △ | – | 336,00 | 42,00 | 6,00 |
| DA 448 | | loiseleurii , 10 cm, white, III-IV, Z7-10 | 1 | 15 | △ | – | 160,00 | 20,00 | 3,20 |
| DA 490 | | oligosperma , 5 cm, yellow, loose cushions, IV-VI, Z3-8 | 0,25 | 15 | △ | – | 240,00 | 32,00 | 4,00 |
| DA 450 | | ramosissima , 15 cm, white, mat forming, IV-V, Z4-7 | 1 | 9 | △ | – | 160,00 | 20,00 | 3,20 |
| DA 492 | | rosularis , 10 cm, yellow, haired cushions, IV-V, Z5-8 | 0,25 | 15 | △ | – | – | 32,00 | 4,00 |
| DA 451 | | sakuraii , 10 cm, white, dense cushions, IV-V, Z4-8 | 0,5 | 15 | △ △ | – | – | 48,00 | 6,00 |
| DRACOCEPHALUM (Lamiaceae, <i>Labiatae</i>) | | | | | | | | | |
| DA 480 | ☑ | argunense 'Fuji Blue' ,  , 30 cm, bright blue flower spikes, needle like, leathery, dark green foliage, forms compact durable clumps, VI-VIII, Z4-8 (see also GOLD NUGGET SEED®) | 10 | 8 | △ ☐ | 576,00 | 72,00 | 8,00 | 6,00 |
| DA 482 | ☑ | argunense 'Fuji White' ,  , 30 cm, white flower spikes, needle like, leathery, dark green foliage, forms compact durable clumps, VI-VIII, Z4-8 (see also GOLD NUGGET SEED®) | 10 | 8 | △ ☐ | 576,00 | 72,00 | 8,00 | 6,00 |
| DA 453 | | austriacum , 40 cm, violet, large flowering, fine dissected foliage, VI-VII, Z4-8 | 5 | 8 | △ | 768,00 | 96,00 | 12,00 | 6,00 |
| DA 483 | ☑ | botryoides , 15 cm, pink flower panicles, grey-green, pinnatifid leaves, evergreen cushions, IV-V, Z4-8 | 3 | 9 | △ | 512,00 | 64,00 | 8,00 | 4,00 |
| DA 487 | ☑ | imberbe , 15 cm, bright purple-blue, VI-VII, Z2-7 | 5 | 9 | △ | – | – | – | 7,20 |
| moldavica - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |
| DA 472 | ☑ | peregrinum 'Blue Dragon' ,  , 30 cm, violet blue, rich and large flowering, dense blue-green, bushy clumps, VI-IX, Z4-8 | 8 | 16 | △ ☐ | 480,00 | 60,00 | 7,60 | 5,70 |
| DA 474 | | renati , 25 cm, creamy-white with pink flush, light green, aromatic foliage, VI-VIII, Z4-8 | 7 | 16 | △ ☐ ☐ | 304,00 | 38,00 | 4,60 | 2,30 |
| DA 456 | | rupestre (grandiflorum hort.) , 30 cm, intense blue, dense, bush-forming, VII-VIII, Z4-8 | 5 | 16 | △ | – | 60,00 | 7,60 | 3,60 |
| DA 454 | | ruyschiana [Blue Moon] , 25 cm, blue, VI-VIII, Z3-8 | 7 | 16 | △ | 320,00 | 40,00 | 5,00 | 3,80 |
| DROSANTHEMUM - see DELOSPERMA | | | | | | | | | |
| DRYAS (Rosaceae) | | | | | | | | | |
| DA 462 | ☑ | drummondii , 20 cm, large yellow, nodding flowers, green cushions, V-VII, Z2-9, . . . pure seed | 2 | 15 | △ ↗ | 1536,00 | 192,00 | 24,00 | 6,00 |
| DA 460 | | octopetala ,  , 10 cm, white, IV-VI, Z2-9, pure seed | 3 | 15 | △ ↗ | 1152,00 | 144,00 | 18,00 | 4,50 |
| DUCHESNEA (Rosaceae) | | | | | | | | | |
| DA 464 | | indica (FRAGARIA) [Tutti Frutti] , Indian Strawberry, 10 cm, yellow, upright red berries, groundcover, VI-IX, Z4-9 | 1 | 16 | ☐ ↗ ↘ | 224,00 | 28,00 | 3,60 | 2,00 |



DRACOCEPHALUM argunense 'Fuji White'



DRACOCEPHALUM imberbe



DRACOCEPHALUM botryoides



DRACOCEPHALUM peregrinum 'Blue Dragon'



DRYAS drummondii

Perennials



ECHINACEA angustifolia



ECHINACEA pallida 'Hula Dancer'



ECHINACEA purpurea 'Doubledecker'



ECHINACEA purpurea 'Happy Star'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ECHINACEA (RUDBECKIA) (Asteraceae, Compositae) | | | | | | | |
| EA 003 | 10 | 9 | ☞ ☞ | 144,00 | 24,00 | 3,60 | 3,60 |
| angustifolia, Narrow Coneflower, up to 50 cm, pink to red, petals shorter but wider than E. pallida, with yellow pollen, VI-X, Z3-8 (see also GOLD NUGGET SEED® + Organic-Seeds) | | | | | | | |
| EA 004 | 15 | 15 | ☞ ☞ | 68,00 | 14,00 | 2,00 | 2,00 |
| pallida, Pale Coneflower, 80 cm, pink, long hanging petals, with whitish pollen, VII-IX, Z3-8 (see also Organic-Seeds) | | | | | | | |
| EA 005 | 15 | 9 | ☞ ☞ | 192,00 | 24,00 | 3,60 | 3,60 |
| pallida 'Hula Dancer', 80 cm, white with pink tinge, long hanging petals, narrow foliage, VII-IX, Z3-8 (see also GOLD NUGGET SEED®) | | | | | | | |
| EA 006 | 15 | 9 | ☞ ☞ | 192,00 | 24,00 | 3,60 | 3,60 |
| paradoxa var. paradoxa, 80 cm, bright yellow, very unusual, VII-X, Z4-9 (see also GOLD NUGGET SEED® + Organic-Seeds) | | | | | | | |
| RA 180 | 10 | 15 | ☞ ☞ | 32,00 | 8,00 | 2,00 | 2,00 |
| purpurea (RUDBECKIA), Purple Coneflower, 100 cm, purple-rose, VII-IX, Z3-8 (see also Organic-Seeds) | | | | | | | |
| RA 186 | 10 | 15 | ☞ ☞ | 126,00 | 18,00 | 2,60 | 2,60 |
| purpurea 'Alba' [White Swan], 100 cm, white, VII-IX, Z3-8 | | | | | | | |
| RA 191 | 10 | 15 | ☞ ☞ | 280,00 | 46,00 | 7,20 | 5,40 |
| purpurea 'Baby Swan Pink', 50 cm, deep pink, compact habit, richly branched, VI-IX, Z3-8 | | | | | | | |
| RA 187 | 10 | 15 | ☞ ☞ | 280,00 | 46,00 | 7,20 | 5,40 |
| purpurea 'Baby Swan White', 50 cm, white, compact habit, richly branched, VI-IX, Z3-8 | | | | | | | |
| RA 195 | 6 | 15 | ☞ ☞ | – | 625,00 | 72,00 | 9,80 |
| Purpurea-Hybr. 'Cheyenne Spirit', 50-80 cm, yellow, orange and fire red colors, vigorous and sturdy, first year flowering, VI-X, Z4-8 | | | | | | | |
| RA 185 | 10 | 15 | ☞ ☞ | 576,00 | 72,00 | 9,00 | 6,75 |
| purpurea 'Doubledecker' [Indiaca, Indianer], 120 cm, purple-red blossoms. During the first growing season ordinary single flowers occur. By year two, a very high percentage of reliable "twins" are produced on sturdy stems. Some of the flowers may even be fully double, variable. A very unusual breeding result from Eugen Schleipfer, VII-IX, Z3-8 | | | | | | | |
| RA 244 | 10 | 15 | ☞ ☞ | 864,00 | 96,00 | 12,00 | 7,20 |
| purpurea 'Green Twister', Green Coneflower, 100 cm, lemon green with increasing carmine-red center, horizontal flower petals, uniform sturdy habit, abundant flowering, VII-IX, Z3-8 | | | | | | | |
| RA 196 | 10 | 15 | ☞ ☞ | 336,00 | 42,00 | 5,40 | 4,00 |
| purpurea 'Happy Star', 100 cm, bright white with orange-yellow disk, distinctly horizontal flower petals, vigorous and sturdy, very durable and long-lived white form of 'Ruby Star', VII-IX, Z3-8 | | | | | | | |
| RA 246 | 10 | 15 | ☞ ☞ | 864,00 | 96,00 | 12,00 | 7,20 |
| Purpurea-Hybr. 'Mellow Yellows', 80 cm, light yellow to dark yellow colors, vigorous and sturdy, first year flowering, VI-X, Z4-8 | | | | | | | |
| RA 182 | 10 | 15 | ☞ ☞ | 192,00 | 24,00 | 3,60 | 3,60 |
| purpurea 'Magnus', 100 cm, intense red, wide horizontal petals, very long lasting as a cut flower, VII-IX, Z3-8 (see also Organic-Seeds) | | | | | | | |
| RA 181 | 10 | 15 | ☞ ☞ | 336,00 | 42,00 | 5,40 | 4,00 |
| purpurea 'Magnus Superior', 100 cm, intensive carmine-red, wide, horizontal petals, large orange-red cone, dark stems and uniform habit, an improvement of the standard seed cultivar 'Magnus', VII-IX, Z3-8 | | | | | | | |
| RA 254 | 6 | 15 | ☞ ☞ | – | 498,00 | 58,00 | 9,80 |
| purpurea 'PowWow® Wild Berry', 45 cm, bright carmine, rich flowering already in the first year, compact and bushy habit, suitable for container production, VI-IX, Z4-10 | | | | | | | |
| RA 255 | 6 | 15 | ☞ ☞ | – | 498,00 | 58,00 | 9,80 |
| purpurea 'PowWow® White', 45 cm, bright white, rich flowering already in the first year, compact and bushy habit, suitable for container production, VI-IX, Z4-10 | | | | | | | |
| RA 193 | 6 | 15 | ☞ ☞ | 1296,00 | 135,00 | 15,00 | 7,50 |
| purpurea 'Prairie Splendor', 60 cm, rosy-red with brown center, uniform habit, rich flowering, VI-IX, Z3-8, approx. 250 seeds = 1g | | | | | | | |
| RA 188 | 10 | 15 | ☞ ☞ | 460,00 | 54,00 | 6,40 | 4,80 |
| purpurea 'Primadonna Deep Pink', 90 cm, deep pink, VII-IX, Z3-8 | | | | | | | |
| RA 189 | 10 | 15 | ☞ ☞ | 460,00 | 54,00 | 6,40 | 4,80 |
| purpurea 'Primadonna White', 80 cm, brilliant white, VII-IX, Z3-8 | | | | | | | |
| RA 183 | 10 | 15 | ☞ ☞ | 336,00 | 42,00 | 5,40 | 4,00 |
| purpurea 'Rubinstern' [Ruby Star], 100 cm, intense carmine-red, horizontal flower petals, shorter petals but with wider disk, VII-IX, Z3-8 | | | | | | | |
| RA 184 | 10 | 15 | ☞ ☞ | 192,00 | 24,00 | 3,60 | 3,60 |
| purpurea 'Verbesserte Leuchtstern' [Starlight, Bright Star Improved], 100 cm, purple-red, VII-IX, Z3-8 | | | | | | | |
| RA 250 | 10 | 15 | ☞ ☞ | 56,00 | 8,00 | 2,00 | 2,00 |
| purpurea 'Lustre Hybr.', 120 cm, white, pink to red-purple, mixed colours, VII-IX, Z3-8 | | | | | | | |
| EA 007 | 15 | 9 | ☞ ☞ | 192,00 | 24,00 | 3,60 | 3,60 |
| simulata, 80 cm, pale-pink, drooping petals, similar to E. pallida but with lighter colored flowers and yellowish pollen, VI-VIII, Z3-8 (see also GOLD NUGGET SEED®) | | | | | | | |
| EA 008 | 12 | 9 | ☞ ☞ | 192,00 | 24,00 | 3,60 | 3,60 |
| tennesseensis 'Rocky Top Hybr.', 60 cm, pink, bent upward petals, lanceolate foliage, VII-IX, Z4-9 (see also GOLD NUGGET SEED® + Organic-Seeds) | | | | | | | |
| ECHINOPS (Asteraceae, Compositae) | | | | | | | |
| EA 010 | 60 | 15 | ☞ ☞ | 98,00 | 14,00 | 2,00 | 3,50 |
| bannaticus 'Blue Glow', 120 cm, intense blue, more decorative flower heads than E. ritro, VII-IX, Z3-8, pure seed | | | | | | | |
| EA 011 | 50 | 15 | ☞ ☞ | 140,00 | 20,00 | 2,50 | 2,50 |
| bannaticus 'Star Frost', 100 cm, pure white spherical flowers, richly branched, sturdy stems, healthy dark green foliage, leaf underside grey, first year flowering from seed, VII-IX, Z3-8, pure seed | | | | | | | |
| EA 012 | 50 | 15 | ☞ ☞ | 140,00 | 20,00 | 2,50 | 2,50 |
| niveus (sphaerocephalus hort.) 'Arctic Glow', 80 cm, large white ballflowers, red stems, green-silvery foliage, VI-VIII, Z3-8, pure seed | | | | | | | |
| EA 014 | 50 | 15 | ☞ ☞ | 72,00 | 12,00 | 2,00 | 3,20 |
| ritro, 100 cm, blue blossom heads, VII-IX, Z3-8 (see also Organic-Seeds), pure seed | | | | | | | |
| EA 016 | 40 | 15 | ☞ ☞ | 140,00 | 20,00 | 2,50 | 2,50 |
| ritro ssp. ruthenicus 'Platinum Blue', 60 cm, brilliant sky-blue, dark green, finely feathered foliage, white-woolly stems, VII-IX, Z3-8, pure seed | | | | | | | |



ECHINACEA purpurea 'Magnus Superior'



ECHINACEA purp. 'PowWow® Wild Berry'



ECHINACEA purp. 'PowWow® White'



ECHINACEA purpurea 'Prairie Splendor'



ECHINACEA purpurea 'Green Twister'



ECHINACEA Purpurea-Hybr. 'Mellow Yellows'



ECHINACEA tenness. 'Rocky Top Hybr.'



ECHINOPS bannaticus 'Star Frost'



ECHINOPS niveus 'Arctic Glow'



ECHINOPS ruthenicus 'Platinum Blue'

Perennials



ECHIUM amoenum 'Red Feathers'



ECHIUM russicum



ENGELMANNIA peristenia



EPILOBIUM fleischeri



ERINUS alpinus var. albus

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ECHIUM (Boraginaceae) | | | | | | | |
| EA 015 | 5 | 15 | ☼ ☼ △ | 768,00 | 96,00 | 12,00 | 6,00 |
| EA 015 ☼ amoenum (russicum f. nanum) 'Red Feathers' , [PS], 35 cm, russet-red compact flower spikes, narrow foliage, reblooms after dead-heading, V-VIII, Z3-9 (see also <i>Organic-Seeds</i>) . . . | | | | | | | |
| EA 017 | 5 | 15 | △ ☼ | 384,00 | 48,00 | 6,00 | 3,00 |
| EA 017 ☼ russicum (rubrum) , 60 cm, dark red flower panicles, VI-VIII, Z5-8 (see also <i>Organic-Seeds</i>). . . vulgare - see <i>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</i> | | | | | | | |
| EDRAIANTHUS (Campanulaceae) | | | | | | | |
| EA 021 | 1 | 15 | △ | – | 240,00 | 30,00 | 6,00 |
| EA 021 graminifolius , Grassy Bells, 10 cm, violet-blue, VI-VIII, Z4-9. | | | | | | | |
| EA 029 | 1 | 8 | △ | – | – | – | 8,00 |
| EA 029 graminifolius 'Albus' , 10 cm, white, VI-VIII, Z4-9. | | | | | | | |
| EA 022 | 0,5 | 8 | △ ◐ | – | – | 98,00 | 9,20 |
| EA 022 pumilio , [AGM], 5 cm, blue-violet, forms cushions, VI-VII, Z5-8 | | | | | | | |
| EA 025 | 1 | 9 | △ | – | 160,00 | 20,00 | 5,00 |
| EA 025 tenuifolius , 10 cm, violet-blue blossoms, VI-VII, Z4-8. | | | | | | | |
| ELSHOLTZIA (Lamiaceae, Labiatae) | | | | | | | |
| EA 026 | 2 | 15 | ☼ × ☼ | 592,00 | 74,00 | 9,20 | 4,60 |
| EA 026 stauntonii , 150 cm, rose-purple, blossom panicles, very aromatic, IX-X, Z4-9 | | | | | | | |
| EMPETRUM (Empetraceae) | | | | | | | |
| EA 048 | 3 | 1 | △ w> | 320,00 | 40,00 | 5,00 | 2,50 |
| EA 048 nigrum , 20 cm, pink, black berries, V-VI, Z3-8 | | | | | | | |
| ENGELMANNIA (Asteraceae, Compositae) | | | | | | | |
| EA 074 | 10 | 15 | △ ☼ | 320,00 | 46,00 | 6,60 | 4,20 |
| EA 074 ☼ peristenia (pinnatifida) , [PS], Engelman's Daisy, 50 cm, brilliant yellow ray flowers, feathery foliage, bushy habit, V-VIII, Z4-10, pure seed | | | | | | | |
| EPHEDRA (Ephedraceae) | | | | | | | |
| NEW! EA 032 | 15 | 8 | △ & | – | – | – | 7,40 |
| NEW! EA 032 distachya ssp. helvetica , Swiss Ephedra, 20 cm, greenish yellow blossoms, richly branched, bluish green clumps, IV-V, Z4-8 | | | | | | | |
| EPILOBIUM (Onagraceae) | | | | | | | |
| EA 034 angustifolium - see <i>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</i> | | | | | | | |
| EA 034 | 1 | 16 | △ | 720,00 | 90,00 | 12,00 | 4,00 |
| EA 034 dodonaei (CHAMAENERION) , 100 cm, large light pink blossoms in racemes, for dry areas, rosemary like foliage, VII-IX, Z5-8 | | | | | | | |
| EA 038 | 1 | 16 | △ ☼ | 896,00 | 112,00 | 14,00 | 3,50 |
| EA 038 ☼ fleischeri (CHAMAENERION) , [PS], Alpine Willowherb, 30 cm, pink, VII-IX, Z3-7. hirsutum - see <i>Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed</i> | | | | | | | |
| ERANTHIS (Ranunculaceae) | | | | | | | |
| EA 051 | 10 | 1 | ☼ | 144,00 | 18,00 | 2,40 | 2,40 |
| EA 051 hyemalis , [AGM], Winter Aconite, 10 cm, golden, II-III, Z3-7. | | | | | | | |
| EREMURUS (Asphodelaceae, Liliaceae) | | | | | | | |
| EA 052 | 30 | 14 | × Sol | 160,00 | 20,00 | 2,80 | 2,80 |
| EA 052 aitchisonii (elwesii) , 200 cm, soft pink, wide foliage, V-VI, Z5-9 | | | | | | | |
| EA 054 | 20 | 14 | × | 160,00 | 20,00 | 2,80 | 2,80 |
| EA 054 x isabellinus 'Erfo-Hybr.' , 160 cm, a real improvement of Shelford-Hybr. (Ruiter-Hybr.), early flowering, mixture of white, pink, yellow and orange shades, VI-VIII, Z4-9. | | | | | | | |
| EA 062 | 50 | 14 | × | 98,00 | 14,00 | 2,00 | 4,00 |
| EA 062 robustus , [AGM], 250 cm, soft pink, VI-VII, Z5-9 | | | | | | | |

| | | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|---|------|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | | from 100 g | from 10 g | from 1 g | Portion |
| ERICA spiculifolia - see BRUCKENTALIA | | | | | | | | | |
| ERIGERON (Asteraceae, <i>Compositae</i>) | | | | | | | | | |
| EA 084 | aurantiacus , 40 cm, orange-copper, VII-VIII, Z5-8 | 1 | 15 | △ | – | 384,00 | 48,00 | 8,00 | |
| EA 107 | compositus , 5 cm, white with a hint of lavender blue, variable, VI, Z4-7 | 1 | 16 | △ ⊕ | – | – | 36,00 | 6,00 | |
| EA 088 | glaucus , 20 cm, violet-blue, large flowers, VI-IX, Z3-8 | 1 | 16 | △ | 1152,00 | 144,00 | 18,00 | 4,50 | |
| EA 089 | glaucus 'Albus' , 20 cm, white, large flowers, VI-IX, Z3-8 | 1 | 16 | △ | – | – | 28,00 | 7,00 | |
| EA 090 | karvinskianus 'Blütenmeer' [Stallone] , (AGM), 20-30 cm, white-pink, VI-X, Z6-9 | 0,25 | 15 | ⊕ ^ ⊕ | 3520,00 | 374,00 | 42,00 | 5,40 | |
| EA 094 | linearis , 15 cm, yellow, narrow foliage, V-VI, Z3-7 | 1 | 15 | △ | – | – | 36,00 | 6,00 | |
| EA 092 | speciosus 'Azurfee' [Azure Fairy] , 50 cm, lavender, semi-double, VI-VIII, Z3-9 | 1 | 15 | × | 1080,00 | 114,00 | 12,00 | 4,00 | |
| EA 096 | speciosus 'Grandiflorus' , 75 cm, blue colors, VI-VIII, Z3-9 | 1 | 15 | × | 336,00 | 42,00 | 5,40 | 2,00 | |
| EA 100 | speciosus 'Rosa Juwel' [Pink Jewel] , 70 cm, lilac-rose, VI-VIII, Z3-9 | 1 | 15 | × | 336,00 | 42,00 | 5,40 | 2,00 | |
| trifidus - see compositus | | | | | | | | | |
| ERINUS (Scrophulariaceae) | | | | | | | | | |
| EA 110 | alpinus , (AGM), 15 cm, violet-red, V-VII, Z4-7 | 0,5 | 4/15 | △ w→ | 1280,00 | 160,00 | 20,00 | 3,40 | |
| EA 111 | alpinus var. albus , 15 cm, pure white, V-VII, Z4-7 | 0,5 | 4/15 | △ | – | 192,00 | 24,00 | 4,00 | |
| EA 112 | alpinus 'Doctor Hähnle' , 15 cm, bright red, V-VII, Z4-7 | 0,5 | 4/15 | △ | 1344,00 | 192,00 | 24,00 | 4,00 | |
| ERIOGONUM (Polygonaceae) | | | | | | | | | |
| EA 113 | allenii 'Little Rascal' , (E), 40 cm, bright golden and wide flower umbels, unusually long flowering, attractive leaf rosettes, grey-green paddle-shaped foliage, upright growing habit, very drought tolerant, VI-IX, Z5-10, pure seed | 5 | 9 | △ × ⊕ | 996,00 | 126,00 | 14,00 | 4,80 | |
| EA 114 | fasciculatum , 60 cm, white, VI-VIII, Z6-10, pure seed | 10 | 9 | ⊕ | – | 32,00 | 4,20 | 2,80 | |
| EA 116 | umbellatum , 25 cm, yellow umbels, grey-green leaves, in full sun, drought tolerant, long flowering period, VI-IX, Z4-9, pure seed | 15 | 9 | △ w→ | 240,00 | 32,00 | 4,20 | 4,20 | |
| ERIOPHYLLUM (Asteraceae, <i>Compositae</i>) | | | | | | | | | |
| EA 120 | lanatum (caespitosum) [Pointe] , 25 cm, yellow, VI-VIII, Z4-9 | 1 | 9 | △ | 320,00 | 40,00 | 5,00 | 2,50 | |
| ERITRICHUM (Boraginaceae) | | | | | | | | | |
| EA 122 | Canum-Hybr. 'Baby Blues' , (E), 25 cm, brilliant blue, large blossoms, dense flower spikes, compact habit, reliable first year flowering from seed, short lived, often only annual, VI-VIII, Z4-7 | 15 | 16 | ⊕ ⊕ △ | 360,00 | 48,00 | 6,60 | 3,30 | |
| EA 124 | nanum , Alpine Forget-me-not, 5 cm, azure, VI-VII, Z4-8 | 1 | 1 | △ ◡ | – | – | 272,00 | 9,80 | |
| ERODIUM (Geraniaceae) | | | | | | | | | |
| EA 130 | manescavii , 40 cm, magenta-red, VI-IX, Z5-9 (see also GOLD NUGGET SEED®) | 30 | 16 | △ ⊕ | 460,00 | 58,00 | 7,20 | 7,20 | |
| ERUCA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |



ERINUS alpinus 'Doctor Hähnle'



ERIOGONUM allenii 'Little Rascal'



ERIOGONUM umbellatum



ERITRICHUM Canum-Hybr. 'Baby Blues'



ERODIUM manescavii



ERYNGIUM amethystinum



ERYNGIUM campestre











































ERYNGIUM leavenworthii



ERYNGIUM maritimum



ERYNGIUM planum 'Blaukappe'

| | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|--|-------------------------|------------------------------|---|-------------------------|-----------|----------|---------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion |
| ERYNGIUM (Apiaceae, Umbelliferae) | | | | | | | | |
| EA 140 | agavifolium , 150 cm, blue-green, decorative foliage, VII-IX, Z6-9..... | 10 | 9 | | 160,00 | 20,00 | 2,50 | 2,50 |
| EA 144 | alpinum 'Blue Star' [®] , original seed,  , 80 cm, deep blue, vigorous growth, especially abundant flowers, strong stems, VI-VIII, Z4-9 | 15 | 3/1 |  | – | 56,00 | 7,20 | 4,00 |
| EA 148 | alpinum 'Superbum' , 80 cm, steel blue, large flowers, VI-VIII, Z4-9 | 15 | 3/1 |  | 256,00 | 32,00 | 4,20 | 3,40 |
| EA 152 |  amethystinum , 40 cm, amethyst, VII-VIII, Z5-9 | 10 | 8 |  | 320,00 | 40,00 | 5,60 | 5,60 |
| EA 156 | bourgatii , 50 cm, steel blue, lightly veined, VII-VIII, Z5-9..... | 10 | 1 |  | – | 36,00 | 4,60 | 4,60 |
| EA 160 |  campestre , 40 cm, green, VII-IX, Z5-9 | 10 | 8 |  | 128,00 | 16,00 | 2,20 | 2,00 |
| EA 163 | eburneum , 180 cm, ivory-colored heads, branched, sword-like foliage, VIII-IX, Z7-10 | 5 | 9 |  | 512,00 | 64,00 | 8,00 | 4,00 |
| EA 164 | giganteum [Miss Wilmott's Ghost] ,  , 70 cm, ivory white, VII-VIII, Z4-9..... | 30 | 1 |  | 160,00 | 20,00 | 2,60 | 2,60 |
| EA 161 | giganteum 'Silver Ghost' ,  , Ivory Thistle, 60 cm, ivory white, filigreed bracts, more persistent than the species, VII-IX, Z4-9 | 30 | 1 |  | – | 36,00 | 4,60 | 4,60 |
| EA 159 |  leavenworthii [Purple Sheen] , 60 cm, blue-purple flowers with red-purple bracts, blue-grey foliage, very interesting for flower arrangements, VII-IX, Z4-8 | 5 | 9 |  | – | 432,00 | 48,00 | 9,80 |
| EA 165 |  maritimum , Sea Holly, 40 cm, blue-green, silver-grey foliage, VI-X, Z4-10 (see also <i>Organic-Seeds</i>) | 50 | 9 |  | 196,00 | 24,00 | 3,00 | 6,00 |
| EA 168 | planum , 120 cm, steel blue, small blossom heads, VI-VIII, Z4-8 | 10 | 15 |  | 96,00 | 16,00 | 2,60 | 2,60 |
| EA 169 |  planum 'Blaukappe' [Blue Cap, Tetra Petra] ,  , 70 cm, intense blue, VI-IX, Z4-8 | 10 | 15 |  | 288,00 | 36,00 | 4,60 | 4,60 |
| EA 187 | planum 'Blue Glitter' ,  , 80 cm, brilliant deep blue, richly branched, first year flowering from seed without vernalisation, VII-IX, Z4-8 | 3 | 15 |  | – | – | 68,00 | 7,80 |
| EA 188 | planum 'Blue Hobbit' , 30 cm, brilliant blue, very rich flowering, compact, ball-shaped habit, ideal for containers, VII-IX, Z4-8 | 3 | 15 |  | – | – | 68,00 | 7,80 |
| EA 189 | planum 'Silver Salentino' ,  , 120 cm, pure white flowers, rich flowering, VII-IX, Z4-8..... | 10 | 15 |  | – | 36,00 | 4,60 | 4,60 |
| EA 192 | planum 'White Glitter' , 80 cm, white, richly branched, first year flowering from seed without vernalisation, VII-IX, Z4-8 | 3 | 15 |  | – | – | 68,00 | 7,80 |
| EA 176 |  proteiflorum , 80 cm, large silver-white bracts, lanceolate foliage, VII-IX, Z8-11 | 5 | 16 |  | – | – | 18,00 | 6,00 |
| EA 170 | spinalba , 30 cm, bluish, VI-VII, Z5-9 | 15 | 1 |  | – | 40,00 | 5,00 | 5,00 |
| EA 173 |  variifolium [Miss Marble] , 40 cm, grey flower heads, green-white, marbled foliage, very decorative, VII-VIII, Z5-9 | 5 | 16 |  | 544,00 | 64,00 | 8,00 | 4,00 |
| EA 175 | venustum , 40 cm, white flower heads, fine feathery, very thorny foliage, VII-IX, Z6-10..... | 5 | 9 |  | – | 72,00 | 9,00 | 4,50 |
| EA 174 | yuccifolium , 120 cm, yucca-like leaves, round white blossoms, valuable cut flower, VII-IX, Z3-9 | 15 | 9 |  | 128,00 | 16,00 | 2,20 | 2,20 |
| ERYSIMUM (Brassicaceae, Cruciferae) | | | | | | | | |
| EA 182 | allionii (x marshallii) (CHEIRANTHUS) , 45 cm, orange-yellow, V-VI, Z4-10 | 3 | 16 |  | 32,00 | 8,00 | 2,00 | 2,00 |
| EA 180 |  helveticum , 25 cm, sulphur yellow, VI-VIII, Z4-8 | 2 | 16 |  | 768,00 | 96,00 | 12,00 | 4,00 |
| EA 179 |  hybridum 'Canaries' , 30 cm, bright golden, compact habit, improved 'Yellow Bird', III-V, Z5-9 | 5 | 15 |  | – | 178,00 | 19,80 | 7,20 |
| EA 184 | pumilum , 10 cm, yellow, large blooming, dense panicles, V-VI, Z5-9 | 5 | 16 |  | – | – | 8,20 | 4,10 |

| | | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|--|----|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | | from 100 g | from 10 g | from 1 g | Portion |
| ERYTHRONIUM (Liliaceae) | | | | | | | | | |
| EA 190 | dens-canis , (AGM), 15 cm, soft pink, similar to Cyclamen flowers, spotted foliage, III-IV, Z2-7... | 12 | 1 | △ Ca | 320,00 | 40,00 | 5,00 | 5,00 | |
| EA 196 | grandiflorum , 15 cm, golden, 1-3 blossoms per stem, IV-V, Z4-8 | 15 | 1 | △ Ca | 576,00 | 72,00 | 9,00 | 6,00 | |
| EA 197 | montanum , 20 cm, pure white, mostly branched stems, V-VII, Z4-8 | 10 | 1 | △ | 768,00 | 96,00 | 12,00 | 6,00 | |
| EA 198 | oregonum , 30 cm, white, IV, Z4-8 | 10 | 1 | △ Ca | – | 80,00 | 10,00 | 7,00 | |
| EA 199 | revolutum , (AGM), 20 cm, white to dark pink, V-VI, Z4-8 | 12 | 1 | △ Ca | 960,00 | 120,00 | 15,00 | 8,20 | |
| ESCHSCHOLZIA californica - see Organic Seed | | | | | | | | | |
| EUPATORIUM (Asteraceae, Compositae) | | | | | | | | | |
| EA 205 | aromaticum (AGERATINA), Lesser Snakeroot, 120 cm, white umbels, VII-X, Z3-8 | 1 | 15 | × | – | 28,00 | 4,00 | 2,00 | |
| EA 200 | cannabinum , 130 cm, reddish, VI-IX, Z4-8 (see also <i>Organic-Seeds</i>) | 2 | 9 | ☼ ☽ ☿ | 96,00 | 12,00 | 2,00 | 2,00 | |
| EA 208 | coelestinum (CONOCLINIUM), 80 cm, bright blue-violet umbels, seldom white, VII-X, Z6-9 | 1 | 16 | × | 720,00 | 92,00 | 12,00 | 4,00 | |
| EA 202 | fistulosum f. albidum 'Ivory Towers', (AGM), 200 cm, ivory-coloured, almost pure white flower umbels, grey-green stems, fresh green foliage, first year flowering from seed at half of mature height, VII-IX, Z4-8 (see also GOLD NUGGET SEED®) | 2 | 8 | Sol × ☼ | 448,00 | 56,00 | 6,80 | 3,40 | |
| EA 206 | maculatum 'Atropurpureum' (fistulosum 'Atropurpureum') [Glow], (AGM), 200 cm, wine-red, red stems, VII-IX, Z4-8 (see also GOLD NUGGET SEED®) | 2 | 1 | Sol × | – | 56,00 | 6,80 | 3,40 | |
| EA 210 | perfoliatum , 150 cm, white (rarely blue), VII-X, Z3-8 | 1 | 9 | ☼ ☽ ☿ | 144,00 | 18,00 | 2,40 | 2,40 | |
| EA 212 | purpureum , 200 cm, purple, VII-IX, Z3-8 (see also GOLD NUGGET SEED®) | 2 | 9 | × | 128,00 | 16,00 | 2,00 | 2,00 | |
| EA 218 | rugosum (AGERATINA altissima), 90 cm, white, VII-IX, Z4-8 | 2 | 16 | × | 144,00 | 18,00 | 2,50 | 2,00 | |
| EUPHORBIA (Euphorbiaceae) | | | | | | | | | |
| NEW! EA 221 | amygdaloides 'Purpurea' (Rubra), 40 cm, yellow, red stems with purple-red foliage, IV-VI, Z5-8 | 10 | 1 | ☼ △ ☿ | – | 96,00 | 12,00 | 7,20 | |
| EA 250 | characias ssp. wulfenii (veneta), (AGM), 130 cm, yellow, large blossom stalks, IV-VI, Z6-9 (see also GOLD NUGGET SEED®) | 30 | 9 | ☼ ☽ ☿ | 320,00 | 36,00 | 4,00 | 4,00 | |
| EA 226 | corallioides , Coral-Spurge, 50 cm, light-yellow, young shoots are flushed with pink, mostly reddish stems, reblooming after dead heading, V-IX, Z4-8 (see also GOLD NUGGET SEED®) | 10 | 8 | × | 320,00 | 40,00 | 5,20 | 5,20 | |
| EA 227 | corollata , 60 cm, white, abundant flowers, VI-IX, Z5-9 | 10 | 8 | × | 576,00 | 72,00 | 9,00 | 6,80 | |
| EA 228 | cyparissias , 30 cm, yellow to reddish, VI-VII, Z3-8 | 8 | 1 | △ ☼ ☽ | 96,00 | 14,00 | 2,00 | 2,00 | |
| epithymoides - see polychroma | | | | | | | | | |
| EA 230 | griffithii , 60 cm, orange-red, V-VI, Z5-8 | 10 | 5 | × | – | – | – | 8,00 | |
| lathyris - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |
| EA 235 | mellifera , (AGM), 140 cm, pale yellow, scented, lanceolate leaves, shrubby, V-VI, Z8-10 | 25 | 8 | Sol ^ ☼ | – | – | 36,00 | 12,00 | |
| EA 236 | myrsinites , (AGM), 20 cm, yellow, thick and fleshy, blue-green leaves, wintergreen, very decorative, IV-VI, Z5-9 (see also GOLD NUGGET SEED®) | 30 | 8 | △ ☼ ☽ | 176,00 | 22,00 | 2,80 | 2,80 | |
| EA 238 | nicaensis , 50 cm, yellow, large blossom stalks, grey-green foliage, wintergreen, durable, IV-VI, Z5-8 | 10 | 8 | △ ☼ | – | – | 6,00 | 4,50 | |
| EA 242 | palustris , (AGM), 100 cm, dark yellow, V-VI, Z4-8 (see also GOLD NUGGET SEED®) | 20 | 8 | ☼ ☽ ☿ | – | 72,00 | 9,00 | 6,80 | |
| EA 240 | polychroma (epithymoides), (AGM), 40 cm, light yellow, V-VI, Z4-8 (see also GOLD NUGGET SEED®) | 10 | 9 | ☼ | 384,00 | 48,00 | 6,20 | 3,10 | |
| EURYPHIA - see ASTER | | | | | | | | | |
| EUTROCHIUM - see EUPATORIUM fistulosum, maculatum, purpureum | | | | | | | | | |
| FERULA (Apiaceae, Umbelliferae) | | | | | | | | | |
| FA 006 | communis , Giant Fennel, 200 cm, well branched, yellow blossom umbels, VI-VIII, Z7-10 | 75 | 8 | ☼ Sol | 252,00 | 36,00 | 4,50 | 9,80 | |
| FILIPENDULA (Rosaceae) | | | | | | | | | |
| FA 016 | rubra , Queen of the Prairie, 150 cm, dark pink to reddish flower umbels, upright habit, VI-VII, Z2-7 | 5 | 1 | × | – | – | 22,00 | 5,50 | |
| FA 018 | ulmaria , Meadowsweet, 150 cm, yellowish-white, VI-VIII, Z3-7 (see also GOLD NUGGET SEED® + Organic-Seeds) | 5 | 9 | ☼ ☽ ☿ | 72,00 | 12,00 | 2,00 | 2,00 | |
| FA 014 | vulgaris (hexapetala), 45 cm, white, V-VI, Z2-7 | 5 | 16 | × | 72,00 | 12,00 | 2,00 | 2,00 | |
| FOENICULUM - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |
| FRAGARIA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |
| FRANCOA (Saxifragaceae) | | | | | | | | | |
| FA 020 | sonchifolia (ramosa), 60 cm, white-pink flower racemes with dark markings, VII-IX, Z4-9 | 2 | 16 | ^ ☼ | – | 384,00 | 48,00 | 4,00 | |



ERYNGIUM proteiflorum



ERYNGIUM varifolium



ERYSIMUM helveticum



ERYSIMUM hybridum 'Canaries'



EUPATORIUM coelestinum




EUPATORIUM fistulosum 'Ivory Towers'



EUPHORBIA characias ssp. wulfenii



EUPHORBIA corollata



EUPHORBIA myrsinites

| | | | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | | |
|--|---|---|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|--|--|
| | | | | | | | from 100 g | from 10 g | from 1 g | Portion | | |
| FRITILLARIA (Liliaceae) | | | | | | | | | | | | |
| FA 039 | | acmopetala , (AGM), 40 cm, greenish-yellow with brown spots, IV-V, Z6-8 | | 15 | 8 | ⊗ △ | – | 40,00 | 5,20 | 5,20 | | |
| FA 046 | | collina (latifolia var. lutea) , 15 cm, yellow with purple checkered pattern, large flowering, V-VI, Z4-8 | | 5 | 8 | △ | – | 112,00 | 16,00 | 7,00 | | |
| FA 027 | | lanceolata (affinis) , 50 cm, dark purple, yellow spotted, V, Z5-10 | | 10 | 8 | △ | – | 74,00 | 9,20 | 7,00 | | |
| FA 028 | | meleagris , Snakes Head Fritillary, 30 cm, light and dark purple, checkered, IV-V, Z3-7 | | 8 | 8 | △ ⊗ | 256,00 | 32,00 | 4,00 | 3,00 | | |
| FA 030 | | pallidiflora , (AGM), 30 cm, light yellow with dark veins, IV-V, Z3-7 | | 10 | 1 | △ | – | 96,00 | 12,00 | 9,00 | | |
| FA 033 | | persica , 70 cm, brown-violet, up to 50 flowers per stem, grey-green leaves, IV-V, Z5-8 | | 10 | 8 | △ ⊗ | – | – | 12,00 | 7,00 | | |
| FA 031 | | pontica , (AGM), 45 cm, apple green with brown tips, IV-V, Z4-8 | | 8 | 8 | △ | – | 64,00 | 7,20 | 3,60 | | |
| NEW! FA 035 | | pudica , 20 cm, orange-yellow bellflowers, IV-V, Z3-8 | | 5 | 8 | △ | – | – | 24,00 | 9,80 | | |
| FA 032 | | tubiformis , 25 cm, dark red, IV-V, Z6-8 | | 10 | 8 | – | – | 64,00 | 8,00 | 6,00 | | |
| FUCHSIA (Onagraceae) | | | | | | | | | | | | |
| FA 036 | | magellanica , 90 cm, scarlet red, puple to pink, VII-frost, winter hardy as older plant, V-IX, Z6-9 | | 0,5 | 16 | ⌒ ⊕ | – | – | – | 7,80 | | |
| FA 034 | | procumbens , Creeping Fuchsia, 10 cm, green-yellowish flowers with red and blue stamens, V-X, Z8-10 | | 2 | 8 | ⊗ ↗ | – | – | 28,00 | 4,80 | | |
| FUMANA (Cistaceae) | | | | | | | | | | | | |
| FA 100 | | procumbens (HELIANTHEMUM) , 25 cm, golden, needle-shaped leaves, V-VII, Z5-8 | | 10 | 1 | △ | 320,00 | 40,00 | 5,00 | 3,80 | | |
| GAILLARDIA (Asteraceae, <i>Compositae</i>) | | | | | | | | | | | | |
| GA 008 | | aristata, wild form , 70 cm, yellow with red eye, VI-IX, Z3-9 | | 10 | 15 | | 120,00 | 16,00 | 2,00 | 2,00 | | |
| GT 004 | ☑ | aristata 'Amber Wheels' , (JES), 75 cm, large golden flowers with fringed tips and amber-red colored center, durable and long lived selection, VI-IX, Z3-9 | | 6 | 15 | ⊗ ⊗ | 452,00 | 64,00 | 9,20 | 4,60 | | |
| GA 017 | ☑ | aristata 'Arizona Apricot' , (AAS), 30 cm, yellow with apricot-coloured center, rich flowering, uniform and compact habit, reliable first year flowering, VI-IX, Z3-9 | } | 4 | 15 | ⊕ ⊕ | 1152,00 | 128,00 | 16,00 | 7,20 | | |
| GA 011 | ☑ | aristata 'Arizona Red Shades' , 30 cm, brilliant red shades, rich flowering, uniform and compact habit, reliable first year flowering, VI-IX, Z3-9 | | | | | | | | | | |
| GA 013 | | aristata 'Arizona Sun' , (AAS) (FS), 30 cm, brilliant red with yellow tips, rich flowering, uniform and compact habit, reliable first year flowering, VI-IX, Z3-9 | | | | | | | | | | |
| NEW! GT 006 | ☑ | aristata 'Fire Wheels' , (JES), 35 cm, brilliant red with yellow tips, unusual tubular-like petals, compact and sturdy habit, reliable first year flowering, durable and long lived selection, VI-IX, Z3-9 | | 6 | 15 | ⊕ ⊗ ⊗ △ | – | – | 16,00 | 7,20 | | |
| GA 025 | | aristata 'Mesa Peach' F₁ , (AAS) (FS), 35 cm, yellow with peach-coloured eye, uniform and compact growth, reliable flowering the first year, VI-IX, Z3-9 | } | 5 | 15 | ⊕ ⊕ | – | 288,00 | 32,00 | 9,60 | | |
| GA 027 | | aristata 'Mesa Red' F₁ , (AAS) (FS), 35 cm, brilliant red flowers, uniform and compact growth, reliable flowering the first year, VI-IX, Z3-9 | | | | | | | | | | |
| GA 021 | | aristata 'Mesa Yellow' F₁ , (AAS) (FS), 35 cm, brilliant pure yellow flowers, rich flowering, uniform compact habit, reliable flowering the first year, VI-IX, Z3-9 | | | | | | | | | | |

| | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|---|---|-----------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion | |
| GALLARDIA continuation | | | | | | | | | |
| <i>aristata</i> , VI-IX, Z3-9 | | | | | | | | | |
| GT 009 | 'Bijou', 25 cm, red with yellow tips, compact, lower than 'Goblin' | } JET® - rubbed seed | 8 | 15 | ⊗ | 184,00 | 24,00 | 3,60 | 2,00 |
| GT 010 | 'Bremen', 75 cm, dark scarlet with yellow tips | | | | | | | | |
| GT 012 | 'Burgunder' [<i>Burgundy</i>], 75 cm, wine-red | | | | | | | | |
| GT 016 | 'Fackelschein' [<i>Torchlight</i>], 75 cm, dark red with wide yellow tips | | | | | | | | |
| GT 019 | 'Granada' TM , [<i>Granada</i>], 30 cm, dark red with broad yellow tips | | | | | | | | |
| GT 018 | 'Kobold' [<i>Goblin</i>], 35 cm, red with yellow, stable variety | | | | | | | | |
| GT 020 | 'Maxima Aurea' [<i>Indian Yellow, Aurea Pura</i>], 75 cm, pure yellow | | | | | | | | |
| GT 022 | 'Tokajer', 75 cm, orange | | | | | | | | |
| GT 024 | 'Monarch Mix', 75 cm, mixed colors | | | | | | | | |
| GA 002 | ☑ <i>pinnatifida</i> , Red Dome Blanketflower, 40 cm, yellow with red disk, pinnatifid leaves, V-VII, Z5-10 | 5 | 15 | △ ⊗ | – | – | 4,60 | 2,30 | |
| GALANTHUS (Amaryllidaceae) | | | | | | | | | |
| GA 026 | <i>elwesii</i> (<i>graecus</i>), (AGM), Snowdrop, 15 cm, white, fragrant, II, Z4-8 | 15 | 1/6 | △ | – | 60,00 | 7,60 | 5,70 | |
| GA 028 | <i>nivalis</i> , (AGM), Snowdrop, 15 cm, white, II-IV, Z3-8 | 15 | 1/6 | △ ⊗ | 256,00 | 32,00 | 4,00 | 4,00 | |
| NEW! GA 029 | ☑ <i>plicatus</i> , (AGM), 20 cm, white, II-III, Z5-7 | 15 | 1/6 | △ | – | 60,00 | 7,60 | 5,70 | |
| GALEGA officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |



GALLARDIA aristata 'Amber Wheels'



GALLARDIA aristata 'Arizona Apricot'



GALLARDIA aristata 'Arizona Red Shades'



GALLARDIA aristata 'Fire Wheels'



GALLARDIA aristata 'Granada'TM



GALLARDIA pinnatifida



GALANTHUS plicatus



GAULTHERIA procumbens 'Redwood'TM



GAURA lindheimeri 'Cool Breeze'



GAURA lindheimeri 'Summer Breeze'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| GALIUM | | | | | | | |
| album (mollugo) - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| odoratum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| verum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| GALTONIA (Hyacinthaceae, <i>Liliaceae</i>) | | | | | | | |
| GA 044 | | | | | | | |
| | | | | | | | |
| GAULTHERIA (Ericaceae) | | | | | | | |
| GA 047 | | | | | | | |
| | | | | | | | |
| GA 048 | | | | | | | |
| | | | | | | | |
| GA 050 | | | | | | | |
| | | | | | | | |
| GA 051 | | | | | | | |
| | | | | | | | |
| GT 051 | | | | | | | |
| | | | | | | | |
| GA 052 | | | | | | | |
| | | | | | | | |
| GA 053 | | | | | | | |
| | | | | | | | |
| GAURA (OENOTHERA) (Onagraceae) | | | | | | | |
| GA 056 | | | | | | | |
| | | | | | | | |
| GA 057 | | | | | | | |
| | | | | | | | |
| GA 062 | | | | | | | |
| | | | | | | | |
| GA 055 | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| GAZANIA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| NEW! GA 054 | | | | | | | |
| | | | | | | | |
| GA 058 | | | | | | | |
| | | | | | | | |
| GENISTA (Papilionaceae, <i>Leguminosae</i>) | | | | | | | |
| GA 060 | | | | | | | |
| | | | | | | | |
| GA 064 | | | | | | | |
| | | | | | | | |
| GENTIANA (Gentianaceae) | | | | | | | |
| GA 070 | | | | | | | |
| | | | | | | | |
| GA 074 | | | | | | | |
| | | | | | | | |
| GA 078 | | | | | | | |
| | | | | | | | |
| GA 083 | | | | | | | |
| | | | | | | | |
| GA 086 | | | | | | | |
| | | | | | | | |
| GA 090 | | | | | | | |
| | | | | | | | |
| GA 088 | | | | | | | |
| | | | | | | | |
| GA 096 | | | | | | | |
| | | | | | | | |
| GA 102 | | | | | | | |
| | | | | | | | |
| GA 098 | | | | | | | |
| | | | | | | | |

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| GENTIANA continuation | | | | | | | |
| GA 099 | 1 | 9 | ⌘ × ⊗ | 768,00 | 96,00 | 12,00 | 4,00 |
| GA 106 | 1 | 9 | △ × | 216,00 | 24,00 | 3,00 | 2,00 |
| GA 114 | 2 | 1 | △ | 1332,00 | 148,00 | 19,00 | 7,00 |
| GA 116 | 1 | 9 | △ ^ | - | 224,00 | 28,00 | 7,00 |
| GA 118 | 2 | 9 | △ | - | - | 12,00 | 4,00 |
| GA 122 | 2 | 9 | △ × | 192,00 | 24,00 | 3,00 | 2,00 |
| kochiana - see acaulis | | | | | | | |
| lutea - see GOLD NUGGET SEED® + Perennial Herbs + Organic Seed | | | | | | | |
| GA 138 | 1 | 1 | × Ca | 1152,00 | 144,00 | 18,00 | 6,00 |
| GA 148 | 0,5 | 1 | △ | - | - | - | 9,20 |
| GA 151 | 0,5 | 9 | ⊗ × △ ⊕ | 2300,00 | 288,00 | 36,00 | 7,60 |
| GA 154 | 0,5 | 1 | ⊗ Ca | 2304,00 | 288,00 | 36,00 | 6,00 |

continued on the following page



GAZANIA krebsiana 'Tanager'®



GAZANIA linearis Colorado Gold®



GENTIANA angustifolia 'Frei-Hybr.'



GENTIANA asclepiadea



GENTIANA asclepiadea var. alba



GENTIANA asclepiadea 'Pink Swallow'



GENTIANA cruciata 'Blue Cross'



GENTIANA oschtenica



GENTIANA Paradoxa-Hybr. 'Blue Herald'



GENTIANA pneumonanthe forma alba



GENTIANA saxosa



GENTIANA septemfida var. lagodechiana 'Bella Alpinella'



GENTIANA sino-ornata 'Blauer Diamant'



GENTIANA verna ssp. tergestina



GERANIUM bohemicum



GERANIUM macrorrhizum



GERANIUM maculatum



GERANIUM maderense 'Guernsey White'



GERANIUM pratense 'Dark Reiter'



GERANIUM pratense 'Striatum'



GEUM chiloense 'Blazing Sunset'



GEUM chiloense 'Sunrise'

| | Gram to get 1000 plants | N° of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|-----------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| GENTIANA continuation | | | | | | | |
| GA 155 | 0,5 | 1 | △ × ☐ | – | – | 48,00 | 5,20 |
| GA 162 | 3 | 1 | △ × ☐ | – | 32,00 | 4,00 | 2,00 |
| GA 166 | 5 | 1 | △ × ☐ | – | 32,00 | 4,00 | 2,00 |
| GA 170 | 0,25 | 1 | △ × ☐ | – | – | 56,00 | 9,00 |
| GA 172 | 1 | 1 | △ × ☐ | 998,00 | 120,00 | 14,00 | 5,60 |
| GA 174 | 1 | 1 | △ × ☐ | 1460,00 | 172,00 | 20,00 | 7,80 |
| GA 173 | 1 | 1 | △ × ☐ | 1460,00 | 172,00 | 20,00 | 7,80 |
| GA 176 | 0,5 | 9 | △ Ca ☐ | 4990,00 | 624,00 | 78,00 | 9,60 |
| GA 177 | 1 | 16 | △ | 256,00 | 32,00 | 4,00 | 2,00 |
| GA 184 | 1 | 16 | △ | 224,00 | 28,00 | 4,00 | 2,00 |
| GA 190 | 0,5 | 1 | × Ca | – | – | 22,00 | 2,40 |
| GA 196 | 0,5 | 5 | △ | – | 360,00 | 40,00 | 7,00 |
| GA 197 | 0,5 | 1 | △ ☐ | – | – | 64,00 | 8,00 |
| GA 195 | 0,5 | 1 | △ ☐ | – | 686,00 | 98,00 | 9,80 |
| GA 198 | 0,5 | 1 | △ | – | 420,00 | 46,00 | 7,00 |
| GERANIUM (Geraniaceae) | | | | | | | |
| GA 201 | 20 | 9 | | – | 128,00 | 16,00 | 9,80 |
| GA 202 | 5 | 9 | | 1150,00 | 144,00 | 18,00 | 9,80 |
| GA 204 | 20 | 8 | ☐ | 384,00 | 48,00 | 6,00 | 3,00 |
| GA 210 | 8 | 9 | | 768,00 | 96,00 | 12,00 | 7,20 |
| GA 211 | 20 | 8 | | – | – | 16,00 | 9,80 |
| GA 215 | 10 | 8 | △ w☐ | 512,00 | 64,00 | 8,00 | 6,00 |
| GA 214 | 5 | 8 | △ | – | – | – | 9,80 |
| GA 213 | 7 | 8 | ☐ | – | – | 24,00 | 9,80 |
| GA 256 | 20 | 9 | Sol ☐ | 1536,00 | 192,00 | 24,00 | 9,80 |
| GA 221 | 5 | 8 | △ | 1296,00 | 144,00 | 16,00 | 7,20 |
| GA 209 | 12 | 1 | ☐ | 648,00 | 72,00 | 8,00 | 6,00 |
| GA 217 | 10 | 8 | △ | 896,00 | 112,00 | 14,00 | 7,20 |
| GA 236 | 20 | 8 | △ | – | 128,00 | 16,00 | 9,80 |
| GA 218 | 20 | 1 | ☐ | 192,00 | 24,00 | 3,00 | 3,00 |
| GA 227 | 20 | 1 | ☐ | – | – | 8,20 | 6,20 |
| GA 231 | 20 | 1 | ☐ △ ☐ | 1296,00 | 144,00 | 16,00 | 9,80 |
| GA 229 | 20 | 1 | ☐ | 480,00 | 60,00 | 7,50 | 5,00 |
| GA 237 | 20 | 1 | ☐ | 320,00 | 40,00 | 5,00 | 5,00 |
| GA 224 | 30 | 8 | | – | – | 12,00 | 9,00 |
| GA 219 | 5 | 8 | ☐ △ | – | 120,00 | 15,00 | 7,50 |
| GA 222 | 20 | 8 | △ | 648,00 | 72,00 | 8,00 | 8,00 |
| GA 223 | 20 | 8 | △ | 1296,00 | 144,00 | 16,00 | 9,80 |
| GA 205 | 20 | 8 | | – | 72,00 | 8,00 | 8,00 |
| GA 233 | 8 | 9 | ☐ △ | – | – | – | 7,20 |
| GA 226 | 20 | 9 | | 256,00 | 32,00 | 4,00 | 4,00 |
| GA 230 | 15 | 9 | | – | 160,00 | 20,00 | 9,80 |
| GA 234 | 30 | 9 | △ ☐ | – | – | 24,00 | 12,00 |
| GA 243 | 15 | 1 | △ ☐ | – | 96,00 | 12,00 | 7,20 |
| GA 249 | 15 | 8 | △ ☐ | – | 72,00 | 8,00 | 5,40 |
| GA 235 | 10 | 8 | △ | 648,00 | 72,00 | 8,00 | 5,40 |
| GERBERA nivea - see LEIBNITZIA nivea | | | | | | | |
| GEUM (Rosaceae) | | | | | | | |
| GA 245 | 7 | 15 | × ☐ | 1280,00 | 144,00 | 16,00 | 5,40 |
| GT 244 | 5 | 15 | × ☐ | 288,00 | 36,00 | 4,60 | 2,80 |
| GT 246 | 5 | 15 | × ☐ | 288,00 | 36,00 | 4,60 | 2,80 |
| GA 247 | 7 | 15 | × ☐ | 1280,00 | 144,00 | 16,00 | 5,40 |
| GA 240 | 5 | 8 | △ | – | 98,00 | 12,00 | 4,40 |

continued on the following page



GEUM coccineum 'Koi'



GEUM montanum



GEUM triflorum















GILLENIA trifoliata



GLADIOLUS communis

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| GEUM continuation | | | | | | | |
| GA 241 | 3 | 16 | △ ⊕ ⊗ | 840,00 | 98,00 | 12,00 | 4,40 |
| coccineum 'Koi', 25 cm, brilliant orange, short stems, rich flowering, compact habit, first year flowering, V-IX, Z4-9 (see also GOLD NUGGET SEED®) hybridum hort. - see chiloense | | | | | | | |
| GA 250 | 5 | 8 | △ × | 256,00 | 32,00 | 4,00 | 2,00 |
| GA 258 | 5 | 15 | ⊕ ⊗ | 128,00 | 16,00 | 2,00 | 2,00 |
| GT 258 | 2 | 15 | | 384,00 | 48,00 | 6,00 | 3,00 |
| rivale, JET® - rubbed seed | | | | | | | |
| GA 260 | 2 | 15 | △ | 1940,00 | 216,00 | 24,00 | 8,00 |
| triflorum, 25 cm, 3-flowered, reddish-white, entire plant covered with silky hairs, ornamental seed-spikes, V-VII, Z1-7, pure seed urbanum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| GILLENIA (PORTERANTHUS) (Rosaceae) | | | | | | | |
| GA 266 | 8 | 1 | ⚡ | – | 192,00 | 24,00 | 7,50 |
| trifoliata, (AGM), 80 cm, white, calyx reddish, VI-VII, Z3-7 (see also GOLD NUGGET SEED®) ... | | | | | | | |
| GINGIDIA montana - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| GLADIOLUS (Iridaceae) | | | | | | | |
| GA 269 | 20 | 1 | × | 144,00 | 18,00 | 2,40 | 2,40 |
| GA 270 | 15 | 1 | × | 280,00 | 32,00 | 3,60 | 3,60 |
| GA 272 | 12 | 1 | × ⊕ | – | 20,00 | 2,50 | 2,50 |
| GA 278 | 12 | 1 | × ⊕ | 320,00 | 38,00 | 4,20 | 4,20 |
| imbricatus, 60 cm, purple-violet, uniseriate flower panicles, V-VI, Z5-9 palustris, 45 cm, purple-red, V-VI, Z5-9 | | | | | | | |
| GLAUCIDIUM (Glaucidiaceae, Paeoniaceae) | | | | | | | |
| GA 282 | 25 | 1 | | – | – | – | 24,00 |
| GA 283 | 25 | 1 | | – | – | – | 24,00 |
| palmatum, (AGM), 60 cm, soft lilac to white, semi-shade, IV-V, Z4-8 palmatum var. leucanthum (Album), 60 cm, pure white flowers, rare, IV-V, Z4-8 | | | | | | | |
| GLAUCIUM (Papaveraceae) | | | | | | | |
| GA 290 | 4 | 9 | ⊕ ⊗ | 256,00 | 32,00 | 4,20 | 2,00 |
| flavum, Horned Poppy, 50 cm, yellow-ochre, blue-grey foliage, VI-VII, Z6-9 (see also Organic-Seeds) | | | | | | | |
| GA 291 | 4 | 9 | ⊗ | 384,00 | 48,00 | 6,20 | 2,80 |
| flavum var. aurantiacum (flavum f. fulvum) [Burnt Orange], 50 cm, orange-red, blue-green foliage, V-VII, Z6-9 | | | | | | | |
| GLECHOMA hederacea - see GOLD NUGGET SEED® + Perennial Herbs + Organic Seed | | | | | | | |
| GLOBULARIA (Globulariaceae) | | | | | | | |
| GA 300 | 1 | 15 | ↗ △ | – | – | – | 7,50 |
| GA 308 | 1 | 15 | △ | 1150,00 | 144,00 | 18,00 | 4,00 |
| GA 312 | 1 | 15 | △ × ⊗ | – | 192,00 | 24,00 | 5,40 |
| GA 310 | 1 | 15 | ↗ △ | – | 144,00 | 18,00 | 4,00 |
| cordifolia, (AGM), 10 cm, lavender-blue, V-VI, Z4-9, pure seed nudicaulis, 15 cm, blue, lime soil, V-VI, Z3-8, pure seed punctata (elongata), 25 cm, violet-blue, V-VI, Z3-8, pure seed trichosantha, 20 cm, bright blue flowers, carpet forming, V-VI, Z5-9, pure seed | | | | | | | |

| | | | | Prices in EURO net per: | | | | | |
|---|---|---|------------------------------|-------------------------|---|-----------|----------|---------|------|
| | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | from 100 g | from 10 g | from 1 g | Portion | |
| GLYCYRRHIZA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |
| GOMPHOCARPUS - see ASCLEPIAS | | | | | | | | | |
| GONIOLIMON (Plumbaginaceae) | | | | | | | | | |
| GA 315 | ☑ | collinum 'Sea Spray' ,  40 cm, white umbels, richly branched, blue-green, linear, healthy foliage, strong habit, beautiful tidy basal rosettes, VII-VIII, Z5-9, | 2 | 15 | △ × | 560,00 | 70,00 | 9,00 | 4,50 |
| GA 318 | | speciosum , 30 cm, pink, dense umbels, flat growing rosettes, VII-VIII, Z3-8, | 1 | 15 | △ × | 1150,00 | 144,00 | 18,00 | 6,00 |
| LA 276 | | tataricum (LIMONIUM) , 45 cm, the fresh flower is pink, VII-IX, Z4-8, | 2 | 15 | × | 288,00 | 36,00 | 4,80 | 3,60 |
| GRATIOLA - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | | | |
| GRINDELIA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |
| GUNNERA (Gunneraceae) | | | | | | | | | |
| GA 330 | | manicata ,  200 cm, green to orange, luxurious stand alone plant, VII-VIII, Z6-11 | 10 | 14/20 | Sol   | 320,00 | 40,00 | 5,00 | 2,50 |
| GA 332 | | prorepens , 10 cm, inconspicuous flowers, intense red berry racemes, grey green, oval foliage, forming dense carpets, VII-VIII, Z7-10 | 6 | 1 | w →  | 768,00 | 96,00 | 12,00 | 6,00 |
| GYSOPHILA (Caryophyllaceae) | | | | | | | | | |
| GA 336 | ☑ | cerastioides [Pixie Splash] , 8 cm, white with pink veins, fresh green cushions, V-VI, Z4-8 (see also GOLD NUGGET SEED®) | 2 | 8 | w → △  | - | 298,00 | 32,00 | 4,50 |
| GA 340 | | pacifica , 100 cm, white-pink blossoms, VI-VIII, Z3-8 | 2 | 15 | × | 310,00 | 38,00 | 4,80 | 2,40 |
| GA 344 | | paniculata , 100 cm, white, abundant flowers, VI-VIII, Z3-7 | 3 | 15 | × | 32,00 | 8,00 | 2,00 | 2,00 |
| GA 348 | | paniculata fl. pl. 'Schneeflocke' [Snow Flake] , 100 cm, white, double (approx. 60%), VI-VIII, Z3-7 | 3 | 15 | × | 126,00 | 18,00 | 2,40 | 2,00 |
| GA 350 | ☑ | petraea , 15 cm, white, rarely lilac, linear foliage, VI-VIII, Z6-9 | 1 | 9 | △ | - | - | 16,00 | 4,00 |
| GA 352 | | repens ,  15 cm, white, for rock gardens, V-VI, Z3-8 | 3 | 15 |  △  | 126,00 | 18,00 | 2,40 | 2,00 |
| GA 354 | | repens 'Rosea' , 15 cm, light pink, V-VI, Z3-8 | | | | | | | |
| GA 355 | ☑ | repens 'Filou Rose' , 15 cm, intensive pink, large flowering, compact habit, reliable first year flowering, V-IX, Z3-8 | | | | | | | |
| GA 353 | ☑ | repens 'Filou White' , 15 cm, pure white, large flowering, compact habit, reliable first year flowering, V-IX, Z3-8 | 2 | 15 |  △  | 380,00 | 54,00 | 7,80 | 3,90 |
| HAPLOPHYLLUM (Rutaceae) | | | | | | | | | |
| HA 013 | | suaveolens , 40 cm, golden, dense umbels, blue-green pinnatifid foliage, aromatic, VI-VIII, Z6-9 | 3 | 1 | △ | 360,00 | 46,00 | 5,80 | 2,90 |
| HEBE (Scrophulariaceae) | | | | | | | | | |
| HA 010 | | raoulii , 20 cm, light pink to lavender coloured, rich flowering, foliage green with reddish touch, V-VI, Z7-9 | 1 | 1 | △  | - | 160,00 | 20,00 | 4,00 |



GLOBULARIA nudicaulis



GLOBULARIA trichosantha



GYSOPHILA cerastioides



GYSOPHILA petraea



GONIOLIMON collinum 'Sea Spray'

Perennials



GYPSOPHILA repens 'Filou Rose'



GYPSOPHILA repens 'Filou White'



HEDYSARUM tauricum



HELENIUM autumnale 'Helena Gold'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| HEDYSARUM (Papilionaceae, Leguminosae) | | | | | | | |
| HA 014 | 10 | 9 | △ | – | 40,00 | 5,20 | 5,20 |
| HA 015 | 10 | 9 | △ | – | – | 9,20 | 4,60 |
| HELENIUM (Asteraceae, Compositae) | | | | | | | |
| HA 016 | 1 | 16 | × | 168,00 | 22,00 | 2,80 | 2,00 |
| HA 021 | 0,5 | 16 | ⊗ × | – | 288,00 | 36,00 | 5,00 |
| HA 022 | 0,5 | 16 | ⊗ × | – | 288,00 | 36,00 | 5,00 |
| HA 020 | 0,5 | 16 | × | 650,00 | 88,00 | 12,00 | 4,00 |
| HA 029 | 2 | 15 | × | 1590,00 | 188,00 | 22,00 | 5,50 |
| HA 026 | 0,5 | 16 | × | – | 78,00 | 9,80 | 3,20 |
| HT 032 | 3 | 15 | × | 288,00 | 36,00 | 4,60 | 2,30 |
| HELIANTHELLA (Asteraceae, Compositae) | | | | | | | |
| HA 036 | 20 | 9 | △ × | 256,00 | 32,00 | 4,60 | 4,60 |
| HELIANTHEMUM (Cistaceae) | | | | | | | |
| HA 040 | 5 | 8 | △ | 128,00 | 16,00 | 2,00 | 2,00 |
| HA 044 | 3 | 8 | △ | – | – | – | 3,60 |
| HA 052 | 5 | 8 | △ | 120,00 | 15,00 | 2,00 | 2,00 |
| HA 054 | 5 | 8 | △ | 192,00 | 24,00 | 3,00 | 2,20 |
| HA 048 | 5 | 9 | △ | 98,00 | 14,00 | 2,00 | 2,00 |
| HA 053 | 5 | 8 | △ | – | – | 3,60 | 2,00 |
| HELIANTHUS (Asteraceae, Compositae) | | | | | | | |
| HA 060 | 15 | 8 | × | 384,00 | 48,00 | 9,00 | 6,00 |
| HA 064 | 6 | 15 | Sol × | 96,00 | 12,00 | 2,00 | 2,00 |
| HA 068 | 15 | 8 | × | 192,00 | 24,00 | 3,20 | 2,40 |
| HELICHRYSUM (Asteraceae, Compositae) | | | | | | | |
| HA 080 | 0,25 | 16 | × | – | 72,00 | 9,00 | 3,00 |
| HA 081 | 0,25 | 15 | △ | – | – | – | 6,80 |
| HA 083 | 0,25 | 15 | △ × | – | 96,00 | 12,00 | 3,00 |
| HA 084 | 0,25 | 15 | × | 768,00 | 96,00 | 12,00 | 3,00 |
| HELIOPSIS (Asteraceae, Compositae) | | | | | | | |
| HA 098 | 10 | 15 | ⊗ × | – | – | 14,80 | 7,40 |
| HA 096 | 10 | 15 | ⊗ × | 640,00 | 78,00 | 9,80 | 7,40 |
| HA 091 | 10 | 15 | ⊗ × | 320,00 | 42,00 | 5,40 | 4,20 |
| HA 092 | 10 | 15 | ⊗ × | 128,00 | 16,00 | 2,00 | 2,00 |
| HA 093 | 10 | 15 | ⊗ × | 320,00 | 42,00 | 5,40 | 4,20 |
| HA 094 | 10 | 15 | × | 128,00 | 16,00 | 2,00 | 2,00 |



HELIANIUM autumn. 'Helena Red Shades'



HELIANIUM bigelovii 'Tip Top'



HELIANTHELLA quinquenervis



HELIANTHEMUM apenninum



HELIANTHEMUM num. ssp. grandiflorum



HELICHRYSUM bellidioides



HELICHRYSUM thianshanicum



HELIOPSIS helianthoides 'Bleeding Hearts'



HELIOPSIS helianthoides var. scabra 'Prima Ballerina'



HELIOPSIS helianthoides var. scabra 'Burning Hearts'

| | Gram to get 1000 plants | N° of the sowing directions | Special Hints | Prices in EURO net per: | | | | | | |
|--|-------------------------|---|---------------|-------------------------|-----------|----------|---------|--------|-------|-------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | | | |
| HELIOSPERMA alpestre - see SILENE alpestris | | | | | | | | | | |
| HELLEBORUS (Ranunculaceae) | | | | | | | | | | |
| HA 100 | ☐ | argutifolius (corsicus), (AGM), 50 cm, yellowish-green, evergreen foliage for cutting, II-IV, Z6-9 | 50 | 19 | × | × | 320,00 | 40,00 | 5,00 | 4,20 |
| HA 103 | ☐ | argutifolius 'Pacific Frost', 40 cm, ivory colored flowers, evergreen, speckled variegated foliage, II-V, Z6-9 | 40 | 19 | × | × | – | 120,00 | 15,00 | 9,00 |
| HA 108 | | foetidus, (AGM), 50 cm, bell-shaped blossoms, green, often with reddish edge, evergreen, II-IV, Z5-8 | 50 | 19 | ☞ | ☞ | 280,00 | 36,00 | 4,50 | 3,80 |
| HA 110 | | foetidus 'Wester Flisk', 60 cm, green blossoms with reddish edge, red-green stems, evergreen, II-IV, Z5-8 | 50 | 19 | × | × | – | 70,00 | 8,70 | 8,70 |
| lividus ssp. corsicus - see argutifolius | | | | | | | | | | |
| HA 120 | | niger, (AGM), 35 cm, white Christmas rose, XI-II, Z3-8 | 50 | 19 | × | × | 320,00 | 40,00 | 5,00 | 4,20 |
| HA 112 | | Orientalis-Hybr.-Mixture, (PEA), 35 cm, red, pink, white, II-IV, Z3-8 | 50 | 19 | × | × | 420,00 | 52,00 | 6,60 | 6,60 |
| HA 378 | | Orientalis-Hybr. 'Double Ladies Mixed', (PEA), 35 cm, rich color range, double and mostly upright flowers, strong stems, healthy growing characteristics, II-IV, Z3-8 | 30 | 19 | × | × | – | 280,00 | 36,00 | 28,00 |
| HA 111 | ☐ | Orientalis-Newest Hybr., (PEA), 35 cm, mixture, blossoms yellow, white, pink, red, contains spotted, striped and semi-double types, II-IV, Z3-8 | 50 | 19 | × | × | 560,00 | 70,00 | 8,70 | 8,70 |
| HA 127 | ☐ | purpurascens, 40 cm, greenish-purple to bluish, II-IV, Z4-8 | 50 | 19 | × | × | 320,00 | 40,00 | 5,00 | 5,00 |
| HELONIAS (Melanthiaceae, Liliaceae) | | | | | | | | | | |
| HA 142 | ☐ | bullata, Swamp Pink, 40 cm, reddish pink, large fragrant flower heads, rare, V-VI, Z7-9 | 0,5 | 15 | – | – | – | – | – | 7,20 |



HELLEBORUS argutifolius 'Pacific Frost'



HELLEBORUS argutifolius



HELLEBORUS Orientalis-Newest Hybr.



HELLEBORUS purpurascens



HELONIAS bullata



HERACLEUM sphondylium 'Pink Cloud'



HESPERALOE parviflora



HEUCHERA americana 'Dale's Strain'



HEUCHERA 'Palace Purple Select'



HEUCHERA maxima



HEUCHERA pulchella



HEUCHERA sanguinea 'White Cloud'



HEUCHERA villosa var. macrorrhiza



HEUCHERA sanguinea 'Coral Petite'™

| | | | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | | | |
|--|---|--|-------|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|--|--|--|
| | | | | | | | from 100 g | from 10 g | from 1 g | Portion | | | |
| HEMEROCALLIS (Hemerocallidaceae, <i>Liliaceae</i>) | | | | | | | | | | | | | |
| HA 144 | | 'New Hybr.', 80 cm, mixture of many colors, V-VIII, Z3-9 | | 80 | 7 | × | 320,00 | 40,00 | 5,00 | 8,00 | | | |
| HA 158 | | minor, 40 cm, lemon yellow, fragrant, V-VI, Z3-9 | | 30 | 7 | × △ | 576,00 | 72,00 | 9,00 | 9,00 | | | |
| HERACLEUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | | | | | | | |
| HA 161 | ☑ | 'spondylium 'Pink Cloud', 140 cm, unique pink umbels, lobed foliage, perennial, VI-IX, Z3-9 | | 20 | 1 | Sol × ☼ | – | 64,00 | 7,20 | 4,80 | | | |
| HERNIARIA (Illecebraceae, <i>Caryophyllaceae</i>) | | | | | | | | | | | | | |
| HA 166 | | glabra [<i>Green Creeper</i>], 15 cm, white, lawn substitute, evergreen, VII-IX, Z3-8 | | 0,25 | 15/4 | ↗ ↘ | 1080,00 | 128,00 | 16,00 | 4,20 | | | |
| HESPERALOE (Asperagaceae) | | | | | | | | | | | | | |
| HA 169 | ☑ | parviflora (<i>YUCCA, ALOE</i>), 150 cm, red to salmon, countless flowers with light yellow throat, clumpy habit, IV-X, Z6-11 | | 80 | 16 | Sol | 192,00 | 24,00 | 3,40 | 3,40 | | | |
| HESPERANTHA - see SCHIZOSTYLIS | | | | | | | | | | | | | |
| HESPERIS (Brassicaceae, <i>Cruciferae</i>) | | | | | | | | | | | | | |
| HA 170 | | matronalis, 60 cm, lilac, fragrant, V-VII, Z3-8 | | 10 | 15 | × ☼ | 48,00 | 8,00 | 2,00 | 2,00 | | | |
| HA 172 | | matronalis var. albiflora, 60 cm, white, fragrant, V-VII, Z3-8 | | 10 | 15 | × | 48,00 | 8,00 | 2,00 | 2,00 | | | |
| HETEROTHECA - see CHRYSOPSIS | | | | | | | | | | | | | |
| HEUCHERA (Saxifragaceae) | | | | | | | | | | | | | |
| HA 180 | | americana, 50 cm, whitish, decorative foliage, V-VI, Z3-9 | | 0,5 | 9 | △ ☼ | – | 50,00 | 6,20 | 3,10 | | | |
| HA 181 | ☑ | americana 'Dale's Strain', 60 cm, cream colored flowers, decorative marbled leaves, variable, VI-VIII, Z3-9 (see also GOLD NUGGET SEED ®) | | 0,5 | 9 | △ ☼ ☼ × | 628,00 | 78,00 | 9,80 | 4,90 | | | |
| HA 193 | | americana 'Melting Fire', (ES), 40 cm, whitish, heavily curled bronze-reddish foliage, healthy and uniform habit, VI-VIII, Z3-9, approx. 1200 seeds = 1g, pelleted seed | | 10 P. | 9 | △ ☼ ☼ × | – | – | 72,00 | 9,80 | | | |
| HA 186 | ☑ | americana 'Palace Purple Select', (ES) (AGM) (PPA), 60 cm, cream colored blossoms, leaves bronze-red, VI-VIII, Z3-9 (see also GOLD NUGGET SEED ®) | | 0,5 | 4/8 | △ ☼ ☼ × | 768,00 | 96,00 | 12,00 | 4,00 | | | |
| HA 182 | | cylindrica, 60 cm, creamy-white flowers, green foliage, VI-VIII, Z3-9 | | 0,5 | 9 | △ ☼ | 576,00 | 72,00 | 9,00 | 4,50 | | | |
| HA 185 | ☑ | maxima, Island Alum Root, 60 cm, white panicles, large lobed leaves, IV-VI, Z6-10 | | 0,25 | 1 | △ | – | – | 32,00 | 7,20 | | | |
| HA 187 | | micrantha, Alum-root, 40 cm, white, evergreen, slightly undulated foliage, V-VIII, Z4-7 | | 0,5 | 9 | △ ☼ | – | – | 28,00 | 4,50 | | | |
| HA 183 | | Newest Hybr., 20-50 cm, flowers white to red, foliage variations from green to bronze-coloured, marbled from silvery to red veined, smooth to undulate leaf margins, incredible forms, select your own new cultivar! VI-IX, Z3-9 | | 0,5 | 9 | △ × | 998,00 | 124,00 | 16,00 | 4,00 | | | |
| HA 189 | ☑ | pulchella, 10 cm, pink, compact clumps, delicate and attractive variety, VI, Z7-10 (see also GOLD NUGGET SEED ®) | | 0,25 | 9 | △ | 1152,00 | 144,00 | 18,00 | 4,50 | | | |

continued on the following page



HIBISCUS coccineus f. albiflorus



HIBISCUS coccineus



HIBISCUS 'Southern Belle Mixed'



HIERACIUM lanatum



HIERACIUM maculatum 'Leopard'

| | | | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | | | |
|---|---|--|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|--|--|--|
| | | | | | | | from 100 g | from 10 g | from 1 g | Portion | | | |
| HEUCHERA continuation | | | | | | | | | | | | | |
| HA 198 | | sanguinea 'Bressingham Hybr.' , 60 cm, from white to deep red shades, VI-IX, Z3-8. | | 0,5 | 16 | × | 400,00 | 50,00 | 5,60 | 2,80 | | | |
| HA 194 | ☑ | sanguinea 'Coral Petite' ™, 30 cm, brilliant dark red bellflowers, dense blossom panicles, abundant flowering, compact, evergreen foliage, V-VII, Z3-8. | | 0,25 | 15 | △ ☉ ✂ | 7920,00 | 880,00 | 98,00 | 5,40 | | | |
| HA 196 | | sanguinea 'Leuchtkäfer' [Firefly, Sioux Falls] , 60 cm, dark scarlet, V-VII, Z3-8 (see also GOLD NUGGET SEED®) | | 0,5 | 4/9 | × | 640,00 | 78,00 | 9,80 | 3,60 | | | |
| HA 197 | ☑ | sanguinea 'White Cloud' , 60 cm, white, VI-VIII, Z3-8 (see also GOLD NUGGET SEED®) | | 0,5 | 9 | △ | – | 256,00 | 32,00 | 7,20 | | | |
| HA 190 | ☑ | villosa var. macrorrhiza [Autumn Bride] , 45 cm, white, intense light green foliage, very hairy, late flowering, IX-XI, Z4-9 (see also GOLD NUGGET SEED®) | | 0,5 | 9 | ✂ ☉ ☼ | 640,00 | 78,00 | 9,80 | 4,90 | | | |
| HIBISCUS (Malvaceae) | | | | | | | | | | | | | |
| HA 208 | ☑ | coccineus , 120 cm, fire red, VI-X, Z7-10 (see also GOLD NUGGET SEED®) | | 40 | 20 | ☐ ^ | 378,00 | 42,00 | 4,60 | 4,60 | | | |
| NEW! HA 209 | ☑ | coccineus f. albiflorus , 120 cm, pure white blossoms, VI-X, Z7-10 | | 40 | 20 | ☐ Sol | – | – | 9,80 | 7,40 | | | |
| HA 205 | | manihot [Sunset] (ABELMOSCHUS) , 150 cm, yellow with purple eye, V-X, Z7-10. | | 40 | 20 | ☐ ^ | – | 42,00 | 4,60 | 4,60 | | | |
| HA 210 | | moscheutos (palustris) , 100 cm, mostly pink with purple eye, blossoms 14 cm ø, VII-IX, Z6-10 (see also GOLD NUGGET SEED®) | | 40 | 20 | ☐ ☼ | 192,00 | 24,00 | 3,00 | 3,00 | | | |
| Moscheutos-Hybr. | | | | | | | | | | | | | |
| HA 204 | | 'Disco Belle Mixed' , 60 cm, red, pink and white blossoms, up to 25 ø, dwarf habit, VI-X, Z7-10. | | 20 | 20 | ☐ Sol ☉ | 640,00 | 80,00 | 10,00 | 5,00 | | | |
| HA 212 | ☑ | 'Galaxy' , 120 cm, very large flowering mixture with exceptional colour display, blossoms up to 25 cm ø, clear colours, white, light pink, rose, dark rose, light red, deep red, mostly with red center, strong and healthy foliage, strict upright habit, very hardy selection from Gilberg Farms, flowers the first year if sown early, VI-X, Z5-9 (see also GOLD NUGGET SEED® + Organic-Seeds) | | 30 | 20 | ☐ Sol ☉ ☼ | 460,00 | 58,00 | 7,20 | 3,60 | | | |
| HA 206 | ☑ | 'Southern Belle Mixed' , F ₁ -Hybrid, 150 cm, mixture of many colors, blossoms 25 cm ø, VI-X, Z7-10. | | 30 | 20 | ☐ ^ ☉ | 792,00 | 98,00 | 12,00 | 6,00 | | | |
| HIERACIUM (Asteraceae, Compositae) | | | | | | | | | | | | | |
| HA 220 | | aurantiacum (rubrum, PILOSELLA) , 20 cm, orange-red, VI-VIII, Z4-8 | | 0,5 | 15 | △ ☐ ☼ | 320,00 | 40,00 | 5,00 | 2,00 | | | |
| HA 225 | | intybaceum , 30 cm, lemon-yellow, large flowers, VII-IX, Z5-8 | | 2 | 15 | △ ☐ | – | – | 9,20 | 4,60 | | | |
| HA 230 | ☑ | lanatum (tomentosum) , 30 cm, golden, flower stalks multibranching, oval leaves, white feltlike, VI-VII, Z6-9 | | 3 | 9 | △ ☐ ☼ | 320,00 | 40,00 | 5,00 | 2,50 | | | |
| HA 226 | ☑ | maculatum (spilophaeum) 'Leopard' [Chocolate Dip] , 25 cm, yellow, dense rosette leaves, bluish-green with red-brown marbeling, very decorative, VI-VIII, Z4-8 | | 0,5 | 9 | △ ☐ ☉ ☼ | 624,00 | 78,00 | 9,80 | 4,90 | | | |
| HA 229 | | niveum , 15 cm, pale yellow, silver-grey foliage, VI-VII, Z4-10 | | 0,5 | 15 | △ ☐ ☼ | – | 84,00 | 12,00 | 3,00 | | | |
| HA 228 | | pilosella (PILOSELLA officinarum) , 15 cm, yellow, grey felt-like, VI-VIII, Z4-10 (see also Organic-Seeds) | | 0,5 | 15 | △ ☐ ☼ ☐ | 348,00 | 42,00 | 6,15 | 2,00 | | | |
| HA 232 | | villosum , 30 cm, yellow, large flowers, silver-grey, VII, Z4-8 | | 3 | 15 | △ ☐ ☼ | 576,00 | 72,00 | 9,00 | 3,00 | | | |

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|---|--|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| HIPPOCREPIS (Fabaceae) | | | | | | | | |
| HA 236 | comosa , Horseshoe Vetch, 20 cm, yellow pea flowers, blue-green foliage, low growing cushions, V-IX, Z6-9,..... | 8 | 1 | △ ◡ | 154,00 | 22,00 | 3,20 | 2,00 |
| HORMINUM (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| HA 240 | pyrenaicum , 25 cm, violet, very beautiful leaf-rosettes, VI-VIII, Z5-9 | 2 | 16 | △ | – | – | – | 7,00 |
| HA 242 | pyrenaicum f. albviolaceum (Album) , 25 cm, white with violet lip, VI-VIII, Z5-9 | 2 | 16 | △ | – | – | 36,00 | 7,00 |
| HA 244 | pyrenaicum 'Rubrum' , 25 cm, rosy-red, VI-VIII, Z5-9 | 2 | 16 | △ | – | – | – | 7,00 |
| HOSTA (Hostaceae, <i>Liliaceae</i>) | | | | | | | | |
| HA 250 | elata , 80 cm, light blue-violet, deeply furrowed, dark green leaves, VI, Z3-8 | 10 | 7/15 | ✦ | – | 56,00 | 7,00 | 5,30 |
| HA 253 | nigrescens , 60 cm, pale lavender and white flowers, flowering stems up to 150 cm tall, blue-green foliage, VII-IX, Z3-9 | 15 | 7/15 | ✕ ✦ | 420,00 | 56,00 | 7,00 | 5,30 |
| HA 258 | sieboldiana var. elegans , (AGM), 80 cm, pale lilac, popular perennial foliage plant, VI-VIII, Z3-8 | 10 | 7/15 | ✕ ✦ | – | 62,00 | 7,80 | 4,50 |
| HA 268 | ventricosa , (AGM), 100 cm, violet-blue, large leaves, VIII, Z3-9 | 20 | 7/15 | ✕ ✦ | 280,00 | 36,00 | 4,50 | 4,50 |
| HA 276 | New Hybrids [American Hybrids] , 30-60 cm, mixture of interesting varieties and cultivars, VI-VIII, Z3-8 | 10 | 7/15 | ✕ ✦ | 360,00 | 45,00 | 5,60 | 4,20 |
| HOUTTUYNIA cordata - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | | |
| HUMULUS - see GOLD NUGGET SEED® + Perennial Herbs + Organic Seed | | | | | | | | |
| HUTCHINSIA (PRITZELAGO) (Brassicaceae, <i>Cruciferae</i>) | | | | | | | | |
| HA 290 | alpina [Crystal Carpet] , 10 cm, white, evergreen, carpet-like groundcover, III-VI, Z3-9 | 0,25 | 16 | △ w→ | – | 378,00 | 42,00 | 6,00 |
| HYACINTHOIDES (Hyacinthaceae, <i>Liliaceae</i>) | | | | | | | | |
| HA 295 | non-scripta (SCILLA) , British Bluebell, 25 cm, dark blue bellflowers on nodding racemes, V, Z4-8 | 15 | 1 | △ ✕ | 140,00 | 18,00 | 2,40 | 2,40 |
| HYLOTELEPHIUM - see SEDUM | | | | | | | | |
| HYMENOXYSS (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| HA 306 | grandiflora (TETRANEURIS) , Old Man of the Mountain, 30 cm, pure yellow up to 8 cm in ø, feathered leaves, very showy, V-VI, Z3-7 | 3 | 15 | △ ^ | – | 192,00 | 24,00 | 6,00 |
| HYOSCYAMUS - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| HYPERICUM (Clusiaceae, <i>Guttiferae</i>) | | | | | | | | |
| HA 310 | androsaemum , 90 cm, yellow, berry-like fruits, first red, later black, decorative for cutting! VI-IX, Z5-8 | 1 | 16 | ⊗ Sol ✕ ⊗ | 72,00 | 12,00 | 2,00 | 2,00 |
| HA 312 | ascyron (pyramidatum) , 100 cm, yellow, VI-VIII, Z3-6 | 1 | 1 | | 256,00 | 32,00 | 4,00 | 2,00 |
| HA 314 | calycinum (Rose of Sharon) , 30 cm, yellow, wintergreen groundcover, VI-IX, Z5-8 (see also GOLD NUGGET SEED®) | 2 | 1 | w→ | 680,00 | 82,00 | 9,80 | 3,90 |
| HA 316 | cerastioides (rhodophaeum) [Silvana] , 15 cm, bright yellow, grey-green leaves, V-VII, Z6-9 (see also GOLD NUGGET SEED®) | 2 | 9 | △ | – | 48,00 | 6,00 | 2,00 |
| hircinum - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | | |
| olympicum f. uniflorum - see polyphyllum 'Grandiflorum' | | | | | | | | |
| HA 332 | patulum , 40 cm, yellow, evergreen, VII-X, Z5-8 | 1 | 16 | △ | 192,00 | 24,00 | 3,20 | 2,00 |
| perforatum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| HA 340 | polyphyllum (olympicum) 'Grandiflorum' , 25 cm, golden, VI-VIII, Z5-9 | 1 | 16 | △ ⊕ | 680,00 | 82,00 | 9,80 | 3,90 |
| HA 341 | prolificum (spathulatum) , 140 cm, golden, clustered at the top, leathery, glossy leaves, VII-IX, Z3-8 | 1 | 9 | ✕ | 272,00 | 34,00 | 4,40 | 2,20 |
| HA 342 | pulchrum , 40 cm, yellow, touch of red, anthers orange, VII-IX, Z4-7 | 1 | 9 | △ ✕ | 272,00 | 34,00 | 4,40 | 2,20 |
| HA 343 | reptans , 10 cm, golden large flowers, carpet forming and evergreen, V-VII, Z6-9 | 1 | 16 | △ w→ | – | 112,00 | 16,00 | 4,00 |
| HA 344 | tetrapterum , 40 cm, golden, VI-IX, Z4-8 | 1 | 16 | ⊗ | 48,00 | 8,00 | 2,00 | 2,00 |
| HYPOCHAERIS (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| HA 346 | uniflora , 40 cm, light-yellow, VII-IX, Z3-7 | 8 | 16 | △ ⊗ | – | 25,00 | 3,20 | 2,40 |
| HYSSOPUS officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |



HUTCHINSIA alpina



HYMENOXYSS grandiflora



HYPERICUM ascyron



HYPERICUM cerastioides



HYPERICUM calycinum



HYPERICUM polyphyllum 'Grandiflorum'



HYPERICUM reptans



IBERIS aurosa 'Sweetheart'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| IBERIS (Brassicaceae, Cruciferae) | | | | | | | |
| IA 004 | 3 | 8 | △ ⊕ | – | 96,00 | 12,00 | 6,00 |
| aurosa 'Sweetheart', 15 cm, pink changing to lilac, rich flowering cushions, short lived, V-VII, Z5-9 (see also GOLD NUGGET SEED®) | | | | – | 96,00 | 14,00 | 2,00 |
| IA 012 | 10 | 16 | | 96,00 | 14,00 | 2,00 | 2,00 |
| gibraltaria, 30 cm, lilac turning to white, IV-VI, Z6-8 | | | | | | | |
| IA 018 | 5 | 16 | △ ↗ ⊕ | 972,00 | 108,00 | 12,00 | 6,00 |
| saxatilis, 8 cm, white, flat cushions, IV-V, Z5-9 | | | | | | | |
| IA 026 | 10 | 16 | △ ⊕ | 196,00 | 28,00 | 4,00 | 3,00 |
| sempervirens 'Schneeflocke' [Snowflake], 30 cm, white, large flowers, compact, IV-V, Z3-9 | | | | | | | |
| IA 024 | 6 | 8 | △ ⊕ | 384,00 | 48,00 | 6,00 | 4,00 |
| sempervirens 'Snow Cushion', 15 cm, snow-white flower corymbs, large and abundant flowering, dwarf and compact cushions, needle-like foliage, evergreen, IV-V, Z3-9 (see also GOLD NUGGET SEED®) | | | | | | | |
| IA 027 | 10 | 16 | △ ⊕ | 740,00 | 82,00 | 9,20 | 7,60 |
| sempervirens 'Tahoe', 25 cm, white, early and large flowering, compact and uniform habit, IV-V, Z3-9, approx. 250 seeds = 1g | | | | | | | |
| IA 028 | 5 | 16 | △ ⊕ | – | 64,00 | 8,20 | 4,10 |
| spathulata, 10 cm, lilac-purple, fleshy broad foliage, short-lived, V-VII, Z5-8 | | | | | | | |
| ILIAMNA (SPHAERALCEA) (Malvaceae) | | | | | | | |
| IA 029 | 5 | 9 | | 528,00 | 66,00 | 8,20 | 4,10 |
| remota, 150 cm, pink-purple, abundant flowers, VII-IX, Z4-10 | | | | | | | |
| IA 030 | 8 | 9 | Sol | 448,00 | 56,00 | 7,00 | 3,50 |
| rivularis, 120 cm, pink, rich flowering, VI-IX, Z3-8 | | | | | | | |
| INCARVILLEA (Bignoniaceae) | | | | | | | |
| IA 040 | | | | | | | |
| delavayi [Deli Rose], 50 cm, dark pink, VI-VIII, Z5-8 | | | | | | | |
| IA 042 | 10 | 15 | △ | 660,00 | 78,00 | 9,60 | 4,80 |
| delavayi 'Alba' [Snow Top, Deli White], 50 cm, pure white with yellow throat, VI-VIII, Z5-8 | | | | | | | |
| IA 041 | | | | | | | |
| delavayi 'Bees Pink', 50 cm, soft pink with yellow throat, VI-VIII, Z5-8 | | | | | | | |
| IA 044 | 15 | 15 | △ | – | 96,00 | 12,00 | 5,40 |
| mairei (grandiflora var. brevipes), 40 cm, dark pink, V-VI, Z3-8 | | | | | | | |
| IA 046 | 5 | 15 | △ | – | – | 12,00 | 6,00 |
| olgae, 80 cm, pink, softly veined, single feather leaves, very winterhardy and long lasting, VII-IX, Z5-9 | | | | | | | |
| IA 047 | 5 | 15 | △ | – | – | – | 9,80 |
| zhongdianensis, 40 cm, bright magenta-red with yellow throat, pinnatifid glossy green foliage, VI-VII, Z5-9 | | | | | | | |
| INULA (Asteraceae, Compositae) | | | | | | | |
| afghanica - see magnifica | | | | | | | |
| IA 050 | 2 | 16 | △ | – | – | – | 8,00 |
| candida ssp. verbascifolia, 20 cm, yellow, felt-like foliage, VI-VIII, Z6-9 | | | | | | | |
| IA 054 | 2 | 15 | △ ⊕ | 562,00 | 66,00 | 7,80 | 2,60 |
| ensifolia 'Compacta', 25 cm, yellow, VI-VIII, Z3-7 | | | | | | | |
| helenium - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| IA 066 | 5 | 16 | × | 96,00 | 14,00 | 2,00 | 2,00 |
| magnifica, 150 cm, yellow with dark center, VII-VIII, Z3-8 | | | | | | | |
| IA 070 | 3 | 15 | × | 320,00 | 40,00 | 5,00 | 2,50 |
| orientalis grandiflora (glandulosa), 50 cm, orange-yellow, VI-VII, Z3-8 | | | | | | | |
| IA 074 | 5 | 16 | Sol | 348,00 | 42,00 | 5,10 | 2,55 |
| racemosa 'Sonnenspeer', 200 cm, tall flower-stalks, large yellow blossoms, VI-IX, Z4-9 | | | | | | | |
| IA 071 | 1 | 16 | △ ⊕ | 496,00 | 62,00 | 7,80 | 3,90 |
| rhizocephala, 10 cm, yellow ray florets, sessile, clustered in the rosette, VI-VII, Z5-8 | | | | | | | |

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| IPOMOEA (Convolvulaceae) | | | | | | | |
| IA 068 | 300 | 8 | △ Sol | 176,00 | 24,00 | 3,20 | 9,80 |
| leptophylla , Bush Morning Glory, 60 cm, pink funnel-shapes flowers, narrow leaves, bushy habit, VII-IX, Z7-11 | | | | | | | |
| IRIS (Iridaceae) | | | | | | | |
| IA 078 | 50 | 1/10 | △ | – | 36,00 | 4,00 | 4,00 |
| IA 080 | 30 | 1/10 | | 198,00 | 25,00 | 3,20 | 3,20 |
| bulleyana , 50 cm, standards light blue-violet, falls with yellowish-white and violet veins, V-VI, Z5-9 | | | | | | | |
| IA 084 | 50 | 1/10 | △ | 256,00 | 32,00 | 4,00 | 6,20 |
| chamaeiris (lutescens) , Dwarf Iris, 20 cm, violet to white, abundant flowers, easily grown, IV-V, Z4-9 | | | | | | | |
| IA 088 | 30 | 1/10 | | – | – | 4,00 | 4,00 |
| chrysographes , 40 cm, velvet purple-violet, VI, Z4-9 | | | | | | | |
| IA 096 | 100 | 1/10 | × ♂ | 72,00 | 12,00 | 2,00 | 5,60 |
| ensata (Thunb.) - see kaempferi foetidissima , 60 cm, lilac, in mild positions wintergreen, seed heads with orange berries for flower arrangements, VI, Z6-9 | | | | | | | |
| IA 097 | 100 | 1/10 | × ♂ | 160,00 | 20,00 | 2,50 | 8,80 |
| foetidissima var. citrina , 60 cm, yellowish flowers with blue tinge, dark green foliage, orange-red berries, VI-VII, Z6-9 | | | | | | | |
| IA 108 | 50 | 1/10 | △ | 98,00 | 14,00 | 2,00 | 4,00 |
| graminea , 40 cm, dense grassy clumps, light violet, fragrant, V-VI, Z5-9 | | | | | | | |
| IA 114 | 50 | 1/10 | ⊞ | 128,00 | 16,00 | 2,00 | 2,00 |
| hookeri - see setosa ssp. canadensis kaempferi (ensata) , 60 cm, newest hybrids from Japan, flowers up to 20 cm ø, mixture of magnificent colors, VI-VII, Z5-8 (see also GOLD NUGGET SEED®) | | | | | | | |

continued on the following page



IBERIS sempervirens 'Snow Cushion'



ILIAMNA rivularis



INCARVILLEA delavayi 'Alba'



INCARVILLEA delavayi 'Bees Pink'



INCARVILLEA mairei



INCARVILLEA olgae



INULA ensifolia 'Compacta'



INULA rhizocephala

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--------------------------|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| IRIS continuation | | | | | | | |
| IA 122 | 30 | 1/10 | ≈ | – | 38,00 | 5,20 | 4,20 |
| IA 128 | 30 | 1/10 | △ (K) | 160,00 | 20,00 | 2,50 | 4,00 |
| IA 142 | 80 | 1/10 | × | 72,00 | 12,00 | 2,00 | 5,60 |
| IA 110 | 50 | 1/10 | ⊗ △ | 160,00 | 20,00 | 2,50 | 5,00 |
| IA 144 | 100 | 1/10 | ≈ × | 32,00 | 8,00 | 2,00 | 3,20 |
| IA 148 | 50 | 1/10 | △ | 192,00 | 24,00 | 3,00 | 4,50 |
| IA 158 | 30 | 1/10 | ≈ | 160,00 | 22,00 | 3,00 | 3,00 |
| IA 160 | 30 | 1/10 | △ | 220,00 | 28,00 | 3,80 | 3,80 |
| IA 167 | 30 | 1/10 | ≈ | 96,00 | 12,00 | 2,00 | 2,00 |
| IA 168 | 30 | 1/10 | × | 48,00 | 8,00 | 2,00 | 2,00 |
| IA 176 | 100 | 1/10 | ≈ | 66,00 | 8,60 | 2,00 | 2,90 |
| IA 180 | 100 | 1/10 | ≈ | 32,00 | 8,00 | 2,00 | 2,80 |
| IA 182 | 50 | 8/10 | △ | 160,00 | 20,00 | 2,50 | 5,00 |
| IA 183 | 30 | 1/10 | △ | 256,00 | 32,00 | 4,00 | 4,00 |
| IA 184 | 50 | 1/10 | △ | – | 32,00 | 4,00 | 4,00 |
| IA 192 | 30 | 1/10 | ≈ ⊗ | 160,00 | 20,00 | 2,60 | 2,60 |
| IA 194 | 30 | 1/10 | ≈ | 224,00 | 28,00 | 3,60 | 3,60 |
| IA 164 | 50 | 1/10 | ≈ | 160,00 | 20,00 | 2,50 | 5,00 |



IPOMOEA leptophylla



IRIS bulleyana



IRIS foetidissima



IRIS graminea



IRIS kaempferi



IRIS pallida ssp. illyrica



IRIS pumila



IRIS setosa ssp. canadensis

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ISATIS (Brassicaceae, <i>Cruciferae</i>) | | | | | | | |
| IA 302 glauca , up to 130 cm, yellow in very large panicles, blue-green leaves, perennial, V-VII, Z6-9, pure seed tinctoria - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | 3 | 15 | 24 | 256,00 | 32,00 | 4,00 | 2,00 |
| ISOPLEXIS (Scrophulariaceae) | | | | | | | |
| IA 340 isabelliana , Canary Foxglove, 150 cm, orange-red flower candles, evergreen, small shrub, V-VIII, Z8-10 | 0,25 | 16 | | - | - | 48,00 | 6,00 |
| ISOPYRUM (Ranunculaceae) | | | | | | | |
| IA 350 thalictroides , 15 cm, white, early withdrawing woodland plant, fern-like foliage, IV-V, Z5-8 | 10 | 1/3 | | 192,00 | 24,00 | 3,00 | 3,00 |
| JASIONE (Campanulaceae) | | | | | | | |
| JA 012 laevis (perennis) 'Blaulicht' [Blue Light, Purple Lights] , 40 cm, blue, VI-VIII, Z4-7 | 0,25 | 15 | | 1980,00 | 238,00 | 28,00 | 4,00 |
| JA 016 montana , 20 cm, blue, VII-VIII, Z5-8 | 0,5 | 16 | | 384,00 | 48,00 | 6,20 | 3,10 |
| JA 018 montana f. alba 'White Delight' , White Sheep's Bit , 15 cm, brilliant white, rich flowering, densely mat forming, VII-IX, Z5-8 | 0,1 | 16 | | - | - | 48,00 | 4,20 |
| JOVELLANA (Scrophulariaceae) | | | | | | | |
| JA 028 punctata (CALCEOLARIA) , 120 cm, pale violet umbels, spotted purple, VI-VIII, Z8-11 | 0,25 | 9 | | - | - | 42,00 | 4,00 |
| JOVIBARBA (Crassulaceae) | | | | | | | |
| JA 034 heuffelii (SEMPERVIVUM) , 12 cm, light yellow, large rosettes, dark green, VIII, Z4-8 | 0,5 | 16 | | - | - | 48,00 | 5,00 |
| JUNO - see IRIS | | | | | | | |
| JURINEA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| JA 049 ledebourii , 45 cm, red-purple, feathered foliage, V-VII, Z5-8 | 10 | 16 | | 180,00 | 22,00 | 2,80 | 2,80 |
| JA 050 mollis , 50 cm, purple-red, VI-VII, Z5-8 | 12 | 16 | | - | - | 7,60 | 3,80 |
| KALIMERIS (Asteraceae, <i>Compositae</i>) | | | | | | | |
| KA 003 incisa , 60 cm, pale purple ray florets, upright habit, stable, VII-IX, Z4-8 | 5 | 16 | | 464,00 | 58,00 | 7,20 | 3,60 |
| KENTRANTHUS - see CENTRANTHUS | | | | | | | |
| KIRENGESHOMA (Hydrangeaceae) | | | | | | | |
| KA 011 koreana (palmata Koreana-Group) , 120 cm, yellow, wide open bellflower, VIII-X, Z5-8 | 3 | 16 | | - | 256,00 | 32,00 | 8,00 |
| KA 010 palmata, (AGM) , 80 cm, yellow bells, semi-shade, VIII-X, Z5-8 | 3 | 16 | | 1540,00 | 192,00 | 24,00 | 8,00 |



IRIS setosa



IRIS variegata



ISATIS glauca



ISOPLEXIS isabelliana



ISOPYRUM thalictroides



JASIONE montana f. alba 'White Delight'



JOVELLANA punctata



KIRENGESHOMA palmata

Perennials

| | Gram to get 1000 plants | Nº. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| KITAIBELIA (Malvaceae) | | | | | | | |
| KA 020 | 10 | 8 | Sol | 98,00 | 14,00 | 2,00 | 2,00 |
| KNAUTIA (Dipsacaceae) | | | | | | | |
| KA 030 | 20 | 16 | ✕ | 128,00 | 16,00 | 2,00 | 2,00 |
| KA 034 | 15 | 16 | ✕ | 360,00 | 48,00 | 6,00 | 4,50 |
| KA 036 | 15 | 16 | ⊕ ⊗ △ ⊕ | 720,00 | 96,00 | 12,00 | 9,00 |
| KA 035 | 20 | 16 | ✕ | 256,00 | 32,00 | 4,20 | 4,20 |
| NEW! KA 032 | 15 | 16 | ⊕ ⊗ △ ⊕ | 720,00 | 96,00 | 12,00 | 9,00 |
| KNIPHOFIA (TRITOMA) (Asphodelaceae, Liliaceae) | | | | | | | |
| KA 037 | 5 | 9 | Sol ✕ | 320,00 | 40,00 | 5,00 | 3,80 |
| KA 038 | 5 | 15 | ✕ | 280,00 | 40,00 | 5,00 | 3,80 |



KITAIBELIA vitifolia



KNAUTIA macedonica 'Midget Mauves'



KNAUTIA macedonica 'Mars Midget'



KNIPHOFIA caulescens



KNIPHOFIA galpinii



KNIPHOFIA hirsuta 'Fire Dance'



KNIPHOFIA rooperi



LASER trilobum



LASERPITIUM siler



LATHYRUS rotundifolius



LATHYRUS vernus



LATHYRUS vernus 'Rainbow'



LATHYRUS vernus 'Rosenelfe'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| KNIPHOFIA continuation | | | | | | | |
| KA 040 | 5 | 16 | △ × | 560,00 | 82,00 | 12,00 | 7,20 |
| KA 041 | 5 | 9 | △ × ☼ | 320,00 | 40,00 | 5,00 | 3,80 |
| KA 043 | 10 | 9 | Sol × | 320,00 | 40,00 | 5,00 | 3,80 |
| KA 042 | 5 | 16 | △ × | 320,00 | 40,00 | 5,00 | 3,80 |
| KA 050 | 5 | 15 | × ☼ | 620,00 | 74,00 | 9,00 | 7,00 |
| KA 052 | 5 | 15 | × | 144,00 | 20,00 | 2,80 | 2,00 |
| KOSTELETZKYA (Malvaceae) | | | | | | | |
| KA 100 | 50 | 20 | ☼ Sol | 160,00 | 20,00 | 2,50 | 5,00 |
| LAMIRA - see CIRSIUM | | | | | | | |
| LAMIUM (Lamiaceae, Labiatae) | | | | | | | |
| NEW! LA 014 | 5 | 8 | ☼ ☼ | – | – | 7,20 | 2,40 |
| LA 012 | 3 | 1 | ☼ ☼ | 144,00 | 18,00 | 2,40 | 2,00 |
| LAMPROCAPNOS spectabilis - see DICENTRA spectabilis | | | | | | | |
| LASER (Apiaceae, Umbelliferae) | | | | | | | |
| LA 017 | 30 | 1 | × | 112,00 | 16,00 | 2,20 | 2,20 |
| LASERPITIUM (Apiaceae, Umbelliferae) | | | | | | | |
| LA 020 | 30 | 1 | × | 144,00 | 18,00 | 2,40 | 2,00 |
| LA 022 | 15 | 1 | × | 240,00 | 30,00 | 3,80 | 2,40 |
| LA 021 | 30 | 1 | × | 144,00 | 18,00 | 2,40 | 2,00 |
| LATHYRUS (Papilionaceae, Leguminosae) | | | | | | | |
| LA 026 | 60 | 8/10 | × | 144,00 | 18,00 | 2,20 | 3,60 |
| LA 042 | 100 | 7/10 | × ☼ ☼ | 48,00 | 6,00 | 2,00 | 3,00 |
| LA 044 | | | | | | | |
| LA 046 | | | | | | | |
| LA 048 | | | | | | | |
| LA 053 | 100 | 7/10 | × | 40,00 | 6,00 | 2,00 | 3,00 |
| LA 056 | 80 | 9 | ☼ ☼ | 96,00 | 12,00 | 2,00 | 4,00 |
| LA 064 | 60 | 8/10 | ☼ ☼ | 128,00 | 16,00 | 2,00 | 4,00 |
| LA 058 | 80 | 8/10 | × | 192,00 | 24,00 | 3,00 | 6,00 |
| LA 062 | 50 | 9/10 | △ | – | 36,00 | 5,20 | 4,90 |
| LA 060 | 50 | 9/10 | △ | – | 36,00 | 5,20 | 4,90 |
| LA 060 | 50 | 9/10 | △ | – | 48,00 | 6,80 | 4,90 |
| LAVANDULA (Lamiaceae, Labiatae) | | | | | | | |
| angustifolia Ellagance-Series , 35 cm, compact and bushy habit, flowering reliable the first year after sowing, VII-IX, Z5-9 | | | | | | | |
| LA 071 | 2 | 15 | △ ☼ ☼ ☼ | – | 252,00 | 28,00 | 7,20 |
| LA 077 | | | | | | | |
| LA 075 | | | | | | | |
| LA 079 | | | | | | | |
| LA 074 | 5 | 9 | ☼ △ | 256,00 | 32,00 | 4,00 | 2,00 |

continued on the following page

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|--|--|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| LAVANDULA <i>continuation</i> | | | | | | | | |
| LA 076 | angustifolia 'Hidcote Superior', CEL , 40 cm, deep violet-blue, white-grey foliage, compact, best 'Hidcote-Blue' with even and constant quality, VII-IX, Z5-9 (see also GOLD NUGGET SEED) | 5 | 9 | | 384,00 | 48,00 | 6,00 | 3,00 |
| LA 078 | angustifolia Munstead-Strain, Lavender, 40 cm, blue, VII-X, Z5-9 (see also GOLD NUGGET SEED + Organic-Seeds) | 5 | 9 | | 192,00 | 24,00 | 3,00 | 2,00 |
| LA 080 | angustifolia 'Rosea' [Pink Perfume], 35 cm, light pink, VI-IX, Z5-9 (see also GOLD NUGGET SEED) | 5 | 9 | | 512,00 | 64,00 | 8,00 | 4,00 |
| LA 083 | dentata , French Lavender, 80 cm, blue flowers and bracts, lanceolate glossy foliage, VI-IX, Z8-10 | 2 | 16 | | – | 132,00 | 16,00 | 4,80 |
| LA 081 | hybrida 'Lady', AAS , 30 cm, blue, blooms just four months after sowing, recommended as bedding, border and balcony perennial, long flowering, VI-X, Z7-9 | 3 | 15 | | 882,00 | 98,00 | 12,00 | 6,00 |
| LA 086 | latifolia - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed stoechas , AGM , 60 cm, dark purple, short stalks, grey-green leaves, VI-X, Z7-9 (see also GOLD NUGGET SEED) | 5 | 9 | | 576,00 | 72,00 | 9,00 | 4,50 |
| LA 087 | stoechas 'Bandera Purple', CES , 20 cm, dark purple flowers with large purple bracts, rich flowering, densely mounded, compact habit, first year flowering, best for container production, VI-X, Z7-10 | 2 | 16 | | – | – | 78,00 | 8,80 |
| LA 084 | stoechas 'Castilliano Violet' TM , 30 cm, blue violet flowers and bracts, compact stable flower stalks, branched habit, silver leaves, first year flowering, VI-X, Z7-9 vera - see angustifolia | 3 | 16 | | 2260,00 | 252,00 | 28,00 | 6,20 |
| LAVATERA (Malvaceae) | | | | | | | | |
| LA 085 | arborea , Tree Mallow, 250 cm, red-purple with dark veins, fast growing, mostly biennial, VI-IX, Z7-11 | 30 | 8 | | 80,00 | 10,00 | 2,00 | 3,00 |
| LA 089 | cachemiriana , 160 cm, soft pink with white eye, very nice Mallow, VI-VIII, Z6-10 (see also GOLD NUGGET SEED) | 10 | 8 | Sol | 256,00 | 32,00 | 4,00 | 4,00 |
| LA 090 | thuringiaca , 150 cm, light pink mallow blossoms, VII-IX, Z6-10 (see also GOLD NUGGET SEED) | 10 | 9 | × | 168,00 | 21,00 | 2,60 | 2,60 |
| LEIBNITZIA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| LA 094 | nivea (GERBERA nivea), 20 cm, creamy-white, dark green, lobed foliage, grey underneath, V-VI, Z6-9 | 5 | 15 | | 480,00 | 60,00 | 7,50 | 3,75 |
| LEONOTIS (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| LA 620 | nepetifolia (leonurus-hort.) 'Staircase', Lion's Ear, 160 cm, orange-red, IX-XI, Z8-10 | 8 | 9 | Sol × | – | – | 16,00 | 4,90 |
| LEONTOPODIUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| LA 100 | alpinum , Edelweiss, 15 cm, white felt-like, VII-IX, Z4-7 | 1 | 4/15 | | 640,00 | 86,00 | 12,00 | 3,80 |
| LA 108 | souliei , 10 cm, white felt-like, small flowers, carpet forming, VI-VII, Z4-7 | 0,25 | 4/15 | | 996,00 | 126,00 | 16,00 | 4,00 |



LAVANDULA angustifolia 'Hidcote Superior'



LAVANDULA angustifolia 'Rosea'



LAVANDULA stoechas 'Bandera Purple'


 LAVANDULA stoechas 'Castilliano Violet'TM

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| LEONURUS - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| LEPIDIUM sativum - see Organic Seed | | | | | | | |
| LEPTANDRA virginica - see VERONICASTRUM virginicum | | | | | | | |
| LEUCANTHEMELLA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| CA 478 | 16 | 16 | × | 196,00 | 28,00 | 4,00 | 2,00 |
| CA 478 serotina (CHRYSANthemum), (AGM), Autumn Oxeye, 150 cm, white with yellow disk, several flowers per stem, valuable late flowering border plant, IX-X, Z6-9 | | | | | | | |
| LEUCANTHEMOPSIS (Asteraceae, <i>Compositae</i>) | | | | | | | |
| CA 380 | 9 | 9 | △ Ca | – | – | 38,00 | 5,40 |
| CA 380 alpina (CHRYSANthemum), 10 cm, mostly white, VI-VII, Z5-7 | | | | | | | |
| LEUCANTHEMUM (Asteraceae, <i>Compositae</i>) | | | | | | | |
| LB 720 | 15 | 15 | × | 184,00 | 23,00 | 2,90 | 2,00 |
| LB 720 graminifolium , 30 cm, white, very narrow foliage, V-VII, Z6-9 | | | | | | | |
| CA 424 maximum hort. - see x superbum | | | | | | | |
| CA 424 | 15 | 15 | ✂ | 50,00 | 10,00 | 2,00 | 2,00 |
| CA 424 vulgare (CHRYSANthemum leucanthemum, irtcutianum), Ox-eye Daisy, 60 cm, pure white with yellow disc, V-IX, Z2-8 (see also Organic-Seeds) | | | | | | | |
| CA 426 | 15 | 15 | × | 128,00 | 16,00 | 2,00 | 2,00 |
| CA 426 vulgare 'Filigran', 60 cm, pure white with yellow disc, abundant flowering, filigreed feathery dark green foliage, Z2-8 | | | | | | | |
| CA 428 | 15 | 15 | × | 74,00 | 12,00 | 2,00 | 2,00 |
| CA 428 vulgare 'Maikönigin' [May Queen], 70 cm, pure white, early spring daisy, VI-IX, Z2-8 | | | | | | | |
| CA 436 | 15 | 15 | × | 74,00 | 12,00 | 2,00 | 2,00 |
| CA 436 x superbum 'Alaska' [Antwerp Star], 100 cm, radiant white, large blossoms, VI-VIII, Z3-7 | | | | | | | |
| CA 438 | 15 | 15 | × | 196,00 | 28,00 | 4,00 | 2,00 |
| CA 438 x superbum 'Brightside', 80 cm, brilliant white with yellow disk, strong and healthy foliage, especially vigorous and stable, related with the award winning cultivar 'Becky', VI-VIII, Z3-7 | | | | | | | |
| CA 441 | 15 | 15 | × | 96,00 | 12,00 | 2,00 | 2,00 |
| CA 441 x superbum 'Exhibition', 80 cm, white, mostly semi-double flowers, VI-VIII, Z3-7 | | | | | | | |
| CA 444 | 15 | 15 | × | 322,00 | 40,00 | 5,20 | 3,60 |
| CA 444 x superbum 'Polaris', 120 cm, snow-white, large blossoms, VI-VII, Z3-7 | | | | | | | |
| CA 464 | 15 | 15 | × | 322,00 | 40,00 | 5,20 | 3,60 |
| CA 464 x superbum fl. pl. 'Snowdrift' [Crazy Daisy], 70 cm, double and semi-double flowers, pure white, VI-VIII, Z3-7 | | | | | | | |
| CA 456 | 15 | 15 | △ | – | 378,00 | 42,00 | 9,80 |
| CA 456 x superbum 'Nanus Dwarf Snow Lady', (F ₁ -Hybrid), 20 cm, pure white, large flowers, blooms in the first year, splendid variety, VI-VIII, Z3-7 | | | | | | | |
| CA 460 | 15 | 15 | △ | 144,00 | 18,00 | 2,40 | 2,00 |
| CA 460 x superbum 'Nanus Silberprinzesschen' [Silver Princess], 30 cm, pure white, compact bushes, VI-VIII, Z3-7 | | | | | | | |
| CA 450 | 15 | 15 | × | 96,00 | 12,00 | 2,00 | 2,00 |
| CA 450 x superbum 'Starburst', 80 cm, brilliant white, very large flowering, stable, strong stems, vigorous, VI-VIII, Z3-7 | | | | | | | |
| LEUCOGENES (Asteraceae, <i>Compositae</i>) | | | | | | | |
| LA 600 | 8 | 8 | △ ^ | – | – | 140,00 | 7,80 |
| LA 600 grandiceps , 10 cm, white felt-like Edelweiss flowers, compact white felt-like cushions, VI-VII, Z7-10 | | | | | | | |
| LEUCOJUM (Amaryllidaceae) | | | | | | | |
| LA 116 | 1 | 1 | △ ✂ | 320,00 | 42,00 | 5,20 | 2,60 |
| LA 116 vernum , (AGM), Snowflake, 25 cm, white nodding bell flowers, III-IV, Z3-9 | | | | | | | |
| LEUCOSCEPTRUM (Asteraceae, <i>Compositae</i>) | | | | | | | |
| LA 610 | 16 | 16 | ♣ | – | – | – | 7,20 |
| LA 610 japonicum f. aureum [Golden Angel], Japanese Shrub Mint, 50 cm, white spikes, vigorous golden green foliage, precious ornamental foliage plant, VII-IX, Z4-8 | | | | | | | |
| LEUZEA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| LA 120 | 16 | 16 | × | 192,00 | 24,00 | 3,00 | 6,00 |
| LA 120 rhapontica (STEMMACANTHA), 160 cm, lilac pink, VII-VIII, Z5-8 | | | | | | | |
| LEVISTICUM officinale - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| LEWISIA (Portulacaceae) | | | | | | | |
| LA 117 | 1 | 1 | △ | – | 256,00 | 32,00 | 6,00 |
| LA 117 brachycalyx , (AGM), 10 cm, mostly white, rarely pink, very large flowering, V-VI, Z4-8 | | | | | | | |
| LA 121 | 1 | 1 | △ | – | 324,00 | 36,00 | 8,00 |
| LA 121 columbiana , 25 cm, white to dark pink blossom panicles, V-VII, Z4-8 | | | | | | | |
| LA 119 | 9 | 9 | △ | – | 1480,00 | 158,00 | 9,80 |
| LA 119 Cotyledon-Hybr. 'Elise Mix', (F ₁ -S), 20 cm, rich mixture of striking colours, flowers reliable the first year after sowing, perfect for container production, tolerant against heat, V-IX, Z3-8 | | | | | | | |
| LA 155 | 9 | 9 | △ | – | – | 198,00 | 9,80 |
| LA 155 Cotyledon-Hybr. 'Elise Ruby Red', (F ₁ -S), 20 cm, magenta colors, flowers reliable the first year after sowing, perfect for container production, tolerant against heat, V-IX, Z3-8 | | | | | | | |
| LA 157 | 9 | 9 | △ | – | – | 198,00 | 9,80 |
| LA 157 Cotyledon-Hybr. 'Elise White', (F ₁ -S), 20 cm, pure white, flowers reliable the first year after sowing, perfect for container production, tolerant against heat, V-IX, Z3-8 | | | | | | | |
| LA 122 | 1 | 1 | △ | 1150,00 | 144,00 | 18,00 | 4,00 |
| LA 122 Cotyledon-Hybr. 'Mixture' [Galaxy Mix], 25 cm, profusion mixture, wonderful color-shades, IV-VI, Z5-8 | | | | | | | |

continued on the following page



LEONTOPODIUM souliei



LEUCANTHEMELLA serotina



LEUCANTHEMUM x superbum 'Brightside'



LEUCOGENES grandiceps



LEUCOJUM vernum



LEUCOSCEPTRUM japonicum f. aureum



LEWISIA Longipetala-Hybr. 'Little Mango'



LEWISIA Cotyledon-Hybr. 'Elise Mix'



LEWISIA Cotyledon-Hybr. 'Regenbogen'



LEWISIA Longipetala-Hybr. 'Little Peach'



LEWISIA Longipetala-Hybr. 'Little Plum'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| LEWISIA continuation | | | | | | | |
| LA 124 | 2 | 1 | △ ⊕ ⊕ | 2980,00 | 360,00 | 42,00 | 7,20 |
| LA 131 | 2 | 1 | △ ⊕ ⊕ | 1920,00 | 240,00 | 30,00 | 5,00 |
| LA 118 | 2 | 1 | △ ⊕ | – | – | 64,00 | 8,00 |
| LA 123 | 2 | 1 | △ ⊕ | – | – | 64,00 | 9,00 |
| LA 130 | 2 | 1 | △ ⊕ | – | 288,00 | 36,00 | 6,00 |
| LA 125 | 2 | 1 | △ ⊕ | – | 384,00 | 48,00 | 8,00 |
| LA 132 | | | | | | | |
| LA 127 | | | | | | | |
| LA 128 | | | | | | | |
| Longipetala-Hybr. Little-Series , 15 cm, large flowering, short upright stems, lanceolate leaves, strong rosettes, V-VI, reblooms in the fall, easy in the garden, Z4-8 (see also GOLD NUGGET SEED®) | | | | | | | |
| LA 145 | 2 | 1 | △ ⊕ ⊕ | – | 410,00 | 48,00 | 7,80 |
| LA 140 | | | | | | | |
| LA 135 | | | | | | | |
| LA 147 | | | | | | | |
| LA 148 | | | | | | | |
| LA 149 | | | | | | | |
| LA 134 | 2 | 1 | △ ⊕ | 1536,00 | 192,00 | 24,00 | 4,00 |
| LA 136 | 1 | 1 | △ | 1152,00 | 144,00 | 18,00 | 3,00 |
| LA 137 | 2 | 1 | △ | – | 336,00 | 42,00 | 8,40 |
| LA 141 | 2 | 1 | △ | – | 220,00 | 28,00 | 4,80 |
| LA 143 | 2 | 1 | △ ^ | – | – | – | 9,80 |
| LA 142 | 2 | 1 | △ ^ | 3400,00 | 380,00 | 42,00 | 8,40 |
| LEYCESTERIA (Caprifoliaceae) | | | | | | | |
| LA 154 | 3 | 16 | Sol ^ & | 400,00 | 50,00 | 6,20 | 3,10 |

| | | | | Prices in EURO net per: | | | | |
|---|---|-------------------------|-----------------------------|-------------------------|------------|-----------|----------|---------|
| | | Gram to get 1000 plants | N° of the sowing directions | Special Hints | from 100 g | from 10 g | from 1 g | Portion |
| LIATRIS (Asteraceae, Compositae) | | | | | | | | |
| LA 160 | aspera , 90 cm, pink, loose panicles, VIII-X, Z3-8 | 15 | 16 | × | – | 74,00 | 9,20 | 4,60 |
| LA 164 | cyllindracea , 40 cm, purple, loose spikes, VIII-IX, Z4-8 | 5 | 16 | × | – | 74,00 | 9,20 | 4,60 |
| LA 165 | elegans , 60 cm, long light purple spikes, VII-IX, Z6-8 | 10 | 16 | × | – | 74,00 | 9,20 | 4,60 |
| LA 166 | ligulistylis , 90 cm, purple-blue, VII-IX, Z3-8 | 10 | 16 | × | – | 74,00 | 9,20 | 4,60 |
| LA 173 | ☐ microcephala , 40 cm, purple-pink, graceful spikes, VII-IX, Z4-8 | 3 | 16 | △ × | – | – | 24,00 | 4,50 |
| LA 167 | punctata , 50 cm, purple, dense flower panicles, VIII-IX, Z3-8 | 10 | 16 | △ × | – | 74,00 | 9,20 | 4,60 |
| LA 168 | pycnostachya , 160 cm, light purple, dense blossom heads, VII-IX, Z3-8 | 10 | 16 | × | 240,00 | 30,00 | 4,20 | 3,00 |
| LA 170 | ☐ scariosa [September Glory] , 120 cm, red-purple, large single flowers on sturdy stems, VII-X, Z3-8 | 8 | 16 | × | – | 74,00 | 9,20 | 4,60 |
| LA 169 | ☐ scariosa 'Alba' [White Spires] , 90 cm, large white flowers, VII-IX, Z3-8 | 8 | 16 | × | – | 74,00 | 9,20 | 4,60 |
| LA 172 | spicata , 100 cm, lilac-rose, VII-IX, Z3-8 | 10 | 16 | × ☐ | 96,00 | 12,00 | 2,00 | 2,00 |
| LA 180 | spicata 'Floristan Violet' , 90 cm, violet, long stems, VII-IX, Z3-8 | 10 | 16 | × ☐ | 270,00 | 32,00 | 4,20 | 3,00 |
| LA 184 | ☐ spicata 'Floristan White' , 90 cm, white, excellent cut flower, VII-IX, Z3-8 | 10 | 16 | × ☐ | 270,00 | 32,00 | 4,20 | 3,00 |
| LA 188 | ☐ spicata 'Kobold Strain' [Goblin] , 50 cm, lilac-rose, compact, variable, VII-IX, Z3-8 | 10 | 16 | ☐ ☐ | 205,00 | 26,00 | 3,20 | 3,20 |



LEWISIA Longipetala-Hybr. 'Little Raspberry'



LEWISIA Long.-Hybr. 'Little Snowberry'



LEWISIA Long.-Hybr. 'Little Tutti Frutti'



LEWISIA tweedyi



LEWISIA tweedyi 'Alba'



LIATRIS microcephala

Perennials



LIATRIS scariosa



LIATRIS scariosa 'Alba'



LIATRIS spicata 'Floristan White'



LIATRIS spicata 'Kobold Strain'

| | | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|---|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | | from 100 g | from 10 g | from 1 g | Portion |
| LIBERTIA (Iridaceae) | | | | | | | | | |
| LA 177 | formosa , 40 cm, white to cream coloured flower spikes, IV-V, Z7-10 | | 5 | 8 | ☐ | 440,00 | 56,00 | 7,00 | 3,50 |
| LA 178 | grandiflora , (AGM), 60 cm, white flower umbels, V-IX, Z7-10 | | 5 | 20 | ☐ | 338,00 | 42,00 | 5,00 | 2,50 |
| LA 194 | ixioides , 50 cm, white umbels, green foliage with light band, V-IX, Z7-10 | | 5 | 8 | ☐ | 369,00 | 46,00 | 6,20 | 3,10 |
| LA 196 | ☐ peregrinans [Gold Stripe], 40 cm, white umbels, light green foliage with striking orange colored band, creeping habit, V-IX, Z7-10 | | 2 | 8 | ☐ ↻ ☐ | – | 120,00 | 15,00 | 5,00 |
| LIGULARIA (Asteraceae, Compositae) | | | | | | | | | |
| LA 198 | altaica , 100 cm, yellow blossom spikes, elliptical blue-green foliage, dies back early, VII-VIII, Z4-8 | | 15 | 8 | △ | 576,00 | 72,00 | 9,00 | 6,00 |
| | clivorum - see dentata | | | | | | | | |
| LA 200 | dentata (clivorum) [Orange Queen], 100 cm, orange-yellow, green foliage, VII-IX, Z3-8 | | 30 | 16 | | 192,00 | 26,00 | 3,60 | 3,60 |
| LA 202 | ☐ dentata (clivorum) [Midnight Lady], (AGM), 100 cm, golden rayflowers, dark sturdy stems, compact purple-bronze foliage, stays colored during summer, nearly black-purple in spring, VII-IX, Z3-8 | | 30 | 16 | ☐ ✂ | 288,00 | 36,00 | 4,60 | 4,60 |
| LA 212 | ☐ przewalskii , (AGM), 80 cm, yellow blossom racemes, VII-IX, Z4-8 | | 5 | 16 | | 960,00 | 120,00 | 15,00 | 9,80 |
| LA 214 | sibirica , 140 cm, yellow blossom racemes, VII-VIII, Z3-8 | | 10 | 8 | | 360,00 | 45,00 | 6,00 | 4,50 |
| LA 216 | Stenocephala-Hybr. , 120 cm, yellow blossom spikes, red-brown stems, VII-VIII, Z4-8 | | 7 | 16 | | 576,00 | 72,00 | 8,00 | 6,00 |
| LIGUSTICUM (Apiaceae, Umbelliferae) | | | | | | | | | |
| LA 228 | lucidum , 120 cm, white umbels, fine feathered foliage, perennial, V-VII, Z5-8 | | 10 | 8 | △ ✂ | – | 48,00 | 6,00 | 6,00 |
| LA 227 | scoticum [ANGELICA 'Summer Delight'], Scots Lovage, 50 cm, brilliant white umbels, purple colored stems, glossy, dark green, attractive foliage, golden fall color, perennial, VI-VIII, Z3-8 | | 10 | 8 | ☐ ✂ △ ☐ | – | 78,00 | 9,80 | 7,20 |
| LILIUM (Liliaceae) | | | | | | | | | |
| LA 229 | bulbiferum ssp. croceum , Fire Lily, 60 cm, fiery, yellow-orange, VI, Z6-9 | | 15 | 8 | △ ✂ | – | – | 6,20 | 6,20 |
| LA 235 | ☐ formosanum var. pricei , 30 cm, large white trumpet shaped blossoms, reddish-purple exterior, good hardy form, often flowering the first year from seed, VIII-IX, Z5-9 | | 5 | 16 | △ ✂ | 768,00 | 96,00 | 12,00 | 6,00 |
| | giganteum - see CARDIOCRINUM giganteum | | | | | | | | |
| LA 223 | ☐ kesselingianum , 120 cm, pale yellow bell flowers, fragrant, VII-VIII, Z6-9 | | 30 | 16 | ✂ | 360,00 | 52,00 | 7,20 | 7,20 |
| LA 243 | ☐ mackliniae , Naga form. , (AGM), Manipur Lily, 80 cm, deep rose, large flowers, VII-VIII, Z6-9 | | 10 | 16 | △ ✂ | – | 72,00 | 9,20 | 7,80 |
| LA 234 | martagon , (AGM), 100 cm, light red, brown spotted and white, VI-VII, Z3-8 | | 15 | 8 | ✂ | 204,00 | 25,00 | 3,20 | 3,20 |
| LA 236 | martagon var. album , (AGM), 100 cm, pure white, VI-VIII, Z3-8 | | 15 | 9 | ✂ | – | – | 6,20 | 3,20 |
| LA 238 | ☐ Martagon-Hybr. 'Painted Ladies' , (AGM), 60 cm, beautiful color range with yellow, apricot colored, pink, wine-red, orange and white flowers, mostly purple spotted, VI-VIII, Z3-8 | | 15 | 8 | ✂ | 560,00 | 70,00 | 9,00 | 7,20 |
| LA 242 | ☐ nepalense , 50 cm, greenish-yellow with purple throat, very large flowering, lanceolate foliage, VII-VIII, Z6-10 | | 10 | 9 | ↻ ✂ | – | 58,00 | 8,00 | 4,00 |
| LA 241 | philippinense , 80 cm, white, long funnel-shaped trumpet flowers, fast growing, VII-VIII, Z8-10 | | 3 | 9 | ✂ ☐ ^ | 448,00 | 56,00 | 7,20 | 3,60 |
| LA 231 | pyrenaicum ssp. carniolicum var. bosniacum , 80 cm, pure yellow blossoms, narrow foliage, V-VII, Z5-9 | | 15 | 8 | △ ✂ | 380,00 | 48,00 | 6,20 | 6,20 |
| LA 246 | ☐ szovitsianum , Caucasus-Lily, 120 cm, yellow bell flowers, fragrant, lanceolate foliage, VI-VII, Z4-8 | | 30 | 8 | ✂ | 320,00 | 44,00 | 5,60 | 5,60 |
| LIMONIUM (Plumbaginaceae) | | | | | | | | | |
| LA 256 | bellidifolium , 25 cm, light-violet, VIII-X, Z6-9, pure seed | | 1 | 15 | ✂ △ ☐ | – | – | 48,00 | 6,00 |
| | collinum - see GONIOLIMON collinum | | | | | | | | |
| LA 260 | gmelinii ssp. hungaricum , 50 cm, bright lilac-blue, VII-VIII, Z3-8, pure seed | | 2 | 16 | ✂ | 294,00 | 38,00 | 5,00 | 2,50 |
| LA 261 | gougetianum , 20 cm, lavender-blue, VII-IX, Z7-10, pure seed | | 0,5 | 15 | △ ☐ | – | – | 68,00 | 8,20 |
| LA 264 | latifolium (platyphyllum), 50 cm, blue, V-VII, Z4-8, pure seed | | 2 | 15 | ✂ | 680,00 | 82,00 | 9,80 | 4,60 |
| LA 268 | perezii [Atlantis , Blue Smoke], 125 cm, wonderful blue, only winter hardy in mild climates, otherwise protection needed, VIII-X, Z7-11, pure seed | | 2 | 15 | ✂ ^ | – | – | 24,00 | 5,20 |
| LA 272 | specios 'Blue Diamond' , (AGM), 25 cm, bright blue, VI-VIII, Z4-8, pure seed | | 1 | 15 | △ ☐ | – | – | 48,00 | 6,00 |
| | speciosum - see GONIOLIMON speciosum | | | | | | | | |
| | tataricum - see GONIOLIMON tataricum | | | | | | | | |
| LA 275 | ☐ vulgare , Sea Lavender, 30 cm, blue-violet flower spikes, salt tolerant, VII-IX, Z5-8, pure seed | | 3 | 9 | ✂ | 560,00 | 70,00 | 9,00 | 4,50 |
| LINANTHUS (Polemoniaceae) | | | | | | | | | |
| LA 278 | nuttallii , 15 cm, white with yellow eye, fine foliage, perennial, V-VII, Z6-9 | | 2 | 8 | △ | – | – | – | 5,00 |



LIBERTIA peregrinans



LIGULARIA przewalskii



LIGULARIA dentata 'Midnight Lady'



LILIUM formosanum var. *pricei*



LILIUM kesselringianum



LILIUM Martagon-Hybr. 'Painted Ladies'



LILIUM mackliniae, Naga form



LILIUM nepalense



LILIUM szovitsianum



LIMONIUM vulgare

Perennials







LINARIA aeruginea 'Neon Lights'



LINUM flavum 'Compactum'



LINUM hypericifolium

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| LINARIA (Scrophulariaceae) | | | | | | | |
| LA 290 | 1 | 16 | △ ⊕ ⊗ | 600,00 | 76,00 | 9,60 | 3,20 |
| aeruginea 'Neon Lights' ,  , 20 cm, brilliant colors, mostly bicolored, pink with purple, violet with purple, yellow with orange, white with red, bluish green foliage, flowering the first year after sowing, V-VIII, Z5-9. | | | | | | | |
| LA 280 | 1 | 15 | ⊕ △ ↗ | – | 162,00 | 18,00 | 4,00 |
| alpina , 5 cm, light violet, VI-VIII, Z3-8. | | | | | | | |
| cymbalaria - see CYMBALARIA muralis | | | | | | | |
| LA 288 | 1 | 1 | | 384,00 | 48,00 | 6,00 | 3,00 |
| genistifolia ssp. dalmatica , 100 cm, golden, large flowering, VII-IX, Z4-8. | | | | | | | |
| LA 292 | 1 | 9 | × | – | 54,00 | 7,80 | 3,90 |
| purpurea , 60 cm, purple-violet, VII-X, Z5-8 (see also GOLD NUGGET SEED). | | | | | | | |
| LA 296 | 1 | 9 | × | 420,00 | 54,00 | 7,80 | 3,90 |
| purpurea 'Canon Went' , 60 cm, clear pink, VII-X, Z5-8 (see also GOLD NUGGET SEED). | | | | | | | |
| LA 294 | 1 | 9 | × | – | – | 7,80 | 3,90 |
| purpurea 'Springside White' (Alba) , 60 cm, pure white, VII-X, Z5-8 (see also GOLD NUGGET SEED). | | | | | | | |
| LA 308 | 1 | 15 | × | – | 96,00 | 12,00 | 4,00 |
| triornithophora , 80 cm, red-violet, large flowering, VI-IX, Z6-9. | | | | | | | |
| vulgaris - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| LINDELOFIA (Boraginaceae) | | | | | | | |
| LA 316 | 20 | 1 | △ ^ | 224,00 | 28,00 | 3,50 | 3,50 |
| longiflora , 40 cm, bright blue, protect from winter wet, V-VII, Z6-9. | | | | | | | |
| LINUM (Linaceae) | | | | | | | |
| LA 320 | 5 | 16 | △ | 328,00 | 41,00 | 5,20 | 3,90 |
| alpinum (perenne var. alpinum) , 20 cm, light blue, VI-VIII, Z5-9. | | | | | | | |
| LA 322 | 5 | 8 | △ | 450,00 | 50,00 | 6,20 | 3,10 |
| capitatum [Sulphur] , 25 cm, yellow, beautiful variety, VI-VII, Z6-9 (see also GOLD NUGGET SEED). | | | | | | | |
| LA 323 | 5 | 9 | △ | 450,00 | 50,00 | 6,20 | 3,10 |
| dolomiticum , 20 cm, yellow, VI-VII, Z5-8. | | | | | | | |
| LA 324 | 3 | 16 | △ ⊕ | 320,00 | 42,00 | 5,40 | 2,80 |
| flavum 'Compactum' , 20 cm, golden, VI-VIII, Z4-8. | | | | | | | |
| LA 330 | 3 | 8 | △ ⊕ | 760,00 | 96,00 | 12,00 | 4,00 |
| hybrid 'Gemmel's-Strain' ,  , 15 cm, large golden flowers, glaucous foliage, VI-VII, Z5-8. | | | | | | | |
| LA 331 | 5 | 9 | △ | 760,00 | 96,00 | 12,00 | 6,00 |
| hypericifolium , 40 cm, pink with darker veins, striking and large flowering, robust habit, VI-VIII, Z4-8 (see also GOLD NUGGET SEED). | | | | | | | |
| LA 334 | 5 | 15 | | 96,00 | 12,00 | 2,00 | 2,00 |
| lewisii , 30 cm, skyblue, drought resistant prairie perennial, V-VIII, Z3-9. | | | | | | | |
| LA 332 | 10 | 8 | | 378,00 | 42,00 | 5,20 | 3,60 |
| narbonense [Heavenly Blue] , 40 cm, heavenly blue, large flowers, VI-VII, Z4-8 (see also GOLD NUGGET SEED). | | | | | | | |
| LA 335 | 10 | 15 | | 96,00 | 12,00 | 2,00 | 2,00 |
| perenne [Himmelszelt] , Perennial Flax, blue, 40 cm, VI-VIII, Z5-8 (see also Organic-Seeds). | | | | | | | |
| LA 340 | 10 | 15 | △ ⊕ | 320,00 | 42,00 | 5,40 | 2,80 |
| perenne Nanum Album 'Diamant' , 25 cm, pure white, well branched, VI-VIII, Z5-8. | | | | | | | |
| LA 344 | 10 | 15 | △ ⊕ | 320,00 | 42,00 | 5,40 | 2,80 |
| perenne Nanum 'Blue Sapphire' , 25 cm, sapphire blue, well branched with abundant flowers, VI-VII, Z5-8. | | | | | | | |
| LA 352 | 2 | 15 | △ | – | – | – | 4,00 |
| tenuifolium , 30 cm, light pink with darker veins, fine foliage, VI-VIII, Z6-8. | | | | | | | |
| LIRIOPE (Convallariaceae, <i>Liliaceae</i>) | | | | | | | |
| LA 360 | 100 | 7/8 | △ ⊕ | 56,00 | 7,00 | 2,00 | 3,50 |
| muscari 'Big Blue' , 50 cm, blue, evergreen, VIII-X, Z6-9. | | | | | | | |
| LOBELIA (Campanulaceae) | | | | | | | |
| LA 370 | 0,5 | 4/9 | ⊗ × ⊕ | 1584,00 | 198,00 | 22,00 | 5,00 |
| cardinalis ,  , 90 cm, bright red, green foliage, VII-X, Z3-9 (see also GOLD NUGGET SEED). | | | | | | | |
| LA 374 | 1,5 | 4/20 | × ^ ⊕ | – | 360,00 | 42,00 | 5,40 |
| fulgens (cardinalis) 'Queen Victoria' ,  , 80 cm, red, foliage red-brown, VII-X, Z7-9, pelleted seed | | | | | | | |
| inflata - see Organic Seed | | | | | | | |
| LA 373 | 0,5 | 4/9 | ⊗ × | 1584,00 | 198,00 | 22,00 | 5,00 |
| sessilifolia , 50 cm, violet, upright, VI-VIII, Z4-7 (see also GOLD NUGGET SEED). | | | | | | | |
| speciosa Starship-Series , 55 cm, dense flower stalks, rich and early flowering, vigorous and bushy growth, first year flowering, perfect for pot culture, V-X, Z6-10 | | | | | | | |
| LA 375 | 1 | 4/20 | × ⊕ ⊗ | – | 1150,00 | 128,00 | 9,80 |
| 'Starship Deep Rose' , bright deep pink, pelleted seed | | | | | | | |
| LA 377 | 1 | 4/20 | × ⊕ ⊗ | – | 1150,00 | 128,00 | 9,80 |
| 'Starship Scarlet' , bright scarlet, pelleted seed | | | | | | | |
| LA 378 | 0,5 | 4/9 | ⊗ × ⊕ | 384,00 | 48,00 | 6,00 | 3,00 |
| siphilitica , 60 cm, bright blue, VII-IX, Z3-9 (see also GOLD NUGGET SEED). | | | | | | | |
| LA 379 | 0,5 | 4/9 | ⊗ × ⊕ | 512,00 | 64,00 | 8,00 | 4,00 |
| siphilitica 'Alba' , 60 cm, pure white, VII-IX, Z3-9 (see also GOLD NUGGET SEED). | | | | | | | |
| LA 386 | 0,25 | 9 | × ^ ⊗ | – | – | 48,00 | 8,00 |
| tupa , 120 cm, brick red, large lanceolate leaves, needs winter protection, VIII-IX, Z7-10. | | | | | | | |
| LOMATIUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | |
| LA 395 | 120 | 1 | ⊕ △ ⊗ | 280,00 | 36,00 | 4,80 | 7,60 |
| columbianum , Columbia Desert Parsley, 60 cm, robust rosy-red umbels, blue-grey pinnate leaves, a rarity! IV-VI, Z6-9. | | | | | | | |
| LA 396 | 40 | 1 | ⊕ △ | 160,00 | 22,00 | 3,00 | 3,00 |
| grayi , Gray's Desert Parsley, 40 cm, yellow umbels, fine feathered aromatic foliage, long lived, V-VII, Z6-9. | | | | | | | |



LINUM narbonense



LINUM tenuifolium



LOBELIA speciosa 'Starship Scarlet'



LOBELIA cardinalis



LOBELIA speciosa 'Starship Deep Rose'



LOBELIA siphilitica



LOMATIUM columbianum



LOBELIA tupa



LOMATIUM grayi



LUNARIA rediviva

Perennials



LUPINUS 'Mini-Gallery Pink-White'



LUPINUS Nanus Russell 'Mini-Gallery Pink'



LUPINUS Nanus Russell 'Gallery Mixture'



LUPINUS Nanus Russell 'Mini-Gallery Blue'



LUPINUS Russell 'Woodfield Hybr.'



LYCHNIS x arkwrightii 'Orange Zwerg'



LYCHNIS coronaria 'Oculata'



LYCHNIS flos-cuculi



LYCHNIS flos-cuculi 'White Robin'



LYCHNIS x haageana 'Molten Lava'

| | | Gram to get 1000 plants | N° of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|---|-------------------------|-----------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion |
| LOTUS (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | |
| LA 390 | corniculatus , 10 cm, yellow, V-IX, Z4-9 | 10 | 15 | ☞ △ ⊕ | 24,00 | 6,00 | 2,00 | 2,00 |
| | hirsutus - see DORYCNIUM | | | | | | | |
| | maritimus - see TETRAGONOLOBUS | | | | | | | |
| | pentaphyllus - see DORYCNIUM | | | | | | | |
| LUNARIA (Brassicaceae, <i>Cruciferae</i>) | | | | | | | | |
| LA 400 | annua (biennis) , Honesty, 100 cm, purple, self-sows, IV-VI, Z6-10 | 50 | 15 | ✂ ⊕ ☞ | 36,00 | 4,80 | 2,00 | 2,40 |
| LA 401 | annua var. albiflora , (AGM), 100 cm, white, decorative seed heads, IV-VI, Z6-10 | 50 | 15 | ✂ ⊕ ☞ | 36,00 | 4,80 | 2,00 | 2,40 |
| LA 404 | rediviva , Perennial Honesty, 90 cm, light purple and white, elliptical seed pods, V-VII, Z5-8 | 70 | 1 | ✂ ✂ ☞ | 84,00 | 9,80 | 2,00 | 3,50 |
| LUPINUS (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | |
| LA 407 | arboreus f. albiflorus , (AGM), Tree Lupin, up to 2 m, white, evergreen, IV-VI, Z7-10 | 80 | 7/10 | Sol | 96,00 | 12,00 | 2,00 | 9,00 |
| LA 408 | arboreus f. luteus , (AGM), Tree Lupin, up to 2 m, sulphur-yellow, evergreen, IV-VI, Z7-10 | 80 | 7/10 | Sol | 96,00 | 12,00 | 2,00 | 6,00 |
| LA 413 | perennis , 110 cm, mostly blue, V-VIII, Z3-8 | 50 | 16 | ⊕ | 18,00 | 6,00 | 2,00 | 2,00 |
| Perennis-Hybr. Russell-Varieties: | | | | | | | | |
| Russell Band of Nobles-Series: 100 cm, JET®- heat-treated seed is virtually Colletotrichum free, a secondary infection is still possible, please prevent! VI-VIII, Z3-8 | | | | | | | | |
| LT 420 | 'Edelknaben' [The Pages], carmine red shades | 50 | 7/10 | ✂ ⊕ | 86,00 | 12,00 | 2,00 | 4,00 |
| LT 422 | 'Fräulein' [Noble Maiden], cream-white | | | | | | | |
| LA 424 | 'Kastellan' [The Governor], blue, white banner | | | | | | | |
| LT 426 | 'Kronleuchter' [Chandelier], light yellow | | | | | | | |
| LT 428 | 'Mein Schloß' [My Castle], red colors | | | | | | | |
| LA 430 | 'Schloßfrau' [The Chatelaine], pink, white banner | 50 | 7/10 | ✂ ⊕ | 64,00 | 9,00 | 2,00 | 3,20 |
| LT 434 | 'Russellmixture' [Band of Nobles], (see also Organic-Seeds), ... JET®- heat-treated seed | | | | | | | |
| Dwarf Russell-Mixtures: extensive colour range, VI-VIII, Z3-8 | | | | | | | | |
| LT 415 | 'Lulu Mix', 45 cm, compact habit | 50 | 7/10 | ✂ △ ⊕ | 98,00 | 14,00 | 2,00 | 4,80 |
| LT 416 | 'Minarette', 60 cm, stable | | | | | | | |
| Nanus Russell Mini-Gallery-Series , (CFS), 35 cm, densely compact flower spikes, dwarf compact habit, first year flowering, best for container production, V-VII, Z3-8 | | | | | | | | |
| LA 453 | 'Mini-Gallery Blue' | 40 | 7/10 | △ ⊕ ⊕ | 420,00 | 56,00 | 7,40 | 7,40 |
| LA 451 | 'Mini-Gallery Blue-White' | | | | | | | |
| LA 454 | 'Mini-Gallery Yellow' | | | | | | | |
| LA 455 | 'Mini-Gallery Pink' | | | | | | | |
| LA 456 | 'Mini-Gallery Pink-White' | | | | | | | |
| LA 457 | 'Mini-Gallery Red' | | | | | | | |
| LA 458 | 'Mini-Gallery White' | | | | | | | |
| Nanus Russell Gallery-Series , (CFS), 50 cm, compact plants, 10-12 blossom-stalks per plant, VI-VIII, Z3-8 | | | | | | | | |
| LT 440 | 'Gallery Blue' | 50 | 7/10 | △ ⊕ ⊕ | 198,00 | 26,00 | 3,40 | 7,20 |
| LT 442 | 'Gallery Yellow' | | | | | | | |
| LT 444 | 'Gallery Pink' | | | | | | | |
| LT 445 | 'Gallery Pink-White' | | | | | | | |
| LT 446 | 'Gallery Red' | | | | | | | |
| LT 448 | 'Gallery White' | | | | | | | |
| LT 450 | 'Gallery Mixture' of single colors | | | | | | | |
| LT 459 | Russell 'Woodfield Hybr.' , 100 cm, colourful mixture with dense, tight, large flower panicles, pure white, pink, red, yellow, orange, blue, violet and wonderful multicolored combinations, VI-VIII Z3-8, ... JET®- heat-treated seed | 50 | 7/10 | ✂ ⊕ | 198,00 | 26,00 | 3,40 | 7,20 |
| LYCHNIS see also SILENE (Caryophyllaceae) | | | | | | | | |
| LA 460 | alpina (VISCARIA) , 10 cm, pink, V-VI, Z4-8 | 1 | 16 | △ ⊕ | 576,00 | 72,00 | 9,00 | 3,50 |
| LA 463 | alpina 'Lely Deep Rose' ™, (CFS), 15 cm, brilliant dark pink, abundant flowering and vigorous, selected for container production, V-VI, Z4-8 | 0,5 | 15 | △ ⊕ ☞ | - | 420,00 | 48,00 | 6,20 |
| LA 461 | alpina 'Snow Flurry' , (CFS), 10 cm, pure white, V-VI, Z4-8 | 1 | 15 | △ ⊕ | 768,00 | 96,00 | 12,00 | 4,00 |
| LA 465 | x arkwrightii 'Orange Zwerg' , 20 cm, orange-red, dark foliage, VI-VII, Z5-8 | 2 | 15 | △ ⊕ | 360,00 | 45,00 | 5,80 | 2,80 |
| LA 464 | x arkwrightii 'Vesuvius' , 40 cm, orange-scarlet, dark foliage, VI-VII, Z5-8 | 2 | 15 | ⊕ ✂ | 240,00 | 30,00 | 4,00 | 2,00 |
| LA 468 | chalcidonica [Red Cross] , (AGM), 120 cm, fire-red blossoms, VI-VIII, Z4-8 | 1 | 15 | ⊕ ✂ | 96,00 | 18,00 | 3,40 | 2,00 |
| LA 467 | chalcidonica 'Carnea' [Morgenrot, Dusky Salmon, Dusky Pink, Pinkie], 120 cm, pink, VI-VIII, Z4-8 | 1 | 15 | ⊕ ✂ | - | 54,00 | 7,80 | 2,80 |
| LA 469 | chalcidonica 'Rauhreif' , 120 cm, pure white, VI-VII, Z4-8 | 1 | 15 | ⊕ ✂ | - | 54,00 | 7,80 | 2,80 |
| LA 472 | coronaria (AGROSTEMMA) [Atrosanguinea] , (AGM), 75 cm, carmine-red, white felt-like foliage, VII-VIII, Z4-8 | 1 | 15 | ⊕ | 80,00 | 10,00 | 2,00 | 2,00 |
| LA 476 | coronaria 'Alba' , (AGM), 70 cm, pure white, white felt-like foliage, VII-VIII, Z4-8 | 1 | 15 | ⊕ | 192,00 | 24,00 | 3,40 | 2,00 |
| LA 480 | coronaria 'Oculata' [Angel's Blush] , 70 cm, white with red eye, variable, VII-VIII, Z4-8 | 1 | 15 | ⊕ | 192,00 | 24,00 | 3,40 | 2,00 |
| LA 484 | fios-cuculi (SILENE) , Ragged Robin, 40 cm, pink, V-VI, Z3-8 (see also Organic-Seeds) | 0,5 | 16 | ⊕ | 96,00 | 18,00 | 3,40 | 2,00 |
| LA 485 | fios-cuculi 'Nana' [Congesta] , 10 cm, red, V-VI, Z3-8 | 0,5 | 15 | △ ⊕ | 448,00 | 56,00 | 8,00 | 4,00 |
| LA 486 | fios-cuculi 'White Robin' , (CFS), 40 cm, pure white flowers with red stems, stable upright habit, V-VI, Z3-8 | 0,5 | 16 | ⊕ | 448,00 | 56,00 | 8,00 | 4,00 |
| LA 490 | fios-jovis nana 'Peggy' , (CFS), 25 cm, bright rosy-red, grey felt-like foliage, V-VII, Z4-8 | 0,5 | 15 | △ ⊕ ☞ | 512,00 | 64,00 | 8,00 | 4,00 |
| LA 492 | x haageana , 45 cm, large flowering hybrids, mixed, VI-VII, Z5-8 | 3 | 15 | ⊕ | 160,00 | 20,00 | 2,50 | 2,00 |
| NEW! LA 493 | x haageana 'Molten Lava' , 30 cm, brilliant red, abundant flowering, dark foliage, compact, VI-VII, Z5-8 | 3 | 15 | △ ⊕ ☞ | 360,00 | 45,00 | 5,80 | 2,80 |
| LA 495 | viscaria, wild form , 50 cm, red, V-VI, Z3-7 | 1 | 15 | ⊕ | 96,00 | 18,00 | 3,40 | 2,00 |
| LA 500 | viscaria ssp. atropurpurea , 30 cm, dark purple-red, V-VI, Z3-7 | 1 | 15 | △ | 256,00 | 32,00 | 4,00 | 2,00 |
| LA 496 | viscaria splendens 'Feuer' [Firebird, Rosett, Visca Fire] , 50 cm, bright fire red, V-VI, Z3-7 | 1 | 15 | ✂ ☞ | 120,00 | 20,00 | 3,40 | 2,00 |
| LA 504 | viscaria Alba 'Schnee' [Snowbird, Snowstar, Visca Snow] , 50 cm, pure white, V-VI, Z3-7 | 1 | 15 | ✂ ☞ | 120,00 | 20,00 | 3,40 | 2,00 |
| LYCIUM - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |


| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|-----------------------------------|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| LYCOPUS - see Organic Seed | | | | | | | |
| LYSIMACHIA (Primulaceae) | | | | | | | |
| LA 525 | 1 | 8 | ☼ ☹ ✂ | 768,00 | 96,00 | 12,00 | 6,00 |
| LA 521 | 1 | 8 | ☹ | – | 224,00 | 28,00 | 6,00 |
| LA 522 | 0,5 | 9 | ☼ ✂ | – | 288,00 | 36,00 | 6,00 |
| LA 520 | 1 | 15 | ☹ ✂ | 768,00 | 96,00 | 12,00 | 6,00 |
| LA 523 | 1 | 16 | ☹ ✂ ☼ | 1920,00 | 240,00 | 30,00 | 6,00 |
| LA 524 | 1 | 9 | ☹ ✂ ☹ | 240,00 | 30,00 | 4,00 | 2,00 |
| LA 527 | 1 | 9 | ☹ ☹ ☹ | 72,00 | 12,00 | 2,00 | 2,00 |
| LYTHRUM (Lythraceae) | | | | | | | |
| LA 528 | 0,25 | 9 | ☹ ☹ ☹ | – | 224,00 | 28,00 | 3,50 |
| LA 530 | 1 | 9 | ☹ ☹ ☹ | 128,00 | 16,00 | 2,00 | 2,00 |
| NEW! LA 540 | 0,25 | 9 | ☹ ☹ ☹ | – | 192,00 | 24,00 | 3,20 |



LYSIMACHIA atropurpurea



LYSIMACHIA clethroides



LYSIMACHIA punctata



LYTHRUM alatium



LYTHRUM saicaria 'Happy Lights'



MALVA alcea var. fastigiata



MALVA moschata f. alba



MANDRAGORA autumnalis



MANDRAGORA caulescens

| | | | | Prices in EURO net per: | | | |
|--|-----------------------------|---------------|---|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| Gram to get 1000 plants | N° of the sowing directions | Special Hints | | | | | |
| MACHAERANTHERA - see ASTER | | | | | | | |
| MACLEAYA - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| MAIANthemum | | | | | | | |
| racemosum - see SMILACINA racemosa | | | | | | | |
| stellatum - see SMILACINA stellata | | | | | | | |
| MALVA (Malvaceae) | | | | | | | |
| MA 030 | 12 | 8 | ✕ | 128,00 | 16,00 | 2,00 | 2,00 |
| alcea var. fastigiata, 80 cm, pink, blooms continually, VI-IX, Z3-8 (<i>s. a. GOLD NUGGET SEED®</i>) | | | | | | | |
| MA 034 | 10 | 8 | ✕ | 72,00 | 12,00 | 2,00 | 2,00 |
| moschata [<i>Rosea, Pink Perfection</i>], 50 cm, pink, VI-IX, Z3-8 (<i>see also GOLD NUGGET SEED®</i>) | | | | | | | |
| MA 038 | 10 | 8 | ✕ | 72,00 | 12,00 | 2,00 | 2,00 |
| moschata f. alba [<i>White Perfection</i>], (AGM), 50 cm, pure white, VI-IX, Z3-8 (<i>see also GOLD NUGGET SEED®</i>) | | | | | | | |
| MA 039 | 10 | 8 | ✕ | 72,00 | 12,00 | 2,00 | 2,00 |
| moschata 'Appleblossom', 50 cm, soft pink, VI-IX, Z3-8 (<i>see also GOLD NUGGET SEED®</i>) | | | | | | | |
| sylvestris - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| MANDRAGORA (Solanaceae) | | | | | | | |
| MA 045 | 15 | 8 | ☞ | - | 280,00 | 36,00 | 9,80 |
| autumnalis, Autumn Mandrake, 30 cm, purple flowers, fruits yellow to orange, poisonous! IX-X, Z6-9 | | | | | | | |
| NEW! MA 037 | 3 | 8 | △ | - | - | - | 9,60 |
| caulescens, Himalayan Mandrake, 20 cm, dark purple to greenish yellow, bell-shaped, rare, V-VIII, Z5-8 | | | | | | | |
| MA 044 | 60 | 8 | ☞ | 1728,00 | 192,00 | 24,00 | 12,00 |
| officinarium, Mandrake, 40 cm, green-white flowers, first green, later yellow apple-like fruits, poisonous! III-IV, Z6-9 | | | | | | | |
| MARRUBIUM (Lamiaceae, Labiatae) | | | | | | | |
| MA 046 | 5 | 16 | ☞ | 256,00 | 32,00 | 4,00 | 2,00 |
| incanum (candidissimum), 40 cm, white, white-woolly, abundant flowers, VI-VII, Z6-8 | | | | | | | |
| MA 048 | 3 | 16 | △ | 220,00 | 28,00 | 3,80 | 2,00 |
| supinum, 30 cm, rosy-red, white-woolly foliage, VI-VIII, Z6-8 | | | | | | | |
| vulgare - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| MATRICARIA - see CHAMOMILLA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| MATTHIOLA (Brassicaceae, Cruciferae) | | | | | | | |
| MA 054 | 5 | 9 | ✕ | 360,00 | 45,00 | 5,80 | 2,90 |
| incana 'Pillow Talk', BFB, Broom Stock, 45 cm, white, fading to pink, fragrant, grey leaved, mostly biennial, VI-IX, Z5-8 | | | | | | | |
| MECONOPSIS (Papaveraceae) | | | | | | | |
| baileyi - see betonicifolia | | | | | | | |
| NEW! MA 059 | 0,5 | 9 | △ | - | - | - | 9,60 |
| balangensis, 40 cm, black purple to violet, hirsute rosettes, very rare, V-VII, Z5-8 | | | | | | | |
| MA 060 | 2 | 9 | △ | - | 320,00 | 38,00 | 7,20 |
| betonicifolia (var. baileyi) [<i>China Blue</i>], (AGM), 60 cm, heavenly blue, V-VII, Z6-8 (<i>see also GOLD NUGGET SEED®</i>) | | | | | | | |
| MA 062 | 2 | 9 | △ | - | 320,00 | 38,00 | 7,20 |
| betonicifolia var. alba, 60 cm, pure white version, VI-VII, Z6-8 (<i>s. also GOLD NUGGET SEED®</i>) | | | | | | | |
| MA 063 | 2 | 9 | △ | - | 320,00 | 38,00 | 7,20 |
| betonicifolia 'Hensol Violet', 60 cm, lilac-rose, V-VII, Z6-8 (<i>see also GOLD NUGGET SEED®</i>) | | | | | | | |
| MA 066 | 1 | 1 | △ | 256,00 | 32,00 | 4,00 | 2,00 |
| cambrica (PARAMECONOPSIS), 40 cm, yellow, large flowers, VI-IX, Z5-8 (<i>see also GOLD NUGGET SEED®</i>) | | | | | | | |
| MA 068 | 1 | 1 | △ | - | 96,00 | 12,00 | 4,00 |
| cambrica 'Aurantiaca', 40 cm, orange, VI-IX, Z5-8 | | | | | | | |
| MA 069 | 0,5 | 1 | △ | - | - | - | 6,00 |
| cambrica 'Plena', 40 cm, yellow-orange double, variable, VI-IX, Z5-8 | | | | | | | |
| MA 070 | 1 | 1 | △ | - | - | 18,00 | 6,00 |
| cambrica 'Frances Perry' (Rubra), 40 cm, orange-red, VI-VIII, Z5-8 | | | | | | | |
| grandis hort. - see x sheldonii 'Lingholm' (Fertile Blue Group) | | | | | | | |
| MA 076 | 1 | 9 | 2 | - | 336,00 | 48,00 | 6,40 |
| horridula, 50 cm, medium blue, VII-VIII, Z5-8 | | | | | | | |
| MA 075 | 2 | 9 | △ | - | 176,00 | 22,00 | 5,80 |
| integrifolia, 80 cm, brilliant yellow, large flowering, hairy lanceolate leaves, VI-VII, Z6-9 (<i>see also GOLD NUGGET SEED®</i>) | | | | | | | |
| MA 077 | 1 | 9 | △ | - | 176,00 | 22,00 | 5,80 |
| napaulensis (wallichii), 60 cm, red, pink to purple, V-VII, Z5-9 | | | | | | | |
| MA 072 | 1 | 9 | △ | - | 176,00 | 22,00 | 5,80 |
| paniculata, 120 cm, yellow, hairy leaf rosettes, VII-IX, Z6-9 (<i>see also GOLD NUGGET SEED®</i>) | | | | | | | |
| MA 081 | 2 | 1 | △ | - | 432,00 | 48,00 | 7,20 |
| punicea, 40 cm, dark red, nodding flowers, a rarity, VI-VII, Z6-9 | | | | | | | |
| MA 067 | 3 | 9 | △ | - | 234,00 | 26,00 | 7,20 |
| x sheldonii 'Lingholm' (grandis hort.) [<i>Blue Ice</i>] (Fertile Blue Group), 80 cm, medium blue, vigorous, V-VII, Z5-8 (<i>see also GOLD NUGGET SEED®</i>) | | | | | | | |
| MA 079 | 1 | 9 | △ | - | 324,00 | 36,00 | 6,40 |
| superba, 60 cm, white, hairy rosettes, VII-VIII, Z6-8 | | | | | | | |
| MA 082 | 0,5 | 9 | △ | - | 288,00 | 32,00 | 5,80 |
| villosa (CATHCARTIA), 50 cm, yellow, hairy foliage, VI-VII, Z6-9 | | | | | | | |
| MELANDRIUM - see SILENE | | | | | | | |



MARRUBIUM supinum



MECONOPSIS balangensis



MECONOPSIS horridula



MECONOPSIS integrifolia



MECONOPSIS paniculata



MECONOPSIS punicea



MECONOPSIS x sheldonii 'Lingholm'



MELIANTHUS major



MIMULUS cardinalis

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| MELIANTHUS (Melianthaceae) | | | | | | | |
| MA 090 major , ^(AGM) Honey Bush, up to 3 m, bronze-red flower spikes, attractive blue-green, feathery foliage, V-VII, Z7-11..... | 80 | 9 | | 252,00 | 36,00 | 4,50 | 9,00 |
| MELILOTUS - see Organic Seed | | | | | | | |
| MELISSA officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| MENTHA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| MERTENSIA (Boraginaceae) | | | | | | | |
| MA 094 maritima - see Perennial Herbs - Culinary, Teas and Medicinal virginica (pulmonarioides) , ^(AGM) Virginia Bluebells, 50 cm, sky blue, light green foliage, IV-V, Z3-8..... | 10 | 1 | | – | 192,00 | 24,00 | 9,80 |
| MESEMBRYANTHEMUM crystallinum - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| MEUM athamanticum - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| MICHAUXIA (Campanulaceae) | | | | | | | |
| MA 102 campanuloides , Rough-leaved Michauxia, 120 cm, very large white blossoms, monocarp, VII-IX, Z6-9..... | 0,25 | 9 | | – | – | 64,00 | 7,80 |
| MICROMERIA thymifolia - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| MIMULUS (Scrophulariaceae) | | | | | | | |
| MA 110 cardinalis [Red Dragon] , ^(AGM) 50 cm, scarlet red, VI-IX, Z6-9..... | 0,25 | 4/15 | | – | 192,00 | 24,00 | 4,00 |
| MA 114 cupreus 'Red Emperor' [Roter Kaiser] , 30 cm, bright scarlet red, VII-IX, Z6-8..... | 0,5 | 4/15 | | 2048,00 | 256,00 | 32,00 | 6,00 |
| MA 118 guttatus , 40 cm, yellow, partially red spotted, groundcover for moist places, V-IX, Z6-8..... | 0,5 | 4/15 | | – | 98,00 | 12,00 | 4,00 |
| MA 122 lewisii , ^(AGM) 50 cm, rosy-red, V-IX, Z5-8..... | 0,5 | 4/15 | | – | – | 28,00 | 4,00 |
| MA 126 luteus , 30 cm, golden, spotted underlip, V-IX, Z6-9..... | 0,25 | 4/15 | | 988,00 | 128,00 | 16,00 | 4,00 |
| MA 132 luteus 'Tigrinus Grandiflorus Mixture' , 30 cm, yellow, orange, red, brown spotted, V-IX, Z7-8..... | 0,5 | 4/15 | | 256,00 | 38,00 | 6,00 | 2,00 |
| MA 134 minimus , 5 cm, yellow, spotted, very delicate, VI-IX, Z6-9..... | 5pt | 4/9 | | – | – | 72,00 | 4,00 |
| MA 136 ringens , 50 cm, violet, V-IX, Z3-8..... | 0,5 | 8 | | – | 86,00 | 9,60 | 3,20 |
| MA 140 tilingii , 15 cm, yellow, abundant flowers, blooms in the first year, V-IX, Z6-9..... | 0,5 | 4/15 | | – | – | 16,00 | 4,00 |
| MINUARTIA (Caryophyllaceae) | | | | | | | |
| MA 150 capillacea (ARENARIA linifolia) , 10 cm, white, VI-VIII, Z4-7..... | 1 | 4/9 | | – | – | – | 4,00 |
| MA 154 laricifolia , 10 cm, white, dense mat-like, VI-VIII, Z4-7..... | 1 | 4/9 | | – | 96,00 | 12,00 | 4,00 |
| MA 156 verna , 15 cm, white, carpet forming, V-VI, Z2-6..... | 0,5 | 4/9 | | – | 128,00 | 16,00 | 4,00 |



MICHAUXIA campanuloides



MIMULUS guttatus



MIRABILIS multiflora



MITCHELLA repens



MITELLA breweri

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| MIRABILIS (Nyctaginaceae) | | | | | | | |
| MA 176 jalapa Mixture , Four O'Clock Plant, 60 cm, attractive trumpet shaped flowers open in the afternoon, fragrant, healthy foliage, VI-X, Z7-11 | 120 | 15 | ☼ ☽ | 32,00 | 4,60 | 2,00 | 4,60 |
| MA 168 multiflora , Colorado Four O'Clock Plant, 60 cm, brilliant rose-purple, bushy, shrubby habit, VII-IX, Z6-10 | 150 | 16 | ☼ ☽ Sol ☽ | 126,00 | 18,00 | 2,50 | 9,80 |
| MITCHELLA (Rubiaceae) | | | | | | | |
| MA 159 repens , Partridge Berry, 5 cm, small white, fragrant flowers, round, evergreen foliage, scarlet berries, delicate groundcover, V-VI, Z3-8 | 5 | 1 | ☼ ☽ ☼ ☽ | – | 420,00 | 52,00 | 9,20 |
| MITELLA (Saxifragaceae) | | | | | | | |
| MA 160 breweri , Feathery Bishop's Cap, 25 cm, greenish yellow, excellent groundcover with vigorous lustrous foliage, IV-VIII, Z5-9 | 0,5 | 20 | ☼ | – | – | 7,20 | 3,60 |
| MOLTKIA (Boraginaceae) | | | | | | | |
| MA 184 petraea , 20 cm, violet-blue, silky hairy leaves, V-VIII, Z5-8 | 3 | 9 | ☼ | – | – | 18,00 | 6,00 |
| MONARDA (Lamiaceae, <i>Labiatae</i>) | | | | | | | |
| MA 190 bradburiana , 80 cm, purple, lilac or reddish, flowers later than M. didyma, drought tolerant, VII-IX, Z4-8 | 3 | 15 | ☼ | 512,00 | 64,00 | 8,00 | 4,00 |
| MA 194 citriodora , Lemon-Mint, Lemon Bergamot, 80 cm, rosy-red, purple spotted whorl flowers, VI-IX, Z5-8 | 3 | 15 | ☼ ☽ ☼ ☽ | 180,00 | 24,00 | 3,20 | 2,00 |
| MA 195 Citriodora-Hybr. 'Bergamo' , ☼ ☽, 60 cm, intensive rose-purple, compact habit, flowering first year from seed, short lived, VI-IX, Z5-8 | 1 | 15 | ☼ ☽ ☼ ☽ | – | 324,00 | 36,00 | 4,80 |
| MA 202 didyma 'Panorama Mixture' , 110 cm, colour range of red, pink, purple, white and salmon, VII-IX, Z4-8 | 3 | 15 | ☼ ☽ ☼ ☽ | 996,00 | 110,00 | 12,00 | 4,00 |
| MA 206 didyma 'Red Colors' [Panorama Red] , 100 cm, mostly red to scarlet, VII-IX, Z4-8 | 3 | 16 | ☼ ☽ ☼ ☽ | 1540,00 | 162,00 | 18,00 | 6,00 |
| MA 209 pectinata , 40 cm, white often with pink, aromatic fragrant foliage, IV-VIII, Z6-10 | 1 | 15 | ☼ | – | 120,00 | 16,00 | 4,00 |
| MA 210 punctata , Spotted Bee Balm, 90 cm, pink bracts, yellow, purple spots, VII-IX, Z4-8 | 3 | 15 | ☼ ☽ ☼ ☽ | 369,00 | 46,00 | 6,20 | 3,10 |
| MONARDELLA (Lamiaceae, <i>Labiatae</i>) | | | | | | | |
| MA 220 odoratissima , 15 cm, lilac to white, aromatic foliage, VI-IX, Z6-9 | 2 | 8 | ☼ | – | 256,00 | 32,00 | 8,00 |
| MONTIA (Portulacaceae) | | | | | | | |
| MA 225 sibirica (CLAYTONIA) , 8 cm, pink, prefers shade and moisture, IV-VI, Z3-9 | 3 | 9 | ☼ ☽ | – | – | 12,00 | 6,00 |



MOLTZIA petraea



MONARDA didyma 'Panorama Mixture'
















MONARDA pectinata



MORINA longifolia



MUSCARI comosum

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| MORINA (Morinaceae) | | | | | | | |
| MA 230  longifolia , 80 cm, white, later reddish, fragrant, VI-VIII, Z5-8 | 30 | 15 | × | 380,00 | 48,00 | 5,20 | 5,20 |
| MUEHLENBECKIA (Polygonaceae) | | | | | | | |
| MA 233 axillaris , 10 cm, greenish-white, dense summergreen mats, white berries, VII-IX, Z6-10 | 10 | 1 |  | – | 120,00 | 16,00 | 8,00 |
| MUSCARI (Hyacinthaceae, <i>Liliaceae</i>) | | | | | | | |
| MA 234  comosum , 30 cm, blue panicles, V-VI, Z4-8 | 15 | 8 |  | 128,00 | 16,00 | 2,00 | 2,00 |
| MYOSOTIDIUM (Boraginaceae) | | | | | | | |
| MA 237  hortensia , Chatham Island Forget-me-not, 50 cm, large light blue flower umbels, cordate leaves, VII-VIII, Z7-10, pure seed | 50 | 19 |  | 720,00 | 88,00 | 9,80 | 9,80 |
| MYOSOTIS (Boraginaceae) | | | | | | | |
| MA 262 capitata , 10 cm, deep blue, spatulate foliage, a rarity, VI-VIII, Z7-10 | 1 | 15 |  | – | 464,00 | 58,00 | 8,00 |
| MA 240 palustris (scorpioides) , 35 cm, heavenly blue, V-X, Z3-8 | 2 | 15 |  | 384,00 | 48,00 | 6,00 | 3,00 |
| MA 241 palustris 'Alba' [Ice Pearl] , 35 cm, pure white, rich flowering, light, fresh green foliage, first year flowering from seed, V-X, Z3-8 | 1 | 15 |  | – | – | – | 4,50 |
| MA 242  pulvinaris , 5 cm, white, compact cushions, rare, IV-V, Z7-8 | 1 | 15 |  | – | – | – | 9,80 |
| sylvatica compacta Victoria-Series , 20 cm, compact habit, intense colours, ideal for use as pot-plants and borders, perennial but mostly grown as a biennial, IV-VIII, Z4-8 | | | | | | | |
| MA 244 'Victoria Light-blue' | 2 | 15 |  | 200,00 | 26,00 | 3,40 | 2,00 |
| MA 245 'Victoria Indigo-blue' | | | | | | | |
| MA 246 'Victoria Pink' | | | | | | | |
| MA 247 'Victoria White' | | | | | | | |
| MYRRHIS odorata - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| NARTHECIUM (Liliaceae) | | | | | | | |
| NA 010 ossifragum , 30 cm, yellow, green stripes, red stamen, orange capsule, VII-VIII, Z5-8 | 0,5 | 18 |  | – | – | 18,00 | 4,50 |
| NASTURTIUM officinale - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| NECTAROSCORDUM (Alliaceae, <i>Liliaceae</i>) | | | | | | | |
| NA 015 siculum (ALLIUM) , 80 cm, greenish-white with pink touch, loose umbels, V-VI, Z5-8 | 15 | 1 | × | 384,00 | 48,00 | 6,00 | 3,00 |

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| NEPETA (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| NA 022 | | 2 | 15 | ✂ ✂ | 448,00 | 56,00 | 7,00 | 3,50 |
| cataria - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| clarkei, 70 cm, blue with white lip, VI-VII, Z4-7 | | | | | | | | |
| x faassenii - see racemosa | | | | | | | | |
| NA 016 | ☑ | 3 | 16 | ☀ △ | 720,00 | 90,00 | 12,00 | 6,00 |
| govianiana, 100 cm, yellow, loose flowering spikes, light green, obovate foliage, VI-IX, Z4-7 .. | | | | | | | | |
| mussinii hort. - see racemosa | | | | | | | | |
| NA 028 | ☑ | 2 | 15 | ⊕ △ ☀ | 720,00 | 90,00 | 12,00 | 4,50 |
| nervosa [Blue Moon, Blue Carpet], 40 cm, inflorescence in dense light-blue spikes, VII-IX, Z3-9 | | | | | | | | |
| NA 030 | | 1 | 15 | ⊕ △ ☀ | - | 324,00 | 36,00 | 6,40 |
| nervosa 'Pink Cat', [CS], 40 cm, intensive pink, dense spikes, VI-IX, Z3-9 | | | | | | | | |
| NA 031 | | 2 | 15 | ✂ ☀ | - | 56,00 | 7,00 | 3,50 |
| nuda, 80 cm, violet-blue, upright habit, VI-VIII, Z5-9 | | | | | | | | |
| NA 024 | | 3 | 15 | ⊕ ☀ ↻ | 192,00 | 27,00 | 3,60 | 2,00 |
| racemosa (x faassenii, mussinii), [AGM], Catmint, 30 cm, light blue, blooms continuously, V-IX, Z3-8 (see also Organic-Seeds) | | | | | | | | |
| NA 025 | | 3 | 15 | ⊕ ☀ ↻ | 320,00 | 40,00 | 5,00 | 2,50 |
| racemosa 'Alba', 30 cm, pure white, V-IX, Z3-8 | | | | | | | | |
| NA 019 | ☑ | 3 | 15 | ⊕ ☀ ↻ | 380,00 | 48,00 | 6,20 | 3,10 |
| racemosa 'Felix', 25 cm, deep lilac-blue flowers, bluish gray aromatic foliage, uniform and compact habit, abundant flowering until frost, V-X, Z3-8 | | | | | | | | |
| NA 026 | ☑ | 3 | 15 | ☀ ↻ | 320,00 | 40,00 | 5,00 | 2,50 |
| racemosa 'Select', 50 cm, blue, upright habit, V-X, Z3-8 | | | | | | | | |
| NA 032 | ☑ | 2 | 16 | ✂ | 320,00 | 40,00 | 5,00 | 2,50 |
| stewartiana, 80 cm, lavender blue, dark green foliage, VI-VIII, Z6-9 | | | | | | | | |
| NA 017 | ☑ | 3 | 16 | ⊕ ☀ △ ☀ | 720,00 | 90,00 | 12,00 | 6,00 |
| subsessilis 'Blue Dreams', [EB], 60 cm, brilliant blue, abundant flowering, blooms the first year after sowing, reblooms after deadheading, VI-VIII, Z3-9 | | | | | | | | |
| NA 018 | ☑ | 3 | 16 | ⊕ ☀ △ ☀ | 720,00 | 90,00 | 12,00 | 6,00 |
| subsessilis 'Pink Dreams', [EB], 60 cm, brilliant soft and intense pink, abundant flowering, blooms the first year after sowing, reblooms after deadheading, VI-VIII, Z3-9 | | | | | | | | |



MYOSOTIDIUM hortensia



MYOSOTIS pulvinaris



NEPETA nervosa



NEPETA govianiana



NEPETA racemosa 'Select'



NEPETA racemosa 'Felix'



NEPETA stewartiana



NEPETA subsessilis 'Blue Dreams'



NEPETA subsessilis 'Pink Dreams'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|---|---|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| NERIUM (Apocynaceae) | | | | | | | | |
| NA 029 | oleander, 150 cm, red, rose, white, VI-XI, Z8-11 | 7 | 20 | ⚡ ☹ ☒ | 128,00 | 16,00 | 2,20 | 2,20 |
| NICOTIANA (Solanaceae) | | | | | | | | |
| NA 040 | glauca, up to 3 m, cream-yellow, blue green leaves, VII-X, Z7-11 | 0,5 | 15 | ☹ ☹ ☒ | - | 120,00 | 16,00 | 4,50 |
| NIGELLA sativa - see Organic Seed | | | | | | | | |
| NIPPONANTHEMUM (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| CA 470 | ☑ nipponicum (CHRYSANTHEMUM), 50 cm, white with greenish-yellow disk, spatulate, leathery dark green foliage, bushy habit, valuable late flowering plant, X-XI, Z7-10 | 1,5 | 16 | ☹ | - | 84,00 | 9,60 | 4,80 |
| NOTOTHLASPI (Brassicaceae, <i>Cruciferae</i>) | | | | | | | | |
| NA 060 | ☑ rosulatum, 15 cm, white, pyramid shaped inflorescence, delicate rosettes, VI-VII, Z7-10 | 0,5 | 9 | △ ^ | - | - | 38,00 | 9,50 |
| OCIMUM - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| OENOTHERA (Onagraceae) | | | | | | | | |
| OA 010 | ☑ acaulis var. aurea (taraxacifolia), 10 cm, yellow, VI-X, Z5-8 | 1 | 15 | △ | 280,00 | 35,00 | 4,40 | 2,20 |
| biennis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| OA 012 | ☑ caespitosa ssp. eximia, 20 cm, large white blossoms, bushy habit, VI-VIII, Z3-7 | 7 | 15 | △ | 768,00 | 96,00 | 12,00 | 6,00 |
| erythrosepala - see glazioviana | | | | | | | | |
| OA 018 | fruticosa 'Youngii', 50 cm, yellow, large flowers, VI-VIII, Z4-8 | 1 | 15 | × | 580,00 | 72,00 | 9,00 | 3,80 |
| fruticosa ssp. glauca - see tetragona | | | | | | | | |
| glauca - see tetragona | | | | | | | | |
| OA 014 | glazioviana (erythrosepala) [Tina James], 120 cm, yellow, large flowers, VI-IX, Z3-8 | 5 | 15 | ☉ | 72,00 | 12,00 | 2,00 | 2,00 |
| OA 022 | kunthiana [Glowing Magenta, Rosie], 30 cm, pink, lanceolate leaves, flowers the first year, IV-VIII, Z7-10 | 1 | 15 | △ ☹ | - | 82,00 | 12,00 | 5,00 |
| lamarckiana - see glazioviana | | | | | | | | |
| lindheimerii - see GAURA lindheimeri | | | | | | | | |
| OA 026 | macrocarpa (missouriensis), (AGM), 20 cm, golden, green foliage, VI-IX, Z4-8 (see also GOLD NUGGET SEED®) | 15 | 9 | △ ↗ ☹ ☹ | 192,00 | 24,00 | 3,00 | 3,00 |
| OA 027 | ☑ macrocarpa ssp. fremontii 'Silver Wings', (AGM), 15 cm, golden, large flowering, narrow, lanceolate, grey-green foliage, VI-IX, Z4-8 (see also GOLD NUGGET SEED®) | 6 | 9 | △ ↗ ☹ ☹ | 320,00 | 40,00 | 5,00 | 3,80 |
| OA 028 | ☑ macrocarpa ssp. incana Silver Blade® [Pewter Moon], (CPS), 20 cm, golden, very large flowering, silver-grey foliage, red stems, VI-IX, Z4-8 (see also GOLD NUGGET SEED®) | 15 | 8 | △ ↗ ☹ ☹ | 320,00 | 40,00 | 5,00 | 3,80 |
| OA 031 | ☑ odorata (stricta) 'Sulphurea' [Apricot Delight, Lemon Sunset], 60 cm, light yellow changing to orange and fading to pink, large flowering, VII-X, Z5-10 | 3 | 15 | ☹ | 164,00 | 24,00 | 3,40 | 2,00 |
| OA 032 | pallida [Innocence], 30 cm, pale lilac to white, V-IX, Z4-8 | 5 | 15 | △ ☹ | 72,00 | 12,00 | 2,00 | 2,00 |
| OA 034 | perennis (pumila), 30 cm, yellow, V-VIII, Z4-8 | 1 | 15 | △ | 384,00 | 48,00 | 6,00 | 3,00 |
| OA 044 | ☑ pilosella 'Yella Fella', (AGM), 40 cm, large golden flowers, brilliant orange in bud, intensive green hairy foliage, reddish fall color, stable, VI-VIII, Z4-8 | 1 | 15 | ☹ × △ | 620,00 | 78,00 | 12,00 | 6,00 |
| serrulatus - see CALYLOPHUS | | | | | | | | |
| OA 038 | ☑ speciosa [Silky, Pink Petticoats], 40 cm, soft pink, fragrant, blooms day and night, VI-IX, Z5-8 | 5 | 15 | △ ☹ | 420,00 | 54,00 | 6,80 | 3,40 |
| stricta - see odorata | | | | | | | | |
| OA 042 | ☑ tetragona (fruticosa ssp. glauca) [Evening Sun, Sundrops], (AGM), 50 cm, golden, buds tinged red, VI-VIII, Z4-8 | 1 | 15 | × | 580,00 | 72,00 | 9,00 | 3,80 |
| OA 046 | ☑ versicolor [Sunset Boulevard], 40 cm, intense orange, flowers the first year, short lived, VI-VII, Z7-10 | 2 | 16 | ☹ | - | 96,00 | 12,00 | 4,00 |
| OLIGONEURON - see ASTER + SOLIDAGO | | | | | | | | |
| OMPHALOGRAMMA (Primulaceae) | | | | | | | | |
| OA 054 | ☑ vinciflorum (PRIMULA), 15 cm, deep purple blossoms, dense basal leaf rosettes, a rarity, IV-V, Z6-9 | 0,25 | 9 | △ ^ | - | - | - | 9,80 |
| ONONIS (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | |
| OA 060 | ☑ natix, Yellow Restharrow, 30 cm, golden pea flowers with purple veins, V-VIII, Z4-8 | 10 | 9 | △ | 345,00 | 46,00 | 5,80 | 3,20 |
| OA 058 | rotundifolia, 50 cm, white with pink, V-IX, Z6-9 | 8 | 10 | △ | - | 38,00 | 4,60 | 4,60 |
| OA 062 | ☑ spinosa, 45 cm, rose-purple, VI-IX, Z5-9 (see also GOLD NUGGET SEED®) | 15 | 8 | ↗ ☹ ☹ | 240,00 | 28,00 | 3,60 | 2,20 |



NIPPONANTHEMUM nipponicum



NOTOTHLASPI rosulatum



OENOTHERA acaulis var. aurea



OENOTHERA caespitosa ssp. *eximia*



OENOTHERA fremontii 'Silver Wings'



OENOTHERA pilosella 'Yella Fella'



OENOTHERA macr. ssp. incana Silver Blade[®]



OENOTHERA odorata 'Sulphurea'



OENOTHERA speciosa



OENOTHERA tetragona



OMPHALOGRAMMA vinciflorum



OENOTHERA versicolor



ONONIS spinosa

Perennials

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ONOPORDUM (Asteraceae, <i>Compositae</i>) | | | | | | | |
| OA 070 | | 8 | ☉ Sol ☽ | 64,00 | 8,00 | 2,00 | 2,00 |
| ONOSMA (Boraginaceae) | | | | | | | |
| OA 077 | | 1 | △ | – | 38,00 | 4,80 | 3,60 |
| OA 076 | ☐ | 1 | △△ | – | 40,00 | 5,00 | 3,80 |
| OA 074 | ☐ | 1 | △ | 256,00 | 32,00 | 4,00 | 3,00 |
| OA 073 | | 1 | △ | – | 38,00 | 4,60 | 3,50 |
| OPOPANAX (Apiaceae, <i>Umbelliferae</i>) | | | | | | | |
| OA 089 | ☐ | 1 | Sol ☉ | 112,00 | 14,00 | 2,00 | 2,00 |
| OPUNTIA (Cactaceae) | | | | | | | |
| OA 078 | | 20 | ☽ ☉ ☽ | 128,00 | 16,00 | 2,00 | 2,00 |
| OA 080 | | 11 | △ ☽ | 128,00 | 16,00 | 2,00 | 4,00 |
| OA 081 | ☐ | 1 | △ ^ ☽ | 98,00 | 16,00 | 2,80 | 2,80 |
| OA 085 | | 11 | △ ☽ | 192,00 | 24,00 | 3,00 | 6,00 |



ONONIS *natrix*



ONOSMA *polyphyllum*



ONOSMA *rigida*



OPUNTIA *imbricata*



OPOPANAX *chironium*



OREOMYRRHIS *argentea*



ORLAYA grandiflora



OURISIA caespitosa



PAEONIA anomala



PAEONIA peregrina



OURISIA glandulosa

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| OREOMYRRHIS (Apiaceae, Umbelliferae) | | | | | | | |
| OA 082 | 5 | 8 | △ ♣ | - | - | 24,00 | 8,00 |
| argentea, 15 cm, inconspicuous flower umbels, fern like finely pinnatifid, silver-grey foliage, VI-VII, Z6-9 | | | | | | | |
| ORIGANUM - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| ORLAYA (Apiaceae, Umbelliferae) | | | | | | | |
| OA 097 | 50 | 9 | × ○ - ☺ | 128,00 | 16,00 | 2,50 | 2,50 |
| grandiflora [White Lace, White Finch], 60 cm, magnificent white umbels with large white outer blossoms, feathery foliage, shortlived but outstanding, VI-IX, Z5-9 (see also Organic-Seeds) | | | | | | | |
| ORNITHOGALUM (Hyacinthaceae, Liliaceae) | | | | | | | |
| NEW! OA 099 | 15 | 9 | △ × | - | 64,00 | 8,20 | 4,60 |
| pyrenaicum, 70 cm, white flower panicles, VI-VII, Z5-9 | | | | | | | |
| OA 100 | 6 | 9 | △ ✱ | - | - | 7,20 | 3,80 |
| umbellatum, 15 cm, white, corymbs with many flowers, IV-V, Z4-9 | | | | | | | |
| OROBUS vernus - see LATHYRUS vernus | | | | | | | |
| OURISIA (Scrophulariaceae) | | | | | | | |
| OA 102 | 0,25 | 1 | △ ^ Ca | - | - | 28,00 | 6,00 |
| caespitosa, 5 cm, white with yellow throat, compact cushion, V-VII, Z6-9 | | | | | | | |
| OA 104 | 0,25 | 1 | △ ^ Ca | - | - | 24,00 | 6,00 |
| glandulosa, 15 cm, white with purple throat, flat cushions, VI-VIII, Z6-9 | | | | | | | |
| OXYRIA (Polygonaceae) | | | | | | | |
| OA 114 | 3 | 15 | △ Ca | - | 136,00 | 18,00 | 3,60 |
| digyna (RUMEX), Mountain Sorrel, 15 cm, pale green to bloodred, kidney-shaped foliage, VII-VIII, Z2-8 | | | | | | | |
| OXYTROPIS (Papilionaceae, Leguminosae) | | | | | | | |
| OA 120 | 5 | 9 | △ | - | - | 7,20 | 2,80 |
| campestris, 15 cm, pale yellow, grey-green, feathery foliage, VI-VIII, Z3-8 | | | | | | | |
| OA 140 | 5 | 9 | △ | - | - | 7,20 | 2,80 |
| lapponica, 10 cm, violet-blue, VII, Z3-8 | | | | | | | |
| OA 142 | 5 | 9 | △ | 256,00 | 32,00 | 4,00 | 2,00 |
| purpurea, 15 cm, purple, grey pinnatifid foliage, V-VII, Z3-8 | | | | | | | |
| PAEONIA (Paeoniaceae) | | | | | | | |
| PA 002 | 200 | 6/10 | Sol | 240,00 | 30,00 | 3,80 | 9,80 |
| anomala, 80 cm, pink to purple, 10 cm ø, fine foliage, VI-VII, Z3-7 | | | | | | | |
| PA 023 | 50 | 6/10 | △ ^ | - | 96,00 | 12,00 | 12,00 |
| cambessedesii, (AGM), Majorcan Peony, 40 cm, deep pink, V-VI, Z8-10 | | | | | | | |
| PA 006 | 1000 | 6/10 | Sol | 62,00 | 8,00 | 2,00 | 16,00 |
| lutea var. ludlowii, (AGM), up to 200 cm, yellow, V-VI, Z5-8 | | | | | | | |
| officinalis ssp. banatica - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| PA 011 | 300 | 6/10 | Sol | 96,00 | 12,00 | 2,00 | 9,80 |
| peregrina, 60 cm, deep carmine red, V-VI, Z5-10 | | | | | | | |
| PA 017 | 500 | 6/10 | × Sol | 320,00 | 42,00 | 5,40 | 16,00 |
| Rockii-Hybr. (Ganshu Mudan), 120 cm, white to pink with purple center, fragrant, V-VI, Z5-10 | | | | | | | |
| PA 009 | 150 | 6/10 | × Sol ♣ | 360,00 | 46,00 | 5,80 | 12,00 |
| tenuifolia, 50 cm, brick red, feathery leaves, V-VI, Z5-9 | | | | | | | |



PAEONIA Rockii-Hybr.



PAEONIA tenuifolia



PAPAVER miyabeianum 'Pacino'



PANCRACTIUM maritimum



PAPAVER Orient.-Hybr. Nana 'Allegro'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | | |
|---|-------------------------|--|---------------|-------------------------|-----------|----------|---------|-------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | | |
| PANAX ginseng - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | | | |
| PANCRACTIUM (Amaryllidaceae) | | | | | | | | | |
| PA 015 | ☑ | maritimum, Sand Lily, 50 cm, white, large umbels with 4-10 blossoms, evergreen, VIII-X, Z7-10 | 80 | 7/16 | 🏠 🗑️ ✕ | 245,00 | 30,00 | 3,80 | 9,80 |
| PAPAVER (Papaveraceae) | | | | | | | | | |
| PA 014 | | Alpinum-Hybr. , Alpine Poppy, 25 cm, mixed colors, white, yellow, orange, VI-VII, Z4-8 | 1 | 15 | 🕒 ⚠️ 🌱 | 780,00 | 96,00 | 12,00 | 4,00 |
| PA 018 | | atlanticum , 30 cm, light orange, VI-VIII, Z5-8 | 1 | 16 | ⚠️ | - | 30,00 | 3,80 | 2,00 |
| cambricum - see MECONOPSIS cambrica | | | | | | | | | |
| PA 037 | | dubium , Longhead Poppy, 40 cm, orange-red, V-VII, Z6-9 | 0,25 | 8 | 🕒 ✕ 🌱 | 48,00 | 8,00 | 2,00 | 2,00 |
| PA 024 | ☑ | miyabeianum 'Pacino' [Moondance] , 15 cm, sulphur yellow, V-VI, Z2-8 | 0,5 | 15 | 🕒 ⚠️ 🌱 | - | 324,00 | 36,00 | 4,80 |
| Nudicaule-Hybr. Champagne Bubbles F.-Series , 35 cm, very large flowering, strong stems, very long flowering, flowers approx. 16 weeks after sowing, VI-IX, Z2-8, appr. 6000 seeds = 1g | | | | | | | | | |
| PA 027 | | 'Champagne Bubbles F, Yellow' | 0,3 | 15 | ✕ 🕒 🌱 | - | - | 78,00 | 7,80 |
| PA 028 | | 'Champagne Bubbles F, Orange' | | | | | | | |
| PA 029 | | 'Champagne Bubbles F, Pink' | | | | | | | |
| PA 033 | | 'Champagne Bubbles F, Scarlet' | | | | | | | |
| PA 031 | | 'Champagne Bubbles F, White' | | | | | | | |
| PA 025 | | 'Champagne Bubbles F, Citrus Mix' | 0,3 | 15 | ✕ 🕒 🌱 | - | 480,00 | 60,00 | 5,80 |
| PA 032 | | 'Champagne Bubbles Classic Mix' | | | | | | | |
| PA 026 | | Nudicaule-Hybr. 'Gartenzwerg' [Gnome, Garden Gnome] , 30 cm, mixture of white, yellow, orange, scarlet and shades in between, VI-IX, Z2-8 | 1 | 15 | 🕒 ⚠️ ✕ | - | 288,00 | 32,00 | 3,80 |
| PA 038 | | Nudicaule-Hybr. Deluxe Mixture , 50 cm, VI-IX, Z2-8 | 1 | 15 | 🕒 ⚠️ ✕ | 240,00 | 32,00 | 4,00 | 2,00 |
| Nudicaule-Hybr. Wonderland-Series , 25 cm, flowers 10 cm ø, flowers the entire summer, V-IX, Z2-8 | | | | | | | | | |
| PA 052 | | 'Wonderland Yellow' | 0,3 | 15 | ⚠️ ✕ 🌱 | - | - | 72,00 | 6,80 |
| PA 054 | | 'Wonderland Orange' | | | | | | | |
| PA 056 | | 'Wonderland Pink Shades' | | | | | | | |
| PA 050 | | 'Wonderland White' | | | | | | | |
| PA 058 | | 'Wonderland Mixture' | 0,3 | 15 | ⚠️ ✕ 🌱 | - | 360,00 | 45,00 | 4,20 |
| Orientele-Hybr. single colours , 80 cm, large flowers, V-VI, Z3-8 | | | | | | | | | |
| PA 062 | | 'Beauty of Livermere', dark red | 1 | 15 | ✕ | 480,00 | 60,00 | 7,60 | 3,20 |
| PA 066 | | 'Brilliant', fire-red | | | | | | | |
| PA 070 | ☑ | Nana 'Allegro' , only 60 cm, scarlet-red | | | | | | | |
| PA 074 | | 'Prinzessin Victoria Louise' [Coral Reef], salmon colored | | | | | | | |
| PA 060 | ☑ | 'Royal Wedding' [Choir Boy, Checkers], 80 cm, pure white with black center, V-VI, Z3-8 | 1 | 15 | ✕ | 760,00 | 86,00 | 9,60 | 3,20 |
| PA 078 | | plena 'May Queen' , 80 cm, orangered double, V-VI, Z3-8 | | | | | | | |

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| PAPAVER continuation | | | | | | | |
| Orientele-Hybr. Mixtures | | | | | | | |
| PA 084 | 1 | 15 | ✕ | 760,00 | 86,00 | 9,60 | 3,20 |
| 'Pizzicato', (ES), 50 cm, colour range of red, scarlet, orange, salmon, mauve, pink and white, dwarf and especially stable, V-VI, Z3-8. | | | | | | | |
| PA 082 | 1 | 15 | ✕ | 192,00 | 24,00 | 3,00 | 2,00 |
| Deluxe Mixture, 80 cm, V-VI, Z3-8. | | | | | | | |
| PA 106 | 0,5 | 8 | | – | 192,00 | 24,00 | 6,00 |
| pilosum ssp. spicatum, 60 cm, softly orange, large flowering, up to 12 flowers per stem, the upper most flower opens first, grey hairy leaves, VI-VIII, Z7-10 | | | | | | | |
| PA 098 | 1 | 9 | △ | – | 180,00 | 20,00 | 5,00 |
| rhaeticum, 20 cm, golden, V-VI, Z4-8. | | | | | | | |
| rheas - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| PA 100 | 1 | 16 | ⊕ △ | 240,00 | 30,00 | 3,80 | 2,00 |
| rupifragum, 45 cm, brilliant orange, VI-VIII, Z6-9 | | | | | | | |
| PA 102 | 1 | 16 | ⊕ △ ✕ | 288,00 | 36,00 | 4,40 | 2,20 |
| rupifragum 'Flore Pleno' (Double Tangerine Gem, Orange Feathers, Tangerine Parfait), 45 cm, brilliant orange, semi double flowers, VI-VIII, Z6-9 | | | | | | | |
| spicatum - see pilosum ssp. spicatum | | | | | | | |
| PA 108 | 0,5 | 16 | △ ♣ | – | – | 68,00 | 4,50 |
| triniifolium, 40 cm, pale orange, pyramid-like flower stems, grey-green prickly leaf-rosettes, monocarpic, unusual, VI-VII, Z6-9 | | | | | | | |
| PARADISEA (Asphodelaceae, Liliaceae) | | | | | | | |
| PA 110 | 20 | 1 | △ | 360,00 | 46,00 | 5,80 | 5,80 |
| liliastrum 'Major', (AGM), 50 cm, white, V-VI, Z6-9 | | | | | | | |
| PA 114 | 20 | 1 | △ ✕ | 180,00 | 24,00 | 3,00 | 3,00 |
| lusitanica, 80 cm, white, robust, VII-VIII, Z6-9 | | | | | | | |
| PARAMECONOPSIS - see MECONOPSIS cambrica | | | | | | | |
| PARAQUILEGIA (Ranunculaceae) | | | | | | | |
| NEW! PA 118 | 0,5 | 8 | △ | – | – | 76,00 | 9,60 |
| microphylla, 10 cm, bluish purple, large flowers, bluish green finely lobed foliage, rare, VI-VIII, Z5-8 | | | | | | | |
| PARDANCANDA (Iridaceae) | | | | | | | |
| PA 120 | 50 | 7 | ✕ ♂ | 256,00 | 32,00 | 4,00 | 6,40 |
| norrisii [Kiba Giants], 60 cm, mixture of yellow, red and violet shades, tiger-striped and single colored flowers ca. 8 cm ø, seed heads suitable for flower arrangement, VI-IX, Z5-9 | | | | | | | |
| PA 122 | 50 | 7 | △ ✕ ♂ | 368,00 | 46,00 | 5,80 | 7,80 |
| norrisii 'Dazzler', (E), 35 cm, rich colour mixture, dwarf and compact habit, VI-IX, Z5-9 | | | | | | | |
| PARIS (Trilliaceae, Liliaceae) | | | | | | | |
| PA 128 | 10 | 1 | ⊕ ✕ ♂ | 360,00 | 46,00 | 5,80 | 3,20 |
| quadrifolia, Herb Paris, 20 cm, greenish-white flower, only one leaf whorl, blue berry, VI-VII, Z5-8 | | | | | | | |
| PARNASSIA (Saxifragaceae) | | | | | | | |
| PA 134 | 0,25 | 1 | ⊕ ♂ Ca | – | 324,00 | 36,00 | 4,50 |
| palustris, 15 cm, white, VII-IX, Z4-8 | | | | | | | |
| PARTHENIUM (Asteraceae, Compositae) | | | | | | | |
| PA 140 | 5 | 9 | ✕ ⊕ | 256,00 | 32,00 | 4,00 | 3,00 |
| integrifolium, Wild Quinine, 90 cm, white, very aromatic, V-VII, Z3-8 | | | | | | | |



PAPAVER Orient.-Hybr. 'Royal Wedding'



PAPAVER Orientale-Hybr. 'Pizzicato'



PAPAVER pilosum ssp. spicatum



PAPAVER rupifragum 'Flore Pleno'



PARADISEA lusitanica

Perennials



PARAQUILEGIA *microphylla*



PARDANCANDA *norrisii*



PARIS *quadrifolia*



PATRINIA *scabiosifolia*



PELARGONIUM *endlicherianum*



PELTIPHYLLUM *peltatum*



PELTOBOYKINIA *watanabei*



PENSTEMON *alpinus*



PENSTEMON *barbatus* var. *praecox* f. *nanus* 'Rondo'

| | | Gram to get 1000 plants | N° of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|--|-------------------------|-----------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion |
| PASSIFLORA (Passifloraceae) | | | | | | | | |
| PA 145 | caerulea , (AGM), Passion Flower, climbing up to 3 m, flowers whitish with blue filaments, VI-IX, Z6-9 | 15 | 20 | ☞ ☞ ☞ | 320,00 | 40,00 | 5,00 | 5,00 |
| PASTINACA sativa - see Organic Seed | | | | | | | | |
| PATRINIA (Valerianaceae) | | | | | | | | |
| PA 150 | gibbosa , 40 cm, yellow, V-VII, Z5-8 | 3 | 9 | △ | 360,00 | 45,00 | 5,60 | 4,20 |
| PA 154 | scabiosifolia , 70 cm, yellow umbels, VII-VIII, Z5-8, TCM plant | 2 | 9 | × | 768,00 | 96,00 | 12,00 | 6,00 |
| PA 156 | villosa , 70 cm, white umbels, feathered foliage, VII-VIII, Z5-8, TCM plant | 2 | 9 | × | 512,00 | 64,00 | 8,00 | 4,00 |
| PEGANUM (Zygophyllaceae) | | | | | | | | |
| PA 165 | harmala , Harmal, 50 cm, white, narrow feathered foliage, poisonous, VII-VIII, Z7-10 | 5 | 15 | ☞ ☞ ☞ | 192,00 | 24,00 | 3,00 | 2,30 |
| PELARGONIUM (Geraniaceae) | | | | | | | | |
| PA 158 | endlicherianum , 15 cm, deep pink, lime loving, VI-VIII, Z7-9 | 20 | 9 | △ ^ | 1280,00 | 160,00 | 20,00 | 9,80 |
| PELTIPHYLLUM (Saxifragaceae) | | | | | | | | |
| PA 160 | peltatum (DARMERA), (AGM), 100 cm, pink, decorative leaves appear after flowers, IV-V, Z5-8 | 1 | 15 | ☞ | – | 96,00 | 12,00 | 4,00 |
| PELTIBOYKINIA (Saxifragaceae) | | | | | | | | |
| PA 170 | tellimoides (BOYKINIA), 80 cm, yellow, large blossoms, very decorative leaves, VI-VII, Z3-9 | 0,25 | 9 | ☞ | – | 192,00 | 24,00 | 3,00 |
| PA 172 | watanabei , 50 cm, cream-yellow, shield-like glossy foliage, VI-VII, Z3-9 | 0,25 | 1 | ☞ | – | 256,00 | 32,00 | 4,00 |
| PENSTEMON (Scrophulariaceae) | | | | | | | | |
| PA 182 | alpinus (brandegei), 30 cm, bright blue to blue-violet, V-VII, Z4-9 | 3 | 1 | ☞ △ | 720,00 | 90,00 | 12,00 | 3,20 |
| PA 186 | angustifolius , Narrowleaf Beard Tongue, 30 cm, brilliant blue colours, evergreen rosettes, VI-VIII, Z4-10 | 5 | 1 | △ | 240,00 | 32,00 | 4,00 | 2,40 |
| | arizonicus - see whippleanus | | | | | | | |
| | barbatus f. nanus Pinacolada-Series , 20 cm, brilliant colors, large inflorescence, densely branched flowering stems, compact habit, abundant flowering and vigorous, first year flowering, perfect for pot production and rock gardens, V-IX, Z3-9 | | | | | | | |
| NEW! PA 191 | 'Pinacolada Dark Rose Shades', dark rose colors | 2 | 15 | ☞ ☞ △ | – | – | 16,00 | 4,80 |
| NEW! PA 192 | 'Pinacolada Rosy Red Shades', rosy-red colors | | | | | | | |
| NEW! PA 194 | 'Pinacolada Violet Shades', violet colors | | | | | | | |
| NEW! PA 195 | 'Pinacolada White Shades', white colors | | | | | | | |
| PA 188 | barbatus ssp. coccineus [Jingle Bells], 150 cm, scarlet, VII-IX, Z3-8 | 3 | 15 | ☞ ☞ | 98,00 | 14,00 | 2,00 | 2,00 |
| PA 196 | barbatus var. praecox f. nanus 'Rondo' , 40 cm, blossoms around the stem, mixture of pink, red and violet colors, VII-IX, Z3-8 | 3 | 16 | × | 240,00 | 32,00 | 4,00 | 2,00 |
| PA 200 | cobaea , 50 cm, lilac-rose to white, large flowering, VII-VIII, Z4-8 (s. also GOLD NUGGET SEED®) | 3 | 8 | × | – | 48,00 | 6,00 | 3,00 |
| PA 203 | confertus , 30 cm, light yellow, V-VII, Z3-8 | 3 | 8 | △ | 192,00 | 24,00 | 3,00 | 2,00 |
| PA 205 | cyananthus , 40 cm, brilliant blue, blue-green foliage, VI-VIII, Z4-8 | 2 | 8 | △ | 176,00 | 22,00 | 3,00 | 2,00 |
| | diffusus - see serrulatus | | | | | | | |
| PA 208 | digitalis , 100 cm, white with pink flush, glossy green leaves, VI-VIII, Z3-8 (see also GOLD NUGGET SEED®) | 2 | 8 | × | 240,00 | 32,00 | 4,00 | 2,00 |
| PA 209 | digitalis 'Husker Red Superior Strain' , (PPA), 100 cm, white, bronze-purple foliage, VI-VIII, Z3-8 (see also GOLD NUGGET SEED®) | 2 | 8 | ☞ ☞ | 540,00 | 68,00 | 8,40 | 4,20 |
| PA 210 | eatonii , Eaton's Firecracker, Firecracker Beardtongue, 60 cm, scarlet, V-VII, Z4-9 | 3 | 1 | × | – | 48,00 | 6,00 | 3,00 |
| | fruticosus - see scouleri | | | | | | | |
| | glaucus - see speciosus | | | | | | | |
| PA 218 | grandiflorus , Large Flowered Beard Tongue, 100 cm, lavender-blue, large flowering, blue-green foliage, VI-VIII, Z3-8 (see also GOLD NUGGET SEED®) | 5 | 8 | × | 182,00 | 26,00 | 3,80 | 2,00 |
| PA 219 | grandiflorus Prairie Jewel® [War Axe], (FSS), 60 cm, selected large flowering strain with a colour range of pure white to lavender coloured, pink, blue to dark violet purple, silver-green leaf rosettes, V-VIII, Z3-9 (see also GOLD NUGGET SEED®) | 5 | 8 | ☞ ☞ | 610,00 | 76,00 | 9,60 | 4,80 |
| PA 225 | hartwegii 'Giganteus' , 75 cm, large flowering color mix, red, pink, violet, blue, VI-IX, Z8-10 | 2 | 16 | × | 996,00 | 124,00 | 16,00 | 4,00 |
| PA 222 | heterophyllus 'Blue Springs' [Electric Blue] , 40 cm, azure blue, large flowering, narrow foliage, VI-VIII, Z6-10 | 3 | 8 | △ | – | – | – | 6,20 |
| PA 224 | heterophyllus 'Zürblau' , 50 cm, gentian-blue, very abundant flowers, VI-VII, Z5-9 (see also GOLD NUGGET SEED®) | 3 | 8 | △ | 384,00 | 48,00 | 6,00 | 3,00 |
| PA 229 | hirsutus var. pygmeus , 15 cm, violet, VI-VIII, Z3-8 (see also GOLD NUGGET SEED®) | 2 | 8 | △ ☞ | 768,00 | 96,00 | 12,00 | 6,00 |
| PA 231 | hirsutus var. pygmeus f. albus , (FSS), 15 cm, pure white, compact, VI-VIII, Z3-8 (see also GOLD NUGGET SEED®) | 2 | 8 | △ ☞ | 768,00 | 96,00 | 12,00 | 6,00 |
| PA 221 | mensarum , Grand Mesa Beard Tongue, (FSS), 40 cm, brilliant gentian blue, abundant flowering, shiny green foliage, V-VIII, Z3-9 (see also GOLD NUGGET SEED®) | 4 | 8 | △ | – | 86,00 | 9,60 | 4,80 |
| PA 234 | x mexicale 'Sunburst Amethyst' , (FSS) (SSU), 50 cm, purple colored tubular-shaped blossoms with white center, rich flowering, healthy, narrow, glossy foliage, VI-IX, Z5-8 | 1 | 16 | ☞ △ ☞ ☞ | 1536,00 | 192,00 | 24,00 | 4,00 |
| PA 233 | x mexicale 'Sunburst Ruby' , (FSS), 40 cm, ruby-red tubular-shaped blossoms with white center, rich flowering, healthy, narrow, glossy green foliage, VI-IX, Z5-8 | 1 | 16 | ☞ △ ☞ ☞ | 1536,00 | 192,00 | 24,00 | 4,00 |
| PA 237 | x mexicale 'Sunburst Colours' , , 45 cm, brilliant colours, pink, red, lavender coloured to purple flowers, most with a white center, rich flowering, healthy, narrow glossy green foliage, VI-IX, Z5-8 | 1 | 16 | ☞ △ ☞ ☞ | 560,00 | 72,00 | 9,20 | 3,20 |
| PA 236 | ovatus , 100 cm, ultramarine blue to purple-rose, V-VI, Z3-8 (see also GOLD NUGGET SEED®) | 3 | 8 | × | 208,00 | 26,00 | 3,40 | 2,00 |
| PA 238 | parryi , 45 cm, dark rose, attractive, IV-VI, Z7-9 | 2 | 8 | △ ☞ | 738,00 | 82,00 | 9,20 | 4,60 |
| PA 240 | pinifolius , (AGM), 20 cm, brilliant orange-red flowers, needle-like evergreen foliage, VI-IX, Z5-9 | 1 | 16 | △ | 1152,00 | 144,00 | 18,00 | 4,50 |
| PA 242 | pinifolius 'Mersea Yellow' , 20 cm, brilliant yellow, evergreen, VI-IX, Z5-9 | 1 | 16 | △ | – | 256,00 | 32,00 | 8,00 |
| PA 241 | pseudospectabilis , (FSS), Desert Beardtongue, 80 cm, intense deep pink, grey-bluish foliage, V-VII, Z5-9 (see also Organic-Seeds) | 2 | 9 | △ ☞ | – | 48,00 | 6,00 | 3,00 |
| | pubescens - see hirsutus | | | | | | | |
| PA 246 | richardsonii , 45 cm, purple-red, VI-VIII, Z6-9 | 2 | 8 | – | – | 58,00 | 7,20 | 3,60 |
| PA 248 | scouleri (fruticosus), (AGM), 30 cm, purple-violet flower panicles, wintergreen foliage, shrubby, V-VII, Z4-8 | 1 | 8 | △ ☞ | – | 72,00 | 9,00 | 4,50 |
| PA 206 | serrulatus (diffusus), 40 cm, light blue, VIII-IX, Z4-8 | 2 | 8 | △ ☞ | – | 82,00 | 9,20 | 4,60 |

continued on the following page



PENSTEMON angustifolius



PENSTEMON digitalis 'Husker Red Superior Strain'



PENSTEMON cobaea



PENSTEMON grandiflorus 'Prairie Jewel'



PENSTEMON eatonii



PENSTEMON hirsutus var. pygmeus



PENSTEMON mensarum













PENSTEMON x mex. 'Sunburst Amethyst'



PENSTEMON ovatus



PENSTEMON x mexicale 'Sunburst Ruby'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| PENSTEMON continuation | | | | | | | |
| PA 204  serrulatus 'Albus' , 40 cm, pure white, VII-IX, Z4-8 (<i>see also GOLD NUGGET SEED®</i>) | 2 | 8 | △ × | 768,00 | 96,00 | 12,00 | 6,00 |
| PA 250 smallii [Violet Dust] , 60 cm, brilliant purple-lilac with white throat, rich flowering, VII-IX, Z5-8 (<i>see also GOLD NUGGET SEED®</i>) | 3 | 8 | | 384,00 | 48,00 | 6,00 | 3,00 |
| PA 243  spectabilis , Royal Beard Tongue, 90 cm, violet-blue, grey-green foliage, VI-VII, Z7-10 | 3 | 1 | △ × | 240,00 | 32,00 | 4,00 | 2,40 |
| PA 257 speciosus (glaucus) , Royal Penstemon, 40 cm, intense blue-violet, upright habit, V-VII, Z5-9 | 5 | 8 | △ | 560,00 | 72,00 | 9,20 | 4,60 |
| PA 256  strictus [Bandera] , 45 cm, blue-violet, VII-VIII, Z3-8 (<i>see also GOLD NUGGET SEED®</i>) | 3 | 8 | | 126,00 | 18,00 | 2,40 | 2,00 |
| PA 232  superbus , Superb Beardtongue, 80 cm, coral red, blue-green foliage, V-VII, Z4-9. | 2 | 9 | △ × | 560,00 | 72,00 | 9,00 | 4,50 |
| PA 251 venustus , 40 cm, purple-violet, rich flowering, V-VII, Z4-7 | 1 | 8 | △ | 360,00 | 45,00 | 5,80 | 2,90 |
| PA 235  virens , Blue Mist Beardtongue, 40 cm, bright deep blue, matforming, V-VI, Z4-8 | 0,5 | 9 | △ wv | – | 76,00 | 9,00 | 3,20 |
| PA 253 virgatus , 30 cm, violet-purple, vigorous foliage, dense flower stalks with large blossoms, VI-VII, Z4-8 | 1 | 1 | △  | – | 72,00 | 9,00 | 3,20 |
| PA 254  virgatus (deaveri) 'Blue Buckle' ,  30 cm, blue-purple, large flowering, dense panicles, narrow and glossy dark green foliage, VII-IX, Z5-8 | 3 | 15 | △ | 580,00 | 72,00 | 9,00 | 4,50 |
| PA 252  watsonii , Watson's Beard Tongue, 40 cm, dark blue, lanceolate foliage, VI-VIII, Z3-9 (<i>see also GOLD NUGGET SEED®</i>) | 1 | 8 | △ | – | 124,00 | 16,00 | 4,20 |
| PA 258  whippleanus [Chocolate Drop] , 20 cm, purple-blue, VI-VII, Z4-8 (<i>see also GOLD NUGGET SEED®</i>) | 2 | 9 | △ × ^ | 768,00 | 96,00 | 12,00 | 6,00 |



PENSTEMON parryi



PENSTEMON pinifolius



PENSTEMON pinifolius 'Mersea Yellow'



PENSTEMON pseudospectabilis



PENSTEMON superbus



PENSTEMON serrulatus



PENSTEMON serrulatus 'Albus'



PENSTEMON spectabilis



PENSTEMON strictus



PENSTEMON virens



PENSTEMON virgatus 'Blue Buckle'



PENSTEMON watsonii



PENSTEMON whippleanus



PETALOSTEMON candidum

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| PENTHORUM (Penthoraceae) | | | | | | | |
| PA 268 sedoides , 45 cm, yellow-green, flower heads mindful of Sedum, dense clumps, nice fall-color, V-VII, Z5-8 | 0,1 | 1 | × | – | 48,00 | 7,00 | 2,00 |
| PERILLA frutescens - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| PEROVSKIA (Lamiaceae, <i>Labiatae</i>) | | | | | | | |
| PA 259 atriplicifolia [Taiga], (PFA), 120 cm, heavenly blue, variable, VII-IX, Z4-8 | 2 | 15 | × ⊕ | – | 560,00 | 68,00 | 4,90 |
| PERSICARIA - see POLYGONUM | | | | | | | |
| PETALOSTEMON (DALEA) (Papilionaceae, <i>Leguminosae</i>) | | | | | | | |
| PA 260 candidum , 45 cm, white flower spikes, V-IX, Z4-8, pure seed | 3 | 15 | × | 196,00 | 28,00 | 4,00 | 2,00 |
| PA 261 purpureum , 60 cm, rosy-purple, in 6 cm long cylindrical heads, VII, Z4-8, pure seed | 3 | 15 | × | 196,00 | 28,00 | 4,00 | 2,00 |
| PA 263 purpureum 'Stephanie' , 40 cm, bright lavender-purple, rich flowering spikes, compact and sturdy selection with darker foliage. Bred by Dale Lindgren of Nebraska University, VI-VIII, Z4-8, pure seed | 3 | 9 | △ × | 620,00 | 78,00 | 9,60 | 3,20 |
| PETASITES (Asteraceae, <i>Compositae</i>) | | | | | | | |
| PA 264 albus , 30 cm, white, bell shaped umbels, grey felt-like foliage, II-IV, Z4-8 | 1 | 8 | ≈ | 240,00 | 30,00 | 3,80 | 2,00 |
| hybridus - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| PETROPHYTUM (Rosaceae) | | | | | | | |
| PA 269 caespitosum , 10 cm, white panicles, tight cushions, VI-VIII, Z3-8 | 0,5 | 16 | △ | – | – | 32,00 | 4,00 |
| PETRORHAGIA (Caryophyllaceae) | | | | | | | |
| TA 280 saxifraga (TUNICA) [Baby Breath], (AGM), 20 cm, pink, VI-IX, Z5-8 | 1 | 15 | ⊕ △ | 112,00 | 16,00 | 2,00 | 2,00 |
| PETROSEDUM - see SEDUM | | | | | | | |
| PETROSELINUM - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| PEUCEDANUM (Apiaceae, <i>Umbelliferae</i>) | | | | | | | |
| PA 272 officinale , 120 cm, white, loose umbels, leathery, finely divided leaves, VII-IX, Z4-8 | 20 | 1 | ☀ Sol × | 256,00 | 32,00 | 4,00 | 4,00 |
| PA 271 oreoselinum , Mountain Hog's Fennel, 60 cm, white umbels, glossy feathered foliage, VII-IX, Z5-8 | 15 | 1 | ☀ | 112,00 | 14,00 | 2,00 | 2,00 |
| ostruthium - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| PA 274 verticillare , 170 cm, yellow-green umbels, richly branched, purple stems, VII-VIII, Z6-8 | 10 | 9 | Sol ☀ | 96,00 | 12,00 | 2,00 | 2,00 |



PETALOSTEMON purpureum 'Stephanie'



PEUCEDANUM oreoselinum



PHACELIA sericea



PHLOMIS russeliana



PHLOMIS tuberosa

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| PHACELIA (Hydrophyllaceae) | | | | | | | |
| PA 280 | 1 | 9 | △ | 768,00 | 86,00 | 12,00 | 8,00 |
| sericea , 25 cm, blue-purple, dense clusters, grey-leaved, VI-VIII, Z3-8 <i>(see also GOLD NUGGET SEED®)</i> tanacetifolia - see Organic Seed | | | | | | | |
| PHEDIMUS - see SEDUM | | | | | | | |
| PHLOMIS (Lamiaceae, <i>Labiatae</i>) | | | | | | | |
| PA 287 | 15 | 8 | × | - | 56,00 | 7,00 | 5,30 |
| PA 290 | 25 | 8 | × | - | 32,00 | 4,20 | 4,20 |
| PA 294 | 25 | 8 | × | 192,00 | 24,00 | 3,00 | 3,00 |
| PA 295 | 30 | 8 | × | 256,00 | 32,00 | 4,20 | 4,20 |
| PA 296 | 15 | 15 | × | 384,00 | 48,00 | 6,00 | 4,80 |
| cashmeriana (CPS), Cashmere Sage, 60 cm, light lilac, VII-VIII, Z6-10 fruticosa (AGM), 75 cm, yellow, felt-like foliage, VI-VII, Z6-9 <i>(see also GOLD NUGGET SEED®)</i> russeliana (samia hort.) (AGM), 100 cm, yellow, decorative fruit-stalks, VI-VIII, Z6-9 <i>(see also GOLD NUGGET SEED®)</i> samia (true) , 150 cm, dull purple, grey-green foliage, VII-IX, Z6-9 tuberosa [Bronze Flamingo] , 100 cm, violet, VI-VII, Z5-9 | | | | | | | |
| PHLOX (Polemoniaceae) | | | | | | | |
| PA 300 | 30 | 1 | × | 160,00 | 20,00 | 2,50 | 2,50 |
| PA 308 | 10 | 15 | △ | - | 192,00 | 24,00 | 6,80 |
| PHORMIUM (Phormiaceae, <i>Agavaceae</i>) | | | | | | | |
| PA 323 | 10 | 8 | ☐ Sol | 128,00 | 16,00 | 2,00 | 2,00 |
| PA 324 | 10 | 8 | ☐ Sol | 392,00 | 56,00 | 8,00 | 8,00 |
| PA 325 | 20 | 9 | ☐ Sol ☉ | 54,00 | 8,00 | 2,00 | 2,00 |
| PA 328 | 20 | 8 | ☐ Sol | 128,00 | 16,00 | 2,00 | 2,00 |
| PA 326 | 15 | 9 | ☐ Sol | 152,00 | 20,00 | 2,60 | 2,60 |
| cookianum (colensoi) , 150 cm, greenish-yellow to orange flower panicles, broad leaves, VI-VIII, Z7-10 cookianum 'Purpureum' , 150 cm, yellow-orange flower panicles, reddish-brown broad leaves, variegated, VI-VIII, Z7-10 tenax (AGM), wide leaves up to 150 cm with red-brown veins, yellow-orange flower panicles up to 200 cm, VI-VIII, Z7-10 tenax 'New Hybrids' [Rainbow Striped Hybr.] , 150 cm, various foliage color, silver, green, yellow, bronze colored, red and also variegated, VI-VIII, Z7-10 tenax 'Purpureum' (AGM), wide, red-brown leaves up to 150 cm, yellow-orange flower panicles, approx. 80% red leaved, VI-VIII, Z7-10 | | | | | | | |
| PHUOPSISIS (Rubiaceae) | | | | | | | |
| PA 310 | 3 | 15 | ☐ ☉ | 256,00 | 32,00 | 4,00 | 2,00 |
| stylosa (CRUCIANELLA) [Pretty Pink] , 20 cm, purple-rose, V-VIII, Z5-9 | | | | | | | |
| PHYGELIUS (Scrophulariaceae) | | | | | | | |
| PA 318 | 0,25 | 20 | ☐ ^ ☐ | - | 288,00 | 36,00 | 8,00 |
| PA 320 | 0,25 | 20 | ^ | - | 224,00 | 28,00 | 7,00 |
| aequalis [Yellow Trumpet] , 80 cm, pure yellow, VI-X, Z7-10 capensis (AGM), 80 cm, scarlet with yellow throat, VI-IX, Z7-10 | | | | | | | |

| | | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|--|---|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|--|
| | | | | | | from 100 g | from 10 g | from 1 g | Portion | |
| PHYSALIS (Solanaceae) | | | | | | | | | | |
| PA 330 | | alkekengi var. franchetii 'Gigantea' [Winter Cherry] , Chinese Lantern, Bladder Cherry, 100 cm, large, red fruits, VI-VII, Z3-9 (see also Organic-Seeds) | 5 | 9 | ☼☼☼☼☼☼☼☼ | 72,00 | 12,00 | 2,00 | 2,00 | |
| PA 334 | ☑ | alkekengi var. franchetii 'Zwerg' [Gnome] , 20 cm, large orange-red fruits, well suited for containers, VI-VII, Z3-9 (see also GOLD NUGGET SEED®) | 5 | 9 | ☼☼☼☼☼☼☼☼ | 256,00 | 32,00 | 4,00 | 2,00 | |
| PHYSOCHLAINA (Solanaceae) | | | | | | | | | | |
| PA 338 | ☑ | orientalis , 50 cm, purple, triangular ovate leaves, V-VI, Z6-9 | 8 | 16 | ☼☼☼☼☼☼☼☼ | – | – | 24,00 | 7,80 | |
| PHYSOPLEXIS (Campanulaceae) | | | | | | | | | | |
| PA 340 | ☑ | comosa (PHYTEUMA comosum) , AGM , Devil's Claw, 10 cm, cushions, dark purple, VI-VII, Z5-8 | 0,25 | 1 | ☼☼☼☼☼☼☼☼ | – | 1580,00 | 198,00 | 9,80 | |
| PHYSOSTEGIA (Lamiaceae, Labiatae) | | | | | | | | | | |
| PA 350 | | virginiana 'Alba' [Schneekrone, Snow Crown, White Queen] , White Obedient Plant, 75 cm, large blossoms, vigorous panicles, VII-IX, Z4-9 | 6 | 16 | ☼☼☼☼☼☼☼☼ | 256,00 | 32,00 | 4,20 | 2,10 | |
| PA 360 | | virginiana 'Rosea' [Rose Queen, Rose Crown] , 75 cm, intense pink, VII-IX, Z4-9 (see also GOLD NUGGET SEED®) | 6 | 8 | ☼☼☼☼☼☼☼☼ | 256,00 | 32,00 | 4,20 | 2,10 | |
| PHYTEUMA (Campanulaceae) | | | | | | | | | | |
| PA 368 | ☑ | betonicifolium , Betonian Rampion, 40 cm, blue-violet, candle like flower heads, persistent flowering, V-VIII, Z4-9 | 0,25 | 1 | ☼☼☼☼☼☼☼☼ | – | – | 28,00 | 3,60 | |
| | | canescens - see ASYNEUMA | | | | | | | | |
| | | comosum - see PHYSOPLEXIS | | | | | | | | |
| PA 370 | | hemisphaericum , 25 cm, blue-violet, V-VII, Z5-8 | 0,5 | 4/16 | ☼☼☼☼☼☼☼☼ | – | – | 48,00 | 6,00 | |
| PA 378 | ☑ | scheuchzeri , 20 cm, deep blue, ball-shaped blossoms, VI-VII, Z5-8 | 0,5 | 4/16 | ☼☼☼☼☼☼☼☼ | 768,00 | 96,00 | 12,00 | 3,20 | |
| PA 382 | | spicatum , 80 cm, cream-white, cylindrical blossom heads, V-VI, Z5-8 | 0,5 | 4/9 | ☼☼☼☼☼☼☼☼ | – | 78,00 | 9,80 | 3,20 | |
| PA 384 | | spicatum ssp. coeruleum , 60 cm, blue form, V-VI, Z5-8 | 0,5 | 4/9 | ☼☼☼☼☼☼☼☼ | – | 96,00 | 12,00 | 3,20 | |
| PHYTOLACCA (Phytolaccaceae) | | | | | | | | | | |
| PA 388 | ☑ | acinosa (esculenta) , 100 cm, white, black berries, VI-X, Z6-10 | 25 | 1 | ☼☼☼☼☼☼☼☼ | 128,00 | 16,00 | 2,00 | 2,00 | |
| PA 390 | | americana , 200 cm, white, black berries on pendulous fruit-stalks, VI-X, Z4-9 | 25 | 1 | ☼☼☼☼☼☼☼☼ | 72,00 | 12,00 | 2,00 | 2,00 | |
| PA 389 | ☑ | americana f. variegata 'Silberstein' , 180 cm, white, yellow-green marbled and spotted foliage, black berries, slow growing, VI-X, Z4-9 | 25 | 1 | ☼☼☼☼☼☼☼☼ | 336,00 | 42,00 | 6,00 | 4,80 | |
| PILOSELLA | | | | | | | | | | |
| | | aurantiacum - see HIERACIUM aurantiacum | | | | | | | | |
| | | officinarium - see HIERACIUM pilosella | | | | | | | | |
| PIMPINELLA (Apiaceae, Umbelliferae) | | | | | | | | | | |
| | | anisum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| PA 391 | ☑ | major 'Rosea' , 80 cm, rosy-red umbels, feathered foliage, VI-IX, Z5-8 | 5 | 9 | ☼☼☼☼☼☼☼☼ | 768,00 | 96,00 | 12,00 | 6,00 | |
| | | saxifraga - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |



PHORMIUM tenax 'Purpureum'



PHUOPSIS stylosa



PHYSALIS alkekengi var. franch. 'Zwerg'



PHYSOCHLAINA orientalis



PHYTEUMA betonicifolium



PHYSOPLEXIS comosa



PHYTOLACCA acinosa



PHYTOLACCA americana 'Silberstein'



PHYTEUMA scheuchzeri



PIMPINELLA major 'Rosea'



PLANTAGO nivalis

| | | | | Prices in EURO net per: | | | |
|--|------------------------------|---------------|--------|-------------------------|-----------|----------|---|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| Gram to get 1000 plants | Nº. of the sowing directions | Special Hints | | | | | |
| PLANTAGO (Plantaginaceae) | | | | | | | |
| asiatica - see Organic Seed | | | | | | | |
| coronopus, lanceolata, major - see Perennial Herbs + Organic Seed | | | | | | | |
| media - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| PA 402 | 15 | ☀️ ☁️ △ | - | - | 24,00 | 6,00 | |
| PA 409 | 9 | ☀️ △ | 384,00 | 48,00 | 6,00 | 3,00 | |
| PA 407 | 15 | △ ▽ | - | 48,00 | 6,00 | 3,00 | |
| nivalis, 15 cm, white, dense silvery-pubescent rosettes, protect from winter wetness, VII-VIII, Z5-8 | | | | | | | |
| sempervirens, 30 cm, yellowish, dwarf shrub with narrow-lanceolate foliage, curiosity, VI-VIII, Z6-9 | | | | | | | |
| subulata, Awl leaved Plantain, 15 cm, yellow, dense rosettes with linear foliage, cushion plant, V-VIII, Z5-8 | | | | | | | |
| PLATYCODON (Campanulaceae) | | | | | | | |
| PA 406 | 15 | ☀️ △ ☀️ | 384,00 | 48,00 | 6,00 | 3,00 | |
| grandiflorus apoyama 'Fairy Snow', 25 cm, white, blue veined, steady, VI-VIII, Z3-8 . . . | | | | | | | |
| grandiflorus 'Mariesii' - s. Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| grandiflorus F.-Hybr. Astra-Series, 10 cm, especially dwarf and compact, ideal for use as pot-plant, blooms in the first year, VI-VIII, Z3-8 | | | | | | | |
| PA 445 | 1,5 | ☀️ △ ☀️ | - | - | 72,00 | 7,80 | |
| PA 446 | | | | | | | 'Astra Blue' |
| PA 448 | | | | | | | 'Astra Pink' |
| PA 451 | | | | | | | 'Astra Pink-semi-double' |
| PA 447 | | | | | | | 'Astra White' |
| PA 452 | 'Astra White-semi-double' | | | | | | |
| PA 418 | 3 | ✕ | 256,00 | 32,00 | 4,00 | 2,00 | |
| PA 422 | | | | | | | grandiflorus 'Fuji Blue' [Florist Blue], 50 cm, deep blue, VI-VIII, Z3-8 |
| PA 426 | | | | | | | grandiflorus 'Fuji Pink' [Florist Pink], 50 cm, beautiful pink, VI-VIII, Z3-8 |
| PA 426 | 3 | ✕ | 128,00 | 16,00 | 2,00 | 2,00 | grandiflorus 'Fuji White' [Florist White], 50 cm, pure white, VI-VIII, Z3-8 |
| PA 430 | 3 | ✕ | 384,00 | 48,00 | 6,00 | 3,00 | grandiflorus 'Hakone Blue', 50 cm, blue, double blossom leaves, VI-VIII, Z3-8 |
| PA 432 | 2 | ✕ | 384,00 | 48,00 | 6,00 | 3,00 | grandiflorus 'Hakone White', 50 cm, pure white, double blossom leaves, VI-VIII, Z3-8 |
| PA 440 | 3 | △ ☀️ ☀️ | - | 162,00 | 18,00 | 4,50 | grandiflorus 'Zwerg', 20 cm, large blue blossoms, blooms in the first year, VI-VIII, Z3-8 |
| PA 442 | 3 | ✕ | 128,00 | 16,00 | 2,00 | 2,00 | grandiflorus 'Mixed Hybrids', 50 cm, mixed colors, VI-VIII, Z3-8 |
| PODOPHYLLUM (Berberidaceae) | | | | | | | |
| PA 470 | 1 | ☀️ ☀️ ☀️ | - | 24,00 | 3,80 | 3,80 | hexandrum (SINOPODOPHYLLUM), 50 cm, pink, red fruits in summer, IV-V, Z5-8 |
| POLEMONIUM (Polemoniaceae) | | | | | | | |
| PA 476 | 15 | △ ☀️ | 320,00 | 40,00 | 5,00 | 2,50 | boreale 'Heavenly Habit' [Bambino Blue, Tricolor, Azuro, Blue Whirl], 30 cm, violet-blue, yellow eye, compact, reblooms after dead-heading, VI-VIII, Z3-8 |
| PA 480 | 15 | ☀️ ✕ ☀️ | 160,00 | 20,00 | 2,50 | 2,00 | caeruleum [Blue Pearl], Jacob's Ladder, 60 cm, lavender-blue, abundant flowers, VI-VII, Z2-8 (see also Organic-Seeds) |
| PA 482 | 15 | ✕ ☀️ | 160,00 | 20,00 | 2,50 | 2,00 | caeruleum f. album [White Pearl], 60 cm, white, abundant flowers, VI-VII, Z2-8 |



PLANTAGO subulata



PLATYCODON 'Astra Blue-semi double'



PLATYCODON grandiflorus 'Astra Blue'



PLATYCODON grandiflorus 'Fuji Blue'



PLATYCODON grandiflorus 'Fuji Pink'




























PLATYCODON grandiflorus 'Fuji White'



PLATYCODON grandiflorus 'Hakone White'



POLEMONIUM boreale 'Heavenly Habit'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | | |
|--|-------------------------|--|---------------|-------------------------|---|----------|---------|-------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | | |
| POLEMONIUM continuation | | | | | | | | | |
| PA 494 | ☒ | caeruleum f. dissectum 'Filigree Clouds' ,  50 cm, brilliant white flower clusters, strong stems, rich flowering, double split pinnatifid leaves, like fern fronds, exquisite foliage clumps, VI-VIII, Z3-8 | 2 | 15 |  | 1790,00 | 224,00 | 28,00 | 6,00 |
| PA 493 | ☒ | caeruleum f. dissectum 'Filigree Skies' ,  50 cm, violet-blue flower clusters, strong stems, rich flowering, double split pinnatifid leaves like fern fronds, exquisite foliage clumps, VI-VIII, Z3-8 | 2 | 15 |  | 1790,00 | 224,00 | 28,00 | 6,00 |
| PA 479 | ☒ | carneum [Apricot Delight] , 40 cm, yellowish-pink, V-VII, Z4-8 (<i>s. also GOLD NUGGET SEED®</i>) | 3 | 1 |  | 896,00 | 98,00 | 12,00 | 6,00 |
| PA 483 | | cashmerianum , 40 cm, large, brilliant blue flowers, V-VII, Z5-9 | 3 | 14 |  | 1458,00 | 162,00 | 18,00 | 9,00 |
| PA 487 | | foliosissimum , 80 cm, soft lilac, fern-like foliage, VII-VIII, Z6-8 | 2 | 9 |  | 576,00 | 72,00 | 9,00 | 4,50 |
| PA 488 | ☒ | pauciflorum [Sulphur Trumpets] , 40 cm, yellow, tubular blossoms, VI-VII, Z6-9 | 3 | 15 |  | 480,00 | 64,00 | 8,00 | 4,00 |
| PA 492 | | pulcherrimum , 25 cm, blue with light eye, feathery foliage, compact, V-VII, Z4-8 | 1 | 1 |  | – | – | 24,00 | 4,00 |
| PA 496 | | reptans , 40 cm, light blue, IV-V, Z3-8 | 3 | 15 |  | 512,00 | 64,00 | 8,00 | 4,00 |
| PA 490 | ☒ | yezoense 'Purple Rain Strain' ,  50 cm, violet, large flowers, leaves during winter until early summer reddish purple, mostly with dark stems, in summer and in shady locations turning green, variable, reblooms after dead-heading, VI-VII, Z4-9 | 3 | 15 |  | 320,00 | 40,00 | 5,00 | 2,50 |
| POLLIA (Commelinaceae) | | | | | | | | | |
| PA 499 | | japonica , 40 cm, white, glossy ginger-like foliage, blue berries, VI-VIII, Z5-9 | 5 | 15 |  | 1536,00 | 192,00 | 24,00 | 6,00 |
| POLYGALA (Polygalaceae) | | | | | | | | | |
| PA 498 | | chamaebuxus ,  Shrubby Milkwort, 20 cm, white-yellow, evergreen, V-IX, Z4-8 | 15 | 1 |  | – | 288,00 | 36,00 | 9,00 |
| POLYGONATUM (Convallariaceae, Liliaceae) | | | | | | | | | |
| PA 502 | | falcatum , 40 cm, greenish-white, V-VI, Z4-8 | 50 | 1/6 |  | – | 18,00 | 3,00 | 5,40 |
| PA 504 | | latifolium (hirtum) , 40 cm, white, V-VI, Z4-8 | 50 | 1/6 |  | 72,00 | 12,00 | 2,00 | 3,50 |
| PA 508 | | multiflorum , 60 cm, white, blossoms hang in clusters of 3-5, V-VI, Z3-8 | 50 | 1/6 |  | 72,00 | 12,00 | 2,00 | 3,50 |
| PA 512 | | odoratum (officinale) ,  Solomon's Seal, 40 cm, white, V-VI, Z3-8 | 50 | 1/6 |  | 72,00 | 12,00 | 2,00 | 3,50 |
| POLYGONUM (Polygonaceae) | | | | | | | | | |
| PA 520 | ☒ | bistorta (BISTORTA officinalis) , Bistort, Snakeweed, 70 cm, pink, V-VIII, Z3-9 | 10 | 1 |  | 144,00 | 18,00 | 2,40 | 2,40 |
| PA 524 | | capitatum (PERSICARIA) [Afghan, Pink Pinheads] , 10 cm, round blossom heads, pink, reddish-brown marked leaves, for hanging basket, also cultivated as annual, IV-X, Z7-9 | 1 | 16 |  | 192,00 | 24,00 | 3,00 | 2,00 |
| PA 530 | ☒ | virginianum (filiforme) (PERSICARIA) , 50 cm, red, VII-VIII, Z4-9 | 4 | 9 |  | 400,00 | 50,00 | 6,20 | 3,10 |
| NEW! PA 532 | ☒ | virginianum 'Variegatum' [Painter's Palette] , 50 cm, red, white-green-yellow marbled foliage, VII-VIII, Z4-9 | 5 | 1 |  | – | 78,00 | 9,80 | 4,60 |
| PA 536 | | weyrichii (ACONOGONUM, PERSICARIA) , 120 cm, white, grey feltlike foliage, VIII-IX, Z4-9 | 6 | 15 |  | 192,00 | 24,00 | 3,00 | 3,00 |
| PONTECHIUM maculatum - see ECHIUM russicum | | | | | | | | | |
| PORTERANTHUS - see GILLENIA | | | | | | | | | |



PODOPHYLLUM hexandrum



POLEMONIUM caeruleum f. dissectum 'Filigree Skies'



POLEMONIUM caeruleum f. dissectum 'Filigree Skies'



POLEMONIUM carneum



POLEMONIUM pauciflorum

Perennials



POLEMONIUM yezoense 'Purple Rain Strain'



POLYGONUM bistorta



POLYGONUM virginianum



POLYGONUM virginianum 'Variegatum'



POTENTILLA atosang. 'Golden Starlit'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| POTENTILLA (Rosaceae) | | | | | | | |
| PA 560 | 5 | 1 | ☞ ☞ | 680,00 | 98,00 | 14,00 | 7,00 |
| PA 564 | 1 | 16 | △ | 96,00 | 14,00 | 2,00 | 2,00 |
| PA 572 | 1 | 16 | △ | 405,00 | 54,00 | 7,20 | 3,60 |
| PA 573 | 1 | 16 | △ ☞ | 768,00 | 96,00 | 12,00 | 4,00 |
| PA 574 | 1 | 16 | △ ☞ | 768,00 | 96,00 | 12,00 | 4,00 |
| PA 576 | 1 | 16 | △ ☞ | 405,00 | 54,00 | 7,20 | 3,60 |
| PA 580 | 1 | 16 | △ | 405,00 | 54,00 | 7,20 | 3,60 |
| PA 568 | 1 | 16 | △ ☞ | – | 64,00 | 8,00 | 3,00 |
| PA 584 | 1 | 16 | △ | 384,00 | 48,00 | 6,00 | 3,00 |
| erecta - see Perennial Herbs - Culinary, Teas and Medicinal fragiformis - see megalantha | | | | | | | |
| PA 596 | 1 | 16 | △ | 200,00 | 24,60 | 3,10 | 2,00 |
| PA 605 | 1 | 16 | △ | – | 68,00 | 8,60 | 4,30 |
| PA 592 | 1 | 16 | △ | 144,00 | 18,00 | 2,60 | 2,00 |
| PA 594 | 1 | 16 | △ ☞ | – | 64,00 | 8,00 | 4,00 |
| PA 607 | 1 | 16 | △ | 320,00 | 40,00 | 5,00 | 2,50 |
| PA 608 | 1 | 16 | △ | 144,00 | 18,00 | 2,60 | 2,00 |
| PA 609 | 1 | 16 | △ | 320,00 | 40,00 | 5,00 | 2,50 |
| PA 610 | 1 | 16 | △ | 144,00 | 16,00 | 2,00 | 2,00 |
| PA 606 | 1 | 16 | △ | 512,00 | 64,00 | 8,00 | 4,00 |
| PA 612 | 1 | 16 | △ ☞ ☞ | 256,00 | 32,00 | 4,00 | 2,00 |
| PA 616 | 1 | 8 | ☞ | – | – | 12,00 | 4,00 |
| PA 620 | 2 | 16 | △ | 304,00 | 38,00 | 4,80 | 2,40 |
| PA 624 | 2 | 16 | △ | 144,00 | 18,00 | 2,60 | 2,00 |
| PA 626 | 1 | 16 | △ | 112,00 | 16,00 | 2,20 | 2,00 |
| PA 634 | 1 | 9 | △ | – | 54,00 | 7,20 | 3,60 |
| tabernaemontani - see neumanniana | | | | | | | |
| PA 630 | 1 | 16 | △ | 320,00 | 40,00 | 5,00 | 2,50 |
| PA 634 | 1 | 16 | △ | 512,00 | 64,00 | 8,00 | 4,00 |
| verna - see neumanniana | | | | | | | |



POTENTILLA atrosanguinea var. argyrophylla 'Scarlet Starlit'



POTENTILLA aurea



POTENTILLA calabra



POTENTILLA crantzii



POTENTILLA megalantha



POTENTILLA nepalensis 'Helen Jane'



POTENTILLA nepalensis 'Shogran'



POTENTILLA neumanniana



POTENTILLA recta



POTENTILLA speciosa















POTENTILLA thurberi



POTENTILLA thurberi 'Monarch's Velvet'

Perennials

| | | Gram to get 1000 plants | Nº. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|--|-------------------------|---|---------------|-------------------------|-----------|----------|---------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion |
| POTERIUM - see SANGUISORBA | | | | | | | | |
| PRESLIA - see MENTHA cervina - see Organic Seed | | | | | | | | |
| PRIMULA (Primulaceae) | | | | | | | | |
| PA 724 | x pruhoniana Bergfrühling® Mixture , F ₁ -Hybr.,  , 10 cm, red, blue, yellow, white, and pink shades, III-IV, Z5-8 | 2 | 16 | △ ⊕ | – | 460,00 | 50,00 | 7,20 |
| PA 658 | vulgaris (acaulis) 'Mixed Selection' , 15 cm, large flowers, esp. winter hardy selection, II-V, Z5-8 | 3 | 16 | △ | – | 192,00 | 24,00 | 6,00 |
| PA 674 | Elatior-Hybr. (polyantha) Gigantea (Colossea) Mixture , 30 cm, giant blossoms, magnificent colors, IV-V, Z5-8 | 3 | 16 | × | 270,00 | 30,00 | 4,20 | 2,10 |
| PA 695 | 'Gold Lace' ,  , 30 cm, brown-red with golden margins, historic cultivar, variable, very unusual! IV-V, Z5-8 | 2 | 16 | △ ⊕ | – | 432,00 | 48,00 | 7,20 |
| PA 693 | 'Silver Lace Purple' ,  , 25 cm, bright purple with silver margins, compact habit, IV-V, Z5-8 | 2 | 16 | △ ⊕ | – | – | – | 9,80 |
| PA 696 | 'Victoriana Gold Lace Black' , 30 cm, black-brown with golden margins, IV-V, Z5-8 | | | | | | | |
| PA 697 | 'Victoriana Gold Lace Red' , 30 cm, red with golden margins, IV-V, Z5-8 | | | | | | | |
| NEW! PA 698 | 'Victoriana Silver Lace Black' , 30 cm, black-brown with silver margins, IV-V, Z5-8 | 2 | 16 | △ ⊕ | – | – | 78,00 | 8,00 |
| PA 701 | 'Victorian Laced Primroses' , 30 cm, red, purple to black-brown colours, each edged with golden to silvery margins, IV-V, Z5-8 | | | | | | | |
| PA 692 | 'Jessica' , Red leaved Oxlip, 30 cm, brilliant pastel colors, from yellow, apricot, pink to red, unusual brown-red foliage, variable, IV-V, Z5-8 | 2 | 16 | ✦ △ ⊕ | – | – | 72,00 | 9,80 |
| elatio Crescendo®-Series , 30 cm, winter hardy! Also for winter growing, IV-V, Z5-8 | | | | | | | | |
| PA 699 | 'Crescendo® Bella Rose' | 2 | 16 | △ ⊕ ✕ | – | 496,00 | 62,00 | 7,90 |
| PA 700 | 'Crescendo® Blue Shades'  | | | | | | | |
| PA 704 | 'Crescendo® Bright Red'  | | | | | | | |
| PA 712 | 'Crescendo® Formula Mixture' | | | | | | | |
| PA 702 | 'Crescendo® Golden'  | | | | | | | |
| PA 708 | 'Crescendo® Pure White' | PA 710 | 'Crescendo® Pink Shades'  | | | | | |
| PA 707 | 'Crescendo® Wine-Red' | | | | | | | |
| Wanda-Hybr. (Orig. Niederlenz) , 10 cm, winter hardy, early flowering, II-V, Z5-8 | | | | | | | | |
| PA 713 | 'Wanda Blue Shades' | 2 | 16 | △ ⊕ | – | 486,00 | 54,00 | 7,20 |
| PA 709 | 'Wanda Dark-pink' | | | | | | | |
| PA 714 | 'Wanda Lilac Colors' | | | | | | | |
| PB 713 | 'Wanda Yellow' | | | | | | | |
| PA 715 | 'Wanda Raspberry Red Shades' | | | | | | | |
| PA 716 | 'Wanda Pink with Eye' | PA 717 | 'Wanda Pink/Salmon Shades' | | | | | |
| PA 718 | 'Wanda Velvet Red Shades' | PA 719 | 'Wanda Mixed Colors' | | | | | |
| PA 731 | alpicola ,  , 50 cm, white, light yellow to violet, variable, VI-VIII, Z5-8 | 1 | 15 | △ | 960,00 | 120,00 | 16,00 | 3,40 |
| PA 730 | alpicola var. alpicola , 60 cm, yellow, VI-VII, Z5-8 | 1 | 15 | △ | – | – | 22,00 | 4,00 |
| PA 734 | alpicola var. violacea , 60 cm, violet, VI-VII, Z5-8 | 1 | 15 | △ | – | – | 22,00 | 4,00 |
| PA 805 | amoena (elatio ssp. meyeri) , 20 cm, purple-violet umbels, IV-V, Z4-8 | 2 | 1 | △ | – | 192,00 | 24,00 | 6,00 |
| PA 738 | anisodora (wilsonii var. anisodora) , 60 cm, brown-purple with yellow eye, aromatic candelabra primrose, VI-VIII, Z5-8 | 1 | 16 | ⊗ ✕ | – | 192,00 | 24,00 | 6,00 |
| auricula hort. - see Primula x pubescens | | | | | | | | |
| PA 742 | auricula (alpina) ,  , 15 cm, the true yellow Alpine Auricula, fragrant, IV-VI, Z3-8 (see also GOLD NUGGET SEED®) | 1 | 1 | △ | – | 270,00 | 30,00 | 6,00 |
| PA 750 | beesiana , 40 cm, purple-red Candelabra Primrose, VI-VII, Z5-8 (s. also GOLD NUGGET SEED®) | 1 | 9 | △ | 768,00 | 96,00 | 12,00 | 4,00 |
| PA 758 | x bulleesiana , 40 cm, Candelabra Primrose, bright color range from yellow to red and violet, VI-VII, Z3-8 (see also GOLD NUGGET SEED®) | 1 | 9 | △ ✕ ⊗ | 410,00 | 52,00 | 6,40 | 3,20 |
| PA 754 | bulleyana ,  , 40 cm, orange Candelabra Primrose, VI-VIII, Z5-8 (see also GOLD NUGGET SEED®) | 1 | 9 | △ ⊗ | – | 96,00 | 12,00 | 4,00 |
| PA 768 | Candelabra-Hybr. [Woodside] , 70 cm, mixture of many species of the Candelabra-Primulas, V-VII, Z5-8 | 1 | 9 | △ ⊗ | 480,00 | 60,00 | 7,50 | 2,50 |
| PA 771 | capitata 'Salvana' TM ,  , 20 cm, dark blue violet, dense flower heads, rich flowering, compact habit, striking powdered, VI-IX, Z4-8 | 0,25 | 4/16 | ⊕ ⊕ △ | – | 360,00 | 42,00 | 7,20 |
| PA 770 | capitata ssp. mooreana [Noverna Deep Blue] , 20 cm, dark violet blossom heads, silvery powdered, VII-VIII, Z4-8 | 0,25 | 4/16 | ⊕ ⊕ | 1680,00 | 210,00 | 28,00 | 6,00 |
| PA 772 | chionantha ,  , 40 cm, white, fragrant, the violet form (sinopurpurea) does always come up as well! V-VI, Z4-8 (see also GOLD NUGGET SEED®) | 1 | 9 | △ | 1280,00 | 160,00 | 20,00 | 4,00 |
| PA 774 | chionantha ssp. sinopurpurea - see sinopurpurea chungensis , 70 cm, Candelabra Primrose, bright yellow with orange touch, V-VI, Z5-8 (see also GOLD NUGGET SEED®) | 1 | 1 | △ ⊗ | 768,00 | 96,00 | 12,00 | 4,00 |



PRIMULA Elatio-Hybr. 'Gold Lace'



PRIMULA 'Victoriana Silver Lace Black'



PRIMULA Elatio-Hybr 'Jessica'



PRIMULA amoena

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|-----------------------------|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| PRIMULA continuation | | | | | | | | |
| PA 776 | | 0,5 | 1 | △ | – | – | 28,00 | 4,80 |
| PA 777 | | 1 | 9 | ☉ | – | 192,00 | 24,00 | 6,00 |
| PA 779 | | 0,5 | 1 | ☉ | – | – | 24,00 | 6,00 |
| PA 778 | | 1 | 16 | △ | 1280,00 | 160,00 | 22,00 | 5,50 |
| PA 780 | ☐ | 1 | 16 | △ ☐ | – | 360,00 | 42,00 | 7,20 |
| PA 782 | | | | | | | | |
| PA 784 | | | | | | | | |
| PA 783 | ☐ | | | | | | | |
| PA 801 | ☐ | | | | | | | |
| PA 788 | | 0,5 | 15 | △ × | 1440,00 | 180,00 | 24,00 | 3,80 |
| PA 804 | | 5 | 1 | ⌘ | 380,00 | 48,00 | 6,00 | 2,80 |
| PA 808 | | 0,5 | 1 | △ | – | – | 36,00 | 6,00 |
| PA 810 | ☐ | 0,25 | 16 | △ | – | 288,00 | 36,00 | 4,80 |
| PA 812 | | 2 | 16 | × ☞ | – | 224,00 | 28,00 | 5,20 |
| PA 815 | | 2 | 16 | × ☞ | – | – | 36,00 | 6,80 |

continued on the following page



PRIMULA auricula



PRIMULA cortusoides 'Primadiente Rose'™



PRIMULA denticulata 'Rubin Selection'



PRIMULA capitata 'Salvana'™



PRIMULA denticulata 'Blue Selection'



PRIMULA flaccida

Perennials

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|-----------------------------|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| PRIMULA continuation | | | | | | | |
| PA 836 | | | | | | | |
| | | | | | | | |
| PA 846 | ☐ | | | | | | |
| PA 847 | ☐ | | | | | | |
| PA 848 | | | | | | | |
| PA 844 | | | | | | | |
| PA 850 | ☐ | | | | | | |
| PA 854 | | | | | | | |
| PA 838 | | | | | | | |
| PA 856 | | | | | | | |
| PA 858 | | | | | | | |



PRIMULA japonica 'Alba'



PRIMULA japonica 'Appleblossom'



PRIMULA orbicularis



PRIMULA japonica 'Millers Crimson'



PRIMULA maximowiczii



PRIMULA parryi



PRIMULA polyneura



PRIMULA rosea 'Gigas'



PRIMULA sieboldii

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| PRIMULA continuation | | | | | | | |
| PA 859 maximowiczii , 30 cm, brilliant red flowers, narrow leaved rosettes, IV-V, Z5-8 | 0,5 | 9 | △ | – | – | 98,00 | 7,80 |
| officinalis - see veris | | | | | | | |
| PA 864 orbicularis , 20 cm, clear light yellow, large fragrant blossoms, up to 20 flowers per umbel, lanceolate foliage rosettes, V-VII, Z5-8 | 0,5 | 9 | △ | – | 192,00 | 24,00 | 6,00 |
| PA 868 parryi , 40 cm, brilliant purple-red with yellow eye, leathery leaves, V-VI, Z3-7 (see also GOLD NUGGET SEED®) | 1 | 1 | ⊘ | 1536,00 | 192,00 | 24,00 | 6,00 |
| PA 872 poissonii , 50 cm, purple-carmine with yellow eye, very nice late flowering Candelabra Primrose, VI-VIII, Z5-8 (see also GOLD NUGGET SEED®) | 1 | 9 | ⊘ × | – | 198,00 | 22,00 | 4,50 |
| PA 874 polyneura , 30 cm, rosy-red with orange eye, V-VII, Z4-8 (see also GOLD NUGGET SEED®) | 0,5 | 1 | △ | 1280,00 | 160,00 | 22,00 | 5,50 |
| PA 828 prolifera (helodoxa, smithiana) , (AGM), 50 cm, golden, powdery throat, V-VI, Z5-8 | 1 | 1 | △ | 960,00 | 120,00 | 16,00 | 4,00 |
| PA 878 x pubescens , (AGM), Garden Auricula, 20 cm, rich colour mixture, large flowering, IV-VI, Z4-8 (see also GOLD NUGGET SEED®) | 1 | 9 | △ × | 980,00 | 128,00 | 16,00 | 4,00 |
| PA 880 x pubescens 'Kaleidoscope' , (JEL) (AGM), Garden Auricula, 20 cm, brilliant colour mixture of selected mother stock with yellow, velvety-red, blue-lilac, creamy white and bicoloured variations, large flowering, valuable and durable border perennial, IV-VI, Z4-8 (see also GOLD NUGGET SEED®) | 1 | 9 | △ × ⊕ | – | 384,00 | 48,00 | 5,40 |
| PA 884 pulverulenta , (AGM), 50 cm, purple-carmine, powdered, V-VI, Z5-8 (s. also GOLD NUGGET SEED®) | 1 | 9 | △ | 768,00 | 96,00 | 12,00 | 4,00 |
| PA 890 rosea 'Gigas' , (AGM), 20 cm, carmine pink, large bright blossoms, III-IV, Z5-8 (see also GOLD NUGGET SEED®) | 0,5 | 9 | ⊘ △ ⊕ | 1536,00 | 192,00 | 24,00 | 4,80 |
| saxatilis - see cortusoides hort. | | | | | | | |
| PA 896 saxatilis var. pubescens - see polyneura | | | | | | | |
| PA 898 secundiflora , 40 cm, rose-purple, V-VI, Z5-8 (see also GOLD NUGGET SEED®) | 1 | 16 | △ ⊘ | 1536,00 | 192,00 | 24,00 | 6,00 |
| PA 898 sieboldii , (AGM), 25 cm, white, pink or purple, pale green, early dormant foliage, V-VI, Z4-7 (see also GOLD NUGGET SEED®) | 1 | 1 | △ × | – | – | 42,00 | 7,00 |
| PA 899 sikkimensis , (AGM), 50 cm, yellow, fragrant, VI-VII, Z5-8 | 1 | 16 | △ ⊘ | – | 224,00 | 28,00 | 7,00 |
| PA 902 sinopurpurea (chionantha ssp. sinopurpurea) , 50 cm, pale violet-red, the white form is always included, farinose leaves, V-VI, Z4-8 (see also GOLD NUGGET SEED®) | 1 | 1 | △ | – | 168,00 | 22,00 | 4,00 |
| smithiana - see prolifera | | | | | | | |
| PA 910 veris (officinalis) , (AGM), Cowslip, 20 cm, yellow, III-V, Z4-8 (s. also GOLD NUGGET SEED®) (see also Organic-Seeds) | 5 | 9 | ⊘ × ⊕ | 120,00 | 20,00 | 3,40 | 2,00 |
| PA 914 veris ssp. columnae , 20 cm, golden yellow, leaves densely white hairy underneath, III-V, Z4-8 | 3 | 1 | △ × | – | 52,00 | 6,80 | 3,40 |
| PA 915 veris ssp. macrocalyx , Tall Meadow Cowslip, 25 cm, yellow, large flowering, funnel-like calyx-leaves, III-V, Z4-8 | 3 | 8 | ⊘ △ × ⊕ | – | 52,00 | 6,80 | 3,40 |
| PA 916 veris 'Sunset Shades' , 20 cm, yellow, ochre-colored, orange and red shades, III-V, Z4-8 (see also GOLD NUGGET SEED®) | 3 | 9 | △ × | – | 76,00 | 9,00 | 4,50 |
| PA 918 vialii (Miracle, Red Hot Poker) , (AGM), 30 cm, red-violet blossom candles, VI-VII, Z6-8 | 0,25 | 15 | ⊕ ⊘ | – | 396,00 | 48,00 | 7,80 |
| vinciflora - see OMPHALOGRAMMA | | | | | | | |
| PA 922 viscosa (latifolia) , 10 cm, violet, V-VI, Z4-8 | 0,5 | 1 | △ ⊕ | – | 138,00 | 17,00 | 4,00 |
| PA 926 vulgaris (acaulis), wild form , (AGM), 20 cm, yellow, rarely white, IV, Z5-8 (see also GOLD NUGGET SEED®) | 3 | 1 | △ × ⊕ | 1296,00 | 144,00 | 16,00 | 5,40 |

continued on the following page



PRIMULA x pubescens 'Kaleidoscope'



PRIMULA veris



PRIMULA veris ssp. columnae



PRIMULA vialii



PRIMULA vulgaris, wild form

Perennials



PRIMULA vulgaris ssp. sibthorpii







PULSATILLA alba



PULSATILLA alpina ssp. sulphurea



PRUNELLA grandiflora 'Freelander Mixed'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| PRIMULA continuation | | | | | | | |
| PA 927  vulgaris ssp. sibthorpii (sibthorpii, woronowii) ,  , Carnival Primrose, 20 cm, rosy-red, II-IV, Z5-8 (see also GOLD NUGGET SEED®) | 4 | 1 | △ | – | 216,00 | 24,00 | 6,00 |
| PA 928 waltonii , 40 cm, violet, nodding flowers, VI-VII, Z5-8 | 1 | 16 | △ | – | 192,00 | 24,00 | 6,00 |
| wilsonii var. anisodora - see anisodora | | | | | | | |
| PRITZELAGO - see HUTCHINSIA | | | | | | | |
| PROMETHEUM - see ROSULARIA | | | | | | | |
| PRUNELLA (Lamiaceae, <i>Labiatae</i>) | | | | | | | |
| PA 940 grandiflora , 20 cm, violet-blue, abundant flowers, VI-VIII, Z4-8 | 3 | 16 | ↗ ↻ Ⓢ | 320,00 | 42,00 | 5,40 | 2,80 |
| PA 941 grandiflora 'Alba' , 20 cm, white, VI-VIII, Z4-8 | | | | | | | |
| PA 942 grandiflora 'Light Blue' , 20 cm, VI-VIII, Z4-8 | | | | | | | |
| PA 943 grandiflora 'Rubra' , 20 cm, carmine-red, VI-VIII, Z4-8 | | | | | | | |
| PA 944 grandiflora Mixture [Pagoda] , 20 cm, violet, pink, white, VI-IX, Z4-8 | | | | | | | |
| PA 937 grandiflora 'Bella Blue' , 15 cm, brilliant blue-violet, reliable flowering in the 1. year, V-IX, Z4-8 | 3 | 16 | ↗ ↻ Ⓢ | 982,00 | 124,00 | 16,00 | 5,60 |
| PA 938 grandiflora 'Bella Deep Pink' , 15 cm, brilliant deep pink, reliable flowering in the first year, V-IX, Z4-8 | | | | | | | |
| PA 945  grandiflora 'Freelander Mixed' ,  , 15 cm, blue, pink and white colors, reliable first year flowering, V-IX, Z4-8 | 3 | 15 | ↗ | – | 32,00 | 4,00 | 2,20 |
| PA 946 laciniata , 20 cm, white, rarely lilac, fine feathered foliage, basal leaves similar to P. vulgaris, VI-VIII, Z5-8 | | | | | | | |
| vulgaris - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| PSEPELLUS dealbatus - see CENTAUREA dealbata | | | | | | | |
| PSEUDOFUMARIA - see CORYDALIS | | | | | | | |
| PSEUDOLYSIMACHION - see VERONICA | | | | | | | |
| PTILOTRICHUM (Cruciferae) | | | | | | | |
| PA 963 pyrenaicum , 15 cm, white, large flowering, dense clusters, grey-green foliage, V-VII, Z5-8 . . . | 3 | 9 | △ | – | – | – | 7,00 |
| PA 964 spinosum (ALYSSUM) , 30 cm, white to pink, thorny, V-VI, Z6-9 | 3 | 16 | △ ◯ | – | 192,00 | 24,00 | 4,50 |
| PTILOSTEMON | | | | | | | |
| diacantha - see CIRSIUM diacanthum | | | | | | | |
| echinocephalum - see CIRSIUM echinocephalum | | | | | | | |
| PULMONARIA officinalis (ssp. obscura) - s. Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | | | |
|---|-------------------------|---|------------------|-------------------------|-----------|----------|---------|--------|-------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | | | |
| PULSATILLA (ANEMONE) (Ranunculaceae) | | | | | | | | | | |
| PA 970 | ☐ | albana , Caucasus Pasque Flower, 15 cm, violet or lilac, seldom yellow or white, fine feathered foliage, IV-V, Z4-8, | pure seed | 6 | 9 | △ | – | 72,00 | 9,00 | 4,50 |
| PA 972 | | alpina , 35 cm, white, V-VIII, Z5-8, | pure seed | 20 | 1 | △ | 208,00 | 26,00 | 3,20 | 2,40 |
| PA 974 | ☐ | alpina ssp. sulphurea (apiifolia) , (AGM), 35 cm, sulphur yellow, V-VIII, Z5-8, | pure seed | 20 | 1 | △ Ca | 208,00 | 26,00 | 3,20 | 2,40 |
| NEW! PA 967 | ☐ | ambigua , 20 cm, blue-violet, nodding flowers, finely feathered foliage, IV-VI, Z5-8, | pure seed | 3 | 9 | △ | 960,00 | 120,00 | 15,00 | 5,00 |
| PA 975 | | aurea , 30 cm, bright golden yellow, V-VII, Z5-8, | pure seed | 10 | 9 | △ | – | – | – | 6,00 |
| PA 976 | ☐ | grandis (vulgaris ssp. grandis) , 30 cm, light-lilac, very large flowers, III-IV, Z5-8, | pure seed | 5 | 9 | △ | 320,00 | 40,00 | 5,00 | 2,50 |
| PA 978 | | halleri , (AGM), 25 cm, violet, VII-VIII, Z5-8, | pure seed | 5 | 1 | △ | 320,00 | 40,00 | 5,00 | 2,50 |
| PA 979 | | halleri ssp. taurica , 15 cm, purple-violet, white-woolly foliage, V-VI, Z5-8, | pure seed | 10 | 9 | △ | 400,00 | 50,00 | 6,20 | 4,70 |
| PA 982 | | montana , 20 cm, dark violet, IV-V, Z6-8, | pure seed | 15 | 1 | △ | – | 26,00 | 3,20 | 2,00 |
| PA 983 | ☐ | occidentalis , 25 cm, white to creamy-white, V-VI, Z4-8, | pure seed | 10 | 1 | △ | 528,00 | 66,00 | 8,20 | 4,10 |
| PA 984 | | patens , Eastern Pasque Flower, 20 cm, blue-violet, white woolly new growth, early flowering, II-IV, Z4-8, | pure seed | 5 | 9 | △ Ca | 960,00 | 120,00 | 15,00 | 5,00 |
| PA 985 | ☐ | pratensis ssp. nigricans , 20 cm, dark purple, nodding flowers, IV-VI, Z4-8, (see also <i>Organic-Seeds</i>), | pure seed | 3 | 9 | △ ‡ | 1150,00 | 144,00 | 18,00 | 6,00 |
| PA 981 | | tatewakii , 20 cm, purple, nodding flowerheads, golden seed pots, rare, IV-VI, Z5-8, | pure seed | 3 | 9 | △ | – | – | 18,00 | 6,00 |
| PA 986 | ☐ | vernalis , (AGM), 15 cm, white, outside lilac, IV, Z4-8 (see also GOLD NUGGET SEED®), | pure seed | 10 | 9 | △ Ca | – | 72,00 | 9,00 | 4,50 |

continued on the following page



PULSATILLA ambigua



PULSATILLA grandis



PULSATILLA occidentalis



PULSATILLA vernalis



PULSATILLA vulgaris 'Heiler-Hybr.'



PULSATILLA vulgaris 'Perlen Glocke'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|---|---|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| PULSATILLA continuation | | | | | | | | |
| PA 988 | vulgaris , (AGM), Pasque Flower, 30 cm, lilac to blue-violet, III-IV, Z5-8 (see also GOLD NUGGET SEED® + Organic-Seeds), | 5 | 9 | △ ⊕ ⊗ ⊗ | 224,00 | 28,00 | 3,50 | 2,00 |
| PA 990 | vulgaris 'Alba' [Weißer Glocke, White Bells, White Swan], (AGM), 30 cm, white, III-IV, Z5-8 (see also GOLD NUGGET SEED®), | 5 | 9 | △ ⊕ ⊗ | 384,00 | 48,00 | 6,80 | 3,40 |
| PA 989 | vulgaris 'Blaue Glocke' [Violet Bells], (AGM), 30 cm, dark-violet, III-IV, Z5-8, (see also GOLD NUGGET SEED®), | 5 | 9 | △ ⊕ ⊗ | 384,00 | 48,00 | 6,80 | 3,40 |
| PA 980 | vulgaris 'Perlen Glocke' [Pearl Bells], (AGM), 30 cm, softest pink bellflowers, large flowering, III-IV, Z5-8 (see also GOLD NUGGET SEED®), | 5 | 9 | △ ⊕ ⊗ | 384,00 | 48,00 | 6,80 | 3,40 |
| PA 991 | vulgaris 'Rosen Glocke' [Rose Bells], (AGM), 30 cm, radiant cerise pink bellflowers, large flowering, III-IV, Z5-8 (see also GOLD NUGGET SEED®), | 5 | 9 | △ ⊕ ⊗ | 384,00 | 48,00 | 6,80 | 3,40 |
| PA 992 | vulgaris 'Rote Glocke' [Red Bells, Røde Klokke], 30 cm, bright red, III-IV, Z5-8 (see also GOLD NUGGET SEED®), | 5 | 9 | △ ⊕ ⊗ | 384,00 | 48,00 | 6,80 | 3,40 |
| PA 994 | vulgaris 'Heiler-Hybr.', 30 cm, from dark red to bright red, pink, violet, blue, cream to pure white – a magnificent color range, III-IV, Z5-8, | 5 | 9 | △ ⊕ ⊗ | 224,00 | 28,00 | 3,50 | 2,00 |
| PA 800 | vulgaris 'Prima Papagena', (AGM), 30 cm, fringed to semi-double flowers, pure white with cream tones and bright pink to dark reds and light blue to violet colors, distinct improvement over 'Papageno', intensive fringed flowers from the first year on, decorative seed heads for flower arrangements, III-IV, Z5-8 (see also GOLD NUGGET SEED®), | 5 | 9 | △ ⊕ ⊗ | 384,00 | 48,00 | 6,80 | 3,40 |
| PUNICA (Lythraceae, <i>Punicaceae</i>) | | | | | | | | |
| PA 996 | granatum var. nana , (AGM), 40 cm, Dwarf Pomegranate, scarlet-red, floriferous even as young plant, popular container-plant, VI-VIII, Z8-11 | 35 | 20 | ⊗ ⊕ ⊗ ⊗ | 112,00 | 16,00 | 2,40 | 2,40 |
| PYCNANTHEMUM (Lamiaceae, <i>Labiatae</i>) | | | | | | | | |
| PA 997 | muticum , 80 cm, pink, silver-velvety bracts, especially decorative, variable, VII-IX, Z4-8 | 1 | 16 | ⊗ ⊗ | – | 112,00 | 14,00 | 5,00 |
| PA 998 | pilosum , American Mountain Mint, 70 cm, pale purple, aromatic foliage, VI-IX, Z4-8 (see also Organic-Seeds) | 3 | 16 | ⊗ ⊗ | 320,00 | 40,00 | 5,00 | 2,50 |
| PA 999 | tenuifolium , 60 cm, pale purple, narrow lanceolate leaves, very decorative, VII-IX, Z5-8 | 1 | 16 | ⊗ ⊗ | – | 52,00 | 6,40 | 3,20 |
| PYRETHRUM - see TANACETUM coccineum | | | | | | | | |
| RAMONDA (Gesneriaceae) | | | | | | | | |
| RA 010 | myconi (pyrenaica) , (AGM), 10 cm, violet-blue, rarely pink and white, plate-like leaves, lime-loving, V-VI, Z6-8 | 0,125 | 4/9 | △ | – | 520,00 | 65,00 | 6,50 |
| RA 011 | myconi var. alba , 10 cm, mostly pure white, lime-loving, V-VI, Z6-8 | 0,125 | 4/9 | △ | – | – | 92,00 | 9,20 |
| RA 012 | myconi 'Rosea' , 10 cm, mostly soft pink, V-VI, Z6-8 | 0,125 | 4/9 | △ | – | – | 92,00 | 9,20 |
| RA 015 | serbica , 10 cm, light blue with yellow eye, bell-shaped flowers, plate-like rosettes, IV-V, Z6-8 | 0,125 | 4/9 | △ | – | – | 65,00 | 6,50 |



PULSATILLA vulgaris 'Rosen Glocke'



PULSATILLA vulgaris 'Prima Papagena'



PYCNANTHEMUM muticum



RAMONDA myconi

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|---|---|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| RANUNCULUS (Ranunculaceae) | | | | | | | | |
| RA 020 | aconitifolius, 50 cm, white, V-VI, Z5-9 | 5 | 2 | △ ☞ | – | 96,00 | 12,00 | 4,80 |
| RA 022 | ☑ acris f. citrinus [Sulphureus] , 40 cm, creamy white, richly branched, VI-IX, Z4-8 | 3 | 2 | – | – | – | – | 5,20 |
| RA 030 | ☑ buchananii , 25 cm, white, very large flowering, blue-green foliage, V-VI, Z7-10 | 4 | 2 | △ | – | 184,00 | 24,00 | 6,00 |
| RA 029 | ☑ cortusifolius , Canaries-Buttercup, 60 cm, golden, large blossoms in dense umbels, large, leathery basal leaves, VI-VII, Z8-10 | 2 | 9 | ☒ | 768,00 | 96,00 | 12,00 | 4,00 |
| RA 031 | flammula , 30 cm, yellow, VI-X, Z4-9 | 2 | 9 | ☞ ☒ | – | – | 12,00 | 4,00 |
| RA 032 | ☑ glacialis , 15 cm, pure white, VII-VIII, Z3-8 | 0,5 | 2 | △ ☑ | – | 144,00 | 18,00 | 6,00 |
| RA 036 | ☑ gramineus , (AGM), 30 cm, bright yellow, easily grown, V-VI, Z6-9 (see also GOLD NUGGET SEED®) | 8 | 2 | △ | – | 72,00 | 9,00 | 4,50 |
| RA 037 | ☑ haastii ssp. piliferus , 20 cm, yellow, wax like blue foliage, V-VII, Z7-9 | 6 | 2/3 | △ ☑ | – | 276,00 | 34,00 | 9,80 |
| RA 038 | insignis , 50 cm, large, golden, poppy-like flowers, leathery leaves, VI-VII, Z7-10 | 6 | 2/3 | – | – | 144,00 | 18,00 | 6,00 |
| RA 040 | ☑ lyallii , 50 cm, large, white, poppy-like flowers, leathery dark green leaves, VI-VIII, Z6-9 | 6 | 2/3 | △ | 896,00 | 112,00 | 14,00 | 5,20 |
| RA 044 | parnassifolius , 8 cm, white, outside reddish, V-VI, Z4-9 | 10 | 2 | △ | – | – | – | 9,80 |
| RA 052 | thora , 15 cm, golden, VI-VII, Z4-8 | 10 | 2 | △ ☒ | – | 112,00 | 14,00 | 7,00 |
| RAOULIA (Asteraceae, <i>Compositae</i>) | | | | | | | | |
| RA 053 | ☑ australis , 2 cm, dense, flat, silver-white carpets forming, inconspicuous yellow flowers, VII-VII, Z6-9 | 0,1 | 16 | △ ☞ | – | 1560,00 | 196,00 | 4,20 |
| RA 057 | tenuicaulis , 3 cm, large white everlasting flowers, the only scented variety, forms silvery-grey mats, vigorous, good carpet for bulbs, VI-VIII, Z6-9 | 0,1 | 16 | △ ☑ ☞ | – | – | 78,00 | 4,20 |



RANUNCULUS acris f. citrinus



RANUNCULUS buchananii



RANUNCULUS cortusifolius



RANUNCULUS glacialis



RANUNCULUS gramineus



RANUNCULUS haastii ssp. piliferus



RAOULIA australis



RANUNCULUS lyallii

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| RATIBIDA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| RA 060 | 5 | 15 | ✕ ⊗ | 115,00 | 16,00 | 2,40 | 2,00 |
| RA 064 | 5 | 15 | ✕ ⊗ | 115,00 | 16,00 | 2,40 | 2,00 |
| RA 065 | 2 | 15 | ✕ ⊗ △ | 180,00 | 24,00 | 3,40 | 2,00 |
| RA 066 | 4 | 16 | △ ☼ | 520,00 | 62,00 | 7,20 | 3,60 |
| RA 068 | 5 | 15 | ✕ | 72,00 | 12,00 | 2,00 | 2,00 |
| REHMANNIA (Scrophulariaceae) | | | | | | | |
| RA 072 | 0,5 | 15 | ⊗ ^ | 1536,00 | 192,00 | 24,00 | 8,00 |
| RESEDA - see Organic Seed | | | | | | | |
| RHAZYA - see AMSONIA | | | | | | | |
| RHEUM (Polygonaceae) | | | | | | | |
| RA 077 | 20 | 15 | ☼ △ | 980,00 | 128,00 | 16,00 | 8,00 |
| RA 080 | 30 | 15 | Sol ☼ | 224,00 | 28,00 | 3,60 | 3,60 |



RATIBIDA mexicana



RATIBIDA pinnata



RHEUM alexandrae











RHEUM nobile



REHMANNIA elata



RHEXIA virginica

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| RHEUM continuation | | | | | | | |
| RA 078  nobile , Tibetan Rhubarb, 120 cm, attractive yellow-ochre coloured bracts, broad foliage, for cool and moist locations, VI-VIII, Z4-7 | 30 | 15 | ☁ △ ‡ | 720,00 | 92,00 | 12,00 | 9,60 |
| officinale - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| palmatum var. tanguticum - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| rhabarbarum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| rhaponticum - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| RHEXIA (Melastomataceae) | | | | | | | |
| RA 088  virginica , 40 cm, purple-rose, VI-VIII, Z3-8 | 0,5 | 9 | ☞ | – | 112,00 | 14,00 | 7,00 |
| RHINANTHUS (Scrophulariaceae) | | | | | | | |
| RA 096  minor , Yellow Rattle, 30 cm, yellow, decorative, rattling seed heads, V-VIII, Z4-8. | 10 | 1 | ☉ ☞ | 180,00 | 26,00 | 3,80 | 2,00 |
| RHODIOLA (SEDUM) (Crassulaceae) | | | | | | | |
| RA 092  integrifolia ssp. atropurpurea , 30 cm, brilliant purple-red, IV-VI, Z2-7 | 0,5 | 1 | △ ☞ | – | 324,00 | 36,00 | 6,00 |
| RA 089  rhodantha , 25 cm, rosy-red flower clusters, upright, V-VI, Z3-8 | 0,5 | 9 | △ ✕ | – | – | – | 6,20 |
| RA 090  rosea , Rose Gold, 25 cm, yellowish umbel, dried root is rose-scented, V-VI, Z1-8 (see also GOLD NUGGET SEED®) | 0,5 | 1 | △ ‡ | – | 198,00 | 22,00 | 4,40 |
| RA 094 semenowii , 40 cm, green-white, cylindrical flower racemes, VI-VII, Z5-8 | 0,5 | 9 | △ ✕ | – | – | – | 6,20 |
| RHODODENDRON (Ericaceae) | | | | | | | |
| RA 100 ferrugineum , Alpine Rose, 100 cm, pink, V-VI, Z3-8 | 1 | 1 | ☞ △ ☞ ✕ | 480,00 | 60,00 | 7,60 | 3,80 |
| RHODOPHIALA (Amaryllidaceae) | | | | | | | |
| RA 106 bifida var. spathacea , 25 cm, brilliant dark pink, IV-V, Z8-10 | 10 | 15 | △ | – | – | 12,00 | 8,00 |
| RICINUS - see Organic Seed | | | | | | | |
| RODGERSIA (Saxifragaceae) | | | | | | | |
| RA 110  aesculifolia , <small>(AGM)</small> , 100 cm, white, VI-VII, Z4-8 | 0,25 | 4/15 | ✕ | 2300,00 | 288,00 | 36,00 | 6,00 |
| RA 114  Henrici-Hybr. , 90 cm, pink-red, fruit-stalk bright red, green foliage with a hint of bronze, VI-VII, Z5-8 | 0,25 | 4/16 | ✕ | 1540,00 | 192,00 | 24,00 | 4,80 |
| RA 116 New Hybrids , 80 cm, white, yellow to pink flowers, dark green to bronze colored leaves, VI-VIII, Z5-8 | 0,25 | 4/16 | ✕ Sol | – | 192,00 | 24,00 | 4,80 |
| RA 118 pinnata , 80 cm, pink-white, VI-VII, Z5-8 | 0,25 | 4/15 | ✕ | – | 192,00 | 24,00 | 6,00 |
| RA 126 pinnata 'Superba' - see Henrici-Hybr. sambucifolia , 80 cm, white, elder-like foliage, VII-VIII, Z5-8 | 0,25 | 4/15 | | – | – | – | 6,00 |
| tabularis - see ASTILBOIDES tabularis | | | | | | | |



RHODIOLA integrifolia ssp. atropurpurea



RHINANTHUS minor



RHODIOLA rhodantha



RODGERSIA aesculifolia



RODGERSIA Henrici-Hybr.



ROMNEYA coulteri















ROSCOECA cauleyoides



RUDBECKIA fulgida var. deamii



RUDBECKIA fulgida var. speciosa

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ROMNEYA (Papaveraceae) | | | | | | | |
| RA 136  coulteri , (AGM), 100 cm, silver-white blossoms, 12 cm ø, VII-IX, Z6-9 | 2 | 5 | Sol ^ | 768,00 | 96,00 | 12,00 | 6,00 |
| ROSCOECA (Zingiberaceae) | | | | | | | |
| RA 140 alpina , 15 cm, pink, small blooms, VII-VIII, Z5-8 | 10 | 10/9 | △ | – | – | 8,00 | 6,00 |
| RA 142 auriculata , 40 cm, brilliant purple, VII-IX, Z5-8 | 10 | 20 | △ | 384,00 | 48,00 | 6,00 | 4,00 |
| RA 144  cauleyoides , (AGM), 50 cm, light yellow, VI, Z5-8 | 10 | 20 | △ | – | – | 8,00 | 6,00 |
| ROSMARINUS officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| ROSULARIA (Crassulaceae) | | | | | | | |
| RA 152 rechingeri (PROMETHEUM), 5 cm, creamy white, bluish green rosettes, VI-IX, Z5-9 | 0,25 | 1 | △ | – | – | 74,00 | 4,80 |
| RUCOLA silvatica - see Organic Seed | | | | | | | |
| RUDBECKIA (Asteraceae, Compositae) | | | | | | | |
| RA 160  fulgida var. deamii , (AGM), 80 cm, yellow, hairy foliage, drought tolerant, VII-IX, Z3-8 (see also GOLD NUGGET SEED®) | 3 | 9 | × | 520,00 | 62,00 | 7,20 | 3,60 |
| RA 162 fulgida var. fulgida , 80 cm, yellow-orange with dark center, later flowering than 'Goldsturm', IX-XI, Z3-8 (see also GOLD NUGGET SEED®) | 3 | 9 | ☼× | 520,00 | 62,00 | 7,20 | 3,60 |
| RA 190  fulgida var. speciosa (neumannii), (AGM), 60 cm, golden with black center, narrow foliage, VII-X, Z3-8 (see also GOLD NUGGET SEED®) | 3 | 9 | ☼× | 520,00 | 62,00 | 7,20 | 3,60 |
| RA 164  fulgida var. sullivanii 'Goldsturm', (AGM) (PPA), 70 cm, golden with dark center, VII-X, Z3-8 (see also GOLD NUGGET SEED®) | 3 | 9 | ☼× | 480,00 | 58,00 | 7,20 | 3,60 |
| RT 164  fulgida var. sullivanii 'Goldsturm', heat-treated seed is virtually Septoria free, but secondary infection is still possible, please prevent! | 3 | 9 | ☼× | 640,00 | 80,00 | 9,80 | 4,20 |
| RA 156  grandiflora 'Sundance', (AAS), 120 cm, golden, large rayflowers with black-brown spherical cones, elegant upright and sturdy habit, healthy intensive green foliage, VIII-X, Z4-8 | 4 | 15 | × | 768,00 | 96,00 | 12,00 | 3,80 |
| RA 178  hirta 'Autumn Colors', (FES), 50 cm, red-brown colors, stable, VII-IX, Z4-8 | 2 | 15 | ☼☼☼ | – | 396,00 | 44,00 | 6,20 |
| RA 163 hirta 'Cappuccino', (FES), 80 cm, bronze-brown with yellow tips, sturdy and large flowering, VI-X, Z4-8 | | | | | | | |
| RA 159 hirta 'Denver Daisy', (AAS) (FES), 50 cm, golden with intensive brown-reddish eye, rich and large flowering, sturdy, VI-IX, Z4-9 | | | | | | | |
| RA 177 hirta 'Maya', (FES), 45 cm, extremely double, golden flowers, richly branched, VII-IX, Z4-8 | | | | | | | |
| RA 179 hirta 'Prairie Sun', (AAS) (FES), 70 cm, light yellow with green center, large flowering and stable, VII-IX, Z4-9 | 2 | 15 | ☼☼☼ | – | 88,00 | 9,60 | 4,80 |
| RA 170 hirta 'Sonora', 45 cm, golden with mahogany colored disc, well-branched, VII-IX, Z4-8 | | | | | | | |
| RA 167 hirta 'Goldilocks', (FES), 60 cm, golden, large double and semidouble flowers with deep black center, VII-IX, Z4-8 | | | | | | | |
| RA 165 hirta 'Indian Summer', (AAS) (AGM), 80 cm, golden, very large flowering, VII-IX, Z4-8 | 1 | 15 | △☼☼ | – | 396,00 | 44,00 | 6,20 |
| RA 169 hirta 'Marmelade', 60 cm, brilliant deep golden, stable, VII-IX, Z4-8 | | | | | | | |
| RA 171 hirta 'Toto Gold', 30 cm, golden, 5 cm large and round flowers, branched habit, as border and pot plant, VII-IX, Z4-8 | | | | | | | |
| RA 175 hirta 'Toto Rustic', (FES), 30 cm, bronze-yellow variant of 'Toto Gold', VII-IX, Z4-8 | 5 | 16 | × | 256,00 | 32,00 | 4,00 | 3,00 |
| RA 168 laciniata , 150 cm, light yellow, VIII-IX, Z3-8 | 15 | 15 | × | 384,00 | 48,00 | 6,00 | 6,00 |
| RA 172  maxima , 200 cm, large yellow flowers, ovate, blue-green leaves, VIII-IX, Z5-9 | 3 | 9 | △☼ | 576,00 | 72,00 | 8,00 | 4,00 |
| RA 173  missouriensis , 40 cm, golden with black center, delicate habit, narrow lanceolate foliage, VII-IX, Z5-8 (see also GOLD NUGGET SEED®) | 8 | 15 | ☼× | 240,00 | 30,00 | 3,80 | 2,00 |
| RA 176 occidentalis [Green Wizard], 100 cm, grey-green foliage, tall black flowering cones, petals barely visible, best bee plant, for flower arrangements, VII-IX, Z5-9 | 3 | 15 | × | 768,00 | 96,00 | 12,00 | 3,80 |
| pinnata - see RATIBIDA pinnata | 3 | 15 | × | 1650,00 | 198,00 | 26,00 | 7,00 |
| purpurea - see ECHINACEA purpurea | | | | | | | |
| RA 194 subtomentosa , 80 cm, golden, VII-IX, Z3-8 | 8 | 15 | ☼ | 240,00 | 30,00 | 3,80 | 2,00 |
| RA 198 triloba , (AGM), 100 cm, yellow, darker towards the center, variable, VI-X, Z3-8 | 5 | 8 | ☼× | 256,00 | 32,00 | 4,00 | 2,00 |
| RA 199  triloba 'Blackjack Gold', (AAS), 100 cm, round and golden flowers with black cone, compact habit, richly branched flowering stalks, first year flowering, sturdy and long lived strain, valuable late bloomer, VII-X, Z3-8 | 3 | 15 | × | 768,00 | 96,00 | 12,00 | 3,80 |
| RA 197  triloba 'Prairie Glow', 100 cm, yellow with bright red eye, fading orange-red to bronze, richly branched flowering stalks, valuable late bloomer, VII-X, Z3-8 | 3 | 15 | × | 1650,00 | 198,00 | 26,00 | 7,00 |



RUDBECKIA fulgida var. sullivantii 'Goldsturm'



RUDBECKIA grandiflora 'Sundance'



RUDBECKIA hirta 'Autumn Colors'



RUDBECKIA maxima



RUDBECKIA missouriensis



RUDBECKIA triloba 'Blackjack Gold'



RUDBECKIA triloba 'Prairie Glow'



RUELLIA humilis



RUMEX flexuosus




























RUSCUS aculeatus



SALVIA argentea



SALVIA azurea

| | Gram to get 1000 plants | Nº. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| RUELLIA (Acanthaceae) | | | | | | | |
| RA 202  humilis , 40 cm, pale blue-violet, large flowering, very interesting perennial, VII-IX, Z4-8 (see also GOLD NUGGET SEED) | 15 | 1 | △ | – | 144,00 | 16,00 | 7,80 |
| RUMEX (Polygonaceae) | | | | | | | |
| acetosa - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| acetosella - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| RA 216  flexuosus , 25 cm, bronze to copper coloured, lanceolate foliage, remarkable foliage plant, VI-VII, Z6-9 | 1 | 15 | △  | 620,00 | 78,00 | 9,60 | 3,20 |
| RA 220 hydrolapathum , 150 cm, reddish, bronze-red foliage in fall, V-VIII, Z5-8 | 15 | 15 | △  | 256,00 | 32,00 | 3,60 | 3,60 |
| sanguineus - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| scutatus - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| RUSCUS (Ruscaceae, Liliaceae) | | | | | | | |
| RA 300  aculeatus , Butcher's Broom, 100 cm, greenish, evergreen small shrub, red berries, III-IV, Z7-9 | 400 | 6/10 | ⚡ ×    | 82,00 | 12,00 | 2,00 | 9,80 |
| RUTA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| SABATIA (Gentianaceae) | | | | | | | |
| SA 004 angularis , 40 cm, pink, VII-VIII, Z5-9 | 0,5 | 9 | △  | – | – | – | 6,15 |
| SAGINA (Caryophyllaceae) | | | | | | | |
| SA 010 subulata [Crispy, Puzta], 5 cm, white, dense carpets, VI-VIII, Z4-9 | 0,25 | 4/15 | △  | 1300,00 | 154,00 | 18,00 | 3,00 |
| SALVIA (Lamiaceae, <i>Labiatae</i>) | | | | | | | |
| SA 028 amplexicaulis , 80 cm, violet, similar to <i>S. nemorosa</i> but larger, VI-VIII, Z4-8 | 2 | 15 | ×  | – | 40,00 | 5,00 | 2,50 |
| SA 030  argentea [Artemis], <small>(AGM) (PS)</small> , Silver Sage, 65 cm, white with yellow, flat grey-woolly leaf rosettes, VII-VIII, Z5-8 | 10 | 15 | △   | 208,00 | 26,00 | 3,60 | 3,60 |
| SA 029  azurea , Prairie Sage, 120 cm, bright azure blue, IX-XI, Z5-8 | 10 | 15 |  | – | 96,00 | 12,00 | 7,20 |
| baumgartenii - see transsylvanica | | | | | | | |
| SA 033  bulleyana (flava v. megalantha), 60 cm, yellow with red-brown lip, unusual, VI-VIII, Z6-8 | 10 | 15 |  × | – | 96,00 | 12,00 | 7,20 |
| NEW! SA 016  candidissima (albida), Woolly White Sage, 50 cm, white, compact, white woolly leaf-rosettes, V-VII, Z6-9 | 10 | 15 |  | – | – | 12,00 | 7,20 |
| columbariae - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| SA 024 cyanescens , 50 cm, brilliant blue-lilac, attractive silver-grey foliage, VI-VIII, Z6-9 | 10 | 8 | △  | 384,00 | 48,00 | 6,80 | 4,20 |
| SA 026  daghestanica [Platinum], <small>(PS)</small> , 15 cm, brilliant blue, silver-grey foliage, low cushion forming, a rarity for dry and warm locations, V-VI, Z5-8 | 5 | 8 | △  | – | 216,00 | 24,00 | 7,80 |
| SA 022 farinacea ' Victoria Blue ', <small>(AGM)</small> , 40 cm, blue flower panicles, uniform habit, VII-IX, Z8-10 | 3 | 15 | △   | 720,00 | 90,00 | 12,00 | 4,00 |

continued on the following page



SALVIA bulleyana (flava v. megalantha)



SALVIA candidissima



SALVIA daghestanica



SALVIA jurisicii



SALVIA lyrata 'Purple Knockout'



SALVIA nutans



SALVIA pachyphylla

| | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion |
| SALVIA continuation | | | | | | | | |
| SA 023 | farinacea 'Victoria White', (AGM), 40 cm, white flower panicles, uniform habit, VII-IX, Z8-10. . . | 3 | 15 | ☼ | 720,00 | 90,00 | 12,00 | 4,00 |
| SA 034 | glutinosa , 80 cm, light yellow, VII-IX, Z6-8 | 5 | 16 | | 144,00 | 18,00 | 2,40 | 2,00 |
| SA 053 | hians , 60 cm, large grey felt-like foliage, light blue, VI-VI, Z5-8. | 10 | 15 | Sol | 192,00 | 24,00 | 3,00 | 2,30 |
| hispanica - see Organic Seed | | | | | | | | |
| SA 052 | ☐ jurisicii , 25 cm, feathery grey-green leaves, light-lilac, seldom pink and white, unpretentious, V-IX, Z5-8. | 2 | 15 | ☼ △ ☼ | 320,00 | 40,00 | 5,00 | 2,50 |
| SA 041 | lavandulifolia (officinalis var. lavandulifolia), Spanish Sage, 40 cm, blue-violet, grey-green narrow foliage, aromatic, VI-VIII, Z4-10 | 20 | 15 | ☼ △ ☼ | 152,00 | 19,20 | 2,60 | 2,60 |
| SA 044 | ☐ lyrata 'Purple Knockout' [Purple Vulcano , Purple Prince , Burgundy Bliss], (CEA), 40 cm, flowers inconspicuous, wide and very decorative foliage, bronze-purple-red, V-VII, Z5-8. | 3 | 16 | ☼ ☼ ☼ | 260,00 | 32,00 | 4,20 | 2,10 |
| multiorrhiza - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | | |
| moorcroftiana - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| SA 049 | napifolia [Baby Blue], 60 cm, purple-violet, rich flowering, attractive foliage, V-VIII, Z5-8 | 3 | 15 | × | 380,00 | 46,00 | 5,80 | 3,20 |
| SA 066 | nemorosa 'Blaukönigin' [Blue Queen], 40 cm, blue-violet, compact, V-IX, Z4-8 | 3 | 15 | ☼ ☼ ✕ | 780,00 | 96,00 | 12,00 | 4,80 |
| SA 075 | nemorosa 'Merleau Blue', (CES), 30 cm, brilliant blue-violet, very rich flowering, compact, well branched habit, first year flowering, V-IX, Z4-8, approx. 800 seeds = 1g | 3 | 15 | ☼ ☼ | - | 396,00 | 44,00 | 7,80 |
| SA 076 | nemorosa 'Merleau Rose', (CES), 30 cm, brilliant rosy-red, very rich flowering, compact, well branched habit, first year flowering, V-IX, Z4-8, approx. 800 seeds = 1g | 3 | 15 | ☼ ☼ | - | 396,00 | 44,00 | 7,80 |
| SA 078 | nemorosa 'Merleau White', (CES), 30 cm, pure white, very rich flowering, compact, well branched habit, first year flowering, V-IX, Z4-8, approx. 800 seeds = 1g | 3 | 15 | ☼ ☼ | - | 396,00 | 44,00 | 7,80 |
| SA 067 | nemorosa 'Rosakönigin' [Rose Queen , Rosenwein], 60 cm, pink, V-IX, Z4-8 | 3 | 15 | ☼ ☼ | 780,00 | 96,00 | 12,00 | 4,80 |
| SA 036 | nemorosa 'Violettkönigin' [Violet Queen , West-Friesland], 60 cm, violet, V-IX, Z4-8 (see also Organic-Seeds) | 3 | 15 | ☼ ☼ △ | 192,00 | 24,00 | 3,00 | 2,00 |
| SA 039 | ☐ nutans , Nodding Sage, 100 cm, bright violet-blue, nodding flowerheads, VI-IX, Z5-8 | 5 | 16 | △ ✕ | - | - | 24,00 | 7,20 |
| officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| SA 074 | ☐ pachyphylla , (CES), Blue Sage, Mojave Sage, 60 cm, blue-violet with purple bracts, grey aromatic foliage, semi-evergreen, VII-IX, Z5-10 | 10 | 15 | Sol ☼ | - | - | 16,00 | 6,20 |
| SA 045 | patens 'Blue Angel', 60 cm, ultramarine blue, loose panicles, hairy foliage, VI-X, Z7-10 | 10 | 15 | ☼ | 476,00 | 56,00 | 7,20 | 5,80 |
| SA 046 | pratensis , 60 cm, blue, VI-VIII, Z3-8 (see also Organic-Seeds) | 5 | 15 | ☼ | 48,00 | 8,00 | 2,00 | 2,00 |
| pratensis Ballet-Series , 50 cm, dense flower heads, rich flowering, very striking colours, VI-VIII, reblooms after dead heading, IX-X, Z3-8 | | | | | | | | |
| SA 050 | ☐ 'Rose Rhapsody', (CEA), pale pink shades | 5 | 15 | ☼ ✕ ☼ | 350,00 | 52,00 | 7,60 | 3,80 |
| SA 064 | ☐ 'Sky Dance', (CEA), light blue | | | | | | | |
| SA 047 | ☐ 'Swan Lake', (CEA), white | | | | | | | |
| SA 063 | ☐ 'Sweet Esmeralda', (CEA), intensive dark pink | | | | | | | |
| SA 061 | ☐ 'Twilight Serenade', (CEA), blue-violet | | | | | | | |
| SA 062 | ☐ 'Meadow Ballet Blend', (CEA), blue, violet, white and pink | 5 | 15 | ☼ ✕ ☼ | 192,00 | 24,00 | 3,00 | 2,50 |
| SA 056 | ☐ recognita , 100 cm, whitish-rose with red marked lip, large grey-green leaves, VII-VIII, Z5-8 . . | 20 | 9 | | 358,00 | 45,00 | 5,60 | 5,60 |



SALVIA pratensis 'Rose Rhapsody'



SALVIA pratensis 'Swan Lake'



SALVIA pratensis 'Sky Dance'



SALVIA pratensis 'Sweet Esmeralda'



SALVIA pratensis 'Twilight Serenade'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|-----------------------------------|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| SALVIA continuation | | | | | | | |
| SA 054 | 15 | 9 | △ | 480,00 | 60,00 | 8,20 | 8,20 |
| SA 065 | 3 | 15 | ⊕ ⊗ ⊕ △ | 432,00 | 48,00 | 6,20 | 4,20 |
| SA 071 | 3 | 16 | △ ⊕ ⊗ | – | 128,00 | 16,00 | 6,00 |
| SA 059 | 10 | 15 | ☺ | 144,00 | 18,00 | 2,40 | 2,00 |
| SA 060 | 10 | 15 | ☺ | 144,00 | 18,00 | 2,40 | 2,00 |
| SA 068 | 15 | 15 | ⊗ ⊕ | 256,00 | 32,00 | 4,00 | 2,00 |
| SA 070 | 5 | 15 | ⊕ | 192,00 | 24,00 | 3,00 | 2,00 |
| SA 072 | 5 | 15 | ⊕ | 384,00 | 48,00 | 6,00 | 3,00 |
| SANGUINARIA (Papaveraceae) | | | | | | | |
| SA 090 | 15 | 1/6 | ⊗ △ ‡ | – | 72,00 | 7,80 | 4,00 |



SALVIA pratensis 'Meadow Ballet Blend'



SALVIA recognita



SALVIA ringens



SALVIA scabra 'Good Hope'



SALVIA roemeriana 'Arriba'™



SALVIA sclarea var. turk. 'Vatican White'



SALVIA transsylvanica



SANGUINARIA canadensis



SANGUISORBA parviflora

Perennials



SAPONARIA caespitosa



SAPONARIA ocymoides



SAPONARIA ocymoides 'Snow Tip'



SAPONARIA pumilio

| | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion |
| SANGUISORBA (Rosaceae) | | | | | | | | |
| SA 094 | hakusanensis , 60 cm, dark pink, arching flower spikes, grey-green foliage, VI-VIII, Z4-8 | 6 | 9 | × | – | – | – | 4,20 |
| SA 095 | menziesii , 80 cm, brilliant black-red spikes, blue-grey feathered leaves, VI-VII, Z4-8 | 10 | 9 | × | – | – | 9,80 | 5,40 |
| | minor - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| | officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| SA 093 | parviflora , 160 cm, white drooping spikes, tall pinnatifid foliage, VII-X, Z3-8 | 5 | 9 | Sol × | – | 128,00 | 16,00 | 5,40 |
| SA 097 | tenuifolia var. tenuifolia f. alba , 120 cm, white nodding flower spikes, feathered foliage, VII-IX, Z3-8 | 5 | 9 | Sol × | 608,00 | 76,00 | 9,60 | 4,30 |
| SANICULA europaea - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| SANTOLINA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| SAPONARIA (Caryophyllaceae) | | | | | | | | |
| SA 134 | caespitosa , 8 cm, pink, cushions, V-VI, Z6-8 | 1 | 1 | △ △ ☼ | 1152,00 | 144,00 | 18,00 | 9,00 |
| SA 140 | lutea , 7 cm, light yellow, V-VI, Z5-8 | 1 | 1 | △ Ca | 768,00 | 96,00 | 12,00 | 6,00 |
| SA 148 | ocymoides , ^(AEM) , 30 cm, pink, V-VII, Z3-8 | 5 | 15 | △ ☼ ☼ | 170,00 | 25,00 | 3,20 | 2,40 |
| SA 150 | ocymoides 'Snow Tip' , ^(AEM) , 25 cm, pure white flowers, dark green foliage, VI-VII, Z3-8 (see also GOLD NUGGET SEED) | 5 | 9 | △ ☼ ☼ | 320,00 | 40,00 | 5,00 | 3,50 |
| | officinalis - see GOLD NUGGET SEED + Perennial Herbs + Organic Seed | | | | | | | |
| SA 152 | pumilio , 5 cm, pink, dense cushions, V-VI, Z5-8 (see also GOLD NUGGET SEED) | 3 | 1 | △ △ Ca | – | – | – | 9,80 |
| SAPOSHNIKOVIA - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | | |
| SARRACENIA (Sarraceniaceae) | | | | | | | | |
| SA 159 | flava , Yellow Pitcher Plant, 50 cm, bright yellow, light green pitcher leaves, IV-VI, Z5-8 | 2 | 8 | ☼ × ☼ | – | 420,00 | 46,00 | 6,80 |
| SA 160 | purpurea , Common Pitcher Plant, 30 cm, dark red-brown nodding blossoms, green-red pitcher-leaves, VII-VIII, Z2-9 | 2 | 1 | ☼ Ca | – | 320,00 | 36,00 | 6,80 |
| SA 161 | species 'New Hybrids' , Pitcher Plants, 20-40 cm, redbrown to yellow blossoms, upright and flat growing pitcher-leaves with variable markings, Hybrids of cultivars and their species, VII-VIII, Z3-10 | 2 | 1 | ☼ × ☼ | – | 360,00 | 46,00 | 6,80 |
| SARUMA (Aristolochiaceae) | | | | | | | | |
| SA 162 | henryi , 40 cm, brilliant sulphur yellow flowers, heart shaped hairy leaves, related to ASARUM, permanent flowering, IV-IX, Z5-8 | 8 | 19 | △ ☼ | 768,00 | 96,00 | 12,00 | 6,00 |
| SATUREJA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| SAXIFRAGA (Saxifragaceae) | | | | | | | | |
| SA 180 | aizoides , 6 cm, yellow-orange, mat-like, VI-VIII, Z4-7 | 0,25 | 1 | △ | – | – | 8,00 | 3,00 |
| | aizoon - see paniculata | | | | | | | |
| SA 196 | x arendsii 'Blütenteppich' [Floral Carpet] , 20 cm, bright pink, variable, V, Z3-7 | 0,25 | 16 | △ ☼ | 612,00 | 72,00 | 8,40 | 2,40 |
| SA 200 | x arendsii 'Purpurteppich' [Purpurmantel, Purple Robe] , 20 cm, purple-carmine, variable, V, Z3-7 | | | | | | | |
| SA 202 | x arendsii 'Schneeteppich' [Frühlingsschnee, Snow Carpet] , 25 cm, white, produces mossy mats, V, Z3-7 | | | | | | | |
| SA 206 | aspera , 10 cm, cream-yellow, mat-forming, VII-VIII, Z5-8 | 0,25 | 1 | △ △ Ca | – | – | 16,00 | 4,00 |
| SA 214 | biflora , 5 cm, purple, 2-3 blossoms on numerous stems, V-VI, Z5-8 | 0,25 | 1 | △ | – | – | 24,00 | 4,00 |
| SA 224 | cochlearis , Spoon-Leaved Saxifrage, 15 cm, pure white, green rosettes, VI-VII, Z5-8 | 0,25 | 1 | △ △ | – | – | 26,00 | 4,00 |
| SA 230 | cotyledon 'Pyramidalis' , 60 cm, pyramidal, white blossom panicles, V-VI, Z5-8 | 0,25 | 1 | × △ Ca | 320,00 | 40,00 | 5,00 | 2,50 |
| NEW! SA 236 | cymbalaria , Celandine Saxifrage, 10 cm, golden yellow florets, rich flowering, mostly short lived, V-VIII, Z6-9 | 0,1 | 1 | △ w> | – | – | – | 3,80 |
| SA 238 | exarata , 10 cm, white, cushions, V-VI, Z3-6 | 0,5 | 9 | △ | – | – | 24,00 | 6,00 |
| SA 242 | granulata , 30 cm, white, V-VI, Z3-8 | 0,5 | 1 | △ | 480,00 | 60,00 | 7,60 | 3,20 |
| SA 248 | hostii , 40 cm, white, rosettes, V-VII, Z3-8 | 0,5 | 1 | △ △ | – | 96,00 | 12,00 | 2,00 |
| SA 256 | longifolia , 20 cm, white, only 1 rosette, blossom panicle up to 70 cm, VII, Z5-8 | 0,25 | 1 | △ | – | – | 92,00 | 9,80 |
| SA 260 | manshuriensis , 40 cm, white, VI-VII, Z4-7 | 0,25 | 1 | △ | – | – | 24,00 | 6,00 |
| SA 262 | marginata , 5 cm, white, V-VI, Z6-9 | 0,25 | 1 | △ | – | 288,00 | 36,00 | 6,00 |
| SA 268 | oppositifolia , 5 cm, pink - wine-red, flat cushions, almost stemless, blooms after snow melts, III-V, Z2-7 | 0,25 | 1 | △ △ | – | – | 42,00 | 6,00 |
| SA 188 | paniculata (aizoon) , 20 cm, white, silver-grey rosettes, V-VI, Z2-7 | 0,25 | 1 | △ | – | – | 36,00 | 4,50 |
| SA 192 | paniculata ssp. brevifolia (aizoon minor) , 15 cm, white, very small rosettes, V-VI, Z2-7 | 0,25 | 9 | △ | 768,00 | 96,00 | 12,00 | 4,00 |
| SA 280 | rotundifolia , 35 cm, white, semi-shade, V-VI, Z4-8 | 0,5 | 16 | △ | – | – | – | 3,20 |
| SA 294 | umbrosa (x urbium) 'Elliott's Variety' , ^(AEM) , 30 cm, pink, compact, V-VI, Z6-9 | 0,5 | 1 | △ | 512,00 | 64,00 | 8,00 | 4,00 |

| | | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|-------------------------------|---|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | | from 100 g | from 10 g | from 1 g | Portion |
| SCABIOSA (Dipsacaceae) | | | | | | | | | |
| SB 236 | | canescens , 50 cm, light blue, pinnatifid foliage, VII-XI, Z5-8. | 10 | 15 | ☼ × ☼ | 320,00 | 40,00 | 5,00 | 2,50 |
| SB 240 | | caucasica 'Fama Deep Blue' , 50 cm, intense blue, darkest of all, VI-IX, Z4-8 | 35 | 15 | ☼ × ☼ | 840,00 | 90,00 | 12,00 | 9,80 |
| SB 241 | | caucasica 'Fama White' , 50 cm, pure white, large flowering, VI-IX, Z4-8 | 35 | 15 | ☼ × ☼ | 840,00 | 90,00 | 12,00 | 9,80 |
| ST 244 | | caucasica 'Perfecta' [Blue Perfection] , 50 cm, lavender blue, VI-IX, Z4-8, JET® - rubbed seed | 35 | 20 | ☼ × ☼ | 256,00 | 32,00 | 4,00 | 4,00 |
| ST 246 | | caucasica 'Perfecta Alba' [White Perfection] , 50 cm, white, VI-IX, Z4-8, JET® - rubbed seed | 35 | 20 | ☼ × ☼ | 256,00 | 32,00 | 4,00 | 4,00 |
| ST 247 | | caucasica 'Isaac House Hybr.' [Spielarten] , 60 cm, white and blue shades, VII-IX, Z4-8, JET® - rubbed seed | 35 | 20 | ☼ × ☼ | 224,00 | 28,00 | 3,60 | 3,60 |
| SB 252 | | columbaria , 60 cm, light blue, VI-IX, Z5-8 | 10 | 15 | ☼ × ☼ | 144,00 | 18,00 | 2,50 | 2,50 |
| SB 251 | ☐ | columbaria f. nana [Pincushion Blue] , 25 cm, blue, VI-IX, Z5-8. | 5 | 15 | ☼ ☼ ☼ | 320,00 | 42,00 | 5,80 | 3,20 |
| SB 250 | ☐ | columbaria f. nana 'Pincushion Pink' , 25 cm, soft pink, VI-IX, Z5-8. | 5 | 15 | ☼ ☼ ☼ | 320,00 | 42,00 | 5,80 | 3,20 |
| SB 249 | | columbaria 'Misty Butterflies' , 25 cm, soft pink to lavender blue, large flowering, compact, VI-IX, Z5-8 | 5 | 15 | ☼ ☼ ☼ | 240,00 | 36,00 | 5,20 | 2,90 |
| SB 253 | | graminifolia [Powder Pink] , 35 cm, light lilac, wiry stems, lanceolate foliage, VI-IX, Z6-9. | 30 | 15 | ☼ × ☼ | 384,00 | 48,00 | 6,20 | 6,20 |
| SB 254 | | japonica var. alpina [Blue Star] , 25 cm, violet-blue, VI-X, Z5-8 | 5 | 15 | ☼ ☼ ☼ | 320,00 | 42,00 | 5,80 | 3,20 |
| SB 261 | ☐ | japonica var. alpina 'Ritz Blue' , 20 cm, sky blue, rich flowering, compact habit, very vigorous, first year flowering from seed, VI-IX, Z5-8. | 3 | 15 | ☼ ☼ ☼ | - | 192,00 | 24,00 | 6,00 |

continued on the following page



SARRACENIA flava



SARRACENIA purpurea



SARRACENIA species 'New Hybrids'



SARUMA henryi



SAXIFRAGA longifolia



SCABIOSA columbaria f. nana



SCABIOSA columbaria 'Pincushion Pink'



SCABIOSA jap. var. alpina 'Ritz Blue'



SCABIOSA jap. var. alpina 'Ritz Rose'

Perennials

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| SCABIOSA continuation | | | | | | | |
| SB 263 | 3 | 15 | ☼ ☼ △ | – | 192,00 | 24,00 | 6,00 |
| SB 256 | 7 | 15 | ✕ ☼ | 580,00 | 72,00 | 9,60 | 4,80 |
| SB 258 | 10 | 16 | ✕ ☼ | 256,00 | 32,00 | 4,00 | 3,00 |
| SB 257 | 5 | 16 | ☼ ✕ △ ☼ | – | 44,00 | 5,80 | 3,20 |
| SCHIVERECKIA (Brassicaceae, Cruciferae) | | | | | | | |
| SB 269 | 0,5 | 9 | △ w> | – | – | 22,00 | 6,00 |
| SCHIZOSTYLIS (Iridaceae) | | | | | | | |
| NEW! SB 272 | 2 | 16 | ☼ ✕ | – | – | 62,00 | 5,80 |
| SCILLA (Hyacinthaceae, Liliaceae) | | | | | | | |
| SB 275 | 20 | 15 | △ ☼ | 96,00 | 14,00 | 2,00 | 2,00 |
| non-scripta - see HYACINTHOIDES non-scripta | | | | | | | |
| SCLERANTHUS (Illecebraceae, Caryophyllaceae) | | | | | | | |
| SB 277 | 1 | 9 | △ ^ | 1152,00 | 144,00 | 18,00 | 6,00 |
| SCOPOLIA (Solanaceae) | | | | | | | |
| SB 278 | 5 | 1 | ☼ ✕ | 512,00 | 64,00 | 8,00 | 6,00 |
| SCROPHULARIA (Scrophulariaceae) | | | | | | | |
| SB 293 | 1 | 15 | △ ✕ ☼ | – | – | 48,00 | 6,20 |
| SCUTELLARIA (Lamiaceae, Labiatae) | | | | | | | |
| SA 300 | 2 | 9 | △ △ ☼ | – | 96,00 | 12,00 | 4,00 |
| SA 303 | 2 | 9 | △ △ ☼ | 448,00 | 56,00 | 7,00 | 3,50 |
| SA 302 | 2 | 9 | △ △ ☼ | 536,00 | 68,00 | 8,60 | 4,30 |
| SA 304 | 2 | 16 | △ △ | – | 40,00 | 5,00 | 2,50 |



SCABIOSA lachnophylla 'Blue Horizon'



SCABIOSA ochroleuca 'Moon Dance'



SCHIZOSTYLIS coccinea



SCILLA hyacinthoides



SCROPHULARIA macrantha

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| SCUTELLARIA continuation | | | | | | | |
| SA 308 | 5 | 9 | △ ☄ ☉ | 400,00 | 48,00 | 6,00 | 3,00 |
| baicalensis [Oriental Blue, Siberian Magic], 30 cm, blue, VII-IX, Z4-8 (see also Organic-Seeds) | | | | | | | |
| SA 311 | 1 | 2 | ☄ △ | 256,00 | 32,00 | 4,00 | 3,20 |
| galericulata, Swamp Skullcap, 40 cm, violet-blue, VI-IX, Z4-7 | | | | | | | |
| SA 312 | 4 | 8 | – | – | 62,00 | 7,00 | 3,50 |
| incana, 80 cm, large light blue flowers, upright habitat, VIII-IX, Z5-8 | | | | | | | |
| SA 313 | 3 | 8 | △ ☄ ☉ | 300,00 | 48,00 | 8,00 | 3,20 |
| integrifolia, Hyssop leaved Skullcap, 40 cm, blue-violet with white lip, rich flowering, upright branched panicles, lanceolate foliage, V-VIII, Z5-8 | | | | | | | |
| SA 314 | 2 | 9 | △ | – | 76,00 | 9,60 | 4,80 |
| orientalis, Oriental Skullcap, 20 cm, yellow, low cushions, very variable, VI-VIII, Z5-8 | | | | | | | |
| SA 316 | 2 | 9 | △ | – | 192,00 | 24,00 | 5,20 |
| orientalis var. pinnatifida, 15 cm, yellow, green feathery foliage, VII-IX, Z5-8 | | | | | | | |
| SA 319 | 2 | 9 | △ | 256,00 | 32,00 | 4,00 | 2,00 |
| pontica, 15 cm, red-purple, grey leaved, VI-VIII, Z6-8 | | | | | | | |
| SA 318 | 2 | 16 | △ ◡ | 1540,00 | 192,00 | 24,00 | 5,20 |
| resinosa 'Smokey Hills', ^{CPB}, Prairie Scullcap, 20 cm, blue-violet, rich flowering, bushy habit, VI-IX, Z4-8 | | | | | | | |
| SA 317 | 2 | 16 | △ | – | 256,00 | 32,00 | 7,20 |
| suffrutescens 'Cherry Skullcap', ^{CPB}, 15 cm, cherry-red blossoms, abundant flowering, forms dense cushions, VII-IX, Z6-9 | | | | | | | |
| SECURIGERA (Papilionaceae, Leguminosae) | | | | | | | |
| CA 644 | 10 | 16/10 | ☄ ☄ | 32,00 | 8,00 | 2,00 | 2,00 |
| varia (CORONILLA), 40 cm, pink-white, abundant flowers, climbing, V-IX, Z4-9, pure seed | | | | | | | |



SCLERANTHUS biflorus ssp. uniflorus



SCOPIA carniolica



SCUTELLARIA alpina 'Arcobaleno'



SCUTELLARIA baicalensis



SCUTELLARIA incana



SCUTELLARIA integrifolia



SCUTELLARIA pontica



SCUTELLARIA resinosa 'Smokey Hills'

Perennials



SCUTELLARIA suffrutescens 'Cherry Skullcap'



SEDUM acre 'Oktoberfest'



SEDUM forsterianum 'Silver Stone'



SEDUM hispanicum




SEDUM hybridum 'Czar's Gold'



SEDUM middendorffianum var. middendorffianum



SEDUM middendorffianum var. striatum



SEDUM oreganum

| | | Gram to get 1000 plants | Nº. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|-----------------------------|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | from 100 g | from 10 g | from 1 g | Portion |
| SEDUM (Crassulaceae) | | | | | | | | |
| SA 320 | acre [Golden Carpet], Wallpepper, 6 cm, yellow, mat-forming, VI-VII, Z4-8 | 0,5 | 4/15 | △ w3 2 | 336,00 | 42,00 | 5,40 | 2,70 |
| SA 322 | acre ' Oktoberfest ', 6 cm, bright cream-white starflowers, fresh green cushions, mat-forming, VI-VIII, Z4-8 | 0,25 | 4/15 | △ w3 | 768,00 | 96,00 | 12,00 | 4,00 |
| SA 324 | azonoo , 40 cm, yellow with brown, abundant flowers, VII-VIII, Z6-9 | 0,5 | 4/15 | △ x | 368,00 | 46,00 | 5,80 | 2,90 |
| SA 328 | album , 10 cm, white umbel panicles, VI-VIII, Z4-8 | 0,25 | 4/15 | △ w3 | 420,00 | 54,00 | 7,00 | 3,50 |
| SA 368 | ellacombianum (selskianum hort.) [Selsie, Spirit, Yellow Stars], 10 cm, yellow, VI-VIII, Z4-9 | 0,5 | 4/15 | △ ① w3 | 336,00 | 42,00 | 5,40 | 2,70 |
| SA 348 | floriferum , 10 cm, golden, evergreen, crenate foliage, VII-VIII, Z6-9 | 0,5 | 4/15 | △ w3 | 680,00 | 86,00 | 10,00 | 5,00 |
| SA 349 | forsterianum ssp. elegans ' Silver Stone ', 25 cm, bright yellow starry-flowered corymbs, attractive, soft, blue-green foliage, often tinged pinkish, tight rosettes, VI-VIII, Z4-9 | 0,25 | 4/16 | ♣ △ w3 | 768,00 | 96,00 | 12,00 | 4,00 |
| SA 363 | glaucophyllum (nevii), 10 cm, white umbel-racemes, early flowering, blue-green cushions, also for partial shady places, IV-VI, Z5-8 | 0,25 | 16 | △ ♣ | – | – | 36,00 | 6,00 |
| SA 350 | hispanicum , 10 cm, whitish-pink, grey-green cushions, fast growing, often short lived, V-VI, Z6-10 | 0,25 | 15 | △ △ ① | 1150,00 | 144,00 | 18,00 | 4,50 |
| SA 352 | hybridum ' Czar's Gold ', 15 cm, golden, rich flowering, reddish stems, growing evergreen carpets, outstanding groundcover, V-VIII, Z3-8 | 0,25 | 16 | w3 △ | 512,00 | 64,00 | 8,00 | 4,00 |
| SA 356 | kamtschaticum , 15 cm, orange-yellow, VIII-IX, Z4-9 | 0,5 | 4/16 | △ w3 | 768,00 | 96,00 | 12,00 | 4,00 |
| SA 358 | kamtschaticum var. ellacombianum - see ellacombianum | | | | | | | |
| SA 358 | lanceolatum , 10 cm, yellow, foliage sometimes powdery, bronze color in fall, VIII-X, Z5-8 | 0,5 | 4/16 | △ w3 | – | – | 36,00 | 6,00 |
| SA 353 | middendorffianum var. middendorffianum , 25 cm, golden, reddish seedheads, narrow foliage, dense clumps, vigorous, VII-IX, Z4-9 | 0,25 | 4/16 | △ ♣ | 448,00 | 74,00 | 12,00 | 4,00 |
| SA 357 | middendorffianum var. striatum , 10 cm, golden, reddish seed heads, forms dense cushions, very narrow bronze-green foliage, evergreen, VII-VIII, Z6-9 | 0,25 | 15 | △ ♣ | – | 324,00 | 36,00 | 6,20 |
| SA 355 | montanum , 20 cm, golden, mostly dark green needle-like foliage, VI-VIII, Z6-9 | 0,5 | 4/15 | △ w3 | 768,00 | 96,00 | 12,00 | 4,00 |
| SA 354 | montanum ssp. orientale , 20 cm, golden, blue-grey needle-like foliage, VI-VIII, Z6-9 | 0,5 | 4/15 | △ ♣ | 960,00 | 120,00 | 15,00 | 5,00 |
| SA 351 | obtusifolium var. listoniae , 10 cm, brilliant pink, flat leaf-rosettes, VII-VIII, Z6-9 | 0,25 | 4/16 | △ △ | – | 288,000 | 36,00 | 6,00 |
| SA 367 | ochroleucum (anopetalum), 25 cm, creamy-white flower umbels, compact blue-green foliage, VI-VIII, Z5-9 | 0,25 | 4/16 | △ w3 ♣ | – | 120,00 | 15,00 | 5,00 |
| SA 360 | oreganum , 5 cm, yellow, forms cushions, red-brown in sunlight, VI-VIII, Z5-8 | 0,5 | 4/8 | △ △ ♣ | 1400,00 | 176,00 | 22,00 | 4,00 |
| SA 362 | populifolium (HYLOTELEPHIUM), 30 cm, white umbels with pink tinge, strongly-toothed wide leaves, VII-VIII, Z2-8 | 0,1 | 4/15 | ♣ △ | – | – | 36,00 | 6,00 |
| SA 359 | pulchellum [Seestar], 10 cm, brilliant pink, rich flowering, lush green foliage, tolerates shade and moist places, short lived, V-VII, Z6-10 | 1 | 4/16 | △ w3 ① | 576,00 | 72,00 | 9,00 | 4,50 |
| SA 364 | reflexum (rupestre), Stone Orpine, 30 cm, yellow, grey leaves, VI-VIII, Z4-9 (see also <i>Organic-Seeds</i>) | 0,5 | 4/15 | △ w3 ① w3 | 336,00 | 42,00 | 5,40 | 2,70 |
| | rhodanthum - see RHODIOLA rhodantha | | | | | | | |
| | roseum - see RHODIOLA rosea | | | | | | | |
| SA 387 | rubens ' Lizard ', 10 cm, pink-white, dense cushions, interesting structure plant, annual, VI-VII, Z6-10 | 0,2 | 4/15 | △ ① | 2260,00 | 252,00 | 28,00 | 6,00 |
| SA 366 | sediforme , Pale Stonecrop, 40 cm, straw-coloured umbels, upright habit, grey-blue foliage, leaf shoots thicker than <i>S. reflexum</i> , VI-VIII, Z6-10 | 0,25 | 4/16 | △ w3 ♣ | 768,00 | 96,00 | 12,00 | 4,00 |

continued on the following page



SEDUM pulchellum



SEDUM selskianum 'Goldilocks'



SEDUM spurium 'Summer Glory'



SEDUM stenopetalum



SEDUM spurium 'Summer Snow'



SEDUM ussuriense



SELINUM wallichianum



SEMPERVIVUM arachnoideum



SEMPERVIVUM montanum

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| SEDUM continuation | | | | | | | |
| SA 369 | 0,25 | 4/15 | △ | 512,00 | 64,00 | 8,00 | 4,00 |
| selskianum hort. - see ellacombianum selskianum (true) 'Goldilocks' , 20 cm, golden, rich flowering, narrow leaves, clump forming, fine hairs cover the entire plant, flowering the first year from seed, VIII-IX, Z4-8 semenowii - see RHODIOLA semenowii | | | | | | | |
| SA 371 | 0,25 | 4/9 | W | 480,00 | 62,00 | 7,80 | 3,90 |
| SA 376 | 0,5 | 4/16 | △ W | 420,00 | 54,00 | 7,00 | 3,50 |
| SA 374 | 0,5 | 4/16 | W △ | 576,00 | 72,00 | 9,00 | 4,50 |
| SA 375 | 0,5 | 4/16 | W △ | 576,00 | 72,00 | 9,00 | 4,50 |
| SA 377 | 0,25 | 9 | △ | — | 882,00 | 98,00 | 5,00 |
| SA 381 | 0,5 | 4/16 | △ W | 768,00 | 96,00 | 12,00 | 4,00 |
| SA 378 | 0,25 | 9 | W △ | 576,00 | 72,00 | 9,00 | 4,50 |
| SA 379 | 0,2 | 4/15 | △ | 980,00 | 148,00 | 22,00 | 7,20 |
| SA 380 | 0,25 | 1 | △ | 768,00 | 96,00 | 12,00 | 4,00 |
| SA 382 | 0,25 | 16 | △ | — | 480,00 | 62,00 | 4,80 |
| SA 386 | 0,25 | 4/8 | W | — | — | 92,00 | 4,80 |
| SA 388 | 0,25 | 4/16 | △ | — | 176,00 | 22,00 | 5,00 |
| SA 390 | 0,25 | 4/16 | △ | 336,00 | 42,00 | 5,40 | 2,70 |
| SELINUM (Apiaceae, Umbelliferae) | | | | | | | |
| SA 396 | 5 | 16 | △ | 736,00 | 92,00 | 12,00 | 6,00 |
| wallichianum (CORTIA) (tenuifolium) , 120 cm, white umbels, fine feathered foliage, red stems, VI-VIII, Z6-9 | | | | | | | |
| SEMIQUILEGIA (Ranunculaceae) | | | | | | | |
| SA 398 | 2 | 8 | △ | 992,00 | 124,00 | 16,00 | 8,00 |
| SEMPERVIVUM (Crassulaceae) | | | | | | | |
| SA 402 | 0,25 | 9 | △ | — | 384,00 | 48,00 | 6,00 |
| arachnoideum , 12 cm, red, small rosettes, silvery webbed, VII-VIII, Z3-8 heuffelii - see JOVIBARBA heuffelii | | | | | | | |
| SA 403 | 0,5 | 9 | △ | — | 368,00 | 46,00 | 6,00 |
| SA 404 | 0,5 | 9 | △ | — | 342,00 | 38,00 | 5,00 |
| SA 400 | 0,5 | 9 | △ | 2320,00 | 272,00 | 32,00 | 4,50 |
| hybridum winter hardy varieties , 25 cm, abundant mixture of small and large rosette types and cultivars, VI-VIII, Z3-8 (see also GOLD NUGGET SEED®) | | | | | | | |
| SENECIO (Asteraceae, Compositae) | | | | | | | |
| SA 412 | 3 | 9 | △ | — | 42,00 | 6,00 | 3,00 |
| SA 415 | 1 | 9 | △ | — | — | — | 5,00 |
| SA 411 | 3 | 9 | △ | — | — | — | 4,50 |
| SA 416 | 2 | 16 | △ | 192,00 | 24,00 | 3,00 | 2,00 |
| SA 418 | 1 | 16 | △ | 512,00 | 64,00 | 8,00 | 4,00 |
| SENNA - see CASSIA | | | | | | | |
| SERRATULA tinctoria - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| SESELI (Apiaceae, Umbelliferae) | | | | | | | |
| SA 421 | 5 | 16 | △ | 520,00 | 62,00 | 7,20 | 3,60 |
| SA 424 | 3 | 16 | △ | — | 24,00 | 3,20 | 3,20 |
| SA 422 | 5 | 16 | △ | 540,00 | 64,00 | 8,00 | 4,00 |
| elatatum ssp. osseum , Mountain Fennel, 80 cm, white umbels, evergreen clumps, aromatic, monocarpic, VI-VII, Z6-9 gracile , 50 cm, yellow umbels, dense fennel like compact habit, IV-VI, Z5-8 gummiferum [Moon Carrot] , 80 cm, large white umbels, blue-grey leaves, very good cut flower, short living, VII-VIII, Z5-8 | | | | | | | |

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|--|---|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| SIBBALDIA (Rosaceae) | | | | | | | | |
| SA 430 | procumbens , Creeping Glow Wort Sibbaldia, 5 cm, yellow umbels, three parted foliage, VII-VIII, Z1-6 | 2 | 16 | △ w→ | – | – | 24,00 | 3,20 |
| SIDA (Malvaceae) | | | | | | | | |
| SA 432 | hermaphrodita , Virginia Mallow, 250 cm, white, mallow-shaped foliage, upright bushes, bio-energy-plant, V-VIII, Z4-9 (see also GOLD NUGGET SEED®) | 20 | 9 | Sol ☉ ☿ | 160,00 | 28,00 | 4,80 | 4,80 |
| SIDALCEA (Malvaceae) | | | | | | | | |
| SA 434 | candida 'Bianca' , 90 cm, white, VI-VIII, Z5-8 (see also GOLD NUGGET SEED®) | 10 | 1 | × | 288,00 | 36,00 | 4,60 | 3,50 |
| SA 436 | Malviflora-Hybr. 'Partygir' [<i>Rosanna</i>], 100 cm, carmine-rose, VII-IX, Z5-8 (see also GOLD NUGGET SEED®) | 10 | 9 | ☉ × | 196,00 | 24,00 | 3,20 | 2,40 |
| SA 437 | Malviflora-Hybr. 'Rosaly' , 120 cm, soft pink, VII-IX, Z5-8 (s. a. GOLD NUGGET SEED®) | | | | | | | |
| SA 440 | malviflora 'Starks Hybr.' , 100 cm, rosy-red, VII-IX, Z5-8 | | | | | | | |
| SIDERITIS - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | |
| SIEGESBECKIA - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | | |
| SILENE see also LYCHNIS (Caryophyllaceae) | | | | | | | | |
| SA 450 | acaulis , 10 cm, pink, V-VI, Z2-7 | 1 | 15 | △ | – | 320,00 | 40,00 | 7,00 |
| SA 454 | alba (latifolia) , 45 cm, white, V-X, Z5-8 (see also Organic-Seeds) | 5 | 15 | | 48,00 | 8,00 | 2,00 | 2,00 |
| SA 458 | alpestris (HELIOSPERMA alpestre) , 15 cm, white, VI-VIII, Z4-8 | 0,5 | 15 | △ | 992,00 | 124,00 | 16,00 | 4,00 |
| atropurpurea - see LYCHNIS viscaria ssp. atropurpurea | | | | | | | | |
| baccifer - see CUCUBALUS baccifer | | | | | | | | |
| SA 463 | caroliniana ssp. wherryi [Hot Pink, Celina] , 15 cm, pink, rich-flowering, cushion forming, V-VII, Z4-8 | 3 | 15 | ☉ △ | 1024,00 | 128,00 | 16,00 | 3,20 |
| chalcedonica - see LYCHNIS coronaria - see LYCHNIS dioica (MELANDRIUM rubrum) , 80 cm, light purple-red, V-IX, Z5-8 (see also Organic-Seeds) | | | | | | | | |
| SA 466 | elisabethae , Elisabeth's Catchfly, 15 cm, bright rosy-red, large blossoms, glossy green leaf-rosettes, VII-VIII, Z6-9 | 5 | 15 | | 48,00 | 8,00 | 2,00 | 2,00 |
| SA 468 | flos-cuculi - see LYCHNIS flos-jovis - see LYCHNIS maritima - see uniflora | 1 | 8 | △ ☉ | – | – | – | 9,80 |
| SB 452 | nutans , Nottingham Catchfly, 40 cm, white nodding flowers, VI-VIII, Z5-8 | 3 | 16 | | 72,00 | 12,00 | 2,00 | 2,00 |
| SB 454 | orientalis (compacta) , 75 cm, dark pink blossom clusters, VI-IX, Z5-8 | 0,5 | 15 | × | 256,00 | 32,00 | 4,00 | 2,00 |
| pendula - see caroliniana ssp. wherryi | | | | | | | | |
| SB 460 | regia , 50 cm, carmine, VI-VIII, Z4-8 | 2 | 15 | | – | 96,00 | 12,00 | 4,00 |
| SB 464 | schafta 'Persian Carpet' , 15 cm, brilliant dark pink, horizontal cushions, more compact and richer flowering than 'Splendens', VII-IX, Z4-8 | 2 | 15 | △ ☉ | – | – | 18,00 | 4,20 |

continued on the following page



SENECIO polyodon



SESELI gracile



SESELI gummiferum



SIDALCEA candida 'Bianca'



SILENE acaulis



SILENE regia



SILENE uniflora 'Weißkehlchen'



SILENE schafta 'Shell Pink'



SILPHIUM mohrii



SISYRINCHIUM idahoense var. macounii 'Moody Blues'



SISYRINCHIUM angustifolium f. album



SISYRINCHIUM californicum

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | | |
|--|-------------------------|--|---------------|-------------------------|-----------|----------|---------|-------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | | |
| SILENE continuation | | | | | | | | | |
| SB 465 | ☐ | schafta 'Shell Pink' , 15 cm, brilliant soft pink, rich flowering, light green foliage, compact habit, horizontal cushions, VII-IX, Z4-8 | 1 | 15 | △ | – | – | 18,00 | 4,20 |
| SB 466 | | schafta 'Splendens' [Rosy Gem, Moss Champion] , 20 cm, pink, abundant flowers, VIII-IX, Z4-8 | 2 | 15 | △ | 480,00 | 62,00 | 7,80 | 3,90 |
| | | suecica - see LYCHNIS alpina | | | | | | | |
| SB 475 | | tatarica , 60 cm, white starflowers, rich flowering, fragrant, lanceolate foliage, VI-VIII, Z4-9 | 1 | 15 | | 140,00 | 18,00 | 2,40 | 2,00 |
| SB 482 | | uniflora 'Compacta' , 10 cm, light pink, grey-green foliage, compact cushions, rich flowering, VI-VIII, Z3-8 | 2 | 16 | ⊕ △ ⊕ | 320,00 | 40,00 | 5,00 | 2,50 |
| SB 450 | ☐ | uniflora (maritima) 'Weißkehlichen' [Iccepup, Robin White Breast] , 20 cm, white, single, abundant flowers, VI-VIII, Z3-8 | 2 | 16 | ⊕ △ ⊕ | 480,00 | 62,00 | 7,80 | 3,90 |
| | | viscaria - see LYCHNIS vulgaris , 60 cm, white, rarely pink, V-IX, Z2-8 | 5 | 16 | | 48,00 | 8,00 | 2,00 | 2,00 |
| SB 478 | | zawadskii , 20 cm, white paniced racemes, glossy green leaf rosettes, VI-VIII, Z4-8 | 2 | 9 | △ | 240,00 | 30,00 | 3,80 | 2,00 |
| SILPHIUM (Asteraceae, Compositae) | | | | | | | | | |
| SA 490 | | integrifolium , 120 cm, large yellow flowers, clump forming, VII-IX, Z5-8 | 40 | 9 | Sol | 192,00 | 24,00 | 3,00 | 5,00 |
| SA 494 | | laciniatum , Compass Plant, 200 cm, yellow, flowers always turn eastwards, deeply pinnatifid leaves, VII-IX, Z4-8 | 40 | 9 | Sol × | 160,00 | 20,00 | 2,00 | 5,00 |
| SA 495 | ☐ | mohrii , 160 cm, brilliant creamy yellow blossoms, rich flowering, sturdy branched stems, healthy hirsute foliage, clumping habit, VII-XI, Z4-8 | 30 | 9 | Sol × | 384,00 | 48,00 | 6,40 | 5,20 |
| SA 496 | | perfoliatum , 200 cm, yellow, large flowering, branched inflorescence, bio-energy-plant, VII-IX, Z4-8 | 50 | 9 | Sol ⊕ | 120,00 | 16,00 | 2,00 | 5,00 |
| SA 498 | | terebinthaceum , 150 cm, yellow flowers, striking leaves resemble elephant ears, approx. 60 cm, VII-IX, Z4-8 | 50 | 9 | Sol | 192,00 | 24,00 | 3,00 | 5,00 |
| SILYBUM marianum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |
| SISYRINCHIUM (Iridaceae) | | | | | | | | | |
| SA 510 | | angustifolium (bermudianum) , 20 cm, violet, V-VI, Z3-7 (<i>see also GOLD NUGGET SEED</i>) | 5 | 9 | △ | 240,00 | 30,00 | 4,00 | 2,00 |
| SA 511 | ☐ | angustifolium f. album , 20 cm, white with yellow eye, V-VI, Z3-7 (<i>see also GOLD NUGGET SEED</i>) | 5 | 9 | △ | 240,00 | 30,00 | 4,00 | 2,00 |
| SA 514 | | bellum , 20 cm, blue-violet, V-VI, Z7-10 | 5 | 9 | △ ⊕ | 192,00 | 24,00 | 3,00 | 2,00 |
| SA 522 | ☐ | californicum (brachypus) [Yellow Stone] , 30 cm, golden, V-VII, Z6-10 (<i>see also GOLD NUGGET SEED</i>) | 5 | 9 | △ ⊕ | – | 64,00 | 8,20 | 4,10 |
| NEW! SA 530 | ☐ | idahoense var. macounii 'Moody Blues' , 15 cm, brilliant violet-blue with yellow eye, large flowering, narrow foliage, densely, compact leaf clumps, V-VII, Z4-9 | 5 | 16 | △ ⊕ ⊕ ⊕ | 320,00 | 42,00 | 5,40 | 2,80 |
| SA 534 | ☐ | striatum , 65 cm, light yellow panicles, VI-VII, Z6-10 (<i>see also GOLD NUGGET SEED</i>) | 5 | 9 | × △ | 360,00 | 46,00 | 6,00 | 3,00 |
| SMILACINA (MAIANTHEMUM) (Convallariaceae, Liliaceae) | | | | | | | | | |
| SA 550 | | racemosa , 90 cm, blossom panicles 15 cm, soft yellow, rich flowers, very decorative, ivory colored berries at first, maturing to light red, V-VI, Z3-8 | 100 | 19 | ⊕ | 72,00 | 12,00 | 2,00 | 4,60 |
| SA 552 | | stellata , Star Flower, 40 cm, white flower panicles, lanceolate leaves, VI-VIII, Z2-8 | 40 | 1 | ↔ ⊕ | 180,00 | 24,00 | 3,00 | 7,20 |
| SMYRNIUM (Apiaceae, Umbelliferae) | | | | | | | | | |
| SA 554 | | olusatrum , Black Lovage, Alexanders, 120 cm, greenish-yellow umbels, substitute for Celery, V-VII, Z7-10 | 80 | 1 | ☺ × ⊕ | 60,00 | 8,00 | 2,00 | 4,00 |
| SA 555 | ☐ | perfoliatum , 60 cm, large, green-yellow bracts, mostly monocarpic, IV-V, Z5-8 | 25 | 1 | ☺ × ⊕ | 192,00 | 28,00 | 4,00 | 4,00 |
| SOLANUM (Solanaceae) | | | | | | | | | |
| SA 558 | ☐ | dulcamara , Bittersweet, 100 cm, violet, red berries, woody, VI-VIII, Z3-8 | 3 | 8 | ⊕ × ⊕ ⊕ | 192,00 | 24,00 | 3,00 | 2,00 |
| SOLDANELLA (Primulaceae) | | | | | | | | | |
| SA 560 | | alpina , 10 cm, light blue, IV-V, Z4-8 (<i>see also GOLD NUGGET SEED</i>) | 1 | 9 | △ ▽ | – | 240,00 | 30,00 | 5,00 |
| SA 562 | ☐ | montana , 15 cm, violet, V-VI, Z5-8 (<i>see also GOLD NUGGET SEED</i>) | 2 | 9 | ⊕ △ ▽ | – | 380,00 | 48,00 | 6,00 |
| SA 564 | | pusilla , 5 cm, purple, evergreen, IV-V, Z4-8 | 1 | 9 | ⊕ △ ▽ | – | – | 42,00 | 5,00 |
| SOLIDAGO (Asteraceae, Compositae) | | | | | | | | | |
| SA 570 | | canadensis 'Golden Baby' [Goldkind, Yellow Springs] , 60 cm, golden, VII-IX, Z2-8 | 0,25 | 16 | ☺ × ⊕ | 480,00 | 68,00 | 9,80 | 3,60 |
| SA 572 | ☐ | canadensis 'Little Miss Sunshine' , 30 cm, golden, richly branched umbels, compact and dwarf habit, reliable first year flowering, especially suitable for container production, does not spread uncontrolled, VII-X, Z2-9 | 0,25 | 15 | ⊕ ⊕ × △ | 780,00 | 98,00 | 12,00 | 4,20 |

continued on the following page



SISYRINCHIUM striatum



SMYRNIUM perfoliatum



SOLANUM dulcamara



SOLDANELLA montana



SOLIDAGO canad. 'Little Miss Sunshine'



SOLIDAGO cutleri



STACHYS byzantina 'Silky Fleece'



SOLIDAGO rigida 'Golden Rockets'



SPHAERALCEA coccinea



STACHYS byzantina



STACHYS macrantha



SUCCISELLA inflexa 'Frosted Pearls'



STACHYS macrantha 'Morning Blush'



STELLERA chamaejasme

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| SOLIDAGO continuation | | | | | | | |
| SA 571 | 0,5 | 15 | △ ⊕ | 384,00 | 48,00 | 6,20 | 3,10 |
| SA 574 | 2 | 15 | × | 384,00 | 48,00 | 6,00 | 3,00 |
| SA 578 | 2 | 16 | × | 240,00 | 30,00 | 4,00 | 2,00 |
| SA 580 | 2 | 16 | × △ ⊕ | – | 76,00 | 9,60 | 4,20 |
| SA 579 | 1 | 15 | × | – | – | 8,00 | 4,00 |
| SA 582 | 1 | 9 | × | 195,00 | 25,00 | 3,50 | 2,00 |
| SA 590 virgaurea var. alpina - see cutleri virgaurea ssp. minuta , 25 cm, yellow, VII-IX, Z4-8 | | | | | | | |
| SPARGANIUM - see Ornamental Grasses | | | | | | | |
| SPERGULARIA (Caryophyllaceae) | | | | | | | |
| SA 600 | 0,5 | 4/15 | ⚡ w → △ ⊕ | – | 128,00 | 16,00 | 4,00 |
| SPHAERALCEA (Malvaceae) | | | | | | | |
| SA 605 | 6 | 8 | △ ⚡ | 184,00 | 23,00 | 2,90 | 2,90 |
| SA 605 coccinea , 30 cm, orange-red, grey leaves, VI-VII, Z5-9 remota, rivularis - see ILIAMNA | | | | | | | |
| SPILANTHES - see ACMELLA - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| STACHYS (Lamiaceae, <i>Labiatae</i>) | | | | | | | |
| SA 618 | 5 | 15 | w → * | 160,00 | 24,00 | 3,60 | 2,40 |
| SA 620 | 3 | 15 | * △ w → | 360,00 | 46,00 | 5,80 | 2,90 |
| SA 612 | 10 | 8 | △ | 624,00 | 78,00 | 9,60 | 9,60 |
| SA 610 | 15 | 8 | × | 256,00 | 32,00 | 4,00 | 4,00 |
| SA 611 | 10 | 1 | △ * | – | 86,00 | 9,60 | 9,60 |
| SA 624 | 4 | 15 | – | 96,00 | 12,00 | 2,00 | 2,00 |
| SA 611 macrantha 'Morning Blush' , 40 cm, softly pink flushed white flower clusters, large flowering, dark green crenated and heart-shaped leaves, dense foliage clumps, VII-VIII, Z4-7 (see also GOLD NUGGET SEED) officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed recta , 40 cm, light yellow, lanceolate foliage, VI-X, Z4-7 | | | | | | | |
| STATICE - see LIMONIUM + GONIOLIMON | | | | | | | |
| STELLERA (Thymelaeaceae) | | | | | | | |
| SA 635 | 5 | 9 | △ | – | – | – | 9,80 |
| SA 635 chamaejasme , Himalayan Stellera, 30 cm, mostly white flowering clusters, dense clumps, rare, V-VII, Z4-8 | | | | | | | |
| STEMMACANTHA - see LEUZEA | | | | | | | |
| STEVIA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| STOKESIA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| SA 640 | 15 | 16 | × | 480,00 | 60,00 | 7,50 | 7,50 |
| SA 642 | 15 | 16 | × | 715,00 | 84,00 | 9,80 | 9,80 |
| SA 644 | 15 | 16 | × | 580,00 | 70,00 | 8,80 | 8,80 |
| SA 640 laevis [Blue Star] , 30 cm, lilac, VIII-X, Z5-9 SA 642 laevis alba 'Träumerei' [White Star] , 30 cm, white with pink touch, VIII-X, Z5-9 SA 644 laevis 'Omega Skyrocket' , 90 cm, lilac, erect upright habit, VII-X, Z6-9 | | | | | | | |
| STYLOPHORUM (Papaveraceae) | | | | | | | |
| SA 660 | 5 | 8 | △ | – | 72,00 | 9,00 | 4,50 |
| SA 666 | 2 | 8 | △ | – | 34,00 | 4,20 | 2,00 |
| SA 660 diphyllum , 40 cm, golden, VI-VIII, Z4-8 SA 666 lasiocarpum , 50 cm, yellow flowers, clustered to 5-6, VI-VIII, Z6-9 | | | | | | | |
| SUCCISA (Dipsacaceae) | | | | | | | |
| SA 670 | 5 | 1 | ⚡ | 256,00 | 32,00 | 4,00 | 2,40 |
| SA 670 pratensis , 50 cm, violet, VII-X, Z4-7 | | | | | | | |
| SUCCISELLA (Dipsacaceae) | | | | | | | |
| SA 674 | 5 | 9 | × | 384,00 | 48,00 | 6,00 | 4,50 |
| SA 674 inflexa 'Frosted Pearls' , 80 cm, innumerable white flower heads with light blue anthers, buds with soft pink flush, richly branched, bushy habit, VI-IX, Z4-7 | | | | | | | |



STOKESIA laevis



STOKESIA laevis alba 'Träumerei'



SYMPHYANDRA pendula



SYMPHYANDRA zanzegura

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| SWERTIA (Gentianaceae) | | | | | | | |
| SA 680 perennis , 35 cm, steel-blue, for moist, marshy locations, VII-IX, Z4-8. | 1 | 1 | ☞ ☉ | – | – | 56,00 | 7,00 |
| SYMPHYANDRA (CAMPANULA) (Campanulaceae) | | | | | | | |
| SA 694 hofmannii , 60 cm, ivory white, VII-IX, Z3-8. | 1 | 15 | △ ☉ | 160,00 | 20,00 | 2,50 | 2,00 |
| SA 698 ☑ pendula , 60 cm, cream-colored, highly recommended, V-VIII, Z5-8. | 1 | 15 | △ ☉ | 128,00 | 16,00 | 2,20 | 2,00 |
| SA 702 wanneri [Violet Belle], 25 cm, violet-blue bells, rich flowering, V-VII, Z6-9. | 1 | 16 | ☞ △ | – | – | – | 3,00 |
| SA 704 ☑ zanzegura , 25 cm, light violet, broadly bell-shaped flowers, abundant flowering, perennial, VI-VIII, Z5-8. | 1 | 16 | ☞ △ 2 | – | 64,00 | 8,00 | 3,00 |
| SYMPHYOTRICHUM - see ASTER | | | | | | | |
| SYMPHYTUM officinale - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| TAGETES | | | | | | | |
| lucida - see Organic Seed | | | | | | | |
| patula/erecta - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| TALINUM (Portulacaceae) | | | | | | | |
| TA 002 ☑ calycinum , 10 cm, intense neon-pink, large flowering, succulent foliage, VII-VIII, Z6-9. | 0,5 | 8 | ☞ △ ☉ | 3890,00 | 432,00 | 48,00 | 6,00 |
| paniculatum - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| TANACETUM (Asteraceae, <i>Compositae</i>) | | | | | | | |
| balsamita - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| cinerariifolium - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| CA 400 coccineum 'Robinson Pink', 90 cm, VI-VIII, Z3-7 | 5 | 15 | ✕ | 168,00 | 24,00 | 3,00 | 2,20 |
| CA 398 coccineum 'Robinson Red', 90 cm, VI-VIII, Z3-7 | | | | | | | |
| CA 402 coccineum 'Robinson Giant Mixture', 90 cm, VI-VIII, Z3-7 | | | | | | | |
| CA 388 coccineum 'Super Duplex', 80 cm, extensive colour mixture with semi-double and single flowers, white, soft pink, pink, red, dark red, VI-VII, Z3-7. | 5 | 15 | ✕ | 320,00 | 40,00 | 5,00 | 3,80 |
| CA 408 corymbosum (CHRYSANTHEMUM), 80 cm, white umbels, V-VII, Z5-7. | 2 | 15 | ✕ | – | 32,00 | 4,00 | 2,00 |
| CA 434 macrophyllum (CHRYSANTHEMUM), 120 cm, white bouquets, modest, VI-VII, Z5-7. | 3 | 16 | ✕ | – | 36,00 | 4,20 | 2,00 |
| TB 320 ☑ niveum 'Jackpot' [Million Blooms], 50 cm, numerous white flowers, attractive and richly branched perennial, grey leaved, VII-IX, Z5-8. | 0,5 | 15 | ☞ ☉ | 256,00 | 32,00 | 4,00 | 2,00 |
| parthenium - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| vulgare - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| TARAXACUM - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| TECOMA (Bignoniaceae) | | | | | | | |
| TA 016 stans , up to 200 cm, yellow bell shaped blossoms, bushy, VII-X, Z9-11. | 30 | 20 | ☞ | 246,00 | 34,80 | 4,60 | 4,60 |
| TELEKIA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| TA 010 speciosa (BUPHTHALMUM), 200 cm, yellow, VI-VIII, Z4-8. | 2 | 15 | ✕ ☞ | 96,00 | 12,00 | 2,00 | 2,00 |



TALINUM calycinum



TANACETUM niveum 'Jackpot'



TELLIMA grandiflora



TETRAGONOLOBUS maritimus



TEUCRIUM hircanicum

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| TELLIMA (Saxifragaceae) | | | | | | | |
| TA 020 | 1 | 9 | w→ | 256,00 | 32,00 | 4,00 | 2,00 |
| TA 020 grandiflora , 60 cm, greenish-white, for understory plantings, V-VI, Z5-8 (see also GOLD NUGGET SEED ®) | | | | | | | |
| TETRAGONOLOBUS (LOTUS) (Papilionaceae, Leguminosae) | | | | | | | |
| TA 027 | 12 | 9 | △ | 96,00 | 14,00 | 2,00 | 2,00 |
| TA 027 maritimus , 25 cm, light yellow, large flowering, blue-green foliage, V-VII, Z5-8 | | | | | | | |
| TEUCRIUM (Lamiaceae, Labiatae) | | | | | | | |
| TA 029 | 5 | 8 | ☼ ⊕ | 220,00 | 26,00 | 3,80 | 2,00 |
| TA 029 chamaedrys , 30 cm, pink, mostly with runners, VII-VIII, Z4-8 | | | | | | | |
| TA 029 chamaedrys hort. - see Perennial Herbs - Culinary, Teas and Medicinal | | | | | | | |
| TA 035 | 2 | 16 | △ × ☼ | 324,00 | 36,00 | 4,00 | 2,00 |
| TA 035 hircanicum [Purple Tails], Wood Sage, 45 cm, red-purple, VIII-IX, Z5-8 | | | | | | | |
| TA 037 | 3 | 8 | △ w→ | 310,00 | 39,00 | 4,80 | 2,40 |
| TA 037 montanum , 15 cm, light yellow, evergreen cushions, VI-VIII, Z5-8 | | | | | | | |
| NEW! TA 040 | 5 | 16 | △ ☼ × | - | 64,00 | 8,20 | 4,60 |
| TA 040 orientale (nivale) , Oriental Germander, 40 cm, dark blue, dense blossom panicles, rich flowering, reblooming after deadheading, fine dissected foliage, VI-IX, Z6-9 | | | | | | | |
| TA 038 | 3 | 16 | △ w→ | 320,00 | 40,00 | 5,00 | 2,50 |
| TA 038 polium , 15 cm, yellowish to pink, VII-VIII, Z6-9 | | | | | | | |
| TA 042 | 5 | 16 | ☼ ⊕ | 72,00 | 12,00 | 2,00 | 2,00 |
| TA 042 scorodonia , 50 cm, yellow, decorative foliage, VII-VIII, Z5-8 | | | | | | | |
| THALICTRUM (Ranunculaceae) | | | | | | | |
| adiantifolium - see minus 'Adiantifolium' | | | | | | | |
| TA 048 | 5 | 16 | ☼ △ | - | 72,00 | 9,00 | 4,50 |
| TA 048 alpinum , Alpine Meadow Rue, 20 cm, blueish filaments, pinnatifid foliage, VI-VIII, Z4-8 | | | | | | | |
| TA 050 | 10 | 9 | × ☼ | 480,00 | 60,00 | 7,60 | 3,80 |
| TA 050 aquilegifolium [Spielarten, Spiky Dots, Fluffy], 120 cm, pink and white, V-VII, Z5-8, pure seed | | | | | | | |
| TA 054 | 10 | 9 | × ☼ | - | 86,00 | 9,60 | 4,80 |
| TA 054 aquilegifolium 'Album' , 120 cm, pure white, V-VII, Z5-8, pure seed | | | | | | | |
| TA 058 | 10 | 9 | × ☼ | - | 86,00 | 9,60 | 4,80 |
| TA 058 aquilegifolium 'Purpureum' , 120 cm, rosy-red, V-VII, Z5-8, pure seed | | | | | | | |
| TA 066 | 10 | 9 | × | - | 86,00 | 9,60 | 4,80 |
| TA 066 delavayi (diptercarpum hort.) , (AGM), 100 cm, lilac-rose, seldom white, VII-VIII, Z5-8 | | | | | | | |
| TA 067 | 5 | 9 | × | - | 96,00 | 12,00 | 6,00 |
| TA 067 delavayi 'Album' [Sternenhimmel, Blizzard], 100 cm, pure white flowers, lime-green foliage, VII-VIII, Z5-8 | | | | | | | |
| TA 072 | 10 | 9 | ☼ × | - | 48,00 | 6,00 | 3,00 |
| TA 072 flavum ssp. glaucum , (AGM), 150 cm, yellow, panicles leaves blue-grey, VI-VII, Z5-8 | | | | | | | |
| TA 078 | 10 | 9 | × | 144,00 | 21,00 | 3,00 | 2,00 |
| TA 078 foetidum , 50 cm, yellow, VI-VIII, Z5-8 | | | | | | | |
| TA 080 | 10 | 9 | × | 200,00 | 25,00 | 3,20 | 2,00 |
| TA 080 lucidum , 80 cm, yellow, fern-like foliage, VI-VII, Z5-8 | | | | | | | |
| TA 084 | 10 | 9 | ☼ △ | 384,00 | 48,00 | 6,00 | 3,00 |
| TA 084 minus 'Adiantifolium' , 60 cm, greenish-yellow, fern-leaved, V-VI, Z5-8 | | | | | | | |
| TA 086 | 10 | 9 | × | 128,00 | 18,00 | 2,60 | 2,60 |
| TA 086 minus ssp. minus , 90 cm, greenish-yellow, hanging stamens, VI-VII, Z5-8 | | | | | | | |
| TA 082 | 5 | 9 | ☼ △ | 960,00 | 128,00 | 16,00 | 8,00 |
| TA 082 petaloideum , 30 cm, pure white, delicate umbels, blue-green pinnatifid foliage, very attractive, VI-VII, Z4-8 | | | | | | | |
| TA 087 | 5 | 9 | Sol | 580,00 | 72,00 | 9,00 | 4,50 |
| TA 087 polygamum (pubescens) , 200 cm, white, wide panicles, VII-IX, Z4-8 | | | | | | | |
| TA 088 | 10 | 9 | × | 840,00 | 98,00 | 12,00 | 6,00 |
| TA 088 rochebrunianum [Lavender Mist], 150 cm, reddish-lilac, VII-VIII, Z5-8 (see also GOLD NUGGET SEED ®) | | | | | | | |
| NEW! TA 089 | 10 | 9 | Sol × | 980,00 | 120,00 | 16,00 | 7,20 |
| TA 089 rochebrunianum var. grandisepalum , 180 cm, lavender-blue, large flowering variety, dense umbels, rich flowering, reblooming after deadheading until frost, VII-IX, Z5-8 (see also GOLD NUGGET SEED ®) | | | | | | | |



TEUCRIUM montanum



TEUCRIUM orientale



THALICTRUM delavayi 'Album'



THALICTRUM flavum ssp. glaucum



THALICTRUM aquilegifolium

Perennials



THALICTRUM polygamum



THALICTRUM rochebrunianum



THALICTRUM rochebrunianum var. grandisepalum



THERMOPSIS chinensis



THLASPI rotundifolium



THYMUS comosus



THYMUS longiflorus



THYMUS praecox



THYMUS serpyllum 'Magic Carpet'



TRADESCANTIA x andersoniana 'Blanca'



TRADESCANTIA x anders. 'Carmine-Red'



TRICYRTIS hirta



TRICYRTIS hirta-Hybr. 'Miyazaki'

| | | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|---|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | | | from 100 g | from 10 g | from 1 g | Portion |
| THERMOPSIS (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | | |
| TA 096 | | caroliniana (villosa) , 125 cm, yellow flower clusters, VI-VII, Z5-8 (see also GOLD NUGGET SEED) | 20 | 10 | | 128,00 | 16,00 | 2,00 | 2,00 |
| TA 098 | ☑ | chinensis [Sunrise] , 60 cm, brilliant yellow flower panicles, early flowering, stable, without runners, V-VI, Z3-8 (see also GOLD NUGGET SEED) | 20 | 10 | | 176,00 | 22,00 | 3,00 | 3,00 |
| TA 104 | | lanceolata , 75 cm, light yellow, VI-VIII, Z3-8 | 20 | 10 | ↗ | 96,00 | 12,00 | 2,00 | 2,00 |
| THLASPI (Brassicaceae) | | | | | | | | | |
| TA 124 | ☑ | rotundifolium , 10 cm, pale purple, round leaves, V-VI, Z5-8 | 2 | 9 | △ | – | – | 48,00 | 6,00 |
| THYMUS (Lamiaceae, <i>Labiatae</i>) | | | | | | | | | |
| TA 116 | ☑ | comosus , Tufted Thyme, 10 cm, purple-crimson, large flowers, dense matforming, V-IX, Z5-7. fragrantissimus - see Organic Seed | 0,5 | 15 | △ ↗ ☼ | – | – | 28,00 | 4,80 |
| NEW! TA 125 | ☑ | longiflorus , 20 cm, purplish pink, rich flowering, grey, narrow, aromatic foliage, VI-IX, Z5-9 | 0,5 | 16 | △ ☼ | – | 82,00 | 9,80 | 3,90 |
| TA 126 | | mastichina , Mastich Thyme, Spanish Wood Marjoram, 30 cm, white, grey-green aromatic foliage, V-VIII, Z6-9 | 1 | 16 | ⊙ ☼ ☼ | – | 82,00 | 9,80 | 3,90 |
| TA 127 | | polytrichus ssp. britannicus (praecox ssp. arcticus) , English Thyme, 10 cm, lilac-pink, rich flowering, stems solely hairy on two sides, groundcovering habit, V-IX, Z4-8 | 0,5 | 16 | △ ↗ ☼ | – | – | 24,00 | 4,80 |
| TA 128 | ☑ | praecox , 10 cm, pink, low cushions, V-IX, Z4-8 | 1 | 16 | △ ↗ ☼ | 240,00 | 30,00 | 4,00 | 2,00 |
| pulegioides - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |
| serpyllum hort. - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |
| TA 135 | ☑ | serpyllum 'Magic Carpet' , ASB , 5 cm, carmine-pink, green aromatic foliage, forms very low carpets, V-VIII, Z4-8 | 1 | 16 | △ ↗ ☼ | 882,00 | 98,00 | 12,00 | 4,00 |
| vulgaris - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |
| zygis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | |
| TIARELLA (Saxifragaceae) | | | | | | | | | |
| TA 138 | | polyphylla 'Fligran' , ASB , 30 cm, white, reddish stems, reblooms, IV-IX, Z6-8 | 1 | 1 | △ Ca | – | 144,00 | 18,00 | 4,50 |
| TA 140 | | wherryi (collina) [Silverado, Sugar Scoop] , ASB , 20 cm, white with pink touch, delicately fragrant, V-VI, Z4-8 (see also GOLD NUGGET SEED) | 1 | 1 | △ Ca | – | 176,00 | 22,00 | 4,50 |
| TOLMIEA (Saxifragaceae) | | | | | | | | | |
| TA 160 | | menziesii , Pickaback Plant, 25 cm, brownish, V-VI, Z6-8 | 1 | 9 | ↗ ☼ | – | 96,00 | 12,00 | 3,00 |
| TRADESCANTIA (Commelinaceae) | | | | | | | | | |
| TA 180 | | x andersoniana 'Mix' [Shimmer Mixed], 70 cm, blue, light-blue, red shades, and white, variable, V-X, Z4-9 | 7 | 20 | ☼ | 240,00 | 30,00 | 3,80 | 2,90 |
| TA 182 | ☑ | x andersoniana 'Blanca' , 70 cm, white, V-X, Z4-9 | 7 | 20 | ☼ | – | 54,00 | 7,20 | 5,40 |
| TA 181 | | x andersoniana 'Blue' , 70 cm, V-X, Z4-9 | 7 | 20 | ☼ | – | 54,00 | 7,20 | 5,40 |
| TA 183 | ☑ | x andersoniana 'Carmine-Red' , 70 cm, V-X, Z4-9 | 7 | 20 | ☼ | – | 54,00 | 7,20 | 5,40 |
| virginiana - see x andersoniana | | | | | | | | | |
| TRICYRTIS (Convallariaceae, <i>Liliaceae</i>) | | | | | | | | | |
| TA 190 | ☑ | hirta , 50 cm, soft lilac with large purple spots, VIII-X, Z4-8 (see also GOLD NUGGET SEED) | 1 | 1 | × | 1400,00 | 175,00 | 22,00 | 4,20 |
| TA 191 | | hirta 'Alba' [White Towers] , 50 cm, pure white, VIII-X, Z4-8 | 1 | 1 | × | – | – | 64,00 | 6,80 |
| TA 192 | ☑ | Hirta-Hybr. 'Miyazaki' , 80 cm, numerous orchid-like blossoms, white-lilac marked axillary up the stem, shade, IX-XI, Z4-8 (see also GOLD NUGGET SEED) | 1 | 9 | × | 2700,00 | 340,00 | 42,00 | 6,80 |
| TA 194 | ☑ | latifolia (bakeri) , 50 cm, yellow with brown spots, VI-VII, Z4-8 (s. also GOLD NUGGET SEED) | 2 | 9 | × | – | 198,00 | 22,00 | 4,20 |
| TA 195 | ☑ | macrantha ssp. macranthopsis , 40 cm, yellow with brown spots, very large flowering, widely arching growth, IX-X, Z4-8 | 1 | 1 | △ × | – | – | 72,00 | 7,80 |
| TRIFOLIUM (Papilionaceae, <i>Leguminosae</i>) | | | | | | | | | |
| TA 210 | | alpinum , 10 cm, light red, cushion forming, VI-VIII, Z2-8 | 15 | 8 | Ca △ ☼ | – | 48,00 | 6,00 | 4,80 |
| TA 211 | ☑ | badium , Brown Trefoil, 20 cm, golden ball flowers, turning shiny brown, VII-VIII, Z3-8 | 2 | 8 | ☼ △ ☼ | – | 45,00 | 5,60 | 2,30 |
| TA 212 | | ochroleucum , 40 cm, brilliant light yellow, bushy clumps, VI-VII, Z4-8 | 10 | 15 | ☼ × ☼ | 224,00 | 28,00 | 3,60 | 2,70 |
| TA 214 | ☑ | rubens [Red Feathers] , 60 cm, bright purple-red, large blossoms, very decorative, VI-VIII, Z4-8 | 7 | 15 | ☼ × ☼ | 288,00 | 36,00 | 4,80 | 2,80 |
| TA 215 | ☑ | rubens f. album 'Frosty Feathers' , ASB , 60 cm, brilliant white selection, dense flowers, vivid green foliage, reblooms after dead heading, VI-IX, Z4-8 | 5 | 16 | ☼ × ☼ | – | 42,00 | 5,40 | 3,60 |
| TA 216 | ☑ | trichocephalum , 40 cm, clear light yellow, golden-brown fading, upright habit, grey-leaved, VI-VIII, Z4-8 | 10 | 9 | ☼ × △ | 256,00 | 32,00 | 4,60 | 2,30 |



TRICYRTIS latifolia



TRICYRTIS macr. ssp. macranthopsis



TRIFOLIUM badium



TRIFOLIUM rubens

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| TRIGLOCHIN (Juncaginaceae) TA 220 maritimum , Arrow Grass, 30 cm, greenish-purple spikes, grass-like foliage, VI-VIII, Z5-8. | 3 | 8 | ☞ ☜ | – | 32,00 | 4,00 | 2,00 |
| TRIGONELLA - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| TRIOSTEUM (Caprifoliaceae) TA 226 himalayanum (erythrocarpum) , Feverwort, 60 cm, green-brown flowers, striking brilliant red berries, bushy habit, VI-VII, Z6-9. | 120 | 1 | ♂ | 320,00 | 48,00 | 6,00 | 9,80 |
| TRITOMA - see KNIPHOFIA | | | | | | | |
| TROLLIUS (Ranunculaceae) TA 232 altaicus , Siberian Globe Flower, 50 cm, bright orange-yellow with black-reddish stigmas, very large cup-shaped blossoms, V-VII, Z3-7 | 5 | 2 | × △ | – | – | 16,00 | 6,20 |
| TA 238 asiaticus , 60 cm, brilliant orange, V-VI, Z4-7 | 5 | 2 | × | 384,00 | 48,00 | 6,00 | 3,00 |
| TA 242 chinensis 'Morning Sun' , (AEM) , 50 cm, yellow-orange bowl-shaped blossoms, rich and large flowering, compact habit, strong and vigorous foliage, VI-VIII, Z3-7 (<i>s. a. GOLD NUGGET SEED®</i>) | 3 | 1 | △ × | – | 120,00 | 15,00 | 6,20 |
| TA 240 chinensis (ledebourii) 'Golden Queen' [Goldkönigin] , (AEM) , 80 cm, golden, VII-VIII, Z4-7 (<i>see also GOLD NUGGET SEED®</i>) | 5 | 2 | × | 320,00 | 40,00 | 5,00 | 2,50 |



TRIFOLIUM rubens f. album 'Frosty Feathers'



TRIFOLIUM trichocephalum



TRIOESTEUM himalayanum



TROLLIUS chinensis 'Morning Sun'



TROLLIUS x cultorum 'New Hybrids'



TROLLIUS x cultorum 'New Moon'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| TROLLIUS continuation | | | | | | | |
| TA 244 | 5 | 2 | ⊗ | 768,00 | 96,00 | 12,00 | 6,00 |
| x cultorum 'New Moon' , 60 cm, brilliant creamy-yellow blossoms, large flowering, dark green, strong foliage, vigorous habit, IV-VI, Z3-7 (see also GOLD NUGGET SEED®) | | | | | | | |
| TA 248 | 5 | 2 | ⊗ | 442,00 | 52,00 | 6,00 | 3,00 |
| x cultorum 'New Hybrids' , 60 cm, orange, yellow and light yellow shades, variable, IV-VI, Z3-7 (see also GOLD NUGGET SEED®) | | | | | | | |
| TA 256 | 5 | 2 | ⊗ | 320,00 | 40,00 | 5,00 | 2,50 |
| europaeus , 60 cm, yolk-yellow globe blossoms, V-VI, Z4-7 (see also GOLD NUGGET SEED®) | | | | | | | |
| TA 257 | 3 | 2 | ⊗ ⊕ △ | 960,00 | 120,00 | 15,00 | 6,20 |
| europaeus f. compactus 'Lemon Supreme' , 30 cm, brilliant lemon yellow bowl-shaped blossoms, rich and large flowering, compact habit, very vigorous, reliable flowering the first spring after sowing year, V-VI, Z4-7 (see also GOLD NUGGET SEED®) | | | | | | | |
| TA 258 | 3 | 2 | △ | 896,00 | 112,00 | 15,00 | 5,00 |
| laxus var. albiflorus , 30 cm, pure white, bowl-shaped blossoms, V-VII, Z3-8 (see also GOLD NUGGET SEED®) | | | | | | | |
| TA 260 | 3 | 9 | △ ⊕ | 960,00 | 120,00 | 15,00 | 5,00 |
| pumilus , 20 cm, golden, VI-VII, Z4-7 (see also GOLD NUGGET SEED®) | | | | | | | |
| TROPAEOLUM majus - see Organic Seed | | | | | | | |
| TULIPA (Liliaceae) | | | | | | | |
| TA 270 | 15 | 1 | △ | - | 37,00 | 4,60 | 3,50 |
| sprengeri , 40 cm, scarlet red, V-VI, Z3-9 | | | | | | | |
| TA 272 | 15 | 1 | - | - | - | 9,80 | 5,00 |
| sylvestris , Florentine Tulip, 40 cm, golden, IV-V, Z5-8 | | | | | | | |
| TA 273 | 15 | 1 | △ | - | 37,00 | 4,60 | 3,50 |
| tarda , 15 cm, yellow with white center, starlike, III-V, Z4-7 | | | | | | | |
| TUNICA saxifraga - see PETRORHAGIA saxifraga | | | | | | | |
| TUSSILAGO - see Organic Seed | | | | | | | |
| TYPHA - see Ornamental Grasses | | | | | | | |
| URTICA - see Organic Seed | | | | | | | |
| VACCINIUM - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| VALERIANA (Valerianaceae) | | | | | | | |
| VA 022 | 3 | 16 | △ | - | 112,00 | 14,00 | 3,50 |
| montana , Mountain Valerian, 30 cm, pink-white umbels, lanceolate foliage, compact, IV-VI, Z4-7 | | | | | | | |
| officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| VANCOUVERIA (Berberidaceae) | | | | | | | |
| NEW! VA 033 | 10 | 19 | ↗ | - | 64,00 | 8,20 | 4,10 |
| hexandra , 30 cm, distinctive white flowers, evergreen, gracile foliage, best in shady areas, V-VII, Z5-9 | | | | | | | |
| VERATRUM (Melanthiaceae, Liliaceae) | | | | | | | |
| VA 030 | 15 | 1 | Sol ⊕ | 192,00 | 24,00 | 3,00 | 3,00 |
| album , 150 cm, greenish-white, large blossoms, VII-VIII, Z4-7 | | | | | | | |
| VA 034 | 20 | 1 | Sol ⊕ | 280,00 | 32,00 | 4,20 | 4,20 |
| californicum , 250 cm, blossoms ivory-white to greenish-white in immense, branched panicles, VII-VIII, Z4-9 | | | | | | | |
| VA 036 | 10 | 1 | △ Sol ⊕ | - | 64,00 | 8,00 | 6,00 |
| maackii , 60 cm, dark purple, dwarf, VII-VIII, Z5-8 | | | | | | | |
| VA 038 | 20 | 1 | Sol ⊕ | 220,00 | 28,00 | 3,60 | 3,60 |
| nigrum , 100 cm, black-purple, easily grown, very decorative, VII-VIII, Z5-8 | | | | | | | |
| NEW! VA 042 | 15 | 1 | △ ⊕ Sol | - | 32,00 | 4,20 | 4,20 |
| viride , 175 cm, greenish-yellow spikes, VII-VIII, Z4-9 | | | | | | | |



TROLLIUS europaeus



TROLLIUS europ. f. comp. 'Lemon Supreme'



TROLLIUS laxus var. albiflorus



TROLLIUS pumilus



TULIPA sprengeri



VALERIANA montana



VERATRUM californicum



VERATRUM nigrum

Perennials

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|-------------------------------------|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| VERBASCUM (Scrophulariaceae) | | | | | | | |
| VA 048 ☒ | | | | | | | |
| | | | | | | | |
| VA 050 ☒ | | | | | | | |
| VA 054 | | | | | | | |
| VA 056 ☒ | | | | | | | |
| VA 058 ☒ | | | | | | | |
| VA 063 | | | | | | | |
| VA 074 | | | | | | | |
| VA 075 | | | | | | | |
| VA 078 | | | | | | | |



VERBASCUM blattaria f. albiflorum



VERBASCUM bombyciferum



VERBASCUM chaixii 'Wedding Candles'



VERBASCUM chaixii 'Sixteen Candles'



VERBASCUM olympicum f. album



VERBASCUM phoeniceum, wild form



VERBASCUM phoeniceum 'Flush of White'



VERBASCUM phoeniceum 'Rosetta'



VERBENA hastata 'Blue Spires'

| | Gram to get 1000 plants | Nº. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|---|---|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| VERBASCUM continuation | | | | | | | | |
| VA 079 ☑ | olympicum f. album , White Mullein, 160 cm, creamy white, woolly foliage, VI-VIII, Z5-9 | 0,25 | 15 | ☉ Sol | – | – | 12,00 | 3,20 |
| VA 064 | phlomoides 'Spica' [Snow Maiden] , 180 cm, grey felted leaves, large, pure white blossoms, VI-VIII, Z5-9 | 1 | 15 | ☉ Sol | 480,00 | 60,00 | 7,60 | 3,80 |
| VA 066 | phlomoides 'Wega' [Banana Custard] , 180 cm, large, yellow blossoms, grey felted leaves, VI-VIII, Z5-9 | 1 | 15 | ☉ Sol | 480,00 | 60,00 | 7,60 | 3,80 |
| VA 080 ☑ | phoeniceum, wild form , Purple Mullein, 100 cm, purple-violet, flat leaf rosettes, VI-VIII, Z4-9 | 1 | 15 | ☉ Sol | 148,00 | 24,00 | 4,00 | 2,00 |
| VA 087 ☑ | phoeniceum 'Flush of White' [White Bride] , 60 cm, pure white, V-VIII, Z5-8 | 1 | 15 | ☉ Sol | 256,00 | 32,00 | 4,00 | 2,00 |
| VA 088 ☑ | phoeniceum 'Rosetta' [Antique Rose] , 60 cm, intense dark pink, V-VIII, Z5-8 | 1 | 15 | ☉ Sol | 256,00 | 32,00 | 4,00 | 2,00 |
| VA 089 | phoeniceum 'Violetta' , 90 cm, dark purple-violet candles, fresh green leaf rosettes, reblooming after dead heading, V-VIII, Z5-8 | 1 | 15 | ☉ Sol | 256,00 | 32,00 | 4,00 | 2,00 |
| VA 086 | phoeniceum Mixed Colours [Roman Candles] , 90 cm, violet, red, pink, white, V-VIII, Z5-8 | 1 | 15 | ☉ Sol | 72,00 | 12,00 | 2,00 | 2,00 |
| VA 092 | roripifolium , 100 cm, abundant yellow flowers, deeply serrated, almost feathery foliage, VI-VIII, Z5-8 | 1 | 15 | ☉ Sol | 72,00 | 12,00 | 2,00 | 2,00 |
| | thapsus - see Organic Seed | | | | | | | |
| VERBENA (Verbenaceae) | | | | | | | | |
| VA 100 | bonariensis [Buenos Aires, Finesse, Purple Top] , 100 cm, bright violet-blue, good for cutting, moderately winter hardy, VII-X, Z7-9 (s. also GOLD NUGGET SEED® + Organic-Seeds) | 1 | 8 | ☉ Sol | 416,00 | 52,00 | 6,40 | 3,20 |
| | hastata - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| VA 112 ☑ | hastata 'Blue Spires' , 120 cm, dark blue, VI-IX, Z3-8 | 2 | 8 | ☉ Sol | 384,00 | 48,00 | 6,00 | 3,00 |
| VA 113 ☑ | hastata 'Pink Spires' , 120 cm, brilliant pink, VI-IX, Z3-8 | | | | | | | |
| VA 114 ☑ | hastata 'White Spires' , 120 cm, pure white, VI-IX, Z3-8 | | | | | | | |
| | officinalis - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | |
| VA 105 | rigida , 30 cm, lilac-blue, VI-X, Z7-10 | 2 | 9 | ☉ Sol | 346,00 | 40,00 | 4,80 | 2,40 |
| VA 106 | stricta , 60 cm, purple-lavender, grey-green leaves, VII-VIII, Z3-8 | 1 | 8 | ☉ Sol | 160,00 | 20,00 | 2,50 | 2,00 |
| VA 108 | tenuisecta , Moss Verbena, 50 cm, blue shades, VI-VIII, Z7-10 | 3 | 16 | ☉ Sol | 160,00 | 20,00 | 2,50 | 2,00 |
| VERBESINA (Asteraceae, Compositae) | | | | | | | | |
| VA 110 ☑ | alternifolia 'Goldstrahl' , 180 cm, yellow umbel panicles, VIII-X, Z4-9 | 10 | 9 | ☉ Sol | 512,00 | 64,00 | 8,00 | 6,00 |
| VA 111 | helianthoides , Yellow Crownbeard, 100 cm, golden rayflowers, winged stems, VI-VIII, Z4-9 | 10 | 9 | ☉ Sol | 240,00 | 30,00 | 4,20 | 4,20 |
| VERNONIA (Asteraceae, Compositae) | | | | | | | | |
| VA 120 | crinita , 200 cm, purple-violet, IX-XI, Z3-8 (see also GOLD NUGGET SEED®) | 3 | 9 | ☉ Sol | – | 80,00 | 10,00 | 5,00 |
| VA 122 | fasciculata , 100 cm, purple, flat umbels, VII-IX, Z3-8 | 3 | 9 | ☉ Sol | – | 64,00 | 8,00 | 4,00 |
| VA 123 ☑ | lettermannii , Narrow-leaf Ironweed, 140 cm, bright purple-violet, narrow leaves, variable, VIII-IX, Z4-9 | 3 | 9 | ☉ Sol | – | – | 24,00 | 7,80 |
| VA 124 | noveboracensis , 200 cm, purple flowering heads, VIII-XI, Z4-8 (see also GOLD NUGGET SEED®) | 3 | 9 | ☉ Sol | 480,00 | 60,00 | 7,60 | 3,80 |
| VA 156 ☑ | noveboracensis 'White Lightning' , 200 cm, unique white umbels, upright habit, decorative seed heads, VIII-XI, Z4-8 | 3 | 9 | ☉ Sol | – | 192,00 | 24,00 | 7,80 |



VERBENA hastata 'Pink Spires'



VERBENA hastata 'White Spires'



VERBESINA alternifolia 'Goldstrahl'



VERNONIA noveborac. 'White Lightning'



VERNONIA lettermannii



VERONICA armena



VERONICA gentianoides 'Little Blues'



VERONICA beccabunga



VERONICA gentianoides



VERONICA incana



VERONICA orchidea 'Blue Fingers'



VERONICA porphyriana



VERONICA repens



VERONICA schmidtiana



VERONICASTRUM sibiricum



VERONICASTRUM virginicum f. albiflorum



VERONICASTRUM virginicum f. caeruleum



VINCETOXICUM fuscatum

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | | | | | | | |
|---|---|------------------------------|---------------|-------------------------|-----------|----------|---------|---|--|--|--|--|--|--|
| | | | | from 100 g | from 10 g | from 1 g | Portion | | | | | | | |
| VERONICA (Scrophulariaceae) | | | | | | | | | | | | | | |
| VA 126 | 2 | 15 | △ ◊ | – | 198,00 | 24,00 | 4,80 | | | | | | | |
| armena , Armenian Speedwell, 10 cm, violet-blue flower panicles, rich flowering, cushion plant, V-VII, Z3-7 | | | | | | | | | | | | | | |
| austrica - see teucrium | | | | | | | | | | | | | | |
| NEW! VA 128 | 0,25 | 15 | ⊘ w | – | 32,00 | 5,40 | 2,20 | | | | | | | |
| beccabunga , European Speedwell, 10 cm, heavenly blue, very vigorous, excellent groundcover for damp areas, V-VIII, Z5-8 | | | | | | | | | | | | | | |
| VA 134 | 0,5 | 9 | △ ◊ | – | 50,00 | 6,20 | 3,10 | | | | | | | |
| fruticans (saxatilis) , 10 cm, intense azure blue, V-VI, Z4-9 | | | | | | | | | | | | | | |
| VA 138 | 0,5 | 9 | △ | – | – | 5,00 | 2,50 | | | | | | | |
| fruticulosa , 20 cm, pink, mat-forming, VI-VII, Z3-8 | | | | | | | | | | | | | | |
| VA 142 | 1 | 15 | △ | 720,00 | 92,00 | 12,00 | 4,50 | | | | | | | |
| gentianoides [Ramona, Blue Streak] , ^(AGM) , 50 cm, blue, V-VI, Z3-7 | | | | | | | | | | | | | | |
| VA 143 | 1 | 15 | △ ◊ w | – | 288,00 | 32,00 | 6,00 | | | | | | | |
| gentianoides 'Little Blues' , ^(ECS) , 15 cm, short bright light blue flowering spikes, compact evergreen foliage, IV-VI, Z3-7 | | | | | | | | | | | | | | |
| VA 146 | 0,5 | 15 | △ w | 768,00 | 96,00 | 12,00 | 4,00 | | | | | | | |
| incana (spicata ssp. incana) , 40 cm, blue, silver-grey mats, VI-VII, Z3-9 | | | | | | | | | | | | | | |
| VA 148 | 0,5 | 15 | △ w | – | 192,00 | 24,00 | 5,00 | | | | | | | |
| incana 'Silbersee' , ^(ECS) , 20 cm, deep violet-blue, especially silvery-grey, VI-VII, Z3-9 | | | | | | | | | | | | | | |
| VA 150 | 0,5 | 15 | × | 176,00 | 22,00 | 3,20 | 2,00 | | | | | | | |
| longifolia (maritima) , 80 cm, deep blue, VI-VIII, Z4-9 | | | | | | | | | | | | | | |
| VA 152 | 0,5 | 15 | × | – | 96,00 | 12,00 | 4,20 | | | | | | | |
| longifolia 'Alba' , 80 cm, pure white, VI-VIII, Z4-9 | | | | | | | | | | | | | | |
| longifolia 'Blue Shades' , ^(ECS) , 80 cm, brilliant, light- to dark-blue colours, VI-VIII, Z4-9 | | | | | | | | | | | | | | |
| VA 159 | longifolia 'Pink Shades' , ^(ECS) , 80 cm, VI-VIII, Z4-9 | | | | | | | | | | | | | |
| officinalis - see Perennial Herbs – Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | | | | | | |
| VA 183 | 0,5 | 15 | △ ◊ × | – | 198,00 | 24,00 | 6,00 | | | | | | | |
| orchidea (spicata ssp. orchidea) 'Blue Fingers' , ^(ECS) , 45 cm, brilliant medium blue flowering spikes, wide glossy foliage, first year flowering, VI-VIII, Z4-9 | | | | | | | | | | | | | | |
| VA 155 | 0,5 | 15 | △ × | 1024,00 | 128,00 | 16,00 | 4,00 | | | | | | | |
| pinnata 'Blue Feathers' , ^(ECS) , 30 cm, soft blue flowering racemes, filigreed feathery foliage, very unusual, V-VIII, Z3-8 | | | | | | | | | | | | | | |
| VA 157 | 0,5 | 15 | △ w | 320,00 | 40,00 | 5,00 | 2,50 | | | | | | | |
| porphyriana , 30 cm, brilliant blue-violet racemes, strong dark green foliage, VII-IX, Z3-8 | | | | | | | | | | | | | | |
| VA 158 | 1 | 15 | △ w | – | – | 24,00 | 4,80 | | | | | | | |
| prostrata , ^(AGM) , 15 cm, light blue, rarely pink, V-VI, Z3-8 | | | | | | | | | | | | | | |
| VA 162 | 0,5 | 15 | △ w | – | 288,00 | 32,00 | 6,00 | | | | | | | |
| repens , 5 cm, bluish-white, V-VI, Z5-8 | | | | | | | | | | | | | | |
| VA 164 | 0,5 | 9 | △ | 768,00 | 96,00 | 12,00 | 4,00 | | | | | | | |
| schmidtiana , 20 cm, blue-purple, rarely pink and white, dark veined, pinnatifid leaves, VI-VIII, Z4-7 | | | | | | | | | | | | | | |
| sibiricum - see VERONICASTRUM sibiricum | | | | | | | | | | | | | | |
| VA 166 | 0,5 | 15 | × | 768,00 | 96,00 | 12,00 | 4,00 | | | | | | | |
| spicata , 60 cm, blue, abundant flowers, VII-IX, Z3-8 | | | | | | | | | | | | | | |
| spicata ssp. incana - see incana | | | | | | | | | | | | | | |
| VA 168 | spicata 'Alba' , 60 cm, pure white, VII-IX, Z3-8 | | | | | | | | | | | | | |
| VA 172 | spicata 'Pink Goblin' [Rosenrot] , 40 cm, intense rosy-red, dwarf, compact, VII-IX, Z3-8 | | | | | | | | | | | | | |
| VA 173 | spicata 'Sightseeing' , 60 cm, white, pink and blue, VI-VIII, Z3-8 | | | | | | | | | | | | | |
| VA 174 | spicata f. nana 'Blautteppich' [Blue Carpet] , ^(ECS) , 15 cm, bright blue, groundcover, VI-VIII, Z3-8 | | | | | | | | | | | | | |
| VA 186 | 1,5 | 16 | ◊ × | – | – | 72,00 | 9,80 | | | | | | | |
| Spicata-Hybr. 'Blue Bouquet' , 50 cm, intense blue flower panicles, dark green glossy foliage, flowering the first year, VI-VIII, Z5-9 | | | | | | | | | | | | | | |
| VA 177 | 0,5 | 15 | △ ◊ × | 896,00 | 112,00 | 14,00 | 3,50 | | | | | | | |
| Subsessilis-Hybr. 'Blue Pyramid' , ^(ECS) , 50 cm, shiny leathery leaves, bright blue blossoms, VI-IX, Z5-9 | | | | | | | | | | | | | | |
| VA 176 | 1 | 15 | × | 176,00 | 22,00 | 3,20 | 2,00 | | | | | | | |
| teucrium 'Royal Blue' [Königsblau] , ^(AGM) , 40 cm, VI-VIII, Z4-8 | | | | | | | | | | | | | | |
| virginica - see VERONICASTRUM virginicum | | | | | | | | | | | | | | |
| VERONICASTRUM (LEPTANDRA) (Scrophulariaceae) | | | | | | | | | | | | | | |
| VA 191 | 0,5 | 9 | × Sol | 540,00 | 68,00 | 8,40 | 4,20 | | | | | | | |
| sibiricum , 160 cm, blue-lilac, wide-lanceolate leaves in whorls, VIII-IX, Z3-8 | | | | | | | | | | | | | | |
| (see also GOLD NUGGET SEED®) | | | | | | | | | | | | | | |
| VA 180 | 0,5 | 9 | × † | 540,00 | 68,00 | 8,40 | 4,20 | | | | | | | |
| virginicum f. albi-florum , Black Root, Physic Root, 175 cm, white, rarely light blue, VII-IX, Z3-8 | | | | | | | | | | | | | | |
| (see also GOLD NUGGET SEED®) | | | | | | | | | | | | | | |
| NEW! VA 181 | 0,5 | 9 | Sol × | 540,00 | 68,00 | 8,40 | 4,20 | | | | | | | |
| virginicum f. caeruleum , 175 cm, blue-violet, rightly branched blossom panicles, whorled foliage, VII-IX, Z3-8 (see also GOLD NUGGET SEED®) | | | | | | | | | | | | | | |
| VIGUIERA (Asteraceae, Compositae) | | | | | | | | | | | | | | |
| VA 188 | 5 | 8 | × △ | 160,00 | 20,00 | 2,60 | 2,60 | | | | | | | |
| multiflora , 60 cm, yellow, resembles HELIANTHUS, VII-IX, Z6-11 | | | | | | | | | | | | | | |
| VINCETOXICUM (Asclepiadaceae) | | | | | | | | | | | | | | |
| VA 185 | 15 | 9 | × × △ † | 240,00 | 30,00 | 3,80 | 3,80 | | | | | | | |
| fuscatum (CYNANCHUM) , 80 cm, brownish red, bushy habit, V-VII, Z4-8 | | | | | | | | | | | | | | |
| VA 187 | 15 | 8 | × × △ † | 164,00 | 20,00 | 2,50 | 2,50 | | | | | | | |
| hirundinaria (CYNANCHUM) , White Swallowwort, 50 cm, white-yellowish flower clusters, VI-VIII, Z3-6 | | | | | | | | | | | | | | |
| VIOLA (Violaceae) | | | | | | | | | | | | | | |
| cornuta (x williamsii) - large flowering varieties , VI-VIII, Z5-9 | | | | | | | | | | | | | | |
| VA 190 | 3 | 15 | × △ ◊ | 192,00 | 24,00 | 3,00 | 2,00 | | | | | | | |
| 'Admiration' , 20 cm, dark blue | | | | | | | | | | | | | | |
| VA 192 | | | | | | | | 'Aprikosenfarbe' [Chantreyland] , 15 cm, yellow/orange | | | | | | |
| VA 200 | | | | | | | | 'Blue Perfection' , 20 cm, large flowers, light blue | | | | | | |
| VA 206 | | | | | | | | 'Lutea Splendens' , 20 cm, golden | | | | | | |
| VA 216 | | | | | | | | 'Rubin' [Arkwright Ruby] , 20 cm, dark wine-red | | | | | | |
| VA 218 | | | | | | | | 'White Perfection' , 20 cm, white | | | | | | |
| VA 220 | 'Yellow Perfection' , 20 cm, pure yellow | | | | | | | | | | | | | |
| VA 221 | 3 | 1 | △ | – | 56,00 | 7,00 | 3,50 | | | | | | | |
| bertolonii , 20 cm, violet, long spurs, V-VII, Z7-9 | | | | | | | | | | | | | | |
| VA 229 | 3 | 9 | △ | – | – | 14,00 | 4,80 | | | | | | | |
| calcarata , Spurred Violet, 10 cm, blue-violet, large flowering, V-VII, Z4-7 | | | | | | | | | | | | | | |
| VA 256 | 3 | 16 | △ ◊ 2 | – | – | – | 4,80 | | | | | | | |
| cornuta 'Alba Minor' [Cornetto] , ^(ECS) ^(AGM) , 15 cm, pure white, compact, IV-X, Z4-9 | | | | | | | | | | | | | | |
| VA 236 | 3 | 9 | △ ◊ | – | 64,00 | 8,00 | 4,00 | | | | | | | |
| cornuta 'Bowles Black' , 15 cm, black-violet, V-IX, Z5-9 | | | | | | | | | | | | | | |
| VA 203 | 3 | 15 | × △ ◊ | 192,00 | 24,00 | 3,00 | 2,00 | | | | | | | |
| cornuta 'Helen Mount' [Johnny Jump Up, Karpatenfrühling] , 20 cm, three-colored: lavender, yellow, violet, very popular small flowering variety, VI-VIII, Z5-9 | | | | | | | | | | | | | | |
| VA 255 | 3 | 16 | △ ◊ 2 | 384,00 | 48,00 | 6,80 | 3,40 | | | | | | | |
| cornuta 'Minor' , ^(AGM) , 15 cm, light violet, compact, IV-X, Z4-9 | | | | | | | | | | | | | | |
| VA 260 | 3 | 16 | △ | – | 64,00 | 8,00 | 4,00 | | | | | | | |
| corsica [Little Gem] , ^(ECS) , Corsican Violet, 20 cm, violet, abundant flowering, V-VII, Z4-10 | | | | | | | | | | | | | | |
| VA 262 | 4 | 8 | △ | 320,00 | 40,00 | 5,00 | 2,50 | | | | | | | |
| elatior , Tall Violet, 45 cm, soft violet, upright habitat, VI-VII, Z4-8 | | | | | | | | | | | | | | |
| (see also GOLD NUGGET SEED®) | | | | | | | | | | | | | | |
| VA 234 | 3 | 8 | △ | 512,00 | 64,00 | 8,00 | 4,00 | | | | | | | |
| labradorica hort. 'Purpurea' , 15 cm, china blue, decorative dark foliage, IV-VI, Z2-8 | | | | | | | | | | | | | | |
| (see also GOLD NUGGET SEED®) | | | | | | | | | | | | | | |
| VA 233 | 2 | 9 | △ | 720,00 | 90,00 | 12,00 | 6,00 | | | | | | | |
| mandshurica , 20 cm, mostly blue with dark veins, rarely white, triangular leaves, IV-VI, Z6-9 | | | | | | | | | | | | | | |
| VA 251 | 3 | 8 | △ | – | 510,00 | 68,00 | 9,80 | | | | | | | |
| mandshurica 'Fuji Dawn' , 15 cm, purple-violet, in spring white-pink-green variegated foliage, III-V, Z6-9 | | | | | | | | | | | | | | |
| nigra - see cornuta 'Bowles Black' | | | | | | | | | | | | | | |

continued on the following page

| | | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | | | |
|--|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|--|--|--|
| | | | | | from 100 g | from 10 g | from 1 g | Portion | | | |
| VIOLA continuation | | | | | | | | | | | |
| VA 261 | odorata 'Reine de Neiges' [Schneekönigin, Eismeer] , 15 cm, white, pale blue at first, III-IV, Z5-9 | 10 | 1/3 | ✂️ 🌱 🌐 | 240,00 | 32,00 | 4,40 | 3,20 | | | |
| VA 238 | odorata 'Königin Charlotte' , Sweet Violet, 20 cm, blue, III-IV + VIII-X, Z5-9 | | | | | | | | | | |
| VA 257 | odorata 'Royal Wedding' , 🌱, 20 cm, pure white form of 'Königin Charlotte', strongly fragrant, III-IV + VIII-X, Z5-9 | | | | | | | | | | |
| VA 239 | odorata f. rubra , 15 cm, purplish red, III-IV, Z5-9 | | | | | | | | | | |
| VA 240 | odorata var. sulfurea [Irish Elegance] , 15 cm, apricot-yellow, III-IV, Z5-9 | | | | | | | | | | |
| VA 243 | pedatifida , 8 cm, violet, leaves palmately divided into narrow segments, IV-VI, Z2-7 | 4 | 9 | △ | – | 48,00 | 6,00 | 3,00 | | | |
| VA 267 | pumila , 10 cm, soft blue, delicate cushions, IV-VI, Z4-8 | 3 | 8 | △ | 720,00 | 90,00 | 12,00 | 6,00 | | | |
| VA 241 | reichenbachiana (sylvestris) , 15 cm, pale violet, IV-VI, Z6-9 | 5 | 8 | | 288,00 | 36,00 | 4,60 | 2,30 | | | |
| VA 249 | riviniiana 'Purpurea Group' - see labradorica hort. 'Purpurea' rupestris 'Rosea' [Teesdale] , 5 cm, dark pink, rich flowering, often reblooming, V-VII, Z6-9 | 3 | 8 | ↔️ △ | – | – | 7,50 | 2,50 | | | |
| VA 245 | sororia (papilionacea) , 15 cm, mostly blue with light eye, IV-V, Z3-8 | 5 | 1 | △ | 384,00 | 48,00 | 6,00 | 3,00 | | | |
| VA 246 | sororia 'Albiflora' [Emperor White] , 🌱, 15 cm, pure white, with dark eye, IV-V, Z3-8 (see also GOLD NUGGET SEED®) | | | | | | | | | | |
| VA 252 | sororia 'Dark Freckles' , 15 cm, light blue with violet speckles, IV-V, Z3-8 (see also GOLD NUGGET SEED®) | | | | | | | | | | |
| VA 248 | sororia 'Freckles' , 15 cm, white, china-blue speckled, IV-V, Z3-8 (see also GOLD NUGGET SEED®) | | | | | | | | | | |
| VA 247 | sororia 'Rubra' [Emperor Magenta Red] , 15 cm, ruby-red, IV-V, Z3-8 (see also GOLD NUGGET SEED®) | | | | | | | | | | |
| VA 263 | sororia 'Sorority Sisters' , 🌱, 15 cm, mixture of a wide range of colours from white, light blue, dark blue, red to violet, including speckled variants, IV-V, Z3-8 (see also GOLD NUGGET SEED®) | | | | | | | | | | |
| VA 269 | tricolor - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed triloba , 20 cm, blue-violet, cordate to dissected foliage, upright, IV-V, Z4-9 | 3 | 15 | | 512,00 | 64,00 | 8,00 | 4,00 | | | |
| VISCARIA alpina - see LYCHNIS alpina | | | | | | | | | | | |
| vulgaris - see LYCHNIS viscaria | | | | | | | | | | | |
| VITEX agnus-castus - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | | | |
| WAHLENBERGIA (Campanulaceae) | | | | | | | | | | | |
| WA 006 | akaroa , 15 cm, china blue, rich flowering, flat cushions, VI-VIII, Z5-9 | 0,25 | 16 | 🌱 △ | – | – | – | 6,00 | | | |
| WA 004 | albomarginata (saxicola) , 10 cm, light blue to white, often dark veined, VI-VII, Z5-9 | 0,25 | 8 | 🌱 △ 🌐 | – | 288,00 | 36,00 | 6,00 | | | |



VIOLA cornuta 'Bowles Black'



VIOLA corsica



VIOLA elatior



VIOLA mandshurica



VIOLA odorata 'Royal Wedding'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| WULFENIA (Scrophulariaceae) | | | | | | | |
| WA 012 | 0,25 | 9 | △ Ca | – | – | – | 6,00 |
| WA 013 | 0,25 | 9 | △ Ca | – | – | – | 8,00 |
| WYETHIA (Asteraceae, <i>Compositae</i>) | | | | | | | |
| WA 016 | 40 | 1 | △ ☐ | 120,00 | 16,00 | 2,40 | 2,40 |
| XEROPHYLLUM (Melanthiaceae, <i>Liliaceae</i>) | | | | | | | |
| XA 010 | 5 | 1 | Sol × | 280,00 | 36,00 | 4,60 | 2,30 |
| YUCCA (Agavaceae) | | | | | | | |
| YA 008 | 100 | 15 | △ | 192,00 | 24,00 | 3,40 | 7,20 |
| YA 012 | 80 | 20 | Sol ☐ | 184,00 | 24,00 | 3,40 | 3,40 |
| YA 010 | 100 | 20 | △ ☐ | 82,00 | 12,00 | 2,00 | 5,20 |



VIOLA odorata f. rubra



VIOLA sororia



VIOLA sororia 'Albiflora'



VIOLA sororia 'Dark Freckles'



VIOLA sororia 'Freckles'



VIOLA sororia 'Rubra'



VIOLA triloba



WYETHIA amplexicaule



VIOLA sororia 'Sorority Sisters'



YUCCA filamentosa



YUCCA glauca



ZIGADENUS elegans



ZINNIA grandiflora




ZIZIA aptera

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ZIGADENUS (Melanthiaceae, <i>Liliaceae</i>) | | | | | | | |
| ZA 004 elegans , 90 cm, star-shaped blossoms, yellowish-white with greenish center spots, VI-VIII, Z3-7 (see also GOLD NUGGET SEED®) | 5 | 1 | ☒ ☞ | 512,00 | 64,00 | 8,00 | 4,00 |
| ZINNIA (Asteraceae) | | | | | | | |
| ZA 010 grandiflora , Rocky Mountain Zinnia, 15 cm, golden, rich flowering, narrow needle-like foliage, good hardy perennial in well drained soils, VII-X, Z4-9, pure seed | 5 | 16 | △ 24 ☞ | 1440,00 | 180,00 | 24,00 | 9,80 |
| ZIZIA (Apiaceae, <i>Umbelliferae</i>) | | | | | | | |
| ZA 012 aptera , Golden Alexander's, 40 cm, golden umbels, shiny, dark green, cordate foliage, V-VI, Z3-8 | 5 | 8 | ☒ ☞ | 252,00 | 34,00 | 4,20 | 2,10 |
| ZA 013 aurea , 60 cm, yellow umbels, lanceolate foliage, IV-VI, Z3-9 | 5 | 8 | ☒ ☞ | 192,00 | 24,00 | 3,00 | 2,00 |

PRINTED STICK IN LABELS?

Item code No. YY004 - Custom printing by Jelitto!

Matching printed stick labels for your seed flats can be purchased with your perennial seed order.



EURO 0,09 per label

Label order must be purchased as a set (1 set = 1 label per variety ordered). More than one set of labels can be purchased for each seed order.

| STAUDENSAMEN - PERENNIAL SEEDS - GRAINES DE PLANTES VIVACES | | | | Production - Breeding - Seed Technology | | | | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|---|-----------|----------|---------|-------------------------|--|--|--|
| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | from 100 g | from 10 g | from 1 g | Portion | | | | |
| ACHNATHERUM (Poaceae, <i>Gramineae</i>) | | | | | | | | | | | |
| brachytrichium - see CALAMAGROSTIS brachytrichia | | | | | | | | | | | |
| ZA 024 | | | | | | | | | | | |
| ZA 025 | ☑ | | | | | | | | | | |
| ZA 022 | | | | | | | | | | | |
| ACORUS - see Perennial assortment | | | | | | | | | | | |
| AGROPYRON magellanicum - see ELYMUS magellanicus | | | | | | | | | | | |
| AMMOPHILA (Poaceae, <i>Gramineae</i>) | | | | | | | | | | | |
| ZA 026 | ☑ | | | | | | | | | | |
| AMPELODESMOS (Poaceae, <i>Gramineae</i>) | | | | | | | | | | | |
| ZA 028 | ☑ | | | | | | | | | | |
| ANDROPOGON (Poaceae, <i>Gramineae</i>) | | | | | | | | | | | |
| ZA 030 | ☑ | | | | | | | | | | |
| ZA 031 | ☑ | | | | | | | | | | |
| ZA 029 | ☑ | | | | | | | | | | |
| ZA 034 | | | | | | | | | | | |
| ZA 032 | ☑ | | | | | | | | | | |
| ZA 027 | ☑ | | | | | | | | | | |
| ZA 033 | ☑ | | | | | | | | | | |
| ZA 041 | ☑ | | | | | | | | | | |
| ANEMANTHELE (Poaceae, <i>Gramineae</i>) | | | | | | | | | | | |
| ZA 048 | ☑ | | | | | | | | | | |
| ANTHOXANTHUM odoratum - see Perennial Herbs - Culinary, Teas and Medicinal + Organic Seed | | | | | | | | | | | |
| APODASMIA - see LEPTOCARPUS | | | | | | | | | | | |



ACHNATHERUM hymenoides 'Rimrock'



AMMOPHILA arenaria



AMPELODESMOS mauritanicus



ANDROPOGON gerardii



ANDROPOGON glomeratus



ANDROPOGON hallii



ANDROPOGON scoparius 'Blaze'



ANDROPOGON scoparius 'Camper'

Perennials
Printed Stick
In Labels
Ornamental Grasses



ANDROPOGON scoparius 'Prairie Blues'



ANDROPOGON ternarius



BOUTELOUA gracilis 'Bad River'



ANEMANTHELE lessoniana



BOLBOSCHOENUS maritimus



BRIZA media



BRIZA triloba



CAREX albula 'Frosted Curls'



BUCHLOE dactyloides



CAREX appalachica

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | | |
|---|-------------------------|--|---------------|-------------------------|-------------|----------|---------|-------|-------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | | |
| BOLBOSCHOENUS (Cyperaceae) | | | | | | | | | |
| ZA 336 | ☑ | maritimus (SCIRPUS) , Sea Club Rush, 120 cm, squared stems, VI-VIII, Z5-10 | 5 | 17 | ☞ | 72,00 | 12,00 | 2,00 | 2,00 |
| BOUTELOUA (Poaceae, Gramineae) | | | | | | | | | |
| ZA 044 | | curtipendula (racemosa) , 80 cm, pendulous culms, spikelets on one side of the upper half, VI-XI, Z4-9, pure seed | 3 | 15 | ⊗ ⊕ | 224,00 | 28,00 | 3,60 | 2,00 |
| ZA 040 | | gracilis (oligostachya) , 50 cm, 2-3 one-sided spikelets per culm, horizontal standing, VII-IX, Z3-9, pure seed | 2 | 15 | ⊗ ⊕ | 256,00 | 32,00 | 4,00 | 2,00 |
| NEW! ZA 043 | ☑ | gracilis 'Bad River' , (AGM) , Mosquito-Grass, 30 cm, countless horizontal flower spikelets, slender foliage clumps, compact habit, reliable first year flowering, best hardiness, VII-XI, Z3-9, pure seed | 2 | 15 | ⊕ ⊗ ⊗ ⊗ ⊗ | 380,00 | 48,00 | 6,40 | 2,80 |
| BRACHYPODIUM (Poaceae, Gramineae) | | | | | | | | | |
| ZA 049 | | pinnatum , Tor Grass, 60 cm, slender spikes, yellow-brown autumn colour, VI-VIII, Z4-8 | 6 | 16 | ⊕ ⊗ ⊗ ⊗ | 36,00 | 6,00 | 2,00 | 2,00 |
| ZA 050 | | sylvaticum , 100 cm, fresh green clumps, well suited for shade, VI-IX, Z4-8 | 10 | 16 | ⊗ | 72,00 | 12,00 | 2,00 | 2,00 |
| BRIZA (Poaceae, Gramineae) | | | | | | | | | |
| ZA 061 | ☑ | media [Doddering Dillies] , Quaking Grass, 50 cm, heart-shaped spikelets, for dried arrangements, V-VII, Z4-7, pure seed | 1 | 16 | ⊗ ⊕ | 460,00 | 58,00 | 7,20 | 3,60 |
| ZA 062 | ☑ | triloba (subaristata) , Chilean Quaking Grass, 30 cm, arching spikes, very graceful, VI-VIII, Z6-9 | 2 | 16 | ⊗ ⊕ | 256,00 | 32,00 | 4,60 | 2,30 |
| BUCHLOE (Poaceae, Gramineae) | | | | | | | | | |
| ZA 063 | ☑ | dactyloides , Buffalo Grass, 20 cm, grey-green, creeping, for dry locations, Z4-9 | 30 | 16 | ⊗ ⊕ | 48,00 | 8,00 | 2,00 | 2,00 |
| CALAMAGROSTIS (Poaceae, Gramineae) | | | | | | | | | |
| arenaria - see AMMOPHILA | | | | | | | | | |
| ZA 020 | | brachytricha , (AGM) (PS) , Diamond-Korean Feather Reed Grass, 80 cm, IX-XII, Z4-9, pure seed | 2 | 15 | ⊗ | 1920,00 | 256,00 | 32,00 | 6,20 |
| ZA 067 | | canadensis , Bluejoint Reedgrass, 120 cm, silvery spikes, VI-VII, Z2-8, pure seed | 0,5 | 1/20 | ⊗ ⊗ ⊗ | 1400,00 | 176,00 | 22,00 | 5,50 |
| ZA 065 | | epigejos , Wood Small Reed, 150 cm, brown spikes, runners, VII-VIII, Z3-9, pure seed | 0,5 | 9/20 | ⊗ | 384,00 | 48,00 | 6,00 | 3,00 |
| CALOPSIS (Restionaceae) | | | | | | | | | |
| ZA 052 | | paniculata , Broom-Restio, 250 cm, dense brown spikes, giant horsetail-like stems, VIII-X, Z7-10, pure seed | 1 | 16 | Sol ☑ ⊗ ⊗ ⊗ | - | 486,00 | 54,00 | 9,00 |
| CANNOMOIS (Restionaceae) | | | | | | | | | |
| ZA 053 | | virgata , Bellreed, to 300 cm, densely branched spikes, bamboolike habit, VIII-X, Z7-10 | 400 | 1 | Sol ☑ ⊗ | 220,00 | 28,00 | 3,50 | 14,00 |
| CAREX (Cyperaceae) | | | | | | | | | |
| ZA 069 | | acuta (gracilis) , 80 cm, V-VI, Z3-7 | 3 | 9 | ☞ | 160,00 | 20,00 | 2,50 | 2,00 |
| ZA 070 | | acutiformis , Swamp Sedge, 70 cm, grey-green, V-VI, Z3-6 | 5 | 9 | ☞ | 132,00 | 18,00 | 2,50 | 2,50 |
| ZA 072 | ☑ | albula 'Frosted Curls' (comans var. stricta, fretalis) , 20 cm, striking silvery foliage, dense clumps, Z6-9 | 2 | 16 | △ ☑ | 960,00 | 122,00 | 16,00 | 4,80 |
| ZA 073 | ☑ | appalachica , Appalachian Sedge, 25 cm, yellow-green loose spikes, dense clumps, graceful narrow foliage, drought tolerating groundcover, V-VII, Z3-8 | 2 | 8 | △ ☑ | - | - | 24,00 | 6,00 |
| ZA 076 | | arenaria , Sand-Sedge, 15-50 cm, dark-green carpets, V-IX, Z6-9, | 5 | 9 | ⊗ ⊕ ☑ | 256,00 | 32,00 | 4,00 | 2,00 |
| ZA 075 | ☑ | aurea , Golden Sedge, 20 cm, yellow-orange berry-like seed pots, loose clumps, III-V, Z3-9 | 3 | 8 | △ ☑ | - | 46,00 | 6,80 | 3,40 |
| ZA 077 | | berggrenii , 5 cm, green-brown cushions, very small, Z6-9 | 2 | 9 | △ ☑ | - | - | 32,00 | 6,00 |
| ZA 078 | | buchananii [Red Rooster] , (AGM) , 50 cm, brown-red, unpretentious, Z6-9 | 3 | 16 | ☞ △ ☑ | 768,00 | 96,00 | 12,00 | 4,80 |
| ZA 068 | ☑ | buchananii 'Firefox' , (AGM) , 60 cm, intensive fox brown to reddish foliage, strictly upright habit, less arching than the typical form and more winterhardy, evergreen (brown) outstanding ornamental grass, VIII-IX, Z5-9 | 2 | 16 | △ ☑ | - | 122,00 | 16,00 | 4,80 |
| ZA 079 | ☑ | buchananii f. viridis 'Green Twist' , (AGM) , 40 cm, olive-green foliage with slightly twisted tips, upright habit, evergreen, Z6-9 | 2 | 9 | ☞ △ ☑ | - | 128,00 | 16,00 | 6,00 |
| ZA 080 | | comans [Amazon Mist, Frosted Curls (missapplied)] , 30 cm, dense green clumps, with narrow culms, Z6-9 | 3 | 16 | △ | 768,00 | 96,00 | 12,00 | 4,80 |
| ZA 081 | ☑ | comans bronze form [Bronco, Bronze Curls, Zora] , 30 cm, brown-red clumps, compact, Z6-9 comans 'Frosted Curls' - see albula 'Frosted Curls' comans var. stricta - see albula | 3 | 16 | △ ☑ | 960,00 | 122,00 | 16,00 | 4,80 |
| ZA 071 | ☑ | comosa , Bristly Sedge, 60 cm, thick bristly spikes, glossy green foliage, VI-VIII, Z4-10 | 3 | 9 | ⊗ ☞ | 98,00 | 14,00 | 2,00 | 2,00 |
| ZA 088 | ☑ | davalliana , Davall's Sedge, 25 cm, bronze-brown, loose spikes, graceful foliage, clump-forming, V-VII, Z4-8 | 3 | 9 | △ ☑ ☞ | - | - | 16,00 | 4,80 |

continued on the following page



CAREX aurea



CAREX buchananii 'Firefox'



CAREX buchananii f. viridis 'Green Twist'



CAREX flagellifera bronze form



CAREX comosa



CAREX davalliana



CAREX divulsa

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | | |
|--|-------------------------|--|---------------|-------------------------|-----------|----------|---------|-------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | | |
| CAREX continuation | | | | | | | | | |
| NEW! ZA 087 | ☐ | divulsa , 35 cm, dark green foliage clumps, versatile and evergreen ground cover, tolerates dry locations, V-VI, Z4-9 | 4 | 9 | ☐ | 960,00 | 122,00 | 16,00 | 4,80 |
| ZA 082 | ☐ | flacca (glauca) , Blue-green Sedge, 25 cm, IV-V, Z4-8 | 3 | 9 | ☐ | 160,00 | 20,00 | 2,50 | 2,00 |
| ZA 085 | ☐ | flagellifera bronze form [Toffee Twist, Bronzita, Auburn] , 40 cm, widely arching clumps, bronze red leaves, VII-VIII, Z6-9 | 2 | 16 | ☐ | 960,00 | 122,00 | 16,00 | 4,80 |
| ZA 094 | ☐ | flagellifera 'Kiwi' [Phoenix Green] , 40 cm, widely arching clumps, olive-green foliage, a selection of Janus Gardens, VII-VIII, Z6-9 | 2 | 16 | ☐ | 960,00 | 122,00 | 16,00 | 4,80 |
| ZA 083 | ☐ | flava , 20 cm, yellowish spikes, dense carpets, VI-VII, Z5-8, pure seed | 3 | 8 | ☐ | 240,00 | 30,00 | 3,80 | 2,00 |
| ZA 084 | ☐ | folliculata , Northern Long Sedge, 40 cm, impressive star-shaped seed heads, more graceful than C. grayi, light-green glossy foliage, VI-VIII, Z5-9, pure seed | 20 | 9 | ☐ | 320,00 | 46,00 | 6,80 | 6,80 |
| ZA 086 | ☐ | grayi , Morning Star Sedge, 50 cm, decorative seed heads, good cut flower, VI, Z6-9, pure seed | 35 | 1 | ☐ | 128,00 | 22,00 | 2,80 | 4,50 |
| ZA 089 | ☐ | lurida , 40 cm, large, nodding spikes, very showy, VI-VIII, Z4-8, pure seed | 3 | 16 | ☐ | 240,00 | 30,00 | 3,80 | 2,00 |
| ZA 091 | ☐ | macrocephala , 15 cm, solitary flower heads, 4-6 cm long, chestnut brown, V-VII, Z5-8 | 2 | 9 | ☐ | – | 64,00 | 8,00 | 8,00 |
| ZA 090 | ☐ | muskingumensis , 90 cm, very effective as specimen and on water, VI, Z4-9, pure seed | 3 | 16 | ☐ | 240,00 | 32,00 | 4,20 | 2,00 |
| ZA 096 | ☐ | paniculata , Greater Tussock Sedge, 60 cm, glossy brown, deep green clumps, V-VI, Z6-9 | 1 | 9 | ☐ | 160,00 | 20,00 | 2,50 | 2,50 |
| ZA 098 | ☐ | pendula (maxima) [Fresh Look] , 100 cm, evergreen, VI, Z5-8 | 3 | 16 | ☐ | 96,00 | 12,00 | 2,00 | 2,00 |
| ZA 099 | ☐ | petriei , Brown Sedge, 20 cm, bronze-brown clumps, flowerstems remain between the leaves, like a small C. buchananii, variable, VII-VIII, Z6-9 | 2 | 9 | ☐ | 768,00 | 96,00 | 12,00 | 4,80 |
| ZA 095 | ☐ | plantaginea 'Blue Ridge' , 35 cm, golden brown spikes, evergreen shiny broad leaves, very vigorous selection, IV-VI, Z4-8 | 7 | 8 | ☐ | 792,00 | 88,00 | 9,80 | 4,90 |
| ZA 102 | ☐ | pseudocyperus , 75 cm, light green, VI, Z3-9 | 5 | 9 | ☐ | 240,00 | 30,00 | 3,80 | 2,00 |
| ZA 105 | ☐ | remota , 50 cm, green, V-VII, Z5-9 | 2 | 9 | ☐ | 280,00 | 40,00 | 5,80 | 3,20 |
| ZA 104 | ☐ | riparia , Great pond-sedge, 120 cm, V-VI, Z5-9 | 5 | 1 | ☐ | 112,00 | 16,00 | 2,40 | 2,00 |
| ZA 106 | ☐ | rosea , Rosy Sedge, Curly-styled Wood Sedge, 25 cm, rosy-red flowering stigmas, loose spikes, dense clumps, graceful narrow foliage, drought tolerating groundcover, V-VI, Z4-8 | 3 | 8 | ☐ | 280,00 | 40,00 | 5,80 | 3,20 |
| ZA 103 | ☐ | secta , 30 cm, green leaved clumps, erect growth, V, Z6-10 | 3 | 9 | ☐ | 512,00 | 64,00 | 8,00 | 4,00 |
| ZA 122 | ☐ | solandri , New Zealand Woodland Sedge, 45 cm, dark brown arching spikes, dark olive-green foliage, dense clumps, VII-VIII, Z6-9 | 2 | 9 | ☐ | 512,00 | 64,00 | 8,00 | 4,00 |
| ZA 119 | ☐ | sparganioides , Bur-reed Sedge, 60 cm, similar to C. muskingumensis, but with hedgehog-like spikes, V-VII, Z4-9, pure seed | 1 | 9 | ☐ | 360,00 | 46,00 | 5,80 | 2,90 |
| ZA 101 | ☐ | species 'Majken' , 60 cm, thick hanging fruit spikes, VI-VIII, Z5-9 | 2 | 9 | ☐ | – | 40,00 | 5,20 | 2,60 |
| ZA 108 | ☐ | sylvatica , 60 cm, Forest Sedge, VI, Z5-8 | 5 | 9 | ☐ | 240,00 | 32,00 | 3,80 | 2,60 |
| ZA 114 | ☐ | tenuiculmis [Bronzina] , 30 cm, red-bronze coloured foliage, Z6-11 | 3 | 9 | ☐ | 768,00 | 96,00 | 12,00 | 4,80 |
| ZA 111 | ☐ | testacea [Orange Sedge, Indian Summer, Prairie Fire] , 45 cm, intense orange-brown clumps, very attractive, Z6-9 | 3 | 9 | ☐ | 768,00 | 96,00 | 12,00 | 4,80 |
| ZA 113 | ☐ | trifida , 90 cm, very big brownish-black spikes, strong blue-green foliage, very impressive, VI-VIII, Z6-10 | 3 | 1 | ☐ | 240,00 | 30,00 | 3,80 | 2,00 |
| CHASMANTHIUM (Poaceae, Gramineae) | | | | | | | | | |
| ZA 430 | ☐ | latifolium (UNIOLA) [Green Dangles] , Spike Grass, 80 cm, VIII-X, Z4-10, pure seed | 10 | 20 | ☐ | 240,00 | 32,00 | 4,00 | 4,00 |
| ZA 431 | ☐ | latifolium 'Little Tickler' , 50 cm, large arching spikes, dwarf and compact, narrower leaves than the species, stable, a selection from Ivy Farms, VIII-X, Z5-10, pure seed | 10 | 20 | ☐ | – | 210,00 | 32,00 | 7,60 |
| ZA 434 | ☐ | laxum , Slender Wild Oat, 80 cm, reddish-brown slender spikes, clump forming, VII-VIII, Z5-9, pure seed | 2 | 9 | ☐ | 624,00 | 78,00 | 12,00 | 4,00 |
| CHIONOCHLOA (Poaceae, Gramineae) | | | | | | | | | |
| ZA 038 | ☐ | conspicua , 180 cm, similar to Pampas Grass, cream-white flower spikes, VII-VIII, Z6-9, p. seed | 2 | 15 | ☐ | 648,00 | 72,00 | 8,00 | 4,00 |
| ZA 037 | ☐ | flavicans , 150 cm, golden-silvery flowerspikes, strong clumps, for mild locations, VII-VIII, Z6-9, pure seed | 2 | 9 | ☐ | – | 56,00 | 7,20 | 3,60 |
| ZA 042 | ☐ | rigida , Snow Tussock, 120 cm, silvery flowerspikes, upright clumps, for mild locations, VI-VIII, Z6-9, pure seed | 5 | 9 | ☐ | 448,00 | 56,00 | 7,20 | 3,60 |
| ZA 039 | ☐ | rubra ssp. cuprea , Red Tussock Grass, 120 cm, dense arching clumps, green-bronze foliage, for mild locations, VI-VII, Z6-9, pure seed | 5 | 9 | ☐ | 320,00 | 40,00 | 5,00 | 2,50 |
| CHONDROPETALUM (ELEGIA) (Restionaceae) | | | | | | | | | |
| ZA 058 | ☐ | tectorum , Cape-Rush, 120 cm, dark green stems with red-brown leaf-sheaths, brown flower heads, dense clumps, VIII-X, Z7-10, pure seed | 0,25 | 1 | ☐ | – | 640,00 | 72,00 | 9,00 |
| CHONDROSUM gracile - see BOUTELOUA gracilis | | | | | | | | | |



CAREX comans bronze form



CAREX flagellifera 'Kiwi'



CAREX flava



CAREX grayi



CAREX lurida



CAREX petriei



CAREX pseudocyperus



CAREX plantaginea 'Blue Ridge'



CAREX remota



CAREX secta







CAREX solandri



CAREX sylvatica



CAREX testacea

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| CHRYSOPOGON (Poaceae, <i>Gramineae</i>) | | | | | | | |
| ZA 109  gryllus , Goldbeard Grass, 100 cm, VIII-X, Z5-9 | 10 | 8 | ⊗ ⊕ | 224,00 | 28,00 | 3,60 | 3,60 |
| nutans - see SORGHASTRUM nutans | | | | | | | |
| CLADIUM (Cyperaceae) | | | | | | | |
| ZA 118 mariscus , Great Fen Sedge, 150 cm, yellow-brown flower heads, wintergreen, VI-VIII, Z3-10 . . . | 5 | 18 | ⊗ ∞ | 180,00 | 22,00 | 2,80 | 2,80 |
| CORTADERIA (Poaceae, <i>Gramineae</i>) | | | | | | | |
| ZA 117  fulvida , Kakaho, 200 cm, bronze-silvery, loose arching flower-heads, VI-VIII, Z7-10, | 2 | 16 | ⊗ Sol | 768,00 | 96,00 | 12,00 | 6,00 |
| pure seed | | | | | | | |
| ZA 115  richardii , (AGM), Toe Toe, 250 cm, silvery, loose arching flower-heads, VII-X, Z7-10, | 2 | 16 | ⊗ Sol | 768,00 | 96,00 | 12,00 | 6,00 |
| pure seed | | | | | | | |
| ZA 110 selloana [White Feather, White Plume], Pampas Grass, 200 cm, showy silver-white plumes, IX-X, Z7-10, | 1 | 15 | ⊗ Sol | 460,00 | 62,00 | 8,40 | 3,40 |
| pure seed | | | | | | | |
| ZA 112 selloana ' Rosea ' [Pink Feather, Pink Plume], Pampas Grass, 200 cm, long plumes tinged pink, variable, IX-X, Z7-10, | 1 | 15 | ⊗ Sol | 460,00 | 62,00 | 8,40 | 3,40 |
| pure seed | | | | | | | |
| CORYNEPHORUS (Poaceae, <i>Gramineae</i>) | | | | | | | |
| ZA 120  canescens [Spiky Blue], Silver Grass, 25 cm, blue-green cushions, delicate leaves, silvery panicles, often tinged red, tolerates dry, sandy, lightly acidic soil, VI-VIII, Z6-10, | 0,25 | 15 | △ ♣ | - | 192,00 | 24,00 | 3,80 |
| pure seed | | | | | | | |



CAREX trifida



CHASMANTHIUM latifolium



CHASMANTHIUM laxum



CHIONOCHLOA flavicans



CHIONOCHLOA conspicua



CHIONOCHLOA rigida



CHONDROPETALUM tectorum



CHRYSOPOGON gryllus



CORTADERIA fulvida



CORTADERIA richardii



CORYNEPHORUS canescens



CYPERUS papyrus



DIARRHENA americana



DESCHAMPSIA cespitosa 'Pixie Fountain'

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|---|--|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| CYMOPOGON (Poaceae, Gramineae) | | | | | | | | |
| ZA 126 | flexuosus , East Indian Lemongrass, 140 cm, foliage with intensive lemon fragrance, VIII-X, Z8-11, | 1 | 15 | ☕ Ⓝ ⚡ | 1360,00 | 160,00 | 22,00 | 6,00 |
| CYPERUS (Cyperaceae) | | | | | | | | |
| ZA 130 | glaber (PYCREUS glaber) , 60 cm, for dry and moist conditions, blooms V-XII (frost), very decorative, excellent for cutting, Z7-10, | 1 | 16 | ✕ Ⓝ | 496,00 | 62,00 | 7,80 | 2,00 |
| ZA 134 | longus , Sweet Galingale, 80 cm, rusty brown, attractive bracts, VII-X, Z6-9, | 0,25 | 16 | ☞ Ⓝ Sol | – | 72,00 | 9,20 | 2,20 |
| ZA 136 | papyrus , (AGM), Papyrus, 200 cm, very decorative, excellent cut flower, VI-X, Z8-11, | 0,15 | 4/9 | ☕ ✕ ☞ | – | – | 124,00 | 7,90 |
| DESCHAMPSIA (Poaceae, Gramineae) | | | | | | | | |
| ZA 140 | cespitosa , 150 cm, dense green clumps, VI-IX, Z4-7, | 1 | 16 | Sol Ⓝ | 96,00 | 16,00 | 2,60 | 2,00 |
| ZA 139 | cespitosa 'Pixie Fountain' , (AGM), 60 cm, brilliant silver-green, followed by golden-brown flower spikes, compact habit, dens evergreen foliage clumps, very cold tolerant, VI-IX, Z2-7, | 1 | 15 | △ ✕ Ⓝ | 360,00 | 64,00 | 12,00 | 4,00 |
| ZA 141 | flexuosa , Crinkled Hair Grass, 50 cm, loose clumps, VI-VII, Z4-7, | 2 | 9 | ☞ | 240,00 | 38,00 | 6,20 | 3,20 |
| DESMOSCHOENUS (Cyperaceae) | | | | | | | | |
| ZA 143 | spiralis (FICINIA) , Golden Sand Sedge, Pingao, 60 cm, dark brown, spiraled clusters, yellow-green leathery foliage, dune grass, V-VI, Z7-10 | 5 | 9 | ☞ Ⓝ ☞ | 448,00 | 56,00 | 7,20 | 3,60 |
| DIARRHENA (Poaceae, Gramineae) | | | | | | | | |
| ZA 146 | americana , 80 cm, loose spikes, strong dark green leaf clumps, VII-IX, Z4-8 | 20 | 1 | Sol | 172,00 | 22,00 | 3,00 | 3,00 |
| DICHANTHELIUM - see PANICUM | | | | | | | | |
| ELEGIA (Restionaceae) | | | | | | | | |
| ZA 148 | capensis , Broom-Red, Horsetail-Restio, 200 cm, giant slender horsetail-like stems, short brown flower heads, VIII-X, Z7-10, | 1 | 1 | Sol ☕ ✕ | – | – | 54,00 | 9,00 |
| ZA 149 | cuspidata , Golden-Curls, 80 cm, dark green stems with red-brown leaf-sheaths, red-golden flower heads, VII-X, Z7-10, | 5 | 1 | Sol ☕ ✕ | – | 288,00 | 36,00 | 9,00 |
| ZA 054 | elephantina (CHONDROPETALUM) , Large Cape Rush, 180 cm, brown flower spikes, maroon banded stem sections, VIII-X, Z9-11, | 0,5 | 1 | Sol ✕ | – | 432,00 | 54,00 | 9,00 |
| ZA 152 | grandis , 100 cm, golden-brown spikes, blue-green, cylindrical foliage stems, upright habit, VIII-X, Z7-10, | 30 | 1 | Sol ✕ | – | 162,00 | 18,00 | 9,00 |
| tectorum - see CHONDROPETALUM tectorum | | | | | | | | |
| ELYMUS (Poaceae, Gramineae) | | | | | | | | |
| ZA 150 | arenarius (LEYMUS) , Lyme Grass, 100 cm, blue-green pruinosed, very drought tolerant, VII-VIII, Z4-9 | 40 | 9 | Ⓝ ☞ | 120,00 | 15,00 | 2,00 | 2,00 |
| ZA 154 | canadensis 'Icy Blue' , Canadian Wild Rye, 140 cm, nodding blue spikes, blue-grey leaf clumps, VI-X, Z3-8 | 15 | 16 | ✕ ☞ | 148,00 | 24,00 | 4,20 | 4,20 |

continued on the following page

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|--|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| ELYMUS continuation | | | | | | | |
| ZA 016 | | | | | | | |
| | hystrix - see HYSTRIX patula magellanicus (AGROPYRON) , Magellan-Bluegrass, 80 cm, straw yellow spikes, intense blue leaf clumps, VI-VII, Z5-8. | | | | | | |
| | 15 | 15 | × 🍁 | - | - | 24,00 | 8,40 |
| ERAGROSTIS (Poaceae, <i>Gramineae</i>) | | | | | | | |
| ZA 157 | | | | | | | |
| | curvula [Weeping Love] , 100 cm, nodding flower panicles, VI-IX, Z6-10, | | | | | | |
| | 1 | 15 | | 128,00 | 16,00 | 2,60 | 2,00 |
| ZA 159 | | | | | | | |
| | elliottii [Blue Eros, Wind Dancer] , Blue Love Grass, 70 cm, blue-green nodding flower clumps, VI-VIII, Z6-10, | | | | | | |
| | 0,25 | 9 | Sol × 🍁 | - | 176,00 | 22,00 | 5,50 |
| ZA 158 | | | | | | | |
| | spectabilis , Purple Love Grass, 50 cm, brilliant purple-red flower racemes, dense compact clumps, one of the most attractive late flowering ornamental grasses, need a warm summer to flower, VIII-X, Z5-10, | | | | | | |
| | 0,25 | 15 | △ × | - | 176,00 | 22,00 | 5,50 |
| ZA 156 | | | | | | | |
| | trichodes , 120 cm, bronze-purple flower spikes, for sunny locations, VII-IX, Z7-10, | | | | | | |
| | 1 | 9 | Sol × | 320,00 | 40,00 | 5,00 | 2,50 |
| ERIANTHUS (SACCHARUM) (Poaceae, <i>Gramineae</i>) | | | | | | | |
| ZA 164 | | | | | | | |
| | ravennae , Plume Grass, 180 cm, leaves decorated with white ribs, panicles emerge with violet tones, pyramid-shaped, bio-energy-plant, IX-X, Z5-10, | | | | | | |
| | 3 | 15 | × Sol Ⓜ | 768,00 | 96,00 | 12,00 | 4,00 |
| ZA 165 | | | | | | | |
| | strictus (baldwinii) , 180 cm, long, narrow panicles, VIII, Z7-9 | | | | | | |
| | 5 | 16 | Sol | 320,00 | 40,00 | 5,00 | 3,80 |



ELEGIA capensis



ELEGIA cuspidata



ELYMUS arenarius



ELYMUS canadensis 'Icy Blue'



ERAGROSTIS spectabilis



ERIOPHORUM angustifolium



ERIOPHORUM vaginatum



ERIANTHUS ravennae



FESTUCA mairei



FESTUCA glauca 'Blue Select'



FESTUCA scoparia



FESTUCA valesiaca var. glaucantha



GLYCERIA maxima



HIEROCHLOE odorata

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | | | |
|--|-------------------------|--|---------------|-------------------------|-----------|----------|---------|--------|-------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | | | |
| ERIOPHORUM (Cyperaceae) | | | | | | | | | | |
| ZA 166 | ☐ | angustifolium, 40 cm, white cotton heads from June until frost, IV-V, Z3-7, | pure seed | 3 | 1 | ☞ ☐ ☐ | 384,00 | 48,00 | 6,00 | 3,00 |
| ZA 168 | ☐ | vaginatum, 40 cm, compact clumps, III-V, Z4-9, | pure seed | 3 | 1 | ☞ ☐ ☐ | 320,00 | 40,00 | 5,00 | 2,50 |
| FARGESIA (Poaceae, Gramineae) | | | | | | | | | | |
| ZA 409 | | murielae (SINARUNDINARIA murielae), (AGM), Umbrella Bamboo, up to 300 cm, large clumps, Z5-9 | | 25 | 8 | Sol ^ | 768,00 | 96,00 | 12,00 | 9,80 |
| FESTUCA (Poaceae, Gramineae) | | | | | | | | | | |
| ZA 170 | | amethystina, Tufted Fescue, 20 cm, fine foliage, red culms, VI, Z4-7 | | 2 | 15 | △ | 256,00 | 32,00 | 4,00 | 2,00 |
| | | cinerea - see FESTUCA glauca | | | | | | | | |
| ZA 182 | | gigantea, Green Giant Fescue, 100 cm, VII-VIII, Z4-7. | | 5 | 9 | | 48,00 | 6,00 | 2,00 | 2,00 |
| ZA 187 | ☐ | glauca (cinerea) 'Blue Select' [Festina, Freddy, Varna], (AGM), Blue Fescue, 25 cm, balanced blue clumps, V-VI, Z4-7 | | 2 | 15 | △ ☐ | 192,00 | 24,00 | 3,00 | 3,00 |
| ZA 188 | ☐ | mairai, Atlas-Fescue, 100 cm, arching flower racemes, strong clumps, VI-IX, Z5-9 | | 3 | 15 | Sol × | 440,00 | 56,00 | 7,20 | 3,60 |
| ZA 190 | | ovina, Sheep Fescue, 25 cm, green foliage, V-VII, Z4-7 | | 3 | 15 | △ (N) | 48,00 | 6,00 | 2,00 | 2,00 |
| ZA 194 | | pulchella, 20 cm, blue-green clumps, VI-VII, Z4-7. | | 2 | 15 | △ | 240,00 | 32,00 | 4,00 | 2,00 |
| ZA 198 | ☐ | scoparia (gautieri) [Hobbit], Bear Skin Fescue, 20 cm, VI-VII, Z4-7. | | 3 | 9 | △ | 620,00 | 74,00 | 8,80 | 3,80 |
| ZA 200 | | valesiaca, Wallis-Fescue, 30 cm, upright spikes, hair-like foliage, dense blue-green clumps, V-VI, Z4-7 | | 3 | 15 | △ | 160,00 | 22,00 | 3,20 | 2,00 |
| ZA 202 | ☐ | valesiaca var. glaucantha [Buddy Blue], Glaucous Wallis Fescue, 25 cm, fine, hairlike culms, dense, blue-grey clumps, variable, V-VI, Z4-7 | | 2 | 15 | △ ☐ | 620,00 | 74,00 | 8,80 | 3,80 |
| GLYCERIA (Poaceae, Gramineae) | | | | | | | | | | |
| ZA 208 | ☐ | maxima, 200 cm, erect, light green leaves, panicle 40 cm, brownish, VII, Z4-8, | pure seed | 3 | 9 | ☞ (N) | 192,00 | 24,00 | 3,00 | 2,00 |
| HIEROCHLOE (Poaceae, Gramineae) | | | | | | | | | | |
| ZA 215 | ☐ | odorata, Vanilla grass, 40 cm, loose panicles, reminding of BRIZA, dense clumps, with runners, intense vanilla-fragrance, V-VI, Z4-8, | pure seed | 2 | 16 | ☞ (N) ☐ | - | 324,00 | 36,00 | 6,00 |
| HYSTRIX (Poaceae, Gramineae) | | | | | | | | | | |
| ZA 220 | ☐ | patula (ELYMUS hystrix), Bottle Brush Grass, 60 cm, VI-VIII, Z4-8 | | 10 | 15 | × | 240,00 | 32,00 | 4,20 | 2,80 |
| ISCHYROLEPIS (Restionaceae) | | | | | | | | | | |
| ZA 224 | ☐ | subverticillata (RESTIO), Dune-Restio, 200 cm, white-yellow spikes, giant horsetail-like tussock, IV-VI, Z7-10. | | 5 | 8 | Sol ☐ × | - | 240,00 | 34,00 | 8,20 |



HYSTRIX patula



ISCHYROLEPIS subverticillata



JUNCUS effusus 'Spiralis'



JUNCUS ensifolius



JUNCUS filiformis 'Spiralis'



JUNCUS inflexus



JUNCUS pallidus







KOELERIA vallesiana 'Mountain Breeze'



KOELERIA glauca



LUZULA luzuloides

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | | |
|---|---|------------------------------|---------------|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| JUNCUS (Juncaceae) | | | | | | | | |
| ZA 228 | effusus , Rush, 60 cm, dense, dark green clumps, VII-VIII, Z3-10 | 1 | 1 | ☞ ☞ Ca | 320,00 | 40,00 | 5,00 | 2,50 |
| ZA 229 | effusus 'Spiralis' [Twister] , Curly Soft Rush, 40 cm, corkscrew-like, twisted, dark green leaves, VII-VIII, Z3-10 | 0,1 | 1 | ☞ ☞ | 7200,00 | 840,00 | 98,00 | 7,60 |
| ZA 230 | ensifolius [Starhead, Flying Hedgehogs] , 25 cm, Dwarf Rush, VI-VIII, Z3-10 | 0,5 | 9 | ☞ ☞ Ca | 768,00 | 96,00 | 12,00 | 4,00 |
| ZA 226 | filiformis 'Spiralis' , 20 cm, leaves corkscrew-like twisted, true from seed, Z5-10 | 0,1 | 9 | ☞ ☞ ☞ Ca | 4620,00 | 576,00 | 72,00 | 6,00 |
| ZA 232 | inflexus (glaucus) [Blue Arrows] , Blue-green Rush, 50 cm, dense, blue-green clumps, VI-VIII, Z3-10 | 0,25 | 1 | ☞ ☞ Ca | 448,00 | 56,00 | 7,00 | 3,50 |
| ZA 239 | pallidus [Javelin] , Giant-Rush, 180 cm, dense, pale brown clusters, blue-green long stems, VII-VIII, Z7-10 | 0,25 | 16 | Sol ☞ | – | 96,00 | 12,00 | 4,00 |
| KOELERIA (Poaceae, Gramineae) | | | | | | | | |
| ZA 245 | glauca [Coolio, Blue Sprite] , Blue Hair Grass, 25 cm, narrow blue leaves, V-VII, Z3-8, pure seed | 1 | 15 | △ ☞ | 430,00 | 54,00 | 6,80 | 3,40 |
| ZA 241 | macrantha (cristata) , Slender June Grass, 25 cm, blue-green foliage, dense flower spikes, V-VI, Z2-8, pure seed | 1 | 16 | △ ☞ | 360,00 | 46,00 | 5,80 | 2,90 |
| ZA 243 | vallesiana 'Mountain Breeze' ,  Sommerset Hair Grass, 35 cm, greenish yellow, straw-coloured fading spikes, dense foliage clumps, greyish-blue and stiff leaves, drought tolerant, V-VII, Z3-8, pure seed | 1 | 16 | △ ☞ | – | 58,00 | 8,40 | 3,20 |
| LEPTOCARPUS (Restionaceae) | | | | | | | | |
| ZA 247 | similis (APODASMIA) , 100 cm, brownish flower heads, olive-green stems with decorative brown leaf bracts, very unusual, VI-VII, Z7-10 | 1 | 1 | ☞ Ⓝ | 540,00 | 68,00 | 8,60 | 4,30 |
| LEYMUS arenarius - see ELYMUS | | | | | | | | |
| LUZULA (Juncaceae) | | | | | | | | |
| ZA 250 | luzuloides (nemorosa, albida) , 50 cm, for shade, V-VII, Z5-8 | 1 | 16 | | 236,00 | 26,00 | 3,60 | 2,00 |
| ZA 254 | nivea [Lucius] , Snow Wood Rush, 35 cm, white, grey-haired leaves, evergreen, VI-VIII, Z4-8 | 1 | 9 | ☞ ☞ | 1780,00 | 198,00 | 22,00 | 4,80 |
| ZA 252 | pedemontana , 50 cm, dense spikes, mat-forming, VI-VII, Z5-8 | 2 | 16 | ☞ ☞ | 236,00 | 26,00 | 3,60 | 2,00 |
| ZA 258 | sylvatica 'Select' [Starmaker] , 30 cm, especially beautiful even-blooming variety, evergreen, V-VI, Z5-8 | 2 | 9 | ☞ ☞ | 880,00 | 98,00 | 12,00 | 3,60 |
| ZA 256 | sylvatica 'Solar Flair' ,  30 cm, straw-coloured, widely arching spikes, narrow lanceolate leaves arranged in dense rosettes, consistent golden foliage during the cool season, clear light green during summer, loose tufts, IV-VI, Z5-8 | 1 | 9 | ☞ ☞ | – | – | 22,00 | 5,50 |
| ZA 257 | ulophylla , 15 cm, delicate foliage, V-VII, Z6-9 | 1 | 16 | △ ☞ | – | 144,00 | 18,00 | 6,00 |
| MELICA (Poaceae, Gramineae) | | | | | | | | |
| ZA 259 | altissima (transsilvanica) var. atropurpurea [Red Spire] , 100 cm, purple-brown, V-VII, Z4-8, pure seed | 3 | 15 | ☞ | 188,00 | 22,00 | 3,00 | 2,00 |
| ZA 260 | ciliata [Silky] , Silky-Spike-Melic, 40 cm, silver-grey, VI, Z5-8, pure seed | 1 | 15 | ☞ | 320,00 | 40,00 | 5,20 | 2,60 |
| ZA 264 | uniflora , 50 cm, purple-brown spikes, fresh green, V-VI, Z6-8 | 5 | 9 | | 160,00 | 20,00 | 2,60 | 2,00 |
| MELINIS (RHYNCHELYTRUM) (Poaceae, Gramineae) | | | | | | | | |
| ZA 266 | nerviglumis [Pink Crystals®, Savannah] ,  Ⓝ, Ruby Grass, 40 cm, ruby-rose flowers, dense grey-green clumps, VI-X, Z7-10, pure seed | 2 | 15 | △ ☞ ☞ | – | – | 42,00 | 6,00 |
| MILIUM (Poaceae, Gramineae) | | | | | | | | |
| ZA 270 | effusum 'Aureum' [Flash Lights] ,  Golden Millet Grass, 60 cm, entire plant golden-green, effective in shade, V-VII, Z5-8, pure seed | 3 | 16 | ☞ | – | 288,00 | 32,00 | 6,00 |
| MISCANTHUS (Poaceae, Gramineae) | | | | | | | | |
| ZA 272 | oligostachyus , Silver-Grass, 120 cm, narrow silvery spikes, dense clumps, bronze-red fall colour, VII-IX, Z4-9, pure seed | 5 | 15 | Sol ☞ | – | 128,00 | 16,00 | 5,80 |
| ZA 274 | sinensis , 250 cm, Chinese Silver Grass, variable, bio-energy-plant, IX-X, Z4-9, pure seed | 2 | 15 | Sol Ⓝ | 288,00 | 36,00 | 4,60 | 2,30 |
| ZA 275 | sinensis 'Early Hybrids' , up to 220 cm, vigorous early flowering forms, VIII-IX, Z4-9, pure seed | 2 | 15 | Sol | 360,00 | 45,00 | 5,80 | 3,00 |
| ZA 276 | sinensis 'New Hybrids' , from 90 cm to 250 cm, many varieties, IX-X, Z4-9, pure seed | 2 | 15 | Sol ☞ | 360,00 | 45,00 | 5,80 | 3,00 |
| MOLINIA (Poaceae, Gramineae) | | | | | | | | |
| ZA 280 | caerulea ssp. arundinacea (altissima) , 175 cm, golden-brown fall color, VI-VIII, Z4-7, p. seed | 5 | 1 | ☞ ☞ ☞ Sol | 160,00 | 22,00 | 3,00 | 2,00 |
| ZA 284 | caerulea ssp. caerulea , 65 cm, bluish-green clumps, VII-X, Z4-7 | 3 | 1 | ☞ ☞ ☞ Ⓝ | 240,00 | 32,00 | 4,00 | 2,40 |



LUZULA nivea



LUZULA sylvatica 'Select'



LUZULA sylvatica 'Solar Flair'



LUZULA ulophylla

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|-----------------------------------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| MUHLENBERGIA (Poaceae, <i>Gramineae</i>) | | | | | | | |
| ZA 283 | 0,75 | 15 | △ × Sol | 2980,00 | 324,00 | 36,00 | 6,20 |
| NEW! ZA 285 | 0,25 | 9 | ☐ × Sol | – | – | – | 7,60 |
| ZA 287 | 0,5 | 16 | △ Sol | – | 296,00 | 34,00 | 6,20 |
| ZA 286 | 1 | 16 | × △ Sol | – | 792,00 | 82,00 | 7,60 |
| ZA 291 | 0,75 | 16 | △ Sol | – | 176,00 | 22,00 | 5,50 |
| NARDUS (Poaceae, <i>Gramineae</i>) | | | | | | | |
| ZA 282 | 2 | 15 | ☐ △ | 336,00 | 42,00 | 6,00 | 3,00 |
| NASSELLA | | | | | | | |
| | | | | | | | ichu - see STIPA ichu |
| | | | | | | | tenuissima - see STIPA tenuissima |
| | | | | | | | trichotoma - see STIPA trichotoma |



MELICA altissima var. atropurpurea



MELICA ciliata



MELINIS nerviglumis



MILIUM effusum 'Aureum'



MISCANTHUS sinensis 'Early Hybrids'



MISCANTHUS sinensis 'New Hybrids'



MUHLENBERGIA dumosa



NARDUS stricta



MUHLENBERGIA capillaris



MUHLENBERGIA reverchonii Undaunted®



PANICUM virgatum 'Blue Giants'



PANICUM amarum



PANICUM clandestinum

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|---|------------------|-------------------------|-----------|-----------|------------------------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| PANICUM (Poaceae, Gramineae) | | | | | | | |
| ZA 295 | ☑ | amarum , Coastal Switchgrass, 140 cm, greenish-yellow spikes, wide blue-grey foliage, bio-energy-plant, VIII-X, Z5-9, | pure seed | 5 | 9 | Sol ☉ | 140,00 20,00 2,80 2,00 |
| ZA 294 | ☑ | clandestinum (DICHANTHELIUM), Deer-Tongue-Grass, 60 cm, light green wide leaves, mindful of bamboo, golden fall color, spreading runners, Z3-9, | pure seed | 5 | 8 | ☒ ↗ | 72,00 12,00 2,00 2,00 |
| ZA 290 | | virgatum , Switch Grass, 160 cm, light green, brownish heads, bio-energy-plant, VII-IX, Z4-10, | pure seed | 5 | 8 | ☒ ☉ | 128,00 16,00 2,20 2,00 |
| NEW! ZA 296 | ☑ | virgatum 'Blue Giants' , CEB , 180 cm, greenish blue spikes, broad blue-grey foliage, variable, impressive foliage clumps, VIII-X, Z5-9, | pure seed | 5 | 9 | ☐ ☒ ☉ Sol | 240,00 32,00 4,60 2,30 |
| ZA 293 | ☑ | virgatum 'Emerald Chief' , CEB , 140 cm, pinkish-red flower panicles, emerald-green, narrow foliage, graceful and especially sturdy habit, long-lived, tolerating a wide range of soils, VII-IX, Z4-10, | pure seed | 5 | 8 | Sol ☒ ☉ | 512,00 64,00 8,00 4,00 |
| PENNISETUM (Poaceae, Gramineae) | | | | | | | |
| ZA 300 | ☑ | alopecuroides (compressum) , 80 cm, cylindrical heads, VIII-XII, Z5-9, | pure seed | 8 | 15 | ☒ | 384,00 48,00 6,00 4,50 |
| ZA 302 | ☑ | alopecuroides var. viridescens , 50 cm, broader leaves, darker heads, X-XII, Z5-9, | pure seed | 10 | 15 | ☒ | 320,00 40,00 5,00 3,80 |

continued on the following page



PANICUM virgatum 'Emerald Chief'



PENNISETUM alopecuroides



PENNISETUM alopec. var. viridescens



PENNISETUM orientale



PENNISETUM thunbergii

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| PENNISETUM continuation | | | | | | | |
| glaucum , Purple-leaved Pear Millet, F ₁ -Hybrids, 100-150 cm, attractive, cylindrical flower spikes, bronze-purple with yellow pollen, bronze-purple colored foliage, very attractive ornamental foliage grass, annual. Young-plants are green and require sufficient warmth, purple pigmentation occurs when plants are exposed to full sun, VII-IX, Z8-11 | | | | | | | |
| ZA 313 | 15 | 15 | ☀ × ☼ | - | 310,00 | 34,00 | 9,80 |
| ZA 314 | | | | | | | |
| ZA 315 | | | | | | | |
| } 'Jester', 120 cm, wide foliage, branched stems, slightly later flowering 'Purple Baron', 100 cm, shorter and wider foliage, compact, darkest foliage coloring 'Purple Majesty', (AAS), 150 cm, straight upright, long flowering stems | | | | | | | |
| ZA 305 | 3 | 15 | × ↻ | - | - | 48,00 | 5,00 |
| macrourum [Tail Feathers, White Lancer] , Fountain Grass, 140 cm, straw-coloured, long flower spikes, dense clumps, VII-X, Z6-10, pure seed | | | | | | | |
| ZA 306 | 2 | 15 | × ☼ | - | 324,00 | 36,00 | 6,00 |
| orientale , (AGM), 35 cm, decorative, curved flower heads, VI-IX, Z6-10, pure seed | | | | | | | |
| ZA 303 | 3 | 9 | × △ ☼ | - | 324,00 | 36,00 | 7,20 |
| thunbergii [Red Buttons] , Red Bunny Tails, 90 cm, bright reddish spikes with white tips, fading to straw-coloured, dense clumps, V-IX, Z6-10, pure seed | | | | | | | |
| ZA 312 | 5 | 15 | × ☼ | - | 180,00 | 22,00 | 5,20 |
| villosum (longistylum) [White Ladies, Cream Falls] , (AGM), 50 cm, brilliant white spikes, rich flowering, can be grown as annual, VII-X, Z7-10, pure seed | | | | | | | |
| PHAENOSPERMA (Poaceae) | | | | | | | |
| ZA 324 | 20 | 16 | Sol × | 400,00 | 58,00 | 8,40 | 4,20 |
| globosa , Waterfall Millet, 50 cm, wide dark green foliage, evergreen, to 150 cm tall arching flower panicles, attractive solitary grass, VIII-X, Z6-10, | | | | | | | |
| PHALARIS (Poaceae, Gramineae) | | | | | | | |
| ZA 307 | 5 | 15 | ☼ ⊗ × | 24,00 | 6,00 | 2,00 | 2,00 |
| arundinacea , Ribbon Grass, 200 cm, VI-VIII, Z3-8, pure seed | | | | | | | |
| PHRAGMITES (Poaceae, Gramineae) | | | | | | | |
| ZA 310 | 2 | 17 | ☼ ⊗ ☼ | 380,00 | 48,00 | 6,20 | 3,10 |
| australis (communis) , Common Reed, 300 cm, VIII, Z4-9, pure seed | | | | | | | |
| POA (Poaceae, Gramineae) | | | | | | | |
| ZA 318 | 1 | 15 | △ | 160,00 | 20,00 | 2,60 | 2,00 |
| alpina , 10 cm, grey-green dwarf grass, VI-VII, Z3-7, pure seed | | | | | | | |
| ZA 320 | 5 | 15 | △ | 256,00 | 32,00 | 4,00 | 2,00 |
| chaixii , 25 cm, reed-like leaves, VI-VII, Z4-7, | | | | | | | |
| ZA 321 | 1 | 15 | △ Sol | 1150,00 | 144,00 | 16,00 | 4,00 |
| cita , Silver Tussock, 70 cm, densely light green foliage clumps, silvery flower heads, for dry locations, VII-IX, Z7-10, pure seed | | | | | | | |
| ZA 326 | 1 | 16 | △ ☼ ☼ | 400,00 | 58,00 | 8,40 | 3,20 |
| glauca 'Blue Hills' , (AGM), Glaucous Meadow Grass, 25 cm, loose arching spikes, dense foliage clumps with narrow blue-green leaves, very delicate ornamental grass, first year flowering, VI-IX, Z3-7, pure seed | | | | | | | |
| RHYNCHELYTRUM - see MELINIS | | | | | | | |
| SACCHARUM - see ERIANTHUS | | | | | | | |

| | | | | Prices in EURO net per: | | | | |
|--|--|-------------------------|------------------------------|-------------------------|------------|-----------|----------|---------|
| | | Gram to get 1000 plants | Nº. of the sowing directions | Special Hints | from 100 g | from 10 g | from 1 g | Portion |
| SCHIZACHYRIUM - see ANDROPOGON | | | | | | | | |
| SCIRPUS (Cyperaceae) | | | | | | | | |
| ZA 332 | holoschoenus (SCIRPOIDES) , Head Rush, 100 cm, VI-VII, Z6-9 | 1 | 9 | ☞ Ca | 72,00 | 12,00 | 2,00 | 2,00 |
| ZA 334 | lacustris (SCHOENOPLECTUS) , Bull Rush, 200 cm, VI-VIII, Z3-8 | 5 | 9 | ☞ Ⓝ Ca | 48,00 | 8,00 | 2,00 | 2,00 |
| maritimus - see BOLBOSCHOENUS maritimus | | | | | | | | |
| ZA 338 | mucronatus (SCHOENOPLECTIELLA) , 80 cm, black-brown, VI-VIII, Z6-9 | 5 | 9 | ☞ Ca | 112,00 | 14,00 | 2,00 | 2,00 |
| ZA 342 | sylvaticus , Forest Rush, 70 cm, V-VII, Z5-8 | 2 | 9 | ☞ Ca | 72,00 | 12,00 | 2,00 | 2,00 |
| ZA 344 | tabernaemontani (SCHOENOPLECTUS) , 120 cm, grey-green culms, VI-VII, Z3-8 | 5 | 9 | ☞ Ca | 48,00 | 8,00 | 2,00 | 2,00 |
| SESLERIA (Poaceae, Gramineae) | | | | | | | | |
| ZA 345 | albicans (varia) , Blue Moor Grass, 25 cm, blue-violet flower spikes, green clumps, III-V, Z3-7 | 3 | 9 | △ | – | – | 7,80 | 3,60 |
| ZA 347 | argentea (autumnalis ssp. argentea) , Silver Moor Grass, 50 cm, dense white spikes, rich and abundant flowering, dense clumps, very durable, VI-X, Z4-9 | 3 | 9 | △ × | – | – | 12,00 | 5,80 |
| ZA 348 | caerulea , Blue Moor Grass, 25 cm, green and bluish leaves, dense clumps, bluish spikes, early flowering III-V, Z3-7 | 3 | 9 | △ | 520,00 | 64,00 | 7,80 | 3,60 |
| glauca - see nitida | | | | | | | | |
| ZA 350 | heufferiana , Green Moor Grass, 40 cm, black flower heads in early spring, silvery-green clumps, IV-V, Z4-8 | 5 | 9 | △ | 520,00 | 64,00 | 7,80 | 3,60 |
| ZA 351 | nitida (glauca) , 60 cm, blue-grey clumps, VI-VIII, Z4-8 | 5 | 9 | ☛ | – | – | 12,00 | 5,80 |
| ZA 352 | sadleriana , 40 cm, rigid leaves, lime-lover, for dry locations, III-V, Z5-9 | 5 | 9 | △ | 520,00 | 64,00 | 7,80 | 3,60 |
| SETARIA (Poaceae) | | | | | | | | |
| ZA 356 | palmifolia , Palm Grass, 160 cm, palm-like, broad dark green foliage, loose spikes, evergreen, for mild locations, VIII-X, Z8-10 | 2 | 9 | × Sol ☛ | – | 128,00 | 16,00 | 6,00 |
| SINARUNDINARIA murielae - see FARGESIA murielae | | | | | | | | |
| SORGHASTRUM (Poaceae, Gramineae) | | | | | | | | |
| ZA 360 | nutans (CHRYSOPOGON nutans) , 150 cm, Indian Grass, VI-VIII, Z4-9, pure seed | 10 | 9 | × | 120,00 | 16,00 | 2,40 | 2,40 |
| ZA 362 | nutans 'Indian Steel' , 120 cm blue-green foliage, strong upright culms, VI-VIII, Z4-9, pure seed | 10 | 9 | × ☛ | 448,00 | 56,00 | 8,00 | 6,00 |
| SPARGANIUM (Sparganiaceae) | | | | | | | | |
| ZA 370 | erectum , Bur-reed, 50 cm, round blossoms, decorative round prickly fruits until winter, VI-VII, Z5-8 | 80 | 18 | × ☞ | 112,00 | 14,00 | 2,00 | 2,00 |
| SPODIOPOGON (Poaceae, Gramineae) | | | | | | | | |
| ZA 380 | sibiricus , Graybeard Grass, 150 cm, very decorative, VII-X, Z4-9, pure seed | 3 | 15 | Sol × | 980,00 | 128,00 | 16,00 | 6,00 |



PENNISETUM villosum



PHAENOSPERMA globosa



POA alpina



POA cita



POA glauca 'Blue Hills'



SESLERIA caerulea



SESLERIA nitida



SESLERIA sadleriana

| | Gram to get 1000 plants | N°. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|---|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| SPOROBOLUS (Poaceae, <i>Gramineae</i>) | | | | | | | |
| ZA 386 | 1 | 9 | Sol × | 240,00 | 30,00 | 3,80 | 2,00 |
| airoides , Alkali Dropseed, 140 cm, pink-silvery dense spikes, rich flowering clumps, grey-green foliage, golden fall color, VI-IX, Z5-9, pure seed | | | | | | | |
| ZA 388 | 10 | 9 | × | 280,00 | 36,00 | 4,50 | 2,60 |
| heterolepis , Prairie Dropseed, 60 cm, silvery flower panicles, fine textured foliage clumps with reddish fall-colour, narrow-leaved, VII-IX, Z4-9, pure seed | | | | | | | |
| ZA 384 | 1 | 9/20 | Sol | – | 384,00 | 48,00 | 8,00 |
| wrightii , ^(PFS) Giant Sacaton Dropseed, 180 cm, graceful spikes, attractive durable solitary grass, VII-X, Z4-9, pure seed | | | | | | | |
| STIPA (Poaceae, <i>Gramineae</i>) | | | | | | | |
| arundinacea hort. - see ANEMANTHELE lessoniana | | | | | | | |
| ZA 390 | 80 | 1 | × | 320,00 | 48,00 | 6,00 | 9,80 |
| barbata [<i>Federspiel</i> , <i>Silberfeder</i>], Silver Feather Grass, 45 cm, silvery-white feather culms, VII-VIII, Z6-9 pure seed | | | | | | | |
| calamagrostis - see ACHNATHERUM calamagrostis | | | | | | | |
| ZA 394 | 10 | 16 | × | 298,00 | 38,00 | 5,00 | 3,80 |
| capillata [<i>Brautscheier</i> , <i>Lace Veil</i> , <i>Bridal Veil</i>], 80 cm, with upright silky panicles, VII, Z6-8. . . | | | | | | | |
| ZA 398 | 10 | 16 | × | 256,00 | 32,00 | 4,00 | 3,00 |
| extremiorientalis (ACHNATHERUM pekinense), 120 cm, drooping loose blossom panicles, VII-VIII, Z5-8 | | | | | | | |
| ZA 400 | 30 | 9 | × Sol | 648,00 | 72,00 | 9,00 | 9,00 |
| gigantea , ^(AGM) Giant Feather Grass, 180 cm, VI-VIII, Z6-10. pure seed | | | | | | | |
| ZA 399 | 0,25 | 16 | × Sol | – | 820,00 | 96,00 | 7,80 |
| ichu , ^(AGM) Peruvian Feather Grass, 100 cm, white-silver spikes, gracile foliage clumps, VIII-X, Z7-10, pure seed | | | | | | | |



SETARIA palmifolia



SORGHASTRUM nutans



SPODIOPOGON sibiricus



SPARGANIUM erectum



SORGHASTRUM nutans 'Indian Steel'



SPOROBOLUS airoides



SPOROBOLUS heterolepis



SPOROBOLUS wrightii



STIPA barbata

| | | | | Prices in EURO net per: | | | | |
|--|---|----|----|-------------------------|-----------|----------|---------|------|
| | | | | from 100 g | from 10 g | from 1 g | Portion | |
| STIPA continuation | | | | | | | | |
| ZA 403 | joannis , Grey-Sheathed Feather Grass, 50 cm, long silver-grey panicles, V-VII, Z6-9 | 40 | 9 | △ × | 380,00 | 54,00 | 7,80 | 7,80 |
| ZA 402 | pennata , European Feather Grass, 35 cm, very elegant silver-grey flower heads, V-VI, Z6-9 | 45 | 9 | × | 480,00 | 58,00 | 7,40 | 7,40 |
| | pennata ssp. joannis - see joannis | | | | | | | |
| ZA 404 | pulcherrima [Windfeder], 120 cm, long silver feather spikes, VI-VII, Z6-9 | 50 | 1 | × △ | 380,00 | 54,00 | 7,80 | 7,80 |
| | splendens - see ACHNATHERUM splendens | | | | | | | |
| ZA 407 | tenuissima (tenuifolia) (NASELLA) [Pony Tails , Angel Hair], [AGM], Mexican Feather Grass, 40 cm, slender arching leaves, feathery spikes, VII-VIII, Z6-10, pure seed | 2 | 16 | ⊗ △ ⊕ | 580,00 | 84,00 | 12,00 | 4,00 |
| ZA 405 | tirsia (longifolia), Horsetail Feather Grass, 60 cm, silver-grey flower heads, VI-VII, Z5-8 | 40 | 1 | × | 240,00 | 30,00 | 3,80 | 3,80 |
| ZA 406 | trichotoma 'Palomino' (NASELLA), Chilean Needle Grass, 30 cm, needle-like filigree foliage, dense arching mounds, feathery white spikes, well suited for annual plantings, can be rampant and may need controlling, no deliveries to Australia, New Zealand or USA possible, VIII-IX, Z8-10, pure seed | 3 | 16 | ⊗ ⊕ | 386,00 | 48,00 | 6,20 | 3,10 |
| ZA 408 | ucrainica , 60 cm, loose flower panicles, early flowering, VI-VII, Z5-8 | 45 | 9 | × | 320,00 | 42,00 | 5,60 | 5,60 |
| THAMNOCALAMUS spathaceus - see FARGESIA murielae | | | | | | | | |



STIPA capillata



STIPA ichu



STIPA extremiorientalis



STIPA gigantea



STIPA pennata



STIPA pulcherrima



STIPA tenuissima



STIPA tirsia



STIPA trichotoma 'Palomino'

| | Gram to get 1000 plants | Nº. of the sowing directions | Special Hints | Prices in EURO net per: | | | |
|--|-------------------------|------------------------------|---------------|-------------------------|-----------|----------|---------|
| | | | | from 100 g | from 10 g | from 1 g | Portion |
| THAMNOCHORTUS (Restionaceae) | | | | | | | |
| ZA 411 cinereus , Silver-Reed, 100 cm, golden-brown spikes, silver-grey foliage clumps, VII-VIII, Z7-10 | 5 | 8 | ☒ ☒ | – | 288,00 | 36,00 | 9,00 |
| ZA 413 ☑ spicigerus , Thatching-Reed, 200 cm, giant, wide horsetail-like stems, brown flower heads, VIII-X, Z7-10, pure seed | 3 | 1 | Sol ☒ ☒ | – | 288,00 | 36,00 | 9,00 |
| THEMEDA (Poaceae, <i>Gramineae</i>) | | | | | | | |
| ZA 410 ☑ triandra var. japonica , 120 cm, red fall color, IX-X, Z6-10 | 20 | 15 | Sol ^ | – | – | 12,00 | 4,80 |
| TYPHA (Typhaceae) | | | | | | | |
| ZA 420 ☑ angustifolia , 200 cm, Slender Reed Mace, VII-VIII, Z3-10, pure seed | 0,5 | 18 | ☒ ☒ ☒ | 480,00 | 68,00 | 9,80 | 2,60 |
| ZA 424 ☑ latifolia , 250 cm, Common Reed Mace, VII-VIII, Z3-10, pure seed | 0,5 | 18 | ☒ ☒ ☒ ☒ | 420,00 | 60,00 | 8,60 | 2,40 |
| UNCINIA (Cyperaceae) | | | | | | | |
| ZA 427 egmontiana , 40 cm, orange-red clumps, very striking, V-VI, Z7-10 | 3 | 8 | ☒ △ ☒ | – | – | 52,00 | 7,80 |
| ZA 428 ☑ rubra (uncinata) [Firedance] , 30 cm, red-bronze coloured clumps, very attractive, V-VI, Z6-10 | 3 | 16 | ☒ △ ☒ | – | 380,00 | 44,00 | 7,20 |
| UNIOLA - see CHASMANTHIUM | | | | | | | |



STIPA ucrainica



THAMNOCHORTUS spicigerus



THEMEDA triandra var. japonica



TYPHA latifolia



TYPHA angustifolia



UNCINIA rubra

1. Kaltkeimer werden auch heute noch, nicht ganz zutreffend, Frostkeimer genannt.

Die Aussaat muß während der ersten 2–4 Wochen **warm** (ca. +18 bis +22°C) und gut feucht gehalten werden. Danach ist sie für etwa 4–6 Wochen einer kalten Temperatur zwischen –4 und +4°C auszusetzen. Lediglich bei den meisten Ranunkelgewächsen sind Temperaturen um –5°C von Vorteil.

Sollten die hier genannten Temperaturen während der Kühlperiode über- oder unterschritten werden, schadet dies nicht, jedoch muß die Kühlperiode dann entsprechend verlängert werden, da der Aufbauprozeß der keimauslösenden, hormonartigen Säure während dieser Zeit sich verlangsamt hatte oder still stand.

Kann man die Aussaaten in der Kühlperiode mit Schnee bedecken, ist das von Vorteil. Die Temperatur darunter hält sich meistens in dem günstigen Bereich von –4 bis 0°C, es bleibt feucht, und der schmelzende Schnee „frißt“ an der Samenschale, macht diese poröser, was beim Ausschleiben des Keimes von Vorteil ist. Nach dieser Kühlperiode dürfen keinesfalls sofort hohe Temperaturen angewandt werden, vielmehr liegt dann der günstigste Temperaturbereich zwischen +5 und +12°C, auch dann, wenn bereits eine Keimung zu beobachten ist! Also ist der richtige Platz für diese Aussaaten, auch im März/April/Mai noch, das Freiland, der kalte Kasten oder ein Kalthaus.

2. Die Mehrzahl der Ranunkel-Gewächse benötigt tiefere Temperaturen in der Kühlperiode, ca. –5°C, sonst wie in 1.) beschrieben verfahren. Der Grund liegt wahrscheinlich darin, daß der Gefrierpunkt dieser Samen bei ca. –7°C liegt, bei den meisten anderen Samen aber bei –5°C.
3. Diese Arten bringen meist ein ausgezeichnetes Keimergebnis, wenn sie bald nach der Ernte ausgesät werden, obwohl bei vielen dieser Arten die Keimung selbst dann erst im Frühjahr, nach Wintereinwirkung, erfolgt. Deshalb diese Samen rechtzeitig bestellen.
4. Hier handelt es sich um sehr feine Samen, die man für eine gleichmäßige Aussaat eventuell mit Talkum oder feinstem Sand mischen sollte. Nicht mit Erde übersieben, nur andrücken. Bewässerung von unten oder mit feinem Zerstäuber, damit die Samen nicht weggeschwemmt werden.
5. Nicht immer führt das unter 1.) beschriebene Verfahren zu einem vollen Erfolg. Manche Arten benötigen nach der Kühlperiode noch zusätzlich eine längere Zeit bis zur Keimung. Saatgefäße daher nicht zu früh wegwerfen. Manche Samen liegen dann noch ein ganzes Jahr.
6. Diese Samen liegen sehr lange bis zur Keimung, 1 Jahr und mehr. Aus Platzgründen, und auch um das Austrocknen zu verhindern, wird dieser Samen „stratifiziert“. Das bedeutet: Einschichten der Samen in feuchten Sand. Abwechselnd eine Schicht gut feuchten Sand, eine dünne Schicht Samen usw. Die Stratifizierkisten setzt man an schattiger Stelle den Witterungseinflüssen (besonders dem Winterwetter) aus und schützt durch feines Drahtgeflecht vor Mäusen und Vögeln. Für größere Saatgutmengen haben sich in Anzuchtbaumschulen betonierte Stratifizierkästen bewährt. Im Frühjahr sollte öfters kontrolliert werden, ob die Keimung bereits beginnt. Dann sofort mit dem Sand, der ständig feucht gehalten wurde, auf das vorbereitete Saatbeet ausbringen.
7. Dieser Samen sollte so dick abgedeckt werden, wie der Durchmesser des Samenkorns ist. Bei Tagestemperaturen um +20°C stets für gleichmäßige Feuchtigkeit sorgen, für Cyclamen ist +18°C jedoch besser. Nach erfolgter Keimung hell und mäßig warm aufstellen.
8. Es handelt sich hier um Staudensamen, der sehr ungleichmäßig keimt auf eine lange Keimperiode verteilt. Hier sind auch besonders Einwirkungen von niederen Temperaturen unter +5°C sehr von Vorteil. Saatgefäße nicht zu früh vernichten. Besonders auf gleichmäßige Feuchtigkeit achten und keiner direkten Sonnenbestrahlung aussetzen. Für Alstroemeria empfehlen wir, die Aussaat 21 Tage bei ca. +30°C aufzustellen. Danach 21 Tage bei +5°C, anschließend ca. +21°C.
9. Keimt je nach Art und Herkunft schnell. Wenn jedoch nach 3–4 Wochen die Keimung nicht erfolgt, muß diese Herkunft einer Kühlperiode von 2–4 Wochen ausgesetzt werden. Für die im Himalaya beheimateten Meconopsis ist die Kühlperiode unerlässlich. Sie müssen auch nach erfolgter Keimung noch einige Wochen kühl, unter ca. +12°C, gehalten werden.
10. Diesen größeren, hartschaligen Samen hilft eine leichte, mechanische Beschädigung der Samenschale zum schnelleren Aufquellen. Eine Methode ist es, die Samen zwischen trockenem, scharfen Sand zu reiben oder mit Schmirgelpapier. Man kann ihn auch einige Stunden in „Weichmacher“ (Polyäthylenglycol 6000), wie er bei der Plastikherstellung verwendet wird, einweichen.
11. Opuntien keimen im 2. Jahr nach der Ernte besser und gleichmäßiger. Frischer Samen liegt daher oft ein Jahr in der Erde bis zur Keimung.
12. Keine Kühlperiode erforderlich; trotzdem liegt dieser Samen meist mehrere Monate bis zur völligen Keimung.
13. Diese großen Samen 2–3 Tage in Wasser vorquellen, mit „Weichmacher“ aber höchstens 1 Tag. Danach an der Seite des Keimkegels vom Samen eine hauchdünne Scheibe abschneiden oder abziehen, so daß der Keimling fast frei liegt. Samen mit Schnittstelle nach oben auf feuchtes Aussaatsubstrat (z.B. Vermiculite) aufsetzen. Glashaube oder Glasscheibe dicht abschließend in reichlichem Abstand vom Samen darüber setzen. Die entstehende Luftspannung bei Temperaturen von ca. +22°C fördert die Keimung.
14. Eine Wärmeperiode nach der Aussaat von ca. +25 bis +30°C über etwa 4–5 Wochen, wobei feucht gehalten wird, hebt die Keimhemmung auf. Es zerfällt der im Samen vorhandene, keimhemmende Stoff. Danach die Aussaat sehr kühl stellen, +2°C! Die bei dieser kühlen Temperatur beginnende Keimung zieht sich über ca. 80 Tage hin. Während dieser Zeit dunkel halten (Kühlraum). Danach Temperatur langsam erhöhen und Licht geben.
15. Schnell keimende Saat. Gleichmäßige Feuchtigkeit (nicht naß!) und Temperatur um etwa +20°C. Die Samen nur sehr dünn, ganz feine Saat gar nicht abdecken, aber andrücken. Nach erfolgter Keimung kühler stellen.
16. Wie 15.), jedoch erfolgt hier die Keimung nicht so schnell und auch nicht immer so sehr gleichmäßig, aber doch meist problemlos.
17. Wasserpflanzen in wasserdichten Plastikschaalen o. ä. in einer nahrhaften Schlammerte aussäen. Das Wasser darf bis zu 1 cm über der Aussaaterde stehen. Bei guter Wärme (ca. +22°C) aufstellen.
18. Aussaattechnik wie 17.). Die Saatschalen aber nur ca. 2–4 Wochen warm stehen lassen, danach ca. 4–6 Wochen kalt stellen um 0°C herum. Das Wasser darf ruhig gefrieren. Anschließend die Temperatur nur sehr langsam ansteigen lassen.
19. Diese Aussaat benötigt zur Aufhebung der Keimruhe (Zersetzung des keimhemmenden Stoffes) mindestens 6 Wochen gute Bodenwärme, ca. +22°C und gleichmäßige Feuchtigkeit. Anschließend 6–8 Wochen kalt stellen, ca. –4 bis +4°C. Meist beginnt die Keimung schon bei +4°C. Die Wärme nur sehr langsam anheben, nicht über +10°C, bis die Keimung abgeschlossen ist. Wenn die warme oder die kalte Periode nicht ausgereicht haben, dann keimen diese Samen erst im darauffolgenden Jahr. Sie benötigen dann noch mal eine warme Periode (Sommer) und eine kalte Periode (Winter). Bekanntes Beispiel: Cimicifuga, Helleborus.
20. Diese Aussaaten sind sehr wärmebedürftig, +22°C oder auch höher, um ein gutes Keimergebnis zu erzielen. Mäßige, aber gleichmäßige Feuchtigkeit ist sehr wichtig. Gunnera allerdings möchte es besonders feucht (nicht naß) und besonders warm, ca. +24 bis +30°C.

Allgemeines:

Stellen Sie niemals Aussaaten in eine Gefriertruhe, Gefrierschrank oder Gefrierraum mit Temperaturen unter –5°C!! Die Ausdehnung des gefrierenden Wassers in den Samenzellen geht in solchem Fall zu plötzlich vor sich. Ein Druckausgleich durch die Zellmembranen hindurch kann so schnell nicht erfolgen. Die Zellwände werden zerrissen und der Samen ist tot. In der Natur kommen solche sekundenschnellen Temperaturstürze in den Minusbereich nicht vor. Auf einen normalen, langsamen Druckanstieg sind die Zellmembranen jedoch eingerichtet und sorgen mit ihrer Durchlässigkeit für einen osmotischen Druckausgleich.

Bei etlichen Kaltkeimern kommt es immer wieder vor, daß ein Teil der Samen schon während der Warmperiode keimt. Diese Sämlinge sollte man unbedingt heraus pikieren bevor die Aussaat kalt gestellt wird. Diese Erscheinung hat mehrere Ursachen. Unter anderem dient sie in der Natur mit zur Arterhaltung in Regionen, wo eine Winterwitterung nicht in jedem Falle gewährleistet ist. Setzt jedoch eine entsprechende Winterwitterung ein, überleben diese vorzeitig erschienenen Sämlinge nicht. Die Art wird dann durch die nach Kälteeinwirkung keimenden Samen erhalten.

Für eine künstliche Kühlperiode bietet sich daher der Kühlschrank oder Kühlraum mit Temperaturen um 0°C an. Weil Aussaatkisten im Kühlschrank meist nicht unterzubringen wären, kann man so verfahren, daß man die Samen, mit etwas feuchtem Sand vermischt, in Plastikbeutel füllt und nach der erforderlichen Wärmeperiode so im Kühlschrank unterbringt. Es ist aber darauf zu achten, daß der Sand in den Beuteln feucht bleibt. Nach Ablauf der erforderlichen Kühlperiode wird dann der Samen mit dem Sand in das Aussaatgefäß ausgebracht und bei der dann erforderlichen Temperatur aufgestellt.

Nachdruck dieser Aussaatanleitungen, auch auszugsweise, ist nicht gestattet. Die Anleitungen sind nur für die Aussaat der von uns bezogenen Samen gedacht; eine anderweitige Verwendung, z.B. für Unterrichtszwecke, darf nur mit unserem Einverständnis erfolgen.

1. Cold-germinators are still referred to as frost-germinators, although this isn't quite correct. The sowing must be kept **warm** (about +18 to +22°C) [about 64 to 72°F] and moist for the first 2–4 weeks. After this period the sowing must be kept at a cold temperature (between –4 and +4°C) [between 25 and 39°F] for another 4–6 weeks. Colder temperatures of –5°C [23°F] are only advantageous for most species of the Ranunculus family. It is not so important if the temperature is higher or lower during the cooling period, but the cooling period has to be prolonged because the synthesis of the germination inducer, hormon-like acid, slows down or comes to a standstill.

It is beneficial to cover the sowing with snow during the cooling-period. The temperature below it usually keeps in the optimum range of –4 to 0°C [25 to 32°F]. The sowing is kept moist, and the melting snow helps to destroy the shell, which is advantageous for the germinating seedling. After this cooling-period the sowing may not be immediately exposed to high temperatures. The most effective temperatures are between +5 to +12°C [41 to 54°F], even if germination has started. The best location for this sowing, even in March, April and May, is the open field, the cold frame or a cold greenhouse.
2. Most species of the Ranunculus-family need lower temperatures during the cooling-period – about –5°C [23°F]. In other respects follow the directions in 1. above. The reason is probably the freezing point of these seeds, which is at –7°C [19°F], while most other seeds freeze at –5°C [23°F].
3. These species usually show excellent results if sown soon after the harvest, although most of them only germinate in spring after the effect of winter. For best results please order seeds in time.
4. These are very tiny seeds which should be mixed with finest sand or talcum for an even sowing. Do not cover with compost, only press them in gently. Irrigate from the bottom or with a hand-sprayer, so that the seeds will not be washed away.
5. The directions of 1. do not always show the best results. After the cooling-period some species need a longer time until germination starts. As some seeds do not germinate until the next year, it is important not to throw away the seed boxes too early.
6. These seeds germinate extremely late, sometimes it takes one year or longer before germination starts. To best utilize space and avoid drying out, this seed must be "stratified" (placed in layers of wet sand – alternately a thin layer of seeds and a layer of well-moistened sand, etc.). The stratification boxes have to be kept in the shade to benefit from weather effects – especially winter. A fine wire mesh will protect them from mice and birds. Nurseries have found that concrete boxes are useful for large amounts of seed. In spring frequently check to see if germination has begun. When germination has started, the seeds must be sown immediately in the prepared bed with the moist sand.
7. These seeds must be covered with a layer seed kernel diameter. Keep daytime temperatures at approximately +20°C [68°F], and keep the moisture constant, for Cyclamen, however, +18°C [64°F] is recommended. The seeds must be kept in the light and moderately warm after germination.
8. These perennial seeds germinate very irregularly over a long period. Lower temperatures of less than +5°C [41°F] are very effective. Seed trays should not be discarded prematurely. Constant moisture must be maintained. Do not leave in direct sunlight. For Alstroemeria we recommend to keep sowing for 3 weeks at approximately +30°C [86°F], then 3 weeks at +5°C [41°F], then at +21°C [70°F].
9. These seeds germinate rapidly depending on species and origin. If germination does not occur after 3–4 weeks a cooling period of 2–4 weeks is recommended.
10. For these bigger hard-shelled seeds, mechanical damaging of the shell is helpful for quicker swelling. One method is to grind the seed in dry sharp sand. They can also be treated for several hours in a "softener" (Polyethylenglycol 6000), which is used for the production of plastic material.
11. Opuntias germinate more effectively the second year after harvest. Fresh seed often lies in the ground for about a year before germination.
12. No cooling-period is necessary, but these seeds usually need several months until complete germination.
13. Allow these large seeds to swell up in water for 2–3 days. If a "softener" is used only soak for a maximum of one day. After that cut off a thin slice of the seed close to the germcone so that the embryo is almost bare. Place seed with the cut facing up in a moist seed compost e. g. Vermiculite. This must be covered tightly with glass, a good interval from the seeds. The rising air pressure, at temperatures of about +22°C [72°F], accelerates the germination.
14. A warm period of +25 to +30°C [77 to 86°F] and moist conditions after sowing for about 4–5 weeks neutralizes the germination inhibition. The phytohormones which inhibit germination will then break down. At this point the sowing needs very cool conditions, approximately +2°C [36°F]. Initial germination lasts for about 80 days under these conditions. During this period keep in dark cold storage chamber. Then temperature and lighting must be increased gradually.
15. Rapidly germinating, keep seed in constant moisture (not wet) with temperatures of about +20°C [68°F]. Seeds must be covered thinly. Do not cover very small seeds, but tightly press into the earth. Keep in cooler conditions after germination occurs.
16. See 15 with the exception of germination being slower and more irregular. This poses no problems.
17. Waterplants must be sown in waterproof plastic trays or similar containers containing a nutritious muddy compost. Fill water up to 1 cm over the top of the compost. Keep the trays at warm temperatures of approximately +22°C [72°F].
18. See 17. Allow the seed trays to be left for only 2–4 weeks at warm temperatures, then keep at 0°C [32°F] for another 4–6 weeks. It does not matter if the water freezes. After this treatment allow temperature to rise gradually.
19. To stop the germination inhibition give seeds a warm compost (about +22°C) [about 72°F] with constant humidity for at least 6 weeks. Then keep cold (–4 to +4°C) [25 to 39°F] for 6–8 weeks. Usually, the germination starts at +4°C [39°F]. Raise temperatures gradually up to +10°C [50°F] until germination is completed. If the warm or cold period was not long enough the seeds will not germinate until the following year. They will then need another warm period (summer) and a cold period (winter). Well-known examples: Cimicifuga and Helleborus.
20. To obtain best germination results, seeds need temperatures of +22°C [72°F] or more. Moderate, but constant humidity is very important. Gunnera, however, prefers very moist (not wet) and warm (+24 to +30°C) [75 to 86°F] conditions.

General remarks:

Never put the sowing into a freezer with temperatures below –5°C [23°F]! The expansion of the freezing water in the seed cells is too rapid. The cell membrane can not tolerate the pressure compensation. The cell wall would be destroyed and the seed would die. Rapid drops in temperature below the freezing point do not occur naturally. A normal, slow rise in pressure can be tolerated by the cell membrane, its permeability taking care of an osmotic equalization of pressure.

It is possible to use a refrigerator with a temperature of about 0°C [32°F] to create an artificial cooling period. Since it is usually not possible to put the seed trays into a refrigerator, you can mix the seed with moist sand. It should be put into a plastic bag and placed into the refrigerator after the required warm period. The sand must be kept constantly moist. After the required cooling period sow the sand with the seed into seed trays and leave at required temperatures.

Copying or reprinting these sowing directions, even in excerpts, is not permitted. These directions should only be used for the sowing of seeds supplied by us. Other uses, e. g. for teaching, are only authorized by our permission in writing.

1. Kallgroende arter benämns ännu – om än inte helt korrekt – "frostgroende". Sådden skall under de första 2–4 veckorna hållas relativt **varmt** (ca. +18 till +22°C) och väl fuktigt. Därefter skall temperaturen sänkas till mellan –4°C och +4°C under 4–6 veckor. Endast för de flesta ranunkelväxter (Ranunculaceae) är en temperatur på minus 5°C en fördel.
 Skulle de här nämnda temperaturgränserna under kylperioden över- eller underskridas skadar detta i och för sig inte. Dock måste kylperioden i sådana fall förlängas emedan utvecklingen av de gröningsbefrämjande, hormonartade syrorna försenas eller avstannar.
 Kan man täcka sådden med snö under kylperioden är detta en fördel. Under snön bibehålls temperaturen på en gynnsam nivå omkring –4°C till 0°C. Fuktigheten bevaras och smältvattnet medverkar till att göra fröskalet poröst vilket underlättar groddens framspirning.
 Efter kylperioden skall temperaturen inte höjas för häftigt – bäst är +5 till +12°C även sedan groningen börjat. Alltså är den bästa miljön för "kallgroende" arter ett kallhus eller en kallbänk (kast) o dyl lokaler eller också på friland.
2. Flertalet ranunkelväxter behöver en något lägre temperatur (ca. –5°C) under kylperioden som angivits ovan. Orsaken är förmodligen att deras fryspunkt ligger vid –7°C medan den hos de flesta andra kallgroende växtslag ligger vid –5°C.
3. Dessa växtslag gror vanligen utmärkt om de sås strax efter skörden (färskt frö). Dock sker groningen hos många arter först på våren efter vinterns påverkan. Beställ dessa växtslag i god tid!
4. Här rör det sig om mycket småkorniga fröer som man – för att kunna så jämnt och glest – eventuellt kan blanda med talk eller fin sand. Skall ej täckas med jord utan endast tryckas fast mot ytan. Bevattnas underifrån eller med mycket fin dusch så att fröet inte flyter omkring.
5. Det under punkt 1. beskrivna förfaringssättet ger inte alltid önskat resultat. Många arter behöver efter kylperioden ytterligare lång tid på sig innan groningen kommer igång. Bevara därför sådden väl fuktigt och skyddad mot ohyra under ett helt år – innan hoppet är ute.
6. Dessa frön ligger ofta mycket länge innan groningen börjar – ett år eller mer. För att spara plats och förhindra uttorkning ska dessa frön "stratifieras". Detta innebär: skikka fröet med väl fuktig – våt ren sand. Först ett lager sand, därefter ett tunt lager frö, nytt lager sand o s v. Stratifieringslådan skall stå skuggigt och svalt utsatt för vädrets växlingar – särskilt fuktigt och svalt vinterväder är gynnsamt. Skyddas mot möss och fåglar med finmaskigt nät. Under större förhållanden i plantskolor använder man särskilt för ändamålet byggda "stratifieringskistor". På våren kontrolleras ofta (varje vecka) om groningen börjat. Så snart groningen kan konstateras skall fröet med den ständigt fuktiga sanden sås ut på väl förberedd såbädd.
7. Dessa fröslag skall täckas lika tjockt som kornens diameter. Dagtemperatur +20°C och absolut god jämn fuktighet. För Cyclamen är dock något lägre temperatur +18°C bäst. Så snart groningen börjar ställs sådden ljus och i lämplig temperatur alltefter växtslag.
8. Det rör sig här om utsäde av perenna växter som ofta gror mycket oregelbundet under lång tid. Här har också en tids lägre temperatur +5°C en gynnsam inverkan. Kasserar inte sådden för tidigt – den måste få sin chans. Absolut jämn, god fuktighet är en förutsättning för en lyckad groning. Skydda sådden mot direkt solstrålning. Vi rekommenderar för Alstroemeria att hålla sådden ca. 3 veckor omkring +30°C, därefter 3 veckor +5°C och sedan omkring +21°C.
09. Gror vanligen ganska snabbt – alltefter art och härkomst. Om dock groningen inte kommit igång efter 3–4 veckor måste sådden utsättas för en kylperiod under 15-30 dygn. För alla Meconopsis som hör hemma i Himalaya är kylperioden nödvändig. Även efter groningen skall de stå svalt, under +12°C, för några veckor.
10. Dessa stora, hårdskaliga frön kan hjälpas till snabbare groning genom en lätt mekanisk åverkan på skalet. En metod kan vara att nöta fröet med grovkornigt skarpt grus. Ett annat sätt är att rispa fröet med sandpapper. Man kan också prova att blötlägga fröet några timmar i en „mjukgörare" som plastindustrin använder (polyetylenglykol 6000).
11. Opuntia gror bättre och mer regelbundet ett par år efter skörden. Nytt frö ligger ofta ett år i jorden innan det kan börja gro.
12. Kylperiod är icke nödvändig trots att dessa fröer kan ligga flera månader i sådbädden innan groningen kommer igång.
13. Dessa stora frön kan få svälla i vatten under 2–3 dygn. Dock högst ett dygn i de fall „mjukgörare" används. Därefter kan man med ett försiktigt och mycket tunt snitt skära eller dra av fröskalet kring embryot så att själva grodden mer eller mindre friläggs. Fröet läggs med „snittsidan" uppåt på väl fuktigt substrat (t ex Vermiculite). Täck närmast lufttätt med glaskupa eller glasskiva på tillräcklig höjd över fröet. En lufttemperatur på +22 till +24°C gynnar groningsprocessen.
14. En värmeperiod med ca. +25 till 30°C under 4–5 veckor efter sådden häver fröets vilstadium och gynnar groningen. Detta eliminerar de groningshämmande substanserna som finns i fröet. Därefter skall sådden ställas mycket svalt på endast +2°C! Den groningsprocess som börjar vid denna låga temperatur drar ofta ut över ca. 80 dagar. Under hela kyltiden skall sådden hållas mörkt (kylrum). Därefter ges så småningom (langsamt) högre temperatur och ljus.
15. Snabbt groende frön. Sådden ska hållas jämnt och väl fuktig – men inte blöt – och temperaturen vid ca. +20°C. Fröet täcks mycket tunt – riktigt små frön täcks inte alls men trycks försiktigt ner i jordytan. När groningen börjat placeras sådden något svalare och ljus.
16. Behandlas som under punkt 15. men groningen sker långsammare och ofta oregelbundet men i huvudsak problemlöst.
17. Vattenväxter sås i vattentätt kärl i näringsrik slamjord. Vattnet skall stå ca. 1 cm över jorden. Håll god groningstemperatur (ca. +22 till +24°C).
18. Såteknik som under punkt 17. Dock ska sådden stå varmt endast under 2–4 veckor för att därefter hållas kallt vid ca. 0°C under 4–6 veckor. Vattnet får gärna frysa till. Slutligen får temperaturen stiga långsamt.
19. Dessa frön behöver minst 6 veckor god jordvärme (+22°C) och jämn god fuktighet för att groningsvilan skall hävas. Därefter 6–8 veckor låg temperatur, ca. –4 till +4°C. I de flesta fall begynner groningen redan vid +4°C. Temperaturen får endast långsamt höjas – dock ej över +10°C – tills dess groningsprocessen är avslutad. Om värmen eller kylperioden inte fungerar tillfredsställande eller under tillräckligt lång tid kommer fröet att gro först nästa år. Fröet behöver då ännu en värmeperiod (sommar) och en kylperiod (vinter) för att gro. Kända exempel är: Cimicifuga och Helleborus.
20. Dessa fröslag är mycket värmeberoende, +22°C eller ännu högre, för att gro väl. Måttlig men jämn fuktighet i såbädden är mycket viktig! Gunnera måste t ex ha god fuktighet (dock ej blött) och särskilt hög groningstemperatur, ca. +24 till +30°C för att spira väl.

Allmänna råd:

Ställ aldrig sådden i frybox eller frysrum med lägre temperatur än –5°C!! Utvidgningen av det frysande vattnet i växtcellerna sker vid starkare frost alltför häftigt. Tryckutjämningen genom cellens membran (cellväggarna) kan då inte ske tillräckligt snabbt. Cellväggarna kommer att sprängas och fröet dö. I naturen förekommer normalt inte så plötsliga temperatursänkningar under fryspunkten. Växtcellen är anpassad till en normalt tämligen långsam tryckstegring och sörjer med sin semipermeabilitet (halvgenomtränglighet) för en osmotisk tryckutjämning.

För en konstlad kylperiod lämpar sig därför ett kylskåp eller kylrum med en temperatur runt 0°C bäst. Om sålådor o. i. inte går att ställa in i kylskåpet kan man i stället blanda fröet med ren, fin och väl fuktig sand (dock ej havssand som innehåller salter). Lagg frösandblandningen i stark plastpåse och utsätt den för lämplig värmeperiod enligt anvisningen och därefter placeras påsen i kylskåpet under angiven tid. Se till att sanden hela tiden förblir fuktig!

Efter den erforderliga kylbehandlingen sås blandningen ut på det sätt som anges under respektive punkt och under de temperaturförhållanden som där rekommenderas.

Avtryck och kopiering, ävensom utdrag av denna anvisning för sådd, är förbjudet. Anvisningen är endast avsedd för utsäde som levererats av oss. Annan användning – för t ex undervisning e. l. – får endast komma ifråga med vår tillåtelse.

1. Les semences froides sont souvent appelées à tort semences hivernales.

La semence doit être maintenue **au chaud** pendant les 2–4 premières semaines à environ +18 à +22°C, en milieu humide. Elle est ensuite exposée pendant 4–6 semaines à une température de l'ordre de –4 à +4°C. Pour la famille des Ranunculaceae seulement, cette température devrait atteindre –5°C.

Si pendant la période froide les températures indiquées devaient différer en plus ou en moins, cela ne présente aucun inconvénient, mais la période froide doit être prolongée en conséquence étant donné que le processus de germination lié à la production de certains acides de type hormonal c'est ralenti voire même a été stoppé.

Il est très avantageux de pouvoir recouvrir l'ensemencement de neige pendant la période hivernale. La température qui y règne se situe dans la zone favorable de –4 à 0°C, le milieu demeure humide et la neige fondante "attaque" l'écorce de la semence, la rend poreuse, ce qui offre un avantage certain lorsque le germe veut sortir. Cette période froide passée, il faut absolument éviter de recourir immédiatement à des températures élevées, la zone thermique préférable se situant entre +5 et +12°C, même lorsque les signes de première germination se sont déjà manifestés. Le meilleur endroit pour de tels ensemencements est donc le terrain en plein air, le caisson froid ou la serre froide pendant les mois de mars, avril ou mai.

2. La plupart des plantes appartenant à la famille des renonculacées demandent des températures inférieures pendant la période froide, de l'ordre de –5°C, pour le reste, ce qui a été dit en 1. demeure valable. La raison en est que la température de congélation se situe pour cette semence aux alentours de –7°C, et de –5°C pour la plupart des autres.
3. Cette variété présente généralement une germination excellente si elle est ensemencée peu de temps après la récolte, même si pour grand nombre de ces espèces la germination ne commence que vers le printemps, après que les effets de l'hiver se soient fait sentir. Cela explique pourquoi il faut commander sa semence à temps.
4. Il s'agit ici d'une semence très fine que l'on devrait mélanger à du talc ou à du sable très fin pour obtenir un ensemencement bien régulier. Ne pas recouvrir de terre criblée, mais seulement aplanir en pressant. Arroser de la base ou au moyen d'un pulvérisateur fin pour éviter que les semences soient emportées.
5. Le procédé décrit en 1 ne conduit pas toujours à des résultats satisfaisants. La période froide passée, certaines espèces demandent encore un certain temps pour germer. C'est la raison pour laquelle il ne faut pas jeter les conteneurs trop tôt. Il se peut que certaines graines y soient encore pendant toute une année.
6. Ces semences demandent une longue période avant la germination, quelquefois une année et même plus. Pour des raisons d'encombrement et aussi pour éviter que les graines se dessèchent, cette semence est "stratifiée". Cela signifie que les graines sont réparties en couche sur des lits de sable humide. Changeant les couches de sable humide et les couches fines de graines. Les caisses sont ensuite entreposées dans un endroit ombragé exposé au froid de l'hiver (notamment), bien protégées contre les oiseaux et les souris par un grillage fin. Pour des quantités de semence plus grandes, des caisses à stratification en béton se sont avérées très pratiques. Il convient de vérifier au printemps si la germination a déjà commencé. En pareil cas, transplanter immédiatement avec le sable, qui a été maintenu humide en permanence, à l'endroit prévu à cet effet.
7. Cette semence devrait être recouverte d'une couche correspondant à la grosseur de la graine. Pour des températures diurnes de l'ordre de +20°C, veiller à ce que l'humidité soit maintenue constante. Une température de +18°C est toutefois préférable pour les cyclamens. Entreposer dans un endroit ensoleillé et moyennement chaud dès que la germination a commencé.
8. Il s'agit ici d'une semence de plante vivace, dont la germination est très irrégulière et répartie sur une longue période. A noter ici que les effets d'une basse température de l'ordre de +5°C sont très avantageux. Ne pas détruire trop tôt les conteneurs de semence. Bien veiller à une humidité régulière et ne pas exposer à l'ensoleillement direct. Pour la semence d'Alstroemeria nous recommandons pour 21 jours environ +30°C. Elle est ensuite exposée pendant 3 semaines à une température de +5°C. Entreposer ensuite à température de +21°C.
9. Germe très vite selon l'espèce et la provenance. Si cette germination n'a toutefois pas commencé dans un intervalle de 3–4 semaines, il est utile d'exposer l'ensemencement à une période froide de 2–4 semaines. La période froide est indispensable pour le Meconopsis domicilié en Himalaya. – Après la germination il faut faire froid ces semences. Une température moins que +12°C est préférable.
10. Il est recommandé de casser par voie mécanique l'écorce très dure de cette semence pour faciliter un gonflement plus rapide. L'une des méthodes consiste à frotter la graine avec du sable sec aux arêtes tranchantes. Il est aussi possible de ramollir la semence en la plongeant dans un "émollient" (polyéthylène glycolique 6000), utilisé dans la fabrication des matières plastiques.
11. Les opuntia germent mieux et plus régulièrement au cours de la 2ème année suivant la récolte. Les semences fraîches restent de ce fait pendant une année dans la terre avant de germer.
12. Aucune période de froid n'est nécessaire. Cela n'empêche pas que cette graine reste en terre pendant plusieurs mois avant de germer.
13. Laisser ces grosses graines se regorger en les plongeant dans l'eau pendant 2–3 jours, ou dans un "émollient" pendant une journée. Faire ensuite une entaille sur le cône de germination et enlever une très petite capsule de l'écorce, de telle sorte que le germe soit presque à nu. Placer la semence l'entaille vers le haut sur un substrat humide (vermiculite par exemple). Placer ensuite une cloche ou une vitre fermant bien à un écart suffisant des graines. La tension d'air qui résulte à une température de +22°C environ facilite la germination.
14. Une période chaude de +25 à +30°C suivant l'ensemencement répartie sur une durée de 4 à 5 semaines, en milieu humide, permet de lever les obstacles à la germination. La substance bloquant la germination se désagrège dans la graine. Entreposer ensuite la semence dans un lieu très frais de l'ordre de +2°C. A cette basse température, la germination se prolonge sur une période de 80 jours. Maintenir à l'obscurité pendant toute cette période (frigorifère ou chambre froide). Faire monter ensuite lentement la température en augmentant la lumière.
15. Semence à germination rapide Humidité régulière (éviter de submerger dans l'eau) et température avoisinant +20°C. Ensemencer très claire sans recouvrir les fines graines, tout en les aplanissant par pression toutefois. Mettre au frais dès que commence la germination.
16. Procéder comme en 15 sachant toutefois que la germination ici n'est pas aussi rapide et moins régulière, mais ne présentant toutefois aucun problème pratique.
17. Ensemencer les plantes aquatiques sur une boue nourrissante dans des cuvettes si possible étagées ou dans des récipients similaires. L'eau doit submerger la semence d'environ 1 cm. Entreposer à une température agréable (+22°C).
18. Technique d'ensemencement comme en 17. Ne laisser les cuvettes de semence seulement que 2–4 semaines à la chaleur, entreposer ensuite pendant 6–8 semaines au froid à une température de l'ordre de 0°C. Il n'y a pas d'inconvénient à ce que l'eau gèle. Ne laisser ensuite remonter la température que très lentement.
19. La semence exige une interruption du calme de germination (destruction de la substance bloquant la germination) se produisant dans un sol bien chaud pendant au moins 6 semaines à une température de +22°C à humidité constante. Ensuite 6 à 8 semaines au froid à –4 à +4°C. La germination commence le plus souvent dès +4°C. N'augmenter la température que très lentement et ne pas dépasser +10°C en fin de germination. Si la période de froid ou de chaleur n'a pas été suffisante, ces graines ne germent alors qu'au cours de l'année qui suit. Il leur faut alors encore une période chaude (été) et une période froide (hiver). Exemples les plus connus: Cisticifuga, Helleborus.
20. Ces semences demandent beaucoup de chaleur, +22°C et plus pour garantir une bonne germination. Une température modérée mais régulière est très importante. Gunnera en fait exige davantage d'humidité (ne pas submerger) et beaucoup de chaleur, +24 à +30°C.
Généralités:

Ne jamais entreposer vos semences dans un congélateur, une armoire ou une chambre de surgélation ayant une température inférieure à –5°C. La dilatation de l'eau à l'intérieur de la graine est dans ce cas beaucoup trop rapide. La compensation de pression au travers de la membrane cellulaire ne peut plus avoir lieu suffisamment vite. Cette membrane se déchire et la graine est morte. De tels chocs à une température inférieure à zéro durant quelques secondes n'ont jamais lieu dans la nature. Si la pression augmente régulièrement et doucement, la membrane cellulaire est prévue pour absorber la contrainte qui en résulte par voie osmotique de compensation de la pression.

Si vous désirez obtenir une période de froid artificiel, il est recommandé de recourir à un frigidaire ou une chambre froide à une température proche de 0°C. Etant donné que les caisses de semence sont difficiles à entreposer dans un frigidaire, il est possible de mélanger la graine à une sable humide, de les placer dans des sacs en matière plastique et, après la période chaude nécessaire, de les mettre dans le frigidaire. Il faut toutefois veiller à ce que le sable dans les sacs reste bien humide. Après la période de froid prévue, le sable et la semence sont vidés dans des récipients destinés à l'ensemencement et mis à la température nécessaire.

Toute reproduction de ces instructions, même partielle, est strictement interdite. Ces instructions sont seulement destinées au client qui utilise nos semences. Toute autre application comme par exemple l'enseignement n'est licite que moyennant notre autorisation écrite et mention de la source.

1. Koudekiers worden soms, ten onrechte, nog vorstkiers genoemd. De eerste 2–4 weken na het zaaien dient het uitzaaisel **warm** (ca. +18–22°C) en vochtig gehouden te worden. Pas na deze periode het zaaisel voor ongeveer 4–6 weken kouder zetten bij een temperatuurtussen –4 en +4°C. Bij vertegenwoordigers van de Ranonkelfamilie verdient het de aanbeveling een temperatuur van –5°C aan te houden.
Overschrijding van de genoemde temperaturen tijdens de koudeperiode is niet schadelijk, maar maakt wél een verlengde koudeperiode noodzakelijk. De opbouw van het noodzakelijke kiemingshormoon kan dan vertraagd of onderbroken zijn.
Een sneeuwdek tijdens de koudeperiode heeft voordelen. De temperatuur onder een sneeuwdek blijkt vaak de optimale te zijn, namelijk tussen de –4 en 0°C. Ook blijft het zaaisel vochtig terwijl de smeltende sneeuw de zaadhuid poreus maakt, wat van voordeel is op de kieming van het zaad. Kort na de koudeperiode dient het zaaisel niet te worden blootgesteld aan hoge temperaturen. De optimale temperatuur ligt dan tussen de +5 en +12°C, dit geldt ook als de kieming al begonnen is. Voor dergelijke zaaisels is de ideale plek (ook nog in maart, april of mei) buiten in de volle grond, in een bak of koude kas.
2. Het merendeel van de ranonkelachtigen verlangt een wat lagere temperatuur, ca. –5°C. De verdere aanwijzingen zijn gelijk aan die als bovenstaand onder 1.) zijn genoemd. De oorzaak is mogelijk gelegen in het feit dat het vriespunt bij deze zaden op –7°C ligt, terwijl deze bij de meeste andere zaden –5°C bedraagt.
3. Deze zaden hebben het beste kiemresultaat wanneer ze direct na de oogst worden gezaaid. In een aantal gevallen zal de kieming toch pas in het voorjaar geschieden na blootstelling aan winterinvloeden. Deze zaden bij voorkeur tijdig bestellen.
4. Dit is zeer fijn zaad. Voor een gelijkmatige verdeling bij het zaaien kan het worden gemengd met fijn zand of talkpoeder. De zaden niet bedekken, alleen licht aandrukken is voldoende. Bevochtigen door opzuigging van onder af of van boven met een fijne nevel.
5. De onder 1.) beschreven procedure leidt niet altijd tot een grote opkomst. In sommige gevallen is een langere inwerkingstijd op de zaden nodig. Het zaaisel daarom niet wegdoen maar bewaren tot volgend jaar.
6. Deze zaden hebben veel tijd nodig voor ontkieming, minimaal één en soms meerdere jaren. Ter besparing van ruimte en om uitdroging te voorkomen wordt dit zaad gestratificeerd, d.w.z. afwisselend lagen vochtig zand en een dunne laag zaden. Aldus opgeslagen (op een beschaduwde plaats) worden de zaden blootgesteld aan de (winter-) weersinvloeden. Fijn gaas beschermt de zaden tegen vraat van muizen en vogels. In kwekerijen worden wel betonnen bakken voor dit doel gebruikt. Constante oplettenheid in het voorjaar is nodig om te zien of de kieming al is begonnen. Als dit het geval is moet direct (met het vochtige zand) worden gezaaid in een voorbereid zaai-bed.
7. Dit zaad moet worden afgedekt met een laagje zaaigrond dat net zo dik is als het zaad zelf. Overdag een temperatuur aanhouden van +20°C bij een constante vochtigheid. In het geval van Cyclamen wordt +18°C aanbevolen. Na ontkieming licht en matig warm houden.
8. Dit vaste plantenzaad kiemt onregelmatig gedurende een langere kiemperiode. Ook hier geldt dat temperaturen onder +5°C een gunstige invloed op de kieming hebben. Het zaaisel daarom niet te vroeg wegdoen. Zorg voor een gelijkmatige vochtigheid en voorkom een directe instraling van zonlicht. Voor Alstroemeria adviseren wij het zaaisel gedurende 21 dagen bij ca. +30°C te houden, vervolgens gedurende 21 dagen bij +5°C en dan bij +21°C.
9. Gewoonlijk kiemt dit zaad snel, afhankelijk van soort en herkomst. Als er na 3–4 weken nog geen kieming is dan kan het zaaisel een koudeperiode worden gegeven van 2–4 weken. (Voor Meconopsis, afkomstig uit de Himalaya, is de koudeperiode verplicht en ook na opkomst moet het zaaisel nog een aantal weken koel, bij ca. +12°C, worden gehouden.)
10. Bij deze grotere zaden met een harde zaadhuid helpt een mechanische beschadiging van de zaadhuid waardoor het zaad sneller zwelt. Een methode is het zaad in droog, scherp zand of tussen schuurpapier te wrijven. Er wordt ook wel gebruik gemaakt van een zgn. weekmaker (Polyethyleenglycol 6000) uit de kunststofindustrie.
11. Opuntia kiemt beter en gelijkmatiger in het tweede jaar na de oogst. Vers gezaaid zaad ligt daarom vaak een jaar over voordat kieming volgt.
12. Een koudeperiode is hier niet noodzakelijk. Toch liggen deze zaden vaak een aantal maanden voordat ze massaal kiemen.
13. Deze grote zaden 2 tot 3 dagen laten weken in water. Bij gebruikmaking van een weekmaker slechts één dag. Vervolgens aan de zijkant een dun reepje van de zaadhuid afsnijden of afpellen waardoor de kiem komt bloot te liggen. Het zaad dan, met de snijkant naar boven, in een vochtig zaaimeidium bij Vermiculiet leggen en luchtdicht afsluiten onder een kunststof kap of een glasplaat. Zorg voor voldoende ruimte tussen kap en zaad. De hoge luchtvochtigheid in combinatie met een temperatuur van ca. +22°C bevordert een snelle kieming.
14. Een vochtige warme periode van 4–5 weken bij ca. +25–30°C verbreekt de kiemrust. De in het zaad aanwezige kiemremmer wordt dan afgebroken. Vervolgens het zaaisel koud, bij +2°C!, plaatsen. Bij deze lage temperatuur strekt de kieming zich over 80 dagen uit. Gedurende deze tijd het zaaisel donker houden (koelkast). Daarna de temperatuur en het lichtniveau geleidelijk aan verhogen.
15. Dit zaad kiemt snel. Gelijkmatig vochtig houden (niet nat) bij ca. +20°C. Het zaad slechts zeer dun afdekken, fijn zaad echter niet afdekken, maar licht aandrukken. Na de kieming koeler houden.
16. Als bij 15.). Kieming geschiedt meestal probleemloos maar mogelijk minder snel en wellicht ook minder gelijkmatig.
17. Waterplanten worden onder water gezaaid in plastic bakken gevuld met voedselrijk slib. Een laagje water van ca 1 cm boven het slib is voldoende. Tamelijke warm (+22°C) houden.
18. Zaaiprocedure als bij 17.). De zaai bakken slechts 2–4 weken warm houden en vervolgens 4–6 weken koude geven bij 0°C. Bevriezen mag. Daarna de temperatuur geleidelijk laten oplopen.
19. Deze zaaisels hebben voor het verbreken van de kiemrust (de afbraak van de kiemremmers) minstens 6 weken bodemwarmte van +22°C nodig en een gelijkmatige vochtigheid. Vervolgens een koudeperiode geven van ca –4 tot +4°C. Vaak begint de kieming al bij +4°C. De temperatuur dan geleidelijk laten oplopen tot niet meer dan +10°C tot de kieming volledig is. Het kan zijn dat de koude periode of de warme periode niet voldoende lang zijn geweest. In dat geval zal de ontkieming pas het jaar erop plaatsvinden na de invloeden van de zomer (warmte) en winter (koude). Bekende voorbeelden hiervan zijn Cimicifuga en Helleborus.
20. Deze zaaisels verlangen hoge temperaturen (+22°C of meer) voor een goed kiemingsresultaat. Een lichte maar gelijkmatige vochtigheid is zeer belangrijk. Gunnera verlangt een hoge vochtigheid (maar niet nat) en hoge temperaturen, +24–30°C.

Algemeen:

Plaats nooit zaaisels in vrieskasten e.d. met temperaturen onder –5°C!! De uitzetting van het bevrozende celvocht gaat te snel, de celmembranen kunnen het drukverschil niet opvangen waardoor de celwanden scheuren en het zaad dood gaat. Zulke snelle temperatuurdalingen komen in de natuur niet voor. Op een geleidelijke drukverhoging kunnen de celmembranen reageren door osmose via de halfdoorlatende celwand waardoor de drukverschillen worden opgeheven.

Bij vele koudekiers kan het gebeuren dat ze al kiemen tijdens de warme periode. Deze kiemplantjes dienen eruit te worden gehaald voordat het zaaisel koud wordt gezet. Dit verschijnsel heeft verschillende redenen. Het draagt onder anderen bij tot het voortbestaan van de soort in gebieden met wisselvallige winters. Mocht een strenge winter voorkomen dan bevroren de vroegtijdig opgekomen kiemplanten. De soort wordt dan in stand gehouden door de zaden die pas kiemen na inwerking van de winterkou.

Voor een kunstmatige koudeperiode is de koelkast of koelruimte met een temperatuur rond 0°C geschikt. Zaaikisten zijn vaak nogal moeilijk te plaatsen in de koelkast. Daarom kan ook worden volstaan met het zaad te vermengen met vochtig zand en zo in plastic zakjes, na de noodzakelijke warme periode, in de koelkast op te slaan. Er moet altijd op worden gelet dat de inhoud van de zakjes niet uitdroogt. Na afloop van de benodigde koudeperiode kan dan het zaad, samen met het zand, worden uitgezaaid bij de geadviseerde temperatuur.

Nadruk van deze zaai-aanwijzingen, of delen hieruit, is niet toegestaan. De aanwijzingen zijn alleen bedoeld voor de door ons aangeboden zaden. Andere toepassingen, bijv. voor onderwijsdoeleinden, zijn alleen toegestaan na onze schriftelijke toestemming.

1. 低温発芽植物は今日でもなお、適切とはいえない表現”霜発芽植物”で呼ばれています。蒔かれた種子は最初の2～4週間は、温かく(約18～22℃)十分な湿り気をもつ状態に置いて下さい。その後4～6週間に渡り-4℃から+4℃の冷温に置きます。多くのキンポウゲ科の植物に限り、-5℃前後の気温が有利条件になります。
冷却期間中上記の気温を下回ったり、上回ったりすることが仮にあっても、決して害はありませんが、その場合は、冷却期間をそれに応じて延長する必要があります。これは、その期間中、発芽を促す、ホルモンに似た酸の増成過程の進行速度が落ちたり、あるいは停止したりするためです。
蒔いた種子を冷却期間中雪でおおうことが出来れば、有利条件となります。雪の下では、温度はほとんどの場合-4℃から0℃の好ましい範囲にあり、湿り気が保たれます。さらに、雪は解けかかると種子の外皮を”腐食”して浸透性を与え、芽が伸び出るのに有利になります。いかなる場合も、冷却期間後すぐに高温下に置くことはしないで下さい。それとは反対に、好ましい温度域は+5℃から12℃の間であり、発芽が観察された後もこの温度を保つ必要があります。従って、これらの蒔かれた種子にとっての適所は、3月4月5月でも、屋外、冷却箱あるいは冷室です。
2. 複数のキンポウゲ科の植物は、冷却期間中これよりさらに低温の、約-5℃を必要とします。その他の手順は、1)に記述した通りです。これは恐らく、これらの種子の氷点が約-7℃であるのに対して、その他多数の種子では-5℃であることに原因すると考えられます。
3. これらの種属は、収穫後間もなく蒔かれると、実際の発芽は多くの場合、冬の影響を受けた後春になってから始めて起こりますが、その発芽成績はほとんどの場合、非常に優秀です。従って、これらの種子は適時に蒔いて下さい。
4. ここで扱うのは非常に細かい種子で、種蒔きにあたっては、場合によっては滑石粉又は最も細かい種類の砂を混ぜて、一様に蒔く必要があります。種子の上には土をかけず、押しつけるだけにします。水やりは下から、あるいは目の細かい霧吹き器を使って行い、種子を流さないようにします。
5. 1)に記述した手順は、あらゆる場合に首尾上々に運ぶわけではなく、いくつかの種属では、冷却期間後発芽するまでにさらに長期間を要します。ですから、種子を蒔いた容器を早々と捨てることがないようにして下さい。種子によっては冷却期間後さらに1年間も土中に眠っていることがあります。
6. これらの種子は発芽まで非常に長期間、1年あるいはそれ以上、土中に眠ります。場所を節約するため、又干からびてしまうのを防ぐために、これらの種子を”成層”します。即ち、種子を湿った砂の層の間に埋めるのです。十分に湿った砂の層と薄い種子の層を交互に重ねます。成層箱は日陰に置いて、天候の影響(特に冬の天候)に曝し、細かい金網でネズミや鳥から守ります。多量の種子を蒔く場合はコンクリート製の成層箱が良いことが育樹園で確認されています。春になったら、発芽がすでに始まっているかどうかを頻りに点検すべきです。その場合は、常時湿った状態に保たれていた砂とともに種子を、あらかじめ準備しておいた苗床に即刻出さなければなりません。
7. これらの種子は、種子粒の直径と同じ厚みの土でおおって下さい。日中の気温20℃前後で、常時均一に湿り気を保つ様配慮します。シクラメンには、しかし18℃が望まれます。発芽が起こった後は、明るく、適度に温かい場所に置きます。
8. ここで扱うのは非常に不均一に発芽し、長い発芽期間を持つことを特徴とする多年生草木の種子です。ここでもやはり、5℃未満の低温の影響が非常に有利です、種蒔き容器を早々と廃棄しないで下さい。特に一様に湿り気を与えることを配慮し、決して直射日光にさらさないこと。ユリズイセンは、蒔いた種子を21日間約30℃の状態に置いた後、21日間5℃に、引き続き21℃に置くことをお勧めします。
9. 種と出所によって早く発芽します。しかし3～4週間たっても発芽が起こらない場合は、その出所の種子には2～4週間の冷却期を定める必要があります。ヒマラヤ原産のメコノプシスには冷却期が不可欠です。発芽が成った後も、2～3週間は約12℃未満の低温を保つようにするべきです。
10. これらの大きめで硬い外皮を持つ種子には、種子の外皮にかかる傷をつけてやると、種子粒が水をふくんでふくらむのを早めることが出来ます。種子を乾燥した鋭利な砂の間で擦ったり、紙ヤスリを使って擦ることも一方法です。あるいは、プラスチック製造に応用されているように、”柔弱剤”(ポリエチレングリコール6000)の中に2、3時間浸けて柔らかくすることも出来ます。
11. オブチエン(サボテン)は収穫後2年目の方が首尾よく、一様に発芽します。そのため、新しい種子はしばしば、発芽まで1年間土中に眠ります。
12. 冷却期間を置く必要はありませんがこれらの種子は、多くの場合、完全に発芽するまで数カ月を要します。

13. これらの大粒の種子は、2～3日水に浸けて柔らかくします。柔弱剤を使用する場合は、1日が限度です。その後、円錐状の種子の側面からごく薄い小片を切り取るかはぎ取るかして、芽がほぼ完全に劉き出しになるようにします。切り取った箇所が上を向くように、種子を湿った種蒔き用培養基（例えばフェミクルテ）の上に置きます。ガラス円盤又はガラス板を、種子から十分な間隔をもたせて置き、きっちりと密閉します。気温約22℃のもとで発生する空気圧が発芽を促進します。
14. 種蒔き後、約25℃～30℃の温暖期間を約4～5週間置き、この間湿り気を保つと、発芽抑制が解除されます。種子の中にある発芽を抑制する物質が壊れるためです。その後蒔かれた種子を+2℃の冷温に保ちます。この冷温下で始まった発芽の進行は長引き、約80日以上に渡ります。この期間中は暗い場所（冷室）に置くこと。その後は、温度をゆっくりと上げ、光に当てます。
15. 蒔くと早く発芽する種子です。一様な湿り気（濡れた状態でなく）と約+20℃前後の気温。これらの種子にはごく薄く土をかぶせ、丁寧に蒔いた場合は土をかぶせず押しつけるだけにすること。発芽後は温度を下げて下さい。
16. 15)と同じですが、発芽はそう早くは進行せず、非常に一様にも起こりません。それでも発芽には、ほとんどの場合、問題はありませぬ。
17. 水生植物は、水もれしないプラスチック容器又はそれに類似した容器に養分の多い泥土を入れ、その中に種蒔きします。水は、種を蒔いた土の上1cmまで入れて構いません。十分な暖かさ（約22℃）のもとに置いて下さい。
18. 種蒔きの手法は17)と同じですが、種蒔き容器は約2～4週間だけ温かい場所に、その後約4～6週間、0℃前後の冷温下に置きます。水は凍っても構いません。引き続き温度を非常にゆっくりと上げて行きます。
19. この種子は蒔かれると、発芽制止の解除（発芽を抑制している物質の分解）のために少なくとも6週間約22℃の土中温度と、一様な湿り気を必要とします。その後引き続いて6～8週間、約-4℃から+4℃の冷温下に置きます。多くの場合、+4℃で既に発芽が始まります。温度の上昇はごくゆっくりと行い、発芽が終了するまで10℃を越すことがないようにします。冷却期間又は温暖期間が十分に取られなかった場合は、これらの種子は次の年になってから発芽します。その場合は、もう一度温かい期間（夏）と冷たい期間（冬）を各々一期づつ必要とします。周知の例：キミキフーガ、クリスマスローズ
20. これらの種子は蒔かれると、優良な発芽成績を達成するためには、22℃又はそれ以上の暖かさを必要とします。ほどほどの、しかし一様な湿り気が非常に大切です。グンネーラは但し、特に十分な湿り気（濡れた状態でなく）と約24℃から30℃の特別の暖かさを好みます。

総括のご案内

蒔かれた種子は決して、温度-5℃未満の冷凍庫、冷凍ケース、冷凍室内には置かないで下さい。そうした場合は、種子の細胞内で氷結する水分の膨張の速度が早すぎるのです。細胞膜を介する圧力の均衡作用はそう迅速には進行しないため、細胞壁が裂け、種子は死にます。自然界においては、そのようなマイナス域での瞬時の温度急降下は起こりません。細胞膜は、通常の、ゆっくりと進行する圧力上昇に対しては十分対応出来るよう創られており、又、透過性を有するため、浸透性の圧力均衡を保ちます。

いくつかの冷温発芽植物においては、種子が部分的に温暖期に既に発芽してしまうことが再三再四起こります。これらの実生は、蒔いた種子を冷温下に置く前に移植されなければなりません。この現象にはいくつかの原因があります。そのひとつに、冬の天候が必ず訪れるとは限らない地域において、種の保存の役割を果たす、ということがあります。相応する冬の天候が訪れば、この早期に発芽した実生は生き延びることは出来なくなります。種属はその場合、冷温の影響を受けた後に発芽する種子により保存されます。

人工的な冷却期にはそのようなわけで、0℃前後の温度の冷蔵庫又は冷室がむいています。種蒔き箱は多くの場合、冷蔵庫に収容出来ないで、種子を少し湿った砂に混ぜてプラスチック袋に詰め、必要な温暖期間後、冷蔵庫に収容することも出来ます。その時は、袋内の砂が湿り気を保つよう注意する必要があります。必要とされる冷却期間の終了後は、種子を砂と共に種蒔き箱に出し、必要な温度下に置きます。

種蒔き案内書の複写は、例え抜粋であっても許可されていません。案内書は、当社の栽培した種子の種蒔きをのみ対象として作製されています。教育等、その他の目的での使用は、当社の了解なしに行わないで下さい。

1. Le piante che germogliano a freddo vengono ancora oggi annoverate tra le piante germoglianti a temperature glaciali, il che non è esatto.
Le prime 2–4 settimane i sementi devono trovarsi in ambiente **caldo** (circa +18–22°C) e ben inumidito. Solo dopo tale periodo i sementi vengono esposti per circa 4–6 settimane alle basse temperature tra i -4 ed i +4°C. Solo per i ranuncoli risulta benefica una temperatura attorno ai -5°C.
Se nel periodo freddo la temperatura dovesse superare il limite superiore o quello inferiore sopra indicati, non si registrano danni, bisogna però prolungare adeguatamente il periodo freddo, poichè in questo intervallo di tempo si rallenta o si blocca il processo di formazione di quell'acido di tipo ormonale che avvia la fase germogliativa.
Risulta vantaggioso coprire con neve i sementi nel periodo freddo. Sotto la neve la temperatura si mantiene in genere a livelli propizi tra -4 e 0°C, l'ambiente rimane umido, e la neve sciogliendosi „corrode“ il guscio del seme rendendolo poroso, il che favorisce la fuoriuscita dei germogli. – Passato questo periodo freddo la temperatura non deve salire subito in alto; l'ambito più favorevole è quello tra i +5 ed i +12°C, anche se si vedono spuntare già i primi germogli! Il giusto posto per questi sementi – ciò vale anche fino a marzo/aprile/maggio – è all'aperto, nel cassettoni freddo o nella serra fredda.
2. Nel periodo freddo la maggior parte delle piante del genere dei ranuncoli abbisogna di basse temperature sui -5°C, altrimenti si proceda come descritto al punto 1. La ragione di ciò sta probabilmente nel fatto che il punto di congelamento per questi semi è circa -7°C, mentre per la maggioranza degli altri semi è sui -5°C.
3. I semi di questo genere danno di solito ottimi risultati di germogliamento se si seminano immediatamente dopo il raccolto, seppure la maggioranza di tali speci germoglia poi lo stesso appena in primavera, dopo il trattamento a freddo subito d'inverno. Ordinate perciò tempestivamente questi semi!
4. Qui si tratta di semi molto fini, che consigliamo di mescolare eventualmente con talco o con sabbia finissima, al fine di effettuare una semina uniforme. Non coprire con terra, basta pressare i semi sul terreno. Si irriga dal di sotto oppure impiegando un nebulizzatore, affinché l'acqua non trascini via i semi.
5. Il trattamento descritto al punto 1. non dà sempre risultati del tutto soddisfacenti. Dopo il periodo freddo alcune speci abbisognano ancora di un lungo periodo prima di germogliare. Dunque non gettar via troppo presto i contenitori coi semi. Alcuni semi rimangono in terra ancora un anno intero.
6. Questi semi rimangono in giacenza per molto tempo, 1 anno e più, prima di germogliare. Per ragioni di economia di spazio e anche per evitare un essiccamento, questo seme viene „stratificato“. Ciò significa: i semi vengono messi in sabbia umida a strati. Ad uno strato ben inumidito di sabbia segue un sottile strato di semi e così via di seguito. I cassettoni di stratificazione vengono collocati all'ombra, esposti alle intemperie (specialmente all'influsso del tempo invernale) con una fine rete metallica di protezione contro topi ed uccelli. Per forti quantitativi di semi nei vivai di piante sono stati applicati con successo cassettoni di stratificazione in cemento armato. In primavera bisogna controllare spesso se incomincia già il germogliamento. In caso positivo si prendono i semi assieme alla sabbia, tenuta tutto il tempo ben umida, per portarli sull'aiola già predisposta ad accoglierli.
7. Questo seme deve venir coperto con uno strato di spessore pari al diametro del granello. Ad una temperatura sui +20°C durante il giorno si abbia cura di provvedere all'apporto di umidità sufficiente. Per i ciclamini è preferibile una temperatura di +18°C. A germogliamento avvenuto si provvede ad un'esposizione a luce chiara con temperature tiepide.
8. Qui si tratta di semi di piante perenni, il cui germogliamento molto irregolare si estende per un lungo periodo di tempo. Risulta particolarmente vantaggioso sottoporre i sementi all'influsso di basse temperature sotto i +5°C. Non si distruggano troppo presto i contenitori di semi. Si faccia soprattutto attenzione che l'umidità sia distribuita uniformemente e si eviti l'esposizione diretta ai raggi solari.
9. A seconda della specie e dell'origine questi semi germogliano più o meno presto. Se dopo 3–4 settimane non dovessero ancora germogliare, si sottopongono per 2–4 settimane all'influenza di basse temperature. Per la meconopsis, originaria dall'Himalaia, è assolutamente necessario sottoporre i semi ad un periodo di un'influenza di basse temperature. Anche a germogliamento già avvenuto si mantenga ancora per alcune settimane una temperatura sotto i circa +12°C.
10. Il gonfiamento di questi semi abbastanza grandi e con guscio robusto viene accelerato se si lacera leggermente per via meccanica il loro guscio. Uno dei metodi applicati è quello di sfregare i semi con sabbia aguzza o con carta vetrata. I semi si possono anche rendere molli, immergendoli per alcune ore in „ammorbidenti“ (glicole di polietilene 6000), come quelli impiegati nella produzione di materie plastiche.
11. Le opunzie germogliano meglio e più uniformemente nel 2° anno dopo il raccolto. Il seme fresco rimane pertanto spesso nella terra per un anno prima di germogliare.
12. Non è necessario un periodo di basse temperature; comunque questo seme impiega spesso molti mesi fino al pieno germogliamento.
13. Questi grandi semi si lasciano pregonfiare in acqua per 2 o 3 giorni; se si aggiunge un „ammorbidente“ il periodo di gonfiamento non deve superare 1 giorno. Sulla parte dove si trova il cono del germoglio si taglia via o si pela una sottilissima fetta, di modo che il germoglio rimanga quasi scoperto. Il seme si pone con il punto di taglio all'insù su un substrato di seminatura (p.es. verniculite). Si copre la superficie con una campana o lastra di vetro a buona chiusura; si mantenga una sufficiente distanza dal vetro al seme. La tensione d'aria in tal modo generata ad una temperatura di circa +22°C favorisce il germogliamento.
14. Lo sblocco dell'inibizione di germogliamento si raggiunge sottoponendo i semi all'influenza di un periodo di circa 4–5 settimane di temperature tra i circa +25–30°C in ambiente umido. In tal modo si decompone la sostanza che – presente nel seme – inibisce il germogliamento. Dopo questo trattamento si lasciano i sementi a temperature basse, +2°C! Il germogliamento che inizia in un ambiente così freddo si protrae per un periodo di circa 80 giorni. In tale periodo tenere i sementi all'oscuro (in cella frigorifera). In seguito si aumenta gradualmente la temperatura, esponendo i sementi alla luce.
15. Semi a germogliamento celere. Umidità uniforme (non bagnare!) e temperatura sui +20°C. Appena coprire i semi appena; quelli fini non si coprono, bensì si pressano sul terreno. Mettere al freddo a germogliamento avvenuto.
16. Si procede come al punto 15., solo che in questo caso il germogliamento non avviene celermente; i semi non germogliano neppure uniformemente, però il germogliamento avviene senza problemi.
17. Per la semina delle piante acquatiche si impiega una propizia terra fangosa in contenitori di plastica a tenuta d'acqua o in altri recipienti delle stesse caratteristiche. L'acqua può arrivare ad un livello di 1 cm sopra la terra che copre i semi. Mettere in ambiente a temperatura piuttosto alta (circa +22°C).
18. La tecnica di semina è quella indicata al punto 17. I recipienti coi sementi si lasciano al caldo soltanto per circa 2–4 settimane, dopo di che si mettono per circa 4–6 settimane in ambiente freddo a circa 0°C. Si può lasciar gelare l'acqua. Dopo il periodo predetto si fa salire lentamente la temperatura.
19. Per porre fine al periodo di stasi germogliativa (decomposizione della sostanza che inibisce il germogliamento), questi semi abbisognano di almeno 6 settimane di terreno ben riscaldato, a circa +22°C, e di umidità uniformemente distribuita. Dopo di ciò si espone per 6–8 settimane al freddo, con circa -4 fino a +4°C. Di solito il germogliamento inizia già a +4°C. Aumentare la temperatura molto lentamente, senza superare i +10°C, fino al completamento del germogliamento. Se il periodo caldo o quello freddo erano troppo brevi, questi semi germogliano appena l'anno seguente. Abbisognano poi ancora di un periodo caldo (l'estate) e di un periodo freddo (l'inverno). Un noto esempio: cimicifuga, helleborus.
20. I semi hanno bisogno di molto calore, cioè +22°C ed anche di più, per raggiungere un germogliamento soddisfacente. E' molto importante la presenza di un'umidità ridotta, che sia però in forma. Per quanto concerne la gunnera, questa ha bisogno di molta umidità (ma non di bagnato) e di temperature alte dai circa +24 ai 30°C.

Note generali:

Non porre mai i semi in un congelatore o in una cella di congelamento con temperature sotto i -5°C! La dilatazione dell'acqua che gela nelle cellule dei semi avviene a tali condizioni in modo troppo repentino. Non riesce a stabilirsi tanto presto un compenso di pressione attraverso le membrane cellulari. Le pareti delle cellule si lacerano ed il seme muore. In natura non si hanno casi di abbassamenti così repentini nell'ambito di temperature sotto lo zero. Le cellule però non vengono danneggiate, se la pressione aumenta normalmente e lentamente; allora le cellule compensano la pressione eccessiva grazie all'osmosi che avviene tramite le pareti cellulari semipermeabili.

Per periodi di freddo artificiale si impieghino perciò celle o armadi frigoriferi con temperature attorno allo 0°C. Poichè è difficile collocare contenitori di seminazione in armadi frigoriferi, si può procedere nel seguente modo: si mescolano i semi con un po' di sabbia umida, mettendo il tutto in sacchetti di plastica. Si lascia trascorrere il necessario periodo con alta temperatura prima di porre i semi così trattati in frigorifero. Si faccia però attenzione che la sabbia nei sacchetti rimanga umida. Trascorso il necessario periodo freddo, semi e sabbia vengono messi nel contenitore di seminazione che viene poi lasciato alla temperatura adatta.

E' vietato riprodurre, anche parzialmente, il testo delle sopra citate istruzioni di semina. Queste istruzioni sono applicabili solo alla semina dei semi acquistati presso di noi; un'applicazione per altri scopi, p.es. a scopo didattico, è ammissibile soltanto previo nostro benestare.

All sales are subject to the following terms and conditions accepted by all customers when placing their orders.

General Terms of Delivery

- Every consignment should be inspected upon delivery. Complaints about any perceptible defects relating to the goods or the packaging and any weight discrepancies must be brought to the Seller's notice no later than the 5th working day and any deficient germination vigour no later than 3 weeks after receipt of the goods. Notice of any defects which are not detectable until a later date must be given without delay. In the event of any dispute the goods shall, upon prior notification to the Seller, be re-examined by the Institute of Applied Botany, Hamburg/Germany (Staatsinstitut für angewandte Botanik), whose analysis shall be recognized as decisive by both parties. The expenses shall be borne by the losing party.
- If the Buyer has justifiably complained about perceptible defects or deficient germination vigour, the Seller shall be obligated to take back the goods, but not to deliver replacement goods, nor to grant a price discount, nor to pay compensation for damages.
- In the case of all other defects the Seller shall be liable for damages proved in due time and not exceeding the invoiced amount for the goods in question; no further liability will be assumed. The Buyer shall waive all other statutory or private claims. The same shall apply in the event that goods other than those specified are delivered. The descriptions given in this catalogue are not to be regarded as warranted qualities.

The Seller does not accept any responsibility for the outdoor viability of the goods as this is dependent on outside influences beyond control.

Furthermore, the Seller is not liable on account of seed infestation and transmission of diseases or pests.
- The place of performance and jurisdiction for both parties is Schwarmstedt / Lüneburg. German law is applicable.
- Acceptance of orders for items which are not yet in stock is subject to the receipt of marketable goods.
- Crop failures or non-marketability of goods releases the Seller from his obligation to deliver.
- The Seller is entitled to withdraw from the contract or to postpone delivery if, through no fault of his own, prompt delivery is made impossible by interruptions of traffic, measures ordered by public authorities, or other events of force majeure. Furthermore, the Seller is entitled to withdraw from the contract without rendering compensation, if he is given cause to doubt the Buyer's credit standing and the Buyer fails to pay in advance or furnish security at the Seller's request.
- Ownership of all goods supplied by the Seller will be retained by the Seller until all receivables and any balance on current account debit to the Buyer have been settled or, in the case of payment by cheque or bill of exchange, until such has been honoured.
- The plants grown from the goods shall be deemed as security assigned to the Seller until the aforementioned time or, in the case of outdoor crops, until these have been extracted from the land. In lieu of delivery of the goods the Seller may hold them in safe custody for the creditor free of charge. The German law relating to the safeguarding of fertilizer and seed supplies shall apply *mutatis mutandis*.
- In the event that the Buyer ceases all payments prior to paying for the goods delivered, the Seller shall have the rights specified in the Bankruptcy Act pertaining to the segregation of goods or the assignment of the right to consideration. The segregatable goods shall be set off against the purchase price claim at 65% of the maximum quantity wholesale price but no higher than 65% of the price invoiced at the time of delivery. The balance of the purchase price shall remain payable.
- Unless otherwise agreed, the above terms and conditions shall apply analogously to the delivery of other horticultural products.
- Should any of the above terms and conditions become legally ineffective on account of cancellation, other agreements or for other reasons, the remaining provisions shall remain binding.

Specific Terms of Delivery for Commercial Gardeners

- All offers/quotations are without obligation and without relation to any previous purchases. Previous prices become invalid as soon as this list is issued.
- The prices shown in this list are net prices in EURO and, unless otherwise agreed, do not include packing and are free place of shipment, for domestic customers plus the Value Added Tax applicable on the day of delivery. The packaging is charged at the lowest possible price, but is not returnable.
- Pricing: 0.1g to 9.9g at the 1g price; 10g to 99.9g at the 10g price; 100g to 999.9g at the 100g price; 1kg to 9.999kg at the 1kg price; prices for larger quantities are given upon inquiry.

If a price per 1000 seeds is not listed, orders in seed units will be converted from an average seedcount into gram units and charged accordingly.

Minimum order value 25 € net. Orders less than 25 € will be charged the difference.

The Seller is entitled to increase to the next largest unit any order quantities other than those listed above amounting to no more than 50 € in value. If prices are not quoted for smaller quantities, the respective higher sliding-scale price will be invoiced nonetheless.

Minimum charge per item 2 € net.
- Shipping shall be at the Buyer's risk in accordance with clearly specified shipping instructions. Consignments will be insured at the expense of the Buyer against transport risks. Otherwise the Seller shall use his own discretion without accepting any responsibility.
- Packets whose closure has been damaged or some of whose contents have already been used cannot be taken back. In the event that liability exceeding that outlined in section 3 of the General Terms of Delivery is obligatory by law, proof of the defects claimed – in particular non-trueness of species or variety – must be furnished by the Buyer with the contents of a previously unopened packet sealed by the Seller or breeder.

A fee of minimum 30% of the goods value shall be charged to the Buyer's account for any return of goods attributable to the fault of the Buyer or cancellation of orders at short notice. Return of goods after 30 days is not accepted.

Seeds are perishable goods. Every order is matched to the customer's individual requirements. A right of cancellation / right of return on behalf of traders/ business is therefore excluded. Jelitto Staudensamen GmbH is not obligated and on principal, not prepared to participate in dispute settlement hearings before an arbitration committee.
- Unless otherwise agreed, all invoices shall be payable net cash upon receipt; bank interest (1,5% p.m.) and expenses will be charged for overdue payment unless other rights are asserted. No discount is granted when payment is made by credit card. If cash-on-delivery is not requested, this must be expressly indicated, new customers being requested to furnish references. COD charges shall be at the expense of the Buyer.
- All photographic material supplied is copyright of Jelitto Staudensamen GmbH. The photographic material shall not be duplicated or passed on to third parties.

The one-off right of use is granted under the express condition that the recipient shall use the photographic material for the agreed purpose only. The photographic material may only be used under the complete name under which the material was supplied.

In the event of any breach of these conditions, Jelitto Staudensamen GmbH will claim damages of not less than 250 € per individual case.
- Should any of the above terms and conditions become legally ineffective on account of cancellation, other agreements or for other reasons, the remaining provisions shall remain binding.