

Checklist of the Gymnosperms and Flowering Plants of Central French Guiana

by

Scott A. Mori¹, Carol Gracie¹, Michel Hoff², and Tony Kirchgessner¹

¹Institute of Systematic Botany
200th Street and Kazimiroff Blvd.
The New York Botanical Garden
Bronx, New York 10458-5126

²Service du Patrimoine Naturel
Institute d'Ecologie et de Gestion de la Biodiversité
Muséum national d'Histoire naturelle
57, rue Cuvier
F-75005 Paris, France

03 April 2002

Distributed to the libraries of the following institutions:

Botanischer Garten und Botanisches Museum Berlin-Dahlem, Berlin
Department of Botany, Smithsonian Institution, Washington, D.C., U.S.A.
Herbarium, Royal Botanic Gardens, Kew, United Kingdom
Herbarium, State University of Utrecht, the Netherlands
Institut de Recherche pour le Développement, Cayenne, French Guiana
Muséum National d'Histoire Naturelle, Paris, France
National Herbarium, University of Suriname, Paramaribo, Suriname
New York Botanical Garden, New York, U.S.A.
University of Guyana, Georgetown, Guyana

Introduction

The specimens cited in this checklist serve as vouchers for the species of flowering plants and the single gymnosperm treated in the *Guide to the Vascular Plants of Central French Guiana. Part 1. Pteridophytes, Gymnosperms and Monocotyledons* (Mori et al., 1997) and the *Guide to the Vascular Plants of Central French Guiana. Part 2. Dicotyledons* (Mori et al., In press). Throughout this checklist, these publications are spelled out in full or collectively referred to as the *Guide*.

More detailed information about these collections can be found in the specimen database of The New York Botanical Garden (NY). Flowering plant specimens from central French Guiana are identified in the project field as "Flowering Plants of Central French Guiana" and those of gymnosperms are identified as "Gymnosperms of Central French Guiana." Periodically, data from The New York Botanical Garden database is moved onto the internet as part of the web site *Fungal and Plant Diversity of Central French Guiana* (http://www.nybg.org/bsci/french_guiana/). Complete label information for the specimens in this checklist can be accessed by clicking on "Gymnosperm and Flowering Plant Checklist" or "Search Gymnosperm and Flowering Plant Database." There is no guarantee, however, that the online version of the database will continue to be maintained after the retirement of the senior author of the *Guide*.

The pteridophytes are not listed in this checklist, but voucher specimens for them can be found in the following ways: 1) consulting the IRD-Cayenne herbarium (CAY), 2) searching the AUBLET database managed by CAY (<http://www.cayenne.ird.fr/%7Eaublet2/aublet2.html>), and 3) searching the NYBG database using the name of the taxon and the project field identifier "Pteridophytes of Central French Guiana."

It is extremely important that floristic works are documented with specimens deposited in herbaria. The specimens documenting our *Guide* are archived in the herbaria of CAY and NY, and, to a lesser extent in the herbaria of the members of the *Flora of the Guianas* consortium. The *Flora of the Guianas* is a joint project of the Botanischer Garten und Botanisches Museum Berlin-Dahlem, Berlin; the Institut de Recherche pour le Développement, Cayenne, French Guiana; The University of Guyana, Georgetown, Guyana; the Herbarium, Royal Botanic Gardens, Kew, United Kingdom; the National Herbarium, University of Suriname, Paramaribo, Suriname; the Muséum National d'Histoire Naturelle, Paris, France; the Herbarium, State University of Utrecht, the Netherlands; the Department of Botany, Smithsonian Institution, Washington, D.C., U.S.A.; and The New York Botanical Garden, New York, U.S.A.

Without a record of what specimens provide the justification for including a species in a floristic treatment, there is no way to confirm if a species actually does occur within the area of the flora. Usually at least some specimens are cited within the floristic work itself. Electronic databases have provided another, perhaps less expensive, way of making this information available. However, even with the existence of electronic databases at CAY and NY, a written record of what specimens were used to document the species inventory of central French Guiana is important because 1) the continuation of electronic databases can not be guaranteed, especially after the authors of a floristic project are no longer active; 2) names are changed in electronic databases as new determinations accumulate, and, hence, it becomes increasing difficult to determine what specimens document a species at the time of publication of a floristic treatment; and 3) even though electronic databases may be maintained as part of larger institutional databases, it may be difficult to extract information for a local floristic project. We have, therefore, produced this hard copy record of specimens documenting the species treated in the *Guide* at the time of publication of the second part of the *Guide* (Mori et al, In press). Species collected after the manuscript was in final page proof, and, therefore, not included in the *Guide*, are listed in Table 1.

Copies of this checklist have been distributed to the libraries of all members of the *Flora of the Guianas* consortium. It can also be found on line at http://www.nybg.org/bsci/french_guiana/.

In Part 1 of the *Guide*, Brummitt and Powell (1992) were followed for authors' names except that the authors' names were spelled out in full. In Part 2, and in this checklist, even for species treated in Part 1, we follow the Brummitt and Powell abbreviations. The only exception is that a space is placed between the initials of the authors as is done in NY databases. In cases in which an author abbreviation published in Brummitt and Powell conflicts with a more recent abbreviation found on line as part of the *International Plant Names Index*, the latter abbreviation was followed. An example is with Johann Sebastian Mueller (1715-1780), a German botanical artist who settled in London in 1744 and henceforth called himself John Sebastian Miller. In the 1992 hardcopy publication of *Authors of Plant Names* (Brummitt & Powell, 1992), Mueller or Miller, is found as J. S. Muell. before 1744 and as J. S. Mill. after he anglicized his name. However, a search for J.S. Mill. in the *International Plant Names Index* at this time revealed that this abbreviation is now used for James Spencer Miller (1953-), a botanist at the Missouri Botanical Garden. Thus, the correct author abbreviation for *Rhipsalis baccifera* is (J.S. Muell.) Stearn not (J.S. Mill.) Stearn even though the basionym *Cassytha baccifera* J.S.Muell. was published in 1771 long after Mueller had moved to England and changed his name to Miller.

Abbreviations of the names of the authors of some species treated in Part 1 sometimes differ from those used in this checklist. In Part 1, A. Hitchcock is used in some species of Poaceae, e.g., *Ichnanthus nemoralis* (Schult.) A. Hitch. & Chase, but the correct abbreviation of the agrostologist Albert Spear Hitchcock (1865-1935) is Hitch. Another example is that of *Calathea maasiorum* H. A. Kennedy as published in Part 1 of the *Guide*. Although Brummitt and Powell abbreviate Helen Alberta Kennedy (1944-) as H. A. Kennedy in their 1992 edition of their book, it is given at this time as H. Kenn. in the *International Plant Names Index* (IPNI at <http://www.ipni.org/>). In the case of conflict between the hardcopy edition of Brummitt and Powell (1992) and the electronic version found in the IPNI, we have followed the most recent electronic version. These deviations are pointed out in this checklist at the beginning of each family.

Although efforts to standardize authors' names have removed much of the uncertainty of what abbreviations to use, there are still some problems that need to be worked out. An example is in the attribution of species described in *Nova Genera et Species Plantarum* by Alexander von Humboldt, Aimé Bonpland, and Carl Sigismund Kunth. Although these species have been previously attributed to all three authors, e.g., *Heteropsis flexuosa* (Humb., Bonpl. & Kunth) Bunting or *H. flexuosa* (Humb. et al.) Bunting, they are generally ascribed to only Kunth by modern workers, e.g., *Heteropsis flexuosa* (Kunth) Bunting. The concept that Kunth is the sole author of the species published in *Nova Genera et Species Plantarum* appears to have its origin in Stafleu and Cowan (1979) who state that Kunth is the "main author to whom new taxa are to be attributed." They add that authorship should be cited as "Kunth in Humboldt, Bonpland and Kunth." However, Michael Nee (pers. comm., 2001) points out that Article 46.6 of the *International Code of Botanical Nomenclature* clearly supports recognizing Humboldt, Bonpland, and Kunth as the authors of taxa described in *Nova Genera et Species Plantarum*. This article states that "In determining the correct author citation, only internal evidence in the publication (as defined in Art. 35.5) where the name was validly published is to be accepted, including ascription of the name, statements in the introduction, title, or acknowledgements, and typographical or stylistic distinctions in the text." Nee adds that the title page of *Nova Genera et Species Plantarum* "specifically says that Bonpland and Humboldt collected, described, and, in part, published the species, and that Kunth put the handwritten labels in order..." Hence, the standardized way of citing these authors in *Tropicos* and the *International Plant Names Index* appears to be in conflict with the ICBN. Nevertheless, because *Tropicos* and the IPNI are so widely followed, we have followed their recommendations.

The only diacritical mark allowed by the *International Code of Botanical Nomenclature* (ICBN) (Article 60.6) is the diaeresis. For example, *Pourouma saulensis* C. C. Berg & Kooy appears in the protologue without a diaeresis over the "u," and, hence, there is no justification for spelling the name as *P. saüensis* in the *Guide*. In contrast, the protologue of *Smilax saüensis* and the treatment of this species in the *Guide*, employ the diaeresis. In this checklist, we follow the spelling of taxa in the protologue to determine whether the diaeresis will or will not be used in the spelling of a name. As a result, the same epithet may appear in different taxa with two different spellings, i.e., with or without a diaeresis.

Authors' names preceding *ex* and following *in* are suppressed. For example, *Corythophora amapaensis* Pires ex S. A. Mori & Prance becomes *Corythophora amapaensis* S. A. Mori & Prance and *Rudgea guyanensis* (A. Rich. in DC.) Sandwith becomes *Rudgea guyanensis* (A. Rich.) Sandwith.

Differences in Systematic Concepts

In some cases, the family concepts and the placement of genera of the NY databases differ from those employed in the *Guide*. For example, *Microtea* is placed in the Chenopodiaceae, *Picramnia* in the Picramniaceae, and *Potalia* in the Gentiaceae in the NY databases but in the Phytolaccaceae, Simaroubaceae, and Loganiaceae, respectively, in the *Guide*. In these and similar cases, the taxa are treated in this checklist as they are found in the *Guide*. For the most part, the family and generic concepts of the *Guide* follow the system of Cronquist (1981).

Identification to Infraspecific Taxa

Some species are treated in the *Guide* at the level of subspecies or variety. However, the determinations of some collections of these taxa have only been made to species, either because the specimen does not possess the features needed to determine it to infraspecific taxon or because the specialist failed to determine the collection to the infraspecific taxon when it was examined.

Additions to the Flora

Continued botanical exploration, especially in more remote areas with poorly explored habitats, such as the granitic rock outcrops in the vicinity of Pic Matécho, will continue to yield species new to the flora of central French Guiana. Documented species collected after the publication of Part 1 or at a time when it was no longer possible to include them in Part 2 (Table 1) are included in the checklist. In these cases, it is clearly indicated at the beginning of the family that these species have not been treated in the *Guide*.

Some species are included in the *Guide* even though they are not documented by herbarium specimens because the author's of the treatment of the family felt that there is a high probability that they occur in the area of our flora. In this checklist, these species are enumerated in the introduction to the family. Species without voucher specimens should not be included in floristic and ecological analyses of the plants of central French Guiana.

Cultivated Plants

Cultivated plants are inconsistently included or rejected from family treatments in the *Guide* and in this checklist. The primary rational for including a plant known to be cultivated in the area was that they may appear to be part of the native flora. For example, species of *Hibiscus* (Malvaceae) planted in the village are not included, but *Bixa orellana* (Bixaceae) and *Theobroma cacao* (Sterculiaceae) are included in the *Guide* because they sometimes persist around old homesteads long after obvious traces of human habitation have disappeared. Cultivated species should not be included in floristic and ecological analyses of the plants of central French Guiana.

Acanthaceae

The treatment of Acanthaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Dieter Wasshausen (US).

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Anisacanthus secundus* Leonard.

Barleria lupulina Lindl., although escaped in areas outside of central French Guiana, is only found cultivated in our area.

Aphelandra aurantiaca (Scheidw.) Lindl.

S. A. Mori 18144; 19057

Asystasia gangetica (L.) T. Anderson

S. A. Mori 19180

***Barleria lupulina* Lindl.**

F. Billiet 5822

S. A. Mori 21053

Blechum pyramidatum (Lam.) Urb.

J.-J. de Granville 4585; 5384

S. A. Mori 18781; 21051; 21706

A. Raynal-Roques 19985

L. E. Skog 7304

Gynocraterium guianense Bremek.

J.-J. de Granville 2805

Herpetacanthus rotundatus (Lindau) Bremek.

S. A. Mori 23075

Justicia cayennensis (Nees) Lindau

J.-J. de Granville 4575; 5124

S. A. Mori 24703

Justicia pectoralis Jacq.

Brian M. Boom 10753

C. Luu 41

S. A. Mori 19146; 20946; 24665

M.-F. Prévost 307

Justicia potarensis (Bremek.) Wassh.

Brian M. Boom 10793; 10798

J.-J. de Granville 8627

Justicia secunda Vahl

A. Gely 35

J.-J. de Granville 553

W. J. Hahn 3619

<u>P. J. M. Maas</u>	2229
<u>N. Marshall</u>	204
<u>S. A. Mori</u>	14848; 18643; 19117; 20887
<u>R. A. A. Oldeman</u>	4215
<u>L. R. Phillippe</u>	26888
<u>L. E. Skog</u>	7247

***Justicia sprucei* V. A. W. Graham**

<u>J.-J. de Granville</u>	2301; 10329
<u>S. A. Mori</u>	18747; 19084
<u>M.-F. Prévost</u>	310

***Lepidagathis alopecuroides* (Vahl) Griseb.**

<u>R. A. A. Oldeman</u>	2779
<u>M.-F. Prévost</u>	766; 1610

***Pachystachys coccinea* (Aubl.) Nees**

<u>Brian M. Boom</u>	10700; 10760
<u>C. P. Feuillet</u>	15065
<u>J.-J. de Granville</u>	8874
<u>M. H. G. Gustafsson</u>	330
<u>S. A. Mori</u>	21504; 24209
<u>L. R. Phillippe</u>	26900

***Polylychnis fulgens* Bremek.**

<u>B. Bordenave</u>	314
<u>C. P. Feuillet</u>	99
<u>J.-J. de Granville</u>	738; 4581; 5123; 8525
<u>H. Jacquemin</u>	1670
<u>P. J. M. Maas</u>	2219
<u>C. Moretti</u>	56
<u>S. A. Mori</u>	8698; 14838; 20853; 23903
<u>L. R. Phillippe</u>	26890
<u>O. Poncy</u>	58
<u>G. T. Prance</u>	30665
<u>M.-F. Prévost</u>	2104
<u>L. E. Skog</u>	7145
<u>B. Wallnöfer</u>	13473

***Pulchranthus congestus* (Lindau) V. M. Baum, Reveal & Nowicke**

<u>S. A. Mori</u>	20863; 20865; 23749
-------------------	---------------------

***Pulchranthus variegatus* (Aubl.) V. M. Baum, Reveal & Nowicke**

<u>J.-J. de Granville</u>	4574
<u>S. A. Mori</u>	19059; 23079

***Ruellia rubra* Aubl.**

<u>A. Fournet</u>	212
<u>J.-J. de Granville</u>	543

<u>C. Moretti</u>	754
<u>S. A. Mori</u>	17949; 22085; 22354; 23706; 25073
<u>R. A. A. Oldeman</u>	2784; 3226

***Ruellia saüensis* Wassh.**

<u>J.-J. de Granville</u>	2412; 3015
<u>S. A. Mori</u>	14799; 23232; 23771

Amaranthaceae

The treatment of Amaranthaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Robert A. DeFilips and Shirley L. Maina (US).

Alternanthera tenella is only found cultivated in our area.

***Alternanthera halimifolia* (Lam.) Standl.**

Skog & Feuillet	7318
-----------------	------

***Alternanthera sessilis* (L.) DC.**

<u>S. A. Mori</u>	18456; 23368
<u>L. E. Skog</u>	7294

***Alternanthera tenella* Colla**

<u>S. A. Mori</u>	18780
<u>M.-F. Prévost</u>	789

***Amaranthus blitum* L.**

<u>S. A. Mori</u>	18658
-------------------	-------

***Amaranthus caudatus* L.**

<u>A. Gely</u>	74
----------------	----

***Cyathula prostrata* (L.) Blume**

<u>F. Capus</u>	77
<u>C. P. Feuillet</u>	521
<u>A. Gely</u>	38
<u>S. A. Mori</u>	18261; 22074; 22346
<u>M.-F. Prévost</u>	788
<u>A. Raynal-Roques</u>	19973
<u>L. E. Skog</u>	7291; 7315

***Pfaffia glomerata* (Spreng.) Pedersen**

<u>C. Moretti</u>	105
-------------------	-----

Anacardiaceae

The treatment of Anacardiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by John D. Mitchell (NY).

Anacardium occidentale L., *Mangifera indica* L., and *Spondias purpurea* L. are only found cultivated in our area.

***Anacardium occidentale* L.**

<u>M. Freiberg</u>	288
<u>S. A. Mori</u>	24142

***Anacardium spruceanum* Engl.**

<u>S. A. Mori</u>	15684; 17939
-------------------	--------------

***Astronium ullei* Mattick**

<u>S. A. Mori</u>	23859; 24730
-------------------	--------------

***Mangifera indica* L.**

<u>F. Capus</u>	64
<u>M. Freiberg</u>	88
<u>S. A. Mori</u>	18778

***Spondias mombin* L.**

<u>F. Capus</u>	36
<u>S. A. Mori</u>	15324; 15453; 21534

***Spondias purpurea* L.**

<u>F. Capus</u>	35
<u>S. A. Mori</u>	18777
<u>B. Riéra</u>	938

***Tapirira bethanniana* J. D. Mitch.**

<u>J.-J. de Granville</u>	5398
<u>S. A. Mori</u>	15156; 15253; 15335; 15453; 18131; 18752; 22916; 24337; 24717

***Tapirira guianensis* Aubl.**

<u>Brian M. Boom</u>	1750; 2465
<u>S. A. Mori</u>	18766; 25114
<u>D. R. L. Sabatier</u>	1432

***Tapirira obtusa* (Benth.) J. D. Mitch.**

<u>Brian M. Boom</u>	2223
<u>A. H. Gentry</u>	62977
<u>J.-J. de Granville</u>	5386
<u>S. A. Mori</u>	15688; 18775; 21588; 22857; 24156; 24186; 24213; 24744
<u>B. Wallnöfer</u>	13510

***Thyrsodium guianense* Marchand**

<u>J.-J. de Granville</u>	3392
<u>S. A. Mori</u>	21687
<u>R. A. A. Oldeman</u>	3244

***Thyrsodium puberulum* J. D. Mitch. & Daly**

<u>Brian M. Boom</u>	2006
<u>J.-J. de Granville</u>	5486
<u>S. A. Mori</u>	24013

D. R. L. Sabatier 1244

Thyrsodium spruceanum Benth.

Brian M. Boom 2439

J.-J. de Granville 5486

S. A. Mori 24215

Annonaceae

The treatment of Annonaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Paul Maas and Hiltje Maas-van de Kamer (U).

Annona muricata L. is only found cultivated in our area.

Rollinia elliptica, considered a synonym of *R. exsucca* by Maas et al. (1992), is now segregated by Maas and Maas-van de Kamer as a distinct species in this *Guide*.

Anaxagorea dolichocarpa Sprague & Sandwith

J.-J. de Granville 4617; 5473; 8778; 8826

F. Hallé 2445

S. A. Mori 17992; 20765; 22783; 22784; 22809; 24281; 25172

R. A. A. Oldeman 4203; 4332

G. T. Prance 28079

Annona ambotay Aubl.

Brian M. Boom 1638

S. A. Mori 14946; 15467

B. Wallnöfer 13531

Annona haematantha Miq.

S. A. Mori 14754; 18315

Annona muricata L.

F. Capus 34

Annona prevostiae H. Rainer.

J.-J. de Granville 2818

P. J. M. Maas 8104

S. A. Mori 15349; 15607; 21600; 22000; 23823; 24988

R. A. A. Oldeman 3157

Cardiopetalum surinamense R. E. Fr.

Brian M. Boom 1812

J.-J. de Granville 4281

S. A. Mori 18074

Cremastosperma brevipes (Dunal) R. E. Fr.

Brian M. Boom 10812

J.-J. de Granville 5168; 8714; 8876

P. J. M. Maas 8064

<u>C. Moretti</u>	12
<u>S. A. Mori</u>	8758; 15079; 15583; 22721; 22744
<u>B. Wallnöfer</u>	13477; 13499

***Cymbopetalum brasiliense* (Vell.) Baill.**

<u>H. de Foresta</u>	673
<u>J.-J. de Granville</u>	2765; 5175; 5489; 8720
<u>P. J. M. Maas</u>	8100
<u>S. A. Mori</u>	23995
<u>R. A. A. Oldeman</u>	3300

***Duguetia cadaverica* Huber**

<u>Brian M. Boom</u>	10817
<u>J.-J. de Granville</u>	8579
<u>P. J. M. Maas</u>	8065
<u>S. A. Mori</u>	21519; 21659
<u>N. P. Smith</u>	2

***Duguetia calycina* Benoist**

<u>G. Cremers</u>	14706; 14798
<u>J.-J. de Granville</u>	5508; 5514
<u>S. A. Mori</u>	8736; 22683; 25011

***Duguetia eximia* Diels**

<u>P. Acevedo-Rodríguez</u>	4994
<u>G. Cremers</u>	3945
<u>J.-J. de Granville</u>	1558; 2389; 8431
<u>P. J. M. Maas</u>	8068
<u>S. A. Mori</u>	8739; 21553; 22033
<u>D. R. L. Sabatier</u>	1065
<u>B. Wallnöfer</u>	13528

***Duguetia granvilleana* Maas**

<u>J.-J. de Granville</u>	3130
---------------------------	------

***Duguetia inconspicua* Sagot**

<u>Brian M. Boom</u>	10849
<u>J.-J. de Granville</u>	2406; 3120; 8775
<u>S. A. Mori</u>	15421

***Duguetia pycnastera* Sandwith**

<u>Brian M. Boom</u>	1678
<u>A. H. Gentry</u>	63112
<u>P. J. M. Maas</u>	8079
<u>S. A. Mori</u>	8733

***Duguetia riparia* Huber**

<u>J.-J. de Granville</u>	5483
<u>P. J. M. Maas</u>	8080
<u>R. A. A. Oldeman</u>	4078

***Duguetia surinamensis* R. E. Fr.**

<u>A. Fournet</u>	23
<u>S. A. Mori</u>	14965; 15548; 18604; 19197; 23178

***Duguetia yeshidan* Sandwith**

<u>A. Fournet</u>	21
<u>J.-J. de Granville</u>	2291; 4276; 4452; 4759; 4896; 5436
<u>P.-A. Loizeau</u>	592
<u>P. J. M. Maas</u>	8069
<u>S. A. Mori</u>	15671; 21658

***Fusaea longifolia* (Aubl.) Saff.**

<u>Brian M. Boom</u>	1712
<u>A. H. Gentry</u>	62986; 63023
<u>J.-J. de Granville</u>	1667; 4268
<u>P. J. M. Maas</u>	8066
<u>S. A. Mori</u>	14758; 15401; 15558; 20761; 20987; 24889; 24997

***Guatteria blepharophylla* Mart.**

<u>W. J. Hahn</u>	3656
-------------------	------

***Guatteria foliosa* Benth.**

<u>S. A. Mori</u>	15128; 21559; 23929
-------------------	---------------------

***Guatteria oblonga* R. E. Fr.**

<u>S. A. Mori</u>	15039
-------------------	-------

***Guatteria punctata* (Aubl.) R. A. Howard**

<u>G. Cremers</u>	6110
<u>H. de Foresta</u>	657
<u>A. H. Gentry</u>	63097
<u>J.-J. de Granville</u>	2741; 3112; 4561; 4614; 5156; 5387
<u>S. A. Mori</u>	15241; 19178; 22788; 23881
<u>R. A. A. Oldeman</u>	2104; 4125; 4126
<u>B. Wallnöfer</u>	13479

***Guatteria* sp. A**

<u>S. A. Mori</u>	15360; 24197
-------------------	--------------

***Oxandra asbeckii* (Pulle) R. E. Fr.**

<u>Brian M. Boom</u>	1657; 1779
<u>S. A. Mori</u>	8807; 14753; 14884; 15170; 22779
<u>G. T. Prance</u>	28083

***Pseudoxandra cuspidata* Maas**

<u>S. A. Mori</u>	15677; 18561
-------------------	--------------

***Rollinia cuspidata* Mart.**

<u>J.-J. de Granville</u>	4225; 4476; 4938
<u>R. A. A. Oldeman</u>	2006; 4336

***Rollinia elliptica* R. E. Fr.**

<u>Brian M. Boom</u>	1878; 2505
<u>J.-J. de Granville</u>	4428

<u>P. J. M. Maas</u>	8062
<u>S. A. Mori</u>	21116; 24342

***Rollinia exsucca* (Dunal) A. DC.**

<u>T. B. Croat</u>	74216
<u>C. P. Feuillet</u>	502
<u>J.-J. de Granville</u>	4236
<u>P. J. M. Maas</u>	8061
<u>S. A. Mori</u>	15689; 21099; 23086
<u>R. A. A. Oldeman</u>	4337
<u>O. Poncy</u>	91
<u>A. Raynal-Roques</u>	18617

***Unonopsis perrottetii* (A. DC.) R. E. Fr.**

<u>Brian M. Boom</u>	1818
<u>S. A. Mori</u>	15536; 21664; 24829

***Unonopsis rufescens* (Baill.) R. E. Fr.**

<u>Brian M. Boom</u>	1768
<u>P. J. M. Maas</u>	8092
<u>N. Marshall</u>	145
<u>S. A. Mori</u>	8777; 14831; 15069; 15427; 18035; 21512; 21619; 25138
<u>R. A. A. Oldeman</u>	2059

***Unonopsis stipitata* Diels**

<u>A. H. Gentry</u>	63105
<u>J.-J. de Granville</u>	3310; 5440
<u>P. J. M. Maas</u>	8093
<u>S. A. Mori</u>	15507; 15645; 17976; 18546; 18962; 20988; 22815; 23303
<u>R. A. A. Oldeman</u>	3235; 4032; 4168

***Xylophia cayennensis* Maas**

<u>S. A. Mori</u>	17985; 22755
-------------------	--------------

***Xylophia frutescens* Aubl.**

<u>A. Fournet</u>	28
<u>S. A. Mori</u>	21599
<u>R. A. A. Oldeman</u>	3160
<u>M.-F. Prévost</u>	303

***Xylophia nitida* Dunal**

<u>Brian M. Boom</u>	1692
<u>S. A. Mori</u>	15545; 21618; 22201; 24192
<u>L. E. Skog</u>	7354

Apiaceae

The treatment of Apiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

Eryngium foetidum L. is only found cultivated and as a non-persistent escape around homesteads in our area.

***Eryngium foetidum* L.**

<u>A. Gely</u>	65
<u>S. A. Mori</u>	19214
<u>L. E. Skog</u>	7307

Apocynaceae

The treatment of Apocynaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Lucile Allorge (P).

Catharanthus roseus (L.) G. Don is escaped from cultivation in our area, but it does not seem to persist. *Ervatamia coronaria* (Jacq.) Stapf is cultivated and does not escape from cultivation.

***Ambelania acida* Aubl.**

<u>Brian M. Boom</u>	1746; 2364; 2368
<u>B. Bordenave</u>	299
<u>L. Civeyrel</u>	1423; 1432
<u>J.-J. de Granville</u>	5448; 6902
<u>A. J. M. Leeuwenberg</u>	11779
<u>C. Moretti</u>	189
<u>S. A. Mori</u>	15105; 15513; 22814; 24290
<u>R. A. A. Oldeman</u>	4025; 4143; 4161

***Anartia meyeri* (G. Don) Miers**

<u>S. A. Mori</u>	24298; 24906
-------------------	--------------

***Aspidosperma album* (Vahl) Pichon**

<u>S. A. Mori</u>	18153; 23965; 24297; 24882
-------------------	----------------------------

***Aspidosperma carapanauba* Pichon**

<u>L. Allorge</u>	355
<u>Brian M. Boom</u>	1774
<u>S. A. Mori</u>	14777; 18059; 18078; 19186; 20815; 25004
<u>D. R. L. Sabatier</u>	1136

***Aspidosperma cruentum* Woodson**

<u>Brian M. Boom</u>	1804; 2241
<u>H. de Foresta</u>	680
<u>A. H. Gentry</u>	63038
<u>S. A. Mori</u>	19155; 20818; 20872; 21021; 22011; 24167
<u>R. A. A. Oldeman</u>	3198; 3199

***Aspidosperma excelsum* Benth.**

<u>L. Allorge</u>	326; 354
-------------------	----------

<u>Brian M. Boom</u>	1620; 1783; 1784; 1800
<u>A. H. Gentry</u>	63110
<u>S. A. Mori</u>	15470; 15680; 18001; 18471; 22301; 23847; 24843

***Aspidosperma marcgravianum* Woodson**

<u>A. H. Gentry</u>	63123
<u>S. A. Mori</u>	18146
<u>R. A. A. Oldeman</u>	3197

***Aspidosperma oblongum* A. DC.**

<u>L. Allorge</u>	382
-------------------	-----

***Aspidosperma sandwithianum* Markgr.**

<u>L. Allorge</u>	322
<u>S. A. Mori</u>	17981; 20942
<u>G. T. Prance</u>	30640

***Aspidosperma schultesii* Woodson**

<u>C. Moretti</u>	30; 53
<u>S. A. Mori</u>	18114; 19167; 20871; 24896
<u>T. D. Pennington</u>	12123
<u>H. H. van der Werff</u>	12973

***Aspidosperma spruceanum* Müll. Arg.**

<u>S. A. Mori</u>	18054
-------------------	-------

***Bonafousia angulata* (Müll. Arg.) Boiteau & L. Allorge**

<u>L. Allorge</u>	339
<u>A. H. Gentry</u>	63078

***Bonafousia disticha* (A. DC.) Boiteau & L. Allorge**

<u>L. Allorge</u>	330
<u>Brian M. Boom</u>	10754; 10839; 10855
<u>A. Fournet</u>	215
<u>A. H. Gentry</u>	63078
<u>J.-J. de Granville</u>	5155
<u>W. J. Hahn</u>	3631
<u>N. Marshall</u>	101
<u>C. Moretti</u>	40; 397; 410
<u>S. A. Mori</u>	14725; 21025; 24285
<u>R. A. A. Oldeman</u>	4044
<u>L. R. Phillippe</u>	26962
<u>M.-F. Prévost</u>	298; 300; 302
<u>L. E. Skog</u>	7369

***Bonafousia macrocalyx* (Müll. Arg.) Boiteau & L. Allorge**

<u>J.-J. de Granville</u>	1567
<u>C. Moretti</u>	163; 753; 1082; 1094
<u>M.-F. Prévost</u>	1821

***Bonafousia sananho* (Ruiz & Pav.) Markgr.**

<u>L. Allorge</u>	340
-------------------	-----

<u>L. Civeyrel</u>	1427
<u>J.-J. de Granville</u>	4227; 4455; 4559; 5080; 8951
<u>M. H. G. Gustafsson</u>	309
<u>A. J. M. Leeuwenberg</u>	11754; 11797
<u>C. Moretti</u>	16; 36; 39; 398; 436
<u>S. A. Mori</u>	8710; 21190
<u>R. A. A. Oldeman</u>	2050; 4140
<u>L. R. Phillippe</u>	26953
<u>G. T. Prance</u>	30675
<u>M.-F. Prévost</u>	297
<u>B. Riéra</u>	921
<i>Bonafousia siphilitica (L. f.) L. Allorge</i>	
<u>S. A. Mori</u>	21503; 22696; 24305
<u>L. R. Phillippe</u>	26927
<i>Catharanthus roseus (L.) G. Don</i>	
<u>N. Marshall</u>	173
<u>S. A. Mori</u>	18705
<i>Condylocarpon amazonicum (Markgr.) Ducke</i>	
<u>S. A. Mori</u>	20860; 23517; 23639
<i>Condylocarpon pubiflorum Müll. Arg.</i>	
<u>L. Civeyrel</u>	1430
<u>S. A. Mori</u>	24733
<i>Couma guianensis Aubl.</i>	
<u>S. A. Mori</u>	24878
<i>Ervatamia coronaria (Jacq.) Stapf</i>	
<u>A. J. M. Leeuwenberg</u>	11765
<i>Forsteronia acouci (Aubl.) A. DC.</i>	
<u>L. Civeyrel</u>	1420
<u>A. H. Gentry</u>	62971
<u>A. J. M. Leeuwenberg</u>	11770
<u>S. A. Mori</u>	21633; 22992; 23000; 23997
<i>Forsteronia guyanensis Müll. Arg.</i>	
<u>A. J. M. Leeuwenberg</u>	11787
<u>S. A. Mori</u>	20837; 21616; 23119; 23152; 24191; 25143
<i>Geissospermum argenteum Woodson</i>	
<u>J.-J. de Granville</u>	4624; 5067; 5157
<u>A. J. M. Leeuwenberg</u>	11718
<u>C. Moretti</u>	11; 448; 891
<u>S. A. Mori</u>	15100; 19177 (flowering branch); 22328
<u>D. R. L. Sabatier</u>	1067
<i>Geissospermum laeve (Thunb.) Miers</i>	
<u>J.-J. de Granville</u>	5118
<u>C. Moretti</u>	887; 888

<u>S. A. Mori</u>	15386; 19177 (sterile branch); 24259; 24259; 24822; 24830; 24853
<u>B. Wallnöfer</u>	13462
<i>Geissospermum sericeum (Sagot) Benth. & Hook. f.</i>	
<u>C. Moretti</u>	11
<u>S. A. Mori</u>	15120; 23153
<u>R. A. A. Oldeman</u>	2092
<i>Himatanthus articulatus (Vahl) Woodson</i>	
<u>Brian M. Boom</u>	1666
<u>J.-J. de Granville</u>	2731
<i>Himatanthus speciosus (Müll. Arg.) Plumel</i>	
<u>L. Allorge</u>	335
<u>S. A. Mori</u>	18592; 23792
<i>Lacmellea aculeata (Ducke) Monach.</i>	
<u>A. H. Gentry</u>	63133
<u>J.-J. de Granville</u>	2674; 3679; 5351
<u>P.-A. Loizeau</u>	619
<u>N. Marshall</u>	227
<u>S. A. Mori</u>	14733; 14930; 18075; 18714; 18895; 20796; 20906; 21685; 23891
<u>R. A. A. Oldeman</u>	1991
<u>L. R. Phillippe</u>	27010
<u>L. E. Skog</u>	7193
<i>Laxoplumeria baehniana Monach.</i>	
<u>Brian M. Boom</u>	1976
<u>S. A. Mori</u>	15537; 20933
<i>Macoubea guianensis Aubl.</i>	
<u>Brian M. Boom</u>	1777
<u>S. A. Mori</u>	14929; 21132; 21631; 22105; 22954; 24193; 24979
<u>N. P. Smith</u>	8
<i>Macropharynx spectabilis (Stadelm.) Woodson</i>	
<u>L. R. Phillippe</u>	27022
<i>Mandevilla rugellosa (Rich.) L. Allorge</i>	
<u>S. A. Mori</u>	23767
<i>Odontadenia perrottetii (A. DC.) Woodson</i>	
<u>L. Civeyrel</u>	1418; 1419
<u>J.-J. de Granville</u>	5479
<u>S. A. Mori</u>	15362; 21161; 21594
<i>Odontadenia puncticulosa (Rich.) Pulle</i>	
<u>L. Civeyrel</u>	1426
<u>A. H. Gentry</u>	63096
<u>J.-J. de Granville</u>	5376; 8559
<u>P. J. M. Maas</u>	2262
<u>C. Moretti</u>	38
<u>S. A. Mori</u>	24667

Pacouria guianensis Aubl.

<u>L. Allorge</u>	337
<u>S. A. Mori</u>	19207

Araceae

The treatment of Araceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Thomas B. Croat (MO).

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Heteropsis steyermarkii*.

The correct author abbreviations of the following species are *Dieffenbachia elegans* A. M. E. Jonker & Jonker not *D. elegans* Jonker & A. Jonker, *Dieffenbachia paludicola* Gleason not *D. paludicola* N. E. Br., *Heteropsis flexuosa* (Kunth) G. S. Bunting not *D. flexuosa* (Humb., Bonpl. & Kunth) Bunting, *Philodendron fragrantissimum* (Hook.) G. Don not *P. fragrantissimum* (Hook.) Kunth, *P. surinamense* (Miq.) Engl not *P. surinamense* (Schott) Engl., and *Stenospermation multiovulatum* (Engl.) N. E. Br not *S. multiovulatum* (N. E. Britton) Engler as in Part 1 of the *Guide*.

Caladium bicolor is only found cultivated in our area.

Monstera dubia was treated as *Monstera sp. nov.* in Part 1. *Philodendron hederaceum* was treated as *P. scandens* K. Koch & Sellow in Part 1 in Part 1.

***Anaphyllopsi s americana* (Engl.) A. Hay**

<u>G. Cremers</u>	6107; 12999
<u>T. B. Croat</u>	74177
<u>J.-J. de Granville</u>	3013
<u>S. A. Mori</u>	22796; 23299

***Anthurium clavigerum* Poepp.**

<u>J.-J. de Granville</u>	5476
---------------------------	------

***Anthurium gracile* (Rudge) Schott**

<u>T. B. Croat</u>	74231
<u>R. C. Ek</u>	410
<u>M. Freiberg</u>	294
<u>J.-J. de Granville</u>	2382
<u>M. H. G. Gustafsson</u>	329
<u>S. A. Mori</u>	20918; 21013; 21561; 22852
<u>B. Riéra</u>	926

***Anthurium hookeri* Kunth**

<u>Brian M. Boom</u>	10774; 10844
<u>G. Cremers</u>	3976
<u>J.-J. de Granville</u>	2400; 8605
<u>M. H. G. Gustafsson</u>	322

S. A. Mori 8746

Anthurium jenmanii Engl.

T. B. Croat 74143
R. C. Ek 25; 413
C. P. Feuillet 524
J.-J. de Granville 8968
S. A. Mori 22693; 23362

Anthurium pentaphyllum (Aubl.) G. Don var. petaphyllum

T. B. Croat 74241
C. P. Feuillet 463
J.-J. de Granville 8919
S. A. Mori 20921; 21034

Anthurium rubrinervium (Link) G. Don

T. B. Croat 74181; 74238
J.-J. de Granville 5468; 8758; 8946
S. A. Mori 22245; 23770
L. R. Phillippe 27002
L. E. Skog 7345

Anthurium scandens (Aubl.) Engl.

J.-J. de Granville 8556

Anthurium thrinax Madison

T. B. Croat 74175
M. Freiberg 214
J.-J. de Granville 3291
S. A. Mori 23752; 23764

Anthurium trinerve Miq.

F. Billiet 5772
G. Cremers 6135
T. B. Croat 74150
R. C. Ek 13; 21; 58; 136; 419
C. P. Feuillet 15136
M. Freiberg 69; 74
J.-J. de Granville 2756; 2782; 3574; 5403; 8586; 8675
S. A. Mori 17952; 22248
M.-F. Prévost 1805

Caladium bicolor (Aiton) Vent.

T. B. Croat 74237
C. Luu 68
M.-F. Prévost 2116

Dieffenbachia elegans A. M. E. Jonker & Jonker

T. B. Croat 74208

Dieffenbachia humilis Poepp.

T. B. Croat 74183

<u>J.-J. de Granville</u>	2277; 5259
<i>Dieffenbachia paludicola</i> Gleason	
<u>J.-J. de Granville</u>	5529
<i>Dieffenbachia seguine</i> (Jacq.) Schott	
<u>G. Cremers</u>	6071
<u>T. B. Croat</u>	74137
<u>M. Freiberg</u>	193
<u>J.-J. de Granville</u>	8642
<u>C. Moretti</u>	44
<u>S. A. Mori</u>	18717; 22273; 23068
<i>Dracontium polypyllum</i> L.	
<u>T. B. Croat</u>	74210
<i>Heteropsis flexuosa</i> (Kunth) G. S. Bunting	
<u>T. B. Croat</u>	74164; 74166; 74186
<u>J.-J. de Granville</u>	1573; 2418
<u>J. P. Lescure</u>	36
<u>S. A. Mori</u>	15415; 18014; 24003
<i>Heteropsis spruceana</i> Schott	
<u>T. B. Croat</u>	74219
<u>J.-J. de Granville</u>	2790
<i>Homalomena picturata</i> (Linden & André) Regel	
<u>T. B. Croat</u>	74129
<u>S. A. Mori</u>	24234
<i>Monstera adansonii</i> Schott (not determined to variety)	
<u>T. B. Croat</u>	74139
<u>S. A. Mori</u>	24030
<i>Monstera adansonii</i> Schott var. <i>klotzschiana</i> (Schott) Madison	
<u>Brian M. Boom</u>	10799
<u>S. A. Mori</u>	15077; 21194; 22176; 23242
<i>Monstera adansonii</i> Schott var. <i>laniata</i> (Schott) Madison	
<u>T. B. Croat</u>	74242
<u>R. C. Ek</u>	400
<i>Monstera dubia</i> (Kunth) Engl. & K. Krause	
<u>T. B. Croat</u>	74126A; 74187; 74236
<u>M. Freiberg</u>	150
<u>S. A. Mori</u>	23877; 24740; 24818; 24860
<i>Monstera obliqua</i> Miq.	
<u>T. B. Croat</u>	74159; 74191
<u>J.-J. de Granville</u>	5474; 8907
<u>S. A. Mori</u>	19025
<i>Monstera spruceana</i> (Schott) Engl.	
<u>T. B. Croat</u>	74126

<u>R. C. Ek</u>	6; 31; 62; 95; 140; 403; 404; 405
<u>M. Freiberg</u>	299
<u>J.-J. de Granville</u>	4655; 8744
<u>J. P. Lescure</u>	22
<u>S. A. Mori</u>	15033; 15060; 18221; 18765; 23345
<u>O. Poncy</u>	86
<i>Philodendron billietae Croat</i>	
<u>T. B. Croat</u>	74230
<i>Philodendron callosum K. Krause</i>	
<u>T. B. Croat</u>	74232
<i>Philodendron cremersii Croat & Grayum</i>	
<u>T. B. Croat</u>	74165; 74234
<i>Philodendron duckei Croat & Grayum</i>	
<u>T. B. Croat</u>	74142; 74174; 74185; 74235
<u>J.-J. de Granville</u>	894; 8894
<u>B. Riéra</u>	947
<i>Philodendron fragrantissimum (Hook.) Kunth</i>	
<u>G. Cremers</u>	6114
<u>R. C. Ek</u>	34; 422
<i>Philodendron goeldii G. M. Barroso</i>	
<u>J.-J. de Granville</u>	2808
<u>S. A. Mori</u>	14974
<i>Philodendron grandifolium (Jacq.) Schott</i>	
<u>T. B. Croat</u>	74127
<u>S. A. Mori</u>	15332; 19024; 22230; 23115; 23922; 23946
<u>N. P. Smith</u>	15
<i>Philodendron guianense Croat & Grayum</i>	
<u>T. B. Croat</u>	74195
<u>R. C. Ek</u>	4
<u>S. A. Mori</u>	23324, 24970
<i>Philodendron hederaceum (Jacq.) Schott</i>	
<u>J. D. Boeke</u>	3577
<u>T. B. Croat</u>	74128
<u>R. C. Ek</u>	39; 61; 68; 112; 141; 428; 429
<u>M. Freiberg</u>	151; 153
<u>A. H. Gentry</u>	62994
<u>S. A. Mori</u>	15117
<i>Philodendron insigne Schott</i>	
<u>G. Cremers</u>	6078
<u>T. B. Croat</u>	74163
<u>J.-J. de Granville</u>	4737
<u>N. P. Smith</u>	6
<i>Philodendron linnaei Kunth</i>	

<u>T. B. Croat</u>	74158
<u>R. C. Ek</u>	7; 425
<u>J.-J. de Granville</u>	5375
<u>S. A. Mori</u>	14979; 20916

Philodendron megalophyllum Schott

<u>T. B. Croat</u>	74138; 74140
<u>S. A. Mori</u>	14997; 18287; 22148; 22853

Philodendron melinonii Brongn.

<u>T. B. Croat</u>	74157
<u>S. A. Mori</u>	22255; 25003

Philodendron ornatum Schott

<u>R. C. Ek</u>	99
-----------------	----

Philodendron pedatum (Hook.) Kunth

<u>T. B. Croat</u>	74161
<u>M. Freiberg</u>	269
<u>S. A. Mori</u>	15071; 21109; 22641; 22831; 23216

Philodendron placidum Schott

<u>T. B. Croat</u>	74136; 74192
<u>S. A. Mori</u>	15331; 15599; 19080; 20827; 20893; 22877; 23378; 23869; 24299
<u>N. P. Smith</u>	5

Philodendron rudgeanum Schott

<u>L. Allorge</u>	348
<u>F. Billiet</u>	5790
<u>Brian M. Boom</u>	10699
<u>T. B. Croat</u>	74130
<u>C. P. Feuillet</u>	456; 15083
<u>J.-J. de Granville</u>	2290; 8446
<u>M. H. G. Gustafsson</u>	323
<u>J. P. Lescure</u>	32
<u>S. A. Mori</u>	18670; 22845
<u>M.-F. Prévost</u>	183
<u>A. Raynal-Roques</u>	19967

Philodendron solimoesense A. C. Sm.

<u>T. B. Croat</u>	74162
--------------------	-------

Philodendron sphalerum Schott

<u>J.-J. de Granville</u>	4573; 8794
---------------------------	------------

Philodendron squamiferum Poepp.

<u>T. B. Croat</u>	74141
<u>B. Descoings</u>	20485; 20537
<u>R. C. Ek</u>	430
<u>M. Freiberg</u>	235
<u>S. A. Mori</u>	23927; 24668

Philodendron surinamense (Miq.) Engl.

T. B. Croat 74186; 74189

S. A. Mori 25176

Philodendron wittianum Engl.

T. B. Croat 74173

S. A. Mori 22830

Rhodospatha brachypoda G. S. Bunting

T. B. Croat 74218

S. A. Mori 24030

Rhodospatha oblongata Poepp.

T. B. Croat 74182

Rhodospatha venosa Gleason

T. B. Croat 74134; 74160

R. C. Ek 409

S. A. Mori 15641; 18667; 23118; 23822; 24207

Spathiphyllum humboldtii Schott

F. Billiet 5816

T. B. Croat 74172

C. P. Feuillet 462

J.-J. de Granville 2278; 2294; 2306; 3271; 4770; 5543; 8437

S. A. Mori 22226

A. Raynal-Roques 18571

Stenospermation multiovulatum (Engl.) N. E. Br

Brian M. Boom 10871

T. B. Croat 74170

R. C. Ek 151; 433

M. Freiberg 249

J.-J. de Granville 5145; 5374; 8881

S. A. Mori 15072; 20854; 23730

Syngonium podophyllum Schott

P. Acevedo-Rodríguez 4961

T. B. Croat 74135

R. C. Ek 1; 63; 64; 91

M. Freiberg 28

A. H. Gentry 63136

J.-J. de Granville 5180; 8501

S. A. Mori 14820; 15114; 15131; 17960; 18465; 19055; 23376; 23860

A. Raynal-Roques 18500

Xanthosoma granvillei Croat & Thompson

G. Cremers 6184

T. B. Croat 74131

M. Freiberg 112

J.-J. de Granville 2401; 4480; 4486; 8608

S. A. Mori 18935; 21083; 22194; 23050; 23989

Araliaceae

The treatment of Araliaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

Oreopanax capitatus (Jacq.) Decne. & Planch.

<u>F. Beekman</u>	52
<u>R. C. Ek</u>	84
<u>J.-J. de Granville</u>	900; 2784; 3169; 8558; 8893
<u>S. A. Mori</u>	15091; 18882; 20746; 23379; 23899
<u>R. A. A. Oldeman</u>	3230; 4031; 4131

Schefflera deciphylla (Seem.) Harms

<u>S. A. Mori</u>	18364
-------------------	-------

Schefflera morototoni (Aubl.) Maguire, Steyermark, & Frodin

<u>Brian M. Boom</u>	1793; 2053
<u>S. A. Mori</u>	20875

Arecaceae

The treatment of Arecaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Jean-Jacques de Granville (CAY).

Although *Attalea maripa* (Corrêa) Mart. has not yet been collected in our area, it has been seen by J.-J. de Granville. Because it is difficult to misidentify this species, it should be treated as occurring in the area of the *Guide*.

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Bactris brongniartii* Mart.

The correct author abbreviation of the following species is *Bactris pliniana* Gran. & A. J. Henderson not *Bactris pliniana* Gran. & Henderson as in Part 1 of the *Guide*.

Bactris gasipaes is only found cultivated in our area.

Astrocaryum gynacanthum Mart.

<u>J.-J. de Granville</u>	4488; 5249; 8223
<u>S. A. Mori</u>	15097; 19122

Astrocaryum murumuru Mart.

<u>J.-J. de Granville</u>	4481; 5397; 5406
<u>G. T. Prance</u>	30662

Astrocaryum paramaca Mart.

<u>C. P. Feuillet</u>	15081
-----------------------	-------

<u>J.-J. de Granville</u>	5023; 5407
<u>S. A. Mori</u>	14872; 24082; 24082; 24082; 24082
<u>B. Wallnöfer</u>	13519
<i>Astrocaryum sciophilum (Miq.) Pulle</i>	
<u>Brian M. Boom</u>	1711; 1751; 1788; 1891
<u>J.-J. de Granville</u>	3257; 4508; 9031
<i>Attalea sagotii (Thurn) Wess. Boer</i>	
<u>S. A. Mori</u>	14954
<i>Bactris acanthocarpoides Barb. Rodr.</i>	
<u>S. A. Mori</u>	19053
<i>Bactris aubletiana Trail</i>	
<u>J.-J. de Granville</u>	1577; 3075
<u>W. J. Hahn</u>	3630
<u>N. Marshall</u>	110
<u>S. A. Mori</u>	14731; 18083; 21004; 23313
<u>R. A. A. Oldeman</u>	4069
<i>Bactris elegans Barb. Rodr.</i>	
<u>G. Cremers</u>	13006
<i>Bactris floccosa Spruce</i>	
<u>A. H. Gentry</u>	63160
<u>J.-J. de Granville</u>	736
<u>G. T. Prance</u>	30655
<i>Bactris gasipaes Kunth</i>	
<u>A. Gely</u>	51
<i>Bactris gastoniana Barb. Rodr.</i>	
<u>J.-J. de Granville</u>	1624; 1638; 3068; 5253
<u>B. Wallnöfer</u>	13520
<i>Bactris hirta Mart.</i>	
<u>J.-J. de Granville</u>	4496
<i>Bactris humilis (Wallace) Burret</i>	
<u>G. Cremers</u>	13020
<u>A. H. Gentry</u>	63159
<u>J.-J. de Granville</u>	5392; 8381; 8509; 8673; 10336
<u>S. A. Mori</u>	15063; 15582
<i>Bactris maraja Mart.</i>	
<u>J.-J. de Granville</u>	5404; 8854; 8872
<i>Bactris oligocarpa Barb. Rodr.</i>	
<u>J.-J. de Granville</u>	8376; 8618; 10337
<u>S. A. Mori</u>	15200; 22195; 23135
<u>G. T. Prance</u>	30660
<i>Bactris pliniana Grav. & A. J. Hend.</i>	
<u>J.-J. de Granville</u>	897; 5005; 5405; 5528
<i>Bactris raphidacantha Wess. Boer</i>	

<u>J.-J. de Granville</u>	5250; 5413
<u>B. Wallnöfer</u>	13511
<i>Bactris simplicifrons</i> Mart.	
<u>Y. Aumeeruddy</u>	66
<u>J.-J. de Granville</u>	697; 1676; 2789; 4263; 8470; 8512; 8567
<u>W. J. Hahn</u>	3629
<u>S. A. Mori</u>	18164
<i>Desmoncus macroacanthos</i> Mart.	
<u>S. A. Mori</u>	15604
<i>Euterpe oleracea</i> Mart.	
<u>Brian M. Boom</u>	2400; 2401; 2402
<i>Euterpe precatoria</i> Mart.	
<u>Brian M. Boom</u>	2195
<i>Geonoma baculifera</i> (Poit.) Kunth	
<u>Y. Aumeeruddy</u>	66
<u>J.-J. de Granville</u>	2788
<i>Geonoma deversa</i> (Poit.) Kunth	
<u>L. Allorge</u>	338
<u>G. Cremers</u>	13019
<i>Geonoma euspatha</i> Burret	
<u>J.-J. de Granville</u>	1590; 8393; 8801
<i>Geonoma maxima</i> (Poit.) Kunth	
<u>J.-J. de Granville</u>	2287; 3115; 8617
<u>S. A. Mori</u>	15552; 21591
<i>Geonoma stricta</i> (Poit.) Kunth	
<u>G. Cremers</u>	13009
<u>J.-J. de Granville</u>	5393; 8422; 8787; 10328
<u>D. R. L. Sabatier</u>	1158
<i>Geonoma umbraculiformis</i> Wess. Boer	
<u>Brian M. Boom</u>	10785
<u>M. Freiberg</u>	239
<u>J.-J. de Granville</u>	1644; 5499; 8584
<u>B. Wallnöfer</u>	13514
<i>Hyospathe elegans</i> Mart.	
<u>Brian M. Boom</u>	10800
<u>C. P. Feuillet</u>	480; 15094; 15133
<u>J.-J. de Granville</u>	743; 901; 5500
<u>W. J. Hahn</u>	3640
<u>S. A. Mori</u>	8753; 14908; 15000; 18106; 21634; 22756; 22946; 24169; 24169; 24169
<u>G. T. Prance</u>	30629
<u>B. Wallnöfer</u>	13515
<i>Oenocarpus bacaba</i> Mart.	
<u>Brian M. Boom</u>	1848; 2346

<u>J.-J. de Granville</u>	2419; 3458
<u>S. A. Mori</u>	24163

***Oenocarpus bataua* (Mart.) Burret subsp. *oligocarpa* (Griseb. & H. Wendl.) Balick**

<u>J.-J. de Granville</u>	4518
---------------------------	------

***Socratea exorrhiza* (Mart.) H. Wendl.**

<u>Brian M. Boom</u>	1882; 1966; 2038; 2040; 2042; 2044; 2045; 2101; 2102; 2298; 2327; 2415;
	2452
<u>J.-J. de Granville</u>	5412
<u>S. A. Mori</u>	18734; 24161

***Syagrus inajai* (Spruce) Becc.**

<u>J.-J. de Granville</u>	694; 5408
<u>S. Heald</u>	58; 59; 60; 61
<u>S. A. Mori</u>	22846; 24162; 24162; 24162

Aristolochiaceae

The treatment of the Aristolochiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Christian Feuillet (US) and Odile Poncy (P).

Aristolochia trilobata is only found cultivated in our area.

***Aristolochia bukuti* Poncy**

<u>M. H. G. Gustafsson</u>	320
<u>S. A. Mori</u>	21637; 22251; 22965; 23347; 23966; 24119

***Aristolochia cremersii* Poncy**

<u>Brian M. Boom</u>	10803
<u>S. A. Mori</u>	22953

***Aristolochia didyma* S. Moore**

<u>G. Cremers</u>	6069
-------------------	------

***Aristolochia iquitensis* O. C. Schmidt**

<u>J.-J. de Granville</u>	928
---------------------------	-----

***Aristolochia stahelii* O. C. Schmidt**

<u>B. Wallnöfer</u>	13467
---------------------	-------

***Aristolochia trilobata* L.**

<u>S. A. Mori</u>	22351
-------------------	-------

Asclepiadaceae

The treatment of Asclepiadaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Gilberto Morillo (MER).

***Asclepias curassavica* L.**

<u>M. Freiberg</u>	32
<u>J.-J. de Granville</u>	4582
<u>S. A. Mori</u>	18446
<u>A. Raynal-Roques</u>	18655

Matelea gracieae Morillo

<u>S. A. Mori</u>	23142
<u>L. R. Phillippe</u>	26946

Matelea palustris Aubl.

<u>A. Fournet</u>	67; 225
<u>M. Freiberg</u>	302; 303
<u>J.-J. de Granville</u>	2295; 2750; 3053; 3262; 4457; 4610
<u>S. A. Mori</u>	14802
<u>R. A. A. Oldeman</u>	117; 2789
<u>G. T. Prance</u>	28102
<u>L. E. Skog</u>	7241

Metalepis albiflora Urb.

<u>S. A. Mori</u>	23941
-------------------	-------

Asteraceae

The treatment of the Asteraceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by John F. Pruski (US).

Cosmos caudatus is an escaped ornamental and should not be considered a part of the native flora.

Acmella uliginosa (Sw.) Cass.

<u>C. P. Feuillet</u>	517
<u>J.-J. de Granville</u>	4747; 5349
<u>S. A. Mori</u>	18455; 18489; 22077; 23707
<u>R. A. A. Oldeman</u>	3917
<u>M.-F. Prévost</u>	775

Ageratum conyzoides L.

<u>F. Capus</u>	122
<u>A. Gely</u>	77
<u>S. A. Mori</u>	18248; 22089; 24754
<u>M.-F. Prévost</u>	774

Bidens cynapiifolia Kunth

<u>J.-J. de Granville</u>	4566; 4633
<u>S. A. Mori</u>	18442

Bidens pilosa L.

<u>C. Luu</u>	87
<u>S. A. Mori</u>	18245

<u>R. A. A. Oldeman</u>	3917
<i>Chromolaena odorata (L.) R. M. King & H. Rob.</i>	
<u>S. A. Mori</u>	18403
<u>L. E. Skog</u>	7110
<i>Clibadium sylvestre (Aubl.) Baill.</i>	
<u>F. Capus</u>	59
<u>A. Fournet</u>	217
<u>H. Jacquemin</u>	1421
<u>C. Moretti</u>	896
<u>B. Riéra</u>	929
<i>Cosmos caudatus Kunth</i>	
<u>S. A. Mori</u>	18262
<u>L. E. Skog</u>	7314
<i>Cyanthillium cinereum (L.) H. Rob.</i>	
<u>S. A. Mori</u>	18256
<u>R. A. A. Oldeman</u>	2122; 4329
<u>L. E. Skog</u>	7313
<i>Eclipta prostrata (L.) L.</i>	
<u>S. A. Mori</u>	19004
<i>Elaphandra moriana Pruski</i>	
<u>S. A. Mori</u>	25078
<i>Elephantopus mollis Kunth</i>	
<u>J.-J. de Granville</u>	4441; 5148; 5378
<u>S. A. Mori</u>	18381; 18409; 21058; 22635; 23928
<u>L. R. Phillippe</u>	27013
<u>L. E. Skog</u>	7141
<i>Emilia sonchifolia (L.) DC. var. sonchifolia</i>	
<u>S. A. Mori</u>	18249; 21187
<i>Erechtites hieracifolius (L.) DC.</i>	
<u>S. A. Mori</u>	23825; 24802
<i>Hebeclinium macrophyllum (L.) DC.</i>	
<u>J.-J. de Granville</u>	3162; 4422; 5073; 5354; 5515
<u>S. A. Mori</u>	18257; 18696; 22057; 22321; 23985
<u>L. R. Phillippe</u>	26972
<i>Mikania gleasonii B. L. Rob.</i>	
<u>S. A. Mori</u>	23996; 24816
<i>Mikania guaco Bonpl.</i>	
<u>S. A. Mori</u>	22694; 23708
<u>B. Taverne</u>	28
<i>Mikania micropтера DC.</i>	
<u>S. A. Mori</u>	22231
<i>Mikania parviflora (Aubl.) H. Karst.</i>	
<u>C. Moretti</u>	393

***Rolandra fruticosa* (L.) Kuntze**

<u>S. G. Beck</u>	17010
<u>B. Descoings</u>	20566
<u>J.-J. de Granville</u>	2763
<u>S. A. Mori</u>	18395; 18742; 22041; 23715
<u>L. E. Skog</u>	7112

***Sphagneticola trilobata* (L.) Pruski**

<u>S. G. Beck</u>	17009
<u>S. A. Mori</u>	18454

***Symphyotrichum laeve* (L.) A. Löve & D. Löve**

<u>S. A. Mori</u>	18265
-------------------	-------

***Synedrella nodiflora* (L.) Gaertn.**

<u>B. Bordenave</u>	328
<u>F. Capus</u>	5; 775
<u>C. P. Feuillet</u>	518
<u>A. Gely</u>	7; 42; 518
<u>S. A. Mori</u>	18244; 22091
<u>R. A. A. Oldeman</u>	4098
<u>M.-F. Prévost</u>	781; 1289
<u>L. E. Skog</u>	7302

Tilesia baccata* (L.) Pruski var. *baccata

<u>J.-J. de Granville</u>	4226
<u>A. J. M. Leeuwenberg</u>	11757
<u>N. Marshall</u>	202
<u>S. A. Mori</u>	15393; 18247; 19091; 22320
<u>R. A. A. Oldeman</u>	1959

***Unxia camphorata* L. f.**

J.-J. de Granville	14305
--------------------	-------

Balanophoraceae

The treatment of Balanophoraceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Carol A. Gracie (NY).

Helosis cayennensis* (Sw.) Spreng. var. *cayennensis

<u>F. Billiet</u>	5799
<u>G. Cremers</u>	6080; 7589
<u>C. P. Feuillet</u>	104; 1020
<u>M. Freiberg</u>	324
<u>J.-J. de Granville</u>	8814; 8923
<u>N. Marshall</u>	174
<u>S. A. Mori</u>	15648; 22276

A. Raynal-Roques 18465

Begoniaceae

The treatment of Begoniaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott V. Heald (NY).

Begonia glabra Aubl.

<u>Brian M. Boom</u>	10790
<u>C. P. Feuillet</u>	1027
<u>J.-J. de Granville</u>	1627; 8707
<u>C. Moretti</u>	113
<u>S. A. Mori</u>	22215; 23064
<u>R. A. A. Oldeman</u>	3960
<u>B. Wallnöfer</u>	13527

Begonia prieurii A. DC.

<u>C. P. Feuillet</u>	81
<u>J.-J. de Granville</u>	532; 552; 3161; 4457
<u>W. J. Hahn</u>	3591
<u>M. Hoff</u>	6633
<u>P. J. M. Maas</u>	2255
<u>C. Moretti</u>	113, 742
<u>S. A. Mori</u>	18218; 18654; 18682; 19088; 19108; 22073; 23063
<u>R. A. A. Oldeman</u>	2062
<u>G. T. Prance</u>	30664
<u>M.-F. Prévost</u>	305; 785; 1591; 2099

Bignoniaceae

The treatment of Bignoniaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Lúcia G. Lohmann (MO), John L. Brown (NY), and Scott A. Mori (NY).

Crescentia cujete is only found cultivated in our area.

Adenocalymma saulense A. H. Gentry

<u>A. H. Gentry</u>	63176
<u>S. A. Mori</u>	19192; 24133; 24211

Amphilophium paniculatum (L.) Kunth var. imatacense A. H. Gentry

<u>J.-J. de Granville</u>	3227
<u>S. A. Mori</u>	24261

Anemopaegma ionanthum A. H. Gentry

<u>S. A. Mori</u>	22019; 22711
-------------------	--------------

Anemopaegma oligoneuron (Sprague & Sandwith) A. H. Gentry

<u>S. A. Mori</u>	22342
<i>Arrabidaea candicans (Rich.) DC.</i>	
<u>Brian M. Boom</u>	2487
<u>A. H. Gentry</u>	63053; 63147
<u>L. R. Phillippe</u>	26981
<i>Arrabidaea cinnamomea (DC.) Sandwith</i>	
<u>A. H. Gentry</u>	63143
<u>S. A. Mori</u>	18771; 21654
<i>Arrabidaea fanshawei Sandwith</i>	
<u>S. A. Mori</u>	21653; 22341
<i>Arrabidaea florida DC.</i>	
<u>A. H. Gentry</u>	63167
<i>Arrabidaea inaequalis (Splitg.) K. Schum.</i>	
<u>S. A. Mori</u>	21145
<i>Arrabidaea japurensis (DC.) Bureau & K. Schum.</i>	
<u>J.-J. de Granville</u>	4644
<i>Arrabidaea nigrescens Sandwith</i>	
<u>A. H. Gentry</u>	63155
<u>S. A. Mori</u>	23784; 24210
<i>Arrabidaea oligantha Bureau & K. Schum.</i>	
<u>A. H. Gentry</u>	63061; 63148
<u>S. A. Mori</u>	22745
<i>Arrabidaea patellifera (Schltr.) Sandwith</i>	
<u>A. H. Gentry</u>	63142
<u>N. Marshall</u>	218
<u>S. A. Mori</u>	21121; 22030; 24267
<u>R. A. A. Oldeman</u>	2009
<i>Arrabidaea trailii Sprague</i>	
<u>A. H. Gentry</u>	63158
<u>S. A. Mori</u>	15151; 20869
<u>R. A. A. Oldeman</u>	2043
<i>Arrabidaea triplinervia (DC.) Baill.</i>	
<u>G. Cremers</u>	1151; 7151
<i>Callichlamys latifolia (Rich.) K. Schum.</i>	
<u>A. H. Gentry</u>	63145
<u>J.-J. de Granville</u>	8809
<u>S. A. Mori</u>	14990; 22639; 23812
<i>Clytostoma binatum (Thunb.) Sandwith</i>	
<u>S. A. Mori</u>	24173
<i>Crescentia cujete L.</i>	
<u>F. Capus</u>	48
<u>S. A. Mori</u>	24796
<i>Cydista aequinoctialis (L.) Miers</i>	

<u>A. H. Gentry</u>	62974
<u>S. A. Mori</u>	14939; 14996; 15042; 21995; 22099; 24198; 24232

Distictella elongata (Vahl) Urb.

<u>J.-J. de Granville</u>	3006
<u>S. A. Mori</u>	14832; 14933; 21649; 24144; 24962

Jacaranda copaia (Aubl.) D. Don

<u>A. H. Gentry</u>	63135; 63140; 63141; 63168
<u>J.-J. de Granville</u>	1529; 5172
<u>H. Jacquemin</u>	1420
<u>S. A. Mori</u>	15359; 18785; 20843; 20895
<u>R. A. A. Oldeman</u>	4142; 4145
<u>L. R. Phillippe</u>	27001
<u>B. Wallnöfer</u>	13493

Lundia corymbifera (Vahl) Sandwith

<u>J.-J. de Granville</u>	4421
---------------------------	------

Macfadyena unguis-cati (L.) A. H. Gentry

<u>G. Cremers</u>	3903
<u>J.-J. de Granville</u>	2001
<u>S. A. Mori</u>	18641
<u>R. A. A. Oldeman</u>	2072

Mansoa alliacea (Lam.) A. H. Gentry

<u>J.-J. de Granville</u>	5455
<u>H. Jacquemin</u>	1426

Mansoa standleyi (Steyermark.) A. H. Gentry

<u>S. A. Mori</u>	s.n. (photo only in Herbarium at NY)
-------------------	--------------------------------------

Martinella obovata (Kunth) Bureau & K. Schum.

<u>A. H. Gentry</u>	63151
<u>S. A. Mori</u>	17998

Memora flava (DC.) Bureau & K. Schum.

<u>A. H. Gentry</u>	63083
<u>H. Jacquemin</u>	1448
<u>N. Marshall</u>	171; 179
<u>S. A. Mori</u>	19204; 20743; 24921
<u>R. A. A. Oldeman</u>	4164

Memora moringiifolia (DC.) Sandwith

<u>S. A. Mori</u>	14985; 23172; 23422
-------------------	---------------------

Memora racemosa A. H. Gentry

<u>S. A. Mori</u>	14920; 15178; 15256; 21006; 24141
-------------------	-----------------------------------

Memora tanaeciicarpa A. H. Gentry

<u>A. H. Gentry</u>	63138
---------------------	-------

Parabignonia steyermarkii Sandwith

<u>G. Cremers</u>	3904
<u>R. C. Ek</u>	16; 19; 53; 89; 105

<u>S. A. Mori</u>	22908; 22960; 23017; 23327
<i>Paragonia pyramidata (Rich.) Bureau</i>	
<u>S. A. Mori</u>	21029; 22695
<u>R. A. A. Oldeman</u>	4195
<i>Pithecoctenium crucigerum (L.) A. H. Gentry</i>	
<u>F. Beekman</u>	58
<u>A. H. Gentry</u>	63175
<u>S. A. Mori</u>	23722; 24228
<i>Pleonotoma albiflora (DC.) A. H. Gentry</i>	
<u>A. H. Gentry</u>	63166
<u>S. A. Mori</u>	15208
<i>Pleonotoma dendrotricha Sandwith</i>	
<u>H. de Foresta</u>	672
<u>A. H. Gentry</u>	63152
<i>Schlegelia fuscata A. H. Gentry</i>	
<u>P. Acevedo-Rodríguez</u>	4998
<u>J.-J. de Granville</u>	5159; 5450; 8511; 8995
<u>S. A. Mori</u>	18542; 18598; 24734; 24739
<u>G. T. Prance</u>	30627
<u>D. R. L. Sabatier</u>	1431
<i>Schlegelia paraensis Ducke</i>	
<u>R. C. Ek</u>	142
<u>J.-J. de Granville</u>	5474
<u>S. A. Mori</u>	19210; 22820
<u>R. A. A. Oldeman</u>	4081
<i>Stizophyllum inaequilaterum Bureau & K. Schum.</i>	
<u>S. A. Mori</u>	24242
<i>Stizophyllum riparium (Kunth) Sandwith</i>	
<u>A. H. Gentry</u>	63154
<i>Tabebuia capitata (Bureau & K. Schum.) Sandwith</i>	
<u>S. A. Mori</u>	20965
<i>Tabebuia insignis (Miq.) Sandwith</i>	
<u>J.-J. de Granville</u>	14193
<i>Tabebuia serratifolia (Vahl) G. Nicholson</i>	
<u>A. H. Gentry</u>	62996; 63146
<u>S. A. Mori</u>	21021
<i>Tanaecium nocturnum (Barb. Rodr.) Bureau & K. Schum.</i>	
<u>F. Billiet</u>	5791
<u>B. Bordenave</u>	297
<u>H. J. Burgot</u>	1454
<u>R. C. Ek</u>	111
<u>H. de Foresta</u>	671
<u>A. H. Gentry</u>	63025

<u>J.-J. de Granville</u>	4653
<u>H. Jacquemin</u>	1454
<u>C. Moretti</u>	13
<u>S. A. Mori</u>	18770; 18772; 21147; 21615; 23968; 24262; 24765
<u>R. A. A. Oldeman</u>	2044; 3186
<u>M. Sauvain</u>	641

***Tynanthus polyanthus* (Bureau) Sandwith**

<u>A. H. Gentry</u>	63149
<u>S. A. Mori</u>	23171

***Tynanthus pubescens* A. H. Gentry**

<u>J. P. Lescure</u>	35
<u>S. A. Mori</u>	23213; 23971

Bixaceae

The treatment of the Bixaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott V. Heald (NY).

Bixa orellana is only found cultivated in our area.

***Bixa orellana* L.**

<u>F. Capus</u>	58
<u>M. Freiberg</u>	292
<u>S. A. Mori</u>	22071

Bombacaceae

The treatment of Bombacaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by William S. Alverson (F) and Scott A. Mori (NY).

***Catostemma commune* Sandwith**

<u>Brian M. Boom</u>	2023
----------------------	------

***Ceiba pentandra* (L.) Gaertn.**

<u>M. Freiberg</u>	127; 344
<u>S. A. Mori</u>	18379

***Eriotheca globosa* (Aubl.) A. Robyns**

<u>Brian M. Boom</u>	2279
<u>A. H. Gentry</u>	63050

***Eriotheca longitubulosa* A. Robyns**

<u>S. A. Mori</u>	22882; 24902; 24927; 24990
-------------------	----------------------------

***Huberodendron swietenioides* (Gleason) Ducke**

<u>S. A. Mori</u>	22065; 22149; 22254
-------------------	---------------------

***Matisia ochrocalyx* K. Schum.**

<u>P. Acevedo-Rodríguez</u>	4975
<u>Brian M. Boom</u>	2116; 10824
<u>H. de Foresta</u>	698
<u>J.-J. de Granville</u>	2399; 8639; 8732
<u>M. H. G. Gustafsson</u>	331
<u>S. A. Mori</u>	15514; 15676; 18123; 18464; 22240; 22836
<u>B. Wallnöfer</u>	13507

Pachira insignis (Sw.) Savigny

<u>S. A. Mori</u>	21538; 23009
-------------------	--------------

Pachira macrocalyx (Ducke) Fern. Alonso

<u>S. A. Mori</u>	18061
-------------------	-------

Quararibea duckei Huber

<u>F. Billiet</u>	5774
<u>Brian M. Boom</u>	1933; 1934; 1935; 1936; 2013; 2025; 2064; 2068; 2072; 2074; 2083; 2084; 2092; 2095; 2104; 2115; 2123; 2124; 2128; 2135; 2146; 2147; 2168; 2171; 2173; 2175; 2178; 2179; 2183; 2187; 2199; 2200; 2201; 2204; 2216; 2220; 2228; 2256; 2257; 2261; 2266; 2267; 2272; 2433; 2444; 2447; 2450; 2451; 2456
<u>C. P. Feuillet</u>	485
<u>A. H. Gentry</u>	62985
<u>J.-J. de Granville</u>	1666; 8927
<u>H. Jacquemin</u>	1425
<u>P.-A. Loizeau</u>	616
<u>P. J. M. Maas</u>	2243
<u>S. A. Mori</u>	15020; 15574; 21090; 22058; 22840; 23875
<u>R. A. A. Oldeman</u>	1994; 3294
<u>L. R. Phillippe</u>	26902; 26952

Quararibea spatulata Ducke

<u>Brian M. Boom</u>	2010; 2159
<u>A. H. Gentry</u>	62979
<u>S. A. Mori</u>	15637; 22252

Boraginaceae

The treatment of Boraginaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Christian Feuillet (NY).

Cordia alliodora (Ruiz & Pav.) Oken

<u>J.-J. de Granville</u>	4284; 5475
<u>N. Marshall</u>	212
<u>S. A. Mori</u>	18644; 24798; 24799
<u>R. A. A. Oldeman</u>	2071

Cordia bicolor DC.

<u>Brian M. Boom</u>	1849
----------------------	------

<u>J.-J. de Granville</u>	3240
<u>S. A. Mori</u>	24316
<u>R. A. A. Oldeman</u>	2054
<u>M.-F. Prévost</u>	169
<u>D. R. L. Sabatier</u>	2318

***Cordia exaltata* Lam.**

<u>D. Barthelemy</u>	147
<u>J.-J. de Granville</u>	2764
<u>N. Marshall</u>	159
<u>S. A. Mori</u>	15354; 18763
<u>R. A. A. Oldeman</u>	3955

***Cordia goeldiana* Huber**

<u>S. A. Mori</u>	21614
-------------------	-------

***Cordia lomatoloba* I. M. Johnst.**

<u>Brian M. Boom</u>	10830
<u>S. A. Mori</u>	15355; 15379; 15605

***Cordia naidophila* I. M. Johnst.**

<u>M.-F. Prévost</u>	178
----------------------	-----

***Cordia nervosa* Lam.**

<u>J.-J. de Granville</u>	3073; 3119; 6110
<u>S. A. Mori</u>	18042; 22790

***Cordia nodosa* Lam.**

<u>P. Acevedo-Rodríguez</u>	4991
<u>Brian M. Boom</u>	10813
<u>C. P. Feuillet</u>	1234
<u>J.-J. de Granville</u>	4387
<u>M. H. G. Gustafsson</u>	321
<u>S. Heald</u>	2
<u>S. A. Mori</u>	14751; 14951; 15555; 18046; 25139
<u>R. A. A. Oldeman</u>	2128; 4057
<u>L. R. Phillippe</u>	26975
<u>G. T. Prance</u>	30667
<u>B. Wallnöfer</u>	13484

***Cordia sagotii* I. M. Johnst.**

<u>S. A. Mori</u>	15267; 15410; 18969; 22748
-------------------	----------------------------

***Cordia schomburgkii* DC.**

<u>F. Billiet</u>	5776
<u>J.-J. de Granville</u>	5464
<u>P.-A. Loizeau</u>	617
<u>S. A. Mori</u>	21207
<u>R. A. A. Oldeman</u>	2101
<u>A. Raynal-Roques</u>	19953

***Heliotropium indicum* L.**

<u>H. Bourdot</u>	1422
<u>H. Jacquemin</u>	1422
<u>C. Luu</u>	43
<u>C. Moretti</u>	883
<u>S. A. Mori</u>	21060
<u>M.-F. Prévost</u>	2140

***Tournefortia bicolor* Sw.**

<u>F. Billiet</u>	6249
<u>A. H. Gentry</u>	63084
<u>S. A. Mori</u>	21597

***Tournefortia maculata* Lam.**

<u>J.-J. de Granville</u>	4282
<u>A. J. M. Leeuwenberg</u>	11766
<u>S. A. Mori</u>	18601; 23047
<u>R. A. A. Oldeman</u>	1957; 4193; 4214
<u>A. Raynal-Roques</u>	19983

***Tournefortia paniculata* Cham. var. *spigeliiflora* (A. DC.) I. M. Johnst.**

<u>S. A. Mori</u>	15099; 18737
<u>R. A. A. Oldeman</u>	4313
<u>A. Raynal-Roques</u>	19968

***Tournefortia ulei* Vaupel**

<u>C. P. Feuillet</u>	15103
<u>S. A. Mori</u>	24200

Brassicaceae

The treatment of Brassicaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by John D. Mitchell (NY).

Nasturtium officinale is an edible weed introduced from the Old World and not part of the native flora.

***Nasturtium officinale* R. Br.**

<u>C. Luu</u>	35
<u>S. A. Mori</u>	22078

Bromeliaceae

The treatment of the Bromeliaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Eric J. Gouda (U).

The correct author abbreviations of the following species are *Aechmea mertensii* (G. Mey.) Schult. & Schult. f. not *A. mertensii* (Mey.) Schult., *Araeococcus micranthus* Brongn. not *A. micranthus* A. T. Brongniart, *Pepinia geyskesii* (L. B. Sm.) G. S. Varad. & Gilman not *P. geyskesii* (L. B. Smith) Varadarajan & Gilman, and *Vriesea gladioliflora* (H. Wendl.) Antoine not *V. gladioliflora* (Wendland)

Antoine as in Part 1 of the *Guide*

Aechmea aquilega (Salisb.) Griseb.

<u>A. R. A. Görts-van</u>	87
<u>Rijn</u>	
<u>J.-J. de Granville</u>	9030
<u>S. A. Mori</u>	20894; 24245
<u>L. R. Phillippe</u>	26925; 26982

Aechmea bromeliifolia (Rudge) Baker

<u>J.-J. de Granville</u>	2713
<u>S. A. Mori</u>	22763; 23781; 25146

Aechmea lingulata (L.) Baker

<u>A. Fournet</u>	72
<u>M. Freiberg</u>	243
<u>J.-J. de Granville</u>	2692; 5153; 8421

Aechmea melinonii Hook.

<u>A. R. A. Görts-van</u>	126
<u>Rijn</u>	
<u>J.-J. de Granville</u>	8620

Aechmea mertensii (G. Mey.) Schult. & Schult. f.

<u>A. R. A. Görts-van</u>	88; 109
<u>Rijn</u>	
<u>J.-J. de Granville</u>	5127; 8792
<u>N. Marshall</u>	251
<u>S. A. Mori</u>	15036; 15145; 22773
<u>B. Riéra</u>	965
<u>L. E. Skog</u>	7274

Aechmea tocantina Baker

<u>A. R. A. Görts-van</u>	58
<u>Rijn</u>	
<u>S. A. Mori</u>	19145; 23854; 24181; 24181; 24246; 24246

Araeococcus flagellifolius Harms

<u>A. R. A. Görts-van</u>	106
<u>Rijn</u>	
<u>S. A. Mori</u>	21677; 23306

Araeococcus micranthus Brongn.

<u>D. Barthelemy</u>	142
<u>F. Billiet</u>	5813
<u>R. C. Ek</u>	83
<u>M. Freiberg</u>	190
<u>A. R. A. Görts-van</u>	105
<u>Rijn</u>	
<u>J.-J. de Granville</u>	8680; 9057
<u>S. A. Mori</u>	14913; 20919

<u>L. E. Skog</u>	7255
<i>Billbergia violacea</i> Beer	
<u>B. Bordenave</u>	335
<u>G. Cremers</u>	6103
<u>A. R. A. Görts-van Rijn</u>	95
<u>N. Marshall</u>	148
<u>S. A. Mori</u>	22012; 22116; 23956
<u>L. E. Skog</u>	7259
<i>Catopsis berteroniana</i> (Schult. f.) Mez	
<u>A. R. A. Görts-van Rijn</u>	96
<i>Catopsis sessiliflora</i> (Ruiz & Pav.) Mez	
<u>M. Freiberg</u>	248
<i>Disteganthus basi-lateralis</i> Lem.	
<u>C. P. Feuillet</u>	15122
<i>Disteganthus lateralis</i> (L. B. Sm.) Gouda	
<u>G. Cremers</u>	13005
<u>A. R. A. Görts-van Rijn</u>	50; 104
<u>J.-J. de Granville</u>	8432
<u>S. A. Mori</u>	22855; 25175
<i>Guzmania altsonii</i> L. B. Sm.	
<u>J.-J. de Granville</u>	8746
<i>Guzmania lingulata</i> (L.) Mez	
<u>R. C. Ek</u>	79; 80
<u>M. Freiberg</u>	26
<u>A. R. A. Görts-van Rijn</u>	52
<u>J.-J. de Granville</u>	3345; 8372
<u>S. A. Mori</u>	15330
<u>L. E. Skog</u>	7288
<i>Guzmania melinonis</i> Regel	
<u>G. Cremers</u>	6087
<u>R. C. Ek</u>	162
<u>A. R. A. Görts-van Rijn</u>	63; 77
<u>J.-J. de Granville</u>	8440; 8480
<i>Pepinia geyskesii</i> (L. B. Sm.) G. S. Varad. & Gilmartin	
<u>G. Cremers</u>	6182
<u>S. A. Mori</u>	25119
<i>Pitcairnia leprieurii</i> Baker	
<u>H. de Foresta</u>	699
<i>Pitcairnia sastrei</i> L. B. Sm. & Read	

<u>J.-J. de Granville</u>	3043; 8971
<u>S. A. Mori</u>	23239

Racinaea spiculosa (Griseb.) M. A. Spencer & L. B. Sm.

<u>R. C. Ek</u>	200
<u>J.-J. de Granville</u>	3378; 8808

Streptocalyx longifolius (Rudge) Baker

<u>A. R. A. Görts-van Rijn</u>	79; 116
<u>S. A. Mori</u>	18107

Tillandsia adpressiflora Mez

<u>R. C. Ek</u>	138
<u>A. R. A. Görts-van Rijn</u>	86
<u>G. T. Prance</u>	30678

Tillandsia anceps Lodd.

<u>R. C. Ek</u>	36; 150
<u>M. Freiberg</u>	159
<u>A. R. A. Görts-van Rijn</u>	69; 92
<u>J.-J. de Granville</u>	5517
<u>S. A. Mori</u>	14962; 15080; 18103; 20726; 22270
<u>L. E. Skog</u>	7348

Tillandsia bulbosa Hook.

<u>R. C. Ek</u>	129
<u>A. R. A. Görts-van Rijn</u>	60
<u>S. A. Mori</u>	14826

Tillandsia fasciculata Sw.

<u>R. C. Ek</u>	101
<u>A. R. A. Görts-van Rijn</u>	59
<u>S. A. Mori</u>	21502

Tillandsia kegeliana Mez

<u>R. C. Ek</u>	180
<u>A. R. A. Görts-van Rijn</u>	128

Tillandsia monadelpha (E. Morren) Baker

<u>C. P. Feuillet</u>	15128
<u>M. Freiberg</u>	53; 242
<u>A. R. A. Görts-van Rijn</u>	61; 68; 78; 97
<u>J.-J. de Granville</u>	8736
<u>P. J. M. Maas</u>	2266
<u>S. A. Mori</u>	18650; 20935; 21531

<u>L. E. Skog</u>	7146
<i>Tillandsia paraensis</i> Mez	
<u>A. R. A. Görts-van Rijn</u>	127
<i>Tillandsia tenuifolia</i> L.	
<u>R. C. Ek</u>	46; 75; 152
<u>C. P. Feuillet</u>	15095
<u>M. Freiberg</u>	36; 115
<u>A. R. A. Görts-van Rijn</u>	51
<u>P. J. M. Maas</u>	2261
<u>S. A. Mori</u>	19035; 22059; 24202
<i>Vriesea amazonica</i> (Baker) Mez	
<u>R. C. Ek</u>	9; 71
<i>Vriesea gladioliflora</i> (H. Wendl.) Antoine	
<u>A. R. A. Görts-van Rijn</u>	72; 111
<i>Vriesea pleiosticha</i> (Griseb.) Gouda	
<u>R. C. Ek</u>	90
<u>M. Freiberg</u>	251
<u>A. R. A. Görts-van Rijn</u>	83
<u>S. A. Mori</u>	18155; 20817; 22005
<i>Vriesea splendens</i> (Brongn.) Lem.	
<u>Brian M. Boom</u>	10784
<u>R. C. Ek</u>	18
<u>M. Freiberg</u>	234
<u>J.-J. de Granville</u>	3044
<u>S. A. Mori</u>	23238

Burmanniaceae

The treatment of Burmanniaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Hiltje Maas-van Kamer and Paul Maas (U).

The correct author abbreviation of the following species is *Gymnosiphon divaricatus* (Benth.) Benth. & Hook. f. not *Gymnosiphon divaricatus* (Bentham) Bentham & J. D. Hooker as in Part 1 of the *Guide*.

***Apteris aphylla* (Nutt.) Small**

<u>R. O. Determann</u>	80
<u>P. J. M. Maas</u>	8072
<u>S. A. Mori</u>	22794

***Campylosiphon purpurascens* Benth.**

<u>J.-J. de Granville</u>	3311; 4947
---------------------------	------------

<u>P. J. M. Maas</u>	8076
<u>S. A. Mori</u>	22782

***Dictyostega orobanchoides* (Hook.) Miers subsp. *parviflora* (Benth.) Snelders & Maas**

<u>R. O. Determann</u>	102
<u>M. Freiberg</u>	325
<u>S. A. Mori</u>	14911; 17968; 21681; 23174; 24842

***Gymnosiphon breviflorus* Gleason**

<u>R. O. Determann</u>	104
<u>J.-J. de Granville</u>	1679; 3274; 3299
<u>P. J. M. Maas</u>	8070
<u>S. A. Mori</u>	22294

***Gymnosiphon divaricatus* (Benth.) Benth. & Hook. f.**

<u>R. O. Determann</u>	88
<u>S. A. Mori</u>	18192; 22291
<u>R. A. A. Oldeman</u>	2795

***Gymnosiphon minutus* Snelders & Maas**

<u>P. J. M. Maas</u>	8078
----------------------	------

***Hexapterella gentianoides* Urb.**

<u>S. A. Mori</u>	22292
-------------------	-------

***Thismia saülensis* Maas & H. Maas**

<u>P. J. M. Maas</u>	8091
<u>S. A. Mori</u>	18369

Burseraceae

The treatment of the Burseraceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Douglas C. Daly (NY).

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been vouchered by a collection: *Dacryodes cuspidata* (Cuatrec.) Daly.

***Crepidospermum goudotianum* (Tul.) Triana & Planch.**

<u>Brian M. Boom</u>	1885
<u>A. Raynal-Roques</u>	20007

***Dacryodes roraimensis* Cuatrec.**

<u>S. A. Mori</u>	17983; 24973
-------------------	--------------

***Protium apiculatum* Swart**

<u>Brian M. Boom</u>	1847; 1874; 1889; 1900; 1921; 2022; 2031; 2039; 2066; 2081; 2094; 2096; 2142; 2153; 2221; 2283; 2294; 2369; 2390; 2398; 2403
<u>A. H. Gentry</u>	62959; 63033; 63124; 63127
<u>S. A. Mori</u>	8703; 8721; 15321; 15547; 15610; 21149

***Protium aracouchini* (Aubl.) Marchand**

<u>S. A. Mori</u>	19168; 23301
<i>Protium cuneatum</i> Swart	
<u>Brian M. Boom</u>	10746
<u>S. A. Mori</u>	21136; 22921; 22922; 24012
<i>Protium decandrum</i> (Aubl.) Marchand	
<u>Brian M. Boom</u>	1732; 1820; 2034
<u>S. A. Mori</u>	8825; 15061; 15172; 15206; 15265; 15488; 22762
<i>Protium demerarensse</i> Swart	
<u>P. Acevedo-Rodríguez</u>	4965; 4965; 4995
<u>A. H. Gentry</u>	63113
<u>S. A. Mori</u>	18686; 18960; 21078; 22027; 24011; 24025; 24883; 24899
<i>Protium divaricatum</i> Engl. subsp. <i>fumarium</i> Daly	
<u>Brian M. Boom</u>	1623; 1715; 1724; 1741; 1749
<u>S. A. Mori</u>	14716; 14818; 15052; 15175; 15590; 18034; 18081; 18635; 19181; 20773; 20833; 20848; 23159; 24157; 24892; 24900
<u>L. R. Phillippe</u>	26942; 26988
<i>Protium guianense</i> (Aubl.) Marchand	
<u>J.-J. de Granville</u>	2735
<u>S. A. Mori</u>	15078
<i>Protium heptaphyllum</i> (Aubl.) Marchand subsp. <i>heptaphyllum</i>	
<u>S. A. Mori</u>	15202; 15531; 17958; 18132; 18883; 21126
<u>L. E. Skog</u>	7171; 7299
<i>Protium inodorum</i> Daly	
<u>Brian M. Boom</u>	2359
<u>S. A. Mori</u>	15302
<i>Protium morii</i> Daly	
<u>Brian M. Boom</u>	1872; 1886; 2113; 2144; 2149; 2198; 2224; 2264; 2270; 2275; 2304
<u>S. A. Mori</u>	15348; 19143; 21110; 22906; 22923; 24772
<u>L. R. Phillippe</u>	26980
<u>G. T. Prance</u>	28121
<i>Protium occultum</i> Daly	
<u>S. A. Mori</u>	22719; 22826
<i>Protium opacum</i> Swart subsp. <i>rabelianum</i> Daly	
<u>Brian M. Boom</u>	1627; 1725; 1828; 1875; 2024; 2033; 2112; 2120; 2186; 2197; 2253; 2262; 2350; 2397; 10747
<u>A. H. Gentry</u>	62987; 63001; 63011; 63099
<u>J.-J. de Granville</u>	5157; 5473
<u>S. A. Mori</u>	14696; 14724; 15041; 15046; 15088; 17975; 20727; 20728; 20767; 20851; 21081; 21105; 24019; 24722; 24881; 24903
<u>R. A. A. Oldeman</u>	180; 4029
<i>Protium pallidum</i> Cuatrec.	
<u>Brian M. Boom</u>	1654; 1707; 1734
<u>S. A. Mori</u>	14973; 15009; 15051; 15066; 15153; 15196; 15289; 15339; 15442; 15458; 15589; 21699; 22707; 22742; 22810; 24185; 24330; 24712

***Protium pilosum* (Cuatrec.) Daly**

<u>G. Cremers</u>	3981
<u>A. H. Gentry</u>	63129
<u>J.-J. de Granville</u>	885; 2356; 4251; 5171; 8441
<u>S. A. Mori</u>	8790; 14936; 21017; 21115; 22816; 23990
<u>R. A. A. Oldeman</u>	4112; 4354

***Protium plagiocarpium* Benoist**

<u>Brian M. Boom</u>	1632; 1993; 2000; 2363
<u>S. A. Mori</u>	14710; 14768; 15468; 18582; 20756; 22297; 23278

***Protium robustum* (Swart) D. M. Porter**

<u>A. H. Gentry</u>	63029
<u>R. A. A. Oldeman</u>	3211

***Protium sagotianum* Marchand**

<u>Brian M. Boom</u>	2007; 2103; 2190; 2234; 2284
<u>A. H. Gentry</u>	62960; 63118; 63121
<u>S. A. Mori</u>	15032; 15040; 15045; 15337; 15560; 15581; 18105; 18887; 20738; 21522; 22883; 24884; 24898
<u>B. Riéra</u>	936
<u>L. E. Skog</u>	7279

Protium subserratum* (Engl.) Engl. subsp. *subserratum

<u>Brian M. Boom</u>	1647; 1896
<u>A. H. Gentry</u>	63089
<u>G. T. Prance</u>	28082

***Protium tenuifolium* (Engl.) Engl.**

<u>A. H. Gentry</u>	62982
<u>S. A. Mori</u>	21087

***Protium trifoliolatum* Engl.**

<u>Brian M. Boom</u>	1679; 1744; 1761; 2151; 2328; 2329; 2339; 2380
<u>J.-J. de Granville</u>	4746
<u>S. A. Mori</u>	15050; 15307; 15369; 15404; 15434; 15447; 15486; 15591; 18091; 18159
<u>R. A. A. Oldeman</u>	2115

***Tetragastris altissima* (Aubl.) Swart**

<u>Brian M. Boom</u>	1735; 1907; 1926; 1927; 2008; 2011; 2015; 2017; 2055; 2058; 2059; 2082; 2097; 2098; 2109; 2121; 2127; 2131; 2137; 2166; 2170; 2185; 2189; 2191; 2194; 2206; 2222; 2240; 2247; 2250; 2251; 2258; 2259; 2260; 2282; 2291; 2305; 2315; 2317; 2323; 2333; 2335; 2337; 2374; 2385; 2387; 2389; 2394; 2395; 2396; 2407; 2426; 2434; 2436; 2437; 2438; 2440; 2441; 2446; 2454
<u>A. H. Gentry</u>	62964
<u>J.-J. de Granville</u>	2722
<u>S. A. Mori</u>	8720; 14958; 15001; 15094; 15110; 15580; 17936; 21507; 21526; 22010; 22663; 23987
<u>R. A. A. Oldeman</u>	3176; 4059
<u>D. R. L. Sabatier</u>	1162

***Tetragastris panamensis* (Engl.) Kuntze**

S. A. Mori 14969

R. A. A. Oldeman 3206

Trattinnickia boliviiana (Swart) Daly

R. A. A. Oldeman 2106

Trattinnickia rhoifolia Willd.

Brian M. Boom 1754; 2278

S. A. Mori 18337

Cactaceae

The treatment of the Cactaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Beat Ernst Leuenberger (B).

Opuntia cochenillifera is only found cultivated in our area.

Epiphyllum phyllanthus (L.) Haw.

G. Cremers 6180

M. Freiberg 310

S. A. Mori 18988

Opuntia cochenillifera (L.) Mill.

C. Luu 69

Rhipsalis baccifera (J. S. Muell.) Stearn

G. Cremers 6179

R. C. Ek 50; 299

M. Freiberg 84; 309

S. A. Mori 18605; 18897

Selenicereus extensus (DC.) Leuenb.

S. A. Mori 23768

Caesalpiniaceae

The treatment of Caesalpiniaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Rupert C. Barneby and Scott V. Heald (NY).

In addition to the species documented by the vouchers listed below, the following species is included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Senna multijuga* (Rich.) H. S. Irwin & Barneby.

Acosmium praeclarum (Sandwith) Yakovlev

S. A. Mori 24980

Batesia floribunda Benth.

Brian M. Boom 1608; 1720

S. A. Mori 18088; 21682; 22985; 25148

D. R. L. Sabatier 2308

***Bauhinia guianensis* Aubl.**

S. A. Mori 21124; 22902; 24010; 24089; 24771

***Bauhinia outimouta* Aubl.**

G. Cremers 3969

J.-J. de Granville 2659; 5416

S. A. Mori 22747; 24681

***Bauhinia sigueirae* Ducke**

S. A. Mori 18621; 18906

R. A. A. Oldeman 3187

***Bauhinia surinamensis* Amshoff**

S. A. Mori 20864; 22647; 24134

Cassia cowanii* H. S. Irwin & Barneby var. *cowanii

S. A. Mori 22034

***Cassia fastuosa* Benth.**

J.-J. de Granville 906; 4595; 4596

S. A. Mori 18764; 23952

***Cassia grandis* L. f.**

R. A. A. Oldeman 2097

***Cassia spruceana* Benth.**

Brian M. Boom 1706

S. A. Mori 23315; 24150; 25186

***Copaifera guianensis* Desf.**

J.-J. de Granville 3666

***Dialium guianense* (Aubl.) Sandwith**

S. A. Mori 15377; 24678

G. T. Prance 30671

***Dicorynia guianensis* Amshoff**

Brian M. Boom 1710; 1781; 1810; 1823; 1903; 2003; 2245; 2246; 2324; 2345; 2366; 2377; 2392

A. H. Gentry 63030

J.-J. de Granville 2661

D. Loubry 46

S. A. Mori 8801; 15430; 22890; 24319; 24340

***Dimorphandra macrostachya* Benth. subsp. *glabrifolia* (Ducke) M. F. Silva**

S. A. Mori 21691

***Dimorphandra multiflora* Ducke**

D. R. L. Sabatier 1135; 1242

***Elizabetha leiogyne* Ducke**

Brian M. Boom 1795

***Elizabetha princeps* Benth.**

Brian M. Boom 1932; 1940; 1950; 1953; 1958; 1960

J.-J. de Granville 4454

C. Moretti 25

S. A. Mori 23777

***Eperua falcata* Aubl.**

Brian M. Boom 1769; 1797; 1798; 1799; 1957; 1962; 1964; 1971; 1972; 1978; 1980; 1985;
1986; 1991; 2002

S. A. Mori 14745; 21517; 23940

L. R. Phillippe 26998

***Eperua grandiflora* (Aubl.) Benth.**

S. A. Mori 18530; 18531; 23203; 25162

***Eperua schomburgkiana* Benth.**

Brian M. Boom 1805

N. Marshall 142

***Hymenaea courbaril* L.**

Brian M. Boom 2435

S. A. Mori 18133; 24911

***Macrolobium bifolium* (Aubl.) Pers.**

J.-J. de Granville 4615

Brian M. Boom 1743; 1775; 1809

***Martiodendron parviflorum* (Amshoff) Koeppen**

Brian M. Boom 1728; 2375; 2424

J.-J. de Granville 5411

S. A. Mori 15596; 15643; 15658; 15664; 19195; 22903; 24247; 24888

D. R. L. Sabatier 1063; 2292

***Peltogyne paniculata* Benth. subsp. *pubescens* (Benth.) M. F. Silva**

S. A. Mori 20977; 21622; 23797

***Recordoxylon speciosum* (Benoist) Barneby**

S. A. Mori 15624; 18748

***Senna alata* (L.) Roxb.**

S. A. Mori 22070

***Senna chrysocarpa* (Desv.) H. S. Irwin & Barneby**

N. Marshall 168

S. A. Mori 18756; 19092; 19148; 19149; 19150; 20949

R. A. A. Oldeman 4083

L. E. Skog 7115

Senna hirsuta* (L.) H. S. Irwin & Barneby var. *hirsuta

H. Jacquemin 1420

S. A. Mori 18260

***Senna latifolia* (G. Mey.) H. S. Irwin & Barneby**

J.-J. de Granville 4426

P.-A. Loizeau 612

N. Marshall 176

C. Moretti 433

S. A. Mori 19013

R. A. A. Oldeman 1976

***Senna lourteigiana* H. S. Irwin & Barneby**

<u>J.-J. de Granville</u>	1637; 2381; 2679; 4218; 9009
<u>S. A. Mori</u>	21104; 24776
<u>R. A. A. Oldeman</u>	1964; 1968; 4339
<u>L. R. Phillippe</u>	27018
<u>M.-F. Prévost</u>	180

***Senna obtusifolia* (L.) H. S. Irwin & Barneby**

<u>H. J. Burgot</u>	1418
<u>F. Capus</u>	25
<u>J.-J. de Granville</u>	4628
<u>H. Jacquemin</u>	1418
<u>S. A. Mori</u>	18259; 19151
<u>R. A. A. Oldeman</u>	3984; 4024
<u>M.-F. Prévost</u>	786

***Senna occidentalis* (L.) Link**

<u>H. J. Burgot</u>	1419
<u>A. Gely</u>	46
<u>J.-J. de Granville</u>	2809
<u>H. Jacquemin</u>	1419
<u>S. A. Mori</u>	18434

***Senna quinquangulata* (Rich.) H. S. Irwin & Barneby**

<u>F. Billiet</u>	6245
<u>B. Bordenave</u>	303
<u>J.-J. de Granville</u>	2661; 3692
<u>N. Marshall</u>	220
<u>S. A. Mori</u>	14880; 18430; 18758; 19147
<u>R. A. A. Oldeman</u>	4107; 4186

***Senna reticulata* (Willd.) H. S. Irwin & Barneby**

<u>S. A. Mori</u>	18757
-------------------	-------

***Tachigali amplifolia* (Ducke) Barneby**

<u>Brian M. Boom</u>	2035
<u>S. A. Mori</u>	15694; 18233; 23060; 23868
<u>R. A. A. Oldeman</u>	3194
<u>D. R. L. Sabatier</u>	1157

***Tachigali bracteolata* Dwyer**

<u>S. A. Mori</u>	22100, 24793
-------------------	--------------

***Tachigali guianensis* (Benth.) Zarucchi & Herend.**

<u>S. A. Mori</u>	22791
<u>R. A. A. Oldeman</u>	3192

***Tachigali melinonii* (Harms) Zarucchi & Herend.**

<u>Brian M. Boom</u>	2301
<u>S. A. Mori</u>	21667

***Tachigali paniculata* Aubl.**

<u>Brian M. Boom</u>	1619
<u>S. A. Mori</u>	20932; 24804; 25043

Tachigali paraënsis (Huber) Barneby

<u>Brian M. Boom</u>	2332
<u>A. H. Gentry</u>	63005
<u>S. A. Mori</u>	15634; 18108; 18460; 21498; 25044
<u>R. A. A. Oldeman</u>	3195; 3210

Tachigali sp. C

<u>C. Moretti</u>	743
-------------------	-----

Vouacapoua americana Aubl.

<u>Brian M. Boom</u>	1696; 1791; 1925
<u>J.-J. de Granville</u>	2798
<u>S. A. Mori</u>	15502; 18521; 22238; 22757

Campanulaceae

The treatment of the Campanulaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Carol A. Gracie (NY).

Centropogon cornutus (L.) Druce

<u>L. Allorge</u>	318
<u>Brian M. Boom</u>	10804
<u>C. P. Feuillet</u>	1018; 15097
<u>J.-J. de Granville</u>	542; 1588; 8652
<u>W. J. Hahn</u>	3597
<u>N. Marshall</u>	119
<u>S. A. Mori</u>	14811; 18352; 20975; 22200; 23110
<u>R. A. A. Oldeman</u>	1466; 3970; 4110
<u>M.-F. Prévost</u>	1797

Canellaceae

The treatment of the Canellaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by John L. Brown and Scott A. Mori (NY).

Cinnamodendron tenuifolium Uittien

<u>S. A. Mori</u>	18141; 18953; 23002; 23982; 24805
<u>D. R. L. Sabatier</u>	1055

Cannaceae

The treatment of the Cannaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Paul Maas and Hiltje Maas-van de Kamer (U).

Canna indica is cultivated in our area and is also an escape from cultivation sometimes found in secondary vegetation. It does not persist and should not be considered as naturalized in central French Guiana.

Canna indica L.

<u>A. Gely</u>	13
<u>P. J. M. Maas</u>	8101
<u>S. A. Mori</u>	18429
<u>M.-F. Prévost</u>	1599; 2114

Capparaceae

The treatment of Capparaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Hugh H. Iltis (WIS) and Scott A. Mori (NY).

Capparis leprieurii Briq.

<u>Brian M. Boom</u>	1697; 1813; 1841; 1897; 1904; 1909; 1914; 1917; 2062
<u>J.-J. de Granville</u>	4446; 4458
<u>S. A. Mori</u>	22017; 22096; 23897; 24021
<u>G. T. Prance</u>	28085

Caricaceae

The treatment of the Caricaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

Carica papaya is cultivated near homesties and is sometimes found in weedy areas where it may appear native.

Carica papaya L.

<u>M. Freiberg</u>	267
<u>A. Gely</u>	32
<u>S. A. Mori</u>	18436; 22701

Jacaratia spinosa (Aubl.) A. DC.

<u>J.-J. de Granville</u>	5369
<u>S. A. Mori</u>	15345; 22659
<u>R. A. A. Oldeman</u>	2110

Caryocaraceae

The treatment of the Caryocaraceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Jean-Jacques de Granville (CAY).

Caryocar glabrum (Aubl.) Pers. subsp. glabrum

<u>Brian M. Boom</u>	1639; 1816
<u>S. A. Mori</u>	15056; 15242; 15261; 15295; 15296; 15298; 18008; 18181; 18182; 18840; 21582; 22997; 24720; 24999
<u>B. Riéra</u>	924

Caryocar villosum (Aubl.) Pers.

<u>J.-J. de Granville</u>	5129; 5368
<u>S. A. Mori</u>	21581; 24676

Caryophyllaceae

The treatment of Caryophyllaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Robert A. Defilipps and Shirley L. Maina (US).

Drymaria cordata (L.) Schult.

<u>S. A. Mori</u>	23381
-------------------	-------

Cecropiaceae

The treatment of the Cecropiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Cornelis C. Berg (BG).

Cecropia obtusa Trécul

<u>Brian M. Boom</u>	2086; 2161; 2162
<u>A. Gely</u>	83
<u>N. Marshall</u>	188
<u>S. A. Mori</u>	18706; 18864; 20907; 24838; 24929
<u>N. P. Smith</u>	20

Cecropia sciadophylla Mart.

<u>S. A. Mori</u>	18749; 21555
-------------------	--------------

Coussapoa angustifolia Aubl.

<u>S. A. Mori</u>	23097; 24972
-------------------	--------------

Coussapoa latifolia Aubl.

<u>J.-J. de Granville</u>	5146; 5191
<u>S. A. Mori</u>	15147; 21020; 21506; 23728; 24241
<u>N. P. Smith</u>	9

Pourouma bicolor Mart. subsp. bicolor

<u>A. J. M. Leeuwenberg</u>	11784
-----------------------------	-------

S. A. Mori 21560

Pourouma bicolor Mart. subsp. digitata (Trécul) C. C. Berg & Heusden

Brian M. Boom 2205

S. A. Mori 15350; 21106; 23862

R. A. A. Oldeman 2030

Pourouma guianensis Aubl. subsp. guianensis

H. de Foresta 676; 677

J.-J. de Granville 5071

C. Moretti 102

R. A. A. Oldeman 4108

B. Riéra 923

B. Wallnöfer 13488

Pourouma melinonii Benoist subsp. melinonii

Brian M. Boom 2046; 2411

S. A. Mori 21578; 22117

Pourouma minor Benoist

Brian M. Boom 1955; 1982

H. de Foresta 559

J.-J. de Granville 5441; 8569; 8880

S. A. Mori 20881; 23973; 24986

Pourouma saulensis C. C. Berg & Kooy

Brian M. Boom 1612

J.-J. de Granville 2744

R. A. A. Oldeman 4132

D. R. L. Sabatier 2301

Pourouma tomentosa Miq. subsp. maroniensis (Benoist) C. C. Berg & Heusden

Brian M. Boom 1988; 10832

S. A. Mori 15127; 15342; 20931; 21125; 21535; 22317; 24164; 24164

Pourouma villosa Trécul

S. A. Mori 14940; 22035

Celastraceae

The treatment of the Celastraceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by John D. Mitchell (NY).

Gouania glabra Aubl.

A. H. Gentry 63102

N. Marshall 182

S. A. Mori 18152; 18161; 21019; 21500; 23369

G. T. Prance 30649

Maytenus floribunda Reissek

J.-J. de Granville 5456

S. A. Mori 14999; 15104

Maytenus myrsinoides Reissek

G. Cremers 3970

H. de Foresta 700

S. A. Mori 18047; 18537

R. A. A. Oldeman 3299

Maytenus oblongata Reissek

Brian M. Boom 1748

Chenopodiaceae

Microtea debilis Sw. is treated as a member of the Phytolaccaceae in the *Guide* but appears as a member of the Chenopodiaceae in NYBG checklists.

Chrysobalanaceae

The treatment of the Chrysobalanaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Ghillean T. Prance (K).

Couepia rankinii was collected too late to be included in the *Guide*.

Couepia caryophylloides Benoist

Brian M. Boom 1703

Couepia guianensis Aubl.

Brian M. Boom 2336

Couepia habrantha Standl.

S. A. Mori 18080; 22250; 23795

Couepia joaquiniae Prance

S. A. Mori 20782; 24844

Couepia obovata Ducke

S. A. Mori 18552

Couepia parillo DC.

Brian M. Boom 1721

S. A. Mori 14821; 20759

Couepia rankinii Prance

S. A. Mori 25247

Hirtella bicornis Mart. & Zucc. var. pubescens Ducke

S. A. Mori 14823; 15159; 15204; 18116; 18534; 19174

R. A. A. Oldeman 1852

Hirtella davisii Sandwith

B. Bordenave 325

S. A. Mori 18929; 18965

Hirtella glandulosa Spreng.

<u>W. J. Hahn</u>	3638
<u>S. A. Mori</u>	15285; 24697

Hirtella hispidula Miq.

<u>S. A. Mori</u>	14835
<u>R. A. A. Oldeman</u>	3999

Hirtella physophora Mart. & Zucc.

<u>J.-J. de Granville</u>	3249; 4371; 4743; 5051; 5429; 8820
<u>P.-A. Loizeau</u>	598
<u>R. A. A. Oldeman</u>	2077; 3278
<u>M.-F. Prévost</u>	1806
<u>A. Raynal-Roques</u>	18544

Hirtella racemosa Lam.

<u>Brian M. Boom</u>	10756
<u>B. Bordenave</u>	302
<u>J.-J. de Granville</u>	4611; 5484; 5510; 5537
<u>S. A. Mori</u>	14870; 23134
<u>M.-F. Prévost</u>	311

Hirtella silicea Griseb.

<u>C. P. Feuillet</u>	487
<u>J.-J. de Granville</u>	2010; 8678
<u>S. A. Mori</u>	14897; 18484; 23934

Hirtella suffulta Prance

<u>Brian M. Boom</u>	1718
<u>S. A. Mori</u>	14783; 14963; 15230; 17961; 20768

Hirtella tenuifolia Prance

<u>Brian M. Boom</u>	10755
<u>A. Fournet</u>	211
<u>J.-J. de Granville</u>	3134; 3140
<u>S. A. Mori</u>	19082

Licania alba (*Bernoulli*) Cuatrec.

<u>S. A. Mori</u>	14718; 17980; 20986; 22994; 24689
-------------------	-----------------------------------

Licania albiflora Fanshawe & Maguire

<u>S. A. Mori</u>	15411
-------------------	-------

Licania amapaensis Prance

<u>H. de Foresta</u>	692
<u>S. A. Mori</u>	15161

Licania apetala (E. Mey.) Fritsch

<u>Brian M. Boom</u>	1607; 1680; 1684; 1695; 1702
<u>S. A. Mori</u>	15435

Licania canescens Benoit

<u>Brian M. Boom</u>	1628; 1713
<u>A. H. Gentry</u>	63003

<u>S. A. Mori</u>	14814; 14830; 15043; 15501; 18049; 20820; 21009; 22690; 23317
<u>R. A. A. Oldeman</u>	2116
Licania caudata Prance	
<u>Brian M. Boom</u>	1690; 1997; 2322
<u>S. A. Mori</u>	15152
Licania discolor Pilg.	
<u>S. A. Mori</u>	23279; 23304; 23841
Licania fanshawei Prance	
<u>S. A. Mori</u>	14780; 20808
Licania glabriflora Prance	
<u>Brian M. Boom</u>	2344
Licania granvillei Prance	
<u>Brian M. Boom</u>	1622; 1699
<u>S. A. Mori</u>	14764; 14772; 14790; 14828; 15428; 15476; 15523; 17977; 18012; 20764; 20783; 20789; 20976; 23843
Licania guianensis (Aubl.) Griseb.	
<u>J.-J. de Granville</u>	4456
<u>S. A. Mori</u>	15650
<u>R. A. A. Oldeman</u>	4353
Licania heteromorpha Benth. var. heteromorpha	
<u>Brian M. Boom</u>	1605; 2418
<u>W. J. Hahn</u>	3653
<u>S. A. Mori</u>	14763; 14978; 15030; 15201; 15299; 18186; 19170; 20791; 20809; 23798; 24705; 14965
Licania kunthiana Hook. f.	
<u>S. A. Mori</u>	24172
<u>B. Wallnöfer</u>	13501
Licania laevigata Prance	
<u>S. A. Mori</u>	22234; 22709; 23735
Licania laxiflora Fritsch	
<u>S. A. Mori</u>	15232; 15254; 15403; 15461
Licania majuscula Sagot	
<u>Brian M. Boom</u>	1646
Licania membranacea Laness.	
<u>Brian M. Boom</u>	1636; 1719
<u>S. A. Mori</u>	15244; 24708
<u>R. A. A. Oldeman</u>	4065
Licania micrantha Miq.	
<u>Brian M. Boom</u>	1906; 2362
Licania octandra (Roem. & Schult.) Kuntze	
<u>S. A. Mori</u>	14782; 14791; 20984; 22812; 24707
Parinari excelsa Sabine	
<u>S. A. Mori</u>	19187

Parinari montana Aubl.

S. A. Mori 15160; 20790

Clusiaceae

The treatment of Clusiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by J. J. Pipoly (FTG) and Mats H. G. Gustafsson (AAU).

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Tovomita grata* Sandwith.

***Chrysochlamys membranacea* Planch. & Triana**

J.-J. de Granville 4942; 5165
M. H. G. Gustafsson 310
S. A. Mori 22973; 23943
L. R. Phillippe 26933
M.-F. Prévost 1810

***Clusia flava* (Benth.) Pipoly**

J.-J. de Granville 3036; 3245; 3365
A. J. M. Leeuwenberg 11790
S. A. Mori 24329

***Clusia grandiflora* Splitg.**

M. Freiberg 213
J.-J. de Granville 8834; 8917
S. A. Mori 24702

***Clusia leprantha* Mart.**

G. Cremers 13021
C. P. Feuillet 514
P. J. M. Maas 2259
S. A. Mori 15258; 22759; 24760

***Clusia melchiori* Gleason**

Brian M. Boom 10863
J.-J. de Granville 5401; 8761; 8762
M. H. G. Gustafsson 315
S. A. Mori 8770

***Clusia nemorosa* G. Mey.**

M. H. G. Gustafsson 314
S. A. Mori 23772

***Clusia obovata* (Planch. & Triana) Pipoly**

S. A. Mori 15311

***Clusia octandra* (Poepp. & Endl.) Pipoly**

<u>J.-J. de Granville</u>	4651
<u>S. A. Mori</u>	24675; 24693
<i>Clusia palmicida</i> Rich.	
<u>L. Civeyrel</u>	1434
<u>R. C. Ek</u>	436
<u>J.-J. de Granville</u>	3131
<u>S. A. Mori</u>	18688; 18959; 20847; 20943; 21014; 22103; 23374; 24081; 24783; 24783; 24890; 25189
<i>Clusia panapanari</i> (Aubl.) Choisy	
<u>L. Allorge</u>	356
<u>C. P. Feuillet</u>	489
<u>A. H. Gentry</u>	63066
<u>J.-J. de Granville</u>	3168; 8970
<u>S. A. Mori</u>	15656; 18104; 18856; 20831; 22818; 23366
<i>Clusia platystigma</i> Eyma	
<u>R. C. Ek</u>	439
<u>M. Freiberg</u>	41
<u>S. A. Mori</u>	18117; 18841; 23776; 24097; 24308; 24692; 24782
<i>Clusia scrobiculata</i> Benoist	
<u>S. A. Mori</u>	24201; 24274
<i>Garcinia madruno</i> (Kunth) Hammel	
<u>S. A. Mori</u>	23341
<i>Moronoea coccinea</i> Aubl.	
<u>Brian M. Boom</u>	1899
<u>C. P. Feuillet</u>	459
<u>J.-J. de Granville</u>	5135; 5400
<u>S. A. Mori</u>	15263; 15266; 18187; 24312; 24698
<i>Platonia insignis</i> Mart.	
<u>S. A. Mori</u>	24699
<i>Symphonia globulifera</i> L. f.	
<u>J.-J. de Granville</u>	2286; 3579; 4509
<u>S. A. Mori</u>	15264; 15320; 17997; 20816; 23365; 23736; 23852; 23889; 23999; 24000; 24792; 24991
<u>R. A. A. Oldeman</u>	2019
<i>Tovomita brasiliensis</i> (Mart.) Walp.	
<u>S. A. Mori</u>	15551; 22720; 24002
<u>L. R. Phillippe</u>	26899
<i>Tovomita brevistaminea</i> Engl.	
<u>S. A. Mori</u>	18126
<i>Tovomita calodictyos</i> Sandwith	
<u>S. A. Mori</u>	18056
<i>Tovomita longifolia</i> (Rich.) Hochr.	
<u>Brian M. Boom</u>	2355

<u>A. H. Gentry</u>	63094
<i>Tovomita macrophylla</i> (Poepp.) Walp.	
<u>Brian M. Boom</u>	1893; 1994
<i>Tovomita obovata</i> Engl.	
<u>A. H. Gentry</u>	63024
<u>S. A. Mori</u>	18958; 19079; 24700
<u>R. A. A. Oldeman</u>	4208
<i>Tovomita schomburgkii</i> Planch. & Triana	
<u>C. P. Feuillet</u>	442
<u>J.-J. de Granville</u>	2285; 3141; 4436; 5078; 5261; 5340; 5442
<u>P. J. M. Maas</u>	2274
<u>S. A. Mori</u>	15505; 15674; 18606; 22917; 23354; 23370; 23372
<u>R. A. A. Oldeman</u>	3229; 3963; 4355
<i>Tovomita tenuiflora</i> Planch. & Triana	
<u>S. A. Mori</u>	15248; 18632
<i>Vismia cayennensis</i> (Jacq.) Pers.	
<u>Brian M. Boom</u>	10771
<u>S. A. Mori</u>	21515
<i>Vismia gracilis</i> Hieron.	
<u>C. P. Feuillet</u>	513
<u>H. de Foresta</u>	678
<u>J.-J. de Granville</u>	4634
<u>N. Marshall</u>	250
<u>S. A. Mori</u>	22754; 24686
<u>R. A. A. Oldeman</u>	4120
<u>M.-F. Prévost</u>	1604
<u>D. R. L. Sabatier</u>	2317
<i>Vismia guianensis</i> (Aubl.) Choisy	
<u>S. A. Mori</u>	15262; 21076; 24683
<i>Vismia latifolia</i> (Aubl.) Choisy	
<u>J.-J. de Granville</u>	4418
<u>S. A. Mori</u>	24928
<i>Vismia ramuliflora</i> Miq.	
<u>Brian M. Boom</u>	10821
<u>J.-J. de Granville</u>	5086; 8857
<u>M. H. G. Gustafsson</u>	311
<u>N. Marshall</u>	129
<u>S. A. Mori</u>	15084
<u>R. A. A. Oldeman</u>	4086
<u>L. R. Phillippe</u>	26949
<i>Vismia sandwithii</i> Ewan	
<u>G. Cremers</u>	3983; 6153; 7588

<u>H. de Foresta</u>	703
<u>J.-J. de Granville</u>	4265; 8895
<u>D. Loubry</u>	49
<u>S. A. Mori</u>	8772; 20741; 23125; 23333; 25093
<u>M.-F. Prévost</u>	2143
<u>L. E. Skog</u>	7331

Combretaceae

The treatment of the Combretaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Maria Lúcia Kawasaki (F).

***Buchenavia grandis* Ducke**

<u>S. A. Mori</u>	8794
<u>D. R. L. Sabatier</u>	1134; 2303

***Buchenavia nitidissima* (Rich.) Alwan & Stace**

<u>Brian M. Boom</u>	2118; 2507
<u>A. H. Gentry</u>	63032
<u>S. A. Mori</u>	15095; 15343
<u>D. R. L. Sabatier</u>	1151; 2299

***Buchenavia parvifolia* Ducke**

<u>S. A. Mori</u>	15300
<u>D. R. L. Sabatier</u>	2300

***Combretum laxum* Jacq.**

<u>S. A. Mori</u>	20763; 20941; 22642
-------------------	---------------------

***Combretum rotundifolium* Rich.**

<u>S. A. Mori</u>	18625
-------------------	-------

***Terminalia amazonia* (J. F. Gmel.) Exell**

<u>Brian M. Boom</u>	1902
<u>S. A. Mori</u>	24230; 25074

***Terminalia guyanensis* Eichler**

<u>Brian M. Boom</u>	2028; 2057; 2125; 2134; 2237
<u>S. A. Mori</u>	15121; 15223; 18653; 23905
<u>R. A. A. Oldeman</u>	3190
<u>D. R. L. Sabatier</u>	2298; 2309

Commelinaceae

The treatment of the Commelinaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Carol A. Gracie (NY).

Commelina rufipes Seubert var. *glabrata* (D. R. Hunt) Faden & D. R. Hunt is included in the Guide but

there is no recorded voucher for this taxon.

***Buforrestia candolleana* C. B. Clarke**

<u>J.-J. de Granville</u>	5524
<u>S. A. Mori</u>	24849
<u>M.-F. Prévost</u>	1818

***Commelina benghalensis* L.**

<u>L. E. Skog</u>	7306
-------------------	------

***Commelina diffusa* Burm. f.**

<u>M.-F. Prévost</u>	1590
----------------------	------

***Commelina rufipes* Seub. var. *glabrata* (D. R. Hunt) Faden & D. R. Hunt**

G. Cremers	6176
------------	------

Commelina rufipes* Seub. var. *rufipes

<u>F. Billiet</u>	5780
<u>G. Cremers</u>	13004
<u>J.-J. de Granville</u>	2299; 8687; 10331
<u>S. A. Mori</u>	19085

***Dichorisandra hexandra* (Aubl.) Standl.**

<u>J.-J. de Granville</u>	9017
---------------------------	------

***Dichorisandra* sp. nov.**

<u>J.-J. de Granville</u>	8321
---------------------------	------

***Floscopa peruviana* C. B. Clarke**

<u>S. A. Mori</u>	22224; 23858
-------------------	--------------

Connaraceae

The treatment of the Connaraceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Enrique Forero (COL).

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Rourea pubescens* (DC.) Radlk. var. *pubescens*.

Rourea cuspidata was collected too late to be included in the *Guide*.

***Cnestidium guianense* (G. Schellenb.) G. Schellenb.**

<u>A. H. Gentry</u>	63098
<u>S. A. Mori</u>	15185; 15571; 21071; 21628; 22823; 22850; 23914; 24187; 24195; 24236; 24732
<u>R. A. A. Oldeman</u>	2019
<u>B. Wallnöfer</u>	13523

Connarus fasciculatus* (DC.) Planch. subsp. *fasciculatus

<u>Brian M. Boom</u>	10819
<u>C. P. Feuillet</u>	486

<u>J.-J. de Granville</u>	2723; 4578; 5360; 5437; 8784
<u>S. A. Mori</u>	21663; 22952; 23130; 23155
<u>R. A. A. Oldeman</u>	2078; 3986; 4003; 4127

Connarus perrottetii (DC.) Planch.

<u>S. A. Mori</u>	8818
-------------------	------

Rourea cuspidata Baker

<u>S. A. Mori</u>	24333
-------------------	-------

Rourea surinamensis Miq.

<u>S. A. Mori</u>	14744; 23318
-------------------	--------------

Convolvulaceae

The treatment of Convolvulaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Daniel F. Austin (FAU).

Ipomoea batatas is often cultivated but sometimes found wild in disturbed vegetation and *Ipomoea quamoclit* is cultivated as an ornamental but is sometimes found escaped in disturbed areas. Neither should be considered as part of the naturalized flora; nevertheless, *I. quamoclit* is native to other parts of South America.

Dicranostyles ampla Ducke

<u>A. H. Gentry</u>	62997
<u>N. Marshall</u>	235
<u>S. A. Mori</u>	24184

Dicranostyles guianensis Mennega

<u>S. A. Mori</u>	15233; 17957; 22837
<u>B. Wallnöfer</u>	13503

Dicranostyles integra Ducke

<u>S. A. Mori</u>	20905; 24718
-------------------	--------------

Ipomoea batatas (L.) Lam.

<u>F. Capus</u>	18
<u>M. Freiberg</u>	92
<u>A. Gely</u>	28
<u>S. A. Mori</u>	18677; 21052; 22036; 22718; 23005; 23820

Ipomoea batatoides Choisy

<u>P. Acevedo-Rodríguez</u>	4955
<u>G. Cremers</u>	6169
<u>J.-J. de Granville</u>	4415
<u>S. A. Mori</u>	22349

Ipomoea phyllomega (Vell.) House

<u>S. A. Mori</u>	21172; 22350; 23013
-------------------	---------------------

Ipomoea quamoclit L.

<u>M. Freiberg</u>	274
--------------------	-----

S. A. Mori 21179

Ipomoea squamosa Choisy

S. A. Mori 18422; 24008

Maripa glabra Choisy

L. Allorge 344

A. H. Gentry 62972

J.-J. de Granville 4767

S. A. Mori 15260; 18142; 18536; 18663; 19169; 20829; 21999; 23732; 24951; 25126

R. A. A. Oldeman 4052; 4080

Maripa scandens Aubl.

J.-J. de Granville 2768

S. A. Mori 15211; 18000; 21137; 24263

Merremia dissecta (Jacq.) Hallier f.

J.-J. de Granville 4627

S. A. Mori 18258

R. A. A. Oldeman 4194

L. E. Skog 7322

Merremia macrocalyx (Ruiz & Pav.) O'Donell

M. Freiberg 168; 295

J.-J. de Granville 5152; 5182

S. A. Mori 18695; 21057; 22124; 24800

L. R. Phillippe 27015

M.-F. Prévost 758

Costaceae

The treatment of the Costaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Paul Maas and Hiltje Maas-van de Kamer (U).

The correct author abbreviations of the following species is *Costus lanceolatus* Petersen subsp. *pulchriflorus* (Ducke) Maas not *C. lanceolatus* O. G. Petersen subsp. *pulchriflorus* (Ducke) Maas as in Part 1 of the *Guide*,

Costus claviger Benoist

J.-J. de Granville 1646; 2002; 5508; 8466

P. J. M. Maas 2216

S. A. Mori 18420; 18441; 18855; 23014

A. Raynal-Roques 18504

Costus congestiflorus Gagnep.

L. Allorge 303

G. Cremers 7591

M. Freiberg 50

J.-J. de Granville 2297; 3283; 4430; 5053

<u>S. A. Mori</u>	18151; 18195
<u>R. A. A. Oldeman</u>	3981
<u>M.-F. Prévost</u>	1822
<u>A. Raynal-Roques</u>	18624

***Costus erythrorhysus* Loes.**

<u>C. P. Feuillet</u>	528
<u>A. Fournet</u>	210
<u>J.-J. de Granville</u>	1626; 2351; 8456
<u>P. J. M. Maas</u>	2224; 8096
<u>S. A. Mori</u>	18995; 22339
<u>R. A. A. Oldeman</u>	3183
<u>M.-F. Prévost</u>	2118
<u>L. E. Skog</u>	7392

***Costus lanceolatus* Petersen subsp. *pulchriflorus* (Ducke) Maas**

<u>G. Cremers</u>	6181
<u>J.-J. de Granville</u>	5425

***Costus scaber* Ruiz & Pav.**

<u>M. Freiberg</u>	298
<u>J.-J. de Granville</u>	4584; 5494; 8438
<u>S. A. Mori</u>	18955; 21098; 22343; 22638; 24001; 24219

***Costus spiralis* (Jacq.) Roscoe var. *villosus* Maas**

<u>G. Cremers</u>	6185
-------------------	------

Cucurbitaceae

The treatment of Cucurbitaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Michael Nee (NY).

***Cayaponia jenmanii* C. Jeffrey**

<u>S. A. Mori</u>	21086; 23085
<u>J.-J. de Granville</u>	8772

***Cayaponia ophthalmica* R. E. Schult.**

<u>R. C. Ek</u>	199
<u>S. A. Mori</u>	22897; 24108
<u>R. A. A. Oldeman</u>	4291

***Cayaponia racemosa* (Mill.) Cogn.**

<u>S. A. Mori</u>	18492; 23819
-------------------	--------------

***Cayaponia rigida* (Cogn.) Cogn.**

<u>J.-J. de Granville</u>	4649; 5046
<u>R. A. A. Oldeman</u>	2036

***Gurania bignoniacea* (Poepp. & Endl.) C. Jeffrey**

<u>S. A. Mori</u>	21119; 22217
-------------------	--------------

***Gurania lobata* (L.) Pruski**

<u>J.-J. de Granville</u>	4460; 4764; 5465; 8603
<u>P. J. M. Maas</u>	2286
<u>S. A. Mori</u>	15696; 21123; 24279

***Gurania reticulata* Cogn.**

<u>S. A. Mori</u>	21135
-------------------	-------

***Gurania subumbellata* (Miq.) Cogn.**

<u>B. Descoings</u>	20560
<u>N. Marshall</u>	197
<u>S. A. Mori</u>	18377; 21208
<u>R. A. A. Oldeman</u>	2063
<u>M.-F. Prévost</u>	1796

***Helmontia cardiophylla* Harms**

<u>F. Beekman</u>	62
<u>S. A. Mori</u>	24819

***Helmontia leptantha* (Schltr.) Cogn.**

<u>J.-J. de Granville</u>	5427; 8486; 8583; 8962
<u>S. A. Mori</u>	18378; 21111; 23001
<u>R. A. A. Oldeman</u>	4301
<u>L. E. Skog</u>	7335

***Melothria pendula* L.**

<u>F. Beekman</u>	50; 71
<u>F. Capus</u>	3
<u>S. A. Mori</u>	21056; 22352
<u>A. Raynal-Roques</u>	19979

***Momordica charantia* L.**

<u>L. Allorge</u>	374
<u>F. Beekman</u>	68
<u>F. Capus</u>	27; 69
<u>A. Gely</u>	27
<u>S. A. Mori</u>	18376; 21055

***Psiguria triphylla* (Miq.) C. Jeffrey**

<u>C. P. Feuillet</u>	455; 516
<u>J.-J. de Granville</u>	4279
<u>W. J. Hahn</u>	3652
<u>N. Marshall</u>	199
<u>S. A. Mori</u>	19041; 21082; 23084; 24946

***Selisia prunifera* (Poepp. & Endl.) Cogn.**

<u>B. Descoings</u>	20517
<u>A. H. Gentry</u>	63075
<u>J.-J. de Granville</u>	3717; 4454
<u>S. A. Mori</u>	18875
<u>A. Raynal-Roques</u>	20009

Cyclanthaceae

The treatment of Cyclanthaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

Asplundia brachiphylla Harling

<u>J.-J. de Granville</u>	1599; 2396; 5421; 5472; 8705
<u>P. J. M. Maas</u>	2227
<u>S. A. Mori</u>	18160; 23380

Asplundia heteranthera Harling

<u>Brian M. Boom</u>	10833
<u>G. Cremers</u>	3984
<u>C. P. Feuillet</u>	15082
<u>J.-J. de Granville</u>	8479; 8819
<u>W. J. Hahn</u>	3628
<u>N. Marshall</u>	229
<u>S. A. Mori</u>	22244; 22844; 23839
<u>H. Peckham</u>	5
<u>B. Riéra</u>	937

Cyclanthus bipartitus Poit.

<u>S. A. Mori</u>	18727; 22190; 23837
<u>G. T. Prance</u>	30657

Dicranopygium pygmaeum (Gleason) Harling

<u>Brian M. Boom</u>	10836
<u>M. Freiberg</u>	236
<u>J.-J. de Granville</u>	1582; 2355; 4738; 8487
<u>L. E. Skog</u>	7366
<u>B. Wallnöfer</u>	13470

Evodianthus funifer (Poit.) Lindman subsp. *funifer*

<u>B. Bordenave</u>	301
<u>R. C. Ek</u>	96
<u>M. Freiberg</u>	148
<u>A. H. Gentry</u>	62995; 63009
<u>J.-J. de Granville</u>	909; 3287; 5042; 5160; 5453; 8423
<u>P. J. M. Maas</u>	2246
<u>S. A. Mori</u>	20925; 23250

Ludovia lancifolia Brongn.

<u>R. C. Ek</u>	67
<u>M. Freiberg</u>	192
<u>S. A. Mori</u>	15064; 18003; 20892; 21545; 23350

Thoracocarpus bissectus (Vell.) Harling

<u>J. P. Lescure</u>	34
----------------------	----

S. A. Mori

17953; 22854; 23939

Cyperaceae

The treatment of Cyperaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Wm. Wayt Thomas (NY).

In addition to the species documented by the vouchers listed below, the following subspecies was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Hypolytrum jenmanii* C. B. Clarke subsp. *jenmanii*.

The correct author abbreviations of the following species are *Cyperus simplex* Kunth not *C. simplex* Humb., Bonpl. & Kunth, *Mapania paradoxa* J. Raynal not *M. paradoxa* Raynal, and *Diplasia karataefolia* Rich. not *D. karataefolia* L. C. Rich. as in Part 1 of the *Guide*

Rhynchospora barbata and *Scleria cyperina* were collected at Pic Matécho subsequent to the publication of the *Guide*

***Becquerelia cymosa* Brongn.**

J.-J. de Granville 3277; 5444

***Bisboeckelera microcephala* (Boeck.) T. Koyama**

J.-J. de Granville 3293; 4493

N. Marshall 111

S. A. Mori 14800; 14905; 22929

***Calyptrocarya glomerulata* (Brongn.) Urb.**

Brian M. Boom 10788

B. Descoings 20627

C. P. Feuillet 449; 15078

J.-J. de Granville 3295; 3304; 4567; 5461; 8540

N. Marshall 248

S. A. Mori 14873; 21201

R. A. A. Oldeman 2788; 3813

A. Raynal-Roques 18498; 18546; 18634; 19996

L. E. Skog 7235

***Calyptrocarya poeppigiana* Kunth**

L. Allorge 347

J.-J. de Granville 8417; 8508

S. A. Mori 14860; 23165

A. Raynal-Roques 18503; 18545; 18565; 18589; 20000

***Cyperus laxus* Lam.**

S. A. Mori 18250

***Cyperus luzulae* (L.) Retz.**

F. Capus 24; 73

J.-J. de Granville 2644

<u>A. J. M. Leeuwenberg</u>	11764
<u>N. Marshall</u>	203
<u>S. A. Mori</u>	18255; 22336; 23809
<u>R. A. A. Oldeman</u>	4216
<u>A. Raynal-Roques</u>	18554

Cyperus odoratus L.

<u>A. Gely</u>	24
<u>N. Marshall</u>	207
<u>S. A. Mori</u>	18263; 22335

Cyperus simplex Kunth

<u>A. Raynal-Roques</u>	18615
-------------------------	-------

Diplasia karataefolia Rich.

<u>J.-J. de Granville</u>	3077
<u>A. Raynal-Roques</u>	20001

Eleocharis retroflexa (Poir.) Urb.

<u>J.-J. de Granville</u>	3321
---------------------------	------

Fimbristylis dichotoma (L.) Vahl

<u>B. Descoings</u>	20524
<u>S. A. Mori</u>	18405; 23087
<u>M.-F. Prévost</u>	778
<u>A. Raynal-Roques</u>	18632; 18649; 19987

Hypolytrum jenmanii C. B. Clarke subsp. jenmanii

<u>S. A. Mori</u>	14805; 18479
-------------------	--------------

Hypolytrum jenmanii C. B. Clarke subsp. serratifolium (Uittien) T. Koyama

<u>J.-J. de Granville</u>	3294
---------------------------	------

Hypolytrum schraderianum Nees

<u>J.-J. de Granville</u>	4943
---------------------------	------

Kyllinga pumila Michx.

<u>M.-F. Prévost</u>	772
<u>A. Raynal-Roques</u>	18648

Mapania paradoxa J. Raynal

<u>G. Cremers</u>	12997
<u>J.-J. de Granville</u>	3016; 3085; 3394
<u>S. A. Mori</u>	25164

Mapania pycnocephala (Benth.) Benth. subsp. fluviatilis (Sandwith) T. Koyama

<u>J.-J. de Granville</u>	3019; 3255; 3399
<u>S. A. Mori</u>	18478

Mapania sylvatica Aubl.

<u>M. Freiberg</u>	207
<u>J.-J. de Granville</u>	3076; 3396
<u>S. A. Mori</u>	18612
<u>R. A. A. Oldeman</u>	3819
<u>A. Raynal-Roques</u>	18586

***Mapaniopsis effusa* C. B. Clarke**

J.-J. de Granville 3364

***Rhynchospora barbata* (Vahl) Kunth**

S. A. Mori 25112

***Rhynchospora cephalotes* (L.) Vahl**

J.-J. de Granville 3033; 3034; 3247; 3343; 5499

S. A. Mori 25063

Rhynchospora pubera* (Vahl) Boeck. subsp. *pubera

A. Fournet 221

J.-J. de Granville 5095

S. A. Mori 18404; 18699; 23088; 23808

R. A. A. Oldeman 4014

A. Raynal-Roques 18642

***Rhynchospora radicans* (Schltdl. & Cham.) Pfeiff. subsp. *microcephala* (Spreng.) W. W. Thomas**

S. A. Mori 18380; 18495

A. Raynal-Roques 18555

***Rhynchospora watsonii* (Britton) Davidse**

J.-J. de Granville 3289

***Scleria cyperina* Kunth**

S. A. Mori 25111

***Scleria latifolia* Sw.**

G. Cremers 13017

H. de Foresta 702

J.-J. de Granville 8781

***Scleria mitis* Bergius**

S. A. Mori 14881; 18755; 22680

R. A. A. Oldeman 1848

L. R. Phillippe 26914

A. Raynal-Roques 18501

***Scleria secans* (L.) Urb.**

S. A. Mori 14888

***Scleria tepuiensis* Core**

J.-J. de Granville 3363

S. A. Mori 23241

Dichapetalaceae

The treatment of the Dichapetalaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Ghillean T. Prance (K).

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Tapura capitulifera* Baill.

Dichapetalum pedunculatum (DC.) Baill.

<u>A. H. Gentry</u>	63132
<u>S. A. Mori</u>	18135

Dichapetalum rugosum (Vahl) Prance

<u>J.-J. de Granville</u>	4424
<u>S. A. Mori</u>	15586
<u>R. A. A. Oldeman</u>	1963

Tapura amazonica Poepp. var. *amazonica*

<u>S. A. Mori</u>	18119
-------------------	-------

Tapura guianensis Aubl.

<u>Brian M. Boom</u>	10854
<u>J.-J. de Granville</u>	1636; 3143; 4252; 4271; 5146; 5505; 8387; 8885
<u>W. J. Hahn</u>	3657
<u>H. Jacquemin</u>	1439
<u>S. A. Mori</u>	8716; 14829; 15021; 15058; 18058; 18082; 22685; 24252
<u>R. A. A. Oldeman</u>	3980; 4048
<u>G. T. Prance</u>	28080
<u>L. E. Skog</u>	7168; 7290

Dilleniaceae

The treatment of Dilleniaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Gerardo A. Aymard (Port) and Scott A. Mori (NY).

Davilla kunthii A. St.-Hil.

<u>S. A. Mori</u>	15158
<u>L. E. Skog</u>	7117

Davilla rugosa Poir. var. *rugosa*

<u>J.-J. de Granville</u>	4250; 5319
<u>R. A. A. Oldeman</u>	1978; 3920

Doliocarpus brevipedicellatus Garcke subsp. *brevipedicellatus*

<u>S. A. Mori</u>	24153
-------------------	-------

Doliocarpus dentatus (Aubl.) Standl. subsp. *latifolius* Kubitzki

<u>S. A. Mori</u>	23323
-------------------	-------

Doliocarpus guianensis (Aubl.) Gilg

<u>J.-J. de Granville</u>	8886
---------------------------	------

Doliocarpus paraensis Sleumer

<u>S. A. Mori</u>	17999
-------------------	-------

Pinzona coriacea Mart. & Zucc.

<u>S. A. Mori</u>	23864
-------------------	-------

Dioscoreaceae

The treatment of Dioscoreaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by S. A. Mori (NY).

The correct author abbreviations of the following species is *Dioscorea trifida* L. f. not *D. trifida* Linnaeus as in Part 1 of the *Guide*.

Dioscorea cayennensis is only found cultivated in our area.

Dioscorea alata L.

S. A. Mori 18712; 23804; 24797

Dioscorea cayennensis Lam.

F. Capus 16; 66; 67

A. Gely 19

Dioscorea trifida L. f.

F. Beekman 70

F. Capus 65

A. Gely 22

S. A. Mori 18138; 18437

Dioscorea sp.

M.-F. Prévost 1809

Ebenaceae

The treatment of Ebenaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Bruno Wallnöfer (W) and Scott A. Mori (NY).

Diospyros capreifolia Hiern

S. A. Mori 15579; 22885

R. A. A. Oldeman 2026

Diospyros carbonaria Benoist

S. A. Mori 22026; 24139

Diospyros cavalcantei Sothers

S. A. Mori 22939

B. Wallnöfer 13460

Diospyros cayennensis A. DC.

F. Billiet 5809

S. A. Mori 15197; 22298; 22913; 24985

B. Wallnöfer 13464

Diospyros dichroa Sandwith

J.-J. de Granville 3390

Diospyros martinii Benoist

<u>H. de Foresta</u>	664
<u>J.-J. de Granville</u>	4619; 4656
<u>S. A. Mori</u>	15148; 18661; 22009
<u>R. A. A. Oldeman</u>	4122; 4306

Diospyros ropourea B. Walln.

<u>P. Acevedo-Rodríguez</u>	4971
-----------------------------	------

<u>Brian M. Boom</u>	10761; 10815
<u>B. Bordenave</u>	306
<u>H. de Foresta</u>	653
<u>A. H. Gentry</u>	62958
<u>J.-J. de Granville</u>	3094; 4506; 5518; 8433
<u>H. Jacquemin</u>	1433
<u>P.-A. Loizeau</u>	605
<u>P. J. M. Maas</u>	2242; 2269
<u>N. Marshall</u>	226
<u>S. A. Mori</u>	8715; 8718; 14855; 14866; 18136; 21023; 21595; 22665; 23154; 23878; 23885
<u>R. A. A. Oldeman</u>	1973
<u>G. T. Prance</u>	28125
<u>M.-F. Prévost</u>	2112
<u>A. Raynal-Roques</u>	18525
<u>B. Wallnöfer</u>	13459; 13466; 13476

Diospyros tetrandra Hiern

<u>S. A. Mori</u>	24920
<u>R. A. A. Oldeman</u>	1971

Diospyros vestita Benoist

<u>S. A. Mori</u>	22300; 22993; 24028; 24666
<u>B. Wallnöfer</u>	13461; 13465

Elaeocarpaceae

The treatment of the Elaeocarpaceae was prepared by Scott V. Heald (NY), Alberto Vicentini (INPA) and Damon A. Smith for the *Guide to the Vascular Plants of Central French Guiana*.

Sloanea brachytepala Ducke

<u>S. A. Mori</u>	14750
-------------------	-------

Sloanea brevipes Benth.

<u>Brian M. Boom</u>	1965
<u>S. A. Mori</u>	15506; 22098; 22731; 24748; 24836

Sloanea echinocarpa Uittien

<u>S. A. Mori</u>	18089; 21665; 24855
-------------------	---------------------

Sloanea grandiflora Sm.

<u>H. de Foresta</u>	662
<u>C. Moretti</u>	740
<u>S. A. Mori</u>	8765; 15119; 15697; 18154; 24307
<u>R. A. A. Oldeman</u>	4013
<u>B. Wallnöfer</u>	13492

Sloanea guianensis (Aubl.) Benth.

<u>Brian M. Boom</u>	2295
<u>J.-J. de Granville</u>	8648; 9036
<u>S. A. Mori</u>	8776; 15594; 15646; 17942
<u>D. R. L. Sabatier</u>	1156; 1237

Sloanea latifolia (Rich.) K. Schum.

<u>S. A. Mori</u>	22691; 23007; 23775; 23861; 24165
<u>L. R. Phillippe</u>	27026

Sloanea laxiflora Benth.

<u>Brian M. Boom</u>	1687
<u>S. A. Mori</u>	14916; 15073; 15270; 15492; 25052

Sloanea synandra Benth.

<u>S. A. Mori</u>	8740; 15678
<u>B. Wallnöfer</u>	13494

Sloanea tuerckheimii Donn. Sm.

<u>Brian M. Boom</u>	2370
<u>S. A. Mori</u>	14964; 23322; 24674; 24716; 24773

Sloanea sp. A

<u>S. A. Mori</u>	15498
-------------------	-------

Sloanea sp. B

<u>Brian M. Boom</u>	1645; 1664
<u>S. A. Mori</u>	15681; 18011; 23849; 24848; 24850

Ericaceae

The treatment of Ericaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by James L. Luteyn (NY).

Cavendishia callista Donn. Sm.

<u>J.-J. de Granville</u>	3279; 3316; 3329; 8708; 8849
<u>S. A. Mori</u>	8760; 15167

Satyria cerander (Dunal) A. C. Sm.

<u>J.-J. de Granville</u>	9020
<u>S. A. Mori</u>	8775

Sphyrospermum buxifolium Poepp. & Endl.

<u>Brian M. Boom</u>	10769; 10846
<u>J.-J. de Granville</u>	8534; 8711
<u>S. A. Mori</u>	8747; 8766

Eriocaulaceae

The treatment of Eriocaulaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

Tonina fluvialis Aubl.

<u>G. Cremers</u>	13001
<u>C. P. Feuillet</u>	15068
<u>S. A. Mori</u>	23091; 23810
<u>A. Raynal-Roques</u>	18636

Erythroxylaceae

The treatment of Erythroxylaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott V. Heald (NY).

Erythroxylum citrifolium A. St.-Hil.

<u>J.-J. de Granville</u>	5447
<u>S. A. Mori</u>	15394; 15644; 18564
<u>R. A. A. Oldeman</u>	2060; 4294

Erythroxylum kapplerianum Peyr.

<u>G. Cremers</u>	6081
<u>J.-J. de Granville</u>	8902
<u>S. A. Mori</u>	22265

Erythroxylum macrophyllum Cav.

<u>G. Cremers</u>	6156
<u>A. H. Gentry</u>	63101
<u>J.-J. de Granville</u>	2665; 2719; 4479; 5439
<u>C. Moretti</u>	29; 1344
<u>S. A. Mori</u>	21153; 22753; 22975; 23988; 24131
<u>R. A. A. Oldeman</u>	2037; 4138; 4174; 4338

Erythroxylum mucronatum Benth.

<u>J.-J. de Granville</u>	3054; 3265; 4577
<u>S. A. Mori</u>	21120

Euphorbiaceae

The treatment of Euphorbiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Lynn J. Gillespie (CAN), all genera except *Dalechampia*. Scott Armbruster (ALA) prepared the treatment of *Dalechampia*.

Jatropha gossypiifolia, *Manihot esculenta*, and *Ricinus communis* are cultivated. They may be persistent

around homesteads and in weedy areas but should not be considered part of the naturalized flora.

***Acalypha diversifolia* Jacq.**

<u>C. P. Feuillet</u>	519
<u>J.-J. de Granville</u>	2275; 4654; 5137
<u>M. H. G. Gustafsson</u>	317
<u>H. Jacquemin</u>	1446
<u>P. J. M. Maas</u>	2228
<u>S. A. Mori</u>	21589; 22082; 22088; 24221
<u>R. A. A. Oldeman</u>	3810; 4106; 4184; 3810049
<u>L. R. Phillippe</u>	27005
<u>M.-F. Prévost</u>	2105
<u>L. E. Skog</u>	7105; 7190

***Alchornea triplinervia* (Spreng.) Müll. Arg.**

<u>J.-J. de Granville</u>	8770
---------------------------	------

***Alchorneopsis floribunda* (Benth.) Müll. Arg.**

<u>J.-J. de Granville</u>	8705
<u>S. A. Mori</u>	21587; 22920

***Aparisthmium cordatum* (A. Juss.) Baill.**

<u>F. Billiet</u>	5807
<u>J.-J. de Granville</u>	2407; 4733; 8643
<u>A. J. M. Leeuwenberg</u>	11729
<u>C. Moretti</u>	395
<u>S. A. Mori</u>	8820; 18339; 22112; 24015
<u>R. A. A. Oldeman</u>	4189
<u>M.-F. Prévost</u>	170; 171
<u>L. E. Skog</u>	7376

***Conceveiba guianensis* Aubl.**

<u>T. B. Croat</u>	74215
<u>A. H. Gentry</u>	62983; 63028
<u>J.-J. de Granville</u>	2819
<u>S. A. Mori</u>	15378; 15378; 21133; 22894
<u>R. A. A. Oldeman</u>	2058

***Croton draconoides* Müll. Arg.**

<u>Brian M. Boom</u>	2211
<u>H. de Foresta</u>	679
<u>A. Gely</u>	78
<u>J.-J. de Granville</u>	2810
<u>H. Jacquemin</u>	1676
<u>A. J. M. Leeuwenberg</u>	11777
<u>S. A. Mori</u>	18762; 24779
<u>R. A. A. Oldeman</u>	2002; 4022; 4096
<u>L. R. Phillippe</u>	27019

<u>M.-F. Prévost</u>	185
<i>Croton matourensis Aubl.</i>	
<u>Brian M. Boom</u>	1752
<u>S. A. Mori</u>	15365
<u>M.-F. Prévost</u>	2141
<i>Croton palanostigma Klotzsch</i>	
<u>J.-J. de Granville</u>	4642
<u>S. A. Mori</u>	15388; 24778
<i>Croton schiedeanus Schlechl.</i>	
<u>F. Billiet</u>	5778
<u>G. Cremers</u>	7594
<u>C. P. Feuillet</u>	497
<u>H. de Foresta</u>	683
<u>J.-J. de Granville</u>	2796; 4257; 4473
<u>P.-A. Loizeau</u>	618
<u>S. A. Mori</u>	14851; 15608
<u>R. A. A. Oldeman</u>	1986
<u>L. R. Phillippe</u>	27009
<u>M.-F. Prévost</u>	1816
<u>A. Raynal-Roques</u>	20011
<i>Dalechampia brevicolumna Armbr.</i>	
<u>R. A. A. Oldeman</u>	1472
<i>Dalechampia dioscoreifolia Poepp.</i>	
<u>F. Beekman</u>	59
<u>F. Capus</u>	103
<u>C. P. Feuillet</u>	417
<u>P. J. M. Maas</u>	2226
<u>S. A. Mori</u>	22355
<u>R. A. A. Oldeman</u>	2067; 3227
<u>A. Raynal-Roques</u>	20006
<i>Dalechampia fragrans Armbr.</i>	
<u>S. A. Mori</u>	20811
<i>Dalechampia heterobractea Armbr.</i>	
<u>R. A. A. Oldeman</u>	1869
<i>Dalechampia stipulacea Müll. Arg.</i>	
<u>S. A. Mori</u>	23721
<i>Dalechampia tiliifolia Lam.</i>	
<u>D. Barthelemy</u>	145
<u>S. A. Mori</u>	15026
<u>M.-F. Prévost</u>	1808
<i>Dodecastigma integrifolium (Lanj.) Lanj. & Sandwith</i>	
<u>S. A. Mori</u>	22811

***Drypetes variabilis* Uittien**

<u>P. Acevedo-Rodríguez</u>	4830; 4958
<u>Brian M. Boom</u>	1700; 1701; 1876; 2117; 2130; 2156; 2242; 2307
<u>A. H. Gentry</u>	62978; 63072; 63073; 63080; 63156
<u>J.-J. de Granville</u>	4366
<u>S. A. Mori</u>	15294; 15578; 15585; 17959; 18331; 18623; 18843; 18930; 21166; 22013; 23733; 24745; 24761; 24811; 24812
<u>R. A. A. Oldeman</u>	3266; 4304
<u>A. Raynal-Roques</u>	19974

***Euphorbia cyathophora* Murray**

<u>S. A. Mori</u>	18957
-------------------	-------

***Euphorbia hirta* L.**

<u>C. Luu</u>	103
---------------	-----

***Euphorbia hyssopifolia* L.**

<u>C. Luu</u>	3
---------------	---

***Euphorbia thymifolia* L.**

<u>S. A. Mori</u>	19016; 22090; 23817; 23961
<u>A. Raynal-Roques</u>	18640

***Glycydendron amazonicum* Ducke**

<u>S. A. Mori</u>	18615; 23265
-------------------	--------------

***Hevea guianensis* Aubl.**

<u>Brian M. Boom</u>	1780
<u>S. A. Mori</u>	14917; 14950; 15012; 15023; 15155; 15424; 17954; 18109; 18115; 20802

***Hura crepitans* L.**

<u>Brian M. Boom</u>	2106
<u>M. Freiberg</u>	35
<u>J.-J. de Granville</u>	2718
<u>S. A. Mori</u>	15086
<u>R. A. A. Oldeman</u>	4092

Hyeronima alchorneoides* Allemão var. *alchorneoides

<u>Brian M. Boom</u>	1840; 2140
<u>G. Cremers</u>	7579
<u>J.-J. de Granville</u>	5187
<u>S. A. Mori</u>	19026; 21516; 22769; 23081; 23082
<u>R. A. A. Oldeman</u>	4121

***Hyeronima oblonga* (Tul.) Müll. Arg.**

<u>Brian M. Boom</u>	1653; 1789
<u>S. A. Mori</u>	14903; 14935; 15226; 18590; 20961

***Jatropha gossypiifolia* L.**

<u>C. Luu</u>	86
---------------	----

***Mabea piriri* Aubl.**

<u>C. P. Feuillet</u>	454
<u>A. Fournet</u>	69

<u>J.-J. de Granville</u>	5464
<u>S. A. Mori</u>	8791; 22677; 22710; 23900; 24117
<u>G. T. Prance</u>	28107
<u>A. Raynal-Roques</u>	18499

***Mabea salicoides* Esser**

<u>S. A. Mori</u>	15146; 15556
-------------------	--------------

***Mabea speciosa* Müll. Arg.**

<u>P. Acevedo-Rodríguez</u>	4988
<u>Brian M. Boom</u>	10810
<u>C. P. Feuillet</u>	435
<u>A. H. Gentry</u>	63063
<u>J.-J. de Granville</u>	5164; 8662; 8798
<u>N. Marshall</u>	241
<u>S. A. Mori</u>	8712; 21625; 22676; 23010; 23367; 23838; 23944
<u>R. A. A. Oldeman</u>	2061
<u>L. R. Phillippe</u>	26926; 27020
<u>G. T. Prance</u>	28117
<u>B. Wallnöfer</u>	13500

***Mabea subsessilis* Pax & K. Hoffm.**

<u>J.-J. de Granville</u>	3272
<u>S. A. Mori</u>	14931

***Manihot esculenta* Crantz**

<u>F. Capus</u>	14; 15; 33
<u>M. Freiberg</u>	91
<u>A. Gely</u>	71; 72
<u>S. A. Mori</u>	18439; 22037; 22038
<u>R. A. A. Oldeman</u>	3972
<u>L. R. Phillippe</u>	26896

***Manihot quinquepartita* D. J. Rogers & Appan**

<u>F. Billiet</u>	5766
<u>J.-J. de Granville</u>	541
<u>S. A. Mori</u>	18622; 19063; 23054
<u>R. A. A. Oldeman</u>	2020

***Manihot* sp. A.**

<u>J.-J. de Granville</u>	5070
---------------------------	------

***Maprounea guianensis* Aubl.**

<u>J.-J. de Granville</u>	5186
<u>D. R. L. Sabatier</u>	1160

***Margaritaria nobilis* L. f.**

<u>J.-J. de Granville</u>	2812; 8825
<u>N. Marshall</u>	185
<u>R. A. A. Oldeman</u>	2014

<u>M.-F. Prévost</u>	1233
<i>Omphalea diandra L.</i>	
<u>J.-J. de Granville</u>	2770
<u>S. A. Mori</u>	18784; 18926; 23912; 23917; 23918
<i>Pausandra fordii Secco</i>	
<u>S. A. Mori</u>	15675
<i>Pausandra martinii Baill.</i>	
<u>S. A. Mori</u>	23273
<i>Phyllanthus amarus Schum. & Thonn.</i>	
<u>L. E. Skog</u>	7293
<i>Phyllanthus urinaria L.</i>	
<u>F. Capus</u>	79
<u>J.-J. de Granville</u>	528
<u>C. Luu</u>	59
<u>S. A. Mori</u>	18402; 22076; 23962; 23963
<u>M.-F. Prévost</u>	783
<u>A. Raynal-Roques</u>	19960
<u>J. Roux</u>	13
<u>L. E. Skog</u>	7311
<i>Plukenetia polyadenia Müll. Arg.</i>	
<u>J.-J. de Granville</u>	4413
<u>C. Moretti</u>	461
<u>S. A. Mori</u>	15673; 18668; 22347
<i>Richeria grandis Vahl</i>	
<u>S. A. Mori</u>	8821
<i>Ricinus communis L.</i>	
<u>F. Capus</u>	10
<u>S. A. Mori</u>	18432
<i>Sagotia racemosa Baill.</i>	
<u>S. A. Mori</u>	23275; 23778
<i>Sapium argutum (Müll. Arg.) Huber</i>	
<u>J.-J. de Granville</u>	3237; 3362
<i>Sapium glandulosum (L.) Morong</i>	
<u>N. Marshall</u>	166
<u>R. A. A. Oldeman</u>	2068
<u>M. Sauvain</u>	644
<i>Sapium paucinervium Hemsl.</i>	
<u>Brian M. Boom</u>	2014; 2065
<u>S. A. Mori</u>	15364; 24302; 24775
<i>Tragia lessertiana (Baill.) Müll. Arg.</i>	
<u>J.-J. de Granville</u>	2783
<u>S. A. Mori</u>	14874; 18414; 25132
<u>L. E. Skog</u>	7378

Fabaceae

The treatment of the Fabaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Rupert C. Barneby and Scott V. Heald (NY).

Acosmium praeclarum (Sandwith) Yakovlev is treated as a member of the Caesalpiniaceae in the Guide. It will appear in the NYBG database as a member of the Fabaceae.

In addition to the species documented by the vouchers listed below, the following species were included in the *Guide* because they are expected to occur in central French Guiana even though they have not yet been collected there: *Crotalaria anagyroides* Kunth and *Rhynchosia minima* (L.) DC.

Species of *Dalbergia* are expected to occur in central French Guiana but none have yet been collected.

Cajanus cajan, *Pachyrhizus erosus*, *Phaseolus lunatus*, and *Pueraria phaseoloides* are only found cultivated in our area but they may appear in weedy habitats around homesteads, and, thus, give the false impression of being a part of the native flora. *Clitoria ternatea* is only found as a cultivated ornamental in our area.

***Bocoa viridiflora* (Ducke) R. S. Cowan**

<u>Brian M. Boom</u>	1801
<u>S. A. Mori</u>	8815; 15214; 18486; 21648; 24136

***Cajanus cajan* (L.) Millsp.**

<u>F. Capus</u>	40
<u>A. Gely</u>	10
<u>J.-J. de Granville</u>	5043
<u>C. Luu</u>	89
<u>M.-F. Prévost</u>	762

***Candolleodendron brachystachyum* (DC.) R. S. Cowan**

<u>J.-J. de Granville</u>	4285; 4458; 8408
<u>R. A. A. Oldeman</u>	3185; 4204

***Centrosema vexillatum* Benth.**

<u>F. Capus</u>	31
<u>J.-J. de Granville</u>	5169

***Clitoria javitensis* (Kunth) Benth.**

<u>S. A. Mori</u>	24310
-------------------	-------

***Clitoria ternatea* L.**

<u>S. A. Mori</u>	22123
-------------------	-------

***Derris pterocarpa* (DC.) Killip**

<u>S. A. Mori</u>	15257; 21142; 24334; 24338
<u>B. Wallnöfer</u>	13525

***Desmodium adscendens* (Sw.) DC.**

<u>F. Capus</u>	71
-----------------	----

<u>J.-J. de Granville</u>	692; 704; 5359
<u>S. A. Mori</u>	22046; 23816

Desmodium axillare (Sw.) DC.

<u>F. Billiet</u>	5783
<u>J.-J. de Granville</u>	2738; 8929
<u>S. Heald</u>	39
<u>S. A. Mori</u>	18220; 22661; 23828; 24190
<u>L. R. Phillippe</u>	26924

Desmodium barbatum (L.) Benth.

<u>S. A. Mori</u>	18384; 19067
-------------------	--------------

Desmodium incanum DC.

<u>J.-J. de Granville</u>	703; 4639
<u>N. Marshall</u>	170
<u>S. A. Mori</u>	18243; 18389; 19093; 24224

Desmodium wydlerianum Urb.

<u>G. Cremers</u>	6165
<u>J.-J. de Granville</u>	705

Dioclea macrocarpa Huber

<u>J.-J. de Granville</u>	2307
<u>C. Moretti</u>	1093
<u>S. A. Mori</u>	15067; 18541; 20944; 22211; 22746; 22824; 22825; 24208; 24679; 24679
<u>L. E. Skog</u>	7362; 7379

Dioclea virgata (Rich.) Amshoff

<u>N. Marshall</u>	253
<u>S. A. Mori</u>	18759; 19064; 19179; 20971; 23292

Dioclea sp. A

<u>H. Jacquemin</u>	1678
<u>R. A. A. Oldeman</u>	2094

Diplotropis purpurea (Rich.) Amshoff

<u>J.-J. de Granville</u>	5149
<u>S. A. Mori</u>	21108; 22881; 24713
<u>R. A. A. Oldeman</u>	1969
<u>D. R. L. Sabatier</u>	2310

Dipteryx odorata (Aubl.) Willd.

<u>Brian M. Boom</u>	1802
<u>D. Loubry</u>	45
<u>S. A. Mori</u>	18979; 22799

Dussia discolor (Benth.) Amshoff

<u>Brian M. Boom</u>	2412
<u>S. A. Mori</u>	22118; 24728
<u>D. R. L. Sabatier</u>	1241

Hymenolobium petraeum Ducke

<u>S. A. Mori</u>	15698; 18095
-------------------	--------------

<u>R. A. A. Oldeman</u>	3188
<i>Machaerium altiscandens Ducke</i>	
<u>S. A. Mori</u>	19184
<i>Machaerium aureiflorum Ducke</i>	
<u>S. A. Mori</u>	22106; 24709; 24714
<i>Machaerium floribundum Benth.</i>	
<u>S. A. Mori</u>	15353; 21204
<u>R. A. A. Oldeman</u>	1961
<u>B. Wallnöfer</u>	13524
<i>Machaerium paraënsse Ducke</i>	
<u>S. A. Mori</u>	22193; 23712
<i>Machaerium quinata Sandwith</i>	
<u>J. W. Grimes</u>	1970
<i>Monopteryx inpae W. A. Rodrigues</i>	
<u>Brian M. Boom</u>	1631; 1658; 1669; 1694
<u>S. A. Mori</u>	15250; 15662; 22107
<i>Mucuna urens (L.) DC.</i>	
<u>J.-J. de Granville</u>	2006; 8493; 8832
<u>H. Jacquemin</u>	1675
<u>S. A. Mori</u>	22325
<u>R. A. A. Oldeman</u>	2017
<i>Ormosia flava (Ducke) Rudd</i>	
<u>S. A. Mori</u>	20878
<i>Pachyrhizus erosus (L.) Urb.</i>	
<u>S. A. Mori</u>	24749
<i>Phaseolus lunatus L.</i>	
<u>F. Capus</u>	38
<u>A. Gely</u>	44
<i>Platymiscium ulei Harms</i>	
<u>Brian M. Boom</u>	2005; 2391
<u>A. H. Gentry</u>	63115
<u>S. A. Mori</u>	19039
<i>Poecilanthe effusa (Huber) Ducke</i>	
<u>R. A. A. Oldeman</u>	4053
<i>Poecilanthe hostmannii (Benth.) Amshoff</i>	
<u>J.-J. de Granville</u>	3055
<u>S. A. Mori</u>	15013; 22928
<i>Pterocarpus rohrii Vahl</i>	
<u>S. A. Mori</u>	23209; 24254; 25173
<i>Pueraria phaseoloides (Roxb.) Benth.</i>	
<u>S. A. Mori</u>	24726
<i>Rhynchosia phaseoloides (Sw.) DC.</i>	
<u>J.-J. de Granville</u>	4583; 5514

<u>N. Marshall</u>	172
<u>S. A. Mori</u>	15141; 19015; 24935
<u>R. A. A. Oldeman</u>	4070

***Swartzia amshoffiana* R. S. Cowan**

<u>S. A. Mori</u>	19175; 19188; 20792; 21703; 22274; 23198; 23309; 23325; 24954
-------------------	---

***Swartzia arborescens* (Aubl.) Pittier**

<u>S. A. Mori</u>	14813; 14959
<u>R. A. A. Oldeman</u>	4027
<u>G. T. Prance</u>	30669

***Swartzia panacoco* (Aubl.) R. S. Cowan var. *sagotii* (Sandwith) R. S. Cowan**

<u>S. A. Mori</u>	15344; 15445; 18982; 21692; 22764; 24710
<u>G. T. Prance</u>	28110
<u>R. A. A. Oldeman</u>	2055

***Swartzia polypylla* DC.**

<u>Brian M. Boom</u>	1629
<u>S. A. Mori</u>	14921; 15663; 20989; 23310

***Swartzia* sp. A**

<u>Brian M. Boom</u>	2388
<u>S. A. Mori</u>	8773

***Swartzia* sp. B**

<u>J.-J. de Granville</u>	4468; 4563
---------------------------	------------

***Taralea oppositifolia* Aubl.**

<u>S. A. Mori</u>	22800
-------------------	-------

***Vatairea paraensis* Ducke**

<u>S. A. Mori</u>	18687; 24171; 24777
-------------------	---------------------

***Vataireopsis surinamensis* H. C. Lima**

<u>H. de Foresta</u>	651
<u>C. Moretti</u>	337; 1091
<u>S. A. Mori</u>	15090; 15687; 24759

***Vigna vexillata* (L.) A. Rich.**

<u>J.-J. de Granville</u>	5365
<u>S. A. Mori</u>	18448; 24222

***Zornia latifolia* Sm.**

<u>S. A. Mori</u>	18738; 23288
<u>L. E. Skog</u>	7383

Flacourtiaceae

The treatment of Flacourtiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY) and Beat Fischeer.

***Banara guianensis* Aubl.**

<u>J.-J. de Granville</u>	8364
---------------------------	------

<u>W. J. Hahn</u>	3687; 3692
<u>P.-A. Loizeau</u>	614
<u>C. Moretti</u>	889
<u>S. A. Mori</u>	15618; 18701; 24755
<u>R. A. A. Oldeman</u>	4196
<u>M.-F. Prévost</u>	174

***Carpotroche crispidentata* Ducke**

<u>Brian M. Boom</u>	10775; 10826
<u>G. Cremers</u>	3971; 7585
<u>C. P. Feuillet</u>	479
<u>A. Fournet</u>	29
<u>A. H. Gentry</u>	63069
<u>J.-J. de Granville</u>	2367; 3009; 4256; 4401; 5497; 8457
<u>W. J. Hahn</u>	3659
<u>J. P. Lescure</u>	27
<u>P. J. M. Maas</u>	2271; 8067
<u>C. Moretti</u>	54
<u>S. A. Mori</u>	8729; 14704; 15319; 17965; 19191; 20898; 23356
<u>R. A. A. Oldeman</u>	1846; 2038; 3178; 3969; 3997
<u>M.-F. Prévost</u>	308; 2142
<u>D. R. L. Sabatier</u>	965; 1064
<u>B. Wallnöfer</u>	13478

***Casearia acuminata* DC.**

<u>Brian M. Boom</u>	10781; 10856
<u>J.-J. de Granville</u>	1613; 2284; 2404; 3353; 4621; 5094; 5147; 5366; 8702; 8782; 8800; 8891; 8931; 8985
<u>S. A. Mori</u>	8734; 15019; 15118; 17948; 18720; 18931; 22081; 23331
<u>R. A. A. Oldeman</u>	2049; 3952
<u>L. R. Phillippe</u>	26904
<u>M.-F. Prévost</u>	1817
<u>B. Riéra</u>	948
<u>B. Wallnöfer</u>	13485

***Casearia bracteifera* Sagot**

<u>P. Acevedo-Rodríguez</u>	5010
<u>L. Allorge</u>	321
<u>B. Bordenave</u>	330
<u>C. P. Feuillet</u>	512
<u>A. H. Gentry</u>	63162
<u>J.-J. de Granville</u>	911; 912; 4620; 5163; 5452; 8494
<u>P.-A. Loizeau</u>	610
<u>P. J. M. Maas</u>	2254; 2263
<u>S. A. Mori</u>	15022; 15371; 17944; 18964; 19118; 21651
<u>R. A. A. Oldeman</u>	4151

<u>L. R. Phillippe</u>	26994
<u>G. T. Prance</u>	30633
<u>M.-F. Prévost</u>	1831
<u>B. Riéra</u>	945
<u>D. R. L. Sabatier</u>	1239
<u>L. E. Skog</u>	7152; 7343

Casearia commersoniana Cambess.

<u>G. Cremers</u>	6151; 7584
<u>J.-J. de Granville</u>	2675; 3135; 4601; 5077; 5174; 5391
<u>S. A. Mori</u>	8709; 8786; 14948; 14994; 19104; 20867; 22275; 22843; 23902; 25178
<u>R. A. A. Oldeman</u>	4113; 4115

Casearia javitensis Kunth

<u>J.-J. de Granville</u>	2737
<u>S. A. Mori</u>	8802
<u>R. A. A. Oldeman</u>	182; 2015; 4175

Casearia negrensis Eichler

<u>A. Fournet</u>	90
<u>J.-J. de Granville</u>	4239; 4254; 5458
<u>C. Moretti</u>	892
<u>S. A. Mori</u>	8704; 15672; 22956
<u>R. A. A. Oldeman</u>	1987; 2066; 3191; 3817; 3821; 4042; 4117; 4176; 4181; 4190; 4295

Casearia pitumba Sleumer

<u>P. Acevedo-Rodríguez</u>	5022
<u>J.-J. de Granville</u>	631; 4461; 5091; 8769; 8911; 8987
<u>P.-A. Loizeau</u>	630
<u>N. Marshall</u>	161
<u>C. Moretti</u>	391
<u>S. A. Mori</u>	8750; 14875; 14879; 15366; 15692; 20877; 20911; 23093; 23116; 25072
<u>R. A. A. Oldeman</u>	1955; 4079
<u>L. E. Skog</u>	7361

Casearia rusbyana Briq.

<u>N. Marshall</u>	184
<u>S. A. Mori</u>	21150; 21571; 23717; 24270; 24677
<u>R. A. A. Oldeman</u>	4192
<u>A. Raynal-Roques</u>	19977
<u>D. R. L. Sabatier</u>	2321

Casearia singularis Eichler

<u>Brian M. Boom</u>	1740
<u>J.-J. de Granville</u>	2733
<u>C. Moretti</u>	443
<u>S. A. Mori</u>	15129; 15647; 22210
<u>R. A. A. Oldeman</u>	2064
<u>B. Wallnöfer</u>	13529

Casearia sylvestris* Sw. var. *sylvestris

<u>Brian M. Boom</u>	2129
<u>S. A. Mori</u>	15577

***Casearia ulmifolia* Vent.**

<u>F. Billiet</u>	5803
<u>Brian M. Boom</u>	1949; 2302; 2303
<u>J.-J. de Granville</u>	4237
<u>S. A. Mori</u>	15621; 21144; 21177; 22927; 23012

***Casearia* sp. A**

<u>S. A. Mori</u>	14721; 15570; 24026
-------------------	---------------------

***Casearia* sp. B**

<u>S. A. Mori</u>	18124; 19166; 20785
-------------------	---------------------

***Hasseltia floribunda* Kunth**

<u>S. A. Mori</u>	8759
-------------------	------

***Laetia procera* (Poep.) Eichler**

<u>S. A. Mori</u>	14975; 20724; 21499; 22061
<u>R. A. A. Oldeman</u>	2102

***Mayna odorata* Aubl.**

<u>P. Acevedo-Rodríguez</u>	4973
<u>L. Allorge</u>	319
<u>C. P. Feuillet</u>	476; 492; 493
<u>H. de Foresta</u>	661; 695
<u>A. H. Gentry</u>	63161
<u>J.-J. de Granville</u>	889; 2680; 3631; 4231; 4244; 4556; 5059; 5407; 5422; 5458; 8855; 8900
<u>M. H. G. Gustafsson</u>	326
<u>C. Moretti</u>	451
<u>S. A. Mori</u>	8708; 15222; 18927; 21088; 23915
<u>R. A. A. Oldeman</u>	2125; 3953; 4198; 4213; 4299
<u>L. R. Phillippe</u>	26957
<u>G. T. Prance</u>	30636
<u>M.-F. Prévost</u>	1812

***Ryania speciosa* Vahl**

<u>J.-J. de Granville</u>	3029; 4275
<u>S. A. Mori</u>	14977

***Xylosma benthamii* (Tul.) Triana & Planch.**

<u>J.-J. de Granville</u>	4223
<u>N. Marshall</u>	210
<u>S. A. Mori</u>	21586; 23994
<u>R. A. A. Oldeman</u>	2007

Gentianaceae

The treatment of Gentianaceae for the *Guide to the Vascular Plants of Central French Guiana*

was prepared by Hiltje Maas-van Kamer and Paul Maas (U).

Potalia amara Aubl. is considered a member of the Gentianaceae and is listed as such in the NYBG database. It is, however, treated as a member of the Loganiaceae in the *Guide* and listed under that family in this checklist.

***Chelonanthus alatus* (Aubl.) Pulle**

<u>G. Cremers</u>	10044
<u>P. J. M. Maas</u>	8102
<u>S. A. Mori</u>	18417; 20950; 24076; 24801
<u>R. A. A. Oldeman</u>	2096

***Chelonanthus longistylus* (J. G. M. Pers. & Maas) Struwe & V. A. Albert**

<u>J.-J. de Granville</u>	3312
---------------------------	------

***Chelonanthus purpurascens* (Aubl.) Struwe, S. Nilsson & V. A. Albert**

<u>G. Cremers</u>	4026
<u>J.-J. de Granville</u>	3356; 8974
<u>S. A. Mori</u>	25077

***Coutoubea spicata* Aubl.**

<u>A. Fournet</u>	222
<u>M. Freiberg</u>	1
<u>A. H. Gentry</u>	63170
<u>J.-J. de Granville</u>	4420; 5092
<u>H. Jacquemin</u>	1672
<u>N. Marshall</u>	167
<u>S. A. Mori</u>	18383; 20947; 24075
<u>R. A. A. Oldeman</u>	2093
<u>A. Raynal-Roques</u>	18487
<u>M. Sauvain</u>	649
<u>L. E. Skog</u>	7111

***Tachia grandiflora* Maguire & Weaver**

<u>P. Acevedo-Rodríguez</u>	4977
<u>C. P. Feuillet</u>	15106
<u>J.-J. de Granville</u>	3027; 3071; 4443
<u>S. A. Mori</u>	18002; 22277

***Voyria aphylla* (Jacq.) Pers.**

<u>C. P. Feuillet</u>	1021; 1022
<u>J.-J. de Granville</u>	3268; 3301; 3323

***Voyria aurantiaca* Splitg.**

<u>L. Andersson</u>	1156
<u>C. P. Feuillet</u>	98
<u>J.-J. de Granville</u>	535; 536; 866; 933; 9045
<u>S. Heald</u>	135
<u>M. Hijman</u>	30; 216

<u>A. J. M. Leeuwenberg</u>	s.n.
<u>P. J. M. Maas</u>	2250; 8086
<u>S. A. Mori</u>	18282; 18924; 19156; 22653; 23911
<u>R. A. A. Oldeman</u>	1972; 2082; 4312
<u>A. Raynal-Roques</u>	18463; 18516; 18558; 19959; 19991
<u>L. E. Skog</u>	7249

***Voyria caerulea* Aubl.**

<u>G. Cremers</u>	6166
<u>A. Fournet</u>	213
<u>J.-J. de Granville</u>	927; 932; 3116; 4417; 8920; 9044
<u>M. Hijman</u>	217
<u>P. J. M. Maas</u>	8088; 8103
<u>S. A. Mori</u>	18905; 18961; 22249; 22267; 23181; 24137; 24803; 24807
<u>A. Raynal-Roques</u>	18521; 18556; 18557; 18603; 18608

***Voyria corymbosa* Splitg.**

<u>R. O. Determann</u>	101; 103
<u>C. P. Feuillet</u>	428
<u>A. Fournet</u>	88
<u>J.-J. de Granville</u>	537; 899; 930; 3040; 3389; 4391; 4745; 4755; 8622; 8828; 8868; 8921; 8922
<u>P. J. M. Maas</u>	8077; 8087
<u>S. A. Mori</u>	14891; 14911; 15516; 17970; 18525; 20954; 21690; 22108; 22229; 22237; 22242; 22272; 22303; 24840
<u>R. A. A. Oldeman</u>	4307
<u>A. Raynal-Roques</u>	18522; 18559; 18606; 18607; 19990

***Voyria flavescens* Griseb.**

<u>P. J. M. Maas</u>	8105
----------------------	------

***Voyria rosea* Aubl.**

<u>F. Billiet</u>	5819
<u>R. O. Determann</u>	99
<u>A. Fournet</u>	78
<u>A. H. Gentry</u>	63139
<u>J.-J. de Granville</u>	2662; 3276; 3297; 3298; 4389
<u>P.-A. Loizeau</u>	626
<u>P. J. M. Maas</u>	8071
<u>S. A. Mori</u>	14890; 20951; 22097; 22288; 22299; 24135; 24833; 24839; 24912

***Voyria spruceana* Benth.**

<u>G. Cremers</u>	6190
<u>R. O. Determann</u>	98

***Voyria tenella* Hook.**

<u>J.-J. de Granville</u>	1639; 3039; 3322; 8745; 8867; 9034
<u>P. J. M. Maas</u>	8073; 8099
<u>S. A. Mori</u>	18174; 18919; 22243; 22280; 22287; 24834
<u>A. Raynal-Roques</u>	18459

***Voyria tenuiflora* Griseb.**

<u>J.-J. de Granville</u>	3397
<u>P. J. M. Maas</u>	8095
<u>S. A. Mori</u>	22241; 22271
<u>A. Raynal-Roques</u>	18510; 18564; 19961; 19992

***Voyriella parviflora* (Miq.) Miq.**

<u>R. O. Determann</u>	87; 100
<u>J.-J. de Granville</u>	3117; 3296; 4390
<u>P. J. M. Maas</u>	8074
<u>S. A. Mori</u>	14904; 17966; 22283; 24841

Gesneriaceae

The treatment of Gesneriaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Christian Feuillet and Laurence E. Skog (US).

In addition to the species documented by the vouchers listed below, the following species were included in the *Guide* because they are expected to occur in central French Guiana even though they have not yet been collected there: *Napeanthus jelskii* Fritsch and *Paradrymonia densa* (C. H. Wright) Wiehler.

***Besleria flavovirens* Nees & Mart.**

<u>J.-J. de Granville</u>	8517
---------------------------	------

***Besleria insolita* C. V. Morton**

<u>F. Billiet</u>	5802
<u>C. P. Feuillet</u>	15121
<u>J.-J. de Granville</u>	549; 3281; 4478
<u>P. J. M. Maas</u>	2279
<u>S. A. Mori</u>	14806; 21176
<u>R. A. A. Oldeman</u>	2024
<u>L. R. Phillippe</u>	26906
<u>G. T. Prance</u>	30638

***Besleria patrisii* DC.**

<u>C. P. Feuillet</u>	100; 106
<u>J.-J. de Granville</u>	2283; 4645; 8461; 8663; 8843
<u>W. J. Hahn</u>	3617
<u>P. J. M. Maas</u>	2281
<u>S. A. Mori</u>	18726
<u>R. A. A. Oldeman</u>	4351
<u>M.-F. Prévost</u>	1827

***Chrysotheremis pulchella* (Sims) Decne.**

<u>L. E. Skog</u>	7137
-------------------	------

***Codonanthe calcarata* (Miq.) Hanst.**

<u>C. P. Feuillet</u>	96; 15090
-----------------------	-----------

<u>M. Freiberg</u>	13
<u>A. J. M. Leeuwenberg</u>	11785
<u>S. A. Mori</u>	21603; 22851
<u>L. E. Skog</u>	7243; 7257

Codonanthe crassifolia (Focke) C. V. Morton

<u>R. C. Ek</u>	8
<u>C. P. Feuillet</u>	15090
<u>M. Freiberg</u>	37; 316
<u>J.-J. de Granville</u>	8847
<u>S. A. Mori</u>	21075; 21575; 21610; 24016
<u>L. E. Skog</u>	7244; 7282; 7338

Columnea calotricha Donn. Sm.

<u>S. A. Mori</u>	22216
<u>L. E. Skog</u>	7393

Columnea oerstediana Oerst.

<u>Brian M. Boom</u>	10791
<u>J.-J. de Granville</u>	8549
<u>L. E. Skog</u>	7372

Columnea sanguinea (Pers.) Hanst.

<u>F. Billiet</u>	5800
<u>J.-J. de Granville</u>	8628
<u>M. H. G. Gustafsson</u>	313

Drymonia coccinea (Aubl.) Wiehler

<u>L. Allorge</u>	392
<u>Brian M. Boom</u>	10818
<u>B. Bordenave</u>	298
<u>G. Cremers</u>	3965
<u>B. Descoings</u>	20626
<u>C. P. Feuillet</u>	87; 108; 470; 15079
<u>M. Freiberg</u>	75
<u>J.-J. de Granville</u>	8429
<u>A. J. M. Leeuwenberg</u>	11795
<u>P.-A. Loizeau</u>	627
<u>P. J. M. Maas</u>	2251
<u>S. A. Mori</u>	15312; 20937; 21510
<u>R. A. A. Oldeman</u>	4036
<u>A. Raynal-Roques</u>	19976
<u>L. E. Skog</u>	7139; 7332; 7370
<u>B. Wallnöfer</u>	13471

Drymonia psilocalyx Leeuwenb.

<u>C. P. Feuillet</u>	110; 15119
<u>J.-J. de Granville</u>	1615; 1662; 2000; 2652; 8585; 9021
<u>A. J. M. Leeuwenberg</u>	11740

L. E. Skog 7360

Drymonia serrulata (Jacq.) Mart.

A. J. M. Leeuwenberg 11716

M.-F. Prévost 1833

Episcia sphalera Leeuwenb.

S. A. Mori 25058

Episcia xantha Leeuwenb.

L. Allorge 378

Brian M. Boom 10751

G. Cremers 6090

C. P. Feuillet 15098

J.-J. de Granville 1605; 1659; 3025; 3089; 8833

M. Hoff 6634

S. A. Mori 18735; 19036; 19110; 20920; 22285

L. E. Skog 7232

Napeanthus macrostoma Leeuwenb.

P. Acevedo-Rodríguez 4997

F. Billiet 5818

C. P. Feuillet 532; 15096

J.-J. de Granville 1554; 5125; 8482

S. A. Mori 21524; 21657

L. R. Phillippe 27024

M.-F. Prévost 1828

L. E. Skog 7363

Nautilocalyx adenosiphon (Leeuwenb.) Wiehler

G. Cremers 7567

Nautilocalyx mimuloides (Benth.) C. V. Morton

C. P. Feuillet 3900; 15120

J.-J. de Granville 2420; 5459

S. A. Mori 19034; 22212; 23049

M.-F. Prévost 1601

Nautilocalyx pictus (Hook.) Sprague

C. P. Feuillet 15118

J.-J. de Granville 1546; 2415; 3090; 4463; 5258; 5469; 8657

S. A. Mori 23252; 23746; 24029; 25154; 25156

R. A. A. Oldeman 122

L. E. Skog 7218; 7246; 7333; 7334; 7358

Paradrymonia campostyla (Leeuwenb.) Wiehler

C. P. Feuillet 15132

J.-J. de Granville 3107; 8733

A. J. M. Leeuwenberg 11739

S. A. Mori 25113

Gnetaceae

The treatment of Gnetaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Dennis Wm. Stevenson (NY).

Gnetum urens (Aubl.) Blume

<u>N. Marshall</u>	175
<u>S. A. Mori</u>	14915; 18180; 24894

Haemodoraceae

The treatment of Haemodoraceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Hiltje Maas-van de Kamer and Paul Maas (U).

Schiekia orinocensis (Kunth) Meisn. subsp. *silvestris* Maas & Stoel

<u>J.-J. de Granville</u>	3080; 4465
---------------------------	------------

Xiphidium caeruleum Aubl.

<u>C. P. Feuillet</u>	501
<u>H. de Foresta</u>	558
<u>M. Freiberg</u>	62
<u>J.-J. de Granville</u>	550; 5513
<u>S. A. Mori</u>	21178; 22337; 23045; 24126
<u>R. A. A. Oldeman</u>	4347
<u>A. Raynal-Roques</u>	18493; 18580

Heliconiaceae

The treatment of Heliconiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Patti Anderson (FTG), Scott A. Mori, and Carol Gracie (NY).

The correct author abbreviations of the following taxa are *Heliconia acuminata* Rich. subsp. *acuminata* not *H. acuminata* L. C. Rich. subsp. *acuminata* and *Heliconia lourteigii* Emygdio & E. Santos not *H. lourteigii* Mello & E. Santos as in Part 1 of the *Guide*.

Heliconia acuminata Rich. subsp. *acuminata*

<u>L. Andersson</u>	1163
<u>G. Cremers</u>	6188
<u>M. Freiberg</u>	185
<u>J.-J. de Granville</u>	1671; 4735; 5188; 8419
<u>P. J. M. Maas</u>	2267
<u>N. Marshall</u>	215
<u>S. A. Mori</u>	15391; 22197; 23827

***Heliconia bihai* (L.) L.**

<u>L. Andersson</u>	1160
<u>J. D. Boeke</u>	3578
<u>G. Cremers</u>	6189
<u>M. Freiberg</u>	86
<u>J.-J. de Granville</u>	914; 8990
<u>S. A. Mori</u>	22322

Heliconia densiflora* Verl. subsp. *densiflora

<u>J.-J. de Granville</u>	3250
<u>S. A. Mori</u>	22806

***Heliconia hirsuta* L. f.**

<u>L. Allorge</u>	375
<u>L. Andersson</u>	1165
<u>F. Billiet</u>	5775
<u>H. de Foresta</u>	707
<u>M. Freiberg</u>	60
<u>J.-J. de Granville</u>	691; 4748
<u>N. Marshall</u>	163
<u>S. A. Mori</u>	15444; 18218; 19058; 22198
<u>A. Raynal-Roques</u>	19952

***Heliconia lourteigii* Emygdio & E. Santos**

<u>L. Andersson</u>	1173
<u>R. A. A. Oldeman</u>	3927

***Heliconia pendula* Wawra**

<u>L. Andersson</u>	1166
<u>F. Billiet</u>	5767
<u>J. D. Boeke</u>	3579
<u>C. P. Feuillet</u>	423
<u>J.-J. de Granville</u>	893; 2007; 5252
<u>P. J. M. Maas</u>	2225
<u>S. A. Mori</u>	22204
<u>L. E. Skog</u>	7205

***Heliconia psittacorum* L. f.**

<u>M. Freiberg</u>	184
<u>S. A. Mori</u>	22329

***Heliconia richardiana* Miq.**

<u>G. Cremers</u>	13007
<u>J.-J. de Granville</u>	3079; 3251; 4494

***Heliconia spathocircinata* Aristeg.**

<u>L. Andersson</u>	1161
<u>J.-J. de Granville</u>	913; 3280; 5260
<u>P. J. M. Maas</u>	2230
<u>S. A. Mori</u>	22214

Hernandiaceae

The treatment of Hernandiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori and John L. Brown (NY).

Hernandia guianensis Aubl.

<u>J.-J. de Granville</u>	2811
<u>K. Kubitzki</u>	11671; 11771
<u>A. J. M. Leeuwenberg</u>	11781

Sparattanthelium guianense Sandwith

<u>J.-J. de Granville</u>	2695
---------------------------	------

Sparattanthelium wonotoboense Kosterm.

<u>H. Jacquemin</u>	2688
<u>S. A. Mori</u>	18986; 23044

Hippocrateaceae

The treatment of Hippocrateaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Ara Görts-van Rijn (U).

In addition to the species documented by the vouchers listed below, the following species were included in the *Guide* because they are expected to occur in central French Guiana even though they have not yet been collected there: *Salacia amplexens* A. C. Sm. and *Tontalea nectandrifolia* (A. C. Sm.) A. C. Sm.

Cheiloclinium cognatum (Miers) A. C. Sm.

<u>A. H. Gentry</u>	63074
<u>A. R. A. Görts-van Rijn</u>	84; 107
<u>J.-J. de Granville</u>	1623; 1653; 2654; 2668; 4373; 4401; 4626; 4728
<u>J. P. Lescure</u>	29
<u>P.-A. Loizeau</u>	635
<u>S. A. Mori</u>	15655; 18629; 18847
<u>R. A. A. Oldeman</u>	2036; 2107; 3823; 3974; 3987; 4033; 4128
<u>M.-F. Prévost</u>	1803

Cheiloclinium hippocrateoides (Peyr.) A. C. Sm.

<u>J.-J. de Granville</u>	5054
<u>S. A. Mori</u>	15282

Cheiloclinium sp. 1

<u>S. A. Mori</u>	23785
-------------------	-------

Elachyptera floribunda (Benth.) A. C. Sm.

<u>S. A. Mori</u>	20830
-------------------	-------

Hippocratea volubilis L.

A. R. A. Görts-van 94
Rijn

S. A. Mori 14822; 15668; 18947; 23907

Prionostemma aspera (Lam.) Miers

A. R. A. Görts-van 70
Rijn
S. A. Mori 19185; 21155; 23137
R. A. A. Oldeman 2090
G. T. Prance 30674

Pristimera nervosa (Miers) A. C. Sm.

S. A. Mori 22121

Salacia impressifolia (Miers) A. C. Sm.

A. R. A. Görts-van 100
Rijn

Salacia insignis A. C. Sm.

J.-J. de Granville 2012; 5105
S. A. Mori 15521; 20760; 23158; 24952
R. A. A. Oldeman 3998

Salacia juruana Loes.

S. A. Mori 15534

Salacia multiflora (Lam.) DC. subsp. mucronata Mennega

S. A. Mori 17955; 18893

Salacia multiflora (Lam.) DC. subsp. multiflora

S. A. Mori 15368; 18111

Tontelea attenuata Miers

J.-J. de Granville 5485
S. A. Mori 15085; 15144; 22841

Tontelea cylindrocarpa (A. C. Sm.) A. C. Sm.

A. H. Gentry 63043
A. R. A. Görts-van 110
Rijn
S. A. Mori 15209; 15381; 18039; 24194; 24831
G. T. Prance 28120

Tontelea laxiflora (Benth.) A. C. Sm.

N. Marshall 103
C. Moretti 886
S. A. Mori 15210; 15433; 18053; 18551
R. A. A. Oldeman 3962

Tontelea ovalifolia (Miers) A. C. Sm. subsp. ovalifolia

S. A. Mori 20962

Tontelea sandwithii A. C. Sm.

S. A. Mori 24116

Hugoniaceae

Hebepepalum humiriifolium (Planch.) Benth.

<u>Brian M. Boom</u>	2429
<u>S. A. Mori</u>	19183; 25009; 25109
<u>R. A. A. Oldeman</u>	3212
<u>D. R. L. Sabatier</u>	2315

Humiriaceae

The treatment of Humiriaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Daniel Sabatier (MPU).

In addition to the species documented by the vouchers listed below, the following species were included in the *Guide* because they are expected to occur in central French Guiana even though they have not yet been collected there: *Humiria balsamifera* (Aubl.) J. St.-Hil. and *Sacoglottis cydonioides* Cuatrec.

Humiriastrum excelsum (Ducke) Cuatrec.

<u>Brian M. Boom</u>	1683; 1714
<u>S. A. Mori</u>	18096; 23358; 23793; 23794
<u>D. R. L. Sabatier</u>	1140; 2304

Sacoglottis guianensis Benth. var. guianensis

<u>S. A. Mori</u>	23788; 23789
-------------------	--------------

Vantanea guianensis Aubl.

<u>J.-J. de Granville</u>	3201; 5314
<u>S. A. Mori</u>	14778; 14779; 15303; 18722; 18978

Vantanea ovicarpa Sabatier

<u>S. A. Mori</u>	25047; 25159
-------------------	--------------

Vantanea parviflora Lam.

<u>S. A. Mori</u>	14981; 20981
-------------------	--------------

Icacinaceae

The treatment of Icacinaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Adrian C. de Roon (U) and Scott A. Mori (NY).

In addition to the species documented by the vouchers listed below, the following species were included in the *Guide* because they are expected to occur in central French Guiana even though they have not yet been collected there: *Casimirella ampla* (Miers) R. A. Howard and *Pleurisanthes parviflora* (Ducke) R. A. Howard.

Dendrobangia boliviiana Rusby

<u>Brian M. Boom</u>	1617; 1817; 2152; 2174; 2453
<u>S. A. Mori</u>	15465; 15465; 17978; 18048; 18488; 18589; 22879; 22967; 22995; 24826

<u>R. A. A. Oldeman</u>	3270
<u>D. R. L. Sabatier</u>	2320

***Discophora guianensis* Miers**

<u>P. Acevedo-Rodríguez</u>	5013
<u>J.-J. de Granville</u>	2804; 4245; 4545; 5398
<u>C. Moretti</u>	342
<u>S. A. Mori</u>	22961; 24295
<u>R. A. A. Oldeman</u>	2112; 3816
<u>O. Poncy</u>	54

***Emmotum fagifolium* Ham.**

<u>D. R. L. Sabatier</u>	1247
--------------------------	------

***Leretia cordata* Vell.**

<u>A. H. Gentry</u>	63049
<u>J.-J. de Granville</u>	4445; 5480

***Poraqueiba guianensis* Aubl.**

<u>Brian M. Boom</u>	1745; 1756
<u>S. A. Mori</u>	15207; 15274; 20934; 23157

Iridaceae

The treatment of Iridaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

Eleutherine bulbosa is cultivated for its medicinal properties and is probably not native to our area.

***Eleutherine bulbosa* (Mill.) Urb.**

<u>A. Gely</u>	66
<u>M.-F. Prévost</u>	1834; 2117

Lacistemataceae

The treatment of the Lacistemataceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

***Lacistema aggregatum* (Bergius) Rusby**

<u>J.-J. de Granville</u>	2425; 4570; 4589; 8986
<u>R. A. A. Oldeman</u>	4136
<u>B. Wallnöfer</u>	13496

***Lacistema grandifolium* W. Schnizl.**

<u>S. A. Mori</u>	14761; 19161; 20983
<u>R. A. A. Oldeman</u>	3237; 4067

***Lacistema polystachyum* W. Schnizl.**

<u>C. P. Feuillet</u>	481
-----------------------	-----

<u>J.-J. de Granville</u>	4433; 4605
<u>S. A. Mori</u>	14714; 15240; 15527; 19189; 20748; 22179; 22692; 24006
<u>R. A. A. Oldeman</u>	4030

Lamiaceae

The treatment of Lamiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Ray M. Harley (K).

Pogostemon cablin is only found cultivated in our area.

Hyptis atrorubens Poit.

<u>P. Clavel</u>	10
<u>S. A. Mori</u>	18397; 18493
<u>L. E. Skog</u>	7316

Hyptis lanceolata Poit.

<u>S. A. Mori</u>	22040; 22054; 23800
<u>G. T. Prance</u>	30681

Hyptis mutabilis (Rich.) Briq.

<u>S. A. Mori</u>	19003
<u>G. T. Prance</u>	30682

Hyptis pachycephala Epling

<u>L. Allorge</u>	376
<u>C. P. Feuillet</u>	444
<u>J.-J. de Granville</u>	544; 2350; 5460; 5534
<u>N. Marshall</u>	127
<u>S. A. Mori</u>	23743; 23834
<u>R. A. A. Oldeman</u>	3921; 4141; 4346
<u>G. T. Prance</u>	30661
<u>A. Raynal-Roques</u>	18567; 19993
<u>L. E. Skog</u>	7134

Leonotis nepetifolia (L.) R. Br.

<u>C. Luu</u>	74; 93
<u>C. Moretti</u>	776
<u>S. A. Mori</u>	18956
<u>R. A. A. Oldeman</u>	2123
<u>M.-F. Prévost</u>	779

Marsypianthes chamaedrys (Vahl) Kuntze

<u>B. Descoings</u>	20567
<u>J.-J. de Granville</u>	4425
<u>F. Hallé</u>	2293
<u>S. A. Mori</u>	18401; 18700; 23924

Ocimum campechianum Mill.

<u>A. Gely</u>	49
<u>A. J. M. Leeuwenberg</u>	11762
<u>S. A. Mori</u>	23925

Pogostemon cablin (Blanco) Benth.

<u>C. Luu</u>	54
---------------	----

Scutellaria uliginosa Benth.

<u>B. Dauchez</u>	114
<u>C. P. Feuillet</u>	425
<u>J.-J. de Granville</u>	551; 3160; 4779
<u>W. J. Hahn</u>	3593
<u>F. Hallé</u>	2436
<u>P. J. M. Maas</u>	2284
<u>S. A. Mori</u>	18725; 20923; 21094; 22056; 22323; 23876; 24218
<u>R. A. A. Oldeman</u>	3814
<u>L. R. Phillippe</u>	26889
<u>O. Poncy</u>	88
<u>G. T. Prance</u>	30656
<u>M.-F. Prévost</u>	1829

Lauraceae

The treatment of the Lauraceae, except for *Rhodostemonodaphne*, for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Henk van der Werff (MO). The treatment of *Rhodostemonodaphne* was prepared by Santiago Madriñán.

Licaria pachycarpa was inadvertently left out of the *Guide* even though a vouchered collection of this species has been collected from within the area of the *Guide*.

Persea americana is only found cultivated in our area.

Aiouea guianensis Aubl.

<u>S. A. Mori</u>	21168
-------------------	-------

Aiouea longipetiolata van der Werff

<u>S. A. Mori</u>	14902; 15238; 15413; 20758; 24688
-------------------	-----------------------------------

Aiouea opaca van der Werff

<u>S. A. Mori</u>	20735; 20928
-------------------	--------------

Aniba citrifolia (Nees) Mez

<u>S. A. Mori</u>	24960
<u>D. R. L. Sabatier</u>	1062

Aniba jenmanii Mez

<u>S. A. Mori</u>	14976; 15292; 19171
-------------------	---------------------

Aniba kappleri Mez

<u>S. A. Mori</u>	18637; 24823
-------------------	--------------

Aniba parviflora (Meisn.) Mez

<u>S. A. Mori</u>	20834
<i>Aniba williamsii O. C. Schmidt</i>	
<u>S. A. Mori</u>	22296; 24983
<u>T. D. Pennington</u>	13851
<u>H. H. van der Werff</u>	12955
<i>Beilschmiedia hexanthera van der Werff</i>	
<u>S. A. Mori</u>	23377
<u>H. H. van der Werff</u>	12951
<i>Cinnamomum triplinerve (Ruiz & Pav.) Kosterm.</i>	
<u>C. P. Feuillet</u>	452
<u>J.-J. de Granville</u>	5482
<u>S. A. Mori</u>	15024
<u>R. A. A. Oldeman</u>	1984; 2781; 3202; 4011; 4082
<i>Endlicheria melinonii Benoist</i>	
<u>B. Bordenave</u>	321
<u>A. H. Gentry</u>	62990
<u>S. A. Mori</u>	20927
<i>Endlicheria punctulata (Mez) C. K. Allen</i>	
<u>S. A. Mori</u>	14910; 14995; 18041; 22268
<i>Endlicheria pyriformis (Nees) Mez</i>	
<u>G. Cremers</u>	3982
<u>H. de Foresta</u>	691
<u>J.-J. de Granville</u>	3145; 4598; 5493; 5496; 5547; 8380; 9005
<u>C. Moretti</u>	455
<u>S. A. Mori</u>	15059; 15649; 22979; 23935; 24027; 25010
<u>R. A. A. Oldeman</u>	3996; 4034
<u>L. R. Phillippe</u>	26997
<u>H. H. van der Werff</u>	12953; 12964
<i>Endlicheria sericea Nees</i>	
<u>S. A. Mori</u>	23269
<i>Kubitzkia mezii (Kosterm.) van der Werff</i>	
<u>S. A. Mori</u>	15054; 20849
<i>Licaria cannella (Meisn.) Kosterm.</i>	
<u>Brian M. Boom</u>	1716
<u>C. Moretti</u>	1372
<u>S. A. Mori</u>	20967; 23311
<i>Licaria chrysophylla (Meisn.) Kosterm.</i>	
<u>S. A. Mori</u>	22064
<i>Licaria debilis (Mez) Kosterm.</i>	
<u>P. Acevedo-Rodríguez</u>	4962
<u>L. R. Phillippe</u>	26992
<u>H. H. van der Werff</u>	12948; 12950
<i>Licaria guianensis Aubl.</i>	

<u>W. J. Hahn</u>	3648
<u>S. A. Mori</u>	14895; 15426; 15484; 18544; 18591; 18599
<i>Licaria martiniana</i> (Mez) Kosterm.	
<u>S. A. Mori</u>	21683; 22766; 24670
<i>Licaria pachycarpa</i> (Meisn.) Kosterm.	
<u>S. A. Mori</u>	24835
<i>Licaria subbullata</i> Kosterm..	
<u>S. A. Mori</u>	14887; 18593
<i>Licaria vernicosa</i> (Mez) Kosterm.	
<u>S. A. Mori</u>	23760
<u>M.-F. Prévost</u>	299
<i>Nectandra cissiflora</i> Nees	
<u>R. A. A. Oldeman</u>	4182
<i>Nectandra hihua</i> (Ruiz & Pav.) Rohwer	
<u>S. A. Mori</u>	22733; 23880; 24212
<u>L. R. Phillippe</u>	27014
<i>Nectandra purpurea</i> (Ruiz & Pav.) Mez	
<u>S. A. Mori</u>	24258
<i>Nectandra reticulata</i> (Ruiz & Pav.) Mez	
<u>S. A. Mori</u>	15326; 22008; 22669; 23883; 24188
<i>Ocotea canaliculata</i> (Rich.) Mez	
<u>S. A. Mori</u>	15229; 15286; 15301; 24891
<i>Ocotea ceanothifolia</i> (Nees) Mez	
<u>Brian M. Boom</u>	1618
<u>S. A. Mori</u>	15203; 20795; 20812; 22730
<i>Ocotea cernua</i> (Nees) Mez	
<u>J.-J. de Granville</u>	4229; 4571; 4643
<u>S. A. Mori</u>	18872; 18908
<u>R. A. A. Oldeman</u>	4058
<i>Ocotea cinerea</i> van der Werff	
<u>S. A. Mori</u>	22712; 23734; 23898; 24691
<i>Ocotea commutata</i> (Nees) Mez	
<u>L. Allorge</u>	377
<u>J.-J. de Granville</u>	5170; 5257; 5481
<u>S. A. Mori</u>	22113
<u>L. E. Skog</u>	7346
<i>Ocotea cujumary</i> Mart.	
<u>S. A. Mori</u>	24014
<u>H. H. van der Werff</u>	12985
<i>Ocotea diffusa</i> van der Werff	
<u>J.-J. de Granville</u>	4750
<u>S. A. Mori</u>	22948; 24966

Ocotea fendleri (Meisn.) Rohwer

<u>N. Marshall</u>	196
<u>S. A. Mori</u>	20862; 23890

Ocotea floribunda (Sw.) Mez

<u>R. A. A. Oldeman</u>	3207
<u>B. Wallnöfer</u>	13502
<u>H. H. van der Werff</u>	12949

Ocotea glomerata (Nees) Mez

<u>Brian M. Boom</u>	1762
<u>J.-J. de Granville</u>	4423; 4657
<u>W. J. Hahn</u>	3686
<u>N. Marshall</u>	221; 223
<u>S. A. Mori</u>	15363; 15614; 19009
<u>R. A. A. Oldeman</u>	2010

Ocotea oblonga (Meisn.) Mez

<u>S. A. Mori</u>	18892; 22199; 23870; 23913
-------------------	----------------------------

Ocotea puberula (Rich.) Nees

<u>J.-J. de Granville</u>	534; 2673; 4397
<u>K. Kubitzki</u>	11871
<u>N. Marshall</u>	180
<u>S. A. Mori</u>	18708; 18933; 24865
<u>R. A. A. Oldeman</u>	4097

Ocotea scabrella van der Werff

<u>S. A. Mori</u>	20985; 22821; 22822
-------------------	---------------------

Ocotea splendens (Meisn.) Baill.

<u>Brian M. Boom</u>	2048; 2049; 2051; 2073; 2506
<u>J.-J. de Granville</u>	4439; 4766
<u>S. A. Mori</u>	21005; 22999; 23364; 23831
<u>R. A. A. Oldeman</u>	2793
<u>D. R. L. Sabatier</u>	1068

Ocotea subterminalis van der Werff

<u>S. A. Mori</u>	15135; 15336; 20838; 22777; 23312; 23932; 24981
<u>G. T. Prance</u>	30652

Ocotea tomentella Sandwith

<u>S. A. Mori</u>	15316; 22236
-------------------	--------------

Persea americana Mill.

<u>M. Freiberg</u>	276
--------------------	-----

Rhodostemonodaphne elephantopus Madriñán

<u>S. A. Mori</u>	19196; 19199; 20774
-------------------	---------------------

Rhodostemonodaphne grandis (Mez) Rohwer

<u>S. A. Mori</u>	23998
<u>R. A. A. Oldeman</u>	3923
<u>D. R. L. Sabatier</u>	1061

***Rhodostemonodaphne kunthiana* (Nees) Rohwer**

S. A. Mori 18234; 22324; 22670

***Rhodostemonodaphne leptoclada* Madriñán**

S. A. Mori 14737; 14899

***Rhodostemonodaphne morii* Madriñán**

S. A. Mori 15031; 15044; 15122; 15334; 18147; 20850

***Rhodostemonodaphne rufovirgata* Madriñán**

Brian M. Boom 1811

S. A. Mori 15103; 23832

H. H. van der Werff 12954

***Rhodostemonodaphne saülensis* Madriñán**

Brian M. Boom 1722

J.-J. de Granville 5077; 5077

S. A. Mori 14787; 14896; 15014; 20744; 20797; 20904; 23321; 23821; 23872

***Rhodostemonodaphne* sp. 1**

S. A. Mori 18052

***Sextonia rubra* (Mez) van der Werff**

S. A. Mori 15280; 15318; 18121; 21001

H. H. van der Werff 12952

***Lauraceae* sp. I**

S. A. Mori 23320

Lecythidaceae

The treatment of the Lecythidaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Lecythis chartacea* O. Berg.

***Corythophora amapaensis* S. A. Mori & Prance**

Brian M. Boom 1883; 1913

A. H. Gentry 62992

S. Heald 32

S. A. Mori 8706; 8783; 14812; 15070; 15101; 15538; 18550; 18675; 20781; 21646; 22640; 22723; 22734; 23342; 23955; 24145; 24146; 24147; 24148; 24174; 24953; 24957; 24989; 25188

R. A. A. Oldeman 4074

G. T. Prance 28116

***Corythophora rimosa* W. A. Rodrigues subsp. *rubra* S. A. Mori**

S. A. Mori 8833; 14687; 14746; 14755; 14775; 14794; 15010; 15215; 15219; 15252; 18547; 21007; 23302; 24327; 24328; 24982

***Couratari gloriosa* Sandwith**

<u>J.-J. de Granville</u>	2780; 5597; 6914
<u>S. A. Mori</u>	8782; 15627; 15690; 15693; 18280

Couratari guianensis Aubl.

<u>S. A. Mori</u>	8795; 8798; 18134; 18356; 19206; 20858; 20859; 20973; 23799; 24143; 24143
-------------------	---

Couratari multiflora (Sm.) Eyma

<u>Brian M. Boom</u>	1705; 1708
<u>S. A. Mori</u>	14766; 14789; 14968; 15471

Couratari oblongifolia Ducke & R. Knuth

<u>S. A. Mori</u>	22003; 22246
-------------------	--------------

Couratari stellata A. C. Sm.

<u>Brian M. Boom</u>	1650; 1919; 1998; 2232; 2233; 2274; 2280; 2285; 2287; 2299; 2311; 2383; 2428; 2449
<u>M. Freiberg</u>	161
<u>J.-J. de Granville</u>	5382; 5602
<u>S. A. Mori</u>	8707; 15183; 15448; 15454; 15666; 22750; 22925; 23737; 24092; 24095; 24111; 24719
<u>R. A. A. Oldeman</u>	2081; 2124; 4148
<u>G. T. Prance</u>	28122

Eschweilera apiculata (Miers) A. C. Sm.

<u>S. A. Mori</u>	8817; 14972; 15290; 15466
<u>G. T. Prance</u>	28086

Eschweilera chartaceifolia S. A. Mori

<u>S. A. Mori</u>	22014; 24088
-------------------	--------------

Eschweilera collina Eyma

<u>S. A. Mori</u>	14742; 14774; 14797; 14970; 18063; 25145
-------------------	--

Eschweilera coriacea (DC.) S. A. Mori

<u>Brian M. Boom</u>	1747; 1758; 1824; 1910; 1924; 1930; 1951; 1996; 2001; 2018; 2026; 2027; 2029; 2032; 2063; 2107; 2136; 2249; 2265
<u>A. H. Gentry</u>	63157
<u>J.-J. de Granville</u>	548; 2417
<u>S. A. Mori</u>	8727; 15503; 15540; 15544; 21127; 21497; 22646; 22651; 22655; 22722; 23731; 24078; 24079; 24083; 24084; 24086; 24930
<u>R. A. A. Oldeman</u>	1998

Eschweilera decolorans Sandwith

<u>S. A. Mori</u>	14736; 14749; 14771; 14982; 15291; 15293; 21002
-------------------	---

Eschweilera grandiflora (Aubl.) Sandwith

<u>J.-J. de Granville</u>	5380
<u>S. A. Mori</u>	8816; 14947; 15278; 22988; 24324; 24324
<u>G. T. Prance</u>	28081
<u>B. Wallnöfer</u>	13463

Eschweilera laevicarpa S. A. Mori

<u>S. A. Mori</u>	14740; 14819; 15317; 22094; 22095; 24314; 24314; 24325
-------------------	--

Eschweilera micrantha (O. Berg) Miers

<u>Brian M. Boom</u>	1662; 1766; 1770; 1821; 2460
<u>S. A. Mori</u>	15008; 15174; 15213; 15217; 15279; 15438; 15495; 21543; 21672; 21696; 24711

Eschweilera parviflora (Aubl.) Miers

<u>S. A. Mori</u>	8809; 8812; 14971; 15216; 15218; 15623; 18043; 21684; 24685
-------------------	---

Eschweilera pedicellata (Rich.) S. A. Mori

<u>Brian M. Boom</u>	1948; 1963; 10827
<u>S. A. Mori</u>	8778; 14687; 14688; 14692; 14815; 14817; 15062; 15180; 15181; 15189; 15449; 20771; 22679; 22702; 22703; 22704; 23738; 24085; 24282
<u>G. T. Prance</u>	28114

Eschweilera piresii S. A. Mori subsp. *viridipetala* S. A. Mori

<u>S. A. Mori</u>	20800; 20805
-------------------	--------------

Eschweilera sagotiana Miers

<u>Brian M. Boom</u>	1609; 1737; 2463
<u>S. A. Mori</u>	8724; 14914; 15481; 21700; 22102

Eschweilera simiorum (Benoist) Eyma

<u>S. A. Mori</u>	8831; 18125; 22290
<u>R. A. A. Oldeman</u>	3276

Eschweilera squamata S. A. Mori

<u>S. A. Mori</u>	8805; 8811; 8828; 14728; 14756; 14765; 14788; 14795; 14796; 15288; 15443
-------------------	--

Gustavia augusta L.

<u>Brian M. Boom</u>	2145
<u>A. H. Gentry</u>	63018
<u>P.-A. Loizeau</u>	602
<u>N. Marshall</u>	217
<u>S. A. Mori</u>	8728; 14701; 15451; 24255; 24322; 24741
<u>R. A. A. Oldeman</u>	1999

Gustavia hexapetala (Aubl.) Sm.

<u>Brian M. Boom</u>	1778; 1814; 2177; 2231; 2356; 2421; 2422; 2448
<u>J.-J. de Granville</u>	2660; 5471
<u>S. A. Mori</u>	8755; 14690; 14699; 14738; 15517; 15640; 17951; 18548; 18676; 20780; 23896; 24110; 24112; 24113; 24114; 24115; 24809; 24824
<u>L. R. Phillippe</u>	26955
<u>N. P. Smith</u>	10; 16

Lecythis confertiflora (A. C. Sm.) S. A. Mori

<u>Brian M. Boom</u>	1681; 1698; 1834
<u>S. A. Mori</u>	8799; 14719; 14747; 14937; 15224; 15297; 15456; 15504; 15568; 20801; 22775; 24317; 24320; 24984
<u>M.-F. Prévost</u>	

Lecythis corrugata Poit. subsp. *corrugata*

<u>S. A. Mori</u>	8719; 15184; 15450; 15595; 24265; 24271
-------------------	---

Lecythis holcogyne (Sandwith) S. A. Mori

<u>Brian M. Boom</u>	1975
<u>S. A. Mori</u>	8754; 8779; 8796; 8808; 8814; 15308; 15493; 18343; 18543; 22233; 24785;

24795

Lecythis idatimon Aubl.

<u>Brian M. Boom</u>	1624; 1792
<u>S. A. Mori</u>	8806; 15166; 15245; 15281; 15439; 15457; 15661

Lecythis persistens Sagot subsp. aurantiaca S. A. Mori

<u>Brian M. Boom</u>	1984
<u>S. A. Mori</u>	8823; 8824; 8832; 15075; 15075; 15076; 15625; 21552; 22643; 22727; 22736; 24323; 24724
<u>G. T. Prance</u>	28113

Lecythis persistens Sagot subsp. persistens

<u>Brian M. Boom</u>	1675; 1689
<u>S. A. Mori</u>	8810; 15177; 15251; 15455; 15497

Lecythis poiteaui O. Berg

<u>Brian M. Boom</u>	1671
<u>S. A. Mori</u>	8705; 8764; 15500; 18533; 24175; 24176; 24177; 24178; 24179; 24341
<u>R. A. A. Oldeman</u>	4063

Lecythis zabucajo Aubl.

<u>Brian M. Boom</u>	1764
<u>J.-J. de Granville</u>	905
<u>S. A. Mori</u>	8797; 8800; 8808; 15055; 15187; 15441; 15452; 18723; 24272; 24287; 25034

Lecythis sp. A

<u>S. A. Mori</u>	21580; 23953
-------------------	--------------

Lentibulariaceae

The treatment of the Lentibulariaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Nathan P. Smith (NY).

Utricularia calycifida Benj.

<u>S. A. Mori</u>	25105
-------------------	-------

Utricularia hispida Lam.

<u>J.-J. de Granville</u>	14240
---------------------------	-------

Liliaceae

The treatment of Liliaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

Aloë barbadensis, *Cordyline fruticosa*, and *Hippeastrum puniceum* are only found cultivated in our area. The latter was included in the *Guide* because it sometimes erroneously appears to be naturalized.

Aloë barbadensis Mill.

<u>C. Luu</u>	52
---------------	----

Cordyline fruticosa (L.) A. Chev.

C. Luu 102

Hippeastrum puniceum (Lam.) Urb.

A. Gely 67
M.-F. Prévost 2113

Hymenocallis tubiflora Salisb.

J.-J. de Granville 2656; 3258; 4497; 8942
S. A. Mori 15633; 22976; 24859; 24880

Loganiaceae

The treatment of Loganiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Bruno Bordenave (P).

Potalia amara is considered by some authors to belong to the Gentianaceae. It is found under the Gentianaceae in NYBG databases and in the *Guide*.

Antonia ovata Pohl

S. A. Mori 18270; 20880; 24159; 24168
D. R. L. Sabatier 1141

Mitreola petiolata (J. F. Gmel.) Torr. & A. Gray

G. Cremers 6117
J.-J. de Granville 3087
S. A. Mori 22079
J. H. E. Rova 2037

Potalia amara Aubl.

L. Allorge 380
G. Cremers 3978
J.-J. de Granville 4772
N. Marshall 120
S. A. Mori 8829; 14816; 21574; 22311; 23865; 24073; 24074; 24091; 24096; 24098;
24099; 24100; 24101; 24102; 24103; 24104; 24105; 24106; 24107; 24120;
24121; 24122; 24123; 24124; 24125; 24154; 24336; 24339; 24940
R. A. A. Oldeman 1465
A. Raynal-Roques 18619
B. Riéra 928
L. E. Skog 7234; 7327

Spigelia multispica Steud.

B. Descoings 20557
J.-J. de Granville 2218; 2281; 2758; 4381; 4477; 4616
A. J. M. Leeuwenberg 11774
S. A. Mori 18214; 18491; 19087; 21028; 22044; 23113; 23801; 24077; 24767; 25064
J. H. E. Rova 2036
M. Sauvain 646

***Strychnos cayennensis* Krukoff & Barneby**

<u>J.-J. de Granville</u>	5148
<u>R. A. A. Oldeman</u>	1988

***Strychnos cogens* Benth.**

<u>A. J. M. Leeuwenberg</u>	11721
<u>S. A. Mori</u>	15395

***Strychnos erichsonii* Progel**

<u>S. A. Mori</u>	18609; 18619
-------------------	--------------

***Strychnos glabra* Progel**

<u>J.-J. de Granville</u>	3354
---------------------------	------

***Strychnos guianensis* (Aubl.) Mart.**

<u>J.-J. de Granville</u>	4939; 8561
---------------------------	------------

***Strychnos medeola* Progel**

<u>J. P. Lescure</u>	18
<u>S. A. Mori</u>	18444

***Strychnos melinoniana* Baill.**

<u>J.-J. de Granville</u>	3393
<u>S. A. Mori</u>	14991; 18588; 22839

***Strychnos oiapocensis* Fróes**

<u>J.-J. de Granville</u>	5066
<u>A. J. M. Leeuwenberg</u>	11745
<u>C. Moretti</u>	458
<u>M.-F. Prévost</u>	306

***Strychnos panurensis* Sprague & Sandwith**

<u>S. A. Mori</u>	15328
<u>M.-F. Prévost</u>	2097

***Strychnos peckii* B. L. Rob.**

<u>A. H. Gentry</u>	63116
<u>J.-J. de Granville</u>	5066
<u>F. Hallé</u>	98; 2274
<u>H. R. P. F. Halle</u>	98; 2274
<u>S. A. Mori</u>	15436

***Strychnos tomentosa* Benth.**

<u>S. A. Mori</u>	23212; 23856; 23933; 24166
-------------------	----------------------------

***Strychnos toxifera* Benth.**

<u>J.-J. de Granville</u>	5385
<u>A. J. M. Leeuwenberg</u>	11747

Loranthaceae

The treatment of Loranthaceae for the *Guide to the Vascular Plants of Central French Guiana*

was prepared by Job Kuijt (UVIC).

***Oryctanthus alveolatus* (Kunth) Kuijt**

J.-J. de Granville 4632

***Oryctanthus florulentus* (Rich.) Tiegh.**

S. A. Mori 19081

***Phthirusa pycnostachya* Eichler**

S. A. Mori 23969

R. A. A. Oldeman 3226

G. T. Prance 30630

***Phthirusa pyrifolia* (Kunth) Eichler**

S. A. Mori 23967

G. T. Prance 30679

***Phthirusa stelis* (L.) Kuijt**

G. Cremers 6195

J.-J. de Granville 8888

A. J. M. Leeuwenberg 11755

P.-A. Loizeau 622

S. A. Mori 18915; 22874

R. A. A. Oldeman 3913

G. T. Prance 30634

***Psittacanthus corynocephalus* Eichler**

S. A. Mori 18896

***Psittacanthus* sp. A.**

S. A. Mori 23867

***Struthanthus dichotianthus* Eichler**

J.-J. de Granville 5459

S. A. Mori 15418; 18118; 18185

***Struthanthus syringifolius* (Mart.) Mart.**

S. A. Mori 23848

Lythraceae

The treatment of the Lythraceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Maria Lúcia Kawasaki (K).

***Cuphea carthagensis* (Jacq.) J. F. Macbr.**

H. Jacquemin 1671

S. A. Mori 18428; 22083; 23709

L. R. Phillippe 26907

Malpighiaceae

The treatment of the Malpighiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by William R. Anderson (MICH).

Bunchosia glandulifera and *Malpighia emarginata* are only found cultivated in our area.

Banisteriopsis carolina W. R. Anderson

S. A. Mori 24784

Banisteriopsis schwannioides (Griseb.) B. Gates

A. H. Gentry 63010

S. A. Mori 21590

Banisteriopsis wurdackii B. Gates

S. A. Mori 8722

Bunchosia decussiflora W. R. Anderson

C. P. Feuillet 1026

J.-J. de Granville 8730

S. A. Mori 23981

Bunchosia glandulifera (Jacq.) Kunth

S. A. Mori 21203

Byrsonima aerugo Sagot

S. A. Mori 18211; 18946; 22196

Byrsonima densa (Poir.) DC.

S. A. Mori 18176; 18210; 22770

Byrsonima stipulacea A. Juss.

S. A. Mori 14769; 15306; 23261

Heteropterys oligantha W. R. Anderson

S. A. Mori 15549

R. A. A. Oldeman 2034

Hiraea affinis Miq.

S. A. Mori 22191

Hiraea fagifolia (DC.) A. Juss.

P.-A. Loizeau 615

S. A. Mori 15559; 15654; 22924

Hiraea gracieana W. R. Anderson

S. A. Mori 22751

Hiraea morii W. R. Anderson

S. A. Mori 15619

Jubelina rosea (Miq.) Nied.

S. A. Mori 20929; 23855

Malpighia emarginata DC.

F. Capus 32

Mascagnia divaricata (Kunth) Nied.

<u>J.-J. de Granville</u>	5409
<u>S. A. Mori</u>	22205; 24220

***Mezia angelica* W. R. Anderson**

<u>S. A. Mori</u>	25008
-------------------	-------

***Mezia includens* (Benth.) Cuatrec.**

<u>S. A. Mori</u>	23727
-------------------	-------

***Stigmaphyllon sinuatum* (DC.) A. Juss.**

<u>C. P. Feuillet</u>	79
<u>J.-J. de Granville</u>	4631
<u>N. Marshall</u>	169
<u>S. A. Mori</u>	18739; 21598; 22849; 24204
<u>R. A. A. Oldeman</u>	1982
<u>L. R. Phillippe</u>	26892
<u>L. E. Skog</u>	7119; 7481

***Tetrapterys acutifolia* Cav.**

<u>R. A. A. Oldeman</u>	2003
-------------------------	------

***Tetrapterys crispa* A. Juss.**

<u>J.-J. de Granville</u>	5451; 8661
<u>S. A. Mori</u>	8769; 15609; 21095; 23011; 24277
<u>R. A. A. Oldeman</u>	2085, 4200
<u>L. R. Phillippe</u>	27023
<u>B. Wallnöfer</u>	13522

***Tetrapterys glabrifolia* (Griseb.) Small**

<u>S. A. Mori</u>	15630; 21197; 22873
-------------------	---------------------

***Tetrapterys megalantha* W. R. Anderson**

<u>S. A. Mori</u>	21584; 21621; 23729; 24018
<u>B. Wallnöfer</u>	13506

***Tetrapterys mucronata* Cav.**

<u>S. A. Mori</u>	20784; 24970
-------------------	--------------

Malvaceae

The treatment of the Malvaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Laurence J. Dorr (US).

Abelmoschus moschatus and *Gossypium barbadense* are only found cultivated in our area and are not included in the *Guide*.

***Abelmoschus moschatus* (L.) Medik.**

<u>A. Gely</u>	68
----------------	----

***Gossypium barbadense* L.**

<u>M. Freiberg</u>	87
<u>A. Gely</u>	50

Pavonia schiedeana Steud.

<u>F. Billiet</u>	5770
<u>C. P. Feuillet</u>	436
<u>J.-J. de Granville</u>	884; 8598; 8858
<u>S. Heald</u>	8
<u>S. A. Mori</u>	15132; 18852; 18948; 19113; 22911; 23975
<u>R. A. A. Oldeman</u>	4178
<u>M.-F. Prévost</u>	2100
<u>L. E. Skog</u>	7364

Sida rhombifolia L.

<u>A. J. M. Leeuwenberg</u>	11761
<u>C. Moretti</u>	1098
<u>S. A. Mori</u>	18251; 22334
<u>M.-F. Prévost</u>	765
<u>A. Raynal-Roques</u>	19972

Sida setosa Colla

<u>J.-J. de Granville</u>	3163; 4590
<u>N. Marshall</u>	192
<u>S. A. Mori</u>	18443; 22055; 22333; 24226
<u>L. R. Phillippe</u>	26970
<u>M.-F. Prévost</u>	770
<u>A. Raynal-Roques</u>	19984

Marantaceae

The treatment of the Marantaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Lennart Anderson (GB).

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Calathea comosa* (L. f.) Lindl.

The correct author abbreviations of the following species are *Hylaeanche unilateralis* (Poepp. & Endl.) A. M. E. Jonker & Jonker not *H. unilateralis* (Poeppig & Endlicher) Jonker-Verhoef & Jonker and *Calathea maasiorum* H. Kenn. not *C. maasiorum* H. A. Kennedy as in Part 1 of the *Guide*.

Calathea cylindrica (Roscoe) K. Schum.

<u>L. Andersson</u>	1175
<u>F. Billiet</u>	5797
<u>J.-J. de Granville</u>	4780; 4950; 5062
<u>S. A. Mori</u>	21091; 22348

Calathea elliptica (Roscoe) K. Schum.

<u>L. Allorge</u>	304
-------------------	-----

<u>L. Andersson</u>	1183
<u>F. Billiet</u>	5798
<u>M. Freiberg</u>	154
<u>J.-J. de Granville</u>	1657; 3290; 3330; 5248; 5262; 8443; 8641
<u>S. A. Mori</u>	15397; 15553; 18876; 21134; 22206; 22257; 22314; 22833; 22834; 23359
<u>M.-F. Prévost</u>	2144

***Calathea maasiorum* H. Kenn.**

<u>L. Allorge</u>	350
<u>L. Andersson</u>	1159
<u>F. Billiet</u>	5788
<u>M. Freiberg</u>	277
<u>J.-J. de Granville</u>	868; 907; 3254; 4730; 8435
<u>J. P. Lescure</u>	33
<u>P. J. M. Maas</u>	2252
<u>S. A. Mori</u>	15576; 18102; 18945; 21093; 22225; 22909; 23836; 23904; 24932
<u>R. A. A. Oldeman</u>	4326

***Calathea micans* (Mathieu) Körn.**

<u>J.-J. de Granville</u>	8640
<u>S. A. Mori</u>	22990

***Calathea propinqua* (Poepp. & Endl.) Körn.**

<u>L. Andersson</u>	1168
<u>F. Billiet</u>	5789
<u>G. Cremers</u>	7593
<u>A. H. Gentry</u>	63153
<u>J.-J. de Granville</u>	1628; 3239; 4431; 8780
<u>P. J. M. Maas</u>	8097
<u>S. A. Mori</u>	15597; 17930; 18944; 22218; 22331

***Calathea splendida* (Lem.) Regel**

<u>L. Andersson</u>	1176
<u>J.-J. de Granville</u>	527; 3167
<u>S. A. Mori</u>	18923; 23983

***Calathea zingiberina* Körn.**

<u>J.-J. de Granville</u>	3260; 5419
---------------------------	------------

***Hylaeante unilateralis* (Poepp. & Endl.) A. M. E. Jonker & Jonker**

<u>J.-J. de Granville</u>	4379
<u>P. J. M. Maas</u>	8089

***Ischnosiphon arouma* (Aubl.) Körn.**

<u>L. Andersson</u>	1180
<u>M. Freiberg</u>	160
<u>J.-J. de Granville</u>	8743
<u>S. A. Mori</u>	15315; 21992; 22658

***Ischnosiphon centricifolius* L. Andersson**

<u>L. Andersson</u>	1170
---------------------	------

Ischnosiphon enigmaticus L. Andersson

<u>L.</u> Andersson	1178
<u>J.-J. de Granville</u>	4495

Ischnosiphon gracilis (Rudge) Körn.

<u>L.</u> Andersson	1157; 1172
<u>S. A. Mori</u>	18213

Ischnosiphon obliquus (Rudge) Körn.

<u>L.</u> Andersson	1169
<u>S. A. Mori</u>	15358; 18851

Ischnosiphon petiolatus (Rudge) L. Andersson

<u>L.</u> Andersson	1174
<u>J.-J. de Granville</u>	892; 3292; 8413
<u>S. A. Mori</u>	18467; 22239; 22889; 22937

Ischnosiphon puberulus Loes.

<u>J.-J. de Granville</u>	3018
<u>S. A. Mori</u>	23930

Maranta amplifolia K. Schum.

<u>F.</u> Capus	39
-----------------	----

Maranta friedrichsthaliana Körn.

<u>L.</u> Andersson	1158; 1177
<u>B. Descoings</u>	20549; 20578
<u>J.-J. de Granville</u>	929; 2348; 4498; 5318
<u>P. J. M. Maas</u>	8090
<u>S. A. Mori</u>	17929; 19002
<u>M.-F. Prévost</u>	1814; 2101

Maranta humilis Aubl.

<u>J.-J. de Granville</u>	5496
---------------------------	------

Maranta rupicola L. Andersson

<u>J.-J. de Granville</u>	3340
---------------------------	------

Monophyllanthe oligophylla K. Schum.

<u>L.</u> Andersson	1164
---------------------	------

Monotagma contractum Huber

<u>S. A. Mori</u>	18613
-------------------	-------

Monotagma plurispicatum (Körn.) K. Schum.

<u>J.-J. de Granville</u>	925
---------------------------	-----

Monotagma spicatum (Aubl.) J. F. Macbride

<u>G. Cremers</u>	13014
<u>M. Freiberg</u>	305
<u>J.-J. de Granville</u>	3400; 8425

Stromanthus tonckat (Aubl.) Eichler

<u>L.</u> Andersson	1162; 1181
<u>Brian M. Boom</u>	10778
<u>M. Freiberg</u>	94

<u>J.-J. de Granville</u>	698; 2378; 2711; 2825; 4259; 5457; 5498; 8656; 8831; 8930
<u>H. Jacquemin</u>	1444
<u>S. A. Mori</u>	18163; 18502; 22656; 23763
<u>R. A. A. Oldeman</u>	2040; 4090; 4105
<u>M.-F. Prévost</u>	1612; 2115
<u>B. Riéra</u>	940

Marcgraviaceae

The treatment of Marcgraviaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott V. Heald (NY), Adrian C. de Roon (U) and Stefan Dressler (FR).

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Marcgraviastrum pendulum* (Lanj. & Heerdt) Bedell.

***Marcgravia coriacea* Vahl**

<u>J.-J. de Granville</u>	5161
---------------------------	------

***Marcgravia pedunculosa* Triana & Planch.**

<u>G. Cremers</u>	3975
<u>J.-J. de Granville</u>	3531
<u>G. T. Prance</u>	28112

***Marcgravia* sp. A**

<u>S. A. Mori</u>	14885; 14957; 23162
-------------------	---------------------

***Norantea guianensis* Aubl.**

<u>J.-J. de Granville</u>	4219; 5395
<u>A. J. M. Leeuwenberg</u>	11791
<u>J. P. Lescure</u>	30
<u>S. A. Mori</u>	8717; 22996
<u>R. A. A. Oldeman</u>	3184

***Souroubea guianensis* Aubl.**

<u>R. C. Ek</u>	298
<u>M. Freiberg</u>	119
<u>S. A. Mori</u>	23766

Mayacaceae

The treatment of Mayacaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

***Mayaca sellowiana* Kunth**

<u>J.-J. de Granville</u>	3302
---------------------------	------

Melastomataceae

The treatment of Melastomataceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by John Wurdack (US) and Susanne Renner (MO).

Tibouchina multiflora is only found cultivated in our area.

Aciotis acuminifolia (DC.) Triana

S. A. Mori 19019; 22043; 22332

Aciotis caulialata (Ruiz & Pav.) Triana

S. A. Mori 18268; 18382; 18497

Aciotis indecora (Bonpl.) Triana

F. Capus 109

J.-J. de Granville 3367; 4462; 4462

Aciotis purpurascens (Aubl.) Triana

G. Cremers 7592

C. P. Feuillet 15117

J.-J. de Granville 3155; 4461

W. J. Hahn 3596

S. A. Mori 14869; 18335; 19028; 22072

G. T. Prance 28109

A. Temple 112; 187

Adelobotrys adscendens (Sw.) Triana

G. Cremers 6177

J.-J. de Granville 3111; 3317; 8685

S. A. Mori 25161

R. A. A. Oldeman 1843

Bellucia grossularioides (L.) Triana

N. Marshall 219

S. A. Mori 18411; 19012; 24914; 24942

R. A. A. Oldeman 1479

Clidemia conglomerata DC.

J.-J. de Granville 3307

S. A. Mori 14798; 17990; 18098; 18193; 20729; 22968; 25100

A. Temple 192

Clidemia dentata D. Don

P. J. M. Maas 2232

S. A. Mori 15631; 17931; 22980

A. Temple 153

Clidemia hirta (L.) D. Don

F. Capus 13

B. Dauchez 18

B. Descoings 20534; 20540

<u>A. Gely</u>	15
<u>A. J. M. Leeuwenberg</u>	11760
<u>C. Luu</u>	101
<u>S. A. Mori</u>	18242
<u>R. A. A. Oldeman</u>	3273
<u>A. Raynal-Roques</u>	18652
<u>A. Temple</u>	110; 113; 152; 173; 174

Clidemia involucrata DC.

<u>J.-J. de Granville</u>	3059
---------------------------	------

Clidemia laevifolia Gleason

<u>J.-J. de Granville</u>	5523
---------------------------	------

Clidemia octona (Bonpl.) L. O. Williams subsp. *guayanensis* Wurdack

<u>F. Capus</u>	78
<u>B. Dauchez</u>	101
<u>B. Descoings</u>	20529
<u>A. Gely</u>	8; 86
<u>J.-J. de Granville</u>	2642; 4403; 4440; 4565; 5044; 9058
<u>N. Marshall</u>	115; 189
<u>S. A. Mori</u>	14847; 15420; 18208; 18918; 19005; 19071
<u>R. A. A. Oldeman</u>	4016
<u>L. R. Phillippe</u>	27016
<u>M.-F. Prévost</u>	764
<u>D. R. L. Sabatier</u>	964
<u>L. E. Skog</u>	7188
<u>A. Temple</u>	151; 179

Clidemia rubra (Aubl.) Mart.

<u>S. A. Mori</u>	18399; 18744
<u>R. A. A. Oldeman</u>	2089
<u>A. Temple</u>	133

Clidemia saülensis Wurdack

<u>F. Billiet</u>	5820
<u>G. Cremers</u>	6168
<u>J.-J. de Granville</u>	2004; 2395; 2787; 4220; 4449; 8557
<u>W. J. Hahn</u>	3601
<u>S. A. Mori</u>	18158; 18902; 22884
<u>L. R. Phillippe</u>	26918

Clidemia septuplinervia Cogn.

<u>Y. Aumeeruddy</u>	62
<u>F. Billiet</u>	5769
<u>B. Dauchez</u>	91; 98
<u>J.-J. de Granville</u>	2720; 4441; 5483; 8394
<u>P.-A. Loizeau</u>	609
<u>S. A. Mori</u>	18285; 18731; 23993

<u>R. A. A. Oldeman</u>	2076
<u>L. R. Phillippe</u>	27025
<u>M.-F. Prévost</u>	2111
<u>A. Temple</u>	157; 195
<i>Comolia villosa (Aubl.) Triana</i>	
<u>A. Temple</u>	128
<i>Desmoscelis villosa (Aubl.) Naudin</i>	
<u>A. Temple</u>	126
<i>Ernestia glandulosa Gleason</i>	
<u>G. Cremers</u>	6112
<u>C. P. Feuillet</u>	15070
<u>J.-J. de Granville</u>	2302; 3097; 3159; 3284; 4463; 4592
<u>W. J. Hahn</u>	3606
<u>S. A. Mori</u>	15005; 18207; 18932; 21146
<u>L. E. Skog</u>	7129; 7136
<i>Ernestia granvillei Wurdack</i>	
<u>J.-J. de Granville</u>	3032; 3244; 3358
<u>S. A. Mori</u>	23228; 23769; 25079
<i>Henriettea ramiflora (Sw.) DC.</i>	
<u>A. H. Gentry</u>	63109
<u>S. A. Mori</u>	18773; 19212
<u>D. R. L. Sabatier</u>	1249
<i>Henriettea succosa (Aubl.) DC.</i>	
<u>J.-J. de Granville</u>	8980
<i>Henriettella caudata Gleason</i>	
<u>J.-J. de Granville</u>	3109
<i>Henriettella duckeana Hoehne</i>	
<u>J.-J. de Granville</u>	5452
<u>S. A. Mori</u>	21163
<i>Henriettella sp. A.</i>	
<u>S. A. Mori</u>	24238
<i>Leandra agrestis (Aubl.) Raddi</i>	
<u>F. Billiet</u>	5781
<u>B. Dauchez</u>	99
<u>J.-J. de Granville</u>	1549; 1591; 2371; 3158; 4464; 8476; 8514; 8600; 8793
<u>W. J. Hahn</u>	3599; 3602; 3603
<u>P.-A. Loizeau</u>	606
<u>S. A. Mori</u>	17963; 18878; 19090; 21066; 21084; 22899; 24758
<u>R. A. A. Oldeman</u>	4288
<u>A. Temple</u>	155; 210; 218; 221
<i>Leandra clidemioides (Naudin) Wurdack</i>	
<u>B. Dauchez</u>	97
<u>J.-J. de Granville</u>	1542; 2390; 2391; 8613; 8822

R. A. A. Oldeman 3280

A. Temple 201

***Leandra divaricata* (Naudin) Cogn.**

G. Cremers 6144

J.-J. de Granville 3012; 3058; 3157

S. A. Mori 18976; 22803; 25135

R. A. A. Oldeman 1853

L. E. Skog 7222

***Leandra micropetala* (Naudin) Cogn.**

J.-J. de Granville 3306; 5073

***Leandra paleacea* Wurdack**

J.-J. de Granville 890; 4467; 5055; 8975

S. A. Mori 15564; 17956; 18215; 18934

M.-F. Prévost 1811

L. E. Skog 7192; 7260

***Leandra rufescens* (DC.) Cogn.**

B. Descoings 20527

J.-J. de Granville 3028; 3154; 4450; 4468; 8459

S. A. Mori 14698; 15384; 18225; 18871

A. Temple 169; 189

***Leandra solenifera* Cogn.**

B. Dauchez 111

J.-J. de Granville 1661; 2298; 2643; 3011; 3153; 3347; 4465; 5045; 5093; 5502

N. Marshall 190

S. A. Mori 18205; 18240; 18916; 18917; 19056; 19086; 22872; 23006; 23802

L. R. Phillippe 26932

L. E. Skog 7138; 7382

A. Temple 156; 170; 180; 186; 190

***Loreya arborescens* (Aubl.) DC.**

S. A. Mori 20876; 23202; 25182

A. Temple 214

***Loreya mespiloides* Miq.**

S. A. Mori 14907; 18327; 22688; 23355

R. A. A. Oldeman 1845; 4129

L. R. Phillippe 26923

G. T. Prance 30654

***Loreya subrotundifolia* (Wurdack) S. S. Renner**

J.-J. de Granville 2815; 4489; 4629

***Macrocentrum cristatum* (DC.) Triana**

J.-J. de Granville 3349; 3370

S. A. Mori 23758; 25057; 25080

***Macrocentrum fasciculatum* (DC.) Triana**

J.-J. de Granville 9025

S. A. Mori 23227; 23757

***Macrocentrum latifolium* Wurdack**

J.-J. de Granville 3035

***Maieta guianensis* Aubl.**

S. G. Beck 17012

B. Descoings 20640

C. P. Feuillet 15044

J.-J. de Granville 4221; 4449; 8442

W. J. Hahn 3598

J. P. Lescure 26

P.-A. Loizeau 608

S. A. Mori 14703; 15657; 18209; 18901; 18991; 19116; 22898; 22938; 23803

L. R. Phillippe 26895

M.-F. Prévost 182

A. Raynal-Roques 18467

A. Temple 154; 176

***Miconia acuminata* (Steud.) Naudin**

J.-J. de Granville 4756

***Miconia affinis* DC.**

J.-J. de Granville 5136; 5393; 8935; 9004

S. A. Mori 8697; 22671; 24158; 24304

R. A. A. Oldeman 1954; 4062

B. Riéra 920

L. E. Skog 7108

B. Wallnöfer 13509

***Miconia alata* (Aubl.) DC.**

D. Barthelemy 152

***Miconia aliquantula* Wurdack**

J.-J. de Granville 3156

W. J. Hahn 3605

S. A. Mori 18226; 18886; 23353

***Miconia argyrophylla* DC.**

J.-J. de Granville 1668; 3319; 4580

A. Temple 132

***Miconia bracteata* (DC.) Triana**

Brian M. Boom 10777

B. Dauchez 104

J.-J. de Granville 1602; 8682

S. A. Mori 18413; 22802; 23179; 23748; 24917

R. A. A. Oldeman 4144

A. Temple 211

***Miconia cacatin* (Aubl.) S. S. Renner**

<u>J.-J. de Granville</u>	2651; 4445
<u>W. J. Hahn</u>	3660
<u>S. A. Mori</u>	14762; 14793; 18060; 18977; 21003; 23274; 23796
<u>R. A. A. Oldeman</u>	3976
<i>Miconia ceramicarpa</i> (DC.) Cogn.	
<u>B. Dauchez</u>	107
<u>A. Temple</u>	117; 118
<i>Miconia ceramicarpa</i> (DC.) Cogn. var. <i>candolleana</i> Cogn.	
<u>B. Dauchez</u>	92
<u>J.-J. de Granville</u>	727; 3256; 8405; 8474
<u>S. A. Mori</u>	15396; 18879; 21181; 24763; 24925
<u>R. A. A. Oldeman</u>	4331
<u>L. E. Skog</u>	7242
<i>Miconia ceramicarpa</i> (DC.) Cogn. var. <i>ceramicarpa</i>	
<u>Y. Aumeeruddy</u>	60
<u>B. Descoings</u>	20526
<u>J.-J. de Granville</u>	4452; 8449; 9023
<u>P.-A. Loizeau</u>	607
<u>P. J. M. Maas</u>	2222
<u>S. A. Mori</u>	15398; 15628; 18340; 18909; 19107; 21138; 22256; 24294
<i>Miconia chrysophylla</i> (Rich.) Urb.	
<u>J.-J. de Granville</u>	1654
<u>A. Temple</u>	202; 207
<i>Miconia ciliata</i> (Rich.) DC.	
<u>J.-J. de Granville</u>	3246; 3371
<u>S. A. Mori</u>	25106
<u>A. Temple</u>	131
<i>Miconia diaphanea</i> Gleason	
<u>J.-J. de Granville</u>	3024
<u>R. A. A. Oldeman</u>	123; 1849
<i>Miconia dispar</i> Benth.	
<u>J.-J. de Granville</u>	4757
<u>S. A. Mori</u>	25035
<i>Miconia eriodonta</i> DC.	
<u>S. A. Mori</u>	19022
<i>Miconia gratissima</i> Triana	
<u>J.-J. de Granville</u>	4760
<i>Miconia holosericea</i> (L.) DC.	
<u>S. A. Mori</u>	21130
<i>Miconia lateriflora</i> Cogn.	
<u>B. Bordenave</u>	319
<u>G. Cremers</u>	6178
<u>J.-J. de Granville</u>	1551; 4469; 5068; 5437; 5522

<u>S. A. Mori</u>	15632; 18231; 18884; 22892
<u>M.-F. Prévost</u>	1801
<u>L. E. Skog</u>	7356

***Miconia minutiflora* (Bonpl.) DC.**

<u>S. A. Mori</u>	15622; 18438
<u>M.-F. Prévost</u>	1614

***Miconia mirabilis* (Aubl.) L. O. Williams**

<u>J.-J. de Granville</u>	8976
<u>S. A. Mori</u>	14984; 17982; 25090

***Miconia myriantha* Benth.**

<u>B. Dauchez</u>	103
<u>A. Temple</u>	181

***Miconia nervosa* (Sm.) Triana**

<u>G. Cremers</u>	3933
<u>N. Marshall</u>	240; 245
<u>G. T. Prance</u>	28124
<u>L. E. Skog</u>	7126; 7375

***Miconia plukanetii* Naudin**

<u>A. Temple</u>	168
------------------	-----

***Miconia prasina* (Sw.) DC.**

<u>J.-J. de Granville</u>	3273; 8969
<u>S. A. Mori</u>	18178

***Miconia racemosa* (Aubl.) DC.**

<u>A. Temple</u>	130
------------------	-----

***Miconia sastrei* Wurdack**

<u>C. P. Feuillet</u>	15071; 15124
<u>J.-J. de Granville</u>	1550; 4453; 4466
<u>S. A. Mori</u>	15522; 18880; 21183; 21185; 22222; 23052
<u>L. R. Phillippe</u>	26937
<u>G. T. Prance</u>	30639

***Miconia splendens* (Sw.) Griseb.**

<u>S. A. Mori</u>	24941
-------------------	-------

***Miconia tillettii* Wurdack**

<u>Brian M. Boom</u>	1557
<u>J.-J. de Granville</u>	3057; 3083; 3132; 4492; 5132
<u>S. A. Mori</u>	14804; 18044; 19163; 20769
<u>L. E. Skog</u>	7278

***Miconia tomentosa* (Rich.) DC.**

<u>S. A. Mori</u>	22020; 22715
-------------------	--------------

***Miconia traillii* Cogn.**

<u>S. A. Mori</u>	23214; 24309
-------------------	--------------

***Miconia trimera* Wurdack**

<u>Brian M. Boom</u>	10752
----------------------	-------

<u>J.-J. de Granville</u>	4487; 4763; 8395
<u>M. H. G. Gustafsson</u>	316
<u>S. A. Mori</u>	18165; 18674; 18881; 19112; 21139
<u>R. A. A. Oldeman</u>	4023
<u>L. E. Skog</u>	7195

Mouriri collocarpa Ducke

<u>Brian M. Boom</u>	1673
<u>S. A. Mori</u>	14986; 15304; 18055; 21686; 22293; 23845; 24684

Mouriri crassifolia Sagot

<u>S. A. Mori</u>	15169; 15268; 15460; 22737
<u>R. A. A. Oldeman</u>	4133

Mouriri duckeana Morley

<u>S. A. Mori</u>	20957
-------------------	-------

Mouriri sagotiana Triana

<u>S. A. Mori</u>	15053; 22705
-------------------	--------------

Mouriri sideroxylon Triana

<u>S. A. Mori</u>	15483
-------------------	-------

Nepsera aquatica (Aubl.) Naudin

<u>A. Temple</u>	120
------------------	-----

Rhynchanthera grandiflora (Aubl.) DC.

<u>C. Luu</u>	31
---------------	----

Tibouchina aspera Aubl. var. asperrima Cogn.

<u>S. A. Mori</u>	18341; 18400
<u>A. Temple</u>	127

Tibouchina multiflora (Gardner) Cogn.

<u>S. A. Mori</u>	18782
-------------------	-------

Topoeba parasitica Aubl.

<u>T. B. Croat</u>	74217
<u>J.-J. de Granville</u>	8734; 8972
<u>S. A. Mori</u>	18724
<u>A. Raynal-Roques</u>	18618

Meliaceae

The treatment of the Meliaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Terence D. Pennington (K).

Carapa procera DC.

<u>Brian M. Boom</u>	1794; 1833; 2111; 2148; 2154; 2286; 2382
<u>S. A. Mori</u>	8785; 15123; 15382; 15686; 21528; 22182; 23008; 24715

Cedrela odorata L.

<u>S. A. Mori</u>	19208; 25060
-------------------	--------------

Guarea gomma Pulle

<u>Brian M. Boom</u>	1947; 2099; 2133; 2215; 2219
<u>J.-J. de Granville</u>	4635
<u>S. A. Mori</u>	18277; 18320; 18671

Guarea grandifolia DC.

<u>Brian M. Boom</u>	2119; 2163; 2269
<u>A. H. Gentry</u>	63128
<u>S. A. Mori</u>	14845; 15113; 15685; 20828; 22645; 22657
<u>G. T. Prance</u>	30677

Guarea kunthiana A. Juss.

<u>Brian M. Boom</u>	2012; 2070; 2100; 2105; 2164; 2188; 2196; 2254
<u>A. H. Gentry</u>	62989; 63090
<u>S. A. Mori</u>	15087; 15615; 18330
<u>T. D. Pennington</u>	12182
<u>B. Wallnöfer</u>	13497

Guarea michel-moddei T. D. Penn. & S. A. Mori

<u>J.-J. de Granville</u>	8821
<u>S. A. Mori</u>	19190; 20963; 20982
<u>T. D. Pennington</u>	12110; 12118

Guarea pubescens (Rich.) A. Juss.

<u>P. Acevedo-Rodríguez</u>	4978
-----------------------------	------

<u>G. Cremers</u>	7571
<u>C. P. Feuillet</u>	1024
<u>A. H. Gentry</u>	63077
<u>J.-J. de Granville</u>	1649; 4393; 4447; 5399; 5439; 5509; 5517; 8666; 8754; 10334
<u>W. J. Hahn</u>	3616
<u>M. Hoff</u>	6624
<u>C. Moretti</u>	1092
<u>S. A. Mori</u>	15626; 18672; ; 21652; 22213; 22028
<u>R. A. A. Oldeman</u>	3291; 3919; 4000; 4095
<u>T. D. Pennington</u>	12141
<u>M.-F. Prévost</u>	268
<u>L. R. Phillippe</u>	26911; 27003

Guarea scabra A. Juss.

<u>S. A. Mori</u>	21165; 23886; 24090; 24300
-------------------	----------------------------

Guarea silvatica C. DC.

<u>Brian M. Boom</u>	2309; 2371
<u>J.-J. de Granville</u>	4432
<u>S. A. Mori</u>	14720; 15529; 18457; 24022
<u>M.-F. Prévost</u>	271
<u>N. P. Smith</u>	13

Trichilia cipo (A. Juss.) C. DC.

<u>S. A. Mori</u>	20870
<u>R. A. A. Oldeman</u>	3990

***Trichilia euneura* C. DC.**

<u>S. A. Mori</u>	21989; 23931
<u>R. A. A. Oldeman</u>	1967; 4093
<u>D. R. L. Sabatier</u>	1053

***Trichilia micrantha* Benth.**

<u>Brian M. Boom</u>	1845
<u>A. H. Gentry</u>	63103
<u>S. A. Mori</u>	15469; 15612; 15679
<u>T. D. Pennington</u>	12119

***Trichilia pallida* Sw.**

<u>Brian M. Boom</u>	1753; 1892
<u>S. A. Mori</u>	15669
<u>R. A. A. Oldeman</u>	3201

***Trichilia quadrijuga* Kunth**

<u>S. A. Mori</u>	23879
<u>R. A. A. Oldeman</u>	4091
<u>D. R. L. Sabatier</u>	1054

***Trichilia schomburgkii* C. DC.**

<u>S. A. Mori</u>	23190
<u>T. D. Pennington</u>	12142

***Trichilia septentrionalis* C. DC.**

<u>A. H. Gentry</u>	62966; 63108
<u>S. A. Mori</u>	18651; 19040; 24820; 24992
<u>R. A. A. Oldeman</u>	4047
<u>A. Raynal-Roques</u>	19980

Mendonciaceae

The treatment of Mendonciaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Dieter C. Wasshausen (US).

***Mendoncia bivalvis* (L. f.) Merr.**

<u>J.-J. de Granville</u>	9064
<u>S. A. Mori</u>	21209

***Mendoncia glabra* (Poepp. & Endl.) Nees**

<u>S. A. Mori</u>	21112; 24817
-------------------	--------------

***Mendoncia hoffmannseggiana* Nees**

<u>J.-J. de Granville</u>	4241; 8771
<u>F. Halle</u>	2378
<u>N. Marshall</u>	186
<u>S. A. Mori</u>	21202

R. A. A. Oldeman 1992

***Mendoncia squamuligera* Nees**

S. A. Mori 22959

Menispermaceae

The treatment of Menispermaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Rupert C. Barneby (NY).

***Abuta bullata* Moldenke**

G. Cremers 6191; 6191; 6191

A. Fournet 66

***Abuta grandifolia* (Mart.) Sandwith**

G. Cremers 6154

A. Fournet 73

J.-J. de Granville 3149; 8374

M. Hoff 7044

S. A. Mori 19129; 23206; 23210; 23236; 24152

R. A. A. Oldeman 3285

M.-F. Prévost 1597

***Abuta imene* (Mart.) Eichler**

A. Fournet 70; 81

S. A. Mori 22977

***Abuta rufescens* Aubl.**

A. Fournet 20

J.-J. de Granville 0; 2706

S. A. Mori 23166; 24240; 24956

***Anomospermum steyermarkii* Krukoff & Barneby**

J.-J. de Granville 2708

S. A. Mori 15383; 19202

***Caryomene olivascens* Barneby & Krukoff**

A. Fournet 25; 25

S. A. Mori 15142; 15276; 18177; 21162; 21707; 24244; 24768

***Curarea candicans* (Rich.) Barneby & Krukoff**

A. Fournet 63; 65; 75

J.-J. de Granville 2649; 2709

S. A. Mori 22743

***Disciphania moriorum* Barneby**

S. A. Mori 23980

L. R. Phillippe 26973

***Disciphania* sp. A**

S. A. Mori 21542

R. A. A. Oldeman 2005

Elephantomene eburnea Barneby & Krukoff

<u>G. Cremers</u>	4818; 4818
<u>J.-J. de Granville</u>	2704; 8547
<u>S. A. Mori</u>	8780; 8780; 18586; 23108; 23196
<u>R. A. A. Oldeman</u>	3925
<u>N. P. Smith</u>	19

Orthomene prancei Barneby & Krukoff

<u>S. A. Mori</u>	23263
-------------------	-------

Sciadotenia cayennensis Benth.

<u>G. Cremers</u>	3966
<u>C. P. Feuillet</u>	483
<u>J.-J. de Granville</u>	5189; 8751
<u>F. Hallé</u>	2225
<u>C. Moretti</u>	454
<u>S. A. Mori</u>	8771; 22858; 23906
<u>R. A. A. Oldeman</u>	1977; 3180

Telitoxicum inopinatum Moldenke

<u>S. A. Mori</u>	15473; 21632
-------------------	--------------

Mimosaceae

The treatment of the Mimosaceae, except *Inga*, for the *Guide to the Vascular Plants of Central French Guiana* was prepared by James W. Grimes (MEL). *Inga* was prepared by Odile Poncy (P).

Calliandra tenuiflora and *Inga cayennensis* were collected too late to be included in the *Guide*.

Abarema barbouriana (Standl.) Barneby & J. W. Grimes var. barbouriana

<u>Brian M. Boom</u>	1663
----------------------	------

Abarema curvicarpa (H. S. Irwin) Barneby & J. W. Grimes var. curvicarpa

<u>S. A. Mori</u>	14715; 15432; 18973; 19172; 23141
-------------------	-----------------------------------

Abarema jupunba (Willd.) Britton & Killip var. jupunba

<u>Brian M. Boom</u>	2314
<u>J.-J. de Granville</u>	5383
<u>S. A. Mori</u>	15047; 15351; 22326
<u>R. A. A. Oldeman</u>	3205

Abarema jupunba (Willd.) Britton & Killip var. trapezifolia (Vahl) Barneby & J. W. Grimes

<u>S. A. Mori</u>	23938
-------------------	-------

Abarema laeta (Benth.) Barneby & J. W. Grimes

<u>S. A. Mori</u>	23850
<u>R. A. A. Oldeman</u>	4043

Abarema mataybifolia (Sandwith) Barneby & J. W. Grimes

<u>P. Acevedo-Rodríguez</u>	5029
-----------------------------	------

<u>Brian M. Boom</u>	1635
<u>S. A. Mori</u>	14943; 14945; 15477; 22767; 23970

Acacia tenuifolia* (L.) Willd. var. *tenuifolia

<u>B. Bordenave</u>	308
<u>A. Gely</u>	3
<u>J.-J. de Granville</u>	4636
<u>W. J. Hahn</u>	3688
<u>N. Marshall</u>	193
<u>S. A. Mori</u>	15106; 21673
<u>L. R. Phillippe</u>	27006
<u>L. E. Skog</u>	7121

***Balizia pedicellaris* (DC.) Barneby & J. W. Grimes**

<u>S. A. Mori</u>	15635; 23281; 23863; 25055
-------------------	----------------------------

***Calliandra tenuiflora* Benth.**

<u>S. A. Mori</u>	25120
-------------------	-------

***Cedrelinga cateniformis* (Ducke) Ducke**

<u>Brian M. Boom</u>	2300
<u>A. H. Gentry</u>	63065
<u>S. A. Mori</u>	18148; 21547
<u>D. R. L. Sabatier</u>	2289; 2316

***Entada polypylla* Benth.**

<u>S. A. Mori</u>	23919
-------------------	-------

***Enterolobium schomburgkii* (Benth.) Benth.**

<u>S. A. Mori</u>	18122; 22018
-------------------	--------------

***Inga acreana* Harms**

<u>F. Beekman</u>	63
<u>C. P. Feuillet</u>	482
<u>D. R. L. Sabatier</u>	1052

***Inga acrocephala* Steud.**

<u>Brian M. Boom</u>	1786; 1992; 2290; 2410; 2425
<u>A. H. Gentry</u>	62956; 63041
<u>S. A. Mori</u>	15567; 24879; 24886

***Inga alata* Benoist**

<u>Brian M. Boom</u>	2160; 2167; 2209; 2296
<u>A. H. Gentry</u>	62961; 63036; 63079
<u>J.-J. de Granville</u>	5384; 5384
<u>O. Poncy</u>	614

***Inga alba* (Sw.) Willd.**

<u>Brian M. Boom</u>	1730; 1826; 1827; 1835
<u>A. H. Gentry</u>	63068
<u>N. Marshall</u>	191
<u>S. A. Mori</u>	18299; 22001
<u>T. D. Pennington</u>	13834

<u>D. R. L. Sabatier</u>	1163
<u>N. P. Smith</u>	18
<i>Inga albicoria Poncy</i>	
<u>S. A. Mori</u>	18776
<i>Inga auristellae Harms</i>	
<u>A. H. Gentry</u>	62962; 63019
<u>J.-J. de Granville</u>	3138; 3264
<u>W. J. Hahn</u>	3604
<u>S. A. Mori</u>	8725; 15370; 15373; 22183; 23046; 24885; 24910
<u>R. A. A. Oldeman</u>	4064; 4166
<u>T. D. Pennington</u>	13844; 13845
<i>Inga bourgoni (Aubl.) DC.</i>	
<u>Brian M. Boom</u>	2297
<u>A. H. Gentry</u>	63064
<u>S. A. Mori</u>	22219
<u>O. Poncy</u>	608
<u>G. T. Prance</u>	30637; 30666
<i>Inga brachystachys Ducke</i>	
<u>S. A. Mori</u>	24687
<i>Inga capitata Desv.</i>	
<u>Brian M. Boom</u>	1961; 2054; 2088
<u>A. H. Gentry</u>	63012; 63042
<u>J.-J. de Granville</u>	4791
<u>S. A. Mori</u>	15616; 24911
<u>O. Poncy</u>	613
<i>Inga cayennensis Benth.</i>	
<u>S. A. Mori</u>	25046
<i>Inga edulis Mart.</i>	
<u>Brian M. Boom</u>	2052; 2271
<u>G. Cremers</u>	6504
<u>J.-J. de Granville</u>	5554; 5598; 8740
<u>N. Marshall</u>	183
<u>S. A. Mori</u>	18985; 19209; 20844; 20901; 21113
<u>T. D. Pennington</u>	13867
<i>Inga fastuosa (Jacq.) Willd.</i>	
<u>H. de Foresta</u>	663
<u>J.-J. de Granville</u>	8866
<u>S. A. Mori</u>	22208
<u>O. Poncy</u>	604; 610
<i>Inga graciliflora Benth.</i>	
<u>R. A. A. Oldeman</u>	3208; 3236
<i>Inga gracilifolia Ducke</i>	
<u>Brian M. Boom</u>	2358

***Inga huberi* Ducke**

<u>Brian M. Boom</u>	2406
<u>S. A. Mori</u>	15593; 18903; 18983; 24901
<u>O. Poncy</u>	607

***Inga leiocalycina* Benth.**

<u>Brian M. Boom</u>	2110
<u>S. A. Mori</u>	20879; 20891; 23059
<u>T. D. Pennington</u>	13864
<u>O. Poncy</u>	615
<u>B. Riéra</u>	925

***Inga longipedunculata* Ducke**

<u>Brian M. Boom</u>	2325
<u>J.-J. de Granville</u>	8681
<u>S. A. Mori</u>	21015; 21160; 22023; 23739; 23892; 24743
<u>R. A. A. Oldeman</u>	3295

***Inga macrophylla* Willd.**

<u>Brian M. Boom</u>	2404
<u>C. P. Feuillet</u>	498
<u>H. de Foresta</u>	670
<u>J.-J. de Granville</u>	4491; 5379
<u>S. A. Mori</u>	14846; 14882
<u>R. A. A. Oldeman</u>	4085
<u>L. R. Phillippe</u>	27021
<u>M.-F. Prévost</u>	761

***Inga marginata* Willd.**

<u>Brian M. Boom</u>	2181; 2208
<u>J.-J. de Granville</u>	4591
<u>W. J. Hahn</u>	3650
<u>P. J. M. Maas</u>	2285
<u>S. A. Mori</u>	8701; 15029; 18219; 23276; 23978; 23984; 24268; 24806
<u>R. A. A. Oldeman</u>	4179
<u>T. D. Pennington</u>	13854; 13866
<u>L. R. Phillippe</u>	27012
<u>O. Poncy</u>	617
<u>M.-F. Prévost</u>	768

***Inga nouragensis* Poncy**

<u>Brian M. Boom</u>	1922; 1977
<u>S. A. Mori</u>	14734; 15530

***Inga nubium* Poncy**

<u>J.-J. de Granville</u>	8621
<u>S. A. Mori</u>	24964

***Inga paraensis* Ducke**

<u>Brian M. Boom</u>	1726
----------------------	------

<u>S. A. Mori</u>	24706
<i>Inga pezizifera</i> Benth.	
<u>Brian M. Boom</u>	2330; 2399
<u>S. A. Mori</u>	15606; 18278; 18419; 22180; 22181
<u>T. D. Pennington</u>	13862
<i>Inga poeppigiana</i> Benth.	
<u>Brian M. Boom</u>	1838
<u>S. A. Mori</u>	22177; 23337
<i>Inga retinocarpa</i> Poncy	
<u>P. Acevedo-Rodríguez</u>	5002
<u>J.-J. de Granville</u>	4638; 4761
<i>Inga rhynchocalyx</i> Sandwith	
<u>S. A. Mori</u>	23262
<i>Inga rubiginosa</i> (Rich.) DC.	
<u>S. A. Mori</u>	15573; 20722; 20787; 23099; 2310224950
<i>Inga sarmentosa</i> Harms	
<u>S. A. Mori</u>	18974; 22286
<i>Inga stipularis</i> DC.	
<u>Brian M. Boom</u>	1901
<u>A. H. Gentry</u>	63016; 63126
<u>J.-J. de Granville</u>	1579
<u>S. A. Mori</u>	15557; 15617; 18013; 18076; 22022
<u>R. A. A. Oldeman</u>	2103
<u>T. D. Pennington</u>	13837; 13847
<i>Inga striata</i> Benth.	
<u>S. A. Mori</u>	15025
<i>Inga suaveolens</i> Ducke	
<u>S. A. Mori</u>	20736; 22024; 23114; 23344; 24151; 24180; 24231
<u>L. R. Phillippe</u>	26948
<i>Inga thibaudiana</i> DC.	
<u>J.-J. de Granville</u>	2005; 4429; 4491; 8879
<u>W. J. Hahn</u>	3690
<u>S. A. Mori</u>	18984; 24762
<u>R. A. A. Oldeman</u>	1468
<u>O. Poncy</u>	606; 616
<i>Inga umbellifera</i> (Vahl) Steud.	
<u>G. Cremers</u>	7465
<u>J.-J. de Granville</u>	3005
<u>S. A. Mori</u>	17946; 24196; 24788
<u>T. D. Pennington</u>	13836; 13863
<i>Inga virgultosa</i> (Vahl) Desv.	
<u>J.-J. de Granville</u>	3352

<u>O. Poncy</u>	611
<i>Mimosa guilandinae (DC.) Barneby var. guilandinae</i>	
<u>N. Marshall</u>	252
<i>Mimosa myriadenia Benth. var. myriadenia</i>	
<u>C. P. Feuillet</u>	1025
<u>J.-J. de Granville</u>	8632
<u>S. A. Mori</u>	22893
<u>R. A. A. Oldeman</u>	2098
<i>Mimosa polydactyla Willd.</i>	
<u>F. Capus</u>	23; 70
<u>N. Marshall</u>	211
<u>S. A. Mori</u>	18424; 18642; 22069; 23291; 24233
<u>A. Raynal-Roques</u>	20014
<i>Mimosa pudica L.</i>	
<u>M. Freiberg</u>	259
<i>Parkia decussata Ducke</i>	
<u>S. A. Mori</u>	15482
<i>Parkia nitida Miq.</i>	
<u>Brian M. Boom</u>	2143
<u>H. Jacquemin</u>	1680
<u>S. A. Mori</u>	15375; 15406; 18603; 18938; 18963
<i>Parkia pendula (Willd.) Walp.</i>	
<u>C. Moretti</u>	331
<u>S. A. Mori</u>	14868; 24949
<i>Parkia reticulata Ducke</i>	
<u>S. A. Mori</u>	15440; 22304; 22998
<i>Parkia ulei (Harms) Kuhlm. var. surinamensis Kleinhoonte</i>	
<u>S. A. Mori</u>	18184; 18463
<u>R. A. A. Oldeman</u>	4061
<i>Parkia velutina Benoist</i>	
<u>S. A. Mori</u>	15140
<i>Piptadenia floribunda Kleinhoonte</i>	
<u>S. A. Mori</u>	20836
<i>Pseudopiptadenia psilostachya (DC.) G. P. Lewis & M. P. Lima</i>	
<u>J.-J. de Granville</u>	8846
<u>S. A. Mori</u>	18649
<i>Pseudopiptadenia suaveolens (Miq.) J. W. Grimes</i>	
<u>Brian M. Boom</u>	1776; 1803; 2277; 2341
<u>S. A. Mori</u>	15309; 18952; 24789; 24790
<i>Stryphnodendron guianense (Aubl.) Benth.</i>	
<u>S. A. Mori</u>	15361; 15620; 18740
<i>Stryphnodendron moricolor Barneby & J. W. Grimes</i>	
<u>S. A. Mori</u>	15407; 18690

D. R. L. Sabatier 1150

Stryphnodendron polystachyum (Miq.) Kleinhoonte

Brian M. Boom 2077

D. R. L. Sabatier 2290; 2302

Zygia racemosa (Ducke) Barneby & J. W. Grimes

Brian M. Boom 2340

S. A. Mori 14944; 21521; 21629; 24140; 24206

Zygia tetragona Barneby & J. W. Grimes

S. A. Mori 23233

Monimiaceae

The treatment of Monimiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by John D. Mithcell (NY).

Mollinedia ovata Ruiz & Pav.

Brian M. Boom 10802

J.-J. de Granville 8625; 8918

B. Wallnöfer 13491; 13512; 13513

Siparuna cuspidata (Tul.) A. DC.

S. A. Mori 22972

Siparuna decipiens (Tul.) A. DC.

Brian M. Boom 1644; 1742; 1785; 1846; 2419

A. H. Gentry 62970

J.-J. de Granville 2767

S. A. Mori 15532; 18636; 18716; 19200; 20852; 23136; 23895; 24005; 24969

R. A. A. Oldeman 2027; 4160; 4335

L. R. Phillippe 26976

Siparuna guianensis Aubl.

C. P. Feuillet 445

J.-J. de Granville 4233

S. A. Mori 18745; 21666; 22842; 24742

R. A. A. Oldeman 4056

L. R. Phillippe 26977

A. Raynal-Roques 18485; 18630

L. E. Skog 7326

Siparuna pachyantha A. C. Sm.

Brian M. Boom 2184

J.-J. de Granville 5405; 8646

S. A. Mori 18010; 20733; 22066; 23332; 23882

R. A. A. Oldeman 3818; 4071

D. R. L. Sabatier 1248

Siparuna poeppigii (Tul.) A. DC.

<u>F. Billiet</u>	5777
<u>J.-J. de Granville</u>	2681
<u>S. A. Mori</u>	15176; 15412; 15520; 20762; 21069; 21175; 22728; 22888; 24170; 24967
<u>R. A. A. Oldeman</u>	4102; 4173
<u>L. R. Phillippe</u>	26917
<u>O. Poncy</u>	83

Moraceae

The treatment of Moraceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Cornelis C. Berg (BG).

Artocarpus altilis is only found cultivated in our area.

Artocarpus altilis (Parkinson) Fosberg

<u>M. Freiberg</u>	289
<u>A. Gely</u>	52
<u>S. A. Mori</u>	18435

Bagassa guianensis Aubl.

<u>Brian M. Boom</u>	1937
<u>M. Hijman</u>	211
<u>S. A. Mori</u>	15346; 15357; 18713

*Brosimum acutifolium Huber subsp. *acutifolium**

<u>L. Allorge</u>	396
<u>H. de Foresta</u>	696
<u>A. H. Gentry</u>	63057
<u>J.-J. de Granville</u>	2646; 2703

Brosimum guianense (Aubl.) Huber

<u>Brian M. Boom</u>	1704; 2442
<u>A. H. Gentry</u>	63114
<u>J.-J. de Granville</u>	2797; 4249
<u>M. Hijman</u>	214
<u>S. A. Mori</u>	18110
<u>R. A. A. Oldeman</u>	2011; 2052; 3204

Brosimum lactescens (S. Moore) C. C. Berg

<u>A. H. Gentry</u>	63004; 63044
---------------------	--------------

*Brosimum parinarioides Ducke subsp. *parinarioides**

<u>H. de Foresta</u>	658
<u>J.-J. de Granville</u>	904; 2716
<u>P. J. M. Maas</u>	2258; 2265
<u>S. A. Mori</u>	15154; 15283
<u>R. A. A. Oldeman</u>	3811

Brosimum rubescens Taub.

<u>D. Loubry</u>	53
<u>S. A. Mori</u>	15162; 18085; 24138

<u>R. A. A. Oldeman</u>	3203
<i>Brosimum utile</i> (Kunth) Pittier subsp. <i>ovatifolium</i> (Ducke) C. C. Berg	
<u>D. R. L. Sabatier</u>	1245
<i>Clarisia ilicifolia</i> (Spreng.) Lanj. & Rossberg	
<u>F. Billiet</u>	5773
<u>G. Cremers</u>	3935
<u>C. P. Feuillet</u>	477
<u>A. Fournet</u>	89
<u>J.-J. de Granville</u>	1553; 4283; 4622; 4768; 5367; 5406; 5434; 5457; 5599
<u>M. Hijman</u>	228
<u>P.-A. Loizeau</u>	633
<u>S. A. Mori</u>	8789; 15380; 21593; 22878; 22958
<u>R. A. A. Oldeman</u>	2048; 2056; 4177
<i>Ficus amazonica</i> (Miq.) Miq.	
<u>J.-J. de Granville</u>	4568
<i>Ficus gomelleira</i> Kunth & Bouché	
<u>J.-J. de Granville</u>	4439
<u>S. A. Mori</u>	18284; 22122; 24919; 24961
<i>Ficus guianensis</i> Desv.	
<u>S. A. Mori</u>	21689; 22029; 22316; 22689; 22986; 24998
<u>G. T. Prance</u>	30625
<i>Ficus insipida</i> Willd. subsp. <i>scabra</i> C. C. Berg	
<u>Brian M. Boom</u>	2071
<u>H. de Foresta</u>	674
<u>S. A. Mori</u>	18783; 21540; 24918
<i>Ficus leiophylla</i> C. C. Berg	
<u>J.-J. de Granville</u>	5410
<i>Ficus maxima</i> Mill.	
<u>S. A. Mori</u>	24235; 24904
<u>R. A. A. Oldeman</u>	2100
<i>Ficus nymphaeifolia</i> Mill.	
<u>Brian M. Boom</u>	2343
<u>J.-J. de Granville</u>	5143
<u>S. A. Mori</u>	15323; 22817
<i>Ficus panurensis</i> Stanley	
<u>S. A. Mori</u>	15137
<i>Ficus pertusa</i> L. f.	
<u>S. A. Mori</u>	18736; 18950
<i>Ficus schumacheri</i> (Liebm.) Griseb.	
<u>R. C. Ek</u>	54
<i>Helicostylis pedunculata</i> Benoist	
<u>Brian M. Boom</u>	1888
<i>Helicostylis tomentosa</i> (Poepp. & Endl.) Rusby	

<u>Brian M. Boom</u>	2061
<u>A. H. Gentry</u>	63070
<u>S. A. Mori</u>	15322; 22963

Maquira guianensis Aubl. subsp. guianensis

<u>Brian M. Boom</u>	2238
<u>A. H. Gentry</u>	63100
<u>S. A. Mori</u>	15563; 22891; 23123; 23936

Maquira sclerophylla (Ducke) C. C. Berg

<u>Brian M. Boom</u>	1923; 1928; 2009; 2252
<u>S. A. Mori</u>	20842; 22002
<u>R. A. A. Oldeman</u>	3264

Naucleopsis guianensis (Mildbr.) C. C. Berg

<u>Brian M. Boom</u>	2273; 2432
<u>S. A. Mori</u>	14901; 20757; 21601; 22060; 22828; 23161; 23908; 24020
<u>R. A. A. Oldeman</u>	4045

Perebea guianensis Aubl. subsp. guianensis

<u>Brian M. Boom</u>	2087; 2090
<u>Feuillet</u> 433	433
<u>H. de Foresta</u>	697
<u>J.-J. de Granville</u>	4396; 5385; 5435
<u>M. Hijman</u>	213
<u>C. Moretti</u>	188
<u>S. A. Mori</u>	15695; 22673; 23742; 24109
<u>R. A. A. Oldeman</u>	2025
<u>L. R. Phillippe</u>	26912

Perebea rubra (Trécul) C. C. Berg subsp. rubra

<u>A. J. M. Leeuwenberg</u>	11786
<u>S. A. Mori</u>	15546

Pseudolmedia laevigata Trécul

<u>S. A. Mori</u>	15475; 22279
-------------------	--------------

Pseudolmedia laevis (Ruiz & Pav.) J. F. Macbr.

<u>A. H. Gentry</u>	63056
---------------------	-------

Trymatococcus amazonicus Poepp. & Endl.

<u>S. A. Mori</u>	18850; 21650
-------------------	--------------

Trymatococcus oligandrus (Benoist) Lanj.

<u>A. H. Gentry</u>	63040; 63055
<u>W. J. Hahn</u>	3649
<u>S. A. Mori</u>	14992; 15231; 18036; 18079; 19165; 20810; 22876; 22971; 23124; 23164
<u>R. A. A. Oldeman</u>	4158

Musaceae

The treatment of the Musaceae for the *Guide to the Vascular Plants of Central French Guiana*

was prepared by Scott A. Mori (NY).

Because of the confusion in species epithets, all species of *Musa* were treated as *Musa* cultivars in the *Guide*. None are native to our area, however, plants persisting around homesteads may erroneously appear to be part of the native flora.

***Musa paradisiaca* L.**

M. Freiberg 293

Myristicaceae

The treatment of Myristicaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by John D. Mitchell (NY).

***Compsoneura ulei* Warb.**

S. A. Mori 15165

***Iryanthera sagotiana* (Benth.) Warb.**

Brian M. Boom 2085; 2108; 2169; 2319; 2409

A. H. Gentry 63034

S. A. Mori 14792; 14932; 14956; 15341; 19203; 20734; 20755; 20786; 20912; 21117; 22063; 23833; 23873; 24004

R. A. A. Oldeman 2046

G. T. Prance 30631; 30670

D. R. L. Sabatier 1154

***Iryanthera tessmannii* Markgr.**

S. A. Mori 14781; 15173; 21000; 22951; 23163; 23340

G. T. Prance 30680

***Osteophloeum platyspermum* (A. DC.) Warb.**

Brian M. Boom 1630; 1717

S. A. Mori 20770; 22021; 23893

L. R. Phillippe 26941

D. R. L. Sabatier 1138; 1149

***Virola kwatae* Sabatier**

Brian M. Boom 1640; 1759; 1873; 1881; 1983; 2122; 2155; 2158; 2193; 2227; 2229; 2508

S. A. Mori 15017; 15700; 23976; 24227

***Virola michelii* Heckel**

Brian M. Boom 1757; 1870; 1887; 2218

A. H. Gentry 63122

S. A. Mori 8830; 15003; 15347; 21501; 21993; 22706; 23346; 24701; 24810; 24945

***Virola sebifera* Aubl.**

W. J. Hahn 3661

S. A. Mori 15188; 17947; 24993

***Virola surinamensis* (Rol.) Warb.**

J.-J. de Granville 4246; 5395

<u>S. A. Mori</u>	18281
<u>G. T. Prance</u>	30672

Myrsinaceae

The treatment of Myrsinaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by John J. Pipoly III (FTG).

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Cybianthus leprieurii* G. Agostini.

Ardisia guianensis (Aubl.) Mez

<u>J.-J. de Granville</u>	877; 2669; 4224; 4370; 4409; 5424; 8606; 8755
<u>S. A. Mori</u>	8768; 15221; 17943; 21541; 22957
<u>R. A. A. Oldeman</u>	2039; 2065
<u>G. T. Prance</u>	30635

Cybianthus fuscus Mart.

<u>J.-J. de Granville</u>	2011; 2394; 5403; 5504
<u>S. A. Mori</u>	8732; 15496; 18580

Cybianthus guyanensis (A. DC.) Miq. subsp. *multipunctatus* (A. DC.) Pipoly

<u>A. H. Gentry</u>	63081
<u>J.-J. de Granville</u>	1568; 2748; 2803; 8757; 8823
<u>J. P. Lescure</u>	25
<u>S. A. Mori</u>	14706; 18050; 18524; 19074
<u>R. A. A. Oldeman</u>	2035; 2389

Cybianthus microbotrys A. DC.

<u>Brian M. Boom</u>	1665; 10862
<u>A. H. Gentry</u>	63015
<u>J.-J. de Granville</u>	1578; 2424; 3136; 3305; 4240; 4434; 4467; 5433; 5477; 8581; 8692; 8753
<u>S. A. Mori</u>	15528; 17962; 17967; 17989; 18477

Cybianthus potiae (Mez) G. Agostini

<u>J.-J. de Granville</u>	8570
<u>S. A. Mori</u>	15275
<u>R. A. A. Oldeman</u>	4099; 4101; 4162

Cybianthus prevostae Pipoly

<u>J.-J. de Granville</u>	3395
---------------------------	------

Cybianthus prieurii A. DC.

<u>N. Marshall</u>	100; 146
--------------------	----------

Cybianthus resinosus Mez

<u>J.-J. de Granville</u>	8915
<u>R. A. A. Oldeman</u>	3272

Cybianthus surinamensis (Spreng.) G. Agostini

J.-J. de Granville 2016; 3332

***Cybianthus venezuelanus* Mez**

<u>G. Cremers</u>	3974
<u>J.-J. de Granville</u>	2802; 8752; 8804; 8978
<u>S. A. Mori</u>	8735
<u>R. A. A. Oldeman</u>	3284
<u>L. R. Phillippe</u>	26978

***Stylogyne incognita* Pipoly**

<u>G. Cremers</u>	7578
<u>C. P. Feuillet</u>	1015
<u>J.-J. de Granville</u>	870; 2423; 4483; 4731; 5434; 8401
<u>W. J. Hahn</u>	3623
<u>S. A. Mori</u>	19029; 19060
<u>R. A. A. Oldeman</u>	4002; 4202

Myrtaceae

The treatment of the Myrtaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Bruce K. Holst (SEL) and Maria Lúcia Kawasaki (F).

Psidium guajava is only found cultivated in our area.

Myrcia amazonica and *M. tomentosa* were collected too late to be included in the *Guide*.

***Calyptranthes amshoffae* McVaugh**

<u>J.-J. de Granville</u>	1673; 2357; 4742; 5506; 8367; 8505; 8670
<u>B. Wallnöfer</u>	13487

***Calyptranthes bracteata* M. L. Kawas. & B. Holst**

<u>J.-J. de Granville</u>	4400; 4464; 5482; 8936
---------------------------	------------------------

***Eugenia albicans* (O. Berg) Urb.**

<u>J.-J. de Granville</u>	4647; 8877
<u>S. A. Mori</u>	24293
<u>R. A. A. Oldeman</u>	2058

***Eugenia argyrophylla* B. Holst & M. L. Kawas.**

<u>J.-J. de Granville</u>	8460; 8542; 10504; 10504
---------------------------	--------------------------

***Eugenia armeniaca* Sagot**

<u>S. A. Mori</u>	22741; 23330
-------------------	--------------

***Eugenia coffeifolia* DC.**

<u>G. Cremers</u>	6097
<u>C. P. Feuillet</u>	446
<u>A. H. Gentry</u>	63092
<u>J.-J. de Granville</u>	2015; 2743; 5147; 8910; 9019
<u>S. A. Mori</u>	8690; 8819; 14998; 19193; 21675; 21676; 21697
<u>R. A. A. Oldeman</u>	3181; 4150

***Eugenia dentata* (O. Berg) Nied.**

<u>J.-J. de Granville</u>	9032
<u>R. A. A. Oldeman</u>	3274

***Eugenia feijoi* O. Berg**

<u>S. A. Mori</u>	23910
-------------------	-------

***Eugenia ferreiraiana* O. Berg**

<u>J.-J. de Granville</u>	4385
<u>S. A. Mori</u>	14886

***Eugenia gongylocarpa* M. L. Kawas. & B. Holst**

<u>P. Acevedo-Rodríguez</u>	4959
<u>A. H. Gentry</u>	63165
<u>J.-J. de Granville</u>	5428; 8550
<u>S. A. Mori</u>	8726; 14702; 15554; 18462; 19198; 23105
<u>R. A. A. Oldeman</u>	2074; 4167

***Eugenia latifolia* Aubl.**

<u>S. A. Mori</u>	24007
-------------------	-------

***Eugenia macrocalyx* (Rusby) McVaugh**

<u>Brian M. Boom</u>	1691
<u>S. A. Mori</u>	15588; 18839; 22302; 22970

***Eugenia mimus* McVaugh**

<u>P. Acevedo-Rodríguez</u>	5011
<u>A. H. Gentry</u>	62967
<u>J.-J. de Granville</u>	2009
<u>S. A. Mori</u>	15074

***Eugenia morii* B. Holst & M. L. Kawas.**

<u>S. A. Mori</u>	14900; 14900; 22302
-------------------	---------------------

***Eugenia muricata* DC.**

<u>Brian M. Boom</u>	2157; 2172
<u>J.-J. de Granville</u>	8901
<u>S. A. Mori</u>	8974; 14849; 18994
<u>R. A. A. Oldeman</u>	4054; 4327

***Eugenia patrisii* Vahl**

<u>Brian M. Boom</u>	2281; 2312; 10782
<u>J.-J. de Granville</u>	5382
<u>S. A. Mori</u>	8784; 14952; 15038; 15136; 22681; 24017; 24023
<u>R. A. A. Oldeman</u>	1965; 2018
<u>L. R. Phillippe</u>	26947

***Eugenia pseudopsidium* Jacq.**

<u>Brian M. Boom</u>	1667
<u>C. P. Feillet</u>	471
<u>J.-J. de Granville</u>	4453; 5052; 5071; 5138; 5361; 5371; 5478; 5512
<u>S. A. Mori</u>	14693; 14877; 14925; 15007; 18354; 18761; 19159
<u>R. A. A. Oldeman</u>	3964; 3982; 3985; 4111

<u>L. R. Phillippe</u>	26959
<u>M.-F. Prévost</u>	266
<i>Eugenia spruceana</i> O. Berg	
<u>J.-J. de Granville</u>	8765
<i>Eugenia tetramera</i> (McVaugh) M. L. Kawas. & B. Holst	
<u>Brian M. Boom</u>	1915; 1929
<u>S. A. Mori</u>	19176; 23329
<i>Eugenia</i> sp. A	
<u>S. A. Mori</u>	23307
<i>Eugenia</i> sp. B	
<u>S. A. Mori</u>	15192; 22945
<i>Eugenia</i> sp. C	
<u>S. A. Mori</u>	22947
<i>Myrcia amazonica</i> DC.	
<u>S. A. Mori</u>	25054
<i>Myrcia fallax</i> (Rich.) DC.	
<u>C. P. Feuillet</u>	510
<u>J.-J. de Granville</u>	2677; 4594; 5142
<u>P.-A. Loizeau</u>	629
<u>N. Marshall</u>	114
<u>S. A. Mori</u>	18086; 18587; 18602; 19018; 21118; 22987
<u>R. A. A. Oldeman</u>	1983; 4119; 4169
<u>L. E. Skog</u>	7113
<i>Myrcia fenestrata</i> DC.	
<u>J.-J. de Granville</u>	4749
<u>M.-F. Prévost</u>	2145
<i>Myrcia gigas</i> McVaugh	
<u>Brian M. Boom</u>	1995; 2342; 2431
<u>A. H. Gentry</u>	63062; 63111
<u>J.-J. de Granville</u>	4261
<u>S. A. Mori</u>	14893; 14966; 14980; 15065; 15572; 20737; 20835; 20960; 20990; 23277; 24278
<i>Myrcia graciliflora</i> Sagot	
<u>J.-J. de Granville</u>	2745
<u>S. A. Mori</u>	20874
<u>R. A. A. Oldeman</u>	3988
<u>B. Riéra</u>	942
<i>Myrcia magnoliifolia</i> DC.	
<u>A. H. Gentry</u>	63027
<u>S. A. Mori</u>	15272
<i>Myrcia platyclada</i> DC.	
<u>Brian M. Boom</u>	1672
<u>S. A. Mori</u>	14827; 15205; 17987; 22104; 22984; 24975

***Myrcia rupta* M. L. Kawas. & B. Holst**

<u>G. Cremers</u>	3936
<u>C. P. Feuillet</u>	101; 429; 494
<u>J.-J. de Granville</u>	898; 2346; 2658; 2735; 4270; 4410; 5390; 5402; 8450; 8543
<u>P.-A. Loizeau</u>	604
<u>S. A. Mori</u>	8788
<u>R. A. A. Oldeman</u>	4210

***Myrcia saxatilis* (Amshoff) McVaugh**

<u>J.-J. de Granville</u>	3359
<u>S. A. Mori</u>	25110

***Myrcia subsessilis* O. Berg**

<u>J.-J. de Granville</u>	3327; 3379
---------------------------	------------

***Myrcia tomentosa* (Aubl.) DC.**

<u>S. A. Mori</u>	25127
-------------------	-------

***Myrcia sylvatica* (G. Mey.) DC.**

<u>J.-J. de Granville</u>	3037; 3325
---------------------------	------------

***Myrciaria floribunda* (Willd.) O. Berg**

<u>S. A. Mori</u>	20970
-------------------	-------

***Psidium guajava* L.**

<u>F. Capus</u>	22
<u>A. Gely</u>	21
<u>S. A. Mori</u>	23018

Nyctaginaceae

***Guapira eggersiana* (Heimerl) Lundell**

<u>J.-J. de Granville</u>	2666; 3326
---------------------------	------------

***Guapira salicifolia* (Heimerl) Lundell**

<u>J.-J. de Granville</u>	2769; 3047
<u>S. A. Mori</u>	22787

***Guapira* sp. A.**

<u>S. A. Mori</u>	25059
-------------------	-------

***Neea constricta* J. A. Schmidt**

<u>S. A. Mori</u>	23217; 24205
-------------------	--------------

***Neea floribunda* Poepp. & Endl.**

<u>Brian M. Boom</u>	1941; 1942; 1946; 2091; 2176; 2268
<u>B. Bordenave</u>	338
<u>S. A. Mori</u>	8756; 15193; 15333; 21198; 22686; 22886
<u>B. Wallnöfer</u>	13486

***Neea mollis* J. A. Schmidt**

<u>L. Allorge</u>	351
<u>H. de Foresta</u>	686
<u>J.-J. de Granville</u>	5128; 5162

<u>H. Jacquemin</u>	1442
<u>C. Moretti</u>	341
<u>S. A. Mori</u>	14938; 18754; 21636; 23208; 23747
<u>G. T. Prance</u>	30653
<i>Neea ovalifolia J. A. Schmidt</i>	
<u>Brian M. Boom</u>	2308
<u>H. de Foresta</u>	681
<u>J.-J. de Granville</u>	4228; 8447
<u>S. A. Mori</u>	18626; 23949
<u>R. A. A. Oldeman</u>	2000; 2780
<u>D. R. L. Sabatier</u>	1133
<i>Neea spruceana Heimerl</i>	
<u>M.-F. Prévost</u>	2106

Nymphaeaceae

The treatment of Nymphaeaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

Nymphaea glandulifera Rodschied

<u>J.-J. de Granville</u>	5536
---------------------------	------

Ochnaceae

The treatment of the Ochnaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Claude Sastre (P).

Ouratea candollei (Planch.) Tiegh.

<u>Brian M. Boom</u>	2455
<u>N. Marshall</u>	231
<u>S. A. Mori</u>	21070
<u>R. A. A. Oldeman</u>	1966; 2057; 4137
<u>L. R. Phillippe</u>	26971
<u>G. T. Prance</u>	28115

Ouratea erecta Sastre

<u>G. Cremers</u>	3944
<u>C. P. Feuillet</u>	111
<u>J.-J. de Granville</u>	4435; 5316; 6605; 8391; 8615; 8783; 8840; 8916
<u>M. H. G. Gustafsson</u>	334
<u>J. P. Lescure</u>	23
<u>P.-A. Loizeau</u>	624
<u>S. A. Mori</u>	21694; 22887; 22949
<u>R. A. A. Oldeman</u>	2109; 3175; 3177; 4197; 4211; 4340

O. Poncy 60

M.-F. Prévost 2103

L. E. Skog 7276

Ouratea leblondii (Tiegh.) Lemée

G. Cremers 6150; 14843

J.-J. de Granville 3384

Ouratea saülensis Sastre

J.-J. de Granville 3331

N. Marshall 143

S. A. Mori 14889; 15489; 21695

Ouratea scottii Sastre subsp. scottii

C. Moretti 27

S. A. Mori 14924; 14927; 15011; 15247; 20819; 20956; 21167; 23786; 23842; 24672

R. A. A. Oldeman 4028; 4130; 4135; 4156

Sauvagesia aliciae Sastre subsp. aratayensis Sastre

J.-J. de Granville 3357

Sauvagesia erecta L.

H. Jacquemin 1677

N. Marshall 187

S. A. Mori 18387

Sauvagesia tafelbergensis Sastre

J.-J. de Granville 3334

Olacaceae

The treatment of Olacaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Paul Hiepko (B).

Cathedra acuminata (Benth.) Miers

Brian M. Boom 1613

Chaunochiton kappleri (Engl.) Ducke

S. A. Mori 21532; 24118

Dulacia guianensis (Engl.) Kuntze

S. A. Mori 23201

Heisteria cauliflora Sm.

J.-J. de Granville 2293; 4448; 5255; 5455

S. A. Mori 15510; 17979; 22281; 22880; 22905; 22918

Heisteria densifrons Engl.

P. Acevedo-Rodríguez 4982

B. Bordenave 327

H. de Foresta 655

A. H. Gentry 63134

J.-J. de Granville 5085

<u>H. Jacquemin</u>	1443
<u>A. J. M. Leeuwenberg</u>	11726
<u>P.-A. Loizeau</u>	636
<u>N. Marshall</u>	136; 224
<u>S. A. Mori</u>	18137; 18844; 22978; 23713
<u>R. A. A. Oldeman</u>	2036; 3366; 3961; 3966; 4296
<u>M.-F. Prévost</u>	2110

***Heisteria ovata* Benth.**

<u>S. A. Mori</u>	25006
-------------------	-------

***Heisteria scandens* Ducke**

<u>C. P. Feuillet</u>	488
<u>S. A. Mori</u>	21164

***Minquartia guianensis* Aubl.**

<u>Brian M. Boom</u>	1606; 1686; 2192; 2413
<u>J.-J. de Granville</u>	8348
<u>S. A. Mori</u>	14727; 14760; 18885; 19072; 22829; 23199
<u>G. T. Prance</u>	30676
<u>D. R. L. Sabatier</u>	1142

Oleaceae

This species is only found cultivated in our area and is not treated in the *Guide*.

***Jasminum sambac* (L.) Aiton**

<u>A. J. M. Leeuwenberg</u>	11776
<u>S. A. Mori</u>	18264

Onagraceae

The treatment of the Onagraceae for the *to the Vascular Plants of Central French Guiana* was prepared by Maria Lúcia Kawasaki (F).

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Ludwigia foliobracteolata* (Munz) Hara.

***Ludwigia affinis* (DC.) Hara**

<u>J.-J. de Granville</u>	3137
---------------------------	------

***Ludwigia dodecandra* (DC.) Zardini & P. H. Raven**

<u>J.-J. de Granville</u>	9062
<u>S. A. Mori</u>	18999; 20886; 23744; 24127
<u>G. T. Prance</u>	28108

***Ludwigia erecta* (L.) Hara**

<u>A. Gely</u>	79
<u>S. A. Mori</u>	23298
<u>M.-F. Prévost</u>	771

***Ludwigia leptocarpa* (Nutt.) Hara**

<u>A. Raynal-Roques</u>	19997
<u>L. E. Skog</u>	7132

***Ludwigia octovalvis* (Jacq.) P. H. Raven**

<u>F. Capus</u>	21
<u>A. Gely</u>	20
<u>S. A. Mori</u>	22068; 23710; 24223

Orchidaceae

The treatment of Orchidaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Eric Christenson.

In addition to the species documented by the vouchers listed below, the following species were included in the *Guide* because they are expected to occur in central French Guiana even though they have not yet been collected there: *Aspasia variegata* Lindl. and *Vanilla porteresiana* Szachetko & Veyret.

Phragmipedium caudatum is vouchered by the illustration and description in Pavilowski (1994).

Beloglottis sp. (probably a new species fide Christenson), *Epidendrum secundum*., *Scaphyglottis bifida*, and *Sigmatostalix amazonica* were collected subsequent to the publication of the *Guide*.

The correct author abbreviations for the following species are: *Cochleanthes guianensis* Lafontaine, G. Gerlach & Senghas not *C. guianensis* Lafontaine, Gerlach & Senghas, *Encyclia pygmaea* (Hook.) Dressler not, *E. pygmaea* (W. J. Hooker) Dressler, *Kefersteinia lafontainei*, Senghas & G. Gerlach not *K. lafontainei* Senghas & Gerlach, *Maxillaria alba* (Hook.) Lindl. not *Maxillaria alba* (W. J. Hooker) Lindley, *Maxillaria crassifolia* (Lindl.) Rchb. f. not *M. crassifolia* Reichenbach f., *Octomeria apiculata* (Lindl.) Garay & H. R. Sweet not *O. apiculata* (Lindley) Garay & Sweet, *Phragmipedium lindleyanum* (Lindl.) Rolfe not *P. lindleyanum* (Schomburgk) Rolfe, *Platystele ovalifolia* (H. Focke) Garay & Dunst. not *P. ovalifolia* (Focke) Garay & Dunst., *Pleurothallis aristata* Hook. not *P. aristata* W. J. Hooker, *Polystachya concreta* (Jacq.) Garay & H. R. Sweet not *P. concreta* (Jacquin) Garay & Sweet, *Polystachya foliosa* (Lindl.) Rchb. f. not *P. foliosa* (W. J. Hooker) Reichenbach f., *Sarcoglottis acaulis* (Sm.) Schltr. not *S. acaulis* (J. E. Smith) Schlechter, *Scaphyglottis fusiformis* (Griseb.) R. E. Schult. not *S. fusiformis* (Grisebach) Schultes, *Trigonidium acuminatum* Lindl. not *T. acuminatum* Bateman, *Vanilla planifolia* Andrews not *V. planifolia* G. Jackson as in Part 1 of the *Guide*

***Aganisia pulchella* Lindl.**

<u>R. O. Determann</u>	76
------------------------	----

***Aspidogyne foliosa* (Poepp. & Endl.) Garay**

<u>Brian M. Boom</u>	10814; 10848
<u>R. O. Determann</u>	121
<u>C. P. Feuillet</u>	15093
<u>J.-J. de Granville</u>	2303; 5079
<u>P. J. M. Maas</u>	2234
<u>S. A. Mori</u>	20996; 21704

Y. Veyret 1409; 1413; 1416

***Batemannia colleyi* Lindl.**

J.-J. de Granville 5463

S. A. Mori 22675; 22982

***Beloglottis* sp.**

S. A. Mori 24129

***Brassia caudata* (L.) Lindl.**

M. Freiberg 0

***Brassia chloroleuca* Barb. Rodr.**

D. Barthelemy 216

S. A. Mori 22674

***Brassia huebneri* Schltr.**

J.-J. de Granville 735

***Brassia lanceana* Lindl.**

G. Cremers 3997

***Bulbophyllum bracteolatum* Lindl.**

R. O. Determann 122

***Caluera vulpina* Dodson & Determann**

G. Cremers 13908

***Campylocentrum micranthum* (Lindl.) Rolfe**

R. O. Determann 95

R. C. Ek 201

C. P. Feuillet 15069

S. A. Mori 20936; 22768

***Catasetum barbatum* (Lindl.) Lindl.**

J.-J. de Granville 5432

***Cheiradenia cuspidata* Lindl.**

F. Billiet 5812

G. Cremers 6099

R. O. Determann 82

J.-J. de Granville 3266

S. A. Mori 22931; 23176

***Cleistes rosea* Lindl.**

J.-J. de Granville 3375

***Cochleanthes guianensis* Lafontaine, G. Gerlach & Senghas**

R. O. Determann 114

M. Freiberg 273

J.-J. de Granville 8637; 8728; 8838

J. Moonen 0

S. A. Mori 23072

Y. Veyret 1475

***Cryptarrhena guatemalensis* Schltr.**

R. O. Determann 105

<u>Y. Veyret</u>	1421; 1593
<i>Cryptarrhena kegelii Rchb. f.</i>	
<u>R. C. Ek</u>	119; 202; 203
<u>M. Freiberg</u>	307
<u>J.-J. de Granville</u>	9027
<i>Cyclopogon olivaceus (Rolfe) Schltr.</i>	
<u>J.-J. de Granville</u>	1618
<u>S. A. Mori</u>	18316; 18997; 22259
<i>Cynnoches haagii Barb. Rodr.</i>	
<u>Y. Veyret</u>	1538
<i>Degranvillea dermaptera Determann</i>	
<u>R. O. Determann</u>	66
<u>S. A. Mori</u>	18357; 23173; 23243; 23851
<i>Dichaea kegelii Rchb. f.</i>	
<u>R. C. Ek</u>	144; 208
<u>M. Freiberg</u>	104
<u>J.-J. de Granville</u>	8991
<u>S. A. Mori</u>	21041; 22926
<i>Dichaea trulla Rchb. f.</i>	
<u>J.-J. de Granville</u>	8718
<i>Dichaea sp. 1</i>	
<u>M. Freiberg</u>	51
<u>S. A. Mori</u>	21042
<i>Dichaea sp. 2</i>	
<u>S. A. Mori</u>	21196
<i>Dimerandra elegans (Focke) Siegerist</i>	
<u>R. C. Ek</u>	233
<u>M. Freiberg</u>	67; 131
<i>Elleanthus caravata (Aubl.) Rchb. f.</i>	
<u>R. O. Determann</u>	77
<u>J.-J. de Granville</u>	8566
<u>S. A. Mori</u>	21039
<i>Elleanthus graminifolius (Barb. Rodr.) Loijntant</i>	
<u>G. Cremers</u>	4001
<u>R. O. Determann</u>	78
<u>M. Freiberg</u>	43; 336
<u>J.-J. de Granville</u>	8533
<u>S. A. Mori</u>	14987; 22786; 23765; 25140
<u>Y. Veyret</u>	1420
<i>Elleanthus sp. 1</i>	
<u>M. Freiberg</u>	34
<i>Encyclia aerula (Lindl.) Carnevali & I. Ramírez</i>	
<u>G. Cremers</u>	5259; 5261

<u>R. C. Ek</u>	57; 114; 130; 137
<u>M. Freiberg</u>	85
<u>H. Jacquemin</u>	2390

***Encyclia granitica* (Lindl.) Schltr.**

<u>M. Freiberg</u>	72
<u>S. A. Mori</u>	25101; 22700; 24249

***Encyclia pygmaea* (Hook.) Dressler**

<u>G. Cremers</u>	4003
<u>R. O. Determann</u>	134
<u>R. C. Ek</u>	127; 219
<u>M. Freiberg</u>	18; 21

***Encyclia vespa* (Vell.) Dressler**

<u>J.-J. de Granville</u>	14290
---------------------------	-------

***Epidendrum anceps* Jacq.**

<u>R. C. Ek</u>	210
<u>C. P. Feuillet</u>	15129
<u>M. Freiberg</u>	254
<u>P. J. M. Maas</u>	2288; 2289
<u>S. A. Mori</u>	23133

***Epidendrum carpophorum* Barb. Rodr.**

<u>M. Freiberg</u>	231
<u>J.-J. de Granville</u>	8723

***Epidendrum ecostatum* Pabst**

<u>R. O. Determann</u>	119
------------------------	-----

***Epidendrum microphyllum* Lindl.**

<u>R. C. Ek</u>	52; 128; 143; 244; 246
<u>C. P. Feuillet</u>	15138
<u>M. Freiberg</u>	0; 20; 335
<u>S. A. Mori</u>	20826; 22758
<u>G. T. Prance</u>	30628; 30642

***Epidendrum nocturnum* Jacq.**

<u>M. Freiberg</u>	198
<u>J.-J. de Granville</u>	5530
<u>S. A. Mori</u>	21044

***Epidendrum oldemanii* Christenson**

<u>R. C. Ek</u>	78; 118
<u>S. A. Mori</u>	22345; 22915
<u>Y. Veyret</u>	1540

***Epidendrum purpurascens* Focke**

<u>M. Freiberg</u>	348
--------------------	-----

***Epidendrum ramosum* Jacq.**

<u>Brian M. Boom</u>	10757
<u>R. C. Ek</u>	224

<u>M. Freiberg</u>	45; 337
<u>J.-J. de Granville</u>	8717; 8789
<u>J. Moonen</u>	0
<u>S. A. Mori</u>	25141

***Epidendrum rigidum* Jacq.**

<u>R. C. Ek</u>	226; 228
<u>M. Freiberg</u>	22
<u>S. A. Mori</u>	20777; 21565; 22187
<u>Y. Veyret</u>	1424; 1595

***Epidendrum secundum* Jacq.**

<u>S. A. Mori</u>	25107
-------------------	-------

***Epidendrum strobiliferum* Rchb. f.**

<u>R. C. Ek</u>	37; 235; 236
<u>C. P. Feuillet</u>	15072
<u>J.-J. de Granville</u>	3561; 3636
<u>S. A. Mori</u>	20841; 21566

***Epidendrum strobilooides* Garay & Dunst.**

<u>R. O. Determann</u>	117
<u>J.-J. de Granville</u>	9011

***Epidendrum unguiculatum* (C. Schweinf.) Garay & Dunst.**

<u>D. Barthelemy</u>	203; 226
<u>G. Cremers</u>	13027
<u>R. O. Determann</u>	73
<u>M. Freiberg</u>	0; 107
<u>A. Gely</u>	31
<u>J.-J. de Granville</u>	1655; 5431; 8871
<u>S. A. Mori</u>	20999; 24248
<u>Y. Veyret</u>	1415

***Gongora pleiochroma* Rchb. f.**

<u>J.-J. de Granville</u>	4618
<u>S. A. Mori</u>	20994

***Habenaria rodeiensis* Barb. Rodr.**

<u>S. A. Mori</u>	18390
-------------------	-------

***Ionopsis satyrioides* (Sw.) Rchb. f.**

<u>F. Hallé</u>	2582
-----------------	------

***Isochilus linearis* (Jacq.) R. Br.**

<u>J.-J. de Granville</u>	8530; 8926
---------------------------	------------

***Jacquinia globosa* (Jacq.) Schltr.**

<u>R. C. Ek</u>	132
<u>M. Freiberg</u>	228
<u>J.-J. de Granville</u>	3381; 8529; 8717
<u>S. A. Mori</u>	18646; 20883
<u>Y. Veyret</u>	1371

Kefersteinia lafontainei Senghas & G. Gerlach

<u>G. Cremers</u>	4082
<u>J.-J. de Granville</u>	8385; 8774; 8984
<u>Y. Veyret</u>	1708

Kegeliella houtteana (Rchb. f.) L. O. Williams

<u>R. O. Determann</u>	120
------------------------	-----

Koellensteinia carraoënsis Garay & Dunst.

<u>S. A. Mori</u>	23259
-------------------	-------

Koellensteinia graminea (Lindl.) Rchb. f.

<u>R. O. Determann</u>	83
------------------------	----

Lepanthes helicocephala Rchb. f.

<u>R. O. Determann</u>	128
<u>R. C. Ek</u>	250
<u>S. A. Mori</u>	21549; 23813

Ligeophila peterana (Cogn.) Garay

<u>S. A. Mori</u>	18656
-------------------	-------

Lockhartia imbricata (Lam.) Hoehne

<u>M. Freiberg</u>	15
<u>J.-J. de Granville</u>	4576
<u>S. A. Mori</u>	18710; 20725; 20857
<u>Y. Veyret</u>	1410

Lycaste macrophylla (Poepp. & Endl.) Lindl.

<u>G. Cremers</u>	3998
<u>J.-J. de Granville</u>	3720

Malaxis maguirei C. Schweinf.

<u>R. O. Determann</u>	113
------------------------	-----

Masdevallia cuprea Lindl.

<u>G. Cremers</u>	6170
-------------------	------

Masdevallia minuta Lindl.

<u>G. Cremers</u>	6314
<u>R. C. Ek</u>	131; 255
<u>C. P. Feuillet</u>	15137
<u>M. Freiberg</u>	195
<u>J.-J. de Granville</u>	4384; 5076; 5440
<u>S. A. Mori</u>	20998; 22188

Masdevallia norae Luer

<u>J.-J. de Granville</u>	8526
<u>F. Hallé</u>	2617

Maxillaria acutifolia Lindl.

<u>S. A. Mori</u>	21998
-------------------	-------

Maxillaria alba (Hook.) Lindl.

<u>R. C. Ek</u>	45; 56; 69; 266
<u>M. Freiberg</u>	0

<u>J.-J. de Granville</u>	4752; 4752; 5521
<u>S. A. Mori</u>	20917; 22932
<u>Y. Veyret</u>	1582; 1586
<i>Maxillaria brachybulbon Schltr.</i>	
<u>S. A. Mori</u>	22309
<i>Maxillaria caespitifica Rchb. f.</i>	
<u>M. Freiberg</u>	0; 165
<u>Y. Veyret</u>	1450
<i>Maxillaria camaridii Rchb. f.</i>	
<u>R. C. Ek</u>	270
<u>M. Freiberg</u>	108
<i>Maxillaria crassifolia (Lindl.) Rchb. f.</i>	
<u>D. Barthelemy</u>	208
<u>R. A. A. Oldeman</u>	1844
<i>Maxillaria desvauxiana Rchb. f.</i>	
<u>R. O. Determann</u>	86; 131
<u>R. C. Ek</u>	113; 121; 273
<u>M. Freiberg</u>	240
<u>Y. Veyret</u>	1377
<i>Maxillaria discolor (Lindl.) Rchb. f.</i>	
<u>R. C. Ek</u>	276
<u>M. Freiberg</u>	191
<u>S. A. Mori</u>	22344
<i>Maxillaria parviflora (Poepp. & Endl.) Garay</i>	
<u>R. O. Determann</u>	136
<u>R. C. Ek</u>	43
<u>M. Freiberg</u>	0; 113
<u>S. A. Mori</u>	20839
<u>Y. Veyret</u>	1412
<i>Maxillaria ponerantha Rchb. f.</i>	
<u>R. C. Ek</u>	22; 281
<u>M. Freiberg</u>	0; 197
<u>J.-J. de Granville</u>	8528
<i>Maxillaria porrecta Lindl.</i>	
<u>G. Cremers</u>	4000
<u>J.-J. de Granville</u>	8802; 8870
<i>Maxillaria rufescens Lindl.</i>	
<u>G. Cremers</u>	6301
<u>R. C. Ek</u>	23; 81; 100; 296
<u>M. Freiberg</u>	0; 162
<u>J.-J. de Granville</u>	5445
<u>S. A. Mori</u>	21203
<u>Y. Veyret</u>	1526; 1608

Maxillaria splendens Poepp. & Endl.

<u>G. Cremers</u>	5266; 5520; 6076
<u>M. Freiberg</u>	0; 241
<u>J.-J. de Granville</u>	2279; 3361; 8674
<u>Y. Veyret</u>	1353

Maxillaria stenophylla Rchb. f.

<u>G. Cremers</u>	3996; 5523; 5524
<u>M. Freiberg</u>	230
<u>J.-J. de Granville</u>	8592; 8593; 8767

Maxillaria superflua Rchb. f.

<u>G. Cremers</u>	3999
<u>R. C. Ek</u>	48; 124; 302
<u>M. Freiberg</u>	0; 16
<u>S. A. Mori</u>	21049

Maxillaria uncata Lindl.

<u>G. Cremers</u>	4004
<u>R. C. Ek</u>	55; 120; 125; 313
<u>M. Freiberg</u>	0; 338
<u>S. A. Mori</u>	20992; 21563; 22289; 22308; 22699; 22832; 22983
<u>Y. Veyret</u>	1411; 1417; 1418; 1516

Maxillaria villosa (Barb. Rodr.) Cogn.

<u>G. Cremers</u>	6149
-------------------	------

Maxillaria violaceopunctata Rchb. f.

<u>R. C. Ek</u>	65; 66; 306
<u>M. Freiberg</u>	0; 14

Mormodes buccinator Lindl.

<u>J. Moonen</u>	0
------------------	---

Notylia angustifolia Cogn.

<u>E. A. Christenson</u>	s.n.
--------------------------	------

Notylia peruviana (Schltr.) C. Schweinf.

<u>R. O. Determann</u>	108
------------------------	-----

Octomeria apiculata (Lindl.) Garay & H. R. Sweet

<u>G. Cremers</u>	4121
-------------------	------

Octomeria brevifolia Cogn.

<u>S. A. Mori</u>	22306
-------------------	-------

Octomeria minor C. Schweinf.

<u>S. A. Mori</u>	20913
-------------------	-------

Octomeria sarthouae Luer

<u>J.-J. de Granville</u>	3324
---------------------------	------

Octomeria surinamensis Focke

<u>R. O. Determann</u>	79
<u>R. C. Ek</u>	110
<u>S. A. Mori</u>	21030; 22310; 22698

Oncidium nanum Lindl.

E. A. Christenson s.n.

Ornithocephalus ciliatus Lindl.

R. O. Determann 97

S. A. Mori 23156

Palmorchis pabstii Veyret

G. Cremers 13015

J.-J. de Granville 1585; 2410; 4482; 8467

S. A. Mori 22912; 23015; 23016

Palmorchis prospectorum Veyret

G. Cremers 6193

Pelezia callifera (C. Schweinf.) Garay

R. O. Determann 90

S. A. Mori 25066

Phragmipedium caudatum (Lindl.) Rolfe

Pavloski s.n.

Phragmipedium lindleyanum (Lindl.) Rolfe

R. O. Determann 75

S. A. Mori 23231

Platystele ovalifolia (H. Focke) Garay & Dunst.

G. Cremers 4005

R. C. Ek 49; 87; 315; 318

M. Freiberg 27

S. A. Mori 21592; 23211

Plectrophora cultrifolia (Barb. Rodr.) Cogn.

E. A. Christenson 0

M. Freiberg 0; 308

Pleurothallis archidiaconi Ames

G. Cremers 3973; 4002; 6079

R. O. Determann 68

R. C. Ek 24; 334

C. P. Feuillet 15110

A. Fournet 83

J.-J. de Granville 1663; 5075; 8527

J. Moonen 0

S. A. Mori 22258; 22284; 23131

Y. Veyret 1465

Pleurothallis aristata Hook.

R. O. Determann 72; 110; 111; 123; 130

R. C. Ek 72; 323

C. P. Feuillet 15130

S. A. Mori 20742; 22261; 23175; 23357

Y. Veyret 1363

***Pleurothallis barbulata* Lindl.**

<u>R. O. Determann</u>	69; 112
<u>S. A. Mori</u>	21129
<u>Y. Veyret</u>	1472

***Pleurothallis brevipes* Focke**

<u>R. O. Determann</u>	64; 74; 124
<u>M. Freiberg</u>	196

***Pleurothallis ciliolata* Schltr.**

<u>R. O. Determann</u>	70
<u>S. A. Mori</u>	20776

***Pleurothallis consimilis* Ames**

<u>R. O. Determann</u>	96
<u>R. C. Ek</u>	329
<u>M. Freiberg</u>	281

***Pleurothallis discoidea* Lindl.**

<u>D. Barthelemy</u>	205
<u>J.-J. de Granville</u>	3677

***Pleurothallis glandulosa* Ames**

<u>G. Cremers</u>	6147
<u>R. O. Determann</u>	93

***Pleurothallis lanceana* Lodd.**

<u>M. Freiberg</u>	188
<u>Y. Veyret</u>	1672

***Pleurothallis nanifolia* Foldats**

<u>S. A. Mori</u>	20793
-------------------	-------

***Pleurothallis picta* Lindl.**

<u>D. Barthelemy</u>	207; 211; 234
<u>G. Cremers</u>	3914; 3929
<u>R. C. Ek</u>	76; 341
<u>C. P. Feuillet</u>	15066; 15066
<u>M. Freiberg</u>	0; 52
<u>J.-J. de Granville</u>	2717
<u>P. J. M. Maas</u>	2247
<u>N. Marshall</u>	247
<u>S. A. Mori</u>	14883; 20855; 22260; 23120
<u>L. E. Skog</u>	7351; 7391
<u>Y. Veyret</u>	1393; 1454

***Pleurothallis polygonoides* Griseb.**

<u>R. C. Ek</u>	134; 345
<u>M. Freiberg</u>	245
<u>J.-J. de Granville</u>	2807

***Pleurothallis pruinosa* Lindl.**

<u>R. C. Ek</u>	47; 349
-----------------	---------

<u>M. Freiberg</u>	0; 19; 68
<u>S. A. Mori</u>	21045; 22860

Pleurothallis pubescens Lindl.

<u>J.-J. de Granville</u>	8548
<u>S. A. Mori</u>	23120; 23132
<u>Y. Veyret</u>	1696
<u>H. H. van der Werff</u>	12965

Pleurothallis ruscifolia (Jacq.) R. Br.

<u>G. Cremers</u>	4006
<u>M. Freiberg</u>	233
<u>J.-J. de Granville</u>	8611

Pleurothallis sclerophylla Lindl.

<u>G. Cremers</u>	4378
<u>J.-J. de Granville</u>	8531

Pleurothallis semperflorens Lindl.

<u>R. O. Determann</u>	71; 109
<u>R. C. Ek</u>	59; 351; 353; 386a
<u>C. P. Feuillet</u>	15076
<u>M. Freiberg</u>	0; 89; 189
<u>S. A. Mori</u>	20775; 20824; 20840; 21548; 22313; 23062
<u>L. E. Skog</u>	7180
<u>Y. Veyret</u>	1408; 1628

Pleurothallis seriata Lindl.

<u>S. A. Mori</u>	20914
-------------------	-------

Pleurothallis spiculifera Lindl.

<u>G. Cremers</u>	6098
-------------------	------

Pleurothallis suspensa Luer

<u>D. Barthelemy</u>	204
<u>G. Cremers</u>	3995; 4086
<u>R. O. Determann</u>	115
<u>M. Freiberg</u>	232
<u>J.-J. de Granville</u>	1630; 8587

Pleurothallis uniflora Lindl.

<u>R. O. Determann</u>	94
<u>J.-J. de Granville</u>	8465

Polystachya concreta (Jacq.) Garay & H. R. Sweet

<u>S. A. Mori</u>	22305
<u>R. A. A. Oldeman</u>	3916; 3916

Polystachya foliosa (Lindl.) Rchb. f.

<u>R. C. Ek</u>	386
<u>M. Freiberg</u>	255

Polystachya stenophylla Schltr.

<u>R. O. Determann</u>	118; 127
------------------------	----------

<u>R. C. Ek</u>	133
<u>S. A. Mori</u>	21032; 22307; 23352
<i>Psychopsis papilio (Lindl.) H. G. Jones</i>	
<u>J.-J. de Granville</u>	2817
<i>Psygmorechis glossomystax (Rchb. f.) Dodson & Dressler</i>	
<u>R. C. Ek</u>	123
<i>Quekettia microscopica Lindl.</i>	
<u>R. C. Ek</u>	387
<u>S. A. Mori</u>	20993
<i>Reichenbachianthus reflexus (Lindl.) Brade</i>	
<u>R. O. Determann</u>	132
<u>J.-J. de Granville</u>	8590; 8807
<i>Rodriguezia lanceolata Ruiz & Pav.</i>	
<u>F. Capus</u>	113
<u>R. C. Ek</u>	390
<u>S. A. Mori</u>	15190; 21613; 21645
<u>Y. Veyret</u>	1479
<i>Sarcoglottis acaulis (Sm.) Schltr.</i>	
<u>G. Cremers</u>	7170
<u>R. A. A. Oldeman</u>	2785
<i>Scaphyglottis bifida (Rchb. f.) Schweinf.</i>	
<u>J. P. Bikaeff</u>	s.n.
<i>Scaphyglottis fusiformis (Griseb.) R. E. Schult.</i>	
<u>R. C. Ek</u>	154; 370
<u>M. Freiberg</u>	s.n.; 203; 317
<u>P. J. M. Maas</u>	2260
<u>S. A. Mori</u>	21047; 21626
<i>Scaphyglottis modesta (Rchb. f.) Schltr.</i>	
<u>R. C. Ek</u>	383
<u>S. A. Mori</u>	23078
<i>Scaphyglottis prolifera Cogn.</i>	
<u>R. O. Determann</u>	133
<u>R. C. Ek</u>	103; 115; 366
<u>C. P. Feuillet</u>	15139
<u>M. Freiberg</u>	0; 0; 33; 121; 122
<u>S. A. Mori</u>	15125; 18449; 18647; 18989; 21046; 23814
<u>G. T. Prance</u>	30658
<i>Scaphyglottis stellata Lindl.</i>	
<u>R. O. Determann</u>	91; 135
<u>M. Freiberg</u>	0; 0; 130; 321
<u>S. A. Mori</u>	0; 18648; 19182; 20732; 20752; 23215
<u>Y. Veyret</u>	1414
<i>Scelochilus ecalcaratus Determann</i>	

<u>R. O. Determann</u>	106
<i>Schomburgkia marginata Lindl.</i>	
<u>M. Freiberg</u>	25
<u>S. A. Mori</u>	21627
<i>Scuticaria steelii Lindl.</i>	
<u>S. A. Mori</u>	22110; 22989
<i>Selenipedium palmifolium (Lindl.) Rchb. f.</i>	
<u>G. Cremers</u>	12996
<u>J.-J. de Granville</u>	1576
<u>S. A. Mori</u>	20885
<i>Sigmatostalix amazonica</i> Schltr.	
<u>S. A. Mori</u>	24996
<i>Sobralia fragrans Lindl.</i>	
<u>M. Freiberg</u>	0
<i>Sobralia suaveolens Rchb. f.</i>	
<u>R. C. Ek</u>	82; 378
<u>M. Freiberg</u>	23
<u>S. A. Mori</u>	21027
<u>Y. Veyret</u>	1575
<i>Sobralia yauaperyensis Barb. Rodr.</i>	
<u>M. Freiberg</u>	129
<u>S. A. Mori</u>	17932; 22697
<i>Sobralia sp. 1</i>	
<u>R. O. Determann</u>	126
<i>Stanhopea grandiflora (Lodd.) Lindl.</i>	
<u>R. O. Determann</u>	84
<u>R. C. Ek</u>	380
<u>M. Freiberg</u>	0
<u>J. P. Lescure</u>	20
<u>S. A. Mori</u>	15124; 20995
<i>Stelis argentata Lindl.</i>	
<u>G. Cremers</u>	3915; 3930; 5521; 6004
<u>R. C. Ek</u>	42; 107; 372
<u>M. Freiberg</u>	24; 120
<u>S. A. Mori</u>	15186; 15191; 21048; 21530; 21558; 21576; 22649
<u>Y. Veyret</u>	1444; 1462; 1657
<i>Stelis guianensis Rolfe</i>	
<u>S. A. Mori</u>	21551; 21572; 21604
<i>Stelis santiagoënsis Mansf.</i>	
<u>J.-J. de Granville</u>	926
<i>Stelis sp. 1</i>	
<u>Y. Veyret</u>	1449
<i>Trichosalpinx ciliaris (Lindl.) Luer</i>	

<u>Brian M. Boom</u>	10770
<i>Trichosalpinx egleri (Pabst) Luer</i>	
<u>M. Freiberg</u>	109
<u>S. A. Mori</u>	21043
<i>Trichosalpinx orbicularis (Lindl.) Luer</i>	
<u>R. C. Ek</u>	44; 86
<u>C. P. Feuillet</u>	15140
<u>S. A. Mori</u>	20753; 20792; 20823
<u>Y. Veyret</u>	1661
<i>Trigonidium acuminatum Lindl.</i>	
<u>G. Cremers</u>	5260
<u>R. O. Determann</u>	107
<u>R. C. Ek</u>	88; 391
<u>M. Freiberg</u>	341
<u>S. A. Mori</u>	20939
<i>Tripthora surinamensis (Lindl.) Britton & P. Wilson</i>	
<u>J.-J. de Granville</u>	9000
<u>F. Hallé</u>	2257
<u>S. A. Mori</u>	22930; 23750; 23811
<i>Trisetella triglochin (Rchb. f.) Luer</i>	
<u>M. Freiberg</u>	110
<u>J.-J. de Granville</u>	8655; 8699
<u>P. J. M. Maas</u>	2275
<i>Uleiorchis ulaei (Cogn.) Handro</i>	
<u>S. A. Mori</u>	21644; 21693
<i>Vanilla grandiflora Lindl.</i>	
<u>G. Cremers</u>	13016
<i>Vanilla mexicana Mill.</i>	
<u>M. Freiberg</u>	271
<i>Vanilla planifolia Andrews</i>	
<u>S. A. Mori</u>	18730; 21040
<i>Wullschlaegelia calcarata Benth.</i>	
<u>S. A. Mori</u>	14953; 21679; 22749; 23790; 24694
<u>R. A. A. Oldeman</u>	2794; 2796
<i>Xylobium variegatum (Ruiz & Pav.) Garay & Dunst.</i>	
<u>J.-J. de Granville</u>	8997

Oxalidaceae

The treatment of Oxalidaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by John D. Mitchell (NY).

Oxalis barrelieri L.

<u>J.-J. de Granville</u>	706
<u>S. A. Mori</u>	18266; 18431; 22664
<u>R. A. A. Oldeman</u>	4188

Passifloraceae

The treatment of Passifloraceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Christian Feuillet (US).

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Passiflora cirrhiflora* Juss.

***Dilkea johannesii* Barb. Rodr.**

<u>J.-J. de Granville</u>	2398
<u>S. A. Mori</u>	23957

***Passiflora amoena* L. K. Escobar**

<u>C. P. Feuillet</u>	499
<u>H. de Foresta</u>	684
<u>J.-J. de Granville</u>	3100; 4248; 4460; 8785
<u>S. A. Mori</u>	15108; 25069
<u>M.-F. Prévost</u>	1813

***Passiflora candida* (Poepp. & Endl.) Mast.**

<u>H. de Foresta</u>	701
----------------------	-----

***Passiflora coccinea* Aubl.**

<u>L. Allorge</u>	366
<u>C. P. Feuillet</u>	15116
<u>J.-J. de Granville</u>	8883
<u>N. Marshall</u>	118
<u>S. A. Mori</u>	18407; 20948; 23004; 23293; 24264
<u>R. A. A. Oldeman</u>	1981

***Passiflora exura* Feuillet**

<u>G. Cremers</u>	12991
-------------------	-------

***Passiflora foetida* L.**

<u>O. Poncy</u>	84
-----------------	----

***Passiflora foetida* L. var. *hispida* (DC.) Killip**

<u>F. Beekman</u>	69
<u>C. P. Feuillet</u>	89
<u>J.-J. de Granville</u>	5181
<u>P. J. M. Maas</u>	2249
<u>S. A. Mori</u>	18693; 19140
<u>R. A. A. Oldeman</u>	2095
<u>M.-F. Prévost</u>	759; 2139

***Passiflora garckei* Mast.**

<u>C. P. Feuillet</u>	2985
<u>S. A. Mori</u>	22093

***Passiflora glandulosa* Cav.**

<u>C. P. Feuillet</u>	525
<u>J.-J. de Granville</u>	2304; 2736; 8906
<u>S. A. Mori</u>	14983; 25038
<u>R. A. A. Oldeman</u>	119

***Passiflora plumosa* Feuillet & Cremers**

<u>C. P. Feuillet</u>	2981
-----------------------	------

***Passiflora rubra* L.**

<u>F. Beekman</u>	64
<u>C. P. Feuillet</u>	500; 15123
<u>L. E. Skog</u>	7204

***Passiflora saulensis* Feuillet**

<u>Brian M. Boom</u>	10861
----------------------	-------

***Passiflora variolata* Poepp. & Endl.**

<u>S. A. Mori</u>	18980
-------------------	-------

***Passiflora vespertilio* L.**

<u>C. P. Feuillet</u>	2986
<u>J.-J. de Granville</u>	5060; 8908
<u>S. A. Mori</u>	15463; 23245

***Passiflora* sp. A**

<u>S. A. Mori</u>	23947
-------------------	-------

Phytolaccaceae

The treatment of Phytolaccaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Robert A. DeFilipps and Shirley L. Maina (US).

***Microtea debilis* Sw.**

<u>S. A. Mori</u>	23295; 23818
-------------------	--------------

***Petiveria alliacea* L.**

<u>A. Gely</u>	43; 53
<u>C. Moretti</u>	119; 734
<u>S. A. Mori</u>	18246

***Phytolacca rivinoides* Kunth & Bouché**

<u>B. Bordenave</u>	349
<u>C. P. Feuillet</u>	90
<u>J.-J. de Granville</u>	8703
<u>S. A. Mori</u>	18639; 19065; 21186
<u>R. A. A. Oldeman</u>	4019

<u>B. Riéra</u>	930
<u>L. E. Skog</u>	7300
<u>B. Wallnöfer</u>	13490

Picramniaceae

The Picramniaceae are treated as part of the Simaroubaceae in the *Guide* but maintained as a separate family in the NYBG databases.

Pinaceae

Pinus caribaea is only found cultivated in our area. Hence, this family is not treated in the *Guide*.

Pinus caribaea Morelet

<u>Brian M. Boom</u>	10736
----------------------	-------

Piperaceae

The treatment of the Piperaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Ara Görts-van Rijn (U)

Peperomia emarginella (Sw.) C. DC.

<u>Brian M. Boom</u>	10858
<u>J.-J. de Granville</u>	8750

Peperomia glabella (Sw.) A. Dietr.

<u>Brian M. Boom</u>	10792
<u>B. Bordenave</u>	334
<u>G. Cremers</u>	7576
<u>R. C. Ek</u>	20
<u>C. P. Feuillet</u>	95; 523
<u>M. Freiberg</u>	342
<u>J.-J. de Granville</u>	891; 2757; 3604; 5358; 8403; 8492; 8760
<u>W. J. Hahn</u>	3595
<u>P. J. M. Maas</u>	2236
<u>N. Marshall</u>	249
<u>S. A. Mori</u>	14854; 15139; 19157; 21546; 23824
<u>L. R. Phillippe</u>	26921; 26938
<u>M.-F. Prévost</u>	1603
<u>B. Riéra</u>	934
<u>M. Sauvain</u>	643
<u>L. E. Skog</u>	7172
<u>B. Wallnöfer</u>	13480

Peperomia graciana Görts

A. R. A. Görts-van 76
Rijn

S. A. Mori 21508; 23264; 23773

Peperomia macrostachya (Vahl) A. Dietr.

R. C. Ek 149

J.-J. de Granville 2300; 5374; 8502

S. A. Mori 18767; 20778; 23720

R. A. A. Oldeman 1473; 1850

G. T. Prance 28101

Peperomia maguirei Yunck.

J.-J. de Granville 8940

S. A. Mori 14918; 23272

Peperomia obtusifolia (L.) A. Dietr.

Brian M. Boom 10808; 10860

G. Cremers 6109

R. C. Ek 139; 145

M. Freiberg 47; 105

A. R. A. Görts-van 71
Rijn

J.-J. de Granville 1629; 3110; 5546; 8786

S. A. Mori 15682; 18966

M.-F. Prévost 1804

L. E. Skog 7253

Peperomia ouabianae C. DC.

F. Beekman 55

A. R. A. Görts-van 103
Rijn

S. A. Mori 23774

Peperomia pellucida (L.) Kunth

C. Luu 84

C. Moretti 109

A. Raynal-Roques 19970

L. E. Skog 7387

Peperomia pernambucensis Miq.

D. Barthelemy 146

G. Cremers 6059

S. A. Mori 22724

L. E. Skog 7325

Peperomia rotundifolia (L.) Kunth

Brian M. Boom 10801

C. P. Feillet 427

A. R. A. Görts-van 98

Rijn

J.-J. de Granville 3104; 8489; 8492; 8654

<u>H. Jacquemin</u>	1437
<u>M.-F. Prévost</u>	1606
<u>A. Raynal-Roques</u>	19958
<u>M. Sauvain</u>	642
<u>L. E. Skog</u>	7388

Peperomia serpens (Sw.) Loudon

<u>Brian M. Boom</u>	10864
<u>G. Cremers</u>	6174
<u>R. C. Ek</u>	26
<u>M. Freiberg</u>	29
<u>A. R. A. Görts-van Rijn</u>	73
<u>J.-J. de Granville</u>	1586; 2359; 5315; 5355; 5506
<u>S. A. Mori</u>	14867; 20972; 20997; 21550; 23057
<u>R. A. A. Oldeman</u>	4320
<u>A. Raynal-Roques</u>	19975

Piper adenandrum (Miq.) C. DC.

<u>D. Barthelemy</u>	144
<u>B. Bordenave</u>	337
<u>C. P. Feuillet</u>	526
<u>A. R. A. Görts-van Rijn</u>	64; 113
<u>J.-J. de Granville</u>	3656; 5479; 8398
<u>S. A. Mori</u>	8713; 15134
<u>R. A. A. Oldeman</u>	124
<u>G. T. Prance</u>	28103
<u>M.-F. Prévost</u>	1609
<u>L. E. Skog</u>	7177

Piper aequale Vahl

<u>Y. Aumeeruddy</u>	59
<u>D. Barthelemy</u>	148
<u>G. Cremers</u>	6175
<u>C. P. Feuillet</u>	529
<u>A. Fournet</u>	74
<u>A. R. A. Görts-van Rijn</u>	54; 74; 89
<u>J.-J. de Granville</u>	1678; 2380; 3582; 8399; 8698; 8964
<u>S. A. Mori</u>	14857; 18505; 21097; 21101; 21102; 21174; 21509; 21533; 21640
<u>L. E. Skog</u>	7153; 7164; 7186
<u>B. Wallnöfer</u>	13468; 13472

Piper alatabaccum Trel. & Yuncker

<u>J.-J. de Granville</u>	876
<u>P.-A. Loizeau</u>	591

S. A. Mori 15414

Piper amalaqo L.

C. Moretti 99; 100

Piper amplexenticaule Trel. & Yuncker

A. R. A. Görts-van 85; 118

Rijn

J.-J. de Granville 8388

S. A. Mori 18660; 18949; 22907; 22941

Piper angustifolium Lam.

Brian M. Boom 10806

C. P. Feuillet 441

M. Freiberg 179

J.-J. de Granville 1552; 2289; 2366; 2734; 8568

W. J. Hahn 3633

S. A. Mori 14759; 15490; 21606; 25007

R. A. A. Oldeman 4046

L. E. Skog 7271

Piper anonifolium (Kunth) C. DC.

C. P. Feuillet 422; 431

A. R. A. Görts-van 56; 57; 124

Rijn

J.-J. de Granville 875; 2747; 4471; 8396; 8853

S. A. Mori 8699; 8741; 8751; 8792; 15399; 15491; 18665; 18890; 21158; 21662; 21705; 22015

R. A. A. Oldeman 4172

M.-F. Prévost 1607

L. E. Skog 7031; 7055; 7176; 7330

Piper arboreum Aubl.

D. Barthélémy 149

J.-J. de Granville 2345

S. A. Mori 15083; 21171; 22049

R. A. A. Oldeman 1854

M.-F. Prévost 1602

L. E. Skog 7384

Piper augustum Rudge

Brian M. Boom 10787

M. Freiberg 49

A. R. A. Görts-van 108

Rijn

J.-J. de Granville 2403; 4603; 4732; 8392

P. J. M. Maas 2278

S. A. Mori 8737; 15082; 21180; 21990; 24130; 24791

R. A. A. Oldeman 4076; 4212

M.-F. Prévost 1595

B. Riéra 931; 931

Piper avellananum (Miq.) C. DC.

<u>J.-J. de Granville</u>	3010; 3560; 8724
<u>S. A. Mori</u>	18522; 23073
<u>R. A. A. Oldeman</u>	3288
<u>B. Wallnöfer</u>	13475

Piper bartlingianum (Miq.) C. DC.

<u>A. R. A. Görts-van Rijn</u>	65; 112
<u>J.-J. de Granville</u>	1620; 1669; 5456; 8397; 8545; 8944
<u>S. A. Mori</u>	8787; 15133; 18888; 21156; 21157; 21525; 22950; 24286; 24905; 24955
<u>R. A. A. Oldeman</u>	3965
<u>H. Peckham</u>	1
<u>L. E. Skog</u>	7151; 7347

Piper brownsbergense Yunck.

<u>J.-J. de Granville</u>	1589; 2241; 2372; 3069; 3651; 8619
<u>S. A. Mori</u>	23235

Piper cernuum Vell.

<u>J.-J. de Granville</u>	5436; 8434
---------------------------	------------

Piper consanguineum (Kunth) C. DC.

<u>C. P. Feuillet</u>	430
<u>A. R. A. Görts-van Rijn</u>	91
<u>J.-J. de Granville</u>	696; 869; 5493; 8373
<u>S. A. Mori</u>	14843; 14856; 18358; 18860; 22687
<u>L. E. Skog</u>	7155

Piper crassinervium Kunth

<u>J.-J. de Granville</u>	8634
---------------------------	------

Piper cyrtopodon C. DC.

<u>Brian M. Boom</u>	10783
<u>J.-J. de Granville</u>	5495
<u>S. A. Mori</u>	14861

Piper demeraranum (Miq.) C. DC.

<u>A. R. A. Görts-van Rijn</u>	102
<u>S. A. Mori</u>	23351

Piper dilatatum Rich.

<u>D. Barthelemy</u>	151
<u>C. P. Feuillet</u>	419
<u>A. R. A. Görts-van Rijn</u>	66; 129
<u>S. A. Mori</u>	18920; 21189; 24934
<u>R. A. A. Oldeman</u>	3915
<u>M.-F. Prévost</u>	1594

Piper dumosum Rudge

<u>Brian M. Boom</u>	10868
<u>M. Freiberg</u>	46
<u>A. R. A. Görts-van Rijn</u>	80; 90; 120
<u>J.-J. de Granville</u>	3099; 5075; 8516; 9051
<u>S. A. Mori</u>	21639
<u>R. A. A. Oldeman</u>	1474; 4050
<u>L. R. Phillippe</u>	26913
<u>L. E. Skog</u>	7150

Piper eucalyptifolium Rudge

<u>J.-J. de Granville</u>	3536; 8416; 8741; 8960
<u>B. Wallnöfer</u>	13495

Piper hispidum Sw.

<u>D. Barthelemy</u>	140
<u>B. Descoings</u>	20538
<u>A. R. A. Görts-van Rijn</u>	123
<u>J.-J. de Granville</u>	740; 2759
<u>W. J. Hahn</u>	3608
<u>A. J. M. Leeuwenberg</u>	11753
<u>N. Marshall</u>	106
<u>S. A. Mori</u>	14810; 15081; 19094; 22050; 23348; 24931
<u>L. R. Phillippe</u>	26893
<u>G. T. Prance</u>	28118
<u>M.-F. Prévost</u>	1592
<u>L. E. Skog</u>	7120
<u>B. Wallnöfer</u>	13474

Piper hostmannianum (Miq.) C. DC.

<u>A. R. A. Görts-van Rijn</u>	121
<u>N. Marshall</u>	242
<u>S. A. Mori</u>	14876; 14906; 18666; 18774; 21991; 22729; 23937; 24747; 24936; 24943; 24944
<u>R. A. A. Oldeman</u>	4015
<u>H. Peckham</u>	3
<u>G. T. Prance</u>	28104

Piper humistratum Görts & Kramer

<u>C. P. Feuillet</u>	434
<u>J.-J. de Granville</u>	2727; 3096
<u>S. A. Mori</u>	14909; 15004; 22797

Piper insipiens Trel. & Yunck.

<u>A. R. A. Görts-van Rijn</u>	62; 101; 122
--------------------------------	--------------

J. P. Lescure 28

Piper nematanthera C. DC.

J.-J. de Granville 1604; 2369; 2701

Piper nigrispicum C. DC.

Brian M. Boom 10843

C. P. Feuillet 466

M. Freiberg 223

A. R. A. Görts-van Rijn 53; 99; 119

J.-J. de Granville 1632; 1633; 1647; 4470; 8400; 8424; 9006

W. J. Hahn 3600

P.-A. Loizeau 623

P. J. M. Maas 2268

S. A. Mori 14786; 14862; 14898; 15287; 18009; 18227; 18501; 18620; 18662; 18868; 20940; 21096; 21100; 21140; 21609; 21996; 22047; 22053; 23349; 23375; 23951; 24895; 25000

H. Peckham 2

L. R. Phillippe 26929

N. P. Smith 11

Piper obliquum Ruiz & Pav.

D. Barthelemy 141

Brian M. Boom 10823

H. de Foresta 693

A. R. A. Görts-van Rijn 81

J.-J. de Granville 1643; 2370; 8513; 8562

S. A. Mori 8738

B. Wallnöfer 13498

Piper paramaribense C. DC.

A. R. A. Görts-van Rijn 117

J.-J. de Granville 3655; 8444

S. A. Mori 20930; 25002

M.-F. Prévost 1799

Piper piscatorum Trel. & Yunck.

N. Marshall 138

S. A. Mori 18087

Piper reticulatum L.

H. Jacquemin 1434

S. A. Mori 18921; 24933

R. A. A. Oldeman 3174

L. R. Phillippe 27011

B. Riéra 932

Piper tectonifolium Kunth

<u>G. Cremers</u>	7565
<u>C. P. Feuillet</u>	530
<u>J.-J. de Granville</u>	1575; 2003; 2352; 4444; 4474; 9052
<u>S. A. Mori</u>	14967; 15416; 21994; 23950
<u>M.-F. Prévost</u>	1596
Piper trichoneuron (Miq.) C. DC.	
<u>M. Freiberg</u>	78
<u>A. R. A. Görts-van Rijn</u>	55; 115; 125
<u>J.-J. de Granville</u>	1569; 1670; 3146
<u>W. J. Hahn</u>	3594
<u>S. A. Mori</u>	18518; 18664; 19033; 19105; 24746; 24908; 24926; 24963
Pothomorphe peltata (L.) Miq.	
<u>B. Bordenave</u>	320
<u>C. P. Feuillet</u>	421
<u>A. Gely</u>	82
<u>A. R. A. Görts-van Rijn</u>	67
<u>J.-J. de Granville</u>	3165
<u>N. Marshall</u>	149
<u>C. Moretti</u>	106
<u>S. A. Mori</u>	18640
<u>R. A. A. Oldeman</u>	3914
<u>H. Peckham</u>	4
<u>L. E. Skog</u>	7289

Plantaginaceae

This family not treated in the *Guide*. Until a specimen is seen, we do not consider that this species is native to our area.

Plantago

<u>C. Luu</u>	80
---------------	----

Poaceae

The treatment of the Poaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Emmet J. Judziewicz.

The correct author abbreviations of the following species are *Eragrostis maypurensis* (Kunth) Steud. not *E. maypurensis* (Humboldt, Bonpland, & Kunth) Steudel, *Guadua latifolia* (Bonpl.) Kunth not *G. latifolia* (Humboldt & Bonpland) Kunth, *Homolepis aturensis* (Kunth) Chase not *Homolepis aturensis* (Humboldt, Bonpland, & Kunth) Chase, *Ichnanthus nemoralis* (Schult.) Hitchc. & Chase not *I. nemoralis* (Schultes) A. Hitchcock & Chase, *Lasiacis sorghoidea* (Desv.) Hitchc. & Chase not *L. sorghoidea* (Desvaux) A. Hitchcock & Chase as in Part 1 of the *Guide*.

Acroceras zizanioides (Kunth) Dandy

S. A. Mori 23048; 23835

Andropogon bicornis L.

M. Freiberg 300

S. A. Mori 18388

Axonopus compressus (Sw.) P. Beauv.

J. Hoock 171

Axonopus purpusii (Mez) Chase

S. A. Mori 18253

L. E. Skog 7319

Cryptochloa capillata (Trin.) Soderstr.

J.-J. de Granville 8738; 8937; 9016

Eleusine indica (L.) Gaertn.

G. Sieffermann 4

Eragrostis maypurensis (Kunth) Steud.

S. A. Mori 19020

Guadua latifolia (Bonpl.) Kunth

S. A. Mori 22228

Homolepis aturensis (Kunth) Chase

S. A. Mori 18440

Ichnanthus breviscrobs Döll

F. Capus 7; 74

A. Gely 4

J.-J. de Granville 8522; 8928; 9055

S. A. Mori 19021

R. A. A. Oldeman 1458

Ichnanthus leiocarpus (Spreng.) Kunth

J. Hoock 227

Ichnanthus nemoralis (Schult.) Hitchc. & Chase

J.-J. de Granville 3355; 8967

M. H. G. Gustafsson 332

S. A. Mori 23253

Ichnanthus pallens (Sw.) Benth.

Brian M. Boom 10794; 10865

B. Descoings 20639

J.-J. de Granville 5545; 8727; 8747

J. Hoock 144

S. A. Mori 14705; 14801; 18345; 18410

M.-F. Prévost 776

A. Raynal-Roques 19964

Ichnanthus panicoides P. Beauv.

<u>L. Allorge</u>	305
<u>J.-J. de Granville</u>	1658; 5372; 8383; 8564; 8859
<u>W. J. Hahn</u>	3651
<u>P. J. M. Maas</u>	2283
<u>S. A. Mori</u>	14871; 18877
<u>R. A. A. Oldeman</u>	3958

***Lasiacis ligulata* Hitchc. & Chase**

<u>B. Descoings</u>	20539
<u>M. Freiberg</u>	286
<u>A. Gely</u>	37
<u>J.-J. de Granville</u>	4419
<u>W. J. Hahn</u>	3663
<u>A. J. M. Leeuwenberg</u>	11763
<u>S. A. Mori</u>	18394; 22086
<u>R. A. A. Oldeman</u>	3926; 4217
<u>M.-F. Prévost</u>	787
<u>B. Riéra</u>	918

***Lasiacis sorgoidea* (Desv.) Hitchc. & Chase**

<u>J. Hoock</u>	91
<u>A. J. M. Leeuwenberg</u>	11775
<u>L. E. Skog</u>	7106

***Olyra caudata* Trin.**

<u>Brian M. Boom</u>	10820
<u>J.-J. de Granville</u>	8829

***Olyra ecaudata* Döll**

<u>J.-J. de Granville</u>	5497; 8448; 8612; 9015
<u>S. A. Mori</u>	15636

***Olyra latifolia* L.**

<u>L. Allorge</u>	306
<u>B. Descoings</u>	20514; 20543
<u>M. Freiberg</u>	55
<u>J.-J. de Granville</u>	734; 741; 3166; 4455; 8520; 8943; 9048
<u>S. A. Mori</u>	14840; 14842; 18421; 18848; 18874; 19083; 23061; 23815; 23874; 24160
<u>R. A. A. Oldeman</u>	3954
<u>A. Raynal-Roques</u>	19950

***Opismenus hirtellus* (L.) P. Beauv.**

<u>J.-J. de Granville</u>	4450; 5511
<u>S. A. Mori</u>	18630; 21067
<u>R. A. A. Oldeman</u>	4330; 4342

***Orthoclada laxa* (Rich.) P. Beauv.**

<u>B. Descoings</u>	20541
<u>J.-J. de Granville</u>	883; 8451; 8491; 9013

<u>S. A. Mori</u>	14836; 14853; 23806
<u>R. A. A. Oldeman</u>	4123
Panicum laxum Sw.	
<u>G. Sieffermann</u>	1
Panicum pilosum Sw.	
<u>F. Capus</u>	80
<u>J.-J. de Granville</u>	8490
<u>S. A. Mori</u>	18347; 18412; 21068; 23807
<u>R. A. A. Oldeman</u>	4330
Panicum rivale Swallen	
<u>J.-J. de Granville</u>	3041
Panicum sciurotoides Zuloaga & Morrone	
<u>J.-J. de Granville</u>	8966
Panicum stoloniferum Poir.	
<u>J.-J. de Granville</u>	5487; 8576; 8766
<u>A. J. M. Leeuwenberg</u>	11748
Pariana campestris Aubl.	
<u>M. Freiberg</u>	56
<u>S. A. Mori</u>	25062
<u>R. A. A. Oldeman</u>	2787
Pariana radiciflora Döll	
<u>C. P. Feuillet</u>	472
<u>J.-J. de Granville</u>	3123; 3285; 5510; 9061
<u>S. A. Mori</u>	22678
Paspalum conjugatum Bergius	
<u>S. A. Mori</u>	14839
<u>G. Sieffermann</u>	2
Paspalum paniculatum L.	
<u>F. Capus</u>	6
<u>J. Hoock</u>	1107
<u>S. A. Mori</u>	18254; 23805
Paspalum virgatum L.	
<u>B. Descoings</u>	20523
<u>S. A. Mori</u>	18241
Pharus lappulaceus Aubl.	
<u>J.-J. de Granville</u>	3337
Pharus latifolius L.	
<u>J.-J. de Granville</u>	4462; 4776; 8462
<u>S. A. Mori</u>	23826
Pharus parvifolius Nash subsp. <i>parvifolius</i>	
<u>B. Descoings</u>	20556
<u>J.-J. de Granville</u>	8852
<u>J. Hoock</u>	897

S. A. Mori 14841

M.-F. Prévost 1802

***Pharus virescens* Döll**

M. Freiberg 57

J.-J. de Granville 1642; 5076

J. Hoock 1075

S. A. Mori 14837; 18968

***Piresia goeldii* Swallen**

B. Descoings 20515

J.-J. de Granville 8365

S. A. Mori 22991

R. A. A. Oldeman 4205

A. Raynal-Roques 19994

***Piresia macrophylla* Soderstr.**

J.-J. de Granville 8506

***Sporobolus jacquemontii* Kunth**

S. A. Mori 18445

***Streptogyna americana* C. E. Hubb.**

J.-J. de Granville 1621; 8541; 8580

S. A. Mori 18346

***Tripsacum andersonii* J. R. Gray**

S. A. Mori 18423

Podostemaceae

The treatment of the Podostemaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by C. Thomas Philbrick (WCSU)

***Apinagia kochii* (Engl.) P. Royen**

J.-J. de Granville 5541

***Apinagia richardiana* (Tul.) P. Royen**

J.-J. de Granville 3066; 3270

S. A. Mori 22792

Polygalaceae

The treatment of the Polygalaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Arian Jacobs-Brouwer (U).

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Polygala membranacea* (Miq.) Görts.

***Barnhartia floribunda* Gleason**

R. A. A. Oldeman 3189

***Moutabea guianensis* Aubl.**

<u>A. H. Gentry</u>	63002
<u>J.-J. de Granville</u>	3129
<u>S. A. Mori</u>	15163; 15512; 18535; 18954; 19164
<u>R. A. A. Oldeman</u>	1997; 2091
<u>T. D. Pennington</u>	13860

***Polygala spectabilis* DC.**

<u>J.-J. de Granville</u>	3242; 3373
<u>S. A. Mori</u>	23240

***Securidaca pubescens* DC.**

S. A. Mori 23725

***Securidaca spinifex* Sandwith**

S. A. Mori 20723; 20861; 25067

***Securidaca uniflora* Oort**

S. A. Mori 15157

***Securidaca volubilis* L. emend. Oort**

S. A. Mori 18899; 21205

Polygonaceae

The treatment of the Polygonaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by John Brandbyge.

***Coccoloba ascendens* Lindau**

<u>C. P. Feuillet</u>	474
<u>J.-J. de Granville</u>	2814; 5401; 5484

***Coccoloba exselsa* Benth.**

F. Beekman 53

***Coccoloba parimensis* Benth.**

S. A. Mori 14993

Portulacaceae

Portulaca oleracea is only known cultivated from our area. Hence, this family is not included in the *Guide*.

***Portulaca oleracea* L.**

C. Luu 44; 81

Proteaceae

The treatment of Proteaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Vanessa Plana (K).

Euplassa pinnata (Lam.) I. M. Johnst.

S. A. Mori 15168

Panopsis rubescens (Pohl) Rusby

S. A. Mori 20968

Roupala montana Aubl.

J.-J. de Granville 9010

Quiinaceae

The treatment of Quiinaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

Lacunaria crenata (Tul.) A. C. Sm.

C. P. Feuillet 503
A. H. Gentry 62988
J.-J. de Granville 4277
F. Hallé 814
S. A. Mori 15237; 22202

Lacunaria jenmanii (Oliv.) Ducke

H. de Foresta 675
A. H. Gentry 62969
J.-J. de Granville 3386; 4372; 4395; 5466
S. A. Mori 15417; 18194; 18549; 20779; 22062; 23280

Quiina guianensis Aubl.

A. H. Gentry 62965; 63051
J.-J. de Granville 4407; 5317; 11202
W. J. Hahn 3654; 3654
S. A. Mori 15587; 18365; 21074; 21159; 24861

Quiina obovata Tul.

J.-J. de Granville 742; 5087; 5088
K. Kubitzki 115
S. A. Mori 14723; 15269; 15314; 22016; 22266; 23336; 23888; 24978
R. A. A. Oldeman 3811

Quiina oiapocensis Pires

S. A. Mori 15499
T. D. Pennington 13846

Quiina sessilis Choisy

<u>J.-J. de Granville</u>	1674; 8914
<u>S. A. Mori</u>	23207
<u>R. A. A. Oldeman</u>	4170

***Quiina* sp. A**

<u>J.-J. de Granville</u>	2296
<u>S. A. Mori</u>	23338

***Touroulia guianensis* Aubl.**

<u>H. de Foresta</u>	685
<u>S. A. Mori</u>	15126

Rafflesiaceae

The treatment of Rafflesiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY)

***Apodanthes caseariae* Poit.**

<u>Brian M. Boom</u>	10772; 10847
----------------------	--------------

Rapateaceae

The treatment of Rapateaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Brian M. Boom (NY).

Rapatea ulei was collected after the *Guide* part 1 was published.

***Rapatea saülensis* B. M. Boom**

<u>G. Cremers</u>	12998
-------------------	-------

***Rapatea ulei* Pilger**

<u>J.-J. de Granville</u>	14070
---------------------------	-------

***Spathanthus unilateralis* (Rudge) Desv.**

<u>S. A. Mori</u>	22795
-------------------	-------

Rhabdodendraceae

The treatment of Rhabdodendraceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY)

***Rhabdodendron amazonicum* (Benth.) Huber**

<u>S. A. Mori</u>	18040; 24695
-------------------	--------------

Rhamnaceae

The treatment of Rhamnaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott V. Heald (NY).

Gouania blanchetiana Miq.

<u>J.-J. de Granville</u>	5357; 5414; 8635
<u>A. J. M. Leeuwenberg</u>	11717
<u>S. A. Mori</u>	15600; 21173; 23714; 24303; 24756; 24766
<u>R. A. A. Oldeman</u>	2387

Ziziphus cinnamomum Triana & Planch.

<u>S. A. Mori</u>	22662; 23343
<u>L. R. Phillippe</u>	26903

Rhizophoraceae

The treatment of Rhizophoraceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

Cassipourea guianensis Aubl.

<u>J.-J. de Granville</u>	3351; 8551; 9040
<u>S. A. Mori</u>	15425; 18051
<u>R. A. A. Oldeman</u>	3283

Rosaceae

The treatment of the Rosaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by John D. Mitchell (NY)

Prunus accumulans (Koehne) C. L. Li & Aymard

<u>J.-J. de Granville</u>	4646
---------------------------	------

Rubiaceae

The treatment of the Rubiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Brian M. Boom and Piero G. Delprete (NY).

Coffea arabica and *Ixora coccinea* are only found cultivated in our area.

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Psychotria hoffmannseggiana* (Roem. & Schult.) Müll. Arg.

***Alibertia myrciifolia* (K. Schum.) K. Schum.**

<u>J.-J. de Granville</u>	3328
<u>S. A. Mori</u>	18638

***Alseis longifolia* Ducke**

<u>J.-J. de Granville</u>	4741
<u>S. A. Mori</u>	23334

***Amaiba guianensis* Aubl.**

<u>F. Billiet</u>	5808
<u>Brian M. Boom</u>	2292; 10708
<u>J.-J. de Granville</u>	4242; 4773; 5047; 8414
<u>A. J. M. Leeuwenberg</u>	11800
<u>C. Moretti</u>	392
<u>S. A. Mori</u>	8882; 15541; 15543; 18873; 22904; 24321; 25068
<u>R. A. A. Oldeman</u>	2111; 4286; 4308
<u>C. Persson</u>	2061
<u>A. Raynal-Roques</u>	19998

***Bertiera guianensis* Aubl.**

<u>L. Andersson</u>	2029
<u>Brian M. Boom</u>	10696
<u>B. Bordenave</u>	310
<u>C. P. Feuillet</u>	453; 484; 506
<u>J.-J. de Granville</u>	4232; 4562; 8389; 8624; 8824
<u>P. J. M. Maas</u>	2218
<u>N. Marshall</u>	237
<u>S. A. Mori</u>	15150; 18913; 19062; 20799; 21114; 22045; 23177; 24128; 24335
<u>R. A. A. Oldeman</u>	1956; 2782; 3812; 4187
<u>M.-F. Prévost</u>	179
<u>D. R. L. Sabatier</u>	1240
<u>L. E. Skog</u>	7109

***Bothriospora corymbosa* (Benth.) Hook. f.**

<u>J.-J. de Granville</u>	9001
---------------------------	------

***Capirona decorticans* Spruce**

<u>J.-J. de Granville</u>	5548
---------------------------	------

***Chimarrhis microcarpa* Standl.**

<u>Brian M. Boom</u>	2037; 2041; 2043; 2050; 2067; 2069; 2078; 2080; 2180; 2213; 2217; 2226; 2230; 2263; 2445; 10698
<u>J.-J. de Granville</u>	2671; 2799; 5167; 9041
<u>S. A. Mori</u>	15016; 15109; 15562; 18943; 20910; 24813
<u>L. R. Phillippe</u>	27008
<u>J. H. E. Rova</u>	2034

***Chimarrhis turbinata* DC.**

<u>Brian M. Boom</u>	1787; 1880; 10709; 10719
<u>J.-J. de Granville</u>	5377

S. A. Mori 18691; 21567; 23098; 23740; 24239

***Chiococca alba* (L.) Hitchc.**

<u>L. Andersson</u>	2027; 2033; 2033
<u>C. P. Feuillet</u>	505
<u>J.-J. de Granville</u>	4255; 4414; 5179; 9054
<u>W. J. Hahn</u>	3689
<u>P.-A. Loizeau</u>	628
<u>N. Marshall</u>	117
<u>C. Moretti</u>	167
<u>S. A. Mori</u>	15569
<u>R. A. A. Oldeman</u>	3956
<u>M.-F. Prévost</u>	2135

***Chiococca nitida* Benth.**

<u>J.-J. de Granville</u>	2753; 5134
---------------------------	------------

***Chomelia tenuiflora* Benth.**

<u>L. Andersson</u>	2030; 2046
<u>Brian M. Boom</u>	10713
<u>S. A. Mori</u>	18093; 22801
<u>M.-F. Prévost</u>	769
<u>A. Raynal-Roques</u>	20012

***Coccocypselum guianense* (Aubl.) K. Schum.**

<u>J.-J. de Granville</u>	3313
---------------------------	------

***Coffea arabica* L.**

<u>S. A. Mori</u>	18450
<u>M.-F. Prévost</u>	1835

***Coussarea amapaensis* Steyermark.**

<u>J.-J. de Granville</u>	1609; 1625; 2376; 2385
<u>S. A. Mori</u>	14894; 20788

***Coussarea granvillei* Delporte & B. M. Boom**

<u>J.-J. de Granville</u>	4744; 8601; 8668; 8811
<u>R. A. A. Oldeman</u>	3269; 3286; 3289

***Coussarea machadoana* Standley.**

<u>S. A. Mori</u>	15459
-------------------	-------

***Coussarea micrococca* Bremek.**

<u>J.-J. de Granville</u>	8679
---------------------------	------

***Coussarea racemosa* A. Rich.**

<u>Brian M. Boom</u>	1634; 1655; 1656; 1723; 1727; 1731; 1739; 1767
<u>C. P. Feuillet</u>	491
<u>J.-J. de Granville</u>	4266
<u>N. Marshall</u>	
<u>S. A. Mori</u>	14707; 15227; 15419; 18007; 18565; 20754; 20953; 22827; 24315; 25170
<u>R. A. A. Oldeman</u>	3979; 4041; 4104; 4153

***Coussarea violacea* Aubl.**

S. A. Mori 21680; 22765; 24915

***Diodia ocimifolia* (Willd.) Bremek.**

<u>L. Andersson</u>	2040
<u>Brian M. Boom</u>	10695
<u>F. Capus</u>	9; 76
<u>A. Gely</u>	6
<u>H. Jacquemin</u>	1679
<u>A. J. M. Leeuwenberg</u>	11756
<u>S. A. Mori</u>	18251; 18267; 18425; 18496; 19069; 21188; 22039; 22114; 23716

***Diodia spicata* Miq.**

<u>Brian M. Boom</u>	10728
<u>R. A. A. Oldeman</u>	4124
<u>M.-F. Prévost</u>	773

***Duroia aquatica* (Aubl.) Bremek.**

<u>L. Andersson</u>	2043
<u>Brian M. Boom</u>	2316; 10697
<u>A. H. Gentry</u>	63088
<u>S. A. Mori</u>	15691; 18869; 24306
<u>R. A. A. Oldeman</u>	2118
<u>A. Raynal-Roques</u>	19954

***Duroia eriopila* L. f.**

<u>L. Andersson</u>	2039
<u>Brian M. Boom</u>	10717; 10838
<u>G. Cremers</u>	6127
<u>J.-J. de Granville</u>	8791
<u>F. Hallé</u>	811; 822
<u>S. A. Mori</u>	15049; 18062; 23363; 25071
<u>C. Persson</u>	2069
<u>N. P. Smith</u>	3
<u>B. Wallnöfer</u>	13508

***Duroia longiflora* Ducke**

<u>Brian M. Boom</u>	1677; 1693
<u>J.-J. de Granville</u>	2794
<u>S. A. Mori</u>	14722; 15249; 18545; 21520
<u>R. A. A. Oldeman</u>	3971

***Faramea corymbosa* Aubl.**

<u>S. A. Mori</u>	14928; 15474
-------------------	--------------

***Faramea guianensis* (Aubl.) Bremek.**

<u>L. Andersson</u>	2044
<u>Brian M. Boom</u>	10729; 10762
<u>B. Bordenave</u>	329
<u>C. P. Feuillet</u>	490
<u>J.-J. de Granville</u>	3133; 3594; 4593; 5442; 8507

<u>P. J. M. Maas</u>	2244
<u>S. A. Mori</u>	21518; 21655; 23901; 24273; 24994
<u>M.-F. Prévost</u>	2108
<u>L. E. Skog</u>	7213; 7367
<u>B. Wallnöfer</u>	13505

***Faramea lourteigiana* Steyerm.**

<u>L. Andersson</u>	2048
<u>Y. Aumeeruddy</u>	63
<u>Brian M. Boom</u>	10730
<u>C. P. Feuillet</u>	473
<u>J.-J. de Granville</u>	546
<u>F. Hallé</u>	806
<u>P. J. M. Maas</u>	2241
<u>C. Moretti</u>	37
<u>S. A. Mori</u>	19044; 22315
<u>R. A. A. Oldeman</u>	2086
<u>M. Sauvain</u>	639

***Faramea multiflora* A. Rich.**

<u>R. A. A. Oldeman</u>	4021
-------------------------	------

***Faramea multiflora* A. Rich. var. *salicifolia* (C. Presl) Steyerm.**

<u>L. Andersson</u>	2041
<u>Brian M. Boom</u>	10773
<u>H. de Foresta</u>	690
<u>J.-J. de Granville</u>	1535; 1611; 1640; 2365; 4376; 4597; 5352; 5394; 8572; 8842
<u>S. A. Mori</u>	15550; 18370; 19095; 22684; 24863
<u>B. Wallnöfer</u>	13489

***Faramea quadricostata* Bremek.**

<u>G. Cremers</u>	7581
<u>J.-J. de Granville</u>	1650
<u>S. A. Mori</u>	18143
<u>O. Poncy</u>	55

***Faramea tinguana* Müll. Arg.**

<u>Brian M. Boom</u>	1565
<u>J.-J. de Granville</u>	2274; 2292; 5131; 5177; 5549; 8647
<u>H. Jacquemin</u>	1445
<u>S. A. Mori</u>	19043; 22914

***Ferdinandusa paraensis* Ducke**

<u>Brian M. Boom</u>	1832; 2349
<u>S. A. Mori</u>	15367; 20866; 21018; 22092; 22682; 25169
<u>R. A. A. Oldeman</u>	3242

***Genipa spruceana* Steyerm.**

<u>S. A. Mori</u>	15089
-------------------	-------

***Geophila cordifolia* Miq.**

<u>Brian M. Boom</u>	10707
<u>J.-J. de Granville</u>	3336; 4394; 8536
<u>M. H. G. Gustafsson</u>	318
<u>W. J. Hahn</u>	3615
<u>N. Marshall</u>	147
<u>S. A. Mori</u>	14850; 18157; 18372; 19111; 22278; 23051; 23719

***Geophila repens* (L.) I. M. Johnst.**

<u>J.-J. de Granville</u>	533
<u>S. A. Mori</u>	20922

***Geophila tenuis* (Müll. Arg.) Standl.**

<u>L. Andersson</u>	2025
<u>F. Billiet</u>	5787
<u>Brian M. Boom</u>	10733
<u>S. A. Mori</u>	18371

***Gonzalagunia dicocca* Cham. & Schlechl.**

<u>L. Andersson</u>	2024
<u>R. P. J. Barbotin</u>	
<u>Brian M. Boom</u>	10725; 10726
<u>B. Bordenave</u>	300; 315
<u>B. Descoings</u>	20552
<u>M. Freiberg</u>	2
<u>A. Gely</u>	81; 87
<u>J.-J. de Granville</u>	530; 693; 737; 4608
<u>M. Hoff</u>	6636
<u>H. Jacquemin</u>	1447; 1673; 1674
<u>A. J. M. Leeuwenberg</u>	11771
<u>J. P. Lescure</u>	21
<u>J. C. Lindeman</u>	2221; 2231
<u>P.-A. Loizeau</u>	613
<u>P. J. M. Maas</u>	2221; 2231
<u>N. Marshall</u>	238
<u>C. Moretti</u>	20; 101
<u>S. A. Mori</u>	8700; 14852; 22667; 22668
<u>R. A. A. Oldeman</u>	3951
<u>L. R. Phillippe</u>	26891; 26894
<u>A. Raynal-Roques</u>	19951
<u>B. Riéra</u>	944
<u>D. R. L. Sabatier</u>	963

***Guettarda acreana* K. Krause**

<u>L. Andersson</u>	2031
<u>S. A. Mori</u>	14691; 15598; 18145; 18842; 24737
<u>R. A. A. Oldeman</u>	4309

***Guettarda spruceana* Müll. Arg.**

<u>L. Andersson</u>	2042
<u>S. A. Mori</u>	24780

***Hamelia axillaris* Sw.**

<u>Brian M. Boom</u>	10702
<u>B. Bordenave</u>	317
<u>C. P. Feuillet</u>	432; 467
<u>J.-J. de Granville</u>	2761; 4606; 4727
<u>M. H. G. Gustafsson</u>	327
<u>C. Moretti</u>	57
<u>S. A. Mori</u>	15092; 18678; 21638; 22080
<u>R. A. A. Oldeman</u>	2051; 4006; 4073; 4075

***Hillia illustris* (Vell.) K. Schum.**

<u>R. C. Ek</u>	70
<u>M. Freiberg</u>	81
<u>S. A. Mori</u>	15259; 24296

***Hillia parasitica* Jacq.**

<u>J.-J. de Granville</u>	8563
---------------------------	------

***Ibetralia surinamensis* Bremek.**

<u>Brian M. Boom</u>	10776
<u>B. Bordenave</u>	307
<u>J.-J. de Granville</u>	1598; 4375; 4404; 4579; 5183; 8748; 8953
<u>P. J. M. Maas</u>	2239
<u>S. A. Mori</u>	8749; 14865; 20884
<u>C. Persson</u>	2049; 2067

***Isertia coccinea* (Aubl.) J. F. Gmel.**

<u>Brian M. Boom</u>	1868
<u>B. Bordenave</u>	309
<u>N. Marshall</u>	177
<u>S. A. Mori</u>	15613; 19027; 20888; 21010; 24269
<u>L. R. Phillippe</u>	27007

***Isertia spiciformis* DC.**

<u>Brian M. Boom</u>	1755; 1869
<u>J.-J. de Granville</u>	3369
<u>J. P. Lescure</u>	24
<u>S. A. Mori</u>	18037; 18972; 25045; 25129
<u>R. A. A. Oldeman</u>	4155; 4287

***Ixora aluminicola* Steyermark.**

<u>Brian M. Boom</u>	10840
<u>J.-J. de Granville</u>	1607; 1652; 2405; 2678; 4368; 4771; 5150; 5430; 5491; 8777
<u>S. A. Mori</u>	18279; 18718
<u>R. A. A. Oldeman</u>	4333

***Ixora coccinea* L.**

<u>F. Capus</u>	61
-----------------	----

***Ixora graciliflora* Benth.**

J.-J. de Granville 2358

***Ixora piresii* Steyerm.**

J.-J. de Granville 3385; 8875

***Ixora pubescens* Schult. & Schult. f.**

J.-J. de Granville 5185

S. A. Mori 22807

***Malanea macrophylla* Griseb.**

S. A. Mori 14892; 18634; 20958; 21620; 23197; 23308; 24289

***Manettia alba* (Aubl.) Wernham**

J.-J. de Granville 5130

S. A. Mori 20856

***Manettia reclinata* L.**

Brian M. Boom 10766

J.-J. de Granville 648; 2760; 8607

S. Heald 19

S. A. Mori 18707; 22338; 22760; 23294; 23958; 24907

R. A. A. Oldeman 4343

M.-F. Prévost 181

A. Raynal-Roques 20015

***Morinda brachycalyx* (Bremek.) Steyerm.**

Brian M. Boom 10789; 10867

J.-J. de Granville 1544; 1641; 2388; 8884

S. A. Mori 15642; 18608; 23830

G. T. Prance 30668; 30673

***Oldenlandia lancifolia* (Schumach.) DC.**

Brian M. Boom 10723

S. A. Mori 23960

A. Raynal-Roques 18641

L. E. Skog 7297

***Palicourea brachyloba* (Müll. Arg.) B. M. Boom**

J.-J. de Granville 5356

R. A. A. Oldeman 4349

***Palicourea calophylla* DC.**

J.-J. de Granville 2653; 3320

S. A. Mori 14708; 14825; 17969; 20959; 22185

***Palicourea crocea* (Sw.) Roem. & Schult.**

Brian M. Boom 10735

B. Bordenave 304; 346

G. Cremers 6075

J.-J. de Granville 739; 2282; 2721; 5445; 8616; 8896; 8909; 8973

J. P. Lescure 19

P.-A. Loizeau 593

<u>N. Marshall</u>	222
<u>S. A. Mori</u>	15356; 18741; 19010; 24257
<u>R. A. A. Oldeman</u>	1842; 1953; 4185

Palicourea guianensis Aubl.

<u>L. Andersson</u>	2062; 2064
<u>S. A. Mori</u>	15372; 17964; 21131; 24318; 24770
<u>R. A. A. Oldeman</u>	1461; 2121

Palicourea longiflora (Aubl.) A. Rich.

<u>Brian M. Boom</u>	10739; 10779
<u>J.-J. de Granville</u>	1635; 4406
<u>W. J. Hahn</u>	3685
<u>F. Hallé</u>	803
<u>S. A. Mori</u>	18203; 18500; 22186; 22269; 24009
<u>A. Raynal-Roques</u>	19969

Palicourea longistipulata (Müll. Arg.) Standl.

<u>L. Andersson</u>	2054
<u>J.-J. de Granville</u>	2785; 4264; 4604
<u>S. A. Mori</u>	15194
<u>R. A. A. Oldeman</u>	4209

Palicourea quadrifolia (Rudge) DC.

<u>G. Cremers</u>	6077
<u>J.-J. de Granville</u>	902; 3231; 8812
<u>H. Jacquemin</u>	1436
<u>S. A. Mori</u>	14934; 20978
<u>R. A. A. Oldeman</u>	3978
<u>L. R. Phillippe</u>	26930

Patima guianensis Aubl.

<u>G. Cremers</u>	6095
<u>J.-J. de Granville</u>	3084; 3235
<u>L. E. Skog</u>	7237

Posoqueria gracilis (Rudge) Roem. & Schult.

<u>L. Allorge</u>	325
<u>J.-J. de Granville</u>	5154; 8954
<u>C. Moretti</u>	52
<u>S. A. Mori</u>	23326
<u>R. A. A. Oldeman</u>	4292

Posoqueria latifolia (Rudge) Roem. & Schult.

<u>Brian M. Boom</u>	1676
<u>J.-J. de Granville</u>	2702; 5084
<u>S. A. Mori</u>	14717; 14773; 14923; 15228; 18057; 20952; 24280; 25168

Psychotria acuminata Benth.

<u>J.-J. de Granville</u>	8468
<u>S. A. Mori</u>	19097; 21195

***Psychotria alloantha* Steyerm.**

J.-J. de Granville 3127

***Psychotria apoda* Steyerm.**

C. P. Feuillet 527

J.-J. de Granville 4260

S. A. Mori 22808; 24326

R. A. A. Oldeman 2117; 4206

***Psychotria astrellantha* Wernham**

Brian M. Boom 10721; 10765

J.-J. de Granville 1656; 4599; 8390; 8797; 8830; 8862; 8892

S. A. Mori 14858; 20846; 23148

***Psychotria bahiensis* DC.**

R. A. A. Oldeman 1841; 2778

***Psychotria borjensis* Kunth**

Brian M. Boom 10731

J.-J. de Granville 5081; 8961

S. A. Mori 23909

***Psychotria brachybotrya* Müll. Arg.**

L. Andersson 2026; 2065

Brian M. Boom 10703; 10710

J.-J. de Granville 2349; 2421; 4734; 5450

P.-A. Loizeau 600

S. A. Mori 17941; 18222; 19061; 21107; 21182; 22900; 23745

R. A. A. Oldeman 1478; 2088

***Psychotria bremekampiana* Steyerm.**

Brian M. Boom 10694

J.-J. de Granville 8510; 8638

S. A. Mori 22942

***Psychotria callithrix* (Miq.) Steyerm.**

Brian M. Boom 10722

J.-J. de Granville 2347; 5500

S. A. Mori 18415; 18992; 19089; 22051; 22732; 23129; 23718; 24858

A. Raynal-Roques 19956; 19965

***Psychotria capitata* Ruiz & Pav.**

J.-J. de Granville 3232; 3263; 5503

***Psychotria carapichea* (Poir.) Delprete**

A. Fournet 62

J.-J. de Granville 1584; 2354; 2383; 2664; 2806; 5050

W. J. Hahn 3634

N. Marshall 102

C. Moretti 752

S. A. Mori 14803; 15511; 18097

***Psychotria carthagagenensis* Jacq.**

<u>Brian M. Boom</u>	10701; 10712; 10734; 10749
<u>C. P. Feuillet</u>	440; 508; 509
<u>J.-J. de Granville</u>	2816; 5151; 5363; 8439
<u>P. J. M. Maas</u>	2235
<u>N. Marshall</u>	137; 208
<u>S. A. Mori</u>	22111
<u>R. A. A. Oldeman</u>	2013; 4017
<u>L. E. Skog</u>	7140

***Psychotria colorata* (Roem. & Schult.) Müll. Arg.**

<u>L. Andersson</u>	2047
<u>C. P. Feuillet</u>	80
<u>A. Fournet</u>	68
<u>J.-J. de Granville</u>	2426; 8653
<u>A. Raynal-Roques</u>	18602; 19955; 20005

***Psychotria cupularis* (Müll. Arg.) Standl.**

<u>Brian M. Boom</u>	10740; 10837
<u>W. J. Hahn</u>	3632
<u>N. Marshall</u>	144
<u>S. A. Mori</u>	14713; 20766; 22776

***Psychotria deflexa* DC.**

<u>L. Andersson</u>	2035; 2058
<u>Brian M. Boom</u>	10737
<u>B. Bordenave</u>	324
<u>J.-J. de Granville</u>	1622; 3049; 5492
<u>S. A. Mori</u>	14807; 18353; 22962
<u>R. A. A. Oldeman</u>	4009

***Psychotria erecta* (Aubl.) Standl. & Steyermark.**

<u>Brian M. Boom</u>	10842
<u>G. Cremers</u>	13018
<u>J.-J. de Granville</u>	2781; 4451; 4762; 8386
<u>S. A. Mori</u>	22966

***Psychotria granvillei* Steyermark.**

<u>L. Andersson</u>	2056
<u>F. Billiet</u>	5806; 5814
<u>J.-J. de Granville</u>	2013; 2353; 3128; 4386; 4753; 4754
<u>P.-A. Loizeau</u>	625
<u>P. J. M. Maas</u>	8084
<u>S. A. Mori</u>	15390; 17971; 18970; 22969
<u>M.-F. Prévost</u>	1800

***Psychotria guadalupensis* (DC.) R. A. Howard**

<u>Brian M. Boom</u>	10780; 10797
<u>J.-J. de Granville</u>	8571
<u>F. Hallé</u>	2573

***Psychotria iodotricha* Müll. Arg.**

<u>L. Civeyrel</u>	1431
<u>C. P. Feuillet</u>	468
<u>J.-J. de Granville</u>	2305; 4447; 8378; 9038
<u>S. A. Mori</u>	21554; 24852

***Psychotria kappleri* (Miq.) Benoist**

<u>L. Andersson</u>	2032
<u>Brian M. Boom</u>	10720
<u>J.-J. de Granville</u>	1574; 5083
<u>R. A. A. Oldeman</u>	2126

***Psychotria lateralis* Steyermark.**

<u>C. P. Feuillet</u>	105; 531
<u>J.-J. de Granville</u>	2360; 2786; 3278; 4729; 4775; 4936; 5139; 8404; 8515; 9047
<u>C. Moretti</u>	449
<u>S. A. Mori</u>	18283; 18732; 19114; 21537; 21641
<u>R. A. A. Oldeman</u>	3182; 4303
<u>M.-F. Prévost</u>	1826

***Psychotria ligularis* (Rudge) Steyermark.**

<u>L. Andersson</u>	1989
<u>H. de Foresta</u>	705

***Psychotria macrophylla* Ruiz & Pav.**

<u>G. Cremers</u>	3979
<u>M. H. G. Gustafsson</u>	333

***Psychotria mapouriooides* DC.**

<u>L. Andersson</u>	2063
<u>Brian M. Boom</u>	1943; 2020; 2036; 2210; 10748
<u>B. Bordenave</u>	322
<u>C. P. Feuillet</u>	107; 447
<u>N. Marshall</u>	213
<u>S. A. Mori</u>	14878; 15602; 15638; 19211; 21122; 21624; 22192; 22654
<u>R. A. A. Oldeman</u>	2033; 3262; 4077
<u>D. R. L. Sabatier</u>	966

***Psychotria medusula* Müll. Arg.**

<u>L. Andersson</u>	2055
<u>Brian M. Boom</u>	10741
<u>B. Bordenave</u>	339; 340
<u>J.-J. de Granville</u>	720; 3398; 4238
<u>A. J. M. Leeuwenberg</u>	11794
<u>P.-A. Loizeau</u>	594
<u>C. Moretti</u>	746
<u>S. A. Mori</u>	15525; 18229; 18373; 18617; 21514; 22115
<u>R. A. A. Oldeman</u>	2114; 3973
<u>M.-F. Prévost</u>	173

A. Raynal-Roques 19966

Psychotria microbotrys Standl.

<u>H. de Foresta</u>	688
<u>J.-J. de Granville</u>	2422; 3050; 4399; 4472; 4774; 5460; 5478; 5526; 8458; 8700; 8848
<u>S. A. Mori</u>	19031; 21184; 22227
<u>R. A. A. Oldeman</u>	4317
<u>G. T. Prance</u>	30651

Psychotria microbracteata Steyermark.

<u>Brian M. Boom</u>	10809
<u>J.-J. de Granville</u>	1610; 2362; 5495; 8575
<u>S. A. Mori</u>	22859

Psychotria moroidea Steyermark.

<u>J.-J. de Granville</u>	2387; 2650; 3259; 3308; 4641; 5490; 8669
<u>S. A. Mori</u>	15524; 17988; 18616; 22943; 24283
<u>O. Poncy</u>	56

Psychotria oblonga (DC.) Steyermark.

<u>L. Andersson</u>	2052
<u>Brian M. Boom</u>	10715
<u>G. Cremers</u>	6074
<u>A. H. Gentry</u>	63144
<u>J.-J. de Granville</u>	910; 1606; 2655; 3056; 4648; 5491; 8454; 8913; 8992
<u>S. A. Mori</u>	18235; 18990; 24311
<u>R. A. A. Oldeman</u>	3193
<u>A. Raynal-Roques</u>	19957

Psychotria officinalis (Aubl.) Sandwith

<u>J.-J. de Granville</u>	3038; 3233
<u>S. A. Mori</u>	19162; 23251; 23761; 23762; 24916
<u>R. A. A. Oldeman</u>	2790

Psychotria paniculata (Aubl.) Raeusch.

<u>S. A. Mori</u>	21148
-------------------	-------

Psychotria perferruginea Steyermark.

<u>J.-J. de Granville</u>	4640
---------------------------	------

Psychotria platypoda DC.

<u>P. Acevedo-Rodríguez</u>	4963
<u>L. Andersson</u>	2051
<u>Brian M. Boom</u>	1566; 10711; 10742; 10743; 10816
<u>J.-J. de Granville</u>	931; 1612; 4411; 4446; 5441; 5494; 8538; 8726
<u>N. Marshall</u>	104; 113; 122
<u>S. A. Mori</u>	14863; 15518; 18614; 18618; 18889; 22282
<u>R. A. A. Oldeman</u>	1475; 4314
<u>L. R. Phillippe</u>	26922; 26945
<u>M.-F. Prévost</u>	1820

Psychotria poeppigiana Müll. Arg.

<u>F. Billiet</u>	5786
<u>Brian M. Boom</u>	10705; 10732
<u>B. Bordenave</u>	342
<u>L. Civeyrel</u>	1421
<u>B. Descoings</u>	20509
<u>C. P. Feuillet</u>	85
<u>A. Fournet</u>	64
<u>M. Freiberg</u>	39
<u>J.-J. de Granville</u>	5509; 8996
<u>P.-A. Loizeau</u>	599
<u>P. J. M. Maas</u>	2223
<u>S. A. Mori</u>	14808; 18861; 21065; 22327; 22895; 24291
<u>R. A. A. Oldeman</u>	4191
<u>L. E. Skog</u>	7238; 7272

***Psychotria pullei* Bremek.**

<u>J.-J. de Granville</u>	8898; 8924; 9008
---------------------------	------------------

***Psychotria pungens* Steyerl.**

<u>Brian M. Boom</u>	10764
<u>J.-J. de Granville</u>	1534

***Psychotria racemosa* (Aubl.) Raeusch.**

<u>L. Andersson</u>	2045
<u>Brian M. Boom</u>	10704; 10718
<u>G. Cremers</u>	6183
<u>C. P. Feuillet</u>	448
<u>J.-J. de Granville</u>	531; 4456; 8695
<u>P.-A. Loizeau</u>	601
<u>N. Marshall</u>	135
<u>S. A. Mori</u>	14859; 15400; 18206; 18867; 19096; 22052; 23055
<u>R. A. A. Oldeman</u>	2029; 4289
<u>L. R. Phillippe</u>	26928
<u>G. T. Prance</u>	30650

***Psychotria saülensis* Steyerl.**

<u>J.-J. de Granville</u>	1600; 2361; 8574
---------------------------	------------------

***Psychotria trichophoroides* Müll. Arg.**

<u>J.-J. de Granville</u>	726
---------------------------	-----

***Psychotria uliginosa* Sw.**

<u>Brian M. Boom</u>	10768
<u>J.-J. de Granville</u>	1537; 1601; 5310; 8518
<u>S. A. Mori</u>	8744
<u>B. Wallnöfer</u>	13518

***Psychotria ulviformis* Steyerl.**

<u>F. Billiet</u>	5785
<u>G. Cremers</u>	7575

<u>J.-J. de Granville</u>	5454; 8375
<u>A. J. M. Leeuwenberg</u>	11780
<u>C. Moretti</u>	157
<u>R. A. A. Oldeman</u>	4352
<u>A. Raynal-Roques</u>	19988
<u>M. Sauvain</u>	648

***Psychotria urceolata* Steyerm.**

<u>Brian M. Boom</u>	10841
<u>J.-J. de Granville</u>	2393; 8735

***Psychotria variegata* Steyerm.**

<u>L. Andersson</u>	2057; 2059
<u>F. Billiet</u>	5811
<u>Brian M. Boom</u>	10706; 10714; 10745
<u>B. Descoings</u>	20511
<u>J.-J. de Granville</u>	552; 733; 8382
<u>F. Hallé</u>	810
<u>C. Moretti</u>	441
<u>S. A. Mori</u>	18173; 18179; 18348; 18374; 19106; 22312; 23361; 23829; 24292; 24845
<u>R. A. A. Oldeman</u>	121; 2113
<u>M.-F. Prévost</u>	1824; 2138
<u>A. Raynal-Roques</u>	19963

***Psychotria viridibracteata* Steyerm.**

<u>J.-J. de Granville</u>	2793
---------------------------	------

***Randia asperifolia* (Sandwith) Sandwith**

<u>C. E. Gustafsson</u>	2053; 2066
<u>S. A. Mori</u>	22789

***Randia pubiflora* Steyerm.**

<u>C. P. Feuillet</u>	458
<u>H. Jacquemin</u>	1435
<u>S. A. Mori</u>	18746; 18894
<u>R. A. A. Oldeman</u>	2008; 4149

***Rudgea bremekampiana* Steyerm.**

<u>J.-J. de Granville</u>	3494; 8725
---------------------------	------------

***Rudgea guyanensis* (A. Rich.) Sandwith**

<u>G. Cremers</u>	7582
-------------------	------

***Rudgea lancifolia* Salisb.**

<u>Brian M. Boom</u>	1637
<u>J.-J. de Granville</u>	2754
<u>S. A. Mori</u>	18532
<u>R. A. A. Oldeman</u>	3977

***Rudgea standleyana* Steyerm.**

<u>Brian M. Boom</u>	10767
----------------------	-------

<u>G. Cremers</u>	3980
<u>J.-J. de Granville</u>	1608; 4744; 8650; 8749; 8756

Rudgea stipulacea (DC.) Steyermark.

<u>L. Andersson</u>	2060
<u>B. Bordenave</u>	336
<u>J.-J. de Granville</u>	1547; 4378; 5069; 5511
<u>S. A. Mori</u>	17986
<u>R. A. A. Oldeman</u>	3957; 4049; 4334

Rudgea sp. A.

<u>J.-J. de Granville</u>	8729
---------------------------	------

Rudgea sp. B

<u>J.-J. de Granville</u>	1536; 2386; 8912
---------------------------	------------------

Sabicea aspera Aubl.

<u>J.-J. de Granville</u>	3344
---------------------------	------

Sabicea villosa Roem. & Schult.

<u>L. Andersson</u>	2028
<u>Brian M. Boom</u>	10744

Sipanea wilson-brownii R. S. Cowan

<u>J.-J. de Granville</u>	3030; 3368
---------------------------	------------

Spermacoce alata Aubl.

<u>Brian M. Boom</u>	10811
<u>J.-J. de Granville</u>	2363; 8636
<u>S. A. Mori</u>	22142

Spermacoce capitata Ruiz & Pav.

<u>S. A. Mori</u>	18416
-------------------	-------

Spermacoce latifolia Aubl.

<u>S. A. Mori</u>	18396
-------------------	-------

Spermacoce ocymoides Burm. f.

<u>Brian M. Boom</u>	10724
<u>S. A. Mori</u>	23297

Spermacoce verticillata L.

<u>Brian M. Boom</u>	10727
<u>A. H. Gentry</u>	63172
<u>S. A. Mori</u>	18393; 19068; 22084; 23286

Tocoyena longiflora Aubl.

<u>L. Allorge</u>	381
<u>Brian M. Boom</u>	10763
<u>C. Moretti</u>	741
<u>S. A. Mori</u>	18288

Uncaria guianensis (Aubl.) J. F. Gmel.

<u>J.-J. de Granville</u>	4427
---------------------------	------

Uncaria tomentosa (Roem. & Schult.) DC.

<u>L. Andersson</u>	2038
<u>S. A. Mori</u>	24735

Rutaceae

The treatment of Rutaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Jacquelyn A. Kallunki (NY).

Esenbeckia grandiflora was collected too late to be included in the *Guide*.

Conchocarpus guyanensis (Pulle) Kallunki & Pirani

<u>A. Fournet</u>	30
<u>J.-J. de Granville</u>	596; 597; 3142
<u>C. Moretti</u>	47; 440
<u>M.-F. Prévost</u>	309
<u>D. R. L. Sabatier</u>	1066

Erythrociton brasiliense Nees & Mart.

<u>C. Moretti</u>	15
<u>R. A. A. Oldeman</u>	2047; 3200

Esenbeckia cowanii Kaastra

<u>S. A. Mori</u>	23260
-------------------	-------

Esenbeckia grandiflora Mart.

<u>J.-J. de Granville</u>	14300
---------------------------	-------

Ticorea foetida Aubl.

<u>B. Bordenave</u>	313
<u>C. P. Feuillet</u>	495; 504
<u>H. de Foresta</u>	665
<u>J.-J. de Granville</u>	2795; 4451
<u>P.-A. Loizeau</u>	620
<u>C. Moretti</u>	745
<u>S. A. Mori</u>	15376; 17934; 18459; 18849
<u>R. A. A. Oldeman</u>	1985; 4293
<u>O. Poncy</u>	52

Zanthoxylum ekmanii (Urb.) Alain

<u>F. Capus</u>	43
<u>S. A. Mori</u>	15327; 15603; 18866; 19011
<u>R. A. A. Oldeman</u>	2105
<u>M. Sauvain</u>	647

Zanthoxylum rhoifolium Lam.

<u>J.-J. de Granville</u>	4442
<u>C. Moretti</u>	23
<u>S. A. Mori</u>	15352
<u>R. A. A. Oldeman</u>	1975; 2083

<u>M. Sauvain</u>	645
Zanthoxylum sp. A	
<u>S. A. Mori</u>	21661

Sapindaceae

The treatment of Sapindaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Pedro Acevedo-Rodríguez (US).

Allophylus angustatus (Triana & Planch.) Radlk.

<u>S. A. Mori</u>	14689; 15182; 23101
-------------------	---------------------

Allophylus latifolius Huber

<u>S. A. Mori</u>	14752; 15198; 15508; 18084; 23316
-------------------	-----------------------------------

Allophylus leucoclados Radlk.

<u>R. A. A. Oldeman</u>	3293
-------------------------	------

Allophylus robustus Radlk.

<u>Brian M. Boom</u>	10869
<u>G. Cremers</u>	13013
<u>J.-J. de Granville</u>	1538; 1634
<u>S. A. Mori</u>	8745; 22910; 22940

Cupania scrobiculata Rich. subsp. guianensis (Miq.) Acev.-Rodr.

<u>J.-J. de Granville</u>	4443
<u>S. A. Mori</u>	15566; 15639
<u>R. A. A. Oldeman</u>	1974

Cupania scrobiculata Rich. subsp. scrobiculata

<u>A. H. Gentry</u>	63000; 63006
<u>J.-J. de Granville</u>	5433
<u>S. A. Mori</u>	15392; 15429
<u>R. A. A. Oldeman</u>	4350
<u>L. E. Skog</u>	7386

Matayba arborescens (Aubl.) Radlk.

<u>A. H. Gentry</u>	63054
<u>S. A. Mori</u>	15235
<u>R. A. A. Oldeman</u>	1556

Matayba peruviana Radlk.

<u>S. A. Mori</u>	17937
-------------------	-------

Matayba purgans (Poepp. & Endl.) Radlk.

<u>Brian M. Boom</u>	2386
<u>J.-J. de Granville</u>	4367; 4652

Paullinia alata (Ruiz & Pav.) G. Don

<u>P. Acevedo-Rodríguez</u>	4987; 5026
<u>F. Beekman</u>	54
<u>J.-J. de Granville</u>	538

Paullinia anomophylla Radlk.

P. Acevedo-Rodríguez 5006

Paullinia capreolata (Aubl.) Radlk.

P. Acevedo-Rodríguez 5034

Paullinia clathrata Radlk.

P. Acevedo-Rodríguez 5035

A. H. Gentry 63071

Paullinia fibulata Rich.

S. A. Mori 18769

Paullinia latifolia Radlk.

J.-J. de Granville 5475

S. A. Mori 22771; 24738

Paullinia lingulata Acev.-Rodr.

J.-J. de Granville 8887

S. A. Mori 22901; 22955

Paullinia pachycarpa Benth.

P. Acevedo-Rodríguez 5000

Paullinia plagioptera Radlk.

A. Fournet 71

Paullinia rubiginosa Cambess.

P. Acevedo-Rodríguez 4981; 5005

A. H. Gentry 63047

N. Marshall 160

S. A. Mori 21152; 23857; 24301

R. A. A. Oldeman 2022

L. R. Phillippe 26910

Paullinia stellata Radlk.

P. Acevedo-Rodríguez 4983

Paullinia tricornis Radlk.

S. A. Mori 8761; 19037; 23894

Paullinia sp. A

J.-J. de Granville 4989

Pseudima frutescens (Aubl.) Radlk.

P. Acevedo-Rodríguez 4970

B. Bordenave 341

H. de Foresta 652

J.-J. de Granville 2280; 2693

S. A. Mori 15116; 18624; 18900; 22666; 23921; 23979

L. R. Phillippe 26954

D. R. L. Sabatier 2291

Serjania didymadenia Radlk.

M.-F. Prévost 2136

Serjania grandifolia Radlk.

S. A. Mori 8916; 21151; 22875

Serjania paudentata DC.

P. Acevedo-Rodríguez 5023

S. A. Mori 24736

Serjania pyramidata Radlk.

P. Acevedo-Rodríguez 4964

J.-J. de Granville 5415; 5463

P.-A. Loizeau 632

S. A. Mori 21206; 24275; 24774

R. A. A. Oldeman 1958

Serjania setulosa Radlk.

P. Acevedo-Rodríguez 4992

Talisia carinata Radlk.

J.-J. de Granville 4475; 5507; 8890

S. A. Mori 14955; 19109; 20868; 22974

R. A. A. Oldeman 4051

M.-F. Prévost 184

Talisia clathrata Radlk.

R. A. A. Oldeman 3304

Talisia clathrata Radlk. subsp. *canescens* Acev.-Rodr.

P. Acevedo-Rodríguez 4956; 4996; 5012; 5019; 5021; 5025

Brian M. Boom 2255

S. A. Mori 14711; 18951

Talisia guianensis Aubl.

S. A. Mori 14926; 15164; 15246

Talisia hemidasya Radlk.

P. Acevedo-Rodríguez 4954; 4960; 4966

Brian M. Boom 2239; 2416; 2417

J.-J. de Granville 5074; 5158

S. A. Mori 14961; 14988; 20772; 21605; 22006; 23853; 23954; 24182

R. A. A. Oldeman 3241; 4180

L. R. Phillippe 26995

Talisia longifolia (Benth.) Radlk.

P. Acevedo-Rodríguez 5030

Brian M. Boom 1633

A. H. Gentry 63037

Talisia macrophylla (Mart.) Radlk.

P. Acevedo-Rodríguez 4967; 4989

A. H. Gentry 62957

S. A. Mori 15533; 21079; 24669; 24671

Talisia megaphylla Radlk.

P. Acevedo-Rodríguez 4957

A. H. Gentry 62981

<u>J.-J. de Granville</u>	3150
<u>S. A. Mori</u>	15138; 18673; 21608; 23121
<u>R. A. A. Oldeman</u>	4008

Talisia mollis Cambess.

<u>P. Acevedo-Rodríguez</u>	4953
<u>Brian M. Boom</u>	2376
<u>A. H. Gentry</u>	63022; 63091
<u>J.-J. de Granville</u>	4222
<u>S. A. Mori</u>	18140; 21607; 24260
<u>R. A. A. Oldeman</u>	4094; 4183

Talisia pedicellaris Radlk.

<u>Brian M. Boom</u>	1931
<u>S. A. Mori</u>	19144

Talisia paealta (Sagot) Radlk.

<u>S. A. Mori</u>	20822
-------------------	-------

Talisia simaboides Kramer

<u>Brian M. Boom</u>	1610; 1688; 2379
----------------------	------------------

Talisia sylvatica (Aubl.) Radlk.

<u>P. Acevedo-Rodríguez</u>	4999; 5001; 5014; 5028
<u>G. Cremers</u>	3906
<u>A. H. Gentry</u>	63137
<u>J.-J. de Granville</u>	1664; 5049; 5176
<u>M. H. G. Gustafsson</u>	319
<u>H. Jacquemin</u>	1438
<u>P. J. M. Maas</u>	2277
<u>S. A. Mori</u>	15234; 15464; 15653; 18928; 21089; 22025
<u>R. A. A. Oldeman</u>	3292; 4159

Thinouia myriantha Triana & Planch.

<u>P. Acevedo-Rodríguez</u>	4985
<u>S. A. Mori</u>	21200

Vouarana guianensis Aubl.

<u>P. Acevedo-Rodríguez</u>	5031
<u>S. A. Mori</u>	22318

Sapotaceae

The treatment of the Sapotaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Terence D. Pennington (K).

Chrysophyllum cainito and *Manilkara zapota* are only found cultivated in our area.

Chrysophyllum argenteum Jacq.

<u>D. R. L. Sabatier</u>	1058
--------------------------	------

***Chrysophyllum argenteum* Jacq. subsp. *auratum* (Miq.) T. D. Penn.**

<u>Brian M. Boom</u>	2139; 2225
<u>A. H. Gentry</u>	62980
<u>A. J. M. Leeuwenberg</u>	11792
<u>S. A. Mori</u>	15096; 15629; 18628; 18719; 18996; 20908; 21092; 22007; 24189; 24814

***Chrysophyllum argenteum* Jacq. subsp. *nitidum* (G. Mey.) T. D. Penn.**

<u>S. A. Mori</u>	14960
-------------------	-------

***Chrysophyllum cainito* L.**

<u>A. Gely</u>	34
----------------	----

***Chrysophyllum cuneifolium* (Rudge) A. DC.**

<u>P. Acevedo-Rodríguez</u>	4968
<u>A. H. Gentry</u>	63150
<u>J.-J. de Granville</u>	4769
<u>S. A. Mori</u>	18715; 18838; 19127; 19135; 22340; 23371

***Chrysophyllum lucentifolium* Cronq.**

<u>S. A. Mori</u>	15068
-------------------	-------

***Chrysophyllum lucentifolium* Cronq. subsp. *pachycarpum* Pires & T. D. Penn.**

<u>Brian M. Boom</u>	1825; 1844; 1916; 1956; 1959; 1969; 2004; 2056
<u>T. D. Pennington</u>	12188
<u>D. R. L. Sabatier</u>	1428

***Chrysophyllum pomiferum* (Eyma) T. D. Penn.**

<u>Brian M. Boom</u>	2462
<u>J.-J. de Granville</u>	5048
<u>S. A. Mori</u>	15479
<u>R. A. A. Oldeman</u>	4152
<u>T. D. Pennington</u>	12159

***Chrysophyllum prieurii* A. DC.**

<u>J.-J. de Granville</u>	5173
<u>S. A. Mori</u>	15284; 23840
<u>R. A. A. Oldeman</u>	4131
<u>T. D. Pennington</u>	12125; 12166

Chrysophyllum sanguinolentum* (Pierre) Baehni subsp. *sanguinolentum

<u>Brian M. Boom</u>	1626
<u>S. A. Mori</u>	14767; 15277; 15402; 18480; 18557; 18563; 18570; 21702; 23846
<u>T. D. Pennington</u>	12108; 12115; 12130; 12144; 12154

***Chrysophyllum venezuelanense* (Pierre) T. D. Penn.**

<u>P. Acevedo-Rodríguez</u>	4972
-----------------------------	------

***Diploön cuspidatum* (Hoehne) Cronq.**

<u>T. D. Pennington</u>	13843
-------------------------	-------

***Ecclinusa guianensis* Eyma**

<u>T. D. Pennington</u>	12138
-------------------------	-------

***Ecclinusa lanceolata* (Mart. & Eichler) Pierre**

<u>Brian M. Boom</u>	1837; 1884; 1912; 2372
----------------------	------------------------

<u>S. A. Mori</u>	14741; 15408; 18581; 20897; 20926; 22253; 24313
<u>T. D. Pennington</u>	12139; 12165; 13850

***Ecclinusa ramiflora* Mart.**

<u>Brian M. Boom</u>	1822
<u>S. A. Mori</u>	14694; 14700; 14833; 15111; 15462; 19078; 19136; 23126; 23711
<u>T. D. Pennington</u>	12185

***Manilkara bidentata* (A. DC.) A. Chev.**

<u>S. A. Mori</u>	25061
<u>T. D. Pennington</u>	12148

***Manilkara huberi* (Ducke) Chev.**

<u>Brian M. Boom</u>	1973
<u>S. A. Mori</u>	15431; 18583
<u>T. D. Pennington</u>	12109

***Manilkara paraensis* (Huber) Standl.**

<u>T. D. Pennington</u>	12173
-------------------------	-------

***Manilkara zapota* (L.) P. Royen**

<u>A. Gely</u>	33
<u>S. A. Mori</u>	18447

***Micropholis acutangula* (Ducke) Eyma**

<u>J.-J. de Granville</u>	8344
<u>S. A. Mori</u>	19045; 19046; 19052; 19102; 19103; 19133

***Micropholis cayennensis* T. D. Penn.**

<u>Brian M. Boom</u>	1614
<u>S. A. Mori</u>	21008
<u>T. D. Pennington</u>	12127; 12146; 12146; 12152; 12163; 13853

***Micropholis guyanensis* (A. DC.) Pierre**

<u>Brian M. Boom</u>	1659; 2348; 10831
<u>J.-J. de Granville</u>	8779
<u>S. A. Mori</u>	14757; 15212; 15389; 18466; 19077; 19120; 19137; 19158; 20798; 20821; 20845; 23204; 23339; 24977
<u>R. A. A. Oldeman</u>	1471; 3275
<u>T. D. Pennington</u>	12102; 12155; 12161; 12179
<u>D. R. L. Sabatier</u>	1429

***Micropholis longipedicellata* Aubrév.**

<u>J.-J. de Granville</u>	3282
---------------------------	------

***Micropholis melinoniana* Pierre**

<u>Brian M. Boom</u>	1952; 2060; 2207; 2214
<u>A. H. Gentry</u>	63007
<u>J.-J. de Granville</u>	4247; 4267; 5396; 8345
<u>S. A. Mori</u>	15561; 15660; 18314; 18750; 20730; 23083

***Micropholis mensalis* (Baehni) Aubrév.**

<u>Brian M. Boom</u>	1616
----------------------	------

***Micropholis obscura* T. D. Penn.**

S. A. Mori 14784; 14942; 18470; 18476; 18482; 18485; 18560; 20806; 20955; 23205

T. D. Pennington 12120; 12149; 13857

Micropholis porphyrocarpa (Baehni) Monach.

Brian M. Boom 1709

S. A. Mori 15472; 18569; 18579

T. D. Pennington 12117; 12133; 12171; 12181

Micropholis submarginalis Pires & T. D. Penn.

T. D. Pennington 13858

Micropholis venulosa (Mart. & Eichler) Pierre

Brian M. Boom 2313

S. A. Mori 15485; 18555; 18566; 18567; 18571; 18987; 19138

T. D. Pennington 12111

Pouteria ambelanifolia (Sandwith) T. D. Penn.

S. A. Mori 15255; 20745; 20902; 24971

Pouteria bilocularis (H. Winkl.) Baehni

Brian M. Boom 2378

S. A. Mori 18556

T. D. Pennington 12143; 12167

D. R. L. Sabatier 1427

Pouteria brachyandra (Aubrév. & Pellegr.) T. D. Penn.

S. A. Mori 19098; 19099; 19100

Pouteria caimito (Ruiz & Pav.) Radlk.

J.-J. de Granville 4230

N. Marshall 152

R. A. A. Oldeman 1995

Pouteria cayennensis (A. DC.) Eyma

Brian M. Boom 1661

S. A. Mori 18595; 20814; 23200; 23319

T. D. Pennington 12132

Pouteria coriacea (Pierre) Pierre

A. H. Gentry 63021; 63035

S. A. Mori 18275; 19048; 19050; 19073; 19076; 19124; 19128; 19132; 19141; 19142; 24729

R. A. A. Oldeman 1990; 2073; 3968; 3995; 4304

Pouteria cuspidata (A. DC.) Baehni subsp. *dura* (Eyma) T. D. Penn.

Brian M. Boom 2423

S. A. Mori 19130; 19134

T. D. Pennington 13848

D. R. L. Sabatier 1238; 1430

Pouteria decorticans T. D. Penn.

Brian M. Boom 1839; 1871; 1895; 1970; 1987; 2331; 2373

S. A. Mori 15409; 18576; 18578; 19126; 24288

R. A. A. Oldeman 3245

<u>T. D. Pennington</u>	12121; 12178; 12187
-------------------------	---------------------

***Pouteria egregia* Sandwith**

<u>Brian M. Boom</u>	2393; 2420
<u>S. A. Mori</u>	19205; 20909

***Pouteria engleri* Eyma**

<u>Brian M. Boom</u>	1898
<u>S. A. Mori</u>	15515; 18469

***Pouteria eugeniifolia* (Pierre) Baehni**

<u>S. A. Mori</u>	18474; 18481; 24704
<u>T. D. Pennington</u>	12129; 12153; 12186

***Pouteria filipes* Eyma**

<u>Brian M. Boom</u>	1920
<u>S. A. Mori</u>	8748

***Pouteria flavilatex* T. D. Penn.**

<u>T. D. Pennington</u>	13840
-------------------------	-------

***Pouteria gongrijpii* Eyma**

<u>Brian M. Boom</u>	2354
<u>S. A. Mori</u>	8743; 8757; 15102
<u>R. A. A. Oldeman</u>	3209; 3298
<u>T. D. Pennington</u>	12184; 12189; 13838
<u>G. T. Prance</u>	30641
<u>B. Wallnöfer</u>	13517

***Pouteria guianensis* Aubl.**

<u>J.-J. de Granville</u>	4650; 5256
<u>S. A. Mori</u>	15305; 15509; 18472; 18572; 19051; 20966; 21670; 22919
<u>T. D. Pennington</u>	12131; 12136; 12145; 12158; 12160; 12170; 12172; 12175; 13855; 13856; 13861

***Pouteria hispida* Eyma**

<u>Brian M. Boom</u>	1790; 2019; 2093; 2443
<u>A. H. Gentry</u>	62993
<u>S. A. Mori</u>	14743; 14785; 15273; 18558; 18568; 18575; 19119; 20882; 20896; 24974
<u>T. D. Pennington</u>	12112; 12116; 12157; 12164; 13859

***Pouteria jariensis* Pires & T. D. Penn.**

<u>Brian M. Boom</u>	2114
<u>S. A. Mori</u>	15179; 22819

***Pouteria laevigata* (Mart.) Radlk.**

<u>S. A. Mori</u>	18975; 22262; 22263
<u>T. D. Pennington</u>	12104; 12151

***Pouteria maxima* T. D. Penn.**

<u>T. D. Pennington</u>	12137
-------------------------	-------

***Pouteria melanopoda* Eyma**

<u>Brian M. Boom</u>	1621; 1911
<u>S. A. Mori</u>	18553

T. D. Pennington 12113; 12135

Pouteria ob lanceolata Pires

Brian M. Boom 2357
S. A. Mori 15002
T. D. Pennington 12156; 12162

Pouteria putamen-ovi T. D. Penn.

Brian M. Boom 2150
J.-J. de Granville 3185
S. A. Mori 14941; 15659; 18981; 20903; 24680
T. D. Pennington 12106

Pouteria reticulata (Engl.) Eyma subsp. reticulata

Brian M. Boom 1625; 2293; 2310; 2318; 2321; 2338; 2360
J.-J. de Granville 4736
S. A. Mori 20739; 20900; 21505; 21513; 21527; 21623; 22708; 23140; 24673
T. D. Pennington 12105; 12107; 12168; 12169; 12177; 12183; 13839; 13841

Pouteria retinervis T. D. Penn.

S. A. Mori 15239; 18559; 20964
T. D. Pennington 12107; 12176; 12185

Pouteria rodriquesiana Pires & T. D. Penn.

Brian M. Boom 1763; 1772
S. A. Mori 18562; 20979; 22780
T. D. Pennington 12150
D. R. L. Sabatier 1246

Pouteria singularis T. D. Penn.

Brian M. Boom 1918
S. A. Mori 18577

Pouteria speciosa (Ducke) Baehni

J.-J. de Granville 8351
S. A. Mori 18684; 18685; 21170
T. D. Pennington 12101; 12140

Pouteria torta (Mart.) Radlk.

J.-J. de Granville 904

Pouteria torta (Mart.) Radlk. subsp. glabra T. D. Penn.

S. A. Mori 14989; 15048; 19125
T. D. Pennington 12180
D. R. L. Sabatier 1057

Pouteria venosa (Mart.) Baehni subsp. amazonica T. D. Penn.

S. A. Mori 19032; 19101; 20832
T. D. Pennington 13842

Pouteria virescens Baehni

Brian M. Boom 1674
S. A. Mori 8813; 18573
T. D. Pennington 12122

Pouteria sp. A
S. A. Mori 15422; 23783

Pouteria sp. 1
S. A. Mori 15310

Pouteria sp. 2
Brian M. Boom 2138
S. A. Mori 18487

Pouteria sp. 3
Brian M. Boom 1908; 2381

Pouteria sp. 4
T. D. Pennington 12126

Pouteria sp. 5
S. A. Mori 15423

Pouteria sp. 6
S. A. Mori 15199

Pradosia ptychandra (Eyma) T. D. Penn.
Brian M. Boom 1773; 2427
S. A. Mori 15670; 18475; 18554; 18574; 18585
T. D. Pennington 12103
N. P. Smith 12

Pradosia verticillata Ducke
T. D. Pennington 12128; 12134

Sarcaulus brasiliensis (A. DC.) Eyma subsp. *brasiliensis*
Brian M. Boom 2079; 2132
S. A. Mori 19000; 19047

Scrophulariaceae

The treatment of Scrophulariaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Noel Holmgren (NY).

Capraria biflora L.

F. Capus 19
C. Moretti 895
M.-F. Prévost 777
A. Raynal-Roques 18656

Lindernia crustacea (L.) F. Muell.

F. Capus 17
S. A. Mori 18453; 18779; 19017; 20974; 22042; 23092
L. E. Skog 7295

Lindernia diffusa (L.) Wetst.

A. Raynal-Roques 18643

Scoparia dulcis L.

<u>S. A. Mori</u>	22075
<u>A. Raynal-Roques</u>	18639

Simaroubaceae

The treatment of Simaroubaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Wm. Wayt Thomas (NY).

In addition to the species documented by the vouchers listed below, the following species were included in the *Guide* because they are expected to occur in central French Guiana even though they have not yet been collected there: *Picramnia guianensis* (Aubl.) Jans.-Jac. and *Simaba cedron* Planch.

Picramnia latifolia Tul.

<u>J.-J. de Granville</u>	2724; 5072
<u>S. A. Mori</u>	15329
<u>R. A. A. Oldeman</u>	4007

Picramnia sellowii Planch. subsp. *spruceana* (Engl.) Pirani

<u>J.-J. de Granville</u>	4557
<u>R. A. A. Oldeman</u>	4163
<u>M.-F. Prévost</u>	267

Simaba guianensis Aubl. subsp. *ecaudata* (Cronq.) Cavalcante

<u>S. A. Mori</u>	18753
-------------------	-------

Simaba guianensis Aubl. subsp. *guianensis*

<u>J.-J. de Granville</u>	3118
<u>S. A. Mori</u>	14922; 20991; 24690

Simaba polypylla (Cavalcante) W. W. Thomas

<u>Brian M. Boom</u>	1611
----------------------	------

Simarouba amara Aubl.

<u>Brian M. Boom</u>	1733; 2276
<u>S. A. Mori</u>	21141; 21570
<u>D. R. L. Sabatier</u>	1159

Smilacaceae

The treatment of the Smilacaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by John D. Mitchell (NY).

Smilax riedeliana A. DC.

<u>G. Cremers</u>	6157
<u>J.-J. de Granville</u>	2728; 4398; 8554

Smilax saülenensis J. D. Mitch.

<u>S. A. Mori</u>	18594
-------------------	-------

Smilax schomburgkiana Kunth

<u>F. Beekman</u>	65
<u>F. Billiet</u>	5784
<u>G. Cremers</u>	3950
<u>J.-J. de Granville</u>	2368; 4269; 4280; 8904
<u>W. J. Hahn</u>	3691
<u>N. Marshall</u>	116
<u>S. A. Mori</u>	14844; 18733; 19006; 23090
<u>R. A. A. Oldeman</u>	4114
<u>M.-F. Prévost</u>	763
<u>A. Raynal-Roques</u>	20010

***Smilax syphilitica* Willd.**

<u>G. Cremers</u>	6134
<u>J.-J. de Granville</u>	5122
<u>S. A. Mori</u>	8827
<u>R. A. A. Oldeman</u>	4157

Solanaceae

The treatment of the Solanaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Michael Nee (NY).

Capsicum frutescens is only found cultivated in our area.

Solanum semotum M. Nee was collected too late to be included in the *Guide*.

***Brunfelsia guianensis* Benth.**

<u>Brian M. Boom</u>	10738; 10805
<u>G. Cremers</u>	3968
<u>B. Descoings</u>	20548
<u>H. de Foresta</u>	551
<u>J.-J. de Granville</u>	4440; 5251; 5451
<u>P.-A. Loizeau</u>	634
<u>S. A. Mori</u>	8767; 14726; 14834; 15387; 18857; 22207; 23756
<u>R. A. A. Oldeman</u>	2127; 3279

***Brunfelsia martiana* Plowman**

<u>J.-J. de Granville</u>	6899
---------------------------	------

***Capsicum frutescens* L.**

<u>M. Freiberg</u>	290
<u>A. Gely</u>	58

***Cyphomandra endopogon* Bitter subsp. *guianensis* Bohs**

<u>Brian M. Boom</u>	10796
<u>B. Bordenave</u>	318
<u>H. de Foresta</u>	669
<u>A. Fournet</u>	85

<u>J.-J. de Granville</u>	3004; 4941; 5409; 5516
<u>N. Marshall</u>	239
<u>C. Moretti</u>	1244
<u>S. A. Mori</u>	14709; 15028; 19054
<u>R. A. A. Oldeman</u>	1970; 4018; 4072
<u>M.-F. Prévost</u>	757; 1600
<u>B. Wallnöfer</u>	13521

***Lycianthes pauciflora* (Vahl) Bitter**

<u>P. Acevedo-Rodríguez</u>	5015
<u>J.-J. de Granville</u>	2800; 4382; 5061; 5061
<u>S. A. Mori</u>	15565; 18907
<u>R. A. A. Oldeman</u>	2108
<u>A. Raynal-Roques</u>	20004

***Markea coccinea* Rich.**

<u>B. Bordenave</u>	331
<u>G. Cremers</u>	3985
<u>C. P. Feuillet</u>	103; 15064
<u>M. Freiberg</u>	54
<u>J.-J. de Granville</u>	867; 4558; 5362; 5449
<u>P. J. M. Maas</u>	2253
<u>C. Moretti</u>	34
<u>S. A. Mori</u>	20749; 20899; 23779; 25065
<u>R. A. A. Oldeman</u>	4139

***Markea longiflora* Miers**

<u>C. P. Feuillet</u>	460
<u>J.-J. de Granville</u>	2730
<u>M.-F. Prévost</u>	2095

***Markea sessiliflora* Ducke**

<u>G. Cremers</u>	6096
<u>S. A. Mori</u>	15313; 21536; 22739

***Physalis angulata* L.**

<u>S. A. Mori</u>	23923
-------------------	-------

***Physalis pubescens* L.**

<u>J.-J. de Granville</u>	5184
<u>S. A. Mori</u>	23741
<u>A. Raynal-Roques</u>	19978

***Solanum americanum* Mill.**

<u>C. Moretti</u>	884
-------------------	-----

***Solanum anceps* Ruiz & Pav.**

<u>F. Billiet</u>	5794
<u>Brian M. Boom</u>	10866
<u>C. P. Feuillet</u>	420
<u>H. de Foresta</u>	656

<u>J.-J. de Granville</u>	2374; 3021; 4944; 5339; 5423; 8704
<u>S. A. Mori</u>	18099; 19123; 20747; 21064; 22330; 22636
<u>R. A. A. Oldeman</u>	3305; 4146
<u>M.-F. Prévost</u>	304
<u>B. Riéra</u>	919

***Solanum asperum* Rich.**

<u>C. P. Feuillet</u>	511
<u>J.-J. de Granville</u>	2762
<u>S. A. Mori</u>	18697; 24937
<u>R. A. A. Oldeman</u>	1960; 4345
<u>M.-F. Prévost</u>	172
<u>L. E. Skog</u>	7377

***Solanum coriaceum* Dunal**

<u>J.-J. de Granville</u>	8633; 8773
<u>S. A. Mori</u>	23053
<u>R. A. A. Oldeman</u>	1980

***Solanum costatum* M. Nee**

<u>J.-J. de Granville</u>	2740
---------------------------	------

***Solanum jamaicense* Mill.**

<u>S. A. Mori</u>	22672; 22716; 23289
-------------------	---------------------

***Solanum leucocarpon* Dunal**

<u>J.-J. de Granville</u>	5462
<u>R. A. A. Oldeman</u>	4201

***Solanum morii* S. Knapp**

<u>B. Bordenave</u>	311
<u>H. de Foresta</u>	666
<u>J.-J. de Granville</u>	4948; 5397; 8629; 8863; 8959
<u>M. H. G. Gustafsson</u>	325
<u>N. Marshall</u>	236
<u>S. A. Mori</u>	8702; 8762; 15149; 21579; 22644; 23866; 24987
<u>R. A. A. Oldeman</u>	4109
<u>L. R. Phillippe</u>	26908
<u>M.-F. Prévost</u>	177; 1613; 1815
<u>L. E. Skog</u>	7143; 7187

***Solanum oppositifolium* Ruiz & Pav.**

<u>B. Bordenave</u>	305
<u>G. Cremers</u>	3934
<u>J.-J. de Granville</u>	2276; 4560; 5369; 5492
<u>H. Jacquemin</u>	1441
<u>C. Moretti</u>	59
<u>S. A. Mori</u>	18998

***Solanum pensile* Sendtn.**

<u>S. A. Mori</u>	24276
-------------------	-------

M.-F. Prévost 2137

***Solanum rubiginosum* Vahl**

<u>J.-J. de Granville</u>	4607
<u>N. Marshall</u>	198
<u>S. A. Mori</u>	18694; 22752

***Solanum rugosum* Dunal**

<u>A. H. Gentry</u>	63169
<u>P. J. M. Maas</u>	2290
<u>N. Marshall</u>	165
<u>S. A. Mori</u>	8845; 18704; 19007; 21050; 24923

***Solanum schlechtendalianum* Walp.**

<u>J.-J. de Granville</u>	3098; 4586
<u>S. A. Mori</u>	18760; 19139; 23003
<u>R. A. A. Oldeman</u>	2386; 4310
<u>H. Peckham</u>	6
<u>M.-F. Prévost</u>	1608

***Solanum semotum* M. Nee**

<u>S. A. Mori</u>	25133
-------------------	-------

***Solanum torvum* Sw.**

<u>A. Gely</u>	25
<u>A. J. M. Leeuwenberg</u>	11767
<u>N. Marshall</u>	200
<u>S. A. Mori</u>	18252; 18703; 22648; 22717; 24922; 24938
<u>R. A. A. Oldeman</u>	3912
<u>M.-F. Prévost</u>	175; 312

***Solanum velutinum* Dunal**

<u>N. Marshall</u>	243
<u>S. A. Mori</u>	18498; 22660; 24948; 25134
<u>M.-F. Prévost</u>	176; 1605
<u>L. E. Skog</u>	7296

***Solanum* sp. A**

<u>Brian M. Boom</u>	10807; 10859
<u>G. Cremers</u>	10847
<u>W. J. Hahn</u>	3607
<u>S. A. Mori</u>	8742; 23112

Sterculiaceae

The treatment of Sterculiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Laurence J. Dorr (NY).

Theobroma cacao is only found cultivated in our area.

***Byttneria morii* L. C. Barnett & Dorr**

S. A. Mori 18473; 18721; 18971; 19160; 19160; 20807; 23755

***Herrania kanukuensis* R. E. Schult.**

H. de Foresta 667

J.-J. de Granville 529

S. A. Mori 15035; 15220; 22120; 24727

***Sterculia frondosa* Rich.**

S. A. Mori 15496; 18183; 18610; 23117; 24958; 24968

Sterculia pruriens* (Aubl.) K. Schum. var. *pruriens

A. H. Gentry 63087; 63093

S. A. Mori 15107; 15195; 20794; 22032; 23942

B. Wallnöfer 13516

***Sterculia villosa* Steud.**

Brian M. Boom 2248

S. A. Mori 15093; 18711; 18904; 18942

***Sterculia* sp. A**

S. A. Mori 14712

***Theobroma cacao* L.**

M. Freiberg 268

A. Gely 36

S. A. Mori 22119

***Theobroma velutinum* Benoist**

B. Bordenave 316

J.-J. de Granville 5166

S. A. Mori 15098; 15584; 18204; 20740; 22735; 24183; 24183; 24731

Strelitziaceae

The treatment of Strelitziaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Paul Maas and Hiltje Maas-van de Kamer (U).

The correct author abbreviation of the following species is (*Rich.*) *Miq.* not *P. guyannense* (*L. C. Rich.*) *Miquel* as in Part 1 of the *Guide*.

Phenakospermum guyannense* (*Rich.*) *Miq.

M. Freiberg 167

S. A. Mori 18406; 24808

Styracaceae

The treatment of Styracaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Peter W.Fritsch (CAL), Scott A. Mori, and John L. Brown (NY).

***Styrax discolor* M. F. Silva**

Brian M. Boom 1771; 1830

Styrax glabratus Schott

Brian M. Boom 2384

Styrax pallidus A. DC.

S. A. Mori 15143; 18925

Styrax sieberi Perkins

Brian M. Boom 2243; 2365

S. A. Mori 22781

Symplocaceae

The treatment of the Symplocaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori and John L. Brown (NY).

Symplocos martinicensis Jacq.

S. A. Mori 15037; 25187

D. R. L. Sabatier 1145

Theophrastaceae

The treatment of Theophrastaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Bertil Ståhl (GB).

Clavija lancifolia Desf. subsp. chermontiana (Standl.) B. Ståhl

C. P. Feillet 1019

J.-J. de Granville 5370; 8856

S. A. Mori 17928; 20731; 22838; 24251

R. A. A. Oldeman 3240; 4087

Thurniaceae

The treatment of Thurniaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

Thurnia sphaerocephala (Rudge) Hook. f.

S. A. Mori 22798; 22804; 23283

Thymelaeaceae

The treatment of Thymelaeaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Maria Lúcia Kawasaki (F) and Scott A. Mori (NY).

Daphnopsis sp. 1

J.-J. de Granville 5402

Schoenobiblus daphnoides Mart.

<u>J.-J. de Granville</u>	1597; 2657
<u>S. A. Mori</u>	18461; 18504

Tiliaceae

The treatment of Tiliaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Laurence J. Dorr (US).

Apeiba albiflora Ducke

<u>Brian M. Boom</u>	1879
<u>S. A. Mori</u>	15112; 18458; 23726; 23986

Apeiba glabra Aubl.

<u>A. H. Gentry</u>	63163
<u>J.-J. de Granville</u>	4442
<u>S. A. Mori</u>	15542; 15611; 18922

Apeiba petoumo Aubl.

<u>Brian M. Boom</u>	1736; 1819; 1877; 2047
<u>S. A. Mori</u>	15171; 15480; 18611; 18941; 21523; 22067; 22740; 24266
<u>R. A. A. Oldeman</u>	3302

Apeiba tibourbou Aubl.

<u>N. Marshall</u>	158
<u>S. A. Mori</u>	18418
<u>D. R. L. Sabatier</u>	967

Luehea speciosa Willd.

<u>S. A. Mori</u>	23884
<u>R. A. A. Oldeman</u>	2001

Lueheopsis rugosa (Pulle) Burret

<u>G. Cremers</u>	6191; 6191; 6191; 6192
<u>S. A. Mori</u>	15487
<u>R. A. A. Oldeman</u>	2045

Trigoniaceae

The treatment of Trigoniaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

Trigonia laevis Aubl. var. *microcarpa* Sagot

<u>S. A. Mori</u>	21997; 22101
<u>R. A. A. Oldeman</u>	1979

Trigonia villosa Aubl.

<u>J.-J. de Granville</u>	4392; 4444; 8889
<u>S. A. Mori</u>	18702; 21016

Triuridaceae

The treatment of the Triuridaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Hiltje Maas-van de Kamer and Paul Maas (U).

***Sciaphila albescens* Benth.**

<u>L. Andersson</u>	1167
<u>B. Descoings</u>	20522
<u>J.-J. de Granville</u>	934; 4765; 8869
<u>A. J. M. Leeuwenberg</u>	11768
<u>P. J. M. Maas</u>	8085
<u>S. A. Mori</u>	15385; 21103
<u>R. A. A. Oldeman</u>	2032
<u>M.-F. Prévost</u>	1830
<u>A. Raynal-Roques</u>	18456; 18464

***Sciaphila polygyna* Maas**

<u>S. A. Mori</u>	18631
-------------------	-------

***Soridium spruceanum* Miers**

<u>C. P. Feuillet</u>	451
<u>M. Freiberg</u>	206
<u>J.-J. de Granville</u>	3007; 3300
<u>S. A. Mori</u>	14912; 18191

Turneraceae

The treatment of Turneraceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Michel Hoff.

***Turnera glaziovii* Urb.**

<u>J.-J. de Granville</u>	2014; 3243
<u>S. A. Mori</u>	15057; 18186; 22774

Ulmaceae

The treatment of the Ulmaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Cornelis C. Berg (BG).

***Ampelocera edentula* Kuhlm.**

<u>Brian M. Boom</u>	2430
<u>A. H. Gentry</u>	63048; 63117
<u>S. A. Mori</u>	15115; 23972

***Celtis iguanaea* (Jacq.) Sarg.**

<u>S. A. Mori</u>	15325; 24781
<u>R. A. A. Oldeman</u>	2070

***Trema micrantha* (L.) Blume**

<u>M. Freiberg</u>	210
<u>P.-A. Loizeau</u>	631
<u>S. A. Mori</u>	23290; 24924
<u>R. A. A. Oldeman</u>	2042
<u>L. R. Phillippe</u>	27017
<u>L. E. Skog</u>	7104

Urticaceae

The treatment of the Ulmaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Cornelis C. Berg (BG).

***Laportea aestuans* (L.) Chew**

<u>A. Gely</u>	75
<u>J.-J. de Granville</u>	2801
<u>S. A. Mori</u>	18657
<u>M.-F. Prévost</u>	782
<u>L. E. Skog</u>	7292

***Pilea imparifolia* Wedd.**

<u>J.-J. de Granville</u>	8816
<u>M. Hijman</u>	229

***Pilea microphylla* (L.) Liebm.**

<u>S. A. Mori</u>	18655; 23296; 23959; 24155
<u>R. A. A. Oldeman</u>	3918
<u>A. Raynal-Roques</u>	19971

***Pilea pubescens* Liebm.**

<u>J.-J. de Granville</u>	8950
---------------------------	------

***Urera caracasana* (Jacq.) Griseb.**

<u>C. P. Feuillet</u>	520
<u>J.-J. de Granville</u>	5364
<u>S. A. Mori</u>	18937; 24225; 24751
<u>R. A. A. Oldeman</u>	1996; 3815
<u>M.-F. Prévost</u>	1832

***Urera laciniata* Wedd.**

<u>J.-J. de Granville</u>	8817
---------------------------	------

Verbenaceae

The treatment of the Verbenaceae for the *Guide to the Vascular Plants of Central French Guiana* was

prepared by Marion J. Jansen-Jacobs (U).

Gmelina philippensis is only found cultivated as an ornamental and *Lippia alba* is only found cultivated as a spice or for medicinal use in our area.

Aegiphila integrifolia (Jacq.) B. D. Jacks.

<u>J.-J. de Granville</u>	4484
<u>R. A. A. Oldeman</u>	1464

Aegiphila laevis (Aubl.) J. F. Gmel.

<u>S. A. Mori</u>	18898
-------------------	-------

Aegiphila membranacea Turcz.

<u>J.-J. de Granville</u>	2813; 8362; 9012
<u>S. A. Mori</u>	18375; 18914
<u>R. A. A. Oldeman</u>	4348
<u>M.-F. Prévost</u>	2134

Aegiphila racemosa Vell.

<u>S. A. Mori</u>	17933
-------------------	-------

Aegiphila villosa (Aubl.) J. F. Gmel.

<u>J.-J. de Granville</u>	547; 5178
<u>S. A. Mori</u>	18166; 19014; 22175
<u>R. A. A. Oldeman</u>	2084; 3967; 4290
<u>O. Poncy</u>	75

Citharexylum macrophyllum Poir.

<u>C. Moretti</u>	1301; 1336
<u>S. A. Mori</u>	18912
<u>R. A. A. Oldeman</u>	2053; 3983; 4298

Gmelina philippensis Cham.

<u>S. A. Mori</u>	21054
-------------------	-------

Lantana camara L.

<u>S. G. Beck</u>	17008
<u>F. Capus</u>	8; 72
<u>A. Gely</u>	5
<u>A. H. Gentry</u>	63173
<u>N. Marshall</u>	195
<u>S. A. Mori</u>	15699; 18698; 19066; 22087
<u>R. A. A. Oldeman</u>	1962
<u>L. E. Skog</u>	7320

Lippia alba (Mill.) N. E. Br.

<u>C. Luu</u>	36
---------------	----

Petrea bracteata Steud.

<u>S. A. Mori</u>	20804
-------------------	-------

Petrea volubilis L.

<u>R. A. A. Oldeman</u>	2012
-------------------------	------

Priva lappulacea (L.) Pers.

S. A. Mori 19202

Stachytarpheta cayennensis (Rich.) Vahl

A. J. M. Leeuwenberg 11759

S. A. Mori 18391; 18743; 19070; 21059

R. A. A. Oldeman 2069; 4328

A. Raynal-Roques 20008

L. E. Skog 7303

Stachytarpheta jamaicensis (L.) Vahl

A. J. M. Leeuwenberg 11758

C. Luu 90

S. A. Mori 18433

L. E. Skog 7301

Vitex guianensis Moldenke

S. A. Mori 18311

Vitex triflora Vahl

H. de Foresta 706

J.-J. de Granville 4466; 4569; 4623

P. J. M. Maas 2220

N. Marshall 234

S. A. Mori 14695; 17927; 18709; 19194; 22031; 23160; 23926

R. A. A. Oldeman 4171

L. R. Phillippe 26897

D. R. L. Sabatier 1148

Violaceae

The treatment of the Violaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Willem H. A. Hekking (U) and John D. Mitchell (NY).

In addition to the species documented by the vouchers listed below, the following species was included in the *Guide* because it is expected to occur in central French Guiana even though it has not yet been collected there: *Hybanthus oppositifolius* (L.) Traub.

Gloeospermum sphaerocarpum Triana & Planch.

J.-J. de Granville 2672; 5313; 8623

S. A. Mori 8752

Leonia glycycarpa Ruiz & Pav. var. *glycycarpa*

A. H. Gentry 63067

S. A. Mori 14697; 25001; 25185

T. D. Pennington 13852

L. R. Phillippe 26969

***Noisettia orchidiflora* (Rudge) Ging.**

<u>L. Allorge</u>	364
<u>F. Billiet</u>	5779
<u>H. de Foresta</u>	654
<u>A. Fournet</u>	214
<u>M. Freiberg</u>	59
<u>A. R. A. Görts-van Rijn</u>	75
<u>J.-J. de Granville</u>	2377; 5314; 6555; 8469
<u>M. Hoff</u>	6628
<u>P. J. M. Maas</u>	2256
<u>C. Moretti</u>	770
<u>S. A. Mori</u>	17950; 22184; 22637
<u>M.-F. Prévost</u>	1825

***Paypayrola guianensis* Aubl.**

<u>J.-J. de Granville</u>	3052
<u>R. A. A. Oldeman</u>	2792

***Rinorea amapensis* Hekking**

<u>J.-J. de Granville</u>	2746
<u>S. A. Mori</u>	14748; 20803; 22813; 23314
<u>R. A. A. Oldeman</u>	4040

***Rinorea neglecta* Sandwith**

<u>J.-J. de Granville</u>	4272; 8739
<u>P.-A. Loizeau</u>	595
<u>C. Moretti</u>	384
<u>S. A. Mori</u>	8826

***Rinorea pubiflora* (Benth.) Sprague & Sandwith**

<u>L. Allorge</u>	352
<u>Y. Aumeeruddy</u>	65
<u>A. Fournet</u>	218
<u>J.-J. de Granville</u>	2648; 3144; 5144; 5350; 5488; 5513; 8430; 8939
<u>A. J. M. Leeuwenberg</u>	11723
<u>P. J. M. Maas</u>	2240; 2270
<u>N. Marshall</u>	125; 214
<u>S. A. Mori</u>	8714; 14864; 15034; 18494; 18627; 21643; 22247; 22652; 23328; 23991; 23992; 24024; 24825; 24832
<u>R. A. A. Oldeman</u>	1840
<u>L. R. Phillippe</u>	26898
<u>L. E. Skog</u>	7149; 7298

***Rinorea riana* Kuntze**

<u>J.-J. de Granville</u>	2661; 3070; 3372
<u>P. J. M. Maas</u>	8083
<u>C. Moretti</u>	45; 385

<u>S. A. Mori</u>	14809; 17991
<u>R. A. A. Oldeman</u>	1476; 2119; 3989
<u>M.-F. Prévost</u>	269
<i>Rinorea</i> sp.	
<u>A. H. Gentry</u>	63082; 63086

Viscaceae

The treatment of the Viscaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Job Kuijt (UVIC).

Phoradendron crassifolium (DC.) Eichler

<u>S. A. Mori</u>	14949; 15018; 18090; 21678; 22778; 23977
-------------------	--

Phoradendron perrottetii (DC.) Eichler

<u>G. T. Prance</u>	30626
---------------------	-------

Phoradendron piperoides (Kunth) Trel.

<u>A. J. M. Leeuwenberg</u>	11788
<u>S. A. Mori</u>	21077
<u>B. Riéra</u>	943

Phoradendron racemosum (Aubl.) Krug & Urb.

<u>S. A. Mori</u>	23287
-------------------	-------

Vitaceae

The treatment of the Vitaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott V. Healt (NY).

Cissus erosa Rich.

<u>B. Descoings</u>	20625
<u>J.-J. de Granville</u>	4630
<u>N. Marshall</u>	201
<u>S. A. Mori</u>	18392; 21022; 23920
<u>R. A. A. Oldeman</u>	183

Cissus verticillata (L.) Nicolson & C. E. Jarvis

<u>S. A. Mori</u>	23066; 24199
<u>R. A. A. Oldeman</u>	181

Vochysiaceae

The treatment of the Vochysiaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

Erisma floribundum Rudge

<u>Brian M. Boom</u>	1974
<u>A. H. Gentry</u>	63095
<u>S. A. Mori</u>	21630; 22847; 22896; 24721; 24753
<u>D. R. L. Sabatier</u>	1147; 1236

***Erisma uncinatum* Warm.**

<u>S. A. Mori</u>	15667; 20890; 21585; 24725; 24752
-------------------	-----------------------------------

***Qualea mori-boomii* Marc.-Berti**

<u>Brian M. Boom</u>	1641; 1642; 1643; 2459
<u>S. A. Mori</u>	15225; 21642; 21643; 24723

***Qualea rosea* Aubl.**

<u>Brian M. Boom</u>	1729; 1782; 1815; 2320; 2352; 2361; 2467
<u>S. A. Mori</u>	15243; 15535; 18600; 22761; 22772; 24682; 24769
<u>D. R. L. Sabatier</u>	1137

***Ruizterania albiflora* (Warm.) Marc.-Berti**

<u>Brian M. Boom</u>	2334
<u>S. A. Mori</u>	21011

***Vochysia guianensis* Aubl.**

<u>S. A. Mori</u>	15338; 15592
<u>D. R. L. Sabatier</u>	1146

***Vochysia neyratii* Normand**

<u>Brian M. Boom</u>	1765
<u>S. A. Mori</u>	15271; 21701; 22964; 24331; 24332

***Vochysia surinamensis* Stafleu**

<u>S. A. Mori</u>	18538; 18597; 19173; 20980; 23844; 24893
<u>R. A. A. Oldeman</u>	4005
<u>M.-F. Prévost</u>	270

***Vochysia tomentosa* (G. Mey.) DC.**

<u>J.-J. de Granville</u>	2667; 2755; 5193; 5426
<u>S. A. Mori</u>	15340; 24864; 24864
<u>D. R. L. Sabatier</u>	1143

Xyridaceae

The treatment of the Xyridaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Scott A. Mori (NY).

***Xyris laxifolia* Mart.**

<u>J.-J. de Granville</u>	3303
---------------------------	------

Zingiberaceae

The treatment of the Zingiberaceae for the *Guide to the Vascular Plants of Central French Guiana* was prepared by Paul Maas and Hiltje Maas-van de Kamer (U).

***Renealmia floribunda* K. Schum.**

<u>J.-J. de Granville</u>	4490
<u>S. A. Mori</u>	18669; 22178

***Renealmia guianensis* Maas**

<u>S. A. Mori</u>	15652; 18523; 19049; 22944
<u>R. A. A. Oldeman</u>	4325

***Renealmia monosperma* Miq.**

<u>J.-J. de Granville</u>	5515
<u>S. A. Mori</u>	18286; 19030; 19115; 22203; 22232
<u>R. A. A. Oldeman</u>	3287

***Renealmia orinocensis* Rusby**

<u>R. A. A. Oldeman</u>	1477
-------------------------	------

Acknowledgements

We are grateful to Emily Ashley, Scott V. Heald, Laura Marx, and Nathan Smith for help with various aspects of maintaining and producing this checklist. We are grateful to Nancy Steger for making the web version available as part of The New York Botanical Garden's web site. Special thanks to John Pruski and Eileen Whalen for the management of our collections, and to Eileen Whalen for the preparation of many of the labels from which the data for the database have been derived. We thank the specialists who identified the collections.

Literature Cited

Brummitt, R. K. & C. E. Powell. 1992. Authors of plant names. Royal Botanic Gardens, Kew.

Cronquist, A. 1981. An integrated system of classification of flowering plants. Columbia University Press. New York.

Maas, P. J. M., L. Y. Th. Westra. 1992. *Rollinia*. Fl. Neotrop. Monogr. 57: 1-188.

Mori, S. A., G. Cremers, C. Gracie, J.-J. de Granville, M. Hoff & J. D. Mitchell. 1997. Guide to the vascular plants of central French Guiana. Part 1. Pteridophytes, gymnosperms, and monocotyledons. Mem. New York Bot. Gard. 76(1): 1-422.

Mori, S. A., G. Cremers, C. Gracie, J.-J. de Granville, S. V. Heald & J. D. Mitchell. In press. Guide to the vascular plants of central French Guiana. Part 2. Dicotyledons. Mem. New York Bot. Gard. 76(2): 000-000.

Pavilowski, C. 1994. Un *Phragmipedium* nouveau pour la Guyane. Orchidées. Culture et protection 16: 24.

Table 1. Species added to the flora of central French Guiana subsequent to the publication of the *Guide*. *Part 1* (Mori et al., 1997) or too late to be included in the *Guide*. *Part 2* (Mori et al., In press). These species are not described or included in the keys.

Family	Species
Chrysobalanaceae	<i>Couepia rankinii</i>
Connaraceae	<i>Rourea cuspidata</i>
Cyperaceae	<i>Rhynchospora barbata</i>
Cyperaceae	<i>Scleria cyperina</i>
Lauraceae	<i>Licaria pachycarpa</i>
Mimosaceae	<i>Calliandra tenuiflora</i>
Mimosaceae	<i>Inga cayennensis</i>
Myrtaceae	<i>Myrcia amazonica</i>
Myrtaceae	<i>Myrcia tomentosa</i>
Orchidaceae	<i>Beloglottis sp.</i>
Orchidaceae	<i>Epidendrum secundum</i>
Orchidaceae	<i>Scaphyglottis bifida</i>
Orchidaceae	<i>Sigmatostalix amazonica</i>
Rapateaceae	<i>Rapatea ulei</i>
Rutaceae	<i>Esenbeckia grandiflora</i>
Solanaceae	<i>Solanum semotum</i>