

2006 AND SUCCEEDING CROP YEARS



**FEDERAL CROP
INSURANCE CORPORATION**

ELIGIBLE PLANT LIST AND PLANT PRICE SCHEDULE

NURSERY CROP INSURANCE PROGRAM

- ALABAMA
- ARKANSAS
- FLORIDA
- GEORGIA
- KENTUCKY
- LOUISIANA
- MISSISSIPPI
- SOUTH CAROLINA
- TENNESSEE



The price for each plant and size listed in the *Eligible Plant List and Plant Price Schedule* is your lowest wholesale price, as determined from your wholesale catalogs or price lists submitted in accordance with the Special Provisions, not to exceed the maximum price limits included in this Schedule. Insurable plants damaged prior to the attachment of insurance coverage will be insured at a reduced value until such plants have fully recovered from damage.

CONTENTS

INTRODUCTION

- Crop Insurance Nomenclature Format
- Determining Eligible Plant List Price of Unlisted Cultivars
- Plant Types
- Storage Keys
- Hardiness Zone Designations
- Container Insurable Hardiness Zones
- Field Grown Minimum Hardiness Zones
- Plant Size

SOFTWARE AVAILABILITY

- System Requirements
- Sample Crop Inventory Valuation Estimate

INSURANCE PRICE CALCULATION

- Examples of Price Calculation
- Plant Type Base Price Tables

ELIGIBLE PLANT LIST AND PLANT PRICE SCHEDULE

APPENDIX

- A County Hardiness Zones
- B Storage Keys
- C Insurance Price Calculation Worksheet
- D Container Volume Calculation Worksheet
- E FCIC Container Definitions

The *DataScape Guide to Commercial Nomenclature* is used in this document by the Federal Crop Insurance Corporation (FCIC), an agency of the United States Department of Agriculture (USDA), with permission. Permission is given to use or reproduce this Eligible Plant List and Plant Price Schedule for purposes of administering the Federal Crop Insurance Corporation's Nursery Insurance program only.

The *Eligible Plant List and Plant Price Schedule* is an FCIC actuarial document.

The *DataScape Guide to Commercial Nomenclature* is published in electronic format by DataScape, LLC, 1300 South Grove Avenue, Suite 201, Barrington, IL 60010. (847) 382-2326. Copyright© 1994-2005 by DataScape, LLC. All rights reserved. No part of the *DataScape Guide to Commercial Nomenclature*, including interior design, cover design and icons, may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording, or otherwise) without the prior written permission of the publisher.

DataScape is a registered trademark of DataScape, LLC.

INTRODUCTION

The Eligible Plant List and Plant Price Schedule are parts of the nursery crop insurance program provided by the Federal Crop Insurance Corporation (FCIC), an agency of the United States Department of Agriculture (USDA).

The Eligible Plant List and Plant Price Schedule are used to:

1. Determine the eligibility of nursery plants for insurance.
2. Assist in estimating nursery plant inventory value.
3. Determine the cold protection requirements in accordance with the Nursery Crop Insurance Provisions.
4. Assist in establishing Field market value A and Field market value B for claim settlement in accordance with the Nursery Crop Insurance Provisions.

The following provides important information regarding the use of the Eligible Plant List.

CROP INSURANCE NOMENCLATURE FORMAT

Consistent use of plant names is key to the administration of the nursery crop insurance program. The Eligible Plant List and Plant Price Schedule use researched plant names taken from the *DataScape Guide to Commercial Nomenclature* and contain four forms of plant names defined as follows:

| | |
|---------------------------|--|
| Botanical Name | The Latin, scientific, or legal form of a plant name. Parts of the name may be genus, specific epithet (species), subspecies, variety, and cultivar. |
| Commercial Botanical Name | The botanical form of a plant name (often including trademarked and/or registered cultivar names) used in commerce. |
| Common Name | The name by which a plant may be known in everyday commerce. |
| Invalid Botanical Name | A Latinized form of a plant name, which is incorrectly used to identify a plant. |

Plants are sometimes sold commercially by a different name from the botanical name. In some cases, that name is one that taxonomists consider outdated or incorrect. In other cases, the name is one that is more often used in commercial trade. If such conditions are present, these invalid botanical names and commercial botanical names are listed with a “see” notation that points to the correct botanical name (e.g. *Acer x freemanii* ‘Autumn Blaze’ is followed by the statement, “See – *Acer x freemanii* ‘Jeffersred’” which is the correct botanical name).

DETERMINING ELIGIBLE PLANT LIST PRICE OF UNLISTED CULTIVARS

The Eligible Plant List (EPL) provides, for applicable plant genera, a stair-step approach for establishing insurable prices of **cultivars** not listed on the EPL at the genus, species, hybrid, subspecies, and variety taxonomic levels.

- A genus level name (e.g., *Rhododendron*) is always listed on the EPL if any cultivars are listed under the genus (e.g., *Rhododendron* ‘1000 Butterflies’). The genus level name may be used to price a new cultivar that is marketed as a genus/cultivar name without listing a species name.
- A genus/species name (e.g., *Acer rubrum*) is always listed on the EPL if any cultivars are listed under the species (e.g., *Acer rubrum* ‘Autumn Flame’). The genus/species name may be used to price a new cultivar that is marketed with the genus/species name.
- A genus/hybrid name (e.g., *Acer x freemanii*) is always listed if any cultivars are listed under the genus/hybrid name (e.g., *Acer x freemanii* ‘Armstrong’). The genus/hybrid name may be used to price a new cultivar that is marketed with the genus/hybrid name.
- A genus/species/subspecies (e.g., *Cedrus libani* ssp. *atlantica*) or variety name (e.g., *Acer palmatum* var. *dissectum*) is always listed if any cultivars are listed under the subspecies (e.g., *Cedrus libani* ssp. *atlantica* ‘Aurea’) or variety name (e.g., *Acer palmatum* var. *dissectum* ‘Garnet’). The genus/species/subspecies or variety name may be used to price a new cultivar that is marketed with the genus/species/subspecies or variety name.

The example below illustrates how a new, unlisted cultivar (‘XX’) should be priced on the EPL:

Name not found on the EPL

Rhododendron ‘XX’
Acer rubrum ‘XX’
Acer x freemanii ‘XX’
Cedrus libani ssp. *atlantica* ‘XX’
Acer palmatum var. *dissectum* ‘XX’

Name to use on EPL for pricing

Rhododendron
Acer rubrum
Acer x freemanii
Cedrus libani ssp. *atlantica*
Acer palmatum var. *dissectum*

This pricing order must be followed for unlisted cultivars. For example, a genus level price should not be used if the botanical name of the unlisted plant includes a species name that is listed on the EPL, nor should the species level price be used if the botanical name includes a subspecies or variety name that is listed on the EPL. Likewise, if the cultivar name of a plant is listed on the EPL, the price for that plant should always be determined at the correct taxonomic level based on the plant name.

PLANT TYPES

All plant material is classified in one of the plant types shown below. For administering the nursery crop insurance program, plants will carry a designation contained in this list:

| <u>Code</u> | <u>Description</u> |
|--------------------|------------------------------------|
| AN | Annuals |
| BE | Broadleaf Evergreen Trees |
| BS | Broadleaf Evergreen Shrubs |
| CE | Coniferous Evergreen Trees |
| CS | Coniferous Evergreen Shrubs |
| DS | Deciduous Shrubs |
| DT | Deciduous Trees (Shade and Flower) |
| FN | Fruit and Nut Trees |
| FO | Foliage |
| GC | Ground Cover and Vines |
| HP | Herbaceous Perennials |
| PC | Palms and Cycads |
| RO | Roses |
| SF | Small Fruits |
| LI | Liners |

See the definition of “Liners” in the Plant Size section of this document. Liners are reported as a separate plant type, inclusive of all other plant types.

STORAGE KEYS

Some container plants require cold protection to retain insurance coverage against cold damage. The cold protection requirements are listed on the Eligible Plant List for each insurable container plant through the use of the storage key (SK) code. Storage key code specifications are detailed in Appendix B.

HARDINESS ZONE DESIGNATIONS

All counties are assigned a single hardiness zone (HZ) designation for insurance purposes. These assignments are listed in Appendix A and affect the insurability for both container and field grown material.

CONTAINER INSURABLE HARDINESS ZONES

Container plant insurability is limited to the hardiness zone (HZ) or range of hardiness zones specified. These zones are listed under “Req” (requiring cold protection) and “Not Req” (not requiring cold protection).

Hardiness zone (HZ) insurability, container example:

| Insurable HZ | |
|--------------|----------------|
| <u>Req</u> | <u>Not Req</u> |
| 2 – 6 | 7 – 8 |

The plant is insurable in zones 2-8 and is not insurable in hardiness zones 1 and 9-11.

FIELD GROWN MINIMUM HARDINESS ZONES

The Eligible Plant List designates the minimum hardiness zone for each insurable field grown plant. Field grown plant material is not insurable below the minimum hardiness zone specified for each plant.

Hardiness zone (HZ) insurability, field grown example:

| <u>Minimum Field HZ</u> |
|-------------------------|
| 5 |

The plant is insurable in zones 5-11 and is not insurable in hardiness zones 1-4.

PLANT SIZE

All eligible plants are considered either field grown or container grown material with sizes listed for each category (practice).

Field grown plants are listed by plant size for height, width, or caliper. Caliper is determined by measuring tree diameter 6 inches above the soil line up to and including a caliper of 4 inches and 12 inches above the soil line for larger sizes. Plant sizes below the smallest listed in the Base Price Table are not insurable.

A seedling size is available for two plant types: deciduous tree (DT) and coniferous evergreen tree (CE). A seedling is a DT or CE that is at least 6 inches high and less than 18 inches high. Rounding is not permitted.

Plants in containers where the diameter is 3 inches or greater at the widest point of the container interior are listed by the container size with volume units of measure (e.g. quart, gallon). No plant sizes (height, width, or caliper) are listed for plant material in containers. Each cell of insurable multiple-cell nursery containers (cellpacks, jumbo packs, six packs, pony packs, etc.) will be valued as a separate plant. Container size is measured by actual volume in gallons as specified in the Special Provisions. Use the worksheet shown in Appendix D to calculate container gallon size if the plant inventory

container size is unknown. The worksheet includes formulas for both round and square (rectangular) containers.

Liners in containers (trays with individual cells) are insurable. Liners are defined as plants produced in standard nursery containers that are equal to or greater than 1 inch in diameter (including trays containing 200 or fewer individual cells, unless specifically provided by the Special Provisions) but less than 3 inches in diameter at the widest point of the container or cell interior, have an established root system reaching the sides of the containers, are able to maintain a firm root ball when lifted from the containers, and meet all other conditions specified in the Special Provisions. Liners are listed by the number of cells per tray. Each cell will be valued as a separate plant. Equivalency measurements for liners in individual containers are listed in the Base Price Tables.

Container or liner sizes below the smallest size listed in the Base Price Table are not insurable.

SOFTWARE AVAILABILITY

The Eligible Plant List and Plant Price Schedule are available on compact disk (CD) for use on personal computers. The software is a Windows application and allows:

1. Searching for a plant by botanical name, commercial botanical name, common name, or key word. The multiple search function is designed to assist those who may not be familiar with scientific plant nomenclature.
2. Compiling a plant inventory list for estimating nursery inventory value. The program allows the plant inventory list to be printed as shown in the following example.

Please note that the CD containing the application program is intended to provide convenient access to eligible plant information and help estimate the nursery plant inventory value. The CD is not required for processing insurance coverage.

SYSTEM REQUIREMENTS

Minimum:

Pentium 233 CPU or better
64 MB RAM or more
Windows 95, Windows 98, Windows 2000, Windows NT or Windows XP
32 MB available disk space or more
Video resolution of 800 x 600
256 color display

Recommended:

Pentium 500 CPU or better
128 MB RAM or more
Windows 2000, Windows NT or Windows XP
32 MB available disk space or more
Video resolution of 800 x 600
True Color (24-bit) color display

SAMPLE CROP INVENTORY VALUATION ESTIMATE

A sample of the Crop Inventory Valuation Estimate that is produced by the software is shown on the following three pages.

**Crop Inventory Valuation Estimate
2006 and Succeeding Crop Years Pricing**

Client Sample Nursery, Inc.
Address 888 Main
Any Town, IL 60010

Reference: 17-9999-999
Location State: Illinois
Location County: Lake
Designated Hardiness Zone: 5

Description: Blocks 1 - 100

Commercial Botanical Name or Botanical Name/
Common Name

| Plant Type | Storage Key | **** Protection Req. | **** Not Req. | Minimum Field | Size | Practice | Ins. Price | Qty | Ins. Value |
|------------|-------------|----------------------|---------------|---------------|------|----------|------------|-----|------------|
|------------|-------------|----------------------|---------------|---------------|------|----------|------------|-----|------------|

Broadleaf Evergreen Shrubs

Buxus microphylla var. *japonica*
Japanese Littleleaf Boxwood

| | | | | | | | | | |
|----|----|-----|--|---|--------|-----------|--------|-----|--------|
| BS | G1 | 5-8 | | 6 | 2 Qt. | Container | 1.75 * | 100 | 175.00 |
| | | | | | 1 Gal. | Container | 2.50 * | 100 | 250.00 |

Broadleaf Evergreen Shrubs (BS) Subtotal 200 \$425.00

Deciduous Shrubs

Berberis thunbergii var. *atropurpurea* 'Crimson Pygmy'
Crimson Pygmy Red Barberry

| | | | | | | | | | |
|----|----|-----|---|---|--------|-----------|--------|-----|--------|
| DS | G1 | 4-7 | 8 | 4 | 1 Gal. | Container | 3.50 * | 100 | 350.00 |
| | | | | | 2 Gal. | Container | 5.50 * | 100 | 550.00 |
| | | | | | 2 Gal. | Container | 6.54 | 100 | 654.00 |

Rhododendron 'Northern Lights'
Northern Lights Azalea

| | | | | | | | | | |
|----|----|-----|-----|---|--------|-----------|---------|-----|----------|
| DS | G1 | 3-6 | 7-8 | 3 | 2 Gal. | Container | 10.94 | 150 | 1,641.00 |
| | | | | | 3 Gal. | Container | 15.00 * | 150 | 2,250.00 |

Viburnum x burkwoodii
Burkwood Viburnum

| | | | | | | | | | |
|----|----|-----|---|---|--------|-----------|---------|-----|----------|
| DS | G1 | 3-7 | 8 | 4 | 2 Gal. | Container | 7.50 * | 100 | 750.00 |
| | | | | | 2 Gal. | Container | 4.75 * | 100 | 475.00 |
| | | | | | 3 Gal. | Container | 7.50 * | 100 | 750.00 |
| | | | | | 5 Gal. | Container | 15.50 * | 100 | 1,550.00 |

Deciduous Shrubs (DS) Subtotal 1000 \$8,970.00

Liners

Berberis thunbergii var. *atropurpurea* 'Crimson Pygmy'
Crimson Pygmy Red Barberry

| | | | | | | | | | |
|----|----|-----|---|---|-------------|-----------|--------|-----|--------|
| DS | G1 | 4-7 | 8 | 4 | 72-200/tray | Container | 0.36 * | 500 | 180.00 |
| | | | | | 72-200/tray | Container | 0.42 * | 500 | 210.00 |
| | | | | | 37-71/tray | Container | 0.76 | 300 | 228.00 |
| | | | | | 37-71/tray | Container | 0.66 * | 500 | 330.00 |
| | | | | | <3"-36/tray | Container | 0.83 | 300 | 249.00 |

Buxus microphylla var. *japonica*
Japanese Littleleaf Boxwood

| | | | | | | | | | |
|----|----|-----|--|---|-------------|-----------|--------|-----|--------|
| BS | G1 | 5-8 | | 6 | 37-71/tray | Container | 0.44 | 500 | 220.00 |
| | | | | | <3"-36/tray | Container | 0.48 * | 250 | 120.00 |

Fraxinus pennsylvanica 'Marshall Seedless'
Marshall Seedless Green Ash

| | | | | | | | | | |
|----|----|-----|-----|---|-------------|-----------|------|-----|--------|
| DT | G1 | 3-6 | 7-8 | 3 | 37-71/tray | Container | 0.68 | 500 | 340.00 |
| | | | | | <3"-36/tray | Container | 0.90 | 300 | 270.00 |

**Crop Inventory Valuation Estimate
2006 and Succeeding Crop Years Pricing**

Client Sample Nursery, Inc.
Address 888 Main
Any Town, IL 60010

Reference: 17-9999-999
Location State: Illinois
Location County: Lake
Designated Hardiness Zone: 5

Description: Blocks 1 - 100

Commercial Botanical Name or Botanical Name/
Common Name

| Plant Type | Storage Key | **** Protection Req. | **** Not Req. | Minimum Field | Size | Practice | Ins. Price | Qty | Ins. Value |
|------------------------------|-------------|----------------------|---------------|---------------|-------------|-----------|------------|------|------------|
| <i>Viburnum x burkwoodii</i> | | | | | | | | | |
| Burkwood Viburnum | | | | | | | | | |
| DS | G1 | 3-7 | 8 | 4 | <3"-36/tray | Container | 0.90 * | 300 | 270.00 |
| | | | | | <3"-36/tray | Container | 0.96 | 300 | 288.00 |
| Liners (LI) Subtotal | | | | | | | | 4250 | \$2,705.00 |

| | | |
|------------------------|-------------|--------------------|
| Container Total | 5450 | \$12,100.00 |
|------------------------|-------------|--------------------|

For this estimate to be accurate, you must enter your lowest wholesale price for each plant size, except for plants with prior damage. For plants with prior damage, enter the reduced plant value.

The plant prices that will be used in settling any claims will be the lower of the FCIC maximum price limit or your lowest wholesale price as calculated from your wholesale catalog or price list submitted in accordance with the Special Provisions. Insurable plants damaged prior to the attachment of insurance coverage will be insured at a reduced value until such plants have fully recovered from damage.

* denotes price from grower wholesale catalog, price list, or a reduced plant value for plants with prior damage

**Crop Inventory Valuation Estimate
2006 and Succeeding Crop Years Pricing**

Client Sample Nursery, Inc.
Address 888 Main
Any Town, IL 60010

Reference: 17-9999-999
Location State: Illinois
Location County: Lake
Designated Hardiness Zone: 5

Description: Blocks 1 - 100

Commercial Botanical Name or Botanical Name/
Common Name

| Plant Type | Storage Key | **** Protection Req. | **** Not Req. | Minimum Field | Size | Practice | Ins. Price | Qty | Ins. Value |
|------------|-------------|----------------------|---------------|---------------|------|----------|------------|-----|------------|
|------------|-------------|----------------------|---------------|---------------|------|----------|------------|-----|------------|

Deciduous Shrubs

Berberis thunbergii var. *atropurpurea* 'Crimson Pygmy'

Crimson Pygmy Red Barberry

| | | | | | | | | | |
|----|----|-----|---|---|--------|-----------|-------|-----|----------|
| DS | G1 | 4-7 | 8 | 4 | 12 in. | Field-H/W | 11.31 | 100 | 1,131.00 |
| | | | | | 15 in. | Field-H/W | 13.69 | 100 | 1,369.00 |

Rhododendron 'Northern Lights'

Northern Lights Azalea

| | | | | | | | | | |
|----|----|-----|-----|---|--------|-----------|---------|-----|----------|
| DS | G1 | 3-6 | 7-8 | 3 | 18 in. | Field-H/W | 15.00 * | 100 | 1,500.00 |
| | | | | | 24 in. | Field-H/W | 21.28 | 100 | 2,128.00 |

Viburnum x burkwoodii

Burkwood Viburnum

| | | | | | | | | | |
|----|----|-----|---|---|-------|-----------|---------|-----|----------|
| DS | G1 | 3-7 | 8 | 4 | 4 ft. | Field-H/W | 25.00 * | 100 | 2,500.00 |
| | | | | | 5 ft. | Field-H/W | 35.00 * | 100 | 3,500.00 |

Deciduous Shrubs (DS) Subtotal 600 \$12,128.00

Deciduous Trees

Fraxinus pennsylvanica 'Marshall Seedless'

Marshall Seedless Green Ash

| | | | | | | | | | |
|----|----|-----|-----|---|-----------|-----------|----------|-----|-----------|
| DT | G1 | 3-6 | 7-8 | 3 | 3 1/2 in. | Field-Cal | 200.00 * | 100 | 20,000.00 |
| | | | | | 4 in. | Field-Cal | 260.30 | 100 | 26,030.00 |

Deciduous Trees (DT) Subtotal 200 \$46,030.00

| | | |
|--------------------------|------------|--------------------|
| Field Grown Total | 800 | \$58,158.00 |
|--------------------------|------------|--------------------|

For this estimate to be accurate, you must enter your lowest wholesale price for each plant size, except for plants with prior damage. For plants with prior damage, enter the reduced plant value.

The plant prices that will be used in settling any claims will be the lower of the FCIC maximum price limit or your lowest wholesale price as calculated from your wholesale catalog or price list submitted in accordance with the Special Provisions. Insurable plants damaged prior to the attachment of insurance coverage will be insured at a reduced value until such plants have fully recovered from damage.

* denotes price from grower wholesale catalog, price list, or a reduced plant value for plants with prior damage

INSURANCE PRICE CALCULATION

Eligible plant insurance prices are based on:

Plant Type
Practice (container/field grown)
Measurement Method

The two growing practices involve four different plant size measurement methods:

Container

Volume (gal.) - 3" diameter or more
Cells/tray - 1" to <3" diameter (liners)

Field Grown

Caliper (in.)
High/Wide (in. or ft.)

Included in this section are the Base Price Tables for each of the plant types showing a base price for each eligible size and practice (container and field).

The main body of this document, titled "Eligible Plant List and Plant Price Schedule" (EPLPPS), shows a factor for each eligible plant name and valid measurement method. The container factor will be used for liners as well as for containers that measure 3 inches in diameter or more at the widest point.

The insurance price for each plant size is the grower's lowest wholesale catalog price (from catalogs or price lists submitted in accordance with the Special Provisions) not to exceed the maximum price calculated by multiplying the plant factor on the EPLPPS for the plant by the base price on the Base Price Table for that plant type and measurement method. Insurable plants damaged prior to the attachment of insurance coverage will be insured at a reduced value until such plants have fully recovered from damage.

EXAMPLES OF INSURANCE PRICE CALCULATION:

A grower wants to insure his Autumn Blaze maples (*Acer x freemanii* 'Jeffersred'). Examples of price calculations for each measurement method follow.

PRICE CALCULATION EXAMPLE – CONTAINER

Plant Name: *Acer x freemanii* 'Jeffersred'

Plant Type: DT
(from Eligible Plant List)

Size: 5 gal.

Measurement Method: Container/Liner X Caliper ___ High/Wide ___

Factor: 1.07
(from Eligible Plant List)

Base Price: \$ 18.00

Calculation of Max. Price:

$$\begin{array}{rcccl} \$ 18.00 & \times & 1.07 & = & \$ 19.26 \\ \text{Base Price} & & \text{Factor} & & \text{Max. Price} \end{array}$$

Insurance Price: Lesser of Max. Price or Grower Lowest Wholesale Price

$$\begin{array}{rcc} \$ 19.26 & & \$ 23.50 \\ \text{Max. Price} & & \text{Grower Lowest Wholesale Price} \end{array}$$

Insurance price is \$ 19.26 in this example.

PRICE CALCULATION EXAMPLE – LINER

Plant Name: *Acer x freemanii* 'Jeffersred'

Plant Type: DT
(from Eligible Plant List)

Size: 37-71/Tray

Measurement Method: Container/Liner X Caliper ___ High/Wide ___

Factor: 1.07
(from Eligible Plant List)

Base Price: \$.72

Calculation of Max. Price:

$$\begin{array}{rcccl} \$.72 & \times & 1.07 & = & \$.77 \\ \text{Base Price} & & \text{Factor} & & \text{Max. Price} \end{array}$$

Insurance Price: Lesser of Max. Price or Grower Lowest Wholesale Price

$$\begin{array}{rcc} \$.77 & & \$.85 \\ \text{Max. Price} & & \text{Grower Lowest Wholesale Price} \end{array}$$

Insurance price is \$.77 in this example.

PRICE CALCULATION EXAMPLE – CALIPER

Plant Name: Acer x freemanii 'Jeffersred'

Plant Type: DT
(from Eligible Plant List)

Size: 3"

Measurement Method: Container/Liner__ Caliper_X High/Wide__

Factor: 1.13
(from Eligible Plant List)__

Base Price: \$ 174.00

Calculation of Max. Price:

$$\begin{array}{rcccl} \underline{\$ 174.00} & \times & \underline{1.13} & = & \underline{\$ 196.62} \\ \text{Base Price} & & \text{Factor} & & \text{Max. Price} \end{array}$$

Insurance Price: Lesser of Max. Price or Grower Lowest Wholesale Price

$$\begin{array}{rcccl} \underline{\$ 196.62} & & & & \underline{\$ 165.00} \\ \text{Max. Price} & & & & \text{Grower Lowest Wholesale Price} \end{array}$$

Insurance price is \$ 165.00 in this example.

PRICE CALCULATION EXAMPLE – HIGH/WIDE

Plant Name: Acer x freemanii 'Jeffersred'

Plant Type: DT
(from Eligible Plant List)

Size: 5 ft.

Measurement Method: Container/Liner__ Caliper__ High/Wide_X

Factor: 1.32
(from Eligible Plant List)

Base Price: \$ 44.00

Calculation of Max. Price:

$$\begin{array}{rcccl} \underline{\$ 44.00} & \times & \underline{1.32} & = & \underline{\$ 58.08} \\ \text{Base Price} & & \text{Factor} & & \text{Max. Price} \end{array}$$

Insurance Price: Lesser of Max. Price or Grower Lowest Wholesale Price

$$\begin{array}{rcccl} \underline{\$ 58.08} & & & & \underline{\$ 42.00} \\ \text{Max. Price} & & & & \text{Grower Lowest Wholesale Price} \end{array}$$

Insurance price is \$ 42.00 in this example.

2006 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

**Annuals (AN)
Base Price Table**

| Container | | Field Grown | | | |
|----------------|-------|----------------|-------|-----------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.31 | | | | |
| 37-71/tray | 0.47 | | | | |
| <3"-36/tray | 0.65 | | | | |
| Pot | 0.70 | | | | |
| 1 Qt. | 1.10 | | | | |
| 2 Qt. | 1.80 | | | | |
| 1 Gal. | 3.10 | | | | |
| 2 Gal. | 5.60 | | | | |
| 3 Gal. | 7.80 | | | | |
| 5 Gal. & up | 12.00 | | | | |
| * Equivalence: | | | | | |
| 72-200/tray | | 1" to < 2" | | | |
| 37-71/tray | | 2" to < 2-3/8" | | | |
| <3"-36/tray | | 2-3/8" to <3" | | | |

* Equivalency measurements for liners grown in individual containers are based on the widest point of the container interior.

2006 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

**Broadleaf Evergreen Trees (BE)
Base Price Table**

| Container | | Field Grown | | | |
|-------------|--------|-------------|--------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.52 | 7/16 in. | 19.00 | 18 in. | 17.00 |
| 37-71/tray | 0.60 | 1/2 in. | 20.50 | 21 in. | 19.00 |
| <3"-36/tray | 0.80 | 5/8 in. | 24.50 | 24 in. | 28.00 |
| Pot | 2.00 | 3/4 in. | 28.00 | 30 in. | 36.50 |
| 1 Qt. | 2.50 | 1 in. | 37.00 | 36 in. | 43.00 |
| 2 Qt. | 3.25 | 1 1/4 in. | 47.50 | 42 in. | 49.50 |
| 1 Gal. | 4.00 | 1 1/2 in. | 59.00 | 4 ft. | 55.00 |
| 2 Gal. | 9.00 | 1 3/4 in. | 73.00 | 4 1/2 ft. | 60.00 |
| 3 Gal. | 11.00 | 2 in. | 87.00 | 5 ft. | 65.00 |
| 5 Gal. | 16.50 | 2 1/2 in. | 122.00 | 5 1/2 ft. | 71.00 |
| 7 Gal. | 23.00 | 3 in. | 162.00 | 6 ft. | 76.00 |
| 10 Gal. | 33.50 | 3 1/2 in. | 208.00 | 6 1/2 ft. | 82.00 |
| 15 Gal. | 51.00 | 4 in. | 260.00 | 7 ft. | 87.00 |
| 20 Gal. | 69.00 | 4 1/2 in. | 318.00 | 7 1/2 ft. | 93.00 |
| 25 Gal. | 87.00 | 5 in. | 382.00 | 8 ft. | 98.00 |
| 30 Gal. | 105.00 | 5 1/2 in. | 451.00 | 8 1/2 ft. | 104.00 |
| 35 Gal. | 124.00 | 6 in. & up | 527.00 | 9 ft. | 110.00 |
| 40 Gal. | 143.00 | | | 9 1/2 ft. | 115.00 |
| 45 Gal. | 163.00 | | | 10 ft. | 121.00 |
| 50 Gal. | 183.00 | | | 11 ft. | 133.00 |
| 55 Gal. | 203.00 | | | 12 ft. | 145.00 |
| 60 Gal. | 224.00 | | | 13 ft. | 157.00 |
| 65 Gal. | 244.00 | | | 14 ft. | 169.00 |
| 70 Gal. | 266.00 | | | 15 ft. | 182.00 |
| 75 Gal. | 275.00 | | | 16 ft. | 195.00 |
| 80 Gal. | 287.00 | | | 17 ft. | 208.00 |
| 85 Gal. | 331.00 | | | 18 ft. | 221.00 |
| 90 Gal. | 354.00 | | | 19 ft. | 234.00 |
| 95 Gal. | 377.00 | | | 20 ft. | 247.00 |
| 100 Gal.&up | 400.00 | | | 21 ft. | 261.00 |
| | | | | 22 ft. | 275.00 |
| | | | | 23 ft. | 289.00 |
| | | | | 24 ft. | 303.00 |
| | | | | 25 ft. | 317.00 |
| | | | | 26 ft. | 332.00 |
| | | | | 27 ft. | 347.00 |
| | | | | 28 ft. | 362.00 |
| | | | | 29 ft. | 377.00 |
| | | | | 30 ft. & up | 392.00 |

* Equivalence:

| | |
|-------------|----------------|
| 72-200/tray | 1" to < 2" |
| 37-71/tray | 2" to < 2-3/8" |
| <3"-36/tray | 2-3/8" to <3" |

* Equivalency measurements for liners grown in individual containers are based on the widest point of the container interior.

2006 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Broadleaf Evergreen Shrubs (BS)
Base Price Table

| Container | | Field Grown | | | |
|-------------|--------|-------------|-------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.41 | | | 6 in. | 9.70 |
| 37-71/tray | 0.63 | | | 8 in. | 11.00 |
| <3"-36/tray | 0.74 | | | 9 in. | 11.50 |
| Pot | 1.50 | | | 10 in. | 12.00 |
| 1 Qt. | 2.00 | | | 11 in. | 13.00 |
| 2 Qt. | 3.00 | | | 12 in. | 13.50 |
| 1 Gal. | 3.70 | | | 15 in. | 16.00 |
| 2 Gal. | 6.80 | | | 18 in. | 18.50 |
| 3 Gal. | 10.00 | | | 21 in. | 21.00 |
| 5 Gal. | 16.50 | | | 24 in. | 24.00 |
| 7 Gal. | 22.50 | | | 30 in. | 30.00 |
| 10 Gal. | 32.50 | | | 36 in. | 37.50 |
| 15 Gal. | 48.50 | | | 42 in. | 45.50 |
| 20 Gal. | 64.00 | | | 4 ft. | 54.00 |
| 25 Gal. | 81.00 | | | 4 1/2 ft. | 64.00 |
| 30 Gal. | 97.00 | | | 5 ft. | 74.00 |
| 35 Gal. | 113.00 | | | 5 1/2 ft. | 85.00 |
| 40 Gal. | 130.00 | | | 6 ft. | 97.00 |
| 45 Gal. | 146.00 | | | 6 1/2 ft. | 110.00 |
| 50 Gal. | 163.00 | | | 7 ft. | 124.00 |
| 55 Gal. | 179.00 | | | 7 1/2 ft. | 138.00 |
| 60 Gal. | 196.00 | | | 8 ft. | 153.00 |
| 65 Gal. | 213.00 | | | 8 1/2 ft. | 169.00 |
| 70 Gal. | 230.00 | | | 9 ft. | 186.00 |
| 75 Gal. | 247.00 | | | 9 1/2 ft. | 204.00 |
| 80 Gal. | 258.00 | | | 10 ft. | 222.00 |
| 85 Gal. | 281.00 | | | 11 ft. | 262.00 |
| 90 Gal. | 298.00 | | | 12 ft. & up | 304.00 |
| 95 Gal. | 315.00 | | | | |
| 100 Gal.&up | 333.00 | | | | |

* Equivalence:

| | |
|-------------|----------------|
| 72-200/tray | 1" to < 2" |
| 37-71/tray | 2" to < 2-3/8" |
| <3"-36/tray | 2-3/8" to <3" |

* Equivalency measurements for liners grown in individual containers are based on the widest point of the container interior.

2006 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Coniferous Evergreen Trees (CE)
Base Price Table

| Container | | Field Grown | | | |
|--------------|--------|-------------|--------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.40 | 7/16 in. | 12.00 | Seedling | 0.12 |
| 37-71/tray | 0.66 | 1/2 in. | 13.00 | 18 in. | 25.00 |
| <3"-36/tray | 0.99 | 5/8 in. | 13.50 | 21 in. | 27.00 |
| Pot | 3.30 | 3/4 in. | 18.00 | 24 in. | 28.50 |
| 1 Qt. | 3.80 | 1 in. | 30.00 | 30 in. | 33.00 |
| 2 Qt. | 4.70 | 1 1/4 in. | 46.50 | 36 in. | 38.00 |
| 1 Gal. | 6.60 | 1 1/2 in. | 55.00 | 42 in. | 43.50 |
| 2 Gal. | 10.50 | 1 3/4 in. | 65.00 | 4 ft. | 50.00 |
| 3 Gal. | 14.00 | 2 in. | 77.00 | 4 1/2 ft. | 57.00 |
| 5 Gal. | 21.50 | 2 1/2 in. | 105.00 | 5 ft. | 65.00 |
| 7 Gal. | 28.50 | 3 in. | 140.00 | 5 1/2 ft. | 73.00 |
| 10 Gal. | 39.50 | 3 1/2 in. | 180.00 | 6 ft. | 83.00 |
| 15 Gal. | 57.00 | 4 in. | 226.00 | 6 1/2 ft. | 93.00 |
| 20 Gal. | 75.00 | 4 1/2 in. | 279.00 | 7 ft. | 104.00 |
| 25 Gal. | 93.00 | 5 in. | 338.00 | 7 1/2 ft. | 115.00 |
| 30 Gal. | 110.00 | 5 1/2 in. | 402.00 | 8 ft. | 127.00 |
| 35 Gal. | 127.00 | 6 in. & up | 473.00 | 8 1/2 ft. | 140.00 |
| 40 Gal. | 144.00 | | | 9 ft. | 154.00 |
| 45 Gal. | 161.00 | | | 9 1/2 ft. | 168.00 |
| 50 Gal. | 177.00 | | | 10 ft. | 184.00 |
| 55 Gal. | 194.00 | | | 11 ft. | 216.00 |
| 60 Gal. | 210.00 | | | 12 ft. | 252.00 |
| 65 Gal. & up | 226.00 | | | 13 ft. | 290.00 |
| | | | | 14 ft. | 331.00 |
| | | | | 15 ft. | 376.00 |
| | | | | 16 ft. | 423.00 |
| | | | | 17 ft. | 473.00 |
| | | | | 18 ft. | 526.00 |
| | | | | 19 ft. | 582.00 |
| | | | | 20 ft. & up | 641.00 |

* Equivalence:

| | |
|-------------|----------------|
| 72-200/tray | 1" to < 2" |
| 37-71/tray | 2" to < 2-3/8" |
| <3"-36/tray | 2-3/8" to <3" |

* Equivalency measurements for liners grown in individual containers are based on the widest point of the container interior.

2006 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Coniferous Evergreen Shrubs (CS)
Base Price Table

| Container | | Field Grown | | | |
|--------------|--------|-------------|-------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.37 | | | 6 in. | 9.50 |
| 37-71/tray | 0.57 | | | 8 in. | 11.50 |
| <3"-36/tray | 0.66 | | | 9 in. | 12.50 |
| Pot | 0.70 | | | 10 in. | 13.50 |
| 1 Qt. | 1.30 | | | 11 in. | 14.50 |
| 2 Qt. | 2.20 | | | 12 in. | 15.50 |
| 1 Gal. | 4.10 | | | 15 in. | 18.50 |
| 2 Gal. | 7.90 | | | 18 in. | 22.00 |
| 3 Gal. | 11.50 | | | 21 in. | 25.00 |
| 5 Gal. | 19.50 | | | 24 in. | 28.00 |
| 7 Gal. | 27.00 | | | 30 in. | 34.50 |
| 10 Gal. | 39.00 | | | 36 in. | 41.00 |
| 15 Gal. | 60.00 | | | 42 in. | 47.50 |
| 20 Gal. | 81.00 | | | 4 ft. | 54.00 |
| 25 Gal. | 103.00 | | | 4 1/2 ft. | 61.00 |
| 30 Gal. | 125.00 | | | 5 ft. | 68.00 |
| 35 Gal. | 149.00 | | | 5 1/2 ft. | 75.00 |
| 40 Gal. | 173.00 | | | 6 ft. | 82.00 |
| 45 Gal. | 198.00 | | | 6 1/2 ft. | 89.00 |
| 50 Gal. | 224.00 | | | 7 ft. | 96.00 |
| 55 Gal. | 250.00 | | | 7 1/2 ft. | 104.00 |
| 60 Gal. | 277.00 | | | 8 ft. | 111.00 |
| 65 Gal. & up | 305.00 | | | 8 1/2 ft. | 119.00 |
| | | | | 9 ft. | 126.00 |
| | | | | 9 1/2 ft. | 134.00 |
| | | | | 10 ft. | 142.00 |
| | | | | 11 ft. | 158.00 |
| | | | | 12 ft. & up | 174.00 |

* Equivalence:

| | |
|-------------|----------------|
| 72-200/tray | 1" to < 2" |
| 37-71/tray | 2" to < 2-3/8" |
| <3"-36/tray | 2-3/8" to <3" |

* Equivalency measurements for liners grown in individual containers are based on the widest point of the container interior.

2006 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

**Deciduous Shrubs (DS)
Base Price Table**

| Container | | Field Grown | | | |
|-------------|--------|-------------|-------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.57 | | | 6 in. | 5.00 |
| 37-71/tray | 0.88 | | | 8 in. | 6.00 |
| <3"-36/tray | 0.97 | | | 9 in. | 7.00 |
| Pot | 1.60 | | | 10 in. | 8.00 |
| 1 Qt. | 2.10 | | | 11 in. | 9.00 |
| 2 Qt. | 3.20 | | | 12 in. | 9.50 |
| 1 Gal. | 4.40 | | | 15 in. | 11.50 |
| 2 Gal. | 7.60 | | | 18 in. | 13.00 |
| 3 Gal. | 10.50 | | | 21 in. | 14.00 |
| 5 Gal. | 17.00 | | | 24 in. | 16.00 |
| 7 Gal. | 23.00 | | | 30 in. | 19.50 |
| 10 Gal. | 32.50 | | | 36 in. | 24.00 |
| 15 Gal. | 48.50 | | | 42 in. | 29.50 |
| 20 Gal. | 64.00 | | | 4 ft. | 36.00 |
| 25 Gal. | 80.00 | | | 4 1/2 ft. | 43.50 |
| 30 Gal. | 96.00 | | | 5 ft. | 52.00 |
| 35 Gal. | 112.00 | | | 5 1/2 ft. | 61.00 |
| 40 Gal. | 127.00 | | | 6 ft. | 70.00 |
| 45 Gal. | 143.00 | | | 6 1/2 ft. | 81.00 |
| 50 Gal. | 159.00 | | | 7 ft. | 93.00 |
| 55 Gal. | 175.00 | | | 7 1/2 ft. | 105.00 |
| 60 Gal. | 191.00 | | | 8 ft. | 119.00 |
| 65 Gal.& up | 207.00 | | | 8 1/2 ft. | 133.00 |
| | | | | 9 ft. | 148.00 |
| | | | | 9 1/2 ft. | 164.00 |
| | | | | 10 ft. | 181.00 |
| | | | | 11 ft. | 217.00 |
| | | | | 12 ft. & up | 257.00 |

* Equivalence:

| | |
|-------------|----------------|
| 72-200/tray | 1" to < 2" |
| 37-71/tray | 2" to < 2-3/8" |
| <3"-36/tray | 2-3/8" to <3" |

*Equivalency measurements for liners grown in individual containers are based on the widest point of the container interior.

2006 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Deciduous Trees (DT)

Base Price Table

| Container | | Field Grown | | | |
|-------------|--------|-------------|--------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.62 | 7/16 in. | 7.60 | Seedling | 0.36 |
| 37-71/tray | 0.72 | 1/2 in. | 9.20 | 18 in. | 7.10 |
| <3"-36/tray | 0.96 | 5/8 in. | 11.00 | 21 in. | 9.10 |
| Pot | 1.80 | 3/4 in. | 18.00 | 24 in. | 11.00 |
| 1 Qt. | 2.30 | 1 in. | 33.00 | 30 in. | 15.50 |
| 2 Qt. | 3.10 | 1 1/4 in. | 48.00 | 36 in. | 21.00 |
| 1 Gal. | 4.80 | 1 1/2 in. | 68.00 | 42 in. | 26.00 |
| 2 Gal. | 8.10 | 1 3/4 in. | 83.00 | 4 ft. | 32.00 |
| 3 Gal. | 11.50 | 2 in. | 98.00 | 4 1/2 ft. | 37.50 |
| 5 Gal. | 18.00 | 2 1/2 in. | 133.00 | 5 ft. | 44.00 |
| 7 Gal. | 24.50 | 3 in. | 174.00 | 5 1/2 ft. | 50.00 |
| 10 Gal. | 34.50 | 3 1/2 in. | 221.00 | 6 ft. | 57.00 |
| 15 Gal. | 51.00 | 4 in. | 274.00 | 6 1/2 ft. | 64.00 |
| 20 Gal. | 68.00 | 4 1/2 in. | 333.00 | 7 ft. | 71.00 |
| 25 Gal. | 84.00 | 5 in. | 399.00 | 7 1/2 ft. | 78.00 |
| 30 Gal. | 101.00 | 5 1/2 in. | 471.00 | 8 ft. | 86.00 |
| 35 Gal. | 117.00 | 6 in. & up | 549.00 | 8 1/2 ft. | 94.00 |
| 40 Gal. | 133.00 | | | 9 ft. | 102.00 |
| 45 Gal. | 150.00 | | | 9 1/2 ft. | 110.00 |
| 50 Gal. | 166.00 | | | 10 ft. | 119.00 |
| 55 Gal. | 182.00 | | | 11 ft. | 137.00 |
| 60 Gal. | 198.00 | | | 12 ft. | 156.00 |
| 65 Gal. | 215.00 | | | 13 ft. | 176.00 |
| 70 Gal. | 231.00 | | | 14 ft. | 197.00 |
| 75 Gal. | 247.00 | | | 15 ft. | 219.00 |
| 80 Gal. | 262.00 | | | 16 ft. | 242.00 |
| 85 Gal. | 279.00 | | | 17 ft. | 266.00 |
| 90 Gal. | 295.00 | | | 18 ft. | 291.00 |
| 95 Gal. | 311.00 | | | 19 ft. | 317.00 |
| 100 Gal.&up | 327.00 | | | 20 ft. & up | 344.00 |

* Equivalence:

| | |
|-------------|----------------|
| 72-200/tray | 1" to < 2" |
| 37-71/tray | 2" to < 2-3/8" |
| <3"-36/tray | 2-3/8" to <3" |

* Equivalency measurements for liners grown in individual containers are based on the widest point of the container interior.

2006 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

**Fruit and Nut Trees (FN)
Base Price Table**

| Container | | Field Grown | | | |
|----------------|--------|----------------|--------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.69 | 7/16 in. | 6.00 | 18 in. | 5.00 |
| 37-71/tray | 0.78 | 1/2 in. | 7.80 | 21 in. | 6.00 |
| <3"-36/tray | 0.92 | 5/8 in. | 10.00 | 24 in. | 7.50 |
| Pot | 2.10 | 3/4 in. | 12.50 | 30 in. | 8.00 |
| 1 Qt. | 2.50 | 1 in. | 15.00 | 36 in. | 12.00 |
| 2 Qt. | 3.20 | 1 1/4 in. | 30.00 | 42 in. | 16.00 |
| 1 Gal. | 4.60 | 1 1/2 in. | 68.00 | 4 ft. | 25.50 |
| 2 Gal. | 7.40 | 1 3/4 in. | 86.00 | 4 1/2 ft. | 34.50 |
| 3 Gal. | 10.00 | 2 in. | 104.00 | 5 ft. | 43.50 |
| 5 Gal. | 16.00 | 2 1/2 in. | 142.00 | 5 1/2 ft. | 53.00 |
| 7 Gal. | 22.00 | 3 in. | 181.00 | 6 ft. | 62.00 |
| 10 Gal. | 31.00 | 3 1/2 in. | 222.00 | 6 1/2 ft. | 71.00 |
| 15 Gal. | 47.00 | 4 in. & up | 265.00 | 7 ft. | 80.00 |
| 20 Gal. | 64.00 | | | 7 1/2 ft. | 89.00 |
| 25 Gal. | 82.00 | | | 8 ft. | 98.00 |
| 30 Gal. | 102.00 | | | 8 1/2 ft. | 107.00 |
| 35 Gal. | 122.00 | | | 9 ft. | 116.00 |
| 40 Gal. | 143.00 | | | 9 1/2 ft. | 125.00 |
| 45 Gal. | 165.00 | | | 10 ft. & up | 134.00 |
| 50 Gal. | 188.00 | | | | |
| 55 Gal. | 213.00 | | | | |
| 60 Gal. | 238.00 | | | | |
| 65 Gal.& up | 264.00 | | | | |
| * Equivalence: | | | | | |
| 72-200/tray | | 1" to < 2" | | | |
| 37-71/tray | | 2" to < 2-3/8" | | | |
| <3"-36/tray | | 2-3/8" to <3" | | | |

* Equivalency measurements for liners grown in individual containers are based on the widest point of the container interior.

2006 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

**Foliage (FO)
Base Price Table**

| Container | | Field Grown | | | |
|--------------|--------|-------------|-------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.66 | | | 18 in. | 13.00 |
| 37-71/tray | 0.99 | | | 21 in. | 15.50 |
| <3"-36/tray | 1.65 | | | 24 in. | 18.00 |
| Pot | 4.20 | | | 30 in. | 23.00 |
| 1 Qt. | 4.80 | | | 36 in. | 27.50 |
| 2 Qt. | 5.30 | | | 42 in. | 32.00 |
| 1 Gal. | 6.60 | | | 4 ft. | 37.00 |
| 2 Gal. | 9.70 | | | 4 1/2 ft. | 41.50 |
| 3 Gal. | 12.00 | | | 5 ft. | 46.00 |
| 5 Gal. | 19.50 | | | 5 1/2 ft. | 50.00 |
| 7 Gal. | 27.50 | | | 6 ft. | 54.00 |
| 10 Gal. | 40.50 | | | 6 1/2 ft. | 59.00 |
| 15 Gal. | 66.00 | | | 7 ft. | 63.00 |
| 20 Gal. | 96.00 | | | 7 1/2 ft. | 67.00 |
| 25 Gal. | 130.00 | | | 8 ft. | 71.00 |
| 30 Gal. | 168.00 | | | 8 1/2 ft. | 75.00 |
| 35 Gal. | 211.00 | | | 9 ft. | 78.00 |
| 40 Gal. | 258.00 | | | 9 1/2 ft. | 82.00 |
| 45 Gal. | 310.00 | | | 10 ft. | 86.00 |
| 50 Gal. | 365.00 | | | 11 ft. | 93.00 |
| 55 Gal. | 426.00 | | | 12 ft. | 100.00 |
| 60 Gal. | 490.00 | | | 13 ft. | 106.00 |
| 65 Gal. & up | 559.00 | | | 14 ft. | 112.00 |
| | | | | 15 ft. | 118.00 |
| | | | | 16 ft. | 124.00 |
| | | | | 17 ft. | 129.00 |
| | | | | 18 ft. | 134.00 |
| | | | | 19 ft. | 138.00 |
| | | | | 20 ft. | 143.00 |
| | | | | 21 ft. | 146.00 |
| | | | | 22 ft. | 150.00 |
| | | | | 23 ft. | 153.00 |
| | | | | 24 ft. | 156.00 |
| | | | | 25 ft. & up | 159.00 |

* Equivalence:

| | |
|-------------|----------------|
| 72-200/tray | 1" to < 2" |
| 37-71/tray | 2" to < 2-3/8" |
| <3"-36/tray | 2-3/8" to <3" |

* Equivalency measurements for liners grown in individual containers are based on the widest point of the container interior.

2006 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Ground Cover and Vines (GC)
Base Price Table

| Container | | Field Grown | | | |
|-------------|-------|-------------|-------|------------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.47 | | | 6 in. | 5.80 |
| 37-71/tray | 0.71 | | | 8 in. | 6.30 |
| <3"-36/tray | 1.41 | | | 9 in. | 6.90 |
| Pot | 2.40 | | | 10 in. | 7.00 |
| 1 Qt. | 2.80 | | | 11 in. | 7.20 |
| 2 Qt. | 3.40 | | | 12 in. | 7.50 |
| 1 Gal. | 4.70 | | | 15 in. | 10.00 |
| 2 Gal. | 7.60 | | | 18 in. | 11.00 |
| 3 Gal. | 10.50 | | | 21 in. | 14.00 |
| 5 Gal. | 18.00 | | | 24 in. | 14.50 |
| 7 Gal. | 26.00 | | | 30 in. | 16.00 |
| 10 Gal.& up | 45.00 | | | 36 in. | 18.00 |
| | | | | 42 in. | 21.00 |
| | | | | 4 ft. | 24.50 |
| | | | | 4 1/2 ft. | 29.00 |
| | | | | 5 ft. & up | 34.50 |

* Equivalence:

| | |
|-------------|----------------|
| 72-200/tray | 1" to < 2" |
| 37-71/tray | 2" to < 2-3/8" |
| <3"-36/tray | 2-3/8" to <3" |

* Equivalency measurements for liners grown in individual containers are based on the widest point of the container interior.

2006 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Herbaceous Perennials (HP)
Base Price Table

| Container | | Field Grown | | | |
|----------------|--------|----------------|-------|-----------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.47 | | | | |
| 37-71/tray | 0.59 | | | | |
| <3"-36/tray | 1.05 | | | | |
| Pot | 1.70 | | | | |
| 1 Qt. | 2.10 | | | | |
| 2 Qt. | 2.70 | | | | |
| 1 Gal. | 3.90 | | | | |
| 2 Gal. | 6.40 | | | | |
| 3 Gal. | 9.20 | | | | |
| 5 Gal. | 15.50 | | | | |
| 7 Gal. | 22.00 | | | | |
| 10 Gal. | 34.00 | | | | |
| 15 Gal. | 58.00 | | | | |
| 20 Gal. | 87.00 | | | | |
| 25 Gal.& up | 121.00 | | | | |
| * Equivalence: | | | | | |
| 72-200/tray | | 1" to < 2" | | | |
| 37-71/tray | | 2" to < 2-3/8" | | | |
| <3"-36/tray | | 2-3/8" to <3" | | | |

* Equivalency measurements for liners grown in individual containers are based on the widest point of the container interior.

2006 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Palms and Cycads (PC)
Base Price Table

| Container | | Field Grown | | | |
|-------------|---------|-------------|-------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.39 | | | 18 in. | 25.00 |
| 37-71/tray | 0.61 | | | 21 in. | 30.00 |
| <3"-36/tray | 0.88 | | | 24 in. | 35.00 |
| Pot | 1.00 | | | 30 in. | 40.00 |
| 1 Qt. | 2.00 | | | 36 in. | 45.00 |
| 2 Qt. | 3.50 | | | 42 in. | 65.00 |
| 1 Gal. | 5.50 | | | 4 ft. | 70.00 |
| 2 Gal. | 12.00 | | | 4 1/2 ft. | 74.00 |
| 3 Gal. | 15.00 | | | 5 ft. | 79.00 |
| 5 Gal. | 25.00 | | | 5 1/2 ft. | 83.00 |
| 7 Gal. | 35.00 | | | 6 ft. | 88.00 |
| 10 Gal. | 50.00 | | | 6 1/2 ft. | 93.00 |
| 15 Gal. | 75.00 | | | 7 ft. | 97.00 |
| 20 Gal. | 100.00 | | | 7 1/2 ft. | 102.00 |
| 25 Gal. | 125.00 | | | 8 ft. | 107.00 |
| 30 Gal. | 150.00 | | | 8 1/2 ft. | 112.00 |
| 35 Gal. | 174.00 | | | 9 ft. | 116.00 |
| 40 Gal. | 199.00 | | | 9 1/2 ft. | 121.00 |
| 45 Gal. | 223.00 | | | 10 ft. | 126.00 |
| 50 Gal. | 247.00 | | | 11 ft. | 136.00 |
| 55 Gal. | 272.00 | | | 12 ft. | 146.00 |
| 60 Gal. | 296.00 | | | 13 ft. | 156.00 |
| 65 Gal. | 319.00 | | | 14 ft. | 167.00 |
| 70 Gal. | 343.00 | | | 15 ft. | 177.00 |
| 75 Gal. | 367.00 | | | 16 ft. | 188.00 |
| 80 Gal. | 385.00 | | | 17 ft. | 198.00 |
| 85 Gal. | 414.00 | | | 18 ft. | 209.00 |
| 90 Gal. | 438.00 | | | 19 ft. | 220.00 |
| 95 Gal. | 461.00 | | | 20 ft. | 231.00 |
| 100 Gal. | 484.00 | | | 21 ft. | 243.00 |
| 150 Gal. | 710.00 | | | 22 ft. | 254.00 |
| 200 Gal. | 924.00 | | | 23 ft. | 266.00 |
| 250 Gal | 1128.00 | | | 24 ft. | 277.00 |
| 300 Gal.&up | 1320.00 | | | 25 ft. | 289.00 |
| | | | | 26 ft. | 301.00 |
| | | | | 27 ft. | 313.00 |
| | | | | 28 ft. | 326.00 |
| | | | | 29 ft. | 338.00 |
| | | | | 30 ft. & up | 351.00 |

* Equivalence:

| | |
|-------------|----------------|
| 72-200/tray | 1" to < 2" |
| 37-71/tray | 2" to < 2-3/8" |
| <3"-36/tray | 2-3/8" to <3" |

* Equivalency measurements for liners grown in individual containers are based on the widest point of the container interior.

2006 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Roses (RO)
Base Price Table

| Container | | Field Grown | | | |
|-------------|-------|-------------|-------|------------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.59 | | | 6 in. | 4.80 |
| 37-71/tray | 0.89 | | | 8 in. | 5.60 |
| <3"-36/tray | 1.18 | | | 9 in. | 6.00 |
| Pot | 2.30 | | | 10 in. | 6.40 |
| 1 Qt. | 3.00 | | | 11 in. | 6.70 |
| 2 Qt. | 4.00 | | | 12 in. | 10.50 |
| 1 Gal. | 5.90 | | | 15 in. | 11.00 |
| 2 Gal. | 9.10 | | | 18 in. | 11.50 |
| 3 Gal. | 11.50 | | | 21 in. | 12.00 |
| 5 Gal. & up | 14.50 | | | 24 in. | 13.00 |
| | | | | 30 in. | 13.50 |
| | | | | 36 in. | 14.00 |
| | | | | 42 in. | 14.50 |
| | | | | 4 ft. | 15.00 |
| | | | | 4 1/2 ft. | 15.50 |
| | | | | 5 ft. & up | 16.00 |

* Equivalence:

| | |
|-------------|----------------|
| 72-200/tray | 1" to < 2" |
| 37-71/tray | 2" to < 2-3/8" |
| <3"-36/tray | 2-3/8" to <3" |

* Equivalency measurements for liners grown in individual containers are based on the widest point of the container interior.

2006 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

**Small Fruits (SF)
Base Price Table**

| Container | | Field Grown | | | |
|-------------|-------|-------------|-------|------------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.55 | | | 6 in. | 1.50 |
| 37-71/tray | 0.92 | | | 8 in. | 2.60 |
| <3"-36/tray | 1.01 | | | 9 in. | 3.50 |
| Pot | 2.50 | | | 10 in. | 3.80 |
| 1 Qt. | 2.80 | | | 11 in. | 4.00 |
| 2 Qt. | 3.40 | | | 12 in. | 5.00 |
| 1 Gal. | 4.60 | | | 15 in. | 8.80 |
| 2 Gal. | 7.00 | | | 18 in. | 10.50 |
| 3 Gal. | 9.50 | | | 21 in. | 12.50 |
| 5 Gal. | 14.50 | | | 24 in. | 14.50 |
| 7 Gal. | 20.00 | | | 30 in. | 19.50 |
| 10 Gal.& up | 29.00 | | | 36 in. | 25.00 |
| | | | | 42 in. | 31.50 |
| | | | | 4 ft. | 39.00 |
| | | | | 4 1/2 ft. | 47.00 |
| | | | | 5 ft. & up | 56.00 |

* Equivalence:

| | |
|-------------|----------------|
| 72-200/tray | 1" to < 2" |
| 37-71/tray | 2" to < 2-3/8" |
| <3"-36/tray | 2-3/8" to <3" |

* Equivalency measurements for liners grown in individual containers are based on the widest point of the container interior.

ELIGIBLE PLANT LIST AND PLANT PRICE SCHEDULE

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Abelia</i> | BS | 0.70 | G2 | 4-5 | 6-10A | | 0.59 | 5 |
| <i>Abelia</i> 'Edward Goucher' | BS | 0.70 | G2 | 4-5 | 6-10A | | 0.59 | 5 |
| <i>Abelia chinensis</i> | BS | 0.73 | G2 | 6-7 | 8-10A | | 1.00 | 7 |
| <i>Abelia floribunda</i> | BS | 0.81 | G2 | 6-7 | 8-10A | | 1.00 | 7 |
| <i>Abelia x grandiflora</i> | BS | 0.76 | G2 | 4-5 | 6-10A | | 0.42 | 5 |
| <i>Abelia x grandiflora</i> 'Aurea' | BS | 0.62 | G2 | 4-5 | 6-10A | | 0.42 | 5 |
| <i>Abelia x grandiflora</i> 'Compacta' | BS | 0.89 | G2 | 4-5 | 6-10A | | 0.42 | 5 |
| <i>Abelia x grandiflora</i> 'Confetti' | | | | | | | | |
| See - <i>Abelia x grandiflora</i> 'Conti' P.P. 8472 | | | | | | | | |
| <i>Abelia x grandiflora</i> 'Conti' P.P. 8472 | BS | 0.96 | G2 | 4-5 | 6-10A | | 0.42 | 5 |
| <i>Abelia x grandiflora</i> 'Francis Mason' | BS | 0.72 | G2 | 4-5 | 6-10A | | 0.42 | 5 |
| <i>Abelia x grandiflora</i> 'Gold Dust' | | | | | | | | |
| See - <i>Abelia x grandiflora</i> 'Goldenglossy' P.P. 13285 | | | | | | | | |
| <i>Abelia x grandiflora</i> 'Goldenglossy' P.P. 13285 | BS | 1.15 | G2 | 4-5 | 6-10A | | 0.42 | 5 |
| <i>Abelia x grandiflora</i> 'John Creech' | BS | 0.71 | G2 | 4-5 | 6-10A | | 0.42 | 5 |
| <i>Abelia x grandiflora</i> 'Little Richard' | BS | 0.68 | G2 | 4-5 | 6-10A | | 0.42 | 5 |
| <i>Abelia x grandiflora</i> 'Prostrata' P.P. 1431 | BS | 0.87 | G2 | 4-5 | 6-10A | | 0.42 | 5 |
| <i>Abelia x grandiflora</i> 'Rainbow' | BS | 0.87 | G2 | 4-5 | 6-10A | | 0.42 | 5 |
| <i>Abelia x grandiflora</i> 'Rose Creek' | BS | 0.80 | G2 | 4-5 | 6-10A | | 0.42 | 5 |
| <i>Abelia x grandiflora</i> 'Sherwoodii' | BS | 0.77 | G2 | 4-5 | 6-10A | | 0.42 | 5 |
| <i>Abelia x grandiflora</i> 'Sunrise' P.P. 9698 | BS | 1.14 | G2 | 4-5 | 6-10A | | 0.42 | 5 |
| <i>Abelia x grandiflora</i> 'White Marvel' P.P. 13430 | BS | 1.20 | G2 | 4-6 | 7-10A | | 0.42 | 5 |
| <i>Abelia mosanensis</i> | BS | 0.89 | G2 | 4-6 | 7-10A | | 1.00 | 6 |
| <i>Abelia mosanensis</i> 'Bridal Bouquet' | | | | | | | | |
| See - <i>Abelia mosanensis</i> 'Monia' P.P.A.F. | | | | | | | | |
| <i>Abelia mosanensis</i> 'Monia' P.P.A.F. | BS | 1.23 | G2 | 4-6 | 7-10A | | 1.00 | 6 |
| <i>Abeliophyllum distichum</i> | DS | 0.95 | G2 | 4-5 | 6-9A | | 1.04 | 5 |
| <i>Abelmoschus manihot</i> | AN | 0.81 | G4 | 1-7 | 8-11 | | | |
| <i>Abelmoschus moschatus</i> | HP | 0.65 | G4 | 8-9 | 10-11 | | | |
| <i>Abelmoschus moschatus</i> 'Pacific Mix' | HP | 0.65 | G4 | 7-9 | 10-11 | | | |
| <i>Abies alba</i> | CE | 1.44 | G2 | 3-4 | 5-7 | 1.00 | 1.21 | 4 |
| <i>Abies alba</i> 'Compacta' | CE | 1.54 | G2 | 3-4 | 5-7 | 1.00 | 1.21 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Abies alba</i> 'Green Spiral' Green Spiral Silver Fir | CE | 1.39 | G2 | 3-4 | 5-7 | 1.00 | 1.21 | 4 |
| <i>Abies alba</i> 'Pendula' Weeping Silver Fir | CE | 1.54 | G2 | 3-4 | 5-7 | 1.00 | 1.21 | 4 |
| <i>Abies alba</i> 'Pyramidalis' Pyramidal Silver Fir | CE | 1.30 | G2 | 3-4 | 5-7 | 1.00 | 1.21 | 4 |
| <i>Abies arizonica</i> See - <i>Abies lasiocarpa</i> var. <i>arizonica</i> | | | | | | | | |
| <i>Abies balsamea</i> Balsam Fir | CE | 1.38 | NR | | 3-7 | 1.00 | 1.11 | 2 |
| <i>Abies balsamea</i> 'Nana' Dwarf Balsam Fir | CS | 1.55 | G2 | 1-2 | 3-7 | | 1.22 | 2 |
| <i>Abies balsamea</i> 'Verklade's Prostrate' Verklade's Prostrate Balsam Fir | CS | 1.55 | G2 | 1-2 | 3-7 | | 1.22 | 2 |
| <i>Abies balsamea</i> var. <i>phanerolepis</i> Canaan Fir | CE | 0.75 | NR | | 3-7 | 1.00 | 0.86 | 2 |
| <i>Abies x bornmuelleriana</i> Turkey Fir | CE | 1.00 | G2 | 2-5 | 6-7 | 1.00 | 1.13 | 5 |
| <i>Abies bracteata</i> Bristlecone Fir | CE | 1.47 | G2 | 6-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Abies chensiensis</i> Shensi Fir | CE | 1.00 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Abies chensiensis</i> 'Prostrata Glauca' Blue Prostrate Shensi Fir | CS | 2.38 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Abies cilicica</i> Cilician Fir | CE | 1.10 | G2 | 4-5 | 6-8 | 1.00 | 1.34 | 5 |
| <i>Abies concolor</i> White Fir | CE | 1.27 | G2 | 2-3 | 4-7 | 0.78 | 1.34 | 3 |
| <i>Abies concolor</i> 'Argentea' See - <i>Abies concolor</i> 'Candicans' | | | | | | | | |
| <i>Abies concolor</i> 'Blue Cloak' Blue Cloak White Fir | CE | 1.55 | G2 | 2-3 | 4-7 | 0.78 | 3.30 | 3 |
| <i>Abies concolor</i> 'Candicans' Hoary White Fir | CE | 1.97 | G2 | 2-3 | 4-7 | 0.78 | 1.48 | 3 |
| <i>Abies concolor</i> 'Compacta' Compact White Fir | CE | 1.55 | G2 | 2-3 | 4-7 | 0.78 | 3.41 | 3 |
| <i>Abies concolor</i> 'Conica' Conical White Fir | CE | 1.47 | G2 | 2-3 | 4-7 | 0.78 | 2.38 | 3 |
| <i>Abies concolor</i> 'Gable's Weeping' Gable's Weeping White Fir | CE | 1.47 | G2 | 2-3 | 4-7 | 0.78 | 2.38 | 3 |
| <i>Abies concolor</i> 'Glauca Compacta' See - <i>Abies concolor</i> 'Compacta' | | | | | | | | |
| <i>Abies concolor</i> 'Mora' Mora White Fir | CE | 1.55 | G2 | 2-3 | 4-7 | 0.78 | 2.38 | 3 |
| <i>Abies concolor</i> 'Scooter' Scooter White Fir | CE | 1.55 | G2 | 2-3 | 4-7 | 0.78 | 2.38 | 3 |
| <i>Abies concolor</i> 'Violacea' Purplecone White Fir | CE | 1.55 | G2 | 2-3 | 4-7 | 0.78 | 2.38 | 3 |
| <i>Abies delavayi</i> Delavay Fir | CE | 1.10 | G2 | 6-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Abies delavayi</i> 'Nana Herdford' Nana Herdford Delavay Fir | CE | 1.10 | G2 | 6-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Abies firma</i> Momi Fir | CE | 1.21 | G2 | 5-6 | 7 | 1.00 | 1.00 | 6 |
| <i>Abies fraseri</i> Fraser Fir | CE | 0.55 | G2 | 3-4 | 5-7 | 1.00 | 1.09 | 4 |
| <i>Abies fraseri</i> 'Prostrata' Prostrate Fraser Fir | CS | 1.00 | G2 | 3-4 | 5-7 | | 1.00 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Abies grandis</i> Grand Fir | CE | 0.79 | G2 | 4-5 | 6-8 | 1.00 | 0.75 | 5 |
| <i>Abies grandis</i> 'Johnson' Johnson Grand Fir | CE | 0.79 | G2 | 4-5 | 6-8 | 1.00 | 0.75 | 5 |
| <i>Abies homolepis</i> Nikko Fir | CE | 1.00 | G2 | 3-4 | 5-8 | 1.00 | 0.99 | 4 |
| <i>Abies homolepis</i> 'Prostrata' Prostrate Nikko Fir | CS | 1.00 | G2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Abies koreana</i> Korean Fir | CE | 2.40 | G2 | 3-5 | 6-8 | 1.00 | 1.03 | 5 |
| <i>Abies koreana</i> 'Aurea' Golden Korean Fir | CE | 2.40 | G2 | 3-5 | 6-8 | 1.00 | 1.27 | 5 |
| <i>Abies koreana</i> 'Blaue Zwo' Blaue Zwo Korean Fir | CE | 2.40 | G2 | 2-5 | 6-8 | 1.00 | 1.27 | 5 |
| <i>Abies koreana</i> 'Prostrate Beauty' Prostrate Beauty Korean Fir | CS | 4.27 | G2 | 4-5 | 6-8 | | 1.16 | 5 |
| <i>Abies koreana</i> 'Silberlocke' Silberlocke Korean Fir | CE | 3.32 | G2 | 4-5 | 6-8 | 1.00 | 1.51 | 5 |
| <i>Abies koreana</i> 'Silver Show' Silver Show Korean Fir | CE | 1.47 | G2 | 4-5 | 6-8 | 1.00 | 1.27 | 5 |
| <i>Abies koreana</i> 'Starker's Dwarf' Starker's Dwarf Korean Fir | CS | 4.27 | G2 | 4-5 | 6-8 | | 1.16 | 5 |
| <i>Abies lasiocarpa</i> Alpine Fir | CE | 0.78 | G2 | 4-5 | 6-8 | 1.00 | 1.54 | 5 |
| <i>Abies lasiocarpa</i> 'Compacta' Compact Alpine Fir | CS | 2.38 | G2 | 4-5 | 6-8 | | 1.08 | 5 |
| <i>Abies lasiocarpa</i> 'Day Creek' Day Creek Alpine Fir | CE | 0.78 | G2 | 4-5 | 6-8 | 1.00 | 1.54 | 5 |
| <i>Abies lasiocarpa</i> 'Glauca Compacta' Compact Blue Alpine Fir | CS | 1.79 | G2 | 4-5 | 6-8 | | 1.08 | 5 |
| <i>Abies lasiocarpa</i> 'Green Globe' Green Globe Alpine Fir | CS | 2.50 | G2 | 4-5 | 6-8 | | 1.08 | 5 |
| <i>Abies lasiocarpa</i> 'Utah' Utah Alpine Fir | CE | 0.78 | G2 | 4-5 | 6-8 | 1.00 | 1.54 | 5 |
| <i>Abies lasiocarpa</i> var. <i>arizonica</i> Corkbark Fir | CE | 0.96 | G2 | 3-5 | 6-8 | 1.00 | 1.70 | 5 |
| <i>Abies lasiocarpa</i> var. <i>arizonica</i> 'Argentea' Silver Corkbark Fir | CE | 0.96 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Abies lasiocarpa</i> var. <i>arizonica</i> 'Compacta' Compact Corkbark Fir | CS | 1.00 | G2 | 4-5 | 6-8 | | 1.98 | 5 |
| <i>Abies magnifica</i> Red Fir | CE | 1.00 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Abies magnifica</i> 'Prostrata' Prostrate Red Fir | CS | 1.00 | G2 | 4-5 | 6-8 | | 0.92 | 5 |
| <i>Abies magnifica</i> var. <i>shastensis</i> See - <i>Abies x shastensis</i> | | | | | | | | |
| <i>Abies nordmanniana</i> Caucasian Fir | CE | 1.54 | G2 | 3-4 | 5-6 | 1.00 | 1.13 | 4 |
| <i>Abies nordmanniana</i> 'Tortifolia' Contorted Caucasian Fir | CE | 1.54 | G2 | 3-4 | 5-6 | 1.00 | 0.96 | 4 |
| <i>Abies numidica</i> Algerian Fir | CE | 1.10 | G2 | 5-6 | 7-8 | 1.00 | 0.95 | 6 |
| <i>Abies numidica</i> 'Lawrenceville' Lawrenceville Algerian Fir | CE | 1.10 | G2 | 5-6 | 7-8 | 1.00 | 0.95 | 6 |
| <i>Abies pindrow</i> West Himalayan Fir | CE | 1.61 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Abies pinsapo</i> Spanish Fir | CE | 1.46 | G2 | 5-6 | 7-8 | 1.00 | 1.31 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Abies pinsapo</i> 'Aurea' Golden Spanish Fir | CE | 1.94 | G2 | 5-6 | 7-8 | 1.00 | 1.13 | 6 |
| <i>Abies pinsapo</i> 'Glauca' Blue Spanish Fir | CE | 1.14 | G2 | 5-6 | 7-8 | 1.00 | 1.24 | 6 |
| <i>Abies pinsapo</i> 'Horstmann' Horstmann Spanish Fir | CE | 1.84 | G2 | 5-6 | 7-8 | 1.00 | 1.23 | 6 |
| <i>Abies procera</i> Noble Fir | CE | 1.06 | G2 | 4-5 | 6-7 | 1.00 | 0.84 | 5 |
| <i>Abies procera</i> 'Aurea' Aurea Noble Fir | CE | 1.38 | G2 | 4-5 | 6 | 1.00 | 1.10 | 5 |
| <i>Abies procera</i> 'Frijesenborg' Frijesenborg Noble Fir | CE | 1.38 | G2 | 3-5 | 6-8 | 1.00 | 1.10 | 5 |
| <i>Abies procera</i> 'Glauca Prostrata' Blue Prostrate Noble Fir | CS | 1.00 | G2 | 4-5 | 6-7 | | 1.03 | 5 |
| <i>Abies procera</i> 'Glauca' Blue-leaf Noble Fir | CE | 1.54 | G2 | 4-5 | 6-7 | 1.00 | 0.95 | 5 |
| <i>Abies procera</i> 'Sherwoodii' Sherwood Noble Fir | CE | 1.54 | G2 | 4-5 | 6-7 | 1.00 | 1.50 | 5 |
| <i>Abies recurvata</i> Min Fir | CE | 1.00 | G2 | 4-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Abies recurvata</i> var. <i>ernestii</i> Ernest Min Fir | CE | 1.00 | G2 | 4-6 | 7-8 | 1.00 | 1.17 | 6 |
| <i>Abies x shastensis</i> Mount Shasta Hybrid Fir | CE | 1.00 | G2 | 4-5 | 6-7 | 1.00 | 0.72 | 5 |
| <i>Abies x shastensis</i> 'Glauca' Blue Mount Shasta Fir | CE | 1.00 | G2 | 4-5 | 6-7 | 1.00 | 0.72 | 5 |
| <i>Abies sibirica</i> Siberian Fir | CE | 1.10 | NR | | 2-4 | 1.00 | 1.00 | 1 |
| <i>Abies veitchii</i> Veitch Fir | CE | 1.00 | G2 | 2-3 | 4-6 | 1.00 | 1.00 | 3 |
| <i>Abies veitchii</i> var. <i>olivaceae</i> Olivecone Veitch Fir | CE | 1.32 | G2 | 2-3 | 4-6 | 1.00 | 1.00 | 3 |
| <i>Abutilon chittendenii</i> No Common Name Found | CE | 0.84 | G2 | 6-8 | 9-11 | 1.00 | 1.00 | 8 |
| <i>Abutilon x hybridum</i> Flowering Maple | BS | 0.78 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Albus' White Flowering Maple | BS | 0.86 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Apricot Glow' Apricot Glow Flowering Maple | BS | 0.75 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Barclay's Creamsicle' Barclay's Creamsicle Flowering Maple | BS | 0.85 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Bella Mix' Bella Mix Flowering Maple | BS | 0.85 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Cathybells' Cathybells Flowering Maple | BS | 0.83 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Ginny' Ginny Flowering Maple | BS | 0.90 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Halo' Halo Flowering Maple | BS | 0.84 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Jack Dixon' Jack Dixon Flowering Maple | BS | 0.85 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Little Imp' Little Imp Flowering Maple | BS | 0.78 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Luteus' Yellow Flowering Maple | BS | 0.96 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Marianne' Marianne Flowering Maple | BS | 0.84 | G2 | 7-8 | 9-11 | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Abutilon x hybridum</i> 'Mauna Loa' Mauna Loa Flowering Maple | BS | 0.84 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Moned' Super Red® Flowering Maple | BS | 1.08 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Moonchimes' Moonchimes Flowering Maple | BS | 0.74 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Nabob' Nabob Flowering Maple | BS | 0.78 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Pink Parasol' Pink Parasol Flowering Maple | BS | 0.84 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Pink Petticoat' Pink Petticoat Flowering Maple | BS | 0.85 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Roseus' Pink Flowering Maple | BS | 0.95 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Satin Pink Belle' Satin Pink Belle Flowering Maple | BS | 0.85 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Savitzii' Savitz Flowering Maple | BS | 0.80 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Seashell' Seashell Flowering Maple | BS | 0.80 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Souvenir de Bonn' Souvenir de Bonn Flowering Maple | BS | 0.75 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Super Red' See - <i>Abutilon x hybridum</i> 'Moned' | | | | | | | | |
| <i>Abutilon x hybridum</i> 'Tangelo' Tangelo Flowering Maple | BS | 0.84 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Variegatum' Variegated Flowering Maple | BS | 0.70 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Vesuvius Red' Vesuvius Red Flowering Maple | BS | 1.29 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Voodoo' Voodoo Flowering Maple | BS | 0.84 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'White Parasol' White Parasol Flowering Maple | BS | 0.87 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon palmeri</i> No Common Name Found | BS | 0.98 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Abutilon vitifolium</i> Grapeleaf Abutilon | BS | 0.90 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Abutilon vitifolium</i> 'Veronica Tennant' Veronica Tennant Grapeleaf Abutilon | BS | 0.90 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Acacia abyssinica</i> No Common Name Found | BE | 0.49 | G2 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia aneura</i> Mulga Acacia | BE | 0.97 | G2 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia auriculiformis</i> Earleaf Acacia | BE | 1.00 | G2 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia baileyana</i> Cootamundra-wattle Acacia | BE | 0.87 | G2 | 7-8 | 9-11 | 1.00 | 1.00 | 8 |
| <i>Acacia baileyana</i> 'Purpurea' Purple-leaf Cootamundra-wattle Acacia | BE | 0.86 | G2 | 7-8 | 9-11 | 1.00 | 1.00 | 8 |
| <i>Acacia berlandieri</i> Berland Acacia | BE | 0.62 | G2 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia boormanii</i> Snowy River Wattle | BS | 0.77 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Acacia choriophylla</i> Thornless Acacia | BS | 1.03 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Acacia cognata</i> Narrow-leaf Bower Wattle | BS | 0.78 | G2 | 9 | 10A-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Acacia confusa</i> Formosa Koa | BE | 1.08 | G2 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia constricta</i> Mescat Acacia | BE | 0.53 | G2 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia craspedocarpa</i> Leatherleaf Acacia | BE | 0.64 | G2 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia cultriformis</i> Knife-leaf Acacia | BS | 0.81 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Acacia farnesiana</i> Sweet Acacia | BE | 1.08 | G2 | 7-8 | 9-11 | 1.00 | 0.74 | 8 |
| <i>Acacia glaucoptera</i> Clay Wattle Acacia | BE | 0.74 | G2 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia koa</i> Koa Acacia | BE | 1.13 | G2 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia longifolia</i> Sidney Acacia | BE | 0.66 | G2 | 7-8 | 9-11 | 1.00 | 1.00 | 8 |
| <i>Acacia melanoxylon</i> Blackwood Acacia | BE | 0.86 | G2 | 7-8 | 9-11 | 1.00 | 1.00 | 8 |
| <i>Acacia minuta</i> See - <i>Acacia smallii</i> | | | | | | | | |
| <i>Acacia pendula</i> Weeping Boree Acacia | BE | 1.04 | G2 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Acacia pravissima</i> Ovens Acacia | BE | 1.00 | G2 | 7-8 | 9-11 | 1.00 | 1.00 | 8 |
| <i>Acacia redolens</i> No Common Name Found | BE | 0.56 | G2 | 9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia redolens</i> 'Prostrata' Prostrate Acacia | BS | 0.66 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Acacia salicina</i> Willow Acacia | BE | 0.98 | G2 | 7-8 | 9-11 | 1.00 | 1.00 | 8 |
| <i>Acacia saligna</i> Blue-leaved Wattle | BE | 1.04 | G2 | 7-8 | 9-11 | 1.00 | 1.00 | 8 |
| <i>Acacia smallii</i> Desert Sweet Acacia | BE | 0.89 | G2 | 7-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Acacia stenophylla</i> Dalby Acacia | BE | 0.97 | G2 | 7-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Acacia subporosa</i> River Wattle | BE | 0.90 | G2 | 7-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Acacia subporosa</i> 'Emerald Cascade' Emerald Cascade River Wattle | BE | 0.85 | G2 | 7-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Acaena anserinifolia</i> Goose-leaf Sheepbur | GC | 1.00 | G4 | 5-6 | 7-10A | | 1.00 | 6 |
| <i>Acaena magellanica</i> No Common Name Found | GC | 1.00 | G4 | 5-6 | 7-10A | | 1.00 | 6 |
| <i>Acaena microphylla</i> Redspine Sheepbur | HP | 1.00 | G4 | 5-6 | 7-10A | | | |
| <i>Acaena microphylla</i> 'Copper Carpet' Copper Carpet Redspine Sheepbur | HP | 1.00 | G4 | 5-6 | 7-10A | | | |
| <i>Acaena novae-zelandiae</i> New Zealand Sheepbur | HP | 1.00 | G4 | 5-6 | 7-10A | | | |
| <i>Acalypha hispida</i> Chenille Copperleaf | FO | 0.56 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Acalypha kilavea</i> Tri-color Acalypha | FO | 0.41 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Acalypha pendula</i> Firetail | FO | 0.58 | G3 | 5-10B | 11 | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> Painted Copperleaf | BS | 0.63 | G3 | 6-10B | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acalypha wilkesiana</i> 'Hoffmannia' Hoffman Painted Copperleaf | BS | 0.59 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> 'Inferno' Inferno Painted Copperleaf | BS | 0.56 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> 'Louisiana Red' Louisiana Red Painted Copperleaf | BS | 0.61 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> 'Macafeeana' Macafee Painted Copperleaf | FO | 0.32 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> 'Macrophylla' Macrophylla Painted Copperleaf | BS | 0.51 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> 'Mardi Gras' Mardi Gras Painted Copperleaf | FO | 0.46 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> 'Marginata' Marginata Painted Copperleaf | BS | 0.51 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> 'Miltoniana' Milton Painted Copperleaf | BS | 0.56 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> 'Moorea' Moorea Painted Copperleaf | BS | 0.51 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> 'Raggedy Ann' Raggedy Ann Painted Copperleaf | BS | 0.56 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> 'Sunset Hue' Sunset Hue Painted Copperleaf | BS | 0.56 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> 'Tahiti' Tahiti Painted Copperleaf | BS | 0.51 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> 'Tricolor' Tricolor Painted Copperleaf | BS | 0.51 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Acantholimon acerosum</i> No Common Name Found | BS | 1.00 | G4 | 2-3 | 4-10A | | 1.00 | 3 |
| <i>Acantholimon androsaceum</i> See - <i>Acantholimon ulicinum</i> | | | | | | | | |
| <i>Acantholimon araxanum</i> No Common Name Found | BS | 1.00 | G4 | 2-3 | 4-10A | | 1.00 | 3 |
| <i>Acantholimon reflexifolium</i> No Common Name Found | GC | 1.00 | G4 | 2-3 | 4-10A | | 1.00 | 3 |
| <i>Acantholimon ulicinum</i> No Common Name Found | GC | 1.00 | G4 | 2-3 | 4-10A | | 1.00 | 3 |
| <i>Acanthopanax sieboldianus</i> See - <i>Eleutherococcus sieboldianus</i> | | | | | | | | |
| <i>Acanthus balcanicus</i> Hungarian Bear's Breeches | HP | 1.01 | G4 | 6-7 | 8-11 | | | |
| <i>Acanthus hungaricus</i> See - <i>Acanthus balcanicus</i> | | | | | | | | |
| <i>Acanthus mollis</i> Bear's Breeches | HP | 0.95 | G4 | 5-6 | 7-10 | | | |
| <i>Acanthus mollis</i> 'Oak Leaf' Oak Leaf Bear's Breeches | HP | 1.44 | G4 | 5-6 | 7-11 | | | |
| <i>Acanthus montanus</i> Mountain Thistle | BS | 0.69 | G4 | 9 | 10-11 | | 1.00 | 9 |
| <i>Acanthus spinosissimus</i> Spiny Bear's Breeches | HP | 1.19 | G4 | 4-5 | 6-9A | | | |
| <i>Acca sellowiana</i> Pineapple Guava | BS | 0.95 | G2 | 8 | 9-11 | | 0.96 | 8 |
| <i>Acca sellowiana</i> 'Nazemetz' Nazemetz Pineapple Guava | BS | 0.74 | G2 | 8 | 9-11 | | 0.96 | 8 |
| <i>Acer buergerianum</i> Trident Maple | DT | 0.97 | G2 | 4-5 | 6-9B | 1.03 | 1.39 | 5 |
| <i>Acer buergerianum</i> 'ABTIR' P.P. 9576 Street Wise® Trident Maple | DT | 1.07 | G2 | 4-5 | 6-9B | 1.75 | 1.39 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acer buergerianum</i> 'Goshiki kaede' Goshiki Kaede Trident Maple | DT | 1.38 | G2 | 4-5 | 6-9B | 1.39 | 1.39 | 5 |
| <i>Acer buergerianum</i> 'Mino yatsubusa' Mino Yatsubusa Trident Maple | DT | 1.38 | G2 | 4-5 | 6-9B | 1.39 | 1.39 | 5 |
| <i>Acer buergerianum</i> 'Naruto kaede' Naruto Kaede Trident Maple | DT | 1.38 | G2 | 4-5 | 6-9B | 1.39 | 1.39 | 5 |
| <i>Acer buergerianum</i> 'Street Wise' See - <i>Acer buergerianum</i> 'ABTIR' P.P. 9576 | | | | | | | | |
| <i>Acer buergerianum</i> 'Tancho' Tancho Trident Maple | DT | 2.10 | G2 | 4-5 | 6-9B | 1.39 | 1.39 | 5 |
| <i>Acer campestre</i> Hedge Maple | DT | 1.03 | G2 | 3-4 | 5-8 | 1.06 | 1.61 | 4 |
| <i>Acer campestre</i> 'Evelyn' P.P. 4392 Queen Elizabeth™ Hedge Maple | DT | 1.17 | G2 | 3-4 | 5-8 | 1.15 | 1.24 | 4 |
| <i>Acer campestre</i> 'Nanum' Compact Globe Hedge Maple | DT | 1.10 | G2 | 3-4 | 5-8 | 1.05 | 1.43 | 4 |
| <i>Acer campestre</i> 'Queen Elizabeth' See - <i>Acer campestre</i> 'Evelyn' P.P. 4392 | | | | | | | | |
| <i>Acer campestre</i> 'St. Gregory' See - <i>Acer campestre</i> 'Stgrezam' | | | | | | | | |
| <i>Acer campestre</i> 'Stgrezam' St. Gregory™ Hedge Maple | DT | 1.10 | G2 | 3-4 | 5-8 | 1.27 | 1.43 | 4 |
| <i>Acer capillipes</i> Red Snakebark Maple | DT | 0.89 | G2 | 4-5 | 6-8 | 1.10 | 1.00 | 5 |
| <i>Acer cappadocicum</i> Coliseum Maple | DT | 1.00 | G2 | 5-6 | 7-8 | 0.78 | 1.00 | 6 |
| <i>Acer cappadocicum</i> 'Rubrum' Red Coliseum Maple | DT | 1.00 | G2 | 5-6 | 7-8 | 0.78 | 1.00 | 6 |
| <i>Acer circinatum</i> Vine Maple | DT | 0.93 | G2 | 4-5 | 6-8 | 0.84 | 0.89 | 5 |
| <i>Acer circinatum</i> 'Little Gem' Little Gem Vine Maple | DT | 3.43 | G2 | 4-5 | 6-8 | 1.07 | 1.25 | 5 |
| <i>Acer circinatum</i> 'Monroe' Monroe Vine Maple | DT | 2.90 | G2 | 4-5 | 6-8 | 1.30 | 1.60 | 5 |
| <i>Acer circinatum</i> 'Pacific Fire' Pacific Fire Vine Maple | DT | 5.00 | G2 | 4-5 | 6-8 | 1.07 | 1.25 | 5 |
| <i>Acer cissifolium</i> Ivy-leaved Maple | DT | 1.00 | G2 | 3-4 | 5-9 | 1.00 | 1.00 | 4 |
| <i>Acer dasycarpum</i> See - <i>Acer saccharinum</i> | | | | | | | | |
| <i>Acer davidii</i> David Maple | DT | 1.03 | G2 | 4-5 | 6-8 | 1.51 | 0.54 | 5 |
| <i>Acer davidii</i> ssp. <i>grosseri</i> Grosser's Snakebark Maple | DT | 1.00 | G2 | 4-5 | 6-8 | 1.49 | 1.00 | 5 |
| <i>Acer diabolicum</i> Devil Maple | DT | 1.00 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Acer firma</i> Siebold's Maple | DT | 4.63 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Acer firma</i> 'Sode no uchi' Sode no uchi Siebold's Maple | DT | 4.63 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Acer floridanum</i> See - <i>Acer saccharum</i> ssp. <i>floridanum</i> | | | | | | | | |
| <i>Acer x freemanii</i> Freeman Maple | DT | 0.91 | G2 | 2-3 | 4-7 | 1.05 | 1.30 | 3 |
| <i>Acer x freemanii</i> 'Armstrong Two' Armstrong Two Freeman Maple | DT | 1.22 | G2 | 2-3 | 4-7 | 1.10 | 1.30 | 3 |
| <i>Acer x freemanii</i> 'Armstrong' Armstrong Freeman Maple | DT | 1.00 | G2 | 2-3 | 4-7 | 1.07 | 1.41 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Acer x freemanii</i> 'Autumn Blaze' See - <i>Acer x freemanii</i> 'Jeffersred' P.P. 4864 | | | | | | | | |
| <i>Acer x freemanii</i> 'Autumn Fantasy' See - <i>Acer x freemanii</i> 'DTR 102' P.P. 7655 | | | | | | | | |
| <i>Acer x freemanii</i> 'Celebration' See - <i>Acer x freemanii</i> 'Celzam' P.P. 7279 | | | | | | | | |
| <i>Acer x freemanii</i> 'Celzam' P.P. 7279 Celebration® Freeman Maple | DT | 1.81 | G2 | 2-3 | 4-7 | 1.13 | 0.76 | 3 |
| <i>Acer x freemanii</i> 'DTR 102' P.P. 7655 Autumn Fantasy® Freeman Maple | DT | 0.92 | G2 | 2-3 | 4-7 | 1.19 | 0.49 | 3 |
| <i>Acer x freemanii</i> 'Firedance' See - <i>Acer x freemanii</i> 'Landsburg' P.P. 6977 | | | | | | | | |
| <i>Acer x freemanii</i> 'Indian Summer' See - <i>Acer x freemanii</i> 'Morgan' | | | | | | | | |
| <i>Acer x freemanii</i> 'Jeffersred' P.P. 4864 Autumn Blaze® Freeman Maple | DT | 1.07 | G2 | 2-3 | 4-7 | 1.13 | 1.32 | 3 |
| <i>Acer x freemanii</i> 'Landsburg' P.P. 6977 Firedance® Freeman Maple | DT | 1.22 | G2 | 2-3 | 4-8 | 1.27 | 1.30 | 3 |
| <i>Acer x freemanii</i> 'Marmo' Marmo Freeman Maple | DT | 1.22 | G2 | 2-3 | 4-7 | 1.36 | 2.21 | 3 |
| <i>Acer x freemanii</i> 'Morgan' Indian Summer™ Freeman Maple | DT | 1.26 | G2 | 2-3 | 4-7 | 0.85 | 0.53 | 3 |
| <i>Acer x freemanii</i> 'Scarlet Sentinel' See - <i>Acer x freemanii</i> 'Scarsen' P.P. 3109 | | | | | | | | |
| <i>Acer x freemanii</i> 'Scarsen' P.P. 3109 Scarlet Sentinel™ Freeman Maple | DT | 1.22 | G2 | 2-3 | 4-7 | 1.22 | 2.40 | 3 |
| <i>Acer x freemanii</i> 'Sienna Glen' See - <i>Acer x freemanii</i> 'Sienna' P.P. 11322 | | | | | | | | |
| <i>Acer x freemanii</i> 'Sienna' P.P. 11322 Sienna Glen™ Freeman Maple | DT | 1.57 | G2 | 2-3 | 4-7 | 1.94 | 1.30 | 3 |
| <i>Acer ginnala</i> See - <i>Acer tataricum</i> ssp. <i>ginnala</i> | | | | | | | | |
| <i>Acer glabrum</i> Rocky Mountain Maple | DT | 1.15 | G2 | 2-4 | 5-11 | 1.33 | 1.40 | 4 |
| <i>Acer grandidentatum</i> See - <i>Acer saccharum</i> ssp. <i>grandidentatum</i> | | | | | | | | |
| <i>Acer griseum</i> Paperbark Maple | DT | 1.68 | G2 | 4 | 5-8 | 1.63 | 2.02 | 4 |
| <i>Acer griseum</i> 'Gingerbread' See - <i>Acer griseum</i> 'Ginzam' | | | | | | | | |
| <i>Acer griseum</i> 'Ginzam' Gingerbread™ Paperbark Maple | DT | 1.68 | G2 | 4 | 5-8 | 1.33 | 2.02 | 4 |
| <i>Acer grosseri</i> var. <i>hersii</i> See - <i>Acer davidii</i> ssp. <i>grosseri</i> | | | | | | | | |
| <i>Acer henryi</i> No Common Name Found | DT | 1.00 | G2 | 4 | 5-8 | 1.00 | 0.63 | 4 |
| <i>Acer japonicum</i> Fullmoon Maple | DT | 2.10 | G2 | 4-5 | 6-7 | 1.85 | 4.55 | 5 |
| <i>Acer japonicum</i> '6910' 6910 Fullmoon Maple | DT | 3.31 | G2 | 4-5 | 6-7 | 1.85 | 3.75 | 5 |
| <i>Acer japonicum</i> 'Aconitifolium' Fernleaf Fullmoon Maple | DT | 2.77 | G2 | 4-5 | 6-7 | 1.85 | 2.80 | 5 |
| <i>Acer japonicum</i> 'Attaryi' Attary Fullmoon Maple | DT | 5.00 | G2 | 4-5 | 6-7 | 1.85 | 3.75 | 5 |
| <i>Acer japonicum</i> 'Ezono momiji' Ezono momiji Fullmoon Maple | DT | 3.10 | G2 | 4-5 | 6-7 | 1.85 | 3.75 | 5 |
| <i>Acer japonicum</i> 'Green Cascade' Green Cascade Fullmoon Maple | DT | 3.10 | G2 | 4-5 | 6-7 | 1.85 | 3.90 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acer japonicum</i> 'Itaya' Itaya Fullmoon Maple | DT | 3.57 | G2 | 4-5 | 6-7 | 1.85 | 3.75 | 5 |
| <i>Acer japonicum</i> 'Ogureyama' Ogureyama Fullmoon Maple | DT | 3.11 | G2 | 4-5 | 6-7 | 1.85 | 3.75 | 5 |
| <i>Acer japonicum</i> 'Oisami' Oisami Fullmoon Maple | DT | 3.53 | G2 | 4-5 | 6-7 | 1.85 | 3.75 | 5 |
| <i>Acer japonicum</i> 'Vitifolium' Grapeleaf Fullmoon Maple | DT | 3.55 | G2 | 4-5 | 6-7 | 1.85 | 3.75 | 5 |
| <i>Acer japonicum</i> 'Wood's #1' Wood's # 1 Fullmoon Maple | BS | 6.76 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Acer japonicum</i> 'Wood's #2' Wood's #2 Fullmoon Maple | BS | 6.76 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Acer leucoderme</i> See - <i>Acer saccharum</i> ssp. <i>leucoderme</i> | | | | | | | | |
| <i>Acer macrophyllum</i> Bigleaf Maple | DT | 0.79 | G2 | 4-5 | 6-8 | 1.06 | 0.66 | 5 |
| <i>Acer mandschuricum</i> Manchurian Maple | DT | 1.00 | G2 | 3-4 | 5-6 | 1.09 | 0.67 | 4 |
| <i>Acer maximowiczianum</i> Nikko Maple | DT | 1.00 | G2 | 4-5 | 6 | 1.00 | 1.00 | 5 |
| <i>Acer miyabei</i> Miyabe Maple | DT | 1.96 | G2 | 4-5 | 6 | 1.30 | 0.70 | 5 |
| <i>Acer miyabei</i> 'Morton' State Street® Miyabe Maple | DT | 1.96 | G2 | 4-5 | 6 | 1.58 | 1.65 | 5 |
| <i>Acer miyabei</i> 'State Street' See - <i>Acer miyabei</i> 'Morton' | | | | | | | | |
| <i>Acer mono</i> No Common Name Found | DT | 1.00 | G2 | 4-5 | 6-8 | 1.00 | 0.67 | 5 |
| <i>Acer negundo</i> Boxelder | DT | 0.96 | G2 | 2 | 3-9 | 0.90 | 0.52 | 2 |
| <i>Acer negundo</i> 'Baron' Baron Boxelder | DT | 1.12 | G2 | 2 | 3-9 | 1.20 | 0.67 | 2 |
| <i>Acer negundo</i> 'Flamingo' Flamingo Boxelder | DT | 1.27 | G2 | 2 | 3-9 | 1.28 | 0.82 | 2 |
| <i>Acer negundo</i> 'Kelly's Gold' Kelly's Gold Boxelder | DT | 1.19 | G2 | 2 | 3-9 | 1.27 | 0.67 | 2 |
| <i>Acer negundo</i> 'Sensation' P.P.A.F. Sensation Boxelder | DT | 1.03 | G2 | 2 | 3-9 | 0.99 | 0.67 | 2 |
| <i>Acer negundo</i> 'Variegatum' Silverleaf Boxelder | DT | 1.13 | G2 | 2 | 3-9 | 1.57 | 0.67 | 2 |
| <i>Acer negundo</i> 'Winter Lightning' Winter Lightning Boxelder | DT | 1.12 | G2 | 1-2 | 3-9 | 1.20 | 0.67 | 2 |
| <i>Acer nikoense</i> See - <i>Acer maximowiczianum</i> | | | | | | | | |
| <i>Acer nikoense</i> var. <i>griseum</i> See - <i>Acer griseum</i> | | | | | | | | |
| <i>Acer palmatum</i> Japanese Maple | DT | 1.12 | G2 | 4-5 | 6-9A | 0.99 | 2.10 | 5 |
| <i>Acer palmatum</i> 'Aka shigitatsu sawa' See - <i>Acer palmatum</i> 'Beni shigitatsu sawa' | | | | | | | | |
| <i>Acer palmatum</i> 'Ao no hichi gosan' See - <i>Acer palmatum</i> 'Shino buga oka' | | | | | | | | |
| <i>Acer palmatum</i> 'Aoyagi' Green Willow Japanese Maple | DT | 2.86 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Asahi zuru' Morning Sun Japanese Maple | DT | 2.73 | G2 | 4-5 | 6-9A | 1.76 | 1.49 | 5 |
| <i>Acer palmatum</i> 'Atrolinære' Bloodvein Japanese Maple | DT | 2.67 | G2 | 4-5 | 6-9A | 1.73 | 2.26 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acer palmatum</i> 'Azuma murasaki' Azuma Murasaki Japanese Maple | DT | 3.12 | G2 | 4-5 | 6-9A | 1.30 | 1.60 | 5 |
| <i>Acer palmatum</i> 'Beni fushigi' Beni Fushigi Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Beni hime' Beni Hime Japanese Maple | DT | 2.89 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Beni kawa' Beni Kawa Japanese Maple | DT | 2.50 | G2 | 4-5 | 6-9A | 1.76 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Beni kohime' Beni Kohime Japanese Maple | DT | 2.89 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Beni komachi' Beni Komachi Japanese Maple | DT | 2.79 | G2 | 4-5 | 6-9A | 1.30 | 1.82 | 5 |
| <i>Acer palmatum</i> 'Beni maiko' Dancing Girl Japanese Maple | DT | 2.65 | G2 | 4-5 | 6-9A | 1.76 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Beni otake' Beni Otake Japanese Maple | DT | 2.69 | G2 | 4-5 | 6-9A | 2.06 | 2.58 | 5 |
| <i>Acer palmatum</i> 'Beni schichi henge' Beni Schichi Henge Japanese Maple | DT | 2.45 | G2 | 4-5 | 6-9A | 1.76 | 1.52 | 5 |
| <i>Acer palmatum</i> 'Beni shigitatsu sawa' Beni Shigitatsu Sawa Japanese Maple | DT | 2.98 | G2 | 4-5 | 6-9A | 1.76 | 2.08 | 5 |
| <i>Acer palmatum</i> 'Beni tsukasa' Beni Tsukasa Japanese Maple | DT | 2.82 | G2 | 4-5 | 6-9A | 1.76 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Beni ubi gohon' Beni Uni Gohon Japanese Maple | DT | 2.75 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Bloodgood' Bloodgood Japanese Maple | DT | 2.04 | G2 | 4-5 | 6-9A | 1.63 | 2.91 | 5 |
| <i>Acer palmatum</i> 'Bonfire' Bonfire Japanese Maple | DT | 2.31 | G2 | 4-5 | 6-9A | 1.26 | 1.57 | 5 |
| <i>Acer palmatum</i> 'Boskoop Glory' Boskoop Glory Japanese Maple | DT | 2.63 | G2 | 4-5 | 6-9A | 1.84 | 2.17 | 5 |
| <i>Acer palmatum</i> 'Burgundy Flame' Burgundy Flame Japanese Maple | DT | 2.53 | G2 | 4-5 | 6-9A | 1.86 | 2.12 | 5 |
| <i>Acer palmatum</i> 'Burgundy Lace' Burgundy Lace Japanese Maple | DT | 2.09 | G2 | 4-5 | 6-9A | 1.51 | 2.57 | 5 |
| <i>Acer palmatum</i> 'Butterfly' Butterfly Japanese Maple | DT | 2.10 | G2 | 4-5 | 6-9A | 1.47 | 2.77 | 5 |
| <i>Acer palmatum</i> 'Chishio' Blood Japanese Maple | DT | 2.44 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Chitoseyama' Chitoseyama Japanese Maple | DT | 2.84 | G2 | 4-5 | 6-9A | 1.52 | 1.80 | 5 |
| <i>Acer palmatum</i> 'Coonara Pygmy' Coonara Pygmy Japanese Maple | DT | 2.68 | G2 | 4-5 | 6-9A | 1.66 | 7.42 | 5 |
| <i>Acer palmatum</i> 'Corallinum' Corallinum Japanese Maple | DT | 2.69 | G2 | 4-5 | 6-9A | 1.66 | 5.34 | 5 |
| <i>Acer palmatum</i> 'Crimson Prince' Crimson Prince Japanese Maple | DT | 2.38 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Elegans' Elegans Japanese Maple | DT | 2.48 | G2 | 4-5 | 6-9A | 1.66 | 0.60 | 5 |
| <i>Acer palmatum</i> 'Emperor I' See - <i>Acer palmatum</i> 'Wolff' | | | | | | | | |
| <i>Acer palmatum</i> 'Fascination' P.P.A.F. Fascination Japanese Maple | DT | 2.89 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Filifera Purpureum' See - <i>Acer palmatum</i> 'Atrolinere' | | | | | | | | |
| <i>Acer palmatum</i> 'Fireglow' Fireglow Japanese Maple | DT | 2.23 | G2 | 4-5 | 6-9A | 1.37 | 3.88 | 5 |
| <i>Acer palmatum</i> 'Fjellhiem' Fjellhiem Japanese Maple | DT | 12.50 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acer palmatum</i> 'Glowing Embers' Glowing Embers Japanese Maple | DT | 1.99 | G2 | 4-5 | 6-8 | 1.97 | 1.85 | 5 |
| <i>Acer palmatum</i> 'Goshiki kotohime' Goshiki Kotohime Japanese Maple | DT | 3.37 | G2 | 4-5 | 6-9A | 1.66 | 7.11 | 5 |
| <i>Acer palmatum</i> 'Green Trompenburg' Green Trompenburg Japanese Maple | DT | 5.00 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Hanami nishiki' Flower Viewing Japanese Maple | DT | 5.02 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Hanazono nishiki' Hanazono Nishiki Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Harusame' Harusame Japanese Maple | DT | 2.51 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Hazeroino' Hazeroino Japanese Maple | DT | 5.00 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Heptalobum' Sevenlobe Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Herbstfeuer' Herbstfeuer Japanese Maple | DT | 2.00 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Hessei' Hesse Japanese Maple | DT | 2.48 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Higasayama' Higasayama Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.30 | 1.60 | 5 |
| <i>Acer palmatum</i> 'Hogyoku' Hogyoku Japanese Maple | DT | 2.41 | G2 | 4-5 | 6-9A | 1.30 | 1.82 | 5 |
| <i>Acer palmatum</i> 'Hoshi kuzu' Hoshi Kuzu Japanese Maple | DT | 2.96 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Hupp's Dwarf' Hupp's Dwarf Japanese Maple | DT | 6.00 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Ibo nishiki' Ibo Nishiki Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Ichigyoji' Ichigyoji Japanese Maple | DT | 4.22 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Iijima sunago' Dusted Japanese Maple | DT | 2.99 | G2 | 4-5 | 6-9A | 1.66 | 2.25 | 5 |
| <i>Acer palmatum</i> 'Inazuma' Inazuma Japanese Maple | DT | 3.07 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Issai nishiki momiji' Issai Nishiki Momiji Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Japanese Sunrise' Japanese Sunrise Japanese Maple | DT | 3.00 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Jiro shidare' Jiro Shidare Japanese Maple | DT | 2.44 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Kagiri nishiki' Pinkedge Japanese Maple | DT | 2.52 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Kamagata' Kamagata Japanese Maple | DT | 2.98 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Karasugawa' Karasugawa Japanese Maple | DT | 3.12 | G2 | 4-5 | 6-9A | 1.30 | 1.60 | 5 |
| <i>Acer palmatum</i> 'Kasagiyama' Kasagiyama Japanese Maple | DT | 3.15 | G2 | 4-5 | 6-9A | 1.66 | 1.01 | 5 |
| <i>Acer palmatum</i> 'Kashima' Kashima Japanese Maple | DT | 4.02 | G2 | 4-5 | 6-9A | 2.06 | 4.36 | 5 |
| <i>Acer palmatum</i> 'Katsura' Katsura Japanese Maple | DT | 2.64 | G2 | 4-5 | 6-9A | 1.76 | 1.99 | 5 |
| <i>Acer palmatum</i> 'Ki hachijo' Ki Hachijo Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Killarny' Killarny Japanese Maple | DT | 1.50 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acer palmatum</i> 'Kinran' Kinran Japanese Maple | DT | 2.94 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Kinshi' Kinshi Japanese Maple | DT | 2.89 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Kiyohime' Kiyohime Japanese Maple | DT | 2.74 | G2 | 4-5 | 6-9A | 1.66 | 3.16 | 5 |
| <i>Acer palmatum</i> 'Kogane nishiki' Kogane Nishiki Japanese Maple | DT | 2.53 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Koreanum' Korean Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Koshibori nishiki' Koshibori Nishiki Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Koshimino' Koshimino Japanese Maple | DT | 2.55 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Koto no ito' Koto No Ito Japanese Maple | DT | 2.80 | G2 | 4-5 | 6-9B | 2.06 | 2.14 | 5 |
| <i>Acer palmatum</i> 'Kotohime' Kotohime Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Kotomaru' Kotomaru Japanese Maple | DT | 3.71 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Kurabeyama' Kurabeyama Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Kurui jishi' Kurui Jishi Japanese Maple | DT | 2.64 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Linearilobum' Linearilobum Japanese Maple | DT | 2.73 | G2 | 4-5 | 6-9A | 2.06 | 2.42 | 5 |
| <i>Acer palmatum</i> 'Lutescens' Golden Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Maimori' Maimori Japanese Maple | DT | 3.07 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Mama' Mama Japanese Maple | DT | 2.58 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Masukagami' Masukagami Japanese Maple | DT | 2.93 | G2 | 4-5 | 6-9A | 1.97 | 2.28 | 5 |
| <i>Acer palmatum</i> 'Matsugae' Matsugae Japanese Maple | DT | 4.81 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Matsuyoi' Matsuyoi Japanese Maple | DT | 2.89 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Mikawa yatsubusa' Mikawa Yatsubusa Japanese Maple | DT | 5.50 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Mirte' Mirte Japanese Maple | DT | 2.89 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Mizu kuguri' Mizu Kurugi Japanese Maple | DT | 4.50 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Monzukushi' Monzukushi Japanese Maple | DT | 2.00 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Moonfire' Moonfire Japanese Maple | DT | 2.19 | G2 | 4-5 | 6-9A | 1.46 | 1.96 | 5 |
| <i>Acer palmatum</i> 'Murasaki kiyohime' Murasaki Kiyohime Japanese Maple | DT | 3.12 | G2 | 4-5 | 6-9A | 1.66 | 2.35 | 5 |
| <i>Acer palmatum</i> 'Mure hibari' Mure hibari Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Musa muraski' Musa muraski Japanese Maple | DT | 2.30 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Nana segawa' Nana Segawa Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Nishiki gasane' Nishiki Gasane Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Acer palmatum</i> 'Nishiki gawa' Pinebark Japanese Maple | DT | 2.44 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Nishiki momiji' Nishiki Momiji Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Nishiki sho' Nishiki Sho Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Nuresagi' Nuresagi Japanese Maple | DT | 2.69 | G2 | 4-5 | 6-9A | 1.84 | 1.80 | 5 |
| <i>Acer palmatum</i> 'Ogon sarasa' Ogon Sarasa Japanese Maple | DT | 2.44 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Okagami' Okagami Japanese Maple | DT | 2.29 | G2 | 4-5 | 6-9A | 1.76 | 1.71 | 5 |
| <i>Acer palmatum</i> 'Okushimo' Okushimo Japanese Maple | DT | 2.28 | G2 | 4-5 | 6-9A | 1.48 | 1.77 | 5 |
| <i>Acer palmatum</i> 'Omato' Omato Japanese Maple | DT | 2.71 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Omurayama' Omurayama Japanese Maple | DT | 2.85 | G2 | 4-5 | 6-9A | 1.77 | 1.60 | 5 |
| <i>Acer palmatum</i> 'Orange Dream' Orange Dream Japanese Maple | DT | 4.00 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Oregon Sunset' Oregon Sunset Japanese Maple | DT | 2.49 | G2 | 4-5 | 6-9A | 1.76 | 3.00 | 5 |
| <i>Acer palmatum</i> 'Orido nishiki' Orido Nishiki Japanese Maple | DT | 2.09 | G2 | 4-5 | 6-9A | 1.60 | 1.60 | 5 |
| <i>Acer palmatum</i> 'Osakazuki' Osakazuki Japanese Maple | DT | 2.21 | G2 | 4-5 | 6-9A | 1.84 | 2.26 | 5 |
| <i>Acer palmatum</i> 'Oshio beni' Oshio Beni Japanese Maple | DT | 2.05 | G2 | 4-5 | 6-9A | 1.60 | 2.37 | 5 |
| <i>Acer palmatum</i> 'Oshu shidare' Oshu Shidare Japanese Maple | DT | 2.30 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Otome zakura' Otome Zakura Japanese Maple | DT | 2.77 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Peaches and Cream' Peaches and Cream Japanese Maple | DT | 3.77 | G2 | 4-5 | 6-9A | 2.06 | 2.58 | 5 |
| <i>Acer palmatum</i> 'Pendulum' Weeping Japanese Maple | DT | 2.89 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Pixie' Pixie Japanese Maple | DT | 5.13 | G2 | 4-5 | 6-9A | 1.66 | 2.00 | 5 |
| <i>Acer palmatum</i> 'Red Pygmy' Red Pygmy Japanese Maple | DT | 2.49 | G2 | 4-5 | 6-9A | 1.85 | 2.85 | 5 |
| <i>Acer palmatum</i> 'Red Spider' Red Spider Japanese Maple | DT | 2.17 | G2 | 4-5 | 6-9A | 1.66 | 1.44 | 5 |
| <i>Acer palmatum</i> 'Red Wood' Red Wood Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Redspray' Redspray Japanese Maple | DT | 2.89 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Roseo-marginatum' Roseo-marginatum Japanese Maple | DT | 2.49 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Royal' Royal Japanese Maple | DT | 2.89 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Ryuzu' Ryuzu Japanese Maple | DT | 2.48 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Sagara nishiki' Sagara Nishiki Japanese Maple | DT | 2.39 | G2 | 4-5 | 6-9A | 1.66 | 1.54 | 5 |
| <i>Acer palmatum</i> 'Sango kaku' Sango Kaku Japanese Maple | DT | 2.03 | G2 | 4-5 | 6-9A | 1.56 | 3.21 | 5 |
| <i>Acer palmatum</i> 'Saoshika' Saoshika Japanese Maple | DT | 2.89 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acer palmatum</i> 'Saotome' Saotome Japanese Maple | DT | 5.00 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Satsuki beni' Satsuki Beni Japanese Maple | DT | 4.50 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Sazanami' Ruffles Japanese Maple | DT | 2.68 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Scolopendrifolium' Scolopendrifolium Japanese Maple | DT | 2.81 | G2 | 4-5 | 6-9A | 1.79 | 6.55 | 5 |
| <i>Acer palmatum</i> 'Sekka yatsubusa' Sekka Yatsubusa Japanese Maple | DT | 4.73 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Senkaki' See - <i>Acer palmatum</i> 'Sango kaku' | | | | | | | | |
| <i>Acer palmatum</i> 'Shaina' Shaina Japanese Maple | DT | 2.97 | G2 | 4-5 | 6-9A | 1.66 | 3.45 | 5 |
| <i>Acer palmatum</i> 'Sharp's Pygmy' Sharp's Pygmy Japanese Maple | DT | 4.05 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Sherwood Flame' Sherwood Flame Japanese Maple | DT | 1.81 | G2 | 4-5 | 6-9A | 1.75 | 3.67 | 5 |
| <i>Acer palmatum</i> 'Shigarami' Shigarami Japanese Maple | DT | 2.89 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Shigitatsu sawa' Shigitatsu Sawa Japanese Maple | DT | 2.59 | G2 | 4-5 | 6-9A | 1.66 | 2.41 | 5 |
| <i>Acer palmatum</i> 'Shigure bato' Shigure Bato Japanese Maple | DT | 2.64 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Shindeshojo' Shindeshojo Japanese Maple | DT | 2.30 | G2 | 4-5 | 6-9A | 1.42 | 1.59 | 5 |
| <i>Acer palmatum</i> 'Shino buga oka' Shino Buga Oka Japanese Maple | DT | 2.48 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Shishigashira' Lions Head Japanese Maple | DT | 1.95 | G2 | 4-5 | 6-9A | 1.60 | 3.39 | 5 |
| <i>Acer palmatum</i> 'Shishio Improved' Shishio Improved Japanese Maple | DT | 2.67 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Shishio hime' Shishio Hime Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Shojo nomura' Shojo Nomura Japanese Maple | DT | 2.56 | G2 | 4-5 | 6-9A | 1.76 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Sketer's Broom' Sketer's Broom Japanese Maple | DT | 2.26 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Suminagashi' Suminagashi Japanese Maple | DT | 1.98 | G2 | 4-5 | 6-9A | 1.49 | 2.24 | 5 |
| <i>Acer palmatum</i> 'Taimin nishiki' Taimin Nishiki Japanese Maple | DT | 2.72 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Tamahime' Tamahime Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Tana' Tana Japanese Maple | DT | 2.89 | G2 | 4-5 | 6-9A | 1.66 | 1.45 | 5 |
| <i>Acer palmatum</i> 'Tatsuta' Tatsuta Japanese Maple | DT | 2.89 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Tennyo no hoshi' Tennyo No Hoshi Japanese Maple | DT | 2.80 | G2 | 4-5 | 6-9A | 1.30 | 1.60 | 5 |
| <i>Acer palmatum</i> 'Tiny Tim' Tiny Tim Japanese Maple | DT | 6.00 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Trompenburg' Trompenburg Japanese Maple | DT | 1.95 | G2 | 4-5 | 6 | 1.50 | 3.48 | 5 |
| <i>Acer palmatum</i> 'Tsuchigumo' Tsuchigumo Japanese Maple | DT | 2.55 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Tsukushigata' Tsukushigata Japanese Maple | DT | 2.55 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acer palmatum</i> 'Tsuma gaki' Tsuma Gaki Japanese Maple | DT | 2.89 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Ueno yama' Ueno Yama Japanese Maple | DT | 2.60 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Ukigumo' Floating Clouds Japanese Maple | DT | 2.43 | G2 | 4-5 | 6 | 1.79 | 1.95 | 5 |
| <i>Acer palmatum</i> 'Ukon' Ukon Japanese Maple | DT | 2.55 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Umegae' Umegae Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.30 | 1.60 | 5 |
| <i>Acer palmatum</i> 'Versicolor' Pinkedge Japanese Maple | DT | 2.50 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Villa Tranto' Villa Tranto Japanese Maple | DT | 2.64 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Volubile' Volubile Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Wabito' Wabito Japanese Maple | DT | 2.68 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Wakehurst Pink' Wakehurst Pink Japanese Maple | DT | 6.00 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Walters Red' Walters Red Japanese Maple | DT | 2.89 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'West Grove' West Grove Japanese Maple | DT | 2.77 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Whitney Red' Whitney Red Japanese Maple | DT | 2.46 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Willow Leaf' Willow Leaf Japanese Maple | DT | 2.34 | G2 | 4-5 | 6-9A | 1.76 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Wilson's Pink Dwarf' Wilson's Pink Dwarf Japanese Maple | DT | 4.54 | G2 | 4-5 | 6-9A | 1.30 | 1.60 | 5 |
| <i>Acer palmatum</i> 'Wolff' Emperor I™ Japanese Maple | DT | 3.15 | G2 | 4-5 | 6-9A | 1.89 | 2.41 | 5 |
| <i>Acer palmatum</i> 'Wou nishiki' Wou Nishiki Japanese Maple | DT | 2.79 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Yezo nishiki' Yezo Nishiki Japanese Maple | DT | 2.73 | G2 | 4-5 | 6-9A | 1.66 | 2.44 | 5 |
| <i>Acer palmatum</i> 'Yubae' Yubae Japanese Maple | DT | 2.39 | G2 | 4-5 | 6-9A | 1.97 | 2.28 | 5 |
| <i>Acer palmatum</i> ssp. <i>matsumurae</i> Matsumurae Japanese Maple | DT | 1.30 | G2 | 4-5 | 6-9A | 1.00 | 1.00 | 5 |
| <i>Acer palmatum</i> var. <i>atropurpureum</i> Bloodleaf Japanese Maple | DT | 1.23 | G2 | 4-5 | 6-9A | 0.96 | 1.98 | 5 |
| <i>Acer palmatum</i> var. <i>atropurpureum</i> 'Christie Ann' P.P.A.F. Christie Ann Japanese Maple | DT | 1.23 | G2 | 4-5 | 6-9A | 0.96 | 1.98 | 5 |
| <i>Acer palmatum</i> var. <i>atropurpureum</i> 'Musashino' Mushashino Red Japanese Maple | DT | 1.23 | G2 | 4-5 | 6-9A | 0.96 | 1.98 | 5 |
| <i>Acer palmatum</i> var. <i>atropurpureum</i> 'Novum' Novum Red Japanese Maple | DT | 1.23 | G2 | 4-5 | 6-9A | 0.96 | 1.98 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> Threadleaf Japanese Maple | DT | 2.47 | G2 | 4-5 | 6-9A | 2.54 | 4.27 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Ao shidare' Ao Shidare Threadleaf Japanese Maple | DT | 4.06 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Atropurpureum' Red Threadleaf Japanese Maple | DT | 2.25 | G2 | 4-5 | 6-9A | 2.79 | 3.83 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Baby Lace' Baby Lace Threadleaf Japanese Maple | DT | 6.00 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Baldsmith' Baldsmith Threadleaf Japanese Maple | DT | 4.06 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Barrie Bergman' Barrie Bergman Threadleaf Japanese Maple | DT | 2.75 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Beni shidare' Beni Shidare Threadleaf Japanese Maple | DT | 2.68 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Contorta' Contorted Threadleaf Japanese Maple | DT | 1.78 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Crimson Queen' Crimson Queen Threadleaf Japanese Maple | DT | 2.50 | G2 | 4-5 | 6-9A | 2.78 | 5.02 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Ever Red' Ever Red Threadleaf Japanese Maple | DT | 2.36 | G2 | 4-5 | 6-9A | 1.38 | 3.75 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Filigree' Filigree Threadleaf Japanese Maple | DT | 2.62 | G2 | 4-5 | 6-9A | 2.54 | 6.58 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Flavescens' Flavescens Threadleaf Japanese Maple | DT | 3.60 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Garnet' Garnet Threadleaf Japanese Maple | DT | 2.59 | G2 | 4-5 | 6-9A | 2.80 | 4.56 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Goshiki shidare' Goshiki Shidare Threadleaf Japanese Maple | DT | 3.57 | G2 | 4-5 | 6-9A | 2.54 | 2.53 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Green Lace' Green Lace Threadleaf Japanese Maple | DT | 3.15 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Green Mist' Green Mist Threadleaf Japanese Maple | DT | 3.05 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Inaba shidare' Inaba Shidare Threadleaf Japanese Maple | DT | 2.57 | G2 | 4-5 | 6-9A | 2.81 | 5.03 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Irish Lace' Irish Lace Threadleaf Japanese Maple | DT | 3.07 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Nigrum' See - <i>Acer palmatum</i> var. <i>dissectum</i> 'Ever Red' | | | | | | | | |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Octopus' Octopus Threadleaf Japanese Maple | DT | 3.07 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Orangelloa' Orangelloa Threadleaf Japanese Maple | DT | 2.85 | G2 | 4-5 | 6-9A | 2.54 | 5.87 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Ornatum' Spiderleaf Japanese Maple | DT | 2.73 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Palmatifidium' Palmatifidium Threadleaf Japanese Maple | DT | 2.49 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Pendula Julian' Weeping Julian Threadleaf Japanese Maple | DT | 3.74 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Raraflora' Raraflora Threadleaf Japanese Maple | DT | 3.07 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Red Dragon' Red Dragon Threadleaf Japanese Maple | DT | 2.37 | G2 | 4-5 | 6-9A | 2.07 | 4.59 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Red Filigree Lace' Red Filigree Lace Threadleaf Japanese Maple | DT | 3.21 | G2 | 4-5 | 6-9A | 2.54 | 2.53 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Seiryu' Seiryu Threadleaf Japanese Maple | DT | 2.14 | G2 | 4-5 | 6-9A | 1.52 | 3.08 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Sekimori' Sekimori Threadleaf Japanese Maple | DT | 6.00 | G2 | 4-5 | 6-9A | 2.54 | 7.14 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Shojo shidare' Shojo Shidare Threadleaf Japanese Maple | DT | 3.21 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Super Red' Super Red Threadleaf Japanese Maple | DT | 2.37 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Tamukeyama' Tamukeyama Threadleaf Japanese Maple | DT | 2.38 | G2 | 4-5 | 6-9A | 4.80 | 6.21 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Toyama nishiki' Toyama Nishiki Threadleaf Japanese Maple | DT | 2.75 | G2 | 4-5 | 6-9A | 2.54 | 3.93 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'V. Corbin' V. Corbin Threadleaf Japanese Maple | DT | 3.07 | G2 | 4-5 | 6-9A | 2.54 | 4.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Variegatum' Variegated Threadleaf Japanese Maple | DT | 4.81 | G2 | 4-5 | 6-9A | 2.54 | 2.44 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Viridis' Green Threadleaf Japanese Maple | DT | 2.37 | G2 | 4-5 | 6-9A | 1.89 | 3.99 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Waterfall' Waterfall Threadleaf Japanese Maple | DT | 2.75 | G2 | 4-5 | 6-9A | 2.54 | 3.87 | 5 |
| <i>Acer pensylvanicum</i> Striped Maple | DT | 1.17 | G2 | 2-3 | 4-9A | 1.24 | 0.63 | 3 |
| <i>Acer pensylvanicum</i> 'Erythrocladum' Erythrocladum Striped Maple | DT | 5.00 | G2 | 2-3 | 4-9A | 1.24 | 0.63 | 3 |
| <i>Acer platanoides</i> Norway Maple | DT | 0.95 | G2 | 2-3 | 4-9A | 0.81 | 0.56 | 3 |
| <i>Acer platanoides</i> 'Alberta Park' Alberta Park™ Norway Maple | DT | 1.14 | G2 | 2-3 | 4-9A | 0.88 | 0.61 | 3 |
| <i>Acer platanoides</i> 'Cavalier' P.P. 2973 Cavalier Norway Maple | DT | 1.14 | G2 | 2-3 | 4-9A | 1.11 | 0.61 | 3 |
| <i>Acer platanoides</i> 'Champtree' See - <i>Acer platanoides</i> 'National 2000' | | | | | | | | |
| <i>Acer platanoides</i> 'Cleveland' Cleveland Norway Maple | DT | 1.13 | G2 | 2-3 | 4-9A | 0.94 | 0.22 | 3 |
| <i>Acer platanoides</i> 'Columnar Compact' Columnar Compact Norway Maple | DT | 0.68 | G2 | 2-3 | 4-9A | 1.05 | 0.62 | 3 |
| <i>Acer platanoides</i> 'Columnarbroad' Parkway Norway® Maple | DT | 0.86 | G2 | 2-3 | 4-9A | 0.99 | 0.23 | 3 |
| <i>Acer platanoides</i> 'Columnare' Columnar Norway Maple | DT | 1.07 | G2 | 2-3 | 4-9A | 1.02 | 0.23 | 3 |
| <i>Acer platanoides</i> 'Conquest' See - <i>Acer platanoides</i> 'Conzam' | | | | | | | | |
| <i>Acer platanoides</i> 'Conzam' Conquest™ Norway Maple | DT | 1.14 | G2 | 2-3 | 4-9A | 1.16 | 0.61 | 3 |
| <i>Acer platanoides</i> 'Crimson King' P.P. 735 Crimson King Norway Maple | DT | 1.13 | G2 | 2-3 | 4-9A | 1.22 | 0.74 | 3 |
| <i>Acer platanoides</i> 'Crimson Sentry' P.P. 3258 Crimson Sentry Norway Maple | DT | 1.23 | G2 | 2-3 | 4-9A | 1.26 | 0.40 | 3 |
| <i>Acer platanoides</i> 'Crystal' See - <i>Acer platanoides</i> 'Lamis' | | | | | | | | |
| <i>Acer platanoides</i> 'Deborah' P.P. 4944 Deborah Norway Maple | DT | 1.19 | G2 | 2-3 | 4-9A | 1.03 | 1.13 | 3 |
| <i>Acer platanoides</i> 'Drummondii' Drummondii Variegated Norway Maple | DT | 0.90 | G2 | 2-3 | 4-9A | 1.10 | 0.52 | 3 |
| <i>Acer platanoides</i> 'Easy Street' Easy Street™ Norway Maple | DT | 1.14 | G2 | 2-3 | 4-9A | 1.17 | 0.61 | 3 |
| <i>Acer platanoides</i> 'Emerald Lustre' See - <i>Acer platanoides</i> 'Pond' P.P. 4837 | | | | | | | | |
| <i>Acer platanoides</i> 'Emerald Queen' Emerald Queen™ Norway Maple | DT | 1.24 | G2 | 2-3 | 4-9A | 1.01 | 1.32 | 3 |
| <i>Acer platanoides</i> 'Ezestre' See - <i>Acer platanoides</i> 'Easy Street' | | | | | | | | |
| <i>Acer platanoides</i> 'Fairview' Fairview™ Norway Maple | DT | 1.13 | G2 | 2-3 | 4-9A | 1.09 | 0.61 | 3 |
| <i>Acer platanoides</i> 'Globosum' Globe Norway Maple | DT | 1.21 | G2 | 2-3 | 4-9A | 1.20 | 0.61 | 3 |
| <i>Acer platanoides</i> 'Jade Glen' Jade Glen™ Norway Maple | DT | 1.65 | G2 | 2-3 | 4-9A | 1.07 | 0.22 | 3 |
| <i>Acer platanoides</i> 'Lamis' Crystal® Norway Maple | DT | 1.14 | G2 | 2-3 | 4-9A | 1.09 | 0.61 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Acer platanoides</i> 'Medallion' See - <i>Acer platanoides</i> 'Medzam' | | | | | | | | |
| <i>Acer platanoides</i> 'Medzam' Medallion™ Norway Maple | DT | 1.14 | G2 | 2-3 | 4-9A | 1.20 | 0.61 | 3 |
| <i>Acer platanoides</i> 'National 2000' Champtree Norway Maple | DT | 1.14 | G2 | 2-3 | 4-9A | 1.11 | 0.61 | 3 |
| <i>Acer platanoides</i> 'Olmsted' Olmsted Norway Maple | DT | 1.14 | G2 | 2-3 | 4-9A | 1.11 | 0.61 | 3 |
| <i>Acer platanoides</i> 'Oregon Pride' Oregon Pride® Norway Maple | DT | 1.14 | G2 | 2-3 | 4-9A | 1.11 | 0.61 | 3 |
| <i>Acer platanoides</i> 'Parkway' See - <i>Acer platanoides</i> 'Columnarbroad' | | | | | | | | |
| <i>Acer platanoides</i> 'Pond' P.P. 4837 Emerald Lustre® Norway Maple | DT | 1.17 | G2 | 2-3 | 4-9A | 1.01 | 1.31 | 3 |
| <i>Acer platanoides</i> 'Princeton Gold' P.P. 6727 Princeton Gold Norway Maple | DT | 1.05 | G2 | 2-3 | 4-9A | 1.21 | 0.32 | 3 |
| <i>Acer platanoides</i> 'Royal Red' Royal Red Norway Maple | DT | 1.26 | G2 | 2-3 | 4-9A | 1.16 | 0.52 | 3 |
| <i>Acer platanoides</i> 'Schwedleri' Schwedleri Norway Maple | DT | 1.53 | G2 | 2-3 | 4-9A | 1.12 | 0.22 | 3 |
| <i>Acer platanoides</i> 'Summershade' P.P. 1748 Summershade® Norway Maple | DT | 0.95 | G2 | 2-3 | 4-9A | 1.09 | 0.43 | 3 |
| <i>Acer platanoides</i> 'Superform' Superform Norway Maple | DT | 1.26 | G2 | 2-3 | 4-9A | 1.01 | 1.27 | 3 |
| <i>Acer platanoides</i> 'Variegatum' Variegated Norway Maple | DT | 1.22 | G2 | 2-3 | 4-9A | 1.98 | 0.63 | 3 |
| <i>Acer pseudoplatanus</i> Sycamore Maple | DT | 1.14 | G2 | 2-4 | 5-9A | 1.00 | 0.74 | 4 |
| <i>Acer pseudoplatanus</i> 'Atropurpureum' Spaeth Sycamore Maple | DT | 1.53 | G2 | 4 | 5-8 | 0.99 | 0.24 | 4 |
| <i>Acer pseudoplatanus</i> 'Brilliantissimum' Brilliantissimum Sycamore Maple | DT | 1.34 | G2 | 4 | 5-8 | 1.11 | 1.23 | 4 |
| <i>Acer pseudoplatanus</i> 'Lustre' Lustre Sycamore Maple | DT | 1.34 | G2 | 4 | 5-8 | 1.34 | 0.74 | 4 |
| <i>Acer pseudoplatanus</i> 'Prinz Handjery' Prinz Handjery Sycamore Maple | DT | 1.34 | G2 | 4 | 5-8 | 1.11 | 0.74 | 4 |
| <i>Acer pseudosieboldianum</i> Korean Maple | DT | 1.74 | G2 | 4-5 | 6 | 1.30 | 1.69 | 5 |
| <i>Acer rubrum</i> Red Maple | DT | 0.82 | G2 | 2-3 | 4-10B | 0.85 | 0.56 | 3 |
| <i>Acer rubrum</i> 'Armstrong' See - <i>Acer x freemanii</i> 'Armstrong' | | | | | | | | |
| <i>Acer rubrum</i> 'Autumn Flame' Autumn Flame® Red Maple | DT | 1.09 | G2 | 2-3 | 4-8 | 1.06 | 1.20 | 3 |
| <i>Acer rubrum</i> 'Autumn Radiance' Autumn Radiance Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 1.21 | 0.94 | 3 |
| <i>Acer rubrum</i> 'Autumn Spire' P.P. 7803 Autumn Spire Red Maple | DT | 1.24 | G2 | 2-3 | 4-8 | 1.23 | 0.82 | 3 |
| <i>Acer rubrum</i> 'Bowhall' Bowhall Red Maple | DT | 1.21 | G2 | 2-3 | 4-8 | 1.19 | 1.55 | 3 |
| <i>Acer rubrum</i> 'Brandywine' Brandywine Red Maple | DT | 1.03 | G2 | 2-3 | 4-8 | 1.04 | 0.94 | 3 |
| <i>Acer rubrum</i> 'Burgundy Belle' See - <i>Acer rubrum</i> 'Magnificent Magenta' P.P. 7222 | | | | | | | | |
| <i>Acer rubrum</i> 'Columnare' Columnare Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 0.85 | 0.94 | 3 |
| <i>Acer rubrum</i> 'Cumberland' Cumberland Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 1.05 | 0.94 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Acer rubrum</i> 'Curtis' Curtis Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 1.05 | 0.94 | 3 |
| <i>Acer rubrum</i> 'Davey' Davey Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 1.05 | 0.94 | 3 |
| <i>Acer rubrum</i> 'Doric' Doric Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 0.99 | 0.94 | 3 |
| <i>Acer rubrum</i> 'Embers' Embers® Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 0.88 | 0.42 | 3 |
| <i>Acer rubrum</i> 'Fairview Flame' Fairview Flame® Red Maple | DT | 1.14 | G2 | 2-3 | 4-8 | 1.04 | 0.94 | 3 |
| <i>Acer rubrum</i> 'Fireball' See - <i>Acer rubrum</i> 'Firzam' | | | | | | | | |
| <i>Acer rubrum</i> 'Firzam' Fireball™ Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 1.26 | 0.94 | 3 |
| <i>Acer rubrum</i> 'Florida Flame' Florida Flame Red Maple | DT | 0.79 | G2 | 7 | 8-10 | 0.97 | 0.71 | 7 |
| <i>Acer rubrum</i> 'Franksred' Red Sunset® Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 1.10 | 1.33 | 3 |
| <i>Acer rubrum</i> 'Gerling' Gerling Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 1.05 | 0.94 | 3 |
| <i>Acer rubrum</i> 'Karpick' Karpick Red Maple | DT | 1.25 | G2 | 2-3 | 4-8 | 1.19 | 0.64 | 3 |
| <i>Acer rubrum</i> 'Magnificent Magenta' P.P. 7222 Burgundy Belle® Red Maple | DT | 1.05 | G2 | 2-3 | 4-8 | 0.93 | 0.45 | 3 |
| <i>Acer rubrum</i> 'McKay' McKay Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 1.05 | 0.94 | 3 |
| <i>Acer rubrum</i> 'Miller's Columnar' Miller's Columnar Red Maple | DT | 1.10 | G2 | 2-3 | 4-7 | 1.05 | 0.94 | 3 |
| <i>Acer rubrum</i> 'New World' New World Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 0.97 | 0.94 | 3 |
| <i>Acer rubrum</i> 'Northfire' See - <i>Acer rubrum</i> 'Olson' | | | | | | | | |
| <i>Acer rubrum</i> 'Northwood' P.P. 5053 Northwood Red Maple | DT | 1.31 | G2 | 2-3 | 4-8 | 1.09 | 2.17 | 3 |
| <i>Acer rubrum</i> 'October Glory' See - <i>Acer rubrum</i> 'PNI 0268' P.P. 2116 | | | | | | | | |
| <i>Acer rubrum</i> 'Olson' Northfire™ Red Maple | DT | 1.27 | G2 | 2-3 | 4-8 | 1.09 | 0.74 | 3 |
| <i>Acer rubrum</i> 'PNI 0268' P.P. 2116 October Glory® Red Maple | DT | 1.05 | G2 | 2-3 | 4-8 | 1.11 | 1.01 | 3 |
| <i>Acer rubrum</i> 'Red Sunset' See - <i>Acer rubrum</i> 'Franksred' | | | | | | | | |
| <i>Acer rubrum</i> 'Scanlon' P.P. 1722 Scanlon Red Maple | DT | 1.18 | G2 | 2-3 | 4-8 | 1.18 | 0.94 | 3 |
| <i>Acer rubrum</i> 'Schlesingeri' Schlesinger Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 0.71 | 0.58 | 3 |
| <i>Acer rubrum</i> 'Shade King' Shade King Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 1.05 | 0.94 | 3 |
| <i>Acer rubrum</i> 'Somerset' Somerset Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 0.97 | 0.94 | 3 |
| <i>Acer rubrum</i> 'Sun Valley' Sun Valley Red Maple | DT | 0.94 | G2 | 2-3 | 4-8 | 0.95 | 0.94 | 3 |
| <i>Acer rubrum</i> 'Supersonic' See - <i>Acer rubrum</i> 'Supszam' | | | | | | | | |
| <i>Acer rubrum</i> 'Supszam' Supersonic™ Red Maple | DT | 1.10 | G2 | 2-4 | 5-9 | 1.33 | 0.94 | 4 |
| <i>Acer rubrum</i> 'Tilford' Tilford Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 1.05 | 0.94 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Acer rubrum</i> 'V.J. Drake' V.J. Drake Red Maple | DT | 1.10 | G2 | 2-3 | 4-8 | 1.08 | 0.94 | 3 |
| <i>Acer rubrum</i> var. <i>drummondii</i> Drummond Red Maple | DT | 0.88 | G2 | 2-3 | 4-8 | 0.62 | 1.00 | 3 |
| <i>Acer rufinerve</i> Redvein Maple | DT | 1.06 | G2 | 5-6 | 7-8 | 1.31 | 0.45 | 6 |
| <i>Acer saccharinum</i> Silver Maple | DT | 0.83 | G2 | 2-3 | 4-8 | 0.61 | 0.41 | 3 |
| <i>Acer saccharinum</i> 'Beebe Cutleaf Weeping' Beebe Cutleaf Weeping Silver Maple | DT | 0.94 | G2 | 2-3 | 4-8 | 0.81 | 0.32 | 3 |
| <i>Acer saccharinum</i> 'Blair' Blair Silver Maple | DT | 1.44 | G2 | 2-3 | 4-8 | 0.66 | 0.32 | 3 |
| <i>Acer saccharinum</i> 'Laciniatum Wieri' Wier's Cutleaf Silver Maple | DT | 0.76 | G2 | 2-3 | 4-8 | 1.07 | 0.32 | 3 |
| <i>Acer saccharinum</i> 'Laciniatum' Cutleaf Silver Maple | DT | 0.94 | G2 | 2-3 | 4-8 | 0.54 | 0.32 | 3 |
| <i>Acer saccharinum</i> 'Northline' C.O.P.F. Northline Silver Maple | DT | 0.94 | G2 | 2-3 | 4-8 | 0.81 | 0.32 | 3 |
| <i>Acer saccharinum</i> 'Silver Queen' Silver Queen Silver Maple | DT | 0.77 | G2 | 2-3 | 4-8 | 0.84 | 0.22 | 3 |
| <i>Acer saccharinum</i> 'Skinner' Skinner's Cutleaf Silver Maple | DT | 0.91 | G2 | 2-3 | 4-8 | 1.13 | 0.32 | 3 |
| <i>Acer saccharum</i> Sugar Maple | DT | 0.95 | G2 | 2-3 | 4-8 | 0.91 | 0.89 | 3 |
| <i>Acer saccharum</i> 'ASTIS' Steeple™ Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-7 | 1.34 | 0.97 | 3 |
| <i>Acer saccharum</i> 'Adirondak' See - <i>Acer saccharum</i> 'Adirzam' | | | | | | | | |
| <i>Acer saccharum</i> 'Adirzam' Adirondak® Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.23 | 0.75 | 3 |
| <i>Acer saccharum</i> 'Apollo' See - <i>Acer saccharum</i> 'Barret Cole' | | | | | | | | |
| <i>Acer saccharum</i> 'Arrowhead' Arrowhead Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.27 | 0.75 | 3 |
| <i>Acer saccharum</i> 'Autumn Splendor' Autumn Splendor Sugar Maple | DT | 1.37 | G2 | 2-3 | 4-8 | 1.05 | 0.75 | 3 |
| <i>Acer saccharum</i> 'Bailista' P.P. 11119 Fall Fiesta™ Sugar Maple | DT | 1.45 | G2 | 2-3 | 4-8 | 1.95 | 0.75 | 3 |
| <i>Acer saccharum</i> 'Barret Cole' Apollo™ Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.88 | 0.75 | 3 |
| <i>Acer saccharum</i> 'Bonfire' P.P. 3817 Bonfire Sugar Maple | DT | 1.14 | G2 | 2-3 | 4-8 | 1.07 | 0.35 | 3 |
| <i>Acer saccharum</i> 'Caddo' Caddo Sugar Maple | DT | 0.82 | G2 | 2-3 | 4-8 | 1.05 | 0.75 | 3 |
| <i>Acer saccharum</i> 'Commemoration' P.P. 5079 Commemoration Sugar Maple | DT | 1.32 | G2 | 2-3 | 4-8 | 1.17 | 0.80 | 3 |
| <i>Acer saccharum</i> 'Crescendo' See - <i>Acer saccharum</i> 'Morton' | | | | | | | | |
| <i>Acer saccharum</i> 'Endowment' P.P. 4654 Endowment Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-7 | 1.20 | 0.81 | 3 |
| <i>Acer saccharum</i> 'Fairview' Fairview™ Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.04 | 0.75 | 3 |
| <i>Acer saccharum</i> 'Fall Fiesta' See - <i>Acer saccharum</i> 'Bailista' P.P. 11119 | | | | | | | | |
| <i>Acer saccharum</i> 'Fidcrezam' Fiddler's Creek™ Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.27 | 0.75 | 3 |
| <i>Acer saccharum</i> 'Fiddler's Creek' See - <i>Acer saccharum</i> 'Fidcrezam' | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Acer saccharum</i> 'Flax Mill Majesty' See - <i>Acer saccharum</i> 'Flax Mill Variety' P.P. 5273 | | | | | | | | |
| <i>Acer saccharum</i> 'Flax Mill Variety' P.P. 5273 Flax Mill Majesty® Sugar Maple | DT | 1.47 | G2 | 2-3 | 4-8 | 1.11 | 0.83 | 3 |
| <i>Acer saccharum</i> 'Goldspire' P.P. 2917 Goldspire Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.19 | 0.75 | 3 |
| <i>Acer saccharum</i> 'Green Mountain' See - <i>Acer saccharum</i> 'PNI 0285' P.P. 2339 | | | | | | | | |
| <i>Acer saccharum</i> 'Holmrum I' Sugar Queen® Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.24 | 0.75 | 3 |
| <i>Acer saccharum</i> 'John Pair' John Pair Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.05 | 0.75 | 3 |
| <i>Acer saccharum</i> 'Legacy' P.P. 4979 Legacy Sugar Maple | DT | 1.20 | G2 | 2-3 | 4-8 | 1.12 | 0.72 | 3 |
| <i>Acer saccharum</i> 'Morton' Crescendo™ Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.24 | 0.75 | 3 |
| <i>Acer saccharum</i> 'Newton Sentry' Newton Sentry Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.24 | 0.75 | 3 |
| <i>Acer saccharum</i> 'PNI 0285' P.P. 2339 Green Mountain® Sugar Maple | DT | 1.31 | G2 | 2-3 | 4-8 | 1.13 | 0.76 | 3 |
| <i>Acer saccharum</i> 'Seneca Chief' Seneca Chief Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.38 | 0.75 | 3 |
| <i>Acer saccharum</i> 'Skybound' Skybound Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.24 | 0.75 | 3 |
| <i>Acer saccharum</i> 'Steeple' See - <i>Acer saccharum</i> 'ASTIS' | | | | | | | | |
| <i>Acer saccharum</i> 'Sugar Queen' See - <i>Acer saccharum</i> 'Holmrum I' | | | | | | | | |
| <i>Acer saccharum</i> 'Summer Proof' Summer Proof Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.57 | 0.75 | 3 |
| <i>Acer saccharum</i> 'Sweet Shadow' P.P. 2139 Sweet Shadow Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.12 | 0.97 | 3 |
| <i>Acer saccharum</i> 'Temple's Upright' Temple's Upright Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.20 | 0.75 | 3 |
| <i>Acer saccharum</i> 'Wright Brothers' Wright Brothers Sugar Maple | DT | 1.23 | G2 | 2-3 | 4-8 | 1.17 | 0.35 | 3 |
| <i>Acer saccharum</i> ssp. <i>floridanum</i> Southern Sugar Maple | DT | 0.70 | G2 | 5-7 | 8-9 | 1.20 | 0.85 | 7 |
| <i>Acer saccharum</i> ssp. <i>grandidentatum</i> Big Tooth Maple | DT | 1.29 | G2 | 2-3 | 4-8 | 1.30 | 2.80 | 3 |
| <i>Acer saccharum</i> ssp. <i>grandidentatum</i> 'Highland Park' See - <i>Acer saccharum</i> ssp. <i>grandidentatum</i> 'Hipazam' | | | | | | | | |
| <i>Acer saccharum</i> ssp. <i>grandidentatum</i> 'Hipazam' Highland Park™ Maple | DT | 1.24 | G2 | 2-3 | 4-8 | 1.23 | 2.80 | 3 |
| <i>Acer saccharum</i> ssp. <i>grandidentatum</i> 'Rocky Mountain Glow' See - <i>Acer saccharum</i> ssp. <i>grandidentatum</i> 'Schmidt' | | | | | | | | |
| <i>Acer saccharum</i> ssp. <i>grandidentatum</i> 'Schmidt' Rocky Mountain Glow™ Maple | DT | 1.19 | G2 | 2-3 | 4-7 | 1.21 | 2.80 | 3 |
| <i>Acer saccharum</i> ssp. <i>leucoderme</i> Chalkbark Maple | DT | 0.69 | G2 | 2-3 | 4-8 | 0.70 | 0.65 | 3 |
| <i>Acer saccharum</i> ssp. <i>nigrum</i> Black Maple | DT | 0.83 | G2 | 2-3 | 4-8 | 1.31 | 1.49 | 3 |
| <i>Acer saccharum</i> ssp. <i>nigrum</i> 'Greencolumn' P.P. 3722 Greencolumn Black Maple | DT | 1.25 | G2 | 2-3 | 4-8 | 1.11 | 1.49 | 3 |
| <i>Acer shirasawanum</i> Shirasawa Maple | DT | 3.65 | G2 | 4-5 | 6-8 | 1.00 | 4.04 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|-----|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | | Factors Caliper High/Wide | | |
| <i>Acer shirasawanum</i> 'Aureum' Goldenmoon Shirasawa Maple | DT | 3.65 | G2 | 4-5 | 6-8 | 1.00 | 4.04 | 5 |
| <i>Acer shirasawanum</i> 'Palmatifolium' Palmatifolium Shirasawa Maple | DT | 3.64 | G2 | 4-5 | 6-8 | 1.00 | 4.04 | 5 |
| <i>Acer sieboldiana</i> See - <i>Acer firma</i> | | | | | | | | |
| <i>Acer sieboldianum</i> Siebold Maple | DT | 1.00 | G2 | 4-5 | 6-8 | 1.10 | 2.34 | 5 |
| <i>Acer tataricum</i> Tatarian Maple | DT | 1.10 | G2 | 2-3 | 4-7 | 1.19 | 1.69 | 3 |
| <i>Acer tataricum</i> 'Actar' P.P.A.F. Summer Splendor Tatarian Maple | DT | 1.16 | G2 | 2-3 | 4-7 | 1.28 | 0.32 | 3 |
| <i>Acer tataricum</i> 'Pattern Perfect' Pattern Perfect Tatarian Maple | DT | 1.22 | G2 | 2-3 | 4-7 | 0.75 | 1.01 | 3 |
| <i>Acer tataricum</i> 'Summer Splendor' See - <i>Acer tataricum</i> 'Actar' P.P.A.F. | | | | | | | | |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> Amur Maple | DT | 1.12 | G2 | 2-3 | 4-7 | 1.05 | 1.33 | 3 |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Bailey Compact' Bailey Compact Amur Maple | DT | 1.03 | G2 | 2-3 | 4-7 | 1.14 | 1.72 | 3 |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Beethoven' See - <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Betzam' | | | | | | | | |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Betzam' Beethoven™ Amur Maple | DT | 1.09 | G2 | 2-3 | 4-7 | 1.30 | 1.79 | 3 |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Burgundy' Burgundy Amur Maple | DT | 1.09 | G2 | 2-3 | 4-7 | 1.14 | 1.67 | 3 |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Compactum' Compact Amur Maple | DT | 0.90 | G2 | 2-3 | 4-7 | 1.14 | 1.60 | 3 |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Curiel's Gold' Curiel's Gold Amur Maple | DT | 1.09 | G2 | 2-3 | 4-7 | 1.14 | 1.79 | 3 |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Embers' Embers Amur Maple | DT | 1.21 | G2 | 2-3 | 4-7 | 1.11 | 1.51 | 3 |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Emerald Elf' Emerald Elf Amur Maple | DT | 1.07 | G2 | 2-3 | 4-7 | 1.14 | 4.23 | 3 |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Flame' Flame Amur Maple | DT | 1.00 | G2 | 2-3 | 4-7 | 1.13 | 1.48 | 3 |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Mondy' Red Rhapsody™ Amur Maple | DT | 1.32 | G2 | 2-3 | 4-7 | 0.93 | 1.33 | 3 |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Mozam' Mozart™ Amur Maple | DT | 1.09 | G2 | 2-3 | 4-7 | 1.30 | 1.79 | 3 |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Mozart' See - <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Mozam' | | | | | | | | |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Red Rhapsody' See - <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Mondy' | | | | | | | | |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> 'Red Wing' Red Wing Amur Maple | DT | 1.09 | G2 | 2-3 | 4-7 | 1.14 | 1.24 | 3 |
| <i>Acer tegmentosum</i> Manchurian Stripebark Maple | DT | 1.00 | G2 | 2-4 | 5-8 | 1.00 | 0.66 | 4 |
| <i>Acer triflorum</i> Three-flower Maple | DT | 2.70 | G2 | 4-5 | 6-8 | 1.40 | 2.71 | 5 |
| <i>Acer truncatum</i> Purpleblow Maple | DT | 0.82 | G2 | 3-4 | 5-8 | 1.14 | 1.59 | 4 |
| <i>Acer truncatum</i> 'Keithsform' P.P. 7529 Norwegian Sunset™ Purpleblow Maple | DT | 1.18 | G2 | 3-4 | 5-8 | 1.08 | 0.80 | 4 |
| <i>Acer truncatum</i> 'Norwegian Sunset' See - <i>Acer truncatum</i> 'Keithsform' P.P. 7529 | | | | | | | | |
| <i>Acer truncatum</i> 'Pacific Sunset' See - <i>Acer truncatum</i> 'Warrenred' P.P. 7433 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Acer truncatum</i> 'Warrenred' P.P. 7433 Pacific Sunset™ Purpleblow Maple | DT | 1.11 | G2 | 3-4 | 5-8 | 1.13 | 0.78 | 4 |
| <i>Achillea</i> Yarrow | HP | 0.86 | G4 | 2 | 3-10A | | | |
| <i>Achillea</i> 'Anthea' P.P. 8828 Anthea Yarrow | HP | 1.11 | G4 | 3-4 | 5-10A | | | |
| <i>Achillea</i> 'Appleblossom' Appleblossom Yarrow | HP | 1.04 | G4 | 2 | 3-10A | | | |
| <i>Achillea</i> 'Coronation Gold' Coronation Gold Yarrow | HP | 0.91 | G4 | 2-3 | 4-10A | | | |
| <i>Achillea</i> 'Credo' Credo Yarrow | HP | 0.71 | G4 | 2-3 | 4-10A | | | |
| <i>Achillea</i> 'Forngett Fletton' Forngett Fletton Yarrow | HP | 0.68 | G4 | 2-3 | 4-10A | | | |
| <i>Achillea</i> 'Great Expectations' Great Expectations Yarrow | HP | 0.83 | G4 | 2-3 | 4-10A | | | |
| <i>Achillea</i> 'Heidi' Heidi Yarrow | HP | 0.83 | G4 | 2-3 | 4-10A | | | |
| <i>Achillea</i> 'Moonshine' Moonshine Yarrow | HP | 0.89 | G4 | 2-3 | 4-10A | | | |
| <i>Achillea</i> 'Orange Queen' Orange Queen Yarrow | HP | 0.86 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea</i> 'Peach Blossom' Peach Blossom Yarrow | HP | 0.86 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea</i> 'Salmon Beauty' Salmon Beauty Yarrow | HP | 0.84 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea</i> 'Schwellenberg' Schwellenberg Yarrow | HP | 0.94 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea</i> 'Summerwine' Summerwine Yarrow | HP | 0.88 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea</i> 'Taygetea' Taygetea Yarrow | HP | 0.71 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea</i> 'The Beacon' Fanal Yarrow | HP | 0.68 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea</i> 'Walter Funke' Walter Funke Yarrow | HP | 1.01 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea ageratifolia</i> Greek Yarrow | HP | 1.00 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea clavennae</i> Silvery Yarrow | HP | 0.86 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea filipendulina</i> Fernleaf Yarrow | HP | 0.87 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea filipendulina</i> 'Altgold' Altgold Fernleaf Yarrow | HP | 0.90 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea filipendulina</i> 'Cloth of Gold' Cloth of Gold Fernleaf Yarrow | HP | 0.79 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea filipendulina</i> 'Gold Plate' Gold Plate Fernleaf Yarrow | HP | 0.79 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea filipendulina</i> 'Moonbeam' Moonbeam Fernleaf Yarrow | HP | 0.85 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea filipendulina</i> 'Parker's Variety' Parker's Variety Fernleaf Yarrow | HP | 0.92 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea</i> x <i>kellereri</i> No Common Name Found | HP | 0.70 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea</i> x <i>lewisii</i> No Common Name Found | HP | 0.80 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea</i> x <i>lewisii</i> 'King Edward' King Edward Yarrow | HP | 0.80 | G4 | 4-6 | 7-10A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Achillea millefolium</i> Common Yarrow | HP | 1.06 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Angelique' P.P.A.F. Angelique Common Yarrow | HP | 1.19 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Ann Gillette' Ann Gillette Common Yarrow | HP | 0.68 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Borealis' Borealis Yarrow | HP | 1.45 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Calistoga' Calistoga Common Yarrow | HP | 0.68 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Cerise Queen' Cerise Queen Yarrow | HP | 0.91 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Citronella' Citronella Yarrow | HP | 0.90 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Colorado' Colorado Yarrow | HP | 0.88 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Debutante' Debutante Yarrow | HP | 0.76 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Fireland' Fireland Yarrow | HP | 0.88 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Island Pink' Island Pink Common Yarrow | HP | 0.70 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Lavender Deb' Lavender Deb Yarrow | HP | 1.21 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Lilac Beauty' Lilac Beauty Yarrow | HP | 0.70 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Ortel's Rose' Ortel's Rose Yarrow | HP | 0.89 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Paprika' Paprika Yarrow | HP | 0.99 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Pink Debutante' Pink Debutante Yarrow | HP | 0.78 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Red Beauty' Red Beauty Yarrow | HP | 0.91 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Roseum' Pink Common Yarrow | HP | 0.84 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Royal Tapestry' Royal Tapestry Common Yarrow | HP | 0.83 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Salmon Queen' Salmon Queen Yarrow | HP | 0.91 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Sawa Sawa' Sawa Sawa Yarrow | HP | 0.91 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Snow Sport' Snow Sport Yarrow | HP | 1.09 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Snow Taler' Snow Taler Yarrow | HP | 0.87 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Summer Pastels' Summer Pastels Yarrow | HP | 0.95 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'Terra Cotta' Terra Cotta Yarrow | HP | 1.00 | G2 | 4 | 5-8 | | | |
| <i>Achillea millefolium</i> 'Weser River Sandstone' Weser River Sandstone Yarrow | HP | 0.65 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea millefolium</i> 'White Beauty' White Beauty Yarrow | HP | 0.93 | G4 | 3-6 | 7-10A | | | |
| <i>Achillea ptarmica</i> Sneezewort | HP | 0.86 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea ptarmica</i> 'Angel's Breath' Angel's Breath Sneezewort | HP | 0.89 | G4 | 4-6 | 7-10A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Achillea ptarmica</i> 'Ballerina' Ballerina Sneezewort | HP | 0.58 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea ptarmica</i> 'Perry's White' Perry's White Sneezewort | HP | 0.79 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea ptarmica</i> 'The Pearl' The Pearl Sneezewort | HP | 0.81 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea sibirica</i> Siberian Yarrow | HP | 0.84 | G2 | 4-5 | 6-8 | | | |
| <i>Achillea sibirica</i> 'Kamschaticum' See - <i>Achillea sibirica</i> var. <i>camschatica</i> | | | | | | | | |
| <i>Achillea sibirica</i> var. <i>camschatica</i> Camschatica Achillea | HP | 0.99 | G2 | 4-5 | 6-8 | | | |
| <i>Achillea sibirica</i> var. <i>camschatica</i> 'Love Parade' Love Parade Camschatica Achillea | HP | 0.95 | G2 | 4-5 | 6-8 | | | |
| <i>Achillea tomentosa</i> Woolly Yarrow | HP | 0.90 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea tomentosa</i> 'Aurea' Yellow Woolly Yarrow | HP | 0.74 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea tomentosa</i> 'King George' King George Woolly Yarrow | HP | 0.70 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea tomentosa</i> 'Maynard's Gold' Maynard's Gold Woolly Yarrow | HP | 0.83 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea tomentosa</i> 'Moonlight' Moonlight Woolly Yarrow | HP | 0.79 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea tomentosa</i> var. <i>nana</i> No Common Name Found | HP | 0.64 | G4 | 4-6 | 7-10A | | | |
| <i>Achillea</i> x <i>wilczekii</i> No Common Name Found | HP | 1.00 | G4 | 4-6 | 7-10A | | | |
| <i>Acidanthera bicolor</i> See - <i>Gladiolus callianthus</i> | | | | | | | | |
| <i>Acinos alpinus</i> Alpine Calamint | HP | 0.91 | G4 | 4 | 5-9 | | | |
| <i>Acmella oleracea</i> Eyeball Plant | HP | 0.97 | G4 | 9 | 10 | | | |
| <i>Acmella pilosa</i> Hairy Spotflower | HP | 0.55 | G4 | 9 | 10 | | | |
| <i>Acoelorrhaphe wrightii</i> Paurotis Palm | PC | 0.73 | G1 | 9A-9B | 10-11 | | 0.99 | 9 |
| <i>Aconitum</i> Monkshood | HP | 1.24 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum</i> 'Newry Blue' Newry Blue Monkshood | HP | 1.24 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum</i> x <i>cammarum</i> Hungarian Monkshood | HP | 1.38 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum</i> x <i>cammarum</i> 'Bicolor' Bicolor Monkshood | HP | 1.33 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum</i> x <i>cammarum</i> 'Blue Sceptre' Blue Sceptre Bicolor Monkshood | HP | 0.89 | G4 | 2-3 | 4-8 | | | |
| <i>Aconitum</i> x <i>cammarum</i> 'Bressingham Spire' Bressingham Spire Bicolor Monkshood | HP | 1.07 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum</i> x <i>cammarum</i> 'Eleanor' Eleanor Bicolor Monkshood | HP | 1.11 | G4 | 3-4 | 5-9 | | | |
| <i>Aconitum carmichaelii</i> Azure Monkshood | HP | 1.05 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum carmichaelii</i> 'Arendsii' Arendsii Azure Monkshood | HP | 1.01 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum carmichaelii</i> 'Spatlese' Spatlese Azure Monkshood | HP | 1.03 | G4 | 3-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Aconitum fischeri</i> | | | | | | | | |
| See - <i>Aconitum carmichaelii</i> | | | | | | | | |
| <i>Aconitum henryi</i> Autumn Monkshood | HP | 0.94 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum henryi</i> 'Spark's Variety' Spark's Variety Autumn Monkshood | HP | 0.94 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum lamarckii</i> | | | | | | | | |
| See - <i>Aconitum lycoctonum</i> ssp. <i>neapolitanum</i> | | | | | | | | |
| <i>Aconitum lycoctonum</i> ssp. <i>lycoctonum</i> Wolfsbane | HP | 1.07 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum lycoctonum</i> ssp. <i>lycoctonum</i> 'Ivoryine' Ivoryine Wolfsbane | HP | 1.07 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum lycoctonum</i> ssp. <i>neapolitanum</i> Yellow Wolfsbane | HP | 1.08 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum napellus</i> Garden Monkshood | HP | 1.07 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum napellus</i> 'Album' White Garden Monkshood | HP | 0.95 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum napellus</i> 'Blue Valley' Blue Valley Garden Monkshood | HP | 1.06 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum napellus</i> ssp. <i>vulgare</i> No Common Name Found | HP | 1.00 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum napellus</i> ssp. <i>vulgare</i> 'Carneum' Carneum Garden Monkshood | HP | 1.00 | G4 | 3-5 | 6-8 | | | |
| <i>Aconitum septentrionale</i> | | | | | | | | |
| See - <i>Aconitum lycoctonum</i> ssp. <i>lycoctonum</i> | | | | | | | | |
| <i>Acorus calamus</i> Sweet Flag | HP | 0.94 | G4 | 5-6 | 7-8 | | | |
| <i>Acorus calamus</i> 'Variegatus' Variegated Sweet Flag | HP | 1.25 | G4 | 5-6 | 7-8 | | | |
| <i>Acorus gramineus</i> Japanese Sweet Flag | HP | 0.78 | G4 | 5-6 | 7-10B | | | |
| <i>Acorus gramineus</i> 'Masamune' Masamune Japanese Sweet Flag | HP | 0.85 | G4 | 5-6 | 7-10B | | | |
| <i>Acorus gramineus</i> 'Oborozuki' Oborozuki Japanese Sweet Flag | HP | 0.75 | G4 | 5-6 | 7-11 | | | |
| <i>Acorus gramineus</i> 'Ogon' Gold Variegated Japanese Sweet Flag | HP | 1.07 | G4 | 5-6 | 7-10B | | | |
| <i>Acorus gramineus</i> 'Pusillus Minimus Aureus' Miniature Variegated Japanese Sweet Flag | HP | 1.02 | G4 | 5-6 | 7-10B | | | |
| <i>Acorus gramineus</i> 'Pusillus' Pusillus Japanese Sweet Flag | HP | 0.88 | G4 | 5-6 | 7-10B | | | |
| <i>Acorus gramineus</i> 'Variegatus' Variegated Japanese Sweet Flag | HP | 1.17 | G4 | 5-6 | 7-10B | | | |
| <i>Acorus gramineus</i> 'Yodonoyuki' Yodonoyuki Japanese Sweet Flag | HP | 0.73 | G4 | 5-6 | 7-11 | | | |
| <i>Acrocarpus fraxinifolius</i> Shingletree | DT | 1.00 | G1 | 10A-10B | 11 | 1.00 | 1.00 | 10 |
| <i>Acrostichum aureum</i> Leather Fern | HP | 1.42 | G4 | 8-10B | 11 | | | |
| <i>Acrostichum daneifolium</i> Giant Leather Fern | HP | 1.16 | G4 | 8-9 | 10A-11 | | | |
| <i>Actaea alba</i> White Baneberry | HP | 1.13 | G4 | 4-5 | 6-8 | | | |
| <i>Actaea cordifolia</i> No Common Name Found | HP | 1.25 | G4 | 4-5 | 6-8 | | | |
| <i>Actaea pachypoda</i> | | | | | | | | |
| See - <i>Actaea alba</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Actaea rubra</i> Red Baneberry | HP | 1.38 | G4 | 4-5 | 6-8 | | | |
| <i>Actinidia arguta</i> Bower Actinidia | GC | 1.44 | G2 | 7-8 | 9-9B | | 1.00 | 4 |
| <i>Actinidia arguta</i> 'Ananasnaya' Ananasnaya Bower Actinidia | GC | 1.39 | G2 | 7-8 | 9-10A | | 1.00 | 4 |
| <i>Actinidia arguta</i> 'Issai' Issai Bower Actinidia | GC | 1.34 | G2 | 7-8 | 9-9B | | 1.00 | 4 |
| <i>Actinidia chinensis</i> See - <i>Actinidia deliciosa</i> | | | | | | | | |
| <i>Actinidia deliciosa</i> Kiwi Fruit | SF | 1.62 | G2 | 7-8 | 9-9B | | 1.00 | 7 |
| <i>Actinidia deliciosa</i> 'Summertime Boy' Summertime Boy Kiwi Fruit | SF | 1.29 | G2 | 7-8 | 9-9B | | 1.00 | 7 |
| <i>Actinidia deliciosa</i> 'Summertime Girl' Summertime Girl Kiwi Fruit | SF | 1.29 | G2 | 7-8 | 9-9B | | 1.00 | 7 |
| <i>Actinidia deliciosa</i> 'Tomuri' Tomuri Kiwi Fruit | SF | 1.41 | G2 | 7-8 | 9-9B | | 1.00 | 7 |
| <i>Actinidia deliciosa</i> 'Vincent' Vincent Kiwi Fruit | SF | 1.43 | G2 | 7-8 | 9-9B | | 1.00 | 7 |
| <i>Actinidia kolomikta</i> Variegated Kiwi Vine | GC | 1.39 | G2 | 6-7 | 8-9A | | 1.00 | 4 |
| <i>Actinidia kolomikta</i> 'Arctic Beauty' Arctic Beauty Variegated Kiwi Vine | GC | 1.25 | G2 | 6-7 | 8-9A | | 1.00 | 4 |
| <i>Actinokentia divaricata</i> No Common Name Found | PC | 3.64 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Actinomeris alternifolia</i> See - <i>Verbesina alternifolia</i> | | | | | | | | |
| <i>Actinorhysis calapparia</i> Calappa Palm | PC | 2.20 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>xAdaglossom</i> Adaglossom | FO | 1.46 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Adansonia digitata</i> Baobab | DT | 1.48 | G1 | 10A-10B | 11 | 1.00 | 1.00 | 10 |
| <i>Adenanthera pavonina</i> Coralwood | BE | 1.00 | G1 | 10A-10B | 11 | 1.00 | 1.00 | 10 |
| <i>Adenanthos drummondii</i> Jugflower | BS | 0.75 | G2 | 9B | 10A-11 | | 1.00 | 9 |
| <i>Adenanthos sericeus</i> Woollybush | BS | 0.84 | G2 | 9B | 10A-11 | | 1.00 | 9 |
| <i>Adenium obesum</i> Desert Rose | BS | 1.76 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Adenophora bulleyana</i> Bulleys Ladybell | HP | 0.91 | G4 | 3-4 | 5-8 | | | |
| <i>Adenophora confusa</i> Farrer's Ladybell | HP | 0.93 | G4 | 3-4 | 5-8 | | | |
| <i>Adenophora liliifolia</i> Lilyleaf Ladybell | HP | 0.75 | G4 | 3-4 | 5-8 | | | |
| <i>Adenophora takedae</i> No Common Name Found | HP | 0.96 | G4 | 4-7 | 8 | | | |
| <i>Adenophora takedae</i> 'Alba' White Ladybell | HP | 0.96 | G4 | 4-7 | 8 | | | |
| <i>Adenostoma fasciculatum</i> Chamise | BS | 1.94 | G2 | 9B | 10A-11 | | 1.00 | 6 |
| <i>Adenostoma fasciculatum</i> 'Santa Cruz Island' Santa Cruz Island Chamise | BS | 0.85 | G2 | 9B | 10A-11 | | 1.00 | 6 |
| <i>Adenostoma sparsifolium</i> Ribbonwood | BS | 1.36 | G2 | 9B | 10A-11 | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Adiantum capillus-veneris</i> Southern Maidenhair Fern | HP | 1.11 | G3 | 8-10A | 10B-11 | | | |
| <i>Adiantum capillus-veneris</i> 'Imbricatum' Imbricatum Southern Maidenhair Fern | HP | 1.11 | G3 | 8-10A | 10B-11 | | | |
| <i>Adiantum fulvum</i> No Common Name Found | FO | 0.52 | G3 | 9B-10B | 11 | | 1.00 | 10 |
| <i>Adiantum hispidulum</i> Rough Maidenhair Fern | FO | 0.51 | G3 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Adiantum pedatum</i> Five-fingered Maidenhair Fern | HP | 1.09 | G3 | 8-10A | 10B-11 | | | |
| <i>Adiantum peruvianum</i> Silver Dollar Maidenhair Fern | HP | 1.44 | G2 | 8-10B | 11 | | | |
| <i>Adiantum raddianum</i> Delta Maidenhair Fern | HP | 0.99 | G2 | 8-10B | 11 | | | |
| <i>Adiantum raddianum</i> 'Californicum' California Delta Maidenhair Fern | FO | 0.49 | G2 | 8-10B | 11 | | 1.00 | 10 |
| <i>Adiantum raddianum</i> 'Fritz-Luthii' Fritz-Luthii Delta Maidenhair Fern | FO | 0.59 | G2 | 8-10B | 11 | | 1.00 | 10 |
| <i>Adiantum raddianum</i> 'Microphyllum' Microphyllum Delta Maidenhair Fern | FO | 0.38 | G2 | 8-10B | 11 | | 1.00 | 10 |
| <i>Adiantum tenerum</i> Brittle Maidenhair Fern | HP | 0.93 | G3 | 6-10A | 10B-11 | | | |
| <i>Adiantum tenerum</i> 'Scutum Roseum' Scutum Roseum Brittle Maidenhair Fern | FO | 0.52 | G3 | 6-10A | 10B-11 | | 1.00 | 9 |
| <i>Adonidia merrillii</i> See - <i>Veitchia merrillii</i> | | | | | | | | |
| <i>Adonis amurensis</i> Amur Adonis | DT | 1.00 | G4 | 4-5 | 6-8 | 1.00 | 1.00 | 3 |
| <i>Aechmea</i> Aechmea | FO | 1.32 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Aechmea</i> 'Eileen' Eileen Aechmea | FO | 1.42 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Aechmea</i> 'Friederike' Friederike Aechmea | FO | 1.42 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Aechmea</i> 'Starbrite' Starbrite Aechmea | FO | 1.12 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Aechmea blanchetiana</i> No Common Name Found | FO | 2.42 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Aechmea chantinii</i> No Common Name Found | FO | 0.88 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aechmea fasciata</i> Urn Plant | FO | 1.52 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Aechmea fasciata</i> 'Ghost' Ghost Urn Plant | FO | 1.42 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Aechmea fasciata</i> 'Morgana' Morgana Urn Plant | FO | 1.42 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Aechmea fasciata</i> 'Superb' Superb Urn Plant | FO | 1.42 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Aechmea fulgens</i> Coral Berry | FO | 0.80 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Aegopodium podagraria</i> Goutweed | HP | 1.35 | G4 | 4-5 | 6-8 | | | |
| <i>Aegopodium podagraria</i> 'Variegatum' Variegated Goutweed | HP | 0.74 | G4 | 4-5 | 6-8 | | | |
| <i>Aerangis biloba</i> No Common Name Found | FO | 3.75 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Aeschynanthus marmoratus</i> No Common Name Found | FO | 0.73 | G3 | 6-10B | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Aeschynanthus radicans</i> Lipstick Plant | FO | 0.63 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Aesculus xarnoldiana</i> Arnold Buckeye | DT | 1.00 | G2 | 5-6 | 7-9 | 1.49 | 1.39 | 4 |
| <i>Aesculus xarnoldiana</i> 'Autumn Splendor' Autumn Splendor Arnold Buckeye | DT | 1.00 | G2 | 5-6 | 7-9 | 1.49 | 1.39 | 4 |
| <i>Aesculus californica</i> California Horsechestnut | DT | 0.99 | G2 | 6-7 | 8-10 | 1.00 | 1.00 | 7 |
| <i>Aesculus xcarnea</i> Red Horsechestnut | DT | 2.03 | G2 | 5-6 | 7-9 | 1.36 | 1.68 | 4 |
| <i>Aesculus xcarnea</i> 'Briotii' Ruby Red Horsechestnut | DT | 1.99 | G2 | 5-6 | 7-9 | 1.36 | 1.81 | 4 |
| <i>Aesculus xcarnea</i> 'Fort McNair' Fort McNair Red Horsechestnut | DT | 1.86 | G2 | 5-6 | 7-9 | 1.37 | 1.64 | 4 |
| <i>Aesculus xcarnea</i> 'O'Neill' O'Neill Red Horsechestnut | DT | 2.64 | G2 | 5-6 | 7-9 | 1.77 | 1.58 | 4 |
| <i>Aesculus flava</i> Yellow Sweet Buckeye | DT | 1.26 | G2 | 5-6 | 7-9 | 1.32 | 0.41 | 3 |
| <i>Aesculus glabra</i> Ohio Buckeye | DT | 1.71 | G2 | 5-6 | 7-9 | 1.24 | 1.38 | 3 |
| <i>Aesculus glabra</i> var. <i>arguta</i> Texas Buckeye | DT | 1.00 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 3 |
| <i>Aesculus hippocastanum</i> Common Horsechestnut | DT | 0.97 | G2 | 5-6 | 7-9 | 1.24 | 1.00 | 3 |
| <i>Aesculus hippocastanum</i> 'Baumannii' Baumann Horsechestnut | DT | 2.07 | G2 | 5-6 | 7-9 | 1.50 | 1.00 | 3 |
| <i>Aesculus octandra</i> See - <i>Aesculus flava</i> | | | | | | | | |
| <i>Aesculus parviflora</i> Bottlebrush Buckeye | DS | 1.98 | G2 | 5-6 | 7-9 | | 3.37 | 4 |
| <i>Aesculus parviflora</i> var. <i>serotina</i> No Common Name Found | DT | 2.09 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 4 |
| <i>Aesculus parviflora</i> var. <i>serotina</i> 'Rogers' Rogers Bottlebrush Buckeye | DS | 2.50 | G2 | 5-6 | 7-9 | | 6.96 | 4 |
| <i>Aesculus pavia</i> Red Buckeye | DS | 1.52 | G2 | 5-6 | 7-9 | | 1.80 | 5 |
| <i>Aesculus turbinata</i> Japanese Horsechestnut | DT | 1.00 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 6 |
| <i>Aethionema armenum</i> Armenian Stonecress | HP | 0.91 | G2 | 5-6 | 7-9 | | | |
| <i>Aethionema armenum</i> 'Warley Rose' Warley Rose Armenian Stonecress | HP | 0.91 | G4 | 5-6 | 7-11 | | | |
| <i>Aethionema caespitosum</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-11 | | | |
| <i>Aethionema cordifolium</i> Lebanon Stonecress | HP | 1.00 | G4 | 5-6 | 7-11 | | | |
| <i>Aethionema grandiflorum</i> Persian Stonecress | HP | 0.95 | G4 | 5-6 | 7-11 | | | |
| <i>Aethionema iberideum</i> Spanish Stonecress | HP | 1.00 | G4 | 5-6 | 7-11 | | | |
| <i>Aethionema oppositifolium</i> Greek Stonecress | HP | 1.00 | G4 | 5-6 | 7-11 | | | |
| <i>Aethionema x warleyense</i> See - <i>Aethionema armenum</i> 'Warley Rose' | | | | | | | | |
| <i>Afrocarpus gracilior</i> African Fern Pine | CE | 1.30 | G1 | 10 | 11 | 1.00 | 0.64 | 10 |
| <i>Afrocarpus mannii</i> African Podocarpus | CE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Agapanthus</i> Hybrid African Lily | HP | 0.70 | S1 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Blue Globe' Blue Globe Hybrid African Lily | HP | 1.13 | G4 | 8 | 9-11 | | | |
| <i>Agapanthus</i> 'Blue Triumphator' Blue Triumphator Hybrid African Lily | HP | 1.22 | G4 | 8 | 9-11 | | | |
| <i>Agapanthus</i> 'Bressingham Blue' Bressingham Blue Hybrid African Lily | HP | 1.59 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Bressingham White' Bressingham White Hybrid African Lily | HP | 1.27 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Dark Angel' Dark Angel Hybrid African Lily | HP | 0.86 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Elaine' P.P. 7303 Elaine African Lily | HP | 0.90 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Ellamae' P.P. 7297 Ellamae Hybrid African Lily | HP | 0.91 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Getty White' Getty White Hybrid African Lily | HP | 0.76 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Headbourne' Headbourne Hybrid African Lily | HP | 1.49 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Henryii' Henry Hybrid African Lily | HP | 0.89 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Isis' Isis Hybrid African Lily | HP | 1.59 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Lilliput' Lilliput Hybrid African Lily | HP | 1.22 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Midknight Blue' See - <i>Agapanthus</i> 'Monmid' | | | | | | | | |
| <i>Agapanthus</i> 'Monmid' Midknight Blue™ Hybrid African Lily | HP | 1.83 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Mood Indigo' Mood Indigo Hybrid African Lily | HP | 0.86 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Peter Pan White' Peter Pan White Hybrid African Lily | HP | 1.35 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Peter Pan' Peter Pan Hybrid African Lily | HP | 0.93 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Profusion' Profusion Hybrid African Lily | HP | 1.59 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Purple Cloud' Purple Cloud Hybrid African Lily | HP | 0.93 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Queen Anne' Queen Anne Hybrid African Lily | HP | 0.91 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Snowball' Snowball Hybrid African Lily | HP | 1.01 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Storm Cloud' Storm Cloud Hybrid African Lily | HP | 1.18 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Tinkerbelle' Tinkerbelle Hybrid African Lily | HP | 1.10 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus</i> 'Winterdwarf' Winterdwarf Hybrid African Lily | HP | 0.89 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus africanus</i> Lily-of-the-Nile | HP | 0.80 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus africanus</i> 'Albus' White Lily-of-the-Nile | HP | 1.02 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus africanus</i> 'Hinag' P.P. 10866 Summer Gold™ Lily-of-the-Nile | HP | 1.73 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus africanus</i> 'Summer Gold' See - <i>Agapanthus africanus</i> 'Hinag' P.P. 10866 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Agapanthus campanulatus</i> Bell African Lily | HP | 1.31 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus campanulatus</i> 'Albus' White Bell African Lily | HP | 1.31 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus campanulatus</i> ssp. <i>patens</i> Patens Bell African Lily | HP | 1.59 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus inapertus</i> No Common Name Found | HP | 0.72 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus praecox</i> ssp. <i>orientalis</i> Oriental African Lily | HP | 0.75 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus praecox</i> ssp. <i>orientalis</i> 'ATIBlu' P.P.A.F. Blue Storm™ Oriental African Lily | HP | 2.03 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus praecox</i> ssp. <i>orientalis</i> 'Albidus' White Oriental African Lily | HP | 0.82 | G4 | 8 | 9A-11 | | | |
| <i>Agapanthus praecox</i> ssp. <i>orientalis</i> 'Blue Storm' See - <i>Agapanthus praecox</i> ssp. <i>orientalis</i> 'ATIBlu' P.P.A.F. | | | | | | | | |
| <i>Agapanthus praecox</i> ssp. <i>orientalis</i> 'Snow Storm' P.P.A.F. Snow Storm Oriental African Lily | HP | 2.53 | G4 | 8 | 9A-11 | | | |
| <i>Agapetes</i> Agapetes | HP | 0.95 | G2 | 8-9 | 10A-11 | | | |
| <i>Agapetes</i> 'Ludgvan Cross' Ludgvan Cross Agapetes | HP | 0.95 | G2 | 8-9 | 10A-11 | | | |
| <i>Agapetes serpens</i> No Common Name Found | HP | 0.95 | G2 | 8-9 | 10A-11 | | | |
| <i>Agarista populifolia</i> Florida Leucothoe | BS | 1.22 | G2 | 6-7 | 8-10A | | 1.00 | 6 |
| <i>Agarista populifolia</i> 'Leprechaun' P.P.A.F. Leprechaun Florida Leucothoe | BS | 0.80 | G2 | 6-7 | 8-10A | | 1.00 | 6 |
| <i>Agastache</i> Anise Hyssop | HP | 0.92 | G4 | 8 | 9A-11 | | | |
| <i>Agastache</i> 'Apricot Sunrise' Apricot Sunrise Hybrid Anise Hyssop | HP | 1.11 | G4 | 8 | 9A-11 | | | |
| <i>Agastache</i> 'Blue Fortune' Blue Fortune Hybrid Anise Hyssop | HP | 1.02 | G4 | 8 | 9A-11 | | | |
| <i>Agastache</i> 'Firebird' Firebird Hybrid Anise Hyssop | HP | 1.06 | G4 | 8 | 9A-11 | | | |
| <i>Agastache</i> 'Honey Bee Blue' Honey Bee Blue Hybrid Anise Hyssop | HP | 0.68 | G4 | 8 | 9A-11 | | | |
| <i>Agastache</i> 'Pink Panther' Pink Panther Hybrid Anise Hyssop | HP | 0.94 | G4 | 8 | 9A-11 | | | |
| <i>Agastache</i> 'Summer Breeze' Summer Breeze Anise Hyssop | HP | 0.79 | G4 | 8 | 9A-11 | | | |
| <i>Agastache</i> 'Tangerine Dreams' Tangerine Dreams Anise Hyssop | HP | 0.82 | G4 | 8 | 9A-11 | | | |
| <i>Agastache barberi</i> No Common Name Found | HP | 1.05 | G4 | 6-8 | 9A-11 | | | |
| <i>Agastache barberi</i> 'Tutti-frutti' Tutti-frutti Fragrant Giant Hyssop | HP | 0.90 | G4 | 6-8 | 9A-11 | | | |
| <i>Agastache cana</i> Mosquito Plant | HP | 0.89 | G4 | 8 | 9A-11 | | | |
| <i>Agastache cana</i> 'Heather Queen' Heather Queen Mosquito Plant | HP | 0.98 | G4 | 8 | 9-11 | | | |
| <i>Agastache coccinea</i> Orange-flowered Hyssop | HP | 1.00 | G4 | 8 | 9A-11 | | | |
| <i>Agastache foeniculum</i> Anise Hyssop | HP | 0.62 | G4 | 8 | 9A-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Agastache foeniculum</i> 'Fragrant Delight' Fragrant Delight Anise Hyssop | HP | 0.74 | G4 | 8 | 9A-11 | | | |
| <i>Agastache foeniculum</i> 'Golden Jubilee' Golden Jubilee Anise Hyssop | HP | 0.88 | G4 | 8 | 9A-11 | | | |
| <i>Agastache mexicana</i> Mexican Giant Hyssop | HP | 1.06 | G4 | 5-7 | 8-11 | | | |
| <i>Agastache mexicana</i> 'Red Fortune' Red Fortune Mexican Giant Hyssop | HP | 1.06 | G4 | 5-7 | 8-11 | | | |
| <i>Agastache nepetoides</i> Yellow Giant Hyssop | HP | 1.00 | G4 | 8 | 9A-11 | | | |
| <i>Agastache rupestris</i> Sunset Hyssop | HP | 0.96 | G4 | 8 | 9A-11 | | | |
| <i>Agastache scrophulariifolia</i> Purple Giant Hyssop | HP | 1.04 | G4 | 8 | 9A-11 | | | |
| <i>Agave</i> Century Plant | BS | 1.36 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave</i> 'Blue Wave' Blue Wave Century Plant | BS | 1.49 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave</i> 'Gainesville Blue' Gainesville Blue Century Plant | BS | 1.22 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave americana</i> American Aloe | BS | 1.06 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave americana</i> 'Marginata' Variegated Century Plant | BS | 1.23 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave angustifolia</i> Caribbean Century Plant | BS | 1.13 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave angustifolia</i> 'Marginata' Marginata Caribbean Century Plant | BS | 1.08 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave attenuata</i> Dragon-tree Century Plant | BS | 0.93 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave attenuata</i> 'Boutin Blue' Boutin Blue Dragon-tree Century Plant | BS | 1.52 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave botteri</i> No Common Name Found | BS | 1.51 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave botteri</i> 'Sport Variegated' No Common Name Found | BS | 1.51 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave chrysantha</i> No Common Name Found | BS | 0.94 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave colorata</i> No Common Name Found | BS | 0.90 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave desmettiana</i> Dwarf Century Plant | BS | 0.82 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave desmettiana</i> 'Joe Hoak' Joe Hoak Dwarf Century Plant | BS | 1.49 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave fourcroydes</i> Henequen | BS | 1.00 | G2 | 8-9A | 9B-11 | | 1.00 | 8 |
| <i>Agave geminiflora</i> No Common Name Found | BE | 1.07 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Agave ghiesbreghtii</i> No Common Name Found | BS | 1.77 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave heteracantha</i> No Common Name Found | BS | 1.77 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave lurida</i> No Common Name Found | BS | 1.30 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave mirandorensis</i> See - <i>Agave desmettiana</i> | | | | | | | | |
| <i>Agave murpheyi</i> Murphy Agave | BS | 0.90 | G2 | 8-9 | 10-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Agave palmeri</i> Palmer Agave | BS | 0.91 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave parrasana</i> No Common Name Found | BS | 1.09 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave parryi</i> Mescal | BS | 1.31 | G2 | 8-9A | 9B-11 | | 1.00 | 8 |
| <i>Agave parryi</i> var. <i>truncata</i> No Common Name Found | BS | 1.77 | G2 | 8-9A | 9B-11 | | 1.00 | 8 |
| <i>Agave parviflora</i> No Common Name Found | BS | 1.00 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave potatorum</i> No Common Name Found | BS | 2.02 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave salmiana</i> No Common Name Found | BS | 1.45 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave scabra</i> No Common Name Found | BS | 1.25 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave sisalana</i> Sisal Hemp | BS | 0.90 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave striata</i> No Common Name Found | BS | 0.90 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave victoriae-reginae</i> Queen Agave | BE | 1.25 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Agave vilmoriniana</i> No Common Name Found | BS | 1.14 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Agave weberi</i> Weber Agave | BS | 1.52 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Ageratina altissima</i> White Snakeroot | HP | 0.64 | G4 | 6 | 7-8 | | | |
| <i>Ageratina altissima</i> 'Braunlaub' Braunlaub White Snakeroot | HP | 0.82 | G4 | 6 | 7-8 | | | |
| <i>Ageratina altissima</i> 'Chocolate' Chocolate White Snakeroot | HP | 0.99 | G4 | 6 | 7-8 | | | |
| <i>Ageratum houstonianum</i> Common Ageratum | AN | 0.75 | G4 | 4-9B | 10A-11 | | | |
| <i>Ageratum houstonianum</i> 'Artist Series' Artist Series Common Ageratum | AN | 0.76 | G4 | 4-9 | 10-11 | | | |
| <i>Ageratum houstonianum</i> 'Blue Blazer' Blue Blazer Common Ageratum | AN | 0.75 | G4 | 4-9B | 10A-11 | | | |
| <i>Ageratum houstonianum</i> 'Blue Danube' Blue Danube Common Ageratum | AN | 0.74 | G4 | 4-9B | 10A-11 | | | |
| <i>Ageratum houstonianum</i> 'Hawaiian Series' Hawaiian Series Common Ageratum | HP | 0.55 | G4 | 4-9B | 10A-11 | | | |
| <i>Ageratum houstonianum</i> 'Royal Delft' Royal Delft Common Ageratum | HP | 0.55 | G4 | 4-9B | 10A-11 | | | |
| <i>Aglaonema</i> Aglaonema | FO | 1.25 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Abidjan' Abidjan Aglaonema | FO | 1.30 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Amelia' Amelia Aglaonema | FO | 1.24 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'B.J. Freeman' B.J. Freeman Aglaonema | FO | 1.08 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Black Lance' P.P. 10280 Black Lance Aglaonema | FO | 1.38 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Cecilia' Cecilia Aglaonema | FO | 1.20 | G4 | 7-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Christina Maria' Christina Maria Aglaonema | FO | 0.93 | G3 | 8-10B | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Aglaonema</i> 'Cory' P.P.A.F. Cory Aglaonema | FO | 1.24 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Deborah' P.P. 9775 Deborah Aglaonema | FO | 1.27 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Emerald Beauty' Emerald Beauty Aglaonema | FO | 1.20 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Emerald Star' P.P. 10659 Emerald Star Aglaonema | FO | 1.29 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Fransher' Fransher Aglaonema | FO | 1.36 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Gabrielle' Gabrielle Aglaonema | FO | 1.47 | G4 | 7-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Golden Bay' P.P. 10140 Golden Bay Aglaonema | FO | 1.23 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Green Lady' Green Lady Aglaonema | FO | 1.49 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Green Majesty' Green Majesty Aglaonema | FO | 1.25 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Jewel of India' P.P. 10658 Jewel of India Aglaonema | FO | 1.20 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Jubilee' Jubilee Aglaonema | FO | 1.28 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Lucia' Lucia Aglaonema | FO | 1.16 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Margarita' Margarita Aglaonema | FO | 1.41 | G4 | 7-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Mary Ann' P.P. 8976 Mary Ann Aglaonema | FO | 1.33 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Painted Princess' Painted Princess Aglaonema | FO | 1.38 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Patricia' Patricia Aglaonema | FO | 1.22 | G4 | 7-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Queen of Siam' P.P. 6842 Queen of Siam Aglaonema | FO | 1.32 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Rembrandt' Rembrandt Aglaonema | FO | 1.25 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Rhapsody in Green' P.P. 8975 Rhapsody in Green Aglaonema | FO | 1.23 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Romano' Romano Aglaonema | FO | 0.95 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Royal Ripple' Royal Ripple Aglaonema | FO | 1.08 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'San Luis' San Luis Aglaonema | FO | 1.25 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'San Remo' San Remo Aglaonema | FO | 1.17 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Silver Bay' Silver Bay Aglaonema | FO | 1.30 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Silver Frost' Silver Frost Aglaonema | FO | 1.25 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Silver Queen' Silver Queen Aglaonema | FO | 1.01 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Silver Ribbon' P.P. 12985 Silver Ribbon Aglaonema | FO | 1.34 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Silverado' P.P.A.F. Silverado Aglaonema | FO | 0.89 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Stars' P.P. 10247 Stars Aglaonema | FO | 1.69 | G3 | 8-10B | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Aglaonema</i> 'Stripes' Stripes Aglaonema | FO | 1.36 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema modestum</i> Chinese Evergreen | FO | 0.57 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema modestum</i> 'Maria' Maria Chinese Evergreen | FO | 0.84 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema nitidum</i> No Common Name Found | FO | 1.34 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aglaonema nitidum</i> 'Curtisii' Curtisii Aglaonema | FO | 1.34 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Agonis flexuosa</i> Peppermint Myrtle Tree | BE | 1.02 | G2 | 9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Agonis juniperina</i> Juniper Myrtle | BE | 1.00 | G2 | 9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Agoseris cuspidata</i> Prairie Dandelion | HP | 1.00 | G4 | 5-6 | 7-9 | | | |
| <i>Agropyron magellicanum</i> See - <i>Elymus magellanicus</i> | | | | | | | | |
| <i>Aiphanes acanthophylla</i> Aiphanes Palm | PC | 1.42 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Aiphanes caryotifolia</i> Ruffle Palm | PC | 2.11 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Aiphanes erosa</i> No Common Name Found | PC | 1.52 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Aiphanes lindeniana</i> No Common Name Found | PC | 1.00 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Ajuga genevensis</i> Blue Bugle | GC | 0.45 | G4 | 6-7 | 8-9B | | 1.00 | 3 |
| <i>Ajuga pyramidalis</i> Upright Bugle | GC | 1.03 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga pyramidalis</i> 'Metallica Crispa' Bronze Upright Bugle | GC | 0.86 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga pyramidalis</i> 'Mini Crisp Red' Mini Crisp Red Upright Bugle | GC | 0.70 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> Carpet Bugle | GC | 0.55 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Alba' White Carpet Bugle | GC | 0.56 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Arctic Fox' Arctic Fox Carpet Bugle | GC | 0.60 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Atropurpurea' Atropurpurea Carpet Bugle | GC | 0.51 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Braunherz' Braunherz Carpet Bugle | GC | 0.69 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Bronze Beauty' Bronze Beauty Carpet Bugle | GC | 0.73 | G4 | 6-7 | 8-10B | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Bronze Improved' Bronze Improved Carpet Bugle | GC | 0.65 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Burgundy Glow' Burgundy Glow Carpet Bugle | GC | 0.76 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Burgundy Lace' Burgundy Lace Carpet Bugle | GC | 0.56 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Carol' Carol Carpet Bugle | GC | 0.48 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Catlin's Giant' Catlin's Giant Carpet Bugle | GC | 0.76 | G4 | 6-7 | 8-10B | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Chocolate Chip' Chocolate Chip Carpet Bugle | GC | 0.74 | G4 | 6-7 | 8-10A | | 1.00 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ajuga reptans</i> 'Cornucopia' Cornucopia Carpet Bugle | GC | 0.48 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Gaiety' Gaiety Carpet Bugle | GC | 0.55 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Giant Green' Giant Green Carpet Bugle | GC | 0.43 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Gray Lady' Gray Lady Carpet Bugle | GC | 0.58 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Jungle Beauty Improved' Jungle Beauty Improved Carpet Bugle | GC | 0.69 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Mahogany' Mahogany Carpet Bugle | GC | 0.63 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Multicolor' Multicolor Carpet Bugle | GC | 0.72 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Pink Beauty' Pink Beauty Carpet Bugle | GC | 0.54 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Pink Elf' Pink Elf Carpet Bugle | GC | 0.84 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Pink Silver' Pink Silver Carpet Bugle | GC | 0.79 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Pink Starlight' Pink Starlight Carpet Bugle | GC | 0.78 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Pink Surprise' Pink Surprise Carpet Bugle | GC | 0.58 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Purple Brocade' Purple Brocade Carpet Bugle | GC | 0.73 | G4 | 6-7 | 8-11 | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Purple Torch' Purple Torch Carpet Bugle | GC | 0.51 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Rosea' Rose Carpet Bugle | GC | 0.65 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Royalty' Royalty Carpet Bugle | GC | 1.01 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Silver Beauty' Silver Beauty Carpet Bugle | GC | 0.64 | G4 | 6-7 | 8-10B | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Silver Queen' Silver Queen Carpet Bugle | GC | 0.65 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Ajuga reptans</i> 'Variegata' Variegated Carpet Bugle | GC | 0.75 | G4 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Akebia quinata</i> Chocolate Vine | GC | 1.22 | G2 | 5-7 | 8 | | 1.00 | 5 |
| <i>Akebia quinata</i> 'Shiro Bana' Shiro Bana Chocolate Vine | GC | 1.43 | G2 | 5-7 | 8 | | 1.00 | 5 |
| <i>Akebia quinata</i> 'Silver Bells' Silver Bells™ Chocolate Vine | GC | 1.42 | G2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Akebia trifoliata</i> Threeleaf Akebia | GC | 1.39 | G2 | 5-7 | 8 | | 1.00 | 5 |
| <i>Alberta magna</i> Natal Flamebush | BS | 1.00 | G1 | 10A-10B | 11 | | 1.00 | 10B |
| <i>Albizia julibrissin</i> 'Flame' Flame Silk Tree | DT | 0.96 | G2 | 7 | 8-10 | 0.90 | 0.42 | 6 |
| <i>Albizia julibrissin</i> 'Summer Chocolate' P.P. 13822 Summer Chocolate Silk Tree | DT | 2.57 | G2 | 7 | 8-10 | 0.90 | 0.42 | 6 |
| <i>Albizia julibrissin</i> var.rosea Hardy Silk Tree | DT | 1.46 | G2 | 7 | 8-10A | 1.14 | 1.00 | 6 |
| <i>Albizia saman</i> Rain Tree | BE | 0.96 | G1 | 6-10 | 11 | 1.00 | 1.00 | 9 |
| <i>Alcea ficifolia</i> Figleaf Hollyhock | HP | 1.02 | S1 | 5-7 | 8-9A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Alcea ficifolia</i> 'Happy Lights' Happy Lights Figleaf Hollyhock | AN | 1.03 | S1 | 5-7 | 8-9A | | | |
| <i>Alcea pallida</i> No Common Name Found | AN | 0.95 | S1 | 5-7 | 8-9A | | | |
| <i>Alcea rosea</i> Old Fashioned Hollyhock | AN | 1.62 | S1 | 5-7 | 8-9A | | | |
| <i>Alcea rosea</i> 'Chater's Chestnut Brown' Chater's Chestnut Brown Hollyhock | AN | 1.09 | G4 | 5-7 | 8-9A | | | |
| <i>Alcea rosea</i> 'Chater's Doubles' Chater's Doubles Hollyhock | AN | 1.24 | S1 | 5-7 | 8-9A | | | |
| <i>Alcea rosea</i> 'Chater's Pink' Chater's Pink Hollyhock | AN | 1.08 | G4 | 5-7 | 8-9A | | | |
| <i>Alcea rosea</i> 'Chater's Purple' Chater's Purple Hollyhock | AN | 1.17 | G4 | 5-7 | 8-9A | | | |
| <i>Alcea rosea</i> 'Chater's Salmon Pink' Chater's Salmon Pink Hollyhock | AN | 1.23 | G4 | 5-7 | 8-9A | | | |
| <i>Alcea rosea</i> 'Chater's Scarlet' Chater's Scarlet Hollyhock | AN | 1.20 | G4 | 5-7 | 8-9A | | | |
| <i>Alcea rosea</i> 'Chater's White' Chater's White Hollyhock | AN | 1.62 | G4 | 5-7 | 8-9A | | | |
| <i>Alcea rosea</i> 'Chater's Yellow' Chater's Yellow Hollyhock | AN | 1.23 | G4 | 5-7 | 8-9A | | | |
| <i>Alcea rosea</i> 'Indian Spring' Indian Spring Hollyhock | AN | 1.26 | G4 | 5-7 | 8-9A | | | |
| <i>Alcea rosea</i> 'Nigra' Black Hollyhock | AN | 1.39 | G4 | 5-7 | 8-9A | | | |
| <i>Alcea rosea</i> 'Nigrita' Nigrita Hollyhock | AN | 1.65 | G4 | 5-7 | 8-9A | | | |
| <i>Alcea rosea</i> 'Powderpuff Mix' Powderpuff Mix Hollyhock | AN | 1.96 | S1 | 5-7 | 8-9A | | | |
| <i>Alcea rosea</i> 'Simplex' Single Hollyhock | AN | 0.98 | G4 | 5-7 | 8-9A | | | |
| <i>Alcea rosea</i> 'The Watchman' The Watchman Hollyhock | AN | 1.16 | G4 | 5-7 | 8-9A | | | |
| <i>Alcea rugosa</i> Russian Hollyhock | AN | 1.45 | S1 | 5-7 | 8-9A | | | |
| <i>Alchemilla alpina</i> Mountain Lady's Mantle | HP | 1.23 | G4 | 5-7 | 8-9A | | | |
| <i>Alchemilla conjuncta</i> No Common Name Found | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Alchemilla erythropoda</i> No Common Name Found | HP | 0.97 | G4 | 4-6 | 7-8 | | | |
| <i>Alchemilla glaucescens</i> No Common Name Found | HP | 0.88 | G4 | 4-6 | 7-8 | | | |
| <i>Alchemilla mollis</i> Lady's Mantle | HP | 0.93 | S1 | 4-7 | 8 | | | |
| <i>Alchemilla mollis</i> 'Auslese' Auslese Lady's Mantle | HP | 0.96 | S1 | 4-7 | 8 | | | |
| <i>Alchemilla mollis</i> 'Thriller' Thriller Lady's Mantle | HP | 0.92 | S1 | 4-7 | 8 | | | |
| <i>Alchemilla pubescens</i> See - <i>Alchemilla glaucescens</i> | | | | | | | | |
| <i>Alchemilla saxatilis</i> Dwarf Lady's Mantle | HP | 1.52 | G4 | 4-6 | 7-8 | | | |
| <i>Alchemilla vulgaris</i> Common Lady's Mantle | HP | 0.89 | G4 | 4-6 | 7-8 | | | |
| <i>Aleurites fordii</i> Tung Oil Tree | DT | 1.00 | G1 | 8-10 | 11 | 1.00 | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Aleurites moluccana</i> Candlenut Tree | DT | 1.73 | G1 | 8-10 | 11 | 1.00 | 1.00 | 10 |
| <i>xAliceara</i> Aliceara Hybrid Orchid | FO | 1.77 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Alisma plantago-aquatica</i> Water Plantain | HP | 1.27 | G4 | 6 | 7-9A | | | |
| <i>Allagoptera arenaria</i> Seashore Palm | PC | 3.16 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Allamanda cathartica</i> Common Trumpet Allamanda | BS | 0.78 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Brown Bud' Brown Bud Trumpet Allamanda | BS | 0.75 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Cherries Jubilee' Cherries Jubilee Trumpet Allamanda | BS | 0.97 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Chocolate Cherry' Chocolate Cherry Trumpet Allamanda | BS | 0.81 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Chocolate Swirl' Chocolate Swirl Trumpet Allamanda | BS | 0.86 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Cream' Cream Trumpet Allamanda | GC | 0.80 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Hendersonii Dwarf' Henderson Dwarf Trumpet Allamanda | GC | 0.64 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Hendersonii' Henderson Trumpet Allamanda | BS | 0.88 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Lemon Sprite' Lemon Sprite Trumpet Allamanda | BS | 1.20 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Silver Dwarf' Silver Dwarf Trumpet Allamanda | BS | 0.90 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Stansill's Double' Stansill's Double Trumpet Allamanda | BS | 0.92 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Williamsii' Williams Trumpet Allamanda | GC | 0.89 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Allamanda neriifolia</i> Golden Trumpet Bush Allamanda | BS | 0.56 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Allamanda schottii</i> Bush Allamanda | BS | 0.69 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Allamanda violacea</i> Violet Allamanda | BS | 1.22 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Allium ampeloprasum</i> Wild Leek | HP | 0.40 | G4 | 6 | 7-8 | | | |
| <i>Allium ampeloprasum</i> 'Porrum' Leek | HP | 0.54 | G4 | 6 | 7-8 | | | |
| <i>Allium caeruleum</i> Blue Globe Onion | HP | 1.18 | G4 | 7 | 8-9A | | | |
| <i>Allium canadense</i> Canada Garlic | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Allium carinatum</i> Keeled Garlic | HP | 1.00 | G4 | 5-6 | 7 | | | |
| <i>Allium carinatum</i> ssp. <i>pulchellum</i> No Common Name Found | HP | 1.30 | G4 | 6-7 | 8 | | | |
| <i>Allium cernuum</i> Nodding Wild Onion | HP | 1.07 | G4 | 6 | 7-9A | | | |
| <i>Allium cyaneum</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7-9 | | | |
| <i>Allium cyathophorum</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7-9 | | | |
| <i>Allium cyathophorum</i> var. <i>farreri</i> Farrer Onion | HP | 1.04 | G4 | 4-5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Allium dichlamydeum</i> Twocloak Onion | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Allium farreri</i> See - <i>Allium cyathophorum</i> var. <i>farreri</i> | | | | | | | | |
| <i>Allium flavum</i> Yellow Onion | HP | 1.00 | G4 | 6 | 7-9 | | | |
| <i>Allium flavum</i> 'Minus' Minus Yellow Onion | HP | 1.00 | G4 | 6 | 7-9 | | | |
| <i>Allium giganteum</i> Giant Onion | HP | 1.21 | G4 | 5-6 | 7-8 | | | |
| <i>Allium kansuense</i> See - <i>Allium sikkimense</i> | | | | | | | | |
| <i>Allium moly</i> Lily Leek | HP | 1.00 | G4 | 7 | 8 | | | |
| <i>Allium narcissiflorum</i> Narcissus Onion | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Allium paniculatum</i> Mediterranean Onion | HP | 1.00 | G4 | 6 | 7-9 | | | |
| <i>Allium pulchellum</i> See - <i>Allium carinatum</i> ssp. <i>pulchellum</i> | | | | | | | | |
| <i>Allium rosenbachianum</i> Rosenbach Onion | HP | 1.00 | G4 | 7 | 8-9A | | | |
| <i>Allium rotundum</i> See - <i>Allium scordoprasum</i> ssp. <i>rotundum</i> | | | | | | | | |
| <i>Allium saxatile</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7-9 | | | |
| <i>Allium schnittlauch</i> Dwarf Allium | HP | 0.88 | G4 | 4-5 | 6-7 | | | |
| <i>Allium schoenoprasum</i> Chives | HP | 0.74 | G4 | 5-6 | 7-10A | | | |
| <i>Allium schoenoprasum</i> 'Forescate' Forescate Chives | HP | 0.76 | G4 | 5-6 | 7-10A | | | |
| <i>Allium scordoprasum</i> ssp. <i>rotundum</i> Giant Garlic | HP | 1.00 | G4 | 5-6 | 7-10A | | | |
| <i>Allium senescens</i> var. <i>glaucum</i> Ornamental Onion | HP | 1.14 | G4 | 4-5 | 6-8 | | | |
| <i>Allium sikkimense</i> Kansu Onion | HP | 1.04 | G4 | 6 | 7-9 | | | |
| <i>Allium sphaerocephalum</i> ssp. <i>sphaerocephalon</i> Round-headed Leek | HP | 0.87 | G4 | 4-5 | 6-7 | | | |
| <i>Allium splendens</i> Miyama-rakkyo | HP | 0.68 | G4 | 5 | 6-8 | | | |
| <i>Allium thunbergii</i> Japanese Onion | HP | 0.95 | G4 | 4-5 | 6-7 | | | |
| <i>Allium thunbergii</i> 'Ozawa' Ozawa Japanese Onion | HP | 1.21 | G4 | 4-5 | 6-7 | | | |
| <i>Allium tuberosum</i> Garlic Chives | HP | 0.75 | G4 | 6-7 | 8-9A | | | |
| <i>Allium unifolium</i> Oneleaf Onion | HP | 0.75 | G4 | 4-5 | 6-7 | | | |
| <i>Allium virgunculae</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7-9 | | | |
| <i>Alnus cordata</i> Italian Alder | DT | 0.86 | G4 | 6 | 7-9 | 0.51 | 1.00 | 5 |
| <i>Alnus glutinosa</i> European Alder | DT | 0.87 | G4 | 6 | 7-9 | 0.97 | 1.04 | 3 |
| <i>Alnus glutinosa</i> 'Imperialis' Royal European Alder | DT | 0.87 | G4 | 6 | 7-9 | 0.91 | 2.99 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Alnus glutinosa</i> 'Laciniata' Cutleaf European Alder | DT | 0.87 | G4 | 6 | 7-9 | 0.85 | 2.02 | 3 |
| <i>Alnus glutinosa</i> 'Pyramidalis' Pyramidal European Alder | DT | 0.87 | G4 | 6 | 7-9 | 0.91 | 2.02 | 3 |
| <i>Alnus incana</i> European White Alder | DT | 0.77 | G4 | 6 | 7-9 | 1.54 | 1.22 | 2 |
| <i>Alnus incana</i> 'Aurea' Yellowleaf White Alder | DT | 0.77 | G4 | 6 | 7-9 | 1.54 | 1.22 | 2 |
| <i>Alnus oregona</i> See - <i>Alnus rubra</i> | | | | | | | | |
| <i>Alnus rhombifolia</i> Sierra Alder | DT | 0.96 | G2 | 6-7 | 8-9 | 1.00 | 1.00 | 5 |
| <i>Alnus rubra</i> Red Alder | DT | 0.78 | G2 | 6-7 | 8-9 | 0.87 | 0.63 | 6 |
| <i>Alnus rugosa</i> Speckled Alder | DT | 1.03 | NR | | 3-6 | 1.00 | 0.66 | 2 |
| <i>Alnus serrulata</i> Smooth Alder | DT | 0.89 | G2 | 4-5 | 6 | 1.00 | 1.00 | 5 |
| <i>Alnus sinuata</i> Sitka Alder | DT | 0.78 | NR | | 3-6 | 1.00 | 1.00 | 2 |
| <i>Alnus tenuifolia</i> Thinleaf Alder | DT | 1.09 | NR | | 3-6 | 1.00 | 2.44 | 2 |
| <i>Alnus viridis</i> Green Alder | DT | 1.21 | G2 | 3-4 | 5-7 | 1.00 | 1.00 | 4 |
| <i>Alnus viridis</i> ssp. <i>crispa</i> No Common Name Found | DT | 1.00 | G2 | 3-4 | 5-7 | 1.00 | 1.00 | 2 |
| <i>Alocasia</i> Elephant's Ear | FO | 0.66 | G4 | 6-10 | 11 | | 1.00 | 10 |
| <i>Alocasia</i> 'Black Velvet' Black Velvet Elephant's Ear | FO | 0.76 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Alocasia</i> 'Elaine' Elaine Elephant's Ear | FO | 0.66 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Alocasia</i> 'Frydek' Frydek Elephant's Ear | FO | 0.66 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Alocasia</i> 'Hilo Beauty' Hilo Beauty Elephant's Ear | FO | 0.61 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Alocasia</i> 'Portodora' Portodora Elephant's Ear | FO | 0.66 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Alocasia</i> 'Portora' Portora Elephant's Ear | FO | 0.61 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Alocasia</i> 'Tigrina Superba' Tigrina Superba Elephant's Ear | FO | 0.66 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Alocasia</i> x <i>amazonica</i> Amazon Elephant's Ear | FO | 0.78 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Alocasia</i> x <i>amazonica</i> 'Compacta' Compact Amazon Elephant's Ear | FO | 0.66 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Alocasia</i> x <i>amazonica</i> 'Polly' Polly Amazon Elephant's Ear | FO | 0.83 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Alocasia cadierii</i> No Common Name Found | FO | 0.83 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Alocasia cucullata</i> Chinese Taro | FO | 0.98 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Alocasia gageana</i> No Common Name Found | FO | 0.67 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Alocasia indica</i> var. <i>metallica</i> See - <i>Alocasia plumbea</i> | | | | | | | | |
| <i>Alocasia korthalsii</i> No Common Name Found | FO | 1.07 | G3 | 8-10B | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Alocasia longiloba</i> No Common Name Found | FO | 0.70 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Alocasia lowii</i> var. <i>grandis</i> See - <i>Alocasia korthalsii</i> | | | | | | | | |
| <i>Alocasia lowii</i> var. <i>veitchii</i> See - <i>Alocasia veitchii</i> | | | | | | | | |
| <i>Alocasia macrorrhiza</i> Giant Taro | FO | 0.88 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Alocasia macrorrhiza</i> 'Lutea' Yellow-leaf Taro | FO | 0.87 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Alocasia odora</i> No Common Name Found | FO | 0.53 | G4 | 8-10 | 11 | | 1.56 | 10 |
| <i>Alocasia odora</i> 'California' California Elephant's Ear | FO | 0.45 | G4 | 8-10 | 11 | | 1.56 | 10 |
| <i>Alocasia plumbea</i> No Common Name Found | FO | 0.86 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Alocasia plumbea</i> 'Nigra' No Common Name Found | FO | 1.07 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Alocasia sandieriana</i> Kris Plant | FO | 0.49 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Alocasia</i> x <i>sedenii</i> No Common Name Found | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Alocasia sinuata</i> No Common Name Found | FO | 0.72 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Alocasia veitchii</i> No Common Name Found | FO | 0.85 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Alocasia wentii</i> No Common Name Found | FO | 0.72 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aloe arborescens</i> Candelabra Aloe | BS | 0.97 | G3 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Aloe barbadensis</i> See - <i>Aloe vera</i> | | | | | | | | |
| <i>Aloe ferox</i> Cape Aloe | BE | 1.03 | G3 | 8-9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Aloe peglerae</i> No Common Name Found | FO | 1.00 | G3 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Aloe saponaria</i> Soap Aloe | BS | 0.84 | G3 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Aloe</i> x <i>spinosissima</i> Spider Aloe | BS | 1.35 | G3 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Aloe squarrosa</i> No Common Name Found | HP | 1.32 | G3 | 8-10 | 11 | | | |
| <i>Aloe striata</i> Coral Aloe | FO | 0.98 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Aloe vera</i> True Aloe | HP | 0.84 | G3 | 6-9B | 10A-11 | | | |
| <i>Alonsoa linearis</i> Mask Flower | HP | 1.00 | G2 | 10A-10B | 11 | | | |
| <i>Alonsoa warscewiczii</i> Heartleaf Mask Flower | HP | 0.72 | G2 | 9-10B | 11 | | | |
| <i>Alonsoa warscewiczii</i> 'Firestone Jewels' Firestone Jewels Heartleaf Mask Flower | HP | 0.72 | G2 | 9-10B | 11 | | | |
| <i>Alopecurus pratensis</i> Meadow Foxtail Grass | HP | 1.12 | G4 | 6-7 | 8-9A | | | |
| <i>Alopecurus pratensis</i> 'Aureovariegatus' Yellow Variegated Foxtail Grass | HP | 1.04 | G4 | 3-5 | 6-9 | | | |
| <i>Alopecurus pratensis</i> 'Aureus' Yellow Meadow Foxtail Grass | HP | 1.00 | G4 | 6-7 | 8-9A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Aloysia triphylla</i> Lemon Verbena | HP | 0.68 | G2 | 7-9A | 9B-11 | | | |
| <i>Alpinia aquatica</i> No Common Name Found | HP | 1.00 | G4 | 8 | 9-11 | | | |
| <i>Alpinia calcarata</i> India Ginger | HP | 1.15 | G4 | 8 | 9-11 | | | |
| <i>Alpinia formosana</i> Formosa Shell Ginger | HP | 1.35 | G4 | 8 | 9-11 | | | |
| <i>Alpinia formosana</i> 'Pinstripe' Pinstripe Formosa Shell Ginger | HP | 1.16 | G4 | 8 | 9-11 | | | |
| <i>Alpinia galanga</i> Siamese Ginger | HP | 1.26 | G4 | 8 | 9-11 | | | |
| <i>Alpinia japonica</i> No Common Name Found | HP | 1.14 | G4 | 8-9B | 10A-11 | | | |
| <i>Alpinia japonica</i> 'Kinisiana' Dwarf Flowering Japanese Ginger | HP | 1.14 | G4 | 8-9B | 10A-11 | | | |
| <i>Alpinia mutica</i> Small Shell Ginger | HP | 1.42 | G4 | 8-10 | 11 | | | |
| <i>Alpinia nutans</i> See - <i>Alpinia zerumbet</i> | | | | | | | | |
| <i>Alpinia purpurata</i> Red Ginger | HP | 1.24 | G4 | 8-10 | 11 | | | |
| <i>Alpinia purpurata</i> 'Eileen McDonald' Eileen McDonald Red Ginger | HP | 1.34 | G4 | 8-10 | 11 | | | |
| <i>Alpinia purpurata</i> 'Jungle King' Jungle King Red Ginger | HP | 1.49 | G4 | 8-10 | 11 | | | |
| <i>Alpinia purpurata</i> 'Jungle Queen' Jungle Queen Red Ginger | HP | 1.61 | G4 | 8-10 | 11 | | | |
| <i>Alpinia purpurata</i> 'Kimi' Kimi Red Ginger | HP | 1.42 | G4 | 8-10 | 11 | | | |
| <i>Alpinia purpurata</i> 'Tahitian' Tahitian Red Ginger | HP | 1.49 | G4 | 8-10 | 11 | | | |
| <i>Alpinia sanderae</i> See - <i>Alpinia vittata</i> | | | | | | | | |
| <i>Alpinia vittata</i> Variegated Ginger | HP | 1.09 | G4 | 8-9B | 10A-11 | | | |
| <i>Alpinia zerumbet</i> Shell Ginger | HP | 1.08 | G4 | 8-9B | 10A-11 | | | |
| <i>Alpinia zerumbet</i> 'Variegata' Variegated Shell Ginger | HP | 1.20 | G4 | 8-9B | 10A-11 | | | |
| <i>Alsmithia longipes</i> No Common Name Found | PC | 1.00 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Alsophila australis</i> See - <i>Cyathea australis</i> | | | | | | | | |
| <i>Alstonia venenata</i> Devil Tree | DT | 0.98 | G1 | 10A-10B | 11 | 1.00 | 1.00 | 10 |
| <i>Alstroemeria</i> Peruvian Lily | HP | 1.09 | G4 | 4-10A | | | | |
| <i>Alstroemeria</i> 'Inca Blaze' Inca Blaze® Peruvian Lily | HP | 0.69 | G4 | 4-10A | | | | |
| <i>Alstroemeria</i> 'Inca Charm' Inca Charm Peruvian Lily | HP | 0.69 | G4 | 4-10A | | | | |
| <i>Alstroemeria</i> 'Inca Delight' Inca Delight Peruvian Lily | HP | 0.69 | G4 | 4-10A | | | | |
| <i>Alstroemeria</i> 'Inca Gold' Inca Gold Peruvian Lily | HP | 0.69 | G4 | 4-10A | | | | |
| <i>Alstroemeria</i> 'Inca Moonlight' Inca Moonlight Peruvian Lily | HP | 0.69 | G4 | 4-10A | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|-------------|---------------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper High/Wide | |
| <i>Alstroemeria</i> 'Inca Sunset' Inca Sunset Peruvian Lily | HP | 0.69 | G4 | 4-10A | | | |
| <i>Alstroemeria</i> 'Ligtu Series' Ligtu Series Hybrid Peruvian Lily | HP | 1.09 | G4 | 4-10A | | | |
| <i>Alstroemeria</i> 'Little Eleanor' P.P. 9624 Little Eleanor Peruvian Lily | HP | 1.92 | G4 | 4-10A | | | |
| <i>Alstroemeria</i> 'Meyer Red' Meyer Red Hybrid Peruvian Lily | HP | 1.09 | G4 | 4-10A | | | |
| <i>Alstroemeria</i> 'Meyer Rose' Meyer Rose Hybrid Peruvian Lily | HP | 1.37 | G4 | 4-10A | | | |
| <i>Alstroemeria</i> 'Meyer White & Pink' Meyer White & Pink Hybrid Peruvian Lily | HP | 1.37 | G4 | 4-10A | | | |
| <i>Alstroemeria</i> 'Orange Beauty' Orange Beauty Hybrid Peruvian Lily | HP | 1.09 | G4 | 4-10A | | | |
| <i>Alstroemeria</i> 'Rachel' Rachel Hybrid Peruvian Lily | HP | 1.37 | G4 | 4-10A | | | |
| <i>Alstroemeria</i> 'The Third Harmonic' The Third Harmonic Hybrid Peruvian Lily | HP | 1.77 | G4 | 4-10A | | | |
| <i>Alstroemeria aurantiaca</i> See - <i>Alstroemeria aurea</i> | | | | | | | |
| <i>Alstroemeria aurea</i> Yellow Peruvian Lily | HP | 0.89 | G4 | 4-10A | | | |
| <i>Alstroemeria aurea</i> 'Lutea' Lutea Yellow Peruvian Lily | HP | 0.89 | G4 | 4-10A | | | |
| <i>Alstroemeria aurea</i> 'Orange King' Orange King Yellow Peruvian Lily | HP | 0.89 | G4 | 4-10A | | | |
| <i>Alstroemeria aurea</i> 'Splendens' Splendens Yellow Peruvian Lily | HP | 0.89 | G4 | 4-10A | | | |
| <i>Alstroemeria caryophyllacea</i> Peruvian Lily | HP | 1.42 | G4 | 4-10A | | | |
| <i>Alstroemeria caryophyllacea</i> 'The Premier Series' The Premier Series Peruvian Lily | HP | 1.42 | G4 | 4-10A | | | |
| <i>Alstroemeria hookeri</i> Inca Lily | HP | 0.82 | G4 | 4-10A | | | |
| <i>Alstroemeria ligtu</i> St. Martin's Flower | HP | 0.82 | G4 | 4-10A | | | |
| <i>Alstroemeria psittacina</i> Parrot Lily | HP | 0.71 | G4 | 4-10A | | | |
| <i>Alstroemeria pulchella</i> See - <i>Alstroemeria psittacina</i> | | | | | | | |
| <i>Alternanthera</i> Joseph's Coat | FO | 0.43 | G3 | 8-10B | 11 | | 1.00 8 |
| <i>Alternanthera</i> 'Gail's Choice' Gail's Choice Joseph's Coat | FO | 0.39 | G3 | 8-10B | 11 | | 1.00 8 |
| <i>Alternanthera</i> 'Purple Knight' Purple Knight Joseph's Coat | FO | 0.55 | G4 | 8-10 | 11 | | 1.00 8 |
| <i>Alternanthera</i> 'Red Runner' Red Runner Joseph's Coat | FO | 0.35 | G3 | 8-10B | 11 | | 1.00 8 |
| <i>Alternanthera</i> 'Wave Hill' Wave Hill Giant Joseph's Coat | FO | 0.41 | G3 | 8-10B | 11 | | 1.00 8 |
| <i>Alternanthera dentata</i> No Common Name Found | FO | 0.54 | G3 | 8-10B | 11 | | 1.00 8 |
| <i>Alternanthera dentata</i> 'Rubiginosa' Indoor Clover | FO | 0.54 | G3 | 8-10B | 11 | | 1.00 8 |
| <i>Alternanthera ficoidea</i> Calico Plant | FO | 0.29 | G3 | 6-10B | 11 | | 1.00 8 |
| <i>Alternanthera ficoidea</i> 'Rosea Nana' Rosea Nana Calico Plant | FO | 0.30 | G3 | 6-10B | 11 | | 1.00 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Alternanthera ficoidea</i> 'Snowball' Snowball Calico Plant | FO | 0.30 | G3 | 6-10B | 11 | | 1.00 | 8 |
| <i>Alternanthera ficoidea</i> var. <i>amoena</i> Dwarf Parrotleaf | FO | 0.14 | G3 | 6-10B | 11 | | 1.00 | 8 |
| <i>Althaea coelestis</i> See - <i>Hibiscus syriacus</i> 'Coelestis' | | | | | | | | |
| <i>Althaea rosea</i> See - <i>Alcea rosea</i> | | | | | | | | |
| <i>Althaea syriaca</i> See - <i>Hibiscus syriacus</i> | | | | | | | | |
| <i>Alyogyne hakeifolia</i> No Common Name Found | BS | 0.72 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Alyogyne huegelii</i> Lilac Hibiscus | BS | 0.80 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Alyogyne huegelii</i> 'Monle' Purple Delight™ Lilac Hibiscus | BS | 1.28 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Alyogyne huegelii</i> 'Monterey Bay' Monterey Bay Lilac Hibiscus | BS | 0.75 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Alyogyne huegelii</i> 'Mood Indigo' Mood Indigo Lilac Hibiscus | BS | 0.75 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Alyogyne huegelii</i> 'Purple Delight' See - <i>Alyogyne huegelii</i> 'Monle' | | | | | | | | |
| <i>Alyogyne huegelii</i> 'Santa Cruz' Santa Cruz Lilac Hibiscus | BS | 0.96 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Alyssoides utriculata</i> Bladderpod | BS | 0.88 | G4 | 7-8 | 9A | | 1.00 | 7 |
| <i>Alyssum caespitosum</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Alyssum montanum</i> Mountain Alyssum | HP | 0.84 | G4 | 6-7 | 8-9 | | | |
| <i>Alyssum montanum</i> 'Berggold' Berggold Mountain Alyssum | HP | 0.82 | G4 | 6-7 | 8-9 | | | |
| <i>Alyssum ovirense</i> No Common Name Found | AN | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Alyssum propinquum</i> No Common Name Found | AN | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Alyssum saxatile</i> See - <i>Aurinia saxatilis</i> | | | | | | | | |
| <i>Alyssum spinosum</i> Spiny Alyssum | BS | 1.00 | G4 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Alyssum spinosum</i> 'Roseum' Rose Spiny Alyssum | BS | 1.00 | G4 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Alyssum tortuosum</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Amaranthus tricolor</i> Tampala | AN | 1.65 | G3 | 6-9B | 10A-11 | | | |
| <i>Amaryllis belladonna</i> Jersey Lily | HP | 1.27 | G4 | 7-8 | 9A-11 | | | |
| <i>Amelanchier alnifolia</i> Saskatoon Serviceberry | DS | 1.20 | NR | | 3-6 | | 1.78 | 2 |
| <i>Amelanchier alnifolia</i> 'PNI 0421' Regent® Saskatoon Serviceberry | DS | 1.00 | NR | | 3-6 | | 1.75 | 2 |
| <i>Amelanchier alnifolia</i> 'Regent' See - <i>Amelanchier alnifolia</i> 'PNI 0421' | | | | | | | | |
| <i>Amelanchier alnifolia</i> 'Smokey' Smokey Saskatoon Serviceberry | DS | 1.10 | NR | | 3-6 | | 1.77 | 2 |
| <i>Amelanchier alnifolia</i> var. <i>semintegrifolia</i> Pacific Serviceberry | DS | 1.00 | NR | | 3-6 | | 1.00 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Amelanchier arborea</i> Downy Serviceberry | DS | 1.33 | G2 | 3-4 | 5-8 | | 0.85 | 4 |
| <i>Amelanchier asiatica</i> Asian Serviceberry | DS | 1.00 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Amelanchier canadensis</i> Shadblow Serviceberry | DS | 1.14 | G2 | 2-3 | 4-8 | | 1.03 | 3 |
| <i>Amelanchier canadensis</i> 'Glennform' P.P. 9092 Rainbow Pillar™ Shadblow Serviceberry | DS | 1.10 | G2 | 2-3 | 4-8 | | 1.05 | 3 |
| <i>Amelanchier canadensis</i> 'Majesty' Majesty Shadblow Serviceberry | DS | 1.12 | G2 | 2-3 | 4-8 | | 1.23 | 3 |
| <i>Amelanchier canadensis</i> 'Prince William' P.P. 6040 Prince William Shadblow Serviceberry | DS | 1.12 | G2 | 2-3 | 4-8 | | 1.60 | 3 |
| <i>Amelanchier canadensis</i> 'Rainbow Pillar' See - <i>Amelanchier canadensis</i> 'Glennform' P.P. 9092 | | | | | | | | |
| <i>Amelanchier canadensis</i> 'Reflection' See - <i>Amelanchier canadensis</i> 'Refzam' | | | | | | | | |
| <i>Amelanchier canadensis</i> 'Refzam' Reflection™ Shadblow Serviceberry | DS | 1.12 | G2 | 2-3 | 4-8 | | 1.23 | 3 |
| <i>Amelanchier canadensis</i> 'Silver Fountain' Silver Fountain Shadblow Serviceberry | DS | 1.12 | G2 | 2-3 | 4-8 | | 1.23 | 3 |
| <i>Amelanchier canadensis</i> 'White Pillar' P.P. 7072 White Pillar Shadblow Serviceberry | DS | 1.12 | G2 | 2-3 | 4-8 | | 1.23 | 3 |
| <i>Amelanchier canadensis</i> 'White Tower' White Tower Shadblow Serviceberry | DS | 1.12 | G2 | 2-3 | 4-8 | | 1.23 | 3 |
| <i>Amelanchier florida</i> See - <i>Amelanchier alnifolia</i> var. <i>semiintegrifolia</i> | | | | | | | | |
| <i>Amelanchier</i> x <i>grandiflora</i> Apple Serviceberry | DS | 1.14 | G2 | 3-4 | 5-8 | | 1.47 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Autumn Brilliance' P.P. 5717 Autumn Brilliance® Apple Serviceberry | DS | 1.20 | G2 | 3-4 | 5-8 | | 1.35 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Cole's Select' Cole's Select Apple Serviceberry | DS | 1.26 | G2 | 3-4 | 5-8 | | 1.68 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Forest Prince' Forest Prince Apple Serviceberry | DS | 1.81 | G2 | 3-4 | 5-8 | | 1.33 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Princess Diana' P.P. 6041 Princess Diana Apple Serviceberry | DS | 1.24 | G2 | 3-4 | 5-8 | | 1.50 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Robin Hill' Robin Hill Apple Serviceberry | DS | 1.16 | G2 | 3-4 | 5-8 | | 1.10 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Spring Glory' See - <i>Amelanchier</i> x <i>grandiflora</i> 'Sprizam' | | | | | | | | |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Sprizam' Spring Glory® Apple Serviceberry | DS | 1.30 | G2 | 3-4 | 5-8 | | 1.63 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Strata' Strata Apple Serviceberry | DS | 1.30 | G2 | 3-4 | 5-8 | | 2.95 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Tradition' See - <i>Amelanchier</i> x <i>grandiflora</i> 'Trazam' | | | | | | | | |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Trazam' Tradition® Apple Serviceberry | DS | 1.30 | G2 | 3-4 | 5-8 | | 1.63 | 4 |
| <i>Amelanchier laevis</i> Allegheny Serviceberry | DS | 1.13 | G2 | 3-4 | 5-8 | | 1.14 | 4 |
| <i>Amelanchier laevis</i> 'Lustre' See - <i>Amelanchier laevis</i> 'Rogers' | | | | | | | | |
| <i>Amelanchier laevis</i> 'Majestic' P.P. 7203 Snowcloud Allegheny Serviceberry | DS | 1.84 | G2 | 3-4 | 5-8 | | 0.52 | 4 |
| <i>Amelanchier laevis</i> 'Prince Charles' P.P. 6039 Prince Charles Allegheny Serviceberry | DS | 1.49 | G2 | 3-4 | 5-8 | | 2.14 | 4 |
| <i>Amelanchier laevis</i> 'Rogers' Lustre® Allegheny Serviceberry | DS | 1.49 | G2 | 3-4 | 5-8 | | 1.27 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Amelanchier laevis</i> 'Snowcloud' See - <i>Amelanchier laevis</i> 'Majestic' P.P. 7203 | | | | | | | | |
| <i>Amelanchier lamarckii</i> Lamarck Serviceberry | DS | 1.04 | G2 | 3-4 | 5-7 | | 1.15 | 4 |
| <i>Amelanchier lamarckii</i> 'Ballerina' Ballerina Lamarck Serviceberry | DS | 2.32 | G2 | 3-4 | 5-7 | | 0.97 | 4 |
| <i>Amelanchier lamarckii</i> 'Cumulus' P.P. 3092 Cumulus Lamarck Serviceberry | DS | 1.70 | G2 | 3-4 | 5-7 | | 0.96 | 4 |
| <i>Amelanchier ovalis</i> Garden Serviceberry | DS | 0.91 | G2 | 5-6 | 7-8 | | 2.34 | 5 |
| <i>Amelanchier sanguinea</i> Roundleaf Serviceberry | DS | 1.00 | G2 | 4-5 | 6-7 | | 2.49 | 4 |
| <i>Amelanchier stolonifera</i> Running Serviceberry | DS | 0.70 | G2 | 4-5 | 6-7 | | 1.72 | 4 |
| <i>Amelanchier stolonifera</i> 'Fergi' Fergi Running Serviceberry | DS | 0.70 | G2 | 4-5 | 6-7 | | 1.99 | 4 |
| <i>Amelanchier utahensis</i> Utah Serviceberry | DS | 0.99 | G2 | 4-5 | 6-7 | | 1.00 | 2 |
| <i>Ammophila arenaria</i> European Dune Grass | HP | 0.70 | G4 | 4-5 | 6-8 | | | |
| <i>Ammophila breviligulata</i> Beach Grass | HP | 1.10 | G4 | 4-5 | 6-8 | | | |
| <i>Amomum compactum</i> Round Cardamom | HP | 1.15 | G4 | 9A-10A | 10B-11 | | | |
| <i>Amorpha canescens</i> Leadplant | HP | 1.26 | G2 | 2-5 | 6-8 | | | |
| <i>Amorpha fruticosa</i> False Indigo | BS | 0.97 | G2 | 4-6 | 7-8 | | 1.00 | 2 |
| <i>Amorphophallus bulbifer</i> No Common Name Found | HP | 1.26 | G4 | 8-9B | 10A-11 | | | |
| <i>Amorphophallus konjac</i> Konjaku | HP | 1.00 | G4 | 6-8 | 9-11 | | | |
| <i>Ampelodesmos mauritanicus</i> Mauritania Vine Reed | HP | 0.76 | G4 | 7-8 | 9A-10B | | | |
| <i>Ampelopsis aconitifolia</i> Monk's Hood Vine | GC | 0.97 | G2 | 4-6 | 7-8 | | 1.00 | 4 |
| <i>Ampelopsis brevipedunculata</i> Porcelain Vine | GC | 1.37 | G2 | 9 | 10 | | 1.00 | 5 |
| <i>Ampelopsis brevipedunculata</i> var. <i>maximowiczii</i> Cutleaf Porcelain Vine | GC | 1.19 | G2 | 9 | 10 | | 1.00 | 5 |
| <i>Ampelopsis brevipedunculata</i> var. <i>maximowiczii</i> 'Elegans' Elegans Cutleaf Porcelain Vine | GC | 1.22 | G2 | 9 | 10 | | 1.00 | 5 |
| <i>Ampelopsis heterophylla</i> See - <i>Ampelopsis brevipedunculata</i> var. <i>maximowiczii</i> | | | | | | | | |
| <i>Amphitecna latifolia</i> Black Calabash | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10B |
| <i>Amsonia hubrechtii</i> Arkansas Amsonia | HP | 1.10 | G4 | 4-7 | 8-9A | | | |
| <i>Amsonia illustris</i> No Common Name Found | HP | 0.88 | G4 | 4-7 | 8-9A | | | |
| <i>Amsonia tabernaemontana</i> Willow Leaf Blue Star | HP | 0.95 | G4 | 4-7 | 8-9A | | | |
| <i>Amsonia tabernaemontana</i> var. <i>montana</i> Dwarf Willowleaf Blue Star | HP | 0.87 | G4 | 4-7 | 8-9B | | | |
| <i>Amsonia tabernaemontana</i> var. <i>salicifolia</i> No Common Name Found | HP | 0.85 | G4 | 4-7 | 8-9A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Amyris elemifera</i> Sea Torchwood | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10B |
| <i>Anacyclus pyrethrum</i> var. <i>depressus</i> Mt. Atlas Daisy | HP | 0.80 | G4 | 5-6 | 7-8 | | | |
| <i>Anacyclus pyrethrum</i> var. <i>depressus</i> 'Silberkissen' Silberkissen Mt. Atlas Daisy | HP | 0.61 | G4 | 5-6 | 7-8 | | | |
| <i>Anagallis arvensis</i> Scarlet Pimpernel | AN | 1.00 | G4 | 7-8 | 9A | | | |
| <i>Anagallis monelli</i> Blue Pimpernel | AN | 0.83 | G4 | 7-8 | 9A | | | |
| <i>Anagallis monelli</i> 'Pacific Blue' Pacific Blue Pimpernel | AN | 0.83 | G4 | 7-8 | 9A | | | |
| <i>Ananas comosus</i> Pineapple | FO | 0.88 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Ananas comosus</i> 'Ivory' Ivory Pineapple | FO | 0.88 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Ananas lucidus</i> Wild Ananas | FO | 1.07 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Anaphalis cinnamomea</i> See - <i>Anaphalis margaritacea</i> var. <i>cinnamomea</i> | | | | | | | | |
| <i>Anaphalis margaritacea</i> Pearly Everlasting | HP | 1.23 | G4 | 4-7 | 8 | | | |
| <i>Anaphalis margaritacea</i> var. <i>cinnamomea</i> No Common Name Found | HP | 1.00 | G4 | 4-7 | 8 | | | |
| <i>Anaphalis triplinervis</i> Three-Veined Everlasting | HP | 0.82 | G4 | 4-7 | 8 | | | |
| <i>Anchusa azurea</i> Italian Alkanet | HP | 0.96 | G4 | 4-7 | 8 | | | |
| <i>Anchusa azurea</i> 'Blue Angel' Blue Angel Italian Alkanet | HP | 0.60 | G4 | 4-7 | 8 | | | |
| <i>Anchusa azurea</i> 'Dropmore' Dropmore Italian Alkanet | HP | 0.82 | G4 | 4-7 | 8 | | | |
| <i>Anchusa azurea</i> 'Little John' Little John Italian Alkanet | HP | 1.45 | G4 | 4-7 | 8 | | | |
| <i>Anchusa azurea</i> 'Loddon Royalist' Loddon Royalist Italian Alkanet | HP | 0.96 | G4 | 4-7 | 8 | | | |
| <i>Anchusa azurea</i> 'Royal Blue' Royal Blue Italian Alkanet | HP | 0.95 | G4 | 4-7 | 8 | | | |
| <i>Anchusa capensis</i> No Common Name Found | HP | 1.00 | G4 | 4-7 | 8 | | | |
| <i>Androlepis skinneri</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Andromeda glaucophylla</i> See - <i>Andromeda polifolia</i> var. <i>glaucophylla</i> | | | | | | | | |
| <i>Andromeda polifolia</i> Bog Rosemary | BS | 1.26 | G2 | 4-5 | 6-8 | | 1.00 | 2 |
| <i>Andromeda polifolia</i> 'Blue Ice' Blue Ice Bog Rosemary | BS | 1.03 | G2 | 4-5 | 6-8 | | 1.00 | 2 |
| <i>Andromeda polifolia</i> 'Glauca Nana' Dwarf Blue Bog Rosemary | BS | 1.13 | G2 | 4-5 | 6-8 | | 1.00 | 2 |
| <i>Andromeda polifolia</i> 'Nana' Dwarf Bog Rosemary | BS | 1.06 | G2 | 4-5 | 6-8 | | 1.00 | 2 |
| <i>Andromeda polifolia</i> var. <i>glaucophylla</i> Blue Bog Rosemary | BS | 0.95 | G2 | 1-2 | 3-8 | | 1.00 | 2 |
| <i>Andropogon gerardii</i> Big Bluestem | HP | 1.27 | G4 | 4-5 | 6-8 | | | |
| <i>Andropogon gerardii</i> 'Lord Snowdon' Lord Snowdon Big Bluestem | HP | 1.27 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Andropogon glomeratus</i> Bushy Beard Grass | HP | 0.47 | G4 | 4-7 | 8 | | | |
| <i>Andropogon saccharoides</i> Silver Beardgrass | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Andropogon scoparius</i> See - <i>Schizachyrium scoparium</i> | | | | | | | | |
| <i>Andropogon virginicus</i> Beard Grass | HP | 0.65 | G4 | 4-5 | 6-9B | | | |
| <i>Androsace carnea</i> Pine Rock Jasmine | HP | 0.57 | G4 | 4-5 | 6-8 | | | |
| <i>Androsace chamasjasme</i> Dwarf Rock Jasmine | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Androsace lactea</i> No Common Name Found | AN | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Androsace laevigata</i> See - <i>Douglasia laevigata</i> | | | | | | | | |
| <i>Androsace lanuginosa</i> Rock Jasmine | HP | 1.15 | G4 | 4-5 | 6-8 | | | |
| <i>Androsace mucronifolia</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Androsace primuloides</i> See - <i>Androsace studiosorum</i> | | | | | | | | |
| <i>Androsace sarmentosa</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Androsace sempervivoides</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Androsace studiosorum</i> Primula Rock Jasmine | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Androsace studiosorum</i> 'Chumbyi' Chumby Primula Rock Jasmine | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Androsace villosa</i> No Common Name Found | HP | 0.57 | G4 | 4-5 | 6-8 | | | |
| <i>Andryala aghardii</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Anemone blanda</i> Greek Anemone | HP | 0.99 | G4 | 6-7 | 8 | | | |
| <i>Anemone canadensis</i> Meadow Anemone | HP | 1.24 | G4 | 5-6 | 7-9 | | | |
| <i>Anemone caroliniana</i> Carolina Anemone | HP | 1.00 | G4 | 5-6 | 7-9 | | | |
| <i>Anemone coronaria</i> Poppy Anemone | HP | 0.73 | G4 | 6-8 | 9 | | | |
| <i>Anemone coronaria</i> 'Blue Poppy' Blue Poppy DeCaen Anemone | HP | 0.86 | G4 | 7-8 | 9 | | | |
| <i>Anemone coronaria</i> 'Hollandia' Hollandia Poppy Anemone | HP | 0.86 | G4 | 7-8 | 9 | | | |
| <i>Anemone coronaria</i> 'Rosea' Rosea De Caen Poppy Anemone | HP | 0.86 | G4 | 7-8 | 9 | | | |
| <i>Anemone coronaria</i> 'St. Brigid' St. Brigid Poppy Anemone | HP | 0.99 | G4 | 6-8 | 9 | | | |
| <i>Anemone coronaria</i> 'The Admiral' The Admiral Poppy Anemone | HP | 0.86 | G4 | 7-8 | 9 | | | |
| <i>Anemone coronaria</i> 'The Bride' The Bride De Caen Poppy Anemone | HP | 0.86 | G4 | 7-8 | 9 | | | |
| <i>Anemone coronaria</i> 'The Governor' The Governor Poppy Anemone | HP | 0.86 | G4 | 7-8 | 9 | | | |
| <i>Anemone cylindrica</i> Thimbleweed | HP | 1.00 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Anemone drummondii</i> Drummond Anemone | HP | 1.00 | G4 | 5-6 | 7-9 | | | |
| <i>Anemone globosa</i> See - <i>Anemone multifida</i> | | | | | | | | |
| <i>Anemone hupehensis</i> Chinese Anemone | HP | 0.99 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone hupehensis</i> 'Crispa' Crispa Chinese Anemone | HP | 1.30 | G4 | 3-4 | 5-8 | | | |
| <i>Anemone hupehensis</i> 'Hadspen Abundance' Hadspen Abundance Chinese Anemone | HP | 1.15 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone hupehensis</i> 'Praecox' Praecox Chinese Anemone | HP | 1.11 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone hupehensis</i> 'Rubra Plena' Rubra Plena Chinese Anemone | HP | 0.96 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone hupehensis</i> 'September Charm' September Charm Chinese Anemone | HP | 1.11 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone hupehensis</i> 'Splendens' Splendens Chinese Anemone | HP | 0.92 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone hupehensis</i> 'Splendor' Splendor Chinese Anemone | HP | 1.08 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone hupehensis</i> var. <i>japonica</i> Japanese Anemone | HP | 1.14 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone hupehensis</i> var. <i>japonica</i> 'Bressingham Glow' Bressingham Glow Japanese Anemone | HP | 0.91 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone hupehensis</i> var. <i>japonica</i> 'Party Dress' Party Dress Japanese Anemone | HP | 1.25 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone hupehensis</i> var. <i>japonica</i> 'Prince Henry' Prince Henry Japanese Anemone | HP | 1.05 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone x hybrida</i> Hybrid Anemone | HP | 0.96 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone x hybrida</i> 'Alba' White Hybrid Anemone | HP | 1.15 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone x hybrida</i> 'Alice' Alice Hybrid Anemone | HP | 1.15 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone x hybrida</i> 'Avalanche' Avalanche Hybrid Anemone | HP | 0.91 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone x hybrida</i> 'Honorine Jobert' Honorine Jobert Hybrid Anemone | HP | 1.05 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone x hybrida</i> 'Kriemhilde' Kriemhilde Hybrid Anemone | HP | 1.11 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone x hybrida</i> 'Margarette' Margarette Hybrid Anemone | HP | 1.28 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone x hybrida</i> 'Max Vogel' Max Vogel Hybrid Anemone | HP | 1.20 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone x hybrida</i> 'Montrose' Montrose Hybrid Anemone | HP | 0.91 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone x hybrida</i> 'Pamina' Pamina Hybrid Anemone | HP | 1.04 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone x hybrida</i> 'Queen Charlotte' Queen Charlotte Hybrid Anemone | HP | 1.08 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone x hybrida</i> 'Richard Ahrens' Richard Ahrens Hybrid Anemone | HP | 0.99 | G4 | 5-6 | 7-9 | | | |
| <i>Anemone x hybrida</i> 'Rosenschale' Rosenschale Hybrid Anemone | HP | 0.88 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone x hybrida</i> 'Whirlwind' Whirlwind Hybrid Anemone | HP | 1.00 | G4 | 4-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Anemone lesseri</i> Lesser's Anemone | HP | 1.00 | G4 | 3-5 | 6-7 | | | |
| <i>Anemone multifida</i> Argentine Anemone | HP | 0.95 | G4 | 5-6 | 7-9 | | | |
| <i>Anemone multifida</i> 'Major' Major Argentine Anemone | HP | 1.26 | G4 | 5-6 | 7-9 | | | |
| <i>Anemone multifida</i> 'Rubra' Red Argentine Anemone | HP | 1.11 | G4 | 5-6 | 7-9 | | | |
| <i>Anemone narcissiflora</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-9 | | | |
| <i>Anemone nemerosa</i> Windflower | HP | 1.36 | G4 | 5-7 | 8 | | | |
| <i>Anemone nuttalliana</i> See - <i>Pulsatilla patens</i> | | | | | | | | |
| <i>Anemone patens</i> var. <i>wolfgangiana</i> See - <i>Pulsatilla patens</i> var. <i>wolfgangiana</i> | | | | | | | | |
| <i>Anemone pulsatilla</i> See - <i>Pulsatilla vulgaris</i> | | | | | | | | |
| <i>Anemone quinquefolia</i> American Wood Anemone | HP | 1.00 | G4 | 7-8 | 9A | | | |
| <i>Anemone quinquefolia</i> var. <i>oregana</i> Oregana American Wood Anemone | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone rivularis</i> No Common Name Found | HP | 0.99 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone sylvestris</i> Snowdrop Anemone | HP | 1.02 | G4 | 4-6 | 7 | | | |
| <i>Anemone sylvestris</i> 'Macrantha' Macrantha Snowdrop Anemone | HP | 1.30 | G4 | 3-4 | 5-7 | | | |
| <i>Anemone tomentosa</i> Grapeleaf Anemone | HP | 1.44 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone tomentosa</i> 'Albadura' Albadura Grapeleaf Anemone | HP | 0.91 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone tomentosa</i> 'Robustissima Alba' White Robustissima Grapeleaf Anemone | HP | 1.03 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone tomentosa</i> 'Robustissima' Robustissima Grapeleaf Anemone | HP | 1.16 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone virginiana</i> Tall Anemone | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Anemone vitifolia</i> See - <i>Anemone tomentosa</i> | | | | | | | | |
| <i>Anemonella thalictroides</i> Rue Anemone | HP | 0.92 | G4 | 4-6 | 7-8 | | | |
| <i>Anemopsis californica</i> Yerba Mansa | HP | 1.32 | G4 | 8-9 | 10A | | | |
| <i>Anethum graveolens</i> Dill | AN | 1.26 | G4 | 5-8 | 9 | | | |
| <i>Anethum graveolens</i> 'Bouquet' Bouquet Dill | AN | 1.04 | G4 | 5-8 | 9 | | | |
| <i>Anethum graveolens</i> 'Dukat' Dukat Dill | AN | 0.68 | G4 | 5-8 | 9 | | | |
| <i>Anethum graveolens</i> 'Fernleaf' Fernleaf Dill | AN | 1.04 | G4 | 5-8 | 9 | | | |
| <i>Anethum graveolens</i> 'Long Island Mammoth' Long Island Mammoth Dill | AN | 1.14 | G4 | 5-8 | 9 | | | |
| <i>Angelica archangelica</i> Garden Angelica | AN | 2.50 | G4 | 4-6 | 7-8 | | | |
| <i>Angelica atropurpurea</i> Alexanders | AN | 1.65 | G4 | 4-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Angelica gigas</i> Purple Parsnip | AN | 1.59 | G4 | 4-6 | 7-8 | | | |
| <i>Angelonia angustifolia</i> No Common Name Found | HP | 0.79 | G4 | 8-10A | 10B-11 | | | |
| <i>Angelonia angustifolia</i> 'Alba' White Angelonia | HP | 0.67 | G4 | 9-10A | 10B-11 | | | |
| <i>Angelonia angustifolia</i> 'Angel Mist Series' Angel Mist Series Angelonia | HP | 0.77 | G4 | 9-10A | 10B-11 | | | |
| <i>Angelonia angustifolia</i> 'Angelface Blue' P.P.A.F. Angelface Blue Angelonia | HP | 1.12 | G4 | 9-10A | 10B-11 | | | |
| <i>Angelonia angustifolia</i> 'Blue Pacific' Blue Pacific Angelonia | HP | 0.58 | G4 | 9-10A | 10B-11 | | | |
| <i>Angelonia angustifolia</i> 'Deep Plum' Deep Plum Angelmist Angelonia | HP | 0.65 | G4 | 9-10A | 10B-11 | | | |
| <i>Angelonia salicariifolia</i> Hilo Princess | HP | 0.73 | G4 | 9-10A | 10B-11 | | | |
| <i>Angelonia salicariifolia</i> 'Pink Princess' Pink Princess Angelonia | HP | 0.65 | G4 | 9-10A | 10B-11 | | | |
| <i>Angelonia salicariifolia</i> 'Tiger Princess' Tiger Princess Angelonia | HP | 0.66 | G4 | 9-10A | 10B-11 | | | |
| <i>Angraecum magdalenae</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 9 |
| <i>Angraecum sesquipedale</i> Comet Orchid | FO | 2.50 | G3 | 6-10B | 11 | | 1.00 | 9 |
| <i>Angraecum sesquipedale</i> 'Star of Maui' Star of Maui Comet Orchid | FO | 3.13 | G3 | 6-10B | 11 | | 1.00 | 9 |
| <i>Anigozanthos bicolor</i> Little Kangaroo Paw | HP | 0.82 | G4 | 9-10B | 11 | | | |
| <i>Anigozanthos flavidus</i> Tall Kangaroo Paw | HP | 1.05 | G4 | 9-10B | 11 | | | |
| <i>Anigozanthos manglesii</i> No Common Name Found | HP | 1.14 | R1 | 9-10B | 11 | | | |
| <i>Anigozanthos viridis</i> Green Kangaroo Paw | HP | 1.29 | G4 | 9-10B | 11 | | | |
| <i>Anisacanthus quadrifidus</i> var. <i>wrightii</i> See - <i>Anisacanthus wrightii</i> | | | | | | | | |
| <i>Anisacanthus thurberi</i> See - <i>Justicia californica</i> | | | | | | | | |
| <i>Anisacanthus wrightii</i> Flame Acanthus | BS | 0.67 | G2 | 7-8 | 9-11 | | 1.00 | 7 |
| <i>Anisodonteia capensis</i> Anisodonteia | BS | 0.67 | G4 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Anisodonteia x hypomandarum</i> South American Mallow | BS | 0.77 | G4 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Anisodonteia x hypomandarum</i> 'Tara's Pink' Tara's Pink South American Mallow | BS | 0.88 | G4 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Anisodonteia x hypomandarum</i> 'Tara's Wonder' Tara's Wonder South American Mallow | BS | 0.89 | G4 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Annona glabra</i> Pond Apple | BE | 0.66 | G2 | 10A | 10B-11 | 1.00 | 1.11 | 9 |
| <i>Annona squamosa</i> Sugar Apple | FN | 1.11 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Antennaria dioica</i> Pussytoes | HP | 1.30 | G4 | 4-5 | 6-7 | | | |
| <i>Antennaria dioica</i> 'Nyewood' Nyewood Pussytoes | HP | 1.02 | G4 | 4-5 | 6-7 | | | |
| <i>Antennaria dioica</i> 'Rosea' Rose Pussytoes | HP | 0.73 | G4 | 4-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Antennaria neglecta</i> Field Pussytoes | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Antennaria neglecta</i> var. <i>gaspensis</i> No Common Name Found | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Antennaria plantaginifolia</i> Plain Leaf Pussytoes | HP | 0.77 | G4 | 4-5 | 6-7 | | | |
| <i>Antennaria rosea</i> Littleleaf Pussytoes | HP | 0.94 | G4 | 4-5 | 6-7 | | | |
| <i>Anthemis</i> Golden Marguerite | HP | 0.91 | G4 | 4-6 | 7-8 | | | |
| <i>Anthemis</i> 'Criss Cross' Criss Cross Marguerite | HP | 0.66 | G4 | 4-6 | 7-8 | | | |
| <i>Anthemis</i> 'Susanna Mitchell' Susanna Mitchell Marguerite | HP | 1.16 | G4 | 2-3 | 4-8 | | | |
| <i>Anthemis marschalliana</i> Marshall Chamomile | HP | 1.03 | G4 | 4-7 | 8 | | | |
| <i>Anthemis nobilis</i> See - <i>Chamaemelum nobile</i> | | | | | | | | |
| <i>Anthemis sancti-johannis</i> St. John's Chamomile | HP | 0.68 | G4 | 4-5 | 6-7 | | | |
| <i>Anthemis tinctoria</i> Golden Marguerite | HP | 0.71 | G4 | 4-5 | 6-7 | | | |
| <i>Anthemis tinctoria</i> 'E.C. Buxton' E.C. Buxton Golden Marguerite | HP | 0.71 | G4 | 4-5 | 6-7 | | | |
| <i>Anthemis tinctoria</i> 'Kelwayi' Kelwayi Marguerite | HP | 0.85 | G4 | 4-5 | 6-7 | | | |
| <i>Anthemis tinctoria</i> 'Moonlight' Moonlight Golden Marguerite | HP | 0.58 | G4 | 4-5 | 6-7 | | | |
| <i>Anthericum liliago</i> St. Bernard's Lily | HP | 1.01 | G4 | 5-7 | 8 | | | |
| <i>Anthericum saundersiae</i> Saunders Anthericum | HP | 0.75 | G4 | 7-8 | 9-10B | | | |
| <i>Anthoxanthum odoratum</i> Sweet Vernal Grass | HP | 1.13 | G4 | 7-8 | 9-10A | | | |
| <i>Anthriscus cerefolium</i> Chervil | AN | 1.13 | G4 | 5-7 | 8 | | | |
| <i>Anthurium</i> Flamingo Flower | FO | 1.08 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Anthurium</i> '75-10' P.P. 9355 Red Hot Flamingo Flower | FO | 1.25 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Anthurium</i> '94-4' P.P. 8820 Showbiz Flamingo Flower | FO | 1.08 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Anthurium</i> 'Bubble Gum' P.P. 9196 Bubble Gum Flamingo Flower | FO | 1.30 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Anthurium</i> 'Cotton Candy' P.P. 8819 Cotton Candy Flamingo Flower | FO | 1.42 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Anthurium</i> 'Crystal Hope' P.P. 9078 Crystal Hope Flamingo Flower | FO | 0.89 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Anthurium</i> 'Gemini' P.P. 10043 Gemini Flamingo Flower | FO | 1.00 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Anthurium</i> 'Georgusis Pink Number 1' P.P. 8129 Lady Jane™ Flamingo Flower | FO | 1.37 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Anthurium</i> 'Krypton' P.P. 10034 Krypton Flamingo Flower | FO | 1.00 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Anthurium</i> 'Lady Jane' See - <i>Anthurium</i> 'Georgusis Pink Number 1' P.P. 8129 | | | | | | | | |
| <i>Anthurium</i> 'Lady Ruth' See - <i>Anthurium</i> 'Ruth Morat' P.P. 8540 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|-------------|------------------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper High/Wide | |
| <i>Anthurium</i> 'Lavender Aristocrat' P.P. 9949 Lavender Aristocrat Flamingo Flower | FO | 1.08 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium</i> 'Mary Jean' See - <i>Anthurium</i> 'Rotolante Number 3' P.P. 9703 | | | | | | | |
| <i>Anthurium</i> 'Mazie' See - <i>Anthurium</i> 'Rotolante Number 2' P.P. 9855 | | | | | | | |
| <i>Anthurium</i> 'Miami Beauty' See - <i>Anthurium</i> 'Rotolante Number 1' P.P. 7760 | | | | | | | |
| <i>Anthurium</i> 'Northstar' P.P. 10323 Northstar Flamingo Flower | FO | 1.08 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium</i> 'Pink Aristocrat' P.P. 7441 Pink Aristocrat Flamingo Flower | FO | 1.08 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium</i> 'Pink Frost' P.P. 8644 Pink Frost Flamingo Flower | FO | 0.85 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium</i> 'Pura Vida Red' P.P. 9080 Pura Vida Red Flamingo Flower | FO | 0.90 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium</i> 'Red Hot' See - <i>Anthurium</i> '75-10' P.P. 9355 | | | | | | | |
| <i>Anthurium</i> 'Rotolante Number 1' P.P. 7760 Miami Beauty™ Flamingo Flower | FO | 0.96 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium</i> 'Rotolante Number 2' P.P. 9855 Mazie Flamingo Flower | FO | 1.08 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium</i> 'Rotolante Number 3' P.P. 9703 Mary Jean Flamingo Flower | FO | 1.08 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium</i> 'Ruth Morat' P.P. 8540 Lady Ruth™ Flamingo Flower | FO | 0.93 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium</i> 'Showbiz' See - <i>Anthurium</i> '94-4' P.P. 8820 | | | | | | | |
| <i>Anthurium</i> 'Southern Blush' Southern Blush Flamingo Flower | FO | 1.08 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium</i> 'Sundial' P.P. 10133 Sundial Flamingo Flower | FO | 1.08 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium</i> 'Tropic Fire' P.P. 9797 Tropic Fire Flamingo Flower | FO | 1.13 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium</i> 'White Aristocrat' P.P. 8821 White Aristocrat Flamingo Flower | FO | 1.08 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium</i> 'White Frost' P.P. 11045 White Frost Flamingo Flower | FO | 1.08 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium andraeanum</i> No Common Name Found | FO | 0.96 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium clarinervium</i> No Common Name Found | FO | 1.04 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium clavigerum</i> No Common Name Found | FO | 1.00 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium crystallinum</i> Crystal Flamingo Flower | FO | 1.53 | R1 | 8-11 | | 1.00 | 10 |
| <i>Anthurium hookeri</i> Birdsnest Flamingo Flower | FO | 1.01 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium hookeri</i> 'Alicia' Alicia Birdsnest Flamingo Flower | FO | 1.46 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium hookeri</i> 'Ruffles' Ruffles Birdsnest Flamingo Flower | FO | 1.90 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthurium scherzerianum</i> No Common Name Found | FO | 1.00 | G3 | 8-11 | | 1.00 | 10 |
| <i>Anthyllis vulneraria</i> Lady's Fingers | HP | 1.00 | G4 | 6-7 | 8-9B | | |
| <i>Antigonon leptopus</i> Coral Vine | GC | 0.83 | G1 | 9 | 10A-11 | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Antigonon leptopus</i> 'Album' White Coral Vine | GC | 0.66 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Antirrhinum braun-blanquetii</i> No Common Name Found | AN | 1.61 | G4 | 8-9 | 10A | | | |
| <i>Antirrhinum majus</i> Common Snapdragon | AN | 0.77 | G4 | 4-9A | 9B-11 | | | |
| <i>Antirrhinum majus</i> 'Floral Carpet Series' Floral Carpet Series Dwarf Snapdragon | AN | 1.11 | G4 | 4-9A | 9B-11 | | | |
| <i>Antirrhinum majus</i> 'Floral Showers Mix' Floral Showers Mix Snapdragon | AN | 0.58 | G4 | 4-9A | 9B-11 | | | |
| <i>Antirrhinum majus</i> 'La Bella Mix' La Bella Mix Snapdragon | AN | 0.73 | G4 | 4-9A | 9B-11 | | | |
| <i>Antirrhinum majus</i> 'Montego Series' Montego Series Dwarf Snapdragon | AN | 0.66 | G4 | 4-9A | 9B-11 | | | |
| <i>Antirrhinum majus</i> 'Princess' Princess Snapdragon | AN | 0.73 | G4 | 4-9A | 9B-11 | | | |
| <i>Antirrhinum majus</i> 'Solstice Series' Solstice Series Snapdragon | AN | 0.55 | G4 | 4-9A | 9B-11 | | | |
| <i>Antirrhinum majus</i> 'Sonnet Mix' Sonnet Mix Snapdragon | AN | 0.64 | G4 | 4-9A | 9B-11 | | | |
| <i>Antirrhinum majus</i> 'Tahiti Series' Tahiti Series Snapdragon | AN | 0.83 | G4 | 4-9A | 9B-11 | | | |
| <i>Antirrhinum molle</i> No Common Name Found | AN | 1.00 | G4 | 4-9A | 9B-11 | | | |
| <i>Aphelandra aurantiaca</i> No Common Name Found | FO | 0.58 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aphelandra sinclairiana</i> Coral Aphelandra | FO | 0.59 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aphelandra squarrosa</i> Zebra Plant | FO | 0.40 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Aphelandra squarrosa</i> 'Dania' Dania Zebra Plant | FO | 0.73 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Apium graveolens</i> Wild Celery | HP | 1.00 | G4 | 5-6 | 7-10 | | | |
| <i>Aptenia cordifolia</i> Baby Sun Rose | HP | 0.58 | G4 | 4-7 | 8-10B | | | |
| <i>Aquilegia</i> Columbine | HP | 0.86 | G4 | 4-5 | 6-9B | | | |
| <i>Aquilegia</i> 'Biedermeier Group' Biedermeier Group Hybrid Columbine | HP | 0.78 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia</i> 'Blue Bird' Blue Bird Hybrid Columbine | HP | 0.74 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia</i> 'Blue Jay' Blue Jay Hybrid Columbine | HP | 1.14 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia</i> 'Blue Shades' Blue Shades Hybrid Columbine | HP | 0.82 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia</i> 'Blue Star' Blue Star Hybrid Columbine | HP | 0.98 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia</i> 'Cardinal' Cardinal Hybrid Columbine | HP | 0.81 | G4 | 4-5 | 6-9 | | | |
| <i>Aquilegia</i> 'Crimson Star' Crimson Star Hybrid Columbine | HP | 0.95 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia</i> 'Dove' Dove Hybrid Columbine | HP | 0.80 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia</i> 'Dragonfly Group' Dragonfly Group Hybrid Columbine | HP | 0.86 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia</i> 'Goldfinch' Goldfinch Hybrid Columbine | HP | 0.82 | G4 | 4-7 | 8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Aquilegia</i> 'Heavenly Blue' Heavenly Blue Hybrid Columbine | HP | 0.76 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia</i> 'Hensol Harebell' Hensol Harebell Hybrid Columbine | HP | 0.76 | G4 | 4-5 | 6-9B | | | |
| <i>Aquilegia</i> 'Leprechaun Gold' Leprechaun Gold Hybrid Columbine | HP | 0.82 | G4 | 4-5 | 6-9 | | | |
| <i>Aquilegia</i> 'McKana Giant' McKana Giant Hybrid Columbine | HP | 0.97 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia</i> 'McKana Hybrids' McKana Hybrids Columbine | HP | 0.94 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia</i> 'Mrs. Scott Elliott Hybrids' Mrs. Scott Elliott Hybrids Columbine | HP | 0.86 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia</i> 'Musik' Musik Hybrid Columbine | HP | 0.86 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia</i> 'Red Star' Red Star Hybrid Columbine | HP | 0.73 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia</i> 'Remembrance' Remembrance Hybrid Columbine | HP | 1.24 | G4 | 4-5 | 6-9 | | | |
| <i>Aquilegia</i> 'Robin' Robin Hybrid Columbine | HP | 0.69 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia</i> 'Song Bird Series' Song Bird Series Hybrid Columbine | HP | 0.73 | G4 | 4-5 | 6-9 | | | |
| <i>Aquilegia</i> 'Tequila Sunrise' Tequila Sunrise Hybrid Columbine | HP | 0.93 | G4 | 4-5 | 6-9 | | | |
| <i>Aquilegia</i> 'White Star' White Star Hybrid Columbine | HP | 0.68 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia alpina</i> Alpine Columbine | HP | 0.96 | G4 | 4-5 | 6-8 | | | |
| <i>Aquilegia caerulea</i> Rocky Mountain Columbine | HP | 1.06 | G4 | 3-4 | 5-9B | | | |
| <i>Aquilegia caerulea</i> 'Himmelblau' Blue Sky Rocky Mountain Columbine | HP | 0.86 | G4 | 3-4 | 5-9B | | | |
| <i>Aquilegia caerulea</i> 'Kristall' Kristall Rocky Mountain Columbine | HP | 0.80 | G4 | 3-4 | 5-9B | | | |
| <i>Aquilegia caerulea</i> 'Maxistar' Maxistar Rocky Mountain Columbine | HP | 0.99 | G4 | 3-4 | 5-9B | | | |
| <i>Aquilegia caerulea</i> 'Origami' Origami Mountain Columbine | HP | 0.70 | G4 | 3-4 | 5-9B | | | |
| <i>Aquilegia caerulea</i> 'Red Hobbit' Red Hobbit Rocky Mountain Columbine | HP | 0.74 | G4 | 3-4 | 5-9B | | | |
| <i>Aquilegia canadensis</i> Canadian Columbine | HP | 0.91 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia canadensis</i> 'Corbett' Corbett Canadian Columbine | HP | 0.84 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia chrysantha</i> Golden Columbine | HP | 0.91 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia chrysantha</i> 'Yellow Queen' Yellow Queen Golden Columbine | HP | 0.86 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia chrysantha</i> var. <i>hinckleyana</i> Hinckley's Columbine | HP | 0.80 | G4 | 4-5 | 6-9 | | | |
| <i>Aquilegia flabellata</i> Fan Columbine | HP | 0.86 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia flabellata</i> 'Alba' White Fan Columbine | HP | 0.78 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia flabellata</i> 'Blue Angel' Blue Angel Fan Columbine | HP | 0.94 | G4 | 4-5 | 6-9 | | | |
| <i>Aquilegia flabellata</i> 'Cameo Series' Cameo Series Fan Columbine | HP | 0.91 | G4 | 4-5 | 6-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Aquilegia flabellata</i> 'Ministar' Ministar Fan Columbine | HP | 1.06 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia flabellata</i> 'Nana Alba' Dwarf White Fan Columbine | HP | 0.93 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia flabellata</i> var. <i>pumila</i> Pumila Fan Columbine | HP | 0.84 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia formosa</i> Formosa Columbine | HP | 0.85 | G4 | 3-4 | 5-9B | | | |
| <i>Aquilegia formosa</i> 'Nana' Dwarf Formosa Columbine | HP | 0.71 | G4 | 3-4 | 5-9B | | | |
| <i>Aquilegia sibirica</i> No Common Name Found | HP | 0.83 | G4 | 2-3 | 4-5 | | | |
| <i>Aquilegia vulgaris</i> Garden Columbine | HP | 0.87 | G4 | 4-6 | 7-8 | | | |
| <i>Aquilegia vulgaris</i> 'Barlow Mix' Barlow Mix Garden Columbine | HP | 0.96 | G4 | 2-3 | 4-8 | | | |
| <i>Aquilegia vulgaris</i> 'Black Barlow' Black Barlow Garden Columbine | HP | 0.96 | G4 | 2-3 | 4-8 | | | |
| <i>Aquilegia vulgaris</i> 'Clematiflora' Clematiflora Garden Columbine | HP | 0.81 | G4 | 4-6 | 7-8 | | | |
| <i>Aquilegia vulgaris</i> 'Flore Pleno' Flore Pleno Garden Columbine | HP | 0.96 | G4 | 4-6 | 7-8 | | | |
| <i>Aquilegia vulgaris</i> 'Grandmother's Garden' Grandmother's Garden Columbine | HP | 0.77 | G4 | 4-6 | 7-8 | | | |
| <i>Aquilegia vulgaris</i> 'Lime Frost' Lime Frost Garden Columbine | HP | 0.87 | G4 | 4-5 | 6-9 | | | |
| <i>Aquilegia vulgaris</i> 'Nora Barlow' Nora Barlow Garden Columbine | HP | 0.81 | G4 | 4-7 | 8 | | | |
| <i>Aquilegia vulgaris</i> 'Ruby Port' Ruby Port Garden Columbine | HP | 0.75 | G4 | 4-6 | 7-9 | | | |
| <i>Aquilegia vulgaris</i> 'William Guinness' William Guinness Garden Columbine | HP | 0.43 | G4 | 4-5 | 6-9 | | | |
| <i>Aquilegia vulgaris</i> 'Winky Series' Winky Series Garden Columbine | HP | 0.68 | G4 | 4-5 | 6-9 | | | |
| <i>Arabis alpina</i> Mountain Rockcress | HP | 0.84 | G4 | 6 | 7-8 | | | |
| <i>Arabis alpina</i> 'Compinkie' Compinkie Mountain Rockcress | HP | 0.74 | G4 | 6 | 7-8 | | | |
| <i>Arabis alpina</i> 'Variegata' Variegated Mountain Rockcress | HP | 0.93 | G4 | 6 | 7-8 | | | |
| <i>Arabis androsacea</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Arabis blepharophylla</i> Fringed Rockcress | HP | 0.74 | G4 | 4-7 | 8 | | | |
| <i>Arabis blepharophylla</i> 'Spring Charm' Spring Charm Fringed Rockcress | HP | 0.74 | G4 | 4-7 | 8 | | | |
| <i>Arabis bryoides</i> Moss Rockcress | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Arabis carduchorum</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Arabis caucasica</i> Wall Rockcress | HP | 1.15 | G4 | 6-7 | 8-9 | | | |
| <i>Arabis caucasica</i> 'Flore Pleno' Flore Pleno Wall Rockcress | HP | 0.93 | G4 | 6-7 | 8-9 | | | |
| <i>Arabis caucasica</i> 'Pink' Pink Wall Rockcress | HP | 0.93 | G4 | 6-7 | 8-9 | | | |
| <i>Arabis caucasica</i> 'Snowcap' Snowcap Wall Rockcress | HP | 0.77 | G4 | 6-7 | 8-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Arabis caucasica</i> 'Variegata' Variegated Wall Rockcress | HP | 0.88 | G4 | 6-7 | 8-9 | | | |
| <i>Arabis ferdinandi-coburgi</i> Ferdinand's Rockcress | HP | 1.32 | G4 | 6-7 | 8-9 | | | |
| <i>Arabis ferdinandi-coburgi</i> 'Old Gold' Old Gold Ferdinand's Rockcress | HP | 0.82 | G4 | 6-7 | 8-9 | | | |
| <i>Arabis ferdinandi-coburgi</i> 'Variegata' Variegated Ferdinand's Rockcress | HP | 0.74 | G4 | 6-7 | 8-9 | | | |
| <i>Arabis xkellereri</i> Kellerer Rockcress | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Arabis procurrens</i> No Common Name Found | HP | 0.48 | G4 | 4-7 | 8 | | | |
| <i>Arabis procurrens</i> 'Glacier' Glacier Rockcress | HP | 0.48 | G4 | 4-7 | 8 | | | |
| <i>Arabis sturii</i> Alpine Rockcress | HP | 0.96 | G4 | 6-7 | 8-9 | | | |
| <i>Arachis glabrata</i> Ornamental Peanut | HP | 0.61 | G4 | 3-8 | 9-11 | | | |
| <i>Arachis hypogaea</i> Peanut | HP | 1.00 | G4 | 3-8 | 9-11 | | | |
| <i>Arachis repens</i> Shade Peanut | HP | 0.46 | G4 | 3-8 | 9-11 | | | |
| <i>Arachniodes aristata</i> East Indian Holly | HP | 0.96 | G3 | 8-11 | | | | |
| <i>Arachniodes simplicior</i> Shield Fern | HP | 0.93 | G3 | 8-10A | 10B-11 | | | |
| <i>Arachniodes simplicior</i> 'Variegata' Variegated Shield Fern | HP | 1.05 | G3 | 8-10A | 10B-11 | | | |
| <i>Araeococcus flagellifolius</i> No Common Name Found | FO | 1.00 | G3 | 9-10 | 11 | | 1.00 | 10 |
| <i>Aralia chinensis</i> See - <i>Aralia elata</i> | | | | | | | | |
| <i>Aralia cordata</i> Japanese Spikenard | HP | 0.92 | G4 | 8-9B | 10A | | | |
| <i>Aralia elata</i> Angelica Tree | DS | 4.76 | G2 | 4-6 | 7-8 | | 1.00 | 4 |
| <i>Aralia elata</i> 'Aureovariegata' Yellowleaf Angelica Tree | DS | 3.97 | G2 | 4-6 | 7-8 | | 1.00 | 4 |
| <i>Aralia elata</i> 'Variegata' Variegated Angelica Tree | DS | 4.76 | G2 | 4-6 | 7-8 | | 1.00 | 4 |
| <i>Aralia elegantissima</i> See - <i>Schefflera elegantissima</i> | | | | | | | | |
| <i>Aralia racemosa</i> American Spikenard | HP | 1.92 | G4 | 4-5 | 6-8 | | | |
| <i>Aralia spinosa</i> Devil's Walkingstick | DS | 1.48 | G2 | 2-4 | 5-9A | | 1.00 | 4 |
| <i>xAranda</i> Aranda Hybrid Orchid | FO | 1.46 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Araucaria araucana</i> Monkey Puzzle | BE | 2.27 | G1 | 7-10A | 10B-11 | 1.00 | 1.49 | 7 |
| <i>Araucaria bidwillii</i> Bunya-Bunya Tree | BE | 1.29 | G1 | 9B-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Araucaria columnaris</i> New Caledonia Pine | BE | 1.00 | G1 | 9B-10B | 11 | 1.00 | 1.00 | 10 |
| <i>Araucaria excelsa</i> See - <i>Araucaria heterophylla</i> | | | | | | | | |
| <i>Araucaria heterophylla</i> Norfolk Island Pine | FO | 0.74 | G3 | 8-11 | | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Araucaria heterophylla</i> 'Majestic Beauty' See - <i>Araucaria heterophylla</i> 'Monia' | | | | | | | | |
| <i>Araucaria heterophylla</i> 'Monia' Majestic Beauty™ Star Pine | FO | 1.30 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Araujia sericifera</i> White Bladder Flower | GC | 0.70 | G2 | 10 | 11 | | 1.00 | 9 |
| <i>Arbutus</i> Manzanita | BE | 1.35 | G2 | 5-8 | 9-10 | 1.00 | 1.00 | 8 |
| <i>Arbutus</i> 'Marina' Marina Manzanita | BE | 1.35 | G2 | 6-8 | 9 | 1.00 | 1.00 | 8 |
| <i>Arbutus andrachne</i> Madrone | BE | 1.00 | G2 | 5-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Arbutus menziesii</i> Pacific Madrone | BE | 1.17 | G2 | 5-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Arbutus texana</i> See - <i>Arbutus xalapensis</i> | | | | | | | | |
| <i>Arbutus unedo</i> Strawberry Tree | BE | 1.05 | G2 | 7-8 | 9-10A | 1.00 | 1.00 | 7 |
| <i>Arbutus unedo</i> 'Compacta' Dwarf Strawberry Tree | BS | 1.05 | G2 | 7-8 | 9-10A | | 0.65 | 7 |
| <i>Arbutus unedo</i> 'Oktoberfest' Oktoberfest Strawberry Tree | BE | 0.75 | G2 | 7-8 | 9-10A | 1.00 | 1.00 | 7 |
| <i>Arbutus xalapensis</i> No Common Name Found | BE | 0.84 | G2 | 5-7 | 8-10A | 1.00 | 1.00 | 7 |
| <i>Archontophoenix</i> King Palm | PC | 1.11 | G1 | 10A-10B | 11 | | 0.77 | 10 |
| <i>Archontophoenix</i> 'Mt. Lewis' Mt. Lewis King Palm | PC | 1.83 | G1 | 10A-10B | 11 | | 0.77 | 10 |
| <i>Archontophoenix alexandrae</i> Alexandra Palm | PC | 1.15 | G1 | 9-10A | 10B-11 | | 0.84 | 9 |
| <i>Archontophoenix cunninghamiana</i> Bangalow Palm | PC | 1.33 | G1 | 9A-10A | 10B-11 | | 0.87 | 9 |
| <i>Archontophoenix maxima</i> No Common Name Found | PC | 1.42 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Arctanthemum arcticum</i> Arctic Daisy | HP | 0.70 | G4 | | 3-8 | | | |
| <i>Arctostaphylos</i> Manzanita | BS | 1.03 | G2 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Arctostaphylos</i> 'Austin Griffiths' Austin Griffiths Manzanita | BS | 1.26 | G2 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Arctostaphylos</i> 'Canyon Blush' Canyon Blush Manzanita | BS | 0.80 | G2 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Arctostaphylos</i> 'Emerald Carpet' Emerald Carpet Hybrid Manzanita | BS | 0.85 | G2 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Arctostaphylos</i> 'John Dourley' John Dourley Hybrid Manzanita | BS | 0.87 | G2 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Arctostaphylos</i> 'Pacific Mist' Pacific Mist Hybrid Manzanita | BS | 1.11 | G2 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Arctostaphylos</i> 'Sunset' Sunset Manzanita | BS | 1.31 | G2 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Arctostaphylos alpina</i> Alpine Bearberry | BS | 1.00 | G2 | 4-5 | 6-10 | | 1.00 | 1 |
| <i>Arctostaphylos andersonii</i> Heartleaf Manzanita | BS | 0.78 | G2 | 5-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos columbiana</i> Hairy Manzanita | BS | 1.59 | G2 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Arctostaphylos densiflora</i> Sonoma Manzanita | BS | 1.18 | G2 | 6-7 | 8-10 | | 1.00 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Arctostaphylos densiflora</i> 'Harmony' Harmony Sonoma Manzanita | BS | 1.31 | G2 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Arctostaphylos densiflora</i> 'Howard McMinn' Howard McMinn Sonoma Manzanita | BS | 0.92 | G2 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Arctostaphylos densiflora</i> 'Sentinel' Sentinel Sonoma Manzanita | BS | 1.30 | G2 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Arctostaphylos edmundsii</i> Little Sur Manzanita | BS | 2.16 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos edmundsii</i> 'Carmel Sur' Carmel Sur Little Sur Manzanita | BS | 0.80 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos edmundsii</i> 'Indian Hill' Indian Hill Little Sur Manzanita | BS | 1.13 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos edmundsii</i> var. <i>parvifolia</i> No Common Name Found | BS | 1.54 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos edmundsii</i> var. <i>parvifolia</i> 'Bert Johnson' Bert Johnson Little Sur Manzanita | BS | 0.79 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos glandulosa</i> Eastwood Manzanita | BS | 1.54 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos glauca</i> Big Berry Manzanita | BS | 1.21 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos hookeri</i> Monterey Manzanita | GC | 0.86 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos hookeri</i> 'Buxifolia' Buxifolia Monterey Manzanita | GC | 0.75 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos hookeri</i> 'Ken Taylor' Ken Taylor Monterey Manzanita | GC | 0.74 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos hookeri</i> 'Monterey Carpet' Monterey Carpet Monterey Manzanita | GC | 0.86 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos hookeri</i> 'Wayside' Wayside Monterey Manzanita | GC | 0.80 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos insularis</i> Island Manzanita | BS | 1.31 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos insularis</i> 'Canyon Sparkles' Canyon Sparkles Island Manzanita | BS | 1.31 | G2 | 5-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos manzanita</i> Common Manzanita | BS | 1.59 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos manzanita</i> 'Dr. Hurd' Dr. Hurd Parry Manzanita | BS | 1.09 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos manzanita</i> 'Hood Mountain' Hood Mountain Common Manzanita | BS | 0.80 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos morroensis</i> Morro Manzanita | BS | 2.16 | G2 | 6-8 | 9-10 | | 1.00 | 7 |
| <i>Arctostaphylos morroensis</i> 'Montana de Oro' Montana De Oro Morro Manzanita | BS | 0.80 | G2 | 6-8 | 9-10 | | 1.00 | 7 |
| <i>Arctostaphylos nummularia</i> Ft. Bragg Manzanita | BS | 1.22 | G2 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Arctostaphylos pajaroensis</i> Pajaro Manzanita | BS | 0.92 | G2 | 4-7 | 8-10 | | 1.00 | 7 |
| <i>Arctostaphylos pajaroensis</i> 'Paradise' Paradise Pajaro Manzanita | BS | 0.99 | G2 | 4-7 | 8-10 | | 1.00 | 7 |
| <i>Arctostaphylos pajaroensis</i> 'Warren Roberts' Warren Roberts Pajaro Manzanita | BS | 0.85 | G2 | 4-7 | 8-10 | | 1.00 | 7 |
| <i>Arctostaphylos pechoensis</i> Pecho Manzanita | BS | 2.70 | G2 | 4-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos pumila</i> Dune Manzanita | BS | 1.48 | G2 | 4-8 | 9-10 | | 1.00 | 8 |
| <i>Arctostaphylos purissima</i> No Common Name Found | BS | 0.68 | G2 | 4-8 | 9-10 | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Arctostaphylos refugioensis</i> No Common Name Found | BS | 1.48 | G2 | 6-7 | 8 | | 1.00 | 7 |
| <i>Arctostaphylos regismontana</i> See - <i>Arctostaphylos andersonii</i> | | | | | | | | |
| <i>Arctostaphylos rudis</i> Shagbark Manzanita | BS | 1.24 | G2 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Arctostaphylos stanfordiana</i> Stanford Manzanita | BS | 1.82 | G2 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Arctostaphylos stanfordiana</i> 'Louis Edmunds' Louis Edmunds Stanford Manzanita | BS | 1.15 | G2 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Arctostaphylos stanfordiana</i> ssp. <i>bakeri</i> Baker Manzanita | BS | 1.76 | G2 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Arctostaphylos uva-ursi</i> Kinnikinnick | GC | 0.91 | G2 | 4-5 | 6-9 | | 0.68 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Alaska' Alaska Common Bearberry | GC | 0.74 | G2 | 4-5 | 6-9 | | 0.68 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Massachusetts' Massachusetts Common Bearberry | GC | 0.94 | G2 | 4-5 | 6-9 | | 0.68 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Point Reyes' Point Reyes Common Bearberry | GC | 0.78 | G2 | 4-5 | 6-9 | | 0.68 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Point St. George' Point St. George Common Bearberry | GC | 0.82 | G2 | 4-5 | 6-9 | | 0.68 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Radiant' Radiant Common Bearberry | GC | 0.81 | G2 | 4-5 | 6-9 | | 0.68 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'San Bruno Mountain' San Bruno Mountain Common Bearberry | GC | 0.75 | G2 | 4-5 | 6-9 | | 0.68 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Vancouver Jade' Vancouver Jade Common Bearberry | GC | 0.80 | G2 | 4-5 | 6-9 | | 0.68 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Wood's Compact' Wood's Compact Common Bearberry | GC | 0.92 | G2 | 4-5 | 6-9 | | 0.68 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Wood's Red' Wood's Red Common Bearberry | GC | 0.74 | G2 | 4-5 | 6-9 | | 0.68 | 2 |
| <i>Arctotis x hybrida</i> African Daisy | HP | 1.00 | G2 | 4-9 | 10 | | | |
| <i>Arctotis x hybrida</i> 'Flame' Flame African Daisy | HP | 1.00 | G2 | 8-9 | 10 | | | |
| <i>Ardisia crenata</i> Coralberry | BS | 0.80 | G1 | 8-9B | 10A-11 | | 1.00 | 7 |
| <i>Ardisia crenata</i> 'Alba' White Coralberry | BS | 0.86 | G1 | 8-9B | 10A-11 | | 1.00 | 7 |
| <i>Ardisia crispa</i> No Common Name Found | BS | 0.40 | G1 | 8-9B | 10A-11 | | 1.00 | 7 |
| <i>Ardisia escallonioides</i> Marlberry | BS | 0.96 | G1 | 9B-10A | 10B-11 | | 0.72 | 9 |
| <i>Ardisia japonica</i> Japanese Marlberry | BS | 0.88 | G2 | 8-10A | 10B-11 | | 1.00 | 7 |
| <i>Ardisia japonica</i> 'Chirimen' Chirimen Japanese Marlberry | BS | 1.04 | G2 | 8-10A | 10B-11 | | 1.00 | 7 |
| <i>Ardisia japonica</i> 'Variegata' Variegated Japanese Marlberry | BS | 0.76 | G2 | 8-10A | 10B-11 | | 1.00 | 7 |
| <i>Areca catechu</i> Betel Palm | PC | 1.72 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Areca guppyana</i> No Common Name Found | PC | 2.77 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Areca tiandra</i> No Common Name Found | PC | 2.01 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Areca vestitaria</i> No Common Name Found | PC | 3.50 | G3 | 10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Arenaria balearica</i> Corsican Sandwort | HP | 0.61 | G4 | 5-6 | 7-9 | | | |
| <i>Arenaria hookeri</i> Hooker Sandwort | HP | 1.00 | G4 | 5-6 | 7-9 | | | |
| <i>Arenaria ledebouriana</i> Ledebour Sandwort | HP | 1.00 | G4 | 4-6 | 7-9 | | | |
| <i>Arenaria montana</i> Sandwort | HP | 0.94 | G4 | 4-5 | 6-9 | | | |
| <i>Arenaria obtusa</i> See - <i>Minuartia obtusiloba</i> | | | | | | | | |
| <i>Arenaria pinifolia</i> See - <i>Minuartia circassica</i> | | | | | | | | |
| <i>Arenaria procera</i> No Common Name Found | HP | 1.00 | G4 | 2-3 | 4-7 | | | |
| <i>Arenaria tetraquetra</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Arenaria verna</i> See - <i>Minuartia verna</i> | | | | | | | | |
| <i>Arenga australasica</i> No Common Name Found | PC | 2.16 | G1 | 9-10B | 11 | | 1.00 | 10 |
| <i>Arenga brevipes</i> No Common Name Found | PC | 1.00 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Arenga caudata</i> No Common Name Found | PC | 1.30 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Arenga engleri</i> Dwarf Sugar Palm | PC | 1.24 | G1 | 8-9 | 10-11 | | 2.54 | 9 |
| <i>Arenga micrantha</i> No Common Name Found | PC | 2.57 | G1 | 8-10B | 11 | | 1.00 | 10 |
| <i>Arenga obtusifolia</i> Lang Kap | PC | 2.42 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Arenga pinnata</i> Sugar Palm | PC | 2.13 | G1 | 10A-10B | 11 | | 1.00 | 9 |
| <i>Arenga tremula</i> No Common Name Found | PC | 1.85 | G1 | 9A-10A | 10B-11 | | 1.00 | 9 |
| <i>Arenga undulatifolia</i> No Common Name Found | PC | 2.57 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Arenga westerhoutii</i> See - <i>Arenga obtusifolia</i> | | | | | | | | |
| <i>Argusia argentea</i> Tree Heliotrope | BS | 1.03 | G4 | 3-9 | 10 | | 1.00 | 9 |
| <i>Argyranthemum frutescens</i> Marguerite | HP | 0.75 | G4 | 6-9 | 10-11 | | | |
| <i>Argyranthemum frutescens</i> 'Bright Carmine' See - <i>Argyranthemum frutescens</i> 'Supalight' | | | | | | | | |
| <i>Argyranthemum frutescens</i> 'Butterfly' Butterfly™ Marguerite Daisy | HP | 0.87 | G4 | 8-9 | 10-11 | | | |
| <i>Argyranthemum frutescens</i> 'Comet Series' Comet Series Marguerite Daisy | HP | 0.92 | G4 | 8-9 | 10-11 | | | |
| <i>Argyranthemum frutescens</i> 'Harvest Snow' P.P.A.F. Harvest Snow Marguerite Daisy | HP | 0.70 | G4 | 8-9 | 10-11 | | | |
| <i>Argyranthemum frutescens</i> 'Pink' Pink Marguerite | HP | 0.65 | G4 | 8-9 | 10-11 | | | |
| <i>Argyranthemum frutescens</i> 'Silver Lady' Silver Lady Margurite | HP | 0.77 | G4 | 8-9 | 10-11 | | | |
| <i>Argyranthemum frutescens</i> 'Sugar Baby' P.P. 10298 Cobbity Daisy™ Sugar Baby Marguerite Daisy | HP | 0.91 | G4 | 8-9 | 10-11 | | | |
| <i>Argyranthemum frutescens</i> 'Sugar Buttons' P.P.A.F. Sugar Buttons Marguerite Daisy | HP | 0.78 | G4 | 8-9 | 10-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Argyranthemum frutescens</i> 'Summer Angel' P.P.A.F. Summer Angel™ Marguerite Daisy | HP | 1.18 | G4 | 8-9 | 10-11 | | | |
| <i>Argyranthemum frutescens</i> 'Summer Melody' P.P.A.F. Cobbity Daisy™ Summer Melody Marguerite Daisy | HP | 0.88 | G4 | 8-9 | 10-11 | | | |
| <i>Argyranthemum frutescens</i> 'Supalight' Bright Carmine Marguerite Daisy | HP | 1.03 | G4 | 6-9 | 10-11 | | | |
| <i>Argyranthemum frutescens</i> 'White' White Marguerite | HP | 0.82 | G4 | 8-9 | 10-11 | | | |
| <i>Argyranthemum frutescens</i> 'Yellow' Yellow Marguerite | HP | 0.62 | G4 | 8-9 | 10-11 | | | |
| <i>Argyreia nervosa</i> Woolly Morning Glory | GC | 1.25 | G1 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Arisaema dracontium</i> Green Dragonroot | HP | 1.00 | G4 | 4-6 | 7-9B | | | |
| <i>Arisaema japonicum</i> See - <i>Arisaema serratum</i> | | | | | | | | |
| <i>Arisaema serratum</i> Japanese Jack-in-the-Pulpit | HP | 1.00 | G4 | 4-6 | 7-10A | | | |
| <i>Arisaema sikokianum</i> Gaudy Jack-in-the-Pulpit | HP | 5.00 | G4 | 4-5 | 6-10A | | | |
| <i>Arisaema triphyllum</i> Jack-in-the-Pulpit | HP | 1.34 | G4 | 4-6 | 7-8 | | | |
| <i>Arisarum proboscideum</i> Mouse Plant | HP | 1.00 | G4 | 6-7 | 8-10 | | | |
| <i>Aristea ecklonii</i> Blue Stars | HP | 0.86 | G4 | 9 | 10A | | | |
| <i>Aristida stricta</i> var. <i>beyrichiana</i> Wiregrass | HP | 0.59 | G4 | 9 | 10A | | | |
| <i>Aristolochia californica</i> California Dutchman's Pipe | GC | 1.01 | G4 | 8-9 | 10A | | 1.00 | 4 |
| <i>Aristolochia durior</i> See - <i>Aristolochia macrophylla</i> | | | | | | | | |
| <i>Aristolochia elegans</i> See - <i>Aristolochia littoralis</i> | | | | | | | | |
| <i>Aristolochia gigantea</i> No Common Name Found | GC | 1.01 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Aristolochia grandiflora</i> Pelican Flower | GC | 0.87 | G1 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Aristolochia littoralis</i> Calico Flower | GC | 0.77 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Aristolochia macrophylla</i> Dutchman's Pipe | GC | 1.41 | G2 | 6-7 | 8-10A | | 1.00 | 6 |
| <i>Aristolochia peruviana</i> No Common Name Found | GC | 1.00 | G2 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Aristolochia ringens</i> Rooster Flower | GC | 1.00 | G1 | 10A-10B | 11 | | 1.00 | 9 |
| <i>Aristolochia trilobata</i> Birthwort | GC | 1.00 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Armeria</i> Thrift | HP | 0.82 | G4 | 4-7 | 8 | | | |
| <i>Armeria</i> 'Apple Blossom' Apple Blossom Thrift | HP | 0.68 | G4 | 4-7 | 8 | | | |
| <i>Armeria</i> 'Bee's Hybrids' Bee's Hybrids Thrift | HP | 0.83 | G4 | 4-7 | 8 | | | |
| <i>Armeria</i> 'Bee's Ruby' Bee's Ruby Thrift | HP | 0.96 | G4 | 4-7 | 8 | | | |
| <i>Armeria</i> 'Joystick Series' Joystick Series Thrift | HP | 0.81 | G4 | 4-7 | 8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Armeria alliacea</i> Plantain Thrift | HP | 0.70 | G4 | 7-8 | 9 | | | |
| <i>Armeria alliacea</i> 'Formosa Hybrids' Formosa Hybrids Plantain Thrift | HP | 0.41 | G4 | 4-7 | 8 | | | |
| <i>Armeria alliacea</i> var. <i>leucantha</i> No Common Name Found | HP | 0.68 | G4 | 4-7 | 8 | | | |
| <i>Armeria caespitosa</i> Pyrenees Thrift | HP | 0.81 | G4 | 7-8 | 9 | | | |
| <i>Armeria cephalotes</i> See - <i>Armeria pseudarmeria</i> | | | | | | | | |
| <i>Armeria girardii</i> No Common Name Found | HP | 0.93 | G4 | 7-8 | 9 | | | |
| <i>Armeria juniperifolia</i> See - <i>Armeria caespitosa</i> | | | | | | | | |
| <i>Armeria maritima</i> Common Thrift | HP | 1.08 | G4 | 4-7 | 8 | | | |
| <i>Armeria maritima</i> 'Alba' White Common Thrift | HP | 0.78 | G4 | 4-7 | 8 | | | |
| <i>Armeria maritima</i> 'Bloodstone' Bloodstone Common Thrift | HP | 0.88 | G4 | 4-7 | 8 | | | |
| <i>Armeria maritima</i> 'Cotton Tail' Cotton Tail Common Thrift | HP | 0.92 | G4 | 4-7 | 8 | | | |
| <i>Armeria maritima</i> 'Dusseldorf Pride' Dusseldorf Pride Common Thrift | HP | 0.81 | G4 | 4-7 | 8 | | | |
| <i>Armeria maritima</i> 'Lauchiana' Pink Common Thrift | HP | 0.80 | G4 | 4-7 | 8 | | | |
| <i>Armeria maritima</i> 'Ornament' Ornament Common Thrift | HP | 0.79 | G4 | 7-8 | 9 | | | |
| <i>Armeria maritima</i> 'Rubrifolia' Red-leaved Common Thrift | HP | 0.98 | G4 | 5-6 | 7-9 | | | |
| <i>Armeria maritima</i> 'Small Fry' Small Fry Common Thrift | HP | 0.68 | G4 | 4-7 | 8 | | | |
| <i>Armeria maritima</i> 'Splendens' Splendens Common Thrift | HP | 0.79 | G4 | 4-7 | 8 | | | |
| <i>Armeria maritima</i> 'Victor Reiter' Victor Reiter Common Thrift | HP | 0.80 | G4 | 7-8 | 9 | | | |
| <i>Armeria maritima</i> 'Vindictive' Vindictive Common Thrift | HP | 0.75 | G4 | 4-7 | 8 | | | |
| <i>Armeria pseudarmeria</i> Pinkball Thrift | HP | 0.78 | G4 | 7-8 | 9 | | | |
| <i>Armeria setacea</i> See - <i>Armeria girardii</i> | | | | | | | | |
| <i>Armeria tweedyi</i> No Common Name Found | HP | 0.68 | G4 | 7-8 | 9 | | | |
| <i>Armoracia rusticana</i> Horseradish | AN | 1.43 | G4 | 5-6 | 7-8 | | | |
| <i>Armoracia rusticana</i> 'Variegata' Variegated Horseradish | AN | 1.53 | G4 | 5-6 | 7-8 | | | |
| <i>Arnica montana</i> Mountain Arnica | HP | 0.75 | G4 | 6 | 7-8 | | | |
| <i>Aronia arbutifolia</i> Red Chokeberry | DS | 0.99 | G2 | 4-6 | 7-8 | | 0.68 | 4 |
| <i>Aronia arbutifolia</i> 'Brilliantissima' Brilliant Red Chokeberry | DS | 0.93 | G2 | 4-6 | 7-8 | | 0.82 | 4 |
| <i>Aronia arbutifolia</i> 'Erecta' Upright Red Chokeberry | DS | 0.71 | G2 | 4-6 | 7-8 | | 0.75 | 4 |
| <i>Aronia melanocarpa</i> Black Chokeberry | DS | 1.04 | G2 | 4-6 | 7-8 | | 0.90 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Aronia melanocarpa</i> 'Autumn Magic' Autumn Magic Black Chokeberry | DS | 0.92 | G2 | 2-3 | 4-8 | | 1.03 | 3 |
| <i>Aronia melanocarpa</i> 'Eastland' Eastland Black Chokeberry | DS | 0.92 | G2 | 4-6 | 7-8 | | 0.59 | 3 |
| <i>Aronia melanocarpa</i> 'Iroquois Beauty' See - <i>Aronia melanocarpa</i> 'Morton' | | | | | | | | |
| <i>Aronia melanocarpa</i> 'Mandshurica' Manchurian Black Chokeberry | DS | 0.92 | G2 | 4-6 | 7-8 | | 0.57 | 3 |
| <i>Aronia melanocarpa</i> 'Morton' Iroquois Beauty™ Black Chokeberry | DS | 0.89 | G2 | 2-3 | 4-8 | | 0.73 | 3 |
| <i>Aronia melanocarpa</i> 'Viking' Viking Black Chokeberry | DS | 0.83 | G2 | 4-6 | 7-8 | | 0.55 | 3 |
| <i>Aronia melanocarpa</i> var. <i>elata</i> Glossy Black Chokeberry | DS | 0.94 | G2 | 4-6 | 7-8 | | 0.84 | 3 |
| <i>Aronia prunifolia</i> Purple Chokeberry | DS | 0.82 | G2 | 4-6 | 7-8 | | 0.58 | 4 |
| <i>Arrhenatherum elatius</i> False Oat Grass | HP | 1.11 | G4 | 4-6 | 7-8 | | | |
| <i>Arrhenatherum elatius</i> var. <i>bulbosum</i> Bulbous Oat Grass | HP | 1.02 | G4 | 4-6 | 7-8 | | | |
| <i>Arrhenatherum elatius</i> var. <i>bulbosum</i> 'Variegatum' Variegated Bulbous Oat Grass | HP | 1.21 | G4 | 4-6 | 7-8 | | | |
| <i>Artabotrys hexapetalus</i> Climbing Ilang-Ilang | GC | 1.00 | G2 | 10A-10B | 11 | | 1.00 | 10 |
| <i>Artemisia</i> Wormwood | BS | 0.88 | G4 | 6-7 | 8-9 | | 1.00 | 3 |
| <i>Artemisia</i> 'Huntington' Huntington Wormwood | BS | 0.88 | G4 | 6-7 | 8-9 | | 1.00 | 5 |
| <i>Artemisia</i> 'Powis Castle' Powis Castle Wormwood | HP | 0.85 | G4 | 8-9A | 9B-10B | | | |
| <i>Artemisia abrotanum</i> Southernwood | BS | 0.99 | G2 | 4-7 | 8 | | 1.00 | 4 |
| <i>Artemisia absinthium</i> Common Wormwood | HP | 0.75 | G2 | 4-7 | 8 | | | |
| <i>Artemisia absinthium</i> 'Lambrook Silver' Lambrook Silver Common Wormwood | HP | 0.93 | G2 | 4-7 | 8 | | | |
| <i>Artemisia alba</i> Camphor Southernwood | HP | 0.70 | G4 | 5-6 | 7-8 | | | |
| <i>Artemisia annua</i> Sweet Annie | AN | 1.57 | G4 | 7-8 | 9-10A | | | |
| <i>Artemisia arborescens</i> Shrubby Wormwood | BS | 0.65 | G4 | 6-7 | 8-9 | | 1.00 | 5 |
| <i>Artemisia arbuscula</i> Sagebrush | BS | 0.64 | G4 | 6-7 | 8-9 | | 1.00 | 3 |
| <i>Artemisia californica</i> California Sagebrush | BS | 1.37 | G4 | 6-7 | 8-9 | | 1.00 | 3 |
| <i>Artemisia californica</i> 'Canyon Gray' Canyon Gray California Sagebrush | BS | 1.05 | G4 | 6-7 | 8-9 | | 1.00 | 3 |
| <i>Artemisia californica</i> 'Montara' Montara California Sagebrush | BS | 1.01 | G4 | 6-7 | 8-9 | | 1.00 | 3 |
| <i>Artemisia camphorata</i> See - <i>Artemisia alba</i> | | | | | | | | |
| <i>Artemisia cana</i> See - <i>Seriphidium canum</i> | | | | | | | | |
| <i>Artemisia capillaris</i> No Common Name Found | HP | 1.00 | G4 | 3-5 | 6-7 | | | |
| <i>Artemisia dracuncululus</i> Tarragon | HP | 1.14 | G4 | 3-5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Artemisia dracunculus</i> var. <i>sativa</i> French Tarragon | HP | 0.83 | G4 | 6-7 | 8-9 | | | |
| <i>Artemisia filifolia</i> Sand Sage | HP | 0.85 | G4 | 3-5 | 6-7 | | | |
| <i>Artemisia frigida</i> Fringed Sagebrush | BS | 0.82 | G4 | 4-6 | 7-8 | | 1.00 | 3 |
| <i>Artemisia lactiflora</i> White Wormwood | HP | 1.19 | G4 | 4-6 | 7-8 | | | |
| <i>Artemisia lactiflora</i> 'Guizho' Guizho White Mugwort | HP | 1.11 | G4 | 4-6 | 7-8 | | | |
| <i>Artemisia ludoviciana</i> Western Sage | HP | 1.15 | G4 | 5-7 | 8 | | | |
| <i>Artemisia ludoviciana</i> 'Silver King' Silver King Western Sage | HP | 0.88 | G4 | 5-7 | 8 | | | |
| <i>Artemisia ludoviciana</i> 'Silver Queen' Silver Queen Western Sage | HP | 0.92 | G4 | 5-7 | 8 | | | |
| <i>Artemisia ludoviciana</i> 'Valerie Finnis' Valerie Finnis Western Sage | HP | 1.01 | G4 | 5-7 | 8 | | | |
| <i>Artemisia nova</i> See - <i>Seriphidium novum</i> | | | | | | | | |
| <i>Artemisia pontica</i> Roman Wormwood | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Artemisia pycnocephala</i> Sandhill Sage | HP | 1.40 | G4 | 6-7 | 8-9 | | | |
| <i>Artemisia pycnocephala</i> 'David's Choice' David's Choice Sandhill Sage | HP | 0.86 | G4 | 6-7 | 8-9 | | | |
| <i>Artemisia schmidtiana</i> Silvermound Wormwood | HP | 0.95 | G4 | 4-7 | 8 | | | |
| <i>Artemisia schmidtiana</i> 'Nana' Dwarf Silvermound Wormwood | HP | 0.90 | G4 | 4-7 | 8 | | | |
| <i>Artemisia schmidtiana</i> 'Silver Dust' Silver Dust Silvermound Wormwood | HP | 0.93 | G4 | 4-7 | 8 | | | |
| <i>Artemisia stelleriana</i> Beach Wormwood | HP | 0.97 | G4 | 3-5 | 6-7 | | | |
| <i>Artemisia stelleriana</i> 'Silver Brocade' Silver Brocade Beach Wormwood | HP | 0.92 | G4 | 3-6 | 7-8 | | | |
| <i>Artemisia tridentata</i> See - <i>Seriphidium tridentatum</i> | | | | | | | | |
| <i>Artemisia tridentata</i> ssp. <i>wyomingensis</i> See - <i>Seriphidium tridentatum</i> ssp. <i>wyomingense</i> | | | | | | | | |
| <i>Artemisia vulgaris</i> Mugwort | BS | 0.80 | G2 | 4-8 | 9-11 | | 1.00 | 3 |
| <i>Artemisia vulgaris</i> 'Janlim' P.P. 12788 Oriental Limelight Mugwort | BS | 0.80 | G2 | 4-8 | 9-11 | | 1.00 | 3 |
| <i>Artemisia vulgaris</i> 'Oriental Limelight' See - <i>Artemisia vulgaris</i> 'Janlim' P.P. 12788 | | | | | | | | |
| <i>Artocarpus altilis</i> Breadfruit | FN | 2.56 | G2 | 10A-10B | 11 | 1.00 | 1.00 | 10 |
| <i>Artocarpus heterophyllus</i> Jackfruit | FN | 2.60 | G2 | 10A-10B | 11 | 1.00 | 0.66 | 10 |
| <i>Arum italicum</i> Italian Arum | HP | 1.05 | G4 | 5-6 | 7 | | | |
| <i>Arum italicum</i> 'Marmoratum' Marmoratum Italian Arum | HP | 1.53 | G4 | 5-6 | 7 | | | |
| <i>Aruncus aethusifolius</i> Dwarf Goat's Beard | HP | 1.03 | G4 | 4-7 | 8 | | | |
| <i>Aruncus dioicus</i> Sylvan Goat's Beard | HP | 1.00 | G4 | 4-7 | 8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Aruncus dioicus</i> 'Kneiffii' Kneiffii Sylvan Goat's Beard | HP | 1.66 | G4 | 4-7 | 8 | | | |
| <i>Aruncus sinensis</i> No Common Name Found | HP | 0.65 | G4 | 6-7 | 8-9 | | | |
| <i>Aruncus sinensis</i> 'Zweiweltenkind' Zweiweltenkind Goat's Beard | HP | 0.65 | G4 | 6-7 | 8-9 | | | |
| <i>Arundina graminifolia</i> Bamboo Orchid | FO | 1.18 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Arundinaria anceps</i> See - <i>Yushania anceps</i> | | | | | | | | |
| <i>Arundinaria argenteostriata</i> See - <i>Pleioblastus argenteostriatus</i> | | | | | | | | |
| <i>Arundinaria chino</i> See - <i>Pleioblastus chino</i> | | | | | | | | |
| <i>Arundinaria gigantea</i> Giant Reed | BS | 1.09 | G1 | 6-7 | 8-11 | | 1.00 | 5 |
| <i>Arundinaria graminea</i> See - <i>Pleioblastus gramineus</i> | | | | | | | | |
| <i>Arundinaria linearis</i> See - <i>Pleioblastus linearis</i> | | | | | | | | |
| <i>Arundinaria pygmaea</i> See - <i>Pleioblastus pygmaeus</i> | | | | | | | | |
| <i>Arundinaria simonii</i> See - <i>Pleioblastus simonii</i> | | | | | | | | |
| <i>Arundinaria simonii</i> var. <i>heterophyllus</i> See - <i>Pleioblastus simonii</i> ssp. <i>variegatus</i> | | | | | | | | |
| <i>Arundinaria variegata</i> See - <i>Pleioblastus fortunei</i> | | | | | | | | |
| <i>Arundinaria viridistriata</i> See - <i>Pleioblastus auricomus</i> | | | | | | | | |
| <i>Arundo donax</i> Giant Reed Grass | HP | 0.93 | G4 | 7 | 8 | | | |
| <i>Arundo donax</i> var. <i>variegata</i> Variegated Giant Reed | HP | 0.92 | G4 | 7 | 8 | | | |
| <i>Arundo donax</i> var. <i>versicolor</i> Striped Giant Reed | HP | 1.12 | G4 | 7 | 8 | | | |
| <i>Asarina antirrhiniflora</i> See - <i>Maurandella antirrhiniflora</i> | | | | | | | | |
| <i>Asarina barclayana</i> See - <i>Lophospermum barclayana</i> | | | | | | | | |
| <i>Asarina erubescens</i> See - <i>Lophospermum erubescens</i> | | | | | | | | |
| <i>Asarina procumbens</i> Heart-leaved Snapdragon | GC | 0.76 | G4 | 8 | 9-11 | | 1.00 | 7 |
| <i>Asarum arifolium</i> Wild Ginger | GC | 0.77 | G4 | 7-8 | 9A | | 1.00 | 4 |
| <i>Asarum canadense</i> Canadian Wild Ginger | GC | 0.85 | G4 | 2-6 | 7-8 | | 1.00 | 4 |
| <i>Asarum caudatum</i> British Columbia Wild Ginger | GC | 1.04 | G4 | 7-8 | 9A | | 1.00 | 4 |
| <i>Asarum europaeum</i> European Wild Ginger | GC | 1.40 | G4 | 5-6 | 7-9B | | 1.00 | 4 |
| <i>Asarum splendens</i> Chinese Wild Ginger | GC | 2.08 | G4 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Asarum virginicum</i> Virginia Wild Ginger | HP | 0.98 | G4 | 5-6 | 7-8 | | | |
| <i>Asclepias curassavica</i> Bloodflower | HP | 0.74 | G3 | 8-11 | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Asclepias curassavica</i> 'Silky Deep Red' Silky Deep Red Bloodflower | HP | 0.69 | G3 | 8-9 | 10-11 | | | |
| <i>Asclepias curassavica</i> 'Silky Gold' Silky Gold Bloodflower | HP | 0.80 | G3 | 8-11 | | | | |
| <i>Asclepias fruticosa</i> Swan Plant | HP | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Asclepias incarnata</i> Swamp Milkweed | HP | 1.11 | G4 | 3-5 | 6-8 | | | |
| <i>Asclepias incarnata</i> 'Cinderella' Cinderella Swamp Milkweed | HP | 1.32 | G4 | 3-5 | 6-8 | | | |
| <i>Asclepias incarnata</i> 'Ice Ballet' Ice Ballet Swamp Milkweed | HP | 0.84 | G4 | 3-5 | 6-8 | | | |
| <i>Asclepias perennis</i> Swamp Milkweed | HP | 0.62 | G4 | 7-8 | 9-10B | | | |
| <i>Asclepias sullivantii</i> Sullivant's Milkweed | HP | 1.34 | G4 | 3-4 | 5-6 | | | |
| <i>Asclepias tuberosa</i> Butterfly Weed | HP | 0.83 | G4 | 4-7 | 8-10A | | | |
| <i>Asclepias tuberosa</i> 'Gay Butterflies' Gay Butterflies Butterfly Weed | HP | 0.85 | G4 | 4-7 | 8-10A | | | |
| <i>Asclepias tuberosa</i> 'Hello Yellow' Hello Yellow Butterfly Weed | HP | 1.20 | G4 | 6-7 | 8-10A | | | |
| <i>Asclepias tuberosa</i> 'Red Butterfly' Red Butterfly Butterfly Weed | HP | 0.96 | G4 | 6-7 | 8-10A | | | |
| <i>Asclepias verticillata</i> Whorled Milkweed | HP | 1.30 | G4 | 6-7 | 8-10A | | | |
| <i>xAscocenda</i> Ascocenda Hybrid Orchid | FO | 2.75 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Ascocentrum miniatum</i> No Common Name Found | FO | 2.86 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Asimina angustifolia</i> No Common Name Found | DS | 0.76 | G2 | 6-8 | 9-10A | | 1.00 | 8 |
| <i>Asimina incana</i> Flag Pawpaw | DS | 0.77 | G2 | 6-8 | 9-10A | | 1.00 | 8 |
| <i>Asimina obovata</i> No Common Name Found | DS | 0.77 | G2 | 6-8 | 9-10A | | 1.00 | 8 |
| <i>Asimina parviflora</i> Dwarf Pawpaw | DS | 0.67 | G2 | 8 | 9A-10B | | 1.00 | 5 |
| <i>Asimina triloba</i> Pawpaw | DT | 0.88 | G2 | 5-7 | 8-9B | 1.05 | 1.90 | 5 |
| <i>Asparagus africanus</i> Climbing Asparagus | FO | 1.00 | G3 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Asparagus cooperi</i> See - <i>Asparagus africanus</i> | | | | | | | | |
| <i>Asparagus densiflorus</i> Plume Asparagus | FO | 0.53 | G3 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Asparagus densiflorus</i> 'Myersii' Myers Plume Asparagus | FO | 0.58 | G3 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Asparagus densiflorus</i> 'Sprenger Compacta' Compact Sprenger Asparagus | FO | 0.68 | G3 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Asparagus densiflorus</i> 'Sprenger' Sprenger Asparagus | FO | 0.43 | G3 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Asparagus macowanii</i> Ming Fern | FO | 0.54 | G3 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Asparagus officinalis</i> Common Asparagus | HP | 0.68 | G4 | 4-6 | 7-8 | | | |
| <i>Asparagus officinalis</i> 'Jersey Giant' Jersey Giant Asparagus | HP | 0.68 | G4 | 4-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Asparagus officinalis</i> 'Martha Washington' Martha Washington Asparagus | HP | 0.68 | G4 | 4-6 | 7-8 | | | |
| <i>Asparagus officinalis</i> 'Pseudoscaber' Pseudoscaber Asparagus | HP | 0.68 | G4 | 4-6 | 7-8 | | | |
| <i>Asparagus plumosus</i> See - <i>Asparagus setaceus</i> | | | | | | | | |
| <i>Asparagus retrofractus</i> Zigzag Shrub | BS | 0.95 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Asparagus setaceus</i> Asparagus Fern | FO | 0.46 | G3 | 6-10A | 10B-11 | | 1.00 | 9 |
| <i>Asparagus setaceus</i> 'Nanus' Compact Asparagus Fern | FO | 0.16 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Asparagus setaceus</i> 'Pyramidalis' Cypress Asparagus | FO | 0.31 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Asparagus verticillatus</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 6 |
| <i>Asparagus virgatus</i> Tree Fern | BS | 1.14 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Aspasia epidendroides</i> No Common Name Found | FO | 3.81 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Asperula arcadiensis</i> No Common Name Found | HP | 1.00 | G2 | 6-8 | 9-10A | | | |
| <i>Asperula gussonei</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-10A | | | |
| <i>Asperula odorata</i> See - <i>Galium odoratum</i> | | | | | | | | |
| <i>Asperula suberosa</i> See - <i>Asperula arcadiensis</i> | | | | | | | | |
| <i>Asphodeline lutea</i> Jacob's Rod | HP | 0.88 | G4 | 7-8 | 9A | | | |
| <i>Asphodeline taurica</i> No Common Name Found | HP | 0.78 | G4 | 7-8 | 9A | | | |
| <i>Aspidistra elatior</i> Cast Iron Plant | FO | 0.82 | G3 | 8-9A | 9B-11 | | 1.00 | 7 |
| <i>Aspidistra elatior</i> 'Milky Way' Milky Way Cast Iron Plant | FO | 1.25 | G3 | 8-9A | 9B-11 | | 1.00 | 7 |
| <i>Aspidistra elatior</i> 'Variegata' Variegated Cast Iron Plant | FO | 1.80 | G3 | 8-9A | 9B-11 | | 1.00 | 7 |
| <i>Aspidosperma excelsum</i> Paddlewood | BE | 1.00 | G1 | 9B-10B | 11 | 1.00 | 1.00 | 10 |
| <i>Aspidosperma tomentosum</i> Quebracha | BS | 1.00 | G1 | 9B-10B | 11 | | 1.00 | 10 |
| <i>Asplenium antiquum</i> No Common Name Found | FO | 0.47 | G4 | 9 | 10-11 | | 1.00 | 9 |
| <i>Asplenium bulbiferum</i> Mother Fern | HP | 1.43 | G3 | 8-10B | 11 | | | |
| <i>Asplenium bulbiferum</i> var. <i>laxum</i> Laxum Mother Fern | HP | 1.00 | G3 | 8-10B | 11 | | | |
| <i>Asplenium ebeneum</i> See - <i>Asplenium platyneuron</i> | | | | | | | | |
| <i>Asplenium ebenooides</i> Dragon's Tail Fern | FO | 0.53 | G3 | 8-10A | 10B-11 | | 1.00 | 6 |
| <i>Asplenium nidus</i> Bird's Nest Fern | FO | 0.85 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Asplenium platyneuron</i> Ebony Spleenwort | HP | 0.98 | G3 | 8-10A | 10B-11 | | | |
| <i>Asplenium rhizophyllum</i> Walking Fern | HP | 1.00 | G4 | 6-7 | 8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Asplenium scolopendrium</i> Hart's-Tongue Fern | HP | 1.13 | G4 | 5-7 | 8-10A | | | |
| <i>Asplenium scolopendrium</i> 'Laceratum Kaye' Laceratum Kaye Hart's Tongue Fern | HP | 1.09 | G4 | 5 | 6-7 | | | |
| <i>Astelia nervosa</i> Silver Spear | BS | 1.01 | G4 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Aster x alpellus</i> Triumph Aster | HP | 0.94 | G4 | 3-4 | 5-7 | | | |
| <i>Aster alpigenus</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Aster alpinus</i> Alpine Aster | HP | 1.07 | G4 | 3-4 | 5-8 | | | |
| <i>Aster alpinus</i> 'Albus' White Alpine Aster | HP | 0.59 | G4 | 3-4 | 5-8 | | | |
| <i>Aster alpinus</i> 'Dark Beauty' Dark Beauty Alpine Aster | HP | 0.61 | G4 | 3-4 | 5-8 | | | |
| <i>Aster alpinus</i> 'Goliath' Goliath Alpine Aster | HP | 0.64 | G4 | 3-4 | 5-8 | | | |
| <i>Aster alpinus</i> 'Happy End' Happy End Alpine Aster | HP | 0.62 | G4 | 3-4 | 5-8 | | | |
| <i>Aster amellus</i> Italian Aster | HP | 1.05 | G4 | 4-5 | 6-8 | | | |
| <i>Aster amellus</i> 'Joseph Lakin' Joseph Lakin Italian Aster | HP | 1.05 | G4 | 5 | 6-7 | | | |
| <i>Aster amellus</i> 'King George' King George Italian Aster | HP | 1.05 | G4 | 5 | 6-7 | | | |
| <i>Aster amellus</i> 'Rudolph Goethe' Rudolph Goethe Italian Aster | HP | 1.16 | G4 | 5 | 6-7 | | | |
| <i>Aster amellus</i> 'Violet Queen' Violet Queen Italian Aster | HP | 0.93 | G4 | 5 | 6-8 | | | |
| <i>Aster azureus</i> See - <i>Aster oolentangiensis</i> | | | | | | | | |
| <i>Aster carolinianus</i> Climbing Aster | HP | 0.75 | G4 | 7-8 | 9-10A | | | |
| <i>Aster concolor</i> No Common Name Found | HP | 0.57 | G4 | 4 | 5-7 | | | |
| <i>Aster cordifolius</i> Heart-leaf Aster | HP | 0.72 | G4 | 3-6 | 7-8 | | | |
| <i>Aster cordifolius</i> 'Little Carlow' Little Carlow Heart-leaf Aster | HP | 0.72 | G4 | 3-6 | 7-8 | | | |
| <i>Aster divaricatus</i> White Wood Aster | HP | 0.94 | G4 | 4-6 | 7-8 | | | |
| <i>Aster x dumosus</i> Bushy Aster | HP | 0.81 | G4 | 3-6 | 7-8 | | | |
| <i>Aster ericoides</i> Heath Aster | HP | 1.02 | G4 | 3-6 | 7-8 | | | |
| <i>Aster ericoides</i> 'Monte Cassino' Monte Cassino Heath Aster | HP | 0.75 | G4 | 3-4 | 5-8 | | | |
| <i>Aster ericoides</i> 'Pink Cloud' Pink Cloud Heath Aster | HP | 0.85 | G4 | 3-6 | 7-8 | | | |
| <i>Aster ericoides</i> 'Ring Dove' Ring Dove Heath Aster | HP | 1.17 | G4 | 3-6 | 7-8 | | | |
| <i>Aster ericoides</i> 'Schneegitter' Schneegitter Heath Aster | HP | 1.30 | G4 | 3-6 | 7-8 | | | |
| <i>Aster x frikartii</i> Frikart's Aster | HP | 0.83 | G4 | 6-7 | 8-10A | | | |
| <i>Aster x frikartii</i> 'Flora's Delight' Flora's Delight Frikart's Aster | HP | 0.86 | G4 | 3-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Aster x frikartii</i> 'Monch' Monch Frikart's Aster | HP | 0.90 | G4 | 6-7 | 8-10A | | | |
| <i>Aster x frikartii</i> 'Wonder of Staffa' Wonder of Staffa Frikart's Aster | HP | 0.91 | G4 | 6-7 | 8-10A | | | |
| <i>Aster himalaicus</i> Himalayan Aster | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Aster laevis</i> Smooth Aster | HP | 0.90 | G4 | 3-4 | 5-8 | | | |
| <i>Aster laevis</i> 'Bluebird' Bluebird Smooth Aster | HP | 1.11 | G4 | 3-4 | 5-8 | | | |
| <i>Aster lateriflorus</i> Calico Aster | HP | 0.96 | G4 | 3-6 | 7-8 | | | |
| <i>Aster lateriflorus</i> 'Coombe Fishacre' Coombe Fishacre Calico Aster | HP | 0.99 | G4 | 3-6 | 7-8 | | | |
| <i>Aster lateriflorus</i> 'Horizontalis' Horizontal Branching Calico Aster | HP | 0.93 | G4 | 3-6 | 7-8 | | | |
| <i>Aster lateriflorus</i> 'Lady in Black' Lady in Black Calico Aster | HP | 0.98 | G4 | 2-3 | 4-8 | | | |
| <i>Aster lateriflorus</i> 'Prince' Prince Calico Aster | HP | 0.92 | G4 | 3-6 | 7-8 | | | |
| <i>Aster linearifolius</i> Flax Leaf Aster | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Aster macrophyllus</i> Big Leaf Aster | HP | 1.00 | G4 | 3-6 | 7-8 | | | |
| <i>Aster macrophyllus</i> 'Albus' White Bigleaf Aster | HP | 0.79 | G4 | 3-4 | 5-8 | | | |
| <i>Aster novae-angliae</i> New England Aster | HP | 0.96 | G4 | 2-5 | 6-8 | | | |
| <i>Aster novae-angliae</i> 'Alma Potschke' Alma Potschke New England Aster | HP | 0.99 | G4 | 2-5 | 6-8 | | | |
| <i>Aster novae-angliae</i> 'Fanny's Aster' Fanny's Aster New England Aster | HP | 0.95 | G4 | 2-5 | 6-8 | | | |
| <i>Aster novae-angliae</i> 'Harrington's Pink' Harrington's Pink New England Aster | HP | 0.82 | G4 | 2-5 | 6-8 | | | |
| <i>Aster novae-angliae</i> 'Hella Lacy' Hella Lacy New England Aster | HP | 1.10 | G4 | 2-5 | 6-8 | | | |
| <i>Aster novae-angliae</i> 'Honeysong Pink' Honeysong Pink New England Aster | HP | 0.92 | G4 | 2-5 | 6-8 | | | |
| <i>Aster novae-angliae</i> 'Mt. Everest' Mt. Everest New England Aster | HP | 0.94 | G4 | 2-5 | 6-8 | | | |
| <i>Aster novae-angliae</i> 'Persian Rose' Persian Rose New England Aster | HP | 0.90 | G4 | 2-5 | 6-8 | | | |
| <i>Aster novae-angliae</i> 'Rose Serenade' Rose Serenade New England Aster | HP | 0.84 | G4 | 2-5 | 6-8 | | | |
| <i>Aster novae-angliae</i> 'Rudelsburg' Rudelsburg New England Aster | HP | 0.70 | G4 | 2-5 | 6-8 | | | |
| <i>Aster novae-angliae</i> 'September Ruby' September Ruby New England Aster | HP | 1.06 | G4 | 2-5 | 6-8 | | | |
| <i>Aster novae-angliae</i> 'Treasure' Treasure New England Aster | HP | 1.07 | G4 | 2-5 | 6-8 | | | |
| <i>Aster novae-angliae</i> 'Wedding Lace' Wedding Lace New England Aster | HP | 0.94 | G4 | 2-5 | 6-8 | | | |
| <i>Aster novi-belgii</i> New York Aster | HP | 0.81 | G4 | 2-5 | 6-8 | | | |
| <i>Aster novi-belgii</i> 'Alert' Alert New York Aster | HP | 0.95 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Alice Haslem' Alice Haslem New York Aster | HP | 0.91 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Aster novi-belgii</i> 'Ariel' Ariel New York Aster | HP | 0.80 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Astee Karmijn' Astee Karmijn New York Aster | HP | 0.81 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Astee Milka' Astee Milka New York Aster | HP | 0.81 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Astee Roset' Astee Roset New York Aster | HP | 0.81 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Audrey' Audrey New York Aster | HP | 0.78 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Blaue Lagune' Blaue Lagune New York Aster | HP | 0.96 | G4 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Bonny Blue' Bonny Blue New York Aster | HP | 0.78 | G4 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Celeste' Celeste New York Aster | HP | 0.80 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Crimson Brocade' Crimson Brocade New York Aster | HP | 0.77 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Dark Pink Star' Dark Pink Star New York Aster | HP | 0.80 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Eventide' Eventide New York Aster | HP | 0.85 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Fellowship' Fellowship New York Aster | HP | 0.85 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Frida Ballard' Frida Ballard New York Aster | HP | 0.82 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Heinz Richard' Heinz Richard New York Aster | HP | 0.70 | G4 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Jenny' Jenny New York Aster | HP | 0.87 | G4 | 3-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Judith' Judith New York Aster | HP | 0.80 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Lady in Blue' Lady in Blue New York Aster | HP | 0.91 | G4 | 3-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'M. Ballard' M. Ballard New York Aster | HP | 0.73 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Nesthakchen' Nesthakchen New York Aster | HP | 0.87 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Newton Pink' Newton Pink New York Aster | HP | 0.84 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Niobe' Niobe New York Aster | HP | 1.16 | G4 | 3-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Odin Viking' P.P. 10360 Odin Viking New York Aster | HP | 0.80 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Painted Lady' Painted Lady New York Aster | HP | 0.80 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Patricia Ballard' Patricia Ballard New York Aster | HP | 0.88 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Peter Harrison' Peter Harrison New York Aster | HP | 0.84 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Pink Bouquet' Pink Bouquet New York Aster | HP | 0.84 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Professor Kippenburg' Professor Kippenburg New York Aster | HP | 0.92 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Purple Dome' Purple Dome New York Aster | HP | 0.88 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Red Star' Red Star New York Aster | HP | 0.83 | G4 | 2-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Aster novi-belgii</i> 'Rosenwitel' Rosenwitel New York Aster | HP | 0.86 | G4 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Royal Opal' Royal Opal New York Aster | HP | 0.85 | G4 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Royal Ruby' Royal Ruby New York Aster | HP | 0.85 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Schone von Dietlikon' Schone von Dietlikon New York Aster | HP | 0.80 | G4 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Snow Cushion' Snow Cushion New York Aster | HP | 1.09 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Snow Flurry' Snow Flurry New York Aster | HP | 0.91 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Thyra Viking' P.P. 10361 Thyra Viking New York Aster | HP | 0.80 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Violet Carpet' Violet Carpet New York Aster | HP | 0.98 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'White Opal' White Opal New York Aster | HP | 0.85 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'White Swan' White Swan New York Aster | HP | 0.86 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Winston Churchill' Winston Churchill New York Aster | HP | 0.88 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Wood's Blue' Wood's Blue New York Aster | HP | 0.79 | G4 | 2-5 | 6-8 | | | |
| <i>Aster novi-belgii</i> 'Wood's Pink' Wood's Pink New York Aster | HP | 0.83 | G4 | 5-6 | 7-8 | | | |
| <i>Aster novi-belgii</i> 'Wood's Purple' Wood's Purple New York Aster | HP | 0.92 | G4 | 5-6 | 7-8 | | | |
| <i>Aster oblongifolius</i> Aromatic Aster | HP | 0.74 | G4 | 8-9A | 9B-10B | | | |
| <i>Aster oblongifolius</i> 'October Skies' October Skies Aromatic Aster | HP | 1.22 | G4 | 2-3 | 4-10B | | | |
| <i>Aster oblongifolius</i> 'Raydon's Favorite' Raydon's Favorite Aromatic Aster | HP | 0.90 | G4 | 8-9A | 9B-10B | | | |
| <i>Aster oolentangiensis</i> Sky Blue Aster | HP | 1.48 | G4 | 5-7 | 8-9B | | | |
| <i>Aster patens</i> Late Purple Aster | HP | 1.00 | G4 | 4-7 | 8-9B | | | |
| <i>Aster praeltus</i> Willow Aster | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Aster ptarmicoides</i> Upland White Aster | HP | 1.04 | G4 | 3-5 | 6-8 | | | |
| <i>Aster puniceus</i> Swamp Aster | HP | 0.91 | G4 | 3-5 | 6-8 | | | |
| <i>Aster sericeus</i> Silky Aster | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Aster shortii</i> Short's Aster | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Aster spectabilis</i> Seaside Aster | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Aster tataricus</i> Tatarian Aster | HP | 1.09 | G4 | 3-4 | 5-8 | | | |
| <i>Aster tataricus</i> 'Blue Lake' P.P.A.F. Blue Lake Tatarian Aster | HP | 1.04 | G4 | 3-4 | 5-8 | | | |
| <i>Aster tataricus</i> 'Jindai' Japanese Tatarian Aster | HP | 1.14 | G4 | 3-4 | 5-8 | | | |
| <i>Aster tongolensis</i> East Indies Aster | HP | 1.18 | G4 | 8-9A | 9B-10A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Aster tongolensis</i> 'Wartburg Star' Wartburg Star East Indies Aster | HP | 0.90 | G4 | 8-9A | 9B-10A | | | |
| <i>Aster umbellatus</i> Flat Top Aster | HP | 1.04 | G4 | 3-5 | 6-8 | | | |
| <i>Asteriscus maritimus</i> Gold Coin | HP | 0.78 | G4 | 7 | 8-9B | | | |
| <i>Asteriscus maritimus</i> 'Compacta' Compact Gold Coin | HP | 0.68 | G4 | 8-9 | 10A | | | |
| <i>Asteriscus sericeus</i> See - <i>Nauplius sericeus</i> | | | | | | | | |
| <i>Asterogyne martiana</i> No Common Name Found | PC | 3.31 | G3 | 10A-10B | 11 | | 1.00 | 10B |
| <i>Asteromoea mongolica</i> See - <i>Kalimeris pinnatifida</i> | | | | | | | | |
| <i>Astilbe x arendsii</i> Astilbe Hybrid | HP | 1.11 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Amethyst' Amethyst Hybrid Astilbe | HP | 0.98 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Anita Pfeifer' Anita Pfeifer Hybrid Astilbe | HP | 0.96 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'August Light' August Light Hybrid Astilbe | HP | 1.32 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Avalanche' Avalanche Hybrid Astilbe | HP | 1.02 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Bella Mix' Bella Mix Hybrid Astilbe | HP | 0.99 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Bergkristal' Bergkristal Hybrid Astilbe | HP | 0.76 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Betsy Cuperus' Betsy Cuperus Hybrid Astilbe | HP | 1.04 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Bressingham Beauty' Bressingham Beauty Hybrid Astilbe | HP | 1.11 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Bridal Veil' Bridal Veil Hybrid Astilbe | HP | 1.05 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Bumalda' Bumalda Hybrid Astilbe | HP | 1.01 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Cattleya' Cattleya Hybrid Astilbe | HP | 1.09 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Diamond' Diamond Hybrid Astilbe | HP | 1.12 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Elizabeth Bloom' Elizabeth Bloom Hybrid Astilbe | HP | 0.85 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Ellie' Ellie Hybrid Astilbe | HP | 1.09 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Erica' Erica Hybrid Astilbe | HP | 0.92 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Etna' Etna Hybrid Astilbe | HP | 0.89 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Fanal' Fanal Hybrid Astilbe | HP | 0.99 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Federsee' Federsee Hybrid Astilbe | HP | 1.27 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Fire' Fire Hybrid Astilbe | HP | 0.97 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Gladstone' Gladstone Hybrid Astilbe | HP | 0.89 | G4 | 2-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Gloria' Gloria Hybrid Astilbe | HP | 0.93 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Astilbe x arendsii</i> 'Glow' Glow Hybrid Astilbe | HP | 0.78 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Granat' Granat Hybrid Astilbe | HP | 0.98 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Greta Pungel' Greta Pungel Hybrid Astilbe | HP | 0.99 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Hyacinthia' Hyacinthia Hybrid Astilbe | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Irrlicht' Irrlicht Hybrid Astilbe | HP | 0.88 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Kriemhilde' Kriemhilde Hybrid Astilbe | HP | 0.71 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Lilli Goos' Lilli Goos Hybrid Astilbe | HP | 1.09 | G4 | 2-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Mainz' Mainz Hybrid Astilbe | HP | 0.91 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Queen of Holland' Queen of Holland Hybrid Astilbe | HP | 0.90 | G4 | 2-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Red Light' Red Light Hybrid Astilbe | HP | 0.89 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Rheinland' Rheinland Hybrid Astilbe | HP | 1.03 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Rock And Roll' Rock And Roll Hybrid Astilbe | HP | 1.12 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Showstar' Showstar Hybrid Astilbe | HP | 0.63 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Sister Theresa' Sister Theresa Hybrid Astilbe | HP | 1.21 | G4 | 3-4 | 5-8 | | | |
| <i>Astilbe x arendsii</i> 'Snowdrift' Snowdrift Hybrid Astilbe | HP | 0.92 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Spartan' Spartan Hybrid Astilbe | HP | 1.40 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Spinell' Spinell Hybrid Astilbe | HP | 0.98 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Vesuvius' Vesuvius Hybrid Astilbe | HP | 0.76 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'Washington' Washington Hybrid Astilbe | HP | 0.94 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe x arendsii</i> 'White Gloria' White Gloria Hybrid Astilbe | HP | 0.99 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe chinensis</i> Chinese Astilbe | HP | 1.03 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe chinensis</i> 'Darwin's Surprise' Darwin's Surprise Chinese Astilbe | HP | 1.17 | G4 | 4-5 | 6-8 | | | |
| <i>Astilbe chinensis</i> 'Finale' Finale Chinese Astilbe | HP | 0.94 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe chinensis</i> 'Intermezzo' Intermezzo Chinese Astilbe | HP | 0.95 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe chinensis</i> 'Pumila' Pumila Chinese Astilbe | HP | 0.93 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe chinensis</i> 'Serenade' Serenade Chinese Astilbe | HP | 1.04 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe chinensis</i> 'Veronica Klose' Veronica Klose Chinese Astilbe | HP | 0.89 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe chinensis</i> 'Vision in Pink' P.P. 11860 Vision in Pink Chinese Astilbe | HP | 1.00 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe chinensis</i> 'Vision in Red' P.P. 11965 Vision in Red Chinese Astilbe | HP | 1.02 | G4 | 3-4 | 5-9B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Astilbe chinensis</i> 'Visions' Visions Chinese Astilbe | HP | 0.99 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe chinensis</i> var. <i>davidii</i> Davidii Chinese Astilbe | HP | 0.76 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe chinensis</i> var. <i>taquetti</i> Fall Astilbe | HP | 1.11 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe chinensis</i> var. <i>taquetti</i> 'Purple Candles' Purple Candles Fall Astilbe | HP | 0.96 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe chinensis</i> var. <i>taquetti</i> 'Purple Lance' Purple Lance Fall Astilbe | HP | 0.86 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe chinensis</i> var. <i>taquetti</i> 'Superba' Superba Fall Astilbe | HP | 1.16 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe</i> x <i>crispa</i> Garden Hybrid Astilbe | HP | 1.45 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe</i> x <i>crispa</i> 'Lilliput' Lilliput Garden Hybrid Astilbe | HP | 1.83 | G4 | 4-5 | 6-8 | | | |
| <i>Astilbe</i> x <i>crispa</i> 'Perkeo' Perkeo Garden Hybrid Astilbe | HP | 1.07 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe glaberrima</i> No Common Name Found | HP | 0.90 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe glaberrima</i> 'Saxatilis' Saxatilis Astilbe | HP | 0.90 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe japonica</i> Japanese Astilbe | HP | 1.20 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe japonica</i> 'Bonn' Bonn Japanese Astilbe | HP | 0.83 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe japonica</i> 'Bremen' Bremen Japanese Astilbe | HP | 0.95 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe japonica</i> 'Deutschland' Deutschland Japanese Astilbe | HP | 1.00 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe japonica</i> 'Elisabeth' Elisabeth Japanese Astilbe | HP | 1.22 | G4 | 3-4 | 5-9B | | | |
| <i>Astilbe japonica</i> 'Europa' Europa Japanese Astilbe | HP | 0.95 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe japonica</i> 'Koblenz' Koblenz Japanese Astilbe | HP | 1.13 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe japonica</i> 'Montgomery' Montgomery Japanese Astilbe | HP | 1.11 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe japonica</i> 'Peaches and Cream' Peaches and Cream Japanese Astilbe | HP | 1.26 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe japonica</i> 'Red Sentinel' Red Sentinel Japanese Astilbe | HP | 1.09 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe</i> x <i>rosea</i> Rose Astilbe | HP | 1.02 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe</i> x <i>rosea</i> 'Peach Blossom' Peach Blossom Rose Astilbe | HP | 1.02 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe simplicifolia</i> Star Astilbe | HP | 1.10 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe simplicifolia</i> 'Alba' White Star Astilbe | HP | 1.28 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe simplicifolia</i> 'Aphrodite' Aphrodite Star Astilbe | HP | 1.23 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe simplicifolia</i> 'Bronze Elegans' Bronze Elegans Star Astilbe | HP | 1.35 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe simplicifolia</i> 'Darwin's Snow Sprite' Darwin's Snow Sprite Star Astilbe | HP | 1.09 | G4 | 5-6 | 7-8 | | | |
| <i>Astilbe simplicifolia</i> 'Dunkellachs' Dunkellachs Star Astilbe | HP | 1.15 | G4 | 5-6 | 7-9B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Astilbe simplicifolia</i> 'Hennie Graafland' Hennie Graafland Star Astilbe | HP | 0.97 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe simplicifolia</i> 'Inncerry' Inncerry Star Astilbe | HP | 1.10 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe simplicifolia</i> 'Inshriach Pink' Inshriach Pink Star Astilbe | HP | 0.94 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe simplicifolia</i> 'Praecox' Praecox Star Astilbe | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Astilbe simplicifolia</i> 'Rosea' Pink Star Astilbe | HP | 1.10 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe simplicifolia</i> 'Sprite' Sprite (Dwarf) Star Astilbe | HP | 1.07 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe simplicifolia</i> 'Willy Buchanan' Willy Buchanan Star Astilbe | HP | 0.93 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe thunbergii</i> No Common Name Found | HP | 1.11 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe thunbergii</i> 'Ostrich Plume' Ostrich Plume Astilbe | HP | 1.07 | G4 | 5-6 | 7-9B | | | |
| <i>Astilbe thunbergii</i> 'Prof. van der Wielen' Prof. van der Wielen Astilbe | HP | 1.15 | G4 | 5-6 | 7-9B | | | |
| <i>Astilboides tabularis</i> No Common Name Found | HP | 1.36 | G4 | 7 | 8-9 | | | |
| <i>Astragalus barrii</i> Barr's Milkvetch | BS | 1.00 | G2 | 6-7 | 8-9 | | 1.00 | 3 |
| <i>Astragalus canadensis</i> Milkvetch | HP | 1.00 | G4 | 8-9A | 9B-10A | | | |
| <i>Astragalus utahensis</i> Utah Milkvetch | HP | 1.00 | G2 | 6-7 | 8-9 | | | |
| <i>Astrantia carniolica</i> Lesser Masterwort | HP | 1.26 | G4 | 6-7 | 8-9A | | | |
| <i>Astrantia carniolica</i> 'Rubra' Red Lesser Masterwort | HP | 1.26 | G4 | 6-7 | 8-9A | | | |
| <i>Astrantia major</i> Greater Masterwort | HP | 0.99 | G4 | 6-7 | 8-9A | | | |
| <i>Astrantia major</i> 'Claret' Claret Greater Masterwort | HP | 1.30 | G4 | 3-4 | 5-9A | | | |
| <i>Astrantia major</i> 'Hadspen Blood' Hadspen Blood Greater Masterwort | HP | 1.45 | G4 | 6-7 | 8-9A | | | |
| <i>Astrantia major</i> 'Lars' Lars Greater Masterwort | HP | 1.42 | G4 | 6-7 | 8-10A | | | |
| <i>Astrantia major</i> 'Rosea' Rose Greater Masterwort | HP | 1.10 | G4 | 6-7 | 8-9A | | | |
| <i>Astrantia major</i> 'Rosensymphonie' Rose Symphony Greater Masterwort | HP | 0.99 | G4 | 6-7 | 8-9A | | | |
| <i>Astrantia major</i> 'Ruby Cloud' Ruby Cloud Greater Masterwort | HP | 1.30 | G4 | 6-7 | 8-9A | | | |
| <i>Astrantia major</i> 'Ruby Wedding' Ruby Wedding Greater Masterwort | HP | 1.91 | G4 | 6-7 | 8-9A | | | |
| <i>Astrocaryum standleyanum</i> No Common Name Found | PC | 1.99 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Astronium graveolens</i> Goncalo Alves | DT | 1.00 | G1 | 9B-10B | 11 | 1.00 | 1.00 | 10 |
| <i>Astrophytum ornatum</i> Star Cactus | FO | 1.00 | G3 | 8-11 | | | 1.00 | 7 |
| <i>Asystasia coromandeliana</i> See - <i>Asystasia gangetica</i> | | | | | | | | |
| <i>Asystasia gangetica</i> Ganges Primrose | GC | 0.41 | G4 | 10A-10B | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Asystasia gangetica</i> 'Variegata' Variegated Ganges Primrose | GC | 0.56 | G4 | 10A-10B | 11 | | 1.00 | 9 |
| <i>Asystasia travancorica</i> No Common Name Found | GC | 1.00 | G4 | 10A-10B | 11 | | 1.00 | 9 |
| <i>Athanasia parviflora</i> See - <i>Hymenolepis parviflora</i> | | | | | | | | |
| <i>Athyrium</i> Athyrium | HP | 1.04 | G4 | 3-5 | 6-8 | | | |
| <i>Athyrium</i> 'Ghost' Ghost Fern | HP | 1.04 | G4 | 3-5 | 6-8 | | | |
| <i>Athyrium filix-femina</i> Lady Fern | HP | 1.11 | G4 | 3-5 | 6-8 | | | |
| <i>Athyrium filix-femina</i> 'Cristatum' Crested Lady Fern | HP | 1.10 | G4 | 3-5 | 6-8 | | | |
| <i>Athyrium filix-femina</i> 'Frizelliae' Tatting Lady Fern | FO | 0.50 | G4 | 1-2 | 3-8 | | 1.00 | 2 |
| <i>Athyrium filix-femina</i> 'Lady in Red' Lady in Red Lady Fern | FO | 0.92 | G4 | 1-2 | 3-8 | | 1.00 | 2 |
| <i>Athyrium filix-femina</i> 'Vernoniae Cristatum' Miss Vernon's Crested Lady Fern | FO | 0.60 | G3 | 3-5 | 6-8 | | 1.00 | 2 |
| <i>Athyrium filix-femina</i> 'Vernoniae' Vernoniae Lady Fern | HP | 1.35 | G4 | 4-7 | 8-10A | | | |
| <i>Athyrium filix-femina</i> 'Victoriae' Queen Victoria Lady Fern | FO | 0.71 | G3 | 1-2 | 3-8 | | 1.00 | 2 |
| <i>Athyrium goeringianum</i> See - <i>Athyrium nipponicum</i> | | | | | | | | |
| <i>Athyrium nipponicum</i> Painted Fern | HP | 1.28 | G4 | 4-7 | 8-10A | | | |
| <i>Athyrium nipponicum</i> 'Pictum' Japanese Painted Fern | HP | 1.20 | G4 | 4-7 | 8-10A | | | |
| <i>Athyrium nipponicum</i> 'Ursula's Red' Ursula's Red Painted Fern | HP | 1.55 | G4 | 4-7 | 8-10A | | | |
| <i>Athyrium otophorum</i> Auriculate Lady Fern | HP | 1.00 | G4 | 7-8 | 9-10 | | | |
| <i>Athyrium pycnocarpon</i> Narrow-Leaved Spleenwort | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 3 |
| <i>Athyrium thelypteroides</i> See - <i>Diplazium acrostichoides</i> | | | | | | | | |
| <i>Atriplex canescens</i> Saltbush | BS | 1.01 | G2 | 6-7 | 8-10B | | 1.00 | 7 |
| <i>Atriplex lentiformis</i> Quailbush | BS | 1.13 | G2 | 5-6 | 7-10B | | 1.00 | 6 |
| <i>Atriplex lentiformis</i> ssp. <i>breweri</i> Brewer Quailbush | BS | 1.21 | G2 | 5-6 | 7-10B | | 1.00 | 6 |
| <i>Atriplex semibaccata</i> Australian Saltbush | BS | 0.61 | G2 | 5-8 | 9-10B | | 1.00 | 8 |
| <i>Aubrieta deltoidea</i> Rockcress | HP | 1.10 | G4 | 5-6 | 7-8 | | | |
| <i>Aubrieta deltoidea</i> 'Argenteovariegata' Argenteovariegata Rockcress | HP | 0.82 | G4 | 5-6 | 7-8 | | | |
| <i>Aubrieta deltoidea</i> 'Cascade Blue' Cascade Blue Rockcress | HP | 0.57 | G4 | 5-6 | 7-8 | | | |
| <i>Aubrieta deltoidea</i> 'Cascade Purple' Cascade Purple Rockcress | HP | 0.75 | G4 | 5-6 | 7-8 | | | |
| <i>Aubrieta deltoidea</i> 'Cascade Red' Cascade Red Rockcress | HP | 0.81 | G4 | 5-6 | 7-8 | | | |
| <i>Aubrieta deltoidea</i> 'Dr. Mules' Dr. Mules Rockcress | HP | 0.82 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Aubrieta deltoidea</i> 'Hendersonii' Henderson Rockcress | HP | 0.82 | G4 | 5-6 | 7-8 | | | |
| <i>Aubrieta deltoidea</i> 'Purple Gem' Purple Rockcress | HP | 0.73 | G4 | 5-6 | 7-8 | | | |
| <i>Aubrieta deltoidea</i> 'Robinson's Red' Robinson's Red Rockcress | HP | 0.82 | G4 | 5-6 | 7-8 | | | |
| <i>Aubrieta deltoidea</i> 'Rokey's Purple' Rokey's Purple Rockcress | HP | 1.05 | G4 | 5-6 | 7-8 | | | |
| <i>Aubrieta deltoidea</i> 'Royal Cascade' Royal Cascade Rockcress | HP | 0.82 | G4 | 5-6 | 7-8 | | | |
| <i>Aubrieta deltoidea</i> 'Royal Red' Royal Red Rockcress | HP | 0.82 | G4 | 5-6 | 7-8 | | | |
| <i>Aubrieta deltoidea</i> 'Whitewell Gem' Whitewell Gem Rockcress | HP | 0.74 | G4 | 5-6 | 7-8 | | | |
| <i>Aucuba japonica</i> Spotted Laurel | BS | 0.73 | G2 | 6-7 | 8-10A | | 0.79 | 6 |
| <i>Aucuba japonica</i> 'Crotonifolia' Crotonifolia Spotted Laurel | BS | 0.93 | G2 | 6-8 | 9-10A | | 0.73 | 6 |
| <i>Aucuba japonica</i> 'Emily Rose' Emily Rose Spotted Laurel | BS | 1.10 | G2 | 6-8 | 9-10A | | 0.73 | 6 |
| <i>Aucuba japonica</i> 'Fructo-albo' Fructo-albo Spotted Laurel | BS | 0.91 | G2 | 6-8 | 9-10A | | 0.73 | 6 |
| <i>Aucuba japonica</i> 'Gold Dust' Gold Dust Spotted Laurel | BS | 0.70 | G2 | 6-8 | 9-10A | | 0.63 | 6 |
| <i>Aucuba japonica</i> 'Goldieana' Gold Spot Spotted Laurel | BS | 0.69 | G2 | 6-8 | 9-10A | | 0.73 | 6 |
| <i>Aucuba japonica</i> 'Mr. Goldstrike' Mr. Goldstrike Spotted Laurel | BS | 1.24 | G2 | 6-8 | 9-10A | | 0.73 | 6 |
| <i>Aucuba japonica</i> 'Nana' Dwarf Spotted Laurel | BS | 0.88 | G2 | 6-8 | 9-10A | | 0.73 | 6 |
| <i>Aucuba japonica</i> 'Picturata' Picturata Spotted Laurel | BS | 0.97 | G2 | 6-8 | 9-10A | | 0.73 | 6 |
| <i>Aucuba japonica</i> 'Salicifolia' Salicifolia Spotted Laurel | BS | 0.96 | G2 | 6-8 | 9-10A | | 0.73 | 6 |
| <i>Aucuba japonica</i> 'Serratifolia' Serratifolia Spotted Laurel | BS | 1.06 | G2 | 6-8 | 9-10A | | 0.73 | 6 |
| <i>Aucuba japonica</i> 'Spiker' Spiker Spotted Laurel | BS | 0.91 | G2 | 6-8 | 9-10A | | 0.73 | 6 |
| <i>Aucuba japonica</i> 'Sulphurea' Sulphur Spotted Laurel | BS | 0.82 | G2 | 6-8 | 9-10A | | 0.63 | 6 |
| <i>Aucuba japonica</i> 'Variegata' Variegated Spotted Laurel | BS | 0.81 | G2 | 6-8 | 9-10A | | 0.85 | 6 |
| <i>Aurinia saxatilis</i> Basket of Gold | HP | 0.87 | G4 | 4-6 | 7-8 | | | |
| <i>Aurinia saxatilis</i> 'Citrinum' Citrinum Basket of Gold | HP | 0.88 | G4 | 4-6 | 7-8 | | | |
| <i>Aurinia saxatilis</i> 'Compacta' Compact Basket of Gold | HP | 0.81 | G4 | 4-6 | 7-8 | | | |
| <i>Aurinia saxatilis</i> 'Gold Ball' Gold Ball Basket of Gold | HP | 0.68 | G4 | 4-6 | 7-8 | | | |
| <i>Aurinia saxatilis</i> 'Gold Dust' Gold Dust Basket of Gold | HP | 0.75 | G4 | 4-6 | 7-8 | | | |
| <i>Aurinia saxatilis</i> 'Mountain Gold' Mountain Gold Basket of Gold | HP | 0.76 | G4 | 4-6 | 7-8 | | | |
| <i>Aurinia saxatilis</i> 'Sunny Border Apricot' Sunny Border Apricot Basket of Gold | HP | 0.99 | G4 | 4-6 | 7-8 | | | |
| <i>Averrhoa carambola</i> Carambola | FN | 1.61 | G1 | 10A-10B | 11 | 1.00 | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Avicennia germinans</i> Black Mangrove | BE | 0.55 | G1 | 10A-10B | 11 | 1.00 | 1.00 | 10B |
| <i>Azadirachta indica</i> Neem Tree | BE | 1.24 | G1 | 10A-10B | 11 | 1.31 | 1.08 | 10A |
| <i>Azalea</i> 'Mucronulatum' See - <i>Rhododendron mucronulatum</i> | | | | | | | | |
| <i>Azara dentata</i> No Common Name Found | HP | 0.84 | G2 | 7-8 | 9A-10B | | | |
| <i>Azara integrifolia</i> Goldspire | HP | 0.82 | G2 | 7-8 | 9A-10B | | | |
| <i>Azara integrifolia</i> 'Variegata' Variegata Goldspire | HP | 0.82 | G2 | 7-8 | 9A-10B | | | |
| <i>Azara lanceolata</i> Lanceleaf Azara | HP | 1.00 | G2 | 7-8 | 9A-10B | | | |
| <i>Azara microphylla</i> Boxleaf Azara | HP | 0.91 | G2 | 7-8 | 9A-10B | | | |
| <i>Babiana</i> Baboon Flower | HP | 1.08 | G4 | 9 | 10-11 | | | |
| <i>Babiana</i> 'Blue Gem' Blue Gem Hybrid Baboon Flower | HP | 0.99 | G4 | 9 | 10-11 | | | |
| <i>Babiana</i> 'Bright Eyes' Bright Eyes Baboon Flower | HP | 0.99 | G4 | 9 | 10-11 | | | |
| <i>Babiana</i> 'Dark Mood' Dark Mood Baboon Flower | HP | 0.99 | G4 | 9 | 10-11 | | | |
| <i>Babiana</i> 'Scintillation' Scintillation Baboon Flower | HP | 1.45 | G4 | 9 | 10-11 | | | |
| <i>Babiana</i> 'Snowdrop' Snowdrop Baboon Flower | HP | 0.99 | G4 | 9 | 10-11 | | | |
| <i>Babiana</i> 'Twilight' Twilight Baboon Flower | HP | 1.08 | G4 | 9 | 10-11 | | | |
| <i>Babiana rubrocyanea</i> No Common Name Found | HP | 0.99 | G4 | 9 | 10-11 | | | |
| <i>Babiana stricta</i> Baboon Flower | HP | 0.77 | G4 | 9 | 10-11 | | | |
| <i>Baccharis</i> Coyote Brush | BS | 0.76 | G2 | 7-8 | 9A-10B | | 1.00 | 8 |
| <i>Baccharis</i> 'Centennial' Centennial Coyote Brush | BS | 0.76 | G2 | 7-8 | 9A-10B | | 1.00 | 8 |
| <i>Baccharis angustifolia</i> See - <i>Baccharis neglecta</i> | | | | | | | | |
| <i>Baccharis halimifolia</i> Groundsel-bush | BS | 1.25 | G2 | 5-7 | 8-10B | | 0.94 | 3 |
| <i>Baccharis halimifolia</i> 'White Caps' White Caps Groundsel-bush | BS | 0.78 | G3 | 5-7 | 8-10B | | 0.94 | 3 |
| <i>Baccharis neglecta</i> Narrowleaf Baccharis | BS | 1.00 | G2 | 7-8 | 9A-10B | | 1.00 | 4 |
| <i>Baccharis pilularis</i> Dwarf Coyote Brush | BS | 1.34 | G2 | 5-8 | 9A-10B | | 1.00 | 8 |
| <i>Baccharis pilularis</i> 'Al's Blue' Al's Blue Dwarf Coyote Brush | BS | 1.05 | G2 | 5-8 | 9A-10B | | 1.00 | 8 |
| <i>Baccharis pilularis</i> 'Pigeon Point' Pigeon Point Dwarf Coyote Brush | BS | 0.79 | G2 | 5-8 | 9A-10B | | 1.00 | 8 |
| <i>Baccharis pilularis</i> 'Twin Peaks' Twin Peaks Coyote Brush | BS | 1.02 | G2 | 5-8 | 9A-10B | | 1.00 | 8 |
| <i>Baccharis pilularis</i> ssp. <i>consanguinea</i> No Common Name Found | BS | 1.37 | G2 | 5-8 | 9A-10B | | 1.00 | 8 |
| <i>Bacopa</i> 'Snowstorm' See - <i>Sutera</i> 'Blizzard' P.P. 10966 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Bacopa caroliniana</i> Carolina Water Hyssop | HP | 1.00 | G4 | 8 | 9-11 | | | |
| <i>Bacopa monnieri</i> Smooth Water Hyssop | HP | 0.73 | G4 | 6-9A | 9B-11 | | | |
| <i>Bacopa sutera</i> 'Giant Snowflake' See - <i>Sutera cordata</i> 'Novasnow' P.P. 12026 | | | | | | | | |
| <i>Bactris gasipaes</i> Peach Palm | PC | 2.41 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Baeckea virgata</i> Tall Baeckea | BS | 0.84 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Baileya multiradiata</i> Desert Marigold | HP | 1.06 | G4 | 7-8 | 9-10A | | | |
| <i>xBakerara</i> Bakerara Hybrid Orchid | FO | 2.08 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Balaka seemannii</i> No Common Name Found | PC | 3.47 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Ballota</i> Ballota | HP | 1.06 | G4 | 8-9 | 10A | | | |
| <i>Ballota</i> 'All Hallows Green' All Hallows Green Ballota | HP | 1.06 | G4 | 8-9 | 10A | | | |
| <i>Ballota pseudodictamnus</i> No Common Name Found | HP | 0.76 | G4 | 8-9 | 10A | | | |
| <i>Bambusa chungii</i> White Powdery Bamboo | BE | 2.92 | G2 | 9 | 10-11 | 1.00 | 1.85 | 9 |
| <i>Bambusa glaucescens</i> See - <i>Bambusa multiplex</i> | | | | | | | | |
| <i>Bambusa multiplex</i> Hedge Bamboo | BS | 1.16 | G2 | 9 | 10-11 | | 1.00 | 8 |
| <i>Bambusa multiplex</i> 'Alphonse Karr' Alphonse Karr Hedge Bamboo | BS | 1.58 | G2 | 9 | 10-11 | | 1.00 | 8 |
| <i>Bambusa multiplex</i> 'Featherleaf' Featherleaf Hedge Bamboo | BS | 1.56 | G2 | 9 | 10-11 | | 1.00 | 8 |
| <i>Bambusa multiplex</i> 'Fernleaf' Fernleaf Hedge Bamboo | BS | 1.41 | G2 | 9 | 10-11 | | 1.00 | 8 |
| <i>Bambusa multiplex</i> 'Golden Goddess' Golden Goddess Hedge Bamboo | BS | 1.32 | G2 | 9 | 10-11 | | 1.00 | 8 |
| <i>Bambusa multiplex</i> 'Riviereorum' Chinese Goddess Bamboo | BS | 1.52 | G2 | 9 | 10-11 | | 1.00 | 8 |
| <i>Bambusa multiplex</i> 'Silver Stripe' Silver Stripe Hedge Bamboo | BS | 1.36 | G2 | 9 | 10-11 | | 1.00 | 8 |
| <i>Bambusa multiplex</i> 'Variegata' Variegated Hedge Bamboo | BS | 1.44 | G2 | 9 | 10-11 | | 1.00 | 8 |
| <i>Bambusa oldhamii</i> Oldham Bamboo | BE | 1.64 | G2 | 9 | 10-11 | 1.00 | 1.71 | 7 |
| <i>Bambusa textilis</i> var. <i>gracilis</i> Slender Weaver's Bamboo | BE | 2.37 | G2 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Bambusa tuldooides</i> Punting Pole Bamboo | BS | 1.91 | G2 | 9-10 | 11 | | 1.00 | 10A |
| <i>Bambusa ventricosa</i> Buddha's Belly Bamboo | BE | 1.85 | G2 | 9 | 10-11 | 1.00 | 2.86 | 9 |
| <i>Bambusa vulgaris</i> Common Bamboo | BE | 1.21 | G2 | 9 | 10-11 | 1.00 | 1.34 | 8 |
| <i>Bambusa vulgaris</i> 'Vittata' Striped Bamboo | BE | 1.33 | G2 | 9 | 10-11 | 1.00 | 0.80 | 8 |
| <i>Bambusa vulgaris</i> 'Wamin' Wamin Striped Bamboo | BE | 1.87 | G2 | 9 | 10-11 | 1.00 | 1.07 | 8 |
| <i>Banksia ericifolia</i> Heath-leaved Banksia | BS | 0.90 | G2 | 9 | 10A-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Banksia praemorsa</i> Cut-leaf Banksia | BS | 0.89 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Baptisia</i> Wild Indigo | HP | 1.08 | G4 | 5-7 | 8-11 | | | |
| <i>Baptisia</i> 'Purple Smoke' Purple Smoke Hybrid False Indigo | HP | 1.08 | G4 | 5-7 | 8-11 | | | |
| <i>Baptisia alba</i> White Wild Indigo | BS | 0.78 | G4 | 5-7 | 8-9B | | 1.00 | 4 |
| <i>Baptisia australis</i> Blue Wild Indigo | BS | 0.90 | G4 | 5-7 | 8-9B | | 1.00 | 3 |
| <i>Baptisia bracteata</i> Cream False Indigo | HP | 1.63 | G4 | 5-7 | 8-9B | | | |
| <i>Baptisia lactea</i> White False Indigo | HP | 0.81 | G4 | 5-7 | 8-9B | | | |
| <i>Baptisia leucantha</i> See - <i>Baptisia lactea</i> | | | | | | | | |
| <i>Baptisia leucophaea</i> See - <i>Baptisia bracteata</i> | | | | | | | | |
| <i>Baptisia minor</i> See - <i>Baptisia australis</i> | | | | | | | | |
| <i>Baptisia pendula</i> No Common Name Found | HP | 0.82 | G4 | 7 | 8-9B | | | |
| <i>Baptisia perfoliata</i> Georgia Wild Indigo | HP | 1.00 | G4 | 7 | 8-9B | | | |
| <i>Barcella odora</i> No Common Name Found | PC | 1.00 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Barkeria</i> Barkeria Hybrid Orchid | FO | 2.08 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Barleria cristata</i> Philippine Violet | BS | 0.72 | G4 | 9B-10 | 11 | | 1.00 | 10 |
| <i>Barleria cristata</i> 'White' White Phillipine Violet | BS | 0.60 | G4 | 9B-10 | 11 | | 1.00 | 10 |
| <i>Barleria micans</i> Yellow Barleria | BS | 0.70 | G4 | 9B-10 | 11 | | 1.00 | 10 |
| <i>Barleria obtusa</i> Purple Dazzler | BS | 0.47 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Barleria obtusa</i> 'Variegata' Variegated Purple Dazzler | BS | 0.65 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Barleria repens</i> Coral Creeper | HP | 0.56 | G4 | 8-9 | 10A-11 | | | |
| <i>Barringtonia asiatica</i> Fish Poison Tree | BE | 2.45 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Barringtonia speciosa</i> See - <i>Barringtonia asiatica</i> | | | | | | | | |
| <i>Bauera rubioides</i> No Common Name Found | HP | 1.00 | G2 | 9-10A | 10B-11 | | | |
| <i>Bauhinia acuminata</i> No Common Name Found | BS | 0.88 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bauhinia alba</i> See - <i>Bauhinia variegata</i> 'Candida' | | | | | | | | |
| <i>Bauhinia blakeana</i> Hong Kong Orchid Tree | DT | 1.04 | G2 | 10A | 10B-11 | 0.81 | 0.65 | 9 |
| <i>Bauhinia corymbosa</i> Camel's Foot | GC | 2.00 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Bauhinia divaricata</i> No Common Name Found | DT | 1.59 | G2 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Bauhinia galpinii</i> Pride of the Cape | BS | 1.00 | G1 | 9B-10A | 10B-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Bauhinia lunarioides</i> Anacacho Orchid Tree | BS | 0.78 | G1 | 9B-10A | 10B-11 | | 1.00 | 8 |
| <i>Bauhinia monandra</i> No Common Name Found | DT | 1.16 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Bauhinia natalensis</i> Natal Bauhinia | BS | 1.47 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Bauhinia punctata</i> See - <i>Bauhinia galpinii</i> | | | | | | | | |
| <i>Bauhinia purpurea</i> Butterfly Tree | DT | 0.96 | G2 | 10A | 10B-11 | 1.00 | 0.49 | 9 |
| <i>Bauhinia rufescens</i> No Common Name Found | BS | 1.09 | G2 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Bauhinia sirindhorniae</i> No Common Name Found | DT | 1.00 | G1 | 9-10 | 11 | 1.00 | 1.00 | 9 |
| <i>Bauhinia tomentosa</i> St. Thomas Tree | DT | 1.12 | G2 | 10A | 10B-11 | 1.00 | 1.27 | 9 |
| <i>Bauhinia variegata</i> Orchid Tree | DT | 1.13 | G2 | 10A | 10B-11 | 1.00 | 0.46 | 9 |
| <i>Bauhinia variegata</i> 'Candida' White Orchid Tree | DT | 0.87 | G2 | 10A | 10B-11 | 1.00 | 0.65 | 9 |
| <i>Baumea rubiginosa</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-10 | | | |
| <i>Baumea rubiginosa</i> 'Variegata' Striped Rush | HP | 1.00 | G4 | 6-7 | 8-10 | | | |
| <i>xBeallara</i> Beallara Hybrid Orchid | FO | 1.88 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Beaucarnea recurvata</i> See - <i>Nolina recurvata</i> | | | | | | | | |
| <i>Beaumontia grandiflora</i> Herald's Trumpet Vine | GC | 1.47 | G2 | 10 | 11 | | 1.00 | 10 |
| <i>Beaumontia jerdoniana</i> No Common Name Found | GC | 1.00 | G2 | 10 | 11 | | 1.00 | 10 |
| <i>Beccariophoenix madagascariensis</i> No Common Name Found | PC | 2.22 | G2 | 10 | 11 | | 1.00 | 9 |
| <i>Befaria racemosa</i> See - <i>Bejaria racemosa</i> | | | | | | | | |
| <i>Begonia</i> Hybrid Begonia | FO | 0.68 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Benitochiba' Benitochiba Rex-cultorum Begonia | FO | 0.76 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Bettina Rothschild' Bettina Rothschild Rex-cultorum Begonia | FO | 0.63 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Big Mac' Big Mac Rhizomatous Begonia | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Black Velvet' Black Velvet Rhizomatous Begonia | FO | 0.62 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Boomer' Boomer Rhizomatous Begonia | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Crackling Rosie' Crackling Rosie Angel-wing Begonia | FO | 0.68 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Di-Erna' Di-Erna Begonia | FO | 0.71 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Don Miller' Don Miller Angel-wing Begonia | FO | 0.65 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Dr. Birdsey' Dr. Birdsey Rhizomatous Begonia | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Dragon Wing' Dragon Wing Angel-wing Begonia | FO | 0.59 | G3 | 8-10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Begonia</i> 'Elaine' Elaine Angel-wing Begonia | FO | 0.65 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Fireworks' Fireworks Rex-cultorum Begonia | FO | 0.76 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Flo'Belle Moseley' Flo'Belle Moseley Begonia | FO | 0.58 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Illumination Series' Illumination Series Tuberous Begonia | FO | 0.68 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Joe Hayden' Joe Hayden Rhizomatous Begonia | FO | 0.57 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Lois Burke' Lois Burke Angel-wing Begonia | FO | 0.59 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Looking Glass' Looking Glass Angel-wing Begonia | FO | 0.68 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Lospe-tu' Lospe-tu Rhizomatous Begonia | FO | 0.63 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Lucerna' Lucerna Begonia | FO | 0.73 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Magdalena Madsen' Magdalena Madsen Angel-wing Begonia | FO | 0.68 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Maurice Amy' Maurice Amy Angel-wing Begonia | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Morocco' Morocco Rhizomatous Begonia | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Mrs. Hashimoto' Mrs. Hashimoto Begonia | FO | 0.71 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Non Stop Series' Non Stop Series Semperflorens Begonia | FO | 0.63 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Orange Rubra' Orange Rubra Cane-stemmed Begonia | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Ornament Series' Ornament Series Begonia | FO | 0.68 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Panorama Series' Panorama Series Begonia | FO | 0.68 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Passing Storm' Passing Storm Rhizomatous Begonia | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Pin Up Series' Pin Up Series Begonia | FO | 0.42 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Polka Dot' Polka Dot Angel-wing Begonia | FO | 0.68 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Richmondensis' Richmond Begonia | FO | 0.44 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Sophie Cecile' Sophie Cecile Begonia | FO | 0.65 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Southern Spirit' Southern Spirit Angel-wing Begonia | FO | 0.68 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Sunbrite Pink' Sunbrite Pink Angel-wing Begonia | FO | 0.57 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Sunbrite Red' Sunbrite Red Angel-wing Begonia | FO | 0.57 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Tom Ment' Tom Ment Begonia | FO | 1.15 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Torch' Torch Angel-wing Begonia | FO | 0.50 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> 'Withlacoochee' Withlacoochee Begonia | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia bowerae</i> Eyelash Begonia | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Begonia bowerae</i> var. <i>nigramarga</i> No Common Name | FO | 0.49 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> x <i>cheimantha</i> Christmas Begonia | FO | 0.83 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Begonia coccinea</i> Angel-wing Begonia | FO | 0.71 | G3 | 8-11 | | | 1.00 | 11 |
| <i>Begonia domingensis</i> Peanut Brittle Begonia | FO | 0.65 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> x <i>erythrophylla</i> Beefsteak Begonia | FO | 0.64 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> x <i>erythrophylla</i> 'Bunchii' Bunch Beefstead Begonia | FO | 0.64 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia fuchsoides</i> Fuchsia Begonia | FO | 0.43 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia grandis</i> Hardy Begonia | HP | 0.93 | G4 | 6-8 | 9-11 | | | |
| <i>Begonia grandis</i> 'Alba' White Hardy Begonia | HP | 0.70 | G4 | 7-8 | 9-11 | | | |
| <i>Begonia heracleifolia</i> Star Begonia | FO | 0.71 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> x <i>hiemalis</i> Rieger Begonia | FO | 0.62 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Begonia masoniana</i> Iron Cross Begonia | FO | 0.50 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia nelumbiifolia</i> Lily-pad Begonia | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia nelumbiifolia</i> var. <i>rubra</i> No Common Name Found | FO | 0.63 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia odorata</i> No Common Name Found | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia popenoei</i> White Begonia | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia pustulata</i> No Common Name Found | FO | 0.63 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia pustulata</i> 'Argentea' No Common Name Found | FO | 0.63 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia reniformis</i> No Common Name Found | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia rex</i> Rex Begonia | FO | 0.50 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia</i> x <i>ricinifolia</i> Castor-bean Begonia | FO | 0.52 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia semperflorens</i> Bedding Begonia | AN | 0.89 | G3 | 6-10 | 11 | | | |
| <i>Begonia semperflorens</i> 'Ambassador Series' Ambassador Series Bedding Begonia | AN | 0.66 | G3 | 8-10 | 11 | | | |
| <i>Begonia semperflorens</i> 'Brandy' Brandy Bedding Begonia | AN | 0.93 | G3 | 8-10 | 11 | | | |
| <i>Begonia semperflorens</i> 'Charisma Pink' Charisma Pink Bedding Begonia | AN | 0.78 | G3 | 8-10 | 11 | | | |
| <i>Begonia semperflorens</i> 'Cherry Blossom' Cherry Blossom Bedding Begonia | AN | 1.13 | G3 | 8-10 | 11 | | | |
| <i>Begonia semperflorens</i> 'Cocktail Series' Cocktail Series Bedding Begonia | AN | 0.79 | G3 | 8-10 | 11 | | | |
| <i>Begonia semperflorens</i> 'Dwarf' Dwarf Bedding Begonia | AN | 0.78 | G3 | 8-10 | 11 | | | |
| <i>Begonia semperflorens</i> 'Espresso Series' Espresso Series Bedding Begonia | AN | 0.55 | G3 | 8-10 | 11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Begonia semperflorens</i> 'Gin' Gin Bedding Begonia | AN | 0.83 | G3 | 8-10 | 11 | | | |
| <i>Begonia semperflorens</i> 'Olympia Series' Olympia Series Bedding Begonia | AN | 0.75 | G3 | 8-10 | 11 | | | |
| <i>Begonia semperflorens</i> 'Prelude Series' Prelude Series Bedding Begonia | AN | 0.80 | G3 | 8-10 | 11 | | | |
| <i>Begonia semperflorens</i> 'Scarletta' Scarletta Bedding Begonia | AN | 0.75 | G3 | 8-10 | 11 | | | |
| <i>Begonia semperflorens</i> 'Senator Series' Senator Series Bedding Begonia | AN | 0.59 | G3 | 8-10 | 11 | | | |
| <i>Begonia semperflorens</i> 'Varsity Scarlet' Varsity Scarlet Bedding Begonia | AN | 0.78 | G3 | 8-10 | 11 | | | |
| <i>Begonia semperflorens</i> 'Varsity Series' Varsity Series Bedding Begonia | AN | 0.60 | G3 | 8-10 | 11 | | | |
| <i>Begonia semperflorens</i> 'Vodka' Vodka Bedding Begonia | AN | 0.83 | G3 | 8-10 | 11 | | | |
| <i>Begonia semperflorens</i> 'Whiskey' Whiskey Bedding Begonia | AN | 0.82 | G3 | 8-10 | 11 | | | |
| <i>Begonia sikkimensis</i> No Common Name Found | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Begonia sikkimensis</i> 'Gigantea' Gigantea Begonia | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Bejaria racemosa</i> Tarflower | BS | 0.90 | G2 | 7-9 | 10-11 | | 1.00 | 9 |
| <i>Belamcanda chinensis</i> Blackberry Lily | HP | 0.90 | G4 | 6-7 | 8-11 | | | |
| <i>Belamcanda chinensis</i> 'Freckle Face' Freckle Face Blackberry Lily | HP | 1.17 | G4 | 6-7 | 8-11 | | | |
| <i>Belamcanda flabellata</i> No Common Name Found | HP | 1.18 | G4 | 6-7 | 8-11 | | | |
| <i>Belamcanda flabellata</i> 'Hello Yellow' Hello Yellow Blackberry Lily | HP | 1.18 | G4 | 6-7 | 8-11 | | | |
| <i>Bellis perennis</i> English Daisy | HP | 0.81 | G4 | 4-6 | 7-8 | | | |
| <i>Bellis perennis</i> 'Monstrosa' Monstrosa English Daisy | HP | 0.68 | G4 | 4-6 | 7-8 | | | |
| <i>Bellis perennis</i> 'Pomponette' Pomponette English Daisy | HP | 0.98 | G4 | 4-6 | 7-8 | | | |
| <i>Bellis perennis</i> 'Super Enorma Giant' Super Enorma Giant English Daisy | HP | 0.79 | G4 | 4-6 | 7-8 | | | |
| <i>Bellium minutum</i> Miniature Daisy | HP | 0.68 | G4 | 8 | 9B | | | |
| <i>Beloperone guttata</i> See - <i>Justicia brandegeana</i> | | | | | | | | |
| <i>Bentinckia nicobarica</i> Bentinckia Palm | PC | 2.02 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Benzoin aestivale</i> See - <i>Lindera benzoin</i> | | | | | | | | |
| <i>Berberidopsis corallina</i> Coral Chilevine | GC | 0.91 | G2 | 8 | 9B | | 1.00 | 8 |
| <i>Berberis</i> Hybrid Barberry | DS | 1.24 | G2 | 5 | 6-8 | | 1.13 | 4 |
| <i>Berberis</i> 'Baisel' Golden Carousel® Barberry | DS | 1.36 | G2 | 5 | 6-8 | | 1.13 | 4 |
| <i>Berberis</i> 'Emerald Carousel' See - <i>Berberis</i> 'Tara' | | | | | | | | |
| <i>Berberis</i> 'Golden Carousel' See - <i>Berberis</i> 'Baisel' | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Berberis</i> 'Tara' Emerald Carousel™ Barberry | DS | 1.12 | G2 | 5 | 6-8 | | 1.13 | 4 |
| <i>Berberis aquifolium</i> See - <i>Mahonia aquifolium</i> | | | | | | | | |
| <i>Berberis buxifolia</i> Magellan Barberry | BS | 0.58 | G2 | 5 | 6-8 | | 0.83 | 5 |
| <i>Berberis buxifolia</i> 'Nana' Dwarf Magellan Barberry | BS | 0.85 | G2 | 5 | 6-8 | | 0.83 | 5 |
| <i>Berberis xchenaultii</i> See - <i>Berberis xhybrido-gagnepainii</i> 'Chenault' | | | | | | | | |
| <i>Berberis darwinii</i> Darwin's Barberry | DS | 1.00 | G2 | 6-7 | 8 | | 1.42 | 7 |
| <i>Berberis xgladwynensis</i> Gladwyne Barberry | DS | 0.96 | G2 | 5 | 6-8 | | 1.40 | 5 |
| <i>Berberis xgladwynensis</i> 'William Penn' P.P. 2212 William Penn Barberry | DS | 0.96 | G1 | 5 | 6 | | 1.40 | 5 |
| <i>Berberis xhybrido-gagnepainii</i> False Black Barberry | DS | 1.00 | G1 | 5 | 6 | | 1.00 | 5 |
| <i>Berberis xhybrido-gagnepainii</i> 'Chenault' Chenault Barberry | DS | 1.00 | G1 | 5 | 6 | | 1.00 | 5 |
| <i>Berberis julianae</i> Wintergreen Barberry | BS | 0.79 | G2 | 5-7 | 8-9B | | 0.98 | 5 |
| <i>Berberis julianae</i> 'Nana' Dwarf Wintergreen Barberry | BS | 1.30 | G2 | 5-7 | 8-9B | | 0.96 | 5 |
| <i>Berberis julianae</i> 'Sargentii' Sargent Wintergreen Barberry | BS | 0.84 | G2 | 5-7 | 8-9B | | 0.97 | 5 |
| <i>Berberis julianae</i> 'Spring Glory' Spring Glory Wintergreen Barberry | BS | 0.69 | G2 | 5 | 6-8 | | 0.97 | 5 |
| <i>Berberis koreana</i> Korean Barberry | DS | 1.39 | G2 | 5 | 6-7 | | 1.00 | 3 |
| <i>Berberis xmentorensis</i> Mentor Barberry | DS | 0.98 | G2 | 5-6 | 7-8 | | 0.84 | 5 |
| <i>Berberis nevinii</i> See - <i>Mahonia nevinii</i> | | | | | | | | |
| <i>Berberis repens</i> See - <i>Mahonia repens</i> | | | | | | | | |
| <i>Berberis xstenophylla</i> Rosemary Barberry | DS | 0.96 | G2 | 5-6 | 7-8 | | 1.42 | 5 |
| <i>Berberis xstenophylla</i> 'Irwinii' Irwin Rosemary Barberry | DS | 1.23 | G2 | 5-6 | 7-8 | | 1.42 | 5 |
| <i>Berberis xstenophylla</i> 'Nana' Dwarf Rosemary Barberry | DS | 0.96 | G2 | 5-7 | 8-9B | | 1.42 | 5 |
| <i>Berberis thunbergii</i> Japanese Barberry | DS | 0.87 | G2 | 4-7 | 8-9B | | 0.75 | 4 |
| <i>Berberis thunbergii</i> 'Angel Ring' Angel Ring Japanese Barberry | DS | 1.20 | G2 | 3-4 | 5-9B | | 1.28 | 4 |
| <i>Berberis thunbergii</i> 'Aurea Nana' Dwarf Golden Barberry | DS | 0.96 | G2 | 3-4 | 5-9B | | 1.28 | 4 |
| <i>Berberis thunbergii</i> 'Aurea' Golden Japanese Barberry | DS | 0.88 | G2 | 4-7 | 8-9B | | 1.26 | 4 |
| <i>Berberis thunbergii</i> 'Bailgreen' Jade Carousel® Japanese Barberry | DS | 1.21 | G2 | 5-7 | 8-9B | | 1.28 | 4 |
| <i>Berberis thunbergii</i> 'Bailone' Ruby Carousel™ Japanese Barberry | DS | 1.09 | G2 | 4-7 | 8-9B | | 0.89 | 4 |
| <i>Berberis thunbergii</i> 'Baitwo' Burgundy Carousel™ Japanese Barberry | DS | 1.10 | G2 | 4-7 | 8-9B | | 1.58 | 4 |
| <i>Berberis thunbergii</i> 'Bogozam' P.P. 8215 Bonanza Gold™ Golden Pygmy Japanese Barberry | DS | 1.26 | G2 | 4-7 | 8-9B | | 1.54 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Berberis thunbergii</i> 'Bonanza Gold' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Bogozam' P.P. 8215 | | | | | | | | |
| <i>Berberis thunbergii</i> 'Burgundy Carousel' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Bailtwo' | | | | | | | | |
| <i>Berberis thunbergii</i> 'Cherry Bomb' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Monomb' | | | | | | | | |
| <i>Berberis thunbergii</i> 'Crimson Ruby' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Criruzam' | | | | | | | | |
| <i>Berberis thunbergii</i> 'Criruzam' | DS | 1.14 | G2 | 4-7 | 8-9B | | 1.28 | 4 |
| Crimson Ruby™ Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Erecta' | DS | 0.97 | G2 | 6-7 | 8-9B | | 1.28 | 4 |
| Erect Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Gentry' P.P. 9461 | DS | 0.97 | G2 | 6-7 | 8-9B | | 1.28 | 4 |
| Royal Burgundy™ Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Globe' | DS | 1.11 | G2 | 4-7 | 8-9B | | 1.28 | 4 |
| Globe Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Golden Nugget' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Monlers' P.P. 9577 | | | | | | | | |
| <i>Berberis thunbergii</i> 'Inermis' | DS | 1.11 | G2 | 4-7 | 8-9B | | 1.28 | 4 |
| Thornless Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Jade Carousel' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Bailgreen' | | | | | | | | |
| <i>Berberis thunbergii</i> 'Kobold' P.P. 3038 | DS | 1.04 | G2 | 4-7 | 8-9B | | 1.47 | 4 |
| Kobold Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Lustre Green' | DS | 0.89 | G2 | 4-7 | 8-9B | | 1.28 | 4 |
| Lustre Green Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Monlers' P.P. 9577 | DS | 1.53 | G2 | 4-7 | 8-9B | | 1.28 | 4 |
| Golden Nugget™ Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Monomb' | DS | 1.58 | G2 | 4-7 | 8-9B | | 1.28 | 4 |
| Cherry Bomb™ Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Monry' P.P. 11332 | DS | 1.30 | G2 | 5-7 | 8-9B | | 1.28 | 4 |
| Sunsation™ Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Pow-wow' | DS | 1.11 | G2 | 5-7 | 8-9B | | 1.28 | 4 |
| Pow-wow Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Royal Burgundy' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Gentry' P.P. 9461 | | | | | | | | |
| <i>Berberis thunbergii</i> 'Ruby Carousel' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Bailone' | | | | | | | | |
| <i>Berberis thunbergii</i> 'Silver Mile' | DS | 0.46 | G2 | 5-7 | 8-9B | | 1.28 | 4 |
| Silver Mile Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Sparkle' | DS | 1.46 | G2 | 4-7 | 8-9B | | 1.44 | 4 |
| Sparkle Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Sunsation' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Monry' P.P. 11332 | | | | | | | | |
| <i>Berberis thunbergii</i> 'Truehedge' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Erecta' | | | | | | | | |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> | DS | 0.83 | G2 | 4-7 | 8-9B | | 0.72 | 4 |
| Red Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Bagatelle' | DS | 1.18 | G2 | 4-7 | 8-9B | | 1.03 | 4 |
| Bagatelle Red Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Concorde' | DS | 1.03 | G2 | 5-7 | 8-9B | | 1.03 | 4 |
| Concorde Red Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Crimson Pygmy' | DS | 0.86 | G2 | 4-7 | 8-9B | | 1.19 | 4 |
| Crimson Pygmy Red Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Crimson Velvet' | DS | 1.11 | G2 | 4-7 | 8-9B | | 1.03 | 4 |
| Crimson Velvet Red Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Golden Ring' | DS | 0.88 | G2 | 4-7 | 8-9B | | 1.06 | 4 |
| Golden Ring Red Barberry | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Helmond Pillar' Helmond Pillar Red Barberry | DS | 0.83 | G2 | 4-7 | 8-9B | | 1.03 | 4 |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Intermedia' Intermedia Red Barberry | DS | 1.59 | G2 | 4-7 | 8-9B | | 1.29 | 4 |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Marshall Upright' Marshall Upright Red Barberry | DS | 1.06 | G2 | 4-7 | 8-9B | | 0.88 | 4 |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Nana' See - <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Crimson Pygmy' | | | | | | | | |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Prostrata' Prostrata Red Barberry | DS | 1.22 | G2 | 4-7 | 8-9B | | 1.03 | 4 |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Rose Glow' Rose Glow Red Barberry | DS | 0.88 | G2 | 4-7 | 8-9B | | 1.03 | 4 |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Royal Cloak' Royal Cloak Red Barberry | DS | 1.29 | G2 | 3-4 | 5-9B | | 1.03 | 4 |
| <i>Berberis triacanthophora</i> See - <i>Berberis wisleyensis</i> | | | | | | | | |
| <i>Berberis verruculosa</i> Warty Barberry | DS | 0.84 | G2 | 4-6 | 7 | | 1.41 | 5 |
| <i>Berberis verruculosa</i> 'Apricot Queen' Apricot Queen Warty Barberry | DS | 0.96 | G2 | 4-6 | 7 | | 1.41 | 5 |
| <i>Berberis vulgaris</i> Common Barberry | DS | 1.00 | G2 | 3-5 | 6-7 | | 1.00 | 3 |
| <i>Berberis wisleyensis</i> Threespine Barberry | DS | 1.43 | G2 | 5-6 | 7-8 | | 1.49 | 5 |
| <i>Bergenia</i> Bergenia | HP | 1.22 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia</i> 'Abendglocken' Abendglocken Bergenia | HP | 1.43 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia</i> 'Abendglut' Abendflut Bergenia | HP | 1.28 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia</i> 'Baby Doll' Baby Doll Bergenia | HP | 1.52 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia</i> 'Bressingham Ruby' P.P. 7344 Bressingham Ruby Bergenia | HP | 1.36 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia</i> 'Bressingham Salmon' Bressingham Salmon Bergenia | HP | 0.73 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia</i> 'Bressingham White' Bressingham White Bergenia | HP | 1.14 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia</i> 'Eden's Dark Margin' Eden's Dark Margin Bergenia | HP | 1.57 | G4 | 2-3 | 4-8 | | | |
| <i>Bergenia</i> 'Eden's Magic Giant' Eden's Magic Giant Bergenia | HP | 1.52 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia</i> 'Eroica' Eroica Bergenia | HP | 0.91 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia</i> 'Morning Red' Morning Red Bergenia | HP | 0.84 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia</i> 'Red Start' Red Start Bergenia | HP | 1.22 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia</i> 'Silberlicht' Silberlicht Heart-leaf Bergenia | HP | 1.44 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia</i> 'Sunningdale' Sunningdale Bergenia | HP | 0.86 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia cordifolia</i> Heart-Leaf Bergenia | HP | 1.08 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia cordifolia</i> 'Perfecta' Perfecta Heart-Leaf Bergenia | HP | 0.98 | G4 | 3-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Bergenia cordifolia</i> 'Rotblum' Rotblum Heart-Leaf Bergenia | HP | 1.05 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia cordifolia</i> 'Winterglut' Winterglut Heart-leaf Bergenia | HP | 1.16 | G4 | 2-3 | 4-8 | | | |
| <i>Bergenia crassifolia</i> Siberian Tea Bergenia | HP | 0.84 | G4 | 3-6 | 7-8 | | | |
| <i>Bergenia purpurascens</i> Purple Bergenia | HP | 1.18 | G4 | 3-6 | 7-8 | | | |
| <i>Beschorneria yuccoides</i> No Common Name Found | BS | 0.88 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Besseyia alpina</i> No Common Name Found | HP | 1.00 | G4 | 2-3 | 4-7 | | | |
| <i>Betula</i> Hybrid Birch | DT | 1.17 | G2 | 3-5 | 6-9 | 1.32 | 1.31 | 2 |
| <i>Betula</i> 'Avalanche' See - <i>Betula</i> 'Avalzam' | | | | | | | | |
| <i>Betula</i> 'Avalzam' Avalanche® White Birch | DT | 0.95 | G2 | 2-6 | 7-8 | 1.65 | 0.99 | 2 |
| <i>Betula</i> 'Crimson Frost' Crimson Frost White Birch | DT | 1.06 | G2 | 4-5 | 6 | 1.22 | 1.07 | 5 |
| <i>Betula</i> 'Madison' White Satin™ White Birch | DT | 1.17 | G2 | 4-5 | 6-7 | 1.32 | 1.31 | 5 |
| <i>Betula</i> 'Royal Frost' Royal Frost Hybrid Birch | DT | 1.49 | G2 | 2-6 | 7-8 | 1.09 | 1.86 | 4 |
| <i>Betula</i> 'White Satin' See - <i>Betula</i> 'Madison' | | | | | | | | |
| <i>Betula alba</i> See - <i>Betula pendula</i> | | | | | | | | |
| <i>Betula albosinensis</i> Chinese Red Birch | DT | 1.07 | G2 | 7 | 8-9B | 0.72 | 1.00 | 5 |
| <i>Betula alleghaniensis</i> Yellow Birch | DT | 1.74 | G2 | 2-3 | 4-7 | 1.00 | 1.00 | 3 |
| <i>Betula chinensis</i> No Common Name Found | DT | 1.00 | G2 | 3-5 | 6-9 | 1.00 | 1.00 | 4 |
| <i>Betula costata</i> No Common Name Found | DT | 1.00 | G2 | 4-7 | 8-9B | 1.02 | 1.00 | 6 |
| <i>Betula davurica</i> Asian Black Birch | DT | 1.07 | G2 | 2-3 | 4-7 | 1.00 | 1.00 | 3 |
| <i>Betula ermanii</i> Erman's Birch | DT | 1.00 | G2 | 2-3 | 4-6 | 1.00 | 1.00 | 2 |
| <i>Betula fontinalis</i> Water Birch | DT | 1.06 | G2 | 3-4 | 5-6 | 1.00 | 1.46 | 4 |
| <i>Betula glandulifera</i> Swamp Birch | DT | 0.69 | G2 | 3-4 | 5-7 | 1.00 | 1.00 | 4 |
| <i>Betula glandulosa</i> Bog Birch | DT | 0.88 | G2 | 2-3 | 4-6 | 1.00 | 1.00 | 1 |
| <i>Betula Jacquemontii</i> See - <i>Betula utilis</i> var. <i>Jacquemontii</i> | | | | | | | | |
| <i>Betula lenta</i> Sweet Birch | DT | 1.01 | G2 | 2-3 | 4-8 | 0.74 | 1.50 | 3 |
| <i>Betula lutea</i> See - <i>Betula alleghaniensis</i> | | | | | | | | |
| <i>Betula maximowicziana</i> Monarch Birch | DT | 1.00 | G2 | 5-6 | 7 | 1.00 | 0.76 | 6 |
| <i>Betula nana</i> Dwarf Arctic Birch | DS | 1.88 | G2 | 2-3 | 4-6 | | 1.00 | 2 |
| <i>Betula neolaskana</i> Alaska Paper Birch | DT | 1.00 | G2 | 2-6 | 7-9A | 1.00 | 1.00 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Betula nigra</i> River Birch | DT | 0.92 | G2 | 4-7 | 8-9B | 0.85 | 0.86 | 4 |
| <i>Betula nigra</i> 'BNMTF' Dura Heat® River Birch | DT | 0.96 | G2 | 4-7 | 8-9B | 1.07 | 1.02 | 4 |
| <i>Betula nigra</i> 'Cully Improved' Heritage Improved River Birch | DT | 0.95 | G2 | 4-7 | 8-9B | 1.02 | 0.85 | 4 |
| <i>Betula nigra</i> 'Cully' P.P. 4409 Heritage® River Birch | DT | 0.97 | G2 | 4-7 | 8-9B | 0.96 | 0.90 | 4 |
| <i>Betula nigra</i> 'Dura Heat' See - <i>Betula nigra</i> 'BNMTF' | | | | | | | | |
| <i>Betula nigra</i> 'Fox Valley' See - <i>Betula nigra</i> 'Little King' | | | | | | | | |
| <i>Betula nigra</i> 'Heritage Improved' See - <i>Betula nigra</i> 'Cully Improved' | | | | | | | | |
| <i>Betula nigra</i> 'Heritage' See - <i>Betula nigra</i> 'Cully' P.P. 4409 | | | | | | | | |
| <i>Betula nigra</i> 'Little King' Fox Valley™ Dwarf River Birch | DT | 1.13 | G2 | 4-7 | 8-9B | 1.02 | 2.70 | 4 |
| <i>Betula nigra</i> 'Minor' See - <i>Betula nigra</i> 'Little King' | | | | | | | | |
| <i>Betula nigra</i> 'Tecumseh Compact' Tecumseh Compact™ River Birch | DT | 0.99 | G2 | 4-7 | 8-9B | 1.19 | 2.12 | 4 |
| <i>Betula occidentalis</i> See - <i>Betula fontinalis</i> | | | | | | | | |
| <i>Betula papyrifera</i> Paper Birch | DT | 0.89 | G2 | 2-6 | 7-9A | 1.15 | 0.82 | 2 |
| <i>Betula papyrifera</i> 'Renaissance Reflection' See - <i>Betula papyrifera</i> 'Renci' P.P. 12768 | | | | | | | | |
| <i>Betula papyrifera</i> 'Renaissance Upright' See - <i>Betula papyrifera</i> 'Uenci' P.P. 12767 | | | | | | | | |
| <i>Betula papyrifera</i> 'Renci' P.P. 12768 Renaissance Reflection™ Paper Birch | DT | 1.47 | G2 | 1-2 | 3-7 | 1.11 | 1.33 | 2 |
| <i>Betula papyrifera</i> 'Uenci' P.P. 12767 Renaissance Upright™ Paper Birch | DT | 1.18 | G2 | 1-2 | 3-7 | 1.13 | 0.93 | 2 |
| <i>Betula papyrifera</i> var. <i>kenaica</i> Kenai Paper Birch | DT | 1.00 | G2 | 2-6 | 7-9A | 0.85 | 0.38 | 2 |
| <i>Betula papyrifera</i> var. <i>neoalaskana</i> See - <i>Betula neoalaskana</i> | | | | | | | | |
| <i>Betula pendula</i> European White Birch | DT | 0.94 | G2 | 2-6 | 7-8 | 0.88 | 0.60 | 1 |
| <i>Betula pendula</i> 'Dalecarlica' Cutleaf European White Birch | DT | 1.16 | G2 | 2-6 | 7-8 | 1.06 | 0.21 | 1 |
| <i>Betula pendula</i> 'Fastigiata' Pyramidal European White Birch | DT | 1.39 | G2 | 2-6 | 7-8 | 1.19 | 1.44 | 1 |
| <i>Betula pendula</i> 'Gracilis' Weeping Cutleaf European White Birch | DT | 1.92 | G2 | 2-6 | 7-8 | 1.19 | 0.31 | 1 |
| <i>Betula pendula</i> 'Laciniata' See - <i>Betula pendula</i> 'Dalecarlica' | | | | | | | | |
| <i>Betula pendula</i> 'Monle' Purple Rain™ European White Birch | DT | 1.93 | G2 | 2-6 | 7-8 | 1.59 | 1.44 | 1 |
| <i>Betula pendula</i> 'Purple Rain' See - <i>Betula pendula</i> 'Monle' | | | | | | | | |
| <i>Betula pendula</i> 'Purple Splendor' P.P. 2107 Purple Splendor European White Birch | DT | 1.39 | G2 | 2-6 | 7-8 | 1.19 | 1.44 | 1 |
| <i>Betula pendula</i> 'Purpurea' Purple-leaf European White Birch | DT | 0.91 | G2 | 2-6 | 7-8 | 1.17 | 3.74 | 1 |
| <i>Betula pendula</i> 'Rockimon' P.P. 6192 Rocky Mountain Splendor™ European White Birch | DT | 0.86 | G2 | 2-6 | 7-8 | 1.19 | 0.96 | 1 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Betula pendula</i> 'Rocky Mountain Splendor' See - <i>Betula pendula</i> 'Rockimon' P.P. 6192 | | | | | | | | |
| <i>Betula pendula</i> 'Trost Dwarf' Trost Dwarf European White Birch | DT | 1.74 | G2 | 2-6 | 7-8 | 1.19 | 3.57 | 1 |
| <i>Betula pendula</i> 'Youngii' Young's Weeping European White Birch | DT | 1.65 | G2 | 2-6 | 7-8 | 1.25 | 0.67 | 1 |
| <i>Betula platyphylla</i> Asian White Birch | DT | 1.00 | G2 | 4-5 | 6 | 1.00 | 0.56 | 4 |
| <i>Betula platyphylla</i> var. <i>japonica</i> Japanese White Birch | DT | 0.66 | G2 | 4-5 | 6 | 1.02 | 0.55 | 4 |
| <i>Betula platyphylla</i> var. <i>japonica</i> 'Whitespire' See - <i>Betula populifolia</i> 'Whitespire' | | | | | | | | |
| <i>Betula populifolia</i> Gray Birch | DT | 0.95 | G2 | 3-6 | 7 | 0.73 | 0.69 | 3 |
| <i>Betula populifolia</i> 'Whitespire' Whitespire Birch | DT | 1.13 | G2 | 4-5 | 6 | 0.83 | 1.12 | 3 |
| <i>Betula populifolia</i> 'Whitespire, Sr.' Whitespire, Sr. Birch | DT | 0.87 | G2 | 4-5 | 6 | 0.63 | 1.07 | 3 |
| <i>Betula pumila</i> Low Birch | DT | 0.87 | G2 | 2 | 3-6 | 1.00 | 1.00 | 2 |
| <i>Betula szechuanica</i> Chinese White Birch | DT | 0.45 | G2 | 4-5 | 6 | 1.00 | 0.98 | 5 |
| <i>Betula utilis</i> Himalaya Birch | DT | 1.00 | G2 | 7-8 | 9 | 1.00 | 2.21 | 5 |
| <i>Betula utilis</i> var. <i>jacquemontii</i> Whitebarked Himalaya Birch | DT | 1.10 | G2 | 6-8 | 9 | 1.05 | 0.95 | 5 |
| <i>Bidens aequisquama</i> No Common Name Found | AN | 0.92 | G4 | 7-8 | 9-10 | | | |
| <i>Bidens ferulifolia</i> No Common Name Found | AN | 1.07 | G4 | 7-8 | 9-10 | | | |
| <i>Bidens ferulifolia</i> 'Goldie' Goldie Beggar-ticks | AN | 1.07 | G4 | 7-8 | 9-10 | | | |
| <i>Bidens ferulifolia</i> 'Goldmarie' Goldmarie Beggar-ticks | AN | 1.07 | G4 | 7-8 | 9-10 | | | |
| <i>Bidens triplinervia</i> Beggar-ticks | HP | 0.75 | G4 | 8-10A | 10B-11 | | | |
| <i>Bignonia capreolata</i> Crossvine | DT | 0.73 | G2 | 6-7 | 8-10B | 1.00 | 1.00 | 6 |
| <i>Bignonia capreolata</i> 'Crimson Trumpet' P.P. 4119 Crimson Trumpet Crossvine | GC | 0.94 | G2 | 6-7 | 8-9A | | 1.00 | 6 |
| <i>Bignonia capreolata</i> 'Dragon Lady' Dragon Lady Crossvine | GC | 1.27 | G2 | 6-7 | 8-9A | | 1.00 | 6 |
| <i>Bignonia capreolata</i> 'Jekyll' Jekyll Crossvine | GC | 0.81 | G2 | 6-7 | 8-9A | | 1.00 | 6 |
| <i>Bignonia capreolata</i> 'Shalimar Red' Shalimar Red Crossvine | GC | 0.84 | G2 | 6-7 | 8-9A | | 1.00 | 6 |
| <i>Bignonia capreolata</i> 'Tangerine Beauty' Tangerine Beauty Crossvine | GC | 0.88 | G2 | 6-7 | 8-10B | | 1.00 | 6 |
| <i>Bignonia capreolata</i> 'Yellow Trumpet' Yellow Trumpet Crossvine | GC | 0.88 | G2 | 6-7 | 8-9A | | 1.00 | 6 |
| <i>Bignonia cherere</i> See - <i>Distictis buccinatoria</i> | | | | | | | | |
| <i>Bignonia tweediana</i> See - <i>Macfadyena unguis-cati</i> | | | | | | | | |
| <i>Bignonia violacea</i> See - <i>Clytostoma callistegioides</i> | | | | | | | | |
| <i>Billbergia</i> Billbergia | FO | 0.76 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Billbergia</i> 'Muriel Waterman' Muriel Waterman Hybrid Billbergia | FO | 0.76 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Billbergia nutans</i> Queen's Tears | FO | 0.76 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Billbergia pyramidalis</i> var. <i>concolor</i> Foolproof Plant | FO | 1.15 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Bischofia javanica</i> Toog | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Bismarckia nobilis</i> Bismark Palm | PC | 5.02 | G1 | 9-10 | 11 | | 2.84 | 10A |
| <i>Bixa orellana</i> Lipstick Tree | BE | 0.83 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Blechnum brasiliense</i> Brazilian Tree Fern | FO | 0.70 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Blechnum gibbum</i> Miniature Tree Fern | FO | 0.88 | G3 | 6-9B | 10-11 | | 1.00 | 9 |
| <i>Blechnum gibbum</i> 'Silver Lady' Silver Lady Miniature Tree Fern | FO | 0.72 | G3 | 6-9B | 10-11 | | 1.00 | 9 |
| <i>Blechnum indicum</i> Saw Fern | HP | 0.63 | G4 | 8-9B | 10-11 | | | |
| <i>Blechnum penna-marina</i> No Common Name Found | HP | 0.94 | G4 | 8-9 | 10A-11 | | | |
| <i>Blechnum serrulatum</i> See - <i>Blechnum indicum</i> | | | | | | | | |
| <i>Blechnum spicant</i> Deer Fern | HP | 1.07 | G4 | 5-7 | 8-9 | | | |
| <i>Blephilia ciliata</i> Ohio Horse Mint | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Blephilia hirsuta</i> Wood Mint | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Bletilla</i> Bletilla Hybrid Orchid | HP | 1.00 | G4 | 7 | 8-11 | | | |
| <i>Bletilla striata</i> Chinese Ground Orchid | HP | 1.64 | G4 | 6-7 | 8-10B | | | |
| <i>Blighia sapida</i> Akee | BE | 1.46 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Boesenbergia aurantiaca</i> Golden Trumpet | HP | 1.07 | G4 | 8-9B | 10A-11 | | | |
| <i>Boesenbergia rotunda</i> Chinese Keys | HP | 1.21 | G4 | 8-10 | 11 | | | |
| <i>Bolax glebaria</i> See - <i>Bolax gummifera</i> | | | | | | | | |
| <i>Bolax gummifera</i> No Common Name Found | HP | 0.83 | G4 | 4-5 | 6-7 | | | |
| <i>Boltonia asteroides</i> White Boltonia | HP | 0.81 | G4 | 4-6 | 7-8 | | | |
| <i>Boltonia asteroides</i> 'Pink Beauty' Pink Beauty White Boltonia | HP | 0.92 | G4 | 4-6 | 7-8 | | | |
| <i>Boltonia asteroides</i> 'Snowbank' Snowbank White Boltonia | HP | 0.94 | G4 | 4-6 | 7-8 | | | |
| <i>Boltonia asteroides</i> var. <i>latisquama</i> False Aster | HP | 0.90 | G4 | 4-6 | 7-8 | | | |
| <i>Boltonia asteroides</i> var. <i>latisquama</i> 'Nana' Dwarf False Aster | HP | 0.90 | G4 | 4-6 | 7-8 | | | |
| <i>Bolusanthus speciosus</i> Wild Wisteria | BE | 1.11 | G2 | 8-9B | 10-11 | 1.00 | 1.00 | 9 |
| <i>Bomarea frondea</i> No Common Name Found | HP | 1.08 | G4 | 8-9 | 10A-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Bombax ceiba</i> Red Silk-cotton Tree | BE | 1.31 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Bombax glabra</i> Malabar Chestnut | BE | 1.13 | G2 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Borago officinalis</i> Talewort | HP | 0.72 | G4 | 7 | 8-9A | | | |
| <i>Borago officinalis</i> 'Alba' White Talewort | HP | 0.72 | G4 | 7 | 8-9A | | | |
| <i>Borassodendron machodonis</i> No Common Name Found | PC | 3.29 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Borassus flabellifer</i> Palmyra Palm | PC | 2.78 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Boronia denticulata</i> No Common Name Found | BS | 0.78 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Boronia heterophylla</i> Red Boronia | HP | 1.09 | G2 | 8-9 | 10A-11 | | | |
| <i>Boronia megastigma</i> Scented Boronia | BS | 0.99 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Borrichia frutescens</i> No Common Name Found | BS | 0.55 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Bothriochloa barbinodis</i> Cone Bluestem | HP | 1.37 | G4 | 5-6 | 7-11 | | | |
| <i>Bothriochloa saccharoides</i> See - <i>Andropogon saccharoides</i> | | | | | | | | |
| <i>Bougainvillea</i> Bougainvillea | BS | 1.08 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Abearl' Pink Pearl™ Bougainvillea | BS | 1.51 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Afterglow' Afterglow Bougainvillea | BS | 0.89 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Alba' White Bougainvillea | BS | 0.85 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Barbara Karst' Barbara Karst Bougainvillea | BS | 1.30 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Camarillo Fiesta' See - <i>Bougainvillea</i> 'Monle' | | | | | | | | |
| <i>Bougainvillea</i> 'Carmensita' Carmensita Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Cherry Blossom' P.P. 3004 Cherry Blossom Bougainvillea | BS | 1.35 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Crimson Jewel' See - <i>Bougainvillea</i> 'Monon' P.P. 2075 | | | | | | | | |
| <i>Bougainvillea</i> 'Don Mario' See - <i>Bougainvillea</i> 'Monio' P.P. 4995 | | | | | | | | |
| <i>Bougainvillea</i> 'Doubloon' Doubloon Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Elizabeth Angus' Elizabeth Angus Bougainvillea | BS | 0.91 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Fiesta' Fiesta Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Flame Glow' Flame Glow Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Gerry's Orange' Gerry's Orange Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Helen Johnson' Helen Johnson Bougainvillea | BS | 0.71 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Isabelle' Isabelle Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Bougainvillea</i> 'Jamaica Red' Jamaica Red Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Jamaica White' See - <i>Bougainvillea</i> 'Monca' | | | | | | | | |
| <i>Bougainvillea</i> 'James Walker' James Walker Bougainvillea | BS | 1.04 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Juanita Hatten' Juanita Hatten Bougainvillea | BS | 1.23 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'La Jolla' La Jolla Bougainvillea | BS | 1.14 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Lavender Queen' Lavender Queen Bougainvillea | BS | 1.10 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Manila Red' P.P. 2630 Manila Red Bougainvillea | BS | 1.09 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Mardi Gras' Mardi Gras Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Mary Palmer's Enchantment' Mary Palmer's Enchantment Bougainvillea | BS | 0.99 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Miami Pink' Miami Pink Bougainvillea | BS | 0.96 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Monan' Tahitian Dawn™ Bougainvillea | BS | 1.35 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Monas' Texas Dawn™ Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Monca' Jamaica White™ Bougainvillea | BS | 0.86 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Moneth' Purple Queen™ Bougainvillea | BS | 1.29 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Monio' P.P. 4995 Don Mario™ Bougainvillea | BS | 0.99 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Monka' P.P. 6959 Oo-La-La™ Bougainvillea | BS | 1.19 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Monle' Camarillo Fiesta™ Bougainvillea | BS | 0.96 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Monon' P.P. 2075 Crimson Jewel™ Bougainvillea | BS | 0.91 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Ms. Alice' See - <i>Bougainvillea</i> 'Singapore White' | | | | | | | | |
| <i>Bougainvillea</i> 'Oo-La-La' See - <i>Bougainvillea</i> 'Monka' P.P. 6959 | | | | | | | | |
| <i>Bougainvillea</i> 'Orange Gold' Orange Gold Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Orange Ice' Orange Ice Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Orange King' Orange King Bougainvillea | BS | 1.14 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Pink Dream' Pink Dream Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Pink Pearl' See - <i>Bougainvillea</i> 'Abearl' | | | | | | | | |
| <i>Bougainvillea</i> 'Pixie Pink' Pixie Pink Bougainvillea | BS | 0.49 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Purple Passion' Purple Passion Bougainvillea | BS | 1.17 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Purple Queen' See - <i>Bougainvillea</i> 'Moneth' | | | | | | | | |
| <i>Bougainvillea</i> 'Raspberry Ice' Raspberry Ice Bougainvillea | BS | 1.25 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Bougainvillea</i> 'Rosea' Rose Bougainvillea | BS | 0.89 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Rosenka' Rosenka Bougainvillea | BS | 1.15 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Rosey Lavender' Rosey Lavender Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Royal Purple' Royal Purple Bougainvillea | BS | 1.12 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'San Diego Red' San Diego Red Bougainvillea | BS | 1.03 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Silhouette' See - <i>Bougainvillea</i> 'Singapore Pink' | | | | | | | | |
| <i>Bougainvillea</i> 'Singapore Pink' Silhouette™ Singapore Bougainvillea | BS | 1.05 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Singapore White' Ms. Alice™ Singapore Bougainvillea | BS | 0.94 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Southern Rose' Southern Rose Bougainvillea | BS | 1.29 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Sundown Orange' Sundown Orange Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Surprise' Surprise Bougainvillea | BS | 0.97 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Tahitian Dawn' See - <i>Bougainvillea</i> 'Monan' | | | | | | | | |
| <i>Bougainvillea</i> 'Tahitian Maid' P.P. 3029 Tahitian Maid Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Temple Fire' Temple Fire Bougainvillea | BS | 0.88 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Texas Dawn' See - <i>Bougainvillea</i> 'Monas' | | | | | | | | |
| <i>Bougainvillea</i> 'Torch Glow' P.P. 6349 Torch Glow™ Bougainvillea | BS | 1.60 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Vicky' Vicky Bougainvillea | BS | 1.18 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Wendy Nagle' Wendy Nagle Bougainvillea | BS | 1.08 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'White Madonna' White Madonna Bougainvillea | BS | 1.38 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea arborea</i> Thornless Bougainvillea | BS | 1.03 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea brasiliensis</i> See - <i>Bougainvillea spectabilis</i> | | | | | | | | |
| <i>Bougainvillea xbuttiana</i> No Common Name Found | BS | 1.31 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea xbuttiana</i> 'Audrey Grey' Audrey Grey Bougainvillea | BS | 1.14 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea xbuttiana</i> 'Golden Glow' Golden Glow Bougainvillea | BS | 0.97 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea glabra</i> No Common Name Found | BS | 0.96 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea glabra</i> 'Rainbow' Rainbow Bougainvillea | BS | 0.96 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bougainvillea spectabilis</i> Brazil Bougainvillea | BS | 0.92 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Bouyeria succulenta</i> Strongbark | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Bouteloua curtipendula</i> Sideoats Grama | HP | 1.19 | G4 | 6-7 | 8-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Bouteloua gracilis</i> Blue Grama Grass | HP | 0.80 | G4 | 8 | 9A-11 | | | |
| <i>Bouteloua hirsuta</i> Hairy Grama Grass | HP | 1.00 | G4 | 8 | 9A-11 | | | |
| <i>Bouvardia ternifolia</i> Scarlet Trompetilla | HP | 0.81 | G4 | 7-9 | 10-11 | | | |
| <i>Bowenia serrulata</i> No Common Name Found | PC | 3.55 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Bowenia spectabilis</i> No Common Name Found | PC | 3.55 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Boykinia jamesii</i> James Boykinia | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Brachychiton acerifolius</i> Flame Tree | DT | 1.03 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Brachychiton discolor</i> Scrub Bottle tree | DT | 0.98 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Brachychiton x hybridus</i> Hybrid Flame Tree | DT | 0.70 | G2 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Brachychiton x hybridus</i> 'Majestic Beauty' See - <i>Brachychiton x hybridus</i> 'Monton' | DT | 0.70 | G2 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Brachychiton populneus</i> Kurrajong Bottle tree | BE | 0.99 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Brachychiton populneus</i> 'Emerald King' See - <i>Brachychiton populneus</i> 'Monin' P.P.A.F. | BE | 0.99 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Brachychiton populneus</i> 'Monin' P.P.A.F. Emerald King™ Kurrajong Bottle tree | BE | 0.99 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Brachychiton rupestris</i> Queensland Bottle tree | BE | 1.03 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Brachycome</i> Swan River Daisy | AN | 0.99 | G2 | 7-10A | 10B-11 | | | |
| <i>Brachycome</i> 'Billabong Lavender' Billabong Lavender Swan River Daisy | AN | 0.85 | G2 | 9B-10A | 10B-11 | | | |
| <i>Brachycome</i> 'Jumbo Mauve' Jumbo Mauve Swan River Daisy | AN | 1.04 | G2 | 9B-10A | 10B-11 | | | |
| <i>Brachycome</i> 'Toucan Tango' P.P. 10343 Toucan Tango Swan River Daisy | AN | 1.09 | G2 | 7-8 | 9-11 | | | |
| <i>Brachycome diversifolia</i> No Common Name Found | AN | 1.07 | G2 | 10A | 10B-11 | | | |
| <i>Brachycome iberidifolia</i> Swan River Daisy | HP | 1.23 | G2 | 8-9B | 10A-11 | | | |
| <i>Brachycome iberidifolia</i> 'Ultra' P.P.A.F. Ultra Swan River Daisy | HP | 0.80 | G2 | 8-9B | 10A-11 | | | |
| <i>Brachycome iberidifolia</i> 'White Splendor' White Splendor Swan River Daisy | HP | 1.02 | G4 | 8-9B | 10A-11 | | | |
| <i>Brachycome melanocarpa</i> No Common Name Found | HP | 0.69 | G2 | 9B-10A | 10B-11 | | | |
| <i>Brachycome melanocarpa</i> 'Pink Swirl' Pink Swirl Swan River Daisy | HP | 0.69 | G2 | 9B-10A | 10B-11 | | | |
| <i>Brachycome multifida</i> Rock Daisy | HP | 0.75 | G4 | 8-9B | 10A-11 | | | |
| <i>Brachycome multifida</i> 'Lemon Mist' Lemon Mist Rock Daisy | HP | 0.72 | G4 | 8-9B | 10A-11 | | | |
| <i>Brachycome multifida</i> 'Moonlight' Moonlight Swan River Daisy | HP | 0.68 | G4 | 8-9B | 10A-11 | | | |
| <i>Brachycome multifida</i> var. <i>dilatata</i> Cutleaf Swan River Daisy | HP | 0.68 | G4 | 8-9B | 10A-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Brachyglottis greyi</i> No Common Name Found | HP | 0.87 | G2 | 8-9 | 10 | | | |
| <i>Brachypodium sylvaticum</i> Slender False Brome | HP | 1.26 | G4 | 4-5 | 6 | | | |
| <i>Bracteantha bracteata</i> Strawflower | HP | 1.33 | G4 | 6-9 | 10-11 | | | |
| <i>Bracteantha bracteata</i> 'Dargon Hill Monarch' Dargon Hill Monarch Strawflower | HP | 0.69 | G4 | 7-9 | 10A | | | |
| <i>Bracteantha bracteata</i> 'Diamond Head' Diamond Head Strawflower | HP | 0.97 | G4 | 6-9 | 10-11 | | | |
| <i>Bracteantha bracteata</i> 'Florabella Series' Florabella Series Strawflower | HP | 0.92 | G4 | 6-9 | 10-11 | | | |
| <i>Bracteantha bracteata</i> 'Sundaze Bronze' Sundaze™ Bronze Strawflower | HP | 0.92 | G4 | 6-9 | 10-11 | | | |
| <i>Bracteantha bracteata</i> 'Sundaze Golden Beauty' Sundaze™ Golden Beauty Strawflower | HP | 1.20 | G4 | 6-9 | 10-11 | | | |
| <i>Bracteantha bracteata</i> 'Sundaze Golden Yellow' P.P. 12988 Sundaze™ Golden Yellow Strawflower | HP | 0.89 | G4 | 6-9 | 10-11 | | | |
| <i>Bracteantha bracteata</i> 'Sundaze Pink' P.P. 12966 Sundaze™ Pink Strawflower | HP | 0.92 | G4 | 6-9 | 10-11 | | | |
| <i>Bracteantha bracteata</i> 'Sundaze White' P.P. 12967 Sundaze™ White Strawflower | HP | 0.88 | G4 | 6-9 | 10-11 | | | |
| <i>Brahea armata</i> Blue Hesper Palm | PC | 1.46 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Brahea brandegeei</i> San Jose Palm | PC | 0.91 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Brahea dulcis</i> No Common Name Found | PC | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Brahea edulis</i> Guadalupe Palm | PC | 1.08 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Brahea elegans</i> Franceschi Palm | PC | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Brassaia actinophylla</i> See - <i>Schefflera actinophylla</i> | | | | | | | | |
| <i>Brassia</i> Brassia Hybrid Orchid | FO | 2.39 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Brassia caudata</i> No Common Name Found | FO | 3.13 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Brassica oleracea</i> Flowering Cabbage | AN | 0.63 | G4 | 6-8 | 9-10A | | | |
| <i>Brassica oleracea</i> 'Chidori Series' Chidori Series Flowering Cabbage | AN | 0.55 | G4 | 6-8 | 9-10A | | | |
| <i>Brassica oleracea</i> 'Nagoya Series' Nagoya Series Flowering Cabbage | AN | 0.55 | G4 | 6-8 | 9-10A | | | |
| <i>Brassica oleracea</i> var. <i>acephala</i> Cabbage Kale | AN | 0.50 | G4 | 6-8 | 9-10A | | | |
| <i>xBrassidium</i> Brassidium Hybrid Orchid | FO | 1.88 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Brassiophoenix schumannii</i> No Common Name Found | PC | 2.75 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>xBrassoepidendrum</i> Brassoepidendrum Hybrid Orchid | FO | 1.00 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>xBrassolaeliocattleya</i> Brassolaeliocattleya Hybrid Orchid | FO | 1.00 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Bravoa geminiflora</i> See - <i>Polianthes geminiflora</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Brexia madagascariensis</i> No Common Name Found | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Breynia distacha</i> See - <i>Breynia nivos</i> | | | | | | | | |
| <i>Breynia nivos</i> Snowbush | BS | 0.75 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Breynia nivos</i> 'Nana' Compact Snowbush | BS | 0.95 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Breynia nivos</i> 'Roseapicta' Roseapicta Snowbush | BS | 0.85 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Brillantaisia nitens</i> No Common Name Found | HP | 1.00 | G4 | 10 | 11 | | | |
| <i>Briza media</i> Quaking Grass | HP | 1.16 | G4 | 4-6 | 7-8 | | | |
| <i>Brodiaea peduncularis</i> See - <i>Triteleia peduncularis</i> | | | | | | | | |
| <i>Bromus inermis</i> Hungarian Brome | HP | 1.00 | G4 | 5-6 | 7-11 | | | |
| <i>Bromus inermis</i> 'Skinner's Gold' Skinner's Gold Hungarian Brome | HP | 1.00 | G4 | 5-6 | 7-11 | | | |
| <i>Browallia speciosa</i> Bush Violet | AN | 1.77 | G4 | 8-10A | 10B-11 | | | |
| <i>Browallia speciosa</i> 'Starlight Blue' Starlight Blue Bush Violet | AN | 1.77 | G4 | 8-10A | 10B-11 | | | |
| <i>Brownea ariza</i> Rose of Venezuela | DT | 2.21 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Brownea grandiceps</i> See - <i>Brownea ariza</i> | | | | | | | | |
| <i>Brugmansia</i> Angel's Trumpet | BS | 1.16 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Brugmansia</i> 'Charles Grimaldi' Charles Grimaldi Angel's Trumpet | BS | 0.92 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Brugmansia</i> 'Frosty Pink' Frosty Pink Angel's Trumpet | BS | 0.79 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Brugmansia</i> 'Jean Pasco' Jean Pasco Angel's Trumpet | BS | 1.10 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Brugmansia</i> 'Snowbank' P.P.A.F. Snowbank Angel's Trumpet | BS | 1.41 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Brugmansia</i> 'Sunray' Sunray Angel's Trumpet | BS | 1.05 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Brugmansia arborea</i> Angel's Trumpet | BS | 0.92 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Brugmansia x candida</i> No Common Name Found | BS | 1.11 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Brugmansia x candida</i> 'Double White' Double White Angel's Trumpet | BS | 1.11 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Brugmansia x insignis</i> No Common Name Found | BS | 1.83 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Brugmansia x insignis</i> 'Betty Marshall' Betty Marshall Angel's Trumpet | BS | 1.09 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Brugmansia suaveolens</i> No Common Name Found | BS | 0.95 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Brugmansia versicolor</i> Common Angel's Trumpet | BS | 1.34 | G4 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Brugmansia versicolor</i> 'Ecuador Pink' Ecuador Pink Angel's Trumper | BS | 1.01 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Brugmansia versicolor</i> 'Peaches & Cream' Peaches & Cream Common Angel's Trumpet | BS | 1.18 | G4 | 8-10A | 10B-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Brunfelsia australis</i> Paraguay Jasmine | BS | 0.93 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Brunfelsia calycina</i> See - <i>Brunfelsia pauciflora</i> | | | | | | | | |
| <i>Brunfelsia eximia</i> See - <i>Brunfelsia pauciflora</i> 'Floribunda Compacta' | | | | | | | | |
| <i>Brunfelsia grandiflora</i> No Common Name Found | BS | 0.82 | G1 | 8-10 | 11 | | 1.31 | 10 |
| <i>Brunfelsia jamaicensis</i> No Common Name Found | BS | 1.49 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Brunfelsia magnifica</i> Magnificent Brunfelsia | BS | 1.26 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Brunfelsia nitida</i> Lady of the Night | BS | 0.96 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Brunfelsia pauciflora</i> Yesterday, Today & Tomorrow | BS | 0.84 | G1 | 8-10 | 11 | | 1.03 | 10 |
| <i>Brunfelsia pauciflora</i> 'Floribunda Compacta' | BS | 0.87 | G1 | 8-10 | 11 | | 1.03 | 10 |
| Floribunda Compact Yesterday, Today & Tomorrow | | | | | | | | |
| <i>Brunfelsia pauciflora</i> 'Floribunda' | BS | 0.83 | G1 | 8-10 | 11 | | 1.03 | 10 |
| Free-flowering Yesterday, Today & Tomorrow | | | | | | | | |
| <i>Brunfelsia pauciflora</i> 'Macrantha' | BS | 0.77 | G1 | 8-10 | 11 | | 1.03 | 10 |
| Macrantha Yesterday, Today & Tomorrow | | | | | | | | |
| <i>Brunfelsia pilosa</i> No Common Name Found | BS | 1.28 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Brunnera macrophylla</i> Heartleaf Brunnera | HP | 1.10 | G4 | 4-6 | 7-8 | | | |
| <i>Brunnera macrophylla</i> 'Hadspen Cream' | HP | 3.03 | G4 | 4-6 | 7-8 | | | |
| Hadspen Cream Heartleaf Brunnera | | | | | | | | |
| <i>Brunnera macrophylla</i> 'Jack Frost' P.P. 13859 | HP | 2.93 | G4 | 2-3 | 4-8 | | | |
| Jack Frost Heartleaf Brunnera | | | | | | | | |
| <i>Brunnera macrophylla</i> 'Langtrees' | HP | 1.21 | G4 | 5-6 | 7-8 | | | |
| Langtrees Heartleaf Brunnera | | | | | | | | |
| <i>Brunnera macrophylla</i> 'Variegata' | HP | 1.90 | G4 | 4-6 | 7-8 | | | |
| Variegated Heartleaf Brunnera | | | | | | | | |
| <i>Brya ebenus</i> American Ebony | BE | 1.78 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10B |
| <i>Buchloe dactyloides</i> Buffalo Grass | HP | 1.00 | G4 | 4 | 5-7 | | | |
| <i>Buchloe dactyloides</i> 'Cody' | HP | 1.00 | G4 | 4 | 5-7 | | | |
| Cody Buffalo Grass | | | | | | | | |
| <i>Buchloe dactyloides</i> 'Sharp's Improved' | HP | 1.00 | G4 | 4 | 5-7 | | | |
| Sharp's Improved Buffalo Grass | | | | | | | | |
| <i>Bucida buceras</i> Black Olive | BE | 1.76 | G1 | 10 | 11 | 1.12 | 0.59 | 10 |
| <i>Bucida buceras</i> 'Shady Lady' | BE | 1.66 | G1 | 10 | 11 | 1.13 | 0.68 | 10 |
| Shady Lady Black Olive | | | | | | | | |
| <i>Bucida spinosa</i> Spiny Black Olive | BE | 2.46 | G1 | 10 | 11 | 1.00 | 1.11 | 10 |
| <i>Buddleja alternifolia</i> Alternate-leaf Butterfly-bush | BS | 0.97 | G1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Buddleja alternifolia</i> 'Argentea' | DS | 1.01 | G1 | 5-7 | 8 | | 1.00 | 5 |
| Silver Alternate-leaf Butterfly-bush | | | | | | | | |
| <i>Buddleja davidii</i> Butterfly-bush | DS | 0.85 | G1 | 5-7 | 8-10B | | 0.49 | 5 |
| <i>Buddleja davidii</i> 'African Queen' | DS | 0.86 | G1 | 5-7 | 8-10A | | 0.61 | 5 |
| African Queen Butterfly-bush | | | | | | | | |
| <i>Buddleja davidii</i> 'Alba' | DS | 0.97 | G1 | 5-7 | 8-10A | | 0.58 | 5 |
| White Butterfly-bush | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Buddleja davidii</i> 'Attraction' Attraction Butterfly-bush | DS | 0.84 | G1 | 5-7 | 8-10A | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Black Knight' Black Knight Butterfly-bush | DS | 0.81 | G1 | 5-7 | 8-10B | | 0.70 | 5 |
| <i>Buddleja davidii</i> 'Bonnie' Bonnie Butterfly-bush | DS | 0.84 | G1 | 5-7 | 8-10A | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Border Beauty' Border Beauty Butterfly-bush | DS | 0.73 | G2 | 5-7 | 8-10 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Charming' Charming Butterfly-bush | DS | 0.90 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Dartmoor' Dartmoor Butterfly-bush | DS | 0.88 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Dubonnet' Dubonnet Butterfly-bush | DS | 0.96 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Ellen's Blue' Ellen's Blue Butterfly-bush | DS | 0.86 | G2 | 4-5 | 6-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Empire Blue' Empire Blue Butterfly-bush | DS | 0.84 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Guinevere' Guinevere Butterfly-bush | DS | 0.80 | G1 | 5-7 | 8-10B | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Harlequin' Harlequin Butterfly-bush | DS | 0.90 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Ile de France' Ile de France Butterfly-bush | DS | 0.91 | G2 | 5-7 | 8-9 | | 0.50 | 5 |
| <i>Buddleja davidii</i> 'Lochinch' Lochinch Butterfly-bush | DS | 0.76 | G2 | 5-7 | 8-10B | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Miss Ellen' Miss Ellen Butterfly-bush | DS | 0.64 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Monite' Petite Snow™ Butterfly-bush | DS | 1.00 | G2 | 5-7 | 8-10 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Monrell' P.P. 14370 Strawberry Lemonade™ Butterfly-bush | DS | 1.29 | G2 | 4-5 | 6-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Moonshadow' Moonshadow Butterfly-bush | DS | 0.94 | G2 | 4-5 | 6-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Nanho Alba' Nanho White Butterfly-bush | DS | 0.85 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Nanho Blue' Nanho Blue Butterfly-bush | DS | 0.80 | G2 | 5-7 | 8-9 | | 0.68 | 5 |
| <i>Buddleja davidii</i> 'Nanho Purple' Nanho Purple Butterfly-bush | DS | 0.80 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Opera' Opera Butterfly-bush | DS | 0.58 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Orchid Beauty' Orchid Beauty Butterfly-bush | DS | 0.72 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Petite Snow' See - <i>Buddleja davidii</i> 'Monite' | | | | | | | | |
| <i>Buddleja davidii</i> 'Pink Charm' Pink Charm Butterfly-bush | DS | 0.77 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Pink Delight' Pink Delight Butterfly-bush | DS | 0.84 | G2 | 5-7 | 8-10 | | 0.58 | 5 |
| <i>Buddleja davidii</i> 'Potter's Purple' Potter's Purple Butterfly-bush | DS | 0.82 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Princeton Purple' Princeton Purple Butterfly-bush | DS | 1.12 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Royal Red' Royal Red Butterfly-bush | DS | 0.80 | G2 | 5-7 | 8-9 | | 0.66 | 5 |
| <i>Buddleja davidii</i> 'Rudy's Rainbow' Rudy's Rainbow Butterfly-bush | DS | 0.91 | G2 | 5-7 | 8-9 | | 0.61 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Buddleja davidii</i> 'Santana' P.P.A.F. Santana Butterfly-bush | DS | 1.20 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Snow Bank' Snow Bank Butterfly-bush | DS | 0.82 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Strawberry Lemonade' See - <i>Buddleja davidii</i> 'Monrell' P.P. 14370 | | | | | | | | |
| <i>Buddleja davidii</i> 'Summer Beauty' Summer Beauty Butterfly-bush | DS | 0.93 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'Summer Rose' Summer Rose Butterfly-bush | DS | 0.83 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'White Ball' White Ball Butterfly-bush | DS | 0.85 | G1 | 5-7 | 8-10B | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'White Bouquet' White Bouquet Butterfly-bush | DS | 0.89 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> 'White Profusion' White Profusion Butterfly-bush | DS | 0.76 | G2 | 5-7 | 8-10 | | 0.67 | 5 |
| <i>Buddleja davidii</i> 'Windy Hill' Windy Hill Butterfly-bush | DS | 0.97 | G2 | 5-7 | 8-9 | | 0.61 | 5 |
| <i>Buddleja davidii</i> var. <i>nanhoensis</i> Nanho Butterfly-bush | DS | 1.12 | G2 | 5-7 | 8-9 | | 1.00 | 5 |
| <i>Buddleja davidii</i> var. <i>nanhoensis</i> 'Mongo' Petite Indigo™ Butterfly-bush | DS | 1.01 | G2 | 5-7 | 8-9 | | 1.00 | 5 |
| <i>Buddleja davidii</i> var. <i>nanhoensis</i> 'Monum' Petite Plum™ Butterfly-bush | DS | 1.01 | G2 | 5-7 | 8-9 | | 1.00 | 5 |
| <i>Buddleja davidii</i> var. <i>nanhoensis</i> 'Petite Indigo' See - <i>Buddleja davidii</i> var. <i>nanhoensis</i> 'Mongo' | | | | | | | | |
| <i>Buddleja davidii</i> var. <i>nanhoensis</i> 'Petite Plum' See - <i>Buddleja davidii</i> var. <i>nanhoensis</i> 'Monum' | | | | | | | | |
| <i>Buddleja fallowiana</i> No Common Name Found | DS | 1.00 | G2 | 5-8 | 9-10 | | 1.00 | 8 |
| <i>Buddleja fallowiana</i> var. <i>alba</i> No Common Name Found | DS | 0.67 | G2 | 5-8 | 9-10 | | 1.00 | 8 |
| <i>Buddleja globosa</i> Globe Butterfly-bush | DS | 1.04 | G2 | 5-8 | 9-10 | | 1.00 | 7 |
| <i>Buddleja indica</i> Indoor Oak | BS | 0.75 | G1 | 6-10 | 11 | | 1.00 | 10 |
| <i>Buddleja lindleyana</i> Tropical Butterfly-bush | BS | 0.67 | G2 | 5-8 | 9-10 | | 1.00 | 8 |
| <i>Buddleja lindleyana</i> 'Gloster' Gloster Tropical Butterfly-bush | BS | 0.90 | G2 | 5-8 | 9-10 | | 1.00 | 8 |
| <i>Buddleja madagascariensis</i> Golden Butterfly-bush | DS | 0.58 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Buddleja marrubiifolia</i> Woolly Butterfly-bush | BS | 0.65 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Buddleja officinalis</i> Pale Butterfly-bush | BS | 1.00 | G2 | 5-8 | 9-10 | | 1.00 | 8 |
| <i>Buddleja</i> x <i>pikei</i> No Common Name Found | DS | 0.69 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Buddleja</i> x <i>pikei</i> 'Hever' Hever Castle Butterfly-bush | DS | 0.69 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Buddleja salviifolia</i> Salvia-leaf Butterfly-bush | BS | 0.75 | G2 | 5-8 | 9-10 | | 1.00 | 8 |
| <i>Buddleja</i> x <i>weyeriana</i> Weyer Butterfly-bush | BS | 0.64 | G2 | 5-7 | 8-9 | | 0.42 | 6 |
| <i>Buddleja</i> x <i>weyeriana</i> 'Honeycomb' Honeycomb Butterfly-bush | BS | 0.87 | G2 | 5-7 | 8-9 | | 0.42 | 6 |
| <i>Buddleja</i> x <i>weyeriana</i> 'Sungold' Sungold Butterfly-bush | BS | 0.89 | G1 | 6-8 | 9A | | 0.42 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Bulbine frutescens</i> No Common Name Found | BS | 0.77 | G4 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Bulbine frutescens</i> 'Hallmark' Hallmark Bulbine | BS | 0.79 | G4 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Bulbinella floribunda</i> No Common Name Found | HP | 0.74 | G4 | 8-9A | 9B-11 | | | |
| <i>Bulbinella robusta</i> See - <i>Bulbinella floribunda</i> | | | | | | | | |
| <i>Bulbophyllum falcatum</i> No Common Name Found | FO | 4.29 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Bulnesia arborea</i> No Common Name Found | BE | 1.30 | G1 | 10 | 11 | 1.00 | 1.11 | 10B |
| <i>Bumelia lycioides</i> Southern Buckthorn | BS | 0.94 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Bumelia tenax</i> Tough Buckthorn | BS | 0.76 | G1 | 8-9B | 10A-11 | | 1.00 | 6 |
| <i>Buphthalmum salicifolium</i> Willowleaf Oxeye | HP | 0.41 | G4 | 4-6 | 7-8 | | | |
| <i>Buphthalmum salicifolium</i> 'Sunwheel' Sunwheel Willowleaf Oxeye | HP | 0.41 | G4 | 4-6 | 7-8 | | | |
| <i>Burbridgea nitida</i> Orange Ginger | HP | 1.13 | G4 | 7-10 | 11 | | | |
| <i>Burbridgea schizocheila</i> Golden Brush | HP | 1.58 | G4 | 9A-10 | 11 | | | |
| <i>xBurrageara</i> Burrageara Hybrid Orchid | FO | 1.46 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Burretiokentia vieillardii</i> No Common Name Found | PC | 1.00 | G3 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Bursera simaruba</i> Gumbo-Limbo | DT | 0.78 | G1 | 10 | 11 | 1.00 | 0.61 | 10 |
| <i>Butea frondosa</i> See - <i>Butea monosperma</i> | | | | | | | | |
| <i>Butea monosperma</i> Flame-of-the-Forest | DT | 1.37 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Butia bonnetii</i> No Common Name Found | PC | 1.00 | G2 | 8-9B | 10A-11 | | 1.00 | 8 |
| <i>Butia capitata</i> Jelly Palm | PC | 0.94 | G2 | 8-9B | 10A-11 | | 1.08 | 8 |
| <i>Butia yatay</i> Yatay Palm | PC | 1.00 | G2 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Butomus umbellatus</i> Flowering Rush | HP | 1.30 | G4 | 5-6 | 7-10B | | | |
| <i>Buxus</i> Boxwood | BS | 1.43 | G2 | 6-7 | 8-10A | | 1.38 | 4 |
| <i>Buxus</i> 'Antarctica' See - <i>Buxus</i> 'Antzam' | | | | | | | | |
| <i>Buxus</i> 'Antzam' Antarctica™ Boxwood | BS | 1.65 | G2 | 5-7 | 8-9B | | 1.28 | 4 |
| <i>Buxus</i> 'Chicagoland Green' See - <i>Buxus</i> 'Glencoe' | | | | | | | | |
| <i>Buxus</i> 'Glencoe' Chicagoland Green® Boxwood | BS | 1.46 | G2 | 5-7 | 8-9B | | 1.58 | 4 |
| <i>Buxus</i> 'Green Gem' Green Gem Boxwood | BS | 1.23 | G2 | 5-7 | 8-9B | | 1.66 | 4 |
| <i>Buxus</i> 'Green Ice' P.P. 10773 Green Ice Boxwood | BS | 1.63 | G2 | 6-7 | 8-10A | | 0.58 | 4 |
| <i>Buxus</i> 'Green Mound' Green Mound Boxwood | BS | 1.72 | G2 | 5-7 | 8-9B | | 1.68 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Buxus</i> 'Green Mountain' Green Mountain Boxwood | BS | 1.19 | G2 | 5-7 | 8-9B | | 1.42 | 4 |
| <i>Buxus</i> 'Green Velvet' Green Velvet Boxwood | BS | 1.15 | G2 | 5-7 | 8-9B | | 1.47 | 4 |
| <i>Buxus</i> 'Shirley Ann' Shirley Ann Boxwood | BS | 1.43 | G2 | 5-7 | 8-9B | | 1.38 | 4 |
| <i>Buxus harlandii</i> Harlands Boxwood | BS | 0.70 | G2 | 7 | 8-9B | | 1.00 | 6 |
| <i>Buxus koreana</i> See - <i>Buxus microphylla</i> var. <i>koreana</i> | | | | | | | | |
| <i>Buxus microphylla</i> Littleleaf Boxwood | BS | 0.70 | G2 | 5-7 | 8-10 | | 1.01 | 5 |
| <i>Buxus microphylla</i> 'Compacta' Compact Littleleaf Boxwood | BS | 1.48 | G2 | 5-7 | 8-9B | | 1.34 | 5 |
| <i>Buxus microphylla</i> 'Curly Locks' Curly Locks Littleleaf Boxwood | BS | 0.67 | G2 | 5-7 | 8-9B | | 1.34 | 5 |
| <i>Buxus microphylla</i> 'Faulkner' Faulkner Littleleaf Boxwood | BS | 1.59 | G2 | 5-7 | 8-9B | | 1.31 | 5 |
| <i>Buxus microphylla</i> 'Green Pillow' Green Pillow Littleleaf Boxwood | BS | 1.93 | G2 | 5-7 | 8-9B | | 1.34 | 5 |
| <i>Buxus microphylla</i> 'Julia Jane' Julia Jane Boxwood | BS | 1.22 | G2 | 4-5 | 6-9B | | 1.34 | 5 |
| <i>Buxus microphylla</i> 'Sunnyside' Sunnyside Littleleaf Boxwood | BS | 1.14 | G2 | 5-7 | 8-9B | | 1.20 | 5 |
| <i>Buxus microphylla</i> 'Tide Hill' Tide Hill Littleleaf Boxwood | BS | 1.33 | G2 | 6-7 | 8-10A | | 1.50 | 5 |
| <i>Buxus microphylla</i> 'True Spreader' True Spreader Littleleaf Boxwood | BS | 1.57 | G2 | 5-7 | 8-9B | | 1.66 | 5 |
| <i>Buxus microphylla</i> var. <i>japonica</i> Japanese Littleleaf Boxwood | BS | 0.70 | G2 | 5-7 | 8-10B | | 0.97 | 6 |
| <i>Buxus microphylla</i> var. <i>japonica</i> 'Green Beauty' Green Beauty Japanese Littleleaf Boxwood | BS | 0.99 | G2 | 5-7 | 8-9B | | 1.38 | 6 |
| <i>Buxus microphylla</i> var. <i>japonica</i> 'Kingsville Dwarf' Kingsville Dwarf Japanese Littleleaf Boxwood | BS | 1.66 | G2 | 5-7 | 8-9B | | 1.56 | 6 |
| <i>Buxus microphylla</i> var. <i>japonica</i> 'Morris Midget' Morris Midget Japanese Littleleaf Boxwood | BS | 1.51 | G2 | 5-7 | 8-9B | | 1.56 | 6 |
| <i>Buxus microphylla</i> var. <i>japonica</i> 'National' National Japanese Littleleaf Boxwood | BS | 0.87 | G2 | 6-7 | 8-10A | | 1.56 | 6 |
| <i>Buxus microphylla</i> var. <i>japonica</i> 'Richardii' Richard Japanese Littleleaf Boxwood | BS | 0.71 | G2 | 6-7 | 8-10A | | 2.32 | 6 |
| <i>Buxus microphylla</i> var. <i>koreana</i> Korean Littleleaf Boxwood | BS | 1.05 | G2 | 5-7 | 8-9B | | 1.27 | 4 |
| <i>Buxus microphylla</i> var. <i>koreana</i> 'Emerald Jewel' Emerald Jewel Korean Littleleaf Boxwood | BS | 1.15 | G2 | 5-7 | 8-9B | | 1.36 | 4 |
| <i>Buxus microphylla</i> var. <i>koreana</i> 'Franklin's Gem' Franklin's Gem Korean Littleleaf Boxwood | BS | 1.37 | G2 | 6-7 | 8-10A | | 1.36 | 4 |
| <i>Buxus microphylla</i> var. <i>koreana</i> 'Pincushion' Pincushion Korean Littleleaf Boxwood | BS | 1.13 | G2 | 5-7 | 8-9B | | 1.36 | 4 |
| <i>Buxus microphylla</i> var. <i>koreana</i> 'Wilson' Wilson Littleleaf Korean Boxwood | BS | 1.13 | G2 | 5-7 | 8-9B | | 1.36 | 4 |
| <i>Buxus microphylla</i> var. <i>koreana</i> 'Winter Beauty' Winter Beauty Littleleaf Korean Boxwood | BS | 1.23 | G2 | 5-7 | 8-9B | | 1.42 | 4 |
| <i>Buxus microphylla</i> var. <i>koreana</i> 'Winter Gem' Winter Gem Korean Littleleaf Boxwood | BS | 1.04 | G2 | 5-7 | 8-10B | | 1.31 | 4 |
| <i>Buxus microphylla</i> var. <i>koreana</i> 'Wintergreen' Wintergreen Littleleaf Korean Boxwood | BS | 0.94 | G2 | 5-7 | 8-10B | | 1.42 | 4 |
| <i>Buxus microphylla</i> var. <i>sinica</i> Chinese Littleleaf Boxwood | BS | 1.60 | G2 | 5-7 | 8-9B | | 1.00 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Buxus sempervirens</i> Common Boxwood | BS | 1.02 | G2 | 5-7 | 8-10B | | 1.31 | 5 |
| <i>Buxus sempervirens</i> 'Argenteo-variegata' Silver Variegated Common Boxwood | BS | 1.19 | G2 | 5-7 | 8-9B | | 1.29 | 5 |
| <i>Buxus sempervirens</i> 'Aureo-variegata' Golden Variegated Common Boxwood | BS | 1.10 | G2 | 5-7 | 8-9B | | 1.12 | 5 |
| <i>Buxus sempervirens</i> 'Fastigiata' Upright Common Boxwood | BS | 1.93 | G2 | 5-7 | 8-9B | | 1.68 | 5 |
| <i>Buxus sempervirens</i> 'Graham Blandy' Graham Blandy Common Boxwood | BS | 1.35 | G2 | 5-7 | 8-9B | | 1.13 | 5 |
| <i>Buxus sempervirens</i> 'Handsworthiensis' Handsworth Common Boxwood | BS | 1.29 | G2 | 5-7 | 8-9B | | 1.38 | 5 |
| <i>Buxus sempervirens</i> 'Inglis' Inglis Common Boxwood | BS | 1.30 | G2 | 5-7 | 8-9B | | 2.14 | 5 |
| <i>Buxus sempervirens</i> 'Marginata' Goldedge Common Boxwood | BS | 1.29 | G2 | 5-7 | 8-9B | | 1.38 | 5 |
| <i>Buxus sempervirens</i> 'Newport Blue' Newport Blue Common Boxwood | BS | 1.71 | G2 | 5-7 | 8-9B | | 1.38 | 5 |
| <i>Buxus sempervirens</i> 'Pendula' Weeping Common Box | BS | 1.29 | G2 | 5-7 | 8-9B | | 1.38 | 5 |
| <i>Buxus sempervirens</i> 'Prostrata' Prostrate Common Boxwood | BS | 1.29 | G2 | 5-7 | 8-9B | | 1.38 | 5 |
| <i>Buxus sempervirens</i> 'Rotundifolia' Round-leaf Common Boxwood | BS | 1.12 | G2 | 5-7 | 8-9B | | 1.13 | 5 |
| <i>Buxus sempervirens</i> 'Suffruticosa' Edging Common Boxwood | BS | 1.00 | G2 | 5-7 | 8-9B | | 1.50 | 5 |
| <i>Buxus sempervirens</i> 'Vardar Valley' Vardar Valley Common Boxwood | BS | 1.48 | G2 | 5-7 | 8-9B | | 1.50 | 5 |
| <i>Buxus sempervirens</i> 'Variegata' Variegated Common Boxwood | BS | 1.27 | G2 | 5-7 | 8-9B | | 1.26 | 5 |
| <i>Buxus sempervirens</i> 'Welleri' Weller Common Boxwood | BS | 0.99 | G2 | 5-7 | 8-9B | | 1.10 | 5 |
| <i>Byrsonima lucida</i> Locustberry | BS | 0.97 | G1 | 10 | 11 | | 1.00 | 10B |
| <i>Caesalpinia ferrea</i> Brazilian Ironwood | BE | 1.63 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Caesalpinia gilliesii</i> Bird of Paradise Bush | BE | 0.93 | G2 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Caesalpinia granadillo</i> Bridalveil Tree | BE | 1.29 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Caesalpinia mexicana</i> Mexican Caesalpinia | BS | 0.90 | G1 | 10 | 11 | | 0.53 | 10 |
| <i>Caesalpinia pulcherrima</i> Flamboyant Tree | BS | 0.86 | G2 | 10A | 10B-11 | | 0.51 | 9 |
| <i>Caesalpinia pulcherrima</i> var. <i>flava</i> No Common Name Found | BS | 1.21 | G2 | 5-9 | 10-11 | | 1.00 | 9 |
| <i>Caesalpinia vesicaria</i> Brasiletto | BS | 1.29 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Caesalpinia yucatanensis</i> Yucatan Caesalpinia | BS | 0.97 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Caladium bicolor</i> Caladium | HP | 0.91 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Aaron' Aaron Caladium | HP | 0.78 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Blaze' Blaze Caladium | HP | 0.54 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Calypso' Calypso Caladium | HP | 0.50 | G4 | 8-10 | 11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Caladium bicolor</i> 'Candidum Junior' Candidum Junior Caladium | HP | 0.50 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Candidum' Candidum Caladium | HP | 0.73 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Carolyn Whorton' Carolyn Whorton Caladium | HP | 0.81 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Elise' Elise Caladium | HP | 0.61 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Fannie Munson' Fannie Munson Caladium | HP | 0.50 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Fantasy' Fantasy Caladium | HP | 0.61 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Festiva' Festiva Caladium | HP | 0.61 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Florida Cardinal Red' Florida Cardinal Red Caladium | HP | 0.45 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Florida Sweetheart' Florida Sweetheart Caladium | HP | 0.50 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Freida Hemple' Freida Hemple Caladium | HP | 0.74 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Gingerland' Gingerland Caladium | HP | 0.50 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Irene Dahl' Irene Dahl Caladium | HP | 0.61 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Jackie Suthers' Jackie Suthers Caladium | HP | 0.61 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'June Bride' June Bride Caladium | HP | 0.54 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Kathleen' Kathleen Caladium | HP | 0.45 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Miss Muffet' Miss Muffet Caladium | HP | 0.59 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Pink Beauty' Pink Beauty Caladium | HP | 0.73 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Pink Gem' Pink Gem Caladium | HP | 0.61 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Pink Symphony' Pink Symphony Caladium | HP | 0.61 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Postman Joyner' Postman Joyner Caladium | HP | 0.73 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Red Flash' Red Flash Caladium | HP | 0.64 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Red Frill' Red Frill Caladium | HP | 0.52 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Rosabud' Rosabud Caladium | HP | 0.54 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Rosalie' Rosalie Caladium | HP | 0.61 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'Tropicana' Tropicana Caladium | HP | 0.61 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'White Christmas' White Christmas Caladium | HP | 0.73 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'White Queen' White Queen Caladium | HP | 0.59 | G4 | 8-10 | 11 | | | |
| <i>Caladium bicolor</i> 'White Wing' White Wing Caladium | HP | 0.61 | G4 | 8-10 | 11 | | | |
| <i>Caladium</i> x <i>hortulanum</i> See - <i>Caladium bicolor</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Caladium humboldtii</i> No Common Name Found | HP | 1.00 | G1 | 10 | 11 | | | |
| <i>Caladium lindenii</i> No Common Name Found | FO | 0.81 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Caladium lindenii</i> 'Magnificum' No Common Name Found | HP | 1.51 | G4 | 8-10 | 11 | | | |
| <i>Calamagrostis xacutiflora</i> Feather Reed Grass | HP | 1.37 | G4 | 5-7 | 8-9A | | | |
| <i>Calamagrostis xacutiflora</i> 'Avalanche' Avalanche Feather Reed Grass | HP | 1.46 | G4 | 5-7 | 8-9 | | | |
| <i>Calamagrostis xacutiflora</i> 'Karl Foerster' Karl Foerster Feather Reed Grass | HP | 1.24 | G4 | 5-7 | 8-9A | | | |
| <i>Calamagrostis xacutiflora</i> 'Overdami' Overdami Feather Reed Grass | HP | 1.23 | G4 | 5-7 | 8-9A | | | |
| <i>Calamagrostis xacutiflora</i> 'Stricta' Stricta Feather Reed Grass | HP | 1.18 | G4 | 5-7 | 8-9A | | | |
| <i>Calamagrostis arundinacea</i> Reed Grass | HP | 1.00 | G4 | 5-7 | 8-9A | | | |
| <i>Calamagrostis brachytricha</i> Korean Feather Reed Grass | HP | 1.16 | G4 | 5-7 | 8-9A | | | |
| <i>Calamagrostis canadensis</i> Blue Joint Grass | HP | 0.91 | G4 | 5-7 | 8-9A | | | |
| <i>Calamagrostis foliosa</i> Leafy Reed Grass | HP | 0.77 | G4 | 5-7 | 8-9A | | | |
| <i>Calamagrostis nutkaensis</i> No Common Name Found | HP | 0.76 | G4 | 5-7 | 8-9A | | | |
| <i>Calamintha cretica</i> Trailing Calamint | HP | 1.00 | G4 | 5-7 | 8-9 | | | |
| <i>Calamintha grandiflora</i> Showy Savory | HP | 1.24 | G4 | 5-7 | 8-9A | | | |
| <i>Calamintha grandiflora</i> 'Variegata' Variegated Large-flowered Calamint | HP | 1.00 | G4 | 5-7 | 8-9A | | | |
| <i>Calamintha nepeta</i> Savory Calamint | HP | 0.87 | G4 | 6-7 | 8-9A | | | |
| <i>Calamintha nepeta</i> 'Gottlieb Friedkund' Gottlieb Friedkund Savory Calamint | HP | 1.04 | G4 | 4-5 | 6-9A | | | |
| <i>Calamintha nepeta</i> 'White Cloud' White Cloud Savory Calamint | HP | 1.12 | G4 | 5-7 | 8-9 | | | |
| <i>Calamintha nepeta</i> ssp. <i>nepeta</i> No Common Name Found | HP | 1.16 | G4 | 6-7 | 8-9A | | | |
| <i>Calandrinia umbellata</i> Rock Purslane | GC | 1.00 | G4 | 7 | 8-10 | | 1.00 | 7 |
| <i>Calanthe discolor</i> var. <i>sieboldii</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 7 |
| <i>Calanthe rosea</i> Rose Painted Leaf | FO | 1.00 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Calanthe sieboldii</i> See - <i>Calanthe discolor</i> var. <i>sieboldii</i> | | | | | | | | |
| <i>Calathea</i> Calathea | FO | 1.07 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Calathea</i> 'Angela' P.P. 9692 Angela Calathea | FO | 1.07 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Calathea</i> 'Cora' Cora Calathea | FO | 1.07 | G4 | 8-10 | 11 | | 1.00 | 9 |
| <i>Calathea</i> 'Corona' Corona Calathea | FO | 1.07 | G4 | 8-10 | 11 | | 1.00 | 9 |
| <i>Calathea</i> 'Medallion' Medallion Calathea | FO | 0.99 | G3 | 8-11 | | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Calathea</i> 'Pink Aurora' Pink Aurora Calathea | FO | 1.07 | G4 | 8-10 | 11 | | 1.00 | 9 |
| <i>Calathea</i> 'Velvet Touch' Velvet Touch Calathea | FO | 1.15 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Calathea burle-marxii</i> No Common Name Found | FO | 0.55 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea burle-marxii</i> 'Ice Blue' Ice Blue Calathea | FO | 0.89 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea concinna</i> No Common Name Found | FO | 0.84 | G3 | 8-11 | | | 1.00 | 8 |
| <i>Calathea crotalifera</i> No Common Name Found | FO | 3.08 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea elliptica</i> No Common Name Found | FO | 0.66 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea elliptica</i> 'Vittata' Vittata Calathea | FO | 0.66 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea fasciata</i> No Common Name Found | FO | 0.61 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea louisae</i> Hardy Calathea | FO | 0.43 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea lutea</i> Cauassu | FO | 1.29 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea majestica</i> No Common Name Found | FO | 0.75 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea majestica</i> 'Princes' Princeps Calathea | FO | 0.75 | G4 | 8-10 | 11 | | 1.00 | 9 |
| <i>Calathea makoyana</i> Peacock Plant | FO | 0.78 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea orbifolia</i> No Common Name Found | FO | 1.00 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea ornata</i> See - <i>Calathea majestica</i> | | | | | | | | |
| <i>Calathea picta</i> See - <i>Calathea warscewiczii</i> | | | | | | | | |
| <i>Calathea roseapicta</i> No Common Name Found | FO | 0.84 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea roseapicta</i> 'Eclipse' P.P. 9621 Eclipse Roseapicta Calathea | FO | 0.74 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea roseapicta</i> 'Rosy' P.P. 8836 Rosy Roseapicta Calathea | FO | 0.64 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea rotundifolia</i> See - <i>Calathea orbifolia</i> | | | | | | | | |
| <i>Calathea rufifarba</i> No Common Name Found | FO | 1.03 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea undulata</i> No Common Name Found | FO | 1.19 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea warscewiczii</i> No Common Name Found | FO | 0.96 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea warscewiczii</i> 'Jungle Velvet' Jungle Velvet Calathea | FO | 0.90 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calathea zebrina</i> Zebra Calathea | FO | 0.99 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Calceolaria</i> Calceolaria | HP | 0.72 | G4 | 6-8 | 9 | | | |
| <i>Calceolaria</i> 'Golden Nugget' Golden Nugget Calceolaria | HP | 0.72 | G4 | 6-9 | 10 | | | |
| <i>Calceolaria</i> 'Kentish Hero' Kentish Hero Calceolaria | HP | 0.72 | G4 | 6-9 | 10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Calceolaria</i> 'Walter Shrimpton' Walter Shrimpton Calceolaria | HP | 0.72 | G4 | 6-8 | 9 | | | |
| <i>Calceolaria arachnoidea</i> No Common Name Found | HP | 0.85 | G4 | 6-8 | 9 | | | |
| <i>Calceolaria biflora</i> No Common Name Found | HP | 0.81 | G4 | 6-8 | 9 | | | |
| <i>Calceolaria biflora</i> 'John Innes' John Innes Calceolaria | HP | 0.81 | G4 | 6-8 | 9 | | | |
| <i>Calceolaria crenatiflora</i> No Common Name Found | HP | 1.00 | G4 | 7-8 | 9-10A | | | |
| <i>Calendula officinalis</i> Pot Marigold | AN | 0.90 | G4 | 6-8 | 9A-10B | | | |
| <i>Calendula officinalis</i> 'Fiesta Gitana Mix' Fiesta Gitana Mix Pot Marigold | AN | 0.90 | G4 | 6-8 | 9A-10B | | | |
| <i>Calendula officinalis</i> 'Orange Bon Bon' Orange Bon Bon Pot Marigold | AN | 0.90 | G4 | 6-8 | 9A-10B | | | |
| <i>Calendula officinalis</i> 'Yellow Bon Bon' Yellow Bon Bon Pot Marigold | AN | 0.90 | G4 | 6-8 | 9A-10B | | | |
| <i>Calibrachoa</i> No Common Name Found | HP | 0.89 | G4 | 6-8 | 9A-10B | | | |
| <i>Calibrachoa</i> 'Million Bells Series' Million Bells Series Calibrachoa | HP | 0.94 | G4 | 6-8 | 9A-10B | | | |
| <i>Calibrachoa</i> 'Sunbelkist' P.P. 11352 Terra Cotta™ Million Bells Calibrachoa | HP | 0.87 | G4 | 6-8 | 9A-10B | | | |
| <i>Calibrachoa</i> 'Sunbelkubu' P.P. 10279 Trailing Blue™ Million Bells Calibrachoa | HP | 1.32 | G4 | 6-8 | 9A-10B | | | |
| <i>Calibrachoa</i> 'Sunbelkuho' P.P. 10278 Trailing White™ Million Bells Calibrachoa | HP | 0.77 | G4 | 6-8 | 9A-10B | | | |
| <i>Calibrachoa</i> 'Sunbelkupi' P.P. 10287 Trailing Pink™ Million Bells Calibrachoa | HP | 0.78 | G4 | 6-8 | 9A-10B | | | |
| <i>Calibrachoa</i> 'Terra Cotta' See - <i>Calibrachoa</i> 'Sunbelkist' P.P. 11352 | | | | | | | | |
| <i>Calibrachoa</i> 'Trailing Blue' See - <i>Calibrachoa</i> 'Sunbelkubu' P.P. 10279 | | | | | | | | |
| <i>Calibrachoa</i> 'Trailing Pink' See - <i>Calibrachoa</i> 'Sunbelkupi' P.P. 10287 | | | | | | | | |
| <i>Calibrachoa</i> 'Trailing White' See - <i>Calibrachoa</i> 'Sunbelkuho' P.P. 10278 | | | | | | | | |
| <i>Calla aethiopica</i> See - <i>Zantedeschia aethiopica</i> | | | | | | | | |
| <i>Calliandra californica</i> Baja Fairy Duster | BS | 0.68 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Calliandra calothyrsus</i> No Common Name Found | BS | 0.97 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Calliandra emarginata</i> Dwarf Powderpuff | BS | 1.04 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Calliandra eriophylla</i> Fairy Duster | BS | 0.99 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Calliandra guildingii</i> See - <i>Calliandra tweedii</i> | | | | | | | | |
| <i>Calliandra haematocephala</i> Red Powderpuff | BS | 0.69 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Calliandra haematocephala</i> 'Alba' White Powderpuff | BS | 0.75 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Calliandra haematocephala</i> 'Nana' Dwarf Red Powderpuff | BS | 0.74 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Calliandra inaequilatera</i> See - <i>Calliandra haematocephala</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Calliandra schultzei</i> No Common Name Found | BS | 0.89 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Calliandra schultzei</i> 'Rose Cascade' Rose Cascade Powderpuff | BS | 0.89 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Calliandra surinamensis</i> Pink Powderpuff | BS | 0.76 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Calliandra tweedii</i> Mexican Flamebush | BS | 0.68 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Callicarpa americana</i> American Beautyberry | DS | 0.83 | G2 | 7 | 8-10B | | 0.45 | 5 |
| <i>Callicarpa americana</i> 'Lactea' White American Beautyberry | DS | 0.52 | G2 | 7 | 8-10B | | 0.45 | 5 |
| <i>Callicarpa bodinieri</i> Bodinier Beautyberry | DS | 0.78 | G2 | 6-7 | 8-9B | | 0.96 | 6 |
| <i>Callicarpa bodinieri</i> 'Profusion' Profusion Bodinier Beautyberry | DS | 0.98 | G2 | 6-7 | 8-9B | | 0.96 | 6 |
| <i>Callicarpa bodinieri</i> var. <i>giraldii</i> Girald Bodinier Beautyberry | DS | 1.00 | G2 | 6-7 | 8-9B | | 1.00 | 6 |
| <i>Callicarpa dichotoma</i> Purple Beautyberry | DS | 0.87 | G2 | 6-7 | 8-9B | | 0.85 | 5 |
| <i>Callicarpa dichotoma</i> 'Dark Star' Dark Star Purple Beautyberry | DS | 1.02 | G2 | 7 | 8-10B | | 0.85 | 5 |
| <i>Callicarpa dichotoma</i> 'Early Amethyst' Early Amethyst Purple Beautyberry | DS | 0.79 | G2 | 4-5 | 6-9B | | 0.85 | 5 |
| <i>Callicarpa dichotoma</i> 'Issai' Issai Purple Beautyberry | DS | 0.95 | G2 | 6-7 | 8-10B | | 0.85 | 5 |
| <i>Callicarpa dichotoma</i> var. <i>albifructus</i> White-berried Purple Beautyberry | DS | 0.67 | G2 | 6-7 | 8-10B | | 1.00 | 5 |
| <i>Callicarpa japonica</i> Japanese Beautyberry | DS | 0.86 | G2 | 5-7 | 8-9B | | 1.56 | 6 |
| <i>Callicarpa longifolia</i> Longleaf Beautyberry | DS | 1.10 | G2 | 9-10 | 11 | | 1.56 | 9 |
| <i>Callicarpa longifolia</i> 'Leucocarpa' White-fruit Longleaf Beautyberry | DS | 1.10 | G2 | 9-10 | 11 | | 1.56 | 9 |
| <i>Callicarpa shikokiana</i> No Common Name Found | DS | 0.64 | G2 | 8-10 | 11 | | 1.00 | 7 |
| <i>Callirhoe involucrata</i> Wine Cups | HP | 0.87 | G4 | 4 | 5-8 | | | |
| <i>Callirhoe papaver</i> Poppy Mallow | HP | 1.17 | G4 | 6 | 7-10A | | | |
| <i>Callisia elegans</i> Striped Inch Plant | HP | 1.00 | G4 | 9-10 | 11 | | | |
| <i>Callisia repens</i> No Common Name Found | HP | 1.00 | G4 | 8-9 | 10A-11 | | | |
| <i>Callistemon</i> Bottlebrush | BE | 0.82 | G2 | 9-10A | 10B-11 | 1.00 | 0.69 | 9 |
| <i>Callistemon</i> 'Burning Bush' Burning Bush Bottlebrush | BS | 0.80 | G2 | 9 | 10-11 | | 1.00 | 9 |
| <i>Callistemon</i> 'Little John' Little John Bottlebrush | BE | 1.00 | G1 | 9B-10A | 10B-11 | 1.00 | 0.69 | 9 |
| <i>Callistemon</i> 'Mauve Mist' Mauve Mist Bottlebrush | BE | 0.85 | G1 | 9B-10A | 10B-11 | 1.00 | 0.69 | 9 |
| <i>Callistemon</i> 'Perth Pink' Perth Pink Bottlebrush | BE | 0.75 | G1 | 9B-10A | 10B-11 | 1.00 | 0.69 | 9 |
| <i>Callistemon</i> 'Red Cluster' Red Cluster Bottlebrush | BE | 0.69 | G1 | 10A | 10B-11 | 1.00 | 0.69 | 9 |
| <i>Callistemon citrinus</i> Crimson Bottlebrush | BE | 0.77 | G1 | 9B-10A | 10B-11 | 1.00 | 0.62 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Callistemon citrinus</i> 'Hannah Ray' Hannah Ray Crimson Bottlebrush | BE | 0.64 | G1 | 9B-10A | 10B-11 | 1.00 | 0.62 | 8 |
| <i>Callistemon citrinus</i> 'Rainbow' Rainbow Crimson Bottlebrush | BE | 0.72 | G1 | 9B-10A | 10B-11 | 1.00 | 0.62 | 8 |
| <i>Callistemon citrinus</i> 'Splendens' Splendens Crimson Bottlebrush | BE | 0.72 | G1 | 9B-10A | 10B-11 | 1.00 | 0.62 | 8 |
| <i>Callistemon citrinus</i> 'Violaceus' Violet Crimson Bottlebrush | BE | 0.73 | G2 | 9 | 10-11 | 1.00 | 0.62 | 8 |
| <i>Callistemon lanceolatus</i> See - <i>Callistemon citrinus</i> | | | | | | | | |
| <i>Callistemon rigidus</i> Stiff Bottlebrush | BE | 0.68 | G1 | 9B-10A | 10B-11 | 1.00 | 0.59 | 9 |
| <i>Callistemon salignus</i> Pink Tips | BE | 1.00 | G1 | 9B-10A | 10B-11 | 1.00 | 1.00 | 8 |
| <i>Callistemon sieberi</i> Alpine Bottlebrush | BE | 0.75 | G1 | 9B-10A | 10B-11 | 1.00 | 1.00 | 7 |
| <i>Callistemon sieberi</i> 'Powell's Hardy Red' Powell's Hardy Red Alpine Bottlebrush | BE | 0.64 | G1 | 9B-10A | 10B-11 | 1.00 | 1.00 | 7 |
| <i>Callistemon speciosus</i> Albany Bottlebrush | BE | 0.65 | G1 | 9B-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Callistemon subulatus</i> No Common Name Found | BE | 0.74 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Callistemon viminalis</i> Weeping Bottlebrush | BE | 0.79 | G2 | 8-9 | 10-11 | 1.00 | 0.55 | 9 |
| <i>Callistemon viminalis</i> 'Captain Cook' Captain Cook Weeping Bottlebrush | BS | 0.80 | G2 | 9 | 10-11 | | 1.00 | 9 |
| <i>Callistemon viminalis</i> 'Red Cascade' Red Cascade Weeping Bottlebrush | BE | 0.86 | G2 | 8-9 | 10-11 | 1.00 | 0.55 | 9 |
| <i>Calluna vulgaris</i> Scotch Heather | BS | 0.85 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Alba Joe' Alba Joe Scotch Heather | BS | 0.40 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Alicia' P.P. 10592 Alicia Scotch Heather | BS | 1.25 | G4 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Allegro' Allegro Scotch Heather | BS | 0.82 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Alportii' Alport Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Amethyst' P.P. 10591 Amethyst Scotch Heather | BS | 1.37 | G4 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Anthony Davis' Anthony Davis Scotch Heather | BS | 1.20 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Aphrodite' Aphrodite Scotch Heather | BS | 1.39 | G4 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Aureafolia' Goldleaf Scotch Heather | BS | 0.80 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Barnett Anley' Barnett Anley Scotch Heather | BS | 1.34 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Beoley Gold' Beoley Gold Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Blazeaway' Blazeaway Scotch Heather | BS | 1.26 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Branchy Anne' Branchy Anne Scotch Heather | BS | 1.28 | G4 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Bronze Beauty' Bronze Beauty Scotch Heather | BS | 1.16 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'C.W. Nix' C.W. Nix Scotch Heather | BS | 1.16 | G2 | 4-6 | 7-9 | | 1.00 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Calluna vulgaris</i> 'Con Brio' Con Brio Scotch Heather | BS | 1.12 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Corbetts Red' Corbetts Red Scotch Heather | BS | 1.04 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'County Wicklow' County Wicklow Scotch Heather | BS | 1.10 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Cuprea' Cuprea Scotch Heather | BS | 1.29 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Dainty Bess' Dainty Bess Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Dark Beauty' Dark Beauty Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Darkness' Darkness Scotch Heather | BS | 0.84 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'David Eason' David Eason Scotch Heather | BS | 1.23 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Else Frye' Else Frye Scotch Heather | BS | 1.09 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Elsie Purnell' Elsie Purnell Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Finale' Finale Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Flamingo' Flamingo Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Fox Hollow Wanderer' Fox Hollow Wanderer Scotch Heather | BS | 1.20 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Foxii Nana' Foxii Nana Scotch Heather | BS | 1.11 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Gerda' Gerda Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Gold Haze' Gold Haze Scotch Heather | BS | 1.22 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Golden Aurea' Golden Aurea Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Golden Feather' Golden Feather Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Goldsworth Crimson' Goldsworth Crimson Scotch Heather | BS | 1.21 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Green Cardinal' Green Cardinal Scotch Heather | BS | 1.24 | G4 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Green Corduroy' Green Corduroy Scotch Heather | BS | 1.14 | G2 | 3-4 | 5-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'H.E. Beale' H.E. Beale Scotch Heather | BS | 0.95 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Hammondii Aureaifolia' Hammondii Aureaifolia Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Hirsuta Typica' Hirsuta Typica Scotch Heather | BS | 1.25 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Humpty Dumpty' Humpty Dumpty Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'J.H. Hamilton' J.H. Hamilton Scotch Heather | BS | 1.24 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Kinlochruel' Kinlochruel Scotch Heather | BS | 1.02 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Kuphaldtii' Kuphaldtii Scotch Heather | BS | 1.25 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'MacDonald of Glencoe' MacDonald of Glencoe Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Calluna vulgaris</i> 'Mair's Variety' Mair's Variety Scotch Heather | BS | 1.30 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Martha Herman' Martha Herman Scotch Heather | BS | 0.95 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Mary Ferreira' Mary Ferreira Scotch Heather | BS | 1.25 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Minima Prostrata' Minima Prostrata Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Mrs. Pat' Mrs. Pat Scotch Heather | BS | 1.05 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Mrs. Ronald Gray' Mrs. Ronald Gray Scotch Heather | BS | 1.09 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Multicolor' Multicolor Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'My Dream' My Dream Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Nana Compacta' Nana Compacta Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Orange Queen' Orange Queen Scotch Heather | BS | 1.49 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Perestrojka' Perestrojka Scotch Heather | BS | 1.24 | G4 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Peter Sparkes' Peter Sparkes Scotch Heather | BS | 0.94 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Prostrate Orange' Prostrate Orange Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Pygmaea' Pygmy Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Pyramid Purple' Pyramid Purple Scotch Heather | BS | 0.81 | G4 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Pyramidalis' Pyramidal Scotch Heather | BS | 0.89 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Red Haze' Red Haze Scotch Heather | BS | 1.25 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Rigida' Rigida Scotch Heather | BS | 1.25 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Robert Chapman' Robert Chapman Scotch Heather | BS | 0.98 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Rosalind Underwood' Rosalind Underwood Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Rosea' Rosea Scotch Heather | BS | 1.19 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Roswitha' Roswitha Scotch Heather | BS | 1.26 | G4 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Rubrum' Red Scotch Heather | BS | 1.20 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Sally Anne' Sally Anne Scotch Heather | BS | 1.25 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Sandy' Sandy Scotch Heather | BS | 1.26 | G4 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Silver King' Silver King Scotch Heather | BS | 1.18 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Silver Knight' Silver Knight Scotch Heather | BS | 0.88 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Silver Queen' Silver Queen Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Silver Spire' Silver Spire Scotch Heather | BS | 1.22 | G2 | 4-6 | 7-9 | | 1.00 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Calluna vulgaris</i> 'Sister Anne' Sister Anne Scotch Heather | BS | 1.16 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Smith's Variety' Smith's Variety Scotch Heather | BS | 1.16 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Spring Cream' Spring Cream Scotch Heather | BS | 0.97 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Spring Torch' Spring Torch Scotch Heather | BS | 0.87 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Sunset' Sunset Scotch Heather | BS | 1.26 | G4 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Tenuis' Tenuis Scotch Heather | BS | 1.26 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Tib' Tib Scotch Heather | BS | 0.96 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Tomentosa' Tomentosa Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Underwoodii' Underwood Scotch Heather | BS | 1.21 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Velvet Fascination' Velvet Fascination Scotch Heather | BS | 1.26 | G4 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Westphalia' Westphalia Scotch Heather | BS | 1.25 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'White Knight' White Knight Scotch Heather | BS | 1.80 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'White Lawn' White Lawn Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Wickwar Flame' Wickwar Flame Scotch Heather | BS | 1.14 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Winter Chocolate' Winter Chocolate Scotch Heather | BS | 1.11 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Calocedrus decurrens</i> Incense Cedar | CE | 0.87 | G2 | 4-6 | 7-9 | 1.00 | 0.74 | 5 |
| <i>Calocedrus decurrens</i> 'Aureovariegata' Aureovariegata Incense Cedar | CE | 1.47 | G2 | 7-8 | 9 | 1.00 | 1.71 | 5 |
| <i>Calocedrus decurrens</i> 'Berrima Gold' Berrima Gold Incense Cedar | CE | 2.15 | G2 | 7-8 | 9 | 1.00 | 1.23 | 5 |
| <i>Calocedrus decurrens</i> 'Compacta' Compact Incense Cedar | CE | 1.10 | G2 | 7-8 | 9 | 1.00 | 1.23 | 5 |
| <i>Calocedrus decurrens</i> 'Maupin Glow' Maupin Glow Incense Cedar | CE | 5.15 | G2 | 7-8 | 9 | 1.00 | 1.23 | 5 |
| <i>Calocephalus brownii</i> See - <i>Leucophyta brownii</i> | | | | | | | | |
| <i>Calodendrum capense</i> Cape Chestnut | BE | 0.91 | G2 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Calophyllum brasiliense</i> Brazil Beautyleaf | BE | 0.90 | G1 | 10 | 11 | 1.01 | 0.58 | 10 |
| <i>Calophyllum inophyllum</i> Alexandrian Laurel | BE | 1.42 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Calostemma purpureum</i> Garland Lily | HP | 0.78 | G4 | 8-9 | 10A-11 | | | |
| <i>Calotropis gigantea</i> Giant Crown Plant | BS | 0.90 | G2 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Caltha palustris</i> Marsh Marigold | HP | 1.12 | G4 | 4-6 | 7-8 | | | |
| <i>Caltha palustris</i> 'Alba' White Marsh Marigold | HP | 1.12 | G4 | 4-6 | 7-8 | | | |
| <i>Caltha palustris</i> 'Flore Pleno' Flore Pleno Marsh Marigold | HP | 1.12 | G4 | 4-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Calycanthus chinensis</i> Chinese Sweetshrub | BS | 1.26 | G2 | 6-7 | 8 | | 1.00 | 6 |
| <i>Calycanthus floridus</i> Sweetshrub | BS | 0.88 | G2 | 6-7 | 8-9A | | 0.64 | 5 |
| <i>Calycanthus floridus</i> 'Athens' Athens Sweetshrub | BS | 1.12 | G2 | 6-7 | 8-9B | | 0.64 | 5 |
| <i>Calycanthus floridus</i> 'Michael Lindsey' Michael Lindsey Sweetshrub | BS | 0.91 | G2 | 6-7 | 8-9B | | 0.64 | 5 |
| <i>Calycanthus occidentalis</i> California Sweetshrub | BS | 0.99 | G2 | 6-7 | 8-9B | | 1.00 | 6 |
| <i>Calylophus hartwegii</i> Sierra Sundrop | HP | 0.74 | G4 | 5-8 | 9 | | | |
| <i>Calylophus lavandulifolius</i> Lavenderleaf Evening Primrose | HP | 1.00 | G4 | 5-8 | 9 | | | |
| <i>Calyptocarpus vialis</i> Horseherb | BS | 0.48 | G2 | 7-8 | 9-11 | | 1.00 | 7 |
| <i>Calyptranthes pallens</i> Spicewood | BS | 0.82 | G1 | 10 | 11 | | 0.59 | 10B |
| <i>Calyptranthes zuzygium</i> Myrtle of the River | BS | 1.34 | G1 | 10 | 11 | | 0.46 | 10B |
| <i>Calyptrocalyx holrungii</i> No Common Name Found | PC | 3.98 | G1 | 8-11 | | | 1.00 | 10 |
| <i>Calyptrocalyx spicatus</i> No Common Name Found | PC | 1.00 | G1 | 8-11 | | | 1.00 | 10 |
| <i>Calyptroglyne sarapiquensis</i> Manac Palm of Costa Rica | PC | 1.00 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Calyptronoma dulcis</i> Cuban Manac | PC | 2.15 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Calyptronoma rivalis</i> Manac Palm of Puerto Rico | PC | 1.00 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Calystegia macrostegia</i> ssp. <i>cyclostegia</i> No Common Name Found | GC | 1.33 | G4 | 8-9A | 9B-11 | | 1.00 | 8 |
| <i>Camassia leichtlinii</i> Great Camass | HP | 1.00 | G4 | 2-3 | 4-8 | | | |
| <i>Camassia leichtlinii</i> 'Coerulea' Blue Camass | HP | 1.00 | G4 | 2-3 | 4-8 | | | |
| <i>Camassia quamash</i> Quamash | HP | 1.42 | G4 | 7 | 8-9A | | | |
| <i>Camassia scilloides</i> Eastern Camass | HP | 1.00 | G4 | 7 | 8-9A | | | |
| <i>Camellia</i> Camellia | BS | 0.50 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Ack-scent' Ack-scent Hybrid Camellia | BS | 1.49 | G2 | 7 | 8-10 | | 1.00 | 7 |
| <i>Camellia</i> 'April Blush' April Blush Hybrid Camellia | BS | 1.23 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'April Dawn' April Dawn Hybrid Camellia | BS | 1.15 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'April Kiss' April Kiss Hybrid Camellia | BS | 1.31 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'April Remembered' April Remembered Hybrid Camellia | BS | 1.75 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'April Rose' April Rose Hybrid Camellia | BS | 1.01 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'April Snow' April Snow Hybrid Camellia | BS | 1.23 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'April Tryst' April Tryst Hybrid Camellia | BS | 1.24 | G2 | 7 | 8-10 | | 1.00 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Camellia</i> 'Autumn Pink Icicle' Autumn Pink Icicle Hybrid Camellia | BS | 1.69 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Betty Sette' Betty Sette Hybrid Camellia | BS | 1.86 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Brushfield's Yellow' Brushfield's Yellow Hybrid Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Crimson Candles' Crimson Candles Hybrid Camellia | BS | 1.11 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Camellia</i> 'Fire 'n Ice' Fire 'n Ice Hybrid Camellia | BS | 1.78 | G2 | 5-6 | 7-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Ice Follies' Ice Follies Hybrid Camellia | BS | 1.98 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Mary Phoebe Taylor' Mary Phoebe Taylor Hybrid Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.00 | 7 |
| <i>Camellia</i> 'Mason Farm' Mason Farm Hybrid Camellia | BS | 1.88 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Pink Icicle' Pink Icicle Ackerman Hybrid Camellia | BS | 1.22 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Scentuous' Scentuous Hybrid Camellia | BS | 0.96 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Camellia</i> 'Snow Flurry' Snow Flurry Ackerman Hybrid Camellia | BS | 1.42 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Spring Frill' Spring Frill Ackerman Hybrid Camellia | BS | 1.82 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Spring's Promise' Spring's Promise Hybrid Camellia | BS | 1.56 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Survivor' Survivor Hybrid Camellia | BS | 1.95 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Taylor's Perfection' Taylor's Perfection Camellia | BS | 1.05 | G2 | 7 | 8-10 | | 1.00 | 7 |
| <i>Camellia</i> 'Two Marthas' Two Marthas Hybrid Camellia | BS | 0.84 | G2 | 7 | 8-10 | | 1.00 | 7 |
| <i>Camellia</i> 'Winter's Beauty' Winter's Beauty Ackerman Hybrid Camellia | BS | 1.09 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Winter's Charm' Winter's Charm Ackerman Hybrid Camellia | BS | 1.25 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Winter's Dream' Winter's Dream Ackerman Hybrid Camellia | BS | 1.79 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Winter's Fire' Winter's Fire Hybrid Camellia | BS | 1.85 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Winter's Interlude' Winter's Interlude Ackerman Hybrid Camellia | BS | 1.13 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Winter's Joy' Winter's Joy Hybrid Camellia | BS | 1.19 | G2 | 5-6 | 7-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Winter's Rose' Winter's Rose Ackerman Hybrid Camellia | BS | 1.16 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Winter's Snowman' Winter's Snowman Hybrid Camellia | BS | 1.67 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Winter's Star' Winter's Star Ackerman Hybrid Camellia | BS | 1.55 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Winter's Sunset' Winter's Sunset Ackerman Hybrid Camellia | BS | 1.21 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> 'Yoimachi' Yoimachi Hybrid Camellia | BS | 0.95 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia</i> x <i>hiemalis</i> Hybrid Camellia | BS | 1.42 | G2 | 7 | 8-10 | | 1.00 | 7 |
| <i>Camellia</i> x <i>hiemalis</i> 'Chansonette' Chansonette Hybrid Camellia | BS | 1.35 | G2 | 7 | 8-10 | | 1.00 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Camellia x hiemalis</i> 'Rose of Autumn' Rose of Autumn Hybrid Camellia | BS | 0.96 | G2 | 7 | 8-10 | | 1.00 | 7 |
| <i>Camellia x hiemalis</i> 'Showa Supreme' Showa Supreme Hybrid Camellia | BS | 1.95 | G2 | 7 | 8-10 | | 1.00 | 7 |
| <i>Camellia japonica</i> Japanese Camellia | BS | 1.27 | G2 | 7 | 8-10 | | 1.49 | 7 |
| <i>Camellia japonica</i> 'Adolphe Audusson' Adolphe Audusson Japanese Camellia | BS | 0.98 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Alba Plena' Alba Plena Japanese Camellia | BS | 0.94 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Allie Blue' Allie Blue Japanese Camellia | BS | 1.15 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Alpine Glow' Alpine Glow Japanese Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Altheaiflora' Altheaiflora Japanese Camellia | BS | 1.20 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Ava Maria' Ava Maria Japanese Camellia | BS | 1.57 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Berenice Boddy' Berenice Boddy Japanese Camellia | BS | 1.03 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Bessie Battle' Bessie Battle Japanese Camellia | BS | 1.21 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Betty Sheffield Supreme' Betty Sheffield Supreme Japanese Camellia | BS | 0.98 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Betty Sheffield' Betty Sheffield Japanese Camellia | BS | 1.04 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Blood of China' Blood of China Japanese Camellia | BS | 0.98 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Bob Hope' Bob Hope Japanese Camellia | BS | 1.33 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Brilliant' Brilliant Japanese Camellia | BS | 0.89 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'C.M. Hovey' C.M. Hovey Japanese Camellia | BS | 1.14 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'C.M. Wilson' C.M. Wilson Japanese Camellia | BS | 1.35 | G2 | 7 | 8-10 | | 1.38 | 7 |
| <i>Camellia japonica</i> 'Campari' Campari Japanese Camellia | BS | 0.95 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Carter's Sunburst' Carter's Sunburst Japanese Camellia | BS | 1.30 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Chandleri Elegans Variegated' Chandleri Elegans Variegated Japanese Camellia | BS | 1.46 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Chandleri Elegans' Chandleri Elegans Japanese Camellia | BS | 1.10 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Charlie Bettes' Charlie Bettes Japanese Camellia | BS | 1.35 | G2 | 6-7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Cherries Jubilee' Cherries Jubilee Japanese Camellia | BS | 0.95 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Christine Lee' Christine Lee Japanese Camellia | BS | 1.01 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Col. Ira Matthews' Col. Ira Matthews Japanese Camellia | BS | 1.23 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Colonel Firey' Colonel Firey Japanese Camellia | BS | 1.52 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Coquetti' Coquetti Japanese Camellia | BS | 1.25 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Covina' Covina Japanese Camellia | BS | 1.80 | G2 | 7 | 8-10 | | 1.09 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Camellia japonica</i> 'Daikagura' Daikagura Variegated Japanese Camellia | BS | 1.27 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Dainty California' Dainty California Japanese Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Debutante' Debutante Japanese Camellia | BS | 1.22 | G2 | 7 | 8-10 | | 0.91 | 7 |
| <i>Camellia japonica</i> 'Dixie Knight Supreme' Dixie Knight Supreme Japanese Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Doctor Burnside' Doctor Burnside Japanese Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Donckelaeri' Donckelaeri Japanese Camellia | BS | 1.11 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Dr. J.C. Raulston' Dr. J.C. Raulston Japanese Camellia | BS | 1.21 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Dr. Quattlebaum' Dr. Quattlebaum Japanese Camellia | BS | 0.96 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Dr. Tinsley' Dr. Tinsley Japanese Camellia | BS | 0.93 | G2 | 7 | 8-10 | | 1.02 | 7 |
| <i>Camellia japonica</i> 'Drama Girl' Drama Girl Japanese Camellia | BS | 0.97 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Eleanor Hagood' Eleanor Hagood Japanese Camellia | BS | 0.96 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Eleanor McCown' Eleanor McCown Japanese Camellia | BS | 1.44 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Elegans Splendor' Elegans Splendor Japanese Camellia | BS | 1.23 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Elegans' Elegans Japanese Camellia | BS | 1.46 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Elizabeth Acree' Elizabeth Acree Japanese Camellia | BS | 1.17 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Elizabeth Dowd Silver' Elizabeth Dowd Silver Japanese Camellia | BS | 1.15 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Faith' Faith Japanese Camellia | BS | 1.06 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Fashionata' Fashionata Japanese Camellia | BS | 1.16 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Finlandia' Finlandia Japanese Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Fred Sander' Fred Sander Japanese Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Gloire de Nantes' Gloire de Nantes Japanese Camellia | BS | 0.96 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Goggy' Goggy Japanese Camellia | BS | 1.06 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Governor Mouton' Governor Mouton Japanese Camellia | BS | 1.02 | G2 | 7 | 8-10 | | 0.86 | 7 |
| <i>Camellia japonica</i> 'Grace Albritton' Grace Albritton Japanese Camellia | BS | 0.98 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Grand Prix' Grand Prix Japanese Camellia | BS | 1.15 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Grand Slam' Grand Slam Japanese Camellia | BS | 1.54 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Grandiflora Rosea' Grandiflora Rosea Japanese Camellia | BS | 1.95 | G2 | 5-7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Greensboro Red' Greensboro Red Japanese Camellia | BS | 1.29 | G2 | 7 | 8-10 | | 0.86 | 7 |
| <i>Camellia japonica</i> 'Guilio Nuccio' Guilio Nuccio Japanese Camellia | BS | 1.05 | G2 | 7 | 8-10 | | 1.09 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Camellia japonica</i> 'Gunsmoke' Gunsmoke Japanese Camellia | BS | 1.21 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Hagoromo' Hagoromo Japanese Camellia | BS | 1.16 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'In The Pink' In The Pink Japanese Camellia | BS | 1.44 | G2 | 7 | 8-10 | | 1.40 | 7 |
| <i>Camellia japonica</i> 'Isaribi' Isaribi Japanese Camellia | BS | 1.20 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Jacks' Jacks Japanese Camellia | BS | 1.21 | G2 | 5-7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Janet Waterhouse' Janet Waterhouse Japanese Camellia | BS | 0.69 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Jordan's Pride' Jordan's Pride Japanese Camellia | BS | 1.18 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Ju-Dee' Ju-Dee Japanese Camellia | BS | 1.23 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'King Size' King Size Japanese Camellia | BS | 0.86 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Kishu-tsukasa' Kishu-tsukasa Japanese Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Korean Fire' Korean Fire Japanese Camellia | BS | 1.29 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Kramer's Supreme' Kramer's Supreme™ Japanese Camellia | BS | 1.27 | G2 | 7 | 8-10 | | 1.35 | 7 |
| <i>Camellia japonica</i> 'Kumasaka' Kumasaka Japanese Camellia | BS | 1.12 | G2 | 7 | 8-10 | | 1.38 | 7 |
| <i>Camellia japonica</i> 'Lady Clare' Lady Clare Japanese Camellia | BS | 1.05 | G2 | 7 | 8-10 | | 0.86 | 7 |
| <i>Camellia japonica</i> 'Lady Laura' Lady Laura Japanese Camellia | BS | 1.27 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Lady Vansittart Red' Lady Vansittart Red Japanese Camellia | BS | 0.99 | G2 | 7 | 8-10 | | 0.86 | 7 |
| <i>Camellia japonica</i> 'Lady Vansittart' Lady Vansittart Japanese Camellia | BS | 1.04 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Latifolia' Latifolia Japanese Camellia | BS | 1.02 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Laura Walker' Laura Walker Japanese Camellia | BS | 1.00 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Laurel Leaf' Laurel Leaf Japanese Camellia | BS | 1.72 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Mabel Bryan' Mabel Bryan Japanese Camellia | BS | 1.64 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Magic City' Magic City Japanese Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Magnoliiflora' See - <i>Camellia japonica</i> 'Hagoromo' | | | | | | | | |
| <i>Camellia japonica</i> 'Margaret Davis' Margaret Davis Japanese Camellia | BS | 0.98 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Margie' Margie Japanese Camellia | BS | 1.71 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Marie Bracey' Marie Bracey Japanese Camellia | BS | 1.20 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Mathotiana Supreme' Mathotiana Supreme Japanese Camellia | BS | 1.51 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Mathotiana' Mathotiana Japanese Camellia | BS | 1.09 | G2 | 7 | 8-10 | | 0.86 | 7 |
| <i>Camellia japonica</i> 'Maureen Ostler' Maureen Ostler Japanese Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.09 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Camellia japonica</i> 'Monke' Swan Lake™ Japanese Camellia | BS | 1.40 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Moonlight Bay' Moonlight Bay Japanese Camellia | BS | 0.96 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Morning Glow' Morning Glow Japanese Camellia | BS | 0.86 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Mrs. Charles Cobb' Mrs. Charles Cobb Japanese Camellia | BS | 1.31 | G2 | 7 | 8-10 | | 1.39 | 7 |
| <i>Camellia japonica</i> 'Mrs. D.W. Davis' Mrs. D.W. Davis Japanese Camellia | BS | 0.95 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Mrs. Tingley' Mrs. Tingley Japanese Camellia | BS | 1.23 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Nina Avery' Nina Avery Japanese Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Nuccio's Bella Rossa' P.P.A.F. Nuccio's Bella Rossa Japanese Camellia | BS | 1.72 | G2 | 5-7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Nuccio's Cameo' Nuccio's Cameo Japanese Camellia | BS | 0.96 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Nuccio's Gem' Nuccio's Gem Japanese Camellia | BS | 1.42 | G2 | 7 | 8-10 | | 0.86 | 7 |
| <i>Camellia japonica</i> 'Nuccio's Jewel' Nuccio's Jewel Japanese Camellia | BS | 1.07 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Nuccio's Pearl' Nuccio's Pearl Japanese Camellia | BS | 1.32 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Omega' Omega Japanese Camellia | BS | 1.16 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Paulette Goddard' Paulette Goddard Japanese Camellia | BS | 1.15 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Pearl Maxwell' Pearl Maxwell Japanese Camellia | BS | 1.49 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Pink Parade' Pink Parade Japanese Camellia | BS | 1.51 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Pink Perfection' Pink Perfection Japanese Camellia | BS | 0.94 | G2 | 7 | 8-10 | | 1.02 | 7 |
| <i>Camellia japonica</i> 'Pope Pius IX' Pope Pius IX Japanese Camellia | BS | 1.10 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Professor Charles S. Sargent' Professor Charles S. Sargent Japanese Camellia | BS | 1.05 | G2 | 7 | 8-10 | | 1.02 | 7 |
| <i>Camellia japonica</i> 'Purity' Purity Japanese Camellia | BS | 1.18 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'R.L. Wheeler' R.L. Wheeler Japanese Camellia | BS | 1.08 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Rainy Sun' Rainy Sun Japanese Camellia | BS | 1.15 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Rev. John G. Drayton' Rev. John G. Drayton Japanese Camellia | BS | 0.96 | G2 | 7 | 8-10 | | 1.02 | 7 |
| <i>Camellia japonica</i> 'Rose Dawn' Rose Dawn Japanese Camellia | BS | 0.94 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Rosea Superba' Rosea Superba Japanese Camellia | BS | 1.02 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Rosehill Red' Rosehill Red Japanese Camellia | BS | 0.98 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Rutledge Minnix' Rutledge Minnix Japanese Camellia | BS | 0.84 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Sawada's Mahogany' Sawada's Mahogany Japanese Camellia | BS | 0.96 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Scented Treasure' Scented Treasure Japanese Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.09 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Camellia japonica</i> 'Scentsation' Scentsation Japanese Camellia | BS | 1.57 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Shalla Braswell' Shalla Braswell Japanese Camellia | BS | 1.21 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Shiro Chan' Shiro Chan Japanese Camellia | BS | 1.53 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Shiro-botan' Shiro-botan Japanese Camellia | BS | 0.96 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Silver Waves' Silver Waves Japanese Camellia | BS | 1.48 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Snow White' Snow White Japanese Camellia | BS | 1.15 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Spellbound' Spellbound Japanese Camellia | BS | 1.15 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Spring Mist' Spring Mist Japanese Camellia | BS | 0.86 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Sunset Oaks' Sunset Oaks Japanese Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Surprise Bouquet' Surprise Bouquet Japanese Camellia | BS | 1.92 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Swan Lake' See - <i>Camellia japonica</i> 'Monke' | | | | | | | | |
| <i>Camellia japonica</i> 'Tama-no-ura' Tama-no-ura Japanese Camellia | BS | 1.16 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Tinsee' Tinsee Japanese Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Tom Knudsen' Tom Knudsen Japanese Camellia | BS | 1.33 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Tomorrow' Tomorrow Japanese Camellia | BS | 1.00 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Turandot' Turandot Japanese Camellia | BS | 0.98 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Victory White' Victory White Japanese Camellia | BS | 1.01 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Villa de Nantes' Villa de Nantes Japanese Camellia | BS | 0.95 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'White Empress' White Empress Japanese Camellia | BS | 0.96 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'White by the Gate' White by the Gate Japanese Camellia | BS | 1.11 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Winifred Womack' Winifred Womack Japanese Camellia | BS | 1.06 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia japonica</i> 'Woodville Red' Woodville Red Japanese Camellia | BS | 1.01 | G2 | 7 | 8-10 | | 1.09 | 7 |
| <i>Camellia sasanqua</i> Sasanqua Camellia | BS | 1.19 | G2 | 7 | 8-10 | | 1.16 | 7 |
| <i>Camellia sasanqua</i> 'Alabama Beauty' Alabama Beauty Sasanqua Camellia | BS | 1.67 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Appleblossom' Appleblossom Sasanqua Camellia | BS | 1.34 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Autumn Sentinel' Autumn Sentinel Sasanqua Camellia | BS | 0.96 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Beni Kantsubakia' Beni Kantsubakia Sasanqua Camellia | BS | 1.01 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Bert Jones' Bert Jones Sasanqua Camellia | BS | 1.55 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Bonanza' Bonanza Sasanqua Camellia | BS | 1.10 | G2 | 7 | 8-10 | | 1.14 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Camellia sasanqua</i> 'Christmas Rose' Christmas Rose Sasanqua Camellia | BS | 1.08 | G2 | 5-7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Cleopatra' Cleopatra Sasanqua Camellia | BS | 1.13 | G2 | 7 | 8-10 | | 1.03 | 7 |
| <i>Camellia sasanqua</i> 'Cotton Candy' Cotton Candy Sasanqua Camellia | BS | 1.01 | G2 | 7 | 8-10 | | 1.23 | 7 |
| <i>Camellia sasanqua</i> 'Dauphine' Dauphine Sasanqua Camellia | BS | 0.96 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Daydream' Daydream Sasanqua Camellia | BS | 0.91 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Frank Persons' Frank Persons Sasanqua Camellia | BS | 1.16 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Hana-Jiman' Hana-Jiman Sasanqua Camellia | BS | 1.28 | G2 | 7 | 8-10 | | 1.55 | 7 |
| <i>Camellia sasanqua</i> 'Hi Ru' Hi Ru Sasanqua Camellia | BS | 1.02 | G2 | 7 | 8-10 | | 0.86 | 7 |
| <i>Camellia sasanqua</i> 'Hot Flash' P.P.A.F. Hot Flash Sasanqua Camellia | BS | 1.57 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Jean May' Jean May Sasanqua Camellia | BS | 1.13 | G2 | 7 | 8-10 | | 0.86 | 7 |
| <i>Camellia sasanqua</i> 'Kanjiro' Kanjiro Sasanqua Camellia | BS | 1.12 | G2 | 7 | 8-10 | | 1.95 | 7 |
| <i>Camellia sasanqua</i> 'Leslie Ann' Leslie Ann Sasanqua Camellia | BS | 1.22 | G2 | 7 | 8-10 | | 1.23 | 7 |
| <i>Camellia sasanqua</i> 'Little Pearl' Little Pearl Sasanqua Camellia | BS | 0.94 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Long Island Pink' Long Island Pink Sasanqua Camellia | BS | 0.98 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Maiden's Blush' Maiden's Blush Sasanqua Camellia | BS | 1.12 | G2 | 7 | 8-10 | | 1.08 | 7 |
| <i>Camellia sasanqua</i> 'Midnight Lover' Midnight Lover Sasanqua Camellia | BS | 1.73 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Mine-No-Yuki' Mine-No-Yuki Sasanqua Camellia | BS | 1.19 | G2 | 7 | 8-10 | | 1.02 | 7 |
| <i>Camellia sasanqua</i> 'Mr. Ohta' Mr. Ohta Sasanqua Camellia | BS | 0.96 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Nanette' Nanette Sasanqua Camellia | BS | 1.28 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Northern Lights' Northern Lights Sasanqua Camellia | BS | 0.99 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Our Linda' Our Linda Sasanqua Camellia | BS | 1.07 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Pink Butterfly' Pink Butterfly Sasanqua Camellia | BS | 1.19 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Pink Serenade' Pink Serenade Sasanqua Camellia | BS | 1.08 | G2 | 5-7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Pink Snow' Pink Snow Sasanqua Camellia | BS | 1.07 | G2 | 7 | 8-10 | | 1.16 | 7 |
| <i>Camellia sasanqua</i> 'Rosea' Rose Sasanqua Camellia | BS | 0.97 | G2 | 7 | 8-10 | | 1.55 | 7 |
| <i>Camellia sasanqua</i> 'Sarrel' Sarrel Sasanqua Camellia | BS | 0.96 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Setsugekka' Setsugekka Sasanqua Camellia | BS | 1.14 | G2 | 7 | 8-10 | | 0.86 | 7 |
| <i>Camellia sasanqua</i> 'Shishi-gashira' Shishi-gashira Sasanqua Camellia | BS | 1.10 | G2 | 7 | 8-10 | | 0.86 | 7 |
| <i>Camellia sasanqua</i> 'Showa-no-sakae' Showa-no-sakae Sasanqua Camellia | BS | 1.14 | G2 | 7 | 8-10 | | 1.14 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Camellia sasanqua</i> 'Sparkling Burgundy' Sparkling Burgundy Sasanqua Camellia | BS | 1.08 | G2 | 7 | 8-10 | | 0.94 | 7 |
| <i>Camellia sasanqua</i> 'Stephanie Golden' Stephanie Golden Sasanqua Camellia | BS | 1.27 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Tanya' Tanya Sasanqua Camellia | BS | 1.44 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'William Lanier Hunt' William Lanier Hunt Sasanqua Camellia | BS | 1.15 | G2 | 7 | 8-10 | | 1.14 | 7 |
| <i>Camellia sasanqua</i> 'Yuletide' Yuletide Sasanqua Camellia | BS | 1.15 | G2 | 7 | 8-10 | | 0.96 | 7 |
| <i>Camellia sinensis</i> Tea | BS | 1.16 | G2 | 7 | 8-10 | | 1.00 | 6 |
| <i>Camellia x vernalis</i> No Common Name Found | BS | 1.10 | G2 | 7 | 8-10 | | 1.00 | 7 |
| <i>Camellia x vernalis</i> 'Dawn' Dawn Camellia | BS | 0.96 | G2 | 7 | 8-10 | | 1.00 | 7 |
| <i>Camellia x vernalis</i> 'Egao' Egao Camellia | BS | 1.00 | G2 | 7 | 8-10 | | 1.00 | 7 |
| <i>Camellia x vernalis</i> 'Hiryu' Hiryu Camellia | BS | 1.30 | G2 | 7 | 8-10 | | 1.00 | 7 |
| <i>Camellia x vernalis</i> 'Star Above Star' Star Above Star Camellia | BS | 1.14 | G2 | 7 | 8-10 | | 1.00 | 7 |
| <i>Camellia x williamsii</i> Williams Camellia | BS | 1.24 | G2 | 7 | 8-10 | | 1.26 | 5 |
| <i>Camellia x williamsii</i> 'Anticipation' Anticipation Williams Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.26 | 5 |
| <i>Camellia x williamsii</i> 'Brigadoon' Brigadoon Williams Camellia | BS | 1.35 | G2 | 7 | 8-10 | | 1.26 | 5 |
| <i>Camellia x williamsii</i> 'Coral Delight' Coral Delight Williams Camellia | BS | 1.30 | G2 | 7 | 8-10 | | 1.26 | 6 |
| <i>Camellia x williamsii</i> 'Debbie' Debbie Williams Camellia | BS | 1.63 | G2 | 7 | 8-10 | | 1.26 | 5 |
| <i>Camellia x williamsii</i> 'Donation' Donation Williams Camellia | BS | 1.44 | G2 | 7 | 8-10 | | 1.26 | 5 |
| <i>Camellia x williamsii</i> 'Freedom Bell' Freedom Bell Williams Camellia | BS | 1.11 | G2 | 7 | 8-10 | | 1.26 | 5 |
| <i>Camellia x williamsii</i> 'J.C. Williams' J.C. Williams Camellia | BS | 0.90 | G2 | 7 | 8-10 | | 1.26 | 5 |
| <i>Camellia x williamsii</i> 'Jury's Yellow' Jury's Yellow Williams Camellia | BS | 1.61 | G2 | 7 | 8-10 | | 1.26 | 6 |
| <i>Camellia x williamsii</i> 'Mary Christian' Mary Christian Williams Camellia | BS | 0.91 | G2 | 7 | 8-10 | | 1.26 | 6 |
| <i>Campanula</i> Hybrid Bellflower | HP | 1.15 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula</i> 'Birch Hybrid' Birch Bellflower | HP | 0.84 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula</i> 'Sarastro' Sarastro Hybrid Bellflower | HP | 1.45 | G4 | 4-5 | 6-8 | | | |
| <i>Campanula alliariifolia</i> Spurred Bellflower | HP | 1.09 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula allionii</i> See - <i>Campanula alpestris</i> | | | | | | | | |
| <i>Campanula alpestris</i> No Common Name Found | HP | 0.68 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula americana</i> Tall Bellflower | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula barbata</i> Bearded Bellflower | HP | 0.45 | G4 | 4-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Campanula carpatica</i> Carpathian Harebell | HP | 0.91 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula carpatica</i> 'Alba' White Carpathian Harebell | HP | 0.82 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula carpatica</i> 'Blue Clips' Blue Clips Carpathian Harebell | HP | 0.93 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula carpatica</i> 'Blue Uniform' Blue Uniform Carpathian Harebell | HP | 0.80 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula carpatica</i> 'Deep Blue Clips' Deep Blue Clips Carpathian Harebell | HP | 1.09 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula carpatica</i> 'Pearl Deep Blue' Pearl Deep Blue Carpathian Harebell | HP | 0.75 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula carpatica</i> 'Pearl White' Pearl White Carpathian Harebell | HP | 0.70 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula carpatica</i> 'White Clips' White Clips Carpathian Harebell | HP | 0.98 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula carpatica</i> 'White Star' White Star Carpathian Harebell | HP | 0.87 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula carpatica</i> var. <i>turbinata</i> Turbinata Carpathian Harebell | HP | 0.83 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula cochleariifolia</i> Spiral Bellflower | HP | 0.83 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula cochleariifolia</i> 'Alba' White Spiral Bellflower | HP | 0.60 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula cochleariifolia</i> 'Bavaria Blue' Bavaria Blue Spiral Bellflower | HP | 0.52 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula cochleariifolia</i> 'Bavaria White' Bavaria White Spiral Bellflower | HP | 0.44 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula elatines</i> Adriatic Bellflower | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula elatines</i> var. <i>fenestrellata</i> No Common Name Found | HP | 1.16 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula fragilis</i> Neapolitan Bellflower | HP | 0.72 | G4 | 5-8 | 9 | | | |
| <i>Campanula garganica</i> Gargano Bellflower | HP | 0.81 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula garganica</i> 'Dickson's Gold' Dickson's Gold Gargano Bellflower | HP | 0.77 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula glomerata</i> Clustered Bellflower | HP | 0.96 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula glomerata</i> 'Alba' White Clustered Bellflower | HP | 0.86 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula glomerata</i> 'Caroline' Caroline Clustered Bellflower | HP | 0.92 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula glomerata</i> 'Joan Elliott' Joan Elliott Clustered Bellflower | HP | 1.10 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula glomerata</i> 'Superba' Superba Clustered Bellflower | HP | 0.91 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula glomerata</i> var. <i>acaulis</i> Dwarf Clustered Bellflower | HP | 0.89 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula glomerata</i> var. <i>dahurica</i> Dahurian Clustered Bellflower | HP | 0.76 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula isophylla</i> Italian Bellflower | HP | 0.75 | G4 | 5-8 | 9 | | | |
| <i>Campanula isophylla</i> 'Alba' White Italian Bellflower | HP | 1.05 | G4 | 6-7 | 8 | | | |
| <i>Campanula isophylla</i> 'Stella Blue' Stella Blue Italian Bellflower | HP | 0.90 | G4 | 5-7 | 8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Campanula kemulariae</i> No Common Name Found | HP | 0.72 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula lactiflora</i> Milky Bellflower | HP | 0.87 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula lactiflora</i> 'Loddon Anna' Loddon Anna Milky Bellflower | HP | 1.01 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula lactiflora</i> 'Pouffe' Pouffe Milky Bellflower | HP | 1.23 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula lactiflora</i> 'Prichard's Variety' Prichard's Variety Milky Bellflower | HP | 1.06 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula lactiflora</i> 'White Pouffe' White Pouffe Milky Bellflower | HP | 1.18 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula latifolia</i> Great Bellflower | HP | 0.83 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula latifolia</i> 'Macrantha' Macrantha Great Bellflower | HP | 1.07 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula medium</i> Annual Canterbury Bells | HP | 0.88 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula medium</i> 'Alba' White Canterbury Bells | HP | 0.77 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula medium</i> 'Caerulea' Blue Canterbury Bells | HP | 0.77 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula medium</i> 'Calycanthema' Calycanthema Canterbury Bells | HP | 0.82 | R1 | 4-6 | 7-8 | | | |
| <i>Campanula medium</i> 'Champion Series' Champion Series Annual Canterbury Bells | BS | 0.86 | G4 | 4-6 | 7-8 | | 1.00 | 5 |
| <i>Campanula medium</i> 'Rosea' Pink Canterbury Bells | HP | 0.60 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula persicifolia</i> Peachleaf Bellflower | HP | 0.90 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula persicifolia</i> 'Alba Flore-Pleno' Alba Flore-Pleno Peachleaf Bellflower | HP | 1.18 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula persicifolia</i> 'Alba' White Peachleaf Bellflower | HP | 1.04 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula persicifolia</i> 'Bluebell' Bluebell Peachleaf Bellflower | HP | 0.68 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula persicifolia</i> 'Chettle Charm' P.P. 9815 Chettle Charm Peachleaf Bellflower | HP | 1.10 | G4 | 2-3 | 4-8 | | | |
| <i>Campanula persicifolia</i> 'Grandiflora Alba' White Grandiflora Peachleaf Bellflower | HP | 0.94 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula persicifolia</i> 'Grandiflora' Grandiflora Peachleaf Bellflower | HP | 0.96 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula persicifolia</i> 'Telham Beauty' Telham Beauty Peachleaf Bellflower | HP | 0.80 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula portenschlagiana</i> Dalmation Bellflower | HP | 0.87 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula portenschlagiana</i> 'Resholt Variety' Resholt Variety Dalmation Bellflower | HP | 0.87 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula poscharskyana</i> Serbian Bellflower | HP | 0.80 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula poscharskyana</i> 'Blue Gown' Blue Gown Serbian Bellflower | HP | 0.97 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula poscharskyana</i> 'Blue Waterfall' P.P.A.F. Blue Waterfall Serbian Bellflower | HP | 1.13 | G4 | 2-3 | 4-8 | | | |
| <i>Campanula primulifolia</i> No Common Name Found | HP | 0.72 | G4 | 5-8 | 9 | | | |
| <i>Campanula pulla</i> No Common Name Found | HP | 0.72 | G4 | 4-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Campanula x pulloides</i> No Common Name Found | HP | 0.72 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula punctata</i> Spotted Bellflower | HP | 1.20 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula punctata</i> 'Cherry Bells' Cherry Bells Spotted Bellflower | HP | 1.21 | G3 | 4-6 | 7-8 | | | |
| <i>Campanula punctata</i> 'Elizabeth' Elizabeth Spotted Bellflower | HP | 1.32 | G3 | 4-6 | 7-8 | | | |
| <i>Campanula punctata</i> 'Pink Chimes' P.P. 13156 Pink Chimes Spotted Bellflower | HP | 1.45 | G3 | 4-6 | 7-8 | | | |
| <i>Campanula punctata</i> 'Rubrifolia' Rubrifolia Spotted Bellflower | HP | 0.81 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula pyramidalis</i> Chimney Bellflower | HP | 0.60 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula rapunculoides</i> Creeping Bellflower | HP | 0.90 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula rotundifolia</i> Harebell | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula rotundifolia</i> 'Olympica' Olympica Harebell | HP | 0.94 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula sarmatica</i> Sarmatican Bellflower | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Campanula takesimana</i> Korean Bellflower | HP | 1.20 | G4 | 4-5 | 6-8 | | | |
| <i>Campanula trachelium</i> Nettle-leaved Bellflower | HP | 0.83 | G4 | 2-4 | 5-8 | | | |
| <i>Campanula trachelium</i> 'Bernice' Bernice Nettle-leaved Bellflower | HP | 1.24 | G4 | 4-6 | 7-8 | | | |
| <i>Camphora officinalis</i> See - <i>Cinnamomum camphora</i> | | | | | | | | |
| <i>Campsis grandiflora</i> Chinese Trumpet Creeper | GC | 0.91 | G2 | 6-7 | 8-9B | | 1.00 | 7 |
| <i>Campsis grandiflora</i> 'Morning Calm' Morning Calm Chinese Trumpet Creeper | GC | 1.14 | G2 | 7 | 8-9A | | 1.00 | 7 |
| <i>Campsis radicans</i> Trumpet Creeper | GC | 1.02 | G2 | 5-7 | 8-10B | | 1.00 | 4 |
| <i>Campsis radicans</i> 'Balboa Sunset' See - <i>Campsis radicans</i> 'Monbal' | | | | | | | | |
| <i>Campsis radicans</i> 'Flamenco' Flamenco Trumpet Creeper | GC | 1.14 | G2 | 3-4 | 5-10B | | 1.00 | 4 |
| <i>Campsis radicans</i> 'Flava' Yellow Trumpet Creeper | GC | 1.24 | G2 | 5-7 | 8-10B | | 1.00 | 4 |
| <i>Campsis radicans</i> 'Minnesota Red' Minnesota Red Trumpet Creeper | GC | 1.40 | G4 | 4-6 | 7-8 | | 1.00 | 4 |
| <i>Campsis radicans</i> 'Monbal' Balboa Sunset™ Trumpet Creeper | GC | 1.43 | G2 | 3-4 | 5-10B | | 1.00 | 4 |
| <i>Campsis radicans</i> 'Summer Snowfall' See - <i>Campsis radicans</i> 'Takarazuka Variegated' P.P.A.F. | | | | | | | | |
| <i>Campsis radicans</i> 'Takarazuka Variegated' P.P.A.F. Summer Snowfall™ Trumpet Creeper | GC | 1.43 | G4 | 4-6 | 7-8 | | 1.00 | 4 |
| <i>Campsis x tagliabuana</i> Hybrid Trumpet Creeper | GC | 1.48 | G2 | 4-7 | 8-9A | | 1.00 | 4 |
| <i>Campsis x tagliabuana</i> 'Madame Galen' Madame Galen Hybrid Trumpet Creeper | GC | 1.20 | G2 | 4-7 | 8-9A | | 1.00 | 4 |
| <i>Camptosorus rhizophyllum</i> See - <i>Asplenium rhizophyllum</i> | | | | | | | | |
| <i>Cananga odorata</i> Ilang-Ilang | BE | 0.99 | G1 | 10 | 11 | 1.00 | 0.92 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Candollea cuneiformis</i> See - <i>Hibbertia cuneiformis</i> | | | | | | | | |
| <i>Canella winterana</i> Wild Cinnamon | BE | 1.21 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Canistrum lindenii</i> No Common Name Found | HP | 1.00 | G4 | 8-10 | 11 | | | |
| <i>Canna</i> Canna Lily | HP | 0.91 | G4 | 7-8 | 9-11 | | | |
| <i>Canna</i> 'Aida' Aida Canna Lily | HP | 0.69 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Ambassador' Ambassador Canna Lily | HP | 0.92 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Angel Pink' Angel Pink Canna Lily | HP | 0.66 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Apricot Frost' Apricot Frost Canna Lily | HP | 0.79 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Australia' Australia Canna Lily | HP | 1.25 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Bangkok Yellow' Bangkok Yellow Canna Lily | HP | 1.07 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Bengal Tiger' Bengal Tiger Canna Lily | HP | 1.01 | G4 | 8-9 | 10-11 | | | |
| <i>Canna</i> 'Black Knight' Black Knight Canna Lily | HP | 0.85 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Brandywine' Brandywine Canna Lily | HP | 0.66 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Bugle Boy' P.P. 9154 Liberty Bugle Boy™ Canna Lily | HP | 1.28 | G4 | 8-9 | 10-11 | | | |
| <i>Canna</i> 'Cherry Red' Cherry Red Dwarf Canna Lily | HP | 0.86 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'China Doll' China Doll Canna Lily | HP | 0.79 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'City of Portland' City of Portland Canna Lily | HP | 0.92 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Cleopatra' Cleopatra Canna Lily | HP | 1.02 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Conestoga' Conestoga Canna Lily | HP | 0.66 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Crimson Beauty' Crimson Beauty Canna Lily | HP | 0.84 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Dwarf Pfitzer' Dwarf Pfitzer Canna Lily | HP | 0.74 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Eureka' Eureka Dwarf Yellow Canna Lily | HP | 0.93 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Firebird' Firebird Canna Lily | HP | 0.92 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Freedom Series' Freedom Series Canna Lily | HP | 0.91 | G4 | 7-8 | 9-11 | | | |
| <i>Canna</i> 'Futurity Pink' Futurity Pink Canna Lily | HP | 0.83 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Futurity Red' Futurity Red Canna Lily | HP | 0.87 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Futurity Rose' Futurity Rose Canna Lily | HP | 0.87 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Futurity Yellow' Futurity Yellow Canna Lily | HP | 0.88 | G4 | 8-9 | 10-11 | | | |
| <i>Canna</i> 'Journey's End' Journey's End Canna Lily | HP | 0.57 | G4 | 8-9B | 10-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Canna</i> 'Karl Felstadt' Karl Felstadt Dwarf Orange Canna Lily | HP | 0.92 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'King City Gold' King City Gold Canna Lily | HP | 0.66 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Lenape' Lenape Canna Lily | HP | 0.82 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Liberty Bugle Boy' See - <i>Canna</i> 'Bugle Boy' P.P. 9154 | | | | | | | | |
| <i>Canna</i> 'Liberty Pink Splash' Liberty Pink Splash™ Canna Lily | HP | 1.18 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Liberty Scarlet' See - <i>Canna</i> 'Roblibasca' P.P. 9896 | | | | | | | | |
| <i>Canna</i> 'Liberty Sun' Liberty Sun™ Canna Lily | HP | 1.18 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Lippo' Lippo Canna Lily | HP | 0.66 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Lucifer' Lucifer Canna Lily | HP | 0.82 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'MACTro' P.P. 13809 Tropicanna Gold Canna Lily | HP | 1.66 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Madame Butterfly' Madame Butterfly Dwarf Pink Canna Lily | HP | 0.87 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Miss Oklahoma' Miss Oklahoma Canna Lily | HP | 0.87 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'North Star Landscape Red' North Star Landscape Red Canna Lily | HP | 0.91 | G4 | 7-8 | 9-11 | | | |
| <i>Canna</i> 'North Star Sweetheart' North Star Sweetheart Canna Lily | HP | 0.91 | G4 | 7-8 | 9-11 | | | |
| <i>Canna</i> 'Orange Beauty' Orange Beauty Canna Lily | HP | 0.66 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Orange Punch' Orange Punch Canna Lily | HP | 0.79 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Peach Blush' Peach Blush Canna Lily | HP | 0.91 | G4 | 7-8 | 9-11 | | | |
| <i>Canna</i> 'Pfizer's Chinese Coral' Pfizer's Chinese Coral Canna Lily | HP | 0.96 | G4 | 7-8 | 9-11 | | | |
| <i>Canna</i> 'Pfizer's Salmon Pink' Pfizer's Salmon Pink Canna Lily | HP | 0.85 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Phasion' P.P. 10569 Tropicanna™ Canna Lily | HP | 1.57 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Pink Beauty' Pink Beauty Canna Lily | HP | 0.86 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Pink Sunburst' Pink Sunburst Canna Lily | HP | 1.03 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'President' President Red Canna Lily | HP | 0.99 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Primrose Yellow' Primrose Yellow Canna Lily | HP | 0.85 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Red Hot Wonder' Red Hot Wonder Canna Lily | HP | 0.79 | G4 | 8-9 | 10-11 | | | |
| <i>Canna</i> 'Red Wine' Red Wine Canna Lily | HP | 0.79 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Richard Wallace' Richard Wallace Canna Lily | HP | 0.88 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Roblibasca' P.P. 9896 Liberty Scarlet Canna Lily | HP | 1.26 | G4 | 8-9 | 10-11 | | | |
| <i>Canna</i> 'Roi King Humbert' Roi King Humbert Canna Lily | HP | 1.02 | G4 | 8 | 9-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Canna</i> 'Rosemund Coles' Rosemund Coles Canna Lily | HP | 0.87 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Shining Pink' Shining Pink Canna Lily | HP | 0.66 | G4 | 7-8 | 9-11 | | | |
| <i>Canna</i> 'Stadt Fellbach' Stadt Fellbach Canna Lily | HP | 0.75 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Striata' Striata Canna Lily | HP | 1.39 | G4 | 8-9 | 10-11 | | | |
| <i>Canna</i> 'Striped Beauty' Striped Beauty Canna Lily | HP | 0.89 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Tropical Red' Tropical Red Canna Lily | HP | 0.82 | G4 | 7-8 | 9-11 | | | |
| <i>Canna</i> 'Tropical Rose' Tropical Rose Canna Lily | HP | 0.85 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Tropical Salmon' Tropical Salmon Canna Lily | HP | 0.92 | G4 | 7-8 | 9-11 | | | |
| <i>Canna</i> 'Tropicanna Gold' See - <i>Canna</i> 'MACtro' P.P. 13809 | | | | | | | | |
| <i>Canna</i> 'Vermillion' Vermillion Canna Lily | HP | 0.79 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Wine 'n' Roses' Wine 'n' Roses Canna Lily | HP | 0.79 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Wyoming' Wyoming Canna Lily | HP | 1.01 | G4 | 8-9B | 10-11 | | | |
| <i>Canna</i> 'Yellow King Humbert' Yellow King Humbert Canna Lily | HP | 1.09 | G4 | 8-9B | 10-11 | | | |
| <i>Canna flaccida</i> Golden Canna | HP | 0.54 | G4 | 8 | 9-11 | | | |
| <i>Canna x generalis</i> Garden Canna Lily | HP | 1.08 | G4 | 8-9B | 10-11 | | | |
| <i>Canna indica</i> Indian Shot | HP | 1.00 | G4 | 8-9B | 10-11 | | | |
| <i>Canna indica</i> 'Tropicanna' See - <i>Canna</i> 'Phasion' P.P. 10569 | | | | | | | | |
| <i>Canna malawiensis</i> 'Variegata' See - <i>Canna</i> 'Striata' | | | | | | | | |
| <i>Cantua buxifolia</i> Sacred Flower of the Incas | BS | 0.95 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Cantua buxifolia</i> 'Hot Pants' Hot Pants Sacred Flower of the Incas | BS | 0.95 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Capparis cynophallophora</i> Jamaica Caper Tree | BS | 0.95 | G1 | 10 | 11 | | 1.01 | 10 |
| <i>Capparis flexuosa</i> Bay-leaved Caper Tree | BS | 0.76 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Capparis spinosa</i> var. <i>inermis</i> Thornless Caper Tree | BS | 1.38 | G2 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Capsicum annuum</i> Pepper Plant | AN | 1.14 | G4 | 8-10A | 10B-11 | | | |
| <i>Capsicum annuum</i> 'Chilly Chili' Chilly Chili Pepper | AN | 1.16 | G4 | 7-9 | 10-11 | | | |
| <i>Capsicum annuum</i> 'Explosive Ember' Explosive Ember Chili Pepper | AN | 1.02 | G4 | 7-9 | 10-11 | | | |
| <i>Capsicum annuum</i> 'Holiday Cheer' Holiday Cheer Chili Pepper | AN | 1.08 | G4 | 8-10A | 10B-11 | | | |
| <i>Capsicum annuum</i> 'Medusa' Medusa Chili Pepper | AN | 1.37 | G4 | 7-9 | 10-11 | | | |
| <i>Capsicum annuum</i> 'Treasure Red' Treasure Red Chili Pepper | AN | 1.08 | G4 | 8-10A | 10B-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Capsicum annuum</i> var. <i>aviculare</i> Chile Pequin | AN | 0.92 | G4 | 8-10A | 10B-11 | | | |
| <i>Capsicum frutescens</i> Tabasco Pepper | AN | 1.00 | G4 | 6-9B | 10A-11 | | | |
| <i>Caragana arborescens</i> Siberian Peashrub | DS | 1.23 | G1 | 2-5 | 6-7 | | 0.80 | 2 |
| <i>Caragana arborescens</i> 'Lorbergii' Fernleaf Siberian Peashrub | BS | 0.94 | G1 | 2-5 | 6-7 | | 1.00 | 2 |
| <i>Caragana arborescens</i> 'Nana' Dwarf Siberian Peashrub | BS | 0.94 | G1 | 2-5 | 6-7 | | 1.00 | 2 |
| <i>Caragana arborescens</i> 'Pendula' Weeping Siberian Peashrub | DS | 1.94 | G1 | 2-5 | 6-7 | | 2.34 | 2 |
| <i>Caragana arborescens</i> 'Sutherland' Sutherland Siberian Peashrub | BS | 0.94 | G1 | 2-5 | 6-7 | | 1.00 | 2 |
| <i>Caragana arborescens</i> 'Walker' Walker Siberian Peashrub | DS | 1.84 | G1 | 2-5 | 6-7 | | 3.46 | 2 |
| <i>Caragana frutex</i> Russian Peashrub | DS | 1.18 | G2 | 2 | 3-6 | | 1.63 | 2 |
| <i>Caragana frutex</i> 'Globosa' Globe Russian Peashrub | DS | 1.18 | G2 | 2 | 3-6 | | 1.63 | 2 |
| <i>Caragana maximowicziana</i> Little Max Peashrub | DS | 0.85 | G2 | 3-6 | 7-8 | | 1.00 | 2 |
| <i>Caragana microphylla</i> Littleleaf Peashrub | DS | 0.85 | G2 | 2 | 3-6 | | 1.00 | 2 |
| <i>Caragana microphylla</i> 'Tidy' Tidy Littleleaf Peashrub | DS | 0.85 | G2 | 3-6 | 7-8 | | 1.00 | 2 |
| <i>Caragana pygmaea</i> Pygmy Peashrub | DS | 1.02 | G2 | 2-3 | 4-6 | | 2.00 | 3 |
| <i>Cardamine trifolia</i> No Common Name Found | HP | 1.00 | G2 | 3-6 | 7-8 | | | |
| <i>Cardiospermum halicacabum</i> Balloon Vine | GC | 1.00 | G4 | 7-9 | 10 | | 1.00 | 9 |
| <i>Carduncellus mitissimus</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8 | | | |
| <i>Carex acuta</i> Slender-tufted Sedge | HP | 0.70 | G4 | 3-4 | 5-6 | | | |
| <i>Carex albula</i> Blonde Sedge | HP | 1.38 | G4 | 7 | 8-9 | | | |
| <i>Carex bergrenii</i> Bergren Sedge | HP | 0.74 | G4 | 7 | 8-9 | | | |
| <i>Carex bicknellii</i> Bicknell's Sedge | HP | 1.00 | G4 | 7 | 8-9 | | | |
| <i>Carex buchananii</i> Leatherleaf Sedge | HP | 1.40 | G4 | 7 | 8-9 | | | |
| <i>Carex buchananii</i> 'Viridis' Green Leatherleaf Sedge | HP | 1.40 | G4 | 5-6 | 7-9 | | | |
| <i>Carex caryophyllea</i> Spring Sedge | HP | 1.67 | G4 | 5-6 | 7-9 | | | |
| <i>Carex caryophyllea</i> 'Beatlemania' Beatlemania Spring Sedge | HP | 1.67 | G4 | 5-6 | 7-9 | | | |
| <i>Carex comans</i> New Zealand Hair Sedge | HP | 0.95 | G4 | 7 | 8-9 | | | |
| <i>Carex comans</i> 'Frosted Curls' Frosted Curls New Zealand Hair Sedge | HP | 1.45 | G4 | 7 | 8-9 | | | |
| <i>Carex conica</i> Dwarf Sedge | HP | 1.34 | G4 | 7 | 8-9 | | | |
| <i>Carex conica</i> 'Snowline' Snowline Dwarf Sedge | HP | 1.19 | G4 | 4-5 | 6-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Carex conica</i> 'Variegata' Hime Kansugi Dwarf Sedge | HP | 1.49 | G4 | 7 | 8-9 | | | |
| <i>Carex densa</i> Dense Sedge | HP | 1.00 | G4 | 7 | 8-9 | | | |
| <i>Carex digitata</i> No Common Name Found | HP | 0.70 | G4 | 7 | 8-9 | | | |
| <i>Carex dipsacea</i> Autumn Sedge | HP | 1.46 | G4 | 7 | 8-9 | | | |
| <i>Carex dolichostachya</i> No Common Name Found | HP | 1.37 | G4 | 7 | 8-9 | | | |
| <i>Carex dolichostachya</i> 'Kaga-nishiki' Kaga Brocade Sedge | HP | 1.37 | G4 | 7 | 8-9 | | | |
| <i>Carex elata</i> Tufted Sedge | HP | 1.56 | G4 | 7 | 8-9B | | | |
| <i>Carex elata</i> 'Bowles Golden' Bowles Golden Tufted Sedge | HP | 1.44 | G4 | 7 | 8-9B | | | |
| <i>Carex elata</i> 'Variegata' Variegated Tufted Sedge | HP | 1.67 | G4 | 5-6 | 7-9 | | | |
| <i>Carex elegantissima</i> No Common Name Found | HP | 0.79 | G4 | 7-8 | 9-10 | | | |
| <i>Carex elegantissima</i> 'Variegata' Golden-edged Sedge | HP | 0.79 | G4 | 7-8 | 9-10 | | | |
| <i>Carex firma</i> Dwarf Pillow Sedge | HP | 1.00 | G4 | 6-7 | 8 | | | |
| <i>Carex firma</i> 'Variegata' Variegated Dwarf Pillow Sedge | HP | 1.00 | G4 | 6-7 | 8 | | | |
| <i>Carex flacca</i> Blue Green Sedge | HP | 1.04 | G4 | 5-6 | 7-8 | | | |
| <i>Carex flagellifera</i> Copperleaf Sedge | HP | 1.39 | G4 | 7 | 8-9 | | | |
| <i>Carex flagellifera</i> 'Toffee Twist' Toffee Twist Copperleaf Sedge | HP | 0.75 | G4 | 5-7 | 8-9 | | | |
| <i>Carex glauca</i> Blue Sedge | HP | 1.52 | G4 | 7 | 8-9 | | | |
| <i>Carex gracilis</i> See - <i>Carex acuta</i> | | | | | | | | |
| <i>Carex grayi</i> Gray Sedge | HP | 0.96 | G4 | 7 | 8-9A | | | |
| <i>Carex grayi</i> 'Morning Star' Morning Star Gray Sedge | HP | 1.57 | G4 | 7 | 8-9A | | | |
| <i>Carex hachijoensis</i> No Common Name Found | HP | 1.29 | G4 | 8 | 9A-10A | | | |
| <i>Carex hachijoensis</i> 'Evergold' Evergold Sedge | HP | 1.29 | G4 | 8 | 9A-10A | | | |
| <i>Carex laeviculmis</i> Smooth-stem Sedge | HP | 1.00 | G4 | 7 | 8-9 | | | |
| <i>Carex morrowii</i> Japanese Sedge | HP | 0.88 | G4 | 8 | 9A-10A | | | |
| <i>Carex morrowii</i> 'Aurea-variegata' Gold Variegated Japanese Sedge | HP | 1.45 | G4 | 8 | 9A-10A | | | |
| <i>Carex morrowii</i> 'Fisher' Fisher Japanese Sedge | HP | 0.74 | G4 | 7-8 | 9-10 | | | |
| <i>Carex morrowii</i> 'Ice Dance' Ice Dance Japanese Sedge | HP | 1.30 | G4 | 8 | 9A-10A | | | |
| <i>Carex morrowii</i> 'Old Gold' Old Gold Japanese Sedge | HP | 1.42 | G4 | 8 | 9A-10A | | | |
| <i>Carex morrowii</i> 'Silk Tassel' Silk Tassel Japanese Sedge | HP | 1.45 | G4 | 8 | 9A-10A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Carex morrowii</i> 'Silver Sceptre' Silver Sceptre Japanese Sedge | HP | 1.22 | G4 | 5-6 | 7-9 | | | |
| <i>Carex morrowii</i> 'Variegata' Silver Variegated Japanese Sedge | HP | 0.93 | G4 | 8 | 9A-10A | | | |
| <i>Carex muskingumensis</i> Swamp Sedge | HP | 1.34 | G4 | 7 | 8-9 | | | |
| <i>Carex muskingumensis</i> 'Little Midge' Little Midge Swamp Sedge | HP | 1.67 | G4 | 3-4 | 5-9 | | | |
| <i>Carex muskingumensis</i> 'Wachtposten' Wachtposten Palm Sedge | HP | 0.70 | G4 | 7 | 8-9 | | | |
| <i>Carex nigra</i> Black Sedge | HP | 1.10 | G4 | 5-6 | 7-8 | | | |
| <i>Carex nudata</i> California Black-flowering Sedge | HP | 0.79 | G4 | 7 | 8-9 | | | |
| <i>Carex obnupta</i> Slough Sedge | HP | 0.97 | G4 | 7 | 8-9 | | | |
| <i>Carex ornithopoda</i> Bird's Foot Sedge | HP | 1.18 | G4 | 7 | 8-9 | | | |
| <i>Carex ornithopoda</i> 'Variegata' Variegated Bird's Foot Sedge | HP | 1.18 | G4 | 7 | 8-9 | | | |
| <i>Carex pansa</i> California Meadow Sedge | HP | 1.20 | G4 | 7-8 | 9-10 | | | |
| <i>Carex pendula</i> Pendulous Sedge | HP | 1.47 | G4 | 7 | 8-9 | | | |
| <i>Carex pennsylvanica</i> Pennsylvania Sedge | HP | 1.32 | G4 | 7 | 8-9 | | | |
| <i>Carex petriei</i> Brown Sedge | HP | 0.70 | G4 | 7 | 8-9 | | | |
| <i>Carex phyllocephala</i> No Common Name Found | HP | 1.30 | G4 | 7-8 | 9-10 | | | |
| <i>Carex phyllocephala</i> 'Sparkler' Sparkler Sedge | HP | 1.30 | G4 | 7-8 | 9-10 | | | |
| <i>Carex pilulifera</i> Pill Sedge | HP | 0.77 | G4 | 7 | 8-9 | | | |
| <i>Carex pilulifera</i> 'Tinney's Princess' Tinney's Princess Pill Sedge | HP | 0.77 | G4 | 7 | 8-9 | | | |
| <i>Carex praegracilis</i> No Common Name Found | HP | 1.02 | G4 | 7 | 8-9 | | | |
| <i>Carex pseudocyperus</i> Cyperus Sedge | HP | 1.00 | G4 | 5-6 | 7-9 | | | |
| <i>Carex remota</i> Remote Sedge | HP | 1.00 | G4 | 7 | 8-9 | | | |
| <i>Carex riparia</i> Greater Pond Sedge | HP | 0.74 | G4 | 7 | 8-9 | | | |
| <i>Carex riparia</i> 'Variegata' Variegated Greater Pond Sedge | HP | 0.74 | G4 | 7 | 8-9 | | | |
| <i>Carex secta</i> No Common Name Found | HP | 0.77 | G4 | 7 | 8-9 | | | |
| <i>Carex siderosticha</i> No Common Name Found | HP | 1.13 | G4 | 7 | 8-9 | | | |
| <i>Carex siderosticha</i> 'Variegata' Variegated Siderosticha Sedge | HP | 1.45 | G4 | 7 | 8-9 | | | |
| <i>Carex solandri</i> New Zealand Bush Sedge | HP | 0.77 | G4 | 7-8 | 9-10 | | | |
| <i>Carex speciosa</i> No Common Name Found | HP | 0.99 | G4 | 6 | 7-8 | | | |
| <i>Carex speciosa</i> 'Velebit Humilis' Velebit Sedge | HP | 1.14 | G4 | 6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Carex spissa</i> San Diego Sedge | HP | 0.92 | G4 | 7-8 | 9-10 | | | |
| <i>Carex stipata</i> Owlfruit Sedge | HP | 0.91 | G4 | 7 | 8-9 | | | |
| <i>Carex stricta</i> See - <i>Carex elata</i> | | | | | | | | |
| <i>Carex subfusca</i> Rusty Sedge | HP | 0.96 | G4 | 7 | 8-9 | | | |
| <i>Carex sylvatica</i> Wood Sedge | HP | 0.70 | G4 | 7 | 8-9 | | | |
| <i>Carex tenuiculmis</i> New Zealand Sedge | HP | 0.76 | G4 | 7 | 8-9 | | | |
| <i>Carex tenuiculmis</i> 'Cappuccino' Cappuccino New Zealand Sedge | HP | 0.76 | G4 | 7 | 8-9 | | | |
| <i>Carex testacea</i> Orange Sedge | HP | 1.33 | G4 | 7 | 8-9 | | | |
| <i>Carex tumulicola</i> Berkeley Sedge | HP | 0.87 | G4 | 7-8 | 9-10 | | | |
| <i>Carex umbrosa</i> No Common Name Found | HP | 1.02 | G4 | 7 | 8-9 | | | |
| <i>Carex umbrosa</i> 'The Beatles' The Beatles Sedge | HP | 1.02 | G4 | 7 | 8-9 | | | |
| <i>Carex unilateralis</i> One-sided Sedge | HP | 1.00 | G4 | 5 | 6-9 | | | |
| <i>Carica papaya</i> Papaya | FN | 0.95 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Carissa grandiflora</i> See - <i>Carissa macrocarpa</i> | | | | | | | | |
| <i>Carissa macrocarpa</i> Natal Plum | BS | 0.74 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Carissa macrocarpa</i> 'Boxwood Beauty' Boxwood Beauty Natal Plum | BS | 0.69 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Carissa macrocarpa</i> 'Dainty Princess' Dainty Princess Natal Plum | BS | 0.56 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Carissa macrocarpa</i> 'Emerald Blanket' Emerald Blanket Natal Plum | BS | 0.47 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Carissa macrocarpa</i> 'Fancy' Fancy Natal Plum | BS | 0.79 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Carissa macrocarpa</i> 'Green Carpet' Green Carpet Natal Plum | BS | 0.64 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Carissa macrocarpa</i> 'Tomlinson' Tomlinson Natal Plum | BS | 1.09 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Carissa macrocarpa</i> 'Tuttle' Tuttle Natal Plum | BS | 0.87 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Carissa macrocarpa</i> 'Variegata' Variegated Natal Plum | BS | 1.51 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Carlina acaulis</i> Stemless Carline Thistle | BS | 1.00 | G4 | 4 | 5-7 | | 1.00 | 4 |
| <i>Carlina acaulis</i> 'Bronze Form' Bronze Form Stemless Carline Thistle | HP | 0.75 | G4 | 4 | 5-7 | | | |
| <i>Carludovica palmata</i> Panama Hat Plant | FO | 1.01 | G3 | 8-11 | | | 1.00 | 11 |
| <i>Carmona retusa</i> Philippine Tea | BS | 0.66 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Carnegiea gigantea</i> Saguaro Cactus | BE | 1.18 | G3 | 8-9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Carpentaria acuminata</i> Carpentaria Palm | PC | 0.70 | G1 | 9-10 | 11 | | 0.76 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Carpenteria</i> Bush Anemone | BS | 0.97 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Carpenteria</i> 'Elizabeth' Elizabeth Bush Anemone | BS | 0.97 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Carpenteria californica</i> Tree Anemone | BS | 1.10 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Carpinus betulus</i> European Hornbeam | DT | 1.07 | G2 | 4-6 | 7 | 0.98 | 1.13 | 4 |
| <i>Carpinus betulus</i> 'Columnaris' Columnar European Hornbeam | DT | 1.12 | G2 | 4-6 | 7 | 0.91 | 1.04 | 4 |
| <i>Carpinus betulus</i> 'Fastigiata' Pyramidal European Hornbeam | DT | 1.23 | G2 | 4-6 | 7 | 1.19 | 0.99 | 4 |
| <i>Carpinus betulus</i> 'Frans Fontaine' Frans Fontaine European Hornbeam | DT | 1.36 | G2 | 4-6 | 7 | 1.20 | 1.04 | 4 |
| <i>Carpinus betulus</i> 'Globosa' Globe European Hornbeam | DT | 1.18 | G2 | 4-6 | 7 | 1.05 | 1.04 | 4 |
| <i>Carpinus betulus</i> 'Pendula' Weeping European Hornbeam | DT | 1.13 | G2 | 4-6 | 7 | 1.23 | 1.01 | 4 |
| <i>Carpinus betulus</i> 'Purpurea' Purple European Hornbeam | DT | 1.18 | G2 | 4-6 | 7 | 1.84 | 1.04 | 4 |
| <i>Carpinus caroliniana</i> American Hornbeam | DT | 1.03 | G2 | 2-6 | 7-9B | 1.34 | 1.64 | 3 |
| <i>Carpinus caroliniana</i> 'CCSQU' Palisade™ American Hornbeam | DT | 1.03 | G2 | 2-6 | 7-9B | 1.34 | 1.64 | 3 |
| <i>Carpinus caroliniana</i> 'Palisade' See - <i>Carpinus caroliniana</i> 'CCSQU' | | | | | | | | |
| <i>Carpinus caucasia</i> See - <i>Carpinus betulus</i> | | | | | | | | |
| <i>Carpinus cordata</i> Heartleaf Hornbeam | DT | 1.00 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Carpinus coreana</i> No Common Name Found | DT | 1.26 | G2 | 4-5 | 6-8 | 1.00 | 1.75 | 5 |
| <i>Carpinus japonica</i> Japanese Hornbeam | DT | 0.73 | G2 | 8 | 9-10A | 0.95 | 1.40 | 5 |
| <i>Carpinus laxiflora</i> Red-Leaf Hornbeam | DT | 1.00 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Carpinus orientalis</i> Oriental Hornbeam | DT | 1.00 | G2 | 4-5 | 6-8 | 1.00 | 1.14 | 5 |
| <i>Carpinus xshuschuensis</i> No Common Name Found | DT | 1.00 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Carpinus tschonoskii</i> Yeddo Hornbeam | DT | 1.00 | G2 | 5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Carpinus turczaninowii</i> Rock Hornbeam | DT | 0.92 | G2 | 6 | 7-8 | 1.00 | 1.00 | 5 |
| <i>Carpobrotus edulis</i> Hottentot | GC | 1.00 | G4 | 7-8 | 9-10B | | 1.00 | 8 |
| <i>Carum carvi</i> Caraway | AN | 1.08 | G4 | 3-4 | 5-6 | | | |
| <i>Carya aquatica</i> Bitter Pecan | DT | 0.53 | G2 | 7-8 | 9-10A | 2.36 | 1.00 | 6 |
| <i>Carya cordiformis</i> Bitternut Hickory | DT | 1.00 | G2 | 4-6 | 7-8 | 1.00 | 1.00 | 4 |
| <i>Carya floridana</i> Scrub Hickory | DT | 0.56 | G2 | 8-9B | 10 | 1.00 | 1.00 | 8 |
| <i>Carya glabra</i> Pignut Hickory | DT | 0.76 | G2 | 4-7 | 8-9B | 1.00 | 1.00 | 4 |
| <i>Carya illinoensis</i> Pecan | FN | 0.95 | G2 | 6-7 | 8-9A | 0.83 | 3.09 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Carya illinoensis</i> 'Cape Fear' Cape Fear Pecan | FN | 0.95 | G2 | 6-7 | 8-9A | 1.23 | 1.14 | 5 |
| <i>Carya illinoensis</i> 'Cheyenne' Cheyenne Pecan | FN | 1.07 | G2 | 6-7 | 8-9A | 1.36 | 1.63 | 5 |
| <i>Carya illinoensis</i> 'Choctaw' Choctaw Pecan | FN | 1.25 | G2 | 6-7 | 8-9A | 1.36 | 1.63 | 5 |
| <i>Carya illinoensis</i> 'Desirable' Desirable Pecan | FN | 1.15 | G2 | 6-7 | 8-9A | 1.36 | 1.14 | 5 |
| <i>Carya illinoensis</i> 'Kiowa' Kiowa Pecan | FN | 1.07 | G2 | 6-7 | 8-9A | 1.23 | 1.63 | 5 |
| <i>Carya illinoensis</i> 'Mahan' Mahan Pecan | FN | 0.87 | G2 | 6-7 | 8-9A | 1.36 | 1.63 | 5 |
| <i>Carya illinoensis</i> 'Mohawk' Mohawk Pecan | FN | 1.08 | G2 | 6-7 | 8-9A | 1.11 | 1.63 | 5 |
| <i>Carya illinoensis</i> 'Navajo' Navajo Pecan | FN | 1.09 | G2 | 6-7 | 8-9A | 1.44 | 1.63 | 5 |
| <i>Carya illinoensis</i> 'Pawnee' Pawnee Pecan | FN | 1.27 | G2 | 6-7 | 8-9A | 1.10 | 1.63 | 5 |
| <i>Carya illinoensis</i> 'Stuart' Stuart Pecan | FN | 1.25 | G2 | 6-7 | 8-9A | 0.98 | 1.14 | 5 |
| <i>Carya illinoensis</i> 'Western' Western Pecan | FN | 1.08 | G2 | 6-7 | 8-9A | 1.23 | 1.63 | 5 |
| <i>Carya illinoensis</i> 'Wichita' Wichita Pecan | FN | 1.08 | G2 | 6-7 | 8-9A | 1.44 | 1.63 | 5 |
| <i>Carya laciniosa</i> Big Shellbark Hickory | DT | 0.73 | G2 | 3-6 | 7 | 1.00 | 2.30 | 5 |
| <i>Carya myristiciformis</i> Nutmeg Hickory | DT | 0.52 | G2 | 6-7 | 8-9 | 1.00 | 1.00 | 4 |
| <i>Carya ovata</i> Shagbark Hickory | DT | 0.79 | G2 | 4-6 | 7-9A | 1.94 | 1.93 | 4 |
| <i>Carya tomentosa</i> Mockernut Hickory | DT | 0.74 | G2 | 4-6 | 7-9A | 1.00 | 1.00 | 4 |
| <i>Caryopteris xclandonensis</i> Hybrid Bluebeard | DS | 0.84 | G2 | 6-7 | 8-9A | | 0.87 | 5 |
| <i>Caryopteris xclandonensis</i> 'Arthur Simmonds' Arthur Simmonds Bluebeard | DS | 0.81 | G2 | 6-7 | 8-9A | | 0.87 | 5 |
| <i>Caryopteris xclandonensis</i> 'Azure' Azure Bluebeard | DS | 0.82 | G2 | 6-7 | 8-9A | | 0.87 | 5 |
| <i>Caryopteris xclandonensis</i> 'Blue Knoll' Blue Knoll Bluebeard | DS | 0.48 | G2 | 6-7 | 8-9A | | 0.87 | 5 |
| <i>Caryopteris xclandonensis</i> 'Blue Mist' Blue Mist Bluebeard | DS | 0.97 | G2 | 6-7 | 8-9A | | 1.03 | 5 |
| <i>Caryopteris xclandonensis</i> 'Dark Knight' Dark Knight Bluebeard | DS | 0.91 | G2 | 6-7 | 8-9A | | 0.71 | 5 |
| <i>Caryopteris xclandonensis</i> 'First Choice' P.P. 11958 First Choice Bluebeard | DS | 0.94 | G2 | 6-7 | 8-9A | | 0.87 | 5 |
| <i>Caryopteris xclandonensis</i> 'Grand Bleu' See - <i>Caryopteris xclandonensis</i> 'Inoveris' | | | | | | | | |
| <i>Caryopteris xclandonensis</i> 'Heavenly Blue' Heavenly Blue Bluebeard | DS | 0.80 | G2 | 6-7 | 8-9A | | 0.87 | 5 |
| <i>Caryopteris xclandonensis</i> 'Inoveris' Grand Bleu™ Bluebeard | DS | 1.19 | G2 | 4-5 | 6-9A | | 0.87 | 5 |
| <i>Caryopteris xclandonensis</i> 'Longwood Blue' Longwood Blue Bluebeard | DS | 0.89 | G2 | 6-7 | 8-9A | | 0.87 | 5 |
| <i>Caryopteris xclandonensis</i> 'Summer Sorbet' Summer Sorbet Bluebeard | DS | 1.34 | G2 | 4-5 | 6-9A | | 0.87 | 5 |
| <i>Caryopteris xclandonensis</i> 'Worcester Gold' Worcester Gold Bluebeard | DS | 0.86 | G2 | 6-7 | 8-9A | | 0.87 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Caryopteris odorata</i> Himalayan Bluebeard | DS | 0.69 | G2 | 8 | 9A | | 1.00 | 8 |
| <i>Caryota</i> Fishtail Palm | PC | 1.00 | G1 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Caryota</i> 'Himalaya' Himalayan Fishtail Palm | PC | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Caryota mitis</i> Clustered Fishtail Palm | PC | 1.42 | G1 | 8-10 | 11 | | 0.85 | 10 |
| <i>Caryota rumphiana</i> Giant Fishtail Palm | PC | 1.49 | G1 | 10 | 11 | | 0.56 | 10 |
| <i>Caryota urens</i> Wine Palm | PC | 1.20 | G1 | 10 | 11 | | 1.10 | 10 |
| <i>Casasia clusiifolia</i> See - <i>Genipa clusiifolia</i> | | | | | | | | |
| <i>Casimiroa edulis</i> White Sapote | FN | 1.73 | G2 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Cassia afroistula</i> Kenyan Showertree | BS | 1.38 | G1 | 10 | 11 | | 0.43 | 10 |
| <i>Cassia alata</i> See - <i>Senna alata</i> | | | | | | | | |
| <i>Cassia artemisioides</i> See - <i>Senna artemisioides</i> | | | | | | | | |
| <i>Cassia australis</i> See - <i>Senna australis</i> | | | | | | | | |
| <i>Cassia bahamensis</i> Bahama Cassia | BS | 1.47 | G1 | 10 | 11 | | 0.67 | 10B |
| <i>Cassia bearana</i> See - <i>Cassia afroistula</i> | | | | | | | | |
| <i>Cassia bicapsularis</i> See - <i>Senna bicapsularis</i> | | | | | | | | |
| <i>Cassia biflora</i> See - <i>Senna pallida</i> | | | | | | | | |
| <i>Cassia brewsteri</i> No Common Name Found | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Cassia candolleana</i> See - <i>Senna candolleana</i> | | | | | | | | |
| <i>Cassia chapmanii</i> See - <i>Senna mexicana</i> var. <i>chapmanii</i> | | | | | | | | |
| <i>Cassia corymbosa</i> See - <i>Senna corymbosa</i> | | | | | | | | |
| <i>Cassia didymobotrya</i> See - <i>Senna didymobotrya</i> | | | | | | | | |
| <i>Cassia fistula</i> Goldenshower Senna | BE | 0.86 | G1 | 10 | 11 | 1.00 | 0.68 | 10 |
| <i>Cassia glauca</i> No Common Name Found | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Cassia grandis</i> Pinkshower Senna | BE | 1.18 | G1 | 10 | 11 | 1.00 | 0.60 | 10 |
| <i>Cassia hebecarpa</i> See - <i>Senna hebecarpa</i> | | | | | | | | |
| <i>Cassia javanica</i> Appleblossom Senna | BE | 1.32 | G1 | 10 | 11 | 1.00 | 1.11 | 10 |
| <i>Cassia leptophylla</i> Gold Medallion Tree | BE | 0.85 | G1 | 10 | 11 | 1.00 | 0.89 | 10 |
| <i>Cassia multijuga</i> See - <i>Senna multijuga</i> | | | | | | | | |
| <i>Cassia nemophila</i> See - <i>Senna nemophila</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Cassia oligophylla</i> | | | | | | | | |
| See - <i>Senna artemisioides</i> ssp. <i>oligophylla</i> | | | | | | | | |
| <i>Cassia phyllodinea</i> | | | | | | | | |
| See - <i>Senna phyllodinea</i> | | | | | | | | |
| <i>Cassia polyphylla</i> | | | | | | | | |
| See - <i>Senna polyphylla</i> | | | | | | | | |
| <i>Cassia renigera</i> | | | | | | | | |
| See - <i>Cassia javanica</i> | | | | | | | | |
| <i>Cassia roxburghii</i> | BE | 0.93 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| Red Cassia | | | | | | | | |
| <i>Cassia siamea</i> | | | | | | | | |
| See - <i>Senna siamea</i> | | | | | | | | |
| <i>Cassia spectabilis</i> | | | | | | | | |
| See - <i>Senna spectabilis</i> | | | | | | | | |
| <i>Cassia splendida</i> | | | | | | | | |
| See - <i>Senna splendida</i> | | | | | | | | |
| <i>Cassia sturtii</i> | | | | | | | | |
| See - <i>Senna artemisioides</i> ssp. <i>sturtii</i> | | | | | | | | |
| <i>Cassia surattensis</i> | | | | | | | | |
| See - <i>Senna surattensis</i> | | | | | | | | |
| <i>Cassine orientalis</i> | BE | 1.44 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| False Olive | | | | | | | | |
| <i>Cassinia vauvilliersii</i> | BS | 1.00 | G2 | 7-8 | 9 | | 1.00 | 8 |
| Mountain Cottonwood | | | | | | | | |
| <i>Castanea</i> | DT | 1.00 | G2 | 4-6 | 7-8 | 1.00 | 1.00 | 4 |
| Chestnut | | | | | | | | |
| <i>Castanea</i> 'Dunstan Seedling' | FN | 0.94 | G2 | 4-6 | 7-8 | 0.63 | 1.00 | 4 |
| Dunstan Seedling Hybrid Chestnut | | | | | | | | |
| <i>Castanea alnifolia</i> | DS | 0.65 | G2 | 4-6 | 7-8 | | 1.00 | 6 |
| Bush Chinkapin | | | | | | | | |
| <i>Castanea dentata</i> | DT | 0.97 | G2 | 4-6 | 7-8 | 1.00 | 1.00 | 4 |
| American Sweet Chestnut | | | | | | | | |
| <i>Castanea mollissima</i> | DT | 0.79 | G2 | 4-6 | 7-8 | 0.42 | 1.35 | 4 |
| Chinese Chestnut | | | | | | | | |
| <i>Castanea pumila</i> | DS | 0.88 | G2 | 7 | 8-9A | | 1.00 | 7 |
| Allegheny Chinkapin | | | | | | | | |
| <i>Castanopsis cuspidata</i> | DT | 1.63 | G2 | 7 | 8-9A | 1.00 | 1.00 | 7 |
| Copper False Chestnut | | | | | | | | |
| <i>Castanospermum australe</i> | BE | 0.92 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| Black Bean Tree | | | | | | | | |
| <i>Casuarina cunninghamiana</i> | BE | 0.87 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| River She-oak | | | | | | | | |
| <i>Casuarina stricta</i> | | | | | | | | |
| See - <i>Casuarina verticillata</i> | | | | | | | | |
| <i>Casuarina verticillata</i> | BE | 0.92 | G2 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| Mountain She-oak | | | | | | | | |
| <i>Catalpa bignonioides</i> | DT | 0.61 | G2 | 5-6 | 7-8 | 0.93 | 1.00 | 5 |
| Southern Catalpa | | | | | | | | |
| <i>Catalpa bignonioides</i> 'Aurea' | DT | 0.81 | G2 | 5-6 | 7-8 | 0.93 | 1.00 | 5 |
| Golden Southern Catalpa | | | | | | | | |
| <i>Catalpa bignonioides</i> 'Nana' | DT | 0.71 | G2 | 5-6 | 7-8 | 1.09 | 1.00 | 5 |
| Umbrella Southern Catalpa | | | | | | | | |
| <i>Catalpa bungei</i> | DT | 0.96 | G2 | 6-7 | 8 | 1.09 | 0.29 | 5 |
| Manchurian Catalpa | | | | | | | | |
| <i>Catalpa cordifolia</i> | | | | | | | | |
| See - <i>Catalpa bignonioides</i> | | | | | | | | |
| <i>Catalpa x erubescens</i> | DT | 0.85 | G2 | 6-7 | 8-9 | 1.25 | 1.00 | 5 |
| Hybrid Catalpa | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Catalpa x erubescens</i> 'Purpurea' Purple Catalpa | DT | 0.91 | G2 | 6-7 | 8-9 | 1.25 | 1.00 | 5 |
| <i>Catalpa fargesii</i> Farges Catalpa | DT | 1.00 | G2 | 6-7 | 8-9 | 1.00 | 1.00 | 6 |
| <i>Catalpa x galleana</i> No Common Name Found | DT | 1.00 | G2 | 6-7 | 8-9 | 1.00 | 1.00 | 5 |
| <i>Catalpa longissima</i> Haiti Catalpa | BE | 1.00 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Catalpa ovata</i> Chinese Catalpa | DT | 1.00 | G2 | 6-7 | 8-9 | 1.00 | 1.00 | 5 |
| <i>Catalpa speciosa</i> Northern Catalpa | DT | 0.98 | G2 | 5-7 | 8 | 1.06 | 0.45 | 4 |
| <i>Catananche caerulea</i> Blue Cupid's Dart | HP | 0.88 | G4 | 6-7 | 8 | | | |
| <i>Catananche caerulea</i> 'Alba' White Blue Cupid's Dart | HP | 0.68 | G4 | 6-7 | 8 | | | |
| <i>Catananche caerulea</i> 'Amor Blue' Amor Blue Cupid's Dart | HP | 0.99 | G4 | 3-4 | 5-8 | | | |
| <i>Catananche caerulea</i> 'Amor White' Amor White Blue Cupid's Dart | HP | 1.12 | G4 | 3-4 | 5-8 | | | |
| <i>Catananche caerulea</i> 'Bicolor' Bicolor Blue Cupid's Dart | HP | 0.92 | G4 | 6-7 | 8 | | | |
| <i>Catha edulis</i> Khat | HP | 0.76 | G4 | 10 | 11 | | | |
| <i>Catharanthus roseus</i> Madagascar Periwinkle | HP | 0.64 | G4 | 8-11 | | | | |
| <i>Catharanthus roseus</i> 'Cooler Apricot' Cooler™ Apricot Madagascar Periwinkle | HP | 0.62 | G4 | 8-11 | | | | |
| <i>Catharanthus roseus</i> 'Cooler Grape' Cooler™ Grape Madagascar Periwinkle | HP | 0.62 | G4 | 8-11 | | | | |
| <i>Catharanthus roseus</i> 'Cooler Peppermint' Cooler™ Peppermint Madagascar Periwinkle | HP | 0.62 | G4 | 8-11 | | | | |
| <i>Catharanthus roseus</i> 'Cooler Pink' Cooler™ Pink Madagascar Periwinkle | HP | 0.62 | G4 | 8-11 | | | | |
| <i>Catharanthus roseus</i> 'Cooler Series' Cooler™ Series Madagascar Periwinkle | HP | 0.67 | G3 | 8-11 | | | | |
| <i>Catharanthus roseus</i> 'Heatwave Series' Heatwave Series Madagascar Periwinkle | HP | 0.27 | G3 | 8-11 | | | | |
| <i>Catharanthus roseus</i> 'Jaio Scarlet Eye' Jaio Scarlet Eye Madagascar Periwinkle | HP | 0.62 | G4 | 8-11 | | | | |
| <i>Catharanthus roseus</i> 'Mediterranean Red' Mediterranean Red Madagascar Periwinkle | HP | 0.62 | G4 | 8-11 | | | | |
| <i>Catharanthus roseus</i> 'Mediterranean Series' Mediterranean Series Madagascar Periwinkle | HP | 0.62 | G3 | 8-10 | 11 | | | |
| <i>Catharanthus roseus</i> 'Pacifica Red' Pacifica Red Madagascar Periwinkle | HP | 0.62 | G4 | 8-11 | | | | |
| <i>Catharanthus roseus</i> 'Pacifica Series' Pacifica Series Madagascar Periwinkle | HP | 0.44 | G3 | 8-11 | | | | |
| <i>Catharanthus roseus</i> 'Pretty in Pink' Pretty in Pink Madagascar Periwinkle | HP | 0.54 | G3 | 8-11 | | | | |
| <i>Catharanthus roseus</i> 'Pretty in Rose' Pretty in Rose Madagascar Periwinkle | HP | 0.54 | G3 | 8-11 | | | | |
| <i>Catharanthus roseus</i> 'Stardust Orchid' Stardust Orchid Madagascar Periwinkle | HP | 0.27 | G3 | 8-11 | | | | |
| <i>Catharanthus roseus</i> 'Stardust Series' Stardust Series Madagascar Periwinkle | HP | 0.27 | G4 | 8-11 | | | | |
| <i>Catharanthus roseus</i> 'Tropicana Series' Tropicana Series Madagascar Periwinkle | HP | 0.54 | G3 | 8-11 | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Cattleya</i> Cattleya Hybrid Orchid | FO | 3.85 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Cattleya bowringiana</i> No Common Name Found | FO | 4.17 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Cattleya gaskelliana</i> No Common Name Found | FO | 5.21 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Cattleya intermedia</i> No Common Name Found | FO | 2.86 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Cattleya intermedia</i> 'Alba' No Common Name Found | FO | 2.86 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Cattleya luddemanniana</i> No Common Name Found | FO | 4.76 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Cattleya patinii</i> See - <i>Cattleya skinneri</i> var. <i>autumnalis</i> | | | | | | | | |
| <i>Cattleya skinneri</i> var. <i>autumnalis</i> No Common Name Found | FO | 2.38 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Cattleya velutina</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Cattleya velutina</i> 'Orchid Haven' Orchid Haven Orchid | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Caularthron bicornutum</i> No Common Name Found | FO | 2.50 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Caulophyllum thalictroides</i> Blue Cohosh | HP | 1.33 | G4 | 7 | 8-9A | | | |
| <i>Caulleya spicata</i> No Common Name Found | HP | 0.86 | G4 | 8 | 9-10A | | | |
| <i>Ceanothus</i> California Lilac | BS | 0.84 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Blue Cushion' Blue Cushion California Lilac | BS | 0.71 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Blue Sapphire' P.P.A.F. Blue Sapphire California Lilac | BS | 1.21 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Borne Again' Borne Again California Lilac | BS | 0.80 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Burkwoodii' Burkwood California Lilac | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Centennial' Centennial California Lilac | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Concha' Concha California Lilac | BS | 0.87 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Coronado' Coronado California Lilac | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Cynthia Postan' Cynthia Postan California Lilac | BS | 0.80 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Dark Star' Dark Star California Lilac | BS | 1.08 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Edinburgh' Edinburgh California Lilac | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Far Horizons' Far Horizons California Lilac | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Frosty Blue' Frosty Blue California Lilac | BS | 0.94 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Golden Elan' Golden Elan California Lilac | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Henry Desfosse' Henry Desfosse California Lilac | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus</i> 'Italian Skies' Italian Skies California Lilac | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Ceanothus</i> 'Joan Mirov' Joan Mirov California Lilac | BS | 0.81 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Joyce Coulter' Joyce Coulter California Lilac | BS | 0.97 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Julia Phelps' Julia Phelps California Lilac | BS | 1.02 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Ray Hartman' Ray Hartman California Lilac | BS | 1.05 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Remote Blue' Remote Blue California Lilac | BS | 0.80 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Sierra Blue' Sierra Blue California Lilac | BS | 0.86 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus</i> 'Topaze' Topaze California Lilac | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus</i> 'Wheeler Canyon' Wheeler Canyon California Lilac | BS | 1.02 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus americanus</i> New Jersey Tea | DS | 1.36 | G2 | 5-9 | 10 | | 1.00 | 4 |
| <i>Ceanothus arboreus</i> Feltleaf Ceanothus | BS | 1.82 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus arboreus</i> 'Cliff Schmidt' Cliff Schmidt Feltleaf Ceanothus | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus arboreus</i> 'Trewithen Blue' Trewithen Blue Feltleaf Ceanothus | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus x delilianus</i> French Hybrid Ceanothus | BS | 0.87 | G2 | 5-9 | 10 | | 1.00 | 7 |
| <i>Ceanothus x delilianus</i> 'Gloire de Versailles' Gloire de Versailles French Hybrid Ceanothus | BS | 0.87 | G2 | 5-9 | 10 | | 1.00 | 7 |
| <i>Ceanothus foliosus</i> Wavy Leaf Ceanothus | BS | 1.63 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus gloriosus</i> Point Reyes Creeper | BS | 0.95 | G2 | 5-9 | 10 | | 1.00 | 7 |
| <i>Ceanothus gloriosus</i> 'Alba' White Point Reyes Creeper | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 7 |
| <i>Ceanothus gloriosus</i> 'Anchor Bay' Anchor Bay Point Reyes Creeper | BS | 0.82 | G2 | 5-9 | 10 | | 1.00 | 7 |
| <i>Ceanothus gloriosus</i> 'Emily Brown' Emily Brown Point Reyes Creeper | BS | 1.20 | G2 | 5-9 | 10 | | 1.00 | 7 |
| <i>Ceanothus gloriosus</i> 'Heart's Desire' Heart's Desire Point Reyes Creeper | BS | 0.78 | G2 | 5-9 | 10 | | 1.00 | 7 |
| <i>Ceanothus gloriosus</i> var. <i>porrectus</i> Mount Vision Ceanothus | BS | 1.05 | G2 | 5-9 | 10 | | 1.00 | 7 |
| <i>Ceanothus griseus</i> Carmel Ceanothus | BS | 1.54 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus griseus</i> 'Bamico' Bamico Carmel Ceanothus | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus griseus</i> 'Kurt Zadnick' Kurt Zadnick Carmel Ceanothus | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus griseus</i> 'Louis Edmunds' Louis Edmunds Carmel Ceanothus | BS | 1.13 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus griseus</i> 'Santa Ana' Santa Ana Carmel Ceanothus | BS | 1.03 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus griseus</i> var. <i>horizontalis</i> Carmel Creeper | BS | 0.80 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus griseus</i> var. <i>horizontalis</i> 'Hurricane Point' Hurricane Point Carmel Creeper | BS | 0.81 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus griseus</i> var. <i>horizontalis</i> 'Yankee Point' Yankee Point Carmel Creeper | BS | 0.82 | G2 | 5-9 | 10 | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Ceanothus hearstiorum</i> Hearst California Lilac | BS | 1.04 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Ceanothus impressus</i> Santa Barbara Ceanothus | BS | 1.37 | G2 | 5-9 | 10 | | 1.00 | 7 |
| <i>Ceanothus impressus</i> 'Vandenburg' Vandenburg Santa Barbara Ceanothus | BS | 1.03 | G2 | 5-9 | 10 | | 1.00 | 7 |
| <i>Ceanothus impressus</i> 'Victoria' Victoria Santa Barbara Ceanothus | BS | 1.16 | G2 | 5-9 | 10 | | 1.00 | 7 |
| <i>Ceanothus impressus</i> var. <i>nipomensis</i> Nipomo Ceanothus | BS | 2.16 | G2 | 5-9 | 10 | | 1.00 | 7 |
| <i>Ceanothus impressus</i> var. <i>nipomensis</i> 'Mesa Lilac' Mesa Lilac Nipomo Ceanothus | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 7 |
| <i>Ceanothus maritimus</i> Maritime Ceanothus | BS | 1.59 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus maritimus</i> 'Frosty Dawn' Frosty Dawn Maritime Ceanothus | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus maritimus</i> 'Point Sierra' Point Sierra Maritime Ceanothus | BS | 0.78 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus maritimus</i> 'Popcorn' Popcorn Maritime Ceanothus | BS | 0.72 | G2 | 5-9 | 10 | | 1.00 | 8 |
| <i>Ceanothus x pallidus</i> No Common Name Found | BS | 0.84 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Ceanothus x pallidus</i> 'Marie Simon' Marie Simon Ceanothus | BS | 0.84 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Ceanothus rigidus</i> Monterey Ceanothus | BS | 1.18 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Ceanothus rigidus</i> 'Snowball' Snowball Monterey Ceanothus | BS | 0.91 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Ceanothus sanguineus</i> Wild Lilac | BS | 0.96 | G2 | 7-8 | 9-10A | | 1.00 | 5 |
| <i>Ceanothus thyrsiflorus</i> Blue Blossom | BS | 1.26 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Ceanothus thyrsiflorus</i> 'Arroyo de la Cruz' Arroyo de la Cruz Blue Blossom | BS | 0.87 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Ceanothus thyrsiflorus</i> 'El Dorado' See - <i>Ceanothus thyrsiflorus</i> 'Perado' P.P. 13433 | | | | | | | | |
| <i>Ceanothus thyrsiflorus</i> 'Perado' P.P. 13433 El Dorado Blue Blossom | BS | 1.49 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Ceanothus thyrsiflorus</i> 'San Andreas' San Andreas Blue Blossom | BS | 1.10 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Ceanothus thyrsiflorus</i> 'Skylark' Skylark Blue Blossom | BS | 1.00 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Ceanothus thyrsiflorus</i> 'Snow Flurries' Snow Flurries Blue Blossom | BS | 0.89 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Ceanothus thyrsiflorus</i> var. <i>repens</i> Repens Blue Blossom | BS | 1.15 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Ceanothus x veitchianus</i> No Common Name Found | BS | 0.88 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Ceanothus velutinus</i> Snowbrush Ceanothus | BS | 1.18 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Cedrela sinensis</i> See - <i>Toona sinensis</i> | | | | | | | | |
| <i>Cedrus atlantica</i> See - <i>Cedrus libani</i> ssp. <i>atlantica</i> | | | | | | | | |
| <i>Cedrus brevifolia</i> See - <i>Cedrus libani</i> var. <i>brevifolia</i> | | | | | | | | |
| <i>Cedrus deodara</i> Deodar Cedar | CE | 0.86 | G2 | 7 | 8-9A | 1.00 | 0.85 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cedrus deodara</i> 'Albospica' Albospica Deodar Cedar | CE | 1.21 | G2 | 7 | 8-9A | 1.00 | 0.91 | 5 |
| <i>Cedrus deodara</i> 'Aurea Pendula' Golden Weeping Deodar Cedar | CE | 1.36 | G2 | 7 | 8-9A | 1.00 | 0.92 | 5 |
| <i>Cedrus deodara</i> 'Aurea' Golden Deodar Cedar | CE | 1.45 | G2 | 7 | 8-9A | 1.00 | 0.97 | 5 |
| <i>Cedrus deodara</i> 'Cream Puff' Cream Puff Deodar Cedar | CE | 1.32 | G2 | 7 | 8-9A | 1.00 | 0.85 | 5 |
| <i>Cedrus deodara</i> 'Deep Cove' Deep Cove Deodar Cedar | CE | 1.18 | G2 | 7 | 8-9A | 1.00 | 1.11 | 5 |
| <i>Cedrus deodara</i> 'Divinely Blue' Divinely Blue Deodar Cedar | CE | 1.32 | G2 | 7 | 8-9A | 1.00 | 0.86 | 5 |
| <i>Cedrus deodara</i> 'Droop Tip' Droop Tip Deodar Cedar | CE | 1.42 | G2 | 7 | 8-9A | 1.00 | 0.96 | 5 |
| <i>Cedrus deodara</i> 'Emerald Spreader' Emerald Spreader Deodar Cedar | CE | 1.60 | G2 | 7 | 8-9A | 1.00 | 1.21 | 5 |
| <i>Cedrus deodara</i> 'Glauca' Blue Deodar Cedar | CE | 1.13 | G2 | 7 | 8-9A | 1.00 | 0.96 | 5 |
| <i>Cedrus deodara</i> 'Gold Cone' Gold Cone Deodar Cedar | CE | 1.21 | G2 | 7 | 8-9A | 1.00 | 0.88 | 5 |
| <i>Cedrus deodara</i> 'Gold Rush' Gold Rush Deodar Cedar | CE | 1.42 | G2 | 7 | 8-9A | 1.00 | 0.96 | 5 |
| <i>Cedrus deodara</i> 'Hibernal' Hibernal Deodar Cedar | CE | 1.42 | G2 | 7 | 8-9A | 1.00 | 0.96 | 5 |
| <i>Cedrus deodara</i> 'Hollandia' Hollandia Deodar Cedar | CE | 1.32 | G2 | 7 | 8-9A | 1.00 | 0.86 | 5 |
| <i>Cedrus deodara</i> 'Kashmir' Kashmir Deodar Cedar | CE | 1.36 | G2 | 7 | 8-9A | 1.00 | 0.75 | 5 |
| <i>Cedrus deodara</i> 'Klondyke' Klondyke Deodar Cedar | CE | 1.10 | G2 | 7 | 8-9A | 1.00 | 1.72 | 5 |
| <i>Cedrus deodara</i> 'Mile High' Mile High Deodar Cedar | CE | 1.42 | G2 | 7 | 8-9A | 1.00 | 0.76 | 5 |
| <i>Cedrus deodara</i> 'Pendula' Weeping Deodar Cedar | CE | 1.19 | G2 | 7 | 8-9A | 1.00 | 0.95 | 5 |
| <i>Cedrus deodara</i> 'Prostrate Beauty' Prostrate Beauty Deodar Cedar | CE | 1.42 | G2 | 7 | 8-9A | 1.00 | 0.96 | 5 |
| <i>Cedrus deodara</i> 'Pygmaea' Pygmy Deodar Cedar | CE | 1.54 | G2 | 7 | 8-9A | 1.00 | 0.96 | 5 |
| <i>Cedrus deodara</i> 'Raywood's Contorted' Raywood's Contorted Deodar Cedar | CE | 1.32 | G2 | 7 | 8-9A | 1.00 | 0.86 | 5 |
| <i>Cedrus deodara</i> 'Raywood's Prostrate Dwarf' Raywood's Prostrate Dwarf Deodar Cedar | CE | 1.62 | G2 | 7 | 8-9A | 1.00 | 0.96 | 5 |
| <i>Cedrus deodara</i> 'Sander's Blue' Sander's Blue Deodar Cedar | CE | 1.22 | G2 | 7 | 8-9A | 1.00 | 1.11 | 5 |
| <i>Cedrus deodara</i> 'Shalimar' Shalimar Deodar Cedar | CE | 3.68 | G2 | 7 | 8-9A | 1.00 | 0.97 | 5 |
| <i>Cedrus deodara</i> 'Silver Mist' Silver Mist Deodar Cedar | CE | 1.61 | G2 | 7 | 8-9A | 1.00 | 1.20 | 5 |
| <i>Cedrus deodara</i> 'Snow Sprite' Snow Sprite Deodar Cedar | CE | 1.34 | G2 | 7 | 8-9A | 1.00 | 0.85 | 5 |
| <i>Cedrus deodara</i> 'Verticillata Glauca' Hardy Blue Deodar Cedar | CE | 1.56 | G2 | 7 | 8-9A | 1.00 | 0.86 | 5 |
| <i>Cedrus deodara</i> 'Well's Golden' Well's Golden Deodar Cedar | CE | 1.32 | G2 | 7 | 8-9A | 1.00 | 0.72 | 5 |
| <i>Cedrus deodara</i> 'White Imp' White Imp Deodar Cedar | CE | 1.32 | G2 | 7 | 8-9A | 1.00 | 0.86 | 5 |
| <i>Cedrus libani</i> Cedar of Lebanon | CE | 1.04 | G2 | 5-6 | 7-9 | 1.35 | 1.02 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|---|-----------|-----------|----|---------------------|-------------|------------------------------|------------|----|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper High/Wide | | |
| <i>Cedrus libani</i> 'Aurea Prostrata' | | | | | | | | |
| See - <i>Cedrus libani</i> 'Golden Dwarf' | | | | | | | | |
| <i>Cedrus libani</i> 'Beacon Hill' Beacon Hill Cedar of Lebanon | CE | 1.20 | G2 | 5-6 | 7-9 | 1.35 | 0.81 | 6 |
| <i>Cedrus libani</i> 'Blue Angel' Blue Angel Cedar of Lebanon | CE | 1.36 | G2 | 5-6 | 7-9 | 1.35 | 0.67 | 6 |
| <i>Cedrus libani</i> 'Compacta' Compact Cedar of Lebanon | CE | 1.30 | G2 | 5-6 | 7-9 | 1.35 | 1.10 | 6 |
| <i>Cedrus libani</i> 'Comte de Dijon' Comte de Dijon Cedar of Lebanon | CE | 1.18 | G2 | 5-6 | 7-9 | 1.35 | 0.67 | 6 |
| <i>Cedrus libani</i> 'Glauca' Blue Cedar of Lebanon | CE | 1.30 | G2 | 5-6 | 7-9 | 1.35 | 0.85 | 6 |
| <i>Cedrus libani</i> 'Gold Tip' Gold Tip Cedar of Lebanon | CE | 1.32 | G2 | 5-6 | 7-9 | 1.35 | 1.32 | 6 |
| <i>Cedrus libani</i> 'Golden Dwarf' Golden Dwarf Cedar of Lebanon | CE | 1.30 | G2 | 5-6 | 7-9 | 1.35 | 1.10 | 6 |
| <i>Cedrus libani</i> 'Green Prince' Green Prince Cedar of Lebanon | CE | 1.73 | G2 | 5-6 | 7-9 | 1.35 | 2.09 | 6 |
| <i>Cedrus libani</i> 'Nana' Dwarf Cedar of Lebanon | CE | 1.53 | G2 | 5-6 | 7-9 | 1.35 | 1.62 | 6 |
| <i>Cedrus libani</i> 'Pendula' Weeping Cedar of Lebanon | CE | 1.07 | G2 | 5-6 | 7-9 | 1.35 | 0.97 | 6 |
| <i>Cedrus libani</i> 'Sargentii' Sargent Cedar of Lebanon | CE | 1.25 | G2 | 5-6 | 7-9 | 1.35 | 0.93 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> Atlas Cedar | CE | 0.86 | G2 | 6-7 | 8-9A | 1.99 | 0.78 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Aurea Robusta' Golden Longleaf Atlas Cedar | CE | 1.26 | G2 | 6-7 | 8-9A | 1.99 | 0.98 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Aurea' Golden Atlas Cedar | CE | 0.83 | G2 | 6-7 | 8-9A | 2.40 | 1.00 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Fastigiata' Sentinel Atlas Cedar | CE | 1.26 | G2 | 6-7 | 8-9A | 1.90 | 1.17 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Glauca Fastigiata' Blue Sentinel Atlas Cedar | CE | 1.27 | G2 | 6-7 | 8-9A | 1.99 | 0.83 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Glauca Pendula' Weeping Blue Atlas Cedar | CE | 1.57 | G2 | 6-7 | 8-9A | 2.07 | 0.93 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Glauca' Blue Atlas Cedar | CE | 1.38 | G2 | 6-7 | 8-9A | 1.59 | 1.03 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Pendula' Weeping Atlas Cedar | CE | 1.65 | G2 | 5-6 | 7-9 | 1.99 | 1.11 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Wilkman' Wilkman Atlas Cedar | CE | 1.26 | G2 | 6-7 | 8-9A | 1.99 | 0.98 | 6 |
| <i>Cedrus libani</i> var. <i>brevifolia</i> Cyprian Cedar | CE | 1.11 | G2 | 6-7 | 8-9A | 1.00 | 0.73 | 6 |
| <i>Cedrus libani</i> var. <i>stenocoma</i> Stenocoma Cedar of Lebanon | CE | 1.32 | G2 | 5-6 | 7 | 1.00 | 1.85 | 6 |
| <i>Ceiba pentandra</i> Kapok | BE | 0.90 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Celastrus loeseneri</i> See - <i>Celastrus rosthornianus</i> | | | | | | | | |
| <i>Celastrus orbiculatus</i> Chinese Bittersweet | DS | 1.11 | G2 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Celastrus rosthornianus</i> Loesener Bittersweet | DS | 1.45 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Celastrus scandens</i> American Bittersweet | DS | 1.11 | G2 | 3-6 | 7-8 | | 1.71 | 2 |
| <i>Celastrus scandens</i> 'Diana' Diana American Bittersweet | DS | 0.97 | G2 | 1-2 | 3-8 | | 1.71 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Celastrus scandens</i> 'Hercules' Hercules American Bittersweet | DS | 0.97 | G2 | 1-2 | 3-8 | | 1.71 | 2 |
| <i>Celastrus scandens</i> 'Indian Brave' Indian Brave American Bittersweet | DS | 0.71 | G2 | 3-6 | 7-8 | | 1.71 | 2 |
| <i>Celastrus scandens</i> 'Indian Maiden' Indian Maiden American Bittersweet | DS | 1.22 | G2 | 3-6 | 7-8 | | 1.71 | 2 |
| <i>Celastrus scandens</i> 'Sweet Tangerine' See - <i>Celastrus scandens</i> 'Swtazam' | DS | 1.39 | G2 | 3-6 | 7-8 | | 1.71 | 2 |
| <i>Celastrus scandens</i> 'Swtazam' Sweet Tangerine™ American Bittersweet | AN | 0.93 | G4 | 7-10A | 10B-11 | | | |
| <i>Celosia argentea</i> Red Fox | AN | 0.93 | G4 | 7-9 | 10-11 | | | |
| <i>Celosia argentea</i> 'Apricot Brandy' Apricot Brandy Plumosa Cockscomb | AN | 0.93 | G4 | 7-9 | 10-11 | | | |
| <i>Celosia argentea</i> 'Flamingo Purple' Flamingo Purple Spicata Cockscomb | AN | 0.93 | G4 | 7-9 | 10-11 | | | |
| <i>Celosia argentea</i> 'New Look' New Look Plumosa Cockscomb | AN | 0.93 | G4 | 7-9 | 10-11 | | | |
| <i>Celosia argentea</i> 'Pink Flamingo' Pink Flamingo Spicata Cockscomb | AN | 0.93 | G4 | 7-9 | 10-11 | | | |
| <i>Celosia argentea</i> var. <i>crisata</i> Common Cockscomb | AN | 1.00 | G4 | 7-9 | 10-11 | | | |
| <i>Celtis</i> Hybrid Hackberry | DT | 1.09 | G2 | 3-4 | 5-10 | 1.21 | 0.74 | 2 |
| <i>Celtis</i> 'Magnifica' P.P. 2795 Magnifica Hybrid Hackberry | DT | 1.09 | G2 | 5-6 | 7-8 | 1.21 | 0.74 | 2 |
| <i>Celtis bungeana</i> Dwarf Hackberry | DT | 1.00 | G2 | 5-6 | 7-8 | 1.00 | 1.00 | 5 |
| <i>Celtis laevigata</i> Sugar Hackberry | DT | 0.65 | G2 | 5-6 | 7-10 | 0.93 | 0.63 | 5 |
| <i>Celtis occidentalis</i> Hackberry | DT | 1.00 | G2 | 2-7 | 8-9A | 1.09 | 1.05 | 2 |
| <i>Celtis occidentalis</i> 'Chicagoland' Chicagoland Hackberry | DT | 0.85 | G2 | 2-7 | 8-9A | 0.94 | 1.05 | 2 |
| <i>Celtis occidentalis</i> 'Prairie Pride' P.P. 3771 Prairie Pride Hackberry | DT | 0.81 | G2 | 2-7 | 8-9A | 1.59 | 1.05 | 2 |
| <i>Celtis occidentalis</i> 'Windy City' Windy City Hackberry | DT | 0.89 | G2 | 2-7 | 8-9A | 0.54 | 1.05 | 2 |
| <i>Celtis reticulata</i> Western Hackberry | DT | 1.22 | G2 | 5-6 | 7-8 | 2.00 | 1.00 | 3 |
| <i>Celtis sinensis</i> Chinese Hackberry | DT | 1.03 | G2 | 8-9A | 9B-10A | 1.00 | 1.00 | 7 |
| <i>Centaurea bella</i> No Common Name Found | HP | 1.00 | G4 | 4-6 | 7-10 | | | |
| <i>Centaurea cineraria</i> Dusty Miller | HP | 0.60 | G4 | 4-6 | 7-8 | | | |
| <i>Centaurea cineraria</i> 'Silver Dust' Silver Dust Dusty Miller | HP | 0.68 | G4 | 4-6 | 7-8 | | | |
| <i>Centaurea dealbata</i> Persian Cornflower | HP | 1.11 | G4 | 3-6 | 7-8 | | | |
| <i>Centaurea dealbata</i> 'Rosea' Rose Persian Cornflower | HP | 0.75 | G4 | 3-6 | 7-8 | | | |
| <i>Centaurea dealbata</i> 'Steenbergii' Stone Mountain Persian Cornflower | HP | 1.36 | G4 | 3-6 | 7-8 | | | |
| <i>Centaurea hypoleuca</i> Knapweed | HP | 1.16 | G4 | 5-6 | 7-8 | | | |
| <i>Centaurea hypoleuca</i> 'John Coutts' John Coutts Knapweed | HP | 1.16 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Centaurea macrocephala</i> Armenian Basket Flower | HP | 0.72 | G4 | 3-4 | 5-8 | | | |
| <i>Centaurea montana</i> Perennial Cornflower | AN | 1.52 | G4 | 3-6 | 7-8 | | | |
| <i>Centaurea montana</i> 'Alba' White Perennial Cornflower | AN | 1.02 | G4 | 3-6 | 7-8 | | | |
| <i>Centaurea nigra</i> Lesser Knapweed | HP | 1.33 | G4 | 5-6 | 7-8 | | | |
| <i>Centaurea nigra</i> 'Rivularis' Rivularis Lesser Knapweed | HP | 1.33 | G4 | 5-6 | 7-8 | | | |
| <i>Centaurea scabiosa</i> Greater Knapweed | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Centaurea scabiosa</i> ssp. <i>alpestris</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Centaureum erythraea</i> Common Centaury | HP | 1.00 | G4 | 6-8 | 9-10 | | | |
| <i>Centaureum scilloides</i> No Common Name Found | HP | 1.00 | G4 | 6-8 | 9-10 | | | |
| <i>Centella asiatica</i> Gotu Kola | HP | 0.62 | G2 | 6 | 7-11 | | | |
| <i>Centradenia grandifolia</i> No Common Name Found | HP | 0.70 | G4 | 8-9 | 10A-11 | | | |
| <i>Centradenia inaequilateralis</i> No Common Name Found | HP | 1.00 | G4 | 8-9 | 10A-11 | | | |
| <i>Centranthus ruber</i> Jupiter's Beard | HP | 1.09 | G4 | 5-6 | 7 | | | |
| <i>Centranthus ruber</i> 'Albus' White Jupiter's Beard | HP | 0.78 | G4 | 5-6 | 7 | | | |
| <i>Centranthus ruber</i> 'Coccineus' Deep Red Jupiter's Beard | HP | 0.83 | G4 | 5-6 | 7 | | | |
| <i>Centranthus ruber</i> 'Roseus' Pink Jupiter's Beard | HP | 0.78 | G4 | 5-6 | 7 | | | |
| <i>Centranthus ruber</i> 'White Cloud' White Cloud Jupiter's Beard | HP | 0.87 | G4 | 5-6 | 7 | | | |
| <i>Centratherum intermedium</i> See - <i>Centratherum punctatum</i> | | | | | | | | |
| <i>Centratherum punctatum</i> Pineapple Thistle | HP | 0.64 | G4 | 9-10 | 11 | | | |
| <i>Cephalanthus occidentalis</i> Buttonbush | BS | 0.99 | G2 | 6-8 | 9-10 | | 0.55 | 5 |
| <i>Cephalaria alpina</i> Yellow Cephalaria | HP | 1.00 | G4 | 2-4 | 5-10 | | | |
| <i>Cephalaria gigantea</i> Tatarian Cephalaria | HP | 1.08 | G4 | 2-4 | 5-10 | | | |
| <i>Cephalotaxus harringtonia</i> Plum Yew | CS | 0.99 | G2 | 7-8 | 9A | | 1.66 | 6 |
| <i>Cephalotaxus harringtonia</i> 'Duke Gardens' Duke Gardens Plum Yew | CS | 1.82 | G2 | 6-7 | 8-10A | | 1.66 | 6 |
| <i>Cephalotaxus harringtonia</i> 'Fastigiata' Fastigiata Plum Yew | CS | 1.23 | G2 | 7-8 | 9A | | 0.77 | 6 |
| <i>Cephalotaxus harringtonia</i> 'Korean Gold' Korean Gold Plum Yew | CS | 1.28 | G2 | 6-7 | 8-10A | | 1.66 | 6 |
| <i>Cephalotaxus harringtonia</i> 'Prostrata' Prostrate Plum Yew | CS | 1.09 | G2 | 6-7 | 8-10A | | 2.55 | 6 |
| <i>Cephalotaxus harringtonia</i> var. <i>drupacea</i> Drupacea Japanese Plum Yew | CS | 0.96 | G2 | 7-8 | 9A | | 1.00 | 6 |
| <i>Cephalotus follicularis</i> Albany Pitcher Plant | HP | 1.00 | G4 | 8-10 | 11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Cerastium alpinum</i> Alpine Cerastium | HP | 1.00 | G4 | 2-3 | 4-7 | | | |
| <i>Cerastium alpinum</i> ssp. <i>lanatum</i> No Common Name Found | HP | 1.00 | G4 | 2-3 | 4-7 | | | |
| <i>Cerastium biebersteinii</i> Silver Spreader | HP | 0.68 | G4 | 2-3 | 4-7 | | | |
| <i>Cerastium tomentosum</i> Snow in Summer | HP | 1.06 | G4 | 4-5 | 6-7 | | | |
| <i>Cerastium tomentosum</i> 'Columnae' Columnae Snow in Summer | HP | 0.87 | G4 | 4-5 | 6-7 | | | |
| <i>Cerastium tomentosum</i> 'Silver Carpet' Silver Carpet Snow in Summer | HP | 0.71 | G4 | 4-5 | 6-7 | | | |
| <i>Cerastium tomentosum</i> 'Yo Yo' Yo Yo Snow in Summer | HP | 0.68 | G4 | 4-5 | 6-7 | | | |
| <i>Ceratonia siliqua</i> Carob Tree | BE | 1.02 | G2 | 7-8 | 9 | 1.00 | 1.00 | 8 |
| <i>Ceratostigma griffithii</i> Burmese Plumbago | HP | 0.96 | G2 | 7-8 | 9 | | | |
| <i>Ceratostigma plumbaginoides</i> Plumbago | HP | 0.85 | G4 | 6-7 | 8-9A | | | |
| <i>Ceratostigma willmottianum</i> Chinese Plumbago | HP | 0.89 | G4 | 6-7 | 8-9 | | | |
| <i>Ceratozamia mexicana</i> Mexican Horncone | PC | 2.66 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ceratozamia mexicana</i> var. <i>latifolia</i> Wide Leaf Mexican Horncone | PC | 3.04 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Cerbera manghas</i> No Common Name Found | BS | 3.70 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Cercidiphyllum japonicum</i> Katsuratree | DT | 0.95 | G2 | 4-7 | 8 | 1.13 | 1.58 | 4 |
| <i>Cercidiphyllum japonicum</i> 'Pendula' Weeping Katsuratree | DT | 1.99 | G2 | 4-7 | 8 | 1.25 | 1.97 | 4 |
| <i>Cercidiphyllum magnificum</i> Magnificum Katsuratree | DT | 2.44 | G2 | 4-7 | 8 | 1.20 | 0.80 | 4 |
| <i>Cercidiphyllum magnificum</i> 'Pendulum' Weeping Magnificum Katsuratree | DT | 2.44 | G2 | 4-7 | 8 | 1.20 | 0.80 | 4 |
| <i>Cercidium floridum</i> Blue Palo Verde | DT | 1.53 | G2 | 7-8 | 9-10B | 1.00 | 1.00 | 8 |
| <i>Cercidium microphyllum</i> Littleleaf Palo Verde | DT | 1.05 | G2 | 7-9 | 10A-10B | 1.00 | 1.00 | 9 |
| <i>Cercidium praecox</i> Sonoran Palo Verde | DT | 0.98 | G2 | 7-9 | 10A-10B | 1.00 | 1.00 | 9 |
| <i>Cercis canadensis</i> Eastern Redbud | DT | 0.90 | G2 | 4-7 | 8-9A | 1.02 | 1.63 | 4 |
| <i>Cercis canadensis</i> 'Alba' White Redbud | DT | 1.34 | G2 | 4-7 | 8-9A | 1.18 | 1.55 | 4 |
| <i>Cercis canadensis</i> 'Appalachian Red' Appalachian Red Eastern Redbud | DT | 0.96 | G2 | 4-7 | 8-9A | 0.95 | 0.78 | 4 |
| <i>Cercis canadensis</i> 'Covey' Lavender Twist™ Eastern Redbud | DT | 1.37 | G2 | 4-7 | 8-9A | 1.31 | 0.98 | 4 |
| <i>Cercis canadensis</i> 'Flame' Flame Eastern Redbud | DT | 1.14 | G2 | 4-7 | 8-9 | 1.13 | 1.14 | 4 |
| <i>Cercis canadensis</i> 'Forest Pansy' Forest Pansy Redbud | DT | 1.17 | G2 | 4-7 | 8-9A | 1.10 | 1.01 | 4 |
| <i>Cercis canadensis</i> 'Lavender Twist' See - <i>Cercis canadensis</i> 'Covey' | DT | 0.96 | G2 | 3-4 | 5-9A | 1.13 | 0.76 | 4 |
| <i>Cercis canadensis</i> 'Royal White' Royal White Redbud | DT | 0.96 | G2 | 3-4 | 5-9A | 1.13 | 0.76 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Cercis canadensis</i> 'Rubye Atkinson' Rubye Atkinson Redbud | DT | 0.96 | G2 | 4-7 | 8-9 | 0.80 | 1.14 | 4 |
| <i>Cercis canadensis</i> 'Silver Cloud' Silver Cloud Redbud | DT | 2.11 | G2 | 4-7 | 8-9A | 1.56 | 1.29 | 4 |
| <i>Cercis canadensis</i> var. <i>mexicana</i> Mexican Redbud | DT | 1.37 | G2 | 4-7 | 8-9 | 0.60 | 0.91 | 4 |
| <i>Cercis canadensis</i> var. <i>texensis</i> Texas Redbud | DT | 0.82 | G2 | 4-7 | 8-9 | 0.89 | 1.19 | 4 |
| <i>Cercis canadensis</i> var. <i>texensis</i> 'Oklahoma' Oklahoma Texan Redbud | DT | 1.17 | G2 | 4-7 | 8-9 | 1.16 | 1.02 | 4 |
| <i>Cercis canadensis</i> var. <i>texensis</i> 'Texas White' Texas White Texan Redbud | DT | 1.19 | G2 | 4-7 | 8-9 | 1.05 | 1.03 | 4 |
| <i>Cercis chinensis</i> Chinese Redbud | DT | 0.82 | G2 | 6-7 | 8-9B | 1.26 | 1.22 | 6 |
| <i>Cercis chinensis</i> 'Avondale' Avondale Chinese Redbud | DT | 1.50 | G2 | 6-7 | 8-9B | 1.26 | 1.42 | 6 |
| <i>Cercis chinensis</i> 'Don Egolf' Don Egolf Chinese Redbud | DT | 0.95 | G2 | 5-6 | 7-10 | 1.26 | 1.32 | 6 |
| <i>Cercis occidentalis</i> California Redbud | DT | 1.04 | G2 | 4-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Cercis racemosa</i> Chain-flowered Redbud | DT | 1.06 | G2 | 4-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Cercis reniformis</i> See - <i>Cercis canadensis</i> var. <i>texensis</i> | | | | | | | | |
| <i>Cercis reniformis</i> 'Oklahoma' See - <i>Cercis canadensis</i> var. <i>texensis</i> 'Oklahoma' | | | | | | | | |
| <i>Cercis siliquastrum</i> Judastree | DT | 0.75 | G2 | 4-7 | 8-9 | 0.79 | 1.00 | 6 |
| <i>Cercocarpus betuloides</i> No Common Name Found | BS | 1.07 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Cercocarpus breviflorus</i> See - <i>Cercocarpus montanus</i> var. <i>paucidentatus</i> | | | | | | | | |
| <i>Cercocarpus intricatus</i> See - <i>Cercocarpus ledifolius</i> var. <i>intricatus</i> | | | | | | | | |
| <i>Cercocarpus ledifolius</i> Curlleaf Mountain Mahogany | DT | 0.95 | G2 | 5-6 | 7-9 | 1.00 | 3.07 | 5 |
| <i>Cercocarpus ledifolius</i> var. <i>intricatus</i> Littleleaf Mountain Mahogany | DT | 1.03 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 3 |
| <i>Cercocarpus montanus</i> Mountain Mahogany | DT | 0.82 | G2 | 5-6 | 7-9 | 1.00 | 2.08 | 5 |
| <i>Cercocarpus montanus</i> var. <i>glaber</i> See - <i>Cercocarpus betuloides</i> | | | | | | | | |
| <i>Cercocarpus montanus</i> var. <i>paucidentatus</i> Hairy Mountain Mahogany | DT | 0.99 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 5 |
| <i>Cereus peruvianus</i> See - <i>Cereus uruguayanus</i> | | | | | | | | |
| <i>Cereus uruguayanus</i> Peruvian Apple Cactus | FO | 0.78 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Cereus uruguayanus</i> 'Monstrosus' Monstrosus Peruvian Apple Cactus | BS | 2.01 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Ceropegia linearis</i> ssp. <i>woodii</i> Hearts Entangled | GC | 1.00 | G4 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ceropegia woodii</i> See - <i>Ceropegia linearis</i> ssp. <i>woodii</i> | | | | | | | | |
| <i>Ceroxylon alpinum</i> Wax Palm | PC | 1.75 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Cestrum aurantiacum</i> Orange Cestrum | BS | 0.82 | G2 | 10 | 11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Cestrum diurnum</i> Day Jessamine | BS | 0.75 | G2 | 10 | 11 | | 1.00 | 9 |
| <i>Cestrum elegans</i> Red Cestrum | BS | 0.65 | G2 | 10 | 11 | | 1.00 | 9 |
| <i>Cestrum elegans</i> var. <i>smithii</i> Smith Red Cestrum | BS | 0.82 | G2 | 10 | 11 | | 1.00 | 9 |
| <i>Cestrum fasciculatum</i> No Common Name Found | BS | 0.87 | G2 | 10 | 11 | | 1.00 | 9 |
| <i>Cestrum fasciculatum</i> 'Newellii' Newell Cestrum | BS | 0.87 | G2 | 10 | 11 | | 1.00 | 9 |
| <i>Cestrum nocturnum</i> Night Blooming Jessamine | BS | 0.73 | G2 | 10 | 11 | | 1.00 | 9 |
| <i>Cestrum parqui</i> Willow-leaved Jessamine | BS | 0.73 | G2 | 9-10 | 11 | | 1.00 | 8 |
| <i>Chaenomeles x californica</i> No Common Name Found | DS | 0.91 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Chaenomeles x californica</i> 'Pink Beauty' Pink Beauty Floweringquince | DS | 0.91 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Chaenomeles japonica</i> Japanese Floweringquince | DS | 0.99 | G2 | 5-7 | 8-9 | | 0.42 | 5 |
| <i>Chaenomeles japonica</i> 'Low 'n White' See - <i>Chaenomeles japonica</i> 'Mones' | | | | | | | | |
| <i>Chaenomeles japonica</i> 'Minerva' Minerva Japanese Floweringquince | DS | 0.96 | G2 | 5-7 | 8-9 | | 1.03 | 5 |
| <i>Chaenomeles japonica</i> 'Moned' Super Red™ Japanese Floweringquince | DS | 1.01 | G2 | 5-7 | 8-9 | | 2.23 | 5 |
| <i>Chaenomeles japonica</i> 'Mones' Low 'n White™ Japanese Floweringquince | DS | 0.80 | G2 | 5-7 | 8-9 | | 1.03 | 5 |
| <i>Chaenomeles japonica</i> 'Orange Delight' Orange Delight Japanese Floweringquince | DS | 0.95 | G2 | 5-7 | 8-9 | | 0.45 | 5 |
| <i>Chaenomeles japonica</i> 'Super Red' See - <i>Chaenomeles japonica</i> 'Moned' | | | | | | | | |
| <i>Chaenomeles japonica</i> var. <i>alpina</i> Dwarf Japanese Floweringquince | DS | 0.81 | G2 | 5-7 | 8-9 | | 1.00 | 5 |
| <i>Chaenomeles japonica</i> var. <i>pygmaea</i> Pygmy Japanese Floweringquince | DS | 1.00 | G2 | 5-7 | 8-9 | | 1.00 | 5 |
| <i>Chaenomeles lagenaria</i> See - <i>Chaenomeles speciosa</i> | | | | | | | | |
| <i>Chaenomeles speciosa</i> Floweringquince | DS | 0.94 | G2 | 5-7 | 8-9 | | 0.65 | 5 |
| <i>Chaenomeles speciosa</i> 'Alba' White Floweringquince | DS | 0.83 | G2 | 5-7 | 8-9 | | 0.50 | 5 |
| <i>Chaenomeles speciosa</i> 'Apple Blossom' Apple Blossom Floweringquince | DS | 0.92 | G2 | 5-7 | 8-9 | | 0.54 | 5 |
| <i>Chaenomeles speciosa</i> 'Contorta' Contorted Floweringquince | DS | 0.76 | G2 | 5-7 | 8-9 | | 0.54 | 5 |
| <i>Chaenomeles speciosa</i> 'Crimson Beauty' Crimson Beauty Floweringquince | DS | 0.84 | G2 | 5-7 | 8-9 | | 0.54 | 5 |
| <i>Chaenomeles speciosa</i> 'Nivalis' Nivalis Floweringquince | DS | 0.78 | G2 | 5-7 | 8-9 | | 0.54 | 5 |
| <i>Chaenomeles speciosa</i> 'Rubra' Red Floweringquince | DS | 0.77 | G2 | 5-7 | 8-9 | | 0.48 | 5 |
| <i>Chaenomeles speciosa</i> 'Spitfire' Spitfire Floweringquince | DS | 0.80 | G2 | 5-7 | 8-9 | | 0.54 | 5 |
| <i>Chaenomeles speciosa</i> 'Toyo Nishiki' Toyo Nishiki Floweringquince | DS | 0.91 | G2 | 5-7 | 8-9 | | 0.51 | 5 |
| <i>Chaenomeles x superba</i> Hybrid Floweringquince | DS | 0.85 | G2 | 5-7 | 8-9 | | 1.07 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Chaenomeles x superba</i> 'Cameo' Cameo Floweringquince | DS | 0.94 | G2 | 5-7 | 8-9 | | 1.28 | 5 |
| <i>Chaenomeles x superba</i> 'Crimson and Gold' Crimson and Gold Floweringquince | DS | 0.66 | G2 | 5-7 | 8-9 | | 1.07 | 5 |
| <i>Chaenomeles x superba</i> 'Hollandia' Hollandia Floweringquince | DS | 0.90 | G2 | 5-7 | 8-9 | | 1.07 | 5 |
| <i>Chaenomeles x superba</i> 'Jet Trail' Jet Trail Floweringquince | DS | 0.85 | G2 | 5-7 | 8-9 | | 0.45 | 5 |
| <i>Chaenomeles x superba</i> 'Texas Scarlet' Texas Scarlet Floweringquince | DS | 0.88 | G2 | 5-7 | 8-9 | | 1.47 | 5 |
| <i>Chaenorrhinum glareosum</i> Dwarf Snapdragon | HP | 0.83 | G4 | 5-8 | 9 | | | |
| <i>Chaenorrhinum origanifolium</i> No Common Name Found | HP | 1.00 | G4 | 5-8 | 9-10 | | | |
| <i>Chamaebatiaria millefolium</i> Desert Sweet Fernbush | HP | 1.31 | G2 | 5-7 | 8 | | | |
| <i>Chamaecereus silvestrii</i> See - <i>Echinopsis chamaecereus</i> | | | | | | | | |
| <i>Chamaecyparis lawsoniana</i> Lawson Falsecypress | CE | 0.58 | G2 | 5-7 | 8 | 1.00 | 0.92 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Alumii' Alumii Lawson Falsecypress | CE | 1.18 | G2 | 5-7 | 8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Argentea Compacta' Silver Compact Lawson Falsecypress | CE | 1.54 | G2 | 5-7 | 8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Aurea Densa' Dense Gold Lawson Falsecypress | CE | 1.25 | G2 | 5-7 | 8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Azurea' Azurea Lawson Falsecypress | CE | 1.18 | G2 | 5-7 | 8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Barry's Silver' Barry's Silver Lawson Falsecypress | CE | 1.54 | G2 | 5-7 | 8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Blue Empire' Blue Empire Lawson Falsecypress | CE | 1.36 | G2 | 5-7 | 8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Blue Jacket' Blue Jacket Lawson Falsecypress | CE | 1.25 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Blue Plume' Blue Plume Lawson Falsecypress | CE | 1.27 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Blue Surprise' Blue Surprise Lawson Falsecypress | CE | 1.12 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Columnaris' Columnar Lawson Falsecypress | CE | 1.27 | G2 | 4-5 | 6-8 | 1.00 | 1.05 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Dutch Gold' Dutch Gold Lawson Falsecypress | CE | 1.32 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Ellwoodii' Ellwood Lawson Falsecypress | CE | 0.78 | G2 | 4-5 | 6-8 | 1.00 | 0.65 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Fletcheri' Fletcher Lawson Falsecypress | CE | 1.51 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Gimbornii' Gimborn Lawson Falsecypress | CE | 1.22 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Glauca' Blue Lawson Falsecypress | CE | 1.27 | G2 | 4-5 | 6-8 | 1.00 | 0.62 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Globosa' Globe Lawson Falsecypress | CE | 1.27 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Gold Flake' Gold Flake Lawson Falsecypress | CE | 2.46 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Golden King' Golden King Lawson Falsecypress | CE | 1.25 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Golden Showers' Golden Showers Lawson Falsecypress | CE | 0.87 | G2 | 4-5 | 6-8 | 1.00 | 1.02 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Chamaecyparis lawsoniana</i> 'Grayswood Feather' Grayswood Feather Lawson Falsecypress | CE | 1.55 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Konijns Silver' Konijns Silver Lawson Falsecypress | CE | 1.51 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Lutea Nana' Golden Dwarf Lawson Falsecypress | CE | 1.11 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Lycopodioides' Lycopod Lawson Falsecypress | CE | 1.18 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Minima Aurea' Dwarf Golden Lawson Falsecypress | CE | 1.16 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Nana' Dwarf Lawson Falsecypress | CS | 1.00 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Nidiformis' Nest Lawson Falsecypress | CE | 0.85 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Oregon Blue' Oregon Blue Lawson Falsecypress | CE | 1.25 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Pelt's Blue' Pelt's Blue Lawson Falsecypress | CE | 1.25 | G2 | 4-5 | 6-8 | 1.00 | 0.53 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Pembury Blue' Pembury Blue Lawson Falsecypress | CE | 1.36 | G2 | 4-5 | 6-8 | 1.00 | 1.24 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Pygmaea Argentea' Silver Pygmy Lawson Falsecypress | CE | 1.18 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Silver Queen' Silver Queen Lawson Falsecypress | CE | 1.63 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Silver Threads' Silver Threads Lawson Falsecypress | CE | 1.61 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Snow White' Snow White Lawson Falsecypress | CE | 1.23 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Somerset' Somerset Lawson Falsecypress | CE | 1.18 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Stewartii' Stewart Lawson Falsecypress | CE | 1.27 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Susan' Susan Lawson Falsecypress | CE | 1.18 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Treasure' Treasure Lawson Falsecypress | CE | 1.16 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Wisselii' Wissel Lawson Falsecypress | CE | 1.25 | G2 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Chamaecyparis nootkatensis</i> Nootka Falsecypress | CE | 0.75 | G2 | 4-5 | 6-8 | 0.78 | 0.77 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Aurea' Golden Nootka Falsecypress | CE | 0.88 | G2 | 4-5 | 6-8 | 0.78 | 0.94 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Aureovariegata' Aureovariegata Nootka Falsecypress | CE | 1.09 | G2 | 4-5 | 6-8 | 0.78 | 0.86 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Glauca Compacta' Compact Blue Nootka Falsecypress | CS | 0.97 | G2 | 4-5 | 6-8 | | 0.75 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Glauca Pendula' Blue Weeping Nootka Falsecypress | CE | 1.22 | G2 | 4-5 | 6-8 | 0.78 | 0.77 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Glauca' Blue Nootka Falsecypress | CE | 1.80 | G2 | 4-5 | 6-8 | 0.78 | 1.07 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Green Arrow' Green Arrow Nootka Falsecypress | CE | 1.45 | G2 | 4-5 | 6-8 | 0.78 | 0.83 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Pendula' Weeping Nootka Falsecypress | CE | 1.42 | G2 | 4-5 | 6-8 | 0.78 | 1.15 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Strict Weeping' Strict Weeping Nootka Falsecypress | CE | 1.29 | G2 | 4-5 | 6-8 | 0.78 | 0.72 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Sullivan' Sullivan Nootka Falsecypress | CE | 1.28 | G2 | 4-5 | 6-8 | 0.78 | 1.09 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Chamaecyparis nootkatensis</i> 'Variegata' Variegated Nootka Falsecypress | CE | 1.62 | G2 | 4-5 | 6-8 | 0.78 | 0.97 | 4 |
| <i>Chamaecyparis obtusa</i> Hinoki Falsecypress | CE | 1.03 | G2 | 4-5 | 6-8 | 0.81 | 1.42 | 4 |
| <i>Chamaecyparis obtusa</i> 'Aurea' Golden Hinoki Falsecypress | CE | 1.02 | G2 | 4-5 | 6-8 | 0.75 | 1.14 | 4 |
| <i>Chamaecyparis obtusa</i> 'Bess' Bess Hinoki Falsecypress | CE | 1.07 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Blue Feathers' Blue Feathers Hinoki Falsecypress | CE | 1.52 | G2 | 4-5 | 6-8 | 0.75 | 1.87 | 4 |
| <i>Chamaecyparis obtusa</i> 'Chabo-yadori' Chabo-yadori Hinoki Falsecypress | CE | 1.69 | G2 | 4-5 | 6-8 | 0.75 | 1.92 | 4 |
| <i>Chamaecyparis obtusa</i> 'Compact Fernspray' Compact Fernspray Hinoki Falsecypress | CS | 1.87 | G2 | 4-5 | 6-8 | | 1.77 | 4 |
| <i>Chamaecyparis obtusa</i> 'Compacta' Compact Hinoki Falsecypress | CS | 1.42 | G2 | 4-5 | 6-8 | | 1.53 | 4 |
| <i>Chamaecyparis obtusa</i> 'Confucious' Confucious Hinoki Falsecypress | CE | 1.73 | G2 | 4-5 | 6-8 | 0.75 | 1.46 | 4 |
| <i>Chamaecyparis obtusa</i> 'Coralliformis' Coralliformis Hinoki Falsecypress | CE | 1.32 | G2 | 3-4 | 5-8 | 0.75 | 3.57 | 4 |
| <i>Chamaecyparis obtusa</i> 'Crippsii' Cripps Gold Hinoki Falsecypress | CE | 0.85 | G2 | 4-5 | 6-8 | 0.75 | 1.73 | 4 |
| <i>Chamaecyparis obtusa</i> 'Dainty Doll' Dainty Doll Hinoki Falsecypress | CS | 1.99 | G2 | 4-5 | 6-8 | | 1.82 | 4 |
| <i>Chamaecyparis obtusa</i> 'Densa' Densa Hinoki Falsecypress | CE | 1.07 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Elf' Elf Hinoki Falsecypress | CS | 2.21 | G2 | 4-5 | 6-8 | | 1.92 | 4 |
| <i>Chamaecyparis obtusa</i> 'Erecta' Erect Hinoki Falsecypress | CE | 1.32 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Ericoides' Ericoides Hinoki Falsecypress | CE | 0.92 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Fernspray Gold' Fernspray Gold Hinoki Falsecypress | CE | 1.20 | G2 | 4-5 | 6-8 | 0.75 | 1.40 | 4 |
| <i>Chamaecyparis obtusa</i> 'Filicoides Compacta' See - <i>Chamaecyparis obtusa</i> 'Compact Fernspray' | | | | | | | | |
| <i>Chamaecyparis obtusa</i> 'Filicoides' Filicoides Hinoki Falsecypress | CE | 1.02 | G2 | 4-5 | 6-8 | 0.61 | 1.57 | 4 |
| <i>Chamaecyparis obtusa</i> 'Gold Drop' Gold Drop Hinoki Falsecypress | CE | 1.32 | G2 | 4-5 | 6-8 | 0.75 | 1.74 | 4 |
| <i>Chamaecyparis obtusa</i> 'Golden Fern' Golden Fern Hinoki Falsecypress | CE | 1.37 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Golden Sprite' Golden Sprite Hinoki Falsecypress | CS | 2.50 | G2 | 4-5 | 6-8 | | 1.77 | 4 |
| <i>Chamaecyparis obtusa</i> 'Golden Whorl' Golden Whorl Hinoki Falsecypress | CE | 1.85 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Gracilis Aurea' Yellowtip Hinoki Falsecypress | CE | 0.95 | G2 | 4-5 | 6-8 | 0.75 | 1.14 | 4 |
| <i>Chamaecyparis obtusa</i> 'Gracilis' Slender Hinoki Falsecypress | CE | 1.19 | G2 | 4-5 | 6-8 | 0.83 | 1.29 | 4 |
| <i>Chamaecyparis obtusa</i> 'Graciosa' Gracious Hinoki Falsecypress | CE | 1.44 | G2 | 4-5 | 6-8 | 0.75 | 1.12 | 4 |
| <i>Chamaecyparis obtusa</i> 'Hage' Hage Hinoki Falsecypress | CE | 1.67 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Intermedia' Intermedia Hinoki Falsecypress | CE | 1.67 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Juniperoides' Juniper Dwarf Hinoki Falsecypress | CE | 1.19 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Chamaecyparis obtusa</i> 'Kanaamihiba' Kanaamihiba Hinoki Falsecypress | CE | 1.55 | G2 | 4-5 | 6-8 | 0.75 | 1.92 | 4 |
| <i>Chamaecyparis obtusa</i> 'Kosteri Aurea' Golden Koster Hinoki Falsecypress | CE | 1.32 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Kosteri Fast Form' Koster Fast Form Hinoki Falsecypress | CE | 1.32 | G2 | 4-5 | 6-8 | 0.75 | 1.04 | 4 |
| <i>Chamaecyparis obtusa</i> 'Kosteri' Koster Hinoki Falsecypress | CE | 1.21 | G2 | 4-5 | 6-8 | 0.75 | 1.39 | 4 |
| <i>Chamaecyparis obtusa</i> 'Little Ann' Little Ann Hinoki Falsecypress | CS | 1.87 | G2 | 4-5 | 6-8 | | 1.77 | 4 |
| <i>Chamaecyparis obtusa</i> 'Loenik' See - <i>Chamaecyparis obtusa</i> 'Graciosa' | | | | | | | | |
| <i>Chamaecyparis obtusa</i> 'Lycopodioides Aurea' Golden Clubmoss Hinoki Falsecypress | CE | 1.32 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Lycopodioides' Clubmoss Hinoki Falsecypress | CE | 1.32 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Mariesii' Maries Hinoki Falsecypress | CE | 1.59 | G2 | 4-5 | 6-8 | 0.75 | 1.87 | 4 |
| <i>Chamaecyparis obtusa</i> 'Meroke' Meroke Hinoki Falsecypress | CE | 1.89 | G2 | 4-5 | 6-8 | 0.75 | 1.92 | 4 |
| <i>Chamaecyparis obtusa</i> 'Nana Aurea' Gold Dwarf Hinoki Falsecypress | CS | 1.15 | G2 | 4-5 | 6-8 | | 1.54 | 4 |
| <i>Chamaecyparis obtusa</i> 'Nana Contorta' Dwarf Contorted Hinoki Falsecypress | CS | 2.58 | G2 | 4-5 | 6-8 | | 1.77 | 4 |
| <i>Chamaecyparis obtusa</i> 'Nana Gracilis' Dwarf Slender Hinoki Falsecypress | CS | 1.52 | G2 | 4-5 | 6-8 | | 2.82 | 4 |
| <i>Chamaecyparis obtusa</i> 'Nana Lutea' Dwarf Golden Hinoki Falsecypress | CS | 1.73 | G2 | 4-5 | 6-8 | | 1.55 | 4 |
| <i>Chamaecyparis obtusa</i> 'Nana' Dwarf Hinoki Falsecypress | CS | 1.72 | G2 | 4-5 | 6-8 | | 2.02 | 4 |
| <i>Chamaecyparis obtusa</i> 'Nest' Nest Hinoki Falsecypress | CE | 1.32 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Pagoda Green' Pagoda Green Hinoki Falsecypress | CE | 1.32 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Paul's Select' Paul's Select Hinoki Falsecypress | CE | 1.32 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Pygmaea Aurescens' Golden Pygmy Hinoki Falsecypress | CS | 1.39 | G2 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Chamaecyparis obtusa</i> 'Pygmaea Densa' Dense Pygmy Hinoki Falsecypress | CS | 1.87 | G2 | 4-5 | 6-8 | | 1.77 | 4 |
| <i>Chamaecyparis obtusa</i> 'Pygmaea' Pygmy Hinoki Falsecypress | CS | 1.69 | G2 | 4-5 | 6-8 | | 1.91 | 4 |
| <i>Chamaecyparis obtusa</i> 'Reis Dwarf' Reis Dwarf Hinoki Falsecypress | CS | 1.66 | G2 | 4-5 | 6-8 | | 1.30 | 4 |
| <i>Chamaecyparis obtusa</i> 'Repens' Creeping Hinoki Falsecypress | CS | 2.19 | G2 | 4-5 | 6-8 | | 1.91 | 4 |
| <i>Chamaecyparis obtusa</i> 'Rigid Dwarf' Rigid Dwarf Hinoki Falsecypress | CS | 2.39 | G2 | 4-5 | 6-8 | | 1.91 | 4 |
| <i>Chamaecyparis obtusa</i> 'Sanatomi' Sanatomi Hinoki Falsecypress | CE | 1.32 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Sanderi' See - <i>Platycladus orientalis</i> 'Sanderi' | | | | | | | | |
| <i>Chamaecyparis obtusa</i> 'Snowflake' Snowflake Hinoki Falsecypress | CE | 1.54 | G2 | 4-5 | 6-8 | 0.75 | 1.92 | 4 |
| <i>Chamaecyparis obtusa</i> 'Snowkist' Snowkist Hinoki Falsecypress | CE | 1.54 | G2 | 4-5 | 6-8 | 0.75 | 1.72 | 4 |
| <i>Chamaecyparis obtusa</i> 'Sparkles' Sparkles Hinoki Falsecypress | CE | 1.81 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Chamaecyparis obtusa</i> 'Spiralis' Spiral Hinoki Falsecypress | CE | 1.55 | G2 | 4-5 | 6-8 | 0.75 | 1.92 | 4 |
| <i>Chamaecyparis obtusa</i> 'Split Rock' Split Rock Hinoki Falsecypress | CE | 1.69 | G2 | 4-5 | 6-8 | 0.75 | 1.10 | 4 |
| <i>Chamaecyparis obtusa</i> 'Sunspray' Sunspray Hinoki Falsecypress | CE | 1.00 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis obtusa</i> 'Tempelhof' Tempelhof Hinoki Falsecypress | CE | 1.06 | G2 | 4-5 | 6-8 | 0.75 | 1.27 | 4 |
| <i>Chamaecyparis obtusa</i> 'Tetragona Aurea' Goldenside Hinoki Falsecypress | CE | 0.92 | G2 | 4-5 | 6-8 | 0.75 | 1.15 | 4 |
| <i>Chamaecyparis obtusa</i> 'Torulosa' Torulosa Hinoki Falsecypress | CE | 1.21 | G2 | 4-5 | 6-8 | 0.75 | 1.81 | 4 |
| <i>Chamaecyparis obtusa</i> 'Verdon' Verdon Hinoki Falsecypress | CE | 1.22 | G2 | 4-5 | 6-8 | 0.75 | 1.23 | 4 |
| <i>Chamaecyparis obtusa</i> 'Wells Special' Wells Special Hinoki Falsecypress | CE | 0.67 | G2 | 4-5 | 6-8 | 0.75 | 1.19 | 4 |
| <i>Chamaecyparis obtusa</i> 'Wyckoff' Wyckoff Hinoki Falsecypress | CE | 1.32 | G2 | 4-5 | 6-8 | 0.75 | 1.59 | 4 |
| <i>Chamaecyparis pisifera</i> Sawara Falsecypress | CE | 0.85 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'Argentea Nana' Dwarf Silver Nana Sawara Falsecypress | CS | 1.77 | G2 | 4-5 | 6-8 | | 1.45 | 4 |
| <i>Chamaecyparis pisifera</i> 'Aurea Nana' See - <i>Chamaecyparis pisifera</i> 'Strathmore' | | | | | | | | |
| <i>Chamaecyparis pisifera</i> 'Baby Blue' Baby Blue Sawara Falsecypress | CS | 1.84 | G2 | 4-5 | 6-8 | | 1.45 | 4 |
| <i>Chamaecyparis pisifera</i> 'Boulevard' Boulevard Sawara Falsecypress | CE | 0.90 | G2 | 4-5 | 6-8 | 1.00 | 1.30 | 4 |
| <i>Chamaecyparis pisifera</i> 'Compacta Variegata' Compact Variegated Sawara Falsecypress | CS | 3.00 | G2 | 4-5 | 6-8 | | 1.45 | 4 |
| <i>Chamaecyparis pisifera</i> 'Cream Ball' Cream Ball Sawara Falsecypress | CE | 1.49 | G2 | 4-5 | 6-8 | 1.00 | 1.68 | 4 |
| <i>Chamaecyparis pisifera</i> 'Curly Tops' Curly Tops Sawara Falsecypress | CE | 1.31 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'Cyanoviridis' See - <i>Chamaecyparis pisifera</i> 'Boulevard' | | | | | | | | |
| <i>Chamaecyparis pisifera</i> 'Devon Cream' Devon Cream Sawara Falsecypress | CE | 1.59 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera Aurea Nana' Dwarf Yellowthread Sawara Falsecypress | CS | 1.18 | G2 | 4-5 | 6-8 | | 1.08 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera Aurea' Yellowthread Sawara Falsecypress | CE | 0.87 | G2 | 4-5 | 6-8 | 1.00 | 1.61 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera Aureovariegata' Variegated Yellowthread Sawara Falsecypress | CE | 0.83 | G2 | 4-5 | 6-8 | 1.00 | 1.27 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera Golden Charm' Yellowthread Golden Charm Sawara Falsecypress | CE | 0.89 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera' Thread Sawara Falsecypress | CE | 0.74 | G2 | 4-5 | 6-8 | 1.00 | 1.67 | 4 |
| <i>Chamaecyparis pisifera</i> 'Gold Dust' Gold Dust Sawara Falsecypress | CE | 1.20 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'Gold Spangle' Gold Spangle Sawara Falsecypress | CE | 1.00 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'Golden Mop' Golden Mop Sawara Falsecypress | CE | 0.92 | G2 | 4-5 | 6-8 | 1.00 | 0.98 | 4 |
| <i>Chamaecyparis pisifera</i> 'Golden Pincushion' Golden Pincushion Sawara Falsecypress | CS | 2.39 | G2 | 4-5 | 6-8 | | 2.46 | 4 |
| <i>Chamaecyparis pisifera</i> 'King's Gold' King's Gold Sawara Falsecypress | CS | 1.15 | G2 | 3-4 | 5-8 | | 1.45 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Chamaecyparis pisifera</i> 'Lemon Thread' Lemon Thread Sawara Falsecypress | CE | 0.92 | G2 | 4-5 | 6-8 | 1.00 | 1.33 | 4 |
| <i>Chamaecyparis pisifera</i> 'Minima Variegata' Variegated Midget Sawara Falsecypress | CS | 1.54 | G2 | 4-5 | 6-8 | | 1.45 | 4 |
| <i>Chamaecyparis pisifera</i> 'Nana' Dwarf Sawara Falsecypress | DS | 2.39 | G2 | 4-5 | 6-8 | | 2.71 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa Aurea Compacta' See - <i>Chamaecyparis pisifera</i> 'Plumosa Aurea Nana' | | | | | | | | |
| <i>Chamaecyparis pisifera</i> 'Plumosa Aurea Nana' Dwarf Golden Plume Sawara Falsecypress | CS | 1.34 | G2 | 4-5 | 6-8 | | 1.45 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa Aurea' Golden Plume Sawara Falsecypress | CE | 1.20 | G2 | 4-5 | 6-8 | 1.00 | 0.95 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa Compressa' Compressed Plume Sawara Falsecypress | CE | 1.23 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa Flavescens' Plumosa Flavescens Sawara Falsecypress | CE | 1.14 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa Juniperoides' Juniper Plume Sawara Falsecypress | CE | 1.11 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa' Plume Sawara Falsecypress | CE | 1.11 | G2 | 4-5 | 6-8 | 1.00 | 1.08 | 4 |
| <i>Chamaecyparis pisifera</i> 'Silver Lode' Silver Lode Sawara Falsecypress | CE | 1.46 | G2 | 4-5 | 6-8 | 1.00 | 3.04 | 4 |
| <i>Chamaecyparis pisifera</i> 'Snow' Snow Sawara Falsecypress | CE | 1.01 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa Dumosa' Moss Dumosa Sawara Falsecypress | CE | 1.11 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa Intermedia' Moss Intermedia Sawara Falsecypress | CE | 0.78 | G2 | 4-5 | 6-8 | 1.00 | 0.71 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa Lutea' Goldmoss Lutea Sawara Falsecypress | CE | 1.11 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa Minima' Dwarf Moss Sawara Falsecypress | CS | 1.74 | G2 | 4-5 | 6-8 | | 1.45 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa Veitchii' See - <i>Chamaecyparis pisifera</i> 'Squarrosa' | | | | | | | | |
| <i>Chamaecyparis pisifera</i> 'Squarrosa' Moss Sawara Falsecypress | CE | 1.52 | G2 | 4-5 | 6-8 | 1.00 | 1.30 | 4 |
| <i>Chamaecyparis pisifera</i> 'Strathmore' Dwarf Golden Sawara Falsecypress | CS | 1.17 | G2 | 4-5 | 6-8 | | 0.82 | 4 |
| <i>Chamaecyparis pisifera</i> 'Sungold' Sungold Sawara Falsecypress | CE | 0.94 | G2 | 4-5 | 6-8 | 1.00 | 0.82 | 4 |
| <i>Chamaecyparis pisifera</i> 'Tama Himiro' Tama Himiro Sawara Falsecypress | CE | 1.40 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'True Blue' True Blue Sawara Falsecypress | CE | 1.14 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'Tsukumo' Tsukumo Sawara Falsecypress | CE | 1.09 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'Vintage Gold' Vintage Gold Sawara Falsecypress | CE | 1.23 | G2 | 4-5 | 6-8 | 1.00 | 1.36 | 4 |
| <i>Chamaecyparis pisifera</i> 'White Pygmy' White Pygmy Sawara Falsecypress | CS | 2.39 | G2 | 4-5 | 6-8 | | 1.45 | 4 |
| <i>Chamaecyparis thyoides</i> Whitecedar Falsecypress | CE | 0.94 | G2 | 5-6 | 7-9 | 1.00 | 0.98 | 3 |
| <i>Chamaecyparis thyoides</i> 'Andelyensis' Andely Whitecedar Falsecypress | CE | 1.08 | G2 | 5-6 | 7-9 | 1.00 | 1.37 | 3 |
| <i>Chamaecyparis thyoides</i> 'Aurea' Golden Whitecedar Falsecypress | CE | 1.20 | G2 | 5-6 | 7-9 | 1.00 | 1.37 | 3 |
| <i>Chamaecyparis thyoides</i> 'Blue Sport' Blue Sport Whitecedar Falsecypress | CE | 1.20 | G2 | 5-6 | 7-9 | 1.00 | 1.37 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Chamaecyparis thyoides</i> 'Conica' Conica Whitecedar Falsecypress | CE | 1.20 | G2 | 5-6 | 7-9 | 1.00 | 0.80 | 3 |
| <i>Chamaecyparis thyoides</i> 'Glauca Pendula' Blue Weeping Whitecedar Falsecypress | CE | 1.02 | G2 | 5-6 | 7-9 | 1.00 | 1.01 | 3 |
| <i>Chamaecyparis thyoides</i> 'Glauca' Blue Whitecedar Falsecypress | CE | 1.08 | G2 | 3-4 | 5-8 | 1.00 | 1.37 | 3 |
| <i>Chamaecyparis thyoides</i> 'Heatherbun' Heatherbun Whitecedar Falsecypress | CE | 0.97 | G2 | 5-6 | 7-9 | 1.00 | 1.46 | 3 |
| <i>Chamaecyparis thyoides</i> 'Little Jamie' Little Jamie Whitecedar Falsecypress | CS | 1.46 | G2 | 5-6 | 7-9 | | 1.00 | 3 |
| <i>Chamaecyparis thyoides</i> 'Meth Dwarf' Meth Dwarf Whitecedar Falsecypress | CS | 1.93 | G2 | 5-6 | 7-9 | | 1.00 | 3 |
| <i>Chamaecyparis thyoides</i> 'Red Star' Red Star Whitecedar Falsecypress | CE | 0.61 | G2 | 5-6 | 7-9 | 1.00 | 2.62 | 3 |
| <i>Chamaecyparis thyoides</i> 'Rubicon' Rubicon Whitecedar Falsecypress | CE | 1.08 | G2 | 3-6 | 7-9A | 1.00 | 1.37 | 3 |
| <i>Chamaecyparis thyoides</i> 'Top Point' Top Point Whitecedar Falsecypress | CE | 1.20 | G2 | 3-6 | 7-9A | 1.00 | 1.37 | 3 |
| <i>Chamaecyparis thyoides</i> 'Variegata' Variegated Whitecedar Falsecypress | CE | 1.40 | G2 | 3-6 | 7-9A | 1.00 | 1.37 | 3 |
| <i>Chamaecyparis thyoides</i> var. <i>henryae</i> No Common Name Found | CE | 0.81 | G2 | 3-6 | 7-9A | 1.00 | 1.00 | 3 |
| <i>Chamaedaphne calyculata</i> Leatherleaf | BS | 1.00 | G2 | 5-7 | 8-10 | | 1.00 | 7 |
| <i>Chamaedorea</i> Hybrid Bamboo Palm | PC | 1.27 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Chamaedorea</i> 'Florida Hybrid' Florida Hybrid Bamboo Palm | PC | 1.27 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Chamaedorea arenbergiana</i> No Common Name Found | PC | 3.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Chamaedorea ascendens</i> No Common Name Found | PC | 3.47 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Chamaedorea cataractarum</i> Cat Palm | PC | 0.87 | G3 | 8-10A | 10B-11 | | 1.02 | 9 |
| <i>Chamaedorea elegans</i> Parlor Palm | PC | 1.34 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Chamaedorea ernesti-augusti</i> Green Miniature Fishtail Palm | PC | 1.77 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Chamaedorea erumpens</i> Bamboo Palm | PC | 1.57 | G3 | 8-10A | 10B-11 | | 1.31 | 9 |
| <i>Chamaedorea glaucifolia</i> No Common Name Found | PC | 1.63 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Chamaedorea hooperiana</i> Maya Palm | PC | 4.13 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Chamaedorea klotzschiana</i> No Common Name Found | PC | 1.59 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Chamaedorea metallica</i> No Common Name Found | PC | 1.45 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Chamaedorea microspadix</i> Hardy Bamboo Palm | PC | 1.14 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Chamaedorea oblongata</i> Cauqui | PC | 2.73 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Chamaedorea radicalis</i> No Common Name Found | PC | 1.23 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Chamaedorea seifrizii</i> Reed Palm | PC | 1.46 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Chamaedorea stolonifera</i> Climbing Fishtail Palm | PC | 1.56 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Chamaedorea tepejilote</i> Pacaya | PC | 1.70 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Chamaemelum nobile</i> Roman Chamomile | HP | 0.64 | G4 | 4-5 | 6-7 | | | |
| <i>Chamaemelum nobile</i> 'Flore Pleno' Flore Pleno Roman Chamomile | HP | 0.92 | G4 | 4-5 | 6-7 | | | |
| <i>Chamaemelum nobile</i> 'Treneague' Treneague Roman Chamomile | HP | 0.78 | G4 | 4-5 | 6-7 | | | |
| <i>Chamaerops excelsus</i> See - <i>Trachycarpus fortunei</i> | | | | | | | | |
| <i>Chamaerops humilis</i> Mediterranean Fan Palm | PC | 1.15 | G2 | 8-9 | 10 | | 1.45 | 8 |
| <i>Chamaerops humilis</i> var. <i>argentea</i> No Common Name Found | PC | 1.61 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Chamaerops humilis</i> var. <i>cerifera</i> See - <i>Chamaerops humilis</i> var. <i>argentea</i> | | | | | | | | |
| <i>Chamaespartium sagittale</i> See - <i>Genista sagittalis</i> | | | | | | | | |
| <i>Chamaespartium sagittale</i> ssp. <i>delphinense</i> See - <i>Genista delphinensis</i> | | | | | | | | |
| <i>Chambeyronia macrocarpa</i> No Common Name Found | PC | 3.10 | G1 | 9B-10B | 11 | | 2.25 | 9 |
| <i>Chamelaucium uncinatum</i> Geraldton Waxflower | BS | 0.79 | G2 | 8-9 | 10A | | 1.00 | 9 |
| <i>Chamelaucium uncinatum</i> 'Purple Pride' Purple Pride Geraldton Waxflower | BS | 0.99 | G2 | 8-9 | 10A | | 1.00 | 9 |
| <i>Chamelaucium uncinatum</i> 'University' University Geraldton Waxflower | BS | 1.38 | G2 | 8-9 | 10A | | 1.00 | 9 |
| <i>Chamelaucium uncinatum</i> 'Vista' Vista Geraldton Waxflower | BS | 0.80 | G2 | 8-9 | 10A | | 1.00 | 9 |
| <i>Chasmanthe aethiopica</i> No Common Name Found | HP | 1.10 | G4 | 8-9 | 10A-11 | | | |
| <i>Chasmanthium latifolium</i> Northern Sea Oats | HP | 1.21 | G4 | 5-6 | 7-9A | | | |
| <i>Cheilanthes argentea</i> Little Gem Cloak Fern | HP | 1.27 | G4 | 6-9 | 10 | | | |
| <i>Cheilanthes lanosa</i> Hairy Lip Fern | HP | 0.92 | G4 | 6 | 7-8 | | | |
| <i>Cheilanthes siliquosa</i> Podfern | HP | 1.00 | G4 | 6 | 7-8 | | | |
| <i>Cheiranthus asperus</i> See - <i>Erysimum asperum</i> | | | | | | | | |
| <i>Cheiranthus linifolius</i> See - <i>Erysimum linifolium</i> | | | | | | | | |
| <i>Chelone glabra</i> Turtlehead | HP | 1.06 | G4 | 3-6 | 7-8 | | | |
| <i>Chelone lyonii</i> Pink Turtlehead | HP | 1.04 | G4 | 6-7 | 8 | | | |
| <i>Chelone lyonii</i> 'Hot Lips' Hot Lips Pink Turtlehead | HP | 0.92 | G4 | 6-7 | 8 | | | |
| <i>Chelone obliqua</i> Rose Turtlehead | HP | 0.91 | G4 | 6-7 | 8 | | | |
| <i>Chelone obliqua</i> 'Alba' White Rose Turtlehead | HP | 0.99 | G4 | 6-7 | 8 | | | |
| <i>Chelyocarpus chuco</i> No Common Name Found | PC | 1.00 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Chenopodium ambrosioides</i> American Wormseed | HP | 0.80 | G4 | 6-8 | 9-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Chenopodium botrys</i> Feather Geranium | HP | 1.00 | G4 | 6-8 | 9-11 | | | |
| <i>Chiastophyllum oppositifolium</i> Cotyledon | HP | 0.86 | G4 | 7-8 | 9 | | | |
| <i>Chilopsis linearis</i> Desert Willow | DT | 0.86 | G2 | 7-8 | 9-10A | 0.74 | 1.02 | 8 |
| <i>Chilopsis linearis</i> 'Burgundy' Burgundy Desert Willow | DT | 0.93 | G2 | 7-8 | 9-10A | 0.75 | 1.20 | 8 |
| <i>Chilopsis linearis</i> 'Dark Storm' Dark Storm Desert Willow | DT | 0.76 | G2 | 7-8 | 9-10A | 0.75 | 1.11 | 8 |
| <i>Chilopsis linearis</i> 'Monhews' P.P. 11078 Timeless Beauty™ Desert Willow | DT | 1.36 | G2 | 7-8 | 9-10A | 0.75 | 1.11 | 8 |
| <i>Chilopsis linearis</i> 'Timeless Beauty' See - <i>Chilopsis linearis</i> 'Monhews' P.P. 11078 | | | | | | | | |
| <i>Chimaphila maculata</i> Spotted Wintergreen | HP | 1.00 | G4 | 6-7 | 8-9A | | | |
| <i>Chimonanthus praecox</i> Wintersweet | DS | 1.46 | G2 | 7 | 8-9A | | 1.29 | 7 |
| <i>Chimonanthus praecox</i> 'Grandiflorus' Grandiflorus Wintersweet | DS | 0.97 | G2 | 7 | 8-9A | | 1.29 | 7 |
| <i>Chimonanthus praecox</i> 'Luteus' Luteus Wintersweet | DS | 1.00 | G2 | 7 | 8-9A | | 1.29 | 7 |
| <i>Chimonobambusa marmorea</i> Kan-Chiku | BS | 1.00 | G2 | 6 | 7-9A | | 1.00 | 6 |
| <i>Chimonobambusa quadrangularis</i> Square Bamboo | BS | 1.09 | G2 | 6 | 7-9A | | 1.00 | 6 |
| <i>Chionanthus retusus</i> Chinese Fringe Tree | DT | 1.05 | G2 | 6-7 | 8-9A | 1.46 | 1.74 | 6 |
| <i>Chionanthus virginicus</i> White Fringe Tree | DT | 1.06 | G2 | 3-7 | 8-9A | 1.27 | 1.90 | 4 |
| <i>Chionanthus virginicus</i> 'Emerald Knight' Emerald Knight White Fringe Tree | DT | 1.06 | G4 | 3-4 | 5-10 | 1.27 | 1.90 | 4 |
| x <i>Chitalpa tashkentensis</i> Chitalpa | DT | 0.99 | G2 | 7-8 | 9-10A | 0.51 | 1.00 | 8 |
| x <i>Chitalpa tashkentensis</i> 'Morning Cloud' Morning Cloud Chitalpa | DT | 1.07 | G2 | 7-8 | 9-10A | 0.51 | 1.00 | 8 |
| x <i>Chitalpa tashkentensis</i> 'Pink Dawn' Pink Dawn Chitalpa | DT | 1.01 | G2 | 7-8 | 9-10A | 0.51 | 1.00 | 8 |
| <i>Chlorophytum amaniense</i> No Common Name Found | FO | 0.76 | G3 | 6-10 | 11 | | 1.00 | 9 |
| <i>Chlorophytum amaniense</i> 'Fire Flash' Fire Flash Spider Plant | FO | 0.76 | G3 | 6-10 | 11 | | 1.00 | 9 |
| <i>Chlorophytum bichetii</i> Wheat Plant | FO | 1.00 | G3 | 6-10 | 11 | | 1.00 | 9 |
| <i>Chlorophytum comosum</i> Spider Plant | FO | 0.47 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Chlorophytum comosum</i> 'Variegatum' Variegated Spider Plant | FO | 0.49 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Chlorophytum comosum</i> 'Vittatum' Vittatum Spider Plant | FO | 0.54 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Chlorophytum orchidanthroides</i> 'Fire Flash' See - <i>Chlorophytum amaniense</i> 'Fire Flash' | | | | | | | | |
| <i>Choisya</i> Choisya | BS | 1.25 | G2 | 6-7 | 8-10A | | 1.00 | 7 |
| <i>Choisya</i> 'Aztec Pearl' Aztec Pearl Mexican Orange | BS | 1.25 | G2 | 6-7 | 8-10A | | 1.00 | 7 |
| <i>Choisya ternata</i> Mexican Orange | BS | 0.90 | G2 | 6-7 | 8-10A | | 1.00 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|--------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | | Caliper | High/Wide | |
| <i>Choisya ternata</i> 'Sundance' Sundance Mexican Orange | BS | 1.23 | G2 | 6-7 | 8-10A | | 1.00 | 7 |
| <i>Chondropetalum tectorum</i> Cape Rush | HP | 1.28 | G4 | 7-8 | 9-10 | | | |
| <i>Chonemorpha fragrans</i> No Common Name Found | GC | 2.75 | G4 | 9-10 | 11 | | 1.00 | 10 |
| <i>Chorisia speciosa</i> Floss Silk Tree | DT | 1.06 | G1 | 10 | 11 | 1.00 | 0.82 | 10 |
| <i>Chorisia speciosa</i> 'Angel' See - <i>Chorisia speciosa</i> 'Mongel' | | | | | | | | |
| <i>Chorisia speciosa</i> 'Majestic Beauty' See - <i>Chorisia speciosa</i> 'Monza' | | | | | | | | |
| <i>Chorisia speciosa</i> 'Mongel' Angel™ Floss Silk Tree | DT | 1.03 | G1 | 10 | 11 | 1.00 | 0.82 | 10 |
| <i>Chorisia speciosa</i> 'Monza' Majestic Beauty™ Floss Silk Tree | DT | 1.10 | G1 | 10 | 11 | 1.00 | 0.82 | 10 |
| <i>Chorizema cordata</i> Australian Flame Pea | BS | 0.77 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Chrysactinia mexicana</i> Damianita | HP | 0.63 | G4 | 7-8 | 9-10 | | | |
| <i>Chrysalidocarpus cabadae</i> See - <i>Dypsis cabadae</i> | | | | | | | | |
| <i>Chrysalidocarpus lutescens</i> See - <i>Dypsis lutescens</i> | | | | | | | | |
| <i>Chrysalidocarpus madagascariensis</i> See - <i>Dypsis madagascariensis</i> | | | | | | | | |
| <i>Chrysanthemopsis gayana</i> Gayanum Painted Daisy | HP | 0.78 | G4 | 7-9 | 10 | | | |
| <i>Chrysanthemum alpinum</i> var. <i>tomentosum</i> See - <i>Leucanthemopsis alpina</i> ssp. <i>tomentosa</i> | | | | | | | | |
| <i>Chrysanthemum arcticum</i> See - <i>Arctanthemum arcticum</i> | | | | | | | | |
| <i>Chrysanthemum balsamita</i> See - <i>Tanacetum balsamita</i> | | | | | | | | |
| <i>Chrysanthemum coccineum</i> See - <i>Tanacetum coccineum</i> | | | | | | | | |
| <i>Chrysanthemum coronarium</i> Edible Chrysanthemum | HP | 1.00 | G4 | 7-8 | 9-10B | | | |
| <i>Chrysanthemum frutescens</i> See - <i>Argyranthemum frutescens</i> | | | | | | | | |
| <i>Chrysanthemum gayanum</i> See - <i>Chrysanthemopsis gayana</i> | | | | | | | | |
| <i>Chrysanthemum hosmariense</i> See - <i>Rhodanthemum hosmariense</i> | | | | | | | | |
| <i>Chrysanthemum leucanthemum</i> See - <i>Leucanthemum vulgare</i> | | | | | | | | |
| <i>Chrysanthemum maximum</i> See - <i>Leucanthemum maximum</i> | | | | | | | | |
| <i>Chrysanthemum</i> x <i>morifolium</i> Florist's Chrysanthemum | HP | 0.86 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum</i> x <i>morifolium</i> 'Adorn' Adorn Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum</i> x <i>morifolium</i> 'Aggie' Aggie Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum</i> x <i>morifolium</i> 'Allure' P.P. 5989 Allure Chrysanthemum | HP | 0.75 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum</i> x <i>morifolium</i> 'Anna' Anna Chrysanthemum | HP | 0.46 | G4 | 4-6 | 7-9B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Chrysanthemum x morifolium</i> 'Autumn Denise' Autumn Denise Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Baby Tears' Baby Tears Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Belgian Series' Belgian Series Chrysanthemum | HP | 0.41 | G4 | 5-6 | 7-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Best Regards' Best Regards Chrysanthemum | HP | 0.65 | G4 | 4-7 | 8-10 | | | |
| <i>Chrysanthemum x morifolium</i> 'Blushing Emily' Blushing Emily Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Bravo' Bravo Chrysanthemum | HP | 0.55 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Bronze Elegans' Bronze Elegans Chrysanthemum | HP | 0.70 | G4 | 4-5 | 6-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Buckeye' Buckeye Chrysanthemum | HP | 0.46 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Cambodian Queen' Cambodian Queen Chrysanthemum | HP | 0.72 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Camelot' Camelot Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Chiffon' Chiffon Chrysanthemum | HP | 0.65 | G4 | 4-7 | 8-10 | | | |
| <i>Chrysanthemum x morifolium</i> 'Christine' Christine Chrysanthemum | HP | 0.46 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Cougar' Cougar Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Cream Nicole' Cream Nicole Chrysanthemum | HP | 0.74 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Daisy Red' Daisy Red Chrysanthemum | HP | 0.65 | G4 | 4-7 | 8-10 | | | |
| <i>Chrysanthemum x morifolium</i> 'Daisy Royal' Daisy Royal Chrysanthemum | HP | 0.65 | G4 | 4-7 | 8-10 | | | |
| <i>Chrysanthemum x morifolium</i> 'Daisy White' Daisy White Chrysanthemum | HP | 0.65 | G4 | 4-7 | 8-10 | | | |
| <i>Chrysanthemum x morifolium</i> 'Dark Grenadine' Dark Grenadine Chrysanthemum | HP | 0.46 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Debonair' P.P. 5324 Debonair Chrysanthemum | HP | 0.55 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Emily' Emily Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Encore' Encore Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Fortune' Fortune Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Freedom' Freedom Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Frolic' Frolic Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Ginger' P.P. 6403 Ginger Chrysanthemum | HP | 0.93 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Glamour' Glamour Chrysanthemum | HP | 0.65 | G4 | 4-7 | 8-10 | | | |
| <i>Chrysanthemum x morifolium</i> 'Goldmine' Goldmine Chrysanthemum | HP | 0.74 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Grace' Grace Chrysanthemum | HP | 0.56 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Grandchild' Grandchild Chrysanthemum | HP | 0.65 | G4 | 4-7 | 8-10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Chrysanthemum x morifolium</i> 'Grenadine' Grenadine Chrysanthemum | HP | 0.46 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Hawkeye' Hawkeye Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Hekla' Hekla Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Helen' Helen Chrysanthemum | HP | 0.84 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'High Flyers Series' High Flyers Series Chrysanthemum | HP | 0.41 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'High Style' High Style Chrysanthemum | HP | 0.65 | G4 | 4-7 | 8-10 | | | |
| <i>Chrysanthemum x morifolium</i> 'Hillside Sheffield Pink' Hillside Sheffield Pink Chrysanthemum | HP | 0.99 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Illusion' Illusion Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Jennifer' P.P. 8987 Jennifer Chrysanthemum | HP | 0.56 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Jessica' Jessica Chrysanthemum | HP | 0.49 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Lancer' Lancer Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Legend' Legend Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Linda' Linda Chrysanthemum | HP | 0.84 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Lynn' Lynn Chrysanthemum | HP | 0.46 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Megan' Megan Chrysanthemum | HP | 0.74 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Mei-kyo' Mei-kyo Chrysanthemum | HP | 0.92 | G4 | 5-7 | 8-9A | | | |
| <i>Chrysanthemum x morifolium</i> 'Minngopher' Minngopher Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Minnruby' Minnruby Chrysanthemum | HP | 0.65 | G4 | 4-7 | 8-10 | | | |
| <i>Chrysanthemum x morifolium</i> 'Minnyellow' Minnyellow Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Mirage' Mirage Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Naomi' Naomi Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Nicole' Nicole Chrysanthemum | HP | 0.55 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Patriot' Patriot Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Prophet Series' Prophet Series Chrysanthemum | HP | 0.41 | G4 | 5-6 | 7-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Pumpkin Harvest' Pumpkin Harvest Chrysanthemum | HP | 0.90 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Purple Waters' Purple Waters Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Raquel' Raquel Chrysanthemum | HP | 0.74 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Remarkable' Remarkable Chrysanthemum | HP | 0.46 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Robin' Robin Chrysanthemum | HP | 0.74 | G4 | 4-6 | 7-9B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Chrysanthemum x morifolium</i> 'Rose Grenadine' Rose Grenadine Chrysanthemum | HP | 0.65 | G4 | 4-7 | 8-10 | | | |
| <i>Chrysanthemum x morifolium</i> 'Ruby Mound' Ruby Mound Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Salsa' Salsa Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Sandy' Sandy Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Serenade' Serenade Chrysanthemum | HP | 0.84 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Shelley' Shelley Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Soft Lynn' Soft Lynn Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Stardom' Stardom Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Stephanie' P.P. 9445 Stephanie Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Sunburst' Sunburst Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Sundoro' Sundoro Chrysanthemum | HP | 0.49 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Sunny Morning' Sunny Morning Chrysanthemum | HP | 0.65 | G4 | 4-7 | 8-10 | | | |
| <i>Chrysanthemum x morifolium</i> 'Symphony' Symphony Chrysanthemum | HP | 0.84 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Tanaga' Tanaga Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Tapestry' Tapestry Chrysanthemum | HP | 0.65 | G4 | 4-7 | 8-10 | | | |
| <i>Chrysanthemum x morifolium</i> 'Target' Target Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Tinkerbell' Tinkerbell Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Tolima' Tolima Chrysanthemum | HP | 0.46 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Triumph' Triumph Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Valerie' Valerie Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Venus' Venus Chrysanthemum | HP | 0.88 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Viette's Apricot Glow' Viette's Apricot Glow Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Viking' Viking Chrysanthemum | HP | 0.74 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'White Grandchild' White Grandchild Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Wild Berry' Wild Berry Chrysanthemum | HP | 0.65 | G4 | 4-7 | 8-10 | | | |
| <i>Chrysanthemum x morifolium</i> 'Yellow Jacket' Yellow Jacket Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum x morifolium</i> 'Zest' Zest Chrysanthemum | HP | 0.65 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum multicaule</i> See - <i>Coleostephus myconis</i> | | | | | | | | |
| <i>Chrysanthemum nipponicum</i> See - <i>Nipponanthemum nipponicum</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Chrysanthemum pacificum</i> Pacific Chrysanthemum | HP | 0.84 | G4 | 4-5 | 6-9B | | | |
| <i>Chrysanthemum pacificum</i> 'Pink Ice' Pink Ice Pacific Chrysanthemum | HP | 1.09 | G4 | 4-7 | 8-10 | | | |
| <i>Chrysanthemum pacificum</i> 'Silver and Gold' Silver and Gold Pacific Chrysanthemum | HP | 0.72 | G4 | 4-5 | 6-9B | | | |
| <i>Chrysanthemum paludosum</i> See - <i>Leucanthemum paludosum</i> | | | | | | | | |
| <i>Chrysanthemum parthenium</i> See - <i>Tanacetum parthenium</i> | | | | | | | | |
| <i>Chrysanthemum ptarmiciflorum</i> See - <i>Tanacetum ptarmiciflorum</i> | | | | | | | | |
| <i>Chrysanthemum x superbum</i> See - <i>Leucanthemum x superbum</i> | | | | | | | | |
| <i>Chrysanthemum vulgare</i> See - <i>Tanacetum vulgare</i> | | | | | | | | |
| <i>Chrysanthemum weyrichii</i> Weyrich Daisy | HP | 0.71 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum weyrichii</i> 'Pink Bomb' Pink Bomb Weyrich Daisy | HP | 0.87 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum weyrichii</i> 'White Bomb' White Bomb Weyrich Daisy | HP | 0.86 | G4 | 4-6 | 7-9B | | | |
| <i>Chrysanthemum zawadskii</i> No Common Name Found | HP | 1.27 | G4 | 4-5 | 6-9B | | | |
| <i>Chrysanthemum zawadskii</i> 'Clara Curtis' Clara Curtis Red Chrysanthemum | HP | 0.88 | G4 | 4-5 | 6-9B | | | |
| <i>Chrysanthemum zawadskii</i> 'Duchess of Edinburgh' Duchess of Edinburgh Chrysanthemum | HP | 2.12 | G4 | 4-5 | 6-9B | | | |
| <i>Chrysanthemum zawadskii</i> 'Mary Stoker' Mary Stoker Red Chrysanthemum | HP | 0.82 | G4 | 4-5 | 6-9B | | | |
| <i>Chrysobalanus icaco</i> Cocoplum | BS | 0.59 | G1 | 10 | 11 | | 0.41 | 10 |
| <i>Chrysobalanus icaco</i> 'Horizontal' Horizontal Cocoplum | BS | 0.76 | G1 | 10 | 11 | | 0.41 | 10 |
| <i>Chrysobalanus icaco</i> 'Red Tip' Red Tip Cocoplum | BS | 0.53 | G1 | 10 | 11 | | 0.41 | 10 |
| <i>Chrysogonum virginianum</i> Green and Gold | HP | 0.87 | G4 | 6-7 | 8-9A | | | |
| <i>Chrysogonum virginianum</i> 'Springbrook' Springbrook Green and Gold | HP | 1.32 | G4 | 6-7 | 8-9 | | | |
| <i>Chrysogonum virginianum</i> var. <i>australe</i> No Common Name Found | HP | 0.92 | G4 | 6-7 | 8-9A | | | |
| <i>Chrysogonum virginianum</i> var. <i>australe</i> 'Mark Viette' Mark Viette Green and Gold | HP | 0.92 | G4 | 6-7 | 8-9A | | | |
| <i>Chrysogonum virginianum</i> var. <i>virginianum</i> No Common Name Found | HP | 0.93 | G4 | 6-7 | 8-9A | | | |
| <i>Chrysogonum virginianum</i> var. <i>virginianum</i> 'Alan Bush' Alan Bush Green and Gold | HP | 0.93 | G4 | 6-7 | 8-9A | | | |
| <i>Chrysophyllum oliviforme</i> Satinleaf | BE | 1.00 | G1 | 10 | 11 | 1.00 | 0.68 | 10 |
| <i>Chrysopsis mariana</i> Maryland Golden Aster | HP | 0.70 | G4 | 5-6 | 7-8 | | | |
| <i>Chrysopsis villosa</i> See - <i>Heterotheca villosa</i> | | | | | | | | |
| <i>Chrysothamnus nauseosus</i> Rubber Rabbitbrush | BS | 0.96 | G2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Chrysothamnus nauseosus</i> 'Dwarf Blue' Dwarf Blue Rubber Rabbitbrush | BS | 1.07 | G2 | 3-4 | 5-7 | | 1.00 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Chrysothamnus nauseosus</i> ssp. <i>graveolens</i> Greenplume Rabbitbrush | BS | 0.93 | G2 | 3-4 | 5-7 | | 1.00 | 4 |
| <i>Chrysothamnus viscidiflorus</i> Douglas Rabbitbrush | BS | 0.81 | G2 | 3-4 | 5-7 | | 1.00 | 3 |
| <i>Chrysothemis pulchella</i> No Common Name Found | HP | 1.00 | G4 | 10 | 11 | | | |
| <i>Chuniophoenix hainanensis</i> Hainan Fan Palm | PC | 1.25 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Chuniophoenix nana</i> No Common Name Found | PC | 1.25 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Chusquea coronalis</i> No Common Name Found | BS | 1.44 | G1 | 10A | 10B-11 | | 1.00 | 7 |
| <i>Cibotium chamissoi</i> Hawaiian Tree Fern | BE | 0.76 | G3 | 8-10B | 11 | 1.00 | 1.00 | 9 |
| <i>Cibotium glaucum</i> Blonde Tree Fern | BE | 1.65 | G3 | 8-10B | 11 | 1.00 | 1.00 | 9 |
| <i>Cibotium splendens</i> Hapu'u | BE | 1.37 | G3 | 8-10B | 11 | 1.00 | 1.00 | 9 |
| <i>Cicuta maculata</i> Spotted Cowbane | HP | 1.49 | G4 | 4-5 | 6-8 | | | |
| <i>Cimicifuga acerina</i> See - <i>Cimicifuga japonica</i> var. <i>acerina</i> | | | | | | | | |
| <i>Cimicifuga dahurica</i> No Common Name Found | HP | 1.47 | G4 | 5-6 | 7-8 | | | |
| <i>Cimicifuga japonica</i> Japanese Bugbane | HP | 1.22 | G4 | 5-6 | 7-8 | | | |
| <i>Cimicifuga japonica</i> var. <i>acerina</i> Acerina Japanese Bugbane | HP | 1.30 | G4 | 5-6 | 7-8 | | | |
| <i>Cimicifuga racemosa</i> Black Snakeroot | HP | 1.36 | G4 | 4-6 | 7-8 | | | |
| <i>Cimicifuga racemosa</i> 'Hillside Black Beauty' P.P. 9988 Hillside Black Beauty Black Snakeroot | HP | 2.74 | G4 | 4-6 | 7-8 | | | |
| <i>Cimicifuga racemosa</i> var. <i>cordifolia</i> See - <i>Actaea cordifolia</i> | | | | | | | | |
| <i>Cimicifuga ramosa</i> Branched Bugbane | HP | 1.53 | G4 | 6-7 | 8-9 | | | |
| <i>Cimicifuga ramosa</i> 'Atropurpurea' Purple Branched Bugbane | HP | 1.65 | G4 | 4-6 | 7-8 | | | |
| <i>Cimicifuga ramosa</i> 'Brunette' Brunette Branched Bugbane | HP | 1.78 | G4 | 6-7 | 8-9 | | | |
| <i>Cimicifuga simplex</i> Kamchatka Bugbane | HP | 1.08 | G4 | 4-6 | 7-8 | | | |
| <i>Cimicifuga simplex</i> 'Black Negligee' Black Negligee Kamchatka Bugbane | HP | 1.41 | G4 | 4-6 | 7-8 | | | |
| <i>Cimicifuga simplex</i> 'James Compton' James Compton Branched Bugbane | HP | 1.48 | G4 | 4-6 | 7-8 | | | |
| <i>Cimicifuga simplex</i> 'White Pearl' White Pearl Kamchatka Bugbane | HP | 1.37 | G4 | 4-6 | 7-8 | | | |
| <i>Cinnamomum camphora</i> Camphor Tree | BE | 0.86 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Cinnamomum camphora</i> 'Majestic Beauty' See - <i>Cinnamomum camphora</i> 'Monum' | | | | | | | | |
| <i>Cinnamomum camphora</i> 'Monum' Majestic Beauty™ Camphor Tree | BE | 0.86 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Cinnamomum zeylanicum</i> Cinnamon | BE | 0.79 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Cissus discolor</i> Trailing Begonia | FO | 0.86 | G3 | 8-10B | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Cissus incisa</i> | | | | | | | | |
| See - <i>Cissus trifoliata</i> | | | | | | | | |
| <i>Cissus rhombifolia</i> Grape Ivy | FO | 0.60 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Cissus rhombifolia</i> 'Ellen Danica' Ellen Danica Oak Leaf Ivy | FO | 0.53 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Cissus rhombifolia</i> 'Mandaiana' Mandiana Oak Leaf Ivy | FO | 0.57 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Cissus trifoliata</i> Marine Ivy | FO | 0.55 | G2 | 7-8 | 9A-11 | | 1.00 | 8 |
| <i>Cissus voinierana</i> | | | | | | | | |
| See - <i>Tetrastigma voinieranum</i> | | | | | | | | |
| <i>Cistus</i> Rock Rose | BS | 0.80 | G2 | 7-8 | 9-10A | | 1.00 | 7 |
| <i>Cistus</i> 'Bennet's White' Bennet's White Rock Rose | BS | 1.13 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Cistus</i> 'Blanche' Blanche Rock Rose | BS | 0.73 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Cistus</i> 'Chelsea Bonnet' Chelsea Bonnet Rock Rose | BS | 0.70 | G2 | 7-8 | 9-10A | | 1.00 | 7 |
| <i>Cistus</i> 'Peggy Sammons' Peggy Sammons Rock Rose | BS | 0.69 | G2 | 7-9 | 10 | | 1.00 | 9 |
| <i>Cistus</i> 'Victor Reiter' Victor Reiter Rock Rose | BS | 0.73 | G2 | 7-8 | 9-10A | | 1.00 | 7 |
| <i>Cistus corbariensis</i> White Rock Rose | BS | 0.90 | G2 | 7-8 | 9-10A | | 1.00 | 7 |
| <i>Cistus creticus</i> No Common Name Found | BS | 0.73 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Cistus creticus</i> 'Santa Cruz' Santa Cruz Rock Rose | BS | 0.73 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Cistus crispus</i> | | | | | | | | |
| See - <i>Cistus x purpureus</i> | | | | | | | | |
| <i>Cistus hirsutus</i> var. <i>psilosepalus</i> | | | | | | | | |
| See - <i>Cistus psilosepalus</i> | | | | | | | | |
| <i>Cistus x hybridus</i> | | | | | | | | |
| See - <i>Cistus corbariensis</i> | | | | | | | | |
| <i>Cistus incanus</i> No Common Name Found | BS | 0.84 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Cistus ladanifer</i> var. <i>maculatus</i> Crimsonspot Rock Rose | BS | 0.92 | G2 | 7-8 | 9-10A | | 1.00 | 7 |
| <i>Cistus laurifolius</i> No Common Name Found | BS | 0.69 | G2 | 7-8 | 9-10A | | 1.00 | 7 |
| <i>Cistus psilosepalus</i> No Common Name Found | BS | 0.69 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Cistus x pulverulentus</i> No Common Name Found | BS | 0.83 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Cistus x pulverulentus</i> 'Sunset' Sunset Rock Rose | BS | 0.96 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Cistus x pulverulentus</i> 'Warley Rose' Warley Rose Rock Rose | BS | 0.69 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Cistus x purpureus</i> Orchidspot Rock Rose | BS | 0.97 | G2 | 7-8 | 9-10A | | 1.00 | 7 |
| <i>Cistus x purpureus</i> 'Doris Hibberson' Doris Hibberson Orchidspot Rock Rose | BS | 1.04 | G2 | 7-8 | 9-10A | | 1.00 | 7 |
| <i>Cistus salvifolius</i> No Common Name Found | BS | 0.61 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Cistus salvifolius</i> 'Prostratus' No Common Name Found | BS | 0.87 | G2 | 7-8 | 9-10A | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Cistus x skanbergii</i> Skanberg Rock Rose | BS | 1.01 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Citharexylum fruticosum</i> Florida Fiddlewood | BS | 0.79 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Citharexylum spinosum</i> No Common Name Found | BS | 0.93 | G2 | 10A | 10B-11 | | 1.00 | 9 |
| <i>xCitrofortunella microcarpa</i> Calamondin Orange | BE | 1.01 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>xCitrofortunella microcarpa</i> 'Variegata' Variegated Calamondin Orange | BE | 1.22 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>xCitrofortunella mitis</i> See - <i>xCitrofortunella microcarpa</i> | | | | | | | | |
| <i>xCitroncirus webberi</i> Citrange | FN | 1.00 | G1 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>xCitroncirus webberi</i> 'Carrizo' Carrizo Citrange | FN | 1.00 | G1 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Citrus aurantiifolia</i> Lime | FN | 1.24 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus aurantiifolia</i> 'Mexican' Mexican Lime | FN | 1.14 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus aurantiifolia</i> 'Trover' Trover Lime | FN | 1.19 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus grandis</i> See - <i>Citrus maxima</i> | | | | | | | | |
| <i>Citrus latifolia</i> Persian Lime | FN | 1.20 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus latifolia</i> 'Bearss Dwarf' Bearss Dwarf Seedless Lime | FN | 1.62 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus latifolia</i> 'Bearss' Bearss Seedless Lime | FN | 1.15 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus latifolia</i> 'Tahiti' Tahiti Lime | FN | 0.84 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> Lemon | FN | 1.37 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Eureka Variegated' Eureka Variegated Lemon | FN | 1.19 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Eureka' Eureka Lemon | FN | 0.94 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Frost' Frost Lemon | FN | 1.17 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Lisbon Dwarf' Lisbon Dwarf Lemon | FN | 1.62 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Lisbon Seedless' Lisbon Seedless Lemon | FN | 1.12 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Lisbon' Lisbon Lemon | FN | 0.95 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Meyer Improved' Meyer Improved Lemon | FN | 1.32 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Meyer' Meyer Lemon | FN | 0.93 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Ponderosa' Ponderosa Lemon | FN | 0.82 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Sun Gold' P.P. 4828 Sun Gold Lemon | FN | 1.48 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Variegata' Variegata Pink Lemon | FN | 1.12 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus madurensis</i> See - <i>Fortunella japonica</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Citrus maxima</i> Pummelo | FN | 0.75 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus maxima</i> 'Chandler' Chandler Pummelo | FN | 0.96 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus medica</i> Citron | FN | 1.07 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus medica</i> 'Buddha's Hand' Buddha's Hand Citron | FN | 1.07 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus xnobilis</i> Tangor | FN | 0.77 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Citrus xnobilis</i> 'King' King Tangor | FN | 0.75 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Citrus xnobilis</i> 'Temple' Temple Orange | FN | 0.79 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus xparadisi</i> Grapefruit | FN | 1.03 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus xparadisi</i> 'Duncan' Duncan Grapefruit | FN | 1.04 | G1 | 9 | 10A-11 | 1.00 | 0.43 | 9 |
| <i>Citrus xparadisi</i> 'Flame' Flame Red Grapefruit | FN | 0.83 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus xparadisi</i> 'Marsh Seedless' Marsh Seedless Grapefruit | FN | 0.78 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus xparadisi</i> 'Melogold' P.P. 6001 Melogold Grapefruit | FN | 1.03 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus xparadisi</i> 'Oroblanco' P.P. 4645 Oroblanco Grapefruit | FN | 1.25 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus xparadisi</i> 'Rio Red' Rio Red Grapefruit | FN | 0.97 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus xparadisi</i> 'Ruby Dwarf' Ruby Dwarf Grapefruit | FN | 1.48 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus xparadisi</i> 'Ruby' Ruby Grapefruit | FN | 0.88 | G1 | 9 | 10A-11 | 1.00 | 0.43 | 9 |
| <i>Citrus xparadisi</i> 'Star Ruby Dwarf' Star Ruby Dwarf Grapefruit | FN | 1.27 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus xparadisi</i> 'Star Ruby' Star Ruby Grapefruit | FN | 0.92 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus xparadisi</i> 'Thompson' Thompson Pink Grapefruit | FN | 1.04 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus reticulata</i> Tangerine | FN | 1.21 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Armstrong Early' Armstrong Early Satsuma Mandarin Orange | FN | 1.34 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Clementine' Clementine Mandarin Orange | FN | 0.93 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Dancy Seedless' Dancy Seedless Tangerine | FN | 0.78 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Dancy' Dancy Tangerine | FN | 0.92 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Fremont' Fremont Tangerine | FN | 0.98 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Kara' Kara Tangerine | FN | 0.96 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Murcott' Murcott Tangerine | FN | 0.86 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Owari' Owari Satsuma Mandarin Orange | FN | 1.19 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Ponkan' Ponkan Tangerine | FN | 0.72 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Citrus reticulata</i> 'Sunburst' Sunburst Tangerine | FN | 0.91 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus sinensis</i> Orange | FN | 1.09 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Campbell Dwarf' Campbell Dwarf Orange | FN | 1.65 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Campbell' Campbell Orange | FN | 1.13 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Cara Cara' Cara Cara Orange | FN | 0.78 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Hamlin' Hamlin Orange | FN | 0.89 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Lane Late Dwarf' Lane Late Dwarf Orange | FN | 1.37 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Marrs' Marrs Orange | FN | 1.04 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Midnight Dwarf' Midnight Dwarf Orange | FN | 1.32 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Midnight' Midnight Orange | FN | 0.96 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Moro' Moro Orange | FN | 1.05 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Page' Page Orange | FN | 0.72 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Parson Brown' Parson Brown Orange | FN | 0.83 | G1 | 9 | 10A-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Pineapple' Pineapple Orange | FN | 0.83 | G1 | 9 | 10A-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Trovita' Trovita Orange | FN | 0.78 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Valencia' Valencia Orange | FN | 0.86 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Washington Dwarf' Washington Dwarf Orange | FN | 1.36 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Washington' Washington Naval Orange | FN | 1.09 | G1 | 9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus xtangelo</i> Hybrid Tangelo | FN | 1.69 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus xtangelo</i> 'Minneola Dwarf' Minneola Dwarf Tangelo | FN | 1.10 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus xtangelo</i> 'Minneola' Minneola Tangelo | FN | 1.05 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus xtangelo</i> 'Orlando' Orlando Tangelo | FN | 0.83 | G2 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Cladium jamaicensis</i> Sawgrass | HP | 0.53 | G4 | 5-8 | 9-10 | | | |
| <i>Cladanthus pyroliflorus</i> Copper Bush | DS | 1.00 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Cladrastis kentukea</i> See - <i>Cladrastis lutea</i> | | | | | | | | |
| <i>Cladrastis lutea</i> American Yellowwood | DT | 1.30 | G2 | 3-6 | 7-8 | 1.19 | 1.12 | 3 |
| <i>Cladrastis lutea</i> 'Rosea' Rosea American Yellowwood | DT | 2.00 | G1 | 9 | 10-11 | 1.38 | 1.12 | 3 |
| <i>Cladrastis lutea</i> 'Sweet Shade' P.P. 2935 Sweet Shade American Yellowwood | DT | 1.65 | G1 | 9 | 10-11 | 1.49 | 1.12 | 3 |
| <i>Cladrastis sinensis</i> Chinese Yellowwood | DT | 1.00 | G2 | 6-7 | 8 | 1.00 | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Cladrastis sinensis</i> 'China Rose' China Rose Chinese Yellowwood | DT | 1.00 | G2 | 6-7 | 8 | 1.00 | 1.00 | 5 |
| <i>Claytonia virginica</i> Spring Beauty | HP | 1.36 | G4 | 6-7 | 8 | | | |
| <i>Clematis</i> Clematis | GC | 1.74 | G2 | 4-6 | 7-10 | | 1.00 | 3 |
| <i>Clematis</i> 'Alabast' See - <i>Clematis</i> 'Poulala' P.P. 10990 | | | | | | | | |
| <i>Clematis</i> 'Anna Louise' See - <i>Clematis</i> 'Evithree' P.P. 9362 | | | | | | | | |
| <i>Clematis</i> 'Arabella' Arabella Clematis | GC | 1.66 | G2 | 3-4 | 5-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Arctic Queen' See - <i>Clematis</i> 'Ewitwo' P.P. 10167 | | | | | | | | |
| <i>Clematis</i> 'Asao' Asao Clematis | GC | 1.72 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Ascotiensis' Ascotiensis Clematis | GC | 1.60 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Barbara Harrington' Barbara Harrington Clematis | GC | 2.20 | G2 | 5-7 | 8 | | 1.00 | 4 |
| <i>Clematis</i> 'Barbara Jackman' Barbara Jackman Clematis | GC | 1.54 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Bee's Jubilee' Bee's Jubilee Clematis | GC | 1.65 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Belle Nantaise' Belle Nantaise Clematis | GC | 1.74 | G2 | 5-7 | 8 | | 1.00 | 4 |
| <i>Clematis</i> 'Belle of Woking' Belle of Woking Clematis | GC | 1.54 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Beth Currie' Beth Currie Clematis | GC | 2.11 | G2 | 3-4 | 5-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Betty Corning' Betty Corning Clematis | GC | 1.88 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Blue Light' See - <i>Clematis</i> 'Vanso' P.P.A.F. | | | | | | | | |
| <i>Clematis</i> 'Blue Moon' See - <i>Clematis</i> 'Evirin' P.P. 12838 | | | | | | | | |
| <i>Clematis</i> 'Blue Ravine' C.O.P.F. Blue Ravine Clematis | GC | 1.94 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Captain Thuilleaux' Captain Thuilleaux Clematis | GC | 1.13 | G2 | 5-7 | 8 | | 1.00 | 4 |
| <i>Clematis</i> 'Cardinal Wyszynski' Cardinal Wyszynski Clematis | GC | 2.19 | G2 | 3-4 | 5-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Carnaby' Carnaby Clematis | GC | 1.70 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Charissima' Charissima Clematis | GC | 1.96 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Clair de Lune' See - <i>Clematis</i> 'Evirin' P.P. 12838 | | | | | | | | |
| <i>Clematis</i> 'Comtesse de Bouchaud' Comtesse de Bouchaud Clematis | GC | 1.59 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Coventry' Coventry Clematis | GC | 1.74 | G2 | 5-7 | 8 | | 1.00 | 5 |
| <i>Clematis</i> 'Crimson King' Crimson King Clematis | GC | 1.74 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Daniel Deronda' Daniel Deronda Clematis | GC | 1.42 | G2 | 5-7 | 8 | | 1.00 | 4 |
| <i>Clematis</i> 'Dawn' Dawn Clematis | GC | 1.90 | G2 | 4-6 | 7-9 | | 1.00 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Clematis</i> 'Doctor Ruppel' Doctor Ruppel Clematis | GC | 1.60 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Duchess of Edinburgh' Duchess of Edinburgh Clematis | GC | 1.49 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Edomurasaki' Edomurasaki Clematis | GC | 1.99 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Edouard Desfosse' Edouard Desfosse Clematis | GC | 1.96 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Elsa Spaeth' Elsa Spaeth Clematis | GC | 1.69 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Ernest Markham' Ernest Markham Clematis | GC | 1.58 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Evening Star' See - <i>Clematis</i> 'Evista' P.P. 10932 | | | | | | | | |
| <i>Clematis</i> 'Evifive' P.P. 10913 Liberation™ Clematis | GC | 1.85 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Evifour' P.P. 9299 Royal Velvet™ Clematis | GC | 1.86 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Evijohill' Josephine™ Clematis | GC | 1.76 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Evione' P.P. 10222 Sugar Candy™ Clematis | GC | 1.84 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Evipo001' P.P.A.F. Wisley Clematis | GC | 2.12 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Evipo002' P.P.A.F. Rosemoor Clematis | GC | 2.12 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Evipo004' P.P.A.F. Harlow Carr Clematis | GC | 2.12 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Evipo007' Victor Hugo Clematis | GC | 2.00 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Evirin' P.P. 12838 Clair de Lune™ Clematis | GC | 2.02 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Evisix' P.P. 11013 Petit Faucon™ Clematis | GC | 1.71 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Evista' P.P. 10932 Evening Star™ Clematis | GC | 2.16 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Evithree' P.P. 9362 Anna Louise™ Clematis | GC | 1.85 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Ewitwo' P.P. 10167 Arctic Queen™ Clematis | GC | 1.83 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Fairy Queen' Fairy Queen Clematis | GC | 1.74 | G2 | 5-7 | 8 | | 1.00 | 4 |
| <i>Clematis</i> 'Fireworks' Fireworks Clematis | GC | 1.74 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'General Sikorski' General Sikorski Clematis | GC | 1.54 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Gillian Blades' Gillian Blades Clematis | GC | 1.74 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Gipsy Queen' Gipsy Queen Clematis | GC | 1.56 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Golden Tiara' See - <i>Clematis</i> 'Kugotia' P.P. 10952 | | | | | | | | |
| <i>Clematis</i> 'Guernsey Cream' Guernsey Cream Clematis | GC | 1.88 | G2 | 3-4 | 5-9 | | 1.00 | 4 |
| <i>Clematis</i> 'H.F. Young' H.F. Young Clematis | GC | 1.18 | G2 | 5-7 | 8 | | 1.00 | 4 |
| <i>Clematis</i> 'Hagley Hybrid' Hagley Hybrid Clematis | GC | 1.61 | G2 | 5-7 | 8 | | 1.00 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Clematis</i> 'Haku-okan' Haku-okan Clematis | GC | 1.80 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Hakuba' Hakuba Clematis | GC | 1.74 | G2 | 5-7 | 8 | | 1.00 | 4 |
| <i>Clematis</i> 'Harlow Carr' See - <i>Clematis</i> 'Evipo004' P.P.A.F. | | | | | | | | |
| <i>Clematis</i> 'Henry' Henry Clematis | GC | 1.56 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Huldine' Huldine Clematis | GC | 2.27 | G2 | 5-7 | 8 | | 1.00 | 4 |
| <i>Clematis</i> 'Jackmanii Superba' Jackman Superba Clematis | GC | 1.87 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Jackmanii' Jackman Clematis | GC | 1.58 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Jan Pawel II' Jan Pawell II Clematis | GC | 1.72 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'John Warren' John Warren Clematis | GC | 1.64 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Josephine' See - <i>Clematis</i> 'Evijohill' | | | | | | | | |
| <i>Clematis</i> 'Kathleen Dunford' Kathleen Dunford Clematis | GC | 1.74 | G2 | 5-7 | 8 | | 1.00 | 4 |
| <i>Clematis</i> 'Ken Donson' Ken Donson Clematis | GC | 1.42 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'King Edward VII' King Edward VII Clematis | GC | 0.88 | G2 | 5-7 | 8 | | 1.00 | 4 |
| <i>Clematis</i> 'Kugotia' P.P. 10952 Golden Tiara Clematis | GC | 2.09 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Lady Betty Balfour' Lady Betty Balfour Clematis | GC | 1.56 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis</i> 'Lasurstern' Lasurstern Clematis | GC | 1.46 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Lemon Chiffon' Lemon Chiffon Clematis | GC | 1.98 | G2 | 3-4 | 5-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Liberation' See - <i>Clematis</i> 'Evifive' P.P. 10913 | | | | | | | | |
| <i>Clematis</i> 'Lilacina Floribunda' Lilacina Floribunda Clematis | GC | 1.88 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Lincoln Star' Lincoln Star Clematis | GC | 1.32 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Little Nell' Little Nell Clematis | GC | 1.66 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Lord Nevill' Lord Nevill Clematis | GC | 1.74 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Madame Baron Veillard' Madame Baron Veillard Clematis | GC | 2.21 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Madame Edouard Andre' Madame Edouard Andre Clematis | GC | 1.62 | G2 | 4-6 | 7-9 | | 1.00 | 2 |
| <i>Clematis</i> 'Madame Grange' Madame Grange Clematis | GC | 1.46 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Marie Boisselot' Marie Boisselot Clematis | GC | 1.77 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Masquerade' Masquerade Clematis | GC | 1.54 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Miss Bateman' Miss Bateman Clematis | GC | 1.57 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Mrs. Cholmondeley' Mrs. Cholmondeley Clematis | GC | 1.51 | G2 | 5-7 | 8-9 | | 1.00 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Clematis</i> 'Mrs. George Jackman' Mrs. George Jackman Clematis | GC | 1.81 | G2 | 5-7 | 8 | | 1.00 | 4 |
| <i>Clematis</i> 'Mrs. James Mason' Mrs. James Mason Clematis | GC | 1.98 | G2 | 3-4 | 5-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Mrs. N. Thompson' Mrs. N. Thompson Clematis | GC | 1.46 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Mrs. Robert Brydon' Mrs. Robert Brydon Clematis | GC | 1.61 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Multi Blue' Multi Blue Clematis | GC | 1.76 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Myojo' Myojo Clematis | GC | 2.00 | G2 | 3-4 | 5-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Nelly Moser' Nelly Moser Clematis | GC | 1.61 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Niobe' Niobe Clematis | GC | 1.66 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Perle d'Azur' Perle d'Azur Clematis | GC | 1.73 | G2 | 4-6 | 7-9 | | 1.00 | 2 |
| <i>Clematis</i> 'Petit Faucon' See - <i>Clematis</i> 'Evisix' P.P. 11013 | | | | | | | | |
| <i>Clematis</i> 'Pink Champagne' Pink Champagne Clematis | GC | 1.81 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Pink Fantasy' Pink Fantasy Clematis | GC | 1.82 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Poulala' P.P. 10990 Alabast™ Clematis | GC | 1.83 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Poulvo' P.P. 9290 Vino™ Clematis | GC | 1.85 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Prince Charles' Prince Charles Clematis | GC | 1.96 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Prince Philip' Prince Philip Clematis | GC | 1.70 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Proteus' Proteus Clematis | GC | 1.63 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Ramona' Ramona Clematis | GC | 1.65 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Rhapsody' Rhapsody Clematis | GC | 1.97 | G2 | 3-4 | 5-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Rosemoor' See - <i>Clematis</i> 'Evipo002' P.P.A.F. | | | | | | | | |
| <i>Clematis</i> 'Rouge Cardinal' Rouge Cardinal Clematis | GC | 1.79 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Royal Velvet' See - <i>Clematis</i> 'Evifour' P.P. 9299 | | | | | | | | |
| <i>Clematis</i> 'Royalty' Royalty Clematis | GC | 1.64 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Ruby Glow' Ruby Glow Clematis | GC | 1.72 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Scartho Gem' Scartho Gem Clematis | GC | 1.46 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Sho-un' Sho-un Clematis | GC | 1.96 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Silver Moon' Silver Moon Clematis | GC | 1.94 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Snow Queen' Snow Queen Clematis | GC | 1.33 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Special Occasion' Special Occasion Clematis | GC | 1.97 | G2 | 3-4 | 5-9 | | 1.00 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Clematis</i> 'Star of India' Star of India Clematis | GC | 1.26 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Sugar Candy' See - <i>Clematis</i> 'Evione' P.P. 10222 | | | | | | | | |
| <i>Clematis</i> 'Sunset' Sunset Clematis | GC | 1.47 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Sylvia Denny' Sylvia Denny Clematis | GC | 1.74 | G2 | 3-4 | 5-9 | | 1.00 | 4 |
| <i>Clematis</i> 'The President' The President Clematis | GC | 1.62 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Twilight' Twilight Clematis | GC | 2.00 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Vanso' P.P.A.F. Blue Light Clematis | GC | 2.17 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Victor Hugo' See - <i>Clematis</i> 'Evipo007' | | | | | | | | |
| <i>Clematis</i> 'Ville de Lyon' Ville de Lyon Clematis | GC | 1.60 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Vino' See - <i>Clematis</i> 'Poulvo' P.P. 9290 | | | | | | | | |
| <i>Clematis</i> 'Violet Charm' Violet Charm Clematis | GC | 2.08 | G2 | 4-6 | 7-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Vyvyan Pennell' Vyvyan Pennell Clematis | GC | 1.40 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Wada's Primrose' Wada's Primrose Clematis | GC | 1.67 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Warszawska Nike' Warszawska Nike Clematis | GC | 2.16 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis</i> 'Will Goodwin' Will Goodwin Clematis | GC | 1.58 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis</i> 'William Kennet' William Kennet Clematis | GC | 1.70 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis</i> 'Wisley' See - <i>Clematis</i> 'Evipo001' P.P.A.F. | | | | | | | | |
| <i>Clematis alpina</i> Alpine Clematis | HP | 1.93 | G2 | 5-7 | 8-9 | | | |
| <i>Clematis alpina</i> 'Blue Dancer' Blue Dancer Alpine Clematis | HP | 1.93 | G4 | 5-7 | 8 | | | |
| <i>Clematis alpina</i> 'Burford White' Burford White Alpine Clematis | GC | 2.00 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis alpina</i> 'Constance' Constance Alpine Clematis | GC | 2.29 | G2 | 3-4 | 5-9 | | 1.00 | 4 |
| <i>Clematis alpina</i> 'Helsingborg' Helsingborg Alpine Clematis | GC | 1.67 | G2 | 5-7 | 8-9 | | 1.00 | 5 |
| <i>Clematis alpina</i> 'Pamela Jackman' Pamela Jackman Alpine Clematis | GC | 2.29 | G2 | 3-4 | 5-9 | | 1.00 | 4 |
| <i>Clematis alpina</i> 'Pink Flamingo' Pink Flamingo Alpine Clematis | GC | 1.98 | G2 | 3-4 | 5-9 | | 1.00 | 4 |
| <i>Clematis alpina</i> 'Ruby' Ruby Alpine Clematis | GC | 2.19 | G2 | 5-7 | 8-9 | | 1.00 | 5 |
| <i>Clematis alpina</i> 'Willy' Willy Alpine Clematis | GC | 2.07 | G2 | 5-7 | 8-9 | | 1.00 | 5 |
| <i>Clematis armandii</i> Armand Clematis | GC | 1.57 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Clematis armandii</i> 'Snowdrift' Snowdrift Clematis | GC | 1.82 | G2 | 3-7 | 8-9 | | 1.00 | 7 |
| <i>Clematis x cartmanii</i> No Common Name Found | BS | 2.13 | G2 | 3-7 | 8-9 | | 1.00 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Clematis x cartmanii</i> 'Avalanche' | | | | | | | | |
| See - <i>Clematis x cartmanii</i> 'Blaaval' P.P.A.F. | | | | | | | | |
| <i>Clematis x cartmanii</i> 'Blaaval' P.P.A.F. Avalanche Evergreen Clematis | BS | 2.13 | G2 | 3-7 | 8-9 | | 1.00 | 7 |
| <i>Clematis chrysocoma</i> See - <i>Clematis montana</i> var. <i>sericea</i> | | | | | | | | |
| <i>Clematis cirrhosa</i> Vernal Clematis | GC | 2.00 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Clematis cirrhosa</i> 'Freckles' Freckles Vernal Clematis | GC | 2.00 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Clematis cirrhosa</i> 'Wisley Cream' Wisley Cream Vernal Clematis | GC | 2.00 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Clematis x durandii</i> Durand Clematis | GC | 1.85 | G2 | 4-6 | 7-9 | | 1.00 | 5 |
| <i>Clematis x eriostemon</i> Hybrid Clematis | BS | 2.03 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis x eriostemon</i> 'Hendersonii' Henderson Hybrid Clematis | BS | 1.15 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis flammula</i> Plume Clematis | GC | 0.83 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis florida</i> Cream Clematis | GC | 2.30 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis florida</i> 'Alba Plena' Alba Plena Cream Clematis | GC | 2.65 | G2 | 3-6 | 7-9 | | 1.00 | 6 |
| <i>Clematis florida</i> 'Sieboldii' Sieboldii Clematis | GC | 1.95 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis heracleifolia</i> Tube Clematis | GC | 2.61 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis heracleifolia</i> var. <i> davidiana</i> Fragrant Tube Clematis | GC | 0.90 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis integrifolia</i> Solitary Clematis | GC | 1.30 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis integrifolia</i> 'Alionushka' Alionushka Solitary Clematis | GC | 1.88 | G2 | 2-3 | 4-9 | | 1.00 | 3 |
| <i>Clematis integrifolia</i> 'Caerulea' Blue Solitary Clematis | GC | 1.22 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis integrifolia</i> 'Roguchi' Roguchi Solitary Clematis | GC | 1.60 | G2 | 2-3 | 4-9 | | 1.00 | 3 |
| <i>Clematis integrifolia</i> 'Rosea' Pink Solitary Clematis | HP | 1.45 | G2 | 5-7 | 8-9 | | | |
| <i>Clematis lanuginosa</i> Ningpo Clematis | HP | 2.40 | G2 | 5-7 | 8-9 | | | |
| <i>Clematis lanuginosa</i> 'Candida' Candida Ningpo Clematis | HP | 1.99 | G2 | 5-7 | 8-9 | | | |
| <i>Clematis lasiantha</i> Pipestem Clematis | GC | 0.97 | G2 | 5-7 | 8-9 | | 1.00 | 5 |
| <i>Clematis ligustifolia</i> Western Virginsbower | HP | 1.31 | G2 | 5-7 | 8-9 | | | |
| <i>Clematis macropetala</i> Bigpetal Clematis | GC | 1.61 | G2 | 5-7 | 8-9 | | 1.00 | 5 |
| <i>Clematis macropetala</i> 'Blue Bird' Blue Bird Bigpetal Clematis | GC | 1.59 | G2 | 5-7 | 8-9 | | 1.00 | 5 |
| <i>Clematis macropetala</i> 'Blue Jay' Blue Jay Bigpetal Clematis | GC | 1.56 | G2 | 2-5 | 6-9 | | 1.00 | 5 |
| <i>Clematis macropetala</i> 'Markham's Pink' Markham's Pink Downy Clematis | GC | 1.77 | G2 | 5-7 | 8-9 | | 1.00 | 5 |
| <i>Clematis mandschurica</i> Manchurian Clematis | HP | 1.27 | G2 | 5-7 | 8-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Clematis marmoraria</i> No Common Name Found | GC | 1.00 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis montana</i> Anemone Clematis | GC | 0.90 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis montana</i> 'Elizabeth' Elizabeth Anemone Clematis | GC | 1.75 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis montana</i> 'Fragrant Spring' Fragrant Spring Anemone Clematis | GC | 1.22 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis montana</i> 'Freda' Freda Anemone Clematis | GC | 1.79 | G2 | 2-6 | 7-9 | | 1.00 | 6 |
| <i>Clematis montana</i> 'Grandiflora' Large Anemone Clematis | GC | 1.70 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis montana</i> 'Marjorie' Marjorie Anemone Clematis | GC | 1.41 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis montana</i> 'Pink Perfection' Pink Perfection Anemone Clematis | GC | 1.85 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis montana</i> 'Tetrarose' Tetrarose Anemone Clematis | GC | 1.14 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis montana</i> var. <i>rubens</i> Pink Anemone Clematis | GC | 1.46 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis montana</i> var. <i>rubens</i> 'Mayleen' Mayleen Pink Anemone Clematis | GC | 1.96 | G2 | 4-6 | 7-9 | | 1.00 | 6 |
| <i>Clematis montana</i> var. <i>sericea</i> Goodwool Clematis | GC | 0.85 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis montana</i> var. <i>wilsonii</i> Wilson Anemone Clematis | GC | 1.47 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis orientalis</i> Oriental Clematis | GC | 1.44 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis orientalis</i> 'Burford' Burford Oriental Clematis | GC | 1.97 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis paniculata</i> See - <i>Clematis terniflora</i> | | | | | | | | |
| <i>Clematis recta</i> Ground Clematis | HP | 2.32 | G2 | 5-7 | 8-9 | | | |
| <i>Clematis recta</i> 'Purpurea' Purple Ground Clematis | HP | 1.50 | G2 | 5-7 | 8-9 | | | |
| <i>Clematis recta</i> var. <i>mandschurica</i> See - <i>Clematis mandschurica</i> | | | | | | | | |
| <i>Clematis spooneri</i> No Common Name Found | GC | 1.32 | G2 | 5-7 | 8-9 | | 1.00 | 6 |
| <i>Clematis tangutica</i> Golden Clematis | GC | 1.55 | G2 | 5-7 | 8-9 | | 1.00 | 5 |
| <i>Clematis tangutica</i> 'Bill MacKenzie' Bill MacKenzie Clematis | GC | 1.91 | G2 | 5-7 | 8-9 | | 1.00 | 5 |
| <i>Clematis terniflora</i> Sweet Autumn Clematis | GC | 1.39 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis texensis</i> Scarlet Clematis | HP | 2.34 | G2 | 5-6 | 7-8 | | | |
| <i>Clematis texensis</i> 'Duchess of Albany' Duchess of Albany Scarlet Clematis | GC | 1.82 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis texensis</i> 'Etoile Rose' Etoile Rose Scarlet Clematis | GC | 1.98 | G2 | 2-3 | 4-9 | | 1.00 | 3 |
| <i>Clematis texensis</i> 'Gravetye Beauty' Gravetye Beauty Scarlet Clematis | GC | 1.79 | G2 | 4-6 | 7-9 | | 1.00 | 3 |
| <i>Clematis texensis</i> 'Princess Diana' Princess Diana Scarlet Clematis | GC | 1.85 | G2 | 2-4 | 5-9 | | 1.00 | 4 |
| <i>Clematis texensis</i> 'Sir Trevor Lawrence' Sir Trevor Lawrence Scarlet Clematis | GC | 1.88 | G2 | 2-4 | 5-9 | | 1.00 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Clematis virginiana</i> Virginsbower | HP | 1.70 | G2 | 4-6 | 7-8 | | | |
| <i>Clematis vitalba</i> Traveller's Joy Clematis | GC | 1.22 | G2 | 5-6 | 7-8 | | 1.00 | 4 |
| <i>Clematis viticella</i> Italian Clematis | GC | 0.91 | G2 | 6-7 | 8 | | 1.00 | 5 |
| <i>Clematis viticella</i> 'Abundance' Abundance Italian Clematis | GC | 1.96 | G2 | 6-7 | 8 | | 1.00 | 5 |
| <i>Clematis viticella</i> 'Alba Luxurians' Alba Luxurians Italian Clematis | GC | 1.67 | G2 | 6-7 | 8 | | 1.00 | 5 |
| <i>Clematis viticella</i> 'Blue Angel' Blue Angel Italian Clematis | GC | 2.03 | G2 | 2-4 | 5-9 | | 1.00 | 4 |
| <i>Clematis viticella</i> 'Carmencita' Carmencita Italian Clematis | GC | 1.98 | G2 | 2-4 | 5-9 | | 1.00 | 4 |
| <i>Clematis viticella</i> 'Etoile Violette' Etoile Violette Italian Clematis | GC | 1.58 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis viticella</i> 'Kermesina' Kermesina Italian Clematis | GC | 1.68 | G2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Clematis viticella</i> 'Mme. Julia Correvon' Mme. Julia Correvon Italian Clematis | GC | 1.64 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis viticella</i> 'Polish Spirit' Polish Spirit Italian Clematis | GC | 1.67 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Clematis viticella</i> 'Purpurea Plena Elegans' Purpurea Plena Elegans Italian Clematis | GC | 1.89 | G2 | 6-7 | 8 | | 1.00 | 5 |
| <i>Clematis viticella</i> 'Royal Velours' Royal Velours Italian Clematis | GC | 1.69 | G2 | 5-7 | 8-9 | | 1.00 | 4 |
| <i>Clematis viticella</i> 'Rubra' Red Italian Clematis | GC | 1.69 | G2 | 6-7 | 8 | | 1.00 | 5 |
| <i>Clematis viticella</i> 'Venosa Violacea' Venosa Violacea Italian Clematis | GC | 1.61 | G2 | 5-7 | 8-9 | | 1.00 | 3 |
| <i>Cleome hassleriana</i> Spider Flower | AN | 0.80 | G4 | 8-10A | 10B-11 | | | |
| <i>Cleome hassleriana</i> 'Cherry Queen' Cherry Queen Spider Flower | AN | 0.78 | G4 | 8-10A | 10B-11 | | | |
| <i>Cleome hassleriana</i> 'Linde Armstrong' P.P.A.F. Linde Armstrong Spider Flower | AN | 1.15 | G4 | 8-10A | 10B-11 | | | |
| <i>Cleome hassleriana</i> 'Sparkler Rose' Sparkler Rose Spider Flower | AN | 1.21 | G4 | 8-10A | 10B-11 | | | |
| <i>Clerodendrum bungei</i> Cashmere Bouquet | BS | 0.71 | G2 | 8-9 | 10-11 | | 1.00 | 8 |
| <i>Clerodendrum colebrookianum</i> No Common Name Found | BS | 1.00 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum fragrans</i> See - <i>Clerodendrum philippinum</i> | | | | | | | | |
| <i>Clerodendrum glabrum</i> Natal Glorybower | BS | 1.00 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum heterophyllum</i> No Common Name Found | BS | 0.67 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum inerme</i> Embret | BS | 0.95 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum kaempferi</i> Kaempfer's Glorybower | BS | 1.00 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum minahassae</i> No Common Name Found | BS | 1.05 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum myricoides</i> No Common Name Found | BS | 0.74 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum paniculatum</i> Pagoda Flower | BS | 0.84 | G2 | 8-10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Clerodendrum paniculatum</i> 'Borneo Sunset' Borneo Sunset Pagoda Flower | BS | 0.85 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum philippinum</i> Honolulu Rose | BS | 1.00 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum quadriloculare</i> Starburst Flower | BS | 0.97 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum quadriloculare</i> 'Brandonii' Brandon Starburst Flower | BS | 1.32 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum sahelangii</i> No Common Name Found | BS | 0.90 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum speciosissimum</i> No Common Name Found | BS | 0.79 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum x speciosum</i> Java Glory Bean | BS | 0.90 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum splendens</i> Flaming Glorybower | GC | 0.86 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum squamatum</i> See - <i>Clerodendrum kaempferi</i> | | | | | | | | |
| <i>Clerodendrum thomsoniae</i> Bleeding Heart Vine | GC | 0.89 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum thomsoniae</i> 'Delectum' Delectum Bleeding Heart Vine | GC | 0.79 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum thomsoniae</i> 'Variegatum' Variegated Bleeding Heart Vine | GC | 0.69 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum tomentosum</i> Lolly Bush | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum trichotomum</i> Harlequin Glorybower | BS | 0.97 | G1 | 10 | 11 | | 1.07 | 7 |
| <i>Clerodendrum trichotomum</i> var. <i>fargesii</i> No Common Name Found | BS | 1.00 | G2 | 8-9 | 10-11 | | 1.00 | 7 |
| <i>Clerodendrum ugandense</i> Blue Glorybower | BS | 0.81 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Clerodendrum wallichii</i> No Common Name Found | BS | 1.06 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Clethra acuminata</i> Cinnamon Clethra | BS | 0.86 | G2 | 6-7 | 8-9 | | 1.00 | 5 |
| <i>Clethra alnifolia</i> Summersweet Clethra | DS | 1.10 | G2 | 3-6 | 7-8 | | 1.15 | 3 |
| <i>Clethra alnifolia</i> 'Compacta' Compact Summersweet Clethra | DS | 1.15 | G2 | 3-6 | 7-9 | | 1.55 | 3 |
| <i>Clethra alnifolia</i> 'Fern Valley Pink' Fern Valley Pink Summerweet Clethra | DS | 1.03 | G2 | 6-7 | 8-9 | | 1.12 | 3 |
| <i>Clethra alnifolia</i> 'Hummingbird' Hummingbird Summersweet Clethra | DS | 0.98 | G2 | 3-6 | 7-8 | | 1.00 | 3 |
| <i>Clethra alnifolia</i> 'Paniculata' Paniculate Summersweet Clethra | DS | 1.43 | G2 | 3-6 | 7-8 | | 1.27 | 3 |
| <i>Clethra alnifolia</i> 'Pink Spires' Pink Spires Summersweet Clethra | DS | 1.02 | G2 | 3-6 | 7-8 | | 1.16 | 3 |
| <i>Clethra alnifolia</i> 'Rosea' Pink Summersweet Clethra | DS | 1.02 | G2 | 3-6 | 7-8 | | 1.28 | 3 |
| <i>Clethra alnifolia</i> 'Ruby Spice' Ruby Spice Summersweet Clethra | DS | 1.02 | G2 | 3-6 | 7-9 | | 1.05 | 3 |
| <i>Clethra alnifolia</i> 'September Beauty' P.P. 10481 September Beauty Summersweet Clethra | DS | 1.29 | G2 | 3-6 | 7-9 | | 0.50 | 3 |
| <i>Clethra alnifolia</i> 'Sherry Sue' Sherry Sue Summersweet Clethra | DS | 0.62 | G2 | 3-6 | 7-9 | | 1.12 | 3 |
| <i>Clethra alnifolia</i> 'Sixteen Candles' Sixteen Candles Summersweet Clethra | DS | 1.08 | G2 | 3-6 | 7-9 | | 1.12 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Clethra alnifolia</i> 'Sotite' White Dove™ Summersweet Clethra | DS | 0.91 | G2 | 3-6 | 7-8 | | 1.12 | 3 |
| <i>Clethra alnifolia</i> 'White Dove' See - <i>Clethra alnifolia</i> 'Sotite' | | | | | | | | |
| <i>Clethra barbinervis</i> Japanese Clethra | DS | 1.29 | G2 | 5-7 | 8 | | 1.63 | 5 |
| <i>Clethra tomentosa</i> Woolly White Alder | DS | 0.68 | G2 | 3-6 | 7-9 | | 1.00 | 4 |
| <i>Clethra tomentosa</i> 'Cottdonale' Cottdonale Woolly White Alder | DS | 0.68 | G2 | 3-6 | 7-9 | | 1.00 | 4 |
| <i>Cleyera japonica</i> See - <i>Ternstroemia gymnanthera</i> | | | | | | | | |
| <i>Clanthus puniceus</i> Glory Pea | HP | 0.89 | G2 | 8 | 9-10B | | | |
| <i>Clanthus puniceus</i> 'Flamingo' Flamingo Glory Pea | HP | 0.89 | G2 | 8 | 9-10B | | | |
| <i>Clanthus puniceus</i> 'Red Cardinal' Red Cardinal Glory Pea | HP | 0.89 | G2 | 8 | 9-10B | | | |
| <i>Clanthus puniceus</i> 'White Heron' White Heron Glory Pea | HP | 0.89 | G2 | 8 | 9-10B | | | |
| <i>Cliftonia monophylla</i> Buckwheat Tree | BS | 0.73 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Cliftonia monophylla</i> 'Van Cleve' Van Cleve Buckwheat Tree | BS | 0.86 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Clinopodium georgianum</i> Georgia Savory | HP | 0.82 | G4 | 5-7 | 8-10 | | | |
| <i>Clinostigma samoensis</i> No Common Name Found | PC | 2.85 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Clintonia uniflora</i> Bride's Bonnet | HP | 1.00 | G4 | 4-6 | 7-9 | | | |
| <i>Clitoria ternatea</i> Blue Pea | GC | 0.80 | G4 | 10 | 11 | | 1.00 | 10 |
| <i>Clitoria ternatea</i> 'Blue Sails' Blue Sails Blue Pea | GC | 0.80 | G4 | 10 | 11 | | 1.00 | 10 |
| <i>Clivia miniata</i> Scarlet Kaffir Lily | HP | 1.47 | G4 | 8-10 | 11 | | | |
| <i>Clivia miniata</i> 'Belgian Hybrid' Belgian Hybrid Scarlet Kaffir Lily | HP | 1.59 | G4 | 8-10 | 11 | | | |
| <i>Clivia miniata</i> 'Flame' See - <i>Clivia miniata</i> 'Monya' P.P. 6205 | | | | | | | | |
| <i>Clivia miniata</i> 'French Hybrid' French Hybrid Kaffir Lily | HP | 1.75 | G4 | 8-10 | 11 | | | |
| <i>Clivia miniata</i> 'Monya' P.P. 6205 Flame™ Kaffir Lily | HP | 1.72 | G4 | 8-10 | 11 | | | |
| <i>Clivia miniata</i> 'Robusta' Robusta Kaffir Lily | HP | 1.63 | G4 | 8-10 | 11 | | | |
| <i>Clusia guttifera</i> Small-leaf Clusia | BE | 0.95 | G4 | 8-10 | 11 | 1.00 | 0.81 | 10 |
| <i>Clusia major</i> Balsam Apple | BE | 0.82 | G1 | 10 | 11 | 1.00 | 1.02 | 9 |
| <i>Clusia major</i> 'Nana' Dwarf Balsam Apple | BS | 0.91 | G1 | 10 | 11 | | 0.67 | 9 |
| <i>Clusia rosea</i> See - <i>Clusia major</i> | | | | | | | | |
| <i>Clytostoma callistegioides</i> Argentine Trumpet Vine | GC | 0.74 | G2 | 9B-10 | 11 | | 1.00 | 10 |
| <i>Cnidioscolus chayamansa</i> Spurge Nettle | BS | 1.17 | G1 | 10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Cobaea scandens</i> Cup & Saucer Vine | GC | 0.80 | G4 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Coccoloba diversifolia</i> Pigeon Plum | BE | 0.85 | G1 | 10 | 11 | 1.00 | 0.69 | 10 |
| <i>Coccoloba uvifera</i> Sea Grape | BE | 0.67 | G1 | 10 | 11 | 1.00 | 0.53 | 10 |
| <i>Coccothrinax alta</i> Silver Palm | PC | 1.48 | G1 | 10 | 11 | | 1.66 | 10 |
| <i>Coccothrinax argentata</i> Florida Silver Palm | PC | 1.85 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Coccothrinax barbadensis</i> See - <i>Coccothrinax dussiana</i> | | | | | | | | |
| <i>Coccothrinax crinita</i> Thatch Palm | PC | 2.95 | G1 | 10 | 11 | | 6.38 | 10 |
| <i>Coccothrinax dussiana</i> No Common Name Found | PC | 1.87 | G1 | 10 | 11 | | 3.50 | 10 |
| <i>Coccothrinax miraguama</i> Miraguama Palm | PC | 1.93 | G1 | 9-10 | 11 | | 2.51 | 10 |
| <i>Cocculus laurifolius</i> Laurelleaf Moonseed | BS | 0.72 | G2 | 8-9A | 9B-10B | | 1.00 | 8 |
| <i>Cochlospermum vitifolium</i> Buttercup Tree | DT | 1.25 | G1 | 10 | 11 | 1.00 | 1.00 | 10B |
| <i>Cocos nucifera</i> Coconut Palm | PC | 0.95 | G1 | 10 | 11 | | 0.97 | 10 |
| <i>Cocos nucifera</i> 'Golden Malayan Dwarf' Golden Malayan Dwarf Coconut Palm | PC | 3.22 | G1 | 10 | 11 | | 0.77 | 10 |
| <i>Cocos nucifera</i> 'Green Malayan Dwarf' Green Malayan Dwarf Coconut Palm | PC | 1.05 | G1 | 10 | 11 | | 0.82 | 10 |
| <i>Cocos nucifera</i> 'Maypan' Maypan Coconut Palm | PC | 7.67 | G1 | 10 | 11 | | 0.93 | 10 |
| <i>Cocos plumosa</i> See - <i>Syagrus romanzoffiana</i> | | | | | | | | |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> Garden Croton | FO | 0.58 | G3 | 9-10 | 11 | | 0.84 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'AFD 5' AFD 5 Garden Croton | FO | 0.60 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'AFD 7' AFD 7 Garden Croton | FO | 0.72 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Andreanum' Andreanum Garden Croton | FO | 0.31 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Angelwing' Angelwing Garden Croton | FO | 0.63 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Aureo-maculatum' Aureo-maculatum Garden Croton | FO | 0.69 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Banana' Banana Garden Croton | FO | 0.62 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Corkscrew' Corkscrew Garden Croton | FO | 0.86 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Curly Boy' Curly Boy Garden Croton | FO | 0.65 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Eburneum' Eburneum Garden Croton | FO | 0.72 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Eleanor Roosevelt' Eleanor Roosevelt Garden Croton | FO | 0.72 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Excellent' Excellent Garden Croton | FO | 0.62 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Fancy Spot' Fancy Spot Garden Croton | FO | 0.72 | G3 | 9-10 | 11 | | 1.01 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Fantasy' Fantasy Garden Croton | FO | 0.50 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Franklin Roosevelt' Franklin Roosevelt Garden Croton | FO | 0.63 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'General Padgett' General Padgett Garden Croton | FO | 0.75 | G3 | 9-10 | 11 | | 1.17 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Gold Dust' Gold Dust Garden Croton | FO | 0.52 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Johanna Coppinger' Johanna Coppinger Garden Croton | FO | 0.63 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Mammi' Mammi Garden Croton | FO | 0.45 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Mother Daughter' Mother Daughter Garden Croton | FO | 0.72 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Mrs. Icton' Mrs. Icton Garden Croton | FO | 0.69 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Nestor' Nestor Garden Croton | FO | 0.50 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Norma' Norma Garden Croton | FO | 0.61 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Petra' Petra Garden Croton | FO | 0.58 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Piecrust' Piecrust Garden Croton | FO | 0.68 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Pinocchio' Pinocchio Garden Croton | FO | 0.65 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Punctatum' Punctatum Garden Croton | FO | 0.72 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Rainbow' Rainbow Garden Croton | FO | 0.63 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Red Banana Finger' Red Banana Finger Garden Croton | FO | 0.65 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Rooster Tail' Rooster Tail Garden Croton | FO | 0.74 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Scarletta' Scarletta Garden Croton | FO | 0.65 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Sloppy Painter' Sloppy Painter Garden Croton | FO | 0.59 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Zulu' Zulu Garden Croton | FO | 0.50 | G3 | 9-10 | 11 | | 1.01 | 10 |
| <i>Codonopsis clematidea</i> No Common Name Found | FO | 1.00 | G4 | 3-4 | 5-9 | | 1.00 | 4 |
| <i>Coelogyne ovalis</i> No Common Name Found | FO | 1.90 | G4 | 10 | 11 | | 1.00 | 10 |
| <i>Coffea arabica</i> Common Coffee | BS | 1.02 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Coix lacryma-jobi</i> Job's Tears | HP | 1.00 | G4 | 9 | 10-11 | | | |
| <i>Colchicum agrippinum</i> Agrippa Crocus | HP | 0.78 | G4 | 6-7 | 8-10 | | | |
| <i>Colchicum speciosum</i> Showy Crocus | HP | 1.00 | G4 | 6 | 7-8 | | | |
| <i>Colchicum speciosum</i> 'The Giant' The Giant Showy Crocus | HP | 1.00 | G4 | 6 | 7-8 | | | |
| <i>Coleonema album</i> White Breath of Heaven | BS | 0.72 | G2 | 8-9 | 10A | | 1.00 | 8 |
| <i>Coleonema pulchrum</i> Pink Breath of Heaven | BS | 0.87 | G2 | 8-9 | 10A | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Coleonema pulchrum</i> 'Compacta' Compact Pink Breath of Heaven | BS | 0.70 | G2 | 8-9 | 10A | | 1.00 | 9 |
| <i>Coleonema pulchrum</i> 'Danny's Gold Sport' Danny's Gold Sport Pink Breath of Heaven | BS | 0.78 | G2 | 8-9 | 10A | | 1.00 | 9 |
| <i>Coleonema pulchrum</i> 'Sunset Gold' Sunset Gold Pink Breath of Heaven | BS | 0.76 | G2 | 8-9 | 10A | | 1.00 | 9 |
| <i>Coleostephus myconis</i> Golden Raindrop Daisy | HP | 1.00 | G4 | 6-9 | 10 | | | |
| <i>Coleus amboinicus</i> See - <i>Plectranthus amboinicus</i> | | | | | | | | |
| <i>Coleus</i> x <i>hybridus</i> See - <i>Solenostemon scutellarioides</i> | | | | | | | | |
| x <i>Colmanara</i> Colmanara Hybrid Orchid | FO | 1.46 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Colocasia affinis</i> No Common Name Found | HP | 1.00 | G4 | 8-10A | 10B-11 | | | |
| <i>Colocasia affinis</i> var. <i>jeningsii</i> No Common Name Found | HP | 0.97 | G4 | 8-10A | 10B-11 | | | |
| <i>Colocasia esculenta</i> Cocoyam | HP | 1.10 | G3 | 8-10A | 10B-11 | | | |
| <i>Colocasia esculenta</i> 'Black Magic' Black Magic Taro | HP | 1.23 | G4 | 8-10A | 10B-11 | | | |
| <i>Colocasia esculenta</i> 'Black Runner' Black Runner Taro | HP | 1.05 | G4 | 8-10A | 10B-11 | | | |
| <i>Colocasia esculenta</i> 'Fontanesii' Black Stem Taro | HP | 1.17 | G4 | 8-10A | 10B-11 | | | |
| <i>Colocasia esculenta</i> 'Illustris' Illustris Taro | HP | 1.15 | G4 | 8-10A | 10B-11 | | | |
| <i>Colocasia esculenta</i> 'Nancy's Revenge' Nancy's Revenge Taro | HP | 1.06 | G4 | 8-10A | 10B-11 | | | |
| <i>Colocasia esculenta</i> 'Red Runner' Red Runner Taro | HP | 1.04 | G4 | 8-10A | 10B-11 | | | |
| <i>Colocasia esculenta</i> 'Red Stem' Red Stem Taro | HP | 1.11 | G4 | 8-10A | 10B-11 | | | |
| <i>Colocasia multiflora</i> No Common Name Found | HP | 1.17 | G4 | 8-10A | 10B-11 | | | |
| <i>Colocasia multiflora</i> 'Midnight' Midnight Taro | HP | 1.17 | G4 | 8-10A | 10B-11 | | | |
| <i>Colpothrinax wrightii</i> Barrel Palm | PC | 1.42 | G1 | 10 | 11 | | 2.51 | 10B |
| <i>Columnea gloriosa</i> Goldfish Plant | FO | 1.00 | G3 | 9-10 | 11 | | 1.00 | 9 |
| <i>Columnea pulchra</i> See - <i>Trichantha pulchra</i> | | | | | | | | |
| <i>Colvillea racemosa</i> Colville's Glory | DT | 1.06 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Comarostaphylis diversifolia</i> Summer Holly | BS | 1.80 | G2 | 6-8 | 9 | | 1.00 | 8 |
| <i>Combretum grandiflorum</i> Showy Combretum | BS | 1.15 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Comptonia peregrina</i> Sweetfern | HP | 1.33 | G2 | 2-6 | 7 | | | |
| <i>Congea tomentosa</i> Wooly Congea | BS | 1.45 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Conocarpus erectus</i> Buttonwood | BE | 0.61 | G1 | 10 | 11 | 0.91 | 0.59 | 10 |
| <i>Conocarpus erectus</i> 'Mombo' Mombo Buttonwood | BE | 0.57 | G1 | 10 | 11 | 0.91 | 0.59 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Conocarpus erectus</i> var. <i>sericeus</i> Silver Buttonwood | BS | 0.71 | G1 | 10 | 11 | | 0.48 | 10 |
| <i>Conoclinium coelestinum</i> Hardy Ageratum | HP | 0.75 | G4 | 5-6 | 7-9A | | | |
| <i>Conoclinium coelestinum</i> 'Album' White Hardy Ageratum | HP | 0.92 | G4 | 5-6 | 7-9A | | | |
| <i>Conoclinium coelestinum</i> 'Cori' Cori Hardy Ageratum | HP | 0.99 | G4 | 5-6 | 7-9A | | | |
| <i>Conoclinium coelestinum</i> 'Wayside' Wayside Hardy Ageratum | HP | 1.01 | G4 | 5-6 | 7-9A | | | |
| <i>Conopharyngia crassa</i> See - <i>Tabernaemontana crassa</i> | | | | | | | | |
| <i>Conradina canescens</i> Gray Conradina | BS | 0.81 | G2 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Conradina verticillata</i> Cumberland Mountain Rosemary | BS | 0.78 | G2 | 7 | 8 | | 1.00 | 7 |
| <i>Convallaria majalis</i> Lily-of-the-Valley | HP | 1.18 | G4 | 4-6 | 7-8 | | | |
| <i>Convallaria majalis</i> 'Fortin's Giant' Fortin's Giant Lily-of-the-Valley | HP | 1.06 | G4 | 4-6 | 7-8 | | | |
| <i>Convallaria majalis</i> 'Rosea' Pink Lily-of-the-Valley | HP | 1.26 | G4 | 4-6 | 7-8 | | | |
| <i>Convolvulus althaeoides</i> No Common Name Found | HP | 0.70 | G4 | 7-8 | 9-10B | | | |
| <i>Convolvulus cneorum</i> Silverbush Morning Glory | BS | 0.91 | G4 | 7-8 | 9-10B | | 1.00 | 8 |
| <i>Convolvulus mauritanicus</i> See - <i>Convolvulus sabatius</i> | | | | | | | | |
| <i>Convolvulus sabatius</i> Ground Morning Glory | GC | 0.69 | G4 | 7-8 | 9-10B | | 1.00 | 8 |
| <i>Copernicia alba</i> Caranday Palm | PC | 1.62 | G1 | 9B-10 | 11 | | 7.08 | 10 |
| <i>Copernicia baileyana</i> Bailey's Palm | PC | 3.34 | G2 | 10 | 11 | | 1.00 | 10 |
| <i>Copernicia berteroa</i> Yarey | PC | 2.95 | G2 | 10 | 11 | | 1.00 | 10 |
| <i>Copernicia glabrescens</i> Guano Blanco Palm | PC | 3.61 | G2 | 10 | 11 | | 1.00 | 10 |
| <i>Copernicia hospita</i> Hospita Palm | PC | 4.27 | G2 | 10 | 11 | | 1.00 | 10 |
| <i>Copernicia macroglossa</i> Cuban Petticoat Palm | PC | 4.12 | G2 | 10 | 11 | | 1.00 | 10 |
| <i>Copernicia prunifera</i> Carnauba Palm | PC | 3.03 | G2 | 10 | 11 | | 1.00 | 10 |
| <i>Copernicia rigida</i> No Common Name Found | PC | 4.18 | G2 | 10 | 11 | | 1.00 | 10B |
| <i>Coprosma</i> Coprosma | BS | 1.48 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Coprosma</i> 'Evening Glow' Evening Glow Mirror Plant | BS | 1.48 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Coprosma</i> 'Rainbow Surprise' Rainbow Surprise Mirror Plant | BS | 1.48 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Coprosma x kirkii</i> Kirk Coprosma | BS | 0.70 | G2 | 8-9 | 10 | | 1.00 | 8 |
| <i>Coprosma repens</i> Mirror Plant | BS | 0.66 | G2 | 8-9 | 10 | | 1.00 | 8 |
| <i>Coprosma repens</i> 'Pink Splendor' Pink Splendor Mirror Plant | BS | 1.16 | G2 | 8-9 | 10 | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Coprosma repens</i> 'Variegata' Variegated Mirror Plant | BS | 0.67 | G2 | 8-9 | 10 | | 1.00 | 8 |
| <i>Cordia alliodora</i> Cyp | BE | 1.00 | G2 | 8-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Cordia boissieri</i> Ancahuita | BS | 1.19 | G2 | 8-10 | 11 | | 0.91 | 10 |
| <i>Cordia lutea</i> Yellow Geiger Tree | BS | 1.55 | G1 | 10 | 11 | | 0.67 | 10 |
| <i>Cordia parvifolia</i> Small Leaf Geiger Tree | BS | 0.48 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Cordia sebestena</i> Geiger Tree | BE | 0.89 | G1 | 10 | 11 | 1.00 | 1.04 | 10 |
| <i>Cordia subcordata</i> Marer | BS | 1.66 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Cordyline australis</i> Cabbage Tree | BE | 0.80 | G3 | 9-10B | 11 | 1.00 | 1.00 | 9 |
| <i>Cordyline australis</i> 'Alberti' Albert Cabbage Tree | BE | 0.94 | G3 | 9-10B | 11 | 1.00 | 1.00 | 9 |
| <i>Cordyline australis</i> 'Atropurpurea' Bronze Cabbage Tree | BE | 0.79 | G3 | 9-10B | 11 | 1.00 | 1.00 | 9 |
| <i>Cordyline australis</i> 'Purpurea' Purpurea Cabbage Tree | BE | 0.94 | G3 | 9-10B | 11 | 1.00 | 1.00 | 9 |
| <i>Cordyline australis</i> 'Red Sensation' Red Sensation Cabbage Tree | BE | 1.05 | G3 | 9-10B | 11 | 1.00 | 1.00 | 9 |
| <i>Cordyline australis</i> 'Red Star' Red Star Cabbage Tree | BE | 1.05 | G3 | 9-10B | 11 | 1.00 | 1.00 | 9 |
| <i>Cordyline australis</i> 'Sundance' Sundance Cabbage Tree | BE | 0.99 | G3 | 9-10B | 11 | 1.00 | 1.00 | 9 |
| <i>Cordyline baueri</i> Bauer's Dracena | FO | 0.89 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Cordyline fruticosa</i> Ti Plant | FO | 0.62 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Auntie Lou' Auntie Lou Ti Plant | FO | 1.03 | G3 | 9-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Baby Doll' Baby Doll Ti Plant | FO | 0.16 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Black Magic' Black Magic Ti Plant | FO | 0.73 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Bolero' Bolero Ti Plant | FO | 0.66 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Bronze' Bronze Ti Plant | FO | 0.60 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Calypso Queen' Calypso Queen Ti Plant | FO | 0.51 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Cuero' Cuero Ti Plant | FO | 0.54 | G3 | 9-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Dr. Brown' Dr. Brown Ti Plant | FO | 0.54 | G3 | 9-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Exotica' Exotica Ti Plant | FO | 0.58 | G3 | 9-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Glauca' Glauca Ti Plant | FO | 0.54 | G3 | 9-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Kiwi' Kiwi Ti Plant | FO | 0.79 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Madame Eugene Andre' Madame Eugene Andre Ti Plant | FO | 0.55 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Purple Prince' Purple Prince Ti Plant | FO | 0.69 | G3 | 8-10B | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cordyline fruticosa</i> 'Red Sister' Red Sister Ti Plant | FO | 0.59 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Rising Sun' Rising Sun Ti Plant | FO | 0.54 | G3 | 9-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Sherbert' Sherbert Ti Plant | FO | 0.60 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Tequesta' Tequesta Ti Plant | FO | 0.46 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Tricolor' Tricolor Ti Plant | FO | 0.57 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Cordyline fruticosa</i> 'Xerox' Xerox Ti Plant | FO | 0.61 | G3 | 9-10B | 11 | | 1.00 | 10 |
| <i>Cordyline indivisa</i> Blue Dracena Palm | BE | 0.87 | G3 | 8-10 | 11 | 1.00 | 1.00 | 9 |
| <i>Cordyline stricta</i> No Common Name Found | FO | 0.52 | G3 | 9-10B | 11 | | 1.00 | 10 |
| <i>Cordyline terminalis</i> See - <i>Cordyline fruticosa</i> | | | | | | | | |
| <i>Coreopsis</i> Tickseed | AN | 1.27 | G3 | 8-10B | 11 | | | |
| <i>Coreopsis</i> 'Creme Brulee' P.P.A.F. Creme Brulee Hybrid Tickseed | AN | 1.32 | G4 | 4-5 | 6-11 | | | |
| <i>Coreopsis</i> 'Limerock Passion' P.P.A.F. Limerock Passion Hybrid Tickseed | AN | 1.20 | G4 | 4-5 | 6-11 | | | |
| <i>Coreopsis</i> 'Limerock Ruby' P.P.A.F. Limerock Ruby Hybrid Tickseed | AN | 1.41 | G3 | 8-10B | 11 | | | |
| <i>Coreopsis</i> 'Mardi Gras' Mardi Gras Hybrid Tickseed | AN | 0.85 | G4 | 4-5 | 6-11 | | | |
| <i>Coreopsis</i> 'Tequila Sunrise' P.P. 9875 Tequila Sunrise Tickseed | AN | 1.56 | G3 | 8-10B | 11 | | | |
| <i>Coreopsis auriculata</i> Eared Coreopsis | HP | 0.51 | G4 | 5-6 | 7-9A | | | |
| <i>Coreopsis auriculata</i> 'Nana' Dwarf Eared Coreopsis | HP | 0.83 | G4 | 5-6 | 7-9A | | | |
| <i>Coreopsis auriculata</i> 'Zamphir' Zamphir Eared Coreopsis | HP | 0.67 | G4 | 4-5 | 6-11 | | | |
| <i>Coreopsis gigantea</i> Giant Coreopsis | HP | 1.30 | G4 | 6-8 | 9-10 | | | |
| <i>Coreopsis grandiflora</i> Tickseed | HP | 1.08 | G4 | 7 | 8-9A | | | |
| <i>Coreopsis grandiflora</i> 'Badengold' Badengold Tickseed | HP | 0.90 | G4 | 7 | 8-9A | | | |
| <i>Coreopsis grandiflora</i> 'Domino' Domino Tickseed | HP | 0.80 | G4 | 7 | 8-9A | | | |
| <i>Coreopsis grandiflora</i> 'Early Sunrise' Early Sunrise Tickseed | HP | 0.90 | G4 | 7 | 8-9A | | | |
| <i>Coreopsis grandiflora</i> 'Flying Saucers' See - <i>Coreopsis grandiflora</i> 'Walcoreop' P.P. 10299 | | | | | | | | |
| <i>Coreopsis grandiflora</i> 'Sundancer' P.P. 7823 Sundancer Tickseed | HP | 0.78 | G4 | 7 | 8-9 | | | |
| <i>Coreopsis grandiflora</i> 'Sunray' Sunray Tickseed | HP | 0.83 | G4 | 7 | 8-9A | | | |
| <i>Coreopsis grandiflora</i> 'Walcoreop' P.P. 10299 Flying Saucers Tickseed | HP | 0.94 | G4 | 7 | 8-9A | | | |
| <i>Coreopsis lanceolata</i> Lanceleaf Coreopsis | HP | 0.72 | G4 | 4-6 | 7-9A | | | |
| <i>Coreopsis lanceolata</i> 'Baby Sun' Baby Sun Coreopsis | HP | 0.89 | G4 | 7 | 8-9A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Coreopsis lanceolata</i> 'Double Sunburst' Double Sunburst Coreopsis | HP | 0.67 | G4 | 7 | 8-9A | | | |
| <i>Coreopsis lanceolata</i> 'Goldfink' Goldfink Coreopsis | HP | 0.85 | G4 | 7 | 8-9A | | | |
| <i>Coreopsis lanceolata</i> 'Goldteppich' Goldteppich Lanceleaf Coreopsis | HP | 0.90 | G4 | 4-6 | 7-9A | | | |
| <i>Coreopsis lanceolata</i> 'Rotkehlchen' Rotkehlchen Lanceleaf Coreopsis | HP | 0.95 | G4 | 4-6 | 7-9A | | | |
| <i>Coreopsis lanceolata</i> 'Sterntaler' Sterntaler Lanceleaf Coreopsis | HP | 0.75 | G4 | 4-6 | 7-9A | | | |
| <i>Coreopsis lanceolata</i> 'Sunburst' Sunburst Coreopsis | HP | 1.09 | G4 | 7 | 8-9A | | | |
| <i>Coreopsis leavenworthii</i> Leavenworth's Tickseed | HP | 0.61 | G3 | 8-10B | 11 | | | |
| <i>Coreopsis maritima</i> Sea Dahlia | HP | 1.84 | G4 | 7-8 | 9-10 | | | |
| <i>Coreopsis palmata</i> Prairie Tickseed | HP | 1.11 | G4 | 7 | 8-9 | | | |
| <i>Coreopsis rosea</i> Pink Tickseed | HP | 0.89 | G4 | 7 | 8-9 | | | |
| <i>Coreopsis rosea</i> 'American Dream' See - <i>Coreopsis rosea</i> | | | | | | | | |
| <i>Coreopsis rosea</i> 'Sweet Dreams' P.P.A.F. Sweet Dreams Pink Tickseed | HP | 1.03 | G4 | 7 | 8-9 | | | |
| <i>Coreopsis tinctoria</i> Plains Tickseed | HP | 0.89 | G4 | 7 | 8-9 | | | |
| <i>Coreopsis tinctoria</i> 'Mahogany Midget' Mahogany Midget Plains Tickseed | HP | 0.63 | G4 | 5-6 | 7-9 | | | |
| <i>Coreopsis tripteris</i> Tall Tickseed | HP | 1.05 | G4 | 7 | 8-9 | | | |
| <i>Coreopsis verticillata</i> Thread Leaf Tickseed | HP | 0.94 | G4 | 4-6 | 7-8 | | | |
| <i>Coreopsis verticillata</i> 'Golden Gain' Golden Gain Thread Leaf Tickseed | HP | 1.04 | G4 | 3-4 | 5-8 | | | |
| <i>Coreopsis verticillata</i> 'Golden Showers' Grandiflora Thread Leaf Tickseed | HP | 0.90 | G4 | 4-6 | 7-8 | | | |
| <i>Coreopsis verticillata</i> 'Moonbeam' Moonbeam Thread Leaf Tickseed | HP | 0.93 | G4 | 4-6 | 7-8 | | | |
| <i>Coreopsis verticillata</i> 'Zagreb' Zagreb Thread Leaf Tickseed | HP | 0.88 | G4 | 4-6 | 7-8 | | | |
| <i>Corethrogyne leucophylla</i> See - <i>Lessingia filaginifolia</i> 'Silver Carpet' | | | | | | | | |
| <i>Coriandrum sativum</i> Coriander | AN | 1.25 | G4 | 7-10A | 10B-11 | | | |
| <i>Coriaria japonica</i> Japanese Coriaria | BS | 1.00 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Cornukaempferia aurantiflora</i> No Common Name Found | HP | 1.25 | G4 | 8-9 | 10A-11 | | | |
| <i>Cornukaempferia aurantiflora</i> 'Jungle Gold' Jungle Gold | HP | 1.25 | G4 | 8-9 | 10A-11 | | | |
| <i>Cornus</i> Hybrid Dogwood | DT | 1.70 | G2 | 5-6 | 7-8 | 1.17 | 1.36 | 5 |
| <i>Cornus</i> 'Aurora' See - <i>Cornus</i> 'Rutban' P.P. 7205 | | | | | | | | |
| <i>Cornus</i> 'Celestial' See - <i>Cornus</i> 'Rutdan' P.P. 7204 | | | | | | | | |
| <i>Cornus</i> 'Constellation' See - <i>Cornus</i> 'Rutcan' P.P. 7210 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Cornus</i> 'Eddie's White Wonder' Eddie's White Wonder Hybrid Dogwood | DT | 1.16 | G2 | 7 | 8-9 | 1.49 | 0.88 | 6 |
| <i>Cornus</i> 'Porlock' Porlock Hybrid Dogwood | DT | 1.70 | G2 | 5-7 | 8-9 | 1.17 | 1.36 | 7 |
| <i>Cornus</i> 'Rutban' P.P. 7205 Aurora® Rutgers Hybrid Dogwood | DT | 1.80 | G2 | 5-6 | 7-8 | 1.01 | 1.45 | 5 |
| <i>Cornus</i> 'Rutcan' P.P. 7210 Constellation® Rutgers Hybrid Dogwood | DT | 1.84 | G2 | 5-6 | 7-8 | 1.18 | 1.47 | 5 |
| <i>Cornus</i> 'Rutdan' P.P. 7204 Celestial® Rutgers Hybrid Dogwood | DT | 1.36 | G2 | 5-6 | 7-8 | 1.20 | 1.51 | 5 |
| <i>Cornus</i> 'Rutfan' P.P. 7206 Stardust® Rutgers Hybrid Dogwood | DT | 1.70 | G2 | 5-6 | 7-8 | 1.17 | 1.36 | 5 |
| <i>Cornus</i> 'Rutgan' P.P. 7207 Stellar Pink® Rutgers Hybrid Dogwood | DT | 1.41 | G2 | 5-6 | 7-8 | 1.09 | 1.36 | 5 |
| <i>Cornus</i> 'Ruth Ellen' See - <i>Cornus</i> 'Rutlan' P.P. 7732 | | | | | | | | |
| <i>Cornus</i> 'Rutlan' P.P. 7732 Ruth Ellen® Rutgers Hybrid Dogwood | DT | 2.63 | G2 | 5-6 | 7-8 | 1.05 | 1.46 | 5 |
| <i>Cornus</i> 'Stardust' See - <i>Cornus</i> 'Rutfan' P.P. 7206 | | | | | | | | |
| <i>Cornus</i> 'Stellar Pink' See - <i>Cornus</i> 'Rutgan' P.P. 7207 | | | | | | | | |
| <i>Cornus alba</i> Tatarian Dogwood | DS | 0.98 | G2 | 2-3 | 4-7 | | 0.75 | 2 |
| <i>Cornus alba</i> 'Argenteo-marginata' Elegantissima Dogwood | DS | 0.90 | G2 | 2-3 | 4-7 | | 0.87 | 2 |
| <i>Cornus alba</i> 'Aurea' Golden Tatarian Dogwood | DS | 0.96 | NR | | 3-7 | | 0.75 | 2 |
| <i>Cornus alba</i> 'Bailhalo' Ivory Halo™ Tatarian Dogwood | DS | 1.09 | NR | | 3-7 | | 1.18 | 2 |
| <i>Cornus alba</i> 'Chblzam' Chief Bloodgood™ Tatarian Dogwood | DS | 0.87 | G2 | 2-3 | 4-7 | | 0.75 | 2 |
| <i>Cornus alba</i> 'Chief Bloodgood' See - <i>Cornus alba</i> 'Chblzam' | | | | | | | | |
| <i>Cornus alba</i> 'Cream Cracker' P.P. 12830 Cream Cracker Tatarian Dogwood | DS | 0.98 | G2 | 2-3 | 4-7 | | 0.75 | 2 |
| <i>Cornus alba</i> 'Creme de Mint' See - <i>Cornus alba</i> 'Crmizam' | | | | | | | | |
| <i>Cornus alba</i> 'Crmizam' Creme de Mint™ Tatarian Dogwood | DS | 0.87 | G2 | 2-3 | 4-7 | | 0.75 | 2 |
| <i>Cornus alba</i> 'Gouchaultii' Gouchaultii Tatarian Dogwood | DS | 1.03 | NR | | 3-7 | | 0.69 | 2 |
| <i>Cornus alba</i> 'Ivory Halo' See - <i>Cornus alba</i> 'Bailhalo' | | | | | | | | |
| <i>Cornus alba</i> 'Kesselringii' Kesselring Tartarian Dogwood | DS | 0.96 | NR | | 3-7 | | 0.75 | 2 |
| <i>Cornus alba</i> 'Siberian Pearls' Siberian Pearls Tatarian Dogwood | DS | 0.98 | NR | | 3-7 | | 0.75 | 2 |
| <i>Cornus alba</i> 'Sibirica Bloodgood' Sibirica Bloodgood Tatarian Dogwood | DS | 0.93 | NR | | 3-7 | | 0.59 | 2 |
| <i>Cornus alba</i> 'Sibirica Red Gnome' Sibirica Red Gnome™ Tatarian Dogwood | DS | 1.03 | G2 | 2-3 | 4-7 | | 0.68 | 2 |
| <i>Cornus alba</i> 'Sibirica Ruby' Sibirica Ruby Tatarian Dogwood | DS | 0.96 | G2 | 2-3 | 4-7 | | 0.75 | 2 |
| <i>Cornus alba</i> 'Sibirica' Sibirica Tatarian Dogwood | DS | 1.01 | G2 | 2-3 | 4-7 | | 0.58 | 2 |
| <i>Cornus alba</i> 'Snow Pearls' Snow Pearls Tatarian Dogwood | DS | 0.88 | G2 | 2-3 | 4-7 | | 0.68 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cornus alba</i> 'Spaethii' Spaethii Tatarian Dogwood | DS | 1.03 | G2 | 2-3 | 4-7 | | 0.75 | 2 |
| <i>Cornus alba</i> 'Stdazam' Strawberry Daiquiri™ Tatarian Dogwood | DS | 0.87 | G2 | 2-3 | 4-7 | | 0.75 | 2 |
| <i>Cornus alba</i> 'Strawberry Daiquiri' See - <i>Cornus alba</i> 'Stdazam' | | | | | | | | |
| <i>Cornus alternifolia</i> Pagoda Dogwood | DS | 1.14 | G2 | 3-6 | 7-8 | | 1.47 | 3 |
| <i>Cornus alternifolia</i> 'Argentea' Argentea Pagoda Dogwood | DS | 3.62 | G2 | 3-6 | 7-8 | | 1.47 | 3 |
| <i>Cornus amomum</i> Silky Dogwood | DS | 0.91 | G2 | 2-5 | 6-7 | | 0.60 | 5 |
| <i>Cornus angustata</i> Angustata Dogwood | DT | 0.78 | G2 | 4-6 | 7-8 | 1.00 | 2.79 | 6 |
| <i>Cornus angustata</i> 'Prodigy' See - <i>Cornus angustata</i> 'TICRN' P.P.A.F. | | | | | | | | |
| <i>Cornus angustata</i> 'TICRN' P.P.A.F. Prodigy Evergreen Dogwood | DT | 0.78 | G2 | 4-6 | 7-8 | 1.00 | 3.40 | 6 |
| <i>Cornus asperifolia</i> Roughleaf Dogwood | DS | 0.77 | G2 | 7-8 | 9-10 | | 0.55 | 4 |
| <i>Cornus asperifolia</i> var. <i>drummondii</i> Drummond Roughleaf Dogwood | DS | 0.73 | G2 | 7-8 | 9-10 | | 1.00 | 4 |
| <i>Cornus baileyi</i> See - <i>Cornus stolonifera</i> 'Bailey' | | | | | | | | |
| <i>Cornus canadensis</i> Bunchberry | HP | 1.70 | G2 | 2-4 | 5-6 | | | |
| <i>Cornus capitata</i> Bentham's Cornel | BE | 0.69 | G2 | 7-8 | 9 | 1.00 | 1.00 | 8 |
| <i>Cornus controversa</i> Giant Dogwood | DT | 1.22 | G2 | 4-5 | 6-7 | 1.45 | 1.43 | 5 |
| <i>Cornus controversa</i> 'June Snow' June Snow Giant Dogwood | DT | 0.82 | G2 | 4-5 | 6-7 | 1.04 | 0.68 | 5 |
| <i>Cornus controversa</i> 'Variegata' Wedding Cake Tree | DT | 3.91 | G2 | 4-5 | 6-7 | 1.25 | 1.06 | 5 |
| <i>Cornus drummondii</i> See - <i>Cornus asperifolia</i> var. <i>drummondii</i> | | | | | | | | |
| <i>Cornus florida</i> White Flowering Dogwood | DT | 0.85 | G2 | 6-7 | 8-9 | 0.89 | 0.98 | 4 |
| <i>Cornus florida</i> 'American Beauty Red' American Beauty Red Flowering Dogwood | DT | 1.26 | G2 | 5-6 | 7-8 | 1.10 | 1.12 | 4 |
| <i>Cornus florida</i> 'Barton' Barton Flowering Dogwood | DT | 1.26 | G2 | 5-6 | 7-8 | 0.98 | 0.79 | 4 |
| <i>Cornus florida</i> 'Cherokee Brave' Cherokee Brave Flowering Dogwood | DT | 1.14 | G2 | 5-6 | 7-8 | 1.12 | 1.13 | 4 |
| <i>Cornus florida</i> 'Cherokee Chief' Cherokee Chief Flowering Dogwood | DT | 1.16 | G2 | 5-6 | 7-8 | 0.98 | 1.08 | 4 |
| <i>Cornus florida</i> 'Cherokee Daybreak' See - <i>Cornus florida</i> 'Daybreak' P.P. 6320 | | | | | | | | |
| <i>Cornus florida</i> 'Cherokee Princess' Cherokee Princess Flowering Dogwood | DT | 1.00 | G2 | 5-6 | 7-8 | 1.03 | 1.06 | 4 |
| <i>Cornus florida</i> 'Cherokee Sunset' See - <i>Cornus florida</i> 'Sunset' P.P. 6305 | | | | | | | | |
| <i>Cornus florida</i> 'Cloud 9' Cloud 9 Flowering Dogwood | DT | 1.03 | G2 | 5-6 | 7-8 | 0.97 | 0.89 | 4 |
| <i>Cornus florida</i> 'Daybreak' P.P. 6320 Cherokee Daybreak® Flowering Dogwood | DT | 1.30 | G2 | 5-6 | 7-8 | 1.21 | 1.14 | 4 |
| <i>Cornus florida</i> 'First Lady' First Lady Flowering Dogwood | DT | 1.71 | G2 | 5-6 | 7-8 | 0.96 | 1.30 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Cornus florida</i> 'Green Glow' Green Glow Flowering Dogwood | DT | 1.26 | G2 | 5-6 | 7-8 | 1.10 | 1.12 | 4 |
| <i>Cornus florida</i> 'Hohman's Golden' Hohman's Golden Flowering Dogwood | DT | 0.90 | G2 | 5-6 | 7-8 | 0.77 | 0.79 | 4 |
| <i>Cornus florida</i> 'Marzelli' Rainbow® Flowering Dogwood | DT | 1.71 | G2 | 5-6 | 7-8 | 1.49 | 1.65 | 4 |
| <i>Cornus florida</i> 'Ozark Spring' Ozark Spring Flowering Dogwood | DT | 1.26 | G2 | 4-5 | 6-7 | 1.10 | 1.12 | 4 |
| <i>Cornus florida</i> 'Pendula' Weeping Flowering Dogwood | DT | 0.75 | G2 | 5-6 | 7-8 | 1.33 | 1.56 | 4 |
| <i>Cornus florida</i> 'Pink Flame' P.P. 4300 Pink Flame Flowering Dogwood | DT | 1.71 | G2 | 5-6 | 7-8 | 1.46 | 1.35 | 4 |
| <i>Cornus florida</i> 'Plena' Double White Flowering Dogwood | DT | 0.75 | G2 | 5-6 | 7-8 | 0.99 | 0.71 | 4 |
| <i>Cornus florida</i> 'Purple Glory' P.P. 4627 Purple Glory Flowering Dogwood | DT | 1.26 | G2 | 5-6 | 7-8 | 1.04 | 1.01 | 4 |
| <i>Cornus florida</i> 'Pygmaea' Pygmy Flowering Dogwood | DT | 1.26 | G2 | 5-6 | 7-8 | 1.10 | 1.12 | 4 |
| <i>Cornus florida</i> 'Rainbow' See - <i>Cornus florida</i> 'Marzelli' | | | | | | | | |
| <i>Cornus florida</i> 'Red Cloud' Red Cloud Flowering Dogwood | DT | 1.26 | G2 | 5-6 | 7-8 | 1.13 | 1.00 | 4 |
| <i>Cornus florida</i> 'Richland' Richland White Flowering Dogwood | DT | 1.26 | G2 | 5-6 | 7-8 | 1.10 | 1.12 | 4 |
| <i>Cornus florida</i> 'Sunset' P.P. 6305 Cherokee Sunset® Flowering Dogwood | DT | 1.51 | G2 | 5-6 | 7-8 | 1.17 | 1.15 | 4 |
| <i>Cornus florida</i> 'Sweetwater Red' Sweetwater Red Flowering Dogwood | DT | 1.71 | G2 | 5-6 | 7-8 | 1.46 | 1.65 | 4 |
| <i>Cornus florida</i> 'Variegata' Variegated Flowering Dogwood | DT | 1.26 | G2 | 3-4 | 5-8 | 0.62 | 0.65 | 4 |
| <i>Cornus florida</i> 'Weaver's White' Weaver's White Flowering Dogwood | DT | 1.00 | G2 | 5-6 | 7-8 | 1.10 | 1.12 | 4 |
| <i>Cornus florida</i> 'Welchii' Tricolor Flowering Dogwood | DT | 1.95 | G2 | 5-6 | 7-8 | 1.23 | 1.44 | 4 |
| <i>Cornus florida</i> var. <i>rubra</i> Pink Flowering Dogwood | DT | 0.97 | G2 | 5-6 | 7-8 | 0.98 | 1.11 | 4 |
| <i>Cornus foemina</i> See - <i>Cornus stricta</i> | | | | | | | | |
| <i>Cornus kousa</i> Kousa Dogwood | DT | 1.03 | G2 | 5-6 | 7-8 | 1.14 | 1.39 | 5 |
| <i>Cornus kousa</i> 'Beni Fuji' Beni Fuji Kousa Dogwood | DT | 1.53 | G2 | 5-6 | 7-8 | 1.50 | 1.71 | 5 |
| <i>Cornus kousa</i> 'Dwarf Pink' Dwarf Pink Kousa Dogwood | DT | 1.53 | G2 | 5-6 | 7-8 | 1.21 | 1.14 | 5 |
| <i>Cornus kousa</i> 'Gay Head' Gay Head Kousa Dogwood | DT | 1.53 | G2 | 5-6 | 7-8 | 1.21 | 1.71 | 5 |
| <i>Cornus kousa</i> 'Gold Star' Gold Star Kousa Dogwood | DT | 1.80 | G2 | 5-6 | 7-8 | 1.21 | 1.82 | 5 |
| <i>Cornus kousa</i> 'Heart Throb' See - <i>Cornus kousa</i> 'Schmred' P.P. 9283 | | | | | | | | |
| <i>Cornus kousa</i> 'Lustgarten Weeping' Lustgarten Weeping Kousa Dogwood | DT | 2.86 | G2 | 5-6 | 7-8 | 1.21 | 3.15 | 5 |
| <i>Cornus kousa</i> 'Madame Butterfly' Madame Butterfly Kousa Dogwood | DT | 1.53 | G2 | 5-6 | 7-8 | 0.93 | 1.21 | 5 |
| <i>Cornus kousa</i> 'Rosabella' Rosabella Kousa Dogwood | DT | 1.53 | G2 | 5-6 | 7-8 | 0.97 | 1.88 | 5 |
| <i>Cornus kousa</i> 'Schmred' P.P. 9283 Heart Throb Kousa Dogwood | DT | 1.24 | G2 | 5-6 | 7-8 | 2.06 | 1.59 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Cornus kousa</i> 'Snowboy' Snowboy Kousa Dogwood | DT | 1.53 | G2 | 5-6 | 7-8 | 1.21 | 1.71 | 5 |
| <i>Cornus kousa</i> 'Square Dance' Square Dance Kousa Dogwood | DT | 0.97 | G2 | 5-6 | 7-8 | 0.88 | 1.43 | 5 |
| <i>Cornus kousa</i> 'Summer Stars' P.P. 3090 Summer Stars Kousa Dogwood | DT | 1.53 | G2 | 5-6 | 7-8 | 1.21 | 1.91 | 5 |
| <i>Cornus kousa</i> 'Wolf Eye' Wolf Eye Kousa Dogwood | DT | 1.30 | G2 | 5-6 | 7-8 | 0.99 | 1.58 | 5 |
| <i>Cornus kousa</i> var. <i>angustata</i> See - <i>Cornus angustata</i> | | | | | | | | |
| <i>Cornus kousa</i> var. <i>chinensis</i> Chinese Kousa Dogwood | DT | 0.95 | G2 | 5-6 | 7-8 | 0.86 | 0.96 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'China Girl' China Girl Chinese Kousa Dogwood | DT | 1.46 | G2 | 5-6 | 7-8 | 1.40 | 1.49 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Galilean' See - <i>Cornus kousa</i> var. <i>chinensis</i> 'Galzam' | | | | | | | | |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Galzam' Galilean™ Chinese Kousa Dogwood | DT | 1.66 | G2 | 4-5 | 6-7 | 1.29 | 1.45 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Greensleeves' Greensleeves Chinese Kousa Dogwood | DT | 1.80 | G2 | 5-6 | 7-8 | 1.29 | 1.31 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Milky Way' Milky Way Chinese Kousa Dogwood | DT | 1.12 | G2 | 5-6 | 7-8 | 1.25 | 1.00 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Moonbeam' Moonbeam Chinese Kousa Dogwood | DT | 1.46 | G2 | 5-6 | 7-8 | 1.29 | 1.31 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'National' National Chinese Kousa Dogwood | DT | 0.75 | G2 | 5-6 | 7-8 | 0.98 | 1.24 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Prophet' See - <i>Cornus kousa</i> var. <i>chinensis</i> 'Propzam' | | | | | | | | |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Propzam' Prophet™ Chinese Dogwood | DT | 1.85 | G2 | 5-6 | 7-8 | 1.29 | 1.31 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Radiant Rose' Radiant Rose Chinese Kousa Dogwood | DT | 1.54 | G2 | 5-6 | 7-8 | 2.01 | 1.49 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Samaritan' See - <i>Cornus kousa</i> var. <i>chinensis</i> 'Samzam' | | | | | | | | |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Samzam' Samaritan™ Chinese Kousa Dogwood | DT | 1.56 | G2 | 4-5 | 6-7 | 1.29 | 1.48 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Satomi' Satomi Red Chinese Kousa Dogwood | DT | 1.67 | G2 | 5-6 | 7-8 | 1.22 | 1.33 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Snowflake' Snowflake Chinese Kousa Dogwood | DT | 1.46 | G2 | 5-6 | 7-8 | 1.29 | 1.31 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Trinity Star' Trinity Star Chinese Kousa Dogwood | DT | 1.46 | G2 | 5-6 | 7-8 | 1.29 | 1.31 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Weaver's Weeping' Weaver's Weeping Chinese Kousa Dogwood | DT | 1.66 | G2 | 5-6 | 7-8 | 1.29 | 1.31 | 5 |
| <i>Cornus mas</i> Cornelian Cherry Dogwood | DS | 1.04 | G2 | 5-6 | 7-8 | | 1.06 | 5 |
| <i>Cornus mas</i> 'Elegantissima' Elegantissima Cornelian Cherry Dogwood | DS | 1.09 | G2 | 5-6 | 7-8 | | 1.16 | 5 |
| <i>Cornus mas</i> 'Golden Glory' Golden Glory Cornelian Cherry Dogwood | DS | 1.39 | G2 | 5-6 | 7-8 | | 1.26 | 5 |
| <i>Cornus nuttallii</i> Pacific Dogwood | DT | 1.11 | G2 | 7 | 8-9 | 1.42 | 1.19 | 7 |
| <i>Cornus nuttallii</i> 'Corego Giant' Corego Giant Pacific Dogwood | DT | 1.11 | G2 | 7 | 8-9 | 1.62 | 1.65 | 7 |
| <i>Cornus nuttallii</i> 'Goldspot' Goldspot Pacific Dogwood | DT | 1.11 | G2 | 7 | 8-9 | 1.62 | 1.65 | 7 |
| <i>Cornus nuttallii</i> 'Pink Blush' Pink Blush Pacific Dogwood | DT | 1.11 | G2 | 7 | 8-9 | 1.55 | 1.50 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Cornus obliqua</i> Pale Dogwood | DS | 0.81 | G2 | 2-4 | 5-7 | | 1.00 | 4 |
| <i>Cornus officinalis</i> Japanese Cornel Dogwood | DS | 0.90 | G2 | 6 | 7-8 | | 0.77 | 6 |
| <i>Cornus paniculata</i> See - <i>Cornus racemosa</i> | | | | | | | | |
| <i>Cornus pumila</i> Dwarf Redtipped Dogwood | DS | 0.94 | G2 | 5-6 | 7 | | 1.33 | 5 |
| <i>Cornus purpusii</i> See - <i>Cornus obliqua</i> | | | | | | | | |
| <i>Cornus racemosa</i> Grey Dogwood | DS | 1.09 | G2 | 2-4 | 5-7 | | 0.68 | 4 |
| <i>Cornus racemosa</i> 'Cuyahoga' See - <i>Cornus racemosa</i> 'Cuyzam' | | | | | | | | |
| <i>Cornus racemosa</i> 'Cuyzam' Cuyahoga™ Grey Dogwood | DS | 1.59 | G2 | 2-4 | 5-7 | | 0.92 | 4 |
| <i>Cornus racemosa</i> 'Geauga' See - <i>Cornus racemosa</i> 'Geazam' | | | | | | | | |
| <i>Cornus racemosa</i> 'Geazam' Geauga™ Gray Dogwood | DS | 0.98 | G2 | 2-4 | 5-7 | | 0.70 | 4 |
| <i>Cornus racemosa</i> 'Huron' See - <i>Cornus racemosa</i> 'Hurzam' | | | | | | | | |
| <i>Cornus racemosa</i> 'Hurzam' Huron™ Grey Dogwood | DS | 0.93 | G2 | 2-4 | 5-7 | | 0.79 | 4 |
| <i>Cornus racemosa</i> 'Jade' Snow Mantle® Gray Dogwood | DS | 1.54 | G2 | 2-4 | 5-7 | | 0.79 | 4 |
| <i>Cornus racemosa</i> 'Mahoning' See - <i>Cornus racemosa</i> 'Mahzam' | | | | | | | | |
| <i>Cornus racemosa</i> 'Mahzam' Mahoning™ Gray Dogwood | DS | 0.87 | G2 | 2-4 | 5-7 | | 0.70 | 4 |
| <i>Cornus racemosa</i> 'Muskingum' See - <i>Cornus racemosa</i> 'Muszam' | | | | | | | | |
| <i>Cornus racemosa</i> 'Muszam' Muskingum Gray Dogwood | DS | 1.03 | G2 | 2-4 | 5-7 | | 0.83 | 4 |
| <i>Cornus racemosa</i> 'Ottawa' See - <i>Cornus racemosa</i> 'Ottzam' | | | | | | | | |
| <i>Cornus racemosa</i> 'Ottzam' Ottawa™ Grey Dogwood | DS | 0.86 | G2 | 2-4 | 5-7 | | 0.92 | 4 |
| <i>Cornus racemosa</i> 'Snow Mantle' See - <i>Cornus racemosa</i> 'Jade' | | | | | | | | |
| <i>Cornus sanguinea</i> Bloodtwig Dogwood | DS | 1.28 | G2 | 5 | 6-7 | | 0.52 | 5 |
| <i>Cornus sanguinea</i> 'Midwinter Fire' Midwinter Fire Bloodtwig Dogwood | DS | 1.12 | G2 | 5 | 6-7 | | 0.71 | 5 |
| <i>Cornus sanguinea</i> 'Winter Beauty' Winter Beauty Bloodtwig Dogwood | DS | 1.44 | G2 | 5 | 6-7 | | 0.90 | 5 |
| <i>Cornus sericea</i> See - <i>Cornus stolonifera</i> | | | | | | | | |
| <i>Cornus sericea</i> var. <i>occidentalis</i> See - <i>Cornus stolonifera</i> 'Sunshine' | | | | | | | | |
| <i>Cornus stolonifera</i> Redosier Dogwood | DS | 0.82 | G2 | 2-4 | 5-8 | | 0.70 | 2 |
| <i>Cornus stolonifera</i> 'Allemans' Allemans Compact Redosier Dogwood | DS | 0.87 | G2 | 2-4 | 5-8 | | 0.74 | 2 |
| <i>Cornus stolonifera</i> 'Bailey' Bailey Redosier Dogwood | DS | 0.83 | G2 | 2-4 | 5-8 | | 0.65 | 2 |
| <i>Cornus stolonifera</i> 'Bud's Yellow' Bud's Yellow Redosier Dogwood | DS | 0.83 | G2 | 2-4 | 5-8 | | 0.64 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Cornus stolonifera</i> 'Cardinal' Cardinal Redosier Dogwood | DS | 0.86 | G2 | 2-4 | 5-8 | | 0.68 | 2 |
| <i>Cornus stolonifera</i> 'Cheyenne' Cheyenne Redosier Dogwood | DS | 0.85 | G2 | 2-4 | 5-8 | | 0.78 | 2 |
| <i>Cornus stolonifera</i> 'Flaviramea' Yellowtwig Redosier Dogwood | DS | 0.84 | G2 | 2-4 | 5-8 | | 0.72 | 2 |
| <i>Cornus stolonifera</i> 'Isanti' Isanti Redosier Dogwood | DS | 0.87 | G2 | 2-4 | 5-8 | | 0.82 | 2 |
| <i>Cornus stolonifera</i> 'Kelsey' Kelsey Redosier Dogwood | DS | 0.89 | G2 | 2-4 | 5-8 | | 1.15 | 2 |
| <i>Cornus stolonifera</i> 'Silver and Gold' Silver and Gold Redosier Dogwood | DS | 1.09 | G2 | 2-4 | 5-8 | | 0.96 | 2 |
| <i>Cornus stolonifera</i> 'Sunrise' Sunrise Redosier Dogwood | DS | 0.85 | G2 | 2-3 | 4-7 | | 0.78 | 2 |
| <i>Cornus stolonifera</i> 'Sunshine' Sunshine Redosier Dogwood | DS | 0.63 | G2 | 7 | 8-9 | | 0.78 | 2 |
| <i>Cornus stricta</i> Stiff Dogwood | DS | 0.44 | G2 | 6-7 | 8-9 | | 1.00 | 4 |
| <i>Cornus suecica</i> Lapland Cornel | DS | 1.00 | G2 | 2-4 | 5-6 | | 1.00 | 2 |
| <i>Cornutia grandiflora</i> Largeflower Rosemary | BE | 0.56 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Cornutia grandifolia</i> Azalejo | BE | 0.92 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Corokia cotoneaster</i> Wire Netting Bush | BS | 0.77 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Corokia cotoneaster</i> 'Little Prince' Little Prince Wire Netting Bush | BS | 0.94 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Corokia xvirgata</i> No Common Name Found | BS | 0.74 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Corokia xvirgata</i> 'Bronze King' Bronze King Corokia | BS | 0.74 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Corokia xvirgata</i> 'Red Wonder' Red Wonder Corokia | BS | 0.74 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Corokia xvirgata</i> 'Yellow Wonder' Yellow Wonder Corokia | BS | 0.74 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Coronilla orientalis</i> No Common Name Found | HP | 1.00 | G4 | 4-8 | 9 | | | |
| <i>Coronilla varia</i> Crown Vetch | HP | 0.79 | G4 | 4-6 | 7-8 | | | |
| <i>Coronilla varia</i> 'Penngift' Penngift Crown Vetch | HP | 0.79 | G4 | 4-6 | 7-8 | | | |
| <i>Corozo oleifera</i> See - <i>Elaeis oleifera</i> | | | | | | | | |
| <i>Correa</i> Australian Fuchsia | BS | 0.73 | G2 | 7-9 | 10A-10B | | 1.00 | 9 |
| <i>Correa</i> 'Carmine Bells' Carmine Bells Australian Fuchsia | BS | 0.71 | G2 | 7-9 | 10A-10B | | 1.00 | 9 |
| <i>Correa</i> 'Dawn in Santa Cruz' Dawn in Santa Cruz Australian Fuchsia | BS | 0.75 | G2 | 7-9 | 10A-10B | | 1.00 | 9 |
| <i>Correa</i> 'Dusky Bells' Dusky Bells Australian Fuchsia | BS | 0.73 | G2 | 7-9 | 10A-10B | | 1.00 | 9 |
| <i>Correa</i> 'Ivory Bells' Ivory Bells Australian Fuchsia | BS | 0.72 | G2 | 7-9 | 10A-10B | | 1.00 | 9 |
| <i>Correa alba</i> White Australian Fuchsia | BS | 0.68 | G2 | 7-9 | 10A-10B | | 1.00 | 9 |
| <i>Correa x harrisii</i> Harris Australian Fuchsia | BS | 0.73 | G2 | 7-9 | 10A-10B | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Correa pulchella</i> No Common Name Found | BS | 0.75 | G2 | 7-9 | 10A-10B | | 1.00 | 9 |
| <i>Correa pulchella</i> 'Orange Flame' Orange Flame Australian Fuchsia | BS | 0.70 | G2 | 7-9 | 10A-10B | | 1.00 | 9 |
| <i>Correa schlechtendalii</i> No Common Name Found | BS | 0.77 | G2 | 7-9 | 10A-10B | | 1.00 | 9 |
| <i>Cortaderia jubata</i> Purple Pampas Grass | HP | 0.78 | G4 | 9 | 10-11 | | | |
| <i>Cortaderia richardii</i> Richard's Pampas Grass | HP | 1.03 | G4 | 9 | 10A-11 | | | |
| <i>Cortaderia selloana</i> Pampas Grass | HP | 0.77 | G4 | 6-7 | 8-11 | | | |
| <i>Cortaderia selloana</i> 'Andes Silver' Andes Silver Pampas Grass | HP | 1.59 | G4 | 7 | 8-11 | | | |
| <i>Cortaderia selloana</i> 'Aureolineata' Aureolineata Pampas Grass | HP | 0.89 | G4 | 7 | 8-11 | | | |
| <i>Cortaderia selloana</i> 'Carminea Rendatleri' Carminea Rendatleri Pampas Grass | HP | 1.03 | G4 | 7 | 8-11 | | | |
| <i>Cortaderia selloana</i> 'Elegans' Elegans Pampas Grass | HP | 1.10 | G4 | 7 | 8-11 | | | |
| <i>Cortaderia selloana</i> 'Incalma' Incalma Pampas Grass | HP | 1.17 | G4 | 7 | 8-11 | | | |
| <i>Cortaderia selloana</i> 'Ivory Feathers' See - <i>Cortaderia selloana</i> 'Pumila' | | | | | | | | |
| <i>Cortaderia selloana</i> 'Monvin' P.P. 5136 Sun Stripe™ Pampas Grass | HP | 1.25 | G4 | 7 | 8-11 | | | |
| <i>Cortaderia selloana</i> 'Patagonia' Patagonia Pampas Grass | HP | 1.59 | G4 | 7 | 8-11 | | | |
| <i>Cortaderia selloana</i> 'Pumila' Ivory Feathers™ Pampas Grass | HP | 1.17 | G4 | 7 | 8-11 | | | |
| <i>Cortaderia selloana</i> 'Rosea' Pink Pampas Grass | HP | 1.15 | G4 | 7 | 8-11 | | | |
| <i>Cortaderia selloana</i> 'Silver Comet' Silver Comet Pampas Grass | HP | 1.01 | G4 | 7 | 8-11 | | | |
| <i>Cortaderia selloana</i> 'Sun Stripe' See - <i>Cortaderia selloana</i> 'Monvin' P.P. 5136 | | | | | | | | |
| <i>Cortaderia selloana</i> 'Sunningdale Silver' Sunningdale Silver Pampas Grass | HP | 0.99 | G4 | 7 | 8-11 | | | |
| <i>Coryanthes speciosa</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Coryanthes verrucolineata</i> No Common Name Found | FO | 4.29 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Corydalis flexuosa</i> Blue Corydalis | HP | 1.44 | G4 | 6 | 7-8 | | | |
| <i>Corydalis flexuosa</i> 'Blue Panda' Blue Panda Blue Corydalis | HP | 1.44 | G4 | 6 | 7-8 | | | |
| <i>Corydalis flexuosa</i> 'China Blue' China Blue Corydalis | HP | 1.68 | G4 | 6 | 7-8 | | | |
| <i>Corydalis flexuosa</i> 'Pere David' Pere David Corydalis | HP | 1.03 | G4 | 6 | 7-8 | | | |
| <i>Corydalis flexuosa</i> 'Purple Leaf' Purple Leaf Corydalis | HP | 1.86 | G4 | 6 | 7-8 | | | |
| <i>Corydalis lutea</i> Yellow Corydalis | HP | 1.24 | G4 | 6 | 7-8 | | | |
| <i>Corydalis ochroleuca</i> No Common Name Found | HP | 3.16 | G4 | 6 | 7-8 | | | |
| <i>Corydalis ophiocarpa</i> Serpent-pot Fumitory | HP | 0.68 | G4 | 5-6 | 7-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Corydalis sempervirens</i> Roman Wormwood | HP | 1.41 | G4 | 5-6 | 7-9 | | | |
| <i>Corydalis wilsonii</i> Fern-leaved Corydalis | HP | 0.86 | G4 | 7 | 8 | | | |
| <i>Corylopsis glabrescens</i> Fragrant Winterhazel | DS | 1.09 | G2 | 2-6 | 7-8 | | 1.00 | 6 |
| <i>Corylopsis pauciflora</i> Buttercup Winterhazel | DS | 1.40 | G2 | 2-6 | 7-8 | | 2.54 | 6 |
| <i>Corylopsis sinensis</i> Chinese Winterhazel | DS | 1.00 | G2 | 2-6 | 7-8 | | 1.00 | 6 |
| <i>Corylopsis sinensis</i> var. <i>calvescens</i> No Common Name Found | DS | 1.20 | G2 | 2-6 | 7-8 | | 0.51 | 6 |
| <i>Corylopsis sinensis</i> var. <i>sinensis</i> Willmott Winterhazel | DS | 1.00 | G2 | 2-6 | 7-8 | | 1.00 | 6 |
| <i>Corylopsis spicata</i> Spike Winterhazel | DS | 1.47 | G2 | 2-5 | 6-8 | | 1.44 | 5 |
| <i>Corylopsis veitchiana</i> See - <i>Corylopsis sinensis</i> var. <i>calvescens</i> | | | | | | | | |
| <i>Corylopsis willmottiae</i> See - <i>Corylopsis sinensis</i> var. <i>sinensis</i> | | | | | | | | |
| <i>Corylus americana</i> American Filbert | DS | 1.03 | G2 | 2-5 | 6-8 | | 0.86 | 4 |
| <i>Corylus avellana</i> European Filbert | DS | 1.51 | G2 | 2-5 | 6-8 | | 1.87 | 3 |
| <i>Corylus avellana</i> 'Contorta' Harry Lauder's Walkingstick | DS | 1.85 | G2 | 2-5 | 6-8 | | 2.58 | 3 |
| <i>Corylus avellana</i> 'Heterophylla' Heterophylla European Filbert | DS | 1.51 | G2 | 2-5 | 6-8 | | 1.87 | 3 |
| <i>Corylus avellana</i> 'Pendula' Weeping European Filbert | DS | 1.17 | G2 | 2-5 | 6-8 | | 1.15 | 3 |
| <i>Corylus avellana</i> 'Rote Zeller' Rote Zeller European Filbert | DS | 1.51 | G2 | 2-5 | 6-8 | | 1.87 | 3 |
| <i>Corylus colurna</i> Turkish Filbert | DS | 0.58 | G2 | 2-5 | 6-8 | | 1.02 | 5 |
| <i>Corylus maxima</i> Giant Filbert | DS | 1.00 | G2 | 5 | 6-8 | | 1.00 | 4 |
| <i>Corylus maxima</i> 'Purpurea' Purple Giant Filbert | DS | 1.00 | G2 | 5 | 6-8 | | 1.00 | 4 |
| <i>Corymbia maculata</i> See - <i>Eucalyptus maculata</i> | | | | | | | | |
| <i>Corypha umbraculifera</i> Talipot Palm | PC | 2.71 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Corypha utan</i> Gebang Palm | PC | 1.63 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Cosmos atrosanguineus</i> Black Cosmos | AN | 1.49 | G4 | 8-9A | 9B-11 | | | |
| <i>Cosmos bipinnatus</i> Common Cosmos | AN | 0.51 | G4 | 7-9A | 9B-11 | | | |
| <i>Cosmos bipinnatus</i> 'Sensation Mix' Sensation Mix Common Cosmos | AN | 0.69 | G4 | 7-9A | 9B-11 | | | |
| <i>Cosmos bipinnatus</i> 'Sonata Mix' Sonata Mix Common Cosmos | AN | 0.87 | G4 | 7-9A | 9B-11 | | | |
| <i>Cosmos bipinnatus</i> 'Sunny Gold' Sunny Gold Cosmos | AN | 0.69 | G4 | 7-9A | 9B-11 | | | |
| <i>Costus</i> Ginger | HP | 1.11 | G4 | 10 | 11 | | | |
| <i>Costus</i> 'Green Mountain' Green Mountain Ginger | HP | 1.11 | G4 | 10 | 11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Costus afer</i> Spiral Ginger | HP | 1.00 | G4 | 10 | 11 | | | |
| <i>Costus amazonicus</i> Amazon Ginger | HP | 1.32 | G4 | 10 | 11 | | | |
| <i>Costus amazonicus</i> 'Variegatus' Variegated Amazon Ginger | HP | 1.53 | G4 | 10 | 11 | | | |
| <i>Costus asae</i> See - <i>Costus osae</i> | | | | | | | | |
| <i>Costus barbatus</i> Red Tower Ginger | HP | 1.60 | G4 | 10 | 11 | | | |
| <i>Costus curvibracteatus</i> Orange Tulip Ginger | HP | 1.32 | G4 | 10 | 11 | | | |
| <i>Costus cuspidatus</i> Fiery Costus | HP | 1.05 | G4 | 10 | 11 | | | |
| <i>Costus englerianus</i> No Common Name Found | HP | 1.72 | G4 | 10 | 11 | | | |
| <i>Costus erythrophyllus</i> No Common Name Found | HP | 1.33 | G4 | 10 | 11 | | | |
| <i>Costus igneus</i> See - <i>Costus cuspidatus</i> | | | | | | | | |
| <i>Costus lasius</i> Yellow Lollipop | HP | 1.66 | G4 | 10 | 11 | | | |
| <i>Costus malortieanus</i> Spiral Ginger | HP | 1.45 | G4 | 10 | 11 | | | |
| <i>Costus osae</i> Red Rose Ginger | HP | 1.33 | G4 | 10 | 11 | | | |
| <i>Costus pictus</i> Spotted Spiral Ginger | HP | 1.76 | G4 | 10 | 11 | | | |
| <i>Costus speciosus</i> Crepe Ginger | HP | 1.20 | G4 | 10 | 11 | | | |
| <i>Costus speciosus</i> 'Javan Pink' Javan Pink Crepe Ginger | HP | 1.48 | G4 | 10 | 11 | | | |
| <i>Costus speciosus</i> 'Nanus Variegatus' Dwarf Variegated Crepe Ginger | HP | 1.56 | G4 | 10 | 11 | | | |
| <i>Costus speciosus</i> 'Variegatus' Variegated Crepe Ginger | HP | 1.25 | G4 | 10 | 11 | | | |
| <i>Costus spicatus</i> Indianhead Ginger | HP | 1.24 | G4 | 10 | 11 | | | |
| <i>Costus spiralis</i> Scarlet Spiral Flag | HP | 1.01 | G4 | 10 | 11 | | | |
| <i>Costus stenophyllus</i> Bamboo Ginger | HP | 1.18 | G4 | 10 | 11 | | | |
| <i>Costus unifolius</i> See - <i>Costus englerianus</i> | | | | | | | | |
| <i>Costus varzearum</i> No Common Name Found | HP | 1.15 | G4 | 10 | 11 | | | |
| <i>Cotinus</i> Hybrid Smoketree | DT | 1.14 | G2 | 2-5 | 6-8 | 0.77 | 1.47 | 5 |
| <i>Cotinus</i> 'Grace' Grace Dummer Hybrid Smoketree | DT | 1.14 | G2 | 2-5 | 6-8 | 0.77 | 1.47 | 5 |
| <i>Cotinus coggygia</i> Smoketree | DT | 1.02 | G2 | 2-5 | 6-8 | 0.71 | 1.36 | 5 |
| <i>Cotinus coggygia</i> 'Atropurpureus' See - <i>Cotinus coggygia</i> 'Purpureus' | | | | | | | | |
| <i>Cotinus coggygia</i> 'Daydream' Daydream Smoketree | DT | 1.16 | G2 | 2-5 | 6-8 | 1.16 | 1.79 | 5 |
| <i>Cotinus coggygia</i> 'Nordine' Nordine Smoketree | DT | 1.18 | G2 | 2-5 | 6-8 | 1.16 | 1.09 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Cotinus coggygia</i> 'Pink Champagne' Pink Champagne Smoketree | DT | 1.16 | G2 | 2-5 | 6-8 | 1.16 | 1.19 | 5 |
| <i>Cotinus coggygia</i> 'Purpureus' Purple Smoketree | DT | 0.89 | G2 | 2-5 | 6-8 | 2.04 | 1.42 | 5 |
| <i>Cotinus coggygia</i> 'Royal Purple' Royal Purple Smoketree | DT | 1.26 | G2 | 2-5 | 6-8 | 1.05 | 1.08 | 5 |
| <i>Cotinus coggygia</i> 'Velvet Cloak' Velvet Cloak Purple Smoketree | DT | 1.12 | G2 | 2-5 | 6-8 | 0.84 | 1.35 | 5 |
| <i>Cotinus obovatus</i> American Smoketree | DT | 0.98 | G2 | 2-4 | 5-8 | 1.05 | 1.56 | 4 |
| <i>Cotoneaster</i> Cotoneaster | BS | 0.90 | G2 | 5-6 | 7-8 | | 1.04 | 4 |
| <i>Cotoneaster</i> 'Hessei' Hessei Hybrid Cotoneaster | BS | 0.90 | G2 | 5-6 | 7-8 | | 1.04 | 4 |
| <i>Cotoneaster acutifolius</i> Peking Cotoneaster | BS | 0.90 | G2 | 3-4 | 5-7 | | 0.46 | 4 |
| <i>Cotoneaster adpressus</i> Creeping Cotoneaster | BS | 0.95 | G2 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Cotoneaster adpressus</i> 'Little Gem' Little Gem Creeping Cotoneaster | BS | 1.27 | G2 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Cotoneaster adpressus</i> var. <i>praecox</i> See - <i>Cotoneaster nanshan</i> | | | | | | | | |
| <i>Cotoneaster apiculatus</i> Cranberry Cotoneaster | BS | 0.89 | G2 | 4-5 | 6-7 | | 0.69 | 4 |
| <i>Cotoneaster apiculatus</i> 'Blackburn' Blackburn Cranberry Cotoneaster | BS | 0.80 | G2 | 4-5 | 6-7 | | 0.69 | 4 |
| <i>Cotoneaster apiculatus</i> 'Tom Thumb' Tom Thumb Cranberry Cotoneaster | BS | 1.04 | G2 | 4-5 | 6-8 | | 0.69 | 4 |
| <i>Cotoneaster bullatus</i> Hollyberry Cotoneaster | BS | 1.00 | G2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Cotoneaster buxifolius</i> Boxleaf Cotoneaster | BS | 0.77 | G2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Cotoneaster congestus</i> Pyrenees Cotoneaster | BS | 0.89 | G2 | 4-6 | 7-8 | | 0.73 | 6 |
| <i>Cotoneaster congestus</i> 'Liaking' Liaking Pyrenees Cotoneaster | BS | 0.80 | G2 | 4-6 | 7-8 | | 0.73 | 6 |
| <i>Cotoneaster dammeri</i> Bearberry Cotoneaster | BS | 0.82 | G2 | 4-6 | 7-8 | | 0.73 | 5 |
| <i>Cotoneaster dammeri</i> 'Canadian Creeper' See - <i>Cotoneaster dammeri</i> 'Moner' | | | | | | | | |
| <i>Cotoneaster dammeri</i> 'Coral Beauty' Coral Beauty Bearberry Cotoneaster | BS | 0.85 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Cotoneaster dammeri</i> 'Eichholz' Eichholz Bearberry Cotoneaster | BS | 1.00 | G2 | 5-6 | 7-8 | | 0.76 | 5 |
| <i>Cotoneaster dammeri</i> 'Lowfast' Lowfast Bearberry Cotoneaster | BS | 0.81 | G2 | 5-6 | 7-8 | | 0.73 | 5 |
| <i>Cotoneaster dammeri</i> 'Moner' Canadian Creeper™ Bearberry Cotoneaster | BS | 1.06 | G2 | 5-6 | 7-8 | | 0.76 | 5 |
| <i>Cotoneaster dammeri</i> 'Mooncreeper' Mooncreeper Bearberry Cotoneaster | BS | 0.83 | G2 | 5-6 | 7-8 | | 0.76 | 5 |
| <i>Cotoneaster dammeri</i> 'Royal Beauty' Royal Beauty Bearberry Cotoneaster | BS | 1.05 | G2 | 5-6 | 7-8 | | 0.76 | 5 |
| <i>Cotoneaster dammeri</i> 'Skogsholmen' Christmas Carpet Bearberry Cotoneaster | BS | 1.12 | G2 | 5-6 | 7-8 | | 0.76 | 5 |
| <i>Cotoneaster dammeri</i> 'Streibs Finding' Streibs finding Bearberry Cotoneaster | BS | 0.95 | G2 | 5-6 | 7-8 | | 0.73 | 5 |
| <i>Cotoneaster dammeri</i> 'Walters Canadian' Walters Canadian Bearberry Cotoneaster | BS | 0.94 | G2 | 5-6 | 7-8 | | 0.76 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Cotoneaster divaricatus</i> Spreading Cotoneaster | BS | 0.90 | G2 | 4-5 | 6-7 | | 0.53 | 5 |
| <i>Cotoneaster franchetii</i> Franchet Cotoneaster | BS | 0.84 | G2 | 6 | 7-8 | | 0.73 | 6 |
| <i>Cotoneaster frigidus</i> Himalayan Cotoneaster | BS | 0.80 | G2 | 4-7 | 8-9 | | 1.00 | 7 |
| <i>Cotoneaster glaucophyllus</i> Grayleaf Cotoneaster | BS | 0.79 | G2 | 4-7 | 8-9 | | 1.00 | 7 |
| <i>Cotoneaster hjelmquistii</i> Hjelmquist Cotoneaster | BS | 0.91 | G2 | 5-6 | 7-8 | | 1.00 | 4 |
| <i>Cotoneaster horizontalis</i> Rock Cotoneaster | BS | 0.85 | G2 | 5-6 | 7-8 | | 0.64 | 4 |
| <i>Cotoneaster horizontalis</i> 'Minor' Minor Rock Cotoneaster | BS | 1.02 | G2 | 5-6 | 7-8 | | 0.65 | 4 |
| <i>Cotoneaster horizontalis</i> 'Perpusillus' Perpusillus Rock Cotoneaster | BS | 1.08 | G2 | 5-6 | 7-8 | | 0.66 | 4 |
| <i>Cotoneaster horizontalis</i> 'Variegatus' Variegated Rock Cotoneaster | BS | 1.13 | G2 | 5-6 | 7-8 | | 0.65 | 4 |
| <i>Cotoneaster ignavus</i> Turkestan Cotoneaster | DS | 0.95 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Cotoneaster integerrimus</i> European Cotoneaster | BS | 1.00 | G2 | 4-5 | 6-8 | | 1.00 | 3 |
| <i>Cotoneaster lacteus</i> Parney Cotoneaster | BS | 0.77 | G2 | 4-6 | 7-8 | | 0.73 | 6 |
| <i>Cotoneaster linearifolius</i> No Common Name Found | BS | 0.89 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Cotoneaster lucidus</i> Hedge Cotoneaster | BS | 1.01 | G2 | 4-5 | 6-8 | | 0.45 | 3 |
| <i>Cotoneaster microphyllus</i> Little-leaf Cotoneaster | BS | 0.82 | G2 | 4-5 | 6-8 | | 0.73 | 5 |
| <i>Cotoneaster microphyllus</i> 'Cooperi' Cooper Little-leaf Cotoneaster | BS | 0.79 | G2 | 4-5 | 6-8 | | 1.83 | 5 |
| <i>Cotoneaster microphyllus</i> 'Emerald Spray' Emerald Spray Little-leaf Cotoneaster | BS | 0.65 | G2 | 4-5 | 6-8 | | 1.28 | 5 |
| <i>Cotoneaster microphyllus</i> var. <i>thymifolius</i> See - <i>Cotoneaster linearifolius</i> | | | | | | | | |
| <i>Cotoneaster multiflorus</i> Many-Flowered Cotoneaster | BS | 1.00 | G2 | 4-5 | 6-8 | | 0.64 | 5 |
| <i>Cotoneaster nanshan</i> No Common Name Found | BS | 1.14 | G2 | 4-5 | 6-8 | | 0.73 | 5 |
| <i>Cotoneaster pannosus</i> var. <i>nanus</i> Dwarf Silverleaf Cotoneaster | BS | 0.83 | G2 | 4-7 | 8-9 | | 1.00 | 7 |
| <i>Cotoneaster parneyi</i> See - <i>Cotoneaster lacteus</i> | | | | | | | | |
| <i>Cotoneaster racemiflorus</i> Redbead Cotoneaster | BS | 1.00 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Cotoneaster racemiflorus</i> var. <i>songaricus</i> Sungari Redbead Cotoneaster | BS | 1.00 | G2 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Cotoneaster salicifolius</i> Willowleaf Cotoneaster | BS | 0.85 | G2 | 5-6 | 7-8 | | 0.52 | 6 |
| <i>Cotoneaster salicifolius</i> 'Autumn Fire' Autumn Fire Willowleaf Cotoneaster | BS | 0.90 | G2 | 6 | 7-8 | | 0.72 | 6 |
| <i>Cotoneaster salicifolius</i> 'Emerald Carpet' Emerald Carpet Willowleaf Cotoneaster | BS | 0.90 | G2 | 6 | 7-8 | | 0.72 | 6 |
| <i>Cotoneaster salicifolius</i> 'Gnom' Gnom Willowleaf Cotoneaster | BS | 0.88 | G2 | 6 | 7-8 | | 0.72 | 6 |
| <i>Cotoneaster salicifolius</i> 'Repens' Creeping Willowleaf Cotoneaster | BS | 0.88 | G2 | 6 | 7-8 | | 0.73 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Cotoneaster salicifolius</i> 'Scarlet Leader' Scarlet Leader Willowleaf Cotoneaster | BS | 0.97 | G2 | 6 | 7-8 | | 0.90 | 6 |
| <i>Cotula minor</i> See - <i>Leptinella minor</i> | | | | | | | | |
| <i>Cotula perpusilla</i> See - <i>Leptinella pusilla</i> | | | | | | | | |
| <i>Cotula pyrethrifolia</i> See - <i>Leptinella pyrethrifolia</i> | | | | | | | | |
| <i>Cotula squalida</i> See - <i>Leptinella squalida</i> | | | | | | | | |
| <i>Cotyledon simplicifolia</i> See - <i>Chiastophyllum oppositifolium</i> | | | | | | | | |
| <i>Couroupita guianensis</i> Cannonball Tree | BE | 1.19 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Cowania mexicana</i> Cliff Rose | BS | 1.04 | G2 | 8-9 | 10A | | 1.00 | 4 |
| <i>Crambe cordifolia</i> Colewort | HP | 1.41 | G4 | 6 | 7-8 | | | |
| <i>Crambe maritima</i> Sea Kale | HP | 1.21 | G4 | 4-5 | 6-8 | | | |
| <i>Craspedia globosa</i> Drumsticks | HP | 0.91 | G4 | 7-8 | 9-10A | | | |
| <i>Crassula argentea</i> See - <i>Crassula ovata</i> | | | | | | | | |
| <i>Crassula milfordiae</i> No Common Name Found | HP | 1.00 | G3 | 8-10B | 11 | | | |
| <i>Crassula milfordiae</i> 'Silver Stars' Silver Stars Crassula | HP | 1.00 | G3 | 8-10B | 11 | | | |
| <i>Crassula ovata</i> Jade Tree | FO | 0.74 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Crassula ovata</i> 'Crosby' Crosby Jade Tree | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Crataegus</i> Hawthorn | DT | 1.00 | G2 | 4-5 | 6-9 | 0.89 | 1.00 | 4 |
| <i>Crataegus</i> 'Hooks' Hooks Hybrid Hawthorn | DT | 1.00 | G2 | 4-5 | 6-9 | 0.70 | 1.00 | 4 |
| <i>Crataegus</i> 'Vaughn' Vaughn Hybrid Hawthorn | DT | 1.00 | G2 | 4-5 | 6-9 | 1.07 | 1.00 | 4 |
| <i>Crataegus aestivalis</i> Eastern Mayhaw | DT | 0.79 | G2 | 4-6 | 7-9 | 1.00 | 1.00 | 6 |
| <i>Crataegus ambigua</i> Russian Hawthorn | DT | 1.32 | G2 | 4-5 | 6-9 | 1.55 | 2.71 | 4 |
| <i>Crataegus apiifolia</i> Parsley-leaved Hawthorn | DT | 0.59 | G2 | 6-7 | 8-10A | 1.00 | 1.06 | 7 |
| <i>Crataegus carrierei</i> See - <i>Crataegus x.lavallei</i> 'Carrierei' | | | | | | | | |
| <i>Crataegus cordata</i> See - <i>Crataegus phaenopyrum</i> | | | | | | | | |
| <i>Crataegus crus-galli</i> Cockspur Hawthorn | DT | 1.04 | G2 | 4-5 | 6-9 | 1.19 | 1.41 | 4 |
| <i>Crataegus crus-galli</i> var. <i>inermis</i> Thornless Cockspur Hawthorn | DT | 1.14 | G2 | 4-5 | 6-9 | 1.21 | 1.97 | 4 |
| <i>Crataegus crus-galli</i> var. <i>inermis</i> 'Crusader' See - <i>Crataegus crus-galli</i> var. <i>inermis</i> 'Cruzam' | | | | | | | | |
| <i>Crataegus crus-galli</i> var. <i>inermis</i> 'Cruzam' Crusader® Thornless Cockspur Hawthorn | DT | 1.39 | G2 | 4-5 | 6-9 | 0.95 | 1.25 | 4 |
| <i>Crataegus cuneata</i> Nippon Hawthorn | DS | 1.00 | G2 | 4-6 | 7-9 | | 1.00 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Crataegus douglasii</i> Douglas Hawthorn | DT | 0.96 | G2 | 4-5 | 6-7 | 0.93 | 2.88 | 3 |
| <i>Crataegus flava</i> Summer Hawthorn | DT | 0.64 | G2 | 4-6 | 7-9 | 1.00 | 1.00 | 6 |
| <i>Crataegus laevigata</i> English Hawthorn | DT | 0.97 | G2 | 4-5 | 6-9 | 1.31 | 0.38 | 4 |
| <i>Crataegus laevigata</i> 'Aurea' Goldfruit English Hawthorn | DT | 1.02 | G2 | 4-5 | 6-9 | 1.08 | 0.38 | 4 |
| <i>Crataegus laevigata</i> 'Autumn Glory' Autumn Glory English Hawthorn | DT | 1.02 | G2 | 4-5 | 6-9 | 0.71 | 0.52 | 4 |
| <i>Crataegus laevigata</i> 'Crimson Cloud' See - <i>Crataegus laevigata</i> 'Superba' P.P. 2679 | | | | | | | | |
| <i>Crataegus laevigata</i> 'Paul's Scarlet' Paul's Scarlet English Hawthorn | DT | 0.97 | G2 | 4-5 | 6-9 | 1.00 | 0.16 | 4 |
| <i>Crataegus laevigata</i> 'Plena' Doublewhite English Hawthorn | DT | 1.02 | G2 | 4-5 | 6-9 | 1.08 | 0.38 | 4 |
| <i>Crataegus laevigata</i> 'Rosea Flore Pleno' Doublepink English Hawthorn | DT | 1.02 | G2 | 4-5 | 6-9 | 1.08 | 0.38 | 4 |
| <i>Crataegus laevigata</i> 'Rosea' Pink English Hawthorn | DT | 1.02 | G2 | 4-5 | 6-9 | 1.08 | 0.38 | 4 |
| <i>Crataegus laevigata</i> 'Superba' P.P. 2679 Crimson Cloud English Hawthorn | DT | 1.11 | G2 | 4-5 | 6-9 | 1.28 | 0.46 | 4 |
| <i>Crataegus xlavallei</i> Lavalle Hawthorn | DT | 0.91 | G2 | 4-5 | 6-9 | 1.15 | 1.17 | 5 |
| <i>Crataegus xlavallei</i> 'Carrierei' Carriere Lavalle Hawthorn | DT | 1.52 | G2 | 4-5 | 6-9 | 1.20 | 0.17 | 5 |
| <i>Crataegus marshallii</i> See - <i>Crataegus apiifolia</i> | | | | | | | | |
| <i>Crataegus mollis</i> Downy Hawthorn | DT | 0.81 | G2 | 4-5 | 6-9 | 1.19 | 1.75 | 3 |
| <i>Crataegus monogyna</i> Singleseed Hawthorn | DT | 1.00 | G2 | 4-5 | 6-9 | 1.00 | 1.00 | 5 |
| <i>Crataegus monogyna</i> 'Flexuosa' Contorted Singleseed Hawthorn | DT | 1.00 | G2 | 4-5 | 6-9 | 1.00 | 1.00 | 5 |
| <i>Crataegus xmordenensis</i> Morden Hawthorn | DT | 1.35 | G2 | 4-5 | 6-7 | 1.31 | 1.38 | 4 |
| <i>Crataegus xmordenensis</i> 'Snowbird' C.O.P.F. Snowbird Hawthorn | DT | 1.25 | G2 | 4-5 | 6-7 | 1.34 | 1.38 | 4 |
| <i>Crataegus xmordenensis</i> 'Toba' Toba Hawthorn | DT | 1.44 | G2 | 4-5 | 6-7 | 1.28 | 1.38 | 4 |
| <i>Crataegus nitida</i> Glossy Hawthorn | DT | 1.00 | G2 | 4-5 | 6-9 | 1.00 | 1.00 | 4 |
| <i>Crataegus opaca</i> Western Mayhaw | DT | 0.52 | G2 | 4-5 | 6-9 | 1.00 | 0.76 | 4 |
| <i>Crataegus oxycantha</i> See - <i>Crataegus laevigata</i> | | | | | | | | |
| <i>Crataegus pedicellata</i> Scarlet Hawthorn | DT | 1.00 | G2 | 4-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Crataegus persimilis</i> Plum Leaf Hawthorn | DT | 1.00 | G2 | 4-5 | 6-7 | 1.00 | 1.63 | 5 |
| <i>Crataegus phaenopyrum</i> Washington Hawthorn | DT | 0.91 | G2 | 4-5 | 6-9 | 1.04 | 1.03 | 4 |
| <i>Crataegus phaenopyrum</i> 'Clark' Clark Washington Hawthorn | DT | 0.91 | G2 | 4-5 | 6-9 | 0.61 | 1.03 | 4 |
| <i>Crataegus phaenopyrum</i> 'PNI 1661' Princeton Sentry® Washington Hawthorn | DT | 0.91 | G2 | 4-5 | 6-9 | 0.83 | 1.03 | 4 |
| <i>Crataegus phaenopyrum</i> 'Princeton Sentry' See - <i>Crataegus phaenopyrum</i> 'PNI 1661' | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Crataegus phaenopyrum</i> 'Wide Crown' Wide Crown Washington Hawthorn | DT | 0.91 | G2 | 4-5 | 6-9 | 0.83 | 1.03 | 4 |
| <i>Crataegus x prunifolia</i> See - <i>Crataegus persimilis</i> | | | | | | | | |
| <i>Crataegus punctata</i> Thicket Hawthorn | DT | 1.00 | G2 | 3-4 | 5-8 | 1.18 | 1.58 | 4 |
| <i>Crataegus punctata</i> 'Ohio Pioneer' Ohio Pioneer Thicket Hawthorn | DT | 1.00 | G2 | 3-4 | 5-8 | 1.18 | 1.58 | 4 |
| <i>Crataegus rivularis</i> See - <i>Crataegus douglasii</i> | | | | | | | | |
| <i>Crataegus rufula</i> Rufous Mayhaw | DT | 0.56 | G2 | 4-6 | 7-9 | 1.00 | 1.00 | 6 |
| <i>Crataegus succulenta</i> Fleshy Hawthorn | DT | 0.73 | G2 | 3-4 | 5-8 | 1.00 | 2.74 | 4 |
| <i>Crataegus viridis</i> Green Hawthorn | DT | 0.83 | G2 | 4-5 | 6-9 | 0.97 | 1.34 | 5 |
| <i>Crataegus viridis</i> 'Winter King' Winter King Green Hawthorn | DT | 0.94 | G2 | 4-5 | 6-9 | 0.93 | 1.24 | 5 |
| <i>Crescentia cujete</i> Calabash Tree | BE | 1.20 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Crinodendron hookerianum</i> Chilean Lantern Tree | BS | 1.03 | G1 | 9-10A | 10B-11 | | 1.00 | 8 |
| <i>Crinum</i> No Common Name Found | HP | 1.13 | G4 | 8 | 9-11 | | | |
| <i>Crinum</i> 'Ellen Bosanquet' Ellen Bosanquet Crinum | HP | 1.13 | G4 | 8 | 9-11 | | | |
| <i>Crinum amabile</i> Giant Spider Lily | HP | 1.40 | G4 | 8 | 9-11 | | | |
| <i>Crinum americanum</i> Southern Swamp Crinum | HP | 0.83 | G4 | 8 | 9-11 | | | |
| <i>Crinum asiaticum</i> Poison Bulb | HP | 0.90 | G4 | 8 | 9-11 | | | |
| <i>Crinum asiaticum</i> var. <i>procerum</i> No Common Name Found | HP | 1.38 | G4 | 8 | 9-11 | | | |
| <i>Crinum asiaticum</i> var. <i>procerum</i> 'Splendens' Splendens Crinum | HP | 1.38 | G4 | 8 | 9-11 | | | |
| <i>Crinum augustum</i> No Common Name Found | HP | 1.30 | G4 | 8 | 9-11 | | | |
| <i>Crinum augustum</i> 'Queen Emma' Queen Emma Crinum | HP | 1.10 | G4 | 8 | 9-11 | | | |
| <i>Crinum bulbispermum</i> Jamaican Crinum | HP | 1.04 | G4 | 8 | 9-11 | | | |
| <i>Crinum xgowenii</i> Cemetery Lily | HP | 1.72 | G4 | 8 | 9-11 | | | |
| <i>Crinum jagus</i> St. Christopher Lily | HP | 0.86 | G4 | 8 | 9-11 | | | |
| <i>Crinum moorei</i> Long Neck Crinum | HP | 1.01 | G4 | 6-8 | 9 | | | |
| <i>Crinum xpowellii</i> Powell's Swamp Lily | HP | 1.07 | G4 | 8 | 9-11 | | | |
| <i>Crinum xpowellii</i> 'Album' White Powell's Swamp Lily | HP | 0.78 | G4 | 8 | 9-11 | | | |
| <i>Crinum scabrum</i> See - <i>Crinum zeylanicum</i> | | | | | | | | |
| <i>Crinum zeylanicum</i> Milk-and-Wine Lily | HP | 1.09 | G4 | 8 | 9-11 | | | |
| <i>Crocasmia</i> Hybrid Montbretia | HP | 0.59 | G4 | 8 | 9-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Crocosmia</i> 'Bressingham Beacon' Bressingham Beacon Montbretia | HP | 1.07 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia</i> 'Citronella' Citronella Montbretia | HP | 0.72 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia</i> 'Emberglow' Emberglow Montbretia | HP | 1.13 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia</i> 'Emily McKenzie' Emily McKenzie Hybrid Montbretia | HP | 1.04 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia</i> 'George Davidson' George Davidson Hybrid Montbretia | HP | 1.07 | G4 | 6-8 | 9-11 | | | |
| <i>Crocosmia</i> 'James Coey' James Coey Montbretia | HP | 0.78 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia</i> 'Jenny Bloom' Jenny Bloom Montbretia | HP | 0.70 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia</i> 'Jupiter' Jupiter Montbretia | HP | 0.87 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia</i> 'Lucifer' Lucifer Montbretia | HP | 0.96 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia</i> 'Miss Myrtle' Miss Myrtle Montbretia | HP | 0.71 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia</i> 'Norwich Canary' Norwich Canary Montbretia | HP | 0.98 | G4 | 6-7 | 8-11 | | | |
| <i>Crocosmia</i> 'Orangerot' Orangerot Montbretia | HP | 0.70 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia</i> 'Plaisir' Plaisir Canary Montbretia | HP | 0.99 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia</i> 'Spitfire' Spitfire Montbretia | HP | 0.88 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia</i> 'Venus' Venus Montbretia | HP | 0.85 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia x crocosmiiflora</i> No Common Name Found | HP | 0.82 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia x crocosmiiflora</i> 'Queen Alexandra' Queen Alexandra Montbretia | HP | 0.99 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia masoniorum</i> Golden Swan Montbretia | HP | 0.90 | G4 | 7 | 8-11 | | | |
| <i>Crocosmia pottsii</i> Pott's Coppertip | HP | 1.00 | G4 | 7 | 8-11 | | | |
| <i>Crossandra infundibuliformis</i> Firecracker Flower | FO | 0.44 | G3 | 7-10 | 11 | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Florida Flame' Florida Flame Firecracker Flower | FO | 0.32 | G3 | 7-10 | 11 | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Florida Passion' Florida Passion Firecracker Flower | BS | 0.65 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Florida Summer' Florida Summer Firecracker Flower | BS | 0.62 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Florida Sunset' Florida Sunset Firecracker Flower | FO | 0.34 | G3 | 7-10 | 11 | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Florida Twilight' Florida Twilight Firecracker Flower | FO | 0.57 | G3 | 7-10 | 11 | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Mona Walhead' Mona Walhead Firecracker Flower | BS | 0.47 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Tropic Flame' Tropic Flame Firecracker Flower | FO | 0.26 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Tropic Yellow Splash' Tropic Yellow Splash Firecracker Flower | FO | 0.28 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Crotalaria agatiflora</i> Canary-Bird Bush | BS | 0.81 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Crotalaria retusa</i> Rattle Box | BS | 1.00 | G4 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Crowea exalata</i> No Common Name Found | BS | 0.73 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Cryosophila argentea</i> Silver Rootspine Palm | PC | 1.68 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Cryptanthus</i> Earth Star | HP | 1.36 | G4 | 8-10B | 11 | | | |
| <i>Cryptanthus</i> 'Black Mystic' Black Mystic Earth Star | HP | 1.36 | G3 | 8-10B | 11 | | | |
| <i>Cryptanthus</i> 'Elaine' Elaine Earth Star | HP | 1.36 | G3 | 8-10B | 11 | | | |
| <i>Cryptocereus anthonyanus</i> See - <i>Selenicereus anthonyanus</i> | | | | | | | | |
| <i>Cryptomeria japonica</i> Japanese Cedar | CE | 0.70 | G2 | 5-6 | 7-9 | 3.14 | 1.32 | 6 |
| <i>Cryptomeria japonica</i> 'Bandai-tsugi' Bandai-tsugi Japanese Cedar | CE | 1.18 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Benjamin Franklin' Benjamin Franklin Japanese Cedar | CE | 1.00 | G2 | 5-6 | 7-11 | 3.14 | 1.12 | 6 |
| <i>Cryptomeria japonica</i> 'Birodo-sugi' Birodo-sugi Japanese Cedar | CE | 1.03 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Black Dragon' Black Dragon Japanese Cedar | CE | 0.91 | G2 | 5-6 | 7-9 | 3.14 | 1.79 | 6 |
| <i>Cryptomeria japonica</i> 'Compressa' Compressa Japanese Cedar | CE | 0.93 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Cristata' Cristata Japanese Cedar | CE | 1.01 | G2 | 5-6 | 7-9 | 3.14 | 1.27 | 6 |
| <i>Cryptomeria japonica</i> 'Elegans Aurea' Elegans Aurea Japanese Cedar | CE | 1.29 | G2 | 5-6 | 7-9 | 3.14 | 1.19 | 6 |
| <i>Cryptomeria japonica</i> 'Elegans Nana' Elegans Nana Japanese Cedar | CE | 0.82 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Elegans' Elegans Japanese Cedar | CE | 0.96 | G2 | 5-6 | 7-9 | 3.14 | 0.78 | 6 |
| <i>Cryptomeria japonica</i> 'Globosa Nana' Globosa Nana Japanese Cedar | CE | 0.66 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Globosa' Globosa Japanese Cedar | CE | 0.60 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Gyokruya' Gyokruya Japanese Cedar | CE | 0.93 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Hino-sugi' Hino-sugi Japanese Cedar | CE | 1.03 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Jindai-sugi' Jindai-sugi Japanese Cedar | CE | 0.94 | G2 | 5-6 | 7-9 | 3.14 | 0.95 | 6 |
| <i>Cryptomeria japonica</i> 'Kilmacurragh' Kilmacurragh Japanese Cedar | CE | 1.57 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Knaptonensis' Knaptonensis Japanese Cedar | CE | 1.40 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Kokuryow' Kokuryow Japanese Cedar | CE | 1.47 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Lobbii Nana' Dwarf Lobbii Japanese Cedar | CE | 0.86 | G2 | 5-6 | 7-9 | 3.14 | 0.86 | 6 |
| <i>Cryptomeria japonica</i> 'Manhismi-sugi' Manhismi-sugi Japanese Cedar | CE | 1.03 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Monstrosa' Monstrosa Japanese Cedar | CE | 1.03 | G2 | 5-6 | 7-9 | 3.14 | 1.67 | 6 |
| <i>Cryptomeria japonica</i> 'Nana' Dwarf Japanese Cedar | CE | 0.69 | G2 | 5-6 | 7-9 | 3.14 | 3.57 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Cryptomeria japonica</i> 'Pygmaea' Pygmy Japanese Cedar | CE | 1.28 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Sekkan-sugi' Sekkan-sugi Japanese Cedar | CE | 0.85 | G2 | 5-6 | 7-9 | 3.14 | 1.02 | 6 |
| <i>Cryptomeria japonica</i> 'Spiralis' Spiral Japanese Cedar | CE | 1.29 | G2 | 5-6 | 7-9 | 3.14 | 1.17 | 6 |
| <i>Cryptomeria japonica</i> 'Spiraliter Falcata' Spiraliter Falcata Japanese Cedar | CE | 1.29 | G2 | 5-6 | 7-8 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Tansu' Tansu Japanese Cedar | CE | 0.97 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Tarheel Blue' Tarheel Blue Japanese Cedar | CE | 0.74 | G2 | 5-6 | 7-9 | 3.14 | 1.12 | 6 |
| <i>Cryptomeria japonica</i> 'Tenzan' Tenzan Japanese Cedar | CE | 1.46 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Vilmoriniana' Vilmoriniana Japanese Cedar | CE | 1.21 | G2 | 5-6 | 7-9 | 3.14 | 1.36 | 6 |
| <i>Cryptomeria japonica</i> 'Yoshino' Yoshino Japanese Cedar | CE | 0.92 | G2 | 5-6 | 7-9 | 3.14 | 1.22 | 6 |
| <i>Cryptostegia grandiflora</i> Rubber Vine | GC | 0.77 | G1 | 10 | 11 | | 1.00 | 10B |
| <i>Cryptostegia madagascariensis</i> Madagascar Rubber Vine | GC | 1.07 | G1 | 10 | 11 | | 1.00 | 10B |
| <i>Cryptotaenia japonica</i> Mitsuba | AN | 1.54 | G4 | 5-6 | 7-10 | | | |
| <i>Cryptotaenia japonica</i> 'Atropurpurea' Purple Mitsuba | AN | 1.54 | G4 | 5-6 | 7-10 | | | |
| <i>Ctenanthe lubbersiana</i> No Common Name Found | FO | 0.67 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Ctenanthe oppenheimiana</i> Giant Bamburanta | FO | 1.15 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Ctenanthe oppenheimiana</i> 'Tricolor' Never-Never Plant | FO | 1.15 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Cuminum cyminum</i> Cumin | AN | 1.00 | G4 | 7-8 | 9-10 | | | |
| <i>Cunninghamia lanceolata</i> Common China Fir | CE | 0.55 | G2 | 6-7 | 8-9 | 1.00 | 0.94 | 7 |
| <i>Cunninghamia lanceolata</i> 'Glauca' Blue China Fir | CE | 1.03 | G2 | 6-7 | 8-9 | 1.00 | 0.94 | 7 |
| <i>Cupaniopsis anacardiopsis</i> Carrotwood | BE | 1.01 | G1 | 10 | 11 | 1.00 | 0.44 | 10B |
| <i>Cuphea</i> Cigar Plant | HP | 0.91 | G4 | 6-10 | 11 | | | |
| <i>Cuphea</i> 'Starfire' Starfire Cigar Plant | HP | 0.91 | G4 | 6-10 | 11 | | | |
| <i>Cuphea hyssopifolia</i> False Heather | HP | 0.69 | G4 | 6-10 | 11 | | | |
| <i>Cuphea hyssopifolia</i> 'Alba' White False Heather | HP | 0.58 | G4 | 8-10 | 11 | | | |
| <i>Cuphea hyssopifolia</i> 'Allyson' Allyson False Heather | HP | 0.63 | G4 | 8-10 | 11 | | | |
| <i>Cuphea hyssopifolia</i> 'Compacta' Dwarf False Heather | HP | 0.75 | G4 | 8-10 | 11 | | | |
| <i>Cuphea hyssopifolia</i> 'David Verity' David Verity False Heather | HP | 0.80 | G4 | 8-10 | 11 | | | |
| <i>Cuphea hyssopifolia</i> 'Itsy Bitsy Lilac' See - <i>Cuphea hyssopifolia</i> 'Monshi' | | | | | | | | |
| <i>Cuphea hyssopifolia</i> 'Itsy Bitsy White' See - <i>Cuphea hyssopifolia</i> 'Monga' | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Cuphea hyssopifolia</i> 'Lavender Lace' Lavender Lace False Heather | HP | 0.91 | G4 | 8-10 | 11 | | | |
| <i>Cuphea hyssopifolia</i> 'Monga' Itsy Bitsy™ White False Heather | HP | 1.24 | G4 | 8-9 | 10-11 | | | |
| <i>Cuphea hyssopifolia</i> 'Monshi' Itsy Bitsy™ Lilac False Heather | HP | 1.24 | G4 | 8-9 | 10-11 | | | |
| <i>Cuphea hyssopifolia</i> 'Rosea' Rose False Heather | HP | 0.88 | G4 | 8-10 | 11 | | | |
| <i>Cuphea hyssopifolia</i> 'White Whispers' White Whispers False Heather | HP | 0.69 | G4 | 8-10 | 11 | | | |
| <i>Cuphea ignea</i> Cigar Plant | HP | 0.65 | G4 | 8-9B | 10A-11 | | | |
| <i>Cuphea llavea</i> Bat-faced Cuphea | HP | 0.67 | G4 | 8-10 | 11 | | | |
| <i>Cuphea melvilla</i> Candy Corn Flower | HP | 0.53 | G4 | 8-10 | 11 | | | |
| <i>Cuphea micropetala</i> No Common Name Found | HP | 0.65 | G4 | 8-10 | 11 | | | |
| <i>Cuphea platycentra</i> See - <i>Cuphea ignea</i> | | | | | | | | |
| <i>Cuphea x purpurea</i> No Common Name Found | HP | 0.78 | G4 | 8-9B | 10A-11 | | | |
| <i>Cuphea x purpurea</i> 'Firefly' Firefly Hybrid Cuphea | HP | 0.78 | G4 | 8-9B | 10A-11 | | | |
| <i>Cuphea salvadorensis</i> Salvadorean Heather | HP | 0.63 | G4 | 8-9B | 10A-11 | | | |
| <i>Cuphea varia</i> No Common Name Found | HP | 0.65 | G4 | 8-9B | 10A-11 | | | |
| <i>x Cupressocyparis leylandii</i> Leyland Cypress | CE | 0.79 | G2 | 6 | 7-9 | 0.73 | 0.70 | 6 |
| <i>x Cupressocyparis leylandii</i> 'Castlewellan Gold' Gold Leyland Cypress | CE | 0.88 | G2 | 6 | 7-9 | 0.73 | 0.88 | 6 |
| <i>x Cupressocyparis leylandii</i> 'Emerald Isle' See - <i>x Cupressocyparis leylandii</i> 'Moncal' | | | | | | | | |
| <i>x Cupressocyparis leylandii</i> 'Golconda' Golconda Leyland Cypress | CE | 1.14 | G2 | 6 | 7-9B | 0.73 | 0.73 | 6 |
| <i>x Cupressocyparis leylandii</i> 'Gold Cup' Gold Cup Leyland Cypress | CE | 0.45 | G2 | 6 | 7-9 | 0.73 | 0.73 | 6 |
| <i>x Cupressocyparis leylandii</i> 'Gold Rider' Gold Rider Leyland Cypress | CE | 0.79 | G2 | 5-6 | 7-9 | 0.73 | 0.73 | 6 |
| <i>x Cupressocyparis leylandii</i> 'Grelive' P.P. 11217 Irish Mint™ Leyland Cypress | CE | 0.75 | G2 | 6 | 7-9 | 0.73 | 0.65 | 6 |
| <i>x Cupressocyparis leylandii</i> 'Harlequin' Harlequin Variegated Leyland Cypress | CE | 0.65 | G2 | 6 | 7-9 | 0.73 | 0.73 | 6 |
| <i>x Cupressocyparis leylandii</i> 'Irish Mint' See - <i>x Cupressocyparis leylandii</i> 'Grelive' P.P. 11217 | | | | | | | | |
| <i>x Cupressocyparis leylandii</i> 'Leighton Green' Leighton Green Leyland Cypress | CE | 0.62 | G2 | 6 | 7-9 | 0.73 | 0.56 | 6 |
| <i>x Cupressocyparis leylandii</i> 'Moncal' Emerald Isle™ Leyland Cypress | CE | 1.13 | G2 | 6 | 7-9 | 0.73 | 0.77 | 6 |
| <i>x Cupressocyparis leylandii</i> 'Naylor's Blue' Naylor's Blue Leyland Cypress | CE | 0.90 | G2 | 6 | 7-9 | 0.73 | 1.00 | 6 |
| <i>x Cupressocyparis leylandii</i> 'Silver Dust' Silver Dust Leyland Cypress | CE | 0.62 | G2 | 6 | 7-9 | 0.73 | 0.58 | 6 |
| <i>x Cupressocyparis leylandii</i> 'Variegata' See - <i>x Cupressocyparis leylandii</i> 'Harlequin' | | | | | | | | |
| <i>Cupressus arizonica</i> Arizona Cypress | CE | 0.82 | G2 | 6-7 | 8-10B | 1.00 | 0.69 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|-------------|------------------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper High/Wide | |
| <i>Cupressus arizonica</i> var. <i>glabra</i> See - <i>Cupressus glabra</i> | | | | | | | |
| <i>Cupressus bakeri</i> Modoc Cypress | CE | 1.16 | G2 | 6 | 7-9B | 1.00 | 1.00 6 |
| <i>Cupressus glabra</i> Smooth-bark Arizona Cypress | CE | 0.88 | G2 | 6-7 | 8-10B | 1.00 | 0.58 7 |
| <i>Cupressus glabra</i> 'Aurea' Gold Arizona Cypress | CE | 0.84 | G2 | 6-7 | 8-10B | 1.00 | 0.87 7 |
| <i>Cupressus glabra</i> 'Blue Ice' Blue Ice Smooth-bark Arizona Cypress | CE | 0.89 | G2 | 6-7 | 8-10B | 1.00 | 0.84 7 |
| <i>Cupressus glabra</i> 'Blue Pyramid' Blue Pyramid Smooth-bark Arizona Cypress | CE | 1.11 | G2 | 6-7 | 8-10B | 1.00 | 0.80 7 |
| <i>Cupressus glabra</i> 'Caroline Sapphire' Caroline Sapphire Smooth-bark Arizona Cypress | CE | 0.85 | G2 | 6-7 | 8-10B | 1.00 | 0.76 7 |
| <i>Cupressus glabra</i> 'Golden Pyramid' Golden Pyramid Smooth-bark Arizona Cypress | CE | 0.99 | G2 | 6-7 | 8-10B | 1.00 | 1.39 7 |
| <i>Cupressus glabra</i> 'Limelight' P.P. 10178 Limelight Smooth-bark Arizona Cypress | CE | 0.54 | G2 | 6-7 | 8-10B | 1.00 | 0.87 7 |
| <i>Cupressus glabra</i> 'Silver Smoke' Silver Smoke Smooth-bark Arizona Cypress | CE | 0.62 | G2 | 6-7 | 8-10B | 1.00 | 0.87 7 |
| <i>Cupressus goveniana</i> Gowen Cypress | CE | 0.69 | G2 | 6-7 | 8-10B | 1.00 | 1.00 7 |
| <i>Cupressus guadalupensis</i> Guadalupe Cypress | CE | 1.00 | G2 | 6-7 | 8-10B | 1.00 | 1.00 7 |
| <i>Cupressus macrocarpa</i> Monterey Cypress | CE | 0.86 | G2 | 6-7 | 8-10B | 1.00 | 1.64 7 |
| <i>Cupressus macrocarpa</i> 'Fine Gold' Fine Gold Monterey Cypress | CE | 1.27 | G2 | 6-7 | 8-10B | 1.00 | 1.64 7 |
| <i>Cupressus macrocarpa</i> 'Goldcrest' Goldcrest Monterey Cypress | CE | 1.27 | G2 | 6-7 | 8-10B | 1.00 | 1.64 7 |
| <i>Cupressus macrocarpa</i> 'Golden Pillar' Golden Pillar Monterey Cypress | CE | 1.11 | G2 | 6-7 | 8-10B | 1.00 | 1.64 7 |
| <i>Cupressus macrocarpa</i> 'Greenstead Magnificent' Greenstead Magnificent Monterey Cypress | CE | 1.84 | G2 | 6-7 | 8-10B | 1.00 | 1.64 7 |
| <i>Cupressus macrocarpa</i> 'Horizontalis Aurea' Horizontalis Aurea Monterey Cypress | CE | 1.27 | G2 | 6-7 | 8-10B | 1.00 | 1.64 7 |
| <i>Cupressus sargentii</i> Sargent Cypress | CE | 1.00 | G2 | 6 | 7-9B | 1.00 | 1.00 6 |
| <i>Cupressus sempervirens</i> Italian Cypress | CE | 0.95 | G2 | 6-7 | 8-10B | 1.00 | 0.97 7 |
| <i>Cupressus sempervirens</i> 'Glauca' Blue Italian Cypress | CE | 0.95 | G2 | 6-7 | 8-10B | 1.00 | 0.43 7 |
| <i>Cupressus sempervirens</i> 'Monshel' P.P. 12933 Tiny Tower™ Italian Cypress | CE | 1.79 | G2 | 6-7 | 8-10B | 1.00 | 0.70 7 |
| <i>Cupressus sempervirens</i> 'Stricta' Stricta Italian Cypress | CE | 0.69 | G2 | 6-7 | 8-10B | 1.00 | 0.70 7 |
| <i>Cupressus sempervirens</i> 'Swane's Golden' P.P. 3839 Swane's Golden Italian Cypress | CE | 1.10 | G2 | 6-7 | 8-10B | 1.00 | 0.70 7 |
| <i>Cupressus sempervirens</i> 'Tiny Tower' See - <i>Cupressus sempervirens</i> 'Monshel' P.P. 12933 | | | | | | | |
| <i>Curculigo capitulata</i> Palm Grass | HP | 1.27 | G4 | 10 | 11 | | |
| <i>Curcuma</i> Hidden Ginger | HP | 1.45 | G4 | 8-9B | 10-11 | | |
| <i>Curcuma</i> 'Amethyst' Amethyst Ginger | HP | 1.61 | G4 | 8-9B | 10-11 | | |
| <i>Curcuma</i> 'Black Thai' Black Thai Ginger | HP | 1.61 | G4 | 8-9B | 10-11 | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Curcuma</i> 'Panama Purple' Panama Purple Ginger | HP | 1.15 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma</i> 'Scarlet Fever' Scarlet Fever Ginger | HP | 1.41 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma alismatifolia</i> Siam Tulip | HP | 1.63 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma alismatifolia</i> 'Chaingmai Pink' Chaingmai Pink Siam Tulip | HP | 1.34 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma aurantiaca</i> Rainbow Curcuma | HP | 1.15 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma australasica</i> Aussie Plume | HP | 1.25 | G3 | 8-9B | 10-11 | | | |
| <i>Curcuma cordata</i> See - <i>Curcuma petiolata</i> | | | | | | | | |
| <i>Curcuma domestica</i> See - <i>Curcuma longa</i> | | | | | | | | |
| <i>Curcuma elata</i> Giant Plume Ginger | HP | 1.15 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma gracillima</i> No Common Name Found | HP | 1.51 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma gracillima</i> 'Candy Cane' Candy Cane Ginger | HP | 1.51 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma inodora</i> No Common Name Found | HP | 1.40 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma longa</i> Turmeric | HP | 1.55 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma petiolata</i> Queen Lily | HP | 1.24 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma petiolata</i> 'Emperor' Emperor Queen Lily | HP | 1.49 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma petiolata</i> 'Jewel of Thailand' Jewel of Thailand Queen Lily | HP | 1.61 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma roscoeana</i> Jewel of Burma | HP | 1.19 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma sumatrana</i> Olena Ginger | HP | 1.00 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma thorelii</i> No Common Name Found | HP | 1.61 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma thorelii</i> 'Chiang Mai Snow' Chiang Mai Snow Ginger | HP | 1.32 | G4 | 8-9B | 10-11 | | | |
| <i>Curcuma zedoaria</i> Zedoary | HP | 1.04 | G4 | 8-9B | 10-11 | | | |
| <i>Cyathea australis</i> Rough Tree Fern | FO | 0.79 | G4 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Cyathea cooperi</i> Australian Tree Fern | FO | 0.85 | G3 | 8-9B | 10-11 | | 1.00 | 9 |
| <i>Cyathea cooperi</i> 'Brentwood' Brentwood Australian Tree Fern | FO | 0.88 | G3 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Cybistax chrysea</i> No Common Name Found | DT | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Cybistax donnell-smithii</i> Primavera | DT | 1.19 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Cycas circinalis</i> False Sago | PC | 1.75 | G1 | 9-10 | 11 | | 1.40 | 10 |
| <i>Cycas media</i> Nut Palm | PC | 0.72 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Cycas megacarpa</i> No Common Name Found | PC | 0.72 | G1 | 10 | 11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cycas panzhihuanensis</i> No Common Name Found | PC | 1.00 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Cycas revoluta</i> King Sago Palm | PC | 1.27 | G2 | 8-9 | 10-11 | | 2.18 | 9 |
| <i>Cycas rumphii</i> Queen Sago | PC | 1.53 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Cycas taitungensis</i> Emperor Sago Palm | PC | 1.03 | G2 | 8 | 9-11 | | 2.48 | 8 |
| <i>Cycas taiwaniana</i> See - <i>Cycas taitungensis</i> | | | | | | | | |
| <i>Cyclamen cilicium</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Cyclamen hederifolium</i> Hardy Cyclamen | HP | 1.58 | G4 | 5-6 | 7-8 | | | |
| <i>Cyclamen hederifolium</i> 'Alba' White Hardy Cyclamen | HP | 1.58 | G4 | 5-6 | 7-8 | | | |
| <i>Cyclamen neapolitanum</i> See - <i>Cyclamen hederifolium</i> | | | | | | | | |
| <i>Cyclamen persicum</i> Florist's Cyclamen | HP | 1.47 | G4 | 5-9 | 10 | | | |
| <i>Cyclamen persicum</i> 'High Sierra' High Sierra Florist Cyclamen | HP | 1.47 | G4 | 5-9 | 10 | | | |
| <i>Cyclamen repandum</i> No Common Name Found | HP | 1.00 | G4 | 5-7 | 8-9 | | | |
| <i>Cydista aequinoctialis</i> Garlic-scented Vine | GC | 0.76 | G1 | 10 | 11 | | 1.00 | 7 |
| <i>Cydonia japonica</i> See - <i>Chaenomeles japonica</i> | | | | | | | | |
| <i>Cydonia oblonga</i> Common Quince | FN | 1.00 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 4 |
| <i>Cydonia sinensis</i> See - <i>Pseudocydonia sinensis</i> | | | | | | | | |
| <i>Cymbalaria aequitriloba</i> Toadflax Basket Ivy | HP | 0.48 | G4 | 7 | 8-9B | | | |
| <i>Cymbalaria muralis</i> Kenilworth Ivy | HP | 0.73 | G4 | 3-5 | 6-8 | | | |
| <i>Cymbalaria muralis</i> 'Nana Alba' Compact White Kenilworth Ivy | HP | 0.73 | G4 | 3-5 | 6-8 | | | |
| <i>Cymbalaria muralis</i> var. <i>compacta</i> Compact Kenilworth Ivy | HP | 0.72 | G4 | 3-5 | 6-8 | | | |
| <i>Cymbidium</i> Cymbidium Hybrid Orchid | FO | 3.41 | G3 | 8-9B | 10 | | 1.00 | 9 |
| <i>Cymbopogon citratus</i> Lemon Grass | HP | 0.94 | G4 | 7-9 | 10-11 | | | |
| <i>Cymbopogon flexuosus</i> Malabar Oil | HP | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Cymbopogon nardus</i> Citronella Grass | HP | 0.53 | G4 | 9 | 10-11 | | | |
| <i>Cynara cardunculus</i> Cardoon | HP | 1.04 | G4 | 6-7 | 8-10A | | | |
| <i>Cynara scolymus</i> Globe Artichoke | HP | 0.96 | G4 | 6-7 | 8-10A | | | |
| <i>Cynara scolymus</i> 'Improved Green Globe' Improved Green Globe Artichoke | HP | 1.23 | G4 | 5-6 | 7-10A | | | |
| <i>Cypella coelestis</i> Goblet Flower | HP | 0.99 | G3 | 8-11 | | | | |
| <i>Cypella plumbea</i> See - <i>Cypella coelestis</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Cyperus albostratus</i> Broadleaf Umbrella Plant | HP | 1.27 | G4 | 8-9 | 10-11 | | | |
| <i>Cyperus albostratus</i> 'Variegatus' Variegated Broadleaf Umbrella Plant | HP | 1.27 | G4 | 8-9 | 10-11 | | | |
| <i>Cyperus alternifolius</i> Umbrella Plant | HP | 0.92 | G4 | 8-9 | 10-11 | | | |
| <i>Cyperus alternifolius</i> 'Nanus' Dwarf Umbrella Plant | HP | 0.94 | G4 | 8-9 | 10-11 | | | |
| <i>Cyperus flabelliformis</i> See - <i>Cyperus involucratus</i> | | | | | | | | |
| <i>Cyperus haspan</i> No Common Name Found | HP | 1.17 | G4 | 7-9 | 10A | | | |
| <i>Cyperus involucratus</i> No Common Name Found | HP | 0.78 | G4 | 9 | 10-11 | | | |
| <i>Cyperus isocladius</i> See - <i>Cyperus profler</i> | | | | | | | | |
| <i>Cyperus longus</i> Galingale | HP | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Cyperus papyrus</i> Papyrus | HP | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Cyperus profler</i> Dwarf Papyrus | HP | 0.96 | G4 | 8-9 | 10-11 | | | |
| <i>Cypripedium acaule</i> Slipper Orchid | FO | 0.76 | G3 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Cyrilla arida</i> No Common Name Found | BE | 0.68 | G2 | 5-8 | 9-10A | 1.00 | 1.00 | 8 |
| <i>Cyrilla parviflora</i> See - <i>Cyrilla racemiflora</i> | | | | | | | | |
| <i>Cyrilla racemiflora</i> Leatherwood | BE | 0.72 | G2 | 5-7 | 8-10A | 1.00 | 0.74 | 5 |
| <i>Cyrilla racemiflora</i> 'Kristi' Kristi Leatherwood | BE | 0.69 | G2 | 5-7 | 8-10A | 1.00 | 0.74 | 5 |
| <i>Cyrtanthus brachyscyphus</i> Dobo Lily | HP | 0.99 | G4 | 9-10 | 11 | | | |
| <i>Cyrtanthus elatus</i> George Lily | HP | 0.82 | G4 | 9-10 | 11 | | | |
| <i>Cyrtanthus mackenii</i> var. <i>cooperi</i> Cooper Ifafa Lily | HP | 0.99 | G4 | 9 | 10-11 | | | |
| <i>Cyrtanthus purpureus</i> See - <i>Cyrtanthus elatus</i> | | | | | | | | |
| <i>Cyrtomium caryotideum</i> Fishtail Holly Fern | FO | 1.00 | G4 | 8 | 9-11 | | 1.00 | 6 |
| <i>Cyrtomium falcatum</i> Holly Fern | FO | 0.53 | G4 | 8 | 9-11 | | 1.25 | 6 |
| <i>Cyrtomium falcatum</i> 'Rochfordianum' Rochford Holly Fern | FO | 0.74 | G4 | 8-9A | 9B-11 | | 1.25 | 6 |
| <i>Cyrtomium fortunei</i> Fortunei Holly Fern | HP | 0.95 | G4 | 6 | 7-8 | | | |
| <i>Cyrtomium macrophyllum</i> Big-leaf Holly Fern | HP | 0.94 | G4 | 6-7 | 8-9 | | | |
| <i>Cyrtostachys lakka</i> Sealing Wax Palm | PC | 5.11 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Cyrtostachys renda</i> See - <i>Cyrtostachys lakka</i> | | | | | | | | |
| <i>Cystopteris bulbifera</i> Bulblet Fern | HP | 1.25 | G4 | 5-6 | 7-8 | | | |
| <i>Cytisus canariensis</i> See - <i>Genista canariensis</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cytisus x kewensis</i> Kew Broom | BS | 0.77 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Cytisus xpraecox</i> Warminster Broom | DS | 0.90 | G2 | 5-6 | 7-9 | | 1.19 | 5 |
| <i>Cytisus xpraecox</i> 'Allgold' Allgold Warminster Broom | DS | 1.03 | G2 | 5-6 | 7-9 | | 1.19 | 5 |
| <i>Cytisus xpraecox</i> 'Hollandia' Holland Warminster Broom | DS | 1.00 | G2 | 5-6 | 7-9 | | 1.19 | 5 |
| <i>Cytisus purgans</i> Provence Broom | DS | 1.00 | G2 | 5-6 | 7-9 | | 1.19 | 5 |
| <i>Cytisus scoparius</i> Scotch Broom | BS | 0.83 | G2 | 5-6 | 7-9 | | 0.58 | 5 |
| <i>Cytisus scoparius</i> 'Burkwoodii' Burkwood Scotch Broom | BS | 0.98 | G2 | 5-6 | 7-9 | | 0.58 | 5 |
| <i>Cytisus scoparius</i> 'Dorothy Walpole' Dorothy Walpole Scotch Broom | BS | 0.93 | G2 | 5-6 | 7-9 | | 0.58 | 5 |
| <i>Cytisus scoparius</i> 'Lena' Lena Scotch Broom | BS | 0.98 | G2 | 5-6 | 7-9 | | 0.58 | 5 |
| <i>Cytisus scoparius</i> 'Lilac Time' Lilac Time Scotch Broom | BS | 1.06 | G2 | 5-6 | 7-9 | | 0.58 | 5 |
| <i>Cytisus scoparius</i> 'Minstead' Minstead Scotch Broom | BS | 0.99 | G2 | 5-6 | 7-9 | | 0.58 | 5 |
| <i>Cytisus scoparius</i> 'Moonlight' Moonlight Scotch Broom | BS | 0.90 | G2 | 5-6 | 7-9 | | 0.58 | 5 |
| <i>Cytisus scoparius</i> 'Nova Scotia' Nova Scotia Scotch Broom | BS | 1.58 | G2 | 5-6 | 7-9 | | 0.58 | 5 |
| <i>Cytisus scoparius</i> 'Pomona' Pomona Scotch Broom | BS | 0.81 | G2 | 5-6 | 7-9 | | 0.58 | 5 |
| <i>Cytisus spachianus</i> See - <i>Genista xspachiana</i> | | | | | | | | |
| <i>Daboecia cantabrica</i> Connemara Heath | BS | 0.94 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> 'Alba' White Connemara Heath | BS | 1.08 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> 'Atropurpurea' Purple Connemara Heath | BS | 1.15 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> 'Praegerae' Praegerae Connemara Heath | BS | 1.01 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> 'William Buchanan Gold' William Buchanan Gold Connemara Heath | BS | 0.90 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> 'William Buchanan' William Buchanan Connemara Heath | BS | 0.96 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Dactylis glomerata</i> Orchard Grass | HP | 0.70 | G4 | 4 | 5-8 | | | |
| <i>Dactylis glomerata</i> 'Variegata' Variegated Orchard Grass | HP | 0.70 | G4 | 4 | 5-8 | | | |
| <i>Dahlia</i> Dahlia | HP | 1.11 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Classic Rosamunde' Classic Rosamunde Dahlia | HP | 1.12 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Ellen Huston' Ellen Huston Dahlia | HP | 1.03 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Gallery Art Deco' Gallery Art Deco Dahlia | HP | 1.12 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Gallery Art Fair' Gallery Art Fair Dahlia | HP | 1.12 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Gallery Pablo' Gallery Pablo Dahlia | HP | 1.13 | G4 | 8-9 | 10-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Dahlia</i> 'Gallery Rembrandt' Gallery Rembrandt Dahlia | HP | 1.13 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Gallery Series' Gallery Series Dahlia | HP | 1.46 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Gallery Singer' Gallery Singer Dahlia | HP | 1.12 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Harlequin' Harlequin Dahlia | HP | 1.11 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Little Tiger' Little Tiger Dahlia | HP | 1.01 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Melody Bolero' Melody Bolero Dahlia | HP | 1.13 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Melody Dixie' Melody Dixie Dahlia | HP | 1.12 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Melody Gypsy' Melody Gypsy Dahlia | HP | 1.12 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Melody Latin' Melody Latin Dahlia | HP | 1.13 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Melody Swing' Melody Swing Dahlia | HP | 1.13 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Park Princess' Park Princess Dahlia | HP | 1.01 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia</i> 'Royal Dahlietta Series' Royal Dahlietta Series Dahlia | HP | 0.82 | G4 | 8-9 | 10-11 | | | |
| <i>Dahlia imperialis</i> Tree Dahlia | HP | 0.89 | G4 | 8 | 9-11 | | | |
| <i>Dahlia pinnata</i> Aztec Dahlia | HP | 0.49 | G4 | 8 | 9-11 | | | |
| <i>Dahlia pinnata</i> 'Diablo' Diablo Aztec Dahlia | HP | 0.30 | G4 | 6-8 | 9-11 | | | |
| <i>Dahlia pinnata</i> 'Figaro Mix' Figaro Mix Aztec Dahlia | HP | 0.67 | G4 | 6-8 | 9-11 | | | |
| <i>Dahlia pinnata</i> 'Figaro Series' Figaro Series Aztec Dahlia | HP | 0.49 | G4 | 8 | 9-11 | | | |
| <i>Dalbergia sissoo</i> Sissoo | DT | 0.98 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Dalea candida</i> White Prairie Clover | HP | 0.84 | G4 | 4-5 | 6-7 | | | |
| <i>Dalea foliosum</i> Leafy Prairie Clover | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Dalea frutescens</i> Indigo Bush | BS | 0.61 | G2 | 6-8 | 9 | | 1.00 | 8 |
| <i>Dalea gattingeri</i> Purple Prairie Clover | HP | 0.88 | G4 | 6-7 | 8-9 | | | |
| <i>Dalea greggii</i> Trailing Indigo Bush | BS | 0.71 | G2 | 6-8 | 9 | | 1.00 | 8 |
| <i>Dalechampia dioscoreifolia</i> Bowtie Vine | GC | 0.95 | G4 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Dalechampia roezliana</i> Winged Beauty Shrub | HP | 1.00 | G4 | 10 | 11 | | | |
| <i>Dalechampia spathulata</i> See - <i>Dalechampia roezliana</i> | | | | | | | | |
| <i>Dampiera diversifolia</i> Kangaroo Lobelia | HP | 0.72 | G4 | 7-9 | 10 | | | |
| <i>Dampiera trigona</i> Angle-stem Dampiera | HP | 0.75 | G4 | 7-9 | 10 | | | |
| <i>Daphne arbuscula</i> No Common Name Found | GC | 1.00 | G2 | 5-6 | 7-8 | | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Daphne x burkwoodii</i> Burkwood Daphne | BS | 1.45 | G2 | 5-6 | 7-8 | | 1.34 | 5 |
| <i>Daphne x burkwoodii</i> 'Briggs Moonlight' Briggs Moonlight Burkwood Daphne | BS | 1.61 | G2 | 5-6 | 7-8 | | 2.22 | 5 |
| <i>Daphne x burkwoodii</i> 'Carol Mackie' Carol Mackie Burkwood Daphne | BS | 1.77 | G2 | 5-6 | 7-8 | | 1.58 | 5 |
| <i>Daphne x burkwoodii</i> 'Somerset' Somerset Burkwood Daphne | BS | 1.61 | G2 | 5-6 | 7-8 | | 1.50 | 5 |
| <i>Daphne caucasica</i> Caucasian Daphne | BS | 1.52 | G2 | 5-6 | 7-10A | | 1.07 | 6 |
| <i>Daphne caucasica</i> 'Summer Ice' Summer Ice Caucasian Daphne | BS | 1.52 | G2 | 5-6 | 7-10A | | 0.67 | 6 |
| <i>Daphne cneorum</i> Rose Daphne | BS | 1.69 | G2 | 4-5 | 6-7 | | 1.16 | 4 |
| <i>Daphne cneorum</i> 'Ruby Glow' Ruby Glow Rose Daphne | BS | 1.89 | G2 | 4-5 | 6-7 | | 1.44 | 4 |
| <i>Daphne cneorum</i> var. <i>variegata</i> Variegated Rose Daphne | BS | 1.28 | G2 | 4-5 | 6-7 | | 0.77 | 4 |
| <i>Daphne cneorum</i> var. <i>verlotii</i> Verlot Rose Daphne | BS | 1.00 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Daphne genkwa</i> Lilac Daphne | BS | 1.00 | G2 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Daphne giraldii</i> Giraldi Daphne | BS | 1.00 | G2 | 5-6 | 7-10A | | 1.00 | 3 |
| <i>Daphne x mantensiana</i> Manten Daphne | BS | 1.44 | G2 | 5-6 | 7-10A | | 1.33 | 5 |
| <i>Daphne mezereum</i> February Daphne | BS | 1.41 | G2 | 4-5 | 6-7 | | 1.21 | 4 |
| <i>Daphne odora</i> Winter Daphne | BS | 1.41 | G2 | 7-8 | 9 | | 1.27 | 7 |
| <i>Daphne odora</i> 'Aureomarginata' Yellowedge Winter Daphne | BS | 1.68 | G2 | 7-8 | 9 | | 1.23 | 7 |
| <i>Daphne odora</i> 'Rubra' Red Winter Daphne | BS | 1.55 | G2 | 7-8 | 9 | | 1.25 | 7 |
| <i>Daphne odora</i> var. <i>alba</i> White Winter Daphne | BS | 1.47 | G2 | 7-8 | 9 | | 1.28 | 7 |
| <i>Daphne retusa</i> See - <i>Daphne tangutica</i> 'Retusa Group' | | | | | | | | |
| <i>Daphne tangutica</i> Tangut Daphne | BS | 1.20 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Daphne tangutica</i> 'Retusa Group' Retusa Group Tangut Daphne | BS | 1.20 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Daphniphyllum macropodum</i> No Common Name Found | BE | 1.03 | G2 | 5-6 | 7-10 | 1.00 | 1.00 | 6 |
| <i>Darmera peltata</i> Umbrella Plant | HP | 1.17 | G4 | 5-6 | 7-9 | | | |
| <i>Dasylyrion texanum</i> Texas Sotol | BS | 0.72 | G2 | 9 | 10-11 | | 0.75 | 9 |
| <i>Dasylyrion wheeleri</i> Wheeler Sotol | BS | 1.04 | G2 | 9 | 10-11 | | 1.00 | 9 |
| <i>Datura cornigera</i> See - <i>Brugmansia arborea</i> | | | | | | | | |
| <i>Datura innoxia</i> Downy Thorn Apple | HP | 1.38 | G4 | 6-9B | 10A-11 | | | |
| <i>Datura metel</i> Horn of Plenty | BS | 0.81 | G3 | 8-9B | 10-11 | | 1.00 | 9 |
| <i>Daubentonia tripetii</i> See - <i>Sesbania tripetii</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Daubenya aurea</i> Golden Daubenya | HP | 1.00 | G1 | 5-9 | 10-11 | | | |
| <i>Daucus carota</i> var. <i>carota</i> Queen Anne's Lace | AN | 0.97 | G4 | 2-3 | 4-8 | | | |
| <i>Davallia fejeensis</i> Rabbit's-Foot Fern | FO | 0.55 | G3 | 1-10B | 11 | | 1.00 | 10 |
| <i>Davallia trichomanoides</i> Squirrel-foot Fern | FO | 0.65 | G3 | 1-10B | 11 | | 1.00 | 9 |
| <i>Davidia involuocrata</i> Dove Tree | DT | 2.36 | G2 | 6-7 | 8-9 | 1.54 | 1.41 | 6 |
| <i>Decaisnea fargesii</i> Blue-bean | DS | 1.00 | G2 | 7-8 | 9-10 | | 1.00 | 5 |
| <i>Deckenia nobilis</i> No Common Name Found | PC | 3.47 | G3 | 10 | 11 | | 1.00 | 10B |
| <i>Decumaria barbara</i> Climbing Hydrangea | GC | 0.66 | G2 | 7 | 8-9B | | 1.00 | 5 |
| <i>Decumaria barbara</i> 'Barbara Ann' Barbara Ann Climbing Hydrangea | GC | 0.73 | G2 | 4-5 | 6-9B | | 1.00 | 5 |
| <i>Decumaria barbara</i> 'Chatooga' Chatooga Climbing Hydrangea | GC | 0.78 | G2 | 7 | 8-9B | | 1.00 | 5 |
| <i>Decumaria barbara</i> 'Chauga' Chauga Climbing Hydrangea | GC | 0.74 | G2 | 4-5 | 6-9 | | 1.00 | 5 |
| <i>xDegarmoara</i> Degarmoara Hybrid Orchid | FO | 1.25 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Degenia velebitica</i> No Common Name Found | HP | 1.00 | G4 | 5-7 | 8-9 | | | |
| <i>Delairea odorata</i> German Ivy | GC | 0.75 | G4 | 8-9 | 10A-10B | | 1.00 | 9 |
| <i>Delonix regia</i> Royal Poinciana | DT | 0.84 | G1 | 10 | 11 | 0.67 | 0.63 | 9 |
| <i>Delosperma</i> Ice Plant | HP | 1.00 | G4 | 4-5 | 6-10 | | | |
| <i>Delosperma</i> 'John Proffit' Table Mountain™ Hybrid Ice Plant | HP | 1.00 | G4 | 4-5 | 6-10 | | | |
| <i>Delosperma</i> 'Kelaidis' P.P. 13876 Mesa Verde™ Hybrid Ice Plant | HP | 1.00 | G4 | 4-5 | 6-10 | | | |
| <i>Delosperma</i> 'Mesa Verde' See - <i>Delosperma</i> 'Kelaidis' P.P. 13876 | | | | | | | | |
| <i>Delosperma aberdeenense</i> Aberdeen Dew Plant | HP | 1.00 | G4 | 4-7 | 8-10 | | | |
| <i>Delosperma ashtonii</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-10 | | | |
| <i>Delosperma brunnthaleri</i> Ice Plant | HP | 0.63 | G4 | 4-6 | 7-10 | | | |
| <i>Delosperma brunnthaleri</i> 'Pink' Pink Ice Plant | HP | 0.63 | G4 | 4-6 | 7-10 | | | |
| <i>Delosperma brunnthaleri</i> 'Yellow' Yellow Ice Plant | HP | 0.63 | G4 | 6 | 7-10 | | | |
| <i>Delosperma congestum</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-10 | | | |
| <i>Delosperma cooperi</i> Hardy Ice Plant | HP | 0.87 | G4 | 6 | 7-10 | | | |
| <i>Delosperma ecklonis</i> No Common Name Found | HP | 0.82 | G4 | 5-9 | 10 | | | |
| <i>Delosperma ecklonis</i> 'Bright Eye' Bright Eye Ice Plant | HP | 0.82 | G4 | 5-9 | 10 | | | |
| <i>Delosperma floribundum</i> No Common Name Found | HP | 0.98 | G4 | 6-7 | 8-10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Delosperma floribundum</i> 'Starburst' Starburst Ice Plant | HP | 0.98 | G4 | 6-7 | 8-10 | | | |
| <i>Delosperma herbeau</i> White Hardy Ice Plant | HP | 1.00 | G4 | 4-6 | 7-10 | | | |
| <i>Delosperma nubigenum</i> No Common Name Found | HP | 0.76 | G4 | 6 | 7-10 | | | |
| <i>Delosperma nubigenum</i> 'Basutoland' Basutoland Hardy Ice Plant | HP | 0.70 | G4 | 6 | 7-10 | | | |
| <i>Delosperma sutherlandii</i> Sutherland Ice Plant | HP | 1.00 | G4 | 6-9 | 10-11 | | | |
| <i>Delphinium</i> x <i>belladonna</i> Belladonna Larkspur | HP | 0.94 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium</i> x <i>belladonna</i> 'Bellamosa' Bellamosa Belladonna Larkspur | HP | 0.94 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium</i> x <i>belladonna</i> 'Casablanca' Casablanca Belladonna Larkspur | HP | 0.86 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium</i> x <i>belladonna</i> 'Cliveden Beauty' Cliveden Beauty Belladonna Larkspur | HP | 0.74 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium cardinale</i> Scarlet Larkspur | HP | 1.36 | G4 | 4-7 | 8-9B | | | |
| <i>Delphinium cardinale</i> 'Dwarf Scarlet' Dwarf Scarlet Larkspur | HP | 0.93 | G4 | 4-7 | 8-9B | | | |
| <i>Delphinium elatum</i> Bee Larkspur | HP | 0.70 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Astolat' Astolat Bee Larkspur | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Black Knight' Black Knight Bee Larkspur | HP | 0.98 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Blue Bird' Blue Bird Bee Larkspur | HP | 0.82 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Blue Elf' Blue Elf Bee Larkspur | HP | 0.87 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Blue Jay' Blue Jay Bee Larkspur | HP | 0.82 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Blue Springs' Blue Springs Bee Larkspur | HP | 0.90 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Cherry Blossom' Cherry Blossom Bee Larkspur | HP | 0.91 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Clear Springs Series' Clear Springs Series Bee Larkspur | HP | 1.10 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Connecticut Yankee' Connecticut Yankee Bee Larkspur | HP | 0.81 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Galahad' Galahad Bee Larkspur | HP | 0.97 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Guinevere' Guinevere Bee Larkspur | HP | 0.77 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'King Arthur' King Arthur Bee Larkspur | HP | 0.93 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Magic Fountains Strain' Magic Fountains Strain Bee Larkspur | HP | 0.99 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Pacific Giants Strain' Pacific Giants Strain Bee Larkspur | HP | 1.03 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Pennant' Pennant Bee Larkspur | HP | 0.91 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Standup' Standup Bee Larkspur | HP | 0.91 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium elatum</i> 'Summer Skies' Summer Skies Bee Larkspur | HP | 1.06 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Delphinium grandiflorum</i> Chinese Larkspur | AN | 1.45 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium grandiflorum</i> 'Blauer Zweig' Blauer Zweig Chinese Larkspur | AN | 1.52 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium grandiflorum</i> 'Blue Butterfly' Blue Butterfly Chinese Larkspur | AN | 1.48 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium grandiflorum</i> 'Blue Mirror' Blue Mirror Chinese Larkspur | AN | 1.34 | G4 | 4-5 | 6-8 | | | |
| <i>Delphinium nudicaule</i> Orange Larkspur | HP | 1.22 | G4 | 4-5 | 6-9B | | | |
| <i>Delphinium tricorne</i> Dwarf Larkspur | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Dendranthema x grandiflorum</i> See - <i>Chrysanthemum x morifolium</i> | | | | | | | | |
| <i>Dendranthema pacificum</i> See - <i>Chrysanthemum pacificum</i> | | | | | | | | |
| <i>Dendranthema weyrichii</i> See - <i>Chrysanthemum weyrichii</i> | | | | | | | | |
| <i>Dendranthema zawadskii</i> See - <i>Chrysanthemum zawadskii</i> | | | | | | | | |
| <i>Dendrobium</i> Dendrobium Hybrid Orchid | FO | 2.31 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrobium antennatum</i> No Common Name Found | FO | 2.50 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrobium atrovioleaceum</i> No Common Name Found | FO | 3.13 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrobium bracteosum</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrobium bullenianum</i> No Common Name Found | FO | 3.81 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrobium finisterrae</i> No Common Name Found | FO | 4.29 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrobium guerreroi</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrobium kingianum</i> Pink Rock Orchid | FO | 2.86 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrobium lasianthera</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrobium lawesii</i> No Common Name Found | FO | 1.00 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrobium palpebrae</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrobium schuetzii</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrobium secundum</i> No Common Name Found | FO | 2.38 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrobium serratilabia</i> var. <i>calcarifera</i> No Common Name Found | FO | 1.00 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrobium smilliae</i> No Common Name Found | FO | 2.38 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrobium topaziacum</i> See - <i>Dendrobium bullenianum</i> | | | | | | | | |
| <i>Dendrobium victoria-reginae</i> No Common Name Found | FO | 2.38 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrocalamus brandisii</i> No Common Name Found | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Dendrocalamus strictus</i> Male Bamboo | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Dendrochilum bicallosum</i> No Common Name Found | FO | 2.86 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendrochilum filiforme</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Dendromecon rigida</i> Tree Poppy | BS | 1.47 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Dendromecon rigida</i> ssp. <i>harfordii</i> Island Tree Poppy | BS | 1.23 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Dennstaedtia punctilobula</i> Hayscented Fern | HP | 1.06 | G4 | 7-8 | 9-10B | | | |
| <i>Deschampsia caespitosa</i> Tufted Hair Grass | HP | 1.27 | G4 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Bronzeschleier' Bronzeschleier Tufted Hair Grass | HP | 1.36 | G4 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Fairy's Joke' Fairy's Joke Tufted Hair Grass | HP | 0.95 | G4 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Goldgehangen' Goldgehangen Tufted Hair Grass | HP | 0.89 | G4 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Goldschleier' Goldschleier Tufted Hair Grass | HP | 0.95 | G4 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Goldstaub' Goldstaub Tufted Hair Grass | HP | 0.70 | G4 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Northern Lights' Northern Lights Tufted Hair Grass | HP | 1.29 | G4 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Schottland' Schottland Tufted Hair Grass | HP | 0.95 | G4 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Tardiflora' Tardiflora Tufted Hair Grass | HP | 0.70 | G4 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Tautraeger' Tautraeger Tufted Hair Grass | HP | 0.81 | G4 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Vivipara' Silvery Tufted Hair Grass | HP | 1.28 | G4 | 3-5 | 6-8 | | | |
| <i>Deschampsia flexuosa</i> Crinkled Hair Grass | HP | 0.70 | G4 | 3-4 | 5-8 | | | |
| <i>Deschampsia flexuosa</i> 'Aurea' Gold Crinkled Hair Grass | HP | 0.89 | G4 | 3-4 | 5-8 | | | |
| <i>Deschampsia holciformis</i> No Common Name Found | HP | 0.73 | G4 | 3-4 | 5-8 | | | |
| <i>Desfontainea spinosa</i> No Common Name Found | BS | 1.00 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Desmanthus illinoensis</i> Illinois Bundleflower | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Desmodium canadense</i> Showy Tick Trefoil | HP | 1.00 | G4 | 2 | 3-7 | | | |
| <i>Desmodium illinoense</i> Illinois Tick Trefoil | HP | 1.00 | G4 | 2 | 3-7 | | | |
| <i>Deutzia</i> Deutzia | DS | 1.18 | G2 | 6-7 | 8-10A | | 1.00 | 4 |
| <i>Deutzia</i> 'Monzia' Pink-A-Boo™ Deutzia | DS | 1.18 | G2 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Deutzia</i> 'Pink-A-Boo' See - <i>Deutzia</i> 'Monzia' | | | | | | | | |
| <i>Deutzia gracilis</i> Slender Deutzia | DS | 0.89 | G2 | 4-5 | 6-8 | | 0.73 | 4 |
| <i>Deutzia gracilis</i> 'Nikko' Nikko Slender Deutzia | DS | 0.97 | G2 | 4-5 | 6-8 | | 1.01 | 4 |
| <i>Deutzia gracilis</i> var. <i>nakaiana</i> 'Nana' See - <i>Deutzia gracilis</i> 'Nikko' | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Deutzia x hybrida</i> Hybrid Deutzia | DS | 0.88 | G2 | 4-5 | 6-8 | | 1.20 | 4 |
| <i>Deutzia x hybrida</i> 'Magician' Magician Hybrid Deutzia | DS | 0.99 | G2 | 4-5 | 6-8 | | 1.20 | 4 |
| <i>Deutzia x hybrida</i> 'Mont Rose' Mont Rose Hybrid Deutzia | DS | 0.92 | G2 | 4-5 | 6-8 | | 1.20 | 4 |
| <i>Deutzia x hybrida</i> 'Perle Rose' Perle Rose Hybrid Deutzia | DS | 0.65 | G2 | 4-5 | 6-8 | | 1.20 | 4 |
| <i>Deutzia x hybrida</i> 'Pink Pompon' Pink Pompon Deutzia | DS | 0.95 | G2 | 4-5 | 6-8 | | 1.20 | 4 |
| <i>Deutzia x kalmiiiflora</i> No Common Name Found | DS | 1.04 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Deutzia x lemoinei</i> Lemoine Deutzia | DS | 0.94 | G2 | 4-5 | 6-8 | | 1.15 | 4 |
| <i>Deutzia x lemoinei</i> 'Compacta' Compact Lemoine Deutzia | DS | 0.94 | G2 | 4-5 | 6-8 | | 1.15 | 4 |
| <i>Deutzia x magnifica</i> Showy Deutzia | DS | 0.61 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Deutzia x rosea</i> Rosepanicle Deutzia | DS | 0.95 | G2 | 5 | 6-8 | | 1.00 | 5 |
| <i>Deutzia scabra</i> Fuzzy Deutzia | DS | 0.80 | G2 | 5 | 6-8 | | 0.47 | 5 |
| <i>Deutzia scabra</i> 'Godsall Pink' Godsall Pink Fuzzy Deutzia | DS | 0.94 | G2 | 5 | 6-8 | | 0.47 | 5 |
| <i>Deutzia scabra</i> 'Pink Minor' Pink Minor Fuzzy Deutzia | DS | 1.27 | G2 | 5 | 6-8 | | 0.47 | 5 |
| <i>Deutzia scabra</i> 'Pride of Rochester' Pride of Rochester Fuzzy Deutzia | DS | 0.85 | G2 | 5 | 6-8 | | 0.47 | 5 |
| <i>Diacrium bicornutum</i> See - <i>Caularthron bicornutum</i> | | | | | | | | |
| <i>Dianella ensifolia</i> Umbrella Dracena | HP | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Dianella intermedia</i> No Common Name Found | HP | 1.09 | G4 | 8 | 9-11 | | | |
| <i>Dianella tasmanica</i> Blueberry Flax Lily | HP | 1.05 | G4 | 8 | 9-11 | | | |
| <i>Dianella tasmanica</i> 'Gold Stripe' Gold Stripe Flax Lily | HP | 1.15 | G4 | 8 | 9-11 | | | |
| <i>Dianella tasmanica</i> 'Variegata' Variegated Blueberry Flax Lily | HP | 0.99 | G4 | 8 | 9-11 | | | |
| <i>Dianthus</i> Hybrid Pink | HP | 0.89 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> 'Arctic Star' P.P.A.F. Arctic Star Hybrid Pink | HP | 0.92 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> 'Brilliant Star' P.P. 13025 Brilliant Star Hybrid Pink | HP | 0.88 | G4 | 5-7 | 8-9 | | | |
| <i>Dianthus</i> 'Cherry Ripple' Cherry Ripple Hybrid Pink | HP | 0.95 | G4 | 5-7 | 8-9 | | | |
| <i>Dianthus</i> 'Devon Siskin' P.P. 14377 Siskin Clock Pink | HP | 0.88 | G4 | 5-7 | 8-9 | | | |
| <i>Dianthus</i> 'Eastern Star' P.P.A.F. Eastern Star Hybrid Pink | HP | 0.96 | G4 | 5-7 | 8-9 | | | |
| <i>Dianthus</i> 'Horatio' Horatio Hybrid Pink | HP | 0.68 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> 'Itsaul White' Itsaul White Hybrid Pink | HP | 0.93 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> 'Laced Hero' Laced Hero Hybrid Pink | HP | 0.89 | G4 | 6-7 | 8-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Dianthus</i> 'Laced Romeo' Laced Romeo Hybrid Pink | HP | 0.71 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> 'Little Bobby' Little Bobby Hybrid Pink | HP | 0.77 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> 'Little Boy Blue' Little Boy Blue Hybrid Pink | HP | 0.96 | G4 | 5-7 | 8-9 | | | |
| <i>Dianthus</i> 'Little Jock' Little Jock Hybrid Pink | HP | 0.78 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> 'Merlot Mix' Merlot Mix Hybrid Pink | HP | 0.59 | G4 | 5-7 | 8-9 | | | |
| <i>Dianthus</i> 'Mountain Mist' Mountain Mist Hybrid Pink | HP | 0.91 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> 'Neon Star' P.P.A.F. Neon Star Hybrid Pink | HP | 0.96 | G4 | 2-3 | 4-9 | | | |
| <i>Dianthus</i> 'Pike's Pink' Pike's Pink Pink | HP | 0.96 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> 'Pixie Star' P.P.A.F. Pixie Star Hybrid Pink | HP | 1.03 | G4 | 5-7 | 8-9 | | | |
| <i>Dianthus</i> 'Prairie Pink' Prairie Pink Hybrid Pink | HP | 0.98 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> 'Sarah' Sarah Hybrid Pink | HP | 1.01 | G4 | 2-3 | 4-9 | | | |
| <i>Dianthus</i> 'Shooting Star' P.P.A.F. Shooting Star Hybrid Pink | HP | 0.95 | G4 | 2-3 | 4-9 | | | |
| <i>Dianthus</i> 'Siskin Clock' See - <i>Dianthus</i> 'Devon Siskin' P.P. 14377 | | | | | | | | |
| <i>Dianthus</i> 'Spangled Star' P.P. 13029 Spangled Star Hybrid Pink | HP | 0.95 | G4 | 5-7 | 8-9 | | | |
| <i>Dianthus</i> 'Vanilla' Vanilla Hybrid Pink | HP | 0.91 | G4 | 2-3 | 4-9 | | | |
| <i>Dianthus</i> 'War Bonnet' War Bonnet Hybrid Pink | HP | 0.92 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> x <i>allwoodii</i> Allwood Pink | HP | 0.83 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> x <i>allwoodii</i> 'Alpinus' Alpine Allwood Pink | HP | 0.63 | G4 | 4-5 | 6-8 | | | |
| <i>Dianthus</i> x <i>allwoodii</i> 'Aqua' Aqua Allwood Pink | HP | 0.89 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> x <i>allwoodii</i> 'Danielle Marie' Danielle Marie Allwood Pink | HP | 0.89 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> x <i>allwoodii</i> 'Doris' Doris Allwood Pink | HP | 0.91 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> x <i>allwoodii</i> 'Essex Witch' Essex Witch Allwood Pink | HP | 0.78 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> x <i>allwoodii</i> 'Frosty Fire' C.O.P.F. Frosty Fire Allwood Pink | HP | 0.86 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> x <i>allwoodii</i> 'Helen' Helen Allwood Pink | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus</i> x <i>allwoodii</i> 'Hoffman's Red' Hoffman's Red Allwood Pink | HP | 1.21 | G4 | 5-7 | 8-9 | | | |
| <i>Dianthus alpinus</i> Alpine Pink | HP | 0.57 | G4 | 4-5 | 6-8 | | | |
| <i>Dianthus amurensis</i> No Common Name Found | HP | 1.09 | G4 | 5-7 | 8-9 | | | |
| <i>Dianthus arenarius</i> Sand Pink | HP | 0.71 | G4 | 5-7 | 8-9 | | | |
| <i>Dianthus barbatus</i> Sweet William | AN | 1.48 | G4 | 6-7 | 8-10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Dianthus barbatus</i> 'Auricula-Eyed Mix' Auricula-Eyed Sweet William | AN | 1.35 | G4 | 6-7 | 8-10 | | | |
| <i>Dianthus barbatus</i> 'Double Midget' Double Midget Sweet William | AN | 1.50 | G4 | 6-7 | 8-10 | | | |
| <i>Dianthus barbatus</i> 'Indian Carpet' Indian Carpet Sweet William | AN | 1.27 | G4 | 6-7 | 8-10 | | | |
| <i>Dianthus barbatus</i> 'Nanus' Dwarf Sweet William | AN | 1.15 | G4 | 6-7 | 8-10 | | | |
| <i>Dianthus caryophyllus</i> Carnation | HP | 0.73 | G4 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Can Can Scarlet' Can Can Scarlet Carnation | HP | 0.95 | G4 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Cardinal Red' Cardinal Red Carnation | HP | 0.72 | G4 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Cinnamon Red Hots' P.P.A.F. Cinnamon Red Hots Carnation | HP | 0.76 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus caryophyllus</i> 'Dwarf Mix' Dwarf Mix Carnation | HP | 0.79 | G4 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Golden Sun' Golden Sun Carnation | HP | 0.83 | G4 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Grenadin Series' Grenadin Series Carnation | HP | 0.68 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus caryophyllus</i> 'Innocence' Innocence Carnation | HP | 0.70 | G4 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'King of the Blacks' King of the Blacks Carnation | HP | 0.84 | G4 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Knight Mix' Knight Mix Carnation | HP | 0.79 | G4 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Mini Spice' Mini Spice Carnation | HP | 0.73 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus caryophyllus</i> 'Mixed Colors' Mixed Colors Carnation | HP | 0.79 | G4 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Pink' Pink Carnation | HP | 0.69 | G4 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Sunflor Series' Sunflor Series Carnation | HP | 1.16 | G4 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Tiroler Gebirgshaengenelke' Tiroler Gebirgshaengenelke Carnation | HP | 0.71 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus caryophyllus</i> 'Triumph Rose' Triumph Rose Carnation | HP | 0.84 | G4 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'White' White Carnation | HP | 0.69 | G4 | 5-7 | 8 | | | |
| <i>Dianthus chinensis</i> Border Pink | AN | 0.92 | G4 | 4-7 | 8-10 | | | |
| <i>Dianthus chinensis</i> 'Charm Series' Charm Series Border Pink | AN | 0.76 | G4 | 5-7 | 8-9 | | | |
| <i>Dianthus chinensis</i> 'Crimson Telstar' Crimson Telstar Border Pink | AN | 1.19 | G4 | 4-7 | 8-10 | | | |
| <i>Dianthus chinensis</i> 'Diana Series' Diana Series Border Pink | AN | 0.89 | G4 | 4-7 | 8-10 | | | |
| <i>Dianthus chinensis</i> 'Floral Lace Series' Floral Lace Series Border Pink | AN | 0.64 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus chinensis</i> 'Parfait Series' Parfait Series Border Pink | AN | 0.73 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus chinensis</i> 'Picotee' Picotee Border Pink | AN | 0.93 | G4 | 4-7 | 8-10 | | | |
| <i>Dianthus chinensis</i> 'Pink Telstar' Pink Telstar Border Pink | AN | 1.19 | G4 | 4-7 | 8-10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Dianthus chinensis</i> 'Purple Telstar' Purple Telstar Border Pink | AN | 1.20 | G4 | 4-7 | 8-10 | | | |
| <i>Dianthus chinensis</i> 'Rosemarie Series' Rosemarie Series Border Pink | AN | 0.71 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus chinensis</i> 'Snowfire' Snowfire Border Pink | AN | 0.92 | G4 | 4-7 | 8-10 | | | |
| <i>Dianthus chinensis</i> 'Telstar Series' Telstar Series Border Pink | HP | 0.55 | G4 | 4-7 | 8-10 | | | |
| <i>Dianthus deltooides</i> Maiden Pink | HP | 1.10 | G4 | 3-6 | 7-8 | | | |
| <i>Dianthus deltooides</i> 'Albus' White Maiden Pink | HP | 1.02 | G4 | 3-6 | 7-8 | | | |
| <i>Dianthus deltooides</i> 'Arctic Fire' Arctic Fire Maiden Pink | HP | 0.79 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus deltooides</i> 'Brilliant' Brilliant Maiden Pink | HP | 0.85 | G4 | 3-6 | 7-8 | | | |
| <i>Dianthus deltooides</i> 'Flashing Light' Flashing Light Maiden Pink | HP | 0.73 | G4 | 3-6 | 7-8 | | | |
| <i>Dianthus deltooides</i> 'Nelli' Nelli Maiden Pink | HP | 0.76 | G4 | 4-5 | 6-9 | | | |
| <i>Dianthus deltooides</i> 'Rosea' Rose Maiden Pink | HP | 0.80 | G4 | 4-5 | 6-9 | | | |
| <i>Dianthus deltooides</i> 'Vampire' Vampire Maiden Pink | HP | 0.56 | G4 | 3-6 | 7-8 | | | |
| <i>Dianthus deltooides</i> 'Zing Rose' Zing Rose Maiden Pink | HP | 0.90 | G4 | 3-6 | 7-8 | | | |
| <i>Dianthus deltooides</i> 'Zing Salmon' Zing Salmon Maiden Pink | HP | 0.59 | G4 | 4-5 | 6-9 | | | |
| <i>Dianthus freynii</i> No Common Name Found | HP | 1.03 | G4 | 4-7 | 8-10 | | | |
| <i>Dianthus gratianopolitanus</i> Cheddar Pink | HP | 0.65 | G4 | 4-6 | 7-9 | | | |
| <i>Dianthus gratianopolitanus</i> 'Bath's Pink' Bath's Pink Cheddar Pink | HP | 0.87 | G4 | 4-6 | 7-9 | | | |
| <i>Dianthus gratianopolitanus</i> 'Bewitched' Bewitched Cheddar Pink | HP | 0.93 | G4 | 4-6 | 7-9 | | | |
| <i>Dianthus gratianopolitanus</i> 'Crimson Treasure' Crimson Treasure Cheddar Pink | HP | 0.69 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus gratianopolitanus</i> 'Dottie' Dottie Cheddar Pink | HP | 0.64 | G4 | 4-5 | 6-9 | | | |
| <i>Dianthus gratianopolitanus</i> 'Firewitch' Firewitch Cheddar Pink | HP | 0.90 | G4 | 4-6 | 7-9 | | | |
| <i>Dianthus gratianopolitanus</i> 'Grandiflorus' Grandiflorus Cheddar Pink | HP | 0.97 | G4 | 4-6 | 7-9 | | | |
| <i>Dianthus gratianopolitanus</i> 'La Bourbille' La Bourbille Cheddar Pink | HP | 1.12 | G4 | 4-6 | 7-9 | | | |
| <i>Dianthus gratianopolitanus</i> 'Petite' Petite Cheddar Pink | HP | 0.85 | G4 | 4-6 | 7-9 | | | |
| <i>Dianthus gratianopolitanus</i> 'Saul's White' Saul's White Cheddar Pink | HP | 0.85 | G4 | 4-6 | 7-9 | | | |
| <i>Dianthus gratianopolitanus</i> 'Snow Flurries' Snow Flurries Cheddar Pink | HP | 0.85 | G4 | 4-6 | 7-9 | | | |
| <i>Dianthus gratianopolitanus</i> 'Spotty' Spotty Cheddar Pink | HP | 0.77 | G4 | 4-6 | 7-9 | | | |
| <i>Dianthus gratianopolitanus</i> 'Tiny Rubies' Tiny Rubies Cheddar Pink | HP | 0.91 | G4 | 4-6 | 7-9 | | | |
| <i>Dianthus knappii</i> Hairy Garden Pink | HP | 0.83 | G4 | 4-5 | 6-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Dianthus neglectus</i> | | | | | | | | |
| See - <i>Dianthus pavonius</i> | | | | | | | | |
| <i>Dianthus pavonius</i> No Common Name Found | HP | 0.82 | G4 | 6-7 | 8-9 | | | |
| <i>Dianthus petraeus</i> ssp. <i>noeanus</i> No Common Name Found | HP | 0.72 | G4 | 4-5 | 6-9 | | | |
| <i>Dianthus plumarius</i> Cottage Pink | HP | 0.78 | G4 | 4-5 | 6-9 | | | |
| <i>Dianthus plumarius</i> 'Alba' White Cottage Pink | HP | 1.13 | G4 | 4-6 | 7-8 | | | |
| <i>Dianthus plumarius</i> 'Ballade' Ballade Cottage Pink | HP | 0.96 | G4 | 4-6 | 7-8 | | | |
| <i>Dianthus plumarius</i> 'Desmond' Desmond Cottage Pink | HP | 0.84 | G4 | 4-6 | 7-8 | | | |
| <i>Dianthus plumarius</i> 'Spring Beauty' Spring Beauty Cottage Pink | HP | 1.10 | G4 | 4-6 | 7-8 | | | |
| <i>Dianthus x roysii</i> Roisii Pink | HP | 0.68 | G4 | 4-6 | 7-9 | | | |
| <i>Dianthus x roysii</i> 'Roseus' Rose Roysii Pink | HP | 0.68 | G4 | 4-6 | 7-9 | | | |
| <i>Dianthus shinanensis</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-9 | | | |
| <i>Dianthus simulans</i> No Common Name Found | HP | 1.06 | G4 | 4-5 | 6-9 | | | |
| <i>Dianthus subcaulis</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-9 | | | |
| <i>Dianthus superbus</i> Lavender Lace Pink | HP | 0.62 | G4 | 6-7 | 8-9 | | | |
| <i>Diaphananthe pellucida</i> No Common Name Found | HP | 6.67 | G3 | 6-9B | 10A-11 | | | |
| <i>Diascia</i> Twinspur | HP | 0.73 | G4 | 6-9 | 10 | | | |
| <i>Diascia</i> 'Appleby Apricot' Appleby Apricot Twinspur | HP | 0.73 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'April Fool' April Fool Twinspur | HP | 0.73 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Blackthorn's Apricot' Blackthorn's Apricot Twinspur | HP | 0.70 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Blue Bonnet' Blue Bonnet Twinspur | HP | 0.68 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Blush' Blush Twinspur | HP | 0.83 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Coral Bell' Coral Bell Twinspur | HP | 0.72 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Elegans' Elegans Twinspur | HP | 0.73 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Jack Elliot' Jack Elliot Twinspur | HP | 0.67 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Lady Valerie' Lady Valerie Twinspur | HP | 0.73 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Langthorn's Lavender' Langthorn's Lavender Twinspur | HP | 0.70 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Lilac Belle' Lilac Belle Twinspur | HP | 0.68 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Red Ace' Red Ace Twinspur | HP | 0.73 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Red Start' Red Start Twinspur | HP | 0.92 | G4 | 7-8 | 9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Diascia</i> 'Rupert Lambert' Rupert Lambert Twinspur | HP | 0.68 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Salmon Supreme' Salmon Supreme Twinspur | HP | 0.73 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Strawberry Sundae' Strawberry Sunday Twinspur | HP | 0.79 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Sun Chimes Series' Sun Chimes Series Twinspur | HP | 0.72 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Twinkle' Twinkle Twinspur | HP | 0.73 | G4 | 7-8 | 9 | | | |
| <i>Diascia</i> 'Wendy' Wendy Twinspur | HP | 0.68 | G4 | 7-8 | 9 | | | |
| <i>Diascia barberae</i> Twinspur | HP | 0.69 | G4 | 7-8 | 9 | | | |
| <i>Diascia barberae</i> 'Pink Queen' Pink Queen Twinspur | HP | 0.66 | G4 | 7-8 | 9 | | | |
| <i>Diascia barberae</i> 'Ruby Field' Ruby Field Twinspur | HP | 0.71 | G4 | 7-8 | 9 | | | |
| <i>Diascia fetcaniensis</i> No Common Name Found | HP | 0.71 | G4 | 7-8 | 9 | | | |
| <i>Diascia rigescens</i> Rigid Twinspur | HP | 0.70 | G4 | 7-8 | 9 | | | |
| <i>Diascia vigilis</i> No Common Name Found | HP | 0.73 | G4 | 7-8 | 9 | | | |
| <i>Dicentra</i> Hybrid Bleeding Heart | HP | 1.23 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra</i> 'Adrian Bloom' Adrian Bloom Bleeding Heart | HP | 1.27 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra</i> 'Bacchanal' Bacchanal Bleeding Heart | HP | 1.10 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra</i> 'King of Hearts' King of Hearts Hybrid Bleeding Heart | HP | 1.45 | G4 | 2-3 | 4-8 | | | |
| <i>Dicentra</i> 'Langtrees' Langtrees Bleeding Heart | HP | 1.36 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra</i> 'Luxuriant' P.P. 3324 Luxuriant Bleeding Heart | HP | 1.15 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra</i> 'Snowdrift' Snowdrift Bleeding Heart | HP | 1.24 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra</i> 'Stuart Boothman' Stuart Boothman Bleeding Heart | HP | 0.80 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra</i> 'Zestful' Zestful Bleeding Heart | HP | 1.48 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra canadensis</i> Squirrel Corn | HP | 1.31 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra cucullaria</i> Dutchman's Breeches | HP | 1.03 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra eximia</i> Fringed Bleeding Heart | HP | 1.03 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra eximia</i> 'Alba' White Fringed Bleeding Heart | HP | 1.02 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra formosa</i> Pacific Bleeding Heart | HP | 1.16 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra formosa</i> 'Alba' White Pacific Bleeding Heart | HP | 1.18 | G4 | 4-6 | 7-9 | | | |
| <i>Dicentra formosa</i> 'Aurora' Aurora Pacific Bleeding Heart | HP | 1.31 | G4 | 4-6 | 7-9 | | | |
| <i>Dicentra formosa</i> 'Bountiful' Bountiful Pacific Bleeding Heart | HP | 1.26 | G4 | 4-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Dicentra scandens</i> Climbing Bleeding Heart | HP | 0.93 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra scandens</i> 'Athens Yellow' Athens Yellow Climbing Bleeding Heart | HP | 0.93 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra spectabilis</i> Common Bleeding Heart | HP | 1.17 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra spectabilis</i> 'Alba' White Common Bleeding Heart | HP | 1.01 | G4 | 4-6 | 7-8 | | | |
| <i>Dicentra spectabilis</i> 'Gold Heart' Gold Heart Common Bleeding Heart | HP | 1.26 | G4 | 4-6 | 7-8 | | | |
| <i>Dichondra micrantha</i> Pennywort | HP | 0.66 | G4 | 9-10 | 11 | | | |
| <i>Dichondra micrantha</i> 'Silver Falls' Silver Falls Pennywort | HP | 0.66 | G4 | 9-10 | 11 | | | |
| <i>Dichorisandra pendula</i> Weeping Blue Ginger | HP | 1.01 | G4 | 9-10 | 11 | | | |
| <i>Dichorisandra thyrsiflora</i> Blue Ginger | HP | 1.23 | G4 | 8-10A | 10B-11 | | | |
| <i>Dichroa febrifuga</i> Evergreen Hydrangea | DS | 0.62 | G2 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Dichromena colorata</i> See - <i>Rhynchospora colorata</i> | | | | | | | | |
| <i>Dicksonia antarctica</i> Tasmanian Tree Fern | BS | 1.45 | G3 | 8-10A | 10B-11 | | 1.00 | 8 |
| <i>Dicliptera resupinata</i> Arizona Dicliptera | HP | 0.72 | G3 | 8-11 | | | | |
| <i>Dicliptera suberecta</i> No Common Name Found | HP | 0.70 | G3 | 8-11 | | | | |
| <i>Dictamnus albus</i> Gas Plant | HP | 1.43 | G4 | 4-5 | 6-8 | | | |
| <i>Dictamnus albus</i> 'Albiflorus' Albiflorus Gas Plant | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Dictamnus albus</i> 'Purpureus' Purple Gas Plant | HP | 1.95 | G4 | 4-5 | 6-8 | | | |
| <i>Dictyosperma album</i> Princess Palm | PC | 1.00 | G1 | 10 | 11 | | 1.10 | 10 |
| <i>Didymochlaena truncatula</i> Tree Maidenhair Fern | FO | 0.58 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Dieffenbachia</i> Dumb Cane | FO | 0.80 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> '61101' P.P. 9694 Star White Dumb Cane | FO | 0.80 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> '68814' P.P. 9051 Star Bright™ Dumb Cane | FO | 0.78 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> '695-1' P.P. 9050 Sparkles™ Dumb Cane | FO | 0.85 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> 'Camouflage' P.P.A.F. Camouflage Dumb Cane | FO | 0.70 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> 'Compacta' Compact Dumb Cane | FO | 0.44 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> 'Panther' Panther Dumb Cane | FO | 1.03 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> 'Parachute' Parachute Dumb Cane | FO | 0.80 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> 'Rebecca's Jewel' P.P. 6292 Rebecca's Jewel Dumb Cane | FO | 0.80 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> 'Sarah' Sarah Dumb Cane | FO | 0.80 | G3 | 8-11 | | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Dieffenbachia</i> 'Sparkles' | | | | | | | |
| See - <i>Dieffenbachia</i> '695-1' P.P. 9050 | | | | | | | |
| <i>Dieffenbachia</i> 'Star Bright' | | | | | | | |
| See - <i>Dieffenbachia</i> '68814' P.P. 9051 | | | | | | | |
| <i>Dieffenbachia</i> 'Star White' | | | | | | | |
| See - <i>Dieffenbachia</i> '61101' P.P. 9694 | | | | | | | |
| <i>Dieffenbachia</i> 'Tiki' P.P. 7298 | FO | 0.92 | G3 | 8-11 | | 1.00 | 10 |
| Tiki Dumb Cane | | | | | | | |
| <i>Dieffenbachia</i> 'Triumph' | FO | 0.76 | G3 | 8-11 | | 1.00 | 10 |
| Triumph Dumb Cane | | | | | | | |
| <i>Dieffenbachia</i> 'Tropic Marianne' P.P. 8832 | FO | 0.88 | G3 | 8-11 | | 1.00 | 10 |
| Tropic Marianne Dumb Cane | | | | | | | |
| <i>Dieffenbachia amoena</i> | FO | 0.71 | G3 | 8-11 | | 1.00 | 10 |
| Dumb Cane | | | | | | | |
| <i>Dieffenbachia xbausei</i> | FO | 1.00 | G3 | 8-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | |
| <i>Dieffenbachia maculata</i> | FO | 0.58 | G3 | 8-11 | | 1.00 | 10 |
| Spotted Dumb Cane | | | | | | | |
| <i>Dieffenbachia maculata</i> 'Bali Hai' P.P. 6872 | FO | 1.07 | G3 | 8-11 | | 1.00 | 10 |
| Bali Hai Spotted Dumb Cane | | | | | | | |
| <i>Dieffenbachia maculata</i> 'Camille' | FO | 0.58 | G3 | 8-11 | | 1.00 | 10 |
| Camille Spotted Dumb Cane | | | | | | | |
| <i>Dieffenbachia maculata</i> 'Exotica Compacta' | FO | 0.60 | G3 | 8-11 | | 1.00 | 10 |
| Exotic Compact Spotted Dumb Cane | | | | | | | |
| <i>Dieffenbachia maculata</i> 'Exotica Perfection' | FO | 0.82 | G3 | 8-11 | | 1.00 | 10 |
| Exotica Perfection Spotted Dumb Cane | | | | | | | |
| <i>Dieffenbachia maculata</i> 'Paradise' P.P. 6854 | FO | 1.07 | G3 | 8-11 | | 1.00 | 10 |
| Paradise Spotted Dumb Cane | | | | | | | |
| <i>Dieffenbachia maculata</i> 'Perfection Compacta' | FO | 0.84 | G3 | 8-11 | | 1.00 | 10 |
| Perfection Compacta Spotted Dumb Cane | | | | | | | |
| <i>Dieffenbachia maculata</i> 'Tropic Snow' | FO | 1.01 | G3 | 8-11 | | 1.00 | 10 |
| Tropic Snow Spotted Dumb Cane | | | | | | | |
| <i>Dieffenbachia xmemoria-corsii</i> | FO | 0.82 | G3 | 8-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | |
| <i>Dierama pendulum</i> | HP | 0.82 | G4 | 6-8 | 9-10B | | |
| Grassy-Bell Fishing Rods | | | | | | | |
| <i>Dierama pulcherrimum</i> | HP | 1.36 | G4 | 6-8 | 9-10B | | |
| Wandflower | | | | | | | |
| <i>Diervilla lonicera</i> | BS | 1.04 | G2 | 4-6 | 7-8 | 0.60 | 3 |
| Dwarf Bush-honeysuckle | | | | | | | |
| <i>Diervilla rivularis</i> | DS | 1.13 | G2 | 4-6 | 7-8 | 1.00 | 3 |
| Georgia Bush-honeysuckle | | | | | | | |
| <i>Diervilla rivularis</i> 'Morton' | DS | 1.13 | G2 | 4-6 | 7-8 | 1.00 | 4 |
| Summer Stars™ Georgia Bush-honeysuckle | | | | | | | |
| <i>Diervilla rivularis</i> 'Summer Stars' | | | | | | | |
| See - <i>Diervilla rivularis</i> 'Morton' | | | | | | | |
| <i>Diervilla sessilifolia</i> | BS | 1.02 | G4 | 4-6 | 7-8 | 1.00 | 4 |
| Southern Bush-honeysuckle | | | | | | | |
| <i>Diervilla sessilifolia</i> 'Butterfly' | BS | 1.06 | G4 | 3-4 | 5-8 | 1.00 | 4 |
| Butterfly Southern Bush-honeysuckle | | | | | | | |
| <i>Diervilla xsplendens</i> | BS | 0.92 | G2 | 2-3 | 4-8 | 1.00 | 3 |
| Splendens Bush-honeysuckle | | | | | | | |
| <i>Dietes</i> | HP | 0.37 | G4 | 8-9A | 9B-11 | | |
| Fortnight Lily | | | | | | | |
| <i>Dietes</i> 'Lemon Drops' | HP | 0.81 | G4 | 8-9A | 9B-11 | | |
| Lemon Drops Fortnight Lily | | | | | | | |
| <i>Dietes</i> 'Oakhurst Series' | HP | 0.71 | G4 | 7-9 | 10 | | |
| Oakhurst Series Fortnight Lily | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Dietes</i> 'Orange Drops' Orange Drops Fortnight Lily | HP | 0.95 | G4 | 8-9A | 9B-11 | | | |
| <i>Dietes bicolor</i> Bicolor Fortnight Lily | HP | 0.78 | G4 | 8-9 | 10-11 | | | |
| <i>Dietes iridioides</i> No Common Name Found | HP | 0.69 | G4 | 8-9A | 9B-11 | | | |
| <i>Dietes robinsoniana</i> Robinson Fortnight Lily | HP | 0.82 | G4 | 8-9 | 10-11 | | | |
| <i>Dietes vegeta</i> See - <i>Dietes iridioides</i> | | | | | | | | |
| <i>Digitalis ambigua</i> See - <i>Digitalis grandiflora</i> | | | | | | | | |
| <i>Digitalis ferruginea</i> Rusty Foxglove | HP | 0.75 | G4 | 4-5 | 6-8 | | | |
| <i>Digitalis grandiflora</i> Yellow Foxglove | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Digitalis laevigata</i> No Common Name Found | HP | 0.72 | G4 | 4-5 | 6-8 | | | |
| <i>Digitalis lanata</i> Grecian Foxglove | HP | 0.79 | G4 | 4-5 | 6-8 | | | |
| <i>Digitalis lutea</i> Straw Foxglove | HP | 0.94 | G4 | 4-5 | 6-8 | | | |
| <i>Digitalis x mertonensis</i> Strawberry Foxglove | HP | 0.85 | G4 | 4-5 | 6-8 | | | |
| <i>Digitalis obscura</i> Willow-leaved Foxglove | HP | 0.83 | G4 | 4-5 | 6-8 | | | |
| <i>Digitalis parviflora</i> Spanish Foxglove | HP | 1.06 | G4 | 4-5 | 6-8 | | | |
| <i>Digitalis purpurea</i> Common Foxglove | HP | 0.86 | G4 | 4-5 | 6-8 | | | |
| <i>Digitalis purpurea</i> 'Alba' White Common Foxglove | HP | 0.89 | G4 | 4-5 | 6-8 | | | |
| <i>Digitalis purpurea</i> 'Apricot Beauty' Apricot Beauty Common Foxglove | HP | 0.95 | G4 | 4-5 | 6-8 | | | |
| <i>Digitalis purpurea</i> 'Apricot' Apricot Common Foxglove | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Digitalis purpurea</i> 'Excelsior' Excelsior Common Foxglove | HP | 0.88 | G4 | 4-5 | 6-8 | | | |
| <i>Digitalis purpurea</i> 'Foxy' Foxy Common Foxglove | HP | 0.84 | G4 | 4-5 | 6-8 | | | |
| <i>Digitalis purpurea</i> 'Giant Shirley' Giant Shirley Common Foxglove | HP | 1.02 | G4 | 4-5 | 6-8 | | | |
| <i>Digitalis purpurea</i> 'Gloxinioides' Gloxinioides Common Foxglove | HP | 0.95 | G4 | 4-5 | 6-8 | | | |
| <i>Dillenia indica</i> Elephant Apple | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10B |
| <i>Dimerocostus strobilaceus</i> No Common Name Found | HP | 1.83 | G4 | 10 | 11 | | | |
| <i>Dimocarpus longan</i> Longan | FN | 1.66 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Dimorphotheca sinuata</i> Cape Marigold | HP | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Dionaea muscipula</i> Venus' Fly Trap | HP | 1.06 | G4 | 7-8 | 9-10A | | | |
| <i>Dionaea muscipula</i> 'Akai Ryu' Akai Ryu Venus' Fly Trap | HP | 1.21 | G4 | 7-8 | 9-10A | | | |
| <i>Dionaea muscipula</i> 'Dente' Dente Venus' Fly Trap | HP | 1.36 | G4 | 7-8 | 9-10A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Dionysia aretioides</i> No Common Name Found | BS | 1.00 | G2 | 3-5 | 6-7 | | 1.00 | 5 |
| <i>Dioon califanoi</i> No Common Name Found | PC | 3.09 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Dioon edule</i> Virgin's Palm | PC | 2.02 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Dioon mejiae</i> No Common Name Found | PC | 2.87 | G1 | 9-10 | 11 | | 1.00 | 9 |
| <i>Dioon spinulosum</i> Giant Dioon | PC | 2.08 | G1 | 9A-9B | 10A-11 | | 1.00 | 9 |
| <i>Dioscorea elephantipes</i> Elephant's Foot | GC | 2.22 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Dioscorea macrostachya</i> Turtle Plant | GC | 1.76 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Diosma pulchra</i> See - <i>Coleonema pulchrum</i> | | | | | | | | |
| <i>Diospyros kaki</i> Japanese Persimmon | FN | 1.77 | G2 | 6-7 | 8-9 | 1.10 | 0.76 | 7 |
| <i>Diospyros kaki</i> 'Chocolate' Chocolate Japanese Persimmon | FN | 2.18 | G2 | 6-7 | 8-9 | 1.10 | 0.76 | 7 |
| <i>Diospyros kaki</i> 'Eureka' Eureka Japanese Persimmon | FN | 0.76 | G2 | 6-7 | 8-9 | 1.10 | 0.76 | 7 |
| <i>Diospyros kaki</i> 'Fuyu' Fuyu Japanese Persimmon | FN | 1.27 | G2 | 6-7 | 8-9 | 0.93 | 0.71 | 7 |
| <i>Diospyros kaki</i> 'Hachiya' Hachiya Japanese Persimmon | FN | 1.28 | G2 | 6-7 | 8-9 | 0.93 | 0.76 | 7 |
| <i>Diospyros kaki</i> 'Tamopan' Tamopan Persimmon | FN | 0.95 | G2 | 6-7 | 8-9 | 1.43 | 0.76 | 7 |
| <i>Diospyros kaki</i> 'Tannenashi' Tannenashi Japanese Persimmon | FN | 1.26 | G2 | 6-7 | 8-9 | 1.10 | 0.80 | 7 |
| <i>Diospyros lotus</i> Date Plum | DT | 1.00 | G2 | 6-7 | 8-9 | 1.00 | 1.00 | 5 |
| <i>Diospyros texana</i> Texas Persimmon | DT | 1.01 | G2 | 6-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Diospyros virginiana</i> Common Persimmon | DT | 0.79 | G2 | 6-7 | 8-9 | 0.85 | 1.66 | 4 |
| <i>Dipladenia sanderi</i> See - <i>Mandevilla sanderi</i> | | | | | | | | |
| <i>Dipladenia splendens</i> See - <i>Mandevilla splendens</i> | | | | | | | | |
| <i>Diplazium acrostichoides</i> Silvery Spleenwort | FO | 0.45 | G3 | 8-10B | 11 | | 1.00 | 4 |
| <i>Diplazium pycnocarpon</i> See - <i>Athyrium pycnocarpon</i> | | | | | | | | |
| <i>Dipogon lignosus</i> Australian Pea | GC | 0.70 | G2 | 8-9 | 10A | | 1.00 | 9 |
| <i>Dirca palustris</i> Leatherwood | DS | 1.00 | G2 | 3-4 | 5-9 | | 1.00 | 4 |
| <i>Disanthus cercidifolius</i> No Common Name Found | DS | 1.40 | G2 | 7-8 | 9-10B | | 2.47 | 8 |
| <i>Disporum flavens</i> Fairy Bells | HP | 1.85 | G4 | 3-4 | 5-8 | | | |
| <i>Dissotis rotundifolia</i> Triana Pinklady | HP | 1.00 | G4 | 10 | 11 | | | |
| <i>Distictis</i> Trumpet Vine | GC | 1.03 | G1 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Distictis</i> 'Rivers' Royal Trumpet Vine | GC | 1.03 | G1 | 9-10A | 10B-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Distictis buccinatoria</i> Blood Trumpet Vine | GC | 1.10 | G1 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Dodecatheon clevelandii</i> Cleveland Shooting Star | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Dodecatheon jeffreyi</i> Sierra Shooting Star | HP | 0.96 | G4 | 5-6 | 7-8 | | | |
| <i>Dodecatheon meadia</i> Shooting Star | HP | 1.27 | G4 | 5-6 | 7-8 | | | |
| <i>Dodecatheon meadia</i> 'Album' White Shooting Star | HP | 1.27 | G4 | 5-6 | 7-8 | | | |
| <i>Dodecatheon pulchellum</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Dodonaea adenophora</i> No Common Name Found | BS | 0.68 | G1 | 9 | 10-11 | | 1.00 | 9 |
| <i>Dodonaea boroniifolia</i> No Common Name Found | BS | 0.68 | G1 | 9 | 10-11 | | 1.00 | 9 |
| <i>Dodonaea viscosa</i> Hopseed Bush | BS | 0.83 | G1 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Dodonaea viscosa</i> 'Purpurea' Purple Hopseed Bush | BS | 0.80 | G1 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Dolichos lablab</i> See - <i>Lablab purpureus</i> | | | | | | | | |
| <i>Dombeya burgessiae</i> Wedding Flower | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Dombeya elegans</i> No Common Name Found | BS | 1.03 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Dombeya rotundifolia</i> See - <i>Dombeya spectabilis</i> | | | | | | | | |
| <i>Dombeya spectabilis</i> Wild Pear | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Dombeya wallichii</i> No Common Name Found | BS | 1.26 | G3 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Dombeya wallichii</i> 'Seminole' Seminole Dombeya | BS | 1.33 | G3 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Doritis pulcherrima</i> No Common Name Found | FO | 3.51 | G3 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Doronicum austriacum</i> Austriacum Leopard's Bane | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Doronicum caucasicum</i> See - <i>Doronicum orientale</i> | | | | | | | | |
| <i>Doronicum columnae</i> Eastern Leopard's Bane | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Doronicum cordatum</i> See - <i>Doronicum columnae</i> | | | | | | | | |
| <i>Doronicum orientale</i> Caucasian Leopard's Bane | HP | 0.66 | G4 | 5-6 | 7-8 | | | |
| <i>Doronicum orientale</i> 'Finesse' Finesse Caucasian Leopard's Bane | HP | 0.79 | G4 | 5-6 | 7-8 | | | |
| <i>Doronicum orientale</i> 'Little Leo' Little Leo Caucasian Leopard's Bane | HP | 0.92 | G4 | 5-6 | 7-8 | | | |
| <i>Doronicum orientale</i> 'Magnificum' Magnificum Caucasian Leopard's Bane | HP | 0.87 | G4 | 5-6 | 7-8 | | | |
| <i>Doronicum orientale</i> 'Spring Beauty' Spring Beauty Caucasian Leopard's Bane | HP | 0.81 | G4 | 5-6 | 7-8 | | | |
| <i>Doryanthes palmeri</i> No Common Name Found | BS | 1.64 | G4 | 9-10 | 11 | | 1.00 | 10 |
| <i>Dorycnium hirsutum</i> Hairy Canary Clover | HP | 1.05 | G2 | 7-8 | 9-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Doryopteris pedata</i> Hand Fern | HP | 1.00 | G4 | 8-10 | 11 | | | |
| <i>Douglasia laevigata</i> Smooth Douglasia | HP | 1.00 | G4 | 3-5 | 6-7 | | | |
| <i>Douglasia montana</i> Mountain Douglasia | HP | 1.00 | G4 | 3-5 | 6-7 | | | |
| <i>Draba acaulis</i> No Common Name Found | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Draba aizoides</i> Yellow Whitlow Grass | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Draba alticola</i> No Common Name Found | HP | 1.00 | G4 | 3-5 | 6-7 | | | |
| <i>Draba brunifolia</i> No Common Name Found | HP | 1.00 | G4 | 3-5 | 6-7 | | | |
| <i>Draba brunifolia</i> ssp. <i>olympica</i> No Common Name Found | HP | 1.00 | G4 | 3-5 | 6-7 | | | |
| <i>Draba cappadocica</i> No Common Name Found | HP | 1.00 | G4 | 3-5 | 6-7 | | | |
| <i>Draba cuspidata</i> No Common Name Found | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Draba dedeana</i> Dede Draba | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Draba haynaldii</i> No Common Name Found | HP | 1.00 | G4 | 4-7 | 8-9 | | | |
| <i>Draba hispanica</i> Spanish Draba | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Draba incerta</i> No Common Name Found | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Draba lactea</i> Milky Draba | HP | 1.00 | G4 | 3-5 | 6-7 | | | |
| <i>Draba lasiocarpa</i> No Common Name Found | HP | 1.00 | G4 | 3-5 | 6-7 | | | |
| <i>Draba longisiliqua</i> No Common Name Found | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Draba mollissima</i> No Common Name Found | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Draba norvegica</i> Norwegian Draba | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Draba oligosperma</i> No Common Name Found | HP | 1.54 | G4 | 3-4 | 5-7 | | | |
| <i>Draba paysonii</i> Payson Draba | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Draba polytricha</i> No Common Name Found | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Draba rigida</i> Rigid Draba | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Draba rigida</i> var. <i>bryoides</i> No Common Name Found | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Draba rigida</i> var. <i>imbricata</i> No Common Name Found | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Draba rosularis</i> No Common Name Found | HP | 1.00 | G4 | 3-6 | 7-8 | | | |
| <i>Draba sibirica</i> Siberian Draba | HP | 0.48 | G4 | 3-4 | 5-7 | | | |
| <i>Draba ussuriensis</i> No Common Name Found | HP | 1.00 | G4 | 3-6 | 7-8 | | | |
| <i>Dracaena arborea</i> Tree Dracena | BS | 1.61 | G3 | 8-10 | 11 | | 0.79 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Dracaena bicolor</i> No Common Name Found | FO | 0.49 | G3 | 6-10 | 11 | | 1.00 | 9 |
| <i>Dracaena cincta</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Dracaena deremensis</i> No Common Name Found | FO | 0.86 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Dracaena deremensis</i> 'Gold Star' Gold Star Dracena | FO | 0.97 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Dracaena deremensis</i> 'Janet Craig Compacta' Compact Janet Craig Dracena | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Dracaena deremensis</i> 'Janet Craig' Janet Craig Dracena | FO | 0.85 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Dracaena deremensis</i> 'Lemon Lime' Lemon Lime Dracena | FO | 1.19 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Dracaena deremensis</i> 'Souvenir de Schriever' Souvenir de Schriever Dracena | FO | 0.90 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Dracaena deremensis</i> 'Warneckii Compacta' Warneckii Compact Dracena | FO | 0.47 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Dracaena draco</i> Dragon Plant | BE | 1.10 | G3 | 8-10 | 11 | 1.00 | 1.00 | 9 |
| <i>Dracaena fragrans</i> Fragrant Dracena | FO | 1.06 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Dracaena fragrans</i> 'Lindenii' Linden Fragrant Dracena | FO | 2.06 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Dracaena fragrans</i> 'Massangeana' Corn Plant | FO | 1.25 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Dracaena fragrans</i> 'Santa Rosa' Santa Rosa Fragrant Dracena | FO | 1.40 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Dracaena godseffiana</i> See - <i>Dracaena surculosa</i> | | | | | | | | |
| <i>Dracaena indivisa</i> See - <i>Cordyline indivisa</i> | | | | | | | | |
| <i>Dracaena marginata</i> Madagascar Dragon Tree | FO | 0.82 | G3 | 8-10 | 11 | | 0.88 | 9 |
| <i>Dracaena marginata</i> 'Colorama' Colorama Madagascar Dragon Tree | FO | 0.71 | G3 | 8-11 | | | 0.88 | 9 |
| <i>Dracaena marginata</i> 'Magenta' Magenta Madagascar Dragon Tree | FO | 0.59 | G3 | 8-10 | 11 | | 0.88 | 9 |
| <i>Dracaena marginata</i> 'Tricolor' Tricolor Madagascar Dragon Tree | FO | 0.88 | G3 | 8-10 | 11 | | 0.88 | 9 |
| <i>Dracaena reflexa</i> Mauritius Dracena | FO | 1.10 | G3 | 8-10 | 11 | | 1.14 | 9 |
| <i>Dracaena reflexa</i> 'Honoriae' Honoriae Mauritius Dracena | FO | 1.14 | G3 | 8-10 | 11 | | 1.22 | 9 |
| <i>Dracaena reflexa</i> 'Song of India' Song of India Mauritius Dracena | FO | 0.86 | G3 | 8-10 | 11 | | 1.29 | 9 |
| <i>Dracaena reflexa</i> 'Song of Jamaica' Song of Jamaica Mauritius Dracena | FO | 0.96 | G3 | 8-10 | 11 | | 1.22 | 9 |
| <i>Dracaena sanderiana</i> Ribbon Plant | FO | 0.23 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Dracaena sanderiana</i> 'Borinquensis' Borinquensis Ribbon Plant | FO | 0.23 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Dracaena surculosa</i> Gold Dust Dracena | FO | 0.20 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Dracaena surculosa</i> 'Florida Beauty' Florida Beauty Gold Dust Dracena | FO | 0.19 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Dracaena thalioides</i> No Common Name Found | FO | 0.96 | G3 | 8-11 | | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Dracocephalum botryoides</i> No Common Name Found | HP | 1.00 | G2 | 3-4 | 5-7 | | | |
| <i>Drepanostachyum falcatum</i> No Common Name Found | BS | 1.38 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Drepanostachyum hookerianum</i> No Common Name Found | BS | 1.31 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Drimiopsis kirkii</i> No Common Name Found | HP | 0.92 | G4 | 9-10 | 11 | | | |
| <i>Drimys lanceolata</i> Pepper Tree | BE | 0.85 | G2 | 7-8 | 9-10A | 1.00 | 1.00 | 8 |
| <i>Drimys winteri</i> Winter's Bark Drimys | BE | 0.86 | G2 | 7-8 | 9-10A | 1.00 | 1.00 | 8 |
| <i>Drosera adelae</i> Australian Sundew | HP | 1.36 | G4 | 7-8 | 9-10 | | | |
| <i>Drosera binata</i> Forked Sundew | HP | 1.67 | G4 | 7-8 | 9-10 | | | |
| <i>Drosera capensis</i> Cape Sundew | HP | 1.36 | G4 | 7-8 | 9-10 | | | |
| <i>Drosera capillaris</i> Pink Sundew | HP | 1.00 | G4 | 7-8 | 9-10 | | | |
| <i>Drosera filiformis</i> Dew-thread Sundew | HP | 1.36 | G4 | 7-8 | 9-10 | | | |
| <i>Drosera filiformis</i> var. <i>tracyi</i> No Common Name Found | HP | 1.30 | G4 | 7-8 | 9-10 | | | |
| <i>Drosera spathulata</i> Spoon-leaf Sundew | HP | 1.36 | G4 | 7-8 | 9-10 | | | |
| <i>Drosera tracyi</i> See - <i>Drosera filiformis</i> var. <i>tracyi</i> | | | | | | | | |
| <i>Dryandra formosa</i> Showy Dryandra | BS | 1.00 | G2 | 8-9 | 10A | | 1.00 | 9 |
| <i>Dryas octopetala</i> Mt. Washington Dryad | BS | 1.50 | NR | | 3-5 | | 1.00 | 2 |
| <i>Drymophloeus beguinii</i> No Common Name Found | PC | 2.16 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Drymophloeus oliviformis</i> No Common Name Found | PC | 2.16 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Drynaria quercifolia</i> Oak-leaved Fern | BS | 1.00 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Dryopteris affinis</i> Golden Shield Fern | HP | 1.19 | G3 | 6-7 | 8-10A | | | |
| <i>Dryopteris affinis</i> 'Crispa' Crispa Golden Shield Fern | HP | 1.19 | G3 | 6-7 | 8-10A | | | |
| <i>Dryopteris affinis</i> 'Cristata' Cristata Golden Shield Fern | HP | 1.19 | G3 | 6-7 | 8-10A | | | |
| <i>Dryopteris arguta</i> Coastal Wood Fern | HP | 1.36 | G3 | 6-7 | 8-10A | | | |
| <i>Dryopteris atrata</i> Shaggy Shield Fern | HP | 1.01 | G4 | 7 | 8-9A | | | |
| <i>Dryopteris x australis</i> Dixie Wood Fern | HP | 0.94 | G4 | 7 | 8-9A | | | |
| <i>Dryopteris austriaca</i> See - <i>Dryopteris dilatata</i> | | | | | | | | |
| <i>Dryopteris borreri</i> See - <i>Dryopteris affinis</i> | | | | | | | | |
| <i>Dryopteris carthusiana</i> Narrow Buckler Fern | HP | 1.12 | G4 | 5-6 | 7-8 | | | |
| <i>Dryopteris celsa</i> Log Fern | HP | 1.21 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Dryopteris cristata</i> Crested Wood Fern | HP | 0.83 | G4 | 4-5 | 6-8 | | | |
| <i>Dryopteris cycadina</i> No Common Name Found | HP | 1.05 | G4 | 5-6 | 7-8 | | | |
| <i>Dryopteris dilatata</i> Broad Buckler Fern | HP | 1.01 | G4 | 5-6 | 7-8 | | | |
| <i>Dryopteris dilatata</i> 'Lepidota Cristata' Lacy Crested Broad Buckler Fern | HP | 1.02 | G4 | 5-6 | 7-8 | | | |
| <i>Dryopteris dilatata</i> 'Recurvata' Recurved Broad Buckler Fern | HP | 0.98 | G4 | 5-6 | 7-8 | | | |
| <i>Dryopteris erythrosora</i> Japanese Shield Fern | HP | 1.04 | G4 | 8-9 | 10-11 | | | |
| <i>Dryopteris filix-mas</i> Male Fern | HP | 1.47 | G4 | 3-5 | 6-8 | | | |
| <i>Dryopteris filix-mas</i> 'Linearis' Linearis Male Fern | HP | 0.84 | G4 | 3-5 | 6-8 | | | |
| <i>Dryopteris filix-mas</i> 'Robusta' Robust Male Fern | FO | 0.87 | G3 | 1-2 | 3-8 | | 1.00 | 2 |
| <i>Dryopteris filix-mas</i> 'Undulata Robusta' Undulating Robust Male Fern | HP | 1.23 | G4 | 3-5 | 6-8 | | | |
| <i>Dryopteris goldiana</i> Goldie's Fern | HP | 1.18 | G4 | 3-5 | 6-8 | | | |
| <i>Dryopteris linnaeana</i> See - <i>Gymnocarpium dryopteris</i> | | | | | | | | |
| <i>Dryopteris ludoviciana</i> Southern Wood Fern | HP | 0.94 | G4 | 7-8 | 9-10B | | | |
| <i>Dryopteris marginalis</i> Leatherwood Fern | HP | 1.11 | G4 | 4-5 | 6-8 | | | |
| <i>Dryopteris normalis</i> See - <i>Thelypteris normalis</i> | | | | | | | | |
| <i>Dryopteris xremota</i> Remote Fern | HP | 1.01 | G4 | 8-9A | 9B-11 | | | |
| <i>Dryopteris sieboldii</i> Siebold's Wood Fern | FO | 0.71 | G4 | 8-9A | 9B-11 | | 1.00 | 6 |
| <i>Dryopteris spinulosa</i> See - <i>Dryopteris carthusiana</i> | | | | | | | | |
| <i>Dryopteris thelypteris</i> See - <i>Thelypteris palustris</i> | | | | | | | | |
| <i>Dryopteris wallichiana</i> Wallich's Wood Fern | HP | 1.06 | G4 | 6 | 7-8 | | | |
| <i>Duchesnea indica</i> Indian Mock Strawberry | HP | 0.95 | G4 | 4-6 | 7-8 | | | |
| <i>Duchesnea major</i> False Strawberry | HP | 0.49 | G4 | 4-6 | 7-8 | | | |
| <i>Dudleya brittonii</i> No Common Name Found | HP | 1.13 | G4 | 8-9 | 10 | | | |
| <i>Dudleya cymosa</i> No Common Name Found | HP | 1.25 | G4 | 8-9 | 10 | | | |
| <i>Dudleya pulverulenta</i> Chalk Lettuce | HP | 1.17 | G4 | 8-9 | 10 | | | |
| <i>Duranta erecta</i> Golden Dewdrop | BS | 0.73 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Duranta erecta</i> 'Alba' White Golden Dewdrop | BS | 0.67 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Duranta erecta</i> 'Gold Edge' Gold Edge Golden Dewdrop | BS | 0.89 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Duranta erecta</i> 'Gold Mound' Gold Mound Golden Dewdrop | BS | 0.60 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Duranta erecta</i> 'Sapphire Showers' Sapphire Showers Golden Dewdrop | BS | 0.83 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Duranta erecta</i> 'Variegata' Variegated Golden Dewdrop | BS | 0.91 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Duranta repens</i> See - <i>Duranta erecta</i> | | | | | | | | |
| <i>Duranta stenostachya</i> Brazilian Sky Flower | BS | 0.67 | G1 | 9-11 | | | 1.00 | 11 |
| <i>Dymondia margaretae</i> No Common Name Found | HP | 0.66 | G4 | 7-9 | 10-11 | | | |
| <i>Dypsis cabadae</i> Cabada Palm | PC | 1.48 | G1 | 9-10 | 11 | | 2.11 | 10 |
| <i>Dypsis decaryi</i> Triangle Palm | PC | 1.35 | G1 | 9-10 | 11 | | 0.92 | 10 |
| <i>Dypsis decipiens</i> No Common Name Found | PC | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Dypsis lastelliana</i> Teddy Bear Palm | PC | 1.33 | G1 | 10 | 11 | | 1.02 | 10 |
| <i>Dypsis lucubensis</i> See - <i>Dypsis madagascariensis</i> var. <i>lucubensis</i> | | | | | | | | |
| <i>Dypsis lutescens</i> Butterfly Palm | PC | 0.86 | G3 | 8-10 | 11 | | 0.92 | 10 |
| <i>Dypsis madagascariensis</i> No Common Name Found | PC | 1.13 | G1 | 9B-10B | 11 | | 1.00 | 10 |
| <i>Dypsis madagascariensis</i> var. <i>lucubensis</i> Lucubensis Palm | PC | 1.49 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Dypsis onilahensis</i> Onilahy Palm | PC | 2.09 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Dypsis pinnatifrons</i> No Common Name Found | PC | 2.21 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Dyschoriste oblongifolia</i> Twinflower | HP | 0.59 | G4 | 7-8 | 9-11 | | | |
| <i>Dyssodia tenuiloba</i> See - <i>Thymophylla tenuiloba</i> | | | | | | | | |
| <i>Echeveria elegans</i> Jerusalem Rose | HP | 0.74 | G4 | 7-8 | 9-11 | | | |
| <i>Echeveria harmsii</i> No Common Name Found | HP | 1.00 | G4 | 7-8 | 9-11 | | | |
| <i>Echinacea</i> Coneflower | HP | 2.62 | G4 | 4-5 | 6-10B | | | |
| <i>Echinacea</i> 'Art's Pride' P.P. 15090 Orange Meadowbrite™ Hybrid Coneflower | HP | 2.62 | G4 | 4-5 | 6-10B | | | |
| <i>Echinacea</i> 'Orange Meadowbrite' See - <i>Echinacea</i> 'Art's Pride' P.P. 15090 | | | | | | | | |
| <i>Echinacea angustifolia</i> Western Purple Coneflower | HP | 0.92 | G4 | 3 | 4-10B | | | |
| <i>Echinacea pallida</i> Pale Coneflower | HP | 1.00 | G4 | 5 | 6-10B | | | |
| <i>Echinacea paradoxa</i> Yellow Coneflower | HP | 0.95 | G4 | 5 | 6-10B | | | |
| <i>Echinacea purpurea</i> Purple Coneflower | HP | 0.89 | G4 | 4-6 | 7-9 | | | |
| <i>Echinacea purpurea</i> 'Alba' White Purple Coneflower | HP | 1.15 | G4 | 4-6 | 7-9 | | | |
| <i>Echinacea purpurea</i> 'Bravado' Bravado Purple Coneflower | HP | 1.00 | G4 | 4-6 | 7-9 | | | |
| <i>Echinacea purpurea</i> 'Bright Star' Bright Star Purple Coneflower | HP | 0.80 | G4 | 4-6 | 7-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Echinacea purpurea</i> 'Kim's Knee High' P.P.A.F. Kim's Knee High Purple Coneflower | HP | 1.22 | G4 | 4-6 | 7-9 | | | |
| <i>Echinacea purpurea</i> 'Kim's Mophead' Kim's Mophead Purple Coneflower | HP | 1.68 | G4 | 4-6 | 7-9 | | | |
| <i>Echinacea purpurea</i> 'Little Giant' P.P.A.F. Little Giant Purple Coneflower | HP | 1.45 | G4 | 4-6 | 7-9 | | | |
| <i>Echinacea purpurea</i> 'Magnus' Magnus Purple Coneflower | HP | 0.92 | G4 | 4-6 | 7-9 | | | |
| <i>Echinacea purpurea</i> 'Razzmatazz' Razzmatazz Purple Coneflower | HP | 0.84 | G4 | 4-6 | 7-9 | | | |
| <i>Echinacea purpurea</i> 'Rubinstern' Rubinstern Purple Coneflower | HP | 0.95 | G4 | 4-6 | 7-9 | | | |
| <i>Echinacea purpurea</i> 'Springbrook's Crimson Star' Springbrook's Crimson Star Purple Coneflower | HP | 1.32 | G4 | 4-6 | 7-9 | | | |
| <i>Echinacea purpurea</i> 'The King' The King Purple Coneflower | HP | 1.10 | G4 | 4-6 | 7-9 | | | |
| <i>Echinacea purpurea</i> 'Vintage Wine' Vintage Wine Purple Coneflower | HP | 1.21 | G4 | 4-6 | 7-9 | | | |
| <i>Echinacea purpurea</i> 'White Lustre' White Lustre Purple Coneflower | HP | 0.98 | G4 | 4-6 | 7-9 | | | |
| <i>Echinacea purpurea</i> 'White Swan' White Swan Purple Coneflower | HP | 0.92 | G4 | 4-6 | 7-9 | | | |
| <i>Echinacea tennesseensis</i> Tennessee Coneflower | HP | 1.20 | G4 | 7 | 8 | | | |
| <i>Echinacea tennesseensis</i> 'Rocky Top Hybrids' Rocky Top Hybrids Tennessee Coneflower | HP | 1.04 | G4 | 2-3 | 4-9 | | | |
| <i>Echinocactus grusoni</i> Golden Barrel Cactus | FO | 0.90 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Echinops ritro</i> Globe Thistle | HP | 1.00 | G4 | 4-6 | 7-9A | | | |
| <i>Echinops ritro</i> 'Blue Glow' Blue Glow Globe Thistle | HP | 0.82 | G4 | 4-6 | 7-9A | | | |
| <i>Echinops ritro</i> 'Taplow Blue' Taplow Blue Globe Thistle | HP | 1.17 | G4 | 4-6 | 7-9A | | | |
| <i>Echinops ritro</i> 'Taplow Purple' Taplow Purple Globe Thistle | HP | 1.15 | G4 | 4-6 | 7-9A | | | |
| <i>Echinops ritro</i> 'Veitchii's Blue' Veitchii's Blue Globe Thistle | HP | 1.12 | G4 | 4-6 | 7-9A | | | |
| <i>Echinops sphaerocephalus</i> No Common Name Found | HP | 1.00 | G4 | 4-6 | 7-9A | | | |
| <i>Echinopsis aurea</i> No Common Name Found | HP | 1.00 | G3 | 8-10B | 11 | | | |
| <i>Echinopsis chamaecereus</i> Peanut Cactus | HP | 1.00 | G3 | 8-10B | 11 | | | |
| <i>Echinopsis eyriesii</i> No Common Name Found | HP | 1.00 | G3 | 8-10B | 11 | | | |
| <i>Echinopsis kuehnrichii</i> No Common Name Found | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Echium</i> Bugloss | HP | 0.89 | G4 | 7-9 | 10-11 | | | |
| <i>Echium</i> 'Purple Tower' Purple Tower Echium | HP | 0.89 | G4 | 7-9 | 10-11 | | | |
| <i>Echium candicans</i> Pride of Madeira | HP | 0.83 | G4 | 7-9 | 10-11 | | | |
| <i>Echium fastuosum</i> See - <i>Echium candicans</i> | | | | | | | | |
| <i>Echium pininana</i> Pride of Tenerife | HP | 0.72 | G4 | 7-9 | 10-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Echium wildpretii</i> Tower of Jewels | HP | 0.81 | G4 | 7-9 | 10-11 | | | |
| <i>Edraianthus dalmaticus</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-10A | | | |
| <i>Edraianthus graminifolius</i> No Common Name Found | HP | 0.91 | G4 | 6-9 | 10-11 | | | |
| <i>Edraianthus kitaibelii</i> See - <i>Edraianthus graminifolius</i> | | | | | | | | |
| <i>Edraianthus parnassicus</i> No Common Name Found | HP | 1.00 | G4 | 6-8 | 9-11 | | | |
| <i>Edraianthus pumilio</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-10A | | | |
| <i>Edraianthus serpyllifolius</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-10A | | | |
| <i>Ehretia microphylla</i> See - <i>Carmona retusa</i> | | | | | | | | |
| <i>Eichhornia crassipes</i> Water Hyacinth | HP | 1.00 | G4 | 9-10 | 11 | | | |
| <i>Elaeagnus angustifolia</i> Russian Olive | BS | 0.85 | G2 | 2-4 | 5-9A | | 0.52 | 2 |
| <i>Elaeagnus angustifolia</i> 'Quicksilver' Quicksilver Russian Olive | BS | 0.92 | G2 | 2-4 | 5-9 | | 0.52 | 2 |
| <i>Elaeagnus angustifolia</i> 'Red King' Red King Russian Olive | BS | 1.09 | G2 | 2-4 | 5-10 | | 0.52 | 2 |
| <i>Elaeagnus commutata</i> Silverberry | BS | 0.83 | G2 | 2-4 | 5-10 | | 0.95 | 2 |
| <i>Elaeagnus x ebbingei</i> Ebbinge's Silverberry | BS | 0.75 | G2 | 6 | 7-10B | | 0.91 | 6 |
| <i>Elaeagnus x ebbingei</i> 'Gilt Edge' Gilt Edge Ebbinge's Silverberry | BS | 1.07 | G2 | 6 | 7-8 | | 0.91 | 6 |
| <i>Elaeagnus latifolia</i> Broadleaf Elaeagnus | BS | 2.12 | G2 | 9A | 9B-10A | | 1.00 | 7 |
| <i>Elaeagnus macrophylla</i> Longleaf Elaeagnus | BS | 0.85 | G2 | 6-7 | 8-10A | | 1.00 | 7 |
| <i>Elaeagnus philippinensis</i> Lingaro Elaeagnus | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 7 |
| <i>Elaeagnus pungens</i> Thorny Elaeagnus | BS | 0.63 | G2 | 6-7 | 8-10B | | 0.29 | 7 |
| <i>Elaeagnus pungens</i> 'Fruitlandii' Fruitland Thorny Elaeagnus | BS | 0.75 | G2 | 6-7 | 8-10A | | 0.66 | 7 |
| <i>Elaeagnus pungens</i> 'Glen St. Mary' Glen St. Mary Thorny Elaeagnus | BS | 0.71 | G2 | 6-7 | 8-10A | | 0.55 | 7 |
| <i>Elaeagnus pungens</i> 'Maculata' Golden Thorny Elaeagnus | BS | 0.79 | G2 | 6-7 | 8-10A | | 0.55 | 7 |
| <i>Elaeagnus pungens</i> 'Reflexa' Reflexa Thorny Elaeagnus | BS | 0.70 | G2 | 6-7 | 8-10A | | 0.71 | 7 |
| <i>Elaeagnus pungens</i> 'Simonii' Simon Thorny Elaeagnus | BS | 0.60 | G2 | 6-7 | 8-10A | | 0.55 | 7 |
| <i>Elaeagnus pungens</i> 'Variegata' Variegated Thorny Elaeagnus | BS | 0.72 | G2 | 6-7 | 8-10A | | 0.55 | 7 |
| <i>Elaeagnus umbellata</i> Autumn Olive | BS | 0.96 | G2 | 3-4 | 5-7 | | 0.47 | 3 |
| <i>Elaeagnus umbellata</i> 'Cardinal' Cardinal Autumn Olive | BS | 1.31 | G2 | 3-4 | 5-7 | | 0.44 | 3 |
| <i>Elaeagnus umbellata</i> 'Guardian' Guardian Autumn Olive | BS | 1.01 | G2 | 3-4 | 5-7 | | 0.43 | 3 |
| <i>Elaeagnus umbellata</i> 'Titan' See - <i>Elaeagnus umbellata</i> 'Tizam' P.P. 7750 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Elaeagnus umbellata</i> 'Tizam' P.P. 7750 Titan® Autumn Olive | BS | 0.75 | G2 | 3-4 | 5-7 | | 0.39 | 3 |
| <i>Elaeis guineensis</i> African Oil Palm | PC | 1.10 | G1 | 10 | 11 | | 0.85 | 10 |
| <i>Elaeis oleifera</i> American Oil Palm | PC | 5.56 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Elaeocarpus decipiens</i> Japanese Blueberry Tree | BE | 1.18 | G2 | 8-9A | 9B-10B | 1.94 | 1.98 | 7 |
| <i>Elaeophorbia drupifera</i> See - <i>Euphorbia drupifera</i> | | | | | | | | |
| <i>Eleocharis acicularis</i> Needle Spike Rush | HP | 1.00 | G2 | 8-9A | 9B-10A | | | |
| <i>Eleocharis baldwinii</i> Road Grass | HP | 0.72 | G4 | 8-10 | 11 | | | |
| <i>Eleocharis cellulosa</i> Spike Rush | HP | 0.83 | G4 | 8-10 | 11 | | | |
| <i>Eleocharis dulcis</i> Chinese Water Chestnut | HP | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Eleocharis montana</i> No Common Name Found | HP | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Eleocharis palustris</i> Creeping Spike Rush | HP | 1.12 | G2 | 8-9A | 9B-10A | | | |
| <i>Elettaria cardamomum</i> Cardamom | HP | 1.16 | G4 | 8-10 | 11 | | | |
| <i>Eleutherococcus sieboldianus</i> Fiveleaf Aralia | FO | 0.69 | G3 | 3-4 | 5-7 | | 0.40 | 4 |
| <i>Eleutherococcus sieboldianus</i> 'Variegatus' Variegated Fiveleaf Aralia | FO | 0.78 | G3 | 4-5 | 6-7 | | 0.40 | 4 |
| <i>Elliottia racemosa</i> Georgian Plume | DS | 1.00 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Elsholtzia stauntonii</i> Mint Shrub | BS | 1.30 | G2 | 6 | 7-8 | | 1.00 | 4 |
| <i>Elymus arenarius</i> See - <i>Leymus arenarius</i> | | | | | | | | |
| <i>Elymus canadensis</i> Canada Wild Rye | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Elymus cinereus</i> Basin Wildrye | HP | 1.00 | G4 | 3-4 | 5-9 | | | |
| <i>Elymus condensatus</i> See - <i>Leymus condensatus</i> | | | | | | | | |
| <i>Elymus glaucus</i> See - <i>Leymus secalinus</i> | | | | | | | | |
| <i>Elymus magellanicus</i> Blue Wheat Grass | HP | 0.96 | G4 | 5-7 | 8-9 | | | |
| <i>Elymus mollis</i> See - <i>Leymus mollis</i> | | | | | | | | |
| <i>Elymus racemosus</i> See - <i>Leymus racemosus</i> | | | | | | | | |
| <i>Elymus sibiricus</i> Siberian Wild Rye | HP | 0.78 | G4 | 5-6 | 7-8 | | | |
| <i>Elymus virginicus</i> Virginia Wild Rye | HP | 1.14 | G2 | 3-4 | 5-7 | | | |
| <i>Empetrum nigrum</i> Black Crowberry | BS | 1.55 | G2 | 2-3 | 4-6 | | 1.00 | 1 |
| <i>Empetrum nigrum</i> 'Compass Harbour' Compass Harbour Black Crowberry | BS | 1.50 | G2 | 2-3 | 4-6 | | 1.00 | 1 |
| <i>Encelia californica</i> California Encelia | HP | 1.09 | G4 | 7-8 | 9-10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Encelia farinosa</i> Brittlebush | BS | 0.71 | G4 | 7-8 | 9-10 | | 1.00 | 7 |
| <i>Encephalartos altensteinii</i> Prickly Cycad | PC | 1.50 | G2 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Encephalartos ferox</i> No Common Name Found | PC | 5.19 | G2 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Encephalartos gratus</i> No Common Name Found | PC | 3.64 | G2 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Encephalartos horridus</i> No Common Name Found | PC | 1.00 | G2 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Encephalartos lebomboensis</i> Lebombo Cycad | PC | 4.09 | G2 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Encephalartos manikensis</i> Rhodesian Cycad | PC | 3.64 | G2 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Encephalartos natalensis</i> Natal Cycad | PC | 1.50 | G2 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Encyclia ceratistes</i> No Common Name Found | FO | 1.00 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Encyclia chiapasensis</i> No Common Name Found | FO | 2.38 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Encyclia fragrans</i> No Common Name Found | FO | 5.65 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Encyclia garcianum</i> No Common Name Found | FO | 3.75 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Encyclia prismatocarpa</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Encyclia radiata</i> No Common Name Found | FO | 2.08 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Encyclia tampensis</i> No Common Name Found | FO | 2.86 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Encyclia vespa</i> No Common Name Found | FO | 1.43 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Enkianthus campanulatus</i> Redvein Enkianthus | BS | 1.32 | G2 | 5-6 | 7-9 | | 1.28 | 5 |
| <i>Enkianthus campanulatus</i> 'Red Bells' Red Bells Redvein Enkianthus | BS | 1.14 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Enkianthus campanulatus</i> var. <i>palibinii</i> Palibin Redvein Enkianthus | BS | 1.37 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Enkianthus campanulatus</i> var. <i>sikokianus</i> No Common Name Found | BS | 1.00 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Enkianthus perulatus</i> Dodan-tsutsuji | BS | 1.71 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Ensete ventricosum</i> Abyssinian Banana | FN | 1.23 | G4 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Ensete ventricosum</i> 'Maurelli' Red-Leaved Banana | FN | 1.22 | G3 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Enterolobium contortisiliqua</i> No Common Name Found | DT | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Enterolobium cyclocarpum</i> Elephant's Ear | DT | 1.04 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Enterolobium timbouva</i> See - <i>Enterolobium contortisiliqua</i> | | | | | | | | |
| <i>Epacris gunnii</i> No Common Name Found | BS | 0.78 | G2 | 8-9 | 10A | | 1.00 | 9 |
| <i>Ephedra americana</i> American Ephedra | BS | 1.00 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Ephedra americana</i> var. <i>andina</i> No Common Name Found | BS | 1.00 | G2 | 5-6 | 7-8 | | 1.00 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Ephedra equisetina</i> Mongolian Joint Fir | BS | 0.96 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Ephedra minima</i> No Common Name Found | BS | 1.00 | G2 | 5 | 6-8 | | 1.00 | 4 |
| <i>Ephedra viridis</i> Green Joint Fir | BS | 1.27 | G2 | 7-8 | 9-10 | | 1.00 | 6 |
| <i>Epidendrum</i> Epidendrum Hybrid Orchid | FO | 1.73 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Epidendrum eburneum</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Epidendrum hokulea</i> No Common Name Found | FO | 2.14 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Epidendrum ibaguense</i> Reed Stem Orchid | FO | 1.37 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Epidendrum ilense</i> No Common Name Found | FO | 5.95 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Epidendrum leucocardium</i> See - <i>Epidendrum eburneum</i> | | | | | | | | |
| <i>Epidendrum x obrienianum</i> O'Brien Orchid | FO | 0.95 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Epidendrum pfavii</i> No Common Name Found | FO | 4.76 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Epidendrum prismatocarpum</i> See - <i>Encyclia prismatocarpa</i> | | | | | | | | |
| <i>Epidendrum pseudowallisii</i> See - <i>Oerstedella pseudowallisii</i> | | | | | | | | |
| <i>Epidendrum schumannianum</i> See - <i>Oerstedella schumanniana</i> | | | | | | | | |
| <i>Epidendrum schweinfurthianum</i> See - <i>Oerstedella schweinfurthiana</i> | | | | | | | | |
| <i>Epidendrum secundum</i> No Common Name Found | FO | 1.90 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Epidendrum tampense</i> See - <i>Encyclia tampensis</i> | | | | | | | | |
| <i>Epidendrum violascens</i> No Common Name Found | FO | 2.86 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Epidendrum wallisii</i> See - <i>Oerstedella wallisii</i> | | | | | | | | |
| <i>Epigeneium cymbidioides</i> No Common Name Found | FO | 3.13 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>xEpilaeliocattleya</i> Epilaeliocattleya Hybrid Orchid | FO | 1.25 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Epilobium angustifolium</i> Great Willow Herb | HP | 1.34 | G4 | 5-6 | 7-8 | | | |
| <i>Epilobium angustifolium</i> 'Roseum' Roseum Great Willow Herb | HP | 1.34 | G4 | 5-6 | 7-8 | | | |
| <i>Epilobium californicum</i> See - <i>Zauschneria californica</i> | | | | | | | | |
| <i>Epilobium microphyllum</i> See - <i>Zauschneria californica</i> ssp. <i>cana</i> | | | | | | | | |
| <i>Epilobium septentrionale</i> See - <i>Zauschneria septentrionalis</i> | | | | | | | | |
| <i>Epimedium alpinum</i> Alpine Barrenwort | HP | 1.29 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium alpinum</i> 'Rubrum' Red Alpine Barrenwort | HP | 1.29 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium x cantabrigiense</i> No Common Name Found | HP | 1.37 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Epimedium grandiflorum</i> Longspur Barrenwort | HP | 1.03 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium grandiflorum</i> 'Album' White Longspur Barrenwort | HP | 1.55 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium grandiflorum</i> 'Lilafee' Lilafee Longspur Barrenwort | HP | 1.53 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium grandiflorum</i> 'Purple Pixie' Purple Pixie Longspur Barrenwort | HP | 1.38 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium grandiflorum</i> 'Rose Queen' Rose Queen Longspur Barrenwort | HP | 1.52 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium grandiflorum</i> 'White Queen' White Queen Longspur Barrenwort | HP | 1.40 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium macranthum</i> See - <i>Epimedium grandiflorum</i> | | | | | | | | |
| <i>Epimedium x perralchicum</i> No Common Name Found | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium x perralchicum</i> 'Frohnleiten' Frohnleiten Barrenwort | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium perralderanum</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium pinnatum</i> Persian Barrenwort | HP | 1.34 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium pinnatum</i> ssp. <i>colchicum</i> Goldenfleece Barrenwort | HP | 1.60 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium pubigerum</i> No Common Name Found | HP | 1.72 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium x rubrum</i> Red Barrenwort | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium x versicolor</i> Bicolor Barrenwort | HP | 1.41 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium x versicolor</i> 'Sulphureum' Yellow Bicolor Barrenwort | HP | 1.41 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium x warlayense</i> Warlayense Barrenwort | HP | 1.34 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium x warlayense</i> 'Orange Konigin' Orange Konigin Warlayense Barrenwort | HP | 1.40 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium x youngianum</i> Young's Barrenwort | HP | 1.45 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium x youngianum</i> 'Niveum' White Young's Barrenwort | HP | 1.54 | G4 | 4-5 | 6-8 | | | |
| <i>Epimedium x youngianum</i> 'Roseum' Rose Young's Barrenwort | HP | 1.53 | G4 | 4-5 | 6-8 | | | |
| <i>Epipremnum aureum</i> Golden Pothos | HP | 0.92 | G3 | 6-10B | 11 | | | |
| <i>Epipremnum aureum</i> 'Jade' Jade Golden Pothos | FO | 0.61 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Epipremnum aureum</i> 'Marble Queen' Marble Queen Golden Pothos | FO | 0.53 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Epipremnum aureum</i> 'Neon' Neon Golden Pothos | FO | 0.70 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Epipremnum aureum</i> 'Wilcoxii' Wilcox Golden Pothos | FO | 0.61 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Epipremnum pinnatum</i> Centipede Tongavine | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Episcia cupreata</i> Flame Violet | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Episcia cupreata</i> 'Silver Sheen' Silver Sheen Flame Violet | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Epithelantha micromeris</i> Button Cactus | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Equisetum arvense</i> Common Horsetail | HP | 0.83 | G4 | 1-2 | 3-10B | | | |
| <i>Equisetum diffusum</i> Himalayan Horsetail | HP | 1.00 | G4 | 5-6 | 7-10B | | | |
| <i>Equisetum hyemale</i> Dutch Rush | HP | 1.19 | G4 | 5-6 | 7-10B | | | |
| <i>Equisetum hyemale</i> var. <i>affine</i> No Common Name Found | HP | 0.98 | G4 | 5-6 | 7-10B | | | |
| <i>Equisetum hyemale</i> var. <i>robustum</i> Robust Dutch Rush | HP | 1.16 | G4 | 5-6 | 7-10B | | | |
| <i>Equisetum scirpoides</i> Dwarf Scouring Rush | HP | 1.38 | G4 | 2-5 | 6-10B | | | |
| <i>Eragrostis curvula</i> Weeping Love Grass | HP | 1.06 | G4 | 5-7 | 8-10A | | | |
| <i>Eragrostis elliottii</i> Elliott's Love Grass | HP | 0.58 | G4 | 2-6 | 7-10A | | | |
| <i>Eragrostis spectabilis</i> Purple Love Grass | HP | 0.69 | G4 | 4-5 | 6-9 | | | |
| <i>Eragrostis trichodes</i> Sand Love Grass | HP | 0.70 | G4 | 9 | 10 | | | |
| <i>Eragrostis trichodes</i> 'Bend' Bend Sand Love Grass | HP | 1.20 | G4 | 9 | 10 | | | |
| <i>Eranthemum atropurpureum</i> See - <i>Pseuderanthemum atropurpureum</i> | | | | | | | | |
| <i>Eranthemum laxiflorum</i> See - <i>Pseuderanthemum laxiflorum</i> | | | | | | | | |
| <i>Eranthemum nigrum</i> Black Sage | BS | 0.80 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Eranthemum pulchellum</i> Blue Sage | BS | 0.71 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Eranthemum reticulatum</i> See - <i>Pseuderanthemum reticulatum</i> | | | | | | | | |
| <i>Eremophila maculata</i> Spotted Emu Bush | BS | 0.68 | G2 | 8-9 | 10A | | 1.00 | 9 |
| <i>Eremophila maculata</i> var. <i>brevifolia</i> Valentine Emu Bush | BS | 1.00 | G2 | 8-9 | 10A | | 1.00 | 9 |
| <i>Eremurus x isabellinus</i> Shelford Foxtail Lily | HP | 1.37 | G4 | 7 | 8-9A | | | |
| <i>Eremurus robustus</i> Giant Desert Candle | HP | 1.00 | G4 | 7 | 8-9A | | | |
| <i>Eremurus stenophyllus</i> Bunge Desert Candle | HP | 0.96 | G4 | 7 | 8-9A | | | |
| <i>Erianthus contortus</i> See - <i>Saccharum contortum</i> | | | | | | | | |
| <i>Erianthus ravennae</i> See - <i>Saccharum ravennae</i> | | | | | | | | |
| <i>Erianthus strictus</i> See - <i>Saccharum strictum</i> | | | | | | | | |
| <i>Erica caniculata</i> Christmas Heath | BS | 0.95 | G2 | 5-8 | 9 | | 1.00 | 8 |
| <i>Erica caniculata</i> 'Rubra' Red Christmas Heath | BS | 0.95 | G2 | 5-8 | 9-10 | | 1.00 | 8 |
| <i>Erica carnea</i> Winter Heath | BS | 1.33 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'December Red' December Red Winter Heath | BS | 1.09 | G2 | 5-6 | 7-8 | | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Erica carnea</i> 'King George' King George Winter Heath | BS | 1.04 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Loughrigg' Loughrigg Winter Heath | BS | 1.06 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Myretoun Ruby' Myretoun Ruby Winter Heath | BS | 1.30 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Pink Spangles' Pink Spangles Winter Heath | BS | 0.95 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Ruby Glow' Ruby Glow Winter Heath | BS | 1.16 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Springwood Pink' Springwood Pink Winter Heath | BS | 0.92 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Springwood White' Springwood White Winter Heath | BS | 0.93 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Vivellii' Carmine Winter Heath | BS | 1.02 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Winter Beauty' Winter Beauty Winter Heath | BS | 0.89 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> Twisted Heath | BS | 1.18 | G2 | 5-6 | 7 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Atropurpurea' Purple Twisted Heath | BS | 1.07 | G2 | 5-6 | 7 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Atrosanguinea' Atrosanguinea Twist Heath | BS | 1.14 | G2 | 5-6 | 7 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'C.D. Eason' C.D. Eason Twisted Heath | BS | 0.93 | G2 | 5-6 | 7 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Golden Sport' Golden Sport Twisted Heath | BS | 1.04 | G2 | 5-6 | 7 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'P.S. Patrick' P.S. Patrick Twisted Heath | BS | 1.04 | G2 | 5-6 | 7 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Purple Beauty' Purple Beauty Twisted Heath | BS | 0.85 | G2 | 5-6 | 7 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Purple Bell' Purple Bell Twisted Heath | BS | 0.89 | G2 | 5-6 | 7 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Rosea' Rosea Twisted Heath | BS | 0.75 | G2 | 5-6 | 7 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Velvet Night' Velvet Night Twisted Heath | BS | 1.49 | G2 | 5-6 | 7 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Vivienne Patricia' Vivienne Patricia Twisted Heath | BS | 1.04 | G2 | 5-6 | 7 | | 1.00 | 5 |
| <i>Erica x darleyensis</i> Darley Heath | BS | 0.93 | G2 | 6 | 7 | | 0.55 | 6 |
| <i>Erica x darleyensis</i> 'Arthur Johnson' Arthur Johnson Heath | BS | 0.78 | G2 | 6 | 7 | | 0.55 | 6 |
| <i>Erica x darleyensis</i> 'Darley Dale' Darley Dale Heath | BS | 1.01 | G2 | 6 | 7 | | 0.55 | 6 |
| <i>Erica x darleyensis</i> 'Furzey' Furzey Heath | BS | 0.90 | G2 | 6 | 7 | | 0.55 | 6 |
| <i>Erica x darleyensis</i> 'George Rendall' George Rendall Heath | BS | 1.25 | G2 | 6 | 7 | | 0.55 | 6 |
| <i>Erica x darleyensis</i> 'Ghost Hills' Ghost Hills Heath | BS | 0.95 | G2 | 6 | 7 | | 0.55 | 6 |
| <i>Erica x darleyensis</i> 'Kramer's Rote' Kramer's Rote Heath | BS | 1.07 | G2 | 6 | 7 | | 0.55 | 6 |
| <i>Erica x darleyensis</i> 'Margaret Porter' Margaret Porter Heath | BS | 0.76 | G2 | 6 | 7 | | 0.55 | 6 |
| <i>Erica x darleyensis</i> 'Mediterranean Pink' Mediterranean Pink Heath | BS | 0.89 | G2 | 6 | 7 | | 0.55 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Erica x darleyensis</i> 'Mediterranean White' Mediterranean White Heath | BS | 0.86 | G2 | 6 | 7 | | 0.55 | 6 |
| <i>Erica x darleyensis</i> 'Silberschmelze' Silberschmelze Heath | BS | 1.21 | G2 | 6 | 7 | | 0.55 | 6 |
| <i>Erica erigena</i> Irish Heath | BS | 0.80 | G2 | 8 | 9 | | 1.00 | 8 |
| <i>Erica erigena</i> 'Brightness' Brightness Heath | BS | 0.80 | G2 | 8 | 9 | | 1.00 | 8 |
| <i>Erica mammosa</i> Cape Heath | BS | 0.73 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Erica x stuartii</i> No Common Name Found | BS | 0.66 | G2 | 8 | 9 | | 1.00 | 5 |
| <i>Erica x stuartii</i> 'Irish Lemon' Irish Lemon Heath | BS | 0.66 | G2 | 8 | 9 | | 1.00 | 5 |
| <i>Erica tetralix</i> Crossleaf Heath | BS | 1.14 | G2 | 3-4 | 5-6 | | 1.00 | 3 |
| <i>Erica tetralix</i> 'Alba' White Crossleaf Heath | BS | 1.25 | G2 | 3-4 | 5-6 | | 1.00 | 3 |
| <i>Erica tetralix</i> 'George Fraser' George Fraser Crossleaf Heath | BS | 1.13 | G2 | 3-4 | 5-6 | | 1.00 | 3 |
| <i>Erica tetralix</i> 'Pink Glow' Pink Glow Crossleaf Heath | BS | 0.79 | G2 | 3-4 | 5-6 | | 1.00 | 3 |
| <i>Erica vagans</i> Cornish Heath | BS | 0.92 | G2 | 8 | 9-10 | | 1.00 | 5 |
| <i>Erica vagans</i> 'Hookstone Pink' Hookstone Pink Cornish Heath | BS | 0.92 | G2 | 8 | 9-10 | | 1.00 | 5 |
| <i>Erica vagans</i> 'Lyonesse' Lyonesse Cornish Heath | BS | 0.95 | G2 | 8 | 9-10 | | 1.00 | 5 |
| <i>Erica vagans</i> 'Maxwell White' Maxwell White Cornish Heath | BS | 1.19 | G2 | 8 | 9-10 | | 1.00 | 5 |
| <i>Erica vagans</i> 'Miss Waterer' Miss Waterer Cornish Heath | BS | 0.40 | G2 | 8 | 9-10 | | 1.00 | 5 |
| <i>Erica vagans</i> 'Mrs. D.F. Maxwell' Mrs. D.F. Maxwell Cornish Heath | BS | 0.93 | G2 | 8 | 9-10 | | 1.00 | 5 |
| <i>Erica vagans</i> 'St. Keverne' St. Keverne Cornish Heath | BS | 1.14 | G2 | 5 | 6-8 | | 1.00 | 5 |
| <i>Erica verticillata</i> Whorled Heath | BS | 1.33 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Erica x watsonii</i> Watson Heath | BS | 0.83 | G2 | 5 | 6-8 | | 1.00 | 5 |
| <i>Erica x watsonii</i> 'Dawn' Dawn Watson Heath | BS | 0.83 | G2 | 5 | 6-8 | | 1.00 | 5 |
| <i>Erica x williamsii</i> Williams Heath | BS | 1.14 | G2 | 5 | 6-8 | | 1.00 | 5 |
| <i>Erigeron aurantiacus</i> Fleabane | HP | 1.50 | G4 | 6-7 | 8 | | | |
| <i>Erigeron aureus</i> Gold Fleabane | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Erigeron aureus</i> 'Canary Bird' Canary Bird Gold Fleabane | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Erigeron caespitosus</i> Common Fleabane | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Erigeron carvisqueana</i> White Mexican Daisy | HP | 0.62 | G4 | 5-6 | 7-8 | | | |
| <i>Erigeron compositus</i> Fernleaf Fleabane | HP | 0.84 | G4 | 5-6 | 7-8 | | | |
| <i>Erigeron formosissimus</i> Beautiful Fleabane | HP | 0.72 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Erigeron glaucus</i> Beach Aster | HP | 0.98 | G4 | 5-6 | 7-8 | | | |
| <i>Erigeron glaucus</i> 'Arthur Menzies' Arthur Menzies Beach Aster | HP | 1.17 | G4 | 5-6 | 7-8 | | | |
| <i>Erigeron glaucus</i> 'Cape Sebastian' Cape Sebastian Beach Aster | HP | 1.17 | G4 | 5-6 | 7-8 | | | |
| <i>Erigeron glaucus</i> 'Sea Breeze' P.P.A.F. Sea Breeze Beach Aster | HP | 0.87 | G4 | 8-9A | 9B-10B | | | |
| <i>Erigeron glaucus</i> 'Wayne Roderick' Wayne Roderick Beach Aster | HP | 0.89 | G4 | 8-9A | 9B-10B | | | |
| <i>Erigeron karvinskianus</i> Mexican Daisy | HP | 0.65 | G4 | 8-9A | 9B-10B | | | |
| <i>Erigeron karvinskianus</i> 'Profusion' Profusion Mexican Daisy | HP | 0.82 | G4 | 8-9A | 9B-10B | | | |
| <i>Erigeron karvinskianus</i> var. <i>moorheimii</i> Moorheim Mexican Daisy | HP | 0.69 | G4 | 8-9A | 9B-10B | | | |
| <i>Erigeron leiomerus</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Erigeron linearis</i> Lineleaf Fleabane | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Erigeron pinnatisectus</i> Pinnate Fleabane | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Erigeron pygmaeus</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Erigeron radicans</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Erigeron scopulinus</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Erigeron simplex</i> One-stemmed Fleabane | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Erigeron speciosus</i> Showy Daisy Fleabane | HP | 0.89 | G4 | 4-5 | 6-9B | | | |
| <i>Erigeron speciosus</i> 'Azure Fairy' Azure Fairy Showy Daisy Fleabane | HP | 0.77 | G4 | 4-5 | 6-9B | | | |
| <i>Erigeron speciosus</i> 'Darkest of All' Darkest of All Showy Daisy Fleabane | HP | 0.82 | G4 | 4-5 | 6-9B | | | |
| <i>Erigeron speciosus</i> 'Flore Pleno' Flore Pleno Showy Daisy Fleabane | HP | 0.84 | G4 | 4-5 | 6-9B | | | |
| <i>Erigeron speciosus</i> 'Foerster's Leibling' Foerster's Leibling Showy Daisy Fleabane | HP | 1.07 | G4 | 4-5 | 6-9B | | | |
| <i>Erigeron speciosus</i> 'Pink Jewel' Pink Jewel Showy Daisy Fleabane | HP | 0.63 | G4 | 4-5 | 6-9B | | | |
| <i>Erigeron speciosus</i> 'Prosperity' Prosperity Showy Daisy Fleabane | HP | 0.87 | G4 | 4-5 | 6-9B | | | |
| <i>Erigeron speciosus</i> 'Rosa Jewel' Rosa Jewel Showy Daisy Fleabane | HP | 0.84 | G4 | 4-5 | 6-9B | | | |
| <i>Erigeron speciosus</i> 'Rosea' Pink Showy Daisy Fleabane | HP | 0.84 | G4 | 4-5 | 6-9B | | | |
| <i>Erinus alpinus</i> Alpine Liverbalsam | HP | 0.79 | G4 | 5-6 | 7-8 | | | |
| <i>Eriobotrya</i> Hybrid Loquat | BE | 1.16 | G2 | 8-9A | 9B-11 | 1.00 | 1.00 | 8 |
| <i>Eriobotrya</i> 'Coppertone' P.P. 4245 Coppertone™ Loquat | BE | 1.16 | G2 | 8-9A | 9B-11 | 1.00 | 1.00 | 8 |
| <i>Eriobotrya deflexa</i> Bronze Loquat | BE | 1.00 | G2 | 8-9A | 9B-11 | 1.00 | 1.00 | 8 |
| <i>Eriobotrya japonica</i> Japanese Loquat | BE | 0.84 | G2 | 8-9A | 9B-11 | 0.88 | 0.77 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Eriobotrya japonica</i> 'Gold Nugget' Gold Nugget Japanese Loquat | BE | 0.84 | G2 | 8-9A | 9B-11 | 0.88 | 0.77 | 7 |
| <i>Eriogonum arborescens</i> Shrubby Buckwheat | BS | 0.95 | G2 | 7-9 | 10 | | 1.00 | 9 |
| <i>Eriogonum caespitosum</i> Mat Buckwheat | HP | 1.54 | G2 | 7-8 | 9-10 | | | |
| <i>Eriogonum crocatum</i> Saffron Buckwheat | HP | 1.21 | G2 | 7-9 | 10 | | | |
| <i>Eriogonum fasciculatum</i> California Buckwheat | BS | 1.48 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Eriogonum fasciculatum</i> 'Dana Point' Dana Point California Buckwheat | BS | 1.08 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Eriogonum fasciculatum</i> 'Theodore Payne' Theodore Payne California Buckwheat | BS | 1.36 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Eriogonum flavum</i> Yellow Wild Buckwheat | HP | 1.00 | G2 | 7-8 | 9-10 | | | |
| <i>Eriogonum giganteum</i> St. Catherine's Lace | BS | 0.89 | G2 | 8-9 | 10A | | 1.00 | 9 |
| <i>Eriogonum gracilipes</i> No Common Name Found | HP | 1.54 | G2 | 7-8 | 9-10 | | | |
| <i>Eriogonum kennedyi</i> Kennedy Eriogonum | HP | 1.00 | G2 | 7-8 | 9-10 | | | |
| <i>Eriogonum kennedyi</i> var. <i>alpigenum</i> No Common Name Found | HP | 1.00 | G2 | 7-8 | 9-10 | | | |
| <i>Eriogonum latifolium</i> Coast Buckwheat | HP | 1.42 | G4 | 7-8 | 9-10 | | | |
| <i>Eriogonum latifolium</i> var. <i>rubescens</i> Red Buckwheat | HP | 0.83 | G4 | 7-8 | 9-10 | | | |
| <i>Eriogonum molle</i> No Common Name Found | BS | 0.74 | G2 | 6-7 | 8-9 | | 1.00 | 6 |
| <i>Eriogonum ovalifolium</i> Cushion Eriogonum | HP | 1.00 | G2 | 7-8 | 9-10 | | | |
| <i>Eriogonum umbellatum</i> Sulphur Flower | HP | 1.04 | G4 | 7-8 | 9-10 | | | |
| <i>Eriogonum umbellatum</i> var. <i>polyanthum</i> No Common Name Found | HP | 0.92 | G4 | 7-8 | 9-10 | | | |
| <i>Eriogonum umbellatum</i> var. <i>polyanthum</i> 'Alturas Red' Alturas Red Sulphur Flower | HP | 0.79 | G4 | 7-8 | 9-10 | | | |
| <i>Eriogonum umbellatum</i> var. <i>polyanthum</i> 'Shasta Sulfur' Shasta Sulfur Sulphur Flower | HP | 1.04 | G4 | 7-8 | 9-10 | | | |
| <i>Eriogonum umbellatum</i> var. <i>porteri</i> Mat Lemon Drop Sulphur Flower | HP | 0.87 | G4 | 7-8 | 9-10 | | | |
| <i>Eriophyllum lanatum</i> Woolly Eriophyllum | HP | 1.54 | G4 | 4-5 | 6-7 | | | |
| <i>Eriophyllum lanatum</i> 'Siskiyou' Siskiyou Woolly Eriophyllum | HP | 1.54 | G4 | 4-5 | 6-7 | | | |
| <i>Eriophyllum nevinii</i> Nevin's Woolly Sunflower | HP | 1.00 | G4 | 5-8 | 9 | | | |
| <i>Eriophyllum nevinii</i> 'Canyon Silver' Canyon Silver Nevin's Woolly Sunflower | HP | 1.00 | G4 | 5-8 | 9 | | | |
| <i>Eriophyllum staechadifolium</i> Lizard-Tail | HP | 1.33 | G4 | 5-8 | 9 | | | |
| <i>Eritrichium howardii</i> Howard's Alpine Forget-Me-Not | HP | 1.00 | G2 | 7-8 | 9-10 | | | |
| <i>Ernodea littoralis</i> Golden Creeper | GC | 0.61 | G2 | 9-10 | 11 | | 1.00 | 10B |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Erodium</i> Heron's Bill | HP | 0.68 | G4 | 6-7 | 8-9 | | | |
| <i>Erodium</i> 'Charm' Charm Heron's Bill | HP | 0.68 | G4 | 6-7 | 8-9 | | | |
| <i>Erodium chamaedryoides</i> See - <i>Erodium reichardii</i> | | | | | | | | |
| <i>Erodium chrysanthum</i> No Common Name Found | HP | 0.96 | G4 | 6-7 | 8-9 | | | |
| <i>Erodium corsicum</i> Heron's Bill | HP | 1.14 | G4 | 6-7 | 8-9 | | | |
| <i>Erodium corsicum</i> 'Album' White Heron's Bill | HP | 0.78 | G4 | 6-7 | 8-9 | | | |
| <i>Erodium foetidum</i> No Common Name Found | HP | 0.77 | G4 | 6-7 | 8-9 | | | |
| <i>Erodium foetidum</i> 'County Park' County Park Heron's Bill | HP | 0.77 | G4 | 6-7 | 8-9 | | | |
| <i>Erodium glandulosum</i> No Common Name Found | HP | 1.00 | G2 | 7-8 | 9-10 | | | |
| <i>Erodium</i> x <i>kolbianum</i> No Common Name Found | HP | 1.05 | G4 | 6-7 | 8-9 | | | |
| <i>Erodium</i> x <i>kolbianum</i> 'Natasha' Natasha Heron's Bill | HP | 1.05 | G4 | 6-7 | 8-9 | | | |
| <i>Erodium manescavii</i> No Common Name Found | HP | 1.00 | G2 | 7-8 | 9-10 | | | |
| <i>Erodium petraeum</i> ssp. <i>glandulosum</i> See - <i>Erodium glandulosum</i> | | | | | | | | |
| <i>Erodium reichardii</i> Alpine Geranium | HP | 0.71 | G4 | 6-7 | 8-9 | | | |
| <i>Erodium reichardii</i> 'Album' White Alpine Geranium | HP | 0.70 | G4 | 6-7 | 8-9 | | | |
| <i>Erodium</i> x <i>variabile</i> No Common Name Found | HP | 0.73 | G4 | 6-7 | 8-9 | | | |
| <i>Erodium</i> x <i>variabile</i> 'Bishop's Form' Bishop's Form Heron's Bill | HP | 0.72 | G4 | 6-7 | 8-9 | | | |
| <i>Erodium</i> x <i>variabile</i> 'Flore Pleno' Flore Pleno Heron's Bill | HP | 0.68 | G4 | 6-7 | 8-9 | | | |
| <i>Erodium</i> x <i>variabile</i> 'Roseum' Rose Alpine Heron's Bill | HP | 0.78 | G4 | 6-7 | 8-9 | | | |
| <i>Eruca vesicaria</i> Annual Arugula | AN | 1.82 | G4 | 6-7 | 8-9 | | | |
| <i>Eruca vesicaria</i> ssp. <i>sativa</i> Edible Arugula | AN | 0.68 | G4 | 6-7 | 8-9 | | | |
| <i>Ervatamia divaricata</i> See - <i>Tabernaemontana divaricata</i> | | | | | | | | |
| <i>Eryngium</i> Sea Holly | HP | 1.12 | G4 | 4-5 | 6-9 | | | |
| <i>Eryngium</i> 'Sapphire Blue' P.P. 11088 Sapphire Blue Hybrid Sea Holly | HP | 1.12 | G4 | 4-5 | 6-9 | | | |
| <i>Eryngium agavifolium</i> Bluetop Sea Holly | HP | 0.76 | G4 | 6-7 | 8-9 | | | |
| <i>Eryngium alpinum</i> Alpine Sea Holly | HP | 0.90 | G4 | 4-5 | 6-8 | | | |
| <i>Eryngium alpinum</i> 'Blue Star' Blue Star Alpine Sea Holly | HP | 0.90 | G4 | 4-5 | 6-8 | | | |
| <i>Eryngium amethystinum</i> Amethyst Sea Holly | HP | 0.72 | G4 | 4-5 | 6-8 | | | |
| <i>Eryngium aquaticum</i> Powder Blue Snakeroot | HP | 0.55 | G4 | 6-7 | 8-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Eryngium bourgatii</i> Mediterranean Sea Holly | HP | 1.44 | G4 | 4-5 | 6-7 | | | |
| <i>Eryngium foetidum</i> Culantro | HP | 0.59 | G4 | 5-8 | 9 | | | |
| <i>Eryngium pandanifolium</i> No Common Name Found | HP | 0.89 | G4 | 7-8 | 9-10 | | | |
| <i>Eryngium planum</i> Flat Sea Holly | HP | 0.81 | G4 | 4-5 | 6-7 | | | |
| <i>Eryngium planum</i> 'Blue Cap' Blue Cap Flat Sea Holly | HP | 0.94 | G4 | 7-8 | 9-10 | | | |
| <i>Eryngium variifolium</i> Moroccan Sea Holly | HP | 0.99 | G4 | 7-8 | 9-10 | | | |
| <i>Eryngium yuccifolium</i> Rattlesnake Master Sea Holly | HP | 0.89 | G4 | 4-5 | 6-7 | | | |
| <i>Erysimum</i> Hybrid Erysimum | HP | 0.86 | G4 | 4-5 | 6-8 | | | |
| <i>Erysimum</i> 'Bedder Series' Bedder Series Wallflower | HP | 0.83 | G4 | 4-5 | 6-8 | | | |
| <i>Erysimum</i> 'Bowles Beauty' Bowles Beauty Wallflower | HP | 0.86 | G4 | 4-5 | 6-8 | | | |
| <i>Erysimum</i> 'Bowles Mauve' Bowles Mauve Wallflower | HP | 0.95 | G4 | 4-5 | 6-8 | | | |
| <i>Erysimum</i> 'Gold Dust' Gold Dust Wallflower | HP | 0.89 | G4 | 4-5 | 6-8 | | | |
| <i>Erysimum</i> 'Jubilee Gold' Jubilee Gold Wallflower | HP | 0.83 | G4 | 4-5 | 6-8 | | | |
| <i>Erysimum</i> 'Prince Series' Prince Series Wallflower | HP | 0.90 | G4 | 4-5 | 6-8 | | | |
| <i>Erysimum</i> 'Sunlight' Sunlight Wallflower | HP | 0.73 | G4 | 4-5 | 6-8 | | | |
| <i>Erysimum</i> 'Wenlock Beauty' Wenlock Beauty Wallflower | HP | 0.88 | G4 | 4-5 | 6-8 | | | |
| <i>Erysimum asperum</i> Western Wallflower | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Erysimum cheiri</i> Common Wallflower | HP | 0.59 | G4 | 5-9 | 10 | | | |
| <i>Erysimum cheiri</i> 'Charity Mix' Charity Mix Common Wallflower | HP | 0.59 | G4 | 5-9 | 10 | | | |
| <i>Erysimum concinnum</i> See - <i>Erysimum suffrutescens</i> | | | | | | | | |
| <i>Erysimum helveticum</i> Tufted Wallflower | HP | 0.75 | G4 | 5-6 | 7-8 | | | |
| <i>Erysimum hieraciifolium</i> Siberian Wallflower | HP | 1.17 | G4 | 5-6 | 7-8 | | | |
| <i>Erysimum kotschyianum</i> Kotschy Erysimum | HP | 0.92 | G4 | 5-6 | 7-8 | | | |
| <i>Erysimum linifolium</i> Alpine Wallflower | HP | 0.79 | G4 | 5-6 | 7-8 | | | |
| <i>Erysimum linifolium</i> 'Variegatum' Variegated Alpine Wallflower | HP | 0.95 | G4 | 5-6 | 7-8 | | | |
| <i>Erysimum pulchellum</i> Rockery Wallflower | HP | 0.83 | G4 | 5-6 | 7-8 | | | |
| <i>Erysimum suffrutescens</i> No Common Name Found | HP | 1.54 | G4 | 5-9 | 10 | | | |
| <i>Erythrina abyssinica</i> Red Hot Poker Tree | DT | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Erythrina acanthocarpa</i> Tambookie Thorn | DT | 1.00 | G2 | 10 | 11 | 1.00 | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Erythrina x bidwillii</i> Florida Coral Bean | DS | 0.88 | G2 | 8 | 9-11 | | 1.00 | 8 |
| <i>Erythrina corallodendron</i> Coral Tree | DT | 1.16 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Erythrina crista-galli</i> Cockspur Coral Tree | DS | 1.13 | G2 | 8 | 9-11 | | 1.00 | 8 |
| <i>Erythrina falcata</i> No Common Name Found | DT | 2.08 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Erythrina fusca</i> Swam Immortelle | DT | 0.78 | G1 | 8-9A | 9B-11 | 1.00 | 1.00 | 8 |
| <i>Erythrina herbacea</i> Eastern Coral Bean | DS | 0.83 | G1 | 8-9A | 9B-11 | | 1.00 | 8 |
| <i>Erythrina humeana</i> Natal Coral Tree | DT | 1.07 | G1 | 9-10 | 11 | 1.00 | 1.00 | 9 |
| <i>Erythrina indica</i> See - <i>Erythrina variegata</i> | | | | | | | | |
| <i>Erythrina sandwicensis</i> See - <i>Erythrina tahitensis</i> | | | | | | | | |
| <i>Erythrina speciosa</i> No Common Name Found | DT | 1.00 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Erythrina tahitensis</i> Wiliwili | DT | 0.85 | G2 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Erythrina tomentosa</i> See - <i>Erythrina abyssinica</i> | | | | | | | | |
| <i>Erythrina variegata</i> No Common Name Found | DT | 1.29 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Erythrina variegata</i> 'Picta' Picta Coral Tree | DT | 0.80 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Erythrina variegata</i> var. <i>orientalis</i> Sunshine Tree | DT | 0.91 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Erythrina vespertilio</i> Batswing Coral Tree | DT | 1.00 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Erythronium americanum</i> Trout Lily | HP | 1.31 | G4 | 3-4 | 5-7 | | | |
| <i>Erythronium revolutum</i> No Common Name Found | HP | 0.84 | G4 | 4-5 | 6-9 | | | |
| <i>Erythronium revolutum</i> 'Pagoda' Pagoda Trout Lily | HP | 0.84 | G4 | 4-5 | 6-9 | | | |
| <i>Escallonia</i> Hybrid Escallonia | BS | 0.94 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Escallonia</i> 'Apple Blossom' Apple Blossom Escallonia | BS | 0.84 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Escallonia</i> 'Compacta' Compacta Hybrid Escallonia | BS | 0.99 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Escallonia</i> 'Langleyensis' Langley Escallonia | BS | 0.94 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Escallonia</i> 'Newport Dwarf' Newport Dwarf Escallonia | BS | 1.00 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Escallonia</i> 'Pink Princess' Pink Princess Escallonia | BS | 0.82 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Escallonia</i> 'Pride of Donard' Pride of Donard Escallonia | BS | 1.01 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Escallonia</i> 'Red Elf' Red Elf Escallonia | BS | 0.98 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Escallonia bifida</i> White Escallonia | BS | 0.68 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Escallonia x exoniensis</i> No Common Name Found | BS | 0.77 | G2 | 7-8 | 9-10 | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Escallonia x exoniensis</i> 'Frades' Frades Escallonia | BS | 0.77 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Escallonia rosea</i> Pink Escallonia | BS | 0.95 | G2 | 7-9 | 10 | | 1.00 | 9 |
| <i>Escallonia rubra</i> Red Escallonia | BS | 0.76 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Eschscholzia caespitosa</i> Tufted California Poppy | AN | 2.00 | G4 | 6-7 | 8-9 | | | |
| <i>Eschscholzia caespitosa</i> 'Sundew' Sundew Tufted California Poppy | AN | 0.69 | G4 | 6-7 | 8-9 | | | |
| <i>Eschscholzia californica</i> California Poppy | AN | 1.65 | G4 | 6 | 7-8 | | | |
| <i>Eschscholzia californica</i> 'Ballerina' Ballerina California Poppy | AN | 0.81 | G4 | 6 | 7-8 | | | |
| <i>Eschscholzia californica</i> var. <i>maritima</i> Beach Poppy | AN | 1.52 | G4 | 6 | 7-8 | | | |
| <i>Etilingera elatior</i> Torch Ginger | HP | 1.57 | G3 | 8-11 | | | | |
| <i>Eucalyptus caesia</i> Gungurru | BE | 1.00 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus camaldulensis</i> Murray Red Gum | BE | 1.02 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus cinerea</i> Silver Dollar Tree | BE | 1.01 | G2 | 8-9 | 10-11 | 1.00 | 0.92 | 9 |
| <i>Eucalyptus citriodora</i> Lemon-Scented Gum | BE | 1.01 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus cladocalyx</i> Sugar Gum | BE | 0.82 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus deglupta</i> Rainbow Gum | BE | 1.48 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus erythrocoyos</i> Illyarrie | BE | 0.88 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus ficifolia</i> Red-Flowering Gum | BE | 1.02 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus globulus</i> Blue Gum | BE | 0.77 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus globulus</i> 'Compacta' Dwarf Blue Gum | BE | 0.77 | G1 | 7-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus gunnii</i> Cider Gum | BE | 1.05 | G1 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Eucalyptus lehmannii</i> Bushy Yate | BE | 0.88 | G2 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus leucoxydon</i> Yellow Gum | BE | 1.02 | G2 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus macrocarpa</i> Large-fruited Gum | BE | 0.89 | G2 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Eucalyptus maculata</i> Spotted Gum | BE | 1.01 | G1 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Eucalyptus microtheca</i> Flooded Box | BE | 1.00 | G1 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Eucalyptus nicholii</i> Nichol's Willow-Leaved Peppermint | BE | 1.01 | G1 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Eucalyptus polyanthemus</i> Silver Dollar Gum | BE | 1.03 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus pulverulenta</i> Silver Mountain Gum | BE | 1.11 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus robusta</i> Swamp Mahogany | BE | 1.37 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Eucalyptus rostrata</i> | | | | | | | | |
| See - <i>Eucalyptus camaldulensis</i> | | | | | | | | |
| <i>Eucalyptus rudis</i> Desert Gum | BE | 1.00 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus salmonophloia</i> Salmon Gum | BE | 0.53 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus sideroxylon</i> Red Ironbark | BE | 0.83 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus sideroxylon</i> 'Rosea' Rose Red Ironbark | BE | 1.05 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus spathulata</i> Narrow-Leaved Gum | BE | 0.88 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus torelliana</i> Cadaga | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus torquata</i> Coral Gum | BE | 0.90 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus woodwardii</i> Lemon-flowered Gum | BE | 0.49 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eucharis amazonica</i> Amazon Lily | FO | 0.75 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Eucharis amazonica</i> 'Christine' Christine Amazon Lily | HP | 1.45 | G3 | 8-10 | 11 | | | |
| <i>Eucharis grandiflora</i> See - <i>Eucharis amazonica</i> | | | | | | | | |
| <i>Eucomis</i> Pineapple Lily | HP | 1.49 | G4 | 8 | 9-10A | | | |
| <i>Eucomis</i> 'Sparkling Burgundy' Purple Pineapple Lily | HP | 1.49 | G4 | 8 | 9-10A | | | |
| <i>Eucomis bicolor</i> Pineapple Flower | HP | 0.79 | G4 | 6-8 | 9-10A | | | |
| <i>Eucommia ulmoides</i> Hardy Rubber Tree | DT | 1.00 | G2 | 4-5 | 6-7 | 1.19 | 1.00 | 5 |
| <i>Eucryphia billardieri</i> See - <i>Eucryphia lucida</i> | | | | | | | | |
| <i>Eucryphia glutinosa</i> Nirrhe | BE | 0.84 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Eucryphia</i> x <i>intermedia</i> No Common Name Found | BE | 0.84 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Eucryphia lucida</i> Leatherwood | BE | 0.84 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Eucryphia lucida</i> 'Pink Cloud' Pink Cloud Pinkwood | BE | 0.84 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Eucryphia</i> x <i>nymansensis</i> No Common Name Found | BE | 0.76 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 7 |
| <i>Eucryphia</i> x <i>nymansensis</i> 'Mount Usher' Mount Usher Eucryphia | BE | 0.76 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 7 |
| <i>Eugenia axillaris</i> White Stopper | BS | 0.83 | G1 | 10 | 11 | | 0.65 | 10 |
| <i>Eugenia confusa</i> Red Stopper | BS | 1.28 | G1 | 10 | 11 | | 1.03 | 10 |
| <i>Eugenia coronata</i> No Common Name Found | BE | 0.83 | G2 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Eugenia foetida</i> Spanish Stopper | BS | 1.02 | G1 | 10 | 11 | | 0.61 | 10 |
| <i>Eugenia javanica</i> See - <i>Syzygium samarangense</i> | | | | | | | | |
| <i>Eugenia myrtifolia</i> See - <i>Syzygium paniculatum</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Eugenia uniflora</i> Surinam Cherry | BS | 0.90 | G1 | 10 | 11 | | 1.00 | 8 |
| <i>Eumorphia sericea</i> No Common Name Found | BS | 1.00 | G2 | 7-9 | 10-11 | | 1.00 | 9 |
| <i>Eunomia oppositifolia</i> See - <i>Aethionema oppositifolium</i> | | | | | | | | |
| <i>Euonymus alatus</i> Winged Euonymus | DS | 0.97 | G2 | 3-5 | 6-9A | | 1.08 | 3 |
| <i>Euonymus alatus</i> 'Angelica' Angelica Winged Euonymus | DS | 1.35 | G2 | 3-5 | 6-9A | | 1.20 | 3 |
| <i>Euonymus alatus</i> 'Chicago Fire' See - <i>Euonymus alatus</i> 'Timber Creek' | | | | | | | | |
| <i>Euonymus alatus</i> 'Compactus' Dwarf Winged Euonymus | DS | 0.88 | G2 | 3-5 | 6-9A | | 1.04 | 3 |
| <i>Euonymus alatus</i> 'Fireball' Fireball™ Winged Euonymus | DS | 1.28 | G2 | 3-5 | 6-9A | | 1.20 | 3 |
| <i>Euonymus alatus</i> 'Grove Compact' Grove Compact Winged Euonymus | DS | 1.29 | G2 | 3-5 | 6-9A | | 1.20 | 3 |
| <i>Euonymus alatus</i> 'Monstrosus' Korean Winged Euonymus | DS | 1.17 | G2 | 3-5 | 6-9A | | 1.49 | 3 |
| <i>Euonymus alatus</i> 'Nordine' Nordine Winged Euonymus | DS | 1.13 | G2 | 3-5 | 6-9A | | 1.18 | 3 |
| <i>Euonymus alatus</i> 'October Glory' See - <i>Euonymus alatus</i> 'PNI 2051' | | | | | | | | |
| <i>Euonymus alatus</i> 'PNI 2051' October Glory® Winged Euonymus | DS | 1.17 | G2 | 3-5 | 6-9A | | 1.20 | 3 |
| <i>Euonymus alatus</i> 'Pipsqueak' See - <i>Euonymus alatus</i> 'Pipzam' | | | | | | | | |
| <i>Euonymus alatus</i> 'Pipzam' Pipsqueak™ Winged Euonymus | DS | 1.17 | G2 | 3-5 | 6-9A | | 1.22 | 3 |
| <i>Euonymus alatus</i> 'Rudy Haag' Rudy Haag Winged Euonymus | DS | 1.23 | G2 | 3-5 | 6-9A | | 1.20 | 3 |
| <i>Euonymus alatus</i> 'Spindle Wood' See - <i>Euonymus hamiltonianus</i> 'Spiwozam' | | | | | | | | |
| <i>Euonymus alatus</i> 'Timber Creek' Chicago Fire® Winged Euonymus | DS | 1.20 | G2 | 3-5 | 6-9A | | 1.01 | 3 |
| <i>Euonymus alatus</i> 'Turesi' Tures Winged Euonymus | DS | 1.17 | G2 | 3-5 | 6-9A | | 1.36 | 3 |
| <i>Euonymus americanus</i> American Euonymus | DS | 0.88 | G2 | 6 | 7-9 | | 0.64 | 6 |
| <i>Euonymus atropurpureus</i> Eastern Wahoo | DS | 0.71 | G2 | 4-5 | 6-8 | | 0.79 | 4 |
| <i>Euonymus bungeanus</i> Winterberry Euonymus | DS | 1.81 | G2 | 6 | 7-9 | | 1.00 | 4 |
| <i>Euonymus bungeanus</i> 'Prairie Radiance' See - <i>Euonymus bungeanus</i> 'Verona' | | | | | | | | |
| <i>Euonymus bungeanus</i> 'Verona' Prairie Radiance® Winterberry Euonymus | DS | 1.81 | G2 | 6 | 7-9 | | 1.00 | 3 |
| <i>Euonymus europaeus</i> European Euonymus | DS | 1.01 | G2 | 3-4 | 5-7 | | 1.46 | 3 |
| <i>Euonymus europaeus</i> 'Aldenhamensis' Aldenham European Euonymus | DS | 0.82 | G2 | 3-4 | 5-7 | | 1.30 | 3 |
| <i>Euonymus europaeus</i> 'Arnold Globe' Arnold Globe European Euonymus | DS | 0.92 | G2 | 3-4 | 5-7 | | 1.38 | 3 |
| <i>Euonymus europaeus</i> 'Moulton' See - <i>Euonymus hamiltonianus</i> ssp. <i>maackii</i> 'Moulton' | | | | | | | | |
| <i>Euonymus europaeus</i> 'Red Cap' Red Cap European Euonymus | DS | 0.92 | G2 | 3-4 | 5-7 | | 1.38 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Euonymus fortunei</i> Wintercreeper Euonymus | GC | 1.14 | G2 | 5-6 | 7-9A | | 2.21 | 4 |
| <i>Euonymus fortunei</i> 'Blondy' See - <i>Euonymus fortunei</i> 'Interbolwji' P.P. 10424 | | | | | | | | |
| <i>Euonymus fortunei</i> 'Canadale Gold' C.O.P.F. Canadale Gold Wintercreeper Euonymus | GC | 1.26 | G2 | 5-6 | 7-9A | | 2.07 | 4 |
| <i>Euonymus fortunei</i> 'Carrierei' Glossy Leaf Wintercreeper Euonymus | GC | 0.66 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Coloratus' Purpleleaf Wintercreeper Euonymus | GC | 0.87 | G2 | 5-6 | 7-9A | | 2.91 | 4 |
| <i>Euonymus fortunei</i> 'Corlutz' P.P. 4795 Emerald Surprise™ Wintercreeper Euonymus | GC | 1.16 | G2 | 5-6 | 7-9A | | 2.08 | 4 |
| <i>Euonymus fortunei</i> 'Corpreme' P.P. 5988 Emerald Delight™ Wintercreeper Euonymus | GC | 1.02 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Emerald 'n Gold' P.P. 2231 Emerald 'n Gold Wintercreeper Euonymus | GC | 0.91 | G2 | 5-6 | 7-9A | | 1.63 | 4 |
| <i>Euonymus fortunei</i> 'Emerald Cushion' Emerald Cushion Wintercreeper Euonymus | GC | 0.70 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Emerald Delight' See - <i>Euonymus fortunei</i> 'Corpreme' P.P. 5988 | | | | | | | | |
| <i>Euonymus fortunei</i> 'Emerald Gaiety' P.P. 1960 Emerald Gaiety Wintercreeper Euonymus | GC | 0.91 | G2 | 5-6 | 7-9A | | 1.60 | 4 |
| <i>Euonymus fortunei</i> 'Emerald Pride' Emerald Pride Wintercreeper Euonymus | GC | 0.70 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Emerald Surprise' See - <i>Euonymus fortunei</i> 'Corlutz' P.P. 4795 | | | | | | | | |
| <i>Euonymus fortunei</i> 'Erecta' Erect Wintercreeper Euonymus | GC | 1.02 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Gold Tip' See - <i>Euonymus fortunei</i> 'Golden Prince' P.P. 3211 | | | | | | | | |
| <i>Euonymus fortunei</i> 'Golden Prince' P.P. 3211 Golden Prince Wintercreeper Euonymus | GC | 1.29 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Golden Princess' Golden Princess Wintercreeper Euonymus | GC | 1.11 | G2 | 3-4 | 5-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Gracilis' Silveredge Wintercreeper Euonymus | GC | 0.94 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Green Lane' Green Lane Wintercreeper Euonymus | GC | 1.20 | G2 | 5-6 | 7-9A | | 1.94 | 4 |
| <i>Euonymus fortunei</i> 'Interbolwji' P.P. 10424 Blondy® Wintercreeper Euonymus | GC | 1.01 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Ivory Jade' Ivory Jade Wintercreeper Euonymus | GC | 1.13 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Kewensis' Kewensis Wintercreeper Euonymus | GC | 0.92 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Longwood' Longwood Wintercreeper Euonymus | GC | 0.46 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Minimus' Baby Wintercreeper Euonymus | GC | 1.11 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Moonshadow' P.P. 6127 Moonshadow Wintercreeper Euonymus | GC | 1.24 | G2 | 5-6 | 7-9A | | 2.27 | 4 |
| <i>Euonymus fortunei</i> 'New York' New York Wintercreeper Euonymus | GC | 1.02 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Pincushion' Pincushion Sarcoxie Wintercreeper Euonymus | GC | 1.02 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Raulston's Gold' Raulston's Gold Wintercreeper Euonymus | GC | 0.83 | G2 | 5-6 | 7-10A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Regal Gold' Regal Gold™ Wintercreeper Euonymus | GC | 1.31 | G2 | 3-5 | 6-9A | | 1.93 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Euonymus fortunei</i> 'Regal White' Regal White™ Wintercreeper Euonymus | GC | 1.31 | G2 | 3-5 | 6-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Sarcoxie Jade Mound' Sarcoxie Jade Mound Wintercreeper Euonymus | GC | 1.02 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Sarcoxie' Upright Wintercreeper Euonymus | GC | 1.19 | G2 | 5-6 | 7-9A | | 1.85 | 4 |
| <i>Euonymus fortunei</i> 'Sheridan Gold' Sheridan Gold Wintercreeper Euonymus | GC | 0.86 | G2 | 6 | 7-9 | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Silver Queen' Silver Queen Wintercreeper Euonymus | GC | 0.91 | G2 | 6 | 7-9 | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Spargozam' Sparkle 'n Gold® Wintercreeper Euonymus | GC | 1.07 | G2 | 6 | 7-9 | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Sparkle 'n Gold' See - <i>Euonymus fortunei</i> 'Spargozam' | | | | | | | | |
| <i>Euonymus fortunei</i> 'Sunrise' Sunrise Wintercreeper Euonymus | GC | 1.63 | G2 | 3-5 | 6-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Sunspot' P.P. 4340 Sunspot Wintercreeper Euonymus | GC | 1.11 | G2 | 5-6 | 7-9A | | 1.51 | 4 |
| <i>Euonymus fortunei</i> 'Thunderbolt' Thunderbolt Wintercreeper Euonymus | GC | 1.02 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> 'Vegetus' Bigleaf Wintercreeper Euonymus | GC | 1.12 | G2 | 5-6 | 7-9A | | 1.18 | 4 |
| <i>Euonymus fortunei</i> 'Wolong Ghost' Wolong Ghost Wintercreeper Euonymus | GC | 0.66 | G2 | 5-6 | 7-9A | | 1.93 | 4 |
| <i>Euonymus fortunei</i> var. <i>acutus</i> Acutus Wintercreeper Euonymus | GC | 0.39 | G2 | 5-6 | 7-9A | | 1.00 | 4 |
| <i>Euonymus fortunei</i> var. <i>radicans</i> Common Wintercreeper Euonymus | GC | 0.65 | G2 | 5-6 | 7-9A | | 2.91 | 4 |
| <i>Euonymus fortunei</i> var. <i>radicans</i> 'Harlequin' Harlequin Wintercreeper Euonymus | GC | 1.33 | G2 | 5-6 | 7-9A | | 2.91 | 4 |
| <i>Euonymus fortunei</i> var. <i>radicans</i> 'Radicans Variegated' Radicans Variegated Wintercreeper Euonymus | GC | 0.90 | G2 | 3-5 | 6-9A | | 2.91 | 4 |
| <i>Euonymus hamiltonianus</i> Hamilton Euonymus | DS | 1.00 | G2 | 6 | 7-9 | | 1.00 | 4 |
| <i>Euonymus hamiltonianus</i> 'Spiwozam' Spindle Wood™ Euonymus | DS | 1.00 | G2 | 3-5 | 6-9A | | 1.00 | 4 |
| <i>Euonymus hamiltonianus</i> ssp. <i>maackii</i> Maack Euonymus | DS | 1.00 | G2 | 6 | 7-9 | | 1.00 | 4 |
| <i>Euonymus hamiltonianus</i> ssp. <i>maackii</i> 'Moulton' Moulton Maack Euonymus | DS | 1.00 | G2 | 6 | 7-9 | | 1.00 | 4 |
| <i>Euonymus hamiltonianus</i> ssp. <i>sieboldianus</i> Yeddo Siebold Euonymus | DS | 0.95 | G2 | 6 | 7-9 | | 1.00 | 4 |
| <i>Euonymus japonicus</i> Japanese Euonymus | BS | 0.85 | G2 | 6 | 7-10A | | 0.65 | 6 |
| <i>Euonymus japonicus</i> 'Albomarginatus' White-edge Japanese Euonymus | BS | 1.11 | G2 | 6 | 7-10A | | 0.65 | 6 |
| <i>Euonymus japonicus</i> 'Aureomarginatus' Giltedge Japanese Euonymus | BS | 0.84 | G2 | 6 | 7-10A | | 0.57 | 6 |
| <i>Euonymus japonicus</i> 'Aureovariegatus' Goldspot Japanese Euonymus | BS | 0.90 | G2 | 6 | 7-10A | | 0.57 | 6 |
| <i>Euonymus japonicus</i> 'Aureus' Goldleaf Japanese Euonymus | BS | 0.90 | G2 | 6 | 7-10A | | 0.65 | 6 |
| <i>Euonymus japonicus</i> 'Chollipo' Chollipo Japanese Euonymus | BS | 1.12 | G2 | 3-6 | 7-9A | | 0.65 | 6 |
| <i>Euonymus japonicus</i> 'Golden Maiden' Golden Maiden Japanese Euonymus | BS | 1.26 | G2 | 3-6 | 7-9A | | 0.65 | 6 |
| <i>Euonymus japonicus</i> 'Grandifolia' Grandifolia Japanese Euonymus | BS | 1.05 | G2 | 3-6 | 7-10A | | 0.65 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Euonymus japonicus</i> 'Green Spire' Green Spire Japanese Euonymus | BS | 1.10 | G2 | 6 | 7-10A | | 0.88 | 6 |
| <i>Euonymus japonicus</i> 'Microphyllus Butterscotch' Butterscotch Boxleaf Japanese Euonymus | BS | 1.34 | G2 | 6 | 7-10A | | 0.65 | 6 |
| <i>Euonymus japonicus</i> 'Microphyllus Pulchellus' Pulchellus Boxleaf Japanese Euonymus | BS | 0.92 | G2 | 6 | 7-10A | | 0.65 | 6 |
| <i>Euonymus japonicus</i> 'Microphyllus Variegatus' Variegated Boxleaf Japanese Euonymus | BS | 0.89 | G2 | 6 | 7-10A | | 0.65 | 6 |
| <i>Euonymus japonicus</i> 'Microphyllus' Boxleaf Japanese Euonymus | BS | 0.84 | G2 | 6 | 7-10A | | 0.65 | 6 |
| <i>Euonymus japonicus</i> 'Moncliff' Sunny Delight™ Boxwood Euonymus | BS | 1.18 | G2 | 3-6 | 7-9 | | 0.65 | 6 |
| <i>Euonymus japonicus</i> 'Moness' Silver Princess™ Japanese Euonymus | BS | 1.15 | G2 | 6 | 7-10A | | 0.65 | 6 |
| <i>Euonymus japonicus</i> 'Silver King' Silver King Japanese Euonymus | BS | 0.85 | G2 | 6 | 7-10A | | 0.57 | 6 |
| <i>Euonymus japonicus</i> 'Silver Princess' See - <i>Euonymus japonicus</i> 'Moness' | | | | | | | | |
| <i>Euonymus japonicus</i> 'Sunny Delight' See - <i>Euonymus japonicus</i> 'Moncliff' | | | | | | | | |
| <i>Euonymus japonicus</i> 'Variegatus' Variegated Japanese Euonymus | BS | 0.95 | G2 | 6 | 7-10A | | 0.68 | 6 |
| <i>Euonymus kiautschovicus</i> Spreading Euonymus | BS | 0.76 | G2 | 5-6 | 7-9A | | 0.62 | 6 |
| <i>Euonymus kiautschovicus</i> 'Manhattan' Manhattan Spreading Euonymus | BS | 0.87 | G2 | 5-6 | 7-9A | | 0.43 | 6 |
| <i>Euonymus kiautschovicus</i> 'Pauli' Paul Spreading Euonymus | BS | 0.90 | G2 | 5-6 | 7-9A | | 0.61 | 6 |
| <i>Euonymus kiautschovicus</i> 'Sieboldiana' Siebold Spreading Euonymus | BS | 1.29 | G2 | 3-6 | 7-9 | | 0.83 | 6 |
| <i>Euonymus nanus</i> Dwarf Euonymus | BS | 1.00 | G2 | 2-4 | 5-6 | | 1.00 | 2 |
| <i>Euonymus nanus</i> 'Turkestanicus' Dwarf Turkestan Euonymus | DS | 0.81 | G2 | 2-4 | 5-6 | | 1.00 | 2 |
| <i>Euonymus patens</i> See - <i>Euonymus kiautschovicus</i> | | | | | | | | |
| <i>Euonymus radicans</i> See - <i>Euonymus fortunei</i> var. <i>radicans</i> | | | | | | | | |
| <i>Euonymus radicans</i> var. <i>argenteomarginata</i> See - <i>Euonymus fortunei</i> 'Gracilis' | | | | | | | | |
| <i>Euonymus sachalinensis</i> Sakhalin Euonymus | DS | 1.00 | G2 | 7 | 8-10A | | 1.00 | 5 |
| <i>Euonymus yedoensis</i> See - <i>Euonymus hamiltonianus</i> ssp. <i>sieboldianus</i> | | | | | | | | |
| <i>Eupatorium cannabinum</i> Hemp Agrimony | HP | 0.99 | G4 | 4-5 | 6-7 | | | |
| <i>Eupatorium coelestinum</i> See - <i>Conoclinium coelestinum</i> | | | | | | | | |
| <i>Eupatorium dubium</i> Coastal Plain Joe Pye Weed | HP | 1.10 | G4 | 5-6 | 7-9A | | | |
| <i>Eupatorium dubium</i> 'Little Joe' P.P.A.F. Little Joe Coastal Plain Joe Pye Weed | HP | 1.10 | G4 | 5-6 | 7-9A | | | |
| <i>Eupatorium fistulosum</i> Hollow Joe Pye Weed | HP | 0.74 | G4 | 4-5 | 6-7 | | | |
| <i>Eupatorium fistulosum</i> 'Bartered Bride' Bartered Bride Hollow Joe Pye Weed | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Eupatorium greggii</i> Palmleaf Eupatorium | HP | 0.64 | G4 | 4-7 | 8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Eupatorium havanense</i> Fragrant Mist Flower | HP | 0.62 | G4 | 4-7 | 8 | | | |
| <i>Eupatorium hyssopifolium</i> Thoroughwort | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Eupatorium maculatum</i> Spotted Joe Pye Weed | HP | 1.11 | G4 | 5-6 | 7-8 | | | |
| <i>Eupatorium maculatum</i> 'Atropurpureum' Atropurpureum Spotted Joe Pye Weed | HP | 1.07 | G4 | 5-6 | 7-8 | | | |
| <i>Eupatorium maculatum</i> 'Gateway' Gateway Spotted Joe Pye Weed | HP | 0.94 | G4 | 5-6 | 7-8 | | | |
| <i>Eupatorium perfoliatum</i> Common Boneset | HP | 1.10 | G4 | 3-4 | 5-8 | | | |
| <i>Eupatorium purpureum</i> Joe Pye Weed | HP | 0.83 | G4 | 4-5 | 6-8 | | | |
| <i>Eupatorium rugosum</i> See - <i>Ageratina altissima</i> | | | | | | | | |
| <i>Euphorbia</i> Euphorbia | HP | 1.00 | G4 | 5-10 | 11 | | | |
| <i>Euphorbia</i> 'Jade Dragon' Jade Dragon Spurge | FO | 0.60 | G4 | 5-7 | 8-9 | | 1.00 | 5 |
| <i>Euphorbia abyssinica</i> No Common Name Found | FO | 1.36 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Euphorbia acurensis</i> See - <i>Euphorbia abyssinica</i> | | | | | | | | |
| <i>Euphorbia amygdaloides</i> Wood Spurge | HP | 1.04 | G4 | 7 | 8-9A | | | |
| <i>Euphorbia amygdaloides</i> 'Purpurea' Purpurea Wood Spurge | HP | 1.04 | G4 | 7 | 8-9A | | | |
| <i>Euphorbia amygdaloides</i> var. <i>robbiae</i> Robb's Wood Spurge | HP | 0.84 | G4 | 7 | 8-9A | | | |
| <i>Euphorbia characias</i> Mediterranean Spurge | HP | 0.82 | G4 | 7 | 8-9A | | | |
| <i>Euphorbia characias</i> 'Lambrook Gold' Lambrook Gold Mediterranean Spurge | HP | 0.82 | G4 | 7 | 8-9A | | | |
| <i>Euphorbia characias</i> 'Portuguese Velvet' Portuguese Velvet Mediterranean Spurge | HP | 0.82 | G2 | 5-7 | 8-9A | | | |
| <i>Euphorbia characias</i> ssp. <i>wulfenii</i> Wulfen Mediterranean Spurge | HP | 1.03 | G4 | 7 | 8-9A | | | |
| <i>Euphorbia corollata</i> Flowering Spurge | HP | 1.33 | G4 | 4-6 | 7-8 | | | |
| <i>Euphorbia cotinifolia</i> Caribbean Copper Plant | BS | 1.68 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Euphorbia cyparissias</i> Cypress Spurge | HP | 0.69 | G4 | 4-6 | 7-8 | | | |
| <i>Euphorbia cyparissias</i> 'Clarice Howard' Clarice Howard Cypress Spurge | HP | 0.75 | G4 | 4-6 | 7-8 | | | |
| <i>Euphorbia cyparissias</i> 'Fens Ruby' Fens Ruby Cypress Spurge | HP | 0.84 | G4 | 4-6 | 7-8 | | | |
| <i>Euphorbia cyparissias</i> 'Orange Man' Orange Man Cypress Spurge | HP | 0.75 | G4 | 4-6 | 7-8 | | | |
| <i>Euphorbia drupifera</i> No Common Name Found | DS | 2.01 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia dulcis</i> No Common Name Found | HP | 0.98 | G4 | 6-7 | 8-9A | | | |
| <i>Euphorbia dulcis</i> 'Chameleon' Chameleon Euphorbia | HP | 0.98 | G4 | 6-7 | 8-9A | | | |
| <i>Euphorbia epithymoides</i> See - <i>Euphorbia polychroma</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Euphorbia grandicornis</i> Big Horned Euphorbia | BS | 2.65 | G3 | 8-9 | 10-11 | | 1.00 | 7 |
| <i>Euphorbia griffithii</i> Griffith's Spurge | HP | 0.82 | G4 | 5-6 | 7-8 | | | |
| <i>Euphorbia griffithii</i> 'Dixter' Dixter Griffith's Spurge | HP | 0.71 | G4 | 5-6 | 7-8 | | | |
| <i>Euphorbia griffithii</i> 'Fern Cottage' Fern Cottage Griffith's Spurge | HP | 0.71 | G4 | 5-6 | 7-8 | | | |
| <i>Euphorbia griffithii</i> 'Fireglow' Fireglow Griffith's Spurge | HP | 1.03 | G4 | 5-6 | 7-8 | | | |
| <i>Euphorbia ingens</i> Cactus Euphorbia | FO | 1.54 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia lactea</i> Candelabra Plant | FO | 0.93 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia lactea</i> 'Cristata' Crested Euphorbia | FO | 1.45 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia lathyris</i> Caper Spurge | AN | 1.00 | G4 | 6 | 7-9 | | | |
| <i>Euphorbia leucocephala</i> Pascuita | BS | 1.71 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Euphorbia mammillaris</i> Corn Cob | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia x martinii</i> No Common Name Found | HP | 0.99 | G4 | 7 | 8-9 | | | |
| <i>Euphorbia milii</i> Crown of Thorns | BS | 0.77 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'American Beauty' American Beauty Crown of Thorns | BS | 0.60 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Bicolor' Bicolor Crown of Thorns | BS | 1.00 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Cherokee' Cherokee Crown of Thorns | BS | 0.91 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Coral Pink' Coral Pink Crown of Thorns | BS | 0.84 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Dwarf Rosy' Dwarf Rosy Crown of Thorns | BS | 0.73 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Fireball' Fireball Crown of Thorns | BS | 0.65 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Georguis No. 1' P.P. 6212 Short and Sweet™ Crown of Thorns | BS | 1.06 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Keysii' Keysii Crown of Thorns | BS | 0.62 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Little Red' Little Red Crown of Thorns | BS | 0.78 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Red Hot' Red Hot Crown of Thorns | BS | 0.78 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Red Pixie' Red Pixie Crown of Thorns | BS | 0.78 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Ronda' Ronda Crown of Thorns | BS | 0.64 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Rosy' Rosy Crown of Thorns | BS | 0.75 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Salmon Dome' Salmon Dome Crown of Thorns | BS | 0.78 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Short and Sweet' See - <i>Euphorbia milii</i> 'Georguis No. 1' P.P. 6212 | BS | 0.78 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Yellow' Yellow Crown of Thorns | BS | 0.78 | G1 | 8-10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Euphorbia myrsinites</i> Myrtle Euphorbia | HP | 0.94 | G4 | 5-6 | 7-8 | | | |
| <i>Euphorbia neriifolia</i> Hedge Euphorbia | BS | 1.28 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Euphorbia neriifolia</i> 'Variegata Cristata' Variegata Cristata Hedge Euphorbia | BS | 1.28 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Euphorbia palustris</i> No Common Name Found | HP | 1.05 | G4 | 4-5 | 6-9 | | | |
| <i>Euphorbia polychroma</i> Cushion Spurge | HP | 1.11 | G4 | 6-7 | 8-9A | | | |
| <i>Euphorbia polychroma</i> 'First Blush' First Blush Cushion Spurge | HP | 1.52 | G4 | 6-7 | 8-9A | | | |
| <i>Euphorbia polychroma</i> 'Major' Major Cushion Spurge | HP | 0.80 | G4 | 6-7 | 8-9A | | | |
| <i>Euphorbia polychroma</i> 'Purpurea' Purpurea Cushion Spurge | HP | 1.28 | G4 | 6-7 | 8-9A | | | |
| <i>Euphorbia pulcherrima</i> Poinsettia | BS | 2.08 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> '127' P.P. 7308 Jingle Bells 3 Poinsettia | BS | 1.86 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> '3-91' P.P. 9602 Monet Twilight™ Poinsettia | BS | 2.05 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> '4-91' P.P. 8733 Monet™ Poinsettia | BS | 1.96 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> '490 Pink' P.P. 8817 Freedom Pink™ Poinsettia | BS | 2.14 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> '490 White' P.P. 8772 Freedom White™ Poinsettia | BS | 1.80 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> '490' P.P. 7825 Freedom™ Red Poinsettia | BS | 2.16 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> '559' P.P. 8773 Success Red Poinsettia | BS | 2.04 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Cortez Burgundy' Cortez® Burgundy Poinsettia | BS | 2.10 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Cortez Dark Red' Cortez® Dark Red Poinsettia | BS | 1.85 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Cortez Hot Pink' Cortez® Hot Pink Poinsettia | BS | 1.85 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Cranberry Punch' See - <i>Euphorbia pulcherrima</i> 'Eckabish' P.P. 11200 | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Da Vinci' Da Vinci Poinsettia | BS | 2.10 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Dynasty Red' Dynasty Red Poinsettia | BS | 1.86 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckabia' P.P. 11229 Red Satin™ Poinsettia | BS | 1.85 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckabish' P.P. 11200 Cranberry Punch™ Poinsettia | BS | 1.89 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckada' P.P. 11124 Red Velvet™ Poinsettia | BS | 1.86 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckaddis' P.P.A.F. Winter Rose™ Pink Poinsettia | BS | 2.05 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckadolfo' P.P.A.F. Heirloom Peach™ Poinsettia | BS | 1.97 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckalbeno' P.P.A.F. Winter Rose™ Marble Poinsettia | BS | 2.10 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckaloha' P.P.A.F. Strawberries 'N Cream™ Poinsettia | BS | 2.10 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Euphorbia pulcherrima</i> 'Freedom Pink' See - <i>Euphorbia pulcherrima</i> '490 Pink' P.P. 8817 | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Freedom Red' See - <i>Euphorbia pulcherrima</i> '490' P.P. 7825 | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Freedom White' See - <i>Euphorbia pulcherrima</i> '490 White' P.P. 8772 | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Heirloom Peach' See - <i>Euphorbia pulcherrima</i> 'Eckadolfo' P.P.A.F. | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Jingle Bells 3' See - <i>Euphorbia pulcherrima</i> '127' P.P. 7308 | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Jingle Bells' Jingle Bells Poinsettia | BS | 1.85 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Marblestar' P.P. 9685 Marblestar Poinsettia | BS | 1.86 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Maren' Maren Poinsettia | BS | 1.86 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Monet Twilight' See - <i>Euphorbia pulcherrima</i> '3-91' P.P. 9602 | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Monet' See - <i>Euphorbia pulcherrima</i> '4-91' P.P. 8733 | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Nova Red' Nova Red Poinsettia | BS | 2.04 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Nutcracker Pink' Nutcracker Pink Poinsettia | BS | 1.85 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Nutcracker Salmonstar' Nutcracker Salmonstar Poinsettia | BS | 2.10 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Orion Red' Orion Red Poinsettia | BS | 2.04 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Peterstar Marble' P.P. 9877 Peterstar Marble Poinsettia | BS | 1.85 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Peterstar Orange' See - <i>Euphorbia pulcherrima</i> 'Sole Mio' P.P.A.F. | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Peterstar White' P.P. 9878 Peterstar White Poinsettia | BS | 1.83 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Plum Pudding' See - <i>Euphorbia pulcherrima</i> 'Renate' P.P.A.F. | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Red Satin' See - <i>Euphorbia pulcherrima</i> 'Eckabia' P.P. 11229 | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Red Velvet' See - <i>Euphorbia pulcherrima</i> 'Eckada' P.P. 11124 | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Renate' P.P.A.F. Plum Pudding™ Poinsettia | BS | 1.80 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Sole Mio' P.P.A.F. Peterstar Orange by Gross™ Poinsettia | BS | 2.04 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Sonora' Sonora Poinsettia | BS | 1.86 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Spotlight Apricot' Spotlight Apricot Poinsettia | BS | 1.80 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Spotlight Red' Spotlight Red Poinsettia | BS | 1.85 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Strawberries 'N Cream' See - <i>Euphorbia pulcherrima</i> 'Eckaloha' P.P.A.F. | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Success Red' See - <i>Euphorbia pulcherrima</i> '559' P.P. 8773 | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Victory Red' Victory Red Poinsettia | BS | 2.04 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Windark' P.P. 11340 Winter Rose™ Dark Red Poinsettia | BS | 2.20 | G3 | 4-10A | 10B-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Euphorbia pulcherrima</i> 'Winter Rose Dark Red' See - <i>Euphorbia pulcherrima</i> 'Windark' P.P. 11340 | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Winter Rose Marble' See - <i>Euphorbia pulcherrima</i> 'Eckalbeno' P.P.A.F. | | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Winter Rose Pink' See - <i>Euphorbia pulcherrima</i> 'Eckaddis' P.P.A.F. | | | | | | | | |
| <i>Euphorbia purpurea</i> Darlington's Glade Spurge | HP | 1.00 | G4 | 3-4 | 5-8 | | | |
| <i>Euphorbia rigida</i> No Common Name Found | HP | 0.74 | G4 | 8 | 9-10A | | | |
| <i>Euphorbia sarawshanica</i> No Common Name Found | HP | 0.76 | G4 | 6-7 | 8-9A | | | |
| <i>Euphorbia seguieriana</i> No Common Name Found | HP | 1.30 | G4 | 5-6 | 7-8 | | | |
| <i>Euphorbia seguieriana</i> ssp. <i>niciana</i> No Common Name Found | HP | 0.90 | G4 | 5-6 | 7-8 | | | |
| <i>Euphorbia tirucalli</i> Milkbrush | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Euphorbia trigona</i> Abyssinian Euphorbia | FO | 0.87 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Euphorbia longan</i> See - <i>Dimocarpus longan</i> | | | | | | | | |
| <i>Eurya japonica</i> No Common Name Found | BS | 1.00 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Eurya japonica</i> 'Winter Wine' Winter Wine Eurya | BS | 1.00 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Euryops pectinatus</i> Gray-leaved Shrub Daisy | HP | 0.68 | G2 | 9-10A | 10B-11 | | | |
| <i>Euryops pectinatus</i> 'Munchkin' Munchkin Gray-Leaved Shrub Daisy | HP | 0.89 | G2 | 9-10A | 10B-11 | | | |
| <i>Euryops pectinatus</i> 'Viridis' Green Gray-Leaved Shrub Daisy | HP | 0.87 | G2 | 9-10A | 10B-11 | | | |
| <i>Euscaphis japonica</i> No Common Name Found | DT | 1.29 | G2 | 7-8 | 9-10 | 0.71 | 1.00 | 7 |
| <i>Eustoma grandiflorum</i> Prairie Gentian | AN | 0.97 | G4 | 6-8 | 9-10B | | | |
| <i>Eustoma grandiflorum</i> 'Lizzy Series' Lizzy Series Prairie Gentian | AN | 1.02 | G4 | 6-8 | 9-10B | | | |
| <i>Eustoma grandiflorum</i> 'Sapphire Blue Chip' Sapphire Blue Chip Prairie Gentian | AN | 2.32 | G4 | 6-8 | 9-10B | | | |
| <i>Euterpe edulis</i> Palmito Palm | PC | 1.40 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Euterpe oleracea</i> Assai Palm | PC | 2.05 | G1 | 10-11 | | | 1.00 | 11 |
| <i>Euterpe precatoria</i> No Common Name Found | PC | 2.21 | G1 | 10 | 11 | | 1.00 | 10B |
| <i>Evodia daniellii</i> See - <i>Tetradium daniellii</i> | | | | | | | | |
| <i>Evolvulus glomeratus</i> Blue Daze | HP | 0.62 | G4 | 6-10A | 10B-11 | | | |
| <i>Evolvulus glomeratus</i> 'Blue Eyes' Blue Eyes Blue Daze | HP | 0.72 | G4 | 6-10A | 10B-11 | | | |
| <i>Evolvulus nuttallianus</i> See - <i>Evolvulus pilosus</i> | | | | | | | | |
| <i>Evolvulus pilosus</i> No Common Name Found | GC | 0.63 | G4 | 8-9 | 10A | | 1.00 | 7 |
| <i>Exacum affine</i> German Violet | AN | 2.30 | G4 | 8-10A | 10B-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Exochorda x macrantha</i> Hybrid Pearlbush | DS | 1.00 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Exochorda x macrantha</i> 'Northern Pearls' Northern Pearls Pearlbush | BS | 1.48 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Exochorda x macrantha</i> 'The Bride' The Bride Pearlbush | BS | 1.08 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Exochorda racemosa</i> Common Pearlbush | BS | 0.81 | G2 | 4-6 | 7-8 | | 1.00 | 4 |
| <i>Eysenhardtia texana</i> Texas Kidneywood | BS | 0.73 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Fagraea berterana</i> Pua-Kenikeni | BE | 1.54 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Fagraea ceilanica</i> No Common Name Found | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Fagus crenata</i> Japanese Beech | DT | 1.00 | G2 | 2-4 | 5-7 | 0.79 | 1.00 | 4 |
| <i>Fagus grandifolia</i> American Beech | DT | 1.42 | G2 | 2-3 | 4-7 | 1.07 | 1.15 | 3 |
| <i>Fagus x moesiaca</i> Balkan Beech | DT | 1.00 | G2 | 2-4 | 5-7 | 1.00 | 1.00 | 4 |
| <i>Fagus orientalis</i> Oriental Beech | DT | 1.57 | G2 | 2-4 | 5-7 | 1.18 | 1.00 | 4 |
| <i>Fagus sylvatica</i> European Beech | DT | 1.09 | G2 | 2-4 | 5-7 | 0.92 | 1.01 | 4 |
| <i>Fagus sylvatica</i> 'Asplenifolia' Fernleaf European Beech | DT | 1.38 | G2 | 2-4 | 5-7 | 1.67 | 1.20 | 4 |
| <i>Fagus sylvatica</i> 'Atropunicea' Purple Leaf European Beech | DT | 0.91 | G2 | 2-4 | 5-7 | 1.53 | 0.62 | 4 |
| <i>Fagus sylvatica</i> 'Cockleshell' Cockleshell European Beech | DT | 1.59 | G2 | 2-4 | 5-7 | 0.85 | 1.19 | 4 |
| <i>Fagus sylvatica</i> 'Cristata' Cock's Comb European Beech | DT | 1.59 | G2 | 2-4 | 5-7 | 1.32 | 1.19 | 4 |
| <i>Fagus sylvatica</i> 'Cuprea' See - <i>Fagus sylvatica</i> 'Atropunicea' | | | | | | | | |
| <i>Fagus sylvatica</i> 'Dawyck Gold' Dawyck Gold European Beech | DT | 1.59 | G2 | 2-4 | 5-7 | 2.05 | 0.78 | 4 |
| <i>Fagus sylvatica</i> 'Dawyck Purple' Dawyck Purple European Beech | DT | 1.43 | G2 | 2-4 | 5-7 | 1.62 | 1.14 | 4 |
| <i>Fagus sylvatica</i> 'Dawyck' Dawyck European Beech | DT | 1.13 | G2 | 2-4 | 5-7 | 1.59 | 1.15 | 4 |
| <i>Fagus sylvatica</i> 'Fastigiata' See - <i>Fagus sylvatica</i> 'Dawyck' | | | | | | | | |
| <i>Fagus sylvatica</i> 'Grandidentata' Sawtooth European Beech | DT | 1.59 | G2 | 2-4 | 5-7 | 1.35 | 1.19 | 4 |
| <i>Fagus sylvatica</i> 'Laciniata' Cutleaf European Beech | DT | 1.57 | G2 | 2-4 | 5-7 | 1.60 | 1.37 | 4 |
| <i>Fagus sylvatica</i> 'Mercedes' Mercedes European Beech | DT | 1.59 | G2 | 2-4 | 5-7 | 1.59 | 1.19 | 4 |
| <i>Fagus sylvatica</i> 'Pendula' Weeping European Beech | DT | 1.61 | G2 | 2-4 | 5-7 | 1.66 | 1.41 | 4 |
| <i>Fagus sylvatica</i> 'Purple Fountain' Purple Fountain European Beech | DT | 2.09 | G2 | 2-4 | 5-7 | 1.67 | 1.09 | 4 |
| <i>Fagus sylvatica</i> 'Purpurea Pendula' Purple Weeping European Beech | DT | 2.02 | G2 | 2-4 | 5-7 | 1.68 | 1.93 | 4 |
| <i>Fagus sylvatica</i> 'Purpurea Tricolor' Purple Tricolor European Beech | DT | 1.76 | G2 | 2-4 | 5-7 | 1.95 | 1.47 | 4 |
| <i>Fagus sylvatica</i> 'Riversii' Rivers European Beech | DT | 1.69 | G2 | 2-4 | 5-7 | 1.69 | 1.23 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Fagus sylvatica</i> 'Rohan Obelisk' Rohan Obelisk European Beech | DT | 1.59 | G2 | 2-4 | 5-7 | 1.65 | 1.23 | 4 |
| <i>Fagus sylvatica</i> 'Rohanii' Purple Oakleaf European Beech | DT | 1.61 | G2 | 2-4 | 5-7 | 1.59 | 1.15 | 4 |
| <i>Fagus sylvatica</i> 'Roseo-marginata' See - <i>Fagus sylvatica</i> 'Purpurea Tricolor' | | | | | | | | |
| <i>Fagus sylvatica</i> 'Rotundifolia' Roundleaf European Beech | DT | 1.59 | G2 | 2-4 | 5-7 | 1.54 | 0.68 | 4 |
| <i>Fagus sylvatica</i> 'Spaethiana' Spaeth European Beech | DT | 2.09 | G2 | 2-4 | 5-7 | 1.64 | 1.08 | 4 |
| <i>Fagus sylvatica</i> 'Torulosa Purpurea' Purple Contorted Weeping European Beech | DT | 1.59 | G2 | 2-4 | 5-7 | 1.59 | 1.19 | 4 |
| <i>Fagus sylvatica</i> 'Torulosa' Contorted European Beech | DT | 1.60 | G2 | 2-4 | 5-7 | 1.59 | 1.19 | 4 |
| <i>Fagus sylvatica</i> 'Tricolor' Tricolor European Beech | DT | 1.89 | G2 | 2-4 | 5-7 | 1.98 | 1.29 | 4 |
| <i>Fagus sylvatica</i> 'Zlatia' Golden European Beech | DT | 1.59 | G2 | 2-4 | 5-7 | 1.74 | 1.55 | 4 |
| <i>Fallopia baldschuanica</i> Russian Vine | HP | 1.36 | G2 | 4 | 5-7 | | | |
| <i>Fallopia japonica</i> Japanese Knotweed | HP | 1.04 | G4 | 4 | 5-7 | | | |
| <i>Fallopia japonica</i> 'Border Jewel' Border Jewel Japanese Knotweed | HP | 1.33 | G4 | 4 | 5-7 | | | |
| <i>Fallopia japonica</i> 'Variegata' Variegated Japanese Knotweed | HP | 1.25 | G4 | 4 | 5-7 | | | |
| <i>Fallopia japonica</i> var. <i>compacta</i> Compact Japanese Knotweed | HP | 0.66 | G4 | 4 | 5-7 | | | |
| <i>Fallopia japonica</i> var. <i>compacta</i> 'Glozam' Glo-worm™ Compact Japanese Knotweed | HP | 1.55 | G4 | 4 | 5-7 | | | |
| <i>Fallopia japonica</i> var. <i>compacta</i> 'Glo-worm' See - <i>Fallopia japonica</i> var. <i>compacta</i> 'Glozam' | | | | | | | | |
| <i>Fallugia paradoxa</i> Apache-plume | DS | 1.10 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Farfugium japonicum</i> Green Leopard Plant | HP | 1.27 | G4 | 3-5 | 6-8 | | | |
| <i>Farfugium japonicum</i> 'Aureo-maculata' Aureo-maculata Green Leopard Plant | HP | 1.38 | G4 | 3-5 | 6-8 | | | |
| <i>Fargesia fungosa</i> No Common Name Found | BS | 1.31 | G2 | 4-8 | 9-10 | | 1.00 | 8 |
| <i>Fargesia murielae</i> Umbrella Bamboo | BS | 3.27 | G2 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Fargesia nitida</i> Fountain Bamboo | BS | 3.12 | G4 | 4-5 | 6-9 | | 1.00 | 5 |
| x <i>Fatshedera lizei</i> Aralia Ivy Tree | BS | 1.23 | G2 | 7 | 8-10A | | 1.00 | 7 |
| x <i>Fatshedera lizei</i> 'Variegata' Variegated Aralia Ivy Tree | BS | 0.74 | G2 | 7 | 8-10A | | 1.00 | 7 |
| <i>Fatsia japonica</i> Japanese Fatsia | BS | 0.83 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Feijoa sellowiana</i> See - <i>Acca sellowiana</i> | | | | | | | | |
| <i>Felicia amelloides</i> Blue Marguerite | HP | 0.80 | G4 | 8-9 | 10A-10B | | | |
| <i>Felicia amelloides</i> 'San Gabriel' San Gabriel Blue Marguerite | HP | 0.75 | G4 | 8-9 | 10A-10B | | | |
| <i>Felicia fruticosa</i> Kingfisher Daisy | HP | 0.66 | G4 | 8-9 | 10A-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Felicia heterophylla</i> No Common Name Found | HP | 0.89 | G4 | 8-9 | 10A-10B | | | |
| <i>Felicia heterophylla</i> 'Spring Merchen Mixture' Spring Merchen Mixture Marguerite | HP | 0.89 | G4 | 8-9 | 10A-10B | | | |
| <i>Fendlera rupicola</i> Cliff Fendlerbush | DS | 0.95 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Ferocactus glaucescens</i> Blue Barrel Cactus | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Festuca amethystina</i> Large Blue Fescue | HP | 0.98 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca amethystina</i> 'Aprilgrun' Aprilgrun Tufted Fescue | HP | 0.70 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca amethystina</i> 'Bronzeglanz' Bronze Large Blue Fescue | HP | 1.01 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca amethystina</i> 'Klose' Klose Large Blue Fescue | HP | 0.70 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca amethystina</i> 'Superba' Superba Large Blue Fescue | HP | 0.75 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca californica</i> California Fescue | HP | 0.99 | G4 | 5-7 | 8-10A | | | |
| <i>Festuca californica</i> 'Blue Fountain' Blue Fountain California Fescue | HP | 0.99 | G4 | 5-7 | 8-10A | | | |
| <i>Festuca californica</i> 'Horse Mountain Green' Horse Mountain Green California Fescue | HP | 0.71 | G4 | 5-7 | 8-10A | | | |
| <i>Festuca californica</i> 'Salmon Creek' Salmon Creek California Fescue | HP | 0.71 | G4 | 5-7 | 8-10A | | | |
| <i>Festuca californica</i> 'Serpentine Blue' Serpentine Blue California Fescue | HP | 0.71 | G4 | 5-7 | 8-10A | | | |
| <i>Festuca capillata</i> See - <i>Festuca tenuifolia</i> | | | | | | | | |
| <i>Festuca cinerea</i> No Common Name Found | HP | 0.58 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca cinerea</i> 'Azurit' Azure Blue Fescue | HP | 0.81 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca cinerea</i> 'Blaufuchs' Blaufuchs Fescue | HP | 0.99 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca gautieri</i> Bearskin Fescue | HP | 1.00 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca gautieri</i> 'Hobbit' Hobbit Bearskin Fescue | HP | 1.00 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca gigantea</i> Giant Fescue | HP | 0.70 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca glauca</i> Blue Fescue | HP | 1.34 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca glauca</i> 'Blauglut' Blauglut Blue Fescue | HP | 0.70 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca glauca</i> 'Blausilber' Blausilber Blue Fescue | HP | 0.77 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca glauca</i> 'Blue Finch' Blue Finch Blue Fescue | HP | 0.78 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca glauca</i> 'Blue Sea' Blue Sea Blue Fescue | HP | 0.84 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca glauca</i> 'Boulder Blue' Boulder Blue Blue Fescue | HP | 1.39 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca glauca</i> 'Daeumling' Daeumling Blue Fescue | HP | 0.70 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca glauca</i> 'Elijah Blue' Elijah Blue Blue Fescue | HP | 1.26 | G4 | 5-6 | 7-10A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Festuca glauca</i> 'Fruhlingsblau' Fruhlingsblau Blue Fescue | HP | 0.70 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca glauca</i> 'Golden Toupee' Golden Toupee Blue Fescue | HP | 1.00 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca glauca</i> 'Harz' Harz Blue Fescue | HP | 0.70 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca glauca</i> 'Palatinat' Palatinat Blue Fescue | HP | 0.99 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca glauca</i> 'Sea Eagle' Sea Eagle Blue Fescue | HP | 0.91 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca glauca</i> 'Silberreihler' Silberreihler Blue Fescue | HP | 1.11 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca glauca</i> 'Soehrenwald' Soehrenwald Blue Fescue | HP | 0.70 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca glauca</i> 'Solling' Solling Blue Fescue | HP | 0.70 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca idahoensis</i> Idaho Fescue | HP | 0.79 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca idahoensis</i> 'Muse Meadow' Muse Meadow Idaho Fescue | HP | 0.99 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca idahoensis</i> 'Siskiyou Blue' Siskiyou Blue Idaho Fescue | HP | 0.78 | G4 | 4-5 | 6-10A | | | |
| <i>Festuca idahoensis</i> 'Snow Mountain' Snow Mountain Idaho Fescue | HP | 0.99 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca idahoensis</i> 'Warren Peak' Warren Peak Idaho Fescue | HP | 0.99 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca mairei</i> Atlas Fescue | HP | 0.75 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca muelleri</i> Mueller's Fescue | HP | 0.75 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca ovina</i> Sheep Fescue | HP | 0.55 | G4 | 5-6 | 7-8 | | | |
| <i>Festuca ovina</i> 'Sea Urchin' Sea Urchin Sheep Fescue | HP | 0.95 | G4 | 5-6 | 7-8 | | | |
| <i>Festuca ovina</i> var. <i>glauca</i> See - <i>Festuca glauca</i> | | | | | | | | |
| <i>Festuca quadriflora</i> Four-leaved Fescue | HP | 1.16 | G4 | 5-6 | 7-8 | | | |
| <i>Festuca rubra</i> Red Fescue | HP | 0.89 | G4 | 5-6 | 7-8 | | | |
| <i>Festuca rubra</i> 'Patrick's Point' Patrick's Point Red Fescue | HP | 0.76 | G4 | 5-6 | 7-10A | | | |
| <i>Festuca scoparia</i> See - <i>Festuca gautieri</i> | | | | | | | | |
| <i>Festuca tenuifolia</i> Hair Fescue | HP | 0.74 | G4 | 5-6 | 7-8 | | | |
| <i>Festuca valesiaca</i> No Common Name Found | HP | 0.86 | G4 | 5-6 | 7-8 | | | |
| <i>Ficus altissima</i> Council Tree | BE | 0.36 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Ficus aspera</i> No Common Name Found | BE | 0.99 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Ficus aspera</i> 'Parcellii' Clown Fig | BE | 0.99 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Ficus aurea</i> Golden Fig | BE | 0.62 | G1 | 10 | 11 | 1.00 | 0.65 | 10 |
| <i>Ficus benghalensis</i> Indian Banyan Tree | BE | 1.40 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ficus benjamina</i> Weeping Fig | FO | 0.63 | G1 | 8-10 | 11 | | 0.84 | 10 |
| <i>Ficus benjamina</i> 'Exotica' Exotic Weeping Fig | FO | 0.43 | G3 | 8-10 | 11 | | 0.65 | 10 |
| <i>Ficus benjamina</i> 'Indigo' Indigo Weeping Fig | FO | 1.49 | G3 | 8-11 | | | 0.80 | 10 |
| <i>Ficus benjamina</i> 'Jacqueline' Jacqueline Weeping Fig | FO | 0.95 | G3 | 8-10 | 11 | | 0.80 | 10 |
| <i>Ficus benjamina</i> 'Kiki' Kiki Weeping Fig | FO | 0.98 | G3 | 8-10 | 11 | | 0.80 | 10 |
| <i>Ficus benjamina</i> 'Melany' P.P. 9923 Melany Weeping Fig | FO | 0.98 | G3 | 8-10 | 11 | | 0.80 | 10 |
| <i>Ficus benjamina</i> 'Midnight' P.P. 9856 Midnight Weeping Fig | FO | 1.15 | G3 | 8-10 | 11 | | 0.80 | 10 |
| <i>Ficus benjamina</i> 'Monique' P.P. 8637 Monique Weeping Fig | FO | 1.23 | G3 | 8-11 | | | 0.80 | 10 |
| <i>Ficus benjamina</i> 'Spearmint' Spearmint Weeping Fig | FO | 0.92 | G3 | 8-10 | 11 | | 0.80 | 10 |
| <i>Ficus benjamina</i> 'Spire' Spire Weeping Fig | FO | 1.26 | G3 | 8-10 | 11 | | 0.90 | 10 |
| <i>Ficus benjamina</i> 'Starlite' Starlite Weeping Fig | FO | 0.47 | G3 | 8-10 | 11 | | 0.80 | 10 |
| <i>Ficus benjamina</i> 'TooLittle' P.P. 8939 TooLittle Weeping Fig | FO | 0.99 | G3 | 8-10 | 11 | | 0.80 | 10 |
| <i>Ficus benjamina</i> 'Variegata' Variegated Weeping Fig | FO | 1.04 | G3 | 8-10 | 11 | | 0.80 | 10 |
| <i>Ficus benjamina</i> 'Wiandi' Wiandi Weeping Fig | FO | 1.36 | G3 | 8-10 | 11 | | 0.80 | 10 |
| <i>Ficus benjamina</i> 'Wintergreen' Wintergreen Weeping Fig | FO | 0.86 | G3 | 8-10 | 11 | | 0.80 | 10 |
| <i>Ficus benjamina</i> var. <i>nuda</i> No Common Name Found | FO | 1.63 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Ficus binnendykii</i> Narrow-leaf Fig | FO | 1.20 | G3 | 8-10 | 11 | | 1.07 | 10 |
| <i>Ficus binnendykii</i> 'Alii' Alii Narrow-leaf Fig | FO | 1.10 | G3 | 8-10 | 11 | | 1.07 | 10 |
| <i>Ficus binnendykii</i> 'Amstel King' P.P. 8776 Amstel King Narrow-leaf Fig | FO | 1.30 | G3 | 8-10 | 11 | | 1.07 | 10 |
| <i>Ficus buxifolia</i> See - <i>Ficus lingua</i> | | | | | | | | |
| <i>Ficus carica</i> Common Fig | FN | 0.82 | G2 | 6 | 7-9A | 0.59 | 0.63 | 6 |
| <i>Ficus carica</i> 'Alma' Alma Fig | FN | 0.64 | G2 | 6 | 7-9A | 0.59 | 0.63 | 6 |
| <i>Ficus carica</i> 'Black Jack' Black Jack Fig | FN | 1.16 | G2 | 6 | 7-9A | 0.63 | 0.63 | 6 |
| <i>Ficus carica</i> 'Black Mission' Black Mission Fig | FN | 0.80 | G2 | 6 | 7-9A | 0.49 | 0.63 | 6 |
| <i>Ficus carica</i> 'Brown Turkey' Brown Turkey Fig | FN | 0.94 | G2 | 6 | 7-9A | 0.63 | 0.64 | 6 |
| <i>Ficus carica</i> 'Celeste' Celeste Common Fig | FN | 0.79 | G2 | 6 | 7-9A | 0.63 | 0.64 | 6 |
| <i>Ficus carica</i> 'Conandria' Conandria Common Fig | FN | 1.32 | G2 | 6 | 7-9A | 0.59 | 0.63 | 6 |
| <i>Ficus carica</i> 'Desert King' Desert King Common Fig | FN | 1.42 | G2 | 6 | 7-9A | 0.59 | 0.63 | 6 |
| <i>Ficus carica</i> 'Kadota' Kadota Fig | FN | 1.30 | G2 | 6 | 7-9A | 0.55 | 0.63 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Ficus carica</i> 'Mission' Mission Fig | FN | 1.35 | G2 | 6 | 7-9A | 0.59 | 0.63 | 6 |
| <i>Ficus carica</i> 'Osborn's Prolific' Osborn's Prolific Common Fig | FN | 1.42 | G2 | 6 | 7-9A | 0.59 | 0.63 | 6 |
| <i>Ficus carica</i> 'Peter's Honey' Peter's Honey Fig | FN | 1.37 | G2 | 6 | 7-9A | 0.59 | 0.63 | 6 |
| <i>Ficus carica</i> 'Texas Everbearing' Texas Everbearing Fig | FN | 0.99 | G2 | 6 | 7-9A | 0.62 | 0.60 | 6 |
| <i>Ficus citrifolia</i> Shortleaf Fig | FN | 0.59 | G3 | 8-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Ficus deltoidea</i> Mistletoe Fig | FO | 0.72 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Ficus elastica</i> Indian Rubber Tree | FO | 0.45 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Ficus elastica</i> 'Burgundy' Burgundy Indian Rubber Tree | FO | 0.45 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Ficus elastica</i> 'Decora' Decora Indian Rubber Tree | FO | 1.15 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Ficus elastica</i> 'Robusta' Robusta Indian Rubber Tree | FO | 0.69 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Ficus elastica</i> 'Sylvie' Sylvie Indian Rubber Tree | FO | 0.71 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Ficus exotica</i> See - <i>Ficus benjamina</i> 'Exotica' | | | | | | | | |
| <i>Ficus lingua</i> Box-leaved Fig | FO | 0.70 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Ficus lutea</i> Lagos Rubber Tree | BE | 0.62 | G3 | 8-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Ficus lyrata</i> Fiddle-leaf Fig | FO | 0.97 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Ficus maclellandii</i> 'Alii' See - <i>Ficus binnendykii</i> 'Alii' | | | | | | | | |
| <i>Ficus macrophylla</i> Moreton Bay Fig | BE | 0.97 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Ficus microcarpa</i> Indian Laurel Fig | FO | 0.81 | G3 | 8-10 | 11 | | 0.81 | 10 |
| <i>Ficus microcarpa</i> 'Green Gem' Green Gem Indian Laurel Fig | FO | 0.68 | G3 | 8-10 | 11 | | 0.81 | 10 |
| <i>Ficus microcarpa</i> 'Green Island' Green Island Indian Laurel Fig | FO | 0.76 | G3 | 8-10 | 11 | | 0.81 | 10 |
| <i>Ficus montana</i> Oakleaf Fig | FO | 0.47 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Ficus natalensis</i> Natal Fig | BE | 1.00 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Ficus natalensis</i> ssp. <i>leprieurii</i> No Common Name Found | BE | 0.93 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Ficus nekbudu</i> See - <i>Ficus lutea</i> | | | | | | | | |
| <i>Ficus neriifolia</i> Willowleaf Fig | FO | 0.76 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Ficus nitida</i> See - <i>Ficus microcarpa</i> | | | | | | | | |
| <i>Ficus pandurata</i> See - <i>Ficus lyrata</i> | | | | | | | | |
| <i>Ficus petiolaris</i> Petiolate Fig | FO | 0.64 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Ficus pseudopalma</i> Philippine Fig | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Ficus pumila</i> Creeping Fig | GC | 0.75 | G2 | 6-8 | 9-11 | | 1.00 | 8 |
| <i>Ficus pumila</i> 'Minima' Minima Creeping Fig | GC | 0.80 | G2 | 8 | 9-11 | | 1.00 | 8 |
| <i>Ficus pumila</i> 'Sunny' Sunny Creeping Fig | GC | 0.80 | G2 | 8 | 9-11 | | 1.00 | 8 |
| <i>Ficus pumila</i> 'Variegata' Variegated Creeping Fig | GC | 0.74 | G2 | 8 | 9-11 | | 1.00 | 8 |
| <i>Ficus religiosa</i> Sacred Fig | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Ficus repens</i> See - <i>Ficus pumila</i> | | | | | | | | |
| <i>Ficus rubiginosa</i> Rusty Fig | BE | 1.25 | G1 | 8-10 | 11 | 1.00 | 1.51 | 10 |
| <i>Ficus salicifolia</i> See - <i>Ficus neriifolia</i> | | | | | | | | |
| <i>Ficus triangularis</i> See - <i>Ficus natalensis</i> ssp. <i>leprieurii</i> | | | | | | | | |
| <i>Filicium decipiens</i> Japanese Fern Tree | BE | 1.03 | G1 | 10 | 11 | 1.00 | 0.81 | 10B |
| <i>Filipendula</i> Meadowsweet | HP | 0.97 | G4 | 4-5 | 6-8 | | | |
| <i>Filipendula</i> 'Kahome' Kahome Meadowsweet | HP | 0.97 | G4 | 4-5 | 6-8 | | | |
| <i>Filipendula hexapetala</i> See - <i>Filipendula vulgaris</i> | | | | | | | | |
| <i>Filipendula palmata</i> Siberian Meadowsweet | HP | 1.33 | G4 | 4-5 | 6-8 | | | |
| <i>Filipendula palmata</i> 'Elegans' Elegans Siberian Meadowsweet | HP | 1.04 | G4 | 4-5 | 6-8 | | | |
| <i>Filipendula palmata</i> 'Nana' Dwarf Siberian Meadowsweet | HP | 0.88 | G4 | 4-5 | 6-8 | | | |
| <i>Filipendula purpurea</i> Japanese Meadowsweet | HP | 0.99 | G4 | 6 | 7-8 | | | |
| <i>Filipendula purpurea</i> 'Alba' White Japanese Meadowsweet | HP | 1.28 | G4 | 6 | 7-8 | | | |
| <i>Filipendula rubra</i> Queen-of-the-Prairie | HP | 1.27 | G4 | 4-5 | 6-8 | | | |
| <i>Filipendula rubra</i> 'Albicans' Albicans Queen-of-the-Prairie | HP | 1.01 | G4 | 4-5 | 6-8 | | | |
| <i>Filipendula rubra</i> 'Venusta Magnificum' Venusta Magnificum Queen-of-the-Prairie | HP | 0.93 | G4 | 4-5 | 6-8 | | | |
| <i>Filipendula rubra</i> 'Venusta' Venusta Queen-of-the-Prairie | HP | 1.26 | G4 | 4-5 | 6-8 | | | |
| <i>Filipendula ulmaria</i> Queen-of-the-Meadow | HP | 0.94 | G4 | 4-5 | 6-8 | | | |
| <i>Filipendula ulmaria</i> 'Aurea' Golden Queen-of-the-Meadow | HP | 1.56 | G4 | 4-5 | 6-8 | | | |
| <i>Filipendula ulmaria</i> 'Aureo-Variegata' See - <i>Filipendula ulmaria</i> 'Variegata' | | | | | | | | |
| <i>Filipendula ulmaria</i> 'Variegata' Variegated Queen-of-the-Meadow | HP | 2.18 | G4 | 4-5 | 6-8 | | | |
| <i>Filipendula vulgaris</i> Dropwort | HP | 0.95 | G4 | 4-5 | 6-8 | | | |
| <i>Filipendula vulgaris</i> 'Flore Pleno' Flore Pleno Double Dropwort | HP | 1.07 | G4 | 4-5 | 6-8 | | | |
| <i>Firmiana simplex</i> Chinese Parasol Tree | DT | 0.87 | G2 | 7 | 8-9B | 0.68 | 0.74 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Fittonia verschaffeltii</i> Mosaic Plant | FO | 0.54 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Flaveria linearis</i> Yellowtop | AN | 0.62 | G4 | 8-10 | 11 | | | |
| <i>Foeniculum vulgare</i> Fennel | AN | 1.25 | G4 | 5-6 | 7-8 | | | |
| <i>Foeniculum vulgare</i> 'Finocchio' Florence Fennel | AN | 1.96 | G4 | 5-6 | 7-8 | | | |
| <i>Foeniculum vulgare</i> var. <i>azoricum</i> Sweet Florence Fennel | AN | 0.91 | G4 | 5-6 | 7-8 | | | |
| <i>Foeniculum vulgare</i> var. <i>dulce</i> No Common Name Found | AN | 0.68 | G4 | 5-6 | 7-8 | | | |
| <i>Foeniculum vulgare</i> var. <i>dulce</i> 'Rubrum' Bronze Fennel | AN | 1.28 | G4 | 5-6 | 7-8 | | | |
| <i>Fontanesia fortunei</i> Fortune Fontanesia | DS | 1.00 | G2 | 6-7 | 8-10B | | 1.00 | 5 |
| <i>Fontanesia fortunei</i> 'Titan' Titan Fortune Fontanesia | DS | 1.00 | G2 | 6-7 | 8-10B | | 1.00 | 5 |
| <i>Forestiera neomexicana</i> Desert Olive | DS | 0.90 | G2 | 7-8 | 9-10A | | 1.87 | 6 |
| <i>Forestiera segregata</i> Florida Privet | DS | 0.55 | G2 | 8 | 9-11 | | 1.00 | 6 |
| <i>Forestiera segregata</i> var. <i>pinetorum</i> Pineland Florida Privet | DS | 0.46 | G2 | 8 | 9-11 | | 1.00 | 6 |
| <i>Forsythia</i> Hybrid Forsythia | DS | 0.83 | G2 | 2-4 | 5-8 | | 0.69 | 3 |
| <i>Forsythia</i> 'Arnold Dwarf' Arnold Dwarf Forsythia | DS | 0.88 | G2 | 2-5 | 6-8 | | 0.64 | 5 |
| <i>Forsythia</i> 'Gold Tide' See - <i>Forsythia</i> x <i>intermedia</i> 'Courtasol' P.P. 9104 | | | | | | | | |
| <i>Forsythia</i> 'Goldilocks' See - <i>Forsythia</i> x <i>intermedia</i> 'Courtacour' P.P.A.F. | | | | | | | | |
| <i>Forsythia</i> 'Happy Centennial' Happy Centennial Forsythia | DS | 0.83 | G2 | 2-5 | 6-8 | | 0.69 | 5 |
| <i>Forsythia</i> 'Meadowlark' Meadowlark Forsythia | DS | 0.79 | G2 | 2-3 | 4-8 | | 0.72 | 3 |
| <i>Forsythia</i> 'New Hampshire Gold' New Hampshire Gold Forsythia | DS | 0.79 | G2 | 2-4 | 5-8 | | 0.75 | 4 |
| <i>Forsythia</i> 'Northern Girl' Northern Girl Forsythia | DS | 0.81 | G2 | 2-5 | 6-8 | | 0.69 | 5 |
| <i>Forsythia</i> 'Northern Gold' Northern Gold Hybrid Forsythia | DS | 0.84 | G2 | 2-5 | 6-8 | | 0.69 | 5 |
| <i>Forsythia</i> 'Northern Sun' Northern Sun Forsythia | DS | 0.83 | G2 | 2-4 | 5-8 | | 0.69 | 4 |
| <i>Forsythia</i> 'Sunrise' Sunrise Forsythia | DS | 0.88 | G2 | 2-4 | 5-8 | | 0.66 | 4 |
| <i>Forsythia</i> x <i>intermedia</i> Border Forsythia | DS | 0.61 | G2 | 2-5 | 6-8 | | 0.47 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Beatrix Farrand' Beatrix Farrand Border Forsythia | DS | 0.65 | G2 | 2-5 | 6-8 | | 0.30 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Courdijau' P.P. 13050 Golden Peep™ Border Forsythia | DS | 1.32 | G2 | 2-5 | 6-8 | | 0.51 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Courtacour' P.P.A.F. Goldilocks™ Border Forsythia | DS | 1.21 | G2 | 2-5 | 6-8 | | 0.51 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Courtalyn' P.P.A.F. Week-End® Border Forsythia | DS | 0.90 | G2 | 2-5 | 6-8 | | 0.51 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Courtasol' P.P. 9104 Gold Tide Border Forsythia | DS | 0.91 | G2 | 2-5 | 6-8 | | 1.02 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Forsythia x intermedia</i> 'Fiesta' Fiesta Border Forsythia | DS | 0.98 | G2 | 2-5 | 6-8 | | 0.51 | 5 |
| <i>Forsythia x intermedia</i> 'Golden Peep' See - <i>Forsythia x intermedia</i> 'Courdijau' P.P. 13050 | | | | | | | | |
| <i>Forsythia x intermedia</i> 'Goldzauber' Goldzauber Border Forsythia | DS | 0.91 | G2 | 2-5 | 6-8 | | 0.51 | 5 |
| <i>Forsythia x intermedia</i> 'Karl Sax' Karl Sax Border Forsythia | DS | 0.66 | G2 | 2-5 | 6-8 | | 0.39 | 5 |
| <i>Forsythia x intermedia</i> 'Lynwood' Lynwood Gold Border Forsythia | DS | 0.77 | G2 | 2-5 | 6-8 | | 0.52 | 5 |
| <i>Forsythia x intermedia</i> 'Minigold' Minigold Border Forsythia | DS | 0.83 | G2 | 2-5 | 6-8 | | 0.51 | 5 |
| <i>Forsythia x intermedia</i> 'Mr. K' Mr. K Border Forsythia | DS | 0.91 | G2 | 2-5 | 6-8 | | 0.51 | 5 |
| <i>Forsythia x intermedia</i> 'Nana' Dwarf Border Forsythia | DS | 0.91 | G2 | 2-5 | 6-8 | | 0.51 | 5 |
| <i>Forsythia x intermedia</i> 'Princeton Gold' P.P. 11055 Princeton Gold Border Forsythia | DS | 1.09 | G2 | 2-5 | 6-8 | | 0.51 | 5 |
| <i>Forsythia x intermedia</i> 'Spectabilis' Showy Border Forsythia | DS | 0.75 | G2 | 2-5 | 6-8 | | 0.43 | 5 |
| <i>Forsythia x intermedia</i> 'Spring Glory' Spring Glory Border Forsythia | DS | 0.83 | G2 | 2-5 | 6-8 | | 0.53 | 5 |
| <i>Forsythia x intermedia</i> 'Springwood Gold' Springwood Gold Border Forsythia | DS | 0.91 | G2 | 2-5 | 6-8 | | 0.40 | 5 |
| <i>Forsythia x intermedia</i> 'Tremonia' Tremonia Border Forsythia | DS | 0.94 | G2 | 2-5 | 6-8 | | 0.51 | 5 |
| <i>Forsythia x intermedia</i> 'Week-End' See - <i>Forsythia x intermedia</i> 'Courtalyn' P.P.A.F. | | | | | | | | |
| <i>Forsythia x intermedia</i> 'Winterthur' Winterthur Border Forsythia | DS | 1.13 | G2 | 2-5 | 6-8 | | 0.51 | 5 |
| <i>Forsythia mandschurica</i> Manchurian Forsythia | DS | 1.00 | G2 | 2-5 | 6-8 | | 0.50 | 5 |
| <i>Forsythia mandschurica</i> 'Vermont Sun' Vermont Sun Forsythia | DS | 1.00 | G2 | 2-5 | 6-8 | | 0.50 | 5 |
| <i>Forsythia ovata</i> Early Forsythia | DS | 0.71 | G2 | 2-5 | 6-8 | | 1.00 | 5 |
| <i>Forsythia ovata</i> 'Nakai' Nakai Early Forsythia | DS | 0.71 | G2 | 2-5 | 6-8 | | 1.00 | 5 |
| <i>Forsythia ovata</i> 'Ottawa' Ottawa Early Forsythia | DS | 0.71 | G2 | 2-5 | 6-8 | | 1.00 | 5 |
| <i>Forsythia ovata</i> 'Tetragold' Tetragold Early Forsythia | DS | 0.71 | G2 | 2-5 | 6-8 | | 1.00 | 5 |
| <i>Forsythia suspensa</i> Weeping Forsythia | DS | 0.89 | G2 | 2-5 | 6-8 | | 0.53 | 5 |
| <i>Forsythia suspensa</i> var. <i>sieboldii</i> Siebold Weeping Forsythia | DS | 1.02 | G2 | 2-5 | 6-8 | | 0.68 | 5 |
| <i>Forsythia viridissima</i> Greenstem Forsythia | DS | 0.88 | G2 | 2-5 | 6-8 | | 0.96 | 5 |
| <i>Forsythia viridissima</i> 'Bronxensis' Bronx Dwarf Greenstem Forsythia | DS | 0.88 | G2 | 2-5 | 6-8 | | 0.96 | 5 |
| <i>Forsythia viridissima</i> var. <i>koreana</i> No Common Name Found | DS | 1.05 | G2 | 2-5 | 6-8 | | 1.00 | 5 |
| <i>Forsythia viridissima</i> var. <i>koreana</i> 'Kumson' Kumson Greenstem Forsythia | DS | 1.05 | G2 | 2-5 | 6-8 | | 1.00 | 5 |
| <i>Fortunella crassifolia</i> Meiwa Kumquat | FN | 0.86 | G2 | 9-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Fortunella japonica</i> Round Kumquat | FN | 1.00 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Fortunella margarita</i> Nagami Kumquat | FN | 1.22 | G2 | 8 | 9-11 | 1.00 | 1.00 | 8 |
| <i>Fothergilla gardenii</i> Dwarf Fothergilla | DS | 1.24 | G2 | 3-5 | 6-9 | | 1.91 | 5 |
| <i>Fothergilla gardenii</i> 'Beaver Creek' Beaver Creek Dwarf Fothergilla | DS | 1.22 | G2 | 3-5 | 6-9 | | 1.95 | 5 |
| <i>Fothergilla gardenii</i> 'Blue Mist' Blue Mist Dwarf Fothergilla | DS | 1.20 | G2 | 3-5 | 6-9 | | 1.98 | 5 |
| <i>Fothergilla gardenii</i> 'Jane Platt' Jane Platt Dwarf Fothergilla | DS | 1.22 | G2 | 3-5 | 6-9 | | 1.95 | 5 |
| <i>Fothergilla major</i> Large Fothergilla | DS | 1.23 | G2 | 3-5 | 6-9 | | 2.13 | 5 |
| <i>Fothergilla major</i> 'Mt. Airy' Mt. Airy Large Fothergilla | DS | 1.09 | G2 | 3-5 | 6-9 | | 2.06 | 5 |
| <i>Fothergilla monticola</i> See - <i>Fothergilla major</i> | | | | | | | | |
| <i>Fouquieria splendens</i> Ocotillo | DS | 0.79 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Fragaria</i> Strawberry | SF | 0.93 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria</i> 'Franor' P.P. 12069 Red Ruby Strawberry | SF | 0.97 | G4 | 3-4 | 5-9A | | 1.00 | 4 |
| <i>Fragaria</i> 'Frel' P.P. 7598 Pink Panda™ Strawberry | SF | 0.93 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria</i> 'Lipstick' Lipstick Strawberry | SF | 0.88 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria</i> 'Mara Des Bois' P.P. 8517 Mara Des Bois Strawberry | SF | 0.93 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria</i> 'Pink Panda' See - <i>Fragaria</i> 'Frel' P.P. 7598 | | | | | | | | |
| <i>Fragaria</i> 'Red Ruby' See - <i>Fragaria</i> 'Franor' P.P. 12069 | | | | | | | | |
| <i>Fragaria</i> 'Serenata' P.P. 8801 Serenata Strawberry | SF | 0.93 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria alpina</i> See - <i>Fragaria vesca</i> 'Semperflorens' | | | | | | | | |
| <i>Fragaria xananassa</i> Garden Strawberry | SF | 0.64 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria xananassa</i> 'All Star' All Star Garden Strawberry | SF | 1.43 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria xananassa</i> 'Aromas' Aromas Garden Strawberry | SF | 1.17 | G4 | 3-4 | 5-9A | | 1.00 | 4 |
| <i>Fragaria xananassa</i> 'Blakemore' Blakemore Garden Strawberry | SF | 1.17 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria xananassa</i> 'Everbearing Gem' Everbearing Gem Garden Strawberry | SF | 1.17 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria xananassa</i> 'Ft. Laramie' Ft. Laramie Garden Strawberry | SF | 1.12 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria xananassa</i> 'Guardian' Guardian Garden Strawberry | SF | 1.17 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria xananassa</i> 'Ozark Beauty' Ozark Beauty Garden Strawberry | SF | 1.48 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria xananassa</i> 'Quinalt' Quinalt Garden Strawberry | SF | 1.17 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria xananassa</i> 'Seascape' Seascape Garden Strawberry | SF | 1.17 | G4 | 3-4 | 5-9A | | 1.00 | 4 |
| <i>Fragaria xananassa</i> 'Selva' Selva Garden Strawberry | SF | 1.17 | G4 | 3-4 | 5-9A | | 1.00 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Fragaria xananassa</i> 'Streamliner' Streamliner Garden Strawberry | SF | 1.17 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria xananassa</i> 'Sumas' Sumas Garden Strawberry | SF | 1.17 | G4 | 3-4 | 5-9A | | 1.00 | 4 |
| <i>Fragaria xananassa</i> 'Sweetheart' Sweetheart Garden Strawberry | SF | 1.17 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria xananassa</i> 'Totem' Totem Garden Strawberry | SF | 1.17 | G4 | 3-4 | 5-9A | | 1.00 | 4 |
| <i>Fragaria chiloensis</i> Beach Strawberry | SF | 0.63 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria chiloensis</i> 'Aulon' Aulon Beach Strawberry | SF | 0.62 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria chiloensis</i> 'Chavel' Chavel Beach Strawberry | SF | 0.63 | G4 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Fragaria vesca</i> European Strawberry | SF | 1.02 | G4 | 4-6 | 7-9A | | 1.00 | 5 |
| <i>Fragaria vesca</i> 'Alpine Improved Rugen' Alpine Rugen Wood Strawberry | SF | 0.88 | G4 | 4-6 | 7-9A | | 1.00 | 5 |
| <i>Fragaria vesca</i> 'Charles V' Charles V Wood Strawberry | SF | 0.85 | G4 | 4-6 | 7-9A | | 1.00 | 5 |
| <i>Fragaria vesca</i> 'Semperflorens' Alpine Strawberry | SF | 0.59 | G4 | 4-6 | 7-9A | | 1.00 | 5 |
| <i>Fragaria vesca</i> 'Variegata' Variegated Wild Strawberry | SF | 0.89 | G4 | 4-6 | 7-9A | | 1.00 | 5 |
| <i>Fragaria virginiana</i> Scarlet Strawberry | SF | 1.00 | G4 | 2-3 | 4-9A | | 1.00 | 3 |
| <i>Francoa ramosa</i> Bridal Wreath | HP | 0.99 | G4 | 7-8 | 9 | | | |
| <i>Francoa sonchifolia</i> No Common Name Found | HP | 0.99 | G4 | 7-8 | 9 | | | |
| <i>Frankenia thymifolia</i> Sea Heath | BS | 1.00 | G2 | 6-7 | 8-10 | | 1.00 | 6 |
| <i>Franklinia alatamaha</i> Franklin Tree | DS | 1.32 | G2 | 5-6 | 7-8 | | 1.85 | 6 |
| <i>Fraxinus</i> Ash | DT | 1.52 | G2 | 2-3 | 4-9 | 1.65 | 1.00 | 3 |
| <i>Fraxinus</i> 'Northern Gem' P.P.A.F. Northern Gem Hybrid Ash | DT | 1.53 | G2 | 2-3 | 4-9 | 1.65 | 1.00 | 3 |
| <i>Fraxinus</i> 'Northern Treasure' P.P.A.F. Northern Treasure Hybrid Ash | DT | 1.50 | G2 | 2-3 | 4-9 | 1.65 | 1.00 | 3 |
| <i>Fraxinus americana</i> White Ash | DT | 0.95 | G2 | 2-3 | 4-9 | 0.86 | 1.02 | 2 |
| <i>Fraxinus americana</i> 'Autumn Applause' P.P. 3769 Autumn Applause White Ash | DT | 1.06 | G2 | 2-3 | 4-9 | 1.07 | 1.51 | 2 |
| <i>Fraxinus americana</i> 'Autumn Blaze' Autumn Blaze White Ash | DT | 1.31 | G2 | 2-3 | 4-9 | 1.27 | 1.86 | 2 |
| <i>Fraxinus americana</i> 'Autumn Purple' See - <i>Fraxinus americana</i> 'Junginger' | | | | | | | | |
| <i>Fraxinus americana</i> 'Champaign County' P.P. 3762 Champaign County White Ash | DT | 1.17 | G2 | 2-3 | 4-9 | 1.35 | 1.54 | 2 |
| <i>Fraxinus americana</i> 'Chicago Regal' Chicago Regal White Ash | DT | 1.17 | G2 | 2-3 | 4-9 | 1.14 | 1.42 | 2 |
| <i>Fraxinus americana</i> 'Elk Grove' Elk Grove White Ash | DT | 1.17 | G2 | 2-3 | 4-9 | 1.06 | 1.11 | 2 |
| <i>Fraxinus americana</i> 'Empire' Empire White Ash | DT | 1.17 | G2 | 2-3 | 4-9 | 1.21 | 1.54 | 2 |
| <i>Fraxinus americana</i> 'Fall Festival' Fall Festival White Ash | DT | 1.17 | G2 | 2-3 | 4-9 | 1.17 | 1.54 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Fraxinus americana</i> 'Greenspire' See - <i>Fraxinus americana</i> 'PNI 2331' | | | | | | | | |
| <i>Fraxinus americana</i> 'Jefnor' P.P.A.F. Northern Blaze White Ash | DT | 1.17 | G2 | 2-3 | 4-9 | 1.74 | 1.54 | 2 |
| <i>Fraxinus americana</i> 'Junginger' Autumn Purple® White Ash | DT | 0.97 | G2 | 2-3 | 4-9 | 1.05 | 1.16 | 2 |
| <i>Fraxinus americana</i> 'Kleinburg' Kleinburg White Ash | DT | 1.17 | G2 | 2-3 | 4-9 | 1.21 | 1.54 | 2 |
| <i>Fraxinus americana</i> 'Manitou' Manitou White Ash | DT | 1.17 | G2 | 2-3 | 4-9 | 1.52 | 2.17 | 2 |
| <i>Fraxinus americana</i> 'Northern Blaze' See - <i>Fraxinus americana</i> 'Jefnor' P.P.A.F. | | | | | | | | |
| <i>Fraxinus americana</i> 'PNI 2331' Greenspire® White Ash | DT | 1.17 | G2 | 2-3 | 4-9 | 1.19 | 1.54 | 2 |
| <i>Fraxinus americana</i> 'Rosehill' P.P. 2678 Rosehill White Ash | DT | 1.53 | G2 | 2-3 | 4-9 | 1.06 | 1.27 | 2 |
| <i>Fraxinus americana</i> 'Royal Purple' Royal Purple White Ash | DT | 1.17 | G2 | 2-3 | 4-9 | 1.22 | 1.78 | 2 |
| <i>Fraxinus americana</i> 'Skycole' P.P. 4756 Skyline® White Ash | DT | 1.17 | G2 | 2-3 | 4-9 | 1.05 | 1.49 | 2 |
| <i>Fraxinus americana</i> 'Skyline' See - <i>Fraxinus americana</i> 'Skycole' P.P. 4756 | | | | | | | | |
| <i>Fraxinus americana</i> 'Sparticus' See - <i>Fraxinus americana</i> 'Sparzam' | | | | | | | | |
| <i>Fraxinus americana</i> 'Sparzam' Sparticus™ White Ash | DT | 1.17 | G2 | 2-3 | 4-9 | 1.21 | 1.54 | 2 |
| <i>Fraxinus americana</i> 'Tures' Windy City® White Ash | DT | 1.17 | G2 | 2-3 | 4-9 | 1.39 | 2.17 | 2 |
| <i>Fraxinus americana</i> 'Waverly' Waverly White Ash | DT | 1.17 | G2 | 2-3 | 4-9 | 1.21 | 1.54 | 2 |
| <i>Fraxinus americana</i> 'Windy City' See - <i>Fraxinus americana</i> 'Tures' | | | | | | | | |
| <i>Fraxinus americana</i> ssp. <i>biltmoreana</i> Biltmore Ash | DT | 1.00 | G2 | 2-3 | 4-9 | 1.00 | 1.00 | 2 |
| <i>Fraxinus angustifolia</i> Claret Ash | DT | 0.95 | G2 | 6 | 7-9A | 0.98 | 1.00 | 6 |
| <i>Fraxinus angustifolia</i> 'Flame' P.P. 2566 Flame Claret Ash | DT | 0.98 | G2 | 6 | 7-9A | 0.95 | 1.00 | 6 |
| <i>Fraxinus angustifolia</i> 'Raywood' Raywood Claret Ash | DT | 1.00 | G2 | 6 | 7-9A | 0.92 | 1.00 | 6 |
| <i>Fraxinus caroliniana</i> Water Ash | DT | 0.49 | G2 | 2-3 | 4-9 | 1.00 | 1.00 | 2 |
| <i>Fraxinus excelsior</i> European Ash | DT | 0.97 | G2 | 2-4 | 5-9 | 0.63 | 0.32 | 4 |
| <i>Fraxinus excelsior</i> 'Aurea' Aurea European Ash | DT | 0.97 | G2 | 2-4 | 5-9 | 0.83 | 0.32 | 4 |
| <i>Fraxinus excelsior</i> 'Aureafolia' Golden Desert™ European Ash | DT | 0.97 | G2 | 2-4 | 5-9 | 1.03 | 0.32 | 4 |
| <i>Fraxinus excelsior</i> 'Globosa' Globe European Ash | DT | 0.97 | G2 | 2-4 | 5-9 | 0.83 | 0.32 | 4 |
| <i>Fraxinus excelsior</i> 'Golden Desert' See - <i>Fraxinus excelsior</i> 'Aureafolia' | | | | | | | | |
| <i>Fraxinus excelsior</i> 'Hessei' Hesse European Ash | DT | 0.97 | G2 | 2-4 | 5-9 | 0.83 | 0.32 | 4 |
| <i>Fraxinus excelsior</i> 'Kimberly' Kimberly European Ash | DT | 0.97 | G2 | 2-4 | 5-9 | 0.83 | 0.32 | 4 |
| <i>Fraxinus excelsior</i> 'Pendula' Weeping European Ash | DT | 0.97 | G2 | 2-4 | 5-9 | 0.83 | 0.32 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Fraxinus griffithii</i> Griffith Ash | DT | 1.09 | G2 | 6-8 | 9-10 | 1.00 | 1.00 | 8 |
| <i>Fraxinus griffithii</i> 'Emerald Wave' Emerald Wave Griffith Ash | DT | 1.09 | G2 | 6-8 | 9-10 | 1.00 | 1.00 | 8 |
| <i>Fraxinus holotricha</i> Balkan Ash | DT | 0.82 | G2 | 2-6 | 7-9 | 0.58 | 1.00 | 6 |
| <i>Fraxinus holotricha</i> 'Moraine' Moraine Balkan Ash | DT | 0.82 | G2 | 2-6 | 7-9 | 0.58 | 1.00 | 6 |
| <i>Fraxinus lanceolata</i> See - <i>Fraxinus pennsylvanica</i> | | | | | | | | |
| <i>Fraxinus latifolia</i> Oregon Ash | DT | 0.92 | G2 | 2-6 | 7-9 | 0.92 | 0.84 | 6 |
| <i>Fraxinus mandshurica</i> Manchurian Ash | DT | 1.72 | G2 | 2-3 | 4-9 | 1.08 | 1.00 | 3 |
| <i>Fraxinus mandshurica</i> 'Mancana' Mancana Manchurian Ash | DT | 1.72 | G2 | 2-3 | 4-9 | 1.17 | 1.00 | 3 |
| <i>Fraxinus nigra</i> Black Ash | DT | 1.42 | G2 | 2-3 | 4-9 | 1.53 | 0.64 | 2 |
| <i>Fraxinus nigra</i> 'Fallgold' Fallgold Black Ash | DT | 1.42 | G2 | 7 | 8-9A | 0.96 | 0.30 | 2 |
| <i>Fraxinus ornus</i> Flowering Ash | DT | 1.00 | G2 | 5-6 | 7-9A | 1.03 | 1.00 | 6 |
| <i>Fraxinus oxycarpa</i> See - <i>Fraxinus angustifolia</i> | | | | | | | | |
| <i>Fraxinus oxycarpa</i> 'Flame' See - <i>Fraxinus angustifolia</i> 'Flame' P.P. 2566 | | | | | | | | |
| <i>Fraxinus oxycarpa</i> 'Raywood' See - <i>Fraxinus angustifolia</i> 'Raywood' | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> Green Ash | DT | 0.85 | G2 | 3-4 | 5-9 | 0.66 | 0.62 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Aerial' See - <i>Fraxinus pennsylvanica</i> 'Lednaw' P.P. 7120 | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Bergeson' P.P. 4904 Bergeson Green Ash | DT | 1.26 | G2 | 2-3 | 4-9 | 0.93 | 0.30 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Centerpoint' Centerpoint Green Ash | DT | 1.11 | G2 | 2-3 | 4-9 | 1.01 | 0.65 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Champ Tree' See - <i>Fraxinus pennsylvanica</i> 'National 1999' | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Cimarron' See - <i>Fraxinus pennsylvanica</i> 'Cimmzam' P.P. 8077 | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Cimmzam' P.P. 8077 Cimarron® Green Ash | DT | 1.05 | G2 | 2-3 | 4-9 | 1.03 | 1.00 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Dakota Centennial' See - <i>Fraxinus pennsylvanica</i> 'Whapeton' P.P.A.F. | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Emerald' P.P. 3088 Emerald Green Ash | DT | 1.11 | G2 | 2-3 | 4-9 | 1.01 | 0.65 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Johnson' P.P. 9136 Leprechaun™ Green Ash | DT | 1.94 | G2 | 2-3 | 4-9 | 1.41 | 0.75 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Kankakee' Kankakee Green Ash | DT | 1.11 | G2 | 2-3 | 4-9 | 0.88 | 0.65 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Kindred' Kindred Green Ash | DT | 1.11 | G2 | 2-3 | 4-9 | 1.16 | 0.65 | 3 |
| <i>Fraxinus pennsylvanica</i> 'King Richard' King Richard Green Ash | DT | 1.11 | G2 | 2-3 | 4-9 | 0.99 | 0.65 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Lednaw' P.P. 7120 Aerial™ Green Ash | DT | 1.11 | G2 | 2-3 | 4-9 | 1.10 | 0.65 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Leprechaun' See - <i>Fraxinus pennsylvanica</i> 'Johnson' P.P. 9136 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Fraxinus pennsylvanica</i> 'Mahle' Mahle Green Ash | DT | 1.11 | G2 | 2-3 | 4-9 | 1.01 | 0.65 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Marshall Seedless' Marshall Seedless Green Ash | DT | 0.94 | G2 | 2-3 | 4-9 | 0.95 | 0.81 | 3 |
| <i>Fraxinus pennsylvanica</i> 'National 1999' Champ Tree Seedless Green Ash | DT | 1.11 | G2 | 2-3 | 4-9 | 0.92 | 0.65 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Newport' Newport Green Ash | DT | 1.14 | G2 | 2-3 | 4-9 | 1.06 | 0.65 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Oconee' Oconee Green Ash | DT | 1.11 | G2 | 2-3 | 4-9 | 0.92 | 0.65 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Patmore' P.P. 4684 Patmore Green Ash | DT | 0.95 | G2 | 2-3 | 4-9 | 0.98 | 0.81 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Prairie Spire' See - <i>Fraxinus pennsylvanica</i> 'Rugby' P.P.A.F. | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Robinhood' Robinhood Green Ash | DT | 1.11 | G2 | 2-3 | 4-9 | 0.66 | 0.65 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Rugby' P.P.A.F. Prairie Spire™ Green Ash | DT | 1.02 | G2 | 2-3 | 4-9 | 1.09 | 0.30 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Sherwood Glen' Sherwood Glen Green Ash | DT | 1.11 | G2 | 2-3 | 4-9 | 0.94 | 0.65 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Skyward' See - <i>Fraxinus pennsylvanica</i> 'Wandell' P.P.A.F. | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Summit' Summit Green Ash | DT | 0.92 | G2 | 2-3 | 4-9 | 0.97 | 0.65 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Urbanite' P.P. 6215 Urbanite® Green Ash | DT | 1.09 | G2 | 2-3 | 4-9 | 0.99 | 0.61 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Wandell' P.P.A.F. Skyward™ Green Ash | DT | 1.11 | G2 | 2-3 | 4-9 | 1.01 | 0.65 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Whapeton' P.P.A.F. Dakota Centennial™ Green Ash | DT | 1.00 | G2 | 2-3 | 4-9 | 1.62 | 0.65 | 3 |
| <i>Fraxinus quadrangulata</i> Blue Ash | DT | 0.91 | G2 | 2-4 | 5-9 | 1.44 | 0.64 | 4 |
| <i>Fraxinus texensis</i> Texas Ash | DT | 0.75 | G2 | 5-7 | 8-9 | 0.77 | 1.00 | 6 |
| <i>Fraxinus uhdei</i> Evergreen Ash | DT | 1.01 | G2 | 8 | 9-10A | 1.00 | 1.00 | 8 |
| <i>Fraxinus uhdei</i> 'Majestic Beauty' See - <i>Fraxinus uhdei</i> 'Monus' P.P. 2860 | | | | | | | | |
| <i>Fraxinus uhdei</i> 'Monus' P.P. 2860 Majestic Beauty™ Evergreen Ash | DT | 1.35 | G2 | 8 | 9-10A | 1.00 | 1.00 | 8 |
| <i>Fraxinus velutina</i> Arizona Ash | DT | 0.78 | G2 | 5-7 | 8-9 | 0.57 | 1.54 | 6 |
| <i>Fraxinus velutina</i> 'Fan-Tex' Fan-Tex Arizona Ash | DT | 0.85 | G2 | 5-7 | 8-9 | 0.56 | 1.54 | 6 |
| <i>Fraxinus velutina</i> 'Modesto' Modesto Arizona Ash | DT | 0.91 | G2 | 5-7 | 8-9 | 0.53 | 1.54 | 6 |
| <i>Fraxinus velutina</i> 'Rio Grande' Rio Grande Arizona Ash | DT | 0.90 | G2 | 5-7 | 8-9 | 0.55 | 1.54 | 6 |
| <i>Freesia x hybrida</i> Hybrid Freesia | HP | 1.74 | G4 | 8-9A | 9B-10B | | | |
| <i>Fremontodendron</i> Flannel Bush | BS | 1.42 | G2 | 7-8 | 9-10B | | 1.00 | 8 |
| <i>Fremontodendron</i> 'California Glory' California Glory Flannel Bush | BS | 1.32 | G2 | 7-8 | 9-10B | | 1.00 | 8 |
| <i>Fremontodendron</i> 'Ken Taylor' Ken Taylor Flannel Bush | BS | 1.52 | G2 | 7-8 | 9-10B | | 1.00 | 8 |
| <i>Fremontodendron californicum</i> Common Flannel Bush | BS | 1.30 | G2 | 7-8 | 9-10B | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Fremontodendron mexicanum</i> Southern Flannel Bush | BS | 1.37 | G2 | 7-9 | 10 | | 0.65 | 9 |
| <i>Fremontodendron mexicanum</i> 'Eldorado Gold' Eldorado Gold Southern Flannel Bush | BS | 1.01 | G2 | 7-9 | 10 | | 0.65 | 9 |
| <i>Fremontodendron mexicanum</i> 'Pacific Sunset' Pacific Sunset Southern Flannel Bush | BS | 1.42 | G2 | 7-9 | 10 | | 0.65 | 9 |
| <i>Fremontodendron mexicanum</i> 'San Gabriel' San Gabriel Southern Flannel Bush | BS | 1.10 | G2 | 7-9 | 10 | | 0.65 | 9 |
| <i>Freycinetia arborea</i> Climbing Screw Pine | BS | 1.71 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Fuchsia</i> Fuchsia | BS | 0.85 | G2 | 6-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Alice Hoffman' Alice Hoffman Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Annabel' Annabel Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Auntie Jinks' Auntie Jinks Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Beacon Rosa' Beacon Rosa Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 7 |
| <i>Fuchsia</i> 'Bicentennial' Bicentennial Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Cascade' Cascade Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Coralie' Coralie Fuchsia | BS | 0.64 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Dark Eyes' Dark Eyes Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Display' Display Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Dollar Princess' Dollar Princess Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Double Otto' Double Otto Fuchsia | BS | 0.86 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Gartenmeister Bonstedt' Gartenmeister Bonstedt Fuchsia | BS | 0.79 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Genii' Genii Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Golden Marinka' Golden Marinka Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Herald' Herald Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Island Sunset' P.P. 7270 Island Sunset Fuchsia | BS | 0.86 | G2 | 7-9 | 10-11 | | 1.00 | 9 |
| <i>Fuchsia</i> 'Jack Shahan' Jack Shahan Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'La Campanella' La Campanella Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Lady Thumb' Lady Thumb Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Lena' Lena Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Marinka' Marinka Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Mendocino Mini' Mendocino Mini Fuchsia | BS | 0.72 | G2 | 7-9 | 10-11 | | 1.00 | 9 |
| <i>Fuchsia</i> 'Mieke Muersing' Mieke Muersing Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Fuchsia</i> 'Mrs. Popple' Mrs. Popple Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Papoose' Papoose Fuchsia | BS | 0.85 | G2 | 7-9 | 10-11 | | 1.00 | 9 |
| <i>Fuchsia</i> 'Peppermint Stick' Peppermint Stick Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Postiljon' Postiljon Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Red Spider' Red Spider Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Royal Velvet' Royal Velvet Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Santa Claus' Santa Claus Fuchsia | BS | 0.91 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Swingtime' Swingtime Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Tom Thumb' Tom Thumb Fuchsia | BS | 1.14 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'White Ann' White Ann Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia</i> 'Winston Churchill' Winston Churchill Fuchsia | BS | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia arborescens</i> Tree Fuchsia | BS | 0.73 | G2 | 7-9 | 10-11 | | 1.00 | 9 |
| <i>Fuchsia campos-portoi</i> No Common Name Found | BS | 0.75 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Fuchsia fulgens</i> No Common Name Found | BS | 1.00 | G2 | 7-10 | 11 | | 1.00 | 10 |
| <i>Fuchsia magellanica</i> Hardy Fuchsia | BS | 1.16 | G2 | 6-8 | 9-10A | | 1.00 | 6 |
| <i>Fuchsia thymifolia</i> Thyme-leaved Fuchsia | BS | 0.72 | G2 | 7-8 | 9-10A | | 1.00 | 7 |
| <i>Fuchsia triphylla</i> No Common Name Found | BS | 1.30 | G2 | 7-10 | 11 | | 1.00 | 10 |
| <i>Fuchsia triphylla</i> 'Firecracker' Firecracker Triphylla Fuchsia | BS | 1.30 | G2 | 7-10 | 11 | | 1.00 | 10 |
| <i>Fumana ericoides</i> No Common Name Found | GC | 1.00 | G4 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Furcraea foetida</i> Mauritius Hemp | BS | 1.65 | G2 | 9B | 10A-11 | | 1.00 | 9 |
| <i>Furcraea foetida</i> 'Mediopicta' Mediopicta Mauritius Hemp | BS | 1.68 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Furcraea selloa</i> No Common Name Found | BS | 1.00 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Furcraea selloa</i> var. <i>marginata</i> No Common Name Found | BS | 0.96 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Furcraea stricta</i> Giant False Agave | BS | 2.40 | G2 | 9B | 10A-11 | | 1.00 | 9 |
| <i>Gaillardia aristata</i> Common Blanket Flower | HP | 0.72 | G4 | 6-7 | 8-10A | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> Fiesta Daisy | HP | 0.75 | G4 | 4-7 | 8-11 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Baby Cole' Baby Cole Fiesta Daisy | HP | 0.90 | G4 | 4-7 | 8-11 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Bremen' Bremen Fiesta Daisy | HP | 0.95 | G4 | 4-7 | 8-11 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Burgundy' Burgundy Fiesta Daisy | HP | 0.87 | G4 | 4-7 | 8-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Gaillardia xgrandiflora</i> 'Dazzler' Dazzler Fiesta Daisy | HP | 0.87 | G4 | 4-7 | 8-11 | | | |
| <i>Gaillardia xgrandiflora</i> 'Fanfare' P.P.A.F. Fanfare Fiesta Daisy | HP | 1.06 | G4 | 4-7 | 8-11 | | | |
| <i>Gaillardia xgrandiflora</i> 'Goldkobold' Golden Goblin Fiesta Daisy | HP | 0.82 | G4 | 4-7 | 8-11 | | | |
| <i>Gaillardia xgrandiflora</i> 'Kobold' Kobold Fiesta Daisy | HP | 0.84 | G4 | 4-7 | 8-11 | | | |
| <i>Gaillardia xgrandiflora</i> 'Mandarin' Mandarin Fiesta Daisy | HP | 0.82 | G4 | 4-7 | 8-11 | | | |
| <i>Gaillardia xgrandiflora</i> 'Monarch Strain' Monarch Strain Fiesta Daisy | HP | 0.99 | G4 | 4-7 | 8-11 | | | |
| <i>Gaillardia xgrandiflora</i> 'Orange Tokay' Orange Tokay Fiesta Daisy | HP | 1.15 | G4 | 4-7 | 8-11 | | | |
| <i>Gaillardia xgrandiflora</i> 'Summer's Kiss' P.P.A.F. Summer's Kiss Fiesta Daisy | HP | 1.32 | G4 | 4-7 | 8-11 | | | |
| <i>Gaillardia xgrandiflora</i> 'The Sun' The Sun Fiesta Daisy | HP | 1.05 | G4 | 4-7 | 8-11 | | | |
| <i>Gaillardia pulchella</i> Blanket Flower | HP | 0.54 | G4 | 6-7 | 8-10A | | | |
| <i>Gaillardia pulchella</i> 'Sundance Bicolor' Sundance Bicolor Blanket Flower | HP | 0.95 | G4 | 4-7 | 8-11 | | | |
| <i>Galax urceolata</i> Galax | HP | 0.96 | G4 | 5 | 6-8 | | | |
| <i>Galega officinalis</i> Goat's Rue | HP | 0.72 | G4 | 5-6 | 7-8 | | | |
| <i>Galium boreale</i> Northern Bedstraw | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Galium odoratum</i> Sweet Woodruff | HP | 0.82 | G4 | 5-6 | 7-8 | | | |
| <i>Galium verum</i> Yellow Bedstraw | HP | 0.68 | G4 | 5-6 | 7-8 | | | |
| <i>Galphimia glauca</i> Rain-of-Gold | BS | 0.58 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Galphimia gracilis</i> No Common Name Found | BS | 0.49 | G2 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Galtonia candicans</i> Summer Hyacinth | HP | 0.99 | G4 | 6 | 7-9A | | | |
| <i>Galvezia speciosa</i> Island Bush Snapdragon | BS | 0.90 | G2 | 7-10 | 11 | | 1.00 | 10 |
| <i>Galvezia speciosa</i> 'Bocarosa' Bocarosa Island Bush Snapdragon | BS | 0.81 | G2 | 7-10 | 11 | | 1.00 | 10 |
| <i>Galvezia speciosa</i> 'Firecracker' Firecracker Island Bush Snapdragon | BS | 0.72 | G2 | 7-10 | 11 | | 1.00 | 10 |
| <i>Gamolepis chrysanthemoides</i> Daisy Bush | HP | 0.64 | G4 | 7-10 | 11 | | | |
| <i>Garcinia mangostana</i> Mangosteen | FN | 2.61 | G4 | 10B-11 | | 1.00 | 1.00 | 11 |
| <i>Garcinia spicata</i> No Common Name Found | BE | 2.04 | G4 | 10 | 11 | 1.00 | 1.81 | 10 |
| <i>Gardenia augusta</i> Common Gardenia | BS | 1.19 | G2 | 6-8 | 9-11 | | 0.42 | 8 |
| <i>Gardenia augusta</i> 'Aimee Yoshida' First Love™ Common Gardenia | BS | 1.19 | G2 | 8 | 9-11 | | 0.42 | 8 |
| <i>Gardenia augusta</i> 'August Beauty' August Beauty Common Gardenia | BS | 0.81 | G2 | 8 | 9-11 | | 0.42 | 8 |
| <i>Gardenia augusta</i> 'Chuck Hayes' P.P. 8755 Chuck Hayes Gardenia | BS | 0.93 | G2 | 8 | 9-11 | | 0.42 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Gardenia augusta</i> 'Daisy' Daisy Common Gardenia | BS | 0.70 | G2 | 8 | 9-11 | | 0.42 | 8 |
| <i>Gardenia augusta</i> 'First Love' See - <i>Gardenia augusta</i> 'Aimee Yoshida' | | | | | | | | |
| <i>Gardenia augusta</i> 'Fortuniana' Fortuniana Common Gardenia | BS | 0.60 | G2 | 8 | 9-11 | | 0.42 | 8 |
| <i>Gardenia augusta</i> 'Four Seasons' Four Seasons Common Gardenia | HP | 0.75 | G2 | 8 | 9-11 | | | |
| <i>Gardenia augusta</i> 'Kleim's Hardy' Kleim's Hardy Common Gardenia | BS | 1.05 | G2 | 8 | 9-11 | | 0.42 | 8 |
| <i>Gardenia augusta</i> 'Miami Supreme' Miami Supreme Common Gardenia | BS | 0.75 | G2 | 8 | 9-11 | | 0.42 | 8 |
| <i>Gardenia augusta</i> 'Mystery' Mystery Common Gardenia | BS | 0.69 | G2 | 8 | 9-11 | | 0.42 | 8 |
| <i>Gardenia augusta</i> 'Radicans Variegata' Variegated Radicans Common Gardenia | BS | 0.98 | G2 | 8 | 9-11 | | 0.42 | 8 |
| <i>Gardenia augusta</i> 'Radicans' Radicans Common Gardenia | BS | 0.70 | G2 | 8 | 9-11 | | 0.42 | 8 |
| <i>Gardenia augusta</i> 'Rosedown' Rosedown Common Gardenia | HP | 0.75 | G2 | 8 | 9-11 | | | |
| <i>Gardenia augusta</i> 'Shooting Star' Shooting Star Common Gardenia | BS | 0.97 | G2 | 8 | 9-11 | | 0.42 | 8 |
| <i>Gardenia augusta</i> 'Veitchii Variegata' Veitchii Variegated Common Gardenia | BS | 0.79 | G2 | 8 | 9-11 | | 0.42 | 8 |
| <i>Gardenia augusta</i> 'Veitchii' Everblooming Common Gardenia | BS | 0.88 | G2 | 8 | 9-11 | | 0.42 | 8 |
| <i>Gardenia augusta</i> 'White Gem' White Gem Common Gardenia | BS | 1.29 | G2 | 8 | 9-11 | | 0.42 | 8 |
| <i>Gardenia coronaria</i> No Common Name Found | BS | 1.00 | G2 | 10 | 11 | | 1.00 | 10 |
| <i>Gardenia jasminoides</i> See - <i>Gardenia augusta</i> | | | | | | | | |
| <i>Gardenia taitensis</i> Tahitian Gardenia | BS | 1.24 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Gardenia thunbergia</i> White Gardenia | BS | 1.00 | G1 | 8-11 | | | 1.00 | 11 |
| <i>Gardenia tubifera</i> Golden Gardenia | BS | 1.00 | G2 | 8 | 9-11 | | 1.00 | 8 |
| <i>Garrya elliptica</i> Silk Tassel | BS | 1.21 | G2 | 6-8 | 9-10B | | 1.00 | 8 |
| <i>Garrya elliptica</i> 'Evie' Evie Silk Tassel | BS | 1.16 | G2 | 6-8 | 9-10B | | 1.00 | 8 |
| <i>Garrya elliptica</i> 'James Roof' James Roof Silk Tassel | BS | 1.20 | G2 | 6-8 | 9-10B | | 1.00 | 8 |
| <i>Garrya fremontii</i> Fever Bush | BS | 0.92 | G2 | 6-7 | 8-10B | | 1.00 | 7 |
| <i>xGaulnettya wisleyensis</i> See - <i>Gaultheria x wisleyensis</i> | | | | | | | | |
| <i>Gaultheria hookeri</i> No Common Name Found | BS | 1.00 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Gaultheria miqueliana</i> Miquel Wintergreen | BS | 0.93 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Gaultheria mucronata</i> Chilean Wintergreen | BS | 1.18 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Gaultheria mucronata</i> 'Rubra' Red Chilean Wintergreen | BS | 1.26 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Gaultheria procumbens</i> Wintergreen | BS | 1.22 | G2 | 4-5 | 6-7 | | 1.00 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Gaultheria shallon</i> Sala | BS | 0.97 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Gaultheria x wisleyensis</i> Wisley Gaultheria | BS | 1.00 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Gaultheria x wisleyensis</i> 'Wisley Pearl' Wisley Pearl Gaultheria | BS | 1.00 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Gaura lindheimeri</i> White Gaura | HP | 0.80 | G4 | 6-7 | 8-10B | | | |
| <i>Gaura lindheimeri</i> 'Blushing Butterflies' Blushing Butterflies White Gaura | HP | 0.97 | G4 | 3-4 | 5-10B | | | |
| <i>Gaura lindheimeri</i> 'Corrie's Gold' Corrie's Gold White Gaura | HP | 0.93 | G4 | 6-7 | 8-10B | | | |
| <i>Gaura lindheimeri</i> 'Crimson Butterflies' P.P. 13189 Crimson Butterflies White Gaura | HP | 0.95 | G4 | 6-7 | 8-10B | | | |
| <i>Gaura lindheimeri</i> 'Jo Adela' Jo Adela White Gaura | HP | 0.78 | G4 | 6-7 | 8-10B | | | |
| <i>Gaura lindheimeri</i> 'Passionate Pink' P.P.A.F. Passionate Pink™ White Gaura | HP | 1.13 | G4 | 6-7 | 8-10B | | | |
| <i>Gaura lindheimeri</i> 'Pink Fountain' P.P.A.F. Pink Fountain White Gaura | HP | 0.96 | G4 | 6-7 | 8-10B | | | |
| <i>Gaura lindheimeri</i> 'Siskiyou Pink' Siskiyou Pink White Gaura | HP | 0.88 | G4 | 6-7 | 8-10B | | | |
| <i>Gaura lindheimeri</i> 'So White' P.P.A.F. So White White Gaura | HP | 0.86 | G4 | 5-6 | 7-10 | | | |
| <i>Gaura lindheimeri</i> 'Sunny Butterflies' Sunny Butterflies™ White Gaura | HP | 0.82 | G4 | 3-4 | 5-10B | | | |
| <i>Gaura lindheimeri</i> 'Whirling Butterflies' Whirling Butterflies White Gaura | HP | 0.80 | G4 | 6-7 | 8-10B | | | |
| <i>Gaura lindheimeri</i> 'White Fountain' P.P.A.F. White Fountain White Gaura | HP | 0.96 | G4 | 6-7 | 8-10B | | | |
| <i>Gaussia attenuata</i> Ilume Palm | PC | 1.00 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Gaussia maya</i> Maya Palm | PC | 1.48 | G1 | 10 | 11 | | 2.09 | 10 |
| <i>Gaylussacia baccata</i> Black Huckleberry | DS | 1.00 | G2 | 6 | 7-9A | | 0.41 | 3 |
| <i>Gaylussacia dumosa</i> Dwarf Huckleberry | DS | 0.54 | G2 | 6-7 | 8-9A | | 1.00 | 7 |
| <i>Gazania</i> Treasure Flower | HP | 0.44 | G4 | 8 | 9-11 | | | |
| <i>Gazania</i> 'Chansonette Series' Chansonette Series Treasure Flower | HP | 0.61 | G4 | 8 | 9-11 | | | |
| <i>Gazania</i> 'Daybreak Series' Daybreak Series Treasure Flower | HP | 0.43 | G4 | 8 | 9-11 | | | |
| <i>Gazania</i> 'Kiss Series' Kiss Series Treasure Flower | HP | 0.46 | G4 | 8 | 9-11 | | | |
| <i>Gazania</i> 'Mini Star Series' Mini Star Series Treasure Flower | HP | 0.44 | G4 | 8 | 9-11 | | | |
| <i>Gazania</i> 'Sunshine Giants Mix' Sunshine Giants Mix Treasure Flower | HP | 0.44 | G4 | 8 | 9-11 | | | |
| <i>Gazania</i> 'Talent Series' Talent Series Treasure Flower | HP | 0.27 | G4 | 8 | 9-11 | | | |
| <i>Gazania linearis</i> Pied Gazania | HP | 1.10 | G4 | 6-8 | 9-11 | | | |
| <i>Gazania linearis</i> 'Colorado Gold' Colorado Gold Pied Gazania | HP | 1.10 | G4 | 8 | 9-11 | | | |
| <i>Gazania longiscapa</i> See - <i>Gazania linearis</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Gazania rigens</i> Treasure Flower | HP | 0.60 | G4 | 8-9 | 10-11 | | | |
| <i>Gazania rigens</i> 'Aztec Queen' Aztec Queen Treasure Flower | HP | 0.63 | G4 | 8-9 | 10-11 | | | |
| <i>Gazania rigens</i> 'Fiesta Red' Fiesta Red Treasure Flower | HP | 0.66 | G4 | 8-9 | 10-11 | | | |
| <i>Gazania rigens</i> 'Gold Rush' Gold Rush Treasure Flower | HP | 0.63 | G4 | 8-9 | 10-11 | | | |
| <i>Gazania rigens</i> 'Moon Glow' Moon Glow Treasure Flower | HP | 0.63 | G4 | 8-9 | 10-11 | | | |
| <i>Gazania rigens</i> var. <i>leucolaena</i> Trailing Treasure Flower | HP | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Gazania splendens</i> See - <i>Gazania rigens</i> | | | | | | | | |
| <i>Geijera parviflora</i> Australian Willow Tree | BE | 1.04 | G2 | 7-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Gelsemium rankinii</i> Yellow Jasmine | GC | 0.96 | G2 | 7 | 8-10B | | 1.00 | 7 |
| <i>Gelsemium sempervirens</i> Carolina Jasmine | GC | 0.75 | G2 | 7 | 8-10B | | 1.00 | 7 |
| <i>Gelsemium sempervirens</i> 'Butterscotch' Butterscotch Carolina Jasmine | GC | 0.74 | G2 | 7 | 8-10B | | 1.00 | 6 |
| <i>Gelsemium sempervirens</i> 'Conrop' P.P.A.F. Lemon Drop™ Carolina Jasmine | GC | 0.92 | G2 | 7 | 8-10B | | 1.00 | 6 |
| <i>Gelsemium sempervirens</i> 'Lemon Drop' See - <i>Gelsemium sempervirens</i> 'Conrop' P.P.A.F. | | | | | | | | |
| <i>Gelsemium sempervirens</i> 'Plena' Double Carolina Jasmine | GC | 0.92 | G2 | 7 | 8-10A | | 1.00 | 7 |
| <i>Gelsemium sempervirens</i> 'Pride of Augusta' Pride of Augusta Carolina Jasmine | GC | 0.78 | G2 | 7 | 8-10A | | 1.00 | 7 |
| <i>Genipa clusiifolia</i> Seven-year Apple | BE | 1.21 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10B |
| <i>Genista canariensis</i> Canary Island Broom | BS | 0.67 | G2 | 9 | 10A | | 1.00 | 9 |
| <i>Genista delphinensis</i> No Common Name Found | DS | 1.00 | G2 | 9 | 10A | | 1.00 | 4 |
| <i>Genista lydia</i> Lydia Woadwaxen | DS | 0.92 | G2 | 9 | 10A | | 1.00 | 6 |
| <i>Genista pilosa</i> Silkyleaf Woadwaxen | DS | 0.92 | G2 | 9 | 10A | | 1.00 | 5 |
| <i>Genista pilosa</i> 'Gold Flash' C.O.P.F. Gold Flash Silkyleaf Woadwaxen | DS | 1.43 | G2 | 4-5 | 6-9 | | 1.00 | 5 |
| <i>Genista pilosa</i> 'Goldilocks' Goldilocks Silkyleaf Woadwaxen | DS | 0.76 | G2 | 4-5 | 6-9 | | 1.00 | 5 |
| <i>Genista pilosa</i> 'Vancouver Gold' C.O.P.F. Vancouver Gold Silkyleaf Woadwaxen | DS | 1.03 | G2 | 9 | 10A | | 1.00 | 5 |
| <i>Genista pulchella</i> No Common Name Found | DS | 1.00 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Genista sagittalis</i> No Common Name Found | DS | 0.74 | G2 | 9 | 10A | | 1.00 | 4 |
| <i>Genista sagittalis</i> ssp. <i>delphinensis</i> No Common Name Found | DS | 1.00 | G2 | 9 | 10A | | 1.00 | 4 |
| <i>Genista xspachiana</i> Sweet Woadwaxen | DS | 1.12 | G2 | 9 | 10A | | 1.00 | 9 |
| <i>Genista tinctoria</i> Common Woadwaxen | DS | 0.60 | G2 | 3 | 4-8 | | 1.00 | 2 |
| <i>Genista tinctoria</i> 'Royal Gold' Royal Gold Common Woadwaxen | DS | 1.00 | G2 | 3 | 4-8 | | 1.00 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Genista villarsii</i> | | | | | | | | |
| See - <i>Genista pulchella</i> | | | | | | | | |
| <i>Gentiana acaulis</i> Stemless Gentian | HP | 1.00 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana alba</i> Cream Gentian | HP | 1.58 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana andrewsii</i> Bottle Gentian | HP | 1.41 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana asclepiadea</i> Willow Gentian | HP | 1.17 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana cachemirica</i> Kashmir Gentian | HP | 1.00 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana cruciata</i> Cross Gentian | HP | 0.66 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana dahurica</i> No Common Name Found | HP | 1.22 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana dinarica</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana gracilipes</i> No Common Name Found | HP | 1.21 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana lagodechiana</i> See - <i>Gentiana septemfida</i> var. <i>lagodechiana</i> | | | | | | | | |
| <i>Gentiana makinoi</i> No Common Name Found | HP | 1.30 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana makinoi</i> 'Royal Blue' Royal Blue Gentian | HP | 1.30 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana paradoxa</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana saxosa</i> No Common Name Found | HP | 1.00 | G4 | 5-8 | 9-10 | | | |
| <i>Gentiana scabra</i> Rough Gentian | HP | 0.78 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana septemfida</i> Crested Gentian | HP | 1.59 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana septemfida</i> var. <i>lagodechiana</i> No Common Name Found | HP | 0.87 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana sino-ornata</i> Chinese Gentian | HP | 1.00 | G4 | 5-6 | 7-9 | | | |
| <i>Gentiana verna</i> Spring Gentian | HP | 1.00 | G4 | 5-6 | 7-9 | | | |
| <i>Geogenanthus poeppigii</i> Seersucker Plant | HP | 1.36 | G4 | 8-9 | 10-11 | | | |
| <i>Geogenanthus poeppigii</i> 'Inca' Inca Seersucker Plant | HP | 1.23 | G4 | 8-9 | 10-11 | | | |
| <i>Geogenanthus undatus</i> See - <i>Geogenanthus poeppigii</i> | | | | | | | | |
| <i>Geranium</i> Geranium | HP | 0.70 | G4 | 5-7 | 8-10 | | | |
| <i>Geranium</i> 'Ann Folkard' Ann Folkard Cranesbill | HP | 1.44 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium</i> 'Brookside' Brookside Cranesbill | HP | 1.06 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium</i> 'Crug Strain' Crug Strain Geranium | HP | 0.95 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium</i> 'Frances Grate' Frances Grate Geranium | HP | 0.97 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium</i> 'Johnson's Blue' Johnson's Blue Cranebill | HP | 1.09 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Geranium</i> 'Kahlua' Kahlua Geranium | HP | 2.37 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium</i> 'New Dimension' New Dimension Cranesbill | HP | 2.24 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium</i> 'Orion' Orion Geranium | HP | 1.17 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium</i> 'Patricia' Patricia Geranium | HP | 1.11 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium</i> 'Philippe Vapelle' Philippe Vapelle Geranium | HP | 1.20 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium</i> 'Pink Spice' P.P.A.F. Pink Spice Cranesbill | HP | 1.48 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium</i> 'Rozanne' Rozanne Cranesbill | HP | 1.28 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium</i> 'Spinners' Spinners Geranium | HP | 1.26 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium</i> 'Stanhoe' Stanhoe Geranium | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium</i> x <i>cantabrigiense</i> Cambridge Geranium | HP | 0.95 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium</i> x <i>cantabrigiense</i> 'Biokovo Karmina' Biokovo Karmina Cambridge Geranium | HP | 1.08 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium</i> x <i>cantabrigiense</i> 'Biokovo' Biokovo Geranium | HP | 1.17 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium cinereum</i> Grayleaf Cranesbill | HP | 1.29 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium cinereum</i> 'Ballerina' Ballerina Grayleaf Cranesbill | HP | 1.26 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium cinereum</i> 'Giuseppi' Giuseppi Grayleaf Cranesbill | HP | 1.36 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium cinereum</i> 'Lawrence Flatman' Lawrence Flatman Grayleaf Cranesbill | HP | 1.35 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium cinereum</i> 'Purple Pillow' P.P.A.F. Purple Pillow Grayleaf Cranesbill | HP | 1.51 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium cinereum</i> 'Splendens' Splendens Grayleaf Cranesbill | HP | 0.98 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium cinereum</i> var. <i>subcaulescens</i> Subcaulescens Grayleaf Cranesbill | HP | 1.17 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium clarkei</i> Clarke's Geranium | HP | 1.18 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium clarkei</i> 'Kashmir Purple' Kashmir Purple Clarke's Geranium | HP | 1.28 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium clarkei</i> 'Kashmir White' Kashmir White Clarke's Geranium | HP | 1.07 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium dalmaticum</i> Dalmation Cranesbill | HP | 0.98 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium endressii</i> Endress's Geranium | HP | 0.85 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium endressii</i> 'Wargrave Pink' Wargrave Pink Endress's Geranium | HP | 1.10 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium harveyi</i> No Common Name Found | HP | 1.16 | G4 | 4-7 | 8-9 | | | |
| <i>Geranium himalayense</i> Lilac Geranium | HP | 0.91 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium himalayense</i> 'Birch Double' Birch Double Lilac Geranium | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium himalayense</i> 'Gravetye' Gravetye Lilac Geranium | HP | 1.09 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Geranium himalayense</i> var. <i>alpinum</i> Dwarf Blue Lilac Geranium | HP | 0.99 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium ibericum</i> Caucasus Geranium | HP | 0.98 | G4 | 6-7 | 8 | | | |
| <i>Geranium incanum</i> No Common Name Found | HP | 0.87 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium incanum</i> 'Sugar Plum' Sugar Plum Cranesbill | HP | 0.73 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium macrorrhizum</i> Bigroot Geranium | HP | 1.04 | G4 | 4-5 | 6-7 | | | |
| <i>Geranium macrorrhizum</i> 'Album' White Bigroot Geranium | HP | 1.27 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium macrorrhizum</i> 'Bevan's Variety' Bevan's Variety Bigroot Geranium | HP | 1.01 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium macrorrhizum</i> 'Czakov' Czakov Bigroot Geranium | HP | 1.18 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium macrorrhizum</i> 'Ingwersen's Variety' Ingwersen's Variety Bigroot Geranium | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium macrorrhizum</i> 'Spessart' Spessart Bigroot Geranium | HP | 1.08 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium macrorrhizum</i> 'Variegatum' Variegated Bigroot Geranium | HP | 1.43 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium maculatum</i> Wild Geranium | HP | 1.06 | G4 | 4-5 | 6-7 | | | |
| <i>Geranium maculatum</i> 'Album' White Wild Geranium | HP | 0.92 | G4 | 4-5 | 6-7 | | | |
| <i>Geranium maculatum</i> 'Espresso' Espresso Wild Geranium | HP | 1.21 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium maderense</i> No Common Name Found | HP | 1.10 | G4 | 5-8 | 9-10A | | | |
| <i>Geranium x magnificum</i> Showy Geranium | HP | 1.06 | G4 | 5-6 | 7 | | | |
| <i>Geranium x magnificum</i> 'Rosemoor' Rosemoor Showy Geranium | HP | 1.17 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium nepalense</i> var. <i>thunbergii</i> Sweet Nepalese Cranesbill | HP | 1.00 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium nodosum</i> No Common Name Found | HP | 1.17 | G4 | 6 | 7-8 | | | |
| <i>Geranium orientaltibeticum</i> No Common Name Found | HP | 1.00 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium x oxonianum</i> Oxford Geranium | HP | 1.18 | G4 | 5-6 | 7-8 | | | |
| <i>Geranium x oxonianum</i> 'A.T. Johnson' A.T. Johnson Geranium | HP | 1.08 | G4 | 5-6 | 7-8 | | | |
| <i>Geranium x oxonianum</i> 'Claridge Druce' Claridge Druce Geranium | HP | 1.12 | G4 | 5-6 | 7-8 | | | |
| <i>Geranium x oxonianum</i> 'Katherine Adele' Katherine Adele Geranium | HP | 1.51 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium x oxonianum</i> 'Rose Clair' Rose Clair Geranium | HP | 1.20 | G4 | 5-6 | 7-8 | | | |
| <i>Geranium x oxonianum</i> 'Thurstonianum' Thurstonianum Geranium | HP | 0.99 | G4 | 5-6 | 7-8 | | | |
| <i>Geranium palmatum</i> No Common Name Found | HP | 1.00 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium phaeum</i> Mourning Widow Geranium | HP | 0.99 | G4 | 5-6 | 7-8 | | | |
| <i>Geranium phaeum</i> 'Album' White Mourning Widow Geranium | HP | 0.92 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Geranium phaeum</i> 'Samobor' Samobor Mourning Widow Geranium | HP | 1.52 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium platypetalum</i> Broad-petaled Geranium | HP | 1.18 | G4 | 6 | 7-8 | | | |
| <i>Geranium pratense</i> Meadow Cranesbill | HP | 1.08 | G4 | 5-6 | 7-8 | | | |
| <i>Geranium pratense</i> 'Hocus Pocus' Hocus Pocus Meadow Cranesbill | HP | 1.61 | G4 | 6 | 7-8 | | | |
| <i>Geranium pratense</i> 'Mrs. Kendall Clarke' Mrs. Kendall Clarke Meadow Cranesbill | HP | 1.25 | G4 | 5-6 | 7-8 | | | |
| <i>Geranium pratense</i> 'Splish Splash' Splish Splash Meadow Cranesbill | HP | 1.16 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium pratense</i> 'Summer Skies' P.P. 10695 Summer Skies Meadow Cranesbill | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium psilostemon</i> Armenian Geranium | HP | 1.43 | G4 | 6 | 7-8 | | | |
| <i>Geranium pylzowianum</i> No Common Name Found | HP | 1.18 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium renardii</i> No Common Name Found | HP | 1.43 | G4 | 6 | 7-8 | | | |
| <i>Geranium x riversleaianum</i> No Common Name Found | HP | 1.03 | G4 | 7 | 8 | | | |
| <i>Geranium x riversleaianum</i> 'Russell Prichard' Russell Prichard Hybrid Geranium | HP | 1.03 | G4 | 7 | 8 | | | |
| <i>Geranium sanguineum</i> Bloody Cranesbill | HP | 1.02 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium sanguineum</i> 'Album' White Bloody Cranesbill | HP | 1.17 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium sanguineum</i> 'Alpenglow' Alpenglow Bloody Cranesbill | HP | 1.01 | G4 | 5-6 | 7-8 | | | |
| <i>Geranium sanguineum</i> 'Cedric Morris' Cedric Morris Bloody Cranesbill | HP | 1.48 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium sanguineum</i> 'Elspeth' Elspeth Bloody Cranesbill | HP | 0.97 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium sanguineum</i> 'John Elsley' John Elsley Bloody Cranesbill | HP | 1.24 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium sanguineum</i> 'Leeds Form' Leeds Form Bloody Cranesbill | HP | 0.82 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium sanguineum</i> 'Max Frei' Max Frei Bloody Cranesbill | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium sanguineum</i> 'New Hampshire Purple' New Hampshire Purple Bloody Cranesbill | HP | 1.13 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium sanguineum</i> 'Purple Flame' Purple Flame Bloody Cranesbill | HP | 0.95 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium sanguineum</i> 'Vision' Vision Bloody Cranesbill | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium sanguineum</i> var. <i>prostratum</i> Dwarf Bloody Cranesbill | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium sanguineum</i> var. <i>striatum</i> Striped Bloody Cranesbill | HP | 1.34 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium sanguineum</i> var. <i>striatum</i> 'Lancastriense' Lancastriense Bloody Cranesbill | HP | 1.33 | G4 | 4-5 | 6-8 | | | |
| <i>Geranium sanguineum</i> var. <i>striatum</i> 'Splendens' Splendens Bloody Cranesbill | HP | 1.34 | G4 | 5-6 | 7-8 | | | |
| <i>Geranium sessiliflorum</i> No Common Name Found | HP | 1.00 | G4 | 5-8 | 9-10 | | | |
| <i>Geranium sessiliflorum</i> 'Nigricans' No Common Name Found | HP | 1.00 | G4 | 5-8 | 9-10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Geranium sessiliflorum</i> ssp. <i>novae-zelandiae</i> No Common Name Found | HP | 0.95 | G4 | 5-8 | 9-10 | | | |
| <i>Geranium sessiliflorum</i> ssp. <i>novae-zelandiae</i> 'Porter's Pass' Porter's Pass Geranium | HP | 0.95 | G4 | 6-8 | 9-10 | | | |
| <i>Geranium sylvaticum</i> Wood Cranesbill | HP | 0.93 | G4 | 4-5 | 6-7 | | | |
| <i>Geranium sylvaticum</i> 'Album' White Wood Cranesbill | HP | 0.93 | G4 | 4-5 | 6-7 | | | |
| <i>Geranium sylvaticum</i> 'Birch Lilac' Birch Lilac Wood Cranesbill | HP | 0.90 | G4 | 4-5 | 6-7 | | | |
| <i>Geranium sylvaticum</i> 'Mayflower' Mayflower Wood Cranesbill | HP | 0.95 | G4 | 4-5 | 6-7 | | | |
| <i>Geranium traversii</i> var. <i>elegans</i> No Common Name Found | HP | 0.95 | G4 | 5-8 | 9-10 | | | |
| <i>Geranium viscosissimum</i> No Common Name Found | HP | 1.16 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium wallichianum</i> Wallich Geranium | HP | 0.95 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium wallichianum</i> 'Buxton's Variety' Buxton's Variety Wallich Geranium | HP | 0.95 | G4 | 5-7 | 8-10A | | | |
| <i>Geranium wlassovianum</i> No Common Name Found | HP | 1.03 | G4 | 4-5 | 6-7 | | | |
| <i>Gerbera jamesonii</i> Transvaal Daisy | HP | 1.16 | G4 | 6-8 | 9-11 | | | |
| <i>Gerbera jamesonii</i> 'Bright Eyes' Bright Eyes Treasure Coast Series Transvaal Daisy | HP | 0.83 | G4 | 8 | 9-11 | | | |
| <i>Gerbera jamesonii</i> 'Festival Series' Festival Series Transvaal Daisy | HP | 0.81 | G4 | 8 | 9-11 | | | |
| <i>Gerbera jamesonii</i> 'Flame' Flame Jubilee Series Transvaal Daisy | HP | 0.83 | G4 | 8 | 9-11 | | | |
| <i>Gerbera jamesonii</i> 'Golden Sarah' Golden Sarah Treasure Coast Series Transvaal Daisy | HP | 0.83 | G4 | 8 | 9-11 | | | |
| <i>Gerbera jamesonii</i> 'Living Colors Series' Living Colors Series Transvaal Daisy | HP | 0.76 | G4 | 8 | 9-11 | | | |
| <i>Gerbera jamesonii</i> 'Mardi Gras Series' Mardi Gras Series Transvaal Daisy | HP | 0.72 | G4 | 8 | 9-11 | | | |
| <i>Gerbera jamesonii</i> 'Masquerade Series' Masquerade Series Transvaal Daisy | HP | 0.72 | G4 | 8 | 9-11 | | | |
| <i>Gerbera jamesonii</i> 'Pink Ice' Pink Ice Jubilee Series Transvaal Daisy | HP | 0.83 | G4 | 8 | 9-11 | | | |
| <i>Gerbera jamesonii</i> 'Radiance' Radiance Treasure Coast Series Transvaal Daisy | HP | 0.83 | G4 | 8 | 9-11 | | | |
| <i>Gerbera jamesonii</i> 'Shannon' Shannon Treasure Coast Series Transvaal Daisy | HP | 0.83 | G4 | 8 | 9-11 | | | |
| <i>Gerbera jamesonii</i> 'Sunny' Sunny Jubilee Series Transvaal Daisy | HP | 0.83 | G4 | 8 | 9-11 | | | |
| <i>Geum</i> Hybrid Avens | HP | 0.96 | G4 | 3-4 | 5-9 | | | |
| <i>Geum</i> 'Beech House Apricot' Beech House Apricot Avens | HP | 0.87 | G4 | 3-4 | 5-6 | | | |
| <i>Geum</i> 'Fire Lake' Fire Lake Avens | HP | 0.97 | G4 | 3-4 | 5-6 | | | |
| <i>Geum</i> 'Georgenburg' Georgenburg Avens | HP | 0.96 | G4 | 3-4 | 5-6 | | | |
| <i>Geum</i> 'Starkers Magnificum' Starkers Magnificum Avens | HP | 1.05 | G4 | 3-4 | 5-6 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Geum x borisii</i> Boris Avens | HP | 0.90 | G4 | 3-4 | 5-6 | | | |
| <i>Geum chilense</i> Chilean Avens | HP | 0.70 | G4 | 5-6 | 7-8 | | | |
| <i>Geum chilense</i> 'Lady Stratheden' Lady Stratheden Chilean Avens | HP | 0.85 | G4 | 5-6 | 7-8 | | | |
| <i>Geum chilense</i> 'Mrs. Bradshaw' Mrs. Bradshaw Chilean Avens | HP | 0.85 | G4 | 5-6 | 7-8 | | | |
| <i>Geum chilense</i> 'Princess Juliana' Princess Juliana Chilean Avens | HP | 0.81 | G4 | 5-6 | 7-8 | | | |
| <i>Geum chilense</i> 'Red Wings' Red Wings Chilean Avens | HP | 0.83 | G4 | 5-6 | 7-8 | | | |
| <i>Geum x heldreichii</i> Heldreichi Avens | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Geum montanum</i> Mountain Avens | HP | 1.04 | G4 | 6 | 7-8 | | | |
| <i>Geum quellyon</i> See - <i>Geum chilense</i> | | | | | | | | |
| <i>Geum reptans</i> Creeping Avens | HP | 1.00 | G4 | 5 | 6-8 | | | |
| <i>Geum rivale</i> Water Avens | HP | 0.82 | G4 | 3-4 | 5-7 | | | |
| <i>Geum rivale</i> 'Leonard's Variety' Leonard's Variety Water Avens | HP | 0.82 | G4 | 3-4 | 5-7 | | | |
| <i>Geum triflorum</i> Prairie Smoke | HP | 1.31 | G4 | 6-7 | 8-9 | | | |
| <i>Gigantochloa atrovioleacea</i> Tropical Black Bamboo | HP | 1.00 | G4 | 6-10 | 11 | | | |
| <i>Gillenia trifoliata</i> Bowman's Root | HP | 1.12 | G4 | 5-6 | 7-8 | | | |
| <i>Ginkgo biloba</i> Ginkgo | DT | 0.88 | G2 | 3-4 | 5-8 | 0.97 | 0.78 | 4 |
| <i>Ginkgo biloba</i> 'Autumn Gold' Autumn Gold Ginkgo | DT | 1.72 | G2 | 3-4 | 5-8 | 1.68 | 1.22 | 4 |
| <i>Ginkgo biloba</i> 'Chi-Chi' Chi-Chi Ginkgo | DT | 1.72 | G2 | 3-4 | 5-8 | 1.79 | 1.36 | 4 |
| <i>Ginkgo biloba</i> 'Emperor' Emperor Ginkgo | DT | 1.72 | G2 | 3-4 | 5-8 | 1.79 | 1.36 | 4 |
| <i>Ginkgo biloba</i> 'Fairmount' Fairmount Ginkgo | DT | 1.69 | G2 | 3-4 | 5-8 | 1.88 | 1.21 | 4 |
| <i>Ginkgo biloba</i> 'Golden Globe' Golden Globe Ginkgo | DT | 1.41 | G2 | 3-4 | 5-8 | 1.79 | 1.36 | 4 |
| <i>Ginkgo biloba</i> 'Gresham' Gresham Ginkgo | DT | 1.63 | G2 | 3-4 | 5-8 | 1.89 | 1.10 | 4 |
| <i>Ginkgo biloba</i> 'Halka' Halka Ginkgo | DT | 2.21 | G2 | 3-4 | 5-8 | 1.79 | 1.36 | 4 |
| <i>Ginkgo biloba</i> 'Jade Butterfly' Jade Butterfly Ginkgo | DT | 2.03 | G2 | 3-4 | 5-8 | 2.09 | 1.10 | 4 |
| <i>Ginkgo biloba</i> 'Kew' Kew Ginkgo | DT | 1.72 | G2 | 3-4 | 5-8 | 1.79 | 1.36 | 4 |
| <i>Ginkgo biloba</i> 'Magyar' Magyar Upright Ginkgo | DT | 1.89 | G2 | 3-4 | 5-8 | 1.69 | 1.61 | 4 |
| <i>Ginkgo biloba</i> 'Mayfield' Mayfield Ginkgo | DT | 1.72 | G2 | 3-4 | 5-8 | 1.79 | 1.36 | 4 |
| <i>Ginkgo biloba</i> 'PNI 2720' P.P. 2726 Princeton Sentry® Ginkgo | DT | 1.70 | G2 | 3-4 | 5-8 | 1.69 | 1.41 | 4 |
| <i>Ginkgo biloba</i> 'Pendula' Weeping Ginkgo | DT | 1.70 | G2 | 3-4 | 5-8 | 1.89 | 0.96 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Ginkgo biloba</i> 'Princeton Sentry' See - <i>Ginkgo biloba</i> 'PNI 2720' P.P. 2726 | | | | | | | | |
| <i>Ginkgo biloba</i> 'Saratoga' Saratoga Ginkgo | DT | 1.64 | G2 | 3-4 | 5-8 | 2.08 | 1.32 | 4 |
| <i>Ginkgo biloba</i> 'Shangri-La' P.P. 5221 Shangri-La® Ginkgo | DT | 2.08 | G2 | 3-4 | 5-8 | 1.69 | 1.59 | 4 |
| <i>Ginkgo biloba</i> 'The President' The President Ginkgo | DT | 1.72 | G2 | 3-4 | 5-8 | 1.79 | 1.36 | 4 |
| <i>Ginkgo biloba</i> 'Tubiforme' Tubiforme Ginkgo | DT | 1.82 | G2 | 3-4 | 5-8 | 1.89 | 3.20 | 4 |
| <i>Ginkgo biloba</i> 'Variegata' Variegated Ginkgo | DT | 1.70 | G2 | 3-4 | 5-8 | 1.89 | 1.10 | 4 |
| <i>Ginkgo biloba</i> 'Windover Gold' Windover Gold Ginkgo | DT | 1.63 | G2 | 3-4 | 5-8 | 1.89 | 1.10 | 4 |
| <i>Gladiolus callianthus</i> Abyssinian Gladiolus | HP | 1.00 | G4 | 9 | 10 | | | |
| <i>Gladiolus cardinalis</i> Waterfall Gladiolus | HP | 1.04 | G4 | 9 | 10 | | | |
| <i>Gladiolus carneus</i> Snowpink Gladiolus | HP | 1.00 | G4 | 9 | 10 | | | |
| <i>Gladiolus xcolvillei</i> Baby Gladiolus | HP | 1.00 | G4 | 8 | 9-10A | | | |
| <i>Gladiolus communis</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7-8 | | | |
| <i>Gladiolus dalenii</i> No Common Name Found | HP | 1.04 | G4 | 9 | 10 | | | |
| <i>Gladiolus tristis</i> Eveningflower Gladiolus | HP | 0.71 | G4 | 9 | 10 | | | |
| <i>Gladiolus watsonius</i> No Common Name Found | HP | 0.78 | G4 | 9 | 10 | | | |
| <i>Glandularia maritima</i> See - <i>Verbena maritima</i> | | | | | | | | |
| <i>Glaucidium palmatum</i> No Common Name Found | HP | 2.96 | G4 | 5-6 | 7-8 | | | |
| <i>Glechoma hederacea</i> Ground Ivy | GC | 0.90 | G4 | 6 | 7-8 | | 1.00 | 3 |
| <i>Glechoma hederacea</i> 'Variegata' Variegated Ground Ivy | GC | 0.56 | G4 | 6 | 7-8 | | 1.00 | 3 |
| <i>Gleditsia triacanthos</i> Honeylocust | DT | 0.78 | G2 | 4-5 | 6-8 | 0.80 | 0.41 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> Thornless Honeylocust | DT | 0.78 | G2 | 4-5 | 6-8 | 0.72 | 0.28 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Aurea' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Suncole' | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Christie' P.P. 3096 Halka™ Thornless Honeylocust | DT | 1.00 | G2 | 4-5 | 6-8 | 1.04 | 0.46 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Continental' P.P. 1752 Continental Thornless Honeylocust | DT | 1.05 | G2 | 4-5 | 6-8 | 1.22 | 0.60 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Elegantissima' Elegantissima Thornless Honeylocust | DT | 1.05 | G2 | 4-5 | 6-8 | 0.86 | 0.60 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Emerald Cascade' Emerald Cascade Thornless Honeylocust | DT | 1.05 | G2 | 4-5 | 6-8 | 1.01 | 0.92 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Fairview' Fairview Thornless Honeylocust | DT | 1.05 | G2 | 4-5 | 6-8 | 1.82 | 0.60 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Green Glory' P.P. 2786 Green Glory Thornless Honeylocust | DT | 1.05 | G2 | 4-5 | 6-8 | 1.38 | 0.60 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Halka' | | | | | | | | |
| See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Christie' P.P. 3096 | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Harve' | DT | 1.45 | G2 | 4-5 | 6-8 | 1.11 | 0.60 | 3 |
| Northern Acclaim™ Thornless Honeylocust | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Impcole' P.P. 1605 | DT | 1.21 | G2 | 4-5 | 6-8 | 1.03 | 0.85 | 3 |
| Imperial® Thornless Honeylocust | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Imperial' | | | | | | | | |
| See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Impcole' P.P. 1605 | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Marando Weeping' | | | | | | | | |
| See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Marando' P.P. 6913 | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Marando' P.P. 6913 | DT | 1.22 | G2 | 4-5 | 6-8 | 1.08 | 0.60 | 3 |
| Marando Weeping Thornless Honeylocust | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Moraine' P.P. 836 | DT | 0.85 | G2 | 4-5 | 6-8 | 0.86 | 0.34 | 3 |
| Moraine Thornless Honeylocust | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Northern Acclaim' | | | | | | | | |
| See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Harve' | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'PNI 2835' P.P. 1515 | DT | 1.00 | G2 | 4-5 | 6-8 | 0.97 | 0.76 | 3 |
| Shademaster® Thornless Honeylocust | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Perfection' | | | | | | | | |
| See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Wandell' P.P. 6709 | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Rubylace' P.P. 2038 | DT | 0.91 | G2 | 4-5 | 6-8 | 1.11 | 0.30 | 3 |
| Rubylace® Thornless Honeylocust | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Shademaster' | | | | | | | | |
| See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'PNI 2835' P.P. 1515 | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Skycole' P.P. 1619 | DT | 1.10 | G2 | 4-5 | 6-8 | 1.02 | 0.79 | 3 |
| Skyline® Thornless Honeylocust | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Skyline' | | | | | | | | |
| See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Skycole' P.P. 1619 | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Spectrum' | | | | | | | | |
| See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Speczam' | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Speczam' | DT | 1.05 | G2 | 4-5 | 6-8 | 1.17 | 0.60 | 3 |
| Spectrum™ Thornless Honeylocust | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Summer Lace' | DT | 1.05 | G2 | 4-5 | 6-8 | 1.33 | 0.60 | 3 |
| Summer Lace® Thornless Honeylocust | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Sunburst' | | | | | | | | |
| See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Suncole' | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Suncole' | DT | 1.02 | G2 | 4-5 | 6-8 | 1.05 | 0.90 | 3 |
| Sunburst® Thornless Honeylocust | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'True Shade' | DT | 1.05 | G2 | 4-5 | 6-8 | 0.78 | 0.41 | 3 |
| True Shade® Thornless Honeylocust | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Wandell' P.P. 6709 | DT | 1.05 | G2 | 4-5 | 6-8 | 1.47 | 0.60 | 3 |
| Perfection™ Thornless Honeylocust | | | | | | | | |
| <i>Gliricidia sepium</i> | BE | 0.95 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| Madre de Cacao | | | | | | | | |
| <i>Globba bulbifera</i> | | | | | | | | |
| See - <i>Globba marantina</i> | | | | | | | | |
| <i>Globba globulifera</i> | HP | 0.84 | G4 | 8-10A | 10B-11 | | | |
| Purple Globe Ginger | | | | | | | | |
| <i>Globba marantina</i> | HP | 0.76 | G3 | 8-11 | | | | |
| Yellow Dancing Ladies | | | | | | | | |
| <i>Globba winitii</i> | HP | 1.23 | G3 | 8-11 | | | | |
| Ginger Lily | | | | | | | | |
| <i>Globba winitii</i> 'Blushing Maiden' P.P. 11026 | HP | 1.61 | G3 | 8-11 | | | | |
| Blushing Maiden Ginger Lily | | | | | | | | |
| <i>Globba winitii</i> 'Dancing Girl' | HP | 1.21 | G3 | 8-11 | | | | |
| Dancing Girl Ginger Lily | | | | | | | | |
| <i>Globba winitii</i> 'Pristina Pink' P.P. 10991 | HP | 1.61 | G3 | 8-11 | | | | |
| Pristina Pink Ginger Lily | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Globba winitii</i> 'Purest Angel' P.P. 11050 Purest Angel Ginger Lily | HP | 1.41 | G3 | 8-11 | | | | |
| <i>Globba winitii</i> 'Ruby Queen' P.P. 11010 Ruby Queen Ginger Lily | HP | 1.61 | G3 | 8-11 | | | | |
| <i>Globba winitii</i> 'White Dragon' White Dragon Ginger Lily | HP | 1.21 | G3 | 8-11 | | | | |
| <i>Globularia cordifolia</i> Heartleaf Globularia | HP | 0.99 | G3 | 6 | 7-8 | | | |
| <i>Globularia indubia</i> No Common Name Found | HP | 0.72 | G4 | 6-9 | 10 | | | |
| <i>Globularia meridionalis</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7-8 | | | |
| <i>Globularia repens</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7-8 | | | |
| <i>Gloriosa rothschildiana</i> See - <i>Gloriosa superba</i> 'Rothschildiana' | | | | | | | | |
| <i>Gloriosa superba</i> No Common Name Found | HP | 1.00 | G4 | 9 | 10-11 | | | |
| <i>Gloriosa superba</i> 'Rothschildiana' No Common Name Found | HP | 1.00 | G4 | 9 | 10-11 | | | |
| <i>Gloxinia sylvatica</i> Bolivian Sunset | HP | 0.60 | G4 | 10 | 11 | | | |
| <i>Glyceria maxima</i> Reed Manna Grass | HP | 1.21 | G4 | 5-6 | 7-8 | | | |
| <i>Glyceria maxima</i> 'Variegata' Striped Reed Manna Grass | HP | 0.93 | G4 | 5-6 | 7-8 | | | |
| <i>Gmelina arborea</i> No Common Name Found | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Gmelina hystrix</i> See - <i>Gmelina philippensis</i> | | | | | | | | |
| <i>Gmelina philippensis</i> Wild Sage | BS | 0.88 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Gomphrena globosa</i> Globe Amaranth | AN | 0.74 | G4 | 6-10A | 10B-11 | | | |
| <i>Gomphrena globosa</i> 'Buddy Series' Buddy Series Globe Amaranth | AN | 0.80 | G4 | 8-10A | 10B-11 | | | |
| <i>Gomphrena globosa</i> 'Gnome Series' Gnome Series Globe Amaranth | AN | 0.74 | G4 | 8-10A | 10B-11 | | | |
| <i>Gomphrena globosa</i> 'Strawberry Fields' Strawberry Fields Globe Amaranth | AN | 0.76 | G4 | 8-10A | 10B-11 | | | |
| <i>Gongora histrionica</i> No Common Name Found | FO | 2.86 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Gongora nigrita</i> No Common Name Found | FO | 2.86 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Gongora sanderiana</i> No Common Name Found | FO | 5.95 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Gonolimon callicomum</i> No Common Name Found | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Gonolimon incanum</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Gonolimon speciosum</i> See - <i>Gonolimon incanum</i> | | | | | | | | |
| <i>Gonolimon tataricum</i> German Statice | HP | 1.05 | G4 | 4-5 | 6-7 | | | |
| <i>Goniophlebium subauriculatum</i> Jointed Pine Fern | HP | 1.00 | G3 | 8-10 | 11 | | | |
| <i>Goodyera pubescens</i> Rattlesnake Orchid | HP | 1.00 | G4 | 6-7 | 8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Gordonia axillaris</i> No Common Name Found | BE | 0.76 | G2 | 7-8 | 9-10 | 1.00 | 1.00 | 8 |
| <i>Gordonia lasianthus</i> Loblolly Bay | BE | 0.77 | G2 | 7-8 | 9-10 | 1.00 | 1.00 | 8 |
| <i>Grammatophyllum scriptum</i> No Common Name Found | FO | 5.30 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Graptophyllum pictum</i> Caricature Plant | BS | 0.77 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Graptophyllum pictum</i> 'Chocolate Queen' Chocolate Queen Caricature Plant | FO | 0.49 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Graptophyllum pictum</i> 'Tricolor' Tricolor Caricature Plant | FO | 0.49 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Grevillea</i> Grevillea | BS | 0.80 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea</i> 'Austraflora Canterbury Gold' Austraflora Canterbury Gold Spider Flower | BS | 0.84 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea</i> 'Boongala Spinebill' Boongala Spinebill Spider Flower | BS | 0.76 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea</i> 'Bronze Rambler' Bronze Rambler Spider Flower | BS | 0.80 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea</i> 'Canberra Gem' Canberra Gem Spider Flower | BS | 0.79 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea</i> 'Noell' Noell Spider Flower | BS | 0.79 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea</i> 'Poorinda Blondie' Poorinda Blondie Spider Flower | BS | 0.76 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea</i> 'Poorinda Constance' Poorinda Constance Spider Flower | BS | 0.76 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea</i> 'Poorinda Golden Lyre' Poorinda Golden Lyre Spider Flower | BS | 0.84 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea</i> 'Poorinda Queen' Poorinda Queen Spider Flower | BS | 0.76 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea</i> 'Robyn Gordon' Robyn Gordon Spider Flower | BS | 0.88 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea</i> 'White Wings' White Wings Spider Flower | BS | 0.84 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea alpina</i> Mountain Grevillea | BS | 0.84 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea alpina</i> 'East Grampians' East Grampians Mountain Grevillea | BS | 0.84 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea gaudichaudii</i> No Common Name Found | BS | 0.90 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea johnsonii</i> No Common Name Found | BS | 0.81 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea juniperina</i> No Common Name Found | BS | 0.68 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea lanigera</i> Woolly Grevillea | BS | 0.76 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea lanigera</i> 'Mt. Tamboritha' Mt. Tamboritha Woolly Grevillea | BS | 0.91 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea lavandulacea</i> Lavender Grevillea | BS | 0.90 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea lavandulacea</i> 'Billywing' Billywing Lavender Grevillea | BS | 0.90 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea rivularis</i> No Common Name Found | BS | 0.76 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea robusta</i> Silky Oak | BE | 0.95 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Grevillea rosmarinifolia</i> Rosemary Grevillea | BS | 0.80 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Grevillea shiressii</i> No Common Name Found | BS | 0.68 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea thelemanniana</i> No Common Name Found | BS | 0.76 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea victoriae</i> No Common Name Found | BS | 0.76 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grevillea wilsonii</i> No Common Name Found | BS | 0.76 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Grewia caffra</i> No Common Name Found | BS | 1.20 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Grewia occidentalis</i> Lavender Starflower | BS | 0.81 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Grindelia stricta</i> Pacific Grindelia | HP | 1.00 | G4 | 6-7 | 8-10 | | | |
| <i>Gronophyllum ramsayi</i> Northern Kentia Palm | PC | 2.78 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Guaiacum officinale</i> Common Lignum-vitae | BE | 1.88 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Guaiacum sanctum</i> No Common Name Found | BE | 2.36 | G1 | 10 | 11 | 1.00 | 1.07 | 10 |
| <i>Guapira discolor</i> Blolly | BE | 0.91 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Guettarda scabra</i> Greenheart | BE | 0.91 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Guihaia argyrata</i> Dainty Lady Palm | PC | 1.82 | G1 | 9 | 10-11 | | 1.00 | 8 |
| <i>Gunnera chilensis</i> See - <i>Gunnera tinctoria</i> | | | | | | | | |
| <i>Gunnera magellanica</i> No Common Name Found | HP | 1.04 | G4 | 8-9 | 10A | | | |
| <i>Gunnera manicata</i> Giant Rhubarb | HP | 1.53 | G4 | 8-9 | 10A | | | |
| <i>Gunnera tinctoria</i> No Common Name Found | HP | 1.66 | G4 | 7-8 | 9 | | | |
| <i>Gutierrezia sarothrae</i> Broom Snakeweed | BS | 0.70 | G4 | 6-7 | 8-9 | | 1.00 | 6 |
| <i>Guzmania</i> Guzmania | FO | 1.30 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Clementina' Clementina Guzmania | FO | 0.52 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Denise' Denise Guzmania | FO | 1.41 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Eloy' Eloy Guzmania | FO | 0.52 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Hilda' Hilda Guzmania | FO | 1.41 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Irene' Irene Guzmania | FO | 1.20 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Kapoho Fire' Kapoho Fire Guzmania | FO | 1.17 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Lemonade' P.P. 7961 Lemonade Guzmania | FO | 1.65 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Limbo' Limbo Guzmania | FO | 1.73 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Lipstick' Lipstick Guzmania | FO | 1.42 | G3 | 8-11 | | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Guzmania</i> 'Loja' Loja <i>Guzmania</i> | FO | 1.41 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Luna' Luna <i>Guzmania</i> | FO | 1.49 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Mandarine' Mandarine <i>Guzmania</i> | FO | 1.42 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Marjan' Marjan <i>Guzmania</i> | FO | 1.51 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Neon' Neon <i>Guzmania</i> | FO | 1.17 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Ostara' Ostara <i>Guzmania</i> | FO | 1.41 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Puna Gold' P.P. 9768 Puna Gold™ <i>Guzmania</i> | FO | 1.42 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Rana' Rana <i>Guzmania</i> | FO | 1.48 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Red Pearl' Red Pearl <i>Guzmania</i> | FO | 1.42 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Symphony' Symphony <i>Guzmania</i> | FO | 1.30 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Tutti Frutti' Tutti Frutti <i>Guzmania</i> | FO | 1.20 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Ultra' Ultra <i>Guzmania</i> | FO | 1.12 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Vella Red' Vella Red <i>Guzmania</i> | FO | 1.30 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania lingulata</i> Orange Star | FO | 0.99 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania lingulata</i> 'Empire' Empire Orange Star | FO | 1.68 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania lingulata</i> 'Variegata' Variegated Orange Star | FO | 2.51 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Guzmania wittmackii</i> No Common Name Found | FO | 1.00 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Gymnocalycium mihanovichii</i> No Common Name Found | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Gymnocarpium dryopteris</i> Oak Fern | HP | 0.92 | G4 | 3-4 | 5-7 | | | |
| <i>Gymnocladus dioica</i> Kentucky Coffeetree | DT | 0.96 | G2 | 3-4 | 5-8 | 1.23 | 1.06 | 4 |
| <i>Gymnocladus dioica</i> 'Crosswicks' Crosswicks Male Kentucky Coffeetree | DT | 0.96 | G2 | 3-4 | 5-8 | 1.08 | 1.06 | 4 |
| <i>Gymnocladus dioica</i> 'Espresso' Espresso Kentucky Coffeetree | DT | 0.96 | G2 | 3-4 | 5-8 | 1.25 | 1.06 | 4 |
| <i>Gymnocladus dioica</i> 'J.C. McDaniel' Prairie Titan® Kentucky Coffeetree | DT | 0.96 | G2 | 3-4 | 5-8 | 1.45 | 1.06 | 4 |
| <i>Gymnocladus dioica</i> 'Prairie Titan' See - <i>Gymnocladus dioica</i> 'J.C. McDaniel' | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10B |
| <i>Gynura aurantiaca</i> Purple Velvet Plant | FO | 0.39 | G3 | 8-10 | 11 | | 1.00 | 8 |
| <i>Gypsophila aretioides</i> No Common Name Found | HP | 0.97 | G4 | 5-6 | 7-8 | | | |
| <i>Gypsophila briquetiana</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Gypsophila cerastioides</i> Mouse-ear <i>Gypsophila</i> | HP | 0.70 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Gypsophila muralis</i> Baby's Breath | HP | 0.54 | G4 | 5-10 | 11 | | | |
| <i>Gypsophila muralis</i> 'Garden Bride' Garden Bride Baby's Breath | HP | 0.54 | G3 | 5-10 | 11 | | | |
| <i>Gypsophila muralis</i> 'Gypsy' Gypsy Baby's Breath | FO | 0.37 | G3 | 5-10 | 11 | | 1.00 | 10 |
| <i>Gypsophila nana</i> No Common Name Found | HP | 1.00 | G4 | 5-9 | 10 | | | |
| <i>Gypsophila pacifica</i> No Common Name Found | HP | 0.83 | G4 | 4-5 | 6-8 | | | |
| <i>Gypsophila paniculata</i> Baby's Breath | HP | 1.01 | G4 | 4-5 | 6-8 | | | |
| <i>Gypsophila paniculata</i> 'Bristol Fairy' Bristol Fairy Baby's Breath | HP | 0.94 | G4 | 4-5 | 6-8 | | | |
| <i>Gypsophila paniculata</i> 'Compacta Plena' Compacta Plena Baby's Breath | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Gypsophila paniculata</i> 'Festival Strain' Festival Strain Baby's Breath | HP | 0.81 | G4 | 4-5 | 6-8 | | | |
| <i>Gypsophila paniculata</i> 'Flamingo' Flamingo Baby's Breath | HP | 0.96 | G4 | 4-5 | 6-8 | | | |
| <i>Gypsophila paniculata</i> 'Perfecta' Perfecta Baby's Breath | HP | 0.98 | G4 | 4-5 | 6-8 | | | |
| <i>Gypsophila paniculata</i> 'Pink Fairy' Pink Fairy Baby's Breath | HP | 1.13 | G4 | 4-5 | 6-8 | | | |
| <i>Gypsophila paniculata</i> 'Red Sea' Red Sea Baby's Breath | HP | 0.96 | G4 | 4-5 | 6-8 | | | |
| <i>Gypsophila paniculata</i> 'Snowflake' Snowflake Baby's Breath | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Gypsophila paniculata</i> 'Viette's Dwarf' Viette's Dwarf Baby's Breath | HP | 0.94 | G4 | 4-5 | 6-8 | | | |
| <i>Gypsophila petraea</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Gypsophila repens</i> Creeping Baby's Breath | HP | 1.03 | G4 | 4-5 | 6-8 | | | |
| <i>Gypsophila repens</i> 'Alba' White Creeping Baby's Breath | HP | 0.91 | G4 | 4-5 | 6-8 | | | |
| <i>Gypsophila repens</i> 'Rosea' Pink Creeping Baby's Breath | HP | 0.87 | G4 | 4-5 | 6-8 | | | |
| <i>Gypsophila tenuifolia</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Habenaria</i> False Rein Orchid | FO | 2.08 | G3 | 9-10 | 11 | | 1.00 | 9 |
| <i>Habranthus brachyandrus</i> Giant Rain Lily | HP | 0.63 | G3 | 8-9A | 9B-11 | | | |
| <i>Habranthus robustus</i> No Common Name Found | HP | 0.81 | G4 | 8-9 | 10-11 | | | |
| <i>Habranthus texanus</i> See - <i>Habranthus tubispathus</i> | | | | | | | | |
| <i>Habranthus tubispathus</i> No Common Name Found | HP | 1.04 | G4 | 8-9 | 10-11 | | | |
| <i>Habranthus tubispathus</i> 'Cupreus' Cupreus Habranthus | HP | 1.04 | G4 | 8-9 | 10-11 | | | |
| <i>Hacquetia epipactis</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7-8 | | | |
| <i>Haemanthus albflos</i> White Blood Lily | HP | 1.38 | G3 | 8-10A | 10B-11 | | | |
| <i>Haemanthus katherinae</i> See - <i>Scadoxus multiflorus</i> ssp. <i>katherinae</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Haemanthus multiflorus</i> No Common Name Found | HP | 1.12 | G4 | 8-9B | 10A-11 | | | |
| <i>Haemaria discolor</i> See - <i>Ludisia discolor</i> | | | | | | | | |
| <i>Hakonechloa macra</i> Japanese Forest Grass | HP | 1.51 | G4 | 5-6 | 7-8 | | | |
| <i>Hakonechloa macra</i> 'Aureola' Golden Japanese Forest Grass | HP | 1.57 | G4 | 5-6 | 7-8 | | | |
| <i>Halesia carolina</i> See - <i>Halesia tetraptera</i> | | | | | | | | |
| <i>Halesia diptera</i> Two-winged Silverbell | DS | 0.86 | G2 | 5-6 | 7-9 | | 0.60 | 5 |
| <i>Halesia diptera</i> var. <i>magniflora</i> No Common Name Found | DS | 1.10 | G2 | 5-6 | 7-9 | | 1.10 | 5 |
| <i>Halesia monticola</i> Mountain Silverbell | DS | 1.25 | G2 | 5-6 | 7-8 | | 1.27 | 5 |
| <i>Halesia monticola</i> 'Rosea' Pink Mountain Silverbell | DS | 1.25 | G2 | 5-6 | 7-8 | | 1.60 | 5 |
| <i>Halesia tetraptera</i> Carolina Silverbell | DS | 1.22 | G2 | 4-5 | 6-8 | | 1.05 | 5 |
| <i>Halesia tetraptera</i> 'Rosea' Rosea Carolina Silverbell | DS | 1.23 | G2 | 4-5 | 6-9B | | 1.05 | 5 |
| <i>xHalimocistus sahuicii</i> No Common Name Found | BS | 0.94 | G2 | 8-9 | 10A | | 1.00 | 8 |
| <i>xHalimocistus wintonensis</i> No Common Name Found | BS | 0.94 | G2 | 8-9 | 10A | | 1.00 | 7 |
| <i>Halimium atriplicifolium</i> No Common Name Found | BS | 0.67 | G2 | 8-9 | 10A | | 1.00 | 8 |
| <i>Halimium commutatum</i> No Common Name Found | BS | 0.65 | G2 | 8-9 | 10A | | 1.00 | 8 |
| <i>Halimium lasianthum</i> Lisbon False Sunrose | BS | 1.02 | G2 | 8-9 | 10A | | 1.00 | 8 |
| <i>Halimium ocymoides</i> Purplespot False Sunrose | BS | 0.85 | G2 | 8-9 | 10A | | 1.00 | 8 |
| <i>Halmoorea trispatha</i> See - <i>Orania trispatha</i> | | | | | | | | |
| <i>Hamamelis x intermedia</i> Hybrid Witchhazel | DS | 2.13 | G2 | 4-5 | 6-8 | | 1.21 | 5 |
| <i>Hamamelis x intermedia</i> 'Arnold Promise' Arnold Promise Hybrid Witchhazel | DS | 1.65 | G2 | 4-5 | 6-8 | | 1.90 | 5 |
| <i>Hamamelis x intermedia</i> 'Boskoop' Boskoop Hybrid Witchhazel | DS | 1.77 | G2 | 4-5 | 6-8 | | 1.67 | 5 |
| <i>Hamamelis x intermedia</i> 'Diane' Diane Hybrid Witchhazel | DS | 1.67 | G2 | 4-5 | 6-8 | | 1.87 | 5 |
| <i>Hamamelis x intermedia</i> 'Feuerzauber' Feuerzauber Hybrid Witchhazel | DS | 2.14 | G2 | 4-5 | 6-8 | | 1.60 | 5 |
| <i>Hamamelis x intermedia</i> 'Jelena' Jelena Hybrid Witchhazel | DS | 1.79 | G2 | 4-5 | 6-8 | | 1.82 | 5 |
| <i>Hamamelis x intermedia</i> 'Primavera' Primavera Hybrid Witchhazel | DS | 1.64 | G2 | 4-5 | 6-8 | | 1.39 | 5 |
| <i>Hamamelis x intermedia</i> 'Ruby Glow' Ruby Glow Hybrid Witchhazel | DS | 1.85 | G2 | 4-5 | 6-8 | | 1.72 | 5 |
| <i>Hamamelis x intermedia</i> 'Sunburst' Sunburst Hybrid Witchhazel | DS | 1.29 | G2 | 4-5 | 6-8 | | 1.26 | 5 |
| <i>Hamamelis x intermedia</i> 'Vesna' Vesna Hybrid Witchhazel | DS | 1.77 | G2 | 4-5 | 6-8 | | 1.68 | 5 |
| <i>Hamamelis x intermedia</i> 'Westerstede' Westerstede Hybrid Witchhazel | DS | 1.77 | G2 | 4-5 | 6-8 | | 2.26 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hamamelis japonica</i> Japanese Witchhazel | DS | 1.00 | G2 | 4-5 | 6-8 | | 2.06 | 5 |
| <i>Hamamelis mollis</i> Chinese Witchhazel | DS | 0.91 | G2 | 4-5 | 6-8 | | 0.96 | 5 |
| <i>Hamamelis mollis</i> 'Brevipetala' Brevipetala Chinese Witchhazel | DS | 1.19 | G2 | 4-5 | 6-8 | | 1.39 | 5 |
| <i>Hamamelis mollis</i> 'Goldcrest' Goldcrest Chinese Witchhazel | DS | 1.73 | G2 | 4-5 | 6-8 | | 1.63 | 5 |
| <i>Hamamelis mollis</i> 'Pallida' Pallida Chinese Witchhazel | DS | 1.55 | G2 | 4-5 | 6-8 | | 1.59 | 5 |
| <i>Hamamelis vernalis</i> Vernal Witchhazel | DS | 1.16 | G2 | 4 | 5-8 | | 1.25 | 4 |
| <i>Hamamelis vernalis</i> 'Autumn Embers' Autumn Embers Vernal Witchhazel | DS | 1.36 | G2 | 4 | 5-8 | | 3.62 | 4 |
| <i>Hamamelis vernalis</i> 'Carnea' Redpetal Vernal Witchhazel | DS | 1.36 | G2 | 4 | 5-8 | | 2.10 | 4 |
| <i>Hamamelis vernalis</i> 'Christmas Cheer' Christmas Cheer Vernal Witchhazel | DS | 1.36 | G2 | 4 | 5-8 | | 2.14 | 4 |
| <i>Hamamelis vernalis</i> 'Rubra' Red Vernal Witchhazel | DS | 1.36 | G2 | 4 | 5-8 | | 2.10 | 4 |
| <i>Hamamelis vernalis</i> 'Sandra' Sandra Vernal Witchhazel | DS | 1.55 | G2 | 4 | 5-8 | | 1.37 | 4 |
| <i>Hamamelis virginiana</i> Common Witchhazel | DS | 1.19 | G2 | 4 | 5-8 | | 1.14 | 3 |
| <i>Hamelia cuprea</i> Bahamian Firebush | BS | 0.86 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Hamelia macrantha</i> Dwarf Firebush | BS | 0.43 | G2 | 8-10 | 11 | | 1.00 | 8 |
| <i>Hamelia patens</i> Scarlet Bush | BS | 0.69 | G2 | 8-10 | 11 | | 0.43 | 10 |
| <i>Hamelia patens</i> 'African' African Scarlet Bush | BS | 0.45 | G2 | 8-10 | 11 | | 0.43 | 10 |
| <i>Hamelia patens</i> 'Compacta' Compact Scarlet Firebush | BS | 0.73 | G2 | 9-10 | 11 | | 0.43 | 10 |
| <i>Haplopappus acaulis</i> See - <i>Stenotus acaulis</i> | | | | | | | | |
| <i>Hardenbergia violacea</i> Vine Lilac | GC | 0.77 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Hardenbergia violacea</i> 'Happy Wanderer' Happy Wanderer Vine Lilac | GC | 0.94 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Hardenbergia violacea</i> 'Mini Ha-Ha' Mini Ha-Ha Vine Lilac | GC | 1.01 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Harpephyllum caffrum</i> Kaffir Plum | BE | 0.97 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Harpullia arborea</i> Hom | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Harpullia pendula</i> Black Tulip | BE | 1.37 | G1 | 10 | 11 | 1.00 | 0.83 | 10 |
| <i>Haworthia fasciata</i> Zebra Haworthia | FO | 1.00 | G3 | 6-10B | 11 | | 1.00 | 9 |
| <i>Hebe</i> Hybrid Hebe | BS | 0.90 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Hebe</i> 'Alicia Amherst' Alicia Amherst Hebe | BS | 0.88 | G2 | 6-8 | 9 | | 1.00 | 8 |
| <i>Hebe</i> 'Amy' Amy Hebe | BS | 0.84 | G2 | 6-8 | 9 | | 1.00 | 8 |
| <i>Hebe</i> 'Autumn Glory' Autumn Glory Hebe | BS | 1.03 | G2 | 6-7 | 8-9 | | 1.00 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hebe</i> 'Coed' Coed Hebe | BS | 0.87 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Hebe</i> 'Great Orme' Great Orme Hebe | BS | 1.17 | G2 | 6-8 | 9 | | 1.00 | 8 |
| <i>Hebe</i> 'Lake' Lake Hebe | BS | 0.68 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Hebe</i> 'MacEwanii' MacEwan Hebe | BS | 0.90 | G2 | 6-8 | 9 | | 1.00 | 8 |
| <i>Hebe</i> 'Margret' P.P. 8231 Margret Hebe | BS | 0.80 | G2 | 6-8 | 9 | | 1.00 | 8 |
| <i>Hebe</i> 'Patty's Purple' Patty's Purple Hebe | BS | 0.96 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Hebe</i> 'Purple Picture' Purple Picture Hebe | BS | 0.86 | G2 | 6-8 | 9 | | 1.00 | 8 |
| <i>Hebe buxifolia</i> Boxleaf Hebe | BS | 0.91 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Hebe buxifolia</i> 'Nana' Compact Boxleaf Hebe | BS | 0.99 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Hebe carnosula</i> No Common Name Found | BS | 0.64 | G2 | 6-7 | 8-9 | | 1.00 | 6 |
| <i>Hebe cupressoides</i> No Common Name Found | BS | 1.53 | G2 | 6-7 | 8-9 | | 1.00 | 6 |
| <i>Hebe cupressoides</i> 'Boughton Dome' Boughton Dome Hebe | BS | 1.53 | G2 | 6-7 | 8-9 | | 1.00 | 6 |
| <i>Hebe glaucophylla</i> No Common Name Found | BS | 1.07 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Hebe ochracea</i> No Common Name Found | BS | 1.00 | G2 | 6-7 | 8-9 | | 1.00 | 6 |
| <i>Hebe pinguifolia</i> No Common Name Found | BS | 1.18 | G2 | 6-7 | 8-9 | | 1.00 | 6 |
| <i>Hebe pinguifolia</i> 'Sutherlandii' Sutherland Hebe | BS | 1.18 | G2 | 6-7 | 8-9 | | 1.00 | 6 |
| <i>Hebe speciosa</i> No Common Name Found | BS | 1.00 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Hebenstretia dentata</i> Toothed Hebenstretia | AN | 1.00 | G4 | 6-10 | 11 | | | |
| <i>Hedera canariensis</i> Algerian Ivy | GC | 0.86 | G2 | 8-9 | 10-11 | | 1.00 | 7 |
| <i>Hedera canariensis</i> 'Gloire de Marengo' Gloire de Marengo Algerian Ivy | GC | 0.80 | G2 | 8-9 | 10-11 | | 1.00 | 7 |
| <i>Hedera canariensis</i> 'Variegata' Variegated Algerian Ivy | GC | 0.69 | G2 | 8-9 | 10-11 | | 1.00 | 7 |
| <i>Hedera colchica</i> Persian Ivy | GC | 0.64 | G2 | 6-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera colchica</i> 'Dentata Variegata' Dentata Variegata Persian Ivy | GC | 1.04 | G2 | 6-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera colchica</i> 'My Heart' My Heart Persian Ivy | GC | 0.42 | G2 | 6-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera colchica</i> 'Sulphur Heart' Sulphur Heart Persian Ivy | GC | 0.89 | G2 | 6-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> English Ivy | GC | 0.82 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> '238th Street' 238th Street English Ivy | GC | 0.68 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Anne Marie' Anne Marie English Ivy | GC | 0.63 | G2 | 6-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Baltica' Baltic English Ivy | GC | 0.93 | G2 | 5-7 | 8-11 | | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hedera helix</i> 'Bulgaria' Bulgarian English Ivy | GC | 0.20 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Buttercup' Buttercup English Ivy | GC | 0.80 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'California' California English Ivy | GC | 0.77 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Chester' Chester English Ivy | GC | 0.68 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Conglomerata' Conglomerata English Ivy | GC | 0.68 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Deltoidea' Sweetheart English Ivy | GC | 0.41 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Duckfoot' Duckfoot English Ivy | GC | 0.68 | G2 | 6-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Erecta' Erecta English Ivy | GC | 0.89 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Galaxy' Galaxy English Ivy | GC | 0.68 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Glacier' Glacier English Ivy | GC | 0.56 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Gold Child' Gold Child English Ivy | GC | 0.79 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Gold Dust' Gold Dust English Ivy | GC | 0.68 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Golden Ingot' Golden Ingot English Ivy | GC | 0.68 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Goldheart' Goldheart English Ivy | GC | 0.49 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Green Ripple' Green Ripple English Ivy | GC | 0.60 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Hahns' Hahn's English Ivy | GC | 0.59 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Harrison' Harrison English Ivy | GC | 0.68 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Inglesse' Inglesse English Ivy | GC | 0.50 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Ivalace' Ivalace English Ivy | GC | 0.51 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Kolibri' Kolibri English Ivy | GC | 0.69 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Manda's Crested' Manda's Crested English Ivy | GC | 0.84 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Midget' Midget English Ivy | GC | 0.64 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Needlepoint' Needlepoint English Ivy | GC | 0.77 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Nepal' Nepal English Ivy | GC | 0.68 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Pittsburgh' Pittsburgh English Ivy | GC | 1.00 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Pixie' Pixie English Ivy | GC | 0.66 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Rembrandt' See - <i>Hedera helix</i> 'Remzam' | | | | | | | | |
| <i>Hedera helix</i> 'Remzam' Rembrandt™ English Ivy | GC | 0.68 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Sagittifolia' Sagittifolia English Ivy | GC | 0.42 | G2 | 5-7 | 8-11 | | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hedera helix</i> 'Shamrock' Shamrock English Ivy | GC | 0.42 | G2 | 6-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Silverdust' Silverdust English Ivy | GC | 1.24 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Spetchley' Gnome English Ivy | GC | 0.68 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Suzanne' Suzanne English Ivy | GC | 0.68 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Telecurl' Telecurl English Ivy | GC | 1.03 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Thorndale' Thorndale English Ivy | GC | 0.72 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Tom Boy' Tom Boy English Ivy | GC | 0.68 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Treetop' Treetop English Ivy | GC | 0.68 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Wilsonii' Small Leaf English Ivy | GC | 0.41 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Woerner' Woerner English Ivy | GC | 0.68 | G2 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Yellow Ripple' Yellow Ripple English Ivy | GC | 0.68 | G3 | 5-7 | 8-11 | | 1.00 | 5 |
| <i>Hedychium</i> Ginger Lily | HP | 1.12 | G3 | 8-10A | 10B-11 | | | |
| <i>Hedychium</i> 'Anne Bishop' Anne Bishop Ginger Lily | HP | 1.12 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium</i> 'Ayo' Ayo Ginger Lily | HP | 1.12 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium</i> 'Carnival' Carnival Ginger Lily | HP | 1.12 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium</i> 'Double Eagle' Double Eagle Ginger Lily | HP | 1.12 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium</i> 'Elizabeth' Elizabeth Ginger Lily | HP | 1.04 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium</i> 'Filagree' Filagree Ginger Lily | HP | 1.08 | G3 | 8-10A | 10B-11 | | | |
| <i>Hedychium</i> 'Fireworks' Fireworks Ginger Lily | HP | 1.12 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium</i> 'Gold Flame' Gold Flame Ginger Lily | HP | 1.39 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium</i> 'Golden Glow' Golden Glow Ginger Lily | HP | 1.12 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium</i> 'Kewense' Kewense Ginger Lily | HP | 0.93 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium</i> 'Kinkaku' Kinkaku Ginger Lily | HP | 0.93 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium</i> 'Lemon Beauty' Lemon Beauty Ginger Lily | HP | 1.12 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium</i> 'Lemon Sherbet' Lemon Sherbet Ginger Lily | HP | 1.12 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium</i> 'Luna Moth' Luna Moth Ginger Lily | HP | 1.05 | G3 | 8-10A | 10B-11 | | | |
| <i>Hedychium</i> 'Pink Flame' Pink Flame Ginger Lily | HP | 1.27 | G3 | 8-10A | 10B-11 | | | |
| <i>Hedychium</i> 'Pink Sparks' Pink Sparks Ginger Lily | HP | 1.12 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium</i> 'Pink V' Pink V Ginger Lily | HP | 1.26 | G4 | 8-9B | 10A-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hedychium 'Raffilli'</i> Raffilli Ginger Lily | HP | 1.12 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium 'Tropic Bird'</i> Tropic Bird Ginger Lily | HP | 1.12 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium 'White Starburst'</i> White Starburst Ginger Lily | HP | 1.12 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium chrysoleucum</i> No Common Name Found | HP | 1.27 | G3 | 8-10A | 10B-11 | | | |
| <i>Hedychium coccineum</i> Red Ginger Lily | HP | 1.05 | G3 | 8-10A | 10B-11 | | | |
| <i>Hedychium coccineum 'Tara'</i> Tara Red Ginger Lily | HP | 1.05 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium coronarium</i> White Ginger Lily | HP | 0.95 | G3 | 8-10A | 10B-11 | | | |
| <i>Hedychium coronarium var. chrysoleucum</i> See - <i>Hedychium chrysoleucum</i> | | | | | | | | |
| <i>Hedychium densiflorum</i> No Common Name Found | HP | 0.86 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium ellipticum</i> No Common Name Found | HP | 0.72 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium flavescens</i> Cream Ginger Lily | HP | 1.09 | G3 | 8-10A | 10B-11 | | | |
| <i>Hedychium flavum</i> Yellow Ginger Lily | HP | 1.31 | G3 | 8-10A | 10B-11 | | | |
| <i>Hedychium gardnerianum</i> Kahili Ginger Lily | HP | 1.26 | G3 | 8-10A | 10B-11 | | | |
| <i>Hedychium gardnerianum 'Fiesta'</i> Fiesta Kahili Ginger Lily | HP | 1.26 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium greenei</i> Red Leaf Ginger | HP | 1.15 | G3 | 8-10A | 10B-11 | | | |
| <i>Hedychium spicatum</i> No Common Name Found | HP | 1.00 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium spicatum 'White Wings'</i> White Wings Ginger Lily | HP | 1.00 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedychium thyrsoforme</i> Pincushion Ginger | HP | 1.01 | G4 | 8-9B | 10A-11 | | | |
| <i>Hedyotis caerulea</i> See - <i>Houstonia caerulea</i> | | | | | | | | |
| <i>Hedysarum coronarium</i> French Honeysuckle | HP | 0.78 | G4 | 3-4 | 5-7 | | | |
| <i>Hedyscepe canterburyana</i> Umbrella Palm | PC | 1.00 | G3 | 10 | 11 | | 1.00 | 9 |
| <i>Helenium</i> Sneezeweed | HP | 1.08 | G4 | 3-7 | 8-9 | | | |
| <i>Helenium 'Coppelia' P.P. 11243</i> Coppelia Sneezeweed | HP | 0.85 | G4 | 3-7 | 8-9 | | | |
| <i>Helenium 'Crimson Beauty'</i> Crimson Beauty Sneezeweed | HP | 1.08 | G4 | 3-7 | 8-9 | | | |
| <i>Helenium 'Goldrausch'</i> Goldrausch Hybrid Sneezeweed | HP | 1.08 | G4 | 5-6 | 7-8 | | | |
| <i>Helenium 'Mardi Gras' P.P.A.F.</i> Mardi Gras Sneezeweed | HP | 1.05 | G4 | 5-6 | 7-8 | | | |
| <i>Helenium 'Rubinzweg'</i> Rubinzweg Hybrid Sneezeweed | HP | 1.21 | G4 | 5-6 | 7-8 | | | |
| <i>Helenium 'The Bishop'</i> The Bishop Hybrid Sneezeweed | HP | 1.24 | G4 | 3-7 | 8-9 | | | |
| <i>Helenium 'Waltraut'</i> Waltraut Sneezeweed | HP | 0.90 | G4 | 3-7 | 8-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Helenium</i> 'Wyndley' Wyndley Sneezeweed | HP | 1.24 | G4 | 3-7 | 8-9 | | | |
| <i>Helenium autumnale</i> Sneezeweed | HP | 0.70 | G4 | 4-5 | 6-8 | | | |
| <i>Helenium autumnale</i> 'Baudirektor Linne' Baudirektor Linne Sneezeweed | HP | 1.06 | G4 | 4-5 | 6-8 | | | |
| <i>Helenium autumnale</i> 'Bruno' Bruno Sneezeweed | HP | 1.25 | G4 | 4-5 | 6-8 | | | |
| <i>Helenium autumnale</i> 'Kugelsonne' Kugelsonne Sneezeweed | HP | 1.06 | G4 | 4-5 | 6-8 | | | |
| <i>Helenium autumnale</i> 'Moerheim Beauty' Moerheim Beauty Sneezeweed | HP | 0.97 | G4 | 4-5 | 6-8 | | | |
| <i>Helenium autumnale</i> 'Praecox' Praecox Sneezeweed | HP | 0.93 | G4 | 5-6 | 7-8 | | | |
| <i>Helenium autumnale</i> 'Pumilum Magnificum' Pumilum Magnificum Sneezeweed | HP | 1.06 | G4 | 4-5 | 6-8 | | | |
| <i>Helenium autumnale</i> 'Riverton Beauty' Riverton Beauty Sneezeweed | HP | 1.14 | G4 | 4-5 | 6-8 | | | |
| <i>Helenium autumnale</i> 'Zimbelstern' Zimbelstern Sneezeweed | HP | 1.37 | G4 | 4-5 | 6-8 | | | |
| <i>Helenium bigelovii</i> Bigelow Sneezeweed | HP | 0.72 | G4 | 5-7 | 8-9 | | | |
| <i>Helenium hoopesii</i> Orange Sneezeweed | HP | 1.17 | G4 | 3-4 | 5-7 | | | |
| <i>Helenium puberulum</i> Rosilla | HP | 1.84 | G4 | 5-8 | 9 | | | |
| <i>Helianthemum</i> Sun Rose | HP | 0.79 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Annabel' Annabel Sun Rose | HP | 0.70 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Belgravia Rose' Belgravia Rose Sun Rose | HP | 0.70 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Ben Ledi' Ben Ledi Sun Rose | HP | 0.99 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Ben Nevis' Ben Nevis Sun Rose | HP | 0.77 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Boule de Fen' Boule de Fen Sun Rose | HP | 0.67 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Brunette' Brunette Sun Rose | HP | 0.82 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Buttercup' Buttercup Sun Rose | HP | 0.68 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Cheviot' Cheviot Sun Rose | HP | 1.04 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Dazzler' Dazzler Sun Rose | HP | 0.84 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Fire Dragon' Fire Dragon Sun Rose | HP | 0.88 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Henfield Brilliant' Henfield Brilliant Sun Rose | HP | 0.88 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Jubilee' Jubilee Sun Rose | HP | 0.68 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Mesa Rose' Mesa Rose Sun Rose | HP | 0.79 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Mesa Wine' Mesa Wine Sun Rose | HP | 0.83 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Mrs. Mould' Mrs. Mould Sun Rose | HP | 0.65 | G4 | 5-7 | 8-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Helianthemum</i> 'Mutabile' Mutabile Sun Rose | HP | 0.72 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Orange Sunrise' Orange Sunrise Sun Rose | HP | 0.79 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Prima Donna' Prima Donna Sun Rose | HP | 0.79 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Raspberry Ripple' Raspberry Ripple Sun Rose | HP | 0.73 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Rhodanthe Carneum' Rhodanthe Carneum Sun Rose | HP | 0.87 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Shot Silk' Shot Silk Sun Rose | HP | 0.68 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Spotlight' Spotlight Sun Rose | HP | 0.84 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'St. Mary's' St. Mary's Sun Rose | HP | 0.86 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Sun Fleck' Sun Fleck Sun Rose | HP | 0.86 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'The Bride' The Bride Sun Rose | HP | 0.68 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum</i> 'Wisley Primrose' Wisley Primrose Sun Rose | HP | 0.74 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum apenninum</i> Apennine Sun Rose | HP | 1.00 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum nummularium</i> Common Sun Rose | HP | 0.91 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthemum nummularium</i> 'Amy Baring' Amy Baring Sun Rose | HP | 0.91 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthus angustifolius</i> Swamp Sunflower | HP | 0.73 | G4 | 5-7 | 8-9 | | | |
| <i>Helianthus atrorubens</i> Dark-Eye Sunflower | HP | 1.00 | G4 | 7 | 8-9 | | | |
| <i>Helianthus debilis</i> Cucumber-leaf Sunflower | HP | 0.51 | G4 | 7-8 | 9-10B | | | |
| <i>Helianthus decapetalus</i> Thin-leaf Sunflower | HP | 1.04 | G4 | 4 | 5-8 | | | |
| <i>Helianthus decapetalus</i> 'Plenus' Plenus Thin-leaf Sunflower | HP | 1.04 | G4 | 4 | 5-8 | | | |
| <i>Helianthus maximiliani</i> Maximilian Sunflower | HP | 0.77 | G4 | 3-4 | 5-7 | | | |
| <i>Helianthus microcephalus</i> No Common Name Found | HP | 0.98 | G4 | 3-4 | 5-7 | | | |
| <i>Helianthus mollis</i> Downy Sunflower | HP | 0.73 | G4 | 4-5 | 6-7 | | | |
| <i>Helianthus x multiflorus</i> Many-flowered Sunflower | HP | 0.78 | G4 | 4-5 | 6-8 | | | |
| <i>Helianthus x multiflorus</i> 'Capenoch Star' Capenoch Star Many-flowered Sunflower | HP | 0.80 | G4 | 4-5 | 6-8 | | | |
| <i>Helianthus x multiflorus</i> 'Flore-plena' Flore-plena Many-flowered Sunflower | HP | 1.02 | G4 | 4-5 | 6-8 | | | |
| <i>Helianthus x multiflorus</i> 'Lodden Gold' Lodden Gold Many-flowered Sunflower | HP | 0.87 | G4 | 4-5 | 6-8 | | | |
| <i>Helianthus occidentalis</i> Western Sunflower | HP | 0.84 | G4 | 3-4 | 5-8 | | | |
| <i>Helianthus pauciflorus</i> Showy Sunflower | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Helianthus ridigus</i> See - <i>Helianthus pauciflorus</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Helianthus salicifolius</i> Willowleaf Sunflower | HP | 0.82 | G4 | 4-5 | 6-7 | | | |
| <i>Helianthus salicifolius</i> 'First Light' P.P. 13150 First Light Willowleaf Sunflower | HP | 1.17 | G4 | 4-5 | 6-7 | | | |
| <i>Helianthus salicifolius</i> 'Lemon Queen' Lemon Queen Willowleaf Sunflower | HP | 1.05 | G4 | 4-5 | 6-7 | | | |
| <i>Helianthus salicifolius</i> 'Low Down' P.P.A.F. Low Down Willowleaf Sunflower | HP | 1.24 | G4 | 4-5 | 6-7 | | | |
| <i>Helianthus strumosus</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-10 | | | |
| <i>Helianthus tomentosus</i> See - <i>Helianthus tuberosus</i> | | | | | | | | |
| <i>Helianthus tuberosus</i> Jerusalem Artichoke | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Helichrysum</i> Strawflower | HP | 1.32 | G4 | 7-10 | 11 | | | |
| <i>Helichrysum</i> 'Honeymoon' See - <i>Helichrysum</i> 'Monow' | | | | | | | | |
| <i>Helichrysum</i> 'June Bride' See - <i>Helichrysum</i> 'Monse' | | | | | | | | |
| <i>Helichrysum</i> 'Monite' Star Struck™ Strawflower | HP | 0.94 | G4 | 7-10 | 11 | | | |
| <i>Helichrysum</i> 'Monld' Spring Fever™ Strawflower | HP | 0.94 | G4 | 7-10 | 11 | | | |
| <i>Helichrysum</i> 'Monow' Honeymoon™ Strawflower | HP | 0.94 | G4 | 7-10 | 11 | | | |
| <i>Helichrysum</i> 'Monse' June Bride™ Strawflower | HP | 0.74 | G4 | 7-10 | 11 | | | |
| <i>Helichrysum</i> 'Spring Fever' See - <i>Helichrysum</i> 'Monld' | | | | | | | | |
| <i>Helichrysum</i> 'Star Struck' See - <i>Helichrysum</i> 'Monite' | | | | | | | | |
| <i>Helichrysum</i> 'Sun Falls' Sun Falls Strawflower | HP | 0.76 | G4 | 7-10 | 11 | | | |
| <i>Helichrysum angustifolium</i> See - <i>Helichrysum italicum</i> | | | | | | | | |
| <i>Helichrysum aureum</i> Yellow Everlasting | HP | 1.00 | G4 | 7-9 | 10A | | | |
| <i>Helichrysum bracteatum</i> See - <i>Bracteantha bracteata</i> | | | | | | | | |
| <i>Helichrysum frigidum</i> Hoary Everlasting | HP | 1.00 | G4 | 7-9 | 10A | | | |
| <i>Helichrysum hookeri</i> See - <i>Ozothamnus hookeri</i> | | | | | | | | |
| <i>Helichrysum italicum</i> Curry Plant | HP | 0.68 | G4 | 7-9 | 10A | | | |
| <i>Helichrysum microphyllum</i> See - <i>Plecostachys serpyllifolia</i> | | | | | | | | |
| <i>Helichrysum milfordiae</i> No Common Name Found | HP | 1.00 | G4 | 7-9 | 10A | | | |
| <i>Helichrysum petiolare</i> Licorice Plant | HP | 0.75 | G4 | 7-10 | 11 | | | |
| <i>Helichrysum petiolare</i> 'Licorice Splash' Licorice Splash Licorice Plant | HP | 0.99 | G4 | 7-10 | 11 | | | |
| <i>Helichrysum petiolare</i> 'Limelight' Limelight Licorice Plant | HP | 0.95 | G4 | 7-10 | 11 | | | |
| <i>Helichrysum petiolare</i> 'Minus' Minus Licorice Plant | HP | 1.25 | G4 | 7-10 | 11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Helichrysum petiolare</i> 'Variegatum' Variegated Licorice Plant | HP | 0.81 | G4 | 7-10 | 11 | | | |
| <i>Helichrysum petiolare</i> 'White Licorice' White Licorice Plant | HP | 0.89 | G4 | 7-10 | 11 | | | |
| <i>Helichrysum petiolatum</i> See - <i>Helichrysum petiolare</i> | | | | | | | | |
| <i>Helichrysum selago</i> See - <i>Ozothamnus selago</i> | | | | | | | | |
| <i>Helichrysum sessilioides</i> No Common Name Found | HP | 1.00 | G4 | 7-9 | 10A | | | |
| <i>Helichrysum sibthorpii</i> No Common Name Found | HP | 1.00 | G4 | 7-9 | 10A | | | |
| <i>Helichrysum virgineum</i> See - <i>Helichrysum sibthorpii</i> | | | | | | | | |
| <i>Heliconia</i> False Bird of Paradise | HP | 1.87 | G4 | 8-10 | 11 | | | |
| <i>Heliconia</i> 'Criswick' Criswick Heliconia | HP | 2.08 | G4 | 8-10 | 11 | | | |
| <i>Heliconia</i> 'Jacquini' Jacquini Heliconia | HP | 1.87 | G4 | 8-10 | 11 | | | |
| <i>Heliconia</i> 'Kawauchi' Kawauchi Heliconia | HP | 1.79 | G4 | 8-10 | 11 | | | |
| <i>Heliconia</i> 'Richmond' Richmond Heliconia | HP | 1.74 | G4 | 8-10 | 11 | | | |
| <i>Heliconia angusta</i> No Common Name Found | HP | 1.63 | G4 | 8-10 | 11 | | | |
| <i>Heliconia angusta</i> 'Holiday' Holiday Heliconia | HP | 1.46 | G4 | 8-10B | 11 | | | |
| <i>Heliconia angusta</i> 'Orange Christmas' Orange Christmas Ginger | HP | 1.44 | G4 | 8-10B | 11 | | | |
| <i>Heliconia angusta</i> 'Red Christmas' Red Christmas Ginger | HP | 1.44 | G4 | 8-10B | 11 | | | |
| <i>Heliconia angusta</i> 'Yellow Christmas' Yellow Christmas Ginger | HP | 1.23 | G4 | 8-10B | 11 | | | |
| <i>Heliconia bihai</i> Wild Plantain | HP | 1.16 | G4 | 8-10B | 11 | | | |
| <i>Heliconia bihai</i> 'Chocolate Dancer' Chocolate Dancer Wild Plantain | HP | 2.22 | G4 | 8-10B | 11 | | | |
| <i>Heliconia bihai</i> 'Yellow Dancer' Yellow Dancer Wild Plantain | HP | 1.87 | G4 | 8-10B | 11 | | | |
| <i>Heliconia caribaea</i> Caribbean Heliconia | HP | 1.29 | G4 | 8-10B | 11 | | | |
| <i>Heliconia caribaea</i> 'Gold' Gold Caribbean Heliconia | HP | 1.67 | G4 | 8-10B | 11 | | | |
| <i>Heliconia caribaea</i> 'Purpurea' Purple Caribbean Heliconia | HP | 2.63 | G4 | 8-10B | 11 | | | |
| <i>Heliconia chartacea</i> No Common Name Found | HP | 3.35 | G4 | 8-10B | 11 | | | |
| <i>Heliconia chartacea</i> 'Sexy Pink' Sexy Pink Wild Plantain | HP | 3.35 | G4 | 8-10B | 11 | | | |
| <i>Heliconia collinsiana</i> Waxy-leaved Heliconia | HP | 1.04 | G4 | 8-10B | 11 | | | |
| <i>Heliconia distans</i> See - <i>Heliconia latispatha</i> | | | | | | | | |
| <i>Heliconia episcopalis</i> No Common Name Found | HP | 3.45 | G4 | 8-10B | 11 | | | |
| <i>Heliconia hirsuta</i> No Common Name Found | HP | 0.98 | G4 | 8-10B | 11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Heliconia hirsuta</i> 'Trinidad Red' No Common Name Found | HP | 0.98 | G4 | 8-10B | 11 | | | |
| <i>Heliconia latispatha</i> No Common Name Found | HP | 1.38 | G4 | 8-10B | 11 | | | |
| <i>Heliconia latispatha</i> 'Orange Gyro' Orange Gyro Bird of Paradise | HP | 1.18 | G4 | 8-10B | 11 | | | |
| <i>Heliconia lingulata</i> No Common Name Found | HP | 1.50 | G4 | 8-10B | 11 | | | |
| <i>Heliconia lingulata</i> 'Fan' Fan Heliconia | HP | 1.50 | G4 | 8-10B | 11 | | | |
| <i>Heliconia</i> x <i>nickeriensis</i> No Common Name Found | HP | 1.37 | G4 | 8-10B | 11 | | | |
| <i>Heliconia orthotrica</i> No Common Name Found | HP | 1.65 | G4 | 8-10B | 11 | | | |
| <i>Heliconia pendula</i> No Common Name Found | HP | 1.96 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> Parrot's Flower | HP | 1.21 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Alan Carter' Alan Carter Parrot's Flower | HP | 1.86 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Andromeda' Andromeda Parrot's Flower | HP | 0.88 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Choconiana' Choconiana Parrot's Flower | HP | 0.99 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Double B' Double B Parrot's Flower | HP | 1.12 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Golden Torch' Golden Torch Parrot's Flower | HP | 0.98 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Kathy' Kathy Parrot's Flower | HP | 1.12 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Keanea' Keanea Parrot's Flower | HP | 0.92 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Lady Di' Lady Di Parrot's Flower | HP | 1.10 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Lizette' Lizette Parrot's Flower | HP | 1.12 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Petra' Petra Parrot's Flower | HP | 1.13 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Pinky' Pinky Parrot's Flower | HP | 1.12 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Red Vee' Red Vee Parrot's Flower | HP | 1.13 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Rosa' Rosa Parrot's Flower | HP | 1.12 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Rosi' Rosi Parrot's Flower | HP | 1.12 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Sassy' Sassy Parrot's Flower | HP | 1.00 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Sherbet' Sherbet Parrot's Flower | HP | 1.12 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Strawberries and Cream' Strawberries and Cream Parrot's Flower | HP | 1.12 | G4 | 8-10B | 11 | | | |
| <i>Heliconia psittacorum</i> 'Tangerine' Tangerine Parrot's Flower | HP | 1.12 | G4 | 8-10B | 11 | | | |
| <i>Heliconia rostrata</i> Lobster Claw | HP | 1.29 | G4 | 8-10B | 11 | | | |
| <i>Heliconia stricta</i> Stricta Heliconia | HP | 1.74 | G4 | 8-10B | 11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Heliconia stricta</i> 'Bucky' Bucky Stricta Heliconia | HP | 1.61 | G4 | 8-10B | 11 | | | |
| <i>Heliconia stricta</i> 'Carli's Sharonii' Carli's Sharonii Stricta Heliconia | HP | 1.74 | G4 | 8-10B | 11 | | | |
| <i>Heliconia stricta</i> 'Dimples' Dimples Stricta Heliconia | HP | 1.82 | G4 | 8-10B | 11 | | | |
| <i>Heliconia stricta</i> 'Dorado Gold' Dorado Gold Stricta Heliconia | HP | 2.67 | G4 | 8-10B | 11 | | | |
| <i>Heliconia stricta</i> 'Dwarf Jamaican' Dwarf Jamaican Stricta Heliconia | HP | 1.60 | G4 | 8-10B | 11 | | | |
| <i>Heliconia stricta</i> 'Fire Bird' Fire Bird Stricta Heliconia | HP | 1.51 | G4 | 8-10B | 11 | | | |
| <i>Heliconia stricta</i> 'Iris Bannochie' Iris Bannochie Stricta Heliconia | HP | 1.51 | G4 | 8-10B | 11 | | | |
| <i>Heliconia stricta</i> 'Tagami' Tagami Stricta Heliconia | HP | 1.46 | G4 | 8-10B | 11 | | | |
| <i>Heliconia wagneriana</i> Wagner Heliconia | HP | 1.60 | G4 | 8-10B | 11 | | | |
| <i>Helictotrichon sempervirens</i> Avena | HP | 1.34 | G4 | 5-6 | 7-8 | | | |
| <i>Helictotrichon sempervirens</i> 'Saphirsprundel' Saphirsprundel Avena | HP | 1.36 | G4 | 5-6 | 7-8 | | | |
| <i>Heliopsis helianthoides</i> False Sunflower | HP | 0.93 | G4 | 4-6 | 7-8 | | | |
| <i>Heliopsis helianthoides</i> 'Bressingham Doubloon' P.P. 11270 Bressingham Doubloon False Sunflower | HP | 1.12 | G4 | 3-4 | 5-8 | | | |
| <i>Heliopsis helianthoides</i> 'Lorraine Sunshine' Lorraine Sunshine False Sunflower | HP | 0.93 | G4 | 3-4 | 5-8 | | | |
| <i>Heliopsis helianthoides</i> 'Prairie Sunset' P.P. 13779 Prairie Sunset False Sunflower | HP | 1.93 | G4 | 3-4 | 5-8 | | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> Rough Heliopsis | HP | 0.98 | G4 | 4-6 | 7-8 | | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Asahi' P.P.A.F. Asahi Rough Heliopsis | HP | 1.04 | G4 | 4-6 | 7-8 | | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Ballerina' Ballerina Rough Heliopsis | HP | 1.03 | G4 | 4-6 | 7-8 | | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Goldgefieder' Goldgefieder Rough Heliopsis | HP | 1.11 | G4 | 4-6 | 7-8 | | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Goldgrunherz' Goldgrunherz Rough Heliopsis | HP | 0.99 | G4 | 4-6 | 7-8 | | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Hohlspiegel' Hohlspiegel Rough Heliopsis | HP | 1.27 | G4 | 4-6 | 7-8 | | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Incomparabilis' Incomparabilis Rough Heliopsis | HP | 0.99 | G4 | 4-6 | 7-8 | | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Karat' Karat Rough Heliopsis | HP | 0.70 | G4 | 4-6 | 7-8 | | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Sommersonne' Sommersonne Rough Heliopsis | HP | 0.88 | G4 | 4-6 | 7-8 | | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Venus' Venus Rough Heliopsis | HP | 0.88 | G4 | 3-4 | 5-8 | | | |
| <i>Heliotropium amplexicaule</i> Creeping Heliotrope | HP | 0.87 | G3 | 8-11 | | | | |
| <i>Heliotropium amplexicaule</i> 'Azure Skies' Azure Skies Creeping Heliotrope | HP | 0.87 | G3 | 8-9 | 10-11 | | | |
| <i>Heliotropium arborescens</i> Heliotrope | HP | 0.68 | G3 | 8-11 | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Heliotropium arborescens</i> 'Alba' White Heliotrope | HP | 0.74 | G3 | 8-11 | | | | |
| <i>Heliotropium arborescens</i> 'Atlantis' P.P.A.F. Atlantis Heliotrope | HP | 0.82 | G3 | 8-11 | | | | |
| <i>Heliotropium arborescens</i> 'Black Beauty' Black Beauty Heliotrope | HP | 0.65 | G3 | 8-11 | | | | |
| <i>Heliotropium arborescens</i> 'Blue Wonder' Blue Wonder Heliotrope | HP | 0.63 | G3 | 8-11 | | | | |
| <i>Heliotropium arborescens</i> 'Fragrant Delight' Fragrant Delight Heliotrope | HP | 0.64 | G3 | 8-11 | | | | |
| <i>Heliotropium arborescens</i> 'Iowa' Iowa Heliotrope | HP | 1.45 | G3 | 8-11 | | | | |
| <i>Heliotropium arborescens</i> 'Marine' Marine Heliotrope | HP | 0.74 | R1 | 10-11 | | | | |
| <i>Heliotropium arborescens</i> 'Mini Marine' Mini Marine Heliotrope | HP | 0.79 | G3 | 10-11 | | | | |
| <i>Helleborus argutifolius</i> Corsican Hellebore | HP | 1.58 | G4 | 4-6 | 7-9 | | | |
| <i>Helleborus atrorubens</i> No Common Name Found | HP | 1.06 | G4 | 4-6 | 7-9 | | | |
| <i>Helleborus cyclophyllus</i> No Common Name Found | HP | 1.00 | G4 | 4-6 | 7-9 | | | |
| <i>Helleborus foetidus</i> Bearsfoot Hellebore | HP | 1.42 | G4 | 4-6 | 7-9 | | | |
| <i>Helleborus xhybridus</i> Hybrid Hellebore | HP | 2.13 | G4 | 4-6 | 7-9 | | | |
| <i>Helleborus xhybridus</i> 'Royal Heritage' Royal Heritage™ Lenten Rose | HP | 1.82 | G4 | 4-6 | 7-9 | | | |
| <i>Helleborus xhybridus</i> 'Sunshine Strain' Sunshine Strain Lenten Rose | HP | 1.51 | G4 | 4-6 | 7-9 | | | |
| <i>Helleborus niger</i> Christmas Rose | HP | 1.44 | G4 | 4-6 | 7-9 | | | |
| <i>Helleborus niger</i> 'White Magic' White Magic Christmas Rose | HP | 1.29 | G4 | 4-5 | 6-8 | | | |
| <i>Helleborus odorus</i> No Common Name Found | HP | 1.18 | G4 | 4-6 | 7-9 | | | |
| <i>Helleborus orientalis</i> Lenten Rose | HP | 1.46 | G4 | 5 | 6-8 | | | |
| <i>Helleborus orientalis</i> 'Blue Lady' Blue Lady Lenten Rose | HP | 0.86 | G4 | 5 | 6-8 | | | |
| <i>Helleborus orientalis</i> 'Red Lady' Red Lady Lenten Rose | HP | 0.86 | G4 | 5 | 6-8 | | | |
| <i>Helleborus purpurascens</i> No Common Name Found | HP | 1.58 | G4 | 6 | 7-9 | | | |
| <i>Helleborus viridis</i> Green Hellebore | HP | 1.00 | G4 | 6 | 7 | | | |
| <i>Helxine soleirolii</i> See - <i>Soleirolia soleirolii</i> | | | | | | | | |
| <i>Hemerocallis</i> Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Across the Miles' Across the Miles Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Addie Branch Smith' Addie Branch Smith Daylily | HP | 1.45 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Adjective' Adjective Daylily | HP | 1.42 | G4 | 2-3 | 4-10B | | | |
| <i>Hemerocallis</i> 'Alaska Gold' Alaska Gold Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Alice in Wonderland' Alice in Wonderland Daylily | HP | 1.44 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Allapatha' Allapatha Daylily | HP | 0.65 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Allison' Allison Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Alluring Peach' Alluring Peach Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Along The Way' Along The Way Daylily | HP | 1.10 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Amarillo' Amarillo Daylily | HP | 1.10 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Amen' Amen Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'American Elite Mix' American Elite Mix Daylily | HP | 0.82 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'American Folklife' American Folklife Daylily | HP | 1.37 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'American Pastels' American Pastels Daylily | HP | 0.72 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'American Revolution' American Revolution Daylily | HP | 0.94 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Amethystine' Amethystine Daylily | HP | 0.63 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Andy' Andy Daylily | HP | 0.60 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Angel Mine' Angel Mine Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Angel Sublime' Angel Sublime Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Angel's Delight' Angel's Delight Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ann Abbott' Ann Abbott Daylily | HP | 0.94 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Anna Warner' Anna Warner Daylily | HP | 1.13 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Anne Butcher' Anne Butcher Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Antietam' Antietam Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Anzac' Anzac Daylily | HP | 1.16 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Apollodorus' Apollodorus Daylily | HP | 0.78 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Apple Tart' Apple Tart Daylily | HP | 0.97 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Apricot Beauty' Apricot Beauty Daylily | HP | 0.88 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Apricot Cherry' Apricot Cherry Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Apricot Surprise' Apricot Surprise Daylily | HP | 1.43 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Apricot' Apricot Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Aquarius' Aquarius Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Arkansas Post' Arkansas Post Daylily | HP | 0.96 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Around Town' Around Town Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Artist Etching' Artist Etching Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Artistic Masterpiece' Artistic Masterpiece Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Atem' Atem Daylily | HP | 0.79 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Aten' Aten Daylily | HP | 1.13 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Atlanta Full House' Atlanta Full House Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Atlanta Moonlight' Atlanta Moonlight Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Attention Please' Attention Please Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'August Bright' August Bright Daylily | HP | 0.86 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'August Flame' August Flame Daylily | HP | 0.89 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'August Ruby' August Ruby Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Aurora Raspberry' Aurora Raspberry Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Austin and Faye' Austin and Faye Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Autumn Lace' Autumn Lace Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Autumn Minaret' Autumn Minaret Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Autumn Red' Autumn Red Daylily | HP | 1.16 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Aztec Gold' Aztec Gold Daylily | HP | 0.89 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Baby Julia' Baby Julia Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Baby Moon' Baby Moon Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Baby Princess' Baby Princess Daylily | HP | 1.16 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Baja' Baja Daylily | HP | 1.18 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bald Eagle' Bald Eagle Daylily | HP | 0.85 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Baley Hay' Baley Hay Daylily | HP | 0.93 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ballerina' Ballerina Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Baltimore Oriole' Baltimore Oriole Daylily | HP | 0.95 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bama Maid' Bama Maid Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bama Music' Bama Music Daylily | HP | 1.10 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Barbara Mitchell' Barbara Mitchell Daylily | HP | 1.57 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Barbary Corsair' Barbary Corsair Daylily | HP | 1.12 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Beautiful Morning' Beautiful Morning Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Beloved Country' Beloved Country Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bertie Ferris' Bertie Ferris Daylily | HP | 0.97 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Best of Friends' Best of Friends Daylily | HP | 1.37 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Better Believe It' Better Believe It Daylily | HP | 1.27 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Big Bird' Big Bird Daylily | HP | 1.00 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Big Buster' Big Buster Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Big League' Big League Daylily | HP | 0.76 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Big Splash' Big Splash Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Big Time Happy' Big Time Happy Daylily | HP | 1.29 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Big Wig' Big Wig Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Biggie' Biggie Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bite Size' Bite Size Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bitsy' Bitsy Daylily | HP | 1.24 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bittersweet Honey' Bittersweet Honey Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Black Eyed Stella' P.P. 7909 Black Eyed Stella Daylily | HP | 1.42 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Black Eyed Susan' Black Eyed Susan Daylily | HP | 0.75 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Black Prince' Black Prince Daylily | HP | 0.91 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Blazing Sun' Blazing Sun Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Blessed Peace' Blessed Peace Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Blonde Goddess' Blonde Goddess Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Blue Sheen' Blue Sheen Daylily | HP | 0.91 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Blushing Valentine' Blushing Valentine Daylily | HP | 1.30 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bold Streaker' Bold Streaker Daylily | HP | 1.21 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bonanza' Bonanza Daylily | HP | 1.03 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bonnie Barbara Allen' Bonnie Barbara Allen Daylily | HP | 0.79 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bonny Hour' Bonny Hour Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Border Baby' Border Baby Daylily | HP | 0.95 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Border Beauty' Border Beauty Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Border Honey' Border Honey Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Border Star' Border Star Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bountiful Valley' Bountiful Valley Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bowl of Roses' Bowl of Roses Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bozo' Bozo Daylily | HP | 0.72 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Brackel' Brackel Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Breathless Beauty' Breathless Beauty Daylily | HP | 1.18 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bright Banner' Bright Banner Daylily | HP | 0.59 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bright Sunset' Bright Sunset Daylily | HP | 1.47 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Broadway Lullaby' Broadway Lullaby Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bronze' Bronze Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Bunting' Bunting Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Buried Treasure' Buried Treasure Daylily | HP | 0.91 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Burning Daylight' Burning Daylight Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Buttercurls' Buttercurls Daylily | HP | 0.96 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Buttered Popcorn' Buttered Popcorn Daylily | HP | 0.90 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Butterflake' Butterflake Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Butterpat' Butterpat Daylily | HP | 1.37 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Butterscotch Ruffles' Butterscotch Ruffles Daylily | HP | 0.95 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Butterworth' Butterworth Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Buzz Bomb' Buzz Bomb Daylily | HP | 1.21 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'By Myself' By Myself Daylily | HP | 0.80 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Camden Gold Dollar' Camden Gold Dollar Daylily | HP | 0.92 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Campfire Embers' Campfire Embers Daylily | HP | 0.93 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Canadian Border Patrol' Canadian Border Patrol Daylily | HP | 1.05 | G4 | 2-3 | 4-10B | | | |
| <i>Hemerocallis</i> 'Canadian Goose' Canadian Goose Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Canary Glow' Canary Glow Daylily | HP | 0.82 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Candy Apple' Candy Apple Daylily | HP | 0.86 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Caprician Fiesta' Caprician Fiesta Daylily | HP | 1.45 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Cara Mia' Cara Mia Daylily | HP | 1.06 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Caramel Valley' Caramel Valley Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Carefree Browneye Susan' Carefree Browneye Susan Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Carefree Peach' Carefree Peach Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Carey Quinn' Carey Quinn Daylily | HP | 1.02 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Carmen Marie' Carmen Marie Daylily | HP | 0.66 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Carolyn Criswell' Carolyn Criswell Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Carousel Capers' Carousel Capers Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Carousel Princess' Carousel Princess Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Casedenia' Casedenia Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Castilian' Castilian Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Catherine Woodbery' Catherine Woodbery Daylily | HP | 1.09 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cedar Waxwing' Cedar Waxwing Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Channel Islands' Channel Islands Daylily | HP | 1.03 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Charles Johnson' Charles Johnson Daylily | HP | 1.32 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chartreuse Magic' Chartreuse Magic Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cheek to Cheek' Cheek to Cheek Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cherry Cheeks' Cherry Cheeks Daylily | HP | 1.12 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cherry Lace' Cherry Lace Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Antique Tapestry' Chicago Antique Tapestry Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Apache' Chicago Apache Daylily | HP | 1.25 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Arnie's Choice' Chicago Arnie's Choice Daylily | HP | 1.03 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Atlas' Chicago Atlas Daylily | HP | 1.18 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Aztec' Chicago Aztec Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Blue Eyes' Chicago Blue Eyes Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Candy Cane' Chicago Candy Cane Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Cattelya' Chicago Cattelya Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Cherry' Chicago Cherry Daylily | HP | 1.80 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Comanche' Chicago Comanche Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Chicago Coral' Chicago Coral Daylily | HP | 1.29 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Fire' Chicago Fire Daylily | HP | 1.49 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Full Moon' Chicago Full Moon Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Gold Coast' Chicago Gold Coast Daylily | HP | 0.93 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Gold Strike' Chicago Gold Strike Daylily | HP | 1.08 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Gown' Chicago Gown Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Happiness' Chicago Happiness Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Heirloom' Chicago Heirloom Daylily | HP | 1.47 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Jewel' Chicago Jewel Daylily | HP | 1.32 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Knobby' Chicago Knobby Daylily | HP | 1.03 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Knockout' Chicago Knockout Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Orchid' Chicago Orchid Daylily | HP | 1.00 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Pansy' Chicago Pansy Daylily | HP | 1.29 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Peach Parfait' Chicago Peach Parfait Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Peach' Chicago Peach Daylily | HP | 1.49 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Petite Lace' Chicago Petite Lace Daylily | HP | 1.22 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Petticoats' Chicago Petticoats Daylily | HP | 1.01 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Picotee Memories' Chicago Picotee Memories Daylily | HP | 1.23 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Picotee Pride' Chicago Picotee Pride Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Pink Peace' Chicago Pink Peace Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Plum Pudding' Chicago Plum Pudding Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Princess' Chicago Princess Daylily | HP | 1.21 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Queen' Chicago Queen Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Rosy' Chicago Rosy Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Royal Crown' Chicago Royal Crown Daylily | HP | 1.09 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Royal Heritage' Chicago Royal Heritage Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Royal Robe' Chicago Royal Robe Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Royal' Chicago Royal Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Scintillation' Chicago Scintillation Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Chicago Silver' Chicago Silver Daylily | HP | 1.66 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Sugarplum' Chicago Sugarplum Daylily | HP | 1.31 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Sunrise' Chicago Sunrise Daylily | HP | 1.27 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Violet' Chicago Violet Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chicago Weathermaster' Chicago Weathermaster Daylily | HP | 1.42 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Child Bride' Child Bride Daylily | HP | 0.96 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Children's Festival' Children's Festival Daylily | HP | 1.07 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chinese Scholar' Chinese Scholar Daylily | HP | 0.86 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chloe' Chloe Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Choral Angel' Choral Angel Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chorus Line' Chorus Line Daylily | HP | 1.67 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Chosen Love' Chosen Love Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Christmas Candles' Christmas Candles Daylily | HP | 0.82 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Christmas Carol' Christmas Carol Daylily | HP | 0.90 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Christmas Is' Christmas Is Daylily | HP | 0.92 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Christmas Time' Christmas Time Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cinnamon Glow' Cinnamon Glow Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cinnamon Pleasure' Cinnamon Pleasure Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Classic Golden Splendor' Classic Golden Splendor Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Classic Simplicity' Classic Simplicity Daylily | HP | 0.92 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Classy Lassie' Classy Lassie Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cleo' Cleo Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Close Up' Close Up Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'College Try' College Try Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Color Pageant' Color Pageant Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Colorful Summer' Colorful Summer Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Comedienne' Comedienne Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Coming Up Roses' Coming Up Roses Daylily | HP | 1.12 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Commandment' Commandment Daylily | HP | 1.21 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Cookie Monster' Cookie Monster Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cooling Fountain' Cooling Fountain Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Copper Dawn' Copper Dawn Daylily | HP | 1.26 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Copper Delight' Copper Delight Daylily | HP | 0.51 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Copper Medallion' Copper Medallion Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Coral Mist' Coral Mist Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Corryton Pink' Corryton Pink Daylily | HP | 1.45 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Countess Carrots' Countess Carrots Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Country Fair Winds' Country Fair Winds Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Country Melody' Country Melody Daylily | HP | 1.11 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Country Stroll' Country Stroll Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Country Uncle' Country Uncle Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cradle Song' Cradle Song Daylily | HP | 1.02 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cradle' Cradle Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cranberry Baby' Cranberry Baby Daylily | HP | 0.92 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cream Cloud' Cream Cloud Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cream Drop' Cream Drop Daylily | HP | 0.93 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cream Pudding' Cream Pudding Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Creative Art' Creative Art Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Crestwood Ann' Crestwood Ann Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cricket' Cricket Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Crimson Pirate' Crimson Pirate Daylily | HP | 1.06 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Crimson Shadows' Crimson Shadows Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Crown' Crown Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Crystal Cupid' Crystal Cupid Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cub Scout' Cub Scout Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Curls' Curls Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Cutie Pie' Cutie Pie Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dacquiri' Dacquiri Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Dad's Best White' Dad's Best White Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dainty Deb' Dainty Deb Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dallas Lass' Dallas Lass Daylily | HP | 0.70 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dancing Heart' Dancing Heart Daylily | HP | 1.49 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Danish Style' Danish Style Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Darius' Darius Daylily | HP | 0.84 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dark Ruby' Dark Ruby Daylily | HP | 1.38 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dark Star' Dark Star Daylily | HP | 0.89 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Date Book' Date Book Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dawn Ballet' Dawn Ballet Daylily | HP | 0.86 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dawning Light' Dawning Light Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Decatur Double' Decatur Double Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Decatur Gold' Decatur Gold Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Delicately Yours' Delicately Yours Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Demetrius' Demetrius Daylily | HP | 1.21 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Denmark' Denmark Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Derby Bound' Derby Bound Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Designer Gown' Designer Gown Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dewey Fresh' Dewey Fresh Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Display' Display Daylily | HP | 1.03 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Divine Gift' Divine Gift Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Doll House' Doll House Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dominic' Dominic Daylily | HP | 1.06 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dorothy Lambert' Dorothy Lambert Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Double Almond' Double Almond Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Double Charm' Double Charm Daylily | HP | 0.96 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Double Cutie' Double Cutie Daylily | HP | 0.92 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Double Daffodil' Double Daffodil Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Double Delight' Double Delight Daylily | HP | 1.12 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Double Firecracker' Double Firecracker Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Double Gold' Double Gold Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Double Honey' Double Honey Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Double Jackpot' Double Jackpot Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Double Oh' Double Oh Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Double Peach Charmer' Double Peach Charmer Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Double Persimmon' Double Persimmon Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Double Pompon' Double Pompon Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Double Recurve' Double Recurve Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Double River Wye' Double River Wye Daylily | HP | 1.29 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Double Talk' Double Talk Daylily | HP | 1.10 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dover' Dover Daylily | HP | 0.97 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Down Town' Down Town Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dracula' Dracula Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dragon Lore' Dragon Lore Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dragon Mouth' Dragon Mouth Daylily | HP | 0.78 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dragons Eye' Dragons Eye Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dream Baby' Dream Baby Daylily | HP | 1.39 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dresden Beauty' Dresden Beauty Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dress Circle' Dress Circle Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Duke of Durham' Duke of Durham Daylily | HP | 1.11 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dutch Treat' Dutch Treat Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Dwarf Peach' Dwarf Peach Daylily | HP | 0.86 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Earlianna' Earlianna Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Early Sunset' Early Sunset Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ed Murray' Ed Murray Daylily | HP | 1.09 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Eenie Allegro' Eenie Allegro Daylily | HP | 1.18 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Eenie Chorus' Eenie Chorus Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Eenie Fanfare' Eenie Fanfare Daylily | HP | 1.07 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Eenie Sentry' Eenie Sentry Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Eenie Weenie' Eenie Weenie Daylily | HP | 1.13 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Egyptian Spice' Egyptian Spice Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Elaine Strutt' Elaine Strutt Daylily | HP | 1.24 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Elegant Candy' Elegant Candy Daylily | HP | 1.31 | G4 | 2-3 | 4-10B | | | |
| <i>Hemerocallis</i> 'Elegant Greetings' Elegant Greetings Daylily | HP | 0.90 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Elfin Stella' Elfin Stella Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Elfin' Elfin Daylily | HP | 0.96 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Elizabeth Salter' Elizabeth Salter Daylily | HP | 1.32 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Emerald Crown' Emerald Crown Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Emerald Gown' Emerald Gown Daylily | HP | 0.76 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Eric Junior' Eric Junior Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Erin Prairie' Erin Prairie Daylily | HP | 0.92 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Eruption' Eruption Daylily | HP | 0.78 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Etched in Gold' Etched in Gold Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ethel Smith' Ethel Smith Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Evelyn Claar' Evelyn Claar Daylily | HP | 0.86 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Evening Gown' Evening Gown Daylily | HP | 0.85 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Evergreen Aztec' Evergreen Aztec Daylily | HP | 0.65 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Evergreen Gold' Evergreen Gold Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Exaltation' Exaltation Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Exceptional Display' Exceptional Display Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Eye-Yi-Yi' Eye Yi Yi Daylily | HP | 1.26 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Fabula' Fabula Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Fair Annet' Fair Annet Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Fair Isabell' Fair Isabell Daylily | HP | 1.12 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Fairy Bonnet' Fairy Bonnet Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Fairy Charm' Fairy Charm Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Fairy Tale Pink' Fairy Tale Pink Daylily | HP | 1.21 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Faith Nabor' Faith Nabor Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Fall Glow' Fall Glow Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Family Party' Family Party Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Fashion Model' Fashion Model Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Feather Down' Feather Down Daylily | HP | 1.21 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Fiesta Skirt' Fiesta Skirt Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Final Touch' Final Touch Daylily | HP | 0.66 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Fire Cup' Fire Cup Daylily | HP | 0.96 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Fireside' Fireside Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Firestorm' Firestorm Daylily | HP | 0.84 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'First Stop' First Stop Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Flamboyant Show' Flamboyant Show Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Flames of Fantasy' Flames of Fantasy Daylily | HP | 1.13 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Flamingo' Flamingo Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Flasher' Flasher Daylily | HP | 1.09 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Florissant Charm' Florissant Charm Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Flower Basket' Flower Basket Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Flying Saucer' Flying Saucer Daylily | HP | 1.09 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Fragrant Light' Fragrant Light Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Fragrant Pastel Cheers' Fragrant Pastel Cheers Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Fragrant Treasure' P.P. 8140 Fragrant Treasure Daylily | HP | 1.49 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Frances Fay' Frances Fay Daylily | HP | 1.07 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Frank Gladney' Frank Gladney Daylily | HP | 0.96 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Frankly Scarlet' P.P.A.F. Frankly Scarlet Daylily | HP | 1.80 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Frans Hals' Frans Hals Daylily | HP | 1.01 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Frisilly Ruffles' Frisilly Ruffles Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Frosty Beauty' Frosty Beauty Daylily | HP | 0.80 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Frozen Jade' Frozen Jade Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Fuchsia Dream' Fuchsia Dream Daylily | HP | 1.42 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Fuchsia Flame' Fuchsia Flame Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Galena Moon' Galena Moon Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Galliano' Galliano Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Gamblers Prize' Gamblers Prize Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Garden Party' Garden Party Daylily | HP | 1.34 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Garnet Robe' Garnet Robe Daylily | HP | 0.59 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Gentle Country Breeze' Gentle Country Breeze Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Gentle Shepherd' Gentle Shepherd Daylily | HP | 1.15 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Gentleman Lou' Gentleman Lou Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'George Caleb Bingham' George Caleb Bingham Daylily | HP | 1.13 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Georgette Belden' Georgette Belden Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Gertrude Condon' Gertrude Condon Daylily | HP | 0.69 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Giant Fling' Giant Fling Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Girl Scout' Girl Scout Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Glowing Cantaloupe' Glowing Cantaloupe Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Glowing Heart' Glowing Heart Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Going Places' Going Places Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Gold Crown' Gold Crown Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Gold Medallion' Gold Medallion Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Gold Smurf' Gold Smurf Daylily | HP | 1.90 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Gold Star' Gold Star Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Bell' Golden Bell Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Candles' Golden Candles Daylily | HP | 0.86 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Change' Golden Change Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Chimes' Golden Chimes Daylily | HP | 1.13 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Corduroy' Golden Corduroy Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Dewdrop' Golden Dewdrop Daylily | HP | 0.78 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Gate' Golden Gate Daylily | HP | 1.14 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Gift' Golden Gift Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Golden Ginkgo' Golden Ginkgo Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Mint' Golden Mint Daylily | HP | 0.89 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Navel' Golden Navel Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Peace' Golden Peace Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Plover' Golden Plover Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Prize' Golden Prize Daylily | HP | 1.12 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Riches' Golden Riches Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Sails' Golden Sails Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Sands' Golden Sands Daylily | HP | 0.63 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Sky' Golden Sky Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Slurry' Golden Slurry Daylily | HP | 0.78 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Tycoon' Golden Tycoon Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Golden Zebra' Golden Zebra Daylily | HP | 2.14 | G4 | 2-3 | 4-10B | | | |
| <i>Hemerocallis</i> 'Gordon Biggs' Gordon Biggs Daylily | HP | 1.20 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Grace Delight' Grace Delight Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Graceful Eye' Graceful Eye Daylily | HP | 0.63 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Grammie's List' Grammie's List Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Grand Masterpiece' Grand Masterpiece Daylily | HP | 1.52 | G4 | 2-3 | 4-10B | | | |
| <i>Hemerocallis</i> 'Grape Delight' Grape Delight Daylily | HP | 0.51 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Grape Magic' Grape Magic Daylily | HP | 1.15 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Grape Season' Grape Season Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Grape Velvet' Grape Velvet Daylily | HP | 1.34 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Grapette' Grapette Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Grebe' Grebe Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Green Eyes Wink' Green Eyes Wink Daylily | HP | 0.84 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Green Flutter' Green Flutter Daylily | HP | 1.11 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Green Glitter' Green Glitter Daylily | HP | 0.97 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Green Mansions' Green Mansions Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Green Tarantula' Green Tarantula Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Gregg's Early Yellow' Gregg's Early Yellow Daylily | HP | 1.37 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Greta' Greta Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ground Master' Ground Master Daylily | HP | 0.97 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Grouse' Grouse Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Guardian Angel' Guardian Angel Daylily | HP | 1.45 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hall's Pink' Hall's Pink Daylily | HP | 1.06 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Handiwork' Handiwork Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Happy Apple' Happy Apple Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Happy Returns' Happy Returns Daylily | HP | 1.19 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hawaiian Punch' Hawaiian Punch Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hazel Monette' Hazel Monette Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hazel Sawyer' Hazel Sawyer Daylily | HP | 1.15 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Heady Wine' Heady Wine Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hearts of Fire' Hearts of Fire Daylily | HP | 1.14 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Heavenly Crown' Heavenly Crown Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Heavenly Gem' Heavenly Gem Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Heavenly Harp' Heavenly Harp Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Heavenly Hope' Heavenly Hope Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Heavenly Lace' Heavenly Lace Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Heavenly Peace' Heavenly Peace Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Heavenly Touch' Heavenly Touch Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Heavenly Treasure' Heavenly Treasure Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Heavens Rejoice' Heavens Rejoice Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Heavens Trophy' Heavens Trophy Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Heidi Edelweiss' Heidi Edelweiss Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Heirloom Lace' Heirloom Lace Daylily | HP | 1.10 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Helios' Helios Daylily | HP | 0.78 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hello Dolly' Hello Dolly Daylily | HP | 1.11 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hemlock' Hemlock Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Heron' Heron Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hey There' Hey There Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hillsdale' Hillsdale Daylily | HP | 0.92 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Honey Redhead' Honey Redhead Daylily | HP | 0.79 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hope Diamond' Hope Diamond Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hortensia' Hortensia Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hosanna' Hosanna Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Houdini' Houdini Daylily | HP | 1.10 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'How About That' How About That Daylily | HP | 1.00 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Howdy' Howdy Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hush Little Baby' Hush Little Baby Daylily | HP | 1.32 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hyperion Elite' Hyperion Elite Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hyperion Supreme' Hyperion Supreme Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Hyperion' Hyperion Daylily | HP | 1.08 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ice Carnival' Ice Carnival Daylily | HP | 1.21 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ice Show' Ice Show Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Icecap' Icecap Daylily | HP | 0.98 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Icy Clouds' Icy Clouds Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Imperial Guard' Imperial Guard Daylily | HP | 0.63 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Imperial Lemon' Imperial Lemon Daylily | HP | 1.85 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Indian Love Call' Indian Love Call Daylily | HP | 1.19 | G4 | 2-3 | 4-10B | | | |
| <i>Hemerocallis</i> 'Indian Paintbrush' Indian Paintbrush Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Indian Sky' Indian Sky Daylily | HP | 0.63 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Irish Elf' Irish Elf Daylily | HP | 0.81 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Irish Heart' Irish Heart Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Irish Ice' Irish Ice Daylily | HP | 1.00 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Irish Limerick' Irish Limerick Daylily | HP | 1.02 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Isaac' Isaac Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Isaiah' Isaiah Daylily | HP | 0.98 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Island Sand Dollar' Island Sand Dollar Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Iverson's Orange' Iverson's Orange Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Iverson's Red' Iverson's Red Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Iverson's Yellow' Iverson's Yellow Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ivory Snow' Ivory Snow Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ivydale' Ivydale Daylily | HP | 1.11 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Jack Straw' Jack Straw Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Jade Bowl' Jade Bowl Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Jade Star' Jade Star Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Jamaican Drum' Jamaican Drum Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'James Marsh' James Marsh Daylily | HP | 1.18 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Janice Brown' Janice Brown Daylily | HP | 1.30 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Java Sea' Java Sea Daylily | HP | 1.00 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Jay' Jay Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Je Jung Kim' Je Jung Kim Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Jennifer Grovatt' Jennifer Grovatt Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Jimmie Fry' Jimmie Fry Daylily | HP | 0.86 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Jingle Shell' Jingle Shell Daylily | HP | 0.92 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Jo Jo' Jo Jo Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Jo Wood' Jo Wood Daylily | HP | 0.96 | G4 | 2-3 | 4-10B | | | |
| <i>Hemerocallis</i> 'Joan Senior' Joan Senior Daylily | HP | 1.25 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Joel' Joel Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Jolly Dimples' Jolly Dimples Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Jolly Hearts' Jolly Hearts Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Jovial' Jovial Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Joyful Fancy Free' Joyful Fancy Free Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Juanita' Juanita Daylily | HP | 1.13 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Judah' Judah Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Judith' Judith Daylily | HP | 1.59 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Julia Dillon' Julia Dillon Daylily | HP | 0.90 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'July Gold' July Gold Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'July Sunshine' July Sunshine Daylily | HP | 1.31 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Jungle Princess' Jungle Princess Daylily | HP | 1.00 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Just Sara' Just Sara Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Just So' Just So Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Just Watch' Just Watch Daylily | HP | 0.67 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Justin Miller' Justin Miller Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Katie' Katie Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Kent's Lavender' Kent's Lavender Daylily | HP | 0.78 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'King Alfred' King Alfred Daylily | HP | 1.10 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'King of Hearts' King of Hearts Daylily | HP | 0.76 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Kings Cloak' Kings Cloak Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Kings Throne' Kings Throne Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Kissy Face' Kissy Face Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Kittens Paw' Kittens Paw Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'L 82 S' L 82 S Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'La Louisiane' La Louisiane Daylily | HP | 0.76 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'La Mer' La Mer Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lady Eleanor' Lady Eleanor Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lady Lucille' Lady Lucille Daylily | HP | 1.71 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lamplight Serenade' Lamplight Serenade Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lampighter' Lampighter Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Late Cream' Late Cream Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Late Glory' Late Glory Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Late Plum' Late Plum Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Late Summer' Late Summer Daylily | HP | 1.31 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lavender Aristocrat' Lavender Aristocrat Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lavender Blush' Lavender Blush Daylily | HP | 1.52 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Lavender Bubbles' Lavender Bubbles Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lavender Dew' Lavender Dew Daylily | HP | 1.06 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lavender Eyes' Lavender Eyes Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lavender Frolic' Lavender Frolic Daylily | HP | 0.76 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lavender Peace' Lavender Peace Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lavender Sky' Lavender Sky Daylily | HP | 0.76 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Leebea Orange Crush' Leebea Orange Crush Daylily | HP | 1.42 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lemon Bells' Lemon Bells Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lemon Cap' Lemon Cap Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lemon Delight' Lemon Delight Daylily | HP | 0.51 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lemon Drops' Lemon Drops Daylily | HP | 0.63 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lemon Lace' Lemon Lace Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lemon Mint' Lemon Mint Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lemon Pectin' Lemon Pectin Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lemon Showers' Lemon Showers Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lemon Yellow' Lemon Yellow Daylily | HP | 0.89 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Liberator' Liberator Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lights of Paris' Lights of Paris Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lilac Greetings' Lilac Greetings Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lilio' Lilio Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lillian Fry' Lillian Fry Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Linda' Linda Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Audrey' Little Audrey Daylily | HP | 1.29 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Beige Magic' Little Beige Magic Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Bugger' Little Bugger Daylily | HP | 0.96 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Bumblebee' Little Bumblebee Daylily | HP | 0.93 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Business' Little Business Daylily | HP | 1.07 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Cadet' Little Cadet Daylily | HP | 0.91 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Carnation' Little Carnation Daylily | HP | 1.32 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Little Carpet' Little Carpet Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Carrot Top' Little Carrot Top Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Celena' Little Celena Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Cherub' Little Cherub Daylily | HP | 0.96 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Cobbler' Little Cobbler Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Cranberry Cove' Little Cranberry Cove Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Cutie' Little Cutie Daylily | HP | 0.68 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Dandy' Little Dandy Daylily | HP | 0.96 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Delight' Little Delight Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Fairy' Little Fairy Daylily | HP | 0.76 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Fantastic' Little Fantastic Daylily | HP | 0.79 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Fat Dazzler' Little Fat Dazzler Daylily | HP | 0.64 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Flock' Little Flock Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Grapette' Little Grapette Daylily | HP | 1.36 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Heart' Little Heart Daylily | HP | 1.31 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Heavenly Angel' Little Heavenly Angel Daylily | HP | 1.17 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Idy' Little Idy Daylily | HP | 0.91 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Jack' Little Jack Daylily | HP | 0.73 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Lavendar Princess' Little Lavendar Princess Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Men' Little Men Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Miss Sunshine' Little Miss Sunshine Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Monica' Little Monica Daylily | HP | 0.91 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Orange Giant' Little Orange Giant Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Peach Parfait' Little Peach Parfait Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Pumpkin Face' Little Pumpkin Face Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Rainbow' Little Rainbow Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Red Hot' Little Red Hot Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Skipper' Little Skipper Daylily | HP | 0.96 | G4 | 2-3 | 4-10B | | | |
| <i>Hemerocallis</i> 'Little Squiz' Little Squiz Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Little Sweet Sue' Little Sweet Sue Daylily | HP | 1.00 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Tawny' Little Tawny Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Tyke' Little Tyke Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Valentine' Little Valentine Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Wart' Little Wart Daylily | HP | 0.59 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Wine Cup' Little Wine Cup Daylily | HP | 1.13 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Little Women' Little Women Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Loaded' Loaded Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lollipop' Lollipop Daylily | HP | 0.68 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Look of Love' Look of Love Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lord Camden' Lord Camden Daylily | HP | 1.01 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lord Randal' Lord Randal Daylily | HP | 1.07 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Louise Manelis' Louise Manelis Daylily | HP | 1.15 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Love It' Love It Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Loveliest Grace' Loveliest Grace Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lovely Rose' Lovely Rose Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Loving Memories' Loving Memories Daylily | HP | 0.67 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Luann' Luann Daylily | HP | 0.59 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lullaby Baby' Lullaby Baby Daylily | HP | 0.88 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lupine' Lupine Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lusty Lealand' Lusty Lealand Daylily | HP | 1.27 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Luxury Lace' Luxury Lace Daylily | HP | 1.00 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Lynn Hall' Lynn Hall Daylily | HP | 0.88 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Madame Chiang' Madame Chiang Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Madison Avenue' Madison Avenue Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Magic Dawn' Magic Dawn Daylily | HP | 0.89 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Magic Wand' Magic Wand Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Making Whoopee' Making Whoopee Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mallard' Mallard Daylily | HP | 0.90 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Manilla Moon' Manilla Moon Daylily | HP | 1.00 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Marci' Marci Daylily | HP | 0.66 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Marcia Fay' Marcia Fay Daylily | HP | 1.00 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Margaret Perry' Margaret Perry Daylily | HP | 0.79 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Margaret Terry' See - <i>Hemerocallis</i> 'Margaret Perry' | | | | | | | | |
| <i>Hemerocallis</i> 'Margaret Weimer' Margaret Weimer Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Marginella' Marginella Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mary Elizabeth' Mary Elizabeth Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mary Reed' Mary Reed Daylily | HP | 1.20 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mary Todd' Mary Todd Daylily | HP | 1.14 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mateus' Mateus Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Matt' Matt Daylily | HP | 0.79 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mauna Loa' Mauna Loa Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'May Colvin' May Colvin Daylily | HP | 1.02 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mayan Gold' Mayan Gold Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Maybe So' Maybe So Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'McPick' McPick Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Meadow Lark' Meadow Lark Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Meadow Mist' Meadow Mist Daylily | HP | 1.26 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mel's Folly' Mel's Folly Daylily | HP | 1.45 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Melon Balls' Melon Balls Daylily | HP | 1.33 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Meno' Meno Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Merle Kent' Merle Kent Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mexican Dance' Mexican Dance Daylily | HP | 0.92 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mexican Way' Mexican Way Daylily | HP | 0.70 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Miami Mood' Miami Mood Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mikado' Mikado Daylily | HP | 1.02 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ming Snow' Ming Snow Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ming Toy' Ming Toy Daylily | HP | 0.96 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Mini Gold' Mini Gold Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mini Pearl' Mini Pearl Daylily | HP | 1.35 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mini Stella' Mini Stella Daylily | HP | 1.09 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Minnie Morgan' Minnie Morgan Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Minor' Minor Daylily | HP | 0.76 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Minstrel Boy' Minstrel Boy Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Miss Aimee' Miss Aimee Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Miss Ozie' Miss Ozie Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Miss Victoria' Miss Victoria Daylily | HP | 1.21 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mission Moonlight' Mission Moonlight Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Missouri Beauty Yellow' Missouri Beauty Yellow Daylily | HP | 0.96 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Missouri Beauty' Missouri Beauty Daylily | HP | 0.88 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mockingbird' Mockingbird Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Molten Magma' Molten Magma Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mond' Starburst™ Red Daylily | HP | 1.16 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Monge' Starburst™ Orange Daylily | HP | 1.16 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Monie' Starburst™ Susie Daylily | HP | 1.16 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Monld' Starburst™ Single Gold Daylily | HP | 1.15 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Monold' Starburst™ Double Gold Daylily | HP | 0.97 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Monon' Starburst™ Salmon Daylily | HP | 1.15 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Monow' Starburst™ Yellow Daylily | HP | 1.16 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Monve' Starburst™ Mauve Daylily | HP | 1.13 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Moonlight Cannonball' Moonlight Cannonball Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Moonlight Mist' Moonlight Mist Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mountain Heights' Mountain Heights Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mountain Laurel' Mountain Laurel Daylily | HP | 0.92 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Mountain Violet' Mountain Violet Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'My Funny Valentine' My Funny Valentine Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'My Hope' My Hope Daylily | HP | 0.97 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'My Melinda' My Melinda Daylily | HP | 1.42 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'My Path' My Path Daylily | HP | 1.26 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'My Regards' My Regards Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'My Signature' My Signature Daylily | HP | 1.12 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'My Ways' My Ways Daylily | HP | 1.49 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Naomi Ruth' Naomi Ruth Daylily | HP | 1.13 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Nashville' Nashville Daylily | HP | 0.66 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Neyron Rose' Neyron Rose Daylily | HP | 0.89 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Night Beacon' Night Beacon Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'North Star' North Star Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Northbrook Star' Northbrook Star Daylily | HP | 0.91 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Northfield' Northfield Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Numinous Moments' Numinous Moments Daylily | HP | 0.78 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Nuthatch' Nuthatch Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Nymph' Nymph Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ocean Rain' Ocean Rain Daylily | HP | 1.30 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Olive Bailey Langdon' Olive Bailey Langdon Daylily | HP | 1.15 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Olympic Gold' Olympic Gold Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Open Hearth' Open Hearth Daylily | HP | 1.08 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ophir' Ophir Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Orange Blaze' Orange Blaze Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Orange Buttons' Orange Buttons Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Orange Gumdrops' Orange Gumdrops Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Orange King' Orange King Daylily | HP | 1.10 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Orange Monarch' Orange Monarch Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Orange Surprise' Orange Surprise Daylily | HP | 0.76 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Orange Velvet' Orange Velvet Daylily | HP | 1.32 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Oriental Gem' Oriental Gem Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Oriental Ruby' Oriental Ruby Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Over There' Over There Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Painted Trillium' Painted Trillium Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Palace Pearls' Palace Pearls Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Palace Station' Palace Station Daylily | HP | 1.45 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pandora's Box' Pandora's Box Daylily | HP | 1.08 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Paprika Velvet' Paprika Velvet Daylily | HP | 0.96 | G4 | 2-3 | 4-10B | | | |
| <i>Hemerocallis</i> 'Paradise Prince' Paradise Prince Daylily | HP | 1.03 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pardon Me' Pardon Me Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Parfait' Parfait Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Parian China' Parian China Daylily | HP | 0.87 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Party Partner' Party Partner Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pastel Inspiration' Pastel Inspiration Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pastures of Pleasure' Pastures of Pleasure Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Patio Parade' Patio Parade Daylily | HP | 1.38 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Patricia Fay' Patricia Fay Daylily | HP | 1.10 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Patterns' Patterns Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Patti Neyland' Patti Neyland Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Peaceful Day' Peaceful Day Daylily | HP | 0.78 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Peach Fairy' Peach Fairy Daylily | HP | 1.11 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Peach Pebbles' Peach Pebbles Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Peach Pep Talk' Peach Pep Talk Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Peachy Pink' Peachy Pink Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Penny's Worth' Penny's Worth Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Perennial Pleasure' Perennial Pleasure Daylily | HP | 1.32 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Perfect Peach Glory' See - <i>Hemerocallis</i> 'Robgloper' P.P. 10881 | | | | | | | | |
| <i>Hemerocallis</i> 'Perpetual Motion' Perpetual Motion Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Persian Market' Persian Market Daylily | HP | 0.87 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Persian Peach' Persian Peach Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Persian Shrine' Persian Shrine Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Personal Appearance' Personal Appearance Daylily | HP | 1.07 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Petite Ballet' Petite Ballet Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Petite One' Petite One Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Petite Palace Rose' Petite Palace Rose Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Petite Rouge' Petite Rouge Daylily | HP | 1.14 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Phoebe' Phoebe Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Picture Hat' Picture Hat Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pieces of Eight' Pieces of Eight Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pilot Light' Pilot Light Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pineapple Frost' Pineapple Frost Daylily | HP | 1.03 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pink Bailey' Pink Bailey Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pink Ballerina' Pink Ballerina Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pink Charm' Pink Charm Daylily | HP | 1.13 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pink Damask' Pink Damask Daylily | HP | 1.02 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pink Delight' Pink Delight Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pink Embers' Pink Embers Daylily | HP | 1.15 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pink Flirt' Pink Flirt Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pink Lavender Appeal' Pink Lavender Appeal Daylily | HP | 0.93 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pink Lemonade' Pink Lemonade Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pink Playmate' Pink Playmate Daylily | HP | 1.24 | G4 | 2-3 | 4-10B | | | |
| <i>Hemerocallis</i> 'Pink Sparkler' Pink Sparkler Daylily | HP | 1.23 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pink Tangerine' Pink Tangerine Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pittance' Pittance Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pixie Beauty' Pixie Beauty Daylily | HP | 0.77 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pixie Face' Pixie Face Daylily | HP | 0.86 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pixie Parasol' Pixie Parasol Daylily | HP | 0.95 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pixie Peach' Pixie Peach Daylily | HP | 1.08 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pizza' Pizza Daylily | HP | 0.91 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pleasant Hill Pink' Pleasant Hill Pink Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Pleasant Hours' Pleasant Hours Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pleasing Lavender' Pleasing Lavender Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Plum Beauty' Plum Beauty Daylily | HP | 1.87 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Plum Perfect' Plum Perfect Daylily | HP | 1.80 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Plush' Plush Daylily | HP | 0.91 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pocket Full of Gold' See - <i>Hemerocallis</i> 'Poczam' | | | | | | | | |
| <i>Hemerocallis</i> 'Poczam' Pocket Full of Gold Daylily | HP | 1.25 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pojo' Pojo Daylily | HP | 0.66 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pomp and Circumstance' Pomp and Circumstance Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pompeian Purple' Pompeian Purple Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pony' Pony Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ponytail Pink' Ponytail Pink Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Posh Design' Posh Design Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Potters Clay' Potters Clay Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Prairie Belle' Prairie Belle Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Prairie Blue Eyes' Prairie Blue Eyes Daylily | HP | 1.06 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Prairie Lark' Prairie Lark Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Prairie Moonlight' Prairie Moonlight Daylily | HP | 1.27 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Prairie Sunburst' Prairie Sunburst Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Prayer Song' Prayer Song Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Precious Love' Precious Love Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Precious One' Precious One Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pretty Miss' Pretty Miss Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Prima Donna' Prima Donna Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Prize Picotee Deluxe' Prize Picotee Deluxe Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Prize Picotee Elite' Prize Picotee Elite Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Psalter and Harp' Psalter and Harp Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Puddin' Puddin Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pudgie' Pudgie Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Pumpkin Kid' Pumpkin Kid Daylily | HP | 1.32 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pure Bliss' Pure Bliss Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pure Light' Pure Light Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Pure and Simple' Pure and Simple Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Purely' Purely Daylily | HP | 0.94 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Purest Treasure' Purest Treasure Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Purple Bicolor' Purple Bicolor Daylily | HP | 1.12 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Purple Dot' Purple Dot Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Purple Galaxy' Purple Galaxy Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Purple Magic' Purple Magic Daylily | HP | 1.09 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Purple Pauper' Purple Pauper Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Purple Sherbet' Purple Sherbet Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Purple Splendor' Purple Splendor Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Purple Waters' Purple Waters Daylily | HP | 1.19 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Purple de Oro' Purple de Oro Daylily | HP | 0.94 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Quaking Aspen' Quaking Aspen Daylily | HP | 1.32 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Queen Eleanor' Queen Eleanor Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Radiant Beams' Radiant Beams Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Raindrop' Raindrop Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Rajah' Rajah Daylily | HP | 1.26 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Raspberry Charmer' Raspberry Charmer Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Raspberry Pixie' Raspberry Pixie Daylily | HP | 1.42 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Raspberry Season' Raspberry Season Daylily | HP | 0.76 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Razzmatazz' Razzmatazz Daylily | HP | 1.52 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Readers Vision' Readers Vision Daylily | HP | 1.24 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Rebel Boy' Rebel Boy Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Reblooming Gold' Reblooming Gold Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Cadet' Red Cadet Daylily | HP | 1.32 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Cup' Red Cup Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Red Evergreen' Red Evergreen Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Landscape Supreme' Red Landscape Supreme Daylily | HP | 0.70 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Magic' Red Magic Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Mittens' Red Mittens Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Pinnocchio' Red Pinnocchio Daylily | HP | 1.09 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Poll' Red Poll Daylily | HP | 1.02 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Razzmatazz' Red Razzmatazz Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Reward' Red Reward Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Ripples' Red Ripples Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Rocket' Red Rocket Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Rum' Red Rum Daylily | HP | 1.07 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Select' Red Select Daylily | HP | 1.14 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Siren' Red Siren Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Top' Red Top Daylily | HP | 1.66 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red Volunteer' Red Volunteer Daylily | HP | 1.48 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Red W76-82' Red W76-82 Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Redstart' Redstart Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Regal Air' Regal Air Daylily | HP | 1.26 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Regency Dandy' Regency Dandy Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Renee' Renee Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Renegade Red' Renegade Red Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Resounding Harp' Resounding Harp Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Respighi' Respighi Daylily | HP | 1.26 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Resplendent' Resplendent Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Resurrection Yellow' Resurrection Yellow Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Rhapsody in Pink' Rhapsody in Pink Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Robgloper' P.P. 10881 Perfect Peach Glory™ Daylily | HP | 1.22 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Rocket City' Rocket City Daylily | HP | 1.18 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Rogues Mascarade' Rogues Mascarade Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Romantic Rose' Romantic Rose Daylily | HP | 1.17 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Root Beer' Root Beer Daylily | HP | 0.92 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Rooten Tooten Red' Rooten Tooten Red Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Rose Festival' Rose Festival Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Rosie Meyer' Rosie Meyer Daylily | HP | 0.65 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Rosy Echo' Rosy Echo Daylily | HP | 1.07 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Route Sixty-Six' Route Sixty-Six Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Royal Garnet' Royal Garnet Daylily | HP | 1.66 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Royal Mountie' Royal Mountie Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Royal Palace Guard' Royal Palace Guard Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Royal Palace Prince' Royal Palace Prince Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Royal Red' Royal Red Daylily | HP | 1.08 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Royal Subject' Royal Subject Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ruby Throat' Ruby Throat Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ruffled Apricot' Ruffled Apricot Daylily | HP | 1.19 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ruffled Ruby' Ruffled Ruby Daylily | HP | 1.14 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Russian Rhapsody' Russian Rhapsody Daylily | HP | 1.10 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Rusty' Rusty Daylily | HP | 1.10 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Ruthie Baby' Ruthie Baby Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sacred Shield' Sacred Shield Daylily | HP | 1.02 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sacred Song' Sacred Song Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sahara Sands' Sahara Sands Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Salmon Sheen' Salmon Sheen Daylily | HP | 0.89 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sammy Russell' Sammy Russell Daylily | HP | 0.78 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Samoa' Samoa Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sassy Sally' Sassy Sally Daylily | HP | 0.56 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Satin Clouds' Satin Clouds Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Satinique' Satinique Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Savannah Moon' Savannah Moon Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Scaramouche' Scaramouche Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Scarlet Apache' Scarlet Apache Daylily | HP | 1.01 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Scarlet Oak' Scarlet Oak Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Scarlet Orbit' Scarlet Orbit Daylily | HP | 1.27 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Scarlet Romance' Scarlet Romance Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Scarlet Royalty' Scarlet Royalty Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Scarlet Tanager' Scarlet Tanager Daylily | HP | 0.80 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Scarlock' Scarlock Daylily | HP | 0.69 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Scotch Bonnet' Scotch Bonnet Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Screaming Yellow Zonkers' Screaming Yellow Zonkers Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Screech Owl' Screech Owl Daylily | HP | 0.84 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sea Gold' Sea Gold Daylily | HP | 0.75 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Searcy Marsh' Searcy Marsh Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Second Glance' Second Glance Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Secret Heart' Secret Heart Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Seducator' Seducator Daylily | HP | 0.66 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Select Set' Select Set Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'September Gold' September Gold Daylily | HP | 1.16 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Serpentine' Serpentine Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Shades of Stella' Shades of Stella Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Shady Lady' Shady Lady Daylily | HP | 0.98 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Shaman' Shaman Daylily | HP | 0.92 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Shari Harrison' Shari Harrison Daylily | HP | 0.73 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sherwood Gladiator' Sherwood Gladiator Daylily | HP | 1.13 | G4 | 2-3 | 4-10B | | | |
| <i>Hemerocallis</i> 'Sherwood Lemon Drop' Sherwood Lemon Drop Daylily | HP | 1.37 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Shiloh' Shiloh Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Shortee' Shortee or Stella Junior Daylily | HP | 1.36 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Silent Stars' Silent Stars Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Silk Ruffles' Silk Ruffles Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Siloam Baby Talk' Siloam Baby Talk Daylily | HP | 1.24 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Betty Barnes' Siloam Betty Barnes Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Bo Peep' Siloam Bo Peep Daylily | HP | 0.66 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Button Box' Siloam Button Box Daylily | HP | 0.73 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Bye Lo' Siloam Bye Lo Daylily | HP | 1.08 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Charles Stinnett' Siloam Charles Stinnett Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Cherry Chimes' Siloam Cherry Chimes Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Cinderella' Siloam Cinderella Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Doodlebug' Siloam Doodlebug Daylily | HP | 1.38 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Double Classic' Siloam Double Classic Daylily | HP | 1.16 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Edith Sholar' Siloam Edith Sholar Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Ethel Smith' Siloam Ethel Smith Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Fairy Mist' Siloam Fairy Mist Daylily | HP | 1.12 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Fairy Tale' Siloam Fairy Tale Daylily | HP | 1.15 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam French Doll' Siloam French Doll Daylily | HP | 1.03 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Gold Nugget' Siloam Gold Nugget Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Gumdrop' Siloam Gumdrop Daylily | HP | 1.23 | G4 | 2-3 | 4-10B | | | |
| <i>Hemerocallis</i> 'Siloam June Bug' Siloam June Bug Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Kewpie Doll' Siloam Kewpie Doll Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Little Girl' Siloam Little Girl Daylily | HP | 1.32 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Merle Kent' Siloam Merle Kent Daylily | HP | 1.35 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Mixed' Siloam Mixed Daylily | HP | 1.06 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Orchid Jewel' Siloam Orchid Jewel Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Pee Wee' Siloam Pee Wee Daylily | HP | 1.00 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Pink Glow' Siloam Pink Glow Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Pink Petite' Siloam Pink Petite Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Plum Tree' Siloam Plum Tree Daylily | HP | 1.10 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Pocket Size' Siloam Pocket Size Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Prissy' Siloam Prissy Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Siloam Rainbow Magic' Siloam Rainbow Magic Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Red Ruby' Siloam Red Ruby Daylily | HP | 1.22 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Red Toy' Siloam Red Toy Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Red Velvet' Siloam Red Velvet Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Ribbon Candy' Siloam Ribbon Candy Daylily | HP | 0.85 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Royal Prince' Siloam Royal Prince Daylily | HP | 1.05 | G4 | 2-3 | 4-10B | | | |
| <i>Hemerocallis</i> 'Siloam Show Girl' Siloam Show Girl Daylily | HP | 1.32 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Special' Siloam Special Daylily | HP | 0.66 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Sugar Time' Siloam Sugar Time Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Sugarplum' Siloam Sugarplum Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Tee Tiny' Siloam Tee Tiny Daylily | HP | 1.62 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Tinker Toy' Siloam Tinker Toy Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Tiny Mite' Siloam Tiny Mite Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Toddler' Siloam Toddler Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Ury Winniford' Siloam Ury Winniford Daylily | HP | 0.96 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Siloam Virginia Henson' Siloam Virginia Henson Daylily | HP | 1.28 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Silver Fan' Silver Fan Daylily | HP | 1.06 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Silver Trumpet' Silver Trumpet Daylily | HP | 0.95 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Simply Wild' Simply Wild Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sincere Wishes' Sincere Wishes Daylily | HP | 0.76 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sing Again' Sing Again Daylily | HP | 0.76 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sir Patrick Spens' Sir Patrick Spens Daylily | HP | 1.26 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sirocco' Sirocco Daylily | HP | 0.93 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sleigh Ride' Sleigh Ride Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Small Gesture' Small Gesture Daylily | HP | 1.18 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Snappy Yellow' Snappy Yellow Daylily | HP | 1.01 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Snow Valley' Snow Valley Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Snowy Apparition' Snowy Apparition Daylily | HP | 1.00 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Snowy Owl' Snowy Owl Daylily | HP | 1.01 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'So Sweet' So Sweet Daylily | HP | 0.94 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sombrero Gold' Sombrero Gold Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sombrero Way' Sombrero Way Daylily | HP | 1.12 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Song Sparrow' Song Sparrow Daylily | HP | 1.06 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Song of Praise' Song of Praise Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Songbird' Songbird Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sounds of Silence' Sounds of Silence Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sparkling Raiment' Sparkling Raiment Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sparkling Stars' Sparkling Stars Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Spectacular Sight' Spectacular Sight Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Spellbinder' Spellbinder Daylily | HP | 1.32 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Spider Man' Spider Man Daylily | HP | 0.56 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Spider Mixed' Spider Mixed Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Spring Bride' Spring Bride Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Spring Chimes' Spring Chimes Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Staghorn Sumac' Staghorn Sumac Daylily | HP | 0.84 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Star Dream' Star Dream Daylily | HP | 1.31 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Starburst Double Gold' See - <i>Hemerocallis</i> 'Monold' | | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Mauve' See - <i>Hemerocallis</i> 'Monve' | | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Orange' See - <i>Hemerocallis</i> 'Monge' | | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Red' See - <i>Hemerocallis</i> 'Mond' | | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Salmon' See - <i>Hemerocallis</i> 'Monon' | | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Single Gold' See - <i>Hemerocallis</i> 'Monld' | | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Susie' See - <i>Hemerocallis</i> 'Monie' | | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Yellow' See - <i>Hemerocallis</i> 'Monow' | | | | | | | | |
| <i>Hemerocallis</i> 'Starling' Starling Daylily | HP | 0.97 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Starstruck' Starstruck Daylily | HP | 1.12 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Startle' Startle Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Stella de Oro' Stella de Oro Daylily | HP | 1.06 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Strawberry Candy' Strawberry Candy Daylily | HP | 1.43 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Strutter's Ball' Strutter's Ball Daylily | HP | 1.64 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sue Rothbauer' Sue Rothbauer Daylily | HP | 1.59 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sultan's Ruby' Sultan's Ruby Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Summer Love' Summer Love Daylily | HP | 0.67 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Summer Sun' Summer Sun Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Summer Tanager' Summer Tanager Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Summer Wine' Summer Wine Daylily | HP | 1.10 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sun Capers' Sun Capers Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sun Pixie' Sun Pixie Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sun's Face' Sun's Face Daylily | HP | 1.45 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sun's Glory' Sun's Glory Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sunburnt Mandarin' Sunburnt Mandarin Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sunday Gloves' Sunday Gloves Daylily | HP | 1.23 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sunny Delight' Sunny Delight Daylily | HP | 0.72 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sunset Flare' Sunset Flare Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sunset Sonata' Sunset Sonata Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sunshine Delight' Sunshine Delight Daylily | HP | 0.85 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Superior Apricot' Superior Apricot Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Superior Red' Superior Red Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Suzie Wong' Suzie Wong Daylily | HP | 1.13 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Svengali' Svengali Daylily | HP | 1.45 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Swamp Yankee' Swamp Yankee Daylily | HP | 0.89 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sweet Child' Sweet Child Daylily | HP | 0.94 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sweet Georgia Brown' Sweet Georgia Brown Daylily | HP | 0.79 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sweet Pea' Sweet Pea Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Sweet Reflection' Sweet Reflection Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Swelling Anthem' Swelling Anthem Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Swing Again' Swing Again Daylily | HP | 0.78 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Swirling Water' Swirling Water Daylily | HP | 1.26 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Swiss Miss' Swiss Miss Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tangerine' Tangerine Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Techny Breeze' Techny Breeze Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Techny Peach Lace' Techny Peach Lace Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Techny Perfume Delight' Techny Perfume Delight Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Techny Spider' Techny Spider Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Techny Water Bug' Techny Water Bug Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Teenager' Teenager Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tejas' Tejas Daylily | HP | 0.53 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Temple Bells' Temple Bells Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tender Shepherd' Tender Shepherd Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Teri Ellis' Teri Ellis Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Terracotta Baby' Terracotta Baby Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tetraploid Stella de Oro' Tetraploid Stella de Oro Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tetrina's Daughter' Tetrina's Daughter Daylily | HP | 1.25 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Texas Foundling' Texas Foundling Daylily | HP | 1.03 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Texas Sunlight' Texas Sunlight Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Thankful Song' Thankful Song Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Thousand Voices' Thousand Voices Daylily | HP | 0.86 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Thumbelina' Thumbelina Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Thunder Gold' Thunder Gold Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tick Tock' Tick Tock Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tickled Pink' Tickled Pink Daylily | HP | 0.97 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Timeless Sands' Timeless Sands Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Timeless' Timeless Daylily | HP | 1.20 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tiny Miss' Tiny Miss Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tiny Pumpkin' Tiny Pumpkin Daylily | HP | 0.61 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tiny Trumpeter' Tiny Trumpeter Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Tobi Genie' Tobi Genie Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Todd Monroe' Todd Monroe Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tom Collins' Tom Collins Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tommy' Tommy Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Too Marvelous' Too Marvelous Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tootsie' Tootsie Daylily | HP | 0.65 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Touch of Mink' Touch of Mink Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Towhee' Towhee Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Toyland' Toyland Daylily | HP | 1.62 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Traffic Signal' Traffic Signal Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Treasure Gold' Treasure Gold Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Treasure Room' Treasure Room Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tree Swallow' Tree Swallow Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tricolor Rose Ruffles' Tricolor Rose Ruffles Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Triumph Glorious' Triumph Glorious Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tropical Sherbet' Tropical Sherbet Daylily | HP | 0.91 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Tropical Sun' Tropical Sun Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Upper Class Peach' Upper Class Peach Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Valentine Hearts' Valentine Hearts Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Valley Isle' Valley Isle Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Vanilla Fluff' Vanilla Fluff Daylily | HP | 1.35 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Varsity' Varsity Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Velvet Butterfly' Velvet Butterfly Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Velvet Wine' Velvet Wine Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Verger' Verger Daylily | HP | 0.75 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Victoria Aden' Victoria Aden Daylily | HP | 0.73 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Viette's Cream' Viette's Cream Daylily | HP | 0.76 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Violet Light' Violet Light Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Vireo' Vireo Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Vivacious' Vivacious Daylily | HP | 1.30 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Walk Humbly' Walk Humbly Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wally Nance' Wally Nance Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wayside Cantaloupe Caper' Wayside Cantaloupe Caper Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wayside Doe Eyes' Wayside Doe Eyes Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wayside Green Imp' Wayside Green Imp Daylily | HP | 0.98 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wayside King Royale' Wayside King Royale Daylily | HP | 0.88 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wayside Lavender Frills' Wayside Lavender Frills Daylily | HP | 1.01 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wayside Painted Lady' Wayside Painted Lady Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wayside Peach Parfait' Wayside Peach Parfait Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wayside Plains Indian' Wayside Plains Indian Daylily | HP | 1.01 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wayside Princess' Wayside Princess Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wayside Red Ensign' Wayside Red Ensign Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wayside Sweet Impression' Wayside Sweet Impression Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Welcome Mat' Welcome Mat Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Westward Vision' Westward Vision Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'White Dish' White Dish Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'White Lady' White Lady Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'White Temptation' White Temptation Daylily | HP | 1.62 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'White Triangle' White Triangle Daylily | HP | 0.70 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'White Zircon' White Zircon Daylily | HP | 1.00 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Whiz Bang' Whiz Bang Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wide Wide World' Wide Wide World Daylily | HP | 0.99 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wild Heart' Wild Heart Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wild Turkey' Wild Turkey Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wild Welcome' Wild Welcome Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Will Return' Will Return Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wilson Yellow' Wilson Yellow Daylily | HP | 0.69 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Window Dressing' Window Dressing Daylily | HP | 1.16 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Wine Bubbles' Wine Bubbles Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wine Delight' Wine Delight Daylily | HP | 0.80 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wineberry Candy' Wineberry Candy Daylily | HP | 1.85 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Winnie the Pooh' Winnie the Pooh Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Winniford' Winniford Daylily | HP | 0.65 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Winning Ways' Winning Ways Daylily | HP | 0.96 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Winsome Lady' Winsome Lady Daylily | HP | 0.79 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Winter Olympics' Winter Olympics Daylily | HP | 1.01 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Witch Hazel' Witch Hazel Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wood Duck' Wood Duck Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Woodcock' Woodcock Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Woodside Amethyst' Woodside Amethyst Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Woodside Fire Dance' Woodside Fire Dance Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Woodside Romance' Woodside Romance Daylily | HP | 1.32 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wren' Wren Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Wynnson' Wynnson Daylily | HP | 0.86 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Yangtze' Yangtze Daylily | HP | 0.66 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Yellow Diamond' Yellow Diamond Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Yellow Explosion' Yellow Explosion Daylily | HP | 1.45 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Yellow Ladyslipper' Yellow Ladyslipper Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Yellow Landscape Supreme' Yellow Landscape Supreme Daylily | HP | 0.67 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Yellow Lollipop' Yellow Lollipop Daylily | HP | 1.22 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Yellow Louise' Yellow Louise Daylily | HP | 0.60 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Yellow Multiflora' Yellow Multiflora Daylily | HP | 0.83 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Yellow Petticoats' Yellow Petticoats Daylily | HP | 1.69 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Yellow Shiners' Yellow Shiners Daylily | HP | 0.78 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Yellow Tinkerbelle' Yellow Tinkerbelle Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Yellow Treasure' Yellow Treasure Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Yellowstone' Yellowstone Daylily | HP | 1.12 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Yesterday Memories' Yesterday Memories Daylily | HP | 1.28 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Young Countess' Young Countess Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Young Love' Young Love Daylily | HP | 1.06 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Zarahemla' Zarahemla Daylily | HP | 1.08 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Zielone Zloto' Zielone Zloto Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis</i> 'Zippity Do Da' Zippity Do Da Daylily | HP | 1.05 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis citrina</i> Citron Daylily | HP | 1.04 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis dumortieri</i> Dumortieri Daylily | HP | 1.00 | G4 | 2-3 | 4-10B | | | |
| <i>Hemerocallis flava</i> See - <i>Hemerocallis lilioasphodelus</i> | | | | | | | | |
| <i>Hemerocallis fulva</i> Tawny Daylily | HP | 1.08 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis fulva</i> 'Kwanso' Kwanso Tawny Daylily | HP | 0.85 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis fulva</i> 'Orange' Orange Tawny Daylily | HP | 0.66 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis lilioasphodelus</i> Lemon Lily | HP | 1.08 | G4 | 4-5 | 6-10B | | | |
| <i>Hemerocallis middendorffii</i> Middendorffii Daylily | HP | 1.11 | G4 | 5-6 | 7-9B | | | |
| <i>Hemigraphis alternata</i> Red Ivy | FO | 0.44 | G4 | 10 | 11 | | 1.00 | 10 |
| <i>Hemigraphis exotica</i> Purple Waffle Plant | FO | 0.27 | G4 | 10 | 11 | | 1.00 | 10 |
| <i>Hemigraphis repanda</i> Dwarf Waffle Plant | FO | 0.31 | G4 | 10 | 11 | | 1.00 | 10 |
| <i>Hemionitis arifolia</i> No Common Name Found | FO | 1.00 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Hepatica acutiloba</i> Sharp-Lobed Liverleaf | HP | 1.59 | G4 | 4-5 | 6-8 | | | |
| <i>Hepatica americana</i> Round-Lobed Liverleaf | HP | 2.73 | G4 | 4-5 | 6-8 | | | |
| <i>Heptacodium miconioides</i> Seven Son Flower | HP | 1.36 | G4 | 7-8 | 9-11 | | | |
| <i>Heracleum maximum</i> American Cow Parsnip | HP | 1.00 | G4 | 5-6 | 7-9A | | | |
| <i>Heracleum sphondylium</i> ssp. <i>montanum</i> See - <i>Heracleum maximum</i> | | | | | | | | |
| <i>Hermannia verticillata</i> Honeybells | HP | 0.89 | G4 | 8-9 | 10-11 | | | |
| <i>Hernandia ovigera</i> Sea Cups | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Hernandia sonora</i> No Common Name Found | HP | 1.57 | G1 | 10 | 11 | | | |
| <i>Herniaria glabra</i> Rupturewort | AN | 1.60 | G4 | 5-6 | 7-8 | | | |
| <i>Hesperaloe parviflora</i> Red Yucca | BS | 1.02 | G4 | 7-8 | 9-10B | | 1.00 | 7 |
| <i>Hesperantha buhrii</i> No Common Name Found | HP | 1.04 | G4 | 7-9 | 10A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hesperis matronalis</i> Dame's Rocket | HP | 0.74 | G4 | 3-4 | 5-7 | | | |
| <i>Hesperis matronalis</i> 'Alba' White Dame's Rocket | HP | 0.86 | G4 | 3-4 | 5-7 | | | |
| <i>Heterocentron elegans</i> Spanish Shawl | HP | 0.61 | G4 | 10 | 11 | | | |
| <i>Heteromeles arbutifolia</i> Toyon | BS | 0.94 | G2 | 6-9 | 10 | | 1.00 | 9 |
| <i>Heterospathe elata</i> Sagisi Palm | PC | 0.94 | G3 | 10 | 11 | | 1.86 | 10 |
| <i>Heterospathe minor</i> No Common Name Found | PC | 1.00 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Heterotheca villosa</i> Hairy Golden Aster | HP | 0.75 | G4 | 5-6 | 7-8 | | | |
| <i>Heterotheca villosa</i> 'San Bruno Mountain' San Bruno Mountain Hairy Golden Aster | HP | 0.75 | G4 | 5-6 | 7-8 | | | |
| <i>Heuchera</i> Alum Root | HP | 1.07 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera</i> 'Amber Waves' P.P. 13348 Amber Waves Coral Bells | HP | 1.41 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera</i> 'Canyon Belle' P.P.A.F. Canyon Belle Coral Bells | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera</i> 'Canyon Chimes' Canyon Chimes Coral Bells | HP | 0.93 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera</i> 'Canyon Delight' Canyon Delight Coral Bells | HP | 0.94 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Canyon Duet' P.P. 13280 Canyon Duet Coral Bells | HP | 0.93 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera</i> 'Canyon Melody' P.P. 13276 Canyon Melody Coral Bells | HP | 0.93 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera</i> 'Canyon Pink' Canyon Pink Coral Bells | HP | 0.86 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Champagne Bubbles' P.P. 11259 Champagne Bubbles Coral Bells | HP | 1.18 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Chatterbox' Chatterbox Coral Bells | HP | 0.89 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Cherries Jubilee' P.P. 11377 Cherries Jubilee Coral Bells | HP | 0.72 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Cherry Splash' Cherry Splash Coral Bells | HP | 1.22 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Crimson Cloud' Crimson Cloud Coral Bells | HP | 1.04 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Crimson Curls' Crimson Curls Coral Bells | HP | 1.65 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Crown Jewel' Crown Jewel Coral Bells | HP | 0.79 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Dainty Bells' Dainty Bells Coral Bells | HP | 0.87 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera</i> 'Frosty' Frosty Coral Bells | HP | 1.18 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Geisha's Fan' Geisha's Fan Coral Bells | HP | 1.25 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Genevieve' Genevieve Coral Bells | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera</i> 'Green Spice' Green Spice Coral Bells | HP | 1.07 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Harmonic Convergence' P.P. 11111 Harmonic Convergence Coral Bells | HP | 1.13 | G4 | 2-3 | 4-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Heuchera</i> 'Marmalade' P.P.A.F. Marmalade Coral Bells | HP | 1.51 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Mint Frost' Mint Frost Coral Bells | HP | 1.20 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera</i> 'Mint Julep' Mint Julep Coral Bells | HP | 1.07 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Montrose Ruby' Montrose Ruby Coral Bells | HP | 0.98 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Old La Rochette' Old La Rochette Coral Bells | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera</i> 'Opal' Opal Coral Bells | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera</i> 'Queen of Hearts' Queen of Hearts Coral Bells | HP | 1.07 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Rachel' Rachel Coral Bells | HP | 1.16 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Santa Ana Cardinal' Santa Ana Cardinal Coral Bells | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera</i> 'Silver Scrolls' Silver Scrolls Coral Bells | HP | 1.30 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera</i> 'Sioux Falls' Sioux Falls Coral Bells | HP | 0.87 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Smoky Rose' Smoky Rose Coral Bells | HP | 0.95 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Splish Splash' Splish Splash Hybrid Coral Bells | HP | 1.05 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Strawberry Swirl' Strawberry Swirl Coral Bells | HP | 1.14 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Susanna' Susanna Coral Bells | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera</i> 'Veil of Passion' P.P. 12166 Veil of Passion Coral Bells | HP | 1.18 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Vesuvius' P.P. 13215 Vesuvius Coral Bells | HP | 1.45 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'Wendy' Wendy Coral Bells | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera</i> 'White Cloud' White Cloud Coral Bells | HP | 0.86 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera</i> 'White Spires' White Spires Coral Bells | HP | 1.18 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> American Alum Root | HP | 1.23 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Amethyst Mist' Amethyst Mist American Alum Root | HP | 1.33 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Can-can' Can-can American Alum Root | HP | 1.15 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Cappuccino' Cappuccino American Alum Root | HP | 1.16 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Cascade Dawn' Cascade Dawn American Alum Root | HP | 1.24 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Cathedral Windows' Cathedral Windows American Alum Root | HP | 1.58 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Checkers' Checkers American Alum Root | HP | 1.22 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Chocolate Ruffles' Chocolate Ruffles American Alum Root | HP | 1.45 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Chocolate Veil' Chocolate Veil American Alum Root | HP | 1.26 | G4 | 4-5 | 6-9A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Heuchera americana</i> 'Dale's Strain' Dale's Strain American Alum Root | HP | 0.76 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Eco Magnifolia' Eco Magnifolia American Alum Root | HP | 1.28 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Eco-Improved' Eco-Improved American Alum Root | HP | 1.59 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Garnet' Garnet American Alum Root | HP | 0.95 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Palace Passion' Palace Passion American Alum Root | HP | 1.44 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Persian Carpet' Persian Carpet American Alum Root | HP | 1.05 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Pewter Moon' Pewter Moon American Alum Root | HP | 1.23 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Pewter Veil' Pewter Veil American Alum Root | HP | 1.35 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Plum Puddin' Plum Puddin American Alum Root | HP | 1.17 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Purple Petticoats' Purple Petticoats American Alum Root | HP | 1.43 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Purple Sails' Purple Sails American Alum Root | HP | 0.65 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Regal Robe' Regal Robe American Alum Root | HP | 1.43 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Ring of Fire' Ring of Fire American Alum Root | HP | 1.02 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Ruby Ruffles' Ruby Ruffles American Alum Root | HP | 1.47 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Ruby Veil' Ruby Veil American Alum Root | HP | 1.22 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Ruffles' Ruffles American Alum Root | HP | 1.21 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Silver Shadows' Silver Shadows American Alum Root | HP | 1.38 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Stormy Seas' Stormy Seas American Alum Root | HP | 1.19 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera americana</i> 'Velvet Night' Velvet Night American Alum Root | HP | 1.01 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera xbrizoides</i> Hybrid Coral Bells | HP | 0.86 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera xbrizoides</i> 'Bressingham Bronze' Bressingham Bronze Hybrid Coral Bells | HP | 1.29 | G4 | 4-6 | 7-8 | | | |
| <i>Heuchera xbrizoides</i> 'Bressingham Hybrids' Bressingham Hybrid Coral Bells | HP | 0.77 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera xbrizoides</i> 'Coral Cloud' Coral Cloud Hybrid Coral Bells | HP | 0.84 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera xbrizoides</i> 'Firefly' Firefly Hybrid Coral Bells | HP | 0.80 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera xbrizoides</i> 'Huntsman' Huntsman Hybrid Coral Bells | HP | 1.05 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera xbrizoides</i> 'Jubilee' Jubilee Hybrid Coral Bells | HP | 0.70 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera xbrizoides</i> 'Oakington Jewel' Oakington Jewel Hybrid Coral Bells | HP | 1.27 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera xbrizoides</i> 'Pretty Polly' Pretty Polly Hybrid Coral Bells | HP | 1.30 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera xbrizoides</i> 'Red Spangles' Red Spangles Hybrid Coral Bells | HP | 0.99 | G4 | 4-5 | 6-9A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Heuchera cylindrica</i> No Common Name Found | HP | 0.78 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera cylindrica</i> 'Greenfinch' Greenfinch Alum Root | HP | 0.78 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera maxima</i> Island Alum Root | HP | 0.89 | G4 | 4-6 | 7-9A | | | |
| <i>Heuchera micrantha</i> Small Flowered Alum Root | HP | 1.45 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera micrantha</i> 'Martha Roderick' Martha Roderick Small Flowered Alum Root | HP | 0.91 | G4 | 4-5 | 6-8 | | | |
| <i>Heuchera micrantha</i> 'Palace Purple' Palace Purple Small Flowered Alum Root | HP | 0.91 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera micrantha</i> 'Raspberry Regal' Raspberry Regal Small Flowered Alum Root | HP | 1.30 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera richardsonii</i> No Common Name Found | HP | 1.38 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera sanguinea</i> Coral Bells | HP | 0.91 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera sanguinea</i> 'Brandon Pink' Brandon Pink Coral Bells | HP | 1.48 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera sanguinea</i> 'Fire Sprite' Fire Sprite Coral Bells | HP | 0.93 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera sanguinea</i> 'Glow Worm' Glow Worm Coral Bells | HP | 1.13 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera sanguinea</i> 'June Bride' June Bride Coral Bells | HP | 1.04 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera sanguinea</i> 'Matin Bells' Matin Bells Coral Bells | HP | 1.13 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera sanguinea</i> 'Mt. St. Helens' Mt. St. Helens Coral Bells | HP | 1.07 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera sanguinea</i> 'Northern Fire' Northern Fire Coral Bells | HP | 1.44 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera sanguinea</i> 'Pluie De Feu' Pluie De Feu Coral Bells | HP | 0.88 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera sanguinea</i> 'Ruby Mist' Ruby Mist Coral Bells | HP | 1.49 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera sanguinea</i> 'Silver Veil' Silver Veil Coral Bells | HP | 1.11 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera sanguinea</i> 'Snow Angel' Snow Angel Coral Bells | HP | 1.28 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera sanguinea</i> 'Snow Storm' Snow Storm Coral Bells | HP | 1.05 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera sanguinea</i> 'Splendens' Splendens Coral Bells | HP | 0.93 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera sanguinea</i> 'Winfield Pink' Winfield Pink Coral Bells | HP | 1.13 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera villosa</i> Hairy Alum Root | HP | 1.04 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera villosa</i> 'Autumn Bride' Autumn Bride Hairy Alum Root | HP | 1.13 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera villosa</i> 'Purpurea' Purple Hairy Alum Root | HP | 1.03 | G4 | 4-5 | 6-9A | | | |
| <i>Heuchera villosa</i> 'Royal Red' Royal Red Hairy Alum Root | HP | 0.97 | G4 | 4-5 | 6-9A | | | |
| <i>xHeucherella</i> Foamy Bells | HP | 1.33 | G4 | 4-6 | 7-9 | | | |
| <i>xHeucherella</i> 'Burnished Bronze' P.P. 12159 Burnished Bronze Foamy Bells | HP | 1.30 | G4 | 3-4 | 5-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>xHeucherella</i> 'Cranberry Ice' Cranberry Ice Foamy Bells | HP | 1.45 | G4 | 4-6 | 7-9 | | | |
| <i>xHeucherella</i> 'Dayglow Pink' P.P. 12164 Dayglow Pink Foamy Bells | HP | 1.18 | G4 | 4-6 | 7-9 | | | |
| <i>xHeucherella</i> 'Sunspot' P.P.A.F. Sunspot Foamy Bells | HP | 1.51 | G4 | 4-6 | 7-9 | | | |
| <i>xHeucherella</i> 'Viking Ship' Viking Ship Foamy Bells | HP | 1.22 | G4 | 4-6 | 7-9 | | | |
| <i>xHeucherella alba</i> White Foamy Bells | HP | 1.09 | G4 | 4-6 | 7-9 | | | |
| <i>xHeucherella alba</i> 'Pink Frost' Pink Frost White Foamy Bells | HP | 1.03 | G4 | 4-6 | 7-9 | | | |
| <i>xHeucherella alba</i> 'Rosalie' Rosalie White Foamy Bells | HP | 1.06 | G4 | 4-6 | 7-9 | | | |
| <i>xHeucherella alba</i> 'Snow White' Snow White Foamy Bells | HP | 1.19 | G4 | 4-6 | 7-9 | | | |
| <i>xHeucherella tiarelloides</i> Foamy Bells | HP | 1.21 | G4 | 4-6 | 7-9 | | | |
| <i>xHeucherella tiarelloides</i> 'Bridget Bloom' Bridget Bloom Foamy Bells | HP | 1.21 | G4 | 4-6 | 7-9 | | | |
| <i>xHibanobambusa tranquillans</i> Inyou-Chikuzoku | BS | 1.15 | G2 | 6-8 | 9-10A | | 1.00 | 7 |
| <i>xHibanobambusa tranquillans</i> 'Shiroshima' Shiroshima Inyou-Chikuzoku | BS | 1.15 | G2 | 6-8 | 9-10A | | 1.00 | 7 |
| <i>Hibbertia cuneiformis</i> No Common Name Found | BS | 0.67 | G1 | 10-11 | | | 1.00 | 11 |
| <i>Hibbertia scandens</i> Gold Guinea Plant | GC | 0.73 | G2 | 10 | 11 | | 1.00 | 10 |
| <i>Hibbertia vestita</i> No Common Name Found | BS | 0.76 | G2 | 10 | 11 | | 1.00 | 10 |
| <i>Hibiscus</i> Hibiscus | BS | 1.03 | G2 | 4-7 | 8-11 | | 1.00 | 4 |
| <i>Hibiscus</i> 'Flare' Flare Hibiscus | HP | 0.95 | G4 | 4-5 | 6-9A | | | |
| <i>Hibiscus</i> 'Kopper King' P.P. 10793 Kopper King Rose Mallow | BS | 1.29 | G4 | 9-10A | 10B-11 | | 1.00 | 4 |
| <i>Hibiscus</i> 'Moy Grande' Moy Grande Giant Hibiscus | BS | 0.74 | G4 | 9-10A | 10B-11 | | 1.00 | 5 |
| <i>Hibiscus</i> 'Plum Crazy' P.P. 11854 Plum Crazy Hibiscus | BS | 1.01 | G4 | 5-6 | 7-10 | | 1.00 | 4 |
| <i>Hibiscus</i> 'Red River' Red River Hibiscus | BS | 1.09 | G4 | 5-6 | 7-10 | | 1.00 | 5 |
| <i>Hibiscus acetosella</i> Red Shield Hibiscus | HP | 0.69 | G4 | 9-10 | 11 | | | |
| <i>Hibiscus arnottianus</i> Hawaiian White Hibiscus | BE | 1.28 | G2 | 8-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Hibiscus cannabinus</i> Kenaf | HP | 0.72 | G4 | 9-10 | 11 | | | |
| <i>Hibiscus coccineus</i> Scarlet Rose Mallow | HP | 0.90 | G4 | 6 | 7-10B | | | |
| <i>Hibiscus grandiflorus</i> Great Rose Mallow | HP | 0.78 | G4 | 7-8 | 9A | | | |
| <i>Hibiscus indicus</i> No Common Name Found | HP | 0.44 | G2 | 10 | 11 | | | |
| <i>Hibiscus martianus</i> Heartleaf Hibiscus | HP | 0.86 | G2 | 7-8 | 9-10 | | | |
| <i>Hibiscus militaris</i> Soldier Rose Mallow | HP | 0.65 | G4 | 4-6 | 7-9A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hibiscus moscheutos</i> Rose Mallow | HP | 0.95 | G4 | 4-5 | 6-9A | | | |
| <i>Hibiscus moscheutos</i> 'Blue River II' Blue River II Rose Mallow | HP | 1.08 | G4 | 4-5 | 6-9A | | | |
| <i>Hibiscus moscheutos</i> 'Clown' Clown Rose Mallow | HP | 1.09 | G4 | 4-5 | 6-9A | | | |
| <i>Hibiscus moscheutos</i> 'Crimson Wonder' Crimson Wonder Rose Mallow | HP | 1.15 | G4 | 4-5 | 6-9A | | | |
| <i>Hibiscus moscheutos</i> 'Cristi' Cristi Rose Mallow | HP | 1.24 | G4 | 4-5 | 6-9A | | | |
| <i>Hibiscus moscheutos</i> 'Disco Belle Series' Disco Belle Series Rose Mallow | HP | 0.86 | G4 | 4-5 | 6-9A | | | |
| <i>Hibiscus moscheutos</i> 'Fleming Hybrid' Fleming Hybrid Rose Mallow | HP | 0.86 | G2 | 4-5 | 6-10A | | | |
| <i>Hibiscus moscheutos</i> 'Frisbee' Frisbee Rose Mallow | HP | 1.03 | G4 | 4-5 | 6-9A | | | |
| <i>Hibiscus moscheutos</i> 'Old Yella' P.P.A.F. Old Yella Rose Mallow | HP | 1.20 | G4 | 4-5 | 6-9A | | | |
| <i>Hibiscus moscheutos</i> 'Red Flare' Red Flare Rose Mallow | HP | 1.06 | G4 | 4-5 | 6-9A | | | |
| <i>Hibiscus moscheutos</i> 'Southern Belle' Southern Belle Rose Mallow | HP | 0.87 | G4 | 4-5 | 6-9A | | | |
| <i>Hibiscus moscheutos</i> 'Super Rose' Super Rose Rose Mallow | HP | 1.00 | G4 | 4-5 | 6-9A | | | |
| <i>Hibiscus moscheutos</i> ssp. <i>palustris</i> Marsh Mallow | HP | 1.13 | G4 | 4-5 | 6-9A | | | |
| <i>Hibiscus mutabilis</i> Cottonrose Hibiscus | HP | 0.65 | G4 | 6-8 | 9-10 | | | |
| <i>Hibiscus mutabilis</i> 'Raspberry Rose' Raspberry Rose Cottonrose Hibiscus | HP | 1.05 | G4 | 6-8 | 9-10 | | | |
| <i>Hibiscus mutabilis</i> 'Rubrus' Red Cottonrose Hibiscus | HP | 0.98 | G4 | 6-8 | 9-10 | | | |
| <i>Hibiscus rosa-sinensis</i> Chinese Hibiscus | BS | 0.83 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Agnes Gault' Agnes Gault Chinese Hibiscus | BS | 0.75 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'All Aglow' All Aglow Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Amour' Amour Chinese Hibiscus | BS | 1.11 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Apache Rose' Apache Rose Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Bandito' Bandito Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Barry's Yellow' Barry's Yellow Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Bing Cherry' Bing Cherry Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Blue Shadow' Blue Shadow Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Brandon B' Brandon B Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Bridal Veil' See - <i>Hibiscus rosa-sinensis</i> 'Monora' P.P. 6473 | | | | | | | | |
| <i>Hibiscus rosa-sinensis</i> 'Bride' Bride Chinese Hibiscus | BS | 0.96 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Brilliant' Brilliant Chinese Hibiscus | BS | 1.23 | G2 | 9 | 10-11 | | 0.73 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hibiscus rosa-sinensis</i> 'Butterball' Butterball Chinese Hibiscus | BS | 0.81 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Butterfly' Butterfly Chinese Hibiscus | BS | 0.88 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Caleb' Caleb Chinese Hibiscus | BS | 1.06 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'California Gold' California Gold Chinese Hibiscus | BS | 0.81 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Calypso Wind' P.P.A.F. Calypso Wind™ Chinese Hibiscus | BS | 1.49 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Calypso' Calypso Chinese Hibiscus | BS | 0.85 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Cataviki' Cataviki Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Cecelia' Cecelia Chinese Hibiscus | BS | 1.22 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Charcoal' Charcoal Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Cherie' Cherie Chinese Hibiscus | BS | 1.29 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Chiqui Gonzalez' Chiqui Gonzalez Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Chocolate Mousse' Chocolate Mousse Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Crown of Bohemia' Crown of Bohemia Chinese Hibiscus | BS | 0.86 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Desert Wind' P.P.A.F. Desert Wind™ Chinese Hibiscus | BS | 1.49 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Diamond Head' Diamond Head Chinese Hibiscus | BS | 0.83 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Doctor Jack' Doctor Jack Chinese Hibiscus | BS | 1.02 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Double Honey' Double Honey Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Edna Tyler' Edna Tyler Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'El Capitolio Sport' El Capitolio Sport Chinese Hibiscus | BS | 1.08 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'El Capitolio' El Capitolio Chinese Hibiscus | BS | 0.87 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Empire' Empire Chinese Hibiscus | BS | 1.10 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Estelle' Estelle Chinese Hibiscus | BS | 0.98 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Evelyn Howard' Evelyn Howard Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Fiesta' P.P. 2760 Fiesta Chinese Hibiscus | BS | 0.94 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Fifth Dimension' Fifth Dimension Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Florida Sunset' Florida Sunset Chinese Hibiscus | BS | 0.73 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Fort Meyers' Fort Meyers Chinese Hibiscus | BS | 1.01 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Freddie Brubaker' Freddie Brubaker Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Fullmoon' See - <i>Hibiscus rosa-sinensis</i> 'Monoon' | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hibiscus rosa-sinensis</i> 'Gil Whitten' Gil Whitten Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Golden Dust' Golden Dust Chinese Hibiscus | BS | 0.99 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Gourmet' Gourmet Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Grace Goo' Grace Goo Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Herm Geller' Herm Geller Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Howard Chartreuse' Howard Chartreuse Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Hula Girl' Hula Girl Chinese Hibiscus | BS | 0.77 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Ida Mae Fageol' Ida Mae Fageol Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Ingrid Colpaert' Ingrid Colpaert Chinese Hibiscus | BS | 0.98 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Itsy Bitsy Kona Princess' See - <i>Hibiscus rosa-sinensis</i> 'Monria' | | | | | | | | |
| <i>Hibiscus rosa-sinensis</i> 'Itsy Bitsy Red' See - <i>Hibiscus rosa-sinensis</i> 'Moned' | | | | | | | | |
| <i>Hibiscus rosa-sinensis</i> 'Jane Cowl' Jane Cowl Chinese Hibiscus | BS | 0.46 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Janys' Janys Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Jason Okumoto' Jason Okumoto Chinese Hibiscus | BS | 0.98 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Joan Kinchen' Joan Kinchen Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Joann' Joann Chinese Hibiscus | BS | 0.43 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Kari Woodengown' Kari Woodengown Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Kate Sessions' Kate Sessions Chinese Hibiscus | BS | 0.98 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Kinchen's Yellow' Kinchen's Yellow Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Kona Improved' Kona Improved Chinese Hibiscus | BS | 0.88 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Kona' Kona Chinese Hibiscus | BS | 0.74 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Lady Bird' Lady Bird Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Lillian Ladd' Lillian Ladd Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Lily Howard' Lily Howard Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Lipstick' Lipstick Chinese Hibiscus | BS | 1.02 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Little Honey' Little Honey Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Little Tiger' Little Tiger Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Liz Lovely' Liz Lovely Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Lora' Lora Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hibiscus rosa-sinensis</i> 'Lynn Stacey' Lynn Stacey Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Madame X' Madame X Chinese Hibiscus | BS | 0.65 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Madonna' Madonna Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mango Breeze' P.P.A.F. Mango Breeze™ Chinese Hibiscus | BS | 1.49 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mary Evelyn' Mary Evelyn Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mary Horton' Mary Horton Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Matoushka' Matoushka Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mayaonred' Mayaonred Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'McIntyre' McIntyre Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Melissa Morrison' Melissa Morrison Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Midnight Lace' Midnight Lace Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Miss Piggy' Miss Piggy Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mollie Cummings' Molly Cummings Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Moned' Itsy Bitsy™ Red Chinese Hibiscus | BS | 1.15 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mongon' Red Dragon™ Chinese Hibiscus | BS | 1.12 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Monique Maria' Monique Maria Chinese Hibiscus | BS | 0.98 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Monoon' Fullmoon™ Chinese Hibiscus | BS | 1.06 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Monora' P.P. 6473 Bridal Veil™ Chinese Hibiscus | BS | 0.99 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Monria' Itsy Bitsy™ Kona Princess Chinese Hibiscus | BS | 1.15 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Monsa' Powder Puff™ Chinese Hibiscus | BS | 1.15 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Montego Bay' Montego Bay Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Morning Glory' Morning Glory Chinese Hibiscus | BS | 0.98 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Morocco' Morocco Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mount Shasta' Mount Shasta Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mrs. Jimmy Spangler' Mrs. Jimmy Spangler Chinese Hibiscus | BS | 1.28 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Muriel' Muriel Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Murray Delauter' Murray Delauter Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mystic Pink' Mystic Pink Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mystique' Mystique Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hibiscus rosa-sinensis</i> 'Nagao Twenty' Nagao Twenty Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Nairobi' Nairobi Chinese Hibiscus | BS | 0.62 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Natcha' Natcha Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Nellie Williams' Nellie Williams Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Norma' Norma Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Painted Lady' Painted Lady Chinese Hibiscus | BS | 1.04 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Paradise Breeze' P.P.A.F. Paradise Breeze™ Chinese Hibiscus | BS | 1.49 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Pink Dawn' Pink Dawn Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Pink Frost' Pink Frost Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Pink Rays' Pink Rays Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Powder Puff' See - <i>Hibiscus rosa-sinensis</i> 'Monsa' | | | | | | | | |
| <i>Hibiscus rosa-sinensis</i> 'President' President Chinese Hibiscus | BS | 0.78 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Purple Sachet' Purple Sachet Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Raspberry Breeze' P.P.A.F. Raspberry Breeze™ Chinese Hibiscus | BS | 1.49 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Raspberry Sherbert' Raspberry Sherbert Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Raspberry Swirl' Raspberry Swirl Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Red Dragon' See - <i>Hibiscus rosa-sinensis</i> 'Mongon' | | | | | | | | |
| <i>Hibiscus rosa-sinensis</i> 'Red Snapper' Red Snapper Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Romeo' Romeo Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Ross Estey' Ross Estey Chinese Hibiscus | BS | 0.91 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Ruby Brown' Ruby Brown Chinese Hibiscus | BS | 0.63 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Ruth Wilcox' Ruth Wilcox Chinese Hibiscus | BS | 0.74 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Sahara Wind' P.P.A.F. Sahara Wind™ Chinese Hibiscus | BS | 1.10 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Santa Ana' Santa Ana Chinese Hibiscus | BS | 0.86 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Sassi' Sassi Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Seminole' Seminole Chinese Hibiscus | BS | 1.12 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Sensation' Sensation Chinese Hibiscus | BS | 1.22 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Shady Lady' Shady Lady Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Snow Queen' Snow Queen Chinese Hibiscus | BS | 0.78 | G2 | 9 | 10-11 | | 0.73 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hibiscus rosa-sinensis</i> 'Splendiferous' Splendiferous Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Sun Showers' Sun Showers Chinese Hibiscus | BS | 1.45 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Sundance' Sundance Chinese Hibiscus | BS | 1.28 | G2 | 9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Sundown' Sundown Chinese Hibiscus | BS | 0.80 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Tequila Daisy' Tequila Daisy Chinese Hibiscus | BS | 0.88 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'The Path' The Path Chinese Hibiscus | BS | 1.01 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Tropical Breeze' P.P.A.F. Tropical Breeze™ Chinese Hibiscus | BS | 1.49 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Twilight' Twilight Chinese Hibiscus | BS | 1.12 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Velvet Wind' P.P.A.F. Velvet Wind™ Chinese Hibiscus | BS | 1.49 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Vulcan' Vulcan Chinese Hibiscus | BS | 0.98 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'White Wings' White Wings Chinese Hibiscus | BS | 0.73 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Yellow Moon' Yellow Moon Chinese Hibiscus | BS | 1.00 | G2 | 8-9 | 10-11 | | 0.73 | 9 |
| <i>Hibiscus sabdariffa</i> Roselle | AN | 0.65 | G4 | 8-10A | 10B-11 | | | |
| <i>Hibiscus schizopetalus</i> Japanese Hibiscus | BS | 0.67 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Hibiscus syriacus</i> Rose-of-Sharon | DS | 0.91 | G2 | 5 | 6-9A | | 0.75 | 5 |
| <i>Hibiscus syriacus</i> 'Amplissimus' Amplest Rose-of-Sharon | DS | 1.33 | G2 | 5 | 6-9A | | 0.38 | 5 |
| <i>Hibiscus syriacus</i> 'Anemonaeflorus' Anemone Rose-of-Sharon | DS | 1.15 | G2 | 5 | 6-9A | | 0.76 | 5 |
| <i>Hibiscus syriacus</i> 'Anne Arundel' Anne Arundel Rose-of-Sharon | DS | 0.92 | G2 | 5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Aphrodite' Aphrodite Rose-of-Sharon | DS | 1.01 | G2 | 5 | 6-9A | | 0.79 | 5 |
| <i>Hibiscus syriacus</i> 'Ardens Blue' Ardens Blue Rose-of-Sharon | DS | 0.91 | G2 | 5 | 6-9A | | 0.90 | 5 |
| <i>Hibiscus syriacus</i> 'Ardens' Ardens Rose-of-Sharon | DS | 1.03 | G2 | 5 | 6-9A | | 0.62 | 5 |
| <i>Hibiscus syriacus</i> 'Banner' Banner Rose-of-Sharon | DS | 0.79 | G2 | 5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Blue Marlin' Blue Marlin Rose-of-Sharon | BS | 1.06 | G2 | 5 | 6-9A | | 1.00 | 5 |
| <i>Hibiscus syriacus</i> 'Blue Satin' See - <i>Hibiscus syriacus</i> 'Marina' P.P.A.F. | DS | 0.97 | G4 | 4-5 | 6-9A | | 0.89 | 5 |
| <i>Hibiscus syriacus</i> 'Blushing Bride' Blushing Bride Rose-of-Sharon | DS | 1.00 | G2 | 5 | 6-9A | | 0.68 | 5 |
| <i>Hibiscus syriacus</i> 'Boule de Feu' Boule de Feu Rose-of-Sharon | DS | 1.02 | G2 | 5 | 6-9A | | 0.41 | 5 |
| <i>Hibiscus syriacus</i> 'Coelestis' Coelestis Rose-of-Sharon | DS | 0.87 | G2 | 5 | 6-9A | | 0.58 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hibiscus syriacus</i> 'Collie Mullens' Collie Mullens Rose-of-Sharon | DS | 1.08 | G2 | 5 | 6-9A | | 0.51 | 5 |
| <i>Hibiscus syriacus</i> 'Diana' Diana Rose-of-Sharon | DS | 0.97 | G2 | 5 | 6-9A | | 0.90 | 5 |
| <i>Hibiscus syriacus</i> 'Floru' P.P.A.F. Violet Satin Rose-of-Sharon | DS | 1.13 | G2 | 5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Freedom' Freedom Rose-of-Sharon | DS | 0.89 | G2 | 5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Friberg' Friberg Rose-of-Sharon | DS | 1.02 | G2 | 5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Hamabo' Hamabo Rose-of-Sharon | DS | 0.98 | G2 | 5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Helene' Helene Rose-of-Sharon | DS | 0.95 | G2 | 5 | 6-9A | | 0.41 | 5 |
| <i>Hibiscus syriacus</i> 'Jeanne d'Arc' Jeanne d'Arc Rose-of-Sharon | DS | 1.01 | G2 | 5 | 6-9A | | 0.60 | 5 |
| <i>Hibiscus syriacus</i> 'Lady Baltimore' Lady Baltimore Rose-of-Sharon | DS | 0.96 | G2 | 5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Lady Stanley' Lady Stanley Rose-of-Sharon | DS | 1.42 | G2 | 5 | 6-9A | | 1.10 | 5 |
| <i>Hibiscus syriacus</i> 'Lavender Chiffon' See - <i>Hibiscus syriacus</i> 'Notwoodone' P.P.A.F. | | | | | | | | |
| <i>Hibiscus syriacus</i> 'Lord Baltimore' Lord Baltimore Rose-of-Sharon | DS | 0.98 | G2 | 5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Lucy' Lucy Rose-of-Sharon | DS | 0.98 | G2 | 5 | 6-9A | | 0.69 | 5 |
| <i>Hibiscus syriacus</i> 'Marina' P.P.A.F. Blue Satin Rose-of-Sharon | DS | 1.03 | G2 | 5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Mathilde' P.P.A.F. Blush Satin™ Rose-of-Sharon | DS | 1.16 | G4 | 4-5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Minerva' Minerva Rose-of-Sharon | DS | 0.95 | G2 | 5 | 6-9A | | 0.79 | 5 |
| <i>Hibiscus syriacus</i> 'Minrosa' P.P.A.F. Rose Satin Rose-of-Sharon | DS | 1.13 | G2 | 5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Morning Star' Morning Star Rose-of-Sharon | DS | 1.01 | G2 | 5 | 6-9A | | 0.62 | 5 |
| <i>Hibiscus syriacus</i> 'Notwoodone' P.P.A.F. Lavender Chiffon™ Rose-of-Sharon | DS | 1.11 | G2 | 5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Notwoodtwo' P.P.A.F. White Chiffon™ Rose-of-Sharon | DS | 1.09 | G2 | 5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Paeoniflorus' Peony Rose-of-Sharon | DS | 1.02 | G2 | 5 | 6-9A | | 0.71 | 5 |
| <i>Hibiscus syriacus</i> 'Pink Giant' Pink Giant Rose-of-Sharon | DS | 1.07 | G2 | 5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Pulcherrimus' Pulcherrimus Rose-of-Sharon | DS | 0.97 | G2 | 5 | 6-9A | | 0.52 | 5 |
| <i>Hibiscus syriacus</i> 'Purpureus Variegatus' Variegated Rose-of-Sharon | DS | 0.73 | G2 | 5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Red Heart' Red Heart Rose-of-Sharon | DS | 1.01 | G2 | 5 | 6-9A | | 0.91 | 5 |
| <i>Hibiscus syriacus</i> 'Rose Satin' See - <i>Hibiscus syriacus</i> 'Minrosa' P.P.A.F. | | | | | | | | |
| <i>Hibiscus syriacus</i> 'Rubis' Red Rose-of-Sharon | DS | 0.92 | G2 | 5 | 6-9A | | 0.58 | 5 |
| <i>Hibiscus syriacus</i> 'Sweet Caroline' Sweet Caroline Rose-of-Sharon | DS | 0.95 | G2 | 5 | 6-9A | | 0.72 | 5 |
| <i>Hibiscus syriacus</i> 'Tricolor' Tricolor Rose-of-Sharon | DS | 1.28 | G2 | 5 | 6-9A | | 1.13 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Hibiscus syriacus</i> 'Violet Satin' | | | | | | | | |
| See - <i>Hibiscus syriacus</i> 'Floru' P.P.A.F. | | | | | | | | |
| <i>Hibiscus syriacus</i> 'White Chiffon' | | | | | | | | |
| See - <i>Hibiscus syriacus</i> 'Notwoodtwo' P.P.A.F. | | | | | | | | |
| <i>Hibiscus syriacus</i> 'William R. Smith' | DS | 1.02 | G2 | 5 | 6-9A | | 1.06 | 5 |
| William R. Smith Rose-of-Sharon | | | | | | | | |
| <i>Hibiscus syriacus</i> 'Woodbridge' | DS | 1.16 | G2 | 5 | 6-9A | | 0.83 | 5 |
| Woodbridge Rose-of-Sharon | | | | | | | | |
| <i>Hibiscus tiliaceus</i> | BE | 1.30 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| Sea Hibiscus | | | | | | | | |
| <i>Hibiscus tiliaceus</i> 'Variegata' | BE | 1.04 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| Variegated Sea Hibiscus | | | | | | | | |
| <i>Hibiscus trionum</i> | AN | 1.01 | G4 | 10 | 11 | | | |
| Flower-of-an-Hour | | | | | | | | |
| <i>Hibiscus waimae</i> | BE | 0.96 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| Kauai White Hibiscus | | | | | | | | |
| <i>Hieracium aurantiacum</i> | | | | | | | | |
| See - <i>Pilosella aurantiaca</i> | | | | | | | | |
| <i>Hieracium pilosella</i> | | | | | | | | |
| See - <i>Pilosella officinarum</i> | | | | | | | | |
| <i>Hieracium villosum</i> | HP | 0.75 | G4 | 6-7 | 8 | | | |
| Shaggy Hawkweed | | | | | | | | |
| <i>Hierochloa odorata</i> | HP | 0.83 | G4 | 6-7 | 8-10 | | | |
| Vanilla Grass | | | | | | | | |
| <i>Hippeastrum</i> | HP | 1.02 | G4 | 8 | 9A-11 | | | |
| Amaryllis | | | | | | | | |
| <i>Hippeastrum</i> 'Picotee' | HP | 0.99 | G4 | 8 | 9-11 | | | |
| Picotee Amaryllis | | | | | | | | |
| <i>Hippeastrum</i> 'San Antonio Rose' | HP | 1.05 | G4 | 8 | 9A-11 | | | |
| San Antonio Rose Amaryllis | | | | | | | | |
| <i>Hippeastrum</i> 'Voodoo' | HP | 1.02 | G4 | 8 | 9A-11 | | | |
| Voodoo Amaryllis | | | | | | | | |
| <i>Hippeastrum leopoldii</i> | HP | 0.76 | G4 | 8 | 9A-11 | | | |
| No Common Name Found | | | | | | | | |
| <i>Hippeastrum puniceum</i> | HP | 0.82 | G4 | 8-9 | 10-11 | | | |
| Barbados Lily | | | | | | | | |
| <i>Hippeastrum stylosum</i> | HP | 0.98 | G4 | 8-9 | 10-11 | | | |
| Long-styled Knight's Star Lily | | | | | | | | |
| <i>Hippocrepis comosa</i> | HP | 1.30 | G4 | 6-7 | 8-9 | | | |
| Horseshoe Vetch | | | | | | | | |
| <i>Hippocrepis comosa</i> 'E.R. Janes' | HP | 1.30 | G4 | 6-7 | 8-9 | | | |
| E.R. Janes Horseshoe Vetch | | | | | | | | |
| <i>Hippophae rhamnoides</i> | DS | 1.00 | G2 | 3-5 | 6-7 | | 0.83 | 3 |
| Seabuckthorn | | | | | | | | |
| <i>Hoffmannia ghiesbreghtii</i> | HP | 1.00 | G2 | 8-10 | 11 | | | |
| Strawberry Splash | | | | | | | | |
| <i>Hoffmannia ghiesbreghtii</i> 'Variegata' | HP | 1.00 | G2 | 8-10 | 11 | | | |
| Variegated Strawberry Splash | | | | | | | | |
| <i>Hohenbergia correia-araujoi</i> | FO | 2.10 | G3 | 8-9 | 10-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Hohenbergia stellata</i> | FO | 1.92 | G3 | 8-9 | 10-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Holboellia coriacea</i> | GC | 0.45 | G2 | 7-9 | 10A-10B | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Holcus lanatus</i> | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| Velvet Grass | | | | | | | | |
| <i>Holcus mollis</i> | HP | 0.70 | G4 | 5-6 | 7-8 | | | |
| Creeping Soft Grass | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Holcus mollis</i> 'Albo-variegata' Albo-variegata Creeping Soft Grass | HP | 0.70 | G4 | 5-6 | 7-8 | | | |
| <i>Holmskioldia sanguinea</i> Chinese Hat Plant | BS | 0.98 | G2 | 8-10 | 11 | | 1.00 | 10B |
| <i>Holmskioldia tettensis</i> Tahitian Hat Plant | BS | 1.06 | G2 | 8-10 | 11 | | 1.00 | 10B |
| <i>Holodiscus discolor</i> Ocean Spray | DS | 1.02 | G4 | 4-5 | 6-9 | | 1.00 | 5 |
| <i>Holodiscus dumosus</i> Rock Spirea | DS | 1.10 | G4 | 4-5 | 6-9 | | 1.00 | 4 |
| <i>Homalomena</i> Homalomena | HP | 1.44 | G4 | 8-9 | 10A-11 | | | |
| <i>Homalomena</i> 'Emerald Gem' Emerald Gem Homalomena | HP | 1.44 | G4 | 10A | 10B-11 | | | |
| <i>Homeria collina</i> var. <i>aurantiaca</i> See - <i>Homeria flaccida</i> | | | | | | | | |
| <i>Homeria flaccida</i> No Common Name Found | HP | 0.99 | G4 | 8-9 | 10A | | | |
| <i>Homeria ochroleuca</i> No Common Name Found | HP | 0.99 | G4 | 8-9 | 10A | | | |
| <i>Homerica collina</i> var. <i>ochroleuca</i> See - <i>Homeria ochroleuca</i> | | | | | | | | |
| <i>Homoglossum watsonianum</i> See - <i>Gladiolus watsonius</i> | | | | | | | | |
| <i>Hormidium vespa</i> See - <i>Encyclia vespa</i> | | | | | | | | |
| <i>Horminum pyrenaicum</i> Pyrenean Deadnettle | HP | 1.00 | G4 | 6 | 7-8 | | | |
| <i>Hosta</i> Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Abba Dabba Do' Abba Dabba Do Hosta | HP | 1.93 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Abby' Abby Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Abiqua Ariel' Abiqua Ariel Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Abiqua Blue Crinkles' Abiqua Blue Crinkles Hosta | HP | 1.38 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Abiqua Drinking Gourd' Abiqua Drinking Gourd Hosta | HP | 1.77 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Abiqua Moonbeam' Abiqua Moonbeam Hosta | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Abiqua Recluse' Abiqua Recluse Hosta | HP | 1.49 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Allan P. McConnell' Allan P. McConnell Hosta | HP | 1.48 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'American Masterpiece' American Masterpiece Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Amy Aden' Amy Aden Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Ansley' Ansley Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Antioch' Antioch Hosta | HP | 1.06 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Aqua Velva' Aqua Velva Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Aspen Gold' Aspen Gold Hosta | HP | 1.45 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta</i> 'August Moon' August Moon Hosta | HP | 1.19 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Aurora Borealis' Aurora Borealis Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Aztec Treasure' Aztec Treasure Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Bella' Bella Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Betcher's Blue' Betcher's Blue Hosta | HP | 1.94 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Betsy King' Betsy King Hosta | HP | 1.14 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Big Daddy' Big Daddy Hosta | HP | 1.33 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Big Mama' Big Mama Hosta | HP | 1.05 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Bill Brincka' Bill Brincka Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Birchwood Parky's Gold' Birchwood Parky's Gold Hosta | HP | 1.29 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Black Hills' Black Hills Hosta | HP | 1.84 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blonde Elf' Blonde Elf Hosta | HP | 1.37 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Angel' Blue Angel Hosta | HP | 1.52 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Arrow' Blue Arrow Hosta | HP | 1.32 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Belle' Blue Belle Hosta | HP | 0.93 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Blush' Blue Blush Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Boy' Blue Boy Hosta | HP | 1.25 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Cadet' Blue Cadet Hosta | HP | 1.05 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Danube' Blue Danube Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Diamond' Blue Diamond Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Dimples' Blue Dimples Hosta | HP | 1.05 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Giant' Blue Giant Hosta | HP | 1.35 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Mammoth' Blue Mammoth Hosta | HP | 1.66 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Moon' Blue Moon Hosta | HP | 1.80 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Seer' Blue Seer Hosta | HP | 1.97 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Shadows' Blue Shadows Hosta | HP | 2.17 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Umbrellas' Blue Umbrellas Hosta | HP | 1.47 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Vision' Blue Vision Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Blue Wedgwood' Blue Wedgwood Hosta | HP | 1.38 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta</i> 'Bold Ribbons' Bold Ribbons Hosta | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Bold Ruffles' Bold Ruffles Hosta | HP | 1.76 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Borwick Beauty' Borwick Beauty Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Bountiful' Bountiful Hosta | HP | 1.08 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Bressingham Blue' Bressingham Blue Hosta | HP | 1.22 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Bright Glow' Bright Glow Hosta | HP | 1.38 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Bright Lights' Bright Lights Hosta | HP | 1.79 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Brim Cup' Brim Cup Hosta | HP | 1.47 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Brother Ronald' Brother Ronald Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Bruce's Blue' Bruce's Blue Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Buckshaw Blue' Buckshaw Blue Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Bunchoko' Bunchoko Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Butter Rim' Butter Rim Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Camelot' Camelot Hosta | HP | 0.93 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Camouflage' Camouflage Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Canada Blue' Canada Blue Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Candy Hearts' Candy Hearts Hosta | HP | 1.25 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Carol' Carol Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Cascades' Cascades Hosta | HP | 0.97 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Celebration' Celebration Hosta | HP | 1.05 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Change of Tradition' Change of Tradition Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Chantilly Lace' Chantilly Lace Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Chartreuse Wiggles' Chartreuse Wiggles Hosta | HP | 1.45 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Cherry Berry' Cherry Berry Hosta | HP | 1.82 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Chinese Sunrise' Chinese Sunrise Hosta | HP | 1.37 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Chiquita' Chiquita Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Choko Nishiki' Choko Nishiki Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Choo Choo Train' Choo Choo Train Hosta | HP | 1.82 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Christmas Tree' Christmas Tree Hosta | HP | 1.34 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta</i> 'Citation' Citation Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Color Glory' Color Glory Hosta | HP | 1.30 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Colossal' Colossal Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Creme de Menthe' Creme de Menthe Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Crepe Suzette' Crepe Suzette Hosta | HP | 1.83 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Crested Reef' Crested Reef Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Crispula' Crispula Hosta | HP | 0.87 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Crown Jewel' Crown Jewel Hosta | HP | 0.93 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Crowned Imperial' Crowned Imperial Hosta | HP | 1.03 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Crumples' Crumples Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Daybreak' Daybreak Hosta | HP | 1.21 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Decorata' Decorata Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Devon Blue' Devon Blue Hosta | HP | 1.05 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Devon Charm' Devon Charm Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Devon Green' Devon Green Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Diamond Tiara' Diamond Tiara Hosta | HP | 1.54 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Dick Ward' Dick Ward Hosta | HP | 3.16 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Don Stevens' Don Stevens Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Dorset Blue' Dorset Blue Hosta | HP | 1.77 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Dorset Flair' Dorset Flair Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Doubloons' Doubloons Hosta | HP | 1.57 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'DuPage Delight' DuPage Delight Hosta | HP | 0.99 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Dylan's Dilly' Dylan's Dilly Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'El Capitan' El Capitan Hosta | HP | 1.68 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'El Nino' P.P.A.F. El Nino Hosta | HP | 2.36 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Elata' Elata Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Elisabeth' Elisabeth Hosta | HP | 0.97 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Elizabeth Campbell' Elizabeth Campbell Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Ellerbroek' Ellerbroek Hosta | HP | 1.32 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta</i> 'Emerald Tiara' Emerald Tiara Hosta | HP | 1.45 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Emily Dickinson' Emily Dickinson Hosta | HP | 1.84 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Eola Salad Bowl' Eola Salad Bowl Hosta | HP | 1.67 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Eola Sapphire' Eola Sapphire Hosta | HP | 1.20 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Eric Smith' Eric Smith Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Evelyn McCafferty' Evelyn McCafferty Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Excitation' Excitation Hosta | HP | 0.86 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Exotic Frances Williams' Exotic Frances Williams Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fall Bouquet' Fall Bouquet Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fantastic' Fantastic Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Feather Boa' Feather Boa Hosta | HP | 1.33 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fire and Ice' P.P.A.F. Fire and Ice Hosta | HP | 1.81 | G4 | 2-3 | 4-8 | | | |
| <i>Hosta</i> 'Fisher Cream Edge' Fisher Cream Edge Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Floradora' Floradora Hosta | HP | 0.88 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Flower Power' Flower Power Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Formal Attire' Formal Attire Hosta | HP | 1.79 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fortunei Albomarginata' Fortunei Albomarginata Hosta | HP | 1.06 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fortunei Albopicta' Fortunei Albopicta Hosta | HP | 1.11 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fortunei Aoki' Fortunei Aoki Hosta | HP | 1.07 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fortunei Aurea' Fortunei Aurea Hosta | HP | 1.29 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fortunei Aureomarginata' Fortunei Aureomarginata Hosta | HP | 1.10 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fortunei Gigantea' Fortunei Gigantea Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fortunei Hyacinthina' Fortunei Hyacinthina Hosta | HP | 1.06 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fortunei Obscura' Fortunei Obscura Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fortunei Rugosa' Fortunei Rugosa Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fragrant Blue' Fragrant Blue Hosta | HP | 1.60 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fragrant Bouquet' Fragrant Bouquet Hosta | HP | 1.58 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fragrant Gold' Fragrant Gold Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Francee' Francee Hosta | HP | 1.24 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta</i> 'Freising' Freising Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fresh' Fresh Hosta | HP | 1.14 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Fried Bananas' Fried Bananas Hosta | HP | 1.72 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Fried Green Tomatoes' Fried Green Tomatoes Hosta | HP | 1.66 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Fringe Benefit' Fringe Benefit Hosta | HP | 1.10 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Frosted Jade' Frosted Jade Hosta | HP | 2.09 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Gaijin' Gaijin Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Geisha' Geisha Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Geneva Stark' Geneva Stark Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Ginko Craig' Ginko Craig Hosta | HP | 1.14 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Glacial Lake' Glacial Lake Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Gloriosa' Gloriosa Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Gold Drop' Gold Drop Hosta | HP | 1.07 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Gold Edger' Gold Edger Hosta | HP | 1.20 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Gold Regal' Gold Regal Hosta | HP | 2.04 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Gold Standard' Gold Standard Hosta | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Golden Age' Golden Age Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Golden Anniversary' Golden Anniversary Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Golden Bullion' Golden Bullion Hosta | HP | 1.06 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Golden Crown' Golden Crown Hosta | HP | 1.19 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Golden Medallion' Golden Medallion Hosta | HP | 1.89 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Golden Oriole' Golden Oriole Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Golden Prayers' Golden Prayers Hosta | HP | 1.42 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Golden Scepter' Golden Scepter Hosta | HP | 1.03 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Golden Sculpture' Golden Sculpture Hosta | HP | 1.76 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Golden Sunburst' Golden Sunburst Hosta | HP | 1.14 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Golden Tiara' Golden Tiara Hosta | HP | 1.15 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Granary Gold' Granary Gold Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Grand Master' Grand Master Hosta | HP | 1.22 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta</i> 'Grand Tiara' Grand Tiara Hosta | HP | 1.61 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Great Expectations' Great Expectations Hosta | HP | 1.78 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Green Angel' Green Angel Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Green Fountain' Green Fountain Hosta | HP | 0.84 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Green Gold' Green Gold Hosta | HP | 1.04 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Green Kabitan' Green Kabitan Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Green Piecrust' Green Piecrust Hosta | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Green Sheen' Green Sheen Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Green Smash' Green Smash Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Green Velvetreen' Green Velvetreen Hosta | HP | 1.32 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Ground Sulphur' Ground Sulphur Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Groundmaster' Groundmaster Hosta | HP | 1.34 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Guacamole' Guacamole Hosta | HP | 1.68 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Hadspen Blue' Hadspen Blue Hosta | HP | 1.56 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Hadspen Hawk' Hadspen Hawk Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Hadspen Heron' Hadspen Heron Hosta | HP | 1.58 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Hadspen Samphire' Hadspen Samphire Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Hadspen White' Hadspen White Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Halcyon' Halcyon Hosta | HP | 1.31 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Happiness' Happiness Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Happy Hearts' Happy Hearts Hosta | HP | 1.08 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Harmony' Harmony Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Harrison' Harrison Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Harvest Moon' Harvest Moon Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Heartleaf' Heartleaf Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Helen Doriot' Helen Doriot Hosta | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Helonoides Albopicta' Helonoides Albopicta Hosta | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Herifu' Herifu Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'High Kicker' High Kicker Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta</i> 'Hillbilly Blues' Hillbilly Blues Hosta | HP | 1.48 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Hirao Majesty' Hirao Majesty Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Hirao Splendor' Hirao Splendor Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Hirao Supreme' Hirao Supreme Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Honeybells' Honeybells Hosta | HP | 1.22 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Honeysong' Honeysong Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Hoosier Harmony' Hoosier Harmony Hosta | HP | 1.56 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Hottsy Tottsy' Hottsy Tottsy Hosta | HP | 1.79 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Hydon Sunset' Hydon Sunset Hosta | HP | 1.57 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Inaho' Inaho Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Inniswood' Inniswood Hosta | HP | 1.47 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Invincible' Invincible Hosta | HP | 1.40 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Iona' Iona Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Iron Gate Delight' Iron Gate Delight Hosta | HP | 1.69 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Jade Beauty' Jade Beauty Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Jade Cascade' Jade Cascade Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Jade Scepter' Jade Scepter Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Jadette' Jadette Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Janet' Janet Hosta | HP | 1.21 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Joker' Joker Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Joseph' Joseph Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Julie Morss' Julie Morss Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'June' June Hosta | HP | 1.96 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Just So' Just So Hosta | HP | 1.83 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Kabitan' Kabitan Hosta | HP | 1.91 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'King Tut' King Tut Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Knockout' Knockout Hosta | HP | 1.74 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Krossa Cream Edge' Krossa Cream Edge Hosta | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Krossa Regal' Krossa Regal Hosta | HP | 1.26 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta</i> 'Lady Helen' Lady Helen Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Lancifolia' Lancifolia Hosta | HP | 1.19 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Leather Sheen' Leather Sheen Hosta | HP | 1.77 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Lemon Lime' Lemon Lime Hosta | HP | 1.40 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Leola Fraim' Leola Fraim Hosta | HP | 1.39 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Little Aurora' Little Aurora Hosta | HP | 1.57 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Little Blue' Little Blue Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Little Razor' Little Razor Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Love Pat' Love Pat Hosta | HP | 1.58 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Loyalist' Loyalist Hosta | HP | 1.58 | G4 | 2-3 | 4-8 | | | |
| <i>Hosta</i> 'Lunar Eclipse' Lunar Eclipse Hosta | HP | 1.25 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Maekawa' Maekawa Hosta | HP | 1.21 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Marilyn' Marilyn Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Maruba Iwa' Maruba Iwa Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Metallic Sheen' Metallic Sheen Hosta | HP | 1.71 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Midas Touch' Midas Touch Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Middle Ridge' Middle Ridge Hosta | HP | 0.83 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Midwest Magic' Midwest Magic Hosta | HP | 2.12 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Mildred Seaver' Mildred Seaver Hosta | HP | 1.50 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Minuteman' Minuteman Hosta | HP | 1.44 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Moerheim' Moerheim Hosta | HP | 1.10 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Montreal' Montreal Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Moonlight' Moonlight Hosta | HP | 1.20 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Moscow Blue' Moscow Blue Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Mostly Ghostly' Mostly Ghostly Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Mountain Snow' Mountain Snow Hosta | HP | 2.72 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Mountain Sunrise' Mountain Sunrise Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Mr. Big' Mr. Big Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Nakaimo' Nakaimo Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta</i> 'Neat Splash' Neat Splash Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'New Wave' New Wave Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Night before Christmas' Night before Christmas Hosta | HP | 1.79 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'North Hills' North Hills Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Northern Exposure' Northern Exposure Hosta | HP | 2.04 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Northern Halo' Northern Halo Hosta | HP | 2.23 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'On Stage' On Stage Hosta | HP | 2.52 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Oriana' Oriana Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Osprey' Osprey Hosta | HP | 1.05 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Pacific Blue Edger' Pacific Blue Edger Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Paradigm' Paradigm Hosta | HP | 2.04 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Paradise Red Delight' Paradise Red Delight Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Patriot' Patriot Hosta | HP | 1.47 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Paul's Glory' Paul's Glory Hosta | HP | 1.99 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Peace' Peace Hosta | HP | 1.83 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Pearl Lake' Pearl Lake Hosta | HP | 1.03 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Perfect' Perfect Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Piedmont Gold' Piedmont Gold Hosta | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Pineapple Poll' Pineapple Poll Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Pizzazz' Pizzazz Hosta | HP | 1.68 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Platinum Tiara' Platinum Tiara Hosta | HP | 1.08 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Potomac Pride' Potomac Pride Hosta | HP | 1.50 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Purple Dwarf' Purple Dwarf Hosta | HP | 1.27 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Purple Lady Finger' Purple Lady Finger Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Queen Josephine' Queen Josephine Hosta | HP | 1.88 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Rachel' Rachel Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Radiant Edger' Radiant Edger Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Rascal' Rascal Hosta | HP | 2.00 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Raspberry Sorbet' Raspberry Sorbet Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta</i> 'Regal Splendor' Regal Splendor Hosta | HP | 1.72 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Reginald Kaye' Reginald Kaye Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Resonance' Resonance Hosta | HP | 0.86 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Reversed' Reversed Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Revolution' P.P.A.F. Revolution Hosta | HP | 1.41 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Richland Gold' Richland Gold Hosta | HP | 0.86 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Royal Standard' Royal Standard Hosta | HP | 1.11 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Ryan's Big One' Ryan's Big One Hosta | HP | 1.29 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Saint Elmo's Fire' Saint Elmo's Fire Hosta | HP | 2.21 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Saishu Jima' Saishu Jima Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Samual Blue' Samual Blue Hosta | HP | 0.79 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Samurai' Samurai Hosta | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sea Dream' Sea Dream Hosta | HP | 1.70 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sea Fire' Sea Fire Hosta | HP | 2.14 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sea Gold Star' Sea Gold Star Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sea Grotto' Sea Grotto Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sea Lotus Leaf' Sea Lotus Leaf Hosta | HP | 1.45 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sea Mist' Sea Mist Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sea Octopus' Sea Octopus Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sea Sapphire' Sea Sapphire Hosta | HP | 1.28 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sea Thunder' Sea Thunder Hosta | HP | 1.29 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sea Yellow Sunrise' Sea Yellow Sunrise Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Second Wind' Second Wind Hosta | HP | 1.29 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'September Song' September Song Hosta | HP | 1.32 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'September Sun' September Sun Hosta | HP | 1.62 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Serendipity' Serendipity Hosta | HP | 1.27 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Shade Fanfare' Shade Fanfare Hosta | HP | 1.14 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Shade Master' Shade Master Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sharmon' Sharmon Hosta | HP | 1.14 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta</i> 'Shining Tot' Shining Tot Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Silver Crown' Silver Crown Hosta | HP | 1.04 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Silvery Slug Proof' Silvery Slug Proof Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Sitting Pretty' Sitting Pretty Hosta | HP | 1.37 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Slim Polly' Slim Polly Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Snow Cap' Snow Cap Hosta | HP | 1.52 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Snow Crust' Snow Crust Hosta | HP | 1.32 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Snow Flakes' Snow Flakes Hosta | HP | 1.40 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Snow White' Snow White Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Snowden' Snowden Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Snowstorm' Snowstorm Hosta | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'So Sweet' So Sweet Hosta | HP | 1.68 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Solar Flare' Solar Flare Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Something Blue' Something Blue Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Spacious' Spacious Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Sparkling Burgundy' Sparkling Burgundy Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sparky' Sparky Hosta | HP | 1.97 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Special Gift' Special Gift Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Spilt Milk' Spilt Milk Hosta | HP | 2.17 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Spinners' Spinners Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Spritzer' Spritzer Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Stained Glass' Stained Glass Hosta | HP | 3.26 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Stiletto' Stiletto Hosta | HP | 1.48 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Striptease' Striptease Hosta | HP | 2.97 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Sugar Plum Fairy' Sugar Plum Fairy Hosta | HP | 1.22 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sugar and Cream' Sugar and Cream Hosta | HP | 1.28 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sultana' Sultana Hosta | HP | 1.90 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sum and Substance' Sum and Substance Hosta | HP | 1.52 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Summer Fragrance' Summer Fragrance Hosta | HP | 1.51 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta</i> 'Summer Joy' Summer Joy Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Summer Music' Summer Music Hosta | HP | 1.96 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Summer Snow' Summer Snow Hosta | HP | 1.37 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sun Power' Sun Power Hosta | HP | 1.86 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sundance' Sundance Hosta | HP | 1.05 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sunshine Glory' Sunshine Glory Hosta | HP | 1.97 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Super Bowl' Super Bowl Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Super Nova' Super Nova Hosta | HP | 1.84 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Suzanne' Suzanne Hosta | HP | 1.47 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Sweet Susan' Sweet Susan Hosta | HP | 1.04 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Sweetie' Sweetie Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Tamborine' Tamborine Hosta | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Tattoo' P.P. 11603 Tattoo Hosta | HP | 2.36 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Temple Bells' Temple Bells Hosta | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Tenryu' Tenryu Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Thomas Hogg' Thomas Hogg Hosta | HP | 1.07 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Thunderbolt' P.P. 14232 Thunderbolt Hosta | HP | 2.24 | G4 | 2-3 | 4-8 | | | |
| <i>Hosta</i> 'Tiny Tears' Tiny Tears Hosta | HP | 1.82 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Tokudama Aureonebulosa' Tokudama Aureonebulosa Hosta | HP | 1.97 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Tokudama Flavocircinalis' Tokudama Flavocircinalis Hosta | HP | 1.82 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Tokudama' Tokudama Hosta | HP | 1.68 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Tomoko' Tomoko Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'True Blue' True Blue Hosta | HP | 1.02 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Twilight' P.P. 14040 Twilight Hosta | HP | 1.21 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Twinkles' Twinkles Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Undulata Albomarginata' Undulata Albomarginata Hosta | HP | 1.05 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Undulata Erromena' Undulata Erromena Hosta | HP | 0.95 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Undulata Univittata' Undulata Univittata Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Undulata' Wavy Hosta | HP | 1.02 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta</i> 'Valentine Lace' Valentine Lace Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Vanilla Cream' Vanilla Cream Hosta | HP | 0.86 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Vera Verde' Vera Verde Hosta | HP | 1.25 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Veronica Lake' Veronica Lake Hosta | HP | 1.12 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Vilmoriniana' Vilmoriniana Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Wheaton Blue' Wheaton Blue Hosta | HP | 1.42 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Whirlwind' Whirlwind Hosta | HP | 2.05 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'White Christmas' White Christmas Hosta | HP | 1.53 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'White Colossus' White Colossus Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Wide Brim' Wide Brim Hosta | HP | 1.26 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Willy Nilly' Willy Nilly Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Winning Edge' Winning Edge Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Wogon' Wogon Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Wogon's Boy' Wogon's Boy Hosta | HP | 1.46 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Wolverine' Wolverine Hosta | HP | 2.33 | G4 | 4-5 | 6-9 | | | |
| <i>Hosta</i> 'Woodland Green' Woodland Green Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Yellow River' Yellow River Hosta | HP | 1.46 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Yellow Splash Rim' Yellow Splash Rim Hosta | HP | 1.28 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Yellow Splash' Yellow Splash Hosta | HP | 1.32 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Zager White Edge' Zager White Edge Hosta | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta</i> 'Zounds' Zounds Hosta | HP | 1.23 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta capitata</i> Capitata Hosta | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta clausa</i> Claus Hosta | HP | 1.19 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta clausa</i> var. <i>normalis</i> Claus Normalis Hosta | HP | 1.17 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta flutuans</i> Flutuans Hosta | HP | 1.50 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta flutuans</i> 'Sagae' See - <i>Hosta flutuans</i> 'Variegated' | | | | | | | | |
| <i>Hosta flutuans</i> 'Variegated' Variegated Flutuans Hosta | HP | 1.50 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta fortunei</i> 'Aureomaculata' See - <i>Hosta</i> 'Fortunei Albopicta' | | | | | | | | |
| <i>Hosta hypoleuca</i> Hypoleuca Hosta | HP | 1.81 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta kikutii</i> Kikutii Hosta | HP | 1.41 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta kikutii</i> 'Aureomarginata' See - <i>Hosta kikutii</i> 'Kifukurin' | | | | | | | | |
| <i>Hosta kikutii</i> 'Kifukurin' Kifukurin Kikutii Hosta | HP | 1.41 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta kikutii</i> var. <i>pruinosa</i> Kikutii Pruinosa Hosta | HP | 1.47 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta longissima</i> Longissima Hosta | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta minor</i> Mini Hosta | HP | 1.25 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta minor</i> 'Alba' Alba Mini Hosta | HP | 1.25 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta montana</i> Montana Hosta | HP | 1.37 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta montana</i> 'Aureomarginata' Aureomarginata Montana Hosta | HP | 1.54 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta nakaiana</i> Nakaiana Hosta | HP | 1.24 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta nigrescens</i> Nigrescens Hosta | HP | 1.36 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta nigrescens</i> 'Elatior' Elatior Nigrescens Hosta | HP | 1.67 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta plantaginea</i> August Lily | HP | 1.57 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta plantaginea</i> 'Aphrodite' Aphrodite Plantain Hosta | HP | 1.85 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta plantaginea</i> 'Grandiflora' See - <i>Hosta plantaginea</i> | | | | | | | | |
| <i>Hosta pulchella</i> Pulchella Hosta | HP | 0.99 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta pulchella</i> 'Kifukurin' Kifukurin Hosta | HP | 0.99 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta rectifolia</i> Rectifolia Hosta | HP | 0.84 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta rectifolia</i> 'Chionea' Chionea Rectifolia Hosta | HP | 0.84 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta rupifraga</i> Rupifraga Hosta | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta sieboldiana</i> Sieboldiana Hosta | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta sieboldiana</i> 'Elegans' Elegans Sieboldiana Hosta | HP | 1.27 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta sieboldiana</i> 'Frances Williams' Frances Williams Sieboldiana Hosta | HP | 1.33 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta sieboldiana</i> 'Glauca' See - <i>Hosta</i> 'Tokudama' | | | | | | | | |
| <i>Hosta sieboldii</i> Albomarginata Sieboldii Hosta | HP | 1.25 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta sieboldii</i> 'Alba' White Sieboldii Hosta | HP | 0.98 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta x tardiana</i> Tardiana Hosta | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta tardiflora</i> Tardiflora Hosta | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta undulata</i> 'Medio-variegata' See - <i>Hosta</i> 'Undulata' | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta ventricosa</i> Ventricosa Hosta | HP | 1.28 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta ventricosa</i> 'Aureomaculata' Aureomaculata Ventricosa Hosta | HP | 1.06 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta ventricosa</i> 'Aureomarginata' Aureomarginata Ventricosa Hosta | HP | 1.31 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta ventricosa</i> 'Variegata' See - <i>Hosta ventricosa</i> 'Aureomarginata' | | | | | | | | |
| <i>Hosta venusta</i> Venusta Hosta | HP | 1.11 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta venusta</i> 'Variegated' Variegated Venusta Hosta | HP | 1.11 | G4 | 4-5 | 6-8 | | | |
| <i>Hosta yingeri</i> Yingeri Hosta | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Houstonia caerulea</i> Bluets | HP | 0.68 | G4 | 6 | 7-8 | | | |
| <i>Houttuynia cordata</i> No Common Name Found | HP | 1.07 | G4 | 5-6 | 7-8 | | | |
| <i>Houttuynia cordata</i> 'Chameleon' Chameleon Plant | HP | 0.94 | G4 | 5-6 | 7-8 | | | |
| <i>Houttuynia cordata</i> 'Flore-plena' Flore-plena Chameleon Plant | HP | 1.05 | G4 | 5-6 | 7-8 | | | |
| <i>Hovenia dulcis</i> Japanese Raisin Tree | DT | 1.25 | G2 | 5-6 | 7-10A | 1.00 | 0.91 | 6 |
| <i>Howea belmoreana</i> Belmore Sentry Palm | PC | 5.27 | G3 | 9B-10 | 11 | | 1.00 | 10 |
| <i>Howea forsterana</i> Sentry Palm | PC | 3.94 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>xHoweara</i> Howeara Hybrid Orchid | FO | 1.25 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Hoya carnososa</i> Wax Plant | FO | 0.43 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Hoya carnososa</i> 'Compacta' Hindu Rope Plant | FO | 0.20 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Hoya carnososa</i> 'Exotica' Exotic Wax Plant | FO | 0.44 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Hoya carnososa</i> 'Tricolor' Tricolor Wax Plant | FO | 0.32 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Hoya carnososa</i> 'Variegata' Variegated Wax Plant | FO | 0.19 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Hoya imperialis</i> No Common Name Found | FO | 1.55 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Humata tyermannii</i> Bear-foot Fern | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 8 |
| <i>Humulus lupulus</i> Common Hop | HP | 1.15 | G4 | 5-6 | 7 | | | |
| <i>Humulus lupulus</i> 'Aureus' Golden Common Hop | HP | 1.13 | G4 | 5-6 | 7 | | | |
| <i>Humulus lupulus</i> 'Bianca' Bianca Common Hop | HP | 1.24 | G4 | 5-6 | 7 | | | |
| <i>Humulus lupulus</i> 'Blue Northern' Blue Northern Common Hop | HP | 1.03 | G4 | 5-6 | 7 | | | |
| <i>Humulus lupulus</i> 'Brewer's Gold' Brewer's Gold Common Hop | HP | 1.03 | G4 | 5-6 | 7 | | | |
| <i>Humulus lupulus</i> 'Cascade' Cascade Common Hop | HP | 0.66 | G4 | 5-6 | 7 | | | |
| <i>Humulus lupulus</i> 'Nuggett' Nuggett Common Hop | HP | 0.97 | G4 | 5-6 | 7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Humulus lupulus</i> 'Willamette' Willamette Common Hop | HP | 1.03 | G4 | 5-6 | 7 | | | |
| <i>Hunnemannia fumariifolia</i> Mexican Tulip Poppy | AN | 1.11 | G4 | 8 | 9-10 | | | |
| <i>Hunnemannia fumariifolia</i> 'Sunlite' Sunlite Mexican Tulip Poppy | AN | 1.10 | G4 | 8 | 9-10 | | | |
| <i>Hutchinsia alpina</i> See - <i>Pritzelago alpina</i> | | | | | | | | |
| <i>Hyacinthoides hispanica</i> Spanish Bluebell | HP | 1.00 | G4 | 4-6 | 7-9 | | | |
| <i>Hyacinthus orientalis</i> Common Hyacinth | HP | 1.68 | G4 | 4-7 | 8-9A | | | |
| <i>Hydrangea</i> Hydrangea | DS | 1.29 | G2 | 6-7 | 8 | | 1.00 | 6 |
| <i>Hydrangea</i> 'Sweet Chris' P.P.A.F. Sweet Chris Hydrangea | DS | 1.29 | G2 | 6-7 | 8 | | 1.00 | 6 |
| <i>Hydrangea acuminata</i> See - <i>Hydrangea serrata</i> | | | | | | | | |
| <i>Hydrangea anomala</i> ssp. <i>petiolaris</i> Climbing Hydrangea | GC | 1.25 | G2 | 4 | 5-7 | | 1.09 | 4 |
| <i>Hydrangea anomala</i> ssp. <i>petiolaris</i> var. <i>cordifolia</i> Dwarf Climbing Hydrangea | GC | 1.00 | G2 | 4 | 5-7 | | 1.00 | 4 |
| <i>Hydrangea arborescens</i> Smooth Hydrangea | DS | 0.85 | G2 | 3-4 | 5-8 | | 1.29 | 3 |
| <i>Hydrangea arborescens</i> 'Annabelle' Annabelle Hydrangea | DS | 0.92 | G2 | 3-4 | 5-8 | | 1.29 | 3 |
| <i>Hydrangea arborescens</i> 'Dardom' P.P.A.F. White Dome™ Hydrangea | DS | 1.29 | G2 | 3-4 | 5-8 | | 1.14 | 3 |
| <i>Hydrangea arborescens</i> 'Grandiflora' Hills of Snow Hydrangea | DS | 0.96 | G2 | 3-4 | 5-8 | | 0.84 | 3 |
| <i>Hydrangea arborescens</i> 'White Dome' See - <i>Hydrangea arborescens</i> 'Dardom' P.P.A.F. | | | | | | | | |
| <i>Hydrangea arborescens</i> ssp. <i>radiata</i> No Common Name Found | DS | 1.11 | G2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Hydrangea aspera</i> No Common Name Found | DS | 0.97 | G2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hydrangea aspera</i> ssp. <i>sargentiana</i> See - <i>Hydrangea sargentiana</i> | | | | | | | | |
| <i>Hydrangea aspera</i> ssp. <i>strigosa</i> No Common Name Found | DS | 1.35 | G2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hydrangea aspera</i> var. <i>macrophylla</i> See - <i>Hydrangea aspera</i> ssp. <i>strigosa</i> | | | | | | | | |
| <i>Hydrangea involucrata</i> No Common Name Found | DS | 0.81 | G2 | 3-7 | 8-9 | | 1.00 | 7 |
| <i>Hydrangea macrophylla</i> Bigleaf Hydrangea | DS | 0.77 | G2 | 6-7 | 8-9A | | 0.70 | 5 |
| <i>Hydrangea macrophylla</i> 'Adria' Adria Mophead Hydrangea | DS | 0.98 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'All Summer Beauty' All Summer Beauty Bigleaf Hydrangea | DS | 0.89 | G2 | 6-7 | 8-9A | | 1.74 | 5 |
| <i>Hydrangea macrophylla</i> 'Alpengluhen' Alpengluhen Bigleaf Hydrangea | DS | 0.86 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Altona' Altona Mophead Hydrangea | DS | 0.72 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Amethyst' Amethyst Hortensia Hydrangea | DS | 1.35 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Ami Pasquier' Ami Pasquier Mophead Hydrangea | DS | 0.81 | G2 | 6-7 | 8-9A | | 1.39 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hydrangea macrophylla</i> 'Atlantic' Atlantic Mophead Hydrangea | DS | 1.47 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Ayesha' Ayesha Bigleaf Hydrangea | DS | 0.90 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Bailmer' P.P.A.F. Endless Summer™ Mophead Hydrangea | DS | 1.46 | G2 | 6-7 | 8-9A | | 1.39 | 4 |
| <i>Hydrangea macrophylla</i> 'Beauty Vendomoise' Beauty Vendomoise Lacecap Hydrangea | DS | 0.85 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Big Daddy' P.P. 14527 Big Daddy Mophead Hydrangea | DS | 1.36 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Blauer Prinz' Blauer Prinz Mophead Hydrangea | DS | 0.72 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Blauer Zweig' Blauer Zweig Mophead Hydrangea | DS | 1.47 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Blauemeise' Blauemeise Lacecap Hydrangea | DS | 0.77 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Blue Danube' Blue Danube Mophead Hydrangea | DS | 1.16 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Blue Wave' Blue Wave Bigleaf Hydrangea | DS | 0.96 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Bodensee Rose' Bodensee Rose Mophead Hydrangea | DS | 0.72 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Bottstein' Bottstein Mophead Hydrangea | DS | 1.25 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Bouquet Rose' Bouquet Rose Mophead Hydrangea | DS | 1.17 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Breslenburg' Breslenburg Mophead Hydrangea | DS | 1.47 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Buttons 'N Bows' See - <i>Hydrangea macrophylla</i> 'Monrey' P.P. 11405 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Cardinal Red' Cardinal Red Bigleaf Hydrangea | DS | 0.77 | G2 | 6-7 | 8-9A | | 1.16 | 5 |
| <i>Hydrangea macrophylla</i> 'Charm' Charm Bigleaf Hydrangea | DS | 0.95 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Coerulea Lace' Coerulea Lace Lacecap Hydrangea | DS | 0.94 | G2 | 6-7 | 8-9A | | 2.14 | 5 |
| <i>Hydrangea macrophylla</i> 'Coerulea' Blue Bigleaf Hydrangea | DS | 0.98 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Deutschland' Deutschland Mophead Hydrangea | DS | 1.47 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Domotoi' Domotoi Bigleaf Hydrangea | DS | 0.84 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Dooley' Dooley Bigleaf Hydrangea | DS | 0.90 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Eisvogel' Eisvogel Mophead Hydrangea | DS | 1.47 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Endless Summer' See - <i>Hydrangea macrophylla</i> 'Bailmer' P.P.A.F. | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Enziandon' Enziandom Mophead Hydrangea | DS | 0.69 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Europa' Europa Bigleaf Hydrangea | DS | 0.77 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Fasan' Fasan Lacecap Hydrangea | DS | 0.67 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Floralia' Floralia Bigleaf Hydrangea | DS | 0.99 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Forever Pink' Forever Pink Bigleaf Hydrangea | DS | 0.93 | G2 | 6-7 | 8-9A | | 1.39 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hydrangea macrophylla</i> 'Frau Reiko' P.P. 9500 Frau Reiko Bigleaf Hydrangea | DS | 1.40 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Frau Taiko' P.P. 10372 Frau Taiko Bigleaf Hydrangea | DS | 1.28 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Gartenbaudirektor Kuhnert' Gartenbaudirektor Kuhnert Mophead Hydrangea | DS | 0.92 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Generale Vicomtesse de Vibraye' Generale Vicomtesse de Vibraye Mophead Hydrangea | DS | 0.80 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Geoffrey Chadbund' Geoffrey Chadbund Lacecap Hydrangea | DS | 0.89 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Gerda Steiniger' Gerda Steiniger Mophead Hydrangea | DS | 1.47 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Gertrude Glahn' Gertrude Glahn Mophead Hydrangea | DS | 1.01 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Glory Blue' Glory Blue Bigleaf Hydrangea | DS | 0.96 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Glowing Embers' Glowing Embers Bigleaf Hydrangea | DS | 0.85 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Goliath' Goliath Bigleaf Hydrangea | DS | 0.83 | G2 | 6-7 | 8-9A | | 1.58 | 5 |
| <i>Hydrangea macrophylla</i> 'Hamburg' Hamburg Mophead Hydrangea | DS | 0.88 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Hanabi' P.P.A.F. Hanabi Bigleaf Hydrangea | DS | 1.06 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Heinrich Seidel' Heinrich Seidel Mophead Hydrangea | DS | 0.78 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Hobella' P.P. 9642 Hobella Hovaria Hydrangea | DS | 1.06 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Holstein' Holstein Mophead Hydrangea | DS | 0.72 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Homigo' Homigo Hovaria Hydrangea | DS | 0.92 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Horben' Horben Mophead Hydrangea | DS | 0.95 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Izu No Hana' Izu No Hana Lacecap Hydrangea | DS | 0.67 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Jogasaki' Jogasaki Lacecap Hydrangea | DS | 1.07 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'King George' King George Mophead Hydrangea | DS | 0.72 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Kluis Superba' Kluis Superba Mophead Hydrangea | DS | 0.98 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Lady in Red' Lady in Red Lacecap Hydrangea | DS | 1.28 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Lanarth White' Lanarth White Lacecap Hydrangea | DS | 0.91 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Lemon Wave' Lemon Wave Lacecap Hydrangea | DS | 0.97 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Leuchtfeuer' Leuchtfeuer Mophead Hydrangea | DS | 0.72 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Libelle' Libelle Lacecap Hydrangea | DS | 0.85 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Lilacina' Lilacina Lacecap Hydrangea | DS | 0.78 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Maculata' Maculata Lacecap Hydrangea | DS | 0.85 | G2 | 6-7 | 8-9A | | 1.39 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hydrangea macrophylla</i> 'Madame Emile Mouillere' Madame Emile Mouillere Bigleaf Hydrangea | DS | 0.91 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Madame Faustin Travouillon' Madame Faustin Travouillon Mophead Hydrangea | DS | 0.85 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Marechal Foch' Marchal Foch Mophead Hydrangea | DS | 0.85 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Mariesii Variegata' Variegated Mariesii Bigleaf Hydrangea | DS | 0.89 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Mariesii' Mariesii Bigleaf Hydrangea | DS | 0.93 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Masja' Masja Mophead Hydrangea | DS | 0.83 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Mathilda Gutges' Mathilda Gutges Mophead Hydrangea | DS | 0.83 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Merritt's Beauty' Merritt's Beauty Bigleaf Hydrangea | DS | 1.22 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Merritt's Blue' Merritt's Blue Bigleaf Hydrangea | DS | 0.93 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Merritt's Pink' Merritt's Pink Bigleaf Hydrangea | DS | 1.36 | G2 | 6-7 | 8-9 | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Merritt's Pride' Merritt's Pride Bigleaf Hydrangea | DS | 0.94 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Merritt's Supreme' Merritt's Supreme Bigleaf Hydrangea | DS | 0.83 | G2 | 6-7 | 8-9A | | 1.72 | 5 |
| <i>Hydrangea macrophylla</i> 'Mervielle Sanguine' Mervielle Sanguine Bigleaf Hydrangea | DS | 1.14 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Miss Belgium' Miss Belgium Mophead Hydrangea | DS | 0.82 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Moesmee' Moesmee Lacecap Hydrangea | DS | 0.73 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Monink' Pink 'n Pretty™ Bigleaf Hydrangea | DS | 1.09 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Monred' Red 'n Pretty™ Bigleaf Hydrangea | DS | 1.07 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Monrey' P.P. 11405 Buttons 'N Bows™ Bigleaf Hydrangea | DS | 1.42 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Monte Forte Perle' Monte Forte Perle Mophead Hydrangea | DS | 1.47 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Mousseline' Mousseline Bigleaf Hydrangea | DS | 0.87 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Mrs. Hepburn' Mrs. Hepburn Mophead Hydrangea | DS | 1.47 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Niedersachen' Niedersachen Mophead Hydrangea | DS | 0.85 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Nigra' Nigra Bigleaf Hydrangea | DS | 0.90 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Nikko Blue' Nikko Blue Bigleaf Hydrangea | DS | 0.87 | G2 | 6-7 | 8-9A | | 0.87 | 5 |
| <i>Hydrangea macrophylla</i> 'Oregon Pride' Oregon Pride Bigleaf Hydrangea | DS | 0.83 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Otaksa' Otaksa Bigleaf Hydrangea | DS | 0.86 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Paris' Paris Mophead Hydrangea | DS | 0.72 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Penny Mac' Penny Mac Mophead Hydrangea | DS | 1.09 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Pia' Pink Elf™ Bigleaf Hydrangea | DS | 1.03 | G2 | 6-7 | 8-9A | | 1.39 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Hydrangea macrophylla</i> 'Pink 'n Pretty' See - <i>Hydrangea macrophylla</i> 'Monink' | DS | 0.88 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Pink Beauty' Pink Beauty Bigleaf Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Pink Elf' See - <i>Hydrangea macrophylla</i> 'Pia' | DS | 0.94 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Pink Lace' Pink Lace Bigleaf Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Princess Beatrice' Princess Beatrice Mophead Hydrangea | DS | 0.72 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Queen's Lace' Queen's Lace Lacecap Hydrangea | DS | 1.07 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Red 'n Pretty' See - <i>Hydrangea macrophylla</i> 'Monred' | DS | 0.78 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Red Star' Red Star Bigleaf Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Regula' Regula Bigleaf Hydrangea | DS | 1.18 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Rosita' Rosita Mophead Hydrangea | DS | 1.47 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Royal Purple' Royal Purple Bigleaf Hydrangea | DS | 0.61 | G2 | 6-7 | 8-9A | | 1.39 | 6 |
| <i>Hydrangea macrophylla</i> 'Schenkenburg' Schenkenburg Mophead Hydrangea | DS | 1.10 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Sea Foam' Sea Foam Lacecap Hydrangea | DS | 0.84 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Sister Theresa' Sister Theresa Bigleaf Hydrangea | DS | 0.83 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Souvenir de President Doumer' Souvenir de President Doumer Mophead Hydrangea | DS | 0.72 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Stratford' Stratford Mophead Hydrangea | DS | 1.47 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Sun Goddess' See - <i>Hydrangea macrophylla</i> 'Yellowleaf' P.P.A.F. | DS | 1.47 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Sybilla' Sybilla Mophead Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Taube' Taube Bigleaf Hydrangea | DS | 1.01 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Teller Blue' Teller Blue Bigleaf Hydrangea | DS | 0.85 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Teller Red' Teller Red Bigleaf Hydrangea | DS | 0.90 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Teller Rose' Teller Rose Bigleaf Hydrangea | DS | 1.07 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Teller White' Teller White Bigleaf Hydrangea | DS | 0.92 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Ticino' Ticino Mophead Hydrangea | DS | 1.47 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Todi' Todi Mophead Hydrangea | DS | 1.01 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Tokyo Delight' Tokyo Delight Lacecap Hydrangea | DS | 0.94 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Tovelit' Tovelit Mophead Hydrangea | DS | 0.71 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Tricolor' Tricolor Lacecap Hydrangea | DS | 0.75 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Trophy' Trophy Bigleaf Hydrangea | DS | 0.86 | G2 | 6-7 | 8-9A | | 1.39 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hydrangea macrophylla</i> 'Variegata' Variegated Bigleaf Hydrangea | DS | 0.84 | G2 | 6-7 | 8-9A | | 1.19 | 5 |
| <i>Hydrangea macrophylla</i> 'Veitchii' Veitchii Lacecap Hydrangea | DS | 0.80 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Weidner's Blue' Weidner's Blue Lacecap Bigleaf Hydrangea | DS | 1.06 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Weidner's Pink' Weidner's Pink Lacecap Bigleaf Hydrangea | DS | 1.06 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'White Wave' White Wave Lacecap Hydrangea | DS | 0.72 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'White' White Bigleaf Hydrangea | DS | 0.94 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Yellowleaf' P.P.A.F. Sun Goddess™ Bigleaf Hydrangea | DS | 1.24 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> 'Zaunkoenig' Zaunkoenig Lacecap Hydrangea | DS | 0.78 | G2 | 6-7 | 8-9A | | 1.39 | 5 |
| <i>Hydrangea macrophylla</i> var. <i>normalis</i> No Common Name Found | DS | 0.78 | G2 | 6-7 | 8-9A | | 1.00 | 5 |
| <i>Hydrangea paniculata</i> Panicle Hydrangea | DS | 0.60 | G2 | 3-4 | 5-8 | | 2.35 | 3 |
| <i>Hydrangea paniculata</i> 'Angel's Blush' See - <i>Hydrangea paniculata</i> 'Ruby' P.P. 10751 | | | | | | | | |
| <i>Hydrangea paniculata</i> 'Brussels Lace' Brussels Lace Panicle Hydrangea | DS | 0.85 | G2 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Hydrangea paniculata</i> 'Burgundy Lace' Burgundy Lace Panicle Hydrangea | DS | 0.86 | G2 | 3-4 | 5-8 | | 1.11 | 3 |
| <i>Hydrangea paniculata</i> 'Chantilly Lace' Chantilly Lace Panicle Hydrangea | DS | 0.90 | G2 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Hydrangea paniculata</i> 'Floribunda' Manyflower Panicle Hydrangea | DS | 0.84 | G2 | 3-4 | 5-8 | | 0.90 | 3 |
| <i>Hydrangea paniculata</i> 'Grandiflora Compacta' Compact Peegee Panicle Hydrangea | DS | 1.04 | G2 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Hydrangea paniculata</i> 'Grandiflora Improved' Peegee Improved Panicle Hydrangea | DS | 0.81 | G2 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Hydrangea paniculata</i> 'Grandiflora' PeeGee Panicle Hydrangea | DS | 1.03 | G2 | 3-4 | 5-8 | | 0.93 | 3 |
| <i>Hydrangea paniculata</i> 'Greenspire' Greenspire Panicle Hydrangea | DS | 1.47 | G2 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Hydrangea paniculata</i> 'Kyushu' Kyushu Panicle Hydrangea | DS | 1.23 | G2 | 3-4 | 5-8 | | 1.44 | 3 |
| <i>Hydrangea paniculata</i> 'Limelight' P.P. 12874 Limelight Panicle Hydrangea | DS | 0.92 | G2 | 2-3 | 4-8 | | 1.17 | 3 |
| <i>Hydrangea paniculata</i> 'Passionate' See - <i>Hydrangea paniculata</i> 'Paszam' | | | | | | | | |
| <i>Hydrangea paniculata</i> 'Paszam' Passionate™ Panicle Hydrangea | DS | 0.89 | G2 | 2-3 | 4-8 | | 1.17 | 3 |
| <i>Hydrangea paniculata</i> 'Pink Diamond' Pink Diamond Panicle Hydrangea | DS | 1.03 | G2 | 3-4 | 5-8 | | 0.93 | 3 |
| <i>Hydrangea paniculata</i> 'Praecox' Early Panicle Hydrangea | DS | 0.91 | G2 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Hydrangea paniculata</i> 'Ruby' P.P. 10751 Angel's Blush™ Panicle Hydrangea | DS | 1.34 | G2 | 3-4 | 5-8 | | 1.36 | 3 |
| <i>Hydrangea paniculata</i> 'Tardiva' Late Panicle Hydrangea | DS | 1.00 | G2 | 3-4 | 5-8 | | 1.06 | 3 |
| <i>Hydrangea paniculata</i> 'The Swan' The Swan Panicle Hydrangea | DS | 1.22 | G2 | 2-3 | 4-8 | | 1.17 | 3 |
| <i>Hydrangea paniculata</i> 'Unique' Unique Panicle Hydrangea | DS | 0.96 | G2 | 3-4 | 5-8 | | 1.05 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hydrangea paniculata</i> 'Webb's' Webb's Panicle Hydrangea | DS | 0.90 | G2 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Hydrangea paniculata</i> 'White Lace' White Lace Panicle Hydrangea | DS | 0.90 | G2 | 3-4 | 5-8 | | 0.72 | 3 |
| <i>Hydrangea paniculata</i> 'White Moth' White Moth Panicle Hydrangea | DS | 1.00 | G2 | 3-4 | 5-8 | | 0.98 | 3 |
| <i>Hydrangea quercifolia</i> Oakleaf Hydrangea | DS | 0.93 | G2 | 6-7 | 8-9 | | 0.98 | 5 |
| <i>Hydrangea quercifolia</i> 'Alice' Alice Oakleaf Hydrangea | DS | 1.12 | G2 | 6-7 | 8-9 | | 1.28 | 5 |
| <i>Hydrangea quercifolia</i> 'Alison' Alison Oakleaf Hydrangea | DS | 0.93 | G2 | 6-7 | 8-9 | | 1.20 | 5 |
| <i>Hydrangea quercifolia</i> 'Ellen Huff' Ellen Huff Oakleaf Hydrangea | DS | 0.85 | G2 | 6-7 | 8-9 | | 1.20 | 5 |
| <i>Hydrangea quercifolia</i> 'Pee Wee' Pee Wee Oakleaf Hydrangea | DS | 1.13 | G2 | 4-5 | 6-9 | | 1.36 | 5 |
| <i>Hydrangea quercifolia</i> 'Roanoke' Roanoke Oakleaf Hydrangea | DS | 1.08 | G2 | 6-7 | 8-9 | | 1.20 | 5 |
| <i>Hydrangea quercifolia</i> 'Sikes Dwarf' Sikes Dwarf Oakleaf Hydrangea | DS | 0.98 | G2 | 6-7 | 8-9 | | 1.14 | 5 |
| <i>Hydrangea quercifolia</i> 'Snow Giant' Snow Giant Oakleaf Hydrangea | DS | 1.32 | G2 | 6-7 | 8-9 | | 1.20 | 5 |
| <i>Hydrangea quercifolia</i> 'Snow Queen' P.P. 4458 Snow Queen Oakleaf Hydrangea | DS | 1.23 | G2 | 6-7 | 8-9 | | 1.34 | 5 |
| <i>Hydrangea quercifolia</i> 'Snowflake' P.P. 3047 Snowflake Oakleaf Hydrangea | DS | 1.22 | G2 | 6-7 | 8-9 | | 1.10 | 5 |
| <i>Hydrangea sargentiana</i> Sargent Hydrangea | DS | 1.26 | G2 | 6-7 | 8-9 | | 1.55 | 7 |
| <i>Hydrangea serrata</i> Tea of Heaven Hydrangea | DS | 0.84 | G2 | 6-7 | 8 | | 2.16 | 6 |
| <i>Hydrangea serrata</i> 'Beni-gaku' Beni-gaku Tea of Heaven Hydrangea | DS | 0.93 | G2 | 6-7 | 8 | | 2.16 | 6 |
| <i>Hydrangea serrata</i> 'Blue Billow' Blue Billow Tea of Heaven Hydrangea | DS | 0.81 | G2 | 6-7 | 8 | | 2.16 | 6 |
| <i>Hydrangea serrata</i> 'Blue Deckle' Blue Deckle Tea of Heaven Hydrangea | DS | 0.72 | G2 | 6-7 | 8 | | 2.16 | 6 |
| <i>Hydrangea serrata</i> 'Bluebird' Bluebird Tea of Heaven Hydrangea | DS | 1.04 | G2 | 6-7 | 8 | | 2.16 | 6 |
| <i>Hydrangea serrata</i> 'Golden Sunlight' Golden Sunlight Tea of Heaven Hydrangea | DS | 1.38 | G2 | 6-7 | 8 | | 2.16 | 6 |
| <i>Hydrangea serrata</i> 'Grayswood' Grayswood Tea of Heaven Hydrangea | DS | 0.86 | G2 | 6-7 | 8 | | 2.16 | 6 |
| <i>Hydrangea serrata</i> 'Kiyosumi' Kiyosumi Tea of Heaven Hydrangea | DS | 1.03 | G2 | 6-7 | 8-9A | | 2.16 | 6 |
| <i>Hydrangea serrata</i> 'Preziosa' Preziosa Tea of Heaven Hydrangea | DS | 0.85 | G2 | 6-7 | 8 | | 2.16 | 6 |
| <i>Hydrangea serrata</i> 'Purple Tiers' Purple Tiers Tea of Heaven Hydrangea | DS | 0.97 | G2 | 6-7 | 8 | | 2.16 | 6 |
| <i>Hydrangea serrata</i> 'Shichidanka-nishiki' Chiffon Tea of Heaven Hydrangea | DS | 1.23 | G2 | 6-7 | 8 | | 2.16 | 6 |
| <i>Hydrangea serrata</i> 'Woodlander' Woodlander Tea of Heaven Hydrangea | DS | 1.07 | G2 | 6-7 | 8 | | 2.16 | 6 |
| <i>Hydrastis canadensis</i> Golden Seal | HP | 1.36 | G4 | 3-4 | 5-7 | | | |
| <i>Hydrophyllum virginianum</i> Virginia Waterleaf | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Hylocereus trigonus</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hylocereus undatus</i> Night Blooming Cereus | FO | 0.40 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Hylotelephium</i> See - <i>Sedum</i> | | | | | | | | |
| <i>Hylotelephium caudicolum</i> See - <i>Sedum caudicolum</i> | | | | | | | | |
| <i>Hylotelephium erythrostictum</i> See - <i>Sedum erythrostictum</i> | | | | | | | | |
| <i>Hylotelephium ewersii</i> See - <i>Sedum ewersii</i> | | | | | | | | |
| <i>Hylotelephium sieboldii</i> See - <i>Sedum sieboldii</i> | | | | | | | | |
| <i>Hylotelephium spectabile</i> See - <i>Sedum spectabile</i> | | | | | | | | |
| <i>Hylotelephium telephium</i> See - <i>Sedum telephium</i> | | | | | | | | |
| <i>Hymenaea courbaril</i> Jatoba | BE | 1.00 | G1 | 9A-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Hymenocallis caroliniana</i> Inland Spiderlily | HP | 0.77 | G4 | 7 | 8-9A | | | |
| <i>Hymenocallis latifolia</i> Cayman Islands Spiderlily | HP | 0.75 | G4 | 7-10 | 11 | | | |
| <i>Hymenocallis latifolia</i> 'Variegata' Variegated Cayman Islands Spiderlily | HP | 0.86 | G4 | 7-10 | 11 | | | |
| <i>Hymenocallis liriosome</i> No Common Name Found | HP | 0.92 | G4 | 7-10 | 11 | | | |
| <i>Hymenocallis littoralis</i> Beach Spiderlily | HP | 1.17 | G4 | 7-10 | 11 | | | |
| <i>Hymenocallis littoralis</i> 'Variegata' Variegated Beach Spiderlily | HP | 1.02 | G4 | 7-10 | 11 | | | |
| <i>Hymenocallis narcissiflora</i> Peruvian Daffodil | HP | 0.84 | G4 | 7-9 | 10-11 | | | |
| <i>Hymenolepis parviflora</i> Coulter Bush | BS | 1.00 | G2 | 7-9 | 10-11 | | 1.00 | 9 |
| <i>Hymenosporum flavum</i> Sweetshade Tree | BE | 1.10 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Hymenoxys acaulis</i> See - <i>Tetraneuris acaulis</i> | | | | | | | | |
| <i>Hymenoxys grandiflora</i> See - <i>Tetraneuris grandiflora</i> | | | | | | | | |
| <i>Hymenoxys lapidicola</i> No Common Name Found | HP | 1.00 | G4 | 4 | 5-7 | | | |
| <i>Hymenoxys scaposa</i> See - <i>Tetraneuris scaposa</i> | | | | | | | | |
| <i>Hymenoxys subintegra</i> Goldflower | HP | 1.00 | G4 | 4 | 5-7 | | | |
| <i>Hymenoxys torreyana</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Hyophorbe indica</i> No Common Name Found | PC | 1.11 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Hyophorbe lagenicaulis</i> Bottle Palm | PC | 1.54 | G1 | 10 | 11 | | 1.75 | 10 |
| <i>Hyophorbe verschaffeltii</i> Spindle Palm | PC | 1.11 | G1 | 9-10 | 11 | | 0.98 | 10 |
| <i>Hypericum</i> St. John's-Wort | HP | 0.73 | G2 | 7-8 | 9 | | | |
| <i>Hypericum</i> 'Bosapri' P.P. 11613 Prince Flair® St. John's-wort | BS | 1.21 | G2 | 4-5 | 6-9 | | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hypericum</i> 'Hidcote' Hidcote St. John's-Wort | BS | 1.04 | G2 | 7 | 8-9A | | 1.00 | 6 |
| <i>Hypericum</i> 'Prince Flair' See - <i>Hypericum</i> 'Bosapri' P.P. 11613 | | | | | | | | |
| <i>Hypericum</i> 'Rowallane' Rowallane St. John's-Wort | BS | 1.13 | G2 | 8 | 9-10A | | 1.00 | 6 |
| <i>Hypericum androsaemum</i> Tutsan | DS | 0.36 | G2 | 6 | 7-9A | | 1.00 | 6 |
| <i>Hypericum androsaemum</i> 'Albury Purple' Albury Purple Tutsan | DS | 1.06 | G2 | 6 | 7-9A | | 1.00 | 6 |
| <i>Hypericum androsaemum</i> 'Autumn Blaze' Autumn Blaze Tutsan | DS | 0.93 | G2 | 6 | 7-9A | | 1.00 | 6 |
| <i>Hypericum ascyron</i> Great St. John's-Wort | HP | 1.25 | G4 | 3-4 | 5-7 | | | |
| <i>Hypericum beanii</i> No Common Name Found | BS | 0.87 | G2 | 7-8 | 9 | | 1.00 | 7 |
| <i>Hypericum calycinum</i> Aaronsbeard St. John's-Wort | GC | 0.77 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Hypericum coris</i> No Common Name Found | HP | 0.59 | G2 | 7-8 | 9 | | | |
| <i>Hypericum densiflorum</i> Dense Hypericum | BS | 0.54 | G2 | 7-8 | 9 | | 1.00 | 5 |
| <i>Hypericum densiflorum</i> 'Creel's Gold Star' Creel's Gold Star Dense Hypericum | BS | 0.54 | G2 | 7-8 | 9 | | 1.00 | 5 |
| <i>Hypericum empetrifolium</i> No Common Name Found | GC | 0.50 | G2 | 7-8 | 9 | | 1.00 | 4 |
| <i>Hypericum frondosum</i> Golden St. John's-Wort | BS | 1.11 | G2 | 5-6 | 7-9A | | 1.14 | 5 |
| <i>Hypericum frondosum</i> 'Sunburst' Sunburst Golden St. John's-Wort | BS | 0.98 | G2 | 5-6 | 7-9A | | 1.14 | 5 |
| <i>Hypericum galioides</i> Bedstraw St. John's-Wort | HP | 0.52 | G2 | 7-8 | 9 | | | |
| <i>Hypericum x inodorum</i> No Common Name Found | DS | 0.96 | G2 | 7-8 | 9 | | 1.00 | 7 |
| <i>Hypericum x inodorum</i> 'Summergold' Summergold St. John's-Wort | DS | 0.96 | G2 | 7-8 | 9 | | 1.00 | 7 |
| <i>Hypericum kalmianum</i> Kalm St. John's-Wort | BS | 1.09 | G2 | 7-8 | 9 | | 0.81 | 2 |
| <i>Hypericum kalmianum</i> 'Ames' Ames Kalm St. John's-Wort | HP | 1.37 | G2 | 7-8 | 9 | | | |
| <i>Hypericum kelleri</i> No Common Name Found | HP | 0.75 | G2 | 7-8 | 9 | | | |
| <i>Hypericum kouytchense</i> Sungold St. John's-Wort | BS | 0.96 | G2 | 6 | 7-8 | | 1.00 | 6 |
| <i>Hypericum x moserianum</i> Moser's St. John's-Wort | BS | 1.20 | G2 | 7 | 8-9A | | 1.00 | 7 |
| <i>Hypericum x moserianum</i> 'Tricolor' Tricolor Moser's St. John's-Wort | BS | 0.95 | G2 | 7 | 8-9A | | 1.00 | 7 |
| <i>Hypericum olympicum</i> Olympicum St. John's-Wort | BS | 0.77 | G2 | 7-8 | 9 | | 1.00 | 6 |
| <i>Hypericum patulum</i> Goldencup St. John's-Wort | BS | 0.88 | G2 | 6-7 | 8-9A | | 1.00 | 6 |
| <i>Hypericum patulum</i> 'Henryi' See - <i>Hypericum beanii</i> | | | | | | | | |
| <i>Hypericum patulum</i> 'Hidcote' See - <i>Hypericum</i> 'Hidcote' | | | | | | | | |
| <i>Hypericum patulum</i> 'Sungold' See - <i>Hypericum kouytchense</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Hypericum patulum</i> var. <i>henryi</i> See - <i>Hypericum pseudohenryi</i> | | | | | | | | |
| <i>Hypericum perforatum</i> Perforate St. John's-wort | BS | 0.69 | G2 | 4-5 | 6-9 | | 1.00 | 3 |
| <i>Hypericum prolificum</i> Shrubby St. John's-Wort | BS | 1.12 | G2 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Hypericum pseudohenryi</i> No Common Name Found | BS | 0.97 | G2 | 4-5 | 6-9 | | 1.00 | 5 |
| <i>Hypericum pyramidatum</i> See - <i>Hypericum ascyron</i> | | | | | | | | |
| <i>Hypericum reductum</i> Coastal St. John's-Wort | HP | 0.79 | G4 | 5-8 | 9-10 | | | |
| <i>Hypericum reptans</i> Creeping St. John's-Wort | GC | 1.07 | G2 | 7-8 | 9 | | 1.00 | 7 |
| <i>Hyphaene coriacea</i> Doom Palm | PC | 1.39 | G1 | 9B-10 | 11 | | 1.00 | 10 |
| <i>Hyphaene thebaica</i> Gingerbread Palm | PC | 1.62 | G1 | 9B-10 | 11 | | 1.00 | 10 |
| <i>Hypoestes aristata</i> Ribbon Bush | FO | 0.37 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Hypoestes phyllostachya</i> Polka-dot Plant | FO | 0.32 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Hypoestes phyllostachya</i> 'Confetti Series' Confetti Series Polka-dot Plant | FO | 0.42 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Hypoestes phyllostachya</i> 'Splash Select Series' Splash Select Series Polka-Dot Plant | FO | 0.16 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Hypoxis hirsuta</i> Yellow Star Grass | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Hypsela reniformis</i> No Common Name Found | HP | 1.00 | G4 | 7 | 8-10 | | | |
| <i>Hyssopus officinalis</i> Hyssop | HP | 1.05 | G4 | 3-4 | 5-7 | | | |
| <i>Hyssopus officinalis</i> 'Roseus' Rose Pink Hyssop | HP | 1.05 | G4 | 3-4 | 5-7 | | | |
| <i>Hystrix patula</i> Bottlebrush Grass | HP | 1.02 | G4 | 5-6 | 7-8 | | | |
| <i>Iberis gibraltarica</i> Gibraltar Candytuft | HP | 0.69 | G2 | 6-7 | 8-9 | | | |
| <i>Iberis pruitii</i> Pruit Candytuft | HP | 1.00 | G2 | 6-7 | 8-9 | | | |
| <i>Iberis saxatilis</i> Rock Candytuft | HP | 1.00 | G2 | 6-7 | 8-9 | | | |
| <i>Iberis sempervirens</i> Evergreen Candytuft | HP | 0.90 | G2 | 6-7 | 8-9 | | | |
| <i>Iberis sempervirens</i> 'Alexander's White' Alexander's White Evergreen Candytuft | HP | 0.97 | G2 | 6-7 | 8-9 | | | |
| <i>Iberis sempervirens</i> 'Autumn Beauty' Autumn Beauty Evergreen Candytuft | HP | 0.89 | G2 | 6-7 | 8-9 | | | |
| <i>Iberis sempervirens</i> 'Autumn Snow' Autumn Snow Evergreen Candytuft | HP | 0.76 | G2 | 6-7 | 8-9 | | | |
| <i>Iberis sempervirens</i> 'Little Gem' Little Gem Evergreen Candytuft | HP | 0.85 | G2 | 6-7 | 8-9 | | | |
| <i>Iberis sempervirens</i> 'Purity' Purity Evergreen Candytuft | HP | 0.99 | G2 | 6-7 | 8-9 | | | |
| <i>Iberis sempervirens</i> 'Snowflake' Snowflake Evergreen Candytuft | HP | 0.86 | G2 | 6-7 | 8-9 | | | |
| <i>Iboza riparium</i> See - <i>Tetradenia riparia</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Idesia polycarpa</i> No Common Name Found | DT | 1.00 | G2 | 4-5 | 6-10 | 0.85 | 1.00 | 5 |
| <i>Ilex</i> Holly | BS | 1.13 | G2 | 5-9 | 10A-11 | | 1.13 | 3 |
| <i>Ilex</i> 'Apollo' Apollo Male Holly | BS | 0.88 | G2 | 3-5 | 6-8 | | 0.77 | 3 |
| <i>Ilex</i> 'Aspire' See - <i>Ilex</i> 'STBB' | | | | | | | | |
| <i>Ilex</i> 'Autumn Glow' Autumn Glow Holly | BS | 0.89 | G2 | 6 | 7-8 | | 0.68 | 3 |
| <i>Ilex</i> 'Bonfire' Bonfire Holly | BS | 1.16 | G2 | 6 | 7-8 | | 0.64 | 5 |
| <i>Ilex</i> 'Cardinal' See - <i>Ilex</i> 'Conal' P.P. 9485 | | | | | | | | |
| <i>Ilex</i> 'China Boy' See - <i>Ilex</i> 'Mesdob' P.P. 4803 | | | | | | | | |
| <i>Ilex</i> 'China Girl' See - <i>Ilex</i> 'Mesog' P.P. 4878 | | | | | | | | |
| <i>Ilex</i> 'Conal' P.P. 9487 Oakleaf™ Red Holly | BS | 1.02 | G2 | 6 | 7-8 | | 0.97 | 6 |
| <i>Ilex</i> 'Conal' P.P. 9485 Cardinal™ Red Holly | BS | 1.09 | G2 | 6 | 7-8 | | 0.96 | 6 |
| <i>Ilex</i> 'Coned' P.P. 9484 Little Red™ Holly | BS | 1.05 | G2 | 6 | 7-8 | | 0.88 | 6 |
| <i>Ilex</i> 'Conin' P.P. 9486 Robin™ Red Holly | BS | 1.01 | G2 | 6 | 7-8 | | 1.03 | 6 |
| <i>Ilex</i> 'Conive' P.P. 9498 Festive™ Holly | BS | 1.01 | G2 | 6 | 7-8 | | 0.88 | 6 |
| <i>Ilex</i> 'Conot' P.P. 12010 Patriot™ Hybrid Red Holly | BS | 1.00 | G2 | 4-6 | 7-10 | | 1.13 | 6 |
| <i>Ilex</i> 'Conty' P.P. 12009 Liberty™ Holly | BE | 0.82 | G2 | 6 | 7-9 | 1.00 | 1.99 | 6 |
| <i>Ilex</i> 'Dixie Dream' See - <i>Ilex</i> 'Xia Xiang' P.P. 10526 | | | | | | | | |
| <i>Ilex</i> 'Dr. Kassab' Dr. Kassab Holly | BS | 0.90 | G2 | 6 | 7-8 | | 1.83 | 5 |
| <i>Ilex</i> 'Dragon Lady' See - <i>Ilex</i> 'Meschick' P.P. 4996 | | | | | | | | |
| <i>Ilex</i> 'Ebony Magic' P.P. 5004 Ebony Magic™ Holly | BS | 1.38 | G2 | 6 | 7-8 | | 1.46 | 6 |
| <i>Ilex</i> 'Emily Brunner' Emily Brunner Holly | BS | 0.90 | G2 | 6-7 | 8-9 | | 1.35 | 7 |
| <i>Ilex</i> 'Festive' See - <i>Ilex</i> 'Conive' P.P. 9498 | | | | | | | | |
| <i>Ilex</i> 'Harvest Red' Harvest Red Holly | BS | 0.85 | G2 | 3-5 | 6-8 | | 0.88 | 3 |
| <i>Ilex</i> 'Liberty' See - <i>Ilex</i> 'Conty' P.P. 12009 | | | | | | | | |
| <i>Ilex</i> 'Little Rascal' See - <i>Ilex</i> 'Mondo' P.P. 9999 | | | | | | | | |
| <i>Ilex</i> 'Little Red' See - <i>Ilex</i> 'Coned' P.P. 9484 | | | | | | | | |
| <i>Ilex</i> 'Lydia Morris' Lydia Morris Holly | BS | 0.91 | G2 | 6 | 7-8 | | 1.13 | 6 |
| <i>Ilex</i> 'Mary Nell' Mary Nell Hybrid Holly | BE | 0.70 | G2 | 6 | 7-9B | 1.00 | 1.99 | 6 |
| <i>Ilex</i> 'Meschick' P.P. 4996 Dragon Lady™ Holly | BS | 1.46 | G2 | 6 | 7-8 | | 1.68 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Ilex</i> 'Mesdob' P.P. 4803 China Boy® Holly | BS | 1.26 | G2 | 6 | 7-8 | | 1.25 | 3 |
| <i>Ilex</i> 'Mesog' P.P. 4878 China Girl® Holly | BS | 1.16 | G2 | 6 | 7-8 | | 1.25 | 3 |
| <i>Ilex</i> 'Mondo' P.P. 9999 Little Rascal™ Holly | BS | 2.12 | G2 | 6 | 7-8 | | 1.13 | 6 |
| <i>Ilex</i> 'Nellie R. Stevens' Nellie R. Stevens Holly | BS | 0.90 | G2 | 6 | 7-9B | | 1.21 | 6 |
| <i>Ilex</i> 'Oakland' P.P.A.F. Oakland Red Holly | BS | 1.17 | G2 | 6 | 7-9B | | 1.13 | 6 |
| <i>Ilex</i> 'Oakleaf' See - <i>Ilex</i> 'Conaf' P.P. 9487 | | | | | | | | |
| <i>Ilex</i> 'Patriot' See - <i>Ilex</i> 'Conot' P.P. 12010 | | | | | | | | |
| <i>Ilex</i> 'Raritan Chief' Raritan Chief Holly | BS | 1.26 | G2 | 6 | 7-8 | | 0.72 | 3 |
| <i>Ilex</i> 'Robin' See - <i>Ilex</i> 'Conin' P.P. 9486 | | | | | | | | |
| <i>Ilex</i> 'STBB' Aspire™ Holly | BS | 1.13 | G2 | 5-7 | 8-10 | | 2.20 | 7 |
| <i>Ilex</i> 'Sadezam' Santa's Delight Holly | BS | 1.76 | G2 | 6 | 7-9B | | 1.13 | 6 |
| <i>Ilex</i> 'Santa's Delight' See - <i>Ilex</i> 'Sadezam' | | | | | | | | |
| <i>Ilex</i> 'Sparkleberry' Sparkleberry Holly | BS | 0.88 | G2 | 3-5 | 6-8 | | 0.76 | 3 |
| <i>Ilex</i> 'Xia Xiang' P.P. 10526 Dixie Dream Hybrid Holly | BE | 0.59 | G2 | 6 | 7-9 | 1.00 | 1.99 | 6 |
| <i>Ilex xaltaclarensis</i> Altaclare Holly | BS | 0.85 | G2 | 6 | 7-8 | | 0.68 | 6 |
| <i>Ilex xaltaclarensis</i> 'Indigo Knight' See - <i>Ilex xaltaclarensis</i> 'Wight Selection' P.P. 6978 | | | | | | | | |
| <i>Ilex xaltaclarensis</i> 'Wight Selection' P.P. 6978 Indigo Knight Altaclare Holly | BS | 0.85 | G2 | 6 | 7-8 | | 0.68 | 6 |
| <i>Ilex xaltaclarensis</i> 'Wilsonii' Wilson Altaclare Holly | BS | 0.85 | G2 | 6 | 7-8 | | 0.68 | 6 |
| <i>Ilex aquifolium</i> English Holly | BE | 0.65 | G2 | 6 | 7-8 | 1.00 | 0.86 | 6 |
| <i>Ilex aquifolium</i> 'Angustifolia' Angustifolia English Holly | BS | 0.77 | G2 | 6 | 7-8 | | 0.75 | 6 |
| <i>Ilex aquifolium</i> 'Argenteo-marginata' Argenteo-marginata English Holly | BE | 1.23 | G2 | 6 | 7-8 | 1.00 | 1.21 | 6 |
| <i>Ilex aquifolium</i> 'Aureo-marginata' Aureo-marginata English Holly | BS | 0.94 | G2 | 6 | 7-8 | | 0.75 | 6 |
| <i>Ilex aquifolium</i> 'Balkans' Balkans English Holly | BE | 1.25 | G2 | 6 | 7-8 | 1.00 | 0.42 | 6 |
| <i>Ilex aquifolium</i> 'Ciliata Major' Ciliata Major English Holly | BE | 1.33 | G2 | 6 | 7-8 | 1.00 | 2.09 | 6 |
| <i>Ilex aquifolium</i> 'Crassifolia' Leatherleaf Holly | BS | 0.77 | G2 | 6 | 7-8 | | 0.75 | 6 |
| <i>Ilex aquifolium</i> 'Ferox Argentea' Ferox Argentea English Holly | BS | 0.77 | G2 | 6 | 7-8 | | 0.75 | 6 |
| <i>Ilex aquifolium</i> 'Ferox Aurea' Ferox Aurea English Holly | BS | 0.77 | G2 | 6 | 7-8 | | 0.75 | 6 |
| <i>Ilex aquifolium</i> 'Ferox' Hedgehog English Holly | BE | 1.05 | G2 | 6 | 7-8 | 1.00 | 1.17 | 6 |
| <i>Ilex aquifolium</i> 'Gold Coast' See - <i>Ilex aquifolium</i> 'Monvila' P.P. 5143 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Ilex aquifolium</i> 'Limsi' P.P. 8873 Siberia™ English Holly | BE | 1.45 | G2 | 6 | 7-8 | 1.00 | 1.15 | 6 |
| <i>Ilex aquifolium</i> 'Monler' Sparkler™ English Holly | BE | 0.84 | G2 | 6 | 7-8 | 1.00 | 1.17 | 6 |
| <i>Ilex aquifolium</i> 'Monvila' P.P. 5143 Gold Coast™ English Holly | BE | 1.55 | G2 | 6 | 7-8 | 1.00 | 1.17 | 6 |
| <i>Ilex aquifolium</i> 'Sadie's Deluxe' Sadie's Deluxe English Holly | BE | 1.25 | G2 | 6 | 7-8 | 1.00 | 1.17 | 6 |
| <i>Ilex aquifolium</i> 'San Gabriel' San Gabriel English Holly | BE | 1.54 | G2 | 6 | 7-8 | 1.00 | 1.26 | 6 |
| <i>Ilex aquifolium</i> 'Siberia' See - <i>Ilex aquifolium</i> 'Limsi' P.P. 8873 | | | | | | | | |
| <i>Ilex aquifolium</i> 'Silver Queen' Silver Queen English Holly | BE | 1.62 | G2 | 6 | 7-8 | 1.00 | 1.17 | 6 |
| <i>Ilex aquifolium</i> 'Sparkler' See - <i>Ilex aquifolium</i> 'Monler' | | | | | | | | |
| <i>Ilex aquifolium</i> 'Teufel's Silver Variegated' Teufel's Silver Variegated English Holly | BE | 1.25 | G2 | 6 | 7-8 | 1.00 | 1.17 | 6 |
| <i>Ilex aquifolium</i> 'Teufel's Weeping' Teufel's Weeping Holly | BE | 1.25 | G2 | 6 | 7-8 | 1.00 | 1.17 | 6 |
| <i>Ilex xaquipermyi</i> Hybrid Holly | BS | 1.06 | G2 | 6 | 7-8 | | 1.36 | 6 |
| <i>Ilex xaquipermyi</i> 'Patricia Varner' Patricia Varner Holly | BS | 0.60 | G2 | 6 | 7-8 | | 1.57 | 6 |
| <i>Ilex xaquipermyi</i> 'San Jose' San Jose Holly | BS | 1.51 | G2 | 6 | 7-8 | | 1.77 | 6 |
| <i>Ilex xaquipermyi</i> 'September Gem' September Gem Holly | BS | 1.06 | G2 | 4-6 | 7-10 | | 1.57 | 6 |
| <i>Ilex xattenuata</i> Topal Holly | BE | 1.02 | G2 | 6 | 7-9B | 1.49 | 0.96 | 6 |
| <i>Ilex xattenuata</i> 'Annie Armstrong' Annie Armstrong Topal Holly | BE | 0.89 | G2 | 6 | 7-8 | 1.49 | 1.25 | 6 |
| <i>Ilex xattenuata</i> 'Eagleston' Eagleston Topal Holly | BE | 0.76 | G2 | 6 | 7-9B | 1.16 | 1.12 | 6 |
| <i>Ilex xattenuata</i> 'East Palatka' East Palatka Topal Holly | BE | 0.77 | G2 | 6 | 7-9B | 1.10 | 1.07 | 6 |
| <i>Ilex xattenuata</i> 'Foster #2' Foster Topal Holly | BE | 0.83 | G2 | 6 | 7-8 | 1.81 | 1.59 | 6 |
| <i>Ilex xattenuata</i> 'Foster #4' Foster #4 Male Topal Holly | BE | 0.94 | G2 | 6 | 7-8 | 1.49 | 0.73 | 6 |
| <i>Ilex xattenuata</i> 'Nasa' Nasa Topal Holly | BE | 0.80 | G2 | 6 | 7-8 | 1.49 | 1.25 | 6 |
| <i>Ilex xattenuata</i> 'Savannah' Savannah Topal Holly | BE | 0.77 | G2 | 6 | 7-9B | 1.87 | 2.00 | 6 |
| <i>Ilex cassine</i> Dahoon Holly | BE | 0.73 | G2 | 6 | 7-10 | 0.89 | 0.77 | 6 |
| <i>Ilex cassine</i> 'Perdido' Perdido Dahoon Holly | BE | 0.62 | G2 | 6 | 7-8 | 0.89 | 0.77 | 6 |
| <i>Ilex cassine</i> 'Tensaw' Tensaw Dahoon Holly | BE | 0.62 | G2 | 6 | 7-8 | 0.89 | 0.77 | 6 |
| <i>Ilex cornuta</i> Chinese Holly | BS | 0.89 | G2 | 6 | 7-8 | | 1.12 | 6 |
| <i>Ilex cornuta</i> 'Anicet Delcambre' Anicet Delcambre Chinese Holly | BS | 0.69 | G2 | 6 | 7-8 | | 0.71 | 6 |
| <i>Ilex cornuta</i> 'Berries Jubilee' P.P. 3168 Berries Jubilee Chinese Holly | BS | 1.35 | G2 | 6 | 7-8 | | 1.12 | 6 |
| <i>Ilex cornuta</i> 'Burfordii' Burford Chinese Holly | BS | 0.81 | G2 | 6 | 7-10B | | 1.19 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Ilex cornuta</i> 'Carissa' Carissa Chinese Holly | BS | 0.70 | G2 | 6 | 7-8 | | 1.12 | 6 |
| <i>Ilex cornuta</i> 'Dazzler' Dazzler Chinese Holly | BS | 0.92 | G2 | 6 | 7-8 | | 0.78 | 6 |
| <i>Ilex cornuta</i> 'Delcon' Delcon Chinese Holly | BS | 0.85 | G2 | 6 | 7-8 | | 0.93 | 6 |
| <i>Ilex cornuta</i> 'Dwarf Burford' Dwarf Burford Chinese Holly | BS | 0.71 | G2 | 6 | 7-9B | | 1.30 | 6 |
| <i>Ilex cornuta</i> 'Fineline' Fineline Chinese Holly | BS | 0.73 | G2 | 6 | 7-9B | | 1.72 | 6 |
| <i>Ilex cornuta</i> 'Merry Berry' Merry Berry Chinese Holly | BS | 0.85 | G2 | 4-6 | 7-10 | | 1.12 | 6 |
| <i>Ilex cornuta</i> 'Needlepoint' Needlepoint Chinese Holly | BS | 0.75 | G2 | 6 | 7-9B | | 1.13 | 6 |
| <i>Ilex cornuta</i> 'O'Spring' O'Spring Chinese Holly | BS | 0.77 | G2 | 6 | 7-9B | | 1.12 | 6 |
| <i>Ilex cornuta</i> 'Rotunda' Rotunda Chinese Holly | BS | 0.74 | G2 | 6 | 7-9B | | 0.80 | 6 |
| <i>Ilex cornuta</i> 'Sizzler' Sizzler Chinese Holly | BS | 0.85 | G2 | 6 | 7-8 | | 1.54 | 6 |
| <i>Ilex cornuta</i> 'Willowleaf' P.P. 2290 Willowleaf Chinese Holly | BS | 1.09 | G2 | 6 | 7-9B | | 1.12 | 6 |
| <i>Ilex crenata</i> Japanese Holly | BS | 0.81 | G2 | 5-6 | 7-9B | | 0.43 | 5 |
| <i>Ilex crenata</i> 'Beehive' Beehive Japanese Holly | BS | 1.03 | G2 | 5-6 | 7-9B | | 0.79 | 5 |
| <i>Ilex crenata</i> 'Bennett's Compacta' Bennett's Compact Japanese Holly | BS | 1.07 | G2 | 5-6 | 7-9B | | 0.66 | 5 |
| <i>Ilex crenata</i> 'Black Beauty' Black Beauty Japanese Holly | BS | 1.07 | G2 | 5-6 | 7-9B | | 0.89 | 5 |
| <i>Ilex crenata</i> 'Cherokee' Cherokee Japanese Holly | BS | 0.83 | G2 | 5-6 | 7-9B | | 0.71 | 5 |
| <i>Ilex crenata</i> 'Chesapeake' Chesapeake Japanese Holly | BS | 1.00 | G2 | 5-6 | 7-9B | | 1.16 | 5 |
| <i>Ilex crenata</i> 'Compacta' Compact Japanese Holly | BS | 0.74 | G2 | 5-6 | 7-10B | | 0.82 | 5 |
| <i>Ilex crenata</i> 'Convexa' Convexleaf Japanese Holly | BS | 0.86 | G2 | 5-6 | 7-9B | | 0.85 | 5 |
| <i>Ilex crenata</i> 'Fastigiata' Fastigate Japanese Holly | BS | 0.94 | G2 | 5-6 | 7-9B | | 1.40 | 5 |
| <i>Ilex crenata</i> 'Foster #1' Foster #1 Japanese Holly | BS | 1.00 | G2 | 5-6 | 7-9B | | 0.71 | 5 |
| <i>Ilex crenata</i> 'Glory' Glory Japanese Holly | BS | 0.98 | G2 | 5-6 | 7-9B | | 0.84 | 5 |
| <i>Ilex crenata</i> 'Green Dragon' Green Dragon Japanese Holly | BS | 0.94 | G2 | 5-6 | 7-9B | | 0.89 | 5 |
| <i>Ilex crenata</i> 'Green Island' Green Island Japanese Holly | BS | 0.92 | G2 | 5-6 | 7-9B | | 0.90 | 5 |
| <i>Ilex crenata</i> 'Green Luster' Green Luster Japanese Holly | BS | 0.79 | G2 | 5-6 | 7-9B | | 0.86 | 5 |
| <i>Ilex crenata</i> 'Green Pagoda' Green Pagoda Japanese Holly | BS | 2.24 | G2 | 5-6 | 7-9B | | 0.89 | 5 |
| <i>Ilex crenata</i> 'Helleri' Heller Japanese Holly | BS | 0.73 | G2 | 5-6 | 7-9B | | 0.82 | 5 |
| <i>Ilex crenata</i> 'Hetzii' Hetzii Japanese Holly | BS | 0.87 | G2 | 5-6 | 7-9B | | 0.68 | 5 |
| <i>Ilex crenata</i> 'Highlander' Highlander Japanese Holly | BS | 0.88 | G2 | 5-6 | 7-9B | | 0.89 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ilex crenata</i> 'Hoogendoorn' Hoogendoorn Japanese Holly | BS | 0.91 | G2 | 5-6 | 7-9B | | 0.87 | 5 |
| <i>Ilex crenata</i> 'Howard' Howard Japanese Holly | BS | 0.67 | G2 | 5-6 | 7-9B | | 0.77 | 5 |
| <i>Ilex crenata</i> 'Jersey Pinnacle' Jersey Pinnacle Japanese Holly | BS | 0.96 | G2 | 5-6 | 7-9B | | 1.22 | 5 |
| <i>Ilex crenata</i> 'Major' Major Japanese Holly | BS | 0.94 | G2 | 5-6 | 7-9B | | 0.89 | 5 |
| <i>Ilex crenata</i> 'Mariesii' Mariesii Japanese Holly | BS | 0.77 | G2 | 5-6 | 7-9B | | 0.89 | 5 |
| <i>Ilex crenata</i> 'Maxwellii' Maxwell Japanese Holly | BS | 0.94 | G2 | 5-6 | 7-9B | | 0.89 | 5 |
| <i>Ilex crenata</i> 'Microphylla' Microphylla Japanese Holly | BS | 1.01 | G2 | 5-6 | 7-9B | | 1.10 | 5 |
| <i>Ilex crenata</i> 'Nigra' Nigra Japanese Holly | BS | 1.16 | G2 | 5-6 | 7-9B | | 1.07 | 5 |
| <i>Ilex crenata</i> 'Northern Beauty' Northern Beauty Japanese Holly | BS | 0.97 | G2 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Ilex crenata</i> 'Nummularia' Nummularia Japanese Holly | BS | 0.96 | G2 | 6 | 7-8 | | 0.89 | 5 |
| <i>Ilex crenata</i> 'Pin Cushion' Pin Cushion Japanese Holly | BS | 0.94 | G2 | 5-6 | 7-9B | | 0.89 | 5 |
| <i>Ilex crenata</i> 'Pride's Tiny' Pride's Tiny Japanese Holly | BS | 0.86 | G2 | 5-6 | 7-9B | | 0.89 | 5 |
| <i>Ilex crenata</i> 'Pyramidalis' Pyramidal Japanese Holly | BS | 0.73 | G2 | 5-6 | 7-9B | | 1.14 | 5 |
| <i>Ilex crenata</i> 'Recurvifolia' Recurvifolia Japanese Holly | BS | 0.94 | G2 | 5-6 | 7-9B | | 0.89 | 5 |
| <i>Ilex crenata</i> 'Repandens' Repandens Japanese Holly | BS | 0.86 | G2 | 5-6 | 7-9B | | 0.64 | 5 |
| <i>Ilex crenata</i> 'Rotundifolia' Rotundifolia Japanese Holly | BS | 0.81 | G2 | 5-6 | 7-9B | | 0.55 | 5 |
| <i>Ilex crenata</i> 'Schwoebel's Compact' Schwoebel's Compact Japanese Holly | BS | 1.36 | G2 | 5-6 | 7-9B | | 1.01 | 5 |
| <i>Ilex crenata</i> 'Sky Pencil' Sky Pencil Japanese Holly | BS | 0.92 | G2 | 5-6 | 7-9B | | 0.86 | 5 |
| <i>Ilex crenata</i> 'Soft Touch' Soft Touch Japanese Holly | BS | 0.72 | G2 | 5-6 | 7-9B | | 0.89 | 5 |
| <i>Ilex crenata</i> 'Steeds' Steeds Japanese Holly | BS | 0.96 | G2 | 5-6 | 7-9B | | 0.86 | 5 |
| <i>Ilex crenata</i> 'Stokes' Stokes Japanese Holly | BS | 0.76 | G2 | 5-6 | 7-9B | | 0.89 | 5 |
| <i>Ilex crenata</i> 'Wayne' Wayne Japanese Holly | BS | 0.70 | G2 | 5-6 | 7-9B | | 1.25 | 5 |
| <i>Ilex crenata</i> 'William Jackson' William Jackson Japanese Holly | BS | 0.96 | G2 | 5-6 | 7-9B | | 0.89 | 5 |
| <i>Ilex decidua</i> Possum Haw | DT | 0.93 | G2 | 6 | 7-8 | 1.00 | 1.27 | 5 |
| <i>Ilex decidua</i> 'Council Fire' Council Fire Possum Haw | DT | 0.81 | G2 | 6 | 7-8 | 1.00 | 1.00 | 5 |
| <i>Ilex decidua</i> 'Pocahontas' Pocahontas Possum Haw | DT | 0.65 | G2 | 6 | 7-8 | 1.00 | 1.22 | 5 |
| <i>Ilex decidua</i> 'Warren Red' Warren Red Possum Haw | DT | 0.86 | G2 | 6 | 7-8 | 1.00 | 1.39 | 5 |
| <i>Ilex dimorphophylla</i> Okinawa Holly | BS | 0.89 | G2 | 7 | 8-9A | | 1.00 | 7 |
| <i>Ilex glabra</i> Inkberry | BS | 0.92 | G2 | 4-5 | 6-9B | | 0.86 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ilex glabra</i> 'Chamzin' P.P. 6962 Nordic® Inkberry | BS | 1.28 | G2 | 4-5 | 6-9B | | 1.09 | 3 |
| <i>Ilex glabra</i> 'Compacta' Compact Inkberry | BS | 1.10 | G2 | 4-5 | 6-9B | | 0.93 | 3 |
| <i>Ilex glabra</i> 'Densa' Dense Inkberry | BS | 1.25 | G2 | 6 | 7-8 | | 0.98 | 3 |
| <i>Ilex glabra</i> 'Nigra' Nigra Inkberry | BS | 0.95 | G2 | 5-6 | 7-9B | | 0.99 | 3 |
| <i>Ilex glabra</i> 'Nordic' See - <i>Ilex glabra</i> 'Chamzin' P.P. 6962 | | | | | | | | |
| <i>Ilex glabra</i> 'Shamrock' Shamrock Inkberry | BS | 1.05 | G2 | 4-5 | 6-9B | | 1.09 | 3 |
| <i>Ilex integra</i> Nepal Holly | BE | 0.81 | G2 | 7 | 8-9B | 1.00 | 0.88 | 7 |
| <i>Ilex xkoehneana</i> Koehne Holly | BS | 1.01 | G2 | 7 | 8-9A | | 2.45 | 7 |
| <i>Ilex xkoehneana</i> 'Conayule' P.P.A.F. Yule Brite™ Koehne Holly | BS | 1.62 | G2 | 6 | 7-8 | | 2.03 | 6 |
| <i>Ilex xkoehneana</i> 'Wirt L. Winn' Wirt L. Winn Koehne Holly | BS | 0.76 | G2 | 7 | 8-9A | | 1.60 | 7 |
| <i>Ilex xkoehneana</i> 'Yule Brite' See - <i>Ilex xkoehneana</i> 'Conayule' P.P.A.F. | | | | | | | | |
| <i>Ilex latifolia</i> Lusterleaf Holly | BE | 0.93 | G2 | 7 | 8-9B | 1.00 | 2.24 | 7 |
| <i>Ilex xmeserveae</i> Meserve Hybrid Holly | BS | 0.71 | G2 | 6 | 7-8 | | 1.59 | 5 |
| <i>Ilex xmeserveae</i> 'Berri-Magic' See - <i>Ilex xmeserveae</i> 'Kids' | | | | | | | | |
| <i>Ilex xmeserveae</i> 'Blue Angel' P.P. 3662 Blue Angel Meserve Hybrid Holly | BS | 1.16 | G2 | 6 | 7-8 | | 1.07 | 5 |
| <i>Ilex xmeserveae</i> 'Blue Baron' Blue Baron Meserve Hybrid Holly | BS | 1.25 | G2 | 6 | 7-8 | | 1.59 | 5 |
| <i>Ilex xmeserveae</i> 'Blue Boy' Blue Boy Meserve Hybrid Holly | BS | 1.05 | G2 | 6 | 7-8 | | 1.29 | 5 |
| <i>Ilex xmeserveae</i> 'Blue Girl' Blue Girl Meserve Hybrid Holly | BS | 1.08 | G2 | 6 | 7-8 | | 1.36 | 5 |
| <i>Ilex xmeserveae</i> 'Blue Maid' See - <i>Ilex xmeserveae</i> 'Mesid' P.P. 4685 | | | | | | | | |
| <i>Ilex xmeserveae</i> 'Blue Prince' P.P. 3517 Blue Prince Meserve Hybrid Holly | BS | 1.16 | G2 | 6 | 7-8 | | 1.40 | 5 |
| <i>Ilex xmeserveae</i> 'Blue Princess' P.P. 3675 Blue Princess Meserve Hybrid Holly | BS | 1.18 | G2 | 6 | 7-8 | | 1.37 | 5 |
| <i>Ilex xmeserveae</i> 'Blue Stallion' See - <i>Ilex xmeserveae</i> 'Mesan' P.P. 4804 | | | | | | | | |
| <i>Ilex xmeserveae</i> 'Centennial Girl' Centennial Girl Meserve Hybrid Holly | BS | 1.37 | G2 | 6 | 7-8 | | 2.96 | 5 |
| <i>Ilex xmeserveae</i> 'Golden Girl' See - <i>Ilex xmeserveae</i> 'Mesgolg' P.P. 7652 | | | | | | | | |
| <i>Ilex xmeserveae</i> 'Honey Maid' P.P.A.F. Honey Maid Meserve Hybrid Holly | BE | 1.44 | G2 | 6 | 7-8 | 1.00 | 1.00 | 5 |
| <i>Ilex xmeserveae</i> 'Kids' Berri-Magic™ Meserve Hybrid Holly | BS | 2.00 | G2 | 6 | 7-8 | | 2.00 | 5 |
| <i>Ilex xmeserveae</i> 'Mesan' P.P. 4804 Blue Stallion® Meserve Hybrid Holly | BS | 1.49 | G2 | 6 | 7-8 | | 1.65 | 5 |
| <i>Ilex xmeserveae</i> 'Mesgolg' P.P. 7652 Golden Girl® Meserve Hybrid Holly | BS | 1.28 | G2 | 6 | 7-8 | | 1.31 | 5 |
| <i>Ilex xmeserveae</i> 'Mesid' P.P. 4685 Blue Maid® Meserve Hybrid Holly | BS | 1.35 | G2 | 6 | 7-8 | | 1.48 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ilex myrtifolia</i> Myrtle Holly | BS | 0.67 | G2 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Ilex opaca</i> American Holly | BE | 0.97 | G2 | 5-6 | 7-9A | 0.82 | 2.05 | 5 |
| <i>Ilex opaca</i> 'Greenleaf' Greenleaf American Holly | BE | 1.03 | G2 | 5-6 | 7-9A | 0.72 | 1.30 | 5 |
| <i>Ilex opaca</i> 'Jersey Princess' Jersey Princess American Holly | BE | 1.42 | G2 | 4-6 | 7-10 | 0.77 | 2.49 | 5 |
| <i>Ilex opaca</i> 'Judy Evans' Judy Evans American Holly | BE | 1.20 | G2 | 6 | 7-8 | 0.77 | 2.08 | 5 |
| <i>Ilex opaca</i> 'Merry Christmas' Merry Christmas American Holly | BE | 1.36 | G2 | 4-6 | 7-10 | 0.77 | 2.08 | 5 |
| <i>Ilex opaca</i> 'Miss Helen' Miss Helen American Holly | BE | 1.20 | G2 | 6 | 7-8 | 0.77 | 2.49 | 5 |
| <i>Ilex opaca</i> 'Princeton Gold' Princeton Gold American Holly | BE | 1.20 | G2 | 5-6 | 7-9A | 0.77 | 2.08 | 5 |
| <i>Ilex opaca</i> var. <i>arenicola</i> Dune Holly | BE | 0.65 | G2 | 5-6 | 7-9A | 1.00 | 1.00 | 5 |
| <i>Ilex pedunculosa</i> Longstalk Holly | BE | 1.87 | G2 | 6 | 7-8 | 1.00 | 1.81 | 5 |
| <i>Ilex perado</i> No Common Name Found | BE | 1.00 | G2 | 6-7 | 8-10 | 1.00 | 2.15 | 7 |
| <i>Ilex rugosa</i> Prostrate Holly | BS | 1.00 | G2 | 3-4 | 5-7 | | 1.00 | 3 |
| <i>Ilex serrata</i> Finetooth Holly | DS | 1.37 | G2 | 5-6 | 7-8 | | 1.81 | 5 |
| <i>Ilex serrata</i> 'Xanthocarpa' Yellowfruit Finetooth Holly | DS | 1.37 | G2 | 5-6 | 7-8 | | 1.33 | 5 |
| <i>Ilex verticillata</i> Winterberry | DS | 1.23 | G2 | 3-5 | 6-8 | | 0.93 | 3 |
| <i>Ilex verticillata</i> 'Afterglow' Afterglow Winterberry | DS | 0.92 | G2 | 3-5 | 6-8 | | 0.95 | 3 |
| <i>Ilex verticillata</i> 'Aurantiaca' Yellow Fruit Winterberry | DS | 0.79 | G2 | 3-5 | 6-8 | | 1.01 | 3 |
| <i>Ilex verticillata</i> 'Berry Nice' See - <i>Ilex verticillata</i> 'Spriber' | | | | | | | | |
| <i>Ilex verticillata</i> 'Bright Horizon' Bright Horizon Winterberry | DS | 1.06 | G2 | 3-5 | 6-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Cacapon' Cacapon Winterberry | DS | 0.91 | G2 | 3-5 | 6-8 | | 1.15 | 3 |
| <i>Ilex verticillata</i> 'Carolina Cardinal' Carolina Cardinal Winterberry | DS | 0.95 | G2 | 3-5 | 6-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Christmas Cheer' Christmas Cheer Winterberry | DS | 1.06 | G2 | 3-5 | 6-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Earlibright' Earlibright Winterberry | DS | 1.06 | G2 | 3-5 | 6-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Jim Dandy' Jim Dandy Winterberry | DS | 1.09 | G2 | 3-5 | 6-8 | | 1.45 | 3 |
| <i>Ilex verticillata</i> 'Johnny Come Lately' Johnny Come Lately Winterberry | DS | 1.06 | G2 | 3-5 | 6-8 | | 0.98 | 3 |
| <i>Ilex verticillata</i> 'Late Male' Late Male Winterberry | DS | 1.00 | G2 | 3-5 | 6-8 | | 1.19 | 3 |
| <i>Ilex verticillata</i> 'Maryland Beauty' Maryland Beauty Winterberry | DS | 1.15 | G2 | 2-3 | 4-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Quansoo' Quansoo Winterberry | DS | 1.06 | G2 | 3-5 | 6-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Red Sprite' Red Sprite Dwarf Winterberry | DS | 1.04 | G2 | 3-5 | 6-8 | | 1.38 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Ilex verticillata</i> 'Rhett Butler' Rhett Butler Winterberry | DS | 1.06 | G2 | 3-5 | 6-8 | | 1.15 | 3 |
| <i>Ilex verticillata</i> 'Scarlet O'Hara' Scarlet O'Hara Winterberry | DS | 1.12 | G2 | 3-5 | 6-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Scarlett O'Hara' Scarlett O'Hara Winterberry | DS | 1.47 | G2 | 3-5 | 6-8 | | 1.11 | 3 |
| <i>Ilex verticillata</i> 'Shaver' Shaver Winterberry | DT | 0.80 | G2 | 6 | 7-8 | 1.00 | 1.51 | 3 |
| <i>Ilex verticillata</i> 'Shortcake' Shortcake Winterberry | DS | 0.82 | G2 | 3-5 | 6-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Spriber' Berry Nice™ Winterberry | DS | 1.24 | G2 | 3-5 | 6-8 | | 1.57 | 3 |
| <i>Ilex verticillata</i> 'Stoplight' Stoplight Winterberry | DT | 0.74 | G2 | 3-5 | 6-8 | 1.00 | 1.80 | 3 |
| <i>Ilex verticillata</i> 'Sunset' Sunset Winterberry | DT | 0.74 | G2 | 3-5 | 6-8 | 1.00 | 1.29 | 3 |
| <i>Ilex verticillata</i> 'Upright Red' Upright Red Winterberry | DT | 0.80 | G2 | 3-5 | 6-8 | 1.00 | 1.51 | 3 |
| <i>Ilex verticillata</i> 'Winter Gold' Winter Gold Winterberry | DT | 0.78 | G2 | 3-5 | 6-8 | 1.00 | 1.55 | 3 |
| <i>Ilex verticillata</i> 'Winter Red' P.P. 4146 Winter Red Winterberry | DT | 0.95 | G2 | 3-5 | 6-8 | 1.00 | 1.38 | 3 |
| <i>Ilex vomitoria</i> Yaupon Holly | BE | 0.77 | G2 | 6-7 | 8-10B | 0.88 | 1.22 | 7 |
| <i>Ilex vomitoria</i> 'Bordeaux' See - <i>Ilex vomitoria</i> 'Condeaux' P.P. 8779 | | | | | | | | |
| <i>Ilex vomitoria</i> 'Condeaux' P.P. 8779 Bordeaux™ Yaupon Holly | BS | 0.80 | G2 | 6-7 | 8-10B | | 0.85 | 7 |
| <i>Ilex vomitoria</i> 'Dodd's Cranberry' Dodd's Cranberry Yaupon Holly | BS | 0.80 | G2 | 6-7 | 8-10B | | 0.85 | 7 |
| <i>Ilex vomitoria</i> 'Fencerow' Fencerow Yaupon Holly | BS | 0.57 | G2 | 6-7 | 8-10B | | 0.85 | 7 |
| <i>Ilex vomitoria</i> 'First Lady' First Lady Yaupon Holly | BS | 1.86 | G2 | 6-7 | 8-10B | | 0.85 | 7 |
| <i>Ilex vomitoria</i> 'Folsom's Weeping' Folsom's Weeping Yaupon Holly | BE | 0.80 | G2 | 6-7 | 8-10B | 0.88 | 1.03 | 7 |
| <i>Ilex vomitoria</i> 'Kathy Ann Batson' Kathy Ann Batson Yaupon Holly | BS | 0.89 | G2 | 6-7 | 8-10B | | 0.81 | 7 |
| <i>Ilex vomitoria</i> 'Lynn Lowrey' Lynn Lowrey Yaupon Holly | BS | 0.83 | G2 | 6-7 | 8-10 | | 0.85 | 7 |
| <i>Ilex vomitoria</i> 'Nana' Dwarf Yaupon Holly | BS | 0.69 | G2 | 6-7 | 8-10B | | 0.80 | 7 |
| <i>Ilex vomitoria</i> 'Orient Jewel' P.P. 10295 Orient Jewel Yaupon Holly | BS | 1.11 | G2 | 5-7 | 8-10B | | 0.85 | 7 |
| <i>Ilex vomitoria</i> 'Pendula' Weeping Yaupon Holly | BE | 0.86 | G2 | 6-7 | 8-10B | 0.88 | 1.34 | 7 |
| <i>Ilex vomitoria</i> 'Pride of Houston' Pride of Houston Yaupon Holly | BS | 0.82 | G2 | 6-7 | 8-10B | | 0.95 | 7 |
| <i>Ilex vomitoria</i> 'Schellings Dwarf' Schelling's Dwarf Yaupon Holly | BS | 0.68 | G2 | 6-7 | 8-10B | | 0.85 | 7 |
| <i>Ilex vomitoria</i> 'Shadow's Female' Shadow's Female Yaupon Holly | BS | 0.89 | G2 | 6-7 | 8-10B | | 1.16 | 7 |
| <i>Ilex vomitoria</i> 'Stoke's Dwarf' Stoke's Dwarf Yaupon Holly | BS | 0.85 | G2 | 6-7 | 8-10B | | 0.85 | 7 |
| <i>Ilex vomitoria</i> 'Straughn's' Straughn's Yaupon Holly | BS | 1.41 | G2 | 6-7 | 8-10B | | 0.85 | 7 |
| <i>Ilex vomitoria</i> 'Will Fleming' Will Fleming Yaupon Holly | BS | 0.92 | G2 | 6-7 | 8-10B | | 0.51 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Iliamna remota</i> Kankakee Mallow | HP | 1.49 | G4 | 4-5 | 6-8 | | | |
| <i>Illicium anisatum</i> Chinese Anise Tree | BS | 0.68 | G2 | 6-7 | 8-9A | | 1.37 | 7 |
| <i>Illicium floridanum</i> Florida Anise Tree | BS | 0.81 | G2 | 6-7 | 8-10B | | 1.00 | 7 |
| <i>Illicium floridanum</i> 'Alba' White Florida Anise Tree | BS | 1.16 | G2 | 6-7 | 8-10B | | 1.00 | 7 |
| <i>Illicium floridanum</i> 'Semmes' Semmes Florida Anise Tree | BS | 0.95 | G2 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Illicium henryi</i> Henry Anise Tree | BS | 0.96 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Illicium mexicanum</i> Mexican Anise Tree | BS | 1.07 | G2 | 6-7 | 8-10B | | 1.00 | 7 |
| <i>Illicium parviflorum</i> Small Anise Tree | BS | 0.74 | G2 | 6-8 | 9-10 | | 0.70 | 8 |
| <i>Impatiens balfourii</i> Balfour's Touch-Me-Not | AN | 1.02 | G4 | 6-10 | 11 | | | |
| <i>Impatiens balsamina</i> Common Impatiens | AN | 0.76 | G4 | 6-10 | 11 | | | |
| <i>Impatiens hawkeri</i> New Guinea Impatiens | HP | 0.88 | G4 | 6-10 | 11 | | | |
| <i>Impatiens hawkeri</i> 'Celebration Series' Celebration Series New Guinea Impatiens | HP | 0.82 | G4 | 6-10 | 11 | | | |
| <i>Impatiens hawkeri</i> 'Harmony Series' Harmony Series New Guinea Impatiens | HP | 0.82 | G4 | 6-10 | 11 | | | |
| <i>Impatiens hawkeri</i> 'Paradise Series' Paradise Series New Guinea Impatiens | HP | 0.75 | G4 | 6-10 | 11 | | | |
| <i>Impatiens linearifolia</i> See - <i>Impatiens hawkeri</i> | | | | | | | | |
| <i>Impatiens oliveri</i> See - <i>Impatiens sodenii</i> | | | | | | | | |
| <i>Impatiens repens</i> No Common Name Found | GC | 0.77 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Impatiens sodenii</i> Poor Man's Rhododendron | HP | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> Busy Lizzy | AN | 0.76 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Accent Lavender' Accent Lavender Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Accent Mixed' Accent Mixed Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Accent Orange' Accent Orange Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Accent Pink' Accent Pink Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Accent Red' Accent Red Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Accent Rose' Accent Rose Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Accent Salmon' Accent Salmon Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Accent Series' Accent Series Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Accent White' Accent White Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Cajun Series' Cajun Series Impatiens | AN | 0.55 | G4 | 6-10 | 11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Impatiens walleriana</i> 'Dazzler Series' Dazzler Series Impatiens | AN | 0.81 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Deco Burgundy' Deco Burgundy Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Deco Orange' Deco Orange Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Deco Pink' Deco Pink Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Deco Rose' Deco Rose Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Deco Series' Deco Series Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Fiesta Series' Fiesta Series Impatiens | AN | 1.15 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Firefly Series' Firefly Series Impatiens | AN | 0.91 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Mosaic Series' Mosaic Series Impatiens | AN | 0.55 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Novette Series' Novette Series Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Rosebud Series' Rosebud Series Impatiens | AN | 1.14 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Rosette Series' Rosette Series Impatiens | AN | 0.86 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Seashell Series' Seashell Series Impatiens | AN | 1.11 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Summer Ice Series' Summer Ice Series Impatiens | AN | 1.09 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Super Elfin Cherry' Super Elfin Cherry Impatiens | AN | 0.73 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Super Elfin Mix' Super Elfin Mix Impatiens | AN | 0.82 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Super Elfin Series' Super Elfin Series Impatiens | AN | 0.85 | G4 | 6-10 | 11 | | | |
| <i>Impatiens walleriana</i> 'Tioga Series' Tioga Series Impatiens | AN | 0.74 | G4 | 6-10 | 11 | | | |
| <i>Imperata cylindrica</i> Blood Grass | HP | 1.07 | G4 | 6-7 | 8 | | | |
| <i>Imperata cylindrica</i> 'Red Baron' Red Baron Blood Grass | HP | 1.35 | G4 | 6-7 | 8 | | | |
| <i>Incarvillea delavayi</i> Delavy Incarvillea | HP | 0.84 | G4 | 6-7 | 8-9A | | | |
| <i>Incarvillea mairei</i> var. <i>grandiflora</i> Bigflower Incarvillea | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Indigofera australis</i> Australian Indigo | BS | 0.90 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Indigofera decora</i> No Common Name Found | BS | 0.88 | G2 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Indigofera gerardiana</i> See - <i>Indigofera heterantha</i> | BS | 0.97 | G2 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Indigofera heterantha</i> Gerard's Indigo | | | | | | | | |
| <i>Indigofera incarnata</i> See - <i>Indigofera decora</i> | | | | | | | | |
| <i>Indigofera kirilowii</i> Kirilow Indigo | BS | 0.83 | G2 | 6-7 | 8-10B | | 1.00 | 5 |
| <i>Indocalamus tessellatus</i> Giant Leaf Bamboo | BS | 1.22 | G2 | 6-7 | 8-10B | | 1.00 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Intsia bijuga</i> Kwila | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Inula ensifolia</i> Swordleaf Inula | HP | 0.86 | G4 | 5-6 | 7-8 | | | |
| <i>Inula helenium</i> Elecampane | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Inula magnifica</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8 | | | |
| <i>Inula orientalis</i> Caucasian Inula | HP | 0.95 | G4 | 6-7 | 8 | | | |
| <i>Inula orientalis</i> 'Grandiflora' Grandiflora Caucasian Inula | HP | 0.95 | G4 | 6-7 | 8 | | | |
| <i>Inula verbascifolia</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8 | | | |
| <i>lochroma coccinea</i> No Common Name Found | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>lochroma cyanea</i> Violet Bush | BS | 0.73 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>lochroma fuchsoides</i> No Common Name Found | BS | 0.74 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Ipheion uniflorum</i> Spring Starflower | HP | 0.84 | G4 | 6 | 7-8 | | | |
| <i>Ipheion uniflorum</i> 'Wisley Blue' Wisley Blue Spring Starflower | HP | 0.99 | G4 | 6 | 7-8 | | | |
| <i>Ipomoea acuminata</i> See - <i>Ipomoea indica</i> | | | | | | | | |
| <i>Ipomoea alba</i> Moonflower | GC | 0.85 | G4 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Ipomoea arborescens</i> Casahuate Tree | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Ipomoea batatas</i> Sweet Potato | GC | 0.44 | G4 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Ipomoea batatas</i> 'Ace of Spades' Ace of Spades Sweet Potato | HP | 1.00 | G4 | 6-9 | 10-11 | | | |
| <i>Ipomoea batatas</i> 'Black Heart' Black Heart Sweet Potato | GC | 0.68 | G4 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Ipomoea batatas</i> 'Blackie' Blackie Sweet Potato | GC | 0.67 | G4 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Ipomoea batatas</i> 'Margarita' Margarita Sweet Potato | GC | 0.66 | G4 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Ipomoea batatas</i> 'Sweet Caroline Bright Green' Sweet Caroline™ Bright Green Sweet Potato | GC | 0.56 | G4 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Ipomoea batatas</i> 'Sweet Caroline Bronze' Sweet Caroline™ Bronze Sweet Potato | GC | 0.56 | G4 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Ipomoea batatas</i> 'Sweet Caroline Purple' Sweet Caroline™ Purple Sweet Potato | GC | 0.56 | G4 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Ipomoea batatas</i> 'Tricolor' Tricolor Sweet Potato | GC | 0.65 | G4 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Ipomoea carnea</i> Mexican Morning Glory | GC | 0.80 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Ipomoea horsfalliae</i> Perennial Morning Glory | GC | 1.00 | G2 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Ipomoea indica</i> Blue Dawn Flower | AN | 1.37 | G4 | 6-9 | 10-11 | | | |
| <i>Ipomoea lobata</i> Spanish Flag | GC | 0.70 | G4 | 8 | 9-10 | | 1.00 | 8 |
| <i>Ipomoea microdactyla</i> Calcareous Morning Glory | GC | 1.00 | G4 | 6-9 | 10-11 | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ipomoea x multifida</i> Cardinal Climber | GC | 0.87 | G4 | 7 | 8-10 | | 1.00 | 6 |
| <i>Ipomoea pes-caprae</i> Beach Morning Glory | GC | 0.36 | G1 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Ipomoea quamoclit</i> Cypress Vine | GC | 0.87 | G4 | 8-9B | 10-11 | | 1.00 | 8 |
| <i>Ipomoea tricolor</i> Morning Glory | GC | 1.55 | G4 | 8-9 | 10-11 | | 1.00 | 8 |
| <i>Ipomoea tricolor</i> 'Heavenly Blue' Heavenly Blue Morning Glory | GC | 1.55 | G4 | 8-9 | 10-11 | | 1.00 | 8 |
| <i>Ipomopsis rubra</i> Standing Rocket Cypress | HP | 0.60 | G4 | 7-8 | 9 | | | |
| <i>Iresine diffusa</i> No Common Name Found | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Iresine herbstii</i> Beef Plant | FO | 0.45 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Iresine herbstii</i> 'Brilliantissima' Brilliantissima Beef Plant | FO | 0.38 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Iresine herbstii</i> 'Purple Lady' Purple Lady Beef Plant | FO | 0.38 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Iriartea andicola</i> See - <i>Ceroxylon alpinum</i> | | | | | | | | |
| <i>Iris</i> Hybrid Iris | HP | 1.12 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Allison Roderique' Allison Roderique Tall Bearded Iris | HP | 6.67 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Ann Chowning' Ann Chowning Louisiana Hybrid Iris | HP | 0.99 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Apricot Beauty' Apricot Beauty Tall Bearded Iris | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Iris</i> 'Autumn Bugler' Autumn Bugler Tall Bearded Iris | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Iris</i> 'Before the Storm' Before the Storm Tall Bearded Iris | HP | 1.13 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Best Bet' Best Bet Tall Bearded Iris | HP | 1.17 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Beverly Sills' Beverly Sills Tall Bearded Iris | HP | 1.04 | G4 | 4-5 | 6-8 | | | |
| <i>Iris</i> 'Black Gamecock' Black Gamecock Louisiana Iris | HP | 1.14 | G4 | 4-5 | 6-8 | | | |
| <i>Iris</i> 'Blue Light' Blue Light Iris | HP | 1.12 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Blue Petticoats' Blue Petticoats Tall Bearded Iris | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Iris</i> 'Blues Singer' Blues Singer Tall Bearded Iris | HP | 1.12 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Champagne Elegance' Champagne Elegance Tall Bearded Iris | HP | 1.01 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Charade' Charade Tall Bearded Iris | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Iris</i> 'Cherry Cup' Cherry Cup Louisiana Hybrid Iris | HP | 0.76 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Clara Goula' Clara Goula Louisiana Hybrid Iris | HP | 0.87 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Count Pulaski' Count Pulaski Louisiana Iris | HP | 0.74 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Cut Crystal' Cut Crystal Tall Bearded Iris | HP | 1.12 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Iris</i> 'Earl of Essex' Earl of Essex Tall Bearded Iris | HP | 0.94 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Feminine Fire' Feminine Fire Tall Bearded Iris | HP | 1.12 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Full Eclipse' Full Eclipse Louisiana Hybrid Iris | HP | 0.85 | G4 | 6-7 | 8-10B | | | |
| <i>Iris</i> 'Funny Girl' Funny Girl Tall Bearded Iris | HP | 1.20 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Glowlight' Glowlight Louisiana Hybrid Iris | HP | 0.80 | G4 | 6-7 | 8-10B | | | |
| <i>Iris</i> 'Heavenly Glow' Heavenly Glow Louisiana Iris | HP | 0.76 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Hello Darkness' Hello Darkness Tall Bearded Iris | HP | 0.97 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'I Bless' I Bless Tall Bearded Iris | HP | 1.85 | G4 | 4-5 | 6-8 | | | |
| <i>Iris</i> 'Immortality' Immortality Tall Bearded Iris | HP | 1.05 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Jeri' Jeri Louisiana Hybrid Iris | HP | 0.76 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Kay Nelson' Kay Nelson Louisiana Hybrid Iris | HP | 0.80 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Lacy Snowflake' Lacy Snowflake Tall Bearded Iris | HP | 1.10 | G4 | 4-5 | 6-8 | | | |
| <i>Iris</i> 'Lola Comeaux' Lola Comeaux Louisiana Hybrid Iris | HP | 0.79 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Lynn Hantel' Lynn Hantel Louisiana Hybrid Iris | HP | 0.77 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Margaret Hunter' Margaret Hunter Louisiana Hybrid Iris | HP | 0.83 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'May Magic' May Magic Tall Bearded Iris | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Iris</i> 'Mrs. Ira Nelson' Mrs. Ira Nelson Louisiana Hybrid Iris | HP | 0.82 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Night Deposit' Night Deposit Tall Bearded Iris | HP | 1.07 | G4 | 4-5 | 6-8 | | | |
| <i>Iris</i> 'Night Owl' Night Owl Tall Bearded Iris | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Iris</i> 'Pink Swan' Pink Swan Tall Bearded Iris | HP | 1.20 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Pink Taffeta' Pink Taffeta Tall Bearded Iris | HP | 1.10 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Red Zinger' Red Zinger Bearded Iris | HP | 0.79 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Sinfonietta' Sinfonietta Louisiana Hybrid Iris | HP | 0.98 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Sky Hooks' Sky Hooks Bearded Iris | HP | 0.79 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Space Odyssey' Space Odyssey Tall Bearded Iris | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Iris</i> 'Summer Olympics' Summer Olympics Tall Bearded Iris | HP | 1.01 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Summer Promise' Summer Promise Tall Bearded Iris | HP | 1.39 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Summer Wine' Summer Wine Bearded Iris | HP | 0.79 | G4 | 6-7 | 8-10 | | | |
| <i>Iris</i> 'Sun Fury' Sun Fury Louisiana Hybrid Iris | HP | 0.79 | G4 | 6-7 | 8-10A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Iris</i> 'Superstition' Superstition Tall Bearded Iris | HP | 0.95 | G4 | 4-5 | 6-8 | | | |
| <i>Iris</i> 'Vermillion Queen' Vermillion Queen Louisiana Hybrid Iris | HP | 0.94 | G4 | 6-7 | 8-10A | | | |
| <i>Iris</i> 'Viette Bronze Red' Viette Bronze Red Tall Bearded Iris | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Iris chrysographes</i> Goldvein Iris | HP | 1.15 | G4 | 6-7 | 8-10A | | | |
| <i>Iris confusa</i> No Common Name Found | HP | 0.82 | G4 | 6-8 | 9-10A | | | |
| <i>Iris cristata</i> Crested Iris | HP | 1.11 | G4 | 4-5 | 6-8 | | | |
| <i>Iris cristata</i> 'Alba' White Crested Iris | HP | 1.06 | G4 | 4-5 | 6-8 | | | |
| <i>Iris cristata</i> 'Eco Blue Bird' Eco Blue Bird Crested Iris | HP | 0.89 | G4 | 6-7 | 8-10A | | | |
| <i>Iris cristata</i> 'Shenandoah Sky' Shenandoah Sky Crested Iris | HP | 1.20 | G4 | 4-5 | 6-8 | | | |
| <i>Iris darwasica</i> Darwasica Iris | HP | 1.00 | G4 | 6-8 | 9-11 | | | |
| <i>Iris douglasiana</i> Douglas Iris | HP | 0.95 | G4 | 6-7 | 8-10A | | | |
| <i>Iris douglasiana</i> 'Canyon Snow' Canyon Snow Douglas Iris | HP | 1.27 | G4 | 6-7 | 8-10A | | | |
| <i>Iris douglasiana</i> 'Goat Rock' Goat Rock Douglas Iris | HP | 1.09 | G4 | 6-7 | 8-10A | | | |
| <i>Iris douglasiana</i> 'Portuguese Beach' Portuguese Beach Douglas Iris | HP | 1.04 | G4 | 6-7 | 8-10A | | | |
| <i>Iris ensata</i> Japanese Iris | HP | 1.06 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Activity' Activity Japanese Iris | HP | 1.43 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Agoga-Kujyo' Agoga-Kujyo Japanese Iris | HP | 1.15 | G4 | 6-7 | 8-10A | | | |
| <i>Iris ensata</i> 'Cry of Rejoice' Cry of Rejoice Japanese Iris | HP | 1.33 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Daisekke' Daisekke Japanese Iris | HP | 1.18 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Darling' Darling Japanese Iris | HP | 1.18 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Eden's Charm' Eden's Charm Japanese Iris | HP | 1.09 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Eden's Delight' Eden's Delight Japanese Iris | HP | 1.18 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Emotion' Emotion Japanese Iris | HP | 1.05 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Favour' Favour Japanese Iris | HP | 1.18 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Favourite' Favourite Japanese Iris | HP | 1.18 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Gekkeikan' Gekkeikan Japanese Iris | HP | 1.17 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Glitter and Glamour' Glitter and Glamour Japanese Iris | HP | 0.82 | G4 | 6-7 | 8-10A | | | |
| <i>Iris ensata</i> 'Gracieuse' Gracieuse Japanese Iris | HP | 1.21 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Haku-Botan' Haku-Botan Japanese Iris | HP | 1.02 | G4 | 6-7 | 8-10A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Iris ensata</i> 'Innocence' Innocence Japanese Iris | HP | 1.36 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Iso-no-nami' Iso-no-nami Japanese Iris | HP | 1.17 | G4 | 6-7 | 8-10A | | | |
| <i>Iris ensata</i> 'Kasumi-no-koromo' Kasumi-no-koromo Japanese Iris | HP | 1.18 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Light at Dawn' Light at Dawn Japanese Iris | HP | 1.57 | G4 | 6-7 | 8-10A | | | |
| <i>Iris ensata</i> 'Moonlight Waves' Moonlight Waves Japanese Iris | HP | 1.18 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Mount Fuji' Mount Fuji Japanese Iris | HP | 1.30 | G4 | 6-7 | 8-10A | | | |
| <i>Iris ensata</i> 'Murakumo' Murakumo Japanese Iris | HP | 0.95 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Oriental Eyes' Oriental Eyes Japanese Iris | HP | 1.33 | G4 | 6-7 | 8-10A | | | |
| <i>Iris ensata</i> 'Picotee Wonder' Picotee Wonder Japanese Iris | HP | 0.43 | G4 | 6-7 | 8-10A | | | |
| <i>Iris ensata</i> 'Pink Frost' Pink Frost Japanese Iris | HP | 1.13 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Pink Lady' Pink Lady Japanese Iris | HP | 0.80 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Royal Banner' Royal Banner Japanese Iris | HP | 1.37 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Royal Robes' Royal Robes Japanese Iris | HP | 0.86 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Ruby King' Ruby King Japanese Iris | HP | 1.18 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Sensation' Sensation Japanese Iris | HP | 1.18 | G4 | 6-7 | 8-10A | | | |
| <i>Iris ensata</i> 'Shei Shonagon' Shei Shonagon Japanese Iris | HP | 0.82 | G4 | 6-7 | 8-10A | | | |
| <i>Iris ensata</i> 'Shihoden' Shihoden Japanese Iris | HP | 1.18 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Temple Bells' Temple Bells Japanese Iris | HP | 1.30 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Variegata' Variegated Japanese Iris | HP | 1.31 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Velvety Queen' Velvety Queen Japanese Iris | HP | 1.59 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Waka-Murasaki' Waka-Murasaki Japanese Iris | HP | 1.34 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Wine Ruffles' Wine Ruffles Japanese Iris | HP | 1.57 | G4 | 5 | 6-8 | | | |
| <i>Iris ensata</i> 'Yamato Hime' Yamato Hime Japanese Iris | HP | 1.57 | G4 | 5 | 6-8 | | | |
| <i>Iris foetidissima</i> Gladwin Iris | HP | 0.92 | G4 | 6-7 | 8-10A | | | |
| <i>Iris germanica</i> Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Angel Joy' Angel Joy Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Babbling Brook' Babbling Brook Bearded Iris | HP | 1.07 | G4 | 6-7 | 8-10A | | | |
| <i>Iris germanica</i> 'Blue Rhythm' Blue Rhythm Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Blue Sapphire' Blue Sapphire Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Iris germanica</i> 'Blue Staccato' Blue Staccato Bearded Iris | HP | 0.87 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Bountiful Harvest' Bountiful Harvest Bearded Iris | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Bronze Charm' Bronze Charm Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Captured Spirit' Captured Spirit Dwarf Bearded Iris | HP | 1.33 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Carolina Gold' Carolina Gold Bearded Iris | HP | 0.91 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Celestial Flame' Celestial Flame Bearded Iris | HP | 1.22 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Chasing Rainbows' Chasing Rainbows Bearded Iris | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'China Dragon' China Dragon Bearded Iris | HP | 1.19 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Cranberry Ice' Cranberry Ice Bearded Iris | HP | 1.33 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Depth of Field' Depth of Field Bearded Iris | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Dusky Challenger' Dusky Challenger Bearded Iris | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Feed Back' Feed Back Bearded Iris | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Fort Apache' Fort Apache Bearded Iris | HP | 0.98 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Gold Galore' Gold Galore Bearded Iris | HP | 1.01 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Golden Promenade' Golden Promenade Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Gypsy Eyes' Gypsy Eyes Dwarf Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Harvest Of Memories' Harvest Of Memories Bearded Iris | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Henry Shaw' Henry Shaw Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Honky Tonk Blues' Honky Tonk Blues Bearded Iris | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Imagette' Imagette Dwarf Bearded Iris | HP | 1.33 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Katy Petts' Katy Petts Dwarf Bearded Iris | HP | 1.33 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Li'l Red Devil' Li'l Red Devil Dwarf Bearded Iris | HP | 1.33 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Matinata' Matinata Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Mica Maker' Mica Maker Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Music Maker' Music Maker Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Nights of Gladness' Nights of Gladness Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Olakala' Olakala Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Old Rose' Old Rose Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Pacific Panorama' Pacific Panorama Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Iris germanica</i> 'Painted Pictures' Painted Pictures Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Party Girl' Party Girl Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Peking Summer' Peking Summer Bearded Iris | HP | 0.77 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Perfect Interlude' Perfect Interlude Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Pink Horizon' Pink Horizon Bearded Iris | HP | 1.02 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Radiant Apogee' Radiant Apogee Bearded Iris | HP | 0.88 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Red At Night' Red At Night Bearded Iris | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Ringo' Ringo Bearded Iris | HP | 1.22 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Royal Touch' Royal Touch Bearded Iris | HP | 1.05 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Ruffled Ballet' Ruffled Ballet Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Salsa Rio' Salsa Rio Bearded Iris | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Sapphire Hills' Sapphire Hills Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Sheer Bliss' Sheer Bliss Bearded Iris | HP | 0.77 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Singing Angel' Singing Angel Dwarf Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Skating Party' Skating Party Bearded Iris | HP | 1.10 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Spartan' Spartan Bearded Iris | HP | 1.05 | G4 | 5 | 6-8 | | | |
| <i>Iris germanica</i> 'Stairway To Heaven' Stairway To Heaven Bearded Iris | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Stepping Out' Stepping Out Bearded Iris | HP | 0.90 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Study in Black' Study in Black Bearded Iris | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Sultan's Palace' Sultan's Palace Bearded Iris | HP | 0.93 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Summer Sunshine' Summer Sunshine Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Sunday Sunrise' Sunday Sunrise Bearded Iris | HP | 1.22 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Sunday Sunshine' Sunday Sunshine Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Super Simmon' Super Simmon Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Surfing Sea' Surfing Sea Dwarf Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Total Recall' Total Recall Bearded Iris | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Van Gogh' Van Gogh Bearded Iris | HP | 0.96 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Victoria Falls' Victoria Falls Bearded Iris | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Victorian Lace' Victorian Lace Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Iris germanica</i> 'Vitafire' Vitafire Bearded Iris | HP | 0.77 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Watercolor' Watercolor Dwarf Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Well Endowed' Well Endowed Bearded Iris | HP | 1.25 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'Wenatchee Skies' Wenatchee Skies Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris germanica</i> 'White Frost' White Frost Bearded Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris hexagona</i> Dixie Iris | HP | 0.72 | G4 | 5 | 6-10B | | | |
| <i>Iris hexagona</i> 'Alba' White Dixie Iris | HP | 0.78 | G4 | 5 | 6-8 | | | |
| <i>Iris hexagona</i> var. <i>savannarum</i> Savanna Iris | HP | 0.59 | G4 | 5 | 6-8 | | | |
| <i>Iris hexagona</i> var. <i>savannarum</i> 'Alba' White Savanna Iris | HP | 0.57 | G4 | 5 | 6-8 | | | |
| <i>Iris innominata</i> No Common Name Found | HP | 1.05 | G4 | 6-7 | 8-10A | | | |
| <i>Iris japonica</i> Fringed Iris | HP | 1.25 | G4 | 5-7 | 8-9 | | | |
| <i>Iris japonica</i> 'Variegata' Variegated Fringed Iris | HP | 1.29 | G4 | 5-7 | 8-9 | | | |
| <i>Iris kaempferi</i> See - <i>Iris ensata</i> | | | | | | | | |
| <i>Iris laevigata</i> Rabbit-Ear Iris | HP | 1.68 | G4 | 5 | 6-8 | | | |
| <i>Iris macrosiphon</i> Pacific Coast Iris | HP | 1.10 | G4 | 6-7 | 8-10A | | | |
| <i>Iris mellita</i> var. <i>rubromarginata</i> See - <i>Iris suaveolens</i> | | | | | | | | |
| <i>Iris missouriensis</i> Rocky Mountain Iris | HP | 0.86 | G4 | 5 | 6-8 | | | |
| <i>Iris nertschinskia</i> See - <i>Iris sanguinea</i> | | | | | | | | |
| <i>Iris pallida</i> Sweet Iris | HP | 1.81 | G4 | 5 | 6-8 | | | |
| <i>Iris pallida</i> 'Argentea Variegata' Argentea Variegata Sweet Iris | HP | 1.37 | G4 | 5 | 6-8 | | | |
| <i>Iris pallida</i> 'Aurea Variegata' Aurea Variegata Sweet Iris | HP | 1.28 | G4 | 5 | 6-8 | | | |
| <i>Iris pallida</i> var. <i>dalmatica</i> Dalmation Sweet Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Iris prismatica</i> Cubeseed Iris | HP | 0.87 | G4 | 5 | 6-8 | | | |
| <i>Iris pseudacorus</i> Yellow Flag Iris | HP | 1.06 | G4 | 5 | 6-8 | | | |
| <i>Iris pseudacorus</i> 'Alba' White Yellow Flag Iris | HP | 1.00 | G4 | 5 | 6-8 | | | |
| <i>Iris pseudacorus</i> 'Flore-pleno' Flore-pleno Yellow Flag Iris | HP | 1.04 | G4 | 5 | 6-8 | | | |
| <i>Iris pseudacorus</i> 'Rising Sun' Rising Sun Yellow Flag Iris | HP | 0.90 | G4 | 5 | 6-8 | | | |
| <i>Iris pseudacorus</i> var. <i>variegatus</i> Variegated Yellow Flag Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> Dwarf Bearded Iris | HP | 0.96 | G4 | 5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Iris pumila</i> 'Apple Blossom' Apple Blossom Dwarf Bearded Iris | HP | 1.05 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Baby Baron' Baby Baron Bearded Iris | HP | 1.24 | G4 | 2-3 | 4-8 | | | |
| <i>Iris pumila</i> 'Baby Blessed' Baby Blessed Bearded Iris | HP | 1.25 | G4 | 2-3 | 4-8 | | | |
| <i>Iris pumila</i> 'Banbury Ruffles' Banbury Ruffles Dwarf Bearded Iris | HP | 1.28 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Be Dazzled' Be Dazzled Dwarf Bearded Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Beechfield' Beechfield Dwarf Bearded Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Betsy Boo' Betsy Boo Dwarf Bearded Iris | HP | 1.06 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Boo' Boo Dwarf Bearded Iris | HP | 0.99 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Brass Tacks' Brass Tacks Bearded Iris | HP | 1.25 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Brassie' Brassie Dwarf Bearded Iris | HP | 1.17 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Bright White' Bright White Dwarf Bearded Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Butterfly' Butterfly Dwarf Bearded Iris | HP | 0.85 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Cherry Garden' Cherry Garden Dwarf Bearded Iris | HP | 1.07 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Crispy' Crispy Dwarf Bearded Iris | HP | 0.86 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Cyanea' Cyanea Dwarf Bearded Iris | HP | 1.21 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Dark Blue' Dark Blue Dwarf Bearded Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Elfin Queen' Elfin Queen Dwarf Bearded Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Eyebright' Eyebright Dwarf Bearded Iris | HP | 1.16 | G4 | 6-7 | 8-10A | | | |
| <i>Iris pumila</i> 'Lemon Puff' Lemon Puff Dwarf Bearded Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Little Dream' Little Dream Bearded Iris | HP | 1.24 | G4 | 2-3 | 4-8 | | | |
| <i>Iris pumila</i> 'Little Episode' Little Episode Dwarf Bearded Iris | HP | 1.09 | G4 | 6-7 | 8-10A | | | |
| <i>Iris pumila</i> 'Little Imp' Little Imp Dwarf Bearded Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Little Sapphire' Little Sapphire Dwarf Bearded Iris | HP | 1.25 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Little Villain' Little Villain Dwarf Bearded Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Mahogany' Mahogany Dwarf Bearded Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Mr. Roberts' Mr. Roberts Dwarf Bearded Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Pixie Princess' Pixie Princess Dwarf Bearded Iris | HP | 1.29 | G4 | 6-7 | 8-10A | | | |
| <i>Iris pumila</i> 'Royal Contrast' Royal Contrast Dwarf Bearded Iris | HP | 1.22 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Salem Yellow' Salem Yellow Dwarf Bearded Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Iris pumila</i> 'Sambo' Sambo Dwarf Bearded Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Truly' Truly Dwarf Bearded Iris | HP | 0.77 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Twinkling Star' Twinkling Star Dwarf Bearded Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Vera Gay' Vera Gay Dwarf Bearded Iris | HP | 1.20 | G4 | 5 | 6-8 | | | |
| <i>Iris pumila</i> 'Verona' Verona Dwarf Bearded Iris | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Iris reticulata</i> Netted Iris | HP | 0.68 | G4 | 6 | 7-9A | | | |
| <i>Iris sanguinea</i> No Common Name Found | HP | 0.95 | G4 | 5 | 6-8 | | | |
| <i>Iris setosa</i> Alaskan Iris | HP | 1.09 | G4 | 6-7 | 8-10A | | | |
| <i>Iris setosa</i> 'Nana' Dwarf Alaskan Iris | HP | 1.01 | G4 | 6-7 | 8-10A | | | |
| <i>Iris sibirica</i> Siberian Iris | HP | 1.06 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Alice Mae Cox' Alice Mae Cox Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Anniversary' Anniversary Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Atoll' Atoll Siberian Iris | HP | 1.09 | G4 | 5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Augry' Augry Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Baby Sister' Baby Sister Siberian Iris | HP | 1.01 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Bennerup Blue' Bennerup Blue Siberian Iris | HP | 1.20 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Blue Burgee' Blue Burgee Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Blue Emperor' Blue Emperor Siberian Iris | HP | 0.92 | G4 | 5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Blue King' Blue King Siberian Iris | HP | 1.05 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Blue Pennant' Blue Pennant Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Blue Song' Blue Song Siberian Iris | HP | 1.09 | G4 | 5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Blue Wilson' Blue Wilson Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Bountiful Violet' Bountiful Violet Siberian Iris | HP | 1.19 | G4 | 5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Butter and Sugar' Butter and Sugar Siberian Iris | HP | 1.07 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Caesar' Caesar Siberian Iris | HP | 0.88 | G4 | 6-7 | 8-10A | | | |
| <i>Iris sibirica</i> 'Caesar's Brother' Caesar's Brother Siberian Iris | HP | 0.96 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Charming Darlene' Charming Darlene Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Chartreuse Bounty' Chartreuse Bounty Siberian Iris | HP | 1.09 | G4 | 5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Chilled Wine' Chilled Wine Siberian Iris | HP | 0.96 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Iris sibirica</i> 'Christmas Wish' Christmas Wish Siberian Iris | HP | 1.27 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Cleve Dodge' Cleve Dodge Siberian Iris | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Contrast in Styles' Contrast in Styles Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Dancing Nanou' Dancing Nanou Siberian Iris | HP | 1.07 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Dear Diane' Dear Diane Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Dewful' Dewful Siberian Iris | HP | 0.89 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Dreaming Spires' Dreaming Spires Siberian Iris | HP | 1.02 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Ego' Ego Siberian Iris | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Eric the Red' Eric the Red Siberian Iris | HP | 0.99 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Flight of Butterflies' Flight of Butterflies Siberian Iris | HP | 1.04 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Floating Island' Floating Island Siberian Iris | HP | 1.13 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Forrest McCord' Forrest McCord Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Fourfold White' Fourfold White Siberian Iris | HP | 1.69 | G4 | 5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Gulls Wing' Gulls Wing Siberian Iris | HP | 1.02 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Halcyon Seas' Halcyon Seas Siberian Iris | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Happiness' Happiness Siberian Iris | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Heliotrope Bouquet' Heliotrope Bouquet Siberian Iris | HP | 1.24 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'High Standards' High Standards Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Hubbard' Hubbard Siberian Iris | HP | 1.25 | G4 | 2-3 | 4-8 | | | |
| <i>Iris sibirica</i> 'Illini Charm' Illini Charm Siberian Iris | HP | 1.08 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Indy' Indy Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Jewelled Crown' Jewelled Crown Siberian Iris | HP | 1.37 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'King of Kings' King of Kings Siberian Iris | HP | 1.09 | G4 | 5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Lady Vanessa' Lady Vanessa Siberian Iris | HP | 1.13 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Lights of Paris' Lights of Paris Siberian Iris | HP | 1.11 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Little White' Little White Siberian Iris | HP | 0.70 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Navy Brass' Navy Brass Siberian Iris | HP | 1.37 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Ongis' Ongis Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Orville Fay' Orville Fay Siberian Iris | HP | 1.11 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Iris sibirica</i> 'Ottawa' Ottawa Siberian Iris | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Painted Desert' Painted Desert Siberian Iris | HP | 0.96 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Papillon' Papillon Siberian Iris | HP | 1.15 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Pas de Deux' Pas de Deux Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Pery Blue' Perry Blue Siberian Iris | HP | 1.11 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Pink Haze' Pink Haze Siberian Iris | HP | 0.94 | G4 | 5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Pirate Prince' Pirate Prince Siberian Iris | HP | 0.95 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Polly Dodge' Polly Dodge Siberian Iris | HP | 2.22 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Purple Prose' Purple Prose Siberian Iris | HP | 1.09 | G4 | 5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Ruffled Velvet' Ruffled Velvet Siberian Iris | HP | 1.10 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Shirley Pope' Shirley Pope Siberian Iris | HP | 0.90 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Showdon' Showdon Siberian Iris | HP | 1.11 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Silver Edge' Silver Edge Siberian Iris | HP | 1.14 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Sky Wings' Sky Wings Siberian Iris | HP | 1.24 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Snow Crest' Snow Crest Siberian Iris | HP | 1.04 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Snow Queen' Snow Queen Siberian Iris | HP | 0.94 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Snow in Summer' Snow in Summer Siberian Iris | HP | 1.09 | G4 | 5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Spalding Rose' Spalding Rose Siberian Iris | HP | 1.01 | G4 | 5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Sparkling Rose' Sparkling Rose Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Steve Varner' Steve Varner Siberian Iris | HP | 0.90 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Suji Iri' Suji Iri Siberian Iris | HP | 0.90 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Sultan's Ruby' Sultan's Ruby Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Super Ego' Super Ego Siberian Iris | HP | 0.74 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Teal Velvet' Teal Velvet Siberian Iris | HP | 1.17 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Tealwood' Tealwood Siberian Iris | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Tycoon' Tycoon Siberian Iris | HP | 1.37 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Vi Luihn' Vi Luihn Siberian Iris | HP | 0.89 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Violet Swirls' Violet Swirls Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'White Sails' White Sails Siberian Iris | HP | 0.70 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Iris sibirica</i> 'White Swirl' White Swirl Siberian Iris | HP | 1.08 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Windwood Serenade' Windwood Serenade Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Windwood Spring' Windwood Spring Siberian Iris | HP | 0.84 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Wizardry' Wizardry Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris sibirica</i> 'Yankee Consul' Yankee Consul Siberian Iris | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Iris suaveolens</i> No Common Name Found | HP | 1.00 | G4 | 5 | 6-8 | | | |
| <i>Iris tectorum</i> Roof Iris | HP | 0.96 | G4 | 6-7 | 8-10A | | | |
| <i>Iris tectorum</i> 'Alba' White Roof Iris | HP | 0.92 | G4 | 6-7 | 8-10A | | | |
| <i>Iris tenax</i> Oregon Iris | HP | 0.66 | G4 | 6-7 | 8-10A | | | |
| <i>Iris unguicularis</i> Winter Iris | HP | 1.00 | G4 | 6-7 | 8-10A | | | |
| <i>Iris uniflora</i> var. <i>carinata</i> Korean Iris | HP | 0.95 | G4 | 6-8 | 9-10A | | | |
| <i>Iris uniflora</i> var. <i>carinata</i> 'Kitagawa' Kitagawa Korean Iris | HP | 0.95 | G4 | 6-8 | 9-10A | | | |
| <i>Iris verna</i> Dwarf Iris | HP | 0.79 | G4 | 6-7 | 8-10A | | | |
| <i>Iris versicolor</i> Blue Flag Iris | HP | 1.38 | G4 | 5 | 6-8 | | | |
| <i>Iris virginica</i> Blue Flag | HP | 0.89 | G4 | 6-8 | 9-10A | | | |
| <i>Iris virginica</i> var. <i>shrevei</i> Wild Blue Virginia Iris | HP | 1.49 | G4 | 6-8 | 9-10A | | | |
| <i>Iris xiphium</i> Dutch Iris | HP | 1.00 | G4 | 6-7 | 8 | | | |
| <i>Isatis tinctoria</i> Dyers Woad | AN | 1.00 | G4 | 5 | 6-8 | | | |
| <i>Isolepis cernua</i> Fiber Optics Grass | HP | 0.92 | G4 | 7-8 | 9-10 | | | |
| <i>Isoplexis chalcantha</i> No Common Name Found | BS | 0.90 | G2 | 6-9 | 10 | | 1.00 | 9 |
| <i>Isopogon formosus</i> Rose Cone Flower | BS | 0.95 | G2 | 6-9 | 10 | | 1.00 | 9 |
| <i>Itea ilicifolia</i> Hollyleaf Sweetspire | DS | 0.81 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Itea japonica</i> Japanese Sweetspire | BS | 0.94 | G2 | 6 | 7-8 | | 1.00 | 6 |
| <i>Itea japonica</i> 'Beppu' Beppu Japanese Sweetspire | BS | 0.99 | G2 | 6 | 7-8 | | 1.00 | 6 |
| <i>Itea virginica</i> Virginia Sweetspire | DS | 0.77 | G2 | 5 | 6-10A | | 1.12 | 5 |
| <i>Itea virginica</i> 'Henry's Garnet' Henry's Garnet Virginia Sweetspire | DS | 0.88 | G2 | 5 | 6-10A | | 1.10 | 5 |
| <i>Itea virginica</i> 'Little Henry' See - <i>Itea virginica</i> 'Sprich' P.P. 10988 | | | | | | | | |
| <i>Itea virginica</i> 'Longspire' Longspire Virginia Sweetspire | DS | 0.81 | G2 | 5-6 | 7-10A | | 1.09 | 5 |
| <i>Itea virginica</i> 'Merlot' Merlot Virginia Sweetspire | DS | 0.89 | G2 | 4-5 | 6-10A | | 1.09 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Itea virginica</i> 'Sarah Eve' Sarah Eve Japanese Sweetspire | DS | 0.89 | G2 | 5 | 6-10A | | 1.02 | 5 |
| <i>Itea virginica</i> 'Saturnalia' Saturnalia Virginia Sweetspire | DS | 0.86 | G2 | 5 | 6-10A | | 1.09 | 5 |
| <i>Itea virginica</i> 'Sprich' P.P. 10988 Little Henry® Virginia Sweetspire | DS | 1.06 | G2 | 5-6 | 7-10A | | 1.13 | 5 |
| <i>Itea yunnanensis</i> No Common Name Found | DS | 0.98 | G2 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Iva frutescens</i> Marsh Elder | BS | 1.23 | G2 | 9 | 10-11 | | 0.84 | 8 |
| <i>Ixia monadelpha</i> No Common Name Found | HP | 1.04 | G4 | 6-9 | 10 | | | |
| <i>Ixia paniculata</i> No Common Name Found | HP | 1.04 | G4 | 6-9 | 10 | | | |
| <i>Ixora</i> Ixora | BS | 0.38 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora</i> 'Aurora' Aurora Ixora | DS | 0.90 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora</i> 'Bonnie-Lynn' Bonnie-Lynn Ixora | DS | 0.68 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora</i> 'Florida Sunset' Florida Sunset Ixora | BS | 0.59 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora</i> 'Frankie Hipp' P.P. 9200 Frankie Hipp Ixora | BS | 0.76 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora</i> 'Maui' Maui Ixora | BS | 0.64 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora</i> 'Nora Grant' Nora Grant Ixora | BS | 0.56 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora</i> 'Petite Carmen' Petite Carmen Ixora | BS | 0.40 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora</i> 'Petite Orange' Petite Orange Ixora | DS | 0.81 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora</i> 'Petite Peach' Petite Peach Ixora | DS | 0.73 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora</i> 'Petite Pink' Petite Pink Ixora | BS | 0.53 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora</i> 'Petite Red' Petite Red Ixora | BS | 0.59 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora</i> 'Petite Yellow' Petite Yellow Ixora | BS | 0.70 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora</i> 'Singapore #2' Singapore #2 Ixora | DS | 0.77 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora</i> 'Singapore' Singapore Ixora | BS | 0.94 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora casei</i> No Common Name Found | BS | 0.63 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora casei</i> 'Super King' Super King Ixora | DS | 0.87 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora casei</i> 'Super Queen' Super Queen Ixora | DS | 0.95 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora casei</i> 'Trinidad Red' Trinidad Red Ixora | DS | 0.90 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora chinensis</i> Chinese Ixora | BS | 0.50 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora coccinea</i> Flame of the Woods | BS | 0.71 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora coccinea</i> 'Superkings' Superkings Flame of the Woods | BS | 0.65 | G2 | 9-10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Ixora javanica</i> Common Red Ixora | BS | 0.67 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora longifolia</i> No Common Name Found | BS | 0.79 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Ixora macrothyrsa</i> See - <i>Ixora longifolia</i> | | | | | | | | |
| <i>Jacaranda acutifolia</i> See - <i>Jacaranda mimosifolia</i> | | | | | | | | |
| <i>Jacaranda cuspidifolia</i> No Common Name Found | DT | 1.29 | G1 | 10A | 10B-11 | 1.00 | 0.88 | 9 |
| <i>Jacaranda mimosifolia</i> Mimosa-leaved Ebony | DT | 0.81 | G1 | 10A | 10B-11 | 1.00 | 0.66 | 9 |
| <i>Jacaranda mimosifolia</i> 'Alba' White Mimosa-leaved Ebony | DT | 0.81 | G1 | 10A | 10B-11 | 1.00 | 0.66 | 9 |
| <i>Jacquemontia pentantha</i> No Common Name Found | DT | 0.74 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Jacquinia keyensis</i> Joewood | BS | 1.83 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Jamesia americana</i> Cliffbush | DS | 1.41 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Jasminum angulare</i> South African Jasmine | GC | 0.94 | G2 | 9 | 10-11 | | 1.00 | 9 |
| <i>Jasminum azoricum</i> Azores Jasmine | BS | 0.95 | G2 | 9 | 10-11 | | 1.00 | 9 |
| <i>Jasminum beesianum</i> Bees Jasmine | DS | 0.89 | G2 | 9 | 10-11 | | 1.00 | 7 |
| <i>Jasminum floridum</i> Showy Jasmine | BS | 0.85 | G2 | 9 | 10-11 | | 0.58 | 9 |
| <i>Jasminum fruticans</i> No Common Name Found | GC | 0.80 | G2 | 9 | 10-11 | | 1.00 | 8 |
| <i>Jasminum grandiflorum</i> See - <i>Jasminum officinale</i> 'Affine' | | | | | | | | |
| <i>Jasminum hongshuihoense</i> No Common Name Found | GC | 1.00 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Jasminum humile</i> Italian Yellow Jasmine | GC | 0.85 | G2 | 8-9A | 9B-10B | | 1.00 | 7 |
| <i>Jasminum illicifolium</i> See - <i>Jasminum nitidum</i> | | | | | | | | |
| <i>Jasminum leratii</i> Privet-leaved Jasmine | GC | 0.56 | G2 | 7-10 | 11 | | 1.00 | 10 |
| <i>Jasminum ligustrifolium</i> See - <i>Jasminum leratii</i> | | | | | | | | |
| <i>Jasminum mesnyi</i> Japanese Jasmine | BS | 0.84 | G2 | 8-9A | 9B-10B | | 1.00 | 8 |
| <i>Jasminum multiflorum</i> Scented Star Jasmine | BS | 0.48 | G2 | 9 | 10-11 | | 1.00 | 9 |
| <i>Jasminum multipartitum</i> African Jasmine | GC | 1.00 | G2 | 7-10 | 11 | | 1.00 | 10B |
| <i>Jasminum nitidum</i> Angel-Wing Jasmine | GC | 0.66 | G2 | 8-10 | 11 | | 1.00 | 10B |
| <i>Jasminum nudiflorum</i> Winter Jasmine | DS | 1.02 | G2 | 6-7 | 8-9B | | 0.68 | 6 |
| <i>Jasminum officinale</i> Poet's Jasmine | DS | 0.99 | G2 | 7 | 8-10B | | 1.00 | 7 |
| <i>Jasminum officinale</i> 'Affine' Affine Common Jasmine | DS | 0.71 | G2 | 7 | 8-10B | | 1.00 | 7 |
| <i>Jasminum parkeri</i> Parker Jasmine | BS | 1.49 | G2 | 7-8 | 9-10A | | 1.00 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Jasminum polyanthum</i> Pink Chinese Jasmine | BS | 1.18 | G2 | 8 | 9-10B | | 1.00 | 8 |
| <i>Jasminum polyanthum</i> 'Variegatum' Variegated Pink Jasmine | BS | 1.18 | G2 | 8 | 9 | | 1.00 | 8 |
| <i>Jasminum primulinum</i> See - <i>Jasminum mesnyi</i> | | | | | | | | |
| <i>Jasminum pubescens</i> See - <i>Jasminum multiflorum</i> | | | | | | | | |
| <i>Jasminum rex</i> No Common Name Found | BS | 1.00 | G2 | 9 | 10-11 | | 1.00 | 8 |
| <i>Jasminum robusta</i> Robust Jasmine | BS | 0.64 | G2 | 10 | 11 | | 1.00 | 10B |
| <i>Jasminum sambac</i> Arabian Jasmine | GC | 0.97 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Jasminum sambac</i> 'Grand Duke of Tuscany' Grand Duke of Tuscany Arabian Jasmine | GC | 1.15 | G1 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Jasminum sambac</i> 'Maid of Orleans' Maid of Orleans Arabian Jasmine | GC | 0.83 | G1 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Jasminum simplicifolium</i> See - <i>Jasminum volubile</i> | | | | | | | | |
| <i>Jasminum xstephanense</i> Stephan Jasmine | GC | 1.07 | G2 | 7 | 8-9A | | 1.00 | 7 |
| <i>Jasminum tomentosum</i> See - <i>Jasminum hongshuihoense</i> | | | | | | | | |
| <i>Jasminum tortuosum</i> Sun-a-Jaji | GC | 0.75 | G2 | 7-8 | 9-10B | | 1.00 | 8 |
| <i>Jasminum volubile</i> Wax Jasmine | GC | 0.40 | G2 | 9B | 10-11 | | 1.00 | 9 |
| <i>Jatropha gossypifolia</i> Bellyache Bush | BS | 1.00 | G2 | 9-10 | 11 | | 1.00 | 8 |
| <i>Jatropha integerrima</i> Peregrina | BS | 0.87 | G2 | 9-10 | 11 | | 0.58 | 10 |
| <i>Jatropha integerrima</i> 'Compacta' Compact Peregrina | BS | 0.81 | G2 | 9-10 | 11 | | 0.68 | 10 |
| <i>Jatropha integerrima</i> 'Ingram's Red' Ingram's Red Peregrina | BS | 1.01 | G2 | 9-10 | 11 | | 0.63 | 10 |
| <i>Jatropha multifida</i> Coral Plant | BS | 1.11 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Jatropha pandurifolia</i> See - <i>Jatropha integerrima</i> | | | | | | | | |
| <i>Jatropha podagrica</i> Gout Plant | FO | 0.86 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Jeffersonia diphylla</i> Twinleaf | HP | 1.29 | G4 | 5-6 | 7-8 | | | |
| <i>Johannesteijsmannia altifrons</i> No Common Name Found | PC | 5.66 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Jovibarba heuffelii</i> No Common Name Found | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Jovibarba heuffelii</i> 'Minuta' No Common Name Found | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Juanulloa mexicana</i> No Common Name Found | GC | 1.00 | G2 | 8-9 | 10-11 | | 1.00 | 8 |
| <i>Jubaeopsis caffra</i> Caffra Palm | PC | 2.85 | G2 | 9 | 10A-10B | | 1.00 | 9 |
| <i>Juglans cinerea</i> Butternut | DT | 0.83 | G2 | 3 | 4-7 | 0.95 | 0.18 | 3 |
| <i>Juglans hindsii</i> Hinds Black Walnut | DT | 0.88 | G2 | 5-8 | 9-10A | 1.00 | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Juglans microcarpa</i> Little Walnut | DT | 0.64 | G2 | 5-7 | 8-10A | 1.00 | 1.00 | 6 |
| <i>Juglans nigra</i> Black Walnut | DT | 0.86 | G2 | 3-4 | 5-7 | 1.04 | 0.23 | 4 |
| <i>Juglans regia</i> English Walnut | FN | 0.82 | G3 | 4 | 5-7 | 1.01 | 0.73 | 3 |
| <i>Juncus balticus</i> Baltic Rush | HP | 1.00 | G4 | 4 | 5-7 | | | |
| <i>Juncus effusus</i> Common Rush | HP | 1.10 | G4 | 5-6 | 7-10B | | | |
| <i>Juncus effusus</i> 'Carmen's Japanese' Carmen's Japanese Rush | HP | 1.03 | G4 | 5-6 | 7-8 | | | |
| <i>Juncus effusus</i> 'Quartz Creek' Quartz Creek Japanese Rush | HP | 0.71 | G4 | 5-6 | 7-8 | | | |
| <i>Juncus effusus</i> 'Spiralis' Corkscrew Rush | HP | 1.14 | G4 | 5-6 | 7-8 | | | |
| <i>Juncus inflexus</i> Hard Rush | HP | 1.18 | G4 | 5-6 | 7-8 | | | |
| <i>Juncus inflexus</i> 'Afro' Afro Hard Rush | HP | 0.84 | G4 | 5-6 | 7-8 | | | |
| <i>Juncus inflexus</i> 'Lovesick Blues' Lovesick Blues Hard Rush | HP | 1.51 | G4 | 4 | 5-7 | | | |
| <i>Juncus oxymersis</i> Pointed Rush | HP | 1.00 | G4 | 4-6 | 7-11 | | | |
| <i>Juncus patens</i> California Gray Rush | HP | 1.00 | G4 | 5-7 | 8-9 | | | |
| <i>Juncus patens</i> 'Carman's Gray' Carman's Gray Rush | HP | 0.97 | G4 | 5-7 | 8-9 | | | |
| <i>Juncus roemerianus</i> Black Rush | HP | 1.14 | G4 | 5-6 | 7-8 | | | |
| <i>Juncus tenuis</i> Poverty Rush | HP | 1.00 | G4 | 4 | 5-7 | | | |
| <i>Juniperus</i> Juniper | CE | 1.00 | G2 | 4-5 | 6-10A | 1.00 | 1.00 | 3 |
| <i>Juniperus</i> 'Grey Owl' Grey Owl Juniper | CS | 0.85 | G2 | 4-5 | 6-10A | | 0.71 | 3 |
| <i>Juniperus</i> 'Hetzi Viridis' Green Hetzi Juniper | CS | 0.88 | G2 | 4-5 | 6-10A | | 0.77 | 3 |
| <i>Juniperus</i> 'Hetzii' Hetzi Blue Juniper | CS | 0.91 | G2 | 4-5 | 6-10A | | 0.82 | 3 |
| <i>Juniperus</i> 'Sulphur Spray' Sulphur Spray Juniper | CS | 0.88 | G2 | 4-5 | 6-10A | | 0.77 | 5 |
| <i>Juniperus bermudiana</i> Bermuda Juniper | CE | 1.00 | G2 | 4-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Juniperus chinensis</i> Chinese Juniper | CS | 0.51 | G2 | 4-5 | 6-10B | | 0.36 | 3 |
| <i>Juniperus chinensis</i> 'Ames' Ames Juniper | CS | 0.62 | G2 | 4-5 | 6-10A | | 1.06 | 3 |
| <i>Juniperus chinensis</i> 'Aquarius' See - <i>Juniperus chinensis</i> 'Aquazam' | | | | | | | | |
| <i>Juniperus chinensis</i> 'Aquazam' Aquarius® Juniper | CS | 0.92 | G2 | 4-5 | 6-10A | | 0.89 | 3 |
| <i>Juniperus chinensis</i> 'Bakaurea' P.P. 3801 Gold Star® Juniper | CS | 1.04 | G2 | 4-5 | 6-10A | | 0.79 | 3 |
| <i>Juniperus chinensis</i> 'Blaauw' Blaauw Juniper | CS | 0.70 | G2 | 4-5 | 6-10A | | 0.74 | 3 |
| <i>Juniperus chinensis</i> 'Blue Point' Blue Point Juniper | CS | 0.95 | G2 | 4-5 | 6-10A | | 0.71 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Juniperus chinensis</i> 'Blue Vase' Blue Vase Juniper | CS | 0.82 | G2 | 4-5 | 6-10A | | 0.49 | 3 |
| <i>Juniperus chinensis</i> 'Borlyn' P.P. 6149 Golden Glow™ Juniper | CS | 1.31 | G2 | 4-5 | 6-10A | | 0.74 | 3 |
| <i>Juniperus chinensis</i> 'Columnaris' Columnar Chinese Juniper | CS | 0.92 | G2 | 4-5 | 6-10A | | 0.74 | 3 |
| <i>Juniperus chinensis</i> 'Expansa Albovariegata' Variegated Chinese Juniper | CS | 0.75 | G2 | 4-5 | 6-10A | | 0.74 | 3 |
| <i>Juniperus chinensis</i> 'Expansa Aureospicata' Expansa Aureospicata Juniper | CS | 0.92 | G2 | 4-5 | 6-10A | | 0.74 | 3 |
| <i>Juniperus chinensis</i> 'Expansa Variegata' Expansa Variegata Juniper | CS | 0.64 | G2 | 4-5 | 6-10A | | 0.74 | 3 |
| <i>Juniperus chinensis</i> 'Fairview' Fairview Juniper | CS | 1.08 | G2 | 4-5 | 6-10A | | 0.90 | 3 |
| <i>Juniperus chinensis</i> 'Femina' Femina Juniper | CS | 0.92 | G2 | 4-5 | 6-10A | | 0.74 | 3 |
| <i>Juniperus chinensis</i> 'Fremonti' Fremont Juniper | CS | 0.92 | G2 | 4-5 | 6-10A | | 0.74 | 3 |
| <i>Juniperus chinensis</i> 'Gold Star' See - <i>Juniperus chinensis</i> 'Bakaurea' P.P. 3801 | | | | | | | | |
| <i>Juniperus chinensis</i> 'Golden Glow' See - <i>Juniperus chinensis</i> 'Borlyn' P.P. 6149 | | | | | | | | |
| <i>Juniperus chinensis</i> 'Hetzii Columnaris' See - <i>Juniperus chinensis</i> 'Fairview' | | | | | | | | |
| <i>Juniperus chinensis</i> 'Hetzii Glauca' See - <i>Juniperus</i> 'Hetzii' | | | | | | | | |
| <i>Juniperus chinensis</i> 'Hooks' Hooks Upright Juniper | CS | 0.92 | G2 | 4-5 | 6-10A | | 0.69 | 3 |
| <i>Juniperus chinensis</i> 'Iowa' Iowa Juniper | CS | 0.92 | G2 | 4-5 | 6-10A | | 1.06 | 3 |
| <i>Juniperus chinensis</i> 'Kaizuka' Hollywood Juniper | CS | 0.90 | G2 | 4-5 | 6-10A | | 0.77 | 3 |
| <i>Juniperus chinensis</i> 'Keteleeri' Keteleer Juniper | CS | 0.90 | G2 | 4-5 | 6-10A | | 0.62 | 3 |
| <i>Juniperus chinensis</i> 'Kuriwao Gold' Kuriwao Gold Juniper | CS | 0.66 | G2 | 4-5 | 6-10A | | 0.62 | 3 |
| <i>Juniperus chinensis</i> 'Mac's Golden' Mac's Golden Juniper | CS | 1.26 | G2 | 4-5 | 6-10A | | 0.74 | 3 |
| <i>Juniperus chinensis</i> 'Maney' Maney Juniper | CS | 1.33 | G2 | 4-5 | 6-10A | | 0.91 | 3 |
| <i>Juniperus chinensis</i> 'Mountbatten' Mountbatten Juniper | CS | 0.92 | G2 | 4-5 | 6-10A | | 0.98 | 3 |
| <i>Juniperus chinensis</i> 'New Gold' New Gold Juniper | CS | 0.92 | G2 | 4-5 | 6-10A | | 0.74 | 3 |
| <i>Juniperus chinensis</i> 'Oxford' Oxford Juniper | CS | 0.62 | G2 | 4-5 | 6-10A | | 0.42 | 3 |
| <i>Juniperus chinensis</i> 'Parsonsii' Parson's Juniper | CS | 0.64 | G2 | 4-5 | 6-10A | | 0.45 | 3 |
| <i>Juniperus chinensis</i> 'Perfecta' Perfecta Juniper | CS | 0.92 | G2 | 4-5 | 6-10A | | 0.60 | 3 |
| <i>Juniperus chinensis</i> 'Plumosa Aurea' Golden Plume Juniper | CS | 0.92 | G2 | 4-5 | 6-10A | | 1.04 | 3 |
| <i>Juniperus chinensis</i> 'Prostrata Variegated' Variegated Prostrate Juniper | CS | 0.70 | G2 | 4-5 | 6-10A | | 0.74 | 3 |
| <i>Juniperus chinensis</i> 'Robusta Green' Robusta Green Juniper | CS | 1.27 | G2 | 4-5 | 6-10A | | 0.79 | 3 |
| <i>Juniperus chinensis</i> 'Rockery Gem' See - <i>Juniperus sabina</i> 'Rockery Gem' | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Juniperus chinensis</i> 'Rosefield's Perfect' Rosefield's Perfect Juniper | CS | 0.92 | G2 | 4-5 | 6-10A | | 0.74 | 3 |
| <i>Juniperus chinensis</i> 'San Jose Variegata' Variegated San Jose Juniper | CS | 0.92 | G2 | 4-5 | 6-10A | | 0.74 | 3 |
| <i>Juniperus chinensis</i> 'San Jose' San Jose Juniper | CS | 0.88 | G2 | 4-5 | 6-10A | | 0.56 | 3 |
| <i>Juniperus chinensis</i> 'Shimpaku' Shimpaku Juniper | CS | 1.23 | G2 | 4-5 | 6-10A | | 1.18 | 3 |
| <i>Juniperus chinensis</i> 'Spartan' Spartan Juniper | CS | 1.08 | G2 | 4-5 | 6-10A | | 0.70 | 3 |
| <i>Juniperus chinensis</i> 'Spearmint' Spearmint Juniper | CS | 1.44 | G2 | 4-5 | 6-10A | | 0.70 | 3 |
| <i>Juniperus chinensis</i> 'Stricta' Stricta Juniper | CS | 0.80 | G2 | 2-3 | 4-10A | | 0.44 | 3 |
| <i>Juniperus chinensis</i> 'Torulosa' See - <i>Juniperus chinensis</i> 'Kaizuka' | | | | | | | | |
| <i>Juniperus chinensis</i> 'Variegated Kaizuka' Variegated Hollywood Juniper | CS | 1.03 | G2 | 4-5 | 6-10A | | 0.78 | 3 |
| <i>Juniperus chinensis</i> 'Wintergreen' Wintergreen Juniper | CS | 0.78 | G2 | 4-5 | 6-10A | | 0.71 | 3 |
| <i>Juniperus chinensis</i> var. <i>sargentii</i> See - <i>Juniperus sargentii</i> | | | | | | | | |
| <i>Juniperus communis</i> Common Juniper | CS | 1.53 | G2 | 4-5 | 6-10A | | 0.94 | 2 |
| <i>Juniperus communis</i> 'Alpine Carpet' See - <i>Juniperus communis</i> 'Mondap' | | | | | | | | |
| <i>Juniperus communis</i> 'Aurea' Golden Common Juniper | CS | 1.37 | G2 | 4-5 | 6-10A | | 0.94 | 2 |
| <i>Juniperus communis</i> 'Berkshire' Berkshire Common Juniper | CS | 0.97 | G2 | 4-5 | 6-10A | | 1.40 | 2 |
| <i>Juniperus communis</i> 'Compressa' Dwarf Common Juniper | CS | 2.94 | G2 | 4-5 | 6-10A | | 0.95 | 2 |
| <i>Juniperus communis</i> 'Depressa Aurea' Golden Oldfield Juniper | CS | 1.52 | G2 | 4-5 | 6-10A | | 0.84 | 2 |
| <i>Juniperus communis</i> 'Effusa' Effusa Common Juniper | CS | 0.88 | G2 | 4-5 | 6-10A | | 0.94 | 2 |
| <i>Juniperus communis</i> 'Gold Cone' Gold Cone Common Juniper | CS | 1.50 | G2 | 4-5 | 6-10A | | 0.94 | 2 |
| <i>Juniperus communis</i> 'Hibernica' Irish Juniper | CS | 0.82 | G2 | 4-5 | 6-10A | | 0.41 | 2 |
| <i>Juniperus communis</i> 'Mondap' Alpine Carpet Common Juniper | CS | 1.18 | G2 | 1-2 | 3-10A | | 0.94 | 2 |
| <i>Juniperus communis</i> 'Repanda' Repanda Common Juniper | CS | 0.96 | G2 | 4-5 | 6-10A | | 0.94 | 2 |
| <i>Juniperus communis</i> 'Sentinel' Sentinel Common Juniper | CS | 1.37 | G2 | 4-5 | 6-10A | | 1.10 | 2 |
| <i>Juniperus communis</i> 'Suecica' Swedish Common Juniper | CS | 1.37 | G2 | 4-5 | 6-10A | | 0.94 | 2 |
| <i>Juniperus communis</i> ssp. <i>nana</i> See - <i>Juniperus communis</i> var. <i>montana</i> | | | | | | | | |
| <i>Juniperus communis</i> var. <i>depressa</i> No Common Name Found | CS | 1.11 | G2 | 4-5 | 6-10A | | 1.25 | 2 |
| <i>Juniperus communis</i> var. <i>depressa</i> 'AmiDak' Blueberry Delight™ Juniper | CS | 1.11 | G2 | 4-5 | 6-10A | | 1.25 | 2 |
| <i>Juniperus communis</i> var. <i>depressa</i> 'Blueberry Delight' See - <i>Juniperus communis</i> var. <i>depressa</i> 'AmiDak' | | | | | | | | |
| <i>Juniperus communis</i> var. <i>montana</i> Mountain Juniper | CS | 0.79 | G2 | 4-5 | 6-10A | | 0.54 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Juniperus conferta</i> Shore Juniper | CS | 0.61 | G2 | 4-5 | 6-10B | | 0.49 | 5 |
| <i>Juniperus conferta</i> 'Blue Pacific' Blue Pacific Shore Juniper | CS | 0.77 | G2 | 4-5 | 6-10B | | 0.49 | 5 |
| <i>Juniperus conferta</i> 'Compacta' Compact Shore Juniper | CS | 0.50 | G2 | 4-5 | 6-10A | | 0.49 | 5 |
| <i>Juniperus conferta</i> 'Emerald Sea' Emerald Sea Shore Juniper | CS | 0.85 | G2 | 4-5 | 6-10A | | 0.49 | 5 |
| <i>Juniperus conferta</i> 'Iron Age' See - <i>Juniperus conferta</i> 'Irozam' | | | | | | | | |
| <i>Juniperus conferta</i> 'Irozam' Iron Age™ Shore Juniper | CS | 0.87 | G2 | 4-5 | 6-10A | | 0.49 | 5 |
| <i>Juniperus conferta</i> 'Silver Mist' Silver Mist Shore Juniper | CS | 0.91 | G2 | 4-5 | 6-10A | | 0.49 | 5 |
| <i>Juniperus davurica</i> 'Expansa Aureospicata' See - <i>Juniperus chinensis</i> 'Expansa Aureospicata' | | | | | | | | |
| <i>Juniperus davurica</i> 'Expansa Variegata' See - <i>Juniperus chinensis</i> 'Expansa Variegata' | | | | | | | | |
| <i>Juniperus davurica</i> 'Expansa' See - <i>Juniperus chinensis</i> 'Parsonsii' | | | | | | | | |
| <i>Juniperus excelsa</i> Greek Juniper | CS | 0.68 | G2 | 4-6 | 7-10A | | 0.38 | 6 |
| <i>Juniperus excelsa</i> 'Stricta' See - <i>Juniperus chinensis</i> 'Stricta' | | | | | | | | |
| <i>Juniperus formosana</i> Taiwan Juniper | CE | 1.00 | G2 | 6-7 | 8-10A | 1.00 | 1.21 | 6 |
| <i>Juniperus horizontalis</i> Creeping Juniper | CS | 1.04 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Andorra Compacta' Compact Andorra Creeping Juniper | CS | 0.75 | G2 | 3-4 | 5-10A | | 0.54 | 3 |
| <i>Juniperus horizontalis</i> 'Aunt Jemima' Aunt Jemima Creeping Juniper | CS | 1.12 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Bar Harbor' Bar Harbor Creeping Juniper | CS | 0.93 | G2 | 3-4 | 5-10A | | 0.52 | 3 |
| <i>Juniperus horizontalis</i> 'Blue Chip' Blue Chip Creeping Juniper | CS | 0.95 | G2 | 3-4 | 5-10A | | 0.60 | 3 |
| <i>Juniperus horizontalis</i> 'Blue Forest' Blue Forest Creeping Juniper | CS | 1.18 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Blue Horizon' Blue Horizon Creeping Juniper | CS | 1.99 | G2 | 3-4 | 5-10A | | 3.08 | 3 |
| <i>Juniperus horizontalis</i> 'Blue Mat' Blue Mat Creeping Juniper | CS | 0.79 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Blue Prince' P.P. 10134 Blue Prince Creeping Juniper | CS | 1.11 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Bowdak' Prairie Elegance™ Creeping Juniper | CS | 1.32 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Douglasii' Waukegan Creeping Juniper | CS | 0.81 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Emerald Isle' Emerald Isle Creeping Juniper | CS | 1.06 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Emerald Spreader' P.P. 2752 Emerald Spreader Creeping Juniper | CS | 1.12 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Glomerata' Glomerata Creeping Juniper | CS | 1.12 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Hughes' Hughes Creeping Juniper | CS | 1.10 | G2 | 3-4 | 5-10A | | 0.69 | 3 |
| <i>Juniperus horizontalis</i> 'Icee Blue' See - <i>Juniperus horizontalis</i> 'Monber' P.P. 9639 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Juniperus horizontalis</i> 'Jade River' Jade River Creeping Juniper | CS | 0.97 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Jade Spreader' Jade Spreader Creeping Juniper | CS | 1.12 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Limeglow' Limeglow Creeping Juniper | CS | 2.08 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Marcella' Marcella Creeping Juniper | CS | 1.12 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Monber' P.P. 9639 Icee Blue™ Creeping Juniper | CS | 1.38 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Monise' Turquoise Spreader™ Creeping Juniper | CS | 0.80 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Mother Lode' P.P. 5948 Mother Lode Creeping Juniper | CS | 2.16 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Plumosa Compacta' See - <i>Juniperus horizontalis</i> 'Andorra Compacta' | | | | | | | | |
| <i>Juniperus horizontalis</i> 'Plumosa' Andorra Creeping Juniper | CS | 0.74 | G2 | 3-4 | 5-10A | | 0.58 | 3 |
| <i>Juniperus horizontalis</i> 'Prairie Elegance' See - <i>Juniperus horizontalis</i> 'Bowdak' | | | | | | | | |
| <i>Juniperus horizontalis</i> 'Prince of Wales' Prince of Wales Creeping Juniper | CS | 0.99 | G2 | 3-4 | 5-10A | | 0.57 | 3 |
| <i>Juniperus horizontalis</i> 'Turquoise Spreader' See - <i>Juniperus horizontalis</i> 'Monise' | | | | | | | | |
| <i>Juniperus horizontalis</i> 'Two Medicine' Two Medicine Creeping Juniper | CS | 1.12 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Webberi' Webber Creeping Juniper | CS | 1.05 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Wilms' Wilms Creeping Juniper | CS | 1.12 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus horizontalis</i> 'Wiltonii' Blue Rug Creeping Juniper | CS | 0.84 | G2 | 3-4 | 5-10A | | 0.59 | 3 |
| <i>Juniperus horizontalis</i> 'Wisconsin' Wisconsin Creeping Juniper | GC | 0.63 | G2 | 3-4 | 5-10A | | 1.00 | 3 |
| <i>Juniperus horizontalis</i> 'Youngstown' Youngstown Compact Creeping Juniper | CS | 1.00 | G2 | 3-4 | 5-10A | | 0.59 | 3 |
| <i>Juniperus horizontalis</i> 'Yukon Belle' Yukon Belle Creeping Juniper | CS | 0.80 | G2 | 3-4 | 5-10A | | 0.86 | 3 |
| <i>Juniperus monosperma</i> Cherrystone Juniper | CS | 1.12 | G2 | 3-4 | 5-10A | | 1.69 | 4 |
| <i>Juniperus morrisonicola</i> No Common Name Found | CE | 1.00 | G2 | 3-4 | 5-10A | 1.00 | 1.31 | 4 |
| <i>Juniperus occidentalis</i> Sierra Juniper | CS | 1.00 | G2 | 3-5 | 6-10A | | 1.00 | 5 |
| <i>Juniperus x pfitzeriana</i> Pfitzer Juniper | CS | 1.08 | G2 | 4-5 | 6-10A | | 0.99 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Angelica Blue' Angelica Blue Pfitzer Juniper | CS | 0.98 | G2 | 4-5 | 6-10A | | 0.70 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Arctic' Arctic Pfitzer Juniper | CS | 1.05 | G2 | 4-5 | 6-10A | | 0.74 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Armstrongii' Armstrong Pfitzer Juniper | CS | 1.08 | G2 | 4-5 | 6-10A | | 0.74 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Aurea' P.P. 2491 Gold Coast™ Pfitzer Juniper | CS | 1.03 | G2 | 4-5 | 6-10A | | 0.55 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Daub's Frosted' Daub's Frosted Pfitzer Juniper | CS | 1.19 | G2 | 4-5 | 6-10A | | 1.86 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Fruitlandii' Fruitlandii Pfitzer Juniper | CS | 1.05 | G2 | 4-5 | 6-10A | | 0.74 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Juniperus x pfitzeriana</i> 'Gold Coast' See - <i>Juniperus x pfitzeriana</i> 'Aurea' P.P. 2491 | | | | | | | | |
| <i>Juniperus x pfitzeriana</i> 'Gold Lace' P.P. 8202 Gold Lace Pfitzer Juniper | CS | 1.25 | G2 | 4-5 | 6-10A | | 0.74 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Holbert' Holbert Pfitzer Juniper | CS | 1.09 | G2 | 4-5 | 6-10A | | 0.74 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Kallay's Compact' Kallay's Compact Pfitzer Juniper | CS | 1.01 | G2 | 4-5 | 6-10A | | 0.62 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Klehm Compact' Klehm Compact Pfitzer Juniper | CS | 1.05 | G2 | 4-5 | 6-10A | | 0.63 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Lemon Hill' Lemon Hill Pfitzer Juniper | CS | 2.38 | G2 | 4-5 | 6-10A | | 0.74 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Mint Julep' See - <i>Juniperus x pfitzeriana</i> 'Monlep' | | | | | | | | |
| <i>Juniperus x pfitzeriana</i> 'Monlep' Mint Julep™ Pfitzer Juniper | CS | 1.20 | G2 | 4-5 | 6-10A | | 0.79 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Old Gold' Old Gold Pfitzer Juniper | CS | 1.08 | G2 | 4-5 | 6-10A | | 0.76 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Owen' Owen Compact Pfitzer Juniper | CS | 0.62 | G2 | 4-5 | 6-10A | | 0.55 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Ozark Compact' Ozark Compact Pfitzer Juniper | CS | 0.81 | G2 | 4-5 | 6-10A | | 0.47 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Pfitzeriana Aurea Nana' Compact Gold Pfitzer Juniper | CS | 1.05 | G2 | 3-4 | 5-10A | | 0.74 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Pfitzeriana Aurea' Gold Tip Pfitzer Juniper | CS | 1.03 | G2 | 4-5 | 6-10A | | 0.68 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Pfitzeriana Compacta' Compact Pfitzer Juniper | CS | 0.87 | G2 | 4-5 | 6-10A | | 1.05 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Pfitzeriana Glauca' Blue Pfitzer Juniper | CS | 0.86 | G2 | 4-5 | 6-10A | | 0.49 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Pfitzeriana Nick's Compacta' See - <i>Juniperus x pfitzeriana</i> 'Pfitzeriana Compacta' | | | | | | | | |
| <i>Juniperus x pfitzeriana</i> 'Ramlosa' Ramlosa Pfitzer Juniper | CS | 0.75 | G2 | 4-5 | 6-10A | | 0.74 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Saybrook Gold' P.P. 5014 Saybrook Gold Pfitzer Juniper | CS | 0.94 | G2 | 4-5 | 6-10A | | 0.58 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Sea Green' Sea Green Pfitzer Juniper | CS | 0.91 | G2 | 4-5 | 6-10A | | 0.59 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Sea Spray' Sea Spray Pfitzer Juniper | CS | 0.85 | G2 | 4-5 | 6-10A | | 0.74 | 4 |
| <i>Juniperus x pfitzeriana</i> 'Stay Low' Stay Low Pfitzer Juniper | CS | 1.05 | G2 | 4-5 | 6-10A | | 0.54 | 4 |
| <i>Juniperus pingii</i> See - <i>Juniperus morrisonicola</i> | | | | | | | | |
| <i>Juniperus procumbens</i> Japanese Garden Juniper | CS | 0.82 | G2 | 3-4 | 5-10A | | 0.68 | 4 |
| <i>Juniperus procumbens</i> 'Green Mound' Green Mound Japanese Garden Juniper | CS | 0.85 | G2 | 3-4 | 5-10A | | 0.70 | 4 |
| <i>Juniperus procumbens</i> 'Nana' Dwarf Japanese Garden Juniper | CS | 0.88 | G2 | 3-4 | 5-10B | | 0.82 | 4 |
| <i>Juniperus procumbens</i> 'Variegata' See - <i>Juniperus chinensis</i> 'Expansa Albovariegata' | | | | | | | | |
| <i>Juniperus recurva</i> var. <i>coxii</i> Cox Himalayan Juniper | CS | 3.04 | G2 | 3-7 | 8-10A | | 1.00 | 7 |
| <i>Juniperus rigida</i> Needle Juniper | CS | 1.77 | G2 | 3-5 | 6-10A | | 0.90 | 5 |
| <i>Juniperus rigida</i> 'Pendula' Weeping Needle Juniper | CS | 1.77 | G2 | 3-5 | 6-10A | | 0.90 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Juniperus sabina</i> Savin Juniper | CS | 0.97 | G2 | 3-4 | 5-10A | | 0.62 | 3 |
| <i>Juniperus sabina</i> 'Arcadia' Arcadia Savin Juniper | CS | 1.13 | G2 | 3-4 | 5-10A | | 0.62 | 3 |
| <i>Juniperus sabina</i> 'Blue Danube' Blue Danube Savin Juniper | CS | 1.15 | G2 | 3-4 | 5-10A | | 0.62 | 3 |
| <i>Juniperus sabina</i> 'Blue Forest' Blue Forest Savin Juniper | CS | 1.08 | G2 | 3-4 | 5-10A | | 0.62 | 3 |
| <i>Juniperus sabina</i> 'Broadmoor' Broadmoor Savin Juniper | CS | 1.05 | G2 | 3-4 | 5-10A | | 0.60 | 3 |
| <i>Juniperus sabina</i> 'Buffalo' Buffalo Savin Juniper | CS | 1.14 | G2 | 3-4 | 5-10A | | 0.68 | 3 |
| <i>Juniperus sabina</i> 'Calgary Carpet' See - <i>Juniperus sabina</i> 'Monna' | | | | | | | | |
| <i>Juniperus sabina</i> 'Cupressifolia' Cupressifolia Savin Juniper | CS | 1.10 | G2 | 3-4 | 5-10A | | 0.62 | 3 |
| <i>Juniperus sabina</i> 'Mini Arcade' Mini Arcade Savin Juniper | CS | 0.99 | G2 | 3-4 | 5-10A | | 0.62 | 3 |
| <i>Juniperus sabina</i> 'Moffet' See - <i>Juniperus sabina</i> 'Moffetii' | | | | | | | | |
| <i>Juniperus sabina</i> 'Moffetii' Moffet's Blue Savin Juniper | CS | 1.73 | G2 | 3-4 | 5-10A | | 0.67 | 3 |
| <i>Juniperus sabina</i> 'Monard' P.P. 6656 Moor-Dense™ Savin Juniper | CS | 1.17 | G2 | 3-4 | 5-10A | | 0.62 | 3 |
| <i>Juniperus sabina</i> 'Monna' Calgary Carpet™ Savin Juniper | CS | 1.18 | G2 | 3-4 | 5-10A | | 0.62 | 3 |
| <i>Juniperus sabina</i> 'Moor-Dense' See - <i>Juniperus sabina</i> 'Monard' P.P. 6656 | | | | | | | | |
| <i>Juniperus sabina</i> 'New Blue' New Blue Savin Juniper | CS | 1.11 | G2 | 3-4 | 5-10A | | 0.62 | 3 |
| <i>Juniperus sabina</i> 'Pepin' Pepin Savin Juniper | CS | 1.06 | G2 | 3-4 | 5-10A | | 0.62 | 3 |
| <i>Juniperus sabina</i> 'Rockery Gem' Rockery Gem Savin Juniper | CS | 1.15 | G2 | 3-4 | 5-10A | | 0.62 | 3 |
| <i>Juniperus sabina</i> 'Sierra Spreader' Sierra Spreader Savin Juniper | CS | 1.18 | G2 | 3-4 | 5-10A | | 0.62 | 3 |
| <i>Juniperus sabina</i> 'Skandia' Skandia Savin Juniper | CS | 1.26 | G2 | 3-4 | 5-10A | | 0.62 | 3 |
| <i>Juniperus sabina</i> 'Tamariscifolia' Tam Savin Juniper | CS | 1.11 | G2 | 3-4 | 5-10A | | 0.54 | 3 |
| <i>Juniperus sabina</i> 'Von Ehren' Von Ehren Savin Juniper | CS | 1.15 | G2 | 3-4 | 5-10A | | 0.62 | 3 |
| <i>Juniperus sargentii</i> Sargent Juniper | CS | 0.84 | G2 | 4-5 | 6-10A | | 0.62 | 3 |
| <i>Juniperus sargentii</i> 'Compacta' Compact Sargent Juniper | CS | 0.86 | G2 | 4-5 | 6-10A | | 0.59 | 3 |
| <i>Juniperus sargentii</i> 'Glauca' Blue Sargent Juniper | CS | 0.89 | G2 | 4-5 | 6-10A | | 0.55 | 3 |
| <i>Juniperus sargentii</i> 'Viridis' Green Sargent Juniper | CS | 0.84 | G2 | 4-5 | 6-10A | | 0.60 | 3 |
| <i>Juniperus scopulorum</i> Rocky Mountain Juniper | CS | 1.54 | G2 | 3-4 | 5-10A | | 0.64 | 3 |
| <i>Juniperus scopulorum</i> 'Admiral' Admiral Juniper | CS | 0.62 | G2 | 3-4 | 5-10A | | 0.58 | 3 |
| <i>Juniperus scopulorum</i> 'Blue Arrow' Blue Arrow Rocky Mountain Juniper | CS | 1.44 | G2 | 3-4 | 5-10A | | 0.80 | 3 |
| <i>Juniperus scopulorum</i> 'Blue Creeper' See - <i>Juniperus scopulorum</i> 'Monam' P.P. 5084 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Juniperus scopulorum</i> 'Blue Heaven' Blue Heaven Juniper | CS | 1.51 | G2 | 3-4 | 5-10A | | 0.88 | 3 |
| <i>Juniperus scopulorum</i> 'Blue Trail' Blue Trail Juniper | CS | 1.19 | G2 | 3-4 | 5-10A | | 0.65 | 3 |
| <i>Juniperus scopulorum</i> 'Cologreen' Cologreen Juniper | CS | 1.87 | G2 | 3-4 | 5-10A | | 0.88 | 3 |
| <i>Juniperus scopulorum</i> 'Cupressifolia Erecta' See - <i>Juniperus scopulorum</i> 'Greenspire' | | | | | | | | |
| <i>Juniperus scopulorum</i> 'Erecta Glauca' Erect Blue Juniper | CS | 1.44 | G2 | 3-4 | 5-10A | | 0.80 | 3 |
| <i>Juniperus scopulorum</i> 'Gray Gleam' Gray Gleam Juniper | CS | 1.63 | G2 | 3-4 | 5-10A | | 0.74 | 3 |
| <i>Juniperus scopulorum</i> 'Green Ice' See - <i>Juniperus scopulorum</i> 'Monwade' | | | | | | | | |
| <i>Juniperus scopulorum</i> 'Greenspire' Greenspire Juniper | CS | 1.44 | G2 | 3-4 | 5-10A | | 0.80 | 3 |
| <i>Juniperus scopulorum</i> 'Grizzly Bear' Grizzly Bear Juniper | CS | 1.44 | G2 | 3-4 | 5-10A | | 0.73 | 3 |
| <i>Juniperus scopulorum</i> 'Medora' Medora Juniper | CS | 1.59 | G2 | 3-4 | 5-10A | | 0.78 | 3 |
| <i>Juniperus scopulorum</i> 'Monam' P.P. 5084 Blue Creeper™ Juniper | CS | 1.30 | G2 | 3-4 | 5-10A | | 0.80 | 3 |
| <i>Juniperus scopulorum</i> 'Montana Green' Montana Green Juniper | CS | 0.88 | G2 | 3-4 | 5-10A | | 0.80 | 3 |
| <i>Juniperus scopulorum</i> 'Monwade' Green Ice™ Juniper | CS | 1.81 | G2 | 3-4 | 5-10A | | 0.79 | 3 |
| <i>Juniperus scopulorum</i> 'Moonglow' Moonglow Juniper | CS | 1.24 | G2 | 3-4 | 5-10A | | 0.74 | 3 |
| <i>Juniperus scopulorum</i> 'Pathfinder' Pathfinder Juniper | CS | 1.44 | G2 | 3-4 | 5-10A | | 0.80 | 3 |
| <i>Juniperus scopulorum</i> 'Skyrocket' Skyrocket Juniper | CE | 0.99 | G2 | 3-4 | 5-10A | 1.00 | 0.73 | 3 |
| <i>Juniperus scopulorum</i> 'Sutherland' Sutherland Juniper | CS | 1.11 | G2 | 3-4 | 5-10A | | 0.81 | 3 |
| <i>Juniperus scopulorum</i> 'Table Top' Table Top Juniper | CS | 1.37 | G2 | 3-4 | 5-10A | | 0.80 | 3 |
| <i>Juniperus scopulorum</i> 'Tolleson's Blue Weeping' Tolleson's Blue Weeping Juniper | CS | 1.71 | G2 | 3-4 | 5-10A | | 1.21 | 3 |
| <i>Juniperus scopulorum</i> 'Tolleson's Green Weeping' Tolleson's Green Weeping Juniper | CS | 2.31 | G2 | 3-4 | 5-10A | | 0.97 | 3 |
| <i>Juniperus scopulorum</i> 'Welchii' Welch Juniper | CS | 1.51 | G2 | 3-4 | 5-10A | | 0.77 | 3 |
| <i>Juniperus scopulorum</i> 'Wichita Blue' Wichita Blue Juniper | CS | 1.25 | G2 | 3-4 | 5-10A | | 0.80 | 3 |
| <i>Juniperus scopulorum</i> 'Winter Blue' Winter Blue Juniper | CS | 1.44 | G2 | 3-4 | 5-10A | | 0.80 | 3 |
| <i>Juniperus silicicola</i> See - <i>Juniperus virginiana</i> var. <i>silicicola</i> | | | | | | | | |
| <i>Juniperus silicicola</i> 'Brodie' See - <i>Juniperus virginiana</i> 'Brodie' | | | | | | | | |
| <i>Juniperus squamata</i> Flaky Juniper | CS | 1.13 | G2 | 3-4 | 5-10A | | 0.77 | 4 |
| <i>Juniperus squamata</i> 'Blue Alps' Blue Alps Juniper | CS | 0.91 | G2 | 3-4 | 5-10A | | 1.07 | 4 |
| <i>Juniperus squamata</i> 'Blue Carpet' Blue Carpet Juniper | CS | 0.83 | G2 | 3-4 | 5-10A | | 0.58 | 4 |
| <i>Juniperus squamata</i> 'Blue Star' Blue Star Juniper | CS | 1.19 | G2 | 3-4 | 5-10A | | 0.93 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Juniperus squamata</i> 'Holger' Holger Juniper | CS | 1.01 | G2 | 3-4 | 5-10A | | 0.58 | 4 |
| <i>Juniperus squamata</i> 'Loderi' Loder Juniper | CS | 2.48 | G2 | 3-4 | 5-10A | | 1.21 | 4 |
| <i>Juniperus squamata</i> 'Meyeri' Meyer Juniper | CS | 0.82 | G2 | 3-4 | 5-10A | | 0.47 | 4 |
| <i>Juniperus squamata</i> 'Prostrata' Prostrate Juniper | CS | 0.70 | G2 | 3-4 | 5-10A | | 0.58 | 4 |
| <i>Juniperus virginiana</i> Eastern Redcedar | CE | 0.80 | G2 | 5 | 6-10A | 1.32 | 0.62 | 3 |
| <i>Juniperus virginiana</i> 'Blue Arrow' Blue Arrow Redcedar | CE | 1.62 | G2 | 5 | 6-10A | 1.32 | 0.70 | 3 |
| <i>Juniperus virginiana</i> 'Blue Mountain' Blue Mountain Redcedar | CE | 0.72 | G2 | 5 | 6-10A | 1.32 | 0.94 | 3 |
| <i>Juniperus virginiana</i> 'Brodie' Brodie Redcedar | CE | 0.58 | G2 | 5 | 6-10B | 1.32 | 1.28 | 3 |
| <i>Juniperus virginiana</i> 'Burkii' Burki Redcedar | CE | 1.08 | G2 | 5 | 6-10A | 1.32 | 0.69 | 3 |
| <i>Juniperus virginiana</i> 'Canaerti' Canaerti Redcedar | CE | 0.67 | G2 | 5 | 6-10A | 1.32 | 0.63 | 3 |
| <i>Juniperus virginiana</i> 'Corcorcor' P.P. 5041 Emerald Sentinel™ Redcedar | CE | 0.93 | G2 | 5 | 6-10A | 1.32 | 1.12 | 3 |
| <i>Juniperus virginiana</i> 'Cupressifolia' See - <i>Juniperus virginiana</i> 'Hillspire' | | | | | | | | |
| <i>Juniperus virginiana</i> 'Dundee' See - <i>Juniperus virginiana</i> 'Hilli' | | | | | | | | |
| <i>Juniperus virginiana</i> 'Emerald Sentinel' See - <i>Juniperus virginiana</i> 'Corcorcor' P.P. 5041 | | | | | | | | |
| <i>Juniperus virginiana</i> 'Glauca' Silver Redcedar | CE | 0.78 | G2 | 5 | 6-10A | 1.32 | 0.60 | 3 |
| <i>Juniperus virginiana</i> 'Hilli' Hill Dundee Redcedar | CE | 1.03 | G2 | 5 | 6-10A | 1.32 | 0.62 | 3 |
| <i>Juniperus virginiana</i> 'Hillspire' Hillspire Redcedar | CE | 1.24 | G2 | 5 | 6-10A | 1.32 | 0.87 | 3 |
| <i>Juniperus virginiana</i> 'Idyllwild' Idyllwild Redcedar | CE | 1.51 | G2 | 5 | 6-10A | 1.32 | 1.86 | 3 |
| <i>Juniperus virginiana</i> 'Manhattan Blue' Manhattan Blue Redcedar | CE | 1.61 | G2 | 5 | 6-10A | 1.32 | 0.81 | 3 |
| <i>Juniperus virginiana</i> 'Mona' Silver Spreader™ Redcedar | CE | 0.55 | G2 | 5 | 6-10A | 1.32 | 0.94 | 3 |
| <i>Juniperus virginiana</i> 'Monbell' P.P.A.F. Prairie Pillar™ Redcedar | CE | 1.49 | G2 | 5 | 6-10 | 1.32 | 0.94 | 3 |
| <i>Juniperus virginiana</i> 'O'Connor' O'Connor Blue Redcedar | CE | 1.03 | G2 | 5 | 6-10A | 1.32 | 0.94 | 3 |
| <i>Juniperus virginiana</i> 'Pendula' Weeping Redcedar | CE | 1.03 | G2 | 5 | 6-10A | 1.32 | 1.48 | 3 |
| <i>Juniperus virginiana</i> 'Prairie Pillar' See - <i>Juniperus virginiana</i> 'Monbell' P.P.A.F. | | | | | | | | |
| <i>Juniperus virginiana</i> 'Sapphire Sentinel' Sapphire Sentinel Redcedar | CE | 0.80 | G2 | 3-4 | 5-10A | 1.32 | 0.94 | 3 |
| <i>Juniperus virginiana</i> 'Silver Spreader' See - <i>Juniperus virginiana</i> 'Mona' | | | | | | | | |
| <i>Juniperus virginiana</i> 'Skyrocket' See - <i>Juniperus scopulorum</i> 'Skyrocket' | | | | | | | | |
| <i>Juniperus virginiana</i> 'Taylor' Taylor Redcedar | CE | 1.04 | G2 | 3-4 | 5-10A | 1.32 | 0.97 | 3 |
| <i>Juniperus virginiana</i> var. <i>silicicola</i> Southern Redcedar | CE | 0.62 | G2 | 5 | 6-10A | 1.00 | 0.66 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Justicia adhatoda</i> No Common Name Found | BS | 0.66 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Justicia aurea</i> Golden Plume Flower | BS | 0.77 | G4 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Justicia brandegeana</i> Shrimp Plant | BS | 0.64 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Justicia brandegeana</i> 'Fruit Cocktail' Fruit Cocktail Shrimp Plant | BS | 0.65 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Justicia brandegeana</i> 'Yellow Queen' Yellow Queen Shrimp Plant | BS | 0.61 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Justicia californica</i> Chuparosa Honeysuckle | BS | 0.65 | G2 | 8-9A | 9B-11 | | 1.00 | 5 |
| <i>Justicia candicans</i> Arizona Water-willow | BS | 0.74 | G2 | 9-10 | 11 | | 1.00 | 9 |
| <i>Justicia carnea</i> Brazilian Plume Plant | BS | 0.92 | G4 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Justicia carnea</i> 'Alba' White Brazilian Plume Plant | BS | 0.64 | G4 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Justicia cydoniifolia</i> Brazilian Bower Plant | BS | 1.00 | G4 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Justicia flava</i> No Common Name Found | BS | 0.61 | G4 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Justicia fulvicoma</i> No Common Name Found | BS | 0.54 | G4 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Justicia leonardii</i> Orange Justicia | BS | 0.65 | G4 | 8-9 | 10-11 | | 1.00 | 8 |
| <i>Justicia lutea</i> See - <i>Justicia brandegeana</i> 'Yellow Queen' | | | | | | | | |
| <i>Justicia ovata</i> Looseleaf Water Willow | BS | 0.53 | G4 | 8-9 | 10-11 | | 1.00 | 8 |
| <i>Justicia pectoralis</i> Tilo | BS | 1.00 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Justicia sericea</i> No Common Name Found | BS | 1.00 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Justicia sericea</i> 'Inca Queen' Inca Queen Justicia | BS | 1.00 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Justicia sidicaro</i> Mexican Honeysuckle | BS | 1.00 | G4 | 8-10 | 11 | | 1.00 | 9 |
| <i>Justicia spicigera</i> Mohintli | BS | 0.63 | G2 | 8-10 | 11 | | 1.00 | 10B |
| <i>Kadsura japonica</i> Scarlet Kadsura | GC | 0.84 | G2 | 5-7 | 8-9A | | 1.00 | 7 |
| <i>Kadsura japonica</i> 'Fukurin' Fukurin Scarlet Kadsura | GC | 0.84 | G2 | 5-7 | 8-9A | | 1.00 | 7 |
| <i>Kaempferia</i> Kaempferia | HP | 1.04 | G4 | 8-9 | 10-11 | | | |
| <i>Kaempferia</i> 'Alva' Alva Peacock Ginger | HP | 1.08 | G4 | 8-9 | 10-11 | | | |
| <i>Kaempferia</i> 'Grande' Grande Peacock Ginger | HP | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Kaempferia atrovirens</i> Peacock Plant | HP | 0.94 | G4 | 8-9 | 10-11 | | | |
| <i>Kaempferia elegans</i> No Common Name Found | HP | 1.41 | G4 | 8-9 | 10-11 | | | |
| <i>Kaempferia galanga</i> No Common Name Found | HP | 1.00 | G4 | 8-10A | 10B-11 | | | |
| <i>Kaempferia gilbertii</i> Variegated Ginger Lily | HP | 1.05 | G4 | 8-9 | 10-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Kaempferia gilbertii</i> '3-D' 3-D Variegated Ginger Lily | HP | 1.05 | G4 | 8-10A | 10B-11 | | | |
| <i>Kaempferia laotica</i> No Common Name Found | HP | 1.11 | G4 | 8-9 | 10-11 | | | |
| <i>Kaempferia laotica</i> 'Brush Strokes' Brush Strokes Ginger | HP | 1.08 | G4 | 8-9 | 10-11 | | | |
| <i>Kaempferia laotica</i> 'Satin Cheeks' Satin Cheeks Ginger | HP | 1.08 | G4 | 8-9 | 10-11 | | | |
| <i>Kaempferia laotica</i> 'Shazam' Shazam Ginger | HP | 1.18 | G4 | 8-9 | 10-11 | | | |
| <i>Kaempferia masonii</i> See - <i>Kaempferia pulchra</i> 'Masonii' | | | | | | | | |
| <i>Kaempferia parviflora</i> No Common Name Found | BS | 1.22 | G4 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Kaempferia pulchra</i> Bronze Peacock Ginger | HP | 0.91 | G4 | 8-9 | 10-11 | | | |
| <i>Kaempferia pulchra</i> 'Masonii' Mason Bronze Peacock Ginger | HP | 1.08 | G4 | 8-10A | 10B-11 | | | |
| <i>Kaempferia pulchra</i> 'Roscoe' See - <i>Kaempferia roscoeana</i> | | | | | | | | |
| <i>Kaempferia pulchra</i> 'Silver Spot' Silver Spot Bronze Peacock Ginger | HP | 0.99 | G4 | 8-9 | 10-11 | | | |
| <i>Kaempferia roscoeana</i> Peacock Ginger | HP | 1.27 | G4 | 8-9 | 10-11 | | | |
| <i>Kaempferia rotunda</i> Resurrection Lily | HP | 1.08 | G4 | 8-9 | 10-11 | | | |
| <i>Kaempferia rotunda</i> 'Raven' Raven Resurrection Lily | HP | 1.25 | G4 | 8-9 | 10-11 | | | |
| <i>Kalanchoe</i> Kalanchoe | FO | 0.48 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Kalanchoe</i> 'Mirabella' P.P.A.F. Mirabella Kalanchoe | FO | 0.48 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Kalanchoe beharensis</i> Feltbush | FO | 1.16 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Kalanchoe delagonensis</i> Chandelier Plant | FO | 0.53 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Kalanchoe fedtschenkoi</i> South American Air Plant | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Kalanchoe gastonis-bonnieri</i> Donkey Ear | FO | 0.52 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Kalanchoe marmorota</i> Penwiper | FO | 1.00 | G3 | 8-11 | | | 1.00 | 11 |
| <i>Kalanchoe pinnata</i> Air Plant | FO | 0.52 | G3 | 8-10 | 11 | | 1.00 | 10B |
| <i>Kalanchoe pumila</i> No Common Name Found | FO | 0.47 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Kalanchoe thyrsoiflora</i> No Common Name Found | FO | 0.99 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Kalanchoe tomentosa</i> Pussy-Ears | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Kalanchoe tubiflora</i> See - <i>Kalanchoe delagonensis</i> | | | | | | | | |
| <i>Kalimeris incisa</i> No Common Name Found | HP | 1.14 | G4 | 6 | 7-8 | | | |
| <i>Kalimeris pinnatifida</i> Japanese Aster | HP | 0.91 | G4 | 6 | 7-8 | | | |
| <i>Kalimeris pinnatifida</i> 'Hortensis' Hortensis Japanese Aster | HP | 1.25 | G4 | 6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Kalmia angustifolia</i> Sheep Laurel | BS | 2.67 | G1 | 3-5 | 6-7 | | 1.00 | 2 |
| <i>Kalmia latifolia</i> Mountain Laurel | BS | 1.21 | G2 | 4-5 | 6-7 | | 0.96 | 4 |
| <i>Kalmia latifolia</i> 'Alpine Pink' Alpine Pink Mountain Laurel | BS | 1.92 | G2 | 4-5 | 6-7 | | 1.66 | 4 |
| <i>Kalmia latifolia</i> 'Bay State' Bay State Mountain Laurel | BS | 1.55 | G2 | 4-5 | 6-7 | | 1.37 | 4 |
| <i>Kalmia latifolia</i> 'Bullseye' Bullseye Mountain Laurel | BS | 1.58 | G2 | 4-5 | 6-7 | | 1.54 | 4 |
| <i>Kalmia latifolia</i> 'Candy' Candy Mountain Laurel | BS | 1.43 | G2 | 4-5 | 6-7 | | 1.37 | 4 |
| <i>Kalmia latifolia</i> 'Carol' Carol Mountain Laurel | BS | 1.71 | G2 | 4-5 | 6-7 | | 1.12 | 4 |
| <i>Kalmia latifolia</i> 'Carousel' Carousel Mountain Laurel | BS | 1.58 | G2 | 4-5 | 6-7 | | 1.27 | 4 |
| <i>Kalmia latifolia</i> 'Comet' Comet Mountain Laurel | BS | 1.67 | G2 | 4-5 | 6-7 | | 1.35 | 4 |
| <i>Kalmia latifolia</i> 'Elf' Elf Mountain Laurel | BS | 1.66 | G2 | 4-5 | 6-7 | | 1.39 | 4 |
| <i>Kalmia latifolia</i> 'Freckles' Freckles Mountain Laurel | BS | 1.52 | G2 | 4-5 | 6-7 | | 1.43 | 4 |
| <i>Kalmia latifolia</i> 'Fresca' Fresca Mountain Laurel | BS | 1.15 | G2 | 4-5 | 6-7 | | 1.35 | 4 |
| <i>Kalmia latifolia</i> 'Heart of Fire' Heart of Fire Mountain Laurel | BS | 1.69 | G2 | 4-5 | 6-7 | | 1.53 | 4 |
| <i>Kalmia latifolia</i> 'Hearts Desire' Hearts Desire Mountain Laurel | BS | 1.29 | G2 | 4-5 | 6-7 | | 1.12 | 4 |
| <i>Kalmia latifolia</i> 'Kaleidoscope' Kaleidoscope Mountain Laurel | BS | 1.68 | G2 | 4-5 | 6-7 | | 1.23 | 4 |
| <i>Kalmia latifolia</i> 'Keepsake' Keepsake Mountain Laurel | BS | 1.67 | G2 | 4-5 | 6-7 | | 1.35 | 4 |
| <i>Kalmia latifolia</i> 'Little Linda' Little Linda Mountain Laurel | BS | 1.65 | G2 | 4-5 | 6-7 | | 1.27 | 4 |
| <i>Kalmia latifolia</i> 'Minuet' Minuet Mountain Laurel | BS | 1.66 | G2 | 4-5 | 6-7 | | 1.22 | 4 |
| <i>Kalmia latifolia</i> 'Nathan Hale' Nathan Hale Mountain Laurel | BS | 2.07 | G2 | 4-5 | 6-7 | | 1.35 | 4 |
| <i>Kalmia latifolia</i> 'Nipmuck' Nipmuck Mountain Laurel | BS | 1.58 | G2 | 4-5 | 6-7 | | 1.28 | 4 |
| <i>Kalmia latifolia</i> 'Olympic Fire' Olympic Fire Mountain Laurel | BS | 1.61 | G2 | 4-5 | 6-7 | | 1.30 | 4 |
| <i>Kalmia latifolia</i> 'Olympic Wedding' Olympic Wedding Mountain Laurel | BS | 1.45 | G2 | 4-5 | 6-7 | | 1.34 | 4 |
| <i>Kalmia latifolia</i> 'Ostbo Red' Ostbo Red Mountain Laurel | BS | 1.55 | G2 | 4-5 | 6-7 | | 1.30 | 4 |
| <i>Kalmia latifolia</i> 'Paul Bosley' Paul Bosley Mountain Laurel | BS | 1.97 | G2 | 4-5 | 6-7 | | 1.35 | 4 |
| <i>Kalmia latifolia</i> 'Pink Charm' Pink Charm Mountain Laurel | BS | 1.76 | G2 | 4-5 | 6-7 | | 1.28 | 4 |
| <i>Kalmia latifolia</i> 'Pink Frost' Pink Frost Mountain Laurel | BS | 2.45 | G2 | 4-5 | 6-7 | | 2.19 | 4 |
| <i>Kalmia latifolia</i> 'Pink Star' Pink Star Mountain Laurel | BS | 1.67 | G2 | 4-5 | 6-7 | | 1.35 | 4 |
| <i>Kalmia latifolia</i> 'Pink Surprise' Pink Surprise Mountain Laurel | BS | 2.40 | G2 | 4-5 | 6-7 | | 1.35 | 4 |
| <i>Kalmia latifolia</i> 'Pink Woodland' Pink Woodland Mountain Laurel | BS | 1.52 | G2 | 4-5 | 6-7 | | 1.35 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Kalmia latifolia</i> 'Pinwheel' Pinwheel Mountain Laurel | BS | 1.58 | G2 | 4-5 | 6-7 | | 1.28 | 4 |
| <i>Kalmia latifolia</i> 'Pristine' Pristine Mountain Laurel | BS | 1.58 | G2 | 4-5 | 6-7 | | 1.28 | 4 |
| <i>Kalmia latifolia</i> 'Raspberry Glow' Raspberry Glow Mountain Laurel | BS | 1.73 | G2 | 4-5 | 6-7 | | 1.27 | 4 |
| <i>Kalmia latifolia</i> 'Richard Jaynes' Richard Jaynes Mountain Laurel | BS | 1.64 | G2 | 4-5 | 6-7 | | 1.28 | 4 |
| <i>Kalmia latifolia</i> 'Sandy Mountain' Sandy Mountain Mountain Laurel | BS | 1.49 | G2 | 4-5 | 6-7 | | 1.35 | 4 |
| <i>Kalmia latifolia</i> 'Sarah' Sarah Mountain Laurel | BS | 1.64 | G2 | 4-5 | 6-7 | | 1.42 | 4 |
| <i>Kalmia latifolia</i> 'Shooting Star' Shooting Star Mountain Laurel | BS | 1.51 | G2 | 4-5 | 6-7 | | 1.37 | 4 |
| <i>Kalmia latifolia</i> 'Silver Dollar' Silver Dollar Mountain Laurel | BS | 1.85 | G2 | 4-5 | 6-7 | | 1.35 | 4 |
| <i>Kalmia latifolia</i> 'Snowdrift' Snowdrift Mountain Laurel | BS | 1.76 | G2 | 4-5 | 6-7 | | 1.17 | 4 |
| <i>Kalmia latifolia</i> 'Star Cluster' Star Cluster Mountain Laurel | BS | 1.51 | G2 | 4-5 | 6-7 | | 1.37 | 4 |
| <i>Kalmia latifolia</i> 'Stillwood' Stillwood Mountain Laurel | BS | 1.67 | G2 | 4-5 | 6-7 | | 1.35 | 4 |
| <i>Kalmia latifolia</i> 'Tiddlywinks' Tiddlywinks Mountain Laurel | BS | 1.81 | G2 | 4-5 | 6-7 | | 1.66 | 4 |
| <i>Kalmia latifolia</i> 'Tinkerbelle' Tinkerbelle Mountain Laurel | BS | 2.10 | G2 | 4-5 | 6-7 | | 1.12 | 4 |
| <i>Kalmia latifolia</i> 'Weston Redbud' Weston Redbud Mountain Laurel | BS | 1.51 | G2 | 4-5 | 6-7 | | 1.37 | 4 |
| <i>Kalmia latifolia</i> 'Yankee Doodle' Yankee Doodle Mountain Laurel | BS | 1.71 | G2 | 4-5 | 6-7 | | 1.37 | 4 |
| <i>Kalmia microphylla</i> See - <i>Kalmia polifolia</i> var. <i>microphylla</i> | | | | | | | | |
| <i>Kalmia polifolia</i> Bog Kalmia | BS | 0.68 | G2 | 4-5 | 6-7 | | 1.00 | 2 |
| <i>Kalmia polifolia</i> var. <i>microphylla</i> Western Laurel | BS | 1.00 | G2 | 4-5 | 6-7 | | 1.00 | 2 |
| x <i>Kalmiadendron</i> No Common Name Found | BS | 0.77 | G2 | 6-7 | 8-9 | | 0.73 | 6 |
| x <i>Kalmiadendron</i> 'No Suchianum' No Suchianum Kalmiadendron | BS | 0.77 | G2 | 6-7 | 8-9 | | 0.73 | 6 |
| <i>Kalmiopsis leachiana</i> Leach Kalmiopsis | BS | 1.00 | G2 | 4-7 | 8 | | 1.00 | 7 |
| <i>Kalopanax pictus</i> See - <i>Kalopanax septemlobus</i> | | | | | | | | |
| <i>Kalopanax septemlobus</i> Castor-alia | BE | 1.00 | G2 | 4-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Keckiella cordifolia</i> Climbing Penstemon | GC | 0.82 | G4 | 7-8 | 9-10 | | 1.00 | 6 |
| <i>Kennedia nigricans</i> Black Coral Pea | GC | 1.19 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Kennedia rubicunda</i> Dusky Coral Pea | GC | 0.70 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Kentiopsis oliviformis</i> No Common Name Found | PC | 4.70 | G3 | 10 | 11 | | 1.00 | 9 |
| <i>Kerria japonica</i> Japanese Kerria | DS | 0.98 | G2 | 3-4 | 5-7 | | 1.28 | 4 |
| <i>Kerria japonica</i> 'Aureo-variegata' Variegated Japanese Kerria | DS | 1.11 | G2 | 3-4 | 5-7 | | 0.81 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|-------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | | Caliper | High/Wide | |
| <i>Kerria japonica</i> 'Golden Guinea' Golden Guinea Japanese Kerria | DS | 1.07 | G2 | 3-4 | 5-7 | | 0.41 | 4 |
| <i>Kerria japonica</i> 'Picta' Picta Japanese Kerria | DS | 1.05 | G2 | 3-4 | 5-7 | | 0.81 | 4 |
| <i>Kerria japonica</i> 'Pleniflora' Double Japanese Kerria | DS | 0.94 | G2 | 3-4 | 5-7 | | 0.75 | 4 |
| <i>Kerria japonica</i> 'Shannon' Shannon Japanese Kerria | DS | 0.94 | G2 | 3-4 | 5-7 | | 0.81 | 4 |
| <i>Kerriodoxa elegans</i> No Common Name Found | PC | 3.53 | G3 | 9A-10B | 11 | | 1.00 | 9 |
| <i>Kigelia africana</i> Sausage Tree | BE | 1.01 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Kigelia pinnata</i> See - <i>Kigelia africana</i> | | | | | | | | |
| <i>Kirengeshoma koreana</i> Korean Yellow Waxbells | HP | 1.59 | G4 | 5-6 | 7-8 | | | |
| <i>Kirengeshoma palmata</i> Yellow Waxbells | HP | 1.34 | G4 | 5-6 | 7-8 | | | |
| <i>Kleinia fulgens</i> Scarlet Kleinia | HP | 0.89 | G4 | 8-10 | 11 | | | |
| <i>Knautia arvensis</i> Blue Buttons | HP | 1.00 | G4 | 6 | 7-8 | | | |
| <i>Knautia macedonica</i> No Common Name Found | HP | 1.02 | G4 | 6 | 7-8 | | | |
| <i>Kniphofia</i> Poker Plant | HP | 0.94 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia</i> 'Alcazar' Alcazar Poker Plant | HP | 0.97 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia</i> 'Amsterdam' Amsterdam Poker Plant | HP | 1.21 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia</i> 'Border Ballet' Border Ballet Poker Plant | HP | 0.84 | G4 | 6-7 | 8-10B | | | |
| <i>Kniphofia</i> 'Bressingham Comet' Bressingham Comet Poker Plant | HP | 0.84 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia</i> 'Cobra' Cobra Poker Plant | HP | 0.82 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia</i> 'Corallina' Corallina Poker Plant | HP | 0.86 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia</i> 'Earliest of All' Earliest of All Poker Plant | HP | 0.72 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia</i> 'Fireflame' Fireflame Poker Plant | HP | 0.94 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia</i> 'Gold Mine' Gold Mine Poker Plant | HP | 0.82 | G4 | 6-7 | 8-10B | | | |
| <i>Kniphofia</i> 'Little Maid' Little Maid Poker Plant | HP | 0.80 | G4 | 6-7 | 8-10B | | | |
| <i>Kniphofia</i> 'Pfizeri' Pfizeri Poker Plant | HP | 0.83 | G4 | 6-7 | 8-10B | | | |
| <i>Kniphofia</i> 'Primrose Beauty' Primrose Beauty Poker Plant | HP | 0.99 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia</i> 'Rosea Superba' Rosea Superba Poker Plant | HP | 0.94 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia</i> 'Royal Castle' Royal Castle Poker Plant | HP | 0.82 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia</i> 'Royal Standard' Royal Standard Poker Plant | HP | 0.96 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia</i> 'Shining Sceptre' Shining Sceptre Poker Plant | HP | 1.07 | G4 | 7 | 8-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Kniphofia</i> 'Springtime' Springtime Poker Plant | HP | 0.96 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia</i> 'Vanilla' Vanilla Poker Plant | HP | 1.45 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia</i> 'White Fairy' White Fairy Poker Plant | HP | 0.94 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia galpinii</i> Galpin Torch Lily | HP | 1.03 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia uvaria</i> Red Hot Poker | HP | 0.81 | G4 | 7 | 8-10B | | | |
| <i>Kniphofia uvaria</i> 'Flamenco' Flamenco Poker Plant | HP | 1.09 | G4 | 7 | 8-10B | | | |
| <i>Koeleria argentea</i> Silver Hair Grass | HP | 1.21 | G4 | 4-6 | 7-8 | | | |
| <i>Koeleria cristata</i> June Grass | HP | 1.23 | G4 | 2 | 3-7 | | | |
| <i>Koeleria glauca</i> Large Blue Hair Grass | HP | 0.92 | G4 | 3-4 | 5-8 | | | |
| <i>Koeleria pyramidata</i> Crested Hair Grass | HP | 1.00 | G4 | 2 | 3-7 | | | |
| <i>Koelreuteria bipinnata</i> Bipinnata Goldenrain Tree | DT | 0.95 | G2 | 7 | 8-10 | 1.25 | 1.04 | 7 |
| <i>Koelreuteria elegans</i> Flamegold | DT | 0.80 | G2 | 6-9 | 10-11 | 0.81 | 0.69 | 9 |
| <i>Koelreuteria formosana</i> See - <i>Koelreuteria elegans</i> | | | | | | | | |
| <i>Koelreuteria paniculata</i> Panicked Goldenrain Tree | DT | 0.88 | G2 | 5-6 | 7-10 | 1.13 | 0.87 | 6 |
| <i>Koelreuteria paniculata</i> 'Fastigiata' Columnar Goldenrain Tree | DT | 1.56 | G2 | 5-6 | 7-10 | 1.32 | 1.81 | 6 |
| <i>Koelreuteria paniculata</i> 'Rose Lantern' Rose Lantern Goldenrain Tree | DT | 1.22 | G2 | 5-6 | 7-10 | 1.40 | 1.34 | 6 |
| <i>Koelreuteria paniculata</i> 'September' September Goldenrain Tree | DT | 1.22 | G2 | 5-6 | 7-10 | 1.28 | 1.34 | 6 |
| <i>Kolkwitzia amabilis</i> Beautybush | DS | 0.97 | G2 | 5 | 6-10 | | 0.93 | 4 |
| <i>Kolkwitzia amabilis</i> 'Pink Cloud' Pink Cloud Beautybush | DS | 1.00 | G2 | 4-5 | 6-8 | | 0.95 | 4 |
| <i>Kopsia fruticosa</i> Shrub Vinca | BS | 1.38 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Kosteletzkya virginica</i> Seashore Mallow | HP | 0.70 | G2 | 5-6 | 7-10 | | | |
| <i>Krigia biflora</i> False Dandelion | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Krugiodendron ferreum</i> Black Ironwood | BE | 1.12 | G1 | 10 | 11 | 1.00 | 1.00 | 10B |
| <i>Kuhnia eupatorioides</i> var. <i>corymbulosa</i> False Boneset | HP | 1.00 | G4 | 6-7 | 8-10 | | | |
| <i>Kunzea parvifolia</i> No Common Name Found | BS | 0.70 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Lablab purpureus</i> Hyacinth Bean | GC | 0.75 | G4 | 6-9B | 10-11 | | 1.00 | 9 |
| <i>Lablab purpureus</i> 'Darkness' Darkness Hyacinth Bean | GC | 0.69 | G4 | 6-9B | 10-11 | | 1.00 | 9 |
| <i>xLaburnocytisus adamii</i> No Common Name Found | DS | 1.29 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Laburnum alpinum</i> Scotch Goldenchain Tree | DT | 1.00 | G2 | 5-6 | 7-8 | 1.00 | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Laburnum anagyroides</i> Goldenchain Tree | DT | 1.15 | G2 | 5-6 | 7-8 | 1.36 | 1.00 | 5 |
| <i>Laburnum anagyroides</i> 'Columnaris' Columnar Goldenchain Tree | DT | 1.07 | G2 | 5-6 | 7-8 | 1.36 | 1.00 | 5 |
| <i>Laburnum anagyroides</i> 'Pendulum' Weeping Goldenchain Tree | DT | 1.18 | G2 | 5-6 | 7-8 | 1.36 | 1.00 | 5 |
| <i>Laburnum</i> x <i>watereri</i> Waterer Goldenchain Tree | DT | 1.49 | G2 | 5-6 | 7-8 | 1.41 | 0.19 | 6 |
| <i>Laburnum</i> x <i>watereri</i> 'Pendulum' Weeping Waterer Goldenchain Tree | DT | 1.70 | G2 | 5-6 | 7-8 | 1.20 | 0.19 | 6 |
| <i>Laburnum</i> x <i>watereri</i> 'Vossii' Voss Waterer Goldenchain Tree | DT | 1.22 | G2 | 5-6 | 7-8 | 0.99 | 0.19 | 6 |
| <i>Laccospadix australasica</i> Atherton Tableland Palm | PC | 1.20 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Lachenalia aloides</i> Cape Cowslip | HP | 0.99 | G3 | 8-10A | 10B-11 | | | |
| <i>Lachenalia aloides</i> 'Pearsonii' Pearson Cape Cowslip | HP | 0.99 | G3 | 8-10A | 10B-11 | | | |
| <i>Lachenalia bulbifera</i> No Common Name Found | HP | 0.99 | G3 | 8-10A | 10B-11 | | | |
| <i>Lachenalia mutabilis</i> No Common Name Found | HP | 0.99 | G3 | 8-10A | 10B-11 | | | |
| <i>Lachenalia pendula</i> See - <i>Lachenalia bulbifera</i> | | | | | | | | |
| <i>Laciniaria tenuifolia</i> See - <i>Liatris tenuifolia</i> | | | | | | | | |
| <i>Laelia anceps</i> Amalia Orchid | FO | 2.86 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Laelia anceps</i> 'Veitchiana' Veitchiana Amalia Orchid | FO | 2.86 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Laelia perrinii</i> No Common Name Found | FO | 4.29 | G3 | 8-10B | 11 | | 1.00 | 10 |
| x <i>Laeliocattleya</i> Laeliocattleya Hybrid Orchid | FO | 2.08 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Lagerstroemia</i> Hybrid Crapemyrtle | DT | 0.76 | G2 | 6-7 | 8-10B | 1.07 | 1.24 | 7 |
| <i>Lagerstroemia</i> 'Arapaho' Arapaho Hybrid Crapemyrtle | DT | 0.56 | G2 | 6-7 | 8-10B | 1.07 | 1.24 | 7 |
| <i>Lagerstroemia</i> 'Choctaw' Choctaw Hybrid Crapemyrtle | DT | 0.74 | G2 | 6-7 | 8-10B | 1.36 | 1.48 | 7 |
| <i>Lagerstroemia</i> 'Christmas Time' Christmas Time Hybrid Crapemyrtle | DT | 0.76 | G2 | 6-7 | 8-10B | 1.07 | 1.24 | 7 |
| <i>Lagerstroemia</i> 'Heavenly Blue' Heavenly Blue Hybrid Crapemyrtle | DT | 0.76 | G2 | 6-7 | 8-10B | 1.07 | 1.24 | 7 |
| <i>Lagerstroemia</i> 'Muskogee' Muskogee Hybrid Crapemyrtle | DT | 0.77 | G2 | 6-7 | 8-10B | 1.34 | 1.04 | 7 |
| <i>Lagerstroemia</i> 'Natchez' Natchez Hybrid Crapemyrtle | DT | 0.76 | G2 | 6-7 | 8-10B | 0.86 | 1.05 | 7 |
| <i>Lagerstroemia</i> 'Pecos' Pecos Hybrid Crapemyrtle | DT | 0.91 | G2 | 6-7 | 8-10B | 1.07 | 1.66 | 7 |
| <i>Lagerstroemia</i> 'Pocomoke' Pocomoke Hybrid Dwarf Crapemyrtle | DT | 0.71 | G2 | 6-7 | 8-10B | 1.07 | 0.89 | 7 |
| <i>Lagerstroemia</i> 'Tonto' Tonto Hybrid Crapemyrtle | DT | 0.77 | G2 | 6-7 | 8-10B | 1.07 | 1.03 | 7 |
| <i>Lagerstroemia</i> 'Zuni' Zuni Hybrid Crapemyrtle | DT | 0.82 | G2 | 6-7 | 8-10B | 0.70 | 1.55 | 7 |
| <i>Lagerstroemia fauriei</i> Fauriei Crapemyrtle | DT | 0.99 | G2 | 6-7 | 8-10B | 1.49 | 1.13 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Lagerstroemia fauriei</i> 'Fantasy' Fantasy Fauriei Crapemyrtle | DT | 0.71 | G2 | 6-7 | 8-10B | 1.49 | 1.15 | 6 |
| <i>Lagerstroemia fauriei</i> 'Townhouse' Townhouse Fauriei Crapemyrtle | DT | 0.67 | G2 | 6-7 | 8-10B | 1.49 | 1.10 | 6 |
| <i>Lagerstroemia indica</i> Crapemyrtle | DT | 0.78 | G2 | 6-7 | 8-10B | 1.05 | 0.70 | 7 |
| <i>Lagerstroemia indica</i> '06/marie' P.P. 4182 Bourbon Street Crapemyrtle | DT | 0.98 | G2 | 6-7 | 8-10B | 1.03 | 2.08 | 7 |
| <i>Lagerstroemia indica</i> 'Acoma' Acoma Crapemyrtle | DT | 0.73 | G2 | 6-7 | 8-10B | 1.03 | 1.49 | 7 |
| <i>Lagerstroemia indica</i> 'Alba' White Crapemyrtle | DT | 0.75 | G2 | 6-7 | 8-10B | 0.74 | 0.62 | 7 |
| <i>Lagerstroemia indica</i> 'Apalachee' Apalachee Crapemyrtle | DT | 0.61 | G2 | 6-7 | 8-10B | 1.03 | 1.07 | 7 |
| <i>Lagerstroemia indica</i> 'Basham's Party Pink' Basham's Party Pink Crapemyrtle | DT | 0.84 | G2 | 6-7 | 8-10B | 0.44 | 0.80 | 7 |
| <i>Lagerstroemia indica</i> 'Baton Rouge' See - <i>Lagerstroemia indica</i> 'Beverly' P.P. 4183 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Beverly' P.P. 4183 Baton Rouge Crapemyrtle | DT | 0.80 | G2 | 6-7 | 8-10B | 1.03 | 2.08 | 7 |
| <i>Lagerstroemia indica</i> 'Biloxi' Biloxi Crapemyrtle | DT | 0.75 | G2 | 6-7 | 8-10B | 1.19 | 1.29 | 7 |
| <i>Lagerstroemia indica</i> 'Bourbon Street' See - <i>Lagerstroemia indica</i> '06/marie' P.P. 4182 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Byers Wonderful White' Byers Wonderful White Crapemyrtle | DT | 0.71 | G2 | 6-7 | 8-10B | 1.03 | 1.52 | 7 |
| <i>Lagerstroemia indica</i> 'Candycane' Candycane Crapemyrtle | DT | 0.73 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Carolina Beauty' Carolina Beauty Crapemyrtle | DT | 0.73 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Catawba' Catawba Crapemyrtle | DT | 0.89 | G2 | 6-7 | 8-10B | 1.03 | 1.15 | 7 |
| <i>Lagerstroemia indica</i> 'Cedar Lane Red' Cedar Lane Red Crapemyrtle | DT | 0.75 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Centennial Spirit' P.P. 6383 Centennial Spirit Crapemyrtle | DT | 0.80 | G2 | 6-7 | 8-10B | 1.03 | 0.97 | 7 |
| <i>Lagerstroemia indica</i> 'Centennial' Centennial Crapemyrtle | DT | 0.68 | G2 | 6-7 | 8-10B | 1.03 | 1.05 | 7 |
| <i>Lagerstroemia indica</i> 'Cherokee' Cherokee Crapemyrtle | DT | 0.95 | G2 | 6-7 | 8-10B | 1.03 | 1.13 | 7 |
| <i>Lagerstroemia indica</i> 'Chica Pink' See - <i>Lagerstroemia indica</i> 'Monink' P.P. 8599 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Chica Red' See - <i>Lagerstroemia indica</i> 'Moned' P.P. 8600 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Chickasaw' Chickasaw Crapemyrtle | DT | 0.71 | G2 | 6-7 | 8-10B | 1.03 | 0.89 | 7 |
| <i>Lagerstroemia indica</i> 'Christiana' Christiana Crapemyrtle | DT | 0.80 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Comanche' Comanche Crapemyrtle | DT | 0.62 | G2 | 6-7 | 8-10B | 1.03 | 1.56 | 7 |
| <i>Lagerstroemia indica</i> 'Conestoga' Conestoga Crapemyrtle | DT | 0.79 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Cordon Bleu' See - <i>Lagerstroemia indica</i> 'Louisa' P.P. 4256 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Cotton Candy' Cotton Candy Crapemyrtle | DT | 0.79 | G2 | 6-7 | 8-10B | 1.03 | 0.63 | 7 |
| <i>Lagerstroemia indica</i> 'Country Red' Country Red Crapemyrtle | DT | 0.66 | G2 | 6-7 | 8-10B | 1.03 | 0.66 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Lagerstroemia indica</i> 'Dallas Red' Dallas Red Crapemyrtle | DT | 0.74 | G2 | 6-7 | 8-10B | 1.03 | 0.53 | 7 |
| <i>Lagerstroemia indica</i> 'Delta Blush' See - <i>Lagerstroemia indica</i> 'Pink Blush' P.P. 4186 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Dynamite' See - <i>Lagerstroemia indica</i> 'Whit II' P.P. 10296 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Fire Cracker' Fire Cracker Crapemyrtle | DT | 0.76 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Firebird' Firebird Crapemyrtle | DT | 0.87 | G2 | 6-7 | 8-10B | 1.03 | 0.63 | 7 |
| <i>Lagerstroemia indica</i> 'Glendora White' Glendora White Crapemyrtle | DT | 0.90 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Hardy Lavender' Hardy Lavender Crapemyrtle | DT | 0.68 | G2 | 6-7 | 8-10B | 1.03 | 0.62 | 7 |
| <i>Lagerstroemia indica</i> 'Hardy White' Hardy White Crapemyrtle | DT | 0.80 | G2 | 6-7 | 8-10B | 1.40 | 1.52 | 7 |
| <i>Lagerstroemia indica</i> 'Hopi' Hopi Crapemyrtle | DT | 0.81 | G2 | 6-7 | 8-10B | 1.03 | 1.16 | 7 |
| <i>Lagerstroemia indica</i> 'Houston' P.P.A.F. Houston Chopin Series Crapemyrtle | DT | 0.89 | G2 | 6-7 | 8-10B | 1.03 | 2.08 | 7 |
| <i>Lagerstroemia indica</i> 'Lafayette' Lafayette Crapemyrtle | DT | 0.57 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Lipan' Lipan Crapemyrtle | DT | 0.82 | G2 | 6-7 | 8-10B | 1.03 | 1.11 | 7 |
| <i>Lagerstroemia indica</i> 'Little Chief' Little Chief Crapemyrtle | DS | 0.87 | G2 | 6-7 | 8-10B | | 0.52 | 7 |
| <i>Lagerstroemia indica</i> 'Louisa' P.P. 4256 Cordon Bleu Crapemyrtle | DT | 0.96 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Low Flame' Low Flame Crapemyrtle | DT | 0.81 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Majestic Orchid' See - <i>Lagerstroemia indica</i> 'Monia' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Mandi' Mandi Crapemyrtle | DT | 0.65 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Miami' Miami Crapemyrtle | DT | 0.75 | G2 | 6-7 | 8-10B | 0.72 | 0.90 | 7 |
| <i>Lagerstroemia indica</i> 'Moned' P.P. 8600 Chica™ Red Crapemyrtle | DT | 0.90 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Moners' Petite Embers™ Crapemyrtle | DS | 0.93 | G2 | 6-7 | 8-10B | | 0.52 | 7 |
| <i>Lagerstroemia indica</i> 'Monhid' Petite Orchid™ Crapemyrtle | DS | 0.93 | G2 | 6-7 | 8-10B | | 0.52 | 7 |
| <i>Lagerstroemia indica</i> 'Monia' Majestic Orchid™ Crapemyrtle | DT | 0.76 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Monimp' Petite Red Imp™ Crapemyrtle | DS | 0.84 | G2 | 6-7 | 8-10B | | 0.52 | 7 |
| <i>Lagerstroemia indica</i> 'Monink' P.P. 8599 Chica™ Pink Crapemyrtle | DT | 0.92 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Monkie' Petite Pinkie™ Crapemyrtle | DS | 0.93 | G2 | 6-7 | 8-10B | | 0.52 | 7 |
| <i>Lagerstroemia indica</i> 'Monow' Petite Snow™ Crapemyrtle | DS | 0.94 | G2 | 6-7 | 8-10B | | 0.52 | 7 |
| <i>Lagerstroemia indica</i> 'Monum' Petite Plum™ Crapemyrtle | DS | 0.90 | G2 | 6-7 | 8-10B | | 0.52 | 7 |
| <i>Lagerstroemia indica</i> 'Nana' Peppermint Crapemyrtle | DS | 0.83 | G2 | 6-7 | 8-10B | | 0.60 | 7 |
| <i>Lagerstroemia indica</i> 'Near East' Near East Crapemyrtle | DT | 0.72 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Lagerstroemia indica</i> 'New Orleans' | | | | | | | | |
| See - <i>Lagerstroemia indica</i> 'Passion' P.P. 4184 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Ocmulgee' Ocmulgee Crapemyrtle | DT | 0.79 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Osage' Osage Crapemyrtle | DT | 0.66 | G2 | 6-7 | 8-10B | 1.03 | 1.21 | 7 |
| <i>Lagerstroemia indica</i> 'Ozark Spring' Ozark Spring Crapemyrtle | DT | 0.66 | G2 | 6-7 | 8-10B | 1.03 | 0.89 | 7 |
| <i>Lagerstroemia indica</i> 'Passion' P.P. 4184 New Orleans Crapemyrtle | DT | 0.97 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Peppermint Lace' P.P. 3169 Peppermint Lace Crapemyrtle | DT | 0.81 | G2 | 6-7 | 8-10B | 1.03 | 0.62 | 7 |
| <i>Lagerstroemia indica</i> 'Petite Embers' | | | | | | | | |
| See - <i>Lagerstroemia indica</i> 'Moners' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Petite Orchid' | | | | | | | | |
| See - <i>Lagerstroemia indica</i> 'Monhid' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Petite Pinkie' | | | | | | | | |
| See - <i>Lagerstroemia indica</i> 'Monkie' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Petite Plum' | | | | | | | | |
| See - <i>Lagerstroemia indica</i> 'Monum' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Petite Red Imp' | | | | | | | | |
| See - <i>Lagerstroemia indica</i> 'Monimp' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Petite Snow' | | | | | | | | |
| See - <i>Lagerstroemia indica</i> 'Monow' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Pink Blush' P.P. 4186 Delta Blush Crapemyrtle | DT | 0.95 | G2 | 6-7 | 8-10B | 1.03 | 2.08 | 7 |
| <i>Lagerstroemia indica</i> 'Pink Lace' Pink Lace Crapemyrtle | DT | 0.73 | G2 | 6-7 | 8-10B | 1.03 | 0.63 | 7 |
| <i>Lagerstroemia indica</i> 'Pink Ruffles' Pink Ruffles Crapemyrtle | DT | 0.95 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Pink Velour' | | | | | | | | |
| See - <i>Lagerstroemia indica</i> 'Whit III' P.P. 10319 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Pixie White' Pixie White Chopin Series Crapemyrtle | DT | 0.74 | G2 | 6-7 | 8-10B | 1.03 | 2.08 | 7 |
| <i>Lagerstroemia indica</i> 'Potomac' Potomac Crapemyrtle | DT | 0.70 | G2 | 6-7 | 8-10B | 1.03 | 1.26 | 7 |
| <i>Lagerstroemia indica</i> 'Powhatan' Powhatan Crapemyrtle | DT | 0.63 | G2 | 6-7 | 8-10B | 1.03 | 1.41 | 7 |
| <i>Lagerstroemia indica</i> 'Prairie Lace' Prairie Lace Crapemyrtle | DT | 0.82 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Purpurea' Purple Crapemyrtle | DT | 0.77 | G2 | 6-7 | 8-10B | 1.20 | 0.61 | 7 |
| <i>Lagerstroemia indica</i> 'Red Rocket' | | | | | | | | |
| See - <i>Lagerstroemia indica</i> 'Whit IV' P.P. 11342 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Regal Red' Regal Red Crapemyrtle | DT | 0.71 | G2 | 6-7 | 8-10B | 1.03 | 1.36 | 7 |
| <i>Lagerstroemia indica</i> 'Rosea' Pink Crapemyrtle | DT | 0.77 | G2 | 6-7 | 8-10B | 1.20 | 0.57 | 7 |
| <i>Lagerstroemia indica</i> 'Royalty' Royalty Crapemyrtle | DT | 0.92 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Rubra Compacta' Red Compact Crapemyrtle | DS | 0.79 | G2 | 6-7 | 8-10B | | 0.52 | 7 |
| <i>Lagerstroemia indica</i> 'Rubra' Red Crapemyrtle | DT | 0.70 | G2 | 6-7 | 8-10B | 1.20 | 0.61 | 7 |
| <i>Lagerstroemia indica</i> 'Sacramento' Sacramento Chopin Series Crapemyrtle | BE | 1.16 | G2 | 6-7 | 8-10B | 1.00 | 1.00 | 7 |
| <i>Lagerstroemia indica</i> 'Seminole' Seminole Crapemyrtle | DT | 0.89 | G2 | 6-7 | 8-10B | 1.03 | 1.27 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Lagerstroemia indica</i> 'Sioux' Sioux Crapemyrtle | DT | 0.69 | G2 | 6-7 | 8-10B | 1.03 | 1.32 | 7 |
| <i>Lagerstroemia indica</i> 'Snow' Snow Crapemyrtle | DT | 0.83 | G2 | 6-7 | 8-10B | 1.03 | 1.14 | 7 |
| <i>Lagerstroemia indica</i> 'Tightwad Red' See - <i>Lagerstroemia indica</i> 'Whit V' P.P. 11312 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Tuscarora' Tuscarora Crapemyrtle | DT | 0.78 | G2 | 6-7 | 8-10B | 0.89 | 1.03 | 7 |
| <i>Lagerstroemia indica</i> 'Tuskegee' Tuskegee Crapemyrtle | DT | 0.79 | G2 | 6-7 | 8-10B | 1.19 | 1.19 | 7 |
| <i>Lagerstroemia indica</i> 'Twilight' Twilight Crapemyrtle | DT | 0.90 | G2 | 6-7 | 8-10B | 1.03 | 0.69 | 7 |
| <i>Lagerstroemia indica</i> 'Velma's Royal Delight' Velma's Royal Delight Crapemyrtle | DT | 0.72 | G2 | 6-7 | 8-10B | 1.03 | 1.38 | 7 |
| <i>Lagerstroemia indica</i> 'Victor' Victor Crapemyrtle | DT | 0.71 | G2 | 6-7 | 8-10B | 1.03 | 1.23 | 7 |
| <i>Lagerstroemia indica</i> 'Watermelon Red' Watermelon Red Crapemyrtle | DT | 0.70 | G2 | 6-7 | 8-10B | 1.03 | 1.07 | 7 |
| <i>Lagerstroemia indica</i> 'Whit I' P.P. 10297 Raspberry Sundae™ Crapemyrtle | DT | 0.83 | G2 | 6-7 | 8-10B | 1.03 | 0.95 | 7 |
| <i>Lagerstroemia indica</i> 'Whit II' P.P. 10296 Dynamite™ Crapemyrtle | DT | 0.83 | G2 | 6-7 | 8-10B | 1.03 | 1.21 | 7 |
| <i>Lagerstroemia indica</i> 'Whit III' P.P. 10319 Pink Velour™ Crapemyrtle | DT | 0.88 | G2 | 6-7 | 8-10B | 1.03 | 0.89 | 7 |
| <i>Lagerstroemia indica</i> 'Whit IV' P.P. 11342 Red Rocket™ Crapemyrtle | DT | 0.89 | G2 | 6-7 | 8-10B | 1.03 | 0.99 | 7 |
| <i>Lagerstroemia indica</i> 'Whit V' P.P. 11312 Tightwad Red™ Crapemyrtle | DS | 0.88 | G2 | 6-7 | 8-10B | | 0.43 | 7 |
| <i>Lagerstroemia indica</i> 'White Chocolate' White Chocolate Crapemyrtle | DS | 0.77 | G2 | 6-7 | 8-10B | | 0.52 | 7 |
| <i>Lagerstroemia indica</i> 'William Toovey' William Toovey Crapemyrtle | DT | 0.74 | G2 | 6-7 | 8-10B | 0.67 | 1.06 | 7 |
| <i>Lagerstroemia indica</i> 'World's Fair' P.P. 5283 World's Fair Chopin Series Crapemyrtle | DT | 0.97 | G2 | 6-7 | 8-10B | 1.03 | 2.08 | 7 |
| <i>Lagerstroemia indica</i> 'Yuma' Yuma Crapemyrtle | DT | 0.75 | G2 | 6-7 | 8-10B | 1.45 | 1.23 | 7 |
| <i>Lagerstroemia speciosa</i> Queen's Crapemyrtle | BE | 0.90 | G2 | 8-9 | 10-11 | 1.00 | 0.81 | 9 |
| <i>Lagerstroemia indica</i> 'Raspberry Sundae' See - <i>Lagerstroemia indica</i> 'Whit I' P.P. 10297 | | | | | | | | |
| <i>Lagunaria patersonii</i> Paterson Sugar Plum Tree | BE | 1.00 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Lamium galeobdolon</i> See - <i>Lamium galeobdolon</i> | | | | | | | | |
| <i>Lamium eriocephalum</i> ssp. <i>eriocephalum</i> Dead Nettle | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Lamium galeobdolon</i> Yellow Archangel | HP | 0.66 | G4 | 5-6 | 7-8 | | | |
| <i>Lamium galeobdolon</i> 'Florentinum' Florentinum Yellow Archangel | HP | 0.55 | G4 | 5-6 | 7-8 | | | |
| <i>Lamium galeobdolon</i> 'Herman's Pride' Herman's Pride Yellow Archangel | HP | 0.85 | G4 | 5-6 | 7-8 | | | |
| <i>Lamium galeobdolon</i> 'Silver Carpet' Silver Carpet Yellow Archangel | HP | 0.70 | G4 | 5-6 | 7-8 | | | |
| <i>Lamium galeobdolon</i> 'Silver Spangled' Silver Spangled Yellow Archangel | HP | 0.75 | G4 | 5-6 | 7-8 | | | |
| <i>Lamium galeobdolon</i> 'Variegatum' Variegated Yellow Archangel | HP | 0.76 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Lamium maculatum</i> Spotted Nettle | GC | 0.89 | G4 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Alba' White Spotted Nettle | GC | 0.38 | G4 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Aureum' Yellow-Leaved Spotted Nettle | GC | 0.65 | G4 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Beacon Silver' Beacon Silver Spotted Nettle | GC | 0.75 | G4 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Beedham's White' Beedham's White Spotted Nettle | HP | 0.95 | G4 | 5-6 | 7-8 | | | |
| <i>Lamium maculatum</i> 'Chequers' Chequers Spotted Nettle | GC | 0.68 | G4 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Dellam' P.P. 11783 Golden Anniversary Spotted Nettle | GC | 0.63 | G2 | 6 | 7-10B | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Golden Anniversary' See - <i>Lamium maculatum</i> 'Dellam' P.P. 11783 | | | | | | | | |
| <i>Lamium maculatum</i> 'Orchid Frost' P.P. 11122 Orchid Frost Spotted Nettle | GC | 0.77 | G2 | 6 | 7-10B | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Pink Pewter' Pink Pewter Spotted Nettle | GC | 0.69 | G4 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Red Nancy' Red Nancy Spotted Nettle | GC | 0.71 | G4 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Shell Pink' Shell Pink Spotted Nettle | GC | 0.71 | G4 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'White Nancy' White Nancy Spotted Nettle | GC | 0.73 | G4 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Lampranthus deltoides</i> No Common Name Found | HP | 1.00 | G4 | 9-10A | 10B | | | |
| <i>Lantana</i> Hybrid Lantana | BS | 0.81 | G2 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Lantana</i> 'Confetti' See - <i>Lantana</i> 'Moni' P.P. 1478 | | | | | | | | |
| <i>Lantana</i> 'Cream Carpet' P.P. 1841 Cream Carpet Lantana | BS | 0.70 | G2 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Lantana</i> 'Lady Olivia' Lady Olivia Lantana | BS | 0.54 | G2 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Lantana</i> 'Mone' Tangerine™ Lantana | BS | 0.80 | G2 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Lantana</i> 'Monet' P.P. 1477 Spreading Sunset™ Lantana | GC | 0.89 | G2 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Lantana</i> 'Moni' P.P. 1478 Confetti™ Lantana | BS | 0.68 | G2 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Lantana</i> 'Monine' Spreading Sunshine™ Lantana | GC | 1.11 | G2 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Lantana</i> 'Orange Crush' Orange Crush Lantana | BS | 0.81 | G2 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Lantana</i> 'Patriot Cherry' See - <i>Lantana</i> 'Robpatche' P.P. 10854 | | | | | | | | |
| <i>Lantana</i> 'Patriot Cowboy' See - <i>Lantana</i> 'Robpatcow' P.P.A.F. | | | | | | | | |
| <i>Lantana</i> 'Patriot Desert Sunset' See - <i>Lantana</i> 'Robpatdes' P.P. 10156 | | | | | | | | |
| <i>Lantana</i> 'Patriot Dove Wings' See - <i>Lantana</i> 'Robpatdov' P.P. 10880 | | | | | | | | |
| <i>Lantana</i> 'Patriot Firewagon' See - <i>Lantana</i> 'Robpatfir' P.P.A.F. | | | | | | | | |
| <i>Lantana</i> 'Patriot Hallelujah' See - <i>Lantana</i> 'Robpathal' P.P. 12063 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|-------------|---------------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper High/Wide | |
| <i>Lantana</i> 'Patriot Honeylove' See - <i>Lantana</i> 'Robpathon' P.P. 10011 | | | | | | | |
| <i>Lantana</i> 'Patriot Hot Country' See - <i>Lantana</i> 'Robpathot' P.P.A.F. | | | | | | | |
| <i>Lantana</i> 'Patriot Parasol' P.P.A.F. Patriot Parasol Lantana | BS | 0.66 | G2 | 6-9 | 10-11 | 1.00 | 9 |
| <i>Lantana</i> 'Patriot Petticoat' P.P.A.F. Patriot Petticoat Lantana | BS | 0.66 | G2 | 6-9 | 10-11 | 1.00 | 9 |
| <i>Lantana</i> 'Patriot Rainbow' See - <i>Lantana</i> 'Robcomplan' P.P. 9837 | | | | | | | |
| <i>Lantana</i> 'Pink Frolic' P.P. 1843 Pink Frolic Lantana | BS | 0.74 | G2 | 6-9 | 10-11 | 1.00 | 9 |
| <i>Lantana</i> 'Robcomplan' P.P. 9837 Patriot™ Rainbow Lantana | BS | 1.11 | G2 | 6-9 | 10-11 | 1.00 | 9 |
| <i>Lantana</i> 'Robpatche' P.P. 10854 Patriot™ Cherry Lantana | BS | 0.72 | G2 | 6-9 | 10-11 | 1.00 | 9 |
| <i>Lantana</i> 'Robpatcow' P.P.A.F. Patriot™ Cowboy Lantana | BS | 0.92 | G2 | 6-9 | 10-11 | 1.00 | 9 |
| <i>Lantana</i> 'Robpatdes' P.P. 10156 Patriot™ Desert Sunset Lantana | BS | 0.66 | G2 | 6-9 | 10-11 | 1.00 | 9 |
| <i>Lantana</i> 'Robpatdov' P.P. 10880 Patriot™ Dove Wings Lantana | BS | 0.88 | G2 | 6-9 | 10-11 | 1.00 | 9 |
| <i>Lantana</i> 'Robpatfir' P.P.A.F. Patriot™ Firewagon Lantana | BS | 1.32 | G2 | 6-9 | 10-11 | 1.00 | 9 |
| <i>Lantana</i> 'Robpathal' P.P. 12063 Patriot™ Hallelujah Lantana | BS | 0.76 | G2 | 6-9 | 10-11 | 1.00 | 9 |
| <i>Lantana</i> 'Robpathon' P.P. 10011 Patriot™ Honeylove Lantana | BS | 0.85 | G2 | 6-9 | 10-11 | 1.00 | 9 |
| <i>Lantana</i> 'Robpathot' P.P.A.F. Patriot™ Hot Country Lantana | BS | 0.73 | G2 | 6-9 | 10-11 | 1.00 | 9 |
| <i>Lantana</i> 'Spreading Sunset' See - <i>Lantana</i> 'Monet' P.P. 1477 | | | | | | | |
| <i>Lantana</i> 'Spreading Sunshine' See - <i>Lantana</i> 'Monine' | | | | | | | |
| <i>Lantana</i> 'Sunburst' P.P. 1842 Sunburst Lantana | BS | 0.98 | G2 | 6-9 | 10-11 | 1.00 | 9 |
| <i>Lantana</i> 'Sunny Daze' See - <i>Lantana montevidensis</i> 'Mongen' P.P. 10891 | | | | | | | |
| <i>Lantana</i> 'Tangerine' See - <i>Lantana</i> 'Mone' | | | | | | | |
| <i>Lantana camara</i> Common Lantana | BS | 0.71 | G2 | 6-9 | 10-11 | 1.00 | 8 |
| <i>Lantana camara</i> 'American Red' American Red Lantana | BS | 1.02 | G2 | 6-9 | 10-11 | 1.00 | 8 |
| <i>Lantana camara</i> 'Anne Marie' P.P. 11310 Anne Marie Lantana | BS | 0.63 | G2 | 6-9 | 10-11 | 1.00 | 8 |
| <i>Lantana camara</i> 'Athens Rose' Athens Rose Lantana | BS | 0.71 | G2 | 6-9 | 10-11 | 1.00 | 8 |
| <i>Lantana camara</i> 'Bronze' Bronze Lantana | BS | 0.69 | G2 | 6-9 | 10-11 | 1.00 | 8 |
| <i>Lantana camara</i> 'Carlos' Carlos Lantana | BS | 0.78 | G2 | 6-9 | 10-11 | 1.00 | 8 |
| <i>Lantana camara</i> 'Carnival' Carnival Lantana | BS | 0.70 | G2 | 6-9 | 10-11 | 1.00 | 8 |
| <i>Lantana camara</i> 'Christine' Christine Lantana | BS | 0.70 | G2 | 6-9 | 10-11 | 1.00 | 8 |
| <i>Lantana camara</i> 'Dallas Red' Dallas Red Lantana | BS | 0.60 | G2 | 6-9 | 10-11 | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Lantana camara</i> 'Dennholm White' Dennholm White Lantana | BS | 0.49 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Dwarf Pink' Dwarf Pink Lantana | BS | 0.77 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Dwarf White' Dwarf White Lantana | BS | 0.77 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Dwarf Yellow' Dwarf Yellow Lantana | BS | 0.80 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Gold Mound' Gold Mound Lantana | BS | 0.64 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Gold Rush' See - <i>Lantana camara</i> 'Monol' | | | | | | | | |
| <i>Lantana camara</i> 'Golden Glow' Golden Glow Lantana | BS | 0.69 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Irene' Irene Lantana | BS | 0.66 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Kathleen' Kathleen Lantana | BS | 0.69 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Lemon Drop' Lemon Drop Lantana | BS | 0.44 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Lemon Swirl' See - <i>Lantana camara</i> 'Variegata' | | | | | | | | |
| <i>Lantana camara</i> 'Lola' Lola Lantana | BS | 0.56 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Miss Huff' Miss Huff Lantana | BS | 0.75 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Monol' Gold Rush™ Lantana | BS | 0.98 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Mozelle' Mozelle Lantana | BS | 0.81 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'New Gold' New Gold Lantana | BS | 0.71 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'New Light Pink' New Light Pink Lantana | BS | 0.53 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Pink Caprice' Pink Caprice Lantana | BS | 0.64 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Pink Lace' Pink Lace Lantana | BS | 0.69 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Radiation' Radiation Lantana | BS | 0.71 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Red Butler' P.P. 14569 Red Butler Lantana | BS | 0.64 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Red Spread' P.P. 14691 Red Spread Lantana | BS | 0.64 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Samantha' Samantha Lantana | BS | 0.66 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Silver Mound' Silver Mound Lantana | BS | 0.58 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Upright Yellow' Upright Yellow Lantana | BS | 0.60 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Variegata' Lemon Swirl™ Lantana | BS | 0.90 | G2 | 6-9 | 10-11 | | 1.00 | 8 |
| <i>Lantana depressa</i> Pineland Lantana | BS | 0.60 | G2 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Lantana horrida</i> Texas Lantana | BS | 0.59 | G2 | 6-9 | 10-11 | | 1.00 | 7 |
| <i>Lantana montevidensis</i> Trailing Sellowiana Lantana | GC | 0.68 | G4 | 6-9 | 10-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Lantana montevidensis</i> 'Lavender Swirl' | | | | | | | | |
| See - <i>Lantana montevidensis</i> 'Monswee' P.P. 7626 | | | | | | | | |
| <i>Lantana montevidensis</i> 'Mongen' P.P. 10891 | BS | 1.15 | G2 | 6-9 | 10-11 | | 1.00 | 9 |
| Sunny Daze Sellowiana Lantana | | | | | | | | |
| <i>Lantana montevidensis</i> 'Monma' | GC | 0.72 | G4 | 6-9 | 10-11 | | 1.00 | 9 |
| White Lightnin' TM Trailing Lantana | | | | | | | | |
| <i>Lantana montevidensis</i> 'Monswee' P.P. 7626 | GC | 1.03 | G4 | 6-9 | 10-11 | | 1.00 | 9 |
| Lavender Swirl TM Trailing Lantana | | | | | | | | |
| <i>Lantana montevidensis</i> 'Trailing Lavender' | GC | 0.68 | G2 | 6-9 | 10-11 | | 1.00 | 9 |
| Trailing Lavender Lantana | | | | | | | | |
| <i>Lantana montevidensis</i> 'Trailing Orange' | GC | 0.59 | G4 | 6-9 | 10-11 | | 1.00 | 9 |
| Trailing Orange Lantana | | | | | | | | |
| <i>Lantana montevidensis</i> 'Trailing White' | GC | 0.56 | G4 | 6-9 | 10-11 | | 1.00 | 9 |
| Trailing White Lantana | | | | | | | | |
| <i>Lantana montevidensis</i> 'Trailing Yellow' | GC | 0.60 | G4 | 6-9 | 10-11 | | 1.00 | 9 |
| Trailing Yellow Lantana | | | | | | | | |
| <i>Lantana montevidensis</i> 'White Lightnin' | | | | | | | | |
| See - <i>Lantana montevidensis</i> 'Monma' | | | | | | | | |
| <i>Lantana sellowiana</i> | | | | | | | | |
| See - <i>Lantana montevidensis</i> | | | | | | | | |
| <i>Lantana trifolia</i> | BS | 0.67 | G2 | 6-10 | 11 | | 1.00 | 10 |
| Upright Purple Lantana | | | | | | | | |
| <i>Lapageria rosea</i> | GC | 1.00 | G2 | 8-9 | 10A | | 1.00 | 9 |
| Chilean Bellflower | | | | | | | | |
| <i>Larix decidua</i> | CE | 0.91 | G2 | 2-3 | 4-7 | 2.07 | 0.98 | 3 |
| European Larch | | | | | | | | |
| <i>Larix decidua</i> 'Pendula' | CE | 2.19 | G2 | 2-3 | 4-7 | 1.93 | 0.89 | 3 |
| Weeping European Larch | | | | | | | | |
| <i>Larix x eurolepis</i> | | | | | | | | |
| See - <i>Larix x marschlinsii</i> | | | | | | | | |
| <i>Larix gmelinii</i> | CE | 1.00 | NR | | 2-6 | 1.00 | 1.00 | 1 |
| Dahurian Larch | | | | | | | | |
| <i>Larix gmelinii</i> var. <i>principis-rupprechtii</i> | CE | 1.00 | NR | | 2-6 | 1.00 | 1.00 | 1 |
| Prince Rupprecht Larch | | | | | | | | |
| <i>Larix kaempferi</i> | CE | 1.08 | G2 | 2-4 | 5-7 | 1.67 | 0.97 | 4 |
| Japanese Larch | | | | | | | | |
| <i>Larix kaempferi</i> 'Blue Rabbit' | CE | 1.84 | G2 | 2-4 | 5-7 | 1.67 | 0.90 | 4 |
| Blue Rabbit Japanese Larch | | | | | | | | |
| <i>Larix kaempferi</i> 'Diana' | CE | 1.76 | G2 | 2-4 | 5-7 | 1.67 | 0.74 | 4 |
| Diana Japanese Larch | | | | | | | | |
| <i>Larix kaempferi</i> 'Pendula' | CE | 1.56 | G2 | 2-4 | 5-7 | 1.67 | 0.99 | 4 |
| Weeping Japanese Larch | | | | | | | | |
| <i>Larix laricina</i> | CE | 1.25 | G2 | 2 | 3-5 | 1.61 | 0.98 | 2 |
| American Larch | | | | | | | | |
| <i>Larix laricina</i> 'Lanarck' | CE | 1.30 | G2 | 1-2 | 3-5 | 1.61 | 0.98 | 2 |
| Lanarck American Larch | | | | | | | | |
| <i>Larix laricina</i> 'Newport Beauty #7' | CE | 1.32 | G2 | 2 | 3-5 | 1.61 | 0.98 | 2 |
| Newport Beauty #7 American Larch | | | | | | | | |
| <i>Larix laricina</i> 'Newport Beauty #9' | CE | 1.32 | G2 | 2 | 3-5 | 1.61 | 0.98 | 2 |
| Newport Beauty #9 American Larch | | | | | | | | |
| <i>Larix leptolepis</i> | | | | | | | | |
| See - <i>Larix kaempferi</i> | | | | | | | | |
| <i>Larix x marschlinsii</i> | CE | 1.30 | G2 | 3-4 | 5-6 | 1.00 | 0.97 | 4 |
| Dunkeld Larch | | | | | | | | |
| <i>Larix x marschlinsii</i> 'Varied Directions' | CE | 1.30 | G2 | 3-4 | 5-6 | 1.00 | 0.97 | 4 |
| Varied Directions Dunkeld Larch | | | | | | | | |
| <i>Larix occidentalis</i> | CE | 0.71 | G2 | 3-4 | 5-6 | 1.00 | 0.66 | 4 |
| Western Larch | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Larix russica</i> Siberian Larch | CE | 2.47 | NR | | 2-6 | 1.00 | 1.36 | 1 |
| <i>Larix russica</i> 'Conica' Conica Siberian Larch | CE | 2.47 | NR | | 3-5 | 1.00 | 1.36 | 1 |
| <i>Larix russica</i> 'Pendula' Weeping Siberian Larch | CE | 2.47 | NR | | 2-6 | 1.00 | 1.36 | 1 |
| <i>Larix sibirica</i> See - <i>Larix russica</i> | | | | | | | | |
| <i>Larrea tridentata</i> Creosote Bush | BS | 0.91 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Latania borbonica</i> See - <i>Latania lontaroides</i> | | | | | | | | |
| <i>Latania loddigesii</i> Blue Latan Palm | PC | 1.55 | G1 | 10 | 11 | | 1.60 | 10 |
| <i>Latania lontaroides</i> Red Latan Palm | PC | 1.58 | G1 | 10 | 11 | | 1.93 | 10 |
| <i>Latania verschaffeltii</i> Yellow Latan Palm | PC | 2.23 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Lathyrus latifolius</i> Everlasting Sweetpea | HP | 0.83 | G4 | 4-5 | 6-7 | | | |
| <i>Lathyrus latifolius</i> 'Red Pearl' Red Pearl Everlasting Sweetpea | HP | 0.68 | G4 | 4-5 | 6-7 | | | |
| <i>Lathyrus odoratus</i> Sweetpea | HP | 0.95 | G4 | 5-10 | 11 | | | |
| <i>Lathyrus odoratus</i> 'Royal Family Mix' Royal Family Mix Sweetpea | HP | 0.85 | G4 | 5-10 | 11 | | | |
| <i>Laurentia fluviatilis</i> Blue Star Creeper | HP | 0.68 | G4 | 6-7 | 8-10 | | | |
| <i>Laurus nobilis</i> Bay Laurel | BE | 1.19 | G2 | 6-8 | 9-10A | 1.00 | 1.00 | 8 |
| <i>Laurus nobilis</i> 'Saratoga' Saratoga Bay Laurel | BE | 0.95 | G2 | 7-8 | 9-10A | 1.00 | 1.00 | 8 |
| <i>Lavandula</i> Lavender | BS | 0.97 | G2 | 5-6 | 7-10A | | 1.00 | 6 |
| <i>Lavandula</i> 'Goodwin Creek Grey' Goodwin Creek Grey Lavender | BS | 0.91 | G2 | 5-7 | 8-10A | | 1.00 | 7 |
| <i>Lavandula</i> 'Sawyers' Sawyers Lavender | BS | 1.02 | G2 | 5-6 | 7-10A | | 1.00 | 6 |
| <i>Lavandula x allardii</i> Sweet Lavender | BS | 0.74 | G2 | 5-8 | 9-10A | | 1.00 | 8 |
| <i>Lavandula angustifolia</i> English Lavender | BS | 0.83 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Blue Cushion' P.P. 9119 Blue Cushion English Lavender | BS | 0.95 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Croxtton's Wild' Croxtton's Wild English Lavender | BS | 0.73 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Hidcote Blue' Hidcote Blue English Lavender | BS | 0.80 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Hidcote Pink' Hidcote Pink English Lavender | BS | 1.01 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Jean Davis' Jean Davis English Lavender | BS | 0.80 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Lavender Lady' Lavender Lady English Lavender | BS | 0.72 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Lodden Pink' Lodden Pink English Lavender | BS | 0.85 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Martha Roderick' Martha Roderick English Lavender | BS | 0.84 | G2 | 4-5 | 6-10A | | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Lavandula angustifolia</i> 'Munstead' Munstead English Lavender | BS | 0.80 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Nana' Dwarf English Lavender | BS | 0.99 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Sarah' Sarah English Lavender | BS | 0.68 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Twickel Purple' Twickel Purple English Lavender | BS | 1.05 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Walburton's Silver Edge' See - <i>Lavandula angustifolia</i> 'Walvera' P.P. 13091 | | | | | | | | |
| <i>Lavandula angustifolia</i> 'Walvera' P.P. 13091 Walburton's Silver Edge English Lavender | BS | 0.85 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula canariensis</i> Canary Island Lavender | BS | 0.73 | G2 | 5-9 | 10-11 | | 1.00 | 9 |
| <i>Lavandula dentata</i> Fringed Lavender | BS | 0.81 | G2 | 5-9 | 10-11 | | 1.00 | 8 |
| <i>Lavandula dentata</i> 'Variegata' Variegated Fringed Lavender | BS | 0.50 | G2 | 5-9 | 10-11 | | 1.00 | 8 |
| <i>Lavandula dentata</i> var. <i>candicans</i> Grey French Lavender | BS | 0.98 | G2 | 5-9 | 10-11 | | 1.00 | 8 |
| <i>Lavandula x heterophylla</i> See - <i>Lavandula x allardii</i> | | | | | | | | |
| <i>Lavandula x intermedia</i> Hybrid Lavender | BS | 0.71 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula x intermedia</i> 'Alba' White Hybrid Lavender | BS | 0.87 | G2 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Lavandula x intermedia</i> 'Dutch' Dutch Hybrid Lavender | BS | 0.70 | G2 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Lavandula x intermedia</i> 'Fred Boutin' Fred Boutin Hybrid Lavender | BS | 0.91 | G2 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Lavandula x intermedia</i> 'Grosso' Grosso Hybrid Lavender | BS | 0.93 | G2 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Lavandula x intermedia</i> 'Provence' Provence Hybrid Lavender | BS | 0.81 | G2 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Lavandula x intermedia</i> 'Seal' Seal Hybrid Lavender | BS | 0.82 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula x intermedia</i> 'Super' Super Hybrid Lavender | BS | 0.82 | G2 | 4-5 | 6-10A | | 1.00 | 5 |
| <i>Lavandula lanata</i> No Common Name Found | BS | 0.74 | G2 | 6-8 | 9-11 | | 1.00 | 8 |
| <i>Lavandula latifolia</i> Spike Lavender | BS | 0.98 | G2 | 5-6 | 7-10A | | 1.00 | 6 |
| <i>Lavandula multifida</i> Fern-leaf Lavender | BS | 0.84 | G2 | 7 | 8-10A | | 1.00 | 7 |
| <i>Lavandula pinnata</i> No Common Name Found | BS | 0.72 | G2 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Lavandula pinnata</i> var. <i>buchii</i> Jagged Lavender | BS | 1.03 | G2 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Lavandula stoechas</i> Spanish Lavender | BS | 0.85 | G2 | 6-8 | 9-11 | | 1.00 | 8 |
| <i>Lavandula stoechas</i> 'Divine Wine' Divine Wine Spanish Lavender | BS | 0.89 | G2 | 6-8 | 9-11 | | 1.00 | 8 |
| <i>Lavandula stoechas</i> 'Fairy Wings' Fairy Wings Spanish Lavender | BS | 0.84 | G2 | 5-8 | 9-10 | | 1.00 | 8 |
| <i>Lavandula stoechas</i> 'Hazel' P.P.A.F. Hazel Spanish Lavender | BS | 1.58 | G2 | 6-8 | 9-11 | | 1.00 | 8 |
| <i>Lavandula stoechas</i> 'Kew Red' Kew Red Spanish Lavender | BS | 0.86 | G2 | 6-8 | 9-11 | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Lavandula stoechas</i> 'Otto Quast' Otto Quast Spanish Lavender | BS | 0.97 | G2 | 6-8 | 9-11 | | 1.00 | 8 |
| <i>Lavandula vera</i> See - <i>Lavandula angustifolia</i> | | | | | | | | |
| <i>Lavandula viridis</i> No Common Name Found | BS | 0.64 | G2 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Lavatera</i> Tree Mallow | DS | 0.66 | G2 | 8-9 | 10A | | 1.00 | 7 |
| <i>Lavatera</i> 'Beauty Formula Mixture' Beauty Formula Mixture Tree Mallow | DS | 0.54 | G2 | 8-9 | 10A | | 1.00 | 8 |
| <i>Lavatera</i> 'Purissima' Purissima Tree Mallow | DS | 0.59 | G2 | 8-9 | 10A | | 1.00 | 9 |
| <i>Lavatera</i> 'Red Rum' P.P.A.F. Red Rum Tree Mallow | DS | 0.84 | G2 | 8-9 | 10A | | 1.00 | 7 |
| <i>Lavatera assurgentiflora</i> Malva Rosa | DS | 0.97 | G2 | 8-9 | 10A | | 1.00 | 9 |
| <i>Lavatera bicolor</i> See - <i>Lavatera maritima</i> | | | | | | | | |
| <i>Lavatera maritima</i> No Common Name Found | BS | 0.78 | G2 | 8-9 | 10A | | 1.00 | 6 |
| <i>Lavatera thuringiaca</i> Tree Lavatera | HP | 0.97 | G2 | 8-9 | 10A | | | |
| <i>Lavatera thuringiaca</i> 'Barnsley' Barnsley Tree Mallow | HP | 0.98 | G2 | 8-9 | 10A | | | |
| <i>Lavatera thuringiaca</i> 'Bredon Springs' Bredon Springs Tree Mallow | HP | 0.94 | G2 | 8-9 | 10A | | | |
| <i>Lavatera thuringiaca</i> 'Burgundy Wine' Burgundy Wine Tree Mallow | HP | 1.13 | G2 | 8-9 | 10A | | | |
| <i>Lavatera thuringiaca</i> 'Candy Floss' Candy Floss Tree Mallow | HP | 0.89 | G2 | 8-9 | 10A | | | |
| <i>Lavatera thuringiaca</i> 'Kew Rose' Kew Rose Tree Mallow | HP | 0.89 | G2 | 8-9 | 10A | | | |
| <i>Lavatera thuringiaca</i> 'Rosea' Rose Tree Mallow | HP | 0.89 | G2 | 8-9 | 10A | | | |
| <i>Lawsonia inermis</i> Henna | BS | 0.77 | G4 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Ledebouria cooperi</i> No Common Name Found | HP | 1.44 | G4 | 8-9 | 10A | | | |
| <i>Ledum decumbens</i> See - <i>Ledum palustre</i> var. <i>decumbens</i> | | | | | | | | |
| <i>Ledum groenlandicum</i> Labrador Tea | BS | 1.45 | G2 | 1-2 | 3-5 | | 1.00 | 2 |
| <i>Ledum palustre</i> var. <i>decumbens</i> No Common Name Found | BS | 1.00 | G2 | 1-2 | 3-5 | | 1.00 | 2 |
| <i>Leea coccinea</i> West Indian Holly | FO | 0.76 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Leea coccinea</i> 'Rubra' Red West Indian Holly | FO | 0.72 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Leersia oryzoides</i> Rice Cutgrass | HP | 1.30 | G4 | 8-9 | 10-11 | | | |
| <i>Leiophyllum buxifolium</i> Sand Myrtle | BS | 0.80 | G2 | 5-6 | 7 | | 1.00 | 5 |
| <i>Leitneria floridana</i> Corkwood | DT | 0.70 | G2 | 4 | 5-7 | 1.00 | 1.00 | 4 |
| <i>Leonotis leonurus</i> Lion's Ear | HP | 0.77 | G2 | 8-9 | 10 | | | |
| <i>Leontopodium alpinum</i> Edelweiss | HP | 0.82 | G4 | 4-5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Leontopodium ochroleucum</i> var. <i>campestre</i> No Common Name Found | HP | 1.00 | G4 | 2-3 | 4-7 | | | |
| <i>Leontopodium palibinianum</i> See - <i>Leontopodium ochroleucum</i> var. <i>campestre</i> | | | | | | | | |
| <i>Leonurus sibiricus</i> Motherwort | HP | 1.00 | G4 | 5-6 | 7 | | | |
| <i>Lepechinia calycina</i> Pitcher Sage | BS | 1.13 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Lepechinia calycina</i> 'Rocky Point' Rocky Point Pitcher Sage | BS | 0.65 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Lepechinia hastata</i> Pakaha | BS | 0.75 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Lepidium nanum</i> Dwarf Pepper Grass | HP | 1.00 | G4 | 5 | 6-8 | | | |
| <i>Lepidorrhachis mooreana</i> Little Mountain Palm | PC | 1.00 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Lepidozamia peroffskyana</i> Scaly Zamia | PC | 1.50 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Leptinella minor</i> Mini Faery Fern | HP | 1.00 | G4 | 7-8 | 9 | | | |
| <i>Leptinella pusilla</i> Bronze Faery Fern | HP | 0.71 | G4 | 7-8 | 9 | | | |
| <i>Leptinella pyrethriifolia</i> No Common Name Found | HP | 1.00 | G4 | 7-8 | 9 | | | |
| <i>Leptinella squalida</i> No Common Name Found | HP | 0.71 | G4 | 7-8 | 9 | | | |
| <i>Leptinella squalida</i> 'Platt's Black' Platt's Black Brass Buttons | GC | 1.00 | G4 | 7-8 | 9 | | 1.00 | 5 |
| <i>Leptodactylon californicum</i> Prickly Phlox | HP | 1.54 | G2 | 6-7 | 8-9 | | | |
| <i>Leptospermum flavescens</i> See - <i>Leptospermum polygalifolium</i> | | | | | | | | |
| <i>Leptospermum grandiflorum</i> No Common Name Found | BS | 0.68 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Leptospermum humifusum</i> See - <i>Leptospermum rupestre</i> | | | | | | | | |
| <i>Leptospermum laevigatum</i> Australian Teatree | BE | 0.80 | G2 | 8-9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Leptospermum laevigatum</i> 'Reevesii Compacta' Reeves Compact Australian Teatree | BS | 0.77 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Leptospermum petersonii</i> Peterson Teatree | BS | 0.68 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Leptospermum polygalifolium</i> No Common Name Found | BS | 0.68 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Leptospermum polygalifolium</i> 'Yarra River' Yarra River Teatree | BS | 0.68 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Leptospermum rodwayanum</i> See - <i>Leptospermum grandiflorum</i> | | | | | | | | |
| <i>Leptospermum rotundifolium</i> Round-leaved Teatree | BS | 0.80 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Leptospermum rotundifolium</i> 'Manning's Choice' Manning's Choice Round-leaved Teatree | BS | 0.77 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Leptospermum rupestre</i> No Common Name Found | BS | 1.13 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Leptospermum scoparium</i> New Zealand Teatree | BS | 0.76 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Apple Blossom' Apple Blossom Teatree | BS | 0.70 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Leptospermum scoparium</i> 'Burgundy Queen' Burgundy Queen Teatree | BS | 0.74 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Crimson Glory' Crimson Glory Teatree | BS | 0.86 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Gaiety Girl' Gaiety Girl Teatree | BS | 0.76 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Helene Strybling' Helene Strybling Teatree | BS | 0.75 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Keatleyi' Keatley Teatree | BS | 0.68 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Martinii' Martini Teatree | BS | 1.00 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Nanum Ruru' Nanum Ruru Teatree | BS | 1.40 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Nanum Tui' Nanum Tui Teatree | BS | 0.80 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Pink Cascade' Pink Cascade Teatree | BS | 0.74 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Pink Pearl' Pink Pearl Teatree | BS | 0.77 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Red Ensign' Red Ensign Teatree | BS | 0.68 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Ruby Glow' Ruby Glow Teatree | BS | 0.73 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Snow White' Snow White Teatree | BS | 0.76 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Winter Cheer' Winter Cheer Teatree | BS | 0.81 | G2 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Lespedeza bicolor</i> Shrub Bushclover | BS | 0.93 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Lespedeza bicolor</i> 'Avalanche' Avalanche Shrub Bushclover | BS | 0.82 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Lespedeza bicolor</i> 'Yakushima' Yakushima Shrub Bushclover | BS | 1.08 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Lespedeza capitata</i> Bushclover | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Lespedeza thunbergii</i> Japanese Bushclover | HP | 1.05 | G4 | 6-7 | 8 | | | |
| <i>Lespedeza thunbergii</i> 'Alba' White Japanese Bushclover | HP | 0.99 | G4 | 6-7 | 8 | | | |
| <i>Lespedeza thunbergii</i> 'Edo Shibori' Tokyo Brocade Japanese Bushclover | HP | 1.26 | G4 | 6-7 | 8 | | | |
| <i>Lespedeza thunbergii</i> 'Gibraltar' Gibraltar Japanese Bushclover | HP | 0.92 | G4 | 6-7 | 8 | | | |
| <i>Lespedeza thunbergii</i> 'Pink Cascade' Pink Cascade Japanese Bushclover | HP | 1.01 | G4 | 6-7 | 8 | | | |
| <i>Lespedeza thunbergii</i> 'Samidare' Summer Showers Japanese Bushclover | HP | 1.05 | G4 | 6-7 | 8 | | | |
| <i>Lesquerella alpina</i> Alpine Bladderpod | HP | 1.00 | G4 | 4-5 | 6 | | | |
| <i>Lessingia filaginifolia</i> No Common Name Found | HP | 1.84 | G4 | 6-8 | 9 | | | |
| <i>Lessingia filaginifolia</i> 'Silver Carpet' Silver Carpet Lessingia | HP | 1.32 | G4 | 6-8 | 9 | | | |
| <i>Leucadendron</i> Leucadendron | BS | 0.86 | G2 | 9 | 10-11 | | 1.00 | 9 |
| <i>Leucadendron</i> 'Red Gem' Red Gem Leucadendron | BS | 0.79 | G2 | 9 | 10-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Leucadendron</i> 'Safari Sunset' Safari Sunset <i>Leucaena glauca</i> See - <i>Leucaena leucocephala</i> | BS | 0.93 | G2 | 9 | 10-11 | | 1.00 | 9 |
| <i>Leucaena leucocephala</i> Leadtree | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Leucaena retusa</i> Texas Goldball Leadtree | BE | 1.08 | G2 | 8-9 | 10 | 1.00 | 1.00 | 7 |
| <i>Leucantheropsis alpina</i> Alpine Chrysanthemum | HP | 1.00 | G4 | 5-6 | 7 | | | |
| <i>Leucantheropsis alpina</i> ssp. <i>tomentosa</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7 | | | |
| <i>Leucantherum maximum</i> Maximum Daisy | HP | 0.69 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum paludosum</i> Paludosum Daisy | HP | 0.64 | G4 | 4-8 | 9 | | | |
| <i>Leucantherum x superbum</i> Shasta Daisy | HP | 0.65 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Aglaia' Aglaia Shasta Daisy | HP | 0.91 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Alaska' Alaska Shasta Daisy | HP | 0.87 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Angel' Angel Shasta Daisy | HP | 0.91 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Becky' Becky Shasta Daisy | HP | 0.94 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Cobham Gold' Cobham Gold Shasta Daisy | HP | 0.88 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Crazy Daisy' Crazy Daisy Shasta Daisy | HP | 0.83 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Esther Read' Esther Read Shasta Daisy | HP | 0.93 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Highland White Dream' Highland White Dream Shasta Daisy | HP | 1.17 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Little Miss Muffet' Little Miss Muffet Shasta Daisy | HP | 0.68 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Little Princess' Little Princess Shasta Daisy | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Majestic' Majestic Shasta Daisy | HP | 0.93 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Marconi' Marconi Shasta Daisy | HP | 0.96 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Northern Lights' Northern Lights Shasta Daisy | HP | 1.33 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Polaris' Polaris Shasta Daisy | HP | 0.67 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Silver Princess' Silver Princess Shasta Daisy | HP | 0.79 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Snow Lady' Snow Lady Shasta Daisy | HP | 0.81 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Snowcap' Snowcap Shasta Daisy | HP | 0.93 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Snowdrift' Snowdrift Shasta Daisy | HP | 0.91 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Starburst' Starburst Shasta Daisy | HP | 0.72 | G4 | 4-6 | 7-8 | | | |
| <i>Leucantherum x superbum</i> 'Summer Snowball' Summer Snowball Shasta Daisy | HP | 0.84 | G4 | 4-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Leucanthemum x superbum</i> 'Sunny Side Up' P.P. 12837 Sunny Side Up Shasta Daisy | HP | 0.93 | G4 | 4-6 | 7-8 | | | |
| <i>Leucanthemum x superbum</i> 'Switzerland' Switzerland Shasta Daisy | HP | 0.88 | G4 | 4-6 | 7-8 | | | |
| <i>Leucanthemum x superbum</i> 'T.E. Killin' T.E. Killin Shasta Daisy | HP | 1.08 | G4 | 4-6 | 7-8 | | | |
| <i>Leucanthemum x superbum</i> 'White Knight' White Knight Shasta Daisy | HP | 1.30 | G4 | 4-6 | 7-8 | | | |
| <i>Leucanthemum x superbum</i> 'Wirral Pride' Wirral Price Shasta Daisy | HP | 1.32 | G4 | 4-6 | 7-8 | | | |
| <i>Leucanthemum vulgare</i> Ox-Eye Daisy | HP | 0.96 | G4 | 3-4 | 5-7 | | | |
| <i>Leucanthemum vulgare</i> 'Filigran' Filigran Ox-Eye Daisy | HP | 0.91 | G4 | 2-3 | 4-8 | | | |
| <i>Leucanthemum vulgare</i> 'May Queen' May Queen Ox-Eye Daisy | HP | 0.85 | G4 | 3-4 | 5-7 | | | |
| <i>Leucojum aestivum</i> Summer Snowflake | HP | 0.92 | G4 | 4-5 | 6-9 | | | |
| <i>Leucophyllum candidum</i> Violet Sage | BS | 0.73 | G2 | 8-9 | 10 | | 1.00 | 8 |
| <i>Leucophyllum candidum</i> 'Silver Cloud' Silver Cloud Violet Sage | BS | 0.71 | G2 | 8-9 | 10 | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> Texas Sage | BS | 0.78 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> 'Alba' White Texas Sage | BS | 0.80 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> 'Bertstar Dwarf' P.P. 10855 Silverado™ Texas Sage | BS | 1.33 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> 'Compactum' Compact Texas Sage | BS | 0.77 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> 'Convent' Convent Texas Sage | BS | 0.80 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> 'Green Cloud' Green Cloud TAMREP™ Texas Sage | BS | 0.84 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> 'San Jose' San Jose Texas Sage | BS | 0.80 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> 'Silverado' See - <i>Leucophyllum frutescens</i> 'Bertstar Dwarf' P.P. 10855 | | | | | | | | |
| <i>Leucophyllum frutescens</i> 'White Cloud' White Cloud Texas Sage | BS | 0.66 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Leucophyllum laevigatum</i> Chihuahuan Sage | BS | 0.68 | G2 | 7-9 | 10 | | 1.00 | 9 |
| <i>Leucophyta brownii</i> Cushionbush | BS | 0.67 | G4 | 9-10A | 10B | | 1.00 | 9 |
| <i>Leucothoe axillaris</i> Coast Leucothoe | BS | 1.12 | G2 | 4-6 | 7-8 | | 0.92 | 6 |
| <i>Leucothoe axillaris</i> 'Dodd's Variegated' Dodd's Variegated Coast Leucothoe | BS | 0.88 | G2 | 4-6 | 7-8 | | 0.92 | 6 |
| <i>Leucothoe axillaris</i> 'Florida' Florida Coast Leucothoe | BS | 0.86 | G2 | 4-6 | 7-8 | | 0.92 | 6 |
| <i>Leucothoe axillaris</i> 'Greensprite' Greensprite Coast Leucothoe | BS | 1.36 | G2 | 4-6 | 7-8 | | 0.92 | 6 |
| <i>Leucothoe axillaris</i> 'Tricolor' P.P. 11008 Tricolor Coast Leucothoe | BS | 1.35 | G2 | 4-6 | 7-8 | | 0.92 | 6 |
| <i>Leucothoe catesbaei</i> No Common Name Found | BS | 1.04 | G2 | 4-6 | 7-8 | | 0.71 | 5 |
| <i>Leucothoe fontanesiana</i> Drooping Leucothoe | BS | 1.22 | G2 | 4-5 | 6-7 | | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Leucothoe fontanesiana</i> 'Lovita' | | | | | | | | |
| See - <i>Leucothoe fontanesiana</i> 'Zebonard' P.P. 5229 | | | | | | | | |
| <i>Leucothoe fontanesiana</i> 'Nana' | BS | 1.06 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| Dwarf Drooping Leucothoe | | | | | | | | |
| <i>Leucothoe fontanesiana</i> 'Rainbow' | BS | 1.18 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| Rainbow Drooping Leucothoe | | | | | | | | |
| <i>Leucothoe fontanesiana</i> 'Rollisoni' | BS | 1.43 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| Rollison Drooping Leucothoe | | | | | | | | |
| <i>Leucothoe fontanesiana</i> 'Scarletta' | | | | | | | | |
| See - <i>Leucothoe fontanesiana</i> 'Zeblid' P.P. 5195 | | | | | | | | |
| <i>Leucothoe fontanesiana</i> 'Zeblid' P.P. 5195 | BS | 1.44 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| Scarletta Drooping Leucothoe | | | | | | | | |
| <i>Leucothoe fontanesiana</i> 'Zebonard' P.P. 5229 | BS | 1.41 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| Lovita Drooping Leucothoe | | | | | | | | |
| <i>Leucothoe populifolia</i> | | | | | | | | |
| See - <i>Agarista populifolia</i> | | | | | | | | |
| <i>Leucothoe racemosa</i> | DS | 1.22 | G2 | 4-5 | 6-7 | | 0.80 | 5 |
| Sweetbells | | | | | | | | |
| <i>Levisticum officinale</i> | HP | 0.56 | G2 | 4-5 | 6-7 | | | |
| Lovage | | | | | | | | |
| <i>Lewisia</i> | HP | 1.30 | G4 | 4-5 | 6-7 | | | |
| Lewisia | | | | | | | | |
| <i>Lewisia</i> 'Little Plum' | HP | 1.30 | G4 | 4-5 | 6-7 | | | |
| Little Plum Hybrid Lewisia | | | | | | | | |
| <i>Lewisia columbiana</i> | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| Columbia Lewisia | | | | | | | | |
| <i>Lewisia columbiana</i> ssp. <i>rupicola</i> | HP | 1.04 | G4 | 4-5 | 6-7 | | | |
| No Common Name Found | | | | | | | | |
| <i>Lewisia cotyledon</i> | HP | 1.43 | G4 | 4-6 | 7-8 | | | |
| Rock Garden Lewisia | | | | | | | | |
| <i>Lewisia cotyledon</i> 'Pinkie' | HP | 1.24 | G4 | 4-6 | 7-8 | | | |
| Pinkie Garden Lewisia | | | | | | | | |
| <i>Lewisia cotyledon</i> 'Sunset Strain' | HP | 1.05 | G4 | 4-6 | 7-8 | | | |
| Sunset Strain Lewisia | | | | | | | | |
| <i>Lewisia leana</i> | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| Lee's Lewisia | | | | | | | | |
| <i>Lewisia nevadensis</i> | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| Nevada Lewisia | | | | | | | | |
| <i>Lewisia pygmaea</i> | HP | 3.64 | G4 | 4-5 | 6-7 | | | |
| Little Lewisia | | | | | | | | |
| <i>Lewisia rediviva</i> | HP | 1.40 | G4 | 4-5 | 6-7 | | | |
| Bitter Root | | | | | | | | |
| <i>Lewisia tweedyi</i> | HP | 3.64 | G4 | 4-5 | 6-7 | | | |
| Tweedy Lewisia | | | | | | | | |
| <i>Leymus arenarius</i> | HP | 1.27 | G4 | 3-5 | 6-8 | | | |
| Blue Lyme Grass | | | | | | | | |
| <i>Leymus condensatus</i> | HP | 0.95 | G4 | 6-7 | 8-9 | | | |
| Giant Wild Rye | | | | | | | | |
| <i>Leymus condensatus</i> 'Canyon Prince' | HP | 1.15 | G4 | 6-7 | 8-9 | | | |
| Canyon Prince Giant Wild Rye | | | | | | | | |
| <i>Leymus mollis</i> | HP | 1.84 | G4 | 4-5 | 6-7 | | | |
| American Ryegrass | | | | | | | | |
| <i>Leymus racemosus</i> | HP | 0.70 | G4 | 5-6 | 7-8 | | | |
| Giant Blue Wild Rye | | | | | | | | |
| <i>Leymus racemosus</i> 'Glaucus' | HP | 1.04 | G4 | 5-6 | 7-8 | | | |
| No Common Name Found | | | | | | | | |
| <i>Leymus secalinus</i> | HP | 1.28 | G4 | 5-6 | 7-8 | | | |
| Blue Wild Rye | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Liatris aspera</i> Rough Gayfeather | HP | 1.02 | G4 | 4 | 5-8 | | | |
| <i>Liatris cylindracea</i> Cylindric Gayfeather | HP | 1.49 | G4 | 4 | 5-8 | | | |
| <i>Liatris gracilis</i> Slender Blazing Star | HP | 0.57 | G4 | 5-6 | 7-9A | | | |
| <i>Liatris graminifolia</i> Grassleaf Gayfeather | HP | 1.00 | G4 | 5 | 6-9A | | | |
| <i>Liatris ligulistylis</i> Meadow Blazing Star | HP | 1.49 | G4 | 2-3 | 4-7 | | | |
| <i>Liatris microcephala</i> No Common Name Found | HP | 0.77 | G4 | 3-6 | 7-8 | | | |
| <i>Liatris punctata</i> Dotted Gayfeather | HP | 1.03 | G4 | 3 | 4-7 | | | |
| <i>Liatris pycnostachya</i> Prairie Blazing Star | HP | 0.93 | G4 | 3 | 4-7 | | | |
| <i>Liatris pycnostachya</i> var. <i>alba</i> White Prairie Gayfeather | HP | 0.78 | G4 | 3 | 4-7 | | | |
| <i>Liatris scariosa</i> Tall Gayfeather | HP | 1.00 | G4 | 3 | 4-7 | | | |
| <i>Liatris scariosa</i> 'September Glory' September Glory Tall Gayfeather | HP | 1.00 | G4 | 3 | 4-7 | | | |
| <i>Liatris scariosa</i> 'White Spire' White Spire Tall Gayfeather | HP | 1.00 | G4 | 3 | 4-7 | | | |
| <i>Liatris spicata</i> Spike Gayfeather | HP | 1.18 | G4 | 3 | 4-7 | | | |
| <i>Liatris spicata</i> 'Alba' White Spike Gayfeather | HP | 1.10 | G4 | 3 | 4-7 | | | |
| <i>Liatris spicata</i> 'Floristan Violet' Floristan Violet Spike Gayfeather | HP | 0.88 | G4 | 3 | 4-7 | | | |
| <i>Liatris spicata</i> 'Floristan White' Floristan White Spike Gayfeather | HP | 0.85 | G4 | 3 | 4-7 | | | |
| <i>Liatris spicata</i> 'Floristan' Floristan Spike Gayfeather | HP | 0.74 | G4 | 3 | 4-7 | | | |
| <i>Liatris spicata</i> 'Kobold' Kobold Spike Gayfeather | HP | 0.94 | G4 | 3 | 4-7 | | | |
| <i>Liatris spicata</i> 'Snow White' Snow White Spike Gayfeather | HP | 0.84 | G4 | 3 | 4-7 | | | |
| <i>Liatris squarrosa</i> Scaly Blazing Star | HP | 0.79 | G4 | 3-4 | 5-7 | | | |
| <i>Liatris tenuifolia</i> Shortleaf Gayfeather | HP | 0.59 | G4 | 3 | 4-7 | | | |
| <i>Liatris tenuifolia</i> 'Chapman' Chapman's Shortleaf Gayfeather | HP | 0.51 | G4 | 3 | 4-7 | | | |
| <i>Libertia caerulescens</i> No Common Name Found | HP | 0.72 | G4 | 7-8 | 9-10B | | | |
| <i>Libertia grandiflora</i> No Common Name Found | HP | 0.95 | G4 | 7-8 | 9-10B | | | |
| <i>Libertia peregrinans</i> No Common Name Found | HP | 1.03 | G4 | 7-8 | 9-10B | | | |
| <i>Libocedrus decurrens</i> See - <i>Calocedrus decurrens</i> | | | | | | | | |
| <i>Licania michauxii</i> Gopher Apple | GC | 0.89 | G2 | 6-8 | 9-10B | | 1.00 | 8 |
| <i>Licuala grandis</i> Ruffled Fan Palm | PC | 3.53 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Licuala lauterbachii</i> No Common Name Found | PC | 2.88 | G1 | 10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Licuala paludosa</i> Swamp Fan Palm | PC | 3.31 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Licuala peltata</i> No Common Name Found | PC | 3.64 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Licuala peltata</i> ssp.sumawongii No Common Name Found | PC | 5.05 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Licuala ramsayi</i> No Common Name Found | PC | 3.42 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Licuala spinosa</i> Spiny Licuala Palm | PC | 1.44 | G1 | 5-10 | 11 | | 1.06 | 10 |
| <i>Ligularia</i> Ligularia | HP | 1.44 | G4 | 3-4 | 5-8 | | | |
| <i>Ligularia</i> 'Gregynog Gold' Gregynog Gold Ligularia | HP | 1.44 | G4 | 3-4 | 5-8 | | | |
| <i>Ligularia dentata</i> Bigleaf Ligularia | HP | 1.19 | G4 | 3-4 | 5-8 | | | |
| <i>Ligularia dentata</i> 'Britt-Marie Crawford' Britt-Marie Crawford Bigleaf Ligularia | HP | 1.75 | G4 | 3-4 | 5-8 | | | |
| <i>Ligularia dentata</i> 'Desdemona' Desdemona Bigleaf Ligularia | HP | 1.12 | G4 | 3-4 | 5-8 | | | |
| <i>Ligularia dentata</i> 'Othello' Othello Bigleaf Ligularia | HP | 1.17 | G4 | 3-4 | 5-8 | | | |
| <i>Ligularia x hessei</i> Hess Ligularia | HP | 1.45 | G4 | 3-5 | 6-8 | | | |
| <i>Ligularia japonica</i> No Common Name Found | HP | 1.21 | G4 | 3-5 | 6-8 | | | |
| <i>Ligularia palmatiloba</i> No Common Name Found | HP | 0.86 | G4 | 3-5 | 6-8 | | | |
| <i>Ligularia przewalskii</i> Shavalski's Ligularia | HP | 1.03 | G4 | 3-4 | 5-8 | | | |
| <i>Ligularia przewalskii</i> 'The Rocket' The Rocket Shavalski's Ligularia | HP | 0.95 | G4 | 3-4 | 5-8 | | | |
| <i>Ligularia stenocephala</i> Narrow-spiked Ligularia | HP | 0.91 | G4 | 3-4 | 5-8 | | | |
| <i>Ligularia tussilaginea</i> See - <i>Farfugium japonicum</i> | | | | | | | | |
| <i>Ligularia wilsoniana</i> Giant Groundsel | HP | 1.10 | G4 | 3-5 | 6-8 | | | |
| <i>Ligustrum amurense</i> Amur Privet | BS | 0.74 | G2 | 2-3 | 4-7 | | 0.29 | 3 |
| <i>Ligustrum coriaceum</i> See - <i>Ligustrum japonicum</i> 'Rotundifolium' | | | | | | | | |
| <i>Ligustrum x ibolium</i> Ibolium Privet | BS | 0.97 | G2 | 3-4 | 5-7 | | 0.31 | 4 |
| <i>Ligustrum x ibolium</i> 'Variegatum' Variegated Ibolium Privet | BS | 1.06 | G2 | 3-4 | 5-7 | | 0.34 | 4 |
| <i>Ligustrum japonicum</i> Japanese Privet | BS | 0.85 | G2 | 6-7 | 8-11 | | 0.87 | 7 |
| <i>Ligustrum japonicum</i> 'Green Meatball' Green Meatball Japanese Privet | BS | 0.89 | G2 | 6-7 | 8-11 | | 0.99 | 7 |
| <i>Ligustrum japonicum</i> 'Howard' Howard Japanese Privet | BS | 0.71 | G2 | 6-7 | 8-11 | | 1.92 | 7 |
| <i>Ligustrum japonicum</i> 'Jack Frost' Jack Frost Japanese Privet | BS | 0.71 | G2 | 6-7 | 8-11 | | 0.99 | 7 |
| <i>Ligustrum japonicum</i> 'Lake Tresca' Lake Tresca Japanese Privet | BS | 0.69 | G2 | 6-7 | 8-11 | | 0.99 | 7 |
| <i>Ligustrum japonicum</i> 'Nobilis' Noble Japanese Privet | BS | 0.82 | G2 | 6-7 | 8-11 | | 1.11 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Ligustrum japonicum</i> 'Rotundifolium' Curlyleaf Japanese Privet | BS | 0.78 | G2 | 6-7 | 8-11 | | 0.99 | 7 |
| <i>Ligustrum japonicum</i> 'Silver Star' P.P. 3026 Silver Star Japanese Privet | BS | 0.54 | G2 | 6-7 | 8-11 | | 0.99 | 7 |
| <i>Ligustrum japonicum</i> 'Suwanee River' Suwanee River Japanese Privet | BS | 0.88 | G2 | 6-7 | 8-11 | | 1.11 | 7 |
| <i>Ligustrum japonicum</i> 'Texanum' Texan Japanese Privet | BS | 0.86 | G2 | 6-7 | 8-11 | | 0.66 | 7 |
| <i>Ligustrum japonicum</i> 'Variegatum' Variegated Japanese Privet | BS | 0.71 | G2 | 6-7 | 8-11 | | 0.27 | 7 |
| <i>Ligustrum lucidum</i> Glossy Privet | BS | 0.74 | G2 | 6-7 | 8-11 | | 0.76 | 7 |
| <i>Ligustrum lucidum</i> 'Davison Hardy' Davison Hardy Glossy Privet | BS | 0.78 | G2 | 6-7 | 8-11 | | 0.72 | 7 |
| <i>Ligustrum lucidum</i> 'Recurvifolium' Crinkleleaf Glossy Privet | BS | 0.72 | G2 | 6-7 | 8-11 | | 0.79 | 7 |
| <i>Ligustrum lucidum</i> 'Repandum' Spreading Glossy Privet | BE | 0.80 | G2 | 6-7 | 8-10B | 1.00 | 1.00 | 7 |
| <i>Ligustrum lucidum</i> 'Tricolor' Tricolor Glossy Privet | BE | 0.55 | G2 | 6-7 | 8-10B | 1.00 | 1.00 | 7 |
| <i>Ligustrum obtusifolium</i> Border Privet | DS | 1.00 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Ligustrum obtusifolium</i> var. <i>regelianum</i> Regel's Border Privet | DS | 0.89 | G2 | 2-3 | 4-7 | | 0.68 | 3 |
| <i>Ligustrum ovalifolium</i> California Privet | BS | 0.83 | G2 | 3-5 | 6-8 | | 0.34 | 5 |
| <i>Ligustrum ovalifolium</i> 'Aureum' Gold California Privet | BS | 0.79 | G2 | 3-5 | 6-8 | | 0.34 | 5 |
| <i>Ligustrum sinense</i> Chinese Privet | BS | 0.68 | G2 | 6-7 | 8-10 | | 0.39 | 7 |
| <i>Ligustrum sinense</i> 'Swift Creek' Swift Creek Chinese Privet | BS | 0.81 | G2 | 6-7 | 8-10 | | 0.39 | 7 |
| <i>Ligustrum sinense</i> 'Variegatum' Variegated Chinese Privet | BS | 0.80 | G2 | 6-7 | 8-10 | | 0.39 | 7 |
| <i>Ligustrum sinense</i> 'Wimbei' Wimbei Chinese Privet | BS | 1.08 | G2 | 6-7 | 8-10B | | 0.39 | 7 |
| <i>Ligustrum texanum</i> See - <i>Ligustrum japonicum</i> 'Texanum' | | | | | | | | |
| <i>Ligustrum x vicaryi</i> Golden Vicary Privet | DS | 0.97 | G2 | 4-5 | 6-8 | | 0.77 | 5 |
| <i>Ligustrum x vicaryi</i> 'Hillside' Hillside Golden Vicary Privet | DS | 0.97 | G2 | 4-5 | 6-8 | | 0.77 | 5 |
| <i>Ligustrum vulgare</i> Common Privet | DS | 0.92 | G2 | 3-4 | 5-8 | | 0.62 | 4 |
| <i>Ligustrum vulgare</i> 'Cheyenne' Cheyenne Common Privet | DS | 0.87 | G2 | 3-4 | 5-8 | | 0.65 | 4 |
| <i>Ligustrum vulgare</i> 'Lodense' Lodense Common Privet | DS | 0.96 | G2 | 3-4 | 5-8 | | 1.03 | 4 |
| <i>Lilium</i> Hybrid Lily | HP | 1.13 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium</i> 'Acapulco' Acapulco Lily | HP | 1.37 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium</i> 'Admiration' Admiration Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'African Queen' African Queen Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Arena' Arena Lily | HP | 1.22 | G4 | 6 | 7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Lilium</i> 'Avignon' Avignon Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Black Dragon' Black Dragon Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Bright Pixie' Bright Pixie Lily | HP | 1.12 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Buff Pixie' Buff Pixie Lily | HP | 0.99 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Butter Pixie' Butter Pixie Lily | HP | 0.94 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Cameleon' Cameleon Asiatic Lily | HP | 1.12 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Casablanca' Casablanca Oriental Lily | HP | 1.02 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Choice' Choice Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Citronella' Citronella Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Connecticut Beauty' Connecticut Beauty Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Connecticut King' Connecticut King Lily | HP | 0.92 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Corina' Corina Lily | HP | 0.89 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Cote d'Azur' Cote d'Azur Lily | HP | 1.04 | G4 | 3-4 | 5-8 | | | |
| <i>Lilium</i> 'Crimson Elegance' Crimson Elegance Oriental Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Crimson Pixie' Crimson Pixie Lily | HP | 1.01 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Crimson Sun' Crimson Sun Lily | HP | 1.33 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Dandy' Dandy Lily | HP | 1.35 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Denia' Denia Asiatic Lily | HP | 1.07 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium</i> 'Enchantment' Enchantment Asiatic Lily | HP | 1.83 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Fireking' Fireking Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Fopapo' Fopapo Lily | HP | 0.99 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Geneve' Geneve Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Golden Elegance' Golden Elegance Oriental Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Golden Melody' Golden Melody Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Golden Pixie' Golden Pixie Asiatic Lily | HP | 1.13 | G4 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Golden Splendor' Golden Splendor Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Grand Cru' Grand Cru Asiatic Lily | HP | 1.17 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Horizon' Horizon Lily | HP | 1.33 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Le Reve' Le Reve Lily | HP | 1.09 | G4 | 6 | 7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Lilium</i> 'Lemon Pixie' Lemon Pixie Lily | HP | 1.14 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Lush Life' Lush Life Oriental Lily | HP | 1.05 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium</i> 'Miss America' Miss America Lily | HP | 1.23 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Miss Burma' Miss Burma Lily | HP | 0.96 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Mona Lisa' Mona Lisa Lily | HP | 1.08 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Mont Blanc' Mont Blanc Lily | HP | 1.17 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Monte Negro' Monte Negro Lily | HP | 1.17 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Monte Rosa' Monte Rosa Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Montreux' Montreux Lily | HP | 1.30 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Olympic' Olympic Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Orange Electric' Orange Electric Lily | HP | 1.12 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Orange Pixie' Orange Pixie Lily | HP | 1.11 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Painted Pixie' Painted Pixie Lily | HP | 1.12 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Paris' Paris Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Partner' Partner Lily | HP | 1.05 | G4 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Peach Blush' Peach Blush Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Peach Pixie' Peach Pixie Lily | HP | 1.20 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium</i> 'Pink Perfection' Pink Perfection Lily | HP | 1.01 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Pink Pixie' Pink Pixie Lily | HP | 1.04 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Plenty M' Plenty M Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Plenty' Plenty Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Prestige' Prestige Lily | HP | 1.18 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Red Dwarf' Red Dwarf Lily | HP | 1.12 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Red Pixie' Red Pixie Lily | HP | 1.23 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Reinesse' Reinesse Lily | HP | 1.09 | G4 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Roma' Roma Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Rose Elegance' Rose Elegance Oriental Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Rosita' Rosita Lily | HP | 0.89 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Rouge Pixie' Rouge Pixie Lily | HP | 0.88 | G4 | 6 | 7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Lilium</i> 'Ruud' Ruud Lily | HP | 1.33 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Star Gazer' Star Gazer Lily | HP | 1.13 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium</i> 'Sterling Star' Sterling Star Lily | HP | 0.89 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Sunray' Sunray Lily | HP | 1.10 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Symphony' Symphony Lily | HP | 1.29 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Tap Toe' Tap Toe Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Tarragona' Tarragona Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Tiber' Tiber Lily | HP | 1.31 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Toscana' Toscana Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Uchida' Uchida Lily | HP | 1.12 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'White Pixie' White Pixie Lily | HP | 1.13 | G4 | 6 | 7 | | | |
| <i>Lilium</i> 'Yellow Pixie' Yellow Pixie Lily | HP | 1.26 | G4 | 6 | 7 | | | |
| <i>Lilium auratum</i> var. <i>platyphyllum</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7 | | | |
| <i>Lilium auratum</i> var. <i>platyphyllum</i> 'Kimona' Kimona Goldband Lily | HP | 1.00 | G4 | 6 | 7 | | | |
| <i>Lilium canadense</i> Canada Lily | HP | 1.00 | G4 | 5-6 | 7 | | | |
| <i>Lilium catesbaei</i> Catesby's Lily | HP | 1.00 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium columbianum</i> Columbia Lily | HP | 1.00 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium formosanum</i> Formosa Lily | HP | 0.75 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium humboldtii</i> Humboldt Lily | HP | 2.11 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium lancifolium</i> Tiger Lily | HP | 1.03 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium lancifolium</i> 'Pink' Pink Tiger Lily | HP | 1.16 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium lancifolium</i> 'White' White Tiger Lily | HP | 1.10 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium lancifolium</i> var. <i>flaviflorum</i> No Common Name Found | HP | 1.12 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium lancifolium</i> var. <i>flaviflorum</i> 'Yellow Star' Yellow Star Tiger Lily | HP | 1.12 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium lancifolium</i> var. <i>splendens</i> Splendens Tiger Lily | HP | 1.12 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium longiflorum</i> Trumpet Lily | HP | 2.34 | G4 | 4-8 | 9 | | | |
| <i>Lilium longiflorum</i> 'Croft' Croft Easter Lily | HP | 2.34 | G4 | 4-8 | 9 | | | |
| <i>Lilium martagon</i> Turk's Cap Lily | HP | 2.09 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium michiganense</i> Michigan Lily | HP | 2.83 | G4 | 4-5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Lilium pardalinum</i> Leopard Lily | HP | 1.44 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium pumilum</i> Coral Lily | HP | 2.55 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium regale</i> Regal Lily | HP | 0.99 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium speciosum</i> Showy Lily | HP | 0.97 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium speciosum</i> 'Barracuda' Barracuda Showy Lily | HP | 0.97 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium speciosum</i> 'Grand Commander' Grand Commander Showy Lily | HP | 0.97 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium speciosum</i> 'Rubrum' Red Showy Lily | HP | 0.81 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium speciosum</i> 'San Souci' San Souci Showy Lily | HP | 1.12 | G4 | 5-6 | 7-10 | | | |
| <i>Lilium superbum</i> American Turk's Cap Lily | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Lilium tigrinum</i> See - <i>Lilium lancifolium</i> | | | | | | | | |
| <i>Limonium bellidifolium</i> Caspian Statice | HP | 1.00 | G4 | 5-7 | 8-10 | | | |
| <i>Limonium binervosum</i> Two Nerve Statice | HP | 1.00 | G4 | 5-6 | 7-10 | | | |
| <i>Limonium gmelinii</i> Siberian Statice | HP | 1.00 | G4 | 5-6 | 7-10 | | | |
| <i>Limonium incanum</i> See - <i>Goniolimon callicomum</i> | | | | | | | | |
| <i>Limonium latifolium</i> Sea Lavender | HP | 0.91 | G4 | 5-6 | 7-10 | | | |
| <i>Limonium latifolium</i> 'Violetta' Violetta Sea Lavender | HP | 1.31 | G4 | 5-6 | 7-10 | | | |
| <i>Limonium minutum</i> No Common Name Found | HP | 0.83 | G4 | 5-8 | 9-10 | | | |
| <i>Limonium perezii</i> Perez Statice | HP | 0.85 | G4 | 5-9 | 10 | | | |
| <i>Limonium reticulatum</i> See - <i>Limonium bellidifolium</i> | | | | | | | | |
| <i>Limonium tataricum</i> See - <i>Goniolimon tataricum</i> | | | | | | | | |
| <i>Linaria aequitriloba</i> See - <i>Cymbalaria aequitriloba</i> | | | | | | | | |
| <i>Linaria alpina</i> Alpine Toadflax | HP | 0.83 | G4 | 5-6 | 7-10 | | | |
| <i>Linaria cymbalaria</i> See - <i>Cymbalaria muralis</i> | | | | | | | | |
| <i>Linaria maroccana</i> Morocco Toadflax | AN | 1.00 | G4 | 5-9 | 10 | | | |
| <i>Linaria purpurea</i> Purple Toadflax | HP | 0.70 | G4 | 3-5 | 6-7 | | | |
| <i>Linaria purpurea</i> 'Canon J. Went' Canon J. Went Purple Toadflax | HP | 0.83 | G4 | 3-5 | 6-7 | | | |
| <i>Linaria supina</i> No Common Name Found | HP | 1.00 | G4 | 5-8 | 9 | | | |
| <i>Linaria vulgaris</i> Butter and Eggs | HP | 1.00 | G4 | 3-4 | 5 | | | |
| <i>Lindera benzoin</i> Spicebush | DS | 1.15 | G4 | 3-5 | 6 | | 0.59 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Lindneria grandifolia</i> Angel Tears | HP | 0.76 | G4 | 8-9 | 10-11 | | | |
| <i>Linnaea borealis</i> No Common Name Found | HP | 1.36 | G4 | 3-4 | 5 | | | |
| <i>Linum</i> Flax | HP | 1.00 | G4 | 3-6 | 7 | | | |
| <i>Linum</i> 'Gemmell's Hybrid' Gemmell's Hybrid Flax | HP | 1.00 | G4 | 3-6 | 7 | | | |
| <i>Linum bulgaricum</i> See - <i>Linum tauricum</i> | | | | | | | | |
| <i>Linum flavum</i> Golden Flax | HP | 0.53 | G4 | 5-6 | 7 | | | |
| <i>Linum flavum</i> 'Compactum' Compact Golden Flax | HP | 0.65 | G4 | 5-6 | 7 | | | |
| <i>Linum grandiflorum</i> Flowering Flax | AN | 1.00 | G4 | 5-8 | 9 | | | |
| <i>Linum kingii</i> var. <i>sedoides</i> No Common Name Found | HP | 1.00 | G4 | 3-4 | 5 | | | |
| <i>Linum lewisii</i> See - <i>Linum perenne</i> ssp. <i>lewisii</i> | | | | | | | | |
| <i>Linum narbonense</i> Narbonne Flax | HP | 0.86 | G4 | 5-6 | 7 | | | |
| <i>Linum perenne</i> Perennial Flax | HP | 0.79 | G4 | 5-6 | 7-8 | | | |
| <i>Linum perenne</i> 'Alba' White Perennial Flax | HP | 0.89 | G4 | 5-6 | 7-8 | | | |
| <i>Linum perenne</i> 'Diamant White' Diamant White Perennial Flax | HP | 0.71 | G4 | 5-6 | 7-8 | | | |
| <i>Linum perenne</i> 'Saphyr' Saphyr Perennial Flax | HP | 0.85 | G4 | 5-6 | 7-8 | | | |
| <i>Linum perenne</i> ssp. <i>lewisii</i> Prairie Flax | HP | 0.74 | G4 | 5-6 | 7-8 | | | |
| <i>Linum suffruticosum</i> ssp. <i>salsoloides</i> Russian Thistle Flax | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Linum suffruticosum</i> ssp. <i>salsoloides</i> 'Nanum' Dwarf Russian Thistle Flax | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Linum tauricum</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Lippia graveolens</i> Mexican Oregano | HP | 1.00 | G4 | 8-10 | 11 | | | |
| <i>Liquidambar formosana</i> Formosan Gum | DT | 0.65 | G2 | 6-7 | 8-9B | 1.00 | 1.00 | 7 |
| <i>Liquidambar orientalis</i> Oriental Sweetgum | DT | 0.79 | G2 | 6-7 | 8-9B | 1.00 | 1.00 | 7 |
| <i>Liquidambar styraciflua</i> American Sweetgum | DT | 0.81 | G2 | 6 | 7-9B | 0.84 | 0.82 | 5 |
| <i>Liquidambar styraciflua</i> 'Aurora' Aurora American Sweetgum | DT | 1.37 | G2 | 4-5 | 6-9B | 1.07 | 0.73 | 5 |
| <i>Liquidambar styraciflua</i> 'Burgundy' Burgundy™ American Sweetgum | DT | 1.03 | G2 | 6 | 7-9B | 1.07 | 0.73 | 5 |
| <i>Liquidambar styraciflua</i> 'Cherokee' See - <i>Liquidambar styraciflua</i> 'Ward' P.P. 10027 | | | | | | | | |
| <i>Liquidambar styraciflua</i> 'Clydesform' P.P. 10676 Emerald Sentinel™ American Sweetgum | DT | 1.14 | G2 | 6 | 7-9B | 1.07 | 0.73 | 5 |
| <i>Liquidambar styraciflua</i> 'Emerald Sentinel' See - <i>Liquidambar styraciflua</i> 'Clydesform' P.P. 10676 | | | | | | | | |
| <i>Liquidambar styraciflua</i> 'Festival' Festival American Sweetgum | DT | 1.06 | G2 | 6 | 7-9B | 1.07 | 0.73 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Liquidambar styraciflua</i> 'Goduzam' Gold Dust® American Sweetgum | DT | 1.11 | G2 | 6 | 7-9B | 1.25 | 0.73 | 5 |
| <i>Liquidambar styraciflua</i> 'Gold Dust' See - <i>Liquidambar styraciflua</i> 'Goduzam' | | | | | | | | |
| <i>Liquidambar styraciflua</i> 'Grandmaster' See - <i>Liquidambar styraciflua</i> 'Grazam' | | | | | | | | |
| <i>Liquidambar styraciflua</i> 'Grazam' Grandmaster™ American Sweetgum | DT | 1.11 | G2 | 6 | 7-9B | 1.22 | 0.73 | 5 |
| <i>Liquidambar styraciflua</i> 'Gumball' Gumball American Sweetgum | DT | 1.11 | G2 | 4-5 | 6-9B | 1.07 | 0.73 | 5 |
| <i>Liquidambar styraciflua</i> 'Hapdell' Happidaze American Sweetgum | DT | 1.11 | G2 | 6 | 7-9B | 1.07 | 0.73 | 5 |
| <i>Liquidambar styraciflua</i> 'Happidaze' See - <i>Liquidambar styraciflua</i> 'Hapdell' | | | | | | | | |
| <i>Liquidambar styraciflua</i> 'Moraine' P.P. 4601 Moraine American Sweetgum | DT | 1.56 | G2 | 6 | 7-9B | 1.23 | 0.95 | 5 |
| <i>Liquidambar styraciflua</i> 'Palo Alto' Palo Alto American Sweetgum | DT | 1.06 | G2 | 6 | 7-9B | 0.74 | 0.33 | 5 |
| <i>Liquidambar styraciflua</i> 'Rotundiloba' Rotundiloba Fruitless American Sweetgum | DT | 1.04 | G2 | 6 | 7-9B | 1.06 | 0.88 | 5 |
| <i>Liquidambar styraciflua</i> 'Ward' P.P. 10027 Cherokee® American Sweetgum | DT | 0.96 | G2 | 6 | 7-9B | 1.08 | 0.73 | 5 |
| <i>Liquidambar styraciflua</i> 'Worplesdon' Worplesdon American Sweetgum | DT | 1.08 | G2 | 6 | 7-9B | 1.13 | 0.66 | 5 |
| <i>Liriodendron tulipifera</i> Tulip Tree | DT | 0.86 | G2 | 6 | 7-9B | 0.82 | 0.70 | 4 |
| <i>Liriodendron tulipifera</i> 'Aureo-marginatum' Majestic Beauty™ Variegated Tulip Tree | DT | 1.57 | G2 | 6 | 7-9B | 1.09 | 0.35 | 4 |
| <i>Liriodendron tulipifera</i> 'Fastigiatum' Arnold Columnar Tulip Tree | DT | 1.06 | G2 | 6 | 7-9B | 1.14 | 1.23 | 4 |
| <i>Liriodendron tulipifera</i> 'Majestic Beauty' See - <i>Liriodendron tulipifera</i> 'Aureo-marginatum' | | | | | | | | |
| <i>Liriope gigantea</i> Giant Lilyturf | GC | 0.74 | G4 | 6-7 | 8-11 | | 1.00 | 5 |
| <i>Liriope gigantea</i> 'Merton Jacobs' P.P. 12068 Supergreen Giant™ Lilyturf | HP | 0.92 | G4 | 6-8 | 9-11 | | | |
| <i>Liriope gigantea</i> 'Supergreen Giant' See - <i>Liriope gigantea</i> 'Merton Jacobs' P.P. 12068 | | | | | | | | |
| <i>Liriope graminifolia</i> No Common Name Found | GC | 1.00 | G4 | 6-7 | 8-11 | | 1.00 | 6 |
| <i>Liriope graminifolia</i> var. <i>densiflora</i> See - <i>Liriope muscari</i> | | | | | | | | |
| <i>Liriope muscari</i> Blue Lilyturf | GC | 0.58 | G4 | 6 | 7-11 | | 0.67 | 6 |
| <i>Liriope muscari</i> 'Aztec' See - <i>Ophiopogon intermedius</i> 'Argenteomarginatus' | | | | | | | | |
| <i>Liriope muscari</i> 'Big Blue' Big Blue Blue Lilyturf | HP | 0.91 | G4 | 6-8 | 9-10B | | | |
| <i>Liriope muscari</i> 'Christmas Tree' Christmas Tree Blue Lilyturf | GC | 0.54 | G4 | 6 | 7-11 | | 0.67 | 6 |
| <i>Liriope muscari</i> 'Evergreen Giant' Evergreen Giant Blue Lilyturf | GC | 0.53 | G4 | 6 | 7-11 | | 0.67 | 6 |
| <i>Liriope muscari</i> 'Gold Banded' Gold Banded Blue Lilyturf | GC | 0.61 | G4 | 6 | 7-11 | | 0.67 | 6 |
| <i>Liriope muscari</i> 'John Burch' John Burch Blue Lilyturf | GC | 0.53 | G4 | 6 | 7-11 | | 0.67 | 6 |
| <i>Liriope muscari</i> 'Lilac Beauty' Lilac Beauty Blue Lilyturf | GC | 1.23 | G4 | 6 | 7-11 | | 0.67 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Liriope muscari</i> 'Majestic' Majestic Blue Lilyturf | GC | 0.69 | G4 | 6 | 7-11 | | 0.67 | 6 |
| <i>Liriope muscari</i> 'Monroe White' Monroe White Blue Lilyturf | GC | 0.77 | G4 | 6 | 7-11 | | 0.67 | 6 |
| <i>Liriope muscari</i> 'Royal Purple' Royal Purple Blue Lilyturf | GC | 0.67 | G4 | 6 | 7-11 | | 0.67 | 6 |
| <i>Liriope muscari</i> 'Samantha' Samantha Blue Lilyturf | GC | 0.66 | G4 | 6-7 | 8-11 | | 0.67 | 6 |
| <i>Liriope muscari</i> 'Silver Midget' Silver Midget Blue Lilyturf | GC | 0.64 | G4 | 6 | 7-11 | | 0.67 | 6 |
| <i>Liriope muscari</i> 'Silvery Sunproof' Silvery Sunproof Blue Lilyturf | GC | 0.80 | G4 | 6 | 7-11 | | 0.67 | 6 |
| <i>Liriope muscari</i> 'Variegata' Variegated Blue Lilyturf | GC | 0.57 | G4 | 6 | 7-11 | | 0.67 | 6 |
| <i>Liriope muscari</i> 'Webster Wideleaf' Webster Wideleaf Blue Lilyturf | GC | 0.44 | G4 | 6 | 7-11 | | 0.67 | 6 |
| <i>Liriope spicata</i> Creeping Lilyturf | GC | 0.64 | G4 | 4-6 | 7-8 | | 1.00 | 4 |
| <i>Liriope spicata</i> 'Franklin Mint' Franklin Mint Creeping Lilyturf | GC | 0.42 | G4 | 5-6 | 7-8 | | 1.00 | 4 |
| <i>Liriope spicata</i> 'Silver Dragon' Silver Dragon Creeping Lilyturf | GC | 0.86 | G4 | 4-6 | 7-8 | | 1.00 | 4 |
| <i>Lisianthus nigrescens</i> Flor de Muerto | BS | 0.53 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Litchi chinensis</i> Lychee | FN | 1.44 | G2 | 9B | 10A-11 | 1.00 | 1.95 | 9 |
| <i>Lithocarpus densiflorus</i> Tanbark Oak | BE | 1.51 | G2 | 6-7 | 8-10A | 1.00 | 1.00 | 7 |
| <i>Lithocarpus edulis</i> Japanese False Oak | BE | 1.45 | G2 | 6-7 | 8-10A | 1.00 | 1.00 | 7 |
| <i>Lithodora diffusa</i> Acidsoil Lithodora | HP | 0.93 | G2 | 6-7 | 8-10A | | | |
| <i>Lithodora diffusa</i> 'Grace Ward' Grace Ward Acidsoil Lithodora | HP | 0.86 | G2 | 6-7 | 8-10A | | | |
| <i>Lithodora diffusa</i> 'Heavenly Blue' Heavenly Blue Acidsoil Lithodora | HP | 0.84 | G2 | 6-7 | 8-10A | | | |
| <i>Lithodora diffusa</i> 'Lithospermum Star' P.P. 10996 Star Acidsoil Lithodora | HP | 1.25 | G2 | 6-7 | 8-10A | | | |
| <i>Lithodora diffusa</i> 'Star' See - <i>Lithodora diffusa</i> 'Lithospermum Star' P.P. 10996 | | | | | | | | |
| <i>Lithospermum diffusum</i> See - <i>Lithodora diffusa</i> | | | | | | | | |
| <i>Lithospermum incisum</i> Gromwell Puccoon | HP | 1.00 | G4 | 2-3 | 4-6 | | | |
| <i>Litsea aestivalis</i> See - <i>Neolitsea sericea</i> | | | | | | | | |
| <i>Livistona australis</i> Gippsland Palm | PC | 0.76 | G1 | 9-10 | 11 | | 1.07 | 10 |
| <i>Livistona chinensis</i> Chinese Fan Palm | PC | 1.09 | G1 | 9-10 | 11 | | 0.78 | 10 |
| <i>Livistona decipiens</i> Weeping Cabbage Palm | PC | 0.94 | G1 | 9 | 10-11 | | 0.72 | 9 |
| <i>Livistona drudei</i> No Common Name Found | PC | 1.00 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Livistona jenkinsiana</i> No Common Name Found | PC | 1.20 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Livistona mariae</i> Central Australian Fan Palm | PC | 1.55 | G1 | 9-10 | 11 | | 0.98 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Livistona muelleri</i> Dwarf Fan Palm | PC | 1.14 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Livistona nitida</i> Carnovan Gorge Palm | PC | 0.94 | G1 | 9B | 10-11 | | 1.00 | 8 |
| <i>Livistona rigida</i> No Common Name Found | PC | 0.69 | G1 | 9-10 | 11 | | 1.15 | 10 |
| <i>Livistona robinsoniana</i> No Common Name Found | PC | 1.44 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Livistona rotundifolia</i> No Common Name Found | PC | 2.22 | G1 | 9-10 | 11 | | 1.23 | 10 |
| <i>Livistona saribus</i> Taraw Palm | PC | 1.52 | G2 | 9B | 10-11 | | 0.78 | 9 |
| <i>Lobelia</i> Lobelia | HP | 1.05 | G4 | 4-6 | 7-10 | | | |
| <i>Lobelia</i> 'Bees' Flame' Bees' Flame Hybrid Lobelia | HP | 1.05 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'Brightness' Brightness Hybrid Lobelia | HP | 0.78 | G4 | 4-6 | 7-10 | | | |
| <i>Lobelia</i> 'Compliment Series' Compliment Series Hybrid Lobelia | HP | 0.76 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'Cranberry Crush' P.P.A.F. Cranberry Crush Hybrid Lobelia | HP | 1.28 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'Crown Royal' Crown Royal Hybrid Lobelia | HP | 1.28 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'Dark Crusader' Dark Crusader Hybrid Lobelia | HP | 0.96 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'Elmfeur' Elmfeur Hybrid Lobelia | HP | 0.86 | G4 | 4-6 | 7-10 | | | |
| <i>Lobelia</i> 'Fan Scarlach' Fan Scarlach Hybrid Lobelia | HP | 0.68 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'Fan Tiefrot' Fan Tiefrot Hybrid Lobelia | HP | 1.03 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'Grape Knee-Hi' Grape Knee-Hi Hybrid Lobelia | HP | 1.29 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'La Fresco' La Fresco Hybrid Lobelia | HP | 1.13 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'Pink Flamingo' Pink Flamingo Hybrid Lobelia | HP | 1.05 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'Queen Victoria' Queen Victoria Hybrid Lobelia | HP | 0.79 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'Rose Beacon' Rose Beacon Hybrid Lobelia | HP | 1.17 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'Ruby Slippers' Ruby Slippers Hybrid Lobelia | HP | 1.13 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'Russian Princess' Russian Princess Hybrid Lobelia | HP | 1.17 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'Springtime Blues Mix' Springtime Blues Mix Hybrid Lobelia | HP | 0.59 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'Tania' Tania Hybrid Lobelia | HP | 1.53 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia</i> 'Wildwood Splendour' Wildwood Splendour Hybrid Lobelia | HP | 1.49 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia cardinalis</i> Cardinal Flower | HP | 0.99 | G4 | 3-4 | 5-9A | | | |
| <i>Lobelia erinus</i> Edging Lobelia | AN | 0.68 | G4 | 6-10 | 11 | | | |
| <i>Lobelia erinus</i> 'Crystal Palace' Crystal Palace Edging Lobelia | HP | 0.59 | G4 | 6-10 | 11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Lobelia erinus</i> 'Moon Series' Moon Series Lobelia | AN | 0.91 | G4 | 6-10 | 11 | | | |
| <i>Lobelia erinus</i> 'Riviera Series' Riviera Series Lobelia | AN | 0.56 | G4 | 6-10 | 11 | | | |
| <i>Lobelia fulgens</i> See - <i>Lobelia splendens</i> | | | | | | | | |
| <i>Lobelia xgerardii</i> Purple Hybrid Lobelia | HP | 0.60 | G4 | 6-7 | 8-9 | | | |
| <i>Lobelia xgerardii</i> 'Vedrariensis' Vedrariensis Purple Hybrid Lobelia | HP | 1.00 | G4 | 5-7 | 8-9 | | | |
| <i>Lobelia inflata</i> Indian Tobacco | HP | 1.00 | G4 | 5-6 | 7 | | | |
| <i>Lobelia laxiflora</i> No Common Name Found | HP | 0.86 | G4 | 5-9 | 10-11 | | | |
| <i>Lobelia siphilitica</i> Big Blue Lobelia | HP | 0.87 | G4 | 3-5 | 6-9A | | | |
| <i>Lobelia siphilitica</i> 'Alba' White Big Blue Lobelia | HP | 0.70 | G4 | 3-5 | 6-9A | | | |
| <i>Lobelia siphilitica</i> 'Blue Select' Blue Select Big Blue Lobelia | HP | 0.79 | G4 | 3-5 | 6-9A | | | |
| <i>Lobelia x speciosa</i> Hybrid Lobelia | HP | 0.49 | G4 | 3-4 | 5-7 | | | |
| <i>Lobelia splendens</i> Mexican Lobelia | HP | 0.83 | G4 | 4-8 | 9-10 | | | |
| <i>Lobelia tupa</i> Blood Lobelia | HP | 0.92 | G4 | 4-8 | 9-10 | | | |
| <i>Lobivia densispina</i> See - <i>Echinopsis kuehnrichii</i> | | | | | | | | |
| <i>Lobularia maritima</i> Sweet Alyssum | AN | 0.75 | G4 | 4-7 | 8-9A | | | |
| <i>Lobularia maritima</i> 'Carpet of Snow' Carpet of Snow Alyssum | AN | 0.78 | G4 | 4-7 | 8-9A | | | |
| <i>Lobularia maritima</i> 'Easter Bonnet Series' Easter Bonnet Series Alyssum | AN | 0.56 | G4 | 4-7 | 8-9A | | | |
| <i>Lobularia maritima</i> 'Snow Crystals' Snow Crystals Alyssum | AN | 0.51 | G4 | 4-7 | 8-9A | | | |
| <i>Lobularia maritima</i> 'Snowdrift' Snowdrift Alyssum | AN | 0.62 | G4 | 4-7 | 8-9A | | | |
| <i>Lobularia maritima</i> 'Snowstorm' Snowstorm Alyssum | AN | 0.56 | G4 | 4-7 | 8-9A | | | |
| <i>Lobularia maritima</i> 'Wonderland Series' Wonderland Series Alyssum | AN | 0.56 | G4 | 4-7 | 8-9A | | | |
| <i>Lonchocarpus punctatus</i> Florida Lilac | BE | 0.93 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Lonchocarpus violaceus</i> Lancepod Tree | BE | 0.94 | G1 | 10 | 11 | 1.00 | 0.74 | 10 |
| <i>Lonicera</i> Honeysuckle | DS | 1.21 | G2 | 5-7 | 8-10 | | 1.00 | 3 |
| <i>Lonicera</i> 'Honey Baby' See - <i>Lonicera</i> 'Novso' P.P.A.F. | | | | | | | | |
| <i>Lonicera</i> 'Honeyrose' Honeyrose Honeysuckle | GC | 0.95 | G2 | 5-7 | 8-10 | | 0.88 | 3 |
| <i>Lonicera</i> 'Mandarin' P.P. 11083 Mandarin Honeysuckle | GC | 1.24 | G2 | 5-7 | 8-10 | | 0.88 | 3 |
| <i>Lonicera</i> 'Novso' P.P.A.F. Honey Baby Hybrid Honeysuckle | DS | 1.21 | G2 | 3-4 | 5-10 | | 1.00 | 4 |
| <i>Lonicera albiflora</i> White Honeysuckle | GC | 0.74 | G2 | 5-7 | 8-10 | | 0.41 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Lonicera x americana</i> American Honeysuckle | DS | 0.90 | G2 | 5-6 | 7-10 | | 1.00 | 6 |
| <i>Lonicera x americana</i> 'Pam's Pink' Pam's Pink American Honeysuckle | DS | 0.90 | G2 | 5-6 | 7-10 | | 1.00 | 6 |
| <i>Lonicera x brownii</i> Brown's Honeysuckle | DS | 1.26 | G2 | 5-6 | 7 | | 1.00 | 4 |
| <i>Lonicera x brownii</i> 'Dropmore Scarlet' Dropmore Scarlet Honeysuckle | DS | 1.08 | G2 | 5-6 | 7 | | 1.00 | 4 |
| <i>Lonicera x brownii</i> 'Hummingbird's Gold' See - <i>Lonicera x brownii</i> 'Kristin's Gold' P.P. 12836 | | | | | | | | |
| <i>Lonicera x brownii</i> 'Kristin's Gold' P.P. 12836 Hummingbird's Gold™ Brown's Honeysuckle | DS | 1.67 | G2 | 5-6 | 7 | | 1.00 | 4 |
| <i>Lonicera caerulea</i> Sweetberry Honeysuckle | DS | 1.00 | G2 | 5-7 | 8-10 | | 1.00 | 2 |
| <i>Lonicera caerulea</i> var. <i>edulis</i> No Common Name Found | DS | 1.00 | G2 | 5-7 | 8-10 | | 1.00 | 2 |
| <i>Lonicera fragrantissima</i> Winter Honeysuckle | BS | 0.79 | G2 | 5-6 | 7 | | 0.33 | 4 |
| <i>Lonicera x heckrottii</i> Goldflame Honeysuckle | DS | 0.97 | G2 | 5-6 | 7 | | 0.83 | 5 |
| <i>Lonicera x heckrottii</i> 'Crimson Tide' Crimson Tide Goldflame Honeysuckle | DS | 0.73 | G2 | 5-6 | 7 | | 0.83 | 5 |
| <i>Lonicera x heckrottii</i> 'Pink Lemonade' Pink Lemonade™ Goldflame Honeysuckle | DS | 1.31 | G2 | 5-6 | 7 | | 0.83 | 5 |
| <i>Lonicera henryi</i> Henry Honeysuckle | BS | 1.00 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Lonicera hildebrandiana</i> Giant Honeysuckle | BS | 1.28 | G2 | 5-7 | 8-10 | | 1.00 | 6 |
| <i>Lonicera hispidula</i> Hairy Honeysuckle | DS | 1.17 | G2 | 5-7 | 8-10 | | 1.00 | 6 |
| <i>Lonicera involucrata</i> Twinberry | DS | 0.78 | G2 | 5-7 | 8-10 | | 1.00 | 4 |
| <i>Lonicera japonica</i> Japanese Honeysuckle | BS | 0.80 | G2 | 4-5 | 6-8 | | 0.53 | 4 |
| <i>Lonicera japonica</i> 'Aureo-reticulata' Yellownet Japanese Honeysuckle | BS | 1.14 | G2 | 4-5 | 6-8 | | 0.53 | 4 |
| <i>Lonicera japonica</i> 'Halliana' Hall's Japanese Honeysuckle | BS | 0.84 | G2 | 4-5 | 6-10B | | 0.53 | 4 |
| <i>Lonicera japonica</i> 'Hinlon' P.P. 10317 Honeydew® Japanese Honeysuckle | GC | 1.51 | G2 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Lonicera japonica</i> 'Honeydew' See - <i>Lonicera japonica</i> 'Hinlon' P.P. 10317 | | | | | | | | |
| <i>Lonicera japonica</i> 'Purpurea' Hall's Purple Japanese Honeysuckle | BS | 0.92 | G2 | 4-5 | 6-10B | | 0.53 | 4 |
| <i>Lonicera korolkowii</i> Blueleaf Honeysuckle | DS | 1.00 | G2 | 5-6 | 7 | | 0.94 | 5 |
| <i>Lonicera korolkowii</i> 'Freedom' Freedom Blueleaf Honeysuckle | DS | 0.80 | G2 | 5-6 | 7 | | 0.94 | 5 |
| <i>Lonicera korolkowii</i> var. <i>zabelii</i> See - <i>Lonicera tatarica</i> 'Zabelii' | | | | | | | | |
| <i>Lonicera maackii</i> Amur Honeysuckle | DS | 0.77 | G2 | 3-5 | 6-7 | | 0.56 | 2 |
| <i>Lonicera maackii</i> 'Rem Red' Rem Red Amur Honeysuckle | DS | 0.77 | G2 | 3-5 | 6-7 | | 0.56 | 2 |
| <i>Lonicera maackii</i> var. <i>podocarpa</i> No Common Name Found | DS | 1.00 | G2 | 3-5 | 6-7 | | 1.00 | 2 |
| <i>Lonicera maximowiczii</i> No Common Name Found | DS | 1.00 | G2 | 4-5 | 6-7 | | 1.00 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Lonicera maximowiczii</i> var. <i>sachalinensis</i> Sakhalin Honeysuckle | DS | 1.08 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Lonicera morrowii</i> Morrow Honeysuckle | DS | 1.00 | G2 | 3-5 | 6-7 | | 1.00 | 3 |
| <i>Lonicera morrowii</i> 'Xanthocarpa' Yellowfruit Morrow Honeysuckle | DS | 1.00 | G2 | 3-5 | 6-7 | | 1.00 | 3 |
| <i>Lonicera nitida</i> Boxleaf Honeysuckle | BS | 1.08 | G2 | 7 | 8 | | 1.00 | 6 |
| <i>Lonicera nitida</i> 'Gold Coast' Gold Coast Boxleaf Honeysuckle | BS | 0.88 | G2 | 7 | 8 | | 1.00 | 6 |
| <i>Lonicera nitida</i> 'Silver Beauty' Silver Beauty Boxleaf Honeysuckle | BS | 0.68 | G2 | 7 | 8 | | 1.00 | 6 |
| <i>Lonicera periclymenum</i> Woodbine Honeysuckle | GC | 1.53 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Lonicera periclymenum</i> 'Berries Jubilee' See - <i>Lonicera periclymenum</i> 'Monul' | | | | | | | | |
| <i>Lonicera periclymenum</i> 'Graham Thomas' Graham Thomas Woodbine Honeysuckle | GC | 1.10 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Lonicera periclymenum</i> 'Harlequin' Harlequin Woodbine Honeysuckle | GC | 1.32 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Lonicera periclymenum</i> 'Monul' Berries Jubilee™ Woodbine Honeysuckle | GC | 1.36 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Lonicera periclymenum</i> 'Serotina Florida' Serotina Florida Woodbine Honeysuckle | GC | 1.20 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Lonicera periclymenum</i> 'Serotina' Serotina Woodbine Honeysuckle | GC | 1.39 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Lonicera periclymenum</i> 'Winchester' Winchester Woodbine Honeysuckle | GC | 1.43 | G2 | 3-4 | 5-10 | | 1.00 | 4 |
| <i>Lonicera pileata</i> Privet Honeysuckle | BS | 0.94 | G2 | 4-5 | 6-7 | | 0.59 | 5 |
| <i>Lonicera pileata</i> 'Moss Green' Moss Green Privet Honeysuckle | GC | 1.32 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Lonicera pileata</i> 'Royal Carpet' Royal Carpet Privet Honeysuckle | GC | 0.72 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Lonicera prolifera</i> Grape Honeysuckle | DS | 0.97 | G2 | 4-5 | 6-10 | | 1.00 | 5 |
| <i>Lonicera sempervirens</i> Trumpet Honeysuckle | GC | 0.67 | G2 | 2-3 | 4-10 | | 1.00 | 3 |
| <i>Lonicera sempervirens</i> 'Blanche Sandman' Blanche Sandman Trumpet Honeysuckle | GC | 1.13 | G2 | 2-3 | 4-10 | | 1.00 | 3 |
| <i>Lonicera sempervirens</i> 'John Clayton' John Clayton Trumpet Honeysuckle | GC | 1.12 | G2 | 2-3 | 4-10 | | 1.00 | 3 |
| <i>Lonicera sempervirens</i> 'Leo' Leo Trumpet Honeysuckle | GC | 0.80 | G2 | 2-3 | 4-10 | | 1.00 | 3 |
| <i>Lonicera sempervirens</i> 'Magnifica' Magnifica Trumpet Honeysuckle | GC | 1.32 | G2 | 2-3 | 4-10 | | 1.00 | 3 |
| <i>Lonicera sempervirens</i> 'Ms. Emily' Ms. Emily Trumpet Honeysuckle | GC | 0.77 | G2 | 2-3 | 4-10 | | 1.00 | 3 |
| <i>Lonicera sempervirens</i> 'Sulphurea' Yellow Trumpet Honeysuckle | GC | 0.85 | G2 | 2-3 | 4-10 | | 1.00 | 3 |
| <i>Lonicera sempervirens</i> 'Superba' Superba Trumpet Honeysuckle | GC | 0.95 | G2 | 2-3 | 4-10 | | 1.00 | 3 |
| <i>Lonicera syringantha</i> Lilac Honeysuckle | DS | 1.16 | G2 | 4-5 | 6-9A | | 1.00 | 4 |
| <i>Lonicera syringantha</i> var. <i>wolffi</i> Wolf's Lilac Honeysuckle | DS | 0.78 | G2 | 4-5 | 6-9A | | 1.00 | 4 |
| <i>Lonicera tatarica</i> Tatarian Honeysuckle | DS | 1.00 | G2 | 2-3 | 4-7 | | 0.85 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Lonicera tatarica</i> 'Alba' White Tatarian Honeysuckle | DS | 0.85 | G2 | 2-3 | 4-7 | | 0.62 | 3 |
| <i>Lonicera tatarica</i> 'Arnold Red' Arnold Red Tatarian Honeysuckle | DS | 1.00 | G2 | 2-3 | 4-7 | | 0.75 | 3 |
| <i>Lonicera tatarica</i> 'Beavermor' Beavermor Tatarian Honeysuckle | DS | 0.85 | G2 | 2-3 | 4-7 | | 0.70 | 3 |
| <i>Lonicera tatarica</i> 'Grandiflora' Grandiflora Tatarian Honeysuckle | DS | 0.85 | G2 | 2-3 | 4-7 | | 0.70 | 3 |
| <i>Lonicera tatarica</i> 'Hack's Red' Hack's Red Tatarian Honeysuckle | DS | 0.85 | G2 | 2-3 | 4-7 | | 0.70 | 3 |
| <i>Lonicera tatarica</i> 'LeRoyana' LeRoyana Tatarian Honeysuckle | DS | 0.85 | G2 | 2-3 | 4-7 | | 0.70 | 3 |
| <i>Lonicera tatarica</i> 'Lutea' Yellow Tatarian Honeysuckle | DS | 0.85 | G2 | 2-3 | 4-7 | | 0.70 | 3 |
| <i>Lonicera tatarica</i> 'Morden Orange' Morden Orange Tatarian Honeysuckle | DS | 0.85 | G2 | 2-3 | 4-7 | | 0.70 | 3 |
| <i>Lonicera tatarica</i> 'Nana' Dwarf Tatarian Honeysuckle | DS | 0.85 | G2 | 2-3 | 4-7 | | 0.90 | 3 |
| <i>Lonicera tatarica</i> 'Rosea' Rosy Tatarian Honeysuckle | DS | 0.60 | G2 | 2-3 | 4-7 | | 0.53 | 3 |
| <i>Lonicera tatarica</i> 'Sibirica' Rubra Honeysuckle | DS | 0.85 | G2 | 2-3 | 4-7 | | 0.70 | 3 |
| <i>Lonicera tatarica</i> 'Valencia' Valencia Tatarian Honeysuckle | DS | 0.85 | G2 | 2-3 | 4-7 | | 0.70 | 3 |
| <i>Lonicera tatarica</i> 'Virginialis' Virginal Tatarian Honeysuckle | DS | 0.85 | G2 | 2-3 | 4-7 | | 0.70 | 3 |
| <i>Lonicera tatarica</i> 'Zabelii' Zabel Tatarian Honeysuckle | DS | 0.79 | G2 | 2-3 | 4-7 | | 0.56 | 3 |
| <i>Lonicera x tellmanniana</i> Tellman Honeysuckle | DS | 1.14 | G2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Lonicera utahensis</i> Utah Honeysuckle | DS | 0.85 | G2 | 5-7 | 8-10 | | 1.00 | 4 |
| <i>Lonicera x xylosteoides</i> Vienna Honeysuckle | DS | 0.96 | G2 | 5-7 | 8-10 | | 0.87 | 4 |
| <i>Lonicera x xylosteoides</i> 'Clavey's Dwarf' Clavey's Dwarf Honeysuckle | DS | 0.87 | G2 | 4-5 | 6-7 | | 0.69 | 4 |
| <i>Lonicera x xylosteoides</i> 'Compacta' Emerald Mound Honeysuckle | DS | 1.00 | G2 | 4-5 | 6-7 | | 1.11 | 4 |
| <i>Lonicera x xylosteoides</i> 'Hedge King' Hedge King Honeysuckle | DS | 0.96 | G2 | 4-5 | 6-7 | | 0.82 | 4 |
| <i>Lonicera x xylosteoides</i> 'Miniglobe' Miniglobe Honeysuckle | DS | 1.01 | G2 | 4-5 | 6-7 | | 0.87 | 4 |
| <i>Lonicera xylosteum</i> European Fly Honeysuckle | DS | 1.00 | G2 | 4-5 | 6-7 | | 1.00 | 3 |
| <i>Lophomyrtus x ralphii</i> No Common Name Found | BS | 0.73 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Lophospermum</i> Lophospermum | GC | 1.36 | G4 | 9 | 10-11 | | 1.00 | 9 |
| <i>Lophospermum</i> 'Magic Dragon' P.P.A.F. Magic Dragon Creeping Gloxinia | GC | 1.36 | G4 | 9 | 10-11 | | 1.00 | 9 |
| <i>Lophospermum barclayana</i> No Common Name Found | GC | 0.73 | G4 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Lophospermum erubescens</i> Creeping Gloxinia | GC | 0.78 | G4 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Loropetalum chinense</i> Fringe Flower | BS | 0.77 | G2 | 7-8 | 9-10A | | 1.53 | 8 |
| <i>Loropetalum chinense</i> 'Alba' White Fringe Flower | BS | 0.87 | G2 | 6-8 | 9-10A | | 1.53 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Loropetalum chinense</i> 'Blush' | | | | | | | | |
| See - <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Monraz' | | | | | | | | |
| <i>Loropetalum chinense</i> 'Leather & Lace' Leather & Lace Fringe Flower | BS | 0.75 | G2 | 8 | 9-10A | | 1.53 | 8 |
| <i>Loropetalum chinense</i> 'Snow Muffin' Snow Muffin Fringe Flower | BS | 1.62 | G2 | 8 | 9-10A | | 1.53 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> Red-leaved Fringe Flower | BS | 0.76 | G2 | 7-9 | 10 | | 1.05 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Bicolor' Bicolor Red-leaved Fringe Flower | BS | 1.03 | G2 | 8 | 9-10A | | 1.05 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Burgundy' Burgundy Red-leaved Fringe Flower | BS | 0.88 | G2 | 7-8 | 9-10A | | 1.02 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Daybreak's Flame' Daybreak's Flame Red-leaved Fringe Flower | BS | 1.68 | G2 | 5-8 | 9-10 | | 1.05 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Fire Dance' Fire Dance™ Red-leaved Fringe Flower | BS | 1.08 | G2 | 8 | 9-10A | | 1.05 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Monraz' Razzleberri™ Red-leaved Fringe Flower | BS | 0.99 | G2 | 8 | 9-10A | | 1.05 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Plum Delight' Plum Delight™ Red-leaved Fringe Flower | BS | 1.12 | G2 | 8 | 9-10A | | 1.05 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Purple Majesty' Purple Majesty Red-leaved Fringe Flower | BS | 0.81 | G2 | 8 | 9-10A | | 1.05 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Razzleberri' | | | | | | | | |
| See - <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Monraz' | | | | | | | | |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Ruby' Ruby Red-leaved Fringe Flower | BS | 0.78 | G2 | 8 | 9-10A | | 1.01 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Sizzling Pink' Sizzling Pink Red-leaved Fringe Flower | BS | 1.43 | G2 | 8 | 9-10A | | 1.05 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Suzanne' Suzanne Red-leaved Fringe Flower | BS | 0.92 | G2 | 8 | 9-10A | | 1.05 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Zhuzho Fuchsia' Zhuzho Red-leaved Fringe Flower | BS | 0.87 | G2 | 8 | 9-10A | | 1.11 | 8 |
| <i>Lotus berthelotii</i> Parrot's Beak | HP | 0.96 | G4 | 8-9 | 10 | | | |
| <i>Lotus berthelotii</i> 'Amazon Sunset' Amazon Sunset Parrot's Beak | HP | 0.89 | G4 | 8-9 | 10 | | | |
| <i>Lotus corniculatus</i> Bird's-foot Trefoil | HP | 0.19 | G4 | 5-6 | 7-8 | | | |
| <i>Lotus maculatus</i> Golden Parrot's Beak | HP | 1.00 | G4 | 8-9 | 10 | | | |
| <i>Lotus maculatus</i> 'Gold Flash' Gold Flash Golden Parrot's Beak | HP | 1.00 | G4 | 8-9 | 10 | | | |
| <i>Luculia gratissima</i> Fragrant Luculia | BS | 1.00 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Luculia pinceana</i> No Common Name Found | BS | 0.90 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Ludisia discolor</i> Jewel Orchid | FO | 2.03 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Ludwigia alternifolia</i> Seed Box | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Luffa acutangula</i> Angled Loofah | AN | 1.00 | G4 | 6-9B | 10-11 | | | |
| <i>Luffa cylindrica</i> Loofah | AN | 1.00 | G4 | 6-9B | 10-11 | | | |
| <i>Luma apiculata</i> Arrayan | BE | 0.75 | G2 | 8-9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Lunaria annua</i> Money Plant | AN | 1.57 | G4 | 6-8 | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Lunaria annua</i> 'Purple Giant' Purple Giant Money Plant | AN | 1.57 | G4 | 6-8 | | | | |
| <i>Lunaria biennis</i> See - <i>Lunaria annua</i> | | | | | | | | |
| <i>Lupinus</i> Hybrid Lupine | HP | 0.93 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus</i> 'Chandelier' Chandelier Hybrid Lupine | HP | 0.97 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus</i> 'Gallery Blue' Gallery Blue Hybrid Lupine | HP | 0.94 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus</i> 'Gallery Hybrids' Gallery Hybrids Lupine | HP | 0.73 | G4 | 4-5 | 6-8 | | | |
| <i>Lupinus</i> 'Gallery Pink' Gallery Pink Hybrid Lupine | HP | 0.79 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus</i> 'Gallery Red' Gallery Red Hybrid Lupine | HP | 0.79 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus</i> 'Gallery White' Gallery White Hybrid Lupine | HP | 0.81 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus</i> 'Gallery Yellow' Gallery Yellow Hybrid Lupine | HP | 0.81 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus</i> 'Minarette' Minarette Hybrid Lupine | HP | 0.88 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus</i> 'Mon Chateau' Mon Chateau Hybrid Lupine | HP | 0.93 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus</i> 'Mrs. Rudolph' Mrs. Rudolph Hybrid Lupine | HP | 0.93 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus</i> 'My Castle' My Castle Hybrid Lupine | HP | 1.10 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus</i> 'Noble Maiden' Noble Maiden Hybrid Lupine | HP | 0.97 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus</i> 'Popsicle Series' Popsicle Series Hybrid Lupine | HP | 1.12 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus</i> 'The Chatelaine' The Chatelaine Hybrid Lupine | HP | 1.10 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus</i> 'The Governor' The Governor Hybrid Lupine | HP | 1.09 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus</i> 'The Pages' The Pages Hybrid Lupine | HP | 1.06 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus albifrons</i> No Common Name Found | BS | 0.93 | G4 | 4-8 | 9-10 | | 1.00 | 8 |
| <i>Lupinus arboreus</i> Tree Lupine | BS | 0.92 | G4 | 4-8 | 9-10 | | 1.00 | 8 |
| <i>Lupinus argenteus</i> Silvery Lupine | HP | 0.92 | G4 | 3-4 | 5-7 | | | |
| <i>Lupinus chamissonis</i> Silver Dune Lupine | BS | 1.22 | G4 | 4-8 | 9-10 | | 1.00 | 8 |
| <i>Lupinus excubitus</i> Interior Bush Lupine | BS | 1.63 | G4 | 4-8 | 9-10 | | 1.00 | 8 |
| <i>Lupinus perennis</i> Sundial Lupine | HP | 1.30 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus polyphyllus</i> Washington Lupine | HP | 1.18 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus polyphyllus</i> 'Russell Blue Hybrid' Russell Blue Hybrid Lupine | HP | 0.93 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus polyphyllus</i> 'Russell Hybrid' Russell Hybrid Lupine | HP | 1.03 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus polyphyllus</i> 'Russell Pink Hybrid' Russell Pink Hybrid Lupine | HP | 0.93 | G4 | 4-5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Lupinus polyphyllus</i> 'Russell Red Hybrid' Russell Red Hybrid Lupine | HP | 0.91 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus polyphyllus</i> 'Russell Yellow Hybrid' Russell Yellow Hybrid Lupine | HP | 0.90 | G4 | 4-5 | 6-7 | | | |
| <i>Lupinus texensis</i> Texas Bluebonnet | AN | 1.02 | G4 | 6-7 | 8-10 | | | |
| <i>Lupinus texensis</i> 'Texas Maroon' Texas Maroon Bluebonnet | HP | 0.83 | G4 | 4-7 | 8-9 | | | |
| <i>Luzula</i> Woodrush | HP | 1.25 | G4 | 6-7 | 8 | | | |
| <i>Luzula</i> 'Ruby Stiletto' Ruby Stiletto Woodrush | HP | 1.25 | G4 | 6-7 | 8 | | | |
| <i>Luzula alpinopilosa</i> Ear-like Woodrush | HP | 1.00 | G4 | 6-7 | 8 | | | |
| <i>Luzula maxima</i> See - <i>Luzula sylvatica</i> | | | | | | | | |
| <i>Luzula nivea</i> Snowy Woodrush | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Luzula sylvatica</i> Greater Woodrush | HP | 1.19 | G4 | 6-7 | 8 | | | |
| <i>Luzula sylvatica</i> 'High Tatra' High Tatra Greater Woodrush | HP | 0.70 | G4 | 5-6 | 7-8 | | | |
| <i>Luzula sylvatica</i> 'Marginata' Marginata Greater Woodrush | HP | 1.06 | G4 | 6-7 | 8 | | | |
| <i>Lychnis alpina</i> Alpine Champion | HP | 0.60 | G4 | 3-4 | 5-7 | | | |
| <i>Lychnis x arkwrightii</i> Arkwright's Champion | HP | 0.85 | G4 | 3-5 | 6-7 | | | |
| <i>Lychnis x arkwrightii</i> 'Orange Gnome' Orange Gnome Arkwright's Champion | HP | 1.12 | G4 | 3-5 | 6-7 | | | |
| <i>Lychnis x arkwrightii</i> 'Vesuvius' Vesuvius Arkwright's Champion | HP | 0.57 | G4 | 3-5 | 6-7 | | | |
| <i>Lychnis chalcedonica</i> Maltese Cross | HP | 1.03 | G4 | 3-4 | 5-7 | | | |
| <i>Lychnis coronaria</i> Rose Champion | HP | 0.76 | G4 | 6-7 | 8 | | | |
| <i>Lychnis coronaria</i> 'Alba' White Rose Champion | HP | 1.13 | G4 | 6-7 | 8 | | | |
| <i>Lychnis coronaria</i> 'Angel Blush' Angel Blush Rose Champion | HP | 0.89 | G4 | 6-7 | 8 | | | |
| <i>Lychnis coronaria</i> 'Blood Red' Blood Red Rose Champion | HP | 0.94 | G4 | 6-7 | 8 | | | |
| <i>Lychnis coronaria</i> 'Gardener's World' Gardener's World Rose Champion | HP | 0.98 | G4 | 3-5 | 6-7 | | | |
| <i>Lychnis coronaria</i> 'Oculata' Oculata Rose Champion | HP | 0.94 | G4 | 6-7 | 8 | | | |
| <i>Lychnis flos-cuculi</i> Ragged Robin | HP | 0.77 | G4 | 6-7 | 8 | | | |
| <i>Lychnis flos-cuculi</i> 'Jenny' P.P. 14139 Jenny Ragged Robin | HP | 1.08 | G4 | 5-6 | 7-8 | | | |
| <i>Lychnis flos-jovis</i> Flower of Jove | HP | 1.00 | G4 | 6-7 | 8 | | | |
| <i>Lychnis flos-jovis</i> 'Nana' Dwarf Flower of Jove | HP | 1.00 | G4 | 6-7 | 8 | | | |
| <i>Lychnis x haageana</i> Haage's Champion | HP | 0.63 | G4 | 6-7 | 8 | | | |
| <i>Lychnis miqueliana</i> Fushigorosen-so | HP | 1.00 | G4 | 6-7 | 8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Lychnis viscaria</i> German Catchfly | HP | 0.41 | G4 | 4-5 | 6-7 | | | |
| <i>Lychnis viscaria</i> 'Alba' White German Catchfly | HP | 0.69 | G4 | 4-5 | 6-7 | | | |
| <i>Lychnis viscaria</i> 'Fever' Fever German Catchfly | HP | 0.78 | G4 | 4-5 | 6-7 | | | |
| <i>Lychnis viscaria</i> 'Firebird' Firebird German Catchfly | HP | 0.85 | G4 | 4-5 | 6-7 | | | |
| <i>Lychnis viscaria</i> 'Splendens' Splendens German Catchfly | HP | 0.69 | G4 | 4-5 | 6-7 | | | |
| <i>Lychnis viscaria</i> 'Thurnau' Thurnau German Catchfly | HP | 0.70 | G4 | 3-4 | 5-7 | | | |
| <i>Lycianthes rantonnetii</i> See - <i>Solanum rantonnetii</i> | | | | | | | | |
| <i>Lycopersicon esculentum</i> Tomato | AN | 1.00 | G4 | 6-10 | 11 | | | |
| <i>Lycopersicon esculentum</i> 'Heartland' Heartland Tomato | AN | 1.00 | G4 | 6-10 | 11 | | | |
| <i>Lycopersicon lycopersicum</i> See - <i>Lycopersicon esculentum</i> | | | | | | | | |
| <i>Lygodium japonicum</i> Japanese Climbing Fern | FO | 0.69 | G3 | 7-10 | 11 | | 1.00 | 10 |
| <i>Lyonia ferruginea</i> Rusty Lyonia | BS | 0.68 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Lyonia lucida</i> Fetter Bush | BS | 0.71 | G2 | 7-8 | 9-10A | | 0.74 | 5 |
| <i>Lyonia mariana</i> Stagger Bush | BS | 1.00 | G2 | 7-8 | 9-10A | | 1.00 | 5 |
| <i>Lyonothamnus floribundus</i> Catalina Ironwood | BE | 0.92 | G2 | 7-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Lyonothamnus floribundus</i> ssp. <i>asplenifolius</i> Fernleaf Catalina Ironwood | BE | 1.05 | G2 | 7-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Lysichiton americanus</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-10 | | | |
| <i>Lysiloma bahamensis</i> See - <i>Lysiloma latisiliqua</i> | | | | | | | | |
| <i>Lysiloma latisiliqua</i> Wild Tamarind | BE | 0.71 | G1 | 10A | 10B-11 | 1.00 | 0.68 | 9 |
| <i>Lysiloma microphylla</i> var. <i>thornberi</i> Feather Bush | BS | 1.03 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Lysiloma sabicu</i> Sabicu | BE | 0.85 | G1 | 10 | 11 | 1.00 | 0.65 | 10 |
| <i>Lysimachia atropurpurea</i> Purple Gooseneck Loosestrife | HP | 0.90 | G4 | 5-6 | 7-8 | | | |
| <i>Lysimachia ciliata</i> Fringed Loosestrife | HP | 0.86 | G4 | 4-5 | 6-7 | | | |
| <i>Lysimachia ciliata</i> 'Firecracker' Firecracker Fringed Loosestrife | HP | 0.94 | G4 | 4-5 | 6-7 | | | |
| <i>Lysimachia ciliata</i> 'Purpurea' Purple Fringed Loosestrife | HP | 0.91 | G4 | 4-5 | 6-7 | | | |
| <i>Lysimachia clethroides</i> Gooseneck Loosestrife | HP | 0.96 | G4 | 4-5 | 6-8 | | | |
| <i>Lysimachia congestiflora</i> Dense-flowered Loosestrife | HP | 0.99 | G4 | 5-6 | 7-10B | | | |
| <i>Lysimachia congestiflora</i> 'Eco Dark Satin' Eco Dark Satin Dense-flowered Loosestrife | HP | 0.81 | G4 | 5-6 | 7-8 | | | |
| <i>Lysimachia congestiflora</i> 'Outback Sunset' Outback Sunset™ Dense-flowered Loosestrife | HP | 0.70 | G4 | 5-6 | 7-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Lysimachia ephemerum</i> No Common Name Found | HP | 0.48 | G4 | 5-7 | 8-9 | | | |
| <i>Lysimachia fortunei</i> Autumn Snow | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Lysimachia japonica</i> var. <i>minutissima</i> No Common Name Found | HP | 0.91 | G4 | 5-6 | 7-8 | | | |
| <i>Lysimachia nummularia</i> Creeping Jenny | HP | 0.96 | G4 | 4-5 | 6-9A | | | |
| <i>Lysimachia nummularia</i> 'Aurea' Aurea Moneywort | HP | 0.89 | G4 | 4-5 | 6-9A | | | |
| <i>Lysimachia procumbens</i> Golden Globe | HP | 0.74 | G4 | 4-5 | 6-10B | | | |
| <i>Lysimachia punctata</i> Spotted Loosestrife | HP | 1.10 | G4 | 4-5 | 6-8 | | | |
| <i>Lysimachia punctata</i> 'Alexander' P.P. 10598 Alexander Spotted Loosestrife | HP | 1.12 | G4 | 5-6 | 7-8 | | | |
| <i>Lysimachia punctata</i> 'Golden Alexander' See - <i>Lysimachia punctata</i> 'Walgoldalex' P.P. 13547 | | | | | | | | |
| <i>Lysimachia punctata</i> 'Walgoldalex' P.P. 13547 Golden Alexander Spotted Loosestrife | HP | 1.46 | G4 | 5-6 | 7-8 | | | |
| <i>Lysimachia quadriflora</i> Narrow-Leaved Loosestrife | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Lysimachia vulgaris</i> Yellow Loosestrife | HP | 0.72 | G4 | 4-5 | 6-9A | | | |
| <i>Lythrum alatum</i> Winged Loosestrife | HP | 1.38 | G4 | 3-4 | 5-7 | | | |
| <i>Lythrum salicaria</i> Purple Lythrum | HP | 1.12 | G4 | 4-5 | 6-7 | | | |
| <i>Lythrum salicaria</i> 'Robert' Robert Purple Lythrum | HP | 0.72 | G4 | 4-5 | 6-7 | | | |
| <i>Lythrum salicaria</i> 'Roseum Superbum' Roseum Superbum Purple Lythrum | HP | 1.56 | G4 | 4-5 | 6-7 | | | |
| <i>Lythrum salicaria</i> 'Rosy Spires' Rosy Spires Purple Lythrum | HP | 1.07 | G4 | 4-5 | 6-7 | | | |
| <i>Lythrum salicaria</i> 'The Beacon' The Beacon Purple Lythrum | HP | 1.12 | G4 | 4-5 | 6-7 | | | |
| <i>Lythrum salicaria</i> 'Zigeunerblut' Eigeunerblut Purple Lythrum | HP | 1.12 | G4 | 4-5 | 6-7 | | | |
| <i>Lythrum virgatum</i> Purple Loosestrife | HP | 0.99 | G4 | 4-5 | 6-7 | | | |
| <i>Lythrum virgatum</i> 'Dropmore Purple' Dropmore Purple Loosestrife | HP | 0.87 | G4 | 4-5 | 6-7 | | | |
| <i>Lythrum virgatum</i> 'Morden Gleam' Morden Gleam Purple Loosestrife | HP | 0.84 | G4 | 4-5 | 6-7 | | | |
| <i>Lythrum virgatum</i> 'Morden Pink' Morden Pink Purple Loosestrife | HP | 0.85 | G4 | 4-5 | 6-7 | | | |
| <i>Lythrum virgatum</i> 'Purple Spires' Purple Spires Purple Loosestrife | HP | 0.89 | G4 | 4-5 | 6-7 | | | |
| <i>Lytocaryum weddellianum</i> Baby Cocos | PC | 1.00 | G3 | 10 | 11 | | 1.00 | 9 |
| <i>Maackia amurensis</i> Amur Maackia | DS | 1.28 | G2 | 3-4 | 5-7 | | 0.98 | 4 |
| <i>Maackia amurensis</i> 'Starburst' P.P. 10557 Starburst Amur Maackia | DS | 1.28 | G2 | 3-4 | 5-7 | | 0.98 | 4 |
| <i>Macadamia integrifolia</i> Macadamia Nut | FN | 1.45 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Macaranga grandifolia</i> Coral Tree | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Macfadyena unguis-cati</i> Cat's Claw Vine | GC | 0.96 | G4 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Machilus thunbergii</i> Tabu-No-Ki Tree | BE | 1.51 | G4 | 5-8 | 9-11 | 1.00 | 1.00 | 8 |
| <i>Macleaya cordata</i> Plume Poppy | HP | 0.87 | G4 | 4-5 | 6-7 | | | |
| <i>Macleaya microcarpa</i> Small-fruited Plume Poppy | HP | 1.06 | G4 | 5-6 | 7 | | | |
| <i>Macleaya microcarpa</i> 'Kelway's Coral Plume' Kelway's Coral Plume Small-fruited Plume Poppy | HP | 0.99 | G4 | 5-6 | 7 | | | |
| <i>Maclura pomifera</i> Osage-orange | DT | 0.80 | G2 | 4-5 | 6-9 | 1.00 | 1.41 | 5 |
| <i>Macrozamia communis</i> Burrawong | PC | 0.93 | G1 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Macrozamia moorei</i> No Common Name Found | PC | 1.62 | G1 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Magnolia</i> Magnolia | DT | 1.79 | G2 | 4-10A | 10B | 1.12 | 1.46 | 3 |
| <i>Magnolia</i> 'Ann' Ann Magnolia | DS | 0.86 | G2 | 3 | 4-8 | | 0.99 | 3 |
| <i>Magnolia</i> 'Apollo' Apollo Magnolia | DS | 2.15 | G2 | 5-6 | 7-8 | | 1.04 | 6 |
| <i>Magnolia</i> 'Athene' Athene Magnolia | DS | 1.63 | G2 | 5 | 6-8 | | 1.36 | 5 |
| <i>Magnolia</i> 'Atlas' Atlas Magnolia | DS | 2.12 | G2 | 5 | 6-8 | | 1.04 | 5 |
| <i>Magnolia</i> 'Betty' Betty Magnolia | DS | 1.01 | G2 | 3 | 4-8 | | 1.09 | 3 |
| <i>Magnolia</i> 'Daybreak' Daybreak Magnolia | DT | 1.46 | G2 | 5 | 6-8 | 0.77 | 0.63 | 5 |
| <i>Magnolia</i> 'Elizabeth' Elizabeth Magnolia | DT | 1.83 | G2 | 5 | 6-8 | 1.08 | 1.69 | 4 |
| <i>Magnolia</i> 'Forrest's Pink' Forrest's Pink Magnolia | DS | 1.89 | G2 | 5-6 | 7-8 | | 1.04 | 6 |
| <i>Magnolia</i> 'Galaxy' Galaxy Magnolia | DS | 1.29 | G2 | 5-6 | 7-8 | | 1.02 | 6 |
| <i>Magnolia</i> 'Gold Star' Gold Star Magnolia | DT | 1.79 | G2 | 5 | 6-8 | 0.96 | 2.10 | 3 |
| <i>Magnolia</i> 'Golden Sun' Golden Sun Magnolia | DT | 2.04 | G2 | 5-6 | 7-8 | 1.12 | 2.23 | 6 |
| <i>Magnolia</i> 'Heaven Scent' Heaven Scent Magnolia | DS | 2.12 | G2 | 5-6 | 7-8 | | 1.04 | 6 |
| <i>Magnolia</i> 'Iolanthe' Iolanthe Magnolia | DS | 2.05 | G2 | 5 | 6-8 | | 1.19 | 5 |
| <i>Magnolia</i> 'Ivory Chalice' Ivory Chalice Magnolia | DT | 1.79 | G2 | 5 | 6-8 | 1.14 | 1.51 | 4 |
| <i>Magnolia</i> 'Jane' Jane Magnolia | DS | 0.88 | G2 | 5 | 6-8 | | 0.78 | 3 |
| <i>Magnolia</i> 'Jon Jon' Jon Jon Magnolia | DT | 0.73 | G2 | 5-6 | 7-8 | 1.12 | 1.46 | 6 |
| <i>Magnolia</i> 'Judy' Judy Magnolia | DT | 2.21 | G2 | 5 | 6-8 | 1.56 | 1.60 | 3 |
| <i>Magnolia</i> 'Legacy' Legacy Magnolia | DT | 1.79 | G2 | 5 | 6-8 | 0.95 | 1.94 | 5 |
| <i>Magnolia</i> 'Manchu Fan' Manchu Fan Magnolia | DT | 1.57 | G2 | 5 | 6-8 | 1.12 | 0.76 | 5 |
| <i>Magnolia</i> 'Marilyn' Marilyn Magnolia | DS | 0.66 | G2 | 5 | 6-8 | | 1.18 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Magnolia</i> 'Milky Way' Milky Way Magnolia | DT | 1.75 | G2 | 5 | 6-8 | 1.12 | 1.46 | 5 |
| <i>Magnolia</i> 'Monland' P.P. 6178 Timeless Beauty™ Magnolia | DS | 2.02 | G2 | 5-6 | 7-8 | | 1.04 | 6 |
| <i>Magnolia</i> 'Pinkie' Pinkie Magnolia | DS | 0.87 | G2 | 5 | 6-8 | | 0.93 | 3 |
| <i>Magnolia</i> 'Pristine' Pristine Magnolia | DT | 2.21 | G2 | 5 | 6-8 | 1.56 | 1.60 | 5 |
| <i>Magnolia</i> 'Randy' Randy Magnolia | DS | 1.41 | G2 | 5 | 6-8 | | 1.11 | 3 |
| <i>Magnolia</i> 'Ricki' Ricki Magnolia | DS | 0.88 | G2 | 5 | 6-8 | | 1.08 | 3 |
| <i>Magnolia</i> 'Royal Crown' Royal Crown Hybrid Magnolia | DT | 1.79 | G2 | 5 | 6-8 | 1.12 | 1.46 | 4 |
| <i>Magnolia</i> 'Satellite' Satellite Magnolia | DS | 1.50 | G2 | 5 | 6-8 | | 0.88 | 5 |
| <i>Magnolia</i> 'Sayonara' Sayonara Magnolia | DT | 1.26 | G2 | 5-7 | 8-9 | 1.15 | 1.63 | 7 |
| <i>Magnolia</i> 'Serene' Serene Magnolia | DS | 2.12 | G2 | 5-6 | 7-8 | | 1.04 | 6 |
| <i>Magnolia</i> 'Spectrum' Spectrum Magnolia | DT | 2.00 | G2 | 5 | 6-8 | 1.12 | 1.50 | 5 |
| <i>Magnolia</i> 'Sundance' Sundance Magnolia | DT | 2.43 | G2 | 5 | 6-8 | 0.77 | 1.04 | 4 |
| <i>Magnolia</i> 'Susan' Susan Magnolia | DS | 1.36 | G2 | 5 | 6-8 | | 0.97 | 3 |
| <i>Magnolia</i> 'Timeless Beauty' See - <i>Magnolia</i> 'Monland' P.P. 6178 | | | | | | | | |
| <i>Magnolia</i> 'Vulcan' Vulcan Magnolia | DS | 1.65 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Magnolia</i> 'Wada's Memory' Wada's Memory Magnolia | DT | 1.35 | G2 | 5 | 6-8 | 1.56 | 1.56 | 5 |
| <i>Magnolia</i> 'Yellow Bird' Yellow Bird Magnolia | DT | 2.15 | G2 | 5 | 6-8 | 1.14 | 1.09 | 4 |
| <i>Magnolia</i> 'Yellow Fever' Yellow Fever Hybrid Magnolia | DT | 2.04 | G2 | 5-6 | 7-8 | 1.12 | 1.49 | 4 |
| <i>Magnolia</i> 'Yellow Garland' Yellow Garland Magnolia | DT | 1.79 | G2 | 5 | 6-8 | 1.12 | 1.46 | 4 |
| <i>Magnolia</i> 'Yellow Lantern' Yellow Lantern Magnolia | DT | 1.79 | G2 | 5-6 | 7-8 | 0.77 | 1.04 | 5 |
| <i>Magnolia</i> 'Yellow River' Yellow River Magnolia | DT | 1.79 | G2 | 4-5 | 6-8 | 1.12 | 1.46 | 5 |
| <i>Magnolia acuminata</i> Cucumbertree Magnolia | DT | 1.16 | G2 | 5 | 6-8 | 0.96 | 1.37 | 4 |
| <i>Magnolia acuminata</i> 'Butterflies' P.P. 7456 Butterflies Cucumbertree Magnolia | DS | 1.62 | G2 | 5 | 6-8 | | 1.08 | 4 |
| <i>Magnolia acuminata</i> 'Golden Glow' Golden Glow Cucumbertree Magnolia | DT | 1.79 | G2 | 5 | 6-8 | 1.26 | 1.49 | 4 |
| <i>Magnolia acuminata</i> 'Koban Dori' Koban Dori Cucumbertree Magnolia | DT | 2.00 | G2 | 5 | 6-8 | 1.26 | 1.49 | 4 |
| <i>Magnolia acuminata</i> 'Limelight' Limelight Cucumbertree Magnolia | DT | 2.21 | G2 | 5 | 6-8 | 1.56 | 1.60 | 4 |
| <i>Magnolia acuminata</i> var. <i>subcordata</i> Yellow Cucumbertree Magnolia | DT | 1.00 | G2 | 5 | 6-8 | 1.00 | 1.69 | 4 |
| <i>Magnolia acuminata</i> var. <i>subcordata</i> 'Miss Honeybee' Miss Honeybee Yellow Cucumbertree Magnolia | DT | 1.00 | G2 | 5 | 6-8 | 1.00 | 1.69 | 4 |
| <i>Magnolia ashei</i> Ashe Magnolia | DT | 0.99 | G2 | 5-7 | 8-9 | 1.00 | 1.00 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Magnolia xbrooklynensis</i> Hybrid Magnolia | DT | 1.00 | G2 | 5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Magnolia xbrooklynensis</i> 'Evamaria' Evamaria Magnolia | DT | 1.00 | G2 | 5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Magnolia xbrooklynensis</i> 'Woodsman' Woodsman Magnolia | DT | 1.00 | G2 | 5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Magnolia campbellii</i> Campbell Magnolia | DT | 1.00 | G2 | 5-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Magnolia campbellii</i> var. <i>alba</i> White Campbell Magnolia | DT | 2.00 | G2 | 5-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Magnolia campbellii</i> var. <i>alba</i> 'Strybing White' Strybing White Campbell Magnolia | DT | 2.00 | G2 | 5-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Magnolia denudata</i> Yulan Magnolia | DT | 1.32 | G2 | 5-6 | 7-9 | 1.03 | 1.28 | 6 |
| <i>Magnolia grandiflora</i> Southern Magnolia | BE | 0.83 | G2 | 5-6 | 7-10 | 0.81 | 1.63 | 6 |
| <i>Magnolia grandiflora</i> 'Alta' See - <i>Magnolia grandiflora</i> 'TMGH' P.P. 11612 | | | | | | | | |
| <i>Magnolia grandiflora</i> 'Bracken's Brown Beauty' P.P. 5520 Bracken's Brown Beauty Southern Magnolia | BE | 1.28 | G2 | 5-6 | 7-10 | 2.57 | 2.39 | 6 |
| <i>Magnolia grandiflora</i> 'Claudia Wannamaker' Claudia Wannamaker Southern Magnolia | BE | 0.98 | G2 | 5-6 | 7-10 | 2.04 | 4.15 | 6 |
| <i>Magnolia grandiflora</i> 'Coco' Coco Southern Magnolia | BE | 1.00 | G2 | 5-6 | 7-10 | 1.64 | 2.16 | 6 |
| <i>Magnolia grandiflora</i> 'D.D. Blanchard' D.D. Blanchard Southern Magnolia | BE | 1.09 | G2 | 5-6 | 7-10 | 1.18 | 3.71 | 6 |
| <i>Magnolia grandiflora</i> 'Edith Bogue' Edith Bogue Southern Magnolia | BE | 1.29 | G2 | 5-6 | 7-10 | 1.31 | 1.16 | 6 |
| <i>Magnolia grandiflora</i> 'Emerald Jewel' Emerald Jewel Southern Magnolia | BE | 1.10 | G2 | 5-6 | 7-10 | 1.64 | 2.20 | 6 |
| <i>Magnolia grandiflora</i> 'Ferruginea' Ferruginea Southern Magnolia | BE | 1.14 | G2 | 5-6 | 7-10 | 1.64 | 1.53 | 6 |
| <i>Magnolia grandiflora</i> 'Green Giant' P.P. 9377 Green Giant Southern Magnolia | BE | 0.93 | G2 | 4-6 | 7-10 | 1.50 | 2.14 | 6 |
| <i>Magnolia grandiflora</i> 'Greenback' See - <i>Magnolia grandiflora</i> 'MGTIG' P.P. 9243 | | | | | | | | |
| <i>Magnolia grandiflora</i> 'Jubilee' Jubilee Southern Magnolia | BE | 1.02 | G2 | 5-6 | 7-8 | 1.64 | 2.20 | 6 |
| <i>Magnolia grandiflora</i> 'Little Gem' Little Gem Southern Magnolia | BE | 1.16 | G2 | 5-6 | 7-10 | 2.42 | 2.75 | 6 |
| <i>Magnolia grandiflora</i> 'MGTIG' P.P. 9243 Greenback™ Southern Magnolia | BE | 1.22 | G2 | 5-6 | 7-10 | 1.58 | 4.43 | 6 |
| <i>Magnolia grandiflora</i> 'Main Street' Main Street Southern Magnolia | BE | 0.95 | G2 | 5-6 | 7-10 | 1.64 | 2.20 | 6 |
| <i>Magnolia grandiflora</i> 'Majestic Beauty' See - <i>Magnolia grandiflora</i> 'Monlia' P.P. 2250 | | | | | | | | |
| <i>Magnolia grandiflora</i> 'Monlia' P.P. 2250 Majestic Beauty™ Southern Magnolia | BE | 1.31 | G2 | 5-6 | 7-10 | 1.64 | 2.14 | 6 |
| <i>Magnolia grandiflora</i> 'Poconos' Poconos Southern Magnolia | BE | 1.10 | G2 | 5-6 | 7-10 | 1.64 | 2.00 | 6 |
| <i>Magnolia grandiflora</i> 'Russet' Russet Southern Magnolia | BE | 1.02 | G2 | 5-6 | 7-10 | 1.64 | 1.49 | 6 |
| <i>Magnolia grandiflora</i> 'Saint Mary' Saint Mary Southern Magnolia | BE | 1.20 | G2 | 5-6 | 7-10 | 1.64 | 1.84 | 6 |
| <i>Magnolia grandiflora</i> 'Samuel Sommer' Samuel Sommer Southern Magnolia | BE | 0.97 | G2 | 5-6 | 7-10 | 1.64 | 1.26 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Magnolia grandiflora</i> 'Symmes' Select Symmes' Select Southern Magnolia | BE | 0.93 | G2 | 5-6 | 7-10 | 1.64 | 1.54 | 6 |
| <i>Magnolia grandiflora</i> 'TMGH' P.P. 11612 Alta™ Southern Magnolia | BE | 1.09 | G2 | 5-6 | 7-10 | 1.64 | 2.05 | 6 |
| <i>Magnolia grandiflora</i> 'Teddy Bear' P.P.A.F. Teddy Bear Southern Magnolia | BE | 1.13 | G2 | 5-6 | 7-8 | 1.64 | 2.20 | 6 |
| <i>Magnolia grandiflora</i> 'Victoria' Victoria Southern Magnolia | BE | 1.40 | G2 | 5-6 | 7-10 | 1.39 | 1.30 | 6 |
| <i>Magnolia heptapeta</i> See - <i>Magnolia denudata</i> | | | | | | | | |
| <i>Magnolia hypoleuca</i> White Bark Magnolia | DT | 1.00 | G2 | 6 | 7-8 | 0.97 | 0.90 | 5 |
| <i>Magnolia kobus</i> Kobus Magnolia | DT | 1.32 | G2 | 5 | 6-10A | 0.94 | 1.53 | 5 |
| <i>Magnolia kobus</i> var. <i>borealis</i> See - <i>Magnolia kobus</i> | | | | | | | | |
| <i>Magnolia liliiflora</i> Lily Magnolia | DT | 0.83 | G2 | 5-6 | 7-10 | 0.76 | 0.76 | 6 |
| <i>Magnolia liliiflora</i> 'Gracilis' Gracilis Lily Magnolia | DT | 0.94 | G2 | 5-6 | 7-10 | 0.76 | 1.34 | 6 |
| <i>Magnolia liliiflora</i> 'Nigra' Purple Lily Magnolia | DT | 1.05 | G2 | 5-6 | 7-10 | 0.76 | 1.91 | 6 |
| <i>Magnolia x loebneri</i> Loebner Magnolia | DT | 0.90 | G2 | 4-5 | 6-10 | 1.31 | 2.27 | 5 |
| <i>Magnolia x loebneri</i> 'Ballerina' Ballerina Loebner Magnolia | DT | 1.92 | G2 | 4-5 | 6-10 | 1.38 | 1.35 | 5 |
| <i>Magnolia x loebneri</i> 'Leonard Messel' Leonard Messel Loebner Magnolia | DT | 1.09 | G2 | 4-5 | 6-10 | 1.26 | 1.82 | 5 |
| <i>Magnolia x loebneri</i> 'Merrill' Dr. Merrill Loebner Magnolia | DT | 1.04 | G2 | 4-5 | 6-10 | 1.33 | 1.86 | 5 |
| <i>Magnolia x loebneri</i> 'Powder Puff' Powder Puff Loebner Magnolia | DT | 1.27 | G2 | 4-5 | 6-10 | 1.31 | 1.74 | 5 |
| <i>Magnolia x loebneri</i> 'Spring Joy' Spring Joy Loebner Magnolia | DT | 1.27 | G2 | 4-5 | 6-10 | 1.31 | 1.64 | 5 |
| <i>Magnolia x loebneri</i> 'Spring Snow' Spring Snow Loebner Magnolia | DT | 1.41 | G2 | 4-5 | 6-10 | 1.28 | 1.08 | 5 |
| <i>Magnolia x loebneri</i> 'White Rose' White Rose Loebner Magnolia | DT | 1.27 | G2 | 4-5 | 6-10 | 1.31 | 1.69 | 5 |
| <i>Magnolia x loebneri</i> 'White Stardust' White Stardust Loebner Magnolia | DT | 1.27 | G2 | 5-6 | 7-8 | 1.31 | 1.68 | 5 |
| <i>Magnolia macrophylla</i> Bigleaf Magnolia | DT | 1.36 | G2 | 5-7 | 8-10 | 1.56 | 1.14 | 6 |
| <i>Magnolia pyramidata</i> Pyramid Magnolia | DT | 0.89 | G2 | 5-6 | 7-10 | 1.00 | 1.00 | 6 |
| <i>Magnolia salicifolia</i> Anise Magnolia | DT | 1.00 | G2 | 5-6 | 7-10 | 1.00 | 1.01 | 6 |
| <i>Magnolia sargentiana</i> Sargent Magnolia | DT | 2.08 | G2 | 7-8 | 9 | 1.56 | 1.32 | 7 |
| <i>Magnolia sargentiana</i> 'Caerhays Belle' Caerhays Belle Sargent Magnolia | DT | 2.08 | G2 | 7-8 | 9 | 1.56 | 1.32 | 7 |
| <i>Magnolia sieboldii</i> Oyama Magnolia | DT | 1.96 | G2 | 5-6 | 7-9A | 1.24 | 1.20 | 6 |
| <i>Magnolia x soulangiana</i> Saucer Magnolia | DT | 0.96 | G2 | 4 | 5-8 | 1.06 | 1.05 | 4 |
| <i>Magnolia x soulangiana</i> 'Alexandrina' Alexandrina Saucer Magnolia | DT | 0.87 | G2 | 4 | 5-8 | 1.26 | 1.12 | 4 |
| <i>Magnolia x soulangiana</i> 'Brozzonii' Brozzoni Saucer Magnolia | DT | 0.60 | G2 | 4 | 5-8 | 1.28 | 0.83 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Magnolia xsoulangiana</i> 'Burgundy' Burgundy Saucer Magnolia | DT | 0.60 | G2 | 5-6 | 7-8 | 1.28 | 0.83 | 4 |
| <i>Magnolia xsoulangiana</i> 'Coates' Coates Saucer Magnolia | DT | 1.26 | G2 | 4 | 5-8 | 1.28 | 0.56 | 4 |
| <i>Magnolia xsoulangiana</i> 'Lennei Alba' White Lenne Saucer Magnolia | DT | 1.26 | G2 | 4 | 5-8 | 1.04 | 1.10 | 4 |
| <i>Magnolia xsoulangiana</i> 'Lennei' Lenne Saucer Magnolia | DT | 1.22 | G2 | 4 | 5-8 | 1.35 | 1.39 | 4 |
| <i>Magnolia xsoulangiana</i> 'Lilliputian' Lilliputian Saucer Magnolia | DT | 1.26 | G2 | 4 | 5-8 | 1.28 | 1.10 | 4 |
| <i>Magnolia xsoulangiana</i> 'Picture' Picture Saucer Magnolia | DT | 1.26 | G2 | 4 | 5-8 | 0.97 | 1.08 | 4 |
| <i>Magnolia xsoulangiana</i> 'Purpliana' Purpliana Saucer Magnolia | DT | 2.21 | G2 | 4 | 5-8 | 1.56 | 1.60 | 4 |
| <i>Magnolia xsoulangiana</i> 'Rustica Rubra' Purple Saucer Magnolia | DT | 1.09 | G2 | 4 | 5-8 | 1.16 | 1.63 | 4 |
| <i>Magnolia xsoulangiana</i> 'San Jose' San Jose Saucer Magnolia | DT | 1.62 | G2 | 4 | 5-8 | 1.56 | 1.24 | 4 |
| <i>Magnolia xsoulangiana</i> 'Verbanica' Verbanica Saucer Magnolia | DT | 2.21 | G2 | 4 | 5-8 | 1.56 | 1.62 | 4 |
| <i>Magnolia stellata</i> Star Magnolia | DS | 1.11 | G2 | 4 | 5-8 | | 1.21 | 4 |
| <i>Magnolia stellata</i> 'Centennial' Centennial Star Magnolia | DS | 1.11 | G2 | 4 | 5-8 | | 1.48 | 4 |
| <i>Magnolia stellata</i> 'Chrysanthemumiflora' Chrysanthemumiflora Star Magnolia | DS | 1.12 | G2 | 4 | 5-8 | | 1.21 | 4 |
| <i>Magnolia stellata</i> 'King Rose' King Rose Star Magnolia | DS | 1.31 | G2 | 4 | 5-8 | | 1.05 | 4 |
| <i>Magnolia stellata</i> 'Rosea' Pink Star Magnolia | DS | 1.51 | G2 | 4 | 5-8 | | 1.12 | 4 |
| <i>Magnolia stellata</i> 'Royal Star' Royal Star Magnolia | DS | 1.08 | G2 | 4 | 5-8 | | 1.44 | 4 |
| <i>Magnolia stellata</i> 'Rubra' Red Star Magnolia | DS | 0.66 | G2 | 4 | 5-8 | | 0.81 | 4 |
| <i>Magnolia stellata</i> 'Super Star' Super Star Star Magnolia | DS | 1.12 | G2 | 4 | 5-8 | | 1.21 | 4 |
| <i>Magnolia stellata</i> 'Waterlily' Waterlily Star Magnolia | DS | 1.03 | G2 | 4 | 5-8 | | 1.38 | 4 |
| <i>Magnolia tripetala</i> Umbrella Magnolia | DT | 0.79 | G2 | 4-5 | 6-10 | 1.00 | 3.46 | 5 |
| <i>Magnolia x veitchii</i> Veitch Magnolia | DT | 1.33 | G2 | 7 | 8-9A | 1.00 | 1.76 | 7 |
| <i>Magnolia x veitchii</i> 'Columbus' Columbus Magnolia | DT | 1.33 | G2 | 7 | 8-9A | 1.00 | 1.76 | 7 |
| <i>Magnolia virginiana</i> Sweetbay Magnolia | BE | 0.80 | G2 | 5 | 6-9 | 0.95 | 0.75 | 5 |
| <i>Magnolia virginiana</i> 'Greenbay' Greenbay Sweetbay Magnolia | BE | 1.50 | G2 | 5-6 | 7-8 | 1.02 | 0.78 | 5 |
| <i>Magnolia virginiana</i> 'Henry Hicks' Henry Hicks Sweetbay Magnolia | BE | 1.74 | G2 | 5 | 6-9 | 1.09 | 0.80 | 5 |
| <i>Magnolia virginiana</i> 'Mattie Mae Smith' P.P. 12204 Mattie Mae Smith Sweetbay Magnolia | BE | 1.97 | G2 | 5-6 | 7-8 | 1.02 | 0.78 | 5 |
| <i>Magnolia virginiana</i> var. <i>australis</i> Southern Sweetbay Magnolia | BE | 0.79 | G2 | 5 | 6-9 | 1.09 | 1.25 | 5 |
| <i>Mahonia</i> Mahonia | BS | 0.86 | G2 | 7 | 8-9A | | 1.00 | 7 |
| <i>Mahonia</i> 'Skylark' Skylark Mahonia | BS | 0.86 | G2 | 7 | 8-9A | | 1.00 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Mahonia aquifolium</i> Oregon Grapeholly | BS | 1.00 | G2 | 4-5 | 6-8 | | 0.98 | 5 |
| <i>Mahonia aquifolium</i> 'Apollo' Apollo Oregon Grapeholly | BS | 1.12 | G2 | 4-5 | 6-8 | | 0.87 | 5 |
| <i>Mahonia aquifolium</i> 'Compactum' Compact Oregon Grapeholly | BS | 1.19 | G2 | 4-5 | 6-8 | | 0.97 | 5 |
| <i>Mahonia aquifolium</i> 'King's Ransom' King's Ransom Oregon Grapeholly | BS | 1.36 | G2 | 4-5 | 6-8 | | 0.54 | 5 |
| <i>Mahonia aquifolium</i> 'Mayhan Strain' Mayhan Strain Oregon Grapeholly | BS | 0.93 | G2 | 4-5 | 6-8 | | 0.97 | 5 |
| <i>Mahonia bealei</i> See - <i>Mahonia japonica</i> 'Bealei' | | | | | | | | |
| <i>Mahonia fortunei</i> Chinese Mahonia | BS | 0.91 | G2 | 7 | 8-9A | | 1.00 | 7 |
| <i>Mahonia haematocarpa</i> Red Mahonia | BS | 2.31 | G2 | 7 | 8-9A | | 1.00 | 7 |
| <i>Mahonia japonica</i> Japanese Mahonia | BS | 1.09 | G2 | 7 | 8-9A | | 1.01 | 6 |
| <i>Mahonia japonica</i> 'Bealei' Leatherleaf Mahonia | BS | 0.87 | G2 | 6-7 | 8-9A | | 1.01 | 6 |
| <i>Mahonia lomariifolia</i> No Common Name Found | BS | 0.87 | G2 | 7 | 8-9A | | 1.00 | 7 |
| <i>Mahonia nervosa</i> Cascades Mahonia | BS | 0.87 | G2 | 7 | 8-9A | | 0.97 | 6 |
| <i>Mahonia nevinii</i> Nevin Mahonia | BS | 0.99 | G2 | 5-8 | 9-10 | | 1.00 | 8 |
| <i>Mahonia pinnata</i> Cluster Mahonia | BS | 0.82 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Mahonia pinnata</i> 'Ken Hartman' Ken Hartman Cluster Mahonia | BS | 0.82 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Mahonia repens</i> Creeping Mahonia | BS | 0.96 | G2 | 5-6 | 7-8 | | 0.97 | 6 |
| <i>Mahonia trifoliata</i> Agarito | BS | 0.98 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Maianthemum bifolium</i> False Lily-of-the-Valley | HP | 0.99 | G4 | 3-4 | 5-7 | | | |
| <i>Maianthemum dilatatum</i> See - <i>Maianthemum bifolium</i> | | | | | | | | |
| <i>Malpighia coccigera</i> Miniature Holly | BS | 0.66 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Malpighia glabra</i> Barbados Cherry | BS | 1.01 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Malpighia puniceifolia</i> Dwarf Barbados Cherry | BS | 0.59 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Malus</i> Crabapple | DT | 1.23 | G2 | 3 | 4-9 | 0.92 | 1.23 | 2 |
| <i>Malus</i> 'Adams' Adams Crabapple | DT | 1.15 | G2 | 3-4 | 5-9 | 1.03 | 1.42 | 4 |
| <i>Malus</i> 'Adirondack' Adirondack Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 1.15 | 1.27 | 4 |
| <i>Malus</i> 'Almey' Almey Crabapple | DT | 0.72 | G2 | 3-4 | 5-9 | 0.57 | 1.23 | 4 |
| <i>Malus</i> 'Amaszam' American Masterpiece® Crabapple | DT | 1.33 | G2 | 3-4 | 5-9 | 0.99 | 1.27 | 4 |
| <i>Malus</i> 'Amberina' Amberina Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.78 | 1.44 | 4 |
| <i>Malus</i> 'American Beauty' P.P. 2821 American Beauty Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|-------------------------------------|-----------|-----------|----|---------------------|-------------|------------------------------|------------|---|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper High/Wide | | |
| <i>Malus</i> 'American Masterpiece' | | | | | | | | |
| See - <i>Malus</i> 'Amaszam' | | | | | | | | |
| <i>Malus</i> 'American Salute' | | | | | | | | |
| See - <i>Malus</i> 'Amsalzam' | | | | | | | | |
| <i>Malus</i> 'American Spirit' | | | | | | | | |
| See - <i>Malus</i> 'Amerspirzam' | | | | | | | | |
| <i>Malus</i> 'American Triumph' | | | | | | | | |
| See - <i>Malus</i> 'Amertrizam' | | | | | | | | |
| <i>Malus</i> 'Amerspirzam' | DT | 1.19 | G2 | 3-4 | 5-9 | 1.08 | 1.23 | 4 |
| American Spirit™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Amertrizam' | DT | 1.19 | G2 | 3-4 | 5-9 | 1.08 | 1.23 | 4 |
| American Triumph™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Ames White' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| Ames White Crabapple | | | | | | | | |
| <i>Malus</i> 'Amsalzam' | DT | 1.19 | G2 | 3-4 | 5-9 | 1.06 | 1.23 | 4 |
| American Salute™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Anne E' | | | | | | | | |
| See - <i>Malus</i> 'Manbeck Weeper' | | | | | | | | |
| <i>Malus</i> 'Autumn Glory' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.71 | 1.23 | 4 |
| Autumn Glory Crabapple | | | | | | | | |
| <i>Malus</i> 'Ballerina' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| Ballerina Crabapple | | | | | | | | |
| <i>Malus</i> 'Barbara Ann' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.70 | 1.27 | 4 |
| Barbara Ann Crabapple | | | | | | | | |
| <i>Malus</i> 'Baskatong' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.73 | 1.27 | 4 |
| Baskatong Crabapple | | | | | | | | |
| <i>Malus</i> 'Bechtel' | | | | | | | | |
| See - <i>Malus ioensis</i> 'Plena' | | | | | | | | |
| <i>Malus</i> 'Beverly' | DT | 1.62 | G2 | 3-4 | 5-9 | 0.80 | 1.63 | 4 |
| Beverly Crabapple | | | | | | | | |
| <i>Malus</i> 'Big Red' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| Big Red Crabapple | | | | | | | | |
| <i>Malus</i> 'Birdland' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| Birdland Crabapple | | | | | | | | |
| <i>Malus</i> 'Bob White' | DT | 1.62 | G2 | 3-4 | 5-9 | 1.01 | 1.27 | 4 |
| Bob White Crabapple | | | | | | | | |
| <i>Malus</i> 'Brandywine' | | | | | | | | |
| See - <i>Malus</i> 'Branzam' | | | | | | | | |
| <i>Malus</i> 'Branzam' | DT | 1.04 | G2 | 3-4 | 5-9 | 0.94 | 1.18 | 4 |
| Brandywine™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Bridal Bouquet' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| Bridal Bouquet Crabapple | | | | | | | | |
| <i>Malus</i> 'Burgandy' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.86 | 1.27 | 4 |
| Burgandy Crabapple | | | | | | | | |
| <i>Malus</i> 'Callaway' | DT | 0.89 | G2 | 3-4 | 5-9 | 0.63 | 0.73 | 4 |
| Callaway Crabapple | | | | | | | | |
| <i>Malus</i> 'Camelot' | | | | | | | | |
| See - <i>Malus</i> 'Camzam' | | | | | | | | |
| <i>Malus</i> 'Camzam' | DT | 1.49 | G2 | 3-4 | 5-9 | 0.98 | 1.27 | 4 |
| Camelot® Crabapple | | | | | | | | |
| <i>Malus</i> 'Canary' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.70 | 1.27 | 4 |
| Canary Crabapple | | | | | | | | |
| <i>Malus</i> 'Candymint' P.P. 6606 | DT | 1.15 | G2 | 3-4 | 5-9 | 0.91 | 1.57 | 4 |
| Candymint Crabapple | | | | | | | | |
| <i>Malus</i> 'Canterbury' | | | | | | | | |
| See - <i>Malus</i> 'Canterzam' | | | | | | | | |
| <i>Malus</i> 'Canterzam' | DT | 1.29 | G2 | 3-4 | 5-9 | 1.21 | 1.23 | 4 |
| Canterbury™ Crabapple | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Malus</i> 'Cardinal's Robes' Cardinal's Robes Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Cascade' See - <i>Malus</i> 'Snow Ballerina' | | | | | | | | |
| <i>Malus</i> 'Centennial' Centennial Crabapple | DT | 1.41 | G2 | 3-4 | 5-9 | 0.84 | 1.55 | 4 |
| <i>Malus</i> 'Centurion' See - <i>Malus</i> 'Centzam' | | | | | | | | |
| <i>Malus</i> 'Centzam' Centurion® Crabapple | DT | 1.19 | G2 | 3-4 | 5-9 | 0.96 | 0.76 | 4 |
| <i>Malus</i> 'Chantilly' See - <i>Malus</i> 'Chantzam' | | | | | | | | |
| <i>Malus</i> 'Chantzam' Chantilly™ Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Chestnut' Chestnut Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.61 | 1.23 | 4 |
| <i>Malus</i> 'Chrisozam' Christmas Holly™ Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.86 | 1.27 | 4 |
| <i>Malus</i> 'Christmas Holly' See - <i>Malus</i> 'Chrisozam' | | | | | | | | |
| <i>Malus</i> 'Cinderella' See - <i>Malus</i> 'Cinzam' | | | | | | | | |
| <i>Malus</i> 'Cinzam' Cinderella® Crabapple | DT | 1.58 | G2 | 3-4 | 5-9 | 0.88 | 1.27 | 4 |
| <i>Malus</i> 'Columbia' Columbia Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Coral Cascade' Coral Cascade Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.83 | 1.23 | 4 |
| <i>Malus</i> 'Coralburst' See - <i>Malus</i> 'Coralcole' P.P. 2983 | | | | | | | | |
| <i>Malus</i> 'Coralcole' P.P. 2983 Coralburst® Crabapple | DT | 1.26 | G2 | 3-4 | 5-9 | 1.10 | 3.69 | 4 |
| <i>Malus</i> 'Cranberry Lace' Cranberry Lace Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Crimson Gold' Crimson Gold Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'CrimsonSpire' See - <i>Malus</i> 'Obelisk' P.P. 9060 | | | | | | | | |
| <i>Malus</i> 'Dainty' Dainty Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'David' David Crabapple | DT | 1.14 | G2 | 3-4 | 5-9 | 0.96 | 1.23 | 4 |
| <i>Malus</i> 'Dolgo' Dolgo Crabapple | DT | 1.05 | G2 | 3-4 | 5-9 | 0.94 | 0.77 | 3 |
| <i>Malus</i> 'Donald Wyman' Donald Wyman Crabapple | DT | 1.28 | G2 | 3-4 | 5-9 | 0.96 | 1.66 | 4 |
| <i>Malus</i> 'Dorothea' Dorothea Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.70 | 1.27 | 4 |
| <i>Malus</i> 'Doubloons' P.P. 7216 Doubloons Crabapple | DT | 1.19 | G2 | 3-4 | 5-9 | 0.86 | 1.18 | 4 |
| <i>Malus</i> 'Egret' Egret Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Eleyi' Eley Crabapple | DT | 0.78 | G2 | 3-4 | 5-9 | 0.54 | 0.34 | 4 |
| <i>Malus</i> 'Ellen Gerhart' Ellen Gerhart Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'EmeraldSpire' See - <i>Malus</i> 'Tuscan' P.P. 6225 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Malus</i> 'Evelyn' Evelyn Crabapple | DT | 1.20 | G2 | 3-4 | 5-9 | 0.52 | 0.32 | 4 |
| <i>Malus</i> 'Excalibur' See - <i>Malus</i> 'Excizam' | | | | | | | | |
| <i>Malus</i> 'Excizam' Excalibur™ Crabapple | DT | 1.55 | G2 | 3-4 | 5-9 | 1.13 | 1.23 | 4 |
| <i>Malus</i> 'Flame' Flame Crabapple | DT | 0.80 | G2 | 3-4 | 5-9 | 0.79 | 0.56 | 4 |
| <i>Malus</i> 'Fox Fire' See - <i>Malus</i> 'Fozam' | | | | | | | | |
| <i>Malus</i> 'Fozam' Fox Fire™ Crabapple | DT | 1.13 | G2 | 3-4 | 5-9 | 1.08 | 1.23 | 4 |
| <i>Malus</i> 'Franz Lipp' Franz Lipp Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Frettingham's Victoria' Frettingham's Victoria Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Garnet' Garnet Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Golden Hornet' Golden Hornet Crabapple | DT | 1.31 | G2 | 3-4 | 5-9 | 0.90 | 1.23 | 4 |
| <i>Malus</i> 'Gorgeous' Gorgeous Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Guinevere' See - <i>Malus</i> 'Guinzam' P.P. 7773 | | | | | | | | |
| <i>Malus</i> 'Guinzam' P.P. 7773 Guinevere® Crabapple | DT | 1.34 | G2 | 3-4 | 5-9 | 0.97 | 1.27 | 4 |
| <i>Malus</i> 'Hamlet' See - <i>Malus</i> 'Hamzam' | | | | | | | | |
| <i>Malus</i> 'Hamzam' Hamlet® Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 1.00 | 1.27 | 4 |
| <i>Malus</i> 'Hargozam' Harvest Gold® Crabapple | DT | 1.08 | G2 | 3-4 | 5-9 | 0.97 | 0.70 | 4 |
| <i>Malus</i> 'Harvest Gold' See - <i>Malus</i> 'Hargozam' | | | | | | | | |
| <i>Malus</i> 'Henry Kohankie' Henry Kohankie Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.40 | 1.23 | 4 |
| <i>Malus</i> 'Holiday Gold' See - <i>Malus</i> 'Hozam' | | | | | | | | |
| <i>Malus</i> 'Hooks #14' Hooks #14 Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Hooks #15' Hooks #15 Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Hooks #19' Hooks #19 Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Hooks #23' Hooks #23 Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Hopa' Hopa Crabapple | DT | 0.90 | G2 | 3-4 | 5-9 | 0.70 | 0.48 | 4 |
| <i>Malus</i> 'Hozam' Holiday Gold™ Crabapple | DT | 1.13 | G2 | 3-4 | 5-9 | 1.06 | 1.23 | 4 |
| <i>Malus</i> 'Hub Tures' Spring Sensation™ Crabapple | DT | 1.23 | G2 | 1-2 | 3-9 | 0.92 | 1.23 | 2 |
| <i>Malus</i> 'Huber' Royal Fountain™ Crabapple | DT | 1.64 | G2 | 3-4 | 5-9 | 0.86 | 1.27 | 4 |
| <i>Malus</i> 'Indian Magic' Indian Magic Crabapple | DT | 1.07 | G2 | 3-4 | 5-9 | 0.96 | 0.78 | 4 |
| <i>Malus</i> 'Indian Summer' Indian Summer Crabapple | DT | 0.80 | G2 | 3-4 | 5-9 | 0.92 | 0.77 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---------------------------------------|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Malus</i> 'Ivanhoe' | | | | | | | | |
| See - <i>Malus</i> 'Ivazam' | | | | | | | | |
| <i>Malus</i> 'Ivazam' | DT | 1.23 | G2 | 3-4 | 5-9 | 1.13 | 1.23 | 4 |
| Ivanhoe™ Crabapple | | | | | | | | |
| <i>Malus</i> 'JFS-KW5' P.P. 14375 | DT | 1.23 | G2 | 3-4 | 5-9 | 0.90 | 1.23 | 4 |
| Royal Raindrops® Crabapple | | | | | | | | |
| <i>Malus</i> 'Jewelberry' | DT | 1.23 | G2 | 3-4 | 5-9 | 1.03 | 1.27 | 4 |
| Jewelberry Crabapple | | | | | | | | |
| <i>Malus</i> 'Jewelcole' P.P. 3267 | DT | 1.22 | G2 | 3-4 | 5-9 | 0.94 | 1.40 | 4 |
| Red Jewel™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Katherine' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| Katherine Crabapple | | | | | | | | |
| <i>Malus</i> 'Kelsey' | DT | 0.89 | G2 | 3-4 | 5-9 | 1.30 | 1.27 | 4 |
| Kelsey Crabapple | | | | | | | | |
| <i>Malus</i> 'Kerr' | DT | 1.23 | G2 | 3 | 4-7 | 0.59 | 1.23 | 2 |
| Kerr Crabapple | | | | | | | | |
| <i>Malus</i> 'Kibele' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.70 | 1.27 | 4 |
| Kibele Crabapple | | | | | | | | |
| <i>Malus</i> 'Kinarzam' | DT | 1.34 | G2 | 3-4 | 5-9 | 0.90 | 1.27 | 4 |
| King Arthur™ Crabapple | | | | | | | | |
| <i>Malus</i> 'King Arthur' | | | | | | | | |
| See - <i>Malus</i> 'Kinarzam' | | | | | | | | |
| <i>Malus</i> 'Kirk' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.78 | 1.23 | 4 |
| Kirk Crabapple | | | | | | | | |
| <i>Malus</i> 'Lancelot' | | | | | | | | |
| See - <i>Malus</i> 'Lanzam' P.P. 8056 | | | | | | | | |
| <i>Malus</i> 'Lanzam' P.P. 8056 | DT | 1.87 | G2 | 3-4 | 5-9 | 0.96 | 1.27 | 4 |
| Lancelot® Crabapple | | | | | | | | |
| <i>Malus</i> 'Leprechaun' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.63 | 1.23 | 4 |
| Leprechaun Crabapple | | | | | | | | |
| <i>Malus</i> 'Liset Dwarf' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| Dwarf Liset Crabapple | | | | | | | | |
| <i>Malus</i> 'Liset' | DT | 1.48 | G2 | 3-4 | 5-9 | 0.93 | 0.90 | 4 |
| Liset Crabapple | | | | | | | | |
| <i>Malus</i> 'Lollipop' | | | | | | | | |
| See - <i>Malus</i> 'Lollizam' | | | | | | | | |
| <i>Malus</i> 'Lollizam' | DT | 2.07 | G2 | 3-4 | 5-9 | 1.06 | 1.23 | 4 |
| Lollipop™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Louisa' | DT | 1.06 | G2 | 3-4 | 5-9 | 1.18 | 0.98 | 4 |
| Louisa Crabapple | | | | | | | | |
| <i>Malus</i> 'Lullaby' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.62 | 1.23 | 4 |
| Lullaby Crabapple | | | | | | | | |
| <i>Malus</i> 'Luwick' | DT | 1.23 | G2 | 3-4 | 5-9 | 1.71 | 1.23 | 4 |
| Luwick Crabapple | | | | | | | | |
| <i>Malus</i> 'Madonna' | | | | | | | | |
| See - <i>Malus</i> 'Mazam' P.P. 6672 | | | | | | | | |
| <i>Malus</i> 'Makamik' | DT | 1.23 | G2 | 3-4 | 5-9 | 1.32 | 1.23 | 4 |
| Makamik Crabapple | | | | | | | | |
| <i>Malus</i> 'Manbeck Weeper' | DT | 1.23 | G2 | 3-4 | 5-9 | 1.00 | 1.23 | 4 |
| Anne E™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Maria' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| Maria Crabapple | | | | | | | | |
| <i>Malus</i> 'Marshall Oyama' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.70 | 1.27 | 4 |
| Marshall Oyama Crabapple | | | | | | | | |
| <i>Malus</i> 'Mary Potter' | DT | 1.22 | G2 | 3-4 | 5-9 | 0.99 | 1.28 | 4 |
| Mary Potter Crabapple | | | | | | | | |
| <i>Malus</i> 'Matthew' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| Matthew Crabapple | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Malus</i> 'Maypole' P.P. 6184 Maypole Colonnade Crabapple | DT | 1.40 | G2 | 3-4 | 5-9 | 1.08 | 1.27 | 4 |
| <i>Malus</i> 'Mazam' P.P. 6672 Madonna® Crabapple | DT | 1.34 | G2 | 3-4 | 5-9 | 1.02 | 1.01 | 4 |
| <i>Malus</i> 'Michael' Michael Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.52 | 1.21 | 4 |
| <i>Malus</i> 'Molazam' Molten Lava® Crabapple | DT | 1.31 | G2 | 3-4 | 5-9 | 1.03 | 1.21 | 4 |
| <i>Malus</i> 'Mollie Ann' Mollie Ann Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Molten Lava' See - <i>Malus</i> 'Molazam' | | | | | | | | |
| <i>Malus</i> 'Mount Arbor Special' Mount Arbor Special Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Narragansett' Narragansett Crabapple | DT | 1.33 | G2 | 3-4 | 5-9 | 1.02 | 1.27 | 4 |
| <i>Malus</i> 'Obelisk' P.P. 9060 Crimsonspire™ Colonnade Crabapple | DT | 1.24 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Oekonomierat Echtermeyer' Oekonomierat Echtermeyer Crabapple | DT | 1.53 | G2 | 3-4 | 5-9 | 0.91 | 1.02 | 4 |
| <i>Malus</i> 'Orange Crush' Orange Crush Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Ormiston Roy' Ormiston Roy Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.93 | 1.27 | 4 |
| <i>Malus</i> 'Park Centre' Park Centre Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.70 | 1.27 | 4 |
| <i>Malus</i> 'Parrsi' Pink Princess® Crabapple | DT | 1.01 | G2 | 3-4 | 5-9 | 0.93 | 2.14 | 4 |
| <i>Malus</i> 'Pear Leaf' Pear Leaf Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Pink Cascade' Pink Cascade Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.70 | 1.27 | 4 |
| <i>Malus</i> 'Pink Dawn' Pink Dawn Crabapple | DT | 1.06 | G2 | 3-4 | 5-9 | 0.73 | 0.99 | 4 |
| <i>Malus</i> 'Pink Perfection' P.P. 2912 Pink Perfection Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.67 | 1.01 | 4 |
| <i>Malus</i> 'Pink Princess' See - <i>Malus</i> 'Parrsi' | | | | | | | | |
| <i>Malus</i> 'Pink Satin' Pink Satin Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.81 | 1.27 | 4 |
| <i>Malus</i> 'Pink Spires' Pink Spires Crabapple | DT | 1.18 | G2 | 3-4 | 5-9 | 1.30 | 1.32 | 4 |
| <i>Malus</i> 'Pink Star' Pink Star Crabapple | DT | 1.02 | G2 | 3-4 | 5-9 | 0.73 | 1.27 | 4 |
| <i>Malus</i> 'Prairie Maid' Prairie Maid Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.70 | 1.27 | 4 |
| <i>Malus</i> 'Prairie Rose' Prairie Rose Crabapple | DT | 1.19 | G2 | 3-4 | 5-9 | 0.90 | 1.23 | 4 |
| <i>Malus</i> 'Prairifire' Prairifire Crabapple | DT | 1.04 | G2 | 3-4 | 5-9 | 0.98 | 1.30 | 4 |
| <i>Malus</i> 'Prince Georges' Prince Georges Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 1.17 | 1.23 | 4 |
| <i>Malus</i> 'Professor Sprenger' Professor Sprenger Crabapple | DT | 0.91 | G2 | 3-4 | 5-9 | 0.72 | 1.20 | 4 |
| <i>Malus</i> 'Profusion Dwarf' Dwarf Profusion Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Profusion' Profusion Crabapple | DT | 0.93 | G2 | 3-4 | 5-9 | 0.84 | 1.25 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Malus</i> 'Purple Prince' P.P. 8478 Purple Prince Crabapple | DT | 1.28 | G2 | 3-4 | 5-9 | 0.91 | 1.18 | 4 |
| <i>Malus</i> 'Radiant' Radiant Crabapple | DT | 1.16 | G2 | 3-4 | 5-9 | 0.85 | 0.59 | 4 |
| <i>Malus</i> 'Rainbow' Rainbow Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Ralph Shay' Ralph Shay Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.67 | 1.27 | 4 |
| <i>Malus</i> 'Rebirzam' Redbird Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Red Barron' Red Barron Crabapple | DT | 1.10 | G2 | 3-4 | 5-9 | 1.12 | 0.74 | 4 |
| <i>Malus</i> 'Red Jade Dwarf' Red Jade Dwarf Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.94 | 1.23 | 3 |
| <i>Malus</i> 'Red Jade' P.P. 1497 Red Jade Crabapple | DT | 1.05 | G2 | 3-4 | 5-9 | 1.08 | 0.85 | 3 |
| <i>Malus</i> 'Red Jewel' See - <i>Malus</i> 'Jewelcole' P.P. 3267 | | | | | | | | |
| <i>Malus</i> 'Red Peacock' Red Peacock Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.73 | 1.33 | 4 |
| <i>Malus</i> 'Red Rock' Red Rock Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Red Silver' Red Silver Crabapple | DT | 0.76 | G2 | 3-4 | 5-9 | 0.29 | 0.16 | 4 |
| <i>Malus</i> 'Red Splendor Dwarf' Dwarf Red Splendor Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Red Splendor' Red Splendor Crabapple | DT | 1.17 | G2 | 3-4 | 5-9 | 0.96 | 1.24 | 3 |
| <i>Malus</i> 'Red Swan' Red Swan Crabapple | DT | 1.77 | G2 | 3-4 | 5-9 | 1.03 | 1.66 | 4 |
| <i>Malus</i> 'Redbird' See - <i>Malus</i> 'Rebirzam' | | | | | | | | |
| <i>Malus</i> 'Rejoice' See - <i>Malus</i> 'Rejzam' | | | | | | | | |
| <i>Malus</i> 'Rejzam' Rejoice™ Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 1.12 | 1.27 | 4 |
| <i>Malus</i> 'Robinson Dwarf' Dwarf Robinson Crabapple | DT | 0.90 | G2 | 3-4 | 5-9 | 0.90 | 1.34 | 4 |
| <i>Malus</i> 'Robinson' Robinson Crabapple | DT | 0.91 | G2 | 3-4 | 5-9 | 0.89 | 1.04 | 4 |
| <i>Malus</i> 'Royal Fountain' See - <i>Malus</i> 'Huber' | | | | | | | | |
| <i>Malus</i> 'Royal Raindrops' See - <i>Malus</i> 'JFS-KW5' P.P. 14375 | | | | | | | | |
| <i>Malus</i> 'Royal Ruby' Royal Ruby Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.70 | 1.27 | 4 |
| <i>Malus</i> 'Royal Scepter' See - <i>Malus</i> 'Roiscezam' | | | | | | | | |
| <i>Malus</i> 'Royalty Dwarf' Dwarf Royalty Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 1.16 | 1.96 | 4 |
| <i>Malus</i> 'Royalty' Royalty Crabapple | DT | 1.08 | G2 | 3-4 | 5-9 | 1.02 | 0.96 | 4 |
| <i>Malus</i> 'Roiscezam' Royal Scepter™ Crabapple | DT | 1.13 | G2 | 3-4 | 5-9 | 1.59 | 1.28 | 4 |
| <i>Malus</i> 'Ruby Lustre' Ruby Lustre Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Satin Cloud' Satin Cloud Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Malus</i> 'Sbrazam' Scarlet Brandywine™ Crabapple | DT | 1.13 | G2 | 3-4 | 5-9 | 1.08 | 1.23 | 4 |
| <i>Malus</i> 'Scarlet Brandywine' See - <i>Malus</i> 'Sbrazam' | | | | | | | | |
| <i>Malus</i> 'ScarletSpire' See - <i>Malus</i> 'Trajan' P.P. 6226 | | | | | | | | |
| <i>Malus</i> 'Selkirk' Selkirk Crabapple | DT | 1.26 | G2 | 3-4 | 5-9 | 0.85 | 1.48 | 3 |
| <i>Malus</i> 'Sentinel' Sentinel Crabapple | DT | 1.09 | G2 | 3-4 | 5-9 | 0.85 | 1.41 | 4 |
| <i>Malus</i> 'Serenade' Serenade Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.22 | 4 |
| <i>Malus</i> 'Serenity' See - <i>Malus</i> 'Serzam' | | | | | | | | |
| <i>Malus</i> 'Serzam' Serenity™ Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Shakespeare' Shakespeare Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Silver Drift' Silver Drift Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.73 | 1.27 | 4 |
| <i>Malus</i> 'Silver Moon' Silver Moon Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.59 | 4 |
| <i>Malus</i> 'Simpson 10-35' Simpson 10-35 Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Sinai Fire' P.P. 7492 Sinai Fire Crabapple | DT | 1.15 | G2 | 3-4 | 5-9 | 0.86 | 1.27 | 4 |
| <i>Malus</i> 'Sir Galahad' See - <i>Malus</i> 'Sirgazam' | | | | | | | | |
| <i>Malus</i> 'Sirgazam' Sir Galahad® Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Snow Ballerina' Snow Ballerina Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Snow Magic' P.P. 4815 Snow Magic Crabapple | DT | 1.55 | G2 | 3-4 | 5-9 | 0.87 | 0.99 | 4 |
| <i>Malus</i> 'Snowcloud' P.P. 2913 Snowcloud Crabapple | DT | 1.07 | G2 | 3-4 | 5-9 | 0.70 | 0.95 | 4 |
| <i>Malus</i> 'Snowdrift Dwarf' Dwarf Snowdrift Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.94 | 1.23 | 4 |
| <i>Malus</i> 'Snowdrift' Snowdrift Crabapple | DT | 0.98 | G2 | 3-4 | 5-9 | 0.75 | 1.29 | 4 |
| <i>Malus</i> 'Sparkler' Sparkler Crabapple | DT | 2.04 | G2 | 3-4 | 5-9 | 1.15 | 1.27 | 4 |
| <i>Malus</i> 'Spring Sensation' See - <i>Malus</i> 'Hub Tures' | | | | | | | | |
| <i>Malus</i> 'Spring Snow Dwarf' Dwarf Spring Snow Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.94 | 1.23 | 4 |
| <i>Malus</i> 'Spring Snow' P.P. 2667 Spring Snow Crabapple | DT | 1.11 | G2 | 3-4 | 5-9 | 0.93 | 1.76 | 4 |
| <i>Malus</i> 'Spring Song' Spring Song Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.86 | 1.23 | 4 |
| <i>Malus</i> 'Strathmore' Strathmore Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 1.32 | 1.23 | 4 |
| <i>Malus</i> 'Strawberry Parfait' P.P. 4632 Strawberry Parfait Crabapple | DT | 1.36 | G2 | 3-4 | 5-9 | 0.99 | 1.46 | 4 |
| <i>Malus</i> 'Sugar Tyme' See - <i>Malus</i> 'Sutyzam' P.P. 7062 | | | | | | | | |
| <i>Malus</i> 'Sutyzam' P.P. 7062 Sugar Tyme® Crabapple | DT | 0.94 | G2 | 3-4 | 5-9 | 0.88 | 1.00 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Malus</i> 'Telamon' P.P. 6224 UltraSpire™ Colonnade Crabapple | DT | 1.40 | G2 | 3-4 | 5-9 | 1.97 | 1.23 | 4 |
| <i>Malus</i> 'Thunderchild' Thunderchild Crabapple | DT | 1.09 | G2 | 3-4 | 5-9 | 1.20 | 1.57 | 4 |
| <i>Malus</i> 'Tolsteme' Tolsteme Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Trajan' P.P. 6226 ScarletSpire™ Colonnade Crabapple | DT | 1.92 | G2 | 3-4 | 5-9 | 1.94 | 1.23 | 4 |
| <i>Malus</i> 'Turesi' Tures' Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Tuscan' P.P. 6225 EmeraldSpire™ Colonnade Crabapple | DT | 1.43 | G2 | 3-4 | 5-9 | 1.32 | 1.23 | 4 |
| <i>Malus</i> 'UltraSpire' See - <i>Malus</i> 'Telamon' P.P. 6224 | | | | | | | | |
| <i>Malus</i> 'Van Eseltine' Van Eseltine Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.70 | 1.27 | 4 |
| <i>Malus</i> 'Vanguard' Vanguard Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.74 | 1.27 | 4 |
| <i>Malus</i> 'Velvet Pillar' See - <i>Malus</i> 'Velvetcole' P.P. 4758 | | | | | | | | |
| <i>Malus</i> 'Velvetcole' P.P. 4758 Velvet Pillar™ Crabapple | DT | 1.36 | G2 | 3-4 | 5-9 | 0.93 | 1.33 | 4 |
| <i>Malus</i> 'Victorian' See - <i>Malus</i> 'Vicizam' | | | | | | | | |
| <i>Malus</i> 'Vicizam' Victorian™ Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Weepcanzam' P.P. 4038 Weeping Candied Apple® Crabapple | DT | 1.10 | G2 | 3-4 | 5-9 | 0.94 | 1.03 | 4 |
| <i>Malus</i> 'Weeping Candied Apple' See - <i>Malus</i> 'Weepcanzam' P.P. 4038 | | | | | | | | |
| <i>Malus</i> 'White Angel' White Angel® Crabapple | DT | 1.31 | G2 | 3-4 | 5-9 | 0.82 | 1.41 | 4 |
| <i>Malus</i> 'White Candle' White Candle Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.87 | 1.44 | 4 |
| <i>Malus</i> 'White Cascade' P.P. 3644 White Cascade Crabapple | DT | 1.12 | G2 | 3-4 | 5-9 | 0.95 | 1.93 | 4 |
| <i>Malus</i> 'Whitney' Whitney Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.59 | 1.23 | 4 |
| <i>Malus</i> 'Winter Gold' Winter Gold Crabapple | DT | 1.62 | G2 | 3-4 | 5-9 | 0.99 | 1.54 | 4 |
| <i>Malus</i> 'Yellow Jewel' Yellow Jewel Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.70 | 1.27 | 4 |
| <i>Malus</i> 'Zumarang' Zumarang Crabapple | DT | 1.23 | G2 | 3-4 | 5-9 | 0.73 | 1.27 | 4 |
| <i>Malus angustifolia</i> Southern Crabapple | DT | 0.57 | G2 | 3-5 | 6-7 | 1.00 | 0.76 | 5 |
| <i>Malus xarnoldiana</i> Arnold Crabapple | DT | 1.00 | G2 | 3-4 | 5-7 | 1.00 | 1.00 | 4 |
| <i>Malus xatrosanguinea</i> Carmine Crabapple | DT | 1.00 | G2 | 3-4 | 5-7 | 1.39 | 1.85 | 4 |
| <i>Malus baccata</i> Siberian Crabapple | DT | 1.19 | G2 | 2 | 3-7 | 0.97 | 1.30 | 2 |
| <i>Malus baccata</i> 'Andrew Tures' Andrew Tures Siberian Crabapple | DT | 1.55 | G2 | 2 | 3-7 | 1.07 | 1.18 | 2 |
| <i>Malus baccata</i> 'Columnaris' Columnar Siberian Crabapple | DT | 1.55 | G2 | 2 | 3-7 | 1.17 | 1.30 | 2 |
| <i>Malus baccata</i> 'Jackii' Jack Siberian Crabapple | DT | 1.68 | G2 | 2 | 3-7 | 1.15 | 1.45 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus baccata</i> 'Schichtel' Schichtel's Siberian Crabapple | DT | 1.55 | G2 | 2 | 3-7 | 1.07 | 1.30 | 2 |
| <i>Malus baccata</i> 'Taliak' Taliak Siberian Crabapple | DT | 1.55 | G2 | 2 | 3-7 | 1.07 | 1.30 | 2 |
| <i>Malus baccata</i> 'Walters' Walters Siberian Crabapple | DT | 1.77 | G2 | 2 | 3-7 | 1.00 | 1.27 | 2 |
| <i>Malus baccata</i> var. <i>mandshurica</i> Manchurian Crabapple | DT | 1.00 | G2 | 2 | 3-7 | 0.40 | 1.00 | 2 |
| <i>Malus coronaria</i> Wild Sweet Crabapple | DT | 1.00 | G2 | 3-4 | 5-7 | 1.00 | 1.00 | 4 |
| <i>Malus coronaria</i> 'Charlottae' Charlotte Crabapple | DT | 1.00 | G2 | 3-4 | 5-7 | 1.00 | 1.00 | 4 |
| <i>Malus floribunda</i> Japanese Flowering Crabapple | DT | 1.05 | G2 | 3-4 | 5-7 | 0.93 | 1.34 | 4 |
| <i>Malus floribunda</i> 'Dwarf' Dwarf Japanese Flowering Crabapple | DT | 1.05 | G2 | 3-4 | 5-7 | 1.29 | 2.24 | 4 |
| <i>Malus fusca</i> Oregon Crabapple | DT | 0.68 | G2 | 5-6 | 7-8 | 0.45 | 1.00 | 6 |
| <i>Malus hupehensis</i> Tea Crabapple | DT | 1.27 | G2 | 3-4 | 5-7 | 0.92 | 1.17 | 4 |
| <i>Malus hupehensis</i> 'Cardinal' P.P. 7147 Cardinal Tea Crabapple | DT | 1.27 | G2 | 3-4 | 5-7 | 0.94 | 0.91 | 4 |
| <i>Malus ioensis</i> Prairie Crabapple | DT | 1.14 | G2 | 2 | 3-7 | 1.18 | 0.69 | 2 |
| <i>Malus ioensis</i> 'Klehm's Improved Bechtel' Klehm's Improved Bechtel Crabapple | DT | 1.10 | G2 | 2 | 3-7 | 0.89 | 0.69 | 2 |
| <i>Malus ioensis</i> 'Plena' Bechtel Crabapple | DT | 1.17 | G2 | 2 | 3-7 | 1.29 | 0.69 | 2 |
| <i>Malus xmicromalus</i> Midget Crabapple | DT | 1.00 | G2 | 3-4 | 5-7 | 1.15 | 1.96 | 4 |
| <i>Malus pumila</i> Common Apple | DT | 1.00 | G2 | 2-3 | 4-7 | 1.00 | 1.00 | 3 |
| <i>Malus xrobusta</i> Robusta Crabapple | DT | 1.00 | G2 | 2-3 | 4-7 | 1.00 | 1.00 | 3 |
| <i>Malus sargentii</i> Sargent Crabapple | DT | 0.98 | G2 | 3-4 | 5-7 | 0.91 | 2.02 | 4 |
| <i>Malus sargentii</i> 'Firebird' See - <i>Malus sargentii</i> 'Select A' P.P.A.F. | | | | | | | | |
| <i>Malus sargentii</i> 'Rosea' Pink Sargent Crabapple | DT | 1.34 | G2 | 3-4 | 5-7 | 0.70 | 2.42 | 4 |
| <i>Malus sargentii</i> 'Roseglow' Roseglow Sargent Crabapple | DT | 1.34 | G2 | 3-4 | 5-7 | 0.97 | 2.64 | 4 |
| <i>Malus sargentii</i> 'Select A' P.P.A.F. Firebird Sargent Crabapple | DT | 1.50 | G2 | 3-4 | 5-7 | 0.97 | 2.64 | 4 |
| <i>Malus sargentii</i> 'Tina Dwarf' Dwarf Tina Sargent Crabapple | DT | 1.34 | G2 | 3-4 | 5-7 | 1.16 | 2.64 | 4 |
| <i>Malus sargentii</i> 'Tina' Tina Sargent Crabapple | DT | 1.55 | G2 | 3-4 | 5-7 | 1.09 | 3.49 | 4 |
| <i>Malus sibirica</i> See - <i>Malus baccata</i> | | | | | | | | |
| <i>Malus sieboldii</i> Toringo Crabapple | DT | 0.70 | G2 | 3-5 | 6-7 | 0.70 | 1.27 | 5 |
| <i>Malus sieboldii</i> 'Fuji' Fuji Toringo Crabapple | DT | 0.70 | G2 | 3-5 | 6-7 | 0.70 | 1.27 | 5 |
| <i>Malus spectabilis</i> Chinese Crabapple | DT | 1.00 | G2 | 3-4 | 5-7 | 1.00 | 1.00 | 4 |
| <i>Malus spectabilis</i> 'Alba' White Chinese Crabapple | DT | 1.00 | G2 | 3-4 | 5-7 | 1.00 | 1.00 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Malus sylvestris</i> European Apple | FN | 1.00 | G2 | 3-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> Orchard Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 0.90 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Acey Mac' Acey Mac Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.69 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Akane' Akane Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.73 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Anna' Anna Apple | FN | 0.82 | G2 | 3-5 | 6-7 | 0.56 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Arkansas Black' Arkansas Black Apple | FN | 0.81 | G2 | 3-5 | 6-7 | 0.59 | 0.37 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Arlet' P.P. 6689 Swiss Gourmet™ Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.76 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Aurora' Joburn™ Braeburn Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.75 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Autumn Gold' P.P. 9907 Autumn Gold® Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Baigent' P.P. 10016 Brookfield™ Gala Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.75 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Beacon Dwarf' Beacon Dwarf Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 1.28 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Beacon' Beacon Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 1.39 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Beverly Hills' Beverly Hills Apple | FN | 0.99 | G2 | 3-5 | 6-7 | 0.63 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Braeburn' Braeburn Apple | FN | 1.02 | G2 | 3-5 | 6-7 | 0.75 | 0.48 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Brookfield Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Baigent' P.P. 10016 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Buckeye Gala' P.P.A.F. Buckeye™ Gala Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.76 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Cameo' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Caudle' P.P. 9068 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Campbell Red Delicious' Campbell Red Delicious Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Caudle' P.P. 9068 Cameo™ Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.74 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Chehalis' Chehalis Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Chieftain' Chieftain Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Compact Red McIntosh' Compact Red McIntosh Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Compact Red Rome' Compact Red Rome Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Compact Winter Banana' Compact Winter Banana Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.68 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Connell Red Dwarf' Connell Red Dwarf Apple | FN | 1.06 | G2 | 3-4 | 5-7 | 1.26 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Connell Red' Connell Red Apple | FN | 1.06 | G2 | 3-4 | 5-7 | 0.94 | 0.56 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Coop 13' P.P. 4322 Redfree Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.76 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Cortland Dwarf' Cortland Dwarf Apple | FN | 1.00 | G2 | 3-4 | 5-7 | 1.28 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Cortland' Cortland Apple | FN | 0.99 | G2 | 3-4 | 5-7 | 1.04 | 0.37 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Crimson Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Walliser Gala' P.P. 8673 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Criterion' Criterion Apple | FN | 1.06 | G2 | 3-5 | 6-9 | 1.15 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Davis' P.P. 10010 Galasupreme® Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Del Red Rome' Del™ Red Rome Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Delcon' Delcon Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.45 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Early Red One Delicious' Early Red One™ Delicious Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.76 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ein Shemer' Ein Shemer Apple | FN | 0.79 | G2 | 3-5 | 6-7 | 0.61 | 0.48 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Empire' Empire Apple | FN | 1.03 | G2 | 3-4 | 5-7 | 1.55 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Enterprise' Enterprise Apple | FN | 0.87 | G2 | 3-4 | 5-7 | 0.62 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Fireside Dwarf' Fireside Dwarf Apple | FN | 1.14 | G2 | 3-4 | 5-7 | 1.26 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Fireside' Fireside Apple | FN | 1.33 | G2 | 3-4 | 5-7 | 1.31 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Firmgold' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Howell' P.P. 4166 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Fortune' Fortune Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Freedom' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'NY 58533-1' P.P. 5723 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Fuji' Fuji Apple | FN | 1.02 | G2 | 3-5 | 6-7 | 0.74 | 0.48 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Gala' Gala Apple | FN | 1.00 | G2 | 3-5 | 6-7 | 0.75 | 0.48 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Galasupreme' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Davis' P.P. 10010 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Gale Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Malaga' P.P. 10114 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Gibson Golden Delicious' Gibson Golden Delicious Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.60 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ginger Gold' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Mt. Cove' P.P. 7063 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Golden Delicious Dwarf' Golden Delicious Dwarf Apple | FN | 1.00 | G2 | 3-5 | 6-7 | 0.90 | 0.58 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Golden Delicious' Golden Delicious Apple | FN | 0.99 | G2 | 3-5 | 6-7 | 0.99 | 0.35 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Golden Dorsett' Golden Dorsett Apple | FN | 0.75 | G2 | 3-5 | 6-7 | 0.62 | 0.48 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Golden Sentinel' Golden Sentinel Apple | FN | 1.30 | G2 | 3-5 | 6-7 | 1.12 | 0.56 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Golden Supreme' Golden Supreme® Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.60 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Goldspur Delicious' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Sundale' | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Goodland' Goodland Apple | FN | 1.74 | G2 | 2-3 | 4-7 | 1.16 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Granny Smith Dwarf' Granny Smith Dwarf Apple | FN | 1.38 | G2 | 3-5 | 6-7 | 1.45 | 0.48 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Granny Smith' Granny Smith Apple | FN | 0.95 | G2 | 3-5 | 6-7 | 0.84 | 0.52 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Grimes Golden' Grimes Golden Apple | FN | 0.87 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Haralred Dwarf' Haralred Dwarf Apple | FN | 1.36 | G2 | 2-3 | 4-7 | 1.37 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Haralred' Haralred Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 1.29 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Haralson Dwarf' Haralson Dwarf Apple | FN | 1.29 | G2 | 2-3 | 4-7 | 1.28 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Haralson' Haralson Apple | FN | 1.31 | G2 | 2-3 | 4-7 | 1.35 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Hazen Dwarf' Hazen Dwarf Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 0.90 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Hazen' Hazen Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 0.94 | 1.04 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Heyer 12' Heyer 12 Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 1.16 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Holland' Holland Apple | FN | 0.60 | G2 | 3-5 | 6-7 | 0.64 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Honeycrisp Dwarf' Honeycrisp Dwarf Apple | FN | 1.29 | G2 | 3-4 | 5-7 | 1.43 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Honeycrisp' P.P. 7197 Honeycrisp Apple | FN | 1.01 | G2 | 3-4 | 5-7 | 1.02 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Honeygold Dwarf' Honeygold Dwarf Apple | FN | 1.24 | G2 | 3-4 | 5-7 | 1.26 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Honeygold' Honeygold Apple | FN | 1.52 | G2 | 3-4 | 5-7 | 1.07 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Howell' P.P. 4166 Firmgold® Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Idared' Idared Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.65 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Imperial Gala' Imperial Gala® Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.63 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Improved Gala' Improved Gala Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'It Red Delicious' It® Red Delicious Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.69 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jefdale' Prairie Magic Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 0.92 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jerseymac' Jerseymac Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 1.18 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Joburn Braeburn' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Aurora' | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonagold De Coster' P.P. 8049 Jonagold De Coster Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.76 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonagold Dwarf' Jonagold Dwarf Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonagold' Jonagold Apple | FN | 1.17 | G2 | 3-5 | 6-7 | 0.89 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonagored' P.P. 5937 Morrens® Jonagored Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.63 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonamac' Jonamac Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.60 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonathan Dwarf' Jonathan Dwarf Apple | FN | 0.86 | G2 | 3-5 | 6-7 | 1.26 | 0.67 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonathan' Jonathan Apple | FN | 1.11 | G2 | 3-5 | 6-7 | 0.98 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonica' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Schneida' P.P. 7146 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Keepsake Dwarf' Keepsake Dwarf Apple | FN | 1.06 | G2 | 3-4 | 5-7 | 0.90 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Keepsake' Keepsake Apple | FN | 1.06 | G2 | 3-4 | 5-7 | 0.67 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Law Red Rome' Law Red Rome Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.68 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Lawspur Rome' Lawspur® Rome Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.63 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Liberty' Liberty Apple | FN | 0.99 | G2 | 3-4 | 5-7 | 0.97 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Lochbuie Braeburn' Lochbuie™ Braeburn Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.75 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Lodi' Lodi Apple | FN | 0.85 | G2 | 3-4 | 5-7 | 0.66 | 0.37 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Lucky Rose' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Lucky Stemilt' P.P.A.F. | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Lucky Stemilt' P.P.A.F. Lucky Rose™ Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Macoun Dwarf' Macoun Dwarf Apple | FN | 1.06 | G2 | 3-4 | 5-7 | 0.90 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Macoun' Macoun Apple | FN | 0.99 | G2 | 3-4 | 5-7 | 0.91 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Malaga' P.P. 10114 Gale Gala™ Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.78 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mantet' Mantet Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 0.91 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'McIntosh Dwarf' McIntosh Dwarf Apple | FN | 1.09 | G2 | 3-4 | 5-7 | 1.25 | 0.67 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'McIntosh' McIntosh Apple | FN | 1.27 | G2 | 3-4 | 5-7 | 0.98 | 0.37 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Melrose' Melrose Apple | FN | 0.84 | G2 | 3-5 | 6-7 | 0.73 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Midnight Red Spur Delicious' Midnight Red Spur Delicious Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.69 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mollie's Delicious' Mollie's Delicious Apple | FN | 0.59 | G2 | 3-5 | 6-7 | 0.40 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Morgan Spur' Morgan Spur® Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.75 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Morren's Jonagored' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonagored' P.P. 5937 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mr. K' Mr. K Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mt. Cove' P.P. 7063 Ginger Gold® Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.78 | 0.56 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mutsu Dwarf' Mutsu Dwarf Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mutsu' Mutsu Apple | FN | 0.91 | G2 | 3-5 | 6-7 | 0.78 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Myra Fuji' P.P. 9645 Myra Fuji Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.72 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'NY 58533-1' P.P. 5723 Freedom Apple | FN | 0.90 | G2 | 3-4 | 5-7 | 1.02 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Norcue' Norcue Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 0.90 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Norland' Norland Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 1.25 | 1.11 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Northern Lights' Northern Lights Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 0.94 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Northern Spy' Northern Spy Apple | FN | 0.88 | G2 | 3-4 | 5-7 | 0.70 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Northwest Greening' Northwest Greening Apple | FN | 1.10 | G2 | 3-4 | 5-7 | 1.40 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Olsentwo' P.P. 9681 Pacific Gala® Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.74 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Oregon Spur' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'W & W' P.P. 4819 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Orin' Orin Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.63 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ozark Gold Dwarf' Ozark Gold Dwarf Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ozark Gold' Ozark Gold Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Pacific Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Olsentwo' P.P. 9681 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Parkland' Parkland Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 1.16 | 1.11 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Paula Red' Paula Red Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Prairie Magic' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Jefdale' | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Prima' Prima Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Prime Gold' Prime Gold Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'RAdiant Red Spur Delicious' | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| RAdiant® Red Spur Delicious Apple | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Rafzubin' P.P. 6588 Rubinette® Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Baron Dwarf' Red Baron Dwarf Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 1.28 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Baron' Red Baron Apple | FN | 1.45 | G2 | 2-3 | 4-7 | 1.02 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Chief' Red Chief Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Delicious Dwarf' Red Delicious Dwarf Apple | FN | 0.98 | G2 | 3-5 | 6-7 | 1.93 | 0.58 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Delicious' Red Delicious Apple | FN | 1.07 | G2 | 3-5 | 6-7 | 0.88 | 0.35 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Duchess' Red Duchess Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 0.91 | 0.56 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Fuji BC#2' Red Fuji BC#2 Apple | FN | 1.23 | G2 | 3-5 | 6-7 | 0.64 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Fuji Nagafu 12' Red Fuji Nagafu 12 Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.66 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Fuji Nagafu 6' Red Fuji Nagafu 6 Apple | FN | 0.89 | G2 | 3-5 | 6-7 | 0.53 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Gravenstein' Red Gravenstein Apple | FN | 1.00 | G2 | 3-5 | 6-7 | 0.76 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red McIntosh' Red McIntosh Apple | FN | 1.27 | G2 | 3-5 | 6-7 | 0.63 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Prairie Spy Dwarf' Red Prairie Spy Dwarf Apple | FN | 1.74 | G2 | 3-4 | 5-7 | 1.28 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Prairie Spy' Red Prairie Spy Apple | FN | 1.06 | G2 | 3-4 | 5-7 | 1.53 | 0.67 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Stayman' Red Stayman Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.68 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Wealthy' Red Wealthy Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.63 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Winesap' Red Winesap Apple | FN | 0.87 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Redchief Heinicke' Redchief® Heinicke® Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.67 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Redcort' P.P. 5095 Redcort® Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.72 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Redfree' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Coop 13' P.P. 4322 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Redmax' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Starling' P.P. 7167 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Regent Dwarf' Regent Dwarf Apple | FN | 1.29 | G2 | 3-4 | 5-7 | 1.28 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Regent' Regent Apple | FN | 1.06 | G2 | 3-4 | 5-7 | 0.94 | 0.56 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Rome Beauty Dwarf' Rome Beauty Dwarf Apple | FN | 0.84 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Rome Beauty' Rome Beauty Apple | FN | 0.82 | G2 | 3-5 | 6-7 | 0.81 | 0.37 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Royal Empire' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Teeples' P.P. 7820 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Royal Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Tenroy' P.P. 4121 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Rubinette' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Rafzubin' P.P. 6588 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Rubinstar Jonagold' P.P. 7590 Rubinstar Jonagold Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.72 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ruby Jon' P.P.A.F. Ruby Jon® Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.76 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ryanred Delicious' Ryanred Delicious Apple | FN | 1.06 | G2 | 3-5 | 6-9 | 1.11 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sali Red Delicious' P.P. 7237 Sali™ Red Delicious Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sandidge' P.P. 6190 Super Chief® Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.76 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sansa' Sansa Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.76 | 0.56 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Scarlet Sentinel' Scarlet Sentinel Apple | FN | 1.30 | G2 | 3-5 | 6-7 | 1.12 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Scarlet Spur' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Snipes' P.P. 4839 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Schneida' P.P. 7146 Jonica™ Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Senshu' Senshu Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Shamrock' Shamrock Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Smoothee' Smoothee® Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.63 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Snipes' P.P. 4839 Scarlet Spur® Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.76 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Spartan' Spartan Apple | FN | 0.90 | G2 | 3-5 | 6-7 | 0.73 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Spigold' Spigold Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Spur Winter Banana' Spur Winter Banana Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Spur York' Spur York Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.68 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Starling' P.P. 7167 Redmax Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.72 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'State Fair Dwarf' State Fair Dwarf Apple | FN | 1.15 | G2 | 2-3 | 4-7 | 1.35 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'State Fair' State Fair Apple | FN | 1.10 | G2 | 2-3 | 4-7 | 1.04 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Stayman Dwarf' Stayman Dwarf Apple | FN | 1.06 | G2 | 3-4 | 5-7 | 0.90 | 0.48 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Stayman' Stayman Apple | FN | 0.79 | G2 | 3-4 | 5-7 | 0.49 | 0.35 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Summerred' Summerred Apple | FN | 1.30 | G2 | 3-5 | 6-7 | 0.93 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sun Fuji' Sun Fuji™ Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.72 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sundale' Goldspur Delicious Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.68 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Super Chief' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Sandidge' P.P. 6190 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sweet Sixteen Dwarf' FN Sweet Sixteen Dwarf Apple | FN | 1.15 | G2 | 2-3 | 4-7 | 1.33 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sweet Sixteen' Sweet Sixteen Apple | FN | 1.17 | G2 | 2-3 | 4-7 | 1.21 | 0.56 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Swiss Gourmet' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Arlet' P.P. 6689 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'TF808' P.P. 8010 Thome Empire™ Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.72 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Teeples' P.P. 7820 Royal Empire™ Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.74 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Tenroy' P.P. 4121 Royal Gala® Apple | FN | 0.90 | G2 | 3-5 | 6-7 | 0.99 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Tex Red Winesap' Tex Red Winesap Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.68 | 0.56 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'The Ace Spur' P.P. 4587 The Ace Spur Red Delicious Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|---------|---------------------|---|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Thome Empire' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'TF808' P.P. 8010 | | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Tydeman's Red' Tydeman's Red Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Valstar' P.P.A.F. Valstar™ Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.76 | 0.56 | 5 | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'W & W' P.P. 4819 Oregon Spur® II Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.76 | 0.56 | 5 | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Walliser Gala' P.P. 8673 Crimson Gala™ Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.74 | 0.56 | 5 | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Washington Spur' Washington Spur™ Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Wealthy Dwarf' Wealthy Dwarf Apple | FN | 1.06 | G2 | 3-4 | 5-7 | 1.26 | 0.56 | 4 | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Wealthy' Wealthy Apple | FN | 0.97 | G2 | 3-4 | 5-7 | 1.13 | 0.56 | 4 | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Westland' Westland Apple | FN | 1.06 | G2 | 2-3 | 4-7 | 0.89 | 0.56 | 3 | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Winesap Dwarf' Winesap Dwarf Apple | FN | 0.80 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Winesap' Winesap Apple | FN | 1.06 | G2 | 3-5 | 6-7 | 0.67 | 0.37 | 5 | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Winter Banana' Winter Banana Apple | FN | 0.81 | G2 | 3-5 | 6-7 | 0.90 | 0.56 | 5 | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Wolf River' Wolf River Apple | FN | 0.97 | G2 | 3-4 | 5-7 | 1.25 | 0.56 | 4 | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Yellow Newton' Yellow Newton Apple | FN | 0.85 | G2 | 3-4 | 5-7 | 0.62 | 0.56 | 4 | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Yellow Transparent' Yellow Transparent Apple | FN | 1.10 | G2 | 3-4 | 5-7 | 0.77 | 0.89 | 4 | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Zestar!' P.P.A.F. Zestar!™ Apple | FN | 1.40 | G2 | 3-4 | 5-7 | 0.75 | 0.56 | 4 | |
| <i>Malus toringoides</i> Cutleaf Crabapple | DT | 1.00 | G2 | 3-5 | 6-7 | 1.00 | 1.00 | 5 | |
| <i>Malus transitoria</i> Tibetan Crabapple | DT | 0.85 | G2 | 3-4 | 5-7 | 1.01 | 1.80 | 4 | |
| <i>Malus transitoria</i> 'Golden Raindrops' See - <i>Malus transitoria</i> 'Schmidtcutleaf' | | | | | | | | | |
| <i>Malus transitoria</i> 'Schmidtcutleaf' Golden Raindrops™ Crabapple | DT | 1.16 | G2 | 3-4 | 5-7 | 1.01 | 1.80 | 4 | |
| <i>Malus tschonoskii</i> Tschonoski Crabapple | DT | 1.00 | G2 | 3-5 | 6-7 | 0.92 | 1.27 | 5 | |
| <i>Malus yunnanensis</i> var. <i>veitchii</i> Veitch's Crabapple | DT | 1.00 | G2 | 4-6 | 7-8 | 1.00 | 1.00 | 6 | |
| <i>Malus xzumi</i> Zumi Crabapple | DT | 0.95 | G2 | 3-5 | 6-7 | 0.89 | 1.25 | 5 | |
| <i>Malus xzumi</i> 'Schichtel' Schichtel's Zumi Crabapple | DT | 0.95 | G2 | 4-5 | 6-8 | 0.81 | 1.23 | 5 | |
| <i>Malus xzumi</i> 'Winter Gem' Winter Gem Zumi Crabapple | DT | 0.95 | G2 | 3-5 | 6-7 | 0.70 | 1.27 | 5 | |
| <i>Malus xzumi</i> 'Wooster' Wooster Zumi Crabapple | DT | 0.95 | G2 | 3-5 | 6-7 | 0.83 | 1.16 | 5 | |
| <i>Malus xzumi</i> var. <i>calocarpa</i> Redbud Crabapple | DT | 1.04 | G2 | 3-5 | 6-7 | 1.10 | 1.38 | 5 | |
| <i>Malus xzumi</i> var. <i>calocarpa</i> 'Yellow Fruit' Yellow Fruit Redbud Crabapple | DT | 1.04 | G2 | 3-5 | 6-7 | 1.10 | 1.62 | 5 | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Malva alcea</i> Hollyhock Mallow | HP | 0.73 | G4 | 4-5 | 6-7 | | | |
| <i>Malva alcea</i> 'Fastigiata' Fastigiata Hollyhock Mallow | HP | 0.99 | G4 | 4-5 | 6-7 | | | |
| <i>Malva moschata</i> Musk Mallow | HP | 0.93 | G4 | 3-5 | 6-7 | | | |
| <i>Malva moschata</i> 'Alba' White Musk Mallow | HP | 1.02 | G4 | 3-5 | 6-7 | | | |
| <i>Malva moschata</i> 'Pink Perfection' Pink Perfection Musk Mallow | HP | 0.96 | G4 | 2-3 | 4-7 | | | |
| <i>Malva sylvestris</i> High Mallow | HP | 0.81 | G4 | 5-6 | 7 | | | |
| <i>Malva sylvestris</i> 'Mauritiana' Mauritiana High Mallow | HP | 0.77 | G4 | 5-6 | 7 | | | |
| <i>Malva sylvestris</i> 'Primley's Blue' Primley's Blue High Mallow | HP | 1.22 | G4 | 5-6 | 7 | | | |
| <i>Malva sylvestris</i> 'Zebrina' Zebrina Tree Mallow | HP | 0.90 | G4 | 5-6 | 7 | | | |
| <i>Malvaviscus arboreus</i> Wax Mallow | BS | 0.63 | G1 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Malvaviscus arboreus</i> var. <i>drummondii</i> Drummond Wax Mallow | BS | 0.66 | G1 | 8-9 | 10-11 | | 1.00 | 8 |
| <i>Malvaviscus arboreus</i> var. <i>drummondii</i> 'Alba' White Drummond Wax Mallow | BS | 0.65 | G1 | 8-9 | 10-11 | | 1.00 | 8 |
| <i>Malvaviscus arboreus</i> var. <i>mexicanus</i> Turk's Cap | BS | 0.67 | G1 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Malvaviscus arboreus</i> var. <i>penduliflorus</i> Mazapan | BS | 0.64 | G1 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Malvaviscus drummondii</i> See - <i>Malvaviscus arboreus</i> var. <i>drummondii</i> | | | | | | | | |
| <i>Malvaviscus grandiflorus</i> See - <i>Malvaviscus arboreus</i> var. <i>mexicanus</i> | | | | | | | | |
| <i>Malvaviscus mollis</i> See - <i>Malvaviscus arboreus</i> | | | | | | | | |
| <i>Malvaviscus penduliflorus</i> See - <i>Malvaviscus arboreus</i> var. <i>penduliflorus</i> | | | | | | | | |
| <i>Mammillaria baumii</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Mammillaria elongata</i> Lace Cactus | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Mammillaria nejapensis</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Mammillaria parkinsonii</i> Owl's Eyes | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Mandevilla</i> Mandevilla | GC | 1.23 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Mandevilla</i> 'Best Red' Best Red Mandevilla | GC | 1.06 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Mandevilla</i> 'Cerise' P.P. 9118 Scarlet Pimpernel Mandevilla | GC | 1.37 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Mandevilla</i> 'Faire Lady' See - <i>Mandevilla</i> 'Helle' P.P. 9117 | | | | | | | | |
| <i>Mandevilla</i> 'Helle' P.P. 9117 Faire Lady Mandevilla | GC | 1.33 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Mandevilla</i> 'Red Velvet' P.P. 12238 Red Velvet Mandevilla | GC | 1.05 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Mandevilla</i> 'Ruby Star' P.P. 8842 Ruby Star Mandevilla | GC | 1.32 | G1 | 8-10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Mandevilla</i> 'Scarlet Pimpernel' | | | | | | | | |
| See - <i>Mandevilla</i> 'Cerise' P.P. 9118 | | | | | | | | |
| <i>Mandevilla</i> 'White Delight' | | | | | | | | |
| See - <i>Mandevilla</i> 'White Delite' P.P. 8479 | | | | | | | | |
| <i>Mandevilla</i> 'White Delite' P.P. 8479 | GC | 1.27 | G1 | 8-10 | 11 | | 1.00 | 10 |
| White Delight <i>Mandevilla</i> | | | | | | | | |
| <i>Mandevilla</i> x <i>amabilis</i> | GC | 0.81 | G1 | 8-10 | 11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Mandevilla</i> x <i>amabilis</i> 'Alice du Pont' | GC | 1.14 | G1 | 8-10 | 11 | | 1.00 | 10 |
| Alice du Pont <i>Mandevilla</i> | | | | | | | | |
| <i>Mandevilla</i> x <i>amabilis</i> 'Monite' P.P.A.F. | GC | 1.52 | G1 | 8-10 | 11 | | 1.00 | 10 |
| Moonlight Parfait™ <i>Mandevilla</i> | | | | | | | | |
| <i>Mandevilla</i> x <i>amabilis</i> 'Monrey' P.P.A.F. | GC | 1.67 | G1 | 8-10 | 11 | | 1.00 | 10 |
| Tango Twirl™ <i>Mandevilla</i> | | | | | | | | |
| <i>Mandevilla</i> x <i>amabilis</i> 'Monte' P.P. 10329 | GC | 1.64 | G1 | 8-10 | 11 | | 1.00 | 10 |
| Summer Snow™ <i>Mandevilla</i> | | | | | | | | |
| <i>Mandevilla</i> x <i>amabilis</i> 'Moonlight Parfait' | | | | | | | | |
| See - <i>Mandevilla</i> x <i>amabilis</i> 'Monite' P.P.A.F. | | | | | | | | |
| <i>Mandevilla</i> x <i>amabilis</i> 'Pink Parfait' | | | | | | | | |
| See - <i>Mandevilla</i> x <i>amabilis</i> 'Rita Marie Green' P.P.A.F. | | | | | | | | |
| <i>Mandevilla</i> x <i>amabilis</i> 'Rita Marie Green' P.P.A.F. | GC | 1.74 | G1 | 8-10 | 11 | | 1.00 | 10 |
| Pink Parfait™ <i>Mandevilla</i> | | | | | | | | |
| <i>Mandevilla</i> x <i>amabilis</i> 'Summer Snow' | | | | | | | | |
| See - <i>Mandevilla</i> x <i>amabilis</i> 'Monte' P.P. 10329 | | | | | | | | |
| <i>Mandevilla</i> x <i>amabilis</i> 'Tango Twirl' | | | | | | | | |
| See - <i>Mandevilla</i> x <i>amabilis</i> 'Monrey' P.P.A.F. | | | | | | | | |
| <i>Mandevilla boliviensis</i> | GC | 0.99 | G1 | 8-10 | 11 | | 1.00 | 10 |
| White Dipladenia | | | | | | | | |
| <i>Mandevilla laxa</i> | GC | 0.96 | G1 | 8-9 | 10-11 | | 1.00 | 9 |
| Chilean Jasmine | | | | | | | | |
| <i>Mandevilla sanderi</i> | GC | 0.89 | G1 | 8-10 | 11 | | 1.00 | 10 |
| Rose Dipladenia | | | | | | | | |
| <i>Mandevilla sanderi</i> 'Red Riding Hood' | GC | 1.11 | G1 | 8-10 | 11 | | 1.00 | 10 |
| Red Riding Hood Rose Dipladenia | | | | | | | | |
| <i>Mandevilla splendens</i> | GC | 0.85 | G1 | 8-10 | 11 | | 1.00 | 10 |
| Pleasing Dipladenia | | | | | | | | |
| <i>Mandevilla suaveolens</i> | | | | | | | | |
| See - <i>Mandevilla laxa</i> | | | | | | | | |
| <i>Manettia inflata</i> | | | | | | | | |
| See - <i>Manettia luteorubra</i> | | | | | | | | |
| <i>Manettia luteorubra</i> | GC | 0.72 | G1 | 8-10 | 11 | | 1.00 | 10 |
| Brazilian Firecracker | | | | | | | | |
| <i>Manettia luteorubra</i> 'John Elsley' | GC | 0.72 | G1 | 8-10 | 11 | | 1.00 | 10 |
| John Elsley Brazilian Firecracker | | | | | | | | |
| <i>Mangifera indica</i> | FN | 1.40 | G1 | 10 | 11 | 1.00 | 1.36 | 10 |
| Mango | | | | | | | | |
| <i>Mangifera indica</i> 'Fairchild' | FN | 1.71 | G1 | 10 | 11 | 1.00 | 0.97 | 10 |
| Fairchild Mango | | | | | | | | |
| <i>Mangifera indica</i> 'Haden' | FN | 1.55 | G1 | 10 | 11 | 1.00 | 0.78 | 10 |
| Haden Mango | | | | | | | | |
| <i>Mangifera indica</i> 'Julie' | FN | 1.71 | G1 | 10 | 11 | 1.00 | 0.78 | 10 |
| Julie Mango | | | | | | | | |
| <i>Mangifera indica</i> 'Pirie' | FN | 1.62 | G1 | 10 | 11 | 1.00 | 0.97 | 10 |
| Pirie Mango | | | | | | | | |
| <i>Mangifera indica</i> 'Zill' | FN | 1.71 | G1 | 10 | 11 | 1.00 | 0.97 | 10 |
| Zill Mango | | | | | | | | |
| <i>Manihot esculenta</i> | FN | 0.73 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| Cassava | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Manihot esculenta</i> 'Variegata' Variegated Cassava | FN | 0.73 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Manilkara roxburghiana</i> No Common Name Found | FN | 1.31 | G1 | 10 | 11 | 1.00 | 0.90 | 10 |
| <i>Manilkara zapota</i> Sapodilla | FN | 1.34 | G1 | 10 | 11 | 1.00 | 1.56 | 10 |
| <i>Maranta leuconeura</i> Prayer Plant | FO | 0.52 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Maranta leuconeura</i> 'Erythroneura' Red-vein Prayer Plant | FO | 0.51 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Marojejya darianii</i> No Common Name Found | PC | 3.12 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Marrubium vulgare</i> Common Horehound | HP | 0.80 | G4 | 6-8 | 9 | | | |
| <i>Marshallia grandiflora</i> Barbara's Buttons | HP | 1.32 | G4 | 6-7 | 8 | | | |
| <i>Mascagnia lilacina</i> Lavender Orchid Vine | GC | 0.55 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Mascagnia macroptera</i> Yellow Orchid Vine | GC | 0.75 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Mascarena lagenicaulis</i> See - <i>Hyophorbe lagenicaulis</i> | | | | | | | | |
| <i>Mascarena verschaffeltii</i> See - <i>Hyophorbe verschaffeltii</i> | | | | | | | | |
| <i>Mastichodendron foetidissimum</i> Mastic | BE | 0.89 | G1 | 10 | 11 | 1.00 | 0.75 | 10 |
| <i>Matricaria recutita</i> Sweet False Chamomile | AN | 1.36 | G4 | 6-9A | | | | |
| <i>Matteuccia pensylvanica</i> No Common Name Found | HP | 1.26 | G4 | 4-5 | 6-7 | | | |
| <i>Matteuccia struthiopteris</i> Ostrich Fern | HP | 1.25 | G4 | 4-5 | 6-7 | | | |
| <i>Matthiola incana</i> Stock | AN | 0.99 | G4 | 4-6 | 7-8 | | | |
| <i>Matthiola incana</i> 'Harmony Series' Harmony Series Stock | AN | 0.59 | G4 | 4-6 | 7-8 | | | |
| <i>Matthiola incana</i> 'Midget Series' Midget Series Stock | AN | 0.64 | G4 | 4-6 | 7-8 | | | |
| <i>Matthiola incana</i> 'Trysomic Mix' Trysomic Mix Stock | AN | 0.93 | G4 | 4-6 | 7-8 | | | |
| <i>Matthiola incana</i> 'Vintage Series' Vintage Series Stock | AN | 0.55 | G4 | 4-6 | 7-8 | | | |
| <i>Maurandella antirrhiniflora</i> Violet Twining Snapdragon | GC | 0.83 | G4 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Mauritia flexuosa</i> Ita Palm | PC | 2.50 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Maxillaria camaridii</i> No Common Name Found | FO | 2.86 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Maytenus boaria</i> Mayten Tree | BE | 0.93 | G2 | 7-8 | 9-10B | 1.00 | 1.00 | 8 |
| <i>Maytenus boaria</i> 'Green Showers' Green Showers Mayten Tree | BE | 0.99 | G2 | 7-8 | 9-10B | 1.00 | 1.00 | 8 |
| <i>Mazus radicans</i> No Common Name Found | HP | 0.48 | G4 | 5-6 | 7 | | | |
| <i>Mazus reptans</i> Mazus | HP | 0.70 | G4 | 4-5 | 6-7 | | | |
| <i>Mazus reptans</i> 'Albus' White Mazus | HP | 0.86 | G4 | 4-5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Meconopsis cambrica</i> Welsh Poppy | HP | 1.30 | G4 | 4-6 | 7-8 | | | |
| <i>Meconopsis grandis</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Medinilla magnifica</i> No Common Name Found | FO | 0.82 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Megaclinium falcatum</i> See - <i>Bulbophyllum falcatum</i> | | | | | | | | |
| <i>Megaskepasma erythrochlamys</i> Brazilian Red Cloak | BS | 1.11 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Melaleuca armillaris</i> Bracelet Honey Myrtle | BS | 1.00 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Melaleuca incana</i> Gray Honey Myrtle | BE | 0.72 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Melaleuca leucadendron</i> River Teatree | BE | 1.00 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Melaleuca nesophila</i> Western Tea Myrtle | BE | 0.95 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Melaleuca thymifolia</i> No Common Name Found | BE | 0.72 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Melaleuca wilsonii</i> No Common Name Found | BE | 0.65 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Melampodium leucanthum</i> Blackfoot Daisy | HP | 0.72 | G4 | 3-4 | 5 | | | |
| <i>Melampodium paludosum</i> No Common Name Found | HP | 0.50 | G4 | 3-9 | 10 | | | |
| <i>Melampodium paludosum</i> 'Derby' Derby Melampodium | HP | 0.50 | G4 | 3-9 | 10 | | | |
| <i>Melampodium paludosum</i> 'Melanie' Melanie Melampodium | HP | 0.62 | G4 | 3-9 | 10 | | | |
| <i>Melampodium paludosum</i> 'Million Gold' Million Gold Melampodium | HP | 0.43 | G4 | 3-9 | 10 | | | |
| <i>Melampodium paludosum</i> 'Showstar' Showstar Melampodium | HP | 0.46 | G4 | 3-9 | 10 | | | |
| <i>Melastoma sanguineum</i> Fox-tongued Melastoma | BS | 0.68 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Melia azedarach</i> 'Umbraculiformis' Texan Umbrella Tree | DT | 0.71 | G2 | 7 | 8-9 | 0.49 | 1.00 | 7 |
| <i>Melianthus major</i> Honeybush | BS | 0.90 | G2 | 8-9 | 10 | | 1.00 | 8 |
| <i>Melica altissima</i> Siberian Melic Grass | HP | 0.89 | G4 | 5-6 | 7 | | | |
| <i>Melica altissima</i> 'Atropurpurea' Purple Siberian Melic Grass | HP | 0.89 | G4 | 5-6 | 7 | | | |
| <i>Melica ciliata</i> Hairy Melic Grass | HP | 0.70 | G4 | 5-6 | 7 | | | |
| <i>Melica imperfecta</i> Coast Range Melic | HP | 0.97 | G4 | 5-7 | 8 | | | |
| <i>Melica torreyana</i> Torrey's Melic | HP | 0.71 | G4 | 6-7 | 8-9 | | | |
| <i>Melinis nerviglumis</i> Ruby Grass | HP | 1.00 | G4 | 5-6 | 7-10 | | | |
| <i>Melinis nerviglumis</i> 'Pink Crystals' Pink Crystals™ Ruby Grass | HP | 1.00 | G4 | 5-6 | 7-10 | | | |
| <i>Melissa officinalis</i> Lemon Balm | HP | 0.72 | G4 | 4-5 | 6-8 | | | |
| <i>Melissa officinalis</i> 'All Gold' All Gold Lemon Balm | HP | 0.72 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Mentha aquatica</i> Water Mint | HP | 1.00 | G4 | 5-6 | 7-9 | | | |
| <i>Mentha aquatica</i> var. <i>crispa</i> Curly Water Mint | HP | 1.00 | G4 | 5-6 | 7-9 | | | |
| <i>Mentha x gentilis</i> See - <i>Mentha x gracilis</i> | | | | | | | | |
| <i>Mentha x gracilis</i> Red Mint | HP | 0.34 | G4 | 5-6 | 7-9 | | | |
| <i>Mentha x piperita</i> Peppermint | HP | 0.69 | G4 | 5-6 | 7-9 | | | |
| <i>Mentha x piperita</i> 'Chocolate' Chocolate Mint | HP | 0.66 | G4 | 5-6 | 7-9 | | | |
| <i>Mentha x piperita</i> 'Lime Mint' Lime Mint | HP | 0.96 | G4 | 5-6 | 7-9 | | | |
| <i>Mentha x piperita</i> 'Variegata' Variegated Peppermint | HP | 0.62 | G4 | 5-6 | 7-9 | | | |
| <i>Mentha x piperita</i> var. <i>citrate</i> Orange Mint | HP | 0.87 | G4 | 5-6 | 7-9 | | | |
| <i>Mentha pulegium</i> Pennyroyal | HP | 0.56 | G4 | 5-7 | 8-9 | | | |
| <i>Mentha requienii</i> Corsican Mint | HP | 0.71 | G4 | 5-6 | 7-9 | | | |
| <i>Mentha x rotundifolia</i> See - <i>Mentha suaveolens</i> | | | | | | | | |
| <i>Mentha spicata</i> Spearmint | HP | 0.64 | G4 | 5-6 | 7-9 | | | |
| <i>Mentha spicata</i> 'Candy' Candy Spearmint | HP | 0.34 | G4 | 5-6 | 7-9 | | | |
| <i>Mentha spicata</i> 'Kentucky Colonel' Kentucky Colonel Spearmint | HP | 0.90 | G4 | 5-6 | 7-9 | | | |
| <i>Mentha suaveolens</i> Apple Mint | HP | 0.70 | G4 | 5-6 | 7-9 | | | |
| <i>Mentha suaveolens</i> 'Variegata' Pineapple Mint | HP | 0.69 | G4 | 5-6 | 7-9 | | | |
| <i>Mentha suaveolens</i> 'Villosa' Villosa Apple Mint | HP | 0.70 | G4 | 5-6 | 7-9 | | | |
| <i>Mentzelia laevicaulis</i> Smoothstem Blazing Star | HP | 0.72 | G4 | 5-6 | 7-9 | | | |
| <i>Menziesia ferruginea</i> Rusty Leaf | BS | 1.00 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Merremia tuberosa</i> Wood Rose | GC | 0.53 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Mertensia virginica</i> Virginia Bluebells | HP | 1.31 | G4 | 2-3 | 4-7 | | | |
| <i>Mertensia viridis</i> Greenleaf Bluebells | HP | 1.00 | G4 | 2-3 | 4-7 | | | |
| <i>Mesembryanthemum cordifolium</i> See - <i>Aptenia cordifolia</i> | | | | | | | | |
| <i>Messerschmidia argentea</i> See - <i>Argusia argentea</i> | | | | | | | | |
| <i>Metasequoia glyptostroboides</i> Dawn Redwood | CE | 0.91 | G2 | 3-5 | 6-7 | 1.01 | 0.87 | 5 |
| <i>Metasequoia glyptostroboides</i> 'National' National Dawn Redwood | CE | 1.05 | G2 | 3-5 | 6-7 | 1.01 | 0.72 | 5 |
| <i>Metasequoia glyptostroboides</i> 'Ogon' Ogon Dawn Redwood | CE | 1.23 | G2 | 3-5 | 6-7 | 1.01 | 0.72 | 5 |
| <i>Metasequoia glyptostroboides</i> 'Sheridan Spire' Sheridan Spire Dawn Redwood | CE | 1.02 | G2 | 3-5 | 6-7 | 1.01 | 0.56 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Metrosideros</i> New Zealand Christmas Tree | BE | 1.05 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Metrosideros</i> 'Fiji' Fiji New Zealand Christmas Tree | BE | 1.05 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Metrosideros</i> 'Gala' Gala New Zealand Christmas Tree | BE | 1.04 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Metrosideros excelsa</i> New Zealand Christmas Tree | BE | 1.20 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Metrosideros excelsa</i> 'Springfire' Springfire New Zealand Christmas Tree | BE | 0.99 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Metrosideros kermadecensis</i> Kermadec Pohutukawa | BE | 2.19 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Metrosideros polymorpha</i> Ohi'a Lehua | BE | 1.88 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Metrosideros tomentosa</i> See - <i>Metrosideros excelsa</i> | | | | | | | | |
| <i>Metrosideros villosa</i> No Common Name Found | BE | 1.06 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Metrosideros villosa</i> 'Tahiti' Tahiti <i>Metrosideros</i> | BE | 1.06 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Michelia alba</i> Champac | BS | 4.39 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Michelia champaca</i> Orange Champac | BS | 1.95 | G2 | 8 | 9-10B | | 1.00 | 7 |
| <i>Michelia doltsopa</i> Sweet Michelia | BS | 1.18 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Michelia doltsopa</i> 'Silver Cloud' Silver Cloud Sweet Michelia | BS | 1.62 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Michelia figo</i> Banana Shrub | BS | 1.11 | G2 | 8-9 | 10 | | 0.89 | 7 |
| <i>Michelia figo</i> 'Port Wine' Port Wine Banana Shrub | BS | 0.81 | G2 | 8 | 9 | | 0.89 | 7 |
| <i>Michelia xfoggii</i> Hybrid Michelia | BS | 0.95 | G2 | 8 | 9 | | 1.00 | 8 |
| <i>Michelia xfoggii</i> 'Allspice' Allspice Hybrid Michelia | BS | 2.13 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Michelia xfoggii</i> 'Jack Fogg' Jack Fogg Hybrid Michelia | BS | 1.85 | G2 | 8 | 9 | | 1.00 | 8 |
| <i>Michelia fuscata</i> See - <i>Michelia figo</i> | | | | | | | | |
| <i>Michelia skinneriana</i> Improved Banana Shrub | BS | 0.82 | G2 | 8-9 | 10 | | 1.00 | 8 |
| <i>Microbiota decussata</i> Russian Arborvitae | CE | 0.84 | G2 | 3-4 | 5-6 | 1.00 | 0.89 | 3 |
| <i>Microbiota decussata</i> 'UBC Clone' C.O.P.F. UBC Clone Russian Arborvitae | CE | 0.84 | G2 | 3-4 | 5-6 | 1.00 | 0.89 | 3 |
| <i>Microcachrys tetragona</i> No Common Name Found | CS | 1.00 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Microgramma squamulosa</i> No Common Name Found | FO | 0.61 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Microlepidia speluncae</i> See - <i>Microlepidia strigosa</i> | | | | | | | | |
| <i>Microlepidia strigosa</i> No Common Name Found | FO | 0.67 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Micromeria chamissonis</i> Yerba Buena | HP | 1.84 | G4 | 5-7 | 8 | | | |
| <i>Micromeria varia</i> No Common Name Found | GC | 1.00 | G4 | 5-7 | 8 | | 1.00 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Microsorium diversifolium</i> Kangaroo Fern | FO | 0.59 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Microsorium punctatum</i> Climbing Birds-nest Fern | FO | 0.77 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Microsorium punctatum</i> 'Grandiceps' Grandiceps Climbing Birds-nest Fern | FO | 0.77 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Microsorium scolopendrium</i> Wart Fern | FO | 0.43 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Microsorium scolopendrium</i> 'Laua'e' Laua'e Wart Fern | FO | 0.44 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Milium effusum</i> Millet Grass | HP | 1.11 | G4 | 6 | 7-8 | | | |
| <i>Milium effusum</i> 'Aureum' Wood Millet Grass | HP | 1.11 | G4 | 6 | 7-8 | | | |
| <i>Millettia dura</i> No Common Name Found | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Millettia ovalifolia</i> No Common Name Found | BE | 1.23 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Millettia reticulata</i> Evergreen Wisteria | BS | 1.00 | G2 | 8 | 9-10A | | 1.00 | 8 |
| <i>Millettia taiwanensis</i> Chinese Evergreen Wisteria | BE | 1.07 | G2 | 8 | 9-10B | 1.00 | 1.00 | 7 |
| <i>Millingtonia hortensis</i> East Indian Corktree | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>xMiltassia</i> Miltassia Hybrid Orchid | FO | 1.67 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Miltonia</i> Miltonia Hybrid Orchid | FO | 1.88 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Miltonia warscewiczii</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>xMiltonidium</i> Miltonidium Hybrid Orchid | FO | 1.67 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Miltoniopsis</i> Miltoniopsis Hybrid Orchid | FO | 1.68 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Miltoniopsis santanae</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Mimosa pudica</i> Sensitive Plant | BS | 0.72 | G2 | 7-9 | 10-11 | | 0.19 | 9 |
| <i>Mimosa strigillosa</i> Sunshine Mimosa | BS | 0.55 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Mimulus bifidus</i> No Common Name Found | AN | 1.21 | G4 | 6-7 | 8-9 | | | |
| <i>Mimulus cardinalis</i> Scarlet Monkey Flower | HP | 0.78 | G4 | 6-7 | 8-9 | | | |
| <i>Mimulus cupreus</i> No Common Name Found | AN | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Mimulus guttatus</i> Common Monkey Flower | AN | 1.39 | G4 | 6-7 | 8-9 | | | |
| <i>Mimulus xhybridus</i> Hybrid Monkey Flower | AN | 1.21 | G4 | 6-7 | 8-9 | | | |
| <i>Mimulus xhybridus</i> 'Mystic Mix' Mystic Mix Monkey Flower | AN | 1.21 | G4 | 6-7 | 8-9 | | | |
| <i>Mimulus lewisii</i> Great Purple Monkey Flower | HP | 0.93 | G4 | 6-7 | 8-9 | | | |
| <i>Mimulus longiflorus</i> Salmon Bush Monkey Flower | HP | 1.00 | G4 | 6-9 | 10 | | | |
| <i>Mimulus naiandinus</i> Andean Nymph Monkey Flower | HP | 1.00 | G4 | 6-9 | 10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Mimulus primuloides</i> Primrose Monkey Flower | HP | 1.54 | G4 | 6-7 | 8-9 | | | |
| <i>Mimulus puniceus</i> Red Bush Monkey Flower | HP | 0.92 | G4 | 6-9 | 10 | | | |
| <i>Mimulus ringens</i> Allegheny Monkey Flower | HP | 1.07 | G4 | 3-5 | 6-7 | | | |
| <i>Mimulus tilingii</i> Large Mountain Monkey Flower | HP | 1.54 | G4 | 6-7 | 8-9 | | | |
| <i>Mimusops elengi</i> Spanish Cherry | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Mimusops roxburghiana</i> See - <i>Manilkara roxburghiana</i> | | | | | | | | |
| <i>Mina lobata</i> See - <i>Ipomoea lobata</i> | | | | | | | | |
| <i>Minuartia circassica</i> No Common Name Found | GC | 1.00 | G4 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Minuartia laricifolia</i> No Common Name Found | GC | 0.35 | G4 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Minuartia obtusiloba</i> Alpine Sandwort | GC | 1.00 | G4 | 4 | 5-7 | | 1.00 | 3 |
| <i>Minuartia recurva</i> No Common Name Found | GC | 1.00 | G4 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Minuartia verna</i> Irish Moss | HP | 0.94 | G4 | 5-6 | 7-8 | | | |
| <i>Minuartia verna</i> 'Aurea' See - <i>Sagina subulata</i> 'Aurea' | | | | | | | | |
| <i>Mirabilis jalapa</i> Four O'Clock | AN | 0.76 | G4 | 8-9A | 9B-11 | | | |
| <i>Miscanthus floridulus</i> Giant Chinese Silver Grass | HP | 1.01 | G4 | 6 | 7-9A | | | |
| <i>Miscanthus floridulus</i> 'Colossal' See - <i>Miscanthus floridulus</i> 'Colzam' | | | | | | | | |
| <i>Miscanthus floridulus</i> 'Colzam' Colossal™ Chinese Silver Grass | HP | 1.15 | G4 | 6-7 | 8-10 | | | |
| <i>Miscanthus oligostachyus</i> 'Purpurascens' See - <i>Miscanthus sinensis</i> 'Purpurascens' | | | | | | | | |
| <i>Miscanthus sacchariflorus</i> Silver Amur Grass | HP | 0.88 | G4 | 5-8 | 9-10 | | | |
| <i>Miscanthus sinensis</i> Eulalia Grass | HP | 0.97 | G4 | 2-4 | 5-9 | | | |
| <i>Miscanthus sinensis</i> 'Adagio' Adagio Eulalia Grass | HP | 1.13 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Altweibersommer' Altweibersommer Eulalia Grass | HP | 1.10 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Andante' Andante Eulalia Grass | HP | 0.82 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Arabesque' Arabesque Eulalia Grass | HP | 1.05 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Autumn Light' Autumn Light Eulalia Grass | HP | 1.38 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Autumn Red' Autumn Red Eulalia Grass | HP | 1.67 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Blondo' Silver Eulalia Grass | HP | 1.42 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Bluetenwunder' Bluetenwunder Eulalia Grass | HP | 1.21 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Burgunder' Burgunder Eulalia Grass | HP | 1.10 | G4 | 4-5 | 6-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Miscanthus sinensis</i> 'Cabaret' Cabaret Eulalia Grass | HP | 1.20 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Central Park' Central Park Eulalia Grass | HP | 1.26 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Condensatus' Condensatus Eulalia Grass | HP | 1.03 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Cosmopolitan' Cosmopolitan Eulalia Grass | HP | 1.06 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Dixieland' Dixieland Eulalia Grass | HP | 1.35 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Emerald Shadow' Emerald Shadow Eulalia Grass | HP | 0.80 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Ferner Osten' Ferner Osten Eulalia Grass | HP | 0.78 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Flamingo' Flamingo Eulalia Grass | HP | 1.14 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Giganteus' Giant Eulalia Grass | HP | 1.59 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Gold und Silber' Gold und Silver Eulalia Grass | HP | 0.76 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Goldfeder' Goldfeder Eulalia Grass | HP | 0.92 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Goliath' Goliath Eulalia Grass | HP | 1.04 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Gracillimus' Maiden Eulalia Grass | HP | 1.17 | G4 | 4-5 | 6-10 | | | |
| <i>Miscanthus sinensis</i> 'Graziella' Graziella Eulalia Grass | HP | 1.07 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Grosse Fontane' Grosse Fontane Eulalia Grass | HP | 1.19 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Helga Reich' Helga Reich Eulalia Grass | HP | 1.09 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Hinjo' Little Nicky™ Eulalia Grass | HP | 1.48 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Juli' Juli Eulalia Grass | HP | 0.76 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Kascade' Kascade Eulalia Grass | HP | 0.73 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Kirk Alexander' Kirk Alexander Eulalia Grass | HP | 1.30 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Kleine Fontane' Kleine Fontane Eulalia Grass | HP | 1.30 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Kleine Silberspinne' Kleine Silberspinne Eulalia Grass | HP | 0.94 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Little Kitten' Little Kitten Eulalia Grass | HP | 0.90 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Little Nicky' See - <i>Miscanthus sinensis</i> 'Hinjo' | | | | | | | | |
| <i>Miscanthus sinensis</i> 'Malepartus' Malepartus Eulalia Grass | HP | 1.18 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Morning Light' Morning Light Eulalia Grass | HP | 1.10 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Nippon' Nippon Eulalia Grass | HP | 1.13 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'November Sunset' November Sunset Eulalia Grass | HP | 1.03 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Positano' Positano Eulalia Grass | HP | 1.02 | G4 | 4-5 | 6-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Miscanthus sinensis</i> 'Punktchen' Little Dot Eulalia Grass | HP | 1.25 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Purpurascens' Purpurascens Eulalia Grass | HP | 1.19 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Rigoletto' Rigoletto Eulalia Grass | HP | 0.73 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Roland' Roland Eulalia Grass | HP | 0.76 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Roterpfeil' Roterpfeil Eulalia Grass | HP | 0.99 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Rotsilber' Rotsilber Eulalia Grass | HP | 1.18 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Sarabande' Sarabande Eulalia Grass | HP | 1.27 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Silberfeder' Silver Feather Eulalia Grass | HP | 1.16 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Silberpfeil' Silver Arrow Eulalia Grass | HP | 1.13 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Silberspinne' Silberspinne Eulalia Grass | HP | 1.01 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Silberturm' Silberturm Eulalia Grass | HP | 0.80 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Silver Shadow' Silver Shadow Eulalia Grass | HP | 1.79 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Sioux' Sioux Eulalia Grass | HP | 0.78 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Sirene' Sirene Eulalia Grass | HP | 0.96 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Strictus' Porcupine Eulalia Grass | HP | 1.11 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Undine' Undine Eulalia Grass | HP | 0.98 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Variegatus' Variegated Silver Eulalia Grass | HP | 1.15 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Yaku Jima' Yaku Jima Dwarf Eulalia Grass | HP | 1.09 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Zebrinus' Zebra Eulalia Grass | HP | 1.26 | G4 | 4-5 | 6-9A | | | |
| <i>Miscanthus sinensis</i> 'Zwergelefant' Zwergelefant Eulalia Grass | HP | 0.76 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus sinensis</i> 'Zwergzebra' Zwergzebra Eulalia Grass | HP | 1.39 | G4 | 4-5 | 6-9 | | | |
| <i>Miscanthus transmorrisonensis</i> Taiwanese Miscanthus | HP | 0.92 | G4 | 6-7 | 8-9A | | | |
| <i>Mitchella repens</i> Partridgeberry | GC | 0.88 | G4 | 2-3 | 4-8 | | 1.00 | 3 |
| <i>Mitella diphylla</i> Coolwort | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Molinia caerulea</i> Moor Grass | HP | 1.43 | G4 | 4-5 | 6-8 | | | |
| <i>Molinia caerulea</i> 'Dauerstrahl' Dauerstrahl Moor Grass | HP | 1.14 | G4 | 4-5 | 6-7 | | | |
| <i>Molinia caerulea</i> 'Heidebraut' Heidebraut Moor Grass | HP | 1.14 | G4 | 4-5 | 6-7 | | | |
| <i>Molinia caerulea</i> 'Moorflamme' Moorflamme Moor Grass | HP | 1.40 | G4 | 4-5 | 6-7 | | | |
| <i>Molinia caerulea</i> 'Moorhexe' Moorhexe Moor Grass | HP | 1.14 | G4 | 4-5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Molinia caerulea</i> 'Strahlenquelle' Strahlenquelle Moor Grass | HP | 1.25 | G4 | 4-5 | 6-7 | | | |
| <i>Molinia caerulea</i> 'Variegata' Variegated Moor Grass | HP | 1.56 | G4 | 4-5 | 6-8 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> Tall Purple Moor Grass | HP | 1.15 | G4 | 4-5 | 6-8 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Altissima' Altissima Tall Purple Moor Grass | HP | 0.97 | G4 | 4-5 | 6-8 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Bergfreund' Bergfreund Tall Purple Moor Grass | HP | 1.03 | G4 | 4-5 | 6-7 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Fontane' Fontane Tall Purple Moor Grass | HP | 1.03 | G4 | 4-5 | 6-7 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Sky Racer' Sky Racer Tall Purple Moor Grass | HP | 1.24 | G4 | 4-5 | 6-8 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Staefa' Staefa Tall Purple Moor Grass | HP | 1.03 | G4 | 4-5 | 6-8 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Transparent' Transparent Tall Purple Moor Grass | HP | 1.26 | G4 | 4-5 | 6-8 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Windspiel' Windspiel Tall Purple Moor Grass | HP | 1.50 | G4 | 4-5 | 6-8 | | | |
| <i>Monarda</i> Bee Balm | HP | 0.93 | G4 | 3-4 | 5-6 | | | |
| <i>Monarda</i> 'Beauty of Cobham' Beauty of Cobham Bee Balm | HP | 0.87 | G4 | 3-4 | 5-6 | | | |
| <i>Monarda</i> 'Blue Stocking' Blue Stocking Bee Balm | HP | 0.93 | G4 | 3-4 | 5-6 | | | |
| <i>Monarda</i> 'Croftway Pink' Croftway Pink Bee Balm | HP | 0.85 | G4 | 3-4 | 5-6 | | | |
| <i>Monarda</i> 'Dark Ponticum' Dark Ponticum Bee Balm | HP | 0.96 | G4 | 3-4 | 5-6 | | | |
| <i>Monarda</i> 'Fireball' Fireball Bee Balm | HP | 1.21 | G4 | 3-4 | 5-6 | | | |
| <i>Monarda</i> 'Kardinal' Kardinal Bee Balm | HP | 0.91 | G4 | 3-4 | 5-6 | | | |
| <i>Monarda</i> 'Mahogany' Mahogany Bee Balm | HP | 0.83 | G4 | 3-4 | 5-6 | | | |
| <i>Monarda</i> 'Marshall's Delight' Marshall's Delight Bee Balm | HP | 0.94 | G4 | 3-4 | 5-6 | | | |
| <i>Monarda</i> 'Prairie Night' Prairie Night Bee Balm | HP | 0.94 | G4 | 3-4 | 5-6 | | | |
| <i>Monarda</i> 'Snow Queen' Snow Queen Bee Balm | HP | 0.85 | G4 | 3-4 | 5-6 | | | |
| <i>Monarda citriodora</i> Lemon Mint | HP | 0.80 | G4 | 4-5 | 6-8 | | | |
| <i>Monarda clinopodia</i> White Basil-Balm | HP | 1.00 | G4 | 3-4 | 5-6 | | | |
| <i>Monarda didyma</i> Bee Balm | HP | 0.87 | G4 | 3-4 | 5-6 | | | |
| <i>Monarda didyma</i> 'Adam' Adam Bee Balm | HP | 0.93 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Alba' White Bee Balm | HP | 0.78 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Aquarius' Aquarius Bee Balm | HP | 1.05 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Baileef' P.P.A.F. Coral Reef Bee Balm | HP | 1.30 | G4 | 3-4 | 5-6 | | | |
| <i>Monarda didyma</i> 'Balance' Balance Bee Balm | HP | 1.28 | G4 | 3-4 | 5-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Monarda didyma</i> 'Blaukranz' Blaukranz Bee Balm | HP | 0.99 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Cambridge Scarlet' Cambridge Scarlet Bee Balm | HP | 1.00 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Coral Reef' See - <i>Monarda didyma</i> 'Baileef' P.P.A.F. | | | | | | | | |
| <i>Monarda didyma</i> 'Donnerwolke' Donnerwolke Bee Balm | HP | 0.70 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Feuernschopf' Feuernschopf Bee Balm | HP | 0.99 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Fishes' Fishes Bee Balm | HP | 1.20 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Gardenview Scarlet' Gardenview Scarlet Bee Balm | HP | 0.89 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Jacob Cline' Jacob Cline Bee Balm | HP | 0.94 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Mrs. Perry' Mrs. Perry Bee Balm | HP | 0.99 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Panorama' Panorama Bee Balm | HP | 1.05 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Petite Delight' Petite Delight Bee Balm | HP | 1.11 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Petite Wonder' P.P.A.F. Petite Wonder Bee Balm | HP | 1.26 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Purple Ann' Purple Ann Bee Balm | HP | 1.28 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Purple Crown' Purple Crown Bee Balm | HP | 0.70 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Raspberry Wine' Raspberry Wine Bee Balm | HP | 0.86 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Scorpion' Scorpion Bee Balm | HP | 0.92 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Snow Maiden' Snow Maiden Bee Balm | HP | 0.93 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Squaw' Squaw Bee Balm | HP | 1.03 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> 'Violet Queen' Violet Queen Bee Balm | HP | 0.71 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda fistulosa</i> Wild Bergamont | HP | 1.20 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda fistulosa</i> 'Claire Grace' Claire Grace Wild Bergamont | HP | 0.98 | G4 | 3-4 | 5-8 | | | |
| <i>Monarda punctata</i> Dotted Horsemint | HP | 0.54 | G4 | 4-5 | 6-10A | | | |
| <i>Monardella macrantha</i> No Common Name Found | HP | 1.54 | G4 | 7-9 | 10-11 | | | |
| <i>Monardella villosa</i> Coyote Mint | HP | 1.32 | G4 | 7-8 | 9-10 | | | |
| <i>Monochaetum vulcanicum</i> No Common Name Found | BS | 0.93 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Monocostus uniflorus</i> One-Flowered Spiral Ginger | HP | 1.11 | G2 | 9-10A | 10B-11 | | | |
| <i>Monstera deliciosa</i> Ceriman | FO | 0.87 | G3 | 8-11 | | | 1.00 | 10B |
| <i>Montanoa grandiflora</i> No Common Name Found | BS | 0.74 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Montezuma speciosissima</i> Hibiscus Tree | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Moraea</i> 'Oakhurst Series' | | | | | | | | |
| See - <i>Dietes</i> 'Oakhurst Series' | | | | | | | | |
| <i>Moraea bicolor</i> | | | | | | | | |
| See - <i>Dietes bicolor</i> | | | | | | | | |
| <i>Moraea polystachya</i> | HP | 0.99 | G4 | 7-9 | 10 | | | |
| No Common Name Found | | | | | | | | |
| <i>Moraea ramosissima</i> | HP | 0.99 | G4 | 7-9 | 10 | | | |
| No Common Name Found | | | | | | | | |
| <i>Moraea spathacea</i> | | | | | | | | |
| See - <i>Moraea spathulata</i> | | | | | | | | |
| <i>Moraea spathulata</i> | HP | 0.78 | G4 | 7-9 | 10 | | | |
| No Common Name Found | | | | | | | | |
| <i>Moraea tripetala</i> | HP | 0.78 | G4 | 7-9 | 10 | | | |
| No Common Name Found | | | | | | | | |
| <i>Morina longifolia</i> | HP | 0.72 | G4 | 6-7 | 8 | | | |
| Whorlflower | | | | | | | | |
| <i>Morinda citrifolia</i> | BE | 0.81 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| Indian Mulberry | | | | | | | | |
| <i>Moringa oleifera</i> | BE | 1.02 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| Horseradish Tree | | | | | | | | |
| <i>Moringa pterygosperma</i> | | | | | | | | |
| See - <i>Moringa oleifera</i> | | | | | | | | |
| <i>Mormodes tuxtlensis</i> | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Morus alba</i> | DT | 0.85 | G2 | 3-4 | 5-9 | 1.17 | 0.28 | 4 |
| White Mulberry | | | | | | | | |
| <i>Morus alba</i> 'Chaparral' | DT | 1.23 | G2 | 3-4 | 5-9 | 0.88 | 1.41 | 4 |
| Chaparral Weeping White Mulberry | | | | | | | | |
| <i>Morus alba</i> 'Fruitless' | DT | 0.92 | G2 | 3-4 | 5-9 | 1.93 | 0.85 | 4 |
| Fruitless White Mulberry | | | | | | | | |
| <i>Morus alba</i> 'Illinois Everbearing' | DT | 1.02 | G2 | 3-4 | 5-9 | 1.03 | 0.85 | 4 |
| Illinois Everbearing Mulberry | | | | | | | | |
| <i>Morus alba</i> 'Kingan' | DT | 1.20 | G2 | 3-4 | 5-9 | 0.99 | 0.85 | 4 |
| Kingan White Mulberry | | | | | | | | |
| <i>Morus alba</i> 'Pendula' | DT | 1.07 | G2 | 3-4 | 5-9 | 0.83 | 0.86 | 4 |
| Weeping White Mulberry | | | | | | | | |
| <i>Morus alba</i> 'Striblingii' | DT | 0.86 | G2 | 3-4 | 5-9 | 0.36 | 0.85 | 4 |
| Stribling White Mulberry | | | | | | | | |
| <i>Morus alba</i> var. <i>tatarica</i> | DT | 1.18 | G2 | 3-4 | 5-9 | 0.73 | 1.00 | 4 |
| Russian Mulberry | | | | | | | | |
| <i>Morus australis</i> | DS | 0.78 | G2 | 6 | 7-8 | | 1.00 | 6 |
| Japanese Mulberry | | | | | | | | |
| <i>Morus australis</i> 'Unryu' | DS | 0.78 | G2 | 6 | 7-8 | | 1.00 | 6 |
| Unryu Contorted Japanese Mulberry | | | | | | | | |
| <i>Morus nigra</i> | DT | 0.82 | G2 | 3-5 | 6-10B | 1.00 | 1.00 | 5 |
| Black Mulberry | | | | | | | | |
| <i>Morus rubra</i> | DT | 0.71 | G2 | 3-5 | 6-10B | 1.00 | 1.00 | 5 |
| Red Mulberry | | | | | | | | |
| <i>Mucuna albertisi</i> | GC | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Mucuna bennettii</i> | GC | 3.00 | G1 | 10 | 11 | | 1.00 | 10 |
| New Guinea Creeper | | | | | | | | |
| <i>Muehlenbeckia axillaris</i> | HP | 0.65 | G2 | 6-8 | 9-10A | | | |
| Wire Plant | | | | | | | | |
| <i>Muhlenbergia capillaris</i> | HP | 0.86 | G4 | 3-7 | 8-11 | | | |
| Hairy Awn Muhly Grass | | | | | | | | |
| <i>Muhlenbergia dumosa</i> | HP | 1.20 | G4 | 3-7 | 8-11 | | | |
| Bamboo Muhly Grass | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Muhlenbergia filipes</i> Purple Muhly Grass | HP | 0.82 | G4 | 7-8 | 9-10 | | | |
| <i>Muhlenbergia lindheimeri</i> No Common Name Found | HP | 1.06 | G4 | 3-7 | 8-11 | | | |
| <i>Muhlenbergia pubescens</i> Hairy Muhly Grass | HP | 0.75 | G4 | 7-8 | 9-10 | | | |
| <i>Muhlenbergia rigens</i> Muhly Grass | HP | 0.74 | G4 | 3-6 | 7-11 | | | |
| <i>Mukdenia rossii</i> No Common Name Found | HP | 1.78 | G4 | 3-7 | 8-11 | | | |
| <i>Mukdenia rossii</i> 'Crimson Fans' Crimson Fans Mukdenia | HP | 1.78 | G4 | 3-7 | 8-11 | | | |
| <i>Muntingia calabura</i> Calabura | BE | 1.00 | G1 | 8-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Murdannia acutifolia</i> No Common Name Found | AN | 0.79 | G4 | 8-10 | 11 | | | |
| <i>Murdannia acutifolia</i> 'Variegata' Bamboo Spiderwort | AN | 0.79 | G4 | 8-10 | 11 | | | |
| <i>Murraya exotica</i> See - <i>Murraya paniculata</i> | | | | | | | | |
| <i>Murraya paniculata</i> Orange Jessamine | BS | 0.70 | G1 | 9-10A | 10B-11 | | 0.74 | 9 |
| <i>Murraya paniculata</i> 'Lakeview' Lakeview Orange Jessamine | BS | 1.11 | G1 | 10A | 10B-11 | | 0.67 | 9 |
| <i>Musa</i> Banana | FN | 1.01 | G4 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Musa</i> 'African Rhino Horn' African Rhino Horn Banana | FN | 1.01 | G4 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Musa</i> 'Cardaba' Cardaba Banana | FN | 0.70 | G4 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Musa</i> 'Double' Double Banana | FN | 1.01 | G4 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Dwarf Brazilian' Dwarf Brazilian Banana | HP | 1.00 | G4 | 9 | 10-11 | | | |
| <i>Musa</i> 'Dwarf Green Red' Dwarf Green Red Banana | FN | 1.01 | G4 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Ele Ele' Ele Ele Banana | FN | 1.23 | G4 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'FHIA-01' P.P. 8983 Goldfinger Banana | FN | 0.97 | G4 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Goldfinger' See - <i>Musa</i> 'FHIA-01' P.P. 8983 | | | | | | | | |
| <i>Musa</i> 'Hua Moa' Hua Moa Banana | FN | 1.01 | G4 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Kru' Kru Banana | FN | 1.05 | G4 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Musa</i> 'Mysore' Mysore Banana | FN | 0.94 | G4 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Musa</i> 'Orinoco' Orinoco Banana | FN | 1.04 | G4 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Musa</i> 'Pineapple' Pineapple Banana | FN | 1.01 | G4 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Rajapuri' Rajapuri Banana | FN | 0.97 | G4 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Red Iholene' Red Iholene Banana | FN | 1.01 | G4 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Tall Red' Tall Red Banana | FN | 1.01 | G4 | 9 | 10-11 | 1.00 | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Musa</i> 'Thousand Fingers' Thousand Fingers Banana | FN | 1.41 | G4 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'White Iholene' White Iholene Banana | FN | 1.01 | G4 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Williams Hybrid' Williams Hybrid Banana | FN | 0.75 | G4 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Musa acuminata</i> Edible Banana | FN | 0.82 | G3 | 8-11 | | 1.00 | 1.27 | 9 |
| <i>Musa acuminata</i> 'Cavendish' Cavendish Edible Banana | FN | 0.98 | G3 | 8-11 | | 1.00 | 1.08 | 9 |
| <i>Musa acuminata</i> 'Dwarf Cavendish' Dwarf Cavendish Edible Banana | FN | 0.83 | G3 | 8-11 | | 1.00 | 1.08 | 9 |
| <i>Musa acuminata</i> 'Dwarf Red' Dwarf Red Edible Banana | FN | 1.15 | G4 | 9 | 10-11 | 1.00 | 1.08 | 9 |
| <i>Musa acuminata</i> 'Enano Gigante' Dwarf Giant Edible Banana | FN | 1.29 | G3 | 8-11 | | 1.00 | 1.08 | 9 |
| <i>Musa acuminata</i> 'Gran Nain' Gran Nain Edible Banana | FN | 1.02 | G3 | 8-11 | | 1.00 | 1.08 | 9 |
| <i>Musa acuminata</i> 'Ice Cream' Ice Cream Edible Banana | FN | 0.76 | G3 | 8-11 | | 1.00 | 1.08 | 9 |
| <i>Musa acuminata</i> 'Rio' Rio Edible Banana | FN | 0.99 | G3 | 8-11 | | 1.00 | 1.08 | 9 |
| <i>Musa acuminata</i> 'Super Dwarf' P.P.A.F. Super Dwarf Edible Banana | FN | 0.88 | G3 | 8-11 | | 1.00 | 0.89 | 9 |
| <i>Musa acuminata</i> ssp. <i>zebrina</i> Red Banana | FN | 1.13 | G3 | 6-10 | 11 | 1.00 | 0.89 | 9 |
| <i>Musa balbisiana</i> No Common Name Found | FN | 1.00 | G3 | 8-10 | 11 | 1.00 | 1.00 | 9 |
| <i>Musa basjoo</i> Japanese Banana | HP | 1.51 | G3 | 8-9B | 10-11 | | | |
| <i>Musa beccarii</i> No Common Name Found | FN | 1.49 | G4 | 9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Musa coccinea</i> See - <i>Musa uranoscopus</i> | | | | | | | | |
| <i>Musa ensete</i> See - <i>Ensete ventricosum</i> | | | | | | | | |
| <i>Musa mannii</i> No Common Name Found | HP | 1.07 | G3 | 8-9 | 10-11 | | | |
| <i>Musa ornata</i> Flowering Banana | HP | 1.04 | G3 | 8-10 | 11 | | | |
| <i>Musa ornata</i> 'Bronze' Bronze Flowering Banana | FO | 0.71 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Musa ornata</i> 'Lavender Beauty' Lavender Beauty Flowering Banana | FO | 1.58 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Musa ornata</i> 'Leyte White' Leyte White Flowering Banana | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Musa ornata</i> 'Milky Way' Milky Way Flowering Banana | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Musa ornata</i> 'Royal Purple' Royal Purple Flowering Banana | FO | 0.71 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Musa uranoscopus</i> Red Flowering Banana | HP | 1.18 | G3 | 8-10 | 11 | | | |
| <i>Musa velutina</i> No Common Name Found | FN | 1.15 | G3 | 8-10 | 11 | 1.00 | 1.00 | 9 |
| <i>Musa zebrina</i> See - <i>Musa acuminata</i> ssp. <i>zebrina</i> | | | | | | | | |
| <i>Muscari armeniacum</i> Armenian Grape Hyacinth | HP | 1.00 | G4 | 4-5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Muscari macrocarpum</i> No Common Name Found | HP | 0.99 | G4 | 4-7 | 8 | | | |
| <i>Musella lasiocarpa</i> Chinese Yellow Banana | HP | 1.44 | G4 | 9 | 10-11 | | | |
| <i>Mussaenda erythrophylla</i> Ashanti Blood | BS | 1.38 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Mussaenda erythrophylla</i> 'Queen Sirikit' Queen Sirikit Ashanti Blood | BS | 1.45 | G4 | 9-10 | 11 | | 1.00 | 10 |
| <i>Mussaenda erythrophylla</i> 'Rosea' Rosea Ashanti Blood | BS | 1.81 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Mussaenda frondosa</i> No Common Name Found | BS | 0.66 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Mussaenda frondosa</i> 'Aurorae' Aurorae Mussaenda | BS | 1.81 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Mussaenda philippica</i> No Common Name Found | BS | 0.67 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Mussaenda philippinensis</i> No Common Name Found | BS | 0.77 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Myoporum</i> Hybrid Myoporum | GC | 0.55 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Myoporum</i> 'Pacificum' Pacific Myoporum | GC | 0.55 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Myoporum debile</i> No Common Name Found | BS | 0.49 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Myoporum laetum</i> Mouse-hole Tree | BE | 0.62 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Myoporum laetum</i> 'Carsonii' Carson Myoporum | BE | 0.74 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Myoporum parvifolium</i> Creeping Myoporum | GC | 0.63 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Myoporum parvifolium</i> 'Burgundy Carpet' Burgundy Carpet Creeping Myoporum | GC | 0.56 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Myoporum parvifolium</i> 'Pink' Pink Creeping Myoporum | GC | 0.53 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Myoporum parvifolium</i> 'Prostrata' Prostrate Creeping Myoporum | GC | 0.45 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Myoporum parvifolium</i> 'Putah Creek' Putah Creek Creeping Myoporum | GC | 0.63 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Myoporum sandwicense</i> Bastard Sandalwood | BE | 1.41 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Myosotis alpestris</i> See - <i>Myosotis sylvatica</i> | | | | | | | | |
| <i>Myosotis palustris</i> No Common Name Found | HP | 0.77 | G2 | 8-9 | 10 | | | |
| <i>Myosotis scorpioides</i> Forget-Me-Not | HP | 1.19 | G4 | 5-6 | 7-8 | | | |
| <i>Myosotis scorpioides</i> 'Sapphire' Sapphire Forget-Me-Not | HP | 0.93 | G4 | 5-6 | 7-8 | | | |
| <i>Myosotis scorpioides</i> 'Semperflorens' Semperflorens Forget-Me-Not | HP | 1.48 | G4 | 5-6 | 7-8 | | | |
| <i>Myosotis sylvatica</i> Garden Forget-Me-Not | HP | 0.87 | G4 | 5-6 | 7-8 | | | |
| <i>Myosotis sylvatica</i> 'Blue Ball' Blue Ball Forget-Me-Not | HP | 0.83 | G4 | 5-6 | 7-8 | | | |
| <i>Myosotis sylvatica</i> 'Bluesylva' Bluesylva Forget-Me-Not | HP | 1.03 | G4 | 5-6 | 7-8 | | | |
| <i>Myosotis sylvatica</i> 'Bobo Blue' Bobo Blue Forget-Me-Not | HP | 0.61 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Myosotis sylvatica</i> 'Bobo Rose' Bobo Rose Forget-Me-Not | HP | 0.61 | G4 | 5-6 | 7-8 | | | |
| <i>Myosotis sylvatica</i> 'Marina' Marina Forget-Me-Not | HP | 0.83 | G4 | 5-6 | 7-8 | | | |
| <i>Myosotis sylvatica</i> 'Rogli' Rogli Woodland Forget-Me-Not | HP | 0.83 | G4 | 5-6 | 7-8 | | | |
| <i>Myosotis sylvatica</i> 'Rosea' Rose Forget-Me-Not | HP | 0.64 | G4 | 5-6 | 7-8 | | | |
| <i>Myosotis sylvatica</i> 'Royal Blue' Royal Blue Forget-Me-Not | HP | 1.05 | G4 | 5-6 | 7-8 | | | |
| <i>Myosotis sylvatica</i> 'Victoria Blue' Victoria Blue Forget-Me-Not | HP | 0.98 | G4 | 5-6 | 7-8 | | | |
| <i>Myosotis sylvatica</i> 'Victoria Pink' Victoria Pink Forget-Me-Not | HP | 0.89 | G4 | 5-6 | 7-8 | | | |
| <i>Myosotis sylvatica</i> 'Victoria Rose' Victoria Rose Forget-Me-Not | HP | 0.77 | G4 | 5-6 | 7-8 | | | |
| <i>Myrcianthes fragrans</i> Simpson's Stopper | BS | 0.79 | G1 | 9-10 | 11 | | 0.47 | 10A |
| <i>Myrciaria cauliflora</i> Jaboticaba | FN | 1.59 | G1 | 9-10 | 11 | 1.00 | 4.73 | 10 |
| <i>Myrica californica</i> Pacific Waxmyrtle | BS | 0.90 | G2 | 6-7 | 8-9 | | 0.64 | 7 |
| <i>Myrica cerifera</i> Southern Waxmyrtle | BS | 0.81 | G2 | 4-6 | 7-10 | | 0.54 | 6 |
| <i>Myrica cerifera</i> 'Emperor' See - <i>Myrica cerifera</i> 'Lane' P.P. 7555 | | | | | | | | |
| <i>Myrica cerifera</i> 'Fairfax' Fairfax™ Southern Waxmyrtle | BS | 0.88 | G2 | 4-6 | 7-10 | | 0.63 | 6 |
| <i>Myrica cerifera</i> 'Lane' P.P. 7555 Emperor™ Southern Waxmyrtle | BS | 1.16 | G2 | 4-6 | 7-10 | | 0.72 | 6 |
| <i>Myrica cerifera</i> var. <i>pumila</i> Dwarf Southern Waxmyrtle | BS | 0.84 | G2 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Myrica gale</i> Sweet Gale | BS | 1.54 | G2 | 4-5 | 6-10 | | 1.00 | 1 |
| <i>Myrica heterophylla</i> Swamp Bayberry | DS | 0.71 | G2 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Myrica pensylvanica</i> Northern Bayberry | DS | 1.08 | G2 | 4-5 | 6-10 | | 1.09 | 2 |
| <i>Myrica pusilla</i> Dwarf Waxmyrtle | BS | 0.77 | G2 | 4-6 | 7-10 | | 0.57 | 6 |
| <i>Myrica pusilla</i> 'Don's Dwarf' Don's Dwarf Waxmyrtle | BS | 0.83 | G2 | 4-6 | 7-10 | | 0.57 | 6 |
| <i>Myrica rubra</i> Chinese Strawberry Tree | FN | 1.02 | G3 | 9 | 10-11 | 1.00 | 1.00 | 7 |
| <i>Myristica fragrans</i> Nutmeg | BE | 2.30 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Myroxylon balsamum</i> Tolu Balsam Tree | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 8 |
| <i>Myrrhis odorata</i> Sweet Cicely | HP | 1.25 | G4 | 4 | 5-7 | | | |
| <i>Myrsine africana</i> African Boxwood | BS | 0.71 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Myrsine guianensis</i> Rapanea | BS | 0.56 | G1 | 9B-10 | 11 | | 1.00 | 10B |
| <i>Myrtus communis</i> Myrtle | BS | 0.93 | G2 | 8 | 9-10A | | 1.00 | 8 |
| <i>Myrtus communis</i> 'Boetica' Boetica Myrtle | BS | 0.70 | G2 | 8 | 9-10A | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Myrtus communis</i> 'Compacta Variegata' Compact Variegated Myrtle | BS | 0.79 | G2 | 8 | 9-10A | | 1.00 | 8 |
| <i>Myrtus communis</i> 'Compacta' Compact Myrtle | BS | 0.77 | G2 | 8 | 9-10A | | 1.00 | 8 |
| <i>Myrtus communis</i> 'Variegata' Variegated Myrtle | BS | 0.83 | G2 | 8 | 9-10A | | 1.00 | 8 |
| <i>Nageia nagi</i> Broadleaf Podocarpus | CE | 0.98 | G1 | 9B-10A | 10B-11 | 1.00 | 1.00 | 8 |
| <i>Nandina domestica</i> Heavenly Bamboo | BS | 0.79 | G2 | 6 | 7-10B | | 0.50 | 6 |
| <i>Nandina domestica</i> 'Alba' White Heavenly Bamboo | BS | 0.85 | G2 | 6 | 7-10A | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Compacta' Compact Heavenly Bamboo | BS | 0.84 | G2 | 6 | 7-10A | | 0.72 | 6 |
| <i>Nandina domestica</i> 'Filamentosa' San Gabriel Heavenly Bamboo | BS | 0.72 | G2 | 6 | 7-10A | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Fire Power' Fire Power Heavenly Bamboo | BS | 0.89 | G2 | 6 | 7-10A | | 0.88 | 6 |
| <i>Nandina domestica</i> 'Firehouse' Firehouse Dwarf Heavenly Bamboo | BS | 1.13 | G2 | 6 | 7-10A | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Greray' P.P. 8530 Sunray Heavenly Bamboo | BS | 0.94 | G2 | 7 | 8-10A | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Gulf Stream' P.P. 5656 Gulf Stream Heavenly Bamboo | BS | 1.25 | G2 | 6 | 7-10A | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Harbor Belle' See - <i>Nandina domestica</i> 'Jaytee' P.P.A.F. | | | | | | | | |
| <i>Nandina domestica</i> 'Harbor Dwarf' Harbor Dwarf Heavenly Bamboo | BS | 0.84 | G2 | 6 | 7-10B | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Jaytee' P.P.A.F. Harbor Belle Heavenly Bamboo | BS | 1.10 | G2 | 6 | 7-10A | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Lemon Dwarf' Lemon Dwarf Heavenly Bamboo | BS | 0.86 | G2 | 6 | 7-10A | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Mardi Gras' Mardi Gras Heavenly Bamboo | BS | 0.94 | G2 | 6 | 7-10A | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Monfar' P.P.A.F. Sienna Sunrise™ Heavenly Bamboo | BS | 1.51 | G2 | 6 | 7-10A | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Monum' P.P.A.F. Plum Passion™ Heavenly Bamboo | BS | 1.50 | G2 | 6 | 7-10B | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Moon Bay' P.P. 5659 Moon Bay Heavenly Bamboo | BS | 1.30 | G2 | 6 | 7-10A | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Moyer's Red' Moyer's Red Heavenly Bamboo | BS | 0.79 | G2 | 6 | 7-10A | | 0.81 | 6 |
| <i>Nandina domestica</i> 'Nana Purpurea' Dwarf Purple Heavenly Bamboo | BS | 0.85 | G2 | 6 | 7-10A | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Nana' Dwarf Heavenly Bamboo | BS | 0.79 | G2 | 6 | 7-10A | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Plum Passion' See - <i>Nandina domestica</i> 'Monum' P.P.A.F. | | | | | | | | |
| <i>Nandina domestica</i> 'Royal Princess' Royal Princess Heavenly Bamboo | BS | 0.72 | G2 | 6 | 7-10A | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Sienna Sunrise' See - <i>Nandina domestica</i> 'Monfar' P.P.A.F. | | | | | | | | |
| <i>Nandina domestica</i> 'Sunray' See - <i>Nandina domestica</i> 'Greray' P.P. 8530 | | | | | | | | |
| <i>Nandina domestica</i> 'Umpqua Chief' Umpqua Chief Heavenly Bamboo | BS | 0.95 | G2 | 6 | 7-10A | | 0.83 | 6 |
| <i>Nandina domestica</i> 'Umpqua Princess' Umpqua Princess Heavenly Bamboo | BS | 0.80 | G2 | 6 | 7-10A | | 0.70 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Nandina domestica</i> 'Umpqua Warrior' Umpqua Warrior Heavenly Bamboo | BS | 0.63 | G2 | 6 | 7-10A | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Wood's Dwarf' Wood's Dwarf Heavenly Bamboo | BS | 0.89 | G2 | 6 | 7-10A | | 0.70 | 6 |
| <i>Nandina domestica</i> 'Yellow-fruited' Yellow-fruited Heavenly Bamboo | BS | 0.57 | G2 | 6 | 7-10A | | 0.44 | 6 |
| <i>Nannorrhops ritchiana</i> Mazari Palm | PC | 2.89 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Napaea dioica</i> Glade Mallow | HP | 1.49 | G4 | 4-5 | 6-7 | | | |
| <i>Nashia bahamensis</i> See - <i>Nashia inaguensis</i> | | | | | | | | |
| <i>Nashia inaguensis</i> Moujean Tea | BS | 1.44 | G1 | 9B-10 | 11 | | 1.00 | 10 |
| <i>Nassella cernua</i> See - <i>Stipa cernua</i> | | | | | | | | |
| <i>Nassella tenuissima</i> See - <i>Stipa tenuissima</i> | | | | | | | | |
| <i>Nasturtium officinale</i> Watercress | HP | 0.77 | G4 | 6-7 | 8 | | | |
| <i>Nauplius sericeus</i> No Common Name Found | HP | 0.68 | G4 | 8-9 | 10A | | | |
| <i>Nautilocalyx bullatus</i> Black Amazon Robe | HP | 0.68 | G4 | 9-10 | 11 | | | |
| <i>Nautilocalyx lynchii</i> Black Alloplectus | HP | 0.61 | G4 | 9-10 | 11 | | | |
| <i>Nectandra coriacea</i> Lancewood | BE | 1.25 | G4 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Nelumbo lutea</i> Water Chinquapin | HP | 1.30 | G4 | 3-4 | 5-11 | | | |
| <i>Nemesia</i> Nemesia | AN | 1.00 | G4 | 6-9 | 10 | | | |
| <i>Nemesia</i> 'Sunsatia Banana' Sunsatia® Banana Nemesia | AN | 1.00 | G4 | 6-9 | 10 | | | |
| <i>Nemesia caerulea</i> No Common Name Found | AN | 1.12 | G4 | 6-9 | 10 | | | |
| <i>Nemesia caerulea</i> 'Bluebird' See - <i>Nemesia caerulea</i> 'Hubbird' P.P.A.F. | | | | | | | | |
| <i>Nemesia caerulea</i> 'Hubbird' P.P.A.F. Bluebird Nemesia | AN | 1.06 | G4 | 6-9 | 10 | | | |
| <i>Nemesia caerulea</i> 'Innocence' Innocence Nemesia | AN | 1.07 | G4 | 6-9 | 10 | | | |
| <i>Nemesia fruticans</i> See - <i>Nemesia caerulea</i> | | | | | | | | |
| <i>Nemesia strumosa</i> Pouch Nemesia | AN | 0.84 | G4 | 6-9 | 10 | | | |
| <i>Nemesia strumosa</i> 'Carnival Mix' Carnival Mix Pouch Nemesia | AN | 1.14 | G4 | 6-9 | 10 | | | |
| <i>Nemesia strumosa</i> 'Sachet Series' Sachet Series Pouch Nemesia | AN | 1.38 | G4 | 6-9 | 10 | | | |
| <i>Nemopanthus mucronatus</i> Mountain Holly | BS | 1.00 | G2 | 3-5 | 6-7 | | 0.35 | 5 |
| <i>Nenga pumila</i> No Common Name Found | PC | 2.44 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Neodypsis decaryi</i> See - <i>Dypsis decaryi</i> | | | | | | | | |
| <i>Neodypsis lastelliana</i> See - <i>Dypsis lastelliana</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Neolitsea sericea</i> Japanese Silver Tree | DT | 1.32 | G1 | 9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Neomarica caerulea</i> Twelve Apostles | HP | 0.89 | G3 | 8-11 | | | | |
| <i>Neomarica gracilis</i> Apostle Plant | HP | 0.91 | G3 | 8-11 | | | | |
| <i>Neomarica northiana</i> Walking Iris | HP | 0.92 | G3 | 8-11 | | | | |
| <i>Neoregelia</i> Neoregelia | FO | 1.21 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Neoregelia</i> 'Autumn Leaves' Autumn Leaves Neoregelia | FO | 1.29 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Neoregelia</i> 'Aztec' Aztec Neoregelia | FO | 1.14 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Neoregelia</i> 'Color Parade' Color Parade Neoregelia | FO | 1.14 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Neoregelia</i> 'Gespacho' Gespacho Neoregelia | FO | 1.14 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Neoregelia</i> 'Inca' Inca Neoregelia | FO | 1.29 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Neoregelia</i> 'Lois Bullis' Lois Bullis Neoregelia | FO | 0.98 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Neoregelia</i> 'Maya' Maya Regelia | FO | 1.29 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Neoregelia</i> 'Mocha Mint' Mocha Mint Neoregelia | FO | 0.98 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Neoregelia</i> 'Perfection' Perfection Neoregelia | FO | 1.53 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Neoregelia</i> 'Royal Burgundy' Royal Burgundy Neoregelia | FO | 1.52 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Neoregelia</i> 'Tossed Salad' Tossed Salad Neoregelia | FO | 0.98 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Neoregelia carolinae</i> Blushing Bromeliad | FO | 1.14 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Neoregelia carolinae</i> 'Flandria' Flandria Blushing Bromeliad | FO | 1.32 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Neoregelia carolinae</i> 'Tricolor' Tricolor Blushing Bromeliad | FO | 1.23 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Neoregelia macwilliamsii</i> No Common Name Found | FO | 1.54 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Neovietchia storckii</i> Unleito Palm | PC | 3.29 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Nepenthes alata</i> Winged Pitcher Plant | HP | 5.05 | G3 | 8-10B | 11 | | | |
| <i>Nepenthes bicalcarata</i> Fanged Pitcher Plant | HP | 5.60 | G3 | 8-10B | 11 | | | |
| <i>Nepenthes x coccinea</i> No Common Name Found | FO | 1.55 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Nepenthes gracilis</i> No Common Name Found | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Nepenthes madagascariensis</i> Asian Pitcher Plant | FO | 1.14 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Nepenthes maxima</i> No Common Name Found | HP | 5.98 | G3 | 8-10B | 11 | | | |
| <i>Nepenthes rafflesiana</i> No Common Name Found | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Nepenthes sanguinea</i> No Common Name Found | FO | 0.71 | G3 | 8-10B | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Nepenthes truncata</i> No Common Name Found | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Nepenthes ventricosa</i> No Common Name Found | FO | 1.25 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Nepeta</i> Catmint | HP | 1.00 | G4 | 3-5 | 6-9A | | | |
| <i>Nepeta</i> 'Joanna Reed' Joanna Reed Catmint | HP | 1.00 | G4 | 3-5 | 6-9A | | | |
| <i>Nepeta cataria</i> Catnip | HP | 0.80 | G4 | 3-5 | 6-9A | | | |
| <i>Nepeta cataria</i> 'Citriodora' Citriodora Catnip | HP | 0.80 | G4 | 3-5 | 6-9A | | | |
| <i>Nepeta</i> x <i>faassenii</i> Faassen's Catmint | HP | 0.74 | G4 | 3-5 | 6-9A | | | |
| <i>Nepeta</i> x <i>faassenii</i> 'Blue Wonder' Blue Wonder Faassen's Catmint | HP | 0.85 | G4 | 4-5 | 6-9A | | | |
| <i>Nepeta</i> x <i>faassenii</i> 'Dropmore' Dropmore Faassen's Nepeta | HP | 0.86 | G4 | 3-5 | 6-9A | | | |
| <i>Nepeta</i> x <i>faassenii</i> 'Six Hills Giant' Six Hills Giant Faassen's Catmint | HP | 0.89 | G4 | 3-5 | 6-9A | | | |
| <i>Nepeta</i> x <i>faassenii</i> 'Snowflake' Snowflake Faassen's Catmint | HP | 0.83 | G4 | 4-5 | 6-9A | | | |
| <i>Nepeta</i> x <i>faassenii</i> 'Walker's Low' Walker's Low Faassen's Catmint | HP | 0.92 | G4 | 4-5 | 6-9A | | | |
| <i>Nepeta grandiflora</i> No Common Name Found | HP | 0.94 | G4 | 4-5 | 6-9A | | | |
| <i>Nepeta grandiflora</i> 'Dawn to Dusk' Dawn to Dusk Catmint | HP | 0.94 | G4 | 4-5 | 6-9A | | | |
| <i>Nepeta mussinii</i> See - <i>Nepeta</i> x <i>faassenii</i> | | | | | | | | |
| <i>Nepeta nervosa</i> Veined Nepeta | HP | 1.07 | G4 | 5-6 | 7-9A | | | |
| <i>Nepeta nervosa</i> 'Blue Carpet' Blue Carpet Veined Nepeta | HP | 1.07 | G4 | 5-6 | 7-9A | | | |
| <i>Nepeta phyllocllamys</i> No Common Name Found | HP | 1.00 | G4 | 4-8 | 9-10 | | | |
| <i>Nepeta racemosa</i> Raceme Catmint | HP | 1.00 | G4 | 3-5 | 6-9A | | | |
| <i>Nepeta racemosa</i> 'Little Titch' Little Titch Raceme Catmint | HP | 1.00 | G4 | 3-5 | 6-9A | | | |
| <i>Nepeta sibirica</i> Siberian Catmint | HP | 0.66 | G4 | 3-5 | 6-9A | | | |
| <i>Nepeta sibirica</i> 'Souvenir d'Andre Chaudron' Souvenir d'Andre Chaudron | HP | 0.96 | G4 | 3-5 | 6-9A | | | |
| <i>Nepeta subsessilis</i> No Common Name Found | HP | 0.94 | G4 | 4-5 | 6-9A | | | |
| <i>Nepeta tuberosa</i> No Common Name Found | HP | 1.00 | G4 | 8 | 9-10B | | | |
| <i>Nephrolepis biserrata</i> Broad Sword Fern | HP | 1.16 | G3 | 8-10 | 11 | | | |
| <i>Nephrolepis biserrata</i> 'Macho' Macho Broad Sword Fern | FO | 0.54 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Nephrolepis cordifolia</i> Erect Sword Fern | FO | 0.58 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Nephrolepis cordifolia</i> 'Duffii' Duff Erect Sword Fern | FO | 0.52 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Nephrolepis cordifolia</i> 'Timmii' Timm Erect Sword Fern | FO | 0.36 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Nephrolepis exaltata</i> Sword Fern | FO | 0.67 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Bostoniensis' Boston Fern | FO | 0.56 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Compacta' Compact Boston Fern | FO | 0.43 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Dallas Jewel' P.P. 5755 Dallas Boston Fern | FO | 0.59 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Dallasii' See - <i>Nephrolepis exaltata</i> 'Dallas Jewel' P.P. 5755 | | | | | | | | |
| <i>Nephrolepis exaltata</i> 'Erecta' Erect Boston Fern | FO | 0.32 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Fluffy Ruffles' Fluffy Ruffles Boston Fern | FO | 0.47 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Hillii' Hills Boston Fern | FO | 0.47 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Knights' Knights Boston Fern | FO | 0.47 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Maasii' Maasii Boston Fern | FO | 0.24 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Orlando' P.P. 9067 Orlando Boston Fern | FO | 0.47 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Rooseveltii' Roosevelt Boston Fern | FO | 0.47 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Whitmannii' Whitmann Boston Fern | FO | 0.47 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Nephrolepis falcata</i> No Common Name Found | FO | 0.31 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Nephrolepis falcata</i> var. <i>furcans</i> Fishtail Fern | FO | 0.71 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Nephrolepis hirsutula</i> No Common Name Found | FO | 0.42 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Nephrolepis obliterated</i> Australian Sword Fern | FO | 0.41 | G3 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Nephrolepis obliterated</i> 'Emerald Queen' Emerald Queen Australian Sword Fern | FO | 0.53 | G3 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Nephrolepis obliterated</i> 'Kimberley Queen' Kimberley Queen Australian Sword Fern | FO | 0.58 | G3 | 6-10 | 11 | | 1.00 | 9 |
| <i>Nephrosperma vanhoutteanum</i> Latanier Millepattes Palm | PC | 3.06 | G3 | 10 | 11 | | 1.00 | 9 |
| <i>Nerine bowdenii</i> Cape Colony Nerine | HP | 0.78 | G4 | 8-9 | 10 | | | |
| <i>Nerine filamentosa</i> No Common Name Found | HP | 1.04 | G4 | 8-9 | 10 | | | |
| <i>Nerine filifolia</i> No Common Name Found | HP | 0.78 | G4 | 8-9 | 10 | | | |
| <i>Nerine masonorum</i> No Common Name Found | HP | 1.04 | G4 | 8-9 | 10 | | | |
| <i>Nerine sarniensis</i> Guernsey Lily | HP | 0.82 | G4 | 8-9 | 10 | | | |
| <i>Nerium oleander</i> Common Oleander | BS | 0.65 | G2 | 8-9B | 10-11 | | 0.32 | 8 |
| <i>Nerium oleander</i> 'Alba' White Oleander | BS | 0.84 | G2 | 8-9B | 10-11 | | 0.46 | 8 |
| <i>Nerium oleander</i> 'Algiers' See - <i>Nerium oleander</i> 'Monal' | | | | | | | | |
| <i>Nerium oleander</i> 'Calypso' Calypso Oleander | BS | 0.67 | G2 | 8-9B | 10-11 | | 0.46 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Nerium oleander</i> 'Cardinal' Cardinal Oleander | BS | 0.66 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Casablanca' See - <i>Nerium oleander</i> 'Monca' | | | | | | | | |
| <i>Nerium oleander</i> 'Cherry Ripe' Cherry Ripe Oleander | BS | 0.68 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Crimson' Crimson Oleander | BS | 0.86 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Hardy Pink' Hardy Pink Oleander | BS | 0.82 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Hardy Red' Hardy Red Oleander | BS | 0.81 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Hawaii' Hawaii Oleander | BS | 0.82 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Ice Pink' Ice Pink Oleander | BS | 0.38 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Isle of Capri' Isle of Capri Oleander | BS | 0.82 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Jannoch' Jannoch Oleander | BS | 0.96 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Little Red' P.P. 4836 Little Red Dwarf Oleander | BS | 0.88 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Little White' Little White Oleander | BS | 0.84 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Marrakesh' See - <i>Nerium oleander</i> 'Moned' | | | | | | | | |
| <i>Nerium oleander</i> 'Monal' Algiers™ Oleander | BS | 0.82 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Monca' Casablanca™ Oleander | BS | 0.87 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Moned' Marrakesh™ Dwarf Oleander | BS | 1.02 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Monta' Tangier™ Oleander | BS | 1.04 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Monte' Morocco™ Dwarf Oleander | BS | 0.82 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Monvis' P.P. 5866 Ruby Lace™ Oleander | BS | 0.82 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Morocco' See - <i>Nerium oleander</i> 'Monte' | | | | | | | | |
| <i>Nerium oleander</i> 'Mrs. Roeding' Mrs. Roeding Oleander | BS | 0.77 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Petite Pink' Petite Pink Dwarf Oleander | BS | 0.71 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Petite Salmon' Petite Salmon Dwarf Oleander | BS | 0.66 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Pink Beauty' Pink Beauty Oleander | BS | 0.89 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Ruby Lace' See - <i>Nerium oleander</i> 'Monvis' P.P. 5866 | | | | | | | | |
| <i>Nerium oleander</i> 'Sealy Pink' Sealy Pink Oleander | BS | 0.69 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Shari D' See - <i>Nerium oleander</i> 'Turner's Shari D' P.P. 5378 | | | | | | | | |
| <i>Nerium oleander</i> 'Shasta' Shasta Oleander | BS | 0.82 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Single Pink' Single Pink Oleander | BS | 0.69 | G2 | 8-9B | 10-11 | | 0.41 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Nerium oleander</i> 'Sister Agnes' Sister Agnes Oleander | BS | 0.69 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Tangier' See - <i>Nerium oleander</i> 'Monta' | | | | | | | | |
| <i>Nerium oleander</i> 'Turner's Carnival' P.P. 6339 Turner's Carnival™ Oleander | BS | 1.13 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Turner's Shari D' P.P. 5378 Shari D Oleander | BS | 0.97 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Nerium oleander</i> 'Turner's Tickled Pink' P.P. 7619 Turner's Tickled Pink Oleander | BS | 1.20 | G2 | 8-9B | 10-11 | | 0.41 | 8 |
| <i>Neviusia alabamensis</i> Snow-Wreath | DS | 0.85 | G2 | 4 | 5-8 | | 1.08 | 4 |
| <i>Newbouldia laevis</i> No Common Name Found | BE | 0.94 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Nicodermia diversifolia</i> See - <i>Buddleja indica</i> | | | | | | | | |
| <i>Nicolaia elatior</i> See - <i>Etingera elatior</i> | | | | | | | | |
| <i>Nicotiana alata</i> Flowering Tobacco | AN | 0.75 | G4 | 6-9A | 9B-11 | | | |
| <i>Nicotiana</i> x <i>sanderae</i> Hybrid Flowering Tobacco | AN | 0.76 | G4 | 6-9A | 9B-11 | | | |
| <i>Nicotiana</i> x <i>sanderae</i> 'Avalon Appleblossom' Avalon Appleblossom Hybrid Flowering Tobacco | AN | 0.76 | G4 | 6-9A | 9B-11 | | | |
| <i>Nicotiana</i> x <i>sanderae</i> 'Avalon Red' Avalon Red Hybrid Flowering Tobacco | AN | 0.76 | G4 | 6-9A | 9B-11 | | | |
| <i>Nicotiana</i> x <i>sanderae</i> 'Domino Series' Domino Series Hybrid Flowering Tobacco | AN | 0.76 | G4 | 6-9A | 9B-11 | | | |
| <i>Nicotiana</i> x <i>sanderae</i> 'Havana Series' Havana Series Hybrid Flowering Tobacco | AN | 0.74 | G4 | 6-9A | 9B-11 | | | |
| <i>Nicotiana</i> x <i>sanderae</i> 'Hummingbird Pink' Hummingbird Pink Hybrid Flowering Tobacco | AN | 0.77 | G4 | 6-7 | 8-11 | | | |
| <i>Nicotiana</i> x <i>sanderae</i> 'Hummingbird Red' Hummingbird Red Hybrid Flowering Tobacco | AN | 0.77 | G4 | 6-7 | 8-11 | | | |
| <i>Nicotiana</i> x <i>sanderae</i> 'Hummingbird Series' Hummingbird Series Hybrid Flowering Tobacco | AN | 0.76 | G4 | 6-7 | 8-11 | | | |
| <i>Nierembergia hippomanica</i> Dwarf Cup Flower | HP | 0.72 | G4 | 6-8 | 9-11 | | | |
| <i>Nierembergia hippomanica</i> 'Mont Blanc' Mont Blanc Cup Flower | HP | 0.75 | G4 | 6-8 | 9-11 | | | |
| <i>Nierembergia hippomanica</i> 'Purple Robe' Purple Robe Cup Flower | HP | 0.63 | G4 | 6-8 | 9-11 | | | |
| <i>Nierembergia repens</i> Whitecup | HP | 0.66 | G4 | 6-8 | 9-11 | | | |
| <i>Nipponanthemum nipponicum</i> Nippon Daisy | HP | 0.85 | G4 | 4-6 | 7-8 | | | |
| <i>Nolina lindheimerana</i> Devil's Shoestring | BS | 0.80 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Nolina microcarpa</i> Beargrass | BS | 0.76 | G2 | 8-9 | 10A-11 | | 1.08 | 6 |
| <i>Nolina parryi</i> Parry's Beargrass | BS | 0.68 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Nolina recurvata</i> Ponytail Palm | FO | 0.71 | G3 | 8-10 | 11 | | 2.45 | 10 |
| <i>Nolina texana</i> Sacahuista | BS | 0.94 | G4 | 8-9 | 10A-11 | | 1.00 | 7 |
| <i>Norantea guianensis</i> Norantea Vine | GC | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Normanbya normanbyi</i> Black Palm | PC | 2.25 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Noronhia emarginata</i> Madagascar Olive | BE | 1.11 | G1 | 10 | 11 | 1.00 | 0.72 | 10 |
| <i>Nothocalais cuspidata</i> See - <i>Agoseris cuspidata</i> | | | | | | | | |
| <i>Nothofagus antarctica</i> Antarctic Beech | DT | 1.95 | G2 | 6-7 | 8-10 | 0.84 | 1.00 | 7 |
| <i>Notocactus leninghausii</i> See - <i>Parodia leninghausii</i> | | | | | | | | |
| <i>Nototrichium sandwicense</i> Kulu'i | HP | 1.16 | G2 | 9-10 | 11 | | | |
| <i>Nuphar lutea</i> Yellow Water Lily | HP | 1.61 | G4 | 3-4 | 5-10 | | | |
| <i>Nymphaea odorata</i> Fragrant Water Lily | HP | 3.38 | G4 | 3 | 4-10 | | | |
| <i>Nyssa aquatica</i> Cotton Gum | DT | 0.79 | G2 | 5-6 | 7-10A | 1.19 | 0.71 | 6 |
| <i>Nyssa ogeche</i> Ogeechee Tupelo | DT | 0.90 | G2 | 5-6 | 7-10A | 1.00 | 0.77 | 6 |
| <i>Nyssa sylvatica</i> Black Tupelo | DT | 0.96 | G2 | 5 | 6-10A | 1.16 | 0.77 | 3 |
| <i>Nyssa sylvatica</i> 'Forum' See - <i>Nyssa sylvatica</i> 'NXSXF' P.P. 11391 | | | | | | | | |
| <i>Nyssa sylvatica</i> 'NXSXF' P.P. 11391 Forum® Black Tupelo | DT | 1.02 | G2 | 5 | 6-10A | 1.16 | 0.77 | 3 |
| <i>Nyssa sylvatica</i> 'Red Rage' Red Rage™ Black Tupelo | DT | 1.08 | G2 | 5 | 6-10A | 1.16 | 0.77 | 3 |
| <i>Nyssa sylvatica</i> var. <i>biflora</i> Swamp Tupelo | DT | 0.51 | G2 | 5 | 6-10A | 1.00 | 1.00 | 3 |
| <i>Ochna kirkii</i> Mickey Mouse Plant | BS | 1.25 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Ochna serrulata</i> Bird's Eye Bush | BS | 0.77 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Ochrosia elliptica</i> Deadly Ochrosia | BE | 1.99 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Ochrosia elliptica</i> 'Nana' Dwarf Deadly Ochrosia | BE | 1.99 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Ocimum basilicum</i> Sweet Basil | AN | 1.30 | G3 | 8-11 | | | | |
| <i>Ocimum basilicum</i> 'African Blue' African Blue Basil | AN | 1.41 | G3 | 8-11 | | | | |
| <i>Ocimum basilicum</i> 'Americanum' American Basil | AN | 1.33 | G3 | 8-11 | | | | |
| <i>Ocimum basilicum</i> 'Cinnamon' Cinnamon Basil | AN | 1.08 | G3 | 8-11 | | | | |
| <i>Ocimum basilicum</i> 'Citriodorum' Lemon Basil | AN | 1.09 | G3 | 8-11 | | | | |
| <i>Ocimum basilicum</i> 'Cuban' Cuban Basil | AN | 1.15 | G4 | 8-10 | 11 | | | |
| <i>Ocimum basilicum</i> 'Dark Opal' Dark Opal Basil | AN | 1.03 | G4 | 8-10 | 11 | | | |
| <i>Ocimum basilicum</i> 'Fino Verde' Fino Verde Basil | AN | 0.68 | G3 | 8-11 | | | | |
| <i>Ocimum basilicum</i> 'Genevese' Genevese Sweet Basil | AN | 1.29 | G3 | 8-11 | | | | |
| <i>Ocimum basilicum</i> 'Licorice' Licorice Basil | AN | 0.85 | G3 | 8-11 | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Ocimum basilicum</i> 'Magical Michael' Magical Michael Basil | AN | 1.15 | G4 | 8-10 | 11 | | | |
| <i>Ocimum basilicum</i> 'Mammoth' Mammoth Basil | AN | 1.15 | G4 | 8-10 | 11 | | | |
| <i>Ocimum basilicum</i> 'Mini Purple' Mini Purple Basil | AN | 1.15 | G4 | 8-10 | 11 | | | |
| <i>Ocimum basilicum</i> 'Minimum' Bush Basil | AN | 1.25 | G3 | 8-11 | | | | |
| <i>Ocimum basilicum</i> 'Mrs. Burns' Mrs. Burns Lemon Basil | AN | 1.15 | G4 | 8-10 | 11 | | | |
| <i>Ocimum basilicum</i> 'Neapolitanum' Italian Basil | AN | 0.68 | G3 | 8-11 | | | | |
| <i>Ocimum basilicum</i> 'Osmin' Osmin Purple Basil | AN | 1.15 | G4 | 8-10 | 11 | | | |
| <i>Ocimum basilicum</i> 'Purple Ruffles' Purple Ruffles Basil | AN | 1.19 | G3 | 8-11 | | | | |
| <i>Ocimum basilicum</i> 'Purpureum' Purple Basil | HP | 0.40 | G3 | 8-11 | | | | |
| <i>Ocimum basilicum</i> 'Red Rubin' Red Rubin Basil | AN | 1.53 | G3 | 8-11 | | | | |
| <i>Ocimum basilicum</i> 'Siam Queen' Siam Queen Basil | AN | 1.36 | G3 | 8-11 | | | | |
| <i>Ocimum basilicum</i> 'Spicy Globe' Spicy Globe Basil | AN | 1.11 | G3 | 8-11 | | | | |
| <i>Ocimum basilicum</i> 'Sweet Dani' Sweet Dani Basil | AN | 1.28 | G3 | 8-11 | | | | |
| <i>Ocimum basilicum</i> 'Thai' Thai Basil | AN | 1.15 | G4 | 8-10 | 11 | | | |
| <i>Ocimum sanctum</i> See - <i>Ocimum tenuiflorum</i> | | | | | | | | |
| <i>Ocimum tenuiflorum</i> Holy Basil | HP | 0.45 | G3 | 8-11 | | | | |
| x <i>Odontioda</i> Odontioda Hybrid Orchid | FO | 1.00 | G3 | 10 | 11 | | 1.00 | 10 |
| x <i>Odontobrassia</i> Odontobrassia Hybrid Orchid | FO | 1.88 | G3 | 10-11 | | | 1.00 | 10 |
| x <i>Odontocidium</i> Odontocidium Hybrid Orchid | FO | 1.88 | G3 | 10-11 | | | 1.00 | 10 |
| <i>Odontoglossum</i> Odontoglossum Hybrid Orchid | FO | 1.88 | G3 | 9-10 | 11 | | 1.00 | 10 |
| <i>Odontonema callistachyum</i> Purple Firespike | HP | 0.89 | G4 | 8-10A | 10B-11 | | | |
| <i>Odontonema cuspidatum</i> See - <i>Odontonema strictum</i> | | | | | | | | |
| <i>Odontonema strictum</i> Firespike | BS | 0.72 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Odontonema strictum</i> 'Gray-White' Gray-White Firespike | BS | 0.62 | G1 | 8-10 | 11 | | 1.00 | 10 |
| x <i>Odontonia</i> Odontonia Hybrid Orchid | FO | 1.67 | G3 | 10-11 | | | 1.00 | 10 |
| <i>Oemleria cerasiformis</i> Indian Plum | DS | 1.06 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Oenanthe javanica</i> Water Parsley | HP | 1.12 | G4 | 8-9 | 10-11 | | | |
| <i>Oenanthe javanica</i> 'Flamingo' Flamingo Water Parsley | HP | 1.12 | G4 | 8-9 | 10-11 | | | |
| <i>Oenothera berlandieri</i> Mexican Evening Primrose | HP | 0.67 | G4 | 5 | 6-9A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Oenothera berlandieri</i> 'Siskiyou' Siskiyou Mexican Evening Primrose | HP | 0.84 | G4 | 5 | 6-9A | | | |
| <i>Oenothera berlandieri</i> 'Woodside White' Woodside White Mexican Evening Primrose | HP | 0.71 | G4 | 5 | 6-9A | | | |
| <i>Oenothera caespitosa</i> Tufted Evening Primrose | HP | 1.28 | G4 | 5-6 | 7-10A | | | |
| <i>Oenothera elata</i> ssp. <i>hookerii</i> Hooker's Evening Primrose | HP | 0.87 | G4 | 5-7 | 8-10 | | | |
| <i>Oenothera erythrosepala</i> See - <i>Oenothera glazioviana</i> | | | | | | | | |
| <i>Oenothera fremontii</i> No Common Name Found | HP | 0.93 | G4 | 3-5 | 6-7 | | | |
| <i>Oenothera fremontii</i> 'Lemon Silver' C.O.P.F. Lemon Silver Evening Primrose | HP | 0.93 | G4 | 3-5 | 6-7 | | | |
| <i>Oenothera fruticosa</i> Sundrops | HP | 1.06 | G4 | 4-5 | 6-8 | | | |
| <i>Oenothera fruticosa</i> 'Fireworks' Fireworks Sundrops | HP | 0.84 | G4 | 4-5 | 6-8 | | | |
| <i>Oenothera fruticosa</i> 'Summer Solstice' Summer Solstice Sundrops | HP | 0.88 | G4 | 4-5 | 6-8 | | | |
| <i>Oenothera fruticosa</i> 'Youngii-lapsley' Youngii-lapsley Sundrops | HP | 0.89 | G4 | 4-5 | 6-8 | | | |
| <i>Oenothera fruticosa</i> ssp. <i>glauca</i> Young Sundrops | HP | 0.79 | G4 | 4-5 | 6-8 | | | |
| <i>Oenothera glazioviana</i> Large-flowered Evening Primrose | HP | 1.00 | G4 | 3-5 | 6-7 | | | |
| <i>Oenothera hookerii</i> See - <i>Oenothera elata</i> ssp. <i>hookerii</i> | | | | | | | | |
| <i>Oenothera macrocarpa</i> Ozark Sundrops | HP | 0.89 | G4 | 4-5 | 6-8 | | | |
| <i>Oenothera macrocarpa</i> 'Greencourt Lemon' Greencourt Lemon Ozark Sundrops | HP | 0.70 | G4 | 5-6 | 7-8 | | | |
| <i>Oenothera missouriensis</i> See - <i>Oenothera macrocarpa</i> | | | | | | | | |
| <i>Oenothera odorata</i> Twisted Evening Primrose | HP | 0.76 | G4 | 5-6 | 7-10A | | | |
| <i>Oenothera pallida</i> Pale Evening Primrose | HP | 0.75 | G4 | 5-6 | 7-10A | | | |
| <i>Oenothera rosea</i> Rosy Evening Primrose | HP | 0.83 | G4 | 5-6 | 7-10A | | | |
| <i>Oenothera speciosa</i> Showy Evening Primrose | HP | 1.10 | G4 | 5 | 6-8 | | | |
| <i>Oenothera speciosa</i> 'Rosea' Rosea Showy Evening Primrose | HP | 1.12 | G4 | 5 | 6-8 | | | |
| <i>Oenothera stubbei</i> Baja Evening Primrose | HP | 0.59 | G4 | 5-8 | 9-10A | | | |
| <i>Oenothera versicolor</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-10A | | | |
| <i>Oenothera versicolor</i> 'Sunset Boulevard' Sunset Boulevard Evening Primrose | HP | 1.00 | G4 | 5-6 | 7-10A | | | |
| <i>Oenothera youngii</i> See - <i>Oenothera fruticosa</i> ssp. <i>glauca</i> | | | | | | | | |
| <i>Oenonella polystachys</i> No Common Name Found | FO | 2.50 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Oerstedella pseudowallisii</i> No Common Name Found | FO | 2.38 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Oerstedella schumanniana</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Oerstedella schweinfurthiana</i> No Common Name Found | FO | 2.86 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Oerstedella wallisii</i> No Common Name Found | FO | 3.81 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Olea europaea</i> Common Olive | BE | 1.01 | G2 | 8-9 | 10 | 1.00 | 1.00 | 8 |
| <i>Olea europaea</i> 'Little Ollie' See - <i>Olea europaea</i> 'Montra' P.P. 6266 | | | | | | | | |
| <i>Olea europaea</i> 'Majestic Beauty' See - <i>Olea europaea</i> 'Monher' P.P. 5649 | | | | | | | | |
| <i>Olea europaea</i> 'Manzanillo' Manzanillo Common Olive | BE | 0.93 | G2 | 8-9 | 10 | 1.00 | 1.00 | 8 |
| <i>Olea europaea</i> 'Mission' Mission Common Olive | BE | 0.87 | G2 | 8-9 | 10 | 1.00 | 1.00 | 8 |
| <i>Olea europaea</i> 'Monher' P.P. 5649 Majestic Beauty™ Common Olive | BE | 1.36 | G2 | 8-9 | 10 | 1.00 | 1.00 | 8 |
| <i>Olea europaea</i> 'Montra' P.P. 6266 Little Ollie™ Common Olive | BS | 1.06 | G2 | 8-9 | 10 | | 1.00 | 8 |
| <i>Olea europaea</i> 'San Fernando' San Fernando Common Olive | BE | 1.05 | G2 | 8-9 | 10 | 1.00 | 1.00 | 8 |
| <i>Olea europaea</i> 'Wilsonii' P.P. 4464 Wilson Common Olive | BE | 1.08 | G2 | 8-9 | 10 | 1.00 | 1.00 | 8 |
| <i>Olneya tesota</i> Desert Ironwood | BS | 1.15 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Omphalodes cappadocica</i> Navel-seed | HP | 0.94 | G4 | 6 | 7-8 | | | |
| <i>Omphalodes verna</i> Creeping Forget-Me-Not | HP | 1.30 | G4 | 6 | 7-8 | | | |
| <i>Omphalodes verna</i> 'Alba' White Creeping Forget-Me-Not | HP | 1.30 | G4 | 6 | 7-8 | | | |
| <i>xOncidinae</i> Oncidinae Hybrid Orchid | FO | 1.00 | G3 | 10-11 | | | 1.00 | 10 |
| <i>xOncidioda</i> Oncidioda Hybrid Orchid | FO | 1.88 | G3 | 10-11 | | | 1.00 | 10 |
| <i>Oncidium</i> Oncidium Hybrid Orchid | FO | 2.32 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Oncidium haephamaticum</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Oncidium hastatum</i> No Common Name Found | FO | 1.00 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Oncidium isthmii</i> No Common Name Found | FO | 2.86 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Oncidium onustum</i> No Common Name Found | FO | 1.90 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Oncidium ornithorhynchum</i> No Common Name Found | FO | 1.90 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Oncidium papilio</i> See - <i>Psychopsis papilio</i> | | | | | | | | |
| <i>Oncidium trulliferum</i> No Common Name Found | FO | 1.67 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Oncidium velutinum</i> No Common Name Found | FO | 2.38 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Oncoba spinosa</i> Fried Egg Tree | BS | 1.16 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Onoclea sensibilis</i> Sensitive Fern | HP | 1.08 | G4 | 4-5 | 6-8 | | | |
| <i>Onopordum acoulon</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Ophiopogon clarkei</i> No Common Name Found | HP | 1.08 | G4 | 6-7 | 8-10B | | | |
| <i>Ophiopogon intermedius</i> No Common Name Found | HP | 0.70 | G4 | 6-8 | 9-10B | | | |
| <i>Ophiopogon intermedius</i> 'Argenteomarginatus' Aztec Grass | HP | 0.70 | G4 | 6-8 | 9-10B | | | |
| <i>Ophiopogon jaburan</i> Jaburan Lilyturf | HP | 0.61 | G4 | 6-7 | 8-10B | | | |
| <i>Ophiopogon jaburan</i> 'Vittatus' Vittatus Jaburan Lilyturf | HP | 0.50 | G4 | 6-7 | 8-10B | | | |
| <i>Ophiopogon japonicus</i> Mondo Grass | HP | 0.59 | G4 | 6-7 | 8-11 | | | |
| <i>Ophiopogon japonicus</i> 'Gyoko-ryu' Gyoko-ryu Mondo Grass | HP | 0.86 | G4 | 6-7 | 8-11 | | | |
| <i>Ophiopogon japonicus</i> 'Kijimafukiduma' Kijimafukiduma Mondo Grass | HP | 0.76 | G4 | 6-7 | 8-11 | | | |
| <i>Ophiopogon japonicus</i> 'Kyoto Dwarf' Kyoto Dwarf Mondo Grass | HP | 0.86 | G4 | 6-7 | 8-11 | | | |
| <i>Ophiopogon japonicus</i> 'Nanus' Dwarf Mondo Grass | HP | 0.64 | G4 | 6-7 | 8-11 | | | |
| <i>Ophiopogon japonicus</i> 'Silver Dragon' Silver Dragon Mondo Grass | HP | 0.90 | G4 | 6-7 | 8-11 | | | |
| <i>Ophiopogon japonicus</i> 'Variegatus' Silver Mist Mondo Grass | HP | 0.82 | G4 | 6-7 | 8-11 | | | |
| <i>Ophiopogon planiscapus</i> No Common Name Found | HP | 1.54 | G4 | 6 | 7-11 | | | |
| <i>Ophiopogon planiscapus</i> 'Ebknizam' Ebony Knight® Mondo Grass | HP | 1.67 | G4 | 6 | 7-11 | | | |
| <i>Ophiopogon planiscapus</i> 'Ebony Knight' See - <i>Ophiopogon planiscapus</i> 'Ebknizam' | | | | | | | | |
| <i>Ophiopogon planiscapus</i> 'Nigrescens' Black Mondo Grass | HP | 1.40 | G4 | 6 | 7-11 | | | |
| <i>Oplopanax horridus</i> Devil's Club | DS | 1.00 | G2 | 3 | 4-5 | | 1.00 | 3 |
| <i>Opuntia compressa</i> Prickly Pear | BS | 1.13 | G2 | 5-6 | 7-11 | | 1.00 | 6 |
| <i>Opuntia decumbens</i> Paddle Cactus | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 6 |
| <i>Opuntia falcata</i> No Common Name Found | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Opuntia ficus-indica</i> Indian Fig | FO | 0.96 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Opuntia ficus-indica</i> 'Burbank's Spineless' Burbank's Spineless Indian Fig | FO | 0.96 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Opuntia fragilis</i> Brittle Prickly Pear | BS | 1.00 | G2 | 8-9 | 10-11 | | 1.00 | 6 |
| <i>Opuntia humifusa</i> See - <i>Opuntia compressa</i> | | | | | | | | |
| <i>Opuntia leucotricha</i> No Common Name Found | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Opuntia lindheimeri</i> No Common Name Found | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Opuntia microdasys</i> Rabbit-Ear Cactus | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 8 |
| <i>Opuntia monacantha</i> See - <i>Opuntia vulgaris</i> | | | | | | | | |
| <i>Opuntia ramosissima</i> Pencil Cactus | BS | 1.11 | G3 | 8-10B | 11 | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Opuntia rufida</i> Blind Prickly Pear | FO | 0.96 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Opuntia subulata</i> Eve's Pin Cactus | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Opuntia vulgaris</i> Prickly Pear | FO | 0.88 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Orania palindan</i> No Common Name Found | PC | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Orania trispatha</i> No Common Name Found | PC | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Origanum</i> Marjoram | HP | 0.42 | G4 | 6 | 7-9 | | | |
| <i>Origanum</i> 'Kent Beauty' Kent Beauty Marjoram | HP | 0.76 | G4 | 6 | 7-9 | | | |
| <i>Origanum</i> 'Norton Gold' Norton Gold Marjoram | HP | 0.59 | G4 | 6 | 7-9 | | | |
| <i>Origanum</i> 'Santa Cruz' Santa Cruz Marjoram | HP | 0.59 | G4 | 6 | 7-9 | | | |
| <i>Origanum amanum</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7-9 | | | |
| <i>Origanum calcaratum</i> No Common Name Found | HP | 0.75 | G4 | 6-8 | 9 | | | |
| <i>Origanum dictamnus</i> Dittany of Crete | HP | 0.75 | G4 | 7 | 8-10B | | | |
| <i>Origanum heracleoticum</i> See - <i>Origanum vulgare</i> ssp. <i>hirtum</i> | | | | | | | | |
| <i>Origanum laevigatum</i> Ornamental Oregano | HP | 0.92 | G4 | 6-9 | 10-11 | | | |
| <i>Origanum laevigatum</i> 'Herrenhausen' Herrenhausen Ornamental Oregano | HP | 0.92 | G4 | 6-9 | 10-11 | | | |
| <i>Origanum laevigatum</i> 'Hopley's' Hopley's Ornamental Oregano | HP | 0.73 | G4 | 6-9 | 10-11 | | | |
| <i>Origanum laevigatum</i> 'Rosenkuppel' Rosenkuppel Ornamental Oregano | HP | 1.11 | G4 | 6-9 | 10-11 | | | |
| <i>Origanum libanoticum</i> Lebanese Oregano | HP | 1.00 | G4 | 6-9 | 10-11 | | | |
| <i>Origanum majorana</i> Sweet Marjoram | HP | 0.66 | G4 | 6-7 | 8-11 | | | |
| <i>Origanum majoricum</i> Hardy Marjoram | HP | 0.71 | G4 | 6 | 7-9 | | | |
| <i>Origanum majoricum</i> 'White Anniversary' White Anniversary Hardy Marjoram | HP | 0.91 | G4 | 6 | 7-9 | | | |
| <i>Origanum microphyllum</i> No Common Name Found | HP | 0.91 | G4 | 7-8 | 9-10B | | | |
| <i>Origanum pulchellum</i> No Common Name Found | HP | 0.91 | G4 | 6-7 | 8-11 | | | |
| <i>Origanum rotundifolium</i> No Common Name Found | HP | 0.91 | G4 | 7 | 8-10B | | | |
| <i>Origanum tournefortii</i> See - <i>Origanum calcaratum</i> | | | | | | | | |
| <i>Origanum vulgare</i> Wild Marjoram | HP | 0.61 | G4 | 5-6 | 7-9A | | | |
| <i>Origanum vulgare</i> 'Aureum' Golden Wild Marjoram | HP | 0.73 | G4 | 5-6 | 7-9A | | | |
| <i>Origanum vulgare</i> 'Compactum' Dwarf Wild Marjoram | HP | 0.77 | G4 | 5-6 | 7-9A | | | |
| <i>Origanum vulgare</i> 'Gracile' Russian Wild Marjoram | HP | 0.64 | G4 | 5-6 | 7-9A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Origanum vulgare</i> 'Hot & Spicy' Hot & Spicy Marjoram | HP | 0.64 | G4 | 5-7 | 8-11 | | | |
| <i>Origanum vulgare</i> 'Jim Best' Jim Best Marjoram | HP | 0.64 | G4 | 5-7 | 8-11 | | | |
| <i>Origanum vulgare</i> 'Thumble's Variety' Thumble's Variety Wild Marjoram | HP | 0.45 | G4 | 5-6 | 7-9 | | | |
| <i>Origanum vulgare</i> ssp. <i>hirtum</i> Greek Marjoram | HP | 0.70 | G4 | 7 | 8-10B | | | |
| <i>Ornithogalum thyrsooides</i> Wonder Flower | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Ornithogalum umbellatum</i> Star of Bethlehem | HP | 1.00 | G4 | 5-7 | 8 | | | |
| <i>Orostachys fimbriata</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7-9 | | | |
| <i>Orostachys iwarenge</i> No Common Name Found | HP | 0.71 | G4 | 6 | 7-9 | | | |
| <i>Orostachys spinosa</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7-9 | | | |
| <i>Orthosiphon aristatus</i> No Common Name Found | HP | 0.62 | G4 | 6-10 | 11 | | | |
| <i>Orthosiphon labiatus</i> Shellbush | HP | 0.87 | G4 | 6-10A | 10B-11 | | | |
| <i>Orthosiphon stamineus</i> Cat Whiskers | HP | 0.70 | G4 | 6-10A | 10B-11 | | | |
| <i>Orthosiphon stamineus</i> 'Alba' White Cat Whiskers | HP | 0.59 | G4 | 6-10A | 10B-11 | | | |
| <i>Orthrosanthus chimboracensis</i> No Common Name Found | HP | 0.76 | G4 | 8-9 | 10A-11 | | | |
| <i>Orthrosanthus multiflorus</i> No Common Name Found | HP | 1.04 | G4 | 8-9 | 10A-11 | | | |
| <i>Oryzopsis hymenoides</i> Indian Rice Grass | HP | 1.00 | G4 | 3-4 | 5-9 | | | |
| <i>Oscularia deltooides</i> See - <i>Lampranthus deltooides</i> | | | | | | | | |
| <i>Osmanthus americanus</i> Devilwood | BS | 0.83 | G2 | 6-7 | 8-9B | | 1.56 | 6 |
| <i>Osmanthus armatus</i> Chinese Osmanthus | BS | 1.00 | G2 | 6-7 | 8-9B | | 1.00 | 7 |
| <i>Osmanthus armatus</i> 'Clemson Yellow' Clemson Yellow Chinese Osmanthus | BS | 1.00 | G2 | 6-7 | 8-9B | | 1.00 | 7 |
| <i>Osmanthus xburkwoodii</i> Burkwood Osmanthus | BS | 1.06 | G2 | 6-7 | 8-9B | | 0.91 | 6 |
| <i>Osmanthus decorus</i> No Common Name Found | BS | 0.84 | G2 | 7 | 8 | | 1.00 | 6 |
| <i>Osmanthus delavayi</i> Delavay Osmanthus | BS | 1.03 | G2 | 7 | 8-9A | | 0.91 | 7 |
| <i>Osmanthus xfortunei</i> Fortune's Osmanthus | BS | 0.84 | G2 | 7 | 8-9A | | 1.40 | 7 |
| <i>Osmanthus xfortunei</i> 'Fruitlandii' Fruitland Fortune's Osmanthus | BS | 0.74 | G2 | 6-7 | 8-9B | | 1.96 | 7 |
| <i>Osmanthus xfortunei</i> 'San Jose' San Jose Fortune's Osmanthus | BS | 0.74 | G2 | 7 | 8-9A | | 0.70 | 7 |
| <i>Osmanthus fragrans</i> Fragrant Tea Olive | BE | 0.75 | G2 | 6-9 | 10 | 1.00 | 1.26 | 7 |
| <i>Osmanthus fragrans</i> var. <i>aurantiacus</i> Orange Fragrant Tea Olive | BE | 0.92 | G2 | 5-7 | 8-10 | 1.00 | 1.00 | 7 |
| <i>Osmanthus fragrans</i> var. <i>aurantiacus</i> 'Conger Yellow' Conger Yellow Fragrant Tea Olive | BE | 0.82 | G2 | 5-7 | 8-10 | 1.00 | 1.00 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Osmanthus heterophyllus</i> Holly Olive | BS | 0.83 | G2 | 7-8 | 9 | | 0.72 | 6 |
| <i>Osmanthus heterophyllus</i> 'Goshiki' Goshiki Holly Olive | BS | 1.32 | G2 | 7-8 | 9 | | 0.83 | 6 |
| <i>Osmanthus heterophyllus</i> 'Gulftide' Gulftide Holly Olive | BS | 0.94 | G2 | 7-8 | 9 | | 1.01 | 6 |
| <i>Osmanthus heterophyllus</i> 'Illicifolius' Illicifolius Holly Olive | BS | 0.88 | G2 | 7-8 | 9 | | 0.91 | 6 |
| <i>Osmanthus heterophyllus</i> 'Purpureus' Purple Holly Olive | BS | 1.15 | G2 | 7-8 | 9 | | 0.91 | 6 |
| <i>Osmanthus heterophyllus</i> 'Rotundifolius' Roundleaf Holly Olive | BS | 0.89 | G2 | 7-8 | 9 | | 2.09 | 6 |
| <i>Osmanthus heterophyllus</i> 'Variegatus' Variegated Holly Olive | BS | 0.94 | G2 | 7-8 | 9 | | 0.91 | 6 |
| <i>x Osmarea burkwoodii</i> See - <i>Osmanthus x burkwoodii</i> | | | | | | | | |
| <i>Osmaronia cerasiformis</i> See - <i>Oemleria cerasiformis</i> | | | | | | | | |
| <i>Osmunda cinnamomea</i> Cinnamon Fern | HP | 1.10 | G4 | 3-4 | 5-8 | | | |
| <i>Osmunda claytoniana</i> Interrupted Fern | HP | 1.35 | G4 | 3-4 | 5-8 | | | |
| <i>Osmunda regalis</i> Royal Fern | HP | 1.15 | G2 | 7 | 8-9A | | | |
| <i>Osmunda regalis</i> 'Cristata' Cristata Royal Fern | HP | 1.58 | G2 | 7 | 8-9A | | | |
| <i>Osmunda regalis</i> 'Purpurascens' Purple Royal Fern | HP | 1.63 | G2 | 1-2 | 3-9A | | | |
| <i>Osmunda regalis</i> var. <i>spectabilis</i> American Royal Fern | HP | 1.01 | G2 | 7 | 8-9A | | | |
| <i>Osteomeles anthyllidifolia</i> See - <i>Osteomeles schwerinae</i> | | | | | | | | |
| <i>Osteomeles schwerinae</i> No Common Name Found | BS | 1.81 | G2 | 7-8 | 9 | | 1.00 | 7 |
| <i>Osteomeles subrotunda</i> Fernleaf Box | BS | 1.35 | G2 | 7-8 | 9 | | 1.00 | 8 |
| <i>Osteospermum</i> African Daisy | HP | 0.84 | G4 | 6-9 | 10 | | | |
| <i>Osteospermum</i> 'Buttermilk' Buttermilk African Daisy | HP | 0.84 | G4 | 6-9 | 10 | | | |
| <i>Osteospermum</i> 'Lemon Symphony' P.P.A.F. Lemon Symphony African Daisy | HP | 0.91 | G4 | 6-9 | 10 | | | |
| <i>Osteospermum</i> 'Orange Symphony' P.P.A.F. Orange Symphony African Daisy | HP | 0.96 | G4 | 6-9 | 10 | | | |
| <i>Osteospermum</i> 'Peach Symphony' P.P.A.F. Peach Symphony African Daisy | HP | 0.96 | G4 | 6-9 | 10 | | | |
| <i>Osteospermum</i> 'Pink Whirls' Pink Whirls African Daisy | HP | 0.84 | G4 | 6-9 | 10 | | | |
| <i>Osteospermum</i> 'Sparkler' Sparkler African Daisy | HP | 0.67 | G4 | 6-9 | 10 | | | |
| <i>Osteospermum</i> 'Sunscape Series' Sunscape Series African Daisy | HP | 0.70 | G4 | 6-9 | 10 | | | |
| <i>Osteospermum ecklonis</i> No Common Name Found | BS | 0.74 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Osteospermum ecklonis</i> 'Passion Mix' Passion Mix African Daisy | BS | 0.97 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Osteospermum ecklonis</i> 'Springstar Aurora' P.P.A.F. Springstar™ Aurora African Daisy | HP | 0.92 | G4 | 6-9 | 10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Osteospermum fruticosum</i> Trailing African Daisy | GC | 0.66 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Osteospermum fruticosum</i> 'Double Royal' Double Royal Trailing African Daisy | GC | 0.63 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Osteospermum fruticosum</i> 'Lavender' Lavender Trailing African Daisy | GC | 0.63 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Osteospermum fruticosum</i> 'Side Series' Side Series Trailing African Daisy | HP | 0.86 | G4 | 6-9 | 10 | | | |
| <i>Osteospermum fruticosum</i> 'Whirligig' Whirligig African Daisy | GC | 0.59 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Osteospermum fruticosum</i> 'White' White African Daisy | GC | 0.63 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Ostrya carpinifolia</i> European Hornbeam | DT | 0.83 | G2 | 5-6 | 7-9 | 1.15 | 0.73 | 6 |
| <i>Ostrya virginiana</i> American Hophornbeam | DT | 1.19 | G2 | 2-4 | 5-9B | 1.58 | 1.18 | 4 |
| <i>Otacanthus azureus</i> Brazilian Snapdragon | HP | 0.78 | G4 | 8-10 | 11 | | | |
| <i>Otacanthus coeruleus</i> See - <i>Otacanthus azureus</i> | | | | | | | | |
| <i>Otatea acuminata</i> var. <i>aztecorum</i> Mexican Weeping Bamboo | BS | 1.55 | G1 | 10 | 11 | | 1.00 | 8 |
| <i>Oxalis</i> Oxalis | HP | 0.83 | G4 | 5-9 | 10 | | | |
| <i>Oxalis</i> 'Silver and Gold' Silver and Gold Oxalis | HP | 0.83 | G4 | 5-9 | 10 | | | |
| <i>Oxalis acetosella</i> Wood Sorrel | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Oxalis acetosella</i> var. <i>purpurascens</i> Rose-Pink Wood Sorrel | HP | 1.14 | G4 | 3-4 | 5-7 | | | |
| <i>Oxalis adenophylla</i> Sauer Klee | HP | 1.00 | G4 | 3-5 | 6-7 | | | |
| <i>Oxalis braziliensis</i> Brazilian Sorrel | HP | 0.99 | G4 | 8-10A | 10B-11 | | | |
| <i>Oxalis deppei</i> See - <i>Oxalis tetraphylla</i> | | | | | | | | |
| <i>Oxalis hedysaroides</i> Fire Fern | HP | 0.83 | G4 | 8-10A | 10B-11 | | | |
| <i>Oxalis hedysaroides</i> 'Rubra' Maroon Fire Fern | HP | 0.83 | G4 | 8-10A | 10B-11 | | | |
| <i>Oxalis magellanica</i> No Common Name Found | HP | 0.78 | G4 | 6-7 | 8 | | | |
| <i>Oxalis obtusa</i> No Common Name Found | HP | 0.99 | G4 | 8-9 | 10 | | | |
| <i>Oxalis oregana</i> Redwood Sorrel | HP | 1.29 | G3 | 6-7 | 8-9 | | | |
| <i>Oxalis purpurata</i> No Common Name Found | HP | 0.78 | G4 | 6-8 | 9-11 | | | |
| <i>Oxalis purpurea</i> Cape Sorrel | HP | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Oxalis regnelii</i> Shamrock Plant | HP | 0.89 | G4 | 6-9 | 10-11 | | | |
| <i>Oxalis rubra</i> Window Box Sorrel | HP | 1.08 | G3 | 8-9 | 10 | | | |
| <i>Oxalis tetraphylla</i> Good Luck Plant | HP | 0.99 | G4 | 8-10A | 10B-11 | | | |
| <i>Oxalis tetraphylla</i> 'Iron Cross' Iron Cross Good Luck Plant | HP | 1.03 | G4 | 8-10A | 10B-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Oxalis triangularis</i> Purple Shamrock | HP | 0.94 | G4 | 8-10A | 10B-11 | | | |
| <i>Oxera pulchella</i> Snowy Oxera | HP | 1.72 | G4 | 8-10 | 11 | | | |
| <i>Oxydendrum arboreum</i> Sourwood | DT | 0.94 | G2 | 4-5 | 6-8 | 1.09 | 1.41 | 5 |
| <i>Oxydendrum arboreum</i> 'Chameleon' Chameleon Sourwood | DT | 0.94 | G2 | 4-5 | 6-8 | 1.61 | 1.41 | 5 |
| <i>Oxydendrum arboreum</i> 'Mt. Charm' Mt. Charm Sourwood | DT | 0.94 | G2 | 4-5 | 6-8 | 1.35 | 1.41 | 5 |
| <i>Oxypetalum caeruleum</i> See - <i>Tweedia caerulea</i> | | | | | | | | |
| <i>Oxypolis rigidior</i> Stiff Cowbane | HP | 1.00 | G2 | 4-5 | 6-8 | | | |
| <i>Oxytropis lambertii</i> Purple Locoweed | HP | 1.00 | G4 | 3 | 4-5 | | | |
| <i>Oxytropis oreophila</i> No Common Name Found | HP | 1.54 | G2 | 3-4 | 5-8 | | | |
| <i>Ozothamnus hookeri</i> Kerosene Bush | BS | 1.00 | G4 | 7-9 | 10A | | 1.00 | 9 |
| <i>Ozothamnus rosmarinifolius</i> No Common Name Found | BS | 0.69 | G4 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Ozothamnus selago</i> No Common Name Found | BS | 1.00 | G4 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Pachira aquatica</i> Guiana Chestnut | BE | 1.33 | G1 | 9B-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Pachira insignis</i> Wild Chestnut | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Pachistima canbyi</i> See - <i>Paxistima canbyi</i> | | | | | | | | |
| <i>Pachypodium geayi</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Pachypodium lamerei</i> Madagascar Palm | FO | 1.03 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Pachypodium ramosum</i> No Common Name Found | FO | 0.83 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Pachypodium succulentum</i> No Common Name Found | FO | 1.15 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Pachysandra procumbens</i> Alleghany Spurge | GC | 1.02 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pachysandra procumbens</i> 'Forest Green' Forest Green Allegheny Spurge | GC | 0.89 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pachysandra terminalis</i> Japanese Spurge | GC | 0.59 | G2 | 5-6 | 7-8 | | 1.00 | 4 |
| <i>Pachysandra terminalis</i> 'Green Carpet' Green Carpet Japanese Spurge | GC | 0.60 | G2 | 5-6 | 7-8 | | 1.00 | 4 |
| <i>Pachysandra terminalis</i> 'Green Sheen' Green Sheen Japanese Spurge | GC | 0.74 | G2 | 5-6 | 7-8 | | 1.00 | 4 |
| <i>Pachysandra terminalis</i> 'Kingswood' Kingswood Japanese Spurge | GC | 0.68 | G2 | 5-6 | 7-8 | | 1.00 | 4 |
| <i>Pachysandra terminalis</i> 'Silver Edge' Silver Edge Japanese Spurge | GC | 0.74 | G2 | 5-6 | 7-8 | | 1.00 | 4 |
| <i>Pachysandra terminalis</i> 'Variegata' Variegated Japanese Spurge | GC | 0.74 | G2 | 5-6 | 7-8 | | 1.00 | 4 |
| <i>Pachystachys coccinea</i> Cardinal's Guard | BS | 0.68 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Pachystachys lutea</i> Lollipop Plant | BS | 0.66 | G1 | 8-10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Packera aurea</i> Golden Groundsel | HP | 0.61 | G4 | 2-3 | 4-6 | | | |
| <i>Packera cana</i> Woolly Groundsel | HP | 1.00 | G4 | 2-3 | 4-6 | | | |
| <i>Paeonia</i> Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'A La Mode' A La Mode Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'A. Krekler' A. Krekler Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Abalone Pink' Abalone Pink Peony | HP | 1.01 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Albert Crousse' Albert Crousse Peony | HP | 1.94 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Alesia' Alesia Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Alexander Woollcott' Alexander Woollcott Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Alice Roberts' Alice Roberts Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'America' P.P. 4246 America Peony | HP | 2.58 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Angel Cheeks' Angel Cheeks Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Ann Berry Cousins' Ann Berry Cousins Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ann Cousins' Ann Cousins Peony | HP | 1.60 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Annisquam' Annisquam Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Athena' Athena Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Auten's Red Sport' Auten's Red Sport Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Avalanche' Avalanche Peony | HP | 1.75 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Ave Maria' Ave Maria Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bandit' Bandit Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Baroness Schroeder' Baroness Schroeder Peony | HP | 1.17 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Barrington Belle' Barrington Belle Estate Peony | HP | 1.69 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Belle Center' Belle Center Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Belle Chinoise' Belle Chinoise Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Benjamin Franklin' Benjamin Franklin Peony | HP | 2.16 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bessie' Bessie Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Best Man' Best Man Estate Peony | HP | 1.60 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Betty Groff' Betty Groff Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Bev' Bev Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia</i> 'Big Gold Pink' Big Gold Pink Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Blaze' Blaze Peony | HP | 1.86 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Blue Garden Jade' Blue Garden Jade Peony | BS | 1.47 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Blue Lotus' Blue Lotus Peony | BS | 1.47 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Blush White' Blush White Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Bo-Peep' Bo-Peep Peony | HP | 1.94 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bob Krekler' Bob Krekler Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Border Gem' Border Gem Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Bowl of Beauty' Bowl of Beauty Peony | HP | 1.51 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Bowl of Cream' Bowl of Cream Estate Peony | HP | 1.72 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Brand's Magnificent' Brand's Magnificent Peony | BS | 1.17 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Bravura' Bravura Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Break O' Day' Break O' Day Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Bridal Gown' Bridal Gown Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Bridal Icing' Bridal Icing Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Bridal Shower' Bridal Shower Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Bride's Dream' Bride's Dream Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Bright Knight' Bright Knight Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Brightness' Brightness Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bu-te' Bu-te Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Buckeye Belle' Buckeye Belle Peony | HP | 1.23 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Burma Midnight' Burma Midnight Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Burma Ruby' Burma Ruby Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Butch' Butch Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Butter Bowl' Butter Bowl Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Camden' Camden Peony | HP | 1.01 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Camellia' Camellia Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cardinal's Robe' Cardinal's Robe Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Carl G. Klehm' Carl G. Klehm Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia</i> 'Carol' Carol Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Caroline Mathers' Caroline Mathers Peony | HP | 1.67 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Carrara' Carrara Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Charles Burgess' Charles Burgess Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Charlies White' Charlies White Estate Peony | HP | 1.73 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Charm' Charm Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Cheddar Charm' Cheddar Charm Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Cheddar Cheese' Cheddar Cheese Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Cheddar Elite' Cheddar Elite Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cheddar Gold' Cheddar Gold Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Cheddar PomPom' Cheddar PomPom Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Cheddar Regal' Cheddar Regal Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Cheddar Royal' Cheddar Royal Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Cheddar Supreme' Cheddar Supreme Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Cheddar Surprise' Cheddar Surprise Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Chief Logan' Chief Logan Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Chiffon Parfait' Chiffon Parfait Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Cincinnati' Cincinnati Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Cinnabar Ramparts' Cinnabar Ramparts Peony | HP | 1.61 | G4 | 2-3 | 4-8 | | | |
| <i>Paeonia</i> 'Circus' Circus Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Claire de Lune' Claire de Lune Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Class Act' Class Act Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Claudia' Claudia Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Colonel Owen Cousins' Colonel Owen Cousins Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Commando' Commando Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Cora Stubbs' Cora Stubbs Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Coral 'n Gold' Coral 'n Gold Peony | HP | 1.95 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Coral Charm' P.P. 4247 Coral Charm Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Coral Fay' Coral Fay Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia</i> 'Coral Sunset' Coral Sunset Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Coral Supreme' Coral Supreme Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Coral Tide' Coral Tide Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'County Fair' County Fair Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Couronne D'Or' Couronne D'Or Peony | HP | 1.53 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Crazy Myrtle' Crazy Myrtle Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Crusader' Crusader Peony | HP | 1.94 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Cuckoo's Nest' Cuckoo's Nest Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cytherea' Cytherea Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Dad' Dad Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Dainty Lass' Dainty Lass Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Dauntless' Dauntless Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'David Harum' David Harum Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Dawn Pink' Dawn Pink Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Defender' Defender Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Dia Jo Kuhan' Dia Jo Kuhan Peony | HP | 1.53 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Dinner Plate' Dinner Plate Estate Peony | HP | 2.07 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Divine Gift' Divine Gift Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Do Tell' Do Tell Peony | HP | 2.42 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Dolorodell' Dolorodell Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Don Richardson' Don Richardson Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Doreen' Doreen Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Double Blush White' Double Blush White Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Double Fernleaf' Double Fernleaf Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Double Pale Pink' Double Pale Pink Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Double White' Double White Peony | HP | 1.48 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Dr. Alexander Fleming' Dr. Alexander Fleming Peony | HP | 1.31 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Duchess D'Orleans' Duchess D'Orleans Peony | HP | 1.39 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Duchess de Nemours' Duchess de Nemours Peony | HP | 1.42 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia</i> 'Early Cerise Red' Early Cerise Red Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Early Scout' Early Scout Peony | HP | 2.22 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Earlybird' Earlybird Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Eden's Perfume' Eden's Perfume Peony | HP | 1.60 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Edulis Superba' Edulis Superba Peony | HP | 1.40 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Edulus Supreme' Edulus Supreme Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Edwin C. Bills' Edwin C. Bills Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Elizabeth Foster' Elizabeth Foster Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ellen Cowley' Ellen Cowley Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Elsa Sass' Elsa Sass Peony | HP | 1.57 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Etched Salmon' Etched Salmon Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ethel Mars' Ethel Mars Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Evelyn Tibbits' Evelyn Tibbits Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Evening Star' Evening Star Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Eventide' Eventide Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'F.G. Brethour' F.G. Brethour Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Fairy Princess' Fairy Princess Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Fairy's Petticoat' Fairy's Petticoat Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Fancy Nancy' Fancy Nancy Peony | HP | 1.94 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Felix Crousse' Felix Crousse Peony | HP | 1.64 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Felix Supreme' Felix Supreme Peony | HP | 1.38 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Feng Dan Bai' Feng Dan Bai Peony | BS | 1.47 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Feng He' Feng He Peony | HP | 1.61 | G4 | 2-3 | 4-8 | | | |
| <i>Paeonia</i> 'Festiva Maxima' Festiva Maxima Peony | HP | 1.53 | G4 | 6-7 | 8 | | | |
| <i>Paeonia</i> 'Festiva Pixie' Festiva Pixie Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Festiva Powder Puff' Festiva Powder Puff Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Festiva Supreme' Festiva Supreme Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Fibrio Gold' Fibrio Gold Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Fire Opal' Fire Opal Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia</i> 'Firebelle' Firebelle Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'First Lady' First Lady Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Flame' Flame Peony | HP | 2.22 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Florence Nicholls' Florence Nicholls Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Fluffy' Fluffy Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Francis Mains' Francis Mains Peony | HP | 1.01 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Francis Ortegat' Francis Ortegat Peony | HP | 1.65 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Fringed Ivory' Fringed Ivory Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Garden Peace' Garden Peace Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Gay Paree' Gay Paree Peony | HP | 1.78 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Gerry' Gerry Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Glory Hallelujah' Glory Hallelujah Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Gold Rush' Gold Rush Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Gold Standard' Gold Standard Peony | HP | 1.59 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Golly' Golly Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Gratis' Gratis Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Guilles Red' Guilles Red Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Gypsy Rose' Gypsy Rose Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Hans P. Sass' Hans P. Sass Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Harry L. Smith' Harry L. Smith Peony | HP | 1.01 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Helen Hayes' Helen Hayes Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Henry Sass' Henry Sass Peony | HP | 1.60 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Heritage' Heritage Peony | HP | 1.48 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Hermoine' Hermoine Peony | HP | 1.37 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Hoki' Hoki Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Honey Gold' Honey Gold Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Honey N' Cream' Honey N' Cream Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Hoosierland' Hoosierland Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Horizon' Horizon Peony | HP | 1.34 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia</i> 'Hot Chocolate' Hot Chocolate Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Howdy' Howdy Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Hu Hong' Hu Hong Peony | BS | 1.21 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Illini Belle' Illini Belle Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Illini Warrior' Illini Warrior Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Immaculee' Immaculee Peony | HP | 1.17 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Inspecteur Lavergne' Inspecteur Lavergne Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Israel' Israel Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Ivory Atlas' Ivory Atlas Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ivory Jewell' Ivory Jewell Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ivory Treasure' Ivory Treasure Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ivory Victory' Ivory Victory Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ivory White Saucer' Ivory White Saucer Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'J.H. Wigell' J.H. Wigell Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Jack Frost' Jack Frost Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Jamie' Jamie Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Jan Van Leeuwen' Jan Van Leeuwen Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Jay Cee' Jay Cee Estate Peony | HP | 1.48 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Jia Ge Jin' Jia Ge Jin Peony | BS | 1.47 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'John Whitis' John Whitis Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'June Rose' June Rose Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Kansas' Kansas Peony | HP | 1.39 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Karen Gray' Karen Gray Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Karl Rosenfield' Karl Rosenfield Peony | HP | 1.40 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Kevin' Kevin Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Krinkled White' Krinkled White Peony | HP | 1.48 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Lady Alexandra Duff' Lady Alexandra Duff Peony | HP | 1.61 | G4 | 2-3 | 4-8 | | | |
| <i>Paeonia</i> 'Lake of Silver' Lake of Silver Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Lancaster Imp' Lancaster Imp Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia</i> 'Largo' Largo Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Late Double Blush' Late Double Blush Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Laura Dessert' Laura Dessert Peony | HP | 1.01 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Le Charme' Le Charme Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Le Jour' Le Jour Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Lee' Lee Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Legion of Honor' Legion of Honor Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Lights Out' Lights Out Peony | HP | 1.94 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lil' Sweetie' Lil' Sweetie Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Little Joe' Little Joe Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Little Red Gem' Little Red Gem Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lobata' Lobata Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Lois Kelsey' Lois Kelsey Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Longfellow' Longfellow Peony | BS | 1.17 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Lora Dexheimer' Lora Dexheimer Peony | HP | 1.31 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Lord Cavin' Lord Cavin Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Lotus Queen' Lotus Queen Peony | HP | 1.17 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Lou Shenk' Lou Shenk Peony | HP | 1.94 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Louis Van Houtte' Louis Van Houtte Peony | HP | 1.80 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Lucky' Lucky Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ludovica' Ludovica Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lullaby' Lullaby Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Luoyang Red' Luoyang Red Peony | BS | 2.21 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Luxor' Luxor Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Madame Calot' Madame Calot Peony | HP | 1.61 | G4 | 2-3 | 4-8 | | | |
| <i>Paeonia</i> 'Madame Emile Debatene' Madame Emile Debatene Peony | HP | 1.29 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Madylone' Madylone Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Maestro' Maestro Peony | HP | 1.01 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Mahogany' Mahogany Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia</i> 'Maid Marion' Maid Marion Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Marie Elizabeth' Marie Elizabeth Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Marietta Sisson' Marietta Sisson Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Marshmallow Button' Marshmallow Button Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Marshmallow Puff' Marshmallow Puff Estate Peony | HP | 1.01 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Marshmallow Tart' Marshmallow Tart Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Martha Bulloch' Martha Bulloch Peony | HP | 1.94 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Martha Reed' Martha Reed Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Mary Auten' Mary Auten Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'May Apple' May Apple Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'May Dawn' May Dawn Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'May Lilac' May Lilac Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Midnight Sun' Midnight Sun Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Mikado' Mikado Peony | HP | 1.33 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Minnie Shaylor' Minnie Shaylor Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Minuet' Minuet Peony | HP | 1.94 | G4 | 2-3 | 4-8 | | | |
| <i>Paeonia</i> 'Mischief' Mischief Peony | HP | 1.34 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Miss America' Miss America Peony | HP | 1.21 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Miss Mary' Miss Mary Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Mme. Butterfly' Mme. Butterfly Peony | BS | 1.47 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Mme. De Verneville' Mme. De Verneville Peony | HP | 1.56 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Modesta' Modesta Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Monsier Jules Elie' Monsier Jules Elie Peony | HP | 1.29 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Monsier Martin Cahuzac' Monsier Martin Cahuzac Peony | HP | 1.94 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Montezuma' Montezuma Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Moon Over Barrington' Moon Over Barrington Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Moon River' Moon River Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Moonrise' Moonrise Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Moonstone' Moonstone Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia</i> 'Mothers Choice' Mothers Choice Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Mr. Ed' Mr. Ed Peony | HP | 1.01 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mr. Thim' Mr. Thim Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mrs. Bryce Fontaine' Mrs. Bryce Fontaine Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Mrs. Euclid Snow' Mrs. Euclid Snow Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Mrs. F.D. Roosevelt' Mrs. F.D. Roosevelt Peony | HP | 1.59 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Mrs. Fern Lough' Mrs. Fern Lough Peony | HP | 1.01 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mrs. Frank Beach' Mrs. Frank Beach Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Mrs. G.F. Hemerick' Mrs. G.F. Hemerick Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Mrs. Livingston Farrand' Mrs. Livingston Farrand Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Mrs. Wilder Bancroft' Mrs. Wilder Bancroft Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Mt. St. Helens' Mt. St. Helens Peony | BS | 1.65 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'My Pal Rudy' My Pal Rudy Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Myron Branson' Myron Branson Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Nancy Dolman' Nancy Dolman Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Nancy Nicholls' Nancy Nicholls Peony | HP | 1.01 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Nancy Nora' Nancy Nora Peony | HP | 1.60 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Nellie Shaylor' Nellie Shaylor Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Nice Gal' Nice Gal Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Nick Shaylor' Nick Shaylor Peony | HP | 1.69 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Nippon Beauty' Nippon Beauty Peony | HP | 1.47 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Norma Volz' Norma Volz Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Nosegay' Nosegay Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Okinawa' Okinawa Peony | HP | 1.94 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Old Faithful' Old Faithful Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Orlando Roberts' Orlando Roberts Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pal' Pal Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Paree Frou Frou' Paree Frou Frou Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pastel Sunrise' Pastel Sunrise Peony | HP | 1.94 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia</i> 'Patriot' Patriot Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Paul Bunyan' Paul Bunyan Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Paul M. Wild' Paul M. Wild Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Paula Fay' Paula Fay Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Payoff' Payoff Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Peggy' Peggy Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Peppermint Stick' Peppermint Stick Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Perfect Princess' Perfect Princess Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Petticoat Flounce' Petticoat Flounce Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Petticoat Parade' Petticoat Parade Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Philippe Rivoire' Philippe Rivoire Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Phipps White' Phipps White Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Pillow Talk' Pillow Talk Peony | HP | 1.60 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Pink Formal' Pink Formal Peony | HP | 1.01 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pink Glow' Pink Glow Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Pink Hawaiian Coral' Pink Hawaiian Coral Peony | HP | 6.32 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Pink Lemonade' Pink Lemonade Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pink Parasol Surprise' Pink Parasol Surprise Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pink Parfait' Pink Parfait Estate Peony | HP | 1.31 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Pink Princess' Pink Princess Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Pink Zhao' Pink Zhao Peony | BS | 1.21 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Port Royale' Port Royale Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Postilion' Postilion Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Prairie Affire' Prairie Affire Peony | HP | 1.40 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Prairie Moon' Prairie Moon Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'President Lincoln' President Lincoln Peony | HP | 1.48 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'President Roosevelt' President Roosevelt Peony | HP | 1.77 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'President Taft' President Taft Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Primevere' Primevere Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia</i> 'Princess Bride' Princess Bride Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Princess Margaret' Princess Margaret Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Queen Bee' Queen Bee Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Rachel' Rachel Peony | HP | 1.36 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Raspberry Charm' Raspberry Charm Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Raspberry Ice' Raspberry Ice Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Raspberry Rumba' Raspberry Rumba Peony | HP | 1.94 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Raspberry Sundae' Raspberry Sundae Estate Peony | HP | 2.03 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Ray Payton' Ray Payton Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Red Charm' Red Charm Peony | HP | 1.75 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Red Emperor' Red Emperor Peony | BS | 1.47 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Red Grace' Red Grace Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Red Imp' Red Imp Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Red Lotus' Red Lotus Peony | BS | 1.47 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Red Red Rose' Red Red Rose Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Reine Deluxe' Reine Deluxe Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Reine Hortense' Reine Hortense Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Reine Supreme' Reine Supreme Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Renato' Renato Peony | HP | 1.48 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Requiem' Requiem Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Richard Carvel' Richard Carvel Peony | HP | 1.29 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Romance' Romance Peony | HP | 1.94 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Rosabel' Rosabel Peony | HP | 2.16 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Rosalie' Rosalie Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Rose Beauty' Rose Beauty Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Rosedale' Rosedale Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Roselette' Roselette Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Rou Fu Rong' Rou Fu Rong Peony | BS | 1.47 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Rubyette' Rubyette Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia</i> 'Salmon Chiffon' Salmon Chiffon Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Salmon Glory' Salmon Glory Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Salmon Surprise' Salmon Surprise Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Sambo' Sambo Peony | HP | 1.14 | G4 | 2-3 | 4-8 | | | |
| <i>Paeonia</i> 'Sarah Bernhardt' Sarah Bernhardt Peony | HP | 1.40 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Scarlet O'Hara' Scarlet O'Hara Peony | HP | 1.01 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Schafe' Schafe Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Sea Shell' Sea Shell Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Sebastian Maas' Sebastian Maas Peony | HP | 2.16 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Shawnee Chief' Shawnee Chief Peony | HP | 1.37 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Shirley Temple' Shirley Temple Peony | HP | 1.59 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Silver Daubed' Silver Daubed Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Silver Dawn Mixture' Silver Dawn Mixture Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Silver Red' Silver Red Peony | BS | 1.47 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Snow Princess' Snow Princess Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Snow Swan' Snow Swan Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Sorbet' Sorbet Peony | BS | 1.67 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Souvenir de Louis Bigot' Souvenir de Louis Bigot Peony | HP | 2.26 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Sparkling Windflower' Sparkling Windflower Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Springfield' Springfield Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Stardust' Stardust Peony | HP | 2.58 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Steve's Pride' Steve's Pride Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Stone Garden White' Stone Garden White Peony | BS | 1.47 | G4 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Sunbright' Sunbright Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Sunburst' Sunburst Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Susie Q' Susie Q Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Sweet 16' Sweet 16 Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Sweetie' Sweetie Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Sword Dance' Sword Dance Peony | HP | 1.14 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia</i> 'Tango' Tango Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Tecumseh' Tecumseh Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'The Belgian' The Belgian Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'The Fawn' The Fawn Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Thumbelina' Thumbelina Peony | HP | 1.14 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Tom Eckhardt' Tom Eckhardt Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Tondelion' Tondelion Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Top Brass' Top Brass Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Topeka Coral' Topeka Coral Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Topeka Garnet' Topeka Garnet Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Toro-No-Maki' Toro-No-Maki Peony | HP | 1.48 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Victoire de la Marne' Victoire de la Marne Peony | HP | 1.61 | G4 | 2-3 | 4-8 | | | |
| <i>Paeonia</i> 'Viking Chief' Viking Chief Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Viking Gal' Viking Gal Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Violet Dawson' Violet Dawson Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Vivid Rose' Vivid Rose Peony | HP | 1.29 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Walter Faxon' Walter Faxon Peony | HP | 1.43 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Walter Mains' Walter Mains Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'West Elkton' West Elkton Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Westerner' Westerner Peony | HP | 1.48 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'White Anemone' White Anemone Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'White Cap' White Cap Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'White Innocence' White Innocence Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'White Ivory' White Ivory Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'White Wings' White Wings Peony | HP | 1.50 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'Whopper' Whopper Estate Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia</i> 'William Richardson' William Richardson Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Windchimes' Windchimes Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Wrinkles and Crinkles' Wrinkles and Crinkles Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Paeonia</i> 'Zunilad' Zunilad Peony | HP | 1.61 | G4 | 4-5 | 6-8 | | | |
| <i>Paeonia</i> 'Zuzu' Zuzu Peony | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Paeonia cambessedesii</i> Majorcan Peony | HP | 1.00 | G4 | 8 | 9 | | | |
| <i>Paeonia lactiflora</i> Chinese Peony | HP | 1.73 | G4 | 6-7 | 8 | | | |
| <i>Paeonia mlokosewitschii</i> Caucasian Peony | HP | 1.00 | G4 | 6-7 | 8 | | | |
| <i>Paeonia mollis</i> Mollis Peony | HP | 1.81 | G4 | 7-8 | | | | |
| <i>Paeonia officinalis</i> Common Peony | HP | 1.48 | G4 | 7 | 8-9A | | | |
| <i>Paeonia officinalis</i> 'Alba Plena' Alba Plena Common Peony | HP | 1.48 | G4 | 7-8 | | | | |
| <i>Paeonia officinalis</i> 'Mollis' See - <i>Paeonia mollis</i> | | | | | | | | |
| <i>Paeonia officinalis</i> 'Rosea Plena' Rosea Plena Common Peony | HP | 1.39 | G4 | 7-8 | | | | |
| <i>Paeonia officinalis</i> 'Rubra Plena' Rubra Plena Common Peony | HP | 1.57 | G4 | 7-8 | | | | |
| <i>Paeonia suffruticosa</i> Tree Peony | DS | 2.17 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Age of Gold' Age of Gold Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Alhambra' Alhambra Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Angelette' Angelette Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Anna Marie' Anna Marie Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Artemis' Artemis Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Banquet' Banquet Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Black Panther' Black Panther Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Boreas' Boreas Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Canary' Canary Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Chinese Dragon' Chinese Dragon Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Chore' Chore Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Godaishu' Godaishu Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Gold Finch' Gold Finch Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Golden Bowl' Golden Bowl Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Golden Vanitie' Golden Vanitie Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Hana-kisoi' Hana-kisoi Tree Peony | DS | 2.05 | G4 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Harvest' Harvest Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Paeonia suffruticosa</i> 'Helios' Helios Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Icarus' Icarus Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Kamada-nishiki' Kamada-nishiki Tree Peony | DS | 2.49 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Kinkoh' Kinkoh Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Kokuryu-nishiki' Kokuryu-nishiki Tree Peony | DS | 1.69 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Marchioness' Marchioness Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Murad of Hershey Bar' Murad of Hershey Bar Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Phoenix White' Phoenix White Tree Peony | DS | 2.35 | G4 | 2-4 | 5-8 | | 1.00 | 4 |
| <i>Paeonia suffruticosa</i> 'Renown' Renown Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Rimpo' Rimpo Tree Peony | DS | 1.69 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Roman Gold' Roman Gold Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Sahohime' Sahohime Tree Peony | DS | 1.69 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Savage Splendor' Savage Splendor Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Shimadaijin' Shimadaijin Tree Peony | DS | 3.06 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Shimane Otone Mai' Shimane Otone Mai Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Shinome Cho Juraka' Shinome Cho Juraka Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Silver Sails' Silver Sails Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Souviner de Maxime Cornu' Souviner de Maxime Cornu Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Spring Carnival' Spring Carnival Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Summer Night' Summer Night Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Taiyo' Taiyo Tree Peony | DS | 1.76 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Terpsichore' Terpsichore Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Tessera' Tessera Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Themis' Themis Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Thunderbolt' Thunderbolt Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Tria' Tria Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Vesuvian' Vesuvian Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Wu Long Peng Sheng' Wu Long Peng Sheng Tree Peony | DS | 2.27 | G4 | 2-4 | 5-8 | | 1.00 | 4 |
| <i>Paeonia suffruticosa</i> 'Yaezakura' Yaezakura Tree Peony | DS | 2.12 | G4 | 7 | 8-9A | | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Paeonia tenuifolia</i> Fernleaf Peony | HP | 1.00 | G4 | 8 | 9A | | | |
| <i>Panax quinquefolius</i> American Ginseng | HP | 2.27 | G4 | 4-5 | 6-9 | | | |
| <i>Pandanus amaryllifolius</i> No Common Name Found | BS | 1.00 | G1 | 8-11 | | | 1.00 | 10 |
| <i>Pandanus baptistii</i> Blue Screw Pine | BS | 1.05 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Pandanus baptistii</i> 'Aureus' Variegated Blue Screw Pine | BS | 1.25 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Pandanus odoratissimus</i> Hala Screw Pine | FO | 0.72 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Pandanus pacificus</i> Pacific Screw Pine | BS | 1.70 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Pandanus sanderi</i> Sander Screw Pine | BS | 1.49 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Pandanus tectorius</i> Pandanus Palm | BS | 1.00 | G1 | 10 | 11 | | 0.56 | 10 |
| <i>Pandanus utilis</i> Common Screw Pine | BE | 1.01 | G1 | 10 | 11 | 1.00 | 1.16 | 10 |
| <i>Pandanus veitchii</i> Veitch Screw Pine | BS | 1.08 | G1 | 8-11 | | | 1.00 | 10 |
| <i>Pandorea jasminoides</i> Bower Vine | GC | 0.69 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Pandorea jasminoides</i> 'Alba' White Bower Vine | GC | 0.99 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Pandorea jasminoides</i> 'Charisma' Charisma Bower Vine | GC | 1.13 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Pandorea jasminoides</i> 'Lady Di' Lady Di Bower Vine | GC | 1.17 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Pandorea jasminoides</i> 'Rosea Superba' Pink Bower Vine | GC | 0.70 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Pandorea jasminoides</i> 'Rosea' Pink Bower Plant | GC | 0.94 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Pandorea jasminoides</i> 'Southern Belle' Southern Belle Bower Plant | GC | 0.66 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Pandorea jasminoides</i> 'Variegata' Variegated Bower Plant | GC | 0.87 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Pandorea pandorana</i> Wonga-Wonga Vine | GC | 0.81 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Panicum amarum</i> Atlantic Panic Grass | HP | 1.80 | G4 | 3-5 | 6-8 | | | |
| <i>Panicum amarum</i> 'Dewey Blue' Dewey Blue Atlantic Panic Grass | HP | 1.80 | G4 | 3-5 | 6-8 | | | |
| <i>Panicum clandestinum</i> Deer Tongue Grass | HP | 0.70 | G4 | 5-6 | 7-8 | | | |
| <i>Panicum virgatum</i> Switch Grass | HP | 1.54 | G4 | 5-6 | 7-8 | | | |
| <i>Panicum virgatum</i> 'Cloud Nine' Cloud Nine Switch Grass | HP | 1.10 | G4 | 5-6 | 7-8 | | | |
| <i>Panicum virgatum</i> 'Dallas Blues' P.P. 11202 Dallas Blues Switch Grass | HP | 1.09 | G4 | 2-5 | 6-8 | | | |
| <i>Panicum virgatum</i> 'Haense Herms' Haense Herms Red Switch Grass | HP | 1.15 | G4 | 5-6 | 7-8 | | | |
| <i>Panicum virgatum</i> 'Heavy Metal' Heavy Metal Switch Grass | HP | 1.16 | G4 | 5-6 | 7-8 | | | |
| <i>Panicum virgatum</i> 'Northwinds' Northwinds Switch Grass | HP | 1.17 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Panicum virgatum</i> 'Pathfinder' Pathfinder Switch Grass | HP | 1.13 | G4 | 5-6 | 7-8 | | | |
| <i>Panicum virgatum</i> 'Prairie Sky' Prairie Sky Switch Grass | HP | 1.18 | G4 | 5-6 | 7-8 | | | |
| <i>Panicum virgatum</i> 'Rehbraun' Rehbraun Switch Grass | HP | 1.21 | G4 | 5-6 | 7-8 | | | |
| <i>Panicum virgatum</i> 'Rotstrahlbusch' Rotstrahlbusch Switch Grass | HP | 1.27 | G4 | 5-6 | 7-8 | | | |
| <i>Panicum virgatum</i> 'Rubrum' Red Switch Grass | HP | 0.69 | G4 | 5-6 | 7-8 | | | |
| <i>Panicum virgatum</i> 'Shenandoah' Shenandoah Switch Grass | HP | 1.23 | G4 | 5-6 | 7-8 | | | |
| <i>Panicum virgatum</i> 'Squaw' Squaw Switch Grass | HP | 0.76 | G4 | 5-6 | 7-8 | | | |
| <i>Panicum virgatum</i> 'Strictum' Tall Switch Grass | HP | 1.21 | G4 | 5-6 | 7-8 | | | |
| <i>Panicum virgatum</i> 'Warrior' Warrior Switch Grass | HP | 1.06 | G4 | 5-6 | 7-8 | | | |
| <i>Papaver alpinum</i> Alpine Poppy | HP | 1.11 | G4 | 5-6 | 7-8 | | | |
| <i>Papaver anomalum</i> No Common Name Found | HP | 0.75 | G4 | 5-7 | 8-9 | | | |
| <i>Papaver miyabeanum</i> See - <i>Papaver nudicaule</i> | | | | | | | | |
| <i>Papaver nudicaule</i> Iceland Poppy | HP | 0.94 | G4 | 3-4 | 5-7 | | | |
| <i>Papaver nudicaule</i> 'Champagne Bubbles' Champagne Bubbles Iceland Poppy | HP | 0.86 | G4 | 3-4 | 5-7 | | | |
| <i>Papaver nudicaule</i> 'Garden Gnome' Garden Gnome Iceland Poppy | HP | 0.92 | G4 | 3-4 | 5-7 | | | |
| <i>Papaver nudicaule</i> 'Wonderland Mix' Wonderland Mix Iceland Poppy | HP | 0.81 | G4 | 3-4 | 5-7 | | | |
| <i>Papaver orientale</i> Oriental Poppy | HP | 1.01 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Allegro' Allegro Oriental Poppy | HP | 0.91 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Beauty of Livermore' Beauty of Livermore Oriental Poppy | HP | 0.68 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Betty Ann' Betty Ann Oriental Poppy | HP | 1.11 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Brilliant' Brilliant Oriental Poppy | HP | 0.82 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Carmen' Carmen Oriental Poppy | HP | 0.74 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Carousel' Carousel Oriental Poppy | HP | 1.32 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'China Boy' China Boy Oriental Poppy | HP | 0.84 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Curlilocks' Curlilocks Oriental Poppy | HP | 1.11 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Degas' Degas Oriental Poppy | HP | 1.71 | G4 | 3-4 | 5-9 | | | |
| <i>Papaver orientale</i> 'Doubloon' Doubloon Oriental Poppy | HP | 1.08 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Fatima' Fatima Oriental Poppy | HP | 1.71 | G4 | 3-4 | 5-9 | | | |
| <i>Papaver orientale</i> 'Field Marshall Vonder Glotz' Field Marshall Vonder Glotz Oriental Poppy | HP | 1.11 | G4 | 4-5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Papaver orientale</i> 'Harvest Moon' Harvest Moon Oriental Poppy | HP | 1.04 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Helen Elizabeth' Helen Elizabeth Oriental Poppy | HP | 1.12 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Julianna' Julianna Oriental Poppy | HP | 1.48 | G4 | 3-4 | 5-9 | | | |
| <i>Papaver orientale</i> 'Karine' Karine Oriental Poppy | HP | 1.71 | G4 | 3-4 | 5-9 | | | |
| <i>Papaver orientale</i> 'Lilac Girl' Lilac Girl Oriental Poppy | HP | 1.18 | G4 | 3-4 | 5-9 | | | |
| <i>Papaver orientale</i> 'Manhattan' Manhattan Oriental Poppy | HP | 0.87 | G4 | 3-4 | 5-9 | | | |
| <i>Papaver orientale</i> 'Mrs. Perry' Mrs. Perry Oriental Poppy | HP | 1.04 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Papillon' Papillon Oriental Poppy | HP | 1.51 | G4 | 3-4 | 5-9 | | | |
| <i>Papaver orientale</i> 'Patty's Plum' Patty's Plum Oriental Poppy | HP | 1.39 | G4 | 3-4 | 5-9 | | | |
| <i>Papaver orientale</i> 'Perry's White' Perry's White Oriental Poppy | HP | 1.46 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Picottee' Picottee Oriental Poppy | HP | 0.94 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Pink Ruffles' P.P. 12712 Pink Ruffles Oriental Poppy | HP | 1.43 | G4 | 3-4 | 5-9 | | | |
| <i>Papaver orientale</i> 'Pinnacle' Pinnacle Oriental Poppy | HP | 0.93 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Pizzicato' Pizzicato Oriental Poppy | HP | 0.68 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Prince of Orange' Prince of Orange Oriental Poppy | HP | 0.89 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Princess Victoria Louise' Princess Victoria Louise Oriental Poppy | HP | 0.86 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Queen Alexander' Queen Alexander Oriental Poppy | HP | 1.06 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Rembrandt' Rembrandt Oriental Poppy | HP | 0.97 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Royal Wedding' Royal Wedding Oriental Poppy | HP | 1.30 | G4 | 3-4 | 5-9 | | | |
| <i>Papaver orientale</i> 'Salmon Glow' Salmon Glow Oriental Poppy | HP | 0.73 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Snow Queen' Snow Queen Oriental Poppy | HP | 1.17 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Turkenlouis' Turkenlouis Oriental Poppy | HP | 1.07 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Victoria Dreyfuss' Victoria Dreyfuss Oriental Poppy | HP | 1.01 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver orientale</i> 'Walking Fire' Walking Fire Oriental Poppy | HP | 1.11 | G4 | 3-4 | 5-9 | | | |
| <i>Papaver orientale</i> 'Watermelon' Watermelon Oriental Poppy | HP | 1.01 | G4 | 4-5 | 6-7 | | | |
| <i>Papaver pilosum</i> Olympic Poppy | HP | 0.75 | G4 | 3-5 | 6-9 | | | |
| <i>Papaver triniifolium</i> Cappodocia Poppy | AN | 1.00 | G4 | 5-8 | 9 | | | |
| <i>Paphiopedilum</i> Paphiopedilum Hybrid Orchid | FO | 4.25 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Papilionanthe hookeriana</i> No Common Name Found | FO | 3.92 | G3 | 6-10B | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Paradisea liliastrum</i> St. Bruno's Lily | HP | 1.00 | G4 | 7 | 8 | | | |
| <i>Paradisea liliastrum</i> 'Major' Major St. Bruno's Lily | HP | 1.00 | G4 | 7 | 8 | | | |
| <i>Parahebe linifolia</i> No Common Name Found | BS | 0.75 | G2 | 6-8 | 9-10A | | 1.00 | 8 |
| <i>Parahebe perfoliata</i> Digger's Speedwell | BS | 0.66 | G2 | 6-8 | 9-10A | | 1.00 | 8 |
| <i>Parakmeria yunnanensis</i> Joy Lotus Tree | BE | 1.32 | G2 | 6-8 | 9-11 | 1.00 | 1.00 | 8 |
| <i>Parathelypteris noveboracensis</i> New York Fern | HP | 1.10 | G4 | 5 | 6-8 | | | |
| <i>xPardancanda norrisii</i> Candy Lily | HP | 0.97 | G4 | 6-7 | 8-10B | | | |
| <i>xPardancanda norrisii</i> 'Dazzler' Dazzler Candy Lily | HP | 0.82 | G4 | 6-7 | 8-10B | | | |
| <i>Parkinsonia aculeata</i> Jerusalem Thorn | BE | 0.88 | G2 | 8-9 | 10 | 1.00 | 0.44 | 9 |
| <i>Parnassia glauca</i> Blue Grass of Parnassus | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Parochetus communis</i> Shamrock Pea | HP | 0.73 | G4 | 8 | 9-10 | | | |
| <i>Parodia leninghausii</i> Golden Ball Cactus | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Paronychia kapela</i> ssp. <i>serpyllifolia</i> Thyme-leaved Nailwort | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Parrotia persica</i> Persian Parrotia | DT | 1.16 | G2 | 3-4 | 5-8 | 1.31 | 1.72 | 4 |
| <i>Parrotia persica</i> 'Pendula' Weeping Persian Parrotia | DT | 1.16 | G2 | 3-4 | 5-8 | 1.48 | 1.64 | 4 |
| <i>Parrotia persica</i> 'Vanessa' Vanessa Persian Parrotia | DT | 1.16 | G2 | 3-4 | 5-8 | 1.64 | 1.55 | 4 |
| <i>Parthenium integrifolium</i> Wild Quinine | HP | 1.05 | G4 | 3-4 | 5-7 | | | |
| <i>Parthenocissus henryana</i> Silvervein Creeper | GC | 0.90 | G2 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Parthenocissus inserta</i> Thicket Creeper | GC | 1.15 | G2 | 2-3 | 4-6 | | 1.00 | 3 |
| <i>Parthenocissus quinquefolia</i> Virginia Creeper | GC | 0.99 | G2 | 2-3 | 4-6 | | 1.00 | 3 |
| <i>Parthenocissus quinquefolia</i> 'Engelmannii' Engelmann Virginia Creeper | GC | 1.12 | G2 | 2-3 | 4-6 | | 1.00 | 3 |
| <i>Parthenocissus quinquefolia</i> 'Monham' P.P. 10128 Star Showers™ Virginia Creeper | GC | 1.42 | G2 | 2-3 | 4-6 | | 1.00 | 3 |
| <i>Parthenocissus quinquefolia</i> 'Star Showers' See - <i>Parthenocissus quinquefolia</i> 'Monham' P.P. 10128 | | | | | | | | |
| <i>Parthenocissus tricuspidata</i> Boston Ivy | GC | 1.04 | G2 | 2-4 | 5-8 | | 1.00 | 4 |
| <i>Parthenocissus tricuspidata</i> 'Fenway Park' Fenway Park Boston Ivy | GC | 1.11 | G2 | 2-4 | 5-8 | | 1.00 | 4 |
| <i>Parthenocissus tricuspidata</i> 'Ginza Lights' Ginza Lights Boston Ivy | GC | 1.50 | G2 | 2-4 | 5-8 | | 1.00 | 4 |
| <i>Parthenocissus tricuspidata</i> 'Green Showers' Green Showers Boston Ivy | GC | 1.59 | G2 | 2-4 | 5-8 | | 1.00 | 4 |
| <i>Parthenocissus tricuspidata</i> 'Lowii' Lows Boston Ivy | GC | 1.11 | G2 | 2-4 | 5-8 | | 1.00 | 4 |
| <i>Parthenocissus tricuspidata</i> 'Robusta' Robust Creeping Boston Ivy | GC | 1.14 | G2 | 2-4 | 5-8 | | 1.00 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Parthenocissus tricuspidata</i> 'Veitchii' Veitch Boston Ivy | GC | 1.13 | G2 | 2-4 | 5-8 | | 1.00 | 4 |
| <i>Pasania edulis</i> See - <i>Lithocarpus edulis</i> | | | | | | | | |
| <i>Paspalum quadrifarium</i> Tussock Paspalum | HP | 0.70 | G4 | 8 | 9-11 | | | |
| <i>Passiflora</i> Passionflower | GC | 1.02 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Passiflora</i> 'Amethyst' Amethyst Passionflower | GC | 1.10 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora</i> 'Blue Bouquet' Blue Bouquet Passionflower | GC | 1.14 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora</i> 'Byron Beauty' Byron Beauty Passionflower | GC | 0.80 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora</i> 'Elizabeth' Elizabeth Passionflower | GC | 0.80 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora</i> 'Jeanette' Jeanette Passionflower | GC | 0.89 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora</i> 'Lady Margaret' Lady Margaret Passionflower | GC | 0.84 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora</i> 'Pura Vida' Pura Vida Passionflower | GC | 0.85 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora</i> 'Purple Haze' Purple Haze Passionflower | GC | 0.89 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora</i> 'Star of Bristol' Star of Bristol Passionflower | GC | 0.89 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora</i> 'Star of Clevedon' Star of Clevedon Passionflower | GC | 2.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora</i> x <i>alato-caerulea</i> Showy Passionflower Vine | GC | 0.94 | G4 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Passiflora boenderi</i> No Common Name Found | GC | 0.80 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora caerulea</i> Blue Passionflower Vine | GC | 0.81 | G2 | 7-9 | 10-11 | | 1.00 | 6 |
| <i>Passiflora caerulea</i> 'Constance Elliott' Constance Elliott Blue Passionflower Vine | GC | 0.79 | G2 | 7-9 | 10-11 | | 1.00 | 6 |
| <i>Passiflora citrina</i> Molo | GC | 0.79 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora coccinea</i> Red Passionflower Vine | GC | 0.76 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora coriacea</i> Bat-leaf Passionflower | GC | 0.79 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora edulis</i> Purple Grandilla | SF | 0.97 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora edulis</i> 'Black Knight' Black Knight Purple Granadilla | SF | 0.91 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora edulis</i> 'Incense' Incense Purple Granadilla | SF | 1.05 | G1 | 10 | 11 | | 1.00 | 6 |
| <i>Passiflora</i> x <i>exoniensis</i> No Common Name Found | GC | 1.06 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora foetida</i> Running Pop | GC | 0.60 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora incarnata</i> Maypop | GC | 0.71 | G4 | 5-6 | 7-10B | | 1.00 | 6 |
| <i>Passiflora jamesonii</i> Pink Passionflower Vine | GC | 0.95 | G2 | 9 | 10-11 | | 1.00 | 9 |
| <i>Passiflora laurifolia</i> Water Lemon | GC | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Passiflora manicata</i> Red Passionflower Vine | GC | 0.77 | G2 | 9 | 10-11 | | 1.00 | 9 |
| <i>Passiflora mixta</i> No Common Name Found | GC | 0.70 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora mollissima</i> Banana Passionflower | GC | 0.97 | G2 | 7-8 | 9-10 | | 1.00 | 6 |
| <i>Passiflora pfordtii</i> See - <i>Passiflora x alato-caerulea</i> | | | | | | | | |
| <i>Passiflora platyloba</i> Montesa Granadilla | GC | 0.89 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora quadrangularis</i> Granadilla | GC | 1.20 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora suberosa</i> Cork-bark Passion Flower | GC | 0.69 | G4 | 9-10 | 11 | | 1.00 | 10 |
| <i>Passiflora subpeltata</i> Granadina | GC | 1.00 | G4 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora trifasciata</i> No Common Name Found | GC | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Passiflora x violacea</i> Violet Passionflower | GC | 1.21 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Passiflora x violacea</i> 'Form 3' Form 3 Violet Passionflower | GC | 0.89 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Passiflora vitifolia</i> Crimson Passion Vine | GC | 1.05 | G4 | 8-10 | 11 | | 1.00 | 10 |
| <i>Patrinia gibbosa</i> No Common Name Found | HP | 0.92 | G4 | 5-6 | 7-10A | | | |
| <i>Patrinia scabiosifolia</i> No Common Name Found | HP | 1.04 | G4 | 5-6 | 7-10A | | | |
| <i>Patrinia triloba</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-10A | | | |
| <i>Patrinia villosa</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-10A | | | |
| <i>Paulownia albiphloea</i> No Common Name Found | DT | 1.00 | G2 | 5-8 | 9-10 | 1.00 | 1.00 | 8 |
| <i>Paulownia australis</i> No Common Name Found | DT | 1.00 | G2 | 5-8 | 9-10 | 1.00 | 1.00 | 8 |
| <i>Paulownia catalpifolia</i> No Common Name Found | DT | 1.00 | G2 | 5-8 | 9-10 | 1.00 | 1.00 | 8 |
| <i>Paulownia elongata</i> Elongata Dragon Tree | DT | 1.00 | G2 | 5-6 | 7-10 | 1.00 | 1.00 | 6 |
| <i>Paulownia fargesii</i> See - <i>Paulownia tomentosa</i> 'Lilacina' | | | | | | | | |
| <i>Paulownia fortunei</i> No Common Name Found | DT | 1.00 | G2 | 5-6 | 7-10 | 1.00 | 1.00 | 6 |
| <i>Paulownia fortunei</i> 'Select #2' No Common Name Found | DT | 1.00 | G2 | 5-6 | 7-10 | 1.00 | 1.00 | 6 |
| <i>Paulownia kawakamii</i> Kawakami Dragon Tree | DT | 1.00 | G2 | 5-6 | 7-10 | 1.00 | 1.00 | 6 |
| <i>Paulownia taiwaniana</i> No Common Name Found | DT | 1.00 | G2 | 5-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Paulownia tomentosa</i> Empress Tree | DT | 0.74 | G2 | 4-5 | 6-10 | 1.12 | 0.70 | 5 |
| <i>Paulownia tomentosa</i> 'Lilacina' No Common Name Found | DT | 0.74 | G2 | 4-5 | 6-10 | 1.12 | 0.70 | 5 |
| <i>Pavonia bahamensis</i> Bahama Swampbush | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Pavonia lasiopetala</i> Texas Rock Rose | BS | 0.84 | G2 | 9 | 10-11 | | 1.00 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Paxistima canbyi</i> Canby Paxistima | BS | 1.39 | G2 | 3-4 | 5-7 | | 1.00 | 3 |
| <i>Paxistima canbyi</i> 'Compacta' Compact Canby Paxistima | BS | 1.39 | G2 | 3-4 | 5-7 | | 1.00 | 3 |
| <i>Paxistima myrsinites</i> See - <i>Paxistima myrtifolia</i> | | | | | | | | |
| <i>Paxistima myrtifolia</i> Oregon Boxwood | BS | 1.54 | G2 | 3-5 | 6-7 | | 1.00 | 5 |
| <i>Pedicularis lanceolata</i> Swamp Betony | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Pedilanthus tithymaloides</i> Devil's Backbone | FO | 0.47 | G3 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Pedilanthus tithymaloides</i> 'Variegatus' Variegated Devil's Backbone | FO | 0.49 | G3 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Pelagodoxa henryana</i> Vahana Palm | PC | 8.01 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Pelargonium</i> Geranium | HP | 1.15 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Atomic Snowflake' Atomic Snowflake Scent-leaved Geranium | HP | 1.15 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Attar of Roses' Attar of Roses Scent-leaved Geranium | HP | 1.15 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Balgalfroe' P.P. 13642 Galleria® Frostfire Geranium | HP | 0.83 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Blandfordianum' Blandfordianum Scent-leaved Geranium | HP | 1.15 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Chocolate Mint' Chocolate Mint Geranium | HP | 1.20 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Citronella' Citronella Scent-leaved Geranium | HP | 1.25 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Countess of Scarborough' Countess of Scarborough Geranium | HP | 1.19 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Fragrans' Nutmeg Geranium | HP | 1.20 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Galleria Frostfire' See - <i>Pelargonium</i> 'Balgalfroe' P.P. 13642 | | | | | | | | |
| <i>Pelargonium</i> 'Lady Plymouth' Lady Plymouth Scent-leaved Geranium | HP | 1.15 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Little Gem' Little Gem Scent-leaved Geranium | HP | 1.15 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Logee's Snowflake' Logee's Snowflake Scent-leaved Geranium | HP | 1.15 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Old Spice' Old Spice Scent-leaved Geranium | HP | 1.15 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Orange Fizz' Orange Fizz Scent-leaved Geranium | HP | 1.15 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Pink Capricorn' Pink Capricorn Scent-leaved Geranium | HP | 1.15 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Purple Unique' Purple Unique Scent-leaved Geranium | HP | 1.15 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Shottesham Pet' Shottesham Pet Scent-leaved Geranium | HP | 1.15 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Sweet Mimosa' Sweet Mimosa Scent-leaved Geranium | HP | 1.15 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Toronto' Ginger Geranium | HP | 1.20 | G4 | 6-10 | | | | |
| <i>Pelargonium</i> 'Torrento' Torrento Scent-leaved Geranium | HP | 1.15 | G4 | 6-10 | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|-------------|---------------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper High/Wide | |
| <i>Pelargonium</i> 'Vancouver Centennial' Vancouver Centennial Scent-leaved Geranium | HP | 1.15 | G4 | 6-10 | | | |
| <i>Pelargonium capitatum</i> Rose-scented Geranium | HP | 1.01 | G4 | 6-10 | | | |
| <i>Pelargonium</i> x <i>citrosium</i> Orange Geranium | HP | 1.23 | G4 | 6-10 | | | |
| <i>Pelargonium cordifolium</i> No Common Name Found | HP | 0.78 | G4 | 6-10 | | | |
| <i>Pelargonium crispum</i> Lemon Geranium | HP | 0.94 | G4 | 6-10 | | | |
| <i>Pelargonium crispum</i> 'French Lace' French Lace Lemon Geranium | HP | 0.94 | G4 | 6-10 | | | |
| <i>Pelargonium</i> x <i>domesticum</i> Regal Geranium | HP | 0.87 | G4 | 6-10 | | | |
| <i>Pelargonium</i> x <i>domesticum</i> 'Royalty Series Baroness' Royalty Series Baroness Geranium | HP | 0.87 | G4 | 6-10 | | | |
| <i>Pelargonium</i> x <i>fragrans</i> See - <i>Pelargonium</i> 'Fragrans' | | | | | | | |
| <i>Pelargonium graveolens</i> Rose Geranium | HP | 1.20 | G4 | 6-10 | | | |
| <i>Pelargonium graveolens</i> 'Mini Rose' Mini Rose Sweet-scented Geranium | HP | 1.11 | G4 | 6-10 | | | |
| <i>Pelargonium graveolens</i> 'Red Flowered Rose' Red Flowered Rose Sweet-scented Geranium | HP | 1.11 | G4 | 6-10 | | | |
| <i>Pelargonium graveolens</i> 'Rober's Lemon Rose' Rober's Lemon Rose Geranium | HP | 1.01 | G4 | 6-10 | | | |
| <i>Pelargonium graveolens</i> 'Variegata' Variegated Rose Geranium | HP | 1.11 | G4 | 6-10 | | | |
| <i>Pelargonium grossularioides</i> Coconut Geranium | HP | 1.20 | G4 | 6-10 | | | |
| <i>Pelargonium</i> x <i>hortorum</i> Common Geranium | HP | 1.02 | G4 | 6-10 | | | |
| <i>Pelargonium</i> x <i>hortorum</i> 'Pink' Pink Common Geranium | HP | 1.02 | G4 | 6-10 | | | |
| <i>Pelargonium</i> x <i>hortorum</i> 'Red' Red Common Geranium | HP | 1.02 | G4 | 6-10 | | | |
| <i>Pelargonium</i> x <i>hortorum</i> 'Salmon' Salmon Common Geranium | HP | 1.02 | G4 | 6-10 | | | |
| <i>Pelargonium</i> x <i>nervosum</i> Lime Geranium | HP | 1.20 | G4 | 6-10 | | | |
| <i>Pelargonium odoratissimum</i> Apple Geranium | HP | 1.20 | G4 | 6-10 | | | |
| <i>Pelargonium peltatum</i> Ivy Geranium | HP | 0.88 | G4 | 6-10 | | | |
| <i>Pelargonium quercifolium</i> Oak-leaved Geranium | HP | 1.00 | G4 | 6-10 | | | |
| <i>Pelargonium scabrum</i> Apricot Geranium | HP | 1.16 | G4 | 6-10 | | | |
| <i>Pelargonium scarboravia</i> Strawberry Scent-leaved Geranium | HP | 1.31 | G4 | 6-10 | | | |
| <i>Pelargonium</i> x <i>scarboraviae</i> See - <i>Pelargonium</i> 'Countess of Scarborough' | | | | | | | |
| <i>Pelargonium tomentosum</i> Peppermint Geranium | HP | 1.16 | G4 | 6-10 | | | |
| <i>Pellaea falcata</i> Australian Cliff Brake | FO | 0.64 | G3 | 8-11 | | 1.00 | 9 |
| <i>Pellaea falcata</i> 'Compacta' Compact Australian Cliff Brake | FO | 0.49 | G3 | 8-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Pellaea mucronata</i> Bird's Foot Fern | HP | 1.76 | G3 | 8-11 | | | | |
| <i>Pellaea rotundifolia</i> Button Fern | FO | 0.58 | G3 | 8-11 | | | 1.00 | 8 |
| <i>Peltandra virginica</i> Arrow Arum | HP | 1.07 | G4 | 4-5 | 6-7 | | | |
| <i>Peltiphyllum peltatum</i> See - <i>Darmera peltata</i> | | | | | | | | |
| <i>Peltoboykinia watanabei</i> No Common Name found | HP | 1.85 | G4 | 6-7 | 8-10 | | | |
| <i>Peltogyne paniculata</i> Violetwood | BE | 1.00 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Peltogyne porphyrocardia</i> Nazareno | BE | 1.00 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Peltogyne venosa</i> Santos Mahogany | BE | 1.00 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Peltophorum dubium</i> No Common Name Found | DT | 0.82 | G1 | 9-10 | 11 | 1.00 | 0.67 | 10 |
| <i>Peltophorum pterocarpum</i> Yellow Poinciana | DT | 0.86 | G1 | 9B-10A | 10B-11 | 1.00 | 0.66 | 9 |
| <i>Pennisetum alopecuroides</i> Fountain Grass | HP | 1.01 | G4 | 5-6 | 7-10B | | | |
| <i>Pennisetum alopecuroides</i> 'Cassian' Cassian's Fountain Grass | HP | 1.08 | G4 | 6-7 | 8-10A | | | |
| <i>Pennisetum alopecuroides</i> 'Hameln' Hameln Dwarf Fountain Grass | HP | 1.19 | G4 | 6-7 | 8-10B | | | |
| <i>Pennisetum alopecuroides</i> 'Herbstzauber' Herbstzauber Fountain Grass | HP | 0.77 | G4 | 6-7 | 8-10A | | | |
| <i>Pennisetum alopecuroides</i> 'Japonicum' Japonicum Fountain Grass | HP | 1.11 | G4 | 6-7 | 8-10A | | | |
| <i>Pennisetum alopecuroides</i> 'Little Bunny' Little Bunny Fountain Grass | HP | 1.29 | G4 | 7 | 8-10B | | | |
| <i>Pennisetum alopecuroides</i> 'Little Honey' Little Honey Fountain Grass | HP | 1.67 | G4 | 7 | 8-10B | | | |
| <i>Pennisetum alopecuroides</i> 'Moudry' Moudry Fountain Grass | HP | 1.17 | G4 | 7 | 8-10B | | | |
| <i>Pennisetum alopecuroides</i> 'National Arboretum' National Arboretum Fountain Grass | HP | 1.10 | G4 | 6-7 | 8-10A | | | |
| <i>Pennisetum alopecuroides</i> 'Weserbergland' Weserbergland Fountain Grass | HP | 0.73 | G4 | 7 | 8-10A | | | |
| <i>Pennisetum alopecuroides</i> var. <i>purpurascens</i> Black Fountain Grass | HP | 0.95 | G4 | 6-7 | 8-10A | | | |
| <i>Pennisetum alopecuroides</i> var. <i>viridescens</i> Viridescens Fountain Grass | HP | 0.79 | G4 | 7 | 8-10A | | | |
| <i>Pennisetum caudatum</i> See - <i>Pennisetum alopecuroides</i> | | | | | | | | |
| <i>Pennisetum glaucum</i> Ornamental Millet | HP | 1.24 | G4 | 7-8 | 9-10 | | | |
| <i>Pennisetum glaucum</i> 'Purple Majesty' Purple Majesty Ornamental Millet | HP | 1.24 | G4 | 7-8 | 9-10 | | | |
| <i>Pennisetum incomptum</i> Meadow Pennisetum | HP | 1.00 | G4 | 6-7 | 8-10A | | | |
| <i>Pennisetum longistylum</i> See - <i>Pennisetum villosum</i> | | | | | | | | |
| <i>Pennisetum macrostachyum</i> No Common Name Found | HP | 0.93 | G4 | 7-9 | 10 | | | |
| <i>Pennisetum macrostachyum</i> 'Burgundy Giant' Burgundy Giant Fountain Grass | HP | 0.93 | G4 | 7-9 | 10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pennisetum macrourum</i> No Common Name Found | HP | 0.72 | G4 | 7 | 8-10A | | | |
| <i>Pennisetum messiacum</i> Red Flowering Fountain Grass | HP | 1.00 | G4 | 5-6 | 7-10 | | | |
| <i>Pennisetum messiacum</i> 'Red Buttons' Red Buttons Red Flowering Fountain Grass | HP | 1.00 | G4 | 5-6 | 7-10 | | | |
| <i>Pennisetum orientale</i> Oriental Fountain Grass | HP | 0.92 | G4 | 7 | 8-10A | | | |
| <i>Pennisetum orientale</i> 'Karley Rose' P.P. 12909 Karley Rose Oriental Fountain Grass | HP | 1.06 | G4 | 6-7 | 8-10A | | | |
| <i>Pennisetum orientale</i> 'Tall Tales' Tall Tales Oriental Fountain Grass | HP | 1.03 | G4 | 6-7 | 8-10A | | | |
| <i>Pennisetum ruppelii</i> See - <i>Pennisetum setaceum</i> | | | | | | | | |
| <i>Pennisetum setaceum</i> Tender Fountain Grass | HP | 0.73 | G4 | 6-9 | 10-11 | | | |
| <i>Pennisetum setaceum</i> 'Atropurpureum' See - <i>Pennisetum setaceum</i> 'Rubrum' | | | | | | | | |
| <i>Pennisetum setaceum</i> 'Cupreum Compactum' Compact Purple Fountain Grass | HP | 0.93 | G4 | 6-9 | 10-11 | | | |
| <i>Pennisetum setaceum</i> 'Eaton Canyon' Eaton Canyon Fountain Grass | HP | 1.07 | G4 | 6-9 | 10-11 | | | |
| <i>Pennisetum setaceum</i> 'Rubrum' Crimson Tender Fountain Grass | HP | 1.12 | G4 | 6-9 | 10-11 | | | |
| <i>Pennisetum villosum</i> Feathertop | HP | 0.93 | G4 | 6-8 | 9-10 | | | |
| <i>Penstemon</i> Hybrid Penstemon | HP | 0.86 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon</i> 'Apple Blossom' Apple Blossom Hybrid Penstemon | HP | 0.80 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon</i> 'Bev Jensen' Bev Jensen Penstemon | HP | 0.78 | G4 | 4-7 | 8-9 | | | |
| <i>Penstemon</i> 'Catherine de la Mare' Catherine de la Mare Hybrid Penstemon | HP | 0.95 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon</i> 'Elfin Pink' Elfin Pink Hybrid Penstemon | HP | 0.96 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon</i> 'Firebird' Firebird Hybrid Penstemon | HP | 0.79 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon</i> 'Garnet' Garnet Hybrid Penstemon | HP | 0.74 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon</i> 'Hidcote Pink' Hidcote Pink Hybrid Penstemon | HP | 0.72 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon</i> 'Midnight' Midnight Hybrid Penstemon | HP | 0.86 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon</i> 'Prairie Dusk' Prairie Dusk Hybrid Penstemon | HP | 1.03 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon</i> 'Prairie Fire' Prairie Fire Hybrid Penstemon | HP | 0.78 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon</i> 'Prairie Splendor' Prairie Splendor Hybrid Penstemon | HP | 1.03 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon</i> 'Rose Elf' Rose Elf Hybrid Penstemon | HP | 0.86 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon</i> 'Ruby' Ruby Penstemon | HP | 0.67 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon</i> 'Scarlet Queen' Scarlet Queen Penstemon | HP | 0.78 | G4 | 4-7 | 8-9 | | | |
| <i>Penstemon</i> 'Sour Grapes' Sour Grapes Penstemon | HP | 0.98 | G4 | 4-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Penstemon</i> 'Stapleford Gem' Stapleford Gem Hybrid Penstemon | HP | 0.98 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon australis</i> Southern Penstemon | HP | 0.58 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon baccharifolius</i> Rock Penstemon | HP | 0.58 | G4 | 4-8 | 9 | | | |
| <i>Penstemon barbatus</i> Beard Tongue | HP | 0.80 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon barbatus</i> 'Bashful' Bashful Common Beard Tongue | HP | 0.84 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon barbatus</i> 'Coccineus' Coccineus Common Beard Tongue | HP | 0.98 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon barbatus</i> 'Praecox Nanus' Praecox Nanus Common Beard Tongue | HP | 0.79 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon barbatus</i> ssp. <i>torreyi</i> Torrey Common Beard Tongue | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon barrettiae</i> No Common Name Found | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon campanulatus</i> Harebell Penstemon | HP | 0.81 | G4 | 4-7 | 8 | | | |
| <i>Penstemon cardinalis</i> Red Penstemon | HP | 0.73 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon centranthifolius</i> Scarlet Bugler | HP | 1.31 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon cobaea</i> Cobaea Penstemon | HP | 0.64 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon cordifolius</i> See - <i>Keckiella cordifolia</i> | | | | | | | | |
| <i>Penstemon cyananthus</i> Wasatch Penstemon | HP | 0.96 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon deustus</i> Hot-Rock Penstemon | HP | 1.35 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon digitalis</i> White Beard Tongue | HP | 0.93 | G4 | 3-4 | 5-8 | | | |
| <i>Penstemon digitalis</i> 'Husker Red' Husker Red White Beard Tongue | HP | 0.89 | G4 | 3-4 | 5-8 | | | |
| <i>Penstemon eatonii</i> Firecracker Penstemon | HP | 1.03 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon fruticosus</i> Bush Penstemon | HP | 1.13 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon fruticosus</i> 'Purple Haze' Purple Haze Bush Penstemon | HP | 0.84 | G4 | 4-7 | 8-9 | | | |
| <i>Penstemon gentianoides</i> Gentian Beard Tongue | HP | 1.38 | G4 | 4-7 | 8 | | | |
| <i>Penstemon glaber</i> No Common Name Found | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon gracilis</i> Slender Beard Tongue | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Penstemon grandiflorus</i> Shell-leaf Beard Tongue | HP | 1.01 | G4 | 3-4 | 5-7 | | | |
| <i>Penstemon grinnellii</i> No Common Name Found | HP | 1.80 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon hartwegii</i> Hartweg Beard Tongue | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon heterophyllus</i> Foothill Penstemon | HP | 0.98 | G4 | 4-7 | 8 | | | |
| <i>Penstemon heterophyllus</i> 'Zuriblau' Zuriblau Foothill Penstemon | HP | 0.98 | G4 | 4-7 | 8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Penstemon hirsutus</i> Hairy Beard Tongue | HP | 0.85 | G4 | 3-4 | 5-7 | | | |
| <i>Penstemon hirsutus</i> 'Pygmaeus' Dwarf Hairy Beard Tongue | HP | 0.88 | G4 | 3-4 | 5-7 | | | |
| <i>Penstemon humilis</i> No Common Name Found | HP | 0.96 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon x mexicali</i> No Common Name Found | HP | 0.91 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon x mexicali</i> 'Pike's Peak Purple' Pike's Peak Purple™ Hybrid Beard Tongue | HP | 0.98 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon x mexicali</i> 'Red Rocks' Red Rocks™ Hybrid Beard Tongue | HP | 0.84 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon pallidus</i> Pale Beard Tongue | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon palmeri</i> Scented Penstemon | HP | 1.01 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon pinifolius</i> No Common Name Found | HP | 1.06 | G4 | 4-6 | 7-8 | | | |
| <i>Penstemon pseudospectabilis</i> Desert Beard Tongue | HP | 0.84 | G4 | 4-8 | 9-10 | | | |
| <i>Penstemon smallii</i> Smallii Beard Tongue | HP | 0.83 | G4 | 6 | 7 | | | |
| <i>Penstemon spectabilis</i> Showy Penstemon | HP | 1.16 | G4 | 4-7 | 8 | | | |
| <i>Penstemon strictus</i> Stiff Beard Tongue | HP | 0.93 | G4 | 6 | 7 | | | |
| <i>Penstemon tenuis</i> Gulf Coast Penstemon | HP | 0.66 | G4 | 4-7 | 8 | | | |
| <i>Penstemon triflorus</i> Hill Country Penstemon | HP | 0.73 | G4 | 4-7 | 8 | | | |
| <i>Penstemon utahensis</i> Utah Bugler | HP | 1.37 | G4 | 6 | 7 | | | |
| <i>Penstemon whippleanus</i> No Common Name Found | HP | 0.90 | G4 | 6 | 7 | | | |
| <i>Pentalinon luteum</i> Yellow Mandevilla | GC | 0.66 | G4 | 10 | 11 | | 1.00 | 10 |
| <i>Pentapterygium</i> 'Ludgvan Cross' See - <i>Agapetes</i> 'Ludgvan Cross' | | | | | | | | |
| <i>Pentapterygium serpens</i> See - <i>Agapetes serpens</i> | | | | | | | | |
| <i>Pentas lanceolata</i> Star Cluster | HP | 0.49 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'Butterfly Series' Butterfly Series Star Cluster | HP | 0.89 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'Cheers' Cheers Star Cluster | HP | 0.89 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'Clean White Shorts' Clean White Shorts™ Star Cluster | HP | 0.52 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'Cranberry Punch' Cranberry Punch Star Cluster | HP | 0.63 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'Cranberry' Cranberry Star Cluster | HP | 0.64 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'Dorann's Pink' Dorann's Pink Star Cluster | HP | 0.52 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'Hot Pink Shorts' Hot Pink Shorts™ Star Cluster | HP | 0.53 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'Jessica' P.P. 7702 Jessica Star Cluster | HP | 0.57 | G4 | 6-10 | 11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pentas lanceolata</i> 'Lavender Delight' Lavender Delight Star Cluster | HP | 0.61 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'Lilac Mist' Lilac Mist Star Cluster | HP | 0.98 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'Morning Lavender' Morning Lavender Star Cluster | HP | 0.52 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'New Look Cherry' New Look Cherry Star Cluster | HP | 0.50 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'New Look Mixed' New Look Mixed Star Cluster | HP | 0.61 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'New Look Pink' New Look Pink Star Cluster | HP | 0.72 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'New Look Red' New Look Red Star Cluster | HP | 0.78 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'New Look Rose' New Look Rose Star Cluster | HP | 0.78 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'New Look Violet' New Look Violet Star Cluster | HP | 0.58 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'New Look White' New Look White Star Cluster | HP | 0.87 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'Nova' Nova Star Cluster | HP | 0.58 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'Pink Profusion' Pink Profusion Dwarf Star Cluster | HP | 0.64 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'Polar White' Polar White Star Cluster | HP | 0.57 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'Ruby Glow' Ruby Glow Star Cluster | HP | 0.71 | G4 | 6-10 | 11 | | | |
| <i>Pentas lanceolata</i> 'Starburst' Starburst Star Cluster | HP | 0.59 | G4 | 6-10 | 11 | | | |
| <i>Peperomia caperata</i> Green Ripple Pepper | FO | 0.22 | G4 | 6-10 | 11 | | 1.00 | 10 |
| <i>Peperomia caperata</i> 'Emerald Ripple' Emerald Ripple Peperomia | FO | 0.20 | G4 | 6-10 | 11 | | 1.00 | 10 |
| <i>Peperomia clusiifolia</i> Red-edge Peperomia | FO | 0.49 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Peperomia obtusifolia</i> Baby Rubber Plant | FO | 0.37 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Peperomia obtusifolia</i> 'Golden Gate' Golden Gate Baby Rubber Plant | FO | 0.30 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Peperomia obtusifolia</i> 'Marble' Marble Baby Rubber Plant | FO | 0.53 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Peperomia obtusifolia</i> 'Variegata' Variegated Baby Rubber Plant | FO | 0.53 | G4 | 6-10 | 11 | | 1.00 | 10 |
| <i>Peperomia rubella</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Peraphyllum ramosissimum</i> Squawapple | DS | 1.19 | G2 | 4 | 5-7 | | 1.00 | 4 |
| <i>Pereskia aculeata</i> No Common Name Found | FO | 0.50 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Pereskia aculeata</i> 'Godseffiana' Lemon Vine | FO | 0.50 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Pereskia bleo</i> Orange Rose Cactus | FO | 0.89 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Pereskia corrugata</i> See - <i>Pereskia bleo</i> | | | | | | | | |
| <i>Pereskia grandifolia</i> Rose Cactus | FO | 0.84 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pericallis x hybridus</i> Florist's Cineraria | AN | 0.94 | G4 | 6-9 | 10 | | | |
| <i>Perilla</i> Perilla | AN | 1.03 | G4 | 6-10 | 11 | | | |
| <i>Perilla</i> 'Magilla' Magilla Perilla | AN | 1.03 | G4 | 6-10 | 11 | | | |
| <i>Perilla frutescens</i> Common Perilla | AN | 1.06 | G4 | 6-8 | 9 | | | |
| <i>Perilla frutescens</i> 'Crispa' Crispa Perilla | AN | 2.50 | G4 | 6-8 | 9 | | | |
| <i>Perilla frutescens</i> 'Purple Shisho' Purple Shisho Perilla | AN | 1.78 | G4 | 6-8 | 9 | | | |
| <i>Peristrophe hyssopifolia</i> No Common Name Found | HP | 0.70 | G4 | 9B-10 | 11 | | | |
| <i>Peristrophe hyssopifolia</i> 'Aureo-variegata' Marble Plant | HP | 0.70 | G4 | 9B-10 | 11 | | | |
| <i>Pernettya mucronata</i> See - <i>Gaultheria mucronata</i> | | | | | | | | |
| <i>Perovskia</i> Perovskia | HP | 0.95 | G4 | 5-6 | 7-8 | | | |
| <i>Perovskia</i> 'Longin' Longin Hybrid Perovskia | HP | 0.95 | G4 | 5-6 | 7-8 | | | |
| <i>Perovskia abrotanoides</i> Caspian Perovskia | HP | 0.85 | G4 | 5-6 | 7-8 | | | |
| <i>Perovskia atriplicifolia</i> Russian Sage | HP | 0.92 | G4 | 6 | 7-8 | | | |
| <i>Perovskia atriplicifolia</i> 'Filagran' Filagran Russian Sage | HP | 0.90 | G4 | 6 | 7-8 | | | |
| <i>Perovskia atriplicifolia</i> 'Little Spire' P.P. 11643 Little Spire Russian Sage | HP | 1.02 | G4 | 5-6 | 7-8 | | | |
| <i>Perovskia atriplicifolia</i> 'Superba' Superba Russian Sage | HP | 0.74 | G4 | 6 | 7-8 | | | |
| <i>Perovskia scrophulariifolia</i> No Common Name Found | HP | 0.70 | G4 | 6 | 7-8 | | | |
| <i>Persea americana</i> Avocado | FN | 1.27 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Persea americana</i> 'Bacon' Bacon Avocado | FN | 0.91 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Persea americana</i> 'Dwarf' Dwarf Avocado | FN | 2.01 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Persea americana</i> 'Fuerte' Fuerte Avocado | FN | 0.91 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Persea americana</i> 'Gwen' P.P. 5298 Gwen Avocado | FN | 1.64 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Persea americana</i> 'Hass' Hass Avocado | FN | 0.91 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Persea borbonia</i> Red Bay Tree | BE | 0.84 | G2 | 6-8 | 9-10B | 1.00 | 0.72 | 8 |
| <i>Persea humilis</i> Silkbay | BE | 0.64 | G2 | 6-8 | 9-10B | 1.00 | 1.00 | 8 |
| <i>Persea palustris</i> Swamp Red Bay Tree | BE | 0.74 | G2 | 6-8 | 9-10B | 1.00 | 0.48 | 7 |
| <i>Persicaria affinis</i> Himalayan Fleece Flower | HP | 0.83 | G4 | 2-3 | 4-7 | | | |
| <i>Persicaria affinis</i> 'Darjeeling Red' Darjeeling Himalayan Fleece Flower | HP | 0.93 | G4 | 2-3 | 4-7 | | | |
| <i>Persicaria affinis</i> 'Dimity' Dimity Himalayan Fleece Flower | HP | 1.02 | G4 | 2-3 | 4-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Persicaria amplexicaulis</i> Mountain Fleece Flower | HP | 1.17 | G4 | 4-5 | 6-7 | | | |
| <i>Persicaria amplexicaulis</i> 'Atrosanguineum' Atrosanguineum Mountain Fleece Flower | HP | 1.03 | G4 | 2-5 | 6-7 | | | |
| <i>Persicaria amplexicaulis</i> 'Firetail' Firetail Mountain Fleece Flower | HP | 1.31 | G4 | 4-5 | 6-7 | | | |
| <i>Persicaria bistorta</i> Snakeweed | HP | 0.96 | G4 | 4-5 | 6-7 | | | |
| <i>Persicaria bistorta</i> 'Superbum' Superbum Snakeweed | HP | 1.03 | G4 | 4-5 | 6-7 | | | |
| <i>Persicaria capitata</i> Pink Clover | HP | 0.66 | G4 | 7-8 | 9 | | | |
| <i>Persicaria emodi</i> No Common Name Found | HP | 0.64 | G4 | 5-8 | 9 | | | |
| <i>Persicaria microcephala</i> No Common Name Found | HP | 1.22 | G4 | 4-5 | 6-7 | | | |
| <i>Persicaria microcephala</i> 'Red Dragon' P.P. 12062 Red Dragon Fleece Flower | HP | 1.22 | G4 | 4-5 | 6-7 | | | |
| <i>Persicaria odorata</i> Vietnamese Coriander | HP | 1.00 | G4 | 6-8 | 9-10 | | | |
| <i>Persicaria polymorpha</i> Giant Fleece Flower | HP | 0.98 | G4 | 4-5 | 6-7 | | | |
| <i>Persicaria vacciniifolia</i> Rock Knotweed | HP | 1.00 | G4 | 6-7 | 8 | | | |
| <i>Persicaria virginiana</i> Tovara | HP | 0.70 | G4 | 5 | 6-8 | | | |
| <i>Persicaria virginiana</i> 'Painter's Palette' Painter's Palette Tovara | HP | 1.13 | G4 | 5 | 6-8 | | | |
| <i>Persicaria virginiana</i> 'Variegata' Variegated Tovara | HP | 0.92 | G4 | 4-5 | 6-7 | | | |
| <i>Persicaria wallichii</i> Himalayan Knotweed | HP | 0.76 | G4 | 5-6 | 7-9 | | | |
| <i>Persicaria weyrichii</i> No Common Name Found | HP | 0.76 | G4 | 4-5 | 6-7 | | | |
| <i>Pescatorea cerina</i> No Common Name Found | FO | 3.87 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Petalostemon candidum</i> See - <i>Dalea candida</i> | | | | | | | | |
| <i>Petalostemon foliosum</i> See - <i>Dalea foliosum</i> | | | | | | | | |
| <i>Petalostemon purpureum</i> See - <i>Dalea gattingeri</i> | | | | | | | | |
| <i>Petasites albus</i> White Butterbur | HP | 1.71 | G4 | 5 | 6-7 | | | |
| <i>Petasites japonicus</i> Fuki | HP | 1.40 | G4 | 5-6 | 7 | | | |
| <i>Petrea racemosa</i> Purple Wreath | GC | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Petrea volubilis</i> Queen's Wreath Vine | GC | 0.74 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Petrea volubilis</i> 'Albiflora' White Queen's Wreath Vine | GC | 1.34 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Petrocallis pyrenaica</i> Pyrenees Rockbeauty | HP | 1.00 | G4 | 3-4 | 5-6 | | | |
| <i>Petrocoptis pyrenaica</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7-8 | | | |
| <i>Petrophytum caespitosum</i> Tufted Rock Spirea | GC | 1.56 | G2 | 2-3 | 4-5 | | 1.00 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Petrophytum cinerascens</i> Gray Rock Spirea | GC | 1.00 | G2 | 2-5 | 6 | | 1.00 | 5 |
| <i>Petrorhagia saxifraga</i> Tunic Flower | HP | 0.96 | G4 | 6 | 7 | | | |
| <i>Petrorhagia saxifraga</i> 'Flore Pleno' Flore Pleno Tunic Flower | HP | 0.91 | G4 | 6 | 7 | | | |
| <i>Petrorhagia saxifraga</i> 'Rosette' Rosette Tunic Flower | HP | 0.86 | G4 | 6 | 7 | | | |
| <i>Petroselinum crispum</i> Parsley | AN | 1.28 | G4 | 4-9 | 10 | | | |
| <i>Petroselinum crispum</i> 'Starke' Starke Parsley | AN | 1.28 | G4 | 4-7 | 8-10 | | | |
| <i>Petroselinum crispum</i> var. <i>crispum</i> Curly Parsley | AN | 1.15 | G4 | 4-9 | 10 | | | |
| <i>Petroselinum crispum</i> var. <i>neapolitanum</i> Italian Parsley | AN | 1.27 | G4 | 4-9 | 10 | | | |
| <i>Petroselinum crispum</i> var. <i>neapolitanum</i> 'Giant of Italy' Giant of Italy Italian Parsley | AN | 1.27 | G4 | 4-6 | 7-10 | | | |
| <i>Petunia x hybrida</i> Garden Petunia | AN | 0.66 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Aladdin Series' Aladdin Series Garden Petunia | AN | 0.94 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Bravo Series' Bravo Series Garden Petunia | AN | 0.56 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Carpet Butter Cream' Carpet Butter Cream Garden Petunia | AN | 0.76 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Carpet Pink' Carpet Pink Garden Petunia | AN | 0.77 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Carpet Red' Carpet Red Garden Petunia | AN | 1.18 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Carpet Series' Carpet Series Garden Petunia | AN | 1.07 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Double Madness Pink' Double Madness Pink Garden Petunia | AN | 1.02 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Double Madness Satin Pink' Double Madness Satin Pink Garden Petunia | AN | 1.02 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Double Wave Series' Double Wave Series Garden Petunia | AN | 1.06 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Dream Series' Dream Series Garden Petunia | AN | 0.80 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Eagle Series' Eagle Series Garden Petunia | AN | 0.94 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Fantasy Pink' Fantasy Pink Garden Petunia | AN | 1.45 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Fantasy Series' Fantasy Series Garden Petunia | AN | 1.10 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Flash Mix' Flash Mix Garden Petunia | AN | 0.94 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Flash Series' Flash Series Garden Petunia | AN | 0.56 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Kahuna Series' Kahuna Series Garden Petunia | AN | 1.08 | G4 | 4-7 | 8-10 | | | |
| <i>Petunia x hybrida</i> 'Madness Midnight' Madness Midnight Garden Petunia | AN | 0.77 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Madness Series' Madness Series Garden Petunia | AN | 0.95 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Merlin Blue Morn' Merlin Blue Morn Garden Petunia | AN | 0.92 | G4 | 4-9 | 10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Petunia x hybrida</i> 'Prism Sunshine' Prism Sunshine Garden Petunia | AN | 0.56 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Rose Carpet' Rose Carpet Garden Petunia | AN | 1.08 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Storm Series' Storm Series Garden Petunia | AN | 0.85 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Total Madness' Total Madness Garden Petunia | AN | 0.94 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Ultra Blue Star' Ultra Blue Star Garden Petunia | AN | 0.93 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Ultra Pink' Ultra Pink Garden Petunia | AN | 0.94 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Ultra Plum' Ultra Plum Garden Petunia | AN | 0.94 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Ultra Red' Ultra Red Garden Petunia | AN | 0.93 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Ultra Series' Ultra Series Garden Petunia | AN | 0.73 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Ultra White' Ultra White Garden Petunia | AN | 0.93 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Wave Blue' Wave™ Blue Garden Petunia | AN | 1.02 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Wave Lavender' Wave™ Lavender Garden Petunia | AN | 1.02 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Wave Misty Lilac' Wave™ Misty Lilac Garden Petunia | AN | 1.02 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Wave Pink' Wave™ Pink Garden Petunia | AN | 1.02 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Wave Purple' Wave™ Purple Garden Petunia | AN | 1.02 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Wave Rose' Wave™ Rose Garden Petunia | AN | 1.02 | G4 | 4-9 | 10 | | | |
| <i>Petunia x hybrida</i> 'Wave Series' Wave™ Series Garden Petunia | AN | 1.14 | G4 | 4-9 | 10 | | | |
| <i>Petunia integrifolia</i> Violet-flowered Petunia | AN | 1.36 | G4 | 4-9 | 10 | | | |
| <i>Petunia integrifolia</i> 'Laura Bush' Laura Bush Violet-flowered Petunia | AN | 1.12 | G4 | 4-9 | 10 | | | |
| <i>Petunia integrifolia</i> 'VIP' VIP Violet-flowered Petunia | AN | 1.08 | G4 | 4-9 | 10 | | | |
| <i>Petunia violacea</i> See - <i>Petunia integrifolia</i> | | | | | | | | |
| <i>Peucedanum verticillare</i> No Common Name Found | HP | 0.70 | G4 | 6-7 | 8 | | | |
| <i>Phacelia sericea</i> Scorpion Weed | HP | 1.00 | G4 | 4-6 | 7-10 | | | |
| <i>Phaedranassa carnioli</i> No Common Name Found | HP | 0.92 | G4 | 8-9 | 10 | | | |
| <i>Phaius tankervilleae</i> Swamp Orchid | FO | 2.03 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Phalaenopsis</i> Phalaenopsis Hybrid Orchid | FO | 3.03 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Phalaenopsis amabilis</i> No Common Name Found | FO | 4.17 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Phalaenopsis pulchra</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Phalaenopsis stuartiana</i> No Common Name Found | FO | 2.08 | G3 | 6-10B | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Phalaris arundinacea</i> Ribbon Grass | HP | 1.07 | G4 | 5-6 | 7-8 | | | |
| <i>Phalaris arundinacea</i> 'Dwarf's Garters' Dwarf's Garters Ribbon Grass | HP | 1.02 | G4 | 5-6 | 7-8 | | | |
| <i>Phalaris arundinacea</i> 'Feesey' Feesey Ribbon Grass | HP | 0.94 | G4 | 5-6 | 7-8 | | | |
| <i>Phalaris arundinacea</i> 'Luteo-Picta' Luteo-Picta Ribbon Grass | HP | 1.09 | G4 | 5-6 | 7-8 | | | |
| <i>Phalaris arundinacea</i> 'Rosea' Pink Ribbon Grass | HP | 0.71 | G4 | 5-6 | 7-8 | | | |
| <i>Phalaris arundinacea</i> 'Tricolor' Tricolor Ribbon Grass | HP | 0.89 | G4 | 5-6 | 7-8 | | | |
| <i>Phalaris arundinacea</i> 'Variegata' See - <i>Phalaris arundinacea</i> var. <i>picta</i> | | | | | | | | |
| <i>Phalaris arundinacea</i> var. <i>picta</i> Gardener's Garters | HP | 1.23 | G4 | 5-6 | 7-8 | | | |
| <i>Phaseolus giganteus</i> See - <i>Vigna caracalla</i> | | | | | | | | |
| <i>Phegopteris connectilis</i> Narrow Beech Fern | HP | 1.00 | G4 | 5 | 6-8 | | | |
| <i>Phegopteris decursive-pinnata</i> No Common Name Found | HP | 1.01 | G4 | 6-7 | 8-9 | | | |
| <i>Phellodendron amurense</i> Amur Corktree | DT | 1.63 | G2 | 3 | 4-7 | 1.14 | 2.76 | 3 |
| <i>Phellodendron amurense</i> 'His Majesty' His Majesty Amur Corktree | DT | 1.63 | G2 | 3 | 4-7 | 0.99 | 2.76 | 3 |
| <i>Phellodendron amurense</i> 'Macho' P.P.A.F. Macho® Amur Corktree | DT | 1.63 | G2 | 2-3 | 4-7 | 1.18 | 2.76 | 3 |
| <i>Phellodendron amurense</i> 'PNI 4551' Shademaster® Amur Corktree | DT | 1.63 | G2 | 2-3 | 4-7 | 1.05 | 2.76 | 3 |
| <i>Phellodendron amurense</i> 'Shademaster' See - <i>Phellodendron amurense</i> 'PNI 4551' | | | | | | | | |
| <i>Phellodendron amurense</i> 'Superfection' See - <i>Phellodendron amurense</i> 'Supzam' | | | | | | | | |
| <i>Phellodendron amurense</i> 'Supzam' Superfection™ Amur Corktree | DT | 1.63 | G2 | 2-3 | 4-7 | 0.99 | 2.76 | 3 |
| <i>Phellodendron amurense</i> 'U.S.D.A. Budded Strain' Budded Strain Amur Corktree | DT | 1.63 | G2 | 2-3 | 4-7 | 0.59 | 2.76 | 3 |
| <i>Phellodendron lavallei</i> Lavalle Corktree | DT | 1.00 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 5 |
| <i>Phellodendron lavallei</i> 'Eyestopper' See - <i>Phellodendron lavallei</i> 'Longnecker' | | | | | | | | |
| <i>Phellodendron lavallei</i> 'Longnecker' Eyestopper™ Lavalle Corktree | DT | 1.00 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 5 |
| <i>Phellodendron sachalinense</i> Sakhalin Corktree | DT | 1.00 | G2 | 2-3 | 4-7 | 0.68 | 1.00 | 3 |
| <i>Philadelphus</i> Hybrid Mockorange | DS | 0.91 | G2 | 5 | 6-7 | | 1.10 | 3 |
| <i>Philadelphus</i> 'Buckley's Quill' Buckley's Quill Hybrid Mockorange | DT | 0.86 | G2 | 5 | 6-7 | 1.00 | 1.90 | 4 |
| <i>Philadelphus</i> 'Enchantment' Enchantment Hybrid Mockorange | DS | 0.91 | G2 | 5 | 6-7 | | 1.10 | 4 |
| <i>Philadelphus</i> 'Galahad' Galahad Hybrid Mockorange | DS | 0.73 | G2 | 5 | 6-7 | | 1.10 | 4 |
| <i>Philadelphus</i> 'Innocence' Innocence Hybrid Mockorange | DS | 1.33 | G2 | 5 | 6-7 | | 1.10 | 5 |
| <i>Philadelphus</i> 'Miniature Snowflake' Miniature Snowflake Hybrid Mockorange | DS | 0.95 | G2 | 5 | 6-7 | | 1.51 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Philadelphus</i> 'Natchez' Natchez Hybrid Mockorange | DS | 0.95 | G2 | 5 | 6-7 | | 0.69 | 4 |
| <i>Philadelphus</i> 'Polar Star' Polar Star Hybrid Mockorange | DS | 0.78 | G2 | 5 | 6-7 | | 1.10 | 4 |
| <i>Philadelphus</i> 'Snowbelle' Snowbelle Hybrid Mockorange | DS | 0.91 | G2 | 5 | 6-7 | | 1.10 | 4 |
| <i>Philadelphus</i> 'Snowgoose' Snowgoose Hybrid Mockorange | DS | 0.74 | G2 | 5 | 6-7 | | 1.10 | 4 |
| <i>Philadelphus coronarius</i> Sweet Mockorange | DS | 0.73 | G2 | 5 | 6-7 | | 0.49 | 4 |
| <i>Philadelphus coronarius</i> 'Aureus' Golden Sweet Mockorange | DS | 1.13 | G2 | 5 | 6-7 | | 1.53 | 4 |
| <i>Philadelphus</i> x <i>cymosus</i> Cymosus Mockorange | DS | 0.70 | G2 | 5 | 6-7 | | 1.00 | 4 |
| <i>Philadelphus</i> x <i>cymosus</i> 'Bouquet Blanc' Bouquet Blanc Cymosus Mockorange | DS | 0.70 | G2 | 5 | 6-7 | | 1.00 | 4 |
| <i>Philadelphus delavayi</i> Delavey Mockorange | DS | 1.00 | G2 | 6 | 7 | | 1.00 | 6 |
| <i>Philadelphus inodorus</i> var. <i>grandiflorus</i> Scentless Mockorange | DS | 1.00 | G2 | 5 | 6-7 | | 1.00 | 5 |
| <i>Philadelphus</i> x <i>lemoinei</i> Lemoine Mockorange | DS | 1.00 | G2 | 5 | 6-7 | | 1.00 | 5 |
| <i>Philadelphus</i> x <i>lemoinei</i> 'Silberregen' Silberregen Lemoine Mockorange | DS | 1.00 | G2 | 5 | 6-7 | | 1.00 | 5 |
| <i>Philadelphus lewisii</i> Lewis Mockorange | DS | 0.92 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Philadelphus lewisii</i> 'Blizzard' Blizzard Lewis Mockorange | DS | 1.00 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Philadelphus lewisii</i> 'Goose Creek' Goose Creek Lewis Mockorange | DS | 0.72 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Philadelphus mexicanus</i> Evergreen Mockorange | DS | 0.81 | G1 | 9 | 10A | | 1.00 | 9 |
| <i>Philadelphus microphyllus</i> Littleleaf Mockorange | DS | 0.88 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Philadelphus</i> x <i>purpureomaculatus</i> Purplespot Mockorange | DS | 0.88 | G2 | 5 | 6-7 | | 1.00 | 5 |
| <i>Philadelphus</i> x <i>purpureomaculatus</i> 'Belle Etoile' Belle Etoile Mockorange | DS | 0.88 | G2 | 5 | 6-7 | | 1.00 | 5 |
| <i>Philadelphus texensis</i> Texas Mockorange | DS | 1.11 | G2 | 5-8 | 9-10 | | 1.00 | 8 |
| <i>Philadelphus</i> x <i>virginalis</i> Hybrid Virginal Mockorange | DS | 0.93 | G2 | 5 | 6-7 | | 0.54 | 3 |
| <i>Philadelphus</i> x <i>virginalis</i> 'Albatre' Albatre Virginal Mockorange | DS | 0.87 | G2 | 5 | 6-7 | | 0.65 | 3 |
| <i>Philadelphus</i> x <i>virginalis</i> 'Argentine' Argentine Virginal Mockorange | DS | 0.87 | G2 | 5 | 6-7 | | 0.65 | 3 |
| <i>Philadelphus</i> x <i>virginalis</i> 'Burfordiensis' Burford Virginal Mockorange | DS | 0.87 | G2 | 5 | 6-7 | | 0.65 | 3 |
| <i>Philadelphus</i> x <i>virginalis</i> 'Dwarf Snowflake' Dwarf Snowflake Virginal Mockorange | DS | 1.07 | G2 | 5 | 6-7 | | 0.65 | 3 |
| <i>Philadelphus</i> x <i>virginalis</i> 'Glacier' Glacier Virginal Mockorange | DS | 0.91 | G2 | 5 | 6-7 | | 0.56 | 3 |
| <i>Philadelphus</i> x <i>virginalis</i> 'Grandiflora' Grandiflora Virginal Mockorange | DS | 0.87 | G2 | 5 | 6-7 | | 0.65 | 3 |
| <i>Philadelphus</i> x <i>virginalis</i> 'Minnesota Snowflake' Minnesota Snowflake Virginal Mockorange | DS | 0.88 | G2 | 5 | 6-7 | | 0.67 | 3 |
| <i>Philadelphus</i> x <i>virginalis</i> 'Snow Velvet' Snow Velvet Virginal Mockorange | DS | 0.81 | G2 | 5 | 6-7 | | 0.65 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Philadelphus x virginalis</i> 'Virginal' Virginal Mockorange | DS | 0.63 | G2 | 5 | 6-7 | | 0.81 | 3 |
| <i>Philodendron</i> Philodendron | FO | 0.80 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Anderson's Red' Anderson's Red Philodendron | FO | 0.79 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Autumn' Autumn Philodendron | FO | 0.92 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Black Cardinal' P.P. 5355 Black Cardinal Philodendron | FO | 0.77 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Bloody Mary' Bloody Mary Philodendron | FO | 0.80 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Burle Marx' Burle Marx Philodendron | FO | 0.74 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Congo' P.P. 11724 Congo Philodendron | FO | 1.00 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Emerald Duke' Emerald Duke Philodendron | FO | 0.80 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Emerald Prince' P.P. 6489 Emerald Prince Philodendron | FO | 0.80 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Emerald Queen' Emerald Queen Philodendron | FO | 0.80 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Hope' Hope Philodendron | FO | 0.61 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Moonlight' Moonlight Philodendron | FO | 0.90 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Prince of Orange' P.P. 6797 Prince of Orange Philodendron | FO | 0.76 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Red Emerald' Red Emerald Philodendron | FO | 0.75 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Red Empress' P.P. 6293 Red Empress Philodendron | FO | 0.83 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Rojo Congo' P.P.A.F. Rojo Congo Philodendron | FO | 0.78 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Royal Queen' Royal Queen Philodendron | FO | 0.80 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Soledad' Soledad Philodendron | FO | 0.71 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Winterbourn' P.P. 7030 Xanadu Philodendron | FO | 0.79 | G3 | 8-11 | | | 1.00 | 10 |
| See - <i>Philodendron</i> 'Winterbourn' P.P. 7030 <i>Philodendron bipennifolium</i> Fiddleleaf Philodendron | FO | 1.00 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron bipinnatifidum</i> Cut-leaf Philodendron | BS | 0.71 | G1 | 8-10 | 11 | | 1.00 | 10 |
| <i>Philodendron bipinnatifidum</i> 'German Selloum' German Selloum Cut-leaf Philodendron | BS | 0.68 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron cordatum</i> Heart-leaf Philodendron | FO | 0.70 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron erubescens</i> Red-leaf Philodendron | FO | 0.96 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron erubescens</i> 'Imperial Green' P.P. 6086 Imperial Green Red-leaf Philodendron | FO | 0.96 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron erubescens</i> 'Imperial Red' P.P. 6337 Imperial Red Red-leaf Philodendron | FO | 0.96 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Philodendron x evansii</i> No Common Name Found | FO | 1.51 | G3 | 8-11 | | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|---------|---------------------|-----|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | | |
| <i>Philodendron giganteum</i> Giant Philodendron | FO | 1.02 | G3 | 8-11 | | | 1.00 | 10 | |
| <i>Philodendron panduraeforme</i> See - <i>Philodendron bipennifolium</i> | | | | | | | | | |
| <i>Philodendron pastazanum</i> No Common Name Found | FO | 0.90 | G3 | 8-11 | | | 1.00 | 10 | |
| <i>Philodendron pertusum</i> See - <i>Monstera deliciosa</i> | | | | | | | | | |
| <i>Philodendron pinnatifidum</i> No Common Name Found | FO | 0.88 | G3 | 8-11 | | | 1.00 | 10 | |
| <i>Philodendron scandens</i> ssp. <i>oxycardium</i> Parlor Ivy | FO | 0.10 | G3 | 8-11 | | | 1.00 | 10B | |
| <i>Philodendron selloum</i> See - <i>Philodendron bipinnatifidum</i> | | | | | | | | | |
| <i>Philodendron speciosum</i> No Common Name Found | FO | 0.54 | G3 | 8-11 | | | 1.00 | 10 | |
| <i>Philodendron squamiferum</i> No Common Name Found | FO | 0.73 | G3 | 8-11 | | | 1.00 | 10 | |
| <i>Philodendron verrucosum</i> No Common Name Found | FO | 1.53 | G3 | 8-11 | | | 1.00 | 10 | |
| <i>Philodendron williamsii</i> No Common Name Found | FO | 0.92 | G3 | 8-11 | | | 1.00 | 10 | |
| <i>Phlebodium aureum</i> Golden Polypody | FO | 0.56 | G3 | 8-11 | | | 1.00 | 9 | |
| <i>Phlebodium aureum</i> 'Mandaianum' Mandaianum Golden Polypody | FO | 0.56 | G3 | 8-11 | | | 1.00 | 9 | |
| <i>Phlebodium aureum</i> var. <i>areolatum</i> No Common Name Found | FO | 1.00 | G3 | 8-11 | | | 1.00 | 9 | |
| <i>Phlomis fruticosa</i> Jerusalem Sage | HP | 1.00 | G3 | 8-11 | | | | | |
| <i>Phlomis italica</i> Italian Sage | HP | 0.89 | G4 | 6-8 | 9-10 | | | | |
| <i>Phlomis lanata</i> No Common Name Found | BS | 0.77 | G4 | 6-8 | 9-10 | | 1.00 | 8 | |
| <i>Phlomis russeliana</i> Sticky Jerusalem Sage | HP | 1.11 | G2 | 6-7 | 8-9 | | | | |
| <i>Phlomis tuberosa</i> No Common Name Found | HP | 1.05 | G2 | 5-6 | 7-8 | | | | |
| <i>Phlox</i> Phlox | HP | 0.94 | G4 | 3-4 | 5-7 | | | | |
| <i>Phlox</i> 'Chatahoochee' Chatahoochee Hybrid Phlox | HP | 0.98 | G4 | 4-5 | 6-8 | | | | |
| <i>Phlox</i> 'Spring Delight' Spring Delight Hybrid Phlox | HP | 0.90 | G4 | 4-5 | 6-8 | | | | |
| <i>Phlox adsurgens</i> Periwinkle Phlox | HP | 1.00 | G4 | 4-5 | 6-9B | | | | |
| <i>Phlox amoena</i> See - <i>Phlox x procumbens</i> | | | | | | | | | |
| <i>Phlox x arendsii</i> Arend's Phlox | HP | 1.15 | G4 | 3-4 | 5-7 | | | | |
| <i>Phlox x arendsii</i> 'Anja' Anja Arend's Phlox | HP | 1.16 | G4 | 3-4 | 5-7 | | | | |
| <i>Phlox x arendsii</i> 'Hilda' Hilda Arend's Phlox | HP | 1.21 | G4 | 3-4 | 5-7 | | | | |
| <i>Phlox x arendsii</i> 'Lilac Star' Lilac Star Arend's Phlox | HP | 1.12 | G4 | 3-4 | 5-7 | | | | |
| <i>Phlox x arendsii</i> 'Ping Pong' Ping Pong Arend's Phlox | HP | 1.12 | G4 | 3-4 | 5-7 | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Phlox x arendsii</i> 'Susanne' Susanne Arend's Phlox | HP | 1.13 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox bifida</i> Sand Phlox | HP | 0.98 | G4 | 6 | 7 | | | |
| <i>Phlox borealis</i> Arctic Phlox | HP | 0.96 | G4 | 4-5 | 6-9B | | | |
| <i>Phlox buckleyi</i> Sword-leaf Phlox | HP | 0.71 | G4 | 6 | 7-8 | | | |
| <i>Phlox carolina</i> Carolina Phlox | HP | 1.01 | G4 | 5 | 6-8 | | | |
| <i>Phlox carolina</i> 'Bill Baker' Bill Baker Carolina Phlox | HP | 1.04 | G4 | 4-5 | 6-9B | | | |
| <i>Phlox carolina</i> 'Magnificence' Magnificence Carolina Phlox | HP | 0.98 | G4 | 4-5 | 6-9B | | | |
| <i>Phlox divaricata</i> Blue Phlox | HP | 0.94 | G4 | 4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'Blue Perfume' Blue Perfume Blue Phlox | HP | 0.99 | G4 | 4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'Clouds of Perfume' Clouds of Perfume Blue Phlox | HP | 0.85 | G4 | 4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'Dirgo Ice' Dirgo Ice Blue Phlox | HP | 0.79 | G4 | 4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'Fuller's White' Fuller's White Blue Phlox | HP | 1.09 | G4 | 4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'London Grove Blue' London Grove Blue Phlox | HP | 1.16 | G4 | 4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'Louisiana' Louisiana Blue Phlox | HP | 0.79 | G4 | 4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'May Breeze' May Breeze Blue Phlox | HP | 0.78 | G4 | 4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'Sweet Lilac' Sweet Lilac Blue Phlox | HP | 1.41 | G4 | 4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'White Perfume' White Perfume Blue Phlox | HP | 0.99 | G4 | 4 | 5-8 | | | |
| <i>Phlox divaricata</i> var. <i>laphamii</i> Laphamii Blue Phlox | HP | 0.96 | G4 | 4 | 5-8 | | | |
| <i>Phlox drummondii</i> Annual Phlox | AN | 0.84 | G4 | 5-10 | 11 | | | |
| <i>Phlox drummondii</i> 'Twinkles Mix' Twinkles Mix Annual Phlox | AN | 0.84 | G4 | 5-10 | 11 | | | |
| <i>Phlox glaberrima</i> Smooth Phlox | HP | 0.71 | G4 | 4 | 5-7 | | | |
| <i>Phlox glaberrima</i> 'Interior' Interior Smooth Phlox | HP | 1.08 | G4 | 4 | 5-7 | | | |
| <i>Phlox glaberrima</i> ssp. <i>triflora</i> Triflora Smooth Phlox | HP | 0.70 | G4 | 4 | 5-7 | | | |
| <i>Phlox maculata</i> Wild Sweet William | HP | 0.83 | G4 | 5 | 6-7 | | | |
| <i>Phlox maculata</i> 'Alpha' Alpha Wild Sweet William | HP | 0.91 | G4 | 5 | 6-7 | | | |
| <i>Phlox maculata</i> 'Delta' Delta Wild Sweet William | HP | 1.35 | G4 | 5 | 6-7 | | | |
| <i>Phlox maculata</i> 'Miss Lingard' Miss Lingard Sweet William | HP | 1.06 | G4 | 5 | 6-8 | | | |
| <i>Phlox maculata</i> 'Natascha' Natascha Sweet William | HP | 0.88 | G4 | 5 | 6-7 | | | |
| <i>Phlox maculata</i> 'Omega' Omega Wild Sweet William | HP | 0.83 | G4 | 5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Phlox maculata</i> 'Rosalinde' Rosalinde Wild Sweet William | HP | 0.92 | G4 | 5 | 6-7 | | | |
| <i>Phlox nivalis</i> Trailing Phlox | HP | 0.82 | G4 | 6-8 | 9-10 | | | |
| <i>Phlox nivalis</i> 'Eco Flirtie Eyes' Eco Flirtie Eyes Trailing Phlox | HP | 0.82 | G4 | 6-8 | 9-10 | | | |
| <i>Phlox paniculata</i> Garden Phlox | HP | 1.06 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Admiral' Admiral Garden Phlox | HP | 1.12 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Alba' White Garden Phlox | HP | 1.05 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Amethyst' Amethyst Garden Phlox | HP | 1.06 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Balmoral' Balmoral Garden Phlox | HP | 1.05 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Bareleven' P.P. 11805 Light Pink Flame™ Garden Phlox | HP | 0.99 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Barfourteen' P.P. 12605 Purple Flame™ Garden Phlox | HP | 0.99 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Barthirtyfive' P.P.A.F. Volcano™ Pink White Eye Garden Phlox | HP | 1.57 | G4 | 4-5 | 6-9B | | | |
| <i>Phlox paniculata</i> 'Barthirtysix' P.P.A.F. Volcano™ Red Garden Phlox | HP | 1.57 | G4 | 4-5 | 6-9B | | | |
| <i>Phlox paniculata</i> 'Barthirtythree' P.P.A.F. Volcano™ Purple White Eye Garden Phlox | HP | 1.57 | G4 | 4-5 | 6-9B | | | |
| <i>Phlox paniculata</i> 'Barthirtytwo' P.P.A.F. Volcano™ White Garden Phlox | HP | 1.57 | G4 | 4-5 | 6-9B | | | |
| <i>Phlox paniculata</i> 'Becky Towe' P.P. 12908 Becky Towe Garden Phlox | HP | 1.04 | G4 | 4-5 | 6-9B | | | |
| <i>Phlox paniculata</i> 'Blue Boy' Blue Boy Garden Phlox | HP | 0.92 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Blue Paradise' Blue Paradise Garden Phlox | HP | 1.04 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Brigadier' Brigadier Garden Phlox | HP | 1.05 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Bright Eyes' Bright Eyes Garden Phlox | HP | 0.91 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Cynthia' Cynthia Garden Phlox | HP | 0.96 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'David' David Garden Phlox | HP | 0.97 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Dodo Hanbury-Forbes' Dodo Hanbury-Forbes Garden Phlox | HP | 0.93 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Dorffreude' Dorffreude Garden Phlox | HP | 0.98 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Dresden China' Dresden China Garden Phlox | HP | 1.05 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Dusterlohe' Dusterlohe Garden Phlox | HP | 1.05 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Europa' Europa Garden Phlox | HP | 0.79 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Eva Cullum' Eva Cullum Garden Phlox | HP | 1.07 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Fairest One' Fairest One Garden Phlox | HP | 0.99 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Fairy's Petticoat' Fairy's Petticoat Garden Phlox | HP | 0.91 | G4 | 4 | 5-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Phlox paniculata</i> 'Fesselballon' Fesselballon Garden Phlox | HP | 1.09 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Flamingo' Flamingo Garden Phlox | HP | 0.93 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Franz Schubert' Franz Schubert Garden Phlox | HP | 1.11 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Frosted Elegance' Frosted Elegance Garden Phlox | HP | 1.59 | G4 | 4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Graf Zeppelin' Graf Zeppelin Garden Phlox | HP | 0.90 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Hesperis' Hesperis Garden Phlox | HP | 1.04 | G4 | 4-5 | 6-9B | | | |
| <i>Phlox paniculata</i> 'Ice Cap' Ice Cap Garden Phlox | HP | 1.09 | G4 | 4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Juliet' Juliet Garden Phlox | HP | 0.83 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Juliglut' Juliglut Garden Phlox | HP | 0.95 | G4 | 4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Junior Dance' Junior Dance Garden Phlox | HP | 0.99 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Junior Surprise' Junior Surprise Phlox | HP | 0.99 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Katherine' Katherine Garden Phlox | HP | 1.14 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Laura' Laura Garden Phlox | HP | 0.99 | G4 | 4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Light Pink Flame' See - <i>Phlox paniculata</i> 'Bareleven' P.P. 11805 | | | | | | | | |
| <i>Phlox paniculata</i> 'Lilac Time' Lilac Time Garden Phlox | HP | 1.05 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Little Boy' Little Boy Garden Phlox | HP | 1.05 | G4 | 4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Little Laura' Little Laura Garden Phlox | HP | 1.00 | G4 | 4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Little Princess' Little Princess Garden Phlox | HP | 1.04 | G4 | 4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Look Again' Look Again Garden Phlox | HP | 1.09 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Mardi Gras' See - <i>Phlox paniculata</i> 'Nihon Kaki Variegated' P.P. 12002 | | | | | | | | |
| <i>Phlox paniculata</i> 'Mia Ruys' Mia Ruys Garden Phlox | HP | 1.05 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Mini Star' Mini Star Garden Phlox | HP | 1.05 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Miss Jill' Miss Jill Garden Phlox | HP | 1.12 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Miss Kelly' Miss Kelly Garden Phlox | HP | 0.97 | G4 | 6-8 | 9-10 | | | |
| <i>Phlox paniculata</i> 'Miss Margie' Miss Margie Garden Phlox | HP | 1.12 | G4 | 6-8 | 9-10 | | | |
| <i>Phlox paniculata</i> 'Miss Mary' Miss Mary Garden Phlox | HP | 1.08 | G4 | 6-8 | 9-10 | | | |
| <i>Phlox paniculata</i> 'Mrs. Pepper' Mrs. Pepper Garden Phlox | HP | 0.82 | G4 | 4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Mt. Fuji' Mt. Fuji Garden Phlox | HP | 0.93 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Natural Feelings' P.P. 13623 Natural Feelings Garden Phlox | HP | 1.51 | G4 | 4-5 | 6-9B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Phlox paniculata</i> 'New Bird' New Bird Garden Phlox | HP | 1.05 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Nicky' Nicky Garden Phlox | HP | 1.00 | G4 | 4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Nihon Kaki Variegated' P.P. 12002 Mardi Gras™ Garden Phlox | HP | 1.13 | G4 | 4-5 | 6-9B | | | |
| <i>Phlox paniculata</i> 'Nora Leigh' Nora Leigh Garden Phlox | HP | 1.20 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Orange Perfection' Orange Perfection Garden Phlox | HP | 0.91 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Pax' Pax Garden Phlox | HP | 1.05 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Powder Puff' Powder Puff Garden Phlox | HP | 0.86 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Prime Minister' Prime Minister Garden Phlox | HP | 0.93 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Purple Flame' See - <i>Phlox paniculata</i> 'Barfourteen' P.P. 12605 | | | | | | | | |
| <i>Phlox paniculata</i> 'Red Eyes' Red Eyes Garden Phlox | HP | 1.09 | G4 | 4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Red Riding Hood' Red Riding Hood Garden Phlox | HP | 1.09 | G4 | 4-5 | 6-9B | | | |
| <i>Phlox paniculata</i> 'Red Super' Red Super Garden Phlox | HP | 1.01 | G4 | 6-8 | 9-10 | | | |
| <i>Phlox paniculata</i> 'Rembrandt' Rembrandt Garden Phlox | HP | 1.05 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Rijnstroom' Rijnstroom Garden Phlox | HP | 0.91 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Robert Poore' Robert Poore Garden Phlox | HP | 1.10 | G4 | 4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Sandra' Sandra Garden Phlox | HP | 1.05 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Shortwood' P.P. 10379 Shortwood Garden Phlox | HP | 0.94 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Snow White' Snow White Garden Phlox | HP | 1.07 | G4 | 6-8 | 9-10 | | | |
| <i>Phlox paniculata</i> 'Special Pink' Special Pink Garden Phlox | HP | 1.05 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Starfire' Starfire Garden Phlox | HP | 0.98 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Starlight' Starlight Garden Phlox | HP | 1.05 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Sternhimmel' Sternhimmel Garden Phlox | HP | 0.92 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Tenor' Tenor Garden Phlox | HP | 0.86 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'The King' The King Garden Phlox | HP | 0.98 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Violetta Gloriosa' Violetta Gloriosa Garden Phlox | HP | 1.09 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Volcano Pink' See - <i>Phlox paniculata</i> 'Barthirtyfive' P.P.A.F. | | | | | | | | |
| <i>Phlox paniculata</i> 'Volcano Purple' See - <i>Phlox paniculata</i> 'Barthirtythree' P.P.A.F. | | | | | | | | |
| <i>Phlox paniculata</i> 'Volcano Red' See - <i>Phlox paniculata</i> 'Barthirtysix' P.P.A.F. | | | | | | | | |
| <i>Phlox paniculata</i> 'Volcano White' See - <i>Phlox paniculata</i> 'Barthirtytwo' P.P.A.F. | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Phlox paniculata</i> 'White Admiral' White Admiral Garden Phlox | HP | 0.88 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'White Alex' White Alex Garden Phlox | HP | 1.05 | G4 | 4 | 5-7 | | | |
| <i>Phlox paniculata</i> 'Windsor' Windsor Garden Phlox | HP | 0.88 | G4 | 4 | 5-7 | | | |
| <i>Phlox pilosa</i> Prairie Phlox | HP | 1.49 | G4 | 5 | 6-7 | | | |
| <i>Phlox pilosa</i> ssp. <i>ozarkana</i> Ozarkana Phlox | HP | 1.11 | G4 | 5 | 6-7 | | | |
| <i>Phlox xprocumbens</i> Trailing Phlox | HP | 0.59 | G4 | 4 | 5-7 | | | |
| <i>Phlox xprocumbens</i> 'Cabot Blue' Cabot Blue Trailing Phlox | HP | 1.04 | G4 | 4-5 | 6-9B | | | |
| <i>Phlox xprocumbens</i> 'Folio-variegata' Variegated Trailing Phlox | HP | 0.82 | G4 | 4 | 5-7 | | | |
| <i>Phlox stolonifera</i> Creeping Phlox | HP | 1.09 | G4 | 4 | 5-7 | | | |
| <i>Phlox stolonifera</i> 'Blue Ridge' Blue Ridge Creeping Phlox | HP | 1.04 | G4 | 4 | 5-7 | | | |
| <i>Phlox stolonifera</i> 'Bruce's White' Bruce's White Creeping Phlox | HP | 0.98 | G4 | 4 | 5-7 | | | |
| <i>Phlox stolonifera</i> 'Home Fires' Home Fires Creeping Phlox | HP | 1.00 | G4 | 4 | 5-7 | | | |
| <i>Phlox stolonifera</i> 'Iridescons' Iridescons Creeping Phlox | HP | 0.85 | G4 | 4 | 5-7 | | | |
| <i>Phlox stolonifera</i> 'Pink Ridge' Pink Ridge Creeping Phlox | HP | 0.93 | G4 | 4 | 5-7 | | | |
| <i>Phlox stolonifera</i> 'Sherwood Purple' Sherwood Purple Creeping Phlox | HP | 1.04 | G4 | 4 | 5-7 | | | |
| <i>Phlox subulata</i> Moss Phlox | HP | 0.93 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Apple Blossom' Apple Blossom Moss Phlox | HP | 0.90 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Atropurpurea' Atropurpurea Moss Phlox | HP | 0.85 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Blue Emerald' Blue Emerald Moss Phlox | HP | 0.81 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Blue Hills' Blue Hills Moss Phlox | HP | 0.75 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Candy Stripe' Candy Stripe Moss Phlox | HP | 0.83 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Coral Eye' Coral Eye Moss Phlox | HP | 0.81 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Crimson Beauty' Crimson Beauty Moss Phlox | HP | 0.78 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Dirgo Arbutus' Dirgo Arbutus Moss Phlox | HP | 0.90 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Emerald Cushion Blue' Emerald Cushion Blue Moss Phlox | HP | 1.01 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Emerald Pink' Emerald Pink Moss Phlox | HP | 0.85 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Fort Hill' Fort Hill Moss Phlox | HP | 0.83 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Maiden Blush' Maiden Blush Moss Phlox | HP | 0.90 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Millstream Daphne' Millstream Daphne Moss Phlox | HP | 0.83 | G4 | 3-4 | 5-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Phlox subulata</i> 'Millstream Jupiter' Millstream Jupiter Moss Phlox | HP | 0.83 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Millstream Variety' Millstream Variety Moss Phlox | HP | 0.61 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Red Wings' Red Wings Moss Phlox | HP | 0.74 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Rosea' Rosea Moss Phlox | HP | 0.89 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Scarlet Flame' Scarlet Flame Moss Phlox | HP | 0.76 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'Snowflake' Snowflake Moss Phlox | HP | 0.97 | G4 | 3-4 | 5-7 | | | |
| <i>Phlox subulata</i> 'White Delight' White Delight Moss Phlox | HP | 0.82 | G4 | 3-4 | 5-7 | | | |
| <i>Phoenixophorium borsigianum</i> Latanier Palm | PC | 4.09 | G1 | 10-11 | | | 1.00 | 11 |
| <i>Phoenix canariensis</i> Canary Island Date Palm | PC | 1.06 | G2 | 8-9 | 10-11 | | 2.05 | 9 |
| <i>Phoenix dactylifera</i> Date Palm | PC | 0.98 | G2 | 8-9 | 10-11 | | 2.31 | 9 |
| <i>Phoenix hanceana</i> See - <i>Phoenix loureirii</i> | | | | | | | | |
| <i>Phoenix loureirii</i> No Common Name Found | PC | 1.00 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Phoenix pusilla</i> Ceylon Date Palm | PC | 0.78 | G1 | 9A-10B | 11 | | 1.00 | 9 |
| <i>Phoenix reclinata</i> Senegal Date Palm | PC | 0.88 | G1 | 9 | 10-11 | | 1.32 | 9 |
| <i>Phoenix roebelenii</i> Pygmy Date Palm | PC | 0.88 | G2 | 9 | 10A-11 | | 0.90 | 9 |
| <i>Phoenix rupicola</i> Cliff Date Palm | PC | 0.83 | G1 | 9B-10A | 10B-11 | | 1.61 | 9 |
| <i>Phoenix sylvestris</i> Wild Date Palm | PC | 0.98 | G1 | 9 | 10-11 | | 2.17 | 9 |
| <i>Phoenix zeylanica</i> See - <i>Phoenix pusilla</i> | | | | | | | | |
| <i>Phormium</i> Hybrid Flax | HP | 2.11 | G4 | 7-8 | 9-11 | | | |
| <i>Phormium</i> 'Thumbelina' Thumbelina Flax | HP | 2.11 | G4 | 7-8 | 9-11 | | | |
| <i>Phormium colensoi</i> Mountain Flax | HP | 1.07 | G4 | 7-8 | 9-11 | | | |
| <i>Phormium colensoi</i> 'Apricot Queen' Apricot Queen Mountain Flax | HP | 1.73 | G4 | 7-8 | 9-11 | | | |
| <i>Phormium colensoi</i> 'Flamingo' Flamingo Mountain Flax | HP | 1.84 | G4 | 7-8 | 9-11 | | | |
| <i>Phormium colensoi</i> 'Maori Maiden' Maori Maiden Mountain Flax | HP | 1.64 | G4 | 7-8 | 9-11 | | | |
| <i>Phormium colensoi</i> 'Sundowner' Sundowner Mountain Flax | HP | 1.32 | G4 | 7-8 | 9-11 | | | |
| <i>Phormium colensoi</i> 'Tricolor' Tricolor Mountain Flax | HP | 1.48 | G4 | 7-8 | 9-11 | | | |
| <i>Phormium cookianum</i> See - <i>Phormium colensoi</i> | | | | | | | | |
| <i>Phormium tenax</i> New Zealand Flax | HP | 1.16 | G4 | 7-8 | 9-11 | | | |
| <i>Phormium tenax</i> 'Atropurpureum Compactum' Bronze New Zealand Flax | HP | 1.23 | G4 | 8 | 9-10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Phormium tenax</i> 'Atropurpureum' Purple New Zealand Flax | HP | 0.81 | G4 | 8 | 9-10 | | | |
| <i>Phormium tenax</i> 'Bronze Baby' Bronze Baby New Zealand Flax | HP | 1.36 | G4 | 8 | 9-10 | | | |
| <i>Phormium tenax</i> 'Dark Delight' Dark Delight New Zealand Flax | HP | 1.11 | G4 | 8 | 9-10 | | | |
| <i>Phormium tenax</i> 'Dazzler' Dazzler New Zealand Flax | HP | 1.00 | G4 | 8 | 9-10 | | | |
| <i>Phormium tenax</i> 'Dusky Chief' Dusky Chief New Zealand Flax | HP | 1.20 | G4 | 7-8 | 9-11 | | | |
| <i>Phormium tenax</i> 'Jack Spratt' Jack Spratt New Zealand Flax | HP | 1.17 | G4 | 8 | 9-10 | | | |
| <i>Phormium tenax</i> 'Pink Stripe' Pink Stripe New Zealand Flax | HP | 1.72 | G4 | 7-8 | 9-11 | | | |
| <i>Phormium tenax</i> 'Rubrum' Red New Zealand Flax | HP | 1.02 | G4 | 8 | 9-10 | | | |
| <i>Phormium tenax</i> 'Variegatum' Variegated New Zealand Flax | HP | 1.29 | G4 | 8 | 9-10 | | | |
| <i>Phormium tenax</i> 'Williamsii Variegated' Williams Variegated New Zealand Flax | HP | 1.22 | G4 | 8 | 9-10 | | | |
| <i>Phormium tenax</i> 'Yellow Wave' Yellow Wave New Zealand Flax | HP | 1.55 | G4 | 8 | 9-10 | | | |
| <i>Photinia davidiana</i> Chinese Photinia | HP | 1.29 | G4 | 8 | 9 | | | |
| <i>Photinia davidiana</i> 'Prostrata' Prostrate Chinese Photinia | BS | 1.00 | G4 | 8 | 9 | | 1.00 | 7 |
| <i>Photinia davidiana</i> var. <i>undulata</i> No Common Name Found | BS | 0.91 | G4 | 8 | 9 | | 1.00 | 7 |
| <i>Photinia x fraseri</i> Fraser Photinia | BS | 0.91 | G2 | 7-8 | 9-10A | | 0.68 | 8 |
| <i>Photinia x fraseri</i> 'Red Robin' Red Robin Fraser Photinia | BS | 0.84 | G2 | 7-8 | 9-10A | | 0.68 | 8 |
| <i>Photinia glabra</i> Japanese Photinia | BS | 1.05 | G2 | 7 | 8-10A | | 0.90 | 7 |
| <i>Photinia villosa</i> Oriental Photinia | BS | 1.00 | G2 | 4-5 | 6-7 | | 0.55 | 4 |
| <i>Photinia villosa</i> 'Village Shade' Village Shade Oriental Photinia | BS | 1.00 | G2 | 4-5 | 6-7 | | 0.55 | 4 |
| <i>Phragmipedium</i> Lady-slipper | FO | 2.08 | G3 | 9-10 | 11 | | 1.00 | 10 |
| <i>Phragmipedium</i> 'Mont Fallu' Mont Fallu Orchid | FO | 2.08 | G3 | 9-10 | 11 | | 1.00 | 10 |
| <i>Phragmipedium hirtzii</i> No Common Name Found | FO | 1.00 | G3 | 9-10 | 11 | | 1.00 | 10 |
| <i>Phragmites australis</i> Common Reed | HP | 3.41 | G4 | 4-5 | 6-8 | | | |
| <i>Phragmites australis</i> 'Variegatus' Variegated Common Reed | HP | 3.41 | G4 | 4-5 | 6-8 | | | |
| <i>Phygelius capensis</i> Cape Fuchsia | HP | 0.91 | G4 | 8 | 9-11 | | | |
| <i>Phygelius xrectus</i> Hybrid Fuchsia | HP | 0.90 | G4 | 8 | 9-11 | | | |
| <i>Phygelius xrectus</i> 'African Queen' African Queen Hybrid Fuchsia | HP | 0.78 | G4 | 8 | 9-11 | | | |
| <i>Phygelius xrectus</i> 'Devil's Tears' Devil's Tears Hybrid Fuchsia | HP | 1.12 | G4 | 8 | 9-11 | | | |
| <i>Phygelius xrectus</i> 'Moonraker' Moonraker Hybrid Fuchsia | HP | 0.79 | G4 | 8 | 9-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Phyla nodiflora</i> Fogfruit | HP | 0.45 | G4 | 10A | 10B-11 | | | |
| <i>Phyllitis scolopendrium</i> See - <i>Asplenium scolopendrium</i> | | | | | | | | |
| <i>Phyllodoce empetriformis</i> Pink Mountain Heather | BS | 1.00 | G2 | 2-3 | 4-6 | | 1.00 | 3 |
| <i>Phyllostachys aurea</i> Golden Bamboo | BS | 1.47 | G2 | 6 | 7-10B | | 0.35 | 6 |
| <i>Phyllostachys aureosulcata</i> Yellow-Groove Bamboo | BS | 1.81 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Phyllostachys bambusoides</i> Giant Timber Bamboo | BS | 1.83 | G2 | 7 | 8-10A | | 1.00 | 7 |
| <i>Phyllostachys bambusoides</i> 'Castillonis' Castillonis Giant Timber Bamboo | BS | 1.27 | G2 | 7 | 8-10A | | 1.00 | 7 |
| <i>Phyllostachys bambusoides</i> 'Slender Crookstem' Slender Crookstem Giant Timber Bamboo | BS | 1.55 | G2 | 7 | 8-10A | | 1.00 | 7 |
| <i>Phyllostachys bissetii</i> Bissett Bamboo | BS | 1.73 | G2 | 4-5 | 6-10 | | 1.00 | 5 |
| <i>Phyllostachys edulis</i> Moso Bamboo | BS | 1.05 | G2 | 7 | 8-10A | | 1.00 | 7 |
| <i>Phyllostachys flexuosa</i> Flexible Bamboo | BS | 2.02 | G2 | 6 | 7-9B | | 1.00 | 6 |
| <i>Phyllostachys nigra</i> Black Bamboo | BS | 2.06 | G2 | 7 | 8-10B | | 1.00 | 7 |
| <i>Phyllostachys nigra</i> 'Boryana' Boryana Black Bamboo | BS | 1.31 | G2 | 7 | 8-10B | | 1.00 | 7 |
| <i>Phyllostachys nigra</i> var. <i>henonis</i> Henon Black Bamboo | BS | 1.87 | G2 | 7 | 8-10B | | 1.00 | 7 |
| <i>Phyllostachys nuda</i> Nude Bamboo | BS | 1.96 | G2 | 7 | 8-10B | | 1.00 | 5 |
| <i>Phyllostachys pubescens</i> See - <i>Phyllostachys edulis</i> | | | | | | | | |
| <i>Phyllostachys sulphurea</i> 'Robert Young' See - <i>Phyllostachys sulphurea</i> var. <i>viridis</i> | | | | | | | | |
| <i>Phyllostachys sulphurea</i> var. <i>viridis</i> Robert Young Kou-Chiku | BS | 1.51 | G2 | 7 | 8-10A | | 1.00 | 7 |
| <i>Physalis alkekengi</i> Chinese Lantern | HP | 0.99 | G4 | 6 | 7-10A | | | |
| <i>Physalis franchetii</i> See - <i>Physalis alkekengi</i> | | | | | | | | |
| <i>Physocarpus capitatus</i> Pacific Ninebark | DS | 0.81 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Physocarpus malvaceus</i> Mallow Ninebark | DS | 0.91 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Physocarpus monogynus</i> Mountain Ninebark | DS | 0.85 | G2 | 5-6 | 7-9 | | 0.82 | 5 |
| <i>Physocarpus opulifolius</i> Common Ninebark | DS | 0.98 | G2 | 2 | 3-7 | | 0.69 | 2 |
| <i>Physocarpus opulifolius</i> 'Dart's Gold' Dart's Gold Common Ninebark | DS | 0.92 | G2 | 2 | 3-7 | | 0.84 | 2 |
| <i>Physocarpus opulifolius</i> 'Diabolo' See - <i>Physocarpus opulifolius</i> 'Monlo' P.P. 11211 | | | | | | | | |
| <i>Physocarpus opulifolius</i> 'Luteus' Golden Common Ninebark | DS | 1.42 | G2 | 2 | 3-7 | | 0.41 | 2 |
| <i>Physocarpus opulifolius</i> 'Monlo' P.P. 11211 Diabolo® Common Ninebark | DS | 1.12 | G2 | 2 | 3-7 | | 0.98 | 2 |
| <i>Physocarpus opulifolius</i> 'Nanus' Dwarf Common Ninebark | DS | 0.93 | G2 | 2 | 3-7 | | 0.75 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Physocarpus opulifolius</i> 'Nugget' Nugget Common Ninebark | DS | 0.83 | G2 | 2 | 3-7 | | 0.73 | 2 |
| <i>Physocarpus opulifolius</i> 'Snowfall' Snowfall Common Ninebark | DS | 1.12 | G2 | 2 | 3-7 | | 0.73 | 2 |
| <i>Physocarpus opulifolius</i> 'Summer Wine' Summer Wine Common Ninebark | DS | 1.05 | G2 | 2 | 3-7 | | 0.73 | 2 |
| <i>Physocarpus opulifolius</i> var. <i>intermedius</i> Illinois Ninebark | DS | 1.00 | G2 | 2 | 3-7 | | 1.00 | 2 |
| <i>Physostegia purpurea</i> Eastern False Dragonhead | HP | 0.61 | G4 | 4-5 | 6-8 | | | |
| <i>Physostegia virginiana</i> False Dragonhead | HP | 0.88 | G4 | 4-5 | 6-8 | | | |
| <i>Physostegia virginiana</i> 'Alba' White False Dragonhead | HP | 0.83 | G4 | 4-5 | 6-8 | | | |
| <i>Physostegia virginiana</i> 'Bouquet Rose' Bouquet Rose False Dragonhead | HP | 0.86 | G4 | 4-5 | 6-8 | | | |
| <i>Physostegia virginiana</i> 'Miss Manners' P.P. 12637 Miss Manners False Dragonhead | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Physostegia virginiana</i> 'Pink Bouquet' Pink Bouquet False Dragonhead | HP | 0.94 | G4 | 4-5 | 6-8 | | | |
| <i>Physostegia virginiana</i> 'Rose Crown' Rose Crown False Dragonhead | HP | 0.58 | G4 | 4-5 | 6-8 | | | |
| <i>Physostegia virginiana</i> 'Rosea' Pink False Dragonhead | HP | 0.89 | G4 | 4-5 | 6-8 | | | |
| <i>Physostegia virginiana</i> 'Snow Crown' Snow Crown False Dragonhead | HP | 0.78 | G4 | 4-5 | 6-8 | | | |
| <i>Physostegia virginiana</i> 'Summer Snow' Summer Snow False Dragonhead | HP | 0.82 | G4 | 4-5 | 6-8 | | | |
| <i>Physostegia virginiana</i> 'Summer Spire' Summer Spire False Dragonhead | HP | 0.86 | G4 | 4-5 | 6-8 | | | |
| <i>Physostegia virginiana</i> 'Variegata' Variegated False Dragonhead | HP | 0.94 | G4 | 4-5 | 6-8 | | | |
| <i>Physostegia virginiana</i> 'Vivid' Vivid False Dragonhead | HP | 0.87 | G4 | 4-5 | 6-8 | | | |
| <i>Physostegia virginiana</i> var. <i>speciosa</i> Showy Obedient Plant | HP | 1.38 | G4 | 4-5 | 6-8 | | | |
| <i>Phytelephas macrocarpa</i> Ivory Palm | PC | 2.78 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Phyteuma nigrum</i> Horned Rampion | HP | 0.75 | G4 | 6 | 7 | | | |
| <i>Picea abies</i> Norway Spruce | CE | 0.81 | G2 | 2-3 | 4-7 | 1.00 | 0.97 | 3 |
| <i>Picea abies</i> 'Acrocona' Acrocona Norway Spruce | CE | 2.25 | G2 | 2-3 | 4-7 | 1.00 | 1.50 | 3 |
| <i>Picea abies</i> 'Argenteospica' Silver Norway Spruce | CE | 1.25 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Aurea' Gold Norway Spruce | CE | 1.34 | G2 | 2-3 | 4-7 | 1.00 | 1.12 | 3 |
| <i>Picea abies</i> 'Aurescens' Aurescens Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Berry Gardens' Berry Gardens Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Capitata' Capitata Semi-Dwarf Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Cincinnata' Cincinnata Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.66 | 3 |
| <i>Picea abies</i> 'Clanbrassiliana Stricta' Clanbrassiliana Stricta Norway Spruce | CS | 3.18 | G2 | 2-3 | 4-7 | | 2.93 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Picea abies</i> 'Clanbrassiliana' Clanbrassiliana Norway Spruce | CE | 1.19 | G2 | 2-3 | 4-7 | 1.00 | 1.01 | 3 |
| <i>Picea abies</i> 'Columnaris' Columnar Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.08 | 3 |
| <i>Picea abies</i> 'Compacta Asselyn' Compact Asselyn Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Compacta' Compact Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Cranstonii' Cranston Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Crippsii' Cripps Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Cruenta' Cruenta Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.05 | 3 |
| <i>Picea abies</i> 'Cupressina' Cypress Norway Spruce | CE | 1.83 | G2 | 2-3 | 4-7 | 1.00 | 0.98 | 3 |
| <i>Picea abies</i> 'Elegans' Elegans Dwarf Norway Spruce | CS | 1.54 | G2 | 2-3 | 4-7 | | 1.73 | 3 |
| <i>Picea abies</i> 'Elegantissima' Elegantissima Dwarf Norway Spruce | CS | 1.55 | G2 | 2-3 | 4-7 | | 1.79 | 3 |
| <i>Picea abies</i> 'Ellwangeriana' Ellwanger Dwarf Norway Spruce | CS | 1.55 | G2 | 2-3 | 4-7 | | 1.79 | 3 |
| <i>Picea abies</i> 'Formanek' Formanek Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Frohburg' Frohburg Norway Spruce | CE | 1.70 | G2 | 2-3 | 4-7 | 1.00 | 1.68 | 3 |
| <i>Picea abies</i> 'Glauca Pendula' Blue Weeping Norway Spruce | CE | 1.70 | G2 | 2-3 | 4-7 | 1.00 | 1.41 | 3 |
| <i>Picea abies</i> 'Globosa' Globe Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Gregoryana Parsonsii' See - <i>Picea abies</i> 'Parsonsii' | | | | | | | | |
| <i>Picea abies</i> 'Gregoryana' Gregoryana Dwarf Norway Spruce | CS | 2.26 | G2 | 2-3 | 4-7 | | 1.61 | 3 |
| <i>Picea abies</i> 'Hillside Upright' Hillside Upright Norway Spruce | CE | 1.47 | G2 | 2-3 | 4-7 | 1.00 | 1.41 | 3 |
| <i>Picea abies</i> 'Humilis' Humilis Norway Spruce | CE | 1.61 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Inversa' Drooping Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.42 | 3 |
| <i>Picea abies</i> 'Little Gem' Little Gem Dwarf Norway Spruce | CS | 1.64 | G2 | 2-3 | 4-7 | | 1.65 | 3 |
| <i>Picea abies</i> 'Maxwellii' Maxwell Dwarf Norway Spruce | CS | 0.71 | G2 | 2-3 | 4-7 | | 1.38 | 3 |
| <i>Picea abies</i> 'Microsperma' Smallcone Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Monstrosa' Monstrosa Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.28 | 3 |
| <i>Picea abies</i> 'Mucronata' Mucronata Dwarf Norway Spruce | CS | 1.02 | G2 | 2-3 | 4-7 | | 0.74 | 3 |
| <i>Picea abies</i> 'Nana' Dwarf Conic Norway Spruce | CS | 1.55 | G2 | 2-3 | 4-7 | | 2.09 | 3 |
| <i>Picea abies</i> 'Nidiformis' Bird's Nest Norway Spruce | CE | 0.90 | G2 | 2-3 | 4-7 | 1.00 | 1.79 | 3 |
| <i>Picea abies</i> 'Ohlendorffi' Ohlendorff Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 2.15 | 3 |
| <i>Picea abies</i> 'Parsonsii' Parsons Dwarf Norway Spruce | CS | 1.75 | G2 | 2-3 | 4-7 | | 2.51 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Picea abies</i> 'Pendula Major' Pendula Major Norway Spruce | CE | 1.33 | G2 | 2-3 | 4-7 | 1.00 | 0.68 | 3 |
| <i>Picea abies</i> 'Pendula Monstrosa' Pendula Monstrosa Norway Spruce | CE | 0.96 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Pendula' Weeping Norway Spruce | CE | 1.61 | G2 | 2-3 | 4-7 | 1.00 | 1.35 | 3 |
| <i>Picea abies</i> 'Procumbens' Procumbens Norway Spruce | CE | 4.43 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Pumila Nigra' Dwarf Black Norway Spruce | CS | 1.10 | G2 | 2-3 | 4-7 | | 1.05 | 3 |
| <i>Picea abies</i> 'Pumila' Dwarf Norway Spruce | CS | 1.10 | G2 | 2-3 | 4-7 | | 1.69 | 3 |
| <i>Picea abies</i> 'Pygmaea' Pygmy Norway Spruce | CS | 1.55 | G2 | 2-3 | 4-7 | | 1.82 | 3 |
| <i>Picea abies</i> 'Pyramidalis' Pyramidal Norway Spruce | CE | 1.46 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Remontii' Remont Dwarf Norway Spruce | CS | 1.55 | G2 | 2-3 | 4-7 | | 2.98 | 3 |
| <i>Picea abies</i> 'Repens' Creeping Dwarf Norway Spruce | CS | 1.22 | G2 | 2-3 | 4-7 | | 1.04 | 3 |
| <i>Picea abies</i> 'Virgata' Snake-Branch Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea abies</i> 'Witches' Brood' Witches' Brood Norway Spruce | CE | 1.62 | G2 | 2-3 | 4-7 | 1.00 | 1.33 | 3 |
| <i>Picea alcoquiana</i> See - <i>Picea bicolor</i> | | | | | | | | |
| <i>Picea asperata</i> Dragon Spruce | CE | 1.00 | G2 | 4-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Picea asperata</i> 'Dwarf' Dwarf Dragon Spruce | CS | 1.00 | G2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Picea asperata</i> 'Pendula' Weeping Dragon Spruce | CE | 1.00 | G2 | 4-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Picea asperata</i> var. <i>retroflexa</i> See - <i>Picea retroflexa</i> | | | | | | | | |
| <i>Picea balfouriana</i> Balfour Spruce | CE | 1.68 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Picea bicolor</i> Alcock Spruce | CE | 1.10 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Picea bicolor</i> 'Howell's Dwarf' Howell's Dwarf Alcock Spruce | CS | 1.41 | G2 | 4-5 | 6-8 | | 1.04 | 5 |
| <i>Picea bicolor</i> 'Prostrata' Prostrate Alcock Spruce | CS | 1.41 | G2 | 4-5 | 6-8 | | 1.04 | 5 |
| <i>Picea brachytyla</i> Sargent Spruce | CE | 2.02 | G2 | 4-8 | 9 | 1.00 | 0.98 | 8 |
| <i>Picea breweriana</i> Brewer Spruce | CE | 1.31 | G2 | 4-6 | 7-8 | 1.00 | 1.26 | 6 |
| <i>Picea engelmannii</i> Engelmann Spruce | CE | 0.92 | G2 | 2-3 | 4-5 | 1.00 | 1.04 | 3 |
| <i>Picea engelmannii</i> 'Argentea' Silver Engelmann Spruce | CE | 1.32 | G2 | 2-3 | 4-5 | 1.00 | 1.04 | 3 |
| <i>Picea engelmannii</i> 'Glauca' Blue Engelmann Spruce | BE | 1.00 | G2 | 2-3 | 4-5 | 1.00 | 1.00 | 3 |
| <i>Picea engelmannii</i> 'Hoodie' Hoodie Engelmann Spruce | CE | 1.32 | G2 | 2-3 | 4-5 | 1.00 | 1.04 | 3 |
| <i>Picea engelmannii</i> 'Stanley Mountain' Stanley Mountain Engelmann Spruce | CE | 1.72 | G2 | 2-3 | 4-5 | 1.00 | 1.04 | 3 |
| <i>Picea excelsa</i> See - <i>Picea abies</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Picea gemmata</i> Tapaoshan Spruce | CE | 1.00 | G2 | 2-6 | 7 | 1.00 | 1.00 | 6 |
| <i>Picea glauca</i> White Spruce | CE | 1.14 | G2 | 2 | 3-7 | 1.00 | 1.02 | 2 |
| <i>Picea glauca</i> 'Alberta Globe' Alberta Globe Spruce | CS | 2.20 | G2 | 2 | 3-7 | | 1.33 | 2 |
| <i>Picea glauca</i> 'Arneson's Blue Variegated' Arneson's Blue Variegated Alberta Spruce | CE | 1.73 | G2 | 2 | 3-7 | 1.00 | 1.66 | 2 |
| <i>Picea glauca</i> 'Aurea' Gold Alberta Spruce | CE | 1.73 | G2 | 2 | 3-7 | 1.00 | 1.16 | 2 |
| <i>Picea glauca</i> 'Brevifolia' Brevifolia White Spruce | CE | 1.73 | G2 | 2 | 3-7 | 1.00 | 1.16 | 2 |
| <i>Picea glauca</i> 'Cecilia' Cecilia White Spruce | CE | 1.10 | G2 | 2 | 3-7 | 1.00 | 0.28 | 2 |
| <i>Picea glauca</i> 'Coerulea' Blueleaf White Spruce | CE | 1.73 | G2 | 2 | 3-7 | 1.00 | 1.16 | 2 |
| <i>Picea glauca</i> 'Conica' Dwarf Alberta Spruce | CS | 1.59 | G2 | 2 | 3-7 | | 1.33 | 2 |
| <i>Picea glauca</i> 'Densata' Black Hills Spruce | CE | 1.07 | G2 | 2 | 3-7 | 1.00 | 1.07 | 2 |
| <i>Picea glauca</i> 'Dent' Dent Black Hills Spruce | CE | 1.73 | G2 | 2-3 | 4-7 | 1.00 | 1.38 | 2 |
| <i>Picea glauca</i> 'Echiniformis' Echiniformis Spruce | CE | 1.19 | G2 | 2 | 3-7 | 1.00 | 1.16 | 2 |
| <i>Picea glauca</i> 'Globulosa' Globe White Spruce | CE | 1.05 | G2 | 2-3 | 4-7 | 1.00 | 1.16 | 2 |
| <i>Picea glauca</i> 'Gnom' Gnom Alberta Spruce | CS | 1.90 | G2 | 2 | 3-7 | | 1.33 | 2 |
| <i>Picea glauca</i> 'Haal' P.P. 11473 Haal Blue Spruce | CE | 2.52 | G2 | 2-3 | 4-7 | 1.00 | 1.16 | 2 |
| <i>Picea glauca</i> 'Humpty Dumpty' Humpty Dumpty Alberta Spruce | CE | 1.73 | G2 | 2 | 3-7 | 1.00 | 1.16 | 2 |
| <i>Picea glauca</i> 'Jean's Dilly' Jean's Dilly Alberta Spruce | CE | 1.58 | G2 | 2 | 3-7 | 1.00 | 1.16 | 2 |
| <i>Picea glauca</i> 'Little Globe' Little Globe Alberta Spruce | CE | 1.10 | G2 | 2 | 3-7 | 1.00 | 1.44 | 2 |
| <i>Picea glauca</i> 'North Star' North Star Alberta Spruce | CE | 1.73 | G2 | 2-3 | 4-7 | 1.00 | 1.16 | 2 |
| <i>Picea glauca</i> 'Pendula' Weeping White Spruce | CE | 5.15 | G2 | 2 | 3-7 | 1.00 | 1.24 | 2 |
| <i>Picea glauca</i> 'Pixie' Pixie Alberta Spruce | CS | 1.90 | G2 | 2 | 3-7 | | 1.33 | 2 |
| <i>Picea glauca</i> 'Rainbow's End' Rainbow's End Alberta Spruce | CE | 2.28 | G2 | 2 | 3-7 | 1.00 | 1.16 | 2 |
| <i>Picea glauca</i> 'Sander's Blue' Sander's Blue Alberta Spruce | CE | 0.90 | G2 | 2 | 3-7 | 1.00 | 1.21 | 2 |
| <i>Picea glauca</i> 'Sander's Fastigiata' Sander's Fastigiata Alberta Spruce | CE | 1.73 | G2 | 2 | 3-7 | 1.00 | 1.16 | 2 |
| <i>Picea glauca</i> 'Wild Acres' Wild Acres White Spruce | CE | 1.73 | G2 | 2 | 3-7 | 1.00 | 1.16 | 2 |
| <i>Picea glauca</i> var. <i>albertiana</i> Alberta White Spruce | CE | 1.53 | G2 | 2 | 3-7 | 1.00 | 1.15 | 2 |
| <i>Picea jezoensis</i> Yezo Spruce | CE | 1.00 | G2 | 2 | 3-7 | 1.00 | 1.00 | 2 |
| <i>Picea jezoensis</i> 'Yatsubusa' Yatsubusa Yezo Spruce | CE | 1.00 | G2 | 2 | 3-7 | 1.00 | 1.00 | 2 |
| <i>Picea likiangensis</i> Lijiang Spruce | CE | 1.43 | G2 | 6-7 | 8 | 1.00 | 0.94 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Picea likiangensis</i> var. <i>balfouriana</i> See - <i>Picea balfouriana</i> | | | | | | | | |
| <i>Picea likiangensis</i> var. <i>purpurea</i> See - <i>Picea purpurea</i> | | | | | | | | |
| <i>Picea x lutzii</i> Lutz Hybrid Spruce | BE | 1.00 | G2 | 2-3 | 4-7 | 1.00 | 0.81 | 3 |
| <i>Picea mariana</i> Black Spruce | CE | 1.07 | G2 | 2 | 3-7 | 1.00 | 0.73 | 2 |
| <i>Picea mariana</i> 'Aureovariegata' Golden Variegated Black Spruce | CE | 1.76 | G2 | 2-3 | 4-7 | 1.00 | 1.49 | 2 |
| <i>Picea mariana</i> 'Beissneri' Beissner Black Spruce | CE | 1.76 | G2 | 2 | 3-7 | 1.00 | 1.29 | 2 |
| <i>Picea mariana</i> 'Ericoides' Heath Blue Nest Spruce | CE | 1.03 | G2 | 2 | 3-7 | 1.00 | 1.29 | 2 |
| <i>Picea mariana</i> 'Golden' Golden Black Spruce | CE | 3.19 | G2 | 2 | 3-7 | 1.00 | 1.29 | 2 |
| <i>Picea mariana</i> 'Nana' Dwarf Black Spruce | CS | 1.19 | G2 | 2 | 3-7 | | 0.68 | 2 |
| <i>Picea mariana</i> 'Wellspire' Wellspire Columnar Black Spruce | CE | 1.76 | G2 | 2 | 3-7 | 1.00 | 1.65 | 2 |
| <i>Picea meyeri</i> Meyer Spruce | CE | 1.47 | G2 | 3-4 | 5-7 | 1.00 | 1.00 | 2 |
| <i>Picea morrisonicola</i> Taiwan Spruce | CE | 1.00 | G2 | 5-7 | 8 | 1.00 | 0.90 | 7 |
| <i>Picea omorika</i> Serbian Spruce | CE | 0.81 | G2 | 3-4 | 5-7 | 1.00 | 1.23 | 4 |
| <i>Picea omorika</i> 'Berliner's Weeper' Berliner's Weeper Serbian Spruce | CE | 2.18 | G2 | 3-4 | 5-7 | 1.00 | 1.30 | 4 |
| <i>Picea omorika</i> 'Expansa' Spreading Serbian Spruce | CE | 1.24 | G2 | 3-4 | 5-7 | 1.00 | 1.30 | 4 |
| <i>Picea omorika</i> 'Nana' Dwarf Serbian Spruce | CS | 2.00 | G2 | 3-4 | 5-7 | | 2.00 | 4 |
| <i>Picea omorika</i> 'Pendula Bruns' Weeping Bruns Serbian Spruce | CE | 2.63 | G2 | 3-4 | 5-7 | 1.00 | 1.30 | 4 |
| <i>Picea omorika</i> 'Pendula' Weeping Serbian Spruce | CE | 3.39 | G2 | 3-4 | 5-7 | 1.00 | 1.09 | 4 |
| <i>Picea omorika</i> 'Pimoko' Pimoko Serbian Spruce | CE | 2.83 | G2 | 3-4 | 5-7 | 1.00 | 1.30 | 4 |
| <i>Picea omorika</i> 'Riverside' Riverside Columnar Serbian Spruce | CE | 2.18 | G2 | 3-4 | 5-7 | 1.00 | 1.59 | 4 |
| <i>Picea orientalis</i> Oriental Spruce | CE | 1.00 | G2 | 3-5 | 6-7 | 1.00 | 1.26 | 5 |
| <i>Picea orientalis</i> 'Atrovirens' Deepgreen Oriental Spruce | CE | 2.16 | G2 | 3-5 | 6-7 | 1.00 | 1.64 | 5 |
| <i>Picea orientalis</i> 'Aurea' Bronzegold Oriental Spruce | CE | 1.95 | G2 | 3-5 | 6-7 | 1.00 | 1.64 | 5 |
| <i>Picea orientalis</i> 'Aureospicata' Yellowtip Oriental Spruce | CE | 1.84 | G2 | 3-5 | 6-7 | 1.00 | 1.61 | 5 |
| <i>Picea orientalis</i> 'Barnes' Barnes Oriental Spruce | CE | 1.74 | G2 | 3-5 | 6-7 | 1.00 | 1.64 | 5 |
| <i>Picea orientalis</i> 'Bergman's Gem' Bergman's Gem Oriental Spruce | CE | 1.74 | G2 | 3-5 | 6-7 | 1.00 | 1.64 | 5 |
| <i>Picea orientalis</i> 'Compacta Pendula' Compact Weeping Oriental Spruce | CE | 1.95 | G2 | 3-5 | 6-7 | 1.00 | 1.64 | 5 |
| <i>Picea orientalis</i> 'Compacta' Compact Oriental Spruce | CE | 1.95 | G2 | 3-5 | 6-7 | 1.00 | 2.33 | 5 |
| <i>Picea orientalis</i> 'Gowdy' Gowdy Oriental Spruce | CE | 1.95 | G2 | 3-5 | 6-7 | 1.00 | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Picea orientalis</i> 'Gracilis' Columnar Oriental Spruce | CE | 1.95 | G2 | 3-5 | 6-7 | 1.00 | 2.65 | 5 |
| <i>Picea orientalis</i> 'Kolaga' Kolaga Dwarf Oriental Spruce | CS | 2.32 | G2 | 3-5 | 6-7 | | 1.00 | 5 |
| <i>Picea orientalis</i> 'Nana' Dwarf Oriental Spruce | CS | 2.32 | G2 | 3-5 | 6-7 | | 1.00 | 5 |
| <i>Picea orientalis</i> 'Nigra Compacta' Compact Darkgreen Oriental Spruce | CE | 1.95 | G2 | 3-5 | 6-7 | 1.00 | 1.64 | 5 |
| <i>Picea orientalis</i> 'Pendula' Weeping Oriental Spruce | CE | 1.95 | G2 | 3-5 | 6-7 | 1.00 | 0.91 | 5 |
| <i>Picea orientalis</i> 'Skylands' Skylands Oriental Spruce | CE | 3.23 | G2 | 3-5 | 6-7 | 1.00 | 1.75 | 5 |
| <i>Picea polita</i> Tigertail Spruce | CE | 1.00 | G2 | 3-6 | 7-8 | 1.00 | 2.06 | 6 |
| <i>Picea pungens</i> Colorado Spruce | CE | 1.07 | G2 | 2-3 | 4-7 | 0.67 | 1.26 | 3 |
| <i>Picea pungens</i> 'Argentea' Silver Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Aurea' Golden Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Baby Blueeyes' P.P. 5457 Baby Blueeyes Colorado Blue Spruce | CS | 1.53 | G2 | 2-3 | 4-7 | | 1.64 | 3 |
| <i>Picea pungens</i> 'Bakeri' Bakeri Colorado Spruce | CE | 1.49 | G2 | 2-3 | 4-7 | 0.67 | 1.70 | 3 |
| <i>Picea pungens</i> 'Bizon Blue' Bizon Blue Colorado Spruce | CE | 2.27 | G2 | 3-4 | 5-7 | 0.67 | 1.68 | 3 |
| <i>Picea pungens</i> 'Blue Galaxy' Blue Galaxy Colorado Spruce | CE | 1.35 | G2 | 2-3 | 4-7 | 0.67 | 1.27 | 3 |
| <i>Picea pungens</i> 'Blue Totem' Blue Totem Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 1.63 | 3 |
| <i>Picea pungens</i> 'Buckwheat' Buckwheat Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Charmer' Charmer Colorado Spruce | CE | 3.68 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Columnaris' Columnar Colorado Spruce | CE | 2.13 | G2 | 2-3 | 4-7 | 0.67 | 1.31 | 3 |
| <i>Picea pungens</i> 'Compacta' Compact Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Corbet' Corbet Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Emerald Cushion' Emerald Cushion Colorado Spruce | CS | 2.37 | G2 | 2-3 | 4-7 | | 2.25 | 3 |
| <i>Picea pungens</i> 'Endtz' Endtz Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Fastigiata' Fastigate Colorado Spruce | CE | 2.38 | G2 | 2-3 | 4-7 | 0.67 | 1.39 | 3 |
| <i>Picea pungens</i> 'Fat Albert' Fat Albert Colorado Spruce | CE | 1.86 | G2 | 2-3 | 4-7 | 0.67 | 1.88 | 3 |
| <i>Picea pungens</i> 'Furst Bismarck' Furst Bismarck Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Glauca Blue Pagoda' Blue Pagoda Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Glauca Continental' Continental Blue Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 0.95 | 3 |
| <i>Picea pungens</i> 'Glauca Fastigiata' Columnar Blue Colorado Spruce | CE | 1.58 | G2 | 2-3 | 4-7 | 0.67 | 1.37 | 3 |
| <i>Picea pungens</i> 'Glauca Globosa' Dwarf Globe Blue Colorado Spruce | CS | 2.30 | G2 | 2-3 | 4-7 | | 2.67 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Picea pungens</i> 'Glauca Nana' Compact Blue Colorado Spruce | CE | 2.27 | G2 | 3-4 | 5-7 | 0.67 | 2.04 | 3 |
| <i>Picea pungens</i> 'Glauca Pendula' Weeping Blue Colorado Spruce | CE | 1.29 | G2 | 2-3 | 4-7 | 0.67 | 1.39 | 3 |
| <i>Picea pungens</i> 'Glauca Procumbens' Spreading Blue Colorado Spruce | CE | 1.53 | G2 | 2-3 | 4-7 | 0.67 | 2.05 | 3 |
| <i>Picea pungens</i> 'Glauca Prostrata' Prostrate Blue Colorado Spruce | CS | 2.32 | G2 | 2-3 | 4-7 | | 2.35 | 3 |
| <i>Picea pungens</i> 'Glauca' Blue Colorado Spruce | CE | 1.07 | G2 | 2-3 | 4-7 | 0.67 | 1.18 | 3 |
| <i>Picea pungens</i> 'Globe' Globe Colorado Spruce | CE | 2.82 | G2 | 2-3 | 4-7 | 0.67 | 2.89 | 3 |
| <i>Picea pungens</i> 'Gotelli Prostrate' Gotelli Prostrate Colorado Spruce | CS | 2.37 | G2 | 2-3 | 4-7 | | 2.25 | 3 |
| <i>Picea pungens</i> 'Green Spire' Green Spire Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Hillside' Hillside Colorado Spruce | CE | 3.57 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Hoopsii' Hoops Colorado Spruce | CE | 1.84 | G2 | 2-3 | 4-7 | 0.67 | 1.62 | 3 |
| <i>Picea pungens</i> 'Hunnewelliana' Hunnewell Colorado Spruce | CE | 1.43 | G2 | 2-3 | 4-7 | 0.67 | 1.99 | 3 |
| <i>Picea pungens</i> 'Iseli Fastigiata' Iseli Fastigiata Colorado Spruce | CE | 1.53 | G2 | 2-3 | 4-7 | 0.67 | 1.26 | 3 |
| <i>Picea pungens</i> 'Iseli Foxtail' Iseli Foxtail Colorado Blue Spruce | CE | 2.10 | G2 | 2-3 | 4-7 | 0.67 | 1.22 | 3 |
| <i>Picea pungens</i> 'Jean Iseli' Jean Iseli Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Koster Pendula' See - <i>Picea pungens</i> 'Glauca Pendula' | | | | | | | | |
| <i>Picea pungens</i> 'Koster' Koster Colorado Spruce | CE | 1.31 | G2 | 2-3 | 4-7 | 0.67 | 1.30 | 3 |
| <i>Picea pungens</i> 'Mesa Verde' Mesa Verde Colorado Spruce | CE | 2.89 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Mission Blue' Mission Blue Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 1.27 | 3 |
| <i>Picea pungens</i> 'Moerheim' Moerheim Colorado Spruce | CE | 1.86 | G2 | 2-3 | 4-7 | 0.67 | 1.87 | 3 |
| <i>Picea pungens</i> 'Montgomery' Montgomery Colorado Spruce | CE | 2.18 | G2 | 2-3 | 4-7 | 0.67 | 2.56 | 3 |
| <i>Picea pungens</i> 'Mrs. Cessarini' Mrs. Cessarini Colorado Spruce | CE | 1.57 | G2 | 2-3 | 4-7 | 0.67 | 2.61 | 3 |
| <i>Picea pungens</i> 'Pendula' Weeping Colorado Spruce | CE | 3.12 | G2 | 2-3 | 4-7 | 0.67 | 3.26 | 3 |
| <i>Picea pungens</i> 'Procumbens' See - <i>Picea pungens</i> 'Glauca Procumbens' | | | | | | | | |
| <i>Picea pungens</i> 'Prostrata' See - <i>Picea pungens</i> 'Glauca Prostrata' | | | | | | | | |
| <i>Picea pungens</i> 'Prostrate Blue Mist' Prostrate Blue Mist Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Saint Mary's Broom' Saint Mary's Broom Colorado Spruce | CE | 2.08 | G2 | 2-3 | 4-7 | 0.67 | 2.86 | 3 |
| <i>Picea pungens</i> 'Shilo-Weeping' Shilo-Weeping Colorado Spruce | CE | 3.51 | G2 | 2-3 | 4-7 | 0.67 | 3.15 | 3 |
| <i>Picea pungens</i> 'Silver Falls' Silver Falls Colorado Blue Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Snowkiss' Snowkiss Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 1.04 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Picea pungens</i> 'Stanley Gold' Stanley Gold Colorado Spruce | CE | 3.68 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Taponus' Taponus Colorado Spruce | CE | 3.68 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'The Blues' The Blues Colorado Spruce | CE | 3.68 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea pungens</i> 'Thompsen' Thompsen Colorado Spruce | CE | 2.27 | G2 | 2-3 | 4-7 | 0.67 | 2.12 | 3 |
| <i>Picea pungens</i> 'Thuem' Thuem Dwarf Colorado Spruce | CS | 3.31 | G2 | 2-3 | 4-7 | | 2.35 | 3 |
| <i>Picea pungens</i> 'Viridis' Green Colorado Spruce | BE | 1.00 | G2 | 2-3 | 4-7 | 1.00 | 1.00 | 3 |
| <i>Picea pungens</i> 'Walnut Glen' Walnut Glen Colorado Spruce | CE | 3.66 | G2 | 2-3 | 4-7 | 0.67 | 1.80 | 3 |
| <i>Picea purpurea</i> Purple-Cone Spruce | CE | 1.10 | G2 | 3-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Picea retroflexa</i> Retroflexa Spruce | CE | 1.00 | G2 | 4-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Picea rubens</i> Red Spruce | BE | 1.00 | G2 | 2 | 3-7 | 1.00 | 1.00 | 2 |
| <i>Picea sitchensis</i> Sitka Spruce | CE | 0.62 | G2 | 4-7 | 8 | 1.00 | 0.68 | 7 |
| <i>Picea sitchensis</i> 'Aurea' Golden Sitka Spruce | CE | 0.93 | G2 | 4-7 | 8 | 1.00 | 1.11 | 7 |
| <i>Picea sitchensis</i> 'Tenas' Tenas Sitka Spruce | CE | 1.23 | G2 | 4-7 | 8 | 1.00 | 1.53 | 7 |
| <i>Picea smithiana</i> Himalayan Spruce | CE | 1.75 | G2 | 4-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Picea torano</i> See - <i>Picea polita</i> | | | | | | | | |
| <i>Pieris</i> Pieris | BS | 1.29 | G2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Pieris</i> 'Brouwer's Beauty' Brouwer's Beauty Hybrid Pieris | BS | 1.51 | G2 | 6 | 7 | | 1.28 | 5 |
| <i>Pieris</i> 'Karenoma' Karenoma Hybrid Pieris | BS | 1.11 | G2 | 6 | 7 | | 1.15 | 5 |
| <i>Pieris</i> 'Spring Snow' Spring Snow Lily Hybrid Pieris | BS | 1.26 | G2 | 6 | 7 | | 1.10 | 5 |
| <i>Pieris floribunda</i> Mountain Pieris | BS | 1.00 | G2 | 5 | 6-7 | | 1.00 | 5 |
| <i>Pieris japonica</i> Japanese Pieris | BS | 1.18 | G2 | 5-6 | 7-8 | | 1.07 | 6 |
| <i>Pieris japonica</i> 'Captain Blood' Captain Blood Japanese Pieris | BS | 1.17 | G2 | 5-6 | 7-8 | | 1.20 | 6 |
| <i>Pieris japonica</i> 'Christmas Cheer' Christmas Cheer Japanese Pieris | BS | 0.92 | G2 | 5-6 | 7-8 | | 1.75 | 6 |
| <i>Pieris japonica</i> 'Coleman' Coleman Japanese Pieris | BS | 0.68 | G2 | 5-6 | 7-8 | | 1.20 | 6 |
| <i>Pieris japonica</i> 'Compacta' Compact Japanese Pieris | BS | 1.15 | G2 | 5-6 | 7-8 | | 1.04 | 6 |
| <i>Pieris japonica</i> 'Crispa' Crispa Japanese Pieris | BS | 1.30 | G2 | 5-6 | 7-8 | | 1.78 | 6 |
| <i>Pieris japonica</i> 'Dorothy Wycoff' Dorothy Wycoff Japanese Pieris | BS | 1.22 | G2 | 5-6 | 7-8 | | 1.24 | 6 |
| <i>Pieris japonica</i> 'Flaming Silver' Flaming Silver Japanese Pieris | BS | 1.21 | G2 | 5-6 | 7-8 | | 1.40 | 6 |
| <i>Pieris japonica</i> 'Flamingo' Flamingo Japanese Pieris | BS | 1.08 | G2 | 5-6 | 7-8 | | 1.20 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pieris japonica</i> 'Forest Flame' Forest Flame Japanese Pieris | BS | 1.13 | G2 | 5-6 | 7-8 | | 1.15 | 6 |
| <i>Pieris japonica</i> 'Geisha' Geisha Japanese Pieris | BS | 1.15 | G2 | 5-6 | 7-8 | | 1.20 | 6 |
| <i>Pieris japonica</i> 'Historyland Supreme' Historyland Supreme Japanese Pieris | BS | 1.29 | G2 | 5-6 | 7-8 | | 1.20 | 6 |
| <i>Pieris japonica</i> 'Little Heath Green' Little Heath Green Japanese Pieris | BS | 1.29 | G2 | 4-5 | 6-8 | | 1.20 | 5 |
| <i>Pieris japonica</i> 'Little Heath' Little Heath Japanese Pieris | BS | 1.54 | G2 | 4-5 | 6-8 | | 1.20 | 5 |
| <i>Pieris japonica</i> 'Mountain Fire' Mountain Fire Japanese Pieris | BS | 1.09 | G2 | 5-6 | 7-8 | | 1.02 | 6 |
| <i>Pieris japonica</i> 'Pink Flamingo' Pink Flamingo Japanese Pieris | BS | 0.86 | G2 | 5-6 | 7-8 | | 1.20 | 6 |
| <i>Pieris japonica</i> 'Purity' Purity Japanese Pieris | BS | 1.62 | G2 | 5-6 | 7-8 | | 1.73 | 6 |
| <i>Pieris japonica</i> 'Pygmaea' Dwarf Japanese Pieris | BS | 0.94 | G2 | 5-6 | 7-8 | | 1.20 | 6 |
| <i>Pieris japonica</i> 'Red Head' Red Head Japanese Pieris | BS | 1.02 | G2 | 5-6 | 7-8 | | 0.97 | 6 |
| <i>Pieris japonica</i> 'Red Mill' See - <i>Pieris japonica</i> 'Zeris' P.P. 4111 | | | | | | | | |
| <i>Pieris japonica</i> 'Scarlet O'Hara' Scarlet O'Hara Japanese Pieris | BS | 1.28 | G2 | 5-6 | 7-8 | | 1.05 | 6 |
| <i>Pieris japonica</i> 'Snow Bells' Snow Bells Japanese Pieris | BS | 1.17 | G2 | 5-6 | 7-8 | | 1.20 | 6 |
| <i>Pieris japonica</i> 'Snow Drift' Snow Drift Japanese Pieris | BS | 1.03 | G2 | 5-6 | 7-8 | | 1.11 | 6 |
| <i>Pieris japonica</i> 'Summer Hill' Summer Hill Japanese Pieris | BS | 1.49 | G2 | 5-6 | 7-8 | | 1.20 | 6 |
| <i>Pieris japonica</i> 'Temple Bells' Temple Bells Japanese Pieris | BS | 1.11 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pieris japonica</i> 'Valley Fire' Valley Fire Japanese Pieris | BS | 1.02 | G2 | 5-6 | 7-8 | | 1.12 | 6 |
| <i>Pieris japonica</i> 'Valley Rose' Valley Rose Japanese Pieris | BS | 1.15 | G2 | 5-6 | 7-8 | | 1.07 | 6 |
| <i>Pieris japonica</i> 'Valley Valentine' Valley Valentine Japanese Pieris | BS | 1.20 | G2 | 5-6 | 7-8 | | 1.06 | 6 |
| <i>Pieris japonica</i> 'Variegata' Variegated Japanese Pieris | BS | 1.12 | G2 | 5-6 | 7-8 | | 1.07 | 6 |
| <i>Pieris japonica</i> 'White Cascade' White Cascade Japanese Pieris | BS | 1.19 | G2 | 5-6 | 7-8 | | 1.12 | 6 |
| <i>Pieris japonica</i> 'White Pearl' White Pearl Japanese Pieris | BS | 1.17 | G2 | 4-6 | 7-8 | | 1.20 | 6 |
| <i>Pieris japonica</i> 'White Water' White Water Japanese Pieris | BS | 1.17 | G2 | 5-6 | 7-8 | | 1.20 | 6 |
| <i>Pieris japonica</i> 'Zeris' P.P. 4111 Red Mill Japanese Pieris | BS | 1.55 | G2 | 5-6 | 7-8 | | 1.10 | 6 |
| <i>Pieris japonica</i> var. <i>amamiana</i> No Common Name Found | BS | 1.84 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Pieris japonica</i> var. <i>yakushmanum</i> Yakushmanum Pieris | BS | 1.28 | G2 | 5-6 | 7-8 | | 1.04 | 6 |
| <i>Pieris japonica</i> var. <i>yakushmanum</i> 'Cavatine' Cavatine Yakushmanum Pieris | BS | 1.37 | G2 | 5-6 | 7-8 | | 1.11 | 6 |
| <i>Pieris japonica</i> var. <i>yakushmanum</i> 'Nocturne' Nocturne Yakushmanum Pieris | BS | 1.14 | G2 | 5-6 | 7-8 | | 1.04 | 6 |
| <i>Pieris japonica</i> var. <i>yakushmanum</i> 'Prelude' Prelude Yakushmanum Pieris | BS | 1.24 | G2 | 5-6 | 7-8 | | 1.04 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pieris japonica</i> var. <i>yakushmanum</i> 'Sarabande' Sarabande Yakushmanum Pieris | BS | 1.36 | G2 | 5-6 | 7-8 | | 0.96 | 6 |
| <i>Pieris taiwanensis</i> See - <i>Pieris japonica</i> | | | | | | | | |
| <i>Pigafetta filaris</i> Wanga Palm | PC | 1.00 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Pilea cardierei</i> Aluminum Plant | FO | 0.23 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Pilea cardierei</i> 'Minima' Minima Aluminum Plant | FO | 0.23 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Pilea glauca</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Pilea involucrata</i> Friendship Plant | FO | 0.20 | G3 | 8-11 | | | 1.00 | 11 |
| <i>Pilea microphylla</i> Artillery Plant | FO | 0.24 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Pilea nummulariifolia</i> Creeping Charlie | FO | 0.45 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Pilea repens</i> Black-leaf Panamica | FO | 0.36 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Pilea serpyllacea</i> No Common Name Found | FO | 0.30 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Pilea serpyllacea</i> 'Stoplight' Stoplight Pilea | FO | 0.27 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Pilosella aurantiaca</i> Orange Hawkweed | HP | 1.25 | G4 | 4-5 | 6-8 | | | |
| <i>Pilosella officinarum</i> Mouse-ear Hawkweed | HP | 1.30 | G4 | 4-5 | 6-8 | | | |
| <i>Pimelea humilis</i> No Common Name Found | BS | 1.00 | G4 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Pimelea prostrata</i> No Common Name Found | BS | 0.73 | G4 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Pimenta dioica</i> Allspice | BE | 1.15 | G1 | 10 | 11 | 1.00 | 0.66 | 10B |
| <i>Pimenta racemosa</i> West Indian Bay Tree | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Pimpinella anisum</i> Anise | AN | 0.86 | G4 | 5-8 | 9 | | | |
| <i>Pinanga coronata</i> Ivory Cane Palm | PC | 2.01 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Pinanga dicksonii</i> Ivory Crownshaft Palm | PC | 3.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Pinanga kuhlii</i> See - <i>Pinanga coronata</i> | | | | | | | | |
| <i>Pinckneya pubens</i> Feverbark | DT | 1.21 | G2 | 7-8 | 9-11 | 1.00 | 1.00 | 8 |
| <i>Pinckneya pubens</i> 'Pink Fever' Pink Fever Feverbark | DT | 0.53 | G2 | 7-8 | 9-11 | 1.00 | 1.00 | 8 |
| <i>Pinellia ternata</i> No Common Name Found | HP | 0.99 | G4 | 5-6 | 7-8 | | | |
| <i>Pinguicula moranensis</i> No Common Name Found | HP | 1.00 | G4 | 8-10 | 11 | | | |
| <i>Pinguicula primuliflora</i> No Common Name Found | HP | 1.00 | G4 | 7-8 | 9-10B | | | |
| <i>Pinus albicaulis</i> Whitebark Pine | CE | 0.90 | G2 | 2-3 | 4-5 | 1.00 | 1.50 | 2 |
| <i>Pinus aristata</i> Bristlecone Pine | CE | 1.47 | G2 | 2-3 | 4-7 | 1.00 | 1.79 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Pinus aristata</i> 'Bashful' Bashful Bristlecone Pine | CE | 4.19 | G2 | 2-3 | 4-7 | 1.00 | 1.79 | 3 |
| <i>Pinus aristata</i> 'Cecilia' Cecilia Bristlecone Pine | CE | 3.92 | G2 | 2-3 | 4-7 | 1.00 | 1.79 | 3 |
| <i>Pinus aristata</i> 'Doc' Doc Bristlecone Pine | CE | 4.19 | G2 | 2-3 | 4-7 | 1.00 | 1.79 | 3 |
| <i>Pinus aristata</i> 'Dopey' Dopey Bristlecone Pine | CE | 4.19 | G2 | 2-3 | 4-7 | 1.00 | 1.79 | 3 |
| <i>Pinus aristata</i> 'Grumpy' Grumpy Bristlecone Pine | CE | 4.19 | G2 | 2-3 | 4-7 | 1.00 | 1.79 | 3 |
| <i>Pinus aristata</i> 'Happy' Happy Bristlecone Pine | CE | 4.71 | G2 | 2-3 | 4-7 | 1.00 | 1.79 | 3 |
| <i>Pinus aristata</i> 'Sherwood Compact' Sherwood Compact Bristlecone Pine | CS | 3.87 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Pinus aristata</i> 'Sleepy' Sleepy Bristlecone Pine | CE | 4.19 | G2 | 2-3 | 4-7 | 1.00 | 1.79 | 3 |
| <i>Pinus aristata</i> 'Sneezy' Sneezy Bristlecone Pine | CE | 4.19 | G2 | 2-3 | 4-7 | 1.00 | 1.79 | 3 |
| <i>Pinus attenuata</i> Knobcone Pine | CE | 1.47 | G2 | 6-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Pinus ayacahuite</i> Mexican White Pine | CE | 1.00 | G2 | 6-7 | 8 | 1.00 | 0.62 | 7 |
| <i>Pinus banksiana</i> Jack Pine | CE | 1.98 | G2 | 2-3 | 4-7 | 1.00 | 0.44 | 2 |
| <i>Pinus banksiana</i> 'Broom' Broom Jack Pine | CE | 1.98 | G2 | 2-3 | 4-7 | 1.00 | 1.28 | 2 |
| <i>Pinus banksiana</i> 'Manomet' Manomet Jack Pine | CE | 1.47 | G2 | 2-3 | 4-7 | 1.00 | 1.10 | 2 |
| <i>Pinus banksiana</i> 'Schoodic' Schoodic Jack Pine | CE | 2.21 | G2 | 2-3 | 4-7 | 1.00 | 1.58 | 2 |
| <i>Pinus banksiana</i> 'Uncle Fogy' Uncle Fogy Jack Pine | CE | 2.25 | G2 | 2-3 | 4-7 | 1.00 | 1.10 | 2 |
| <i>Pinus brutia</i> Turkish Pine | CE | 1.00 | G3 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Pinus brutia</i> var. <i>eldarica</i> Eldar Pine | CE | 0.79 | G3 | 5-6 | 7-8 | 1.00 | 0.64 | 6 |
| <i>Pinus brutia</i> var. <i>eldarica</i> 'Christmas Blue' Christmas Blue™ Eldar Pine | CE | 0.95 | G3 | 5-6 | 7-8 | 1.00 | 0.64 | 6 |
| <i>Pinus bungeana</i> Lacebark Pine | CE | 1.46 | G2 | 2-4 | 5-7 | 1.00 | 1.54 | 4 |
| <i>Pinus canariensis</i> Canary Island Pine | CE | 0.92 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Pinus cembra</i> Swiss Stone Pine | CE | 2.32 | G2 | 1 | 2-7 | 1.00 | 1.93 | 1 |
| <i>Pinus cembra</i> 'Blue Mound' Blue Mound Swiss Stone Pine | CS | 3.87 | G2 | 1 | 2-7 | | 2.61 | 1 |
| <i>Pinus cembra</i> 'Glauca Compacta' Compact Blue Swiss Stone Pine | CS | 2.20 | G2 | 1 | 2-7 | | 1.42 | 1 |
| <i>Pinus cembra</i> 'Glauca' Blue Swiss Stone Pine | CE | 0.81 | G2 | 1 | 2-7 | 1.00 | 1.81 | 1 |
| <i>Pinus cembra</i> 'Klein' Silver Whispers™ Swiss Stone Pine | CE | 2.18 | G2 | 1 | 2-7 | 1.00 | 2.39 | 1 |
| <i>Pinus cembra</i> 'Nana' Dwarf Swiss Stone Pine | CE | 1.77 | G2 | 1 | 2-7 | 1.00 | 3.42 | 1 |
| <i>Pinus cembra</i> 'Silver Whispers' See - <i>Pinus cembra</i> 'Klein' | | | | | | | | |
| <i>Pinus cembra</i> var. <i>sibirica</i> See - <i>Pinus sibirica</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Pinus cembroides</i> Mexican Nut Pine | CE | 1.00 | G2 | 6-7 | 8-9 | 1.00 | 1.28 | 7 |
| <i>Pinus cembroides</i> var. <i>edulis</i> See - <i>Pinus edulis</i> | | | | | | | | |
| <i>Pinus clausa</i> Sand Pine | CE | 0.60 | G2 | 6-8 | 9-10 | 1.00 | 0.45 | 8 |
| <i>Pinus contorta</i> Shore Pine | CE | 0.85 | G2 | 4-5 | 6-8 | 1.00 | 0.67 | 5 |
| <i>Pinus contorta</i> 'Spaan's Dwarf' Spaan's Dwarf Shore Pine | CS | 1.82 | G2 | 4-5 | 6-8 | | 1.95 | 5 |
| <i>Pinus contorta</i> var. <i>latifolia</i> Lodgepole Pine | CE | 0.71 | G2 | 5-6 | 7-8 | 1.00 | 0.96 | 3 |
| <i>Pinus contorta</i> var. <i>latifolia</i> 'Chief Joseph' Chief Joseph Lodgepole Pine | CE | 4.04 | G2 | 5-6 | 7-8 | 1.00 | 0.96 | 3 |
| <i>Pinus contorta</i> var. <i>murrayana</i> Sierra Lodgepole Pine | CE | 1.00 | G2 | 5-6 | 7-8 | 1.00 | 1.00 | 5 |
| <i>Pinus coulteri</i> Big-cone Pine | CE | 0.95 | G2 | 5-8 | 9 | 1.00 | 1.00 | 8 |
| <i>Pinus densiflora</i> Japanese Red Pine | CE | 0.59 | G2 | 4-5 | 6-7 | 1.00 | 1.46 | 3 |
| <i>Pinus densiflora</i> 'Alice Verkade' Alice Verkade Japanese Red Pine | CE | 1.21 | G2 | 4-5 | 6-7 | 1.00 | 1.24 | 3 |
| <i>Pinus densiflora</i> 'Aurea' Golden Japanese Red Pine | CE | 1.23 | G2 | 4-5 | 6-7 | 1.00 | 0.97 | 3 |
| <i>Pinus densiflora</i> 'Globosa' Globe Japanese Red Pine | CE | 1.57 | G2 | 4-5 | 6-7 | 1.00 | 2.41 | 3 |
| <i>Pinus densiflora</i> 'Jane Kluis' Jane Kluis Japanese Red Pine | CE | 1.27 | G2 | 4-5 | 6-7 | 1.00 | 1.52 | 3 |
| <i>Pinus densiflora</i> 'Little Christopher' Little Christopher Japanese Red Pine | CS | 2.38 | G2 | 4-5 | 6-7 | | 1.00 | 3 |
| <i>Pinus densiflora</i> 'Oculus-draconis' Dragon's Eye Japanese Red Pine | CE | 1.25 | G2 | 4-5 | 6-7 | 1.00 | 1.29 | 3 |
| <i>Pinus densiflora</i> 'Pendula' Weeping Japanese Red Pine | CE | 1.40 | G2 | 4-5 | 6-7 | 1.00 | 1.04 | 3 |
| <i>Pinus densiflora</i> 'Soft Green' Soft Green Japanese Red Pine | CE | 1.21 | G2 | 4-5 | 6-7 | 1.00 | 1.24 | 3 |
| <i>Pinus densiflora</i> 'Tanyosho' See - <i>Pinus densiflora</i> 'Umbraculifera' | | | | | | | | |
| <i>Pinus densiflora</i> 'Umbraculifera Compacta' Dwarf Tanyosho Pine | CE | 0.79 | G2 | 4-5 | 6-7 | 1.00 | 1.94 | 3 |
| <i>Pinus densiflora</i> 'Umbraculifera' Tanyosho Pine | CE | 1.54 | G2 | 4-5 | 6-7 | 1.00 | 1.98 | 3 |
| <i>Pinus densiflora</i> 'Witch's Broom #7' Witch's Broom #7 Japanese Red Pine | CE | 1.21 | G2 | 4-5 | 6-7 | 1.00 | 1.51 | 3 |
| <i>Pinus echinata</i> Shortleaf Pine | CE | 1.00 | G2 | 5-6 | 7-8 | 0.78 | 1.00 | 6 |
| <i>Pinus edulis</i> Pinyon Pine | CE | 0.96 | G2 | 4-5 | 6-7 | 1.00 | 1.26 | 5 |
| <i>Pinus eldarica</i> See - <i>Pinus brutia</i> var. <i>eldarica</i> | | | | | | | | |
| <i>Pinus elliotii</i> Slash Pine | CE | 0.68 | G2 | 7-8 | 9-11 | 0.60 | 0.47 | 8 |
| <i>Pinus elliotii</i> var. <i>densa</i> See - <i>Pinus elliotii</i> | | | | | | | | |
| <i>Pinus flexilis</i> Limber Pine | CE | 0.95 | G2 | 2-3 | 4-6 | 1.00 | 1.22 | 3 |
| <i>Pinus flexilis</i> 'Cesserini Blue' Cesserini Blue Limber Pine | CE | 0.98 | G2 | 2-3 | 4-6 | 1.00 | 1.21 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pinus flexilis</i> 'Compacta' Compact Limber Pine | CE | 1.60 | G2 | 2-3 | 4-6 | 1.00 | 1.51 | 3 |
| <i>Pinus flexilis</i> 'Extra Blue' Extra Blue Limber Pine | CE | 2.21 | G2 | 2-3 | 4-6 | 1.00 | 1.46 | 3 |
| <i>Pinus flexilis</i> 'Glauca Pendula' Blue Weeping Limber Pine | CE | 2.21 | G2 | 2-3 | 4-6 | 1.00 | 2.10 | 3 |
| <i>Pinus flexilis</i> 'Glauca Reflexa' Blue Reflexa Limber Pine | CE | 1.61 | G2 | 2-3 | 4-6 | 1.00 | 1.18 | 3 |
| <i>Pinus flexilis</i> 'Glauca' Blue Limber Pine | CE | 1.14 | G2 | 2-3 | 4-6 | 1.00 | 1.16 | 3 |
| <i>Pinus flexilis</i> 'J. Michael' J. Michael Limber Pine | CE | 4.04 | G2 | 2-3 | 4-6 | 1.00 | 1.51 | 3 |
| <i>Pinus flexilis</i> 'Mill Creek' Mill Creek Limber Pine | CE | 2.21 | G2 | 2-3 | 4-6 | 1.00 | 1.47 | 3 |
| <i>Pinus flexilis</i> 'Nana' Dwarf Limber Pine | CE | 2.21 | G2 | 2-3 | 4-6 | 1.00 | 1.51 | 3 |
| <i>Pinus flexilis</i> 'Pearl' Pearl Limber Pine | CE | 2.21 | G2 | 2-3 | 4-6 | 1.00 | 1.51 | 3 |
| <i>Pinus flexilis</i> 'Pendula' Weeping Limber Pine | CE | 3.33 | G2 | 2-3 | 4-6 | 1.00 | 1.17 | 3 |
| <i>Pinus flexilis</i> 'Ririe' Ririe Limber Pine | CE | 4.41 | G2 | 2-3 | 4-6 | 1.00 | 1.51 | 3 |
| <i>Pinus flexilis</i> 'Riverbend' Riverbend Limber Pine | CE | 2.21 | G2 | 2-3 | 4-6 | 1.00 | 2.60 | 3 |
| <i>Pinus flexilis</i> 'Shadow's Blue' Shadow's Blue Limber Pine | CE | 2.21 | G2 | 2-3 | 4-6 | 1.00 | 1.51 | 3 |
| <i>Pinus flexilis</i> 'Silver' Silver Limber Pine | CE | 2.21 | G2 | 2-3 | 4-6 | 1.00 | 1.51 | 3 |
| <i>Pinus flexilis</i> 'Vanderwolf's Pyramid' Vanderwolf's Pyramid Limber Pine | CE | 1.82 | G2 | 2-3 | 4-6 | 1.00 | 1.50 | 3 |
| <i>Pinus gerardiana</i> Chilgoza Pine | CE | 1.62 | G2 | 6-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Pinus glabra</i> Spruce Pine | CE | 0.57 | G2 | 6-8 | 9-10A | 1.00 | 0.57 | 8 |
| <i>Pinus griffithii</i> See - <i>Pinus wallichiana</i> | | | | | | | | |
| <i>Pinus x hakkodensis</i> Hakkodensis Hybrid Pine | CE | 1.00 | G2 | 3-4 | 5-6 | 1.00 | 1.00 | 4 |
| <i>Pinus halepensis</i> Aleppo Pine | CE | 0.96 | G2 | 7-8 | 9 | 1.00 | 1.00 | 8 |
| <i>Pinus halepensis</i> var. <i>brutia</i> See - <i>Pinus brutia</i> | | | | | | | | |
| <i>Pinus heldreichii</i> Heldreich Pine | CE | 0.96 | G2 | 4-5 | 6-7 | 1.00 | 0.95 | 5 |
| <i>Pinus heldreichii</i> var. <i>leucodermis</i> See - <i>Pinus leucodermis</i> | | | | | | | | |
| <i>Pinus jeffreyi</i> Jeffrey Pine | CE | 0.90 | G2 | 6 | 7-8 | 1.00 | 0.78 | 6 |
| <i>Pinus kochiana</i> See - <i>Pinus sylvestris</i> var. <i>hamata</i> | | | | | | | | |
| <i>Pinus koraiensis</i> Korean Pine | CE | 1.90 | G2 | 2-3 | 4-6 | 1.00 | 1.54 | 3 |
| <i>Pinus koraiensis</i> 'Dragon Eye' Dragon Eye Korean Pine | CE | 1.56 | G2 | 2-3 | 4-6 | 1.00 | 1.62 | 3 |
| <i>Pinus koraiensis</i> 'Glauca' See - <i>Pinus koraiensis</i> 'Silveray' | | | | | | | | |
| <i>Pinus koraiensis</i> 'Morris Blue' Morris Blue Korean Pine | CE | 1.56 | G2 | 2-3 | 4-6 | 1.00 | 1.28 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pinus koraiensis</i> 'Nana' Dwarf Korean Pine | CS | 1.55 | G2 | 2-3 | 4-6 | | 1.00 | 3 |
| <i>Pinus koraiensis</i> 'Silveray' Silveray Korean Pine | CE | 1.31 | G2 | 2-3 | 4-6 | 1.00 | 1.48 | 3 |
| <i>Pinus koraiensis</i> 'Winton' Winton Korean Pine | CE | 1.47 | G2 | 2-3 | 4-6 | 1.00 | 1.48 | 3 |
| <i>Pinus kwangtungensis</i> Kwangtung Pine | CE | 1.31 | G2 | 2-5 | 6-7 | 1.00 | 0.63 | 5 |
| <i>Pinus lambertiana</i> Sugar Pine | CE | 1.16 | G2 | 6-7 | 8-9 | 1.00 | 1.12 | 6 |
| <i>Pinus leucodermis</i> Bosnian Pine | CE | 1.11 | G2 | 4-5 | 6-7 | 1.00 | 1.17 | 5 |
| <i>Pinus leucodermis</i> 'Satellit' Satellit Bosnian Pine | CE | 1.11 | G2 | 4-5 | 6-7 | 1.00 | 1.49 | 5 |
| <i>Pinus monophylla</i> Single-leaf Pinyon Pine | CE | 1.47 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 6 |
| <i>Pinus monophylla</i> 'Barb's Best' Barb's Best Single-leaf Pinyon Pine | CE | 2.94 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 6 |
| <i>Pinus monophylla</i> 'Elegance' Elegance Single-leaf Pinyon Pine | CE | 1.62 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 6 |
| <i>Pinus monophylla</i> 'Kyle's Blue' Kyle's Blue Single-leaf Pinyon Pine | CE | 2.94 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 6 |
| <i>Pinus monophylla</i> 'Larry's Blue' Larry's Blue Single-leaf Pinyon Pine | CE | 2.12 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 6 |
| <i>Pinus monophylla</i> 'Stanley's Pyramid' Stanley's Pyramid Single-leaf Pinyon Pine | CE | 1.62 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 6 |
| <i>Pinus monticola</i> Western White Pine | CE | 0.59 | G2 | 3-4 | 5-6 | 1.00 | 0.87 | 4 |
| <i>Pinus mugo</i> Mugo Pine | CS | 0.93 | G2 | 2-3 | 4-7 | | 1.44 | 3 |
| <i>Pinus mugo</i> 'Aurea' Golden Mugo Pine | CS | 1.76 | G2 | 2-3 | 4-7 | | 0.95 | 3 |
| <i>Pinus mugo</i> 'Big Tuna' Big Tuna Mugo Pine | CS | 3.81 | G2 | 2-3 | 4-7 | | 1.52 | 3 |
| <i>Pinus mugo</i> 'Columnar' Columnar Mugo Pine | CS | 5.95 | G2 | 2-3 | 4-7 | | 1.52 | 3 |
| <i>Pinus mugo</i> 'Compacta' Compact Mugo Pine | CS | 0.68 | G2 | 2-3 | 4-7 | | 1.50 | 3 |
| <i>Pinus mugo</i> 'Enci' Enci Mugo Pine | CS | 1.46 | G2 | 2-3 | 4-7 | | 2.00 | 3 |
| <i>Pinus mugo</i> 'Gnom' Gnom Mugo Pine | CS | 2.22 | G2 | 2-3 | 4-7 | | 2.20 | 3 |
| <i>Pinus mugo</i> 'Goldspire' Goldspire Mugo Pine | CS | 2.22 | G2 | 2-3 | 4-7 | | 1.52 | 3 |
| <i>Pinus mugo</i> 'Iseli White Bud' Iseli White Bud Mugo Pine | CS | 2.17 | G2 | 2-3 | 4-7 | | 1.27 | 3 |
| <i>Pinus mugo</i> 'Mitsch Mini' Mitsch Mini Mugo Pine | CS | 2.38 | G2 | 2-3 | 4-7 | | 1.52 | 3 |
| <i>Pinus mugo</i> 'Montana' See - <i>Pinus uncinata</i> | | | | | | | | |
| <i>Pinus mugo</i> 'Mops' Mops Mugo Pine | CS | 2.61 | G2 | 2-3 | 4-7 | | 1.81 | 3 |
| <i>Pinus mugo</i> 'Oregon Jade' Oregon Jade Mugo Pine | CS | 2.21 | G2 | 2-3 | 4-7 | | 1.52 | 3 |
| <i>Pinus mugo</i> 'Paul's Dwarf' Paul's Dwarf Mugo Pine | CS | 2.22 | G2 | 2-3 | 4-7 | | 1.52 | 3 |
| <i>Pinus mugo</i> 'Prostrata' Prostrate Mugo Pine | CS | 2.22 | G2 | 2-3 | 4-7 | | 1.52 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pinus mugo</i> 'Sherwood Compact' Sherwood Compact Mugo Pine | CS | 2.22 | G2 | 2-3 | 4-7 | | 1.52 | 3 |
| <i>Pinus mugo</i> 'Slowmound' Slowmound Mugo Pine | CS | 1.73 | G2 | 2-3 | 4-7 | | 1.52 | 3 |
| <i>Pinus mugo</i> 'Tannenbaum' Tannenbaum Mugo Pine | CE | 2.49 | G2 | 2-3 | 4-7 | 1.00 | 1.00 | 3 |
| <i>Pinus mugo</i> 'Tyrol' Tyrolean Mugo Pine | CS | 1.02 | G2 | 2-3 | 4-7 | | 1.07 | 3 |
| <i>Pinus mugo</i> 'Valley Cushion' Valley Cushion Mugo Pine | CS | 2.17 | G2 | 2-3 | 4-7 | | 1.45 | 3 |
| <i>Pinus mugo</i> var. <i>mughus</i> See - <i>Pinus mugo</i> | | | | | | | | |
| <i>Pinus mugo</i> var. <i>pumilio</i> Dwarf Mugo Pine | CS | 1.13 | G2 | 2-3 | 4-7 | | 1.13 | 3 |
| <i>Pinus mugo</i> var. <i>tyrolean</i> See - <i>Pinus mugo</i> 'Tyrol' | | | | | | | | |
| <i>Pinus muricata</i> Bishop Pine | CE | 1.29 | G2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Pinus nigra</i> Black Pine | CE | 0.93 | G2 | 3 | 4-7 | 1.00 | 1.16 | 3 |
| <i>Pinus nigra</i> 'Arnold Sentinel' Arnold Sentinel Austrian Pine | CE | 2.19 | G2 | 3 | 4-7 | 1.00 | 1.69 | 3 |
| <i>Pinus nigra</i> 'Breppo' Breppo Austrian Pine | CE | 2.18 | G2 | 2-3 | 4-7 | 1.00 | 1.63 | 3 |
| <i>Pinus nigra</i> 'Candlewood' Candlewood Austrian Pine | CE | 1.70 | G2 | 3 | 4-7 | 1.00 | 1.63 | 3 |
| <i>Pinus nigra</i> 'Columnaris' Columnar Austrian Pine | CE | 1.70 | G2 | 3 | 4-7 | 1.00 | 1.63 | 3 |
| <i>Pinus nigra</i> 'Compacta' Compact Austrian Pine | CS | 2.24 | G2 | 3 | 4-7 | | 0.83 | 3 |
| <i>Pinus nigra</i> 'Globosa' Globe Austrian Pine | CE | 1.47 | G2 | 3 | 4-7 | 1.00 | 1.75 | 3 |
| <i>Pinus nigra</i> 'Helena' Helena Austrian Pine | CE | 1.47 | G2 | 3 | 4-7 | 1.00 | 1.63 | 3 |
| <i>Pinus nigra</i> 'Hornbrookiana' Hornbrook Austrian Pine | CE | 1.70 | G2 | 3 | 4-7 | 1.00 | 1.83 | 3 |
| <i>Pinus nigra</i> 'Jeddeloh' Jeddeloh Austrian Pine | CE | 2.21 | G2 | 3 | 4-7 | 1.00 | 1.71 | 3 |
| <i>Pinus nigra</i> 'Monstrosa' Monstrous Austrian Pine | CE | 1.70 | G2 | 3 | 4-7 | 1.00 | 1.63 | 3 |
| <i>Pinus nigra</i> 'Moseri' Moser Austrian Pine | CS | 5.95 | G2 | 2-3 | 4-7 | | 0.89 | 3 |
| <i>Pinus nigra</i> 'Nana' Dwarf Austrian Pine | CS | 4.10 | G2 | 3 | 4-7 | | 0.94 | 3 |
| <i>Pinus nigra</i> 'Nishiki' See - <i>Pinus nigra</i> 'Candlewood' | | | | | | | | |
| <i>Pinus nigra</i> 'Oregon Green' Oregon Green Austrian Pine | CE | 1.70 | G2 | 3 | 4-7 | 1.00 | 1.63 | 3 |
| <i>Pinus nigra</i> 'Pyramidalis' Pyramid Austrian Pine | CE | 1.47 | G2 | 3 | 4-7 | 1.00 | 1.63 | 3 |
| <i>Pinus nigra</i> 'Variegata' Variegated Austrian Pine | CE | 1.70 | G2 | 3 | 4-7 | 1.00 | 1.63 | 3 |
| <i>Pinus nigra</i> ssp. <i>nigra</i> Austrian Pine | CE | 1.09 | G2 | 3 | 4-7 | 1.00 | 1.10 | 3 |
| <i>Pinus oocarpa</i> Egg-cone Pine | CE | 1.00 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Pinus palustris</i> Longleaf Pine | CE | 0.66 | G2 | 6-9 | 10 | 1.29 | 0.54 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pinus parviflora</i> Japanese White Pine | CE | 1.97 | G2 | 3-5 | 6-7 | 1.00 | 1.68 | 5 |
| <i>Pinus parviflora</i> 'Adcock's Dwarf' Adcock's Dwarf Japanese White Pine | CS | 1.73 | G2 | 3-5 | 6-7 | | 2.31 | 5 |
| <i>Pinus parviflora</i> 'Aizu-goyo' Aizu-goyo Japanese White Pine | CE | 3.68 | G2 | 3-5 | 6-7 | 1.00 | 1.70 | 5 |
| <i>Pinus parviflora</i> 'Ara-kawa' Ara-kawa Japanese White Pine | CE | 1.97 | G2 | 3-5 | 6-7 | 1.00 | 1.54 | 5 |
| <i>Pinus parviflora</i> 'Azuma-goyo' Azuma-goyo Japanese White Pine | CE | 1.66 | G2 | 3-5 | 6-7 | 1.00 | 1.70 | 5 |
| <i>Pinus parviflora</i> 'Bergman' Bergman Japanese White Pine | CE | 1.97 | G2 | 3-5 | 6-7 | 1.00 | 1.70 | 5 |
| <i>Pinus parviflora</i> 'Brevifolia' Brevifolia Japanese White Pine | CE | 1.52 | G2 | 3-5 | 6-7 | 1.00 | 1.88 | 5 |
| <i>Pinus parviflora</i> 'Cleary' Cleary Japanese White Pine | CE | 1.97 | G2 | 3-5 | 6-7 | 1.00 | 1.70 | 5 |
| <i>Pinus parviflora</i> 'Compacta Nana' Compacta Nana Japanese White Pine | CS | 2.57 | G2 | 3-5 | 6-7 | | 1.84 | 5 |
| <i>Pinus parviflora</i> 'Fukusumi' Fukusumi Japanese White Pine | CE | 1.18 | G2 | 3-5 | 6-7 | 1.00 | 1.71 | 5 |
| <i>Pinus parviflora</i> 'Gimborn's Ideal' Gimborn's Ideal Japanese White Pine | CE | 1.25 | G2 | 3-5 | 6-7 | 1.00 | 1.41 | 5 |
| <i>Pinus parviflora</i> 'Gimborn's Pyramid' Gimborn's Pyramid Japanese White Pine | CE | 1.10 | G2 | 3-5 | 6-7 | 1.00 | 1.70 | 5 |
| <i>Pinus parviflora</i> 'Glauca Nana' Dwarf Blue Silver Japanese White Pine | CS | 1.61 | G2 | 3-5 | 6-7 | | 1.36 | 5 |
| <i>Pinus parviflora</i> 'Glauca' Silver Japanese White Pine | CE | 1.99 | G2 | 3-5 | 6-7 | 1.00 | 1.35 | 5 |
| <i>Pinus parviflora</i> 'Hagoromo' Hagoromo Japanese White Pine | CE | 2.18 | G2 | 3-5 | 6-7 | 1.00 | 1.70 | 5 |
| <i>Pinus parviflora</i> 'Ibo-can' Ibo-can Japanese White Pine | CE | 1.62 | G2 | 3-5 | 6-7 | 1.00 | 1.70 | 5 |
| <i>Pinus parviflora</i> 'Kanrico' Kanrico Japanese White Pine | CE | 2.39 | G2 | 3-5 | 6-7 | 1.00 | 1.70 | 5 |
| <i>Pinus parviflora</i> 'Nasu-goyo' Nasu-goyo Japanese White Pine | CE | 1.91 | G2 | 3-5 | 6-7 | 1.00 | 1.70 | 5 |
| <i>Pinus parviflora</i> 'Ogon-janome' Ogon-janome Japanese White Pine | CE | 1.54 | G2 | 3-5 | 6-7 | 1.00 | 1.94 | 5 |
| <i>Pinus parviflora</i> 'Tano-Mano-Uki' Tani-Mano-Uki Japanese White Pine | CE | 4.41 | G2 | 3-5 | 6-7 | 1.00 | 3.03 | 5 |
| <i>Pinus parviflora</i> 'Templehof' Templehof Japanese White Pine | CE | 1.51 | G2 | 3-5 | 6-7 | 1.00 | 1.54 | 5 |
| <i>Pinus parviflora</i> 'Yatsubusa' Yatsubusa Japanese White Pine | CE | 1.61 | G2 | 3-5 | 6-7 | 1.00 | 0.92 | 5 |
| <i>Pinus parviflora</i> var. <i>pentaphylla</i> 'Azuma' See - <i>Pinus parviflora</i> 'Azuma-goyo' | | | | | | | | |
| <i>Pinus pentaphylla</i> See - <i>Pinus parviflora</i> | | | | | | | | |
| <i>Pinus peuce</i> Macedonian Pine | CE | 1.00 | G2 | 3-5 | 6-7 | 1.00 | 1.29 | 5 |
| <i>Pinus pinea</i> Italian Stone Pine | CE | 0.91 | G2 | 7-8 | 9 | 1.00 | 1.00 | 8 |
| <i>Pinus ponderosa</i> Ponderosa Pine | CE | 1.23 | G2 | 3-5 | 6-7 | 1.00 | 1.15 | 3 |
| <i>Pinus ponderosa</i> 'Dixie' Dixie Ponderosa Pine | CE | 4.01 | G2 | 3-5 | 6-7 | 1.00 | 1.15 | 3 |
| <i>Pinus ponderosa</i> 'Hi Desert' Hi Desert Ponderosa Pine | CE | 2.90 | G2 | 3-5 | 6-7 | 1.00 | 1.15 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Pinus ponderosa</i> 'Willamette Valley' Willamette Valley Ponderosa Pine | CE | 2.71 | G2 | 2-3 | 4-7 | 1.00 | 1.15 | 3 |
| <i>Pinus pumila</i> Japanese Stone Pine | CS | 2.40 | G2 | 3 | 4-7 | | 1.50 | 1 |
| <i>Pinus pumila</i> 'Glauca' Blue Japanese Stone Pine | CS | 2.28 | G2 | 3 | 4-7 | | 1.50 | 1 |
| <i>Pinus pumila</i> 'Globe' Globe Japanese Stone Pine | CS | 2.34 | G2 | 3 | 4-7 | | 1.50 | 1 |
| <i>Pinus pumila</i> 'Nana' Dwarf Japanese Pine | CS | 2.34 | G2 | 3 | 4-7 | | 1.50 | 1 |
| <i>Pinus pumila</i> 'Pygmaea' Pygmy Japanese Stone Pine | CS | 2.34 | G2 | 3 | 4-7 | | 1.50 | 1 |
| <i>Pinus pumila</i> 'Yes-Alpina' Yes-Alpina Japanese Stone Pine | CS | 2.34 | G2 | 3 | 4-7 | | 1.50 | 1 |
| <i>Pinus radiata</i> Monterey Pine | CE | 0.83 | G2 | 7-8 | 9-10 | 1.00 | 1.00 | 7 |
| <i>Pinus resinosa</i> American Red Pine | CE | 0.96 | G2 | 2 | 3-6 | 1.00 | 1.00 | 2 |
| <i>Pinus resinosa</i> 'Don Smith' Don Smith Red Pine | CE | 1.80 | G2 | 2 | 3-6 | 1.00 | 1.00 | 2 |
| <i>Pinus resinosa</i> 'Morel' Morel Red Pine | CE | 2.63 | G2 | 2 | 3-6 | 1.00 | 1.00 | 2 |
| <i>Pinus rigida</i> Pitch Pine | CE | 1.03 | G2 | 3-4 | 5-7 | 1.00 | 1.11 | 4 |
| <i>Pinus roxburghii</i> Chir Pine | CE | 0.99 | G2 | 7-8 | 9-10 | 1.00 | 1.00 | 8 |
| <i>Pinus sabiniana</i> Digger Pine | CE | 0.76 | G2 | 7-8 | 9-10 | 1.00 | 1.00 | 8 |
| <i>Pinus serotina</i> Pond Pine | CE | 1.00 | G2 | 7-8 | 9-10 | 1.00 | 1.00 | 7 |
| <i>Pinus sibirica</i> Siberian Pine | CE | 1.00 | G2 | 1 | 2-7 | 1.00 | 1.00 | 1 |
| <i>Pinus strobiformis</i> Southwestern White Pine | CE | 0.66 | G2 | 7-8 | 9-10 | 1.00 | 1.13 | 6 |
| <i>Pinus strobiformis</i> 'Loma Linda' Loma Linda Southwestern White Pine | CE | 4.41 | G2 | 7-8 | 9-10 | 1.00 | 1.13 | 6 |
| <i>Pinus strobus</i> Eastern White Pine | CE | 0.78 | G2 | 3 | 4-7 | 0.51 | 0.80 | 3 |
| <i>Pinus strobus</i> 'Alba' Alba White Pine | CE | 1.10 | G2 | 3 | 4-7 | 0.99 | 1.13 | 3 |
| <i>Pinus strobus</i> 'Anna Fiele' Anna Fiele White Pine | CE | 1.65 | G2 | 3 | 4-7 | 0.99 | 1.40 | 3 |
| <i>Pinus strobus</i> 'Bennett Clump Leaf' Bennett Clump Leaf White Pine | CE | 1.65 | G2 | 3 | 4-7 | 0.99 | 1.40 | 3 |
| <i>Pinus strobus</i> 'Billaw' Billaw White Pine | CE | 1.65 | G2 | 3 | 4-7 | 0.99 | 1.40 | 3 |
| <i>Pinus strobus</i> 'Blue Jay' Blue Jay White Pine | CE | 1.65 | G2 | 3 | 4-7 | 0.99 | 1.40 | 3 |
| <i>Pinus strobus</i> 'Blue Mountain' Blue Mountain White Pine | CE | 1.65 | G2 | 3 | 4-7 | 0.99 | 0.80 | 3 |
| <i>Pinus strobus</i> 'Blue Shag' Blue Shag White Pine | CE | 2.69 | G2 | 3 | 4-7 | 0.99 | 1.50 | 3 |
| <i>Pinus strobus</i> 'Brevifolia' Brevifolia White Pine | CE | 1.25 | G2 | 3 | 4-7 | 0.99 | 1.25 | 3 |
| <i>Pinus strobus</i> 'Colson's Nest' Colson's Nest White Pine | CE | 1.65 | G2 | 3 | 4-7 | 0.99 | 1.40 | 3 |
| <i>Pinus strobus</i> 'Contorta' Contorted White Pine | CE | 2.26 | G2 | 3 | 4-7 | 1.44 | 0.81 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pinus strobus</i> 'Densa' Dense White Pine | CE | 1.47 | G2 | 3 | 4-7 | 1.01 | 0.52 | 3 |
| <i>Pinus strobus</i> 'Domingo' Domingo White Pine | CE | 1.65 | G2 | 3 | 4-7 | 0.99 | 1.29 | 3 |
| <i>Pinus strobus</i> 'Fastigiata' Pyramidal White Pine | CE | 1.68 | G2 | 3 | 4-7 | 0.99 | 0.91 | 3 |
| <i>Pinus strobus</i> 'Glauca Nana' Dwarf Blue White Pine | CS | 1.76 | G2 | 3 | 4-7 | | 1.50 | 3 |
| <i>Pinus strobus</i> 'Green Shadow' Green Shadow White Pine | CE | 1.65 | G2 | 2-3 | 4-7 | 0.99 | 1.40 | 3 |
| <i>Pinus strobus</i> 'Greg' Greg White Pine | CE | 1.48 | G2 | 3 | 4-7 | 0.99 | 1.40 | 3 |
| <i>Pinus strobus</i> 'Herzog Sport' Herzog Sport White Pine | CE | 1.65 | G2 | 3 | 4-7 | 0.99 | 1.43 | 3 |
| <i>Pinus strobus</i> 'Horsford' Horsford Dwarf White Pine | CS | 1.54 | G2 | 3 | 4-7 | | 1.88 | 3 |
| <i>Pinus strobus</i> 'Macopin' Macopin White Pine | CE | 3.19 | G2 | 3 | 4-7 | 0.99 | 3.09 | 3 |
| <i>Pinus strobus</i> 'Merrimack' Merrimack White Pine | CE | 1.27 | G2 | 3 | 4-7 | 0.99 | 1.15 | 3 |
| <i>Pinus strobus</i> 'Minuta' Minuta White Pine | CE | 1.64 | G2 | 3 | 4-7 | 0.99 | 2.10 | 3 |
| <i>Pinus strobus</i> 'Nana' Dwarf White Pine | CS | 2.30 | G2 | 3 | 4-7 | | 1.93 | 3 |
| <i>Pinus strobus</i> 'Oliver Dwarf' Oliver Dwarf White Pine | CS | 1.85 | G2 | 3 | 4-7 | | 1.77 | 3 |
| <i>Pinus strobus</i> 'Ontario' Ontario White Pine | CE | 1.65 | G2 | 3 | 4-7 | 0.99 | 1.40 | 3 |
| <i>Pinus strobus</i> 'Pendula' Weeping White Pine | CE | 1.56 | G2 | 3 | 4-7 | 1.42 | 1.05 | 3 |
| <i>Pinus strobus</i> 'Pumila' Pumila White Pine | CE | 1.65 | G2 | 3 | 4-7 | 0.99 | 4.32 | 3 |
| <i>Pinus strobus</i> 'Pygmaea' Pygmy White Pine | CS | 1.79 | G2 | 3 | 4-7 | | 1.77 | 3 |
| <i>Pinus strobus</i> 'Sea Urchin' Sea Urchin White Pine | CE | 1.79 | G2 | 3 | 4-7 | 0.99 | 2.39 | 3 |
| <i>Pinus strobus</i> 'Torulosa' Twisted White Pine | CE | 1.27 | G2 | 3 | 4-7 | 0.55 | 0.86 | 3 |
| <i>Pinus strobus</i> 'Umbraculifera' Umbrella White Pine | CE | 1.10 | G2 | 3 | 4-7 | 0.99 | 0.87 | 3 |
| <i>Pinus strobus</i> 'Uncatena' Uncatena White Pine | CE | 1.65 | G2 | 3 | 4-7 | 0.99 | 1.40 | 3 |
| <i>Pinus strobus</i> 'White Mountain' White Mountain White Pine | CE | 1.84 | G2 | 3 | 4-7 | 0.99 | 0.93 | 3 |
| <i>Pinus strobus</i> 'Winter Gold' Winter Gold White Pine | CE | 1.65 | G2 | 3 | 4-7 | 0.99 | 0.79 | 3 |
| <i>Pinus sylvestris</i> Scots Pine | CE | 1.08 | G2 | 2 | 3-7 | 1.00 | 0.99 | 2 |
| <i>Pinus sylvestris</i> 'Albyns' Albyns Scots Pine | CE | 2.19 | G2 | 2 | 3-7 | 1.00 | 1.36 | 2 |
| <i>Pinus sylvestris</i> 'Aurea' Golden Scots Pine | CE | 1.76 | G2 | 2 | 3-7 | 1.00 | 1.36 | 2 |
| <i>Pinus sylvestris</i> 'Beauvronensis' Beauvronensis Scots Pine | CE | 2.21 | G2 | 2 | 3-7 | 1.00 | 1.41 | 2 |
| <i>Pinus sylvestris</i> 'Belgium' Belgium Scots Pine | CE | 1.76 | G2 | 2 | 3-7 | 1.00 | 1.04 | 2 |
| <i>Pinus sylvestris</i> 'Bonna' Bonna Scots Pine | CE | 1.76 | G2 | 2 | 3-7 | 1.00 | 1.36 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pinus sylvestris</i> 'East Anglia' East Anglia Scots Pine | CE | 1.76 | G2 | 2 | 3-7 | 1.00 | 1.04 | 2 |
| <i>Pinus sylvestris</i> 'Fastigiata Glauca' Blue Sentinel Scots Pine | CE | 1.76 | G2 | 2 | 3-7 | 1.00 | 1.01 | 2 |
| <i>Pinus sylvestris</i> 'Fastigiata' Sentinel Scots Pine | CE | 1.69 | G2 | 2 | 3-7 | 1.00 | 0.95 | 2 |
| <i>Pinus sylvestris</i> 'French Blue' French Blue Scots Pine | CE | 1.10 | G2 | 2 | 3-7 | 1.00 | 1.23 | 2 |
| <i>Pinus sylvestris</i> 'Glauca Nana' Dwarf Blue Scots Pine | CS | 2.08 | G2 | 2 | 3-7 | | 1.64 | 2 |
| <i>Pinus sylvestris</i> 'Globosa Viridis' Green Globe Scots Pine | CE | 1.50 | G2 | 2 | 3-7 | 1.00 | 1.71 | 2 |
| <i>Pinus sylvestris</i> 'Greg's Variegated' Greg's Variegated Scots Pine | CE | 1.83 | G2 | 2 | 3-7 | 1.00 | 1.36 | 2 |
| <i>Pinus sylvestris</i> 'Hillside Creeper' Hillside Creeper Scots Pine | CE | 2.55 | G2 | 2 | 3-7 | 1.00 | 1.58 | 2 |
| <i>Pinus sylvestris</i> 'Mitsch Weeping' Mitsch Weeping Scots Pine | CE | 1.64 | G2 | 2 | 3-7 | 1.00 | 1.22 | 2 |
| <i>Pinus sylvestris</i> 'Moseri' See - <i>Pinus nigra</i> 'Moseri' | | | | | | | | |
| <i>Pinus sylvestris</i> 'Nana Compressa' Nana Compressa Scots Pine | CS | 2.21 | G2 | 2 | 3-7 | | 2.54 | 2 |
| <i>Pinus sylvestris</i> 'Nana' Dwarf Scots Pine | CS | 2.65 | G2 | 2 | 3-7 | | 1.74 | 2 |
| <i>Pinus sylvestris</i> 'Pyramidalis Compacta' Compact Pyramidal Scots Pine | CS | 2.21 | G2 | 2 | 3-7 | | 1.62 | 2 |
| <i>Pinus sylvestris</i> 'Pyramidalis Glauca' Blue Pyramid Scots Pine | CE | 1.76 | G2 | 2 | 3-7 | 1.00 | 1.36 | 2 |
| <i>Pinus sylvestris</i> 'Repens' Creeping Scots Pine | CS | 2.20 | G2 | 2 | 3-7 | | 1.63 | 2 |
| <i>Pinus sylvestris</i> 'Riverside Gem' Riverside Gem Scots Pine | CS | 1.90 | G2 | 2 | 3-7 | | 0.55 | 2 |
| <i>Pinus sylvestris</i> 'Van's #31' Van's #31 Scots Pine | CS | 2.21 | G2 | 2 | 3-7 | | 1.62 | 2 |
| <i>Pinus sylvestris</i> 'Van's #33' Van's #33 Scots Pine | CS | 2.21 | G2 | 2 | 3-7 | | 1.62 | 2 |
| <i>Pinus sylvestris</i> 'Viridis Compacta' Compact Green Scots Pine | CE | 1.76 | G2 | 2 | 3-7 | 1.00 | 2.19 | 2 |
| <i>Pinus sylvestris</i> 'Watereri' Waterer Scots Pine | CE | 1.79 | G2 | 2 | 3-7 | 1.00 | 1.97 | 2 |
| <i>Pinus sylvestris</i> var. <i>hamata</i> Caucasian Scots Pine | CE | 1.00 | G2 | 2 | 3-7 | 1.00 | 1.14 | 2 |
| <i>Pinus sylvestris</i> var. <i>rigensis</i> Riga Scots Pine | CE | 1.00 | G2 | 2 | 3-7 | 1.00 | 1.00 | 2 |
| <i>Pinus sylvestris</i> var. <i>scotica</i> Highland Pine | CE | 1.00 | G2 | 2 | 3-7 | 1.00 | 1.00 | 2 |
| <i>Pinus tabuliformis</i> Chinese Red Pine | CE | 1.80 | G2 | 3-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Pinus taeda</i> Loblolly Pine | CE | 0.74 | G2 | 5-6 | 7-10A | 0.74 | 0.40 | 6 |
| <i>Pinus thunbergii</i> Japanese Black Pine | CE | 0.89 | G2 | 4-5 | 6-9B | 1.00 | 0.74 | 5 |
| <i>Pinus thunbergii</i> 'Arakawa-sho' Arakawa-sho Japanese Black Pine | CE | 1.78 | G2 | 4-5 | 6-9B | 1.00 | 1.41 | 5 |
| <i>Pinus thunbergii</i> 'Banshosho' Banshosho Japanese Black Pine | CE | 1.30 | G2 | 4-5 | 6-9B | 1.00 | 1.50 | 5 |
| <i>Pinus thunbergii</i> 'Beni-kujaku' Beni-kujaku Japanese Black Pine | CE | 4.04 | G2 | 4-5 | 6-9B | 1.00 | 1.41 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Pinus thunbergii</i> 'Iseli' Iseli Japanese Black Pine | CE | 3.68 | G2 | 4-5 | 6-9B | 1.00 | 1.41 | 5 |
| <i>Pinus thunbergii</i> 'Kotobuki' Kotobuki Japanese Black Pine | CE | 1.78 | G2 | 4-5 | 6-9B | 1.00 | 2.18 | 5 |
| <i>Pinus thunbergii</i> 'Kujaki' Kujaki Japanese Black Pine | CE | 1.26 | G2 | 4-5 | 6-9B | 1.00 | 1.41 | 5 |
| <i>Pinus thunbergii</i> 'Majestic Beauty' See - <i>Pinus thunbergii</i> 'Monina' P.P. 5078 | CE | 1.05 | G2 | 4-5 | 6-10 | 1.00 | 1.06 | 5 |
| <i>Pinus thunbergii</i> 'Mount Hood Prostrate' Mount Hood Prostrate Japanese Black Pine | CE | 1.78 | G2 | 4-5 | 6-9B | 1.00 | 1.41 | 5 |
| <i>Pinus thunbergii</i> 'Oculus-draconis' Dragon's Eye Japanese Black Pine | CE | 1.20 | G2 | 4-5 | 6-9B | 1.00 | 1.29 | 5 |
| <i>Pinus thunbergii</i> 'Pygmaea' Pygmy Japanese Black Pine | CS | 1.00 | G2 | 4-5 | 6-9B | | 1.00 | 5 |
| <i>Pinus thunbergii</i> 'Shirome Janome' Shirome Janome Japanese Black Pine | CE | 1.54 | G2 | 4-5 | 6-9B | 1.00 | 1.41 | 5 |
| <i>Pinus thunbergii</i> 'Thunderhead' Thunderhead Japanese Black Pine | CE | 1.35 | G2 | 4-5 | 6-9B | 1.00 | 1.70 | 5 |
| <i>Pinus thunbergii</i> 'Torafumatsu' See - <i>Pinus thunbergii</i> var. <i>tigrina</i> | CE | 1.53 | G2 | 4-5 | 6-9B | 1.00 | 1.43 | 5 |
| <i>Pinus thunbergii</i> 'Yatsubusa' Yatsubusa Japanese Black Pine | CE | 1.00 | G2 | 4-5 | 6-9B | 1.00 | 1.20 | 5 |
| <i>Pinus torreyana</i> Soledad Pine | CE | 0.79 | G2 | 7-8 | 9-10 | 1.00 | 1.00 | 8 |
| <i>Pinus uncinata</i> Mountain Pine | CS | 1.00 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Pinus virginiana</i> Virginia Pine | CE | 0.67 | G2 | 3-4 | 5-7 | 0.42 | 0.36 | 4 |
| <i>Pinus virginiana</i> 'Wate's Golden' Wate's Golden Virginia Pine | CE | 1.22 | G2 | 3-4 | 5-7 | 0.42 | 1.04 | 4 |
| <i>Pinus wallichiana</i> Himalayan Pine | CE | 0.73 | G2 | 3-5 | 6-7 | 1.00 | 0.79 | 5 |
| <i>Pinus wallichiana</i> 'Morton' Morton Himalayan Pine | CE | 0.88 | G2 | 3-5 | 6-7 | 1.00 | 0.90 | 5 |
| <i>Pinus wallichiana</i> 'Nana' Dwarf Himalayan Pine | CE | 0.88 | G2 | 3-5 | 6-7 | 1.00 | 1.08 | 5 |
| <i>Pinus wallichiana</i> 'Zebrina' Zebra Himalayan Pine | CE | 1.03 | G2 | 3-5 | 6-7 | 1.00 | 0.84 | 5 |
| <i>Piper nigrum</i> Black Pepper | GC | 2.04 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Piscidia piscipula</i> Jamaican Dogwood | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Pistacia chinensis</i> Chinese Pistachio | DT | 0.90 | G2 | 5-7 | 8-9B | 1.09 | 0.91 | 7 |
| <i>Pistacia lentiscus</i> Mastic Tree | BE | 1.45 | G2 | 7-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Pistacia texana</i> American Pistachio | DT | 1.03 | G2 | 7-8 | 9-10A | 1.00 | 1.00 | 8 |
| <i>Pistia stratiotes</i> Water Lettuce | HP | 1.00 | G4 | 9-10 | 11 | | | |
| <i>Pithecellobium arboreum</i> Barba de Jolote | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Pithecellobium dulce</i> Huamuchil | BS | 0.94 | G1 | 10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Pithecellobium flexicaule</i> Texas Ebony | BE | 0.98 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Pittosporum crassifolium</i> Karo | BS | 0.73 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Pittosporum crassifolium</i> 'Compactum' Dwarf Karo | BS | 0.88 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Pittosporum eugenioides</i> Tarata | BE | 0.75 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Pittosporum phillyraeoides</i> Narrow-leaved Pittosporum | BS | 1.08 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Pittosporum rhombifolium</i> Queensland Pittosporum | BE | 0.90 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Pittosporum tenuifolium</i> Tawhiwhi | BE | 0.81 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Pittosporum tenuifolium</i> 'Deborah' Deborah Tawhiwhi | BE | 0.88 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Pittosporum tobira</i> Tobira | BS | 0.67 | G2 | 8-9 | 10-11 | | 0.69 | 9 |
| <i>Pittosporum tobira</i> 'Compactum' Compact Japanese Pittosporum | BS | 0.63 | G2 | 8-9 | 10-11 | | 0.69 | 9 |
| <i>Pittosporum tobira</i> 'Cream de Mint' See - <i>Pittosporum tobira</i> 'Shima' P.P. 6449 | | | | | | | | |
| <i>Pittosporum tobira</i> 'Glen Special' Glen Special Japanese Pittosporum | BS | 0.61 | G2 | 8-9 | 10-11 | | 0.69 | 9 |
| <i>Pittosporum tobira</i> 'Glen St. Mary' Glen St. Mary Japanese Pittosporum | BS | 0.58 | G2 | 8-9 | 10-11 | | 0.69 | 9 |
| <i>Pittosporum tobira</i> 'Louisiana Compact' Louisiana Compact Japanese Pittosporum | BS | 0.67 | G2 | 8-9 | 10-11 | | 0.69 | 9 |
| <i>Pittosporum tobira</i> 'Shima' P.P. 6449 Cream de Mint™ Dwarf Japanese Pittosporum | BS | 1.04 | G2 | 8-9 | 10-11 | | 0.69 | 9 |
| <i>Pittosporum tobira</i> 'Turner's Dwarf' Turner's Dwarf Variegated Japanese Pittosporum | BS | 1.05 | G2 | 8-9 | 10-11 | | 0.69 | 9 |
| <i>Pittosporum tobira</i> 'Variegata' Variegated Japanese Pittosporum | BS | 0.68 | G2 | 8-9 | 10-11 | | 0.69 | 9 |
| <i>Pittosporum tobira</i> 'Wheeler's Dwarf' Wheeler's Dwarf Japanese Pittosporum | BS | 0.75 | G2 | 8-9 | 10-11 | | 0.69 | 9 |
| <i>Pittosporum undulatum</i> Victorian Box | BE | 0.81 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Pityopsis graminifolia</i> Silk Grass | HP | 0.51 | G4 | 7-8 | 9-10A | | | |
| <i>Platanus x acerifolia</i> London Planetree | DT | 0.81 | G2 | 3-5 | 6-9 | 0.89 | 0.92 | 5 |
| <i>Platanus x acerifolia</i> 'Bloodgood' Bloodgood London Planetree | DT | 0.89 | G2 | 3-5 | 6-9 | 0.96 | 0.69 | 5 |
| <i>Platanus x acerifolia</i> 'Columbia' Columbia London Planetree | DT | 0.91 | G2 | 3-5 | 6-9 | 1.29 | 0.81 | 5 |
| <i>Platanus x acerifolia</i> 'Liberty' Liberty London Planetree | DT | 0.91 | G2 | 3-5 | 6-9 | 1.13 | 0.81 | 5 |
| <i>Platanus x acerifolia</i> 'Metroshade' See - <i>Platanus x acerifolia</i> 'Metzam' | | | | | | | | |
| <i>Platanus x acerifolia</i> 'Metzam' Metroshade™ London Planetree | DT | 0.91 | G2 | 3-5 | 6-9 | 1.13 | 0.81 | 5 |
| <i>Platanus x acerifolia</i> 'Yarwood' Yarwood London Planetree | DT | 1.04 | G2 | 3-5 | 6-9 | 1.05 | 0.81 | 5 |
| <i>Platanus occidentalis</i> Sycamore | DT | 0.76 | G2 | 3-5 | 6-10A | 0.73 | 0.54 | 5 |
| <i>Platanus orientalis</i> Oriental Planetree | DT | 1.00 | G2 | 3-7 | 8-10A | 0.92 | 1.00 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Platanus orientalis</i> 'Digitata' Digitata Oriental Planetree | DT | 1.00 | G2 | 3-7 | 8-10A | 0.92 | 1.00 | 7 |
| <i>Platanus racemosa</i> California Sycamore | DT | 1.15 | G2 | 3-8 | 9-10A | 1.00 | 1.00 | 8 |
| <i>Platanus wrightii</i> Arizona Sycamore | DT | 0.96 | G2 | 3-7 | 8-10A | 0.54 | 1.00 | 7 |
| <i>Platyserium bifurcatum</i> Elkhorn Fern | FO | 1.14 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Platyserium hillii</i> Northern Elkhorn Fern | FO | 0.96 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Platyclusus orientalis</i> Oriental Arborvitae | CE | 0.52 | G2 | 4-6 | 7-11 | 1.06 | 0.35 | 6 |
| <i>Platyclusus orientalis</i> 'Aurea Nana' Golden Oriental Arborvitae | CE | 0.64 | G2 | 4-6 | 7-11 | 1.06 | 0.39 | 6 |
| <i>Platyclusus orientalis</i> 'Bakeri' Baker Oriental Arborvitae | CE | 0.36 | G2 | 4-6 | 7-11 | 0.70 | 0.56 | 6 |
| <i>Platyclusus orientalis</i> 'Beverleyensis' Beverley Oriental Arborvitae | CE | 0.52 | G2 | 4-6 | 7-11 | 1.06 | 0.72 | 6 |
| <i>Platyclusus orientalis</i> 'Blue Cone' Blue Cone Oriental Arborvitae | CE | 0.56 | G2 | 4-6 | 7-11 | 1.06 | 0.70 | 6 |
| <i>Platyclusus orientalis</i> 'Blue Spire' Blue Spire Oriental Arborvitae | CE | 0.66 | G2 | 4-6 | 7-11 | 1.41 | 0.54 | 6 |
| <i>Platyclusus orientalis</i> 'Bonita' Bonita Oriental Arborvitae | CE | 0.66 | G2 | 4-6 | 7-11 | 1.06 | 0.55 | 6 |
| <i>Platyclusus orientalis</i> 'Elegantissima' Elegantissima Oriental Arborvitae | CE | 0.63 | G2 | 4-6 | 7-11 | 1.06 | 0.48 | 6 |
| <i>Platyclusus orientalis</i> 'Fruitlandii' Fruitland Oriental Arborvitae | CE | 0.66 | G2 | 4-6 | 7-11 | 1.06 | 0.72 | 6 |
| <i>Platyclusus orientalis</i> 'Globosa' Globe Oriental Arborvitae | CE | 0.66 | G2 | 4-6 | 7-11 | 1.06 | 0.33 | 6 |
| <i>Platyclusus orientalis</i> 'Golden Rocket' Golden Rocket Oriental Arborvitae | CE | 0.77 | G2 | 4-6 | 7-11 | 1.06 | 0.72 | 6 |
| <i>Platyclusus orientalis</i> 'Golden Surprise' Golden Surprise Oriental Arborvitae | CE | 0.66 | G2 | 4-6 | 7-11 | 1.06 | 0.72 | 6 |
| <i>Platyclusus orientalis</i> 'Green Cone' Green Cone Oriental Arborvitae | CE | 0.66 | G2 | 4-6 | 7-11 | 1.06 | 1.23 | 6 |
| <i>Platyclusus orientalis</i> 'Minima Glauca' Dwarf Blue Oriental Arborvitae | CE | 0.54 | G2 | 4-6 | 7-11 | 1.06 | 1.34 | 6 |
| <i>Platyclusus orientalis</i> 'Raffles' Raffles Oriental Arborvitae | CE | 0.55 | G2 | 4-6 | 7-11 | 1.06 | 1.41 | 6 |
| <i>Platyclusus orientalis</i> 'Sanderi' Sanderi Oriental Arborvitae | CE | 0.71 | G2 | 4-6 | 7-11 | 1.06 | 0.72 | 6 |
| <i>Platyclusus orientalis</i> 'Sunkist' Sunkist Oriental Arborvitae | CE | 0.80 | G2 | 4-6 | 7-11 | 1.06 | 0.72 | 6 |
| <i>Platyclusus orientalis</i> 'Sunlight' Sunlight Oriental Arborvitae | CE | 1.10 | G2 | 4-6 | 7-11 | 1.06 | 0.72 | 6 |
| <i>Platyclusus orientalis</i> 'Westmont' P.P. 2685 Westmont Oriental Arborvitae | CE | 0.82 | G2 | 4-6 | 7-11 | 1.06 | 0.72 | 6 |
| <i>Platycodon grandiflorus</i> Balloon Flower | HP | 0.98 | G4 | 4-6 | 7-11 | | | |
| <i>Platycodon grandiflorus</i> 'Alba' White Balloon Flower | HP | 0.85 | G4 | 4-5 | 6-8 | | | |
| <i>Platycodon grandiflorus</i> 'Apoyama Fairy Snow' Apoyama Fairy Snow Balloon Flower | HP | 0.74 | G4 | 4-5 | 6-8 | | | |
| <i>Platycodon grandiflorus</i> 'Astra Strain' Astra Strain Balloon Flower | HP | 0.86 | G4 | 4-6 | 7-11 | | | |
| <i>Platycodon grandiflorus</i> 'Fuji Blue' Fuji Blue Balloon Flower | HP | 0.83 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Platycodon grandiflorus</i> 'Fuji Pink' Fuji Pink Balloon Flower | HP | 0.88 | G4 | 4-5 | 6-8 | | | |
| <i>Platycodon grandiflorus</i> 'Fuji White' Fuji White Balloon Flower | HP | 1.01 | G4 | 4-5 | 6-8 | | | |
| <i>Platycodon grandiflorus</i> 'Hakone Double Blue' Hakone Double Blue Balloon Flower | HP | 0.88 | G4 | 4-5 | 6-8 | | | |
| <i>Platycodon grandiflorus</i> 'Komachi' Komachi Balloon Flower | HP | 0.86 | G4 | 4-5 | 6-8 | | | |
| <i>Platycodon grandiflorus</i> 'Misato Purple' Misato Purple Balloon Flower | HP | 0.87 | G4 | 4-5 | 6-8 | | | |
| <i>Platycodon grandiflorus</i> 'Perlmuttertschale' Perlmuttertschale Balloon Flower | HP | 0.90 | G4 | 4-5 | 6-8 | | | |
| <i>Platycodon grandiflorus</i> 'Sentimental Blue' Sentimental Blue Balloon Flower | HP | 0.81 | G4 | 4-5 | 6-8 | | | |
| <i>Platycodon grandiflorus</i> 'Shell Pink' Shell Pink Balloon Flower | HP | 0.98 | G4 | 4-5 | 6-8 | | | |
| <i>Platycodon grandiflorus</i> var. <i>mariesii</i> Blue Balloon Flower | HP | 0.89 | G4 | 4-5 | 6-8 | | | |
| <i>Platymiscium pinnatum</i> Roble | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Plecostachys serpyllifolia</i> No Common Name Found | HP | 0.68 | G4 | 8-9 | 10 | | | |
| <i>Plectranthus</i> Plectranthus | FO | 0.54 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Plectranthus</i> 'Mona Lavender' See - <i>Plectranthus</i> 'Plepalila' P.P. 13858 | | | | | | | | |
| <i>Plectranthus</i> 'Nico' P.P. 13722 Nico Plectranthus | FO | 0.54 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Plectranthus</i> 'Plepalila' P.P. 13858 Mona Lavender Plectranthus | FO | 0.54 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Plectranthus amboinicus</i> Spanish Thyme | FO | 0.36 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Plectranthus amboinicus</i> 'Variegatus' Variegated Spanish Thyme | FO | 0.34 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Plectranthus argentatus</i> No Common Name Found | FO | 0.42 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Plectranthus australis</i> See - <i>Plectranthus verticillatus</i> | | | | | | | | |
| <i>Plectranthus ciliatus</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Plectranthus coleoides</i> See - <i>Plectranthus forsteri</i> | | | | | | | | |
| <i>Plectranthus ecklonii</i> Cape Lilac | FO | 0.48 | G3 | 8-10 | 11 | | 1.00 | 8 |
| <i>Plectranthus forsteri</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Plectranthus forsteri</i> 'Marginatus' No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Plectranthus madagascariensis</i> Mintleaf | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Plectranthus verticillatus</i> Swedish Ivy | FO | 0.41 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Pleioblastus argenteostriatus</i> No Common Name Found | BS | 1.32 | G2 | 7 | 8-9A | | 1.00 | 7 |
| <i>Pleioblastus auricomus</i> Kamuro-Zasa | BS | 1.54 | G2 | 7 | 8-9A | | 1.00 | 7 |
| <i>Pleioblastus chino</i> No Common Name Found | BS | 1.00 | G2 | 6-7 | 8-9A | | 1.00 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Pleioblastus chino</i> 'Vaginatus Variegatus' Vaginatus Variegatus Bamboo | BS | 1.00 | G2 | 6-7 | 8-9A | | 1.00 | 6 |
| <i>Pleioblastus distichus</i> See - <i>Pleioblastus pygmaeus</i> var. <i>distichus</i> | | | | | | | | |
| <i>Pleioblastus fortunei</i> Dwarf White Stripe Bamboo | BS | 1.16 | G2 | 7 | 8-9A | | 1.00 | 6 |
| <i>Pleioblastus gramineus</i> No Common Name Found | BS | 0.91 | G2 | 7 | 8-9A | | 1.00 | 7 |
| <i>Pleioblastus hogumosa</i> No Common Name Found | BS | 1.15 | G2 | 7 | 8-9A | | 1.00 | 6 |
| <i>Pleioblastus linearis</i> No Common Name Found | BS | 0.91 | G2 | 7 | 8-9A | | 1.00 | 7 |
| <i>Pleioblastus pygmaeus</i> Dwarf Fern-leaf Bamboo | BS | 1.29 | G2 | 6-7 | 8-11 | | 1.00 | 6 |
| <i>Pleioblastus pygmaeus</i> var. <i>distichus</i> No Common Name Found | BS | 1.08 | G2 | 6-7 | 8-10A | | 1.00 | 7 |
| <i>Pleioblastus pygmaeus</i> var. <i>distichus</i> 'Mini' Mini Bamboo | BS | 0.80 | G2 | 6-7 | 8-10A | | 1.00 | 7 |
| <i>Pleioblastus pygmaeus</i> var. <i>distichus</i> 'Okinosasa' Okinosasa Bamboo | BS | 1.09 | G2 | 6-7 | 8-10A | | 1.00 | 7 |
| <i>Pleioblastus shibuyanus</i> No Common Name Found | BS | 1.00 | G2 | 6-7 | 8-9A | | 1.00 | 7 |
| <i>Pleioblastus shibuyanus</i> 'Tsuboi' Tsuboi Bamboo | BS | 1.00 | G2 | 6-7 | 8-9A | | 1.00 | 7 |
| <i>Pleioblastus simonii</i> Simon Bamboo | BS | 0.91 | G2 | 6-7 | 8-9A | | 1.00 | 6 |
| <i>Pleioblastus simonii</i> ssp. <i>variegatus</i> No Common Name Found | BS | 1.24 | G2 | 6-7 | 8-9A | | 1.00 | 6 |
| <i>Pleioblastus tsugosasa</i> No Common Name Found | BS | 1.15 | G2 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Pleioblastus viridistriatus</i> Dwarf Greenstripe Bamboo | BS | 1.13 | G2 | 7 | 8-9A | | 1.00 | 6 |
| <i>Pleioblastus viridistriatus</i> 'Chrysophyllus' Chrysophyllus Dwarf Greenstripe Bamboo | BS | 0.96 | G2 | 7 | 8-9A | | 1.00 | 6 |
| <i>Pleomele deremensis</i> See - <i>Dracaena deremensis</i> | | | | | | | | |
| <i>Pleomele reflexa</i> See - <i>Dracaena reflexa</i> | | | | | | | | |
| <i>Pleomele thalioides</i> See - <i>Dracaena thalioides</i> | | | | | | | | |
| <i>Plumbago auriculata</i> Cape Leadwort | BS | 0.58 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Dwarf Blue' Dwarf Blue Cape Leadwort | BS | 0.81 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Escapade White' Escapade White Cape Leadwort | BS | 0.85 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Imperial Blue' Imperial Blue Cape Leadwort | BS | 0.56 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Monite' P.P. 13953 White Cape™ Leadwort | BS | 1.16 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Monott' P.P. 7822 Royal Cape™ Leadwort | BS | 0.92 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Royal Cape' See - <i>Plumbago auriculata</i> 'Monott' P.P. 7822 | | | | | | | | |
| <i>Plumbago auriculata</i> 'White Cape' See - <i>Plumbago auriculata</i> 'Monite' P.P. 13953 | | | | | | | | |
| <i>Plumbago auriculata</i> var. <i>alba</i> No Common Name Found | BS | 0.61 | G2 | 9-10A | 10B-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Plumbago capensis</i> | | | | | | | | |
| See - <i>Plumbago auriculata</i> | | | | | | | | |
| <i>Plumbago indica</i> Scarlet Leadwort | BS | 0.70 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Plumbago scandens</i> Devil's Herb | BS | 0.51 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Plumbago zeylanica</i> White Leadwort | BS | 0.80 | G1 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Plumeria</i> Hybrid Plumeria | DT | 1.28 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Plumeria</i> 'Singapore' Singapore Hybrid Plumeria | DT | 2.36 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Plumeria obtusa</i> Blunt-leaved Frangipani | DT | 0.91 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Plumeria rubra</i> Nosegay | DT | 1.14 | G1 | 10 | 11 | 1.00 | 1.44 | 10 |
| <i>Poa chaixii</i> Forest Bluegrass | HP | 0.70 | G4 | 4-5 | 6-7 | | | |
| <i>Podocarpus andinus</i> | | | | | | | | |
| See - <i>Prumnopitys andina</i> | | | | | | | | |
| <i>Podocarpus elongatus</i> Cape Yellowwood | CE | 0.73 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Podocarpus gracilior</i> | | | | | | | | |
| See - <i>Afrocarpus gracilior</i> | | | | | | | | |
| <i>Podocarpus henkelii</i> Long Leafed Yellowwood | CE | 0.98 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Podocarpus macrophyllus</i> Southern Yew Pine | CS | 0.82 | G2 | 8 | 9-11 | | 0.76 | 7 |
| <i>Podocarpus macrophyllus</i> 'Crusty Drybread' Crusty Drybread Southern Yew Pine | CS | 1.05 | G2 | 8 | 9-11 | | 0.74 | 7 |
| <i>Podocarpus macrophyllus</i> 'Dwarf Pringles' Dwarf Pringles Southern Yew Pine | CS | 1.27 | G2 | 8 | 9-11 | | 0.74 | 7 |
| <i>Podocarpus macrophyllus</i> 'Maki' Shrubby Yew Pine | CS | 1.15 | G2 | 8 | 9-11 | | 0.72 | 7 |
| <i>Podocarpus macrophyllus</i> 'Meta' Meta Southern Yew Pine | CS | 0.85 | G2 | 8 | 9-11 | | 0.74 | 7 |
| <i>Podocarpus mannii</i> | | | | | | | | |
| See - <i>Afrocarpus mannii</i> | | | | | | | | |
| <i>Podocarpus nagi</i> | | | | | | | | |
| See - <i>Nageia nagi</i> | | | | | | | | |
| <i>Podocarpus nivalis</i> Alpine Totara | CS | 1.79 | G1 | 10 | 11 | | 1.00 | 7 |
| <i>Podophyllum hexandrum</i> Chinese Mayapple | HP | 8.52 | G4 | 3-5 | 6-7 | | | |
| <i>Podophyllum peltatum</i> Mayapple | HP | 1.26 | G4 | 3-4 | 5-7 | | | |
| <i>Podranea brycei</i> Queen of Sheba | GC | 0.96 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Podranea ricasoliana</i> Pink Trumpet Vine | GC | 0.88 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Pogonatherum paniceum</i> | | | | | | | | |
| See - <i>Pogonatherum saccharoideum</i> | | | | | | | | |
| <i>Pogonatherum saccharoideum</i> Bamboo Grass | HP | 1.21 | G4 | 9-10A | 10B-11 | | | |
| <i>Pogostemon cablin</i> Patchouli | HP | 1.00 | G4 | 10 | 11 | | | |
| <i>Pogostemon patchouli</i> | | | | | | | | |
| See - <i>Pogostemon cablin</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Poinciana pulcherrima</i> See - <i>Caesalpinia pulcherrima</i> | | | | | | | | |
| <i>Polemonium caeruleum</i> Jacob's Ladder | HP | 1.05 | G4 | 4-5 | 6-8 | | | |
| <i>Polemonium caeruleum</i> 'Apricot Delight' Apricot Delight Jacob's Ladder | HP | 0.82 | G4 | 4-5 | 6-8 | | | |
| <i>Polemonium caeruleum</i> 'Bressingham Purple' Bressingham Purple Jacob's Ladder | HP | 1.18 | G4 | 4-5 | 6-8 | | | |
| <i>Polemonium caeruleum</i> 'Brise d'Anjou' P.P. 9781 Brise d'Anjou Jacob's Ladder | HP | 1.28 | G4 | 4-5 | 6-8 | | | |
| <i>Polemonium caeruleum</i> var. <i>album</i> White Jacob's Ladder | HP | 0.87 | G4 | 4-5 | 6-8 | | | |
| <i>Polemonium carneum</i> Salmon Polemonium | HP | 0.71 | G4 | 5-6 | 7-8 | | | |
| <i>Polemonium pulcherrimum</i> Skunkleaf Jacob's Ladder | HP | 1.14 | G4 | 5-6 | 7-8 | | | |
| <i>Polemonium pulcherrimum</i> 'Blue Master' Blue Master Skunkleaf Jacob's Ladder | HP | 0.99 | G4 | 5-6 | 7-8 | | | |
| <i>Polemonium reptans</i> Creeping Jacob's Ladder | HP | 1.17 | G4 | 4-5 | 6-8 | | | |
| <i>Polemonium reptans</i> 'Blue Pearl' Blue Pearl Jacob's Ladder | HP | 0.87 | G4 | 4-5 | 6-8 | | | |
| <i>Polemonium viscosum</i> Sticky Polemonium | HP | 1.00 | G2 | 4-5 | 6-7 | | | |
| <i>Polianthes geminiflora</i> No Common Name Found | HP | 0.99 | G4 | 8-9 | 10-11 | | | |
| <i>Polianthes tuberosa</i> Tuberose | HP | 1.21 | G4 | 8-9 | 10-11 | | | |
| <i>Polyalthia longifolia</i> Ashoka Tree | BE | 2.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Polyalthia longifolia</i> 'Pendula' Weeping Ashoka Tree | BE | 2.08 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Polyandrococos caudescens</i> Buri Palm | PC | 1.63 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Polygala calcarea</i> Chalk Milkwort | HP | 1.00 | G2 | 6-7 | 8 | | | |
| <i>Polygala chamaebuxus</i> Groundbox Polygala | HP | 1.00 | G2 | 6-7 | 8 | | | |
| <i>Polygala x dalmatisiana</i> Dalmai's Polygala | HP | 0.79 | G2 | 6-9 | 10 | | | |
| <i>Polygala fruticosa</i> Sweet Pea Shrub | HP | 1.15 | G2 | 6-9 | 10 | | | |
| <i>Polygala senega</i> Seneca Snakeroot | HP | 1.00 | G4 | 2-4 | 5-7 | | | |
| <i>Polygala vayredae</i> Pyrenees Polygala | HP | 1.00 | G2 | 6-7 | 8 | | | |
| <i>Polygonatum biflorum</i> Small Solomon's Seal | HP | 0.98 | G4 | 3-4 | 5-7 | | | |
| <i>Polygonatum commutatum</i> Great Solomon's Seal | HP | 1.43 | G4 | 3-4 | 5-7 | | | |
| <i>Polygonatum humile</i> Dwarf Solomon's Seal | HP | 1.03 | G4 | 5 | 6-7 | | | |
| <i>Polygonatum x hybridum</i> Hybrid Solomon's Seal | HP | 1.22 | G4 | 6 | 7-8 | | | |
| <i>Polygonatum x hybridum</i> 'Striatum' Striatum Hybrid Solomon's Seal | HP | 1.22 | G4 | 6 | 7-8 | | | |
| <i>Polygonatum multiflorum</i> Eurasian Solomon's Seal | HP | 1.18 | G4 | 4-5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Polygonatum multiflorum</i> 'Striatum' Striated Eurasian Solomon's Seal | HP | 1.85 | G4 | 4-5 | 6-7 | | | |
| <i>Polygonatum odoratum</i> Fragrant Solomon's Seal | HP | 0.87 | G4 | 4-5 | 6-7 | | | |
| <i>Polygonatum odoratum</i> 'Variegatum' Variegated Fragrant Solomon's Seal | HP | 1.30 | G4 | 4-5 | 6-7 | | | |
| <i>Polygonatum odoratum</i> var. <i>thunbergii</i> No Common Name Found | HP | 1.05 | G4 | 4-5 | 6-7 | | | |
| <i>Polygonum affine</i> See - <i>Persicaria affinis</i> | | | | | | | | |
| <i>Polygonum amplexicaule</i> See - <i>Persicaria amplexicaulis</i> | | | | | | | | |
| <i>Polygonum aubertii</i> See - <i>Fallopia baldschuanica</i> | | | | | | | | |
| <i>Polygonum bistorta</i> See - <i>Persicaria bistorta</i> | | | | | | | | |
| <i>Polygonum capitatum</i> See - <i>Persicaria capitata</i> | | | | | | | | |
| <i>Polygonum emodi</i> See - <i>Persicaria emodi</i> | | | | | | | | |
| <i>Polygonum filiforme</i> See - <i>Persicaria virginiana</i> | | | | | | | | |
| <i>Polygonum japonicum</i> See - <i>Fallopia japonica</i> | | | | | | | | |
| <i>Polygonum japonicum</i> var. <i>compactum</i> See - <i>Fallopia japonica</i> var. <i>compacta</i> | | | | | | | | |
| <i>Polygonum odoratum</i> See - <i>Persicaria odorata</i> | | | | | | | | |
| <i>Polygonum polymorphum</i> See - <i>Persicaria polymorpha</i> | | | | | | | | |
| <i>Polygonum polystachyum</i> See - <i>Persicaria wallichii</i> | | | | | | | | |
| <i>Polygonum vacciniifolia</i> See - <i>Persicaria vacciniifolia</i> | | | | | | | | |
| <i>Polygonum weyrichii</i> See - <i>Persicaria weyrichii</i> | | | | | | | | |
| <i>Polypodium</i> Polypody | HP | 1.00 | G3 | 8-10B | 11 | | | |
| <i>Polypodium</i> 'Green Wave' Green Wave™ Fern | FO | 0.56 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Polypodium californicum</i> California Polypody | HP | 1.63 | G4 | 8-9 | 10 | | | |
| <i>Polypodium punctatum</i> See - <i>Microsorium punctatum</i> | | | | | | | | |
| <i>Polypodium scolopendrium</i> See - <i>Microsorium scolopendrium</i> | | | | | | | | |
| <i>Polypodium squamulosum</i> See - <i>Microgramma squamulosa</i> | | | | | | | | |
| <i>Polypodium subauriculatum</i> See - <i>Goniophlebium subauriculatum</i> | | | | | | | | |
| <i>Polypodium virginianum</i> Rock Polypody | HP | 1.45 | G4 | 5 | 6-8 | | | |
| <i>Polypodium vulgare</i> Common Polypody | HP | 1.08 | G3 | 3-4 | 5-7 | | | |
| <i>Polyscias</i> Aralia | FO | 3.42 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Polyscias</i> 'Crispata' Chicken Gizzard Aralia | FO | 3.42 | G3 | 8-10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Polyscias balfouriana</i> | | | | | | | | |
| See - <i>Polyscias scutellaria</i> 'Balfourii' | | | | | | | | |
| <i>Polyscias fruticosa</i> Ming Aralia | FO | 1.90 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Polyscias guilfoylei</i> Geranium Aralia | FO | 0.46 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Polyscias guilfoylei</i> 'Blackie' Blackie Geranium Aralia | FO | 3.10 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Polyscias obtusa</i> Oakleaf Aralia | FO | 2.54 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Polyscias obtusa</i> 'Fabian' Fabian Oakleaf Aralia | FO | 2.54 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Polyscias pinnata</i> | | | | | | | | |
| See - <i>Polyscias scutellaria</i> | | | | | | | | |
| <i>Polyscias scutellaria</i> Dinner Plate Aralia | FO | 1.24 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Polyscias scutellaria</i> 'Balfourii' Balfour Aralia | FO | 1.51 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Polyscias scutellaria</i> 'Marginata' Marginata Dinner Plate Aralia | FO | 0.96 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Polystichum acrostichoides</i> Christmas Fern | HP | 1.06 | G4 | 4 | 5-9A | | | |
| <i>Polystichum aculeatum</i> No Common Name Found | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Polystichum angulare</i> | | | | | | | | |
| See - <i>Polystichum setiferum</i> | | | | | | | | |
| <i>Polystichum braunii</i> Braun's Holly Fern | HP | 1.02 | G4 | 5-6 | 7-8 | | | |
| <i>Polystichum californicum</i> California Holly Fern | HP | 0.94 | G4 | 8-9 | 10 | | | |
| <i>Polystichum munitum</i> Western Sword Fern | HP | 1.14 | G4 | 5 | 6-9B | | | |
| <i>Polystichum polyblepharum</i> Tassel Fern | HP | 1.07 | G4 | 5-6 | 7-10B | | | |
| <i>Polystichum setiferum</i> Soft-shield Fern | HP | 1.16 | G4 | 6 | 7-9B | | | |
| <i>Polystichum setiferum</i> 'Congestum' Congestum Soft-shield Fern | HP | 0.94 | G4 | 6 | 7-9B | | | |
| <i>Polystichum setiferum</i> 'Cristatum' Hardy Crested Fern | HP | 1.58 | G4 | 6 | 7-9B | | | |
| <i>Polystichum setiferum</i> 'Divisilobum' Divisilobum Soft Shield Fern | HP | 1.05 | G4 | 6 | 7-9B | | | |
| <i>Polystichum xsetigerum</i> Alaskan Holly Fern | HP | 1.06 | G4 | 8-9 | 10 | | | |
| <i>Polystichum setosum</i> | | | | | | | | |
| See - <i>Polystichum polyblepharum</i> | | | | | | | | |
| <i>Polystichum tsussimense</i> Korean Rock Fern | HP | 1.00 | G4 | 6-7 | 8-10B | | | |
| <i>Poncirus trifoliata</i> Trifoliolate Orange | DT | 0.96 | G2 | 4-5 | 6-9B | 1.00 | 1.18 | 5 |
| <i>Poncirus trifoliata</i> 'Flying Dragon' Flying Dragon Trifoliolate Orange | DT | 0.90 | G2 | 4-5 | 6-9B | 1.00 | 1.82 | 5 |
| <i>Pongamia pinnata</i> Karum Tree | DT | 0.63 | G1 | 10 | 11 | 0.75 | 0.59 | 10 |
| <i>Pontederia cordata</i> Pickerel Weed | HP | 0.99 | G4 | 5-6 | 7-11 | | | |
| <i>Populus</i> Poplar | DT | 0.79 | G2 | 2 | 3-8 | 0.63 | 1.00 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Populus</i> 'Androscoggin' Androscoggin Poplar | DT | 0.79 | G2 | 2-3 | 4-7 | 0.63 | 1.00 | 3 |
| <i>Populus</i> 'Brooks #6' Brooks #6 Poplar | DT | 0.79 | G2 | 2-3 | 4-8 | 0.72 | 1.00 | 3 |
| <i>Populus</i> 'Highland' Highland Poplar | DT | 0.85 | G2 | 2-3 | 4-8 | 0.39 | 1.00 | 3 |
| <i>Populus</i> 'N.E. 17' N.E. 17 Poplar | DT | 0.79 | G2 | 2 | 3-8 | 0.63 | 1.00 | 2 |
| <i>Populus</i> 'N.E. 308' N.E. 308 Poplar | DT | 0.79 | G2 | 2 | 3-8 | 0.63 | 1.00 | 2 |
| <i>Populus</i> 'Nor'easter' Nor'easter Poplar | DT | 0.73 | G2 | 2 | 3-8 | 0.79 | 1.00 | 2 |
| <i>Populus</i> x <i>acuminata</i> Lanceleaf Cottonwood | DT | 0.98 | G2 | 2-3 | 4-8 | 1.22 | 0.92 | 3 |
| <i>Populus alba</i> White Poplar | DT | 0.77 | G2 | 2-3 | 4-7 | 1.28 | 1.06 | 3 |
| <i>Populus alba</i> 'Nivea' Silver White Poplar | DT | 0.82 | G2 | 2-3 | 4-8 | 1.00 | 0.97 | 3 |
| <i>Populus alba</i> 'Pyramidalis' Bolleana Poplar | DT | 0.86 | G2 | 2-3 | 4-8 | 0.72 | 0.87 | 3 |
| <i>Populus angustifolia</i> Narrowleaf Cottonwood | DT | 0.99 | G2 | 2-3 | 4-8 | 1.25 | 1.55 | 3 |
| <i>Populus balsamifera</i> Balsam Poplar | DT | 0.87 | G2 | 2 | 3-8 | 1.00 | 1.00 | 2 |
| <i>Populus</i> x <i>canadensis</i> Carolina Poplar | DT | 0.84 | G2 | 3 | 4-7 | 0.28 | 1.00 | 3 |
| <i>Populus</i> x <i>canadensis</i> 'Eugenei' Eugene Carolina Poplar | DT | 0.90 | G2 | 2-3 | 4-8 | 0.28 | 1.00 | 3 |
| <i>Populus</i> x <i>canadensis</i> 'Imperial' Imperial Carolina Poplar | DT | 0.88 | G2 | 2-3 | 4-8 | 0.85 | 1.00 | 3 |
| <i>Populus</i> x <i>canadensis</i> 'Robusta' Robusta Carolina Poplar | DT | 0.97 | G2 | 2-3 | 4-8 | 0.81 | 1.00 | 3 |
| <i>Populus</i> x <i>canadensis</i> 'Serotina Aurea' Late Golden Carolina Poplar | DT | 0.90 | G2 | 2-3 | 4-8 | 0.56 | 1.00 | 3 |
| <i>Populus canescens</i> Gray Poplar | DT | 1.03 | G2 | 3 | 4-7 | 1.15 | 1.00 | 3 |
| <i>Populus canescens</i> 'Tower' Tower Poplar | DT | 1.03 | G2 | 3 | 4-7 | 1.15 | 1.00 | 3 |
| <i>Populus deltoides</i> Cottonless Cottonwood | DT | 0.69 | G2 | 2 | 3-8 | 0.46 | 0.73 | 2 |
| <i>Populus deltoides</i> 'Mighty Moe' Mighty Moe Cottonless Poplar | DT | 0.81 | G2 | 2 | 3-8 | 0.28 | 0.73 | 2 |
| <i>Populus deltoides</i> 'Red Caudina' Red Caudina Cottonless Poplar | DT | 1.00 | G2 | 2 | 3-8 | 0.50 | 0.73 | 2 |
| <i>Populus deltoides</i> 'Siouxland' Siouxland Cottonless Poplar | DT | 0.74 | G2 | 2 | 3-8 | 0.77 | 0.73 | 2 |
| <i>Populus deltoides</i> ssp. <i>monilifera</i> Great Plains Cottonwood | DT | 0.78 | G2 | 2 | 3-8 | 1.19 | 1.00 | 2 |
| <i>Populus deltoides</i> ssp. <i>monilifera</i> 'Jeronimus' Jeronimus Great Plains Cottonwood | DT | 0.78 | G2 | 2 | 3-8 | 1.49 | 1.00 | 2 |
| <i>Populus fremontii</i> Fremont Cottonwood | DT | 1.02 | G2 | 2-3 | 4-8 | 0.51 | 1.00 | 3 |
| <i>Populus grandidentata</i> Bigtooth Aspen | DT | 1.00 | G2 | 2-3 | 4-8 | 1.00 | 1.00 | 3 |
| <i>Populus</i> x <i>jackii</i> Balm of Gilead | DT | 1.00 | G2 | 2-3 | 4-8 | 0.72 | 1.00 | 3 |
| <i>Populus</i> x <i>jackii</i> 'Northwest' Northwest Poplar | DT | 1.00 | G2 | 2-3 | 4-8 | 0.72 | 1.00 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Populus maximowiczii</i> Japanese Poplar | DT | 1.00 | G2 | 3-4 | 5-7 | 1.00 | 1.00 | 4 |
| <i>Populus nigra</i> Black Poplar | DT | 0.85 | G2 | 2 | 3-8 | 0.63 | 0.51 | 2 |
| <i>Populus nigra</i> 'Afghanica' Theves Black Poplar | DT | 0.71 | G2 | 2 | 3-8 | 0.61 | 0.83 | 2 |
| <i>Populus nigra</i> 'Italica' Lombardy Black Poplar | DT | 0.98 | G2 | 2 | 3-8 | 0.54 | 0.19 | 2 |
| <i>Populus nigra</i> var. <i>thevestina</i> See - <i>Populus nigra</i> 'Afghanica' | | | | | | | | |
| <i>Populus sargentii</i> See - <i>Populus deltoides</i> ssp. <i>monilifera</i> | | | | | | | | |
| <i>Populus simonii</i> Simon Columnar Poplar | DT | 1.00 | G2 | 2 | 3-8 | 1.00 | 1.00 | 2 |
| <i>Populus tremula</i> European Aspen | DT | 0.68 | G2 | 2 | 3-8 | 1.02 | 0.62 | 2 |
| <i>Populus tremula</i> 'Columnaris' See - <i>Populus tremula</i> 'Erecta' | | | | | | | | |
| <i>Populus tremula</i> 'Erecta' Swedish Columnar Aspen | DT | 1.20 | G2 | 2 | 3-8 | 1.02 | 1.11 | 2 |
| <i>Populus tremula</i> 'Tahoe' Tahoe European Aspen | DT | 0.94 | G2 | 2 | 3-8 | 1.02 | 0.87 | 2 |
| <i>Populus tremuloides</i> Quaking Aspen | DT | 1.01 | G2 | 1 | 2-6 | 1.11 | 1.07 | 1 |
| <i>Populus tremuloides</i> 'Bethel Spire' Bethel Spire Quaking Aspen | DT | 1.01 | G2 | 1 | 2-6 | 1.11 | 1.07 | 1 |
| <i>Populus tremuloides</i> 'Kaibab' Kaibab Quaking Aspen | DT | 1.01 | G2 | 1 | 2-6 | 1.11 | 1.07 | 1 |
| <i>Populus trichocarpa</i> Western Balsam Poplar | DT | 0.95 | G2 | 2-3 | 4-8 | 0.82 | 0.39 | 3 |
| <i>Populus tristis</i> Browntwig Poplar | DT | 1.00 | G2 | 1 | 2-6 | 0.72 | 1.00 | 1 |
| <i>Porana paniculata</i> Bridal Bouquet | GC | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Portea</i> Portea | HP | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Portea</i> 'June' June Portea | HP | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Portea petropolitana</i> No Common Name Found | HP | 1.38 | G4 | 8-9 | 10-11 | | | |
| <i>Portulaca</i> Portulaca | AN | 0.73 | G4 | 6-10 | 11 | | | |
| <i>Portulaca</i> 'Fairytale Sleeping Beauty' P.P. 13600 Fairytale Sleeping Beauty Portulaca | AN | 0.73 | G4 | 6-10 | 11 | | | |
| <i>Portulaca</i> 'Fairytale Snow White' P.P.A.F. Fairytale Snow White Portulaca | AN | 0.72 | G4 | 6-10 | 11 | | | |
| <i>Portulaca grandiflora</i> Moss Rose | AN | 0.88 | G4 | 6-10A | 10B-11 | | | |
| <i>Portulaca grandiflora</i> 'Duet Series' Duet Series Moss Rose | AN | 1.06 | G4 | 6-10A | 10B-11 | | | |
| <i>Portulaca grandiflora</i> 'Sundial Series' Sundial Series Moss Rose | AN | 0.73 | G4 | 6-10A | 10B-11 | | | |
| <i>Portulaca oleracea</i> Purslane | HP | 0.75 | G4 | 6-10 | 11 | | | |
| <i>Portulaca oleracea</i> 'Candy Stick' Candy Stick Purslane | AN | 0.75 | G4 | 6-10 | 11 | | | |
| <i>Portulaca oleracea</i> 'Double Yubi Series' Double Yubi Series Purslane | AN | 1.33 | G4 | 6-10 | 11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Portulaca oleracea</i> 'Golden Sunset' Golden Sunset Purslane | HP | 0.62 | G4 | 6-10 | 11 | | | |
| <i>Portulaca oleracea</i> 'Hot Shot Series' Hot Shot Series Purslane | HP | 0.82 | G4 | 6-10 | 11 | | | |
| <i>Portulaca oleracea</i> 'Peppermint Star' Peppermint Star Purslane | HP | 0.65 | G4 | 6-10 | 11 | | | |
| <i>Portulaca oleracea</i> 'Yubi Summer Joy Series' Yubi Summer Joy Series Purslane | AN | 1.02 | G4 | 6-10 | 11 | | | |
| <i>Portulaca pilosa</i> Shaggy Purslane | HP | 1.00 | G4 | 6-10 | 11 | | | |
| <i>Portulacaria afra</i> Elephant Bush | FO | 0.58 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Portulacaria afra</i> 'Variegata' Variegated Elephant Bush | FO | 0.56 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Posoqueria latifolia</i> No Common Name Found | BS | 1.31 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Potentilla alba</i> White Cinquefoil | HP | 1.10 | G4 | 4-5 | 6-7 | | | |
| <i>Potentilla argentea</i> Hoary Cinquefoil | HP | 0.96 | G4 | 4 | 5-7 | | | |
| <i>Potentilla argentea</i> var. <i>calabra</i> See - <i>Potentilla calabra</i> | | | | | | | | |
| <i>Potentilla arguta</i> Prairie Cinquefoil | HP | 1.00 | G4 | 3 | 4-7 | | | |
| <i>Potentilla atrosanguinea</i> Himalayan Cinquefoil | HP | 0.95 | G4 | 5 | 6-7 | | | |
| <i>Potentilla atrosanguinea</i> 'Flamenco' Flamenco Himalayan Cinquefoil | HP | 1.10 | G4 | 4-5 | 6-7 | | | |
| <i>Potentilla atrosanguinea</i> 'Gibson Scarlet' Gibson Scarlet Himalayan Cinquefoil | HP | 1.01 | G4 | 5 | 6-7 | | | |
| <i>Potentilla atrosanguinea</i> 'William Rollinson' William Rollinson Himalayan Cinquefoil | HP | 1.05 | G4 | 4-5 | 6-7 | | | |
| <i>Potentilla atrosanguinea</i> 'Yellow Queen' Yellow Queen Himalayan Cinquefoil | HP | 1.34 | G4 | 5 | 6-7 | | | |
| <i>Potentilla aurea</i> Golden Cinquefoil | HP | 0.70 | G4 | 4-5 | 6-7 | | | |
| <i>Potentilla calabra</i> No Common Name Found | HP | 0.77 | G4 | 4 | 5-7 | | | |
| <i>Potentilla cinerea</i> Rusty Cinquefoil | HP | 1.02 | G4 | 3-4 | 5-7 | | | |
| <i>Potentilla fragiformis</i> See - <i>Potentilla megalantha</i> | | | | | | | | |
| <i>Potentilla fruticosa</i> Bush Cinquefoil | DS | 0.90 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Abbotswood' Abbotswood Bush Cinquefoil | DS | 0.93 | G2 | 5 | 6-7 | | 0.80 | 2 |
| <i>Potentilla fruticosa</i> 'Absaraka' Dakota Goldrush™ Bush Cinquefoil | DS | 0.93 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Annette' Annette Bush Cinquefoil | DS | 0.91 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Apricot Whisper' Apricot Whisper Bush Cinquefoil | DS | 0.86 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Beesii' Bees Bush Cinquefoil | HP | 1.43 | G2 | 5 | 6-7 | | | |
| <i>Potentilla fruticosa</i> 'Blink' P.P. 5106 Princess™ Bush Cinquefoil | DS | 0.91 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Boskoop Red' Boskoop Red Bush Cinquefoil | HP | 1.43 | G2 | 5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Potentilla fruticosa</i> 'Buttercup' Buttercup Bush Cinquefoil | DS | 0.86 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Coronation Triumph' Coronation Triumph Bush Cinquefoil | DS | 0.91 | G2 | 5 | 6-7 | | 0.69 | 2 |
| <i>Potentilla fruticosa</i> 'Dakota Goldrush' See - <i>Potentilla fruticosa</i> 'Absaraka' | | | | | | | | |
| <i>Potentilla fruticosa</i> 'Dakota Sunspot' See - <i>Potentilla fruticosa</i> 'Fargo' | | | | | | | | |
| <i>Potentilla fruticosa</i> 'Daydawn' Daydawn Bush Cinquefoil | DS | 0.87 | G2 | 5 | 6-7 | | 0.69 | 2 |
| <i>Potentilla fruticosa</i> 'Elizabeth' Elizabeth Bush Cinquefoil | DS | 0.91 | G2 | 5 | 6-7 | | 0.69 | 2 |
| <i>Potentilla fruticosa</i> 'Fargo' Dakota Sunspot™ Bush Cinquefoil | DS | 1.08 | G2 | 5 | 6-7 | | 0.92 | 2 |
| <i>Potentilla fruticosa</i> 'Floppy Disc' Floppy Disc Bush Cinquefoil | DS | 0.90 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Fredrichsenii' Fredrichsen Bush Cinquefoil | DS | 0.91 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Frosty' See - <i>Potentilla fruticosa</i> 'Monsidh' P.P. 10987 | | | | | | | | |
| <i>Potentilla fruticosa</i> 'Glenroy Pink' Glenroy Pink Bush Cinquefoil | DS | 0.94 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Gold Drop' Gold Drop Bush Cinquefoil | DS | 0.83 | G2 | 5 | 6-7 | | 0.82 | 2 |
| <i>Potentilla fruticosa</i> 'Gold Star' Gold Star Bush Cinquefoil | DS | 0.88 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Goldfinger' Goldfinger Bush Cinquefoil | DS | 0.89 | G2 | 5 | 6-7 | | 0.76 | 2 |
| <i>Potentilla fruticosa</i> 'Hall Gold' Hall Gold Bush Cinquefoil | DS | 0.91 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Hallman's Dwarf' Hallman's Dwarf Bush Cinquefoil | HP | 1.43 | G2 | 5 | 6-7 | | | |
| <i>Potentilla fruticosa</i> 'Hinerob' P.P. 9321 Marion Red Robin™ Bush Cinquefoil | DS | 1.17 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Hollandia Gold' Hollandia Gold Bush Cinquefoil | DS | 0.73 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Hurstborne' Hurstborne Bush Cinquefoil | DS | 0.91 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Jackmanii' Jackman's Bush Cinquefoil | DS | 0.86 | G2 | 5 | 6-7 | | 0.74 | 2 |
| <i>Potentilla fruticosa</i> 'Katherine Dykes' Katherine Dykes Bush Cinquefoil | DS | 0.94 | G2 | 5 | 6-7 | | 0.70 | 2 |
| <i>Potentilla fruticosa</i> 'Klondike' Klondike Bush Cinquefoil | DS | 0.87 | G2 | 5 | 6-7 | | 0.69 | 2 |
| <i>Potentilla fruticosa</i> 'Kobold' Kobold Bush Cinquefoil | DS | 0.83 | G2 | 5 | 6-7 | | 1.76 | 2 |
| <i>Potentilla fruticosa</i> 'Lemon Drop' Lemon Drop Bush Cinquefoil | DS | 0.54 | G2 | 5 | 6-7 | | 0.78 | 2 |
| <i>Potentilla fruticosa</i> 'Longacre' Longacre Bush Cinquefoil | DS | 0.96 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Maanelys' Maanelys Bush Cinquefoil | DS | 0.83 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Mango Tango' See - <i>Potentilla fruticosa</i> 'UMan' P.P. 12258 | | | | | | | | |
| <i>Potentilla fruticosa</i> 'Marion Red Robin' See - <i>Potentilla fruticosa</i> 'Hinerob' P.P. 9321 | | | | | | | | |
| <i>Potentilla fruticosa</i> 'McKay's White' McKay's White Bush Cinquefoil | DS | 0.85 | G2 | 5 | 6-7 | | 0.85 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Potentilla fruticosa</i> 'Monsidh' P.P. 10987 Frosty™ Bush Cinquefoil | DS | 1.23 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Mount Everest' Mount Everest Bush Cinquefoil | DS | 0.95 | G2 | 5 | 6-7 | | 0.74 | 2 |
| <i>Potentilla fruticosa</i> 'Pink Beauty' P.P. 9874 Pink Beauty Bush Cinquefoil | DS | 1.05 | G2 | 6 | 7-8 | | 0.65 | 2 |
| <i>Potentilla fruticosa</i> 'Pink Queen' Pink Queen Bush Cinquefoil | DS | 1.26 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Pink Whisper' Pink Whisper Bush Cinquefoil | DS | 0.88 | G2 | 5 | 6-7 | | 1.11 | 2 |
| <i>Potentilla fruticosa</i> 'Primrose Beauty' Primrose Beauty Bush Cinquefoil | DS | 0.84 | G2 | 5 | 6-7 | | 0.75 | 2 |
| <i>Potentilla fruticosa</i> 'Princess' See - <i>Potentilla fruticosa</i> 'Blink' P.P. 5106 | | | | | | | | |
| <i>Potentilla fruticosa</i> 'Red Ace' P.P. 4226 Red Ace Bush Cinquefoil | DS | 1.03 | G2 | 5 | 6-7 | | 0.74 | 2 |
| <i>Potentilla fruticosa</i> 'Red Joker' Red Joker Bush Cinquefoil | DS | 0.80 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Red Sunset' Red Sunset Bush Cinquefoil | DS | 0.86 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Silverlace' Silverlace Bush Cinquefoil | DS | 0.91 | G2 | 5 | 6-7 | | 0.78 | 2 |
| <i>Potentilla fruticosa</i> 'Snowbird' Snowbird Bush Cinquefoil | DS | 0.85 | G2 | 5 | 6-7 | | 0.81 | 2 |
| <i>Potentilla fruticosa</i> 'Snowflake' Snowflake Bush Cinquefoil | HP | 1.43 | G2 | 5 | 6-7 | | | |
| <i>Potentilla fruticosa</i> 'Sundance' Sundance Bush Cinquefoil | DS | 0.90 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Sunset' Sunset Bush Cinquefoil | DS | 1.03 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Tangerine' Tangerine Bush Cinquefoil | DS | 0.93 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Tilford Cream' Tilford Cream Bush Cinquefoil | DS | 0.91 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'UMan' P.P. 12258 Mango Tango™ Bush Cinquefoil | DS | 1.12 | G2 | 1-2 | 3-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Vilmoriniana' Vilmorin Bush Cinquefoil | DS | 0.91 | G2 | 5 | 6-7 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Yellow Gem' Yellow Gem Bush Cinquefoil | DS | 0.90 | G2 | 5 | 6-7 | | 1.34 | 2 |
| <i>Potentilla fruticosa</i> 'Yellowbird' Yellowbird Bush Cinquefoil | DS | 0.70 | G2 | 5 | 6-7 | | 0.86 | 2 |
| <i>Potentilla xhopwoodiana</i> Hopwood's Cinquefoil | DS | 0.97 | G2 | 5 | 6-7 | | 1.00 | 5 |
| <i>Potentilla hyparctica</i> Arctic Cinquefoil | HP | 1.00 | G4 | 4 | 5-7 | | | |
| <i>Potentilla hyparctica</i> 'Nana' Low Arctic Cinquefoil | HP | 1.00 | G4 | 4 | 5-7 | | | |
| <i>Potentilla megalantha</i> Strawberry Cinquefoil | HP | 1.47 | G4 | 5 | 6-7 | | | |
| <i>Potentilla nepalensis</i> Nepal Cinquefoil | HP | 0.99 | G2 | 6 | 7-8 | | | |
| <i>Potentilla nepalensis</i> 'Miss Wilmott' Miss Wilmott Nepal Cinquefoil | HP | 0.86 | G2 | 6 | 7-8 | | | |
| <i>Potentilla neumanniana</i> Creeping Spring Cinquefoil | HP | 0.74 | G4 | 5 | 6-7 | | | |
| <i>Potentilla neumanniana</i> 'Nana' Dwarf Spring Cinquefoil | HP | 0.94 | G4 | 5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Potentilla nitida</i> Snowline Cinquefoil | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Potentilla recta</i> Sulphur Cinquefoil | HP | 0.83 | G4 | 4 | 5-7 | | | |
| <i>Potentilla recta</i> 'Warrenii' Warren Sulfur Cinquefoil | HP | 0.83 | G4 | 4 | 5-7 | | | |
| <i>Potentilla rupestris</i> Cliff Cinquefoil | HP | 1.00 | G4 | 5 | 6-7 | | | |
| <i>Potentilla tabernaemontani</i> See - <i>Potentilla neumanniana</i> | | | | | | | | |
| <i>Potentilla tabernaemontani</i> var. <i>nana</i> See - <i>Potentilla neumanniana</i> 'Nana' | | | | | | | | |
| <i>Potentilla xtonguei</i> Tormentilla Cinquefoil | HP | 0.82 | G4 | 5 | 6-7 | | | |
| <i>Potentilla tridentata</i> Wineleaf Cinquefoil | HP | 1.30 | G2 | 6 | 7-8 | | | |
| <i>Potentilla tridentata</i> 'Minima' Dwarf Wineleaf Cinquefoil | HP | 0.90 | G2 | 6 | 7-8 | | | |
| <i>Poterium sanguisorba</i> See - <i>Sanguisorba minor</i> | | | | | | | | |
| <i>Pouteria campechiana</i> Eggfruit | FN | 1.43 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Pratia angulata</i> No Common Name Found | HP | 0.61 | G2 | 6-7 | 8-9 | | | |
| <i>Pratia pedunculata</i> No Common Name Found | HP | 0.76 | G4 | 6-7 | 8-9 | | | |
| <i>Pratia pedunculata</i> 'County Park' County Park Pratia | HP | 0.76 | G4 | 6-7 | 8-9 | | | |
| <i>Prenanthes racemosa</i> Glaucous White Lettuce | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Primula acaulis</i> See - <i>Primula vulgaris</i> | | | | | | | | |
| <i>Primula allionii</i> Allioni Primrose | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Primula angustifolia</i> Colorado Primrose | HP | 1.00 | G4 | 3-5 | 6-7 | | | |
| <i>Primula auricula</i> Auricula Primrose | HP | 0.68 | G4 | 3-4 | 5-7 | | | |
| <i>Primula beesiana</i> No Common Name Found | HP | 1.09 | G4 | 3-5 | 6-7 | | | |
| <i>Primula x bulleesiana</i> No Common Name Found | HP | 1.05 | G4 | 5 | 6-7 | | | |
| <i>Primula bulleyana</i> No Common Name Found | HP | 0.90 | G4 | 6 | 7 | | | |
| <i>Primula burmanica</i> No Common Name Found | HP | 0.72 | G4 | 5-6 | 7-8 | | | |
| <i>Primula cockburniana</i> Cockburn Primrose | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Primula daoensis</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Primula denticulata</i> Drumstick Primrose | HP | 1.07 | G4 | 5 | 6-7 | | | |
| <i>Primula denticulata</i> 'Alba' White Drumstick Primrose | HP | 0.90 | G4 | 5 | 6-7 | | | |
| <i>Primula denticulata</i> 'Cashmeriana Rubin' Cashmeriana Rubin Drumstick Primrose | HP | 1.19 | G4 | 5 | 6-7 | | | |
| <i>Primula denticulata</i> 'Ronsdorf Strain' Ronsdorf Strain Drumstick Primrose | HP | 0.99 | G4 | 5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Primula denticulata</i> 'Rosa Tone' Rosa Tone Drumstick Primrose | HP | 1.04 | G4 | 5 | 6-7 | | | |
| <i>Primula edgeworthii</i> No Common Name Found | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Primula elatior</i> Oxlip Primrose | HP | 1.12 | G4 | 5 | 6-7 | | | |
| <i>Primula elatior</i> 'Alba' White Oxlip Primrose | HP | 0.94 | G4 | 5 | 6-7 | | | |
| <i>Primula elatior</i> 'Aurea' Aurea Oxlip Primrose | HP | 1.48 | G4 | 5 | 6-7 | | | |
| <i>Primula elatior</i> 'Rote Farbern' Rote Farbern Oxlip Primrose | HP | 0.94 | G4 | 5 | 6-7 | | | |
| <i>Primula x forsteri</i> Forster Primrose | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Primula x forsteri</i> 'Bileckii' Bilecki Forster Primrose | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Primula japonica</i> Japanese Primrose | HP | 0.94 | G4 | 5 | 6-7 | | | |
| <i>Primula japonica</i> 'Alba' White Japanese Primrose | HP | 1.09 | G4 | 5 | 6-7 | | | |
| <i>Primula japonica</i> 'Carminea' Carminea Japanese Primrose | HP | 1.04 | G4 | 5 | 6-7 | | | |
| <i>Primula japonica</i> 'Miller's Crimson' Miller's Crimson Japanese Primrose | HP | 1.10 | G4 | 5 | 6-7 | | | |
| <i>Primula juliae</i> Julia Primrose | HP | 0.90 | G4 | 5 | 6-7 | | | |
| <i>Primula juliae</i> 'Wanda' Wanda Julia's Primrose | HP | 1.05 | G4 | 5 | 6-7 | | | |
| <i>Primula malacoides</i> Fairy Primrose | AN | 0.76 | G4 | 8 | 9 | | | |
| <i>Primula minima</i> Least Primrose | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Primula obconica</i> German Primrose | HP | 0.52 | G4 | 5-8 | 9-10 | | | |
| <i>Primula obconica</i> 'Libre Series' Libre Series German Primrose | HP | 0.66 | G4 | 5-8 | 9-10 | | | |
| <i>Primula obconica</i> 'Prino Series' Prino Series German Primrose | HP | 0.66 | G4 | 5-8 | 9-10 | | | |
| <i>Primula parryi</i> Parry Primrose | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Primula x polyantha</i> Polyantha Primrose | HP | 0.60 | G4 | 5 | 6-7 | | | |
| <i>Primula x polyantha</i> 'Pacific Giant Mixed' Pacific Giant Polyantha Primrose | HP | 0.96 | G4 | 5 | 6-7 | | | |
| <i>Primula x polyantha</i> 'Pacific Giant Yellow' Pacific Giant Yellow Polyantha Primrose | HP | 0.78 | G4 | 5 | 6-7 | | | |
| <i>Primula x pubescens</i> Hybrid Primrose | HP | 1.00 | G4 | 5 | 6-7 | | | |
| <i>Primula rosea</i> Rose Primrose | HP | 1.27 | G4 | 5 | 6-7 | | | |
| <i>Primula rosea</i> 'Gigas' Gigas Rose Primrose | HP | 1.27 | G4 | 5 | 6-7 | | | |
| <i>Primula rosea</i> 'Grandiflora' Grandiflora Rose Primrose | HP | 1.27 | G4 | 5 | 6-7 | | | |
| <i>Primula sikkimensis</i> Sikkim Primrose | HP | 0.80 | G4 | 5-6 | 7-8 | | | |
| <i>Primula veris</i> Cowslip Primrose | HP | 1.19 | G4 | 5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Primula vialii</i> Vial's Primrose | HP | 0.89 | G4 | 7 | 8 | | | |
| <i>Primula vulgaris</i> English Primrose | HP | 0.89 | G4 | 6 | 7-8 | | | |
| <i>Primula vulgaris</i> 'Danova Mix' Danova Mix English Primrose | HP | 0.88 | G4 | 6 | 7-8 | | | |
| <i>Primula warshenewskiana</i> No Common Name Found | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Primula yargongensis</i> No Common Name Found | HP | 0.75 | G4 | 5-7 | 8-9 | | | |
| <i>Pritchardia affinis</i> Lou Palm | PC | 1.61 | G1 | 10B | 11 | | 1.00 | 10 |
| <i>Pritchardia hillebrandii</i> Loulou Lelo Palm | PC | 1.51 | G1 | 10B | 11 | | 1.00 | 10 |
| <i>Pritchardia pacifica</i> Fiji Fan Palm | PC | 1.14 | G1 | 10B | 11 | | 1.00 | 10 |
| <i>Pritchardia thurstonii</i> Thurston Palm | PC | 1.71 | G1 | 10B | 11 | | 1.00 | 10 |
| <i>Pritzelago alpina</i> Chamois Cress | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Prosopis chilensis</i> See - <i>Prosopis glandulosa</i> | | | | | | | | |
| <i>Prosopis glandulosa</i> Honey Mesquite | DT | 1.19 | G2 | 10 | 11 | 0.86 | 0.82 | 10 |
| <i>Prostanthera denticulata</i> Prostrate Mint Bush | BS | 0.84 | G2 | 10 | 11 | | 1.00 | 9 |
| <i>Prostanthera lasianthos</i> Victoria Dogwood | BS | 0.68 | G4 | 8-9 | 10 | | 1.00 | 9 |
| <i>Prostanthera rotundifolia</i> Mint Bush | BS | 1.24 | G4 | 8-9 | 10 | | 1.00 | 9 |
| <i>Prostanthera rotundifolia</i> 'Ghost Cave' Ghost Cave Mint Bush | BS | 0.84 | G4 | 8-9 | 10 | | 1.00 | 9 |
| <i>Prostanthera rotundifolia</i> 'Rosea' Rose Mint Bush | BS | 0.84 | G4 | 8-9 | 10 | | 1.00 | 9 |
| <i>Prumnopitys andina</i> Plum-fruited Yew | CE | 1.00 | G2 | 8-9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Prunella grandiflora</i> Bigflower Self-heal | HP | 1.17 | G4 | 5 | 6-10A | | | |
| <i>Prunella grandiflora</i> 'Alba' White Bigflower Self-heal | HP | 1.23 | G4 | 5 | 6-10A | | | |
| <i>Prunella grandiflora</i> 'Carminea' Carminea Bigflower Self-heal | HP | 1.30 | G4 | 5 | 6-10A | | | |
| <i>Prunella grandiflora</i> 'Pink Loveliness' Pink Loveliness Self-heal | HP | 1.23 | G4 | 5 | 6-10A | | | |
| <i>Prunella laciniata</i> Cut-leaf Self-heal | HP | 0.88 | G4 | 5-6 | 7-10A | | | |
| <i>Prunella vulgaris</i> Common Self-heal | HP | 1.45 | G4 | 5 | 6-10A | | | |
| <i>Prunella x webbiana</i> Hybrid Self-heal | HP | 0.62 | G4 | 5 | 6-10A | | | |
| <i>Prunella x webbiana</i> 'Loveliness' Loveliness Hybrid Self-heal | HP | 0.89 | G4 | 5 | 6-10A | | | |
| <i>Prunella x webbiana</i> 'Rosea' Rose Hybrid Self-heal | HP | 0.76 | G4 | 5 | 6-10A | | | |
| <i>Prunus</i> Hybrid Plum | FN | 1.05 | G2 | 5-7 | 8-10 | 1.30 | 0.83 | 4 |
| <i>Prunus</i> 'Accolade' Accolade Cherry | DT | 1.04 | G2 | 5-7 | 8-10 | 0.87 | 0.42 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Prunus</i> 'Alderman' Alderman Plum | FN | 0.89 | G2 | 5-7 | 8-10 | 1.27 | 0.83 | 4 |
| <i>Prunus</i> 'Berry' Cascade Snow™ Flowering Cherry | FN | 1.05 | G2 | 5-7 | 8-10 | 1.07 | 0.83 | 5 |
| <i>Prunus</i> 'Cascade Snow' See - <i>Prunus</i> 'Berry' | | | | | | | | |
| <i>Prunus</i> 'Dream Catcher' Dream Catcher Flowering Cherry | FN | 0.91 | G2 | 5-7 | 8-10 | 0.91 | 0.83 | 6 |
| <i>Prunus</i> 'Ember' Ember Plum | FN | 1.05 | G2 | 5-7 | 8-10 | 1.30 | 0.83 | 4 |
| <i>Prunus</i> 'La Crescent' La Crescent Plum | FN | 1.00 | G2 | 5-7 | 8-10 | 1.25 | 0.83 | 4 |
| <i>Prunus</i> 'Newport' Newport Purpleleaf Plum | DT | 0.93 | G2 | 5-7 | 8-10 | 0.84 | 0.35 | 4 |
| <i>Prunus</i> 'Okame' Okame Cherry | DT | 0.84 | G2 | 5-7 | 8-10 | 0.97 | 0.56 | 5 |
| <i>Prunus</i> 'Pembina' Pembina Plum | FN | 1.10 | G2 | 5-7 | 8-10 | 1.27 | 0.83 | 3 |
| <i>Prunus</i> 'Pipestone' Pipestone Plum | FN | 1.31 | G2 | 5-7 | 8-10 | 0.99 | 0.83 | 3 |
| <i>Prunus</i> 'Redglow' Redglow Plum | FN | 1.05 | G2 | 5-7 | 8-10 | 1.30 | 0.83 | 4 |
| <i>Prunus</i> 'Snofozam' Snow Fountains Cherry | DT | 1.52 | G2 | 5-7 | 8-10 | 1.06 | 0.84 | 5 |
| <i>Prunus</i> 'Snow Fountains' See - <i>Prunus</i> 'Snofozam' | | | | | | | | |
| <i>Prunus</i> 'Snow Goose' Snow Goose Cherry | DT | 0.88 | G2 | 4-5 | 6-8 | 0.93 | 0.59 | 5 |
| <i>Prunus</i> 'Spire' Spire Cherry | DT | 1.04 | G2 | 5-7 | 8-10 | 0.96 | 0.89 | 6 |
| <i>Prunus</i> 'Superior' Superior Plum | FN | 1.04 | G2 | 5-7 | 8-10 | 1.67 | 0.83 | 4 |
| <i>Prunus</i> 'Toka' Toka Plum | FN | 1.10 | G2 | 5-7 | 8-10 | 1.20 | 0.83 | 3 |
| <i>Prunus</i> 'Umineko' Umineko Cherry | FN | 1.05 | G2 | 4-6 | 7-10 | 1.30 | 0.83 | 6 |
| <i>Prunus</i> 'Underwood' Underwood Plum | FN | 1.05 | G2 | 5-7 | 8-10 | 1.84 | 0.83 | 4 |
| <i>Prunus</i> 'Waneta' Waneta Plum | FN | 1.05 | G2 | 5-7 | 8-10 | 1.55 | 0.83 | 3 |
| <i>Prunus americana</i> American Plum | DT | 0.86 | G2 | 5-7 | 8-10 | 1.12 | 1.39 | 3 |
| <i>Prunus angustifolia</i> Chicksaw Plum | DT | 0.67 | G2 | 5-7 | 8-10 | 1.00 | 1.00 | 5 |
| <i>Prunus angustifolia</i> 'Guthrie' Guthrie Chicksaw Plum | DT | 0.73 | G2 | 5-7 | 8-10 | 1.00 | 1.00 | 6 |
| <i>Prunus armeniaca</i> Apricot | FN | 1.74 | G2 | 5-6 | 7-8 | 0.80 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Blenheim' Blenheim Apricot | FN | 0.83 | G2 | 5-6 | 7-8 | 0.63 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Bryan' Bryan Apricot | FN | 0.60 | G2 | 5-7 | 8-10 | 0.80 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Chinese' Chinese Apricot | FN | 0.89 | G2 | 5-6 | 7-8 | 0.65 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Coffing' Coffing Apricot | FN | 0.96 | G2 | 5-6 | 7-8 | 0.80 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Curtis' Curtis Apricot | FN | 0.96 | G2 | 5-6 | 7-8 | 0.80 | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus armeniaca</i> 'Early Golden' Early Golden Apricot | FN | 0.66 | G2 | 5-6 | 7-8 | 0.63 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Goldbar' P.P. 7045 Goldbar Apricot | FN | 0.96 | G2 | 5-6 | 7-8 | 0.68 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Goldcot' Goldcot Apricot | FN | 0.87 | G2 | 5-6 | 7-8 | 0.66 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Goldrich' Goldrich Apricot | FN | 0.96 | G2 | 5-6 | 7-8 | 0.63 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Goldstrike' P.P. 7035 Goldstrike Apricot | FN | 0.96 | G2 | 5-6 | 7-8 | 0.66 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Harcot' Harcot Apricot | FN | 1.33 | G2 | 5-7 | 8-10 | 0.80 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Hungarian' Hungarian Apricot | FN | 0.60 | G2 | 5-7 | 8-10 | 0.80 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Lehrman' Lehrman Apricot | FN | 0.96 | G2 | 5-6 | 7-8 | 0.80 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Moongold' Moongold Apricot | FN | 1.41 | G2 | 5-6 | 7-8 | 1.52 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Moorpark' Moorpark Apricot | FN | 0.91 | G2 | 5-6 | 7-8 | 0.78 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Perfection' Perfection Apricot | FN | 0.84 | G2 | 5-6 | 7-8 | 0.58 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Rival' Rival Apricot | FN | 0.96 | G2 | 5-6 | 7-8 | 0.63 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Royal' Royal Apricot | FN | 0.89 | G2 | 5-6 | 7-8 | 0.66 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Scout' Scout Apricot | FN | 0.89 | G2 | 5-6 | 7-8 | 1.50 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Sungold' Sungold Apricot | FN | 1.14 | G2 | 5-6 | 7-8 | 1.50 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Tilton' Tilton Apricot | FN | 0.86 | G2 | 5-6 | 7-8 | 0.60 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Tomcot' P.P. 7034 Tomcot Apricot | FN | 0.96 | G2 | 5-6 | 7-8 | 0.64 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Wenatchee Moorpark' Wenatchee Moorpark Apricot | FN | 0.89 | G2 | 5-6 | 7-8 | 0.63 | 1.00 | 5 |
| <i>Prunus armeniaca</i> var. <i>mandshurica</i> See - <i>Prunus mandshurica</i> | | | | | | | | |
| <i>Prunus avium</i> Mazzard Cherry | FN | 0.96 | G2 | 5-6 | 7-8 | 0.77 | 1.54 | 3 |
| <i>Prunus avium</i> 'Attika' See - <i>Prunus avium</i> 'Kordia' | | | | | | | | |
| <i>Prunus avium</i> 'Bali' Bali Sweet Cherry | FN | 1.09 | G2 | 5-7 | 8-10 | 1.16 | 1.54 | 3 |
| <i>Prunus avium</i> 'Bing Dwarf' Bing Dwarf Sweet Cherry | FN | 0.88 | G2 | 5-6 | 7-8 | 0.77 | 1.54 | 3 |
| <i>Prunus avium</i> 'Bing' Bing Sweet Cherry | FN | 1.04 | G2 | 5-6 | 7-8 | 0.77 | 0.58 | 3 |
| <i>Prunus avium</i> 'Black Republican' Black Republican Sweet Cherry | FN | 0.89 | G2 | 5-6 | 7-8 | 0.69 | 1.54 | 3 |
| <i>Prunus avium</i> 'Black Tartarian' Black Tartarian Sweet Cherry | FN | 1.33 | G2 | 5-6 | 7-8 | 0.81 | 0.58 | 3 |
| <i>Prunus avium</i> 'Chelan' See - <i>Prunus avium</i> 'PC 7146-23' P.P. 8545 | | | | | | | | |
| <i>Prunus avium</i> 'Emperor Francis' Emperor Francis Sweet Cherry | FN | 1.00 | G2 | 5-6 | 7-8 | 0.69 | 1.54 | 3 |
| <i>Prunus avium</i> 'Hardy Giant' Hardy Giant Sweet Cherry | FN | 1.00 | G2 | 5-6 | 7-8 | 0.77 | 1.54 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus avium</i> 'Hedelfingen' Hedelfingen Sweet Cherry | FN | 0.87 | G2 | 5-6 | 7-8 | 0.67 | 1.54 | 3 |
| <i>Prunus avium</i> 'Index' P.P.A.F. Index Sweet Cherry | FN | 1.00 | G2 | 5-6 | 7-8 | 0.79 | 1.54 | 3 |
| <i>Prunus avium</i> 'Kordia' Attika Sweet Cherry | FN | 1.00 | G2 | 5-6 | 7-8 | 0.72 | 1.54 | 3 |
| <i>Prunus avium</i> 'Lambert' Lambert Sweet Cherry | FN | 0.90 | G2 | 5-6 | 7-8 | 0.58 | 1.54 | 3 |
| <i>Prunus avium</i> 'Lapins' Lapins Sweet Cherry | FN | 0.96 | G2 | 5-6 | 7-8 | 0.70 | 0.76 | 3 |
| <i>Prunus avium</i> 'Mesabi' Mesabi Sweet Cherry | FN | 1.26 | G2 | 5-6 | 7-8 | 1.80 | 3.25 | 3 |
| <i>Prunus avium</i> 'PC 7146-23' P.P. 8545 Chelan Sweet Cherry | FN | 1.00 | G2 | 5-6 | 7-8 | 0.78 | 1.54 | 3 |
| <i>Prunus avium</i> 'Rainier' Rainier Sweet Cherry | FN | 0.85 | G2 | 5-6 | 7-8 | 0.64 | 1.54 | 3 |
| <i>Prunus avium</i> 'Regina' Regina Sweet Cherry | FN | 1.00 | G2 | 5-6 | 7-8 | 0.79 | 1.54 | 3 |
| <i>Prunus avium</i> 'Royal Ann' Royal Ann Sweet Cherry | FN | 0.89 | G2 | 5-6 | 7-8 | 0.57 | 0.76 | 3 |
| <i>Prunus avium</i> 'Schmidt' Schmidt Sweet Cherry | FN | 1.00 | G2 | 5-6 | 7-8 | 0.67 | 1.54 | 3 |
| <i>Prunus avium</i> 'Schneider' Schneider Sweet Cherry | FN | 1.00 | G2 | 5-6 | 7-8 | 0.68 | 1.54 | 3 |
| <i>Prunus avium</i> 'Sonata' Sonata™ Sweet Cherry | FN | 1.00 | G2 | 5-6 | 7-8 | 0.82 | 1.54 | 3 |
| <i>Prunus avium</i> 'Stella' Stella Sweet Cherry | FN | 1.02 | G2 | 5-6 | 7-8 | 0.76 | 3.33 | 3 |
| <i>Prunus avium</i> 'Sweetheart' Sweetheart® Sweet Cherry | FN | 1.00 | G2 | 5-6 | 7-8 | 0.77 | 1.54 | 3 |
| <i>Prunus avium</i> 'Ulster' Ulster Sweet Cherry | FN | 1.00 | G2 | 5-6 | 7-8 | 0.63 | 1.54 | 3 |
| <i>Prunus avium</i> 'Utah Giant' Utah Giant Sweet Cherry | FN | 1.20 | G2 | 5-6 | 7-8 | 0.57 | 1.54 | 3 |
| <i>Prunus avium</i> 'Van' Van Sweet Cherry | FN | 0.92 | G2 | 5-6 | 7-8 | 0.55 | 1.54 | 3 |
| <i>Prunus besseyi</i> Western Sandcherry | SF | 0.90 | G2 | 5-6 | 7-8 | | 1.61 | 3 |
| <i>Prunus besseyi</i> 'Compass' Compass Western Sandcherry | SF | 1.26 | G2 | 2-3 | 4-10 | | 1.61 | 3 |
| <i>Prunus besseyi</i> 'Pawnee Buttes' Pawnee Buttes Western Sandcherry | SF | 1.22 | G2 | 2-3 | 4-10 | | 1.61 | 3 |
| <i>Prunus besseyi</i> 'Red Diamond' Red Diamond Western Sandcherry | SF | 1.29 | G2 | 5-6 | 7-8 | | 1.61 | 3 |
| <i>Prunus besseyi</i> 'Sapalta' Sapalta Western Sandcherry | SF | 1.17 | G2 | 5-6 | 7-8 | | 1.61 | 3 |
| <i>Prunus x blireiana</i> Blireiana Plum | FN | 1.11 | G2 | 5-6 | 7-8 | 0.95 | 0.23 | 5 |
| <i>Prunus campanulata</i> Taiwan Cherry | DT | 0.75 | G2 | 5-7 | 8 | 0.94 | 0.28 | 7 |
| <i>Prunus caroliniana</i> Carolina Cherrylaurel | BE | 0.82 | G2 | 6-7 | 8-9B | 1.00 | 0.76 | 7 |
| <i>Prunus caroliniana</i> 'Bright 'n Tight' See - <i>Prunus caroliniana</i> 'Monus' | | | | | | | | |
| <i>Prunus caroliniana</i> 'Compacta' Compact Carolina Cherrylaurel | BS | 1.14 | G2 | 6-7 | 8-9B | | 1.43 | 7 |
| <i>Prunus caroliniana</i> 'Monus' Bright 'n Tight™ Carolina Cherrylaurel | BE | 1.54 | G2 | 6-7 | 8-9B | 1.00 | 1.38 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Prunus cerasifera</i> Cherry Plum | DT | 0.71 | G2 | 3-4 | 5-7 | 0.60 | 0.76 | 4 |
| <i>Prunus cerasifera</i> 'Alfred' Alfred Cherry Plum | DT | 0.81 | G2 | 3-4 | 5-7 | 0.73 | 0.46 | 4 |
| <i>Prunus cerasifera</i> 'Frankthrees' P.P. 4987 Mt. St. Helens Cherry Plum | DT | 0.94 | G2 | 3-4 | 5-7 | 0.96 | 0.28 | 4 |
| <i>Prunus cerasifera</i> 'Hollywood' Hollywood Cherry Plum | DT | 0.88 | G2 | 4-5 | 6-10 | 0.73 | 0.46 | 4 |
| <i>Prunus cerasifera</i> 'Mt. St. Helens' See - <i>Prunus cerasifera</i> 'Frankthrees' P.P. 4987 | | | | | | | | |
| <i>Prunus cerasifera</i> 'Pissardii' Pissard Cherry Plum | DT | 0.85 | G2 | 3-4 | 5-7 | 0.23 | 0.16 | 4 |
| <i>Prunus cerasifera</i> 'Purple Pony' Purple Pony Cherry Plum | DT | 0.95 | G2 | 3-4 | 5-7 | 0.73 | 0.46 | 4 |
| <i>Prunus cerasifera</i> 'Thundercloud' Thundercloud Cherry Plum | DT | 0.99 | G2 | 3-4 | 5-7 | 0.97 | 0.70 | 4 |
| <i>Prunus cerasifera</i> 'Vesuvius' Vesuvius Cherry Plum | DT | 0.93 | G2 | 3-4 | 5-7 | 0.90 | 0.39 | 4 |
| <i>Prunus cerasus</i> Tart Cherry | FN | 1.13 | G2 | 3 | 4-7 | 1.03 | 1.66 | 3 |
| <i>Prunus cerasus</i> 'Early Richmond' Early Richmond Tart Cherry | FN | 0.79 | G2 | 3 | 4-7 | 0.69 | 0.37 | 3 |
| <i>Prunus cerasus</i> 'Gold' Gold Tart Cherry | FN | 1.13 | G2 | 3 | 4-7 | 0.69 | 1.66 | 3 |
| <i>Prunus cerasus</i> 'Meteor' Meteor Tart Cherry | FN | 1.40 | G2 | 3 | 4-7 | 1.24 | 3.25 | 3 |
| <i>Prunus cerasus</i> 'Montmorency' Montmorency Tart Cherry | FN | 1.20 | G2 | 3 | 4-7 | 1.00 | 0.60 | 3 |
| <i>Prunus cerasus</i> 'North Star' North Star Dwarf Tart Cherry | FN | 1.14 | G2 | 3 | 4-7 | 1.30 | 2.40 | 3 |
| <i>Prunus x cistena</i> Purpleleaf Sand Cherry | DS | 0.92 | G2 | 3 | 4-7 | | 0.63 | 3 |
| <i>Prunus x cistena</i> 'Big Cis' See - <i>Prunus x cistena</i> 'Schmidtcis' P.P. 5003 | | | | | | | | |
| <i>Prunus x cistena</i> 'Schmidtcis' P.P. 5003 Big Cis™ Purpleleaf Sand Cherry | DS | 1.23 | G2 | 3 | 4-7 | | 0.63 | 3 |
| <i>Prunus domestica</i> Common Plum | FN | 0.99 | G2 | 3-5 | 6-7 | 0.74 | 0.37 | 5 |
| <i>Prunus domestica</i> 'Allred' Allred Plum | FN | 0.57 | G2 | 3-5 | 6-7 | 0.74 | 0.37 | 5 |
| <i>Prunus domestica</i> 'Brooks' Brooks Plum | FN | 1.30 | G2 | 3-5 | 6-10 | 0.97 | 0.37 | 5 |
| <i>Prunus domestica</i> 'Bruce' Bruce Plum | FN | 0.76 | G2 | 3-5 | 6-7 | 0.61 | 0.37 | 5 |
| <i>Prunus domestica</i> 'Early Italian' Early Italian Plum | FN | 0.99 | G2 | 3-5 | 6-7 | 0.58 | 0.37 | 5 |
| <i>Prunus domestica</i> 'Elephant Heart' Elephant Heart Plum | FN | 0.86 | G2 | 3-5 | 6-7 | 0.64 | 0.37 | 5 |
| <i>Prunus domestica</i> 'Green Gage' Green Gage Plum | FN | 1.30 | G2 | 3-5 | 6-7 | 0.82 | 0.37 | 5 |
| <i>Prunus domestica</i> 'Italian' Italian Prune Plum | FN | 1.05 | G2 | 3-5 | 6-7 | 0.75 | 0.37 | 5 |
| <i>Prunus domestica</i> 'Morris' Morris Plum | FN | 0.57 | G2 | 3-5 | 6-7 | 0.74 | 0.37 | 5 |
| <i>Prunus domestica</i> 'Mt. Royal' Mt. Royal Plum | FN | 1.00 | G2 | 3-5 | 6-7 | 1.08 | 0.37 | 5 |
| <i>Prunus domestica</i> 'President' President Plum | FN | 0.99 | G2 | 3-5 | 6-7 | 0.62 | 0.37 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus domestica</i> 'Simka' Simka Plum | FN | 0.99 | G2 | 3-5 | 6-7 | 0.63 | 0.37 | 5 |
| <i>Prunus domestica</i> 'Stanley Dwarf' Stanley Dwarf Plum | FN | 1.02 | G2 | 3-5 | 6-7 | 0.74 | 0.37 | 5 |
| <i>Prunus domestica</i> 'Stanley' Stanley Prune Plum | FN | 1.44 | G2 | 3-5 | 6-7 | 0.82 | 0.37 | 5 |
| <i>Prunus domestica</i> 'Sugar Prune' Sugar Prune Plum | FN | 0.99 | G2 | 3-5 | 6-7 | 0.67 | 0.37 | 5 |
| <i>Prunus dulcis</i> Almond | FN | 0.92 | G2 | 3-5 | 6-7 | 0.45 | 0.63 | 5 |
| <i>Prunus dulcis</i> 'Ne Plus Ultra' Ne Plus Ultra Almond | FN | 0.74 | G2 | 3-5 | 6-7 | 0.43 | 0.61 | 5 |
| <i>Prunus dulcis</i> 'Nonpareil' Nonpareil Almond | FN | 0.80 | G2 | 3-5 | 6-7 | 0.49 | 0.61 | 5 |
| <i>Prunus dulcis</i> 'Texas Mission' Texas Mission Almond | FN | 0.78 | G2 | 3-5 | 6-7 | 0.43 | 0.62 | 5 |
| <i>Prunus fruticosa</i> Steppe Cherry | DS | 1.05 | G2 | 3 | 4-7 | | 1.00 | 2 |
| <i>Prunus glandulosa</i> Dwarf Flowering Almond | DT | 0.80 | G2 | 3-4 | 5-7 | 1.00 | 0.84 | 4 |
| <i>Prunus glandulosa</i> 'Rosea' Rosea Dwarf Flowering Almond | DT | 0.92 | G2 | 3-4 | 5-7 | 1.00 | 0.86 | 4 |
| <i>Prunus glandulosa</i> 'Sinensis' Sinensis Dwarf Flowering Almond | DT | 0.88 | G2 | 3-4 | 5-7 | 1.00 | 0.80 | 4 |
| <i>Prunus ilicifolia</i> Holly-leaved Cherry | BS | 0.95 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Prunus incisa</i> Fuji Cherry | DT | 1.00 | G2 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Prunus japonica</i> Chinese Bushcherry | DS | 1.01 | G2 | 3-4 | 5-7 | | 1.00 | 4 |
| <i>Prunus laurocerasus</i> Cherrylaurel | BS | 0.96 | G2 | 5-6 | 7-8 | | 0.81 | 6 |
| <i>Prunus laurocerasus</i> 'Caucasica Nana' Dwarf Caucasica Cherrylaurel | BS | 1.18 | G2 | 5-6 | 7-8 | | 1.33 | 6 |
| <i>Prunus laurocerasus</i> 'Compacta' Compact Cherrylaurel | BS | 0.79 | G2 | 5-6 | 7-8 | | 0.56 | 6 |
| <i>Prunus laurocerasus</i> 'Majestic Jade' Majestic Jade Cherrylaurel | BS | 0.94 | G2 | 5-6 | 7-8 | | 0.86 | 6 |
| <i>Prunus laurocerasus</i> 'Marbled Dragon' Marbled Dragon Cherrylaurel | BS | 0.95 | G2 | 5-6 | 7-8 | | 0.86 | 6 |
| <i>Prunus laurocerasus</i> 'Mt. Vernon' Mt. Vernon Cherrylaurel | BS | 1.04 | G2 | 5-6 | 7-8 | | 0.96 | 6 |
| <i>Prunus laurocerasus</i> 'Nana' Dwarf Cherrylaurel | BS | 0.97 | G2 | 5-6 | 7-8 | | 0.80 | 6 |
| <i>Prunus laurocerasus</i> 'Otto Luyken' Otto Luyken Cherrylaurel | BS | 0.98 | G2 | 5-6 | 7-8 | | 0.94 | 6 |
| <i>Prunus laurocerasus</i> 'S & S Supreme' S & S Supreme Cherrylaurel | BS | 0.74 | G2 | 5-6 | 7-8 | | 0.74 | 6 |
| <i>Prunus laurocerasus</i> 'Schipkaensis' Skip Cherrylaurel | BS | 0.88 | G2 | 5-6 | 7-8 | | 0.78 | 6 |
| <i>Prunus laurocerasus</i> 'Zabeliana' Zabel Cherrylaurel | BS | 0.82 | G2 | 5-6 | 7-8 | | 0.83 | 6 |
| <i>Prunus lusitanica</i> Portuguese Laurelcherry | BS | 0.78 | G2 | 5-7 | 8 | | 0.63 | 7 |
| <i>Prunus lyonii</i> Catalina Cherry | BS | 0.89 | G2 | 5-8 | 9 | | 1.00 | 8 |
| <i>Prunus maackii</i> Amur Chokecherry | DT | 1.26 | G2 | 2 | 3-6 | 1.20 | 2.82 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus mahaleb</i> Mahaleb Cherry | DT | 1.00 | G2 | 5-6 | 7-8 | 1.00 | 1.00 | 5 |
| <i>Prunus mandshurica</i> Manchurian Apricot | FN | 0.81 | G2 | 4 | 5-7 | 0.98 | 1.00 | 3 |
| <i>Prunus maritima</i> Beach Plum | DS | 1.05 | G2 | 2-3 | 4-7 | | 1.11 | 3 |
| <i>Prunus mexicana</i> Big-tree Plum | BE | 0.89 | G2 | 5-6 | 7-8 | 0.55 | 0.69 | 6 |
| <i>Prunus mume</i> Japanese Apricot | DT | 0.84 | G2 | 5-6 | 7-8 | 0.77 | 0.45 | 6 |
| <i>Prunus mume</i> 'Bonita' Bonita Japanese Apricot | DT | 1.04 | G2 | 5-6 | 7-8 | 0.72 | 0.45 | 6 |
| <i>Prunus mume</i> 'Dawn' Dawn Japanese Apricot | DT | 1.04 | G2 | 5-6 | 7-8 | 0.78 | 0.45 | 6 |
| <i>Prunus mume</i> 'Peggy Clarke' Peggy Clarke Japanese Apricot | DT | 0.86 | G2 | 5-6 | 7-8 | 0.72 | 0.36 | 6 |
| <i>Prunus mume</i> 'Pendula' Weeping Pink Japanese Apricot | DT | 0.53 | G2 | 5-6 | 7-8 | 0.77 | 0.53 | 6 |
| <i>Prunus mume</i> 'Rosemary Clarke' Rosemary Clark Japanese Apricot | DT | 1.04 | G2 | 5-6 | 7-8 | 0.84 | 0.45 | 6 |
| <i>Prunus myrobalana</i> See - <i>Prunus cerasifera</i> | | | | | | | | |
| <i>Prunus nigra</i> Canada Plum | DT | 1.49 | G2 | 2 | 3-6 | 1.38 | 1.00 | 2 |
| <i>Prunus nigra</i> 'Princess Kay' Princess Kay Canada Plum | DT | 1.49 | G2 | 2 | 3-6 | 1.38 | 1.00 | 2 |
| <i>Prunus padus</i> European Birdcherry | DT | 1.37 | G2 | 2-3 | 4-7 | 1.07 | 1.42 | 3 |
| <i>Prunus padus</i> 'Berg' Berg European Birdcherry | DT | 1.48 | G2 | 2-3 | 4-10 | 0.96 | 1.32 | 3 |
| <i>Prunus padus</i> 'DTR 117' Summer Glow® Birdcherry | DT | 1.35 | G2 | 2-3 | 4-7 | 0.85 | 1.22 | 3 |
| <i>Prunus padus</i> 'Dropmore' Dropmore Birdcherry | DT | 1.40 | G2 | 2-3 | 4-7 | 0.96 | 1.32 | 3 |
| <i>Prunus padus</i> 'Plena' Double Birdcherry | DT | 1.40 | G2 | 2-3 | 4-7 | 0.96 | 1.32 | 3 |
| <i>Prunus padus</i> 'Spaethii' Bigflower Birdcherry | DT | 1.40 | G2 | 2-3 | 4-7 | 0.96 | 1.32 | 3 |
| <i>Prunus padus</i> 'Summer Glow' See - <i>Prunus padus</i> 'DTR 117' | | | | | | | | |
| <i>Prunus padus</i> 'Watereri' Waterer Birdcherry | DT | 1.40 | G2 | 2-3 | 4-7 | 0.96 | 1.32 | 3 |
| <i>Prunus padus</i> var. <i>commutata</i> May Day Tree | DT | 0.71 | G2 | 2-3 | 4-7 | 1.42 | 1.00 | 3 |
| <i>Prunus pensylvanica</i> Pin Cherry | DT | 1.00 | G2 | 2 | 3-7 | 1.30 | 1.43 | 2 |
| <i>Prunus pensylvanica</i> 'Stockton' Stockton Pin Cherry | DT | 1.00 | G2 | 2 | 3-7 | 1.30 | 1.43 | 2 |
| <i>Prunus persica</i> Common Peach | FN | 0.98 | G2 | 4-5 | 6-8 | 0.42 | 2.20 | 5 |
| <i>Prunus persica</i> 'Alba' White Flowering Peach | FN | 0.76 | G2 | 4-5 | 6-8 | 0.65 | 0.37 | 5 |
| <i>Prunus persica</i> 'Angelus' Angelus Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.55 | 0.60 | 5 |
| <i>Prunus persica</i> 'Arctic Gem' P.P. 7065 Arctic Gem Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.92 | 0.60 | 5 |
| <i>Prunus persica</i> 'Arkansas 9' Arkansas 9 Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Prunus persica</i> 'Babcock' Babcock Peach | FN | 0.92 | G2 | 4-5 | 6-8 | 0.47 | 0.60 | 5 |
| <i>Prunus persica</i> 'Babygold 5' Babygold 5 Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.61 | 0.60 | 5 |
| <i>Prunus persica</i> 'Bailey Hardy' Bailey Hardy Peach | FN | 1.10 | G2 | 4-5 | 6-8 | 1.35 | 0.60 | 5 |
| <i>Prunus persica</i> 'Belle of Georgia Dwarf' Belle of Georgia Dwarf Peach | FN | 0.66 | G2 | 4-5 | 6-8 | 0.65 | 0.48 | 5 |
| <i>Prunus persica</i> 'Belle of Georgia' Belle of Georgia Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.56 | 0.35 | 5 |
| <i>Prunus persica</i> 'Blushingstar' Blushingstar™ Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.69 | 0.60 | 5 |
| <i>Prunus persica</i> 'Bonanza' Bonanza Dwarf Peach | FN | 0.85 | G2 | 3-5 | 6-10 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Bonfire Patio' See - <i>Prunus persica</i> 'Tom Thumb' P.P. 8509 | | | | | | | | |
| <i>Prunus persica</i> 'Canadian Harmony' Canadian Harmony Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.63 | 0.60 | 5 |
| <i>Prunus persica</i> 'Cresthaven' Cresthaven Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.54 | 0.60 | 5 |
| <i>Prunus persica</i> 'Crimson Cascade Weeping' Crimson Cascade Weeping Peach | FN | 1.54 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Delp Hale' Delp Hale Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Desert Gold' Desert Gold Peach | FN | 0.82 | G2 | 4-5 | 6-8 | 0.55 | 0.60 | 5 |
| <i>Prunus persica</i> 'Dixiland' Dixiland Peach | FN | 0.57 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'EarliGrande' EarliGrande Peach | FN | 0.57 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Early Elberta' Early Elberta Peach | FN | 0.98 | G2 | 4-5 | 6-8 | 0.52 | 0.37 | 5 |
| <i>Prunus persica</i> 'Early Redhaven' Early Redhaven Peach | FN | 1.30 | G2 | 4-5 | 6-8 | 0.59 | 0.60 | 5 |
| <i>Prunus persica</i> 'Elberta Dwarf' Elberta Dwarf Peach | FN | 1.14 | G2 | 4-5 | 6-8 | 1.31 | 0.48 | 5 |
| <i>Prunus persica</i> 'Elberta' Elberta Peach | FN | 0.93 | G2 | 4-5 | 6-8 | 0.59 | 0.35 | 5 |
| <i>Prunus persica</i> 'Fairhaven' Fairhaven Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.62 | 0.60 | 5 |
| <i>Prunus persica</i> 'Flordabelle' Flordabelle Peach | FN | 0.55 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Flordaglo' Flordaglo Peach | FN | 0.56 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Flordahome' Flordahome Peach | FN | 0.71 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Flordaking' Flordaking Peach | FN | 0.79 | G2 | 4-5 | 6-8 | 0.54 | 0.60 | 5 |
| <i>Prunus persica</i> 'Flordaprince' Flordaprince Peach | FN | 0.79 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Flordaqueen' Flordaqueen Peach | FN | 0.55 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Flordasun' Flordasun Peach | FN | 0.55 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Flordawon' Flordawon Peach | FN | 0.55 | G2 | 4-5 | 6-8 | 0.54 | 0.60 | 5 |
| <i>Prunus persica</i> 'Frost' Frost Peach | FN | 1.30 | G2 | 3-5 | 6-10 | 0.65 | 0.60 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus persica</i> 'Glohaven' Glohaven Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.55 | 0.60 | 5 |
| <i>Prunus persica</i> 'Golden Jubilee Dwarf' Golden Jubilee Dwarf Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Golden Jubilee' Golden Jubilee Peach | FN | 0.67 | G2 | 4-5 | 6-8 | 0.60 | 0.37 | 5 |
| <i>Prunus persica</i> 'Golden Monarch' P.P. 3342 Golden Monarch Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Halehaven Dwarf' Halehaven Dwarf Peach | FN | 0.65 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Halehaven' Halehaven Peach | FN | 1.36 | G2 | 4-5 | 6-8 | 0.57 | 0.60 | 5 |
| <i>Prunus persica</i> 'Harvester' Harvester Peach | FN | 0.73 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Helen Borchers' Helen Borchers Peach | FN | 0.87 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'J.H. Hale' J.H. Hale Peach | FN | 0.80 | G2 | 4-5 | 6-8 | 0.56 | 0.35 | 5 |
| <i>Prunus persica</i> 'June Gold' June Gold Peach | FN | 0.82 | G2 | 4-5 | 6-8 | 0.55 | 0.60 | 5 |
| <i>Prunus persica</i> 'La Feliciana' La Feliciana Peach | FN | 0.92 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Loring' Loring Peach | FN | 0.77 | G2 | 4-5 | 6-8 | 0.56 | 0.60 | 5 |
| <i>Prunus persica</i> 'M.A. Blake' M.A. Blake Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.63 | 0.60 | 5 |
| <i>Prunus persica</i> 'Madison' Madison Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Maygold' Maygold Peach | FN | 0.55 | G2 | 4-5 | 6-8 | 0.61 | 0.60 | 5 |
| <i>Prunus persica</i> 'Melba' Melba Peach | FN | 0.57 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Newhaven' Newhaven Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.54 | 0.60 | 5 |
| <i>Prunus persica</i> 'O'Henry' O'Henry Peach | FN | 0.87 | G2 | 4-5 | 6-8 | 0.55 | 0.60 | 5 |
| <i>Prunus persica</i> 'Peppermint Stick' Peppermint Stick Peach | FN | 0.90 | G2 | 4-5 | 6-8 | 0.65 | 0.37 | 5 |
| <i>Prunus persica</i> 'Ranger' Ranger Peach | FN | 0.76 | G2 | 4-5 | 6-8 | 0.55 | 0.60 | 5 |
| <i>Prunus persica</i> 'Red Fremont' Red Fremont Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.63 | 0.60 | 5 |
| <i>Prunus persica</i> 'Red Skin' Red Skin Peach | FN | 0.70 | G2 | 4-5 | 6-8 | 0.53 | 0.37 | 5 |
| <i>Prunus persica</i> 'Redglobe' Redglobe Peach | FN | 0.77 | G2 | 4-5 | 6-8 | 0.54 | 0.60 | 5 |
| <i>Prunus persica</i> 'Redhaven Dwarf' Redhaven Dwarf Peach | FN | 1.23 | G2 | 4-5 | 6-8 | 1.12 | 0.48 | 5 |
| <i>Prunus persica</i> 'Redhaven' Redhaven Peach | FN | 0.97 | G2 | 4-5 | 6-8 | 0.86 | 0.35 | 5 |
| <i>Prunus persica</i> 'Reliance Dwarf' Reliance Dwarf Peach | FN | 1.61 | G2 | 4-5 | 6-8 | 1.12 | 0.60 | 5 |
| <i>Prunus persica</i> 'Reliance' Reliance Peach | FN | 1.00 | G2 | 4-5 | 6-8 | 0.93 | 0.60 | 5 |
| <i>Prunus persica</i> 'Rio Grande' Rio Grande Peach | FN | 0.59 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Rio Oso Gem' Rio Oso Gem Peach | FN | 0.98 | G2 | 4-5 | 6-8 | 0.53 | 0.60 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Prunus persica</i> 'Rosea' Pink Flowering Peach | FN | 0.52 | G2 | 4-5 | 6-8 | 0.65 | 0.37 | 5 |
| <i>Prunus persica</i> 'Roza' Roza Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.55 | 0.60 | 5 |
| <i>Prunus persica</i> 'Rubroplena' Red Flowering Peach | FN | 0.89 | G2 | 4-5 | 6-8 | 0.65 | 0.36 | 5 |
| <i>Prunus persica</i> 'Ruston Red' Ruston Red Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Sam Houston' Sam Houston Peach | FN | 0.58 | G2 | 4-5 | 6-8 | 0.65 | 0.48 | 5 |
| <i>Prunus persica</i> 'Sentinel' Sentinel Peach | FN | 0.57 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Suncrest' Suncrest Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.55 | 0.60 | 5 |
| <i>Prunus persica</i> 'Surecrop' Surecrop Peach | FN | 0.60 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Suwanee' Suwanee Peach | FN | 0.71 | G2 | 4-5 | 6-8 | 0.54 | 0.60 | 5 |
| <i>Prunus persica</i> 'Tom Thumb' P.P. 8509 Bonfire Patio Peach | FN | 1.23 | G2 | 4-5 | 6-8 | 0.58 | 2.09 | 5 |
| <i>Prunus persica</i> 'Topaz' Topaz Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.43 | 0.60 | 5 |
| <i>Prunus persica</i> 'Versicolor' Versicolor Flowering Peach | FN | 0.52 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> 'Veteran' Veteran Peach | FN | 1.31 | G2 | 4-5 | 6-8 | 0.68 | 0.60 | 5 |
| <i>Prunus persica</i> 'Yakima Hale' Yakima Hale Peach | FN | 0.84 | G2 | 4-5 | 6-8 | 0.65 | 0.60 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> Nectarine | FN | 1.19 | G2 | 4-5 | 6-8 | 0.64 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Arctic Glo' P.P. 7884 Arctic Glo Nectarine | FN | 1.06 | G2 | 4-5 | 6-8 | 0.87 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Armking' Armking Nectarine | FN | 0.73 | G2 | 4-5 | 6-8 | 0.64 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Cavalier' Cavalier Nectarine | FN | 0.81 | G2 | 4-5 | 6-8 | 0.79 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Crimson Gold' Crimson Gold Nectarine | FN | 0.77 | G2 | 4-5 | 6-8 | 0.64 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Fantasia' Fantasia Nectarine | FN | 0.96 | G2 | 4-5 | 6-8 | 0.56 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Firebright' Firebright Nectarine | FN | 0.90 | G2 | 4-5 | 6-8 | 0.63 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Flavortop' Flavortop Nectarine | FN | 0.89 | G2 | 4-5 | 6-8 | 0.62 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Garden State' Garden State Nectarine | FN | 0.77 | G2 | 4-5 | 6-8 | 0.58 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Goldmine' Goldmine Nectarine | FN | 1.08 | G2 | 4-5 | 6-8 | 0.60 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Independence' Independence Nectarine | FN | 0.88 | G2 | 4-5 | 6-8 | 0.67 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Le Grand' Le Grand Nectarine | FN | 0.82 | G2 | 4-5 | 6-8 | 0.79 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Leprechaun' Leprechaun Nectarine | FN | 1.22 | G2 | 4-5 | 6-8 | 0.64 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Mericrest' Mericrest Nectarine | FN | 1.04 | G2 | 4-5 | 6-8 | 0.64 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Red Gold' Red Gold Nectarine | FN | 0.81 | G2 | 4-5 | 6-8 | 0.55 | 0.48 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Redchief' Redchief Nectarine | FN | 0.68 | G2 | 4-5 | 6-8 | 0.58 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sunglo' Sunglo Nectarine | FN | 0.77 | G2 | 4-5 | 6-8 | 0.52 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sunlite' Sunlite Nectarine | FN | 0.88 | G2 | 4-5 | 6-8 | 0.64 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sunred' Sunred Nectarine | FN | 0.91 | G2 | 4-5 | 6-8 | 0.55 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Suregold' Suregold Nectarine | FN | 0.81 | G2 | 4-5 | 6-8 | 0.64 | 0.48 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sweet Scarlett' Sweet Scarlett Nectarine | FN | 0.90 | G2 | 4-5 | 6-8 | 0.61 | 0.48 | 5 |
| <i>Prunus pumila</i> var. <i>depressa</i> Sand Cherry | DS | 1.26 | G2 | 4-5 | 6-8 | | 0.40 | 2 |
| <i>Prunus salicina</i> Japanese Plum | FN | 0.94 | G2 | 4-5 | 6-8 | 0.64 | 0.36 | 5 |
| <i>Prunus salicina</i> 'Abundance' Abundance Japanese Plum | FN | 0.89 | G2 | 4-5 | 6-8 | 0.54 | 0.37 | 5 |
| <i>Prunus salicina</i> 'Burbank' Burbank Japanese Plum | FN | 0.85 | G2 | 4-5 | 6-8 | 1.10 | 0.35 | 5 |
| <i>Prunus salicina</i> 'Damson' Damson Japanese Plum | FN | 0.84 | G2 | 4-5 | 6-8 | 0.55 | 0.37 | 5 |
| <i>Prunus salicina</i> 'Mariposa' Mariposa Japanese Plum | FN | 1.23 | G2 | 4-5 | 6-8 | 0.64 | 0.36 | 5 |
| <i>Prunus salicina</i> 'Methley' Methley Japanese Plum | FN | 0.80 | G2 | 4-5 | 6-8 | 0.55 | 0.35 | 5 |
| <i>Prunus salicina</i> 'Ozark Premier' Ozark Premier Japanese Plum | FN | 0.79 | G2 | 4-5 | 6-8 | 0.60 | 0.37 | 5 |
| <i>Prunus salicina</i> 'Santa Rosa' Santa Rosa Japanese Plum | FN | 0.99 | G2 | 4-5 | 6-8 | 0.56 | 0.35 | 5 |
| <i>Prunus salicina</i> 'Satsuma' Satsuma Japanese Plum | FN | 1.02 | G2 | 4-5 | 6-8 | 0.63 | 0.36 | 5 |
| <i>Prunus salicina</i> 'Shiro' Shiro Japanese Plum | FN | 1.08 | G2 | 4-5 | 6-8 | 0.59 | 0.36 | 5 |
| <i>Prunus sargentii</i> Sargent Cherry | DT | 0.95 | G2 | 4-5 | 6-8 | 1.20 | 1.17 | 4 |
| <i>Prunus sargentii</i> 'Columnaris' Columnar Sargent Cherry | DT | 1.53 | G2 | 4-5 | 6-8 | 1.14 | 1.17 | 4 |
| <i>Prunus sargentii</i> 'Princeton Snowcloud' P.P. 10989 Princeton Snowcloud Sargent Cherry | DT | 1.27 | G2 | 4-5 | 6-8 | 1.10 | 1.17 | 4 |
| <i>Prunus serotina</i> Black Cherry | DT | 0.76 | G2 | 4-5 | 6-8 | 0.81 | 0.94 | 3 |
| <i>Prunus serrula</i> Red Bark Cherry | DT | 1.57 | G2 | 4-5 | 6-8 | 0.73 | 1.00 | 5 |
| <i>Prunus serrulata</i> Oriental Cherry | DT | 0.87 | G2 | 4-5 | 6-8 | 1.31 | 0.55 | 5 |
| <i>Prunus serrulata</i> 'Amanogawa' Amanogawa Japanese Flowering Cherry | DT | 1.17 | G2 | 4-5 | 6-8 | 0.96 | 0.42 | 5 |
| <i>Prunus serrulata</i> 'Kwanzan' Kwanzan Japanese Flowering Cherry | DT | 0.92 | G2 | 4-5 | 6-8 | 0.98 | 0.53 | 5 |
| <i>Prunus serrulata</i> 'Mt. Fuji' Mt. Fuji Japanese Flowering Cherry | DT | 0.97 | G2 | 4-5 | 6-8 | 1.12 | 0.54 | 5 |
| <i>Prunus serrulata</i> 'Pendula' Weeping Japanese Flowering Cherry | DT | 0.95 | G2 | 4-5 | 6-8 | 0.96 | 1.07 | 5 |
| <i>Prunus serrulata</i> 'Royal Burgundy' P.P. 6520 Royal Burgundy Japanese Flowering Cherry | DT | 1.13 | G2 | 4-5 | 6-8 | 0.99 | 0.39 | 5 |
| <i>Prunus serrulata</i> 'Shirofugen' Shirofugen Japanese Flowering Cherry | DT | 1.33 | G2 | 4-5 | 6-8 | 1.18 | 0.42 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Prunus serrulata</i> 'Shogetsu' Shogetsu Japanese Flowering Cherry | DT | 1.26 | G2 | 4-5 | 6-8 | 1.10 | 0.50 | 5 |
| <i>Prunus serrulata</i> 'Tai Haku' Great White Cherry | DT | 0.95 | G2 | 4-5 | 6-8 | 0.97 | 0.55 | 5 |
| <i>Prunus subhirtella</i> Higan Cherry | DT | 1.96 | G2 | 4-5 | 6-8 | 0.88 | 0.75 | 5 |
| <i>Prunus subhirtella</i> 'Autumnalis' Autumn Higan Cherry | DT | 1.00 | G2 | 4-5 | 6-8 | 1.01 | 0.42 | 5 |
| <i>Prunus subhirtella</i> 'Hally Jolivette' Hally Jolivette Higan Cherry | FN | 1.54 | G2 | 4-5 | 6-8 | 1.04 | 1.31 | 5 |
| <i>Prunus subhirtella</i> 'Pendula Plena Rosea' Yae-shidare Higan Cherry | DT | 1.25 | G2 | 4-5 | 6-8 | 1.04 | 0.81 | 5 |
| <i>Prunus subhirtella</i> 'Pendula' Weeping Higan Cherry | DT | 1.52 | G2 | 4-5 | 6-8 | 1.05 | 0.57 | 5 |
| <i>Prunus subhirtella</i> 'Rosea' Rosea Higan Cherry | DT | 1.37 | G2 | 4-5 | 6-8 | 1.02 | 0.64 | 5 |
| <i>Prunus subhirtella</i> 'Rosy Cloud' P.P. 4540 Rosy Cloud Higan Cherry | DT | 1.14 | G2 | 4-5 | 6-8 | 1.12 | 0.64 | 5 |
| <i>Prunus subhirtella</i> 'Whitcombii' Whitcomb Higan Cherry | FN | 1.54 | G2 | 4-5 | 6-8 | 0.89 | 0.47 | 5 |
| <i>Prunus tenella</i> Russian Almond | DS | 0.89 | G2 | 4 | 5-7 | | 1.09 | 2 |
| <i>Prunus tomentosa</i> Nanking Cherry | DS | 0.93 | G2 | 4 | 5-7 | | 0.93 | 2 |
| <i>Prunus tomentosa</i> 'Leucocarpa' Palefruit Nanking Cherry | DT | 1.00 | G2 | 4 | 5-7 | 1.00 | 1.00 | 2 |
| <i>Prunus triloba</i> Flowering Almond | DS | 1.05 | G2 | 4 | 5-7 | | 0.95 | 3 |
| <i>Prunus umbellata</i> Sloe | DT | 0.69 | G2 | 7-8 | 9-10 | 1.00 | 1.00 | 8 |
| <i>Prunus virginiana</i> Common Chokecherry | DS | 0.89 | G2 | 2 | 3-7 | | 1.42 | 2 |
| <i>Prunus virginiana</i> 'Canada Red' Canada Red Chokecherry | DS | 1.05 | G2 | 2 | 3-7 | | 1.22 | 2 |
| <i>Prunus virginiana</i> 'Schubert' Schubert Chokecherry | DS | 1.03 | G2 | 2 | 3-7 | | 0.77 | 2 |
| <i>Prunus virginiana</i> var. <i>melanocarpa</i> No Common Name Found | DS | 1.24 | G2 | 2 | 3-7 | | 2.08 | 2 |
| <i>Prunus x yedoensis</i> Yoshino Cherry | DT | 0.85 | G1 | 3-5 | 6-7 | 0.97 | 0.49 | 5 |
| <i>Prunus x yedoensis</i> 'Afterglow' P.P. 5730 Afterglow Yoshino Cherry | DT | 0.90 | G1 | 3-5 | 6-7 | 0.97 | 0.72 | 5 |
| <i>Prunus x yedoensis</i> 'Akebono' Akebono Yoshino Cherry | DT | 0.99 | G1 | 3-5 | 6-7 | 0.86 | 0.41 | 5 |
| <i>Prunus x yedoensis</i> 'Shidare Yoshino' Weeping Yoshino Cherry | DT | 1.30 | G1 | 3-5 | 6-7 | 1.12 | 0.54 | 5 |
| <i>Pseuderanthemum alatum</i> Chocolate Plant | BS | 0.73 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Pseuderanthemum atropurpureum</i> Purple False Eranthemum | BS | 1.08 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Pseuderanthemum atropurpureum</i> 'Variegatum' Variegated Purple False Eranthemum | BS | 0.80 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Pseuderanthemum laxiflorum</i> Shooting Stars | BS | 0.58 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Pseuderanthemum reticulatum</i> Reticulated Pseuderanthemum | BS | 0.77 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Pseudobombax ellipticum</i> Shaving Brush Tree | DT | 1.07 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Pseudocydonia sinensis</i> Chinese Quince | DS | 0.87 | G2 | 5-6 | 7-8 | | 0.60 | 6 |
| <i>Pseudogynoxys chenopodioides</i> Mexican Flame Vine | GC | 0.69 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Pseudogynoxys chenopodioides</i> 'Sao Paulo' Brazilian Flame Vine | GC | 0.97 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Pseudolarix amabilis</i> Golden Larch | CE | 1.04 | G2 | 3-5 | 6-7 | 1.00 | 1.20 | 5 |
| <i>Pseudolarix kaempferi</i> See - <i>Pseudolarix amabilis</i> | | | | | | | | |
| <i>Pseudopanax ferox</i> Toothed Lancewood | BE | 1.00 | G2 | 8-9 | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Pseudopanax lessonii</i> Houmspara | BS | 1.00 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Pseudophoenix sargentii</i> Buccaneer Palm | PC | 4.56 | G1 | 10 | 11 | | 5.04 | 10B |
| <i>Pseudophoenix vinifera</i> Cherry Palm | PC | 1.00 | G1 | 10 | 11 | | 1.00 | 10B |
| <i>Pseudosasa japonica</i> Arrow Bamboo | BS | 1.27 | G2 | 8-9B | 10A | | 1.00 | 6 |
| <i>Pseudosasa japonica</i> var. <i>tsutsumiana</i> Dwarf Arrow Bamboo | BS | 1.09 | G2 | 6-7 | 8 | | 1.00 | 6 |
| <i>Pseudosasa owatarii</i> No Common Name Found | BS | 1.00 | G2 | 8-9B | 10A | | 1.00 | 7 |
| <i>Pseudotsuga menziesii</i> Douglas Fir | CE | 0.65 | G2 | 4-5 | 6-7 | 1.00 | 1.01 | 4 |
| <i>Pseudotsuga menziesii</i> 'Astro Blue' Astro Blue Douglas Fir | CE | 1.51 | G2 | 4-5 | 6-7 | 1.00 | 1.20 | 4 |
| <i>Pseudotsuga menziesii</i> 'Compacta Glauca' See - <i>Pseudotsuga menziesii</i> 'Astro Blue' | | | | | | | | |
| <i>Pseudotsuga menziesii</i> 'Fastigiata' Pyramidal Douglas Fir | CE | 1.51 | G2 | 4-5 | 6-7 | 1.00 | 1.49 | 4 |
| <i>Pseudotsuga menziesii</i> 'Fletcheri' Fletcher Douglas Fir | CE | 3.87 | G2 | 4-5 | 6-7 | 1.00 | 1.64 | 4 |
| <i>Pseudotsuga menziesii</i> 'Glauca Fastigiata' Blue Columnar Douglas Fir | CE | 1.03 | G2 | 4-5 | 6-7 | 1.00 | 1.25 | 4 |
| <i>Pseudotsuga menziesii</i> 'Glauca Pendula' Blue Weeping Douglas Fir | CE | 1.07 | G2 | 4-5 | 6-7 | 1.00 | 1.05 | 4 |
| <i>Pseudotsuga menziesii</i> 'Graceful Grace' Graceful Grace Douglas Fir | CE | 1.62 | G2 | 4-5 | 6-7 | 1.00 | 0.74 | 4 |
| <i>Pseudotsuga menziesii</i> 'Hornecker' Hornecker Douglas Fir | CE | 1.25 | G2 | 4-5 | 6-7 | 1.00 | 1.20 | 4 |
| <i>Pseudotsuga menziesii</i> 'Idaho Gem' Idaho Gem Douglas Fir | CE | 1.51 | G2 | 4-5 | 6-7 | 1.00 | 1.20 | 4 |
| <i>Pseudotsuga menziesii</i> 'Idaho Weeper' Idaho Weeper Douglas Fir | CE | 1.51 | G2 | 4-5 | 6-7 | 1.00 | 1.20 | 4 |
| <i>Pseudotsuga menziesii</i> 'Little Jon' Little Jon Douglas Fir | CE | 1.47 | G2 | 4-5 | 6-7 | 1.00 | 1.20 | 4 |
| <i>Pseudotsuga menziesii</i> 'Nana' Dwarf Douglas Fir | CS | 1.00 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Pseudotsuga menziesii</i> 'Pendula' Weeping Douglas Fir | CE | 1.53 | G2 | 4-5 | 6-7 | 1.00 | 1.20 | 4 |
| <i>Pseudotsuga menziesii</i> 'Skyline' Skyline Douglas Fir | CE | 1.10 | G2 | 4-5 | 6-7 | 1.00 | 1.20 | 4 |
| <i>Pseudotsuga menziesii</i> var. <i>glauca</i> Blue Douglas Fir | CE | 0.99 | G2 | 4-5 | 6-7 | 1.00 | 1.19 | 4 |
| <i>Psidium cattleianum</i> See - <i>Psidium littorale</i> var. <i>longipes</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Psidium guajava</i> Common Guava | FN | 0.92 | G1 | 10 | 11 | 1.00 | 0.88 | 10 |
| <i>Psidium littorale</i> var. <i>littorale</i> Yellow Strawberry Guava | FN | 0.85 | G1 | 10A | 10B-11 | 1.00 | 1.13 | 9 |
| <i>Psidium littorale</i> var. <i>longipes</i> Purple Strawberry Guava | CE | 0.77 | G1 | 10A | 10B-11 | 1.04 | 0.62 | 9 |
| <i>Psidium lucidum</i> See - <i>Psidium littorale</i> var. <i>littorale</i> | | | | | | | | |
| <i>Psilostrophe tagentinae</i> Woolly Paperflower | HP | 0.63 | G4 | 6-8 | 9 | | | |
| <i>Psychopsis papilio</i> Butterfly Orchid | FO | 0.99 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Psychotria bahamensis</i> Bahamian Wild Coffee | BS | 1.45 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Psychotria ligustrifolia</i> No Common Name Found | BS | 0.66 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Psychotria nervosa</i> St. John's Wild Coffee | BS | 0.52 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Ptelea trifoliata</i> Hoptree | DS | 0.70 | G2 | 4-5 | 6-7 | | 1.71 | 5 |
| <i>Pteridium aquilinum</i> Bracken | HP | 1.35 | G4 | 3 | 4-8 | | | |
| <i>Pteris cretica</i> Cretan Brake | FO | 0.79 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Pteris cretica</i> 'Albo-lineata' Albo-lineata Cretan Brake | FO | 0.79 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Pteris cretica</i> 'Mayi' Mayi Cretan Brake | FO | 0.79 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Pteris ensiformis</i> Sword Brake | FO | 0.39 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Pteris ensiformis</i> 'Evergemeiensis' Evergemeiensis Sword Brake | FO | 0.39 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Pteris ensiformis</i> 'Victoriae' Victory Sword Brake | FO | 0.39 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Pteris nodulosa</i> See - <i>Matteuccia struthiopteris</i> | | | | | | | | |
| <i>Pteris vittata</i> No Common Name Found | HP | 0.66 | G4 | 4-10 | 11 | | | |
| <i>Pterocarpus indicus</i> Padauk | BE | 1.29 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Pterocarya fraxinifolia</i> Caucasian Walnut | DT | 1.00 | G2 | 6-7 | 8-10 | 1.00 | 1.00 | 6 |
| <i>Pterocephalus parnassi</i> See - <i>Pterocephalus perennis</i> | | | | | | | | |
| <i>Pterocephalus perennis</i> Dwarf Scabious | HP | 1.16 | G4 | 5-6 | 7-8 | | | |
| <i>Pterospermum acerifolium</i> Maple-leaved Bayur | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Pterostyrax hispida</i> Fragrant Epaulette Tree | DT | 0.94 | G1 | 6 | 7-8 | 1.15 | 1.00 | 5 |
| <i>Ptilotrichum spinosum</i> See - <i>Alyssum spinosum</i> | | | | | | | | |
| <i>Ptychococcus elatus</i> No Common Name Found | PC | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Ptychococcus lepidotus</i> No Common Name Found | PC | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Ptychococcus paradoxus</i> No Common Name Found | PC | 2.00 | G1 | 10-11 | | | 1.00 | 11 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Ptychosperma angustifolia</i> See - <i>Ptychosperma schefferi</i> | | | | | | | | |
| <i>Ptychosperma burretianum</i> No Common Name Found | PC | 1.85 | G1 | 10-11 | | | 1.00 | 10 |
| <i>Ptychosperma elegans</i> Solitaire Palm | PC | 0.99 | G1 | 9-10 | 11 | | 0.73 | 10 |
| <i>Ptychosperma macarthurii</i> McArthur Palm | PC | 1.21 | G1 | 10-11 | | | 1.03 | 10B |
| <i>Ptychosperma propinquum</i> No Common Name Found | PC | 1.00 | G1 | 10-11 | | | 1.00 | 10 |
| <i>Ptychosperma salomonense</i> No Common Name Found | PC | 0.93 | G1 | 10-11 | | | 1.00 | 10 |
| <i>Ptychosperma sanderianum</i> No Common Name Found | PC | 1.75 | G1 | 10-11 | | | 1.24 | 10 |
| <i>Ptychosperma schefferi</i> No Common Name Found | PC | 1.22 | G1 | 10-11 | | | 1.00 | 10 |
| <i>Ptychosperma waitianum</i> No Common Name Found | PC | 2.96 | G1 | 10-11 | | | 1.00 | 10 |
| <i>Pulmonaria</i> Lungwort | HP | 1.35 | G4 | 3 | 4-6 | | | |
| <i>Pulmonaria</i> 'Apple Frost' Apple Frost Hybrid Lungwort | HP | 1.23 | G4 | 2-3 | 4-6 | | | |
| <i>Pulmonaria</i> 'Baby Blue' P.P. 13682 Baby Blue Hybrid Lungwort | HP | 1.22 | G4 | 2-3 | 4-6 | | | |
| <i>Pulmonaria</i> 'British Sterling' British Sterling Hybrid Lungwort | HP | 1.30 | G4 | 3 | 4-6 | | | |
| <i>Pulmonaria</i> 'Bubble Gum' P.P. 14086 Bubble Gum Hybrid Lungwort | HP | 1.68 | G4 | 2-3 | 4-6 | | | |
| <i>Pulmonaria</i> 'David Ward' David Ward Hybrid Lungwort | HP | 1.26 | G4 | 3 | 4-6 | | | |
| <i>Pulmonaria</i> 'Excalibur' Excalibur Hybrid Lungwort | HP | 1.50 | G4 | 3 | 4-6 | | | |
| <i>Pulmonaria</i> 'Irish Spring' P.P. 14015 Irish Spring Hybrid Lungwort | HP | 1.57 | G4 | 2-3 | 4-6 | | | |
| <i>Pulmonaria</i> 'Majeste' Majeste Hybrid Lungwort | HP | 1.44 | G4 | 2-3 | 4-6 | | | |
| <i>Pulmonaria</i> 'Moonshine' P.P. 13686 Moonshine Hybrid Lungwort | HP | 1.29 | G4 | 2-3 | 4-6 | | | |
| <i>Pulmonaria</i> 'Raspberry Splash' P.P. 12138 Raspberry Splash Hybrid Lungwort | HP | 1.47 | G4 | 2-3 | 4-6 | | | |
| <i>Pulmonaria</i> 'Regal Ruffles' Regal Ruffles Hybrid Lungwort | HP | 1.01 | G4 | 3 | 4-6 | | | |
| <i>Pulmonaria</i> 'Reginald Kaye' Reginald Kaye Hybrid Lungwort | HP | 1.32 | G4 | 2-3 | 4-6 | | | |
| <i>Pulmonaria</i> 'Smokey Blue' Smokey Blue Hybrid Lungwort | HP | 1.23 | G4 | 3 | 4-6 | | | |
| <i>Pulmonaria angustifolia</i> Blue Lungwort | HP | 0.92 | G4 | 3 | 4-6 | | | |
| <i>Pulmonaria angustifolia</i> 'Azurea' Azurea Blue Lungwort | HP | 1.16 | G4 | 3 | 4-6 | | | |
| <i>Pulmonaria angustifolia</i> 'Blaues Meer' Blaues Meer Blue Lungwort | HP | 0.86 | G4 | 3 | 4-8 | | | |
| <i>Pulmonaria angustifolia</i> 'Johnson's Blue' Johnson's Blue Lungwort | HP | 0.92 | G4 | 3 | 4-8 | | | |
| <i>Pulmonaria angustifolia</i> 'Mawson's Variety' Mawson's Variety Blue Lungwort | HP | 1.01 | G4 | 3 | 4-6 | | | |
| <i>Pulmonaria angustifolia</i> 'Munstead Blue' Munstead Blue Lungwort | HP | 0.97 | G4 | 3 | 4-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Pulmonaria angustifolia</i> 'Variegated' Variegated Blue Lungwort | HP | 0.97 | G4 | 3 | 4-8 | | | |
| <i>Pulmonaria longifolia</i> Long-leafed Lungwort | HP | 1.11 | G4 | 4-5 | 6-8 | | | |
| <i>Pulmonaria longifolia</i> 'Bertram Anderson' Bertram Anderson Long-leafed Lungwort | HP | 1.17 | G4 | 4-5 | 6-8 | | | |
| <i>Pulmonaria longifolia</i> 'Cevennensis' Cevennensis Long-leafed Lungwort | HP | 1.38 | G4 | 4-5 | 6-8 | | | |
| <i>Pulmonaria montana</i> Red Lungwort | HP | 1.04 | G4 | 4-6 | 7-8 | | | |
| <i>Pulmonaria montana</i> 'Red Start' Red Start Red Lungwort | HP | 1.04 | G4 | 4-6 | 7-8 | | | |
| <i>Pulmonaria officinalis</i> Jerusalem Sage | HP | 1.12 | G4 | 4-6 | 7-8 | | | |
| <i>Pulmonaria officinalis</i> 'White Wings' White Wings Jerusalem Sage | HP | 1.12 | G4 | 4-6 | 7-8 | | | |
| <i>Pulmonaria saccharata</i> Bethlehem Sage | HP | 1.24 | G4 | 4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Berries and Cream' P.P. 10597 Berries and Cream Bethlehem Sage | HP | 1.32 | G4 | 4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Dora Bielefeld' Dora Bielefeld Bethlehem Sage | HP | 1.23 | G4 | 3-4 | 5-6 | | | |
| <i>Pulmonaria saccharata</i> 'Highdown' Highdown Bethlehem Sage | HP | 1.35 | G4 | 4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Janet Fisk' Janet Fisk Bethlehem Sage | HP | 1.52 | G4 | 4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Leopard' Leopard Bethlehem Sage | HP | 1.30 | G4 | 3-4 | 5-6 | | | |
| <i>Pulmonaria saccharata</i> 'Little Star' Little Star Bethlehem Sage | HP | 1.10 | G4 | 4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Margery Fish' Margery Fish Bethlehem Sage | HP | 1.30 | G4 | 4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Milky Way' Milky Way Bethlehem Sage | HP | 1.12 | G4 | 4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Mrs. Kittle' Mrs. Kittle Bethlehem Sage | HP | 0.97 | G4 | 3-4 | 5-6 | | | |
| <i>Pulmonaria saccharata</i> 'Mrs. Moon' Mrs. Moon Bethlehem Sage | HP | 1.19 | G4 | 4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Pierre's Pure Pink' Pierre's Pure Pink Bethlehem Sage | HP | 1.34 | G4 | 4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Pink Dawn' Pink Dawn Bethlehem Sage | HP | 1.22 | G4 | 3-4 | 5-6 | | | |
| <i>Pulmonaria saccharata</i> 'Roy Davidson' Roy Davidson Bethlehem Sage | HP | 1.30 | G4 | 4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Sissinghurst White' Sissinghurst White Bethlehem Sage | HP | 1.24 | G4 | 4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Spilled Milk' Spilled Milk Bethlehem Sage | HP | 1.13 | G4 | 4 | 5-8 | | | |
| <i>Pulsatilla patens</i> Eastern Pasque Flower | HP | 0.96 | G4 | 3-4 | 5-6 | | | |
| <i>Pulsatilla patens</i> var. <i>wolfgangiana</i> Spreading Pasque Flower | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Pulsatilla vulgaris</i> Pasque Flower | HP | 1.01 | G4 | 3-5 | 6-7 | | | |
| <i>Pulsatilla vulgaris</i> 'Alba' White Pasque Flower | HP | 0.93 | G4 | 3-5 | 6-7 | | | |
| <i>Pulsatilla vulgaris</i> 'Papageno' Papageno Pasque Flower | HP | 0.92 | G4 | 3-5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Pulsatilla vulgaris</i> 'Rode Klokke' Rode Klokke Pasque Flower | HP | 0.93 | G4 | 3-5 | 6-7 | | | |
| <i>Pulsatilla vulgaris</i> 'Rubra' Red Pasque Flower | HP | 1.02 | G4 | 3-5 | 6-7 | | | |
| <i>Punica granatum</i> Pomegranate | FN | 1.08 | G1 | 8-9B | 10-11 | 0.45 | 0.65 | 8 |
| <i>Punica granatum</i> 'California Sunset' See - <i>Punica granatum</i> 'Legrellei' | | | | | | | | |
| <i>Punica granatum</i> 'Chico' Chico Dwarf Pomegranate | FN | 0.73 | G1 | 8-9B | 10-11 | 0.45 | 0.65 | 8 |
| <i>Punica granatum</i> 'Legrellei' Legrellei Pomegranate | FN | 0.91 | G1 | 8-9B | 10-11 | 0.45 | 0.65 | 8 |
| <i>Punica granatum</i> 'Nana' Dwarf Pomegranate | BS | 0.95 | G1 | 8-9B | 10-11 | | 0.39 | 8 |
| <i>Punica granatum</i> 'Nochi Shibari' Nochi Shibari Pomegranate | FN | 1.01 | G1 | 8-9B | 10-11 | 0.45 | 0.65 | 8 |
| <i>Punica granatum</i> 'Toyosho' Toyosho Pomegranate | FN | 1.02 | G1 | 8-9B | 10-11 | 0.45 | 0.65 | 8 |
| <i>Punica granatum</i> 'Wonderful' Wonderful Pomegranate | FN | 0.96 | G1 | 8-9B | 10-11 | 0.45 | 0.65 | 8 |
| <i>Purshia tridentata</i> Antelope Bitterbrush | DS | 0.90 | G2 | 5-6 | 7-10 | | 1.00 | 6 |
| <i>Puya alpestris</i> See - <i>Puya berteroniana</i> | | | | | | | | |
| <i>Puya berteroniana</i> No Common Name Found | BS | 1.06 | G3 | 8-9 | 10A-11 | | 1.00 | 8 |
| <i>Pycnanthemum flexuosum</i> American Mountain Mint | HP | 0.74 | G4 | 4-5 | 6-7 | | | |
| <i>Pycnanthemum muticum</i> Mountain Mint | HP | 0.76 | G4 | 5 | 6-7 | | | |
| <i>Pycnanthemum pilosum</i> Hairy Mountain Mint | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Pycnanthemum virginianum</i> Common Mountain Mint | HP | 0.60 | G4 | 5 | 6-7 | | | |
| <i>Pyracantha</i> Hybrid Firethorn | BS | 1.08 | G2 | 6 | 7-10A | | 0.27 | 5 |
| <i>Pyracantha</i> 'Harlequin' Harlequin Firethorn | BS | 0.91 | G2 | 6 | 7-10A | | 0.27 | 6 |
| <i>Pyracantha</i> 'Lowboy' Lowboy Firethorn | BS | 1.12 | G2 | 6 | 7-10A | | 0.27 | 6 |
| <i>Pyracantha</i> 'Mohave' Mohave Firethorn | BS | 1.29 | G2 | 6 | 7-10A | | 0.27 | 6 |
| <i>Pyracantha</i> 'Monelf' Red Elf™ Firethorn | BS | 1.23 | G2 | 6 | 7-10A | | 0.27 | 6 |
| <i>Pyracantha</i> 'Navajo' Navajo Firethorn | BS | 0.94 | G2 | 6 | 7-10A | | 0.27 | 6 |
| <i>Pyracantha</i> 'Orange Glow' Orange Glow Firethorn | BS | 1.08 | G2 | 6 | 7-10A | | 0.27 | 5 |
| <i>Pyracantha</i> 'Pauciflora' Pauciflora Firethorn | BS | 1.15 | G2 | 6 | 7-10A | | 0.27 | 6 |
| <i>Pyracantha</i> 'Red Elf' See - <i>Pyracantha</i> 'Monelf' | | | | | | | | |
| <i>Pyracantha</i> 'Ruby Mound' P.P. 3344 Ruby Mound Firethorn | BS | 1.39 | G2 | 6 | 7-10A | | 0.27 | 6 |
| <i>Pyracantha</i> 'Rutgers' Rutgers Firethorn | BS | 0.85 | G2 | 6 | 7-10A | | 0.27 | 5 |
| <i>Pyracantha</i> 'Teton' Teton Firethorn | BS | 1.09 | G2 | 6 | 7-10A | | 0.27 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Pyracantha</i> 'Wonderberry' Wonderberry Firethorn | BS | 0.83 | G2 | 6-7 | 8-10A | | 0.27 | 7 |
| <i>Pyracantha angustifolia</i> Narrowleaf Firethorn | BS | 1.04 | G2 | 6-7 | 8-10A | | 1.00 | 7 |
| <i>Pyracantha angustifolia</i> 'Gnome' See - <i>Pyracantha angustifolia</i> 'Gnozam' | | | | | | | | |
| <i>Pyracantha angustifolia</i> 'Gnozam' Gnome® Narrowleaf Firethorn | BS | 1.18 | G2 | 6-7 | 8-10A | | 1.00 | 7 |
| <i>Pyracantha angustifolia</i> 'Monon' Yukon Belle™ Narrowleaf Firethorn | BS | 1.28 | G2 | 6-7 | 8-10A | | 1.00 | 7 |
| <i>Pyracantha angustifolia</i> 'Yukon Belle' See - <i>Pyracantha angustifolia</i> 'Monon' | | | | | | | | |
| <i>Pyracantha coccinea</i> Scarlet Firethorn | BS | 0.78 | G2 | 5-6 | 7-10A | | 0.34 | 6 |
| <i>Pyracantha coccinea</i> 'Fiery Cascade' Fiery Cascade Scarlet Firethorn | BS | 0.77 | G2 | 5-6 | 7-10A | | 0.34 | 6 |
| <i>Pyracantha coccinea</i> 'Government Red' Government Red Scarlet Firethorn | BS | 0.93 | G2 | 5-6 | 7-10A | | 0.34 | 6 |
| <i>Pyracantha coccinea</i> 'Kasan' Kasan Scarlet Firethorn | BS | 1.14 | G2 | 5-6 | 7-10A | | 0.34 | 6 |
| <i>Pyracantha coccinea</i> 'Lalandei Monrovia' Monrovia Scarlet Firethorn | BS | 1.14 | G2 | 5-6 | 7-10A | | 0.34 | 6 |
| <i>Pyracantha coccinea</i> 'Lalandei' Laland Scarlet Firethorn | BS | 1.22 | G2 | 5-6 | 7-10A | | 0.34 | 6 |
| <i>Pyracantha coccinea</i> 'Wyattii' Wyatt Scarlet Firethorn | BS | 1.07 | G2 | 5-6 | 7-10A | | 0.34 | 6 |
| <i>Pyracantha crenatoserrata</i> Chinese Firethorn | BS | 0.88 | G2 | 6-7 | 8-10A | | 1.00 | 7 |
| <i>Pyracantha crenatoserrata</i> 'Cherri Berri' Cherri Berri Chinese Firethorn | BS | 1.57 | G2 | 6-7 | 8-10A | | 1.00 | 7 |
| <i>Pyracantha crenatoserrata</i> 'Graber' Graber Chinese Firethorn | BS | 1.30 | G2 | 6-7 | 8-10A | | 1.00 | 7 |
| <i>Pyracantha fortuneana</i> See - <i>Pyracantha crenatoserrata</i> | | | | | | | | |
| <i>Pyracantha koidzumii</i> Formosa Firethorn | BS | 0.75 | G2 | 6-8 | 9-10A | | 1.00 | 8 |
| <i>Pyracantha koidzumii</i> 'Santa Cruz' Santa Cruz Formosa Firethorn | BS | 0.99 | G2 | 6-8 | 9-10A | | 1.00 | 8 |
| <i>Pyracantha koidzumii</i> 'Victory' Victory Formosa Firethorn | BS | 0.92 | G2 | 6-8 | 9-10A | | 1.00 | 8 |
| <i>Pyracantha koidzumii</i> 'Walderi Prostrata' Walder Prostrate Formosa Firethorn | BS | 0.86 | G2 | 6-8 | 9-10A | | 1.00 | 8 |
| <i>Pyrostegia venusta</i> Flame Vine | GC | 0.81 | G1 | 9B-10 | 11 | | 1.00 | 10 |
| <i>Pyrrosia hastata</i> Felt Fern | FO | 0.61 | G3 | 8-10B | 11 | | 1.00 | 8 |
| <i>Pyrrosia lingua</i> Tongue Fern | FO | 0.47 | G3 | 8-10B | 11 | | 1.00 | 6 |
| <i>Pyrrosia lingua</i> 'Eboshi' Eboshi Tongue Fern | FO | 0.82 | G3 | 8-10B | 11 | | 1.00 | 6 |
| <i>Pyrrosia lingua</i> 'Variegata' Variegated Tongue Fern | FO | 0.82 | G3 | 8-10B | 11 | | 1.00 | 6 |
| <i>Pyrrosia polydactyla</i> No Common Name Found | FO | 0.58 | G3 | 8-10B | 11 | | 1.00 | 8 |
| <i>Pyrus arbutifolia</i> See - <i>Aronia arbutifolia</i> | | | | | | | | |
| <i>Pyrus betulifolia</i> Chinese Sand Pear | DT | 1.01 | G2 | 3-5 | 6-7 | 0.57 | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Pyrus betulifolia</i> 'Dancer' See - <i>Pyrus betulifolia</i> 'Southworth' | | | | | | | | |
| <i>Pyrus betulifolia</i> 'Southworth' Dancer Chinese Sand Pear | DT | 1.01 | G2 | 3-5 | 6-7 | 0.57 | 1.00 | 5 |
| <i>Pyrus calleryana</i> Callery Pear | DT | 1.10 | G2 | 3-5 | 6-9 | 1.62 | 0.92 | 5 |
| <i>Pyrus calleryana</i> 'Aristocrat' P.P. 3193 Aristocrat® Callery Pear | DT | 0.92 | G2 | 3-5 | 6-9 | 0.86 | 1.07 | 5 |
| <i>Pyrus calleryana</i> 'Autumn Blaze' P.P. 4591 Autumn Blaze Callery Pear | DT | 1.25 | G2 | 3-5 | 6-9 | 1.00 | 1.36 | 5 |
| <i>Pyrus calleryana</i> 'Bradford' Bradford Callery Pear | DT | 0.93 | G2 | 3-5 | 6-9 | 0.78 | 0.78 | 5 |
| <i>Pyrus calleryana</i> 'Burgundy Snow' See - <i>Pyrus calleryana</i> 'Bursnozam' | | | | | | | | |
| <i>Pyrus calleryana</i> 'Bursnozam' Burgundy Snow™ Callery Pear | DT | 1.07 | G2 | 3-5 | 6-9 | 1.17 | 0.92 | 5 |
| <i>Pyrus calleryana</i> 'Cambridge' Cambridge Callery Pear | DT | 1.07 | G2 | 3-5 | 6-9 | 1.08 | 0.92 | 5 |
| <i>Pyrus calleryana</i> 'Capital' Capital Callery Pear | DT | 0.91 | G2 | 3-5 | 6-9 | 0.87 | 1.07 | 5 |
| <i>Pyrus calleryana</i> 'Chanticleer' See - <i>Pyrus calleryana</i> 'Glen's Form' P.P. 2489 | | | | | | | | |
| <i>Pyrus calleryana</i> 'Cleprizam' Cleveland Pride® Callery Pear | DT | 1.07 | G2 | 3-5 | 6-9 | 0.95 | 0.40 | 5 |
| <i>Pyrus calleryana</i> 'Cleveland Pride' See - <i>Pyrus calleryana</i> 'Cleprizam' | | | | | | | | |
| <i>Pyrus calleryana</i> 'Cleveland Select' See - <i>Pyrus calleryana</i> 'Glen's Form' P.P. 2489 | | | | | | | | |
| <i>Pyrus calleryana</i> 'Early Red' Early Red Callery Pear | DT | 1.07 | G2 | 3-5 | 6-9 | 1.08 | 0.92 | 5 |
| <i>Pyrus calleryana</i> 'Edgedell' P.P. 10151 Edgewood™ Callery Hybrid Pear | DT | 1.07 | G2 | 3-5 | 6-9 | 1.04 | 0.35 | 5 |
| <i>Pyrus calleryana</i> 'Edgewood' See - <i>Pyrus calleryana</i> 'Edgedell' P.P. 10151 | | | | | | | | |
| <i>Pyrus calleryana</i> 'Frontier' See - <i>Pyrus calleryana</i> 'Fronzam' | | | | | | | | |
| <i>Pyrus calleryana</i> 'Fronzam' Frontier™ Callery Pear | DT | 1.07 | G2 | 3-5 | 6-9 | 1.10 | 0.92 | 5 |
| <i>Pyrus calleryana</i> 'Gladiator' See - <i>Pyrus calleryana</i> 'Gladzam' | | | | | | | | |
| <i>Pyrus calleryana</i> 'Gladzam' Gladiator™ Callery Pear | DT | 1.07 | G2 | 3-5 | 6-9 | 1.11 | 0.92 | 5 |
| <i>Pyrus calleryana</i> 'Glen's Form' P.P. 2489 Chanticleer® Callery Pear | DT | 0.93 | G2 | 3-5 | 6-9 | 0.86 | 0.92 | 5 |
| <i>Pyrus calleryana</i> 'Holmford' New Bradford™ Callery Pear | DT | 1.11 | G2 | 3-5 | 6-9 | 0.81 | 0.68 | 5 |
| <i>Pyrus calleryana</i> 'Jack' See - <i>Pyrus calleryana</i> 'Jaczam' | | | | | | | | |
| <i>Pyrus calleryana</i> 'Jaczam' Jack™ Callery Pear | DT | 1.07 | G2 | 3-5 | 6-9 | 1.13 | 0.92 | 5 |
| <i>Pyrus calleryana</i> 'Jill' See - <i>Pyrus calleryana</i> 'Jilzam' | | | | | | | | |
| <i>Pyrus calleryana</i> 'Jilzam' Jill™ Callery Pear | DT | 1.07 | G2 | 3-5 | 6-9 | 1.13 | 0.92 | 5 |
| <i>Pyrus calleryana</i> 'Mepozam' Metropolitan™ Callery Pear | DT | 1.07 | G2 | 3-5 | 6-9 | 1.08 | 0.92 | 5 |
| <i>Pyrus calleryana</i> 'Metropolitan' See - <i>Pyrus calleryana</i> 'Mepozam' | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Pyrus calleryana</i> 'New Bradford' | | | | | | | | |
| See - <i>Pyrus calleryana</i> 'Holmford' | | | | | | | | |
| <i>Pyrus calleryana</i> 'Orchard Park' Orchard Park Callery Pear | DT | 1.07 | G2 | 3-5 | 6-9 | 1.08 | 0.92 | 5 |
| <i>Pyrus calleryana</i> 'Paradise' Paradise Callery Pear | DT | 0.94 | G2 | 3-5 | 6-9 | 0.96 | 0.45 | 5 |
| <i>Pyrus calleryana</i> 'Princess' Princess Callery Pear | DT | 1.07 | G2 | 3-5 | 6-9 | 1.12 | 0.92 | 5 |
| <i>Pyrus calleryana</i> 'Rancho' Rancho Callery Pear | DT | 1.07 | G2 | 3-5 | 6-7 | 1.08 | 0.92 | 5 |
| <i>Pyrus calleryana</i> 'Redspire' P.P. 3815 Redspire Callery Pear | DT | 0.96 | G2 | 3-5 | 6-9 | 0.91 | 1.17 | 5 |
| <i>Pyrus calleryana</i> 'Stone Hill' Stone Hill Callery Pear | DT | 1.45 | G2 | 3-5 | 6-9 | 1.54 | 0.92 | 5 |
| <i>Pyrus calleryana</i> 'Trinity' P.P. 4530 Trinity® Callery Pear | DT | 1.21 | G2 | 3-5 | 6-9 | 1.04 | 1.25 | 5 |
| <i>Pyrus calleryana</i> 'Valiant' | | | | | | | | |
| See - <i>Pyrus calleryana</i> 'Valzam' P.P. 8050 | | | | | | | | |
| <i>Pyrus calleryana</i> 'Valzam' P.P. 8050 Valiant® Callery Pear | DT | 1.07 | G2 | 3-5 | 6-9 | 1.62 | 0.92 | 5 |
| <i>Pyrus calleryana</i> 'Whitehouse' Whitehouse Callery Pear | DT | 1.15 | G2 | 3-5 | 6-9 | 1.02 | 1.55 | 5 |
| <i>Pyrus communis</i> Common Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.83 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Anjou' Anjou Pear | FN | 1.01 | G2 | 4 | 5-9 | 0.63 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Ayers' Ayers Pear | FN | 0.76 | G2 | 4 | 5-9 | 0.39 | 0.37 | 4 |
| <i>Pyrus communis</i> 'Baldwin' Baldwin Pear | FN | 0.88 | G2 | 4 | 5-9 | 0.83 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Bartlett Dwarf' Bartlett Dwarf Pear | FN | 0.89 | G2 | 4 | 5-9 | 0.98 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Bartlett' Bartlett Pear | FN | 0.94 | G2 | 4 | 5-9 | 0.98 | 0.39 | 4 |
| <i>Pyrus communis</i> 'Bosc Dwarf' Bosc Dwarf Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.80 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Bosc' Bosc Pear | FN | 0.88 | G2 | 4 | 5-9 | 0.71 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Cascade' | | | | | | | | |
| See - <i>Pyrus communis</i> 'Reimer' P.P. 6245 | | | | | | | | |
| <i>Pyrus communis</i> 'Clapp Favorite Dwarf' Clapp Favorite Dwarf Pear | FN | 1.67 | G2 | 4 | 5-9 | 0.80 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Clapp Favorite' Clapp Favorite Pear | FN | 0.99 | G2 | 4 | 5-9 | 1.40 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Columbia Red Anjou' P.P. 6194 Columbia Red Anjou Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.80 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Comice' Comice Pear | FN | 0.96 | G2 | 4 | 5-9 | 0.77 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Concorde' P.P. 9192 Concorde Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.70 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Duchess Dwarf' Duchess Dwarf Pear | FN | 0.98 | G2 | 4 | 5-9 | 1.11 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Duchess' Duchess Pear | FN | 1.09 | G2 | 4 | 5-9 | 1.41 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Flemish Beauty Dwarf' Flemish Beauty Dwarf Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.78 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Flemish Beauty' Flemish Beauty Pear | FN | 0.84 | G2 | 4 | 5-9 | 0.64 | 0.36 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pyrus communis</i> 'Flordahome' Flordahome Pear | FN | 0.69 | G2 | 4 | 5-9 | 0.58 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Forelle' Forelle Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.71 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Golden Russet Bosc' P.P. 5243 Golden Russet Bosc Pear | FN | 0.87 | G2 | 4 | 5-9 | 0.77 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Golden Spice' Golden Spice Pear | FN | 1.33 | G2 | 2-3 | 4-9 | 0.69 | 0.36 | 3 |
| <i>Pyrus communis</i> 'Gourmet' Gourmet Pear | FN | 1.05 | G2 | 4 | 5-9 | 0.97 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Hardy' Hardy Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.83 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Hood' Hood Pear | FN | 0.69 | G2 | 4 | 5-9 | 0.65 | 0.37 | 4 |
| <i>Pyrus communis</i> 'Kieffer' Kieffer Pear | FN | 0.84 | G2 | 4 | 5-9 | 0.44 | 0.35 | 4 |
| <i>Pyrus communis</i> 'LeConte' LeConte Pear | FN | 0.57 | G2 | 4 | 5-9 | 0.83 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Lincoln' Lincoln Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.83 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Luscious' Luscious Pear | FN | 0.98 | G2 | 4 | 5-9 | 1.37 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Magness' Magness Pear | FN | 0.57 | G2 | 4 | 5-9 | 0.83 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Max-Red Bartlett' Max-Red Bartlett Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.83 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Maxine' Dwarf Maxine Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.83 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Monterrey' Monterrey Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.66 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Moonglow' Moonglow Pear | FN | 0.87 | G2 | 4 | 5-9 | 0.95 | 0.35 | 4 |
| <i>Pyrus communis</i> 'Noble Russet Bosc' Noble Russet® Bosc Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.76 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Old Home' Old Home Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.83 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Orient' Orient Pear | FN | 0.66 | G2 | 4 | 5-9 | 0.66 | 0.35 | 4 |
| <i>Pyrus communis</i> 'Parker Dwarf' Parker Dwarf Pear | FN | 0.95 | G2 | 4 | 5-9 | 1.11 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Parker' Parker Pear | FN | 1.04 | G2 | 4 | 5-9 | 0.96 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Patten' Patten Pear | FN | 1.83 | G2 | 4 | 5-9 | 0.94 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Red Anjou' Red Anjou Pear | FN | 1.00 | G2 | 4 | 5-9 | 0.67 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Red Bartlett' Red Bartlett Pear | BS | 1.30 | G2 | 4 | 5-9 | | 1.00 | 4 |
| <i>Pyrus communis</i> 'Red Clapp's' Red Clapp's Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.61 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Red Sensation' Red Sensation Pear | FN | 0.87 | G2 | 4 | 5-9 | 0.68 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Reimer' P.P. 6245 Cascade™ Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.83 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Seckel Dwarf' Seckel Dwarf Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.78 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Seckel' Seckel Pear | FN | 0.91 | G2 | 4 | 5-9 | 0.67 | 0.37 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Pyrus communis</i> 'Summercrisp Dwarf' Summercrisp Dwarf Pear | FN | 0.98 | G2 | 4 | 5-9 | 1.18 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Summercrisp' Summercrisp Pear | FN | 1.64 | G2 | 4 | 5-9 | 0.90 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Taylor's Gold' P.P. 8308 Taylor's Gold Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.86 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Ure' Ure Pear | FN | 1.19 | G2 | 4 | 5-9 | 0.91 | 0.36 | 4 |
| <i>Pyrus communis</i> 'Wenatchi Gold' Wenatchi Gold™ Pear | FN | 0.98 | G2 | 4 | 5-9 | 0.83 | 0.36 | 4 |
| <i>Pyrus fauriei</i> Korean Pear | DT | 1.15 | G2 | 8 | 9-10A | 0.86 | 0.41 | 3 |
| <i>Pyrus fauriei</i> 'Korean Sun' See - <i>Pyrus fauriei</i> 'Westwood' | | | | | | | | |
| <i>Pyrus fauriei</i> 'Westwood' Korean Sun™ Dwarf Pear | DT | 1.32 | G2 | 8 | 9-10A | 1.01 | 2.50 | 3 |
| <i>Pyrus fusca</i> See - <i>Malus fusca</i> | | | | | | | | |
| <i>Pyrus kawakamii</i> Evergreen Pear | BS | 1.28 | G2 | 8 | 9-10A | | 1.00 | 8 |
| <i>Pyrus pyrifolia</i> Asian Pear | DT | 0.96 | G2 | 5-6 | 7-8 | 0.89 | 0.48 | 5 |
| <i>Pyrus pyrifolia</i> 'Chojura' Chojura Asian Pear | DT | 1.15 | G2 | 5-6 | 7-8 | 1.01 | 0.48 | 5 |
| <i>Pyrus pyrifolia</i> 'Hosui' Hosui Asian Pear | DT | 0.89 | G2 | 5-6 | 7-8 | 0.85 | 0.48 | 5 |
| <i>Pyrus pyrifolia</i> 'Niitaka' Niitaka Asian Pear | DT | 0.96 | G2 | 4-5 | 6-9 | 0.89 | 0.48 | 5 |
| <i>Pyrus pyrifolia</i> 'Nijiseiki' Nijisesiki Asian Pear | DT | 0.93 | G2 | 5-6 | 7-8 | 0.81 | 0.48 | 5 |
| <i>Pyrus pyrifolia</i> 'Shinseiki' Shinseiki Asian Pear | DT | 0.87 | G2 | 5-6 | 7-8 | 0.88 | 0.48 | 5 |
| <i>Pyrus regelii</i> Regel Pear | DS | 0.52 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pyrus regelii</i> 'Angel Wing' See - <i>Pyrus regelii</i> 'Bailwing' | | | | | | | | |
| <i>Pyrus regelii</i> 'Bailwing' Angel Wing® Pear | DS | 0.52 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pyrus salicifolia</i> Willowleaf Pear | DT | 0.98 | G2 | 5-6 | 7-8 | 1.06 | 1.00 | 4 |
| <i>Pyrus salicifolia</i> 'Pendula' Weeping Willowleaf Pear | DT | 0.98 | G2 | 5-6 | 7-8 | 1.00 | 1.00 | 4 |
| <i>Pyrus salicifolia</i> 'Silfrozam' Silver Frost® Willowleaf Pear | DT | 0.98 | G2 | 5-6 | 7-8 | 1.11 | 1.00 | 4 |
| <i>Pyrus salicifolia</i> 'Silver Frost' See - <i>Pyrus salicifolia</i> 'Silfrozam' | | | | | | | | |
| <i>Pyrus serotina</i> See - <i>Pyrus pyrifolia</i> | | | | | | | | |
| <i>Pyrus ussuriensis</i> Ussurian Pear | DT | 1.36 | G2 | 5-6 | 7-8 | 1.72 | 1.00 | 4 |
| <i>Pyrus ussuriensis</i> 'Bailfrost' Mountain Frost™ Ussurian Pear | DT | 1.45 | G2 | 5-6 | 7-8 | 1.34 | 1.00 | 4 |
| <i>Pyrus ussuriensis</i> 'Mordak' Prairie Gem® Ussurian Pear | DT | 1.27 | G2 | 5-6 | 7-8 | 1.18 | 1.00 | 4 |
| <i>Pyrus ussuriensis</i> 'Mountain Frost' See - <i>Pyrus ussuriensis</i> 'Bailfrost' | | | | | | | | |
| <i>Pyrus ussuriensis</i> 'Prairie Gem' See - <i>Pyrus ussuriensis</i> 'Mordak' | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Quercus acuta</i> Japanese Evergreen Oak | BE | 0.96 | G2 | 6-7 | 8-10B | 1.59 | 0.24 | 7 |
| <i>Quercus acutissima</i> Sawtooth Oak | DT | 0.84 | G2 | 4-5 | 6-8 | 1.01 | 0.52 | 5 |
| <i>Quercus acutissima</i> 'Gobbler' Gobbler Sawtooth Oak | DT | 0.62 | G2 | 4-5 | 6-8 | 1.01 | 0.52 | 5 |
| <i>Quercus agrifolia</i> California Live Oak | BE | 1.08 | G2 | 6-8 | 9-10A | 1.00 | 1.00 | 8 |
| <i>Quercus alba</i> White Oak | DT | 1.00 | G2 | 2-4 | 5-8 | 1.22 | 0.81 | 4 |
| <i>Quercus arkansana</i> Arkansas Oak | DT | 0.43 | G2 | 4-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Quercus x bebbiana</i> No Common Name Found | DT | 1.00 | G2 | 4 | 5-8 | 1.00 | 1.00 | 3 |
| <i>Quercus bicolor</i> Swamp White Oak | DT | 1.10 | G2 | 4 | 5-8 | 1.16 | 1.26 | 4 |
| <i>Quercus borealis</i> See - <i>Quercus rubra</i> | | | | | | | | |
| <i>Quercus cerris</i> Turkey Oak | DT | 0.60 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 5 |
| <i>Quercus chapmanii</i> Chapman Oak | BS | 0.78 | G2 | 6-8 | 9 | | 1.00 | 8 |
| <i>Quercus chrysolepis</i> Canyon Live Oak | BE | 1.02 | G2 | 6-8 | 9 | 1.00 | 1.00 | 7 |
| <i>Quercus coccinea</i> Scarlet Oak | DT | 0.97 | G2 | 6 | 7-9 | 1.05 | 0.65 | 4 |
| <i>Quercus x comptoniae</i> No Common Name Found | BE | 0.67 | G2 | 6 | 7-9 | 1.24 | 1.00 | 5 |
| <i>Quercus douglasii</i> Blue Oak | BE | 1.21 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 6 |
| <i>Quercus dumosa</i> California Scrub Oak | BE | 1.00 | G2 | 6-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Quercus ellipsoidalis</i> Northern Pin Oak | DT | 1.02 | G2 | 3-4 | 5-7 | 1.04 | 1.00 | 4 |
| <i>Quercus falcata</i> Southern Red Oak | DT | 0.72 | G2 | 4-6 | 7-9 | 1.02 | 0.63 | 6 |
| <i>Quercus falcata</i> var. <i>pagodifolia</i> Cherrybark Oak | DT | 0.75 | G2 | 4-6 | 7-9 | 1.12 | 0.67 | 6 |
| <i>Quercus frainetto</i> Italian Oak | DT | 1.20 | G2 | 5-6 | 7-9 | 1.02 | 1.00 | 6 |
| <i>Quercus frainetto</i> 'Forest Green' See - <i>Quercus frainetto</i> 'Schmidt' | | | | | | | | |
| <i>Quercus frainetto</i> 'Schmidt' Forest Green® Italian Oak | DT | 1.20 | G2 | 5-6 | 7-9 | 1.02 | 1.00 | 6 |
| <i>Quercus gambelii</i> Gambel Oak | DS | 1.08 | G2 | 5-6 | 7-9 | | 2.84 | 4 |
| <i>Quercus garryana</i> Oregon Oak | DT | 0.90 | G2 | 5-6 | 7-9 | 1.06 | 0.76 | 5 |
| <i>Quercus geminata</i> Sand Live Oak | DT | 0.81 | G2 | 5-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Quercus glandulifera</i> Bow Hunter's Oak | DT | 0.43 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Quercus glaucooides</i> See - <i>Quercus laceyi</i> | | | | | | | | |
| <i>Quercus hemisphaerica</i> Laurel Oak | BE | 0.77 | G2 | 7 | 8-10 | 1.38 | 0.61 | 6 |
| <i>Quercus ilex</i> Holly-leaved Oak | BE | 1.10 | G2 | 5-7 | 8-9 | 1.00 | 1.00 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Quercus imbricaria</i> Shingle Oak | DT | 0.85 | G2 | 3-5 | 6-7 | 1.31 | 0.93 | 5 |
| <i>Quercus incana</i> Bluejack Oak | DT | 0.63 | G2 | 6-7 | 8-9A | 1.00 | 1.00 | 7 |
| <i>Quercus kelloggii</i> California Black Oak | DT | 0.93 | G2 | 5-8 | 9-10 | 1.00 | 1.00 | 8 |
| <i>Quercus laceyi</i> Lacey Oak | DT | 0.97 | G2 | 6-7 | 8-10 | 0.70 | 1.00 | 7 |
| <i>Quercus laevis</i> American Turkey Oak | DT | 0.66 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 6 |
| <i>Quercus laurifolia</i> Swamp Laurel Oak | BE | 0.78 | G2 | 6-7 | 8-10B | 1.05 | 0.87 | 7 |
| <i>Quercus laurifolia</i> 'Darlington' Darlington Laurel Oak | BE | 0.96 | G2 | 6-7 | 8-10B | 1.17 | 0.31 | 7 |
| <i>Quercus lobata</i> Valley Oak | DT | 1.17 | G2 | 6-7 | 8-10B | 1.00 | 1.00 | 7 |
| <i>Quercus lyrata</i> Overcup Oak | DT | 0.94 | G2 | 6 | 7-10B | 1.11 | 0.54 | 5 |
| <i>Quercus lyrata</i> 'Highbeam' See - <i>Quercus lyrata</i> 'QLFTB' P.P.A.F. | | | | | | | | |
| <i>Quercus lyrata</i> 'QLFTB' P.P.A.F. Highbeam® Overcup Oak | DT | 0.94 | G2 | 6 | 7-10B | 1.11 | 0.54 | 5 |
| <i>Quercus macrocarpa</i> Bur Oak | DT | 0.96 | G2 | 3 | 4-7 | 1.15 | 1.20 | 3 |
| <i>Quercus marilandica</i> Blackjack Oak | DT | 0.58 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Quercus michauxii</i> Swamp Chestnut Oak | DT | 0.81 | G2 | 5-6 | 7-9B | 1.04 | 0.71 | 5 |
| <i>Quercus montana</i> See - <i>Quercus prinus</i> | | | | | | | | |
| <i>Quercus muehlenbergii</i> Chinquapin Oak | DT | 0.86 | G2 | 3-4 | 5-7 | 0.90 | 0.44 | 4 |
| <i>Quercus myrsinifolia</i> Japanese Live Oak | BE | 1.70 | G2 | 5-7 | 8-9 | 1.24 | 0.96 | 7 |
| <i>Quercus myrtifolia</i> Myrtle Oak | BS | 0.69 | G2 | 5-8 | 9-10 | | 1.00 | 8 |
| <i>Quercus nigra</i> Water Oak | BE | 0.83 | G2 | 5-6 | 7-9 | 0.86 | 0.25 | 6 |
| <i>Quercus nuttallii</i> Nuttall Oak | DT | 0.86 | G2 | 4-5 | 6-9 | 0.96 | 0.55 | 5 |
| <i>Quercus nuttallii</i> 'Highpoint' See - <i>Quercus nuttallii</i> 'QNFTA' P.P.A.F. | | | | | | | | |
| <i>Quercus nuttallii</i> 'QNFTA' P.P.A.F. Highpoint® Nuttall Oak | DT | 0.86 | G2 | 4-5 | 6-9 | 0.96 | 0.55 | 5 |
| <i>Quercus pagodifolia</i> See - <i>Quercus falcata</i> var. <i>pagodifolia</i> | | | | | | | | |
| <i>Quercus palustris</i> Pin Oak | DT | 0.91 | G2 | 3-4 | 5-9 | 0.97 | 0.61 | 4 |
| <i>Quercus palustris</i> 'Crownright' Crownright Pin Oak | DT | 1.19 | G2 | 3-4 | 5-9 | 1.59 | 0.61 | 4 |
| <i>Quercus palustris</i> 'Green Pillar' See - <i>Quercus palustris</i> 'Pringreen' P.P. 9093 | | | | | | | | |
| <i>Quercus palustris</i> 'Pringreen' P.P. 9093 Green Pillar Pin Oak | DT | 1.46 | G2 | 3-4 | 5-9 | 1.57 | 0.61 | 4 |
| <i>Quercus phellos</i> Willow Oak | DT | 0.84 | G2 | 4-6 | 7-9 | 1.01 | 0.64 | 6 |
| <i>Quercus phellos</i> 'Hightower' See - <i>Quercus phellos</i> 'QPSTA' P.P.A.F. | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Quercus phellos</i> 'QPSTA' P.P.A.F. Hightower® Willow Oak | DT | 0.84 | G2 | 4-6 | 7-9 | 1.01 | 0.64 | 6 |
| <i>Quercus polymorpha</i> Mexican White Oak | BE | 0.85 | G2 | 7-8 | 9-10 | 1.44 | 1.00 | 7 |
| <i>Quercus prinoides</i> Dwarf Chinkapin Oak | DT | 0.60 | G2 | 4-5 | 6-9 | 1.21 | 1.00 | 5 |
| <i>Quercus prinus</i> Chestnut Oak | DT | 0.99 | G2 | 4 | 5-7 | 1.03 | 0.25 | 4 |
| <i>Quercus robur</i> English Oak | DT | 1.02 | G2 | 4 | 5-7 | 1.09 | 1.02 | 4 |
| <i>Quercus robur</i> 'Attention!' See - <i>Quercus robur</i> 'Wandell' P.P. 6746 | | | | | | | | |
| <i>Quercus robur</i> 'Clemons' Heritage® English Oak | DT | 1.33 | G2 | 4 | 5-7 | 0.92 | 1.04 | 4 |
| <i>Quercus robur</i> 'Crimschmidt' P.P. 9103 Crimson Spire English Oak | DT | 1.13 | G2 | 4 | 5-7 | 1.24 | 0.68 | 4 |
| <i>Quercus robur</i> 'Crimson Spire' See - <i>Quercus robur</i> 'Crimschmidt' P.P. 9103 | | | | | | | | |
| <i>Quercus robur</i> 'Fastigiata' Skyrocket™ English Oak | DT | 1.08 | G2 | 4 | 5-7 | 1.22 | 0.82 | 4 |
| <i>Quercus robur</i> 'Filicifolia' Filicifolia English Oak | DT | 1.13 | G2 | 4 | 5-7 | 1.16 | 0.68 | 4 |
| <i>Quercus robur</i> 'Heritage' See - <i>Quercus robur</i> 'Clemons' | | | | | | | | |
| <i>Quercus robur</i> 'Long' Regal Prince® English Oak | DT | 1.57 | G2 | 4 | 5-7 | 1.03 | 0.26 | 4 |
| <i>Quercus robur</i> 'Michround' P.P. 3708 Westminster Globe™ English Oak | DT | 1.13 | G2 | 4 | 5-7 | 0.91 | 0.68 | 4 |
| <i>Quercus robur</i> 'Pyramich' P.P. 3707 Skymaster™ English Oak | DT | 1.03 | G2 | 4 | 5-7 | 1.12 | 0.68 | 4 |
| <i>Quercus robur</i> 'Regal Prince' See - <i>Quercus robur</i> 'Long' | | | | | | | | |
| <i>Quercus robur</i> 'Rosehill' P.P. 6539 Rosehill English Oak | DT | 0.76 | G2 | 4 | 5-7 | 1.18 | 0.26 | 4 |
| <i>Quercus robur</i> 'Skymaster' See - <i>Quercus robur</i> 'Pyramich' P.P. 3707 | | | | | | | | |
| <i>Quercus robur</i> 'Skyrocket' See - <i>Quercus robur</i> 'Fastigiata' | | | | | | | | |
| <i>Quercus robur</i> 'Wandell' P.P. 6746 Attention!® English Oak | DT | 1.13 | G2 | 4 | 5-7 | 2.06 | 0.68 | 4 |
| <i>Quercus robur</i> 'Westminster Globe' See - <i>Quercus robur</i> 'Michround' P.P. 3708 | | | | | | | | |
| <i>Quercus robur</i> 'Willamette' Willamette English Oak | DT | 1.13 | G2 | 4 | 5-7 | 0.85 | 0.68 | 4 |
| <i>Quercus rubra</i> Northern Red Oak | DT | 1.03 | G2 | 3 | 4-8 | 1.05 | 1.16 | 3 |
| <i>Quercus shumardii</i> Shumard Oak | DT | 0.88 | G2 | 4-5 | 6-9 | 1.06 | 0.67 | 5 |
| <i>Quercus stellata</i> Post Oak | DT | 0.90 | G2 | 5-6 | 7-9 | 1.27 | 0.60 | 5 |
| <i>Quercus suber</i> Cork Oak | BE | 0.95 | G2 | 5-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Quercus texana</i> Spanish Oak | DT | 0.83 | G2 | 4-6 | 7-9 | 0.90 | 1.99 | 6 |
| <i>Quercus tomentella</i> Island Oak | BE | 1.42 | G2 | 5-8 | 9-10 | 1.00 | 1.00 | 8 |
| <i>Quercus undulata</i> Wavyleaf Oak | BE | 1.00 | G2 | 4-5 | 6-9 | 1.00 | 1.03 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Quercus velutina</i> Black Oak | DT | 1.10 | G2 | 4 | 5-7 | 1.29 | 0.60 | 4 |
| <i>Quercus virginiana</i> Live Oak | BE | 0.86 | G2 | 6-7 | 8-10B | 0.99 | 1.12 | 7 |
| <i>Quercus virginiana</i> 'Highrise' See - <i>Quercus virginiana</i> 'QVTIA' P.P. 11219 | | | | | | | | |
| <i>Quercus virginiana</i> 'QVTIA' P.P. 11219 Highrise® Live Oak | BE | 1.61 | G2 | 6-7 | 8-10B | 1.83 | 1.12 | 7 |
| <i>Quercus wislizenii</i> Interior Live Oak | BE | 1.01 | G2 | 5-8 | 9-10 | 1.00 | 1.03 | 8 |
| <i>Quillaja saponaria</i> Soapbark Tree | BS | 0.89 | G1 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Quisqualis indica</i> Rangoon Creeper | GC | 0.80 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Radermachera sinica</i> China Doll | FO | 0.59 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Randia aculeata</i> White Indigoberry | BS | 0.87 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Randia fitzalanii</i> Yellow Mangosteen | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Ranunculus asiaticus</i> Persian Buttercup | HP | 0.88 | G4 | 7-8 | 9-10 | | | |
| <i>Ranunculus cortusifolius</i> No Common Name Found | HP | 0.83 | G4 | 7-9 | 10 | | | |
| <i>Ranunculus occidentalis</i> Western Buttercup | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Ranunculus repens</i> Creeping Buttercup | HP | 1.18 | G4 | 3-4 | 5-8 | | | |
| <i>Ranunculus repens</i> 'Buttered Popcorn' Buttered Popcorn Creeping Buttercup | HP | 0.84 | G4 | 3-4 | 5-8 | | | |
| <i>Ranunculus repens</i> 'Pleniflorus' Pleniflorus Creeping Buttercup | HP | 0.68 | G4 | 3-4 | 5-8 | | | |
| <i>Ranunculus rhomboideus</i> Prairie Buttercup | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Raoulia australis</i> Silvermat Raoulia | HP | 0.77 | G4 | 6-7 | 8-9 | | | |
| <i>Raoulia glabra</i> Smoothleaf Raoulia | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Raoulia hookeri</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Raoulia lutescens</i> See - <i>Raoulia australis</i> | | | | | | | | |
| <i>Rapanea punctata</i> No Common Name Found | BS | 0.72 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Ratibida columnifera</i> Prairie Coneflower | HP | 0.85 | G4 | 2-3 | 4-7 | | | |
| <i>Ratibida pinnata</i> Grey-head Coneflower | HP | 0.93 | G4 | 2-3 | 4-7 | | | |
| <i>Rauvolfia tetraphylla</i> Be Still Tree | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Rauvolfia verticillata</i> No Common Name Found | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Ravenala madagascariensis</i> Traveler's Palm | PC | 1.14 | G1 | 10 | 11 | | 0.83 | 10 |
| <i>Ravenea glauca</i> No Common Name Found | PC | 1.18 | G1 | 9A-10B | 11 | | 1.00 | 10 |
| <i>Ravenea rivularis</i> Majesty Palm | PC | 0.86 | G3 | 9-10 | 11 | | 0.64 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Ravenea robustior</i> No Common Name Found | PC | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Rehmannia elata</i> Foxglove Gloxinia | HP | 0.75 | G4 | 8-9 | 10 | | | |
| <i>Reineckia carnea</i> No Common Name Found | HP | 1.32 | G4 | 7 | 8-10A | | | |
| <i>Reinhardtia gracilis</i> Window Palm | PC | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Reinhardtia simplex</i> No Common Name Found | PC | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Reinwardtia indica</i> Yellow Flax | BS | 0.62 | G1 | 9 | 10-11 | | 1.00 | 9 |
| <i>Renanthera</i> Renanthera Hybrid Orchid | FO | 3.13 | G3 | 10-11 | | | 1.00 | 10 |
| <i>Reseda luteola</i> Weld | HP | 1.00 | G4 | 6 | 7-9A | | | |
| <i>Restrepia striata</i> No Common Name Found | FO | 1.00 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Rhamnus alaternus</i> Italian Buckthorn | BS | 0.84 | G2 | 7 | 8-9B | | 1.00 | 7 |
| <i>Rhamnus alaternus</i> 'Argenteo-variegata' Variegated Italian Buckthorn | BS | 1.03 | G2 | 7 | 8-9B | | 1.00 | 7 |
| <i>Rhamnus alaternus</i> 'John Edwards' John Edwards Italian Buckthorn | BS | 0.79 | G2 | 7 | 8-9B | | 1.00 | 7 |
| <i>Rhamnus californicus</i> Coffeeberry | BS | 1.28 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Rhamnus californicus</i> 'Eve Case' Eve Case Coffeeberry | BS | 0.89 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Rhamnus californicus</i> 'Seaview Improved' Seaview Improved Coffeeberry | BS | 0.87 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Rhamnus carolinianus</i> Carolina Buckthorn | DS | 0.81 | G2 | 3-5 | 6-7 | | 0.68 | 5 |
| <i>Rhamnus catharticus</i> Common Buckthorn | DS | 0.77 | G2 | 3-4 | 5-7 | | 1.28 | 3 |
| <i>Rhamnus croceus</i> Redberry | BS | 2.91 | G2 | 6-8 | 9 | | 1.00 | 8 |
| <i>Rhamnus frangula</i> Glossy Buckthorn | BS | 0.76 | G2 | 3-4 | 5-7 | | 0.69 | 3 |
| <i>Rhamnus frangula</i> 'Asplenifolia' Feathery Glossy Buckthorn | BS | 0.89 | G2 | 3-4 | 5-7 | | 0.84 | 3 |
| <i>Rhamnus frangula</i> 'Columnaris' See - <i>Rhamnus frangula</i> 'Tallcole' | | | | | | | | |
| <i>Rhamnus frangula</i> 'Tallcole' Tallhedge® Glossy Buckthorn | BS | 0.92 | G2 | 3-4 | 5-7 | | 0.53 | 3 |
| <i>Rhamnus frangula</i> 'Tallhedge' See - <i>Rhamnus frangula</i> 'Tallcole' | | | | | | | | |
| <i>Rhamnus pumilus</i> Plumleaf Buckthorn | BS | 1.00 | G2 | 3-5 | 6-7 | | 1.00 | 5 |
| <i>Rhamnus purshianus</i> Cascara Sagrada | DS | 0.95 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Rhamnus smithii</i> Smith Buckthorn | DS | 0.86 | G2 | 3-4 | 5-7 | | 1.26 | 4 |
| <i>Raphiolepis</i> x <i>delacourii</i> No Common Name Found | BS | 0.81 | G2 | 7-8 | 9-10B | | 1.00 | 7 |
| <i>Raphiolepis</i> x <i>delacourii</i> 'Corleyscourii' P.P.A.F. Snowcap™ Hawthorn | BS | 1.10 | G2 | 7-8 | 9-10B | | 1.00 | 7 |
| <i>Raphiolepis</i> x <i>delacourii</i> 'Elizabeth' Elizabeth Hawthorn | BS | 0.72 | G2 | 7-8 | 9-10B | | 1.00 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhaphiolepis x delacourii</i> 'Peggy' Peggy Hawthorn | BS | 0.61 | G2 | 7-8 | 9-10B | | 1.00 | 7 |
| <i>Rhaphiolepis x delacourii</i> 'Snowcap' See - <i>Rhaphiolepis x delacourii</i> 'Corleyscourii' P.P.A.F. | | | | | | | | |
| <i>Rhaphiolepis indica</i> Indian Hawthorn | BS | 0.54 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Alba' White Indian Hawthorn | BS | 0.68 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Ballerina' Ballerina Indian Hawthorn | BS | 0.92 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Bay Breeze' Bay Breeze Indian Hawthorn | BS | 1.24 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Becky Lynn' P.P.A.F. Becky Lynn Indian Hawthorn | BS | 0.89 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Cameo' Cameo Indian Hawthorn | BS | 0.88 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Carmensita' Carmensita Indian Hawthorn | BS | 0.88 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Clara' Clara Indian Hawthorn | BS | 0.74 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Conia' P.P. 9399 Olivia™ Indian Hawthorn | BS | 0.88 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Conor' P.P. 9398 Eleanor Tabor™ Indian Hawthorn | BS | 0.95 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Eleanor Tabor' See - <i>Rhaphiolepis indica</i> 'Conor' P.P. 9398 | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Enchantress' See - <i>Rhaphiolepis indica</i> 'Moness' | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Georgia Charm' Georgia Charm Indian Hawthorn | BS | 0.47 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Georgia Petite' Georgia Petite Indian Hawthorn | BS | 0.69 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Gulf Green' Gulf Green™ Indian Hawthorn | BS | 1.25 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Harbinger of Spring' Harbinger of Spring Indian Hawthorn | BS | 0.80 | G2 | 7-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Heather' Heather Indian Hawthorn | BS | 1.04 | G2 | 7-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Indian Princess' See - <i>Rhaphiolepis indica</i> 'Monto' P.P. 5862 | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Jack Evans' Jack Evans Indian Hawthorn | BS | 0.92 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Janice' Janice Indian Hawthorn | BS | 0.62 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Majestic Beauty' See - <i>Rhaphiolepis indica</i> 'Montic' P.P. 3349 | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Monant' White Enchantress™ Indian Hawthorn | BS | 0.90 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Moness' Enchantress™ Indian Hawthorn | BS | 0.93 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Monme' Springtime™ Indian Hawthorn | BS | 0.98 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Monrey' P.P. 5215 Spring Rapture™ Indian Hawthorn | BS | 1.11 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Montic' P.P. 3349 Majestic Beauty™ Indian Hawthorn | BS | 1.05 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Monto' P.P. 5862 Indian Princess™ Indian Hawthorn | BS | 0.98 | G2 | 6-8 | 9-10B | | 1.05 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhaphiolepis indica</i> 'Olivia' | | | | | | | | |
| See - <i>Rhaphiolepis indica</i> 'Conia' P.P. 9399 | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Pink Clara' Pink Clara Indian Hawthorn | BS | 0.82 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Pink Cloud' Pink Cloud Indian Hawthorn | BS | 0.88 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Pink Dancer' Pink Dancer Indian Hawthorn | BS | 0.80 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Pink Flush' Pink Flush Indian Hawthorn | BS | 0.89 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Pink Lady' Pink Lady Indian Hawthorn | BS | 0.85 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Rosea' Rosea Indian Hawthorn | BS | 0.85 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Snow White' Snow White Indian Hawthorn | BS | 0.85 | G2 | 6-8 | 9-10B | | 1.05 | 8 |
| <i>Rhaphiolepis indica</i> 'Spring Rapture' | | | | | | | | |
| See - <i>Rhaphiolepis indica</i> 'Monrey' P.P. 5215 | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Springtime' | | | | | | | | |
| See - <i>Rhaphiolepis indica</i> 'Monme' | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'White Enchantress' | | | | | | | | |
| See - <i>Rhaphiolepis indica</i> 'Monant' | | | | | | | | |
| <i>Rhaphiolepis japonica</i> | | | | | | | | |
| See - <i>Rhaphiolepis umbellata</i> | | | | | | | | |
| <i>Rhaphiolepis umbellata</i> Round-Leaf Hawthorn | BS | 0.81 | G2 | 7-8 | 9-10B | | 1.00 | 8 |
| <i>Rhaphiolepis umbellata</i> 'Blueberry Muffin' Blueberry Muffin Round-leaf Hawthorn | BS | 1.24 | G2 | 7-8 | 9-10B | | 1.00 | 8 |
| <i>Rhaphiolepis umbellata</i> 'Minor' Minor Round-Leaf Hawthorn | BS | 1.00 | G2 | 7-8 | 9-10B | | 1.00 | 8 |
| <i>Rhaphiolepis umbellata</i> 'Pinkie' Pinkie Round-leaf Hawthorn | BS | 0.95 | G2 | 7-8 | 9-10B | | 1.00 | 8 |
| <i>Rhapidophyllum hystrix</i> Needle Palm | PC | 1.47 | G2 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Rhapis excelsa</i> Ground Rattan | PC | 2.58 | G2 | 8-9 | 10-11 | | 1.69 | 9 |
| <i>Rhapis humilis</i> Slender Lady Palm | PC | 4.06 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Rhapis multifida</i> Finger Palm | PC | 3.34 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Rhapis subtilis</i> No Common Name Found | PC | 1.77 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Rheum australe</i> Red-veined Pie Plant | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Rheum x cultorum</i> Garden Rhubarb | HP | 1.49 | G4 | 3-5 | 6-7 | | | |
| <i>Rheum x cultorum</i> 'Canadian Red' Canadian Red Rhubarb | HP | 1.98 | G4 | 3-5 | 6-7 | | | |
| <i>Rheum x cultorum</i> 'Chipman's Canada Red' Chipman's Canada Red Rhubarb | HP | 1.09 | G4 | 3-5 | 6-7 | | | |
| <i>Rheum x cultorum</i> 'Valentine' Valentine Rhubarb | HP | 0.86 | G4 | 3-5 | 6-7 | | | |
| <i>Rheum x cultorum</i> 'Victoria' Victoria Rhubarb | HP | 1.01 | G4 | 3-5 | 6-7 | | | |
| <i>Rheum palmatum</i> Chinese Rhubarb | HP | 1.11 | G4 | 3-5 | 6-7 | | | |
| <i>Rheum palmatum</i> 'Atrosanguineum' Atrosanguineum Chinese Rhubarb | HP | 1.11 | G4 | 3-5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rheum palmatum</i> var. <i>tanguticum</i> No Common Name Found | HP | 1.27 | G4 | 3-5 | 6-7 | | | |
| <i>Rheum rhabarbarum</i> See - <i>Rheum x cultorum</i> | | | | | | | | |
| <i>Rhizophora mangle</i> American Mangrove | BE | 0.63 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Rhodanthemum hosmariense</i> No Common Name Found | HP | 0.71 | G4 | 6-9 | 10 | | | |
| <i>Rhodochiton antrosanguineum</i> No Common Name Found | GC | 0.91 | G4 | 9 | 10 | | 1.00 | 9 |
| <i>Rhododendron</i> Rhododendron | BS | 1.01 | G2 | 5-6 | 7-10B | | 0.93 | 4 |
| <i>Rhododendron</i> '1000 Butterflies' 1000 Butterflies Rhododendron | BS | 1.01 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Abbott' Abbott Glen Dale Evergreen Azalea | BS | 0.68 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Accomplishment' Accomplishment Rhododendron | BS | 1.01 | G2 | 7 | 8-9 | | 0.90 | 6 |
| <i>Rhododendron</i> 'Addy Wery' Addy Wery Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Adelaine Pope' Adelaine Pope Evergreen Azalea | BS | 0.61 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Admiral Semmes' Admiral Semmes Deciduous Azalea | DS | 0.98 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Aglo' Aglo Rhododendron | BS | 1.63 | G2 | 6-7 | 8-9 | | 1.16 | 4 |
| <i>Rhododendron</i> 'Aikoku' Aikoku Evergreen Azalea | BS | 0.66 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Alaska' Alaska Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Albert Close' Albert Close Rhododendron | BS | 1.01 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Alena' Alena Rhododendron | BS | 1.01 | G2 | 4-5 | 6-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Alexander' Alexander Evergreen Azalea | BS | 1.06 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Amagasa' Amagasa Evergreen Azalea | BS | 0.66 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Ambrosia' Ambrosia Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Amethyst' Amethyst Rhododendron | BS | 1.06 | G2 | 7 | 8-9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Amity' Amity Rhododendron | BS | 0.81 | G2 | 7 | 8-9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Amoenum' Amoenum Evergreen Azalea | BS | 1.23 | G2 | 7-8 | 9 | | 1.11 | 6 |
| <i>Rhododendron</i> 'Amy Cotta' P.P. 11311 Amy Cotta Rhododendron | BS | 1.31 | G2 | 6-7 | 8-9 | | 1.89 | 4 |
| <i>Rhododendron</i> 'Amy' Amy Evergreen Azalea | BS | 0.85 | G2 | 6-7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Anchorite' Anchorite Evergreen Azalea | BS | 0.85 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Anna Kehr' Anna Kehr Evergreen Azalea | BS | 0.65 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Annette' Annette Evergreen Azalea | BS | 0.99 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Antoon van Welie' Antoon van Welie Rhododendron | BS | 1.20 | G2 | 7 | 8-9 | | 1.16 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Aozora' Aozora Evergreen Azalea | BS | 0.95 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Aphrodite' Aphrodite Evergreen Azalea | BS | 1.09 | G2 | 7-8 | 9 | | 0.78 | 6 |
| <i>Rhododendron</i> 'Appleblossom' Appleblossom Evergreen Azalea | BS | 0.51 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Apricot Surprise' Apricot Surprise Northern Lights Azalea | DS | 1.26 | G2 | 7-8 | 9 | | 1.48 | 3 |
| <i>Rhododendron</i> 'April Dawn' April Dawn Rhododendron | BS | 2.49 | G2 | 7 | 8-9 | | 1.68 | 4 |
| <i>Rhododendron</i> 'April Mist' April Mist Rhododendron | BS | 1.43 | G2 | 7 | 8-9 | | 2.22 | 4 |
| <i>Rhododendron</i> 'April Snow' April Snow Rhododendron | BS | 1.77 | G2 | 7 | 8-9 | | 0.95 | 4 |
| <i>Rhododendron</i> 'Arabesk' Arabesk Evergreen Azalea | BS | 0.63 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Aravir' Aravir Malaysian Vireya Rhododendron | BS | 2.27 | G1 | 7-10 | 11 | | 0.93 | 10 |
| <i>Rhododendron</i> 'Argentina' Argentina Rhododendron | BS | 1.01 | G2 | 7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Arneson Gem' Arneson Gem Deciduous Azalea | DS | 0.94 | G2 | 7 | 8-9 | | 1.38 | 4 |
| <i>Rhododendron</i> 'Ashley Marie' Ashley Marie Girard Evergreen Azalea | BS | 0.94 | G2 | 7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Autumn Amethyst' See - <i>Rhododendron</i> 'Conlee' P.P. 10567 | | | | | | | | |
| <i>Rhododendron</i> 'Autumn Coral' See - <i>Rhododendron</i> 'Conled' P.P. 10568 | | | | | | | | |
| <i>Rhododendron</i> 'Autumn Rouge' See - <i>Rhododendron</i> 'Conlea' P.P. 10438 | | | | | | | | |
| <i>Rhododendron</i> 'Avalanche' Avalanche Rhododendron | BS | 1.01 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Avenir' Avenir Evergreen Azalea | BS | 1.12 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Azor' Azor Rhododendron | BS | 1.01 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Azurro' Azurro Rhododendron | BS | 1.24 | G2 | 7 | 8-9 | | 0.82 | 5 |
| <i>Rhododendron</i> 'B.Y. Morrison' B.Y. Morrison Evergreen Azalea | BS | 0.68 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Balalaika' Balalaika Rhododendron | BS | 1.01 | G2 | 4-5 | 6-9 | | 0.99 | 5 |
| <i>Rhododendron</i> 'Bali' Bali Rhododendron | BS | 0.99 | G2 | 7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Balta' Balta Rhododendron | BS | 0.96 | G2 | 7 | 8-9 | | 0.95 | 4 |
| <i>Rhododendron</i> 'Balzac' Balzac Exbury Hybrid Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 1.16 | 5 |
| <i>Rhododendron</i> 'Bambino' Bambino Rhododendron | BS | 1.09 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Bananaflip' Bananaflip Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Bangkok' Bangkok Rhododendron | BS | 1.01 | G2 | 7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Banshin' Banshin Evergreen Azalea | BS | 0.54 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Barbara M. Humphreys' Barbara M. Humphreys Azalea | BS | 0.68 | G2 | 6-7 | 8-9 | | 0.93 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Barbara' Barbara Evergreen Azalea | BS | 1.01 | G2 | 5-7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Bariton' Bariton Rhododendron | BS | 1.11 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Barmstedt' Barmstedt Rhododendron | BS | 0.88 | G2 | 7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Barto Alpine' Barto Alpine Rhododendron | BS | 0.77 | G2 | 7 | 8-9 | | 0.73 | 6 |
| <i>Rhododendron</i> 'Belle Heller' Belle Heller Rhododendron | BS | 1.84 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Ben Morrison' Ben Morrison Evergreen Azalea | BS | 0.77 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Ben Moseley' Ben Moseley Rhododendron | BS | 1.01 | G2 | 7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Beni Kirishima' Beni Kirishima Evergreen Azalea | BS | 0.74 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Berryrose' Berryrose Exbury Hybrid Azalea | DS | 0.98 | G2 | 7 | 8-9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Besse Howells' Besse Howells Rhododendron | BS | 1.23 | G2 | 7 | 8-9 | | 1.04 | 5 |
| <i>Rhododendron</i> 'Beth Bullard' Beth Bullard Evergreen Azalea | BS | 0.78 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Betty Anne Voss' Betty Ann Voss Evergreen Azalea | BS | 0.73 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Betty Hume' Betty Hume Rhododendron | BS | 1.01 | G2 | 7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Betty Muir' Betty Muir Rhododendron | BS | 0.77 | G2 | 7 | 8-9 | | 0.73 | 5 |
| <i>Rhododendron</i> 'Bikini Island' Bikini Island Rhododendron | BS | 1.28 | G2 | 7 | 8-9 | | 0.99 | 5 |
| <i>Rhododendron</i> 'Billie Dee' P.P. 7530 Billie Dee Evergreen Azalea | BS | 1.07 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Bixby' Bixby Evergreen Azalea | BS | 1.96 | G2 | 6-7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Blaauw's Pink' Blaauw's Pink Evergreen Azalea | BS | 0.95 | G2 | 7-8 | 9 | | 1.09 | 6 |
| <i>Rhododendron</i> 'Black Eye' Black Eye Rhododendron | BS | 0.81 | G2 | 7 | 8-9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Black Satin' Black Satin Rhododendron | BS | 1.28 | G2 | 7 | 8-9 | | 0.97 | 4 |
| <i>Rhododendron</i> 'Blaney's Blue' Blaney's Blue Rhododendron | BS | 1.21 | G2 | 7 | 8-9 | | 1.25 | 6 |
| <i>Rhododendron</i> 'Blinktlicht' Blinktlicht Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Blitz' Blitz Rhododendron | BS | 1.47 | G2 | 7 | 8-9 | | 1.05 | 6 |
| <i>Rhododendron</i> 'Blue Baron' Blue Baron Rhododendron | BS | 1.71 | G2 | 7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Blue Bird' Blue Bird Rhododendron | BS | 1.64 | G2 | 7 | 8-9 | | 0.85 | 7 |
| <i>Rhododendron</i> 'Blue Boy' Blue Boy Rhododendron | BS | 1.01 | G2 | 7 | 8-9 | | 0.92 | 6 |
| <i>Rhododendron</i> 'Blue Danube' Blue Danube Evergreen Azalea | BS | 0.86 | G2 | 7-8 | 9 | | 0.90 | 5 |
| <i>Rhododendron</i> 'Blue Pacific' Blue Pacific Rhododendron | BS | 1.01 | G2 | 4-6 | 7-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Blue Tit' Blue Tit Rhododendron | BS | 1.09 | G2 | 7 | 8-9 | | 1.27 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Bluette' Bluette Rhododendron | BS | 1.49 | G2 | 7 | 8-9 | | 1.16 | 6 |
| <i>Rhododendron</i> 'Bob Bovee' Bob Bovee Rhododendron | BS | 0.77 | G2 | 7 | 8-9 | | 0.73 | 5 |
| <i>Rhododendron</i> 'Bob's Blue' Bob's Blue Rhododendron | BS | 1.22 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Borneo' Borneo Rhododendron | BS | 1.01 | G2 | 7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Boudoir' Boudoir Evergreen Azalea | BS | 1.24 | G2 | 7-8 | 9 | | 0.94 | 6 |
| <i>Rhododendron</i> 'Bouffant' Bouffant Evergreen Azalea | BS | 0.68 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Boule de Neige' Boule de Neige Rhododendron | BS | 1.48 | G2 | 7 | 8-9 | | 1.02 | 4 |
| <i>Rhododendron</i> 'Bravo' Bravo Rhododendron | BS | 1.18 | G2 | 7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Brazil' Brazil Exbury Hybrid Azalea | BS | 1.11 | G2 | 7-8 | 9 | | 1.13 | 5 |
| <i>Rhododendron</i> 'Brilliant' Brilliant Evergreen Azalea | BS | 0.89 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Brittany' Brittany Rhododendron | BS | 1.32 | G2 | 7 | 8-9 | | 0.99 | 5 |
| <i>Rhododendron</i> 'Brown Eyes' Brown Eyes Rhododendron | BS | 1.30 | G2 | 7 | 8-9 | | 1.05 | 5 |
| <i>Rhododendron</i> 'Bruce Brechtbill' Bruce Brechtbill Rhododendron | BS | 1.46 | G2 | 7 | 8-9 | | 0.95 | 6 |
| <i>Rhododendron</i> 'Buccaneer' Buccaneer Evergreen Azalea | BS | 0.80 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Burma' Burma Rhododendron | BS | 1.10 | G2 | 7 | 8-9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Buttermint' Buttermint Rhododendron | BS | 0.81 | G2 | 7 | 8-9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Buttons and Bows' Buttons and Bows Exbury Hybrid Azalea | DS | 0.92 | G2 | 7 | 8-9 | | 1.38 | 6 |
| <i>Rhododendron</i> 'Buzzard' Buzzard Deciduous Azalea | DS | 1.18 | G2 | 7 | 8-9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'C.B. van Nes' C.B. van Nes Deciduous Azalea | DS | 1.18 | G2 | 7 | 8-9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Cadis' Cadis Rhododendron | BS | 1.01 | G2 | 6-7 | 8-9 | | 0.60 | 5 |
| <i>Rhododendron</i> 'California Peach' California Peach Evergreen Azalea | BS | 1.02 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'California Snow' California Snow Evergreen Azalea | BS | 0.94 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'California Sunset' California Sunset Evergreen Azalea | BS | 0.99 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Calsap' Calsap Rhododendron | BS | 1.02 | G2 | 7 | 8-9 | | 0.98 | 4 |
| <i>Rhododendron</i> 'Canary Islands' Canary Islands Rhododendron | BS | 1.10 | G2 | 7 | 8-9 | | 0.99 | 5 |
| <i>Rhododendron</i> 'Candy Lights' Candy Lights Azalea | BS | 1.55 | G2 | 4-6 | 7-9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Candy Stripe' Candy Stripe Evergreen Azalea | BS | 0.62 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Cannon's Double' Cannon's Double Exbury Hybrid Azalea | DS | 1.25 | G2 | 7 | 8-9 | | 1.45 | 5 |
| <i>Rhododendron</i> 'Capistrano' Capistrano Rhododendron | BS | 1.41 | G2 | 7 | 8-9 | | 1.84 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Carmen' Carmen Rhododendron | BS | 0.77 | G2 | 7 | 8-9 | | 0.91 | 6 |
| <i>Rhododendron</i> 'Carol Jean' Carol Jean Rhododendron | BS | 0.96 | G2 | 7 | 8-9 | | 0.97 | 7 |
| <i>Rhododendron</i> 'Carol Kitchen' Carol Kitchen Evergreen Azalea | BS | 0.83 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Carolina Gold' Carolina Gold Rhododendron | BS | 1.01 | G2 | 7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Caroline Gable' Caroline Gable Evergreen Azalea | BS | 0.97 | G2 | 7-8 | 9 | | 0.90 | 6 |
| <i>Rhododendron</i> 'Carror' Carror Evergreen Azalea | BS | 0.62 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Cary's Red' Cary's Red Exbury Hybrid Azalea | DS | 1.18 | G2 | 7 | 8-9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Casablanca Improved' Casablanca Improved Evergreen Azalea | BS | 1.09 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Casanova' Casanova Rhododendron | BS | 1.19 | G2 | 7 | 8-9 | | 1.03 | 4 |
| <i>Rhododendron</i> 'Cascade' Cascade Evergreen Azalea | BS | 1.24 | G2 | 7-8 | 9 | | 0.78 | 5 |
| <i>Rhododendron</i> 'Catherine Stewart' Catherine Stewart Evergreen Azalea | BS | 0.67 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Cavalier' Cavalier Evergreen Azalea | BS | 0.68 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Cavendishi' Cavendishi Evergreen Azalea | BS | 0.65 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Cecile' Cecile Exbury Hybrid Azalea | DS | 1.02 | G2 | 7 | 8-9 | | 1.17 | 5 |
| <i>Rhododendron</i> 'Centennial Celebration' Centennial Celebration Rhododendron | BS | 0.84 | G2 | 7 | 8-9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Centennial' Centennial Exbury Hybrid Azalea | DS | 1.47 | G2 | 7 | 8-9 | | 1.14 | 5 |
| <i>Rhododendron</i> 'Chanson' Chanson Evergreen Azalea | BS | 0.75 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Chapman's Wonder' Chapman's Wonder Rhododendron | BS | 0.96 | G2 | 7 | 8-9 | | 0.99 | 5 |
| <i>Rhododendron</i> 'Cheerful Giant' Cheerful Giant Exbury Hybrid Azalea | BS | 1.61 | G2 | 7 | 8-9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Cherries and Cream' Cherries and Cream Rhododendron | BS | 0.88 | G2 | 6-7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Cherry Float' Cherry Float Rhododendron | BS | 0.81 | G2 | 7 | 8-9 | | 0.80 | 6 |
| <i>Rhododendron</i> 'Chetco' Chetco Deciduous Azalea | BS | 1.11 | G2 | 7 | 8-9 | | 0.91 | 5 |
| <i>Rhododendron</i> 'Chichibu' Chichibu Evergreen Azalea | BS | 0.68 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Chikor' Chikor Rhododendron | BS | 0.88 | G2 | 7 | 8-9 | | 1.04 | 7 |
| <i>Rhododendron</i> 'Chimes' Chimes Evergreen Azalea | BS | 1.00 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'China Seas' China Seas Evergreen Azalea | BS | 0.53 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Chinsei' Chinsei Evergreen Azalea | BS | 0.82 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Chinzan' Chinzan Evergreen Azalea | BS | 0.83 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Christina Marie' Christina Marie Evergreen Azalea | BS | 0.72 | G2 | 7-8 | 9 | | 0.93 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Christine Ann' Christine Ann Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Christmas Cheer' Christmas Cheer Evergreen Azalea | BS | 0.71 | G2 | 7-8 | 9 | | 0.85 | 7 |
| <i>Rhododendron</i> 'Clara Marie' Clara Marie Evergreen Azalea | BS | 1.41 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Clementine Lemaire' Clementine Lemaire Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Cloud Cap' Cloud Cap Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Col. Mosby' Col. Mosby Deciduous Azalea | DS | 1.19 | G2 | 6-7 | 8-9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Colonel Coen' Colonel Coen Rhododendron | BS | 1.09 | G2 | 7-8 | 9 | | 0.98 | 6 |
| <i>Rhododendron</i> 'Comte de Gomer' Comte de Gomer Deciduous Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Comte de Papadopoli' Comte de Papadopoli Deciduous Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Comtesse de Kerchove' Comtesse de Kerchove Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Conewago' Conewago Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Conlea' P.P. 10438 Autumn Rouge™ Encore Azalea | BS | 1.01 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Conled' P.P. 10568 Autumn Coral™ Encore Azalea | BS | 1.01 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Conlee' P.P. 10567 Autumn Amethyst™ Encore Azalea | BS | 1.01 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Connecticut Yankee' Connecticut Yankee Rhododendron | BS | 1.25 | G2 | 7-8 | 9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Consolini's Windmill' Consolini's Windmill Rhododendron | BS | 1.01 | G2 | 4-5 | 6-9 | | 0.99 | 5 |
| <i>Rhododendron</i> 'Constance' Constance Evergreen Azalea | BS | 1.02 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Conversation Piece' Conversation Piece Evergreen Azalea | BS | 0.72 | G2 | 7-8 | 9 | | 0.78 | 6 |
| <i>Rhododendron</i> 'Copperman' Copperman Evergreen Azalea | BS | 0.65 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Coral Bells' Coral Bells Evergreen Azalea | BS | 0.74 | G2 | 6-8 | 9 | | 0.98 | 6 |
| <i>Rhododendron</i> 'Coral Cascade' Coral Cascade Evergreen Azalea | BS | 0.87 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Coral Velvet' Coral Velvet Rhododendron | BS | 1.69 | G2 | 7-8 | 9 | | 0.85 | 5 |
| <i>Rhododendron</i> 'Coralie' Coralie Evergreen Azalea | BS | 0.65 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Corry' Corry Evergreen Azalea | BS | 0.65 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Corsage' Corsage Evergreen Azalea | BS | 1.29 | G2 | 7-8 | 9 | | 1.11 | 5 |
| <i>Rhododendron</i> 'Cosmopolitan' Cosmopolitan Rhododendron | BS | 0.96 | G2 | 7-8 | 9 | | 1.57 | 6 |
| <i>Rhododendron</i> 'Cotton Candy' Cotton Candy Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.71 | 4 |
| <i>Rhododendron</i> 'County of York' County of York Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.94 | 5 |
| <i>Rhododendron</i> 'Crater Lake' Crater Lake Rhododendron | BS | 1.01 | G2 | 6-7 | 8-9 | | 0.60 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Cream Crest' Cream Crest Rhododendron | BS | 1.09 | G2 | 7-8 | 9 | | 0.85 | 7 |
| <i>Rhododendron</i> 'Cream Glory' Cream Glory Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Creamy Chiffon' Creamy Chiffon Rhododendron | BS | 1.36 | G2 | 7-8 | 9 | | 1.25 | 7 |
| <i>Rhododendron</i> 'Creole Belle' Creole Belle Rhododendron | BS | 1.29 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Crest' Crest Rhododendron | BS | 0.97 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Cristo Rey' Cristo Rey Malaysian Vireya Rhododendron | BS | 2.27 | G1 | 7-10 | 11 | | 0.93 | 10 |
| <i>Rhododendron</i> 'Cupcake' Cupcake Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Curlew' Curlew Rhododendron | BS | 1.03 | G2 | 7-8 | 9 | | 1.04 | 6 |
| <i>Rhododendron</i> 'Cynthia' Cynthia Rhododendron | BS | 1.04 | G2 | 7-8 | 9 | | 1.06 | 5 |
| <i>Rhododendron</i> 'Cyprus' Cyprus Rhododendron | BS | 0.82 | G2 | 7-8 | 9 | | 0.97 | 5 |
| <i>Rhododendron</i> 'Dad's Indian Summer' Dad's Indian Summer Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 7 |
| <i>Rhododendron</i> 'Daniela' Daniela Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Daphne Salmon' Daphne Salmon Evergreen Azalea | BS | 0.61 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Daviesi' Daviesi Deciduous Azalea | BS | 1.13 | G2 | 7-8 | 9 | | 0.91 | 5 |
| <i>Rhododendron</i> 'Dawn's Chorus' Dawn's Chorus Exbury Hybrid Azalea | DS | 1.39 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Daybreak' Daybreak Exbury Hybrid Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Dayspring' Dayspring Evergreen Azalea | BS | 0.78 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Delaware Valley White' Delaware Valley White Evergreen Azalea | BS | 0.78 | G2 | 5 | 6-8 | | 0.97 | 5 |
| <i>Rhododendron</i> 'Delaware' Delaware Exbury Hybrid Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 6 |
| <i>Rhododendron</i> 'Denali' Denali Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Desiree' Desiree Evergreen Azalea | BS | 1.09 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Diny Dee' Diny Dee Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Doc' Doc Rhododendron | BS | 0.77 | G2 | 7-8 | 9 | | 0.73 | 5 |
| <i>Rhododendron</i> 'Dogwood' Dogwood Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Doncaster' Doncaster Rhododendron | BS | 0.92 | G2 | 6-7 | 8-10 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Donna Totten' Donna Totten Rhododendron | BS | 1.58 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Donna's Day' Donna's Day Rhododendron | BS | 0.76 | G2 | 7-8 | 9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Dorothy Amateis' Dorothy Amateis Rhododendron | BS | 1.34 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Dorothy Gish' Dorothy Gish Evergreen Azalea | BS | 1.02 | G2 | 7-8 | 9 | | 0.93 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Dorothy Hayden' Dorothy Hayden Evergreen Azalea | BS | 0.75 | G2 | 7-8 | 9 | | 0.83 | 6 |
| <i>Rhododendron</i> 'Dorothy Rees' Dorothy Rees Evergreen Azalea | BS | 0.76 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Dorothy Russell' Dorothy Russell Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Dorothy Swift' Dorothy Swift Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.95 | 5 |
| <i>Rhododendron</i> 'Double Delight' Double Delight Deciduous Azalea | BS | 1.15 | G2 | 7-8 | 9 | | 0.91 | 7 |
| <i>Rhododendron</i> 'Dr. V.H. Rutgers' Dr. V.H. Rutgers Rhododendron | BS | 1.10 | G2 | 7-8 | 9 | | 1.03 | 5 |
| <i>Rhododendron</i> 'Dreamland' Dreamland Rhododendron | BS | 1.64 | G2 | 7-8 | 9 | | 1.16 | 6 |
| <i>Rhododendron</i> 'Duc de Rohan' Duc de Rohan Evergreen Azalea | BS | 0.79 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Duchess of Cypress' Duchess of Cypress Evergreen Azalea | BS | 0.52 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Duchess of York' Duchess of York Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Early Beni' Early Beni Evergreen Azalea | BS | 0.85 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Ebony Pearl' Ebony Pearl Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Edith Bosley' Edith Bosley Rhododendron | BS | 1.17 | G2 | 7-8 | 9 | | 1.02 | 4 |
| <i>Rhododendron</i> 'Edmond Amateis' Edmond Amateis Rhododendron | BS | 0.77 | G2 | 7-8 | 9 | | 0.73 | 5 |
| <i>Rhododendron</i> 'Edward Dunn' Edward Dunn Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Edward M. Boehm' Edward M. Boehm Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Eider' Eider Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Eikwan' Eikwan Evergreen Azalea | BS | 0.71 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'El Frida' El Frida Evergreen Azalea | BS | 0.65 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Elegans Superba' Elegans Superba Evergreen Azalea | BS | 0.62 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Elie' Elie Rhododendron | BS | 0.92 | G2 | 7-8 | 9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Elise Norfleet' Elise Norfleet Evergreen Azalea | BS | 0.95 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Eliza Scott' Eliza Scott Robin Hill Evergreen Azalea | BS | 0.68 | G2 | 6-7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Elizabeth Gable' Elizabeth Gable Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Elizabeth Red Foliage' Elizabeth Red Foliage Rhododendron | BS | 1.29 | G2 | 7-8 | 9 | | 1.25 | 6 |
| <i>Rhododendron</i> 'Elizabeth' Elizabeth Rhododendron | BS | 1.00 | G2 | 7-8 | 9 | | 1.00 | 6 |
| <i>Rhododendron</i> 'Ellie Harris' Ellie Harris Evergreen Azalea | BS | 0.78 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Elsie Lee' Elsie Lee Evergreen Azalea | BS | 0.86 | G2 | 7-8 | 9 | | 1.04 | 5 |
| <i>Rhododendron</i> 'Elsie Pratt' Elsie Pratt Exbury Hybrid Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Elviira' Elviira Marjatta Hybrid Rhododendron | BS | 2.08 | G2 | 7-8 | 9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Emma Sansom' Emma Sansom Deciduous Azalea | DS | 1.19 | G2 | 6-7 | 8-9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Encore Southern Beauty' P.P.A.F. Encore Southern Beauty Azalea | BS | 0.73 | G2 | 6-8 | 9-10 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Encore Southern Blush' P.P.A.F. Encore Southern Blush Azalea | BS | 0.73 | G2 | 6-8 | 9-10 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Encore Southern Celebration' P.P.A.F. Encore Southern Celebration Azalea | BS | 0.73 | G2 | 6-8 | 9-10 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Encore Southern Glory' P.P.A.F. Encore Southern Glory Azalea | BS | 0.73 | G2 | 6-8 | 9-10 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Encore Southern Grace' P.P.A.F. Encore Southern Grace Azalea | BS | 0.73 | G2 | 6-8 | 9-10 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Encore Southern Pride' P.P.A.F. Encore Southern Pride Azalea | BS | 0.73 | G2 | 6-8 | 9-10 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Ernie Dee' Ernie Dee Rhododendron | BS | 0.77 | G2 | 7-8 | 9 | | 0.73 | 7 |
| <i>Rhododendron</i> 'Eros' Eros Evergreen Azalea | BS | 1.02 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Eureka' Eureka Evergreen Azalea | BS | 1.29 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Everest' Everest Evergreen Azalea | BS | 0.95 | G2 | 7-8 | 9 | | 0.95 | 6 |
| <i>Rhododendron</i> 'Exbury' Exbury Hybrid Azalea | DS | 1.50 | G2 | 7-8 | 9 | | 2.00 | 5 |
| <i>Rhododendron</i> 'Fairfax' Fairfax Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Fascination' Fascination Evergreen Azalea | BS | 0.91 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Fashion' Fashion Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 1.11 | 6 |
| <i>Rhododendron</i> 'Fedora' Fedora Evergreen Azalea | BS | 1.41 | G2 | 5-6 | 7-9 | | 1.14 | 5 |
| <i>Rhododendron</i> 'Festive' Festive Evergreen Azalea | BS | 0.59 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Fielder's White' Fielder's White Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Fireball' Fireball Exbury Hybrid Azalea | DS | 1.16 | G2 | 7-8 | 9 | | 1.35 | 5 |
| <i>Rhododendron</i> 'Firecracker' Firecracker Deciduous Azalea | DS | 1.15 | G2 | 7 | 8 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Firefly' Firefly Deciduous Azalea | BS | 0.92 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Fireman Jeff' Fireman Jeff Rhododendron | BS | 0.99 | G2 | 7-8 | 9 | | 0.92 | 6 |
| <i>Rhododendron</i> 'Firestar' Firestar Evergreen Azalea | BS | 1.29 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Firestorm' Firestorm Rhododendron | BS | 1.09 | G2 | 7-8 | 9 | | 1.01 | 4 |
| <i>Rhododendron</i> 'Fisher Pink' Fisher Pink Evergreen Azalea | BS | 0.73 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Flame Creeper' Flame Creeper Evergreen Azalea | BS | 0.80 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Fluffy' Fluffy Exbury Deciduous Azalea | DS | 1.18 | G1 | 4-5 | 6-10 | | 1.38 | 5 |
| <i>Rhododendron</i> 'For Pete's Sake' For Pete's Sake Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Formosa' Formosa Evergreen Azalea | BS | 0.72 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Fragrans Affinity' Fragrans Affinity Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Francesca' Francesca Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Frank Galsworthy' Frank Galsworthy Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Freckles' Freckles Evergreen Azalea | BS | 1.03 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Frederick O. Douglas' Frederick O. Douglas Deciduous Azalea | DS | 1.19 | G2 | 6-7 | 8-9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Friday' Friday Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 5 |
| <i>Rhododendron</i> 'Frisled Petticoat' Frisled Petticoat Rhododendron | BS | 1.01 | G2 | 6-8 | 9-10 | | 0.60 | 7 |
| <i>Rhododendron</i> 'Frilly Lemon' Frilly Lemon Exbury Deciduous Azalea | BS | 0.93 | G2 | 5-6 | 7-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Frosted Orange' Frosted Orange Evergreen Azalea | BS | 0.70 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Frosty' Frosty Evergreen Azalea | BS | 0.85 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Fuchsia' Fuchsia Evergreen Azalea | BS | 0.73 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Fuji Asahi' Fuji Asahi Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gabrielle Hill' Gabrielle Hill Evergreen Azalea | BS | 1.08 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Gaiety' Gaiety Evergreen Azalea | BS | 0.96 | G2 | 7-8 | 9 | | 0.42 | 6 |
| <i>Rhododendron</i> 'Gallipoli' Gallipoli Exbury Hybrid Azalea | DS | 1.08 | G2 | 7-8 | 9 | | 1.35 | 5 |
| <i>Rhododendron</i> 'Garden State Glow' Garden State Glow Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Garden State White' Garden State White Evergreen Azalea | BS | 0.81 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gartendirektor Glocker' Gartendirektor Glocker Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.81 | 6 |
| <i>Rhododendron</i> 'Gee Gee' Gee Gee Evergreen Azalea | BS | 0.68 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Geisha' Geisha Evergreen Azalea | BS | 0.85 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Gen. N.B. Forrest' Gen. N.B. Forrest Deciduous Azalea | DS | 1.19 | G2 | 6-8 | 9-10 | | 1.38 | 5 |
| <i>Rhododendron</i> 'General Eisenhower' General Eisenhower Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'George Budgen' George Budgen Malaysian Vireya Rhododendron | BS | 2.30 | G1 | 7-10 | 11 | | 0.93 | 10 |
| <i>Rhododendron</i> 'George Lindley Taber' George Lindley Taber Evergreen Azalea | BS | 0.69 | G2 | 7-8 | 9 | | 0.49 | 7 |
| <i>Rhododendron</i> 'George Reynolds' George Reynolds Exbury Hybrid Azalea | DS | 1.01 | G2 | 7-8 | 9 | | 1.35 | 5 |
| <i>Rhododendron</i> 'George's Delight' George's Delight Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Getsutoku' Getsutoku Evergreen Azalea | BS | 1.00 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gi Gi' Gi Gi Rhododendron | BS | 1.00 | G2 | 7-8 | 9 | | 0.93 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Gibraltar' Gibraltar Exbury Hybrid Azalea | BS | 1.26 | G2 | 7-8 | 9 | | 0.97 | 5 |
| <i>Rhododendron</i> 'Giganteum' See - <i>Rhododendron protistum</i> var. <i>giganteum</i> | | | | | | | | |
| <i>Rhododendron</i> 'Ginny Gee' Ginny Gee Rhododendron | BS | 1.61 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Better Letter' Girard's Better Letter Deciduous Azalea | BS | 0.76 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Border Gem' Girard's Border Gem Evergreen Azalea | BS | 0.90 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Caroline' Girard's Caroline Evergreen Azalea | BS | 0.85 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Chiara' Girard's Chiara Evergreen Azalea | BS | 0.89 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Girard's Crimson' Girard's Crimson Evergreen Azalea | BS | 0.89 | G2 | 7-8 | 9 | | 0.89 | 6 |
| <i>Rhododendron</i> 'Girard's Dwarf Lavender' Girard's Dwarf Lavender Evergreen Azalea | BS | 1.15 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Girard's Fireflash' Girard's Fireflash Deciduous Azalea | BS | 0.76 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Fuchsia' Girard's Fuchsia Evergreen Azalea | BS | 0.83 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Hot Shot' Girard's Hot Shot Evergreen Azalea | BS | 0.80 | G2 | 7-8 | 9 | | 0.99 | 6 |
| <i>Rhododendron</i> 'Girard's Joshua' Girard's Joshua Evergreen Azalea | BS | 0.96 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's National Beauty' Girard's National Beauty Evergreen Azalea | BS | 0.91 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Pink' Girard's Pink Evergreen Azalea | BS | 1.13 | G2 | 7-8 | 9 | | 0.49 | 6 |
| <i>Rhododendron</i> 'Girard's Purple' Girard's Purple Evergreen Azalea | BS | 0.83 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Rose' Girard's Rose Evergreen Azalea | BS | 0.83 | G2 | 7-8 | 9 | | 0.91 | 6 |
| <i>Rhododendron</i> 'Girard's Scarlet' Girard's Scarlet Evergreen Azalea | BS | 0.90 | G2 | 7-8 | 9 | | 0.49 | 5 |
| <i>Rhododendron</i> 'Girard's The Robe' Girard's The Robe Deciduous Azalea | BS | 0.81 | G2 | 7-8 | 9 | | 0.49 | 5 |
| <i>Rhododendron</i> 'Girard's Variegated Gem' Girard's Variegated Gem Evergreen Azalea | BS | 1.11 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Variegated Hot Shot' Girard's Variegated Hot Shot Evergreen Azalea | BS | 1.05 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Glacier' Glacier Evergreen Azalea | BS | 0.73 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Glamour' Glamour Evergreen Azalea | BS | 0.91 | G2 | 7-8 | 9 | | 1.00 | 6 |
| <i>Rhododendron</i> 'Gloria' Gloria Evergreen Azalea | BS | 1.07 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Glory of Sunninghill' Glory of Sunninghill Evergreen Azalea | BS | 0.92 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Glory' Glory Evergreen Azalea | BS | 0.62 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Glowing Embers' Glowing Embers Exbury Hybrid Azalea | DS | 1.08 | G2 | 7-8 | 9 | | 1.35 | 5 |
| <i>Rhododendron</i> 'Gold Fee' Gold Fee Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Golden Anniversary' Golden Anniversary Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Golden Belle' Golden Belle Rhododendron | BS | 0.82 | G2 | 6-8 | 9-10 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Golden Eagle' Golden Eagle Deciduous Azalea | DS | 1.09 | G2 | 7-8 | 9 | | 1.35 | 5 |
| <i>Rhododendron</i> 'Golden Flame' Golden Flame Exbury Deciduous Azalea | DS | 1.36 | G2 | 6-8 | 9-10 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Golden Flare' Golden Flare Exbury Hybrid Azalea | BS | 1.27 | G2 | 7-8 | 9 | | 0.91 | 5 |
| <i>Rhododendron</i> 'Golden Gala' Golden Gala Rhododendron | BS | 1.36 | G2 | 7-8 | 9 | | 1.08 | 5 |
| <i>Rhododendron</i> 'Golden Gate' Golden Gate Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.99 | 7 |
| <i>Rhododendron</i> 'Golden Genie' Golden Genie Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Golden Lights' Golden Lights Azalea | DS | 1.28 | G2 | 7-8 | 9 | | 1.32 | 4 |
| <i>Rhododendron</i> 'Golden Oriole' Golden Oriole Deciduous Azalea | BS | 1.14 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Golden Princess' Golden Princess Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Golden Star' Golden Star Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Golden Sunset' Golden Sunset Exbury Hybrid Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Golden Witt' Golden Witt Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Goldfingers' Goldfingers Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Goldflimmer' Goldflimmer Rhododendron | BS | 1.37 | G2 | 7-8 | 9 | | 0.98 | 5 |
| <i>Rhododendron</i> 'Goldilocks' Goldilocks Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Goldkrone' Goldkrone Rhododendron | BS | 1.19 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Goldworth Yellow' Goldworth Yellow Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Golfer' Golfer Rhododendron | BS | 0.88 | G2 | 6-8 | 9-10 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Goosander' Goosander Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Grace Seabrook' Grace Seabrook Rhododendron | BS | 1.07 | G2 | 7-8 | 9 | | 0.84 | 6 |
| <i>Rhododendron</i> 'Graf Zeppelin' Graf Zeppelin Rhododendron | BS | 1.18 | G2 | 7-8 | 9 | | 1.02 | 5 |
| <i>Rhododendron</i> 'Grapefruit Punch' Grapefruit Punch Azalea | BS | 0.94 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Greeting' Greeting Evergreen Azalea | BS | 0.93 | G2 | 7-8 | 9 | | 0.78 | 6 |
| <i>Rhododendron</i> 'Gretel' Gretel Rhododendron | BS | 0.68 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Gulf Pride' Gulf Pride Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Gumpo Fancy' Gumpo Fancy Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gumpo Pink' Gumpo Pink Evergreen Azalea | BS | 0.72 | G2 | 7-8 | 9 | | 0.69 | 6 |
| <i>Rhododendron</i> 'Gumpo Red' Gumpo Red Evergreen Azalea | BS | 0.77 | G2 | 7-8 | 9 | | 0.93 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Gumpo White' Gumpo White Evergreen Azalea | BS | 0.73 | G2 | 7-8 | 9 | | 0.69 | 6 |
| <i>Rhododendron</i> 'Gwenda' Gwenda Evergreen Azalea | BS | 0.84 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Gyokudo' Gyokudo Evergreen Azalea | BS | 0.76 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gyokushin' Gyokushin Evergreen Azalea | BS | 0.66 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gypsy Queen' Gypsy Queen Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 7 |
| <i>Rhododendron</i> 'H.H. Hume' H.H. Hume Evergreen Azalea | BS | 0.64 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Haaga' Haaga Marjatta Hybrid Rhododendron | BS | 1.61 | G2 | 7-8 | 9 | | 1.08 | 4 |
| <i>Rhododendron</i> 'Hachmann's Belona' Hachmann's Belona Rhododendron | BS | 1.67 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hachmann's Charmant' Hachmann's Charmant Rhododendron | BS | 1.25 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hachmann's Feuerschein' Hachmann's Feuerschein Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hachmann's Marlis' Hachmann's Marlis Rhododendron | BS | 1.01 | G2 | 5-6 | 7-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hachmann's Polaris' Hachmann's Polaris Rhododendron | BS | 1.37 | G2 | 7-8 | 9 | | 1.08 | 5 |
| <i>Rhododendron</i> 'Hachmann's Rosita' Hachmann's Rosita Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hahn's Red' Hahn's Red Evergreen Azalea | BS | 0.93 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Hakuo Nishiki' Hakuo Nishiki Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Halfdan Lem' Halfdan Lem Rhododendron | BS | 1.47 | G2 | 7-8 | 9 | | 1.16 | 6 |
| <i>Rhododendron</i> 'Hallelujah' Hallelujah Rhododendron | BS | 0.95 | G2 | 7-8 | 9 | | 0.83 | 5 |
| <i>Rhododendron</i> 'Hampton Beauty' Hampton Beauty Evergreen Azalea | BS | 0.60 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Hansel' Hansel Rhododendron | BS | 0.92 | G2 | 7-8 | 9 | | 0.91 | 6 |
| <i>Rhododendron</i> 'Happy Days' See - <i>Rhododendron</i> 'Nuccio's Happy Days' | BS | 0.94 | G2 | 7-8 | 9 | | 0.96 | 7 |
| <i>Rhododendron</i> 'Hardijzer's Beauty' Hardijzer's Beauty Rhododendron | BS | 0.69 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Hardy Gardenia' Hardy Gardenia Evergreen Azalea | BS | 0.98 | G2 | 7-8 | 9 | | 1.24 | 5 |
| <i>Rhododendron</i> 'Harvest Moon' Harvest Moon Exbury Hybrid Azalea | DS | 0.98 | G2 | 7-8 | 9 | | 1.24 | 5 |
| <i>Rhododendron</i> 'Hawaii' Hawaii Yak Hybrid Rhododendron | BS | 1.40 | G2 | 7-8 | 9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Heather Lynn' Heather Lynn Evergreen Azalea | BS | 1.07 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Heiwa' Heiwa Evergreen Azalea | BS | 0.75 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Helen Close' Helen Close Evergreen Azalea | BS | 0.93 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Helen Curtis' Helen Curtis Evergreen Azalea | BS | 0.99 | G2 | 7-8 | 9 | | 1.02 | 5 |
| <i>Rhododendron</i> 'Helen Schiffner' Helen Schiffner Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Hellikki' Hellikki Marjatta Hybrid Rhododendron | BS | 1.29 | G2 | 7-8 | 9 | | 1.08 | 4 |
| <i>Rhododendron</i> 'Hello Dolly' Hello Dolly Rhododendron | BS | 1.36 | G2 | 7-8 | 9 | | 1.10 | 4 |
| <i>Rhododendron</i> 'Helsinki University' Helsinki University Marjatta Hybrid Rhododendron | BS | 1.41 | G2 | 7-8 | 9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Henry's Red' Henry's Red Rhododendron | BS | 1.18 | G2 | 7-8 | 9 | | 1.05 | 4 |
| <i>Rhododendron</i> 'Herbert' Herbert Evergreen Azalea | BS | 0.85 | G2 | 7-8 | 9 | | 0.97 | 6 |
| <i>Rhododendron</i> 'Hershey's Bright Red' Hershey's Bright Red Evergreen Azalea | BS | 0.74 | G2 | 7-8 | 9 | | 1.05 | 6 |
| <i>Rhododendron</i> 'Hershey's Orange' Hershey's Orange Evergreen Azalea | BS | 0.67 | G2 | 7-8 | 9 | | 1.11 | 6 |
| <i>Rhododendron</i> 'Hexe' Hexe Evergreen Azalea | BS | 0.78 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Higasa' Higasa Evergreen Azalea | BS | 0.73 | G2 | 7-8 | 9 | | 0.79 | 7 |
| <i>Rhododendron</i> 'High Gold' High Gold Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hilda Niblett' Hilda Niblett Evergreen Azalea | BS | 0.75 | G2 | 7-8 | 9 | | 0.79 | 6 |
| <i>Rhododendron</i> 'Hill's' Hill's Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hindustan' Hindustan Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Hinesan' Josephine Evergreen Azalea | BS | 1.04 | G2 | 7-8 | 9 | | 0.99 | 8 |
| <i>Rhododendron</i> 'Hineseg' Veronica™ Evergreen Azalea | BS | 1.06 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Hino Crimson' Hino Crimson Evergreen Azalea | BS | 0.79 | G2 | 7-8 | 9 | | 0.87 | 5 |
| <i>Rhododendron</i> 'Hino Scarlet' Hino Scarlet Evergreen Azalea | BS | 1.09 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hino-Pink' Hino-Pink Evergreen Azalea | BS | 1.09 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hino-White' Hino-White Evergreen Azalea | BS | 0.94 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hinode Giri' Hinode Giri Evergreen Azalea | BS | 0.69 | G2 | 7-8 | 9 | | 0.65 | 6 |
| <i>Rhododendron</i> 'Holden' Holden Rhododendron | BS | 1.10 | G2 | 7-8 | 9 | | 0.97 | 7 |
| <i>Rhododendron</i> 'Holland Red' Holland Red Evergreen Azalea | BS | 1.12 | G2 | 5-6 | 7-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Homebush' Homebush Exbury Hybrid Azalea | DS | 1.15 | G2 | 7-8 | 9 | | 1.56 | 5 |
| <i>Rhododendron</i> 'Honey Bee' Honey Bee Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Honeysuckle' Honeysuckle Exbury Hybrid Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Hong Kong' Hong Kong Rhododendron | BS | 1.54 | G2 | 7-8 | 9 | | 0.97 | 5 |
| <i>Rhododendron</i> 'Horizon Monarch' Horizon Monarch Rhododendron | BS | 0.82 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Horizon Snowbird' Horizon Snowbird Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Hotei' Hotei Rhododendron | BS | 0.92 | G2 | 7-8 | 9 | | 0.98 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Hotspur' Hotspur Exbury Deciduous Azalea | DS | 1.10 | G2 | 7-8 | 9 | | 1.35 | 5 |
| <i>Rhododendron</i> 'Hudson Bay' Hudson Bay Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 1.00 | 5 |
| <i>Rhododendron</i> 'Hugo Koster' Hugo Koster Deciduous Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Hurricane' Hurricane Rhododendron | BS | 0.87 | G2 | 7-8 | 9 | | 0.77 | 6 |
| <i>Rhododendron</i> 'Ice Cube' Ice Cube Rhododendron | BS | 1.12 | G2 | 7-8 | 9 | | 0.99 | 5 |
| <i>Rhododendron</i> 'Ilam Louie Williams' Ilam Louie Williams Deciduous Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Ilam Melford Lemon' Ilam Melford Lemon Deciduous Azalea | DS | 1.05 | G2 | 7-8 | 9 | | 1.35 | 5 |
| <i>Rhododendron</i> 'Ilam Peachy Keen' Ilam Peachy Keen Deciduous Azalea | DS | 1.16 | G2 | 7-8 | 9 | | 1.57 | 5 |
| <i>Rhododendron</i> 'Ilam Yellow Beauty' Ilam Yellow Beauty Deciduous Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Illusions' Illusions Glen Dale Evergreen Azalea | BS | 0.89 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Imperial Countess' Imperial Countess™ Evergreen Azalea | BS | 0.81 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Imperial Duchess' Imperial Duchess™ Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Imperial Princess' See - <i>Rhododendron</i> 'Moness' P.P. 2754 | | | | | | | | |
| <i>Rhododendron</i> 'Imperial Queen' See - <i>Rhododendron</i> 'Monal' P.P. 2753 | | | | | | | | |
| <i>Rhododendron</i> 'Imperial' Imperial Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Ingrid Mehlquist' Ingrid Mehlquist Rhododendron | BS | 1.12 | G2 | 7-8 | 9 | | 1.08 | 4 |
| <i>Rhododendron</i> 'Irene Koster' Irene Koster Exbury Hybrid Azalea | DS | 1.23 | G2 | 6-7 | 8-9 | | 1.38 | 7 |
| <i>Rhododendron</i> 'Iveryana' Iveryana Evergreen Azalea | BS | 0.88 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Ivory Coast' Ivory Coast Rhododendron | BS | 1.17 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron</i> 'Iwato Kagami' Iwato Kagami Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'J.E.B. Stuart' J.E.B. Stuart Deciduous Azalea | DS | 1.19 | G2 | 6-8 | 9-10 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Jack A. Sand' Jack A. Sand Deciduous Azalea | DS | 1.18 | G2 | 7 | 8 | | 1.38 | 5 |
| <i>Rhododendron</i> 'James Gable' James Gable Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Jan Bee' Jan Bee Rhododendron | BS | 1.84 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Jane Abbott' Jane Abbott Deciduous Azalea | BS | 1.60 | G2 | 6-7 | 8-9 | | 0.73 | 4 |
| <i>Rhododendron</i> 'Janet Blair' Janet Blair Rhododendron | BS | 1.62 | G2 | 6-7 | 8-9 | | 0.98 | 5 |
| <i>Rhododendron</i> 'Janet Rhea' Janet Rhea Evergreen Azalea | BS | 0.64 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Jeanne Weeks' Jeanne Weeks Evergreen Azalea | BS | 1.04 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Jennifer' Jennifer Evergreen Azalea | BS | 0.69 | G2 | 7-8 | 9 | | 0.93 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Jeremiah' Jeremiah Evergreen Azalea | BS | 0.74 | G2 | 6-7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Jericho' Jericho Rhododendron | BS | 1.10 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron</i> 'Jessica Dawn' P.P. 7457 Jessica Dawn Evergreen Azalea | BS | 1.06 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Jessie Shirar' Jessie Shirar Evergreen Azalea | BS | 1.06 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Jingle Bells' Jingle Bells Rhododendron | BS | 1.49 | G2 | 7 | 8-9 | | 1.16 | 4 |
| <i>Rhododendron</i> 'Joan Garrett' Joan Garrett Evergreen Azalea | BS | 0.70 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Jock's Cairn' Jock's Cairn Malaysian Vireya Rhododendron | BS | 2.30 | G1 | 7-10 | 11 | | 0.93 | 10 |
| <i>Rhododendron</i> 'Joe Paterno' Joe Paterno Rhododendron | BS | 1.54 | G2 | 6-7 | 8-9 | | 0.98 | 4 |
| <i>Rhododendron</i> 'Johanna' Johanna Evergreen Azalea | BS | 0.93 | G2 | 5-6 | 7-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Johga' Johga Evergreen Azalea | BS | 0.62 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'John Eichelser' John Eichelser Exbury Hybrid Azalea | DS | 1.18 | G2 | 6-7 | 8-9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'John Walter' John Walter Rhododendron | BS | 1.47 | G2 | 6-7 | 8-9 | | 1.05 | 5 |
| <i>Rhododendron</i> 'Jonathan Shaw' Jonathan Shaw Rhododendron | BS | 1.30 | G2 | 6-7 | 8-9 | | 1.16 | 5 |
| <i>Rhododendron</i> 'Joseph Hill' Joseph Hill Evergreen Azalea | BS | 1.36 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Josephine' See - <i>Rhododendron</i> 'Hinesan' | | | | | | | | |
| <i>Rhododendron</i> 'Joshua' Joshua Rhododendron | BS | 1.54 | G2 | 6-7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Juan de Fuca' Juan de Fuca Rhododendron | BS | 0.81 | G2 | 6-7 | 8-9 | | 0.66 | 5 |
| <i>Rhododendron</i> 'Judge Solomon' Judge Solomon Evergreen Azalea | BS | 0.70 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Juko' Juko Evergreen Azalea | BS | 1.06 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Junefire' Junefire Rhododendron | BS | 1.01 | G2 | 6-7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Kaempo' Kaempo Evergreen Azalea | BS | 1.00 | G2 | 7-8 | 9 | | 1.04 | 6 |
| <i>Rhododendron</i> 'Kagetsu Muji' Kagetsu Muji Evergreen Azalea | BS | 0.70 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Kagura' Kagura Evergreen Azalea | BS | 0.65 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Kalinka' Kalinka Rhododendron | BS | 1.01 | G2 | 6-8 | 9-10 | | 0.60 | 5 |
| <i>Rhododendron</i> 'Karen Triplett' Karen Triplett Rhododendron | BS | 1.01 | G2 | 6-7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Karens' Karens Evergreen Azalea | BS | 1.03 | G2 | 7-8 | 9 | | 0.99 | 4 |
| <i>Rhododendron</i> 'Karin Seleger' Karin Seleger Rhododendron | BS | 1.01 | G2 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Kate Arendall' Kate Arendall Evergreen Azalea | BS | 0.58 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Kathy Ann' Kathy Ann Girard Evergreen Azalea | BS | 0.97 | G2 | 7-8 | 9 | | 1.15 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Katie' Katie Evergreen Azalea | BS | 0.78 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Kazan' Kazan Evergreen Azalea | BS | 0.82 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Kimberly' Kimberly Rhododendron | BS | 1.30 | G2 | 7-8 | 9 | | 1.08 | 6 |
| <i>Rhododendron</i> 'Kimbeth' Kimbeth Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'King Tut' King Tut Rhododendron | BS | 1.32 | G2 | 7-8 | 9 | | 1.08 | 5 |
| <i>Rhododendron</i> 'King's Red' King's Red Exbury Hybrid Azalea | DS | 1.31 | G2 | 7-8 | 9 | | 1.35 | 5 |
| <i>Rhododendron</i> 'King's White' King's White Evergreen Azalea | BS | 0.57 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Kingston' Kingston Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Kinpai' Kinpai Evergreen Azalea | BS | 1.06 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Klondyke' Klondyke Exbury Hybrid Azalea | DS | 1.21 | G2 | 7-8 | 9 | | 1.41 | 5 |
| <i>Rhododendron</i> 'Knap Hill Red' Knap Hill Red Deciduous Azalea | DS | 0.86 | G2 | 6-8 | 9-10 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Kokardia' Kokardia Rhododendron | BS | 1.09 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Koster's Brilliant Red' Koster's Brilliant Red Deciduous Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Kozan' Kozan Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Kristin' Kristin Rhododendron | BS | 0.81 | G2 | 6-7 | 8-9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'L.J. Bobbink' L.J. Bobbink Evergreen Azalea | BS | 0.98 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'La Belle Helene' La Belle Helene Evergreen Azalea | BS | 1.04 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'LaRoche' LaRoche Evergreen Azalea | BS | 0.88 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Lady Louise' Lady Louise Evergreen Azalea | BS | 0.74 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Lady Robin' Lady Robin Evergreen Azalea | BS | 0.92 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Laura Morland' Laura Morland Evergreen Azalea | BS | 0.92 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Laurie' Laurie Rhododendron | BS | 1.46 | G2 | 6-7 | 8-9 | | 1.12 | 5 |
| <i>Rhododendron</i> 'Lavender Lady' Lavender Lady Evergreen Azalea | BS | 1.01 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Lavender Princess' Lavender Princess Rhododendron | BS | 1.19 | G2 | 6-7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Lavendula' Lavendula Rhododendron | BS | 1.31 | G2 | 6-7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Ledifolia Alba' See - <i>Rhododendron</i> 'Mucronatum' | | | | | | | | |
| <i>Rhododendron</i> 'Lem's Cameo' Lem's Cameo Rhododendron | BS | 1.79 | G2 | 7 | 8-9 | | 1.25 | 7 |
| <i>Rhododendron</i> 'Lem's Monarch' Lem's Monarch Rhododendron | BS | 0.93 | G2 | 6-7 | 8-9 | | 0.98 | 6 |
| <i>Rhododendron</i> 'Lem's Stormcloud' Lem's Stormcloud Rhododendron | BS | 1.49 | G2 | 6-7 | 8-9 | | 1.04 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Lemon Drop' Lemon Drop Deciduous Azalea | DS | 2.04 | G2 | 6-7 | 8-9 | | 1.09 | 4 |
| <i>Rhododendron</i> 'Lemon Float' Lemon Float Rhododendron | BS | 1.01 | G2 | 6-7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Lemon Lights' Lemon Lights Azalea | BS | 1.22 | G2 | 7-8 | 9 | | 1.32 | 4 |
| <i>Rhododendron</i> 'Leonore Francis' Leonore Francis Malaysian Vireya Rhododendron | BS | 2.14 | G1 | 7-10 | 11 | | 0.93 | 10 |
| <i>Rhododendron</i> 'Leslie's Purple' Leslie's Purple Evergreen Azalea | BS | 0.97 | G2 | 6-7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Leuchtenfuer' Leuchtenfuer Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Lily Marin' Lily Marin Exbury Hybrid Azalea | DS | 1.18 | G2 | 6-7 | 8-9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Linda Jean' Linda Jean Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Linda R.' Linda R. Evergreen Azalea | BS | 0.76 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Linda Stuart' Linda Stuart Evergreen Azalea | BS | 1.08 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Linwood Lavender' Linwood Lavender Evergreen Azalea | BS | 0.68 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Linwood Lustre' Linwood Lustre Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Linwood Pink' Linwood Pink Evergreen Azalea | BS | 0.68 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Linwood Salmon' Linwood Salmon Evergreen Azalea | BS | 0.68 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Little Gem' Little Gem Rhododendron | BS | 0.91 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Little John' Little John Evergreen Azalea | BS | 0.64 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Liz Ann' Liz Ann Rhododendron | BS | 0.77 | G2 | 6-7 | 8-9 | | 0.73 | 6 |
| <i>Rhododendron</i> 'Llenroc' Llenroc Rhododendron | BS | 1.10 | G2 | 6-7 | 8-9 | | 0.92 | 5 |
| <i>Rhododendron</i> 'Loderi King George' Loderi King George Rhododendron | BS | 1.25 | G2 | 6-7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Lodestar' Lodestar Rhododendron | BS | 1.11 | G2 | 6-7 | 8-9 | | 1.04 | 5 |
| <i>Rhododendron</i> 'Lollipop' Lollipop Azalea | BS | 1.97 | G2 | 6-7 | 8-9 | | 0.64 | 4 |
| <i>Rhododendron</i> 'Lori Eichelser' Lori Eichelser Rhododendron | BS | 1.40 | G2 | 6-7 | 8-9 | | 1.25 | 6 |
| <i>Rhododendron</i> 'Lorna' Lorna Evergreen Azalea | BS | 0.92 | G2 | 7-8 | 9 | | 0.42 | 6 |
| <i>Rhododendron</i> 'Louisa' Louisa Evergreen Azalea | BS | 0.81 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Louise Gable' Louise Gable Evergreen Azalea | BS | 0.94 | G2 | 7-8 | 9 | | 1.02 | 6 |
| <i>Rhododendron</i> 'Macrantha Pink' Macrantha Pink Evergreen Azalea | BS | 0.62 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Macrantha Salmon' Macrantha Salmon Evergreen Azalea | BS | 1.02 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Macrantha' Macrantha Evergreen Azalea | BS | 0.79 | G2 | 7-8 | 9 | | 1.00 | 7 |
| <i>Rhododendron</i> 'Madame Alphonse Pericat' Madame Alphonse Pericat Evergreen Azalea | BS | 0.49 | G2 | 7-8 | 9 | | 0.93 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Madonna' Madonna (Brooks) Evergreen Azalea | BS | 0.79 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Madrid' Madrid Rhododendron | BS | 1.00 | G2 | 6-7 | 8-9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Magic Moments' Magic Moments Rhododendron | BS | 0.81 | G2 | 6-7 | 8-9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Mai Hime' Mai Hime Evergreen Azalea | BS | 0.85 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Malta' Malta Rhododendron | BS | 1.10 | G2 | 6-7 | 8-9 | | 1.21 | 4 |
| <i>Rhododendron</i> 'Manda Sue' Manda Sue Rhododendron | BS | 1.23 | G2 | 6-7 | 8-9 | | 1.16 | 7 |
| <i>Rhododendron</i> 'Mandarin Lights' Mandarin Lights Deciduous Azalea | DS | 1.23 | G2 | 6-7 | 8-9 | | 1.48 | 4 |
| <i>Rhododendron</i> 'Manitou' Manitou Rhododendron | BS | 1.28 | G2 | 6-7 | 8-9 | | 1.04 | 4 |
| <i>Rhododendron</i> 'Marchioness of Lansdowne' Marchioness of Lansdowne Rhododendron | BS | 1.01 | G2 | 4 | 5-7 | | 0.97 | 4 |
| <i>Rhododendron</i> 'Margaret Douglas' Margaret Douglas Evergreen Azalea | BS | 0.65 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Maria Derby' Maria Derby Evergreen Azalea | BS | 0.88 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Maria Elena' Maria Elena Evergreen Azalea | BS | 0.93 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Marian Lee' Marian Lee Evergreen Azalea | BS | 0.78 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Marie's Choice' Marie's Choice Evergreen Azalea | BS | 1.09 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Marilee' Marilee Evergreen Azalea | BS | 0.80 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Markeeta's Flame' Markeeta's Flame Rhododendron | BS | 1.37 | G2 | 6-7 | 8-9 | | 1.25 | 6 |
| <i>Rhododendron</i> 'Marley Hedges' Marley Hedges Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Martha Hitchcock' Martha Hitchcock Evergreen Azalea | BS | 0.73 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Martha Isaacson' Martha Isaacson Rhododendron | BS | 0.81 | G2 | 6-7 | 8-9 | | 0.66 | 7 |
| <i>Rhododendron</i> 'Martha Phipps' Martha Phipps Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Mary Elizabeth' Mary Elizabeth Evergreen Azalea | BS | 0.83 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Mary Fleming' Mary Fleming Rhododendron | BS | 1.41 | G2 | 6-7 | 8-9 | | 1.06 | 5 |
| <i>Rhododendron</i> 'Mary Lynn' Mary Lynn Evergreen Azalea | BS | 0.42 | G2 | 7-8 | 9 | | 0.78 | 6 |
| <i>Rhododendron</i> 'Mary Poppins' Mary Poppins Exbury Hybrid Azalea | DS | 1.06 | G2 | 6-7 | 8-9 | | 1.30 | 5 |
| <i>Rhododendron</i> 'Maryann' Maryann Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 1.14 | 6 |
| <i>Rhododendron</i> 'Massasoit' Massasoit Evergreen Azalea | BS | 0.69 | G2 | 7-8 | 9 | | 0.49 | 7 |
| <i>Rhododendron</i> 'Matsu no Hikari' Matsu no Hikari Evergreen Azalea | BS | 0.54 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Matthew's Memory' Matthew's Memory Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Maxecat' Maxecat Rhododendron | BS | 0.89 | G2 | 6-7 | 8-9 | | 0.99 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Rhododendron</i> 'May Belle' May Belle Evergreen Azalea | BS | 1.02 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Medusa' Medusa Rhododendron | BS | 0.96 | G2 | 6-7 | 8-9 | | 0.92 | 6 |
| <i>Rhododendron</i> 'Memoire John Haerens' Memoire John Haerens Evergreen Azalea | BS | 0.97 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Merlin' Merlin Evergreen Azalea | BS | 0.62 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Michael Hill' Michael Hill Evergreen Azalea | BS | 0.84 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Midnight Flare' Midnight Flare Evergreen Azalea | BS | 0.69 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Midnight Ruby' Midnight Ruby Rhododendron | BS | 1.65 | G2 | 6-8 | 9-10 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Midnight' Midnight Rhododendron | BS | 1.01 | G2 | 6-8 | 9-10 | | 0.60 | 6 |
| <i>Rhododendron</i> 'Midway' Midway Rhododendron | BS | 1.01 | G2 | 6-7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Mikkeli' Mikkeli Marjatta Hybrid Rhododendron | BS | 1.28 | G2 | 7-8 | 9 | | 1.08 | 4 |
| <i>Rhododendron</i> 'Mildred Mae' Mildred Mae Azalea | BS | 0.62 | G2 | 6 | 7-9A | | 1.11 | 6 |
| <i>Rhododendron</i> 'Milestone' Milestone Rhododendron | BS | 1.16 | G2 | 6-7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Mimi' Mimi Evergreen Azalea | BS | 1.03 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Minato' Minato Evergreen Azalea | BS | 0.92 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Minnetonka' Minnetonka Rhododendron | BS | 1.11 | G2 | 6-7 | 8-9 | | 1.00 | 4 |
| <i>Rhododendron</i> 'Miss Augusta' Miss Augusta Evergreen Azalea | BS | 0.69 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Miss Louisa Hunnewell' Miss Louisa Hunnewell Deciduous Azalea | DS | 1.18 | G2 | 6-7 | 8-9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Miss Suzie' Miss Suzie Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 0.79 | 7 |
| <i>Rhododendron</i> 'Mission Bells' Mission Bells Evergreen Azalea | BS | 0.78 | G2 | 6-8 | 9-10 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Mistral' Mistral Evergreen Azalea | BS | 1.12 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Mme. Alfred Sanders' Mme. Alfred Sanders Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Molalla Red' Molalla Red Deciduous Azalea | DS | 1.00 | G2 | 6-7 | 8-9 | | 1.33 | 7 |
| <i>Rhododendron</i> 'Mollis' See - <i>Rhododendron x kosteranum</i> | | | | | | | | |
| <i>Rhododendron</i> 'Molly Ann' Molly Ann Rhododendron | BS | 1.13 | G2 | 6-7 | 8-9 | | 0.83 | 6 |
| <i>Rhododendron</i> 'Molly Fordham' Molly Fordham Rhododendron | BS | 1.50 | G2 | 6-7 | 8-9 | | 1.15 | 5 |
| <i>Rhododendron</i> 'Monal' P.P. 2753 Imperial Queen™ Evergreen Azalea | BS | 1.04 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Monea' Plum Crazy™ Evergreen Azalea | BS | 1.04 | G2 | 7-9 | 10 | | 0.93 | 9 |
| <i>Rhododendron</i> 'Moness' P.P. 2754 Imperial Princess™ Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Montego' Montego Rhododendron | BS | 1.01 | G2 | 6-7 | 8-9 | | 0.93 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Moonstone' Moonstone Evergreen Azalea | BS | 1.57 | G2 | 7-8 | 9 | | 0.85 | 6 |
| <i>Rhododendron</i> 'Morgenrot' Morgenrot Rhododendron | BS | 1.16 | G2 | 6-7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Mother Greer' Mother Greer Rhododendron | BS | 1.38 | G2 | 6-7 | 8-9 | | 1.25 | 6 |
| <i>Rhododendron</i> 'Mother's Day' Mother's Day Evergreen Azalea | BS | 0.83 | G2 | 7-8 | 9 | | 0.98 | 6 |
| <i>Rhododendron</i> 'Mount Rainier' Mount Rainier Deciduous Azalea | DS | 0.91 | G2 | 6-8 | 9-10 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Mount Saint Helens' Mount Saint Helens Exbury Hybrid Azalea | DS | 1.23 | G2 | 6-7 | 8-9 | | 1.20 | 5 |
| <i>Rhododendron</i> 'Mount Seven Star' Mount Seven Star Evergreen Azalea | BS | 1.06 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Mrs. E.C. Sterling' Mrs. E.C. Sterling Rhododendron | BS | 1.45 | G2 | 6-7 | 8-9 | | 0.92 | 6 |
| <i>Rhododendron</i> 'Mrs. Emil Hager' Mrs. Emil Hager Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Mrs. Fisher' Mrs. Fisher Evergreen Azalea | BS | 0.81 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Mrs. Furnival' Mrs. Furnival Rhododendron | BS | 1.44 | G2 | 6-7 | 8-9 | | 0.94 | 4 |
| <i>Rhododendron</i> 'Mrs. G.G. Gerbing' Mrs. G.G. Gerbing Evergreen Azalea | BS | 0.70 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Mrs. G.W. Leak' Mrs. G.W. Leak Rhododendron | BS | 1.09 | G2 | 6-7 | 8-9 | | 0.71 | 6 |
| <i>Rhododendron</i> 'Mrs. Glass Dexter' Mrs. Glass Dexter Rhododendron | BS | 1.01 | G2 | 6-7 | 8-9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Mrs. P.D. Williams' Mrs. P.D. Williams Rhododendron | BS | 1.19 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Mt. Clearview' Mt. Clearview Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 0.66 | 5 |
| <i>Rhododendron</i> 'Mt. Mazama' Mt. Mazama Rhododendron | BS | 0.81 | G2 | 6-7 | 8-9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Mucronatum' Mucronatum Evergreen Azalea | BS | 1.01 | G2 | 5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Multimaculatum' Multimaculatum Rhododendron | BS | 1.09 | G2 | 6-7 | 8-9 | | 0.91 | 4 |
| <i>Rhododendron</i> 'My Valentine' My Valentine Evergreen Azalea | BS | 1.02 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Nancy Evans' Nancy Evans Rhododendron | BS | 1.00 | G2 | 6-7 | 8-9 | | 0.94 | 6 |
| <i>Rhododendron</i> 'Nancy of Robinhill' Nancy of Robinhill Evergreen Azalea | BS | 0.72 | G2 | 7-8 | 9 | | 0.83 | 6 |
| <i>Rhododendron</i> 'Nancy' Nancy Evergreen Azalea | BS | 1.10 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Nantucket' Nantucket Rhododendron | BS | 1.01 | G2 | 6-8 | 9-10 | | 0.60 | 5 |
| <i>Rhododendron</i> 'Narihira' Narihira Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Naselle' Naselle Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 0.62 | 6 |
| <i>Rhododendron</i> 'Nassau' Nassau Evergreen Azalea | BS | 0.66 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Ne Plus Ultra' Ne Plus Ultra Vireya Tropical Rhododendron | BS | 1.01 | G2 | 6-10 | | | 0.93 | 10 |
| <i>Rhododendron</i> 'Nepal' Nepal Rhododendron | BS | 1.54 | G2 | 6-7 | 8-9 | | 0.93 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'New Patriot' New Patriot Rhododendron | BS | 1.78 | G2 | 6-7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Nico' Nico Evergreen Azalea | BS | 0.91 | G2 | 7-8 | 9 | | 0.90 | 5 |
| <i>Rhododendron</i> 'Night Editor' Night Editor Rhododendron | BS | 0.77 | G2 | 6-7 | 8-9 | | 0.73 | 6 |
| <i>Rhododendron</i> 'No Suchianum' See - x <i>Kalmiadendron</i> 'No Suchianum' | | | | | | | | |
| <i>Rhododendron</i> 'Normandy' Normandy Rhododendron | BS | 1.27 | G2 | 6-7 | 8-9 | | 1.00 | 4 |
| <i>Rhododendron</i> 'Northern Hi-Lights' Northern Hi-Lights Azalea | DS | 1.28 | G2 | 6-7 | 8-9 | | 1.57 | 3 |
| <i>Rhododendron</i> 'Northern Lights' Northern Lights Azalea | DS | 1.44 | G2 | 6-7 | 8-9 | | 1.33 | 3 |
| <i>Rhododendron</i> 'Northern Starburst' P.P. 10388 Northern Starburst Rhododendron | BS | 1.57 | G2 | 6-7 | 8-9 | | 1.49 | 5 |
| <i>Rhododendron</i> 'Nuccio's Carnival' Nuccio's Carnival Evergreen Azalea | BS | 1.07 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Nuccio's Happy Days' Nuccio's Happy Days Evergreen Azalea | BS | 0.81 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Nuccio's Pink Bubbles' Nuccio's Pink Bubbles Evergreen Azalea | BS | 1.06 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Nuccio's Pink Champagne' Nuccio's Pink Champagne Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Nuccio's Wild Cherry' Nuccio's Wild Cherry Evergreen Azalea | BS | 0.81 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Nudiflora Pink' Nudiflora Pink Evergreen Azalea | BS | 2.28 | G2 | 7-8 | 9 | | 0.47 | 6 |
| <i>Rhododendron</i> 'Oceanlake' Oceanlake Rhododendron | BS | 0.99 | G2 | 6-7 | 8-9 | | 0.90 | 6 |
| <i>Rhododendron</i> 'Odee Wright' Odee Wright Rhododendron | BS | 0.96 | G2 | 6-7 | 8-9 | | 0.92 | 6 |
| <i>Rhododendron</i> 'Odorum' Odorum Rhododendron | BS | 1.01 | G2 | 6-7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Old Gold' Old Gold Azalea | DS | 1.79 | G2 | 6-7 | 8-9 | | 0.87 | 5 |
| <i>Rhododendron</i> 'Olga Mezitt' Olga Mezitt P.J.M. Rhododendron | BS | 1.40 | G2 | 6-7 | 8-9 | | 1.04 | 4 |
| <i>Rhododendron</i> 'Olga Niblett' Olga Niblett Evergreen Azalea | BS | 0.79 | G2 | 7-8 | 9 | | 1.42 | 6 |
| <i>Rhododendron</i> 'Olin O. Dobbs' Olin O. Dobbs Rhododendron | BS | 1.34 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Olive' Olive Rhododendron | BS | 0.77 | G2 | 7-8 | 9 | | 0.73 | 5 |
| <i>Rhododendron</i> 'Olympic Lady' Olympic Lady Rhododendron | BS | 0.96 | G2 | 7-8 | 9 | | 0.92 | 6 |
| <i>Rhododendron</i> 'Orange Chimes' Orange Chimes Evergreen Azalea | BS | 0.94 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Orange Cup' Orange Cup Evergreen Azalea | BS | 0.60 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Orange Delight' Orange Delight Evergreen Azalea | BS | 1.03 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Orange Jolly' Orange Jolly Deciduous Azalea | DS | 0.84 | G2 | 7-8 | 9 | | 2.29 | 5 |
| <i>Rhododendron</i> 'Orangeade' Orangeade Exbury Hybrid Azalea | DS | 0.93 | G2 | 7-8 | 9 | | 1.35 | 5 |
| <i>Rhododendron</i> 'Orchid Beauty' Orchid Beauty Evergreen Azalea | BS | 0.68 | G2 | 7 | 8-9 | | 0.93 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Orchid Lights' Orchid Lights Azalea | DS | 1.21 | G2 | 7-8 | 9 | | 1.72 | 4 |
| <i>Rhododendron</i> 'Orchid Sunset' Orchid Sunset Rhododendron | BS | 1.84 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Osakazuki' Osakazuki Evergreen Azalea | BS | 0.78 | G2 | 7-8 | 9 | | 1.01 | 7 |
| <i>Rhododendron</i> 'Ostbo's Elizabeth Red' See - <i>Rhododendron</i> 'Elizabeth Red Foliage' | | | | | | | | |
| <i>Rhododendron</i> 'Otto Lilienthal' Otto Lilienthal Deciduous Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Oudijks Sensation' Oudijks Sensation Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.99 | 6 |
| <i>Rhododendron</i> 'Oxydol' Oxydol Exbury Hybrid Azalea | DS | 1.26 | G2 | 7-8 | 9 | | 1.26 | 5 |
| <i>Rhododendron</i> 'P.J.M. Compact' P.J.M. Compact Rhododendron | BS | 1.26 | G2 | 4 | 5-6 | | 1.00 | 4 |
| <i>Rhododendron</i> 'P.J.M. Elite' P.J.M. Elite Rhododendron | BS | 1.46 | G2 | 4 | 5-6 | | 1.02 | 4 |
| <i>Rhododendron</i> 'P.J.M. Regal' P.J.M. Regal Rhododendron | BS | 1.18 | G2 | 4 | 5-6 | | 1.09 | 4 |
| <i>Rhododendron</i> 'P.J.M. Resistant' P.J.M. Resistant Rhododendron | BS | 1.01 | G2 | 4 | 5-6 | | 1.40 | 4 |
| <i>Rhododendron</i> 'P.J.M. Victor' P.J.M. Victor Rhododendron | BS | 1.46 | G2 | 7-8 | 9 | | 1.53 | 4 |
| <i>Rhododendron</i> 'P.J.M.' P.J.M. Rhododendron | BS | 1.32 | G2 | 4 | 5-6 | | 1.11 | 4 |
| <i>Rhododendron</i> 'P.J.M.-K' P.J.M.-K Rhododendron | BS | 1.26 | G2 | 4 | 5-6 | | 1.02 | 4 |
| <i>Rhododendron</i> 'Papineau' Papineau Evergreen Azalea | BS | 0.68 | G2 | 6-8 | 9-10 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Paprika Spiced' Paprika Spiced Rhododendron | BS | 1.34 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Parade' Parade Deciduous Azalea | BS | 1.31 | G2 | 7-8 | 9 | | 0.79 | 6 |
| <i>Rhododendron</i> 'Parker's Pink' Parker's Pink Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Patty Bee' Patty Bee Rhododendron | BS | 1.14 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Paul Mauney' Paul Mauney Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Paul R. Bosley' Paul R. Bosley Rhododendron | BS | 1.10 | G2 | 7-8 | 9 | | 0.97 | 5 |
| <i>Rhododendron</i> 'Paul Vossberg' Paul Vossberg Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Pearce's American Beauty' Pearce's American Beauty Rhododendron | BS | 1.02 | G2 | 7-8 | 9 | | 0.92 | 5 |
| <i>Rhododendron</i> 'Pearl Bradford' Pearl Bradford Evergreen Azalea | BS | 0.93 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Peeping Tom' Peeping Tom Rhododendron | BS | 1.10 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Peking' Peking Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Persia' Persia Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Persil' Persil Exbury Hybrid Azalea | DS | 0.98 | G2 | 7-8 | 9 | | 1.71 | 5 |
| <i>Rhododendron</i> 'Peter Alan' Peter Alan Rhododendron | BS | 1.42 | G2 | 7-8 | 9 | | 0.93 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Rhododendron</i> 'Peter Pooker' Peter Pooker Evergreen Azalea | BS | 0.83 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Peter Tigerstedt' Peter Tigerstedt Marjatta Hybrid Rhododendron | BS | 1.50 | G2 | 7-8 | 9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Peter Vermuelen' Peter Vermuelen Rhododendron | BS | 1.01 | G2 | 3-4 | 5-9 | | 0.99 | 4 |
| <i>Rhododendron</i> 'Phidias' Phidias Deciduous Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Phoenicium' Phoenicium Evergreen Azalea | BS | 1.05 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Phyllis Korn' Phyllis Korn Rhododendron | BS | 0.94 | G2 | 7-8 | 9 | | 0.83 | 5 |
| <i>Rhododendron</i> 'Pillow Party' Pillow Party Rhododendron | BS | 1.69 | G2 | 7-8 | 9 | | 1.25 | 4 |
| <i>Rhododendron</i> 'Pink Camellia' Pink Camellia Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Pink Cascade' Pink Cascade Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Pink Cherub' Pink Cherub Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Pink Craze' Pink Craze Azalea | BS | 0.94 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Pink Dawn' Pink Dawn Evergreen Azalea | BS | 0.87 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Pink Flourish' Pink Flourish Rhododendron | BS | 0.97 | G2 | 7-8 | 9 | | 0.96 | 5 |
| <i>Rhododendron</i> 'Pink Jeans' Pink Jeans Rhododendron | BS | 1.37 | G2 | 7-8 | 9 | | 0.91 | 6 |
| <i>Rhododendron</i> 'Pink Lace' Pink Lace Evergreen Azalea | BS | 1.02 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Pink Pancake' Pink Pancake Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Pink Pearl' Pink Pearl Evergreen Azalea | BS | 0.67 | G2 | 7-8 | 9 | | 1.16 | 5 |
| <i>Rhododendron</i> 'Pink Ruffles' Pink Ruffles Azalea | BS | 0.66 | G2 | 7-8 | 9 | | 0.49 | 7 |
| <i>Rhododendron</i> 'Pink and Sweet' Pink and Sweet Azalea | BS | 1.86 | G2 | 7-8 | 9 | | 0.76 | 4 |
| <i>Rhododendron</i> 'Pioneer Silvery Pink' Pioneer Silvery Pink Rhododendron | BS | 1.93 | G2 | 7-8 | 9 | | 1.04 | 5 |
| <i>Rhododendron</i> 'Platinum Pearl' Platinum Pearl Rhododendron | BS | 1.14 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Pleasant Companion' Pleasant Companion Malaysian Vireya Rhododendron | BS | 2.49 | G1 | 7-10 | 11 | | 0.93 | 10 |
| <i>Rhododendron</i> 'Pleasant White' Pleasant White Evergreen Azalea | BS | 0.92 | G2 | 7-8 | 9 | | 0.84 | 6 |
| <i>Rhododendron</i> 'Plum Crazy' See - <i>Rhododendron</i> 'Monea' | | | | | | | | |
| <i>Rhododendron</i> 'Pohjola's Daughter' Pohjola's Daughter Marjatta Hybrid Rhododendron | BS | 1.58 | G2 | 7-8 | 9 | | 1.08 | 4 |
| <i>Rhododendron</i> 'Point Defiance' Point Defiance Rhododendron | BS | 1.31 | G2 | 7-8 | 9 | | 0.79 | 6 |
| <i>Rhododendron</i> 'Polar Bear' Polar Bear Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Popsicle' Popsicle Deciduous Azalea | BS | 1.05 | G2 | 3-4 | 5-9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Posaeman' Posaeman Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'President Claeys' President Claeys Evergreen Azalea | BS | 0.61 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'President Roosevelt' President Roosevelt Rhododendron | BS | 1.10 | G2 | 7-8 | 9 | | 1.08 | 5 |
| <i>Rhododendron</i> 'Pride of Dorking' Pride of Dorking Evergreen Azalea | BS | 1.00 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Primitive Beauty' Primitive Beauty Evergreen Azalea | BS | 0.68 | G2 | 6-8 | 9-10 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Prince Camille de Rohan' Prince Camille de Rohan Rhododendron | BS | 1.01 | G2 | 3-5 | 6-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Prince of Orange' Prince of Orange Evergreen Azalea | BS | 0.52 | G2 | 6-8 | 9-10 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Princess Anne' Princess Anne Rhododendron | BS | 1.31 | G2 | 7-8 | 9 | | 1.16 | 5 |
| <i>Rhododendron</i> 'Prize' Prize Evergreen Azalea | BS | 0.91 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Professor Wolters' Professor Wolters Evergreen Azalea | BS | 0.96 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Prudence' Prudence Evergreen Azalea | BS | 0.51 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Purple Gem' Purple Gem Rhododendron | BS | 1.49 | G2 | 7-8 | 9 | | 1.15 | 4 |
| <i>Rhododendron</i> 'Purple Majestic' Purple Majestic Evergreen Azalea | BS | 0.93 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Purple Passion' P.P. 9981 Purple Passion Rhododendron | BS | 1.51 | G2 | 7-8 | 9 | | 0.82 | 4 |
| <i>Rhododendron</i> 'Purple Plum' Purple Plum Azalea | BS | 0.94 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Purple Splendor' Purple Splendor Evergreen Azalea | BS | 1.08 | G2 | 7-8 | 9 | | 0.78 | 5 |
| <i>Rhododendron</i> 'Pvt. Lafayette Acree' Pvt. Lafayette Acree Deciduous Azalea | DS | 1.19 | G2 | 6-8 | 9-10 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Queen Anne's' Queen Anne's Rhododendron | BS | 1.35 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'R.N. Pennington' R.N. Pennington Evergreen Azalea | BS | 0.68 | G2 | 6-8 | 9-10 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Rachel Bandy' P.P. 7416 Rachel Bandy Evergreen Azalea | BS | 1.07 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Ramapo' Ramapo Rhododendron | BS | 1.36 | G2 | 7-8 | 9 | | 0.98 | 5 |
| <i>Rhododendron</i> 'Rangoon' Rangoon Rhododendron | BS | 0.88 | G2 | 6-8 | 9-10 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Raspberry Parfait' Raspberry Parfait Evergreen Azalea | BS | 0.69 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Ravenna' Ravenna Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Ray's Rubra' Ray's Rubra Evergreen Azalea | BS | 0.66 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Red Beauty' P.P. 2308 Red Beauty Evergreen Azalea | BS | 0.81 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Red Bird' Red Bird Evergreen Azalea | BS | 1.00 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Red Eye' Red Eye Rhododendron | BS | 1.29 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Red Formosa' Red Formosa Evergreen Azalea | BS | 0.62 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Red Fountain' Red Fountain Evergreen Azalea | BS | 0.87 | G2 | 7-8 | 9 | | 0.93 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Red Filled' Red Filled Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Red Poppy' Red Poppy Evergreen Azalea | BS | 1.10 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Red Red' Red Red Evergreen Azalea | BS | 1.07 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Red River' Red River Rhododendron | BS | 1.54 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Red Ruffles' Red Ruffles Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 0.49 | 7 |
| <i>Rhododendron</i> 'Red Slippers' Red Slippers Evergreen Azalea | BS | 0.68 | G2 | 6-8 | 9-10 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Red Sunset' Red Sunset Evergreen Azalea | BS | 1.06 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Red Walloper' Red Walloper Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.92 | 6 |
| <i>Rhododendron</i> 'Red Wing' Red Wing Evergreen Azalea | BS | 0.78 | G2 | 7-8 | 9 | | 0.90 | 8 |
| <i>Rhododendron</i> 'Redder Yet' Redder Yet Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Reid Red' Reid Red Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Renee Michelle' Renee Michelle Evergreen Azalea | BS | 0.82 | G2 | 7-8 | 9 | | 0.95 | 6 |
| <i>Rhododendron</i> 'Reverie' Reverie Evergreen Azalea | BS | 0.95 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Revery' Revery Evergreen Azalea | BS | 0.95 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Reward Two' Reward Two Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 5 |
| <i>Rhododendron</i> 'Ria Hardijzer' Ria Hardijzer Rhododendron | BS | 0.82 | G2 | 7-8 | 9 | | 0.73 | 7 |
| <i>Rhododendron</i> 'Rimfire' Rimfire Evergreen Azalea | BS | 0.81 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Ring of Fire' Ring of Fire Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 7 |
| <i>Rhododendron</i> 'Rio' Rio Rhododendron | BS | 0.91 | G2 | 7-8 | 9 | | 0.72 | 5 |
| <i>Rhododendron</i> 'Rising Star' Rising Star Deciduous Azalea | BS | 0.81 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Robert E. Lee' Robert E. Lee Deciduous Azalea | DS | 1.19 | G2 | 6-8 | 9-10 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Robert Korn' Robert Korn Rhododendron | BS | 1.14 | G2 | 7-8 | 9 | | 1.08 | 5 |
| <i>Rhododendron</i> 'Roberta' Roberta Evergreen Azalea | BS | 0.87 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Robin Dale' Robin Dale Evergreen Azalea | BS | 0.68 | G2 | 6-8 | 9-10 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Robin Hill Congo' Robin Hill Congo Evergreen Azalea | BS | 0.83 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Robin Hill Gillie' Robin Hill Gillie Evergreen Azalea | BS | 0.70 | G2 | 7-8 | 9 | | 0.90 | 6 |
| <i>Rhododendron</i> 'Robin Hill Wendy' Robin Hill Wendy Evergreen Azalea | BS | 0.70 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Rocket' Rocket Rhododendron | BS | 1.16 | G2 | 7-8 | 9 | | 0.96 | 5 |
| <i>Rhododendron</i> 'Roddy' Roddy Evergreen Azalea | BS | 0.67 | G2 | 7-8 | 9 | | 0.93 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Roehr's Peggy Ann' Roehr's Peggy Ann Evergreen Azalea | BS | 0.84 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Romany-Chad' Romany-Chad Rhododendron | BS | 1.00 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Rosa Flora' Rosa Flora Exbury Hybrid Azalea | DS | 1.02 | G2 | 7-8 | 9 | | 1.38 | 7 |
| <i>Rhododendron</i> 'Rosa Regen' Rosa Regen Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Rose Elf' Rose Elf Rhododendron | BS | 1.29 | G2 | 7-8 | 9 | | 1.25 | 7 |
| <i>Rhododendron</i> 'Rose Glow' Rose Glow Evergreen Azalea | BS | 0.89 | G2 | 7-9 | 10 | | 0.93 | 9 |
| <i>Rhododendron</i> 'Rose Greeley' Rose Greeley Evergreen Azalea | BS | 1.31 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Rose Queen' Rose Queen Evergreen Azalea | BS | 0.96 | G2 | 7-9 | 10 | | 0.93 | 9 |
| <i>Rhododendron</i> 'Rosea' Rosea Evergreen Azalea | BS | 0.65 | G2 | 7-8 | 9 | | 0.66 | 7 |
| <i>Rhododendron</i> 'Rosebud' Rosebud Evergreen Azalea | BS | 0.65 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Rosebud' Rosebud Evergreen Azalea | BS | 0.92 | G2 | 7-8 | 9 | | 0.94 | 6 |
| <i>Rhododendron</i> 'Roslyn' Roslyn Rhododendron | BS | 0.92 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Rosy Cheeks' Rosy Cheeks Deciduous Azalea | BS | 1.62 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Rosy Lights' Rosy Lights Deciduous Azalea | DS | 1.29 | G2 | 7-8 | 9 | | 1.44 | 4 |
| <i>Rhododendron</i> 'Royal Command' Royal Command Exbury Hybrid Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Royal Pink' Royal Pink Evergreen Azalea | BS | 1.21 | G2 | 5-6 | 7-9 | | 0.96 | 5 |
| <i>Rhododendron</i> 'Royal Purple' Royal Purple Rhododendron | BS | 1.26 | G2 | 7-8 | 9 | | 0.83 | 5 |
| <i>Rhododendron</i> 'Royal Robe' Royal Robe Evergreen Azalea | BS | 0.78 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Royalty' Royalty Evergreen Azalea | BS | 0.84 | G2 | 7-8 | 9 | | 1.11 | 6 |
| <i>Rhododendron</i> 'Rubicon' Rubicon Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.92 | 7 |
| <i>Rhododendron</i> 'Ruby Hart' Ruby Hart Rhododendron | BS | 1.38 | G2 | 7-8 | 9 | | 1.25 | 7 |
| <i>Rhododendron</i> 'Rukizon' See - <i>Rhododendron</i> 'Kazan' | | | | | | | | |
| <i>Rhododendron</i> 'Russell Harmon' Russell Harmon Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Saint Merryn' Saint Merryn Rhododendron | BS | 1.16 | G2 | 7-8 | 9 | | 0.73 | 6 |
| <i>Rhododendron</i> 'Salmon Bells' Salmon Bells Evergreen Azalea | BS | 0.58 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Salmon Delight' Salmon Delight Deciduous Azalea | DS | 0.84 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Salmon Solomon' Salmon Solomon Evergreen Azalea | BS | 0.62 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Salmon Spray' Salmon Spray Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Samoa' Samoa Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.98 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Sanders Special' Sanders Special Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Sandra Ann' Sandra Ann Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Sapphire' Sapphire Rhododendron | BS | 0.93 | G2 | 7-8 | 9 | | 1.03 | 6 |
| <i>Rhododendron</i> 'Saybrook Glory' Saybrook Glory Evergreen Azalea | BS | 0.86 | G2 | 7-8 | 9 | | 1.41 | 6 |
| <i>Rhododendron</i> 'Scarlet Romance' Scarlet Romance Rhododendron | BS | 1.18 | G2 | 7-8 | 9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Schneebuckett' Schneebuckett Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Schubert' Schubert Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Scintillation' Scintillation Rhododendron | BS | 1.22 | G2 | 7-8 | 9 | | 1.04 | 5 |
| <i>Rhododendron</i> 'Seafoam' Seafoam Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Seika' Seika Evergreen Azalea | BS | 1.07 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Sekidera' Sekidera Evergreen Azalea | BS | 0.67 | G2 | 6-8 | 9-10 | | 0.93 | 7 |
| <i>Rhododendron</i> 'September Song' September Song Rhododendron | BS | 1.17 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Seta' Seta Rhododendron | BS | 1.84 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Sham's Juliet' Sham's Juliet Rhododendron | BS | 1.24 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Sham's Ruby' Sham's Ruby Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Sherbrook' Sherbrook Evergreen Azalea | BS | 0.68 | G2 | 6-8 | 9-10 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Sherwood Orchid' Sherwood Orchid Evergreen Azalea | BS | 0.90 | G2 | 7-8 | 9 | | 0.89 | 6 |
| <i>Rhododendron</i> 'Sherwood Red' Sherwood Red Evergreen Azalea | BS | 0.74 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Shiko no Kagami' Shiko no Kagami Evergreen Azalea | BS | 0.80 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Shinkigen' Shinkigen Evergreen Azalea | BS | 0.59 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Shinnyo no Tsuki' Shinnyo no Tsuki Evergreen Azalea | BS | 0.84 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Showboat' Showboat Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Shugetsu' Shugetsu Evergreen Azalea | BS | 0.91 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Siesta' Siesta Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 5 |
| <i>Rhododendron</i> 'Silver King' Silver King Evergreen Azalea | BS | 0.86 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Silver Slipper' Silver Slipper Exbury Hybrid Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Silver Sword' Silver Sword Evergreen Azalea | BS | 1.06 | G2 | 7-8 | 9 | | 0.87 | 5 |
| <i>Rhododendron</i> 'Simmon's Classic' Simmon's Classic Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Sir Charles Lemon' Sir Charles Lemon Rhododendron | BS | 1.41 | G2 | 7-8 | 9 | | 0.93 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Sir Robert' Sir Robert Evergreen Azalea | BS | 0.83 | G2 | 7-8 | 9 | | 0.90 | 6 |
| <i>Rhododendron</i> 'Siskin' Siskin Deciduous Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Slam Dunk' Slam Dunk Rhododendron | BS | 1.68 | G2 | 3-5 | 6-9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Slim Jim' Slim Jim Evergreen Azalea | BS | 0.85 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Small Gem' Small Gem Rhododendron | BS | 1.13 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Small Wonder' Small Wonder Rhododendron | BS | 1.54 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Smokey #9' Smokey #9 Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Snipe' Snipe Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Snow Lady' Snow Lady Rhododendron | BS | 1.29 | G2 | 7-8 | 9 | | 0.82 | 7 |
| <i>Rhododendron</i> 'Snow' Snow Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 1.07 | 6 |
| <i>Rhododendron</i> 'Snowball' Snowball Evergreen Azalea | BS | 1.20 | G2 | 7-8 | 9 | | 1.11 | 7 |
| <i>Rhododendron</i> 'Snowbird' Snowbird Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.89 | 7 |
| <i>Rhododendron</i> 'Snowdrift' Snowdrift Deciduous Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Songbird' Songbird Rhododendron | BS | 0.77 | G2 | 7-8 | 9 | | 0.65 | 6 |
| <i>Rhododendron</i> 'Southern Belle' Southern Belle Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Southern Charm' Southern Charm Evergreen Azalea | BS | 0.68 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Spellbinder' Spellbinder Rhododendron | BS | 1.10 | G2 | 7-8 | 9 | | 0.98 | 5 |
| <i>Rhododendron</i> 'Spicy Lights' Spicy Lights Azalea | BS | 1.41 | G2 | 7-8 | 9 | | 0.99 | 4 |
| <i>Rhododendron</i> 'Spitfire' Spitfire Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Spring Dawn' Spring Dawn Rhododendron | BS | 1.08 | G2 | 7-8 | 9 | | 1.08 | 7 |
| <i>Rhododendron</i> 'Spring Glory' Spring Glory Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Springtime' Springtime Rhododendron | BS | 1.00 | G2 | 7-8 | 9 | | 1.02 | 6 |
| <i>Rhododendron</i> 'Starbright Champagne' Starbright Champagne Rhododendron | BS | 0.88 | G2 | 6-8 | 9-10 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Starburst' Starburst Rhododendron | BS | 1.05 | G2 | 7-8 | 9 | | 0.74 | 7 |
| <i>Rhododendron</i> 'Starry Night' Starry Night Rhododendron | BS | 1.23 | G2 | 7-8 | 9 | | 1.25 | 6 |
| <i>Rhododendron</i> 'Stewartsonian' Stewartsonian Evergreen Azalea | BS | 0.96 | G2 | 7-8 | 9 | | 0.98 | 5 |
| <i>Rhododendron</i> 'Stonewall Jackson' Stonewall Jackson Deciduous Azalea | DS | 1.19 | G2 | 6-8 | 9-10 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Strawberry Ice' Strawberry Ice Exbury Hybrid Azalea | DS | 1.21 | G2 | 7-8 | 9 | | 1.31 | 5 |
| <i>Rhododendron</i> 'Sumatra' Sumatra Rhododendron | BS | 1.33 | G2 | 7-8 | 9 | | 1.08 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Summer Glow' Summer Glow Rhododendron | BS | 1.08 | G2 | 7-8 | 9 | | 1.87 | 5 |
| <i>Rhododendron</i> 'Summer Snow' Summer Snow Rhododendron | BS | 1.10 | G2 | 7-8 | 9 | | 0.97 | 5 |
| <i>Rhododendron</i> 'Summer Summit' Summer Summit Rhododendron | BS | 1.10 | G2 | 7-8 | 9 | | 0.99 | 6 |
| <i>Rhododendron</i> 'Sunglow' Sunglow Evergreen Azalea | BS | 0.62 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Sunset Pink' Sunset Pink Exbury Hybrid Azalea | BS | 1.38 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Susan' Susan Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Swamp Beauty' Swamp Beauty Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Swan' Swan Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Sweet Briar' Sweet Briar Evergreen Azalea | BS | 0.74 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Sweetheart Supreme' Sweetheart Supreme Azalea | BS | 0.75 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Sylphides' Sylphides Exbury Hybrid Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'T-60-9' T-60-9 Evergreen Azalea | BS | 0.68 | G2 | 6-8 | 9-10 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Tami' Tami Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Tamino' Tamino Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Tara' Tara Evergreen Azalea | BS | 0.84 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Taurus' Taurus Rhododendron | BS | 1.21 | G2 | 7-8 | 9 | | 0.98 | 6 |
| <i>Rhododendron</i> 'Tempest Sister' Tempest Sister Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Tenino' Tenino Evergreen Azalea | BS | 1.01 | G2 | 5-7 | 8-10 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Tennessee' Tennessee Rhododendron | BS | 1.54 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Tequila Sunrise' Tequila Sunrise Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Thomas Jefferson' Thomas Jefferson Decidious Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Thor' Thor Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Thunder' Thunder Rhododendron | BS | 1.30 | G2 | 7-8 | 9 | | 1.05 | 5 |
| <i>Rhododendron</i> 'Tiana' Tiana Rhododendron | BS | 1.49 | G2 | 5-6 | 7-9 | | 1.16 | 6 |
| <i>Rhododendron</i> 'Tickled Pink' Tickled Pink Evergreen Azalea | BS | 0.97 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'Tiffany' Tiffany Rhododendron | BS | 1.01 | G2 | 7 | 8-9 | | 0.60 | 5 |
| <i>Rhododendron</i> 'Todmorden' Todmorden Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.80 | 5 |
| <i>Rhododendron</i> 'Tom Everett' Tom Everett Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Tony' Tony Rhododendron | BS | 1.16 | G2 | 7-8 | 9 | | 0.92 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Top Banana' Top Banana Rhododendron | BS | 1.69 | G2 | 7-8 | 9 | | 1.25 | 7 |
| <i>Rhododendron</i> 'Topsvort Pearl' Topsvort Pearl Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Torero' Torero Rhododendron | BS | 1.01 | G2 | 5-6 | 7-10 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Totally Awesome' Totally Awesome Azalea | DS | 1.03 | G2 | 7-8 | 9 | | 1.35 | 6 |
| <i>Rhododendron</i> 'Towhead' Towhead Rhododendron | BS | 1.30 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Tradition' Tradition Evergreen Azalea | BS | 0.90 | G2 | 7-8 | 9 | | 1.00 | 7 |
| <i>Rhododendron</i> 'Trail Blazer' Trail Blazer Rhododendron | BS | 1.23 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Treasure' Treasure Evergreen Azalea | BS | 0.89 | G2 | 7-8 | 9 | | 1.00 | 6 |
| <i>Rhododendron</i> 'Tri-Lights' Tri-Lights Azalea | BS | 1.49 | G2 | 6-8 | 9-10 | | 0.93 | 3 |
| <i>Rhododendron</i> 'Trinidad' Trinidad Rhododendron | BS | 0.98 | G2 | 7-8 | 9 | | 0.66 | 5 |
| <i>Rhododendron</i> 'Trouper' Trouper Evergreen Azalea | BS | 0.60 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Tunis' Tunis Exbury Hybrid Azalea | DS | 1.08 | G2 | 7-8 | 9 | | 1.35 | 5 |
| <i>Rhododendron</i> 'Turkish Delight' Turkish Delight Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Tutti Frutti' Tutti Frutti Exbury Hybrid Azalea | BS | 1.73 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Twenty Grand' Twenty Grand Evergreen Azalea | BS | 1.00 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Twilight Pink' Twilight Pink Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Umpqua Queen' Umpqua Queen Deciduous Azalea | DS | 0.97 | G2 | 7-8 | 9 | | 1.35 | 5 |
| <i>Rhododendron</i> 'Unique Marmalade' Unique Marmalade Rhododendron | BS | 1.01 | G2 | 5-6 | 7-10 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Unsurpassable' Unsurpassable Evergreen Azalea | BS | 0.89 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Usuyukari' Usuyukari Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Van' Van Rhododendron | BS | 1.00 | G2 | 7-8 | 9 | | 1.05 | 6 |
| <i>Rhododendron</i> 'Variegated Dogwood' Variegated Dogwood Evergreen Azalea | BS | 0.82 | G2 | 7 | 8-9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Venetia' Venetia Exbury Hybrid Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Verawood' Verawood Lynch Azalea | BS | 0.68 | G2 | 6-8 | 9-10 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Vernus' Vernus Rhododendron | BS | 1.08 | G2 | 7-8 | 9 | | 0.91 | 4 |
| <i>Rhododendron</i> 'Veronica' See - <i>Rhododendron</i> 'Hineseg' | | | | | | | | |
| <i>Rhododendron</i> 'Very Berry' Very Berry Rhododendron | BS | 0.88 | G2 | 6-8 | 9-10 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Vespers' Vespers Evergreen Azalea | BS | 0.53 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Vestal' Vestal Evergreen Azalea | BS | 0.54 | G2 | 7-8 | 9 | | 0.93 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Vinecrest' Vinecrest Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Vinemark' Vinemark Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Violetta' Violetta Evergreen Azalea | BS | 0.68 | G2 | 7 | 8-9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Viscy' Viscy Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.99 | 6 |
| <i>Rhododendron</i> 'Vuyk's Rosyred' Vuyk's Rosyred Evergreen Azalea | BS | 0.76 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Vuyk's Scarlet' Vuyk's Scarlet Evergreen Azalea | BS | 0.95 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Waka Matsu' Waka Matsu Evergreen Azalea | BS | 0.60 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Wakaebisu' Wakaebisu Evergreen Azalea | BS | 0.62 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Wallowa Red' Wallowa Red Deciduous Azalea | BS | 1.30 | G2 | 7-8 | 9 | | 0.91 | 6 |
| <i>Rhododendron</i> 'Waltham' Waltham Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'War Dance' War Dance Rhododendron | BS | 1.40 | G2 | 7-8 | 9 | | 0.99 | 6 |
| <i>Rhododendron</i> 'Ward's Ruby' Ward's Ruby Evergreen Azalea | BS | 0.97 | G2 | 7-8 | 9 | | 0.42 | 7 |
| <i>Rhododendron</i> 'Watchet' Watchet Evergreen Azalea | BS | 0.62 | G2 | 7-8 | 9 | | 0.79 | 6 |
| <i>Rhododendron</i> 'Wedding Bouquet' Wedding Bouquet Deciduous Azalea | DS | 0.71 | G2 | 7 | 8-9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Westbury' Westbury Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Western Lights' Western Lights Deciduous Azalea | BS | 1.47 | G2 | 3-4 | 5-9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Weston's Innocence' Weston's Innocence Deciduous Azalea | DS | 1.61 | G2 | 7-8 | 9 | | 1.09 | 4 |
| <i>Rhododendron</i> 'Weston's Pink Diamond' Weston's Pink Diamond Rhododendron | BS | 1.51 | G2 | 7-8 | 9 | | 1.02 | 5 |
| <i>Rhododendron</i> 'Wheatley' Wheatley Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Whisperingrose' Whisperingrose Rhododendron | BS | 1.26 | G2 | 7-8 | 9 | | 1.16 | 7 |
| <i>Rhododendron</i> 'White Dwarf' White Dwarf Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'White Find' White Find Deciduous Azalea | DS | 1.15 | G2 | 7-8 | 9 | | 1.38 | 4 |
| <i>Rhododendron</i> 'White Gish' White Gish Evergreen Azalea | BS | 1.07 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'White Gold' White Gold Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'White Grandeur' White Grandeur Evergreen Azalea | BS | 0.96 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'White Lace' White Lace Evergreen Azalea | BS | 0.96 | G2 | 7-8 | 9 | | 0.93 | 8 |
| <i>Rhododendron</i> 'White Lightning' White Lightning Deciduous Azalea | DS | 2.04 | G2 | 7-8 | 9 | | 1.38 | 4 |
| <i>Rhododendron</i> 'White Lights' White Lights Azalea | DS | 1.25 | G2 | 7-8 | 9 | | 1.52 | 4 |
| <i>Rhododendron</i> 'White Moon' White Moon Evergreen Azalea | BS | 1.05 | G2 | 7-8 | 9 | | 0.93 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'White Perfection' White Perfection Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 4 |
| <i>Rhododendron</i> 'White Rosebud' White Rosebud Evergreen Azalea | BS | 0.99 | G2 | 7-8 | 9 | | 0.90 | 6 |
| <i>Rhododendron</i> 'White Swan' White Swan Exbury Hybrid Azalea | DS | 1.78 | G2 | 7-8 | 9 | | 1.12 | 5 |
| <i>Rhododendron</i> 'Whitethroat' Whitethroat Exbury Hybrid Azalea | DS | 0.78 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Whitney's Orange' Whitney's Orange Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Wigeon' Wigeon Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Wild Affair' Wild Affair Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Williams' Williams Rhododendron | BS | 0.82 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Windbeam' Windbeam Rhododendron | BS | 0.93 | G2 | 7-8 | 9 | | 1.04 | 4 |
| <i>Rhododendron</i> 'Windsor Appleblossom' Windsor Appleblossom Azalea | DS | 1.18 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Windsor Buttercup' Windsor Buttercup Deciduous Azalea | DS | 0.84 | G2 | 7-8 | 9 | | 1.09 | 5 |
| <i>Rhododendron</i> 'Winsome' Winsome Rhododendron | BS | 0.80 | G2 | 7-8 | 9 | | 0.63 | 7 |
| <i>Rhododendron</i> 'Wintergreen' Wintergreen Evergreen Azalea | BS | 0.95 | G2 | 7-8 | 9 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Wissahickon' Wissahickon Rhododendron | BS | 1.05 | G2 | 7-8 | 9 | | 0.98 | 6 |
| <i>Rhododendron</i> 'Witchdoctor Dwarf' Witchdoctor Dwarf Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 7 |
| <i>Rhododendron</i> 'Wizard' Wizard Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 6 |
| <i>Rhododendron</i> 'Wojnar's Purple' Wojnar's Purple Rhododendron | BS | 1.31 | G2 | 7-8 | 9 | | 1.03 | 5 |
| <i>Rhododendron</i> 'Wolfpack Red' Wolfpack Red Evergreen Azalea | BS | 0.58 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Wren' Wren Rhododendron | BS | 1.18 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Wyandanch Pink' Wyandanch Pink Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Wynterset Pink' Wynterset Pink Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Wynterset White' Wynterset White Rhododendron | BS | 1.49 | G2 | 7-8 | 9 | | 1.08 | 5 |
| <i>Rhododendron</i> 'Yama no Hikari' Yama no Hikari Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Yankee Doodle' Yankee Doodle Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Yellow Cloud' Yellow Cloud Deciduous Azalea | DS | 1.13 | G2 | 7-8 | 9 | | 1.35 | 5 |
| <i>Rhododendron</i> 'Yellow Delight' Yellow Delight Deciduous Azalea | DS | 1.15 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Yellow Hammer' Yellow Hammer Rhododendron | BS | 1.69 | G2 | 7 | 8-9 | | 1.25 | 7 |
| <i>Rhododendron</i> 'Yellow Pages' Yellow Pages Rhododendron | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Yellow Petticoats' Yellow Petticoats Rhododendron | BS | 1.38 | G2 | 7-8 | 9 | | 0.93 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Yellow Pom Pom' Yellow Pom Pom Deciduous Azalea | DS | 1.21 | G2 | 7-8 | 9 | | 1.38 | 5 |
| <i>Rhododendron</i> 'Yoshimi' Yoshimi Evergreen Azalea | BS | 1.01 | G2 | 7-8 | 9 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Zuiko' Zuiko Rhododendron | BS | 0.77 | G2 | 7-8 | 9 | | 0.73 | 6 |
| <i>Rhododendron alabamense</i> Alabama Azalea | DS | 0.87 | G2 | 7 | 8-9 | | 1.00 | 6 |
| <i>Rhododendron arborescens</i> Sweet Deciduous Azalea | DS | 1.39 | G2 | 3-4 | 5-7 | | 1.00 | 4 |
| <i>Rhododendron atlanticum</i> Coastal Deciduous Azalea | DS | 1.46 | G2 | 7 | 8-9 | | 1.00 | 5 |
| <i>Rhododendron atlanticum</i> 'Choptank Yellow and Orange' Choptank Yellow and Orange Coast Azalea | BS | 1.00 | G2 | 7-8 | 9 | | 1.00 | 5 |
| <i>Rhododendron atlanticum</i> 'Nacoochee' Nacoochee Coast Azalea | BS | 1.06 | G2 | 7-8 | 9 | | 1.00 | 5 |
| <i>Rhododendron augustinii</i> Augustine Rhododendron | BS | 0.77 | G2 | 7-8 | 9 | | 0.95 | 6 |
| <i>Rhododendron austrinum</i> Florida Deciduous Azalea | DS | 1.00 | G2 | 7 | 8-9 | | 1.00 | 6 |
| <i>Rhododendron austrinum</i> 'Don's Variegated' Don's Variegated Florida Deciduous Azalea | DS | 1.00 | G2 | 6-7 | 8-9 | | 1.00 | 6 |
| <i>Rhododendron austrinum</i> 'Escatawpa' Escatawpa Florida Deciduous Azalea | DS | 1.04 | G2 | 6-7 | 8-9 | | 1.00 | 6 |
| <i>Rhododendron austrinum</i> 'Millie Mac' Millie Mac Florida Deciduous Azalea | DS | 0.94 | G2 | 6-7 | 8-9 | | 1.00 | 6 |
| <i>Rhododendron austrinum</i> 'My Mary' My Mary Florida Deciduous Azalea | DS | 1.22 | G2 | 7-8 | 9 | | 1.00 | 6 |
| <i>Rhododendron austrinum</i> 'Pretty One' Pretty One Florida Deciduous Azalea | DS | 0.93 | G2 | 7-8 | 9 | | 1.00 | 6 |
| <i>Rhododendron bureavii</i> No Common Name Found | BS | 1.00 | G2 | 7-8 | 9 | | 1.00 | 6 |
| <i>Rhododendron bureavii</i> 'Lem's Form' Lem's Form Rhododendron | BS | 1.00 | G2 | 7-8 | 9 | | 1.00 | 6 |
| <i>Rhododendron calendulaceum</i> Flame Deciduous Azalea | DS | 1.04 | G2 | 7 | 8-9 | | 1.80 | 5 |
| <i>Rhododendron calendulaceum</i> 'Kelsey's Flame' Kelsey's Flame Deciduous Azalea | DS | 1.12 | G2 | 7-8 | 9 | | 1.80 | 5 |
| <i>Rhododendron calophytum</i> Bingleaf Rhododendron | BS | 0.68 | G2 | 7-8 | 9 | | 0.64 | 6 |
| <i>Rhododendron calostrotum</i> Purple-leaf Rhododendron | BS | 1.00 | G2 | 7-8 | 9 | | 1.00 | 6 |
| <i>Rhododendron campylogynum</i> Dusky Bloom Rhododendron | BS | 0.81 | G2 | 7-8 | 9 | | 0.66 | 7 |
| <i>Rhododendron camtschaticum</i> Kamchatka Rhododendron | BS | 1.00 | G2 | 7-8 | 9 | | 1.00 | 4 |
| <i>Rhododendron canadense</i> Rhodora | DS | 2.67 | G2 | 3-4 | 5-7 | | 1.00 | 2 |
| <i>Rhododendron canescens</i> Piedmont Deciduous Azalea | DS | 1.04 | G2 | 7 | 8-9 | | 1.00 | 7 |
| <i>Rhododendron canescens</i> 'Varnadoe's Phlox Pink' Varnadoe's Phlox Pink Piedmont Azalea | DS | 1.04 | G2 | 7 | 8-9 | | 1.00 | 7 |
| <i>Rhododendron carolinianum</i> Carolina Rhododendron | BS | 1.80 | G2 | 7-8 | 9 | | 1.12 | 4 |
| <i>Rhododendron carolinianum</i> 'Caroline' Caroline Carolina Rhododendron | BS | 0.92 | G2 | 4 | 5-6 | | 1.39 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron carolinianum</i> 'Pink' Pink Carolina Rhododendron | BS | 1.36 | G2 | 4 | 5-6 | | 1.26 | 4 |
| <i>Rhododendron carolinianum</i> var. <i>album</i> White Carolina Rhododendron | BS | 2.12 | G2 | 4 | 5-6 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> Catawba Rhododendron | BS | 1.58 | G2 | 4 | 5-7 | | 1.12 | 4 |
| <i>Rhododendron catawbiense</i> 'A. Bedford' A. Bedford Rhododendron | BS | 1.02 | G2 | 4 | 5-7 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'Album Elegans' Album Elegans Rhododendron | BS | 1.40 | G2 | 4 | 5-7 | | 1.04 | 4 |
| <i>Rhododendron catawbiense</i> 'Album' White Catawba Rhododendron | BS | 1.35 | G2 | 4 | 5-7 | | 1.06 | 4 |
| <i>Rhododendron catawbiense</i> 'Alice' Alice Rhododendron | BS | 1.10 | G2 | 4 | 5-7 | | 1.02 | 4 |
| <i>Rhododendron catawbiense</i> 'America' America Rhododendron | BS | 1.17 | G2 | 4 | 5-7 | | 0.92 | 4 |
| <i>Rhododendron catawbiense</i> 'Anah Kruschke' Anah Kruschke Rhododendron | BS | 1.11 | G2 | 4 | 5-7 | | 0.98 | 4 |
| <i>Rhododendron catawbiense</i> 'Anna Rose Whitney' Anna Rose Whitney Rhododendron | BS | 1.10 | G2 | 4 | 5-7 | | 0.97 | 4 |
| <i>Rhododendron catawbiense</i> 'Autumn Gold' Autumn Gold Rhododendron | BS | 1.49 | G2 | 4 | 5-7 | | 1.12 | 4 |
| <i>Rhododendron catawbiense</i> 'Baden Baden' Baden Baden Rhododendron | BS | 1.13 | G2 | 4 | 5-7 | | 0.98 | 4 |
| <i>Rhododendron catawbiense</i> 'Betty Wormald' Betty Wormald Rhododendron | BS | 1.10 | G2 | 4 | 5-7 | | 1.16 | 4 |
| <i>Rhododendron catawbiense</i> 'Blue Diamond' Blue Diamond Rhododendron | BS | 1.00 | G2 | 4 | 5-7 | | 0.92 | 4 |
| <i>Rhododendron catawbiense</i> 'Blue Ensign' Blue Ensign Rhododendron | BS | 1.01 | G2 | 4 | 5-7 | | 0.99 | 4 |
| <i>Rhododendron catawbiense</i> 'Blue Jay' Blue Jay Rhododendron | BS | 1.27 | G2 | 4 | 5-7 | | 1.01 | 4 |
| <i>Rhododendron catawbiense</i> 'Blue Peter' Blue Peter Rhododendron | BS | 1.05 | G2 | 4 | 5-7 | | 0.96 | 4 |
| <i>Rhododendron catawbiense</i> 'Boursault' Boursault Catawba Rhododendron | BS | 1.27 | G2 | 4 | 5-7 | | 1.03 | 4 |
| <i>Rhododendron catawbiense</i> 'Bow Bells' Bow Bells Rhododendron | BS | 1.35 | G2 | 4 | 5-7 | | 0.96 | 4 |
| <i>Rhododendron catawbiense</i> 'Butterfly' Butterfly Rhododendron | BS | 1.02 | G2 | 4 | 5-7 | | 1.03 | 4 |
| <i>Rhododendron catawbiense</i> 'Caractacus' Caractacus Rhododendron | BS | 1.49 | G2 | 4 | 5-7 | | 1.16 | 4 |
| <i>Rhododendron catawbiense</i> 'Cary Ann' Cary Ann Rhododendron | BS | 0.97 | G2 | 4 | 5-7 | | 0.97 | 4 |
| <i>Rhododendron catawbiense</i> 'Cheer' Cheer Rhododendron | BS | 1.11 | G2 | 4 | 5-7 | | 0.94 | 4 |
| <i>Rhododendron catawbiense</i> 'Chionoides' Chionoides Rhododendron | BS | 1.17 | G2 | 4 | 5-7 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'Christmas Cheer' Christmas Cheer Rhododendron | BS | 1.44 | G2 | 4 | 5-7 | | 1.16 | 4 |
| <i>Rhododendron catawbiense</i> 'Compactum' Compact Catawba Rhododendron | BS | 1.19 | G2 | 4 | 5-7 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'Cunningham's Blush' Cunningham's Blush Rhododendron | BS | 1.15 | G2 | 4 | 5-7 | | 1.08 | 4 |
| <i>Rhododendron catawbiense</i> 'Cunningham's White' Cunningham's White Rhododendron | BS | 1.17 | G2 | 4 | 5-7 | | 1.01 | 4 |
| <i>Rhododendron catawbiense</i> 'Daphnoides' Daphnoides Rhododendron | BS | 1.25 | G2 | 4 | 5-7 | | 0.97 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron catawbiense</i> 'Dora Amateis' Dora Amateis Rhododendron | BS | 1.42 | G2 | 4 | 5-7 | | 0.97 | 4 |
| <i>Rhododendron catawbiense</i> 'Elisabeth Hobbie' Elisabeth Hobbie Rhododendron | BS | 1.19 | G2 | 4 | 5-7 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'Elisabeth' Elisabeth Rhododendron | BS | 1.19 | G2 | 4 | 5-7 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'English Roseum' English Roseum Rhododendron | BS | 1.18 | G2 | 4 | 5-7 | | 1.03 | 4 |
| <i>Rhododendron catawbiense</i> 'Evening Glow' Evening Glow Rhododendron | BS | 1.35 | G2 | 4 | 5-7 | | 1.16 | 4 |
| <i>Rhododendron catawbiense</i> 'Everestianum' Everest Rhododendron | BS | 0.97 | G2 | 4 | 5-7 | | 0.93 | 4 |
| <i>Rhododendron catawbiense</i> 'Fastuosum Flore Pleno' Fastuosum Double Rhododendron | BS | 1.01 | G2 | 4 | 5-7 | | 0.98 | 4 |
| <i>Rhododendron catawbiense</i> 'Furnivall's Daughter' Furnivall's Daughter Rhododendron | BS | 0.85 | G2 | 4 | 5-7 | | 0.91 | 4 |
| <i>Rhododendron catawbiense</i> 'Gomer Waterer' Gomer Waterer Rhododendron | BS | 1.30 | G2 | 4 | 5-7 | | 0.91 | 4 |
| <i>Rhododendron catawbiense</i> 'Grandiflorum' Grandiflorum Catawba Rhododendron | BS | 1.15 | G2 | 4 | 5-7 | | 1.02 | 4 |
| <i>Rhododendron catawbiense</i> 'Henrietta Sargent' Henrietta Sargent Rhododendron | BS | 1.21 | G2 | 4 | 5-7 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'Ignatius Sargent' Ignatius Sargent Rhododendron | BS | 1.29 | G2 | 4 | 5-7 | | 1.04 | 4 |
| <i>Rhododendron catawbiense</i> 'Jock' Jock Rhododendron | BS | 1.45 | G2 | 4 | 5-7 | | 1.25 | 4 |
| <i>Rhododendron catawbiense</i> 'Kluis Sensation' Kluis Sensation Rhododendron | BS | 1.10 | G2 | 4 | 5-7 | | 0.91 | 4 |
| <i>Rhododendron catawbiense</i> 'Lady Clementine Mitford' Lady Clementine Mitford Rhododendron | BS | 1.19 | G2 | 4 | 5-7 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'Lavender Queen' Lavender Queen Rhododendron | BS | 1.05 | G2 | 4 | 5-7 | | 0.98 | 4 |
| <i>Rhododendron catawbiense</i> 'Lee's Best Purple' Lee's Best Purple Rhododendron | BS | 1.49 | G2 | 4 | 5-7 | | 1.04 | 4 |
| <i>Rhododendron catawbiense</i> 'Lee's Dark Purple' Lee's Dark Purple Rhododendron | BS | 1.08 | G2 | 4 | 5-7 | | 1.01 | 4 |
| <i>Rhododendron catawbiense</i> 'Loder's White' Loder's White Rhododendron | BS | 0.91 | G2 | 4 | 5-7 | | 0.91 | 4 |
| <i>Rhododendron catawbiense</i> 'Lord Roberts' Lord Roberts Rhododendron | BS | 1.14 | G2 | 4 | 5-7 | | 0.95 | 4 |
| <i>Rhododendron catawbiense</i> 'Madame Masson' Madame Masson Rhododendron | BS | 1.36 | G2 | 4 | 5-7 | | 1.05 | 4 |
| <i>Rhododendron catawbiense</i> 'Madame de Bruin' Madame de Bruin Rhododendron | BS | 1.19 | G2 | 4 | 5-7 | | 1.16 | 4 |
| <i>Rhododendron catawbiense</i> 'Michael Waterer' Michael Waterer Rhododendron | BS | 1.19 | G2 | 4 | 5-7 | | 0.92 | 4 |
| <i>Rhododendron catawbiense</i> 'Mrs. Betty Robertson' Mrs. Betty Robertson Rhododendron | BS | 0.90 | G2 | 4 | 5-7 | | 0.66 | 4 |
| <i>Rhododendron catawbiense</i> 'Mrs. C.S. Sargent' Mrs. C.S. Sargent Rhododendron | BS | 1.19 | G2 | 4 | 5-7 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'Mrs. Charles Pearson' Mrs. Charles Pearson Rhododendron | BS | 1.21 | G2 | 4 | 5-7 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'Mrs. T.H. Lowinsky' Mrs. T.H. Lowinsky Rhododendron | BS | 1.15 | G2 | 4 | 5-7 | | 0.99 | 4 |
| <i>Rhododendron catawbiense</i> 'Nova Zembla' Nova Zembla Rhododendron | BS | 1.31 | G2 | 4 | 5-7 | | 1.09 | 4 |
| <i>Rhododendron catawbiense</i> 'Old Port' Old Port Rhododendron | BS | 1.19 | G2 | 4 | 5-7 | | 1.00 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Rhododendron catawbiense</i> 'Parsons Gloriosum' Parson's Gloriosum Rhododendron | BS | 1.48 | G2 | 4 | 5-7 | | 1.03 | 4 |
| <i>Rhododendron catawbiense</i> 'Party Pink' Party Pink Rhododendron | BS | 0.79 | G2 | 4 | 5-7 | | 0.87 | 4 |
| <i>Rhododendron catawbiense</i> 'Pink Twins' Pink Twins Rhododendron | BS | 1.09 | G2 | 4 | 5-7 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'President Lincoln' President Lincoln Rhododendron | BS | 1.46 | G2 | 4 | 5-7 | | 1.05 | 4 |
| <i>Rhododendron catawbiense</i> 'Purple Lace' Purple Lace Rhododendron | BS | 0.87 | G2 | 4 | 5-7 | | 0.90 | 4 |
| <i>Rhododendron catawbiense</i> 'Purple Splendour' Purple Splendour Rhododendron | BS | 0.99 | G2 | 4 | 5-7 | | 0.99 | 4 |
| <i>Rhododendron catawbiense</i> 'Purpureum Elegans' Purpureum Elegans Rhododendron | BS | 1.34 | G2 | 4 | 5-7 | | 0.97 | 4 |
| <i>Rhododendron catawbiense</i> 'Purpureum Grandiflorum' Purpureum Grandiflorum Rhododendron | BS | 0.98 | G2 | 4 | 5-7 | | 1.06 | 4 |
| <i>Rhododendron catawbiense</i> 'Rosamundii' Rosamund Rhododendron | BS | 1.43 | G2 | 4 | 5-7 | | 0.86 | 4 |
| <i>Rhododendron catawbiense</i> 'Roseum Album' Roseum Album Rhododendron | BS | 1.19 | G2 | 4 | 5-7 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'Roseum Elegans' Roseum Elegans Rhododendron | BS | 1.27 | G2 | 4 | 5-7 | | 1.05 | 4 |
| <i>Rhododendron catawbiense</i> 'Roseum Pink' Roseum Pink Rhododendron | BS | 1.22 | G2 | 4 | 5-6 | | 1.11 | 4 |
| <i>Rhododendron catawbiense</i> 'Roseum Superbum' Roseum Superbum Rhododendron | BS | 1.03 | G2 | 4 | 5-7 | | 1.12 | 4 |
| <i>Rhododendron catawbiense</i> 'Roseum Two' Roseum Two Rhododendron | BS | 1.34 | G2 | 4 | 5-7 | | 0.97 | 4 |
| <i>Rhododendron catawbiense</i> 'Sappho' Sappho Rhododendron | BS | 1.11 | G2 | 4 | 5-7 | | 0.95 | 4 |
| <i>Rhododendron catawbiense</i> 'Scarlet Wonder' Scarlet Wonder Rhododendron | BS | 1.18 | G2 | 4 | 5-7 | | 0.87 | 4 |
| <i>Rhododendron catawbiense</i> 'Sham's Candy' Sham's Candy Rhododendron | BS | 0.97 | G2 | 4 | 5-7 | | 0.91 | 4 |
| <i>Rhododendron catawbiense</i> 'Shamrock' Shamrock Rhododendron | BS | 1.34 | G2 | 4 | 5-7 | | 1.25 | 4 |
| <i>Rhododendron catawbiense</i> 'Swans Downe' Swans Downe Rhododendron | BS | 0.97 | G2 | 4 | 5-7 | | 0.93 | 4 |
| <i>Rhododendron catawbiense</i> 'The General' The General Rhododendron | BS | 1.11 | G2 | 4 | 5-7 | | 1.03 | 4 |
| <i>Rhododendron catawbiense</i> 'The Honourable Jean Marie de Montag' The Honourable Jean Marie de Montague Rhododendron | BS | 1.09 | G2 | 4 | 5-7 | | 0.97 | 4 |
| <i>Rhododendron catawbiense</i> 'Trilby' Trilby Rhododendron | BS | 1.18 | G2 | 4 | 5-7 | | 0.97 | 4 |
| <i>Rhododendron catawbiense</i> 'Trude Webster' Trude Webster Catawba Rhododendron | BS | 1.23 | G2 | 4 | 5-7 | | 0.85 | 4 |
| <i>Rhododendron catawbiense</i> 'Unique' Unique Rhododendron | BS | 1.10 | G2 | 4 | 5-7 | | 0.97 | 4 |
| <i>Rhododendron catawbiense</i> 'Virginia Richards' Virginia Richards Rhododendron | BS | 1.11 | G2 | 4 | 5-7 | | 0.95 | 4 |
| <i>Rhododendron catawbiense</i> 'Vivacious' Vivacious Rhododendron | BS | 1.48 | G2 | 4 | 5-7 | | 1.08 | 4 |
| <i>Rhododendron catawbiense</i> 'Vulcan' Vulcan Rhododendron | BS | 1.05 | G2 | 4 | 5-7 | | 0.88 | 4 |
| <i>Rhododendron catawbiense</i> 'Vulcan's Flame' Vulcan's Flame Rhododendron | BS | 1.76 | G2 | 4 | 5-7 | | 0.95 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron catawbiense</i> 'Wilgens Ruby' Wilgens Ruby Rhododendron | BS | 1.05 | G2 | 4 | 5-7 | | 1.04 | 4 |
| <i>Rhododendron x cilpinense</i> Cilpinense Rhododendron | BS | 0.90 | G2 | 6-7 | 8 | | 0.82 | 7 |
| <i>Rhododendron concinnum</i> Purple Nymph Rhododendron | BS | 0.77 | G2 | 5-6 | 7-8 | | 0.73 | 6 |
| <i>Rhododendron cumberlandense</i> Cumberland Deciduous Azalea | DS | 1.04 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Rhododendron dauricum</i> Dahurian Rhododendron | BS | 0.77 | G2 | 5-6 | 7-8 | | 0.73 | 4 |
| <i>Rhododendron dauricum</i> 'April Gem' April Gem Dahurian Rhododendron | BS | 1.28 | G2 | 7 | 8-9 | | 1.57 | 4 |
| <i>Rhododendron dauricum</i> 'April Reign' April Reign Dahurian Rhododendron | BS | 1.16 | G2 | 7 | 8-9 | | 1.11 | 4 |
| <i>Rhododendron dauricum</i> 'April Rose' April Rose Dahurian Rhododendron | BS | 1.21 | G2 | 7 | 8-9 | | 0.77 | 4 |
| <i>Rhododendron dauricum</i> 'April White' April White Dahurian Rhododendron | BS | 1.15 | G2 | 7 | 8-9 | | 1.41 | 4 |
| <i>Rhododendron dauricum</i> 'Arctic Pearl' Arctic Pearl Dahurian Rhododendron | BS | 1.25 | G2 | 7 | 8-9 | | 1.09 | 4 |
| <i>Rhododendron dauricum</i> 'Madison Snow' Madison Snow Dahurian Rhododendron | BS | 1.30 | G2 | 5-6 | 7-8 | | 1.11 | 4 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> Yak Rhododendron | BS | 0.78 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Aloha' Aloha Yak Rhododendron | BS | 1.47 | G2 | 6-7 | 8-9 | | 1.07 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Anna H. Hall' Anna H. Hall Yak Rhododendron | BS | 1.43 | G2 | 6-7 | 8-9 | | 1.09 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Crete' Crete Yak Rhododendron | BS | 1.30 | G2 | 6-7 | 8-9 | | 1.09 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Dopey' Dopey Yak Rhododendron | BS | 1.40 | G2 | 6-7 | 8-9 | | 1.16 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Fantastica' Fantastica Yak Rhododendron | BS | 1.27 | G2 | 6-7 | 8-9 | | 0.66 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Flirt' Flirt Yak Rhododendron | BS | 0.81 | G2 | 6-7 | 8-9 | | 0.66 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Fred G. Peste' Fred G. Peste Yak Rhododendron | BS | 1.10 | G2 | 6-7 | 8-9 | | 1.26 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Golden Torch' Golden Torch Yak Rhododendron | BS | 0.96 | G2 | 6-7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Golden Wedding' Golden Wedding Yak Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Hydon Dawn' Hydon Dawn Yak Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Irene Bain' Irene Bain Yak Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 1.01 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Ken Janeck' Ken Janeck Yak Rhododendron | BS | 1.55 | G2 | 6-7 | 8-9 | | 1.00 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Lillian Peste' Lillian Peste Yak Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 0.60 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Looking Glass' Looking Glass Yak Rhododendron | BS | 1.41 | G2 | 6-7 | 8-9 | | 1.25 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Mardi Gras' Mardi Gras Yak Rhododendron | BS | 1.22 | G2 | 6-7 | 8-9 | | 0.96 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Marlene Peste' Marlene Peste Yak Rhododendron | BS | 0.99 | G2 | 6-7 | 8-9 | | 0.93 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Martha Peste' Martha Peste Yak Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Mist Maiden' Mist Maiden Yak Rhododendron | BS | 1.26 | G2 | 6-7 | 8-9 | | 1.23 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Morning Cloud' Morning Cloud Yak Rhododendron | BS | 1.41 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Noble Mountain' Noble Mountain Yak Rhododendron | BS | 1.62 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Percy Wiseman' Percy Wiseman Yak Rhododendron | BS | 1.43 | G2 | 6-7 | 8-9 | | 1.00 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Picote' Picote Yak Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Pink Parasol' Pink Parasol Yak Rhododendron | BS | 1.26 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Pirouette' Pirouette Yak Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Polaris' Polaris Yak Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Proposal' Proposal Yak Rhododendron | BS | 0.81 | G2 | 6-7 | 8-9 | | 0.66 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Queen Alice' Queen Alice Yak Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 1.06 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Rosy Dream' Rosy Dream Yak Rhododendron | BS | 1.34 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Senorita Cheri' Senorita Cheri Yak Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 0.92 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Shrimp Girl' Shrimp Girl Yak Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Silver Sixpence' Silver Sixpence Yak Rhododendron | BS | 1.29 | G2 | 7-8 | 9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Skookum' Skookum Yak Rhododendron | BS | 1.39 | G2 | 6-7 | 8-9 | | 0.92 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Skookumchuck' Skookumchuck Yak Rhododendron | BS | 1.20 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Sneezy' Sneezy Yak Rhododendron | BS | 1.37 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Solidarity' Solidarity Yak Rhododendron | BS | 1.23 | G2 | 6-7 | 8-9 | | 1.00 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Sonatine' Sonatine Yak Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Sunrise' Sunrise Yak Rhododendron | BS | 1.23 | G2 | 6-7 | 8-9 | | 1.25 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Surrey Heath' Surrey Heath Yak Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Tea Party' Tea Party Yak Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Teddy Bear' Teddy Bear Yak Rhododendron | BS | 1.30 | G2 | 6-7 | 8-9 | | 1.38 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Titian Beauty' Titian Beauty Yak Rhododendron | BS | 1.36 | G2 | 6-7 | 8-9 | | 1.25 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku 291' Yaku 291 Yak Rhododendron | BS | 1.29 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku Angel' Yaku Angel Yak Rhododendron | BS | 1.84 | G2 | 6-7 | 8-9 | | 1.25 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku Duchess' Yaku Duchess Yak Rhododendron | BS | 1.64 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku Duke' Yaku Duke Yak Rhododendron | BS | 1.18 | G2 | 6-7 | 8-9 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku King' Yaku King Yak Rhododendron | BS | 1.64 | G2 | 6-7 | 8-9 | | 0.95 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku Princess' Yaku Princess Yak Rhododendron | BS | 1.18 | G2 | 6-7 | 8-9 | | 0.98 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku Prince' Yaku Prince Yak Rhododendron | BS | 1.07 | G2 | 6-7 | 8-9 | | 1.02 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku Queen' Yaku Queen Yak Rhododendron | BS | 1.35 | G2 | 6-7 | 8-9 | | 0.87 | 5 |
| <i>Rhododendron drumonium</i> See - <i>Rhododendron telmateium</i> | | | | | | | | |
| <i>Rhododendron flammeum</i> Oconee Azalea | DS | 1.19 | G2 | 7 | 8-9 | | 1.00 | 6 |
| <i>Rhododendron flammeum</i> 'Hazel Hamilton' Hazel Hamilton Oconee Deciduous Azalea | DS | 1.19 | G2 | 7 | 8-9 | | 1.00 | 6 |
| <i>Rhododendron formosum</i> Redstripe Rhododendron | BS | 1.25 | G2 | 7-8 | 9 | | 1.00 | 8 |
| <i>Rhododendron hippophaeoides</i> Seabuckthron Rhododendron | BS | 0.77 | G2 | 5-6 | 7-8 | | 0.73 | 5 |
| <i>Rhododendron impeditum</i> Cloudland Rhododendron | BS | 1.37 | G2 | 4-5 | 6-7 | | 0.92 | 4 |
| <i>Rhododendron impeditum</i> 'Melrose' Melrose Cloudland Rhododendron | BS | 1.37 | G2 | 4-5 | 6-7 | | 0.92 | 4 |
| <i>Rhododendron impeditum</i> 'Moerheim' Moerheim Cloudland Rhododendron | BS | 1.37 | G2 | 4-5 | 6-7 | | 0.92 | 4 |
| <i>Rhododendron intricatum</i> Intricatum Rhododendron | BS | 0.69 | G2 | 7-8 | 9 | | 0.70 | 5 |
| <i>Rhododendron kaempferi</i> Evergreen Azalea | BS | 0.72 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Rhododendron keiskei</i> Keisk Rhododendron | BS | 0.69 | G2 | 4-5 | 6-7 | | 0.70 | 5 |
| <i>Rhododendron keleticum</i> Lhasa Rhododendron | BS | 0.84 | G2 | 5-6 | 7-8 | | 0.73 | 6 |
| <i>Rhododendron kiusianum</i> Kiusianum Azalea | BS | 0.90 | G2 | 4-6 | 7-8 | | 0.73 | 6 |
| <i>Rhododendron kiusianum</i> 'Album' White Kiusianum Azalea | BS | 1.49 | G2 | 5-6 | 7-8 | | 0.73 | 6 |
| <i>Rhododendron kiusianum</i> 'Komokulshan' Komokulshan Kiusianum Azalea | BS | 0.96 | G2 | 5-6 | 7-8 | | 0.73 | 6 |
| <i>Rhododendron xkosteranum</i> Mollis Hybrid Azalea | BS | 1.68 | G2 | 5-6 | 7-8 | | 2.47 | 4 |
| <i>Rhododendron xlaetevirens</i> Wilson Rhododendron | BS | 2.15 | G2 | 5-6 | 7-8 | | 1.11 | 5 |
| <i>Rhododendron laetum</i> Cream Rhododendron | BS | 1.00 | G2 | 6-10 | 11 | | 1.00 | 10 |
| <i>Rhododendron laetum</i> 'Zoelleri' Zoeller Cream Rhododendron | BS | 1.00 | G2 | 6-10 | 11 | | 1.00 | 10 |
| <i>Rhododendron lapponicum</i> Lapland Rhododendron | BS | 1.00 | G2 | 5-6 | 7-8 | | 1.00 | 2 |
| <i>Rhododendron luteum</i> Pontic Azalea | BS | 0.81 | G2 | 5-6 | 7-8 | | 0.52 | 5 |
| <i>Rhododendron macrophyllum</i> Coast Rhododendron | BS | 0.81 | G2 | 5-6 | 7-8 | | 0.66 | 6 |
| <i>Rhododendron macrosepalum</i> Spider Azalea | BS | 0.86 | G2 | 7-8 | 9 | | 1.00 | 7 |
| <i>Rhododendron macrosepalum</i> 'Koromo Shikibu' Koromo Shikibu Evergreen Azalea | BS | 0.64 | G2 | 7-8 | 9 | | 1.00 | 7 |
| <i>Rhododendron macrosepalum</i> 'Linearifolium' Linearifolium Spider Azalea | BS | 1.08 | G2 | 7-8 | 9 | | 1.00 | 7 |
| <i>Rhododendron maximum</i> Rosebay Rhododendron | BS | 1.55 | G2 | 3-4 | 5-6 | | 0.87 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron maximum</i> var. <i>roseum</i> Pink Rosebay Rhododendron | BS | 1.22 | G2 | 3-4 | 5-6 | | 1.04 | 3 |
| <i>Rhododendron minus</i> Piedmont Rhododendron | BS | 0.97 | G2 | 6 | 7-8 | | 1.13 | 4 |
| <i>Rhododendron mucronulatum</i> Korean Rhododendron | BS | 1.64 | G2 | 5-6 | 7-8 | | 1.25 | 4 |
| <i>Rhododendron mucronulatum</i> 'Cama' Cama Korean Rhododendron | BS | 1.51 | G2 | 5-6 | 7-8 | | 1.25 | 4 |
| <i>Rhododendron mucronulatum</i> 'Cornell Pink' Cornell Pink Korean Rhododendron | BS | 1.45 | G2 | 5-6 | 7-8 | | 1.25 | 4 |
| <i>Rhododendron mucronulatum</i> 'Crater's Edge' Crater's Edge Korean Rhododendron | BS | 1.43 | G2 | 5-6 | 7-8 | | 1.25 | 4 |
| <i>Rhododendron mucronulatum</i> 'Mahogany Red' Mahogany Red Korean Rhododendron | BS | 1.51 | G2 | 5-6 | 7-8 | | 1.25 | 4 |
| <i>Rhododendron x myrtifolium</i> Myrtle Rhododendron | BS | 1.46 | G2 | 5-6 | 7-8 | | 0.93 | 5 |
| <i>Rhododendron myrtilloides</i> See - <i>Rhododendron campylogynum</i> | | | | | | | | |
| <i>Rhododendron nudiflorum</i> See - <i>Rhododendron periclymenoides</i> | | | | | | | | |
| <i>Rhododendron oblongifolium</i> Texas Azalea | BS | 0.91 | G2 | 7 | 8-9 | | 1.00 | 7 |
| <i>Rhododendron obtusum</i> Hiryu Azalea | BS | 1.00 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron occidentale</i> Western Azalea | DS | 1.10 | G2 | 5-6 | 7-8 | | 1.47 | 6 |
| <i>Rhododendron occidentale</i> 'Leonard Frisbie' Leonard Frisbie Western Azalea | BS | 0.89 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron orbiculare</i> Globe Rhododendron | BS | 0.69 | G2 | 5-6 | 7-8 | | 0.70 | 6 |
| <i>Rhododendron periclymenoides</i> Pinxterbloom Deciduous Azalea | DS | 1.23 | G2 | 7 | 8-9 | | 1.47 | 3 |
| <i>Rhododendron ponticum</i> Ponticum Rhododendron | BS | 0.96 | G2 | 5-6 | 7-8 | | 0.99 | 6 |
| <i>Rhododendron ponticum</i> 'Variegatum' Variegated Ponticum Rhododendron | BS | 0.96 | G2 | 5-6 | 7-8 | | 0.99 | 6 |
| <i>Rhododendron prinophyllum</i> Roseshell Deciduous Azalea | DS | 1.44 | G2 | 5-6 | 7-8 | | 1.00 | 4 |
| <i>Rhododendron protistum</i> No Common Name Found | BS | 1.00 | G2 | 7-8 | 9 | | 1.00 | 8 |
| <i>Rhododendron protistum</i> var. <i>giganteum</i> Giganteum Rhododendron | BS | 1.47 | G2 | 7-8 | 9 | | 1.12 | 8 |
| <i>Rhododendron prunifolium</i> Plumleaf Azalea | DS | 1.21 | G2 | 6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron pseudochrysanthemum</i> Chrysanthemum Rhododendron | BS | 1.69 | G2 | 6-7 | 8-10A | | 1.25 | 6 |
| <i>Rhododendron roseum</i> See - <i>Rhododendron prinophyllum</i> | | | | | | | | |
| <i>Rhododendron russatum</i> Royal Alp Rhododendron | BS | 1.00 | G2 | 7-8 | 9-10A | | 1.00 | 5 |
| <i>Rhododendron scabrum</i> Luchu Azalea | BS | 0.53 | G2 | 4-8 | 9 | | 1.00 | 8 |
| <i>Rhododendron schlippenbachii</i> Royal Deciduous Azalea | DS | 1.52 | G2 | 4-5 | 6-7 | | 1.65 | 4 |
| <i>Rhododendron serrulatum</i> Sweet Azalea | BS | 0.95 | G2 | 7 | 8-9 | | 1.00 | 7 |
| <i>Rhododendron simsii</i> Sims Azalea | BS | 0.67 | G2 | 7-8 | 9-10 | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron simsii</i> 'Vittatum' Vittatum Sims Azalea | BS | 0.67 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Rhododendron smirnowii</i> Smirnow Rhododendron | BS | 0.68 | G2 | 4-5 | 6-7 | | 0.64 | 4 |
| <i>Rhododendron subanceolatum</i> See - <i>Rhododendron scabrum</i> | | | | | | | | |
| <i>Rhododendron telmateium</i> Woodelf Rhododendron | BS | 1.00 | G2 | 6-7 | 8-9 | | 1.00 | 6 |
| <i>Rhododendron trichostomum</i> No Common Name Found | BS | 0.77 | G2 | 6-7 | 8-9 | | 0.73 | 6 |
| <i>Rhododendron trichostomum</i> 'Rae Berry' Rae Berry Rhododendron | BS | 0.77 | G2 | 6-7 | 8-9 | | 0.73 | 6 |
| <i>Rhododendron vaseyi</i> Pinkshell Deciduous Azalea | DS | 1.55 | G2 | 7 | 8-9 | | 1.43 | 4 |
| <i>Rhododendron viscosum</i> Swamp Deciduous Azalea | DS | 1.35 | G2 | 7 | 8-9 | | 2.07 | 3 |
| <i>Rhododendron viscosum</i> 'Diorama' Diorama Swamp Deciduous Azalea | DS | 1.93 | G2 | 7 | 8-9 | | 2.39 | 3 |
| <i>Rhododendron viscosum</i> 'Pink Mist' Pink Mist Swamp Deciduous Azalea | DS | 2.51 | G2 | 7 | 8-9 | | 2.23 | 3 |
| <i>Rhododendron williamsianum</i> Williams Rhododendron | BS | 0.77 | G2 | 6-7 | 8-9 | | 0.73 | 7 |
| <i>Rhododendron yedoense</i> var. <i>poukhanense</i> Korean Deciduous Azalea | DS | 0.99 | G2 | 6-7 | 8-9 | | 2.46 | 5 |
| <i>Rhododendron yedoense</i> var. <i>poukhanense</i> 'Compacta' Compact Korean Deciduous Azalea | DS | 1.15 | G2 | 6-7 | 8-9 | | 1.97 | 5 |
| <i>Rhododendron yedoense</i> var. <i>poukhanense</i> 'Kelly Marie' Kelly Marie Deciduous Azalea | DS | 0.85 | G2 | 6-7 | 8-9 | | 2.22 | 5 |
| <i>Rhododendron yedoense</i> var. <i>poukhanense</i> 'Kimberly's Double Pink' Kimberly's Double Pink Korean Deciduous Azalea | DS | 1.13 | G2 | 6-7 | 8 | | 2.22 | 5 |
| <i>Rhododendron yedoense</i> var. <i>poukhanense</i> 'Sweet Sixteen' P.P.A.F. Sweet Sixteen Korean Deciduous Azalea | DS | 1.16 | G2 | 7-8 | 9 | | 2.22 | 5 |
| <i>Rhodohypoxis baurii</i> Red Star | HP | 1.18 | G4 | 8-9 | 10-11 | | | |
| <i>Rhodohypoxis baurii</i> 'Alba' White Red Star | HP | 1.01 | G4 | 8-9 | 10-11 | | | |
| <i>Rhodohypoxis baurii</i> 'Great Scott' Great Scott Red Star | HP | 0.99 | G4 | 8-9 | 10-11 | | | |
| <i>Rhodohypoxis baurii</i> 'Pictus' Pictus Red Star | HP | 0.99 | G4 | 8-9 | 10-11 | | | |
| <i>Rhodohypoxis baurii</i> 'Pintado' Pintado Red Star | HP | 0.99 | G4 | 8-9 | 10-11 | | | |
| <i>Rhodohypoxis baurii</i> 'Tetra Pink' Tetra Pink Red Star | HP | 1.01 | G4 | 8-9 | 10-11 | | | |
| <i>Rhodohypoxis baurii</i> 'Tetra Red' Tetra Red Red Star | HP | 0.90 | G4 | 8-9 | 10-11 | | | |
| <i>Rhodohypoxis baurii</i> 'Tetra White' Tetra White Red Star | HP | 1.01 | G4 | 8-9 | 10-11 | | | |
| <i>Rhodohypoxis baurii</i> var. <i>platypetala</i> Platypetala Red Star | HP | 0.99 | G4 | 8-9 | 10-11 | | | |
| <i>Rhodophiala bifida</i> No Common Name Found | HP | 1.37 | G4 | 7-8 | 9-10A | | | |
| <i>Rhodora canadense</i> See - <i>Rhododendron canadense</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhodotypos scandens</i> Jetbead | DS | 1.02 | G2 | 3-5 | 6-8 | | 0.61 | 5 |
| <i>Rhoeo spathacea</i> See - <i>Tradescantia spathacea</i> | | | | | | | | |
| <i>Rhopaloblaste augusta</i> Nicobar Majestic Palm | PC | 2.42 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Rhopalostylis cheesmanii</i> Kermadec Nikau Palm | PC | 1.00 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Rhopalostylis sapida</i> Feather Duster Palm | PC | 1.00 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Rhus aromatica</i> Fragrant Sumac | DS | 0.95 | G2 | 2-3 | 4-8 | | 0.70 | 3 |
| <i>Rhus aromatica</i> 'Green Globe' Green Globe Fragrant Sumac | DS | 1.38 | G2 | 2-3 | 4-8 | | 0.96 | 3 |
| <i>Rhus aromatica</i> 'Gro-Low' Gro-Low Fragrant Sumac | DS | 0.92 | G2 | 2-3 | 4-8 | | 1.22 | 3 |
| <i>Rhus aromatica</i> 'Konza' Konza Fragrant Sumac | DS | 0.88 | G2 | 2-3 | 4-8 | | 0.96 | 3 |
| <i>Rhus chinensis</i> Chinese Sumac | DS | 0.82 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Rhus chinensis</i> 'September Beauty' September Beauty Chinese Sumac | DS | 0.82 | G2 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Rhus copallina</i> Dwarf Sumac | DS | 0.86 | G2 | 4-5 | 6-9B | | 0.46 | 4 |
| <i>Rhus copallina</i> var. <i>latifolia</i> No Common Name Found | DS | 1.26 | G2 | 4-5 | 6-9B | | 1.00 | 5 |
| <i>Rhus copallina</i> var. <i>latifolia</i> 'Morton' Prairie Flame™ Shining Sumac | DS | 1.26 | G2 | 4-5 | 6-9B | | 1.00 | 5 |
| <i>Rhus copallina</i> var. <i>latifolia</i> 'Prairie Flame' See - <i>Rhus copallina</i> var. <i>latifolia</i> 'Morton' | | | | | | | | |
| <i>Rhus glabra</i> Smooth Sumac | DS | 0.97 | G2 | 2 | 3-7 | | 0.48 | 2 |
| <i>Rhus glabra</i> 'Laciniata' Cutleaf Smooth Sumac | DS | 0.86 | G2 | 2 | 3-7 | | 0.47 | 2 |
| <i>Rhus glabra</i> 'Morden' Morden Smooth Sumac | DS | 0.81 | G2 | 2 | 3-7 | | 0.48 | 2 |
| <i>Rhus glabra</i> var. <i>cismontana</i> Rocky Mountain Smooth Sumac | DS | 0.87 | G2 | 2 | 3-7 | | 1.00 | 2 |
| <i>Rhus integrifolia</i> Lemonade Sumac | BS | 1.16 | G2 | 8-9 | 10 | | 1.00 | 8 |
| <i>Rhus lancea</i> South African Sumac | BE | 1.03 | G2 | 6-9 | 10 | 1.00 | 1.00 | 5 |
| <i>Rhus lanceolata</i> Prairie Sumac | BS | 0.91 | G2 | 8-9 | 10 | | 1.00 | 6 |
| <i>Rhus ovata</i> Sugar Sumac | BS | 0.99 | G2 | 8-9 | 10 | | 1.00 | 6 |
| <i>Rhus trilobata</i> Skunkbush Sumac | DS | 0.82 | G2 | 8-9 | 10 | | 1.64 | 4 |
| <i>Rhus typhina</i> Staghorn Sumac | DS | 0.99 | G2 | 2-3 | 4-7 | | 0.64 | 3 |
| <i>Rhus typhina</i> 'Bailtiger' Tiger Eyes Staghorn Sumac | DS | 1.30 | G2 | 2-3 | 4-7 | | 0.94 | 3 |
| <i>Rhus typhina</i> 'Dissecta' Dissecta Staghorn Sumac | DS | 1.10 | G2 | 2-3 | 4-7 | | 0.94 | 3 |
| <i>Rhus typhina</i> 'Laciniata' Cutleaf Staghorn Sumac | DS | 1.00 | G2 | 2-3 | 4-7 | | 1.24 | 3 |
| <i>Rhus typhina</i> 'Tiger Eyes' See - <i>Rhus typhina</i> 'Bailtiger' | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhus virens</i> Evergreen Sumac | BS | 0.75 | G2 | 8-9 | 10 | | 1.00 | 8 |
| <i>Rhynchospermum asiaticum</i> See - <i>Trachelospermum asiaticum</i> | | | | | | | | |
| <i>Rhynchospermum jasminoides</i> See - <i>Trachelospermum jasminoides</i> | | | | | | | | |
| <i>Rhynchospora colorata</i> White Top Sedge | HP | 1.08 | G4 | 8 | 9-10 | | | |
| <i>Rhynchosstylis</i> Foxtail Orchid | FO | 1.46 | G3 | 10 | 11 | | 1.00 | 10 |
| <i>Ribes</i> No Common Name Found | DS | 1.00 | G2 | 2-4 | 5-7 | | 1.00 | 4 |
| <i>Ribes</i> 'Black Velvet' Black Velvet Gooseberry | DS | 1.00 | G2 | 2-4 | 5-7 | | 1.00 | 4 |
| <i>Ribes alpinum</i> Alpine Currant | DS | 0.84 | G2 | 2-3 | 4-7 | | 1.02 | 2 |
| <i>Ribes alpinum</i> 'Aureum' Yellowleaf Alpine Currant | DS | 1.14 | G2 | 2 | 3-7 | | 1.12 | 2 |
| <i>Ribes alpinum</i> 'Europa' European Alpine Currant | DS | 0.75 | G2 | 2 | 3-7 | | 1.10 | 2 |
| <i>Ribes alpinum</i> 'Green Jeans' See - <i>Ribes alpinum</i> 'Spreg' | | | | | | | | |
| <i>Ribes alpinum</i> 'Green Mound' Green Mound Alpine Currant | DS | 1.00 | G2 | 2 | 3-7 | | 1.37 | 2 |
| <i>Ribes alpinum</i> 'Pumilum' Early Alpine Currant | DS | 0.84 | G2 | 2 | 3-7 | | 1.12 | 2 |
| <i>Ribes alpinum</i> 'Spreg' Green Jeans™ Alpine Currant | DS | 1.37 | G2 | 1-2 | 3-7 | | 0.97 | 2 |
| <i>Ribes aureum</i> Golden Currant | DS | 1.03 | G2 | 2 | 3-7 | | 1.00 | 2 |
| <i>Ribes aureum</i> var. <i>gracillimum</i> California Golden Currant | DS | 0.72 | G2 | 2 | 3-7 | | 1.00 | 2 |
| <i>Ribes californicum</i> California Currant | DS | 1.09 | G2 | 6-7 | 8-9 | | 1.00 | 6 |
| <i>Ribes cereum</i> Squaw Currant | DS | 0.90 | G2 | 3-4 | 5-7 | | 2.58 | 4 |
| <i>Ribes divaricatum</i> Straggly Gooseberry | DS | 1.06 | G2 | 3-4 | 5-6 | | 1.00 | 4 |
| <i>Ribes hirtellum</i> Hairystem Gooseberry | DS | 0.81 | G2 | 3-4 | 5-7 | | 1.00 | 4 |
| <i>Ribes hirtellum</i> 'Hinnomaki Red' Hinnomaki Red Gooseberry | SF | 1.00 | G2 | 3-4 | 5-7 | | 2.79 | 4 |
| <i>Ribes hirtellum</i> 'Hinnomaki Yellow' Hinnomaki Yellow Gooseberry | SF | 0.84 | G2 | 3-4 | 5-7 | | 2.79 | 4 |
| <i>Ribes hirtellum</i> 'Oregon Champion' Oregon Champion Gooseberry | SF | 0.59 | G2 | 3-4 | 5-7 | | 2.79 | 4 |
| <i>Ribes hirtellum</i> 'Pixwell' Pixwell Gooseberry | SF | 0.94 | G2 | 3-4 | 5-7 | | 2.79 | 4 |
| <i>Ribes indecorum</i> White-flowered Currant | DS | 0.85 | G2 | 7-8 | 9 | | 1.00 | 5 |
| <i>Ribes malvaceum</i> Chaparral Currant | DS | 1.41 | G2 | 7-8 | 9 | | 1.00 | 7 |
| <i>Ribes nigrum</i> Black Currant | SF | 0.89 | G2 | 3-4 | 5-7 | | 1.00 | 3 |
| <i>Ribes nigrum</i> 'Alagan' Alagan Black Currant | SF | 0.95 | G2 | 3-4 | 5-7 | | 1.00 | 3 |
| <i>Ribes nigrum</i> 'Boskoop Giant' Boskoop Giant Black Currant | SF | 0.92 | G2 | 3-4 | 5-7 | | 1.00 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Ribes nigrum</i> 'Crusader' Crusader Black Currant | DS | 0.64 | G2 | 3-4 | 5-7 | | 1.00 | 3 |
| <i>Ribes nigrum</i> 'Swedish Black' Swedish Black Currant | SF | 0.92 | G2 | 3-4 | 5-7 | | 1.00 | 3 |
| <i>Ribes odoratum</i> Clove Currant | SF | 0.99 | G2 | 4-5 | 6-8 | | 1.27 | 5 |
| <i>Ribes sanguineum</i> Winter Currant | DS | 1.05 | G2 | 4-6 | 7-8 | | 0.88 | 6 |
| <i>Ribes sanguineum</i> 'Album' White Winter Currant | DS | 0.97 | G2 | 4-6 | 7-8 | | 0.83 | 6 |
| <i>Ribes sanguineum</i> 'Barrie Coate' Barrie Coate Winter Currant | DS | 0.97 | G2 | 4-6 | 7-8 | | 0.83 | 6 |
| <i>Ribes sanguineum</i> 'Brocklebankii' Brocklebank Winter Currant | DS | 0.97 | G2 | 4-6 | 7-8 | | 0.83 | 6 |
| <i>Ribes sanguineum</i> 'Claremont' Claremont Winter Currant | DS | 0.78 | G2 | 4-6 | 7-8 | | 0.83 | 6 |
| <i>Ribes sanguineum</i> 'Elk River Red' Elk River Red Winter Currant | DS | 1.07 | G2 | 4-6 | 7-8 | | 0.83 | 6 |
| <i>Ribes sanguineum</i> 'King Edward VII' King Edward VII Winter Currant | DS | 1.00 | G2 | 4-6 | 7-8 | | 0.77 | 6 |
| <i>Ribes sanguineum</i> 'Pulborough Scarlet' Pulborough Scarlet Winter Currant | DS | 1.10 | G2 | 4-6 | 7-8 | | 0.83 | 6 |
| <i>Ribes sanguineum</i> 'Spring Showers' Spring Showers Winter Currant | DS | 0.75 | G2 | 4-6 | 7-8 | | 0.83 | 6 |
| <i>Ribes sanguineum</i> 'White Icicle' White Icicle Winter Currant | DS | 1.00 | G2 | 4-6 | 7-8 | | 0.83 | 6 |
| <i>Ribes sativum</i> See - <i>Ribes silvestre</i> | | | | | | | | |
| <i>Ribes silvestre</i> Red Currant | DS | 1.00 | G2 | 4-5 | 6-8 | | 1.00 | 3 |
| <i>Ribes silvestre</i> 'Cherry' Cherry Red Currant | DS | 1.00 | G2 | 4-5 | 6-8 | | 1.00 | 3 |
| <i>Ribes silvestre</i> 'Perfection' Perfection Common Currant | SF | 0.99 | G2 | 4-5 | 6-8 | | 2.65 | 3 |
| <i>Ribes silvestre</i> 'Red Lake' Red Lake Common Currant | SF | 0.99 | G2 | 4-5 | 6-8 | | 2.39 | 3 |
| <i>Ribes silvestre</i> 'Wilder' Wilder Common Currant | SF | 0.99 | G2 | 4-5 | 6-8 | | 2.52 | 3 |
| <i>Ribes speciosum</i> Pink-flowering Gooseberry | BS | 0.96 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Ribes triste</i> American Red Currant | SF | 1.00 | G2 | 2 | 3-7 | | 0.95 | 2 |
| <i>Ribes triste</i> 'Holland Long Bunch' Holland Long Bunch Red Currant | SF | 1.00 | G2 | 2 | 3-7 | | 0.95 | 2 |
| <i>Ribes triste</i> 'White Imperial' White Imperial Red Currant | SF | 1.00 | G2 | 2 | 3-7 | | 0.95 | 2 |
| <i>Ribes uva-crispa</i> European Gooseberry | SF | 0.89 | G2 | 3-4 | 5-6 | | 1.00 | 3 |
| <i>Ribes uva-crispa</i> 'Red Jacket' Red Jacket European Gooseberry | SF | 0.89 | G2 | 3-4 | 5-6 | | 1.00 | 3 |
| <i>Ribes viburnifolium</i> Catalina Currant | BS | 0.82 | G2 | 7-9 | 10 | | 1.00 | 9 |
| <i>Rivina humilis</i> Rouge Plant | HP | 0.68 | G2 | 7-9 | 10-11 | | | |
| <i>Robinia</i> Locust | DT | 0.95 | G2 | 3-5 | 6-8 | 1.12 | 1.00 | 3 |
| <i>Robinia</i> 'Idaho' Idaho Locust | DT | 0.95 | G2 | 3-5 | 6-8 | 1.12 | 1.00 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Robinia xambigua</i> Hybrid Locust | DT | 1.00 | G2 | 3-5 | 6-8 | 1.00 | 1.00 | 3 |
| <i>Robinia hispida</i> Roseacacia | DS | 1.67 | G2 | 3-5 | 6-7 | | 1.00 | 5 |
| <i>Robinia hispida</i> 'Macrophylla' Smooth Roseacacia | DS | 1.67 | G2 | 3-5 | 6-7 | | 1.00 | 5 |
| <i>Robinia neomexicana</i> New Mexico Locust | DS | 0.91 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Robinia pseudoacacia</i> Black Locust | DT | 0.93 | G2 | 2-3 | 4-9 | 0.69 | 0.27 | 3 |
| <i>Robinia pseudoacacia</i> 'Bessoniana' Bessoniana Black Locust | DT | 0.92 | G2 | 2-3 | 4-9 | 0.98 | 1.30 | 3 |
| <i>Robinia pseudoacacia</i> 'Frisia' Frisia Black Locust | DT | 1.06 | G2 | 2-3 | 4-9 | 0.97 | 1.30 | 3 |
| <i>Robinia pseudoacacia</i> 'Inermis' Thornless Black Locust | DT | 1.05 | G2 | 2-3 | 4-9 | 0.90 | 1.30 | 3 |
| <i>Robinia pseudoacacia</i> 'Lace Lady' P.P. 9771 Twisty Baby™ Black Locust | DT | 1.60 | G2 | 2-3 | 4-9 | 0.93 | 2.32 | 3 |
| <i>Robinia pseudoacacia</i> 'Purple Crown' P.P. 7731 Purple Crown Black Locust | DT | 1.01 | G2 | 2-3 | 4-9 | 1.05 | 1.30 | 3 |
| <i>Robinia pseudoacacia</i> 'Purple Robe' Purple Robe™ Black Locust | DT | 1.04 | G2 | 2-3 | 4-9 | 1.07 | 1.30 | 3 |
| <i>Robinia pseudoacacia</i> 'Pyramidalis' Pyramidal Black Locust | DT | 0.72 | G2 | 2-3 | 4-9 | 0.98 | 1.30 | 3 |
| <i>Robinia pseudoacacia</i> 'Twisty Baby' See - <i>Robinia pseudoacacia</i> 'Lace Lady' P.P. 9771 | | | | | | | | |
| <i>Robinia pseudoacacia</i> 'Umbraculifera' Mushroom Black Locust | DT | 1.04 | G2 | 2-3 | 4-9 | 1.28 | 1.30 | 3 |
| <i>Rodgersia aesculifolia</i> Fingerleaf Rodgersia | HP | 1.07 | G4 | 5 | 6-8 | | | |
| <i>Rodgersia henrici</i> No Common Name Found | HP | 1.12 | G4 | 5-6 | 7-8 | | | |
| <i>Rodgersia pinnata</i> Featherleaf Rodger's Flower | HP | 1.36 | G4 | 5 | 6-8 | | | |
| <i>Rodgersia pinnata</i> 'Alba' White Featherleaf Rodger's Flower | HP | 1.35 | G4 | 5 | 6-8 | | | |
| <i>Rodgersia pinnata</i> 'Elegans' Elegans Featherleaf Rodger's Flower | HP | 1.25 | G4 | 5 | 6-8 | | | |
| <i>Rodgersia pinnata</i> 'Superba' Superba Featherleaf Rodger's Flower | HP | 1.45 | G4 | 5 | 6-8 | | | |
| <i>Rodgersia podophylla</i> Bronzeleaf Rodger's Flower | HP | 1.00 | G4 | 5 | 6-8 | | | |
| <i>Rodgersia sambucifolia</i> No Common Name Found | HP | 1.09 | G4 | 5 | 6-8 | | | |
| <i>Rodgersia tabularis</i> See - <i>Astilboides tabularis</i> | | | | | | | | |
| <i>Rodriguezia lehmannii</i> No Common Name Found | FO | 1.00 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Rohdea japonica</i> Sacred Lily | HP | 1.19 | G4 | 6-7 | 8-9 | | | |
| <i>Rohdea japonica</i> 'Miyako No Jo' Miyako No Jo Sacred Lily | HP | 4.08 | G4 | 6-7 | 8-9 | | | |
| <i>Romneya coulteri</i> Matilija Poppy | HP | 1.34 | G2 | 6-7 | 8-9 | | | |
| <i>Romneya coulteri</i> var. <i>trichocalyx</i> No Common Name Found | HP | 1.57 | G2 | 6-7 | 8-9 | | | |
| <i>Romneya coulteri</i> var. <i>trichocalyx</i> 'White Cloud' White Cloud Matilija Poppy | HP | 0.95 | G2 | 6-7 | 8-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Rondeletia</i> | BS | 0.86 | G1 | 10 | 11 | | 1.00 | 10 |
| Rondeletia | | | | | | | | |
| <i>Rondeletia</i> 'Splendens' | BS | 0.86 | G1 | 10 | 11 | | 1.00 | 10 |
| Splendens <i>Rondeletia</i> | | | | | | | | |
| <i>Rondeletia leucophylla</i> | BS | 0.87 | G1 | 5-10 | 11 | | 1.00 | 10 |
| Panama Rose | | | | | | | | |
| <i>Rosa</i> | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| Rose | | | | | | | | |
| <i>Rosa</i> 'A Shropshire Lad' | | | | | | | | |
| See - <i>Rosa</i> 'AUSled' | | | | | | | | |
| <i>Rosa</i> 'AC De Montarville' P.P. 11635 | RO | 1.17 | G2 | 2-3 | 4-9 | | 1.54 | 3 |
| De Montarville Kordesii Shrub Rose | | | | | | | | |
| <i>Rosa</i> 'AC William Booth' | RO | 1.17 | G2 | 2-3 | 4-9 | | 1.54 | 3 |
| William Booth Shrub Rose | | | | | | | | |
| <i>Rosa</i> 'AROCad' P.P. 5168 | RO | 0.90 | G2 | 2-6 | 7-10B | | 1.54 | 6 |
| Brandy™ Hybrid Tea Rose | | | | | | | | |
| <i>Rosa</i> 'AROcharm' | RO | 0.77 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Origami Floribunda Rose | | | | | | | | |
| <i>Rosa</i> 'AROmiclea' P.P. 6121 | RO | 0.81 | G2 | 2-6 | 7-10B | | 1.54 | 6 |
| Voodoo™ Hybrid Tea Rose | | | | | | | | |
| <i>Rosa</i> 'AROplumi' | RO | 1.00 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Fragrant Plum Grandiflora Rose | | | | | | | | |
| <i>Rosa</i> 'AROyqueli' P.P. 5177 | RO | 0.90 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Gold Medal® Grandiflora Rose | | | | | | | | |
| <i>Rosa</i> 'AUSbloom' P.P. 8677 | RO | 1.22 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| The Dark Lady Shrub Rose | | | | | | | | |
| <i>Rosa</i> 'AUSblush' | RO | 1.24 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Heritage™ English Rose | | | | | | | | |
| <i>Rosa</i> 'AUSbuss' | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| English Garden™ English Rose | | | | | | | | |
| <i>Rosa</i> 'AUSca' P.P.A.F. | RO | 1.22 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Fair Bianca® English Rose | | | | | | | | |
| <i>Rosa</i> 'AUScot' | RO | 1.24 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Abraham Darby™ English Rose | | | | | | | | |
| <i>Rosa</i> 'AUScrim' P.P. 8154 | RO | 0.95 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| L.D. Braithwaite™ English Rose | | | | | | | | |
| <i>Rosa</i> 'AUSglobe' P.P. 8681 | RO | 1.17 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Brother Cadfael™ Shrub Rose | | | | | | | | |
| <i>Rosa</i> 'AUSled' | RO | 1.41 | G2 | 2-6 | 7-10B | | 1.54 | 6 |
| A Shropshire Lad Shrub Rose | | | | | | | | |
| <i>Rosa</i> 'AUSlo' P.P. 7212 | RO | 1.10 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Othello™ English Rose | | | | | | | | |
| <i>Rosa</i> 'AUSmak' P.P. 9526 | RO | 1.41 | G2 | 2-6 | 7-10 | | 1.54 | 6 |
| Eglantyne Shrub Rose | | | | | | | | |
| <i>Rosa</i> 'AUSmary' P.P.A.F. | RO | 1.07 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Mary Rose™ English Rose | | | | | | | | |
| <i>Rosa</i> 'AUSmas' | RO | 1.25 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Graham Thomas™ English Rose | | | | | | | | |
| <i>Rosa</i> 'AUSmum' P.P. 9527 | RO | 1.41 | G2 | 2-3 | 4-10B | | 1.54 | 3 |
| Pat Austin™ Shrub Rose | | | | | | | | |
| <i>Rosa</i> 'AUSpoly' P.P. 9008 | RO | 1.17 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Charlotte™ Shrub Rose | | | | | | | | |
| <i>Rosa</i> 'Abbaye de Cluny' | | | | | | | | |
| See - <i>Rosa</i> 'MEIbrinpay' P.P. 9609 | | | | | | | | |
| <i>Rosa</i> 'Abraham Darby' | | | | | | | | |
| See - <i>Rosa</i> 'AUScot' | | | | | | | | |
| <i>Rosa</i> 'Acadia Sunrise' | | | | | | | | |
| See - <i>Rosa</i> 'BALrise' | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rosa</i> 'Acadia' See - <i>Rosa</i> 'POULymp' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Adelaide Hoodless' Adelaide Hoodless Shrub Rose | RO | 0.91 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Agnes' Agnes Rugosa Rose | RO | 0.89 | G2 | 2-3 | 4-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Alba Meidiland' See - <i>Rosa</i> 'MElflopan' P.P. 6891 | | | | | | | | |
| <i>Rosa</i> 'Alchymist' Alchymist Climbing Rose | RO | 1.00 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Alexander Mackenzie' Alexander Mackenzie Shrub Rose | RO | 1.03 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'All Ablaze' See - <i>Rosa</i> 'WEKsamsou' P.P. 13107 | | | | | | | | |
| <i>Rosa</i> 'All That Jazz' See - <i>Rosa</i> 'TWOadvance' P.P. 7978 | | | | | | | | |
| <i>Rosa</i> 'Altissimo' Altissimo Climbing Rose | RO | 0.90 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Amalia' See - <i>Rosa</i> 'MElcauf' P.P. 7718 | | | | | | | | |
| <i>Rosa</i> 'Ambassador' See - <i>Rosa</i> 'MElnuzeten' P.P. 4224 | | | | | | | | |
| <i>Rosa</i> 'Amber Flash' See - <i>Rosa</i> 'WILDak' P.P. 5271 | | | | | | | | |
| <i>Rosa</i> 'Amber Queen' Amber Queen Floribunda Rose | RO | 0.73 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Ambridge Rose' Ambridge Rose English Rose | RO | 1.23 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'America' America Climbing Rose | RO | 1.05 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Americana' Americana Hybrid Tea Rose | RO | 1.02 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| <i>Rosa</i> 'Angel Face Climbing' Angel Face Climbing Rose | RO | 1.08 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Angel Face' Angel Face Floribunda Rose | RO | 0.81 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Anthony Meiland' See - <i>Rosa</i> 'MElbaltaz' P.P. 8449 | | | | | | | | |
| <i>Rosa</i> 'April Moon' April Moon Shrub Rose | RO | 1.49 | G2 | 2-6 | 7-10B | | 1.54 | 6 |
| <i>Rosa</i> 'Arizona' Arizona Grandiflora Rose | RO | 0.72 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Arlene Francis' Arlene Francis Hybrid Tea Rose | RO | 0.77 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| <i>Rosa</i> 'Artistry' See - <i>Rosa</i> 'JACirst' P.P. 10230 | | | | | | | | |
| <i>Rosa</i> 'Assininoine' Assininoine Shrub Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Auguste Renoir' See - <i>Rosa</i> 'MEltoifar' P.P. 9564 | | | | | | | | |
| <i>Rosa</i> 'Aunt Honey' Aunt Honey Shrub Rose | RO | 0.98 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Autumn Sunblaze' See - <i>Rosa</i> 'MElferjac' P.P. 9562 | | | | | | | | |
| <i>Rosa</i> 'Autumn Sunset' Autumn Sunset® Climbing Rose | RO | 1.29 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'BAlcker' P.P.A.F. Firecracker Garden Jubilee™ Shrub Rose | RO | 1.11 | G2 | 2-4 | 5-10 | | 1.54 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| Rosa 'BAIcream' P.P.A.F. Macy's Pride™ Garden Art™ Shrub Rose | RO | 1.06 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'BAIeam' P.P.A.F. DayDream™ Shrub Rose | RO | 1.20 | G2 | 2-5 | 6-10B | | 1.54 | 4 |
| Rosa 'BAIeye' P.P.A.F. Golden Eye Garden Jubilee™ Shrub Rose | RO | 1.15 | G2 | 2-5 | 6-10B | | 1.54 | 4 |
| Rosa 'BAIface' P.P.A.F. Funny Face® Garden Jubilee™ Shrub Rose | RO | 1.11 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'BAIfair' P.P.A.F. Mystic Fairy® Garden Path™ Shrub Rose | RO | 1.11 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'BAIhero' P.P.A.F. My Hero Lifestyle Garden™ Shrub Rose | RO | 1.11 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'BAIief' P.P.A.F. Little Mischief Garden Path™ Shrub Rose | RO | 1.15 | G2 | 2-5 | 6-10B | | 1.54 | 4 |
| Rosa 'BAIine' P.P.A.F. Yellow Submarine Garden Art™ Shrub Rose | RO | 1.15 | G2 | 2-5 | 6-10B | | 1.54 | 4 |
| Rosa 'BAIing' P.P.A.F. Grandma's Blessing Garden Art™ Shrub Rose | RO | 1.09 | G2 | 2-5 | 6-10B | | 1.54 | 4 |
| Rosa 'BAIkye' P.P.A.F. Sierra Skye Garden Jubilee™ Shrub Rose | RO | 1.11 | G2 | 2-5 | 6-10B | | 1.54 | 4 |
| Rosa 'BAInder' P.P.A.F. Hot Wonder Garden Jubilee™ Shrub Rose | RO | 1.11 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'BAIngo' P.P.A.F. Last Tango Garden Art™ Shrub Rose | RO | 1.09 | G2 | 2-5 | 6-10B | | 1.54 | 4 |
| Rosa 'BAIoi' P.P.A.F. Orange Impressionist™ Garden Art™ Shrub Rose | RO | 1.11 | G2 | 2-5 | 6-10 | | 1.54 | 5 |
| Rosa 'BAIoon' P.P.A.F. Tahitian Moon Lifestyle Garden™ Shrub Rose | RO | 1.15 | G2 | 2-5 | 6-10B | | 1.54 | 4 |
| Rosa 'BAIore' P.P.A.F. Northern Encore™ Shrub Rose | RO | 1.12 | G2 | 2-5 | 6-10B | | 1.54 | 4 |
| Rosa 'BAIpeace' P.P.A.F. Love & Peace™ Hybrid Tea Rose | RO | 1.14 | G2 | 4-5 | 6-10B | | 1.54 | 5 |
| Rosa 'BAIpome' P.P.A.F. Pink Gnome Garden Path™ Shrub Rose | RO | 1.15 | G2 | 4-5 | 6-10B | | 1.54 | 4 |
| Rosa 'BAIrise' Acadia Sunrise Hybrid Tea Rose | RO | 1.14 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| Rosa 'BAIset' P.P.A.F. Sunrise Sunset Garden Path™ Shrub Rose | RO | 1.15 | G2 | 2-5 | 6-10B | | 1.54 | 4 |
| Rosa 'BAI' P.P.A.F. Salmon Impressionist™ Garden Art™ Shrub Rose | RO | 1.11 | G2 | 4-5 | 6-10B | | 1.54 | 5 |
| Rosa 'BENblack' P.P. 5925 Black Jade™ Miniature Rose | RO | 0.96 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'BUCbi' P.P. 4225 Carefree Beauty™ Shrub Rose | RO | 0.92 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'BURway' P.P. 5827 Broadway Hybrid Tea Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Baby Betsy McCall' Baby Betsy McCall Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| Rosa 'Baby Blanket' See - Rosa 'KORfullwind' P.P. 8872 | RO | 0.91 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'Baby Darling' Baby Darling Miniature Rose | RO | 0.91 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'Baby Love' See - Rosa 'SCRiuv' P.P.A.F. | RO | 0.90 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'Baby Paradise' See - Rosa 'MEIfovett' P.P.A.F. | RO | 0.90 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'Ballerina' Ballerina Shrub Rose | RO | 0.90 | G2 | 4-5 | 6-10 | | 1.54 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rosa</i> 'Barbara Bush' See - <i>Rosa</i> 'JACbush' P.P. 7542 | | | | | | | | |
| <i>Rosa</i> 'Barbra Streisand' See - <i>Rosa</i> 'WEKquaneze' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Beauty Secret' Beauty Secret Miniature Rose | RO | 0.96 | G2 | 5-6 | 7-9A | | 1.54 | 4 |
| <i>Rosa</i> 'Belinda's Dream' Belinda's Dream Shrub Rose | RO | 0.90 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Belle Poitevine' Belle Poitevine Rugosa Rose | RO | 0.93 | G2 | 2-3 | 4-10B | | 2.26 | 3 |
| <i>Rosa</i> 'Bermuda Spice' Bermuda Spice Rose | RO | 0.57 | G2 | 2-8 | 9-10 | | 1.54 | 7 |
| <i>Rosa</i> 'Berries 'n' Cream' See - <i>Rosa</i> 'POUclimb' P.P. 10639 | | | | | | | | |
| <i>Rosa</i> 'Betty Boop' See - <i>Rosa</i> 'WEKplapic' P.P. 11517 | | | | | | | | |
| <i>Rosa</i> 'Betty Prior' Betty Prior Floribunda Rose | RO | 0.83 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Bing Crosby' P.P. 4695 Bing Crosby Hybrid Tea Rose | RO | 0.98 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Black Jade' See - <i>Rosa</i> 'BENblack' P.P. 5925 | | | | | | | | |
| <i>Rosa</i> 'Blanc Double de Coubert' Blanc Double de Coubert Rugosa Rose | RO | 0.89 | G2 | 2-3 | 4-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Blaze' Blaze Climbing Rose | RO | 1.08 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Blue Girl' Blue Girl Climbing Hybrid Tea Rose | RO | 0.96 | G2 | 4-7 | 8-10B | | 1.54 | 7 |
| <i>Rosa</i> 'Blue Nile' See - <i>Rosa</i> 'DELnible' P.P. 4671 | | | | | | | | |
| <i>Rosa</i> 'Blueberry Hill' See - <i>Rosa</i> 'WEKcryplag' P.P. 10072 | | | | | | | | |
| <i>Rosa</i> 'Blushing Knock Out' See - <i>Rosa</i> 'RADyod' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Bob Hope' Bob Hope Hybrid Tea Rose | RO | 0.90 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| <i>Rosa</i> 'Bonanza' See - <i>Rosa</i> 'KORmarie' | | | | | | | | |
| <i>Rosa</i> 'Bonica Meidiland' See - <i>Rosa</i> 'MEldomonac' P.P. 5105 | | | | | | | | |
| <i>Rosa</i> 'Brandy' See - <i>Rosa</i> 'AROCad' P.P. 5168 | | | | | | | | |
| <i>Rosa</i> 'Brass Band' See - <i>Rosa</i> 'JACcofl' P.P. 9171 | | | | | | | | |
| <i>Rosa</i> 'Brian Donn' Brian Donn Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'Bridal Pink' See - <i>Rosa</i> 'JACbri' | | | | | | | | |
| <i>Rosa</i> 'Bridal Sunblaze' See - <i>Rosa</i> 'MEllmera' P.P. 10002 | | | | | | | | |
| <i>Rosa</i> 'Brigadoon' Brigadoon Hybrid Tea Rose | RO | 0.81 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Brilliant Pink Iceberg' See - <i>Rosa</i> 'PRObril' P.P. 12645 | | | | | | | | |
| <i>Rosa</i> 'Broadway' See - <i>Rosa</i> 'BURway' P.P. 5827 | | | | | | | | |
| <i>Rosa</i> 'Bronze Star' See - <i>Rosa</i> 'WEZaprt' P.P.A.F. | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| Rosa 'Brother Cadfael' See - Rosa 'AUSglobe' P.P. 8681 | | | | | | | | |
| Rosa 'Buff Beauty' Buff Beauty Hybrid Musk Rose | RO | 1.01 | G2 | 4-6 | 7-9 | | 1.54 | 6 |
| Rosa 'COCdestin' Remember Me Hybrid Tea Rose | RO | 1.13 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| Rosa 'Cal Poly' See - Rosa 'MORpoly' P.P. 8453 | | | | | | | | |
| Rosa 'Caldwell Pink' Caldwell Pink Polyantha Rose | RO | 0.81 | G2 | 2-6 | 7-10B | | 1.54 | 6 |
| Rosa 'Cambridge' See - Rosa 'POULrust' P.P.A.F. | | | | | | | | |
| Rosa 'Candelabra' See - Rosa 'JACcinqo' P.P. 11016 | | | | | | | | |
| Rosa 'Candy Stripe' Candy Stripe Hybrid Tea Rose | RO | 0.74 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Candy Sunblaze' See - Rosa 'MEldanclar' P.P. 7621 | | | | | | | | |
| Rosa 'Cape Cod' See - Rosa 'POULfan' P.P. 9641 | | | | | | | | |
| Rosa 'Captain Samuel Holland' Captain Samuel Holland Climbing Rose | RO | 1.22 | G2 | 4-5 | 6-10 | | 1.54 | 3 |
| Rosa 'Cardinal Song' See - Rosa 'MEImouslin' P.P. 8847 | | | | | | | | |
| Rosa 'Carefree Beauty' See - Rosa 'BUCbi' P.P. 4225 | | | | | | | | |
| Rosa 'Carefree Delight' See - Rosa 'MEIpotal' P.P. 8841 | | | | | | | | |
| Rosa 'Carefree Marvel' See - Rosa 'MEIrameca' P.P.A.F. | | | | | | | | |
| Rosa 'Carefree Sunshine' See - Rosa 'RADsun' P.P. 13063 | | | | | | | | |
| Rosa 'Carefree Wonder' See - Rosa 'MEIpitac' P.P. 7783 | | | | | | | | |
| Rosa 'Caribbean' See - Rosa 'KORbirac' P.P. 8592 | | | | | | | | |
| Rosa 'Carmenetta' Carmenetta Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Caroline de Monaco' See - Rosa 'MEIpierar' P.P. 7622 | | | | | | | | |
| Rosa 'Carrousel' Carrousel Grandiflora Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Cary Grant' See - Rosa 'MEImainger' P.P. 6792 | | | | | | | | |
| Rosa 'Cathedral' Cathedral Floribunda Rose | RO | 0.76 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'Cecile Brunner' Cecile Brunner Polyantha Rose | RO | 0.85 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Celebrity' See - Rosa 'VERolwek' P.P. 7264 | | | | | | | | |
| Rosa 'Centennial Star' See - Rosa 'MEInerau' P.P. 10668 | | | | | | | | |
| Rosa 'Century Two' Century Two Hybrid Tea Rose | RO | 0.77 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'Champlain' Champlain Shrub Rose | RO | 1.03 | G2 | 2-4 | 5-10B | | 1.30 | 3 |
| Rosa 'Charles Albanel' Charles Albanel Rugosa Rose | RO | 1.02 | G2 | 2-3 | 4-10B | | 1.54 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rosa</i> 'Charles Austin' Charles Austin English Rose | RO | 1.24 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Charles Aznavour' See - <i>Rosa</i> 'MEIbeusai' P.P. 7667 | | | | | | | | |
| <i>Rosa</i> 'Charlotte Armstrong' Charlotte Armstrong Hybrid Tea Rose | RO | 0.99 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| <i>Rosa</i> 'Charlotte' See - <i>Rosa</i> 'AUSpoly' P.P. 9008 | | | | | | | | |
| <i>Rosa</i> 'Cheers' Cheers Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'Cherry Meidiland' See - <i>Rosa</i> 'MEIrumour' P.P. 9251 | | | | | | | | |
| <i>Rosa</i> 'Cherry Parfait' See - <i>Rosa</i> 'MEIsponge' P.P. 12802 | | | | | | | | |
| <i>Rosa</i> 'Cherry Sunblaze' See - <i>Rosa</i> 'MEIbokarb' P.P. 8448 | | | | | | | | |
| <i>Rosa</i> 'Chicago Peace' Chicago Peace Hybrid Tea Rose | RO | 0.91 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Chihuly' See - <i>Rosa</i> 'WEKscemala' P.P. 15076 | | | | | | | | |
| <i>Rosa</i> 'China Doll' China Doll Polyantha Rose | RO | 0.93 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| <i>Rosa</i> 'Chipper' Chipper Miniature Rose | RO | 0.91 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| <i>Rosa</i> 'Christian Dior' Christian Dior Tea Rose | RO | 0.89 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Christopher Columbus' See - <i>Rosa</i> 'MEIronsse' P.P. 8496 | | | | | | | | |
| <i>Rosa</i> 'Chrysler Imperial' Chrysler Imperial Hybrid Tea Rose | RO | 0.78 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Chuckles' Chuckles Polyantha Rose | RO | 0.90 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Cinderella' Cinderella Miniature Rose | RO | 0.80 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'Circus' Circus Floribunda Rose | RO | 0.87 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Class Act' Class Act Floribunda Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Colette' See - <i>Rosa</i> 'MEIroupis' P.P. 9994 | | | | | | | | |
| <i>Rosa</i> 'Colleen Mary' See - <i>Rosa</i> 'MEIkentuk' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Comsilk' Comsilk Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'Comtesse de Provence' See - <i>Rosa</i> 'MEIbacus' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Constance Spry' Constance Spry English Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Coral Meidiland' See - <i>Rosa</i> 'MEIppopol' P.P. 9777 | | | | | | | | |
| <i>Rosa</i> 'Countess Celeste' See - <i>Rosa</i> 'POULDron' P.P. 10923 | | | | | | | | |
| <i>Rosa</i> 'Country Dancer' Country Dancer Shrub Rose | RO | 0.98 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Cramoisi Superieur' Cramoisi Superieur China Rose | RO | 0.93 | G2 | 5-7 | 8-9A | | 1.54 | 7 |
| <i>Rosa</i> 'Cricri' Cricri Miniature Rose | RO | 0.91 | G2 | 5-6 | 7-9A | | 1.54 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Rosa</i> 'Crimson Bouquet' See - <i>Rosa</i> 'KORbeteilich' P.P. 12001 | | | | | | | | |
| <i>Rosa</i> 'Crimson Gem' Crimson Gem Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'Crimson Glory' Crimson Glory Hybrid Tea Rose | RO | 0.99 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Crowd Pleaser' See - <i>Rosa</i> 'WEKchrisg' P.P. 14138 | | | | | | | | |
| <i>Rosa</i> 'Cupcake' Cupcake Miniature Rose | RO | 0.80 | G2 | 5-6 | 7-9A | | 1.54 | 4 |
| <i>Rosa</i> 'Cuthbert Grant' Cuthbert Grant Shrub Rose | RO | 0.96 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Cuyahoga' See - <i>Rosa</i> 'POULbella' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'DELegran' Grand Siecle Hybrid Tea Rose | RO | 1.13 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'DELnible' P.P. 4671 Blue Nile Hybrid Tea Rose | RO | 0.94 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'DEVmorada' Royal Amethyst Hybrid Tea Rose | RO | 1.13 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| <i>Rosa</i> 'DEVrudi' P.P.A.F. First Light Shrub Rose | RO | 0.77 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'DICjem' Freedom Hybrid Tea Rose | RO | 0.73 | G2 | 2-5 | 6-10B | | 1.54 | 4 |
| <i>Rosa</i> 'DICwisp' P.P.A.F. Whisper Hybrid Tea Rose | RO | 1.03 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| <i>Rosa</i> 'David Thompson' David Thompson Shrub Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Dawn Creeper' See - <i>Rosa</i> 'WILdawn' P.P. 9647 | | | | | | | | |
| <i>Rosa</i> 'Day Breaker' See - <i>Rosa</i> 'FRYcentury' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'DayDream' See - <i>Rosa</i> 'BAleam' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'De Montarville' See - <i>Rosa</i> 'AC De Montarville' P.P. 11635 | | | | | | | | |
| <i>Rosa</i> 'Debut' See - <i>Rosa</i> 'MEIbarke' P.P. 6791 | | | | | | | | |
| <i>Rosa</i> 'Deep Velvet' Deep Velvet Miniature Rose | RO | 0.96 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| <i>Rosa</i> 'Demokracie' Demokracie Climbing Rose | RO | 0.83 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Desert Peace' See - <i>Rosa</i> 'MEInomad' P.P. 8248 | | | | | | | | |
| <i>Rosa</i> 'Distant Drums' Distant Drums Shrub Rose | RO | 1.04 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| <i>Rosa</i> 'Dolly Parton' P.P. 5608 Dolly Parton™ Hybrid Tea Rose | RO | 0.90 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| <i>Rosa</i> 'Don Juan' Don Juan Climbing Rose | RO | 0.89 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Dorothy Perkins' Dorothy Perkins Rambler Rose | RO | 1.07 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Dortmund' Dortmund Climing Rose | RO | 0.81 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Double Delight' Double Delight Hybrid Tea Rose | RO | 1.09 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Dream Orange' See - <i>Rosa</i> 'TWOaebi' P.P. 11525 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rosa</i> 'Dream Pink' See - <i>Rosa</i> 'TWOjoan' P.P. 11524 | | | | | | | | |
| <i>Rosa</i> 'Dream Red' See - <i>Rosa</i> 'TWOpaul' P.P. 11503 | | | | | | | | |
| <i>Rosa</i> 'Dream Yellow' See - <i>Rosa</i> 'TWOyel' P.P. 11528 | | | | | | | | |
| <i>Rosa</i> 'Duchesse de Brabant' Duchesse de Brabant Tea Rose | RO | 0.99 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Earth Song' Earth Song Grandiflora Rose | RO | 1.12 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Easy Going' See - <i>Rosa</i> 'HARflow' P.P. 10478 | | | | | | | | |
| <i>Rosa</i> 'Eclipse' Eclipse Hybrid Tea Rose | RO | 1.02 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Eden Climber' See - <i>Rosa</i> 'MElviolin' P.P. 6892 | | | | | | | | |
| <i>Rosa</i> 'Eglantyne' See - <i>Rosa</i> 'AUSmak' P.P. 9526 | | | | | | | | |
| <i>Rosa</i> 'Electric Blanket' P.P.A.F. Electric Blanket Shrub Rose | RO | 0.83 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| <i>Rosa</i> 'Electron' Electron Hybrid Tea Rose | RO | 0.77 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| <i>Rosa</i> 'Elmhurst' Elmhurst Hybrid Tea Rose | RO | 0.77 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| <i>Rosa</i> 'English Garden' See - <i>Rosa</i> 'AUSbuss' | | | | | | | | |
| <i>Rosa</i> 'Eureka' See - <i>Rosa</i> 'KORsuffabel' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Europeana' Europeana Floribunda Rose | RO | 0.83 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Eutin' Eutin Floribunda Rose | RO | 0.83 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Excelsa' Excelsa Rambler Rose | RO | 1.10 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'F.J. Grootendorst' F.J. Grootendorst Rugosa Rose | RO | 0.97 | G2 | 2-3 | 4-10B | | 1.54 | 3 |
| <i>Rosa</i> 'FRYcentury' P.P.A.F. Day Breaker™ Floribunda Rose | RO | 0.91 | G2 | 4-6 | 7-10 | | 1.54 | 5 |
| <i>Rosa</i> 'FRYtrooper' P.P. 9211 Raven™ Shrub Rose | RO | 0.84 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'FRYxotic' P.P. 9718 Sunset Celebration™ Hybrid Tea Rose | RO | 1.18 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'FRYyeoman' P.P. 13268 Flower Girl™ Shrub Rose | RO | 1.28 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| <i>Rosa</i> 'Fair Bianca' See - <i>Rosa</i> 'AUSca' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Fairy Queen' See - <i>Rosa</i> 'SPEKrien' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Fashion' Fashion Floribunda Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Ferdy Meidiland' See - <i>Rosa</i> 'KEltoli' P.P. 5841 | | | | | | | | |
| <i>Rosa</i> 'Fire Meidiland' See - <i>Rosa</i> 'MElpsidue' P.P. 11583 | | | | | | | | |
| <i>Rosa</i> 'Firecracker' See - <i>Rosa</i> 'BAIcker' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'First Edition' First Edition Floribunda Rose | RO | 0.84 | G2 | 2-4 | 5-10B | | 1.54 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rosa</i> 'First Light' See - <i>Rosa</i> 'DEVrudi' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'First Prize' First Prize Hybrid Tea Rose | RO | 0.90 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Fisherman's Friend' Fisherman's Friend English Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Flower Carpet Appleblossom' See - <i>Rosa</i> 'NOAmeI' P.P. 10239 | | | | | | | | |
| <i>Rosa</i> 'Flower Carpet Coral' See - <i>Rosa</i> 'NOAla' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Flower Carpet Pink' See - <i>Rosa</i> 'NOAtraum' P.P. 7282 | | | | | | | | |
| <i>Rosa</i> 'Flower Carpet Red' See - <i>Rosa</i> 'NOAre' P.P. 11308 | | | | | | | | |
| <i>Rosa</i> 'Flower Carpet White' See - <i>Rosa</i> 'NOAschnee' P.P. 9573 | | | | | | | | |
| <i>Rosa</i> 'Flower Carpet Yellow' See - <i>Rosa</i> 'NOAck' | | | | | | | | |
| <i>Rosa</i> 'Flower Girl' See - <i>Rosa</i> 'FRYyeoman' P.P. 13268 | | | | | | | | |
| <i>Rosa</i> 'Flutterbye' See - <i>Rosa</i> 'WEKplasol' P.P. 9715 | | | | | | | | |
| <i>Rosa</i> 'Footloose' See - <i>Rosa</i> 'TANotax' P.P. 11572 | | | | | | | | |
| <i>Rosa</i> 'Fourth of July' See - <i>Rosa</i> 'WEKroalt' P.P. 11518 | | | | | | | | |
| <i>Rosa</i> 'Fragrant Cloud' Fragrant Cloud Tea Rose | RO | 0.85 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Fragrant Plum' See - <i>Rosa</i> 'AROplumi' | | | | | | | | |
| <i>Rosa</i> 'Francois Rabelais' See - <i>Rosa</i> 'MEInusian' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Frau Karl Druschki' Frau Karl Druschki Hybrid Tea Rose | RO | 0.93 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Freckles' Freckles Shrub Rose | RO | 1.23 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| <i>Rosa</i> 'Frederic Mistral' See - <i>Rosa</i> 'MEItebros' P.P. 10004 | | | | | | | | |
| <i>Rosa</i> 'Freedom' See - <i>Rosa</i> 'DICjem' | | | | | | | | |
| <i>Rosa</i> 'Frontenac' P.P. 9210 Frontenac Rose | RO | 1.08 | G2 | 4-5 | 6-10 | | 1.54 | 3 |
| <i>Rosa</i> 'Fru Dagmar Hastrup' Fru Dagmar Hastrup Rugosa Rose | RO | 0.99 | G2 | 2 | 3-10B | | 1.54 | 2 |
| <i>Rosa</i> 'Fruhlingsgold' Fruhlingsgold Shrub Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Fruhlingsmorgen' Fruhlingsmorgen Shrub Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Fuchsia Meidiland' See - <i>Rosa</i> 'MEIpelta' P.P. 8839 | | | | | | | | |
| <i>Rosa</i> 'Funny Face' See - <i>Rosa</i> 'BAIface' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Garden Party' Garden Party Hybrid Tea Rose | RO | 0.75 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Garden Sun' See - <i>Rosa</i> 'MEIvalier' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Gemini' See - <i>Rosa</i> 'JACnepal' P.P. 11691 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'Gene Boerner' Gene Boerner Floribunda Rose | RO | 0.81 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'George Vancouver' P.P. 10009 George Vancouver Shrub Rose | RO | 1.12 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| Rosa 'Gertrude Jekyll' Gertrude Jekyll English Rose | RO | 1.21 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Gettysburg' See - Rosa 'POULen001' P.P.A.F. | | | | | | | | |
| Rosa 'Gina Lollobrigida' See - Rosa 'MEllvar' P.P. 7541 | | | | | | | | |
| Rosa 'Glamis Castle' Glamis Castle English Rose | RO | 1.26 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Glowing Peace' See - Rosa 'MElzoel' P.P.A.F. | | | | | | | | |
| Rosa 'Gold Coin' Gold Coin Miniature Rose | RO | 0.96 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| Rosa 'Gold Medal' See - Rosa 'AROyqueli' P.P. 5177 | | | | | | | | |
| Rosa 'Gold Rush' Gold Rush Climbing Rose | RO | 0.78 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Rosa 'Golden Eye' See - Rosa 'BAleye' P.P.A.F. | | | | | | | | |
| Rosa 'Golden Masterpiece' Golden Masterpiece Hybrid Tea Rose | RO | 0.90 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| Rosa 'Golden Showers' Golden Showers Climbing Rose | RO | 0.90 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Golden Sunblaze' See - Rosa 'MElcupag' P.P. 8493 | | | | | | | | |
| Rosa 'Golden Unicorn' Golden Unicorn Shrub Rose | RO | 1.18 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| Rosa 'Golden Wings' Golden Wings Shrub Rose | RO | 0.92 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Goldmarie' See - Rosa 'KORfalt' | | | | | | | | |
| Rosa 'Gourmet Popcorn' See - Rosa 'WEOpop' P.P. 6809 | | | | | | | | |
| Rosa 'Graham Thomas' See - Rosa 'AUSmas' | | | | | | | | |
| Rosa 'Grand Canyon' See - Rosa 'POULriber' P.P.A.F. | | | | | | | | |
| Rosa 'Grand Siecle' See - Rosa 'DELegran' | | | | | | | | |
| Rosa 'Grandma's Blessing' See - Rosa 'BALing' P.P.A.F. | | | | | | | | |
| Rosa 'Green Ice' Green Ice Miniature Rose | RO | 0.96 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| Rosa 'Greetings' See - Rosa 'JACdreco' P.P.A.F. | | | | | | | | |
| Rosa 'Grootendorst Supreme' Grootendorst Supreme Rugosa Rose | RO | 0.92 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Gruss an Aachen' Gruss an Aachen Floribunda Rose | RO | 0.84 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Guy de Maupassant' See - Rosa 'MElsocrat' P.P. 9613 | | | | | | | | |
| Rosa 'HADSatin' P.P. 8910 Smooth Satin Hybrid Tea Rose | RO | 1.20 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| Rosa 'HARflow' P.P. 10478 Easy Going™ Floribunda Rose | RO | 1.04 | G2 | 2-4 | 5-10B | | 1.54 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| Rosa 'HARsherry' Sheila's Perfume Floribunda Rose | RO | 1.13 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'HARwelcome' P.P. 9161 Livin' Easy™ Floribunda Rose | RO | 0.93 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Rosa 'HILaroma' P.P. 8494 Secret™ Hybrid Tea Rose | RO | 1.04 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| Rosa 'HORcoffitup' P.P.A.F. Rabble Rouser™ Shrub Rose | RO | 1.28 | G2 | 4-5 | 6-9 | | 1.54 | 4 |
| Rosa 'Handel' See - Rosa 'MACHa' | | | | | | | | |
| Rosa 'Hansa' Hansa Rugosa Rose | RO | 0.91 | G2 | 2-3 | 4-10B | | 2.11 | 3 |
| Rosa 'Harison's Yellow' Harison's Yellow Brier Rose | RO | 0.87 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| Rosa 'Hawkeye Belle' Hawkeye Belle Shrub Rose | RO | 1.17 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| Rosa 'Hazeldean' Hazeldean Spinosisissima Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Heart 'N' Soul' See - Rosa 'ORApaymel' P.P. 14500 | | | | | | | | |
| Rosa 'Heart O' Gold' See - Rosa 'WEKdykstra' P.P. 10713 | | | | | | | | |
| Rosa 'Heirloom' See - Rosa 'JACloom' | | | | | | | | |
| Rosa 'Helen Traubel' Helen Traubel Hybrid Tea Rose | RO | 0.86 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| Rosa 'Helmut Schmidt' See - Rosa 'KORbelma' | | | | | | | | |
| Rosa 'Henry Hudson' Henry Hudson Rugosa Rose | RO | 1.23 | G2 | 2 | 3-10B | | 1.54 | 2 |
| Rosa 'Henry Kelsey' Henry Kelsey Climbing Rose | RO | 1.01 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| Rosa 'Herbie' Herbie Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| Rosa 'Heritage' See - Rosa 'AUSblush' | | | | | | | | |
| Rosa 'Hi, Neighbor' Hi, Neighbor Grandiflora Rose | RO | 1.17 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Honey Perfume' See - Rosa 'JACarque' P.P.A.F. | | | | | | | | |
| Rosa 'Honeysweet' Honeysweet Shrub Rose | RO | 1.01 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Honor' See - Rosa 'JAColite' | | | | | | | | |
| Rosa 'Hope for Humanity' Hope for Humanity Shrub Rose | RO | 1.14 | G2 | 2-3 | 4-10B | | 1.54 | 3 |
| Rosa 'Hot Cocoa' See - Rosa 'WEKpaltiez' P.P.A.F. | | | | | | | | |
| Rosa 'Hot Wonder' See - Rosa 'BAInder' P.P.A.F. | | | | | | | | |
| Rosa 'Hunter' Hunter Rugosa Rose | RO | 0.88 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Ice Meidiland' See - Rosa 'MElvahyn' P.P. 11577 | | | | | | | | |
| Rosa 'Iceberg Climbing' Iceberg Climbing Rose | RO | 0.76 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| Rosa 'Iceberg' Iceberg Floribunda Rose | RO | 0.79 | G2 | 2-4 | 5-10B | | 1.54 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Rosa</i> 'Ingrid Bergman' See - <i>Rosa</i> 'POULman' P.P. 6264 | | | | | | | | |
| <i>Rosa</i> 'Ink Spots' P.P. 5855 Ink Spots Hybrid Tea Rose | RO | 1.41 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Intrigue' Intrigue Floribunda Rose | RO | 0.81 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Irresistible' Irresistible Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'Ivory Carpet' See - <i>Rosa</i> 'WILvory' P.P. 9648 | | | | | | | | |
| <i>Rosa</i> 'J.P. Connell' J.P. Connell Shrub Rose | RO | 1.03 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'JACarque' P.P.A.F. Honey Perfume™ Floribunda Rose | RO | 0.91 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'JACbri' Bridal Pink Floribunda Rose | RO | 0.94 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| <i>Rosa</i> 'JACbush' P.P. 7542 Barbara Bush Hybrid Tea Rose | RO | 1.02 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| <i>Rosa</i> 'JACcinqo' P.P. 11016 Candelabra™ Grandiflora Rose | RO | 1.12 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'JACcofi' P.P. 9171 Brass Band™ Floribunda Rose | RO | 0.81 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'JACdreco' P.P.A.F. Greetings Floribunda Rose | RO | 1.30 | G2 | 5-6 | 7-9A | | 1.54 | 6 |
| <i>Rosa</i> 'JACecond' P.P.A.F. Timeless™ Hybrid Tea Rose | RO | 1.09 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'JAChal' P.P.A.F. Sun Sprinkles™ Miniature Rose | RO | 0.87 | G2 | 3-6 | 7-10 | | 1.54 | 6 |
| <i>Rosa</i> 'JACirst' P.P. 10230 Artistry™ Hybrid Tea Rose | RO | 1.02 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'JACjel' P.P. 4438 Sunbright Hybrid Tea Rose | RO | 0.94 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| <i>Rosa</i> 'JACloom' Heirloom Hybrid Tea Rose | RO | 0.93 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| <i>Rosa</i> 'JAClover' P.P. 9324 Magic Carpet Groundcover Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'JACnepal' P.P. 11691 Gemini™ Hybrid Tea Rose | RO | 1.07 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| <i>Rosa</i> 'JAColber' P.P. 11265 Opening Night™ Hybrid Tea Rose | RO | 1.13 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'JAColite' Honor Hybrid Tea Rose | RO | 0.89 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| <i>Rosa</i> 'JACrite' P.P. 8361 Rio Samba™ Hybrid Tea Rose | RO | 0.81 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| <i>Rosa</i> 'JACrulav' P.P.A.F. Wild Berry Breeze Shrub Rose | RO | 1.18 | G2 | 2-3 | 4-10B | | 1.54 | 3 |
| <i>Rosa</i> 'JACruwhi' P.P. 11575 Wild Spice Rugosa Rose | RO | 1.34 | G2 | 4-5 | 6-9 | | 1.54 | 4 |
| <i>Rosa</i> 'JACtou' P.P. 8706 Midas Touch™ Hybrid Tea Rose | RO | 1.18 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'JACTwin' P.P. 4437 Love Grandiflora Rose | RO | 0.75 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| <i>Rosa</i> 'JACyef' Shining Hour Grandiflora Rose | RO | 1.02 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Jardins de Bagatelle' See - <i>Rosa</i> 'MEImafri' P.P. 7278 | | | | | | | | |
| <i>Rosa</i> 'Jean Giono' See - <i>Rosa</i> 'MEIrokoi' P.P. 9979 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rosa</i> 'Jean Kenneally' Jean Kenneally Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'Jens Munk' Jens Munk Shrub Rose | RO | 1.05 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Johann Strauss' See - <i>Rosa</i> 'MEloffic' P.P. 9998 | | | | | | | | |
| <i>Rosa</i> 'John Cabot' John Cabot Climbing Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'John Davis' John Davis Climbing Rose | RO | 1.14 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'John F. Kennedy' John F. Kennedy Hybrid Tea Rose | RO | 0.77 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'John Franklin' John Franklin Shrub Rose | RO | 1.07 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Joseph's Coat' Joseph's Coat Climbing Rose | RO | 0.83 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Judy Fischer' Judy Fischer Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'Just Joey' Just Joey Hybrid Tea Rose | RO | 1.02 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'KEltoli' P.P. 5841 Ferdinand Meidiland™ Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'KORbelma' Helmut Schmidt Hybrid Tea Rose | RO | 1.07 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'KORbeteilich' P.P. 12001 Crimson Bouquet™ Grandiflora Rose | RO | 0.99 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| <i>Rosa</i> 'KORbirac' P.P. 8592 Caribbean™ Grandiflora Rose | RO | 0.81 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'KORconta' P.P.A.F. Moon River Groundcover Rose | RO | 0.80 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'KORfalt' Goldmarie Floribunda Rose | RO | 0.78 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'KORfullwind' P.P. 8872 Baby Blanket Rose | RO | 1.07 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'KORmarie' Bonanza Shrub Rose | RO | 1.13 | G2 | 4-5 | 6-10B | | 1.54 | 3 |
| <i>Rosa</i> 'KORsuffabel' P.P.A.F. Eureka™ Floribunda Rose | RO | 1.03 | G2 | 4-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'KORtemma' P.P. 9115 Red Ribbons Groundcover Rose | RO | 1.17 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'KORwest' Westerland Climbing Rose | RO | 0.85 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| <i>Rosa</i> 'Karl Herbst' Karl Herbst Hybrid Tea Rose | RO | 1.02 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Kent' See - <i>Rosa</i> 'POULcov' P.P. 10648 | | | | | | | | |
| <i>Rosa</i> 'King's Ransom' King's Ransom Hybrid Tea Rose | RO | 0.80 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Knock Out' See - <i>Rosa</i> 'RADrazz' P.P. 11836 | | | | | | | | |
| <i>Rosa</i> 'Konigin von Danemark' Konigin von Danemark Alba Rose | RO | 1.07 | G2 | 2-3 | 4-7 | | 1.54 | 3 |
| <i>Rosa</i> 'Kordes' Perfecta' Kordes' Perfecta Hybrid Tea Rose | RO | 0.81 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'L.D. Braithwaite' See - <i>Rosa</i> 'AUScrim' P.P. 8154 | | | | | | | | |
| <i>Rosa</i> 'La Marne' La Marne Polyantha Rose | RO | 0.57 | G2 | 2-5 | 6-10B | | 1.54 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| Rosa 'La Reine Victoria' La Reine Victoria Bourbon Rose | RO | 0.79 | G2 | 4-5 | 6-10B | | 1.54 | 5 |
| Rosa 'La Ville de Bruxelles' La Ville de Bruxelles Damask Rose | RO | 0.79 | G2 | 4-5 | 6-10B | | 1.54 | 5 |
| Rosa 'Lady Sunblaze' See - Rosa 'MEllarco' P.P. 6170 | | | | | | | | |
| Rosa 'Lambert Closse' P.P. 9978 Lambert Closse Shrub Rose | RO | 1.14 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'Last Tango' See - Rosa 'BAIngo' P.P.A.F. | | | | | | | | |
| Rosa 'Lasting Peace' See - Rosa 'MElhurge' P.P. 10544 | | | | | | | | |
| Rosa 'Lavender Lace' Lavender Lace Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| Rosa 'Leonardo da Vinci' See - Rosa 'MEIdeauri' P.P. 9980 | | | | | | | | |
| Rosa 'Les Sjulín' Les Sjulín Grandiflora Rose | RO | 1.10 | G2 | 4-5 | 6-10B | | 1.54 | 5 |
| Rosa 'Lexington' See - Rosa 'POULgode' P.P.A.F. | | | | | | | | |
| Rosa 'Lillian Gibson' Lillian Gibson Shrub Rose | RO | 1.08 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Linda Campbell' See - Rosa 'MORten' P.P. 8199 | | | | | | | | |
| Rosa 'Little Bo-Peep' See - Rosa 'POULlen' P.P. 9273 | | | | | | | | |
| Rosa 'Little Mischief' See - Rosa 'BAIief' P.P.A.F. | | | | | | | | |
| Rosa 'Livin' Easy' See - Rosa 'HARwelcome' P.P. 9161 | | | | | | | | |
| Rosa 'Louis Jolliet' P.P. 9222 Louis Jolliet Kordesii Shrub Rose | RO | 1.17 | G2 | 2-3 | 4-10B | | 1.54 | 3 |
| Rosa 'Louis Philippe' Louis Philippe Hybrid Tea Rose | RO | 0.95 | G2 | 4-7 | 8-10B | | 1.54 | 7 |
| Rosa 'Louise Odier' Louise Odier Bourbon Rose | RO | 0.79 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'Love & Peace' See - Rosa 'BAIpeace' P.P.A.F. | | | | | | | | |
| Rosa 'Love' See - Rosa 'JACtwin' P.P. 4437 | | | | | | | | |
| Rosa 'Love's Promise' See - Rosa 'MEIsoyris' P.P. 9253 | | | | | | | | |
| Rosa 'Lovely Fairy' Lovely Fairy Shrub Rose | RO | 1.26 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'Lowell Thomas' Lowell Thomas Hybrid Tea Rose | RO | 1.02 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| Rosa 'Lynn Anderson' See - Rosa 'WEKjoe' P.P. 9389 | | | | | | | | |
| Rosa 'MACauck' P.P. 5519 Olympiad™ Hybrid Tea Rose | RO | 0.94 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'MACcarpe' P.P. 4612 Snow Carpet™ Shrub Rose | RO | 0.93 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MACgenev' P.P. 8279 New Zealand Hybrid Tea Rose | RO | 1.07 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MACHa' Handel Climbing Rose | RO | 1.03 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'MACHahei' P.P. 11489 Reba McEntire Grandiflora Rose | RO | 1.26 | G2 | 4-6 | 7-10 | | 1.54 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| Rosa 'MAClanter' P.P.A.F. Octoberfest™ Grandiflora Rose | RO | 1.25 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| Rosa 'MACoranlem' P.P. 9191 Oranges 'n' Lemons Shrub Rose | RO | 0.88 | G2 | 2-4 | 5-10B | | 1.29 | 4 |
| Rosa 'MACyoumis' Regensburg Floribunda Rose | RO | 0.89 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElalte' P.P. 11044 Mystic Meidiland™ Rose | RO | 1.01 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MElbacus' P.P.A.F. Comtesse de Provence™ Hybrid Tea Rose | RO | 1.02 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElbaltaz' P.P. 8449 Anthony Meilland® Floribunda Rose | RO | 0.80 | G2 | 2-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElbarke' P.P. 6791 Debut™ Miniature Rose | RO | 1.01 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MElbeausai' P.P. 7667 Charles Aznavour™ Floribunda Rose | RO | 0.90 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElbokarb' P.P. 8448 Cherry Sunblaze™ Miniature Rose | RO | 1.01 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Rosa 'MElbonrib' P.P. 9469 Magic Meidiland™ Rose | RO | 0.94 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MElbrinpay' P.P. 9609 Abbaye de Cluny® Hybrid Tea Rose | RO | 1.00 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElcauf' P.P. 7718 Amalia Hybrid Tea Rose | RO | 0.90 | G2 | 2-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElchibon' P.P.A.F. Tchaikovsky™ Grandiflora Rose | RO | 0.90 | G2 | 4-5 | 6-10B | | 1.54 | 5 |
| Rosa 'MElchonar' P.P. 9536 Pearl Sevillana™ Rose | RO | 0.95 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Rosa 'MElcoublan' P.P. 6088 White Meidiland™ Shrub Rose | RO | 1.08 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MElcupag' P.P. 8493 Golden Sunblaze™ Miniature Rose | RO | 1.11 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Rosa 'MEldanclar' P.P. 7621 Candy Sunblaze™ Miniature Rose | RO | 0.94 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Rosa 'MEldarin' P.P.A.F. Mandarin Sunblaze® Miniature Rose | RO | 1.22 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MEldeauri' P.P. 9980 Leonardo da Vinci® Floribunda Rose | RO | 0.99 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEldo' Scarlet Gem Miniature Rose | RO | 0.91 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'MEldomonac' P.P. 5105 Bonica Meidiland™ Rose | RO | 0.96 | G2 | 2-4 | 5-10B | | 1.20 | 4 |
| Rosa 'MEldonfe' P.P. 10666 Raspberry Sunblaze™ Miniature Rose | RO | 1.16 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'MEldrason' P.P.A.F. Red Eden™ Climbing Rose | RO | 0.88 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| Rosa 'MElferjac' P.P. 9562 Autumn Sunblaze™ Miniature Rose | RO | 0.87 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Rosa 'MElflopan' P.P. 6891 Alba Meidiland® Rose | RO | 0.98 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MElfovett' P.P.A.F. Baby Paradise™ Miniature Rose | RO | 1.22 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MElgabi' Starina Miniature Rose | RO | 0.93 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| Rosa 'MElgekanu' P.P. 6384 Sevillana™ Rose | RO | 1.05 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MElhelvet' Sonia Meilland Grandiflora Rose | RO | 0.86 | G2 | 4-5 | 6-10 | | 1.54 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| Rosa 'MEIherode' Petite Folie Miniature Rose | RO | 0.91 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'MEIhurge' P.P. 10544 Lasting Peace™ Grandiflora Rose | RO | 0.89 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEIjikatar' P.P. 4682 Orange Sunblaze™ Miniature Rose | RO | 1.07 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'MEIkarouz' P.P.A.F. Rouge Royale™ Hybrid Tea Rose | RO | 1.02 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEIkentuk' P.P.A.F. Colleen Mary™ Hybrid Tea Rose | RO | 0.85 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEIkrotal' P.P. 6087 Scarlet Meidiland® Rose | RO | 1.06 | G2 | 2-4 | 5-10B | | 1.30 | 4 |
| Rosa 'MEIlarco' P.P. 6170 Lady Sunblaze™ Miniature Rose | RO | 1.16 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'MEIlavio' P.P. 10845 Traviata® Hybrid Tea Rose | RO | 1.00 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEImera' P.P. 10002 Bridal Sunblaze™ Miniature Rose | RO | 1.09 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'MEIomit' P.P.A.F. Marie Curie™ Floribunda Rose | RO | 1.00 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEIivar' P.P. 7541 Gina Lollobrigida™ Hybrid Tea Rose | RO | 0.90 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEImafris' P.P. 7278 Jardins de Bagatelle® Hybrid Tea Rose | RO | 0.88 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEImagarmic' P.P. 5067 Princesse de Monaco® Hybrid Tea Rose | RO | 0.86 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEImainger' P.P. 6792 Cary Grant Hybrid Tea Rose | RO | 1.07 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'MEImodac' P.P. 8840 Royal Bonica™ Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MEImonblan' P.P. 12579 Marmalade Skies™ Floribunda Rose | RO | 1.00 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEImouslin' P.P. 8847 Cardinal Song™ Grandiflora Rose | RO | 0.89 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Rosa 'MEIneble' P.P. 7116 Red Meidiland™ Shrub Rose | RO | 0.98 | G2 | 2-4 | 5-10B | | 1.30 | 4 |
| Rosa 'MEInerau' P.P. 10668 Centennial Star™ Hybrid Tea Rose | RO | 0.90 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEIniacin' P.P. 7819 Perfume Beauty™ Hybrid Tea Rose | RO | 0.89 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEInimo' P.P. 8930 Regatta™ Hybrid Tea Rose | RO | 0.89 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEInivoz' P.P. 9001 Paul Ricard® Hybrid Tea Rose | RO | 0.89 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEInomad' P.P. 8248 Desert Peace™ Hybrid Tea Rose | RO | 0.89 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEInusian' P.P.A.F. Francois Rabelais® Floribunda Rose | RO | 1.00 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEInuzeten' P.P. 4224 Ambassador® Hybrid Tea Rose | RO | 0.74 | G2 | 2-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEIoffic' P.P. 9998 Johann Strauss™ Floribunda Rose | RO | 1.00 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEIpadan' P.P.A.F. Panda Meidiland® Shrub Rose | RO | 1.13 | G2 | 4-5 | 6-9 | | 1.54 | 4 |
| Rosa 'MEIpaleo' P.P. 9042 Marco Polo Hybrid Tea Rose | RO | 0.90 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEIpelta' P.P. 8839 Fuchsia Meidiland™ Rose | RO | 0.94 | G2 | 2-4 | 5-10B | | 1.54 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| Rosa 'MElpiarar' P.P. 7622 Caroline de Monaco® Hybrid Tea Rose | RO | 0.90 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElpitac' P.P. 7783 Carefree Wonder™ Shrub Rose | RO | 1.01 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| Rosa 'MElplatin' P.P. 6807 Pearl Meidiland™ Rose | RO | 1.00 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MElpoque' P.P. 5956 Pink Meidiland™ Shrub Rose | RO | 1.08 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MElpotal' P.P. 8841 Carefree Delight® Shrub Rose | RO | 1.01 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MElppopul' P.P. 9777 Coral Meidiland™ Rose | RO | 1.00 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MElpreston' P.P.A.F. Ruby Meidiland® Shrub Rose | RO | 1.08 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElpsidue' P.P. 11583 Fire Meidiland® Rose | RO | 1.05 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'MElrabande' Sarabande Floribunda Rose | RO | 1.13 | G2 | 4-5 | 6-9 | | 1.54 | 4 |
| Rosa 'MElradia' Rosy Gem Miniature Rose | RO | 0.96 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'MElrameca' P.P.A.F. Carefree Marvel™ Shrub Rose | RO | 1.09 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElrental' P.P. 9537 Paprika™ Climbing Rose | RO | 0.99 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElrevolt' P.P. 9582 Toulouse-Lautrec® Hybrid Tea Rose | RO | 1.00 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElrokoi' P.P. 9979 Jean Giono™ Hybrid Tea Rose | RO | 1.00 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElronsse' P.P. 8496 Christopher Columbus® Hybrid Tea Rose | RO | 0.89 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElroupis' P.P. 9994 Colette™ Hybrid Tea Rose | RO | 1.00 | G2 | 4-5 | 6-10B | | 1.54 | 5 |
| Rosa 'MElrumour' P.P. 9251 Cherry Meidiland™ Rose | RO | 0.98 | G2 | 2-4 | 5-10B | | 1.30 | 4 |
| Rosa 'MElrustral' P.P. 7021 Prince Meillandina® Miniature Rose | RO | 0.93 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'MElshulo' P.P. 10015 Salmon Sunblaze™ Miniature Rose | RO | 0.93 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'MElsocrat' P.P. 9613 Guy de Maupassant® Floribunda Rose | RO | 1.00 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElsoyris' P.P. 9253 Love's Promise™ Grandiflora Rose | RO | 0.90 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEl sponge' P.P. 12802 Cherry Parfait™ Grandiflora Rose | RO | 1.03 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEltebros' P.P. 10004 Frederic Mistral® Hybrid Tea Rose | RO | 1.00 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEltelov' P.P.A.F. Michelangelo™ Hybrid Tea Rose | RO | 1.00 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEltoifar' P.P. 9564 Auguste Renoir® Hybrid Tea Rose | RO | 1.00 | G2 | 2-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEltosier' P.P. 9233 Polka™ Climbing Rose | RO | 1.13 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MEltozaure' P.P.A.F. Raspberry Rugostar™ Shrub Rose | RO | 0.82 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElvahyn' P.P. 11577 Ice Meidiland™ Rose | RO | 1.02 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'MElvalier' P.P.A.F. Garden Sun™ Climbing Rose | RO | 1.02 | G2 | 4-6 | 7-10B | | 1.54 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| Rosa 'MElvamo' P.P. 8619 Paris D'Yves St. Laurent™ Hybrid Tea Rose | RO | 0.90 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElvildo' P.P. 6895 Yves Piaget® Hybrid Tea Rose | RO | 1.00 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElviolin' P.P. 6892 Eden Climber™ Climbing Rose | RO | 1.19 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Rosa 'MElzebel' P.P.A.F. Passionate Kisses™ Floribunda Rose | RO | 0.90 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElzebel' P.P. 8391 The McCartney Rose™ Hybrid Tea Rose | RO | 0.94 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElzincaro' P.P. 11660 Peter Mayle™ Hybrid Tea Rose | RO | 1.00 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElzoel' P.P.A.F. Glowing Peace™ Grandiflora Rose | RO | 0.98 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'MElzogrel' White Mini Wonder Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| Rosa 'MOORcap' P.P. 3962 Red Cascade Climbing Rose | RO | 0.76 | G2 | 4-5 | 6-9 | | 1.54 | 5 |
| Rosa 'MORpoly' P.P. 8453 Cal Poly™ Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| Rosa 'MORredfar' P.P. 10150 Red Fairy Polyantha Rose | RO | 1.07 | G2 | 4-5 | 6-9 | | 1.54 | 4 |
| Rosa 'MORten' P.P. 8199 Linda Campbell Shrub Rose | RO | 0.99 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'MORyelrug' P.P. 6793 Topaz Jewel Rugosa Rose | RO | 1.06 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Macy's Pride' See - Rosa 'BAIcream' P.P.A.F. | | | | | | | | |
| Rosa 'Madison' See - Rosa 'POULrijk' P.P.A.F. | | | | | | | | |
| Rosa 'Magic Blanket' See - Rosa 'TANigino' P.P.A.F. | | | | | | | | |
| Rosa 'Magic Carpet' See - Rosa 'JAClover' P.P. 9324 | | | | | | | | |
| Rosa 'Magic Carrousel' Magic Carrousel Miniature Rose | RO | 0.80 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| Rosa 'Magic Meidiland' See - Rosa 'MElbonrib' P.P. 9469 | | | | | | | | |
| Rosa 'Mandarin Sunblaze' See - Rosa 'MEldarin' P.P.A.F. | | | | | | | | |
| Rosa 'Manhattan' See - Rosa 'POULharmu' P.P. 12681 | | | | | | | | |
| Rosa 'Marco Polo' See - Rosa 'MElpaleo' P.P. 9042 | | | | | | | | |
| Rosa 'Margo Koster' Margo Koster Polyantha Shrub Rose | RO | 0.76 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'Marie Bugnet' Marie Bugnet Rugosa Rose | RO | 1.16 | G2 | 2-3 | 4-10B | | 1.54 | 3 |
| Rosa 'Marie Curie' See - Rosa 'MEllomit' P.P.A.F. | | | | | | | | |
| Rosa 'Marie Daly' Marie Daly Polyantha Rose | RO | 0.90 | G2 | 4-5 | 6-10B | | 1.54 | 5 |
| Rosa 'Marie Pavie' Marie Pavie Polyantha Rose | RO | 0.90 | G2 | 3-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Marie Victorin' P.P.A.F. Marie Victorin Shrub Rose | RO | 1.24 | G2 | 4-5 | 6-10 | | 1.54 | 3 |
| Rosa 'Marmalade Skies' See - Rosa 'MElmonblan' P.P. 12579 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rosa</i> 'Martha Gonzales' Martha Gonzales Tea Rose | RO | 0.82 | G2 | 4-7 | 8-10B | | 1.54 | 7 |
| <i>Rosa</i> 'Martha's Vineyard' See - <i>Rosa</i> 'POULans' P.P. 9664 | | | | | | | | |
| <i>Rosa</i> 'Martin Frobisher' Martin Frobisher Shrub Rose | RO | 1.16 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Mary Rose' See - <i>Rosa</i> 'AUSmary' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Max Graf' Max Graf Rugosa Rose | RO | 1.35 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Medallion' Medallion Tea Rose | RO | 0.87 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Mellow Yellow' See - <i>Rosa</i> 'WEKosomit' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Memorial Day' See - <i>Rosa</i> 'WEKblunez' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Miami Moon' See - <i>Rosa</i> 'WEKvosuimp' P.P. 13509 | | | | | | | | |
| <i>Rosa</i> 'Michelangelo' See - <i>Rosa</i> 'MEltelov' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Midas Touch' See - <i>Rosa</i> 'JActou' P.P. 8706 | | | | | | | | |
| <i>Rosa</i> 'Mikado' Mikado Hybrid Tea Rose | RO | 0.84 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Mirandy' Mirandy Hybrid Tea Rose | RO | 0.76 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Miss All American Beauty' Miss All American Beauty Hybrid Tea Rose | RO | 0.77 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Mister Lincoln' Mister Lincoln Hybrid Tea Rose | RO | 1.09 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Mme. Hardy' Mme. Hardy Damask Rose | RO | 1.02 | G2 | 3-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Mojave' Mojave Hybrid Tea Rose | RO | 0.84 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Moje Hammarberg' Moje Hammarberg Rugosa Rose | RO | 1.20 | G2 | 4-5 | 6-9 | | 1.54 | 4 |
| <i>Rosa</i> 'Montblanc' Montblanc Rugosa Rose | RO | 1.40 | G2 | 2-3 | 4-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Montezuma' Montezuma Grandiflora Rose | RO | 0.63 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Moon River' See - <i>Rosa</i> 'KORconta' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Morden Blush' Morden Blush Shrub Rose | RO | 0.94 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Morden Centennial' Morden Centennial Shrub Rose | RO | 0.92 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Morden Fireglow' P.P. 8060 Morden Fireglow Shrub Rose | RO | 1.09 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Morden Ruby' Morden Ruby Shrub Rose | RO | 0.97 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Morden Snowbeauty' P.P. 11730 Morden Snowbeauty Shrub Rose | RO | 1.12 | G2 | 2-3 | 4-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Morden Sunrise' P.P.A.F. Morden Sunrise Shrub Rose | RO | 1.25 | G2 | 2-3 | 4-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Mothersday' Mothersday Polyantha Rose | RO | 0.81 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'Mount Hood' Mount Hood Grandiflora Rose | RO | 0.81 | G2 | 2-5 | 6-10B | | 1.54 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| Rosa 'My Hero' See - Rosa 'BALhero' P.P.A.F. | | | | | | | | |
| Rosa 'My Sunshine' My Sunshine Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| Rosa 'Mystic Fairy' See - Rosa 'BALfairy' P.P.A.F. | | | | | | | | |
| Rosa 'Mystic Meidiland' See - Rosa 'MElalate' P.P. 11044 | | | | | | | | |
| Rosa 'NOAck' Flower Carpet™ Yellow Shrub Rose | RO | 1.35 | G2 | 4-6 | 7-10 | | 1.54 | 5 |
| Rosa 'NOAla' P.P.A.F. Flower Carpet™ Coral Shrub Rose | RO | 1.50 | G2 | 4-5 | 6-10B | | 1.54 | 5 |
| Rosa 'NOAmel' P.P. 10239 Flower Carpet® Appleblossom Shrub Rose | RO | 1.49 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'NOAre' P.P. 11308 Flower Carpet® Red Shrub Rose | RO | 1.51 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'NOAschnee' P.P. 9573 Flower Carpet® White Shrub Rose | RO | 1.48 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'NOAtraum' P.P. 7282 Flower Carpet® Pink Shrub Rose | RO | 1.50 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Napa Valley' See - Rosa 'POULnino' P.P. 9554 | | | | | | | | |
| Rosa 'Nearly Wild' Nearly Wild Shrub Rose | RO | 0.88 | G2 | 2-4 | 5-10B | | 1.27 | 4 |
| Rosa 'New Blaze' See - Rosa 'Demokracie' | | | | | | | | |
| Rosa 'New Dawn' New Dawn Climbing Rose | RO | 0.99 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'New Day' New Day Tea Rose | RO | 0.81 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Rosa 'New Yorker' New Yorker Hybrid Tea Rose | RO | 1.02 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| Rosa 'New Zealand' See - Rosa 'MACgenev' P.P. 8279 | | | | | | | | |
| Rosa 'Northern Encore' See - Rosa 'BALore' P.P.A.F. | | | | | | | | |
| Rosa 'ORApaymel' P.P. 14500 Heart 'N' Soul™ Shrub Rose | RO | 1.28 | G2 | 5-6 | 7-9A | | 1.54 | 6 |
| Rosa 'ORAwichkay' P.P.A.F. Starry Night™ Shrub Rose | RO | 1.09 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'Octoberfest' See - Rosa 'MAClanter' P.P.A.F. | | | | | | | | |
| Rosa 'Oklahoma' Oklahoma Hybrid Tea Rose | RO | 0.82 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Rosa 'Old Blush' Old Blush China Rose | RO | 0.84 | G2 | 5-6 | 7-9A | | 1.54 | 6 |
| Rosa 'Ole' Ole Grandiflora Rose | RO | 0.76 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'Olympiad' See - Rosa 'MACauck' P.P. 5519 | | | | | | | | |
| Rosa 'Opening Night' See - Rosa 'JAColber' P.P. 11265 | | | | | | | | |
| Rosa 'Orange Impressionist' See - Rosa 'BALoist' P.P.A.F. | | | | | | | | |
| Rosa 'Orange Sunblaze' See - Rosa 'MEIjikatar' P.P. 4682 | | | | | | | | |
| Rosa 'Oranges 'n' Lemons' See - Rosa 'MACoranlem' P.P. 9191 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rosa</i> 'Oregold' Oregold Hybrid Tea Rose | RO | 0.75 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Origami' See - <i>Rosa</i> 'AROcharm' | | | | | | | | |
| <i>Rosa</i> 'Othello' See - <i>Rosa</i> 'AUSlo' P.P. 7212 | | | | | | | | |
| <i>Rosa</i> 'Outta the Blue' See - <i>Rosa</i> 'WEKstephitsu' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'POULans' P.P. 9664 Martha's Vineyard™ Shrub Rose | RO | 0.97 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'POULbella' P.P.A.F. Cuyahoga® National Parks Floribunda Rose | RO | 1.25 | G2 | 4-6 | 7-10 | | 1.54 | 4 |
| <i>Rosa</i> 'POULcov' P.P. 10648 Kent™ Shrub Rose | RO | 0.94 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'POULdron' P.P. 10923 Countess Celeste™ Shrub Rose | RO | 1.15 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'POULege' P.P.A.F. Shenandoah® National Parks Floribunda Rose | RO | 1.25 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'POULen001' P.P.A.F. Gettysburg® National Parks Floribunda Rose | RO | 1.09 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'POULfan' P.P. 9641 Cape Cod™ Shrub Rose | RO | 0.94 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'POULgode' P.P.A.F. Lexington Rose | RO | 0.99 | G2 | 4-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'POULharmu' P.P. 12681 Manhattan Shrub Rose | RO | 1.23 | G2 | 5-6 | 7-9A | | 1.54 | 6 |
| <i>Rosa</i> 'POULlen' P.P. 9273 Little Bo-Peep Miniature Rose | RO | 0.94 | G2 | 4-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'POULman' P.P. 6264 Ingrid Bergman Tea Rose | RO | 1.29 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'POULnino' P.P. 9554 Napa Valley Shrub Rose | RO | 0.96 | G2 | 4-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'POULreb' P.P.A.F. Yellowstone® National Parks Floribunda Rose | RO | 1.09 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'POULriber' P.P.A.F. Grand Canyon® National Parks Floribunda Rose | RO | 1.25 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'POULrijk' P.P.A.F. Madison™ Rose | RO | 1.00 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'POULrust' P.P.A.F. Cambridge™ Rose | RO | 1.10 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'POULskov' P.P. 9062 Queen Margrethe Shrub Rose | RO | 1.10 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'POULtex' P.P. 6261 Texas Miniature Rose | RO | 0.96 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'POULtry' P.P.A.F. Redwood® National Parks Floribunda Rose | RO | 1.25 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'POULusa' P.P. 10638 Princess Marianna™ Shrub Rose | RO | 1.46 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'POULymp' P.P.A.F. Acadia® National Parks Floribunda Rose | RO | 1.25 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| <i>Rosa</i> 'POUclimb' P.P. 10639 Berries 'n' Cream™ Climbing Rose | RO | 1.10 | G2 | 2-5 | 6-10B | | 1.54 | 4 |
| <i>Rosa</i> 'PRObril' P.P. 12645 Brilliant Pink Iceberg Floribunda Rose | RO | 1.07 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| <i>Rosa</i> 'Pacesetter' Pacesetter Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'Panda Meidiland' See - <i>Rosa</i> 'MElpadan' P.P.A.F. | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rosa</i> 'Paprika' See - <i>Rosa</i> 'MEIrental' P.P. 9537 <i>Rosa</i> 'Paradise' Paradise Hybrid Tea Rose | RO | 0.86 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Paris D'Yves St. Laurent' See - <i>Rosa</i> 'MEIvamo' P.P. 8619 <i>Rosa</i> 'Pascali' Pascali Hybrid Tea Rose | RO | 0.86 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Passionate Kisses' See - <i>Rosa</i> 'MEIzebel' P.P.A.F. <i>Rosa</i> 'Pat Austin' See - <i>Rosa</i> 'AUSmum' P.P. 9527 <i>Rosa</i> 'Paul Ricard' See - <i>Rosa</i> 'MEInivoz' P.P. 9001 | | | | | | | | |
| <i>Rosa</i> 'Pavement Dwarf' Pavement Dwarf Shrub Rose | RO | 0.93 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Pavement Foxi' Pavement Foxi Shrub Rose | RO | 0.97 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Pavement Pierette' Pavement Pierette Shrub Rose | RO | 1.14 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Pavement Pink' Pavement Pink Shrub Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Pavement Pristine' Pavement Pristine Shrub Rose | RO | 0.76 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Pavement Purple' Pavement Purple Shrub Rose | RO | 0.95 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Pavement Scarlet' Pavement Scarlet Shrub Rose | RO | 1.19 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Pavement Snow' Pavement Snow Shrub Rose | RO | 0.96 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Pavement White' Pavement White Shrub Rose | RO | 1.13 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Peace Climbing' Peace Climbing Rose | RO | 0.78 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'Peace' Peace Hybrid Tea Rose | RO | 1.02 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Peach Brandy' Peach Brandy Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'Pearl Meidiland' See - <i>Rosa</i> 'MEIplatin' P.P. 6807 <i>Rosa</i> 'Pearl Sevillana' See - <i>Rosa</i> 'MEIchonar' P.P. 9536 <i>Rosa</i> 'Pearly Gates' See - <i>Rosa</i> 'WEKmeyer' P.P. 10640 | | | | | | | | |
| <i>Rosa</i> 'Perfect Moment' Perfect Moment Hybrid Tea Rose | RO | 0.81 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Perfume Beauty' See - <i>Rosa</i> 'MEIniacin' P.P. 7819 <i>Rosa</i> 'Perfume Delight' Perfume Delight Hybrid Tea Rose | RO | 0.78 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Perle des Jardins' Perle des Jardins Tea Rose | RO | 0.70 | G2 | 5-7 | 8-10B | | 1.54 | 7 |
| <i>Rosa</i> 'Peter Mayle' See - <i>Rosa</i> 'MEIzincaro' P.P. 11660 <i>Rosa</i> 'Petite Folie' See - <i>Rosa</i> 'MEIherode' <i>Rosa</i> 'Pillow Fight' See - <i>Rosa</i> 'WEKpipogop' P.P. 13113 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rosa</i> 'Pink Gnome' See - <i>Rosa</i> 'BAIpome' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Pink Grootendorst' Pink Grootendorst Rugosa Rose | RO | 0.90 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Pink Knock Out' See - <i>Rosa</i> 'RADcon' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Pink Meidiland' See - <i>Rosa</i> 'MEIpoque' P.P. 5956 | | | | | | | | |
| <i>Rosa</i> 'Pink Peace' Pink Peace Hybrid Tea Rose | RO | 0.84 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Playboy' Playboy Floribunda Rose | RO | 0.72 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Pleasure' Pleasure Floribunda Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Polar Ice' Polar Ice Rugosa Rose | RO | 0.94 | G2 | 2-3 | 4-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Polar Star' See - <i>Rosa</i> 'TANlarpost' | | | | | | | | |
| <i>Rosa</i> 'Polar Sun' Polar Sun Rugosa Rose | RO | 0.94 | G2 | 2-3 | 4-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Polka' See - <i>Rosa</i> 'MEltosier' P.P. 9233 | | | | | | | | |
| <i>Rosa</i> 'Polonaise' Polonaise Shrub Rose | RO | 1.29 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| <i>Rosa</i> 'Prairie Charm' Prairie Charm Shrub Rose | RO | 1.02 | G2 | 2-3 | 4-7 | | 1.54 | 3 |
| <i>Rosa</i> 'Prairie Dawn' Prairie Dawn Shrub Rose | RO | 0.84 | G2 | 2-3 | 4-7 | | 1.54 | 3 |
| <i>Rosa</i> 'Prairie Fire' Prairie Fire Shrub Rose | RO | 0.88 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Prairie Harvest' Prairie Harvest Shrub Rose | RO | 1.00 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Prairie Joy' Prairie Joy Shrub Rose | RO | 0.92 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Prairie Star' Prairie Star Shrub Rose | RO | 1.26 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| <i>Rosa</i> 'Prairie Sunrise' Prairie Sunrise Shrub Rose | RO | 0.96 | G2 | 4-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Prairie Wild' Prairie Wild Shrub Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Prince Meilandina' See - <i>Rosa</i> 'MElutral' P.P. 7021 | | | | | | | | |
| <i>Rosa</i> 'Princess Marianna' See - <i>Rosa</i> 'POULusa' P.P. 10638 | | | | | | | | |
| <i>Rosa</i> 'Princesse de Monaco' See - <i>Rosa</i> 'MEImagarmic' P.P. 5067 | | | | | | | | |
| <i>Rosa</i> 'Proud Land' Proud Land Hybrid Tea Rose | RO | 0.98 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Purple Heart' See - <i>Rosa</i> 'WEKbipuhit' P.P. 11513 | | | | | | | | |
| <i>Rosa</i> 'Queen Elizabeth' Queen Elizabeth Grandiflora Rose | RO | 0.89 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Queen Margrethe' See - <i>Rosa</i> 'POULskov' P.P. 9062 | | | | | | | | |
| <i>Rosa</i> 'RADcon' P.P.A.F. Pink Knock Out™ Shrub Rose | RO | 1.03 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'RADramblin' P.P.A.F. Ramblin' Red™ Shrub Rose | RO | 1.20 | G2 | 2-3 | 4-10B | | 1.54 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rosa</i> 'RADrazz' P.P. 11836 Knock Out™ Shrub Rose | RO | 1.05 | G2 | 4-5 | 6-10 | | 1.29 | 4 |
| <i>Rosa</i> 'RADsun' P.P. 13063 Carefree Sunshine Shrub Rose | RO | 1.07 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'RADyod' P.P.A.F. Blushing Knock Out™ Shrub Rose | RO | 1.17 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'RUIredro' Red Rosamini Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 4 |
| <i>Rosa</i> 'Rabble Rouser' See - <i>Rosa</i> 'HORcoffitup' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Rainbow's End' See - <i>Rosa</i> 'SAValife' P.P. 5482 | | | | | | | | |
| <i>Rosa</i> 'Ramblin' Red' See - <i>Rosa</i> 'RADramblin' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Raspberry Rugostar' See - <i>Rosa</i> 'MEltozaure' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Raspberry Sunblaze' See - <i>Rosa</i> 'MEldonfe' P.P. 10666 | | | | | | | | |
| <i>Rosa</i> 'Raven' See - <i>Rosa</i> 'FRYtrooper' P.P. 9211 | | | | | | | | |
| <i>Rosa</i> 'Reba McEntire' See - <i>Rosa</i> 'MACHahei' P.P. 11489 | | | | | | | | |
| <i>Rosa</i> 'Red Cascade' See - <i>Rosa</i> 'MOORcap' P.P. 3962 | | | | | | | | |
| <i>Rosa</i> 'Red Eden' See - <i>Rosa</i> 'MEldrason' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Red Fairy' See - <i>Rosa</i> 'MORredfar' P.P. 10150 | | | | | | | | |
| <i>Rosa</i> 'Red Fountain' Red Fountain Climbing Rose | RO | 1.21 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Red Imp' Red Imp Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'Red Meidiland' See - <i>Rosa</i> 'MElneble' P.P. 7116 | | | | | | | | |
| <i>Rosa</i> 'Red Pinocchio' Red Pinocchio Floribunda Rose | RO | 1.02 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Red Rascal' Red Rascal Shrub Rose | RO | 0.81 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Red Ribbons' See - <i>Rosa</i> 'KORtemma' P.P. 9115 | | | | | | | | |
| <i>Rosa</i> 'Red Rosamini' See - <i>Rosa</i> 'RUIredro' | | | | | | | | |
| <i>Rosa</i> 'Redgold' Redgold Floribunda Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Redwood' See - <i>Rosa</i> 'POULtry' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Regatta' See - <i>Rosa</i> 'MElnimo' P.P. 8930 | | | | | | | | |
| <i>Rosa</i> 'Regensberg' See - <i>Rosa</i> 'MACyoumis' | | | | | | | | |
| <i>Rosa</i> 'Remember Me' See - <i>Rosa</i> 'COCdestin' | | | | | | | | |
| <i>Rosa</i> 'Ring of Fire' Ring of Fire Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'Rio Samba' See - <i>Rosa</i> 'JACrite' P.P. 8361 | | | | | | | | |
| <i>Rosa</i> 'Robusta' Robusta Rugosa Rose | RO | 1.46 | G2 | 2-3 | 4-10B | | 1.54 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| Rosa 'Rockin' Robin' See - Rosa 'WEKboroco' P.P. 10070 | | | | | | | | |
| Rosa 'Rose de Rescht' Rose de Rescht Damask Rose | RO | 1.16 | G2 | 4-6 | 7-10 | | 1.54 | 5 |
| Rosa 'Rosie O'Donnell' See - Rosa 'WEKwinwin' P.P. 11382 | | | | | | | | |
| Rosa 'Rosy Gem' See - Rosa 'MEIradia' | | | | | | | | |
| Rosa 'Rouge Royale' See - Rosa 'MEIkarouz' P.P.A.F. | | | | | | | | |
| Rosa 'Royal Amethyst' See - Rosa 'DEVmorada' | | | | | | | | |
| Rosa 'Royal Bonica' See - Rosa 'MEImodac' P.P. 8840 | | | | | | | | |
| Rosa 'Royal Edward' P.P. 9972 Royal Edward Rose | RO | 1.16 | G2 | 4-5 | 6-10 | | 1.54 | 3 |
| Rosa 'Royal Gold' Royal Gold Climbing Rose | RO | 1.12 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'Royal Highness' Royal Highness Hybrid Tea Rose | RO | 0.72 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| Rosa 'Royal Sunblaze' See - Rosa 'SCHobitet' P.P. 5690 | | | | | | | | |
| Rosa 'Ruby Meidiland' See - Rosa 'MEIpreston' P.P.A.F. | | | | | | | | |
| Rosa 'Ruby Ruby' See - Rosa 'WEKsactrumi' P.P.A.F. | | | | | | | | |
| Rosa 'Rugelda' Rugelda Rugosa Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Rugosa Magnifica' Rugosa Magnifica Rose | RO | 0.92 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'SAValife' P.P. 5482 Rainbow's End™ Miniature Rose | RO | 0.91 | G2 | 5-6 | 7-9A | | 1.54 | 4 |
| Rosa 'SCHobitet' P.P. 5690 Royal Sunblaze™ Miniature Rose | RO | 0.93 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'SCRivuv' P.P.A.F. Baby Love® Shrub Rose | RO | 1.30 | G2 | 2-6 | 7-10 | | 1.54 | 6 |
| Rosa 'SPEKrien' P.P.A.F. Fairy Queen Polyantha Rose | RO | 1.27 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| Rosa 'STEBigpu' P.P. 6262 Stephens' Big Purple Hybrid Tea Rose | RO | 1.16 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'Sally Holmes' Sally Holmes Climbing Rose | RO | 0.83 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Salmon Impressionist' See - Rosa 'BALSist' P.P.A.F. | | | | | | | | |
| Rosa 'Salmon Sunblaze' See - Rosa 'MEIshulo' P.P. 10015 | | | | | | | | |
| Rosa 'Sarabande' See - Rosa 'MEIrabande' | | | | | | | | |
| Rosa 'Scarlet Gem' See - Rosa 'MEIdo' | | | | | | | | |
| Rosa 'Scarlet Meidiland' See - Rosa 'MEIkrotal' P.P. 6087 | | | | | | | | |
| Rosa 'Scarlet Spreader' See - Rosa 'WILscar' P.P. 9649 | | | | | | | | |
| Rosa 'Scarlet Star' See - Rosa 'WILstar' P.P. 11834 | | | | | | | | |
| Rosa 'Scentimental' See - Rosa 'WEKplapep' P.P. 10126 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| Rosa 'Sea Foam' Sea Foam Shrub Rose | RO | 0.86 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Seashell' Seashell Hybrid Tea Rose | RO | 0.77 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'Secret' See - Rosa 'HILaroma' P.P. 8494 | | | | | | | | |
| Rosa 'September Days' September Days Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| Rosa 'Serendipity' Serendipity Shrub Rose | RO | 1.20 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Seven Sisters' Seven Sisters Climbing Rose | RO | 0.87 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Sevillana' See - Rosa 'MElgekanu' P.P. 6384 | | | | | | | | |
| Rosa 'Sharifa Asma' Sharifa Asma English Rose | RO | 1.40 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Sheer Elegance' Sheer Elegance Hybrid Tea Rose | RO | 0.81 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| Rosa 'Sheila's Perfume' See - Rosa 'HARsherry' | | | | | | | | |
| Rosa 'Shenandoah' See - Rosa 'POULege' P.P.A.F. | | | | | | | | |
| Rosa 'Shining Hour' See - Rosa 'JACyef' | | | | | | | | |
| Rosa 'Shooting Star' Shooting Star Miniature Rose | RO | 0.91 | G2 | 5-6 | 7-9A | | 1.35 | 5 |
| Rosa 'Showbiz' See - Rosa 'TANweieke' P.P. 4844 | | | | | | | | |
| Rosa 'Sierra Skye' See - Rosa 'BAlkye' P.P.A.F. | | | | | | | | |
| Rosa 'Silver Star' See - Rosa 'WEZlavn' P.P. 14434 | | | | | | | | |
| Rosa 'Simon Fraser' Simon Fraser Shrub Rose | RO | 1.08 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| Rosa 'Simplicity' Simplicity Shrub Rose | RO | 0.83 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| Rosa 'Singin' in the Rain' Singin' in the Rain Floribunda Rose | RO | 1.11 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Rosa 'Sir Thomas Lipton' Sir Thomas Lipton Rugosa Rose | RO | 0.86 | G2 | 2-4 | 5-10B | | 2.17 | 4 |
| Rosa 'Smooth Angel' P.P. 6146 Smooth Angel Hybrid Tea Rose | RO | 1.20 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'Smooth Lady' P.P. 6147 Smooth Lady Hybrid Tea Rose | RO | 1.20 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'Smooth Melody' P.P. 7729 Smooth Melody Hybrid Tea Rose | RO | 1.17 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'Smooth Perfume' P.P. 7728 Smooth Perfume Hybrid Tea Rose | RO | 1.07 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'Smooth Prince' P.P. 7706 Smooth Prince Hybrid Tea Rose | RO | 1.20 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'Smooth Satin' See - Rosa 'HADsatin' P.P. 8910 | | | | | | | | |
| Rosa 'Smooth Velvet' P.P. 6152 Smooth Velvet Hybrid Tea Rose | RO | 1.19 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'Snow Carpet' See - Rosa 'MACcarpe' P.P. 4612 | | | | | | | | |
| Rosa 'Solitude' Solitude Grandiflora Rose | RO | 1.02 | G2 | 2-5 | 6-10B | | 1.54 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rosa</i> 'Sombreuil Climber' Sombreuil Climber Rose | RO | 1.26 | G2 | 5-6 | 7-9A | | 1.54 | 6 |
| <i>Rosa</i> 'Sonia Meilland' See - <i>Rosa</i> 'MElhelvet' | | | | | | | | |
| <i>Rosa</i> 'Spice So Nice' See - <i>Rosa</i> 'WEKwesflut' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Spring Song' Spring Song Shrub Rose | RO | 0.54 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'St. Patrick' See - <i>Rosa</i> 'WEKamanda' P.P. 9591 | | | | | | | | |
| <i>Rosa</i> 'Starina' See - <i>Rosa</i> 'MElgabi' | | | | | | | | |
| <i>Rosa</i> 'Starry Night' See - <i>Rosa</i> 'ORAwichkay' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Stephens' Big Purple' See - <i>Rosa</i> 'STEbipu' P.P. 6262 | | | | | | | | |
| <i>Rosa</i> 'Sterling Silver' Sterling Silver Hybrid Tea Rose | RO | 0.82 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Summer Snow' Summer Snow Floribunda Rose | RO | 0.76 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| <i>Rosa</i> 'Summer Sunshine' Summer Sunshine Tea Rose | RO | 0.98 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Sun Flare' Sun Flare Floribunda Rose | RO | 0.89 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Sun Sprinkles' See - <i>Rosa</i> 'JACal' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Sunbird' Sunbird Poulsen Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'Sunbright' See - <i>Rosa</i> 'JACjel' P.P. 4438 | | | | | | | | |
| <i>Rosa</i> 'Sundrop' Sundrop Miniature Rose | RO | 0.96 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Sunny June' Sunny June Shrub Rose | RO | 0.83 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Sunrise Sunset' See - <i>Rosa</i> 'BAIset' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Sunset Celebration' See - <i>Rosa</i> 'FRYxotic' P.P. 9718 | | | | | | | | |
| <i>Rosa</i> 'Sunsprite' Sunsprite Floribunda Rose | RO | 0.88 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Sutter's Gold' Sutters Gold Hybrid Tea Rose | RO | 0.70 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Sweet Surrender' Sweet Surrender Hybrid Tea Rose | RO | 0.81 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Sweet Vivian' Sweet Vivian Floribunda Rose | RO | 0.76 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| <i>Rosa</i> 'TANigino' P.P.A.F. Magic Blanket Shrub Rose | RO | 0.83 | G2 | 5-6 | 7-9 | | 1.54 | 6 |
| <i>Rosa</i> 'TANlarpost' Polar Star Hybrid Tea Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'TANotax' P.P. 11572 Footloose Shrub Rose | RO | 1.30 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| <i>Rosa</i> 'TANweieke' P.P. 4844 Showbiz Floribunda Rose | RO | 1.13 | G2 | 5-6 | 7-9A | | 1.54 | 6 |
| <i>Rosa</i> 'TWOadvance' P.P. 7978 All That Jazz™ Shrub Rose | RO | 1.02 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'TWOaebi' P.P. 11525 Dream™ Orange Hybrid Tea Rose | RO | 1.39 | G2 | 2-5 | 6-10B | | 1.54 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| Rosa 'TWOjoan' P.P. 11524 Dream® Pink Hybrid Tea Rose | RO | 2.01 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'TWOpaul' P.P. 11503 Dream™ Red Hybrid Tea Rose | RO | 1.88 | G2 | 4-5 | 6-10 | | 1.54 | 5 |
| Rosa 'TWOyel' P.P. 11528 Dream™ Yellow Hybrid Tea Rose | RO | 2.01 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'Tahitian Moon' See - Rosa 'BAloon' P.P.A.F. | | | | | | | | |
| Rosa 'Tamora' Tamora Rose | RO | 1.07 | G2 | 4-5 | 6-10 | | 1.54 | 4 |
| Rosa 'Tchaikovsky' See - Rosa 'MElchibon' P.P.A.F. | | | | | | | | |
| Rosa 'Texas' See - Rosa 'POULTex' P.P. 6261 | | | | | | | | |
| Rosa 'The Dark Lady' See - Rosa 'AUSbloom' P.P. 8677 | | | | | | | | |
| Rosa 'The Fairy' The Fairy Polyantha Rose | RO | 0.88 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'The McCartney Rose' See - Rosa 'MElzel' P.P. 8391 | | | | | | | | |
| Rosa 'The Prince' The Prince English Rose | RO | 1.35 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'The Squire' The Squire® English Rose | RO | 1.14 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Therese Bugnet' Therese Bugnet Rugosa Rose | RO | 0.89 | G2 | 2-3 | 4-10B | | 2.17 | 3 |
| Rosa 'Tiffany' Tiffany Hybrid Tea Rose | RO | 0.83 | G2 | 4-6 | 7-10B | | 1.54 | 4 |
| Rosa 'Timeless' See - Rosa 'JACecond' P.P.A.F. | | | | | | | | |
| Rosa 'Topaz Jewel' See - Rosa 'MORyelrug' P.P. 6793 | | | | | | | | |
| Rosa 'Toulouse-Lautrec' See - Rosa 'MElrevolt' P.P. 9582 | | | | | | | | |
| Rosa 'Toy Clown' Toy Clown Miniature Rose | RO | 0.95 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| Rosa 'Traviata' See - Rosa 'MEllavio' P.P. 10845 | | | | | | | | |
| Rosa 'Tropicana' Tropicana Hybrid Tea Rose | RO | 0.92 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| Rosa 'VERolwek' P.P. 7264 Celebrity Hybrid Tea Rose | RO | 1.41 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| Rosa 'Viking Queen' Viking Queen Climbing Rose | RO | 0.93 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Rosa 'Vogue' Vogue Floribunda Rose | RO | 1.02 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| Rosa 'Voodoo' See - Rosa 'AROMiclea' P.P. 6121 | | | | | | | | |
| Rosa 'WEKamanda' P.P. 9591 St. Patrick™ Hybrid Tea Rose | RO | 0.81 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| Rosa 'WEKbipuhit' P.P. 11513 Purple Heart™ Floribunda Rose | RO | 1.25 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| Rosa 'WEKblunez' P.P.A.F. Memorial Day™ Hybrid Tea Rose | RO | 1.16 | G2 | 4-5 | 6-9 | | 1.54 | 5 |
| Rosa 'WEKboroco' P.P. 10070 Rockin' Robin™ Shrub Rose | RO | 0.89 | G2 | 2-4 | 5-10B | | 1.30 | 4 |
| Rosa 'WEKchrisg' P.P. 14138 Crowd Pleaser™ Hybrid Tea Rose | RO | 1.10 | G2 | 4-6 | 7-10B | | 1.54 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| Rosa 'WEKcryplag' P.P. 10072 Blueberry Hill™ Floribunda Rose | RO | 0.97 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'WEKdykstra' P.P. 10713 Heart O' Gold™ Grandiflora Rose | RO | 1.41 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'WEKjoe' P.P. 9389 Lynn Anderson Hybrid Tea Rose | RO | 1.41 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'WEKmeyer' P.P. 10640 Pearly Gates™ Climbing Rose | RO | 1.26 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'WEKosomit' P.P.A.F. Mellow Yellow™ Hybrid Tea Rose | RO | 1.25 | G2 | 4-5 | 6-10B | | 1.54 | 5 |
| Rosa 'WEKpaltiez' P.P.A.F. Hot Cocoa™ Floribunda Rose | RO | 1.16 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'WEKpipogop' P.P. 13113 Pillow Fight™ Shrub Rose | RO | 1.28 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'WEKplapep' P.P. 10126 Scentimental™ Floribunda Rose | RO | 1.06 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'WEKplapic' P.P. 11517 Betty Boop™ Floribunda Rose | RO | 1.06 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'WEKplasol' P.P. 9715 Flutterbye™ Shrub Rose | RO | 0.94 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'WEKquaneze' P.P.A.F. Barbra Streisand Hybrid Tea Rose | RO | 1.25 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'WEKroalt' P.P. 11518 Fourth of July™ Climbing Rose | RO | 1.05 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'WEKsactrumi' P.P.A.F. Ruby Ruby™ Miniature Rose | RO | 1.13 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'WEKsamsou' P.P. 13107 All Ablaze™ Climbing Rose | RO | 1.26 | G2 | 2-6 | 7-10 | | 1.54 | 6 |
| Rosa 'WEKscemala' P.P. 15076 Chihuly® Floribunda Rose | RO | 1.41 | G2 | 4-6 | 7-10 | | 1.54 | 4 |
| Rosa 'WEKstephitsu' P.P.A.F. Outta the Blue™ Shrub Rose | RO | 1.15 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'WEKvosuimp' P.P. 13509 Miami Moon™ Floribunda Rose | RO | 1.10 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'WEKwesflut' P.P.A.F. Spice So Nice™ Climbing Rose | RO | 1.10 | G2 | 4-7 | 8-10B | | 1.54 | 7 |
| Rosa 'WEKwinwin' P.P. 11382 Rosie O'Donnell Hybrid Tea Rose | RO | 1.25 | G2 | 4-6 | 7-10 | | 1.54 | 6 |
| Rosa 'WEOpop' P.P. 6809 Gourmet Popcorn™ Shrub Rose | RO | 0.87 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'WEZaprt' P.P.A.F. Bronze Star™ Hybrid Tea Rose | RO | 1.02 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'WEZgrey' P.P.A.F. World War II Memorial Hybrid Tea Rose | RO | 1.02 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'WEZlavn' P.P. 14434 Silver Star Grandiflora Rose | RO | 0.88 | G2 | 4-5 | 6-9 | | 1.54 | 4 |
| Rosa 'WILDak' P.P. 5271 Amber Flash™ Miniature Rose | RO | 1.01 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'WILDawn' P.P. 9647 Dawn Creeper™ Shrub Rose | RO | 1.04 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'WILscar' P.P. 9649 Scarlet Spreader™ Shrub Rose | RO | 1.15 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'WILstar' P.P. 11834 Scarlet Star Climbing Rose | RO | 1.00 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| Rosa 'WILvory' P.P. 9648 Ivory Carpet™ Shrub Rose | RO | 1.24 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| Rosa 'Weeping China Doll' P.P. 4323 Weeping China Doll Climbing Rose | RO | 0.64 | G2 | 2-5 | 6-10B | | 1.54 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rosa</i> 'Westerland' See - <i>Rosa</i> 'KORwest' | | | | | | | | |
| <i>Rosa</i> 'What a Peach' P.P.A.F. What a Peach™ Shrub Rose | RO | 1.19 | G2 | 4-6 | 7-10B | | 1.54 | 6 |
| <i>Rosa</i> 'Whisper' See - <i>Rosa</i> 'DICwisp' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'White Dawn' White Dawn Climbing Rose | RO | 0.89 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'White Knight' White Knight Hybrid Tea Rose | RO | 1.02 | G2 | 4-6 | 7-10B | | 1.54 | 5 |
| <i>Rosa</i> 'White Meidiland' See - <i>Rosa</i> 'MElcoublan' P.P. 6088 | | | | | | | | |
| <i>Rosa</i> 'White Mini Wonder' See - <i>Rosa</i> 'MElzogrel' | | | | | | | | |
| <i>Rosa</i> 'Wild Berry Breeze' See - <i>Rosa</i> 'JACrulav' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Wild Spice' See - <i>Rosa</i> 'JACruwhi' P.P. 11575 | | | | | | | | |
| <i>Rosa</i> 'William Baffin' William Baffin Climbing Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Winchester Cathedral' Winchester Cathedral English Rose | RO | 1.21 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa</i> 'Winnipeg Parks' P.P. 9122 Winnipeg Parks Shrub Rose | RO | 1.04 | G2 | 2-4 | 5-10B | | 1.54 | 3 |
| <i>Rosa</i> 'Winter Sunset' Winter Sunset Shrub Rose | RO | 1.20 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'World War II Memorial' See - <i>Rosa</i> 'WEZgrey' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Yantai' Yantai Miniature Rose | RO | 1.02 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'Yellow Doll' Yellow Doll Miniature Rose | RO | 0.91 | G2 | 5-6 | 7-9A | | 1.54 | 5 |
| <i>Rosa</i> 'Yellow Jacket' Yellow Jacket Shrub Rose | RO | 1.02 | G2 | 2-4 | 5-10B | | 1.54 | 4 |
| <i>Rosa</i> 'Yellow Submarine' See - <i>Rosa</i> 'BAline' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Yellowstone' See - <i>Rosa</i> 'POULreb' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Yves Piaget' See - <i>Rosa</i> 'MElvildo' P.P. 6895 | | | | | | | | |
| <i>Rosa</i> 'Zephirine Drouhin' Zephirine Drouhin Shrub Rose | RO | 1.03 | G2 | 2-5 | 6-10B | | 1.54 | 5 |
| <i>Rosa acicularis</i> Prickly Shrub Rose | RO | 1.00 | G2 | 2-4 | 5-10B | | 1.00 | 2 |
| <i>Rosa x alba</i> Alba Rose | RO | 1.12 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rosa arkansana</i> Arkansas Rose | RO | 1.00 | G2 | 2-4 | 5-7 | | 1.00 | 4 |
| <i>Rosa banksiae</i> Lady Banks Rose | RO | 0.70 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Rosa banksiae</i> 'Alba Plena' See - <i>Rosa banksiae</i> var. <i>banksiae</i> | | | | | | | | |
| <i>Rosa banksiae</i> 'Lutea' Yellow Lady Banks Rose | RO | 0.75 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Rosa banksiae</i> var. <i>banksiae</i> Alba Plena Lady Banks Rose | RO | 0.90 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Rosa blanda</i> Meadow Rose | RO | 1.54 | G2 | 2 | 3-10B | | 1.00 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rosa carolina</i> Carolina Rose | RO | 1.04 | G2 | 2-4 | 5-10B | | 1.00 | 4 |
| <i>Rosa chinensis</i> China Rose | RO | 0.43 | G2 | 5-6 | 7-10B | | 1.00 | 5 |
| <i>Rosa chinensis</i> 'Mutabilis' Mutabilis Rose | RO | 0.79 | G2 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Rosa chinensis</i> var. <i>minima</i> Miniature Rose | RO | 1.00 | G2 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Rosa x damascena</i> Damask Rose | RO | 1.00 | G2 | 3-4 | 5-10B | | 1.00 | 4 |
| <i>Rosa eglantheria</i> Sweetbriar Rose | RO | 0.84 | G2 | 3-4 | 5-10B | | 1.00 | 4 |
| <i>Rosa foetida</i> Austrian Brier Rose | RO | 0.87 | G2 | 2-4 | 5-10B | | 1.00 | 4 |
| <i>Rosa foetida</i> 'Bicolor' Bicolor Austrian Copper Brier Rose | RO | 0.87 | G2 | 2-4 | 5-10B | | 1.00 | 4 |
| <i>Rosa foetida</i> 'Persiana' Persian Yellow Austrian Brier Rose | RO | 0.87 | G2 | 2-4 | 5-10B | | 1.00 | 4 |
| <i>Rosa gallica</i> French Rose | RO | 1.09 | G2 | 2-3 | 4-10B | | 1.00 | 3 |
| <i>Rosa gallica</i> 'Versicolor' Rosa Mundi Rose | RO | 1.09 | G2 | 2-3 | 4-10B | | 1.00 | 3 |
| <i>Rosa glauca</i> Redleaf Rose | RO | 1.02 | G2 | 2 | 3-10B | | 2.24 | 2 |
| <i>Rosa gymnocarpa</i> Wood Rose | RO | 0.61 | G2 | 4-6 | 7-10B | | 1.00 | 6 |
| <i>Rosa hugonis</i> Father Hugo Rose | RO | 1.69 | G2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa x kordesii</i> Kordes Rose | RO | 1.00 | G2 | 2-5 | 6-10B | | 1.00 | 5 |
| <i>Rosa laevigata</i> Cherokee Rose | RO | 0.71 | G2 | 4-5 | 6-9 | | 1.00 | 4 |
| <i>Rosa moschata</i> Musk Rose | RO | 1.00 | G2 | 4-5 | 6-9 | | 1.00 | 4 |
| <i>Rosa multiflora</i> Multiflora Rose | RO | 0.86 | G2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa nitida</i> Shining Rose | RO | 1.10 | G2 | 2-4 | 5-10B | | 0.70 | 4 |
| <i>Rosa nutkana</i> Nootka Rose | RO | 0.87 | G2 | 2-4 | 5-10B | | 1.00 | 4 |
| <i>Rosa x odorata</i> Tea Rose | RO | 1.00 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Rosa palustris</i> Swamp Rose | RO | 1.18 | G2 | 2-3 | 4-7 | | 0.59 | 3 |
| <i>Rosa pimpinellifolia</i> Scotch Rose | RO | 0.60 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rosa pimpinellifolia</i> 'Grandiflora' Grandiflora Scotch Rose | RO | 0.67 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rosa pimpinellifolia</i> 'Lutea' Yellow Scotch Rose | RO | 0.74 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rosa pisocarpa</i> Peafruit Rose | RO | 0.74 | G2 | 4-5 | 6-9 | | 1.00 | 4 |
| <i>Rosa rubiginosa</i> See - <i>Rosa eglantheria</i> | | | | | | | | |
| <i>Rosa rubrifolia</i> See - <i>Rosa glauca</i> | | | | | | | | |
| <i>Rosa rugosa</i> Rugosa Rose | RO | 0.88 | G2 | 2 | 3-10B | | 0.77 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rosa rugosa</i> 'Alba' White Rugosa Rose | RO | 0.96 | G2 | 2 | 3-10B | | 0.80 | 2 |
| <i>Rosa rugosa</i> 'Belle Poitevine' See - <i>Rosa</i> 'Belle Poitevine' | | | | | | | | |
| <i>Rosa rugosa</i> 'Rubra' Red Rugosa Rose | RO | 1.01 | G2 | 2 | 3-10B | | 2.17 | 2 |
| <i>Rosa rugosa</i> var. <i>alboplana</i> Double White Rugosa Rose | RO | 0.81 | G2 | 2 | 3-10B | | 2.08 | 2 |
| <i>Rosa setigera</i> Prairie Rose | RO | 1.54 | G2 | 2-4 | 5-10B | | 1.00 | 4 |
| <i>Rosa villosa</i> Apple Rose | RO | 1.00 | G2 | 2-5 | 6-10B | | 1.00 | 5 |
| <i>Rosa virginiana</i> Virginia Rose | RO | 1.17 | G2 | 2-3 | 4-10B | | 1.02 | 3 |
| <i>Rosa wichurana</i> Memorial Rose | RO | 1.06 | G2 | 2-5 | 6-10B | | 1.00 | 5 |
| <i>Rosa wichurana</i> 'Poterfolia' Miniature Memorial Rose | RO | 1.06 | G2 | 2-5 | 6-10B | | 1.00 | 5 |
| <i>Rosa woodsii</i> Western Wild Rose | RO | 0.90 | G2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Rosa xanthina</i> Manchu Rose | RO | 0.96 | G2 | 2-5 | 6-10B | | 1.00 | 5 |
| <i>Roscheria melanochaetes</i> Latanier Hauban | PC | 3.44 | G1 | 10B | 11 | | 1.00 | 10 |
| <i>Roscoea purpurea</i> No Common Name Found | HP | 1.21 | G4 | 5-6 | 7 | | | |
| <i>Roscoea scillifolia</i> No Common Name Found | HP | 1.00 | G4 | 7-8 | 9-10 | | | |
| <i>Rosmarinus officinalis</i> Rosemary | BS | 0.79 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Albus' White Rosemary | BS | 0.66 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Arp' Arp Rosemary | BS | 0.92 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Athens Blue Spires' P.P.A.F. Athens Blue Spires Rosemary | BS | 0.75 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Benenden Blue' Benenden Blue Rosemary | BS | 0.83 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Golden Rain' Golden Rain Rosemary | BS | 0.94 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Gorizia' Gorizia Rosemary | BS | 0.80 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Hill Hardy' Hill Hardy Rosemary | BS | 0.71 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Huntington Carpet' Huntington Carpet Rosemary | BS | 0.96 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Irene' See - <i>Rosmarinus officinalis</i> 'Renzels' P.P. 9134 | | | | | | | | |
| <i>Rosmarinus officinalis</i> 'Ken Taylor' Ken Taylor Rosemary | BS | 0.79 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Lockwood de Forest' Lockwood de Forest Rosemary | BS | 0.83 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Majorca Pink' Majorca Pink Rosemary | BS | 0.83 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Prostratus' Prostrate Rosemary | BS | 0.82 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Renzels' P.P. 9134 Irene® Rosemary | BS | 0.68 | G2 | 5-6 | 7-9A | | 1.00 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rosmarinus officinalis</i> 'Salem' Salem Rosemary | BS | 0.65 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Spice Island' Spice Island Rosemary | BS | 0.70 | G2 | 5-6 | 7-9A | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Tuscan Blue' Tuscan Blue Rosemary | BS | 0.95 | G2 | 6 | 7-10B | | 1.00 | 6 |
| <i>Rosularia chrysantha</i> No Common Name Found | HP | 0.77 | G2 | 5-6 | 7-9 | | | |
| <i>Rosularia libanotica</i> See - <i>Rosularia serrata</i> | | | | | | | | |
| <i>Rosularia serrata</i> No Common Name Found | HP | 1.00 | G2 | 5-6 | 7-9 | | | |
| <i>Rothmannia capensis</i> Candlewood | BE | 1.00 | G1 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Rothmannia globosa</i> September Bells | BS | 1.00 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Roystonea elata</i> Florida Royal Palm | PC | 1.07 | G1 | 9-10 | 11 | | 0.95 | 9B |
| <i>Roystonea oleracea</i> Caribbean Royal Palm | PC | 0.72 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Roystonea regia</i> Cuban Royal Palm | PC | 0.82 | G1 | 9B-10 | 11 | | 1.07 | 10A |
| <i>Rubia tinctoria</i> Madder | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Rubus arcticus</i> Crimson Bramble | GC | 0.89 | G2 | 1-2 | 3 | | 1.00 | 2 |
| <i>Rubus calycinioides</i> See - <i>Rubus pentalobus</i> | | | | | | | | |
| <i>Rubus deliciosus</i> Rocky Mountain Raspberry | SF | 1.22 | G2 | 3-5 | 6-7 | | 1.00 | 5 |
| <i>Rubus flagellaris</i> Dewberry | BS | 0.85 | G2 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Rubus flagellaris</i> 'Austin' Austin Dewberry | BS | 0.85 | G2 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Rubus idaeus</i> Red Raspberry | SF | 0.89 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Amity' Amity Red Raspberry | SF | 0.85 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Autumn Bliss' Autumn Bliss Red Raspberry | SF | 1.18 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Autumn Britten' Autumn Britten Red Raspberry | SF | 0.84 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Boyne' Boyne Red Raspberry | SF | 1.10 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Canby Red' Canby Red Raspberry | SF | 1.02 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Caroline' P.P. 10412 Caroline Raspberry | SF | 1.20 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Chief' Chief Red Raspberry | SF | 1.01 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Comox' Comox Red Raspberry | SF | 1.18 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Dormanred' Dormanred Red Raspberry | SF | 0.74 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Fallgold' Fallgold Red Raspberry | SF | 1.20 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Gatineau' Gatineau Red Raspberry | SF | 1.01 | G2 | 2-3 | 4-7 | | 1.00 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rubus idaeus</i> 'Golden Harvest' Golden Harvest Red Raspberry | SF | 0.92 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Golden Summit' Golden Summit Raspberry | SF | 1.01 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Goldie' Goldie Yellow Raspberry | SF | 0.85 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Heritage' Heritage Red Raspberry | SF | 0.95 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Hilton' Hilton Red Raspberry | SF | 1.01 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Indian Summer' Indian Summer Red Raspberry | SF | 1.25 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Jewel' Jewel Red Raspberry | SF | 1.05 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Kiwigold' P.P. 11313 Kiwigold Raspberry | SF | 1.20 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Latham' Latham Red Raspberry | SF | 1.06 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Madwaska' Madwaska Red Raspberry | SF | 1.01 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Mammoth Red' Mammoth Red Raspberry | SF | 0.93 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Newburgh' Newburgh Red Raspberry | SF | 0.81 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Nordic' Nordic Red Raspberry | SF | 1.01 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Plainsman' Plainsman Red Raspberry | SF | 0.92 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Red Wing' Red Wing Red Raspberry | SF | 1.20 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Reveille' Reveille Red Raspberry | SF | 0.84 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Royalty' Royalty Purple-Red Raspberry | SF | 1.08 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'September' September Red Raspberry | SF | 1.10 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Summit' Summit Red Raspberry | SF | 0.86 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> var. <i>strigosus</i> Wild Red Raspberry | SF | 1.00 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> var. <i>strigosus</i> 'Kiska' Kiska Wild Red Raspberry | SF | 1.00 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus leucodermis</i> Western Raspberry | SF | 1.54 | G2 | 2-5 | 6-7 | | 1.00 | 5 |
| <i>Rubus xloganobaccus</i> Loganberry | SF | 0.88 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus occidentalis</i> Black Raspberry | SF | 1.11 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus occidentalis</i> 'Black Hawk' Black Hawk Black Raspberry | SF | 0.85 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus occidentalis</i> 'Bristol' Bristol Black Raspberry | SF | 1.08 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus occidentalis</i> 'Cumberland' Cumberland Black Raspberry | SF | 1.28 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus occidentalis</i> 'Logan' See - <i>Rubus xloganobaccus</i> | | | | | | | | |
| <i>Rubus occidentalis</i> 'Mac Black' Mac Black Black Raspberry | SF | 1.16 | G2 | 2-3 | 4-7 | | 1.00 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rubus occidentalis</i> 'Meeker' Meeker Black Raspberry | SF | 1.11 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus occidentalis</i> 'Willamette' Willamette Black Raspberry | SF | 1.20 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus odoratus</i> Flowering Raspberry | DS | 1.05 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Rubus parviflorus</i> Thimbleberry | SF | 0.99 | G2 | 4-5 | 6-7 | | 1.00 | 3 |
| <i>Rubus pentalobus</i> Taiwan Creeping Berry | GC | 0.73 | G2 | 7-8 | 9-10B | | 1.00 | 7 |
| <i>Rubus pentalobus</i> 'Emerald Carpet' Emerald Carpet Taiwan Creeping Berry | GC | 0.85 | G2 | 7-8 | 9-10A | | 1.00 | 7 |
| <i>Rubus spectabilis</i> Salmonberry | SF | 1.11 | G2 | 3-5 | 6-7 | | 1.00 | 5 |
| <i>Rubus ursinus</i> Blackberry | SF | 1.00 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Apache' Apache Blackberry | SF | 0.63 | G2 | 6-7 | 8-10 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Arapaho' Arapaho Blackberry | SF | 0.90 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Black Butte' Black Butte Trailing Blackberry | SF | 0.79 | G2 | 4-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Black Satin' Black Satin Blackberry | SF | 1.06 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Boysen' Boysen Blackberry | SF | 1.00 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Brazos' Brazos Blackberry | SF | 0.79 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Cherokee' Cherokee Blackberry | SF | 0.57 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Chester' Chester Blackberry | SF | 1.11 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Cheyenne' Cheyenne Blackberry | SF | 0.59 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Choctaw' Choctaw Blackberry | SF | 0.57 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Comanche' Comanche Blackberry | SF | 0.67 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Darrow' Darrow Blackberry | SF | 1.02 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Dirksen' Dirksen Blackberry | SF | 0.57 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Hull' Hull Blackberry | SF | 0.57 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Illini Hardy' Illini Hardy Blackberry | SF | 0.79 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Kiowa' Kiowa Blackberry | SF | 0.57 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Kotata' Kotata Blackberry | SF | 0.79 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Lawton' Lawton Blackberry | SF | 0.63 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Marion' Marion Blackberry | SF | 0.87 | G2 | 5-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Navajo' P.P. 6679 Navajo Blackberry | SF | 0.81 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Rosebrough' Rosebrough Blackberry | SF | 0.63 | G2 | 6-7 | 8-9 | | 0.93 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rubus ursinus</i> 'Shawnee' Shawnee Blackberry | SF | 0.94 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Snyder' Snyder Blackberry | SF | 0.79 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Sylvan' Sylvan Blackberry | SF | 0.79 | G2 | 5-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Thornless Boysen' Thornless Boysen Blackberry | SF | 1.09 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Thornless' Thornless Blackberry | SF | 0.85 | G2 | 6-7 | 8-9 | | 0.93 | 7 |
| <i>Rubus ursinus</i> 'Triple Crown' Triple Crown Blackberry | SF | 0.79 | G2 | 3-5 | 6-9 | | 0.93 | 5 |
| <i>Rubus ursinus</i> 'Waldo' Waldo Blackberry | SF | 0.79 | G2 | 5-7 | 8-9 | | 0.93 | 7 |
| <i>Rudbeckia</i> Coneflower | HP | 0.84 | G4 | 2-4 | 5-7 | | | |
| <i>Rudbeckia</i> 'Cherokee Sunset' Cherokee Sunset Coneflower | HP | 0.84 | G4 | 2-4 | 5-7 | | | |
| <i>Rudbeckia fulgida</i> Orange Coneflower | HP | 1.10 | G4 | 2-4 | 5-7 | | | |
| <i>Rudbeckia fulgida</i> 'Double Gloriosa' Double Gloriosa Orange Coneflower | HP | 0.92 | G4 | 2-4 | 5-7 | | | |
| <i>Rudbeckia fulgida</i> 'Goldilocks' Goldilocks Orange Coneflower | HP | 0.81 | G4 | 2-4 | 5-7 | | | |
| <i>Rudbeckia fulgida</i> 'Marmalade' Marmalade Orange Coneflower | HP | 0.84 | G4 | 2-4 | 5-7 | | | |
| <i>Rudbeckia fulgida</i> var. <i>deamii</i> Deamii Orange Coneflower | HP | 0.81 | G4 | 2-4 | 5-7 | | | |
| <i>Rudbeckia fulgida</i> var. <i>speciosa</i> Showy Coneflower | HP | 0.96 | G4 | 2-4 | 5-7 | | | |
| <i>Rudbeckia fulgida</i> var. <i>speciosa</i> 'Summer Blaze' Summer Blaze Showy Coneflower | HP | 0.98 | G4 | 2-4 | 5-7 | | | |
| <i>Rudbeckia fulgida</i> var. <i>speciosa</i> 'Viette's Little Suzy' Viette's Little Suzy Showy Coneflower | HP | 1.24 | G4 | 2-4 | 5-7 | | | |
| <i>Rudbeckia fulgida</i> var. <i>sullivantii</i> Sullivan Coneflower | HP | 1.38 | G4 | 2-4 | 5-7 | | | |
| <i>Rudbeckia fulgida</i> var. <i>sullivantii</i> 'Goldsturm' Goldsturm Sullivan Coneflower | HP | 0.88 | G4 | 2-4 | 5-7 | | | |
| <i>Rudbeckia hirta</i> Black-Eyed Susan | HP | 0.88 | G4 | 2-4 | 5-9 | | | |
| <i>Rudbeckia hirta</i> 'Becky Mixed' Becky Mixed Black-Eyed Susan | HP | 0.75 | G4 | 2-4 | 5-9 | | | |
| <i>Rudbeckia hirta</i> 'Cordoba' Cordoba Black-Eyed Susan | HP | 0.93 | G4 | 2-4 | 5-9 | | | |
| <i>Rudbeckia hirta</i> 'Indian Summer' Indian Summer Black-Eyed Susan | HP | 0.75 | G4 | 2-4 | 5-9 | | | |
| <i>Rudbeckia hirta</i> 'Irish Eyes' Irish Eyes Black-Eyed Susan | HP | 0.86 | G4 | 3 | 4-9 | | | |
| <i>Rudbeckia hirta</i> 'Rustic Dwarf' Rustic Dwarf Black-Eyed Susan | HP | 0.66 | G4 | 2-4 | 5-9 | | | |
| <i>Rudbeckia hirta</i> 'Sonora' Sonora Black-Eyed Susan | HP | 0.76 | G4 | 2-4 | 5-7 | | | |
| <i>Rudbeckia hirta</i> 'Spotlight' Spotlight Black-Eyed Susan | HP | 0.65 | G4 | 2-4 | 5-9 | | | |
| <i>Rudbeckia hirta</i> 'Summer Light' Summer Light Black-eyed Susan | HP | 0.83 | G4 | 2-4 | 5-7 | | | |
| <i>Rudbeckia hirta</i> 'Toto' Toto Black-Eyed Susan | HP | 0.74 | G4 | 3 | 4-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Rudbeckia hirta</i> var. <i>pulcherrima</i> No Common Name Found | HP | 1.00 | G4 | 3 | 4-9 | | | |
| <i>Rudbeckia laciniata</i> Cutleaf Coneflower | HP | 0.63 | G4 | 3 | 4-9 | | | |
| <i>Rudbeckia laciniata</i> 'Goldquelle' Goldquelle Cutleaf Coneflower | HP | 0.92 | G4 | 3 | 4-9 | | | |
| <i>Rudbeckia maxima</i> Great Coneflower | HP | 0.84 | G4 | 5-6 | 7-9 | | | |
| <i>Rudbeckia nitida</i> Shining Coneflower | HP | 0.72 | G4 | 2-3 | 4-7 | | | |
| <i>Rudbeckia nitida</i> 'Autumn Glory' Autumn Glory Shining Coneflower | HP | 0.76 | G2 | 2-3 | 4-10B | | | |
| <i>Rudbeckia nitida</i> 'Herbstonne' Herbstonne Shining Coneflower | HP | 1.01 | G2 | 2-3 | 4-10B | | | |
| <i>Rudbeckia nitida</i> 'Juligold' Juligold Shining Coneflower | HP | 0.76 | G2 | 2-3 | 4-10B | | | |
| <i>Rudbeckia speciosa</i> See - <i>Rudbeckia fulgida</i> var. <i>speciosa</i> | | | | | | | | |
| <i>Rudbeckia subtomentosa</i> Sweet Coneflower | HP | 0.94 | G4 | 2-4 | 5-7 | | | |
| <i>Rudbeckia triloba</i> Three-lobed Coneflower | HP | 0.95 | G4 | 5 | 6-8 | | | |
| <i>Rudbeckia triloba</i> 'Flore-Pleno' Flore-Pleno Three-lobed Coneflower | HP | 1.22 | G4 | 5 | 6-8 | | | |
| <i>Ruellia</i> Ruellia | HP | 0.94 | G4 | 9-10A | 10B-11 | | | |
| <i>Ruellia</i> 'Ground Hugger' Ground Hugger Ruellia | HP | 1.12 | G4 | 9-10A | 10B-11 | | | |
| <i>Ruellia</i> 'Little Lady' Little Lady Ruellia | HP | 0.57 | G4 | 9-10A | 10B-11 | | | |
| <i>Ruellia</i> 'Ragin Cajin' Ragin Cajin Ruellia | HP | 1.12 | G4 | 9-10A | 10B-11 | | | |
| <i>Ruellia brittoniana</i> Mexican Bluebell | HP | 0.65 | G4 | 9-10A | 10B-11 | | | |
| <i>Ruellia brittoniana</i> 'Blue Katie' Blue Katie Mexican Bluebell | HP | 0.64 | G4 | 9A-10A | 10B-11 | | | |
| <i>Ruellia brittoniana</i> 'Chi Chi' Chi Chi Mexican Bluebell | HP | 0.77 | G4 | 9-10A | 10B-11 | | | |
| <i>Ruellia brittoniana</i> 'Clean White Katie' Clean White Katie Mexican Bluebell | HP | 0.62 | G4 | 7-9 | 10-11 | | | |
| <i>Ruellia brittoniana</i> 'Katie' Katie Dwarf Mexican Bluebell | HP | 0.75 | G4 | 9-10A | 10B-11 | | | |
| <i>Ruellia brittoniana</i> 'Pink Katie' Pink Katie Mexican Bluebell | HP | 0.54 | G4 | 9-10A | 10B-11 | | | |
| <i>Ruellia brittoniana</i> 'Pink Shorts Katie' Pink Shorts Katie Mexican Bluebell | HP | 0.66 | G4 | 7-9 | 10-11 | | | |
| <i>Ruellia brittoniana</i> 'Purple Showers' Purple Showers Mexican Bluebell | HP | 0.48 | G4 | 9-10A | 10B-11 | | | |
| <i>Ruellia brittoniana</i> 'Snow Queen' Snow Queen Mexican Bluebell | HP | 0.65 | G4 | 9-10A | 10B-11 | | | |
| <i>Ruellia brittoniana</i> 'Variegated Katie' Variegated Katie Mexican Bluebell | HP | 0.63 | G4 | 9-10A | 10B-11 | | | |
| <i>Ruellia brittoniana</i> 'White Katie' White Katie Mexican Bluebell | HP | 0.55 | G4 | 9-10A | 10B-11 | | | |
| <i>Ruellia brittoniana</i> 'White Snow' White Snow Mexican Bluebell | HP | 0.63 | G4 | 9-10A | 10B-11 | | | |
| <i>Ruellia caroliniensis</i> Carolina Wild Petunia | HP | 0.56 | G4 | 5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Ruellia ciliosa</i> East Tennessee Pinkroot | HP | 1.00 | G4 | 5-7 | 8-9B | | | |
| <i>Ruellia colorata</i> Red Shrimp Plant | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Ruellia devosiana</i> Velvet-leaved Ruellia | HP | 1.00 | G1 | 9-10 | 11 | | | |
| <i>Ruellia elegans</i> Elegant Ruellia | HP | 1.24 | G4 | 9-10A | 10B-11 | | | |
| <i>Ruellia graecizans</i> No Common Name Found | HP | 0.72 | G1 | 10 | 11 | | | |
| <i>Ruellia humilis</i> Fringe-leaf Wild Petunia | HP | 1.07 | G4 | 4 | 5-8 | | | |
| <i>Ruellia macrantha</i> No Common Name Found | FO | 0.35 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Ruellia makoyana</i> Monkey Plant | FO | 0.54 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Ruellia malacosperma</i> Soft-seed Wild Petunia | HP | 0.87 | G4 | 10A | 10B-11 | | | |
| <i>Ruellia squarrosa</i> Creeping Ruellia | HP | 0.95 | G4 | 9-10A | 10B-11 | | | |
| <i>Rumex acetosa</i> Sorrel | HP | 1.08 | G4 | 5-6 | 7-8 | | | |
| <i>Rumex sanguineus</i> Bloody Dock | HP | 0.98 | G4 | 5-6 | 7-8 | | | |
| <i>Rumex scutatus</i> French Sorrel | HP | 0.83 | G4 | 5-6 | 7-8 | | | |
| <i>Rumohra adiantiformis</i> Leatherleaf Fern | FO | 0.62 | G4 | 9-10 | 11 | | 1.00 | 10A |
| <i>Rupicapnos africana</i> No Common Name Found | HP | 1.00 | G4 | 6-8 | 9-10 | | | |
| <i>Ruscus hypoglossum</i> Butcher's Broom | BS | 0.84 | G2 | 7-8 | 9-10A | | 1.00 | 7 |
| <i>Ruspolia hypocrateriformis</i> Firecracker Bush | BS | 0.41 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Russelia equisetiformis</i> Firecracker Plant | BS | 0.65 | G1 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Russelia equisetiformis</i> 'Aureus' Yellow Firecracker Plant | BS | 0.62 | G4 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Russelia sarmentosa</i> No Common Name Found | BS | 0.62 | G1 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Ruta graveolens</i> Rue | BS | 0.78 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Ruta graveolens</i> 'Blue Mound' Blue Mound Rue | HP | 0.81 | G2 | 5-6 | 7-8 | | | |
| <i>Ruta graveolens</i> 'Curly Girl' Curly Girl Dwarf Rue | BS | 0.65 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Ruta graveolens</i> 'Jackman's Blue' Jackman's Blue Rue | BS | 1.14 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Ruttya fruticosa</i> Hummingbird Plant | BS | 0.51 | G1 | 10 | 11 | | 1.00 | 8 |
| <i>Sabal bermudana</i> Bermuda Palmetto | PC | 1.26 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Sabal blackburniana</i> No Common Name Found | PC | 1.49 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Sabal causiarum</i> Puerto Rican Hat Palm | PC | 1.25 | G2 | 9 | 10-11 | | 1.00 | 9 |
| <i>Sabal deeringiana</i> See - <i>Sabal minor</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Sabal etonia</i> Scrub Palmetto | PC | 0.82 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Sabal mauritiiformis</i> Palma Amarga | PC | 1.13 | G1 | 9 | 10-11 | | 1.00 | 9 |
| <i>Sabal mexicana</i> Texas Palmetto | PC | 0.92 | G1 | 10A | 10B-11 | | 1.77 | 9 |
| <i>Sabal minor</i> Dwarf Palmetto | PC | 1.39 | G2 | 6-9 | 10-11 | | 1.00 | 9 |
| <i>Sabal palmetto</i> Palmetto | PC | 0.91 | G2 | 6-8 | 9-11 | | 1.16 | 8 |
| <i>Sabal umbraculifera</i> See - <i>Sabal blackburniana</i> | | | | | | | | |
| <i>Sabal yapa</i> No Common Name Found | PC | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Saccharum contortum</i> Bent Awn Plume Grass | HP | 0.70 | G4 | 7-8 | 9-10 | | | |
| <i>Saccharum officinarum</i> Sugarcane | HP | 1.15 | G4 | 7-9 | 10-11 | | | |
| <i>Saccharum officinarum</i> 'Pele's Smoke' Pele's Smoke Sugarcane | HP | 0.81 | G4 | 7-9 | 10-11 | | | |
| <i>Saccharum ravennae</i> Ravenna Plume Grass | HP | 1.17 | G4 | 6 | 7-9A | | | |
| <i>Saccharum strictum</i> Narrow Plume Grass | HP | 0.70 | G4 | 7-8 | 9-10 | | | |
| <i>Sageretia thea</i> Chinese Sweet Plum | BS | 0.65 | G1 | 10 | 11 | | 1.00 | 7 |
| <i>Sageretia theezans</i> See - <i>Sageretia thea</i> | | | | | | | | |
| <i>Sagina subulata</i> Pearlwort | HP | 1.00 | G4 | 3-4 | 5-6 | | | |
| <i>Sagina subulata</i> 'Aurea' Gold Pearlwort | HP | 0.93 | G4 | 3-4 | 5-6 | | | |
| <i>Sagittaria lancifolia</i> No Common Name Found | HP | 0.96 | G4 | 8-9 | 10-11 | | | |
| <i>Sagittaria latifolia</i> Common Arrowhead | HP | 1.13 | G4 | 6 | 7-11 | | | |
| <i>Saintpaulia ionantha</i> African Violet | FO | 0.43 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Salix</i> Hybrid Willow | DT | 0.87 | G2 | 2-3 | 4-10 | 0.85 | 0.80 | 3 |
| <i>Salix</i> 'Flame' Flame Willow | DT | 0.81 | G2 | 4-5 | 6-7 | 0.85 | 0.91 | 3 |
| <i>Salix</i> 'Golden Curls' Golden Curls Willow | DT | 0.83 | G2 | 4-5 | 6-7 | 0.80 | 0.80 | 5 |
| <i>Salix</i> 'Prairie Cascade' Prairie Cascade Willow | DT | 0.97 | G2 | 4-5 | 6-7 | 0.86 | 0.69 | 2 |
| <i>Salix</i> 'Scarcuzam' Scarlet Curls® Willow | DT | 0.77 | G2 | 4-5 | 6-7 | 0.90 | 0.80 | 5 |
| <i>Salix</i> 'Scarlet Curls' See - <i>Salix</i> 'Scarcuzam' | | | | | | | | |
| <i>Salix</i> 'Snake' Snake Willow | DT | 0.98 | G2 | 4-5 | 6-7 | 0.85 | 0.80 | 5 |
| <i>Salix alba</i> White Willow | DT | 0.99 | G2 | 2 | 3-10 | 0.75 | 0.35 | 2 |
| <i>Salix alba</i> 'Britzensis' Coral Bark Willow | DT | 0.99 | G2 | 2 | 3-10 | 0.91 | 0.93 | 2 |
| <i>Salix alba</i> 'Tristis' See - <i>Salix x sepulcralis</i> var. <i>chrysocoma</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Salix alba</i> var. <i>sericea</i> Silver Willow | DT | 1.00 | G2 | 2 | 3-10 | 1.00 | 1.00 | 2 |
| <i>Salix alba</i> var. <i>vitellina</i> Yellowstem Willow | DT | 0.99 | G2 | 2 | 3-8 | 1.15 | 1.80 | 2 |
| <i>Salix amygdaloides</i> Peachleaf Willow | DT | 1.00 | G2 | 5-6 | 7-9 | 1.00 | 1.00 | 5 |
| <i>Salix arbuscula</i> Mountain Willow | DS | 1.00 | G2 | 2-3 | 4-10 | | 1.00 | 3 |
| <i>Salix arctica</i> Arctic Willow | DS | 0.69 | G2 | 2-3 | 4-10 | | 1.00 | 1 |
| <i>Salix arenaria</i> Silver Creeping Willow | GC | 0.86 | G2 | 5 | 6-7 | | 1.00 | 5 |
| <i>Salix babylonica</i> Babylon Weeping Willow | DT | 0.81 | G2 | 4-5 | 6-9 | 0.88 | 0.47 | 5 |
| <i>Salix</i> x <i>bebbiana</i> Bebb Willow | DS | 0.64 | G2 | 2 | 3-10 | | 1.00 | 2 |
| <i>Salix</i> x <i>bebbii</i> See - <i>Salix</i> x <i>bebbiana</i> | | | | | | | | |
| <i>Salix</i> x <i>blanda</i> See - <i>Salix</i> x <i>pendulina</i> var. <i>blanda</i> | | | | | | | | |
| <i>Salix brachycarpa</i> Barren Ground Willow | DS | 1.00 | G2 | 2 | 3-4 | | 1.00 | 2 |
| <i>Salix candida</i> Sage Willow | DS | 1.00 | G2 | 3-4 | 5-7 | | 1.00 | 2 |
| <i>Salix caprea</i> Goat Willow | DT | 0.77 | G2 | 3-4 | 5-7 | 1.11 | 0.81 | 4 |
| <i>Salix caprea</i> 'Curly Locks' Curly Locks Goat Willow | DT | 1.04 | G2 | 4-5 | 6-7 | 1.11 | 1.03 | 4 |
| <i>Salix caprea</i> 'Pendula' Weeping Goat Willow | DT | 1.31 | G2 | 3-4 | 5-7 | 1.11 | 1.24 | 4 |
| <i>Salix caroliniana</i> Coastal Plain Willow | DT | 0.34 | G2 | 4-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Salix chaenomeloides</i> Japanese Pussy Willow | DT | 0.93 | G2 | 4-5 | 6-8 | 1.00 | 0.34 | 5 |
| <i>Salix commutata</i> Undergreen Willow | DS | 1.00 | G2 | 2 | 3-4 | | 1.00 | 2 |
| <i>Salix cottetii</i> Banker's Willow | DT | 0.68 | G2 | 3-5 | 6-7 | 1.00 | 0.74 | 5 |
| <i>Salix discolor</i> Pussy Willow | DS | 0.91 | G2 | 2 | 3-10 | | 0.43 | 2 |
| <i>Salix discolor</i> 'Pendula' Weeping Pussy Willow | DS | 1.29 | G2 | 2 | 3-10 | | 0.71 | 2 |
| <i>Salix discolor</i> 'Rosea' Pink Pussy Willow | DS | 1.10 | G2 | 2 | 3-10 | | 0.41 | 2 |
| <i>Salix drummondiana</i> Drummond Willow | DS | 0.88 | G2 | 2-3 | 4-10 | | 1.00 | 3 |
| <i>Salix</i> x <i>elegantissima</i> See - <i>Salix</i> x <i>pendulina</i> var. <i>elegantissima</i> | | | | | | | | |
| <i>Salix eriocephala</i> Red-tipped Willow | DS | 1.00 | G2 | 2-6 | 7-10 | | 1.00 | 6 |
| <i>Salix exigua</i> Coyote Willow | DT | 0.81 | G2 | 2 | 3-10 | 1.00 | 0.60 | 2 |
| <i>Salix exigua</i> ssp. <i>melanopsis</i> See - <i>Salix melanopsis</i> | | | | | | | | |
| <i>Salix fluviatilis</i> River Willow | DT | 0.65 | G2 | 2-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Salix glauca</i> Grayleaf Willow | DS | 1.00 | G2 | 2 | 3-4 | | 1.00 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Salix gracilistyla</i> var. <i>melanostachys</i> Black Pussy Willow | DT | 0.79 | G2 | 4-5 | 6-8 | 1.00 | 1.27 | 5 |
| <i>Salix hastata</i> Halberd Willow | DS | 1.00 | G2 | 4 | 5-7 | | 1.00 | 2 |
| <i>Salix hookeriana</i> Hooker Willow | DS | 0.74 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Salix integra</i> No Common Name Found | DT | 0.96 | G2 | 5-6 | 7-8 | 0.83 | 0.49 | 6 |
| <i>Salix integra</i> 'Hakuro Nishiki' Hakuro Nishiki Pussy Willow | DT | 0.96 | G2 | 5-6 | 7-8 | 0.83 | 0.49 | 6 |
| <i>Salix interior</i> See - <i>Salix exigua</i> | | | | | | | | |
| <i>Salix irrorata</i> Bluestem Willow | DS | 0.87 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Salix koriyanagi</i> Kori-yanagi Willow | DT | 0.90 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Salix koriyanagi</i> 'Rubykins' Rubykins Willow | DT | 0.90 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Salix laevigata</i> Red Willow | DT | 1.00 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Salix lanata</i> Woolly Willow | DS | 1.00 | G2 | 1-2 | 3-6 | | 1.00 | 2 |
| <i>Salix lasiolepis</i> Arroyo Willow | DS | 1.33 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Salix lucida</i> Shining Willow | DT | 1.00 | G2 | 3-4 | 5-7 | 1.00 | 1.00 | 2 |
| <i>Salix lucida</i> ssp. <i>lasiandra</i> Pacific Willow | DT | 0.79 | G2 | 3 | 4-6 | 1.00 | 1.00 | 2 |
| <i>Salix lucida</i> ssp. <i>lasiandra</i> 'Nehalem' Nehalem Pacific Willow | DT | 0.83 | G2 | 3-4 | 5-7 | 1.00 | 1.00 | 2 |
| <i>Salix matsudana</i> Hankow Willow | DT | 0.81 | G2 | 4-5 | 6-8 | 0.80 | 0.43 | 5 |
| <i>Salix matsudana</i> 'Navajo' Globe Navajo Hankow Willow | DT | 0.80 | G2 | 4-5 | 6-8 | 0.90 | 0.45 | 5 |
| <i>Salix matsudana</i> 'Tortuosa' Corkscrew Willow | DT | 0.76 | G2 | 4-5 | 6-8 | 0.65 | 0.47 | 5 |
| <i>Salix matsudana</i> 'Umbraculifera' Umbraculifera Hankow Willow | DT | 0.87 | G2 | 4-5 | 6-8 | 0.84 | 0.45 | 5 |
| <i>Salix melanopsis</i> Dusky Willow | DT | 1.00 | G2 | 2-5 | 6-8 | 1.00 | 1.00 | 4 |
| <i>Salix melanostachys</i> See - <i>Salix gracilistyla</i> var. <i>melanostachys</i> | | | | | | | | |
| <i>Salix monticola</i> Yellow Mountain Willow | DS | 0.88 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Salix myrtilloides</i> Swamp Willow | DS | 1.00 | G2 | 1-2 | 3-6 | | 1.00 | 2 |
| <i>Salix nigra</i> Black Willow | DT | 0.95 | G2 | 3-4 | 5-8 | 0.33 | 0.39 | 4 |
| <i>Salix xpendulina</i> Niobe Weeping Willow | DT | 1.02 | G2 | 3-4 | 5-8 | 0.92 | 0.57 | 4 |
| <i>Salix xpendulina</i> var. <i>blanda</i> Wisconsin Weeping Willow | DT | 0.66 | G2 | 2-4 | 5-10 | 0.68 | 0.32 | 4 |
| <i>Salix xpendulina</i> var. <i>elegantissima</i> Thurlow Weeping Willow | DT | 1.18 | G2 | 3-4 | 5-7 | 0.89 | 1.00 | 4 |
| <i>Salix pentandra</i> Laurel Willow | DT | 1.13 | G2 | 4-5 | 6-8 | 0.76 | 1.00 | 5 |
| <i>Salix petiolaris</i> Slender Willow | DS | 1.00 | G2 | 1-2 | 3-6 | | 1.00 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Salix piperi</i> Piper Willow | DT | 1.00 | G2 | 5-7 | 8-9 | 1.00 | 1.00 | 7 |
| <i>Salix planifolia</i> Planeleaf Willow | DT | 0.56 | G2 | 1 | 2-6 | 1.00 | 1.00 | 1 |
| <i>Salix polaris</i> Polar Willow | GC | 1.00 | G2 | 1-2 | 3-6 | | 1.00 | 2 |
| <i>Salix purpurea</i> Purpleosier Willow | DS | 1.09 | G2 | 4 | 5-8 | | 0.41 | 3 |
| <i>Salix purpurea</i> 'Canyon Blue' Canyon Blue Purpleosier Willow | DT | 1.19 | G2 | 2-3 | 4-9 | 0.99 | 1.00 | 3 |
| <i>Salix purpurea</i> 'Gracilis' Slender Purpleosier Willow | DS | 1.03 | G2 | 4 | 5-8 | | 0.57 | 3 |
| <i>Salix purpurea</i> 'Nana' Arctic Blue Willow | DS | 0.86 | G2 | 4 | 5-8 | | 0.92 | 3 |
| <i>Salix purpurea</i> 'Pendula' Weeping Purple Willow | DT | 1.12 | G2 | 4 | 5-8 | 0.99 | 1.00 | 3 |
| <i>Salix purpurea</i> 'Streamco' Streamco Purple Willow | DS | 1.28 | G2 | 4 | 5-8 | | 0.38 | 3 |
| <i>Salix repens</i> Creeping Willow | GC | 0.96 | G2 | 5 | 6-7 | | 1.00 | 5 |
| <i>Salix repens</i> 'Nitida' See - <i>Salix arenaria</i> | | | | | | | | |
| <i>Salix repens</i> 'Voorthuizen' Voorthuizen Creeping Willow | GC | 0.96 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Salix reticulata</i> Netleaf Willow | DS | 1.00 | G2 | 1 | 2-6 | | 1.00 | 1 |
| <i>Salix rotundifolia</i> Least Willow | DS | 1.00 | G2 | 1-2 | 3-7 | | 1.00 | 2 |
| <i>Salix sachalinensis</i> See - <i>Salix udensis</i> | | | | | | | | |
| <i>Salix scouleriana</i> Scouler Willow | DT | 0.70 | G2 | 4-5 | 6-9 | 1.00 | 1.00 | 4 |
| <i>Salix x sepulcralis</i> Weeping Willow | DT | 0.77 | G2 | 4-5 | 6-9 | 0.57 | 0.69 | 2 |
| <i>Salix x sepulcralis</i> var. <i>chrysocoma</i> Golden Weeping Willow | DT | 0.90 | G2 | 4-5 | 6-9 | 0.78 | 0.27 | 2 |
| <i>Salix sitchensis</i> Sitka Willow | DT | 0.60 | G2 | 3-4 | 5-7 | 1.00 | 1.00 | 4 |
| <i>Salix udensis</i> Japanese Fantail Willow | DT | 0.90 | G2 | 4 | 5-7 | 1.00 | 0.56 | 4 |
| <i>Salix udensis</i> 'Sekka' Sekka Japanese Fantail Willow | DT | 0.75 | G2 | 4 | 5-7 | 1.00 | 0.63 | 4 |
| <i>Salix yezoalpina</i> No Common Name Found | GC | 1.00 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Salvia</i> Sage | HP | 0.70 | G4 | 5-7 | 8-11 | | | |
| <i>Salvia</i> 'Anthony Parker' Anthony Parker Hybrid Sage | HP | 0.70 | G4 | 5-8 | 9-11 | | | |
| <i>Salvia</i> 'Indigo Spires' Indigo Spires Hybrid Sage | HP | 0.68 | G4 | 6-9 | 10-11 | | | |
| <i>Salvia</i> 'Purple Majesty' Purple Majesty Hybrid Sage | HP | 0.72 | G4 | 6-10A | 10B-11 | | | |
| <i>Salvia apiana</i> Bee Sage | HP | 1.00 | G4 | 6-9 | 10-11 | | | |
| <i>Salvia argentea</i> Silver Sage | HP | 0.93 | G4 | 5 | 6-8 | | | |
| <i>Salvia azurea</i> Azure Sage | HP | 0.62 | G4 | 4-5 | 6-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Salvia azurea</i> var. <i>grandiflora</i> No Common Name Found | HP | 0.87 | G4 | 4-5 | 6-9A | | | |
| <i>Salvia blepharophylla</i> No Common Name Found | HP | 0.58 | G4 | 8-9 | 10 | | | |
| <i>Salvia buechananii</i> No Common Name Found | HP | 0.66 | G4 | 8-9 | 10 | | | |
| <i>Salvia cacaliifolia</i> No Common Name Found | HP | 0.68 | G4 | 8-9 | 10 | | | |
| <i>Salvia canariensis</i> Canary Island Sage | HP | 0.73 | G4 | 8-9 | 10 | | | |
| <i>Salvia chamaedryoides</i> No Common Name Found | HP | 0.65 | G4 | 8-9A | 9B-10 | | | |
| <i>Salvia clevelandii</i> Jim Sage | HP | 0.71 | G4 | 8-9A | 9B-10 | | | |
| <i>Salvia coccinea</i> Annual Scarlet Sage | HP | 0.71 | G4 | 8-9A | 9B-10 | | | |
| <i>Salvia coccinea</i> 'Brenthurst' Brenthurst Annual Scarlet Sage | HP | 0.69 | G4 | 8-9A | 9B-10 | | | |
| <i>Salvia coccinea</i> 'Coral Nymph' Coral Nymph Annual Scarlet Sage | HP | 0.57 | G4 | 8-9A | 9B-10 | | | |
| <i>Salvia coccinea</i> 'Forest Fire' Forest Fire Annual Scarlet Sage | HP | 0.53 | G4 | 6-8 | 9-11 | | | |
| <i>Salvia coccinea</i> 'Lady in Red' Lady in Red Annual Scarlet Sage | HP | 0.60 | G4 | 8-9A | 9B-10 | | | |
| <i>Salvia coccinea</i> 'Snow Nymph' Snow Nymph Annual Scarlet Sage | HP | 0.63 | G4 | 5-7 | 8-11 | | | |
| <i>Salvia columbariae</i> No Common Name Found | HP | 0.68 | G4 | 6-7 | 8-9 | | | |
| <i>Salvia confertifolia</i> No Common Name Found | HP | 0.78 | G4 | 8-9 | 10 | | | |
| <i>Salvia darcyi</i> No Common Name Found | HP | 0.65 | G4 | 6-7 | 8-9 | | | |
| <i>Salvia discolor</i> No Common Name Found | HP | 0.71 | G4 | 8-9 | 10 | | | |
| <i>Salvia dorisiana</i> Fruit Sage | HP | 1.25 | G4 | 8-10 | 11 | | | |
| <i>Salvia dorrii</i> Purple Sage | HP | 1.76 | G4 | 5-6 | 7-10 | | | |
| <i>Salvia elegans</i> Pineapple-scented Sage | HP | 0.66 | G4 | 7-8 | 9-11 | | | |
| <i>Salvia elegans</i> 'Honeydew' Honeydew Melon Sage | HP | 0.70 | G4 | 5-8 | 9-11 | | | |
| <i>Salvia farinacea</i> Mealycup Sage | HP | 0.69 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia farinacea</i> 'Rhea' Rhea Mealycup Sage | HP | 0.56 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia farinacea</i> 'Signum' Signum Mealycup Sage | HP | 0.27 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia farinacea</i> 'Strata' Strata Mealycup Sage | HP | 0.52 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia farinacea</i> 'Victoria' Victoria Mealycup Sage | HP | 0.63 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia fulgens</i> No Common Name Found | HP | 0.82 | G4 | 9 | 10-11 | | | |
| <i>Salvia gesneriiflora</i> No Common Name Found | HP | 0.68 | G4 | 9 | 10-11 | | | |
| <i>Salvia glechomifolia</i> No Common Name Found | HP | 0.77 | G4 | 4-7 | 8-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Salvia glutinosa</i> Jupiter's Distaff | HP | 0.90 | G4 | 6-7 | 8-9 | | | |
| <i>Salvia grahamii</i> See - <i>Salvia microphylla</i> | | | | | | | | |
| <i>Salvia greggii</i> Autumn Sage | HP | 0.75 | G4 | 6-8 | 9-11 | | | |
| <i>Salvia greggii</i> 'Alba' White Autumn Sage | HP | 0.81 | G4 | 7-8 | 9-11 | | | |
| <i>Salvia greggii</i> 'Cherry Queen' Cherry Queen Autumn Sage | HP | 0.66 | G4 | 7-8 | 9-11 | | | |
| <i>Salvia greggii</i> 'Chiffon' Chiffon Autumn Sage | HP | 0.62 | G4 | 7-8 | 9-11 | | | |
| <i>Salvia greggii</i> 'Cienego D'Oro' Cienego D'Oro Autumn Sage | HP | 0.72 | G4 | 7-8 | 9-11 | | | |
| <i>Salvia greggii</i> 'Dark Dancer' Dark Dancer Autumn Sage | HP | 0.65 | G4 | 7-8 | 9-11 | | | |
| <i>Salvia greggii</i> 'Flame' Flame Autumn Sage | HP | 0.78 | G4 | 6-8 | 9-11 | | | |
| <i>Salvia greggii</i> 'Furman's Red' Furman's Red Autumn Sage | HP | 0.98 | G4 | 7-8 | 9-11 | | | |
| <i>Salvia greggii</i> 'Maraschino' Maraschino Autumn Sage | HP | 1.29 | G4 | 5-6 | 7-11 | | | |
| <i>Salvia greggii</i> 'Nuevo Leon' Nuevo Leon Hybrid Sage | HP | 0.64 | G4 | 6-7 | 8-11 | | | |
| <i>Salvia greggii</i> 'San Antonio' San Antonio Autumn Sage | HP | 0.78 | G4 | 7-8 | 9-11 | | | |
| <i>Salvia greggii</i> 'San Isidro' San Isidro Autumn Sage | HP | 0.66 | G4 | 7-8 | 9-11 | | | |
| <i>Salvia greggii</i> 'San Takao' San Takao Autumn Sage | HP | 0.78 | G4 | 7-8 | 9-11 | | | |
| <i>Salvia guaranitica</i> Blue Anise Sage | HP | 0.73 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia guaranitica</i> 'Argentina Skies' Argentina Skies Blue Anise Sage | HP | 0.69 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia guaranitica</i> 'Black and Blue' Black and Blue Anise Sage | HP | 0.77 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia guaranitica</i> 'Costa Rica' Costa Rica Anise Sage | HP | 0.62 | G4 | 6-8 | 9-11 | | | |
| <i>Salvia guaranitica</i> 'Purple Splendor' Purple Splendor Anise Sage | HP | 0.62 | G4 | 6-8 | 9-11 | | | |
| <i>Salvia hians</i> No Common Name Found | HP | 0.83 | G4 | 6 | 7-9 | | | |
| <i>Salvia interrupta</i> No Common Name Found | HP | 0.69 | G4 | 5-8 | 9-11 | | | |
| <i>Salvia involucrata</i> Rosy-leaf Sage | HP | 0.63 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia jurisicii</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-9A | | | |
| <i>Salvia karwinskii</i> Karwinski's Sage | HP | 0.66 | G4 | 6-9 | 10 | | | |
| <i>Salvia koyamae</i> Yellow Sage | HP | 0.68 | G4 | 6-7 | 8-10 | | | |
| <i>Salvia lavandulifolia</i> No Common Name Found | HP | 0.67 | G4 | 4-5 | 6-9 | | | |
| <i>Salvia leptophylla</i> See - <i>Salvia reptans</i> | | | | | | | | |
| <i>Salvia leucantha</i> Mexican Bush Sage | HP | 0.77 | G4 | 8-9 | 10-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Salvia leucantha</i> 'Purple on Purple' Purple on Purple Mexican Bush Sage | HP | 0.66 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia leucantha</i> 'Purple on White' Purple on White Mexican Bush Sage | HP | 0.67 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia leucantha</i> 'Santa Barbara' P.P. 12949 Santa Barbara Mexican Bush Sage | HP | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia leucantha</i> 'Waverly' Waverly Mexican Bush Sage | HP | 0.62 | G4 | 6-8 | 9-11 | | | |
| <i>Salvia leucophylla</i> Chaparral Sage | HP | 0.85 | G4 | 8-9 | 10 | | | |
| <i>Salvia leucophylla</i> 'Figueroa' Figueroa Chaparral Sage | HP | 0.89 | G4 | 8-9 | 10 | | | |
| <i>Salvia leucophylla</i> 'Point Sal' Point Sal Chaparral Sage | HP | 1.18 | G4 | 8-9 | 10 | | | |
| <i>Salvia lyrata</i> Cancer Weed | HP | 0.51 | G4 | 4-5 | 6-9 | | | |
| <i>Salvia madrensis</i> No Common Name Found | HP | 0.66 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia mellifera</i> California Black Sage | HP | 1.27 | G4 | 7-8 | 9-10 | | | |
| <i>Salvia mexicana</i> Mexican Sage | HP | 0.71 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia mexicana</i> 'Limelight' Limelight Mexican Sage | HP | 0.62 | G4 | 6-8 | 9-11 | | | |
| <i>Salvia microphylla</i> Baby Sage | HP | 0.90 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia miniata</i> Belize Sage | HP | 0.66 | G4 | 10A | 10B-11 | | | |
| <i>Salvia muelleri</i> Mueller's Sage | HP | 0.72 | G4 | 7-8 | 9-10 | | | |
| <i>Salvia nemorosa</i> Balkan Clary | HP | 1.06 | G4 | 5-6 | 7-10 | | | |
| <i>Salvia nemorosa</i> 'Caradonna' Caradonna Balkan Clary | HP | 1.01 | G4 | 5-6 | 7-10 | | | |
| <i>Salvia nemorosa</i> 'Haeumanarc' P.P. 13322 Marcus® Balkan Clary | HP | 1.24 | G4 | 5-6 | 7-10 | | | |
| <i>Salvia nemorosa</i> 'Marcus' See - <i>Salvia nemorosa</i> 'Haeumanarc' P.P. 13322 | | | | | | | | |
| <i>Salvia nemorosa</i> 'Plumosa' Plume Balkan Clary | HP | 1.05 | G4 | 5-6 | 7-10 | | | |
| <i>Salvia nemorosa</i> 'Rosenwein' Rosenwein Balkan Clary | HP | 0.73 | G4 | 5 | 6-8 | | | |
| <i>Salvia nemorosa</i> 'Schwellenburg' Schwellenburg Balkan Clary | HP | 1.51 | G4 | 5-6 | 7-10 | | | |
| <i>Salvia nemorosa</i> 'Stratford Blue' Stratford Blue Balkan Clary | HP | 0.84 | G4 | 5-6 | 7-10 | | | |
| <i>Salvia officinalis</i> Common Sage | HP | 0.66 | G4 | 5 | 6-9 | | | |
| <i>Salvia officinalis</i> 'Albiflora' Albiflora Garden Sage | HP | 0.82 | G4 | 5 | 6-9 | | | |
| <i>Salvia officinalis</i> 'Aurea' Gold Garden Sage | HP | 0.74 | G4 | 5 | 6-9 | | | |
| <i>Salvia officinalis</i> 'Berggarten' Berggarten Garden Sage | HP | 0.75 | G4 | 5 | 6-9 | | | |
| <i>Salvia officinalis</i> 'Icterina' Icterina Garden Sage | HP | 0.70 | G4 | 5 | 6-9 | | | |
| <i>Salvia officinalis</i> 'Purpurea' Purple Garden Sage | HP | 0.71 | G4 | 5 | 6-9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Salvia officinalis</i> 'Rubra' Red Garden Sage | HP | 0.73 | G4 | 5 | 6-9 | | | |
| <i>Salvia officinalis</i> 'Sage of Bath' Sage of Bath Garden Sage | HP | 0.73 | G4 | 5 | 6-9 | | | |
| <i>Salvia officinalis</i> 'Tricolor' Tricolor Garden Sage | HP | 0.72 | G4 | 5 | 6-9 | | | |
| <i>Salvia officinalis</i> 'Woodcote' Woodcote Garden Sage | HP | 0.73 | G4 | 5 | 6-9 | | | |
| <i>Salvia patens</i> Gentian Sage | HP | 0.79 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia penstemonoides</i> Penstemon Sage | HP | 1.05 | G4 | 5-6 | 7-9 | | | |
| <i>Salvia pratensis</i> Meadow Sage | HP | 0.86 | G4 | 3-4 | 5-7 | | | |
| <i>Salvia pratensis</i> 'Baumgartenii' Baumgartenii Meadow Sage | HP | 0.86 | G4 | 3-4 | 5-7 | | | |
| <i>Salvia pratensis</i> 'Haematodes' Haematodes Meadow Sage | HP | 0.86 | G4 | 3-4 | 5-7 | | | |
| <i>Salvia pratensis</i> 'Rosea' Rosea Meadow Sage | HP | 0.86 | G4 | 3-4 | 5-7 | | | |
| <i>Salvia reglia</i> No Common Name Found | HP | 0.65 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia reglia</i> 'Huntington' Huntington Sage | HP | 0.65 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia reptans</i> No Common Name Found | HP | 0.83 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia roemeriana</i> Cedar Sage | HP | 0.86 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia sclarea</i> Clary | HP | 0.90 | G4 | 5 | 6-7 | | | |
| <i>Salvia sinaloensis</i> Sinaloa Sage | HP | 0.62 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia sonomensis</i> Creeping Sage | HP | 1.17 | G4 | 7-8 | 9-10 | | | |
| <i>Salvia spathacea</i> Pitcher Sage | HP | 1.20 | G4 | 7-8 | 9-10 | | | |
| <i>Salvia splendens</i> Red Sage | AN | 0.67 | G4 | 6-10A | 10B-11 | | | |
| <i>Salvia splendens</i> 'Faye Chapell' Faye Chapell Scarlet Sage | AN | 0.81 | G4 | 6-10A | 10B-11 | | | |
| <i>Salvia splendens</i> 'Hot Line Red' Hot Line Red Sage | AN | 0.81 | G4 | 6-10A | 10B-11 | | | |
| <i>Salvia splendens</i> 'Red Hot Sally' Red Hot Sally Scarlet Sage | AN | 0.81 | G4 | 6-10A | 10B-11 | | | |
| <i>Salvia splendens</i> 'Salsa Scarlet' Salsa Scarlet Sage | AN | 1.01 | G4 | 6-10A | 10B-11 | | | |
| <i>Salvia splendens</i> 'Sizzler Series' Sizzler Series Scarlet Sage | AN | 0.74 | G4 | 6-10A | 10B-11 | | | |
| <i>Salvia splendens</i> 'Van Houttei' Van Houtt's Sage | HP | 0.90 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia splendens</i> 'Vista Series' Vista Series Scarlet Sage | HP | 0.50 | G4 | 6-9 | 10 | | | |
| <i>Salvia x superba</i> No Common Name Found | HP | 0.98 | G4 | 6-10A | 10B-11 | | | |
| <i>Salvia x sylvestris</i> Hybrid Sage | HP | 0.88 | G4 | 5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Blue Hill' Blue Hill Hybrid Sage | HP | 0.91 | G4 | 5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Salvia x sylvestris</i> 'Blue Queen' Blue Queen Hybrid Sage | HP | 0.89 | G4 | 5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'East Friesland' East Friesland Hybrid Sage | HP | 0.84 | G4 | 5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Lubeca' Lubeca Hybrid Sage | HP | 0.93 | G4 | 5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Lye End' Lye End Hybrid Sage | HP | 1.37 | G4 | 5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'May Night' May Night Hybrid Sage | HP | 0.89 | G4 | 5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Purple Glory' Purple Glory Hybrid Sage | HP | 0.88 | G4 | 5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Rose Queen' Rose Queen Hybrid Sage | HP | 0.82 | G4 | 5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Ruegen' Ruegen Hybrid Sage | HP | 0.70 | G4 | 5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Schneehugel' Schneehugel Hybrid Sage | HP | 0.79 | G4 | 5 | 6-9 | | | |
| <i>Salvia x sylvestris</i> 'Senior' Senior Hybrid Sage | HP | 0.70 | G4 | 5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Tanzerin' Tanzerin Hybrid Sage | HP | 0.70 | G4 | 5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Viola Klose' Viola Klose Hybrid Sage | HP | 1.24 | G4 | 5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Wesuwe' Wesuwe Hybrid Sage | HP | 0.70 | G4 | 5 | 6-8 | | | |
| <i>Salvia uliginosa</i> Bog Sage | HP | 0.70 | G4 | 8-9 | 10-11 | | | |
| <i>Salvia verticillata</i> Lilac Sage | HP | 0.70 | G4 | 6 | 7-8 | | | |
| <i>Salvia verticillata</i> 'Alba' White Lilac Sage | HP | 0.86 | G4 | 5-6 | 7-8 | | | |
| <i>Salvia verticillata</i> 'Purple Rain' Purple Rain Lilac Sage | HP | 0.99 | G4 | 6 | 7-8 | | | |
| <i>Samanea saman</i> See - <i>Albizia saman</i> | | | | | | | | |
| <i>Sambucus caerulea</i> Blueberry Elder | DS | 0.80 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Sambucus callicarpa</i> Pacific Red Elder | DS | 0.61 | G2 | 4-5 | 6-8 | | 1.00 | 3 |
| <i>Sambucus canadensis</i> American Elder | DS | 1.00 | G2 | 2-3 | 4-7 | | 0.41 | 3 |
| <i>Sambucus canadensis</i> 'Acutiloba' Cutleaf American Elder | DS | 0.77 | G2 | 2-3 | 4-7 | | 0.41 | 3 |
| <i>Sambucus canadensis</i> 'Adams' Adams American Elder | DS | 0.92 | G2 | 2-3 | 4-7 | | 0.41 | 3 |
| <i>Sambucus canadensis</i> 'Aurea' Golden American Elder | DS | 0.85 | G2 | 2-3 | 4-7 | | 0.41 | 3 |
| <i>Sambucus canadensis</i> 'Maxima' Great American Elder | DS | 0.90 | G2 | 2-3 | 4-7 | | 0.41 | 3 |
| <i>Sambucus canadensis</i> 'Rubra' Redberry American Elder | DS | 0.63 | G2 | 2-3 | 4-7 | | 0.41 | 3 |
| <i>Sambucus canadensis</i> 'York' York American Elder | DS | 1.22 | G2 | 2-3 | 4-7 | | 0.41 | 3 |
| <i>Sambucus glauca</i> See - <i>Sambucus caerulea</i> | | | | | | | | |
| <i>Sambucus nigra</i> Black Elder | DS | 1.05 | G2 | 4-5 | 6-9 | | 0.36 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Sambucus nigra</i> 'Black Beauty' See - <i>Sambucus nigra</i> 'Gerda' P.P. 12305 | | | | | | | | |
| <i>Sambucus nigra</i> 'Gerda' P.P. 12305 Black Beauty™ Black Elder | DT | 0.96 | G2 | 4-5 | 6-9 | 1.00 | 1.00 | 4 |
| <i>Sambucus nigra</i> 'Guincho Purple' Guincho Purple Black Elder | DS | 1.39 | G2 | 4-5 | 6-10 | | 0.36 | 5 |
| <i>Sambucus nigra</i> 'Laciniata' Cutleaf Black Elder | DS | 0.89 | G2 | 2-5 | 6-10 | | 0.36 | 5 |
| <i>Sambucus nigra</i> 'Madonna' Madonna Black Elder | DS | 0.93 | G2 | 2-5 | 6-10 | | 0.36 | 5 |
| <i>Sambucus nigra</i> 'Marginata' Variegated Black Elder | DS | 1.01 | G2 | 2-5 | 6-10 | | 0.36 | 5 |
| <i>Sambucus pubens</i> American Red Elder | DS | 0.75 | G2 | 4 | 5-9 | | 1.00 | 4 |
| <i>Sambucus racemosa</i> European Red Elder | DS | 0.75 | G2 | 4 | 5-9 | | 1.00 | 3 |
| <i>Sambucus racemosa</i> 'Flavescens' Yellow European Red Elder | DS | 0.82 | G2 | 4 | 5-9 | | 1.00 | 3 |
| <i>Sambucus racemosa</i> 'Plumosa Aurea' Golden Plume European Red Elder | DS | 0.82 | G2 | 4 | 5-9 | | 1.00 | 3 |
| <i>Sambucus racemosa</i> 'Sutherland Gold' Sutherland Gold European Red Elder | DS | 0.88 | G2 | 4 | 5-9 | | 1.00 | 3 |
| <i>Sanchezia nobilis</i> See - <i>Sanchezia speciosa</i> | | | | | | | | |
| <i>Sanchezia parvibracteata</i> No Common Name Found | FO | 0.61 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sanchezia parvibracteata</i> 'Ellen' Ellen Sanchezia | FO | 0.61 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sanchezia speciosa</i> Sanchezia | FO | 0.61 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sanguinaria canadensis</i> Bloodroot | HP | 0.94 | G2 | 2-3 | 4-10 | | | |
| <i>Sanguisorba canadensis</i> Canadian Burnet | HP | 1.39 | G4 | 4-5 | 6-8 | | | |
| <i>Sanguisorba minor</i> Burnet | HP | 0.50 | G4 | 5 | 6-8 | | | |
| <i>Sanguisorba obtusa</i> Japanese Burnet | HP | 1.23 | G4 | 5 | 6-8 | | | |
| <i>Sanguisorba tenuifolia</i> No Common Name Found | HP | 0.87 | G4 | 4-5 | 6-8 | | | |
| <i>Sanguisorba tenuifolia</i> 'Purpurea' Purpurea Burnet | HP | 0.87 | G4 | 4-5 | 6-8 | | | |
| <i>Sansevieria cylindrica</i> No Common Name Found | FO | 0.79 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sansevieria grandis</i> Somali Hemp | FO | 1.53 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sansevieria grandis</i> 'Zulu' Zulu Snake Plant | FO | 1.53 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> Snake Plant | FO | 1.25 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Black Coral' Black Coral Snake Plant | FO | 0.72 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Black Gold' Black Gold Snake Plant | FO | 0.77 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Futura Superba' Futura Superba Snake Plant | FO | 0.50 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Futura' Futura Snake Plant | FO | 0.58 | G3 | 8-10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Sansevieria trifasciata</i> 'Golden Hahnii' Golden Hahn Snake Plant | FO | 0.49 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Hahnii' Hahn Snake Plant | FO | 0.53 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Laurentii' Laurentii Snake Plant | FO | 0.56 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Robusta' Robusta Snake Plant | FO | 0.42 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Silver Laurentii' Silver Laurentii Snake Plant | FO | 0.65 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Silver Queen' Silver Queen Snake Plant | FO | 0.65 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sansevieria zeylanica</i> Ceylon Bowstring Hemp | FO | 0.58 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Santalum ellipticum</i> Iliah | BE | 2.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10B |
| <i>Santolina chamaecyparissus</i> Lavender Cotton | HP | 0.99 | G4 | 6 | 7-10B | | | |
| <i>Santolina chamaecyparissus</i> 'Lemon Queen' Lemon Queen Lavender Cotton | HP | 0.70 | G4 | 6 | 7-10B | | | |
| <i>Santolina chamaecyparissus</i> 'Nana' Nana Lavender Cotton | HP | 0.80 | G4 | 6 | 7-10B | | | |
| <i>Santolina chamaecyparissus</i> 'Pretty Carol' Pretty Carol Lavender Cotton | HP | 0.92 | G4 | 6 | 7-10B | | | |
| <i>Santolina ericoides</i> See - <i>Santolina pinnata</i> | | | | | | | | |
| <i>Santolina incana</i> See - <i>Santolina chamaecyparissus</i> | | | | | | | | |
| <i>Santolina neapolitana</i> See - <i>Santolina pinnata</i> ssp. <i>neapolitana</i> | | | | | | | | |
| <i>Santolina pinnata</i> No Common Name Found | HP | 0.73 | G4 | 7 | 8-10B | | | |
| <i>Santolina pinnata</i> ssp. <i>neapolitana</i> No Common Name Found | HP | 0.70 | G4 | 6-7 | 8-10B | | | |
| <i>Santolina rosmarinifolia</i> Green Lavender Cotton | HP | 0.74 | G4 | 7 | 8-10B | | | |
| <i>Santolina virens</i> See - <i>Santolina rosmarinifolia</i> | | | | | | | | |
| <i>Sapindus drumondii</i> Western Soapberry | DT | 0.83 | G2 | 7-8 | 9-10B | 0.63 | 1.00 | 6 |
| <i>Sapindus marginatus</i> See - <i>Sapindus drumondii</i> | | | | | | | | |
| <i>Sapindus saponaria</i> Soapberry | DT | 0.71 | G1 | 10 | 11 | 1.00 | 0.75 | 10 |
| <i>Saponaria caespitosa</i> Pyrenees Soapwort | HP | 1.00 | G4 | 7 | 8 | | | |
| <i>Saponaria</i> x <i>lempergii</i> No Common Name Found | HP | 0.83 | G4 | 7 | 8 | | | |
| <i>Saponaria</i> x <i>lempergii</i> 'Max Frei' Max Frei Soapwort | HP | 0.91 | G4 | 7 | 8 | | | |
| <i>Saponaria lutea</i> Yellowhead Soapwort | HP | 1.00 | G4 | 7 | 8 | | | |
| <i>Saponaria ocymoides</i> Rock Soapwort | HP | 1.05 | G4 | 4-5 | 6-8 | | | |
| <i>Saponaria ocymoides</i> 'Alba' White Rock Soapwort | HP | 0.83 | G4 | 4-5 | 6-8 | | | |
| <i>Saponaria ocymoides</i> 'Bressingham' Bressingham Rock Soapwort | HP | 0.94 | G4 | 7 | 8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Saponaria officinalis</i> Bouncing Bet | HP | 1.04 | G4 | 4-5 | 6-8 | | | |
| <i>Saponaria officinalis</i> 'Rubra Plena' Rubra Plena Bouncing Bet | HP | 0.97 | G4 | 4-5 | 6-8 | | | |
| <i>Saponaria x olivana</i> No Common Name Found | HP | 0.86 | G4 | 7 | 8 | | | |
| <i>Saponaria pamphylica</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Saponaria pumilio</i> Pygmy Pink | HP | 0.83 | G4 | 6 | 7-8 | | | |
| <i>Sarcandra glabra</i> No Common Name Found | HP | 0.37 | G4 | 9-10 | 11 | | | |
| <i>Sarcococca confusa</i> No Common Name Found | BS | 0.94 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Sarcococca hookeriana</i> Himalayan Sarcococca | BS | 2.09 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Sarcococca hookeriana</i> var. <i>humilis</i> Dwarf Himalayan Sarcococca | BS | 1.15 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Sarcococca ruscifolia</i> Fragrant Sarcococca | BS | 0.87 | G2 | 5-8 | 9-10B | | 1.00 | 8 |
| <i>Saritaea magnifica</i> Purple Funnel Vine | GC | 0.87 | G2 | 10B | 11 | | 1.00 | 10 |
| <i>Sarracenia</i> Pitcher Plant | HP | 1.14 | G2 | 6-7 | 8-10 | | | |
| <i>Sarracenia</i> 'Judith Hindle' Judith Hindle Pitcher Plant | HP | 1.14 | G2 | 6-7 | 8-10 | | | |
| <i>Sarracenia</i> 'Scarlet Belle' Scarlet Belle Hybrid Pitcher Plant | HP | 1.14 | G2 | 6-7 | 8-10 | | | |
| <i>Sarracenia alata</i> Pale Trumpet Pitcher Plant | HP | 1.65 | G2 | 6-7 | 8-10 | | | |
| <i>Sarracenia xcatesbaei</i> No Common Name Found | HP | 0.92 | G2 | 6-7 | 8-10 | | | |
| <i>Sarracenia xexcellens</i> No Common Name Found | HP | 3.50 | G2 | 6-8 | 9-10 | | | |
| <i>Sarracenia flava</i> Yellow Trumpet | HP | 2.54 | G2 | 6-7 | 8-10 | | | |
| <i>Sarracenia leucophylla</i> White Trumpet | HP | 2.34 | G2 | 6-7 | 8-10 | | | |
| <i>Sarracenia leucophylla</i> 'Tarnok' Tarnok White Trumpet | HP | 1.36 | G2 | 6-7 | 8-10 | | | |
| <i>Sarracenia minor</i> Hooded Pitcher Plant | HP | 1.99 | G2 | 6-8 | 9-10 | | | |
| <i>Sarracenia psittacina</i> Lobster-pot | HP | 1.36 | G2 | 6-7 | 8-10 | | | |
| <i>Sarracenia purpurea</i> Common Pitcher Plant | HP | 1.73 | G2 | 6-7 | 8-10 | | | |
| <i>Sarracenia rubra</i> Sweet Trumpet Plant | HP | 2.54 | G2 | 6-7 | 8-10 | | | |
| <i>Sarracenia xwrigleyana</i> No Common Name Found | HP | 5.88 | G2 | 6-7 | 8-10 | | | |
| <i>Sarracenia xwrigleyana</i> 'Scarlet Belle' See - <i>Sarracenia</i> 'Scarlet Belle' | | | | | | | | |
| <i>Sasa kurilensis</i> No Common Name Found | BS | 0.79 | G2 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Sasa palmata</i> No Common Name Found | BS | 0.94 | G2 | 6-7 | 8-10 | | 1.00 | 6 |
| <i>Sasa tessellata</i> See - <i>Indocalamus tessellatus</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Sasa veitchii</i> Kuma Bamboo | BS | 1.50 | G2 | 6-7 | 8-10 | | 1.00 | 6 |
| <i>Sasaella masumuneana</i> Shiya-zasa | BS | 0.95 | G2 | 6-7 | 8-10 | | 1.00 | 5 |
| <i>Sasaella masumuneana</i> ssp. <i>albostrata</i> No Common Name Found | BS | 1.43 | G2 | 6-7 | 8-10 | | 1.00 | 5 |
| <i>Sasaella ramosa</i> Azuma-zasa | BS | 1.00 | G2 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Sassafras albidum</i> Common Sassafras <i>Sassafras variifolium</i> See - <i>Sassafras albidum</i> | DT | 1.00 | G2 | 3-5 | 6-8 | 0.71 | 0.68 | 5 |
| <i>Satakentia liukuensis</i> Satake Palm | PC | 3.35 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Satureja douglasii</i> See - <i>Micromeria chamissonis</i> | | | | | | | | |
| <i>Satureja georgiana</i> See - <i>Clinopodium georgianum</i> | | | | | | | | |
| <i>Satureja grandiflora</i> See - <i>Calamintha grandiflora</i> | | | | | | | | |
| <i>Satureja hortensis</i> Summer Savory | HP | 0.57 | G4 | 4-6 | 7-8 | | | |
| <i>Satureja montana</i> Winter Savory | HP | 0.90 | G4 | 6 | 7-8 | | | |
| <i>Satureja montana</i> 'Nana' Dwarf Winter Savory | HP | 0.90 | G4 | 6 | 7-8 | | | |
| <i>Saururus cernuus</i> Swamp Lily | HP | 1.09 | G4 | 4-5 | 6-8 | | | |
| <i>Saxifraga</i> Hybrid Saxifrage | HP | 0.88 | G4 | 4-5 | 6-7 | | | |
| <i>Saxifraga</i> 'Carnival' Carnival Saxifrage | HP | 0.89 | G4 | 5-6 | 7-8 | | | |
| <i>Saxifraga</i> 'Peter Pan' Peter Pan Saxifrage | HP | 0.93 | G4 | 5-6 | 7-8 | | | |
| <i>Saxifraga</i> 'Purple Robe' Purple Robe Saxifrage | HP | 0.82 | G2 | 6-7 | 8-10 | | | |
| <i>Saxifraga</i> x <i>andrewsii</i> No Common Name Found | HP | 0.48 | G4 | 5-6 | 7-8 | | | |
| <i>Saxifraga</i> x <i>arendsii</i> Arend's Saxifrage | HP | 0.96 | G4 | 5-6 | 7-8 | | | |
| <i>Saxifraga</i> x <i>arendsii</i> 'Flower Carpet' Flower Carpet Arend's Saxifrage | HP | 0.96 | G4 | 5-6 | 7-8 | | | |
| <i>Saxifraga cotyledon</i> Jungfrau Saxifrage | HP | 0.91 | G4 | 5-6 | 7-8 | | | |
| <i>Saxifraga decipiens</i> See - <i>Saxifraga rosacea</i> | | | | | | | | |
| <i>Saxifraga hypnoides</i> Mossy Saxifrage | HP | 0.76 | G4 | 5-6 | 7-8 | | | |
| <i>Saxifraga pennsylvanica</i> Swamp Saxifrage | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Saxifraga rosacea</i> No Common Name Found | HP | 0.78 | G4 | 5-6 | 7-8 | | | |
| <i>Saxifraga stolonifera</i> Strawberry Saxifrage | HP | 0.65 | G4 | 5-6 | 7-8 | | | |
| <i>Saxifraga stolonifera</i> 'Athens' Athens Strawberry Saxifrage | HP | 0.84 | G4 | 5-6 | 7-8 | | | |
| <i>Saxifraga umbrosa</i> No Common Name Found | HP | 0.91 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Saxifraga x urbium</i> London Pride Saxifrage | HP | 0.84 | G4 | 5-6 | 7-8 | | | |
| <i>Saxifraga x urbium</i> 'Aureopunctata' Aureopunctata London Pride Saxifrage | HP | 1.27 | G4 | 5-6 | 7-8 | | | |
| <i>Scabiosa</i> Pincushion Flower | HP | 1.02 | G4 | 5-7 | 8-9 | | | |
| <i>Scabiosa</i> 'Crimson Splendor' Crimson Splendor Pincushion Flower | HP | 1.02 | G4 | 5-7 | 8-9 | | | |
| <i>Scabiosa anthemifolia</i> No Common Name Found | HP | 1.00 | G4 | 6-9 | 10 | | | |
| <i>Scabiosa atropurpurea</i> Mournful Widow | HP | 1.00 | G4 | 6-10 | 11 | | | |
| <i>Scabiosa caucasica</i> Caucasian Pincushion Flower | HP | 0.93 | G4 | 4-5 | 6-8 | | | |
| <i>Scabiosa caucasica</i> 'Alba' White Caucasian Pincushion Flower | HP | 0.84 | G4 | 4-5 | 6-8 | | | |
| <i>Scabiosa caucasica</i> 'Blue Perfection' Blue Perfection Caucasian Pincushion Flower | HP | 0.76 | G4 | 4-5 | 6-8 | | | |
| <i>Scabiosa caucasica</i> 'Compliment' Compliment Caucasian Pincushion Flower | HP | 0.72 | G4 | 4-5 | 6-8 | | | |
| <i>Scabiosa caucasica</i> 'Fama' Fama Caucasian Pincushion Flower | HP | 0.84 | G4 | 5-6 | 7-8 | | | |
| <i>Scabiosa caucasica</i> 'House Hybrid' House Hybrid Caucasian Pincushion Flower | HP | 0.77 | G4 | 4-5 | 6-8 | | | |
| <i>Scabiosa caucasica</i> 'Perfecta' Perfecta Caucasian Pincushion Flower | HP | 0.86 | G4 | 4-5 | 6-8 | | | |
| <i>Scabiosa caucasica</i> 'White Perfection' White Perfection Caucasian Pincushion Flower | HP | 0.73 | G4 | 4-5 | 6-8 | | | |
| <i>Scabiosa columbaria</i> Dove Pincushion Flower | HP | 0.96 | G4 | 4-5 | 6-8 | | | |
| <i>Scabiosa columbaria</i> 'Butterfly Blue' Butterfly Blue Dove Pincushion Flower | HP | 0.96 | G4 | 4-5 | 6-8 | | | |
| <i>Scabiosa columbaria</i> 'Giant Blue' Giant Blue Dove Pincushion Flower | HP | 0.94 | G4 | 5-6 | 7-8 | | | |
| <i>Scabiosa columbaria</i> 'Pink Mist' P.P. 8957 Pink Mist Dove Pincushion Flower | HP | 0.99 | G4 | 4-5 | 6-8 | | | |
| <i>Scabiosa japonica</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Scabiosa lucida</i> Shining Pincushion Flower | HP | 0.80 | G4 | 4-5 | 6-8 | | | |
| <i>Scabiosa ochroleuca</i> Cream Scabious | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Scadoxus multiflorus</i> ssp. <i>katherinae</i> Blood Lily | HP | 2.40 | G3 | 8-10 | 11 | | | |
| <i>Scaevola</i> Scaevola | BS | 0.40 | G2 | 10A | 10B-11 | | 1.00 | 7 |
| <i>Scaevola</i> 'Blue Fan' See - <i>Scaevola</i> 'Saphira' | | | | | | | | |
| <i>Scaevola</i> 'Blue Wonder' P.P. 7929 Blue Wonder Hybrid Scaevola | HP | 0.86 | G3 | 6-10A | 10B-11 | | | |
| <i>Scaevola</i> 'Mauve Clusters' Mauve Clusters Hybrid Scaevola | BS | 0.70 | G3 | 6-10A | 10B-11 | | 1.00 | 9 |
| <i>Scaevola</i> 'Saphira' Blue Fan Scaevola | HP | 0.71 | G4 | 5-8 | 9-10 | | | |
| <i>Scaevola</i> 'Ultra Blue' Ultra Blue Scaevola | HP | 0.89 | G4 | 6-10 | 11 | | | |
| <i>Scaevola aemula</i> Fan Flower | HP | 0.90 | G4 | 6-9 | 10-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Scaevola aemula</i> 'Blue Shamrock' P.P. 12018 Blue Shamrock Fan Flower | HP | 1.03 | G4 | 6-9 | 10-11 | | | |
| <i>Scaevola aemula</i> 'New Wonder' See - <i>Scaevola aemula</i> 'Newon' P.P. 10584 | | | | | | | | |
| <i>Scaevola aemula</i> 'Newon' P.P. 10584 New Wonder Fan Flower | HP | 0.85 | G4 | 6-10A | 10B-11 | | | |
| <i>Scaevola aemula</i> 'Outback Mini Pink Fan' P.P. 10202 Outback Mini Pink Fan Flower | HP | 0.88 | G4 | 6-10 | 11 | | | |
| <i>Scaevola aemula</i> 'Outback Purple Fan' Outback Purple Fan Flower | HP | 0.69 | G4 | 6-10 | 11 | | | |
| <i>Scaevola aemula</i> 'Whirlwind White' P.P.A.F. Whirlwind White™ Fan Flower | HP | 1.12 | G4 | 6-10 | 11 | | | |
| <i>Scaevola frutescens</i> Beach Naupaka | BS | 0.48 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Scaevola frutescens</i> var. <i>sericea</i> No Common Name Found | BS | 1.04 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Scaevola plumieri</i> Inkberry | BS | 1.75 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Scaevola taccada</i> Beach Berry | BS | 0.63 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Schaueria calicotricha</i> See - <i>Schaueria flavicoma</i> | | | | | | | | |
| <i>Schaueria flavicoma</i> Yellow Jacobinia | HP | 0.76 | G4 | 9-10 | 11 | | | |
| <i>Schefflera actinophylla</i> Queensland Umbrella Tree | FO | 0.64 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Schefflera actinophylla</i> 'Amate' Amate Queensland Umbrella Tree | FO | 1.36 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Schefflera arboricola</i> Hawaiian Elf Umbrella Tree | FO | 0.55 | G3 | 8-10 | 11 | | 0.98 | 10 |
| <i>Schefflera arboricola</i> 'Covette' Covette Umbrella Tree | FO | 1.11 | G3 | 8-10 | 11 | | 0.98 | 10 |
| <i>Schefflera arboricola</i> 'Gold Capella' Gold Capella Umbrella Tree | FO | 0.55 | G3 | 8-10 | 11 | | 0.98 | 10 |
| <i>Schefflera arboricola</i> 'Hong Kong' Hong Kong Umbrella Tree | FO | 0.59 | G3 | 8-10 | 11 | | 0.98 | 10 |
| <i>Schefflera arboricola</i> 'Jacqueline' Jacqueline Umbrella Tree | FO | 0.63 | G3 | 8-10 | 11 | | 0.98 | 10 |
| <i>Schefflera arboricola</i> 'Luseane Ivory' See - <i>Schefflera arboricola</i> 'PVN II Variegated' | | | | | | | | |
| <i>Schefflera arboricola</i> 'Luseane' See - <i>Schefflera arboricola</i> 'PVN-1' P.P. 9955 | | | | | | | | |
| <i>Schefflera arboricola</i> 'PVN II Variegated' Luseane Ivory Umbrella Tree | FO | 0.67 | G3 | 8-10 | 11 | | 0.98 | 10 |
| <i>Schefflera arboricola</i> 'PVN-1' P.P. 9955 Luseane Umbrella Tree | FO | 0.54 | G3 | 8-10 | 11 | | 0.98 | 10 |
| <i>Schefflera arboricola</i> 'Renate' Renate Umbrella Tree | FO | 0.63 | G3 | 8-10 | 11 | | 0.98 | 10 |
| <i>Schefflera arboricola</i> 'Trinette' Trinette Umbrella Tree | FO | 0.43 | G3 | 8-10 | 11 | | 0.98 | 10 |
| <i>Schefflera arboricola</i> 'Variegata' Variegated Umbrella Tree | FO | 0.60 | G3 | 8-10 | 11 | | 0.98 | 10 |
| <i>Schefflera elegantissima</i> False Aralia | FO | 0.75 | G3 | 8-10 | 11 | | 1.04 | 10 |
| <i>Schefflera emarginata</i> Bone Plant | FO | 1.14 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Schefflera pueckleri</i> Mallet Flower | FO | 0.73 | G3 | 8-10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Schinus dependens</i> | | | | | | | | |
| See - <i>Schinus latifolius</i> | | | | | | | | |
| <i>Schinus latifolius</i> Molle | BE | 0.63 | G3 | 8-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Schinus molle</i> California Pepper Tree | BE | 1.14 | G2 | 9 | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Schippia concolor</i> Pimento Palm | PC | 1.78 | G3 | 10 | 11 | | 1.00 | 9 |
| <i>Schizachyrium scoparium</i> Little Bluestem | HP | 1.20 | G4 | 5 | 6-7 | | | |
| <i>Schizachyrium scoparium</i> 'Blaze' Blaze Little Bluestem | HP | 1.20 | G4 | 5 | 6-7 | | | |
| <i>Schizachyrium scoparium</i> 'The Blues' The Blues Little Bluestem | HP | 1.19 | G4 | 5 | 6-7 | | | |
| <i>Schizanthus pinnatus</i> Poor Man's Orchid | AN | 0.83 | G4 | 6-10 | 11 | | | |
| <i>Schizanthus x wisetonensis</i> Hybrid Butterfly Flower | AN | 1.00 | G4 | 6-10 | 11 | | | |
| <i>Schizanthus x wisetonensis</i> 'Star Parade' Star Parade Butterfly Flower | AN | 1.00 | G4 | 6-10 | 11 | | | |
| <i>Schizolobium parahybum</i> Bacurubu | DT | 1.26 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Schizophragma hydrangeoides</i> Japanese Hydrangea Vine | GC | 1.67 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Schizophragma hydrangeoides</i> 'Moonlight' Moonlight Japanese Hydrangea Vine | GC | 1.44 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Schizophragma hydrangeoides</i> 'Rosea' Rose Japanese Hydrangea Vine | GC | 1.50 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Schizophragma integrifolium</i> Chinese Hydrangea Vine | GC | 1.00 | G2 | 6 | 7-9A | | 1.00 | 5 |
| <i>Schizostylis coccinea</i> Kaffir Lily | HP | 1.33 | G4 | 6-7 | 8-11 | | | |
| <i>Schizostylis coccinea</i> 'Alba' White Kaffir Lily | HP | 1.06 | G4 | 7 | 8-11 | | | |
| <i>Schizostylis coccinea</i> 'Major' Major Kaffir Lily | HP | 0.93 | G4 | 7 | 8-11 | | | |
| <i>Schizostylis coccinea</i> 'Mrs. Hegarty' Mrs. Hegarty Kaffir Lily | HP | 1.06 | G4 | 7 | 8-11 | | | |
| <i>Schizostylis coccinea</i> 'Sunrise' Sunrise Kaffir Lily | HP | 0.93 | G4 | 7 | 8-11 | | | |
| <i>Schlumbergera bridgesii</i> | | | | | | | | |
| See - <i>Schlumbergera x buckleyi</i> | | | | | | | | |
| <i>Schlumbergera x buckleyi</i> Christmas Cactus | FO | 0.70 | G3 | 6-10 | 11 | | 1.00 | 9 |
| <i>Schoenoplectus lacustris</i> Bulrush | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Schoenoplectus lacustris</i> ssp. <i>tabernaemontani</i> No Common Name Found | HP | 1.25 | G4 | 3-4 | 5-7 | | | |
| <i>Schoenoplectus lacustris</i> ssp. <i>tabernaemontani</i> 'Zebrinus' Zebra Rush | HP | 1.25 | G4 | 3-4 | 5-7 | | | |
| <i>Schoenoplectus validus</i> Softstem Bulrush | HP | 1.20 | G4 | 5-6 | 7-10 | | | |
| <i>Schotia brachypetala</i> Weeping Boerboon | DT | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Schotia latifolia</i> Elephant Hedge Bean Tree | DT | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Sciadopitys verticillata</i> Japanese Umbrella Pine | CE | 2.41 | G2 | 3-5 | 6-7 | 1.00 | 3.30 | 5 |
| <i>Sciadopitys verticillata</i> 'Ossorio Gold' Ossorio Gold Japanese Umbrella Pine | CE | 7.35 | G2 | 3-5 | 6-7 | 1.00 | 3.30 | 5 |
| <i>Sciadopitys verticillata</i> 'Variegata' Variegated Japanese Umbrella Pine | CE | 4.04 | G2 | 3-5 | 6-7 | 1.00 | 3.30 | 5 |
| <i>Sciadopitys verticillata</i> 'Wintergreen' Wintergreen Japanese Umbrella Pine | CE | 2.94 | G2 | 3-5 | 6-7 | 1.00 | 3.30 | 5 |
| <i>Scilla campanulata</i> See - <i>Hyacinthoides hispanica</i> | | | | | | | | |
| <i>Scilla siberica</i> Siberian Squill | HP | 1.00 | G4 | 4-6 | 7-9 | | | |
| <i>Scindapsus aureus</i> See - <i>Epipremnum aureum</i> | | | | | | | | |
| <i>Scindapsus pictus</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Scirpus acutus</i> Tall Bulrush | HP | 1.14 | G4 | 5-6 | 7-9A | | | |
| <i>Scirpus americanus</i> Sword Grass | HP | 1.00 | G4 | 5-6 | 7-9A | | | |
| <i>Scirpus cernuus</i> See - <i>Isolepis cernua</i> | | | | | | | | |
| <i>Scirpus cyperinus</i> Wool Grass | HP | 0.91 | G4 | 5-6 | 7-9A | | | |
| <i>Scirpus microcarpus</i> Panicked Bulrush | HP | 1.00 | G4 | 3-5 | 6-10 | | | |
| <i>Scirpus validus</i> See - <i>Schoenoplectus validus</i> | | | | | | | | |
| <i>Scleranthus biflorus</i> Knawel | HP | 1.00 | G4 | 6-7 | 8-9 | | | |
| <i>Scleranthus uniflorus</i> See - <i>Scleranthus biflorus</i> | | | | | | | | |
| <i>Scrophularia auriculata</i> Water Betony | HP | 0.96 | G4 | 4-5 | 6-8 | | | |
| <i>Scrophularia auriculata</i> 'Variegata' Variegated Water Figwort | HP | 0.96 | G4 | 5-6 | 7-8 | | | |
| <i>Scrophularia californica</i> California Figwort | HP | 1.40 | G4 | 5-7 | 8-9 | | | |
| <i>Scrophularia chrysantha</i> No Common Name Found | HP | 1.00 | G4 | 5-7 | 8-9 | | | |
| <i>Scrophularia marilandica</i> Late Figwort | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Scutellaria alpina</i> Alpine Skullcap | HP | 0.91 | G4 | 5 | 6-8 | | | |
| <i>Scutellaria diffusa</i> No Common Name Found | HP | 1.00 | G4 | 5 | 6-8 | | | |
| <i>Scutellaria formosana</i> No Common Name Found | HP | 0.61 | G4 | 5 | 6-10 | | | |
| <i>Scutellaria longifolia</i> No Common Name Found | HP | 0.63 | G4 | 5-8 | 9-10 | | | |
| <i>Scutellaria longifolia</i> 'Purple Fountains' Purple Fountains Skullcap | HP | 0.56 | G4 | 5-8 | 9-10 | | | |
| <i>Scutellaria longifolia</i> 'Red Fountains' Red Fountains Skullcap | HP | 0.56 | G4 | 5-8 | 9-10 | | | |
| <i>Scutellaria nana</i> var. <i>sapphirina</i> No Common Name Found | HP | 1.00 | G4 | 5 | 6-8 | | | |
| <i>Scutellaria orientalis</i> White Pine Skullcap | HP | 0.91 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Scutellaria pontica</i> No Common Name Found | HP | 0.91 | G4 | 5 | 6-8 | | | |
| <i>Scutellaria prostrata</i> No Common Name Found | HP | 1.00 | G4 | 5 | 6-8 | | | |
| <i>Scutellaria suffrutescens</i> Texas Rose | HP | 0.99 | G4 | 5-7 | 8-9 | | | |
| <i>Seaforthia elegans</i> See - <i>Ptychosperma elegans</i> | | | | | | | | |
| <i>Securidaca longipedunculata</i> Violet Tree | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Sedum</i> Stonecrop | HP | 0.98 | G4 | 4 | 5-7 | | | |
| <i>Sedum</i> 'Angelina' Angelina Stonecrop | HP | 0.98 | G4 | 4 | 5-7 | | | |
| <i>Sedum</i> 'Arthur Branch' Arthur Branch Stonecrop | HP | 0.99 | G4 | 4 | 5-7 | | | |
| <i>Sedum</i> 'Autumn Fire' Autumn Fire Stonecrop | HP | 0.88 | G4 | 2-3 | 4-7 | | | |
| <i>Sedum</i> 'Autumn Joy' Autumn Joy Stonecrop | HP | 0.92 | G4 | 4 | 5-7 | | | |
| <i>Sedum</i> 'Bertram Anderson' Bertram Anderson Stonecrop | HP | 0.73 | G4 | 4 | 5-7 | | | |
| <i>Sedum</i> 'Carl' Carl Stonecrop | HP | 1.38 | G4 | 4 | 5-7 | | | |
| <i>Sedum</i> 'Emerald Crest' Emerald Crest Stonecrop | HP | 0.98 | G4 | 4 | 5-7 | | | |
| <i>Sedum</i> 'Frosty Morn' Frosty Morn Stonecrop | HP | 0.93 | G4 | 4 | 5-7 | | | |
| <i>Sedum</i> 'John Creech' John Creech Stonecrop | HP | 0.97 | G4 | 4 | 5-7 | | | |
| <i>Sedum</i> 'Mohrchen' Mohrchen Stonecrop | HP | 0.99 | G4 | 4 | 5-7 | | | |
| <i>Sedum</i> 'Neon' Neon Stonecrop | HP | 0.78 | G4 | 4 | 5-7 | | | |
| <i>Sedum</i> 'Purple Emperor' Purple Emperor Stonecrop | HP | 1.19 | G4 | 4 | 5-7 | | | |
| <i>Sedum</i> 'Rosy Glow' Rosy Glow Stonecrop | HP | 0.85 | G4 | 4 | 5-7 | | | |
| <i>Sedum</i> 'Sparkle Yellow' Sparkle Yellow Stonecrop | HP | 0.98 | G4 | 4 | 5-7 | | | |
| <i>Sedum</i> 'Strawberries & Cream' Strawberries & Cream Stonecrop | HP | 1.23 | G4 | 4 | 5-7 | | | |
| <i>Sedum</i> 'Vera Jameson' Vera Jameson Stonecrop | HP | 0.84 | G4 | 4 | 5-7 | | | |
| <i>Sedum acre</i> Gold Moss Stonecrop | HP | 0.86 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum album</i> White Stonecrop | HP | 0.43 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum album</i> 'Chubby Fingers' Chubby Fingers White Stonecrop | HP | 0.63 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum album</i> 'Coral Carpet' Coral Carpet White Stonecrop | HP | 0.68 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum album</i> 'Murale' Murale White Stonecrop | HP | 0.77 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum caucicolum</i> No Common Name Found | HP | 0.89 | G4 | 4 | 5-7 | | | |
| <i>Sedum caucicolum</i> 'Lidakense' Lidakense Stonecrop | HP | 0.74 | G4 | 4 | 5-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Sedum cyaneum</i> No Common Name Found | HP | 1.00 | G4 | 4 | 5-7 | | | |
| <i>Sedum dasyphyllum</i> Leafy Stonecrop | HP | 0.48 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum divergens</i> Spreading Stonecrop | HP | 1.00 | G4 | 4-6 | 7-9 | | | |
| <i>Sedum erythrostictum</i> Showy Stonecrop | HP | 0.85 | G4 | 4 | 5-7 | | | |
| <i>Sedum erythrostictum</i> 'Mediovariegatum' Mediovariegatum Showy Stonecrop | HP | 0.85 | G4 | 4 | 5-7 | | | |
| <i>Sedum ewersii</i> No Common Name Found | HP | 0.78 | G4 | 4 | 5-7 | | | |
| <i>Sedum floriferum</i> No Common Name Found | HP | 0.93 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum floriferum</i> 'Weihenstephaner Gold' Weihenstephaner Gold Stonecrop | HP | 0.76 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum hispanicum</i> Mexican Stonecrop | HP | 0.48 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum humifusum</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum hybridum</i> Oakleaf Stonecrop | HP | 0.77 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum japonicum</i> No Common Name Found | HP | 0.75 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum kamtschaticum</i> Kamtschatka Stonecrop | HP | 0.73 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum kamtschaticum</i> 'Ellacombianum' Ellacombianum Kamtschatka Stonecrop | HP | 0.80 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum kamtschaticum</i> 'Variegatum' Variegated Kamtschatka Stonecrop | HP | 0.89 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum lanceolatum</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum limuloides</i> See - <i>Orostachys fimbriata</i> | | | | | | | | |
| <i>Sedum lineare</i> No Common Name Found | HP | 0.69 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum lineare</i> 'Variegatum' Variegated Stonecrop | HP | 0.69 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum makinoi</i> No Common Name Found | HP | 0.76 | G4 | 4-6 | 7-10 | | | |
| <i>Sedum makinoi</i> 'Ogon' Ogon Sedum | HP | 0.76 | G4 | 4-6 | 7-10 | | | |
| <i>Sedum obtusatum</i> Sierra Stonecrop | HP | 0.75 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum oreganum</i> Oregon Stonecrop | HP | 0.83 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum reflexum</i> Stone Orpine | HP | 0.64 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum reflexum</i> 'Blue Spruce' Blue Spruce Stone Orpine | HP | 0.74 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum reflexum</i> 'Cristatum' Cristatum Stone Orpine | HP | 0.68 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum reflexum</i> 'Forsteranum' Forsteranum Stone Orpine | HP | 0.66 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum rupestre</i> See - <i>Sedum reflexum</i> | | | | | | | | |
| <i>Sedum sarmentosum</i> Stringy Stonecrop | HP | 0.69 | G4 | 5-6 | 7-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Sedum senanense</i> | | | | | | | | |
| See - <i>Sedum japonicum</i> | | | | | | | | |
| <i>Sedum sexangulare</i> Tasteless Stonecrop | HP | 0.96 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum sieboldii</i> October Daphne | HP | 0.93 | G4 | 4-6 | 7 | | | |
| <i>Sedum spathulifolium</i> Stonecrop | HP | 1.31 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum spathulifolium</i> 'Cape Blanco' Cape Blanco Stonecrop | HP | 0.80 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum spathulifolium</i> 'Purpureum' Purpureum Stonecrop | HP | 0.84 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum spathulifolium</i> 'Red Chalk' Red Chalk Stonecrop | HP | 0.98 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum spectabile</i> Ice Plant | HP | 0.61 | G4 | 4 | 5-7 | | | |
| <i>Sedum spectabile</i> 'Brilliant' Brilliant Ice Plant | HP | 0.80 | G4 | 4 | 5-7 | | | |
| <i>Sedum spectabile</i> 'Cappa Blanca' Cappa Blanca Ice Plant | HP | 0.83 | G4 | 4 | 5-7 | | | |
| <i>Sedum spectabile</i> 'Carmen' Carmen Ice Plant | HP | 0.74 | G4 | 4 | 5-7 | | | |
| <i>Sedum spectabile</i> 'Iceberg' Iceberg Ice Plant | HP | 1.27 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum spectabile</i> 'Indian Chief' Indian Chief Ice Plant | HP | 0.70 | G4 | 4 | 5-7 | | | |
| <i>Sedum spectabile</i> 'Meteor' Meteor Ice Plant | HP | 0.87 | G4 | 4 | 5-7 | | | |
| <i>Sedum spectabile</i> 'Stardust' Stardust Ice Plant | HP | 0.82 | G4 | 4 | 5-7 | | | |
| <i>Sedum spectabile</i> 'Variegatum' See - <i>Sedum erythrostictum</i> 'Mediovariegatum' | | | | | | | | |
| <i>Sedum spurium</i> Two Row Stonecrop | HP | 0.61 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum spurium</i> 'Bronze Carpet' Bronze Carpet Two Row Stonecrop | HP | 0.92 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum spurium</i> 'Dragon's Blood' Dragon's Blood Two Row Stonecrop | HP | 0.96 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum spurium</i> 'Fuldaglut' Fuldaglut Two Row Stonecrop | HP | 0.84 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum spurium</i> 'Purpurteppich' Purpurteppich Two Row Stonecrop | HP | 0.71 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum spurium</i> 'Red Carpet' Red Carpet Two Row Stonecrop | HP | 0.99 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum spurium</i> 'Ruby Glow' Ruby Glow Two Row Stonecrop | HP | 1.01 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum spurium</i> 'Ruby Mantle' Ruby Mantle Two Row Stonecrop | HP | 0.68 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum spurium</i> 'Tricolor' Tricolor Two Row Stonecrop | HP | 0.88 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum spurium</i> 'Yellow Carpet' Yellow Carpet Two Row Stonecrop | HP | 0.86 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum stoloniferum</i> Pink Stonecrop | HP | 1.00 | G4 | 5-7 | 8-9 | | | |
| <i>Sedum telephium</i> Orpine | HP | 0.84 | G4 | 4 | 5-7 | | | |
| <i>Sedum telephium</i> 'Atropurpureum' Mahogany Plant | HP | 0.78 | G4 | 4 | 5-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Sedum telephium</i> 'Matrona' Matrona Sedum | HP | 0.89 | G4 | 4 | 5-7 | | | |
| <i>Sedum telephium</i> ssp. <i>ruprechtii</i> No Common Name Found | HP | 1.17 | G4 | 4 | 5-7 | | | |
| <i>Sedum telephium</i> ssp. <i>ruprechtii</i> 'Hab Gray' Hab Gray Orpine | HP | 1.17 | G4 | 4 | 5-7 | | | |
| <i>Sedum ternatum</i> Whorled Stonecrop | HP | 1.33 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum ternatum</i> 'Larinem Park' Larinem Park Whorled Stonecrop | HP | 0.75 | G4 | 5-6 | 7-8 | | | |
| <i>Sedum ternatum</i> 'Shale Barrens' Shale Barrens Whorled Stonecrop | HP | 0.71 | G4 | 5-6 | 7-8 | | | |
| <i>Selaginella caulescens</i> See - <i>Selaginella involvens</i> | | | | | | | | |
| <i>Selaginella emmeliana</i> See - <i>Selaginella pallescens</i> | | | | | | | | |
| <i>Selaginella involvens</i> Irish Clubmoss | FO | 0.42 | G4 | 4-6 | 7-10 | | 1.00 | 6 |
| <i>Selaginella kraussiana</i> Spreading Clubmoss | FO | 0.56 | G3 | 6-9 | 10A-10B | | 1.00 | 9 |
| <i>Selaginella kraussiana</i> 'Aurea' Golden Spreading Clubmoss | FO | 0.42 | G4 | 7-9 | 10-11 | | 1.00 | 9 |
| <i>Selaginella kraussiana</i> 'Brownii' Brown Spreading Clubmoss | FO | 0.47 | G3 | 7-9 | 10A-10B | | 1.00 | 9 |
| <i>Selaginella kraussiana</i> 'Gold Tips' Gold Tips Spreading Clubmoss | FO | 0.46 | G3 | 7-9 | 10A-10B | | 1.00 | 9 |
| <i>Selaginella moellendorffii</i> Arborvitae Fern | FO | 0.59 | G3 | 7-9 | 10A-10B | | 1.00 | 6 |
| <i>Selaginella pallescens</i> Moss Fern | FO | 0.57 | G3 | 7-9 | 10A-10B | | 1.00 | 9 |
| <i>Selaginella uncinata</i> Peacock Moss | FO | 0.60 | G3 | 7-9 | 10A-10B | | 1.00 | 7 |
| <i>Selaginella willdenovii</i> Peacock Fern | FO | 0.43 | G3 | 7-10 | 11 | | 1.00 | 10 |
| <i>Selenicereus anthonyanus</i> Rick Rack Cactus | FO | 0.65 | G3 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Selliera radicans</i> Victorian Swampweed | HP | 0.91 | G4 | 9 | 10-11 | | | |
| <i>Semiaquilegia adoxoides</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7 | | | |
| <i>Semiaquilegia ecalcarata</i> No Common Name Found | HP | 0.71 | G4 | 5-6 | 7 | | | |
| <i>Semiarundinaria fastuosa</i> Narihira Bamboo | BS | 1.31 | G4 | 5-6 | 7 | | 1.00 | 6 |
| <i>Sempervivum</i> Houseleek | HP | 1.07 | G4 | 5-6 | 7 | | | |
| <i>Sempervivum</i> 'Candy Floss' Candy Floss Houseleek | HP | 1.07 | G4 | 5-6 | 7 | | | |
| <i>Sempervivum</i> 'Cherry Frost' Cherry Frost Houseleek | HP | 1.07 | G4 | 5-6 | 7 | | | |
| <i>Sempervivum</i> 'Firebird' Firebird Houseleek | HP | 1.07 | G4 | 5-6 | 7 | | | |
| <i>Sempervivum</i> 'Icicle' Icicle Houseleek | HP | 1.07 | G4 | 5-6 | 7 | | | |
| <i>Sempervivum</i> 'Kalinda' Kalinda Houseleek | HP | 0.90 | G4 | 5 | 6-8 | | | |
| <i>Sempervivum</i> 'Lavender & Old Lace' Lavender & Old Lace Houseleek | HP | 1.07 | G4 | 5-6 | 7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sempervivum</i> 'Lilac Queen' Lilac Queen Houseleek | HP | 1.07 | G4 | 5-6 | 7 | | | |
| <i>Sempervivum</i> 'Nouveau Pastel' Nouveau Pastel Houseleek | HP | 1.07 | G4 | 5-6 | 7 | | | |
| <i>Sempervivum</i> 'Pekinese' Pekinese Houseleek | HP | 1.07 | G4 | 5 | 6-8 | | | |
| <i>Sempervivum</i> 'Purple Beauty' Purple Beauty Houseleek | HP | 1.30 | G4 | 5 | 6-8 | | | |
| <i>Sempervivum</i> 'Red Beauty' Red Beauty Houseleek | HP | 1.00 | G4 | 5 | 6-8 | | | |
| <i>Sempervivum</i> 'Saturn' Saturn Houseleek | HP | 1.07 | G4 | 5-6 | 7 | | | |
| <i>Sempervivum</i> 'Virgil' Virgil Houseleek | HP | 1.07 | G4 | 5-6 | 7 | | | |
| <i>Sempervivum</i> 'Wendy' Wendy Houseleek | HP | 1.07 | G4 | 5-6 | 7 | | | |
| <i>Sempervivum arachnoideum</i> Cobweb Houseleek | HP | 1.02 | G4 | 5 | 6-8 | | | |
| <i>Sempervivum arachnoideum</i> 'Hurricane' Hurricane Cobweb Houseleek | HP | 0.92 | G4 | 5-6 | 7 | | | |
| <i>Sempervivum arachnoideum</i> 'Red Cobweb' Red Cobweb Houseleek | HP | 0.82 | G4 | 5 | 6-8 | | | |
| <i>Sempervivum arachnoideum</i> 'Stansfieldii' Stansfield Cobweb Houseleek | HP | 0.92 | G4 | 5 | 6-8 | | | |
| <i>Sempervivum arachnoideum</i> var. <i>tomentosum</i> Tomentosum Cobweb Houseleek | HP | 0.78 | G4 | 5 | 6-8 | | | |
| <i>Sempervivum borisii</i> See - <i>Sempervivum ciliosum</i> | | | | | | | | |
| <i>Sempervivum ciliosum</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Sempervivum montanum</i> Gray-Green Houseleek | HP | 0.49 | G4 | 5 | 6-8 | | | |
| <i>Sempervivum montanum</i> var. <i>brauni</i> Brauni Gray-Green Houseleek | HP | 0.54 | G4 | 5 | 6-8 | | | |
| <i>Sempervivum purpureum</i> Purple Houseleek | HP | 0.49 | G4 | 5 | 6-8 | | | |
| <i>Sempervivum tectorum</i> Hens & Chicks | HP | 1.03 | G4 | 4-5 | 6-8 | | | |
| <i>Sempervivum tectorum</i> 'Silverine' Silverine Hens & Chicks | HP | 0.94 | G4 | 5 | 6-8 | | | |
| <i>Senecio aureus</i> See - <i>Packera aurea</i> | | | | | | | | |
| <i>Senecio canus</i> See - <i>Packera cana</i> | | | | | | | | |
| <i>Senecio cineraria</i> Dusty Miller | HP | 0.56 | G4 | 6-8 | 9-10A | | | |
| <i>Senecio confusus</i> See - <i>Pseudogynoxys chenopodioides</i> | | | | | | | | |
| <i>Senecio doria</i> No Common Name Found | HP | 0.70 | G4 | 5-6 | 7-9 | | | |
| <i>Senecio fulgens</i> See - <i>Kleinia fulgens</i> | | | | | | | | |
| <i>Senecio greyi</i> See - <i>Brachyglottis greyi</i> | | | | | | | | |
| <i>Senecio</i> x <i>hybridus</i> See - <i>Pericallis</i> x <i>hybridus</i> | | | | | | | | |
| <i>Senecio macroglossus</i> Natal Ivy | GC | 0.78 | G1 | 8-10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Senecio macroglossus</i> 'Variegatus' Variegated Natal Ivy | GC | 0.78 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Senecio mandraliscae</i> Groundsel | HP | 0.71 | G1 | 7-10 | 11 | | | |
| <i>Senecio mikanioides</i> See - <i>Delairea odorata</i> | | | | | | | | |
| <i>Senecio radicans</i> Creeping Berries | HP | 1.00 | G4 | 8-9 | 10A | | | |
| <i>Senecio rowleyanus</i> String-of-beads | HP | 1.00 | G4 | 8-9 | 10A | | | |
| <i>Senecio serpens</i> Blue Chalksticks | HP | 0.75 | G2 | 8-9 | 10-11 | | | |
| <i>Senecio smithii</i> No Common Name Found | HP | 0.76 | G2 | 6-7 | 8-10 | | | |
| <i>Senecio tanguticus</i> See - <i>Sinacalia tangutica</i> | | | | | | | | |
| <i>Senecio viravira</i> Dusty Miller | HP | 0.95 | G2 | 6-8 | 9-10 | | | |
| <i>Senna alata</i> Ringworm Cassia | BS | 0.61 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Senna artemisioides</i> Feathery Cassia | BS | 0.70 | G2 | 9 | 10-11 | | 1.00 | 9 |
| <i>Senna artemisioides</i> ssp. <i>oligophylla</i> Limestone Cassia | BE | 0.49 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Senna artemisioides</i> ssp. <i>sturtii</i> Dense Senna | BE | 0.71 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Senna australis</i> No Common Name Found | BS | 0.68 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Senna bicapsularis</i> Bicapsularis Senna | BS | 0.73 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Senna candolleana</i> New Zealand Senna | BS | 1.25 | G2 | 9 | 10-11 | | 1.00 | 9 |
| <i>Senna corymbosa</i> Summer Senna | BE | 0.83 | G1 | 8 | 9-11 | 1.00 | 1.00 | 8 |
| <i>Senna didymobotrya</i> Popcorn Bush | BE | 1.02 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Senna hebecarpa</i> Wild Senna | BS | 1.00 | G4 | 4 | 5-7 | | 1.00 | 4 |
| <i>Senna ligustrina</i> Privet Senna | BS | 0.80 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Senna mexicana</i> Mexican Senna | BS | 0.95 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Senna mexicana</i> var. <i>chapmanii</i> Bahama Senna | BS | 1.38 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Senna multijuga</i> November Shower Tree | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Senna nemophila</i> Desert Cassia | BS | 0.70 | G2 | 9 | 10-11 | | 1.00 | 9 |
| <i>Senna nitida</i> Hediondilla | BS | 1.77 | G2 | 9-10 | 11 | | 1.00 | 10 |
| <i>Senna pallida</i> No Common Name Found | BS | 1.00 | G2 | 10 | 11 | | 1.00 | 10 |
| <i>Senna phyllodinea</i> Silver Cassia | BS | 0.70 | G2 | 9 | 10-11 | | 1.00 | 9 |
| <i>Senna polyphylla</i> No Common Name Found | BE | 0.97 | G2 | 9-10 | 11 | 1.00 | 0.88 | 10 |
| <i>Senna siamea</i> Kassod Tree | BE | 1.17 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Senna spectabilis</i> No Common Name Found | BE | 1.03 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Senna splendida</i> Golden Wonder Senna Tree | BE | 1.20 | G1 | 10 | 11 | 1.00 | 0.82 | 9 |
| <i>Senna surattensis</i> Glaucous Cassia | BS | 0.93 | G1 | 9-10 | 11 | | 0.59 | 10 |
| <i>Sequoia sempervirens</i> Coast Redwood | CE | 1.04 | G2 | 5-8 | 9-10 | 1.00 | 0.71 | 8 |
| <i>Sequoia sempervirens</i> 'Adpressa' Adpressa Coast Redwood | CE | 1.18 | G2 | 5-8 | 9-10 | 1.00 | 1.39 | 8 |
| <i>Sequoia sempervirens</i> 'Albospica' See - <i>Sequoia sempervirens</i> 'Adpressa' | | | | | | | | |
| <i>Sequoia sempervirens</i> 'Aptos Blue' Aptos Blue Coast Redwood | CE | 1.18 | G2 | 5-8 | 9-10 | 1.00 | 1.05 | 8 |
| <i>Sequoia sempervirens</i> 'Cantab' Cantab Coast Redwood | CE | 1.07 | G2 | 5-8 | 9-10 | 1.00 | 1.05 | 8 |
| <i>Sequoia sempervirens</i> 'Glauca' Blue Coast Redwood | CE | 1.18 | G2 | 5-8 | 9-10 | 1.00 | 1.05 | 8 |
| <i>Sequoia sempervirens</i> 'Henderson Blue' Henderson Blue Coast Redwood | CE | 1.07 | G2 | 5-8 | 9-10 | 1.00 | 1.05 | 8 |
| <i>Sequoia sempervirens</i> 'Los Altos' Los Altos Coast Redwood | CE | 0.76 | G2 | 5-8 | 9-10 | 1.00 | 1.05 | 8 |
| <i>Sequoia sempervirens</i> 'Majestic Beauty' See - <i>Sequoia sempervirens</i> 'Monty' | | | | | | | | |
| <i>Sequoia sempervirens</i> 'Monty' Majestic Beauty™ Coast Redwood | CE | 1.04 | G2 | 5-8 | 9-10 | 1.00 | 1.05 | 8 |
| <i>Sequoia sempervirens</i> 'Nana Pendula' Nana Pendula Coast Redwood | CE | 1.18 | G2 | 5-8 | 9 | 1.00 | 1.05 | 8 |
| <i>Sequoia sempervirens</i> 'Santa Cruz' Santa Cruz Coast Redwood | CE | 1.24 | G2 | 5-8 | 9-10 | 1.00 | 1.05 | 8 |
| <i>Sequoia sempervirens</i> 'Simpson's Silver' Simpson's Silver Coast Redwood | CE | 0.73 | G2 | 5-8 | 9-10 | 1.00 | 1.05 | 8 |
| <i>Sequoia sempervirens</i> 'Soquel' Soquel Coast Redwood | CE | 1.15 | G2 | 5-8 | 9-10 | 1.00 | 1.05 | 8 |
| <i>Sequoiadendron giganteum</i> Giant Sequoia | CE | 1.02 | G2 | 4-6 | 7-8 | 1.19 | 0.83 | 6 |
| <i>Sequoiadendron giganteum</i> 'Glaucum' Glaucum Giant Sequoia | CE | 1.39 | G2 | 4-6 | 7-8 | 1.19 | 0.70 | 6 |
| <i>Sequoiadendron giganteum</i> 'Hazel Smith' Hazel Smith Giant Sequoia | CE | 0.96 | G2 | 4-6 | 7-8 | 1.19 | 0.97 | 6 |
| <i>Sequoiadendron giganteum</i> 'Pendulum' Weeping Giant Sequoia | CE | 1.68 | G2 | 4-6 | 7-8 | 1.19 | 0.94 | 6 |
| <i>Sequoiadendron giganteum</i> 'Variegata' Variegated Giant Sequoia | CE | 1.47 | G2 | 4-6 | 7-8 | 1.19 | 0.86 | 6 |
| <i>Serenoa repens</i> Saw Palmetto | PC | 1.19 | G2 | 4-8 | 9-11 | | 2.40 | 8 |
| <i>Serenoa repens</i> 'Cinerea' Silver Saw Palmetto | PC | 1.35 | G2 | 4-8 | 9-11 | | 2.40 | 8 |
| <i>Seriphidium canum</i> Silver Sagebrush | HP | 1.01 | G4 | 6-7 | 8-9 | | | |
| <i>Seriphidium novum</i> Black Sagebrush | HP | 1.06 | G4 | 5-6 | 7-9 | | | |
| <i>Seriphidium tridentatum</i> Common Sagebrush | BS | 0.99 | G2 | 4-8 | 9-11 | | 1.00 | 3 |
| <i>Seriphidium tridentatum</i> ssp.wyomingense Big Sagebrush | BS | 1.00 | G2 | 4-5 | 6-11 | | 1.00 | 3 |
| <i>Serissa foetida</i> Yellow Rim | BS | 0.80 | G1 | 8-10 | 11 | | 1.00 | 10B |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Serissa foetida</i> 'Kyoto' Kyoto Yellow Rim | BS | 0.50 | G1 | 8-10 | 11 | | 1.00 | 10B |
| <i>Serissa foetida</i> 'Mount Fuji' Mount Fuji Yellow Rim | BS | 0.65 | G1 | 8-10 | 11 | | 1.00 | 10B |
| <i>Serissa foetida</i> 'Snow Rose' Snow Rose Yellow Rim | BS | 0.61 | G1 | 8-10 | 11 | | 1.00 | 10B |
| <i>Serissa foetida</i> 'Variegata Pink' Variegated Pink Yellow Rim | BS | 0.64 | G1 | 8-10 | 11 | | 1.00 | 10B |
| <i>Serissa foetida</i> 'Variegata' Variegated Yellow Rim | BS | 0.70 | G1 | 8-10 | 11 | | 1.00 | 10B |
| <i>Sesbania aegyptiaca</i> See - <i>Sesbania sesban</i> | | | | | | | | |
| <i>Sesbania grandiflora</i> Vegetable Hummingbird | BS | 1.02 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Sesbania punicea</i> False Poinciana | BS | 0.94 | G1 | 9 | 10-11 | | 1.00 | 9 |
| <i>Sesbania sesban</i> No Common Name Found | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Sesbania tripetii</i> Scarlet Wisteria Tree | BE | 0.83 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Sesleria autumnalis</i> Autumn Moor Grass | HP | 1.15 | G4 | 5-6 | 7-8 | | | |
| <i>Sesleria caerulea</i> Blue Moor Grass | HP | 0.73 | G4 | 5-6 | 7-8 | | | |
| <i>Sesleria heuffleriana</i> Blue-green Moor Grass | HP | 0.72 | G4 | 5-6 | 7-8 | | | |
| <i>Sesleria nitida</i> Grey Moor Grass | HP | 0.99 | G4 | 5-6 | 7-8 | | | |
| <i>Sesuvium portulacastrum</i> Sea Purslane | HP | 0.45 | G2 | 9 | 10A-11 | | | |
| <i>Setaria palmifolia</i> Palm Grass | HP | 0.72 | G4 | 8-9 | 10-11 | | | |
| <i>Setcreasea pallida</i> See - <i>Tradescantia pallida</i> | | | | | | | | |
| <i>Setcreasea striata</i> See - <i>Callisia elegans</i> | | | | | | | | |
| <i>Severinia buxifolia</i> Chineses Box Orange | BS | 0.57 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Shepherdia argentea</i> Silver Buffaloberry | BS | 0.92 | G2 | 1-2 | 3-7 | | 0.79 | 2 |
| <i>Shepherdia canadensis</i> Russet Buffaloberry | DS | 0.88 | G2 | 1-2 | 3-7 | | 1.91 | 2 |
| <i>Shibataea chinensis</i> Zigzag Bamboo | BS | 2.15 | G2 | 5-6 | 7-10 | | 1.00 | 6 |
| <i>Shibataea kumasasa</i> Okame-zasa | BS | 1.29 | G2 | 8-10A | 10B-11 | | 1.00 | 6 |
| <i>Sibiraea altaiensis</i> Smooth Spirea | DS | 0.88 | G2 | 1-2 | 3-7 | | 1.00 | 2 |
| <i>Sibiraea laevigata</i> See - <i>Sibiraea altaiensis</i> | | | | | | | | |
| <i>Sida fallax</i> lima | HP | 0.86 | G2 | 9 | 10 | | | |
| <i>Sidalcea</i> False Mallow | HP | 1.12 | G4 | 4-5 | 6-7 | | | |
| <i>Sidalcea</i> 'Little Princess' P.P. 12629 Little Princess False Mallow | HP | 1.12 | G4 | 4-5 | 6-7 | | | |
| <i>Sidalcea candida</i> Wild Hollyhock | HP | 1.31 | G4 | 4-5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sidalcea malviflora</i> Checkerbloom | HP | 1.08 | G4 | 5-6 | 7-8 | | | |
| <i>Sidalcea malviflora</i> 'Brilliant' Brilliant Checkerbloom | HP | 0.82 | G4 | 5-6 | 7-8 | | | |
| <i>Sidalcea malviflora</i> 'Elsie Heugh' Elsie Heugh Checkerbloom | HP | 1.24 | G4 | 5-6 | 7-8 | | | |
| <i>Sidalcea malviflora</i> 'Mr. Lindbergh' Mr. Lindbergh Checkerbloom | HP | 1.17 | G4 | 5-6 | 7-8 | | | |
| <i>Sidalcea malviflora</i> 'Party Girl' Party Girl Checkerbloom | HP | 0.89 | G4 | 5-6 | 7-8 | | | |
| <i>Sidalcea malviflora</i> 'Rosanna' Rosanna Checkerbloom | HP | 0.77 | G4 | 5-6 | 7-8 | | | |
| <i>Sidalcea malviflora</i> 'Stark's Hybrid Mixture' Stark's Hybrid Mixture Checkerbloom | HP | 0.93 | G4 | 5-6 | 7-8 | | | |
| <i>Sideroxylon salicifolium</i> Willow Busic | BE | 1.00 | G1 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Silene</i> Campion | HP | 0.63 | G4 | 5 | 6-10 | | | |
| <i>Silene</i> 'Longwood' Longwood Campion | HP | 0.63 | G4 | 5 | 6-8 | | | |
| <i>Silene armeria</i> Sweet William Catchfly | HP | 1.00 | G4 | 5-7 | 8 | | | |
| <i>Silene caroliniana</i> Wild Pink | HP | 1.00 | G4 | 5 | 6-7 | | | |
| <i>Silene laciniata</i> Fringed Indian Pink | HP | 1.61 | G4 | 5-6 | 7-8 | | | |
| <i>Silene latifolia</i> Bladder Campion | HP | 0.86 | G4 | 5-6 | 7-9 | | | |
| <i>Silene pratensis</i> See - <i>Silene latifolia</i> | | | | | | | | |
| <i>Silene quadrifida</i> Alpine Catchfly | HP | 0.95 | G4 | 5 | 6-7 | | | |
| <i>Silene regia</i> Royal Catchfly | HP | 0.84 | G4 | 5 | 6-8 | | | |
| <i>Silene schafta</i> Autumn Catchfly | HP | 0.80 | G4 | 5 | 6-7 | | | |
| <i>Silene schafta</i> 'Splendens' Splendens Schafta Campion | HP | 0.65 | G4 | 5 | 6-8 | | | |
| <i>Silene stellata</i> Starry Campion | HP | 1.04 | G4 | 5 | 6-8 | | | |
| <i>Silene uniflora</i> Sea Campion | HP | 0.71 | G4 | 3-4 | 5-7 | | | |
| <i>Silene uniflora</i> 'Robin Whitebreast' Robin Whitebreast Sea Campion | HP | 0.45 | G4 | 5 | 6-8 | | | |
| <i>Silene uniflora</i> 'Swan Lake' Swan Lake Sea Campion | HP | 1.06 | G4 | 5 | 6-7 | | | |
| <i>Silene vulgaris</i> ssp. <i>maritima</i> See - <i>Silene uniflora</i> | | | | | | | | |
| <i>Silphium integrifolium</i> Rosin Weed | HP | 0.59 | G4 | 4 | 5-7 | | | |
| <i>Silphium lacinatum</i> Compass Plant | HP | 0.99 | G4 | 4 | 5-7 | | | |
| <i>Silphium perfoliatum</i> Cup Plant | HP | 1.13 | G4 | 4 | 5-7 | | | |
| <i>Silphium terebinthinaceum</i> Prairie Dock | HP | 1.49 | G4 | 4 | 5-7 | | | |
| <i>Simarouba glauca</i> Paradise Tree | BE | 0.86 | G1 | 10 | 11 | 1.00 | 0.72 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Sinacalia tangutica</i> Chinese Groundsel | HP | 1.18 | G4 | 5 | 6-7 | | | |
| <i>Sinarundinaria nitida</i> See - <i>Fargesia nitida</i> | | | | | | | | |
| <i>Sinningia sellovii</i> Hardy Red Gloxinia | FO | 0.40 | G3 | 8-10B | 11 | | 1.00 | 7 |
| <i>Sinningia speciosa</i> Common Gloxinia | FO | 0.61 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Sinningia tubiflora</i> No Common Name Found | FO | 0.63 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Siphokentia beguinii</i> No Common Name Found | PC | 3.44 | G3 | 10 | 11 | | 1.00 | 9 |
| <i>Siphonochilus aethiopicus</i> No Common Name Found | HP | 1.00 | G4 | 8-10 | 11 | | | |
| <i>Siphonochilus aethiopicus</i> 'Sunrise Trumpet' Sunrise Trumpet Ginger Lily | HP | 1.00 | G4 | 8-10 | 11 | | | |
| <i>Siphonochilus decorus</i> Dwarf Ginger Lily | HP | 0.99 | G4 | 9 | 10A-11 | | | |
| <i>Siphonochilus kirkii</i> No Common Name Found | HP | 1.01 | G4 | 8-10A | 10B-11 | | | |
| <i>Siphonochilus kirkii</i> 'Pink Trumpet' Pink Trumpet Ginger Lily | HP | 1.01 | G4 | 8-10A | 10B-11 | | | |
| <i>Sisyrinchium</i> Sisyrinchium | HP | 0.99 | G4 | 6 | 7-10 | | | |
| <i>Sisyrinchium</i> 'E.K. Balls' E.K. Balls Sisyrinchium | HP | 0.99 | G4 | 7 | 8-9A | | | |
| <i>Sisyrinchium</i> 'Mrs. Spivey' Mrs. Spivey Sisyrinchium | HP | 0.99 | G4 | 4-5 | 6-10 | | | |
| <i>Sisyrinchium</i> 'Wayne's Dwarf' Wayne's Dwarf Sisyrinchium | HP | 0.99 | G4 | 4-7 | 8-10 | | | |
| <i>Sisyrinchium albidum</i> White Blue-eyed Grass | HP | 1.00 | G4 | 6 | 7-10B | | | |
| <i>Sisyrinchium angustifolium</i> Narrow-leaf Blue-eyed Grass | HP | 0.86 | G4 | 2-3 | 4-9 | | | |
| <i>Sisyrinchium angustifolium</i> 'Lucerne' Lucerne Narrow-leaf Blue-eyed Grass | HP | 1.06 | G4 | 2-3 | 4-9 | | | |
| <i>Sisyrinchium atlanticum</i> Eastern Blue-eyed Grass | HP | 0.57 | G4 | 6 | 7-10B | | | |
| <i>Sisyrinchium bellum</i> See - <i>Sisyrinchium idahoense</i> var. <i>bellum</i> | | | | | | | | |
| <i>Sisyrinchium bermudianum</i> See - <i>Sisyrinchium angustifolium</i> | | | | | | | | |
| <i>Sisyrinchium californicum</i> California Yellow-Eyed Grass | HP | 0.95 | G4 | 6-8 | 9-10 | | | |
| <i>Sisyrinchium campestre</i> Prairie Blue-Eyed Grass | HP | 1.00 | G4 | 6 | 7-10B | | | |
| <i>Sisyrinchium convolutum</i> No Common Name Found | HP | 0.75 | G4 | 8-9A | 9B-10B | | | |
| <i>Sisyrinchium idahoense</i> No Common Name Found | HP | 1.00 | G4 | 4-7 | 8-10 | | | |
| <i>Sisyrinchium idahoense</i> var. <i>bellum</i> California Blue-eyed Grass | HP | 1.04 | G4 | 6-7 | 8-10 | | | |
| <i>Sisyrinchium idahoense</i> var. <i>bellum</i> 'Arroyo de la Cruz' Arroyo de la Cruz California Blue-Eyed Grass | HP | 0.99 | G4 | 6-7 | 8-10 | | | |
| <i>Sisyrinchium idahoense</i> var. <i>bellum</i> 'Figueroa' Figueroa California Blue-Eyed Grass | HP | 1.00 | G4 | 6-7 | 8-10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Sisyrinchium idahoense</i> var. <i>bellum</i> 'Fort Bragg' Fort Bragg California Blue-Eyed Grass | HP | 1.00 | G4 | 4-7 | 8-10 | | | |
| <i>Sisyrinchium idahoense</i> var. <i>bellum</i> 'H Bar H White' H Bar H White California Blue-Eyed Grass | HP | 0.99 | G4 | 6-7 | 8-10 | | | |
| <i>Sisyrinchium idahoense</i> var. <i>bellum</i> 'Merk's White' Merk's White California Blue-Eyed Grass | HP | 0.99 | G4 | 6-7 | 8-10 | | | |
| <i>Sisyrinchium idahoense</i> var. <i>bellum</i> 'Nanum' Dwarf California Blue-Eyed Grass | HP | 1.00 | G4 | 4-7 | 8-10 | | | |
| <i>Sisyrinchium idahoense</i> var. <i>bellum</i> 'Occidental' Occidental California Blue-Eyed Grass | HP | 0.99 | G4 | 6-7 | 8-10 | | | |
| <i>Sisyrinchium striatum</i> Argentine Blue-Eyed Grass | HP | 1.10 | G4 | 6-7 | 8-10 | | | |
| <i>Sisyrinchium striatum</i> 'Aunt May' Aunt May Argentine Blue-Eyed Grass | HP | 0.99 | G4 | 6-7 | 8-10 | | | |
| <i>Skimmia</i> x <i>foremanii</i> See - <i>Skimmia japonica</i> 'Veitchii' | | | | | | | | |
| <i>Skimmia japonica</i> Japanese Skimmia | BS | 1.20 | G4 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Skimmia japonica</i> 'Rubella' Rubella Japanese Male Skimmia | BS | 1.41 | G4 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Skimmia japonica</i> 'Teufel's Dwarf' Teufel's Dwarf Japanese Skimmia | BS | 1.61 | G4 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Skimmia japonica</i> 'Veitchii' Veitchii Japanese Female Skimmia | BS | 1.41 | G4 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Skimmia japonica</i> ssp. <i>reevesiana</i> Reeves Skimmia | BS | 1.32 | G4 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Smilacina racemosa</i> False Solomon Seal | HP | 1.16 | G4 | 3-4 | 5-7 | | | |
| <i>Sobralia macrantha</i> No Common Name Found | FO | 0.65 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sobralia xantholeuca</i> No Common Name Found | FO | 4.76 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Sobralia xantholeuca</i> 'Super Select' Super Select Orchid | FO | 5.95 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Solandra grandiflora</i> Peach-colored Trumpet Flower | GC | 1.63 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Solandra grandiflora</i> 'Variegata' Variegated Peach-colored Trumpet Flower | GC | 1.63 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Solandra guttata</i> Goldcup | GC | 0.95 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Solandra maxima</i> Cup of Gold Vine | GC | 0.85 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Solanum aviculare</i> Kangaroo Apple | BS | 0.81 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Solanum crispum</i> Nightshade | BS | 1.00 | G2 | 8-9 | 10 | | 1.00 | 8 |
| <i>Solanum crispum</i> 'Glasnevin' Glasnevin Nightshade | GC | 0.87 | G2 | 8-9 | 10 | | 1.00 | 8 |
| <i>Solanum jasminoides</i> Potato Vine | GC | 0.79 | G1 | 9 | 10-11 | | 1.00 | 8 |
| <i>Solanum jasminoides</i> 'Grandiflora' Grandiflora Potato Vine | GC | 1.11 | G1 | 9 | 10-11 | | 1.00 | 8 |
| <i>Solanum jasminoides</i> 'Variegatum' Variegated Potato Vine | GC | 1.12 | G1 | 7-9 | 10-11 | | 1.00 | 8 |
| <i>Solanum macranthum</i> See - <i>Solanum wrightii</i> | | | | | | | | |
| <i>Solanum rantonnetii</i> Blue Potato Vine | GC | 0.83 | G1 | 9 | 10-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Solanum rantonnetii</i> 'Blue Moon' See - <i>Solanum rantonnetii</i> 'Variegated Splash' P.P.A.F. | | | | | | | | |
| <i>Solanum rantonnetii</i> 'Royal Robe' Royal Robe Blue Potato Vine | GC | 0.92 | G1 | 9 | 10-11 | | 1.00 | 9 |
| <i>Solanum rantonnetii</i> 'Variegated Splash' P.P.A.F. Blue Moon™ Blue Potato Vine | BS | 1.13 | G1 | 9-10A | 10B-11 | | 1.00 | 9 |
| <i>Solanum seforthianum</i> Italian Jasmine | GC | 0.99 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Solanum wendlandii</i> Paradise Flower | GC | 0.75 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Solanum wrightii</i> Potato Tree | BS | 1.10 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Solanum xantii</i> Purple Nightshade | GC | 1.20 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Soldanella alpina</i> Glacier Alpenclock | HP | 1.00 | G4 | 4 | 5-7 | | | |
| <i>Soldanella hungarica</i> Hungarian Alpenclock | HP | 1.00 | G4 | 4-6 | 7-8 | | | |
| <i>Soleirolia soleirolii</i> Baby's Tears | GC | 0.44 | G3 | 8-9B | 10-11 | | 1.00 | 9 |
| <i>Soleirolia soleirolii</i> 'Gold Pool' Gold Pool Baby's Tears | GC | 0.44 | G3 | 8-9B | 10-11 | | 1.00 | 9 |
| <i>Solenostemon scutellarioides</i> Garden Coleus | FO | 0.36 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Solenostemon scutellarioides</i> 'Alabama Pink' Alabama Pink Garden Coleus | HP | 0.78 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Alabama Sunset' Alabama Sunset Garden Coleus | HP | 0.72 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Amora' Amora Garden Coleus | HP | 0.86 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Aurora Red Velvet' See - <i>Solenostemon scutellarioides</i> 'Balaureve' P.P.A.F. | | | | | | | | |
| <i>Solenostemon scutellarioides</i> 'Aurora Stoplight' Aurora™ Stoplight Garden Coleus | HP | 0.55 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Balaureve' P.P.A.F. Aurora® Red Velvet Garden Coleus | HP | 0.55 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Bellingrath Red' Bellingrath Red Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Black Dragon' Black Dragon Garden Coleus | HP | 0.46 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Blusher' Blusher Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Burgundy Sun' Burgundy Sun Garden Coleus | HP | 0.73 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Cantigny Royal' Cantigny Royal Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Chantilly' Chantilly Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Cranberry Salad' Cranberry Salad Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Dipt in Wine' Dipt in Wine Garden Coleus | HP | 0.86 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Ducksfoot Red' Ducksfoot Red Garden Coleus | HP | 0.83 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Ducksfoot Series' Ducksfoot Series Garden Coleus | HP | 0.70 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Ducksfoot Tricolor' Ducksfoot Tricolor Garden Coleus | HP | 1.04 | G3 | 8-10 | 11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Solenostemon scutellarioides</i> 'Flirtin' Skirts' Flirtin' Skirts Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Florida Series' Florida Series Garden Coleus | HP | 0.51 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Freckles' Freckles Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Fright Night' Fright Night Garden Coleus | HP | 0.60 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Frisbee Freckles' Frisbee Freckles Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Gay's Delight' Gay's Delight Garden Coleus | HP | 0.53 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Gold Bound' Gold Bound Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Golden Bedder' Golden Bedder Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Golden Wizard' Golden Wizard Garden Coleus | HP | 0.62 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Heidi Red' Heidi Red Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Hurricane Benji' Hurricane Benji Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Hurricane Jenni' Hurricane Jenni Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Hurricane Louise' Hurricane Louise Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Inky Fingers' Inky Fingers Garden Coleus | HP | 0.57 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Jade' Jade Garden Coleus | HP | 0.57 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Japanese Giant' Japanese Giant Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Kiwi Fern' Kiwi Fern Garden Coleus | HP | 0.64 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Leopard' Leopard Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Mardi Gras' Mardi Gras Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Mini Red' Mini Red Garden Coleus | HP | 0.55 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Mr. Wonderful' Mr. Wonderful Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'New Orleans' New Orleans Garden Coleus | HP | 0.62 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Olympic Torch' Olympic Torch Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Othello' Othello Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Oxblood' Oxblood Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Pat Martin' Pat Martin Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Pineapple Queen' Pineapple Queen Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Pistachio' Pistachio Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Plum Parfait' Plum Parfait Garden Coleus | HP | 0.71 | G3 | 8-10 | 11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Solenostemon scutellarioides</i> 'Poncho' Poncho Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Red Coat' Red Coat Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Red Ruffle' Red Ruffle Garden Coleus | HP | 1.06 | G3 | 6-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Red Trailing' Red Trailing Garden Coleus | HP | 0.57 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Rustic Orange' Rustic Orange Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Saber' Saber Garden Coleus | HP | 0.28 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Saint Valentine' Saint Valentine Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Saturn' Saturn Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Eclipse' Solar Eclipse Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Flair' Solar Flair Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Furnace' Solar Furnace Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Millenium Red' Solar Millenium Red Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Radiance' Solar Radiance Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Red' Solar Red Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Shade' Solar Shade Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Shadow' Solar Shadow Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Spectrum' Solar Spectrum Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Storm' Solar Storm Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Sunrise' Solar Sunrise Garden Coleus | HP | 0.66 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Sunset Wizard' Sunset Wizard Garden Coleus | HP | 0.62 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Sunset' Sunset Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Thumbellina' Thumbellina Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Tilt-a-Whirl' Tilt-a-Whirl Garden Coleus | HP | 0.63 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Tri-color' Tri-color Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Velvet Red Wizard' Velvet Red Wizard Garden Coleus | HP | 0.62 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Wild Lime' Wild Lime Garden Coleus | HP | 0.65 | G3 | 8-10 | 11 | | | |
| <i>Solenostemon scutellarioides</i> 'Wizard Series' Wizard Series Garden Coleus | HP | 0.43 | G3 | 8-10 | 11 | | | |
| <i>Solidago</i> Hybrid Goldenrod | HP | 0.89 | G4 | 4-5 | 6-8 | | | |
| <i>Solidago</i> 'Cloth of Gold' Cloth of Gold Goldenrod | HP | 0.79 | G4 | 4-5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Solidago</i> 'Crown of Rays' Crown of Rays Goldenrod | HP | 1.12 | G4 | 4-5 | 6-8 | | | |
| <i>Solidago</i> 'Goldkind' Golden Baby Goldenrod | HP | 0.81 | G4 | 4-5 | 6-8 | | | |
| <i>Solidago</i> 'Lauren' Lauren Goldenrod | HP | 0.85 | G4 | 4-5 | 6-8 | | | |
| <i>Solidago caesia</i> Wreath Goldenrod | HP | 0.78 | G4 | 3-4 | 5-6 | | | |
| <i>Solidago canadensis</i> Dwarf Goldenrod | HP | 1.33 | G4 | 2-3 | 4-7 | | | |
| <i>Solidago flexicaulis</i> Broad-Leaved Goldenrod | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Solidago glomerata</i> Clustered Goldenrod | HP | 0.60 | G4 | 3-6 | 7-8 | | | |
| <i>Solidago nemoralis</i> Dyersweed Goldenrod | HP | 1.00 | G4 | 3-4 | 5-7 | | | |
| <i>Solidago ohioensis</i> Ohio Goldenrod | HP | 1.24 | G4 | 3-4 | 5-7 | | | |
| <i>Solidago riddellii</i> Riddell's Goldenrod | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Solidago rigida</i> Stiff Goldenrod | HP | 1.05 | G4 | 4-5 | 6-7 | | | |
| <i>Solidago rugosa</i> Rough-stemmed Goldenrod | HP | 0.97 | G4 | 4-5 | 6-8 | | | |
| <i>Solidago rugosa</i> 'Fireworks' Fireworks Rough-stemmed Goldenrod | HP | 0.97 | G4 | 4-5 | 6-8 | | | |
| <i>Solidago speciosa</i> Noble Goldenrod | HP | 1.09 | G4 | 5-6 | 7-8 | | | |
| <i>Solidago sphacelata</i> No Common Name Found | HP | 1.13 | G4 | 4-5 | 6-8 | | | |
| <i>Solidago sphacelata</i> 'Golden Fleece' Golden Fleece Goldenrod | HP | 0.96 | G4 | 4-5 | 6-8 | | | |
| <i>Solidago stricta</i> No Common Name Found | HP | 0.54 | G4 | 5-6 | 7-8 | | | |
| x <i>Solidaster luteus</i> Golden Aster | HP | 0.90 | G4 | 4-5 | 6-8 | | | |
| x <i>Solidaster luteus</i> 'Lemore' Lemore Golden Aster | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Sollya fusiformis</i> See - <i>Sollya heterophylla</i> | | | | | | | | |
| <i>Sollya heterophylla</i> Australian Bluebell Creeper | BS | 0.75 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Sollya heterophylla</i> 'Alba' White Australian Bluebell Creeper | BS | 0.76 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Sommieria elegans</i> No Common Name Found | PC | 9.09 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Sophora affinis</i> Eve's Necklace | DT | 1.22 | G2 | 7-8 | 9-10 | 1.42 | 0.84 | 7 |
| <i>Sophora davidii</i> Vetch Sophora | DS | 1.00 | G2 | 7-8 | 9-10 | | 1.00 | 5 |
| <i>Sophora japonica</i> Japanese Pagodatree | DT | 0.91 | G2 | 7-8 | 9-10 | 1.07 | 0.64 | 5 |
| <i>Sophora japonica</i> 'Halka' P.P. 7554 Halka Japanese Pagodatree | DT | 1.52 | G2 | 7-8 | 9-10 | 1.61 | 2.45 | 5 |
| <i>Sophora japonica</i> 'PNI 5625' P.P. 2338 Regent® Japanese Pagodatree | DT | 0.93 | G2 | 7-8 | 9-10 | 1.36 | 2.45 | 5 |
| <i>Sophora japonica</i> 'Pendula' Weeping Japanese Pagodatree | DT | 1.16 | G2 | 7-8 | 9-10 | 1.32 | 4.26 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Sophora japonica</i> 'Princeton Upright' P.P. 5524 Princeton Upright Japanese Pagodatree | DT | 1.29 | G2 | 7-8 | 9-10 | 1.23 | 2.45 | 5 |
| <i>Sophora japonica</i> 'Regent' See - <i>Sophora japonica</i> 'PNI 5625' P.P. 2338 | | | | | | | | |
| <i>Sophora microphylla</i> Littleleaf Sophora | BE | 1.00 | G1 | 8-9A | 9B-10A | 1.00 | 1.00 | 8 |
| <i>Sophora secundiflora</i> Texas Mountain Laurel | BE | 1.27 | G1 | 8-9A | 9B-10A | 1.00 | 2.92 | 7 |
| <i>Sophora tomentosa</i> Silverbush | BS | 0.65 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Sophora viciifolia</i> See - <i>Sophora davidii</i> | | | | | | | | |
| <i>Sopronitis cernua</i> No Common Name Found | FO | 1.00 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Sorbaria sorbifolia</i> Ural False Spirea | DS | 0.89 | G2 | 2 | 3-7 | | 0.80 | 2 |
| <i>Sorbus</i> Mountainash | DT | 1.00 | G2 | 2-6 | 7-8 | 1.22 | 1.00 | 2 |
| <i>Sorbus</i> 'Brilliant Yellow' Brilliant Yellow Mountainash | DT | 1.00 | G2 | 2 | 3-7 | 1.22 | 1.00 | 2 |
| <i>Sorbus</i> 'Joseph Rock' Joseph Rock Mountainash | DT | 1.00 | G2 | 2 | 3-7 | 1.22 | 1.00 | 2 |
| <i>Sorbus</i> 'Meinichii' Meinich Mountainash | DT | 1.00 | G2 | 2 | 3-7 | 1.22 | 1.00 | 2 |
| <i>Sorbus alnifolia</i> Korean Mountainash | DT | 0.96 | G2 | 2-5 | 6-7 | 1.20 | 0.59 | 5 |
| <i>Sorbus alnifolia</i> 'Erecta' Upright Korean Mountainash | DT | 0.96 | G2 | 2-5 | 6-7 | 1.43 | 0.59 | 5 |
| <i>Sorbus alnifolia</i> 'Redbird' P.P. 3400 Redbird Korean Mountainash | DT | 0.96 | G2 | 4-8 | 9-10 | 1.66 | 0.59 | 5 |
| <i>Sorbus americana</i> American Mountainash | DT | 1.11 | G2 | 2 | 3-7 | 1.07 | 1.00 | 2 |
| <i>Sorbus americana</i> 'Dwarfcrow' P.P. 4157 Red Cascade™ American Mountainash | DT | 1.11 | G2 | 2 | 3-7 | 1.05 | 1.00 | 2 |
| <i>Sorbus americana</i> 'Red Cascade' See - <i>Sorbus americana</i> 'Dwarfcrow' P.P. 4157 | | | | | | | | |
| <i>Sorbus aria</i> Whitebeam | DT | 1.00 | G2 | 5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Sorbus aria</i> 'Lutescens' Lutescens Whitebeam | DT | 1.00 | G2 | 5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Sorbus aria</i> 'Magnifica' Magnifica Whitebeam | DT | 1.00 | G2 | 5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Sorbus aucuparia</i> European Mountainash | DT | 1.04 | G2 | 2 | 3-7 | 0.96 | 0.70 | 2 |
| <i>Sorbus aucuparia</i> 'Asplenifolia' Cutleaf European Mountainash | DT | 1.15 | G2 | 2 | 3-7 | 0.94 | 0.64 | 2 |
| <i>Sorbus aucuparia</i> 'Beissneri' Beissner European Mountainash | DT | 1.15 | G2 | 3-4 | 5-7 | 0.94 | 0.64 | 2 |
| <i>Sorbus aucuparia</i> 'Black Hawk' Black Hawk European Mountainash | DT | 1.31 | G2 | 2 | 3-7 | 0.98 | 0.64 | 2 |
| <i>Sorbus aucuparia</i> 'Cardinal Royal' See - <i>Sorbus aucuparia</i> 'Michred' P.P. 3114 | | | | | | | | |
| <i>Sorbus aucuparia</i> 'Columbia Queen' Columbia Queen® European Mountainash | DT | 1.15 | G2 | 2 | 3-7 | 0.94 | 0.64 | 2 |
| <i>Sorbus aucuparia</i> 'Edulis' Moravian European Mountainash | DT | 1.15 | G2 | 2 | 3-7 | 0.94 | 0.64 | 2 |
| <i>Sorbus aucuparia</i> 'Fastigiata' Upright European Mountainash | DT | 1.15 | G2 | 2 | 3-7 | 0.83 | 0.64 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sorbus aucuparia</i> 'King Midas' King Midas European Mountainash | DT | 1.15 | G2 | 2 | 3-7 | 0.94 | 0.64 | 2 |
| <i>Sorbus aucuparia</i> 'Michred' P.P. 3114 Cardinal Royal™ European Mountainash | DT | 1.10 | G2 | 2 | 3-7 | 1.04 | 0.58 | 2 |
| <i>Sorbus aucuparia</i> 'Pendula' Weeping European Mountainash | DT | 1.15 | G2 | 2 | 3-7 | 0.94 | 0.64 | 2 |
| <i>Sorbus aucuparia</i> 'Rossica' Russian Mountainash | DT | 1.15 | G2 | 2 | 3-7 | 0.91 | 0.64 | 2 |
| <i>Sorbus aucuparia</i> 'Xanthocarpa' Yellow-fruited European Mountainash | DT | 1.15 | G2 | 2 | 3-7 | 0.94 | 0.64 | 2 |
| <i>Sorbus decora</i> Showy Mountainash | DT | 1.25 | G2 | 2 | 3-7 | 1.10 | 1.00 | 2 |
| <i>Sorbus hupehensis</i> Hupeh Mountainash | DT | 1.40 | G2 | 2-3 | 4-7 | 1.00 | 1.00 | 3 |
| <i>Sorbus hupehensis</i> 'Coral Fire' Coral Fire® Hupeh Mountainash | DT | 1.45 | G2 | 2-3 | 4-7 | 1.00 | 1.00 | 3 |
| <i>Sorbus hupehensis</i> 'Pink Pagoda' Pink Pagoda Hupeh Mountainash | DT | 1.35 | G2 | 2-3 | 4-7 | 1.00 | 1.00 | 3 |
| <i>Sorbus hybrida</i> Finnish Whitebeam Mountainash | DT | 1.21 | G2 | 2-5 | 6-7 | 1.00 | 2.40 | 5 |
| <i>Sorbus intermedia</i> Swedish Mountainash | DT | 1.20 | G2 | 2-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Sorbus rufoferruginea</i> Flameberry Mountainash | DT | 1.00 | G2 | 2-5 | 6-7 | 1.30 | 1.00 | 2 |
| <i>Sorbus rufoferruginea</i> 'Longwood Sunset' Longwood Sunset™ Flameberry Mountainash | DT | 1.00 | G2 | 5 | 6-7 | 1.30 | 1.00 | 2 |
| <i>Sorbus scopulina</i> Western Mountainash | BS | 0.86 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Sorbus sitchensis</i> Pacific Mountainash | DS | 0.87 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Sorbus xthuringiaca</i> Bastard Service Tree | DT | 1.23 | G2 | 4-5 | 6-7 | 0.65 | 1.00 | 5 |
| <i>Sorbus xthuringiaca</i> 'Leonard Springer' Springer Mountainash | DT | 1.23 | G2 | 4-5 | 6-7 | 1.18 | 1.00 | 5 |
| <i>Sorbus xthuringiaca</i> 'Quercifolia' Oakleaf Mountainash | DT | 1.23 | G2 | 4-5 | 6-7 | 1.70 | 1.00 | 5 |
| <i>Sorbus tianshanica</i> Turkistan Mountainash | DT | 1.00 | G2 | 4-5 | 6-7 | 1.00 | 1.00 | 3 |
| <i>Sorbus vilmorinii</i> Vilmorin Mountainash | DT | 1.00 | G2 | 5-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Sorghastrum avenaceum</i> See - <i>Sorghastrum nutans</i> | | | | | | | | |
| <i>Sorghastrum nutans</i> Indian Grass | HP | 1.05 | G4 | 5 | 6-8 | | | |
| <i>Sorghastrum nutans</i> 'Indian Steel' Indian Steel Indian Grass | HP | 1.09 | G4 | 3-4 | 5-8 | | | |
| <i>Sorghastrum nutans</i> 'Sioux Blue' Sioux Blue Indian Grass | HP | 1.44 | G4 | 5 | 6-8 | | | |
| <i>Sorghastrum secundum</i> Lopsided Indiangrass | HP | 0.49 | G2 | 2-5 | 6-8 | | | |
| <i>Sparaxis tricolor</i> Harlequin Flower | HP | 0.83 | G4 | 8-9 | 10-11 | | | |
| <i>Sparganium erectum</i> Bur Reed | HP | 1.13 | G4 | 4-5 | 6-7 | | | |
| <i>Sparganium eurycarpum</i> Great Bur Reed | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Sparmannia africana</i> African Linden | BS | 0.90 | G1 | 10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Spartina alterniflora</i> Saltwater Cordgrass | HP | 0.81 | G4 | 6-7 | 8-11 | | | |
| <i>Spartina bakeri</i> Sand Cordgrass | HP | 0.58 | G4 | 6-8 | 9-11 | | | |
| <i>Spartina patens</i> Saltmeadow Cordgrass | HP | 0.72 | G4 | 6-7 | 8-11 | | | |
| <i>Spartina pectinata</i> Prairie Cord Grass | HP | 0.96 | G4 | 4 | 5-7 | | | |
| <i>Spartina pectinata</i> 'Aureo-marginata' Aureo-marginata Prairie Cord Grass | HP | 0.99 | G4 | 4 | 5-7 | | | |
| <i>Spartium junceum</i> Spanish Broom | HP | 1.09 | G2 | 7-8 | 9 | | | |
| <i>Spathiphyllum</i> Spathiphyllum | FO | 0.91 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> '31581' P.P. 10893 Taylor's Green Peace Lily | FO | 0.80 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> '61352' P.P. 10894 Vicki Lynn Peace Lily | FO | 0.62 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Ceres' P.P. 8844 Ceres Peace Lily | FO | 0.87 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Daniel' P.P. 8655 Daniel Peace Lily | FO | 0.91 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Domino' P.P. 9944 Domino Peace Lily | FO | 1.21 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Emerald Swirl' Emerald Swirl Peace Lily | FO | 1.18 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Gorgusis No. 1' P.P. 6964 Sensation™ Peace Lily | FO | 0.95 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Illusion' P.P. 9942 Illusion Peace Lily | FO | 0.91 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Jetty' P.P. 9957 Jetty Peace Lily | FO | 0.76 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Knockout' Knockout Peace Lily | FO | 1.04 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Leprechaun' P.P. 8130 Leprechaun Peace Lily | FO | 0.91 | G4 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Linda' Linda Peace Lily | FO | 1.13 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Lynise' P.P. 6145 Lynise Peace Lily | FO | 0.80 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Mauna Loa' Mauna Loa Peace Lily | FO | 0.87 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Max' P.P. 9958 Max Peace Lily | FO | 0.91 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Petite' Petite Peace Lily | FO | 0.68 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Princess' P.P. 7635 Princess Peace Lily | FO | 0.91 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'S4' P.P. 10013 Sonya™ Peace Lily | FO | 0.90 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'S8' P.P. 9677 Sierra™ Peace Lily | FO | 0.96 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Sensation' See - <i>Spathiphyllum</i> 'Gorgusis No. 1' P.P. 6964 | | | | | | | | |
| <i>Spathiphyllum</i> 'Sierra' See - <i>Spathiphyllum</i> 'S8' P.P. 9677 | | | | | | | | |
| <i>Spathiphyllum</i> 'Sonya' See - <i>Spathiphyllum</i> 'S4' P.P. 10013 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|--|-----------|-----------|----|------------------|-------------|---------|------------|-----------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | | High/Wide |
| <i>Spathiphyllum</i> 'Sparkle' P.P. 8367 Sparkle Peace Lily | FO | 1.16 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Starlight' Starlight Peace Lily | FO | 0.94 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Stephanie' P.P. 9943 Stephanie Peace Lily | FO | 0.88 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Supreme' Supreme Peace Lily | FO | 0.97 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Symphony' Symphony Peace Lily | FO | 0.64 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Tasson' Tasson Peace Lily | FO | 0.97 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Taylor's Green' See - <i>Spathiphyllum</i> '31581' P.P. 10893 | | | | | | | | |
| <i>Spathiphyllum</i> 'Vanessa' P.P. 10895 Vanessa Peace Lily | FO | 0.91 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Vicki Lynn' See - <i>Spathiphyllum</i> '61352' P.P. 10894 | | | | | | | | |
| <i>Spathiphyllum</i> 'Viscount' Viscount Peace Lily | FO | 0.71 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum wallisii</i> No Common Name Found | FO | 0.52 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathiphyllum wallisii</i> 'Clevelandii' Cleveland Peace Lily | FO | 0.52 | G3 | 8-11 | | | 1.00 | 10 |
| <i>Spathodea campanulata</i> African Tulip Tree | BE | 1.25 | G1 | 10 | 11 | 1.00 | 1.11 | 10 |
| <i>Spathoglottis</i> Ground Orchid | HP | 2.75 | G4 | 8-10 | 11 | | | |
| <i>Spathoglottis</i> 'Parsonsii' Parsons Ground Orchid | HP | 2.75 | G4 | 8-10 | 11 | | | |
| <i>Spathoglottis aurea</i> No Common Name Found | HP | 3.16 | G4 | 10 | 11 | | | |
| <i>Spathoglottis gracilis</i> No Common Name Found | HP | 2.75 | G4 | 10 | 11 | | | |
| <i>Spathoglottis plicata</i> Philippine Ground Orchid | HP | 1.84 | G4 | 10 | 11 | | | |
| <i>Spathoglottis plicata</i> 'Grapette' Grapette Ground Orchid | HP | 2.09 | G4 | 10 | 11 | | | |
| <i>Spathoglottis plicata</i> 'Peach' Peach Ground Orchid | HP | 1.97 | G4 | 8-10 | 11 | | | |
| <i>Spathoglottis pubescens</i> Buttercup Orchid | HP | 2.63 | G4 | 10 | 11 | | | |
| <i>Sphaeralcea munroana</i> No Common Name Found | HP | 1.18 | G4 | 3-4 | 5-7 | | | |
| <i>Sphaeropteris cooperi</i> See - <i>Cyathea cooperi</i> | | | | | | | | |
| <i>Spigelia marilandica</i> Indian Pink | HP | 1.24 | G4 | 6-7 | 8-10 | | | |
| <i>Spilanthes oleracea</i> See - <i>Acmella oleracea</i> | | | | | | | | |
| <i>Spiraea</i> Spirea | DS | 0.89 | G2 | 4-5 | 6-9 | | 0.82 | 5 |
| <i>Spiraea</i> 'Snow White' Snow White Hybrid Spirea | DS | 0.89 | G2 | 3-5 | 6-7 | | 0.82 | 5 |
| <i>Spiraea alba</i> American Meadowsweet | DS | 1.06 | G2 | 4 | 5-8 | | 0.51 | 4 |
| <i>Spiraea albiflora</i> See - <i>Spiraea japonica</i> 'Albiflora' | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Spiraea x arguta</i> Garland Spirea | DS | 0.71 | G2 | 4 | 5-8 | | 1.09 | 4 |
| <i>Spiraea x arguta</i> 'Compacta' Compact Garland Spirea | DS | 0.89 | G2 | 4 | 5-8 | | 1.09 | 4 |
| <i>Spiraea betulifolia</i> Birchleaf Spirea | DS | 1.01 | G2 | 4 | 5-8 | | 1.00 | 2 |
| <i>Spiraea betulifolia</i> 'Tor' Tor Birchleaf Spirea | DS | 0.97 | G2 | 4 | 5-8 | | 1.00 | 2 |
| <i>Spiraea x billiardii</i> See - <i>Spiraea x pseudosalicifolia</i> | | | | | | | | |
| <i>Spiraea x bumalda</i> See - <i>Spiraea japonica</i> 'Bumalda' | | | | | | | | |
| <i>Spiraea cantoniensis</i> Reeves Spirea | DS | 0.86 | G2 | 3-6 | 7-8 | | 0.83 | 6 |
| <i>Spiraea cantoniensis</i> 'Lanceata' Double Reeves Spirea | DS | 0.80 | G2 | 3-6 | 7-8 | | 0.83 | 6 |
| <i>Spiraea x cinerea</i> No Common Name Found | DS | 1.16 | G2 | 4 | 5-8 | | 0.89 | 4 |
| <i>Spiraea x cinerea</i> 'Grefsheim' Grefsheim Spirea | DS | 1.16 | G2 | 4 | 5-8 | | 0.89 | 4 |
| <i>Spiraea decumbens</i> Spreading Spirea | DS | 0.92 | G2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Spiraea densiflora</i> Subalpine Spirea | DS | 1.19 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Spiraea densiflora</i> 'Monvis' Summer Song™ Spirea | DS | 0.84 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Spiraea densiflora</i> 'Summer Song' See - <i>Spiraea densiflora</i> 'Monvis' | | | | | | | | |
| <i>Spiraea douglasii</i> Douglas Spirea | DS | 0.77 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Spiraea fritschiana</i> Fritsch Spirea | DS | 0.97 | G2 | 5-6 | 7-9 | | 1.16 | 4 |
| <i>Spiraea fritschiana</i> 'Pink Parasols' See - <i>Spiraea fritschiana</i> 'Wilma' | | | | | | | | |
| <i>Spiraea fritschiana</i> 'Wilma' Wilma Fritsch Spirea | DS | 1.07 | G2 | 3-5 | 6-7 | | 1.16 | 4 |
| <i>Spiraea japonica</i> Japanese Spirea | DS | 0.76 | G2 | 4 | 5-8 | | 0.75 | 4 |
| <i>Spiraea japonica</i> 'Albiflora' Japanese White Spirea | DS | 0.98 | G2 | 4 | 5-8 | | 1.03 | 4 |
| <i>Spiraea japonica</i> 'Alpina' Alpine Japanese Spirea | DS | 0.90 | G2 | 4 | 5-8 | | 1.05 | 4 |
| <i>Spiraea japonica</i> 'Anthony Waterer' Anthony Waterer Japanese Spirea | DS | 0.77 | G2 | 4 | 5-8 | | 0.84 | 4 |
| <i>Spiraea japonica</i> 'Atrosanguinea' Atrosanguinea Japanese Spirea | DS | 0.93 | G2 | 4 | 5-8 | | 1.02 | 4 |
| <i>Spiraea japonica</i> 'Bumalda' Bumald Spirea | DS | 0.75 | G2 | 4 | 5-8 | | 0.63 | 4 |
| <i>Spiraea japonica</i> 'Candle Light' Candle Light Japanese Spirea | DS | 1.01 | G2 | 4 | 5-8 | | 1.02 | 4 |
| <i>Spiraea japonica</i> 'Coccinea' Coccinea Spirea | DS | 0.98 | G2 | 4 | 5-8 | | 0.83 | 4 |
| <i>Spiraea japonica</i> 'Crimson Glory' Crimson Glory Spirea | DS | 0.65 | G2 | 4 | 5-8 | | 1.02 | 4 |
| <i>Spiraea japonica</i> 'Crispa' Crispleaf Spirea | DS | 0.93 | G2 | 4 | 5-8 | | 1.09 | 4 |
| <i>Spiraea japonica</i> 'Dakota Goldcharm' See - <i>Spiraea japonica</i> 'Mertyann' | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Spiraea japonica</i> 'Dart's Red' Dart's Red Spirea | DS | 0.95 | G2 | 4 | 5-8 | | 0.99 | 4 |
| <i>Spiraea japonica</i> 'Dolchica' Dolchica Spirea | DS | 0.86 | G2 | 4 | 5-8 | | 1.02 | 4 |
| <i>Spiraea japonica</i> 'Fire Light' Fire Light Spirea | DS | 1.02 | G2 | 4 | 5-8 | | 1.86 | 4 |
| <i>Spiraea japonica</i> 'Flaming Mound' Flaming Mound Spirea | DS | 1.09 | G2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Spiraea japonica</i> 'Flowering Choice' P.P. 13916 Flowering Choice Spirea | DS | 1.30 | G2 | 4 | 5-8 | | 1.02 | 4 |
| <i>Spiraea japonica</i> 'Fortunei' Fortunes Spirea | DS | 0.98 | G2 | 4 | 5-8 | | 1.19 | 4 |
| <i>Spiraea japonica</i> 'Froebelii Compacta' Compact Froebel Spirea | DS | 1.05 | G2 | 4 | 5-8 | | 0.74 | 4 |
| <i>Spiraea japonica</i> 'Froebelii' Froebel Spirea | DS | 0.91 | G2 | 4 | 5-8 | | 0.77 | 4 |
| <i>Spiraea japonica</i> 'Glutinosa' Glutinosa Spirea | DS | 0.93 | G2 | 4 | 5-8 | | 1.02 | 4 |
| <i>Spiraea japonica</i> 'Golden Carpet' Golden Carpet Spirea | DS | 1.03 | G2 | 4 | 5-8 | | 1.02 | 4 |
| <i>Spiraea japonica</i> 'Golden Elf' P.P. 12025 Golden Elf Spirea | DS | 1.10 | G2 | 4 | 5-8 | | 1.02 | 4 |
| <i>Spiraea japonica</i> 'Golden Princess' See - <i>Spiraea japonica</i> 'Lisp' P.P. 7537 | | | | | | | | |
| <i>Spiraea japonica</i> 'Golden Sunrise' See - <i>Spiraea japonica</i> 'Monhud' P.P.A.F. | | | | | | | | |
| <i>Spiraea japonica</i> 'Goldflame' Goldflame Spirea | DS | 0.84 | G2 | 4 | 5-8 | | 0.92 | 4 |
| <i>Spiraea japonica</i> 'Goldmound' Goldmound Spirea | DS | 0.78 | G2 | 4 | 5-8 | | 0.97 | 4 |
| <i>Spiraea japonica</i> 'Green Carpet' Green Carpet Spirea | DS | 1.23 | G2 | 4 | 5-8 | | 1.02 | 4 |
| <i>Spiraea japonica</i> 'Gumball' Gumball Spirea | DS | 0.93 | G2 | 4 | 5-8 | | 1.10 | 4 |
| <i>Spiraea japonica</i> 'Lemon Princess' Lemon Princess Spirea | DS | 0.78 | G2 | 4 | 5-8 | | 1.02 | 4 |
| <i>Spiraea japonica</i> 'Lemondrop' P.P.A.F. Lemondrop Spirea | DS | 0.55 | G2 | 3-5 | 6-7 | | 1.02 | 4 |
| <i>Spiraea japonica</i> 'Limemound' See - <i>Spiraea japonica</i> 'Monhub' P.P. 5834 | | | | | | | | |
| <i>Spiraea japonica</i> 'Lisp' P.P. 7537 Golden Princess Spirea | DS | 1.00 | G2 | 4 | 5-8 | | 1.02 | 4 |
| <i>Spiraea japonica</i> 'Little Princess' Little Princess Spirea | DS | 0.85 | G2 | 4 | 5-8 | | 0.97 | 4 |
| <i>Spiraea japonica</i> 'Magic Carpet' See - <i>Spiraea japonica</i> 'Walbura' P.P. 9363 | | | | | | | | |
| <i>Spiraea japonica</i> 'Mertyann' Dakota Goldcharm® Spirea | DS | 0.97 | G2 | 4 | 5-8 | | 1.03 | 4 |
| <i>Spiraea japonica</i> 'Monhub' P.P. 5834 Limemound™ Spirea | DS | 0.99 | G2 | 4 | 5-8 | | 1.32 | 4 |
| <i>Spiraea japonica</i> 'Monhud' P.P.A.F. Golden Sunrise™ Spirea | DS | 1.00 | G2 | 4 | 5-8 | | 1.02 | 4 |
| <i>Spiraea japonica</i> 'Neon Flash' Neon Flash Spirea | DS | 0.96 | G2 | 4 | 5-8 | | 1.29 | 4 |
| <i>Spiraea japonica</i> 'Norman' Norman Spirea | DS | 0.95 | G2 | 4 | 5-8 | | 0.89 | 4 |
| <i>Spiraea japonica</i> 'Sappho' Sappho Japanese Spirea | DS | 0.97 | G2 | 3-5 | 6-7 | | 1.02 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Spiraea japonica</i> 'Shibori' Bi-Color Spirea | DS | 0.98 | G2 | 4 | 5-8 | | 1.01 | 4 |
| <i>Spiraea japonica</i> 'Shirobana' Tri-Color Spirea | DS | 0.80 | G2 | 4 | 5-8 | | 0.97 | 4 |
| <i>Spiraea japonica</i> 'Walbuma' P.P. 9363 Magic Carpet™ Spirea | DS | 0.91 | G2 | 4 | 5-8 | | 1.28 | 4 |
| <i>Spiraea latifolia</i> Meadowsweet | DS | 1.72 | G2 | 4 | 5-8 | | 1.00 | 2 |
| <i>Spiraea media</i> No Common Name Found | DS | 0.90 | G2 | 3-5 | 6-7 | | 1.00 | 4 |
| <i>Spiraea media</i> 'Darsnorm' Snowstorm™ Spirea | DS | 0.90 | G2 | 3-5 | 6-7 | | 1.00 | 4 |
| <i>Spiraea media</i> 'Snowstorm' See - <i>Spiraea media</i> 'Darsnorm' | | | | | | | | |
| <i>Spiraea nipponica</i> Nippon Spirea | DS | 1.25 | G2 | 4 | 5-8 | | 0.50 | 4 |
| <i>Spiraea nipponica</i> 'Halward's Silver' Halward's Silver Nippon Spirea | DS | 1.00 | G2 | 4 | 5-8 | | 1.19 | 4 |
| <i>Spiraea nipponica</i> 'June Bride' June Bride Nippon Spirea | DS | 0.91 | G2 | 4 | 5-8 | | 1.06 | 4 |
| <i>Spiraea nipponica</i> 'Norwegian Snow' Norwegian Snow Nippon Spirea | DS | 0.99 | G2 | 3-5 | 6-7 | | 0.88 | 4 |
| <i>Spiraea nipponica</i> 'Snowmound' Snowmound Nippon Spirea | DS | 0.87 | G2 | 4 | 5-8 | | 0.78 | 4 |
| <i>Spiraea nipponica</i> var. <i>tosaensis</i> Tosa Nippon Spirea | DS | 0.86 | G2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Spiraea prunifolia</i> Bridalwreath Spirea | DS | 0.82 | G2 | 4 | 5-8 | | 0.58 | 4 |
| <i>Spiraea prunifolia</i> 'Plena' Double Bridalwreath Spirea | DS | 0.64 | G2 | 4 | 5-8 | | 0.58 | 4 |
| <i>Spiraea x pseudosalicifolia</i> Billard Spirea | DS | 0.83 | G2 | 4 | 5-8 | | 0.57 | 4 |
| <i>Spiraea x pseudosalicifolia</i> 'Macrothyrsa' Ever-blooming Pink Billard Spirea | DS | 0.98 | G2 | 3-4 | 5-8 | | 0.57 | 4 |
| <i>Spiraea x pseudosalicifolia</i> 'Triumphans' Triumphans Billard Spirea | DS | 1.13 | G2 | 3-4 | 5-8 | | 0.57 | 4 |
| <i>Spiraea reevesiana</i> See - <i>Spiraea cantoniensis</i> | | | | | | | | |
| <i>Spiraea thunbergii</i> Thunberg Spirea | DS | 0.91 | G2 | 3-4 | 5-8 | | 0.86 | 4 |
| <i>Spiraea thunbergii</i> 'Fujino Pink' Fujino Pink Thunberg Spirea | DS | 1.05 | G2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Spiraea thunbergii</i> 'Mellow Yellow' See - <i>Spiraea thunbergii</i> 'Ogon' | | | | | | | | |
| <i>Spiraea thunbergii</i> 'Mt. Fuji' Mt. Fuji Thunberg Spirea | DS | 1.11 | G2 | 4 | 5-8 | | 0.93 | 4 |
| <i>Spiraea thunbergii</i> 'Ogon' Mellow Yellow™ Thunberg Spirea | DS | 1.17 | G2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Spiraea tomentosa</i> Hard Hack | DS | 1.54 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Spiraea tomentosa</i> 'Alba' White Hard Hack | DS | 1.54 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Spiraea tomentosa</i> 'Rosea' Rosea Hard Hack | DS | 1.54 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Spiraea trilobata</i> Threelobe Spirea | DS | 1.09 | G2 | 3-4 | 5-8 | | 1.26 | 3 |
| <i>Spiraea trilobata</i> 'Fairy Queen' Fairy Queen Threelobe Spirea | DS | 1.09 | G2 | 3-4 | 5-8 | | 1.36 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Spiraea trilobata</i> 'Swan Lake' Swan Lake Threelobe Spirea | DS | 1.09 | G2 | 3-4 | 5-8 | | 1.15 | 3 |
| <i>Spiraea x vanhouttei</i> Vanhoutte Spirea | DS | 0.81 | G2 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Spiraea x vanhouttei</i> 'Renaissance' Renaissance Vanhoutte Spirea | DS | 0.95 | G2 | 3-4 | 5-8 | | 1.14 | 3 |
| <i>Spiranthes cernua</i> Lady's Tresses | FO | 1.00 | G3 | 4-6 | 7-11 | | 1.00 | 3 |
| <i>Spiranthes cernua</i> var. <i>odorata</i> Fragrant Lady's Tresses | FO | 0.94 | G3 | 4-6 | 7-11 | | 1.00 | 3 |
| <i>Spiranthes odorata</i> See - <i>Spiranthes cernua</i> var. <i>odorata</i> | | | | | | | | |
| <i>Spodiopogon sibiricus</i> Silver Spikegrass | HP | 0.94 | G4 | 7 | 8-9A | | | |
| <i>Sporobolus airoides</i> Alkalai Dropseed | HP | 1.19 | G4 | 5-7 | 8 | | | |
| <i>Sporobolus heterolepis</i> Prairie Dropseed | HP | 1.37 | G4 | 5-6 | 7 | | | |
| <i>Sporobolus virginicus</i> Seashore Dropseed | HP | 0.83 | G4 | 5-6 | 7 | | | |
| <i>Sporobolus wrightii</i> Giant Sacaton Grass | HP | 1.00 | G4 | 5-6 | 7 | | | |
| <i>Sprekelia formosissima</i> Aztec Lily | HP | 0.82 | G4 | 7-9 | 10-11 | | | |
| <i>Stachys byzantina</i> Lamb's Ears | HP | 0.89 | G4 | 5 | 6-10A | | | |
| <i>Stachys byzantina</i> 'Cotton Boll' Cotton Boll Lamb's Ears | HP | 0.90 | G4 | 5 | 6-10A | | | |
| <i>Stachys byzantina</i> 'Countess Helene von Stein' Countess Helene von Stein Lamb's Ears | HP | 0.85 | G4 | 5 | 6-10A | | | |
| <i>Stachys byzantina</i> 'Primrose Heron' Primrose Heron Lamb's Ears | HP | 0.82 | G4 | 5 | 6-10A | | | |
| <i>Stachys byzantina</i> 'Silver Carpet' Silver Carpet Lamb's Ears | HP | 1.04 | G4 | 5 | 6-10A | | | |
| <i>Stachys candida</i> No Common Name Found | HP | 1.00 | G4 | 5 | 6-10A | | | |
| <i>Stachys coccinea</i> No Common Name Found | HP | 0.64 | G4 | 6-7 | 8-10B | | | |
| <i>Stachys densiflora</i> See - <i>Stachys monieri</i> | | | | | | | | |
| <i>Stachys grandiflora</i> Big Betony | HP | 1.29 | G4 | 5 | 6-10A | | | |
| <i>Stachys grandiflora</i> 'Superba' Superba Big Betony | HP | 1.29 | G4 | 5 | 6-10A | | | |
| <i>Stachys iva</i> No Common Name Found | HP | 1.00 | G4 | 5-8 | 9-10A | | | |
| <i>Stachys lanata</i> See - <i>Stachys byzantina</i> | | | | | | | | |
| <i>Stachys monieri</i> No Common Name Found | HP | 0.96 | G4 | 5 | 6-10A | | | |
| <i>Stachys monieri</i> 'Hummelo' Hummelo Betony | HP | 0.95 | G4 | 5 | 6-10A | | | |
| <i>Stachys officinalis</i> Common Betony | HP | 0.87 | G4 | 5 | 6-10A | | | |
| <i>Stachys officinalis</i> 'Rosea Superba' Rosea Superba Wood Betony | HP | 1.18 | G4 | 5 | 6-10A | | | |
| <i>Stachys thirkei</i> No Common Name Found | HP | 0.91 | G4 | 5-8 | 9-10A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Stachytarpheta frantzii</i> No Common Name Found | HP | 0.54 | G4 | 10A | 10B-11 | | | |
| <i>Stachytarpheta jamaicensis</i> Blue Snakeweed | HP | 0.58 | G1 | 10A | 10B-11 | | | |
| <i>Stachytarpheta mutabilis</i> Pink Snakeweed | HP | 0.69 | G1 | 10 | 11 | | | |
| <i>Stachytarpheta speciosa</i> Coral Porterweed | HP | 0.54 | G1 | 10 | 11 | | | |
| <i>Stachytarpheta speciosa</i> 'Red' Red Coral Porterweed | HP | 0.57 | G1 | 10 | 11 | | | |
| <i>Stachytarpheta speciosa</i> 'White' White Coral Porterweed | HP | 0.57 | G1 | 10 | 11 | | | |
| <i>Stachytarpheta urticifolia</i> Blue Rat's Rail | HP | 0.58 | G1 | 10A | 10B-11 | | | |
| <i>Stachyurus praecox</i> Spiketail | HP | 1.13 | G2 | 6-7 | 8-9 | | | |
| <i>Stachyurus praecox</i> var. <i>matsuzakii</i> No Common Name Found | HP | 0.97 | G2 | 6-7 | 8-9 | | | |
| <i>Stahlianthus involucratus</i> No Common Name Found | HP | 1.00 | G4 | 7-8 | 9-10 | | | |
| <i>Stanhopea embreei</i> No Common Name Found | FO | 9.25 | G3 | 6-10 | 11 | | 1.00 | 10 |
| <i>Stanhopea embreei</i> 'Tropical Splendor' Tropical Splendor Orchid | FO | 9.25 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Stanhopea gibbosa</i> No Common Name Found | FO | 3.13 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Stanhopea inodora</i> Stanhopea inodora | FO | 4.17 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Stanhopea inodora</i> 'Alba' No Common Name Found | FO | 4.17 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Stanhopea oculata</i> No Common Name Found | FO | 3.75 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Stanhopea panamensis</i> No Common Name Found | FO | 3.33 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Stanhopea panamensis</i> 'Chocolate Mint' Chocolate Mint Orchid | FO | 3.33 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Stanhopea tigrina</i> El Toro Orchid | FO | 5.21 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Stanhopea tigrina</i> 'Glory of Mexico' Glory of Mexico Orchid | FO | 5.21 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Stanhopea tricornis</i> No Common Name Found | FO | 3.13 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Stapelia gigantea</i> Giant Starfish Flower | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Statice gmelinii</i> See - <i>Limonium gmelinii</i> | | | | | | | | |
| <i>Statice latifolium</i> See - <i>Limonium latifolium</i> | | | | | | | | |
| <i>Statice perezii</i> See - <i>Limonium perezii</i> | | | | | | | | |
| <i>Stemmadenia galeottiana</i> See - <i>Stemmadenia litoralis</i> | | | | | | | | |
| <i>Stemmadenia litoralis</i> Lechosa | BS | 1.92 | G2 | 10 | 11 | | 1.00 | 10 |
| <i>Stemodia tomentosa</i> Woolly Stemodia | GC | 0.49 | G4 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Stenocarpus sinuatus</i> Firewheel Tree | BE | 0.94 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Stenoglottis longifolia</i> No Common Name Found | HP | 1.00 | G3 | 8-10 | 11 | | | |
| <i>Stenolobium stans</i> See - <i>Tecoma stans</i> | | | | | | | | |
| <i>Stenomesson variegatum</i> No Common Name Found | HP | 1.21 | G4 | 8-9 | 10 | | | |
| <i>Stenotus acaulis</i> No Common Name Found | HP | 1.00 | G4 | 8-9 | 10 | | | |
| <i>Stephanandra incisa</i> Cutleaf Stephanandra | DS | 1.18 | G4 | 5-6 | 7-8 | | 1.30 | 5 |
| <i>Stephanandra incisa</i> 'Crispa' Crisp Cutleaf Stephanandra | DS | 0.98 | G4 | 5-6 | 7-8 | | 1.12 | 5 |
| <i>Stephanotis floribunda</i> Madagascar Jasmine | GC | 1.32 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Stephanotis floribunda</i> 'Variegata' Variegated Madagascar Jasmine | GC | 1.50 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Sterculia foetida</i> Indian Almond | BE | 0.86 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Stereospermum chelonoides</i> Yellow Snake Tree | DT | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Stevia rebaudiana</i> Caa-ehe | AN | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Stewartia koreana</i> See - <i>Stewartia pteropetiolata</i> var. <i>koreana</i> | | | | | | | | |
| <i>Stewartia malacodendron</i> Silky Stewartia | DS | 1.06 | G2 | 5-7 | 8-9A | | 1.00 | 7 |
| <i>Stewartia monadelpha</i> Tall Stewartia | DT | 1.04 | G2 | 5-6 | 7-9A | 1.07 | 2.20 | 6 |
| <i>Stewartia ovata</i> Mountain Stewartia | DS | 1.82 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Stewartia pseudocamellia</i> Japanese Stewartia | DT | 1.70 | G2 | 4-5 | 6-7 | 1.84 | 1.96 | 5 |
| <i>Stewartia pteropetiolata</i> var. <i>koreana</i> Korean Stewartia | BS | 1.98 | G2 | 4-5 | 6-7 | | 0.91 | 5 |
| <i>Stewartia rostrata</i> Rostrata Japanese Stewartia | DT | 1.00 | G2 | 5-6 | 7-9A | 1.00 | 1.00 | 6 |
| <i>Stewartia sinensis</i> Chinese Stewartia | DT | 2.03 | G2 | 5-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Stictocardia beraviensis</i> African Morning Glory | HP | 1.16 | G4 | 8-9 | 10-11 | | | |
| <i>Stigmaphyllon ciliatum</i> Golden Vine | GC | 0.91 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Stigmaphyllon littorale</i> Brazilian Golden Vine | GC | 0.73 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Stipa arundinacea</i> New Zealand Wind Grass | HP | 0.79 | G4 | 6-8 | 9 | | | |
| <i>Stipa capillata</i> No Common Name Found | HP | 0.95 | G4 | 6-7 | 8 | | | |
| <i>Stipa cernua</i> Nodding Feather Grass | HP | 0.88 | G4 | 6-7 | 8 | | | |
| <i>Stipa gigantea</i> Giant Feather Grass | HP | 1.03 | G4 | 6-7 | 8 | | | |
| <i>Stipa pennata</i> European Feather Grass | HP | 1.59 | G4 | 6-7 | 8 | | | |
| <i>Stipa pulchra</i> Purple Needle Grass | HP | 0.83 | G4 | 8-9 | 10 | | | |
| <i>Stipa ramosissima</i> Pillar of Smoke | HP | 0.77 | G4 | 6-8 | 9 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Stipa tenuissima</i> Mexican Feather Grass | HP | 1.27 | G4 | 6-7 | 8 | | | |
| <i>Stokesia laevis</i> Stokes' Aster | HP | 0.77 | G4 | 4-5 | 6-10B | | | |
| <i>Stokesia laevis</i> 'Alba' White Stokes' Aster | HP | 0.82 | G4 | 4-5 | 6-10B | | | |
| <i>Stokesia laevis</i> 'Blue Danube' Blue Danube Stokes' Aster | HP | 0.91 | G4 | 4-5 | 6-10B | | | |
| <i>Stokesia laevis</i> 'Blue Moon' Blue Moon Stokes' Aster | HP | 0.66 | G4 | 4-5 | 6-10B | | | |
| <i>Stokesia laevis</i> 'Color Wheel' P.P.A.F. Color Wheel Stokes' Aster | HP | 0.92 | G4 | 3-5 | 6-10A | | | |
| <i>Stokesia laevis</i> 'Honeysong Purple' P.P.A.F. Honeysong Purple Stokes' Aster | HP | 1.02 | G4 | 3-5 | 6-10A | | | |
| <i>Stokesia laevis</i> 'Klaus Jelitto' Klaus Jelitto Stokes' Aster | HP | 0.95 | G4 | 4-5 | 6-10B | | | |
| <i>Stokesia laevis</i> 'Mary Gregory' Mary Gregory Stokes' Aster | HP | 0.89 | G4 | 4-5 | 6-10B | | | |
| <i>Stokesia laevis</i> 'Omega Skyrocket' Omega Skyrocket Stokes' Aster | HP | 1.08 | G4 | 4-5 | 6-10B | | | |
| <i>Stokesia laevis</i> 'Purple Parasols' P.P. 10660 Purple Parasols Stokes' Aster | HP | 0.97 | G4 | 4-5 | 6-10B | | | |
| <i>Stokesia laevis</i> 'Silver Moon' Silver Moon Stokes' Aster | HP | 0.82 | G4 | 4-5 | 6-10B | | | |
| <i>Stokesia laevis</i> 'Wyoming' Wyoming Stokes' Aster | HP | 0.90 | G4 | 4-5 | 6-10B | | | |
| <i>Stranvaesia davidiana</i> See - <i>Photinia davidiana</i> | | | | | | | | |
| <i>Strelitzia nicolai</i> Giant Bird of Paradise | FO | 0.67 | G3 | 8-10 | 11 | | 0.95 | 9 |
| <i>Strelitzia reginae</i> Bird of Paradise Flower | HP | 1.03 | G4 | 9 | 10-11 | | | |
| <i>Strelitzia reginae</i> 'Kirstenbosch Gold' Kirstenbosch Gold Bird of Paradise | HP | 2.05 | G4 | 9 | 10-11 | | | |
| <i>Streptocarpus</i> Cape Primrose | HP | 1.26 | G3 | 8-11 | | | | |
| <i>Streptocarpus</i> 'Bavarian Series' Bavarian Series Cape Primrose | HP | 0.93 | G3 | 8-11 | | | | |
| <i>Streptocarpus</i> 'Concord Blue' Concord Blue Cape Primrose | HP | 1.04 | G3 | 6-11 | | | | |
| <i>Streptocarpus</i> 'Olympus Series' Olympus Series Cape Primrose | HP | 0.93 | G3 | 8-11 | | | | |
| <i>Streptosolen jamesonii</i> Orange Browallia | BS | 0.67 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Strobilanthes dyerianus</i> Persian Shield | BS | 0.69 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Strobilanthes isophyllus</i> Bedding Conehead | BS | 0.56 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Strobilanthes lactatus</i> White-veined Strobe | BS | 0.64 | G1 | 7-9 | 10-11 | | 1.00 | 8 |
| <i>Stromanthe sanguinea</i> No Common Name Found | FO | 1.09 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Strongylodon macrobotrys</i> Jade Vine | GC | 5.32 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Strophanthus gratus</i> Climbing Oleander | GC | 1.04 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Strophanthus preussii</i> No Common Name Found | GC | 1.07 | G2 | 9-10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Stylidium adnatum</i> No Common Name Found | HP | 0.78 | G4 | 8-9 | 10 | | | |
| <i>Stylophorum diphyllum</i> Celandine Poppy | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Styphnolobium japonicum</i> See - <i>Sophora japonica</i> | | | | | | | | |
| <i>Styrax americanum</i> No Common Name Found | DT | 0.71 | G2 | 5-6 | 7-8 | 0.81 | 1.18 | 6 |
| <i>Styrax grandifolium</i> Bigleaf Snowbell | DS | 0.94 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Styrax japonicum</i> Japanese Snowbell | DS | 1.34 | G2 | 5 | 6-8 | | 1.18 | 5 |
| <i>Styrax japonicum</i> 'Carillon' Carillon Japanese Snowbell | DS | 1.50 | G2 | 5 | 6-8 | | 1.11 | 5 |
| <i>Styrax japonicum</i> 'JFS-D' Snowcone™ Japanese Snowbell | DS | 1.40 | G2 | 5 | 6-8 | | 0.69 | 5 |
| <i>Styrax japonicum</i> 'Kusan' Kusan Japanese Snowbell | DS | 1.43 | G2 | 5 | 6-8 | | 1.11 | 5 |
| <i>Styrax japonicum</i> 'Pendula' Weeping Japanese Snowbell | DS | 1.43 | G2 | 5 | 6-8 | | 1.11 | 5 |
| <i>Styrax japonicum</i> 'Pink Chimes' Pink Chimes Japanese Snowbell | DS | 1.85 | G2 | 5 | 6-8 | | 1.46 | 5 |
| <i>Styrax japonicum</i> 'Roseus' Rose Japanese Snowbell | DS | 1.08 | G2 | 5 | 6-8 | | 1.11 | 5 |
| <i>Styrax japonicum</i> 'Snowcone' See - <i>Styrax japonicum</i> 'JFS-D' | | | | | | | | |
| <i>Styrax obassia</i> Fragrant Snowbell | DT | 1.25 | G2 | 5-6 | 7-9 | 1.22 | 1.59 | 6 |
| <i>Styrax officinale</i> No Common Name Found | DS | 1.33 | G2 | 5-9 | 10 | | 1.00 | 9 |
| <i>Succisa pratensis</i> Devil's Bit Scabious | HP | 1.00 | G4 | 4 | 5-6 | | | |
| <i>Suriana maritima</i> Bay Cedar | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10B |
| <i>Sutera</i> Bacopa | HP | 0.92 | G4 | 8 | 9-11 | | | |
| <i>Sutera</i> 'Blizzard' P.P. 10966 Snowstorm Water Hyssop | HP | 0.92 | G4 | 8 | 9-11 | | | |
| <i>Sutera</i> 'Snowstorm' See - <i>Sutera</i> 'Blizzard' P.P. 10966 | | | | | | | | |
| <i>Sutera cordata</i> No Common Name Found | HP | 0.76 | G4 | 8-9 | 10-11 | | | |
| <i>Sutera cordata</i> 'Abunda Blue Improved' See - <i>Sutera cordata</i> 'Balablim' P.P.A.F. | | | | | | | | |
| <i>Sutera cordata</i> 'Abunda Jumbo White' Abunda™ Jumbo White Water Hyssop | HP | 0.76 | G4 | 8-9 | 10-11 | | | |
| <i>Sutera cordata</i> 'Balablim' P.P.A.F. Abunda™ Blue Water Hyssop | HP | 0.76 | G4 | 8-9 | 10-11 | | | |
| <i>Sutera cordata</i> 'Giant Snowflake' See - <i>Sutera cordata</i> 'Novasnow' P.P. 12026 | | | | | | | | |
| <i>Sutera cordata</i> 'Novasnow' P.P. 12026 Giant Snowflake Bacopa | HP | 0.76 | G4 | 8-9 | 10-11 | | | |
| <i>Sutherlandia frutescens</i> Balloon Pea | BS | 1.00 | G1 | 9 | 10-11 | | 1.00 | 9 |
| <i>Swainsona galegifolia</i> Swan Flower | HP | 0.89 | G4 | 8-9 | 10 | | | |
| <i>Swietenia macrophylla</i> Honduras Mahogany | BE | 0.45 | G1 | 10 | 11 | 1.00 | 1.00 | 10B |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Swietenia mahogani</i> West Indian Mahogany | BE | 0.67 | G1 | 10 | 11 | 0.94 | 0.62 | 10B |
| <i>Syagrus amara</i> Overtop Palm | PC | 3.11 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Syagrus coronata</i> Licury Palm | PC | 1.26 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Syagrus romanzoffiana</i> Queen Palm | PC | 0.92 | G1 | 8-9 | 10-11 | | 0.48 | 9 |
| <i>Syagrus sancona</i> Giant Foxtail Palm | PC | 1.30 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Syagrus schizophylla</i> Arikury Palm | PC | 1.31 | G1 | 9-10 | 11 | | 1.51 | 10 |
| <i>Symphoricarpos albus</i> Common Snowberry | DS | 0.88 | G2 | 2-3 | 4-7 | | 0.84 | 3 |
| <i>Symphoricarpos albus</i> 'Ovatus' Ovatus Common Snowberry | DS | 0.88 | G2 | 2-3 | 4-7 | | 0.84 | 3 |
| <i>Symphoricarpos albus</i> var. <i>laevigatus</i> Garden Common Snowberry | DS | 0.88 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Symphoricarpos</i> x <i>chenaultii</i> Chenault Coralberry | DS | 1.06 | G2 | 2-4 | 5-7 | | 0.55 | 4 |
| <i>Symphoricarpos</i> x <i>chenaultii</i> 'Hancock' Hancock Chenault Coralberry | DS | 0.94 | G2 | 2-4 | 5-7 | | 0.78 | 4 |
| <i>Symphoricarpos</i> x <i>doorenbosii</i> Doorenbos Hybrid Coralberry | DS | 0.76 | G2 | 4-5 | 6-7 | | 0.93 | 4 |
| <i>Symphoricarpos</i> x <i>doorenbosii</i> 'Amethyst' See - <i>Symphoricarpos</i> x <i>doorenbosii</i> 'Kordes' | | | | | | | | |
| <i>Symphoricarpos</i> x <i>doorenbosii</i> 'Ariso' P.P.A.F. Marleen™ Doorenbos Hybrid Coralberry | DS | 1.20 | G2 | 2-3 | 4-7 | | 0.93 | 3 |
| <i>Symphoricarpos</i> x <i>doorenbosii</i> 'Kordes' Amethyst™ Doorenbos Hybrid Coralberry | DS | 1.09 | G2 | 4-5 | 6-7 | | 0.93 | 3 |
| <i>Symphoricarpos</i> x <i>doorenbosii</i> 'Magic Berry' Magic Berry Doorenbos Hybrid Coralberry | DS | 1.10 | G2 | 4-5 | 6-7 | | 0.93 | 4 |
| <i>Symphoricarpos</i> x <i>doorenbosii</i> 'Marleen' See - <i>Symphoricarpos</i> x <i>doorenbosii</i> 'Ariso' P.P.A.F. | | | | | | | | |
| <i>Symphoricarpos</i> x <i>doorenbosii</i> 'White Hedge' White Hedge Coralberry | DS | 1.52 | G2 | 4-5 | 6-7 | | 0.93 | 4 |
| <i>Symphoricarpos mollis</i> Spreading Snowberry | DS | 1.15 | G2 | 3-7 | 8-9 | | 1.00 | 7 |
| <i>Symphoricarpos orbiculatus</i> Indiancurrant Coralberry | DS | 0.96 | G2 | 1-2 | 3-7 | | 1.11 | 2 |
| <i>Symphoricarpos orbiculatus</i> 'Aureovariegatus' Goldnet Indiancurrent Coralberry | DS | 0.99 | G2 | 1-2 | 3-7 | | 1.11 | 2 |
| <i>Symphoricarpos orbiculatus</i> 'Spun Sugar' Spun Sugar Indiancurrant Coralberry | DS | 0.87 | G2 | 1-2 | 3-7 | | 1.11 | 2 |
| <i>Symphoricarpos oreophilus</i> Mountain Snowberry | DS | 0.90 | G4 | 4-6 | 7-9 | | 1.00 | 6 |
| <i>Symphyandra hoffmanii</i> No Common Name Found | HP | 0.83 | G4 | 4-5 | 6-7 | | | |
| <i>Symphyandra pendula</i> No Common Name Found | HP | 0.72 | G4 | 6-7 | 8 | | | |
| <i>Symphytum</i> Comfrey | HP | 1.32 | G4 | 4-5 | 6-8 | | | |
| <i>Symphytum</i> 'Goldsmith' Goldsmith Comfrey | HP | 1.65 | G4 | 4-5 | 6-8 | | | |
| <i>Symphytum</i> 'Hidcote Blue' Hidcote Blue Comfrey | HP | 0.99 | G4 | 4-5 | 6-8 | | | |
| <i>Symphytum caucasicum</i> Caucasian Comfrey | HP | 1.22 | G4 | 5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Symphytum grandiflorum</i> Large-flowered Comfrey | HP | 1.01 | G4 | 5 | 6-8 | | | |
| <i>Symphytum officinale</i> Common Comfrey | HP | 1.00 | G4 | 5 | 6-8 | | | |
| <i>Symphytum x rubrum</i> Red-flowered Comfrey | HP | 1.05 | G4 | 5 | 6-8 | | | |
| <i>Symphytum x uplandicum</i> Russian Comfrey | HP | 0.93 | G4 | 4-5 | 6-8 | | | |
| <i>Symphytum x uplandicum</i> 'Variegatum' Variegated Russian Comfrey | HP | 0.92 | G4 | 4-5 | 6-8 | | | |
| <i>Symplocarpus foetidus</i> Skunk Cabbage | HP | 1.22 | G4 | 4-5 | 6-8 | | | |
| <i>Symplocos paniculata</i> Sapphireberry | HP | 1.00 | G4 | 5-8 | 9-11 | | | |
| <i>Synadenium grantii</i> No Common Name Found | BE | 0.68 | G1 | 9-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Synechanthus fibrosus</i> No Common Name Found | PC | 1.00 | G1 | 10 | 11 | | 1.00 | 10B |
| <i>Syngonium</i> African Evergreen | FO | 0.52 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium</i> 'Bob White' P.P. 9894 Bob White African Evergreen | FO | 0.52 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium</i> 'Regina Red' Regina Red African Evergreen | FO | 0.52 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium</i> 'Totems' Totems African Evergreen | FO | 0.52 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> Nephtytis | FO | 0.85 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Banana Cream Allusion' Banana Cream Allusion™ African Evergreen | FO | 0.49 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Berry Allusion' Berry Allusion™ African Evergreen | FO | 0.49 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Bing Cherry Allusion' Bing Cherry Allusion™ African Evergreen | FO | 0.49 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Bob Allusion' Bob Allusion™ African Evergreen | FO | 0.49 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Bold Allusion' Bold Allusion™ African Evergreen | FO | 0.52 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Butterfly Allusion' Butterfly Allusion™ African Evergreen | FO | 0.49 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Cream Allusion' Cream Allusion™ African Evergreen | FO | 0.49 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Exotic Allusion' Exotic Allusion™ African Evergreen | FO | 0.61 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Freckles Allusion' Freckles Allusion™ African Evergreen | FO | 0.49 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Gold Allusion' Gold Allusion™ African Evergreen | FO | 0.49 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Hillary Allusion' Hillary Allusion™ African Evergreen | FO | 0.49 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Julia Allusion' Julia Allusion™ African Evergreen | FO | 0.49 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Mango Allusion' Mango Allusion™ African Evergreen | FO | 0.49 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Maria Allusion' Maria Allusion™ African Evergreen | FO | 0.29 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Painted Arrow Allusion' Painted Arrow Allusion™ African Evergreen | FO | 0.49 | G3 | 8-11 | | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Syngonium podophyllum</i> 'Pink Allusion' Pink Allusion™ African Evergreen | FO | 0.49 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Pixie' Pixie African Evergreen | FO | 0.23 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Red Banana Allusion' Red Banana Allusion™ African Evergreen | FO | 0.49 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Red Plum Allusion' Red Plum Allusion™ African Evergreen | FO | 0.49 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'White Butterfly' White Butterfly African Evergreen | FO | 0.43 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Synsepalum dulcificum</i> Miracle Fruit | BS | 1.67 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Synthyris missurica</i> No Common Name Found | HP | 1.00 | G4 | 1-2 | 3-7 | | | |
| <i>Synthyris reniformis</i> Snow-queen | HP | 1.00 | G4 | 5-7 | 8-9 | | | |
| <i>Syringa</i> Hybrid Lilac | DS | 1.22 | G2 | 3 | 4-7 | | 1.35 | 2 |
| <i>Syringa</i> 'Aladdin' Aladdin Lilac | DS | 1.22 | G2 | 3 | 4-7 | | 1.67 | 2 |
| <i>Syringa</i> 'Alexander's Pink' Alexander's Pink Lilac | DS | 0.98 | G2 | 3 | 4-7 | | 0.75 | 3 |
| <i>Syringa</i> 'Bailbelle' P.P.A.F. Tinkerbelle™ Lilac | DS | 1.25 | G2 | 3 | 4-7 | | 1.93 | 3 |
| <i>Syringa</i> 'Baidust' P.P.A.F. Fairy Dust™ Lilac | DS | 1.26 | G2 | 3-4 | 5-7 | | 1.35 | 3 |
| <i>Syringa</i> 'Bailina' P.P.A.F. Thumbelina™ Lilac | DS | 1.47 | G2 | 3-4 | 5-7 | | 1.35 | 3 |
| <i>Syringa</i> 'Bailming' P.P.A.F. Prince Charming™ Lilac | DS | 1.67 | G2 | 3-4 | 5-7 | | 1.35 | 3 |
| <i>Syringa</i> 'Bailsugar' P.P.A.F. Sugar Plum Fairy™ Lilac | DS | 1.41 | G2 | 3-4 | 5-7 | | 1.35 | 3 |
| <i>Syringa</i> 'Betsy Ross' Betsy Ross Lilac | DS | 1.42 | G2 | 3-4 | 5-7 | | 1.35 | 4 |
| <i>Syringa</i> 'Fairy Dust' See - <i>Syringa</i> 'Baidust' P.P.A.F. | | | | | | | | |
| <i>Syringa</i> 'Germinal' Germinal Lilac | DS | 0.92 | G2 | 3-4 | 5-7 | | 1.35 | 4 |
| <i>Syringa</i> 'Hedin' Hedin Lilac | DS | 0.88 | G2 | 3 | 4-7 | | 1.35 | 2 |
| <i>Syringa</i> 'Minuet' Minuet Lilac | DS | 1.14 | G2 | 3 | 4-7 | | 1.25 | 2 |
| <i>Syringa</i> 'Miss Canada' Miss Canada Lilac | DS | 1.04 | G2 | 3 | 4-7 | | 1.15 | 2 |
| <i>Syringa</i> 'Prince Charming' See - <i>Syringa</i> 'Bailming' P.P.A.F. | | | | | | | | |
| <i>Syringa</i> 'Sugar Plum Fairy' See - <i>Syringa</i> 'Bailsugar' P.P.A.F. | | | | | | | | |
| <i>Syringa</i> 'Thumbelina' See - <i>Syringa</i> 'Bailina' P.P.A.F. | | | | | | | | |
| <i>Syringa</i> 'Tinkerbelle' See - <i>Syringa</i> 'Bailbelle' P.P.A.F. | | | | | | | | |
| <i>Syringa amurensis</i> var. <i>japonica</i> See - <i>Syringa reticulata</i> | | | | | | | | |
| <i>Syringa</i> x <i>chinensis</i> Chinese Lilac | DS | 0.92 | G2 | 3-4 | 5-7 | | 0.85 | 3 |
| <i>Syringa</i> x <i>chinensis</i> 'Alba' White Chinese Lilac | DS | 1.05 | G2 | 3-4 | 5-7 | | 0.91 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Syringa x chinensis</i> 'Lilac Sunday' Lilac Sunday Chinese Lilac | DS | 1.13 | G2 | 3-4 | 5-7 | | 0.91 | 3 |
| <i>Syringa x chinensis</i> 'Saugeana' Saugeana Chinese Lilac | DS | 1.09 | G2 | 3-4 | 5-7 | | 0.97 | 3 |
| <i>Syringa x henryi</i> Henry Lilac | DS | 0.88 | G2 | 3 | 4-7 | | 0.38 | 3 |
| <i>Syringa x henryi</i> 'Lutece' Lutece Henry Lilac | DS | 0.88 | G2 | 3 | 4-7 | | 0.38 | 3 |
| <i>Syringa x hyacinthiflora</i> Hyacinth Lilac | DS | 1.03 | G2 | 3 | 4-7 | | 0.99 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Anabel' Anabel Early Lilac | DS | 1.32 | G2 | 3 | 4-7 | | 0.90 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Angel White' Angel White Hybrid Lilac | DS | 1.04 | G2 | 4 | 5-7 | | 1.16 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Asessippi' Asessippi Early Lilac | DS | 1.03 | G2 | 3 | 4-7 | | 1.36 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Big Blue' Big Blue Early Lilac | DS | 1.29 | G2 | 3 | 4-7 | | 0.99 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Blanche Sweet' Blanche Sweet Early Lilac | DS | 0.71 | G2 | 3 | 4-7 | | 0.71 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Catinat' Catinat Early Lilac | DS | 1.10 | G2 | 3 | 4-7 | | 0.99 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Doctor Chadwick' Doctor Chadwick Early Lilac | DS | 1.10 | G2 | 3 | 4-7 | | 0.69 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Esther Staley' Esther Staley Early Lilac | DT | 0.69 | G2 | 3 | 4-7 | 1.00 | 0.81 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Evangeline' Evangeline Early Lilac | DS | 0.71 | G2 | 3 | 4-7 | | 0.81 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Excel' Excel Early Lilac | DS | 1.05 | G2 | 3 | 4-7 | | 0.62 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Fantasy' Fantasy Early Lilac | DS | 0.91 | G2 | 3 | 4-7 | | 0.99 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Lamartine' Lamartine Early Lilac | DS | 1.10 | G2 | 3 | 4-7 | | 0.99 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Lavender Lady' P.P. 1238 Lavender Lady Early Lilac | DS | 1.15 | G2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Louvois' Louvois Early Lilac | DS | 1.10 | G2 | 3 | 4-7 | | 0.99 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Maiden's Blush' Maiden's Blush Early Lilac | DS | 1.08 | G2 | 3 | 4-7 | | 1.24 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Mount Baker' Mount Baker Early Lilac | DS | 1.96 | G2 | 3 | 4-7 | | 1.30 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Necker' Necker Early Lilac | DS | 1.10 | G2 | 3 | 4-7 | | 0.99 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Pocahontas' Pocahontas Early Lilac | DS | 1.20 | G2 | 3 | 4-7 | | 1.11 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Royal Purple' Royal Purple Early Lilac | DS | 0.92 | G2 | 3 | 4-7 | | 0.99 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Turgot' Turgot Early Lilac | DS | 1.10 | G2 | 3 | 4-7 | | 0.99 | 3 |
| <i>Syringa x josiflexa</i> No Common Name Found | DS | 1.10 | G2 | 3-4 | 5-7 | | 2.76 | 4 |
| <i>Syringa x josiflexa</i> 'James Macfarlane' James Macfarlane Hybrid Lilac | DS | 0.97 | G2 | 3-4 | 5-7 | | 1.17 | 4 |
| <i>Syringa x josiflexa</i> 'Nellie Bean' Nellie Bean Hybrid Lilac | DS | 1.02 | G2 | 3-4 | 5-7 | | 0.67 | 4 |
| <i>Syringa x josiflexa</i> 'Redwine' Redwine Hybrid Lilac | DS | 0.92 | G2 | 3-4 | 5-7 | | 1.35 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Syringa x josiflexa</i> 'Royalty' Royalty Hybrid Lilac | DS | 1.08 | G2 | 3-4 | 5-7 | | 0.78 | 4 |
| <i>Syringa josikaea</i> Hungarian Lilac | DS | 1.00 | G2 | 3-5 | 6-7 | | 1.00 | 5 |
| <i>Syringa julianae</i> No Common Name Found | DS | 1.00 | G2 | 3-5 | 6-7 | | 1.00 | 4 |
| <i>Syringa julianae</i> 'George Eastman' George Eastman Lilac | DS | 1.00 | G2 | 3-5 | 6-7 | | 1.00 | 4 |
| <i>Syringa komarowii</i> ssp. <i>reflexa</i> Nodding Lilac | DS | 1.00 | G2 | 3-4 | 5-7 | | 1.00 | 3 |
| <i>Syringa x laciniata</i> Cutleaf Lilac | DS | 1.08 | G2 | 3-4 | 5-7 | | 0.71 | 4 |
| <i>Syringa meyeri</i> Korean Lilac | DS | 1.14 | G2 | 3 | 4-7 | | 1.38 | 3 |
| <i>Syringa meyeri</i> 'Palibin' Dwarf Korean Lilac | DS | 1.22 | G2 | 3 | 4-7 | | 1.47 | 3 |
| <i>Syringa microphylla</i> See - <i>Syringa pubescens</i> ssp. <i>microphylla</i> | | | | | | | | |
| <i>Syringa oblata</i> Early Lilac | DS | 1.00 | G2 | 3-4 | 5-7 | | 1.46 | 4 |
| <i>Syringa oblata</i> ssp. <i>dilatata</i> Korean Early Lilac | DS | 1.00 | G2 | 3-4 | 5-7 | | 1.00 | 4 |
| <i>Syringa oblata</i> ssp. <i>dilatata</i> 'Cheyenne' Cheyenne Korean Early Lilac | DS | 1.00 | G2 | 3-4 | 5-7 | | 1.00 | 4 |
| <i>Syringa patula</i> See - <i>Syringa pubescens</i> ssp. <i>patula</i> | | | | | | | | |
| <i>Syringa pekinensis</i> See - <i>Syringa reticulata</i> ssp. <i>pekinensis</i> | | | | | | | | |
| <i>Syringa x persica</i> Persian Lilac | DS | 0.87 | G2 | 3-4 | 5-7 | | 0.64 | 3 |
| <i>Syringa x persica</i> 'Alba' White Persian Lilac | DS | 0.76 | G2 | 3 | 4-7 | | 0.64 | 3 |
| <i>Syringa x prestoniae</i> Preston Lilac | DS | 1.03 | G2 | 3 | 4-7 | | 1.07 | 2 |
| <i>Syringa x prestoniae</i> 'Agnes Smith' Agnes Smith Preston Lilac | DS | 0.83 | G2 | 3-4 | 5-7 | | 1.32 | 2 |
| <i>Syringa x prestoniae</i> 'Coral' Coral Preston Lilac | DS | 0.98 | G2 | 3 | 4-7 | | 1.32 | 2 |
| <i>Syringa x prestoniae</i> 'Donald Wyman' Donald Wyman Preston Lilac | DS | 1.03 | G2 | 3 | 4-7 | | 1.40 | 2 |
| <i>Syringa x prestoniae</i> 'Ethel M. Webster' Ethel M. Webster Preston Lilac | DS | 0.88 | G2 | 3 | 4-7 | | 1.32 | 2 |
| <i>Syringa x prestoniae</i> 'Handel' Handel Preston Lilac | DS | 0.98 | G2 | 3 | 4-7 | | 1.32 | 2 |
| <i>Syringa x prestoniae</i> 'Hiawatha' Hiawatha Preston Lilac | DS | 1.15 | G2 | 3 | 4-7 | | 1.14 | 2 |
| <i>Syringa x prestoniae</i> 'Isabella' Isabella Preston Lilac | DS | 0.92 | G2 | 3 | 4-7 | | 1.67 | 2 |
| <i>Syringa x prestoniae</i> 'Nocturne' Nocturne Preston Lilac | DS | 1.01 | G2 | 3 | 4-7 | | 1.32 | 2 |
| <i>Syringa pubescens</i> ssp. <i>microphylla</i> Littleleaf Lilac | DS | 0.77 | G2 | 3-5 | 6-7 | | 1.71 | 5 |
| <i>Syringa pubescens</i> ssp. <i>microphylla</i> 'Josee' Josee Littleleaf Lilac | DS | 0.92 | G2 | 3-5 | 6-7 | | 1.49 | 5 |
| <i>Syringa pubescens</i> ssp. <i>microphylla</i> 'Superba' Superba Littleleaf Lilac | DS | 1.06 | G2 | 3-5 | 6-7 | | 1.26 | 5 |
| <i>Syringa pubescens</i> ssp. <i>patula</i> Manchurian Lilac | DS | 1.26 | G2 | 3-4 | 5-7 | | 1.08 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Syringa pubescens</i> ssp. <i>patula</i> 'Miss Kim' Miss Kim Manchurian Lilac | DS | 1.06 | G2 | 3-4 | 5-7 | | 1.39 | 4 |
| <i>Syringa reflexa</i> See - <i>Syringa komarowii</i> ssp. <i>reflexa</i> | | | | | | | | |
| <i>Syringa reticulata</i> Japanese Tree Lilac | DS | 1.27 | G2 | 4 | 5-7 | | 1.19 | 3 |
| <i>Syringa reticulata</i> 'Chantilly Lace' Chantilly Lace Japanese Tree Lilac | DS | 1.29 | G2 | 4 | 5-7 | | 1.19 | 3 |
| <i>Syringa reticulata</i> 'Ivory Silk' C.O.P.F. Ivory Silk Japanese Tree Lilac | DS | 1.30 | G2 | 4 | 5-7 | | 1.18 | 3 |
| <i>Syringa reticulata</i> 'PNI 5723' Regent® Japanese Tree Lilac | DS | 1.29 | G2 | 4 | 5-7 | | 1.19 | 3 |
| <i>Syringa reticulata</i> 'Regent' See - <i>Syringa reticulata</i> 'PNI 5723' | | | | | | | | |
| <i>Syringa reticulata</i> 'Summer Snow' Summer Snow Japanese Tree Lilac | DS | 1.29 | G2 | 4 | 5-7 | | 1.19 | 3 |
| <i>Syringa reticulata</i> ssp. <i>amurensis</i> Amur Lilac | DS | 1.00 | G2 | 4 | 5-7 | | 1.00 | 3 |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> Pekin Lilac | DS | 0.84 | G2 | 3-4 | 5-7 | | 1.59 | 4 |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'Beijing Gold' See - <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'Zang Zhiming' | | | | | | | | |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'Boerner Strain' Boerner Strain Pekin Lilac | DS | 1.19 | G2 | 3-4 | 5-7 | | 1.23 | 4 |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'China Snow' See - <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'Morton' | | | | | | | | |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'DTR 124' P.P. 8951 Summer Charm Pekin Lilac | DS | 1.36 | G2 | 3-4 | 5-7 | | 0.24 | 4 |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'Morton' China Snow™ Pekin Lilac | DS | 1.36 | G2 | 3-4 | 5-7 | | 2.06 | 4 |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'Summer Charm' See - <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'DTR 124' P.P. 8951 | | | | | | | | |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'Zang Zhiming' Beijing Gold Pekin Lilac | DS | 1.19 | G2 | 3-4 | 5-7 | | 1.28 | 4 |
| <i>Syringa rothomagensis</i> See - <i>Syringa x chinensis</i> | | | | | | | | |
| <i>Syringa villosa</i> Late Lilac | DS | 0.94 | G2 | 4 | 5-7 | | 0.84 | 3 |
| <i>Syringa vulgaris</i> Common Lilac | DS | 0.85 | G2 | 4 | 5-7 | | 0.80 | 3 |
| <i>Syringa vulgaris</i> 'Adelaide Dunbar' Adelaide Dunbar Common Lilac | DS | 0.94 | G2 | 4 | 5-7 | | 0.79 | 3 |
| <i>Syringa vulgaris</i> 'Agincourt Beauty' Agincourt Beauty Common Lilac | DS | 0.95 | G2 | 4 | 5-7 | | 0.50 | 3 |
| <i>Syringa vulgaris</i> 'Albert F. Holden' Albert F. Holden Common Lilac | DS | 1.26 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Aloise' Aloise Common Lilac | DS | 0.85 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Alphonse Lavallee' Alphonse Lavallee Common Lilac | DS | 1.39 | G2 | 4 | 5-7 | | 1.74 | 3 |
| <i>Syringa vulgaris</i> 'Ami Schott' Ami Schott Common Lilac | DS | 0.87 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Andenken an Ludwig Spaeth' Andenken an Ludwig Spaeth Common Lilac | DS | 0.93 | G2 | 4 | 5-7 | | 1.05 | 3 |
| <i>Syringa vulgaris</i> 'Arch McKean' Arch McKean Common Lilac | DS | 1.23 | G2 | 4 | 5-7 | | 1.14 | 3 |
| <i>Syringa vulgaris</i> 'Atheline Wilbur' Atheline Wilbur Common Lilac | DS | 1.33 | G2 | 4 | 5-7 | | 0.99 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Syringa vulgaris</i> 'Aucubaefolia' Aucubaefolia Common Lilac | DS | 1.07 | G2 | 3 | 4-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Avalanche' Avalanche Common Lilac | DS | 1.27 | G2 | 4 | 5-7 | | 1.21 | 3 |
| <i>Syringa vulgaris</i> 'Belle de Nancy' Belle de Nancy Common Lilac | DS | 0.96 | G2 | 4 | 5-7 | | 0.87 | 3 |
| <i>Syringa vulgaris</i> 'Blue Skies' See - <i>Syringa vulgaris</i> 'Monore' P.P. 6877 | | | | | | | | |
| <i>Syringa vulgaris</i> 'Charles Joly' Charles Joly Common Lilac | DS | 1.00 | G2 | 4 | 5-7 | | 1.07 | 3 |
| <i>Syringa vulgaris</i> 'Charles X' Charles X Common Lilac | DS | 0.85 | G2 | 4 | 5-7 | | 0.69 | 3 |
| <i>Syringa vulgaris</i> 'Charm' Charm Common Lilac | DS | 1.12 | G2 | 4 | 5-7 | | 0.89 | 3 |
| <i>Syringa vulgaris</i> 'Congo' Congo Common Lilac | DS | 0.90 | G2 | 4 | 5-7 | | 0.89 | 3 |
| <i>Syringa vulgaris</i> 'Dappled Dawn' Dappled Dawn Common Lilac | DS | 1.15 | G2 | 4 | 5-7 | | 0.69 | 3 |
| <i>Syringa vulgaris</i> 'Edith Cavell' Edith Cavell Common Lilac | DS | 1.01 | G2 | 4 | 5-7 | | 1.20 | 3 |
| <i>Syringa vulgaris</i> 'Edmond Boissier' Edmond Boissier Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 1.94 | 3 |
| <i>Syringa vulgaris</i> 'Edouard Andre' Edouard Andre Common Lilac | DS | 0.97 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Edward J. Gardner' Edward J. Gardner Common Lilac | DS | 0.92 | G2 | 4 | 5-7 | | 0.68 | 3 |
| <i>Syringa vulgaris</i> 'Etna' Etna Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Fiala Remembrance' Fiala Remembrance Common Lilac | DS | 1.33 | G2 | 4 | 5-7 | | 0.71 | 3 |
| <i>Syringa vulgaris</i> 'Flora 1953' Flora 1953 Common Lilac | DS | 0.85 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Forrest Kresser Smith' Forrest Kresser Smith Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.62 | 3 |
| <i>Syringa vulgaris</i> 'Frank Paterson' Frank Paterson Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Frederick Law Olmstead' Frederick Law Olmstead Lilac | DS | 0.94 | G2 | 3-4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'General Sheridan' General Sheridan Common Lilac | DS | 0.93 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Georges Bellaire' Georges Bellaire Common Lilac | DS | 0.80 | G2 | 4 | 5-7 | | 0.69 | 3 |
| <i>Syringa vulgaris</i> 'Glory' Glory Common Lilac | DS | 1.25 | G2 | 4 | 5-7 | | 1.26 | 3 |
| <i>Syringa vulgaris</i> 'Hugo Koster' Hugo Koster Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Hugo de Vries' Hugo de Vries Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Hulda' Hulda Common Lilac | DS | 1.14 | G2 | 4 | 5-7 | | 1.14 | 3 |
| <i>Syringa vulgaris</i> 'Katherine Havemeyer' Katherine Havemeyer Common Lilac | DS | 0.95 | G2 | 4 | 5-7 | | 0.90 | 3 |
| <i>Syringa vulgaris</i> 'Krasavitsa Moskvyy' Beauty of Moscow Common Lilac | DS | 0.95 | G2 | 4 | 5-7 | | 0.98 | 3 |
| <i>Syringa vulgaris</i> 'Leon Gambetta' Leon Gambetta Common Lilac | DS | 0.80 | G2 | 4 | 5-7 | | 0.71 | 3 |
| <i>Syringa vulgaris</i> 'Letha E. House' Letha E. House Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.63 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Syringa vulgaris</i> 'Lois Amee Utley' Lois Amee Utley Common Lilac | DS | 1.02 | G2 | 3-4 | 5-7 | | 1.14 | 3 |
| <i>Syringa vulgaris</i> 'Lucie Baltet' Lucie Baltet Common Lilac | DS | 0.82 | G2 | 4 | 5-7 | | 0.69 | 3 |
| <i>Syringa vulgaris</i> 'Macrostachya' Macrostachya Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 1.49 | 3 |
| <i>Syringa vulgaris</i> 'Marechal Foch' Marechal Foch Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Marie Finon' Marie Finon Common Lilac | DS | 0.82 | G2 | 4 | 5-7 | | 0.69 | 3 |
| <i>Syringa vulgaris</i> 'Marie Frances' Marie Frances Common Lilac | DS | 1.16 | G2 | 4 | 5-7 | | 1.24 | 3 |
| <i>Syringa vulgaris</i> 'Michel Buchner' Michel Buchner Common Lilac | DS | 0.98 | G2 | 4 | 5-7 | | 1.03 | 3 |
| <i>Syringa vulgaris</i> 'Miss Ellen Willmott' Miss Ellen Willmott Common Lilac | DS | 1.26 | G2 | 4 | 5-7 | | 1.33 | 3 |
| <i>Syringa vulgaris</i> 'Mme. Abel Chatenay' Mme. Abel Chatenay Common Lilac | DS | 0.83 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Mme. Antoine Buchner' Mme. Antoine Buchner Common Lilac | DS | 1.39 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Mme. Casimir Perier' Mme. Casimir Perier Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Mme. F. Morel' Mme. F. Morel Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Mme. Florent Stepman' Mme. Florent Stepman Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Mme. Lemoine' Mme. Lemoine Common Lilac | DS | 0.92 | G2 | 4 | 5-7 | | 0.97 | 3 |
| <i>Syringa vulgaris</i> 'Monge' Monge Common Lilac | DS | 0.96 | G2 | 4 | 5-7 | | 0.88 | 3 |
| <i>Syringa vulgaris</i> 'Monore' P.P. 6877 Blue Skies™ Common Lilac | DS | 1.33 | G2 | 4 | 5-7 | | 1.70 | 3 |
| <i>Syringa vulgaris</i> 'Mont Blanc' Mont Blanc Common Lilac | DS | 0.84 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Montaigne' Montaigne Common Lilac | DS | 1.25 | G2 | 4 | 5-7 | | 1.38 | 3 |
| <i>Syringa vulgaris</i> 'Mrs. Edward Harding' Mrs. Edward Harding Common Lilac | DS | 0.86 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Mrs. W.E. Marshall' Mrs. W.E. Marshall Common Lilac | DS | 0.98 | G2 | 4 | 5-7 | | 1.14 | 3 |
| <i>Syringa vulgaris</i> 'My Favorite' My Favorite Common Lilac | DS | 0.88 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Nadezhda' Nadezhda Common Lilac | DS | 0.89 | G2 | 4 | 5-7 | | 0.69 | 3 |
| <i>Syringa vulgaris</i> 'Olivier de Serres' Olivier de Serres Common Lilac | DS | 0.90 | G2 | 4 | 5-7 | | 0.66 | 3 |
| <i>Syringa vulgaris</i> 'Paul Hariot' Paul Hariot Common Lilac | DS | 0.85 | G2 | 4 | 5-7 | | 0.70 | 3 |
| <i>Syringa vulgaris</i> 'Paul Thirion' Paul Thirion Common Lilac | DS | 0.90 | G2 | 4 | 5-7 | | 0.92 | 3 |
| <i>Syringa vulgaris</i> 'Prairie Petite' Prairie Petite Common Lilac | DS | 1.39 | G2 | 2-3 | 4-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'President Carnot' President Carnot Common Lilac | DS | 0.82 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'President Grevy' President Grevy Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 1.01 | 3 |
| <i>Syringa vulgaris</i> 'President Harding' President Harding Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.99 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Syringa vulgaris</i> 'President Lincoln' President Lincoln Common Lilac | DS | 1.05 | G2 | 4 | 5-7 | | 0.86 | 3 |
| <i>Syringa vulgaris</i> 'President Poincare' President Poincare Common Lilac | DS | 0.92 | G2 | 4 | 5-7 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Primrose' Primrose Common Lilac | DS | 0.99 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Ruhm von Horstenstein' Ruhm von Horstenstein Common Lilac | DS | 0.95 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Sarah Sands' Sarah Sands Common Lilac | DS | 0.95 | G2 | 4 | 5-7 | | 0.80 | 3 |
| <i>Syringa vulgaris</i> 'Sensation' P.P. 1242 Sensation Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Slater's Elegance' Slater's Elegance Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Sylvan Beauty' Sylvan Beauty Common Lilac | DS | 1.32 | G2 | 4 | 5-7 | | 1.28 | 3 |
| <i>Syringa vulgaris</i> 'Thunberg' Thunberg Common Lilac | DS | 0.68 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Vestale' Vestale Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Victor Lemoine' Victor Lemoine Common Lilac | DS | 1.32 | G2 | 4 | 5-7 | | 1.30 | 3 |
| <i>Syringa vulgaris</i> 'Villars' Villars Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Violet Glory' Violet Glory Common Lilac | DS | 0.80 | G2 | 4 | 5-7 | | 0.69 | 3 |
| <i>Syringa vulgaris</i> 'Viviand-Morel' Viviand-Morel Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Volcan' Volcan Common Lilac | DS | 1.28 | G2 | 4 | 5-7 | | 1.30 | 3 |
| <i>Syringa vulgaris</i> 'Wedgwood Blue' Wedgwood Blue Common Lilac | DS | 1.25 | G2 | 4 | 5-7 | | 0.98 | 3 |
| <i>Syringa vulgaris</i> 'White Primrose' White Primrose Common Lilac | DS | 1.02 | G2 | 4 | 5-7 | | 0.62 | 3 |
| <i>Syringa vulgaris</i> 'William Robinson' William Robinson Common Lilac | DS | 1.08 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> 'Wonderblue' Wonderblue Common Lilac | DS | 1.26 | G2 | 4 | 5-7 | | 1.56 | 3 |
| <i>Syringa vulgaris</i> 'Yankee Doodle' Yankee Doodle Common Lilac | DS | 1.01 | G2 | 4 | 5-7 | | 0.82 | 3 |
| <i>Syringa vulgaris</i> 'Zulu' Zulu Common Lilac | DS | 0.91 | G2 | 4 | 5-7 | | 0.99 | 3 |
| <i>Syringa vulgaris</i> var. <i>alba</i> White Common Lilac | DS | 1.05 | G2 | 4 | 5-7 | | 1.14 | 3 |
| <i>Syzygium cumini</i> Java Plum | BE | 1.38 | G1 | 10 | 11 | 1.00 | 1.07 | 10 |
| <i>Syzygium jambos</i> Rose Apple | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Syzygium malaccense</i> Malay Apple | BE | 1.46 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Syzygium paniculatum</i> Australian Brush Cherry | BS | 0.75 | G1 | 10 | 11 | | 0.36 | 10 |
| <i>Syzygium paniculatum</i> 'Compacta' Compact Australian Brush Cherry | BS | 0.84 | G1 | 10 | 11 | | 0.36 | 10 |
| <i>Syzygium paniculatum</i> 'Globulus' Globe Australian Brush Cherry | BS | 1.38 | G1 | 10 | 11 | | 0.36 | 10 |
| <i>Syzygium paniculatum</i> 'Monterey Bay' Monterey Bay Australian Brush Cherry | BS | 1.16 | G1 | 10 | 11 | | 0.36 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Syzygium paniculatum</i> 'Nanum' Teenie Geenie™ Australian Brush Cherry | BS | 1.40 | G1 | 10 | 11 | | 0.36 | 10 |
| <i>Syzygium paniculatum</i> 'Newport' Newport Australian Brush Cherry | BS | 1.15 | G1 | 10 | 11 | | 0.36 | 10 |
| <i>Syzygium paniculatum</i> 'Teenie Geenie' See - <i>Syzygium paniculatum</i> 'Nanum' | | | | | | | | |
| <i>Syzygium samarangense</i> Java Apple | BE | 1.36 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Tabebuia argentea</i> Tree of Gold | DT | 0.74 | G1 | 9B-10 | 11 | 0.89 | 0.79 | 10 |
| <i>Tabebuia caraiba</i> Silver Trumpet Tree | DT | 0.80 | G1 | 10 | 11 | 1.00 | 0.77 | 10 |
| <i>Tabebuia chrysea</i> See - <i>Cybistax chrysea</i> | | | | | | | | |
| <i>Tabebuia chrysotricha</i> Golden Trumpet Tree | DT | 0.84 | G1 | 10 | 11 | 1.43 | 0.68 | 10 |
| <i>Tabebuia donnell-smithii</i> See - <i>Cybistax donnell-smithii</i> | | | | | | | | |
| <i>Tabebuia heterophylla</i> Pink Trumpet Tree | BE | 0.70 | G1 | 10 | 11 | 1.00 | 0.70 | 10 |
| <i>Tabebuia impetiginosa</i> Purple Trumpet Tree | DT | 0.97 | G1 | 9B-10 | 11 | 0.99 | 0.87 | 10 |
| <i>Tabebuia ipe</i> See - <i>Tabebuia impetiginosa</i> | | | | | | | | |
| <i>Tabebuia pallida</i> Cuban Pink Trumpet Tree | BE | 0.67 | G1 | 9B-10 | 11 | 1.00 | 0.61 | 10 |
| <i>Tabebuia pentaphylla</i> See - <i>Tabebuia rosea</i> | | | | | | | | |
| <i>Tabebuia rosea</i> Pink Poui | DT | 1.01 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Tabebuia umbellata</i> Yellow Trumpet Tree | DT | 0.67 | G1 | 10 | 11 | 1.00 | 0.64 | 10 |
| <i>Tabernaemontana crassa</i> No Common Name Found | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Tabernaemontana divaricata</i> Crepe Jasmine | BS | 0.68 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Tabernaemontana divaricata</i> 'Flore Pleno' Flore Pleno Crepe Jasmine | BS | 0.85 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Tabernaemontana holstii</i> See - <i>Tabernaemontana pachysiphon</i> | | | | | | | | |
| <i>Tabernaemontana pachysiphon</i> Garden Nitida | BE | 2.13 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Tacca chantrieri</i> Bat Flower | FO | 1.23 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Tacca integrifolia</i> White Bat Flower | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Tagetes erecta</i> African Marigold | AN | 0.68 | G4 | 6-9 | 10-11 | | | |
| <i>Tagetes erecta</i> 'Antigua Series' Antigua Series African Marigold | AN | 0.92 | G4 | 6-9 | 10-11 | | | |
| <i>Tagetes erecta</i> 'Discovery Series' Discovery Series African Marigold | AN | 0.75 | G4 | 6-9 | 10-11 | | | |
| <i>Tagetes erecta</i> 'Safari Series' Safari Series African Marigold | AN | 0.68 | G4 | 6-9 | 10-11 | | | |
| <i>Tagetes lemmonii</i> Mexican Marigold | AN | 0.94 | G4 | 9 | 10-11 | | | |
| <i>Tagetes lucida</i> Sweet Scented Marigold | HP | 0.67 | G4 | 9 | 10-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Tagetes patula</i> French Marigold | AN | 0.68 | G4 | 6-9 | 10-11 | | | |
| <i>Tagetes patula</i> 'Bonanza Harmony' Bonanza Harmony French Marigold | AN | 0.93 | G4 | 6-9 | 10-11 | | | |
| <i>Tagetes patula</i> 'Bonanza Orange' Bonanza Orange French Marigold | AN | 0.76 | G4 | 6-9 | 10-11 | | | |
| <i>Tagetes patula</i> 'Bonanza Yellow' Bonanza Yellow French Marigold | AN | 0.92 | G4 | 6-9 | 10-11 | | | |
| <i>Tagetes patula</i> 'Janie Series' Janie Series French Marigold | AN | 0.74 | G4 | 6-9 | 10-11 | | | |
| <i>Tagetes patula</i> 'Little Devil Series' Little Devil Series French Marigold | AN | 0.55 | G4 | 6-9 | 10-11 | | | |
| <i>Tagetes tenuifolia</i> Signet Marigold | AN | 1.00 | G4 | 6-9 | 10-11 | | | |
| <i>Tagetes tenuifolia</i> 'Pumila' Marigold Dwarf | AN | 1.00 | G4 | 6-9 | 10-11 | | | |
| <i>Talinum calycinum</i> Rockpink FameFlower | HP | 0.75 | G4 | 10A | 10B-11 | | | |
| <i>Talinum paniculatum</i> Jewels of Opar | HP | 0.54 | G4 | 8-10 | 11 | | | |
| <i>Talinum paniculatum</i> 'Variegatum' Variegated Jewels of Opar | HP | 0.66 | G4 | 8-10 | 11 | | | |
| <i>Talinum rugospermum</i> No Common Name Found | HP | 0.68 | G4 | 8-10 | 11 | | | |
| <i>Talinum spinescens</i> Spiny Fameflower | HP | 1.00 | G4 | 8-10 | 11 | | | |
| <i>Tamarindus indica</i> Tamarind | BE | 0.96 | G1 | 10 | 11 | 1.00 | 0.60 | 10 |
| <i>Tamarix africanus</i> African Tamarisk | BS | 0.74 | G2 | 7-8 | 9-10 | | 0.46 | 8 |
| <i>Tamarix aphylla</i> Athel | BS | 0.95 | G2 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Tamarix chinensis</i> Chinese Tree | BS | 0.88 | G2 | 7-8 | 9-10 | | 1.00 | 7 |
| <i>Tamarix parviflora</i> Small-flowered Tamarisk | DS | 0.76 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Tamarix pentandra</i> Five-stamen Tamarisk | BS | 1.00 | G2 | 4-5 | 6-7 | | 0.85 | 3 |
| <i>Tamarix pentandra</i> 'Rubra' Red Five-stamen Tamarisk | BS | 1.00 | G2 | 4-5 | 6-7 | | 0.85 | 3 |
| <i>Tamarix ramosissima</i> Stamen Tamarisk | BE | 0.89 | G2 | 2 | 3-7 | 1.00 | 0.67 | 2 |
| <i>Tamarix ramosissima</i> 'Pink Cascade' Pink Cascade Stamen Tamarisk | BE | 0.96 | G2 | 2 | 3-7 | 1.00 | 0.24 | 2 |
| <i>Tamarix ramosissima</i> 'Rubra' Red Stamen Tamarisk | BE | 0.91 | G2 | 2 | 3-7 | 1.00 | 1.09 | 2 |
| <i>Tamarix tetrandra</i> No Common Name Found | BE | 1.00 | G2 | 5-6 | 7-9A | 1.00 | 1.00 | 5 |
| <i>Tanacetum balsamita</i> Costmary | HP | 0.96 | G4 | 5-6 | 7-8 | | | |
| <i>Tanacetum coccineum</i> Painted Daisy | HP | 1.02 | G4 | 4-6 | 7-8 | | | |
| <i>Tanacetum coccineum</i> 'James Kelway' James Kelway Painted Daisy | HP | 0.72 | G4 | 4-6 | 7-8 | | | |
| <i>Tanacetum coccineum</i> 'Robinson's Crimson' Robinson's Crimson Painted Daisy | HP | 0.72 | G4 | 4-6 | 7-8 | | | |
| <i>Tanacetum coccineum</i> 'Robinson's Mixed' Robinson's Mixed Painted Daisy | HP | 0.84 | G4 | 4-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Tanacetum coccineum</i> 'Robinson's Pink' Robinson's Pink Painted Daisy | HP | 0.86 | G4 | 4-6 | 7-8 | | | |
| <i>Tanacetum coccineum</i> 'Robinson's Red' Robinson's Red Painted Daisy | HP | 0.70 | G4 | 4-6 | 7-8 | | | |
| <i>Tanacetum coccineum</i> 'Robinson's Roseum' Robinson's Rose Painted Daisy | HP | 0.81 | G4 | 4-6 | 7-8 | | | |
| <i>Tanacetum coccineum</i> 'Roseum' Roseum Painted Daisy | HP | 0.81 | G4 | 4-6 | 7-8 | | | |
| <i>Tanacetum haradjanii</i> No Common Name Found | HP | 0.95 | G2 | 7-8 | 9 | | | |
| <i>Tanacetum macrophyllum</i> No Common Name Found | HP | 0.85 | G4 | 5-6 | 7-8 | | | |
| <i>Tanacetum parthenium</i> Feverfew | HP | 0.72 | G4 | 4-6 | 7-8 | | | |
| <i>Tanacetum parthenium</i> 'Aureum' Golden Feverfew | HP | 0.70 | G4 | 4-6 | 7-8 | | | |
| <i>Tanacetum parthenium</i> 'Ultra Double White' Ultra Double White Feverfew | HP | 0.71 | G4 | 4-6 | 7-8 | | | |
| <i>Tanacetum ptarmiciflorum</i> Silver Lace | HP | 0.65 | G4 | 5-8 | 9 | | | |
| <i>Tanacetum vulgare</i> Common Tansy | HP | 0.70 | G4 | 4-5 | 6-8 | | | |
| <i>Tanacetum vulgare</i> var. <i>crispum</i> Fernleaf Common Tansy | HP | 0.98 | G4 | 4-5 | 6-8 | | | |
| <i>Tapeinochilus ananassae</i> Giant Spiral Ginger | HP | 1.40 | G3 | 8-10 | 11 | | | |
| <i>Taxodium ascendens</i> Pond Cypress | CE | 0.68 | G2 | 6 | 7-10B | 1.57 | 0.60 | 5 |
| <i>Taxodium ascendens</i> 'Nutans' Nutans Pond Cypress | CE | 0.88 | G2 | 6 | 7-10B | 1.57 | 0.97 | 5 |
| <i>Taxodium ascendens</i> 'Prairie Sentinel' Prairie Sentinel Pond Cypress | CE | 0.78 | G2 | 6 | 7-10B | 1.57 | 0.84 | 5 |
| <i>Taxodium distichum</i> Bald Cypress | CE | 0.77 | G2 | 6 | 7-10B | 0.87 | 0.66 | 5 |
| <i>Taxodium distichum</i> 'Fastigiata' Fastigiata Bald Cypress | CE | 1.61 | G2 | 6 | 7-10B | 0.99 | 0.81 | 5 |
| <i>Taxodium distichum</i> 'Mickelson' Shawnee Brave® Bald Cypress | CE | 0.74 | G2 | 6 | 7-10B | 1.10 | 0.95 | 5 |
| <i>Taxodium distichum</i> 'Pendens' Weeping Bald Cypress | CE | 1.62 | G2 | 6 | 7-10B | 0.99 | 0.81 | 5 |
| <i>Taxodium distichum</i> 'Secret' Secret Bald Cypress | CE | 1.10 | G2 | 6 | 7-10B | 0.99 | 0.81 | 5 |
| <i>Taxodium distichum</i> 'Shawnee Brave' See - <i>Taxodium distichum</i> 'Mickelson' | | | | | | | | |
| <i>Taxodium mucronatum</i> Montezuma Cypress | CE | 0.93 | G1 | 9 | 10-11 | 0.86 | 0.52 | 8 |
| <i>Taxus baccata</i> English Yew | CS | 0.91 | G2 | 4-6 | 7-8 | | 0.80 | 6 |
| <i>Taxus baccata</i> 'Adpressa' Shortleaf English Yew | CS | 1.54 | G2 | 4-6 | 7-8 | | 1.20 | 6 |
| <i>Taxus baccata</i> 'Amersfoort' Amersfoort English Yew | CS | 1.54 | G2 | 4-6 | 7-8 | | 1.20 | 6 |
| <i>Taxus baccata</i> 'Aurea' Golden English Yew | CS | 1.54 | G2 | 4-6 | 7-8 | | 1.20 | 6 |
| <i>Taxus baccata</i> 'Dovastoniana' Dovastoniana English Yew | CS | 1.54 | G2 | 4-6 | 7-8 | | 1.20 | 6 |
| <i>Taxus baccata</i> 'Elegantissima' Elegant English Yew | CS | 1.54 | G2 | 4-6 | 7-8 | | 1.20 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Taxus baccata</i> 'Erecta Aurea' Erect Golden Yew | DS | 1.00 | G2 | 4-6 | 7-8 | | 1.85 | 6 |
| <i>Taxus baccata</i> 'Erecta' Fulham Yew | CS | 1.54 | G2 | 4-6 | 7-8 | | 0.84 | 6 |
| <i>Taxus baccata</i> 'Fastigiata Aurea' See - <i>Taxus baccata</i> 'Standishii' | | | | | | | | |
| <i>Taxus baccata</i> 'Fastigiata' Columnar English Yew | CS | 1.03 | G2 | 4-6 | 7-8 | | 1.42 | 6 |
| <i>Taxus baccata</i> 'Nigra' Dark Green English Yew | DS | 1.00 | G2 | 4-6 | 7-8 | | 2.50 | 6 |
| <i>Taxus baccata</i> 'Repandens' Spreading English Yew | CS | 0.90 | G2 | 4-6 | 7-8 | | 1.09 | 6 |
| <i>Taxus baccata</i> 'Standishii' Standish English Yew | CS | 3.33 | G2 | 4-6 | 7-8 | | 1.87 | 6 |
| <i>Taxus baccata</i> 'Summergold' Summergold English Yew | CS | 1.54 | G2 | 4-6 | 7-8 | | 1.20 | 6 |
| <i>Taxus baccata</i> 'Washingtonii' Washington English Yew | CS | 1.54 | G2 | 4-6 | 7-8 | | 1.20 | 6 |
| <i>Taxus brevifolia</i> Western Yew | CE | 1.00 | G2 | 4-6 | 7-8 | 1.00 | 1.20 | 6 |
| <i>Taxus chinensis</i> Chinese Yew | CE | 1.00 | G2 | 6-7 | 8 | 1.00 | 1.00 | 6 |
| <i>Taxus cuspidata</i> Japanese Yew | CS | 0.85 | G2 | 4-5 | 6-7 | | 1.24 | 4 |
| <i>Taxus cuspidata</i> 'Adam's Columnar' Adam's Columnar Japanese Yew | CS | 0.77 | G2 | 4-5 | 6-7 | | 0.79 | 4 |
| <i>Taxus cuspidata</i> 'Aurescens' Goldtip Japanese Yew | CS | 2.14 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Taxus cuspidata</i> 'Bobbink' Bobbink Japanese Yew | CS | 1.07 | G2 | 4-5 | 6-7 | | 0.83 | 4 |
| <i>Taxus cuspidata</i> 'Bright Gold' Bright Gold Japanese Yew | CS | 2.43 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Taxus cuspidata</i> 'Capitata Compacta' Compact Upright Japanese Yew | CS | 1.35 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Taxus cuspidata</i> 'Capitata' Upright Japanese Yew | CS | 1.37 | G2 | 4-5 | 6-7 | | 1.39 | 4 |
| <i>Taxus cuspidata</i> 'Cross Spreading' Cross Spreading Japanese Yew | CS | 1.36 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Taxus cuspidata</i> 'Densa' Dense Spreading Japanese Yew | CS | 1.34 | G2 | 4-5 | 6-7 | | 0.73 | 4 |
| <i>Taxus cuspidata</i> 'Emerald Mist' Emerald Mist Japanese Yew | CS | 1.35 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Taxus cuspidata</i> 'Emerald Spreader' See - <i>Taxus cuspidata</i> 'Monloo' P.P. 10335 | | | | | | | | |
| <i>Taxus cuspidata</i> 'Expansa' Spreading Japanese Yew | CS | 1.35 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Taxus cuspidata</i> 'Fastigiata' Fastigiata Japanese Yew | CS | 0.77 | G2 | 4-5 | 6-7 | | 1.15 | 4 |
| <i>Taxus cuspidata</i> 'Green Wave' Green Wave Japanese Yew | CS | 0.96 | G2 | 4-5 | 6-7 | | 0.96 | 4 |
| <i>Taxus cuspidata</i> 'Hinsdale Dark Green' Hinsdale Dark Green Japanese Yew | BS | 1.00 | G2 | 4-5 | 6-7 | | 2.35 | 4 |
| <i>Taxus cuspidata</i> 'Hiti' Hiti Japanese Yew | CS | 1.35 | G2 | 4-5 | 6-7 | | 0.99 | 4 |
| <i>Taxus cuspidata</i> 'Intermedia' Intermediate Japanese Yew | CS | 0.91 | G2 | 4-5 | 6-7 | | 1.77 | 4 |
| <i>Taxus cuspidata</i> 'Klehm's Spreader' Klehm's Spreader Japanese Yew | CS | 1.35 | G2 | 4-5 | 6-7 | | 1.10 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Taxus cuspidata</i> 'Littleford' Littleford Japanese Yew | CS | 1.35 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Taxus cuspidata</i> 'Monloo' P.P. 10335 Emerald Spreader™ Japanese Yew | CS | 1.66 | G2 | 4-5 | 6-7 | | 1.20 | 4 |
| <i>Taxus cuspidata</i> 'Nana Aurescens' Nana Aurescens Japanese Yew | CS | 2.43 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Taxus cuspidata</i> 'Nana' Dwarf Japanese Yew | CS | 1.19 | G2 | 4-5 | 6-7 | | 0.85 | 4 |
| <i>Taxus cuspidata</i> 'North Coast' North Coast Japanese Yew | CS | 1.35 | G2 | 4-5 | 6-7 | | 0.88 | 4 |
| <i>Taxus cuspidata</i> 'Rover' Rover Spreading Japanese Yew | CS | 1.35 | G2 | 4-5 | 6-7 | | 0.74 | 4 |
| <i>Taxus cuspidata</i> 'Spring Green' Spring Green Japanese Yew | CS | 1.06 | G2 | 4-5 | 6-7 | | 0.96 | 4 |
| <i>Taxus cuspidata</i> 'Thayerae' Thayer Japanese Yew | CS | 1.35 | G2 | 4-5 | 6-7 | | 0.50 | 4 |
| <i>Taxus cuspidata</i> 'Tvurdy' Tvurdy Japanese Yew | CS | 1.35 | G2 | 4-5 | 6-7 | | 0.97 | 4 |
| <i>Taxus xhunnewelliana</i> Hunnewell Yew | CS | 1.00 | G2 | 3-4 | 5-7 | | 1.02 | 4 |
| <i>Taxus xmedia</i> Intermediate Yew | CS | 1.20 | G2 | 4-5 | 6-7 | | 1.05 | 5 |
| <i>Taxus xmedia</i> 'Adams' Adams Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 0.89 | 5 |
| <i>Taxus xmedia</i> 'Amherst' Amherst Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 0.41 | 5 |
| <i>Taxus xmedia</i> 'Andersonii' Anderson Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 0.62 | 5 |
| <i>Taxus xmedia</i> 'Anthony Wayne' Anthony Wayne Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.19 | 5 |
| <i>Taxus xmedia</i> 'Berg' Berg Intermediate Yew | CS | 0.97 | G2 | 4-5 | 6-7 | | 1.01 | 5 |
| <i>Taxus xmedia</i> 'Berryhill' Berryhill Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.15 | 5 |
| <i>Taxus xmedia</i> 'Brownii' Brown's Intermediate Yew | CS | 1.02 | G2 | 4-5 | 6-7 | | 1.21 | 5 |
| <i>Taxus xmedia</i> 'Chadwickii' Chadwick Intermediate Yew | CS | 0.92 | G2 | 4-5 | 6-7 | | 0.86 | 5 |
| <i>Taxus xmedia</i> 'Citation' Citation Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.13 | 5 |
| <i>Taxus xmedia</i> 'Cliftonii' Clifton Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.15 | 5 |
| <i>Taxus xmedia</i> 'Dark Green Spreader' See - <i>Taxus xmedia</i> 'Nigra' | | | | | | | | |
| <i>Taxus xmedia</i> 'Densiformis' Dense Intermediate Yew | CS | 1.07 | G2 | 4-5 | 6-7 | | 1.30 | 5 |
| <i>Taxus xmedia</i> 'Eldonii' Eldon Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.05 | 5 |
| <i>Taxus xmedia</i> 'Erie Shores' See - <i>Taxus xmedia</i> 'Ershzam' | | | | | | | | |
| <i>Taxus xmedia</i> 'Ershzam' Erie Shores™ Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 0.92 | 5 |
| <i>Taxus xmedia</i> 'Everlow' Everlow Intermediate Yew | CS | 0.88 | G2 | 4-5 | 6-7 | | 1.03 | 5 |
| <i>Taxus xmedia</i> 'Fairview' Fairview Intermediate Yew | CS | 0.72 | G2 | 4-5 | 6-7 | | 1.67 | 5 |
| <i>Taxus xmedia</i> 'Fiore Strain' Fiore Strain Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.05 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Taxus x media</i> 'Flemer' Flemer Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 0.94 | 5 |
| <i>Taxus x media</i> 'Gem' Gem Intermediate Yew | CS | 1.00 | G2 | 4-5 | 6-7 | | 0.71 | 5 |
| <i>Taxus x media</i> 'Green Mountain' Green Mountain Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 0.73 | 5 |
| <i>Taxus x media</i> 'Halloriana' Halloran Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.17 | 5 |
| <i>Taxus x media</i> 'Hatfieldii' Hatfield Intermediate Yew | CS | 1.12 | G2 | 4-5 | 6-7 | | 0.88 | 5 |
| <i>Taxus x media</i> 'Heasleyi' Heasley Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.05 | 5 |
| <i>Taxus x media</i> 'Henryi' Henry Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.10 | 5 |
| <i>Taxus x media</i> 'Hicksii' Hicks Intermediate Yew | CS | 1.08 | G2 | 4-5 | 6-7 | | 1.08 | 5 |
| <i>Taxus x media</i> 'Hillii' Hill's Intermediate Yew | CS | 1.09 | G2 | 4-5 | 6-7 | | 0.79 | 5 |
| <i>Taxus x media</i> 'Hinsdale #2' Hinsdale #2 Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.44 | 5 |
| <i>Taxus x media</i> 'Kelseyi' Kelsey Intermediate Yew | CS | 0.87 | G2 | 4-5 | 6-7 | | 0.54 | 5 |
| <i>Taxus x media</i> 'Natorp' Natorp Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.27 | 5 |
| <i>Taxus x media</i> 'New Hicks' New Hicks Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Taxus x media</i> 'Nigra' Dark Green Spreading Intermediate Yew | CS | 1.06 | G2 | 4-5 | 6-7 | | 1.23 | 5 |
| <i>Taxus x media</i> 'Ohio Globe' Ohio Globe Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.05 | 5 |
| <i>Taxus x media</i> 'Pyramidalis' Pyramidal Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.05 | 5 |
| <i>Taxus x media</i> 'Roy's Spreader' Roy's Spreader Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.05 | 5 |
| <i>Taxus x media</i> 'Runyan' Runyan Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.59 | 5 |
| <i>Taxus x media</i> 'Sebian' Sebian Intermediate Yew | CS | 0.95 | G2 | 4-5 | 6-7 | | 0.84 | 5 |
| <i>Taxus x media</i> 'Sentinalis' Sentinal Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.05 | 5 |
| <i>Taxus x media</i> 'Slavin' Slavin Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 0.88 | 5 |
| <i>Taxus x media</i> 'Stovekenii' Stoveken Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.20 | 5 |
| <i>Taxus x media</i> 'T.V.' T.V. Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.05 | 5 |
| <i>Taxus x media</i> 'Taunton' Taunton Intermediate Yew | CS | 1.26 | G2 | 4-5 | 6-7 | | 1.37 | 5 |
| <i>Taxus x media</i> 'Vermeulen' Vermeulen Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.05 | 5 |
| <i>Taxus x media</i> 'Viridis' Green Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.15 | 5 |
| <i>Taxus x media</i> 'Wardii' Ward Intermediate Yew | CS | 0.92 | G2 | 4-5 | 6-7 | | 1.11 | 5 |
| <i>Taxus x media</i> 'Wellesleyana' Wellesley Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.05 | 5 |
| <i>Taxus x media</i> 'Winter Jewel' Winter Jewel Intermediate Yew | CS | 1.01 | G2 | 4-5 | 6-7 | | 1.05 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Tecoma</i> Trumpet Bush | GC | 0.65 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Tecoma</i> 'Orange Jubilee' Orange Jubilee Hybrid Trumpet Bush | GC | 0.65 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Tecoma alata</i> See - <i>Tecoma</i> x <i>smithii</i> | | | | | | | | |
| <i>Tecoma castaneifolia</i> No Common Name Found | BE | 0.93 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Tecoma garrocha</i> Garrocha | BS | 0.73 | G1 | 10 | 11 | | 1.00 | 8 |
| <i>Tecoma</i> x <i>smithii</i> No Common Name Found | BE | 0.91 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Tecoma stans</i> Yellowbells | BE | 1.01 | G1 | 9B-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Tecoma stans</i> 'Gold Star' Gold Star Yellowbells | BE | 0.77 | G1 | 9B-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Tecoma stans</i> var. <i>angustata</i> No Common Name Found | BS | 0.72 | G1 | 9B-10 | 11 | | 1.00 | 10 |
| <i>Tecomanthe dendrophila</i> No Common Name Found | GC | 1.12 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Tecomanthe speciosa</i> No Common Name Found | GC | 0.70 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Tecomaria capensis</i> Orange Cape Honeysuckle | BS | 0.72 | G1 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Tecomaria capensis</i> 'Aurea' Gold Cape Honeysuckle | BS | 0.69 | G1 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Tecomaria capensis</i> 'Harmony Gold' Harmony Gold Cape Honeysuckle | BS | 0.70 | G1 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Tecomaria capensis</i> 'Lutea' Yellow Cape Honeysuckle | BS | 0.56 | G1 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Tecomaria capensis</i> 'Red' Red Cape Honeysuckle | BS | 0.67 | G1 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Tecomaria capensis</i> 'Salmonea' Salmon Cape Honeysuckle | GC | 0.45 | G1 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Tectona grandis</i> Teak | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Telekia speciosa</i> No Common Name Found | HP | 0.99 | G4 | 5 | 6-7 | | | |
| <i>Telesonix jamesii</i> See - <i>Boykinia jamesii</i> | | | | | | | | |
| <i>Tellima grandiflora</i> Fringe Cup | HP | 1.12 | G4 | 5-6 | 7-8 | | | |
| <i>Telopea speciosissima</i> Waratah | BS | 0.89 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Telopea truncata</i> Tasmanian Waratah | BS | 0.89 | G2 | 8-9 | 10 | | 1.00 | 8 |
| <i>Telosma minor</i> Tonkin Jasmine | GC | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Tephrosia grandiflora</i> Hoary Pea | HP | 1.02 | G1 | 9 | 10-11 | | | |
| <i>Terminalia catappa</i> Tropical Almond | DT | 0.49 | G1 | 9-10 | 11 | 1.00 | 0.91 | 10B |
| <i>Terminalia ivorensis</i> Black Afara | DT | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Ternstroemia gymnanthera</i> Japanese Cleyera | BS | 0.74 | G2 | 6-8 | 9-10 | | 0.81 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Bronze Beauty' See - <i>Ternstroemia gymnanthera</i> 'Conthery' P.P. 11735 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Ternstroemia gymnanthera</i> 'Conthera' P.P. 10811 Regal Japanese Cleyera | BS | 1.26 | G2 | 7-8 | 9-10 | | 0.81 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Contherann' P.P. 11737 LeAnn Japanese Cleyera | BS | 0.79 | G2 | 7-8 | 9-10 | | 0.81 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Conthery' P.P. 11735 Bronze Beauty™ Japanese Ternstroemia | BS | 0.84 | G2 | 7-8 | 9-10 | | 0.81 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Copper Crown' See - <i>Ternstroemia gymnanthera</i> 'Grewad' P.P. 10521 | | | | | | | | |
| <i>Ternstroemia gymnanthera</i> 'Grevan' P.P. 10522 Jade Tiara™ Japanese Ternstroemia | BS | 1.00 | G2 | 7-8 | 9-10 | | 0.81 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Grewad' P.P. 10521 Copper Crown™ Japanese Ternstroemia | BS | 0.86 | G2 | 7-8 | 9-10 | | 0.81 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Greyou' P.P.A.F. Sovereign™ Japanese Ternstroemia | BS | 0.86 | G2 | 7-8 | 9-10 | | 0.81 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Jade Tiara' See - <i>Ternstroemia gymnanthera</i> 'Grevan' P.P. 10522 | | | | | | | | |
| <i>Ternstroemia gymnanthera</i> 'LeAnn' See - <i>Ternstroemia gymnanthera</i> 'Contherann' P.P. 11737 | | | | | | | | |
| <i>Ternstroemia gymnanthera</i> 'Phyllis Ann' Phyllis Ann Japanese Ternstroemia | BS | 0.87 | G2 | 7-8 | 9-10 | | 0.81 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Regal' See - <i>Ternstroemia gymnanthera</i> 'Conthera' P.P. 10811 | | | | | | | | |
| <i>Ternstroemia gymnanthera</i> 'Sovereign' See - <i>Ternstroemia gymnanthera</i> 'Greyou' P.P.A.F. | | | | | | | | |
| <i>Ternstroemia gymnanthera</i> 'Variegata' Variegated Japanese Ternstroemia | BS | 0.99 | G2 | 7-8 | 9-10 | | 0.81 | 8 |
| <i>Tetradenia riparia</i> Labiatae | HP | 1.18 | G2 | 10 | 11 | | | |
| <i>Tetradium daniellii</i> Korean Evodia | BS | 0.63 | G2 | 4-6 | 7-8 | | 0.56 | 5 |
| <i>Tetramicra canaliculata</i> No Common Name Found | FO | 2.86 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Tetraneuris acaulis</i> Angelita Daisy | HP | 1.18 | G4 | 4 | 5-7 | | | |
| <i>Tetraneuris grandiflora</i> Graylocks Four Nerve Daisy | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Tetraneuris scaposa</i> Four Nerve Daisy | HP | 0.71 | G4 | 4 | 5-7 | | | |
| <i>Tetrastigma voinieranum</i> Chestnut Vine | GC | 1.21 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Tetratheca thymifolia</i> No Common Name Found | BS | 0.65 | G2 | 8-9 | 10 | | 1.00 | 9 |
| <i>Tetrazygia bicolor</i> Florida Clover Ash | BE | 1.00 | G1 | 10B | 11 | 1.00 | 1.00 | 10B |
| <i>Teucrium ackermannii</i> Ackerman Germander | HP | 1.00 | G4 | 5-8 | 9 | | | |
| <i>Teucrium aroanum</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-10 | | | |
| <i>Teucrium canadense</i> American Germander | BS | 0.85 | G4 | 3-4 | 5-9 | | 1.00 | 4 |
| <i>Teucrium chamaedrys</i> Wall Germander | HP | 0.87 | G4 | 4-5 | 6-8 | | | |
| <i>Teucrium chamaedrys</i> 'Prostratum' Prostrate Wall Germander | HP | 0.79 | G4 | 4-5 | 6-8 | | | |
| <i>Teucrium fruticans</i> Tree Germander | HP | 0.70 | G4 | 7-8 | 9-10B | | | |
| <i>Teucrium fruticans</i> 'Azureum' Blue Tree Germander | HP | 1.11 | G4 | 7-8 | 9-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Teucrium fruticans</i> 'Compactum' Compact Tree Germander | HP | 0.73 | G4 | 7-8 | 9-10B | | | |
| <i>Teucrium hyrcanicum</i> Caucasian Germander | HP | 0.65 | G4 | 5 | 6-8 | | | |
| <i>Teucrium majoricum</i> Majorcan Germander | HP | 0.69 | G4 | 5 | 6-8 | | | |
| <i>Teucrium marum</i> Cat Thyme | HP | 0.79 | G2 | 8-9 | 10-11 | | | |
| <i>Teucrium massiliense</i> No Common Name Found | HP | 0.94 | G4 | 6-7 | 8-11 | | | |
| <i>Teucrium polium</i> Golden Germander | HP | 1.00 | G4 | 6-7 | 8-10B | | | |
| <i>Teucrium pyrenaicum</i> Pyrenees Germander | HP | 0.91 | G4 | 5-6 | 7-10B | | | |
| <i>Teucrium scorodonia</i> Wood Germander | HP | 0.75 | G4 | 5-6 | 7-10B | | | |
| <i>Teucrium scorodonia</i> 'Crispum' Crispum Wood Germander | HP | 0.75 | G4 | 5-6 | 7-10B | | | |
| <i>Teucrium subspinosum</i> No Common Name Found | HP | 1.00 | G4 | 7-8 | 9-10 | | | |
| <i>Thalia dealbata</i> Purple Water Canna | HP | 1.20 | G4 | 8-9 | 10 | | | |
| <i>Thalia geniculata</i> No Common Name Found | HP | 0.16 | G4 | 9 | 10-11 | | | |
| <i>Thalictrum alpinum</i> Alpine Meadow Rue | HP | 0.79 | G4 | 4-5 | 6-7 | | | |
| <i>Thalictrum aquilegifolium</i> Columbine Meadow Rue | HP | 1.03 | G4 | 5 | 6-8 | | | |
| <i>Thalictrum aquilegifolium</i> 'Album' White Meadow Rue | HP | 0.80 | G4 | 5 | 6-8 | | | |
| <i>Thalictrum aquilegifolium</i> 'Atropurpureum' Atropurpureum Columbine Meadow Rue | HP | 0.99 | G4 | 5 | 6-8 | | | |
| <i>Thalictrum aquilegifolium</i> 'Thundercloud' Thundercloud Columbine Meadow Rue | HP | 0.90 | G4 | 5 | 6-8 | | | |
| <i>Thalictrum coreanum</i> See - <i>Thalictrum ichangense</i> | | | | | | | | |
| <i>Thalictrum dasycarpum</i> Purple Meadow Rue | HP | 0.84 | G4 | 5 | 6-8 | | | |
| <i>Thalictrum delavayi</i> Yunnan Meadow Rue | HP | 0.74 | G4 | 6 | 7-8 | | | |
| <i>Thalictrum delavayi</i> 'Hewitt's Double' Hewitt's Double Yunnan Meadow Rue | HP | 1.51 | G4 | 6 | 7-8 | | | |
| <i>Thalictrum dioicum</i> Early Meadow Rue | HP | 1.16 | G4 | 5 | 6-8 | | | |
| <i>Thalictrum dipterocarpum</i> See - <i>Thalictrum delavayi</i> | | | | | | | | |
| <i>Thalictrum fendleri</i> var. <i>polycarpum</i> Western Meadow Rue | HP | 1.16 | G4 | 5 | 6-8 | | | |
| <i>Thalictrum flavum</i> Yellow Meadow Rue | HP | 1.25 | G4 | 5-6 | 7-8 | | | |
| <i>Thalictrum flavum</i> ssp. <i>glaucum</i> Glaucum Yellow Meadow Rue | HP | 0.90 | G4 | 5-6 | 7-8 | | | |
| <i>Thalictrum ichangense</i> No Common Name Found | HP | 0.78 | G4 | 6 | 7-8 | | | |
| <i>Thalictrum kiusianum</i> No Common Name Found | HP | 1.81 | G4 | 7 | 8-9 | | | |
| <i>Thalictrum minus</i> Lesser Meadow Rue | HP | 0.88 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Thalictrum minus</i> 'Adiantifolium' Adiantifolium Lesser Meadow Rue | HP | 0.88 | G4 | 5-6 | 7-8 | | | |
| <i>Thalictrum rochebrunianum</i> No Common Name Found | HP | 0.90 | G4 | 5-7 | 8-9 | | | |
| <i>Thalictrum rochebrunianum</i> 'Lavender Mist' Lavender Mist | HP | 1.05 | G4 | 5-7 | 8-9 | | | |
| <i>Thalictrum speciosissimum</i> See - <i>Thalictrum flavum</i> ssp. <i>glaucum</i> | | | | | | | | |
| <i>Thea sinensis</i> See - <i>Camellia sinensis</i> | | | | | | | | |
| <i>Thelypteris decursive-pinnata</i> See - <i>Phegopteris decursive-pinnata</i> | | | | | | | | |
| <i>Thelypteris kunthii</i> Southern Shield Fern | HP | 1.01 | G4 | 8-9A | 9B-11 | | | |
| <i>Thelypteris normalis</i> Wood Fern | HP | 0.99 | G4 | 8-9A | 9B-11 | | | |
| <i>Thelypteris noveboracensis</i> See - <i>Parathelypteris noveboracensis</i> | | | | | | | | |
| <i>Thelypteris palustris</i> Marsh Fern | HP | 1.14 | G4 | 3 | 4-5 | | | |
| <i>Thelypteris phegopteris</i> See - <i>Phegopteris connectilis</i> | | | | | | | | |
| <i>Themeda triandra</i> No Common Name Found | HP | 0.73 | G4 | 10 | 11 | | | |
| <i>Themeda triandra</i> 'Japonica' Japanese Themeda | HP | 0.73 | G4 | 10 | 11 | | | |
| <i>Theobroma cacao</i> Cacao | FN | 1.48 | G1 | 10 | 11 | 1.00 | 1.00 | 9 |
| <i>Thermopsis caroliniana</i> See - <i>Thermopsis villosa</i> | | | | | | | | |
| <i>Thermopsis lanceolata</i> Lanceleaf Thermopsis | HP | 0.79 | G4 | 2 | 3-6 | | | |
| <i>Thermopsis lupinoides</i> See - <i>Thermopsis lanceolata</i> | | | | | | | | |
| <i>Thermopsis montana</i> See - <i>Thermopsis rhombifolia</i> | | | | | | | | |
| <i>Thermopsis rhombifolia</i> Prairie Thermopsis | HP | 0.79 | G4 | 2-4 | 5-6 | | | |
| <i>Thermopsis villosa</i> Southern Lupine | HP | 0.97 | G4 | 3-6 | 7 | | | |
| <i>Thespesia populnea</i> Portia Tree | BE | 1.02 | G1 | 10 | 11 | 1.00 | 0.60 | 10 |
| <i>Thevetia neriifolia</i> See - <i>Thevetia peruviana</i> | | | | | | | | |
| <i>Thevetia peruviana</i> Yellow Oleander | BS | 1.06 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Thlaspi alpestre</i> Wild Candytuft | HP | 1.00 | G4 | 5-6 | 7 | | | |
| <i>Thlaspi montanum</i> Mountain Pennycress | HP | 1.00 | G4 | 5-6 | 7 | | | |
| <i>Thrinax excelsa</i> Jamaican Thatch Palm | PC | 2.64 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Thrinax morrisii</i> Peaberry Palm | PC | 1.21 | G1 | 10 | 11 | | 1.55 | 10 |
| <i>Thrinax radiata</i> Florida Thatch Palm | PC | 1.35 | G1 | 10 | 11 | | 1.21 | 9 |
| <i>Thryptomene saxicola</i> No Common Name Found | BS | 1.00 | G2 | 6-9 | 10 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Thryptomene saxicola</i> 'Payne's Hybrid' Payne's Hybrid Heath Myrtle | BS | 1.00 | G2 | 6-9 | 10 | | 1.00 | 9 |
| <i>Thuja</i> Arborvitae | CE | 0.96 | G2 | 4-5 | 6-8 | 1.00 | 1.12 | 5 |
| <i>Thuja</i> 'Green Giant' Green Giant Hybrid Arborvitae | CE | 0.96 | G2 | 4-5 | 6-8 | 1.00 | 1.12 | 5 |
| <i>Thuja koraiensis</i> Korean Arborvitae | CE | 1.10 | G2 | 5 | 6-7 | 1.00 | 0.67 | 5 |
| <i>Thuja occidentalis</i> American Arborvitae | CE | 0.68 | G2 | 2 | 3-8 | 0.40 | 0.77 | 2 |
| <i>Thuja occidentalis</i> 'Ada' Ada American Arborvitae | CE | 0.85 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Aurea' Golden American Arborvitae | CE | 0.75 | G2 | 2 | 3-8 | 0.40 | 0.87 | 2 |
| <i>Thuja occidentalis</i> 'Bailjohn' P.P.A.F. Technito™ American Arborvitae | CE | 1.19 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Bobazam' Mr. Bowling Ball™ American Arborvitae | CE | 1.20 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Bodmeri' Bodmer American Arborvitae | CS | 1.02 | G2 | 2 | 3-8 | | 0.92 | 2 |
| <i>Thuja occidentalis</i> 'Boothii' Booth American Arborvitae | CE | 0.91 | G2 | 2 | 3-8 | 0.40 | 0.86 | 2 |
| <i>Thuja occidentalis</i> 'Brabant' Brabant American Arborvitae | CE | 0.53 | G2 | 2 | 3-8 | 0.40 | 0.66 | 2 |
| <i>Thuja occidentalis</i> 'Brandon' Brandon American Arborvitae | CE | 0.84 | G2 | 2 | 3-8 | 0.40 | 0.68 | 2 |
| <i>Thuja occidentalis</i> 'Compacta' Compact American Arborvitae | CS | 1.33 | G2 | 2 | 3-8 | | 0.62 | 2 |
| <i>Thuja occidentalis</i> 'Danica' Danica Dwarf American Arborvitae | CS | 0.95 | G2 | 2 | 3-8 | | 0.67 | 2 |
| <i>Thuja occidentalis</i> 'Degroot's Spire' Degroot's Spire American Arborvitae | CE | 0.93 | G2 | 2 | 3-8 | 0.40 | 0.79 | 2 |
| <i>Thuja occidentalis</i> 'Douglasii Aurea' Douglas Golden American Arborvitae | CE | 0.85 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Elegantissima' Elegantissima American Arborvitae | CE | 0.65 | G2 | 2 | 3-8 | 0.40 | 0.62 | 2 |
| <i>Thuja occidentalis</i> 'Emerald' See - <i>Thuja occidentalis</i> 'Smaragd' | | | | | | | | |
| <i>Thuja occidentalis</i> 'Ericoides' Heath American Arborvitae | CS | 1.02 | G2 | 2 | 3-8 | | 2.21 | 2 |
| <i>Thuja occidentalis</i> 'Europe Gold' Europe Gold American Arborvitae | CE | 0.63 | G2 | 2 | 3-8 | 0.40 | 0.79 | 2 |
| <i>Thuja occidentalis</i> 'Fastigiata' Pyramidal American Arborvitae | CE | 0.70 | G2 | 2 | 3-8 | 0.40 | 0.57 | 2 |
| <i>Thuja occidentalis</i> 'Filiformis' Threadleaf American Arborvitae | CE | 2.04 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'George Peabody' See - <i>Thuja occidentalis</i> 'Lutea' | | | | | | | | |
| <i>Thuja occidentalis</i> 'George Washington' George Washington American Arborvitae | CE | 0.85 | G2 | 2 | 3-8 | 0.40 | 1.40 | 2 |
| <i>Thuja occidentalis</i> 'Globosa' Dwarf Globe American Arborvitae | CS | 0.79 | G2 | 2 | 3-8 | | 0.49 | 2 |
| <i>Thuja occidentalis</i> 'Golden Globe' Golden Globe American Arborvitae | CS | 1.02 | G2 | 2 | 3-8 | | 0.71 | 2 |
| <i>Thuja occidentalis</i> 'Golden Splashes' Golden Splashes American Arborvitae | CE | 0.85 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Hetz Midget' Hetz Midget American Arborvitae | CS | 0.94 | G2 | 2 | 3-8 | | 0.74 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Thuja occidentalis</i> 'Hetz Wintergreen' Hetz Wintergreen American Arborvitae | CE | 0.67 | G2 | 2 | 3-8 | 0.40 | 0.70 | 2 |
| <i>Thuja occidentalis</i> 'Hills Dark Green' Hills Dark Green American Arborvitae | CE | 0.67 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Holmstrup' Holmstrup American Arborvitae | CE | 0.97 | G2 | 2 | 3-8 | 0.40 | 0.93 | 2 |
| <i>Thuja occidentalis</i> 'Holmstrup's Yellow' Holmstrup's Yellow American Arborvitae | CE | 0.85 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Hoveyi' Hovey American Arborvitae | CS | 1.02 | G2 | 2 | 3-8 | | 0.92 | 2 |
| <i>Thuja occidentalis</i> 'Klehm Strain' Klehm Strain American Arborvitae | CE | 0.85 | G2 | 2 | 3-8 | 0.40 | 0.78 | 2 |
| <i>Thuja occidentalis</i> 'Linesville' Linesville American Arborvitae | CE | 0.73 | G2 | 1-2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Little Champion' Little Champion American Arborvitae | CS | 1.02 | G2 | 2 | 3-8 | | 1.49 | 2 |
| <i>Thuja occidentalis</i> 'Little Gem' Little Gem American Arborvitae | CS | 0.82 | G2 | 2 | 3-8 | | 0.76 | 2 |
| <i>Thuja occidentalis</i> 'Little Giant' Little Giant Dwarf Arborvitae | CS | 0.84 | G2 | 2 | 3-8 | | 0.58 | 2 |
| <i>Thuja occidentalis</i> 'Lutea' George Peabody Golden American Arborvitae | CE | 0.62 | G2 | 2 | 3-8 | 0.40 | 0.60 | 2 |
| <i>Thuja occidentalis</i> 'Masonic' Masonic Arborvitae | CE | 1.03 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Mr. Bowling Ball' See - <i>Thuja occidentalis</i> 'Bobazam' | | | | | | | | |
| <i>Thuja occidentalis</i> 'Nigra' Dark Green American Arborvitae | CE | 0.79 | G2 | 2 | 3-8 | 0.40 | 0.65 | 2 |
| <i>Thuja occidentalis</i> 'Pendula' Weeping American Arborvitae | CE | 1.46 | G2 | 2 | 3-8 | 0.40 | 0.55 | 2 |
| <i>Thuja occidentalis</i> 'Pumila Sudworthii' Sudworth Dwarf American Arborvitae | CE | 0.56 | G2 | 2 | 3-8 | 0.40 | 0.57 | 2 |
| <i>Thuja occidentalis</i> 'Pygmy Globe' Pygmy Globe Arborvitae | CS | 1.19 | G2 | 2 | 3-8 | | 0.76 | 2 |
| <i>Thuja occidentalis</i> 'Pyramidalis' See - <i>Thuja occidentalis</i> 'Fastigiata' | | | | | | | | |
| <i>Thuja occidentalis</i> 'Recurva Nana' Recurva Nana American Arborvitae | CS | 1.02 | G2 | 2 | 3-8 | | 0.92 | 2 |
| <i>Thuja occidentalis</i> 'Recurvata' Twisted American Arborvitae | CE | 0.85 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Rheingold' Rheingold Arborvitae | CE | 0.68 | G2 | 2 | 3-8 | 0.40 | 1.05 | 2 |
| <i>Thuja occidentalis</i> 'Rockwood Gold' Rockwood Gold American Arborvitae | CE | 0.85 | G2 | 2 | 3-8 | 0.40 | 0.54 | 2 |
| <i>Thuja occidentalis</i> 'Roy's Select' Roy's Select American Arborvitae | CE | 0.85 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Rushmore' Rushmore American Arborvitae | CE | 1.31 | G2 | 1-2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Sherman' Sherman American Arborvitae | CE | 0.93 | G2 | 2 | 3-8 | 0.40 | 0.59 | 2 |
| <i>Thuja occidentalis</i> 'Sherwood Moss' Sherwood Moss American Arborvitae | CE | 0.70 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Smaragd' Emerald Green American Arborvitae | CE | 0.70 | G2 | 2 | 3-8 | 0.40 | 0.63 | 2 |
| <i>Thuja occidentalis</i> 'Spiralis' Spiral American Arborvitae | CE | 0.62 | G2 | 2 | 3-8 | 0.40 | 0.45 | 2 |
| <i>Thuja occidentalis</i> 'Sudwelli' Sudwell American Arborvitae | CE | 0.63 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Thuja occidentalis</i> 'Sunkist' Sunkist Arborvitae | CE | 0.71 | G2 | 2 | 3-8 | 0.40 | 0.67 | 2 |
| <i>Thuja occidentalis</i> 'Technito' See - <i>Thuja occidentalis</i> 'Bailjohn' P.P.A.F. | | | | | | | | |
| <i>Thuja occidentalis</i> 'Techny' Techny Arborvitae | CE | 0.84 | G2 | 2 | 3-8 | 0.40 | 0.84 | 2 |
| <i>Thuja occidentalis</i> 'Teddy' Teddy American Arborvitae | CE | 0.95 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Tiny Tim' Tiny Tim American Arborvitae | CS | 0.71 | G2 | 2 | 3-8 | | 1.07 | 2 |
| <i>Thuja occidentalis</i> 'Umbraculifera' Umbrella Dwarf American Arborvitae | CS | 1.62 | G2 | 2 | 3-8 | | 0.92 | 2 |
| <i>Thuja occidentalis</i> 'Wansdyke Silver' Wansdyke Silver American Arborvitae | CE | 0.78 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Wareana' Ware American Arborvitae | CE | 0.66 | G2 | 2 | 3-8 | 0.40 | 0.86 | 2 |
| <i>Thuja occidentalis</i> 'Watnong Gold' Watnong Gold American Arborvitae | CE | 0.85 | G2 | 2 | 3-8 | 0.40 | 0.74 | 2 |
| <i>Thuja occidentalis</i> 'Woodwardii' Woodward Globe Arborvitae | CE | 0.64 | G2 | 2 | 3-8 | 0.40 | 0.79 | 2 |
| <i>Thuja occidentalis</i> 'Yellow Ribbon' Yellow Ribbon American Arborvitae | CE | 0.99 | G2 | 2 | 3-8 | 0.40 | 0.64 | 2 |
| <i>Thuja orientalis</i> See - <i>Platycladus orientalis</i> | | | | | | | | |
| <i>Thuja plicata</i> Giant Arborvitae | CE | 0.78 | G2 | 4-6 | 7-8 | 1.00 | 0.55 | 5 |
| <i>Thuja plicata</i> 'Atrovirens' Deep Green Giant Arborvitae | CE | 0.64 | G2 | 4-6 | 7-8 | 1.00 | 0.69 | 5 |
| <i>Thuja plicata</i> 'Canadian Gold' Canadian Gold Giant Arborvitae | CE | 0.97 | G2 | 4-6 | 7-8 | 1.00 | 0.75 | 5 |
| <i>Thuja plicata</i> 'Clemson #2' Clemson #2 Giant Arborvitae | CE | 0.97 | G2 | 4-6 | 7-8 | 1.00 | 1.39 | 5 |
| <i>Thuja plicata</i> 'Cuprea' Cuprea Giant Arborvitae | CE | 1.85 | G2 | 4-6 | 7-8 | 1.00 | 0.75 | 5 |
| <i>Thuja plicata</i> 'Excelsa' Excelsa Giant Arborvitae | CE | 0.59 | G2 | 4-6 | 7-8 | 1.00 | 0.53 | 5 |
| <i>Thuja plicata</i> 'Fastigiata' Hogan Giant Arborvitae | CE | 0.82 | G2 | 4-6 | 7-8 | 1.00 | 0.66 | 5 |
| <i>Thuja plicata</i> 'Gold Spot' Gold Spot Giant Arborvitae | CE | 0.97 | G2 | 4-6 | 7-8 | 1.00 | 0.75 | 5 |
| <i>Thuja plicata</i> 'Grovpil' Spring Grove Giant Arborvitae | CE | 0.90 | G2 | 4-6 | 7-8 | 1.00 | 0.75 | 5 |
| <i>Thuja plicata</i> 'Pacific Gold' Pacific Gold Giant Arborvitae | CE | 0.97 | G2 | 4-6 | 7-8 | 1.00 | 0.75 | 5 |
| <i>Thuja plicata</i> 'Rogersii' Rogers Giant Arborvitae | CE | 0.62 | G2 | 4-6 | 7-8 | 1.00 | 1.09 | 5 |
| <i>Thuja plicata</i> 'Spring Grove' See - <i>Thuja plicata</i> 'Grovpil' | | | | | | | | |
| <i>Thuja plicata</i> 'Stoneham Dwarf' Stoneham Dwarf Giant Arborvitae | CS | 1.00 | G2 | 4-6 | 7-8 | | 1.00 | 5 |
| <i>Thuja plicata</i> 'Stoneham Gold' Stoneham Gold Giant Arborvitae | CE | 1.14 | G2 | 4-6 | 7-8 | 1.00 | 0.75 | 5 |
| <i>Thuja plicata</i> 'Sunshine' Sunshine Giant Arborvitae | CE | 0.83 | G2 | 4-6 | 7-8 | 1.00 | 0.75 | 5 |
| <i>Thuja plicata</i> 'Virescens' Virescens Giant Arborvitae | CE | 0.86 | G2 | 4-6 | 7-8 | 1.00 | 0.50 | 5 |
| <i>Thuja plicata</i> 'Whipcord' Whipcord Giant Arborvitae | CE | 1.74 | G2 | 4-6 | 7-8 | 1.00 | 0.75 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Thuja plicata</i> 'Zebrina' Zebra Giant Arborvitae | CE | 0.86 | G2 | 4-6 | 7-8 | 1.00 | 0.60 | 5 |
| <i>Thujopsis dolabrata</i> Hiba Arborvitae | CE | 0.78 | G2 | 5 | 6-8 | 1.00 | 0.76 | 5 |
| <i>Thujopsis dolabrata</i> 'Nana' Dwarf Hiba Arborvitae | CS | 1.18 | G2 | 5 | 6-8 | | 0.67 | 5 |
| <i>Thujopsis dolabrata</i> 'Variegata' Variegated Hiba Arborvitae | CE | 0.78 | G2 | 5 | 6-8 | 1.00 | 0.76 | 5 |
| <i>Thunbergia alata</i> Clock Vine | AN | 1.01 | G3 | 8-11 | | | | |
| <i>Thunbergia alata</i> 'Suzie Mix' Suzie Mix Clock Vine | AN | 1.02 | G3 | 8-11 | | | | |
| <i>Thunbergia battiscombei</i> Scrambling Sky Flower | GC | 0.78 | G3 | 8-11 | | | 1.00 | 8 |
| <i>Thunbergia coccinea</i> Red Thunbergia Vine | GC | 0.73 | G1 | 8-11 | | | 1.00 | 10 |
| <i>Thunbergia erecta</i> King's Mantle | GC | 0.56 | G1 | 8-11 | | | 1.00 | 10 |
| <i>Thunbergia erecta</i> 'Alba' White King's Mantle | BS | 0.72 | G1 | 8-11 | | | 1.00 | 10 |
| <i>Thunbergia erecta</i> 'Blue Moon' Blue Moon King's Mantle | BS | 0.45 | G1 | 8-11 | | | 1.00 | 10 |
| <i>Thunbergia fragrans</i> Sweet Clock Vine | GC | 0.82 | G1 | 8-11 | | | 1.00 | 10 |
| <i>Thunbergia gibsonii</i> See - <i>Thunbergia gregorii</i> | | | | | | | | |
| <i>Thunbergia grandiflora</i> Blue Trumpet Vine | GC | 0.80 | G1 | 8-11 | | | 1.00 | 10 |
| <i>Thunbergia grandiflora</i> 'Alba' White Sky Vine | GC | 0.74 | G1 | 8-11 | | | 1.00 | 10 |
| <i>Thunbergia grandiflora</i> 'Variegata' Variegated Blue Trumpet Vine | GC | 0.77 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Thunbergia gregorii</i> Orange Clock Vine | GC | 0.76 | G1 | 8-11 | | | 1.00 | 10 |
| <i>Thunbergia laurifolia</i> Laurel Clock Vine | GC | 0.80 | G1 | 8-11 | | | 1.00 | 10 |
| <i>Thunbergia mysorensis</i> No Common Name Found | GC | 1.07 | G1 | 8-11 | | | 1.00 | 10 |
| <i>Thymophylla tenuiloba</i> Dahlberg Daisy | HP | 0.64 | G4 | 7-9 | 10-11 | | | |
| <i>Thymus</i> Thyme | HP | 1.00 | G4 | 5-6 | 7-10 | | | |
| <i>Thymus</i> 'Spicy Orange' Spicy Orange Thyme | HP | 1.00 | G4 | 7 | 8-10A | | | |
| <i>Thymus camphoratus</i> Camphor Thyme | HP | 0.94 | G4 | 5-7 | 8-10A | | | |
| <i>Thymus x citriodorus</i> Lemon Thyme | HP | 0.89 | G4 | 7 | 8-10A | | | |
| <i>Thymus x citriodorus</i> 'Archer's Gold' Archer's Gold Lemon Thyme | HP | 0.65 | G4 | 7 | 8-10A | | | |
| <i>Thymus x citriodorus</i> 'Argenteus Variegatus' Argenteus Variegatus Lemon Thyme | HP | 0.66 | G4 | 7 | 8-10A | | | |
| <i>Thymus x citriodorus</i> 'Argenteus' Silver Lemon Thyme | HP | 0.73 | G4 | 7 | 8-10A | | | |
| <i>Thymus x citriodorus</i> 'Aureus' Golden Lemon Thyme | HP | 0.78 | G4 | 7 | 8-10A | | | |
| <i>Thymus x citriodorus</i> 'Doone Valley' Doone Valley Lemon Thyme | HP | 0.68 | G4 | 7 | 8-10A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Thymus x citriodorus</i> 'Lemon Frost' Lemon Frost Thyme | HP | 0.78 | G4 | 5-6 | 7-10 | | | |
| <i>Thymus x citriodorus</i> 'Lemon Mist' Lemon Mist Thyme | HP | 0.78 | G4 | 5-6 | 7-10 | | | |
| <i>Thymus x citriodorus</i> 'Lime Green' Lime Green Thyme | HP | 0.78 | G4 | 5-6 | 7-10 | | | |
| <i>Thymus x citriodorus</i> 'Lime Mist' Lime Mist Thyme | HP | 0.78 | G4 | 5-6 | 7-10 | | | |
| <i>Thymus x citriodorus</i> 'Lime' Lime Thyme | HP | 0.72 | G4 | 7 | 8-10A | | | |
| <i>Thymus x citriodorus</i> 'Silver Queen' Silver Queen Lemon Thyme | HP | 1.11 | G4 | 7 | 8-10A | | | |
| <i>Thymus x citriodorus</i> 'Variegata' Silveredge Lemon Thyme | HP | 0.77 | G4 | 7 | 8-10A | | | |
| <i>Thymus doerfleri</i> No Common Name Found | HP | 0.60 | G4 | 4-5 | 6-7 | | | |
| <i>Thymus doerfleri</i> 'Bressingham' No Common Name Found | HP | 0.60 | G4 | 4-5 | 6-7 | | | |
| <i>Thymus herba-barona</i> Caraway Thyme | HP | 0.72 | G4 | 7 | 8-10A | | | |
| <i>Thymus hirsutus</i> No Common Name Found | HP | 0.83 | G4 | 5-6 | 7 | | | |
| <i>Thymus lanuginosus</i> See - <i>Thymus pseudolanuginosus</i> | | | | | | | | |
| <i>Thymus mastichina</i> Mastic Thyme | HP | 1.00 | G4 | 5-7 | 8 | | | |
| <i>Thymus minus</i> See - <i>Calamintha nepeta</i> | | | | | | | | |
| <i>Thymus neiceffii</i> Juniper Thyme | HP | 1.00 | G4 | 5 | 6-7 | | | |
| <i>Thymus polytrichus</i> ssp. <i>britannicus</i> Creeping Thyme | HP | 1.00 | G4 | 5-6 | 7-10 | | | |
| <i>Thymus polytrichus</i> ssp. <i>britannicus</i> 'Thomas' White' Thomas' White Wild Thyme | HP | 1.00 | G4 | 5-6 | 7-10 | | | |
| <i>Thymus praecox</i> Mother of Thyme | HP | 0.91 | G4 | 5-6 | 7-10A | | | |
| <i>Thymus praecox</i> 'Albus' White Mother of Thyme | HP | 0.93 | G4 | 5-6 | 7-10A | | | |
| <i>Thymus praecox</i> 'Minus' Minus Mother of Thyme | HP | 0.82 | G4 | 5-6 | 7-10A | | | |
| <i>Thymus praecox</i> ssp. <i>arcticus</i> Arcticus Mother of Thyme | HP | 0.81 | G4 | 5-6 | 7-10A | | | |
| <i>Thymus praecox</i> ssp. <i>arcticus</i> 'Albus' See - <i>Thymus polytrichus</i> ssp. <i>britannicus</i> 'Thomas' White' | | | | | | | | |
| <i>Thymus pseudolanuginosus</i> Woolly Thyme | HP | 0.83 | G4 | 6 | 7-10A | | | |
| <i>Thymus pseudolanuginosus</i> 'Hall's' Hall's Woolly Thyme | HP | 1.48 | G4 | 6 | 7-10A | | | |
| <i>Thymus pulegioides</i> No Common Name Found | HP | 0.72 | G4 | 5-6 | 7-10A | | | |
| <i>Thymus pulegioides</i> 'Dot Wells' Dot Wells Thyme | HP | 0.72 | G4 | 5-6 | 7-10 | | | |
| <i>Thymus pulegioides</i> 'Oregano-scented' Oregano-scented Thyme | HP | 0.72 | G4 | 5-6 | 7-10 | | | |
| <i>Thymus richardii</i> No Common Name Found | HP | 1.00 | G4 | 5-7 | 8-10 | | | |
| <i>Thymus richardii</i> 'Peter Davis' Peter Davis Thyme | HP | 1.00 | G4 | 5-7 | 8-10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Thymus serpyllum</i> Wild Thyme | HP | 0.93 | G4 | 5-6 | 7-10A | | | |
| <i>Thymus serpyllum</i> 'Aureus' Yellow Transparent Wild Thyme | HP | 0.83 | G4 | 5-6 | 7-10 | | | |
| <i>Thymus serpyllum</i> 'Coccineus' Red Wild Thyme | HP | 0.85 | G4 | 5-6 | 7-10A | | | |
| <i>Thymus serpyllum</i> 'Elfin' Elfin Wild Thyme | HP | 0.72 | G4 | 5-6 | 7-10A | | | |
| <i>Thymus serpyllum</i> 'Hartington Silver' Hartington Silver Wild Thyme | HP | 0.83 | G4 | 5-6 | 7-10 | | | |
| <i>Thymus serpyllum</i> 'Pink Chintz' Pink Chintz Wild Thyme | HP | 0.80 | G4 | 7 | 8-10A | | | |
| <i>Thymus serpyllum</i> 'Variegatus' See - <i>Thymus serpyllum</i> 'Hartington Silver' | | | | | | | | |
| <i>Thymus thracicus</i> Lavender Thyme | HP | 1.00 | G4 | 5-8 | 9-10 | | | |
| <i>Thymus vulgaris</i> Common Thyme | HP | 0.60 | G4 | 7 | 8-10A | | | |
| <i>Thymus vulgaris</i> 'Argentus' Silver Thyme | HP | 0.81 | G4 | 7 | 8-10A | | | |
| <i>Thymus vulgaris</i> 'Baltic' Baltic Common Thyme | HP | 0.80 | G4 | 7 | 8-10A | | | |
| <i>Thymus vulgaris</i> 'English Wedgewood' English Wedgewood Common Thyme | HP | 0.80 | G4 | 5-6 | 7-10 | | | |
| <i>Thymus vulgaris</i> 'English' English Common Thyme | HP | 1.01 | G4 | 7 | 8-10A | | | |
| <i>Thymus vulgaris</i> 'French' French Common Thyme | HP | 0.76 | G4 | 7 | 8-10A | | | |
| <i>Thymus vulgaris</i> 'Hi-ho Silver' Hi-ho Silver Common Thyme | HP | 0.80 | G4 | 5-6 | 7-10 | | | |
| <i>Thymus vulgaris</i> 'Narrow-leaf French' Narrow-leaf French Common Thyme | HP | 0.80 | G4 | 5-6 | 7-10 | | | |
| <i>Thymus vulgaris</i> 'Orange Balsam' Orange Balsam Common Thyme | HP | 0.80 | G4 | 5-6 | 7-10 | | | |
| <i>Thysanolaena maxima</i> Tiger Grass | HP | 0.90 | G4 | 8-9 | 10-11 | | | |
| <i>Tiarella</i> Foamflower | HP | 1.19 | G4 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Black Velvet' Black Velvet Foamflower | HP | 1.25 | G4 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Dark Star' Dark Star Foamflower | HP | 0.82 | G4 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Iron Butterfly' P.P. 12396 Iron Butterfly Foamflower | HP | 1.34 | G4 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Jeepers Creepers' P.P. 13437 Jeepers Creepers Foamflower | HP | 1.18 | G4 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Pink Bouquet' Pink Bouquet Foamflower | HP | 1.27 | G4 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Pink Brushes' P.P. 13329 Pink Brushes Foamflower | HP | 0.97 | G4 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Spring Symphony' P.P. 12397 Spring Symphony Foamflower | HP | 1.50 | G4 | 3-4 | 5-8 | | | |
| <i>Tiarella cordifolia</i> Allegheny Foamflower | HP | 1.09 | G4 | 3-4 | 5-8 | | | |
| <i>Tiarella cordifolia</i> 'Brandywine' Brandywine Allegheny Foamflower | HP | 1.17 | G4 | 2-3 | 4-5 | | | |
| <i>Tiarella cordifolia</i> 'Dark Eye' Dark Eye Allegheny Foamflower | HP | 1.08 | G4 | 3-4 | 5-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Tiarella cordifolia</i> 'Elizabeth Oliver' Elizabeth Oliver Allegheny Foamflower | HP | 0.90 | G4 | 3-4 | 5-8 | | | |
| <i>Tiarella cordifolia</i> 'Inkblot' Inkblot Allegheny Foamflower | HP | 1.09 | G4 | 3-4 | 5-8 | | | |
| <i>Tiarella cordifolia</i> 'Running Tapestry' Running Tapestry Allegheny Foamflower | HP | 1.17 | G4 | 3-4 | 5-8 | | | |
| <i>Tiarella cordifolia</i> 'Slick Rock' Slick Rock Allegheny Foamflower | HP | 1.16 | G4 | 3-4 | 5-8 | | | |
| <i>Tiarella cordifolia</i> 'Tiger Stripe' Tiger Stripe Allegheny Foamflower | HP | 1.07 | G4 | 2-3 | 4-6 | | | |
| <i>Tiarella cordifolia</i> var. <i>collina</i> See - <i>Tiarella wherryi</i> | | | | | | | | |
| <i>Tiarella trifoliata</i> Three-leaved Foamflower | HP | 1.84 | G4 | 3-4 | 5-8 | | | |
| <i>Tiarella trifoliata</i> 'Filigree Lace' Filigree Lace Three-leaved Foamflower | HP | 1.21 | G4 | 3-4 | 5-8 | | | |
| <i>Tiarella wherryi</i> Wherry Foamflower | HP | 1.00 | G4 | 5 | 6-8 | | | |
| <i>Tiarella wherryi</i> 'Dunvegan' Dunvegan Wherry Foamflower | HP | 1.09 | G4 | 5 | 6-8 | | | |
| <i>Tiarella wherryi</i> 'Oakleaf' Oakleaf Wherry Foamflower | HP | 1.37 | G4 | 5 | 6-8 | | | |
| <i>Tiarella wherryi</i> 'Springwood' P.P. 14087 Springwood Wherry Foamflower | HP | 0.90 | G4 | 4-5 | 6-8 | | | |
| <i>Tibouchina</i> Glory Bush | BS | 1.28 | G1 | 9B-10 | 11 | | 1.00 | 9 |
| <i>Tibouchina</i> 'Jules' Jules Glory Bush | BS | 1.28 | G1 | 9B-10 | 11 | | 1.00 | 9 |
| <i>Tibouchina elegans</i> No Common Name Found | BS | 0.85 | G1 | 9B-10 | 11 | | 1.00 | 10 |
| <i>Tibouchina grandifolia</i> No Common Name Found | BS | 1.12 | G1 | 9B-10 | 11 | | 1.00 | 10 |
| <i>Tibouchina granulosa</i> Purple Glory Tree | BS | 1.03 | G1 | 9B-10 | 11 | | 1.00 | 10 |
| <i>Tibouchina heteromalla</i> Silver-leafed Princess Flower | BS | 1.24 | G1 | 9B-10 | 11 | | 1.00 | 10 |
| <i>Tibouchina lepidota</i> No Common Name Found | BS | 1.00 | G1 | 9B-10 | 11 | | 1.00 | 10 |
| <i>Tibouchina semidecandra</i> See - <i>Tibouchina urvilleana</i> | | | | | | | | |
| <i>Tibouchina urvilleana</i> Glory Bush | BS | 0.89 | G1 | 9B-10 | 11 | | 1.00 | 9 |
| <i>Tibouchina urvilleana</i> 'Angyo Lavender' P.P. 12034 Angyo Lavender Brazilian Spider Flower | BS | 1.12 | G1 | 9B-10 | 11 | | 1.00 | 9 |
| <i>Tibouchina urvilleana</i> 'Athens Blue' Athens Blue Glory Bush | BS | 0.73 | G1 | 9B-10 | 11 | | 1.00 | 9 |
| <i>Tilia</i> Linden | DT | 1.00 | G2 | 3-7 | 8-9 | 1.00 | 1.00 | 5 |
| <i>Tilia</i> 'Petiolaris' Pendent Silver Linden | DT | 1.00 | G2 | 5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Tilia americana</i> American Linden | DT | 1.01 | G2 | 2-3 | 4-8 | 1.03 | 1.08 | 3 |
| <i>Tilia americana</i> 'Bailyard' Frontyard™ American Linden | DT | 1.36 | G2 | 2-3 | 4-8 | 1.00 | 1.09 | 3 |
| <i>Tilia americana</i> 'Boulevard' Boulevard American Linden | DT | 1.36 | G2 | 2-3 | 4-8 | 0.86 | 1.09 | 3 |
| <i>Tilia americana</i> 'Capitol' Capitol American Linden | DT | 1.29 | G2 | 2-3 | 4-8 | 1.00 | 1.09 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Tilia americana</i> 'Douglas' Douglas American Linden | DT | 1.29 | G2 | 2-3 | 4-8 | 0.94 | 1.09 | 3 |
| <i>Tilia americana</i> 'Fastigiata' Pyramidal American Linden | DT | 1.29 | G2 | 2-3 | 4-8 | 1.31 | 1.09 | 3 |
| <i>Tilia americana</i> 'Frontyard' See - <i>Tilia americana</i> 'Bailyard' | | | | | | | | |
| <i>Tilia americana</i> 'Legend' See - <i>Tilia americana</i> 'Wandell' P.P.A.F. | | | | | | | | |
| <i>Tilia americana</i> 'Lincoln' Lincoln American Linden | DT | 1.29 | G2 | 2-3 | 4-8 | 0.75 | 2.14 | 3 |
| <i>Tilia americana</i> 'Redmond' Redmond American Linden | DT | 1.16 | G2 | 2-3 | 4-8 | 1.00 | 1.43 | 3 |
| <i>Tilia americana</i> 'Rosehill' Rosehill American Linden | DT | 1.53 | G2 | 2-3 | 4-8 | 1.18 | 0.25 | 3 |
| <i>Tilia americana</i> 'Sentry' Sentry American Linden | DT | 1.42 | G2 | 2-3 | 4-8 | 0.81 | 0.26 | 3 |
| <i>Tilia americana</i> 'Wandell' P.P.A.F. Legend™ American Linden | DT | 1.21 | G2 | 2-3 | 4-8 | 1.14 | 1.37 | 3 |
| <i>Tilia caroliniana</i> Carolina Linden | DT | 0.40 | G2 | 5-7 | 8-9A | 1.00 | 1.00 | 7 |
| <i>Tilia cordata</i> Little-leaf Linden | DT | 0.98 | G2 | 2-3 | 4-8 | 0.84 | 0.95 | 3 |
| <i>Tilia cordata</i> 'Bailey' Shamrock™ Little-leaf Linden | DT | 1.37 | G2 | 2-3 | 4-8 | 1.07 | 1.25 | 3 |
| <i>Tilia cordata</i> 'Chancellor' See - <i>Tilia cordata</i> 'Chancole' P.P. 2712 | | | | | | | | |
| <i>Tilia cordata</i> 'Chancole' P.P. 2712 Chancellor Little-leaf Linden | DT | 1.30 | G2 | 2-3 | 4-8 | 1.16 | 1.25 | 3 |
| <i>Tilia cordata</i> 'Corinthian' See - <i>Tilia cordata</i> 'Corzam' | | | | | | | | |
| <i>Tilia cordata</i> 'Corzam' Corinthian® Little-leaf Linden | DT | 1.22 | G2 | 2-3 | 4-8 | 1.23 | 1.02 | 3 |
| <i>Tilia cordata</i> 'Cully' Cully Little-leaf Linden | DT | 1.22 | G2 | 2-3 | 4-8 | 0.77 | 1.25 | 3 |
| <i>Tilia cordata</i> 'DeGroot' DeGroot Little-leaf Linden | DT | 1.22 | G2 | 2-3 | 4-8 | 1.05 | 1.25 | 3 |
| <i>Tilia cordata</i> 'Fairview' P.P. 3259 Fairview Little-leaf Linden | DT | 1.22 | G2 | 2-3 | 4-8 | 1.61 | 1.25 | 3 |
| <i>Tilia cordata</i> 'Greenspire' See - <i>Tilia cordata</i> 'PNI 6025' P.P. 2086 | | | | | | | | |
| <i>Tilia cordata</i> 'Halka' P.P.A.F. Summer Sprite™ Little-leaf Linden | DT | 1.22 | G2 | 2-3 | 4-9 | 1.05 | 1.25 | 3 |
| <i>Tilia cordata</i> 'June Bride' P.P. 3021 June Bride Little-leaf Linden | DT | 1.22 | G2 | 2-3 | 4-8 | 1.13 | 1.89 | 3 |
| <i>Tilia cordata</i> 'Klehm #2' Klehm #2 Little-leaf Linden | DT | 1.22 | G2 | 2-3 | 4-8 | 0.90 | 1.25 | 3 |
| <i>Tilia cordata</i> 'Klehm #3' Klehm #3 Little-leaf Linden | DT | 1.22 | G2 | 2-3 | 4-8 | 0.75 | 1.25 | 3 |
| <i>Tilia cordata</i> 'Morden' Morden Little-leaf Linden | DT | 1.04 | G2 | 2-3 | 4-8 | 0.69 | 1.25 | 3 |
| <i>Tilia cordata</i> 'Norbert' P.P. 6745 Prestige® Little-leaf Linden | DT | 1.22 | G2 | 2-3 | 4-8 | 1.62 | 1.25 | 3 |
| <i>Tilia cordata</i> 'Norlin' See - <i>Tilia cordata</i> 'Ronald' P.P.A.F. | | | | | | | | |
| <i>Tilia cordata</i> 'Olympic' Olympic Little-leaf Linden | DT | 1.53 | G2 | 2-3 | 4-8 | 1.19 | 1.25 | 3 |
| <i>Tilia cordata</i> 'PNI 6025' P.P. 2086 Greenspire® Little-leaf Linden | DT | 1.09 | G2 | 2-3 | 4-8 | 1.03 | 1.14 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Tilia cordata</i> 'Prestige' See - <i>Tilia cordata</i> 'Norbert' P.P. 6745 | | | | | | | | |
| <i>Tilia cordata</i> 'Rancho' P.P. 2092 Rancho Little-leaf Linden | DS | 1.00 | G2 | 2-3 | 4-8 | | 1.00 | 3 |
| <i>Tilia cordata</i> 'Ronald' P.P.A.F. Norlin™ Little-leaf Linden | DT | 1.22 | G2 | 2-3 | 4-8 | 1.05 | 1.25 | 3 |
| <i>Tilia cordata</i> 'Salem' Salem™ Little-leaf Linden | DT | 1.22 | G2 | 2-3 | 4-8 | 0.91 | 1.25 | 3 |
| <i>Tilia cordata</i> 'Shamrock' See - <i>Tilia cordata</i> 'Bailey' | | | | | | | | |
| <i>Tilia cordata</i> 'Summer Sprite' See - <i>Tilia cordata</i> 'Halka' P.P.A.F. | | | | | | | | |
| <i>Tilia cordata</i> 'Turesi' Tures Pyramidal Little-leaf Linden | DT | 1.22 | G2 | 2-3 | 4-8 | 0.83 | 1.25 | 3 |
| <i>Tilia dasystyla</i> Caucasian Linden | DT | 1.00 | G2 | 2-3 | 4-8 | 1.00 | 1.00 | 3 |
| <i>Tilia xeuclora</i> Crimean Linden | DT | 1.43 | G2 | 3 | 4-7 | 0.98 | 1.18 | 3 |
| <i>Tilia xeuropaea</i> European Linden | DT | 1.00 | G2 | 3 | 4-7 | 0.94 | 1.00 | 3 |
| <i>Tilia xeuropaea</i> 'Gocrozam' Gold Crown® European Linden | DT | 1.00 | G2 | 3 | 4-7 | 0.94 | 1.00 | 3 |
| <i>Tilia xeuropaea</i> 'Gold Crown' See - <i>Tilia xeuropaea</i> 'Gocrozam' | | | | | | | | |
| <i>Tilia xeuropaea</i> 'Laurelhurst' Laurelhurst European Linden | DT | 1.00 | G2 | 3 | 4-7 | 0.94 | 1.00 | 3 |
| <i>Tilia xeuropaea</i> 'Wratislaviensis' Wratislaviensis European Linden | DT | 1.00 | G2 | 3 | 4-7 | 0.94 | 1.00 | 3 |
| <i>Tilia xflavescens</i> Hybrid Linden | DT | 0.99 | G2 | 2-3 | 4-8 | 1.01 | 1.46 | 3 |
| <i>Tilia xflavescens</i> 'Glenleven' Glenleven Hybrid Linden | DT | 0.99 | G2 | 2-3 | 4-8 | 1.01 | 1.46 | 3 |
| <i>Tilia mongolica</i> Mongolian Linden | DT | 1.00 | G2 | 2-3 | 4-8 | 1.00 | 1.00 | 3 |
| <i>Tilia mongolica</i> 'Harvest Gold' P.P.A.F. Harvest Gold Mongolian Linden | DS | 1.73 | G2 | 2-3 | 4-8 | | 1.00 | 3 |
| <i>Tilia platyphyllos</i> Bigleaf Linden | DT | 1.00 | G2 | 3-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Tilia platyphyllos</i> 'Fastigiata' Pyramidal Bigleaf Linden | DT | 1.00 | G2 | 3-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Tilia platyphyllos</i> 'Laciniata' Cutleaf Bigleaf Linden | DT | 1.00 | G2 | 3-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Tilia tomentosa</i> Silver Linden | DT | 1.34 | G2 | 5-6 | 7-8 | 0.98 | 1.76 | 6 |
| <i>Tilia tomentosa</i> 'Brabant' Brabant Silver Linden | DT | 1.34 | G2 | 5-6 | 7-8 | 0.79 | 1.16 | 6 |
| <i>Tilia tomentosa</i> 'Green Mountain' See - <i>Tilia tomentosa</i> 'PNI 6051' | | | | | | | | |
| <i>Tilia tomentosa</i> 'PNI 6051' Green Mountain® Silver Linden | DT | 1.34 | G2 | 5-6 | 7-8 | 0.98 | 0.32 | 6 |
| <i>Tilia tomentosa</i> 'Princeton' Princeton Silver Linden | DT | 1.34 | G2 | 5-6 | 7-8 | 1.07 | 1.16 | 6 |
| <i>Tilia tomentosa</i> 'Sashazam' Satin Shadow™ Silver Linden | DT | 1.34 | G2 | 5-6 | 7-8 | 1.18 | 1.16 | 6 |
| <i>Tilia tomentosa</i> 'Satin Shadow' See - <i>Tilia tomentosa</i> 'Sashazam' | | | | | | | | |
| <i>Tilia tomentosa</i> 'Sterling Silver' See - <i>Tilia tomentosa</i> 'Sterling' P.P. 6511 | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Tilia tomentosa</i> 'Sterling' P.P. 6511 Sterling Silver® Linden | DT | 1.34 | G2 | 5-6 | 7-8 | 0.99 | 1.41 | 6 |
| <i>Tilia xvulgaris</i> See - <i>Tilia xeuropaea</i> | | | | | | | | |
| <i>Tillandsia aeranthos</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia albertiana</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia araujuei</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Tillandsia argentea</i> No Common Name Found | FO | 1.00 | G3 | 8-10B | 11 | | 1.00 | 10 |
| <i>Tillandsia atrovirdipetala</i> See - <i>Tillandsia plumosa</i> | | | | | | | | |
| <i>Tillandsia baileyi</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia balbisiana</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia bergeri</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia brachycaulos</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia bulbosa</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Tillandsia butzii</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia cacticola</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia caerulea</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia califani</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia capitata</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia caput-medusae</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Tillandsia caulescens</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia circinnata</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Tillandsia concolor</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Tillandsia crocata</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia cyanea</i> No Common Name Found | FO | 1.33 | G3 | 8-10B | 11 | | 1.00 | 9 |
| <i>Tillandsia cyanea</i> '3-D' 3-D Tillandsia | FO | 0.63 | G3 | 10 | 11 | | 1.00 | 9 |
| <i>Tillandsia cyanea</i> 'Anita' Anita Tillandsia | FO | 0.64 | G3 | 10 | 11 | | 1.00 | 9 |
| <i>Tillandsia cyanea</i> 'Pink Quill' Pink Quill Tillandsia | FO | 0.87 | G3 | 10 | 11 | | 1.00 | 9 |
| <i>Tillandsia duratii</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia fasciculata</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Tillandsia festucoides</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Tillandsia filifolia</i> | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia flabellata</i> | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia funckiana</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia gardneri</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia ionantha</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia ionantha</i> var. <i>van hyningii</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia ixioides</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia juncea</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia latifolia</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia latifolia</i> var. <i>divaricata</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia latifolia</i> var. <i>latifolia</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia latifolia</i> var. <i>major</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia lorentziana</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia magnusiana</i> | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia mallemonitii</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia matudai</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia meridionalis</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia myosura</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia oaxacana</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia paleacea</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia paucifolia</i> | | | | | | | | |
| See - <i>Tillandsia circinnata</i> | | | | | | | | |
| <i>Tillandsia plumosa</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia polystachya</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia pruinosa</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia punctulata</i> | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia purpurea</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia reichenbachii</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia schiedeana</i> | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Tillandsia seleriana</i> | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Tillandsia straminea</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia streptocarpa</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia streptophylla</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Tillandsia stricta</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia tectorum</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia tenuifolia</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia tricolor</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia usneoides</i> No Common Name Found | FO | 1.00 | G3 | 7-8 | 9-11 | | 1.00 | 8 |
| <i>Tillandsia utriculata</i> No Common Name Found | FO | 1.00 | G3 | 8-9B | 10A-11 | | 1.00 | 8 |
| <i>Tillandsia valenzuelana</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia vernicosa</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tillandsia xerographica</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Tipuana tipu</i> Rose Wood | BE | 0.97 | G1 | 10 | 11 | 0.87 | 0.60 | 10 |
| <i>Tithonia diversifolia</i> No Common Name Found | HP | 0.68 | G4 | 10A | 10B-11 | | | |
| <i>Tithonia rotundifolia</i> Mexican Sunflower | HP | 0.68 | G4 | 10A | 10B-11 | | | |
| <i>Tithonia rotundifolia</i> 'Fiesta Del Sol' Fiesta Del Sol Mexican Sunflower | HP | 0.87 | G4 | 10A | 10B-11 | | | |
| <i>Tolmiea menziesii</i> Pickaback Plant | HP | 1.84 | G4 | 6-7 | 8-10A | | | |
| <i>Toona sinensis</i> No Common Name Found | DT | 1.10 | G2 | 3-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Torenia fournieri</i> Wishbone Flower | AN | 0.79 | G4 | 6-10A | 10B-11 | | | |
| <i>Torenia fournieri</i> 'Clown Series' Clown Series Wishbone Flower | AN | 0.74 | G4 | 6-10A | 10B-11 | | | |
| <i>Torenia fournieri</i> 'Summer Wave Blue' See - <i>Torenia fournieri</i> 'Sunrenilabu' P.P. 10843 | | | | | | | | |
| <i>Torenia fournieri</i> 'Summer Wave Series' Summer Wave Series Wishbone Flower | AN | 1.06 | G4 | 6-10A | 10B-11 | | | |
| <i>Torenia fournieri</i> 'Sunrenilabu' P.P. 10843 Summer Wave Blue Wishbone Flower | AN | 0.66 | G4 | 6-9 | 10-11 | | | |
| <i>Townsendia eximia</i> Townsend Daisy | AN | 1.00 | G4 | 3-4 | 5-6 | | | |
| <i>Townsendia formosa</i> No Common Name Found | HP | 1.00 | G4 | 3-4 | 5-6 | | | |
| <i>Townsendia rothrockii</i> No Common Name Found | HP | 1.00 | G4 | 3 | 4-6 | | | |
| <i>Trachelium jacquinii</i> ssp. <i>rumelianum</i> Rumelian Throatwort | HP | 1.00 | G4 | 6-8 | 9-10 | | | |
| <i>Trachelospermum asiaticum</i> Asiatic Jasmine | GC | 0.48 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Trachelospermum asiaticum</i> 'Ang Yo' Ang Yo Asiatic Jasmine | GC | 0.63 | G4 | 6-9 | 10 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Trachelospermum asiaticum</i> 'Asia Minor' P.P. 5346 Asia Minor Asiatic Jasmine | GC | 0.68 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Trachelospermum asiaticum</i> 'Bronze Beauty' Bronze Beauty Asiatic Jasmine | GC | 0.49 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Trachelospermum asiaticum</i> 'Elegant' Elegant Asiatic Jasmine | GC | 0.88 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Trachelospermum asiaticum</i> 'Minima' Minima Asiatic Jasmine | GC | 0.45 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Trachelospermum asiaticum</i> 'Red Top' Red Top Asiatic Jasmine | GC | 0.45 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Trachelospermum asiaticum</i> 'Texas Long' Texas Long Asiatic Jasmine | GC | 0.48 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Trachelospermum asiaticum</i> 'Tricolor' Tricolor Asiatic Jasmine | GC | 0.49 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Trachelospermum asiaticum</i> 'Variegata' Variegated Asiatic Jasmine | GC | 0.51 | G4 | 6-9 | 10 | | 1.00 | 9 |
| <i>Trachelospermum jasminoides</i> Confederate Jasmine | GC | 0.67 | G4 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Trachelospermum jasminoides</i> 'Madison' Madison Confederate Jasmine | GC | 1.04 | G4 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Trachelospermum jasminoides</i> 'Tricolor' Tricolor Confederate Jasmine | GC | 0.51 | G4 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Trachelospermum jasminoides</i> 'Variegatum' Variegated Confederate Jasmine | GC | 0.65 | G4 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Trachycarpus fortunei</i> Windmill Palm | PC | 1.02 | G2 | 8-9 | 10-11 | | 1.91 | 8 |
| <i>Trachycarpus latisectus</i> Windamere Palm | PC | 1.00 | G2 | 8 | 9-11 | | 1.00 | 7 |
| <i>Trachycarpus martianus</i> No Common Name Found | PC | 1.00 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Trachycarpus takil</i> No Common Name Found | PC | 1.00 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Trachycarpus wagnerianus</i> No Common Name Found | PC | 1.00 | G2 | 8 | 9-11 | | 1.00 | 8 |
| <i>Trachystemon orientalis</i> No Common Name Found | GC | 0.64 | G4 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Tradescantia</i> Spiderwort | HP | 0.93 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Billberry Ice' Billberry Ice Spiderwort | HP | 1.03 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Blue Stone' Blue Stone Spiderwort | HP | 0.90 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Carmine Glow' Carmine Glow Spiderwort | HP | 0.59 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Concord Grape' Concord Grape Spiderwort | HP | 1.06 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Danielle' Danielle Spiderwort | HP | 0.59 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Hawaiian Punch' Hawaiian Punch Spiderwort | HP | 0.93 | G4 | 6-7 | 8-10B | | | |
| <i>Tradescantia</i> 'Innocence' Innocence Spiderwort | HP | 0.90 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Isis' Isis Spiderwort | HP | 0.82 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'J.C. Weguelin' J.C. Weguelin Spiderwort | HP | 0.92 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Little Doll' Little Doll Spiderwort | HP | 0.91 | G4 | 6-7 | 8-10B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Tradescantia</i> 'Little White Doll' Little White Doll Spiderwort | HP | 1.22 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Osprey' Osprey Spiderwort | FO | 0.51 | G4 | 6-7 | 8-10B | | 1.00 | 4 |
| <i>Tradescantia</i> 'Pauline' Pauline Spiderwort | HP | 0.96 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Purple Dome' Purple Dome Spiderwort | HP | 0.93 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Purple Profusion' Purple Profusion Spiderwort | HP | 1.11 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Red Cloud' Red Cloud Spiderwort | HP | 0.94 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Red Grape' Red Grape Spiderwort | HP | 0.85 | G4 | 6-7 | 8-10B | | | |
| <i>Tradescantia</i> 'Rubra' Red Spiderwort | HP | 0.98 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Snowcap' Snowcap Spiderwort | HP | 0.92 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Sweet Kate' Sweet Kate Spiderwort | HP | 1.09 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Valor' Valor Spiderwort | HP | 0.96 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> 'Zwanenburg Blue' Zwanenburg Blue Spiderwort | HP | 1.00 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia</i> x <i>andersoniana</i> See - <i>Tradescantia virginiana</i> | | | | | | | | |
| <i>Tradescantia cerinthoides</i> Flowering Inch Plant | FO | 0.40 | G4 | 6-7 | 8-10B | | 1.00 | 7 |
| <i>Tradescantia fluminensis</i> No Common Name Found | FO | 0.30 | G3 | 6-10A | 10B-11 | | 1.00 | 9 |
| <i>Tradescantia fluminensis</i> 'Tricolor Minima' Tricolor Minima Spiderwort | FO | 0.30 | G3 | 6-10A | 10B-11 | | 1.00 | 9 |
| <i>Tradescantia hirsuticaulis</i> Virginia Spiderwort | HP | 0.83 | G4 | 6 | 7-9B | | | |
| <i>Tradescantia microfolia</i> Bolivian Jew Spiderwort | FO | 0.30 | G2 | 6-10 | 11 | | 1.00 | 10 |
| <i>Tradescantia ohioensis</i> Ohio Spiderwort | HP | 0.67 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia ohioensis</i> 'Alba' White Ohio Spiderwort | HP | 0.65 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia pallida</i> No Common Name Found | FO | 0.43 | G3 | 8-9A | 9B-11 | | 1.00 | 8 |
| <i>Tradescantia pallida</i> 'Purpurea' Purple Heart Spiderwort | FO | 0.32 | G3 | 8-9A | 9B-11 | | 1.00 | 8 |
| <i>Tradescantia sillamontana</i> No Common Name Found | FO | 0.42 | G3 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Tradescantia spathacea</i> Oyster Plant | FO | 0.31 | G3 | 8-11 | | | 1.00 | 9 |
| <i>Tradescantia spathacea</i> 'Vittata' Variegated Oyster Plant | FO | 0.31 | G3 | 8-10 | 11 | | 1.00 | 9 |
| <i>Tradescantia virginiana</i> Spiderwort | HP | 0.78 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia virginiana</i> 'Alba' White Spiderwort | HP | 0.92 | G4 | 6-7 | 8-9B | | | |
| <i>Tradescantia zebrina</i> Wandering Jew | FO | 0.44 | G3 | 6-10A | 10B-11 | | 1.00 | 9 |
| <i>Trevesia palmata</i> Himalayan Trevisia | FO | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Tribulus cistoides</i> Puncture Vine | BS | 0.68 | G4 | 10 | 11 | | 1.00 | 10 |
| <i>Trichantha pulchra</i> No Common Name Found | FO | 0.76 | G3 | 9-10 | 11 | | 1.00 | 10 |
| <i>Trichantha pulchra</i> 'Orange Sherbet' Orange Sherbet Trichantha | FO | 0.76 | G3 | 9-10 | 11 | | 1.00 | 10 |
| <i>Trichillia dregeana</i> Forest Mahogany | BE | 1.00 | G1 | 10B | 11 | 1.00 | 1.00 | 10 |
| <i>Trichostema dichotomum</i> Bastard Pennyroyal | HP | 0.57 | G3 | 8-10A | 10B-11 | | | |
| <i>Trichostema lanatum</i> Woolly Blue Curls | BS | 1.12 | G3 | 8-10A | 10B-11 | | 1.00 | 7 |
| <i>Tricopilia saavis</i> No Common Name Found | FO | 3.57 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Tricyrtis</i> Toad Lily | HP | 1.26 | G4 | 4-5 | 6-8 | | | |
| <i>Tricyrtis</i> 'Kohaku' Kohaku Toad Lily | HP | 1.30 | G4 | 4-5 | 6-8 | | | |
| <i>Tricyrtis</i> 'Shirohototgisu' Shirohototgisu Toad Lily | HP | 1.21 | G4 | 4-5 | 6-8 | | | |
| <i>Tricyrtis formosana</i> Formosa Toad Lily | HP | 0.90 | G4 | 7 | 8-9A | | | |
| <i>Tricyrtis formosana</i> 'Samurai' Samurai Formosa Toad Lily | HP | 1.01 | G4 | 4-6 | 7-8 | | | |
| <i>Tricyrtis hirta</i> Common Toad Lily | HP | 1.12 | G4 | 5-6 | 7-8 | | | |
| <i>Tricyrtis hirta</i> 'Albo-Marginata' Albo-Marginata Common Toad Lily | HP | 1.18 | G4 | 5-6 | 7-8 | | | |
| <i>Tricyrtis hirta</i> 'Aureo-Marginata' Aureo-Marginata Common Toad Lily | HP | 1.18 | G4 | 5-6 | 7-8 | | | |
| <i>Tricyrtis hirta</i> 'Miyazaki' Miyazaki Common Toad Lily | HP | 1.07 | G4 | 5-6 | 7-8 | | | |
| <i>Tricyrtis hirta</i> 'Variegata' Variegated Common Toad Lily | HP | 1.40 | G4 | 5-6 | 7-8 | | | |
| <i>Tricyrtis hirta</i> 'White Towers' White Towers Common Toad Lily | HP | 1.11 | G4 | 5-6 | 7-8 | | | |
| <i>Tricyrtis macrantha</i> No Common Name Found | HP | 0.75 | G4 | 6-7 | 8 | | | |
| <i>Tricyrtis macropoda</i> Speckled Toad Lily | HP | 1.05 | G4 | 5-6 | 7-8 | | | |
| <i>Tricyrtis macropoda</i> 'Sinonome' Sinonome Toad Lily | HP | 0.94 | G4 | 4-5 | 6-8 | | | |
| <i>Tricyrtis macropoda</i> 'Togen' Togen Toad Lily | HP | 1.15 | G4 | 4-5 | 6-8 | | | |
| <i>Tricyrtis maculata</i> No Common Name Found | HP | 0.86 | G4 | 4-5 | 6-8 | | | |
| <i>Tricyrtis stolonifera</i> See - <i>Tricyrtis formosana</i> | | | | | | | | |
| <i>Trifolium repens</i> Shamrock Clover | HP | 0.72 | G4 | 4-5 | 6-10B | | | |
| <i>Trifolium repens</i> 'Atropurpureum' Atropurpureum White Clover | HP | 1.06 | G4 | 4-5 | 6-10B | | | |
| <i>Trillium catesbaei</i> Rosy Trillium | HP | 1.12 | G4 | 4-8 | 9-10 | | | |
| <i>Trillium chloropetalum</i> Giant Wakerobin | HP | 1.46 | G4 | 4-6 | 7-10A | | | |
| <i>Trillium erectum</i> Purple Trillium | HP | 1.59 | G4 | 3-4 | 5-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Trillium grandiflorum</i> White Trillium | HP | 1.77 | G4 | 3-5 | 6-7 | | | |
| <i>Trillium grandiflorum</i> 'Flore pleno' Double Flowering Trillium | HP | 1.77 | G4 | 3-5 | 6-7 | | | |
| <i>Trillium luteum</i> Yellow Wood Trillium | HP | 1.35 | G4 | 3-5 | 6-7 | | | |
| <i>Trillium ovatum</i> Coast Trillium | HP | 1.46 | G4 | 4-5 | 6-10A | | | |
| <i>Trillium recurvatum</i> Red Trillium | HP | 1.51 | G4 | 3-5 | 6-7 | | | |
| <i>Trillium sessile</i> Toad Trillium | HP | 0.79 | G4 | 4 | 5-7 | | | |
| <i>Trillium stylosum</i> See - <i>Trillium catesbaei</i> | | | | | | | | |
| <i>Trillium undulatum</i> Painted Trillium | HP | 1.46 | G4 | 4 | 5-7 | | | |
| <i>Trillium viride</i> var. <i>luteum</i> See - <i>Trillium luteum</i> | | | | | | | | |
| <i>Trimezia martinicensis</i> No Common Name Found | HP | 0.54 | G4 | 10 | 11 | | | |
| <i>Triphasia trifolia</i> Lime Berry | BS | 0.74 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Triplaris cumingiana</i> No Common Name Found | BE | 0.83 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Triplaris surinamensis</i> See - <i>Triplaris weigeltiana</i> | | | | | | | | |
| <i>Triplaris weigeltiana</i> Guayabo Hormiguero | BE | 1.00 | G1 | 10 | 11 | 1.00 | 1.00 | 10 |
| <i>Tripsacum dactyloides</i> Fakahatchee Grass | HP | 0.74 | G4 | 8 | 9-11 | | | |
| <i>Tripsacum floridana</i> Florida Gama Grass | HP | 0.59 | G4 | 8 | 9-11 | | | |
| <i>Tristania conferta</i> Brisbane Box Tree | BE | 1.00 | G2 | 9-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Tristellateia australasiae</i> Galphimia Vine | GC | 1.00 | G4 | 9 | 10-11 | | 1.00 | 9 |
| <i>Triteleia hyacintha</i> White Brodiaea | HP | 0.99 | G4 | 3-4 | 5-7 | | | |
| <i>Triteleia laxa</i> Grass Nut | HP | 0.78 | G4 | 3-4 | 5-7 | | | |
| <i>Triteleia laxa</i> 'Queen Fabiola' Queen Fabiola Grass Nut | HP | 0.78 | G4 | 3-4 | 5-7 | | | |
| <i>Triteleia peduncularis</i> Long-rayed Tritelia | HP | 1.00 | G4 | 3-6 | 7-8 | | | |
| <i>Trithrinax acanthocoma</i> Spiny Fibre Palm | PC | 1.24 | G1 | 9B-10A | 10B | | 1.00 | 9 |
| <i>Tritoma uvaria</i> See - <i>Kniphofia uvaria</i> | | | | | | | | |
| <i>Tritonia crocata</i> No Common Name Found | HP | 0.70 | G4 | 8-9 | 10A-11 | | | |
| <i>Tritonia crocata</i> 'Princess Beatrix' Princess Beatrix Tritonia | HP | 0.99 | G4 | 8-9 | 10A-11 | | | |
| <i>Tritonia hyalina</i> No Common Name Found | HP | 0.99 | G4 | 8-9 | 10A-11 | | | |
| <i>Trollius chinensis</i> No Common Name Found | HP | 1.00 | G4 | 5 | 6-7 | | | |
| <i>Trollius x cultorum</i> Hybrid Globeflower | HP | 1.09 | G4 | 5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Trollius x cultorum</i> 'Alabaster' Alabaster Hybrid Globeflower | HP | 1.09 | G4 | 5 | 6-7 | | | |
| <i>Trollius x cultorum</i> 'Earliest of All' Earliest of All Hybrid Globeflower | HP | 1.24 | G4 | 5 | 6-7 | | | |
| <i>Trollius x cultorum</i> 'Golden Queen' Golden Queen Hybrid Globeflower | HP | 0.95 | G4 | 5 | 6-7 | | | |
| <i>Trollius x cultorum</i> 'Lemon Queen' Lemon Queen Hybrid Globeflower | HP | 1.32 | G4 | 5 | 6-7 | | | |
| <i>Trollius x cultorum</i> 'Orange Globe' Orange Globe Hybrid Globeflower | HP | 0.85 | G4 | 5 | 6-7 | | | |
| <i>Trollius europaeus</i> Common Globeflower | HP | 1.05 | G4 | 5 | 6-8 | | | |
| <i>Trollius europaeus</i> 'Superbus' Superbus Common Globeflower | HP | 1.09 | G4 | 5 | 6-8 | | | |
| <i>Trollius laxus</i> American Globeflower | HP | 1.30 | G4 | 5 | 6-8 | | | |
| <i>Trollius pumilus</i> No Common Name Found | HP | 0.83 | G4 | 5 | 6-8 | | | |
| <i>Tsuga canadensis</i> Canadian Hemlock | CE | 0.81 | G2 | 2-4 | 5-7 | 1.00 | 0.92 | 4 |
| <i>Tsuga canadensis</i> 'Abbott's Dwarf' Abbott's Dwarf Canadian Hemlock | CS | 2.08 | G2 | 2-4 | 5-7 | | 2.78 | 4 |
| <i>Tsuga canadensis</i> 'Abbott's Pygmy' Abbott's Pygmy Canadian Hemlock | CS | 2.35 | G2 | 2-4 | 5-7 | | 2.78 | 4 |
| <i>Tsuga canadensis</i> 'Albo-spica' Albo-spica Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 4.98 | 4 |
| <i>Tsuga canadensis</i> 'Angustifolia' Narrowleaf Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Aurea Compacta' See - <i>Tsuga canadensis</i> 'Everitt Golden' | | | | | | | | |
| <i>Tsuga canadensis</i> 'Aurea' Golden Variegated Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 3.57 | 4 |
| <i>Tsuga canadensis</i> 'Baldwin Dwarf Pyramid' Baldwin Dwarf Pyramid Canadian Hemlock | CS | 3.00 | G2 | 2-4 | 5-7 | | 2.78 | 4 |
| <i>Tsuga canadensis</i> 'Beaujean' Beaujean Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 1.32 | 4 |
| <i>Tsuga canadensis</i> 'Beehive' Beehive Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.61 | 4 |
| <i>Tsuga canadensis</i> 'Bennett' Bennett Canadian Hemlock | CE | 1.79 | G2 | 2-4 | 5-7 | 1.00 | 2.89 | 4 |
| <i>Tsuga canadensis</i> 'Bergman's Snowflake' Bergman's Snowflake Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Betty Rose' Betty Rose Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Brandley' Brandley Canadian Hemlock | CE | 1.83 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Canby' Canby Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Cloud Prune' Cloud Prune Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Coffin' Coffin Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Cole's Prostrate' Cole's Prostrate Canadian Hemlock | CE | 2.21 | G2 | 2-4 | 5-7 | 1.00 | 2.66 | 4 |
| <i>Tsuga canadensis</i> 'Creamey' Creamey Canadian Hemlock | CE | 1.19 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Curley' Curley Canadian Hemlock | CE | 1.54 | G2 | 2-4 | 5-7 | 1.00 | 3.05 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Tsuga canadensis</i> 'Dawsoniana' Dawson Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Dwarf Upright' Dwarf Upright Canadian Hemlock | CS | 2.35 | G2 | 2-4 | 5-7 | | 2.78 | 4 |
| <i>Tsuga canadensis</i> 'Elm City' Elm City Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Emerald Fountain' See - <i>Tsuga canadensis</i> 'Monler' P.P.A.F. | | | | | | | | |
| <i>Tsuga canadensis</i> 'Emerald King' See - <i>Tsuga canadensis</i> 'Monen' | | | | | | | | |
| <i>Tsuga canadensis</i> 'Everitt Golden' Everitt Golden Canadian Hemlock | CE | 1.32 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Fantana' Fantana Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 1.32 | 4 |
| <i>Tsuga canadensis</i> 'Fremdii' Fremd Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Frosty' Frosty Canadian Hemlock | CE | 1.19 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Geneva' Geneva Canadian Hemlock | CE | 1.80 | G2 | 2-4 | 5-7 | 1.00 | 3.37 | 4 |
| <i>Tsuga canadensis</i> 'Gentsch White' Gentsch White Canadian Hemlock | CE | 1.24 | G2 | 2-4 | 5-7 | 1.00 | 2.37 | 4 |
| <i>Tsuga canadensis</i> 'Golden Splendor' Golden Splendor Canadian Hemlock | CE | 1.18 | G2 | 2-4 | 5-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Gracilis' Gracilis Canadian Hemlock | CE | 1.74 | G2 | 2-4 | 5-7 | 1.00 | 2.72 | 4 |
| <i>Tsuga canadensis</i> 'Greenbrier' Greenbrier Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Harmon' Harmon Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Horsford Compact' Horsford Compact Canadian Hemlock | CS | 2.35 | G2 | 2-4 | 5-7 | | 2.78 | 4 |
| <i>Tsuga canadensis</i> 'Horsford Contorted' Horsford Contorted Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Humphrey Welch' Humphrey Welch Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Hussii' Huss Twigg Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'J-210' J-210 Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Jacqueline Verkade' Jacqueline Verkade Canadian Hemlock | CE | 2.72 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Jeddeloh' Jeddeloh Canadian Hemlock | CE | 1.33 | G2 | 2-4 | 5-7 | 1.00 | 3.14 | 4 |
| <i>Tsuga canadensis</i> 'Jervis' Jervis Canadian Hemlock | CE | 1.92 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Kelsey's Weeping' Kelsey's Weeping Eastern Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Kingsville #9' Kingsville #9 Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'LaBar White Tip' LaBar White Tip Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Lewis' Lewis Dwarf Canadian Hemlock | CS | 2.51 | G2 | 2-4 | 5-7 | | 2.78 | 4 |
| <i>Tsuga canadensis</i> 'Minima' Minima Canadian Hemlock | CS | 2.35 | G2 | 2-4 | 5-7 | | 2.78 | 4 |
| <i>Tsuga canadensis</i> 'Minuta' Minuta Canadian Hemlock | CS | 2.62 | G2 | 2-4 | 5-7 | | 2.78 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Tsuga canadensis</i> 'Monen' Emerald King™ Canadian Hemlock | CE | 1.96 | G2 | 2-4 | 5-7 | 1.00 | 1.98 | 4 |
| <i>Tsuga canadensis</i> 'Monler' P.P.A.F. Emerald Fountain™ Canadian Hemlock | CE | 1.94 | G2 | 2-4 | 5-7 | 1.00 | 1.98 | 4 |
| <i>Tsuga canadensis</i> 'Mt. Bachelor' Mt. Bachelor Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Mt. Jefferson' Mt. Jefferson Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Mt. South Sister' Mt. South Sister Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Mt. St. Helens' Mt. St. Helens Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'New Gold' New Gold Canadian Hemlock | CE | 1.18 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Palamino' Palamino Canadian Hemlock | CE | 1.62 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Pendula' Weeping Canadian Hemlock | CE | 2.48 | G2 | 2-4 | 5-7 | 1.00 | 2.09 | 4 |
| <i>Tsuga canadensis</i> 'Prostrata' Prostrate Eastern Hemlock | CS | 2.35 | G2 | 2-4 | 5-7 | | 2.78 | 4 |
| <i>Tsuga canadensis</i> 'Pygmaea' See - <i>Tsuga canadensis</i> 'Abbott's Pygmy' | | | | | | | | |
| <i>Tsuga canadensis</i> 'Rugg's Washington Dwarf' Rugg's Washington Dwarf Canadian Hemlock | CS | 3.33 | G2 | 2-4 | 5-7 | | 2.78 | 4 |
| <i>Tsuga canadensis</i> 'Sargentii' See - <i>Tsuga canadensis</i> 'Pendula' | | | | | | | | |
| <i>Tsuga canadensis</i> 'Sherwood Compact' Sherwood Compact Canadian Hemlock | CS | 1.72 | G2 | 2-4 | 5-7 | | 2.78 | 4 |
| <i>Tsuga canadensis</i> 'Slenderella' Slenderella Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Stewart's Gem' Stewart's Gem Canadian Hemlock | CS | 2.85 | G2 | 2-4 | 5-7 | | 2.78 | 4 |
| <i>Tsuga canadensis</i> 'Stockman's Dwarf' Stockman's Dwarf Canadian Hemlock | CS | 1.30 | G2 | 2-4 | 5-7 | | 2.78 | 4 |
| <i>Tsuga canadensis</i> 'Stranger' Stranger Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Summer Snow' Summer Snow Canadian Hemlock | CE | 2.17 | G2 | 2-4 | 5-7 | 1.00 | 2.21 | 4 |
| <i>Tsuga canadensis</i> 'Tualatin' Tualatin Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga canadensis</i> 'Von Helms' Von Helms Canadian Hemlock | CS | 1.74 | G2 | 2-4 | 5-7 | | 2.78 | 4 |
| <i>Tsuga canadensis</i> 'Warner's Globe' Warner's Globe Canadian Hemlock | CE | 1.67 | G2 | 2-4 | 5-7 | 1.00 | 2.45 | 4 |
| <i>Tsuga caroliniana</i> Carolina Hemlock | CE | 0.83 | G2 | 2-5 | 6-7 | 1.00 | 1.08 | 5 |
| <i>Tsuga caroliniana</i> 'LaBar Weeping' LaBar Weeping Carolina Hemlock | CE | 0.83 | G2 | 2-5 | 6-7 | 1.00 | 1.98 | 5 |
| <i>Tsuga chinensis</i> Chinese Hemlock | CE | 0.70 | G2 | 2-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Tsuga diversifolia</i> Northern Japanese Hemlock | CE | 1.16 | G2 | 2-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Tsuga heterophylla</i> Western Hemlock | CE | 0.76 | G2 | 2-6 | 7 | 1.00 | 0.81 | 6 |
| <i>Tsuga heterophylla</i> 'Tharsen's Weeping' Tharsen's Weeping Western Hemlock | CE | 1.26 | G2 | 2-6 | 7 | 1.00 | 0.81 | 6 |
| <i>Tsuga mertensiana</i> Mountain Hemlock | CE | 1.07 | G2 | 2-4 | 5-7 | 1.00 | 1.13 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Tsuga mertensiana</i> 'Elizabeth' Elizabeth Mountain Hemlock | CE | 1.07 | G2 | 2-4 | 5-7 | 1.00 | 1.13 | 4 |
| <i>Tsuga mertensiana</i> 'Nana' Dwarf Mountain Hemlock | CS | 1.00 | G2 | 2-4 | 5-7 | | 1.00 | 4 |
| <i>Tsuga mertensiana</i> 'Van's Prostrate' Van's Prostrate Mountain Hemlock | CS | 1.00 | G2 | 2-4 | 5-7 | | 1.00 | 4 |
| <i>Tsuga sieboldii</i> Southern Japanese Hemlock | CE | 1.00 | G2 | 2-6 | 7 | 1.00 | 2.62 | 6 |
| <i>Tulbaghia fragrans</i> Sweet Garlic | HP | 0.74 | G4 | 7-8 | 9-11 | | | |
| <i>Tulbaghia violacea</i> Society Garlic | HP | 0.74 | G4 | 7-8 | 9-11 | | | |
| <i>Tulbaghia violacea</i> 'Silver Lace' Silver Lace Society Garlic | HP | 0.80 | G4 | 7-8 | 9-11 | | | |
| <i>Tulbaghia violacea</i> 'Tricolor' Tricolor Society Garlic | HP | 0.89 | G4 | 7-8 | 9-11 | | | |
| <i>Tulbaghia violacea</i> 'Variegata' Variegated Society Garlic | HP | 1.00 | G4 | 7-8 | 9-11 | | | |
| <i>Tupidanthus calypratus</i> See - <i>Schefflera pueckleri</i> | | | | | | | | |
| <i>Turnera subulata</i> See - <i>Turnera ulmifolia</i> | | | | | | | | |
| <i>Turnera ulmifolia</i> West Indian Holly | HP | 0.56 | G1 | 10 | 11 | | | |
| <i>Turnera ulmifolia</i> 'D.J.'s Yellow' D.J.'s Yellow West Indian Holly | HP | 0.62 | G1 | 10 | 11 | | | |
| <i>Tussilago farfara</i> No Common Name Found | HP | 0.68 | G4 | 4-5 | 6-7 | | | |
| <i>Tweedia caerulea</i> No Common Name Found | HP | 0.78 | G4 | 8-9 | 10 | | | |
| <i>Typha angustifolia</i> Narrowleaf Cattail | HP | 0.98 | G4 | 2 | 3-8 | | | |
| <i>Typha latifolia</i> Common Cattail | HP | 1.32 | G4 | 2-3 | 4-8 | | | |
| <i>Typha laximannii</i> Graceful Cattail | HP | 1.00 | G4 | 2-3 | 4-8 | | | |
| <i>Typha minima</i> Miniature Cattail | HP | 1.17 | G4 | 3 | 4-8 | | | |
| <i>Typha shuttleworthii</i> No Common Name Found | HP | 1.14 | G4 | 4-5 | 6-7 | | | |
| <i>Ugni molinae</i> Chilean Guava | BS | 0.87 | G2 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Ulmus</i> Elm | DT | 1.34 | G2 | 2-3 | 4-7 | 1.19 | 0.41 | 3 |
| <i>Ulmus</i> 'Accolade' See - <i>Ulmus</i> 'Morton' | | | | | | | | |
| <i>Ulmus</i> 'Cathedral' P.P. 8683 Cathedral Hybrid Elm | DT | 1.45 | G2 | 3-5 | 6-7 | 1.19 | 0.41 | 5 |
| <i>Ulmus</i> 'Commendation' See - <i>Ulmus</i> 'Morton Stalwart' | | | | | | | | |
| <i>Ulmus</i> 'Danada Charm' See - <i>Ulmus</i> 'Morton Red Tip' | | | | | | | | |
| <i>Ulmus</i> 'Delaware #2' Delaware #2 Hybrid Elm | DT | 1.80 | G2 | 3 | 4-7 | 1.42 | 0.41 | 3 |
| <i>Ulmus</i> 'Frontier' Frontier Hybrid Elm | DT | 1.02 | G2 | 3-5 | 6-7 | 1.09 | 0.41 | 5 |
| <i>Ulmus</i> 'Homestead' Homestead Hybrid Elm | DT | 1.20 | G2 | 3-5 | 6-7 | 1.20 | 0.41 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Ulmus</i> 'Lincoln' P.P. 5015 Lincoln Hybrid Elm | DT | 1.34 | G2 | 3 | 4-7 | 1.54 | 0.41 | 3 |
| <i>Ulmus</i> 'Morton Glossy' Triumph™ Hybrid Elm | DT | 1.48 | G2 | 3-5 | 6-7 | 1.19 | 0.41 | 5 |
| <i>Ulmus</i> 'Morton Plainsman' Vanguard™ Hybrid Elm | DT | 1.34 | G2 | 3-5 | 6-7 | 0.86 | 0.41 | 5 |
| <i>Ulmus</i> 'Morton Red Tip' Danada Charm™ Elm | DT | 1.34 | G2 | 3-4 | 5-7 | 1.19 | 0.41 | 4 |
| <i>Ulmus</i> 'Morton Stalwart' Commendation™ Hybrid Elm | DT | 1.34 | G2 | 3-5 | 6-7 | 1.17 | 0.41 | 5 |
| <i>Ulmus</i> 'Morton' Accolade™ Hybrid Elm | DT | 1.20 | G2 | 3-5 | 6-7 | 1.11 | 0.41 | 5 |
| <i>Ulmus</i> 'New Horizon' P.P. 8684 New Horizon Hybrid Elm | DT | 1.34 | G2 | 3-5 | 6-7 | 1.23 | 0.41 | 5 |
| <i>Ulmus</i> 'Patriot' Patriot Hybrid Elm | DT | 0.85 | G2 | 3-5 | 6-7 | 0.97 | 0.41 | 5 |
| <i>Ulmus</i> 'Regal' P.P. 5335 Regal Hybrid Elm | DT | 1.68 | G2 | 3-5 | 6-7 | 1.30 | 0.41 | 5 |
| <i>Ulmus</i> 'Sapporo Autumn Gold' P.P. 3780 Sapporo Autumn Gold Hybrid Elm | DT | 1.34 | G2 | 3-5 | 6-7 | 1.19 | 0.41 | 5 |
| <i>Ulmus</i> 'Triumph' See - <i>Ulmus</i> 'Morton Glossy' | | | | | | | | |
| <i>Ulmus</i> 'Urban' Urban Hybrid Elm | DT | 1.34 | G2 | 3-5 | 6-7 | 1.23 | 0.41 | 5 |
| <i>Ulmus</i> 'Vanguard' See - <i>Ulmus</i> 'Morton Plainsman' | | | | | | | | |
| <i>Ulmus alata</i> Small-leaved Elm | DT | 0.74 | G2 | 3-4 | 5-9B | 0.69 | 0.90 | 4 |
| <i>Ulmus americana</i> American Elm | DT | 0.62 | G1 | 2-3 | 4-9 | 1.12 | 0.36 | 2 |
| <i>Ulmus americana</i> 'Brandon' Brandon American Elm | DT | 1.01 | G2 | 2-3 | 4-7 | 1.31 | 0.36 | 2 |
| <i>Ulmus americana</i> 'New Harmony' New Harmony American Elm | DT | 1.01 | G2 | 2-3 | 4-7 | 1.45 | 0.36 | 2 |
| <i>Ulmus americana</i> 'Princeton' Princeton American Elm | DT | 1.40 | G1 | 2-3 | 4-9 | 1.45 | 0.36 | 2 |
| <i>Ulmus americana</i> 'Valley Forge' Valley Forge American Elm | DT | 1.01 | G2 | 2-3 | 4-9 | 1.21 | 0.36 | 2 |
| <i>Ulmus americana</i> var. <i>floridana</i> Florida American Elm | DT | 0.61 | G2 | 6-7 | 8-10A | 1.00 | 0.66 | 2 |
| <i>Ulmus carpinifolia</i> Smoothleaf Elm | DT | 1.00 | G2 | 3-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Ulmus crassifolia</i> Cedar Elm | DT | 0.81 | G2 | 6-7 | 8-10A | 0.61 | 1.00 | 7 |
| <i>Ulmus davidiana</i> var. <i>japonica</i> See - <i>Ulmus japonica</i> | | | | | | | | |
| <i>Ulmus glabra</i> Scotch Elm | DT | 1.77 | G2 | 3-5 | 6-7 | 1.08 | 18.18 | 5 |
| <i>Ulmus glabra</i> 'Camperdownii' Camperdown Elm | DT | 1.77 | G2 | 3-5 | 6-7 | 1.18 | 18.18 | 5 |
| <i>Ulmus glabra</i> 'Horizontalis' Weeping Wych Elm | DT | 1.77 | G2 | 3-5 | 6-7 | 0.98 | 18.18 | 5 |
| <i>Ulmus glabra</i> 'Pendula' See - <i>Ulmus glabra</i> 'Horizontalis' | | | | | | | | |
| <i>Ulmus x hollandica</i> Dutch Elm | DT | 1.75 | G2 | 3-5 | 6-7 | 1.10 | 1.59 | 5 |
| <i>Ulmus x hollandica</i> 'Groeneveld' Groeneveld Dutch Elm | DT | 1.75 | G2 | 3-5 | 6-7 | 1.10 | 1.25 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | High/Wide | |
| <i>Ulmus x hollandica</i> 'Pioneer' Pioneer Dutch Elm | DT | 1.75 | G2 | 3-5 | 6-7 | 1.10 | 1.92 | 5 |
| <i>Ulmus japonica</i> Japanese Elm | DT | 1.38 | G2 | 6 | 7-10A | 1.53 | 1.00 | 5 |
| <i>Ulmus japonica</i> 'Discovery' Discovery Japanese Elm | DT | 1.38 | G2 | 6 | 7-10A | 1.53 | 1.00 | 5 |
| <i>Ulmus parvifolia</i> Chinese Elm | DT | 0.86 | G2 | 3-5 | 6-10 | 1.02 | 0.61 | 5 |
| <i>Ulmus parvifolia</i> 'Allee' See - <i>Ulmus parvifolia</i> 'Emer II' P.P. 7552 | | | | | | | | |
| <i>Ulmus parvifolia</i> 'Aross/Central Park' P.P. 6983 Central Park Splendor™ Chinese Elm | DT | 1.08 | G2 | 3-5 | 6-10 | 1.09 | 0.96 | 5 |
| <i>Ulmus parvifolia</i> 'Athena' See - <i>Ulmus parvifolia</i> 'Emer I' P.P. 7551 | | | | | | | | |
| <i>Ulmus parvifolia</i> 'Bosque' See - <i>Ulmus parvifolia</i> 'UPMTF' P.P. 11295 | | | | | | | | |
| <i>Ulmus parvifolia</i> 'Burgundy' Burgundy Chinese Elm | DT | 1.08 | G2 | 2-5 | 6-10 | 1.31 | 0.96 | 5 |
| <i>Ulmus parvifolia</i> 'Central Park Splendor' See - <i>Ulmus parvifolia</i> 'Aross/Central Park' P.P. 6983 | | | | | | | | |
| <i>Ulmus parvifolia</i> 'Drake' Drake Chinese Elm | DT | 0.84 | G2 | 3-5 | 6-10 | 0.85 | 0.70 | 5 |
| <i>Ulmus parvifolia</i> 'Dynasty' Dynasty Chinese Elm | DT | 0.98 | G2 | 3-5 | 6-10 | 1.02 | 0.97 | 5 |
| <i>Ulmus parvifolia</i> 'Emer I' P.P. 7551 Athena® Chinese Elm | DT | 1.01 | G2 | 3-5 | 6-10 | 1.23 | 0.79 | 5 |
| <i>Ulmus parvifolia</i> 'Emer II' P.P. 7552 Allee Chinese Elm | DT | 1.03 | G2 | 3-5 | 6-10 | 1.34 | 1.54 | 5 |
| <i>Ulmus parvifolia</i> 'Golden Rey' P.P. 7240 Golden Rey Chinese Elm | DT | 1.21 | G2 | 3-5 | 6-10 | 0.92 | 0.96 | 5 |
| <i>Ulmus parvifolia</i> 'Hokkaido' Hokkaido Chinese Elm | DT | 1.08 | G2 | 3-5 | 6-10 | 1.09 | 0.96 | 5 |
| <i>Ulmus parvifolia</i> 'King's Choice' King's Choice Chinese Elm | DT | 1.03 | G2 | 3-5 | 6-10 | 1.08 | 0.96 | 5 |
| <i>Ulmus parvifolia</i> 'Ohio' Ohio Chinese Elm | DT | 1.08 | G2 | 3-5 | 6-10 | 1.09 | 0.96 | 5 |
| <i>Ulmus parvifolia</i> 'Prince Richard' P.P. 10732 Prince Richard Chinese Elm | DT | 1.21 | G2 | 3-5 | 6-10 | 1.09 | 0.96 | 5 |
| <i>Ulmus parvifolia</i> 'Seiju' Seiju Chinese Elm | DT | 1.87 | G2 | 3-5 | 6-10 | 1.09 | 0.96 | 5 |
| <i>Ulmus parvifolia</i> 'Sempervirens' Evergreen Chinese Elm | DT | 0.86 | G2 | 3-5 | 6-10 | 1.09 | 0.96 | 5 |
| <i>Ulmus parvifolia</i> 'True Green' True Green Chinese Elm | DT | 1.05 | G2 | 3-5 | 6-10 | 0.88 | 1.12 | 5 |
| <i>Ulmus parvifolia</i> 'UPMTF' P.P. 11295 Bosque® Chinese Elm | DT | 0.95 | G2 | 3-5 | 6-10 | 1.25 | 0.96 | 5 |
| <i>Ulmus procera</i> English Elm | DT | 1.00 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Ulmus procera</i> 'Aurea' Golden English Elm | DT | 1.00 | G2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Ulmus pumila</i> Siberian Elm | DT | 0.73 | G2 | 3 | 4-7 | 0.48 | 0.31 | 3 |
| <i>Ulmus rubra</i> Slippery Elm | DT | 0.50 | G2 | 3 | 4-7 | 1.00 | 1.00 | 3 |
| <i>Ulmus wilsoniana</i> Wilson Elm | DT | 0.95 | G2 | 3-5 | 6-7 | 1.18 | 1.92 | 5 |
| <i>Ulmus wilsoniana</i> 'Prospector' Prospector Wilson Elm | DT | 0.95 | G2 | 3-5 | 6-7 | 1.18 | 1.92 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Umbellularia californica</i> Oregon Myrtle | BE | 1.01 | G2 | 7-8 | 9-10 | 1.00 | 1.05 | 7 |
| <i>Uncinia rubra</i> Hooked Sedge | HP | 1.00 | G4 | 6-8 | 9-10 | | | |
| <i>Uncinia uncinata</i> Hook Sedge | HP | 0.75 | G4 | 6-7 | 8 | | | |
| <i>Ungnadia speciosa</i> Mexican Buckeye | DS | 1.05 | G2 | 9-10 | 11 | | 1.12 | 7 |
| <i>Uniola latifolia</i> See - <i>Chasmanthium latifolium</i> | | | | | | | | |
| <i>Uniola paniculata</i> Sea Oats | HP | 0.49 | G4 | 5-7 | 8-11 | | | |
| <i>Urechites lutea</i> Wild Allamanda | GC | 0.82 | G1 | 10 | 11 | | 1.00 | 10B |
| <i>Urginea maritima</i> Sea Onion | HP | 1.00 | G4 | 8-9 | 10-11 | | | |
| <i>Uvularia grandiflora</i> Big Merrybells | HP | 1.21 | G4 | 3-4 | 5-7 | | | |
| <i>Uvularia sessilifolia</i> Wild Oats | HP | 1.00 | G4 | 4-5 | 6-8 | | | |
| <i>Vaccinium angustifolium</i> Lowbush Blueberry | SF | 1.40 | G2 | 2 | 3-9 | | 1.01 | 2 |
| <i>Vaccinium angustifolium</i> 'Brunswick' Brunswick Lowbush Blueberry | SF | 0.87 | G2 | 1-2 | 3-9 | | 1.01 | 2 |
| <i>Vaccinium angustifolium</i> 'Burgundy' Burgundy Lowbush Blueberry | SF | 0.86 | G2 | 1-2 | 3-9 | | 1.01 | 2 |
| <i>Vaccinium arboreum</i> Farkleberry | DS | 0.64 | G2 | 5-7 | 8-9A | | 1.00 | 7 |
| <i>Vaccinium ashei</i> Rabbiteye Blueberry | SF | 0.77 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Alice Blue' Alice Blue Rabbiteye Blueberry | SF | 0.62 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Austin' Austin Rabbiteye Blueberry | SF | 0.68 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Baldwin' Baldwin Rabbiteye Blueberry | SF | 0.62 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Becky Blue' Becky Blue Rabbiteye Blueberry | SF | 0.62 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Bluebelle' Bluebelle Rabbiteye Blueberry | SF | 0.62 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Bonita' Bonita Rabbiteye Blueberry | SF | 0.62 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Brightwell' Brightwell Rabbiteye Blueberry | SF | 0.70 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Briteblue' Briteblue Rabbiteye Blueberry | SF | 0.63 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Centurion' Centurion Rabbiteye Blueberry | SF | 0.70 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Chaucer' Chaucer Rabbiteye Blueberry | SF | 0.62 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Climax' Climax Rabbiteye Blueberry | SF | 0.78 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Delite' Delite Rabbiteye Blueberry | SF | 0.70 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Maru' Maru Rabbiteye Blueberry | SF | 0.68 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Powder Blue' Powder Blue Rabbiteye Blueberry | SF | 0.70 | G2 | 6-8 | 9-10 | | 1.00 | 8 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Vaccinium ashei</i> 'Premier' Premier Rabbiteye Blueberry | SF | 0.73 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Rahi' Rahi Rabbiteye Blueberry | SF | 0.68 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Southland' Southland Rabbiteye Blueberry | SF | 0.69 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Tifblue' Tifblue Rabbiteye Blueberry | SF | 0.72 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Woodward' Woodward Rabbiteye Blueberry | SF | 0.67 | G2 | 6-8 | 9-10 | | 1.00 | 8 |
| <i>Vaccinium corymbosum</i> Highbush Blueberry | SF | 0.94 | G2 | 2 | 3-7 | | 0.92 | 2 |
| <i>Vaccinium corymbosum</i> 'Berkeley' Berkeley Highbush Blueberry | SF | 1.16 | G2 | 2 | 3-7 | | 0.70 | 2 |
| <i>Vaccinium corymbosum</i> 'Biloxi' Biloxi Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Blue Crop' Blue Crop Highbush Blueberry | SF | 1.16 | G2 | 2 | 3-7 | | 1.08 | 2 |
| <i>Vaccinium corymbosum</i> 'Blue Jay' Blue Jay Highbush Blueberry | SF | 1.18 | G2 | 2 | 3-7 | | 0.70 | 2 |
| <i>Vaccinium corymbosum</i> 'Bluecrisp' Bluecrisp Highbush Blueberry | SF | 1.11 | G2 | 2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Bluegold' Bluegold Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Blueray' Blueray Highbush Blueberry | SF | 1.17 | G2 | 1-2 | 3-7 | | 0.67 | 2 |
| <i>Vaccinium corymbosum</i> 'Bluetta' Bluetta Highbush Blueberry | SF | 1.23 | G2 | 2 | 3-7 | | 0.39 | 2 |
| <i>Vaccinium corymbosum</i> 'Brigitta' Brigitta Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Cape Fear' Cape Fear Highbush Blueberry | SF | 0.88 | G2 | 2 | 3-7 | | 0.42 | 2 |
| <i>Vaccinium corymbosum</i> 'Chandler' Chandler Highbush Blueberry | SF | 1.82 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Chippewa' Chippewa Highbush Blueberry | SF | 1.11 | G2 | 2 | 3-7 | | 1.46 | 2 |
| <i>Vaccinium corymbosum</i> 'Collins' Collins Highbush Blueberry | SF | 0.86 | G2 | 2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Cooper' Cooper Highbush Blueberry | SF | 0.62 | G2 | 2 | 3-8 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Coville' Coville Highbush Blueberry | SF | 1.33 | G2 | 2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Darrow' Darrow Highbush Blueberry | SF | 0.80 | G2 | 2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Duke' Duke Highbush Blueberry | SF | 1.21 | G2 | 2 | 3-7 | | 1.20 | 2 |
| <i>Vaccinium corymbosum</i> 'Earliblue' Earliblue Highbush Blueberry | SF | 1.10 | G2 | 2 | 3-7 | | 0.39 | 2 |
| <i>Vaccinium corymbosum</i> 'Elliot' Elliot Highbush Blueberry | SF | 1.17 | G2 | 1-2 | 3-7 | | 1.08 | 2 |
| <i>Vaccinium corymbosum</i> 'Emerald' P.P. 12165 Emerald Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Friendship' Friendship Highbush Blueberry | SF | 1.24 | G2 | 2 | 3-7 | | 1.45 | 2 |
| <i>Vaccinium corymbosum</i> 'Georgia Gem' Georgia Gem Highbush Blueberry | SF | 0.88 | G2 | 2 | 3-8 | | 0.42 | 2 |
| <i>Vaccinium corymbosum</i> 'Hardiblue' Hardiblue Highbush Blueberry | SF | 0.92 | G2 | 2 | 3-7 | | 0.35 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Vaccinium corymbosum</i> 'Ivanhoe' Ivanhoe Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Jersey' Jersey Highbush Blueberry | SF | 1.18 | G2 | 2 | 3-7 | | 1.14 | 2 |
| <i>Vaccinium corymbosum</i> 'Jewel' P.P. 11807 Jewel Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Jubilee' Jubilee Highbush Blueberry | SF | 0.74 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Legacy' Legacy Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Misty' Misty Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Nelson' Nelson Highbush Blueberry | SF | 1.24 | G2 | 2 | 3-7 | | 0.39 | 2 |
| <i>Vaccinium corymbosum</i> 'Northblue' Northblue Highbush Blueberry | SF | 1.15 | G2 | 2 | 3-7 | | 1.20 | 2 |
| <i>Vaccinium corymbosum</i> 'Northcountry' Northcountry Highbush Blueberry | SF | 1.13 | G2 | 2 | 3-7 | | 0.93 | 2 |
| <i>Vaccinium corymbosum</i> 'Northland' Northland Highbush Blueberry | SF | 1.19 | G2 | 2 | 3-7 | | 1.14 | 2 |
| <i>Vaccinium corymbosum</i> 'Northsky' Northsky Highbush Blueberry | SF | 1.20 | G2 | 2 | 3-7 | | 0.93 | 2 |
| <i>Vaccinium corymbosum</i> 'Nui' P.P. 6699 Nui Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'O'Neal' O'Neal Highbush Blueberry | SF | 0.93 | G2 | 2 | 3-8 | | 0.42 | 2 |
| <i>Vaccinium corymbosum</i> 'Olympia' Olympia Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Ozarkblue' P.P. 10035 Ozarkblue Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Patriot' Patriot Highbush Blueberry | SF | 1.20 | G2 | 2 | 3-7 | | 1.18 | 2 |
| <i>Vaccinium corymbosum</i> 'Polaris' Polaris Highbush Blueberry | SF | 1.13 | G2 | 2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Reka' Reka Highbush Blueberry | SF | 1.48 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Reveille' Reveille Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Rubel' Rubel Highbush Blueberry | SF | 1.36 | G2 | 1-2 | 3-7 | | 2.01 | 2 |
| <i>Vaccinium corymbosum</i> 'Santa Fe' P.P. 10788 Santa Fe Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Sapphire' P.P. 11829 Sapphire Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Sharpblue' Sharpblue Highbush Blueberry | SF | 0.62 | G2 | 2 | 3-8 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Southmoon' P.P. 9834 Southmoon Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Spartan' Spartan Highbush Blueberry | SF | 1.22 | G2 | 2 | 3-8 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'St. Cloud' St. Cloud Highbush Blueberry | SF | 1.42 | G2 | 2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Star' Star Highbush Blueberry | SF | 1.11 | G2 | 1-2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Sunshine Blue' Sunshine Blue Southern Highbush Blueberry | SF | 0.88 | G2 | 2 | 3-7 | | 0.91 | 2 |
| <i>Vaccinium corymbosum</i> 'Top Hat' Top Hat Highbush Blueberry | SF | 1.14 | G2 | 2 | 3-7 | | 0.91 | 2 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Vaccinium corymbosum</i> 'Toro' Toro Highbush Blueberry | SF | 1.05 | G2 | 2 | 3-7 | | 1.28 | 2 |
| <i>Vaccinium crassifolium</i> Creeping Blueberry | BS | 1.05 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vaccinium crassifolium</i> 'Wells Delight' Wells Delight Creeping Blueberry | BS | 1.05 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vaccinium delavayi</i> Delavay Blueberry | SF | 1.00 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Vaccinium macrocarpon</i> American Cranberry | SF | 1.00 | G2 | 2 | 3-7 | | 1.00 | 2 |
| <i>Vaccinium macrocarpon</i> 'Hamilton' Hamilton American Cranberry | SF | 0.88 | G2 | 2 | 3-7 | | 1.00 | 2 |
| <i>Vaccinium macrocarpon</i> 'Lo-Hugger' See - <i>Vaccinium macrocarpon</i> 'Lohzam' | | | | | | | | |
| <i>Vaccinium macrocarpon</i> 'Lohzam' Lo-Hugger™ American Cranberry | SF | 1.20 | G2 | 2 | 3-7 | | 1.00 | 2 |
| <i>Vaccinium macrocarpon</i> 'Shaw's Success' Shaw's Success American Cranberry | SF | 0.99 | G2 | 1-2 | 3-7 | | 1.00 | 2 |
| <i>Vaccinium macrocarpon</i> 'Stevens' Stevens American Cranberry | SF | 0.88 | G2 | 1-2 | 3-7 | | 1.00 | 2 |
| <i>Vaccinium moupinense</i> Himalayan Blueberry | BS | 1.06 | G2 | 7-9 | 10 | | 1.00 | 9 |
| <i>Vaccinium myrsinites</i> Shiny Blueberry | BS | 0.75 | G2 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Vaccinium ovalifolium</i> Mathers | DS | 1.00 | G1 | 3-4 | 5-6 | | 1.00 | 3 |
| <i>Vaccinium ovatum</i> Evergreen Huckleberry | BS | 1.01 | G2 | 6-7 | 8 | | 1.00 | 7 |
| <i>Vaccinium ovatum</i> 'Thunderbird' Thunderbird Evergreen Huckleberry | BS | 1.58 | G2 | 6-7 | 8-9 | | 1.00 | 7 |
| <i>Vaccinium oxycoccos</i> Small Cranberry | BS | 1.01 | G2 | 2 | 3-7 | | 1.00 | 2 |
| <i>Vaccinium parvifolium</i> Red Huckleberry | DS | 1.23 | G2 | 6-7 | 8 | | 1.00 | 5 |
| <i>Vaccinium scoparium</i> Grouseberry | SF | 1.00 | G2 | 2-3 | 4-7 | | 1.00 | 3 |
| <i>Vaccinium stamineum</i> Deerberry | DS | 0.67 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vaccinium uliginosum</i> Bog Whortleberry | DS | 1.46 | G2 | 2 | 3-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> Cowberry | BS | 1.03 | G2 | 2 | 3-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> 'Ida' Ida Lingonberry | BS | 1.14 | G2 | 1-2 | 3-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> 'Koralle' Koralle Lingonberry | BS | 0.89 | G2 | 1-2 | 3-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> 'Red Pearl' Red Pearl Lingonberry | BS | 0.89 | G2 | 1-2 | 3-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> 'Regal' Regal Lingonberry | BS | 1.76 | G2 | 2 | 3-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> 'Sanna' Sanna Lingonberry | BS | 1.14 | G2 | 1-2 | 3-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> 'Sussi' Sussi Lingonberry | BS | 1.14 | G2 | 1-2 | 3-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> var. <i>minus</i> Mountain Cranberry | BS | 1.17 | G2 | 2 | 3-7 | | 1.00 | 2 |
| <i>Valeriana arizonica</i> Arizona Valerian | HP | 1.00 | G4 | 5 | 6-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Valeriana officinalis</i> Common Valerian | HP | 1.01 | G4 | 5 | 6-8 | | | |
| <i>Valeriana supina</i> Austrian Valerian | HP | 1.00 | G4 | 5 | 6-8 | | | |
| <i>Vallisneria americana</i> Eel Grass | HP | 1.00 | G4 | 3-4 | 5-11 | | | |
| <i>Vancouveria hexandra</i> American Barrenwort | HP | 1.43 | G4 | 4-5 | 6-8 | | | |
| <i>Vancouveria planipetala</i> Redwood Ivy | HP | 1.58 | G4 | 4-6 | 7-8 | | | |
| <i>Vanda</i> Vanda Hybrid Orchid | FO | 4.58 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Vanda hookeriana</i> See - <i>Papilionanthe hookeriana</i> | | | | | | | | |
| <i>Vanda tessellata</i> No Common Name Found | FO | 3.92 | G3 | 6-10B | 11 | | 1.00 | 10 |
| <i>Vandopsis</i> Vandopsis Hybrid Orchid | FO | 1.00 | G3 | 10-11 | | | 1.00 | 10 |
| <i>x Vascostylis</i> Vascostylis Hybrid Orchid | FO | 1.00 | G3 | 10-11 | | | 1.00 | 10 |
| <i>Vauquelinia californica</i> Arizona Rosewood | BS | 0.80 | G2 | 8-9 | 10-11 | | 1.00 | 7 |
| <i>Veitchia arecina</i> No Common Name Found | PC | 1.66 | G1 | 9-10 | 11 | | 1.00 | 10 |
| <i>Veitchia joannis</i> No Common Name Found | PC | 1.85 | G1 | 10 | 11 | | 0.74 | 10 |
| <i>Veitchia mcdanielsii</i> No Common Name Found | PC | 0.75 | G1 | 10 | 11 | | 0.70 | 10 |
| <i>Veitchia merrillii</i> Manila Palm | PC | 1.26 | G1 | 9B-10 | 11 | | 0.78 | 10 |
| <i>Veitchia montgomeryana</i> No Common Name Found | PC | 0.64 | G1 | 9B-10 | 11 | | 0.85 | 10 |
| <i>Veitchia winin</i> No Common Name Found | PC | 0.83 | G1 | 10 | 11 | | 0.67 | 10 |
| <i>Verbascum</i> Mullein | AN | 1.71 | G4 | 4-5 | 6-9 | | | |
| <i>Verbascum</i> 'Caribbean Crush' Caribbean Crush Hybrid Mullein | AN | 2.42 | G4 | 4-5 | 6-9 | | | |
| <i>Verbascum</i> 'Copper Rose' Copper Rose Hybrid Mullein | AN | 1.21 | G4 | 4-5 | 6-9 | | | |
| <i>Verbascum</i> 'Helen Johnson' Helen Johnson Hybrid Mullein | AN | 1.57 | G4 | 5-6 | 7-8 | | | |
| <i>Verbascum</i> 'Jackie' Jackie Hybrid Mullein | AN | 1.62 | G4 | 5-6 | 7-8 | | | |
| <i>Verbascum bombyciferum</i> No Common Name Found | AN | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Verbascum bombyciferum</i> 'Polar Summer' Polar Summer Mullein | AN | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Verbascum chaixii</i> Nettle-leaved Mullein | HP | 0.96 | G4 | 4-5 | 6-7 | | | |
| <i>Verbascum chaixii</i> 'Album' White Nettle-leaved Mullein | HP | 0.71 | G4 | 5-6 | 7-8 | | | |
| <i>Verbascum densiflorum</i> No Common Name Found | AN | 0.94 | G4 | 5-6 | 7-8 | | | |
| <i>Verbascum xhybridum</i> Hybrid Mullein | AN | 1.41 | G4 | 5-6 | 7-8 | | | |
| <i>Verbascum xhybridum</i> 'Southern Charm' Southern Charm Hybrid Mullein | AN | 1.41 | G4 | 5-6 | 7-8 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Verbascum olympicum</i> No Common Name Found | HP | 0.47 | G4 | 5-6 | 7-8 | | | |
| <i>Verbascum phoeniceum</i> Purple Mullein | HP | 0.97 | G4 | 4-5 | 6-8 | | | |
| <i>Verbascum thapsiforme</i> See - <i>Verbascum densiflorum</i> | | | | | | | | |
| <i>Verbascum thapsus</i> Common Mullein | AN | 1.10 | G4 | 4-5 | 6-8 | | | |
| <i>Verbena</i> Verbena | HP | 0.87 | G4 | 6-9A | 9B-11 | | | |
| <i>Verbena</i> 'Abbeville' Abbeville Verbena | HP | 0.86 | G4 | 8-9A | 9B-11 | | | |
| <i>Verbena</i> 'Babylon Series' Babylon Series Verbena | HP | 0.77 | G4 | 8-9A | 9B-11 | | | |
| <i>Verbena</i> 'Big Red' Big Red Verbena | HP | 0.64 | G4 | 8-9A | 9B-11 | | | |
| <i>Verbena</i> 'Camp Joy' Camp Joy Verbena | HP | 0.96 | G4 | 8-9A | 9B-11 | | | |
| <i>Verbena</i> 'Evelyn Scott' Evelyn Scott Verbena | HP | 0.87 | G4 | 8-9A | 9B-11 | | | |
| <i>Verbena</i> 'Freefall Burgundy' Freefall Burgundy Verbena | HP | 1.27 | G4 | 8-9 | 10-11 | | | |
| <i>Verbena</i> 'Freefall Light Lavender' Freefall Light Lavender Verbena | HP | 1.27 | G4 | 8-9 | 10-11 | | | |
| <i>Verbena</i> 'Homestead Purple' Homestead Purple Verbena | HP | 0.87 | G4 | 6-9A | 9B-11 | | | |
| <i>Verbena</i> 'Kemerton' Kemerton Verbena | HP | 0.58 | G4 | 8-9A | 9B-11 | | | |
| <i>Verbena</i> 'L. Archer' P.P. 9270 Taylortown Red Verbena | HP | 0.87 | G4 | 6-9A | 9B-11 | | | |
| <i>Verbena</i> 'Silver Anne' Silver Anne Verbena | HP | 0.65 | G4 | 6-9A | 9B-11 | | | |
| <i>Verbena</i> 'Taylortown Red' See - <i>Verbena</i> 'L. Archer' P.P. 9270 | | | | | | | | |
| <i>Verbena</i> 'Tortuga Series' Tortuga Series Verbena | HP | 0.87 | G4 | 8-9 | 10-11 | | | |
| <i>Verbena bonariensis</i> Brazilian Verbena | HP | 0.78 | G4 | 8-9 | 10-11 | | | |
| <i>Verbena canadensis</i> Rose Vervain | HP | 0.75 | G4 | 4-5 | 6-9A | | | |
| <i>Verbena canadensis</i> 'Carousel' Carousel Rose Vervain | HP | 0.86 | G4 | 4-5 | 6-9A | | | |
| <i>Verbena canadensis</i> 'Toronto' Toronto Rose Vervain | HP | 0.81 | G4 | 4-5 | 6-9A | | | |
| <i>Verbena gooddingii</i> Desert Vervain | HP | 1.33 | G4 | 8-9A | 9B-11 | | | |
| <i>Verbena hastata</i> Blue Vervain | HP | 1.14 | G4 | 4-5 | 6-9A | | | |
| <i>Verbena xhybrida</i> Garden Verbena | HP | 0.44 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena xhybrida</i> 'Amour Pink' Amour Pink Garden Verbena | HP | 0.83 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena xhybrida</i> 'Amour Rose' Amour Rose Garden Verbena | HP | 0.83 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena xhybrida</i> 'Aunt Bert' Aunt Bert Garden Verbena | HP | 0.83 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena xhybrida</i> 'Aztec Red' See - <i>Verbena xhybrida</i> 'Balazred' P.P.A.F. | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Verbena x hybrida</i> 'Balazred' P.P.A.F. Aztec™ Red Garden Verbena | HP | 0.83 | G4 | 8-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Biloxi Blue' Biloxi Blue Garden Verbena | HP | 0.88 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Blue Princess' Blue Princess Garden Verbena | HP | 0.91 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Coral Red' Coral Red Garden Verbena | HP | 0.74 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Novalis Series' Novalis Series Garden Verbena | HP | 0.32 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Peaches & Cream' Peaches & Cream Garden Verbena | HP | 0.83 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Quartz Mix' Quartz Mix Garden Verbena | HP | 0.59 | G4 | 8-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Quartz Waterfall Mix' Quartz Waterfall Mix Garden Verbena | HP | 0.59 | G4 | 8-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Romance Series' Romance Series Garden Verbena | HP | 0.47 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Sparkler Series' Sparkler Series Garden Verbena | HP | 0.87 | G4 | 8-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Spitfire Series' Spitfire Series Garden Verbena | HP | 0.93 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Summaref TP-V' P.P. 9411 Tapien Blue Violet™ Garden Verbena | HP | 0.80 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Sunmaref TP-L' P.P. 9121 Tapien Lavender Garden Verbena | HP | 0.70 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Sunmaref TP-P' P.P. 9014 Tapien Pink Garden Verbena | HP | 0.92 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Sunmaref TP-SAP' P.P. 14117 Tapien Salmon Garden Verbena | HP | 0.93 | G4 | 8-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Superbena Series' Superbena Series Garden Verbena | HP | 0.83 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Tapien Blue Violet' See - <i>Verbena x hybrida</i> 'Summaref TP-V' P.P. 9411 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Tapien Blue' Tapien Blue Garden Verbena | HP | 1.05 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Tapien Lavender' See - <i>Verbena x hybrida</i> 'Sunmaref TP-L' P.P. 9121 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Tapien Pink' See - <i>Verbena x hybrida</i> 'Sunmaref TP-P' P.P. 9014 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Tapien Salmon' See - <i>Verbena x hybrida</i> 'Sunmaref TP-SAP' P.P. 14117 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Tapien Series' Tapien Series Garden Verbena | HP | 0.72 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Temari Bright Pink' P.P.A.F. Temari Bright Pink Garden Verbena | HP | 0.94 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Temari Burgundy' P.P.A.F. Temari Burgundy Garden Verbena | HP | 1.00 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Temari Patio Hot Pink' P.P.A.F. Temari Patio Hot Pink Garden Verbena | HP | 1.11 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Temari Patio Rose' P.P.A.F. Temari Patio Rose Garden Verbena | HP | 0.99 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Temari Series' Temari Series Garden Verbena | HP | 1.01 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Temari Violet' P.P.A.F. Temari Violet Garden Verbena | HP | 1.01 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena x hybrida</i> 'Tukana Series' Tukana Series Garden Verbena | HP | 0.85 | G4 | 6-9 | 10-11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Verbena xhybrida</i> 'Wildfire Blush' Wildfire Blush Garden Verbena | HP | 0.93 | G4 | 8-9 | 10-11 | | | |
| <i>Verbena xhybrida</i> 'Wildfire Dark Lavender' Wildfire Dark Lavender Garden Verbena | HP | 0.93 | G4 | 8-9 | 10-11 | | | |
| <i>Verbena maritima</i> Coastal Verbena | HP | 0.57 | G4 | 8-10 | 11 | | | |
| <i>Verbena peruviana</i> Peruvian Verbena | HP | 0.65 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena peruviana</i> 'Alba' White Peruvian Verbena | HP | 0.68 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena peruviana</i> 'Aphrodite' Aphrodite Peruvian Verbena | HP | 0.75 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena peruviana</i> 'Purple' Purple Peruvian Verbena | HP | 0.70 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena peruviana</i> 'Red Devil' Red Devil Peruvian Verbena | HP | 0.71 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena peruviana</i> 'Red' Red Peruvian Verbena | HP | 0.77 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena peruviana</i> 'Saint Paul' Saint Paul Peruvian Verbena | HP | 0.70 | G4 | 6-9 | 10-11 | | | |
| <i>Verbena rigida</i> Veined Verbena | HP | 0.65 | G4 | 8 | 9-11 | | | |
| <i>Verbena tenera</i> No Common Name Found | HP | 0.76 | G4 | 8-9A | 9B-11 | | | |
| <i>Verbena tenera</i> 'Sissinghurst' Sissinghurst Verbena | HP | 0.76 | G4 | 8-9A | 9B-11 | | | |
| <i>Verbena tenuisecta</i> Moss Verbena | AN | 1.01 | G4 | 8-9A | 9B-11 | | | |
| <i>Verbena tenuisecta</i> var. <i>alba</i> White Moss Verbena | AN | 0.77 | G4 | 8-9A | 9B-11 | | | |
| <i>Verbesina alternifolia</i> Wingstem | HP | 1.00 | G4 | 5 | 6-7 | | | |
| <i>Vernonia arkansana</i> Arkansas Ironweed | HP | 0.76 | G4 | 3-5 | 6-7 | | | |
| <i>Vernonia crinita</i> See - <i>Vernonia arkansana</i> | | | | | | | | |
| <i>Vernonia fasciculata</i> Common Ironweed | HP | 1.10 | G4 | 3-4 | 5-7 | | | |
| <i>Vernonia noveboracensis</i> New York Ironweed | HP | 1.03 | G4 | 5 | 6-8 | | | |
| <i>Vernonia noveboracensis</i> 'Alba' White New York Ironweed | HP | 0.76 | G4 | 3-5 | 6-7 | | | |
| <i>Veronica</i> Speedwell | HP | 1.09 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica</i> 'Blue Indigo' Blue Indigo Speedwell | HP | 1.03 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica</i> 'Darwin's Blue' P.P. 13070 Darwin's Blue Speedwell | HP | 1.01 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica</i> 'Eveline' P.P.A.F. Eveline Speedwell | HP | 1.43 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica</i> 'Giles van Hees' Giles van Hees Speedwell | HP | 1.08 | G4 | 2-3 | 4-7 | | | |
| <i>Veronica</i> 'Royal Pink' Royal Pink Speedwell | HP | 1.04 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica</i> 'Sunny Border Blue' Sunny Border Blue Speedwell | HP | 0.94 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica allionii</i> Speedwell | HP | 1.11 | G4 | 4-5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Veronica alpina</i> Alpine Speedwell | HP | 0.52 | G4 | 2 | 3-7 | | | |
| <i>Veronica alpina</i> 'Alba' White Alpine Speedwell | HP | 0.96 | G4 | 2 | 3-7 | | | |
| <i>Veronica alpina</i> 'Goodness Grows' Goodness Grows Alpine Speedwell | HP | 0.79 | G4 | 2 | 3-7 | | | |
| <i>Veronica austriaca</i> Austrian Speedwell | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Veronica austriaca</i> ssp. <i>teucrium</i> Teucrium Austrian Speedwell | HP | 0.95 | G4 | 5-6 | 7-8 | | | |
| <i>Veronica austriaca</i> ssp. <i>teucrium</i> 'Crater Lake Blue' Crater Lake Blue Austrian Speedwell | HP | 0.94 | G4 | 5-6 | 7-8 | | | |
| <i>Veronica austriaca</i> ssp. <i>teucrium</i> 'Royal Blue' Royal Blue Austrian Speedwell | HP | 0.96 | G4 | 5-6 | 7-8 | | | |
| <i>Veronica chamaedrys</i> Bird's Eye Speedwell | HP | 0.77 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica gentianoides</i> Gentian Speedwell | HP | 0.86 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica gentianoides</i> 'Barbara Sherwood' Barbara Sherwood Gentian Speedwell | HP | 1.04 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica gentianoides</i> 'Variegata' Variegated Gentian Speedwell | HP | 1.18 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica grandis</i> var. <i>holophylla</i> Holophylla Speedwell | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Veronica incana</i> Woolly Speedwell | HP | 1.10 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica liwanensis</i> Turkish Speedwell | HP | 0.92 | G4 | 4-6 | 7-8 | | | |
| <i>Veronica longifolia</i> Long Leaf Speedwell | HP | 0.79 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica longifolia</i> 'Blaureisen' Blaureisen Long-leaf Speedwell | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica longifolia</i> 'Lilac Karina' Lilac Karina Long-leaf Speedwell | HP | 0.99 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica longifolia</i> 'Rosea' Rosea Long Leaf Speedwell | HP | 1.23 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica longifolia</i> 'Schneeriesin' Schneeriesin Long Leaf Veronica | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica montana</i> Mountain Speedwell | HP | 0.93 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica montana</i> 'Corinne Tremaine' Corinne Tremaine Mountain Speedwell | HP | 0.93 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica pectinata</i> Comb Speedwell | HP | 0.98 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica peduncularis</i> No Common Name Found | HP | 0.82 | G4 | 5-6 | 7-8 | | | |
| <i>Veronica peduncularis</i> 'Georgia Blue' Georgia Blue Speedwell | HP | 0.82 | G4 | 5-6 | 7-8 | | | |
| <i>Veronica petraea</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-8 | | | |
| <i>Veronica prostrata</i> Harebell Speedwell | HP | 0.89 | G4 | 5 | 6-7 | | | |
| <i>Veronica prostrata</i> 'Aztec Gold' P.P. 13354 Aztec Gold Harebell Speedwell | HP | 1.25 | G4 | 4-5 | 6-7 | | | |
| <i>Veronica prostrata</i> 'Heavenly Blue' Heavenly Blue Harebell Speedwell | HP | 0.85 | G4 | 5 | 6-7 | | | |
| <i>Veronica prostrata</i> 'Trehane' Trehane Harebell Speedwell | HP | 1.36 | G4 | 5 | 6-7 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Veronica repens</i> Creeping Speedwell | HP | 0.82 | G4 | 5 | 6-7 | | | |
| <i>Veronica repens</i> 'Sunshine' Sunshine Creeping Speedwell | HP | 0.84 | G4 | 5 | 6-7 | | | |
| <i>Veronica spicata</i> Spiked Speedwell | HP | 1.10 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica spicata</i> 'Blue Banquet' Blue Banquet Spiked Speedwell | HP | 0.62 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica spicata</i> 'Blue Charm' Blue Charm Spiked Speedwell | HP | 0.97 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica spicata</i> 'Blue Fox' Blue Fox Spiked Speedwell | HP | 0.84 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica spicata</i> 'Blue Peter' Blue Peter Spiked Speedwell | HP | 0.89 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica spicata</i> 'Blue' Cat's-Tail Spiked Speedwell | HP | 0.58 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica spicata</i> 'Heidekind' Heidekind Spiked Speedwell | HP | 0.76 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica spicata</i> 'Icicle' Icicle Spiked Speedwell | HP | 0.88 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica spicata</i> 'Minuet' Minuet Spiked Speedwell | HP | 0.91 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica spicata</i> 'Noah Williams' Noah Williams Spiked Speedwell | HP | 0.75 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica spicata</i> 'Red Fox' Red Fox Spiked Speedwell | HP | 0.84 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica spicata</i> 'Royal Candles' P.P.A.F. Royal Candles Spiked Speedwell | HP | 1.07 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica spicata</i> 'Waterperry' Waterperry Spiked Speedwell | HP | 0.86 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica spicata</i> var. <i>nana</i> Dwarf Spiked Speedwell | HP | 0.73 | G4 | 3-4 | 5-7 | | | |
| <i>Veronica teucrium</i> See - <i>Veronica austriaca</i> ssp. <i>teucrium</i> | | | | | | | | |
| <i>Veronica virginica</i> See - <i>Veronicastrum virginicum</i> | | | | | | | | |
| <i>Veronicastrum virginicum</i> Culver's Root | HP | 1.15 | G4 | 3 | 4-7 | | | |
| <i>Veronicastrum virginicum</i> 'Apollo' Apollo Culver's Root | HP | 1.17 | G4 | 3 | 4-7 | | | |
| <i>Veronicastrum virginicum</i> 'Fascination' Fascination Culver's Root | HP | 1.23 | G4 | 3 | 4-7 | | | |
| <i>Veronicastrum virginicum</i> var. <i>alba</i> White Culver's Root | HP | 1.02 | G4 | 3 | 4-7 | | | |
| <i>Veronicastrum virginicum</i> var. <i>rosea</i> Rose Culver's Root | HP | 0.83 | G4 | 3 | 4-7 | | | |
| <i>Verschaffeltia splendida</i> Stilt Palm | PC | 4.30 | G3 | 10-11 | | | 1.00 | 11 |
| <i>Vetiveria zizanioides</i> Khus Khus Grass | HP | 0.85 | G4 | 7-9 | 10-11 | | | |
| <i>Viburnum</i> Hybrid Viburnum | DS | 0.98 | G2 | 5 | 6-9 | | 1.32 | 4 |
| <i>Viburnum</i> 'Cayuga' Cayuga Hybrid Viburnum | DS | 1.08 | G2 | 5 | 6-9 | | 1.38 | 4 |
| <i>Viburnum</i> 'Chippewa' Chippewa Hybrid Viburnum | DS | 0.98 | G2 | 5 | 6-9 | | 1.32 | 5 |
| <i>Viburnum</i> 'Emerald Triumph' Emerald Triumph Hybrid Viburnum | DS | 1.09 | G2 | 5 | 6-9 | | 1.25 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Viburnum</i> 'Huron' Huron Hybrid Viburnum | DS | 0.78 | G2 | 5 | 6-9 | | 1.32 | 5 |
| <i>Viburnum</i> 'Sarcoxie' Sarcoxie Hybrid Viburnum | DS | 0.98 | G2 | 5 | 6-9 | | 1.32 | 5 |
| <i>Viburnum acerifolium</i> Mapleleaf Viburnum | DS | 1.09 | G2 | 5 | 6-9 | | 0.83 | 3 |
| <i>Viburnum bitchiuense</i> Bitchiu Viburnum | DS | 1.00 | G2 | 5-6 | 7-8 | | 1.14 | 5 |
| <i>Viburnum xbodnantense</i> Bodnant Viburnum | DS | 0.83 | G2 | 5-7 | 8-9 | | 1.09 | 7 |
| <i>Viburnum xbodnantense</i> 'Dawn' Pink Dawn Viburnum | DS | 1.05 | G2 | 5-7 | 8-9 | | 1.72 | 7 |
| <i>Viburnum bractaetum</i> Bracted Viburnum | DS | 0.84 | G2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Viburnum bractaetum</i> 'Emerald Luster' Emerald Luster Bracted Viburnum | DS | 0.98 | G2 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Viburnum xburkwoodii</i> Burkwood Viburnum | DS | 0.99 | G2 | 3-4 | 5-8 | | 1.04 | 4 |
| <i>Viburnum xburkwoodii</i> 'Anne Russell' Anne Russell Burkwood Viburnum | DS | 0.78 | G2 | 3-4 | 5-8 | | 1.20 | 4 |
| <i>Viburnum xburkwoodii</i> 'Chenault' Chenault Burkwood Viburnum | DS | 1.07 | G2 | 3-4 | 5-8 | | 1.90 | 4 |
| <i>Viburnum xburkwoodii</i> 'Fulbrook' Fulbrook Burkwood Viburnum | DS | 0.97 | G2 | 3-4 | 5-8 | | 0.71 | 4 |
| <i>Viburnum xburkwoodii</i> 'Mohawk' Mohawk Burkwood Viburnum | DS | 1.02 | G2 | 3-4 | 5-8 | | 1.05 | 4 |
| <i>Viburnum xcarlcephalum</i> Fragrant Snowball Viburnum | DS | 1.14 | G2 | 5 | 6-9 | | 1.26 | 5 |
| <i>Viburnum carlesii</i> Koreanspice Viburnum | DS | 1.09 | G2 | 7-8 | 9 | | 1.22 | 5 |
| <i>Viburnum carlesii</i> 'Aurora' Aurora Koreanspice Viburnum | DS | 1.42 | G2 | 7-8 | 9 | | 1.71 | 5 |
| <i>Viburnum carlesii</i> 'Compactum' Dwarf Koreanspice Viburnum | DS | 1.30 | G2 | 7-8 | 9 | | 2.04 | 5 |
| <i>Viburnum carlesii</i> 'Diana' Diana Koreanspice Viburnum | DS | 0.85 | G2 | 7-8 | 9 | | 2.05 | 5 |
| <i>Viburnum cassinoides</i> Witherod Viburnum | DS | 1.27 | G2 | 7-8 | 9 | | 1.10 | 2 |
| <i>Viburnum cinnamomifolium</i> Cinnamon Viburnum | BS | 0.92 | G2 | 5-7 | 8-9 | | 0.93 | 7 |
| <i>Viburnum davidii</i> David Viburnum | BS | 0.79 | G2 | 5-7 | 8-9 | | 0.82 | 7 |
| <i>Viburnum dentatum</i> Arrowwood Viburnum | DS | 0.90 | G2 | 2 | 3-7 | | 0.72 | 2 |
| <i>Viburnum dentatum</i> 'Autumn Jazz' See - <i>Viburnum dentatum</i> 'Ralph Senior' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Blubzam' Blue Blaze™ Arrowwood Viburnum | DS | 1.09 | G2 | 2 | 3-7 | | 0.85 | 2 |
| <i>Viburnum dentatum</i> 'Blue Blaze' See - <i>Viburnum dentatum</i> 'Blubzam' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Blue Muffin' See - <i>Viburnum dentatum</i> 'Christom' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Chicago Lustre' See - <i>Viburnum dentatum</i> 'Synnestvedt' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Christom' Blue Muffin™ Arrowwood Viburnum | DS | 1.17 | G2 | 2 | 3-7 | | 1.38 | 2 |
| <i>Viburnum dentatum</i> 'Fireworks' See - <i>Viburnum dentatum</i> 'Firzam' | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Viburnum dentatum</i> 'Firazam' Fireworks™ Arrowwood Viburnum | DS | 1.03 | G2 | 2 | 3-7 | | 0.85 | 2 |
| <i>Viburnum dentatum</i> 'Morton' Northern Burgundy™ Arrowwood Viburnum | DS | 1.05 | G2 | 2 | 3-7 | | 0.68 | 2 |
| <i>Viburnum dentatum</i> 'Northern Burgundy' See - <i>Viburnum dentatum</i> 'Morton' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Papoose' See - <i>Viburnum dentatum</i> 'Papzam' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Papzam' Papoose™ Arrowwood Viburnum | DS | 1.09 | G2 | 2 | 3-7 | | 0.85 | 2 |
| <i>Viburnum dentatum</i> 'Pathfinder' See - <i>Viburnum dentatum</i> 'Patzam' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Patzam' Pathfinder™ Arrowwood Viburnum | DS | 1.04 | G2 | 2 | 3-7 | | 0.71 | 2 |
| <i>Viburnum dentatum</i> 'Perle Bleu' Perle Bleu Arrowwood Viburnum | DS | 0.86 | G2 | 1-2 | 3-7 | | 0.85 | 2 |
| <i>Viburnum dentatum</i> 'Ralph Senior' Autumn Jazz™ Arrowwood Viburnum | DS | 0.97 | G2 | 2 | 3-7 | | 0.77 | 2 |
| <i>Viburnum dentatum</i> 'Raspberry Tart' See - <i>Viburnum dentatum</i> 'Rastzam' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Rastzam' Raspberry Tart™ Arrowwood Viburnum | DS | 1.09 | G2 | 2 | 3-7 | | 0.85 | 2 |
| <i>Viburnum dentatum</i> 'Synnestvedt' Chicago Lustre™ Arrowwood Viburnum | DS | 1.01 | G2 | 2 | 3-7 | | 0.84 | 2 |
| <i>Viburnum dentatum</i> var. <i>pubescens</i> Downy Arrowwood Viburnum | DS | 1.00 | G2 | 2 | 3-7 | | 0.54 | 2 |
| <i>Viburnum dilatatum</i> Linden Viburnum | DS | 1.15 | G2 | 4-5 | 6-7 | | 0.88 | 5 |
| <i>Viburnum dilatatum</i> 'Asian Beauty' Asian Beauty Linden Viburnum | DS | 1.13 | G2 | 4-5 | 6-7 | | 1.70 | 5 |
| <i>Viburnum dilatatum</i> 'Cardinal Candy' See - <i>Viburnum dilatatum</i> 'Henneke' P.P.A.F. | | | | | | | | |
| <i>Viburnum dilatatum</i> 'Catskill' Catskill Linden Viburnum | DS | 1.43 | G2 | 4-5 | 6-7 | | 1.08 | 5 |
| <i>Viburnum dilatatum</i> 'Erie' Erie Linden Viburnum | DS | 1.05 | G2 | 4-5 | 6-7 | | 1.07 | 5 |
| <i>Viburnum dilatatum</i> 'Henneke' P.P.A.F. Cardinal Candy™ Linden Viburnum | DS | 1.21 | G2 | 4-5 | 6-7 | | 1.16 | 5 |
| <i>Viburnum dilatatum</i> 'Michael Dodge' Michael Dodge Linden Viburnum | DS | 1.33 | G2 | 4-5 | 6-7 | | 1.08 | 5 |
| <i>Viburnum dilatatum</i> 'Mt. Airy' Mt. Airy Linden Viburnum | DS | 0.84 | G2 | 4-5 | 6-7 | | 1.16 | 5 |
| <i>Viburnum dilatatum</i> 'Oneida' Oneida Linden Viburnum | DS | 1.09 | G2 | 4-5 | 6-7 | | 1.14 | 5 |
| <i>Viburnum edule</i> Squashberry | DS | 1.00 | G2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Viburnum farreri</i> Fragrant Viburnum | DS | 1.10 | G2 | 5-6 | 7-8 | | 1.23 | 6 |
| <i>Viburnum farreri</i> 'Nanum' Dwarf Fragrant Viburnum | DS | 0.94 | G2 | 5-6 | 7-8 | | 2.16 | 6 |
| <i>Viburnum japonicum</i> Japanese Viburnum | BS | 0.75 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Viburnum xjuddii</i> Judd Viburnum | DS | 1.07 | G2 | 5-6 | 7-8 | | 1.15 | 5 |
| <i>Viburnum lantana</i> Wayfaring Tree Viburnum | DS | 0.97 | G2 | 2-3 | 4-7 | | 0.69 | 3 |
| <i>Viburnum lantana</i> 'Mohican' Mohican Wayfaring Tree Viburnum | DS | 0.97 | G2 | 2-3 | 4-7 | | 0.93 | 3 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Viburnum lantana</i> 'Rugosum' Wrinkleleaf Wayfaring Tree Viburnum | DS | 0.97 | G2 | 2-3 | 4-7 | | 0.70 | 3 |
| <i>Viburnum lantana</i> 'Variegatum' Variegated Wayfaring Tree Viburnum | DS | 0.97 | G2 | 2-3 | 4-7 | | 0.78 | 3 |
| <i>Viburnum lentago</i> Nannyberry Viburnum | DS | 1.09 | G2 | 2 | 3-7 | | 0.72 | 2 |
| <i>Viburnum macrocephalum</i> Chinese Snowball Viburnum | DS | 0.67 | G2 | 5-6 | 7-8 | | 0.72 | 6 |
| <i>Viburnum macrocephalum</i> 'Sterile' See - <i>Viburnum macrocephalum</i> | | | | | | | | |
| <i>Viburnum macrocephalum</i> var. <i>keteleeri</i> Sterile Chinese Snowball Viburnum | DS | 0.92 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Viburnum macrophyllum</i> See - <i>Viburnum japonicum</i> | | | | | | | | |
| <i>Viburnum mariesii</i> See - <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Mariesii' | | | | | | | | |
| <i>Viburnum molle</i> Kentucky Viburnum | DS | 1.00 | G2 | 5 | 6-8 | | 1.00 | 5 |
| <i>Viburnum nudum</i> Smooth Witherod | DS | 0.60 | G2 | 6 | 7-10 | | 2.50 | 5 |
| <i>Viburnum nudum</i> 'Earth Shade' Earth Shade Smooth Witherod | DS | 0.96 | G2 | 6 | 7-10 | | 2.00 | 5 |
| <i>Viburnum nudum</i> 'Winterthur' Winterthur Smooth Witherod | DS | 1.21 | G2 | 6 | 7-10 | | 1.50 | 5 |
| <i>Viburnum obovatum</i> Small Viburnum | DS | 0.89 | G2 | 5-6 | 7-10 | | 0.58 | 6 |
| <i>Viburnum obovatum</i> 'Densa' Dense Small Viburnum | DS | 0.54 | G2 | 5-6 | 7-8 | | 0.58 | 6 |
| <i>Viburnum obovatum</i> 'Mrs. Shiller's Delight' Mrs. Shiller's Delight Small Viburnum | DS | 0.80 | G2 | 5-6 | 7-8 | | 0.58 | 6 |
| <i>Viburnum odoratissimum</i> Sweet Viburnum | BS | 0.62 | G1 | 8-9A | 9B-10B | | 0.78 | 8 |
| <i>Viburnum odoratissimum</i> 'Red Tip' Red Tip Sweet Viburnum | BS | 0.58 | G1 | 8-9A | 9B-10B | | 0.78 | 8 |
| <i>Viburnum odoratissimum</i> var. <i>awabuki</i> Awabuki Sweet Viburnum | BS | 0.67 | G1 | 8-9A | 9B-10B | | 1.16 | 8 |
| <i>Viburnum odoratissimum</i> var. <i>awabuki</i> 'Chindo' Chindo Awabuki Sweet Viburnum | BS | 0.86 | G1 | 8-9A | 9B-10B | | 1.16 | 8 |
| <i>Viburnum opulus</i> European Cranberrybush Viburnum | DS | 0.83 | G2 | 2-3 | 4-7 | | 0.66 | 3 |
| <i>Viburnum opulus</i> 'Aureum' Golden European Cranberrybush Viburnum | DS | 0.93 | G2 | 2-3 | 4-7 | | 1.05 | 3 |
| <i>Viburnum opulus</i> 'Compactum' Compact European Cranberrybush Viburnum | DS | 1.01 | G2 | 2-3 | 4-7 | | 1.20 | 3 |
| <i>Viburnum opulus</i> 'Leonard's Dwarf' Leonard's Dwarf European Cranberrybush Viburnum | DS | 0.93 | G2 | 2-3 | 4-7 | | 1.30 | 3 |
| <i>Viburnum opulus</i> 'Nanum' Dwarf European Cranberrybush Viburnum | DS | 0.99 | G2 | 2-3 | 4-7 | | 1.53 | 3 |
| <i>Viburnum opulus</i> 'Notcutt' Notcutt European Cranberrybush Viburnum | DS | 0.75 | G2 | 2-3 | 4-7 | | 0.67 | 3 |
| <i>Viburnum opulus</i> 'Roseum' European Snowball Viburnum | DS | 0.91 | G2 | 2-3 | 4-7 | | 0.93 | 3 |
| <i>Viburnum opulus</i> 'Sterile' See - <i>Viburnum opulus</i> 'Roseum' | | | | | | | | |
| <i>Viburnum opulus</i> 'Xanthocarpum' Yellow-Fruit European Cranberrybush Viburnum | DS | 1.06 | G2 | 2-3 | 4-7 | | 1.08 | 3 |
| <i>Viburnum plicatum</i> Japanese Snowball Viburnum | DS | 0.85 | G2 | 2-4 | 5-7 | | 0.83 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Viburnum plicatum</i> 'Mary Milton' Mary Milton Japanese Snowball Viburnum | DS | 0.84 | G2 | 3-4 | 5-7 | | 1.06 | 4 |
| <i>Viburnum plicatum</i> 'Newport' See - <i>Viburnum plicatum</i> 'Newzam' | | | | | | | | |
| <i>Viburnum plicatum</i> 'Newzam' Newport® Japanese Snowball Viburnum | DS | 1.00 | G2 | 3-4 | 5-7 | | 1.38 | 4 |
| <i>Viburnum plicatum</i> 'Ovazam' Ovation™ Snowvall Viburnum | DS | 1.08 | G2 | 3-4 | 5-7 | | 1.32 | 4 |
| <i>Viburnum plicatum</i> 'Roseace' Roseace Japanese Snowball Viburnum | DS | 1.35 | G2 | 3-4 | 5-7 | | 1.14 | 4 |
| <i>Viburnum plicatum</i> 'Rotundifolium' Roundleaf Japanese Snowball Viburnum | DS | 0.86 | G2 | 3-4 | 5-7 | | 0.89 | 4 |
| <i>Viburnum plicatum</i> 'Triumph' See - <i>Viburnum plicatum</i> 'Trizam' | | | | | | | | |
| <i>Viburnum plicatum</i> 'Trizam' Triumph™ Japanese Snowball Viburnum | DS | 1.31 | G2 | 3-4 | 5-7 | | 1.17 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> Doublefile Viburnum | DS | 0.84 | G2 | 3-4 | 5-7 | | 0.73 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Everblooming' Everblooming Doublefile Viburnum | DS | 0.85 | G2 | 3-4 | 5-7 | | 1.00 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Fireworks' Fireworks Doublefile Viburnum | DS | 1.09 | G2 | 3-4 | 5-7 | | 0.96 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Igloo' Igloo Doublefile Viburnum | DS | 1.20 | G2 | 3-4 | 5-7 | | 1.16 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Lanarth' Lanarth Doublefile Viburnum | DS | 0.81 | G2 | 3-4 | 5-7 | | 1.06 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Mariesii' Maries Doublefile Viburnum | DS | 0.92 | G2 | 3-4 | 5-8 | | 0.88 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Nanum Semperflorens' Nanum Semperflorens Doublefile Viburnum | DS | 0.95 | G2 | 3-4 | 5-7 | | 1.15 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Pink Beauty' Pink Beauty Doublefile Viburnum | DS | 1.12 | G2 | 3-4 | 5-7 | | 1.09 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Popcorn' Popcorn Doublefile Viburnum | DS | 1.19 | G2 | 3-4 | 5-7 | | 1.22 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Roseum' Rose Doublefile Viburnum | DS | 1.09 | G2 | 3-4 | 5-7 | | 1.07 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Shasta' Shasta Doublefile Viburnum | DS | 0.91 | G2 | 3-4 | 5-7 | | 0.96 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Shoshoni' Shoshoni Doublefile Viburnum | DS | 1.00 | G2 | 3-4 | 5-7 | | 1.07 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Summer Snowflake' Summer Snowflake Doublefile Viburnum | DS | 1.01 | G2 | 3-4 | 5-7 | | 1.60 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Summer Stars' Summer Stars Doublefile Viburnum | DS | 1.00 | G2 | 3-4 | 5-7 | | 1.07 | 4 |
| <i>Viburnum xpragense</i> Prague Viburnum | BS | 0.89 | G2 | 5-6 | 7-8 | | 0.56 | 6 |
| <i>Viburnum xpragense</i> 'Decker' Decker Prague Viburnum | BS | 0.92 | G2 | 5-6 | 7-8 | | 0.48 | 6 |
| <i>Viburnum prunifolium</i> Blackhaw Viburnum | DS | 1.08 | G2 | 3-4 | 5-6 | | 1.20 | 3 |
| <i>Viburnum xrhynchodiphyllodes</i> Lantanaphyllum Viburnum | DS | 0.83 | G2 | 4-5 | 6-7 | | 0.55 | 5 |
| <i>Viburnum xrhynchodiphyllodes</i> 'Alleghany' Alleghany Lantanaphyllum Viburnum | DS | 0.95 | G2 | 4-5 | 6-7 | | 0.95 | 5 |
| <i>Viburnum xrhynchodiphyllodes</i> 'Dart's Duke' Dart's Duke Lantanaphyllum Viburnum | DS | 0.88 | G2 | 4-5 | 6-7 | | 0.90 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Viburnum xrytidophylloides</i> 'Willowwood' Willowwood Lantanaphyllum Viburnum | DS | 0.85 | G2 | 4-5 | 6-7 | | 0.74 | 5 |
| <i>Viburnum rhytidophyllum</i> Leatherleaf Viburnum | BS | 0.96 | G2 | 5-6 | 7 | | 0.57 | 6 |
| <i>Viburnum rhytidophyllum</i> 'Cree' Cree Leatherleaf Viburnum | BS | 0.96 | G2 | 5-6 | 7 | | 1.32 | 6 |
| <i>Viburnum rufidulum</i> Rusty Blackhaw Viburnum | DS | 0.89 | G2 | 4-5 | 6-7 | | 0.78 | 5 |
| <i>Viburnum sargentii</i> Sargent Viburnum | DS | 1.09 | G2 | 4 | 5-9 | | 0.68 | 4 |
| <i>Viburnum sargentii</i> 'Onondaga' Onondaga Sargent Viburnum | DS | 1.11 | G2 | 4 | 5-9 | | 1.10 | 4 |
| <i>Viburnum sargentii</i> 'Susquehanna' Susquehanna Sargent Viburnum | DS | 2.16 | G2 | 4 | 5-9 | | 0.94 | 4 |
| <i>Viburnum setigerum</i> Tea Viburnum | DS | 0.96 | G2 | 4-5 | 6-7 | | 1.15 | 5 |
| <i>Viburnum sieboldii</i> Siebold Viburnum | DS | 1.34 | G2 | 4 | 5-9 | | 0.96 | 4 |
| <i>Viburnum sieboldii</i> 'Seneca' Seneca Seibold Viburnum | DS | 0.93 | G2 | 4 | 5-9 | | 0.87 | 4 |
| <i>Viburnum suspensum</i> Sandankwa Viburnum | BS | 0.64 | G2 | 6-9 | 10 | | 0.83 | 9 |
| <i>Viburnum tinus</i> Laurustinus | BS | 0.69 | G2 | 7 | 8-10 | | 0.41 | 7 |
| <i>Viburnum tinus</i> 'Bewley's Variegated' Bewley's Variegated Laurustinus | BS | 1.05 | G2 | 7 | 8-10 | | 0.80 | 7 |
| <i>Viburnum tinus</i> 'Compactum' Compact Laurustinus | BS | 0.88 | G2 | 7 | 8-10 | | 0.93 | 7 |
| <i>Viburnum tinus</i> 'Lucidum' Shining Laurustinus | BS | 0.96 | G2 | 7 | 8-10 | | 0.80 | 7 |
| <i>Viburnum tinus</i> 'Robustum' Roundleaf Laurustinus | BS | 0.86 | G2 | 7 | 8-10 | | 0.93 | 7 |
| <i>Viburnum tinus</i> 'Spring Bouquet' Spring Bouquet Laurustinus | BS | 0.74 | G2 | 7 | 8-10 | | 0.93 | 7 |
| <i>Viburnum trilobum</i> American Cranberry Viburnum | DS | 1.02 | G2 | 2 | 3-7 | | 0.70 | 2 |
| <i>Viburnum trilobum</i> 'Alfredo' Compact Alfredo American Cranberry Viburnum | DS | 0.89 | G2 | 2 | 3-7 | | 1.16 | 2 |
| <i>Viburnum trilobum</i> 'Bailey Compact' Bailey Compact American Cranberry Viburnum | DS | 1.04 | G2 | 2 | 3-7 | | 1.28 | 2 |
| <i>Viburnum trilobum</i> 'Compactum' Compact American Cranberry Viburnum | DS | 1.02 | G2 | 2 | 3-7 | | 1.21 | 2 |
| <i>Viburnum trilobum</i> 'Hahs' Hahs American Cranberry Viburnum | DS | 1.37 | G2 | 2 | 3-7 | | 1.13 | 2 |
| <i>Viburnum trilobum</i> 'J.N. Select' Redwing™ American Cranberry Viburnum | DS | 1.63 | G2 | 2 | 3-7 | | 1.14 | 2 |
| <i>Viburnum trilobum</i> 'Phillips' Phillips American Cranberry Viburnum | DS | 1.12 | G2 | 2 | 3-7 | | 0.83 | 2 |
| <i>Viburnum trilobum</i> 'Redwing' See - <i>Viburnum trilobum</i> 'J.N. Select' | DS | 1.07 | G2 | 2 | 3-7 | | 1.97 | 2 |
| <i>Viburnum trilobum</i> 'Spring Green' Spring Green American Cranberry Viburnum | DS | 1.09 | G2 | 2 | 3-7 | | 1.14 | 2 |
| <i>Viburnum trilobum</i> 'Spring Red' Spring Red American Cranberry Viburnum | DS | 0.99 | G2 | 2 | 3-7 | | 0.80 | 2 |
| <i>Viburnum trilobum</i> 'Wentworth' Wentworth American Cranberry Viburnum | BS | 0.95 | G2 | 5-6 | 7-8 | | 0.79 | 6 |
| <i>Viburnum utile</i> Service Viburnum | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Viburnum utile</i> 'Chesapeake' Chesapeake Service Viburnum | BS | 0.97 | G2 | 5-6 | 7-8 | | 0.72 | 6 |
| <i>Viburnum utile</i> 'Conoy' Conoy Service Viburnum | BS | 0.91 | G2 | 5-6 | 7-8 | | 0.86 | 6 |
| <i>Viburnum utile</i> 'Eskimo' Eskimo Service Viburnum | BS | 0.98 | G2 | 5-6 | 7-8 | | 0.79 | 6 |
| <i>Viburnum wrightii</i> Wright Viburnum | DS | 0.54 | G2 | 4-5 | 6-7 | | 0.86 | 5 |
| <i>Vigna caracalla</i> Snail Vine | GC | 0.83 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Viguiera multiflora</i> Showy Goldeneye | HP | 0.82 | G4 | 9-10 | 11 | | | |
| <i>Viguiera stenoloba</i> Skeletonleaf Goldeneye | HP | 0.66 | G4 | 9 | 10-11 | | | |
| <i>Viminaria denudata</i> See - <i>Viminaria juncea</i> | | | | | | | | |
| <i>Viminaria juncea</i> Golden Spray | BS | 1.00 | G2 | 8-9A | 9B-10A | | 1.00 | 8 |
| <i>Vinca major</i> Large Periwinkle | GC | 0.54 | G4 | 6-7 | 8 | | 1.00 | 7 |
| <i>Vinca major</i> 'Maculata' Maculata Large Periwinkle | GC | 0.60 | G4 | 6-7 | 8 | | 1.00 | 7 |
| <i>Vinca major</i> 'Variegata' Variegated Large Periwinkle | GC | 0.72 | G4 | 6-7 | 8 | | 1.00 | 7 |
| <i>Vinca major</i> 'Wojo's Jem' P.P.A.F. Wojo's Jem Large Periwinkle | GC | 0.62 | G4 | 7 | 8 | | 1.00 | 7 |
| <i>Vinca minor</i> Common Periwinkle | GC | 0.69 | G4 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Alba' White Common Periwinkle | GC | 0.59 | G4 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Atropurpurea' Purple Common Periwinkle | GC | 0.67 | G4 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Aureovariegata' Aureovariegata Common Periwinkle | GC | 0.55 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Blue & Gold' P.P.A.F. Blue & Gold Common Periwinkle | GC | 0.76 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Bowles' Bowles Common Periwinkle | GC | 0.77 | G4 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Dart's Blue' Dart's Blue Common Periwinkle | GC | 0.45 | G4 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Emerald Beauty' Emerald Beauty Common Periwinkle | GC | 0.69 | G4 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Emily' Emily Common Periwinkle | GC | 0.70 | G4 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Gertrude Jekyll' Gertrude Jekyll Common Periwinkle | GC | 0.80 | G4 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Green Carpet' Green Carpet Common Periwinkle | GC | 1.12 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Illumination' P.P. 12132 Illumination Common Periwinkle | GC | 0.74 | G2 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Vinca minor</i> 'PNI 6526' Shademaster® Common Periwinkle | GC | 0.69 | G4 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Plena' Double Common Periwinkle | GC | 0.69 | G4 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Ralph Shugert' P.P. 6960 Ralph Shugert Common Periwinkle | GC | 0.77 | G4 | 4-5 | 6-7 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Rosea' Pink Common Periwinkle | GC | 0.69 | G4 | 4-5 | 6-7 | | 1.00 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Vinca minor</i> 'Shademaster' | | | | | | | | |
| See - <i>Vinca minor</i> 'PNI 6526' | | | | | | | | |
| <i>Vinca minor</i> 'Sterling Silver' | GC | 0.57 | G4 | 4-5 | 6-7 | | 1.00 | 4 |
| Sterling Silver Common Periwinkle | | | | | | | | |
| <i>Vinca minor</i> 'Sunny Skies' P.P.A.F. | GC | 0.56 | G4 | 4-5 | 6-7 | | 1.00 | 4 |
| Sunny Skies Common Periwinkle | | | | | | | | |
| <i>Vinca minor</i> 'Variegata' | GC | 0.75 | G4 | 4-5 | 6-7 | | 1.00 | 4 |
| Variegated Common Periwinkle | | | | | | | | |
| <i>Vinca minor</i> 'Wine' | GC | 0.60 | G4 | 4-5 | 6-7 | | 1.00 | 4 |
| Wine Common Periwinkle | | | | | | | | |
| <i>Viola</i> | HP | 0.92 | G4 | 4-6 | 7-9 | | | |
| Hybrid Violet | | | | | | | | |
| <i>Viola</i> 'Admiration' | HP | 0.92 | G4 | 4-6 | 7-9 | | | |
| Admiration Violet | | | | | | | | |
| <i>Viola</i> 'Maggie Mott' | HP | 0.90 | G4 | 4-6 | 7-9 | | | |
| Maggie Mott Violet | | | | | | | | |
| <i>Viola</i> 'Purple Showers' | HP | 0.94 | G4 | 4-6 | 7-9 | | | |
| Purple Showers Violet | | | | | | | | |
| <i>Viola adunca</i> | HP | 0.83 | G4 | 4-6 | 7-9 | | | |
| Western Dog Violet | | | | | | | | |
| <i>Viola affinis</i> | HP | 0.55 | G4 | 4-6 | 7-9 | | | |
| Sand Violet | | | | | | | | |
| <i>Viola blanda</i> | HP | 0.69 | G2 | 2 | 3-7 | | | |
| Willdenow Violet | | | | | | | | |
| <i>Viola canadensis</i> | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| White Violet | | | | | | | | |
| <i>Viola cornuta</i> | HP | 0.77 | G4 | 4-7 | 8-9 | | | |
| Horned Violet | | | | | | | | |
| <i>Viola cornuta</i> 'Alba' | HP | 0.77 | G4 | 4-7 | 8-9 | | | |
| White Horned Violet | | | | | | | | |
| <i>Viola cornuta</i> 'Arkwright Ruby' | HP | 0.58 | G4 | 4-7 | 8-9 | | | |
| Arkwright Ruby Horned Violet | | | | | | | | |
| <i>Viola cornuta</i> 'Azurella' | HP | 0.68 | G4 | 4-7 | 8-9 | | | |
| Azurella Horned Violet | | | | | | | | |
| <i>Viola cornuta</i> 'Black Magic' | HP | 0.96 | G4 | 4-7 | 8-9 | | | |
| Black Magic Horned Violet | | | | | | | | |
| <i>Viola cornuta</i> 'Blue Perfection' | HP | 0.70 | G4 | 4-7 | 8-9 | | | |
| Blue Perfection Horned Violet | | | | | | | | |
| <i>Viola cornuta</i> 'Chantreyland' | HP | 0.64 | G4 | 4-7 | 8-9 | | | |
| Chantreyland Horned Violet | | | | | | | | |
| <i>Viola cornuta</i> 'Formula Mix' | HP | 0.57 | G4 | 4-7 | 8-9 | | | |
| Formula Mix Horned Violet | | | | | | | | |
| <i>Viola cornuta</i> 'Penny Citrus Mix' | HP | 0.59 | G4 | 4-7 | 8-9 | | | |
| Penny Citrus Mix Horned Violet | | | | | | | | |
| <i>Viola cornuta</i> 'Pretty' | HP | 0.68 | G4 | 4-7 | 8-9 | | | |
| Pretty Horned Violet | | | | | | | | |
| <i>Viola cornuta</i> 'Prince John' | HP | 0.58 | G4 | 4-7 | 8-9 | | | |
| Prince John Horned Violet | | | | | | | | |
| <i>Viola cornuta</i> 'Queen Charlotte' | HP | 0.87 | G4 | 4-7 | 8-9 | | | |
| Queen Charlotte Horned Violet | | | | | | | | |
| <i>Viola cornuta</i> 'Sorbet Series' | HP | 0.40 | G4 | 4-7 | 8-9 | | | |
| Sorbet Series Horned Violet | | | | | | | | |
| <i>Viola cornuta</i> 'White Perfection' | HP | 0.69 | G4 | 4-7 | 8-9 | | | |
| White Perfection Horned Violet | | | | | | | | |
| <i>Viola cornuta</i> 'Yellow Perfection' | HP | 0.68 | G4 | 4-7 | 8-9 | | | |
| Yellow Perfection Horned Violet | | | | | | | | |
| <i>Viola cucullata</i> | | | | | | | | |
| See - <i>Viola obliqua</i> | | | | | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Viola floridana</i> Florida Violet | HP | 0.62 | G4 | 8-9A | 9B-10B | | | |
| <i>Viola grypoceras</i> var. <i>exilis</i> Cyclamen-leaved Violet | HP | 0.96 | G4 | 4-7 | 8-9 | | | |
| <i>Viola grypoceras</i> var. <i>exilis</i> 'Syletta' Syletta Cyclamen-leaved Violet | HP | 0.74 | G4 | 4-6 | 7-9 | | | |
| <i>Viola hederacea</i> Australian Violet | HP | 0.76 | G4 | 6-8 | 9-10B | | | |
| <i>Viola japonica</i> Japanese Violet | HP | 0.75 | G4 | 6-8 | 9-10B | | | |
| <i>Viola koreana</i> See - <i>Viola grypoceras</i> var. <i>exilis</i> | | | | | | | | |
| <i>Viola labradorica</i> Labrador Violet | HP | 0.84 | G4 | 2 | 3-6 | | | |
| <i>Viola labradorica</i> 'Purpurea' Purpurea Labrador Violet | HP | 0.79 | G4 | 2 | 3-9 | | | |
| <i>Viola mandshurica</i> Sumire | HP | 0.89 | G4 | 4-8 | 9-10 | | | |
| <i>Viola mandshurica</i> 'Fuji Dawn' Fuji Dawn Sumire | HP | 0.89 | G4 | 4-8 | 9-10 | | | |
| <i>Viola obliqua</i> Marsh Blue Violet | HP | 0.68 | G4 | 4-5 | 6-7 | | | |
| <i>Viola obliqua</i> 'Freckles' Freckles Marsh Blue Violet | HP | 0.81 | G4 | 4-5 | 6-7 | | | |
| <i>Viola obliqua</i> 'Red Giant' Red Giant Marsh Blue Violet | HP | 0.71 | G4 | 4-6 | 7-9 | | | |
| <i>Viola obliqua</i> 'Royal Robe' Royal Robe Marsh Blue Violet | HP | 0.84 | G4 | 4-6 | 7-9 | | | |
| <i>Viola odorata</i> Sweet Violet | HP | 0.91 | G4 | 6-8 | 9 | | | |
| <i>Viola odorata</i> 'Rosina' Rosina Sweet Violet | HP | 0.91 | G4 | 6-8 | 9 | | | |
| <i>Viola odorata</i> 'White Czar' White Czar Sweet Violet | HP | 0.91 | G4 | 6-8 | 9 | | | |
| <i>Viola odorata</i> 'White Queen' White Queen Sweet Violet | HP | 0.90 | G4 | 6-8 | 9 | | | |
| <i>Viola palmata</i> Early Blue Violet | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Viola pedata</i> Bird-Foot Violet | HP | 0.96 | G4 | 4-5 | 6-7 | | | |
| <i>Viola priceana</i> See - <i>Viola sororia</i> | | | | | | | | |
| <i>Viola pubescens</i> Downy Yellow Violet | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Viola rupestris</i> Teesdale Violet | HP | 0.80 | G4 | 4-5 | 6 | | | |
| <i>Viola sempervirens</i> Redwood Violet | HP | 0.78 | G4 | 4-5 | 6 | | | |
| <i>Viola sororia</i> Wooly Blue Violet | HP | 0.83 | G4 | 4-5 | 6-7 | | | |
| <i>Viola tricolor</i> Johnny Jump-Up | AN | 1.54 | G4 | 4-5 | 6-7 | | | |
| <i>Viola tricolor</i> 'Helen Mount' Helen Mount Johnny Jump-Up | AN | 1.13 | G4 | 4-6 | 7-9 | | | |
| <i>Viola x wittrockiana</i> Common Pansy | AN | 0.68 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Aquarelle Series' Aquarelle Series Pansy | HP | 0.27 | G4 | 4-5 | 6-10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Viola x wittrockiana</i> 'Crown Azure' Crown Azure Pansy | AN | 0.93 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Crown Deep Blue' Crown Deep Blue Pansy | HP | 0.27 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Crown Golden' Crown Golden Pansy | AN | 0.81 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Crown Orange' Crown Orange Pansy | AN | 0.81 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Crown Rose' Crown Rose Pansy | AN | 0.93 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Crown Scarlet' Crown Scarlet Pansy | AN | 0.93 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Crown Series' Crown Series Pansy | AN | 0.93 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Crown White' Crown White Pansy | AN | 0.93 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Crystal Bowl Primrose' Crystal Bowl Primrose Pansy | AN | 0.63 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Crystal Bowl Series' Crystal Bowl Series Pansy | AN | 0.78 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Crystal Bowl True Blue' Crystal Bowl True Blue Pansy | AN | 1.13 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Crystal Bowl Yellow' Crystal Bowl Yellow Pansy | AN | 1.13 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Delta Series' Delta Series Pansy | AN | 0.78 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Halloween II' Halloween II Pansy | HP | 0.27 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Imperial Pink Shades' Imperial Pink Shades Pansy | AN | 0.92 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Imperial Purple' Imperial Purple Pansy | AN | 0.92 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Imperial White' Imperial White Pansy | AN | 0.92 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Imperial Wine Fashion' Imperial Wine Fashion Pansy | AN | 0.92 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Majestic Blue' Majestic Blue Pansy | AN | 0.92 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Majestic Giant II Sea Breeze' Majestic Giant II Sea Breeze Pansy | AN | 0.73 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Majestic Purple' Majestic Purple Pansy | AN | 0.55 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Majestic White' Majestic White Pansy | AN | 0.81 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Majestic Yellow' Majestic Yellow Pansy | AN | 0.73 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Maxim Series' Maxim Series Pansy | AN | 0.77 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Skyline Copperfield' Skyline Copperfield Pansy | AN | 0.55 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Trick or Treat Mix' Trick or Treat Mix Pansy | AN | 0.55 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Ultima Baron Series' Ultima Baron Series Pansy | AN | 0.55 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Ultima Morpho' Ultima Morpho Pansy | AN | 0.64 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Universal Beaconsfield' Universal Beaconsfield Pansy | AN | 0.81 | G4 | 2-6 | 7-9B | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Viola x wittrockiana</i> 'Universal Blue' Universal Blue Pansy | AN | 0.81 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Universal Red' Universal Red Pansy | AN | 0.81 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Universal True Blue' Universal True Blue Pansy | AN | 0.81 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Universal White with Face' Universal White with Face Pansy | AN | 0.81 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Universal Yellow' Universal Yellow Pansy | AN | 0.81 | G4 | 2-6 | 7-9B | | | |
| <i>Viola x wittrockiana</i> 'Whiskers Mix' Whiskers Mix Pansy | AN | 0.73 | G4 | 2-6 | 7-9B | | | |
| <i>Viscaria alpina</i> See - <i>Lychnis alpina</i> | | | | | | | | |
| <i>Viscaria vulgaris</i> See - <i>Lychnis viscaria</i> | | | | | | | | |
| <i>Vitaliana primuliflora</i> No Common Name Found | HP | 1.00 | G4 | 4-5 | 6-7 | | | |
| <i>Vitex agnus-castus</i> Lilac Chastetree | DT | 0.83 | G2 | 7 | 8-9A | 0.62 | 1.49 | 6 |
| <i>Vitex agnus-castus</i> 'Alba' White Chastetree | DT | 0.72 | G2 | 7 | 8-9A | 0.62 | 1.80 | 6 |
| <i>Vitex agnus-castus</i> 'Colonial Blue' Colonial Blue Chastetree | DT | 0.77 | G2 | 7 | 8-9A | 0.62 | 1.80 | 6 |
| <i>Vitex agnus-castus</i> 'Rosea' Pink Chastetree | DT | 0.44 | G2 | 7 | 8-9A | 0.62 | 1.59 | 6 |
| <i>Vitex agnus-castus</i> 'Shoal Creek' Shoal Creek Chastetree | DT | 0.83 | G2 | 7 | 8-9A | 0.62 | 2.33 | 6 |
| <i>Vitex agnus-castus</i> 'Silver Spire' Silver Spire Chastetree | DT | 0.83 | G2 | 7 | 8-9A | 0.62 | 1.80 | 6 |
| <i>Vitex agnus-castus</i> var. <i>latifolia</i> Hardy Lilac Chastetree | DT | 0.44 | G2 | 7 | 8-9A | 1.00 | 0.71 | 6 |
| <i>Vitex macrophylla</i> See - <i>Vitex agnus-castus</i> var. <i>latifolia</i> | | | | | | | | |
| <i>Vitex negundo</i> Negundo Chastetree | DS | 1.37 | G2 | 8-9A | 9B-10B | | 0.53 | 6 |
| <i>Vitex rotundifolia</i> Simpleleaf Shrub Chastetree | BS | 0.82 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Vitex trifolia</i> Blue Vitex | BS | 0.87 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Vitex trifolia</i> 'Variegata' Variegated Blue Vitex | BS | 0.84 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Vitex trifolia</i> var. <i>simplicifolia</i> See - <i>Vitex rotundifolia</i> | | | | | | | | |
| <i>Vitis</i> Hybrid Grape | SF | 1.07 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Vitis</i> 'Golden Muscat' Golden Muscat Hybrid Grape | SF | 0.81 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Vitis</i> 'Himrod' Himrod Hybrid Grape | SF | 1.23 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Vitis</i> 'Interlaken Seedless' Interlaken Seedless Hybrid Grape | SF | 1.17 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Vitis</i> 'Lucil' Lucil Grape | SF | 1.07 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Vitis acerifolia</i> Mapleleaf Grape | GC | 1.00 | G2 | 5-6 | 7-9 | | 1.00 | 6 |
| <i>Vitis berlandieri</i> Winter Grape | SF | 1.00 | G2 | 5-7 | 8-9 | | 1.00 | 7 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Vitis californica</i> California Grape | GC | 1.08 | G2 | 5-7 | 8-9 | | 1.00 | 7 |
| <i>Vitis champini</i> Champin Grape | GC | 1.00 | G2 | 5-6 | 7-9 | | 1.00 | 5 |
| <i>Vitis coignetiae</i> Crimson Glory Vine | GC | 1.20 | G2 | 4-5 | 6-9 | | 1.00 | 5 |
| <i>Vitis cordifolia</i> Chicken Grape | GC | 1.00 | G2 | 4-5 | 6-9 | | 1.00 | 5 |
| <i>Vitis labrusca</i> Fox Grape | SF | 0.99 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Bluebell' Bluebell Fox Grape | SF | 1.04 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Caco' Caco Fox Grape | SF | 0.95 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Campbell Early' Campbell Early Fox Grape | SF | 0.85 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Canadice' Canadice Fox Grape | SF | 1.36 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Catawba' Catawba Fox Grape | SF | 0.82 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Champanel' Champanel Grape | SF | 0.58 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Concord Seedless' Concord Seedless Fox Grape | SF | 1.33 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Concord' Concord Fox Grape | SF | 0.89 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Delaware' Delaware Fox Grape | SF | 0.97 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Eastern Concord' Eastern Concord Fox Grape | SF | 1.31 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Edelweiss' Edelweiss Fox Grape | SF | 1.42 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Einset' Einset Fox Grape | SF | 0.85 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Fredonia' Fredonia Fox Grape | SF | 0.82 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Fresno Seedless' Fresno Seedless Grape | SF | 0.99 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Glenora' Glenora Fox Grape | SF | 0.85 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Kay Gray' Kay Gray Fox Grape | SF | 1.11 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'LaCrosse' P.P. 5588 LaCrosse Fox Grape | SF | 0.99 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Lakemont' Lakemont Fox Grape | SF | 0.73 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Mars' Mars Grape | SF | 1.06 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Moored' Moored Fox Grape | SF | 0.99 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Niagara' Niagara Fox Grape | SF | 0.94 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Reliance Seedless' Reliance Seedless Fox Grape | SF | 1.02 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Romulus' Romulus Fox Grape | SF | 0.99 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'St. Croix' St. Croix Fox Grape | SF | 1.24 | G2 | 4-5 | 6-7 | | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Vitis labrusca</i> 'Suffolk Red' Suffolk Red Seedless Fox Grape | SF | 0.59 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Swenson Red' Swenson Red Fox Grape | SF | 1.09 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Valiant' Valiant Fox Grape | SF | 1.08 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Vanessa Seedless' Vanessa Seedless Fox Grape | SF | 0.72 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Worden' Worden Fox Grape | SF | 1.17 | G2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Vitis riparia</i> Riverbank Grape | GC | 1.05 | G2 | 2 | 3-7 | | 1.00 | 2 |
| <i>Vitis riparia</i> 'Beta' Beta Riverbank Grape | GC | 1.26 | G2 | 2 | 3-7 | | 1.00 | 2 |
| <i>Vitis rotundifolia</i> Muscadine Grape | SF | 0.74 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Alachua' Alachua Muscadine Grape | SF | 0.63 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Albemarle' Albemarle Muscadine Grape | SF | 0.78 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Carlos' Carlos Muscadine Grape | SF | 0.82 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Chowan' Chowan Muscadine Grape | SF | 0.63 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Coward' Coward Muscadine Grape | SF | 0.79 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Dearing' Dearing Muscadine Grape | SF | 0.72 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Dixie' Dixie Muscadine Grape | SF | 0.70 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Doreen' Doreen Muscadine Grape | SF | 0.80 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Fry' Fry Muscadine Grape | SF | 0.82 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Golden Isles' Golden Isles Muscadine Grape | SF | 0.63 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Higgins' Higgins Muscadine Grape | SF | 0.85 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Hunt' Hunt Muscadine Grape | SF | 0.74 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Jumbo' Jumbo Muscadine Grape | SF | 0.78 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Loomis' Loomis Muscadine Grape | SF | 0.63 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Magnolia' Magnolia Muscadine Grape | SF | 0.85 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Magoon' Magoon Muscadine Grape | SF | 1.08 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Nesbitt' Nesbitt Muscadine Grape | SF | 0.80 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Noble' Noble Muscadine Grape | SF | 0.80 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Pride' Pride Muscadine Grape | SF | 0.63 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Regale' Regale Muscadine Grape | SF | 0.63 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Scarlett' Scarlett Muscadine Grape | SF | 0.63 | G2 | 4-5 | 6-9A | | 1.00 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Vitis rotundifolia</i> 'Scuppernong' Scuppernong Muscadine Grape | SF | 0.74 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Southern Home' Southern Home Muscadine Grape | SF | 0.63 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Southland' Southland Muscadine Grape | SF | 0.83 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Sterling' Sterling Muscadine Grape | SF | 0.63 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Summit' Summit Muscadine Grape | SF | 0.79 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Tara' Tara Muscadine Grape | SF | 0.63 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Topsail' Topsail Muscadine Grape | SF | 0.74 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Triumph' Triumph Muscadine Grape | SF | 0.77 | G2 | 4-5 | 6-9A | | 1.00 | 5 |
| <i>Vitis rupestris</i> Sand Grape | GC | 1.00 | G2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis solonis</i> See - <i>Vitis acerifolia</i> | | | | | | | | |
| <i>Vitis vinifera</i> Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Black Monukka' Black Monukka Seedless Wine Grape | SF | 0.89 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Cabernet Franc' Cabernet Franc Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Cabernet Sauvignon' Cabernet Sauvignon Wine Grape | SF | 0.97 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Carmenere' Carmenere Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Chardonnay' Chardonnay Wine Grape | SF | 0.87 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Chenin Blanc' Chenin Blanc Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Flame' Flame Wine Grape | SF | 0.98 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Gamay Beaujolais' Gamay Beaujolais Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Gewurztraminer' Gewurztraminer Wine Grape | SF | 0.42 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Grenache' Grenache Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Johannisberg Riesling' Johannisberg Riesling Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Lemberger' Lemberger Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Malbec' Malbec Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Merlot' Merlot Wine Grape | SF | 0.87 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Meunier' Meunier Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Mouvedre' Mouvedre Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Muscat Blanc' Muscat Blanc Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Muscat Ottonel' Muscat Ottonel Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Vitis vinifera</i> 'Muscat' Muscat Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Nebbiolo' Nebbiolo Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Negro Amaro' Negro Amaro Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Perlette' Perlette Wine Grape | SF | 0.75 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Petite Syrah' Petite Syrah Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Petite Verdot' Petite Verdot Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Pinot Blanc' Pinot Blanc Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Pinot Gris' Pinot Gris Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Pinot Noir' Pinot Noir Wine Grape | SF | 0.33 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Ruby Seedless' Ruby Seedless Wine Grape | SF | 0.92 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Sangiovese' Sangiovese Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Sauvignon Blanc' Sauvignon Blanc Wine Grape | SF | 0.95 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Sciopetino' Sciopetino Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Seibel' Seibel Wine Grape | SF | 0.76 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Semillon' Semillon Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Shiraz' Shiraz Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Syrah' Syrah Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Thompson Seedless' Thompson Seedless Wine Grape | SF | 0.97 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Tokay' Tokay Wine Grape | SF | 0.68 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Touriga' Touriga Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Verdelho' Verdelho Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Viognier' Viognier Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'White Flame' White Flame Wine Grape | SF | 0.78 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'White Riesling' White Riesling Wine Grape | SF | 0.42 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Zinfandel' Zinfandel Wine Grape | SF | 0.93 | G2 | 5-6 | 7-9B | | 1.00 | 6 |
| <i>Vriesea</i> Vriesea | FO | 1.30 | G3 | 9-10 | 11 | | 1.00 | 10 |
| <i>Vriesea</i> 'Charlotte' Charlotte Vriesea | FO | 1.05 | G3 | 9-10 | 11 | | 1.00 | 10 |
| <i>Vriesea</i> 'Christiane' Christiane Vriesea | FO | 0.76 | G3 | 9-10 | 11 | | 1.00 | 10 |
| <i>Vriesea</i> 'Ella' Ella Vriesea | FO | 1.69 | G3 | 9-10 | 11 | | 1.00 | 10 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Vriesea</i> 'Eva' Eva Vriesea | FO | 1.56 | G3 | 9-10 | 11 | | 1.00 | 10 |
| <i>Vriesea</i> 'Poelmannii' Poelmannii Vriesea | FO | 1.23 | G3 | 9-10 | 11 | | 1.00 | 10 |
| <i>Vriesea</i> 'Splendreit' Splendreit Vriesea | FO | 1.48 | G3 | 9-10 | 11 | | 1.00 | 10 |
| <i>Vriesea espinosae</i> No Common Name Found | FO | 1.00 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Vriesea x imperialis</i> No Common Name Found | FO | 3.39 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Vriesea psittacina</i> No Common Name Found | FO | 0.95 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Vriesea splendens</i> Flaming Sword | FO | 1.01 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>x Vuylstekeara</i> Vuylstekeara Hybrid Orchid | FO | 1.67 | G3 | 10-11 | | | 1.00 | 10 |
| <i>Wachendorfia thyrsiflora</i> No Common Name Found | HP | 0.79 | G4 | 9 | 10-11 | | | |
| <i>Wahlenbergia albomarginata</i> New Zealand Bluebell | HP | 1.00 | G4 | 6 | 7-8 | | | |
| <i>Wahlenbergia saxicola</i> See - <i>Wahlenbergia albomarginata</i> | | | | | | | | |
| <i>Waldsteinia fragarioides</i> Barren Strawberry | HP | 0.77 | G4 | 2-3 | 4-7 | | | |
| <i>Waldsteinia geoides</i> Russian Barren Strawberry | HP | 0.70 | G4 | 2-4 | 5-7 | | | |
| <i>Waldsteinia lobata</i> Large Leaf Barren Strawberry | HP | 1.00 | G4 | 7 | 8-9A | | | |
| <i>Waldsteinia ternata</i> Siberian Barren Strawberry | HP | 1.09 | G4 | 7 | 8-9A | | | |
| <i>Wallichia densiflora</i> Wallich Palm | PC | 2.22 | G1 | 9 | 10-11 | | 1.00 | 9 |
| <i>Wallichia disticha</i> No Common Name Found | PC | 2.24 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>Washingtonia filifera</i> California Fan Palm | PC | 0.93 | G2 | 8 | 9-11 | | 1.15 | 8 |
| <i>Washingtonia filifera x robusta</i> Hybrid Washingtonia Palm | PC | 1.00 | G2 | 8 | 9-11 | | 1.00 | 8 |
| <i>Washingtonia robusta</i> Mexican Fan Palm | PC | 1.06 | G2 | 8 | 9-11 | | 0.64 | 8 |
| <i>Watsonia</i> No Common Name Found | HP | 0.78 | G4 | 8-9 | 10A | | | |
| <i>Watsonia</i> 'Dazzler' Dazzler Hybrid Watsonia | HP | 0.78 | G4 | 8-9 | 10A | | | |
| <i>Watsonia</i> 'Malvern' Malvern Hybrid Watsonia | HP | 0.78 | G4 | 8-9 | 10A | | | |
| <i>Watsonia</i> 'Mrs. Bullard's White' Mrs. Bullard's White Hybrid Watsonia | HP | 0.78 | G4 | 8-9 | 10A | | | |
| <i>Watsonia</i> 'Rubra' Red Hybrid Watsonia | HP | 0.78 | G4 | 8-9 | 10A | | | |
| <i>Watsonia aletroides</i> No Common Name Found | HP | 1.10 | G4 | 8-9 | 10A | | | |
| <i>Watsonia beatricis</i> See - <i>Watsonia pillansii</i> | | | | | | | | |
| <i>Watsonia humilis</i> No Common Name Found | HP | 0.99 | G4 | 8-9 | 10A | | | |
| <i>Watsonia pillansii</i> No Common Name Found | HP | 0.78 | G4 | 8-9 | 10A | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Wedelia trilobata</i> Creeping Daisy | GC | 0.71 | G4 | 8-9 | 10A-10B | | 1.00 | 9 |
| <i>Weigela</i> Weigela | DS | 1.00 | G2 | 4-5 | 6-8 | | 0.60 | 5 |
| <i>Weigela</i> 'Boskoop Glory' Boskoop Glory Weigela | DS | 1.00 | G2 | 4-5 | 6-8 | | 0.60 | 5 |
| <i>Weigela</i> 'Looymansii Aurea' Looymansii Aurea Weigela | DS | 1.00 | G2 | 4-5 | 6-8 | | 0.60 | 5 |
| <i>Weigela coraeensis</i> White Weigela | DS | 1.35 | G2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Weigela coraeensis</i> 'Moncor' Pink-A-Boo™ White Weigela | DS | 1.03 | G2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Weigela coraeensis</i> 'Pink-A-Boo' See - <i>Weigela coraeensis</i> 'Moncor' | | | | | | | | |
| <i>Weigela florida</i> Old Fashioned Weigela | DS | 0.78 | G2 | 4-5 | 6-8 | | 0.51 | 5 |
| <i>Weigela florida</i> 'Alexandra' P.P. 10772 Wine and Roses® Old Fashioned Weigela | DS | 0.98 | G2 | 4-5 | 6-8 | | 1.23 | 5 |
| <i>Weigela florida</i> 'Briant Rubidor' Briant Rubidor Old Fashioned Weigela | DS | 0.91 | G2 | 4-5 | 6-8 | | 1.28 | 5 |
| <i>Weigela florida</i> 'Brigela' French Lace™ Old Fashioned Weigela | DS | 1.09 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'Bristol Ruby' Bristol Ruby Old Fashioned Weigela | DS | 0.99 | G2 | 4-5 | 6-8 | | 0.54 | 5 |
| <i>Weigela florida</i> 'Bristol Snowflake' Bristol Snowflake Old Fashioned Weigela | DS | 1.03 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'Candida' Candida Old Fashioned Weigela | DS | 0.71 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'Carnaval' See - <i>Weigela florida</i> 'Courtalor' | | | | | | | | |
| <i>Weigela florida</i> 'Centennial' Centennial Old Fashioned Weigela | DS | 0.96 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'Courtalor' Carnaval Old Fashioned Weigela | DS | 1.05 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'Dark Horse' P.P. 14381 Dark Horse Old Fashioned Weigela | DS | 1.26 | G2 | 4-5 | 6-8 | | 0.83 | 4 |
| <i>Weigela florida</i> 'Dart's Coloramea' Dart's Coloramea Old Fashioned Weigela | DS | 1.21 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'Dart's Colordream' Dart's Colordream Old Fashioned Weigela | DS | 0.98 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'Elvera' P.P.A.F. Midnight Wine Old Fashioned Weigela | DS | 0.92 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'Eva Rathke' Eva Rathke Old Fashioned Weigela | DS | 0.98 | G2 | 4-5 | 6-8 | | 0.48 | 5 |
| <i>Weigela florida</i> 'Eva Supreme' Eva Supreme Old Fashioned Weigela | DS | 0.98 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'Evita' Evita Old Fashioned Weigela | DS | 0.98 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'Folius Purpureis' Purpleleaf Old Fashioned Weigela | DS | 0.76 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'French Lace' See - <i>Weigela florida</i> 'Brigela' | | | | | | | | |
| <i>Weigela florida</i> 'Java Red' Java Red Old Fashioned Weigela | DS | 0.93 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Weigela florida</i> 'Midnight Wine' See - <i>Weigela florida</i> 'Elvera' P.P.A.F. | | | | | | | | |
| <i>Weigela florida</i> 'Minuet' C.O.P.F. Minuet Old Fashioned Weigela | DS | 0.90 | G2 | 4-5 | 6-8 | | 1.16 | 5 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Weigela florida</i> 'Newport Red' Newport Red Old Fashioned Weigela | DS | 0.91 | G2 | 4-5 | 6-8 | | 0.68 | 5 |
| <i>Weigela florida</i> 'Olympiade' See - <i>Weigela florida</i> 'Briant Rubidor' | | | | | | | | |
| <i>Weigela florida</i> 'Pink Delight' Pink Delight Old Fashioned Weigela | DS | 0.90 | G2 | 4-5 | 6-8 | | 1.22 | 5 |
| <i>Weigela florida</i> 'Pink Poppet' P.P.A.F. Pink Poppet Old Fashioned Weigela | DS | 1.26 | G2 | 2-3 | 4-8 | | 0.83 | 3 |
| <i>Weigela florida</i> 'Pink Princess' Pink Princess Old Fashioned Weigela | DS | 0.89 | G2 | 4-5 | 6-8 | | 0.67 | 5 |
| <i>Weigela florida</i> 'Polka' Polka Old Fashioned Weigela | DS | 1.04 | G2 | 4-5 | 6-8 | | 0.97 | 5 |
| <i>Weigela florida</i> 'Red Prince' Red Prince Old Fashioned Weigela | DS | 0.92 | G2 | 4-5 | 6-8 | | 0.77 | 5 |
| <i>Weigela florida</i> 'Rosea' Pink Old Fashioned Weigela | DS | 0.96 | G2 | 4-5 | 6-8 | | 0.52 | 5 |
| <i>Weigela florida</i> 'Rubigold' Rubigold Old Fashioned Weigela | DS | 1.03 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'Ruby Queen' Ruby Queen Old Fashioned Weigela | DS | 1.16 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'Rumba' Rumba Old Fashioned Weigela | DS | 0.96 | G2 | 4-5 | 6-8 | | 0.89 | 5 |
| <i>Weigela florida</i> 'Samba' Samba Old Fashioned Weigela | DS | 1.30 | G2 | 4-6 | 7-8 | | 0.83 | 4 |
| <i>Weigela florida</i> 'Tango' Tango Old Fashioned Weigela | DS | 0.90 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'Vanicek' See - <i>Weigela florida</i> 'Newport Red' | | | | | | | | |
| <i>Weigela florida</i> 'Variegata Nana' Dwarf Variegated Old Fashioned Weigela | DS | 1.03 | G2 | 4-5 | 6-8 | | 0.84 | 5 |
| <i>Weigela florida</i> 'Variegata' Variegated Old Fashioned Weigela | DS | 0.90 | G2 | 4-5 | 6-8 | | 0.60 | 5 |
| <i>Weigela florida</i> 'Versicolor' Versicolor Old Fashioned Weigela | DS | 0.60 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'Victoria' Victoria Old Fashioned Weigela | DS | 1.17 | G2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Weigela florida</i> 'White Knight' P.P. 8348 White Knight Old Fashioned Weigela | DS | 0.88 | G2 | 4-5 | 6-8 | | 0.70 | 5 |
| <i>Weigela florida</i> 'Wine and Roses' See - <i>Weigela florida</i> 'Alexandra' P.P. 10772 | | | | | | | | |
| <i>Weigela middendorffiana</i> Middendorf Weigela | DS | 1.12 | G2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Weigela praecox</i> Early Weigela | DS | 0.79 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Weigela praecox</i> 'Korean Sunrise' Korean Sunrise Early Weigela | DS | 0.94 | G2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Weigela subsessilis</i> No Common Name Found | DS | 1.06 | G2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Weigela subsessilis</i> 'Canary' Canary Weigela | DS | 1.06 | G2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Westringia brevifolia</i> var. <i>raleighii</i> No Common Name Found | BS | 0.64 | G1 | 9B | 10 | | 1.00 | 9 |
| <i>Westringia fruticosa</i> Westringia | BS | 1.02 | G1 | 9B | 10 | | 1.00 | 9 |
| <i>Westringia fruticosa</i> 'Morning Light' Morning Light Coast Rosemary | BS | 0.72 | G1 | 9B | 10 | | 1.00 | 9 |
| <i>Westringia fruticosa</i> 'Wynyabbie Gem' Wynyabbie Gem Coast Rosemary | BS | 0.74 | G1 | 9B | 10 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Westringia glabra</i> No Common Name Found | BS | 0.78 | G1 | 9B | 10 | | 1.00 | 9 |
| <i>Westringia raleighii</i> See - <i>Westringia brevifolia</i> var. <i>raleighii</i> | | | | | | | | |
| <i>Westringia rosmariniformis</i> White False Rosemary | BS | 0.87 | G1 | 9B | 10 | | 1.00 | 9 |
| <i>Whitfieldia elongata</i> No Common Name Found | BS | 0.76 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Wikstroemia uva-ursi</i> No Common Name Found | BS | 1.08 | G1 | 10 | 11 | | 1.00 | 9 |
| <i>x Wilsonara</i> Wilsonara Hybrid Orchid | FO | 1.46 | G3 | 10-11 | | | 1.00 | 10 |
| <i>Wisteria floribunda</i> Japanese Wisteria | GC | 1.16 | G2 | 3-4 | 5-9B | | 1.17 | 4 |
| <i>Wisteria floribunda</i> 'Alba' White Japanese Wisteria | GC | 1.19 | G2 | 3-4 | 5-9B | | 0.90 | 4 |
| <i>Wisteria floribunda</i> 'Black Dragon' Black Dragon Japanese Wisteria | GC | 1.71 | G2 | 3-4 | 5-9B | | 1.02 | 4 |
| <i>Wisteria floribunda</i> 'Issai' Issai Early Japanese Wisteria | GC | 1.59 | G2 | 3-4 | 5-9B | | 1.02 | 4 |
| <i>Wisteria floribunda</i> 'Lawrence' Lawrence Japanese Wisteria | GC | 1.41 | G2 | 3-4 | 5-9B | | 1.02 | 4 |
| <i>Wisteria floribunda</i> 'Longissima Alba' Longissima Alba Japanese Wisteria | GC | 1.56 | G2 | 3-4 | 5-9B | | 0.71 | 4 |
| <i>Wisteria floribunda</i> 'Macrobotrys' Macrobotrys Japanese Wisteria | GC | 1.52 | G2 | 3-4 | 5-9B | | 1.02 | 4 |
| <i>Wisteria floribunda</i> 'Pink Ice' Pink Ice Japanese Wisteria | GC | 1.38 | G2 | 3-4 | 5-9B | | 1.02 | 4 |
| <i>Wisteria floribunda</i> 'Plena' Double Japanese Wisteria | GC | 2.00 | G2 | 3-4 | 5-9B | | 1.02 | 4 |
| <i>Wisteria floribunda</i> 'Purpurea' Purple Japanese Wisteria | GC | 0.91 | G2 | 3-4 | 5-9B | | 1.02 | 4 |
| <i>Wisteria floribunda</i> 'Rosea' Pink Japanese Wisteria | GC | 1.31 | G2 | 3-4 | 5-9B | | 0.75 | 4 |
| <i>Wisteria floribunda</i> 'Royal Purple' Royal Purple Japanese Wisteria | GC | 1.18 | G2 | 3-4 | 5-9B | | 1.02 | 4 |
| <i>Wisteria floribunda</i> 'Snow Showers' Snow Showers Japanese Wisteria | GC | 1.12 | G2 | 3-4 | 5-9B | | 1.83 | 4 |
| <i>Wisteria floribunda</i> 'Texas Purple' Texas Purple Japanese Wisteria | GC | 1.55 | G2 | 3-4 | 5-9B | | 1.02 | 4 |
| <i>Wisteria floribunda</i> 'Violacea Plena' Double Purple Japanese Wisteria | GC | 1.50 | G2 | 3-4 | 5-9B | | 0.77 | 4 |
| <i>Wisteria xformosa</i> No Common Name Found | GC | 1.00 | G2 | 3-5 | 6-9B | | 1.00 | 5 |
| <i>Wisteria frutescens</i> American Wisteria | GC | 1.19 | G2 | 3-5 | 6-9B | | 1.00 | 5 |
| <i>Wisteria frutescens</i> 'Alba' See - <i>Wisteria frutescens</i> 'Nivea' | | | | | | | | |
| <i>Wisteria frutescens</i> 'Amethyst Falls' Amethyst Falls American Wisteria | GC | 1.06 | G2 | 3-5 | 6-9B | | 1.00 | 5 |
| <i>Wisteria frutescens</i> 'Nivea' White American Wisteria | GC | 1.22 | G2 | 3-5 | 6-9B | | 1.00 | 5 |
| <i>Wisteria macrostachya</i> Kentucky Wisteria | GC | 1.66 | G2 | 3-6 | 7-9B | | 1.00 | 6 |
| <i>Wisteria macrostachya</i> 'Aunt Dee' Aunt Dee Kentucky Wisteria | GC | 1.33 | G2 | 3-6 | 7-9B | | 1.00 | 6 |
| <i>Wisteria macrostachya</i> 'Clara Mack' Clara Mack Kentucky Wisteria | GC | 1.33 | G2 | 3-6 | 7-9B | | 1.00 | 6 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Wisteria sinensis</i> Chinese Wisteria | GC | 1.01 | G2 | 3-5 | 6-9B | | 0.84 | 5 |
| <i>Wisteria sinensis</i> 'Alba' White Chinese Wisteria | GC | 0.96 | G2 | 3-5 | 6-9B | | 1.05 | 5 |
| <i>Wisteria sinensis</i> 'Amethyst' Amethyst Chinese Wisteria | GC | 1.01 | G2 | 3-5 | 6-9B | | 1.23 | 5 |
| <i>Wisteria sinensis</i> 'Anwen' Anwen Chinese Wisteria | GC | 1.07 | G2 | 3-5 | 6-9B | | 1.05 | 5 |
| <i>Wisteria sinensis</i> 'Caroline' Caroline Chinese Wisteria | GC | 1.15 | G2 | 3-5 | 6-9B | | 0.75 | 5 |
| <i>Wisteria sinensis</i> 'Cooke's Special' Cooke's Special Chinese Wisteria | GC | 1.28 | G2 | 3-5 | 6-9B | | 1.12 | 5 |
| <i>Wisteria sinensis</i> 'Jako' Jako Chinese Wisteria | GC | 1.51 | G2 | 3-5 | 6-9B | | 1.05 | 5 |
| <i>Wisteria sinensis</i> 'Lavender Lace' Lavender Lace™ Chinese Wisteria | GC | 2.50 | G2 | 3-5 | 6-9B | | 1.05 | 5 |
| <i>Wisteria sinensis</i> 'Long Grove Purple' Long Grove Purple Chinese Wisteria | GC | 1.47 | G2 | 3-5 | 6-9B | | 1.05 | 5 |
| <i>Wisteria sinensis</i> 'Pink Pearl' Pink Pearl™ Chinese Wisteria | GC | 2.50 | G2 | 3-5 | 6-9B | | 1.05 | 5 |
| <i>Wisteria sinensis</i> 'Prolific' Prolific Chinese Wisteria | GC | 1.25 | G2 | 3-5 | 6-9B | | 1.05 | 5 |
| <i>Wisteria sinensis</i> 'Purpurea' Purple Chinese Wisteria | GC | 1.44 | G2 | 3-5 | 6-9B | | 1.52 | 5 |
| <i>Wisteria sinensis</i> 'Rosea' Pink Chinese Wisteria | GC | 1.19 | G2 | 3-5 | 6-9B | | 0.85 | 5 |
| <i>Wisteria sinensis</i> 'Showa Beni Fuji' Showa Beni Fuji Chinese Wisteria | GC | 1.40 | G2 | 3-5 | 6-9B | | 1.05 | 5 |
| <i>Wisteria sinensis</i> 'Southern Belle' Southern Belle Chinese Wisteria | GC | 1.47 | G2 | 3-5 | 6-9B | | 1.05 | 5 |
| <i>Wisteria sinensis</i> 'Texas White' Texas White Chinese Wisteria | GC | 1.27 | G2 | 3-5 | 6-9B | | 1.05 | 5 |
| <i>Wisteria sinensis</i> 'White Diamond' White Diamond™ Chinese Wisteria | GC | 2.50 | G2 | 3-5 | 6-9B | | 1.05 | 5 |
| <i>Wisteria venusta</i> Silky Wisteria | GC | 1.44 | G2 | 3-5 | 6-9B | | 0.71 | 5 |
| <i>Wisteria venusta</i> 'Alba' See - <i>Wisteria venusta</i> | | | | | | | | |
| x <i>Withnerara</i> Withnerara Hybrid Orchid | FO | 1.88 | G3 | 10-11 | | | 1.00 | 10 |
| <i>Wodyetia bifurcata</i> Foxtail Palm | PC | 1.41 | G1 | 9B-10 | 11 | | 0.96 | 9B |
| <i>Woodwardia areolata</i> Netted Chain Fern | HP | 0.83 | G4 | 4-5 | 6-8 | | | |
| <i>Woodwardia fimbriata</i> Giant Chain Fern | HP | 1.19 | G4 | 7-8 | 9-10 | | | |
| <i>Wrightia antidysenterica</i> No Common Name Found | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Wrightia religiosa</i> Wild Water Plum | BS | 1.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Xanthoceras sorbifolium</i> Yellowhorn | DS | 1.33 | G2 | 5 | 6-7 | | 1.54 | 4 |
| <i>Xanthorrhiza simplicissima</i> Shrub Yellow Root | HP | 1.80 | G2 | 3 | 4 | | | |
| <i>Xanthorrhoea preissii</i> Western Australian Grasstree | HP | 1.10 | G4 | 10 | 11 | | | |
| <i>Xanthosoma</i> Yautia | HP | 1.12 | G3 | 8-10 | 11 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Xanthosoma</i> 'Lime Zinger' Lime Zinger Yautia | HP | 1.12 | G3 | 8-10 | 11 | | | |
| <i>Xanthosoma atrovirens</i> See - <i>Xanthosoma sagittifolium</i> | | | | | | | | |
| <i>Xanthosoma jacquinii</i> See - <i>Xanthosoma undipes</i> | | | | | | | | |
| <i>Xanthosoma lindenii</i> See - <i>Caladium lindenii</i> | | | | | | | | |
| <i>Xanthosoma robusta</i> Green Ape | FO | 1.03 | G3 | 8-10 | 11 | | 1.00 | 8 |
| <i>Xanthosoma sagittifolium</i> Tannia | FO | 0.76 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Xanthosoma sagittifolium</i> 'Aurea' Golden Delicious Tannia | FO | 0.65 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Xanthosoma undipes</i> Tall Elephant's Ear | FO | 0.75 | G3 | 8-10 | 11 | | 1.00 | 8 |
| <i>Xanthosoma violaceum</i> Blue Tannia | FO | 0.76 | G3 | 8-10 | 11 | | 1.00 | 8 |
| <i>Xeronema callistemon</i> Poor Knight's Lily | HP | 0.76 | G4 | 10 | 11 | | | |
| <i>Xerophyllum tenax</i> Elk Grass | HP | 1.47 | G4 | 4-5 | 6-7 | | | |
| <i>Xylosma congestum</i> Shiny Xylosma | BS | 0.91 | G2 | 8 | 9-10 | | 1.00 | 8 |
| <i>Xylosma congestum</i> 'Compactum' Dwarf Shiny Xylosma | BS | 0.71 | G2 | 8 | 9-10 | | 1.00 | 8 |
| <i>Xylosma congestum</i> 'El Dorado' El Dorado Shiny Xylosma | BS | 0.74 | G2 | 8 | 9-10 | | 1.00 | 8 |
| <i>Xylosma senticosum</i> See - <i>Xylosma congestum</i> | | | | | | | | |
| <i>Xyris operculata</i> Tall Yellow-eye | HP | 1.00 | G4 | 9-10 | 11 | | | |
| <i>Yucca aloifolia</i> Aloe Yucca | BS | 0.83 | G2 | 8-9A | 9B-11 | | 1.00 | 6 |
| <i>Yucca baccata</i> Datil Yucca | BS | 0.97 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Yucca elata</i> Soaptree Yucca | BE | 0.78 | G2 | 8-9 | 10 | 1.00 | 1.00 | 9 |
| <i>Yucca elephantipes</i> Spineless Yucca | BE | 1.03 | G4 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Yucca elephantipes</i> 'Silver Star' Silver Star Spineless Yucca | BE | 0.75 | G4 | 9-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Yucca filamentosa</i> Spoonleaf Yucca | BS | 0.96 | G4 | 5 | 6-9B | | 0.55 | 4 |
| <i>Yucca filamentosa</i> 'Blue Sword' Blue Sword Spoonleaf Yucca | BE | 1.19 | G4 | 9-10 | 11 | 1.00 | 0.65 | 4 |
| <i>Yucca filamentosa</i> 'Bright Edge' Bright Edge Adam's Needle | BE | 1.27 | G4 | 5 | 6-9B | 1.00 | 0.65 | 4 |
| <i>Yucca filamentosa</i> 'Color Guard' Color Guard Adam's Needle | BS | 1.46 | G4 | 5 | 6-9B | | 0.80 | 4 |
| <i>Yucca filamentosa</i> 'Elegantissima' Elegantissima Adam's Needle | BS | 1.33 | G4 | 5 | 6-9B | | 0.80 | 4 |
| <i>Yucca filamentosa</i> 'Garland Gold' Garland Gold Adam's Needle | BS | 1.29 | G4 | 7 | 8-9 | | 0.80 | 4 |
| <i>Yucca filamentosa</i> 'Gold Edge' Gold Edge Adam's Needle | BS | 1.51 | G4 | 5 | 6-9B | | 0.80 | 4 |
| <i>Yucca filamentosa</i> 'Golden Sword' Golden Sword Weakleaf Yucca | BS | 1.65 | G4 | 7 | 8-9 | | 1.04 | 4 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Yucca filamentosa</i> 'Ivory Tower' Ivory Tower Adam's Needle | BS | 1.11 | G4 | 5 | 6-9B | | 0.80 | 4 |
| <i>Yucca filamentosa</i> 'Starburst' See - <i>Yucca filamentosa</i> 'Variegata' | | | | | | | | |
| <i>Yucca filamentosa</i> 'Variegata' Starburst™ Adam's Needle | BS | 1.32 | G4 | 5 | 6-9B | | 0.80 | 4 |
| <i>Yucca filifera</i> Weakleaf Yucca | BS | 0.87 | G4 | 7 | 8-9 | | 1.00 | 5 |
| <i>Yucca flaccida</i> See - <i>Yucca filifera</i> | | | | | | | | |
| <i>Yucca flexilis</i> No Common Name Found | BS | 1.00 | G4 | 9-10 | 11 | | 1.00 | 10 |
| <i>Yucca glauca</i> Small Soapweed | BS | 1.17 | G4 | 4-5 | 6-11 | | 1.00 | 4 |
| <i>Yucca gloriosa</i> Spanish Dagger | BS | 1.08 | G2 | 7 | 8-10 | | 1.00 | 7 |
| <i>Yucca harrimaniae</i> Harriman's Yucca | BS | 0.75 | G2 | 8-9 | 10-11 | | 1.00 | 6 |
| <i>Yucca parvifolia</i> See - <i>Hesperaloe parviflora</i> | | | | | | | | |
| <i>Yucca pendula</i> See - <i>Yucca recurvifolia</i> | | | | | | | | |
| <i>Yucca recurvifolia</i> Curveleaf Yucca | BS | 1.10 | G2 | 8 | 9-10 | | 1.00 | 7 |
| <i>Yucca recurvifolia</i> 'Banana Split' See - <i>Yucca recurvifolia</i> 'Monca' P.P.A.F. | | | | | | | | |
| <i>Yucca recurvifolia</i> 'Hin Vargas' P.P. 12192 Margaritaville™ Curveleaf Yucca | BE | 1.14 | G2 | 6-7 | 8-10 | 1.00 | 1.00 | 7 |
| <i>Yucca recurvifolia</i> 'Margaritaville' See - <i>Yucca recurvifolia</i> 'Hin Vargas' P.P. 12192 | | | | | | | | |
| <i>Yucca recurvifolia</i> 'Monca' P.P.A.F. Banana Split™ Curveleaf Yucca | BS | 1.44 | G2 | 6-7 | 8-10 | | 1.00 | 7 |
| <i>Yucca rostrata</i> No Common Name Found | BS | 0.74 | G2 | 8-9 | 10 | | 1.00 | 5 |
| <i>Yucca rupicola</i> Twisted Leaf Yucca | BS | 0.71 | G4 | 7-8 | 9-10 | | 1.00 | 8 |
| <i>Yucca smalliana</i> Smalliana Yucca | HP | 1.01 | G2 | 8-9A | 9B-11 | | | |
| <i>Yucca smalliana</i> 'Variegata' Variegated Smalliana Yucca | HP | 1.01 | G2 | 8-9A | 9B-11 | | | |
| <i>Yucca torreyi</i> Torrey Yucca | BS | 0.68 | G2 | 9A-9B | 10-11 | | 1.00 | 6 |
| <i>Yucca whipplei</i> Our Lord's Candle | BS | 1.30 | G2 | 8-9 | 10 | | 1.00 | 7 |
| <i>Yushania anceps</i> No Common Name Found | BS | 0.82 | G2 | 8-9 | 10A | | 1.00 | 8 |
| <i>Zamia domingensis</i> See - <i>Zamia pumila</i> | | | | | | | | |
| <i>Zamia fairchildiana</i> No Common Name Found | PC | 4.06 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Zamia fischeri</i> Fischer Zamia | PC | 1.64 | G2 | 8-10 | 11 | | 1.00 | 10 |
| <i>Zamia floridana</i> Coontie | PC | 1.39 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Zamia furfuracea</i> Cardboard Palm | PC | 1.11 | G2 | 8-9 | 10-11 | | 1.40 | 9 |
| <i>Zamia integrifolia</i> Sago Cycad | PC | 1.25 | G2 | 8-9 | 10-11 | | 1.00 | 9 |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Zamia lindenii</i> No Common Name Found | PC | 4.00 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Zamia loddigesii</i> No Common Name Found | PC | 1.50 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Zamia muricata</i> No Common Name Found | PC | 2.39 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Zamia muricata</i> var. <i>picta</i> No Common Name Found | PC | 3.64 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Zamia pumila</i> Florida Arrowroot | PC | 1.48 | G2 | 8-9 | 10-11 | | 1.00 | 9 |
| <i>Zamia roezlii</i> No Common Name Found | PC | 4.78 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Zamia skinneri</i> No Common Name Found | PC | 3.47 | G1 | 10 | 11 | | 1.00 | 10 |
| <i>Zamioculcas zamiifolia</i> No Common Name Found | FO | 1.42 | G3 | 8-10 | 11 | | 1.00 | 10 |
| <i>Zantedeschia aethiopica</i> Calla Lily | HP | 1.50 | G4 | 6-8 | 9-11 | | | |
| <i>Zantedeschia aethiopica</i> 'Blush' P.P.A.F. Blush Calla Lily | HP | 1.45 | G4 | 6-8 | 9-11 | | | |
| <i>Zantedeschia aethiopica</i> 'Flame' Flame Calla Lily | HP | 1.80 | G4 | 7-8 | 9-11 | | | |
| <i>Zantedeschia aethiopica</i> 'Green Goddess' Green Goddess Calla Lily | HP | 0.92 | G4 | 8 | 9-11 | | | |
| <i>Zantedeschia aethiopica</i> 'Hot Flashes' Hot Flashes Calla Lily | HP | 1.28 | G4 | 6-8 | 9-11 | | | |
| <i>Zantedeschia aethiopica</i> 'Lipstick' Lipstick Calla Lily | HP | 1.28 | G4 | 6-8 | 9-11 | | | |
| <i>Zantedeschia aethiopica</i> 'Super Gem' Super Gem Calla Lily | HP | 1.84 | G4 | 7-8 | 9-11 | | | |
| <i>Zantedeschia albomaculata</i> Spotted Calla Lily | HP | 1.40 | G4 | 8 | 9-11 | | | |
| <i>Zantedeschia elliotiana</i> Elliot's Calla Lily | HP | 1.01 | G4 | 8-9 | 10-11 | | | |
| <i>Zantedeschia rehmannii</i> Pink Calla Lily | HP | 1.35 | G4 | 8-9 | 10-11 | | | |
| <i>Zanthoxylum clava-herculis</i> Hercules Club | DS | 0.70 | G2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Zanthoxylum fagara</i> Wild Lime | BS | 0.75 | G1 | 10 | 11 | | 1.00 | 8 |
| <i>Zauschneria arizonica</i> See - <i>Zauschneria californica</i> ssp. <i>latifolia</i> | | | | | | | | |
| <i>Zauschneria californica</i> California Fuchsia | HP | 0.99 | G4 | 5-8 | 9-10 | | | |
| <i>Zauschneria californica</i> 'Catalina' Catalina California Fuchsia | HP | 1.33 | G4 | 5-8 | 9-10 | | | |
| <i>Zauschneria californica</i> 'Solidarity Pink' Solidarity Pink California Fuchsia | HP | 0.99 | G4 | 5-8 | 9-10 | | | |
| <i>Zauschneria californica</i> ssp. <i>cana</i> No Common Name Found | HP | 0.78 | G4 | 5-8 | 9-10 | | | |
| <i>Zauschneria californica</i> ssp. <i>cana</i> 'Etteri' Etter California Fuchsia | HP | 0.79 | G4 | 5-8 | 9-10 | | | |
| <i>Zauschneria californica</i> ssp. <i>latifolia</i> Hummingbird Flower | HP | 0.82 | G4 | 5-8 | 9-10 | | | |
| <i>Zauschneria californica</i> ssp. <i>latifolia</i> 'Everett's Choice' Everett's Choice Hummingbird Flower | HP | 0.79 | G4 | 5-8 | 9-10 | | | |
| <i>Zauschneria septentrionalis</i> Humboldt County Fuchsia | HP | 1.84 | G4 | 5-8 | 9-10 | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------------------|---------|-----------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Zebrina pendula</i> See - <i>Tradescantia zebrina</i> | | | | | | | | |
| <i>Zelkova carpinifolia</i> Caucasian Zelkova | DT | 0.96 | G2 | 4-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Zelkova serrata</i> Japanese Zelkova | DT | 0.83 | G2 | 4-5 | 6-10A | 0.85 | 0.37 | 5 |
| <i>Zelkova serrata</i> 'Autumn Glow' See - <i>Zelkova serrata</i> 'Glodell' | | | | | | | | |
| <i>Zelkova serrata</i> 'Glodell' Autumn Glow™ Japanese Zelkova | DT | 0.98 | G2 | 4-5 | 6-7 | 1.35 | 0.57 | 5 |
| <i>Zelkova serrata</i> 'Goshiki' Goshiki Japanese Zelkova | DT | 0.98 | G2 | 4-5 | 6-7 | 1.35 | 0.57 | 5 |
| <i>Zelkova serrata</i> 'Green Vase' P.P. 5080 Green Vase® Japanese Zelkova | DT | 1.17 | G2 | 4-5 | 6-10A | 1.15 | 0.72 | 5 |
| <i>Zelkova serrata</i> 'Halka' P.P. 5687 Halka Japanese Zelkova | DT | 0.98 | G2 | 4-5 | 6-10A | 1.33 | 0.57 | 5 |
| <i>Zelkova serrata</i> 'Musashino' Musashino Japanese Zelkova | DT | 0.98 | G2 | 4-5 | 6-10A | 1.51 | 0.57 | 5 |
| <i>Zelkova serrata</i> 'Schmidtlow' Wireless™ Japanese Zelkova | DT | 0.98 | G2 | 4-5 | 6-7 | 2.08 | 0.57 | 5 |
| <i>Zelkova serrata</i> 'Variegata' Variegated Japanese Zelkova | DT | 0.98 | G2 | 4-5 | 6-10A | 1.35 | 0.57 | 5 |
| <i>Zelkova serrata</i> 'Village Green' P.P. 2337 Village Green™ Japanese Zelkova | DT | 0.94 | G2 | 4-5 | 6-10A | 1.20 | 0.63 | 5 |
| <i>Zelkova serrata</i> 'Wireless' See - <i>Zelkova serrata</i> 'Schmidtlow' | | | | | | | | |
| <i>Zelkova sinica</i> Chinese Zelkova | DT | 1.00 | G2 | 4-5 | 6-9A | 1.00 | 1.00 | 5 |
| <i>Zenobia pulverulenta</i> Dusty Zenobia | DS | 1.20 | G2 | 4-5 | 6-9 | | 1.00 | 5 |
| <i>Zenobia pulverulenta</i> 'Woodlander's Blue' Woodlander's Blue Dusty Zenobia | DS | 0.76 | G2 | 4-5 | 6-9 | | 1.00 | 5 |
| <i>Zephyranthes candida</i> No Common Name Found | HP | 0.74 | G4 | 8-9 | 10-11 | | | |
| <i>Zephyranthes citrina</i> Yellow Rain Lily | HP | 0.65 | G4 | 8-10 | 11 | | | |
| <i>Zephyranthes grandiflora</i> No Common Name Found | HP | 0.67 | G4 | 7-9 | 10-11 | | | |
| <i>Zephyranthes rosea</i> Rain Lily | HP | 0.68 | G4 | 7-10 | 11 | | | |
| <i>Zephyranthes sulphurea</i> See - <i>Zephyranthes citrina</i> | | | | | | | | |
| <i>Zingiber</i> Ginger | HP | 1.00 | G3 | 8-11 | | | | |
| <i>Zingiber</i> 'Thai Giant' Thai Giant Ginger | HP | 1.00 | G3 | 8-11 | | | | |
| <i>Zingiber citriodorum</i> Chiang Mai Princess Ginger | HP | 4.02 | G3 | 8-11 | | | | |
| <i>Zingiber malaysianum</i> Midnight Ginger | HP | 1.29 | G3 | 8-11 | | | | |
| <i>Zingiber mioga</i> Japanese Ginger | HP | 1.18 | G3 | 8-11 | | | | |
| <i>Zingiber niveum</i> Milky Way Ginger | HP | 1.40 | G3 | 8-11 | | | | |
| <i>Zingiber officinale</i> Common Ginger | HP | 0.97 | G3 | 8-11 | | | | |
| <i>Zingiber spectabile</i> Blushing Ginger | HP | 2.28 | G3 | 8-11 | | | | |

2006 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Zingiber zerumbet</i> Pine Cone Ginger | HP | 1.59 | G3 | 8-11 | | | | |
| <i>Zingiber zerumbet</i> 'Darceyi' Darcey Pine Cone Ginger | HP | 0.97 | G3 | 8-11 | | | | |
| <i>Zingiber zerumbet</i> 'Variegata' Variegated Pine Cone Ginger | HP | 2.63 | G3 | 8-11 | | | | |
| <i>Zinnia angustifolia</i> Narrow-leaf Zinnia | AN | 0.77 | G4 | 7-10 | 11 | | | |
| <i>Zinnia angustifolia</i> 'Crystal White' Crystal White Narrow-leaf Zinnia | AN | 0.88 | G4 | 7-10 | 11 | | | |
| <i>Zinnia angustifolia</i> 'Profusion Cherry' Profusion Cherry Narrow-leaf Zinnia | AN | 0.86 | G4 | 7-10 | 11 | | | |
| <i>Zinnia angustifolia</i> 'Profusion Orange' Profusion Orange Narrow-leaf Zinnia | AN | 0.86 | G4 | 7-10 | 11 | | | |
| <i>Zinnia angustifolia</i> 'Profusion Series' Profusion Series Narrow-leaf Zinnia | AN | 0.86 | G4 | 7-10 | 11 | | | |
| <i>Zinnia angustifolia</i> 'Star Series' Star Series Narrow-leaf Zinnia | AN | 0.81 | G4 | 7-10 | 11 | | | |
| <i>Zinnia elegans</i> Common Zinnia | AN | 0.52 | G4 | 7-9 | 10-11 | | | |
| <i>Zinnia elegans</i> 'Dreamland Series' Dreamland Series Zinnia | AN | 0.95 | G4 | 7-9 | 10-11 | | | |
| <i>Zinnia elegans</i> 'Oklahoma Series' Oklahoma Series Zinnia | AN | 1.00 | G4 | 7-9 | 10-11 | | | |
| <i>Zinnia elegans</i> 'Peter Pan Mix' Peter Pan Mix Zinnia | AN | 0.73 | G4 | 7-9 | 10-11 | | | |
| <i>Zinnia grandiflora</i> No Common Name Found | AN | 1.38 | G4 | 7-9 | 10-11 | | | |
| <i>Zinnia haageana</i> No Common Name Found | AN | 1.00 | G4 | 7-10 | 11 | | | |
| <i>Zinnia linearis</i> See - <i>Zinnia angustifolia</i> | | | | | | | | |
| <i>Zinnia mexicana</i> See - <i>Zinnia haageana</i> | | | | | | | | |
| <i>Zinnia pauciflora</i> See - <i>Zinnia peruviana</i> | | | | | | | | |
| <i>Zinnia peruviana</i> No Common Name Found | AN | 1.00 | G4 | 7-10 | 11 | | | |
| <i>Zizania latifolia</i> Manchurian Wild Rice | HP | 0.76 | G4 | 8-9 | 10 | | | |
| <i>Zizia aptera</i> Heart-Leaved Meadow Parsnip | HP | 1.07 | G4 | 2-3 | 4-8 | | | |
| <i>Zizia aurea</i> Golden Alexander | HP | 1.04 | G4 | 2-3 | 4-8 | | | |
| <i>Ziziphus jujuba</i> Common Jujube | FN | 0.85 | G2 | 7-8 | 9-11 | 1.00 | 1.00 | 6 |
| <i>Ziziphus mauritanica</i> Indian Jujube | FN | 1.00 | G2 | 7-10 | 11 | 1.00 | 1.00 | 10 |
| <i>Zombia antillarum</i> Zombie Palm | PC | 3.53 | G1 | 10 | 11 | | 1.00 | 10B |
| <i>Zoysia tenuifolia</i> Mascarene Grass | HP | 1.14 | G4 | 9-10 | 11 | | | |
| <i>Zygopetalum mackii</i> No Common Name Found | FO | 2.70 | G4 | 9-10 | 11 | | 1.00 | 10 |

APPENDIX

County Hardiness Zones

| State | County | Zone |
|------------|-----------|------|
| Alabama | Autauga | 8 |
| | Baldwin | 8 |
| | Barbour | 8 |
| | Bibb | 7 |
| | Blount | 7 |
| | Bullock | 8 |
| | Butler | 8 |
| | Calhoun | 7 |
| | Chambers | 7 |
| | Cherokee | 7 |
| | Chilton | 8 |
| | Choctaw | 8 |
| | Clarke | 8 |
| | Clay | 7 |
| | Cleburne | 7 |
| | Coffee | 8 |
| | Colbert | 7 |
| | Conecuh | 8 |
| | Coosa | 8 |
| | Covington | 8 |
| | Crenshaw | 8 |
| | Cullman | 7 |
| | Dale | 8 |
| | Dallas | 8 |
| | De Kalb | 7 |
| | Elmore | 8 |
| | Escambia | 8 |
| | Etowah | 7 |
| | Fayette | 7 |
| | Franklin | 7 |
| | Geneva | 8 |
| | Greene | 8 |
| Hale | 8 | |
| Henry | 8 | |
| Houston | 8 | |
| Jackson | 7 | |
| Jefferson | 7 | |
| Lamar | 7 | |
| Lauderdale | 7 | |
| Lawrence | 7 | |
| Lee | 8 | |
| Limestone | 7 | |
| Lowndes | 8 | |
| Macon | 8 | |
| Madison | 7 | |
| Marengo | 8 | |
| Marion | 7 | |
| Marshall | 7 | |
| Mobile | 8 | |
| Monroe | 8 | |
| Montgomery | 8 | |
| Morgan | 7 | |

County Hardiness Zones

| State | County | Zone |
|-----------|--------------|------|
| Alabama | Perry | 8 |
| | Pickens | 7 |
| | Pike | 8 |
| | Randolph | 7 |
| | Russell | 8 |
| | Shelby | 7 |
| | St Clair | 7 |
| | Sumter | 8 |
| | Talladega | 7 |
| | Tallapoosa | 8 |
| | Tuscaloosa | 7 |
| | Walker | 7 |
| | Washington | 8 |
| | Wilcox | 8 |
| | Winston | 7 |
| Arkansas | Arkansas | 7 |
| | Ashley | 8 |
| | Baxter | 6 |
| | Benton | 6 |
| | Boone | 6 |
| | Bradley | 7 |
| | Calhoun | 8 |
| | Carroll | 6 |
| | Chicot | 8 |
| | Clark | 8 |
| | Clay | 6 |
| | Cleburne | 7 |
| | Cleveland | 7 |
| | Columbia | 8 |
| | Conway | 7 |
| | Craighead | 7 |
| | Crawford | 7 |
| | Crittenden | 7 |
| | Cross | 7 |
| | Dallas | 7 |
| | Desha | 8 |
| | Drew | 8 |
| | Faulkner | 7 |
| | Franklin | 7 |
| | Fulton | 6 |
| | Garland | 7 |
| | Grant | 7 |
| | Greene | 7 |
| | Hempstead | 8 |
| | Hot Spring | 7 |
| | Howard | 8 |
| | Independence | 7 |
| Izard | 6 | |
| Jackson | 7 | |
| Jefferson | 7 | |
| Johnson | 7 | |
| Lafayette | 8 | |

County Hardiness Zones

| State | County | Zone |
|------------|--------------|------|
| Arkansas | Lawrence | 7 |
| | Lee | 7 |
| | Lincoln | 8 |
| | Little River | 8 |
| | Logan | 7 |
| | Lonoke | 7 |
| | Madison | 6 |
| | Marion | 6 |
| | Miller | 8 |
| | Mississippi | 7 |
| | Monroe | 7 |
| | Montgomery | 7 |
| | Nevada | 8 |
| | Newton | 6 |
| | Ouachita | 8 |
| | Perry | 7 |
| | Phillips | 7 |
| | Pike | 8 |
| | Poinsett | 7 |
| | Polk | 7 |
| | Pope | 7 |
| | Prairie | 7 |
| | Pulaski | 7 |
| | Randolph | 6 |
| | Saline | 7 |
| | Scott | 7 |
| | Searcy | 6 |
| | Sebastian | 7 |
| | Sevier | 8 |
| | Sharp | 7 |
| | St Francis | 7 |
| | Stone | 7 |
| | Union | 8 |
| Van Buren | 7 | |
| Washington | 6 | |
| White | 7 | |
| Woodruff | 7 | |
| Yell | 7 | |
| Florida | Alachua | 8 |
| | Baker | 8 |
| | Bay | 8 |
| | Bradford | 8 |
| | Brevard | 9B |
| | Broward | 10B |
| | Calhoun | 8 |
| | Charlotte | 10A |
| | Citrus | 9A |
| | Clay | 9A |
| | Collier | 10B |
| | Columbia | 8 |
| | De Soto | 9B |
| Dixie | 8 | |

County Hardiness Zones

| State | County | Zone |
|------------|--------------|------|
| Florida | Duval | 9A |
| | Escambia | 8 |
| | Flagler | 9A |
| | Franklin | 9A |
| | Gadsden | 8 |
| | Gilchrist | 8 |
| | Glades | 10A |
| | Gulf | 8 |
| | Hamilton | 8 |
| | Hardee | 9B |
| | Hendry | 10A |
| | Hernando | 9A |
| | Highlands | 9B |
| | Hillsborough | 9B |
| | Holmes | 8 |
| | Indian River | 9B |
| | Jackson | 8 |
| | Jefferson | 8 |
| | Lafayette | 8 |
| | Lake | 9B |
| | Lee | 10A |
| | Leon | 8 |
| | Levy | 8 |
| | Liberty | 8 |
| | Madison | 8 |
| | Manatee | 9B |
| | Marion | 9A |
| | Martin | 9B |
| | Miami-Dade | 10B |
| | Monroe | 10B |
| | Nassau | 9A |
| | Okaloosa | 8 |
| | Okeechobee | 9B |
| | Orange | 9B |
| | Osceola | 9B |
| | Palm Beach | 10B |
| | Pasco | 9B |
| | Pinellas | 9B |
| | Polk | 9B |
| Putnam | 9A | |
| Santa Rosa | 8 | |
| Sarasota | 9B | |
| Seminole | 9B | |
| St Johns | 9A | |
| St Lucie | 9B | |
| Sumter | 9A | |
| Suwannee | 8 | |
| Taylor | 8 | |
| Union | 8 | |
| Volusia | 9B | |
| Wakulla | 8 | |
| Walton | 8 | |

County Hardiness Zones

| State | County | Zone |
|---------|---------------|------|
| Florida | Washington | 8 |
| Georgia | Appling | 8 |
| | Atkinson | 8 |
| | Bacon | 8 |
| | Baker | 8 |
| | Baldwin | 8 |
| | Banks | 7 |
| | Barrow | 7 |
| | Bartow | 7 |
| | Ben Hill | 8 |
| | Berrien | 8 |
| | Bibb | 8 |
| | Bleckley | 8 |
| | Brantley | 8 |
| | Brooks | 8 |
| | Bryan | 8 |
| | Bulloch | 8 |
| | Burke | 8 |
| | Butts | 7 |
| | Calhoun | 8 |
| | Camden | 8 |
| | Candler | 8 |
| | Carroll | 7 |
| | Catoosa | 7 |
| | Charlton | 8 |
| | Chatham | 8 |
| | Chattahoochee | 8 |
| | Chattooga | 7 |
| | Cherokee | 7 |
| | Clarke | 7 |
| | Clay | 8 |
| | Clayton | 7 |
| | Clinch | 8 |
| | Cobb | 7 |
| | Coffee | 8 |
| | Colquitt | 8 |
| | Columbia | 8 |
| | Cook | 8 |
| | Coweta | 7 |
| | Crawford | 8 |
| | Crisp | 8 |
| | Dade | 7 |
| | Dawson | 7 |
| | De Kalb | 7 |
| | Decatur | 8 |
| | Dodge | 8 |
| | Dooly | 8 |
| | Dougherty | 8 |
| | Douglas | 7 |
| | Early | 8 |
| | Echols | 8 |
| | Effingham | 8 |

County Hardiness Zones

| State | County | Zone |
|------------|------------|------|
| Georgia | Elbert | 7 |
| | Emanuel | 8 |
| | Evans | 8 |
| | Fannin | 7 |
| | Fayette | 7 |
| | Floyd | 7 |
| | Forsyth | 7 |
| | Franklin | 7 |
| | Fulton | 7 |
| | Gilmer | 7 |
| | Glascock | 8 |
| | Glynn | 8 |
| | Gordon | 7 |
| | Grady | 8 |
| | Greene | 7 |
| | Gwinnett | 7 |
| | Habersham | 7 |
| | Hall | 7 |
| | Hancock | 8 |
| | Haralson | 7 |
| | Harris | 8 |
| | Hart | 7 |
| | Heard | 7 |
| | Henry | 7 |
| | Houston | 8 |
| | Irwin | 8 |
| | Jackson | 7 |
| | Jasper | 7 |
| | Jeff Davis | 8 |
| | Jefferson | 8 |
| | Jenkins | 8 |
| | Johnson | 8 |
| Jones | 8 | |
| Lamar | 7 | |
| Lanier | 8 | |
| Laurens | 8 | |
| Lee | 8 | |
| Liberty | 8 | |
| Lincoln | 7 | |
| Long | 8 | |
| Lowndes | 8 | |
| Lumpkin | 7 | |
| Macon | 8 | |
| Madison | 7 | |
| Marion | 8 | |
| McDuffie | 8 | |
| McIntosh | 8 | |
| Meriwether | 7 | |
| Miller | 8 | |
| Mitchell | 8 | |
| Monroe | 7 | |
| Montgomery | 8 | |

County Hardiness Zones

| State | County | Zone |
|------------|------------|------|
| Georgia | Morgan | 7 |
| | Murray | 7 |
| | Muscogee | 8 |
| | Newton | 7 |
| | Oconee | 7 |
| | Oglethorpe | 7 |
| | Paulding | 7 |
| | Peach | 8 |
| | Pickens | 7 |
| | Pierce | 8 |
| | Pike | 7 |
| | Polk | 7 |
| | Pulaski | 8 |
| | Putnam | 7 |
| | Quitman | 8 |
| | Rabun | 7 |
| | Randolph | 8 |
| | Richmond | 8 |
| | Rockdale | 7 |
| | Schley | 8 |
| | Screven | 8 |
| | Seminole | 8 |
| | Spalding | 7 |
| | Stephens | 7 |
| | Stewart | 8 |
| | Sumter | 8 |
| | Talbot | 7 |
| | Taliaferro | 7 |
| | Tattnall | 8 |
| | Taylor | 8 |
| | Telfair | 8 |
| | Terrell | 8 |
| | Thomas | 8 |
| | Tift | 8 |
| | Toombs | 8 |
| | Towns | 7 |
| Treutlen | 8 | |
| Troup | 7 | |
| Turner | 8 | |
| Twiggs | 8 | |
| Union | 7 | |
| Upson | 7 | |
| Walker | 7 | |
| Walton | 7 | |
| Ware | 8 | |
| Warren | 8 | |
| Washington | 8 | |
| Wayne | 8 | |
| Webster | 8 | |
| Wheeler | 8 | |
| White | 7 | |
| Whitfield | 7 | |

County Hardiness Zones

| State | County | Zone |
|----------|--------------|------|
| Georgia | Wilcox | 8 |
| | Wilkes | 7 |
| | Wilkinson | 8 |
| | Worth | 8 |
| Kentucky | Adair | 6 |
| | Allen | 6 |
| | Anderson | 6 |
| | Ballard | 6 |
| | Barren | 6 |
| | Bath | 6 |
| | Bell | 6 |
| | Boone | 6 |
| | Bourbon | 6 |
| | Boyd | 6 |
| | Boyle | 6 |
| | Bracken | 6 |
| | Breathitt | 6 |
| | Breckinridge | 6 |
| | Bullitt | 6 |
| | Butler | 6 |
| | Caldwell | 6 |
| | Calloway | 6 |
| | Campbell | 6 |
| | Carlisle | 6 |
| | Carroll | 6 |
| | Carter | 6 |
| | Casey | 6 |
| | Christian | 6 |
| | Clark | 6 |
| | Clay | 6 |
| | Clinton | 6 |
| | Crittenden | 6 |
| | Cumberland | 6 |
| | Daviess | 6 |
| | Edmonson | 6 |
| | Elliott | 6 |
| | Estill | 6 |
| | Fayette | 6 |
| | Fleming | 6 |
| | Floyd | 6 |
| Franklin | 6 | |
| Fulton | 6 | |
| Gallatin | 6 | |
| Garrard | 6 | |
| Grant | 6 | |
| Graves | 6 | |
| Grayson | 6 | |
| Green | 6 | |
| Greenup | 6 | |
| Hancock | 6 | |
| Hardin | 6 | |
| Harlan | 6 | |

County Hardiness Zones

| <u>State</u> | <u>County</u> | <u>Zone</u> |
|--------------|---------------|-------------|
| Kentucky | Harrison | 6 |
| | Hart | 6 |
| | Henderson | 6 |
| | Henry | 6 |
| | Hickman | 6 |
| | Hopkins | 6 |
| | Jackson | 6 |
| | Jefferson | 6 |
| | Jessamine | 6 |
| | Johnson | 6 |
| | Kenton | 6 |
| | Knott | 6 |
| | Knox | 6 |
| | Larue | 6 |
| | Laurel | 6 |
| | Lawrence | 6 |
| | Lee | 6 |
| | Leslie | 6 |
| | Letcher | 6 |
| | Lewis | 6 |
| | Lincoln | 6 |
| | Livingston | 6 |
| | Logan | 6 |
| | Lyon | 6 |
| | Madison | 6 |
| | Magoffin | 6 |
| | Marion | 6 |
| | Marshall | 6 |
| | Martin | 6 |
| | Mason | 6 |
| | McCracken | 6 |
| McCreary | 6 | |
| McLean | 6 | |
| Meade | 6 | |
| Menifee | 6 | |
| Mercer | 6 | |
| Metcalfe | 6 | |
| Monroe | 6 | |
| Montgomery | 6 | |
| Morgan | 6 | |
| Muhlenberg | 6 | |
| Nelson | 6 | |
| Nicholas | 6 | |
| Ohio | 6 | |
| Oldham | 6 | |
| Owen | 6 | |
| Owsley | 6 | |
| Pendleton | 6 | |
| Perry | 6 | |
| Pike | 6 | |
| Powell | 6 | |
| Pulaski | 6 | |

County Hardiness Zones

| State | County | Zone |
|-----------------|------------------|------|
| Kentucky | Robertson | 6 |
| | Rockcastle | 6 |
| | Rowan | 6 |
| | Russell | 6 |
| | Scott | 6 |
| | Shelby | 6 |
| | Simpson | 6 |
| | Spencer | 6 |
| | Taylor | 6 |
| | Todd | 6 |
| | Trigg | 6 |
| | Trimble | 6 |
| | Union | 6 |
| | Warren | 6 |
| | Washington | 6 |
| | Wayne | 6 |
| | Webster | 6 |
| | Whitley | 6 |
| Wolfe | 6 | |
| Woodford | 6 | |
| Louisiana | Acadia | 8 |
| | Allen | 8 |
| | Ascension | 9A |
| | Assumption | 9A |
| | Avoyelles | 8 |
| | Beauregard | 8 |
| | Bienville | 8 |
| | Bossier | 8 |
| | Caddo | 8 |
| | Calcasieu | 9A |
| | Caldwell | 8 |
| | Cameron | 9A |
| | Catahoula | 8 |
| | Claiborne | 8 |
| | Concordia | 8 |
| | De Soto | 8 |
| | East Baton Rouge | 8 |
| | East Carroll | 8 |
| | East Feliciana | 8 |
| | Evangeline | 8 |
| | Franklin | 8 |
| | Grant | 8 |
| | Iberia | 9A |
| | Iberville | 8 |
| | Jackson | 8 |
| | Jefferson | 9A |
| Jefferson Davis | 9A | |
| La Salle | 8 | |
| Lafayette | 9A | |
| Lafourche | 9A | |
| Lincoln | 8 | |
| Livingston | 9A | |

County Hardiness Zones

| State | County | Zone |
|-------------|------------------|------|
| Louisiana | Madison | 8 |
| | Morehouse | 8 |
| | Natchitoches | 8 |
| | Orleans | 8 |
| | Ouachita | 8 |
| | Plaquemines | 9A |
| | Pointe Coupee | 8 |
| | Rapides | 8 |
| | Red River | 8 |
| | Richland | 8 |
| | Sabine | 8 |
| | St Bernard | 9A |
| | St Charles | 9A |
| | St Helena | 8 |
| | St James | 9A |
| | St John Baptist | 9A |
| | St Landry | 8 |
| | St Martin | 9A |
| | St Mary | 9A |
| | St Tammany | 8 |
| | Tangipahoa | 8 |
| | Tensas | 8 |
| | Terrebonne | 9A |
| | Union | 8 |
| | Vermilion | 9A |
| | Vernon | 8 |
| | Washington | 8 |
| | Webster | 8 |
| | West Baton Rouge | 8 |
| | West Carroll | 8 |
| | West Feliciana | 8 |
| Winn | 8 | |
| Mississippi | Adams | 8 |
| | Alcorn | 7 |
| | Amite | 8 |
| | Attala | 7 |
| | Benton | 7 |
| | Bolivar | 8 |
| | Calhoun | 7 |
| | Carroll | 8 |
| | Chickasaw | 7 |
| | Choctaw | 7 |
| | Claiborne | 8 |
| | Clarke | 8 |
| | Clay | 7 |
| | Coahoma | 8 |
| | Copiah | 8 |
| | Covington | 8 |
| | De Soto | 7 |
| | Forrest | 8 |
| Franklin | 8 | |
| George | 8 | |

County Hardiness Zones

| State | County | Zone |
|-------------|-----------------|------|
| Mississippi | Greene | 8 |
| | Grenada | 8 |
| | Hancock | 8 |
| | Harrison | 8 |
| | Hinds | 8 |
| | Holmes | 8 |
| | Humphreys | 8 |
| | Issaquena | 8 |
| | Itawamba | 7 |
| | Jackson | 8 |
| | Jasper | 8 |
| | Jefferson | 8 |
| | Jefferson Davis | 8 |
| | Jones | 8 |
| | Kemper | 7 |
| | Lafayette | 7 |
| | Lamar | 8 |
| | Lauderdale | 8 |
| | Lawrence | 8 |
| | Leake | 7 |
| | Lee | 7 |
| | Leflore | 8 |
| | Lincoln | 8 |
| | Lowndes | 7 |
| | Madison | 8 |
| | Marion | 8 |
| | Marshall | 7 |
| | Monroe | 7 |
| | Montgomery | 7 |
| | Neshoba | 8 |
| | Newton | 8 |
| | Noxubee | 7 |
| | Oktibbeha | 7 |
| | Panola | 7 |
| | Pearl River | 8 |
| | Perry | 8 |
| | Pike | 8 |
| | Pontotoc | 7 |
| | Prentiss | 7 |
| | Quitman | 8 |
| | Rankin | 8 |
| | Scott | 8 |
| | Sharkey | 8 |
| | Simpson | 8 |
| | Smith | 8 |
| | Stone | 8 |
| | Sunflower | 8 |
| | Tallahatchie | 8 |
| Tate | 7 | |
| Tippah | 7 | |
| Tishomingo | 7 | |
| Tunica | 7 | |

County Hardiness Zones

| State | County | Zone |
|----------------|--------------|------|
| Mississippi | Union | 7 |
| | Walthall | 8 |
| | Warren | 8 |
| | Washington | 8 |
| | Wayne | 8 |
| | Webster | 7 |
| | Wilkinson | 8 |
| | Winston | 7 |
| | Yalobusha | 7 |
| | Yazoo | 8 |
| South Carolina | Abbeville | 7 |
| | Aiken | 8 |
| | Allendale | 8 |
| | Anderson | 7 |
| | Bamberg | 8 |
| | Barnwell | 8 |
| | Beaufort | 8 |
| | Berkeley | 8 |
| | Calhoun | 8 |
| | Charleston | 8 |
| | Cherokee | 7 |
| | Chester | 7 |
| | Chesterfield | 8 |
| | Clarendon | 8 |
| | Colleton | 8 |
| | Darlington | 8 |
| | Dillon | 8 |
| | Dorchester | 8 |
| | Edgefield | 7 |
| | Fairfield | 7 |
| | Florence | 8 |
| | Georgetown | 8 |
| | Greenville | 7 |
| | Greenwood | 7 |
| | Hampton | 8 |
| | Horry | 8 |
| | Jasper | 8 |
| | Kershaw | 7 |
| | Lancaster | 7 |
| | Laurens | 7 |
| | Lee | 8 |
| | Lexington | 8 |
| | Marion | 8 |
| Marlboro | 8 | |
| McCormick | 7 | |
| Newberry | 7 | |
| Oconee | 7 | |
| Orangeburg | 8 | |
| Pickens | 7 | |
| Richland | 8 | |
| Saluda | 7 | |
| Spartanburg | 7 | |

County Hardiness Zones

| State | County | Zone |
|----------------|--------------|------|
| South Carolina | Sumter | 8 |
| | Union | 7 |
| | Williamsburg | 8 |
| | York | 7 |
| Tennessee | Anderson | 7 |
| | Bedford | 7 |
| | Benton | 7 |
| | Bledsoe | 7 |
| | Blount | 7 |
| | Bradley | 7 |
| | Campbell | 6 |
| | Cannon | 6 |
| | Carroll | 7 |
| | Carter | 6 |
| | Cheatham | 6 |
| | Chester | 7 |
| | Claiborne | 6 |
| | Clay | 6 |
| | Cocke | 7 |
| | Coffee | 6 |
| | Crockett | 7 |
| | Cumberland | 7 |
| | Davidson | 6 |
| | De Kalb | 6 |
| | Decatur | 7 |
| | Dickson | 6 |
| | Dyer | 7 |
| | Fayette | 7 |
| | Fentress | 6 |
| | Franklin | 7 |
| | Gibson | 7 |
| | Giles | 7 |
| | Grainger | 6 |
| | Greene | 7 |
| | Grundy | 7 |
| | Hamblen | 6 |
| Hamilton | 7 | |
| Hancock | 6 | |
| Hardeman | 7 | |
| Hardin | 7 | |
| Hawkins | 6 | |
| Haywood | 7 | |
| Henderson | 7 | |
| Henry | 6 | |
| Hickman | 6 | |
| Houston | 6 | |
| Humphreys | 6 | |
| Jackson | 6 | |
| Jefferson | 6 | |
| Johnson | 6 | |
| Knox | 7 | |
| Lake | 7 | |

County Hardiness Zones

| State | County | Zone |
|------------|------------|------|
| Tennessee | Lauderdale | 7 |
| | Lawrence | 7 |
| | Lewis | 6 |
| | Lincoln | 7 |
| | Loudon | 7 |
| | Macon | 6 |
| | Madison | 7 |
| | Marion | 7 |
| | Marshall | 7 |
| | Maury | 7 |
| | McMinn | 7 |
| | McNairy | 7 |
| | Meigs | 7 |
| | Monroe | 7 |
| | Montgomery | 6 |
| | Moore | 6 |
| | Morgan | 6 |
| | Obion | 7 |
| | Overton | 6 |
| | Perry | 6 |
| | Pickett | 6 |
| | Polk | 7 |
| | Putnam | 6 |
| | Rhea | 7 |
| | Roane | 7 |
| | Robertson | 6 |
| | Rutherford | 6 |
| | Scott | 6 |
| | Sequatchie | 7 |
| | Sevier | 6 |
| | Shelby | 7 |
| | Smith | 6 |
| | Stewart | 6 |
| | Sullivan | 6 |
| | Sumner | 6 |
| | Tipton | 7 |
| | Trousdale | 6 |
| | Unicoi | 6 |
| Union | 6 | |
| Van Buren | 7 | |
| Warren | 6 | |
| Washington | 6 | |
| Wayne | 7 | |
| Weakley | 6 | |
| White | 7 | |
| Williamson | 6 | |
| Wilson | 6 | |

STORAGE KEY G1

Woody plants (plant types): BE, BS, CE, CS, DS, DT, FN, GC, PC, RO, SF
(For reference purposes only. Use of this storage key is not limited to the listed plant types.)

Hardiness Zones 1-6

Storage, such as:

1. Poly covered walk-in Quonset House with functional irrigation and
 - a. Supplemental heat or
 - b. Poly liners or
 - c. Thermo blankets.
2. Storage barns or buildings proven satisfactory in previous seasons.

Hardiness Zones 7-8

Storage, such as:

1. Poly covered walk-in Quonset Houses or
2. Low Hoop Houses or
3. Pit frames covered with poly or
4. Outside beds covered with thermo blankets or poly.

Hardiness Zones 9-10

Storage, such as:

1. Overhead irrigation with sprinklers capable of providing complete coverage of the crop throughout the duration of cold temperatures or
2. Plastic film covered structures without heat or overhead irrigation or
3. Plants covered with thermo blankets or poly during periods of cold temperature. Over-sized containerized plants (plants that are too large) should be laid on their side prior to covering.

NOTE: If wind conditions prevent effective use of overhead irrigation, either strategy #2 or #3 must be followed.

NOTE: The storage temperature must be established to prevent above freezing low temperature damage to the species being produced, including protection from dry, desiccating winds, either by covering the plants, use of overhead irrigation, or wind blocks.

Hardiness Zone 11

Storage, such as:

1. Overhead irrigation with sprinklers capable of providing complete coverage of the crop throughout the duration of cold temperatures or
2. Plants covered with thermo blankets or poly during periods of cold temperature. Over-sized containerized plants (plants that are too large) should be laid on their side prior to covering.

STORAGE KEY G2

Woody plants (plant types): BE, BS, CE, CS, DS, DT, FN, GC, PC, RO, SF
(For reference purposes only. Use of this storage key is not limited to the listed plant types.)

Note: If other than white or clear poly is used to cover plants for cold protection, it must be removed prior to sun exposure the following day.

Hardiness Zones 1-6

Storage, such as:

1. Poly covered walk-in Quonset Houses or
2. Low Hoop Houses or
3. Pit frames covered with poly or
4. Outside beds covered with thermo blankets or poly.

Hardiness Zones 7-8

Storage, such as:

1. Overhead irrigation with sprinklers capable of providing complete coverage of the crop throughout the duration of cold temperatures or
2. Plastic film covered structures without heat or overhead irrigation or
3. Plants covered with thermo blankets or poly during periods of cold temperature. Over-sized containerized plants (plants that are too large) should be laid on their side prior to covering.

Hardiness Zones 9-10

Storage, such as:

Plants covered with thermo blankets or poly during periods of cold temperature.
Over-sized containerized plants (plants that are too large) should be laid on their side prior to covering.

Hardiness Zone 11

No cold protection required.

STORAGE KEY G3

Foliage (plant types): FO, PC

(For reference purposes only. Use of this storage key is not limited to the listed plant types.)

Hardiness Zones 1-9A

Plants to be stored in a greenhouse, covered with glass or plastic film, equipped with irrigation and a heating system.

Hardiness Zones 9B-10A

Plants to be stored in a greenhouse or a shadehouse covered with plastic film during the cold season and equipped with irrigation and a heating system, or a below bench and/or aisle irrigation system capable of maintaining the air temperature around the plants above critical minimums for the crops grown (minimum water temperature for heating purposes: 70° F).

Hardiness Zones 10B-11

Plants to be stored in a shadehouse covered with plastic film during the cold season and equipped with irrigation system.

STORAGE KEY G4

Herbaceous (plant types): AN, GC, HP, SF
(For reference purposes only. Use of this storage key is not limited to the listed plant types.)

Hardiness Zones 1-6

Storage, such as:

1. Glass, fiberglass, polycarbonate or poly covered greenhouse with supplemental heat and irrigation or
2. Poly covered structures plus supplemental heat with overhead irrigation from sprinklers or mist or
3. Poly covered structures with irrigation.

Hardiness Zones 7-8

Storage, such as:

1. Poly covered structures plus supplemental heat with overhead irrigation from sprinklers or mist or
2. Poly covered structures with irrigation.

Hardiness Zones 9-10A

Storage, such as:

1. Poly covered structures with supplemental heat and irrigation or
2. Poly covered structures with irrigation or
3. Outside beds covered with thermal blankets during periods of cold weather.

Hardiness Zones 10B-11

Overhead irrigation from sprinklers.

STORAGE KEY R1

Hardiness Zones 1-8

Storage, such as:

1. Glass or poly greenhouses with supplemental heat and irrigation or
2. Pot-in-Pot with adequate drainage to prevent water-logging and excess salt accumulation.

STORAGE KEY R2

Hardiness Zones 1-8

Storage structures, such as glass or poly greenhouses with supplemental heat and irrigation.

STORAGE KEY S1

Alaska Hardiness Zones 2-3

Containers standing or laid on their side; containers mulched with 6-10 inches of straw, hay, leaves, evergreen boughs, or wood chips from the top of the container, mulch material covered with netting or floating row cover to hold mulch in place, if necessary, or

Containers/B&B set in trench and backfilled with soil, straw, hay or leaves.

NOTE: Rodent proofing required.

Hardiness Zones 1-6

Mandatory cold protection level 1 (Winter Long Protection)

Storage, such as:

1. Co-poly (white preferred) covered walk-in Quonset House and poly liners or
2. Thermal blankets covered with poly or
3. Supplemental heat.

Hardiness Zones 7-8

Mandatory cold protection level 2 (Winter Long Protection)

Storage, such as:

1. Co-poly (white preferred) covered walk-in Quonset House or
2. Co-poly (white preferred) covered Hoop House or
3. Structureless storage, such as: Outside beds covered with thermal blankets laminated or overlaid with white co-poly (white required).

STORAGE KEY S2

Mandatory cold protection level 1 (Winter Long Protection)

Storage, such as:

1. Co-poly (white preferred) covered walk-in Quonset House and poly liners or
2. Thermal blankets covered with poly or
3. Supplemental heat.

STORAGE KEY S3

Mandatory cold protection level 2 (Winter Long Protection)

Storage, such as:

1. Co-poly (white preferred) covered walk-in Quonset House or
2. Co-poly (white preferred) covered Hoop House or
3. Structureless storage, such as: Outside beds covered with thermal blankets laminated or overlaid with white co-poly (white required).

STORAGE KEY S4

Hardiness Zones 1-6

Mandatory cold protection level 1 (Winter Long Protection)

Storage structures, such as controlled environment greenhouses.

Hardiness Zones 7-8

Mandatory cold protection level 2 (Winter Long Protection)

Storage, such as:

1. Co-poly (white preferred) covered walk-in Quonset House or
2. Co-poly (white preferred) covered Hoop House or
3. Structureless storage, such as: Outside beds covered with thermal blankets laminated or overlaid with white co-poly (white required).

STORAGE KEY S5

Mandatory cold protection level 1 (Winter Long Protection)

Storage structures, such as controlled environment greenhouses.

STORAGE KEY NR

No cold protection required.

STORAGE KEY XX

The “XX” code does not communicate any information regarding storage requirements. Rather, it is used in situations where it is necessary to communicate that field grown material is insurable and container material is not insurable.

INSURANCE PRICE CALCULATION WORKSHEET

SAMPLE FOR REPRODUCTION

Plant Name: _____

Plant Type: _____
(from Eligible Plant List)

Size: _____

Measurement Method: Container/Liner____ Caliper____ High/Wide__

Factor: _____
(from Eligible Plant List)

Base Price: _____
(from Base Price Table for Plant Type)


Calculation of Max. Price:
$$\frac{\text{_____}}{\text{Base Price}} \times \frac{\text{_____}}{\text{Factor}} = \frac{\text{_____}}{\text{Max. Price}}$$

Insurance Price: Lesser of Max. Price or Grower Lowest Wholesale Price

$\frac{\text{_____}}{\text{Max. Price}} \quad \frac{\text{_____}}{\text{Grower Lowest Wholesale Price}}$

CONTAINER VOLUME CALCULATION WORKSHEET

Round container volume calculation:



Calculate radius R_1 and R_2 in inches using diameter D_1 and D_2 in inches:

$$R_1 \text{ (inches)} = D_1 \div 2$$


$$R_2 \text{ (inches)} = D_2 \div 2$$

Calculate volume in gallons using R_1 , R_2 and H in inches:

$$\text{Volume (gallons)} = \frac{3.1416 (H \div 3) [(R_1 \times R_1) + (R_1 \times R_2) + (R_2 \times R_2)]}{231}$$

Note: Measurements for D_1 , D_2 and H should be taken inside the container.

Square/rectangular container volume calculation:



Calculate top (Y) and bottom (Z) area in square inches using T₁, T₂, B₁, and B₂ in inches:

$$Y \text{ (square inches)} = T_1 \times T_2$$

$$Z \text{ (square inches)} = B_1 \times B_2$$

Calculate volume in gallons using Y and Z in square inches and H in inches:

$$\text{Volume (gallons)} = \frac{(H \div 3) (Y + Z + \sqrt{Y \times Z})}{231}$$

Note: Measurements for T₁, T₂, B₁, B₂ and H should be taken inside the container.

FCIC CONTAINER DEFINITIONS

| FCIC SIZE NAME | GALLON MEASUREMENT | | CUBIC INCH EQUIVALENT | | INCLUDES STANDARD ANSI CLASS |
|----------------|--------------------|---------|-----------------------|---------|------------------------------|
| | MINIMUM | MAXIMUM | MINIMUM | MAXIMUM | |
| POT | 0.08 | 0.19 | 18 | 45 | SP3 |
| 1 QUART | 0.20 | 0.39 | 46 | 91 | SP4 |
| 2 QUART | 0.40 | 0.59 | 92 | 137 | SP5 |
| 1 GALLON | 0.60 | 1.37 | 138 | 318 | 1 |
| 2 GALLON | 1.38 | 2.49 | 319 | 576 | 2 |
| 3 GALLON | 2.50 | 3.39 | 577 | 784 | 3 |
| 5 GALLON | 3.40 | 5.77 | 785 | 1,334 | 5 |
| 7 GALLON | 5.78 | 8.49 | 1,335 | 1,962 | 7 |
| 10 GALLON | 8.50 | 11.97 | 1,963 | 2,766 | 10 |
| 15 GALLON | 11.98 | 17.49 | 2,767 | 4,041 | 15 |
| 20 GALLON | 17.50 | 22.49 | 4,042 | 5,196 | 20 |
| 25 GALLON | 22.50 | 29.79 | 5,197 | 6,883 | 25 |
| 30 GALLON | 29.80 | 32.49 | 6,884 | 7,506 | N/A |
| 35 GALLON | 32.50 | 37.49 | 7,507 | 8,661 | N/A |
| 40 GALLON | 37.50 | 42.49 | 8,662 | 9,816 | N/A |
| 45 GALLON | 42.50 | 47.49 | 9,817 | 10,971 | N/A |
| 50 GALLON | 47.50 | 52.49 | 10,972 | 12,126 | N/A |
| 55 GALLON | 52.50 | 57.49 | 12,127 | 13,281 | N/A |
| 60 GALLON | 57.50 | 62.49 | 13,282 | 14,436 | N/A |
| 65 GALLON | 62.50 | 67.49 | 14,437 | 15,591 | N/A |
| 70 GALLON | 67.50 | 72.49 | 15,592 | 16,746 | N/A |
| 75 GALLON | 72.50 | 77.49 | 16,747 | 17,901 | N/A |
| 80 GALLON | 77.50 | 82.49 | 17,902 | 19,056 | N/A |
| 85 GALLON | 82.50 | 87.49 | 19,057 | 20,211 | N/A |
| 90 GALLON | 87.50 | 92.49 | 20,212 | 21,366 | N/A |
| 95 GALLON | 92.50 | 97.49 | 21,367 | 22,521 | N/A |
| 100 GALLON | 97.50 | 124.49 | 22,522 | 28,758 | N/A |
| 150 GALLON | 124.50 | 174.49 | 28,759 | 40,308 | N/A |
| 200 GALLON | 174.50 | 224.49 | 40,309 | 51,858 | N/A |
| 250 GALLON | 224.50 | 274.49 | 51,859 | 63,408 | N/A |
| 300 GALLON | 274.50 | 324.49 | 63,409 | 74,958 | N/A |

