

2001 AND SUCCEEDING CROP YEARS



**FEDERAL CROP
INSURANCE CORPORATION**

ELIGIBLE PLANT LIST AND PLANT PRICE SCHEDULE

NURSERY CROP INSURANCE PROGRAM

- ARIZONA
- CALIFORNIA
- NEVADA
- UTAH



The price for each plant and size listed in the *Eligible Plant List and Plant Price Schedule* is your lowest wholesale price, as determined from your wholesale catalogs or price lists submitted in accordance with the Special Provisions, not to exceed the maximum price limits included in this Schedule. Insurable plants damaged prior to the attachment of insurance coverage will be insured at a reduced value until such plants have fully recovered from damage.

CONTENTS

INTRODUCTION

- Crop Insurance Nomenclature Format
- Crop Type and Optional Units
- Storage Keys
- Hardiness Zone Designations
- Container Insurable Hardiness Zones
- Field Grown Minimum Hardiness Zones
- Plant Size

SOFTWARE AVAILABILITY

- System Requirements
- Sample Report

INSURANCE PRICE CALCULATION

- Examples of Price Calculation
- Crop Type Base Price Tables

ELIGIBLE PLANT LIST AND PLANT PRICE SCHEDULE

APPENDIX

- A County Hardiness Zones
- B Storage Keys
- C Insurance Price Calculation Worksheet
- D Container Volume Calculation Worksheet
- E FCIC Container Definitions

The *DataScape Guide to Commercial Nomenclature* is used in this document by the Federal Crop Insurance Corporation (FCIC), an agency of the United States Department of Agriculture (USDA), with permission. Permission is given to use or reproduce this Eligible Plant List and Plant Price Schedule for purposes of administering the Federal Crop Insurance Corporation's Nursery Insurance program only.

The *DataScape Guide to Commercial Nomenclature* is published periodically in electronic and printed format by DataScape, LLC, 1000 Hart Road, Suite 100B, Barrington, IL 60010. (847) 382-2326. Copyright© 1994, 1995, 1996, 1998, 1999, 2000 by DataScape, LLC. All rights reserved. No part of the *DataScape Guide to Commercial Nomenclature*, including interior design, cover design and icons, may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording, or otherwise) without the prior written permission of the publisher.

DataScape is a registered trademark of DataScape, LLC.

INTRODUCTION

The Eligible Plant List and Plant Price Schedule are parts of the nursery crop insurance program provided by the Federal Crop Insurance Corporation (FCIC), an agency of the United States Department of Agriculture (USDA).

The Eligible Plant List and Plant Price Schedule are used to:

1. Determine the eligibility of nursery plants for insurance.
2. Assist in estimating nursery plant inventory value.
3. Determine the cold protection requirements in accordance with the Nursery Crop Insurance Provisions.
4. Assist in establishing Field market value A, Field market value B, and/or Field market value C for claim settlement in accordance with the Nursery Crop Insurance Provisions.

The following provides important information regarding the use of the Eligible Plant List.

CROP INSURANCE NOMENCLATURE FORMAT

Consistent use of plant names is key to the administration of the nursery crop insurance program. The Eligible Plant List and Plant Price Schedule uses researched plant names taken from the *DataScape Guide to Commercial Nomenclature* and contains four forms of plant names defined as follows:

| | |
|---------------------------|--|
| Botanical Name | The Latin, scientific, or legal form of a plant name. Parts of the name may be genus, specific epithet (species), subspecies, variety, and cultivar. |
| Commercial Botanical Name | The botanical form of a plant name (often including trademarked and/or registered cultivar names) used in commerce. |
| Common Name | The name by which a plant may be known in everyday commerce. |
| Invalid Botanical Name | A Latinized form of a plant name, which is incorrectly used to identify a plant. |

Plants are sometimes sold commercially by a different name from the botanical name. In some cases, that name is one that taxonomists consider outdated or incorrect. In other cases, the name is one that is more often used in commercial trade. If such conditions are present, these invalid botanical names and commercial botanical names are listed with a “see” notation which points to the correct botanical name (e.g. *Acer x freemanii* ‘Autumn Blaze’ is followed by the statement, “See – *Acer x freemanii* ‘Jeffersred’” which is the correct botanical name).

If the desired cultivar of a plant is not listed, the prices and other parameters for the "genus", "genus, species", or "genus, species, variety" will be used for inventory valuation. The incomplete name may not be used if the desired cultivar is listed. Examples are listed below, where XX is a cultivar name:

| <u>Name not found</u> | <u>Name to use</u> |
|---|--|
| <i>Rhododendron 'XX'</i> | <i>Rhododendron</i> |
| <i>Acer rubrum 'XX'</i> | <i>Acer rubrum</i> |
| <i>Acer palmatum var. <i>dissectum</i> 'XX'</i> | <i>Acer palmatum var. <i>dissectum</i></i> |

CROP TYPE AND OPTIONAL UNITS

All plant material is classified in one of the crop types shown below. For administering the nursery crop insurance program, plants will carry a designation contained in this list:

| <u>Code</u> | <u>Description</u> |
|-------------|------------------------------------|
| AN | Annuals |
| BE | Broadleaf Evergreen Trees |
| BS | Broadleaf Evergreen Shrubs |
| CE | Coniferous Evergreen Trees |
| CS | Coniferous Evergreen Shrubs |
| DS | Deciduous Shrubs |
| DT | Deciduous Trees (Shade and Flower) |
| FN | Fruit and Nut Trees |
| FO | Foliage |
| GC | Ground Cover and Vines |
| HP | Herbaceous Perennials |
| RO | Roses |
| SF | Small Fruits |

STORAGE KEYS

Some container plants require cold protection to retain insurance coverage against cold damage. The cold protection requirements are listed on the Eligible Plant List for each insurable container plant through the use of the storage key (SK) code. Storage key code specifications are detailed in Appendix B.

HARDINESS ZONE DESIGNATIONS

All counties are assigned a single hardiness zone (HZ) designation for insurance purposes. These assignments are listed in Appendix A and affect the insurability for both container and field grown material.

CONTAINER INSURABLE HARDINESS ZONES

Container plant insurability is limited to the hardness zone (HZ) or range of hardness zones specified. These zones are listed under "Req" (requiring cold protection) and "Not Req" (not requiring cold protection).

Hardiness zone (HZ) insurability, container example:

| Insurable HZ | |
|--------------|----------------|
| <u>Req</u> | <u>Not Req</u> |
| 2 – 6 | 7 – 8 |

The plant is not insurable in hardness zones 1 and 9-11.

FIELD GROWN MINIMUM HARDINESS ZONES

The Eligible Plant List designates the minimum hardness zone for each insurable field grown plant. Field grown plant material is not insurable below the minimum hardness zone specified for each plant.

Hardiness zone (HZ) insurability, field grown example:

| |
|-----------|
| Minimum |
| Field |
| <u>HZ</u> |
| 5 |

The plant is not insurable in hardness zones 1-4. It is insurable in zones 5-11.

PLANT SIZE

All eligible plants are considered either field grown or container material with sizes listed for each category (practice).

Field grown plants are listed by plant size for height, width, or caliper. Caliper is determined by measuring tree diameter 6 inches above the soil line up to and including a caliper of 4 inches and 12 inches above the soil line for larger sizes. Plant sizes below the smallest listed in the Base Price Table are not insurable.

A seedling size is available for two crop types: deciduous tree (DT) and coniferous evergreen (CE). A seedling is a DT or CE that is at least 6 inches high and less than 18 inches high. Rounding is not permitted.

Plants in containers are listed by the container size with volume units of measure (e.g. quart, gallon). No plant sizes (height, width, or caliper) are listed for plant material in containers. Each cell of insurable multiple-cell nursery containers (cellpacks, jumbo packs, six packs, pony packs, etc.) will be valued as a separate plant. Container sizes below the smallest size listed in the Base Price Table are uninsurable.

Container size is measured by actual volume in gallons as specified in the Special Provisions. Use the worksheet shown in Appendix D to calculate container gallon size if the plant inventory container size is unknown. The worksheet includes formulas for both round and square (rectangular) containers.

SOFTWARE AVAILABILITY

The Eligible Plant List and Plant Price Schedule are available on compact disk (CD) for use on personal computers. The software is a Windows application and allows:

1. Searching for a plant by botanical name, commercial botanical name, common name, or key word. The multiple search function is designed to assist those who may not be familiar with scientific plant nomenclature.
2. Compiling a plant inventory list for estimating nursery inventory value. The program allows the plant inventory list to be printed as shown in the following example.

Please note that the CD containing the application program is intended to provide convenient access to eligible plant information and help estimate the nursery plant inventory value. The CD is not required for processing insurance coverage.

SOFTWARE REQUIREMENTS

386SX CPU or better
16 MB RAM or more
Windows 3.X, Windows 95 or Windows 98
25 MB available diskspace or more

**Crop Inventory Valuation Estimate
2001 and Succeeding Crop Years Pricing**

Client Sample Nursery, Inc.
 Address 888 Main
 Any Town, IL 60010

Reference: 17-9999-999
 Location State: Illinois
 Location County: Lake
 Designated Hardiness Zone: 5

Description: Blocks 1 - 100

Commercial Botanical Name or Botanical Name/
Common Name

| <u>Crop Type</u> | <u>Storage Key</u> | <u>***** Protection Req.</u> | <u>***** Not Req.</u> | <u>Minimum Field</u> | <u>Size</u> | <u>Practice</u> | <u>Ins. Price</u> | <u>Qty</u> | <u>Ins. Value</u> |
|------------------|--------------------|------------------------------|-----------------------|----------------------|-------------|-----------------|-------------------|------------|-------------------|
|------------------|--------------------|------------------------------|-----------------------|----------------------|-------------|-----------------|-------------------|------------|-------------------|

Broadleaf Evergreen Shrubs

Buxus microphylla var. *japonica*

Japanese Littleleaf Boxwood

| | | | | | | | | |
|---|----|-----|---|-----------------|------------------------|--------------|------------|------------------|
| BS | G1 | 5-6 | 6 | 2 Qt. 1 Gal. | Container Container | 1.21 1.99 | 100 100 | 121.00 199.00 |
| Broadleaf Evergreen Shrubs (BS) Subtotal | | | | | | | 200 | \$320.00 |

Deciduous Shrubs

Berberis thunbergii var. *atropurpurea*'Crimson Pygmy'

Crimson Pygmy Red Barberry

| | | | | | | | | |
|----|----|-----|---|----------------------------|-------------------------------------|--------------------------|-------------------|----------------------------|
| DS | G1 | 4-6 | 4 | 1 Gal. 2 Gal. 2 Gal. | Container Container Container | 3.50 * 5.94 5.50 * | 100 100 100 | 350.00 594.00 550.00 |
|----|----|-----|---|----------------------------|-------------------------------------|--------------------------|-------------------|----------------------------|

Rhododendron 'Northern Lights'

Northern Lights Azalea

| | | | | | | | | |
|----|----|-----|---|------------------|------------------------|-----------------|------------|----------------------|
| DS | G1 | 5-6 | 4 | 2 Gal. 3 Gal. | Container Container | 7.00 * 10.70 | 150 150 | 1,050.00 1,605.00 |
|----|----|-----|---|------------------|------------------------|-----------------|------------|----------------------|

Viburnum x burkwoodii

Burkwood Viburnum

| | | | | | | | | |
|----|----|-----|---|--|---|---|---------------------------------|--|
| DS | G1 | 3-6 | 5 | 2 Gal. 2 Gal. 3 Gal. 3 Gal. 5 Gal. | Container Container Container Container Container | 4.75 * 5.67 7.50 * 7.93 12.36 | 100 100 100 100 100 | 475.00 567.00 750.00 793.00 1,236.00 |
|----|----|-----|---|--|---|---|---------------------------------|--|

| | | | | | | | | |
|---------------------------------|--|--|--|--|--|--|------|------------|
| Deciduous Shrubs (DS) Subtotal | | | | | | | 1100 | \$7,970.00 |
|---------------------------------|--|--|--|--|--|--|------|------------|

| | | | | | | | | |
|--------------------|--|--|--|--|--|--|------|------------|
| Container Subtotal | | | | | | | 1300 | \$8,290.00 |
|--------------------|--|--|--|--|--|--|------|------------|

For this estimate to be accurate, you must enter your lowest wholesale price for each plant size, except for plants with prior damage.
 For plants with prior damage, enter the reduced plant value.

The plant prices that will be used in settling any claims will be the lower of the FCIC maximum price limit or your lowest wholesale price as calculated from your wholesale catalog or price list submitted in accordance with the Special Provisions. Insurable plants damaged prior to the attachment of insurance coverage will be insured at a reduced value until such plants have fully recovered from damage.

* denotes price from grower wholesale catalog, price list, or a reduced plant value for plants with prior damage

**Crop Inventory Valuation Estimate
2001 and Succeeding Crop Years Pricing**

Client Sample Nursery, Inc.
Address 888 Main
Any Town, IL 60010

Reference: 17-9999-999
Location State: Illinois
Location County: Lake
Designated Hardiness Zone: 5

Description: Blocks 1 - 100

Commercial Botanical Name or Botanical Name/
Common Name

| <u>Crop Type</u> | <u>Storage Key</u> | <u>***** Protection Req.</u> | <u>***** Not Req.</u> | <u>Minimum Field</u> | <u>Size</u> | <u>Practice</u> | <u>Ins. Price</u> | <u>Qty</u> | <u>Ins. Value</u> |
|------------------|--------------------|------------------------------|-----------------------|----------------------|-------------|-----------------|-------------------|------------|-------------------|
|------------------|--------------------|------------------------------|-----------------------|----------------------|-------------|-----------------|-------------------|------------|-------------------|

Deciduous Shrubs

Berberis thunbergii var. *atropurpurea* Crimson Pygmy'

Crimson Pygmy Red Barberry

| | | | | | | | | | |
|----|----|-----|--|---|------------------|------------------------|---------------|------------|--------------------|
| DS | G1 | 4-6 | | 4 | 12 in. 15 in. | Field-H/W Field-H/W | 9.78 10.54 | 100 100 | 978.00 1,054.00 |
|----|----|-----|--|---|------------------|------------------------|---------------|------------|--------------------|

Rhododendron 'Northern Lights'

Northern Lights Azalea

| | | | | | | | | | |
|----|----|-----|--|---|------------------|------------------------|------------------|------------|----------------------|
| DS | G1 | 5-6 | | 4 | 18 in. 24 in. | Field-H/W Field-H/W | 13.75 * 16.57 | 100 100 | 1,375.00 1,657.00 |
|----|----|-----|--|---|------------------|------------------------|------------------|------------|----------------------|

Viburnum x burkwoodii

Burkwood Viburnum

| | | | | | | | | | |
|----|----|-----|--|---|----------------|------------------------|--------------------|------------|----------------------|
| DS | G1 | 3-6 | | 5 | 4 ft. 5 ft. | Field-H/W Field-H/W | 25.00 * 35.00 * | 100 100 | 2,500.00 3,500.00 |
|----|----|-----|--|---|----------------|------------------------|--------------------|------------|----------------------|

Deciduous Shrubs (DS) Subtotal 600 \$11,064.00

Deciduous Trees

Fraxinus pennsylvanica 'Marshall's Seedless'

Marshall's Seedless Red Ash

| | | | | | | | | | |
|----|----|-----|--|---|-----------------------------|-------------------------------------|--------------------------------|-------------------|-------------------------------------|
| DT | G1 | 3-6 | | 3 | 3 1/2 in. 4 in. 4 in. | Field-Cal Field-Cal Field-Cal | 125.00 * 150.00 * 152.35 | 100 100 100 | 12,500.00 15,000.00 15,235.00 |
|----|----|-----|--|---|-----------------------------|-------------------------------------|--------------------------------|-------------------|-------------------------------------|

Deciduous Trees (DT) Subtotal 300 \$42,735.00

Field Grown Subtotal 900 \$53,799.00

For this estimate to be accurate, you must enter your lowest wholesale price for each plant size, except for plants with prior damage.
For plants with prior damage, enter the reduced plant value.

The plant prices that will be used in settling any claims will be the lower of the FCIC maximum price limit or your lowest wholesale price as calculated from your wholesale catalog or price list submitted in accordance with the Special Provisions. Insurable plants damaged prior to the attachment of insurance coverage will be insured at a reduced value until such plants have fully recovered from damage.

* denotes price from grower wholesale catalog, price list, or a reduced plant value for plants with prior damage

| | |
|-------|-------------|
| Total | \$62,089.00 |
|-------|-------------|

INSURANCE PRICE CALCULATION

Eligible plant insurance prices are based on:

Crop Type
Practice (container/field grown)
Measurement Method

The two growing practices involve three different plant size measurement methods:

| <u>Container</u> | <u>Field Grown</u> |
|-------------------------|---|
| Volume (gal.) | Caliper (in.) High/Wide (in. or ft.) |

Included in this section are the Base Price Tables showing a base price for each eligible size, practice (container and field), and for each of the thirteen crop types.

The main body of this document, titled “Eligible Plant List and Plant Price Schedule” (EPLPPS), shows a factor for each eligible plant name and valid measurement method.

The insurance price for each plant size is the grower’s lowest wholesale catalog price (from catalogs or price lists submitted in accordance with the Special Provisions) not to exceed the maximum price calculated by multiplying the plant factor on the EPLPPS for the plant by the base price on the Base Price Table for that crop type and measurement method. Insurable plants damaged prior to the attachment of insurance coverage will be insured at a reduced value until such plants have fully recovered from damage.

EXAMPLES OF INSURANCE PRICE CALCULATION:

A grower wants to insure his Autumn Blaze maples. The Eligible Plant List refers to the correct botanical name of *Acer x freemanii* ‘Jeffersred.’ Examples of price calculations for each measurement method follow.

PRICE CALCULATION EXAMPLE – CONTAINER

Plant Name: *Acer x freemanii* ‘Jeffersred’

Crop Type: DT
(from Eligible Plant List)

Size: 5 gal.

Measurement Method: Container X Caliper _____ High/Wide _____

Factor: 0.96
(from Eligible Plant List)

Base Price: \$ 16.40

Calculation of Max. Price:

$$\frac{\$ 16.40}{\text{Base Price}} \times \frac{0.96}{\text{Factor}} = \frac{\$ 15.74}{\text{Max. Price}}$$

Insurance Price: Lesser of Max. Price or Grower Lowest Wholesale Price

$$\frac{\$ 15.74}{\text{Max. Price}} \quad \frac{\$ 23.50}{\text{Grower Lowest Wholesale Price}}$$

Insurance price is \$ 15.74 in this example.

PRICE CALCULATION EXAMPLE – CALIPER

Plant Name: Acer x freemanii ‘Jeffersred’

Crop Type: DT
(from Eligible Plant List)

Size: 3 "

Measurement Method: Container Caliper X High/Wide

Factor: 1.10
(from Eligible Plant List)

Base Price: \$ 106.20

Calculation of Max. Price:

$$\frac{\$ 106.20}{\text{Base Price}} \times \frac{1.1}{\text{Factor}} = \frac{\$ 116.82}{\text{Max. Price}}$$

Insurance Price: Lesser of Max. Price or Grower Lowest Wholesale Price

$$\frac{\$ 116.82}{\text{Max. Price}} \quad \frac{\$ 125.00}{\text{Grower Lowest Wholesale Price}}$$

Insurance price is \$ 116.82 in this example.

PRICE CALCULATION EXAMPLE – HIGH/WIDE

Plant Name: Acer x freemanii ‘Jeffersred’

Crop Type: DT
(from Eligible Plant List)

Size: 5 ft.

Measurement Method: Container Caliper High/Wide X

Factor: 0.83
(from Eligible Plant List)

Base Price: \$ 34.30

Calculation of Max. Price:

$$\frac{\$ 34.30}{\text{Base Price}} \times \frac{0.83}{\text{Factor}} = \frac{\$ 28.47}{\text{Max. Price}}$$

Insurance Price: Lesser of Max. Price or Grower Lowest Wholesale Price

$$\frac{\$ 28.47}{\text{Max. Price}} \quad \frac{\$ 25.00}{\text{Grower Lowest Wholesale Price}}$$

Insurance price is \$ 25.00 in this example.

2001 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Annuals (AN)
Base Price Table

| Container | | Field Grown | | | |
|-------------|-------|-------------|-------|-----------|-------|
| | | Caliper | | High/Wide | |
| Size | Price | Size | Price | Size | Price |
| Pot | 0.60 | | | | |
| 1 Qt. | 0.90 | | | | |
| 2 Qt. | 1.30 | | | | |
| 1 Gal. | 2.10 | | | | |
| 2 Gal. | 3.70 | | | | |
| 3 Gal. | 5.10 | | | | |
| 5 Gal. & up | 7.40 | | | | |

2001 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Broadleaf Evergreen Trees (BE)
Base Price Table

| Container | | Field Grown | | | |
|-------------|--------|-------------|--------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| Pot | 1.20 | 7/16 in | 13.00 | 18 in. | 8.40 |
| 1 Qt. | 1.30 | 1/2 in | 13.50 | 21 in. | 11.60 |
| 2 Qt. | 1.40 | 5/8 in. | 20.00 | 24 in. | 13.00 |
| 1 Gal. | 2.60 | 3/4 in. | 24.00 | 30 in. | 17.30 |
| 2 Gal. | 5.60 | 1 in. | 27.00 | 36 in. | 21.60 |
| 3 Gal. | 9.20 | 1 1/4 in. | 34.00 | 42 in. | 28.90 |
| 5 Gal. | 16.40 | 1 1/2 in. | 45.20 | 4 ft. | 36.10 |
| 7 Gal. | 23.60 | 1 3/4 in. | 52.90 | 4 1/2 ft. | 43.20 |
| 10 Gal. | 34.30 | 2 in. | 61.70 | 5 ft. | 50.30 |
| 15 Gal. | 52.00 | 2 1/2 in. | 82.80 | 5 1/2 ft. | 57.20 |
| 20 Gal. | 69.50 | 3 in. | 108.50 | 6 ft. | 64.10 |
| 25 Gal. | 86.80 | 3 1/2 in. | 138.80 | 6 1/2 ft. | 70.90 |
| 30 Gal. | 103.90 | 4 in. | 173.70 | 7 ft. | 77.60 |
| 35 Gal. | 120.80 | 4 1/2 in. | 213.20 | 7 1/2 ft. | 84.30 |
| 40 Gal. | 137.50 | 5 in. | 257.30 | 8 ft. | 90.90 |
| 45 Gal. | 154.00 | 5 1/2 in. | 306.00 | 8 1/2 ft. | 97.40 |
| 50 Gal. | 170.30 | 6 in. & up | 359.40 | 9 ft. | 103.80 |
| 55 Gal. | 186.50 | | | 9 1/2 ft. | 110.10 |
| 60 Gal. | 202.40 | | | 10 ft. | 116.40 |
| 65 Gal. | 218.10 | | | 11 ft. | 128.60 |
| 70 Gal. | 233.70 | | | 12 ft. | 140.60 |
| 75 Gal. | 249.00 | | | 13 ft. | 152.20 |
| 80 Gal. | 264.20 | | | 14 ft. | 163.60 |
| 85 Gal. | 279.10 | | | 15 ft. | 174.60 |
| 90 Gal. | 293.90 | | | 16 ft. | 185.30 |
| 95 Gal. | 308.50 | | | 17 ft. | 195.70 |
| 100 Gal.&up | 322.80 | | | 18 ft. | 205.80 |
| | | | | 19 ft. | 215.50 |
| | | | | 20 ft. | 225.00 |
| | | | | 21 ft. | 234.10 |
| | | | | 22 ft. | 242.90 |
| | | | | 23 ft. | 251.40 |
| | | | | 24 ft. | 259.60 |
| | | | | 25 ft. | 267.50 |
| | | | | 26 ft. | 275.00 |
| | | | | 27 ft. | 282.30 |
| | | | | 28 ft. | 289.20 |
| | | | | 29 ft. | 295.80 |
| | | | | 30 ft. & up | 302.10 |

2001 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Broadleaf Evergreen Shrubs (BS)
Base Price Table

| Container | | Field Grown | | | |
|-------------|--------|-------------|-------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| Pot | 0.70 | | | 6 in. | 5.00 |
| 1 Qt. | 1.10 | | | 8 in. | 6.40 |
| 2 Qt. | 1.70 | | | 9 in. | 7.00 |
| 1 Gal. | 2.80 | | | 10 in. | 7.50 |
| 2 Gal. | 5.20 | | | 11 in. | 9.40 |
| 3 Gal. | 7.90 | | | 12 in. | 9.70 |
| 5 Gal. | 14.20 | | | 15 in. | 10.80 |
| 7 Gal. | 20.50 | | | 18 in. | 12.10 |
| 10 Gal. | 29.80 | | | 21 in. | 13.50 |
| 15 Gal. | 45.20 | | | 24 in. | 15.00 |
| 20 Gal. | 60.40 | | | 30 in. | 18.60 |
| 25 Gal. | 75.30 | | | 36 in. | 22.90 |
| 30 Gal. | 90.00 | | | 42 in. | 27.70 |
| 35 Gal. | 104.50 | | | 4 ft. | 33.20 |
| 40 Gal. | 118.80 | | | 4 1/2 ft. | 39.30 |
| 45 Gal | 132.90 | | | 5 ft. | 46.00 |
| 50 Gal. | 146.70 | | | 5 1/2 ft. | 53.30 |
| 55 Gal. | 160.30 | | | 6 ft. | 61.20 |
| 60 Gal. | 173.70 | | | 6 1/2 ft. | 69.80 |
| 65 Gal. | 186.90 | | | 7 ft. | 79.00 |
| 70 Gal. | 199.90 | | | 7 1/2 ft. | 88.80 |
| 75 Gal. | 212.60 | | | 8 ft. | 99.20 |
| 80 Gal. | 225.10 | | | 8 1/2 ft. | 110.30 |
| 85 Gal. | 237.40 | | | 9 ft. | 121.90 |
| 90 Gal. | 249.50 | | | 9 1/2 ft. | 134.20 |
| 95 Gal. | 261.40 | | | 10 ft. | 147.10 |
| 100 Gal.&up | 273.00 | | | 11 ft. | 174.80 |
| | | | | 12 ft. & up | 205.00 |

2001 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Coniferous Evergreen Trees (CE)
Base Price Table

| Container | | Field Grown | | | |
|-------------|--------|-------------|--------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| Pot | 1.90 | 7/16 in | 12.00 | Seedling | 0.10 |
| 1 Qt. | 2.50 | 1/2 in | 12.80 | 18 in. | 23.60 |
| 2 Qt. | 3.10 | 5/8 in. | 13.00 | 21 in. | 24.10 |
| 1 Gal. | 4.90 | 3/4 in. | 18.00 | 24 in. | 24.40 |
| 2 Gal. | 8.20 | 1 in. | 25.00 | 30 in. | 26.00 |
| 3 Gal. | 11.60 | 1 1/4 in. | 30.00 | 36 in. | 27.80 |
| 5 Gal. | 17.00 | 1 1/2 in. | 35.90 | 42 in. | 31.50 |
| 7 Gal. | 22.40 | 1 3/4 in. | 42.60 | 4 ft. | 34.20 |
| 10 Gal. | 30.60 | 2 in. | 50.20 | 4 1/2 ft. | 37.60 |
| 15 Gal. | 44.40 | 2 1/2 in. | 67.90 | 5 ft. | 41.50 |
| 20 Gal. | 58.30 | 3 in. | 89.00 | 5 1/2 ft. | 46.10 |
| 25 Gal | 72.40 | 3 1/2 in. | 113.50 | 6 ft. | 51.30 |
| 30 Gal. | 86.70 | 4 in. | 141.40 | 6 1/2 ft. | 57.10 |
| 35 Gal. | 101.00 | 4 1/2 in. | 172.60 | 7 ft. | 63.50 |
| 40 Gal. | 115.60 | 5 in. | 207.30 | 7 1/2 ft. | 70.50 |
| 45 Gal. | 130.30 | 5 1/2 in. | 245.30 | 8 ft. | 78.10 |
| 50 Gal. | 145.10 | 6 in. & up | 286.70 | 8 1/2 ft. | 86.40 |
| 55 Gal. | 160.10 | | | 9 ft. | 95.20 |
| 60 Gal. | 175.20 | | | 9 1/2 ft. | 104.70 |
| 65 Gal.& up | 190.50 | | | 10 ft. | 114.80 |
| | | | | 11 ft. | 136.80 |
| | | | | 12 ft. | 161.20 |
| | | | | 13 ft. | 188.10 |
| | | | | 14 ft. | 217.40 |
| | | | | 15 ft. | 249.20 |
| | | | | 16 ft. | 283.50 |
| | | | | 17 ft. | 320.20 |
| | | | | 18 ft. | 359.30 |
| | | | | 19 ft. | 400.90 |
| | | | | 20 ft. & up | 444.90 |

2001 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Coniferous Evergreen Shrubs (CS)
Base Price Table

| Container | | Field Grown | | | |
|--------------|--------|-------------|-------|-------------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| Pot | 0.60 | | | 6 in. | 7.10 |
| 1 Qt. | 0.80 | | | 8 in. | 7.80 |
| 2 Qt. | 1.60 | | | 9 in. | 9.30 |
| 1 Gal. | 3.00 | | | 10 in. | 10.50 |
| 2 Gal. | 5.90 | | | 11 in. | 12.50 |
| 3 Gal. | 8.90 | | | 12 in. | 13.00 |
| 5 Gal. | 14.80 | | | 15 in. | 14.70 |
| 7 Gal. | 20.80 | | | 18 in. | 16.30 |
| 10 Gal. | 30.00 | | | 21 in. | 18.00 |
| 15 Gal. | 45.60 | | | 24 in. | 19.70 |
| 20 Gal. | 61.90 | | | 30 in. | 23.00 |
| 25 Gal. | 78.60 | | | 36 in. | 26.50 |
| 30 Gal. | 95.90 | | | 42 in. | 29.90 |
| 35 Gal. | 113.60 | | | 4 ft. | 33.40 |
| 40 Gal. | 131.90 | | | 4 1/2 ft. | 36.90 |
| 45 Gal. | 150.70 | | | 5 ft. | 40.50 |
| 50 Gal. | 170.10 | | | 5 1/2 ft. | 44.10 |
| 55 Gal. | 189.90 | | | 6 ft. | 47.80 |
| 60 Gal. | 210.30 | | | 6 1/2 ft. | 51.50 |
| 65 Gal. & up | 231.20 | | | 7 ft. | 55.20 |
| | | | | 7 1/2 ft. | 59.00 |
| | | | | 8 ft. | 62.90 |
| | | | | 8 1/2 ft. | 66.70 |
| | | | | 9 ft. | 70.60 |
| | | | | 9 1/2 ft. | 74.60 |
| | | | | 10 ft. | 78.60 |
| | | | | 11 ft. | 86.70 |
| | | | | 12 ft. & up | 94.90 |

2001 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Deciduous Shrubs (DS)
Base Price Table

| Container | | Caliper | | Field Grown | |
|--------------|--------|---------|-------|-------------|--------|
| Size | Price | Size | Price | Size | Price |
| Pot | 1.40 | | | 6 in. | 2.80 |
| 1 Qt. | 1.80 | | | 8 in. | 3.20 |
| 2 Qt. | 2.30 | | | 9 in. | 3.70 |
| 1 Gal. | 3.30 | | | 10 in. | 6.10 |
| 2 Gal. | 5.50 | | | 11 in. | 6.90 |
| 3 Gal. | 7.70 | | | 12 in. | 7.70 |
| 5 Gal. | 12.00 | | | 15 in. | 8.30 |
| 7 Gal. | 16.50 | | | 18 in. | 9.10 |
| 10 Gal. | 23.40 | | | 21 in. | 9.90 |
| 15 Gal. | 35.30 | | | 24 in. | 10.90 |
| 20 Gal. | 47.80 | | | 30 in. | 13.10 |
| 25 Gal. | 60.80 | | | 36 in. | 15.80 |
| 30 Gal. | 74.40 | | | 42 in. | 19.00 |
| 35 Gal. | 88.50 | | | 4 ft. | 22.60 |
| 40 Gal. | 103.20 | | | 4 1/2 ft. | 26.70 |
| 45 Gal. | 118.40 | | | 5 ft. | 31.20 |
| 50 Gal. | 134.20 | | | 5 1/2 ft. | 36.20 |
| 55 Gal. | 150.50 | | | 6 ft. | 41.70 |
| 60 Gal. | 167.40 | | | 6 1/2 ft. | 47.60 |
| 65 Gal. & up | 184.80 | | | 7 ft. | 53.90 |
| | | | | 7 1/2 ft | 60.70 |
| | | | | 8 ft. | 68.00 |
| | | | | 8 1/2 ft. | 75.70 |
| | | | | 9 ft. | 83.90 |
| | | | | 9 1/2 ft. | 92.50 |
| | | | | 10 ft. | 101.60 |
| | | | | 11 ft. | 121.20 |
| | | | | 12 ft. & up | 142.50 |

2001 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Deciduous Trees (DT)
Base Price Table

| Container | | Caliper | | Field Grown | |
|-------------|--------|------------|--------|-------------|--------|
| Size | Price | Size | Price | Size | Price |
| Pot | 3.30 | 7/16 in | 7.00 | Seedling | 0.30 |
| 1 Qt. | 3.70 | 1/2 in | 7.50 | 18 in. | 8.70 |
| 2 Qt. | 4.40 | 5/8 in. | 8.30 | 21 in. | 10.80 |
| 1 Gal. | 5.70 | 3/4 in. | 10.50 | 24 in. | 13.30 |
| 2 Gal. | 8.40 | 1 in. | 20.30 | 30 in. | 16.50 |
| 3 Gal. | 11.00 | 1 1/4 in. | 34.60 | 36 in. | 20.60 |
| 5 Gal. | 16.40 | 1 1/2 in. | 43.20 | 42 in. | 22.00 |
| 7 Gal. | 21.70 | 1 3/4 in. | 52.40 | 4 ft. | 24.70 |
| 10 Gal. | 29.60 | 2 in. | 62.10 | 4 1/2 ft. | 31.90 |
| 15 Gal. | 42.80 | 2 1/2 in. | 83.10 | 5 ft. | 34.30 |
| 20 Gal. | 55.90 | 3 in. | 106.20 | 5 1/2 ft. | 37.10 |
| 25 Gal. | 68.90 | 3 1/2 in. | 131.40 | 6 ft. | 40.20 |
| 30 Gal. | 81.80 | 4 in. | 158.70 | 6 1/2 ft. | 43.60 |
| 35 Gal. | 94.60 | 4 1/2 in. | 188.20 | 7 ft. | 47.40 |
| 40 Gal. | 107.40 | 5 in. | 219.80 | 7 1/2 ft. | 51.40 |
| 45 Gal | 120.00 | 5 1/2 in. | 253.40 | 8 ft. | 55.80 |
| 50 Gal. | 132.60 | 6 in. & up | 289.20 | 8 1/2 ft. | 60.60 |
| 55 Gal. | 145.10 | | | 9 ft. | 65.60 |
| 60 Gal. | 157.50 | | | 9 1/2 ft. | 71.00 |
| 65 Gal. | 169.80 | | | 10 ft. | 76.70 |
| 70 Gal. | 182.10 | | | 11 ft. | 89.10 |
| 75 Gal. | 194.20 | | | 12 ft. | 102.80 |
| 80 Gal. | 206.30 | | | 13 ft. | 117.80 |
| 85 Gal. | 218.30 | | | 14 ft. | 134.10 |
| 90 Gal. | 230.20 | | | 15 ft. | 151.70 |
| 95 Gal. | 242.00 | | | 16 ft. | 170.60 |
| 100 Gal.&up | 253.70 | | | 17 ft. | 190.80 |
| | | | | 18 ft. | 212.30 |
| | | | | 19 ft. | 235.10 |
| | | | | 20 ft. & up | 259.20 |

2001 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Fruit and Nut Trees (FN)
Base Price Table

| Container | | Field Grown | | | |
|-------------|--------|-------------|--------|-------------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| Pot | 2.60 | 7/16 in | 4.50 | 18 in. | 4.00 |
| 1 Qt. | 2.80 | 1/2 in | 5.30 | 21 in. | 4.10 |
| 2 Qt. | 3.20 | 5/8 in. | 6.00 | 24 in. | 4.20 |
| 1 Gal. | 3.80 | 3/4 in. | 8.60 | 30 in. | 4.40 |
| 2 Gal. | 5.20 | 1 in. | 14.80 | 36 in. | 5.40 |
| 3 Gal. | 6.60 | 1 1/4 in. | 21.70 | 42 in. | 5.70 |
| 5 Gal. | 10.60 | 1 1/2 in. | 29.20 | 4 ft. | 6.60 |
| 7 Gal. | 15.20 | 1 3/4 in. | 37.40 | 4 1/2 ft. | 8.10 |
| 10 Gal. | 22.60 | 2 in. | 46.30 | 5 ft. | 10.30 |
| 15 Gal. | 35.70 | 2 1/2 in. | 66.10 | 5 1/2 ft. | 13.00 |
| 20 Gal. | 50.00 | 3 in. | 88.60 | 6 ft. | 16.30 |
| 25 Gal. | 65.60 | 3 1/2 in. | 113.70 | 6 1/2 ft. | 20.30 |
| 30 Gal. | 82.30 | 4 in. & up | 141.50 | 7 ft. | 24.80 |
| 35 Gal. | 100.20 | | | 7 1/2 ft. | 30.00 |
| 40 Gal. | 119.30 | | | 8 ft. | 35.70 |
| 45 Gal. | 139.60 | | | 8 1/2 ft. | 42.10 |
| 50 Gal. | 161.10 | | | 9 ft. | 49.10 |
| 55 Gal. | 183.70 | | | 9 1/2 ft. | 56.70 |
| 60 Gal. | 207.60 | | | 10 ft. & up | 64.90 |
| 65 Gal.& up | 232.60 | | | | |

2001 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Foliage (FO)
Base Price Table

| Container | | Field Grown | | | |
|-------------|--------|-------------|-------|-----------|-------|
| Size | Price | Caliper | | High/Wide | |
| Size | Price | Size | Price | Size | Price |
| Pot | 4.20 | | | | |
| 1 Qt. | 4.80 | | | | |
| 2 Qt. | 5.30 | | | | |
| 1 Gal. | 6.60 | | | | |
| 2 Gal. | 9.60 | | | | |
| 3 Gal. | 16.20 | | | | |
| 5 Gal. | 29.20 | | | | |
| 7 Gal. | 42.00 | | | | |
| 10 Gal. | 60.60 | | | | |
| 15 Gal | 90.50 | | | | |
| 20 Gal. | 118.90 | | | | |
| 25 Gal. | 145.70 | | | | |
| 30 Gal. | 171.00 | | | | |
| 35 Gal. | 194.80 | | | | |
| 40 Gal. | 217.00 | | | | |
| 45 Gal. | 237.70 | | | | |
| 50 Gal. | 256.90 | | | | |
| 55 Gal. | 274.60 | | | | |
| 60 Gal. | 290.70 | | | | |
| 65 Gal.& up | 305.30 | | | | |

2001 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Ground Cover and Vines (GC)
Base Price Table

| Container | | Field Grown | | | |
|-------------|-------|-------------|-------|------------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| Pot | 0.70 | | | 6 in. | 2.50 |
| 1 Qt. | 0.90 | | | 8 in. | 3.40 |
| 2 Qt. | 1.40 | | | 9 in. | 4.50 |
| 1 Gal. | 2.40 | | | 10 in. | 4.80 |
| 2 Gal. | 4.60 | | | 11 in. | 5.10 |
| 3 Gal. | 7.30 | | | 12 in. | 5.40 |
| 5 Gal. | 13.60 | | | 15 in. | 6.40 |
| 7 Gal. | 21.40 | | | 18 in. | 7.30 |
| 10 Gal.& up | 36.00 | | | 21 in. | 8.40 |
| | | | | 24 in. | 9.40 |
| | | | | 30 in. | 11.70 |
| | | | | 36 in. | 14.10 |
| | | | | 42 in. | 16.70 |
| | | | | 4 ft. | 19.40 |
| | | | | 4 1/2 ft. | 22.30 |
| | | | | 5 ft. & up | 25.30 |

2001 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Herbaceous Perennials (HP)
Base Price Table

| Container | | Field Grown | | | |
|-------------|--------|-------------|-------|-----------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| Pot | 1.10 | | | | |
| 1 Qt. | 1.40 | | | | |
| 2 Qt. | 2.20 | | | | |
| 1 Gal. | 2.90 | | | | |
| 2 Gal. | 5.50 | | | | |
| 3 Gal. | 8.30 | | | | |
| 5 Gal. | 14.30 | | | | |
| 7 Gal. | 20.90 | | | | |
| 10 Gal. | 32.20 | | | | |
| 15 Gal. | 54.10 | | | | |
| 20 Gal. | 80.20 | | | | |
| 25 Gal.& up | 110.30 | | | | |

2001 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Roses (RO)
Base Price Table

| Container | | Field Grown | | | |
|-------------|-------|-------------|-------|------------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| Pot | 1.30 | | | 6 in. | 3.00 |
| 1 Qt. | 1.60 | | | 8 in. | 3.50 |
| 2 Qt. | 2.30 | | | 9 in. | 3.80 |
| 1 Gal. | 3.40 | | | 10 in. | 3.90 |
| 2 Gal. | 5.50 | | | 11 in. | 4.00 |
| 3 Gal. | 7.10 | | | 12 in. | 4.30 |
| 5 Gal. & up | 9.30 | | | 15 in. | 5.00 |
| | | | | 18 in. | 5.50 |
| | | | | 21 in. | 6.00 |
| | | | | 24 in. | 6.50 |
| | | | | 30 in. | 7.10 |
| | | | | 36 in. | 7.40 |
| | | | | 42 in. | 7.50 |
| | | | | 4 ft. | 7.50 |
| | | | | 4 1/2 ft. | 7.60 |
| | | | | 5 ft. & up | 7.70 |

2001 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Small Fruits (SF)
Base Price Table

| Container | | Field Grown | | | |
|-------------|-------|-------------|-------|------------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| Pot | 0.70 | | | 6 in. | 1.50 |
| 1 Qt. | 1.20 | | | 8 in. | 2.60 |
| 2 Qt. | 1.90 | | | 9 in. | 3.50 |
| 1 Gal. | 3.00 | | | 10 in. | 3.90 |
| 2 Gal. | 4.50 | | | 11 in. | 4.30 |
| 3 Gal. | 6.10 | | | 12 in. | 4.60 |
| 5 Gal. | 9.30 | | | 15 in. | 5.70 |
| 7 Gal. | 12.80 | | | 18 in. | 6.80 |
| 10 Gal.& up | 18.40 | | | 21 in. | 8.00 |
| | | | | 24 in. | 9.20 |
| | | | | 30 in. | 11.80 |
| | | | | 36 in. | 14.60 |
| | | | | 42 in. | 17.50 |
| | | | | 4 ft. | 20.70 |
| | | | | 4 1/2 ft. | 24.10 |
| | | | | 5 ft. & up | 27.60 |

ELIGIBLE PLANT LIST AND PLANT PRICE SCHEDULE

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Abelia</i> | BS | 0.53 | G1 | 6-8 | 9A-10A | | 0.89 | 5 |
| <i>Abelia</i> | | | | | | | | |
| <i>Abelia 'Edward Goucher'</i> | BS | 0.78 | G1 | 6-8 | 9A-10A | | 0.89 | 5 |
| <i>Edward Goucher Abelia</i> | | | | | | | | |
| <i>Abelia floribunda</i> | BS | 1.00 | G1 | 6-8 | 9A-10A | | 1.00 | 7 |
| <i>Mexican Abelia</i> | | | | | | | | |
| <i>Abelia x grandiflora</i> | BS | 0.79 | G1 | 6-8 | 9A-10A | | 0.58 | 5 |
| <i>Glossy Abelia</i> | | | | | | | | |
| <i>Abelia x grandiflora 'Aurea'</i> | BS | 0.68 | G1 | 6-8 | 9A-10A | | 0.58 | 5 |
| <i>Golden Glossy Abelia</i> | | | | | | | | |
| <i>Abelia x grandiflora 'Compacta'</i> | BS | 0.80 | G1 | 6-8 | 9A-10A | | 0.58 | 5 |
| <i>Compact Glossy Abelia</i> | | | | | | | | |
| <i>Abelia x grandiflora 'Confetti'</i> | | | | | | | | |
| See - <i>Abelia x grandiflora 'Conti' P.P. 8472</i> | BS | 1.07 | G1 | 6-8 | 9A-10A | | 0.58 | 5 |
| <i>Abelia x grandiflora 'Conti' P.P. 8472</i> | | | | | | | | |
| <i>Confetti Glossy Abelia</i> | | | | | | | | |
| <i>Abelia x grandiflora 'Francis Mason'</i> | BS | 0.78 | G1 | 6-8 | 9A-10A | | 0.58 | 5 |
| <i>Francis Mason Glossy Abelia</i> | | | | | | | | |
| <i>Abelia x grandiflora 'John Creech'</i> | BS | 0.97 | G1 | 6-8 | 9A-10A | | 0.58 | 5 |
| <i>John Creech Glossy Abelia</i> | | | | | | | | |
| <i>Abelia x grandiflora 'Little Richard'</i> | BS | 0.86 | G1 | 6-8 | 9A-10A | | 0.58 | 5 |
| <i>Little Richard Glossy Abelia</i> | | | | | | | | |
| <i>Abelia x grandiflora 'Prostrata' P.P. 1431</i> | BS | 0.81 | G1 | 6-8 | 9A-10A | | 0.58 | 5 |
| <i>Prostrate Glossy Abelia</i> | | | | | | | | |
| <i>Abelia x grandiflora 'Rainbow'</i> | BS | 0.68 | G1 | 6-8 | 9A-10A | | 0.58 | 5 |
| <i>Rainbow Glossy Abelia</i> | | | | | | | | |
| <i>Abelia x grandiflora 'Sherwoodii'</i> | BS | 0.78 | G1 | 6-8 | 9A-10A | | 0.58 | 5 |
| <i>Sherwood Glossy Abelia</i> | | | | | | | | |
| <i>Abeliophyllum distichum</i> | DS | 0.91 | G1 | 6-8 | 9A-10B | | 1.00 | 5 |
| <i>Korean Abelialeaf</i> | | | | | | | | |
| <i>Abelmoschus manihot</i> | AN | 1.14 | G1 | 6-8 | 9A-10B | | 9 | |
| <i>Aibika</i> | | | | | | | | |
| <i>Abelmoschus moschatus</i> | HP | 0.73 | G1 | 6-8 | 9A-10B | | 9 | |
| <i>Musk Mallow</i> | | | | | | | | |
| <i>Abelmoschus moschatus 'Pacific Mix'</i> | HP | 0.73 | G1 | 6-8 | 9A-10B | | 9 | |
| <i>Pacific Mix Musk Mallow</i> | | | | | | | | |
| <i>Abies alba</i> | CE | 1.12 | G1 | | 3-7 | 1.00 | 1.14 | 4 |
| <i>Silver Fir</i> | | | | | | | | |
| <i>Abies alba 'Compacta'</i> | CE | 1.33 | G1 | | 3-7 | 1.00 | 1.14 | 4 |
| <i>Dwarf Silver Fir</i> | | | | | | | | |
| <i>Abies alba 'Green Spiral'</i> | CE | 1.34 | G1 | | 3-7 | 1.00 | 1.47 | 4 |
| <i>Green Spiral Silver Fir</i> | | | | | | | | |
| <i>Abies alba 'Pendula'</i> | CE | 1.12 | G1 | | 3-7 | 1.00 | 1.14 | 4 |
| <i>Weeping Silver Fir</i> | | | | | | | | |
| <i>Abies alba 'Pyramidalis'</i> | CE | 1.33 | G1 | | 3-7 | 1.00 | 1.14 | 4 |
| <i>Pyramidal Silver Fir</i> | | | | | | | | |
| <i>Abies arizonica</i> | | | | | | | | |
| See - <i>Abies lasiocarpa var. arizonica</i> | CE | 0.89 | G1 | | 3-7 | 1.00 | 1.14 | 2 |
| <i>Abies balsamea</i> | CE | | | | | | | |
| <i>Balsam Fir</i> | | | | | | | | |
| <i>Abies balsamea 'Nana'</i> | CS | 1.53 | G1 | | 3-7 | | 1.39 | 2 |
| <i>Dwarf Balsam Fir</i> | | | | | | | | |
| <i>Abies balsamea var. <i>phanerolepis</i></i> | CE | 1.00 | G1 | | 3-7 | 1.00 | 0.78 | 2 |
| <i>Canaan Fir</i> | | | | | | | | |
| <i>Abies bracteata</i> | CE | 1.33 | G1 | | 3-7 | 1.00 | 1.00 | 7 |
| <i>Bristlecone Fir</i> | | | | | | | | |
| <i>Abies chensiensis</i> | CE | 1.00 | G1 | | 3-7 | 1.00 | 1.00 | 6 |
| <i>Shensi Fir</i> | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Factors | Caliper | |
| <i>Abies chensiensis</i> 'Prostrata Glauca' Blue Prostrate Shensi Fir | CS | 1.77 | G1 | | 3-7 | | | 1.00 6 |
| <i>Abies cilicica</i> Cilician Fir | CE | 1.20 | G1 | | 3-7 | 1.00 | 1.00 | 5 |
| <i>Abies concolor</i> White Fir | CE | 0.72 | G1 | | 3-7 | 1.00 | 1.25 | 4 |
| <i>Abies concolor</i> 'Argentea' See - <i>Abies concolor</i> 'Candicans' | CE | 1.74 | G1 | | 3-7 | 1.00 | 1.41 | 4 |
| <i>Abies concolor</i> 'Candicans' Hoary White Fir | CE | 2.34 | G1 | | 3-7 | 1.00 | 2.92 | 4 |
| <i>Abies concolor</i> 'Compacta' Compact White Fir | CE | 1.20 | G1 | | 3-7 | 1.00 | 1.25 | 4 |
| <i>Abies concolor</i> 'Conica' Conical White Fir | CE | 1.20 | G1 | | 3-7 | 1.00 | 1.25 | 4 |
| <i>Abies concolor</i> 'Gable's Weeping' Gable's Weeping White Fir | CE | 1.20 | G1 | | 3-7 | 1.00 | 1.25 | 4 |
| <i>Abies concolor</i> 'Glauca Compacta' See - <i>Abies concolor</i> 'Compacta' | CE | 4.61 | G1 | | 3-7 | 1.00 | 1.25 | 4 |
| <i>Abies concolor</i> 'Mora' Mora White Fir | CE | 4.61 | G1 | | 3-7 | 1.00 | 1.25 | 4 |
| <i>Abies concolor</i> 'Scooter' Scooter White Fir | CE | 0.72 | G1 | | 3-7 | 1.00 | 1.25 | 4 |
| <i>Abies concolor</i> 'Violacea' Purplecone White Fir | CE | 1.20 | G1 | | 3-7 | 1.00 | 1.25 | 4 |
| <i>Abies delavayi</i> Delavay Fir | CE | 1.20 | G1 | | 3-7 | 1.00 | 1.00 | 7 |
| <i>Abies delavayi</i> 'Nana Herford' Nana Herford Delavay Fir | CE | 1.20 | G1 | | 3-7 | 1.00 | 1.00 | 7 |
| <i>Abies firma</i> Momi Fir | CE | 1.20 | G1 | | 3-7 | 1.00 | 1.00 | 6 |
| <i>Abies fraseri</i> Fraser Fir | CE | 0.81 | G1 | | 4-7 | 1.00 | 1.00 | 4 |
| <i>Abies fraseri</i> 'Prostrata' Prostrate Fraser Fir | CS | 1.00 | G1 | | 4-7 | | 1.00 | 4 |
| <i>Abies grandis</i> Grand Fir | CE | 0.70 | G2 | | 6-8 | 1.00 | 0.83 | 6 |
| <i>Abies grandis</i> 'Johnson' Johnson Grand Fir | CE | 1.20 | G2 | | 6-8 | 1.00 | 0.83 | 6 |
| <i>Abies homolepis</i> Nikko Fir | CE | 1.00 | G1 | | 5-8 | 1.00 | 1.42 | 4 |
| <i>Abies homolepis</i> 'Prostrata' Prostrate Nikko Fir | CS | 1.00 | G1 | | 5-8 | | 1.00 | 4 |
| <i>Abies koreana</i> Korean Fir | CE | 1.38 | G1 | | 5-8 | 1.00 | 1.39 | 5 |
| <i>Abies koreana</i> 'Aurea' Golden Korean Fir | CE | 1.38 | G1 | | 5-8 | 1.00 | 1.39 | 5 |
| <i>Abies koreana</i> 'Prostrate Beauty' Prostrate Beauty Korean Fir | CS | 1.00 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Abies koreana</i> 'Silberlocke' Silberlocke Korean Fir | CE | 2.33 | G1 | | 5-8 | 1.00 | 1.39 | 5 |
| <i>Abies koreana</i> 'Silver Show' Silver Show Korean Fir | CE | 1.38 | G1 | | 5-8 | 1.00 | 1.39 | 5 |
| <i>Abies koreana</i> 'Starker's Dwarf' Starker's Dwarf Korean Fir | CS | 1.00 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Abies lasiocarpa</i> Alpine Fir | CE | 0.67 | G2 | | 5-7 | 1.00 | 1.32 | 5 |
| <i>Abies lasiocarpa</i> 'Day Creek' Day Creek Alpine Fir | CE | 0.67 | G2 | | 5-7 | 1.00 | 1.32 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Abies lasiocarpa</i> 'Glauca Compacta' Compact Blue Alpine Fir | CS | 1.49 | G2 | | 5-7 | | | 1.33 5 |
| <i>Abies lasiocarpa</i> 'Green Globe' Green Globe Alpine Fir | CS | 2.73 | G2 | | 5-7 | | | 1.33 5 |
| <i>Abies lasiocarpa</i> 'Utah' Utah Alpine Fir | CE | 4.61 | G2 | | 5-7 | 1.00 | 1.32 | 5 |
| <i>Abies lasiocarpa</i> var. <i>arizonica</i> Corkbark Fir | CE | 1.17 | G2 | | 5-7 | 1.00 | 1.29 | 5 |
| <i>Abies lasiocarpa</i> var. <i>arizonica</i> 'Argentea' Silver Corkbark Fir | CE | 1.17 | G2 | | 5-7 | 1.00 | 1.15 | 5 |
| <i>Abies magnifica</i> Red Fir | CE | 1.00 | G1 | | 5-8 | 1.00 | 1.00 | 5 |
| <i>Abies magnifica</i> 'Prostrata' Prostrate Red Fir | CS | 1.00 | G1 | | 5-8 | | | 1.27 5 |
| <i>Abies nordmanniana</i> Caucasian Fir | CE | 1.15 | G1 | | 4-8 | 1.00 | 1.20 | 4 |
| <i>Abies numidica</i> Algerian Fir | CE | 1.00 | G1 | | 6-8 | 1.00 | 1.00 | 6 |
| <i>Abies numidica</i> 'Lawrenceville' Lawrenceville Algerian Fir | CE | 1.00 | G1 | | 6-8 | 1.00 | 1.00 | 6 |
| <i>Abies pindrow</i> West Himalayan Fir | CE | 1.20 | G1 | | 6-8 | 1.00 | 1.00 | 8 |
| <i>Abies pinsapo</i> Spanish Fir | CE | 1.68 | G1 | | 6-8 | 1.00 | 1.56 | 6 |
| <i>Abies pinsapo</i> 'Aurea' Golden Spanish Fir | CE | 1.34 | G1 | | 6-8 | 1.00 | 1.20 | 6 |
| <i>Abies pinsapo</i> 'Glauca' Blue Spanish Fir | CE | 1.78 | G1 | | 6-8 | 1.00 | 1.23 | 6 |
| <i>Abies pinsapo</i> 'Horstmann' Horstmann Spanish Fir | CE | 2.77 | G1 | | 6-8 | 1.00 | 1.20 | 6 |
| <i>Abies procera</i> Noble Fir | CE | 0.71 | G1 | | 5-8 | 1.00 | 0.79 | 5 |
| <i>Abies procera</i> 'Aurea' Aurea Noble Fir | CE | 0.71 | G1 | | 5-8 | 1.00 | 0.79 | 5 |
| <i>Abies procera</i> 'Glauca Prostrata' Blue Prostrate Noble Fir | CS | 1.00 | G1 | | 5-8 | | | 1.41 5 |
| <i>Abies procera</i> 'Glauca' Blue-leaf Noble Fir | CE | 2.03 | G1 | | 5-8 | 1.00 | 1.48 | 5 |
| <i>Abies procera</i> 'Sherwoodii' Sherwood Noble Fir | CE | 0.71 | G1 | | 5-8 | 1.00 | 0.79 | 5 |
| <i>Abies x shastensis</i> Mount Shasta Hybrid Fir | CE | 1.00 | G1 | | 5-8 | 1.00 | 1.00 | 5 |
| <i>Abies x shastensis</i> 'Glauca' Blue Mount Shasta Fir | CE | 1.00 | G1 | | 5-8 | 1.00 | 1.00 | 5 |
| <i>Abies sibirica</i> Siberian Fir | CE | 1.00 | G1 | | 4-8 | 1.00 | 1.00 | 1 |
| <i>Abies veitchii</i> Veitch Fir | CE | 1.00 | G1 | | 4-8 | 1.00 | 1.33 | 3 |
| <i>Abies veitchii</i> var. <i>olivaceae</i> Olivecone Veitch Fir | CE | 1.20 | G1 | | 4-8 | 1.00 | 1.00 | 3 |
| <i>Abutilon x hybridum</i> Floweringmaple | BS | 0.77 | G1 | 10A | 10B-11 | | | 1.00 8 |
| <i>Abutilon x hybridum</i> 'Albus' White Floweringmaple | BS | 0.76 | G1 | 10A | 10B-11 | | | 1.00 8 |
| <i>Abutilon x hybridum</i> 'Barclay's Creamsicle' Barclay's Creamsicle Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | | 1.00 8 |
| <i>Abutilon x hybridum</i> 'Cathybells' Cathybells Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | | 1.00 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Abutilon x hybridum</i> 'Ginny' Ginny Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Halo' Halo Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Jack Dixon' Jack Dixon Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Little Imp' Little Imp Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Luteus' Yellow Floweringmaple | BS | 0.75 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Marianne' Marianne Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Mauna Loa' Mauna Loa Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Moonchimes' Moonchimes Floweringmaple | BS | 0.77 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Nabob' Nabob Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Pink Parasol' Pink Parasol Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Pink Petticoat' Pink Petticoat Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Roseus' Pink Floweringmaple | BS | 0.76 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Satin Pink Belle' Satin Pink Belle Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Savitzii' Savitz Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Seashell' Seashell Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Tangelo' Tangelo Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Vesuvius Red' Vesuvius Red Floweringmaple | BS | 0.75 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Voodoo' Voodoo Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'White Parasol' White Parasol Floweringmaple | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon vitifolium</i> Grapeleaf Abutilon | BS | 1.44 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Abutilon vitifolium</i> 'Veronica Tennant' Veronica Tennant Grapeleaf Abutilon | BS | 0.94 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Acacia abyssinica</i> No Common Name Found | BE | 0.51 | G2 | | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Acacia aaneura</i> Mulga Acacia | BE | 0.51 | G1 | 9B-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Acacia auriculiformis</i> Earleaf Acacia | BE | 1.00 | G1 | 9B-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Acacia baileyana</i> Cootamundra-wattle Acacia | BE | 0.76 | G2 | | 8-9B | 1.00 | 1.00 | 8 |
| <i>Acacia baileyana</i> 'Purpurea' Purple-leaf Cootamundra-wattle Acacia | BE | 0.76 | G2 | | 8-9B | 1.00 | 1.00 | 8 |
| <i>Acacia berlandieri</i> Berland Acacia | BE | 1.00 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia chorophylla</i> Thornless Acacia | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Acacia confusa</i> Formosa Koa | BE | 1.26 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-------|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Acacia constricta</i> Mescat Acacia | BE | 0.51 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia craspedocarpa</i> Leatherleaf Acacia | BE | 0.60 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia cultriformis</i> Knife-leaf Acacia | BS | 0.47 | G1 | 9 | 10A-11 | | 1.00 | 8 |
| <i>Acacia farnesiana</i> Sweet Acacia | BE | 1.46 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Acacia glaucoptera</i> Clay Wattle Acacia | BE | 0.98 | G2 | | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Acacia koa</i> Koa Acacia | BE | 1.02 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia longifolia</i> Sidney Acacia | BE | 0.74 | G2 | | 8-9B | 1.00 | 1.00 | 8 |
| <i>Acacia melanoxylon</i> Blackwood Acacia | BE | 1.00 | G2 | | 9A-10A | 1.00 | 1.00 | 8 |
| <i>Acacia minuta</i> See - <i>Acacia smallii</i> | | | | | | | | |
| <i>Acacia pendula</i> Weeping Boree Acacia | BE | 0.51 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia pravissima</i> Ovens Acacia | BE | 1.00 | G2 | | 8-9B | 1.00 | 1.00 | 8 |
| <i>Acacia redolens</i> No Common Name Found | BE | 0.96 | G2 | | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Acacia redolens</i> 'Prostrata' Prostrate Acacia | BS | 0.71 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Acacia salicina</i> Willow Acacia | BE | 0.51 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Acacia saligna</i> Blue-leaved Wattle | BE | 0.47 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Acacia smallii</i> Desert Sweet Acacia | BE | 0.47 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia stenophylla</i> Dalby Acacia | BE | 0.51 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Acacia subporosa</i> River Wattle | BE | 0.81 | G2 | | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Acacia subporosa</i> 'Emerald Cascade' Emerald Cascade River Wattle | BE | 0.81 | G2 | | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Acaena microphylla</i> Redspine Sheepbur | HP | 1.00 | G1 | 9 | 10A-11 | | | 6 |
| <i>Acaena novae-zelandiae</i> New Zealand Sheepbur | HP | 1.00 | G1 | 9 | 10A-11 | | | 6 |
| <i>Acalypha hispida</i> Chenille Copperleaf | FO | 0.46 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Acalypha pendula</i> Firetail | FO | 0.38 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Acalypha wilkesiana</i> Painted Copperleaf | BS | 0.71 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> 'Louisiana Red' Louisiana Red Painted Copperleaf | BS | 0.68 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> 'Macafeeana' Macafee Painted Copperleaf | FO | 0.27 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Acalypha wilkesiana</i> 'Mardi Gras' Mardi Gras Painted Copperleaf | BS | 0.83 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Acanthopanax sieboldianus</i> See - <i>Eleutherococcus sieboldianus</i> | HP | 1.21 | G4 | 8 | | | | 8 |
| <i>Acanthus balcanicus</i> Hungarian Bear's Breeches | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Acanthus mollis</i> Bear's Breeches | HP | 1.11 | G4 | 8 | | | | 6 |
| <i>Acanthus mollis</i> 'Oak Leaf' Oak Leaf Bear's Breeches | HP | 0.99 | G4 | 8 | | | | 6 |
| <i>Acanthus montanus</i> Mountain Thistle | BS | 0.83 | G4 | | 7-9A | | 1.00 | 10 |
| <i>Acanthus spinosissimus</i> Spiny Bear's Breeches | HP | 1.60 | G4 | | 7-9A | | | 6 |
| <i>Acca sellowiana</i> Pineapple Guava | BS | 0.74 | G1 | 7-8 | 9A-10A | | 1.44 | 8 |
| <i>Acca sellowiana</i> 'Nazemetz' Nazemetz Pineapple Guava | BS | 0.74 | G1 | 7-8 | 9A-10A | | 1.44 | 8 |
| <i>Acer buergerianum</i> Trident Maple | DT | 1.07 | G1 | | 4-9B | 1.20 | 1.53 | 6 |
| <i>Acer buergerianum</i> 'Goshiki kaede' Goshiki Kaede Trident Maple | DT | 4.39 | G1 | | 4-9B | 1.20 | 1.53 | 6 |
| <i>Acer buergerianum</i> 'Mino yatsubusa' Mino Yatsubusa Trident Maple | DT | 1.07 | G1 | | 4-9B | 1.20 | 4.09 | 6 |
| <i>Acer buergerianum</i> 'Naruto kaede' Naruto Kaede Trident Maple | DT | 1.75 | G1 | | 4-9B | 1.20 | 1.53 | 6 |
| <i>Acer buergerianum</i> 'Tancho' Tancho Trident Maple | DT | 1.75 | G1 | | 4-9B | 1.20 | 1.53 | 6 |
| <i>Acer campestre</i> Hedge Maple | DT | 0.95 | G1 | | 4-8 | 1.13 | 1.30 | 4 |
| <i>Acer campestre</i> 'Evelyn' P.P. 4392 Queen Elizabeth™ Hedge Maple | DT | 1.08 | G1 | | 4-8 | 1.09 | 1.30 | 4 |
| <i>Acer campestre</i> 'Nanum' Compact Globe Hedge Maple | DT | 1.17 | G1 | | 4-8 | 1.09 | 1.30 | 4 |
| <i>Acer campestre</i> 'Queen Elizabeth' See - <i>Acer campestre</i> 'Evelyn' P.P. 4392 | DT | | | | | | | |
| <i>Acer capillipes</i> Red Snakebark Maple | DT | 1.09 | G1 | | 4-8 | 1.00 | 1.00 | 5 |
| <i>Acer cappadocicum</i> Coliseum Maple | DT | 1.00 | G1 | | 4-8 | 1.00 | 1.00 | 6 |
| <i>Acer cappadocicum</i> 'Rubrum' Red Coliseum Maple | DT | 1.00 | G1 | | 4-8 | 1.00 | 1.00 | 6 |
| <i>Acer circinatum</i> Vine Maple | DT | 0.74 | G1 | | 5-8 | 1.21 | 0.73 | 5 |
| <i>Acer circinatum</i> 'Little Gem' Little Gem Vine Maple | DT | 1.63 | G1 | | 5-8 | 1.21 | 1.89 | 5 |
| <i>Acer circinatum</i> 'Monroe' Monroe Vine Maple | DT | 1.83 | G1 | | 5-8 | 1.21 | 0.92 | 5 |
| <i>Acer circinatum</i> 'Pacific Fire' Pacific Fire Vine Maple | DT | 6.14 | G1 | | 5-8 | 1.21 | 0.73 | 5 |
| <i>Acer dasycarpum</i> See - <i>Acer saccharinum</i> | DT | | | | | | | |
| <i>Acer davidii</i> David Maple | DT | 0.95 | G1 | | 4-8 | 1.00 | 0.62 | 6 |
| <i>Acer firma</i> Siebold's Maple | DT | 2.47 | G1 | | 4-8 | 1.00 | 1.00 | 6 |
| <i>Acer firma</i> 'Sode no uchi' Sode no uchi Siebold's Maple | DT | 2.47 | G1 | | 4-8 | 1.00 | 1.00 | 6 |
| <i>Acer floridanum</i> See - <i>Acer saccharum</i> ssp. <i>floridanum</i> | DT | 0.94 | G1 | | 4-9 | 1.12 | 0.62 | 3 |
| <i>Acer x freemanii</i> Freeman Maple | DT | | | | | | | |
| <i>Acer x freemanii</i> 'Armstrong Two' Armstrong Two Freeman Maple | DT | 0.94 | G1 | | 4-9 | 0.89 | 0.65 | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|----------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acer x freemanii</i> 'Armstrong' Armstrong Freeman Maple | DT | 1.03 | G1 | | 4-9 | 1.11 | 0.69 | 3 |
| <i>Acer x freemanii</i> 'Autumn Blaze' See - <i>Acer x freemanii</i> 'Jeffersred' P.P. 4864 | | | | | | | | |
| <i>Acer x freemanii</i> 'Autumn Fantasy' See - <i>Acer x freemanii</i> 'DTR 102' P.P. 7655 | | | | | | | | |
| <i>Acer x freemanii</i> 'Celebration' See - <i>Acer x freemanii</i> 'Celzam' P.P. 7279 | | | | | | | | |
| <i>Acer x freemanii</i> 'Celzam' P.P. 7279 Celebration® Freeman Maple | DT | 0.94 | G1 | | 4-9 | 1.07 | 0.62 | 3 |
| <i>Acer x freemanii</i> 'DTR 102' P.P. 7655 Autumn Fantasy® Freeman Maple | DT | 0.95 | G1 | | 4-9 | 1.02 | 0.62 | 3 |
| <i>Acer x freemanii</i> 'Indian Summer' See - <i>Acer x freemanii</i> 'Morgan' | | | | | | | | |
| <i>Acer x freemanii</i> 'Jeffersred' P.P. 4864 Autumn Blaze® Freeman Maple | DT | 0.96 | G1 | | 4-9 | 1.10 | 0.83 | 3 |
| <i>Acer x freemanii</i> 'Marmo' Marmo Freeman Maple | DT | 0.94 | G1 | | 4-9 | 0.88 | 1.31 | 3 |
| <i>Acer x freemanii</i> 'Morgan' Indian Summer™ Freeman Maple | DT | 0.94 | G1 | | 4-9 | 0.97 | 0.62 | 3 |
| <i>Acer x freemanii</i> 'Scarlet Sentinel' See - <i>Acer x freemanii</i> 'Scarsen' P.P. 3109 | | | | | | | | |
| <i>Acer x freemanii</i> 'Scarsen' P.P. 3109 Scarlet Sentinel™ Freeman Maple | DT | 0.94 | G1 | | 3-11 | 1.03 | 1.44 | 3 |
| <i>Acer ginnala</i> Amur Maple | DT | 0.88 | G1 | | 2-8 | 1.03 | 0.89 | 3 |
| <i>Acer ginnala</i> 'Bailey Compact' Bailey Compact Amur Maple | DT | 0.59 | G1 | | 2-8 | 1.03 | 0.74 | 3 |
| <i>Acer ginnala</i> 'Burgundy' Burgundy Amur Maple | DT | 0.59 | G1 | | 2-8 | 1.03 | 0.74 | 3 |
| <i>Acer ginnala</i> 'Compactum' Compact Amur Maple | DT | 0.60 | G1 | | 2-8 | 1.03 | 1.14 | 3 |
| <i>Acer ginnala</i> 'Embers' Embers Amur Maple | DT | 1.07 | G1 | | 2-8 | 1.22 | 1.08 | 3 |
| <i>Acer ginnala</i> 'Emerald Elf' Emerald Elf Amur Maple | DT | 0.59 | G1 | | 2-8 | 1.03 | 1.39 | 3 |
| <i>Acer ginnala</i> 'Flame' Flame Amur Maple | DT | 0.74 | G1 | | 2-8 | 1.11 | 1.14 | 3 |
| <i>Acer ginnala</i> 'Mondy' Red Rhapsody™ Amur Maple | DT | 0.89 | G1 | | 2-8 | 1.03 | 0.74 | 3 |
| <i>Acer ginnala</i> 'Red Rhapsody' See - <i>Acer ginnala</i> 'Mondy' | | | | | | | | |
| <i>Acer ginnala</i> 'Red Wing' Red Wing Amur Maple | DT | 0.59 | G1 | | 2-8 | 1.03 | 0.88 | 3 |
| <i>Acer glabrum</i> Rocky Mountain Maple | DT | 0.73 | G2 | | 5-8 | 1.07 | 1.35 | 5 |
| <i>Acer grandidentatum</i> See - <i>Acer saccharum</i> ssp. <i>grandidentatum</i> | | | | | | | | |
| <i>Acer griseum</i> Paperbark Maple | DT | 1.53 | G1 | | 4-8 | 1.60 | 1.65 | 5 |
| <i>Acer japonicum</i> Fullmoon Maple | DT | 1.24 | G1 | | 5-8 | 1.26 | 1.35 | 5 |
| <i>Acer japonicum</i> '6910' 6910 Fullmoon Maple | DT | 1.75 | G1 | | 5-8 | 1.26 | 1.35 | 5 |
| <i>Acer japonicum</i> 'Aconitifolium' Fernleaf Fullmoon Maple | DT | 2.08 | G1 | | 5-8 | 1.98 | 1.97 | 5 |
| <i>Acer japonicum</i> 'Attaryi' Attary Fullmoon Maple | DT | 1.75 | G1 | | 5-8 | 1.26 | 1.35 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Acer japonicum</i> 'Ezono momiji' Ezono momiji Fullmoon Maple | DT | 1.75 | G1 | | 5-8 | 1.26 | 1.35 | 5 |
| <i>Acer japonicum</i> 'Green Cascade' Green Cascade Fullmoon Maple | DT | 1.91 | G1 | | 5-8 | 1.26 | 2.98 | 5 |
| <i>Acer japonicum</i> 'Itaya' Itaya Fullmoon Maple | DT | 1.75 | G1 | | 5-8 | 1.26 | 1.35 | 5 |
| <i>Acer japonicum</i> 'Ogureyama' Ogureyama Fullmoon Maple | DT | 2.00 | G1 | | 5-8 | 1.26 | 1.35 | 5 |
| <i>Acer japonicum</i> 'Oisami' Oisami Fullmoon Maple | DT | 1.75 | G1 | | 5-8 | 1.26 | 1.35 | 5 |
| <i>Acer japonicum</i> 'Vitifolium' Grapeleaf Fullmoon Maple | DT | 1.75 | G1 | | 5-8 | 1.26 | 1.35 | 5 |
| <i>Acer leucoderme</i> See - <i>Acer saccharum</i> ssp. <i>leucoderme</i> | DT | 0.63 | G1 | | 6-8 | 0.95 | 0.64 | 6 |
| <i>Acer macrophyllum</i> Bigleaf Maple | DT | 1.00 | G1 | | 6-8 | 1.00 | 1.00 | 4 |
| <i>Acer mandschuricum</i> Manchurian Maple | DT | 1.00 | G1 | | 6-8 | 1.00 | 1.00 | 5 |
| <i>Acer maximowiczianum</i> Nikko Maple | DT | 1.00 | G1 | | 6-8 | 1.00 | 1.00 | 5 |
| <i>Acer miyabei</i> Miyabe Maple | DT | 1.00 | G1 | | 6-8 | 1.00 | 1.50 | 5 |
| <i>Acer miyabei</i> 'Morton' State Street™ Miyabe Maple | DT | 1.00 | G1 | | 6-8 | 1.00 | 1.50 | 5 |
| <i>Acer miyabei</i> 'State Street' See - <i>Acer miyabei</i> 'Morton' | DT | 0.51 | G1 | | 7-9B | 0.75 | 0.57 | 2 |
| <i>Acer negundo</i> Boxelder | DT | 0.51 | G1 | | 7-9B | 0.75 | 0.57 | 2 |
| <i>Acer negundo</i> 'Baron' Baron Boxelder | DT | 1.03 | G1 | | 7-9B | 1.41 | 0.57 | 2 |
| <i>Acer negundo</i> 'Flamingo' Flamingo Boxelder | DT | 0.51 | G1 | | 7-9B | 0.75 | 0.57 | 2 |
| <i>Acer negundo</i> 'Kelly's Gold' Kelly's Gold Boxelder | DT | 0.96 | G1 | | 7-9B | 0.99 | 0.57 | 2 |
| <i>Acer negundo</i> 'Sensation' P.P.A.F. Sensation Boxelder | DT | 2.21 | G1 | | 7-9B | 0.75 | 0.57 | 2 |
| <i>Acer nikoense</i> See - <i>Acer maximowiczianum</i> | DT | 0.85 | G1 | 5-8 | 9 | 1.23 | 1.14 | 5 |
| <i>Acer palmatum</i> Japanese Maple | DT | 1.49 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Aka shigitatsu sawa' See - <i>Acer palmatum</i> 'Beni shigitatsu sawa' | DT | 1.59 | G1 | 5-8 | 9 | 1.73 | 1.47 | 5 |
| <i>Acer palmatum</i> 'Ao no hichi gosan' See - <i>Acer palmatum</i> 'Shino buga oka' | DT | 1.58 | G1 | 5-8 | 9 | 2.08 | 2.11 | 5 |
| <i>Acer palmatum</i> 'Aoyagi' Green Willow Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Asahi zuru' Morning Sun Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Atrolineare' Bloodvein Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Azuma murasaki' Azuma Murasaki Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Beni fushigi' Beni Fushigi Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Beni hime' Beni Hime Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Acer palmatum</i> 'Beni kawa' Beni Kawa Japanese Maple | DT | 1.76 | G1 | 5-8 | 9 | 1.73 | 1.47 | 5 |
| <i>Acer palmatum</i> 'Beni kohime' Beni Kohime Japanese Maple | DT | 0.85 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Beni komachi' Beni Komachi Japanese Maple | DT | 2.20 | G1 | 5-8 | 9 | 1.23 | 3.65 | 5 |
| <i>Acer palmatum</i> 'Beni maiko' Dancing Girl Japanese Maple | DT | 1.85 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Beni otake' Beni Otake Japanese Maple | DT | 1.60 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Beni schichi henge' Beni Schichi Henge Japanese Maple | DT | 2.34 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Beni shigitatsu sawa' Beni Shigitatsu Sawa Japanese Maple | DT | 1.74 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Beni tsukasa' Beni Tsukasa Japanese Maple | DT | 1.78 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Beni ubi gohon' Beni Uni Gohon Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Bloodgood' Bloodgood Japanese Maple | DT | 1.97 | G1 | 5-8 | 9 | 2.20 | 2.04 | 5 |
| <i>Acer palmatum</i> 'Bonfire' Bonfire Japanese Maple | DT | 1.78 | G1 | 5-8 | 9 | 1.64 | 2.03 | 5 |
| <i>Acer palmatum</i> 'Boskoop Glory' Boskoop Glory Japanese Maple | DT | 1.48 | G1 | 5-8 | 9 | 1.73 | 1.64 | 5 |
| <i>Acer palmatum</i> 'Burgundy Flame' Burgundy Flame Japanese Maple | DT | 1.74 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Burgundy Lace' Burgundy Lace Japanese Maple | DT | 1.97 | G1 | 5-8 | 9 | 1.91 | 1.89 | 5 |
| <i>Acer palmatum</i> 'Butterfly' Butterfly Japanese Maple | DT | 1.99 | G1 | 5-8 | 9 | 2.09 | 1.77 | 5 |
| <i>Acer palmatum</i> 'Chishio' Blood Japanese Maple | DT | 1.64 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Chitoseyama' Chitoseyama Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 1.98 | 5 |
| <i>Acer palmatum</i> 'Christie Ann' P.P.A.F. Christie Ann Japanese Maple | DT | 1.55 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Coonara Pygmy' Coonara Pygmy Japanese Maple | DT | 1.67 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Corallinum' Corallinum Japanese Maple | DT | 3.37 | G1 | 5-8 | 9 | 1.23 | 4.13 | 5 |
| <i>Acer palmatum</i> 'Crimson Prince' Crimson Prince Japanese Maple | DT | 1.55 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Elegans' Elegans Japanese Maple | DT | 1.19 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Fascination' P.P.A.F. Fascination Japanese Maple | DT | 1.66 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Filifera Purpura' See - <i>Acer palmatum</i> 'Atrolineare' | DT | 1.92 | G1 | 5-8 | 9 | 1.86 | 1.72 | 5 |
| <i>Acer palmatum</i> 'Fireglow' Fireglow Japanese Maple | DT | 8.77 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Fjellheim' Fjellheim Japanese Maple | DT | 0.85 | G1 | 5-8 | 9 | 1.23 | 1.76 | 5 |
| <i>Acer palmatum</i> 'Glowing Embers' Glowing Embers Japanese Maple | DT | 2.28 | G1 | 5-8 | 9 | 1.23 | 4.13 | 5 |
| <i>Acer palmatum</i> 'Goshiki kotohime' Goshiki Kotohime Japanese Maple | DT | 2.82 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Green Trompenburg' Green Trompenburg Japanese Maple | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|---------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Acer palmatum</i> 'Hanami nishiki' Flower Viewing Japanese Maple | DT | 2.63 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Hanazono nishiki' Hanazono Nishiki Japanese Maple | DT | 2.47 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Harusame' Harusame Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Hazeroino' Hazeroino Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Heptalobum' Sevenlobe Japanese Maple | DT | 0.85 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Herbstfeuer' Herbstfeuer Japanese Maple | DT | 2.47 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Hessei' Hesse Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Higasayama' Higasayama Japanese Maple | DT | 1.88 | G1 | 5-8 | 9 | 1.23 | 1.15 | 5 |
| <i>Acer palmatum</i> 'Hogyoku' Hogyoku Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 1.43 | 5 |
| <i>Acer palmatum</i> 'Hoshi kuzu' Hoshi Kuzu Japanese Maple | DT | 1.19 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Hupp's Dwarf' Hupp's Dwarf Japanese Maple | DT | 4.39 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Ibo nishiki' Ibo Nishiki Japanese Maple | DT | 1.65 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Ichigyoji' Ichigyoji Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Iijima sunago' Dusted Japanese Maple | DT | 2.39 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Inazuma' Inazuma Japanese Maple | DT | 1.54 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Issai nishiki momiji' Issai Nishiki Momiji Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Japanese Sunrise' Japanese Sunrise Japanese Maple | DT | 2.63 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Jiro shidare' Jiro Shidare Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Kagiri nishiki' Pinkedge Japanese Maple | DT | 1.79 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Kamagata' Kamagata Japanese Maple | DT | 1.63 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Karasugawa' Karasugawa Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Kasagiyama' Kasagiyama Japanese Maple | DT | 2.47 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Kashima' Kashima Japanese Maple | DT | 2.19 | G1 | 5-8 | 9 | 1.23 | 4.13 | 5 |
| <i>Acer palmatum</i> 'Katsura' Katsura Japanese Maple | DT | 1.67 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Ki hachijo' Ki Hachijo Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Killarny' Killarny Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Kinran' Kinran Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Kinshi' Kinshi Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Kiyohime' Kiyohime Japanese Maple | DT | 1.82 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Acer palmatum</i> 'Kogane nishiki' Kogane Nishiki Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Koreanum' Korean Japanese Maple | DT | 1.19 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Koshibori nishiki' Koshibori Nishiki Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Koshimino' Koshimino Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Koto no ito' Koto No Ito Japanese Maple | DT | 1.90 | G1 | 5-8 | 9 | 1.23 | 2.20 | 5 |
| <i>Acer palmatum</i> 'Kotohime' Kotohime Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Kotomaru' Kotomaru Japanese Maple | DT | 4.39 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Kurabeyama' Kurabeyama Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Kurui jishi' Kurui Jishi Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Linearilobum' Linearilobum Japanese Maple | DT | 1.81 | G1 | 5-8 | 9 | 1.23 | 2.39 | 5 |
| <i>Acer palmatum</i> 'Lutescens' Golden Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Maimori' Maimori Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Mama' Mama Japanese Maple | DT | 0.85 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Masukagami' Masukagami Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Matsugae' Matsugae Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Matsuyoi' Matsuyoi Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Mikawa yatsubusa' Mikawa Yatsubusa Japanese Maple | DT | 2.91 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Mirte' Mirte Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Mizu kuguri' Mizu Kurugi Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Monzukushi' Monzukushi Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Moonfire' Moonfire Japanese Maple | DT | 1.61 | G1 | 5-8 | 9 | 1.86 | 1.64 | 5 |
| <i>Acer palmatum</i> 'Murasaki kiyohime' Murasaki Kiyohime Japanese Maple | DT | 1.71 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Mure hibari' Mure hibari Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Musa muraski' Musa muraski Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Nana segawa' Nana Segawa Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Nishiki gasane' Nishiki Gasane Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Nishiki gawa' Pinebark Japanese Maple | DT | 2.18 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Nishiki momiji' Nishiki Momiji Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Nishiki sho' Nishiki Sho Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Acer palmatum</i> 'Nuresagi' Nuresagi Japanese Maple | DT | 1.30 | G1 | 5-8 | 9 | 1.73 | 1.57 | 5 |
| <i>Acer palmatum</i> 'Ogon sarasa' Ogon Sarasa Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Okagami' Okagami Japanese Maple | DT | 1.72 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Okushimo' Okushimo Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.73 | 1.38 | 5 |
| <i>Acer palmatum</i> 'Omato' Omato Japanese Maple | DT | 1.78 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Omurayama' Omurayama Japanese Maple | DT | 1.73 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Orange Dream' Orange Dream Japanese Maple | DT | 4.39 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Oregon Sunset' Oregon Sunset Japanese Maple | DT | 1.96 | G1 | 5-8 | 9 | 1.23 | 3.42 | 5 |
| <i>Acer palmatum</i> 'Orido nishiki' Orido Nishiki Japanese Maple | DT | 1.57 | G1 | 5-8 | 9 | 1.73 | 1.64 | 5 |
| <i>Acer palmatum</i> 'Osakazuki' Osakazuki Japanese Maple | DT | 1.69 | G1 | 5-8 | 9 | 1.73 | 1.81 | 5 |
| <i>Acer palmatum</i> 'Oshio beni' Oshio Beni Japanese Maple | DT | 1.92 | G1 | 5-8 | 9 | 1.73 | 1.74 | 5 |
| <i>Acer palmatum</i> 'Oshu shidare' Oshu Shidare Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Otome zakura' Otome Zakura Japanese Maple | DT | 1.19 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Peaches and Cream' Peaches and Cream Japanese Maple | DT | 4.39 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Pendulum' Weeping Japanese Maple | DT | 0.85 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Pixie' Pixie Japanese Maple | DT | 1.73 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Red Pygmy' Red Pygmy Japanese Maple | DT | 1.70 | G1 | 5-8 | 9 | 2.23 | 1.78 | 5 |
| <i>Acer palmatum</i> 'Red Spider' Red Spider Japanese Maple | DT | 1.77 | G1 | 5-8 | 9 | 1.23 | 1.83 | 5 |
| <i>Acer palmatum</i> 'Red Wood' Red Wood Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Redspray' Redspray Japanese Maple | DT | 0.85 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Roseo-marginatum' Roseo-marginatum Japanese Maple | DT | 0.85 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Royal' Royal Japanese Maple | DT | 4.39 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Ryuzu' Ryuzu Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Sagara nishiki' Sagara Nishiki Japanese Maple | DT | 2.01 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Sango kaku' Sango Kaku Japanese Maple | DT | 1.96 | G1 | 5-8 | 9 | 2.11 | 1.75 | 5 |
| <i>Acer palmatum</i> 'Saoshika' Saoshika Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Saotome' Saotome Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Satsuki beni' Satsuki Beni Japanese Maple | DT | 2.63 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Sazanami' Ruffles Japanese Maple | DT | 1.62 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|---------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Acer palmatum</i> 'Scolopendrifolium' Scolopendrifolium Japanese Maple | DT | 1.57 | G1 | 5-8 | 9 | 1.23 | 1.62 | 5 |
| <i>Acer palmatum</i> 'Sekka yatsubusa' Sekka Yatsubusa Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Senkaki' See - <i>Acer palmatum</i> 'Sango kaku' | DT | 1.66 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Shaina' Shaina Japanese Maple | DT | 2.26 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Sharp's Pygmy' Sharp's Pygmy Japanese Maple | DT | 1.79 | G1 | 5-8 | 9 | 1.23 | 1.61 | 5 |
| <i>Acer palmatum</i> 'Sherwood Flame' Sherwood Flame Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Shigarami' Shigarami Japanese Maple | DT | 1.61 | G1 | 5-8 | 9 | 1.23 | 2.10 | 5 |
| <i>Acer palmatum</i> 'Shigitatsu sawa' Shigitatsu Sawa Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Shigure bato' Shigure Bato Japanese Maple | DT | 1.70 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Shindeshojo' Shindeshojo Japanese Maple | DT | 1.97 | G1 | 5-8 | 9 | 1.97 | 1.73 | 5 |
| <i>Acer palmatum</i> 'Shino buga oka' Shino Buga Oka Japanese Maple | DT | 1.64 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Shishigashira' Lions Head Japanese Maple | DT | 1.42 | G1 | 5-8 | 9 | 2.06 | 2.31 | 5 |
| <i>Acer palmatum</i> 'Shishio Improved' Shishio Improved Japanese Maple | DT | 1.90 | G1 | 5-8 | 9 | 1.23 | 2.20 | 5 |
| <i>Acer palmatum</i> 'Shishio hime' Shishio Hime Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 1.55 | 5 |
| <i>Acer palmatum</i> 'Shojo nomura' Shojo Nomura Japanese Maple | DT | 1.61 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Sketer's Broom' Sketer's Broom Japanese Maple | DT | 1.25 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Suminagashi' Suminagashi Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Taimin nishiki' Taimin Nishiki Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Tamahime' Tamahime Japanese Maple | DT | 1.23 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Tana' Tana Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 1.27 | 5 |
| <i>Acer palmatum</i> 'Tatsuta' Tatsuta Japanese Maple | DT | 1.73 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Tenryo no hoshi' Tenryo No Hoshi Japanese Maple | DT | 4.39 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Tiny Tim' Tiny Tim Japanese Maple | DT | 1.93 | G1 | 5-8 | 9 | 2.07 | 1.59 | 5 |
| <i>Acer palmatum</i> 'Trompenburg' Trompenburg Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Tsuchigumo' Tsuchigumo Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Tsukushigata' Tsukushigata Japanese Maple | DT | 1.46 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Tsuma gaki' Tsuma Gaki Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Ueno yama' Ueno Yama Japanese Maple | DT | 2.19 | G1 | 5-8 | 9 | 2.08 | 1.64 | 5 |
| Floating Clouds Japanese Maple | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Acer palmatum</i> 'Ukon' Ukon Japanese Maple | DT | 1.63 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Umegae' Umegae Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Versicolor' Pinkedge Japanese Maple | DT | 1.57 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Villa Tronto' Villa Tronto Japanese Maple | DT | 1.46 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Volubile' Volubile Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Wabito' Wabito Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Wakehurst Pink' Wakehurst Pink Japanese Maple | DT | 6.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Walters Red' Walters Red Japanese Maple | DT | 0.85 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Whitney Red' Whitney Red Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Willow Leaf' Willow Leaf Japanese Maple | DT | 0.85 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Wilson's Pink Dwarf' Wilson's Pink Dwarf Japanese Maple | DT | 4.39 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Wou nishiki' Wou Nishiki Japanese Maple | DT | 1.43 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> 'Yezo nishiki' Yezo Nishiki Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> var. <i>atropurpureum</i> Bloodleaf Japanese Maple | DT | 2.42 | G1 | 5-8 | 9 | 1.23 | 0.96 | 5 |
| <i>Acer palmatum</i> var. <i>atropurpureum</i> 'Musashino' Mushashino Red Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.15 | 1.50 | 5 |
| <i>Acer palmatum</i> var. <i>atropurpureum</i> 'Novum' Novum Red Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.15 | 1.50 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> Threadleaf Japanese Maple | DT | 2.14 | G1 | 5-8 | 9 | 1.83 | 5.48 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Ao shidare' Ao Shidare Threadleaf Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Atropurpureum' Red Threadleaf Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.83 | 3.13 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Baby Lace' Baby Lace Threadleaf Japanese Maple | DT | 4.39 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Baldsmith' Baldsmith Threadleaf Japanese Maple | DT | 1.69 | G1 | 5-8 | 9 | 1.83 | 3.65 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Barrie Bergman' Barrie Bergman Threadleaf Japanese Maple | DT | 1.75 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Beni shidare' Beni Shidare Threadleaf Japanese Maple | DT | 1.24 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Crimson Queen' Crimson Queen Threadleaf Japanese Maple | DT | 2.27 | G1 | 5-8 | 9 | 1.83 | 3.59 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Ever Red' Ever Red Threadleaf Japanese Maple | DT | 2.15 | G1 | 5-8 | 9 | 2.45 | 3.34 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Filigree' Filigree Threadleaf Japanese Maple | DT | 2.35 | G1 | 5-8 | 9 | 2.48 | 2.72 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Flavescens' Flavescens Threadleaf Japanese Maple | DT | 1.99 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Garnet' Garnet Threadleaf Japanese Maple | DT | 2.07 | G1 | 5-8 | 9 | 2.59 | 3.42 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Goshiki shidare' Goshiki Shidare Threadleaf Japanese Maple | DT | 2.82 | G1 | 5-8 | 9 | 1.83 | 4.32 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Green Mist' Green Mist Threadleaf Japanese Maple | DT | 1.71 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Inaba shidare' Inaba Shidare Threadleaf Japanese Maple | DT | 2.20 | G1 | 5-8 | 9 | 2.48 | 3.40 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Irish Lace' Irish Lace Threadleaf Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Nigrum' See - <i>Acer palmatum</i> var. <i>dissectum</i> 'Ever Red' | DT | 1.75 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Octopus' Octopus Threadleaf Japanese Maple | DT | 2.07 | G1 | 5-8 | 9 | 1.83 | 3.09 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Orangeloa' Orangeloa Threadleaf Japanese Maple | DT | 1.81 | G1 | 5-8 | 9 | 2.48 | 2.80 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Ornatum' Spiderleaf Japanese Maple | DT | 2.21 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Palmatifidum' Palmatifidum Threadleaf Japanese Maple | DT | 1.59 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Pendula Julian' Weeping Julian Threadleaf Japanese Maple | DT | 2.19 | G1 | 5-8 | 9 | 1.83 | 3.59 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Red Dragon' Red Dragon Threadleaf Japanese Maple | DT | 2.01 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Red Filigree Lace' Red Filigree Lace Threadleaf Japanese Maple | DT | 2.01 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Seiryu' Seiryu Threadleaf Japanese Maple | DT | 2.60 | G1 | 5-8 | 9 | 1.83 | 4.61 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Sekimori' Sekimori Threadleaf Japanese Maple | DT | 2.36 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Shojo shidare' Shojo Shidare Threadleaf Japanese Maple | DT | 2.28 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Super Red' Super Red Threadleaf Japanese Maple | DT | 1.14 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Tamukeyama' Tamukeyama Threadleaf Japanese Maple | DT | 2.18 | G1 | 5-8 | 9 | 1.83 | 3.75 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Toyama nishiki' Toyama Nishiki Threadleaf Japanese Maple | DT | 2.27 | G1 | 5-8 | 9 | 1.83 | 1.77 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Variegatum' Variegated Threadleaf Japanese Maple | DT | 1.96 | G1 | 5-8 | 9 | 1.83 | 3.48 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Viridis' Green Threadleaf Japanese Maple | DT | 0.98 | G1 | | 3-7 | 1.00 | 0.62 | 3 |
| <i>Acer platanoides</i> Norway Maple | DT | 0.97 | G1 | | 3-7 | 0.93 | 0.39 | 3 |
| <i>Acer platanoides</i> '(Unnamed Cultivar 01)' Alberta Park™ Norway Maple | DT | 0.84 | G1 | | 3-7 | 0.98 | 0.30 | 3 |
| <i>Acer platanoides</i> '(Unnamed Cultivar 02)' Emerald Queen™ Norway Maple | DT | 0.92 | G1 | | 3-7 | 1.04 | 0.65 | 3 |
| <i>Acer platanoides</i> '(Unnamed Cultivar 03)' Fairview™ Norway Maple | DT | 0.85 | G1 | | 3-7 | 1.09 | 0.30 | 3 |
| <i>Acer platanoides</i> '(Unnamed Cultivar 04)' Jade Glen™ Norway Maple | DT | 0.92 | G1 | | 3-7 | 1.03 | 0.31 | 3 |
| <i>Acer platanoides</i> '(Unnamed Cultivar 05)' P.P. 1748 Summershade® Norway Maple | DT | 0.84 | G1 | | 3-7 | 1.06 | 0.49 | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acer platanoides</i> 'Alberta Park' | | | | | | | | |
| See - <i>Acer platanoides</i> '(Unnamed Cultivar 01)' | | | | | | | | |
| <i>Acer platanoides</i> 'Cavalier' P.P. 2973 | DT | 0.84 | G1 | | 3-7 | 0.85 | 0.30 | 3 |
| Cavalier Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Cleveland' | DT | 0.84 | G1 | | 3-7 | 1.05 | 0.30 | 3 |
| Cleveland Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Columnnarbroad' | DT | 0.95 | G1 | | 3-7 | 1.08 | 0.32 | 3 |
| Parkway Norway® Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Columnnare Compacta' | DT | 0.92 | G1 | | 3-7 | 0.89 | 0.30 | 3 |
| Columnnar Compact Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Columnnare' | DT | 0.94 | G1 | | 3-7 | 1.05 | 0.50 | 3 |
| Columnnar Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Crimson King' P.P. 735 | DT | 0.92 | G1 | | 3-7 | 1.17 | 0.65 | 3 |
| Crimson King Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Crimson Sentry' P.P. 3258 | DT | 0.99 | G1 | | 3-7 | 1.22 | 0.48 | 3 |
| Crimson Sentry Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Crystal' | | | | | | | | |
| See - <i>Acer platanoides</i> 'Lamis' | | | | | | | | |
| <i>Acer platanoides</i> 'Deborah' P.P. 4944 | DT | 0.95 | G1 | | 3-7 | 1.08 | 0.37 | 3 |
| Deborah Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Drummondii' | DT | 0.91 | G1 | | 3-7 | 1.13 | 0.30 | 3 |
| Drummondii Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Easy Street' | DT | 0.84 | G1 | | 3-7 | 0.85 | 0.30 | 3 |
| Easy Street™ Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Emerald Lustre' | | | | | | | | |
| See - <i>Acer platanoides</i> 'Pond' P.P. 4837 | | | | | | | | |
| <i>Acer platanoides</i> 'Emerald Queen' | | | | | | | | |
| See - <i>Acer platanoides</i> '(Unnamed Cultivar 02)' | | | | | | | | |
| <i>Acer platanoides</i> 'Ezestre' | | | | | | | | |
| See - <i>Acer platanoides</i> 'Easy Street' | | | | | | | | |
| <i>Acer platanoides</i> 'Fairview' | | | | | | | | |
| See - <i>Acer platanoides</i> '(Unnamed Cultivar 03)' | | | | | | | | |
| <i>Acer platanoides</i> 'Globosum' | DT | 1.14 | G1 | | 3-7 | 1.17 | 0.30 | 3 |
| Globe Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Jade Glen' | | | | | | | | |
| See - <i>Acer platanoides</i> '(Unnamed Cultivar 04)' | | | | | | | | |
| <i>Acer platanoides</i> 'Lamis' | DT | 0.84 | G1 | | 3-7 | 1.52 | 0.30 | 3 |
| Crystal® Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Medallion' | | | | | | | | |
| See - <i>Acer platanoides</i> 'Medzam' | | | | | | | | |
| <i>Acer platanoides</i> 'Medzam' | DT | 0.84 | G1 | | 3-7 | 0.85 | 0.30 | 3 |
| Medallion™ Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Olmsted' | DT | 0.84 | G1 | | 3-7 | 1.04 | 0.30 | 3 |
| Olmsted Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Oregon Pride' | DT | 0.84 | G1 | | 3-7 | 0.85 | 0.30 | 3 |
| Oregon Pride® Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Parkway' | | | | | | | | |
| See - <i>Acer platanoides</i> 'Columnnarbroad' | | | | | | | | |
| <i>Acer platanoides</i> 'Pond' P.P. 4837 | DT | 0.86 | G1 | | 3-7 | 1.03 | 0.44 | 3 |
| Emerald Lustre® Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Princeton Gold' P.P. 6727 | DT | 0.91 | G1 | | 3-7 | 1.08 | 0.75 | 3 |
| Princeton Gold Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Royal Red' | DT | 0.98 | G1 | | 3-7 | 1.18 | 0.79 | 3 |
| Royal Red Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Schwedleri' | DT | 0.90 | G1 | | 3-7 | 0.85 | 0.34 | 3 |
| Schwedleri Norway Maple | | | | | | | | |
| <i>Acer platanoides</i> 'Silver Variegated' | DT | 0.91 | G1 | | 3-7 | 0.98 | 0.42 | 3 |
| Silver Variegated Norway Maple | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|-------------|---------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | |
| <i>Acer platanoides</i> 'Summershade' | | | | | | | |
| See - <i>Acer platanoides</i> '(Unnamed Cultivar 05)' P.P. 1748 | | | | | | | |
| <i>Acer platanoides</i> 'Superform' | DT | 0.90 | G1 | | 3-7 | 1.05 | 0.31 |
| Superform Norway Maple | | | | | | | 3 |
| <i>Acer platanoides</i> 'Variegatum' | DT | 0.84 | G1 | | 3-7 | 0.85 | 0.30 |
| Variegated Norway Maple | | | | | | | 3 |
| <i>Acer pseudoplatanus</i> | DT | 0.96 | G1 | | 4-7 | 1.15 | 0.75 |
| Sycamore Maple | | | | | | | 4 |
| <i>Acer pseudoplatanus</i> 'Atropurpureum' | DT | 0.96 | G1 | | 4-7 | 1.12 | 0.46 |
| Spaethii Sycamore Maple | | | | | | | 4 |
| <i>Acer pseudoplatanus</i> 'Prinz Handjery' | DT | 0.96 | G1 | | 4-7 | 1.12 | 0.46 |
| Prinz Handjery Sycamore Maple | | | | | | | 4 |
| <i>Acer pseudosieboldianum</i> | DT | 1.06 | G1 | | 5-8 | 1.00 | 1.44 |
| Korean Maple | | | | | | | 5 |
| <i>Acer rubrum</i> | DT | 0.73 | G1 | | 3-11 | 0.94 | 0.41 |
| Red Maple | | | | | | | 3 |
| <i>Acer rubrum</i> '(Unnamed Cultivar 01)' | DT | 1.05 | G1 | | 3-11 | 1.08 | 0.59 |
| Autumn Flame® Red Maple | | | | | | | 3 |
| <i>Acer rubrum</i> '(Unnamed Cultivar 02)' | DT | 0.73 | G1 | | 3-11 | 1.13 | 0.26 |
| Embers® Red Maple | | | | | | | 3 |
| <i>Acer rubrum</i> '(Unnamed Cultivar 03)' | DT | 0.73 | G1 | | 3-11 | 1.04 | 0.26 |
| Fairview Flame® Red Maple | | | | | | | 3 |
| <i>Acer rubrum</i> 'Armstrong' | | | | | | | |
| See - <i>Acer x freemanii</i> 'Armstrong' | | | | | | | |
| <i>Acer rubrum</i> 'Autumn Flame' | | | | | | | |
| See - <i>Acer rubrum</i> '(Unnamed Cultivar 01)' | | | | | | | |
| <i>Acer rubrum</i> 'Autumn Radiance' | DT | 0.73 | G1 | | 3-11 | 1.28 | 0.26 |
| Autumn Radiance Red Maple | | | | | | | 3 |
| <i>Acer rubrum</i> 'Autumn Spire' P.P. 7803 | DT | 0.86 | G1 | | 3-11 | 1.31 | 0.26 |
| Autumn Spire Red Maple | | | | | | | 3 |
| <i>Acer rubrum</i> 'Bowhall' | DT | 1.07 | G1 | | 3-11 | 1.11 | 1.10 |
| Bowhall Red Maple | | | | | | | 3 |
| <i>Acer rubrum</i> 'Burgundy Belle' | | | | | | | |
| See - <i>Acer rubrum</i> 'Magnificent Magenta' P.P. 7222 | | | | | | | |
| <i>Acer rubrum</i> 'Curtis' | DT | 0.73 | G1 | | 3-11 | 0.45 | 0.26 |
| Curtis Red Maple | | | | | | | 3 |
| <i>Acer rubrum</i> 'Davey' | DT | 0.73 | G1 | | 3-11 | 0.45 | 0.26 |
| Davey Red Maple | | | | | | | 3 |
| <i>Acer rubrum</i> 'Doric' | DT | 0.73 | G1 | | 3-11 | 1.07 | 0.26 |
| Doric Red Maple | | | | | | | 3 |
| <i>Acer rubrum</i> 'Embers' | | | | | | | |
| See - <i>Acer rubrum</i> '(Unnamed Cultivar 02)' | | | | | | | |
| <i>Acer rubrum</i> 'Fairview Flame' | | | | | | | |
| See - <i>Acer rubrum</i> '(Unnamed Cultivar 03)' | | | | | | | |
| <i>Acer rubrum</i> 'Firedance' | | | | | | | |
| See - <i>Acer rubrum</i> 'Landsburg' P.P. 6977 | | | | | | | |
| <i>Acer rubrum</i> 'Franksred' | DT | 1.02 | G1 | | 3-11 | 1.10 | 1.13 |
| Red Sunset® Red Maple | | | | | | | 3 |
| <i>Acer rubrum</i> 'Gerling' | DT | 0.73 | G1 | | 3-11 | 0.45 | 0.26 |
| Gerling Red Maple | | | | | | | 3 |
| <i>Acer rubrum</i> 'Karpick' | DT | 1.09 | G1 | | 3-11 | 1.01 | 0.26 |
| Karpick Red Maple | | | | | | | 3 |
| <i>Acer rubrum</i> 'Landsburg' P.P. 6977 | DT | 0.73 | G1 | | 3-11 | 1.32 | 0.26 |
| Firedance® Red Maple | | | | | | | 3 |
| <i>Acer rubrum</i> 'Magnificent Magenta' P.P. 7222 | DT | 0.73 | G1 | | 3-11 | 0.84 | 0.51 |
| Burgundy Belle® Red Maple | | | | | | | 3 |
| <i>Acer rubrum</i> 'McKay' | DT | 0.73 | G1 | | 3-11 | 0.45 | 0.26 |
| McKay Red Maple | | | | | | | 3 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Acer rubrum</i> 'Miller's Columnar' Miller's Columnar Red Maple | DT | 0.73 | G1 | | 3-11 | 0.45 | 0.26 | 3 |
| <i>Acer rubrum</i> 'Northfire' See - <i>Acer rubrum</i> 'Olson' | DT | 0.96 | G1 | | 3-11 | 1.10 | 1.14 | 3 |
| <i>Acer rubrum</i> 'Northwood' P.P. 5053 Northwood Red Maple | DT | 0.98 | G1 | | 3-11 | 1.15 | 0.26 | 3 |
| <i>Acer rubrum</i> 'October Glory' See - <i>Acer rubrum</i> 'PNI 0268' P.P. 2116 | DT | 1.00 | G1 | | 3-11 | 1.09 | 0.83 | 3 |
| <i>Acer rubrum</i> 'Olson' Northfire™ Red Maple | DT | 1.08 | G1 | | 3-11 | 1.09 | 0.26 | 3 |
| <i>Acer rubrum</i> 'PNI 0268' P.P. 2116 October Glory® Red Maple | DT | 0.73 | G1 | | 3-11 | 0.45 | 0.26 | 3 |
| <i>Acer rubrum</i> 'Red Sunset' See - <i>Acer rubrum</i> 'Franksred' | DT | 0.73 | G1 | | 3-11 | 0.45 | 0.26 | 3 |
| <i>Acer rubrum</i> 'Scanlon' P.P. 1722 Scanlon Red Maple | DT | 0.83 | G1 | | 3-11 | 1.09 | 0.26 | 3 |
| <i>Acer rubrum</i> 'Schlesingeri' Schlesinger Red Maple | DT | 0.73 | G1 | | 3-11 | 0.45 | 0.26 | 3 |
| <i>Acer rubrum</i> 'Shade King' Shade King Red Maple | DT | 0.73 | G1 | | 3-11 | 0.45 | 0.26 | 3 |
| <i>Acer rubrum</i> 'Tilford' Tilford Red Maple | DT | 0.73 | G1 | | 3-11 | 0.45 | 0.26 | 3 |
| <i>Acer rubrum</i> 'V.J. Drake' V.J. Drake Red Maple | DT | 1.08 | G1 | | 3-11 | 0.45 | 0.26 | 3 |
| <i>Acer rubrum</i> var. <i>drummondii</i> Drummond Red Maple | DT | 1.13 | G1 | | 6-9 | 1.50 | 0.62 | 6 |
| <i>Acer rufinerve</i> Redvein Maple | DT | 0.75 | G1 | | 3-9B | 0.70 | 0.28 | 3 |
| <i>Acer saccharinum</i> Silver Maple | DT | 0.75 | G1 | | 3-9B | 0.70 | 0.28 | 3 |
| <i>Acer saccharinum</i> 'Beebe Cutleaf Weeping' Beebe Cutleaf Silver Maple | DT | 0.75 | G1 | | 3-9B | 0.70 | 0.28 | 3 |
| <i>Acer saccharinum</i> 'Blair' Blair Silver Maple | DT | 0.75 | G1 | | 3-9B | 0.81 | 0.28 | 3 |
| <i>Acer saccharinum</i> 'Laciniatum' Cutleaf Silver Maple | DT | 0.75 | G1 | | 3-9B | 0.77 | 0.28 | 3 |
| <i>Acer saccharinum</i> 'Northline' C.O.P.F. Northline Silver Maple | DT | 0.75 | G1 | | 3-9B | 0.70 | 0.28 | 3 |
| <i>Acer saccharinum</i> 'Silver Queen' Silver Queen Silver Maple | DT | 0.86 | G1 | | 3-9B | 0.88 | 0.47 | 3 |
| <i>Acer saccharinum</i> 'Skinner' Skinner Cutleaf Silver Maple | DT | 0.75 | G1 | | 3-9B | 0.97 | 0.28 | 3 |
| <i>Acer saccharinum</i> 'Wieri' Wieri Cutleaf Silver Maple | DT | 0.79 | G1 | | 3-9B | 0.78 | 0.28 | 3 |
| <i>Acer saccharum</i> Sugar Maple | DT | 0.82 | G1 | | 3-8 | 1.00 | 0.44 | 3 |
| <i>Acer saccharum</i> '(Unnamed Cultivar 01)' Fairview™ Sugar Maple | DT | 0.82 | G1 | | 3-8 | 1.14 | 0.44 | 3 |
| <i>Acer saccharum</i> 'Adirondak' See - <i>Acer saccharum</i> 'Adirzam' | DT | 0.82 | G1 | | 3-8 | 0.87 | 0.44 | 3 |
| <i>Acer saccharum</i> 'Adirzam' Adirondak® Sugar Maple | DT | 0.82 | G1 | | 3-8 | 1.13 | 1.60 | 3 |
| <i>Acer saccharum</i> 'Arrowhead' Arrowhead Sugar Maple | DT | 0.82 | G1 | | 3-8 | 0.87 | 0.44 | 3 |
| <i>Acer saccharum</i> 'Astis' Steeple™ Sugar Maple | DT | 0.82 | G1 | | 3-8 | 1.09 | 0.97 | 3 |
| <i>Acer saccharum</i> 'Bonfire' P.P. 3817 Bonfire Sugar Maple | DT | 0.82 | G1 | | 3-8 | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acer saccharum</i> 'Caddo' Caddo Sugar Maple | DT | 0.82 | G1 | | 3-8 | 0.87 | 0.44 | 3 |
| <i>Acer saccharum</i> 'Commemoration' P.P. 5079 Commemoration Sugar Maple | DT | 1.13 | G1 | | 3-8 | 1.14 | 1.22 | 3 |
| <i>Acer saccharum</i> 'Endowment' P.P. 4654 Endowment Sugar Maple | DT | 0.82 | G1 | | 3-8 | 1.19 | 1.22 | 3 |
| <i>Acer saccharum</i> 'Fairview' See - <i>Acer saccharum</i> '(Unnamed Cultivar 01)' | | | | | | | | |
| <i>Acer saccharum</i> 'Flax Mill Majesty' See - <i>Acer saccharum</i> 'Flax Mill Variety' P.P. 5273 | DT | 0.91 | G1 | | 3-8 | 1.17 | 0.68 | 3 |
| <i>Acer saccharum</i> 'Flax Mill Variety' P.P. 5273 Flax Mill Majesty® Sugar Maple | DT | 0.82 | G1 | | 3-8 | 1.15 | 0.73 | 3 |
| <i>Acer saccharum</i> 'Goldspire' P.P. 2917 Goldspire Sugar Maple | DT | 1.04 | G1 | | 3-8 | 1.14 | 0.92 | 3 |
| <i>Acer saccharum</i> 'Green Mountain' See - <i>Acer saccharum</i> 'PNI 0285' P.P. 2339 | DT | 0.82 | G1 | | 3-8 | 0.87 | 0.44 | 3 |
| <i>Acer saccharum</i> 'Legacy' P.P. 4979 Legacy Sugar Maple | DT | 0.82 | G1 | | 3-8 | 0.87 | 0.44 | 3 |
| <i>Acer saccharum</i> 'Monumentale' Monumentale Sugar Maple | DT | 0.82 | G1 | | 3-8 | 0.87 | 0.44 | 3 |
| <i>Acer saccharum</i> 'Newton Sentry' Newton Sentry Sugar Maple | DT | 0.82 | G1 | | 3-8 | 0.87 | 0.44 | 3 |
| <i>Acer saccharum</i> 'PNI 0285' P.P. 2339 Green Mountain® Sugar Maple | DT | 0.90 | G1 | | 3-8 | 1.13 | 0.63 | 3 |
| <i>Acer saccharum</i> 'Seneca Chief' Seneca Chief Sugar Maple | DT | 0.82 | G1 | | 3-8 | 1.19 | 1.60 | 3 |
| <i>Acer saccharum</i> 'Skybound' Skybound Sugar Maple | DT | 0.82 | G1 | | 3-8 | 1.23 | 0.44 | 3 |
| <i>Acer saccharum</i> 'Steeple' See - <i>Acer saccharum</i> 'Astis' | DT | 0.82 | G1 | | 3-8 | 1.07 | 1.60 | 3 |
| <i>Acer saccharum</i> 'Summer Proof' Summer Proof Sugar Maple | DT | 0.82 | G1 | | 3-8 | 1.21 | 0.44 | 3 |
| <i>Acer saccharum</i> 'Sweet Shadow' P.P. 2139 Sweet Shadow Sugar Maple | DT | 0.82 | G1 | | 3-8 | 1.13 | 1.22 | 3 |
| <i>Acer saccharum</i> 'Wright Brothers' Wright Brothers Sugar Maple | DT | 0.82 | G1 | | 3-8 | 1.09 | 1.00 | 7 |
| <i>Acer saccharum</i> ssp. <i>floridanum</i> Southern Sugar Maple | DT | 1.04 | G2 | | 3-6 | 0.91 | 1.94 | 3 |
| <i>Acer saccharum</i> ssp. <i>grandidentatum</i> Big Tooth Maple | DT | 1.12 | G1 | | 6-8 | 1.32 | 1.00 | 3 |
| <i>Acer saccharum</i> ssp. <i>grandidentatum</i> 'Rocky Mountain Glow' See - <i>Acer saccharum</i> ssp. <i>grandidentatum</i> 'Schmidt' | DT | 1.12 | G1 | | 6-8 | 1.25 | 1.00 | 3 |
| <i>Acer saccharum</i> ssp. <i>grandidentatum</i> 'Schmidt' Rocky Mountain Glow™ Maple | DT | 1.75 | G1 | | 6-9 | 1.00 | 2.48 | 6 |
| <i>Acer saccharum</i> ssp. <i>leucoderme</i> Chalkbark Maple | DT | 1.75 | G1 | | 6-9 | 1.00 | 2.48 | 6 |
| <i>Acer saccharum</i> ssp. <i>nigrum</i> Black Maple | DT | 2.45 | G1 | | 6-9 | 1.00 | 2.48 | 6 |
| <i>Acer saccharum</i> ssp. <i>nigrum</i> 'Greencolumn' P.P. 3722 Greencolumn Black Maple | DT | 2.45 | G1 | | 6-9 | 1.00 | 2.48 | 6 |
| <i>Acer shirasawanum</i> No Common Name Found | | | | | | | | |
| <i>Acer shirasawanum</i> 'Aureum' Golden Fullmoon Maple | DT | 1.75 | G1 | | 6-9 | 1.00 | 2.48 | 6 |
| <i>Acer shirasawanum</i> 'Palmatifolium' Palmatifolium Fullmoon Maple | DT | 1.75 | G1 | | 6-9 | 1.00 | 2.48 | 6 |
| <i>Acer sieboldiana</i> See - <i>Acer firma</i> | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acer sieboldianum</i> Siebold Maple | DT | 1.00 | G1 | | 6-9 | 1.76 | 1.77 | 6 |
| <i>Acer tataricum</i> Tatarian Maple | DT | 0.86 | G1 | | 4-8 | 1.22 | 1.02 | 3 |
| <i>Acer tataricum</i> 'Actar' P.P.A.F. Summer Splendor Tatarian Maple | DT | 0.86 | G1 | | 4-8 | 1.22 | 0.41 | 3 |
| <i>Acer tataricum</i> 'Pattern Perfect' Pattern Perfect Tatarian Maple | DT | 0.86 | G1 | | 4-8 | 1.22 | 0.41 | 3 |
| <i>Acer tataricum</i> 'Red Wings' Red Wings Tatarian Maple | DT | 0.86 | G1 | | 4-8 | 1.22 | 0.70 | 3 |
| <i>Acer tataricum</i> 'Summer Splendor' See - <i>Acer tataricum</i> 'Actar' P.P.A.F. | DT | 1.51 | G1 | | 6-9 | 1.59 | 2.21 | 6 |
| <i>Acer triflorum</i> Three-flowered Maple | DT | 0.77 | G1 | | 5-8 | 1.14 | 1.44 | 6 |
| <i>Acer truncatum</i> Purpleblow Maple | DT | 1.04 | G1 | | 5-8 | 1.12 | 0.44 | 6 |
| <i>Acer truncatum</i> 'Keithsform' P.P. 7529 Norwegian Sunset™ Purpleblow Maple | DT | 1.00 | G1 | | 5-8 | 1.14 | 0.65 | 6 |
| <i>Acer truncatum</i> 'Norwegian Sunset' See - <i>Acer truncatum</i> 'Keithsform' P.P. 7529 | DT | 1.00 | G1 | | 5-8 | 1.14 | 0.65 | 6 |
| <i>Acer truncatum</i> 'Pacific Sunset' See - <i>Acer truncatum</i> 'Warrenred' P.P. 7433 | DT | 1.00 | G1 | | 5-8 | 1.14 | 0.65 | 6 |
| <i>Acer truncatum</i> 'Warrenred' P.P. 7433 Pacific Sunset™ Purpleblow Maple | DT | 0.85 | G4 | | 6-9A | | | 2 |
| <i>Achillea</i> Yarrow | HP | 0.85 | G4 | | 6-9A | | | 2 |
| <i>Achillea</i> 'Anthea' P.P. 8828 Anthea Yarrow | HP | 1.21 | G4 | | 6-9A | | | 3 |
| <i>Achillea</i> 'Appleblossom' Appleblossom Yarrow | HP | 0.91 | G4 | | 6-9A | | | 2 |
| <i>Achillea</i> 'Coronation Gold' Coronation Gold Yarrow | HP | 0.94 | G4 | | 6-9A | | | 3 |
| <i>Achillea</i> 'Great Expectations' Great Expectations Yarrow | HP | 1.02 | G4 | | 6-9A | | | 2 |
| <i>Achillea</i> 'Heidi' Heidi Yarrow | HP | 0.93 | G4 | | 6-9A | | | 2 |
| <i>Achillea</i> 'Moonshine' Moonshine Yarrow | HP | 0.94 | G4 | | 6-9A | | | 3 |
| <i>Achillea</i> 'Orange Queen' Orange Queen Yarrow | HP | 0.85 | G4 | | 6-9A | | | 2 |
| <i>Achillea</i> 'Peach Blossom' Peach Blossom Yarrow | HP | 0.85 | G4 | | 6-9A | | | 2 |
| <i>Achillea</i> 'Salmon Beauty' Salmon Beauty Yarrow | HP | 0.99 | G4 | | 6-9A | | | 2 |
| <i>Achillea</i> 'Schwollenberg' Schwollenberg Yarrow | HP | 0.90 | G4 | | 6-9A | | | 3 |
| <i>Achillea</i> 'Taygetea' Taygetea Yarrow | HP | 0.85 | G4 | | 4-10A | | | 3 |
| <i>Achillea</i> 'The Beacon' Fanal Yarrow | HP | 0.85 | G4 | | 6-9A | | | 2 |
| <i>Achillea ageratifolia</i> Greek Yarrow | HP | 1.00 | G4 | | 3-10A | | | 3 |
| <i>Achillea clavennae</i> Silvery Yarrow | HP | 0.91 | G4 | | 1-10B | | | 3 |
| <i>Achillea filipendulina</i> Fernleaf Yarrow | HP | 0.86 | G4 | | 4-10A | | | 3 |
| <i>Achillea filipendulina</i> 'Altgold' Altgold Fernleaf Yarrow | HP | 0.86 | G4 | | 4-10A | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Achillea filipendulina</i> 'Cloth of Gold' Cloth of Gold Fernleaf Yarrow | HP | 0.94 | G4 | | 4-10A | | | 3 |
| <i>Achillea filipendulina</i> 'Gold Plate' Gold Plate Fernleaf Yarrow | HP | 0.86 | G4 | | 4-10A | | | 3 |
| <i>Achillea filipendulina</i> 'Moonbeam' Moonbeam Fernleaf Yarrow | HP | 0.86 | G4 | | 4-10A | | | 3 |
| <i>Achillea filipendulina</i> 'Parker's Variety' Parker's Variety Fernleaf Yarrow | HP | 0.96 | G4 | | 4-10A | | | 3 |
| <i>Achillea x kellereri</i> No Common Name Found | HP | 0.93 | G4 | | 6-9A | | | 3 |
| <i>Achillea x lewisii</i> No Common Name Found | HP | 0.94 | G4 | | 4-10A | | | 5 |
| <i>Achillea x lewisii</i> 'King Edward' King Edward Yarrow | HP | 0.94 | G4 | | 4-10A | | | 5 |
| <i>Achillea millefolium</i> Common Yarrow | HP | 1.11 | G4 | | 3-10A | | | 2 |
| <i>Achillea millefolium</i> 'Borealis' Borealis Yarrow | HP | 0.84 | G4 | | 3-10A | | | 2 |
| <i>Achillea millefolium</i> 'Cerise Queen' Cerise Queen Yarrow | HP | 0.97 | G4 | | 3-10A | | | 2 |
| <i>Achillea millefolium</i> 'Citronella' Citronella Yarrow | HP | 0.90 | G4 | | 6-9A | | | 2 |
| <i>Achillea millefolium</i> 'Debutante' Debutante Yarrow | HP | 0.85 | G4 | | 3-10A | | | 2 |
| <i>Achillea millefolium</i> 'Fireland' Fireland Yarrow | HP | 1.04 | G4 | | 3-10A | | | 2 |
| <i>Achillea millefolium</i> 'Lavender Deb' Lavender Deb Yarrow | HP | 0.96 | G4 | | 3-10A | | | 2 |
| <i>Achillea millefolium</i> 'Lilac Beauty' Lilac Beauty Yarrow | HP | 0.96 | G4 | | 3-10A | | | 2 |
| <i>Achillea millefolium</i> 'Ortel's Rose' Ortel's Rose Yarrow | HP | 0.92 | G4 | | 6-9A | | | 2 |
| <i>Achillea millefolium</i> 'Paprika' Paprika Yarrow | HP | 0.89 | G4 | | 3-10A | | | 2 |
| <i>Achillea millefolium</i> 'Pink Debutante' Pink Debutante Yarrow | HP | 0.93 | G4 | | 3-10A | | | 2 |
| <i>Achillea millefolium</i> 'Red Beauty' Red Beauty Yarrow | HP | 0.87 | G4 | | 3-10A | | | 2 |
| <i>Achillea millefolium</i> 'Roseum' Common Pink Yarrow | HP | 0.89 | G4 | | 3-10A | | | 2 |
| <i>Achillea millefolium</i> 'Salmon Queen' Salmon Queen Yarrow | HP | 0.84 | G4 | | 6-9A | | | 2 |
| <i>Achillea millefolium</i> 'Snow Sport' Snow Sport Yarrow | HP | 0.95 | G4 | | 3-10A | | | 2 |
| <i>Achillea millefolium</i> 'Snow Taler' Snow Taler Yarrow | HP | 0.90 | G4 | | 6-9A | | | 2 |
| <i>Achillea millefolium</i> 'Summer Pastels' Summer Pastels Yarrow | HP | 1.00 | G4 | | 3-10A | | | 2 |
| <i>Achillea millefolium</i> 'Terra Cotta' Terra Cotta Yarrow | HP | 1.24 | G4 | | 3-10A | | | 2 |
| <i>Achillea millefolium</i> 'Weser River Sandstone' Weser River Sandstone Yarrow | HP | 0.85 | G4 | | 6-9A | | | 2 |
| <i>Achillea millefolium</i> 'White Beauty' White Beauty Yarrow | HP | 0.96 | G4 | | 3-10A | | | 2 |
| <i>Achillea ptarmica</i> Sneezewort | HP | 0.77 | G4 | | 4-10A | | | 5 |
| <i>Achillea ptarmica</i> 'Angel's Breath' Angel's Breath Yarrow | HP | 0.98 | G4 | | 6-9A | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Achillea ptarmica</i> 'Ballerina' Ballerina Sneezewort | HP | 0.77 | G4 | | 4-10A | | | 5 |
| <i>Achillea ptarmica</i> 'Perry's White' Perry's White Sneezewort | HP | 0.77 | G4 | | 4-10A | | | 5 |
| <i>Achillea ptarmica</i> 'The Pearl' The Pearl Sneezewort | HP | 0.93 | G4 | | 4-10A | | | 5 |
| <i>Achillea sibirica</i> No Common Name Found | HP | 0.83 | G4 | | 4-10A | | | 5 |
| <i>Achillea sibirica</i> 'Kamschaticum' Kamschaticum Achillea | HP | 0.83 | G4 | | 4-10A | | | 5 |
| <i>Achillea tomentosa</i> Woolly Yarrow | HP | 0.84 | G4 | | 4-10A | | | 3 |
| <i>Achillea tomentosa</i> 'Aurea' Aurea Woolly Yarrow | HP | 0.81 | G4 | | 4-10A | | | 3 |
| <i>Achillea tomentosa</i> 'Maynard's Gold' Maynard's Gold Woolly Yarrow | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Achillea tomentosa</i> 'Moonlight' Moonlight Woolly Yarrow | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Achillea tomentosa</i> var. <i>aurea</i> Gold Woolly Yarrow | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Achillea x wilczekii</i> No Common Name Found | HP | 1.00 | G4 | | 6-9A | | | 3 |
| <i>Acidanthera bicolor</i> See - <i>Gladiolus callianthus</i> | | | | | | | | |
| <i>Acoelorrhaphis wrightii</i> Paurotis Palm | BE | 1.00 | G1 | 9B | 10A-11 | 1.00 | 1.31 | 10 |
| <i>Aconitum</i> Monkshood | HP | 1.03 | G4 | | 5-8 | | | 3 |
| <i>Aconitum</i> 'Newry Blue' Newry Blue Monkshood | HP | 1.03 | G4 | | 5-8 | | | 3 |
| <i>Aconitum x cammarum</i> Hybrid Monkshood | HP | 1.05 | G4 | | 5-8 | | | 3 |
| <i>Aconitum x cammarum</i> 'Bicolor' Bicolor Monkshood | HP | 1.31 | G4 | | 5-8 | | | 3 |
| <i>Aconitum x cammarum</i> 'Bressingham Spire' Bressingham Spire Bicolor Monkshood | HP | 1.26 | G4 | | 5-8 | | | 3 |
| <i>Aconitum x cammarum</i> 'Eleanor' Eleanor Bicolor Monkshood | HP | 1.05 | G4 | | 5-8 | | | 3 |
| <i>Aconitum carmichaelii</i> Azure Monkshood | HP | 1.13 | G4 | | 3-8 | | | 3 |
| <i>Aconitum carmichaelii</i> 'Arendsii' Arendsii Azure Monkshood | HP | 1.04 | G4 | | 3-8 | | | 3 |
| <i>Aconitum carmichaelii</i> 'Spatlese' Spatlese Azure Monkshood | HP | 1.03 | G4 | | 3-8 | | | 3 |
| <i>Aconitum fischeri</i> See - <i>Aconitum carmichaelii</i> | | | | | | | | |
| <i>Aconitum henryi</i> Autumn Monkshood | HP | 1.02 | G4 | | 5-8 | | | 4 |
| <i>Aconitum henryi</i> 'Spark's Variety' Spark's Variety Autumn Monkshood | HP | 1.02 | G4 | | 5-8 | | | 4 |
| <i>Aconitum lamarckii</i> See - <i>Aconitum lycoctonum</i> ssp. <i>neapolitanum</i> | | | | | | | | |
| <i>Aconitum lycoctonum</i> Wolfsbane | HP | 1.26 | G4 | | 5-8 | | | 3 |
| <i>Aconitum lycoctonum</i> 'Ivorine' Ivorine Wolfsbane | HP | 1.26 | G4 | | 5-8 | | | 3 |
| <i>Aconitum lycoctonum</i> ssp. <i>neapolitanum</i> Yellow Wolfsbane | HP | 1.06 | G4 | | 5-8 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Aconitum napellus</i> Garden Monkshood | HP | 1.03 | G4 | | 5-8 | | | 6 |
| <i>Aconitum napellus</i> 'Album' White Garden Monkshood | HP | 1.02 | G4 | | 5-8 | | | 6 |
| <i>Acorus calamus</i> Sweet Flag | HP | 1.03 | G4 | | 5-8 | | | 3 |
| <i>Acorus calamus</i> 'Variegatus' Variegated Sweet Flag | HP | 1.24 | G4 | | 5-8 | | | 3 |
| <i>Acorus gramineus</i> Dwarf Sweet Flag | HP | 0.97 | G4 | 8 | 9A-11 | | | 5 |
| <i>Acorus gramineus</i> 'Masamune' Masamune Dwarf Sweet Flag | HP | 1.00 | G4 | 8 | 9A-11 | | | 5 |
| <i>Acorus gramineus</i> 'Oborozuki' Oborozuki Dwarf Sweet Flag | HP | 1.18 | G4 | 8 | 9A-11 | | | 5 |
| <i>Acorus gramineus</i> 'Ogon' Gold Variegated Dwarf Sweet Flag | HP | 1.07 | G4 | 8 | 9A-11 | | | 5 |
| <i>Acorus gramineus</i> 'Pusillus' Pusillus Dwarf Sweet Flag | HP | 1.00 | G4 | 8 | 9A-11 | | | 5 |
| <i>Acorus gramineus</i> 'Variegatus' Variegated Dwarf Sweet Flag | HP | 0.95 | G4 | | 8-11 | | | 5 |
| <i>Acorus gramineus</i> 'Yodonoyuki' Yodonoyuki Dwarf Sweet Flag | HP | 0.96 | G4 | 8 | 9A-11 | | | 5 |
| <i>Acrocarpus fraxinifolius</i> Shingle Tree | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Acrostichum aureum</i> Leather Fern | HP | 1.87 | G4 | | 9A-11 | | | 10 |
| <i>Acrostichum daneifolium</i> Giant Leather Fern | HP | 1.23 | G4 | | 9A-11 | | | 10 |
| <i>Actaea alba</i> White Baneberry | HP | 1.05 | G4 | | 4-8 | | | 3 |
| <i>Actaea pachypoda</i> See - <i>Actaea alba</i> | HP | 1.22 | G4 | | 4-8 | | | 3 |
| <i>Actaea rubra</i> Red Baneberry | HP | | | | | | | |
| <i>Actinidia arguta</i> Tara Vine | GC | 1.42 | G1 | 4-8 | 9A-10B | | 1.00 | 4 |
| <i>Actinidia arguta</i> 'Issai' Issai Tara Vine | GC | 1.26 | G1 | 4-8 | 9A-10B | | 1.00 | 4 |
| <i>Actinidia chinensis</i> See - <i>Actinidia deliciosa</i> | SF | 1.45 | G1 | 4-8 | 9A-10B | | 1.00 | 7 |
| <i>Actinidia deliciosa</i> Kiwi Fruit | SF | 1.31 | G1 | 4-8 | 9A-10B | | 1.00 | 7 |
| <i>Actinidia deliciosa</i> 'Summertime Boy' Summertime Boy Kiwi Fruit | SF | 1.31 | G1 | 4-8 | 9A-10B | | 1.00 | 7 |
| <i>Actinidia deliciosa</i> 'Summertime Girl' Summertime Girl Kiwi Fruit | SF | 1.31 | G1 | 4-8 | 9A-10B | | 1.00 | 7 |
| <i>Actinidia deliciosa</i> 'Tomuri' Tomuri Kiwi Fruit | SF | 1.09 | G1 | 4-8 | 9A-10B | | 1.00 | 7 |
| <i>Actinidia deliciosa</i> 'Vincent' Vincent Kiwi Fruit | SF | 1.09 | G1 | 4-8 | 9A-10B | | 1.00 | 7 |
| <i>Actinidia kolomikta</i> Kiwi Vine | GC | 1.47 | G1 | 4-8 | 9A-10B | | 1.00 | 4 |
| <i>Actinidia kolomikta</i> 'Arctic Beauty' Arctic Beauty Kiwi Vine | GC | 1.33 | G1 | 4-8 | 9A-10B | | 1.00 | 4 |
| <i>Actinokentia divaricata</i> No Common Name Found | BE | 5.40 | G3 | 9A-10A | 10B-11 | 1.00 | 1.00 | 10 |
| See - <i>Verbesina alternifolia</i> | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Actinorhytis calapparia</i> Calappa Palm | BE | 1.00 | G3 | 9A-10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Adansonia digitata</i> Baobab | DT | 2.03 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Adenanthera pavonina</i> Coralwood | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Adenanthes sericeus</i> Woollybush | BS | 0.81 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Adenium obesum</i> Desert Rose | BS | 2.19 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Adenophora bulleyana</i> No Common Name Found | HP | 0.93 | G4 | | 4-8 | | | 3 |
| <i>Adenophora confusa</i> Farrer's Ladybell | HP | 1.00 | G4 | | 4-8 | | | 3 |
| <i>Adenophora liliifolia</i> Lilyleaf Ladybell | HP | 1.01 | G4 | | 2-7 | | | 2 |
| <i>Adenophora takedae</i> No Common Name Found | HP | 0.93 | G4 | | 7-9A | | | 7 |
| <i>Adenophora takedae 'Alba'</i> White Ladybell | HP | 0.93 | G4 | | 7-9A | | | 7 |
| <i>Adenostoma fasciculatum</i> Chamise | BS | 0.81 | G2 | | 8-9A | | 1.00 | 8 |
| <i>Adenostoma sparsifolia</i> Ribbonwood | BS | 1.00 | G2 | | 8-9A | | 1.00 | 8 |
| <i>Adiantum capillus-veneris</i> Southern Maidenhair Fern | HP | 1.22 | G3 | 8-9A | 9B-11 | | | 9 |
| <i>Adiantum capillus-veneris'Imbricatum'</i> Imbricatum Southern Maidenhair Fern | HP | 1.35 | G3 | 8-9A | 9B-11 | | | 9 |
| <i>Adiantum fulvum</i> No Common Name Found | FO | 0.52 | G3 | 8-9A | 9B-11 | | | 10 |
| <i>Adiantum hispidulum</i> Rough Maidenhair Fern | FO | 0.43 | G3 | 8-9A | 9B-11 | | | 10 |
| <i>Adiantum pedatum</i> Five-fingered Maidenhair Fern | HP | 1.11 | G4 | | 3-8 | | | 3 |
| <i>Adiantum raddianum</i> Delta Maidenhair Fern | HP | 1.16 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Adiantum raddianum 'Californicum'</i> California Delta Maidenhair Fern | FO | 0.52 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Adiantum raddianum 'Fritz-Luthii'</i> Fritz-Luthii Delta Maidenhair Fern | FO | 0.52 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Adiantum raddianum 'Microphyllum'</i> Microphyllum Delta Maidenhair Fern | FO | 0.52 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Adiantum tenerum</i> Brittle Maidenhair Fern | HP | 0.96 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Adiantum tenerum 'Scutum Roseum'</i> Scutum Roseum Brittle Maidenhair Fern | FO | 0.52 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Adonidia merrillii</i> See - <i>Veitchia merrillii</i> | DT | 1.00 | G4 | | 4-8 | 1.00 | 1.00 | 3 |
| <i>Adonis amurensis</i> Amur Adonis | FO | 1.21 | G3 | 1-10A | 10B-11 | | | 9 |
| <i>Aechmea</i> Aechmea | FO | 1.21 | G3 | 1-10A | 10B-11 | | | 9 |
| <i>Aechmea 'Eileen'</i> Eileen Aechmea | FO | 1.21 | G3 | 1-10A | 10B-11 | | | 9 |
| <i>Aechmea 'Friederike'</i> Friederike Aechmea | FO | 1.21 | G3 | 1-10A | 10B-11 | | | 9 |
| <i>Aechmea 'Starbrite'</i> Starbrite Aechmea | FO | 1.21 | G3 | 1-10A | 10B-11 | | | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Aechmea blanchetiana</i> No Common Name Found | FO | 1.89 | G3 | 1-10A | 10B-11 | | | 9 |
| <i>Aechmea chantinii</i> No Common Name Found | FO | 1.00 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Aechmea fasciata</i> Urn Plant | FO | 0.94 | G3 | 1-10A | 10B-11 | | | 9 |
| <i>Aechmea fasciata</i> 'Ghost' Ghost Urn Plant | FO | 1.21 | G3 | 1-10A | 10B-11 | | | 9 |
| <i>Aechmea fasciata</i> 'Morgana' Morgana Urn Plant | FO | 1.21 | G3 | 1-10A | 10B-11 | | | 9 |
| <i>Aechmea fasciata</i> 'Superb' Superb Urn Plant | FO | 1.21 | G3 | 1-10A | 10B-11 | | | 9 |
| <i>Aechmea fulgens</i> Coral Berry | FO | 1.16 | G3 | 1-10A | 10B-11 | | | 9 |
| <i>Aegopodium podagraria</i> Goutwort | HP | 0.79 | G4 | | 4-8 | | | 2 |
| <i>Aegopodium podagraria</i> 'Variegatum' Variegated Goutwort | HP | 0.86 | G4 | | 4-8 | | | 2 |
| <i>Aerangis biloba</i> No Common Name Found | FO | 1.42 | G2 | 8-9 | 10A-11 | | | 10 |
| <i>Aeschynanthus radicans</i> Lipstick Plant | FO | 0.79 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Aesculus x arnoldiana</i> No Common Name Found | DT | 1.00 | G1 | | 5-8 | 1.64 | 1.00 | 5 |
| <i>Aesculus x arnoldiana</i> 'Autumn Splendor' Autumn Splendor Hybrid Buckeye | DT | 1.00 | G1 | | 5-8 | 1.64 | 1.00 | 5 |
| <i>Aesculus californica</i> California Horsechestnut | DT | 0.71 | G1 | | 7-8 | 1.00 | 1.00 | 7 |
| <i>Aesculus x carnea</i> Red Horsechestnut | DT | 1.16 | G1 | | 4-7 | 1.51 | 1.44 | 4 |
| <i>Aesculus x carnea</i> 'Briotii' Briotii Red Horsechestnut | DT | 1.42 | G1 | | 4-7 | 1.58 | 1.44 | 4 |
| <i>Aesculus x carnea</i> 'Fort McNair' Fort McNair Red Horsechestnut | DT | 1.16 | G1 | | 4-7 | 1.37 | 1.44 | 4 |
| <i>Aesculus x carnea</i> 'O'Neill' O'Neill Red Horsechestnut | DT | 1.85 | G1 | | 4-7 | 1.65 | 1.44 | 4 |
| <i>Aesculus flava</i> Yellow Sweet Buckeye | DT | 1.00 | G1 | | 5-8 | 0.96 | 0.49 | 5 |
| <i>Aesculus glabra</i> Ohio Buckeye | DT | 0.96 | G1 | | 3-7 | 1.29 | 1.59 | 5 |
| <i>Aesculus hippocastanum</i> Common Horsechestnut | DT | 1.21 | G1 | | 3-8 | 1.28 | 1.00 | 3 |
| <i>Aesculus hippocastanum</i> 'Baumannii' Baumann Common Horsechestnut | DT | 1.22 | G1 | | 3-8 | 1.44 | 1.00 | 3 |
| <i>Aesculus octandra</i> See - <i>Aesculus flava</i> | | | | | | | | |
| <i>Aesculus parviflora</i> Bottlebrush Buckeye | DS | 2.56 | G1 | | 4-8 | | 3.57 | 4 |
| <i>Aesculus parviflora</i> 'Rogers' Rogers Bottlebrush Buckeye | DS | 5.61 | G1 | | 4-8 | | 7.39 | 4 |
| <i>Aesculus pavia</i> Red Buckeye | DS | 2.01 | G1 | | 4-9B | | 1.48 | 5 |
| <i>Aesculus pavia</i> 'Splendens' Splendens Red Buckeye | DS | 1.12 | G1 | | 4-9B | | 1.48 | 5 |
| <i>Aethionema armenum</i> Turkish Stonecress | HP | 0.97 | G4 | | 7-9A | | | 7 |
| <i>Aethionema armenum</i> 'Warley Rose' Warley Rose Turkish Stonecress | HP | 0.97 | G4 | | 7-9A | | | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Aethionema cordifolium</i> Lebanon Stonecress | HP | 1.00 | G4 | | 7-9A | | | 7 |
| <i>Aethionema x warleyense</i> No Common Name Found | HP | 1.00 | G4 | | 7-9A | | | 7 |
| <i>Afrocarpus gracilior</i> African Fern Pine | CE | 0.78 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Afrocarpus mannii</i> African Podocarpus | CE | 1.00 | G1 | 8-9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Agapanthus</i> Hybrid African Lily | HP | 0.70 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Blue Triumphator' Blue Triumphator Hybrid African Lily | HP | 2.27 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Bressingham Blue' Bressingham Blue Hybrid African Lily | HP | 1.34 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Bressingham White' Bressingham White Hybrid African Lily | HP | 1.38 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Dark Angel' Dark Angel Hybrid African Lily | HP | 0.95 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Elaine' P.P. 7303 Elaine African Lily | HP | 1.03 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Ellamae' P.P. 7297 Ellamae Hybrid African Lily | HP | 1.05 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Getty White' Getty White Hybrid African Lily | HP | 0.84 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Headbourne' Headbourne Hybrid African Lily | HP | 1.41 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Henryii' Henry Hybrid African Lily | HP | 0.82 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Isis' Isis Hybrid African Lily | HP | 2.27 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Lilliput' Lilliput Hybrid African Lily | HP | 1.22 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Midknight Blue' See - <i>Agapanthus</i> 'Monmid' | HP | | | | | | | |
| <i>Agapanthus</i> 'Monmid' Midknight Blue™ Hybrid African Lily | HP | 1.25 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Mood Indigo' Mood Indigo Hybrid African Lily | HP | 1.09 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Peter Pan White' Peter Pan White Hybrid African Lily | HP | 0.84 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Peter Pan' Peter Pan Hybrid African Lily | HP | 0.79 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Profusion' Profusion Hybrid African Lily | HP | 2.27 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Queen Anne' Queen Anne Hybrid African Lily | HP | 1.00 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Storm Cloud' Storm Cloud Hybrid African Lily | HP | 1.12 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Tinkerbell' Tinkerbell Hybrid African Lily | HP | 0.94 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus</i> 'Winterdwarf' Winterdwarf Hybrid African Lily | HP | 0.82 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus africanus</i> Lily-of-the-Nile | HP | 0.73 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Agapanthus africanus</i> 'Albus' White Lily-of-the-Nile | HP | 1.31 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Agapanthus campanulatus</i> Bell African Lily | HP | 1.17 | G4 | 8-9B | 10A-11 | | | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Agapanthus campanulatus</i> 'Albus' White Bell African Lily | HP | 1.17 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus campanulatus</i> ssp. <i>patens</i> Patens Bell African Lily | HP | 2.27 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus inapertus</i> No Common Name Found | HP | 0.82 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Agapanthus praecox</i> ssp. <i>orientalis</i> Oriental African Lily | HP | 0.78 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Agapanthus praecox</i> ssp. <i>orientalis</i> 'Albidus' White Oriental Agapanthus | HP | 0.78 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Agapetes</i> Agapetes | HP | 0.88 | G2 | | | 9A-10A | | 9 |
| <i>Agapetes</i> 'Ludgvan Cross' Ludgvan Cross Agapetes | HP | 0.88 | G2 | | | 9A-10A | | 9 |
| <i>Agapetes serpens</i> No Common Name Found | HP | 0.88 | G2 | | | 9A-10A | | 9 |
| <i>Agarista populifolia</i> Florida Leucothoe | BS | 0.92 | G1 | 7-8 | | 9A-10B | | 1.00 9 |
| <i>Agastache</i> Anise Hyssop | HP | 0.78 | G1 | 7-8 | | 9-10B | | 5 |
| <i>Agastache</i> 'Apricot Surprise' Apricot Surprise Hybrid Anise Hyssop | HP | 1.11 | G1 | 7-8 | | 9-10B | | 5 |
| <i>Agastache</i> 'Blue Fortune' Blue Fortune Hybrid Anise Hyssop | HP | 0.86 | G1 | 7-8 | | 9-10B | | 5 |
| <i>Agastache</i> 'Firebird' Firebird Hybrid Anise Hyssop | HP | 0.90 | G1 | 7-8 | | 9-10B | | 5 |
| <i>Agastache</i> 'Pink Panther' Pink Panther Hybrid Anise Hyssop | HP | 0.86 | G1 | 7-8 | | 9-10B | | 5 |
| <i>Agastache</i> 'Summer Breeze' Summer Breeze Anise Hyssop | HP | 0.78 | G1 | 7-8 | | 9-10B | | 5 |
| <i>Agastache</i> 'Tangerine Dreams' Tangerine Dreams Anise Hyssop | HP | 0.78 | G1 | 7-8 | | 9-10B | | 5 |
| <i>Agastache barberi</i> No Common Name Found | HP | 1.13 | G1 | 7-8 | | 9-10B | | 5 |
| <i>Agastache barberi</i> 'Tutti-frutti' Tutti-frutti Fragrant Giant Hyssop | HP | 0.89 | G1 | 7-8 | | 9-10B | | 5 |
| <i>Agastache cana</i> Mosquito Plant | HP | 1.42 | G1 | 7-8 | | 9-10B | | 6 |
| <i>Agastache cana</i> 'Heather Queen' Heather Queen Mosquito Plant | HP | 1.24 | G1 | 7-8 | | 9-10B | | 6 |
| <i>Agastache coccinea</i> Orange-flowered Hyssop | HP | 1.00 | G1 | 7-8 | | 9-10B | | 7 |
| <i>Agastache foeniculum</i> Anise Hyssop | HP | 0.85 | G1 | 7-8 | | 9-10B | | 8 |
| <i>Agastache foeniculum</i> 'Fragrant Delight' Fragrant Delight Anise Hyssop | HP | 0.94 | G1 | 7-8 | | 9-10B | | 8 |
| <i>Agastache nepetoides</i> Yellow Giant Hyssop | HP | 1.00 | G1 | 7-8 | | 9-10B | | 7 |
| <i>Agastache rupestris</i> No Common Name Found | HP | 1.00 | G1 | 7-8 | | 9-10B | | 5 |
| <i>Agastache scrophulariifolia</i> Purple Giant Hyssop | HP | 0.96 | G1 | 7-8 | | 9-10B | | 5 |
| <i>Agave americana</i> American Aloe | BS | 1.19 | G1 | 8-9B | 10A-11 | | | 1.00 9 |
| <i>Agave americana</i> 'Marginata' Variegated Century Plant | BS | 1.19 | G1 | 8-9A | 9B-11 | | | 1.00 9 |
| <i>Agave angustifolia</i> Caribbean Century Plant | BS | 1.95 | G1 | 8-9B | 10A-11 | | | 1.00 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Agave angustifolia</i> 'Marginata' Marginata Caribbean Century Plant | BS | 0.65 | G1 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Agave attenuata</i> Dragon-tree Century Plant | BS | 1.58 | G1 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Agave chrysantha</i> No Common Name Found | BS | 1.00 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Agave colorata</i> No Common Name Found | BS | 1.00 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Agave desmettiana</i> Dwarf Century Plant | BS | 1.27 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Agave fourcroydes</i> Henequen | BS | 1.00 | G2 | | 8-10B | | 1.00 | 8 |
| <i>Agave geminiflora</i> No Common Name Found | BE | 1.00 | G2 | | 9A-11 | 1.00 | 1.00 | 9 |
| <i>Agave lurida</i> No Common Name Found | BS | 1.27 | G1 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Agave mirandorensis</i> See - <i>Agave desmettiana</i> | BS | 0.56 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Agave murpheyi</i> No Common Name Found | BS | 1.00 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Agave palmeri</i> No Common Name Found | BS | 1.00 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Agave parrasana</i> No Common Name Found | BS | 1.00 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Agave parryi</i> Mescal | BS | 1.33 | G2 | | 8-10B | | 1.00 | 8 |
| <i>Agave scabra</i> No Common Name Found | BS | 1.00 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Agave sisalana</i> Sisal Hemp | BS | 1.00 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Agave striata</i> No Common Name Found | BS | 2.53 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Agave victoriae-reginae</i> Queen Agave | BE | 1.92 | G2 | | 9A-11 | 1.00 | 1.00 | 9 |
| <i>Agave vilmoriniana</i> No Common Name Found | BS | 1.11 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Agave weberi</i> No Common Name Found | BS | 1.00 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Ageratina altissima</i> White Snakeroot | HP | 0.92 | G1 | 6-8 | 9-10A | | | 6 |
| <i>Ageratina altissima</i> 'Braunlaub' Braunlaub White Snakeroot | HP | 1.21 | G1 | 6-8 | 9-10A | | | 6 |
| <i>Ageratum houstonianum</i> Common Ageratum | AN | 1.00 | G4 | 7-9A | 9B-11 | | | 8 |
| <i>Ageratum houstonianum</i> 'Blue Blazer' Blue Blazer Common Ageratum | AN | 1.00 | G4 | 7-9A | 9B-11 | | | 8 |
| <i>Ageratum houstonianum</i> 'Hawaiian Series' Hawaiian Series Common Ageratum | HP | 1.00 | G4 | 7-9A | 9B-11 | | | 8 |
| <i>Ageratum houstonianum</i> 'Royal Delft' Royal Delft Common Ageratum | HP | 1.00 | G4 | 7-9A | 9B-11 | | | 8 |
| <i>Aglaonema</i> Aglaonema | FO | 0.72 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Abidjan' Abidjan Aglaonema | FO | 0.88 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Amelia' Amelia Aglaonema | FO | 1.02 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'B.J. Freeman' B.J. Freeman Aglaonema | FO | 1.15 | G3 | 1-10B | 11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Aglaonema</i> 'Black Lance' P.P. 10280 Black Lance Aglaonema | FO | 1.12 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Cecilia' Cecilia Aglaonema | FO | 0.98 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Christina Maria' Christina Maria Aglaonema | FO | 0.88 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Cory' Cory Aglaonema | FO | 0.72 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Deborah' P.P. 9775 Deborah Aglaonema | FO | 1.16 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Emerald Beauty' Emerald Beauty Aglaonema | FO | 0.80 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Gabrielle' Gabrielle Aglaonema | FO | 0.99 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Golden Bay' Golden Bay Aglaonema | FO | 0.72 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Green Lady' Green Lady Aglaonema | FO | 1.17 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Green Majesty' Green Majesty Aglaonema | FO | 1.23 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Jubilee' Jubilee Aglaonema | FO | 1.08 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Lucia' Lucia Aglaonema | FO | 0.97 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Margarita' Margarita Aglaonema | FO | 1.02 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Mary Ann' P.P. 8976 Mary Ann Aglaonema | FO | 1.03 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Painted Princess' Painted Princess Aglaonema | FO | 1.04 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Patricia' Patricia Aglaonema | FO | 0.72 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Queen of Siam' P.P. 6842 Queen of Siam Aglaonema | FO | 1.13 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Rembrandt' Rembrandt Aglaonema | FO | 1.07 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Rhapsody in Green' P.P. 8975 Rhapsody in Green Aglaonema | FO | 1.09 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Romano' Romano Aglaonema | FO | 0.94 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Royal Ripple' Royal Ripple Aglaonema | FO | 1.01 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'San Luis' San Luis Aglaonema | FO | 1.29 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'San Remo' San Remo Aglaonema | FO | 0.86 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Silver Bay' Silver Bay Aglaonema | FO | 1.11 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Silver Frost' Silver Frost Aglaonema | FO | 1.07 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Silver Queen' Silver Queen Aglaonema | FO | 0.82 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Stars' P.P. 10247 Stars Aglaonema | FO | 0.72 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema</i> 'Stripes' Stripes Aglaonema | FO | 1.02 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema modestum</i> Chinese Evergreen | FO | 0.82 | G3 | 1-10B | 11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Aglaonema modestum</i> 'Maria' Maria Chinese Evergreen | FO | 0.82 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema nitidum</i> No Common Name Found | FO | 1.29 | G3 | 1-10B | 11 | | | 10 |
| <i>Aglaonema nitidum</i> 'Curtisia' Curtisia Aglaonema | FO | 1.29 | G3 | 1-10B | 11 | | | 10 |
| <i>Agonis flexuosa</i> Peppermint Myrtle Tree | BE | 0.91 | G1 | | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Agonis juniperina</i> Juniper Myrtle | BE | 1.00 | G1 | | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Agoseris cuspidata</i> Prairie Dandelion | HP | 1.00 | G1 | | 10A-11 | | | 4 |
| <i>Agropyron magellanicum</i> See - <i>Elymus magellanicus</i> | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Aiphane acanthophylla</i> Aiphane Palm | BE | 4.81 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Aiphane caryotifolia</i> Ruffle Palm | BE | 1.72 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Aiphane erosa</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Aiphane lindeniana</i> No Common Name Found | BE | 0.80 | G4 | | 6-9B | | | 6 |
| <i>Ajuga genevensis</i> Geneva Bugleweed | GC | 1.13 | G4 | | 6-10A | | | 6 |
| <i>Ajuga pyramidalis</i> Upright Bugleweed | GC | 1.08 | G4 | | 6-10A | | | 6 |
| <i>Ajuga pyramidalis</i> 'Metallica Crispa' Bronze Upright Bugleweed | GC | 1.33 | G4 | | 6-10A | | | 6 |
| <i>Ajuga pyramidalis</i> 'Mini Crisp Red' Mini Crisp Red Upright Bugleweed | GC | 1.00 | G4 | | 6-10A | | | 6 |
| <i>Ajuga reptans</i> Bugleweed | GC | 1.11 | G4 | | 6-10A | | | 6 |
| <i>Ajuga reptans</i> 'Alba' White Bugleweed | GC | 1.04 | G4 | | 6-10A | | | 6 |
| <i>Ajuga reptans</i> 'Atropurpurea' Atropurpurea Bugleweed | GC | 0.90 | G4 | | 6-10A | | | 6 |
| <i>Ajuga reptans</i> 'Braunherz' Braunherz Bugleweed | GC | 0.98 | G4 | | 6-10A | | | 6 |
| <i>Ajuga reptans</i> 'Bronze Beauty' Bronze Beauty Bugleweed | GC | 0.90 | G4 | | 6-10A | | | 6 |
| <i>Ajuga reptans</i> 'Bronze Improved' Bronze Improved Bugleweed | GC | 1.01 | G4 | | 6-10A | | | 6 |
| <i>Ajuga reptans</i> 'Burgundy Glow' Burgundy Glow Bugleweed | GC | 1.08 | G4 | | 6-10A | | | 6 |
| <i>Ajuga reptans</i> 'Burgundy Lace' Burgundy Lace Bugleweed | GC | 1.27 | G4 | | 6-10A | | | 6 |
| <i>Ajuga reptans</i> 'Catlin's Giant' Catlin's Giant Bugleweed | GC | 0.93 | G4 | | 6-10A | | | 6 |
| <i>Ajuga reptans</i> 'Gaiety' Gaiety Bugleweed | GC | 0.90 | G4 | | 6-10A | | | 6 |
| <i>Ajuga reptans</i> 'Giant Green' Giant Green Bugleweed | GC | 0.97 | G4 | | 6-10A | | | 6 |
| <i>Ajuga reptans</i> 'Jungle Beauty Improved' Jungle Beauty Improved Bugleweed | GC | 1.13 | G4 | | 6-10A | | | 6 |
| <i>Ajuga reptans</i> 'Pink Beauty' Pink Beauty Bugleweed | GC | 1.08 | G4 | | 6-10A | | | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Ajuga reptans</i> 'Pink Elf' Pink Elf Bugleweed | GC | 1.37 | G4 | | 6-10A | | 1.00 | 6 |
| <i>Ajuga reptans</i> 'Pink Surprise' Pink Surprise Bugleweed | GC | 1.53 | G4 | | 6-10A | | 1.00 | 6 |
| <i>Ajuga reptans</i> 'Purple Brocade' Purple Brocade Bugleweed | GC | 1.11 | G4 | | 6-10A | | 1.00 | 6 |
| <i>Ajuga reptans</i> 'Rosea' Pink Bugleweed | GC | 1.13 | G4 | | 6-10A | | 1.00 | 6 |
| <i>Ajuga reptans</i> 'Royalty' Royalty Bugleweed | GC | 1.30 | G4 | | 6-10A | | 1.00 | 6 |
| <i>Ajuga reptans</i> 'Silver Beauty' Silver Beauty Bugleweed | GC | 0.94 | G4 | | 6-10A | | 1.00 | 6 |
| <i>Ajuga reptans</i> 'Silver Queen' Silver Queen Bugleweed | GC | 0.90 | G4 | | 6-10A | | 1.00 | 6 |
| <i>Ajuga reptans</i> 'Variegata' Variegated Bugleweed | GC | 1.33 | G4 | | 6-10A | | 1.00 | 6 |
| <i>Akebia quinata</i> Five-leaf Akebia | GC | 1.29 | G1 | | 5-9A | | 1.00 | 5 |
| <i>Akebia quinata</i> 'Shiro Bana' Shiro Bana Five-leaf Akebia | GC | 1.15 | G1 | | 5-9A | | 1.00 | 5 |
| <i>Akebia trifoliata</i> Three-leaf Akebia | GC | 1.00 | G1 | | 5-9A | | 1.00 | 5 |
| <i>Alberta magna</i> No Common Name Found | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Albizia julibrissin</i> Silk Tree | DT | 0.65 | G1 | | 7-10A | 0.71 | 0.37 | 7 |
| <i>Albizia julibrissin</i> 'Flame' Flame Silk Tree | DT | 1.11 | G1 | | 7-10A | 0.71 | 0.37 | 7 |
| <i>Albizia julibrissin</i> 'Rosea' Pink Silk Tree | DT | 0.87 | G1 | | 7-10A | 0.71 | 0.37 | 7 |
| <i>Albizia saman</i> Rain Tree | BE | 1.26 | G1 | | 7-10A | 1.00 | 1.00 | 9 |
| <i>Alcea ficifolia</i> Figleaf | HP | 1.09 | G4 | 3-6 | 7-8 | | | 3 |
| <i>Alcea pallida</i> No Common Name Found | AN | 1.17 | G4 | 3-6 | 7-8 | | | 6 |
| <i>Alcea rosea</i> Old Fashioned Hollyhock | AN | 1.79 | G4 | 2-6 | 7-8 | | | 3 |
| <i>Alcea rosea</i> 'Chater's Chestnut Brown' Chater's Chestnut Brown Hollyhock | AN | 0.99 | G4 | 2-6 | 7-8 | | | 3 |
| <i>Alcea rosea</i> 'Chater's Doubles' Chater's Doubles Hollyhock | AN | 1.34 | G4 | 2-6 | 7-8 | | | 3 |
| <i>Alcea rosea</i> 'Chater's Pink' Chater's Pink Hollyhock | AN | 0.99 | G4 | 2-6 | 7-8 | | | 3 |
| <i>Alcea rosea</i> 'Chater's Purple' Chater's Purple Hollyhock | AN | 0.99 | G4 | 2-6 | 7-8 | | | 3 |
| <i>Alcea rosea</i> 'Chater's Salmon Pink' Chater's Salmon Pink Hollyhock | AN | 0.99 | G4 | 2-6 | 7-8 | | | 3 |
| <i>Alcea rosea</i> 'Chater's Scarlet' Chater's Scarlet Hollyhock | AN | 0.99 | G4 | 2-6 | 7-8 | | | 3 |
| <i>Alcea rosea</i> 'Chater's Yellow' Chater's Yellow Hollyhock | AN | 0.99 | G4 | 2-6 | 7-8 | | | 3 |
| <i>Alcea rosea</i> 'Indian Spring' Indian Spring Hollyhock | AN | 1.10 | G4 | 2-6 | 7-8 | | | 3 |
| <i>Alcea rosea</i> 'Nigra' Nigra Hollyhock | AN | 1.42 | G4 | 2-6 | 7-8 | | | 3 |
| <i>Alcea rosea</i> 'Nigrita' Nigrita Hollyhock | AN | 1.17 | G4 | 2-6 | 7-8 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Alcea rosea</i> 'Powderpuff Mix' Powderpuff Mix Hollyhock | AN | 1.79 | G4 | 2-6 | 7-8 | | | 3 |
| <i>Alcea rosea</i> 'Simplex' Simplex Hollyhock | AN | 0.99 | G4 | 2-6 | 7-8 | | | 3 |
| <i>Alcea rugosa</i> Russian Hollyhock | AN | 2.20 | G4 | 2-6 | 7-8 | | | 3 |
| <i>Alchemilla alpina</i> Alpine Lady's Mantle | HP | 1.10 | G4 | | | 4-8 | | 3 |
| <i>Alchemilla conjuncta</i> No Common Name Found | HP | 1.00 | G4 | | | 4-8 | | 3 |
| <i>Alchemilla erythropoda</i> No Common Name Found | HP | 0.96 | G4 | | | 4-8 | | 3 |
| <i>Alchemilla glaucescens</i> No Common Name Found | HP | 1.02 | G4 | | | 4-8 | | 3 |
| <i>Alchemilla mollis</i> Lady's Mantle | HP | 0.98 | G4 | | | 4-8 | | 4 |
| <i>Alchemilla mollis</i> 'Auslese' Auslese Lady's Mantle | HP | 0.81 | G4 | | | 4-8 | | 4 |
| <i>Alchemilla mollis</i> 'Thriller' Thriller Lady's Mantle | HP | 1.03 | G4 | | | 4-8 | | 4 |
| <i>Alchemilla pubescens</i> See - <i>Alchemilla glaucescens</i> | HP | 1.20 | G4 | | | 4-8 | | 5 |
| <i>Alchemilla saxatilis</i> Dwarf Lady's Mantle | HP | 0.83 | G4 | | | 4-8 | | 4 |
| <i>Aleurites fordii</i> Tung Oil Tree | DT | 1.00 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Aleurites moluccana</i> Candlenut Tree | DT | 0.61 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| x <i>Aliceara</i> Aliceara Hybrid Orchid | FO | 1.35 | G1 | 9 | 10A-11 | | | 10 |
| <i>Alisma plantago-aquatica</i> Water Plantain | HP | 0.96 | G1 | 6-8 | 9-10A | | | 6 |
| <i>Allagoptera arenaria</i> Seashore Palm | BS | 3.65 | G1 | 9B | 10A-11 | | 1.00 | 9 |
| <i>Allamanda cathartica</i> Common Trumpet Allamanda | BS | 1.06 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Brown Bud' Brown Bud Trumpet Allamanda | BS | 0.89 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Cherries Jubilee' Cherries Jubilee Trumpet Allamanda | BS | 0.95 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Chocolate Swirl' Chocolate Swirl Trumpet Allamanda | BS | 0.79 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Hendersonii' Henderson Trumpet Allamanda | BS | 0.78 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Lemon Sprite' Lemon Sprite Trumpet Allamanda | BS | 1.04 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Allamanda nerifolia</i> Golden Trumpet Bush Allamanda | BS | 0.72 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Allamanda violacea</i> Purple Allamanda | BS | 0.86 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Allium ampeloprasum</i> Wild Leek | HP | 0.61 | G4 | | 6-8 | | | 6 |
| <i>Allium ampeloprasum</i> 'Porrum' Leek | HP | 0.97 | G4 | | 6-8 | | | 6 |
| <i>Allium caeruleum</i> Egyptian Onion | HP | 1.30 | G4 | | 7-8 | | | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Allium canadense</i> Wild Garlic | HP | 1.00 | G4 | | 5-8 | | | 4 |
| <i>Allium carinatum</i> Keeled Garlic | HP | 1.00 | G4 | | 7-8 | | | 7 |
| <i>Allium carinatum</i> ssp. <i>pulchellum</i> No Common Name Found | HP | 1.10 | G4 | | 7-8 | | | 7 |
| <i>Allium cernuum</i> Nodding Wild Onion | HP | 1.04 | G4 | | 6-8 | | | 6 |
| <i>Allium cyathophorum</i> var. <i>farreri</i> Farrer Onion | HP | 1.00 | G4 | | 9 | | | 9 |
| <i>Allium dichlamydeum</i> No Common Name Found | HP | 1.00 | G4 | | 8-9A | | | 8 |
| <i>Allium giganteum</i> Giant Onion | HP | 1.01 | G4 | | 5-8 | | | 8 |
| <i>Allium moly</i> Lily Leek | HP | 1.00 | G4 | | 7-8 | | | 7 |
| <i>Allium narcissiflorum</i> No Common Name Found | HP | 1.00 | G4 | | 8-9A | | | 8 |
| <i>Allium pulchellum</i> See - <i>Allium carinatum</i> ssp. <i>pulchellum</i> | HP | 1.00 | G4 | | 8-9A | | | 8 |
| <i>Allium rosenbachianum</i> Rosenbach Onion | HP | | | | | | | |
| <i>Allium rotundum</i> See - <i>Allium scordoprasum</i> ssp. <i>rotundum</i> | HP | 0.93 | G4 | | 8-9A | | | 3 |
| <i>Allium schnittlauch</i> Dwarf Allium | HP | 0.85 | G4 | | 5-8 | | | 5 |
| <i>Allium schoenoprasum</i> Chives | HP | 0.89 | G4 | | 5-8 | | | 5 |
| <i>Allium schoenoprasum</i> 'Forescate' Forescate Chives | HP | 1.00 | G4 | | 7-9A | | | 7 |
| <i>Allium scordoprasum</i> ssp. <i>rotundum</i> No Common Name Found | HP | 1.05 | G4 | | 5-8 | | | 5 |
| <i>Allium senescens</i> var. <i>glaucum</i> Ornamental Onion | HP | 0.99 | G4 | | 5-8 | | | 5 |
| <i>Allium sphaerocephalum</i> ssp. <i>sphaerocephalon</i> Round-headed Leek | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Allium splendens</i> No Common Name Found | HP | 0.99 | G4 | | 5-8 | | | 5 |
| <i>Allium thunbergii</i> Japanese Onion | HP | 1.11 | G4 | | 8-9B | | | 8 |
| <i>Allium thunbergii</i> 'Ozawa' Ozawa Japanese Onion | HP | 0.73 | G4 | | 7-9A | | | 7 |
| <i>Allium tuberosum</i> Garlic Chives | HP | 1.00 | G4 | | 8 | | | 8 |
| <i>Allium unifolium</i> No Common Name Found | DT | 0.82 | G1 | 6 | 7-8 | 0.98 | 1.00 | 6 |
| <i>Alnus cordata</i> Italian Alder | DT | 0.70 | G1 | | 3-7 | 0.73 | 1.03 | 3 |
| <i>Alnus glutinosa</i> Common Alder | DT | 0.70 | G1 | | 3-7 | 0.73 | 2.21 | 3 |
| <i>Alnus glutinosa</i> 'Imperialis' Imperialis Common Alder | DT | 0.70 | G1 | | 3-7 | 0.94 | 1.03 | 3 |
| <i>Alnus glutinosa</i> 'Laciniata' Cutleaf Common Alder | DT | 0.70 | G1 | | 3-7 | 0.73 | 1.03 | 3 |
| <i>Alnus glutinosa</i> 'Pyramidalis' Pyramidal Common Alder | DT | 0.83 | G1 | | 2-7 | 1.21 | 1.16 | 2 |
| <i>Alnus incana</i> Gray Alder | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | | |
| <i>Alnus incana</i> 'Aurea' Yellow Leaf White Alder | DT | 0.83 | G1 | | 2-7 | 1.21 | 1.16 | 2 |
| <i>Alnus oregonia</i> See - <i>Alnus rubra</i> | | | | | | | | |
| <i>Alnus rhombifolia</i> White Alder | DT | 0.68 | G1 | | 7-8 | 1.00 | 1.00 | 7 |
| <i>Alnus rubra</i> Red Alder | DT | 0.67 | G1 | 6 | 7-9A | 0.80 | 0.66 | 6 |
| <i>Alnus rugosa</i> Speckled Alder | DT | 0.65 | G1 | 6 | 7-9A | 1.00 | 0.56 | 2 |
| <i>Alnus serrulata</i> Smooth Alder | DT | 0.87 | G1 | 6 | 7-9A | 1.00 | 1.00 | 6 |
| <i>Alnus sinuata</i> Sitka Alder | DT | 0.52 | G1 | | 2-7 | 1.00 | 1.00 | 2 |
| <i>Alnus tenuifolia</i> Thinleaf Alder | DT | 0.82 | G1 | | 2-7 | 1.00 | 1.00 | 5 |
| <i>Alnus viridis</i> Green Alder | DT | 1.12 | G1 | | 3-7 | 1.00 | 1.00 | 4 |
| <i>Alnus viridis</i> ssp. <i>crispa</i> No Common Name Found | DT | 1.00 | G1 | | 3-7 | 1.00 | 1.00 | 2 |
| <i>Alocasia</i> Elephant's Ear Plant | FO | 0.85 | G3 | 8-10B | 11 | | | 10 |
| <i>Alocasia</i> 'Black Velvet' Black Velvet Elephant's Ear | FO | 0.85 | G3 | 8-10B | 11 | | | 10 |
| <i>Alocasia x amazonica</i> Amazon Elephant's Ear | FO | 0.51 | G3 | 8-10B | 11 | | | 10 |
| <i>Alocasia x amazonica</i> 'Compacta' Compact Amazon Elephant's Ear | FO | 0.91 | G3 | 8-10B | 11 | | | 10 |
| <i>Alocasia cucullata</i> Chinese Taro | FO | 0.54 | G3 | 8-10B | 11 | | | 10 |
| <i>Alocasia indica</i> var. <i>metallica</i> See - <i>Alocasia plumbea</i> | FO | 0.96 | G3 | 8-10B | 11 | | | 10 |
| <i>Alocasia korthalsii</i> No Common Name Found | | | | | | | | |
| <i>Alocasia lowii</i> var. <i>grandis</i> See - <i>Alocasia korthalsii</i> | | | | | | | | |
| <i>Alocasia lowii</i> var. <i>veitchii</i> See - <i>Alocasia veitchii</i> | | | | | | | | |
| <i>Alocasia macrorrhiza</i> Giant Taro | FO | 0.61 | G3 | 8-10B | 11 | | | 10 |
| <i>Alocasia odora</i> No Common Name Found | FO | 1.00 | G3 | 8-10B | 11 | | | 10 |
| <i>Alocasia plumbea</i> No Common Name Found | FO | 0.61 | G3 | 8-10B | 11 | | | 10 |
| <i>Alocasia sanderiana</i> Kris Plant | FO | 0.36 | G3 | 8-10B | 11 | | | 10 |
| <i>Alocasia veitchii</i> No Common Name Found | FO | 0.94 | G3 | 8-10B | 11 | | | 10 |
| <i>Aloe arborescens</i> Candelabra Aloe | BS | 1.42 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Aloe barbadensis</i> See - <i>Aloe vera</i> | | | | | | | | |
| <i>Aloe ferox</i> Cape Aloe | BE | 1.09 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Aloe saponaria</i> Soap Aloe | BS | 0.60 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Aloe x spinosissima</i> Spider Aloe | BS | 0.54 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|--------|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Aloe vera</i> | HP | 0.84 | G3 | 8-10A | 10B-11 | | | 8 |
| No Common Name Found | | | | | | | | |
| <i>Alonsoa linearis</i> | HP | 1.00 | G1 | | | 10A-11 | | 10 |
| Mask Flower | | | | | | | | |
| <i>Alonsoa warscewiczii</i> | HP | 0.93 | G4 | | | 10A-11 | | 10 |
| Heartleaf Mask Flower | | | | | | | | |
| <i>Alonsoa warscewiczii</i> 'Firestone Jewels' | HP | 0.93 | G4 | | | 10A-11 | | 10 |
| Firestone Jewels Heartleaf Mask Flower | | | | | | | | |
| <i>Alopecurus pratensis</i> | HP | 1.20 | G4 | | | 6-9A | | 5 |
| Meadow Foxtail Grass | | | | | | | | |
| <i>Alopecurus pratensis</i> 'Aureus' | HP | 1.20 | G4 | | | 6-9A | | 5 |
| Yellow Meadow Foxtail Grass | | | | | | | | |
| <i>Aloysia triphylla</i> | HP | 0.90 | G1 | | | 8-10A | | 8 |
| Lemon Verbena | | | | | | | | |
| <i>Alpinia aquatica</i> | HP | 1.00 | G3 | 9A-10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Alpinia calcarata</i> | HP | 1.20 | G3 | 9A-10A | 10B-11 | | | 10 |
| Indian Ginger | | | | | | | | |
| <i>Alpinia formosana</i> | HP | 1.07 | G3 | 9 | | 10A-11 | | 10 |
| Formosan Shell Ginger | | | | | | | | |
| <i>Alpinia galanga</i> | HP | 1.10 | G3 | 9 | | 10A-11 | | 10 |
| Siamese Ginger | | | | | | | | |
| <i>Alpinia japonica</i> | HP | 1.41 | G3 | 9 | | 10A-11 | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Alpinia japonica</i> 'Kinisiana' | HP | 1.12 | G3 | 9 | | 10A-11 | | 10 |
| Dwarf Flowering Japanese Ginger | | | | | | | | |
| <i>Alpinia mutica</i> | HP | 1.00 | G3 | 9 | | 10A-11 | | 10 |
| Small Shell Ginger | | | | | | | | |
| <i>Alpinia nutans</i> | | | | | | | | |
| See - <i>Alpinia zerumbet</i> | | | | | | | | |
| <i>Alpinia purpurata</i> | HP | 1.07 | G3 | 9A-10A | 10B-11 | | | 10 |
| Red Ginger | | | | | | | | |
| <i>Alpinia purpurata</i> 'Eileen McDonald' | HP | 1.14 | G3 | 9A-10A | 10B-11 | | | 10 |
| Eileen McDonald Red Ginger | | | | | | | | |
| <i>Alpinia purpurata</i> 'Jungle King' | HP | 1.62 | G3 | 9A-10A | 10B-11 | | | 10 |
| Jungle King Red Ginger | | | | | | | | |
| <i>Alpinia purpurata</i> 'Jungle Queen' | HP | 1.98 | G3 | 9A-10A | 10B-11 | | | 10 |
| Jungle Queen Red Ginger | | | | | | | | |
| <i>Alpinia purpurata</i> 'Kimi' | HP | 1.55 | G3 | 9A-10A | 10B-11 | | | 10 |
| Kimi Red Ginger | | | | | | | | |
| <i>Alpinia purpurata</i> 'Tahitian' | HP | 1.40 | G3 | 9A-10A | 10B-11 | | | 10 |
| Tahitian Red Ginger | | | | | | | | |
| <i>Alpinia sanderae</i> | | | | | | | | |
| See - <i>Alpinia vittata</i> | | | | | | | | |
| <i>Alpinia vittata</i> | HP | 1.18 | G3 | 9A-10A | 10B-11 | | | 10 |
| Variegated Ginger | | | | | | | | |
| <i>Alpinia zerumbet</i> | HP | 1.05 | G3 | 9A-10A | 10B-11 | | | 10 |
| Shell Ginger | | | | | | | | |
| <i>Alpinia zerumbet</i> 'Variegata' | HP | 1.31 | G3 | 9A-10A | 10B-11 | | | 10 |
| Variegated Shell Ginger | | | | | | | | |
| <i>Alstroemeria longipes</i> | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Alsophila australis</i> | | | | | | | | |
| See - <i>Cyathea australis</i> | | | | | | | | |
| <i>Alstonia venenata</i> | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Devil Tree | | | | | | | | |
| <i>Alstroemeria</i> | HP | 0.95 | G4 | | 9A-10A | | | 9 |
| Lily of the Incas | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Alstroemeria</i> 'Ligtu Gold' Ligtu Gold Hybrid Peruvian Lily | HP | 0.95 | G4 | | 9A-10A | | | 9 |
| <i>Alstroemeria</i> 'Ligtu Orange' Ligtu Orange Hybrid Peruvian Lily | HP | 0.95 | G4 | | 9A-10A | | | 9 |
| <i>Alstroemeria</i> 'Ligtu Pink' Ligtu Pink Hybrid Peruvian Lily | HP | 0.95 | G4 | | 9A-10A | | | 9 |
| <i>Alstroemeria</i> 'Ligtu Salmon' Ligtu Salmon Hybrid Peruvian Lily | HP | 0.95 | G4 | | 9A-10A | | | 9 |
| <i>Alstroemeria</i> 'Ligtu White' Ligtu White Hybrid Peruvian Lily | HP | 0.95 | G4 | | 9A-10A | | | 9 |
| <i>Alstroemeria</i> 'Ligtu Yellow' Ligtu Yellow Hybrid Peruvian Lily | HP | 0.95 | G4 | | 9A-10A | | | 9 |
| <i>Alstroemeria</i> 'Meyer Red' Meyer Red Hybrid Peruvian Lily | HP | 1.09 | G4 | | 9A-10A | | | 9 |
| <i>Alstroemeria</i> 'Meyer Rose' Meyer Rose Hybrid Peruvian Lily | HP | 1.09 | G4 | | 9A-10A | | | 9 |
| <i>Alstroemeria</i> 'Meyer White & Pink' Meyer White & Pink Hybrid Peruvian Lily | HP | 1.09 | G4 | | 9A-10A | | | 9 |
| <i>Alstroemeria</i> 'Orange Beauty' Orange Beauty Hybrid Peruvian Lily | HP | 0.95 | G4 | | 9A-10A | | | 9 |
| <i>Alstroemeria</i> 'Rachel' Rachel Hybrid Peruvian Lily | HP | 0.95 | G4 | | 9A-10A | | | 9 |
| <i>Alstroemeria</i> 'The Third Harmonic' The Third Harmonic Hybrid Peruvian Lily | HP | 1.09 | G4 | | 9A-10A | | | 9 |
| <i>Alstroemeria aurantiaca</i> See - <i>Alstroemeria aurea</i> | | | | | | | | |
| <i>Alstroemeria aurea</i> Yellow Peruvian Lily | HP | 1.05 | G4 | 7-8 | 9 | | | 7 |
| <i>Alstroemeria aurea</i> 'Lutea' Lutea Yellow Peruvian Lily | HP | 1.05 | G4 | 7-8 | 9 | | | 7 |
| <i>Alstroemeria aurea</i> 'Orange King' Orange King Yellow Peruvian Lily | HP | 1.05 | G4 | 7-8 | 9 | | | 7 |
| <i>Alstroemeria aurea</i> 'Splendens' Splendens Yellow Peruvian Lily | HP | 1.05 | G4 | 7-8 | 9 | | | 7 |
| <i>Alstroemeria caryophyllaea</i> Peruvian Lily | HP | 1.00 | G4 | | 9A-10A | | | 9 |
| <i>Alstroemeria caryophyllaea</i> 'The Premier Series' The Premier Series Peruvian Lily | HP | 1.00 | G4 | | 9A-10A | | | 9 |
| <i>Alstroemeria hookeri</i> Inca Lily | HP | 0.95 | G4 | | 9 | | | 9 |
| <i>Alstroemeria ligtu</i> St. Martin's Flower | HP | 0.95 | G4 | 8 | 9A-10A | | | 8 |
| <i>Alstroemeria psittacina</i> Parrot Lily | HP | 0.87 | G4 | | 9A-10A | | | 8 |
| <i>Alstroemeria pulchella</i> See - <i>Alstroemeria psittacina</i> | | | | | | | | |
| <i>Alternanthera dentata</i> Indoor Clover | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 8 |
| <i>Alternanthera ficoidea</i> Parrotleaf | FO | 0.27 | G3 | 8-10A | 10B-11 | | | 8 |
| <i>Alternanthera ficoidea</i> var. <i>amoena</i> Joyweed | FO | 0.12 | G3 | 8-10A | 10B-11 | | | 8 |
| <i>Althaea coelestis</i> See - <i>Hibiscus syriacus</i> 'Coelestis' | | | | | | | | |
| <i>Althaea rosea</i> See - <i>Alcea rosea</i> | | | | | | | | |
| <i>Althaea syriaca</i> See - <i>Hibiscus syriacus</i> | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Alyogyne hakeifolia</i> No Common Name Found | BS | 0.80 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Alyogyne huegelii</i> Lilac Hibiscus | BS | 0.82 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Alyogyne huegelii</i> 'Monle' Purple Delight™ Lilac Hibiscus | BS | 0.88 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Alyogyne huegelii</i> 'Monterey Bay' Monterey Bay Lilac Hibiscus | BS | 0.84 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Alyogyne huegelii</i> 'Mood Indigo' Mood Indigo Lilac Hibiscus | BS | 0.87 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Alyogyne huegelii</i> 'Purple Delight' See - <i>Alyogyne huegelii</i> 'Monle' | BS | 0.88 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Alyogyne huegelii</i> 'Santa Cruz' Santa Cruz Lilac Hibiscus | BS | 0.88 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Alyssoides utriculata</i> Bladder Pod | BS | 1.00 | G1 | 6-9 | 10A-11 | | 1.00 | 7 |
| <i>Alyssum montanum</i> Mountain Alyssum | HP | 0.92 | G4 | | 6-8 | | | 6 |
| <i>Alyssum montanum</i> 'Berggold' Berggold Mountain Alyssum | HP | 1.01 | G4 | | 6-8 | | | 6 |
| <i>Alyssum saxatile</i> See - <i>Aurinia saxatilis</i> | | | | | | | | |
| <i>Amaranthus tricolor</i> Joseph's Coat | AN | 0.74 | G1 | 5-9 | 10A-11 | | | 5 |
| <i>Amaryllis belladonna</i> Jersey Lily | HP | 1.84 | G1 | 6-9 | 10A-11 | | | 8 |
| <i>Amelanchier alnifolia</i> Saskatoon Serviceberry | DS | 0.94 | G2 | | 2-7 | | 1.25 | 2 |
| <i>Amelanchier alnifolia</i> 'PNI 0421' Regent® Saskatoon Serviceberry | DS | 0.92 | G2 | | 2-7 | | 1.15 | 2 |
| <i>Amelanchier alnifolia</i> 'Regent' See - <i>Amelanchier alnifolia</i> 'PNI 0421' | DS | 0.92 | G2 | | 2-7 | | 1.15 | 2 |
| <i>Amelanchier alnifolia</i> 'Smokey' Smokey Saskatoon Serviceberry | DS | 0.92 | G2 | | 2-7 | | 1.15 | 2 |
| <i>Amelanchier alnifolia</i> var. <i>semiintegritolia</i> Pacific Serviceberry | DS | 1.00 | G2 | | 2-7 | | 1.00 | 2 |
| <i>Amelanchier arborea</i> Downy Serviceberry | DS | 1.00 | G1 | | 4-9B | | 1.00 | 4 |
| <i>Amelanchier asiatica</i> Asian Serviceberry | DS | 1.00 | G1 | | 4-9B | | 1.00 | 5 |
| <i>Amelanchier canadensis</i> Shadblow Serviceberry | DS | 1.01 | G1 | | 4-9B | | 1.10 | 3 |
| <i>Amelanchier canadensis</i> 'Glennform' P.P. 9092 Rainbow Pillar™ Shadblow Serviceberry | DS | 1.21 | G1 | | 4-9B | | 1.12 | 3 |
| <i>Amelanchier canadensis</i> 'Majesty' Majesty Shadblow Serviceberry | DS | 1.01 | G1 | | 4-9B | | 1.10 | 3 |
| <i>Amelanchier canadensis</i> 'Prince William' P.P. 6040 Prince William Shadblow Serviceberry | DS | 1.01 | G1 | | 4-9B | | 1.66 | 3 |
| <i>Amelanchier canadensis</i> 'Rainbow Pillar' See - <i>Amelanchier canadensis</i> 'Glennform' P.P. 9092 | DS | 1.01 | G1 | | 4-9B | | 1.10 | 3 |
| <i>Amelanchier canadensis</i> 'Silver Fountain' Silver Fountain Shadblow Serviceberry | DS | 1.01 | G1 | | 4-9B | | 1.10 | 3 |
| <i>Amelanchier canadensis</i> 'Spring Glory' See - <i>Amelanchier canadensis</i> 'Sprizam' | DS | 1.01 | G1 | | 4-9B | | 1.10 | 3 |
| <i>Amelanchier canadensis</i> 'Sprizam' Spring Glory® Shadblow Serviceberry | | | | | | | | |
| <i>Amelanchier canadensis</i> 'Tradition' See - <i>Amelanchier canadensis</i> 'Trazam' | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Amelanchier canadensis</i> 'Trazam' Tradition® Shadblow Serviceberry | DS | 1.01 | G1 | | 4-9B | | | 1.10 3 |
| <i>Amelanchier canadensis</i> 'White Tower' White Tower Shadblow Serviceberry | DS | 1.01 | G1 | | 4-9B | | | 1.10 3 |
| <i>Amelanchier florida</i> See - <i>Amelanchier alnifolia</i> var. <i>semiintegrifolia</i> | | | | | | | | |
| <i>Amelanchier x grandiflora</i> Apple Serviceberry | DS | 1.39 | G1 | | 4-9B | | | 1.50 4 |
| <i>Amelanchier x grandiflora</i> 'Autumn Brilliance' P.P. 5717 Autumn Brilliance® Apple Serviceberry | DS | 1.27 | G1 | | 4-9B | | | 1.29 4 |
| <i>Amelanchier x grandiflora</i> 'Ballerina' Ballerina Apple Serviceberry | DS | 1.39 | G1 | | 4-9B | | | 1.18 4 |
| <i>Amelanchier x grandiflora</i> 'Cole's Select' Cole's Select Apple Serviceberry | DS | 1.47 | G1 | | 4-9B | | | 1.57 4 |
| <i>Amelanchier x grandiflora</i> 'Forest Prince' Forest Prince Apple Serviceberry | DS | 1.54 | G1 | | 4-9B | | | 1.21 4 |
| <i>Amelanchier x grandiflora</i> 'Princess Diana' P.P. 6041 Princess Diana Apple Serviceberry | DS | 1.42 | G1 | | 4-9B | | | 1.51 4 |
| <i>Amelanchier x grandiflora</i> 'Robin Hill' Robin Hill Apple Serviceberry | DS | 1.12 | G1 | | 4-9B | | | 1.28 4 |
| <i>Amelanchier x grandiflora</i> 'Strata' Strata Apple Serviceberry | DS | 1.12 | G1 | | 4-9B | | | 1.66 4 |
| <i>Amelanchier laevis</i> Allegheny Serviceberry | DS | 0.97 | G1 | | 4-8 | | | 1.19 4 |
| <i>Amelanchier laevis</i> 'Cumulus' P.P. 3092 Cumulus Allegheny Serviceberry | DS | 1.45 | G1 | | 4-8 | | | 1.21 4 |
| <i>Amelanchier laevis</i> 'Lustra' Lustra Allegheny Serviceberry | DS | 0.97 | G1 | | 4-8 | | | 0.49 4 |
| <i>Amelanchier laevis</i> 'Majestic' P.P. 7203 Majestic Allegheny Serviceberry | DS | 0.97 | G1 | | 4-8 | | | 0.49 4 |
| <i>Amelanchier laevis</i> 'Prince Charles' P.P. 6039 Prince Charles Allegheny Serviceberry | DS | 0.97 | G1 | | 4-8 | | | 1.62 4 |
| <i>Amelanchier laevis</i> 'Snowcloud' P.P. 7203 Snowcloud Allegheny Serviceberry | DS | 0.97 | G1 | | 4-8 | | | 0.49 4 |
| <i>Amelanchier lamarckii</i> Lamarki Serviceberry | DS | 1.02 | G1 | | 4-8 | | | 1.44 4 |
| <i>Amelanchier ovalis</i> Ovalis Serviceberry | DS | 0.96 | G1 | | 5-8 | | | 1.49 5 |
| <i>Amelanchier sanguinea</i> Bush Serviceberry | DS | 1.00 | G1 | | 4-8 | | | 1.00 4 |
| <i>Amelanchier stolonifera</i> Running Serviceberry | DS | 1.05 | G1 | | 4-8 | | | 1.28 4 |
| <i>Amelanchier stolonifera</i> 'Fergi' Fergi Running Serviceberry | DS | 1.05 | G1 | | 4-8 | | | 2.24 4 |
| <i>Ammophila arenaria</i> European Dune Grass | HP | 1.01 | G1 | | 5-9 | | | 5 |
| <i>Ammophila breviligulata</i> Beach Grass | HP | 0.86 | G1 | | 5-9 | | | 5 |
| <i>Amomum compactum</i> Round Cardamom | HP | 0.97 | G1 | 7-9 | 10A-11 | | | 10 |
| <i>Amorpha canescens</i> Leadplant | HP | 1.07 | G1 | | 2-7 | | | 2 |
| <i>Amorpha fruticosa</i> False Indigo Bush | BS | 0.91 | G1 | | 4-8 | | | 1.00 4 |
| <i>Amorphophallus bulbifer</i> No Common Name Found | HP | 1.29 | G1 | 7-9 | 10A-11 | | | 10 |
| <i>Ampelodesmos mauritanicus</i> Mauritania Vine Reed | HP | 0.91 | G2 | 7-8 | 9-11 | | | 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | High/Wide | | |
| <i>Ampelopsis aconitifolia</i> Monk's Hood Vine | GC | 0.94 | G1 | | 4-8 | | 1.00 | 4 |
| <i>Ampelopsis brevipedunculata</i> Porcelain Vine | GC | 1.27 | G1 | | 4-8 | | 1.00 | 9 |
| <i>Ampelopsis brevipedunculata</i> 'Elegans' Elegans Cutleaf Porcelain Vine | GC | 1.70 | G1 | | 4-8 | | 1.00 | 9 |
| <i>Ampelopsis brevipedunculata</i> var. <i>maximowiczii</i> Cutleaf Porcelain Vine | GC | 2.10 | G1 | | 4-8 | | 1.00 | 9 |
| <i>Amsonia hubrechtii</i> Arkansas Amsonia | HP | 0.89 | G4 | | 4-9A | | | 6 |
| <i>Amsonia illustris</i> No Common Name Found | HP | 0.99 | G4 | | 5-9A | | | 5 |
| <i>Amsonia tabernaemontana</i> Willow Leaf Blue Star | HP | 1.02 | G4 | | 4-9A | | | 3 |
| <i>Amsonia tabernaemontana</i> var. <i>montana</i> Dwarf Willowleaf Blue Star | HP | 1.00 | G4 | | 4-9A | | | 3 |
| <i>Amsonia tabernaemontana</i> var. <i>salicifolia</i> No Common Name Found | HP | 1.01 | G4 | | 4-9A | | | 3 |
| <i>Anacyclus pyrethrum</i> var. <i>depressus</i> Mt. Atlas Daisy | HP | 0.89 | G4 | | 6-8 | | | 6 |
| <i>Anacyclus pyrethrum</i> var. <i>depressus</i> 'Silberkissen' Silberkissen Mt. Atlas Daisy | HP | 0.86 | G4 | | 6-8 | | | 6 |
| <i>Anagallis arvensis</i> Scarlet Pimpernel | AN | 1.00 | G4 | 7-8 | 9 | | | 7 |
| <i>Anagallis monelli</i> Blue Pimpernel | AN | 1.07 | G4 | 7-8 | 9 | | | 7 |
| <i>Anagallis monelli</i> 'Pacific Blue' Pacific Blue Pimpernel | AN | 1.07 | G4 | 7-8 | 9 | | | 7 |
| <i>Ananas comosus</i> Pineapple | FO | 0.47 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ananas comosus</i> 'Ivory' Ivory Pineapple | FO | 0.47 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Anaphalis cinnamomea</i> See - <i>Anaphalis margaritacea</i> var. <i>cinnamomea</i> | HP | 0.91 | G4 | | 4-8 | | | 3 |
| <i>Anaphalis margaritacea</i> Pearly Everlasting | HP | 1.00 | G4 | | 4-8 | | | 3 |
| <i>Anaphalis margaritacea</i> var. <i>cinnamomea</i> No Common Name Found | HP | 1.12 | G4 | | 4-8 | | | 5 |
| <i>Anaphalis triplinervis</i> Three-Veined Everlasting | HP | 1.11 | G4 | | 4-8 | | | 3 |
| <i>Anchusa azurea</i> Italian Alkanet | HP | 1.54 | G4 | 4-8 | | | | 3 |
| <i>Anchusa azurea</i> 'Dropmore' Dropmore Italian Alkanet | HP | 1.54 | G4 | 4-8 | | | | 3 |
| <i>Anchusa azurea</i> 'Little John' Little John Italian Alkanet | HP | 1.11 | G4 | 4-8 | | | | 3 |
| <i>Anchusa azurea</i> 'Loddon Royalist' Loddon Royalist Italian Alkanet | HP | 1.11 | G4 | 4-8 | | | | 3 |
| <i>Anchusa azurea</i> 'Royal Blue' Royal Blue Italian Alkanet | HP | 1.28 | G4 | 4-8 | | | | 3 |
| <i>Androlepis skinneri</i> No Common Name Found | FO | 1.00 | G4 | 8-9 | 10 | | | 9 |
| <i>Andromeda polifolia</i> Bog Rosemary | BS | 1.08 | G1 | | 2-7 | | 1.00 | 2 |
| <i>Andromeda polifolia</i> 'Blue Ice' Blue Ice Bog Rosemary | BS | 1.15 | G1 | | 2-7 | | 1.00 | 2 |
| <i>Andromeda polifolia</i> 'Glauca Nana' Dwarf Blue Bog Rosemary | BS | 1.12 | G1 | | 2-7 | | 1.00 | 2 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Andromeda polifolia</i> 'Nana' Dwarf Bog Rosemary | BS | 0.95 | G1 | | 2-7 | | | 1.00 2 |
| <i>Andropogon gerardii</i> Big Bluestem | HP | 1.07 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Andropogon glomeratus</i> Bushy Beard Grass | HP | 1.01 | G4 | 6-8 | 9 | | | 6 |
| <i>Andropogon scoparius</i> See - <i>Schizachyrium scoparium</i> | HP | 1.01 | G4 | 6-8 | 9 | | | 5 |
| <i>Andropogon virginicus</i> Beard Grass | HP | 1.01 | G4 | 6-8 | 9 | | | 5 |
| <i>Androsace lanuginosa</i> Rock Jasmine | HP | 0.97 | G4 | | 6-8 | | | 6 |
| <i>Androsace sarmentosa</i> No Common Name Found | HP | 1.00 | G4 | | 4-8 | | | 3 |
| <i>Anemone blanda</i> Greek Anemone | HP | 0.95 | G4 | 6 | 7-8 | | | 5 |
| <i>Anemone canadensis</i> Meadow Anemone | HP | 1.09 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Anemone caroliniana</i> Carolina Anemone | HP | 1.00 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Anemone coronaria</i> Poppy Anemone | HP | 0.95 | G4 | | 8 | | | 8 |
| <i>Anemone coronaria</i> 'St. Brigid' St. Brigid Poppy Anemone | HP | 0.95 | G4 | | 8 | | | 8 |
| <i>Anemone cylindrica</i> Thimbleweed | HP | 1.00 | G4 | 6-7 | 8 | | | 5 |
| <i>Anemone hupehensis</i> Dwarf Japanese Anemone | HP | 1.02 | G4 | | 6-9A | | | 6 |
| <i>Anemone hupehensis</i> 'Bressingham Glow' Bressingham Glow Dwarf Japanese Anemone | HP | 1.12 | G4 | | 6-9A | | | 6 |
| <i>Anemone hupehensis</i> 'Hadspen Abundance' Hadspen Abundance Dwarf Japanese Anemone | HP | 1.07 | G4 | | 6-9A | | | 6 |
| <i>Anemone hupehensis</i> 'Praecox' Praecox Dwarf Japanese Anemone | HP | 1.16 | G4 | | 6-9A | | | 6 |
| <i>Anemone hupehensis</i> 'Prince Henry' Prince Henry Dwarf Japanese Anemone | HP | 1.15 | G4 | | 6-9A | | | 6 |
| <i>Anemone hupehensis</i> 'Rubra Plena' Rubra Plena Dwarf Japanese Anemone | HP | 1.30 | G4 | | 6-9A | | | 6 |
| <i>Anemone hupehensis</i> 'September Charm' September Charm Dwarf Japanese Anemone | HP | 1.09 | G4 | | 6-9A | | | 6 |
| <i>Anemone hupehensis</i> 'Splendens' Splendens Dwarf Japanese Anemone | HP | 1.09 | G4 | | 6-9A | | | 6 |
| <i>Anemone hupehensis</i> 'Splendor' Splendor Dwarf Japanese Anemone | HP | 1.02 | G4 | | 6-9A | | | 6 |
| <i>Anemone hupehensis</i> var. <i>japonica</i> Japanese Anemone | HP | 1.06 | G4 | | 6-9A | | | 6 |
| <i>Anemone x hybrida</i> Hybrid Anemone | HP | 0.95 | G4 | 6 | 7-8 | | | 6 |
| <i>Anemone x hybrida</i> 'Alba' White Hybrid Anemone | HP | 1.07 | G4 | 6 | 7-8 | | | 6 |
| <i>Anemone x hybrida</i> 'Alice' Alice Hybrid Anemone | HP | 0.95 | G4 | 6 | 7-8 | | | 6 |
| <i>Anemone x hybrida</i> 'Avalanche' Avalanche Hybrid Anemone | HP | 1.30 | G4 | 6 | 7-8 | | | 6 |
| <i>Anemone x hybrida</i> 'Honoree Jobert' Honoree Jobert Hybrid Anemone | HP | 1.08 | G4 | 6 | 7-8 | | | 6 |
| <i>Anemone x hybrida</i> 'Kriemhilde' Kriemhilde Hybrid Anemone | HP | 1.34 | G4 | 6 | 7-8 | | | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Anemone x hybrida</i> 'Margarette' Margarette Hybrid Anemone | HP | 1.20 | G4 | 6 | 7-8 | | | 6 |
| <i>Anemone x hybrida</i> 'Max Vogel' Max Vogel Hybrid Anemone | HP | 1.02 | G4 | 6 | 7-8 | | | 6 |
| <i>Anemone x hybrida</i> 'Montrose' Montrose Hybrid Anemone | HP | 1.08 | G4 | 6 | 7-8 | | | 6 |
| <i>Anemone x hybrida</i> 'Pamina' Pamina Hybrid Anemone | HP | 1.16 | G4 | 6 | 7-8 | | | 6 |
| <i>Anemone x hybrida</i> 'Queen Charlotte' Queen Charlotte Hybrid Anemone | HP | 1.11 | G4 | 6 | 7-8 | | | 6 |
| <i>Anemone x hybrida</i> 'Rosenschale' Rosenschale Hybrid Anemone | HP | 1.21 | G4 | 6 | 7-8 | | | 6 |
| <i>Anemone x hybrida</i> 'Whirlwind' Whirlwind Hybrid Anemone | HP | 1.11 | G4 | 6 | 7-8 | | | 6 |
| <i>Anemone lesseri</i> Lesser's Anemone | HP | 1.00 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Anemone nemerosa</i> Windflower | HP | 1.69 | G4 | 5-6 | 7-8 | | | 5 |
| <i>Anemone nuttalliana</i> See - <i>Pulsatilla patens</i> | | | | | | | | |
| <i>Anemone patens</i> var. <i>wolfgangiana</i> See - <i>Pulsatilla patens</i> var. <i>wolfgangiana</i> | | | | | | | | |
| <i>Anemone pulsatilla</i> See - <i>Pulsatilla vulgaris</i> | | | | | | | | |
| <i>Anemone quinquefolia</i> American Wood Anemone | HP | 1.00 | G4 | | 7-8 | | | 7 |
| <i>Anemone quinquefolia</i> var. <i>oregana</i> Oregana American Wood Anemone | HP | 1.00 | G4 | | 7-8 | | | 7 |
| <i>Anemone rivularis</i> No Common Name Found | HP | 1.00 | G4 | | 7-9A | | | 7 |
| <i>Anemone sylvestris</i> Snowdrop Anemone | HP | 1.08 | G4 | | 4-8 | | | 4 |
| <i>Anemone tomentosa</i> Grapeleaf Anemone | HP | 1.26 | G4 | 5-6 | 7-8 | | | 3 |
| <i>Anemone tomentosa</i> 'Albadura' Albadura Grapeleaf Anemone | HP | 1.30 | G4 | 5-6 | 7-8 | | | 3 |
| <i>Anemone tomentosa</i> 'Robustissima Alba' White Robustissima Grapeleaf Anemone | HP | 1.24 | G4 | 5-6 | 7-8 | | | 3 |
| <i>Anemone tomentosa</i> 'Robustissima' Robustissima Grapeleaf Anemone | HP | 1.18 | G4 | 5-6 | 7-8 | | | 3 |
| <i>Anemone virginiana</i> Tall Anemone | HP | 1.00 | G4 | 5-6 | 7-8 | | | 4 |
| <i>Anemone vitifolia</i> See - <i>Anemone tomentosa</i> | | | | | | | | |
| <i>Anemonella thalictroides</i> Rue Anemone | HP | 1.00 | G1 | 5-6 | 7-9 | | | 4 |
| <i>Anemopsis californica</i> Yerba Mansa | HP | 1.00 | G4 | | 7-9A | | | 8 |
| <i>Anethum graveolens</i> Dill | AN | 1.10 | G1 | 7-8 | 9-10A | | | 8 |
| <i>Anethum graveolens</i> 'Bouquet' Bouquet Dill | AN | 0.89 | G1 | 7-8 | 9-10A | | | 8 |
| <i>Anethum graveolens</i> 'Dukat' Dukat Dill | AN | 0.83 | G1 | 7-8 | 9-10A | | | 8 |
| <i>Anethum graveolens</i> 'Fernleaf' Fernleaf Dill | AN | 1.15 | G1 | 7-8 | 9-10A | | | 8 |
| <i>Anethum graveolens</i> 'Long Island Mammoth' Long Island Mammoth Dill | AN | 0.83 | G1 | 7-8 | 9-10A | | | 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Angelica archangelica</i> Garden Angelica | AN | 1.00 | G4 | | 7-9A | | | 4 |
| <i>Angelica atropurpurea</i> Alexanders | AN | 1.00 | G4 | | 7-9A | | | 4 |
| <i>Angelica gigas</i> Purple Parsnip | AN | 1.89 | G4 | | 7-9A | | | 4 |
| <i>Angelonia angustifolia</i> No Common Name Found | HP | 0.57 | G4 | 9 | 10A-11 | | | 9 |
| <i>Angelonia angustifolia</i> 'Alba' White Angelonia | BS | 0.74 | G4 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Angelonia angustifolia</i> 'Blue Pacific' Blue Pacific Angelonia | BS | 0.78 | G4 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Angelonia salicariifolia</i> Hilo Princess | HP | 0.77 | G4 | 9 | 10A-11 | | | 9 |
| <i>Angraecum magdalena</i> e No Common Name Found | FO | 2.03 | G4 | 9 | 10A-11 | | | 9 |
| <i>Angraecum sesquipedale</i> Comet Orchid | FO | 1.42 | G4 | 9 | 10A-11 | | | 9 |
| <i>Angraecum sesquipedale</i> 'Star of Maui' Star of Maui Comet Orchid | FO | 1.78 | G4 | 9 | 10A-11 | | | 9 |
| <i>Anigozanthos bicolor</i> Little Kangaroo Paw | HP | 0.95 | G4 | 9A-10A | 10B-11 | | | 9 |
| <i>Anigozanthos flavidus</i> Tall Kangaroo Paw | HP | 0.97 | G4 | 9A-10A | 10B-11 | | | 9 |
| <i>Anigozanthos manglesii</i> No Common Name Found | HP | 0.95 | G4 | 9A-10A | 10B-11 | | | 9 |
| <i>Anigozanthos viridis</i> Green Kangaroo Paw | HP | 0.95 | G4 | 9A-10A | 10B-11 | | | 9 |
| <i>Anisacanthus quadrifidus</i> var. <i>wrightii</i> See - <i>Anisacanthus wrightii</i> | | | | | | | | |
| <i>Anisacanthus thurberi</i> See - <i>Justicia californica</i> | | | | | | | | |
| <i>Anisacanthus wrightii</i> Flame Acanthus | BS | 0.86 | G1 | 8-9 | 10 | | 1.00 | 9 |
| <i>Anisodontea capensis</i> Anisodontea | BS | 1.00 | G4 | 7-10A | 10B-11 | | 1.00 | 9 |
| <i>Anisodontea x hypomandarum</i> South American Mallow | BS | 0.74 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Anisodontea x hypomandarum</i> 'Tara's Pink' Tara's Pink South American Mallow | BS | 0.77 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Anisodontea x hypomandarum</i> 'Tara's Wonder' Tara's Wonder South American Mallow | BS | 0.77 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Annona glabra</i> Pond Apple | BE | 0.72 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Annona squamosa</i> Sugar Apple | FN | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Antennaria dioica</i> Pussytoes | HP | 1.07 | G4 | | 4-7 | | | 5 |
| <i>Antennaria dioica</i> 'Nyewood' Nyewood Pussytoes | HP | 0.97 | G4 | | 4-7 | | | 5 |
| <i>Antennaria dioica</i> 'Rosea' Rose Pussytoes | HP | 0.85 | G4 | | 4-7 | | | 5 |
| <i>Antennaria plantaginifolia</i> Plain Leaf Pussytoes | HP | 1.00 | G4 | | 4-8 | | | 3 |
| <i>Antennaria rosea</i> Littleleaf Pussytoes | HP | 0.94 | G4 | | 4-8 | | | 4 |
| <i>Anthemis marschalliana</i> Marshall Chamomile | HP | 1.20 | G4 | | 8 | | | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|-----------|---------------------|-------------|---------|------------|
| | | | SK | Insurable HZ Req | Not Req | Caliper | |
| <i>Anthemis nobilis</i> | | | | | | | |
| See - <i>Chamaemelum nobile</i> | | | | | | | |
| <i>Anthemis sancti-johannis</i> | HP | 0.78 | G4 | | 8 | | 6 |
| St. John's Chamomile | | | | | | | |
| <i>Anthemis tinctoria</i> | HP | 1.02 | G4 | | 8 | | 6 |
| Golden Marguerite | | | | | | | |
| <i>Anthemis tinctoria</i> 'E.C. Buxton' | HP | 0.91 | G4 | | 8 | | 6 |
| E.C. Buxton Golden Marguerite | | | | | | | |
| <i>Anthemis tinctoria</i> 'Kelwayi' | HP | 0.88 | G4 | | 8 | | 6 |
| Kelwayi Marguerite | | | | | | | |
| <i>Anthemis tinctoria</i> 'Moonlight' | HP | 0.86 | G4 | | 8 | | 6 |
| Moonlight Golden Marguerite | | | | | | | |
| <i>Anthericum liliago</i> | HP | 1.68 | G4 | | 5-8 | | 7 |
| St. Bernard's Lily | | | | | | | |
| <i>Anthoxanthum odoratum</i> | HP | 0.97 | G4 | | 7-8 | | 7 |
| Sweet Vernal Grass | | | | | | | |
| <i>Anthriscus cerefolium</i> | AN | 1.20 | G1 | | 7-9 | | 7 |
| Chervil | | | | | | | |
| <i>Anthurium</i> | FO | 0.75 | G3 | 8-10B | 11 | | 10 |
| Flamingo Flower | | | | | | | |
| <i>Anthurium</i> '75-10' P.P. 9355 | FO | 1.04 | G3 | 8-10B | 11 | | 10 |
| Red Hot Flamingo Flower | | | | | | | |
| <i>Anthurium</i> '94-4' P.P. 8820 | FO | 0.96 | G3 | 8-10B | 11 | | 10 |
| Showbiz Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Bubble Gum' P.P. 9196 | FO | 1.03 | G3 | 8-10B | 11 | | 10 |
| Bubble Gum Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Cotton Candy' P.P. 8819 | FO | 1.03 | G3 | 8-10B | 11 | | 10 |
| Cotton Candy Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Georgusis Pink Number 1' P.P. 8129 | FO | 1.05 | G3 | 8-10B | 11 | | 10 |
| Lady Jane™ Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Lady Jane' | | | | | | | |
| See - <i>Anthurium</i> 'Georgusis Pink Number 1' P.P. 8129 | | | | | | | |
| <i>Anthurium</i> 'Lady Ruth' | | | | | | | |
| See - <i>Anthurium</i> 'Ruth Morat' P.P. 8540 | | | | | | | |
| <i>Anthurium</i> 'Mary Jean' | | | | | | | |
| See - <i>Anthurium</i> 'Rotolante Number 3' | | | | | | | |
| <i>Anthurium</i> 'Miami Beauty' | | | | | | | |
| See - <i>Anthurium</i> 'Rotolante # 1' | | | | | | | |
| <i>Anthurium</i> 'Pink Frost' P.P. 8644 | FO | 0.96 | G3 | 8-10B | 11 | | 10 |
| Pink Frost Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Red Hot' | | | | | | | |
| See - <i>Anthurium</i> '75-10' P.P. 9355 | | | | | | | |
| <i>Anthurium</i> 'Rotolante # 1' | FO | 0.89 | G3 | 8-10B | 11 | | 10 |
| Miami Beauty™ Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Rotolante Number 3' | FO | 0.75 | G3 | 8-10B | 11 | | 10 |
| Mary Jean Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Ruth Morat' P.P. 8540 | FO | 0.84 | G3 | 8-10B | 11 | | 10 |
| Lady Ruth™ Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Showbiz' | | | | | | | |
| See - <i>Anthurium</i> '94-4' P.P. 8820 | | | | | | | |
| <i>Anthurium andraeanum</i> | FO | 0.80 | G3 | 8-10B | 11 | | 10 |
| No Common Name Found | | | | | | | |
| <i>Anthurium clavigerum</i> | FO | 1.00 | G3 | 8-10B | 11 | | 10 |
| No Common Name Found | | | | | | | |
| <i>Anthurium crystallinum</i> | FO | 1.54 | G3 | 8-10B | 11 | | 10 |
| Crystal Flamingo Flower | | | | | | | |
| <i>Anthurium hookeri</i> | FO | 0.70 | G3 | 8-10B | 11 | | 10 |
| Birdsnest Flamingo Flower | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Anthurium scherzerianum</i> No Common Name Found | FO | 1.00 | G3 | 8-10B | 11 | | | 10 |
| <i>Anthyllis vulneraria</i> Lady's Fingers | HP | 1.00 | G1 | 7-8 | 9-10A | | | 7 |
| <i>Antigonon leptopus</i> Coral Vine | GC | 1.11 | G1 | 9A | 9B-11 | | 1.00 | 10 |
| <i>Antirrhinum braun-blanquetii</i> No Common Name Found | AN | 1.98 | G4 | 1-9B | 10A-11 | | | 8 |
| <i>Antirrhinum majus</i> Common Snapdragon | AN | 0.83 | G4 | 1-9B | 10A-11 | | | 7 |
| <i>Antirrhinum majus</i> 'Floral Carpet Series' Floral Carpet Series Dwarf Snapdragon | AN | 0.78 | G4 | 1-9B | 10A-11 | | | 7 |
| <i>Antirrhinum majus</i> 'Floral Showers Mix' Floral Showers Mix Snapdragon | AN | 0.64 | G4 | 1-9B | 10A-11 | | | 7 |
| <i>Antirrhinum majus</i> 'Princess' Princess Snapdragon | AN | 0.64 | G4 | 1-9B | 10A-11 | | | 7 |
| <i>Antirrhinum majus</i> 'Sonnet Mix' Sonnet Mix Snapdragon | AN | 0.64 | G4 | 1-9B | 10A-11 | | | 7 |
| <i>Antirrhinum majus</i> 'Tahiti Series' Tahiti Series Snapdragon | AN | 0.64 | G4 | 1-9B | 10A-11 | | | 7 |
| <i>Aphelandra sinclairiana</i> Coral Aphelandra | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Aphelandra squarrosa</i> Zebra Plant | FO | 1.00 | G3 | 8-10B | 11 | | | 10 |
| <i>Aphelandra squarrosa</i> 'Dania' Dania Zebra Plant | FO | 1.00 | G3 | 8-10B | 11 | | | 10 |
| <i>Aptenia cordifolia</i> Baby Sun Rose | HP | 0.59 | G4 | 4-6 | 7-10B | | | 4 |
| <i>Aquilegia</i> Columbine | HP | 1.02 | G4 | | 5-8 | | | 4 |
| <i>Aquilegia</i> 'Hensol Harebell' Hensol Harebell Hybrid Columbine | HP | 1.02 | G4 | | 5-8 | | | 4 |
| <i>Aquilegia</i> 'Leprechaun Gold' Leprechaun Gold Hybrid Columbine | HP | 1.02 | G4 | | 5-8 | | | 4 |
| <i>Aquilegia alpina</i> Alpine Columbine | HP | 0.94 | G4 | | 5-8 | | | 5 |
| <i>Aquilegia caerulea</i> Rocky Mountain Columbine | HP | 1.21 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia caerulea</i> 'Himmelblau' Blue Sky Rocky Mountain Columbine | HP | 0.83 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia caerulea</i> 'Kristall' Kristall Rocky Mountain Columbine | HP | 0.91 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia caerulea</i> 'Maxistar' Maxistar Rocky Mountain Columbine | HP | 0.87 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia caerulea</i> 'Red Hobbit' Red Hobbit Rocky Mountain Columbine | HP | 1.02 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia canadensis</i> Canadian Columbine | HP | 0.91 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia canadensis</i> 'Corbett' Corbett Canadian Columbine | HP | 0.92 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia chrysantha</i> Golden Columbine | HP | 0.94 | G4 | | 3-8 | | | 3 |
| <i>Aquilegia chrysantha</i> 'Yellow Queen' Yellow Queen Golden Columbine | HP | 1.06 | G4 | | 3-8 | | | 3 |
| <i>Aquilegia chrysantha</i> var. <i>hinckleyana</i> Hinckley's Columbine | HP | 1.03 | G4 | | 3-8 | | | 3 |
| <i>Aquilegia flabellata</i> Fan Columbine | HP | 1.00 | G4 | | 4-8 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Aquilegia flabellata</i> 'Alba' White Fan Columbine | HP | 0.97 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia flabellata</i> 'Ministar' Ministar Fan Columbine | HP | 1.04 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia flabellata</i> 'Nana Alba' Dwarf White Fan Columbine | HP | 0.99 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia flabellata</i> var. <i>pumila</i> Pumila Fan Columbine | HP | 0.98 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia formosa</i> Formosa Columbine | HP | 1.02 | G4 | | 3-8 | | | 3 |
| <i>Aquilegia formosa</i> 'Nana' Dwarf Formosa Columbine | HP | 0.97 | G4 | | 3-8 | | | 3 |
| <i>Aquilegia x hybrida</i> Hybrid Columbine | HP | 0.75 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'Biedermeier' Biedermeier Hybrid Columbine | HP | 0.91 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'Blue Bird' Blue Bird Hybrid Columbine | HP | 0.82 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'Blue Jay' Blue Jay Hybrid Columbine | HP | 0.89 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'Blue Shades' Blue Shades Hybrid Columbine | HP | 0.96 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'Blue Star' Blue Star Hybrid Columbine | HP | 1.11 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'Cardinal' Cardinal Hybrid Columbine | HP | 1.10 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'Crimson Star' Crimson Star Hybrid Columbine | HP | 1.05 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'Dove' Dove Hybrid Columbine | HP | 0.75 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'Dragonfly' Dragonfly Hybrid Columbine | HP | 0.99 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'Heavenly Blue' Heavenly Blue Hybrid Columbine | HP | 0.98 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'McKana Giant' McKana Giant Hybrid Columbine | HP | 0.95 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'McKana Hybrids' McKana Hybrid Columbine | HP | 1.05 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'Mrs. Scott Elliott' Mrs. Scott Elliott Hybrid Columbine | HP | 0.75 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'Musik' Musik Hybrid Columbine | HP | 1.04 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'Nora Barlow' Nora Barlow Hybrid Columbine | HP | 0.94 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'Red Star' Red Star Hybrid Columbine | HP | 0.90 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'Robin' Robin Hybrid Columbine | HP | 0.81 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia x hybrida</i> 'White Star' White Star Hybrid Columbine | HP | 0.91 | G4 | | 4-8 | | | 3 |
| <i>Aquilegia sibirica</i> No Common Name Found | HP | 0.97 | G4 | | 3-8 | | | 2 |
| <i>Aquilegia vulgaris</i> Garden Columbine | HP | 0.96 | G4 | | 4-8 | | | 4 |
| <i>Aquilegia vulgaris</i> 'Clematiflora' Clematiflora Garden Columbine | HP | 0.97 | G4 | | 4-8 | | | 4 |
| <i>Aquilegia vulgaris</i> 'Flore Pleno' Flore Pleno Garden Columbine | HP | 0.96 | G4 | | 4-8 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Aquilegia vulgaris</i> 'Ruby Port' Ruby Port Garden Columbine | HP | 1.02 | G4 | | 4-8 | | | 4 |
| <i>Arabis alpina</i> Mountain Rock Cress | HP | 0.80 | G4 | | 5-8 | | | 5 |
| <i>Arabis alpina</i> 'Compinkie' Compinkie Mountain Rock Cress | HP | 0.80 | G4 | | 5-8 | | | 5 |
| <i>Arabis alpina</i> 'Variegata' Variegated Mountain Rock Cress | HP | 0.97 | G4 | | 5-8 | | | 5 |
| <i>Arabis blepharophylla</i> Fringed Rock Cress | HP | 0.91 | G4 | | 7-9A | | | 7 |
| <i>Arabis blepharophylla</i> 'Spring Charm' Spring Charm Fringed Rock Cress | HP | 0.91 | G4 | | 7-9A | | | 7 |
| <i>Arabis caucasica</i> Wall Rock Cress | HP | 0.92 | G4 | | 4-8 | | | 4 |
| <i>Arabis caucasica</i> 'Flore Pleno' Flore Pleno Wall Rock Cress | HP | 0.83 | G4 | | 4-8 | | | 4 |
| <i>Arabis caucasica</i> 'Pink' Pink Wall Rock Cress | HP | 0.83 | G4 | | 4-8 | | | 4 |
| <i>Arabis caucasica</i> 'Snowcap' Snowcap Wall Rock Cress | HP | 0.90 | G4 | | 4-8 | | | 4 |
| <i>Arabis caucasica</i> 'Variegata' Variegated Wall Rock Cress | HP | 0.83 | G4 | | 4-8 | | | 4 |
| <i>Arabis ferdinandi-coburgi</i> Ferdinand's Rock Cress | HP | 0.97 | G4 | | 7-9A | | | 7 |
| <i>Arabis ferdinandi-coburgi</i> 'Variegata' Variegated Ferdinand's Rock Cress | HP | 0.99 | G4 | | 7-9A | | | 7 |
| <i>Arabis procurrens</i> No Common Name Found | HP | 0.81 | G4 | | 5-8 | | | 5 |
| <i>Arabis procurrens</i> 'Glacier' Glacier Rock Cress | HP | 0.81 | G4 | | 5-8 | | | 5 |
| <i>Arabis sturii</i> Alpine Rock Cress | HP | 0.97 | G4 | | 5-8 | | | 4 |
| <i>Arachis hypogaea</i> Peanut | HP | 1.00 | G1 | 8 | 9-10A | | | 8 |
| <i>Arachniodes aristata</i> East Indian Holly | HP | 1.19 | G4 | 8-9B | 10A-11 | | | 10 |
| <i>Arachniodes simplicior</i> Shield Fern | HP | 0.78 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Arachniodes simplicior</i> 'Variegata' Variegated Shield Fern | HP | 1.21 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Araeococcus flagellifolius</i> No Common Name Found | FO | 1.00 | G1 | 8-9B | 10 | | | 10B |
| <i>Aralia chinensis</i> See - <i>Aralia elata</i> | | | | | | | | |
| <i>Aralia cordata</i> Japanese Spikenard | HP | 1.10 | G1 | | 8-9B | | | 8 |
| <i>Aralia elata</i> Angelica Tree | DS | 1.45 | G1 | | 5-9B | | 1.00 | 4 |
| <i>Aralia elata</i> 'Aureovariegata' Aureovariegata Angelica Tree | DS | 3.43 | G1 | | 5-9B | | 1.00 | 4 |
| <i>Aralia elata</i> 'Variegata' Variegated Angelica Tree | DS | 3.43 | G1 | | 5-9B | | 1.00 | 4 |
| <i>Aralia elegantissima</i> See - <i>Schefflera elegantissima</i> | | | | | | | | |
| <i>Aralia racemosa</i> American Spikenard | HP | 1.11 | G1 | | 4-9B | | | 4 |
| <i>Aralia spinosa</i> Devil's Walkingstick | DS | 2.78 | G1 | | 4-9B | | 1.00 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Aralia spinosa</i> 'Aureo-variegata' Variegated Devil's Walkingstick | DS | 2.78 | G1 | | 4-9B | | 1.00 | 5 |
| x <i>Aranda</i> Aranda Hybrid Orchid | FO | 0.83 | G1 | | 4-9B | | | 10 |
| <i>Araucaria araucana</i> Monkey Puzzle | BE | 1.97 | G1 | 10A | 10B-11 | 1.00 | 1.53 | 8 |
| <i>Araucaria bidwillii</i> Bunya-Bunya Tree | BE | 1.29 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Araucaria columnaris</i> New Caledonia Pine | BE | 1.00 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Araucaria excelsa</i> See - <i>Araucaria heterophylla</i> | FO | 0.69 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Araucaria heterophylla</i> Norfolk Island Pine | | | | | | | | |
| <i>Araucaria heterophylla</i> 'Majestic Beauty' See - <i>Araucaria heterophylla</i> 'Monia' | FO | 0.69 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Araucaria heterophylla</i> 'Monia' Majestic Beauty™ Star Pine | | | | | | | | |
| <i>Araujia sericifera</i> White Bladder Flower | GC | 1.09 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Arbutus</i> Manzanita | BE | 0.92 | G1 | | 8-9A | 1.00 | 1.00 | 8 |
| <i>Arbutus</i> 'Marina' Marina Manzanita | BE | 0.92 | G1 | | 8-9A | 1.00 | 1.00 | 8 |
| <i>Arbutus andrachne</i> Madrone | BE | 1.00 | G1 | | 8-9A | 1.00 | 1.00 | 8 |
| <i>Arbutus menziesii</i> Pacific Madrone | BE | 1.17 | G1 | | 7-9A | 1.00 | 1.00 | 7 |
| <i>Arbutus texana</i> See - <i>Arbutus xalapensis</i> | BE | 0.73 | G1 | | 7-9A | 1.00 | 1.00 | 7 |
| <i>Arbutus unedo</i> Strawberry Tree | BS | 1.07 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Arbutus unedo</i> 'Compacta' Dwarf Strawberry Tree | BE | 0.84 | G1 | | 7-9A | 1.00 | 1.00 | 7 |
| <i>Arbutus unedo</i> 'Oktoberfest' Oktoberfest Strawberry Tree | BE | 1.12 | G1 | | 8-9A | 1.00 | 1.00 | 8 |
| <i>Arbutus xalapensis</i> No Common Name Found | BE | 0.97 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Archontophoenix</i> King Palm | BE | 0.97 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Archontophoenix</i> 'Mt. Lewis' Mt. Lewis King Palm | BE | 0.97 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Archontophoenix alexandrae</i> Alexandra Palm | BE | 1.59 | G1 | 10A | 10B-11 | 1.00 | 1.04 | 10 |
| <i>Archontophoenix cunninghamiana</i> Bangalow Palm | BE | 0.97 | G1 | 10A | 10B-11 | 1.00 | 1.07 | 10 |
| <i>Archontophoenix maxima</i> No Common Name Found | BE | 0.77 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Arctanthemum arcticum</i> Arctic Daisy | HP | 1.01 | G1 | | 2-10A | | | 1 |
| <i>Arctostaphylos</i> Manzanita | BS | 0.81 | G2 | | 8-9B | | 1.00 | 2 |
| <i>Arctostaphylos</i> 'Emerald Carpet' Emerald Carpet Hybrid Manzanita | GC | 1.03 | G2 | | 8-9B | | 1.00 | 2 |
| <i>Arctostaphylos</i> 'John Dourley' John Dourley Hybrid Manzanita | BS | 0.94 | G2 | | 8-9B | | 1.00 | 4 |
| <i>Arctostaphylos</i> 'Pacific Mist' Pacific Mist Hybrid Manzanita | BS | 0.81 | G2 | | 8-9B | | 1.00 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Arctostaphylos alpina</i> Alpine Bearberry | BS | 1.00 | G2 | | 8-9B | | 1.00 | 1 |
| <i>Arctostaphylos andersonii</i> Heartleaf Manzanita | BS | 0.94 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Arctostaphylos columbiana</i> Hairy Manzanita | BS | 1.12 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Arctostaphylos densiflora</i> Sonoma Manzanita | BS | 0.81 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Arctostaphylos densiflora</i> 'Howard McMinn' Howard McMinn Sonoma Manzanita | BS | 0.89 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Arctostaphylos densiflora</i> 'Sentinel' Sentinel Sonoma Manzanita | BS | 0.81 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Arctostaphylos edmundsii</i> Little Sur Manzanita | BS | 0.81 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Arctostaphylos edmundsii</i> 'Carmel Sur' Carmel Sur Little Sur Manzanita | BS | 0.81 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Arctostaphylos edmundsii</i> 'Indian Hill' Indian Hill Little Sur Manzanita | BS | 0.94 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Arctostaphylos glandulosa</i> Eastwood Manzanita | BS | 1.00 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Arctostaphylos glauca</i> Big Berry Manzanita | BS | 1.00 | G2 | | 8-9A | | 1.00 | 8 |
| <i>Arctostaphylos hookeri</i> Monterey Manzanita | BS | 0.81 | G2 | | 8-9A | | 1.00 | 8 |
| <i>Arctostaphylos hookeri</i> 'Buxifolia' Buxifolia Monterey Manzanita | BS | 0.81 | G2 | | 8-9A | | 1.00 | 8 |
| <i>Arctostaphylos hookeri</i> 'Ken Taylor' Ken Taylor Monterey Manzanita | BS | 0.81 | G2 | | 8-9A | | 1.00 | 8 |
| <i>Arctostaphylos hookeri</i> 'Monterey Carpet' Monterey Carpet Monterey Manzanita | GC | 0.94 | G2 | | 8-9A | | 1.00 | 8 |
| <i>Arctostaphylos hookeri</i> 'Wayside' Wayside Monterey Manzanita | BS | 0.81 | G2 | | 8-9A | | 1.00 | 8 |
| <i>Arctostaphylos insularis</i> Island Manzanita | BS | 0.94 | G2 | | 8-9A | | 1.00 | 9 |
| <i>Arctostaphylos insularis</i> 'Canyon Sparkles' Canyon Sparkles Island Manzanita | BS | 0.94 | G2 | | 8-9A | | 1.00 | 9 |
| <i>Arctostaphylos manzanita</i> Common Manzanita | BS | 1.12 | G2 | | 8 | | 1.00 | 8 |
| <i>Arctostaphylos manzanita</i> 'Dr. Hurd' Dr. Hurd Parry Manzanita | BS | 1.03 | G2 | | 8 | | 1.00 | 8 |
| <i>Arctostaphylos morroensis</i> Morro Manzanita | BS | 1.00 | G2 | | 8-9B | | 1.00 | 9 |
| <i>Arctostaphylos nummularia</i> Ft. Bragg Manzanita | BS | 1.00 | G2 | | 6-8 | | 1.00 | 6 |
| <i>Arctostaphylos pajaroensis</i> Pajaro Manzanita | BS | 0.94 | G2 | | 7-9A | | 1.00 | 9 |
| <i>Arctostaphylos pajaroensis</i> 'Paradise' Paradise Pajaro Manzanita | BS | 0.94 | G2 | | 8-9B | | 1.00 | 9 |
| <i>Arctostaphylos pajaroensis</i> 'Warren Roberts' Warren Roberts Pajaro Manzanita | BS | 0.94 | G2 | | 8-9B | | 1.00 | 9 |
| <i>Arctostaphylos pechoensis</i> Pecho Manzanita | BS | 1.00 | G2 | | 8-9B | | 1.00 | 9 |
| <i>Arctostaphylos pumila</i> Dune Manzanita | BS | 1.00 | G2 | | 8-9A | | 1.00 | 8 |
| <i>Arctostaphylos purissima</i> No Common Name Found | BS | 0.81 | G2 | | 8-9B | | 1.00 | 9 |
| <i>Arctostaphylos refugioensis</i> No Common Name Found | BS | 1.07 | G2 | | 8-9B | | 1.00 | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Arctostaphylos regismontana</i> | | | | | | | | |
| See - <i>Arctostaphylos andersonii</i> | | | | | | | | |
| <i>Arctostaphylos rudis</i> | BS | 1.00 | G2 | | 9A-10A | | | 1.00 9 |
| Shagbark Manzanita | | | | | | | | |
| <i>Arctostaphylos stanfordiana</i> | BS | 0.87 | G2 | | 6-9A | | | 1.00 6 |
| Stanford Manzanita | | | | | | | | |
| <i>Arctostaphylos stanfordiana</i> 'Louis Edmunds' | BS | 0.87 | G2 | | 6-9A | | | 1.00 6 |
| Louis Edmunds Stanford Manzanita | | | | | | | | |
| <i>Arctostaphylos stanfordiana</i> ssp. <i>bakeri</i> | BS | 1.00 | G2 | | 6-9A | | | 1.00 6 |
| Baker Manzanita | | | | | | | | |
| <i>Arctostaphylos uva-ursi</i> | GC | 1.35 | G1 | | 4-8 | | | 1.00 2 |
| Kinnikinnick | | | | | | | | |
| <i>Arctostaphylos uva-ursi</i> 'Alaska' | GC | 1.38 | G1 | | 4-8 | | | 1.00 2 |
| Alaska Common Bearberry | | | | | | | | |
| <i>Arctostaphylos uva-ursi</i> 'Massachusetts' | GC | 1.63 | G1 | | 4-8 | | | 1.00 2 |
| Massachusetts Common Bearberry | | | | | | | | |
| <i>Arctostaphylos uva-ursi</i> 'Point Reyes' | GC | 1.08 | G1 | | 4-8 | | | 1.00 2 |
| Point Reyes Common Bearberry | | | | | | | | |
| <i>Arctostaphylos uva-ursi</i> 'Point St. George' | GC | 0.94 | G1 | | 4-8 | | | 1.00 2 |
| Point St. George Common Bearberry | | | | | | | | |
| <i>Arctostaphylos uva-ursi</i> 'Radiant' | GC | 0.94 | G1 | | 4-8 | | | 1.00 2 |
| Radiant Common Bearberry | | | | | | | | |
| <i>Arctostaphylos uva-ursi</i> 'San Bruno Mountain' | GC | 0.94 | G1 | | 4-8 | | | 1.00 2 |
| San Bruno Mountain Common Bearberry | | | | | | | | |
| <i>Arctostaphylos uva-ursi</i> 'Vancouver Jade' | GC | 1.30 | G1 | | 4-8 | | | 1.00 2 |
| Vancouver Jade Common Bearberry | | | | | | | | |
| <i>Arctostaphylos uva-ursi</i> 'Wood's Compact' | GC | 0.97 | G1 | | 4-8 | | | 1.00 2 |
| Wood's Compact Common Bearberry | | | | | | | | |
| <i>Arctostaphylos uva-ursi</i> 'Wood's Red' | GC | 1.55 | G1 | | 4-8 | | | 1.00 2 |
| Wood's Red Common Bearberry | | | | | | | | |
| <i>Arctotis x hybrida</i> | HP | 1.00 | G1 | 7-8 | 9-10A | | | 9 |
| African Daisy | | | | | | | | |
| <i>Ardisia crenata</i> | BS | 1.02 | G3 | 9 | 10A-11 | | | 1.00 7 |
| Coralberry | | | | | | | | |
| <i>Ardisia escallonioides</i> | BS | 1.00 | G3 | 9 | 10A-11 | | | 1.00 9 |
| Marlberry | | | | | | | | |
| <i>Ardisia japonica</i> | BS | 0.89 | G3 | | 8-9A | | | 1.00 8 |
| Japanese Marlberry | | | | | | | | |
| <i>Ardisia japonica</i> 'Chirimen' | BS | 0.86 | G3 | | 8-9A | | | 1.00 8 |
| Chirimen Japanese Marlberry | | | | | | | | |
| <i>Areca catechu</i> | BE | 2.84 | G3 | 10 | 11 | 1.00 | 1.00 | 10 |
| Betel Palm | | | | | | | | |
| <i>Areca guppyana</i> | BE | 4.45 | G3 | 10 | 11 | 1.00 | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Areca vestiaria</i> | BS | 5.10 | G3 | 10 | 11 | | | 1.00 10 |
| No Common Name Found | | | | | | | | |
| <i>Arecastrum romanoffianum</i> | | | | | | | | |
| See - <i>Syagrus romanoffiana</i> | | | | | | | | |
| <i>Arenaria montana</i> | HP | 0.98 | G4 | | 4-8 | | | 4 |
| Sandwort | | | | | | | | |
| <i>Arenaria verna</i> | | | | | | | | |
| See - <i>Minuartia verna</i> | | | | | | | | |
| <i>Arenga australasica</i> | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| No Common Name Found | | | | | | | | |
| <i>Arenga brevipes</i> | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| No Common Name Found | | | | | | | | |
| <i>Arenga caudata</i> | BS | 1.58 | G1 | 10A | 10B-11 | | | 1.00 10 |
| No Common Name Found | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Arenga engleri</i> Dwarf Sugar Palm | BS | 1.76 | G1 | 8-9A | 9B-11 | | 2.01 | 10 |
| <i>Arenga pinnata</i> Sugar Palm | BE | 4.77 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Arenga tremula</i> No Common Name Found | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Arenga undulatifolia</i> No Common Name Found | BS | 3.17 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Arenga westerhoutii</i> No Common Name Found | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Argyranthemum frutescens</i> Marguerite | HP | 0.67 | G1 | | 9A-10B | | 9 | |
| <i>Argyranthemum frutescens</i> 'Pink' Pink Marguerite | HP | 0.64 | G1 | | 9A-10B | | 9 | |
| <i>Argyranthemum frutescens</i> 'White' White Marguerite | HP | 0.64 | G1 | | 9A-10B | | 9 | |
| <i>Argyranthemum frutescens</i> 'Yellow' Yellow Marguerite | HP | 0.64 | G1 | | 9A-10B | | 9 | |
| <i>Argyreia nervosa</i> Woolly Morning Glory | GC | 1.00 | G1 | | 9A-10B | | 1.00 | 9 |
| <i>Arisaema dracontium</i> Green Dragonroot | HP | 1.00 | G4 | | 4-8 | | 4 | |
| <i>Arisaema triphyllum</i> Jack-in-the-Pulpit | HP | 1.17 | G4 | | 4-8 | | 4 | |
| <i>Aristea ecklonii</i> Blue Stars | HP | 0.82 | G4 | | 9A-10A | | 9 | |
| <i>Aristolochia californica</i> California Dutchman's Pipe | GC | 1.24 | G1 | | 8-9A | | 1.00 | 8 |
| <i>Aristolochia durior</i> See - <i>Aristolochia macrophylla</i> | | | | | | | | |
| <i>Aristolochia elegans</i> See - <i>Aristolochia littoralis</i> | | | | | | | | |
| <i>Aristolochia gigantea</i> No Common Name Found | GC | 1.56 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Aristolochia grandiflora</i> Pelican Flower | GC | 1.37 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Aristolochia littoralis</i> Calico Flower | GC | 1.01 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Aristolochia macrophylla</i> Dutchman's Pipe | GC | 1.63 | G1 | 6 | 7-10A | | 1.00 | 6 |
| <i>Armeria alliacea</i> No Common Name Found | HP | 0.84 | G4 | | 7-9B | | 7 | |
| <i>Armeria caespitosa</i> Pyrenees Thrift | HP | 1.02 | G2 | | 8-10A | | 8 | |
| <i>Armeria cephalotes</i> See - <i>Armeria pseudarmeria</i> | | | | | | | | |
| <i>Armeria girardii</i> No Common Name Found | HP | 0.91 | G2 | | 8-10A | | 8 | |
| <i>Armeria juniperifolia</i> See - <i>Armeria caespitosa</i> | | | | | | | | |
| <i>Armeria maritima</i> Common Thrift | HP | 1.22 | G4 | | 4-8 | | 4 | |
| <i>Armeria maritima</i> 'Alba' White Common Thrift | HP | 0.90 | G4 | | 4-8 | | 4 | |
| <i>Armeria maritima</i> 'Bee's Ruby' Bee's Ruby Common Thrift | HP | 1.09 | G4 | | 4-8 | | 4 | |
| <i>Armeria maritima</i> 'Bloodstone' Bloodstone Common Thrift | HP | 0.92 | G4 | | 4-8 | | 4 | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Armeria maritima</i> 'Cotton Tail' Cotton Tail Common Thrift | HP | 0.99 | G4 | | 4-8 | | | 4 |
| <i>Armeria maritima</i> 'Dusseldorf Pride' Dusseldorf Pride Common Thrift | HP | 1.01 | G4 | | 4-8 | | | 4 |
| <i>Armeria maritima</i> 'Laucheana' Pink Common Thrift | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Armeria maritima</i> 'Ornament' Ornament Common Thrift | HP | 0.96 | G4 | | 4-8 | | | 4 |
| <i>Armeria maritima</i> 'Splendens' Splendens Common Thrift | HP | 0.89 | G4 | | 4-8 | | | 4 |
| <i>Armeria maritima</i> 'Victor Reiter' Victor Reiter Common Thrift | HP | 1.02 | G4 | | 4-8 | | | 4 |
| <i>Armeria maritima</i> 'Vindictive' Vindictive Common Thrift | HP | 0.96 | G4 | | 4-8 | | | 4 |
| <i>Armeria pseudarmeria</i> Pinkball Thrift | HP | 1.01 | G2 | | | 8-10A | | 8 |
| <i>Armeria setacea</i> See - <i>Armeria girardii</i> | | | | | | | | |
| <i>Armoracia rusticana</i> Horseradish | AN | 1.53 | G1 | | 5-9 | | | 5 |
| <i>Armoracia rusticana</i> 'Variegata' Variegated Horseradish | AN | 1.81 | G1 | | 5-9 | | | 5 |
| <i>Arnica montana</i> Mountain Arnica | HP | 0.97 | G1 | 6-8 | | 9-10A | | 6 |
| <i>Aronia arbutifolia</i> Red Chokeberry | DS | 1.11 | G1 | | 4-8 | | | 0.86 |
| <i>Aronia arbutifolia</i> 'Brilliantissima' Brilliant Red Chokeberry | DS | 1.05 | G1 | | 4-8 | | | 0.86 |
| <i>Aronia arbutifolia</i> 'Erecta' Upright Red Chokeberry | DS | 1.05 | G1 | | 4-8 | | | 0.86 |
| <i>Aronia melanocarpa</i> Black Chokeberry | DS | 1.01 | G1 | | 4-8 | | | 0.82 |
| <i>Aronia melanocarpa</i> 'Eastland' Eastland Black Chokeberry | DS | 0.86 | G1 | | 4-8 | | | 0.67 |
| <i>Aronia melanocarpa</i> 'Mandshurica' Manchurian Black Chokeberry | DS | 0.86 | G1 | | 4-8 | | | 0.63 |
| <i>Aronia melanocarpa</i> 'Viking' Viking Black Chokeberry | DS | 0.86 | G1 | | 4-8 | | | 0.76 |
| <i>Aronia melanocarpa</i> var. <i>elata</i> Glossy Black Chokeberry | DS | 0.90 | G1 | | 4-8 | | | 0.81 |
| <i>Aronia prunifolia</i> Purple Chokeberry | DS | 1.00 | G1 | | 4-8 | | | 0.55 |
| <i>Arrhenatherum elatius</i> False Oat Grass | HP | 1.08 | G4 | | 4-8 | | | 6 |
| <i>Arrhenatherum elatius</i> var. <i>bulbosum</i> Bulbous Oat Grass | HP | 1.20 | G4 | | 4-8 | | | 6 |
| <i>Arrhenatherum elatius</i> var. <i>bulbosum</i> 'Variegatum' Variegated Bulbous Oat Grass | HP | 1.16 | G4 | | 4-8 | | | 6 |
| <i>Artobotrys hexapetalus</i> Climbing Ilang-Ilang | GC | 1.00 | G1 | 9 | 10A-11 | | | 1.00 |
| <i>Artemisia</i> Wormwood | BS | 1.00 | G4 | 8 | 9A-10B | | | 1.00 |
| <i>Artemisia</i> 'Powis Castle' Powis Castle Wormwood | HP | 0.90 | G4 | 8 | 9A-10B | | | 3 |
| <i>Artemisia abrotanum</i> Southernwood | BS | 1.05 | G4 | | 4-8 | | | 1.00 |
| <i>Artemisia absinthium</i> Common Wormwood | HP | 0.71 | G4 | | 4-9A | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Artemisia absinthium</i> 'Lambrook Silver' Lambrook Silver Common Wormwood | HP | 1.08 | G4 | | 4-9A | | | 4 |
| <i>Artemisia alba</i> Camphor Southernwood | HP | 1.01 | G4 | | 6-10A | | | 6 |
| <i>Artemisia annua</i> Sweet Annie | AN | 1.22 | G4 | | 8-10A | | | 8 |
| <i>Artemisia arborescens</i> Shrubby Wormwood | BS | 0.81 | G4 | | 8-10A | | 1.00 | 8 |
| <i>Artemisia arbuscula</i> Sagebrush | BS | 0.77 | G4 | | 4-9A | | 1.00 | 3 |
| <i>Artemisia californica</i> California Sagebrush | BS | 1.00 | G2 | | 4-9A | | 1.00 | 3 |
| <i>Artemisia camphorata</i> See - <i>Artemisia alba</i> | | | | | | | | |
| <i>Artemisia cana</i> See - <i>Seriphidium canum</i> | | | | | | | | |
| <i>Artemisia dracunculus</i> French Tarragon | HP | 0.93 | G4 | | 3-8 | | | 3 |
| <i>Artemisia frigida</i> Fringed Sagebrush | BS | 0.75 | G4 | | 4-8 | | 1.00 | 4 |
| <i>Artemisia lactiflora</i> White Wormwood | HP | 0.98 | G4 | | 5-9A | | | 4 |
| <i>Artemisia lactiflora</i> 'Guizho' Guizho White Mugwort | HP | 1.09 | G4 | | 5-9A | | | 4 |
| <i>Artemisia ludoviciana</i> Western Sage | HP | 0.94 | G4 | | 5-9A | | | 5 |
| <i>Artemisia ludoviciana</i> 'Silver King' Silver King Western Sage | HP | 1.01 | G4 | | 5-9A | | | 5 |
| <i>Artemisia ludoviciana</i> 'Silver Queen' Silver Queen Western Sage | HP | 1.06 | G4 | | 5-9A | | | 5 |
| <i>Artemisia ludoviciana</i> 'Valerie Finnis' Valerie Finnis Western Sage | HP | 1.09 | G4 | | 5-9A | | | 5 |
| <i>Artemisia pontica</i> Roman Wormwood | HP | 1.00 | G4 | | 5-9A | | | 4 |
| <i>Artemisia pycnocephala</i> Sandhill Sage | HP | 1.13 | G2 | | 4-8 | | | 3 |
| <i>Artemisia pycnocephala</i> 'David's Choice' David's Choice Sandhill Sage | HP | 1.13 | G2 | | 4-8 | | | 3 |
| <i>Artemisia schmidtiana</i> Silvermound Wormwood | HP | 0.94 | G4 | | 4-8 | | | 4 |
| <i>Artemisia schmidtiana</i> 'Nana' Dwarf Silvermound Wormwood | HP | 0.88 | G4 | | 4-8 | | | 4 |
| <i>Artemisia schmidtiana</i> 'Silver Dust' Silver Dust Silvermound Wormwood | HP | 0.88 | G4 | | 4-8 | | | 4 |
| <i>Artemisia stelleriana</i> Beach Wormwood | HP | 1.01 | G4 | | 3-8 | | | 3 |
| <i>Artemisia stelleriana</i> 'Silver Brocade' Silver Brocade Beach Wormwood | HP | 1.05 | G4 | | 3-8 | | | 3 |
| <i>Artemisia tridentata</i> See - <i>Seriphidium tridentatum</i> | | | | | | | | |
| <i>Artocarpus altilis</i> Breadfruit | FN | 1.00 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Artocarpus heterophyllus</i> Jackfruit | FN | 1.00 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Arum italicum</i> Italian Arum | HP | 1.27 | G4 | | 5-7 | | | 6 |
| <i>Arum italicum</i> 'Marmoratum' Marmoratum Italian Arum | HP | 1.00 | G4 | | 5-7 | | | 6 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Aruncus aethusifolius</i> Dwarf Goat's Beard | HP | 1.08 | G4 | | 4-8 | | | 3 |
| <i>Aruncus dioicus</i> Sylvan Goat's Beard | HP | 1.01 | G4 | | 4-8 | | | 4 |
| <i>Aruncus dioicus</i> 'Kneiffii' Kneiffii Sylvan Goat's Beard | HP | 1.27 | G4 | | 4-8 | | | 4 |
| <i>Aruncus sinensis</i> No Common Name Found | HP | 0.99 | G4 | | 4-8 | | | 4 |
| <i>Aruncus sinensis</i> 'Zweiweltenkind' Zweiweltenkind Goat's Beard | HP | 0.99 | G4 | | 4-8 | | | 4 |
| <i>Arundina graminifolia</i> No Common Name Found | FO | 1.29 | G3 | 10A | 10B-11 | | | 10 |
| <i>Arundinaria anceps</i> See - <i>Yushania anceps</i> | | | | | | | | |
| <i>Arundinaria argenteostriata</i> See - <i>Pleoblastus argenteostriatus</i> | | | | | | | | |
| <i>Arundinaria chino</i> See - <i>Pleoblastus chino</i> | | | | | | | | |
| <i>Arundinaria gigantea</i> Giant Reed | BS | 1.06 | G3 | | 6-9 | | | 1.00 10 |
| <i>Arundinaria graminea</i> See - <i>Pleoblastus gramineus</i> | | | | | | | | |
| <i>Arundinaria linearis</i> See - <i>Pleoblastus linearis</i> | | | | | | | | |
| <i>Arundinaria pygmaea</i> See - <i>Pleoblastus pygmaeus</i> | | | | | | | | |
| <i>Arundinaria simonii</i> See - <i>Pleoblastus simonii</i> | | | | | | | | |
| <i>Arundinaria simonii</i> var. <i>heterophyllus</i> See - <i>Pleoblastus simonii</i> ssp. <i>variegatus</i> | | | | | | | | |
| <i>Arundinaria variegata</i> See - <i>Pleoblastus fortunei</i> | | | | | | | | |
| <i>Arundinaria viridistriata</i> See - <i>Pleoblastus auricoma</i> | | | | | | | | |
| <i>Arundo donax</i> No Common Name Found | HP | 1.10 | G4 | 7-8 | | | | 7 |
| <i>Arundo donax</i> var. <i>variegata</i> Variegated Giant Reed | HP | 1.15 | G4 | 8 | | | | 7 |
| <i>Arundo donax</i> var. <i>versicolor</i> Striped Giant Reed | HP | 1.14 | G4 | 8 | | | | 7 |
| <i>Asarina antirrhinifolia</i> Twining Snapdragon | GC | 1.37 | G4 | 9A | 9B-11 | | | 1.00 9 |
| <i>Asarina barclaiana</i> No Common Name Found | GC | 1.09 | G4 | 9A | 9B-11 | | | 1.00 9 |
| <i>Asarina erubescens</i> Creeping Gloxinia | GC | 1.09 | G4 | 9A | 9B-11 | | | 1.00 9 |
| <i>Asarum arifolium</i> Wild Ginger | GC | 1.37 | G4 | | 7-9A | | | 1.00 7 |
| <i>Asarum canadense</i> Canadian Wild Ginger | GC | 1.66 | G4 | | 5-9A | | | 1.00 4 |
| <i>Asarum caudatum</i> British Columbia Wild Ginger | GC | 1.07 | G4 | | 7-9A | | | 1.00 7 |
| <i>Asarum europaeum</i> European Wild Ginger | GC | 2.32 | G4 | 5-8 | 9 | | | 1.00 5 |
| <i>Asarum virginicum</i> Virginia Ginger | HP | 0.98 | G4 | | 7-9A | | | 7 |
| <i>Asclepias curassavica</i> Bloodflower | HP | 0.82 | G4 | 9B | 10A-11 | | | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Asclepias fruticosa</i> Swan Plant | HP | 1.00 | G4 | 8-9A | 9B-11 | | | 8 |
| <i>Asclepias incarnata</i> Swamp Milkweed | HP | 0.94 | G4 | 4-9A | 9B-10A | | | 3 |
| <i>Asclepias incarnata</i> 'Ice Ballet' Ice Ballet Swamp Milkweed | HP | 0.89 | G4 | 4-9A | 9B-10A | | | 3 |
| <i>Asclepias sullivantii</i> Sullivant's Milkweed | HP | 1.00 | G4 | 4-9A | 9B-10A | | | 4 |
| <i>Asclepias tuberosa</i> Butterfly Weed | HP | 0.93 | G4 | 4-9A | 9B-10A | | | 3 |
| <i>Asclepias tuberosa</i> 'Gay Butterflies' Gay Butterflies Butterfly Weed | HP | 0.98 | G4 | 4-9A | 9B-10A | | | 3 |
| <i>Asclepias tuberosa</i> 'Hello Yellow' Hello Yellow Butterfly Weed | HP | 1.29 | G4 | 4-9A | 9B-10A | | | 3 |
| <i>Asclepias verticillata</i> Whorled Milkweed | HP | 0.78 | G4 | 4-9A | 9B-10A | | | 4 |
| x <i>Ascocenda</i> Ascocenda Hybrid Orchid | FO | 1.42 | G4 | 4-9A | 9B-10A | | | 10 |
| <i>Ascocentrum miniatum</i> No Common Name Found | FO | 1.63 | G1 | 9 | 10A-11 | | | 10 |
| <i>Asimina parviflora</i> Dwarf Pawpaw | DS | 0.91 | G1 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Asimina triloba</i> Papaw | DT | 0.66 | G1 | 5-6 | 7-9B | 1.00 | 0.64 | 5 |
| <i>Asparagus africanus</i> No Common Name Found | FO | 1.00 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Asparagus densiflorus</i> Plume Asparagus | FO | 0.33 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Asparagus densiflorus</i> 'Myers' Myers Plume Asparagus | FO | 0.42 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Asparagus densiflorus</i> 'Sprengeri Compacta' Compact Sprengeri Asparagus | FO | 0.48 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Asparagus densiflorus</i> 'Sprengeri' Sprengeri Asparagus | FO | 0.30 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Asparagus macowanii</i> Ming Fern | FO | 0.83 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Asparagus officinalis</i> Common Asparagus | HP | 0.91 | G1 | 4-9B | 10A-11 | | | 4 |
| <i>Asparagus officinalis</i> 'Jersey Giant' Jersey Giant Asparagus | HP | 1.54 | G1 | 4-9B | 10A-11 | | | 4 |
| <i>Asparagus officinalis</i> 'Martha Washington' Martha Washington Asparagus | HP | 0.91 | G1 | 4-9B | 10A-11 | | | 4 |
| <i>Asparagus officinalis</i> 'Pseudoscaber' Pseudoscaber Asparagus | HP | 1.25 | G1 | 4-9B | 10A-11 | | | 4 |
| <i>Asparagus plumosus</i> See - <i>Asparagus setaceus</i> | | | | | | | 1.00 | 9 |
| <i>Asparagus retrofractus</i> Zigzag Shrub | BS | 0.92 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Asparagus setaceus</i> Asparagus Fern | FO | 0.35 | G3 | 8-9A | 9B-11 | | | 9 |
| <i>Asparagus setaceus</i> 'Nanus' Compact Asparagus Fern | FO | 0.35 | G3 | 8-9A | 9B-11 | | | 9 |
| <i>Asparagus setaceus</i> 'Pyramidalis' Cypress Asparagus | FO | 0.38 | G3 | 8-9A | 9B-11 | | | 9 |
| <i>Asparagus verticillatus</i> No Common Name Found | FO | 1.00 | G3 | 6-9A | 9B-11 | | | 6 |
| <i>Aspasia epidendroides</i> No Common Name Found | FO | 1.63 | G1 | 9 | 10A-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|-----------|---------------------|-------------|---------|------------|
| | | | SK | Insurable HZ Req | Not Req | Caliper | |
| <i>Asperula odorata</i> | | | | | | | |
| See - <i>Galium odoratum</i> | | | | | | | |
| <i>Asphodeline lutea</i> | HP | 1.07 | G4 | | 7-9A | | 7 |
| Jacob's Rod | | | | | | | |
| <i>Asphodeline taurica</i> | HP | 1.00 | G4 | | 7-9A | | 7 |
| No Common Name Found | | | | | | | |
| <i>Aspidistra elatior</i> | FO | 0.53 | G3 | 8-9B | 10A-11 | | 7 |
| Cast Iron Plant | | | | | | | |
| <i>Aspidistra elatior</i> 'Milky Way' | FO | 1.12 | G3 | 8-9B | 10A-11 | | 7 |
| Milky Way Cast Iron Plant | | | | | | | |
| <i>Aspidistra elatior</i> 'Variegata' | FO | 1.71 | G3 | 8-9B | 10A-11 | | 7 |
| Variegated Cast Iron Plant | | | | | | | |
| <i>Asplenium antiquum</i> | FO | 0.52 | G3 | 7-8 | 9-11 | | 9 |
| No Common Name Found | | | | | | | |
| <i>Asplenium bulbiferum</i> | HP | 1.00 | G3 | 8-9B | 10A-11 | | 10 |
| Mother Fern | | | | | | | |
| <i>Asplenium bulbiferum</i> var. <i>laxum</i> | HP | 1.00 | G3 | 8-9B | 10A-11 | | 10 |
| Laxum Mother Fern | | | | | | | |
| <i>Asplenium ebeneum</i> | | | | | | | |
| See - <i>Asplenium platyneuron</i> | | | | | | | |
| <i>Asplenium nidus</i> | FO | 0.65 | G3 | 8-10B | 11 | | 10 |
| Bird's Nest Fern | | | | | | | |
| <i>Asplenium platyneuron</i> | HP | 1.14 | G3 | 6-9 | 10A-11 | | 5 |
| Ebony Spleenwort | | | | | | | |
| <i>Asplenium rhizophyllum</i> | HP | 1.00 | G3 | 6-8 | 9-11 | | 10 |
| Walking Fern | | | | | | | |
| <i>Asplenium scolopendrium</i> | HP | 0.99 | G4 | 5-6 | 7-9A | | 5 |
| Hart's-Tongue Fern | | | | | | | |
| <i>Asplenium scolopendrium</i> 'Laceratum Kaye' | HP | 1.09 | G4 | 5-6 | 7-9A | | 5 |
| Laceratum Kaye Hart's Tongue Fern | | | | | | | |
| <i>Astelia nervosa</i> | BS | 1.00 | G4 | 9A | 9B-10A | | 1.00 |
| Silver Spear | | | | | | | 9 |
| <i>Aster x albellus</i> | HP | 0.89 | G4 | | 3-9A | | 3 |
| Triumph Aster | | | | | | | |
| <i>Aster alpinus</i> | HP | 1.14 | G4 | | 3-9A | | 3 |
| Alpine Aster | | | | | | | |
| <i>Aster alpinus</i> 'Albus' | HP | 0.91 | G4 | | 3-9A | | 3 |
| White Alpine Aster | | | | | | | |
| <i>Aster alpinus</i> 'Dark Beauty' | HP | 0.82 | G4 | | 3-9A | | 3 |
| Dark Beauty Alpine Aster | | | | | | | |
| <i>Aster alpinus</i> 'Goliath' | HP | 0.81 | G4 | | 3-9A | | 3 |
| Goliath Alpine Aster | | | | | | | |
| <i>Aster alpinus</i> 'Happy End' | HP | 0.83 | G4 | | 3-9A | | 3 |
| Happy End Alpine Aster | | | | | | | |
| <i>Aster amellus</i> | HP | 0.80 | G4 | | 5-9A | | 5 |
| Italian Aster | | | | | | | |
| <i>Aster amellus</i> 'Joseph Lakin' | HP | 1.18 | G4 | | 5-9A | | 5 |
| Joseph Lakin Italian Aster | | | | | | | |
| <i>Aster amellus</i> 'King George' | HP | 0.80 | G4 | | 5-9A | | 5 |
| King George Italian Aster | | | | | | | |
| <i>Aster amellus</i> 'Rudolph Goethe' | HP | 0.83 | G4 | | 5-9A | | 5 |
| Rudolph Goethe Italian Aster | | | | | | | |
| <i>Aster amellus</i> 'Violet Queen' | HP | 1.15 | G4 | | 5-9A | | 5 |
| Violet Queen Italian Aster | | | | | | | |
| <i>Aster azureus</i> | | | | | | | |
| See - <i>Aster oolentangiensis</i> | | | | | | | |
| <i>Aster carolinianus</i> | HP | 0.90 | G4 | | 8-10A | | 8 |
| Climbing Aster | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Aster concolor</i> | HP | 0.89 | G4 | | 5-10A | | | 4 |
| No Common Name Found | | | | | | | | |
| <i>Aster cordifolius</i> | HP | 0.93 | G4 | | 4-9B | | | 3 |
| Heart-leaf Aster | | | | | | | | |
| <i>Aster cordifolius</i> 'Little Carlow' | HP | 0.93 | G4 | | 4-9B | | | 3 |
| Little Carlow Heart-leaf Aster | | | | | | | | |
| <i>Aster divaricatus</i> | HP | 1.11 | G4 | | 4-9B | | | 4 |
| White Wood Aster | | | | | | | | |
| <i>Aster x dumosus</i> | HP | 0.89 | G4 | | 4-9B | | | 3 |
| Bushy Aster | | | | | | | | |
| <i>Aster ericoides</i> | HP | 0.95 | G4 | | 4-9B | | | 3 |
| Heath Aster | | | | | | | | |
| <i>Aster ericoides</i> 'Monte Cassino' | HP | 1.00 | G4 | | 4-9B | | | 3 |
| Monte Cassino Heath Aster | | | | | | | | |
| <i>Aster ericoides</i> 'Pink Cloud' | HP | 0.95 | G4 | | 4-9B | | | 3 |
| Pink Cloud Heath Aster | | | | | | | | |
| <i>Aster ericoides</i> 'Ring Dove' | HP | 1.16 | G4 | | 4-9B | | | 3 |
| Ring Dove Heath Aster | | | | | | | | |
| <i>Aster x frikartii</i> | HP | 0.96 | G4 | 6-9B | 10 | | | 4 |
| Frikart's Aster | | | | | | | | |
| <i>Aster x frikartii</i> 'Monch' | HP | 1.03 | G4 | 6-9B | 10 | | | 4 |
| Monch Frikart's Aster | | | | | | | | |
| <i>Aster x frikartii</i> 'Wonder of Staffa' | HP | 1.02 | G4 | 6-9B | 10 | | | 4 |
| Wonder of Staffa Frikart's Aster | | | | | | | | |
| <i>Aster laevis</i> | HP | 1.01 | G4 | | 5-8 | | | 4 |
| Smooth Aster | | | | | | | | |
| <i>Aster laevis</i> 'Bluebird' | HP | 1.01 | G4 | | 5-8 | | | 4 |
| Bluebird Smooth Aster | | | | | | | | |
| <i>Aster lateriflorus</i> | HP | 0.92 | G4 | | 5-8 | | | 3 |
| Calico Aster | | | | | | | | |
| <i>Aster lateriflorus</i> 'Coombe Fishacre' | HP | 0.93 | G4 | | 5-8 | | | 3 |
| Coombe Fishacre Calico Aster | | | | | | | | |
| <i>Aster lateriflorus</i> 'Horizontalis' | HP | 1.11 | G4 | | 5-8 | | | 3 |
| Horizontal Branching Calico Aster | | | | | | | | |
| <i>Aster lateriflorus</i> 'Prince' | HP | 0.92 | G4 | | 5-8 | | | 3 |
| Prince Calico Aster | | | | | | | | |
| <i>Aster linearifolius</i> | HP | 1.00 | G4 | | 5-8 | | | 4 |
| Flax Leaf Aster | | | | | | | | |
| <i>Aster macrophyllus</i> | HP | 1.01 | G4 | | 5-8 | | | 3 |
| Big Leaf Aster | | | | | | | | |
| <i>Aster macrophyllus</i> 'Albus' | HP | 0.98 | G4 | | 5-8 | | | 3 |
| White Bigleaf Aster | | | | | | | | |
| <i>Aster novae-angliae</i> | HP | 0.99 | G4 | | 5-8 | | | 2 |
| New England Aster | | | | | | | | |
| <i>Aster novae-angliae</i> 'Alma Potschke' | HP | 0.90 | G4 | | 5-8 | | | 2 |
| Alma Potschke New England Aster | | | | | | | | |
| <i>Aster novae-angliae</i> 'Fanny's Aster' | HP | 0.97 | G4 | | 5-8 | | | 2 |
| Fanny's Aster New England Aster | | | | | | | | |
| <i>Aster novae-angliae</i> 'Harrington's Pink' | HP | 0.98 | G4 | | 5-8 | | | 2 |
| Harrington's Pink New England Aster | | | | | | | | |
| <i>Aster novae-angliae</i> 'Hella Lacy' | HP | 1.00 | G4 | | 5-8 | | | 2 |
| Hella Lacy New England Aster | | | | | | | | |
| <i>Aster novae-angliae</i> 'Honeysong Pink' | HP | 0.93 | G4 | | 5-8 | | | 2 |
| Honeysong Pink New England Aster | | | | | | | | |
| <i>Aster novae-angliae</i> 'Mt. Everest' | HP | 0.85 | G4 | | 5-8 | | | 2 |
| Mt. Everest New England Aster | | | | | | | | |
| <i>Aster novae-angliae</i> 'Persian Rose' | HP | 0.96 | G4 | | 5-8 | | | 2 |
| Persian Rose New England Aster | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Aster novae-angliae</i> 'Rose Serenade' Rose Serenade New England Aster | HP | 1.11 | G4 | | 5-8 | | | 2 |
| <i>Aster novae-angliae</i> 'Rudelsburg' Rudelsburg New England Aster | HP | 1.01 | G4 | | 5-8 | | | 2 |
| <i>Aster novae-angliae</i> 'September Ruby' September Ruby New England Aster | HP | 0.92 | G4 | | 5-8 | | | 2 |
| <i>Aster novae-angliae</i> 'Treasure' Treasure New England Aster | HP | 0.91 | G4 | | 5-8 | | | 2 |
| <i>Aster novae-angliae</i> 'Wedding Lace' Wedding Lace New England Aster | HP | 0.85 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> New York Aster | HP | 0.96 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Alert' Alert New York Aster | HP | 0.90 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Alice Haslem' Alice Haslem New York Aster | HP | 0.87 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Audrey' Audrey New York Aster | HP | 0.95 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Blaue Lagune' Blaue Lagune New York Aster | HP | 1.00 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Crimson Brocade' Crimson Brocade New York Aster | HP | 0.85 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Eventide' Eventide New York Aster | HP | 0.91 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Fellowship' Fellowship New York Aster | HP | 0.90 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Heinz Richard' Heinz Richard New York Aster | HP | 1.01 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Jenny' Jenny New York Aster | HP | 0.91 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Lady in Blue' Lady in Blue New York Aster | HP | 0.97 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'M. Ballard' M. Ballard New York Aster | HP | 1.00 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Nesthakchen' Nesthakchen New York Aster | HP | 0.89 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Newton Pink' Newton Pink New York Aster | HP | 0.89 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Niobe' Niobe New York Aster | HP | 0.85 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Patricia Ballard' Patricia Ballard New York Aster | HP | 0.90 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Peter Harrison' Peter Harrison New York Aster | HP | 1.02 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Pink Bouquet' Pink Bouquet New York Aster | HP | 0.96 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Professor Kippenburg' Professor Kippenburg New York Aster | HP | 0.89 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Purple Dome' Purple Dome New York Aster | HP | 0.91 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Rosenwitchel' Rosenwitchel New York Aster | HP | 0.94 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Royal Opal' Royal Opal New York Aster | HP | 1.11 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Royal Ruby' Royal Ruby New York Aster | HP | 1.17 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Schone von Dietlikon' Schone von Dietlikon New York Aster | HP | 0.85 | G4 | | 5-8 | | | 2 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Aster novi-belgii</i> 'Snow Cushion' Snow Cushion New York Aster | HP | 1.15 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Snow Flurry' Snow Flurry New York Aster | HP | 0.88 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Violet Carpet' Violet Carpet New York Aster | HP | 1.29 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'White Opal' White Opal New York Aster | HP | 0.85 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'White Swan' White Swan New York Aster | HP | 0.95 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Winston Churchill' Winston Churchill New York Aster | HP | 1.04 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Wood's Blue' Wood's Blue New York Aster | HP | 0.92 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Wood's Pink' Wood's Pink New York Aster | HP | 0.99 | G4 | | 5-8 | | | 2 |
| <i>Aster novi-belgii</i> 'Wood's Purple' Wood's Purple New York Aster | HP | 1.02 | G4 | | 5-8 | | | 2 |
| <i>Aster oblongifolius</i> Aromatic Aster | HP | 0.94 | G1 | 7-8 | 9A-11 | | | 9 |
| <i>Aster oblongifolius</i> 'Raydon's Favorite' Raydon's Favorite Aromatic Aster | HP | 1.02 | G1 | 7-8 | 9A-11 | | | 9 |
| <i>Aster oolentangiensis</i> Sky Blue Aster | HP | 1.06 | G1 | 6-8 | 9A-11 | | | 5 |
| <i>Aster patens</i> Late Purple Aster | HP | 1.00 | G1 | 6-8 | 9A-11 | | | 4 |
| <i>Aster praetutus</i> Willow Aster | HP | 1.00 | G1 | 6-8 | 9A-11 | | | 4 |
| <i>Aster ptarmicoides</i> Upland White Aster | HP | 0.96 | G1 | 6-8 | 9A-11 | | | 3 |
| <i>Aster puniceus</i> Swamp Aster | HP | 1.00 | G1 | 6-8 | 9A-11 | | | 3 |
| <i>Aster sericeus</i> Silky Aster | HP | 1.00 | G1 | 6-8 | 9A-11 | | | 4 |
| <i>Aster shortii</i> Short's Aster | HP | 1.00 | G1 | 6-8 | 9A-11 | | | 4 |
| <i>Aster spectabilis</i> Seaside Aster | HP | 1.00 | G1 | 6-8 | 9A-11 | | | 5 |
| <i>Aster tataricus</i> Tatarian Aster | HP | 1.08 | G1 | 6-8 | 9A-11 | | | 3 |
| <i>Aster tataricus</i> 'Jindai' Japanese Tatarian Aster | HP | 1.08 | G1 | 6-8 | 9A-11 | | | 3 |
| <i>Aster tongolensis</i> East Indies Aster | HP | 0.96 | G1 | 7-8 | 9A-11 | | | 8 |
| <i>Aster tongolensis</i> 'Wartburg Star' Wartburg Star East Indies Aster | HP | 0.93 | G1 | 7-8 | 9A-11 | | | 8 |
| <i>Aster umbellatus</i> Flat Top Aster | HP | 0.96 | G1 | 6-8 | 9A-11 | | | 3 |
| <i>Asteriscus maritimus</i> Gold Coin | HP | 0.83 | G4 | | 7-9A | | | 7 |
| <i>Asteriscus sericeus</i> See - <i>Nauplius sericeus</i> | FO | 1.97 | G3 | 10A | 10B-11 | | | 10B |
| <i>Asterogyne martiana</i> No Common Name Found | | | | | | | | |
| <i>Asteromoea mongolica</i> See - <i>Kalimeris pinnatifida</i> | | | | | | | | |
| <i>Astilbe x arendsi</i> Astilbe Hybrid | HP | 1.03 | G4 | | 5-8 | | | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Astilbe x arendsii</i> 'Amethyst' Amethyst Hybrid Astilbe | HP | 1.02 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Anita Pfeifer' Anita Pfeifer Hybrid Astilbe | HP | 1.02 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Avalanche' Avalanche Hybrid Astilbe | HP | 1.19 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Bergkristal' Bergkristal Hybrid Astilbe | HP | 0.91 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Betsy Cuperus' Betsy Cuperus Hybrid Astilbe | HP | 1.08 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Bressingham Beauty' Bressingham Beauty Hybrid Astilbe | HP | 1.03 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Bridal Veil' Bridal Veil Hybrid Astilbe | HP | 1.07 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Bumalda' Bumalda Hybrid Astilbe | HP | 1.09 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Cattleya' Cattleya Hybrid Astilbe | HP | 1.01 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Diamond' Diamond Hybrid Astilbe | HP | 1.04 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Ellie' Ellie Hybrid Astilbe | HP | 1.05 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Erica' Erica Hybrid Astilbe | HP | 0.98 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Etna' Etna Hybrid Astilbe | HP | 0.96 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Fanal' Fanal Hybrid Astilbe | HP | 1.09 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Federsee' Federsee Hybrid Astilbe | HP | 1.01 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Fire' Fire Hybrid Astilbe | HP | 0.95 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Gladstone' Gladstone Hybrid Astilbe | HP | 0.91 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Gloria' Gloria Hybrid Astilbe | HP | 1.05 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Glow' Glow Hybrid Astilbe | HP | 0.92 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Granat' Granat Hybrid Astilbe | HP | 0.97 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Greta Pungel' Greta Pungel Hybrid Astilbe | HP | 0.68 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Hyacinthia' Hyacinthia Hybrid Astilbe | HP | 0.95 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Irrlicht' Irrlicht Hybrid Astilbe | HP | 0.68 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Lilli Goos' Lilli Goos Hybrid Astilbe | HP | 1.09 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Mainz' Mainz Hybrid Astilbe | HP | 0.91 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Queen of Holland' Queen of Holland Hybrid Astilbe | HP | 1.04 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Red Light' Red Light Hybrid Astilbe | HP | 1.04 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Rheinland' Rheinland Hybrid Astilbe | HP | 1.06 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsii</i> 'Snowdrift' Snowdrift Hybrid Astilbe | HP | 0.92 | G4 | | 5-8 | | | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Astilbe x arendsi</i> 'Spartan' Spartan Hybrid Astilbe | HP | 0.98 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsi</i> 'Spinell' Spinell Hybrid Astilbe | HP | 1.07 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsi</i> 'Vesuvius' Vesuvius Hybrid Astilbe | HP | 0.91 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsi</i> 'Washington' Washington Hybrid Astilbe | HP | 0.99 | G4 | | 5-8 | | | 6 |
| <i>Astilbe x arendsi</i> 'White Gloria' White Gloria Hybrid Astilbe | HP | 1.05 | G4 | | 5-8 | | | 6 |
| <i>Astilbe chinensis</i> Chinese Astilbe | HP | 0.90 | G4 | | 5-10A | | | 5 |
| <i>Astilbe chinensis</i> 'Darwin's Surprise' Darwin's Surprise Chinese Astilbe | HP | 1.16 | G4 | | 5-10A | | | 5 |
| <i>Astilbe chinensis</i> 'Finale' Finale Chinese Astilbe | HP | 0.99 | G4 | | 5-10A | | | 5 |
| <i>Astilbe chinensis</i> 'Intermezzo' Intermezzo Chinese Astilbe | HP | 1.03 | G4 | | 5-10A | | | 5 |
| <i>Astilbe chinensis</i> 'Pumila' Pumila Chinese Astilbe | HP | 1.01 | G4 | | 5-10A | | | 5 |
| <i>Astilbe chinensis</i> 'Serenade' Serenade Chinese Astilbe | HP | 1.14 | G4 | | 5-10A | | | 5 |
| <i>Astilbe chinensis</i> 'Veronica Klose' Veronica Klose Chinese Astilbe | HP | 1.32 | G4 | | 5-10A | | | 5 |
| <i>Astilbe chinensis</i> 'Visions' Visions Chinese Astilbe | HP | 1.23 | G4 | | 5-10A | | | 5 |
| <i>Astilbe chinensis</i> var. <i>davidii</i> Davidii Chinese Astilbe | HP | 0.91 | G4 | | 5-10A | | | 5 |
| <i>Astilbe chinensis</i> var. <i>taquetti</i> Fall Astilbe | HP | 1.04 | G4 | | 5-10A | | | 5 |
| <i>Astilbe chinensis</i> var. <i>taquetti</i> 'Purple Candles' Purple Candles Fall Astilbe | HP | 0.98 | G4 | | 5-10A | | | 5 |
| <i>Astilbe chinensis</i> var. <i>taquetti</i> 'Purple Lance' Purple Lance Fall Astilbe | HP | 1.12 | G4 | | 5-10A | | | 5 |
| <i>Astilbe chinensis</i> var. <i>taquetti</i> 'Superba' Superba Fall Astilbe | HP | 0.97 | G4 | | 5-10A | | | 5 |
| <i>Astilbe x crispa</i> Garden Hybrid Astilbe | HP | 1.09 | G4 | | 6-10A | | | 6 |
| <i>Astilbe x crispa</i> 'Perkeo' Perkeo Garden Hybrid Astilbe | HP | 1.09 | G4 | | 6-10A | | | 6 |
| <i>Astilbe glaberrima</i> No Common Name Found | HP | 1.44 | G4 | | 6-10A | | | 4 |
| <i>Astilbe glaberrima</i> 'Saxatilis' Saxatilis Astilbe | HP | 1.44 | G4 | | 6-10A | | | 4 |
| <i>Astilbe japonica</i> Japanese Astilbe | HP | 0.93 | G4 | | 5-9B | | | 5 |
| <i>Astilbe japonica</i> 'Bonn' Bonn Japanese Astilbe | HP | 0.93 | G4 | | 5-9B | | | 5 |
| <i>Astilbe japonica</i> 'Bremen' Bremen Japanese Astilbe | HP | 0.95 | G4 | | 5-9B | | | 5 |
| <i>Astilbe japonica</i> 'Deutschland' Deutschland Japanese Astilbe | HP | 1.03 | G4 | | 5-9B | | | 5 |
| <i>Astilbe japonica</i> 'Europa' Europa Japanese Astilbe | HP | 1.04 | G4 | | 5-9B | | | 5 |
| <i>Astilbe japonica</i> 'Koblenz' Koblenz Japanese Astilbe | HP | 1.21 | G4 | | 5-9B | | | 5 |
| <i>Astilbe japonica</i> 'Montgomery' Montgomery Japanese Astilbe | HP | 1.06 | G4 | | 5-9B | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Astilbe japonica</i> 'Red Sentinel' Red Sentinel Japanese Astilbe | HP | 1.02 | G4 | | 5-9B | | | 5 |
| <i>Astilbe x rosea</i> Rose Astilbe | HP | 0.85 | G4 | | 6-10A | | | 6 |
| <i>Astilbe x rosea</i> 'Peach Blossom' Peach Blossom Rose Astilbe | HP | 1.07 | G4 | | 6-10A | | | 6 |
| <i>Astilbe simplicifolia</i> Star Astilbe | HP | 0.92 | G4 | | 7-10A | | | 7 |
| <i>Astilbe simplicifolia</i> 'Alba' White Star Astilbe | HP | 1.37 | G4 | | 7-10A | | | 7 |
| <i>Astilbe simplicifolia</i> 'Aphrodite' Aphrodite Star Astilbe | HP | 1.24 | G4 | | 7-10A | | | 7 |
| <i>Astilbe simplicifolia</i> 'Bronze Elegans' Bronze Elegans Star Astilbe | HP | 1.07 | G4 | | 7-10A | | | 7 |
| <i>Astilbe simplicifolia</i> 'Dunkellachs' Dunkellachs Star Astilbe | HP | 1.29 | G4 | | 7-10A | | | 7 |
| <i>Astilbe simplicifolia</i> 'Hennie Graafland' Hennie Graafland Star Astilbe | HP | 1.11 | G4 | | 7-10A | | | 7 |
| <i>Astilbe simplicifolia</i> 'Inncerry' Inncerry Star Astilbe | HP | 0.92 | G4 | | 7-10A | | | 7 |
| <i>Astilbe simplicifolia</i> 'Inshriach Pink' Inshriach Pink Star Astilbe | HP | 0.92 | G4 | | 7-10A | | | 7 |
| <i>Astilbe simplicifolia</i> 'Praecox' Praecox Star Astilbe | HP | 1.05 | G4 | | 7-10A | | | 7 |
| <i>Astilbe simplicifolia</i> 'Rosea' Rosea Star Astilbe | HP | 1.31 | G4 | | 7-10A | | | 7 |
| <i>Astilbe simplicifolia</i> 'Sprite' Sprite (Dwarf) Star Astilbe | HP | 1.09 | G4 | | 7-10A | | | 7 |
| <i>Astilbe thunbergii</i> No Common Name Found | HP | 1.03 | G4 | | 7-10A | | | 7 |
| <i>Astilbe thunbergii</i> 'Ostrich Plume' Ostrich Plume Astilbe | HP | 1.07 | G4 | | 7-10A | | | 7 |
| <i>Astilbe thunbergii</i> 'Prof. van der Wielen' Prof. van der Wielen Astilbe | HP | 1.03 | G4 | | 7-10A | | | 7 |
| <i>Astilboides tabularis</i> No Common Name Found | HP | 1.40 | G4 | | 7-10A | | | 7 |
| <i>Astragalus canadensis</i> Milkvetch | HP | 1.00 | G1 | 8 | 9A-10B | | | 8 |
| <i>Astrantia carnatica</i> Lesser Masterwort | HP | 1.35 | G4 | | 6-9B | | | 6 |
| <i>Astrantia carnatica</i> 'Rubra' Red Lesser Masterwort | HP | 1.35 | G4 | | 6-9B | | | 6 |
| <i>Astrantia major</i> Greater Masterwort | HP | 1.63 | G4 | | 6-9B | | | 6 |
| <i>Astrantia major</i> 'Lars' Lars Greater Masterwort | HP | 1.36 | G4 | | 6-9B | | | 6 |
| <i>Astrantia major</i> 'Rosea' Rose Masterwort | HP | 1.18 | G4 | | 6-9B | | | 6 |
| <i>Astrantia major</i> 'Rosenymphonie' Rose Symphony Masterwort | HP | 1.18 | G4 | | 6-9B | | | 6 |
| <i>Astrocaryum standleyanum</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Astrophytum ornatum</i> Star Cactus | FO | 1.00 | G3 | 8-9B | 10A-11 | | | 7 |
| <i>Asystasia coromandeliana</i> See - <i>Asystasia gangetica</i> | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Asystasia gangetica</i> Ganges Primrose | GC | 0.87 | G4 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Athanasia parviflora</i> See - <i>Hymenolepis parviflora</i> | | | | | | | | |
| <i>Athyrium filix-femina</i> Lady Fern | HP | 1.14 | G4 | | 4-8 | | | 2 |
| <i>Athyrium filix-femina 'Cristatum'</i> Crested Lady Fern | HP | 1.13 | G4 | | 4-8 | | | 2 |
| <i>Athyrium filix-femina 'Veroniae'</i> Veronae Lady Fern | HP | 1.02 | G4 | | 4-8 | | | 2 |
| <i>Athyrium goeringianum</i> See - <i>Athyrium nipponicum</i> | | | | | | | | |
| <i>Athyrium nipponicum</i> No Common Name Found | HP | 0.92 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Athyrium nipponicum 'Pictum'</i> Painted Lady Fern | HP | 1.19 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Athyrium nipponicum 'Ursula's Red'</i> Ursula's Red Japanese Painted Fern | HP | 1.32 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Athyrium otophorum</i> Auriculate Lady Fern | HP | 1.10 | G4 | | 7-10A | | | 7 |
| <i>Athyrium pycnocarpon</i> Narrow-Leaved Spleenwort | FO | 1.00 | G4 | | 7-10A | | | 7 |
| <i>Athyrium thelypteroides</i> See - <i>Diplazium acrostichoides</i> | | | | | | | | |
| <i>Atriplex canescens</i> Saltbush | BS | 0.72 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Atriplex lentiformis</i> Quail Bush | BS | 1.00 | G1 | | 8-9A | | 1.00 | 8 |
| <i>Atriplex lentiformis</i> ssp. <i>breweri</i> Brewer Quail Bush | BS | 0.77 | G1 | | 8-9A | | 1.00 | 8 |
| <i>Atriplex semibaccata</i> Australian Saltbush | BS | 0.80 | G1 | | 8-9A | | 1.00 | 8 |
| <i>Aubrieta deltoidea</i> Rock Cress | HP | 1.27 | G4 | | 5-8 | | | 7 |
| <i>Aubrieta deltoidea</i> 'Cascade Blue' Cascade Blue Rock Cress | HP | 0.85 | G4 | | 5-8 | | | 7 |
| <i>Aubrieta deltoidea</i> 'Cascade Purple' Cascade Purple Rock Cress | HP | 0.85 | G4 | | 5-8 | | | 7 |
| <i>Aubrieta deltoidea</i> 'Cascade Red' Cascade Red Rock Cress | HP | 0.85 | G4 | | 5-8 | | | 7 |
| <i>Aubrieta deltoidea</i> 'Dr. Mules' Dr. Mules Rock Cress | HP | 0.99 | G4 | | 5-8 | | | 7 |
| <i>Aubrieta deltoidea</i> 'Hendersonii' Henderson Rock Cress | HP | 0.79 | G4 | | 5-8 | | | 7 |
| <i>Aubrieta deltoidea</i> 'Purple Gem' Purple Rock Cress | HP | 0.88 | G4 | | 5-8 | | | 7 |
| <i>Aubrieta deltoidea</i> 'Robinson's Red' Robinson's Red Rock Cress | HP | 0.79 | G4 | | 5-8 | | | 7 |
| <i>Aubrieta deltoidea</i> 'Royal Cascade' Royal Cascade Rock Cress | HP | 0.93 | G4 | | 5-8 | | | 7 |
| <i>Aubrieta deltoidea</i> 'Royal Red' Royal Red Rock Cress | HP | 0.90 | G4 | | 5-8 | | | 7 |
| <i>Aubrieta deltoidea</i> 'Whitewell Gem' Whitewell Gem Rock Cress | HP | 0.79 | G4 | | 5-8 | | | 7 |
| <i>Aucuba japonica</i> Spotted Laurel | BS | 0.83 | G1 | 7-8 | 9A-10A | | 0.83 | 7 |
| <i>Aucuba japonica</i> 'Crotonifolia' Crotonifolia Spotted Laurel | BS | 1.00 | G1 | 7-8 | 9A-10A | | 0.83 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Aucuba japonica</i> 'Emily Rose' Emily Rose Spotted Laurel | BS | 0.57 | G1 | 7-8 | 9A-10A | | 0.83 | 7 |
| <i>Aucuba japonica</i> 'Fructo-albo' Fructo-albo Spotted Laurel | BS | 1.20 | G1 | 7-8 | 9A-10A | | 0.83 | 7 |
| <i>Aucuba japonica</i> 'Gold Dust' Gold Dust Spotted Laurel | BS | 0.91 | G1 | 7-8 | 9A-10A | | 0.83 | 7 |
| <i>Aucuba japonica</i> 'Mr. Goldstrike' Mr. Goldstrike Spotted Laurel | BS | 1.06 | G1 | 7-8 | 9A-10A | | 0.83 | 7 |
| <i>Aucuba japonica</i> 'Nana' Dwarf Spotted Laurel | BS | 1.05 | G1 | 7-8 | 9A-10A | | 0.83 | 7 |
| <i>Aucuba japonica</i> 'Picturata' Picturata Spotted Laurel | BS | 0.88 | G1 | 7-8 | 9A-10A | | 0.83 | 7 |
| <i>Aucuba japonica</i> 'Serratifolia' Serratifolia Spotted Laurel | BS | 0.92 | G1 | 7-8 | 9A-10A | | 0.83 | 7 |
| <i>Aucuba japonica</i> 'Spiker' Spiker Spotted Laurel | BS | 0.85 | G1 | 7-8 | 9A-10A | | 0.83 | 7 |
| <i>Aucuba japonica</i> 'Sulphurea' Sulphur Spotted Laurel | BS | 1.06 | G1 | 7-8 | 9A-10A | | 0.83 | 7 |
| <i>Aucuba japonica</i> 'Variegata' Variegated Spotted Laurel | BS | 0.84 | G1 | 7-8 | 9A-10A | | 0.83 | 7 |
| <i>Aurinia saxatilis</i> Basket of Gold | HP | 1.20 | G4 | | 4-8 | | | 3 |
| <i>Aurinia saxatilis</i> 'Citrinum' Citrinum Basket of Gold | HP | 0.96 | G4 | | 4-8 | | | 3 |
| <i>Aurinia saxatilis</i> 'Compacta' Compact Basket of Gold | HP | 0.93 | G4 | | 4-8 | | | 3 |
| <i>Aurinia saxatilis</i> 'Gold Ball' Gold Ball Basket of Gold | HP | 0.75 | G4 | | 4-8 | | | 3 |
| <i>Aurinia saxatilis</i> 'Gold Dust' Gold Dust Basket of Gold | HP | 0.81 | G4 | | 4-8 | | | 3 |
| <i>Aurinia saxatilis</i> 'Mountain Gold' Mountain Gold Basket of Gold | HP | 1.01 | G4 | | 4-8 | | | 3 |
| <i>Aurinia saxatilis</i> 'Sunny Border Apricot' Sunny Border Apricot Basket of Gold | HP | 0.86 | G4 | | 4-8 | | | 3 |
| <i>Averrhoa carambola</i> Carambola | FN | 2.67 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Avicennia germinans</i> Black Mangrove | BE | 1.00 | G2 | | 10A-11 | 1.00 | 1.00 | 10B |
| <i>Azadirachta indica</i> Neem Tree | BE | 1.68 | G2 | 9 | 10A-11 | 1.60 | 1.24 | 10A |
| <i>Azalea</i> 'Mucronulatum' See - <i>Rhododendron mucronulatum</i> | HP | 0.82 | G1 | | 8-10A | | | 8 |
| <i>Azara dentata</i> No Common Name Found | HP | 0.95 | G1 | | 8-9B | | | 8 |
| <i>Azara integrifolia</i> Goldspire | HP | 0.95 | G1 | | 8-9B | | | 8 |
| <i>Azara integrifolia</i> 'Variegata' Variegata Goldspire | HP | 1.00 | G1 | | 8-9B | | | 8 |
| <i>Azara lanceolata</i> Lanceleaf Azara | HP | 0.88 | G1 | | 8-9B | | | 8 |
| <i>Azara microphylla</i> Boxleaf Azara | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| <i>Babiana</i> Baboon Flower | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| <i>Babiana</i> 'Blue Gem' Blue Gem Hybrid Baboon Flower | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| <i>Babiana</i> 'Bright Eyes' Bright Eyes Baboon Flower | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Babiana</i> 'Dark Mood' | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| Dark Mood Baboon Flower | | | | | | | | |
| <i>Babiana</i> 'Scintillation' | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| Scintillation Baboon Flower | | | | | | | | |
| <i>Babiana</i> 'Snowdrop' | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| Snowdrop Baboon Flower | | | | | | | | |
| <i>Babiana</i> 'Twilight' | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| Twilight Baboon Flower | | | | | | | | |
| <i>Babiana rubrocyannea</i> | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Babiana stricta</i> | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| Baboon Flower | | | | | | | | |
| <i>Baccharis</i> | BS | 0.71 | G1 | | 8-10A | | 1.00 | 8 |
| Coyote Brush | | | | | | | | |
| <i>Baccharis</i> 'Centennial' | BS | 0.71 | G1 | | 8-10A | | 1.00 | 8 |
| Centennial Coyote Brush | | | | | | | | |
| <i>Baccharis halimifolia</i> | BS | 0.94 | G1 | | 5-9B | | 0.52 | 5 |
| Groundsel-bush | | | | | | | | |
| <i>Baccharis halimifolia</i> 'White Caps' | BS | 0.84 | G1 | | 5-9B | | 0.52 | 5 |
| White Caps Groundsel-bush | | | | | | | | |
| <i>Baccharis pilularis</i> | BS | 0.59 | G1 | | 8-9B | | 1.00 | 8 |
| Dwarf Coyote Brush | | | | | | | | |
| <i>Baccharis pilularis</i> 'Al's Blue' | BS | 0.96 | G1 | | 8-9B | | 1.00 | 8 |
| Al's Blue Dwarf Coyote Brush | | | | | | | | |
| <i>Baccharis pilularis</i> 'Pigeon Point' | BS | 0.96 | G1 | | 8-9B | | 1.00 | 8 |
| Pigeon Point Dwarf Coyote Brush | | | | | | | | |
| <i>Baccharis pilularis</i> 'Twin Peaks' | BS | 0.96 | G1 | | 8-9B | | 1.00 | 8 |
| Twin Peaks Coyote Brush | | | | | | | | |
| <i>Bacopa monnieri</i> | HP | 0.58 | G1 | 7 | 8-10A | | | 8 |
| No Common Name Found | | | | | | | | |
| <i>Bactris gasipaes</i> | BE | 2.68 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Peach Palm | | | | | | | | |
| <i>Baeckea virgata</i> | BS | 0.81 | G1 | | 9A-10A | | 1.00 | 9 |
| Tall Baeckea | | | | | | | | |
| <i>Baileya multiradiata</i> | HP | 0.98 | G1 | 7 | 8-10A | | | 7 |
| Desert Marigold | | | | | | | | |
| <i>Balaka seemannii</i> | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Ballota pseudodictamnus</i> | HP | 0.78 | G4 | | 8-9A | | | 8 |
| No Common Name Found | | | | | | | | |
| <i>Bambusa glaucescens</i> | | | | | | | | |
| See - <i>Bambusa multiplex</i> | | | | | | | | |
| <i>Bambusa multiplex</i> | BS | 1.06 | G3 | 8-9A | 9B-11 | | 1.00 | 9 |
| Hedge Bamboo | | | | | | | | |
| <i>Bambusa multiplex</i> 'Alphonse Karr' | BS | 1.40 | G3 | 8-9A | 9B-11 | | 1.00 | 9 |
| Alphonse Karr Hedge Bamboo | | | | | | | | |
| <i>Bambusa multiplex</i> 'Featherleaf' | BS | 1.22 | G3 | 8-9A | 9B-11 | | 1.00 | 9 |
| Featherleaf Hedge Bamboo | | | | | | | | |
| <i>Bambusa multiplex</i> 'Fernleaf' | BS | 1.22 | G3 | 8-9A | 9B-11 | | 1.00 | 9 |
| Fernleaf Hedge Bamboo | | | | | | | | |
| <i>Bambusa multiplex</i> 'Golden Goddess' | BS | 1.49 | G3 | 8-9A | 9B-11 | | 1.00 | 9 |
| Golden Goddess Hedge Bamboo | | | | | | | | |
| <i>Bambusa multiplex</i> 'Riviereorum' | BS | 1.13 | G3 | 8-9A | 9B-11 | | 1.00 | 9 |
| Chinese Goddess Bamboo | | | | | | | | |
| <i>Bambusa multiplex</i> 'Silver Stripe' | BS | 1.16 | G3 | 8-9A | 9B-11 | | 1.00 | 9 |
| Silver Stripe Hedge Bamboo | | | | | | | | |
| <i>Bambusa multiplex</i> 'Variegata' | BS | 1.10 | G3 | 8-9A | 9B-11 | | 1.00 | 9 |
| Variegated Hedge Bamboo | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Bambusa oldhamii</i> Oldham Bamboo | BE | 1.49 | G3 | 8-9A | 9B-11 | 1.00 | 1.00 | 9 |
| <i>Bambusa tuldaoides</i> Punting Pole Bamboo | BS | 1.99 | G3 | 8-9A | 9B-11 | | 1.00 | 10A |
| <i>Bambusa ventricosa</i> Buddha's Belly Bamboo | BE | 1.17 | G3 | 8-9A | 9B-11 | 1.00 | 1.00 | 9 |
| <i>Bambusa vulgaris</i> Common Bamboo | BE | 0.92 | G3 | 8-9A | 9B-11 | 1.00 | 1.33 | 10 |
| <i>Bambusa vulgaris 'Vittata'</i> Striped Bamboo | BE | 1.13 | G3 | 8-9A | 9B-11 | 1.00 | 1.33 | 10 |
| <i>Bambusa vulgaris 'Wamin'</i> Wamin Striped Bamboo | BE | 0.92 | G3 | 8-9A | 9B-11 | 1.00 | 1.33 | 10 |
| <i>Banksia ericifolia</i> Heath-leaved Banksia | BS | 1.07 | G1 | | 9A-10A | | 1.00 | 9 |
| <i>Banksia praemorsa</i> Cut-leaf Banksia | BS | 1.07 | G1 | | 9A-10A | | 1.00 | 9 |
| <i>Baptisia</i> False Indigo | HP | 1.97 | G4 | 5-6 | 7-10A | | | 3 |
| <i>Baptisia 'Purple Smoke'</i> Purple Smoke Hybrid False Indigo | HP | 1.97 | G4 | 5-6 | 7-10A | | | 3 |
| <i>Baptisia alba</i> White Wild Indigo | BS | 0.84 | G4 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Baptisia australis</i> Blue Wild Indigo | BS | 1.05 | G4 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Baptisia bracteata</i> Cream False Indigo | HP | 1.03 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Baptisia lactea</i> White False Indigo | HP | 0.98 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Baptisia leucantha</i> See - <i>Baptisia lactea</i> | | | | | | | | |
| <i>Baptisia leucophaea</i> See - <i>Baptisia bracteata</i> | | | | | | | | |
| <i>Baptisia minor</i> See - <i>Baptisia australis</i> | | | | | | | | |
| <i>Baptisia pendula</i> No Common Name Found | HP | 1.02 | G4 | | 7-10A | | | 5 |
| <i>Baptisia perfoliata</i> Georgia Wild Indigo | HP | 1.00 | G4 | 8 | 9A-10A | | | 5 |
| <i>Barcella odora</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Barleria cristata</i> Philippine Violet | BS | 0.56 | G4 | 9B-10A | 10B-11 | | 1.00 | 10 |
| <i>Barleria micans</i> Yellow Barleria | BS | 0.95 | G4 | 9B-10A | 10B-11 | | 1.00 | 10 |
| <i>Barringtonia asiatica</i> Fish Poison Tree | BE | 1.00 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Bauera rubioides</i> No Common Name Found | HP | 1.00 | G1 | | 9A-10A | | | 9 |
| <i>Bauhinia acuminata</i> No Common Name Found | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Bauhinia alba</i> See - <i>Bauhinia variegata 'Candida'</i> | DT | 1.07 | G1 | 10A | 10B-11 | 1.18 | 1.37 | 9 |
| <i>Bauhinia blakeana</i> Hong Kong Orchid Tree | DT | 1.46 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Bauhinia divaricata</i> No Common Name Found | BS | 1.30 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Bauhinia galpinii</i> Pride of the Cape | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Bauhinia monandra</i> No Common Name Found | DT | 0.76 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Bauhinia punctata</i> See - <i>Bauhinia galpinii</i> | DT | 0.67 | G1 | 10A | 10B-11 | 1.00 | 0.74 | 9 |
| <i>Bauhinia purpurea</i> Butterfly Tree | DT | 1.45 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Bauhinia tomentosa</i> St. Thomas Tree | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Bauhinia variegata</i> Orchid Tree | DT | 1.06 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Bauhinia variegata</i> 'Candida' White Orchid Tree | DT | 2.08 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Beaucarnea recurvata</i> See - <i>Nolina recurvata</i> | GC | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Beaumontia grandiflora</i> Herald's Trumpet Vine | GC | 2.20 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Beaumontia jerdoniana</i> No Common Name Found | BE | 0.55 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Beccariophoenix madagascariensis</i> No Common Name Found | FO | 0.39 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Bejaria racemosa</i> See - <i>Bejaria racemosa</i> | FO | 0.43 | G3 | 8-10A | 10B-11 | | 10 | |
| <i>Begonia</i> Hybrid Begonia | FO | 1.04 | G4 | 7-8 | 9A-11 | | 10 | |
| <i>Begonia</i> 'Black Velvet' | FO | 0.39 | G3 | 8-10A | 10B-11 | | 10 | |
| Black Velvet Rhizomatous Begonia | FO | 0.39 | G3 | 8-10A | 10B-11 | | 10 | |
| <i>Begonia</i> 'Richmondensis' Richmond Begonia | FO | 0.39 | G3 | 8-10A | 10B-11 | | 10 | |
| <i>Begonia x cheimantha</i> Christmas Begonia | HP | 0.47 | G3 | 8-10A | 10B-11 | | 10 | |
| <i>Begonia fuchsoides</i> Fuchsia Begonia | FO | 1.01 | G4 | 7-8 | 9A-11 | | 10 | |
| <i>Begonia grandis</i> Hardy Begonia | FO | 0.47 | G3 | 8-10A | 10B-11 | | 10 | |
| <i>Begonia grandis</i> 'Alba' White Hardy Begonia | FO | 0.47 | G3 | 8-10B | 11 | | 10 | |
| <i>Begonia heracleifolia</i> Star Begonia | FO | 1.00 | G4 | 8-10A | 10B-11 | | 10 | |
| <i>Begonia nelumbiifolia</i> Lily-pad Begonia | FO | 1.00 | G4 | 8-10A | 10B-11 | | 10 | |
| <i>Begonia x rex-cultorum</i> Rex Begonia | FO | 0.47 | G3 | 8-10B | 11 | | 10 | |
| <i>Begonia x ricinifolia</i> Castor-bean Begonia | FO | 1.00 | G4 | 8-9B | 10A-11 | | 10 | |
| <i>Begonia semperflorens</i> Bedding Begonia | AN | 0.81 | G4 | 8-9B | 10A-11 | | 10 | |
| <i>Begonia semperflorens</i> 'Ambassador Series' Ambassador Series Bedding Begonia | AN | 0.71 | G4 | 8-9B | 10A-11 | | 10 | |
| <i>Begonia semperflorens</i> 'Brandy' Brandy Bedding Begonia | AN | 0.64 | G4 | 8-9B | 10A-11 | | 10 | |
| <i>Begonia semperflorens</i> 'Charisma Pink' Charisma Pink Bedding Begonia | AN | 0.77 | G4 | 8-9B | 10A-11 | | 10 | |
| <i>Begonia semperflorens</i> 'Cocktail Series' Cocktail Series Bedding Begonia | AN | 0.64 | G4 | 8-9B | 10A-11 | | 10 | |
| <i>Begonia semperflorens</i> 'Dwarf' Dwarf Bedding Begonia | AN | 0.64 | G4 | 8-9B | 10A-11 | | 10 | |
| <i>Begonia semperflorens</i> 'Gin' Gin Bedding Begonia | AN | 0.75 | G4 | 8-9B | 10A-11 | | 10 | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Begonia semperflorens</i> 'Olympia Series' Olympia Series Bedding Begonia | AN | 0.64 | G4 | 8-9B | 10A-11 | | | 10 |
| <i>Begonia semperflorens</i> 'Prelude Series' Prelude Series Bedding Begonia | AN | 0.64 | G4 | 8-9B | 10A-11 | | | 10 |
| <i>Begonia semperflorens</i> 'Scarletta' Scarletta Bedding Begonia | AN | 0.78 | G4 | 8-9B | 10A-11 | | | 10 |
| <i>Begonia semperflorens</i> 'Senator Series' Senator Series Bedding Begonia | AN | 0.64 | G4 | 8-9B | 10A-11 | | | 10 |
| <i>Begonia semperflorens</i> 'Varsity Scarlet' Varsity Scarlet Bedding Begonia | AN | 0.77 | G4 | 8-9B | 10A-11 | | | 10 |
| <i>Begonia semperflorens</i> 'Varsity Series' Varsity Series Bedding Begonia | AN | 0.64 | G4 | 8-9B | 10A-11 | | | 10 |
| <i>Begonia semperflorens</i> 'Vodka' Vodka Bedding Begonia | AN | 0.75 | G4 | 8-9B | 10A-11 | | | 10 |
| <i>Begonia semperflorens</i> 'Whiskey' Whiskey Bedding Begonia | AN | 0.73 | G4 | 8-9B | 10A-11 | | | 10 |
| <i>Begonia x tuberhybrida</i> Hybrid Tuberous Begonia | HP | 1.04 | G4 | 8 | 9 | | | 10 |
| <i>Begonia x tuberhybrida</i> 'Non-Stop' Non-Stop Series Hybrid Tuberous Begonia | HP | 1.04 | G4 | 8 | 9 | | | 10 |
| <i>Bejaria racemosa</i> Tarflower | BS | 1.07 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Belamcanda chinensis</i> Blackberry Lily | HP | 1.01 | G4 | 6-8 | 9A-11 | | | 8 |
| <i>Belamcanda chinensis</i> 'Freckle Face' Freckle Face Blackberry Lily | HP | 1.16 | G4 | 6-8 | 9A-11 | | | 8 |
| <i>Bellis perennis</i> English Daisy | HP | 0.98 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Bellis perennis</i> 'Monstrosa' Monstrosa English Daisy | HP | 0.96 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Bellis perennis</i> 'Super Enorma Giant' Super Enorma Giant English Daisy | HP | 0.94 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Bellium minutum</i> No Common Name Found | HP | 1.00 | G4 | | 8-10B | | | 8 |
| <i>Beloperone guttata</i> See - <i>Justicia brandegeana</i> | | | | | | | | |
| <i>Bentinckia nicobarica</i> Bentinckia Palm | BE | 2.57 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Benzoin aestivale</i> See - <i>Lindera benzoin</i> | | | | | | | | |
| <i>Berberidopsis corallina</i> Coral Chilevine | GC | 1.24 | G1 | | 8-9A | | 1.00 | 8 |
| <i>Berberis</i> Hybrid Barberry | DS | 1.14 | G1 | | 6-9A | | 0.96 | 4 |
| <i>Berberis</i> 'Emerald Carousel' See - <i>Berberis</i> 'Tara' | DS | 1.14 | G1 | | 6-9A | | 0.96 | 4 |
| <i>Berberis</i> 'Tara' Emerald Carousel™ Barberry | DS | 1.14 | G1 | | 6-9A | | 0.96 | 4 |
| <i>Berberis buxifolia</i> Magellan Barberry | BS | 1.00 | G1 | | 5-8 | | 0.99 | 5 |
| <i>Berberis buxifolia</i> var. <i>nana</i> Dwarf Magellan Barberry | BS | 1.10 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Berberis x chenaultii</i> See - <i>Berberis x hybrido-gagnepainii</i> 'Chenault' | DS | 1.08 | G1 | | 7-9A | | 1.49 | 7 |
| <i>Berberis darwinii</i> Darwin's Barberry | DS | 1.19 | G1 | | 5-8 | | 1.23 | 6 |
| <i>Berberis x gladwynensis</i> Gladwyne Barberry | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|----------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Berberis x gladwynensis</i> 'William Penn' P.P. 2212 William Penn Gladwyne Barberry | DS | 1.19 | G1 | | 5-8 | | | 1.23 |
| <i>Berberis x hybrido-gagnepainii</i> No Common Name Found | DS | 1.00 | G1 | | 5-8 | | | 1.00 |
| <i>Berberis x hybrido-gagnepainii</i> 'Chenault' Chenault Barberry | DS | 1.00 | G1 | | 5-8 | | | 1.00 |
| <i>Berberis julianae</i> Wintergreen Barberry | BS | 0.90 | G1 | 5-6 | 7-9B | | | 0.73 |
| <i>Berberis julianae</i> 'Nana' Dwarf Wintergreen Barberry | BS | 1.06 | G1 | 5-6 | 7-9B | | | 1.10 |
| <i>Berberis julianae</i> 'Sargentii' Sargent Wintergreen Barberry | BS | 0.81 | G1 | 5-6 | 7-9B | | | 0.75 |
| <i>Berberis koreana</i> Korean Barberry | DS | 1.46 | G1 | | 6-9A | | | 1.00 |
| <i>Berberis x mentorensis</i> Mentor Barberry | DS | 1.03 | G1 | 5-6 | 7-9B | | | 0.98 |
| <i>Berberis x stenophylla</i> Rosemary Barberry | DS | 1.12 | G1 | 5-6 | 7-9A | | | 1.49 |
| <i>Berberis x stenophylla</i> 'Irwinii' Irwin Rosemary Barberry | DS | 1.06 | G1 | 5-6 | 7-9A | | | 1.49 |
| <i>Berberis thunbergii</i> Japanese Barberry | DS | 1.00 | G1 | 4-8 | 9 | | | 0.95 |
| <i>Berberis thunbergii</i> 'Aurea' Golden Japanese Barberry | DS | 1.12 | G1 | 4-8 | 9 | | | 1.00 |
| <i>Berberis thunbergii</i> 'Bailone' Ruby Carousel™ Japanese Barberry | DS | 1.12 | G1 | 4-8 | 9 | | | 0.96 |
| <i>Berberis thunbergii</i> 'Bailtwo' Burgundy Carousel™ Japanese Barberry | DS | 1.05 | G1 | 4-8 | 9 | | | 0.96 |
| <i>Berberis thunbergii</i> 'Bogozam' P.P. 8215 Bonanza Gold™ Golden Pygmy Japanese Barberry | DS | 1.28 | G1 | 4-8 | 9 | | | 0.95 |
| <i>Berberis thunbergii</i> 'Bonanza Gold' See - <i>Berberis thunbergii</i> 'Bogozam' P.P. 8215 | | | | | | | | |
| <i>Berberis thunbergii</i> 'Burgundy Carousel' See - <i>Berberis thunbergii</i> 'Bailtwo' | | | | | | | | |
| <i>Berberis thunbergii</i> 'Cherry Bomb' See - <i>Berberis thunbergii</i> 'Monomb' | | | | | | | | |
| <i>Berberis thunbergii</i> 'Erecta' Erect Japanese Barberry | DS | 0.92 | G1 | 4-8 | 9 | | | 0.95 |
| <i>Berberis thunbergii</i> 'Gentry' P.P. 9461 Royal Burgundy™ Japanese Barberry | DS | 1.25 | G1 | 4-8 | 9 | | | 0.95 |
| <i>Berberis thunbergii</i> 'Globe' Globe Japanese Barberry | DS | 0.85 | G1 | 4-8 | 9 | | | 0.95 |
| <i>Berberis thunbergii</i> 'Golden Nugget' See - <i>Berberis thunbergii</i> 'Monlers' P.P. 9577 | DS | 0.85 | G1 | 4-8 | 9 | | | 0.95 |
| <i>Berberis thunbergii</i> 'Inermis' Thornless Japanese Barberry | DS | 0.85 | G1 | 4-8 | 9 | | | 0.95 |
| <i>Berberis thunbergii</i> 'Kobold' P.P. 3038 Kobold Japanese Barberry | DS | 1.16 | G1 | 4-8 | 9 | | | 1.26 |
| <i>Berberis thunbergii</i> 'Lustre Green' Lustre Green Japanese Barberry | DS | 0.85 | G1 | 4-8 | 9 | | | 0.95 |
| <i>Berberis thunbergii</i> 'Monlers' P.P. 9577 Golden Nugget™ Japanese Barberry | DS | 1.57 | G1 | 4-8 | 9 | | | 0.95 |
| <i>Berberis thunbergii</i> 'Monomb' Cherry Bomb™ Japanese Barberry | DS | 0.85 | G1 | 4-8 | 9 | | | 0.95 |
| <i>Berberis thunbergii</i> 'Royal Burgundy' See - <i>Berberis thunbergii</i> 'Gentry' P.P. 9461 | | | | | | | | |
| <i>Berberis thunbergii</i> 'Ruby Carousel' See - <i>Berberis thunbergii</i> 'Bailone' | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Berberis thunbergii</i> 'Sparkle' Sparkle Japanese Barberry | DS | 1.16 | G1 | 4-8 | 9 | | 0.95 | 4 |
| <i>Berberis thunbergii</i> 'Truehedge' See - <i>Berberis thunbergii</i> 'Erecta' | | | | | | | | |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> Red Barberry | DS | 1.02 | G1 | 4-8 | 9 | | 0.87 | 4 |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Bagatelle' Bagatelle Red Barberry | DS | 1.31 | G1 | 4-8 | 9 | | 0.70 | 4 |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Crimson Pygmy' Crimson Pygmy Red Barberry | DS | 1.08 | G1 | 4-8 | 9 | | 1.27 | 4 |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Crimson Velvet' Crimson Velvet Red Barberry | DS | 0.98 | G1 | 4-8 | 9 | | 0.70 | 4 |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Golden Ring' Golden Ring Red Barberry | DS | 1.07 | G1 | 4-8 | 9 | | 1.21 | 4 |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Intermedia' Intermedia Red Barberry | DS | 1.71 | G1 | 4-8 | 9 | | 0.99 | 4 |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Marshall Upright' Marshall Upright Red Barberry | DS | 0.98 | G1 | 4-8 | 9 | | 1.16 | 4 |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Nana' Nana Pygmy Red Barberry | DS | 1.15 | G1 | 4-8 | 9 | | 0.70 | 4 |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Prostrata' Prostrata Red Barberry | DS | 1.42 | G1 | 4-8 | 9 | | 0.70 | 4 |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Rose Glow' Rose Glow Red Barberry | DS | 1.06 | G1 | 4-8 | 9 | | 1.04 | 4 |
| <i>Berberis triacanthophora</i> See - <i>Berberis wisleyensis</i> | | | | | | | | |
| <i>Berberis verruculosa</i> Warty Barberry | DS | 0.99 | G1 | | | 6-9A | 1.12 | 5 |
| <i>Berberis vulgaris</i> Common Barberry | DS | 1.00 | G1 | | | 3-8 | 1.00 | 3 |
| <i>Berberis wisleyensis</i> Threespine Barberry | DS | 0.89 | G1 | | | 6-9A | 0.77 | 5 |
| <i>Bergenia</i> Bergenia | HP | 1.00 | G4 | | | 3-8 | | 4 |
| <i>Bergenia</i> 'Abendglocken' Abendglocken Bergenia | HP | 1.31 | G4 | | | 3-8 | | 4 |
| <i>Bergenia</i> 'Baby Doll' Baby Doll Bergenia | HP | 1.39 | G4 | | | 3-8 | | 4 |
| <i>Bergenia</i> 'Bressingham Ruby' P.P. 7344 Bressingham Ruby Bergenia | HP | 1.24 | G4 | | | 3-8 | | 4 |
| <i>Bergenia</i> 'Bressingham Salmon' Bressingham Salmon Bergenia | HP | 1.00 | G4 | | | 3-8 | | 4 |
| <i>Bergenia</i> 'Bressingham White' Bressingham White Bergenia | HP | 1.06 | G4 | | | 3-8 | | 4 |
| <i>Bergenia</i> 'Evening Glow' Evening Glow Bergenia | HP | 1.00 | G4 | | | 3-8 | | 4 |
| <i>Bergenia</i> 'Morning Red' Morning Red Bergenia | HP | 1.19 | G4 | | | 3-8 | | 4 |
| <i>Bergenia</i> 'Red Start' Red Start Bergenia | HP | 1.01 | G4 | | | 3-8 | | 4 |
| <i>Bergenia</i> 'Sunningdale' Sunningdale Bergenia | HP | 1.05 | G4 | | | 3-8 | | 4 |
| <i>Bergenia cordifolia</i> Heart-Leaf Bergenia | HP | 1.09 | G4 | | | 3-8 | | 3 |
| <i>Bergenia cordifolia</i> 'Perfecta' Perfecta Heart-Leaf Bergenia | HP | 1.09 | G4 | | | 3-8 | | 3 |
| <i>Bergenia cordifolia</i> 'Rotblum' Rotblum Heart-Leaf Bergenia | HP | 1.11 | G4 | | | 3-8 | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Bergenia cordifolia</i> 'Silver Light' Silver Light Heart-Leaf Bergenia | HP | 1.16 | G4 | | 3-8 | | | 3 |
| <i>Bergenia crassifolia</i> Siberian Tea Bergenia | HP | 1.04 | G4 | 3-6 | 7-9A | | | 3 |
| <i>Bergenia purpurascens</i> Purple Bergenia | HP | 1.00 | G4 | 4-6 | 7-9B | | | 4 |
| <i>Beschorneria yuccoides</i> No Common Name Found | BS | 0.81 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Betula alba</i> See - <i>Betula pendula</i> | | | | | | | | |
| <i>Betula albosinensis</i> Chinese Red Birch | DT | 0.57 | G1 | | 7-10A | 1.00 | 1.00 | 7 |
| <i>Betula alleghaniensis</i> Yellow Birch | DT | 1.00 | G1 | 4-6 | 7-9B | 1.00 | 1.00 | 3 |
| <i>Betula davurica</i> Asian Black Birch | DT | 0.57 | G1 | 4-6 | 7-9B | 1.00 | 1.00 | 3 |
| <i>Betula ermanii</i> Erman Birch | DT | 1.00 | G1 | 3-6 | 7-9B | 1.00 | 1.00 | 2 |
| <i>Betula fontinalis</i> Water Birch | DT | 0.54 | G1 | | 5-8 | 1.00 | 1.23 | 4 |
| <i>Betula glandulifera</i> Swamp Birch | DT | 0.67 | G1 | 4-6 | 7-9B | 1.00 | 1.00 | 4 |
| <i>Betula glandulosa</i> No Common Name Found | DT | 0.62 | G1 | 3-6 | 7-9B | 1.00 | 1.00 | 1 |
| <i>Betula jacquemontii</i> See - <i>Betula utilis</i> var. <i>jacquemontii</i> | DT | 0.48 | G1 | 4-6 | 7-9B | 1.00 | 1.00 | 3 |
| <i>Betula lenta</i> Sweet Birch | | | | | | | | |
| <i>Betula lutea</i> See - <i>Betula alleghaniensis</i> | | | | | | | | |
| <i>Betula maximowicziana</i> Monarch Birch | DT | 1.00 | G1 | | 4-6 | 1.00 | 1.00 | 6 |
| <i>Betula nana</i> Dwarf Arctic Birch | DS | 1.42 | G1 | | 2-8 | | 1.00 | 2 |
| <i>Betula nigra</i> River Birch | DT | 0.80 | G1 | | 4-9B | 0.86 | 0.86 | 4 |
| <i>Betula nigra</i> 'Cully' P.P. 4409 Heritage® River Birch | DT | 0.93 | G1 | | 4-9B | 0.94 | 0.89 | 4 |
| <i>Betula nigra</i> 'Fox Valley' See - <i>Betula nigra</i> 'Little King' | | | | | | | | |
| <i>Betula nigra</i> 'Heritage' See - <i>Betula nigra</i> 'Cully' P.P. 4409 | DT | 0.68 | G1 | | 4-9B | 0.45 | 1.92 | 4 |
| <i>Betula nigra</i> 'Little King' Fox Valley™ Dwarf River Birch | | | | | | | | |
| <i>Betula nigra</i> 'Minor' Dwarf River Birch | DT | 0.68 | G1 | | 4-9B | 0.45 | 1.20 | 4 |
| <i>Betula nigra</i> 'Tecumseh Compact' Tecumseh Compact River Birch | DT | 0.68 | G1 | | 4-9B | 1.16 | 1.63 | 4 |
| <i>Betula occidentalis</i> See - <i>Betula fontinalis</i> | | | | | | | | |
| <i>Betula papyrifera</i> Paper Birch | DT | 0.64 | G1 | | 2-9B | 0.92 | 0.75 | 2 |
| <i>Betula papyrifera</i> var. <i>humilis</i> No Common Name Found | DT | 1.00 | G1 | | 2-9B | 1.00 | 1.00 | 2 |
| <i>Betula papyrifera</i> var. <i>kenaica</i> Kenai Birch | DT | 1.00 | G1 | | 2-9B | 1.48 | 0.45 | 2 |
| <i>Betula papyrifera</i> var. <i>neoalaskana</i> See - <i>Betula papyrifera</i> var. <i>humilis</i> | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Betula pendula</i> European White Birch | DT | 0.89 | G1 | | 2-8 | 0.81 | 0.55 | 1 |
| <i>Betula pendula</i> 'Avalanche' See - <i>Betula pendula</i> 'Avalzam' | DT | 0.81 | G1 | | 2-8 | 0.81 | 0.27 | 1 |
| <i>Betula pendula</i> 'Avalzam' Avalanche® European White Birch | DT | 0.90 | G1 | | 2-8 | 0.99 | 0.40 | 1 |
| <i>Betula pendula</i> 'Dalecarlica' Cutleaf European White Birch | DT | 0.81 | G1 | | 2-8 | 1.02 | 0.27 | 1 |
| <i>Betula pendula</i> 'Fastigiata' Columnar European White Birch | DT | 0.81 | G1 | | 2-8 | 0.81 | 0.27 | 1 |
| <i>Betula pendula</i> 'Gracilis' Gracilis European White Birch | DT | 1.03 | G1 | | 2-8 | 0.81 | 0.27 | 1 |
| <i>Betula pendula</i> 'Laciniata' See - <i>Betula pendula</i> 'Dalecarlica' | DT | 0.81 | G1 | | 2-8 | 0.81 | 0.27 | 1 |
| <i>Betula pendula</i> 'Monle' Purple Rain™ European White Birch | DT | 0.81 | G1 | | 2-8 | 0.81 | 0.27 | 1 |
| <i>Betula pendula</i> 'Purple Rain' See - <i>Betula pendula</i> 'Monle' | DT | 0.81 | G1 | | 2-8 | 0.81 | 0.27 | 1 |
| <i>Betula pendula</i> 'Purple Splendor' P.P. 2107 Purple Splendor European White Birch | DT | 0.81 | G1 | | 2-8 | 0.89 | 1.38 | 1 |
| <i>Betula pendula</i> 'Purpurea' Purple European White Birch | DT | 0.81 | G1 | | 2-8 | 0.81 | 0.27 | 1 |
| <i>Betula pendula</i> 'Rockimon' P.P. 6192 Rocky Mountain Splendor™ European White Birch | DT | 0.81 | G1 | | 2-8 | 0.81 | 0.27 | 1 |
| <i>Betula pendula</i> 'Rocky Mountain Splendor' See - <i>Betula pendula</i> 'Rockimon' P.P. 6192 | DT | 1.23 | G1 | | 2-8 | 0.81 | 1.61 | 1 |
| <i>Betula pendula</i> 'Trost Dwarf' Trost Dwarf European White Birch | DT | 1.08 | G1 | | 2-8 | 1.08 | 0.84 | 1 |
| <i>Betula pendula</i> 'Youngii' Youngs European Weeping White Birch | DT | 1.00 | G1 | | 4-6 | 1.00 | 1.00 | 4 |
| <i>Betula platyphylla</i> Asian White Birch | DT | 0.97 | G1 | | 5-8 | 1.03 | 0.74 | 4 |
| <i>Betula platyphylla</i> var. <i>japonica</i> Japanese White Birch | DT | 0.59 | G1 | | 3-7 | 0.91 | 0.55 | 4 |
| <i>Betula platyphylla</i> var. <i>japonica</i> 'Whitespire' See - <i>Betula populifolia</i> 'Whitespire' | DT | 0.69 | G1 | | 5-8 | 0.91 | 1.32 | 4 |
| <i>Betula populifolia</i> Gray Birch | DT | 0.90 | G1 | | 5-8 | 1.01 | 0.93 | 4 |
| <i>Betula populifolia</i> 'Whitespire Senior' Whitespire Senior Birch | DT | 0.52 | G1 | | 2-9B | 1.00 | 1.00 | 2 |
| <i>Betula populifolia</i> 'Whitespire' Whitespire Birch | DT | 1.03 | G1 | | 6-9B | 1.09 | 1.15 | 6 |
| <i>Betula pumila</i> Low Birch | DT | 1.03 | G1 | | 6-9B | 1.09 | 1.15 | 6 |
| <i>Betula szechuanica</i> Szechuan Asian White Birch | DT | 1.00 | G1 | | 7-9A | 1.16 | 0.80 | 7 |
| <i>Betula szechuanica</i> 'Crimson Frost' Crimson Frost Asian White Birch | DT | 0.94 | G2 | | 9A-11 | 1.00 | 1.00 | 9 |
| <i>Betula utilis</i> Himalayan Birch | DT | 0.49 | G4 | | 7-9B | 1.00 | 1.00 | 6 |
| <i>Betula utilis</i> var. <i>jacquemontii</i> Whitebarked Himalayan Birch | DT | 0.65 | G1 | 6 | 7-9B | 1.00 | 1.00 | 6 |
| <i>Bidens triplinervia</i> Beggar-ticks | GC | 1.11 | G1 | 6 | 7-9B | | | |
| <i>Bignonia capreolata</i> Crossvine | | | | | | | | |
| <i>Bignonia capreolata</i> 'Crimson Trumpet' P.P. 4119 Crimson Trumpet Crossvine | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Bignonia capreolata</i> 'Dragon Lady' Dragon Lady Crossvine | GC | 1.29 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Bignonia capreolata</i> 'Jekyll' Jekyll Crossvine | GC | 1.15 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Bignonia capreolata</i> 'Tangerine Beauty' Tangerine Beauty Crossvine | GC | 1.11 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Bignonia capreolata</i> 'Yellow Trumpet' Yellow Trumpet Crossvine | GC | 1.11 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Bignonia cherere</i> See - <i>Distictis buccinatoria</i> | | | | | | | | |
| <i>Bignonia tweediana</i> See - <i>Macfadyena unguis-cati</i> | | | | | | | | |
| <i>Bignonia violacea</i> See - <i>Clytostoma callistegioides</i> | | | | | | | | |
| <i>Billbergia nutans</i> Queen's Tears | FO | 0.45 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Billbergia pyramidalis</i> var. <i>concolor</i> Foolproof Plant | FO | 0.93 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Bischofia javanica</i> Toog | BE | 1.00 | G2 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Bismarckia nobilis</i> Bismark Palm | BE | 1.83 | G1 | | 10A-11 | 1.00 | 4.71 | 10A |
| <i>Bixa orellana</i> Lipstick Tree | BE | 0.77 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Blechnum brasiliense</i> Brazilian Tree Fern | FO | 0.55 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Blechnum gibbum</i> Miniature Tree Fern | FO | 0.67 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Blechnum indicum</i> Saw Fern | HP | 0.69 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Blechnum penna-marina</i> No Common Name Found | HP | 1.09 | G4 | | 8-9B | | | 8 |
| <i>Blechnum serrulatum</i> See - <i>Blechnum indicum</i> | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Blechnum spicant</i> Deer Fern | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Blephilia ciliata</i> Ohio Horse Mint | HP | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Blephilia hirsuta</i> Wood Mint | HP | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Bletilla striata</i> Chinese Ground Orchid | HP | 2.13 | G4 | | 7-9B | | | 7 |
| <i>Blighia sapida</i> Akee | BE | 1.00 | G1 | 8 | 9A-10B | 1.00 | 1.00 | 9 |
| <i>Boesenbergia rotunda</i> Chinese Keys | HP | 1.68 | G1 | 9 | 10A-11 | | | 10 |
| <i>Bolax glebaria</i> See - <i>Bolax gummosa</i> | HP | 0.97 | G1 | 7-8 | 9-10B | | | 7 |
| <i>Bolax gummosa</i> No Common Name Found | HP | 0.78 | G4 | | 4-8 | | | 4 |
| <i>Boltonia asteroides</i> White Boltonia | HP | 1.01 | G4 | | 4-8 | | | 4 |
| <i>Boltonia asteroides</i> 'Pink Beauty' Pink Beauty White Boltonia | HP | 0.89 | G4 | | 4-8 | | | 4 |
| <i>Boltonia asteroides</i> 'Snowbank' Snowbank White Boltonia | HP | 0.76 | G4 | | 4-8 | | | 4 |
| <i>Boltonia asteroides</i> var. <i>latisquama</i> False Aster | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Boltonia asteroides</i> var. <i>latisquama</i> 'Nana' Dwarf False Aster | HP | 0.76 | G4 | | 4-8 | | | 4 |
| <i>Bomarea frondea</i> No Common Name Found | HP | 1.00 | G4 | | 9A-10A | | | 9 |
| <i>Bombax ceiba</i> Red Silk-cotton Tree | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Borago officinalis</i> Talewort | HP | 0.79 | G1 | 7-8 | 9-10B | | | 7 |
| <i>Borassodendron machodonis</i> No Common Name Found | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Borassus flabellifer</i> Palmyra Palm | BE | 1.00 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Boronia denticulata</i> No Common Name Found | BS | 0.81 | G1 | | 9A-10A | | 1.00 | 9 |
| <i>Boronia heterophylla</i> Red Boronia | HP | 0.82 | G1 | | 9A-10A | | | 9 |
| <i>Boronia megastigma</i> Scented Boronia | BS | 0.81 | G1 | | 9A-10A | | 1.00 | 9 |
| <i>Borreria frutescens</i> No Common Name Found | BS | 0.70 | G1 | 9 | 10A-11 | | 1.00 | 10 |
| <i>Bougainvillea</i> Bougainvillea | BS | 0.62 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> '(Unnamed Cultivar 01)' P.P. 6349 Torch Glow™ Bougainvillea | BS | 1.06 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Afterglow' Afterglow Bougainvillea | BS | 1.16 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Alba' White Bougainvillea | BS | 0.62 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Barbara Karst' Barbara Karst Bougainvillea | BS | 0.87 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'California Gold' California Gold Bougainvillea | BS | 0.83 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Camarillo Fiesta' See - <i>Bougainvillea</i> 'Monle' | BS | 0.62 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Carmensita' Carmensita Bougainvillea | BS | 0.62 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Cherry Blossom' P.P. 3004 Cherry Blossom Bougainvillea | BS | 0.92 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Crimson Jewel' See - <i>Bougainvillea</i> 'Monon' P.P. 2075 | BS | 0.62 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Don Mario' See - <i>Bougainvillea</i> 'Monio' P.P. 4995 | BS | 0.62 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Doubloon' Doubloon Bougainvillea | BS | 0.62 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Elizabeth Angus' Elizabeth Angus Bougainvillea | BS | 1.16 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Fiesta' Fiesta Bougainvillea | BS | 0.63 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Flame Glow' Flame Glow Bougainvillea | BS | 0.83 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Gerry's Orange' Gerry's Orange Bougainvillea | BS | 0.62 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Helen Johnson' Helen Johnson Bougainvillea | BS | 1.08 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Isabelle' Isabelle Bougainvillea | BS | 0.63 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Jamaica Red' Jamaica Red Bougainvillea | BS | 0.62 | G1 | 9 | 10A-11 | | 1.00 | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Bougainvillea</i> 'Jamaica White' | | | | | | | | |
| See - <i>Bougainvillea</i> 'Monca' | | | | | | | | |
| <i>Bougainvillea</i> 'James Walker' | BS | 0.94 | G1 | 9 | 10A-11 | | | 1.00 9 |
| James Walker Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Juanita Hatten' | BS | 0.94 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Juanita Hatten Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'La Jolla' | BS | 0.80 | G1 | 9 | 10A-11 | | | 1.00 9 |
| La Jolla Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Manila Red' P.P. 2630 | BS | 0.93 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Manila Red Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Mardi Gras' | BS | 0.62 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Mardi Gras Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Mary Palmer's Enchantment' | BS | 0.92 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Mary Palmer's Enchantment Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Miami Pink' | BS | 1.08 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Miami Pink Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Monan' | BS | 0.92 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Tahitian Dawn™ Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Monas' | BS | 0.93 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Texas Dawn™ Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Monca' | BS | 0.62 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Jamaica White™ Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Moneth' | BS | 0.82 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Purple Queen™ Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Monio' P.P. 4995 | BS | 0.95 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Don Mario™ Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Monka' P.P. 6969 | BS | 1.03 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Oo-La-La™ Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Monle' | BS | 0.86 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Camarillo Fiesta™ Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Monon' P.P. 2075 | BS | 0.62 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Crimson Jewel™ Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Ms. Alice' | | | | | | | | |
| See - <i>Bougainvillea</i> 'Singapore White' | | | | | | | | |
| <i>Bougainvillea</i> 'Oo-La-La' | | | | | | | | |
| See - <i>Bougainvillea</i> 'Monka' P.P. 6969 | BS | 0.62 | G1 | 9 | 10A-11 | | | 1.00 9 |
| <i>Bougainvillea</i> 'Orange Gold' | | | | | | | | |
| Orange Gold Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Orange King' | BS | 0.91 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Orange King Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Pink Dream' | BS | 0.62 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Pink Dream Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Pixie Pink' | BS | 0.62 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Pixie Pink Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Purple Passion' | BS | 0.66 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Purple Passion Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Purple Queen' | | | | | | | | |
| See - <i>Bougainvillea</i> 'Moneth' | | | | | | | | |
| <i>Bougainvillea</i> 'Rainbow' | BS | 0.62 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Rainbow Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Raspberry Ice' | BS | 0.93 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Raspberry Ice Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Rosea' | BS | 0.93 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Rose Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Rosenka' | BS | 1.18 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Rosenka Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Rosey Lavender' | BS | 0.62 | G1 | 9 | 10A-11 | | | 1.00 9 |
| Rosey Lavender Bougainvillea | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Bougainvillea</i> 'Royal Purple' Royal Purple Bougainvillea | BS | 1.34 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'San Diego Red' San Diego Red Bougainvillea | BS | 0.80 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Silhouette' See - <i>Bougainvillea</i> 'Singapore Pink' | BS | 1.10 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Singapore Pink' Silhouette™ Singapore Bougainvillea | BS | 1.11 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Singapore White' Ms. Alice™ Singapore Bougainvillea | BS | 0.62 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Surprise' Surprise Bougainvillea | BS | | | | | | | |
| <i>Bougainvillea</i> 'Tahitian Dawn' See - <i>Bougainvillea</i> 'Monan' | BS | | | | | | | |
| <i>Bougainvillea</i> 'Tahitian Maid' P.P. 3029 Tahitian Maid Bougainvillea | BS | 0.92 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Temple Fire' Temple Fire Bougainvillea | BS | 0.98 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Texas Dawn' See - <i>Bougainvillea</i> 'Monas' | BS | | | | | | | |
| <i>Bougainvillea</i> 'Torch Glow' See - <i>Bougainvillea</i> '(Unnamed Cultivar 01)' P.P. 6349 | BS | 1.22 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Vicky' Vicky Bougainvillea | BS | 0.62 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Wendy Nagle' Wendy Nagle Bougainvillea | BS | | | | | | | |
| <i>Bougainvillea brasiliensis</i> See - <i>Bougainvillea spectabilis</i> | BS | 0.82 | G1 | 9B | 10A-11 | | 1.00 | 9 |
| <i>Bougainvillea spectabilis</i> Brazil Bougainvillea | HP | 1.12 | G4 | | 4-8 | | | 6 |
| <i>Bouteloua curtipendula</i> Sideoats Grama | HP | 1.00 | G4 | | 4-8 | | | 8 |
| <i>Bouteloua gracilis</i> Mosquito Grama Grass | HP | 1.00 | G4 | | 4-8 | | | 8 |
| <i>Bouteloua hirsuta</i> Hairy Grama Grass | FO | 1.82 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Bowenia serrulata</i> No Common Name Found | FO | 1.82 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Bowenia spectabilis</i> No Common Name Found | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Brachychiton acerifolius</i> Flame Tree | BE | 0.71 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Brachychiton discolor</i> Scrub Bottletree | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Brachychiton x hybridus</i> Hybrid Flame Tree | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Brachychiton x hybridus</i> 'Majestic Beauty' See - <i>Brachychiton x hybridus</i> 'Monton' | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Brachychiton x hybridus</i> 'Monton' Majestic Beauty™ Hybrid Flame Tree | DT | 0.87 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Brachychiton populneus</i> Kurrajong Bottletree | BE | | | | | | | |
| <i>Brachychiton populneus</i> 'Emerald King' See - <i>Brachychiton populneus</i> 'Monin' P.P.A.F. | BE | 1.64 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Brachychiton populneus</i> 'Monin' P.P.A.F. Emerald King™ Kurrajong Bottletree | BE | 0.71 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Brachychiton rupestris</i> Queensland Bottletree | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Brachycome iberidifolia</i> Swan River Daisy | HP | 0.72 | G4 | 9A | 9B-10A | | | 8 |
| <i>Brachycome iberidifolia</i> 'Multifida' Multifida Swan River Daisy | HP | 0.72 | G4 | 9A | 9B-10A | | | 8 |
| <i>Brachycome iberidifolia</i> 'White Splendor' White Splendor Swan River Daisy | HP | 0.72 | G4 | 9A | 9B-10A | | | 8 |
| <i>Brachylottis greyi</i> No Common Name Found | HP | 1.10 | G4 | 9A | 9B-11 | | | 9 |
| <i>Brachypodium sylvaticum</i> Slender False Brome | HP | 1.62 | G1 | 5-6 | 7-10B | | | 5 |
| <i>Brahea armata</i> Blue Hesper Palm | BE | 0.89 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Brahea brandegeei</i> San Jose Palm | BE | 1.00 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Brahea dulcis</i> No Common Name Found | BE | 1.00 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Brahea edulis</i> Guadalupe Palm | BE | 0.97 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Brahea elegans</i> Franceschi Palm | BE | 1.00 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Brassaia actinophylla</i> See - <i>Schefflera actinophylla</i> | FO | 1.42 | G1 | 9 | 10A-11 | | | 10 |
| <i>Brassia</i> Brassia Hybrid Orchid | FO | 1.63 | G1 | 9 | 10A-11 | | | 10 |
| <i>Brassia caudata</i> No Common Name Found | AN | 0.64 | G1 | 8 | 9A-11 | | | 8 |
| <i>Brassica oleracea</i> Wild Cabbage | AN | 1.00 | G1 | 8 | 9A-11 | | | 8 |
| <i>Brassica oleracea</i> var. <i>acephala</i> Cabbage Kale | BE | 3.49 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Brassiophoenix schumannii</i> No Common Name Found | | | | | | | | |
| <i>Bravoa geminiflora</i> See - <i>Polianthes geminiflora</i> | BE | 1.00 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Brexia madagascariensis</i> No Common Name Found | | | | | | | | |
| <i>Breynia distacha</i> See - <i>Breynia nivosa</i> | BS | 0.97 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Breynia nivosa</i> Snowbush | BS | 0.99 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Breynia nivosa</i> 'Roseapicta' Roseapicta Snowbush | HP | 1.07 | G4 | | 4-8 | | | 5 |
| <i>Briza media</i> Quaking Grass | AN | 1.00 | G1 | 10A | 10B-11 | | | 9 |
| <i>Browallia speciosa</i> Lovely Browallia | DT | 1.00 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Brownea ariza</i> Rose of Venezuela | | | | | | | | |
| <i>Brownea grandiceps</i> See - <i>Brownea ariza</i> | BS | 0.87 | G3 | 8-9B | | | | 1.00 |
| <i>Brugmansia</i> Angel's Trumpet | BS | 0.92 | G3 | 8-9B | | | | 1.00 |
| <i>Brugmansia</i> 'Charles Grimaldi' Charles Grimaldi Angel's Trumpet | BS | 0.87 | G3 | 8-9B | | | | 1.00 |
| <i>Brugmansia</i> 'Frosty Pink' Frosty Pink Angel's Trumpet | BS | 0.74 | G3 | 8-9B | | | | 1.00 |
| <i>Brugmansia arborea</i> Angel's Trumpet | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Brugmansia x candida</i> | BS | 1.19 | G3 | 8-9B | | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Brugmansia x candida</i> 'Double White' | BS | 0.92 | G3 | 8-9B | | | 1.00 | 9 |
| Double White Angel's Trumpet | | | | | | | | |
| <i>Brugmansia x insignis</i> | BS | 1.41 | G3 | 8-9B | | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Brugmansia versicolor</i> | BS | 1.41 | G3 | 8-9B | | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Brunfelsia australis</i> | BS | 0.87 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Paraguay Jasmine | | | | | | | | |
| <i>Brunfelsia calycina</i> | | | | | | | | |
| See - <i>Brunfelsia pauciflora</i> | | | | | | | | |
| <i>Brunfelsia grandiflora</i> | BS | 1.02 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Brunfelsia jamaicensis</i> | BS | 1.90 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Brunfelsia nitida</i> | BS | 1.40 | G1 | 10 | 11 | | 1.00 | 10 |
| Lady of the Night | | | | | | | | |
| <i>Brunfelsia pauciflora</i> | BS | 0.72 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Yesterday, Today and Tomorrow | | | | | | | | |
| <i>Brunfelsia pauciflora</i> 'Compacta' | BS | 0.78 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Compact Yesterday, Today & Tomorrow | | | | | | | | |
| <i>Brunfelsia pauciflora</i> 'Floribunda Compact' | BS | 0.82 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Compact Yesterday, Today and Tomorrow | | | | | | | | |
| <i>Brunfelsia pauciflora</i> 'Floribunda' | BS | 0.78 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Free-flowering Yesterday, Today and Tomorrow | | | | | | | | |
| <i>Brunfelsia pauciflora</i> 'Macrantha' | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Macrantha Yesterday, Today and Tomorrow | | | | | | | | |
| <i>Brunnera macrophylla</i> | HP | 1.13 | G4 | | 4-8 | | | 3 |
| Heartleaf Brunnera | | | | | | | | |
| <i>Brunnera macrophylla</i> 'Hadspen Cream' | HP | 4.33 | G4 | | 4-8 | | | 3 |
| Hadspen Cream Heartleaf Brunnera | | | | | | | | |
| <i>Brunnera macrophylla</i> 'Langtrees' | HP | 1.27 | G4 | | 4-8 | | | 3 |
| Langtrees Heartleaf Brunnera | | | | | | | | |
| <i>Brunnera macrophylla</i> 'Variegata' | HP | 2.91 | G4 | | 4-8 | | | 3 |
| Variegated Heartleaf Brunnera | | | | | | | | |
| <i>Buchloe dactyloides</i> | HP | 1.00 | G3 | | 4-8 | | | 4 |
| Buffalo Grass | | | | | | | | |
| <i>Buchloe dactyloides</i> 'Cody' | HP | 1.00 | G3 | | 4-8 | | | 4 |
| Cody Buffalo Grass | | | | | | | | |
| <i>Buchloe dactyloides</i> 'Sharp's Improved' | HP | 1.00 | G3 | | 4-8 | | | 4 |
| Sharp's Improved Buffalo Grass | | | | | | | | |
| <i>Bucida buceras</i> | BE | 1.98 | G2 | 10A | 10B-11 | 1.55 | 0.86 | 10 |
| Black Olive | | | | | | | | |
| <i>Bucida buceras</i> 'Shady Lady' | BE | 1.45 | G2 | 10A | 10B-11 | 1.55 | 1.00 | 10 |
| Shady Lady Black Olive | | | | | | | | |
| <i>Bucida spinosa</i> | BE | 2.08 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10B |
| Spiny Black Olive | | | | | | | | |
| <i>Buddleia alternifolia</i> | BS | 1.15 | G1 | 5-8 | 9A-10A | | | 5 |
| Alternate-leaf Butterfly Bush | | | | | | | | |
| <i>Buddleia alternifolia</i> 'Argentea' | DS | 1.28 | G1 | 5-8 | 9A-10A | | | 5 |
| Argentea Alternate-leaf Butterfly Bush | | | | | | | | |
| <i>Buddleia davidii</i> | DS | 1.04 | G1 | 5-8 | 9A-10A | | | 5 |
| Butterfly Bush | | | | | | | | |
| <i>Buddleia davidii</i> 'African Queen' | DS | 0.61 | G1 | 5-8 | 9A-10A | | | 5 |
| African Queen Butterfly Bush | | | | | | | | |
| <i>Buddleia davidii</i> 'Alba' | DS | 0.87 | G1 | 5-8 | 9A-10A | | | 5 |
| White Butterfly Bush | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Buddleia davidii</i> 'Black Knight' Black Knight Butterfly Bush | DS | 0.96 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Bonnie' Bonnie Butterfly Bush | DS | 0.87 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Charming' Charming Butterfly Bush | DS | 0.97 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Dartmoor' Dartmoor Butterfly Bush | DS | 0.96 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Dubonnet' Dubonnet Butterfly Bush | DS | 0.99 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Empire Blue' Empire Blue Butterfly Bush | DS | 0.83 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Harlequin' Harlequin Butterfly Bush | DS | 0.96 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Ile de France' Ile de France Butterfly Bush | DS | 1.05 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Lochinch' Lochinch Butterfly Bush | DS | 0.98 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Miss Ellen' Miss Ellen Butterfly Bush | DS | 0.90 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Monite' Petite Snow™ Butterfly Bush | DS | 1.07 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Nanho Alba' Nanho White Butterfly Bush | DS | 0.98 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Nanho Blue' Nanho Blue Butterfly Bush | DS | 0.96 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Nanho Purple' Nanho Purple Butterfly Bush | DS | 1.00 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Orchid Beauty' Orchid Beauty Butterfly Bush | DS | 0.73 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Petite Snow' See - <i>Buddleia davidii</i> 'Monite' | DS | 0.90 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Pink Charm' Pink Charm Butterfly Bush | DS | 0.90 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Pink Delight' Pink Delight Butterfly Bush | DS | 0.98 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Princeton Purple' Princeton Purple Butterfly Bush | DS | 0.75 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Royal Red' Royal Red Butterfly Bush | DS | 0.95 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Snow Bank' Snow Bank Butterfly Bush | DS | 0.91 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'Summer Beauty' Summer Beauty Butterfly Bush | DS | 0.90 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'White Bouquet' White Bouquet Butterfly Bush | DS | 1.02 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> 'White Profusion' White Profusion Butterfly Bush | DS | 0.95 | G1 | 5-8 | 9A-10A | | 0.57 | 5 |
| <i>Buddleia davidii</i> var. <i>nanhoensis</i> Nanhoensis Butterfly Bush | DS | 1.02 | G1 | 5-8 | 9A-10A | | 1.00 | 5 |
| <i>Buddleia davidii</i> var. <i>nanhoensis</i> 'Mongo' Petite Indigo™ Butterfly Bush | DS | 1.01 | G1 | 5-8 | 9A-10A | | 1.00 | 5 |
| <i>Buddleia davidii</i> var. <i>nanhoensis</i> 'Monum' Petite Plum™ Butterfly Bush | DS | 1.02 | G1 | 5-8 | 9A-10A | | 1.00 | 5 |
| <i>Buddleia davidii</i> var. <i>nanhoensis</i> 'Petite Indigo' See - <i>Buddleia davidii</i> var. <i>nanhoensis</i> 'Mongo' | | | | | | | | |
| <i>Buddleia davidii</i> var. <i>nanhoensis</i> 'Petite Plum' See - <i>Buddleia davidii</i> var. <i>nanhoensis</i> 'Monum' | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| Not Req | | | | | | | | |
| <i>Buddleia globosa</i> Globe Butterfly Bush | DS | 0.87 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Buddleia lindleyana</i> Tropical Butterfly Bush | BS | 1.03 | G1 | | 8-10A | | 1.00 | 8 |
| <i>Buddleia lindleyana 'Gloster'</i> Gloster Tropical Butterfly Bush | BS | 0.97 | G1 | | 8-10A | | 1.00 | 8 |
| <i>Buddleia marrubifolia</i> Woolly Butterfly Bush | BS | 0.93 | G1 | | 8-10A | | 1.00 | 7 |
| <i>Buddleia officinalis</i> Pale Butterfly Bush | BS | 1.00 | G1 | | 8-10A | | 1.00 | 8 |
| <i>Buddleia x pikei</i> No Common Name Found | DS | 1.00 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Buddleia x pikei 'Never'</i> Never Hybrid Butterfly Bush | DS | 1.00 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Buddleia x weyeriana</i> Hybrid Butterfly Bush | BS | 0.80 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Buddleia x weyeriana 'Sungold'</i> Sungold Butterfly Bush | BS | 0.88 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Bulbinella floribunda</i> No Common Name Found | HP | 1.00 | G4 | | 8-10A | | | 8 |
| <i>Bulbinella robusta</i> See - <i>Bulbinella floribunda</i> | | | | | | | | |
| <i>Bulbophyllum falcatum</i> No Common Name Found | FO | 2.44 | G1 | 10A | 10B-11 | | | 10 |
| <i>Bulnesia arborea</i> No Common Name Found | BE | 1.40 | G2 | 10A | 10B-11 | 1.00 | 1.00 | 10B |
| <i>Bumelia tenax</i> Tough Buckthorn | BS | 1.00 | G1 | 8 | 9A-11 | | 1.00 | 6 |
| <i>Buphthalmum salicifolium</i> Willowleaf Oxeye | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Buphthalmum salicifolium 'Sunwheel'</i> Sunwheel Willowleaf Oxeye | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Burbridgea schizocheila</i> Golden Brush | HP | 2.07 | G1 | 10A | 10B-11 | | | 10 |
| <i>Burretokentia vieillardii</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Bursera simaruba</i> Gumbo-Limbo | DT | 0.73 | G1 | | 10A-11 | 1.00 | 0.81 | 10 |
| <i>Butea frondosa</i> See - <i>Butea monosperma</i> | | | | | | | | |
| <i>Butea monosperma</i> Flame-of-the-Forest | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Butia bonnetii</i> No Common Name Found | BE | 1.00 | G1 | 8-9A | 9B-11 | 1.00 | 1.00 | 10 |
| <i>Butia capitata</i> Jelly Palm | BE | 0.84 | G2 | 8 | 9A-11 | 1.00 | 1.21 | 10 |
| <i>Butia yatay</i> Yatay Palm | BE | 1.00 | G2 | 8 | 9A-11 | 1.00 | 1.00 | 10 |
| <i>Butomus umbellatus</i> Flowering Rush | HP | 1.06 | G1 | | 5-9B | | | 5 |
| <i>Buxus</i> Boxwood | BS | 1.15 | G1 | | 7-10A | | 1.19 | 6 |
| <i>Buxus 'Antarctica'</i> See - <i>Buxus 'Antzam'</i> | | | | | | | | |
| <i>Buxus 'Antzam'</i> Antarctica™ Boxwood | BS | 1.15 | G1 | | 7-10A | | 1.19 | 6 |
| <i>Buxus 'Chicagoland Green'</i> Chicagoland Green Boxwood | BS | 1.29 | G1 | | 7-10A | | 1.19 | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Buxus</i> 'Green Gem' Green Gem Boxwood | BS | 1.15 | G1 | | 7-10A | | | 1.26 6 |
| <i>Buxus</i> 'Green Ice' Green Ice Boxwood | BS | 1.18 | G1 | | 7-10A | | | 1.19 6 |
| <i>Buxus</i> 'Green Mound' Green Mound Boxwood | BS | 1.21 | G1 | | 7-10A | | | 1.23 6 |
| <i>Buxus</i> 'Green Mountain' Green Mountain Boxwood | BS | 1.25 | G1 | | 7-10A | | | 1.29 6 |
| <i>Buxus</i> 'Green Velvet' Green Velvet Boxwood | BS | 1.23 | G1 | | 7-10A | | | 1.19 6 |
| <i>Buxus</i> 'Shirley Ann' Shirley Ann Boxwood | BS | 1.15 | G1 | | 7-10A | | | 1.19 6 |
| <i>Buxus harlandii</i> Harlands Boxwood | BS | 0.85 | G1 | | 7-10A | | | 1.00 8 |
| <i>Buxus koreana</i> See - <i>Buxus microphylla</i> var. <i>koreana</i> | BS | 0.92 | G1 | 6 | 7-10A | | | 1.08 6 |
| <i>Buxus microphylla</i> Littleleaf Boxwood | BS | 1.45 | G1 | 6 | 7-10A | | | 1.08 6 |
| <i>Buxus microphylla</i> 'Compacta' Compact Littleleaf Boxwood | BS | 1.47 | G1 | 6 | 7-10A | | | 1.08 6 |
| <i>Buxus microphylla</i> 'Curly Locks' Curly Locks Littleleaf Boxwood | BS | 1.79 | G1 | 6 | 7-10A | | | 1.08 6 |
| <i>Buxus microphylla</i> 'Green Pillow' Green Pillow Littleleaf Boxwood | BS | 0.92 | G1 | 6 | 7-10A | | | 1.08 6 |
| <i>Buxus microphylla</i> 'Sunnyside' Sunnyside Littleleaf Boxwood | BS | 1.17 | G1 | 6 | 7-10A | | | 1.08 6 |
| <i>Buxus microphylla</i> 'Tide Hill' Tide Hill Littleleaf Boxwood | BS | 1.20 | G1 | 6 | 7-10A | | | 1.11 6 |
| <i>Buxus microphylla</i> 'True Spreader' True Spreader Littleleaf Boxwood | BS | 0.71 | G1 | 6 | 7-10A | | | 0.76 6 |
| <i>Buxus microphylla</i> var. <i>japonica</i> Japanese Littleleaf Boxwood | BS | 0.98 | G1 | 6 | 7-10A | | | 1.00 6 |
| <i>Buxus microphylla</i> var. <i>japonica</i> 'Green Beauty' Green Beauty Japanese Littleleaf Boxwood | BS | 1.93 | G1 | 6 | 7-10A | | | 0.76 6 |
| <i>Buxus microphylla</i> var. <i>japonica</i> 'Kingsville Dwarf' Kingsville Dwarf Japanese Littleleaf Boxwood | BS | 1.93 | G1 | 6 | 7-10A | | | 0.76 6 |
| <i>Buxus microphylla</i> var. <i>japonica</i> 'Morris Midget' Morris Midget Japanese Littleleaf Boxwood | BS | 1.01 | G1 | 6 | 7-10A | | | 0.76 6 |
| <i>Buxus microphylla</i> var. <i>japonica</i> 'National' National Japanese Littleleaf Boxwood | BS | 1.09 | G1 | 6 | 7-10A | | | 1.24 6 |
| <i>Buxus microphylla</i> var. <i>koreana</i> Korean Littleleaf Boxwood | BS | 1.29 | G1 | 6 | 7-10A | | | 0.96 6 |
| <i>Buxus microphylla</i> var. <i>koreana</i> 'Pincushion' Pincushion Korean Littleleaf Boxwood | BS | 1.00 | G1 | 6 | 7-10A | | | 0.96 6 |
| <i>Buxus microphylla</i> var. <i>koreana</i> 'Wilson' Wilson Littleleaf Korean Boxwood | BS | 1.03 | G1 | 6 | 7-10A | | | 0.96 6 |
| <i>Buxus microphylla</i> var. <i>koreana</i> 'Winter Beauty' Winter Beauty Littleleaf Korean Boxwood | BS | 1.10 | G1 | 6 | 7-10A | | | 0.96 6 |
| <i>Buxus microphylla</i> var. <i>koreana</i> 'Winter Gem' Winter Gem Korean Littleleaf Boxwood | BS | 1.00 | G1 | 6 | 7-10A | | | 1.01 6 |
| <i>Buxus microphylla</i> var. <i>koreana</i> 'Wintergreen' Wintergreen Littleleaf Korean Boxwood | BS | 1.00 | G1 | 6 | 7-10A | | | 1.08 6 |
| <i>Buxus microphylla</i> var. <i>sinica</i> Asiatic Littleleaf Boxwood | BS | 1.12 | G1 | 5-8 | 9A-10A | | | 1.00 6 |
| <i>Buxus sempervirens</i> American Boxwood | BS | 1.06 | G1 | 5-8 | 9A-10A | | | 1.23 5 |
| <i>Buxus sempervirens</i> 'Argenteo-variegata' Variegated White Common Boxwood | BS | | | | | | | 0.88 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Buxus sempervirens</i> 'Aureo-variegata' Variegated Yellow Common Boxwood | BS | 1.22 | G1 | 5-8 | 9A-10A | | 0.88 | 5 |
| <i>Buxus sempervirens</i> 'Fastigiata' Fastigiate Common Boxwood | BS | 1.06 | G1 | 5-8 | 9A-10A | | 1.11 | 5 |
| <i>Buxus sempervirens</i> 'Graham Blandy' Graham Blandy Common Boxwood | BS | 1.42 | G1 | 5-8 | 9A-10A | | 0.95 | 5 |
| <i>Buxus sempervirens</i> 'Handsworthiensis' Handsworthiensis Common Boxwood | BS | 1.06 | G1 | 5-8 | 9A-10A | | 1.12 | 5 |
| <i>Buxus sempervirens</i> 'Inglis' Inglis Common Boxwood | BS | 1.14 | G1 | 5-8 | 9A-10A | | 1.07 | 5 |
| <i>Buxus sempervirens</i> 'Marginata' Marginata Common Boxwood | BS | 1.06 | G1 | 5-8 | 9A-10A | | 0.88 | 5 |
| <i>Buxus sempervirens</i> 'Newport Blue' Newport Blue Common Boxwood | BS | 1.15 | G1 | 5-8 | 9A-10A | | 1.10 | 5 |
| <i>Buxus sempervirens</i> 'Pendula' Weeping Common Box | BS | 1.83 | G1 | 5-8 | 9A-10A | | 0.88 | 5 |
| <i>Buxus sempervirens</i> 'Prostrata' Prostrate Common Boxwood | BS | 1.06 | G1 | 5-8 | 9A-10A | | 1.05 | 5 |
| <i>Buxus sempervirens</i> 'Rotundifolia' Round Leaf Common Boxwood | BS | 1.10 | G1 | 5-8 | 9A-10A | | 0.99 | 5 |
| <i>Buxus sempervirens</i> 'Suffruticosa' Suffruticosa Common Boxwood | BS | 1.32 | G1 | 5-8 | 9A-10A | | 1.18 | 5 |
| <i>Buxus sempervirens</i> 'Vardar Valley' Vardar Valley Common Boxwood | BS | 1.28 | G1 | 5-8 | 9A-10A | | 1.32 | 5 |
| <i>Buxus sempervirens</i> 'Variegata' Variegated Common Boxwood | BS | 1.18 | G1 | 5-8 | 9A-10A | | 1.05 | 5 |
| <i>Buxus sempervirens</i> 'Welleri' Welleri Common Boxwood | BS | 1.09 | G1 | 5-8 | 9A-10A | | 0.88 | 5 |
| <i>Byrsinima lucida</i> Locustberry | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10B |
| <i>Caesalpinia ferrea</i> Brazilian Ironwood | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Caesalpinia gilliesii</i> Bird of Paradise Bush | BE | 1.39 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Caesalpinia granadillo</i> Bridalveil Tree | BE | 1.43 | G2 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Caesalpinia mexicana</i> Mexican Caesalpinia | BS | 1.20 | G1 | 10A | 10B-11 | | 0.92 | 10 |
| <i>Caesalpinia pulcherrima</i> Dwarf Poinciana | BS | 0.84 | G1 | | 10A-11 | | 0.66 | 9 |
| <i>Caladium bicolor</i> Caladium | HP | 0.95 | G3 | 8-10A | 10B-11 | | 10 | |
| <i>Caladium bicolor</i> 'Blaze' Blaze Caladium | HP | 0.67 | G3 | 8-10A | 10B-11 | | 10 | |
| <i>Caladium bicolor</i> 'Calypso' Calypso Caladium | HP | 0.68 | G3 | 8-10A | 10B-11 | | 10 | |
| <i>Caladium bicolor</i> 'Candidum Junior' Candidum Junior Caladium | HP | 0.68 | G3 | 8-10A | 10B-11 | | 10 | |
| <i>Caladium bicolor</i> 'Candidum' Candidum Caladium | HP | 0.78 | G3 | 8-10A | 10B-11 | | 10 | |
| <i>Caladium bicolor</i> 'Carolyn Whorton' Carolyn Whorton Caladium | HP | 0.67 | G3 | 8-10A | 10B-11 | | 10 | |
| <i>Caladium bicolor</i> 'Elise' Elise Caladium | HP | 0.68 | G3 | 8-10A | 10B-11 | | 10 | |
| <i>Caladium bicolor</i> 'Fannie Munson' Fannie Munson Caladium | HP | 0.68 | G3 | 8-10A | 10B-11 | | 10 | |
| <i>Caladium bicolor</i> 'Fantasy' Fantasy Caladium | HP | 0.68 | G3 | 8-10A | 10B-11 | | 10 | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Caladium bicolor</i> 'Festiva' Festiva Caladium | HP | 0.68 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Florida Cardinal Red' Florida Cardinal Red Caladium | HP | 0.68 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Florida Sweetheart' Florida Sweetheart Caladium | HP | 0.68 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Freida Hemple' Freida Hemple Caladium | HP | 0.78 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Gingerland' Gingerland Caladium | HP | 0.68 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Irene Dahl' Irene Dahl Caladium | HP | 0.68 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Jackie Suthers' Jackie Suthers Caladium | HP | 0.67 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'June Bride' June Bride Caladium | HP | 0.67 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Kathleen' Kathleen Caladium | HP | 0.68 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Miss Muffet' Miss Muffet Caladium | HP | 0.73 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Pink Beauty' Pink Beauty Caladium | HP | 0.78 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Pink Gem' Pink Gem Caladium | HP | 0.67 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Pink Symphony' Pink Symphony Caladium | HP | 0.67 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Postman Joyner' Postman Joyner Caladium | HP | 0.78 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Red Flash' Red Flash Caladium | HP | 0.68 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Red Frill' Red Frill Caladium | HP | 0.68 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Rosabud' Rosabud Caladium | HP | 0.78 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Rosalie' Rosalie Caladium | HP | 0.67 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'Tropicana' Tropicana Caladium | HP | 0.67 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'White Christmas' White Christmas Caladium | HP | 0.78 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'White Queen' White Queen Caladium | HP | 0.68 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium bicolor</i> 'White Wing' White Wing Caladium | HP | 0.67 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium x hortulanum</i> See - <i>Caladium bicolor</i> | | | | | | | | |
| <i>Caladium lindenii</i> No Common Name Found | FO | 0.57 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Caladium lindenii</i> 'Magnificum' No Common Name Found | FO | 0.85 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Calamagrostis x acutiflora</i> Feather Reed Grass | HP | 1.16 | G4 | | 5-9A | | | 4 |
| <i>Calamagrostis x acutiflora</i> 'Karl Foerster' Karl Foerster Reed Grass | HP | 1.05 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Calamagrostis x acutiflora</i> 'Overdami' Overdami Feather Reed Grass | HP | 1.05 | G4 | | 5-9A | | | 4 |
| <i>Calamagrostis x acutiflora</i> 'Stricta' Stricta Feather Reed Grass | HP | 1.09 | G4 | | 5-9A | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | High/Wide | | |
| <i>Calamagrostis arundinacea</i> Reed Grass | HP | 1.00 | G4 | 5-6 | 7-9A | | | 7 |
| <i>Calamagrostis brachytricha</i> Korean Feather Reed Grass | HP | 1.03 | G4 | 5-6 | 7-9B | | | 4 |
| <i>Calamagrostis canadensis</i> Blue Joint Grass | HP | 1.00 | G4 | 5-6 | 7-9B | | | 7 |
| <i>Calamagrostis foliosa</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-9A | | | 7 |
| <i>Calamagrostis nutkaensis</i> No Common Name Found | HP | 0.82 | G4 | 5-6 | 7-9A | | | 7 |
| <i>Calamintha grandiflora</i> Showy Savory | HP | 0.92 | G4 | | 5-9A | | | 5 |
| <i>Calamintha grandiflora</i> 'Variegata' Variegated Large-flowered Calamint | HP | 1.02 | G4 | | 5-9A | | | 5 |
| <i>Calamintha nepeta</i> Calamint Savory | HP | 1.02 | G4 | | 5-9A | | | 6 |
| <i>Calamintha nepeta</i> ssp. <i>nepeta</i> No Common Name Found | HP | 1.02 | G4 | | 5-9A | | | 6 |
| <i>Calanthe discolor</i> var. <i>sieboldii</i> No Common Name Found | FO | 1.00 | G4 | 9A | 9B-11 | | | 8 |
| <i>Calanthe rosea</i> Rose Painted Leaf | FO | 1.00 | G4 | 9 | 10A-11 | | | 10 |
| <i>Calanthe sieboldii</i> See - <i>Calanthe discolor</i> var. <i>sieboldii</i> | FO | 0.68 | G3 | 8-10B | 11 | | | 9 |
| <i>Calathea burle-marxii</i> No Common Name Found | FO | 0.81 | G3 | 8-10B | 11 | | | 9 |
| <i>Calathea burle-marxii</i> 'Ice Blue' Ice Blue Calathea | FO | 1.31 | G3 | 8-10B | 11 | | | 9 |
| <i>Calathea crotalifera</i> No Common Name Found | FO | 0.42 | G3 | 8-10B | 11 | | | 9 |
| <i>Calathea louisae</i> Hardy Calathea | FO | 0.51 | G3 | 8-10B | 11 | | | 9 |
| <i>Calathea lutea</i> Cauassu | FO | 0.62 | G3 | 8-10B | 11 | | | 9 |
| <i>Calathea majestica</i> No Common Name Found | FO | 1.00 | G3 | 8-10B | 11 | | | 9 |
| <i>Calathea makoyana</i> Peacock Plant | FO | 0.72 | G3 | 8-10B | 11 | | | 9 |
| <i>Calathea ornata</i> See - <i>Calathea majestica</i> | FO | 0.76 | G3 | 8-10B | 11 | | | 9 |
| <i>Calathea picta</i> See - <i>Calathea warscewiczii</i> | FO | 0.63 | G3 | 8-10B | 11 | | | 9 |
| <i>Calathea roseapicta</i> No Common Name Found | FO | 0.69 | G3 | 8-10B | 11 | | | 9 |
| <i>Calathea roseapicta</i> 'Rosy' P.P. 8836 Rosy Roseapicta Calathea | FO | 0.71 | G3 | 8-10B | 11 | | | 9 |
| <i>Calathea rufifarpa</i> No Common Name Found | FO | 0.69 | G3 | 8-10B | 11 | | | 9 |
| <i>Calathea warscewiczii</i> No Common Name Found | FO | 0.69 | G3 | 8-10B | 11 | | | 9 |
| <i>Calathea zebra</i> Zebra Calathea | HP | 0.93 | G4 | 9A | 9B-10B | | | 9 |
| <i>Calceolaria</i> Calceolaria | HP | 0.93 | G4 | 9A | 9B-10B | | | 9 |
| <i>Calceolaria</i> 'Golden Nugget' Golden Nugget Calceolaria | HP | 0.93 | G4 | 9A | 9B-10B | | | 9 |
| <i>Calceolaria</i> 'Kentish Hero' Kentish Hero Calceolaria | HP | 0.93 | G4 | 9A | 9B-10B | | | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Calceolaria biflora</i> No Common Name Found | HP | 0.84 | G4 | 9A | 9B-10B | | | 6 |
| <i>Calceolaria biflora</i> 'John Innes' John Innes Calceolaria | HP | 0.84 | G4 | 9A | 9B-10B | | | 6 |
| <i>Calceolaria crenatiflora</i> No Common Name Found | HP | 1.00 | G4 | 9A | 9B-10B | | | 8 |
| <i>Calendula officinalis</i> Pot Marigold | AN | 1.00 | G1 | 5-6 | 7-10A | | | 6 |
| <i>Calendula officinalis</i> 'Fiesta Gitana Mix' Fiesta Gitana Mix Pot Marigold | AN | 1.00 | G1 | 5-6 | 7-10A | | | 6 |
| <i>Calendula officinalis</i> 'Orange Bon Bon' Orange Bon Bon Pot Marigold | AN | 1.00 | G1 | 5-6 | 7-10A | | | 6 |
| <i>Calendula officinalis</i> 'Yellow Bon Bon' Yellow Bon Bon Pot Marigold | AN | 1.00 | G1 | 5-6 | 7-10A | | | 6 |
| <i>Calla aethiopica</i> See - <i>Zantedeschia aethiopica</i> | BS | 0.81 | G1 | | | 10A-11 | | 1.00 10 |
| <i>Calliandra californica</i> Baja Fairy Duster | BS | 0.95 | G1 | | | 10A-11 | | 1.00 10 |
| <i>Calliandra eriophylla</i> Fairy Duster | BS | 0.94 | G1 | | | 10A-11 | | 1.00 10 |
| <i>Calliandra haematocephala</i> Red Powderpuff | BS | 1.06 | G1 | | | 10A-11 | | 1.00 10 |
| <i>Calliandra haematocephala</i> 'Alba' White Powderpuff | BS | 0.83 | G1 | | | 10A-11 | | 1.00 10 |
| <i>Calliandra haematocephala</i> 'Nana' Dwarf Red Powderpuff | BS | 0.77 | G1 | | | 10A-11 | | 1.00 10 |
| <i>Calliandra inaequilatera</i> See - <i>Calliandra haematocephala</i> | BS | 0.75 | G1 | | | 10A-11 | | 1.00 10 |
| <i>Calliandra surinamensis</i> No Common Name Found | DS | 0.76 | G1 | 7-8 | 9A-11 | | | 1.00 6 |
| <i>Calliandra tweedii</i> Mexican Flamebush | DS | 0.94 | G1 | 7-8 | 9A-11 | | | 1.00 6 |
| <i>Callicarpa americana</i> French Mulberry | DS | 0.88 | G1 | 6 | 7-9B | | | 0.90 6 |
| <i>Callicarpa americana</i> 'Lactea' Lactea French Beautyberry | DS | 1.01 | G1 | 6 | 7-9B | | | 0.90 6 |
| <i>Callicarpa bodinieri</i> Bodinier Beautyberry | DS | 1.00 | G1 | 6 | 7-9B | | | 1.00 6 |
| <i>Callicarpa bodinieri</i> 'Profusion' Profusion Bodinier Beautyberry | DS | 1.09 | G1 | 6 | 7-9B | | | 1.13 6 |
| <i>Callicarpa bodinieri</i> var. <i>giraldii</i> Gerald Bodinier Beautyberry | DS | 1.09 | G1 | 6 | 7-9B | | | 0.90 6 |
| <i>Callicarpa dichotoma</i> Purple Beautyberry | DS | 1.09 | G1 | 6 | 7-9B | | | 0.90 6 |
| <i>Callicarpa dichotoma</i> 'Issai' Issai Purple Beautyberry | DS | 1.09 | G1 | 6 | 7-9B | | | 1.00 6 |
| <i>Callicarpa dichotoma</i> var. <i>albifluctus</i> White-berried Purple Beautyberry | DS | 1.09 | G1 | 6 | 7-9B | | | 0.90 8 |
| <i>Callicarpa japonica</i> Japanese Beautyberry | DS | 1.07 | G1 | | 5-9B | | | 0.90 9 |
| <i>Callicarpa longifolia</i> No Common Name Found | DS | 1.16 | G1 | 9 | 10A-11 | | | 0.90 9 |
| <i>Callicarpa longifolia</i> 'Leucocarpa' Leucocarpa Beautyberry | DS | 1.16 | G1 | 9 | 10A-11 | | | 0.90 9 |
| <i>Callirhoe involucrata</i> Wine Cups | HP | 0.97 | G1 | | 4-8 | | | 4 |
| <i>Callirhoe papaver</i> Poppy Mallow | HP | 1.26 | G1 | | 4-8 | | | 6 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Callistemon</i> Bottlebrush | BE | 0.74 | G1 | 8-9B | 10A-11 | 1.00 | 0.95 | 9 |
| <i>Callistemon</i> 'Little John' Little John Bottlebrush | BE | 0.85 | G1 | 8-9B | 10A-11 | 1.00 | 0.95 | 9 |
| <i>Callistemon</i> 'Mauve Mist' Mauve Mist Bottlebrush | BE | 0.91 | G1 | 8-9B | 10A-11 | 1.00 | 0.95 | 9 |
| <i>Callistemon</i> 'Perth Pink' Perth Pink Bottlebrush | BE | 0.91 | G1 | 8-9B | 10A-11 | 1.00 | 0.95 | 9 |
| <i>Callistemon</i> 'Red Cluster' Red Cluster Bottlebrush | BE | 0.74 | G1 | 8-9B | 10A-11 | 1.00 | 0.95 | 9 |
| <i>Callistemon citrinus</i> Crimson Bottlebrush | BE | 0.71 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Callistemon citrinus</i> 'Hannah Ray' Hannah Ray Crimson Bottlebrush | BE | 0.74 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Callistemon citrinus</i> 'Rainbow' Rainbow Crimson Bottlebrush | BE | 0.71 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Callistemon citrinus</i> 'Splendens' Splendens Crimson Bottlebrush | BE | 0.74 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Callistemon lanceolatus</i> See - <i>Callistemon citrinus</i> | | | | | | | | |
| <i>Callistemon rigidus</i> Stiff Bottlebrush | BE | 0.66 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Callistemon sieberi</i> Alpine Bottlebrush | BE | 0.64 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 7 |
| <i>Callistemon sieberi</i> 'Powell's Hardy Red' Powell's Hardy Red Alpine Bottlebrush | BE | 0.74 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 7 |
| <i>Callistemon speciosus</i> Albany Bottlebrush | BE | 1.00 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Callistemon subulatus</i> No Common Name Found | BE | 1.00 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Callistemon viminalis</i> Weeping Bottlebrush | BE | 0.72 | G1 | 10A | 10B-11 | 1.00 | 0.47 | 9 |
| <i>Callistemon viminalis</i> 'Red Cascade' Red Cascade Weeping Bottlebrush | BE | 0.98 | G1 | 10A | 10B-11 | 1.00 | 0.47 | 9 |
| <i>Calluna vulgaris</i> Scotch Heather | BS | 0.93 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Alba Joe' Alba Joe Scotch Heather | BS | 0.83 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Allegro' Allegro Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Alportii' Alportii Scotch Heather | BS | 0.83 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Anthony Davis' Anthony Davis Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9B | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Aureafolia' Aureafolia Scotch Heather | BS | 0.83 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Barnett Anley' Barnett Anley Scotch Heather | BS | 1.02 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Beoley Gold' Beoley Gold Scotch Heather | BS | 1.05 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Blazeaway' Blazeaway Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Bronze Beauty' Bronze Beauty Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'C.W. Nix' C.W. Nix Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Con Brio' Con Brio Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | 1.00 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Calluna vulgaris</i> 'Corbetts Red' Corbetts Red Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'County Wicklow' County Wicklow Scotch Heather | BS | 1.00 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Cuprea' Cuprea Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Dainty Bess' Dainty Bess Scotch Heather | BS | 0.98 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Dark Beauty' Dark Beauty Scotch Heather | BS | 1.83 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Darkness' Darkness Scotch Heather | BS | 0.83 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'David Eason' David Eason Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Else Frye' Else Frye Scotch Heather | BS | 0.98 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Elsie Purnell' Elsie Purnell Scotch Heather | BS | 1.04 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Finale' Finale Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Fox Hollow Wanderer' Fox Hollow Wanderer Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Foxii Nana' Foxii Nana Scotch Heather | BS | 1.01 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Gerda' Gerda Scotch Heather | BS | 1.83 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Gold Haze' Gold Haze Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Golden Aurea' Golden Aurea Scotch Heather | BS | 0.83 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Golden Feather' Golden Feather Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Goldsworth Crimson' Goldsworth Crimson Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9B | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'H.E. Beale' H.E. Beale Scotch Heather | BS | 1.06 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Hammondii Aureaifolia' Hammondii Aureaifolia Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Hirsuta Typica' Hirsuta Typica Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Humpty Dumpty' Humpty Dumpty Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'J.H. Hamilton' J.H. Hamilton Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Kinlochruel' Kinlochruel Scotch Heather | BS | 1.00 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Kuphaldtii' Kuphaldtii Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'MacDonald of Glencoe' MacDonald of Glencoe Scotch Heather | BS | 0.83 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Mair's Variety' Mair's Variety Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Martha Herman' Martha Herman Scotch Heather | BS | 1.02 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Mary Ferreira' Mary Ferreira Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Calluna vulgaris</i> 'Minima Prostrata' Minima Prostrata Scotch Heather | BS | 0.87 | G1 | 4-6 | 7-9A | | | 1.00 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Calluna vulgaris</i> 'Mrs. Ronald Gray' Mrs. Ronald Gray Scotch Heather | BS | 1.01 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Multicolor' Multicolor Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'My Dream' My Dream Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Nana Compacta' Nana Compacta Scotch Heather | BS | 1.01 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Orange Queen' Orange Queen Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Peter Sparkes' Peter Sparkes Scotch Heather | BS | 0.98 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Prostrate Orange' Prostrate Orange Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Pygmaea' Pygmy Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Pyramidalis' Pyramidal Scotch Heather | BS | 0.94 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Red Haze' Red Haze Scotch Heather | BS | 1.04 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Rigida' Rigida Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Robert Chapman' Robert Chapman Scotch Heather | BS | 1.08 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Rosalind Underwood' Rosalind Underwood Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Rosea' Rosea Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Rubrum' Red Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Sally Anne' Sally Anne Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Silver Knight' Silver Knight Scotch Heather | BS | 1.00 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Silver Queen' Silver Queen Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Silver Spire' Silver Spire Scotch Heather | BS | 1.04 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Sister Anne' Sister Anne Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Smith's Variety' Smith's Variety Scotch Heather | BS | 1.02 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Spring Cream' Spring Cream Scotch Heather | BS | 1.08 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Spring Torch' Spring Torch Scotch Heather | BS | 1.00 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Tenuis' Tenuis Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Tib' Tib Scotch Heather | BS | 1.01 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Tomentosa' Tomentosa Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Underwoodii' Underwood Scotch Heather | BS | 1.04 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Westphalia' Westphalia Scotch Heather | BS | 1.03 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'White Knight' White Knight Scotch Heather | BS | 1.05 | G1 | 4-6 | 7-9A | | 1.00 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Calluna vulgaris</i> 'White Lawn' White Lawn Scotch Heather | BS | 0.99 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Wickwar Flame' Wickwar Flame Scotch Heather | BS | 0.91 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Winter Chocolate' Winter Chocolate Scotch Heather | BS | 0.94 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Calocedrus decurrens</i> Incense Cedar | CE | 0.67 | G1 | | 6-8 | 1.00 | 0.88 | 7 |
| <i>Calocedrus decurrens</i> 'Aureovariegata' Aureovariegata Incense Cedar | CE | 2.29 | G1 | | 6-8 | 1.00 | 0.88 | 7 |
| <i>Calocedrus decurrens</i> 'Berrima Gold' Berrima Gold Incense Cedar | CE | 3.33 | G1 | | 6-8 | 1.00 | 0.88 | 7 |
| <i>Calocedrus decurrens</i> 'Compacta' Compact Incense Cedar | CE | 1.20 | G1 | | 6-8 | 1.00 | 0.88 | 7 |
| <i>Calocedrus decurrens</i> 'Maupin Glow' Maupin Glow Incense Cedar | CE | 4.61 | G1 | | 6-8 | 1.00 | 0.88 | 7 |
| <i>Calocephalus brownii</i> Cushionbush | BS | 0.75 | G2 | | 9A-10B | | 1.00 | 9 |
| <i>Calodendrum capense</i> Cape Chestnut | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Calophyllum brasiliense</i> Brazil Beautyleaf | BE | 1.08 | G1 | 10A | 10B-11 | 1.00 | 0.74 | 10 |
| <i>Calophyllum inophyllum</i> Alexandrian Laurel | BE | 0.99 | G2 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Calostemma purpureum</i> Garland Lily | HP | 1.00 | G4 | | 9B-11 | | | 9 |
| <i>Calotropis gigantea</i> Giant Crown Plant | BS | 0.63 | G2 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Caltha palustris</i> Marsh Marigold | HP | 1.22 | G4 | | 4-8 | | | 3 |
| <i>Caltha palustris</i> 'Alba' White Marsh Marigold | HP | 1.56 | G4 | | 4-8 | | | 3 |
| <i>Caltha palustris</i> 'Flore Pleno' Flore Pleno Marsh Marigold | HP | 1.56 | G4 | | 4-8 | | | 3 |
| <i>Calycanthus chinensis</i> Chinese Sweetshrub | BS | 1.05 | G1 | | 5-8 | | 1.00 | 6 |
| <i>Calycanthus floridus</i> Sweetshrub | BS | 0.98 | G1 | | 5-8 | | 0.57 | 5 |
| <i>Calycanthus floridus</i> 'Athens' Athens Sweetshrub | BS | 1.76 | G1 | | 5-8 | | 0.57 | 5 |
| <i>Calycanthus occidentalis</i> California Sweetshrub | BS | 0.78 | G1 | | 7-8 | | 1.00 | 7 |
| <i>Calylophus hartwegii</i> Sierra Sundrop | HP | 0.69 | G1 | 9 | 10A-11 | | | 8 |
| <i>Calyptocarpus vialis</i> Horseherb | BS | 0.75 | G4 | 8-9 | 10 | | 1.00 | 7 |
| <i>Calyptranthes pallens</i> Spicewood | BS | 0.70 | G1 | 10A | 10B-11 | | 1.00 | 10B |
| <i>Calyptranthes zuzygium</i> Myrtle of the River | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10B |
| <i>Calyptrocalyx hollrungii</i> No Common Name Found | BE | 5.82 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Calyptrocalyx spicatus</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Calyptrogyne sarapiquensis</i> Manac Palm of Costa Rica | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Calyptronoma dulcis</i> Cuban Manac | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Calyptronoma rivalis</i> Manac Palm of Puerto Rico | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Calystegia macrostegia</i> ssp. <i>cyclotegia</i> No Common Name Found | GC | 1.00 | G4 | | 8-10B | | 1.00 | 8 |
| <i>Camassia scilloides</i> Eastern Camass | HP | 1.00 | G1 | 7 | 8-10B | | | 7 |
| <i>Camellia</i> Hybrid Camellia | BS | 0.89 | G1 | 7-8 | 9-10A | | 1.00 | 6 |
| <i>Camellia 'Anticipation'</i> Anticipation Hybrid Camellia | BS | 0.91 | G1 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Camellia 'Brushfield's Yellow'</i> Brushfield's Yellow Hybrid Camellia | BS | 0.91 | G1 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Camellia 'Coral Delight'</i> Coral Delight Hybrid Camellia | BS | 1.20 | G1 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Camellia 'Freedom Bell'</i> Freedom Bell Camellia | BS | 1.09 | G1 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Camellia 'J.C. Williams'</i> J.C. Williams Hybrid Camellia | BS | 0.91 | G1 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Camellia 'Pink Icicle'</i> Pink Icicle Ackerman Hybrid Camellia | BS | 1.20 | G1 | 7-8 | 9-10A | | 1.00 | 6 |
| <i>Camellia 'Snow Flurry'</i> Snow Flurry Ackerman Hybrid Camellia | BS | 1.11 | G1 | 7-8 | 9-10A | | 1.00 | 6 |
| <i>Camellia 'Taylor's Perfection'</i> Taylor's Perfection Camellia | BS | 1.15 | G1 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Camellia 'Winter's Beauty'</i> Winter's Beauty Ackerman Hybrid Camellia | BS | 1.36 | G1 | 7-8 | 9-10A | | 1.00 | 6 |
| <i>Camellia 'Winter's Interlude'</i> Winter's Interlude Ackerman Hybrid Camellia | BS | 1.36 | G1 | 7-8 | 9-10A | | 1.00 | 6 |
| <i>Camellia 'Winter's Rose'</i> Winter's Rose Ackerman Hybrid Camellia | BS | 0.88 | G1 | 7-8 | 9-10A | | 1.00 | 6 |
| <i>Camellia 'Winter's Star'</i> Winter's Star Ackerman Hybrid Camellia | BS | 1.13 | G1 | 7-8 | 9-10A | | 1.00 | 6 |
| <i>Camellia 'Yoimachi'</i> Yoimachi Hybrid Camellia | BS | 1.21 | G1 | 7-8 | 9-10A | | 1.00 | 8 |
| <i>Camellia japonica</i> Japanese Camellia | BS | 1.32 | G1 | 7-8 | 9A-10A | | 2.24 | 7 |
| <i>Camellia japonica</i> '(Unnamed Cultivar 01)' Kramer's Supreme™ Japanese Camellia | BS | 1.14 | G1 | 7-8 | 9A-10A | | 1.32 | 7 |
| <i>Camellia japonica</i> 'Adolphe Audusson' Adolphe Audusson Japanese Camellia | BS | 1.36 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Alba Plena' Alba Plena Japanese Camellia | BS | 1.03 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Allie Blue' Allie Blue Japanese Camellia | BS | 0.91 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Alpine Glow' Alpine Glow Japanese Camellia | BS | 0.91 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Altheaiflora' Altheaiflora Japanese Camellia | BS | 1.18 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Ava Maria' Ava Maria Japanese Camellia | BS | 0.91 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Berenice Boddy' Berenice Boddy Japanese Camellia | BS | 1.35 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Betty Sheffield Supreme' Betty Sheffield Supreme Japanese Camellia | BS | 1.13 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Betty Sheffield' Betty Sheffield Japanese Camellia | BS | 1.17 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Blood of China' Blood of China Japanese Camellia | BS | 1.10 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Camellia japonica</i> 'Bob Hope' Bob Hope Japanese Camellia | BS | 1.10 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Brilliant' Brilliant Japanese Camellia | BS | 0.91 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'C.M. Hovey' C.M. Hovey Japanese Camellia | BS | 1.23 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'C.M. Wilson' C.M. Wilson Japanese Camellia | BS | 1.26 | G1 | 7-8 | 9A-10A | | 1.49 | 7 |
| <i>Camellia japonica</i> 'Campari' Campari Japanese Camellia | BS | 1.21 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Carter's Sunburst' Carter's Sunburst Japanese Camellia | BS | 1.32 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Chandleri Elegans Variegated' Chandleri Elegans Variegated Japanese Camellia | BS | 1.08 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Chandleri Elegans' Chandleri Elegans Japanese Camellia | BS | 1.13 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Cherries Jubilee' Cherries Jubilee Japanese Camellia | BS | 1.21 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Christine Lee' Christine Lee Japanese Camellia | BS | 1.18 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Colonel Firey' Colonel Firey Japanese Camellia | BS | 1.09 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Coquetti' Coquetti Japanese Camellia | BS | 1.15 | G1 | 7-8 | 9A-10A | | 1.15 | 8 |
| <i>Camellia japonica</i> 'Covina' Covina Japanese Camellia | BS | 1.25 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Daikagura' Daikagura Japanese Camellia | BS | 1.13 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Dainty California' Dainty California Japanese Camellia | BS | 0.91 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Debutante' Debutante Japanese Camellia | BS | 1.11 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Dixie Knight Supreme' Dixie Knight Supreme Japanese Camellia | BS | 0.91 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Doctor Burnside' Doctor Burnside Japanese Camellia | BS | 1.12 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Donckelaeri' Donckelaeri Japanese Camellia | BS | 1.36 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Dr. Tinsley' Dr. Tinsley Japanese Camellia | BS | 1.36 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Eleanor McCown' Eleanor McCown Japanese Camellia | BS | 1.20 | G1 | 7-8 | 9A-10A | | 1.15 | 8 |
| <i>Camellia japonica</i> 'Elegans Splendor' Elegans Splendor Japanese Camellia | BS | 1.10 | G1 | 7-8 | 9A-10A | | 1.15 | 8 |
| <i>Camellia japonica</i> 'Elegans' Elegans Japanese Camellia | BS | 1.66 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Elizabeth Dowd Silver' Elizabeth Dowd Silver Japanese Camellia | BS | 0.91 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Finlandia' Finlandia Japanese Camellia | BS | 1.20 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Fred Sander' Fred Sander Japanese Camellia | BS | 1.12 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Governor Mouton' Governor Mouton Japanese Camellia | BS | 1.28 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Grace Albritton' Grace Albritton Japanese Camellia | BS | 1.21 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Grand Slam' Grand Slam Japanese Camellia | BS | 1.13 | G1 | 7-8 | 9-10A | | 1.15 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Camellia japonica</i> 'Greensboro Red' Greensboro Red Japanese Camellia | BS | 1.30 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Guilio Nuccio' Guilio Nuccio Japanese Camellia | BS | 1.21 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'In The Pink' In The Pink Japanese Camellia | BS | 1.42 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Isaribi' Isaribi Japanese Camellia | BS | 1.42 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Jordan's Pride' Jordan's Pride Japanese Camellia | BS | 1.26 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'King Size' King Size Japanese Camellia | BS | 1.12 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Kramer's Supreme' See - <i>Camellia japonica</i> '(Unnamed Cultivar 01)' | BS | | | | | | | |
| <i>Camellia japonica</i> 'Kumasaka' Kumasaka Japanese Camellia | BS | 1.14 | G1 | 7-8 | 9A-10A | | 1.49 | 7 |
| <i>Camellia japonica</i> 'Lady Clare' Lady Clare Japanese Camellia | BS | 1.25 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Lady Laura' Lady Laura Japanese Camellia | BS | 1.36 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Lady Vansittart Red' Lady Vansittart Red Japanese Camellia | BS | 1.21 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Lady Vansittart' Lady Vansittart Japanese Camellia | BS | 1.17 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Latifolia' Latifolia Japanese Camellia | BS | 1.18 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Laurel Leaf' Laurel Leaf Japanese Camellia | BS | 2.66 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Mabel Bryan' Mabel Bryan Japanese Camellia | BS | 1.18 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Magic City' Magic City Japanese Camellia | BS | 1.12 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Magnoliaeflora' Magnoliaeflora Japanese Camellia | BS | 1.35 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Margie' Margie Japanese Camellia | BS | 1.20 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Marie Bracey' Marie Bracey Japanese Camellia | BS | 1.26 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Mathotiana Supreme' Mathotiana Supreme Japanese Camellia | BS | 1.10 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Mathotiana' Mathotiana Japanese Camellia | BS | 1.25 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Monke' Swan Lake™ Japanese Camellia | BS | 1.15 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Moonlight Bay' Moonlight Bay Japanese Camellia | BS | 1.18 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Morning Glow' Morning Glow Japanese Camellia | BS | 1.31 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Mrs. Charles Cobb' Mrs. Charles Cobb Japanese Camellia | BS | 1.17 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Mrs. D.W. Davis' Mrs. D.W. Davis Japanese Camellia | BS | 1.23 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Mrs. Tingley' Mrs. Tingley Japanese Camellia | BS | 1.48 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Nina Avery' Nina Avery Japanese Camellia | BS | 1.12 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Nuccio's Cameo' Nuccio's Cameo Japanese Camellia | BS | 1.23 | G1 | 7-8 | 9-10A | | 1.15 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Camellia japonica</i> 'Nuccio's Gem' Nuccio's Gem Japanese Camellia | BS | 1.17 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Nuccio's Jewel' Nuccio's Jewel Japanese Camellia | BS | 1.18 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Nuccio's Pearl' Nuccio's Pearl Japanese Camellia | BS | 1.17 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Paulette Goddard' Paulette Goddard Japanese Camellia | BS | 1.36 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Pearl Maxwell' Pearl Maxwell Japanese Camellia | BS | 1.42 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Pink Parade' Pink Parade Japanese Camellia | BS | 1.16 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Pink Perfection' Pink Perfection Japanese Camellia | BS | 1.21 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Pope Pius IX' Pope Pius IX Japanese Camellia | BS | 1.15 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Professor Charles S. Sargent' Professor Charles S. Sargent Japanese Camellia | BS | 1.24 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Purity' Purity Japanese Camellia | BS | 1.24 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'R.L. Wheeler' R.L. Wheeler Japanese Camellia | BS | 1.36 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Rainy Sun' Rainy Sun Japanese Camellia | BS | 1.12 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Rev. John G. Drayton' Rev. John G. Drayton Japanese Camellia | BS | 1.05 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Rose Dawn' Rose Dawn Japanese Camellia | BS | 1.36 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Rosea Superba' Rosea Superba Japanese Camellia | BS | 1.36 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Scented Treasure' Scented Treasure Japanese Camellia | BS | 1.12 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Scentsation' Scentsation Japanese Camellia | BS | 1.48 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Shiro Chan' Shiro Chan Japanese Camellia | BS | 1.17 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Silver Waves' Silver Waves Japanese Camellia | BS | 1.19 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Snow White' Snow White Japanese Camellia | BS | 0.91 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Spellbound' Spellbound Japanese Camellia | BS | 1.17 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Spring Mist' Spring Mist Japanese Camellia | BS | 0.97 | G1 | 7-8 | 9-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Sunset Oaks' Sunset Oaks Japanese Camellia | BS | 1.12 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Surprise Bouquet' Surprise Bouquet Japanese Camellia | BS | 1.39 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Swan Lake' See - <i>Camellia japonica</i> 'Monke' | BS | 1.12 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Tinsee' Tinsee Japanese Camellia | BS | 1.12 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Tom Knudsen' Tom Knudsen Japanese Camellia | BS | 1.19 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Tomorrow' Tomorrow Japanese Camellia | BS | 1.20 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'Villa de Nantes' Villa de Nantes Japanese Camellia | BS | 1.12 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Camellia japonica</i> 'White Empress' White Empress Japanese Camellia | BS | 1.20 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia japonica</i> 'White by the Gate' White by the Gate Japanese Camellia | BS | 1.26 | G1 | 7-8 | 9A-10A | | 1.15 | 7 |
| <i>Camellia sasanqua</i> Sasanqua Camellia | BS | 1.04 | G1 | 8 | 9A-10A | | 1.45 | 8 |
| <i>Camellia sasanqua</i> 'Appleblossom' Appleblossom Sasanqua Camellia | BS | 1.14 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Beni Kantsubakia' Beni Kantsubakia Sasanqua Camellia | BS | 1.20 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Bert Jones' Bert Jones Sasanqua Camellia | BS | 0.97 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Bonanza' Bonanza Sasanqua Camellia | BS | 1.15 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Chansonette' Chansonette Sasanqua Camellia | BS | 1.14 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Cleopatra' Cleopatra Sasanqua Camellia | BS | 1.18 | G1 | 8 | 9A-10A | | 1.15 | 8 |
| <i>Camellia sasanqua</i> 'Cotton Candy' Cotton Candy Sasanqua Camellia | BS | 0.97 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Dauphine' Dauphine Sasanqua Camellia | BS | 1.20 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Daydream' Daydream Sasanqua Camellia | BS | 1.17 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Frank Persons' Frank Persons Sasanqua Camellia | BS | 1.19 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Hana-Jiman' Hana-Jiman Sasanqua Camellia | BS | 1.12 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Hi Ru' Hi Ru Sasanqua Camellia | BS | 1.12 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Jean May' Jean May Sasanqua Camellia | BS | 1.14 | G1 | 8 | 9A-10A | | 1.09 | 8 |
| <i>Camellia sasanqua</i> 'Kanjiro' Kanjiro Sasanqua Camellia | BS | 1.14 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Maiden's Blush' Maiden's Blush Sasanqua Camellia | BS | 1.33 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Midnight Lover' Midnight Lover Sasanqua Camellia | BS | 1.21 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Mine-No-Yuki' Mine-No-Yuki Sasanqua Camellia | BS | 1.16 | G1 | 8 | 9A-10A | | 1.15 | 8 |
| <i>Camellia sasanqua</i> 'Northern Lights' Northern Lights Sasanqua Camellia | BS | 1.42 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Our Linda' Our Linda Sasanqua Camellia | BS | 1.24 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Pink Butterfly' Pink Butterfly Sasanqua Camellia | BS | 1.44 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Pink Snow' Pink Snow Sasanqua Camellia | BS | 1.20 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Rosea' Rose Sasanqua Camellia | BS | 1.13 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Setsugekka' Setsugekka Sasanqua Camellia | BS | 1.11 | G1 | 8 | 9A-10A | | 1.15 | 8 |
| <i>Camellia sasanqua</i> 'Shishi-gashira' Shishi-gashira Sasanqua Camellia | BS | 1.14 | G1 | 8 | 9A-10A | | 1.15 | 8 |
| <i>Camellia sasanqua</i> 'Showa-no-sakae' Showa-no-sakae Sasanqua Camellia | BS | 1.13 | G1 | 8 | 9A-10A | | 1.06 | 8 |
| <i>Camellia sasanqua</i> 'Sparkling Burgundy' Sparkling Burgundy Sasanqua Camellia | BS | 1.13 | G1 | 8 | 9A-10A | | 1.15 | 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Camellia sasanqua</i> 'Wm. Lanier Hunt' Wm. Lanier Hunt Sasanqua Camellia | BS | 1.18 | G1 | 8 | 9A-10A | | | 1.06 |
| <i>Camellia sasanqua</i> 'Yuletide' Yuletide Sasanqua Camellia | BS | 1.19 | G1 | 8 | 9A-10A | | | 1.24 |
| <i>Camellia sinensis</i> Tea | BS | 1.10 | G1 | 8 | 9A-10A | | | 1.00 |
| <i>Camellia x vernalis</i> No Common Name Found | BS | 1.18 | G1 | 8 | 9A-10A | | | 1.00 |
| <i>Camellia x vernalis</i> 'Dawn' Dawn Camellia | BS | 1.18 | G1 | 8 | 9A-10A | | | 1.00 |
| <i>Camellia x vernalis</i> 'Egao' Egao Camellia | BS | 1.23 | G1 | 8 | 9A-10A | | | 1.00 |
| <i>Camellia x vernalis</i> 'Hiryu' Hiryu Camellia | BS | 1.42 | G1 | 8 | 9A-10A | | | 1.00 |
| <i>Camellia x williamsii</i> Williamsii Camellia | BS | 1.03 | G1 | 8 | 9A-10A | | | 1.00 |
| <i>Camellia x williamsii</i> 'Jury's Yellow' Jury's Yellow Williamsii Camellia | BS | 1.03 | G1 | 8 | 9A-10A | | | 1.00 |
| <i>Campanula</i> Hybrid Bellflower | HP | 0.92 | G4 | | | 4-8 | | 4 |
| <i>Campanula</i> 'Birch Hybrid' Birch Bellflower | HP | 0.92 | G4 | | | 4-8 | | 4 |
| <i>Campanula alliariifolia</i> Spurred Bellflower | HP | 1.09 | G4 | | | 3-8 | | 3 |
| <i>Campanula allionii</i> See - <i>Campanula alpestris</i> | HP | 1.00 | G4 | | | 5-8 | | 5 |
| <i>Campanula alpestris</i> No Common Name Found | HP | 1.00 | G4 | | | 4-8 | | 4 |
| <i>Campanula americana</i> Tall Bellflower | HP | 0.71 | G4 | | | 4-8 | | 6 |
| <i>Campanula barbata</i> Bearded Bellflower | HP | 0.81 | G4 | | | 4-8 | | 3 |
| <i>Campanula carpatica</i> Carpathian Harebell | HP | 0.95 | G4 | | | 4-8 | | 3 |
| <i>Campanula carpatica</i> 'Alba' White Carpathian Harebell | HP | 0.95 | G4 | | | 4-8 | | 3 |
| <i>Campanula carpatica</i> 'Blue Clips' Blue Clips Carpathian Harebell | HP | 0.95 | G4 | | | 4-8 | | 3 |
| <i>Campanula carpatica</i> 'White Clips' White Clips Carpathian Harebell | HP | 0.95 | G4 | | | 4-8 | | 3 |
| <i>Campanula carpatica</i> 'White Star' White Star Carpathian Harebell | HP | 0.83 | G4 | | | 4-8 | | 3 |
| <i>Campanula carpatica</i> var. <i>turbinata</i> Turbinata Carpathian Harebell | HP | 0.93 | G4 | | | 4-8 | | 3 |
| <i>Campanula cochleariifolia</i> Spiral Bellflower | HP | 0.85 | G4 | 6 | | 7-9A | | 6 |
| <i>Campanula cochleariifolia</i> 'Alba' White Spiral Bellflower | HP | 0.93 | G4 | 6 | | 7-9A | | 6 |
| <i>Campanula cochleariifolia</i> 'Bavaria Blue' Bavaria Blue Spiral Bellflower | HP | 1.07 | G4 | 6 | | 7-9A | | 6 |
| <i>Campanula cochleariifolia</i> 'Bavaria White' Bavaria White Spiral Bellflower | HP | 0.71 | G4 | 6 | | 7-9A | | 6 |
| <i>Campanula elatines</i> Adriatic Bellflower | HP | 1.00 | G4 | 6 | | 7-9A | | 6 |
| <i>Campanula elatines</i> var. <i>fenestrellata</i> No Common Name Found | HP | 1.44 | G4 | 6 | | 7-9A | | 6 |
| <i>Campanula fragilis</i> No Common Name Found | HP | 0.93 | G4 | | | 8-10A | | 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Campanula gorganica</i> Gargano Bellflower | HP | 0.83 | G4 | | 5-8 | | | 5 |
| <i>Campanula glomerata</i> Clustered Bellflower | HP | 0.93 | G4 | | 2-8 | | | 2 |
| <i>Campanula glomerata</i> 'Alba' White Clustered Bellflower | HP | 0.96 | G4 | | 2-8 | | | 2 |
| <i>Campanula glomerata</i> 'Joan Elliott' Joan Elliott Clustered Bellflower | HP | 1.19 | G4 | | 2-8 | | | 2 |
| <i>Campanula glomerata</i> 'Superba' Superba Clustered Bellflower | HP | 1.00 | G4 | | 2-8 | | | 2 |
| <i>Campanula glomerata</i> var. <i>acaulis</i> Dwarf Clustered Bellflower | HP | 1.01 | G4 | | 2-8 | | | 2 |
| <i>Campanula glomerata</i> var. <i>dahurica</i> Dahurian Clustered Bellflower | HP | 1.06 | G4 | | 2-8 | | | 2 |
| <i>Campanula isophylla</i> Italian Bellflower | HP | 1.00 | G4 | | 7-9A | | | 7 |
| <i>Campanula isophylla</i> 'Stella Blue' Stella Blue Italian Bellflower | HP | 1.00 | G4 | | 7-9A | | | 7 |
| <i>Campanula kemulariae</i> No Common Name Found | HP | 0.93 | G4 | | 4-8 | | | 4 |
| <i>Campanula lactiflora</i> Milky Bellflower | HP | 1.01 | G4 | | 5-9A | | | 5 |
| <i>Campanula lactiflora</i> 'Loddon Anna' Loddon Anna Milky Bellflower | HP | 1.23 | G4 | | 5-9A | | | 5 |
| <i>Campanula lactiflora</i> 'Pouffe' Pouffe Milky Bellflower | HP | 1.08 | G4 | | 5-9A | | | 5 |
| <i>Campanula lactiflora</i> 'White Pouffe' White Pouffe Milky Bellflower | HP | 1.42 | G4 | | 5-9A | | | 5 |
| <i>Campanula latifolia</i> Great Bellflower | HP | 1.11 | G4 | | 3-9A | | | 3 |
| <i>Campanula latifolia</i> 'Macrantha' Macrantha Great Bellflower | HP | 1.11 | G4 | | 3-9A | | | 3 |
| <i>Campanula medium</i> Annual Canterbury Bells | HP | 0.82 | G4 | | 8-9B | | | 8 |
| <i>Campanula medium</i> 'Alba' White Canterbury Bells | HP | 0.75 | G4 | | 8-9B | | | 8 |
| <i>Campanula medium</i> 'Caerulea' Blue Canterbury Bells | HP | 0.75 | G4 | | 8-9B | | | 8 |
| <i>Campanula medium</i> 'Calycanthema' Calycanthema Canterbury Bells | HP | 1.10 | G4 | | 8-9B | | | 8 |
| <i>Campanula medium</i> 'Rosea' Pink Canterbury Bells | HP | 0.75 | G4 | | 8-9B | | | 8 |
| <i>Campanula olympica</i> No Common Name Found | HP | 1.00 | G4 | | 8-9B | | | 8 |
| <i>Campanula persicifolia</i> Peachleaf Bellflower | HP | 0.95 | G4 | | 4-8 | | | 3 |
| <i>Campanula persicifolia</i> 'Alba Flore-Pleno' Alba Flore-Pleno Peachleaf Bellflower | HP | 1.39 | G4 | | 4-8 | | | 3 |
| <i>Campanula persicifolia</i> 'Alba' White Peachleaf Bellflower | HP | 0.99 | G4 | | 4-8 | | | 3 |
| <i>Campanula persicifolia</i> 'Bluebell' Bluebell Peachleaf Bellflower | HP | 0.95 | G4 | | 4-8 | | | 3 |
| <i>Campanula persicifolia</i> 'Grandiflora Alba' White Grandiflora Peachleaf Bellflower | HP | 0.99 | G4 | | 4-8 | | | 3 |
| <i>Campanula persicifolia</i> 'Grandiflora' Grandiflora Peachleaf Bellflower | HP | 1.04 | G4 | | 4-8 | | | 3 |
| <i>Campanula persicifolia</i> 'Telham Beauty' Telham Beauty Peachleaf Bellflower | HP | 1.00 | G4 | | 4-8 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Campanula portenschlagiana</i> Dalmation Bellflower | HP | 0.86 | G4 | | 4-8 | | | 4 |
| <i>Campanula portenschlagiana</i> 'Resholt Variety' Resholt Variety Dalmation Bellflower | HP | 1.02 | G4 | | 4-8 | | | 4 |
| <i>Campanula poscharskyana</i> Serbian Bellflower | HP | 0.98 | G4 | | 4-8 | | | 3 |
| <i>Campanula primulifolia</i> No Common Name Found | HP | 0.93 | G4 | | 8-9B | | | 8 |
| <i>Campanula pulla</i> No Common Name Found | HP | 0.93 | G4 | | 6-9A | | | 6 |
| <i>Campanula x pulloides</i> No Common Name Found | HP | 0.93 | G4 | | 6-9A | | | 6 |
| <i>Campanula punctata</i> Spotted Bellflower | HP | 1.04 | G4 | | 6-9A | | | 6 |
| <i>Campanula punctata</i> 'Cherry Bells' Cherry Bells Spotted Bellflower | HP | 1.82 | G4 | | 6-9A | | | 6 |
| <i>Campanula punctata</i> 'Elizabeth' Elizabeth Spotted Bellflower | HP | 1.35 | G4 | | 6-9A | | | 6 |
| <i>Campanula punctata</i> 'Rubrifolia' Rubrifolia Spotted Bellflower | HP | 1.04 | G4 | | 6-9A | | | 6 |
| <i>Campanula rapunculoides</i> No Common Name Found | HP | 1.12 | G4 | | 3-9A | | | 3 |
| <i>Campanula rotundifolia</i> Harebell | HP | 0.98 | G4 | | 3-8 | | | 3 |
| <i>Campanula rotundifolia</i> 'Olympia' Olympia Harebell | HP | 0.98 | G4 | | 3-8 | | | 3 |
| <i>Campanula sarmatica</i> Sarmatican Bellflower | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Campanula takesimana</i> Korean Bellflower | HP | 1.00 | G4 | | 7-9B | | | 7 |
| <i>Camphora officinalis</i> See - <i>Cinnamomum camphora</i> | GC | 1.27 | G1 | | 7-9B | | | 1.00 7 |
| <i>Campsis grandiflora</i> Chinese Trumpet Creeper | GC | 1.32 | G1 | | 7-9B | | | 1.00 7 |
| <i>Campsis grandiflora</i> 'Morning Calm' Morning Calm Chinese Trumpet Creeper | GC | 1.16 | G1 | 5-6 | 7-10A | | | 1.00 4 |
| <i>Campsis radicans</i> Trumpet Creeper | GC | 1.30 | G1 | 5-6 | 7-10A | | | 1.00 4 |
| <i>Campsis radicans</i> 'Flava' Flava Trumpet Creeper | GC | 1.32 | G1 | 5-6 | 7-10A | | | 1.00 4 |
| <i>Campsis radicans</i> 'Minnesota Red' Minnesota Red Trumper Creeper | GC | 1.21 | G1 | 5-6 | 7-10A | | | 1.00 4 |
| <i>Campsis x tagliabuana</i> Hybrid Trumpet Creeper | GC | 1.28 | G1 | 4-6 | 7-10A | | | 1.00 4 |
| <i>Campsis x tagliabuana</i> 'Madame Galen' Madame Galen Hybrid Trumpet Creeper | GC | 1.28 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Camptosorus rhizophyllus</i> See - <i>Asplenium rhizophyllum</i> | BE | 1.00 | G4 | 9 | 10A-11 | | | 10 |
| <i>Cananga odorata</i> Ilang-Ilang | HP | 0.66 | G4 | 8 | 9A-11 | | | 8 |
| <i>Canistrum lindenii</i> No Common Name Found | HP | 0.80 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna flaccida</i> Golden Canna | HP | 0.73 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> Garden Canna Lily | HP | 0.73 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Aida' Aida Canna Lily | HP | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Canna x generalis</i> 'Black Knight' Black Knight Canna Lily | HP | 0.80 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Cherry Red' Cherry Red Dwarf Canna Lily | HP | 0.73 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Cleopatra' Cleopatra Canna Lily | HP | 0.97 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Crimson Beauty' Crimson Beauty Canna Lily | HP | 0.79 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Dwarf Pfitzer' Dwarf Pfitzer Canna Lily | HP | 0.87 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Eureka' Eureka Dwarf Yellow Canna Lily | HP | 0.73 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Futurity Pink' Futurity Pink Canna Lily | HP | 0.91 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Futurity Red' Futurity Red Canna Lily | HP | 0.89 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Karl Felstadt' Karl Felstadt Dwarf Orange Canna Lily | HP | 0.73 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Lucifer' Lucifer Canna Lily | HP | 0.89 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Madame Butterfly' Madame Butterfly Dwarf Pink Canna Lily | HP | 0.73 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Miss Oklahoma' Miss Oklahoma Canna Lily | HP | 0.84 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Pfitzer's Salmon Pink' Pfitzer's Salmon Pink Canna Lily | HP | 0.79 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Pink Beauty' Pink Beauty Canna Lily | HP | 0.79 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'President' President Red Canna Lily | HP | 0.80 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Primrose' Primrose Canna Lily | HP | 0.83 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Red Hot Wonder' Red Hot Wonder Canna Lily | HP | 0.73 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Red King Humbert' Red King Humbert Canna Lily | HP | 0.87 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Richard Wallace' Richard Wallace Canna Lily | HP | 0.79 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Rosamund Cole' Rosamund Cole Canna Lily | HP | 0.81 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Stadt Feltbach' Stadt Feltbach Canna Lily | HP | 0.73 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Tropicana Rose' Tropicana Rose Canna Lily | HP | 1.08 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Wyoming' Wyoming Canna Lily | HP | 0.83 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna x generalis</i> 'Yellow King Humbert' Yellow King Humbert Canna Lily | HP | 0.79 | G4 | 9A | 9B-11 | | | 8 |
| <i>Canna indica</i> Indian Shot | HP | 1.00 | G4 | 9A | 9B-11 | | | 8 |
| <i>Cantua buxifolia</i> Sacred Flower of the Incas | BS | 0.81 | G1 | 9A | 9B-10B | | 1.00 | 9 |
| <i>Cantua buxifolia</i> 'Hot Pants' Hot Pants Sacred Flower of the Incas | BS | 0.81 | G1 | 9A | 9B-10B | | 1.00 | 9 |
| <i>Capparis cynophallophora</i> Jamaica Caper Tree | BS | 0.80 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Capparis flexuosa</i> Bay-leaved Caper Tree | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Capparis spinosa</i> var. <i>inermis</i> Thornless Caper Tree | BS | 1.00 | G2 | | 8-10A | | 1.00 | 8 |
| <i>Capsicum annuum</i> var. <i>aviculare</i> Chile Pequin | AN | 0.96 | G1 | 9 | 10A-11 | | | 9 |
| <i>Capsicum annuum</i> Pepper Plant | AN | 1.03 | G1 | 9 | 10A-11 | | | 9 |
| <i>Capsicum annuum</i> 'Holiday Cheer' Holiday Cheer Chili Pepper | AN | 1.03 | G1 | 9 | 10A-11 | | | 9 |
| <i>Capsicum annuum</i> 'Treasure Red' Treasure Red Chili Pepper | AN | 1.03 | G1 | 9 | 10A-11 | | | 9 |
| <i>Capsicum frutescens</i> Tabasco Pepper | AN | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Caragana arborescens</i> Siberian Peashrub | DS | 0.92 | G1 | | 2-7 | | 0.62 | 2 |
| <i>Caragana arborescens</i> 'Lorbergii' Lorberg Siberian Peashrub | BS | 1.00 | G1 | | 2-7 | | 1.00 | 2 |
| <i>Caragana arborescens</i> 'Nana' Dwarf Siberian Peashrub | BS | 1.00 | G1 | | 2-7 | | 1.00 | 2 |
| <i>Caragana arborescens</i> 'Pendula' Weeping Siberian Peashrub | DS | 1.84 | G1 | | 2-7 | | 2.52 | 2 |
| <i>Caragana arborescens</i> 'Sutherland' Sutherland Siberian Peashrub | BS | 1.00 | G1 | | 2-7 | | 1.00 | 2 |
| <i>Caragana arborescens</i> 'Walker' Walker Siberian Peashrub | DS | 1.61 | G1 | | 2-7 | | 2.39 | 2 |
| <i>Caragana frutex</i> Russian Peashrub | DS | 0.93 | G1 | | 2-7 | | 0.94 | 2 |
| <i>Caragana frutex</i> 'Globosa' Globe Russian Peashrub | DS | 0.93 | G1 | | 2-7 | | 0.94 | 2 |
| <i>Caragana microphylla</i> Littleleaf Peashrub | DS | 0.59 | G1 | | 3-7 | | 1.00 | 2 |
| <i>Caragana pygmaea</i> Pygmy Peashrub | DS | 0.89 | G1 | | 3-7 | | 1.02 | 3 |
| <i>Cardiospermum halicacabum</i> Balloon Vine | GC | 1.00 | G4 | 8-9 | 10A-11 | | 1.00 | 9 |
| <i>Carex acuta</i> Slender-tufted Sedge | HP | 1.01 | G4 | | 7-10A | | | 3 |
| <i>Carex albula</i> Blonde Sedge | HP | 1.17 | G4 | | 7-10A | | | 7 |
| <i>Carex bergrenii</i> Bergren Sedge | HP | 1.04 | G4 | | 7-10A | | | 7 |
| <i>Carex bicknelli</i> Prairie Sedge | HP | 1.00 | G4 | | 7-10A | | | 5 |
| <i>Carex buchananii</i> Fox Red Curly Sedge | HP | 0.97 | G4 | | 7-10A | | | 7 |
| <i>Carex comans</i> New Zealand Hair Sedge | HP | 1.00 | G4 | | 7-10A | | | 7 |
| <i>Carex comans</i> 'Frosted Curls' Frosted Curls New Zealand Hair Sedge | HP | 1.37 | G4 | | 7-10A | | | 7 |
| <i>Carex conica</i> Dwarf Sedge | HP | 1.39 | G4 | | 7-10A | | | 7 |
| <i>Carex conica</i> 'Variegata' Hime Kansugi Dwarf Sedge | HP | 1.39 | G4 | | 7-10A | | | 7 |
| <i>Carex digitata</i> No Common Name Found | HP | 1.01 | G4 | | 7-10A | | | 7 |
| <i>Carex dipsacea</i> No Common Name Found | HP | 4.13 | G4 | | 7-10A | | | 7 |
| <i>Carex elata</i> Tufted Sedge | HP | 0.70 | G4 | | 7-10A | | | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Carex elata</i> 'Bowles Golden' Bowles Golden Tufted Sedge | HP | 1.84 | G4 | | 7-10A | | | 7 |
| <i>Carex flacca</i> Blue Green Sedge | HP | 1.07 | G4 | | 7-10A | | | 5 |
| <i>Carex flagellifera</i> Copperleaf Sedge | HP | 1.06 | G4 | | 7-10A | | | 7 |
| <i>Carex glauca</i> Blue Sedge | HP | 1.07 | G4 | | 7-10A | | | 5 |
| <i>Carex gracilis</i> See - <i>Carex acuta</i> | | | | | | | | |
| <i>Carex grayi</i> Gray Sedge | HP | 1.01 | G4 | | 7-10A | | | 7 |
| <i>Carex grayi</i> 'Morning Star' Morning Star Gray Sedge | HP | 1.41 | G4 | | 7-10A | | | 7 |
| <i>Carex hachijoensis</i> No Common Name Found | HP | 1.10 | G4 | | 7-10A | | | 5 |
| <i>Carex hachijoensis</i> 'Evergold' Evergold Sedge | HP | 1.10 | G4 | | 7-10A | | | 5 |
| <i>Carex morrowii</i> Morrow's Sedge | HP | 0.98 | G4 | | 7-10A | | | 5 |
| <i>Carex morrowii</i> 'Aurea-variegata' Gold Variegated Morrow's Sedge | HP | 1.48 | G4 | 8 | 9A-11 | | | 5 |
| <i>Carex morrowii</i> 'Ice Dance' Ice Dance Morrow's Sedge | HP | 1.14 | G4 | | 7-10A | | | 5 |
| <i>Carex morrowii</i> 'Old Gold' Old Gold Morrow's Sedge | HP | 1.19 | G4 | | 7-10A | | | 5 |
| <i>Carex morrowii</i> 'Silk Tassel' Silk Tassel Morrow's Sedge | HP | 1.24 | G4 | | 7-10A | | | 5 |
| <i>Carex morrowii</i> 'Variegata' Japanese Sedge | HP | 1.13 | G4 | | 7-10A | | | 5 |
| <i>Carex muskingumensis</i> Swamp Sedge | HP | 1.77 | G4 | | 7-10A | | | 7 |
| <i>Carex muskingumensis</i> 'Wachtposten' Wachtposten Palm Sedge | HP | 1.01 | G4 | | 7-10A | | | 7 |
| <i>Carex nigra</i> Black Sedge | HP | 1.25 | G4 | | 7-10A | | | 5 |
| <i>Carex nudata</i> California Black-flowering Sedge | HP | 1.01 | G4 | | 7-10A | | | 5 |
| <i>Carex ornithopoda</i> Bird's Foot Sedge | HP | 1.62 | G4 | | 7-10A | | | 7 |
| <i>Carex ornithopoda</i> 'Variegata' Variegated Bird's Foot Sedge | HP | 1.62 | G4 | | 7-10A | | | 7 |
| <i>Carex pendula</i> Pendulous Sedge | HP | 1.09 | G4 | | 8-9B | | | 8 |
| <i>Carex pennsylvanica</i> Pennsylvania Sedge | HP | 1.05 | G4 | | 7-10A | | | 5 |
| <i>Carex petriei</i> Brown Sedge | HP | 1.01 | G4 | | 7-10A | | | 7 |
| <i>Carex phyllocephala</i> No Common Name Found | HP | 1.68 | G4 | | 7-10A | | | 8 |
| <i>Carex phyllocephala</i> 'Sparkler' Sparkler Sedge | HP | 1.68 | G4 | | 7-10A | | | 8 |
| <i>Carex siderosticha</i> No Common Name Found | HP | 1.32 | G4 | | 7-10A | | | 7 |
| <i>Carex siderosticha</i> 'Variegata' Variegated Siderosticha Sedge | HP | 1.32 | G4 | | 7-10A | | | 7 |
| <i>Carex speciosa</i> No Common Name Found | HP | 1.62 | G4 | | 7-10A | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Carex speciosa</i> 'Velebit Humilis' Velebit Sedge | HP | 1.62 | G4 | | 7-10A | | | 5 |
| <i>Carex spissa</i> San Diego Sedge | HP | 1.00 | G4 | | 8-10A | | | 5 |
| <i>Carex sylvatica</i> Wood Sedge | HP | 1.01 | G4 | | 7-10A | | | 6 |
| <i>Carex testacea</i> Orange Sedge | HP | 2.60 | G4 | | 7-10A | | | 7 |
| <i>Carex umbrosa</i> No Common Name Found | HP | 1.46 | G4 | | 7-10A | | | 8 |
| <i>Carex umbrosa</i> 'The Beatles' The Beatles Sedge | HP | 1.46 | G4 | | 7-10A | | | 8 |
| <i>Carica papaya</i> Papaya | FN | 1.08 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Carissa grandiflora</i> See - <i>Carissa macrocarpa</i> | BS | 0.78 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Carissa macrocarpa</i> Natal Plum | BS | 0.67 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Carissa macrocarpa</i> 'Boxwood Beauty' Boxwood Beauty Natal Plum | BS | 0.70 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Carissa macrocarpa</i> 'Fancy' Fancy Natal Plum | BS | 1.03 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Carissa macrocarpa</i> 'Green Carpet' Green Carpet Natal Plum | BS | 0.74 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Carissa macrocarpa</i> 'Tuttle' Tuttle Natal Plum | BS | 1.00 | G4 | | 4-8 | | 1.00 | 4 |
| <i>Carlina acaulis</i> Stemless Carline Thistle | HP | 0.97 | G4 | | 4-8 | | | 4 |
| <i>Carlina acaulis</i> 'Bronze Form' Bronze Form Stemless Carline Thistle | FO | 1.00 | G1 | 9 | 10A-11 | | | 11 |
| <i>Carludovica palmata</i> Panama Hat Plant | BS | 1.32 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Carmona retusa</i> Philippine Tea | BE | 1.00 | G3 | 8-9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Carnegiea gigantea</i> Saguaro Cactus | BS | 0.90 | G1 | 10A | 10B-11 | 1.00 | 0.75 | 10 |
| <i>Carpentaria acuminata</i> Carpentaria Palm | BS | 1.07 | G2 | | 8-9A | | 1.00 | 8 |
| <i>Carpenteria</i> Bush Anemone | BS | 1.07 | G2 | | 8-9A | | 1.00 | 8 |
| <i>Carpenteria</i> 'Elizabeth' Elizabeth Bush Anemone | BS | 1.07 | G2 | | 8-9A | | 1.00 | 8 |
| <i>Carpenteria californica</i> Tree Anemone | BS | 1.07 | G2 | | 8-9A | | 1.00 | 8 |
| <i>Carpinus betulus</i> European Hornbeam | DT | 0.77 | G1 | | 4-7 | 0.94 | 0.72 | 5 |
| <i>Carpinus betulus</i> 'Columnaris' Columnar European Hornbeam | DT | 1.09 | G1 | | 4-7 | 1.28 | 0.72 | 5 |
| <i>Carpinus betulus</i> 'Fastigiata' Fastigiate European Hornbeam | DT | 1.21 | G1 | | 4-7 | 1.22 | 0.89 | 5 |
| <i>Carpinus betulus</i> 'Franz Fountaine' Franz Fountaine European Hornbeam | DT | 0.99 | G1 | | 4-7 | 1.06 | 0.72 | 5 |
| <i>Carpinus betulus</i> 'Globosa' Globe European Hornbeam | DT | 0.77 | G1 | | 4-7 | 0.94 | 0.72 | 5 |
| <i>Carpinus betulus</i> 'Pendula' Weeping European Hornbeam | DT | 1.04 | G1 | | 4-7 | 0.94 | 1.12 | 5 |
| <i>Carpinus caroliniana</i> American Hornbeam | DT | 0.76 | G1 | | 2-9B | 1.09 | 0.81 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Carpinus japonica</i> Japanese Hornbeam | DT | 0.92 | G1 | | 8-9B | 0.94 | 1.28 | 8 |
| <i>Carpinus laxiflora</i> Red-Leaf Hornbeam | DT | 1.00 | G1 | | 5-8 | 1.00 | 1.00 | 5 |
| <i>Carpinus orientalis</i> Oriental Hornbeam | DT | 1.00 | G1 | | 5-8 | 1.00 | 1.58 | 5 |
| <i>Carpinus tschonoskii</i> White-Hair Hornbeam | DT | 1.00 | G1 | | 7-9A | 1.00 | 1.00 | 5 |
| <i>Carpinus turczaninovii</i> Rock Hornbeam | DT | 0.86 | G1 | | 7-9A | 1.00 | 1.00 | 7 |
| <i>Carpobrotus edulis</i> Hottentot | GC | 1.00 | G1 | 8 | 9A-10A | | 1.00 | 8 |
| <i>Carum carvi</i> Caraway | AN | 1.13 | G1 | | 3-8 | | | 3 |
| <i>Carya aquatica</i> Bitter Pecan | DT | 0.35 | G1 | | 7-10A | 1.00 | 1.00 | 6 |
| <i>Carya cordiformis</i> Bitternut | DT | 1.00 | G1 | | 4-8 | 1.00 | 1.00 | 4 |
| <i>Carya floridana</i> Scrub Hickory | DT | 0.44 | G1 | 8 | 9A-10B | 1.00 | 1.00 | 8 |
| <i>Carya glabra</i> Pignut Hickory | DT | 0.67 | G1 | | 4-9B | 1.00 | 1.00 | 4 |
| <i>Carya illinoiensis</i> Pecan | FN | 1.13 | G1 | 6 | 7-9B | 1.00 | 0.86 | 5 |
| <i>Carya illinoiensis</i> 'Cape Fear' Cape Fear Pecan | FN | 1.22 | G1 | 6 | 7-9B | 1.00 | 2.53 | 5 |
| <i>Carya illinoiensis</i> 'Cheyenne' Cheyenne Pecan | FN | 1.19 | G1 | 6 | 7-9B | 2.13 | 0.86 | 5 |
| <i>Carya illinoiensis</i> 'Choctaw' Choctaw Pecan | FN | 1.19 | G1 | 6 | 7-9B | 2.13 | 0.86 | 5 |
| <i>Carya illinoiensis</i> 'Desirable' Desirable Pecan | FN | 1.20 | G1 | 6 | 7-9B | 2.13 | 1.74 | 5 |
| <i>Carya illinoiensis</i> 'Kiowa' Kiowa Pecan | FN | 1.26 | G1 | 6 | 7-9B | 1.00 | 0.86 | 5 |
| <i>Carya illinoiensis</i> 'Mahan' Mahan Pecan | FN | 1.57 | G1 | 6 | 7-9B | 2.13 | 0.86 | 5 |
| <i>Carya illinoiensis</i> 'Mohawk' Mohawk Pecan | FN | 1.16 | G1 | 6 | 7-9B | 2.13 | 0.86 | 5 |
| <i>Carya illinoiensis</i> 'Navajo' Navajo Pecan | FN | 1.77 | G1 | 6 | 7-9B | 2.13 | 0.86 | 5 |
| <i>Carya illinoiensis</i> 'Pawnee' Pawnee Pecan | FN | 1.11 | G1 | 6 | 7-9B | 2.13 | 0.86 | 5 |
| <i>Carya illinoiensis</i> 'Stuart' Stuart Pecan | FN | 1.20 | G1 | 6 | 7-9B | 1.40 | 2.53 | 5 |
| <i>Carya illinoiensis</i> 'Western' Western Pecan | FN | 1.04 | G1 | 6 | 7-9B | 1.00 | 0.86 | 5 |
| <i>Carya illinoiensis</i> 'Wichita' Wichita Pecan | FN | 1.11 | G1 | 6 | 7-9B | 2.13 | 0.86 | 5 |
| <i>Carya laciniosa</i> Big Shellbark Hickory | DT | 0.50 | G1 | | 3-7 | 1.00 | 0.48 | 6 |
| <i>Carya ovata</i> Shagbark Hickory | DT | 0.53 | G1 | | 4-9B | 1.00 | 0.48 | 4 |
| <i>Carya tomentosa</i> Mockernut Hickory | DT | 0.53 | G1 | | 4-9A | 1.00 | 1.00 | 4 |
| <i>Caryopteris x clandonensis</i> Hybrid Bluebeard | DS | 1.05 | G1 | | 7-9B | | 1.00 | 7 |
| <i>Caryopteris x clandonensis</i> 'Arthur Simmonds' Arthur Simmonds Bluebeard | DS | 1.05 | G1 | | 7-9B | | 1.00 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Caryopteris x clandonensis</i> 'Azure Blue' Azure Blue Bluebeard | DS | 0.93 | G1 | | 7-9B | | 1.00 | 7 |
| <i>Caryopteris x clandonensis</i> 'Blue Mist' Blue Mist Bluebeard | DS | 1.00 | G1 | | 7-9B | | 1.00 | 7 |
| <i>Caryopteris x clandonensis</i> 'Dark Knight' Dark Knight Bluebeard | DS | 1.01 | G1 | | 7-9B | | 1.00 | 7 |
| <i>Caryopteris x clandonensis</i> 'Heavenly Blue' Heavenly Blue Bluebeard | DS | 1.05 | G1 | | 7-9B | | 1.00 | 7 |
| <i>Caryopteris x clandonensis</i> 'Longwood Blue' Longwood Blue Bluebeard | DS | 1.01 | G1 | | 7-9B | | 1.00 | 7 |
| <i>Caryopteris x clandonensis</i> 'Worcester Gold' Worcester Gold Bluebeard | DS | 1.00 | G1 | | 7-9B | | 1.00 | 7 |
| <i>Caryopteris odorata</i> Himalayan Bluebeard | DS | 1.00 | G1 | | 8-10A | | 1.00 | 8 |
| <i>Caryota mitis</i> Clustered Fishtail Palm | BE | 1.17 | G3 | 8-10A | 10B-11 | 1.00 | 1.15 | 10 |
| <i>Caryota rumphiana</i> Fishtail Palm | BE | 1.94 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Caryota urens</i> Wine Palm | BE | 1.15 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Casimiroa edulis</i> White Sapote | FN | 1.19 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Cassia afrofistula</i> No Common Name Found | BE | 1.23 | G1 | 9 | 10A-11 | 1.00 | 0.81 | 10 |
| <i>Cassia alata</i> See - <i>Senna alata</i> | | | | | | | | |
| <i>Cassia artemisioides</i> See - <i>Senna artemisioides</i> | | | | | | | | |
| <i>Cassia australis</i> See - <i>Senna australis</i> | | | | | | | | |
| <i>Cassia bahamensis</i> Bahama Cassia | BS | 1.00 | G1 | | 10A-11 | | 1.00 | 10B |
| <i>Cassia bearana</i> See - <i>Cassia afrofistula</i> | | | | | | | | |
| <i>Cassia bicapsularis</i> See - <i>Senna bicapsularis</i> | | | | | | | | |
| <i>Cassia biflora</i> See - <i>Senna pallida</i> | | | | | | | | |
| <i>Cassia brewsteri</i> No Common Name Found | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Cassia candolleana</i> See - <i>Senna candolleana</i> | | | | | | | | |
| <i>Cassia corymbosa</i> See - <i>Senna corymbosa</i> | | | | | | | | |
| <i>Cassia didymobotrya</i> See - <i>Senna didymobotrya</i> | | | | | | | | |
| <i>Cassia fistula</i> Golden Shower Tree | BE | 1.07 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Cassia grandis</i> Pink Shower Tree | BE | 1.07 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Cassia hebecarpa</i> See - <i>Senna hebecarpa</i> | | | | | | | | |
| <i>Cassia javanica</i> Apple Blossom Senna | BE | 1.81 | G1 | 10A | 10B-11 | 1.00 | 1.22 | 10 |
| <i>Cassia leptophylla</i> Gold Medallion Tree | BE | 1.06 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Cassia multijuga</i> See - <i>Senna multijuga</i> | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|-------------------------------------|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cassia nemophila</i> | | | | | | | | |
| See - <i>Senna nemophila</i> | | | | | | | | |
| <i>Cassia oligophylla</i> | | | | | | | | |
| See - <i>Senna oligophylla</i> | | | | | | | | |
| <i>Cassia phyllodinea</i> | | | | | | | | |
| See - <i>Senna phyllodinea</i> | | | | | | | | |
| <i>Cassia polyphylla</i> | | | | | | | | |
| See - <i>Senna polyphylla</i> | | | | | | | | |
| <i>Cassia renigera</i> | | | | | | | | |
| See - <i>Cassia javanica</i> | | | | | | | | |
| <i>Cassia roxburghii</i> | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Red Cassia | | | | | | | | |
| <i>Cassia siamea</i> | | | | | | | | |
| See - <i>Senna siamea</i> | | | | | | | | |
| <i>Cassia spectabilis</i> | | | | | | | | |
| See - <i>Senna spectabilis</i> | | | | | | | | |
| <i>Cassia splendida</i> | | | | | | | | |
| See - <i>Senna splendida</i> | | | | | | | | |
| <i>Cassia sturtii</i> | | | | | | | | |
| See - <i>Senna sturtii</i> | | | | | | | | |
| <i>Cassia surattensis</i> | | | | | | | | |
| See - <i>Caesalpinia mexicana</i> | | | | | | | | |
| <i>Cassine orientalis</i> | BE | 1.26 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| False Olive | | | | | | | | |
| <i>Castanea</i> | DT | 1.00 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 4 |
| Chestnut | | | | | | | | |
| <i>Castanea 'Dunstan Seedling'</i> | FN | 0.95 | G1 | 7-8 | 9A-10B | 1.00 | 1.00 | 4 |
| Dunstan Seedling Hybrid Chestnut | | | | | | | | |
| <i>Castanea dentata</i> | DT | 1.00 | G1 | | 4-9B | 1.00 | 1.00 | 4 |
| American Sweet Chestnut | | | | | | | | |
| <i>Castanea mollissima</i> | DT | 1.00 | G1 | | 4-9B | 0.42 | 0.27 | 4 |
| Chinese Chestnut | | | | | | | | |
| <i>Castanea pumila</i> | DS | 1.11 | G1 | 7-8 | 9A-10B | | 1.00 | 7 |
| Allegheny Chinkapin | | | | | | | | |
| <i>Castanopsis cuspidata</i> | DT | 0.74 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 7 |
| Copper False Chestnut | | | | | | | | |
| <i>Casuarina cunninghamiana</i> | BE | 1.00 | G1 | | 10A-11 | 1.00 | 1.00 | 9 |
| River She-oak | | | | | | | | |
| <i>Casuarina equisetifolia</i> | BE | 1.17 | G1 | | 10A-11 | 1.00 | 1.00 | 9 |
| Horsetail Tree | | | | | | | | |
| <i>Casuarina stricta</i> | | | | | | | | |
| See - <i>Casuarina verticillata</i> | | | | | | | | |
| <i>Casuarina verticillata</i> | BE | 0.98 | G2 | | 9A-11 | 1.00 | 1.00 | 9 |
| Mountain She-oak | | | | | | | | |
| <i>Catalpa bignonioides</i> | DT | 0.69 | G1 | | 5-9A | 1.06 | 1.00 | 5 |
| Southern Catalpa | | | | | | | | |
| <i>Catalpa bignonioides 'Aurea'</i> | DT | 0.82 | G1 | | 5-9A | 1.06 | 1.00 | 5 |
| Golden Southern Catalpa | | | | | | | | |
| <i>Catalpa bignonioides 'Nana'</i> | DT | 0.69 | G1 | | 5-9A | 1.23 | 1.00 | 5 |
| Globe Umbrella Southern Catalpa | | | | | | | | |
| <i>Catalpa bungei</i> | DT | 0.89 | G1 | | 6-10A | 1.00 | 1.00 | 6 |
| Globe Catalpa | | | | | | | | |
| <i>Catalpa longissima</i> | BE | 1.00 | G1 | | 9-10B | 1.00 | 1.00 | 9 |
| Bois Chene | | | | | | | | |
| <i>Catalpa speciosa</i> | DT | 0.79 | G1 | | 5-9A | 0.97 | 0.29 | 5 |
| Northern Catalpa | | | | | | | | |
| <i>Catanchea caerulea</i> | HP | 0.81 | G4 | | 6-8 | | | 7 |
| Blue Cupid's Dart | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Catanaanche caerulea</i> 'Alba' White Blue Cupid's Dart | HP | 0.81 | G4 | | 6-8 | | | 7 |
| <i>Catanaanche caerulea</i> 'Bicolor' Bicolor Blue Cupid's Dart | HP | 0.93 | G4 | | 6-8 | | | 7 |
| <i>Catha edulis</i> Khat | HP | 0.88 | G1 | | 10A-11 | | | 10 |
| <i>Catharanthus roseus</i> Madagascar Periwinkle | HP | 0.41 | G1 | | 10A-11 | | | 10 |
| <i>Catharanthus roseus</i> 'Cooler Series' Cooler Series Madagascar Periwinkle | HP | 0.41 | G1 | | 10A-11 | | | 10 |
| <i>Catharanthus roseus</i> 'Grape Cooler' Grape Cooler Madagascar Periwinkle | HP | 0.41 | G1 | | 10A-11 | | | 10 |
| <i>Catharanthus roseus</i> 'Peppermint Cooler' Peppermint Cooler Madagascar Periwinkle | HP | 0.41 | G1 | | 10A-11 | | | 10 |
| <i>Catharanthus roseus</i> 'Pretty in Pink' Pretty in Pink Madagascar Periwinkle | HP | 0.41 | G1 | | 10A-11 | | | 10 |
| <i>Catharanthus roseus</i> 'Pretty in Rose' Pretty in Rose Madagascar Periwinkle | HP | 0.41 | G1 | | 10A-11 | | | 10 |
| <i>Catharanthus roseus</i> 'Tropicana Series' Tropicana Series Madagascar Periwinkle | HP | 0.41 | G1 | | 10A-11 | | | 10 |
| <i>Cattleya</i> Cattleya Hybrid Orchid | FO | 1.64 | G1 | | 10A-11 | | | 10 |
| <i>Cattleya bowringiana</i> No Common Name Found | FO | 2.37 | G1 | | 10A-11 | | | 10 |
| <i>Cattleya gaskelliana</i> No Common Name Found | FO | 1.63 | G1 | | 10A-11 | | | 10 |
| <i>Cattleya intermedia</i> No Common Name Found | FO | 1.63 | G1 | | 10A-11 | | | 10 |
| <i>Cattleya intermedia</i> 'Alba' No Common Name Found | FO | 1.63 | G1 | | 10A-11 | | | 10 |
| <i>Cattleya loddemanniana</i> No Common Name Found | FO | 1.63 | G1 | | 10A-11 | | | 10 |
| <i>Cattleya patinii</i> See - <i>Cattleya skinneri</i> var. <i>autumnalis</i> | FO | 1.35 | G1 | | 10A-11 | | | 10 |
| <i>Cattleya skinneri</i> var. <i>autumnalis</i> No Common Name Found | FO | 1.00 | G1 | | 10A-11 | | | 10 |
| <i>Cattleya velutina</i> No Common Name Found | FO | 1.00 | G1 | | 10A-11 | | | 10 |
| <i>Cattleya velutina</i> 'Orchid Haven' Orchid Haven Orchid | FO | 1.42 | G1 | | 10A-11 | | | 10 |
| <i>Caularthon bicornutum</i> No Common Name Found | HP | 0.83 | G1 | 8 | 9-10A | | | 7 |
| <i>Caulophyllum thalictroides</i> Blue Cohosh | HP | 0.72 | G4 | | 8-10A | | | 8 |
| <i>Cautleya spicata</i> No Common Name Found | BS | 0.81 | G2 | | 8-9B | | 1.00 | 7 |
| <i>Ceanothus</i> California Lilac | BS | 0.88 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Ceanothus</i> 'Concha' Concha California Lilac | BS | 0.86 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Ceanothus</i> 'Dark Star' Dark Star California Lilac | BS | 0.82 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Ceanothus</i> 'Frosty Blue' Frosty Blue California Lilac | BS | 0.81 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Ceanothus</i> 'Hearstiorum' Hearst California Lilac | BS | 0.81 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Ceanothus</i> 'Joan Mirov' Joan Mirov California Lilac | BS | 0.81 | G2 | | 8-9B | | 1.00 | 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Ceanothus</i> 'Joyce Coulter' Joyce Coulter California Lilac | BS | 0.88 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus</i> 'Julia Phelps' Julia Phelps California Lilac | BS | 0.93 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus</i> 'Ray Hartman' Ray Hartman California Lilac | BS | 1.02 | G2 | | 7-9A | | | 1.00 7 |
| <i>Ceanothus</i> 'Sierra Blue' Sierra Blue California Lilac | BS | 0.91 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus</i> 'Wheeler Canyon' Wheeler Canyon California Lilac | BS | 0.81 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus americanus</i> New Jersey Tea | DS | 1.11 | G2 | | 8-9B | | | 1.00 4 |
| <i>Ceanothus arboreus</i> Catalina Ceanothus | BE | 1.00 | G2 | | 8-9B | 1.00 | 1.00 | 8 |
| <i>Ceanothus x delilianus</i> French Hybrid Ceanothus | BS | 0.87 | G2 | | 7-9B | | | 1.00 7 |
| <i>Ceanothus x delilianus</i> 'Gloire de Versailles' Gloire de Versailles French Hybrid Ceanothus | BS | 0.87 | G2 | | 7-9B | | | 1.00 7 |
| <i>Ceanothus foliosus</i> Wavy Leaf Ceanothus | BS | 1.00 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus gloriosus</i> Point Reyes Creeper | BS | 0.92 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus gloriosus</i> 'Anchor Bay' Anchor Bay Point Reyes Creeper | BS | 0.81 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus gloriosus</i> 'Emily Brown' Emily Brown Point Reyes Creeper | BS | 0.81 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus griseus</i> Carmel Ceanothus | BS | 0.81 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus griseus</i> 'Louis Edmunds' Louis Edmunds Carmel Ceanothus | BS | 0.81 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus griseus</i> 'Santa Ana' Santa Ana Carmel Ceanothus | BS | 0.81 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus griseus</i> var. <i>horizontalis</i> Carmel Creeper | BS | 0.86 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus griseus</i> var. <i>horizontalis</i> 'Hurricane Point' Hurricane Point Carmel Creeper | BS | 0.86 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus griseus</i> var. <i>horizontalis</i> 'Yankee Point' Yankee Point Carmel Creeper | BS | 0.86 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus impressus</i> Santa Barbara Ceanothus | BS | 1.06 | G2 | | 7-9A | | | 1.00 7 |
| <i>Ceanothus impressus</i> 'Victoria' Victoria Santa Barbara Ceanothus | BS | 1.06 | G2 | | 7-9A | | | 1.00 7 |
| <i>Ceanothus maritimus</i> Maritime Ceanothus | BS | 1.00 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus rigidus</i> Monterey Ceanothus | BS | 0.81 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus rigidus</i> 'Snowball' Snowball Monterey Ceanothus | BS | 0.81 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus sanguineus</i> Wild Lilac | BS | 0.86 | G1 | | 5-8 | | | 1.00 5 |
| <i>Ceanothus thyrsiflorus</i> Blue Blossom | BS | 0.95 | G2 | | 8-9B | | | 1.00 8 |
| <i>Ceanothus thyrsiflorus</i> 'Arroyo de la Cruz' Arroyo de la Cruz Blue Blossom | BS | 0.81 | G2 | | 8-9B | | | 1.00 7 |
| <i>Ceanothus thyrsiflorus</i> 'San Andreas' San Andreas Blue Blossom | BS | 0.81 | G2 | | 8-9B | | | 1.00 7 |
| <i>Ceanothus thyrsiflorus</i> 'Skylark' Skylark Blue Blossom | BS | 0.81 | G2 | | 8-9B | | | 1.00 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Ceanothus thyrsiflorus</i> 'Snow Flurry' Snow Flurry Blue Blossom | BS | 0.81 | G2 | | 8-9B | | 1.00 | 7 |
| <i>Ceanothus thyrsiflorus</i> var. <i>repens</i> Repens Blue Blossom | BS | 0.81 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Ceanothus x veitchianus</i> No Common Name Found | BS | 0.91 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Ceanothus velutinus</i> Snowbrush Ceanothus | BS | 0.86 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Cedrus atlantica</i> See - <i>Cedrus libani</i> ssp. <i>atlantica</i> | | | | | | | | |
| <i>Cedrus brevifolia</i> See - <i>Cedrus libani</i> ssp. <i>brevifolia</i> | | | | | | | | |
| <i>Cedrus deodara</i> Deodar Cedar | CE | 0.79 | G1 | | 7-9B | 1.00 | 0.96 | 8 |
| <i>Cedrus deodara</i> 'Albospica' Albospica Deodar Cedar | CE | 1.27 | G1 | | 7-9B | 1.00 | 1.14 | 5 |
| <i>Cedrus deodara</i> 'Aurea Pendula' Golden Weeping Deodar Cedar | CE | 1.32 | G1 | | 7-9B | 1.00 | 1.45 | 5 |
| <i>Cedrus deodara</i> 'Aurea Wells' Golden Wells Deodar Cedar | CE | 0.79 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Aurea' Golden Deodar Cedar | CE | 1.41 | G1 | | 7-9B | 1.00 | 0.95 | 5 |
| <i>Cedrus deodara</i> 'Contorta' Contorted Deodar Cedar | CE | 0.79 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Cream Puff' Cream Puff Deodar Cedar | CE | 1.31 | G1 | | 7-9B | 1.00 | 0.97 | 5 |
| <i>Cedrus deodara</i> 'Deep Cove' Deep Cove Deodar Cedar | CE | 1.33 | G1 | | 7-9B | 1.00 | 1.40 | 5 |
| <i>Cedrus deodara</i> 'Divinely Blue' Divinely Blue Deodar Cedar | CE | 1.48 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Droop Tip' Droop Tip Deodar Cedar | CE | 0.79 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Emerald Spreader' Emerald Spreader Deodar Cedar | CE | 1.20 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Glaucia' Blue Deodar Cedar | CE | 1.55 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Gold Cone' Gold Cone Deodar Cedar | CE | 1.49 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Gold Rush' Gold Rush Deodar Cedar | CE | 0.79 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Hibernal' Hibernal Deodar Cedar | CE | 0.79 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Hollandia' Hollandia Deodar Cedar | CE | 2.29 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Kashmir' Kashmir Deodar Cedar | CE | 1.13 | G1 | | 7-9B | 1.00 | 0.89 | 5 |
| <i>Cedrus deodara</i> 'Klondike' Klondike Deodar Cedar | CE | 0.79 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Mile High' Mile High Deodar Cedar | CE | 0.79 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Pendula' Weeping Deodar Cedar | CE | 1.33 | G1 | | 7-9B | 1.00 | 1.01 | 5 |
| <i>Cedrus deodara</i> 'Prostrate Beauty' Prostrate Beauty Deodar Cedar | CE | 0.79 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Pygmaea' Pygmy Deodar Cedar | CE | 1.84 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Raywood's Contorted' Raywood's Contorted Deodar Cedar | CE | 1.20 | G1 | | 7-9B | 1.00 | 0.80 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|----------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cedrus deodara</i> 'Raywood's Prostrate Dwarf' Raywood's Prostrate Dwarf Deodar Cedar | CE | 2.77 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Sander's Blue' Sander's Blue Deodar Cedar | CE | 0.79 | G1 | | 7-9B | 1.00 | 1.30 | 5 |
| <i>Cedrus deodara</i> 'Shalimar' Shalimar Deodar Cedar | CE | 0.79 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Silver Mist' Silver Mist Deodar Cedar | CE | 1.20 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Snow Sprite' Snow Sprite Deodar Cedar | CE | 1.21 | G1 | | 7-9B | 1.00 | 0.99 | 5 |
| <i>Cedrus deodara</i> 'Verticillata Glauca' Verticillata Blue Deodar Cedar | CE | 1.48 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Well's Golden' Well's Golden Deodar Cedar | CE | 1.17 | G1 | | 7-9B | 1.00 | 0.86 | 5 |
| <i>Cedrus deodara</i> 'White Imp' White Imp Deodar Cedar | CE | 1.20 | G1 | | 7-9B | 1.00 | 0.80 | 5 |
| <i>Cedrus libani</i> Cedar of Lebanon | CE | 1.07 | G1 | | 5-7 | 1.00 | 0.81 | 6 |
| <i>Cedrus libani</i> 'Aurea Prostrata' Golden Prostrate Cedar of Lebanon | CE | 1.07 | G1 | | 5-7 | 1.00 | 0.81 | 6 |
| <i>Cedrus libani</i> 'Blue Angel' Blue Angel Cedar of Lebanon | CE | 1.09 | G1 | | 5-7 | 1.00 | 0.98 | 6 |
| <i>Cedrus libani</i> 'Compacta' Compact Cedar of Lebanon | CE | 1.07 | G1 | | 5-7 | 1.00 | 0.81 | 6 |
| <i>Cedrus libani</i> 'Comte de Dijon' Comte de Dijon Cedar of Lebanon | CE | 1.48 | G1 | | 5-7 | 1.00 | 0.81 | 6 |
| <i>Cedrus libani</i> 'Gold Tip' Gold Tip Cedar of Lebanon | CE | 1.07 | G1 | | 5-7 | 1.00 | 0.81 | 6 |
| <i>Cedrus libani</i> 'Green Prince' Green Prince Cedar of Lebanon | CE | 1.88 | G1 | | 5-7 | 1.00 | 2.05 | 6 |
| <i>Cedrus libani</i> 'Nana' Dwarf Cedar of Lebanon | CE | 1.20 | G1 | | 5-7 | 1.00 | 0.81 | 6 |
| <i>Cedrus libani</i> 'Pendula' Weeping Cedar of Lebanon | CE | 1.48 | G1 | | 5-7 | 1.00 | 1.15 | 6 |
| <i>Cedrus libani</i> 'Sargentii' Sargent Cedar of Lebanon | CE | 1.48 | G1 | | 5-7 | 1.00 | 0.81 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> Atlas Cedar | CE | 1.11 | G1 | | 6-9B | 1.68 | 1.01 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Aurea Robusta' Aurea Robusta Atlas Cedar | CE | 1.11 | G1 | | 6-9B | 1.68 | 1.01 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Aurea' Aurea Atlas Cedar | CE | 1.11 | G1 | | 6-9B | 1.68 | 1.05 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Fastigiata' Columnar Atlas Cedar | CE | 1.54 | G1 | | 6-9B | 1.68 | 1.01 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Glauca Fastigiata' Columnar Blue Atlas Cedar | CE | 1.11 | G1 | | 6-9B | 1.68 | 1.01 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Glauca Pendula' Weeping Blue Atlas Cedar | CE | 1.52 | G1 | | 6-9B | 1.97 | 1.19 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Glauca' Blue Atlas Cedar | CE | 1.35 | G1 | | 6-9B | 1.68 | 1.03 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Pendula' Weeping Atlas Cedar | CE | 1.11 | G1 | | 6-9B | 1.68 | 1.01 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> 'Wilkman' Wilkman Atlas Cedar | CE | 1.11 | G1 | | 6-9B | 1.68 | 1.01 | 6 |
| <i>Cedrus libani</i> ssp. <i>brevifolia</i> Cypress Cedar | CE | 1.01 | G1 | | 5-7 | 1.00 | 0.89 | 6 |
| <i>Cedrus libani</i> ssp. <i>stenocoma</i> Stenocoma Cedar of Lebanon | CE | 1.00 | G1 | | 5-7 | 1.00 | 1.00 | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Ceiba pentandra</i> Kapok | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Celastrus loeseneri</i> See - <i>Celastrus rosthornianus</i> | DS | 1.12 | G1 | | 4-8 | | 1.00 | 4 |
| <i>Celastrus orbiculatus</i> Chinese Bittersweet | DS | 1.25 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Celastrus rosthornianus</i> Loeseneri Bittersweet | DS | 1.13 | G1 | | 3-8 | | 1.00 | 2 |
| <i>Celastrus scandens</i> Bittersweet | DS | 1.02 | G1 | | 3-8 | | 1.00 | 2 |
| <i>Celastrus scandens</i> 'Indian Brave' Indian Brave Bittersweet | DS | 1.08 | G1 | | 3-8 | | 1.00 | 2 |
| <i>Celastrus scandens</i> 'Indian Maiden' Indian Maiden Bittersweet | DS | 0.64 | G4 | 1-9B | 10A-11 | | 1.00 | 2 |
| <i>Celosia argentea</i> Red Fox | AN | 0.64 | G4 | 1-9B | 10A-11 | | 9 | |
| <i>Celosia argentea</i> 'Apricot Brandy' Apricot Brandy Plumosa Cockscomb | AN | 0.64 | G4 | 1-9B | 10A-11 | | 9 | |
| <i>Celosia argentea</i> 'New Look' New Look Plumosa Cockscomb | AN | 0.64 | G4 | 1-9B | 10A-11 | | 9 | |
| <i>Celosia argentea</i> var. <i>cristata</i> Common Cockscomb | AN | 1.00 | G4 | 1-9A | 9B-11 | | 9 | |
| <i>Celtis bungeana</i> Dwarf Hackberry | DT | 1.00 | G1 | | 5-9B | 1.00 | 1.00 | 5 |
| <i>Celtis laevigata</i> Sugar Hackberry | DT | 0.48 | G1 | | 5-9B | 0.41 | 0.33 | 5 |
| <i>Celtis laevigata</i> 'Magnifica' P.P. 2795 Magnifica Sugar Hackberry | DT | 0.48 | G1 | | 5-9B | 1.32 | 0.84 | 5 |
| <i>Celtis occidentalis</i> Hackberry | DT | 0.85 | G1 | | 2-9B | 1.02 | 0.37 | 2 |
| <i>Celtis occidentalis</i> 'Chicagoland' Chicagoland Hackberry | DT | 0.83 | G1 | | 2-9B | 0.67 | 0.37 | 2 |
| <i>Celtis occidentalis</i> 'Prairie Pride' P.P. 3771 Prairie Pride Hackberry | DT | 0.83 | G1 | | 2-9B | 0.90 | 0.37 | 2 |
| <i>Celtis occidentalis</i> 'Windy City' Windy City Hackberry | DT | 0.83 | G1 | | 2-9B | 0.65 | 0.37 | 2 |
| <i>Celtis reticulata</i> Western Hackberry | DT | 0.70 | G1 | | 6-9B | 1.00 | 1.00 | 6 |
| <i>Celtis sinensis</i> Chinese Hackberry | DT | 0.75 | G1 | | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Centaurea cineraria</i> Dusty Miller | HP | 0.69 | G4 | | 4-9A | | 4 | |
| <i>Centaurea cineraria</i> 'Silver Dust' Silver Dust Dusty Miller | HP | 0.83 | G4 | | 4-9A | | 4 | |
| <i>Centaurea dealbata</i> Persian Cornflower | HP | 0.96 | G4 | | 3-8 | | 3 | |
| <i>Centaurea dealbata</i> 'Rosea' Rose Persian Cornflower | HP | 0.89 | G4 | | 3-8 | | 3 | |
| <i>Centaurea dealbata</i> 'Steenbergii' Stone Mountain Persian Cornflower | HP | 1.69 | G4 | | 3-8 | | 3 | |
| <i>Centaurea hypoleuca</i> Knapweed | HP | 1.36 | G4 | | 5-8 | | 5 | |
| <i>Centaurea hypoleuca</i> 'John Coutts' John Coutts Knapweed | HP | 1.36 | G4 | | 5-8 | | 5 | |
| <i>Centaurea macrocephala</i> Armenian Basket Flower | HP | 0.79 | G4 | | 3-8 | | 3 | |
| <i>Centaurea montana</i> Perennial Cornflower | AN | 1.27 | G4 | | 3-8 | | 3 | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Centaurea montana</i> 'Alba' White Perennial Cornflower | AN | 1.27 | G4 | | 3-8 | | | 3 |
| <i>Centaurea nigra</i> Lesser Knapweed | HP | 1.32 | G4 | | 5-8 | | | 5 |
| <i>Centaurea nigra</i> 'Rivularis' Rivularis Lesser Knapweed | HP | 1.32 | G4 | | 5-8 | | | 5 |
| <i>Centaurea scabiosa</i> Greater Knapweed | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Centaurea scabiosa</i> ssp. <i>alpestris</i> No Common Name Found | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Centranthus ruber</i> Red Valerian | HP | 1.00 | G4 | 5-6 | 7 | | | 5 |
| <i>Centranthus ruber</i> 'Albus' White Valerian | HP | 1.05 | G4 | 5-6 | 7 | | | 5 |
| <i>Centranthus ruber</i> 'Coccineus' Deep Red Valerian | HP | 1.02 | G4 | 5-6 | 7 | | | 5 |
| <i>Centranthus ruber</i> 'Roseus' Pink Valerian | HP | 0.98 | G4 | 5-6 | 7 | | | 5 |
| <i>Centratherum intermedium</i> See - <i>Centratherum punctatum</i> | HP | 0.62 | G1 | 10A | 10B-11 | | | 10 |
| <i>Centratherum punctatum</i> Pineapple Thistle | HP | 0.78 | G1 | | 6-10B | | 0.41 | 6 |
| <i>Cephalanthus occidentalis</i> Buttonbush | BS | 1.00 | G1 | | 10A-11 | | | |
| <i>Cephalaria alpina</i> Yellow Cephalaria | HP | 1.01 | G1 | | 10A-11 | | | 3 |
| <i>Cephalaria gigantea</i> Tatarian Cephalaria | HP | 1.09 | G1 | | 7-10A | | | 3 |
| <i>Cephalotaxus harringtonia</i> Japanese Plum Yew | CS | 1.17 | G1 | | 7-10A | | 0.65 | 7 |
| <i>Cephalotaxus harringtonia</i> 'Duke Gardens' Duke Gardens Japanese Plum Yew | CS | 1.06 | G1 | | 7-10A | | 0.65 | 7 |
| <i>Cephalotaxus harringtonia</i> 'Fastigiata' Fastigiate Japanese Plum Yew | CS | 1.09 | G1 | | 7-10A | | 0.65 | 7 |
| <i>Cephalotaxus harringtonia</i> 'Korean Gold' Korean Gold Japanese Plum Yew | CS | 1.06 | G1 | | 7-10A | | 0.65 | 7 |
| <i>Cephalotaxus harringtonia</i> 'Prostrata' Prostrate Japanese Plum Yew | CS | 1.23 | G1 | | 7-10A | | 0.65 | 7 |
| <i>Cephalotaxus harringtonia</i> var. <i>drupacea</i> Drupacea Japanese Plum Yew | CS | 1.16 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Cephalotus follicularis</i> Australian Pitcher Plant | HP | 1.00 | G4 | 9 | 10A-11 | | | 10 |
| <i>Cerastium bierbersteinii</i> Silver Spreader | HP | 1.02 | G4 | 5-6 | 7-8 | | | 2 |
| <i>Cerastium tomentosum</i> Snow in Summer | HP | 1.02 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Cerastium tomentosum</i> 'Columnae' Columnae Snow in Summer | HP | 1.00 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Cerastium tomentosum</i> 'Silver Carpet' Silver Carpet Snow in Summer | HP | 0.90 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Cerastium tomentosum</i> 'Yo Yo' Yo Yo Snow in Summer | HP | 0.69 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Ceratonia siliqua</i> Carob Tree | BE | 0.74 | G1 | | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Ceratostigma griffithii</i> Burmese Plumbago | HP | 0.80 | G1 | | 7-9B | | | 7 |
| <i>Ceratostigma plumbaginoides</i> Plumbago | HP | 1.03 | G4 | 6-9A | 9B-10A | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Ceratostigma willmottianum</i> Chinese Plumbago | HP | 0.76 | G1 | | 7-9B | | | 7 |
| <i>Ceratozamia mexicana</i> Mexican Horncone | BS | 3.68 | G1 | | 10A-11 | | | 1.00 10 |
| <i>Ceratozamia mexicana</i> var. <i>latifolia</i> Wide Leaf Mexican Horncone | BS | 5.19 | G1 | | 10A-11 | | | 1.00 10 |
| <i>Cerbera manghas</i> No Common Name Found | BS | 1.00 | G1 | | 10A-11 | | | 1.00 10 |
| <i>Cercidiphyllum japonicum</i> Katsura Tree | DT | 0.86 | G1 | | 4-8 | 1.06 | 1.32 | 5 |
| <i>Cercidiphyllum japonicum</i> 'Pendula' Weeping Katsura Tree | DT | 1.52 | G1 | | 4-8 | 0.90 | 1.36 | 5 |
| <i>Cercidiphyllum magnificum</i> Magnificum Katsura Tree | DT | 1.00 | G1 | | 4-8 | 1.00 | 1.26 | 5 |
| <i>Cercidiphyllum magnificum</i> 'Pendulum' Weeping Magnificum Katsura Tree | DT | 1.00 | G1 | | 4-8 | 1.00 | 1.26 | 5 |
| <i>Cercidium floridum</i> Blue Palo Verde | DT | 1.00 | G1 | | 8-9A | 1.00 | 1.00 | 9 |
| <i>Cercidium microphyllum</i> Littleleaf Palo Verde | DT | 0.69 | G1 | | 8-9A | 1.00 | 1.00 | 9 |
| <i>Cercidium praecox</i> Sonoran Palo Verde | DT | 0.67 | G1 | | 8-9A | 1.00 | 1.00 | 9 |
| <i>Cercis canadensis</i> Eastern Redbud | DT | 0.83 | G1 | | 4-9B | 1.01 | 0.96 | 4 |
| <i>Cercis canadensis</i> 'Alba' White Redbud | DT | 1.27 | G1 | | 4-9B | 1.29 | 1.39 | 4 |
| <i>Cercis canadensis</i> 'Flame' Flame Eastern Redbud | DT | 0.94 | G1 | | 4-9B | 1.01 | 0.96 | 4 |
| <i>Cercis canadensis</i> 'Forest Pansy' Forest Pansy Redbud | DT | 1.23 | G1 | | 4-9B | 1.36 | 1.01 | 4 |
| <i>Cercis canadensis</i> 'Rubyte Atkinson' Rubyte Atkinson Redbud | DT | 0.83 | G1 | | 4-9B | 1.07 | 0.96 | 4 |
| <i>Cercis canadensis</i> 'Silver Cloud' Silver Cloud Redbud | DT | 2.84 | G1 | | 4-9B | 1.01 | 0.96 | 4 |
| <i>Cercis canadensis</i> var. <i>mexicana</i> Mexican Redbud | DT | 1.03 | G1 | | 4-9B | 0.98 | 1.16 | 4 |
| <i>Cercis canadensis</i> var. <i>texensis</i> Texan Redbud | DT | 0.97 | G1 | | 4-9B | 1.06 | 1.16 | 4 |
| <i>Cercis canadensis</i> var. <i>texensis</i> 'Oklahoma' Oklahoma Texan Redbud | DT | 1.13 | G1 | 7 | 8-10A | 1.24 | 0.95 | 4 |
| <i>Cercis canadensis</i> var. <i>texensis</i> 'Texas White' Texas White Texan Redbud | DT | 1.25 | G1 | 7 | 8-10A | 1.26 | 1.09 | 4 |
| <i>Cercis chinensis</i> Chinese Redbud | DT | 0.68 | G1 | 6 | 7-9A | 1.55 | 1.04 | 6 |
| <i>Cercis chinensis</i> 'Avondale' Avondale Chinese Redbud | DT | 1.38 | G1 | 6 | 7-9A | 1.55 | 2.14 | 6 |
| <i>Cercis occidentalis</i> California Redbud | DT | 0.71 | G1 | | 7-8 | 1.00 | 1.00 | 7 |
| <i>Cercis reniformis</i> No Common Name Found | DT | 1.00 | G1 | 7 | 8-10A | 1.04 | 0.77 | 8 |
| <i>Cercis reniformis</i> 'Oklahoma' See - <i>Cercis canadensis</i> var. <i>texensis</i> 'Oklahoma' | DT | 0.62 | G1 | 6 | 7-9A | 1.00 | 1.00 | 6 |
| <i>Cercis siliquastrum</i> Judas Tree | DT | 0.50 | G1 | | 6-8 | 1.00 | 1.00 | 6 |
| <i>Cercocarpus ledifolius</i> Curl-leaf Mountain Mahogany | DT | 0.53 | G1 | | 9 | 1.00 | 1.00 | 5 |
| <i>Cercocarpus montanus</i> Mountain Mahogany | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cereus peruvianus</i> | | | | | | | | |
| See - <i>Cereus uruguayanus</i> | | | | | | | | |
| <i>Cereus uruguayanus</i> | FO | 1.20 | G3 | 8-9A | 9B-11 | | | 9 |
| Peruvian Apple Cactus | | | | | | | | |
| <i>Cereus uruguayanus</i> 'Monstrosus' | BS | 1.83 | G3 | 8-9A | 9B-11 | | | 1.00 9 |
| Monstrosus Peruvian Apple Cactus | | | | | | | | |
| <i>Ceroxylon alpinum</i> | BE | 1.24 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| Wax Palm | | | | | | | | |
| <i>Cestrum aurantiacum</i> | BS | 0.80 | G1 | 9B | 10A-11 | | | 1.00 9 |
| Orange Cestrum | | | | | | | | |
| <i>Cestrum diurnum</i> | BS | 0.92 | G1 | 9B | 10A-11 | | | 1.00 9 |
| Day Jessamine | | | | | | | | |
| <i>Cestrum elegans</i> | BS | 0.94 | G1 | 9B | 10A-11 | | | 1.00 9 |
| Red Cestrum | | | | | | | | |
| <i>Cestrum elegans</i> var. <i>smithii</i> | BS | 0.85 | G1 | 9B | 10A-11 | | | 1.00 9 |
| Smith Red Cestrum | | | | | | | | |
| <i>Cestrum fasciculatum</i> | BS | 0.81 | G1 | 9B | 10A-11 | | | 1.00 9 |
| No Common Name Found | | | | | | | | |
| <i>Cestrum fasciculatum</i> 'Newellii' | BS | 0.81 | G1 | 9B | 10A-11 | | | 1.00 9 |
| Newell Cestrum | | | | | | | | |
| <i>Cestrum nocturnum</i> | BS | 0.68 | G1 | 10A | 10B-11 | | | 1.00 9 |
| Night Blooming Jessamine | | | | | | | | |
| <i>Chaenomeles japonica</i> | DS | 0.87 | G1 | | 5-9B | | | 1.00 5 |
| Japanese Flowering Quince | | | | | | | | |
| <i>Chaenomeles japonica</i> var. <i>alpina</i> | DS | 0.96 | G1 | | 5-9B | | | 1.00 5 |
| Dwarf Japanese Flowering Quince | | | | | | | | |
| <i>Chaenomeles japonica</i> var. <i>pygmaea</i> | DS | 1.00 | G1 | | 5-9B | | | 1.00 5 |
| Pygmy Japanese Flowering Quince | | | | | | | | |
| <i>Chaenomeles lagenaria</i> | | | | | | | | |
| See - <i>Chaenomeles speciosa</i> | | | | | | | | |
| <i>Chaenomeles speciosa</i> | DS | 0.64 | G1 | | 4-9B | | | 0.75 5 |
| Flowering Quince | | | | | | | | |
| <i>Chaenomeles speciosa</i> 'Alba' | DS | 0.87 | G1 | | 4-9B | | | 0.57 5 |
| White Flowering Quince | | | | | | | | |
| <i>Chaenomeles speciosa</i> 'Cameo' | DS | 0.99 | G1 | | 4-9B | | | 0.86 5 |
| Cameo Flowering Quince | | | | | | | | |
| <i>Chaenomeles speciosa</i> 'Contorta' | DS | 1.12 | G1 | | 4-9B | | | 0.57 5 |
| Contorted Flowering Quince | | | | | | | | |
| <i>Chaenomeles speciosa</i> 'Crimson Gold' | DS | 1.07 | G1 | | 4-9B | | | 0.57 5 |
| Crimson Gold Flowering Quince | | | | | | | | |
| <i>Chaenomeles speciosa</i> 'Hollandia' | DS | 0.94 | G1 | | 4-9B | | | 0.57 5 |
| Hollandia Flowering Quince | | | | | | | | |
| <i>Chaenomeles speciosa</i> 'Jet Trail' | DS | 0.99 | G1 | | 4-9B | | | 0.67 5 |
| Jet Trail Flowering Quince | | | | | | | | |
| <i>Chaenomeles speciosa</i> 'Low 'n White' | | | | | | | | |
| See - <i>Chaenomeles speciosa</i> 'Mones' | | | | | | | | |
| <i>Chaenomeles speciosa</i> 'Mones' | DS | 1.10 | G1 | | 4-9B | | | 1.17 5 |
| Super Red™ Flowering Quince | | | | | | | | |
| <i>Chaenomeles speciosa</i> 'Mones' | DS | 0.64 | G1 | | 4-9B | | | 0.57 5 |
| Low 'n White™ Flowering Quince | | | | | | | | |
| <i>Chaenomeles speciosa</i> 'Nivalis' | DS | 0.98 | G1 | | 4-9B | | | 0.57 5 |
| Nivalis Flowering Quince | | | | | | | | |
| <i>Chaenomeles speciosa</i> 'Orange Delight' | DS | 0.95 | G1 | | 4-9B | | | 0.77 5 |
| Orange Delight Flowering Quince | | | | | | | | |
| <i>Chaenomeles speciosa</i> 'Pink Beauty' | DS | 0.97 | G1 | | 4-9B | | | 0.57 5 |
| Pink Beauty Flowering Quince | | | | | | | | |
| <i>Chaenomeles speciosa</i> 'Rubra' | DS | 1.01 | G1 | | 4-9B | | | 0.70 5 |
| Red Flowering Quince | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Chaenomeles speciosa</i> 'Spitfire' Spitfire Flowering Quince | DS | 1.02 | G1 | | 4-9B | | | 0.57 5 |
| <i>Chaenomeles speciosa</i> 'Super Red' See - <i>Chaenomeles speciosa</i> 'Moned' | DS | 1.00 | G1 | | 4-9B | | | 0.90 5 |
| <i>Chaenomeles speciosa</i> 'Texas Scarlet' Texas Scarlet Flowering Quince | DS | 1.00 | G1 | | 4-9B | | | 0.77 5 |
| <i>Chaenomeles speciosa</i> 'Toyo Nishiki' Toyo Nishiki Flowering Quince | DS | 0.97 | G4 | 8 | 9 | | | 8 |
| <i>Chenorhinum glareosum</i> Dwarf Snapdragon | HP | 0.93 | G1 | | 5-8 | | | 5 |
| <i>Chamaebatiria millefolium</i> No Common Name Found | HP | 0.66 | G1 | | 5-8 | 1.00 | 1.02 | 5 |
| <i>Chamaecyparis lawsoniana</i> Lawson False Cypress | CE | 1.00 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Allumii' Allumii Lawson False Cypress | CE | 1.84 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Argentea Compacta' Argentea Compacta Lawson False Cypress | CE | 1.20 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Aurea Densa' Aurea Densa Lawson False Cypress | CE | 1.48 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Azura' Azura Lawson False Cypress | CE | 4.61 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Barry's Silver' Barry's Silver Lawson False Cypress | CE | 1.48 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Blue Empire' Blue Empire Lawson False Cypress | CE | 2.14 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Blue Jacket' Blue Jacket Lawson False Cypress | CE | 1.48 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Blue Surprise' Blue Surprise Lawson False Cypress | CE | 1.43 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Columnaris' Columnar Lawson False Cypress | CE | 1.20 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Dutch Gold' Dutch Gold Lawson False Cypress | CE | 0.66 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Ellwoodii' Ellwoodii Lawson False Cypress | CE | 1.84 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Gimbornii' Gimbornii Lawson False Cypress | CE | 1.48 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Glaucia' Blue Lawson False Cypress | CE | 1.57 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Globosa' Globe Lawson False Cypress | CE | 1.20 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Gold Flake' Gold Flake Lawson False Cypress | CE | 0.66 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Golden King' Golden King Lawson Cedar | CE | 1.20 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Golden Showers' Golden Showers Lawson False Cypress | CE | 1.48 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Grayswood Feather' Grayswood Feather Lawson False Cypress | CE | 1.57 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Konijns Silver' Konijns Silver Lawson False Cypress | CE | 0.66 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Lutea Nana' Lutea Nana Lawson False Cypress | CE | 1.20 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Lycopodioides' Lycopodioides Lawson False Cypress | CE | 1.20 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Minima Aurea' Minima Aurea Lawson False Cypress | CE | 1.20 | G1 | | 5-8 | 1.00 | 0.45 | 5 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Chamaecyparis lawsoniana</i> 'Nana' Dwarf Lawson False Cypress | CS | 1.00 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Nidiformis' Nidiformis Lawson False Cypress | CE | 1.20 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Oregon Blue' Oregon Blue Lawson False Cypress | CE | 0.76 | G1 | | 5-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Pelt's Blue' Pelt's Blue Lawson False Cypress | CE | 0.83 | G1 | | 5-8 | 1.00 | 0.66 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Pembury Blue' Pembury Blue Lawson False Cypress | CE | 1.42 | G1 | | 5-8 | 1.00 | 1.53 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Pygmaea Argentea' Pygmaea Argentea Lawson False Cypress | CE | 1.20 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Silver Queen' Silver Queen Lawson False Cypress | CE | 1.48 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Silver Threads' Silver Threads Lawson False Cypress | CE | 2.29 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Snow White' Snow White Lawson False Cypress | CE | 2.44 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Somerset' Somerset Lawson False Cypress | CE | 1.48 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Stewartii' Stewart Lawson False Cypress | CE | 0.66 | G1 | | 5-8 | 1.00 | 0.55 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Susan' Susan Lawson False Cypress | CE | 1.48 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Treasure' Treasure Lawson False Cypress | CE | 1.84 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Wisselii' Wisselii Lawson False Cypress | CE | 1.20 | G1 | | 5-8 | 1.00 | 0.45 | 5 |
| <i>Chamaecyparis nootkatensis</i> Alaskan Cedar | CE | 0.93 | G1 | | 4-8 | 1.35 | 0.99 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Aurea' Golden Alaskan Cedar | CE | 1.05 | G1 | | 4-8 | 1.35 | 0.97 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Aureovariegata' Aureovariegata Alaskan Cedar | CE | 0.93 | G1 | | 4-8 | 1.35 | 0.97 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Glauca Compacta' Compact Blue Alaskan Cedar | CS | 1.00 | G1 | | 4-8 | | 1.00 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Glauca Pendula' Blue Weeping Alaskan Cedar | CE | 1.57 | G1 | | 4-8 | 1.35 | 1.01 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Glauca' Blue Alaskan Cedar | CE | 1.34 | G1 | | 4-8 | 1.35 | 1.13 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Green Arrow' Green Arrow Alaskan Cedar | CE | 1.40 | G1 | | 4-8 | 1.35 | 1.01 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Pendula' Weeping Alaskan Cedar | CE | 1.63 | G1 | | 4-8 | 1.35 | 1.09 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Strict Weeping' Strict Weeping Alaskan Cedar | CE | 1.36 | G1 | | 4-8 | 1.35 | 0.99 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Sullivan' Sullivan Alaskan Cedar | CE | 0.93 | G1 | | 4-8 | 1.35 | 0.98 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Variegata' Variegated Alaskan Cedar | CE | 1.33 | G1 | | 4-8 | 1.35 | 1.36 | 4 |
| <i>Chamaecyparis obtusa</i> Hinoki False Cypress | CE | 1.04 | G1 | | 4-9B | 1.00 | 1.05 | 5 |
| <i>Chamaecyparis obtusa</i> 'Aurea' Golden Hinoki False Cypress | CE | 1.07 | G1 | | 4-9B | 1.00 | 1.14 | 5 |
| <i>Chamaecyparis obtusa</i> 'Bess' Bess Hinoki False Cypress | CE | 0.73 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Blue Feathers' Blue Feathers Hinoki False Cypress | CE | 1.38 | G1 | | 4-9B | 1.00 | 0.73 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Chamaecyparis obtusa</i> 'Chabo Yaderi' Chabo Yaderi Hinoki False Cypress | CE | 1.34 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Compacta' Compact Hinoki False Cypress | CS | 1.52 | G1 | | 4-9B | | 1.20 | 5 |
| <i>Chamaecyparis obtusa</i> 'Confucious' Confucious Hinoki False Cypress | CE | 1.26 | G1 | | 4-9B | 1.00 | 1.24 | 5 |
| <i>Chamaecyparis obtusa</i> 'Coralliformis' See - <i>Chamaecyparis obtusa</i> 'Torulosa' | CE | 1.05 | G1 | | 4-9B | 1.00 | 1.61 | 5 |
| <i>Chamaecyparis obtusa</i> 'Crippsii' Crippsii Hinoki False Cypress | CE | 1.98 | G1 | | 4-9B | | 2.27 | 5 |
| <i>Chamaecyparis obtusa</i> 'Dainty Doll' Dainty Doll Hinoki False Cypress | CS | 1.33 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Densa' Densa Hinoki False Cypress | CE | 1.80 | G1 | | 4-9B | 1.00 | 0.99 | 5 |
| <i>Chamaecyparis obtusa</i> 'Elf' Elf Hinoki False Cypress | CS | 0.73 | G1 | | 4-9B | | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Erecta' Erect Hinoki False Cypress | CE | 1.25 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Ericoides' Ericoides Hinoki False Cypress | CE | 1.12 | G1 | | 4-9B | 1.00 | 1.09 | 5 |
| <i>Chamaecyparis obtusa</i> 'Fernspray Gold' Fernspray Gold Hinoki False Cypress | CE | 0.73 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Filicoides Aurea' Golden Filicoides Hinoki False Cypress | CE | 1.29 | G1 | | 4-9B | | 0.99 | 5 |
| <i>Chamaecyparis obtusa</i> 'Filicoides Compacta' Compact Filicoides Hinoki False Cypress | CS | 1.14 | G1 | | 4-9B | 1.00 | 1.03 | 5 |
| <i>Chamaecyparis obtusa</i> 'Filicoides' Filicoides Hinoki False Cypress | CE | 6.46 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Golden Fern' Golden Fern Hinoki False Cypress | CE | 2.73 | G1 | | 4-9B | 1.00 | 0.99 | 5 |
| <i>Chamaecyparis obtusa</i> 'Golden Sprite' Golden Sprite Hinoki False Cypress | CS | 1.20 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Golden Whorl' Golden Whorl Hinoki False Cypress | CE | 1.26 | G1 | | 4-9B | 1.00 | 1.38 | 5 |
| <i>Chamaecyparis obtusa</i> 'Gracilis Aurea' Golden Gracilis Hinoki False Cypress | CE | 1.05 | G1 | | 4-9B | 1.00 | 1.13 | 5 |
| <i>Chamaecyparis obtusa</i> 'Gracilis' Gracilis Hinoki False Cypress | CE | 1.32 | G1 | | 4-9B | 1.00 | 1.06 | 5 |
| <i>Chamaecyparis obtusa</i> 'Graciosa' Graciosa Hinoki False Cypress | CE | 1.94 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Hage' Hage Hinoki False Cypress | CE | 1.84 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Intermedia' Intermedia Hinoki False Cypress | CE | 0.73 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Juniperoides' Juniperoides Dwarf Hinoki False Cypress | CE | 1.37 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Kanaamihiba' Kanaamihiba Hinoki False Cypress | CE | 1.48 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Koster Sport' Koster Sport Hinoki False Cypress | CE | 0.73 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Kosteri Aurea' Golden Koster Hinoki False Cypress | CE | 1.35 | G1 | | 4-9B | 1.00 | 1.45 | 5 |
| <i>Chamaecyparis obtusa</i> 'Little Ann' Little Ann Hinoki False Cypress | CS | 1.29 | G1 | | 4-9B | | 0.99 | 5 |
| <i>Chamaecyparis obtusa</i> 'Lycopodioides Aurea' Golden Lycopodioides Hinoki False Cypress | CE | 0.73 | G1 | | 4-9B | 1.00 | 0.73 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Chamaecyparis obtusa</i> 'Lycopodioides' Lycopodioides Hinoki False Cypress | CE | 0.73 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Mariesii' Mariesii Hinoki False Cypress | CE | 1.43 | G1 | | 4-9B | 1.00 | 1.59 | 5 |
| <i>Chamaecyparis obtusa</i> 'Meroke' Meroke Hinoki False Cypress | CE | 1.48 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Nana Aurea' Dwarf Golden Hinoki False Cypress | CS | 2.11 | G1 | | 4-9B | | 2.13 | 5 |
| <i>Chamaecyparis obtusa</i> 'Nana Contorta' Dwarf Contorted Hinoki False Cypress | CS | 2.73 | G1 | | 4-9B | | 0.99 | 5 |
| <i>Chamaecyparis obtusa</i> 'Nana Gracilis' Dwarf Gracilis Hinoki False Cypress | CS | 1.87 | G1 | | 4-9B | | 1.92 | 5 |
| <i>Chamaecyparis obtusa</i> 'Nana Lutea' Dwarf Lutea Hinoki False Cypress | CS | 1.96 | G1 | | 4-9B | | 2.00 | 5 |
| <i>Chamaecyparis obtusa</i> 'Nana' Dwarf Hinoki False Cypress | CS | 1.67 | G1 | | 4-9B | | 1.69 | 5 |
| <i>Chamaecyparis obtusa</i> 'Nest' Nest Hinoki False Cypress | CE | 0.73 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Pagoda Green' Pagoda Green Hinoki False Cypress | CE | 0.73 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Paul's Select' Paul's Select Hinoki False Cypress | CE | 0.73 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Pygmaea Aurescens' Golden Pygmy Hinoki False Cypress | CS | 1.29 | G1 | | 4-9B | | 0.99 | 5 |
| <i>Chamaecyparis obtusa</i> 'Pygmaea Chimo Hiba' Pygmy Chimo Hiba Hinoki False Cypress | CS | 1.29 | G1 | | 4-9B | | 0.99 | 5 |
| <i>Chamaecyparis obtusa</i> 'Pygmaea' Pygmy Hinoki False Cypress | CS | 1.45 | G1 | | 4-9B | | 0.99 | 5 |
| <i>Chamaecyparis obtusa</i> 'Reis Dwarf' Reis Dwarf Hinoki False Cypress | CS | 1.89 | G1 | | 4-9B | | 1.91 | 5 |
| <i>Chamaecyparis obtusa</i> 'Repens' Repens Hinoki False Cypress | CS | 2.05 | G1 | | 4-9B | | 0.99 | 5 |
| <i>Chamaecyparis obtusa</i> 'Rigid Dwarf' Rigid Dwarf Hinoki False Cypress | CS | 2.04 | G1 | | 4-9B | | 0.99 | 5 |
| <i>Chamaecyparis obtusa</i> 'Sanatomi' Sanatomi Hinoki False Cypress | CE | 0.73 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Snowflake' Snowflake Hinoki False Cypress | CE | 1.33 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Snowkist' Snowkist Hinoki False Cypress | CE | 1.22 | G1 | | 4-9B | 1.00 | 0.77 | 5 |
| <i>Chamaecyparis obtusa</i> 'Sparkles' Sparkles Hinoki False Cypress | CE | 2.36 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Spiralis' Spiralis Hinoki False Cypress | CE | 2.10 | G1 | | 4-9B | 1.00 | 2.58 | 5 |
| <i>Chamaecyparis obtusa</i> 'Split Rock' Split Rock Hinoki False Cypress | CE | 1.13 | G1 | | 4-9B | 1.00 | 1.13 | 5 |
| <i>Chamaecyparis obtusa</i> 'Sunspray' Sunspray Hinoki False Cypress | CE | 1.47 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis obtusa</i> 'Tempelhof' Tempelhof Hinoki False Cypress | CE | 1.23 | G1 | | 4-9B | 1.00 | 1.31 | 5 |
| <i>Chamaecyparis obtusa</i> 'Tetragona Aurea' Tetragona Aurea Hinoki False Cypress | CE | 1.40 | G1 | | 4-9B | 1.00 | 1.33 | 5 |
| <i>Chamaecyparis obtusa</i> 'Torulosa' Torulosa Hinoki False Cypress | CE | 1.04 | G1 | | 4-9B | 1.00 | 0.93 | 5 |
| <i>Chamaecyparis obtusa</i> 'Verdoni' Verdoni Hinoki False Cypress | CE | 1.73 | G1 | | 4-9B | 1.00 | 1.08 | 5 |
| <i>Chamaecyparis obtusa</i> 'Wells Form' Wells Form Hinoki False Cypress | CE | 0.73 | G1 | | 4-9B | 1.00 | 0.73 | 5 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Chamaecyparis obtusa</i> 'Wykoff' Wykoff Hinoki False Cypress | CE | 1.20 | G1 | | 4-9B | 1.00 | 0.73 | 5 |
| <i>Chamaecyparis pisifera</i> Sawara False Cypress | CE | 0.90 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Argentea Nana' Argentea Nana Sawara False Cypress | CS | 1.12 | G1 | | 3-9B | | 0.95 | 4 |
| <i>Chamaecyparis pisifera</i> 'Aurea Nana' Dwarf Golden Sawara False Cypress | CS | 1.42 | G1 | | 3-9B | | 1.09 | 4 |
| <i>Chamaecyparis pisifera</i> 'Baby Blue' Baby Blue Sawara False Cypress | CS | 1.80 | G1 | | 3-9B | | 0.95 | 4 |
| <i>Chamaecyparis pisifera</i> 'Boulevard' Boulevard Sawara False Cypress | CE | 0.74 | G1 | | 3-9B | 1.00 | 0.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Compacta Variegata' Compact Variegated Sawara False Cypress | CS | 1.70 | G1 | | 3-9B | | 1.66 | 4 |
| <i>Chamaecyparis pisifera</i> 'Cream Ball' Cream Ball Sawara False Cypress | CE | 1.55 | G1 | | 3-9B | 1.00 | 2.33 | 4 |
| <i>Chamaecyparis pisifera</i> 'Curly Tops' Curly Tops Sawara False Cypress | CE | 1.23 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Cyanoviridis' Blue Sawara False Cypress | CE | 0.80 | G1 | | 3-9B | 1.00 | 0.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Devon Cream' Devon Cream Sawara False Cypress | CE | 4.61 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera Aurea Nana' Dwarf Golden Threadbranch Sawara False Cypress | CS | 1.15 | G1 | | 3-9B | | 0.95 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera Aurea' Golden Threadbranch Sawara False Cypress | CE | 0.87 | G1 | | 3-9B | 1.00 | 1.31 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera Aureovariegata' Aureovariegata Threadbranch Sawara False Cypress | CE | 0.65 | G1 | | 3-9B | 1.00 | 1.39 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera Lemon Thread' Lemon Thread Threadbranch Sawara False Cypress | CE | 1.15 | G1 | | 3-9B | 1.00 | 0.92 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera Sungold' Sungold Threadbranch Sawara False Cypress | CE | 0.85 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera' Threadbranch Sawara False Cypress | CE | 0.74 | G1 | | 3-9B | 1.00 | 1.07 | 4 |
| <i>Chamaecyparis pisifera</i> 'Gold Dust' Gold Dust Sawara False Cypress | CE | 1.18 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Gold Spangle' Gold Spangle Sawara False Cypress | CE | 1.20 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Golden Mop' Golden Mop Sawara False Cypress | CE | 0.84 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Golden Pin Cushion' Golden Pin Cushion Sawara False Cypress | CS | 1.12 | G1 | | 3-9B | | 0.95 | 4 |
| <i>Chamaecyparis pisifera</i> 'Minima Variegata' Variegated Dwarf Sawara False Cypress | CS | 1.12 | G1 | | 3-9B | | 0.95 | 4 |
| <i>Chamaecyparis pisifera</i> 'Nana' Dwarf Sawara False Cypress | DS | 2.30 | G1 | | 3-9B | | 1.00 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa Aurea Compacta' Compact Golden Plume Sawara False Cypress | CS | 1.12 | G1 | | 3-9B | | 0.95 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa Aurea' Golden Plume Sawara False Cypress | CE | 0.80 | G1 | | 3-9B | 1.00 | 1.03 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa Compressa' Compressed Plume Sawara False Cypress | CE | 0.68 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa Flavescens' Plumosa Flavescens Sawara False Cypress | CE | 1.06 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa Juniperoides' Juniper Plume Sawara False Cypress | CE | 0.65 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa' Plume Sawara False Cypress | CE | 0.65 | G1 | | 3-9B | 1.00 | 0.65 | 4 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-------|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Chamaecyparis pisifera</i> 'Silver Lode' Silver Lode Sawara False Cypress | CE | 0.65 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Snow' Snow Sawara False Cypress | CE | 1.62 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarossa Dumosa' Squarossa Dumosa Sawara False Cypress | CE | 0.65 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa Intermedia' Squarrosa Intermedia Sawara False Cypress | CE | 1.20 | G1 | | 3-9B | 1.00 | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa Lutea' Squarrosa Lutea Sawara False Cypress | CE | 0.97 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa Minima' Dwarf Squarrosa Sawara False Cypress | CS | 1.30 | G1 | | 3-9B | | 0.95 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa' Squarrosa Sawara False Cypress | CE | 0.65 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Tamu Himura' Tamu Himura Sawara False Cypress | CE | 1.33 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'True Blue' True Blue Sawara False Cypress | CE | 4.61 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'Tsukumo' Tsukumo Sawara False Cypress | CE | 1.29 | G1 | | 3-9B | 1.00 | 0.65 | 4 |
| <i>Chamaecyparis pisifera</i> 'White Pygmy' White Pygmy Sawara False Cypress | CS | 1.12 | G1 | | 3-9B | | 0.95 | 4 |
| <i>Chamaecyparis thyoides</i> Whitecedar False Cypress | CE | 0.92 | G1 | 3-6 | 7-9A | 1.00 | 0.54 | 5 |
| <i>Chamaecyparis thyoides</i> 'Andelyensis' Andelyensis Whitecedar False Cypress | CE | 0.78 | G1 | 3-6 | 7-9A | 1.00 | 0.54 | 5 |
| <i>Chamaecyparis thyoides</i> 'Aurea' Golden Whitecedar False Cypress | CE | 1.90 | G1 | 3-6 | 7-9A | 1.00 | 0.54 | 5 |
| <i>Chamaecyparis thyoides</i> 'Blue Sport' Blue Sport Whitecedar False Cypress | CE | 1.23 | G1 | 3-6 | 7-9A | 1.00 | 0.54 | 5 |
| <i>Chamaecyparis thyoides</i> 'Conica' Conica Whitecedar False Cypress | CE | 1.11 | G1 | 3-6 | 7-9A | 1.00 | 0.54 | 5 |
| <i>Chamaecyparis thyoides</i> 'Glauca Pendula' Glauca Pendula Whitecedar False Cypress | CE | 1.23 | G1 | 3-6 | 7-9A | 1.00 | 0.54 | 5 |
| <i>Chamaecyparis thyoides</i> 'Heatherbun' Heatherbun Whitecedar False Cypress | CE | 1.05 | G1 | 3-6 | 7-9A | 1.00 | 0.54 | 5 |
| <i>Chamaecyparis thyoides</i> 'Little Jamie' Little Jamie Whitecedar False Cypress | CS | 1.56 | G1 | 3-6 | 7-9A | | 1.00 | 5 |
| <i>Chamaecyparis thyoides</i> 'Meth Dwarf' Meth Dwarf Whitecedar False Cypress | CS | 2.13 | G1 | 3-6 | 7-9A | | 1.00 | 5 |
| <i>Chamaecyparis thyoides</i> 'Red Star' Red Star Whitecedar False Cypress | CE | 1.10 | G1 | 3-6 | 7-9A | 1.00 | 0.54 | 5 |
| <i>Chamaecyparis thyoides</i> 'Rubicon' Rubicon Whitecedar False Cypress | CE | 1.19 | G1 | 3-6 | 7-9A | 1.00 | 0.54 | 5 |
| <i>Chamaecyparis thyoides</i> 'Top Point' Top Point Whitecedar False Cypress | CE | 1.90 | G1 | 3-6 | 7-9A | 1.00 | 0.54 | 5 |
| <i>Chamaecyparis thyoides</i> 'Variegata' Variegated Whitecedar False Cypress | CE | 1.57 | G1 | 3-6 | 7-9A | 1.00 | 0.54 | 5 |
| <i>Chamaecyparis thyoides</i> ssp. <i>henryae</i> No Common Name Found | CE | 0.46 | G1 | 3-6 | 7-9A | 1.00 | 1.00 | 5 |
| <i>Chamaedorea</i> Hybrid Bamboo Palm | FO | 1.08 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Chamaedorea</i> 'Florida Hybrid' Florida Hybrid Bamboo Palm | FO | 1.08 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Chamaedorea arenbergiana</i> No Common Name Found | FO | 1.79 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Chamaedorea ascendens</i> No Common Name Found | FO | 2.27 | G3 | 8-10A | 10B-11 | | | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Chamaedorea cataractarum</i> Cat Palm | BS | 1.09 | G3 | 8-10A | 10B-11 | | | 1.42 9 |
| <i>Chamaedorea elegans</i> Parlor Palm | FO | 0.85 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Chamaedorea ernesti-augusti</i> Green Miniature Fishtail Palm | FO | 0.85 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Chamaedorea erumpens</i> Bamboo Palm | FO | 1.25 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Chamaedorea glaucifolia</i> No Common Name Found | FO | 1.07 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Chamaedorea klotzschiana</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Chamaedorea metallica</i> No Common Name Found | FO | 0.77 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Chamaedorea microspadix</i> Hardy Bamboo Palm | BS | 1.12 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Chamaedorea oblongata</i> Cauqui | FO | 1.23 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Chamaedorea radicalis</i> No Common Name Found | BS | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Chamaedorea seifrizii</i> No Common Name Found | FO | 1.25 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Chamaedorea stolonifera</i> Climing Fishtail Palm | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Chamaedorea tepejilote</i> Pacaya | FO | 0.83 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Chamaemelum nobile</i> Roman Chamomile | HP | 0.84 | G1 | | 4-8 | | | 4 |
| <i>Chamaemelum nobile</i> 'Flore Pleno' Flore Pleno Roman Chamomile | HP | 0.75 | G1 | | 4-8 | | | 4 |
| <i>Chamaemelum nobile</i> 'Treneague' Treneague Roman Chamomile | HP | 1.10 | G1 | | 4-8 | | | 4 |
| <i>Chamaerops excelsus</i> See - <i>Trachycarpus fortunei</i> | BE | 1.13 | G1 | 8-9A | 9B-10B | 1.00 | 2.09 | 9 |
| <i>Chamaerops humilis</i> Mediterranean Fan Palm | BE | 1.88 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Chambevonia macrocarpa</i> No Common Name Found | BS | 0.96 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Chamelaucium uncinatum</i> Geraldton Waxflower | BS | 0.96 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Chamelaucium uncinatum</i> 'University' University Geraldton Waxflower | BS | 1.00 | G4 | 9A | 9B-10B | | 1.00 | 9 |
| <i>Chasmanthe aethiopica</i> No Common Name Found | HP | 1.03 | G4 | 5-6 | 7-9B | | | 4 |
| <i>Chasmanthium latifolium</i> Northern Sea Oats | HP | 0.99 | G4 | | 6-9A | | | 6 |
| <i>Cheilanthes lanosa</i> Hairy Lip Fern | HP | 0.92 | G1 | | 4-8 | | | 3 |
| <i>Chelone glabra</i> Turtlehead | HP | 0.95 | G1 | | 4-8 | | | 9 |
| <i>Chelone lyonii</i> Pink Turtlehead | HP | 1.00 | G1 | | 4-8 | | | 9 |
| <i>Chelone lyonii</i> 'Hot Lips' Hot Lips Pink Turtlehead | HP | 1.01 | G1 | | 6-9A | | | 6 |
| <i>Chelone obliqua</i> Rose Turtlehead | HP | 1.02 | G1 | | 6-9A | | | 6 |
| <i>Chelone obliqua</i> 'Alba' White Rose Turtlehead | HP | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Factors | Caliper | |
| <i>Chelyocarpus chuco</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | | 1.00 | 1.00 |
| <i>Chenopodium ambrosioides</i> American Wormseed | HP | 0.75 | G1 | | 5-9A | | | 5 |
| <i>Chenopodium botrys</i> Feather Geranium | HP | 1.00 | G1 | | 5-9A | | | 5 |
| <i>Chiastophyllum oppositifolium</i> Cotyledon | HP | 1.00 | G1 | 7-9 | 10-11 | | | 7 |
| <i>Chilopsis linearis</i> Desert Willow | DT | 0.84 | G1 | | 8-9A | 1.00 | 1.16 | 8 |
| <i>Chilopsis linearis</i> 'Burgundy' Burgundy Desert Willow | DT | 1.03 | G1 | | 8-9A | 1.00 | 1.16 | 8 |
| <i>Chimaphila maculata</i> Spotted Wintergreen | HP | 1.00 | G1 | | 6-9A | | | 6 |
| <i>Chimonanthus praecox</i> Wintersweet | DS | 1.13 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Chimonanthus praecox</i> 'Grandiflorus' Grandiflorus Wintersweet | DS | 1.16 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Chimonanthus praecox</i> 'Luteus' Luteus Wintersweet | DS | 1.49 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Chimonobambusa marmorea</i> Kan-Chiku | BS | 1.06 | G1 | | 6-9B | | 1.00 | 6 |
| <i>Chimonobambusa quadrangularis</i> Square Bamboo | BS | 1.06 | G1 | | 6-9B | | 1.00 | 6 |
| <i>Chionanthus retusus</i> Chinese Fringe Tree | DT | 0.86 | G1 | 6 | 7-9B | 1.18 | 1.41 | 6 |
| <i>Chionanthus virginicus</i> White Fringe Tree | DT | 0.90 | G1 | 3-6 | 7-9B | 1.00 | 1.17 | 4 |
| x <i>Chitalpa tashkentensis</i> Chitalpa | DT | 0.79 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 8 |
| x <i>Chitalpa tashkentensis</i> 'Morning Cloud' Morning Cloud Chitalpa | DT | 1.12 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 8 |
| x <i>Chitalpa tashkentensis</i> 'Pink Dawn' Pink Dawn Chitalpa | DT | 0.89 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 8 |
| <i>Chlorophytum comosum</i> Spider Plant | FO | 0.42 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Chlorophytum comosum</i> 'Vittatum' Vittatum Spider Plant | FO | 0.67 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Choisya ternata</i> Mexican Orange | BS | 0.89 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Choisya ternata</i> 'Sundance' Sundance Mexican Orange | BS | 1.24 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Chondropetalum tectorum</i> Cape Rush | HP | 1.17 | G4 | | 9A-10B | | | 8 |
| <i>Chorisia speciosa</i> Floss Silk Tree | DT | 0.99 | G2 | 10A | 10B-11 | 1.00 | 1.43 | 10 |
| <i>Chorisia speciosa</i> 'Angel' See - <i>Chorisia speciosa</i> 'Mongel' | | | | | | | | |
| <i>Chorisia speciosa</i> 'Majestic Beauty' See - <i>Chorisia speciosa</i> 'Monsa' | | | | | | | | |
| <i>Chorisia speciosa</i> 'Mongel' Angel™ Floss Silk Tree | DT | 1.08 | G2 | 10A | 10B-11 | 1.00 | 1.43 | 10 |
| <i>Chorisia speciosa</i> 'Monsa' Majestic Beauty™ Floss Silk Tree | DT | 1.07 | G2 | 10A | 10B-11 | 1.00 | 1.43 | 10 |
| <i>Chorizema cordata</i> Australian Flame Pea | BS | 0.81 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Chrysactinia mexicana</i> Damianita | HP | 0.94 | G1 | 9 | 10A-11 | | | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|-------------|---------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | |
| <i>Chrysalidocarpus cabadae</i> | | | | | | | |
| See - <i>Dypsis cabadae</i> | | | | | | | |
| <i>Chrysalidocarpus lutescens</i> | | | | | | | |
| See - <i>Dypsis lutescens</i> | | | | | | | |
| <i>Chrysalidocarpus madagascariensis</i> | | | | | | | |
| See - <i>Dypsis madagascariensis</i> | | | | | | | |
| <i>Chrysanthemopsis hosmariense</i> | HP | 1.00 | G4 | | | 9A-10A | 9 |
| No Common Name Found | | | | | | | |
| <i>Chrysanthemum arcticum</i> | | | | | | | |
| See - <i>Arctanthemum arcticum</i> | | | | | | | |
| <i>Chrysanthemum balsamita</i> | | | | | | | |
| See - <i>Tanacetum balsamita</i> | | | | | | | |
| <i>Chrysanthemum coccineum</i> | | | | | | | |
| See - <i>Tanacetum coccineum</i> | | | | | | | |
| <i>Chrysanthemum coronarium</i> | HP | 1.00 | G1 | 10A | | 10B-11 | 5 |
| Edible Chrysanthemum | | | | | | | |
| <i>Chrysanthemum frutescens</i> | | | | | | | |
| See - <i>Argyranthemum frutescens</i> | | | | | | | |
| <i>Chrysanthemum hosmariense</i> | | | | | | | |
| See - <i>Chrysanthemopsis hosmariense</i> | | | | | | | |
| <i>Chrysanthemum hosmariensis</i> | | | | | | | |
| See - <i>Pyrethropsis hosmariensis</i> | | | | | | | |
| <i>Chrysanthemum leucanthemum</i> | | | | | | | |
| See - <i>Leucanthemum vulgare</i> | | | | | | | |
| <i>Chrysanthemum maximum</i> | | | | | | | |
| See - <i>Leucanthemum maximum</i> | | | | | | | |
| <i>Chrysanthemum x morifolium</i> | HP | 1.23 | G1 | 4-8 | | 9A-10A | 4 |
| Florist's Chrysanthemum | | | | | | | |
| <i>Chrysanthemum x morifolium 'Adorn'</i> | HP | 0.41 | G1 | 4-8 | | 9A-10A | 4 |
| Adorn Chrysanthemum | | | | | | | |
| <i>Chrysanthemum x morifolium 'Aggie'</i> | HP | 0.41 | G1 | 4-8 | | 9A-10A | 4 |
| Aggie Chrysanthemum | | | | | | | |
| <i>Chrysanthemum x morifolium 'Allure' P.P. 5989</i> | HP | 0.41 | G1 | 4-8 | | 9A-10A | 4 |
| Allure Chrysanthemum | | | | | | | |
| <i>Chrysanthemum x morifolium 'Anna'</i> | HP | 0.41 | G1 | 4-8 | | 9A-10A | 4 |
| Anna Chrysanthemum | | | | | | | |
| <i>Chrysanthemum x morifolium 'Autumn Denise'</i> | HP | 0.41 | G1 | 4-8 | | 9A-10A | 4 |
| Autumn Denise Chrysanthemum | | | | | | | |
| <i>Chrysanthemum x morifolium 'Baby Tears'</i> | HP | 0.41 | G1 | 4-8 | | 9A-10A | 4 |
| Baby Tears Chrysanthemum | | | | | | | |
| <i>Chrysanthemum x morifolium 'Blushing Emily'</i> | HP | 0.41 | G1 | 4-8 | | 9A-10A | 4 |
| Blushing Emily Chrysanthemum | | | | | | | |
| <i>Chrysanthemum x morifolium 'Bravo'</i> | HP | 0.54 | G1 | 4-8 | | 9A-10A | 4 |
| Bravo Chrysanthemum | | | | | | | |
| <i>Chrysanthemum x morifolium 'Bronze Elegans'</i> | HP | 1.01 | G1 | 4-8 | | 9A-10A | 4 |
| Bronze Elegans Chrysanthemum | | | | | | | |
| <i>Chrysanthemum x morifolium 'Buckeye'</i> | HP | 0.41 | G1 | 4-8 | | 9A-10A | 4 |
| Buckeye Chrysanthemum | | | | | | | |
| <i>Chrysanthemum x morifolium 'Camelot'</i> | HP | 0.41 | G1 | 4-8 | | 9A-10A | 4 |
| Camelot Chrysanthemum | | | | | | | |
| <i>Chrysanthemum x morifolium 'Christine'</i> | HP | 0.41 | G1 | 4-8 | | 9A-10A | 4 |
| Christine Chrysanthemum | | | | | | | |
| <i>Chrysanthemum x morifolium 'Cougar'</i> | HP | 0.41 | G1 | 4-8 | | 9A-10A | 4 |
| Cougar Chrysanthemum | | | | | | | |
| <i>Chrysanthemum x morifolium 'Cream Nicole'</i> | HP | 0.41 | G1 | 4-8 | | 9A-10A | 4 |
| Cream Nicole Chrysanthemum | | | | | | | |
| <i>Chrysanthemum x morifolium 'Dark Grenadine'</i> | HP | 0.54 | G1 | 4-8 | | 9A-10A | 4 |
| Dark Grenadine Chrysanthemum | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Chrysanthemum x morifolium</i> 'Debonair' P.P. 5324 Debonair Chrysanthemum | HP | 0.59 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Emily' Emily Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Encore' Encore Chrysanthemum | HP | 0.54 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Fortune' Fortune Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Freedom' Freedom Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Frolic' Frolic Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Ginger' P.P. 6403 Ginger Chrysanthemum | HP | 0.59 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Goldmine' Goldmine Chrysanthemum | HP | 0.54 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Grace' Grace Chrysanthemum | HP | 0.57 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Grenadine' Grenadine Chrysanthemum | HP | 0.54 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Hawkeye' Hawkeye Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Hekla' Hekla Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Helen' Helen Chrysanthemum | HP | 0.61 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Hillside Pink Sheffield' Hillside Pink Sheffield Chrysanthemum | HP | 0.82 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Illusion' Illusion Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Jennifer' P.P. 8987 Jennifer Chrysanthemum | HP | 0.57 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Jessica' Jessica Chrysanthemum | HP | 0.60 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Lancer' Lancer Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Legend' Legend Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Linda' Linda Chrysanthemum | HP | 0.57 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Lynn' Lynn Chrysanthemum | HP | 0.54 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Megan' Megan Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Mei-kyo' Mei-kyo Chrysanthemum | HP | 0.95 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Minn Gopher' Minn Gopher Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Minn Yellow' Minn Yellow Chrysanthemum | HP | 0.87 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Mirage' Mirage Chrysanthemum | HP | 0.54 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Naomi' Naomi Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Nicole' Nicole Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Patriot' Patriot Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Chrysanthemum x morifolium</i> 'Pumpkin Harvest' Pumpkin Harvest Chrysanthemum | HP | 1.04 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Purple Waters' Purple Waters Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Raquel' Raquel Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Remarkable' Remarkable Chrysanthemum | HP | 0.54 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Robin' Robin Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Ruby Mound' Ruby Mound Chrysanthemum | HP | 0.71 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Salsa' Salsa Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Sandy' Sandy Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Serenade' Serenade Chrysanthemum | HP | 0.57 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Sheffield Pink' Sheffield Pink Chrysanthemum | HP | 0.99 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Shelley' Shelley Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Soft Lynn' Soft Lynn Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Stardom' Stardom Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Stephanie' P.P. 9445 Stephanie Chrysanthemum | HP | 0.64 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Sunburst' Sunburst Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Sundoro' Sundoro Chrysanthemum | HP | 0.55 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Symphony' Symphony Chrysanthemum | HP | 0.57 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Tanaga' Tanaga Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Target' Target Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Tinkerbell' Tinkerbell Chrysanthemum | HP | 0.71 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Tolima' Tolima Chrysanthemum | HP | 0.54 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Triumph' Triumph Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Valerie' Valerie Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Venus' Venus Chrysanthemum | HP | 0.95 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Viette's Apricot Glow' Viette's Apricot Glow Chrysanthemum | HP | 1.04 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Viking' Viking Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'White Grandchild' White Grandchild Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Yellow Jacket' Yellow Jacket Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Chrysanthemum x morifolium</i> 'Zest' Zest Chrysanthemum | HP | 0.41 | G1 | 4-8 | 9A-10A | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Chrysanthemum multicaule</i> | | | | | | | | |
| See - <i>Coleostephus myconis</i> | | | | | | | | |
| <i>Chrysanthemum nipponicum</i> | | | | | | | | |
| See - <i>Nipponanthemum nipponicum</i> | | | | | | | | |
| <i>Chrysanthemum pacificum</i> | HP | 0.82 | G1 | 7-8 | 9A-10A | | | 7 |
| Pacific Chrysanthemum | | | | | | | | |
| <i>Chrysanthemum pacificum</i> 'Pink Ice' | HP | 1.09 | G1 | 7-8 | 9A-10A | | | 7 |
| Pink Ice Pacific Chrysanthemum | | | | | | | | |
| <i>Chrysanthemum pacificum</i> 'Silver and Gold' | HP | 0.71 | G1 | 7-8 | 9A-10A | | | 7 |
| Silver and Gold Pacific Chrysanthemum | | | | | | | | |
| <i>Chrysanthemum paludosum</i> | | | | | | | | |
| See - <i>Leucanthemum paludosum</i> | | | | | | | | |
| <i>Chrysanthemum parthenium</i> | | | | | | | | |
| See - <i>Tanacetum parthenium</i> | | | | | | | | |
| <i>Chrysanthemum ptarmiciflorum</i> | | | | | | | | |
| See - <i>Tanacetum ptarmiciflorum</i> | | | | | | | | |
| <i>Chrysanthemum x superbum</i> | | | | | | | | |
| See - <i>Leucanthemum x superbum</i> | | | | | | | | |
| <i>Chrysanthemum vulgare</i> | | | | | | | | |
| See - <i>Tanacetum vulgare</i> | | | | | | | | |
| <i>Chrysanthemum weyrichii</i> | HP | 0.97 | G1 | 4-8 | 9A-10A | | | 4 |
| Weyrich Daisy | | | | | | | | |
| <i>Chrysanthemum weyrichii</i> 'Pink Bomb' | HP | 0.96 | G1 | 4-8 | 9A-10A | | | 4 |
| Pink Bomb Weyrich Daisy | | | | | | | | |
| <i>Chrysanthemum weyrichii</i> 'White Bomb' | HP | 0.89 | G1 | 4-8 | 9A-10A | | | 4 |
| White Bomb Weyrich Daisy | | | | | | | | |
| <i>Chrysanthemum zawadskii</i> | HP | 0.90 | G1 | 4-8 | 9A-10A | | | 6 |
| No Common Name Found | | | | | | | | |
| <i>Chrysanthemum zawadskii</i> 'Clara Curtis' | HP | 0.90 | G1 | 4-8 | 9A-10A | | | 6 |
| Clara Curtis Red Chrysanthemum | | | | | | | | |
| <i>Chrysanthemum zawadskii</i> 'Mary Stoker' | HP | 1.01 | G1 | 4-8 | 9A-10A | | | 6 |
| Mary Stoker Red Chrysanthemum | | | | | | | | |
| <i>Chrysobalanus icaco</i> | BS | 0.92 | G1 | 10A | 10B-11 | | | 1.00 10 |
| Coco Plum | | | | | | | | |
| <i>Chrysobalanus icaco</i> 'Red Tip' | BS | 0.71 | G1 | 10A | 10B-11 | | | 1.00 10 |
| Red Tip Coco Plum | | | | | | | | |
| <i>Chrysogonium virginianum</i> | HP | 1.10 | G4 | 6 | 7-9B | | | 5 |
| Green and Gold | | | | | | | | |
| <i>Chrysogonium virginianum</i> var. <i>australe</i> | HP | 1.17 | G4 | 6 | 7-9B | | | 5 |
| No Common Name Found | | | | | | | | |
| <i>Chrysogonium virginianum</i> var. <i>virginianum</i> | HP | 1.02 | G4 | 6 | 7-9B | | | 5 |
| No Common Name Found | | | | | | | | |
| <i>Chrysogonium virginianum</i> var. <i>virginianum</i> 'Alan Bush' | HP | 1.02 | G4 | 6 | 7-9B | | | 5 |
| Alan Bush Green and Gold | | | | | | | | |
| <i>Chrysogonium virginianum</i> var. <i>virginianum</i> 'Mark Viette' | HP | 1.22 | G4 | 6 | 7-9B | | | 5 |
| Mark Viette Green and Gold | | | | | | | | |
| <i>Chrysophyllum oliviforme</i> | BE | 0.79 | G1 | 10A | 10B-11 | 1.00 | 0.93 | 10 |
| Satinleaf | | | | | | | | |
| <i>Chrysopsis mariana</i> | HP | 1.06 | G4 | | 5-8 | | | 4 |
| Maryland Golden Aster | | | | | | | | |
| <i>Chrysopsis villosa</i> | | | | | | | | |
| See - <i>Heterotheca villosa</i> | | | | | | | | |
| <i>Chrysothamnus nauseosus</i> | BS | 0.78 | G2 | | 7-8 | | | 1.00 4 |
| Rubber Rabbitbrush | | | | | | | | |
| <i>Chusquea coronalis</i> | BS | 1.65 | G1 | 9B | 10A-11 | | | 1.00 7 |
| No Common Name Found | | | | | | | | |
| <i>Cibotium chamissoi</i> | BE | 0.82 | G3 | 8-9B | 10A-11 | 1.00 | 1.00 | 9 |
| Hawaiian Tree Fern | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cibotium glaucum</i> Blonde Tree Fern | BE | 1.00 | G3 | 8-9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Cibotium splendens</i> Hapu'u | BE | 2.34 | G3 | 8-9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Cicuta maculata</i> Spotted Cowbane | HP | 1.00 | G1 | 10A | 10B-11 | | | 4 |
| <i>Cimicifuga acerina</i> See - <i>Cimicifuga japonica</i> var. <i>acerina</i> | HP | 1.63 | G4 | | | 5-8 | | 5 |
| <i>Cimicifuga dahurica</i> No Common Name Found | HP | 1.26 | G4 | | | 5-8 | | 5 |
| <i>Cimicifuga japonica</i> Japanese Bugbane | HP | 1.36 | G4 | | | 5-8 | | 5 |
| <i>Cimicifuga japonica</i> var. <i>acerina</i> Acerina Japanese Bugbane | HP | 1.07 | G4 | | | 4-8 | | 4 |
| <i>Cimicifuga racemosa</i> Black Snakeroot | HP | 2.85 | G4 | | | 4-8 | | 4 |
| <i>Cimicifuga racemosa</i> 'Hillside Black Beauty' P.P. 9988 Hillside Black Beauty Black Snakeroot | HP | 1.76 | G4 | 9 | | 10A-11 | | 9 |
| <i>Cimicifuga ramosa</i> Branched Bugbane | HP | 1.76 | G4 | 9 | | 10A-11 | | 9 |
| <i>Cimicifuga ramosa</i> 'Atropurpurea' Purple Branched Bugbane | HP | 2.65 | G4 | 9 | | 10A-11 | | 9 |
| <i>Cimicifuga ramosa</i> 'Brunette' Brunette Branched Bugbane | HP | 1.05 | G4 | | | 4-8 | | 5 |
| <i>Cimicifuga simplex</i> Kamchatka Bugbane | HP | 1.20 | G4 | | | 4-8 | | 5 |
| <i>Cimicifuga simplex</i> 'White Pearl' White Pearl Kamchatka Bugbane | BE | 0.90 | G1 | 9A | 9B-11 | 1.00 | 1.00 | 9 |
| <i>Cinnamomum camphora</i> Camphor Tree | BE | | | | | | | |
| <i>Cinnamomum camphora</i> 'Majestic Beauty' See - <i>Cinnamomum camphora</i> 'Monum' | BE | 0.90 | G1 | 9A | 9B-11 | 1.00 | 1.00 | 9 |
| <i>Cinnamomum camphora</i> 'Monum' Majestic Beauty™ Camphor Tree | BE | 0.82 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Cinnamomum zeylanicum</i> Cinnamon | FO | 0.89 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Cissus discolor</i> Trailing Begonia | FO | | | | | | | |
| <i>Cissus incisa</i> See - <i>Cissus trifoliata</i> | FO | 0.65 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Cissus rhombifolia</i> Grape Ivy | FO | 0.61 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Cissus rhombifolia</i> 'Ellen Danica' Ellen Danica Oak Leaf Ivy | FO | 0.61 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Cissus rhombifolia</i> 'Mandaiana' Mandiana Oak Leaf Ivy | FO | 0.46 | G3 | 8-10A | 10B-11 | | | 8 |
| <i>Cissus trifoliata</i> Marine Ivy | BS | 0.82 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Cissus voinierana</i> See - <i>Tetrastigma voinieranum</i> | BS | 0.77 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Cistus</i> Rock Rose | BS | 1.03 | G2 | | 8-9B | | 1.00 | 7 |
| <i>Cistus</i> 'Sunset' Sunset Rock Rose | BS | | | | | | | |
| <i>Cistus corbariensis</i> White Rock Rose | BS | | | | | | | |
| <i>Cistus crispus</i> See - <i>Cistus x purpureus</i> | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cistus hirsutus</i> var. <i>psilosepalus</i> | | | | | | | | |
| See - <i>Cistus psilosepalus</i> | | | | | | | | |
| <i>Cistus x hybridus</i> | | | | | | | | |
| See - <i>Cistus corbariensis</i> | | | | | | | | |
| <i>Cistus incanus</i> | BS | 0.77 | G2 | | | 8-9B | | 1.00 8 |
| No Common Name Found | | | | | | | | |
| <i>Cistus ladanifer</i> var. <i>maculatus</i> | BS | 0.90 | G2 | | | 8-9B | | 1.00 7 |
| Crimson Spot Rock Rose | | | | | | | | |
| <i>Cistus psilosepalus</i> | BS | 0.77 | G2 | | | 8-9B | | 1.00 8 |
| No Common Name Found | | | | | | | | |
| <i>Cistus x purpureus</i> | BS | 0.82 | G2 | | | 8-9B | | 1.00 7 |
| Orchid Rock Rose | | | | | | | | |
| <i>Cistus x purpureus</i> 'Doris Hibberson' | BS | 0.77 | G2 | | | 8-9B | | 1.00 7 |
| Doris Hibberson Orchid Rock Rose | | | | | | | | |
| <i>Cistus x skanbergii</i> | BS | 0.77 | G2 | | | 8-9B | | 1.00 8 |
| Hybrid Rock Rose | | | | | | | | |
| <i>Citharexylum fruticosum</i> | BS | 0.60 | G2 | 10A | | 10B-11 | | 1.00 9 |
| Florida Fiddlewood | | | | | | | | |
| <i>Citharexylum spinosum</i> | BS | 1.80 | G2 | 10A | | 10B-11 | | 1.00 9 |
| No Common Name Found | | | | | | | | |
| x <i>Citrofortunella microcarpa</i> | BE | 1.41 | G1 | 8-9B | | 10A-11 | 1.00 | 1.00 9 |
| Calamondin Orange | | | | | | | | |
| x <i>Citrofortunella mitis</i> | | | | | | | | |
| See - x <i>Citrofortunella microcarpa</i> | | | | | | | | |
| <i>Citrus aurantiifolia</i> | FN | 1.20 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Lime | | | | | | | | |
| <i>Citrus aurantiifolia</i> 'Bearss' | FN | 1.08 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Bearss Seedless Lime | | | | | | | | |
| <i>Citrus aurantiifolia</i> 'Mexican' | FN | 1.00 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Mexican Lime | | | | | | | | |
| <i>Citrus aurantiifolia</i> 'Tahiti' | FN | 1.12 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Persian Lime | | | | | | | | |
| <i>Citrus aurantiifolia</i> 'Trover' | FN | 1.00 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Trover Lime | | | | | | | | |
| <i>Citrus limon</i> | FN | 1.06 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Lemon | | | | | | | | |
| <i>Citrus limon</i> 'Eureka' | FN | 1.11 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Eureka Lemon | | | | | | | | |
| <i>Citrus limon</i> 'Frost' | FN | 0.75 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Frost Lemon | | | | | | | | |
| <i>Citrus limon</i> 'Lisbon' | FN | 1.35 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Lisbon Lemon | | | | | | | | |
| <i>Citrus limon</i> 'Meyer Improved' | FN | 1.05 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Meyer Improved Lemon | | | | | | | | |
| <i>Citrus limon</i> 'Meyer' | FN | 1.06 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Meyer Lemon | | | | | | | | |
| <i>Citrus limon</i> 'Ponderosa' | FN | 1.09 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Ponderosa Lemon | | | | | | | | |
| <i>Citrus limon</i> 'Variegata' | FN | 1.16 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Variegata Pink Lemon | | | | | | | | |
| <i>Citrus maxima</i> | FN | 0.95 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Pummelo | | | | | | | | |
| <i>Citrus maxima</i> 'Chandler' | FN | 1.19 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Chandler Pummelo | | | | | | | | |
| <i>Citrus x nobilis</i> | FN | 0.95 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| Tangor | | | | | | | | |
| <i>Citrus x nobilis</i> 'King' | FN | 0.95 | G1 | 7-8 | | 9A-10A | 1.00 | 1.00 9 |
| King Tangor | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Citrus x nobilis</i> 'Temple' Temple Orange | FN | 1.16 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Citrus x paradisi</i> Grapefruit | FN | 0.96 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus x paradisi</i> 'Duncan' Duncan Grapefruit | FN | 0.96 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus x paradisi</i> 'Dwarf Melogold' P.P. 6001 Dwarf Melogold Grapefruit | FN | 1.23 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus x paradisi</i> 'Flame' Flame Red Grapefruit | FN | 1.14 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus x paradisi</i> 'Marsh Seedless' Marsh Seedless Grapefruit | FN | 1.13 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus x paradisi</i> 'Oroblanco' P.P. 4645 Oroblanco Grapefruit | FN | 1.23 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus x paradisi</i> 'Ruby' Ruby Grapefruit | FN | 1.03 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus x paradisi</i> 'Star Ruby' Star Ruby Grapefruit | FN | 1.14 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus x paradisi</i> 'Thompson' Thompson Pink Grapefruit | FN | 1.16 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus reticulata</i> Tangerine | FN | 1.03 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Dancy Seedless' Dancy Seedless Tangerine | FN | 1.01 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Dancy' Dancy Tangerine | FN | 1.22 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Fremont' Fremont Tangerine | FN | 1.19 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Kara' Kara Tangerine | FN | 1.23 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Murcott' Murcott Tangerine | FN | 1.13 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Owari' Owari Satsuma Mandarin Orange | FN | 1.21 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Ponkan' Ponkan Tangerine | FN | 1.01 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Sunburst' Sunburst Tangerine | FN | 1.16 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Citrus sinensis</i> Orange | FN | 1.04 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus sinensis</i> 'Campbell' Campbell Orange | FN | 1.58 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus sinensis</i> 'Hamlin' Hamlin Orange | FN | 1.12 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus sinensis</i> 'Marrs' Marrs Orange | FN | 1.23 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus sinensis</i> 'Midknight' Midnight Orange | FN | 1.38 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus sinensis</i> 'Moro' Moro Orange | FN | 1.38 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus sinensis</i> 'Page' Page Orange | FN | 1.16 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus sinensis</i> 'Parson Brown' Parson Brown Orange | FN | 1.09 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus sinensis</i> 'Pineapple' Pineapple Orange | FN | 1.09 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus sinensis</i> 'Valencia' Valencia Orange | FN | 1.08 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Citrus sinensis</i> 'Washington' Washington Naval Orange | FN | 1.27 | G1 | 7-8 | 9A-10A | 1.00 | 0.77 | 9 |
| <i>Citrus x tangelo</i> Hybrid Tangelo | FN | 1.12 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Citrus x tangelo</i> 'Minneola' Minneola Tangelo | FN | 1.24 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Citrus x tangelo</i> 'Orlando' Orlando Tangelo | FN | 1.12 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Cladodanthus pyroliflorus</i> No Common Name Found | DS | 1.00 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Cladrastis kentukea</i> See - <i>Cladrastis lutea</i> | | | | | | | | |
| <i>Cladrastis lutea</i> American Yellowwood | DT | 0.88 | G1 | | 3-8 | 1.36 | 0.81 | 3 |
| <i>Cladrastis sinensis</i> Chinese Yellowwood | DT | 1.00 | G1 | | 6-9B | 1.00 | 1.00 | 6 |
| <i>Cladrastis sinensis</i> 'China Rose' China Rose Chinese Yellowwood | DT | 1.00 | G1 | | 6-9B | 1.00 | 1.00 | 6 |
| <i>Claytonia virginica</i> Spring Beauty | HP | 1.00 | G1 | | 6-9B | | | 6 |
| <i>Clematis</i> Clematis | GC | 1.00 | G1 | 6-7 | 8-10A | | 1.00 | 3 |
| <i>Clematis</i> 'Asao' Asao Clematis | GC | 3.04 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Ascotiensis' Ascotiensis Clematis | GC | 2.47 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Barbara Jackman' Barbara Jackman Clematis | GC | 2.73 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Bee's Jubilee' Bee's Jubilee Clematis | GC | 2.11 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Belle Nantaise' Belle Nantaise Clematis | GC | 1.00 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Belle of Woking' Belle of Woking Clematis | GC | 2.63 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Captain Thuiileaux' Captain Thuiileaux Clematis | GC | 1.92 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Carnaby' Carnaby Clematis | GC | 2.76 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Comtesse de Bouchard' Comtesse de Bouchard Clematis | GC | 1.64 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Coventry' Coventry Clematis | GC | 1.00 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Crimson King' Crimson King Clematis | GC | 1.88 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Daniel Deronda' Daniel Deronda Clematis | GC | 1.34 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Dr. Ruppel' Dr. Ruppel Clematis | GC | 2.77 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Duchess of Albany' Duchess of Albany Clematis | HP | 2.63 | G1 | 6-7 | 8-10A | | | 5 |
| <i>Clematis</i> 'Duchess of Edinburgh' Duchess of Edinburgh Clematis | GC | 2.70 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Elsa Spath' Elsa Spath Clematis | GC | 2.69 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Ernest Markham' Ernest Markham Clematis | GC | 1.63 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Etoile Violette' Etoile Violette Clematis | GC | 1.56 | G1 | 6-7 | 8-10A | | 1.00 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|---------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Clematis</i> 'Fairy Queen' Fairy Queen Clematis | GC | 1.00 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'General Sikorski' General Sikorski Clematis | GC | 2.65 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Gillian Blades' Gillian Blades Clematis | GC | 1.67 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Gipsy Queen' Gipsy Queen Clematis | GC | 1.58 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'H.F. Young' H.F. Young Clematis | GC | 1.97 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Hagley Hybrid' Hagley Hybrid Clematis | GC | 2.74 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Hakuba' Hakuba Clematis | GC | 1.00 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Henryi' Henryi Clematis | GC | 1.68 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Huldine' Huldine Clematis | GC | 1.67 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'John Warren' John Warren Clematis | GC | 1.44 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Kathleen Dunford' Kathleen Dunford Clematis | GC | 1.00 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Kermesina' Kermesina Clematis | GC | 1.00 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'King Edward VII' King Edward VII Clematis | GC | 1.00 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Lady Betty Balfour' Lady Betty Balfour Clematis | GC | 1.89 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Lincoln Star' Lincoln Star Clematis | GC | 2.66 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Little Nell' Little Nell Clematis | GC | 2.67 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Lord Neville' Lord Neville Clematis | GC | 2.01 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Madame Baron Veillard' Madame Baron Veillard Clematis | GC | 1.26 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Madame Grange' Madame Grange Clematis | GC | 1.00 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Marie Boisselot' Maris Boisselot Clematis | GC | 1.48 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Miss Bateman' Miss Bateman Clematis | GC | 1.67 | G1 | 6-7 | 8-10A | | | 1.00 4 |
| <i>Clematis</i> 'Mme. Julia Correvon' Mme. Julia Correvon Clematis | GC | 1.53 | G1 | 6-7 | 8-10A | | | 1.00 6 |
| <i>Clematis</i> 'Mme. LeCoultre' Mme. LeCoultre Clematis | GC | 1.85 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Mrs. Cholmondeley' Mrs. Cholmondeley Clematis | GC | 2.73 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Mrs. N. Thompson' Mrs. N. Thompson Clematis | GC | 1.86 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Nelly Moser' Nelly Moser Clematis | GC | 1.65 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Niobe' Niobe Clematis | GC | 1.55 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Pink Champagne' Pink Champagne Clematis | GC | 2.80 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis</i> 'Pink Chiffon' Pink Chiffon Clematis | GC | 1.00 | G1 | 6-7 | 8-10A | | | 1.00 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Clematis</i> 'Polish Spirit' Polish Spirit Clematis | GC | 1.57 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Proteus' Proteus Clematis | GC | 1.00 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Ramona' Ramona Clematis | GC | 1.75 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Rouge Cardinal' Rouge Cardinal Clematis | GC | 2.73 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Royal Velours' Royal Velours Clematis | GC | 3.28 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Scartho Gem' Scartho Gem Clematis | GC | 1.00 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Star of India' Star of India Clematis | GC | 2.10 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'The President' The President Clematis | GC | 1.60 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Venosa Violacea' Venosa Violacea Clematis | GC | 2.29 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Ville de Lyon' Ville de Lyon Clematis | GC | 1.66 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Vyvyan Pennell' Vyvyan Pennell Clematis | GC | 1.92 | G1 | 6-7 | 8-10A | | 1.00 | 4 |
| <i>Clematis</i> 'Wada's Primrose' Wada's Primrose Clematis | GC | 1.00 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'Will Goodwin' Will Goodwin Clematis | GC | 2.92 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis</i> 'William Kennet' William Kennet Clematis | GC | 2.00 | G1 | 6-7 | 8-10A | | 1.00 | 5 |
| <i>Clematis alpina</i> Alpine Clematis | HP | 1.95 | G1 | 5-6 | 7-9A | | | 5 |
| <i>Clematis alpina</i> 'Helsingborg' Helsingborg Alpine Clematis | HP | 1.68 | G1 | 5-6 | 7-9A | | | 5 |
| <i>Clematis alpina</i> 'Ruby' Ruby Alpine Clematis | HP | 1.09 | G1 | 5-6 | 7-9A | | | 5 |
| <i>Clematis alpina</i> 'Willy' Willy Alpine Clematis | HP | 1.09 | G1 | 5-6 | 7-9A | | | 5 |
| <i>Clematis armandii</i> Armand Clematis | GC | 1.87 | G1 | 6 | 7-9A | | 1.00 | 7 |
| <i>Clematis chrysocoma</i> Dogwood Clematis | GC | 1.02 | G1 | 6 | 7-9A | | 1.00 | 7 |
| <i>Clematis cirrhosa</i> No Common Name Found | GC | 1.00 | G1 | 6 | 7-9A | | 1.00 | 7 |
| <i>Clematis cirrhosa</i> 'Wisley Cream' Wisley Cream Clematis | GC | 1.00 | G1 | 6 | 7-9A | | 1.00 | 7 |
| <i>Clematis x eriostemon</i> Hybrid Clematis | BS | 1.06 | G1 | 6 | 7-9A | | 1.00 | 4 |
| <i>Clematis x eriostemon</i> 'Hendersonii' Henderson Hybrid Clematis | BS | 1.06 | G1 | 6 | 7-9A | | 1.00 | 4 |
| <i>Clematis flammula</i> No Common Name Found | GC | 1.25 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Clematis florida</i> No Common Name Found | GC | 1.00 | G1 | 7 | 8-9A | | 1.00 | 7 |
| <i>Clematis florida</i> 'Sieboldii' Sieboldii Clematis | GC | 1.00 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Clematis heracleifolia</i> Tube Clematis | GC | 3.62 | G1 | 3-6 | 7-10A | | 1.00 | 3 |
| <i>Clematis heracleifolia</i> var. <i>davidiana</i> Davidiana Clematis | HP | 1.36 | G1 | 3-6 | 7-10A | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Clematis integrifolia</i> Solitary Clematis | GC | 1.81 | G1 | 5-6 | 7-9A | | 1.00 | 3 |
| <i>Clematis integrifolia</i> 'Caerulea' Bushy Blue Solitary Clematis | GC | 1.38 | G1 | 5-6 | 7-9A | | 1.00 | 3 |
| <i>Clematis integrifolia</i> 'Rosea' Rosea Solitary Clematis | HP | 0.72 | G1 | 5-6 | 7-9A | | | 3 |
| <i>Clematis x jackmanii</i> Jackman Clematis | GC | 1.60 | G1 | 6 | 7-9A | | 1.00 | 4 |
| <i>Clematis x jackmanii</i> 'Purpurea Superba' Purpurea Superba Jackman Clematis | GC | 1.60 | G1 | 6 | 7-9A | | 1.00 | 4 |
| <i>Clematis lanuginosa</i> No Common Name Found | HP | 2.07 | G1 | 6 | 7-9A | | | 6 |
| <i>Clematis lanuginosa</i> 'Candida' Candida Clematis | HP | 2.07 | G1 | 6 | 7-9A | | | 6 |
| <i>Clematis lasiantha</i> No Common Name Found | GC | 1.24 | G2 | | 8-9A | | 1.00 | 8 |
| <i>Clematis ligustifolia</i> No Common Name Found | HP | 1.03 | G1 | 5-6 | 7-9A | | | 5 |
| <i>Clematis macropetala</i> Downy Clematis | GC | 3.31 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Clematis macropetala</i> 'Blue Bird' Blue Bird Downy Clematis | GC | 2.71 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Clematis macropetala</i> 'Markham's Pink' Markham's Pink Downy Clematis | GC | 2.78 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Clematis mandschurica</i> Manchurian Clematis | HP | 1.44 | G1 | 6 | 7-9A | | | 7 |
| <i>Clematis maximowicziana</i> See - <i>Clematis terniflora</i> | | | | | | | | |
| <i>Clematis montana</i> Anemone Clematis | GC | 1.73 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Clematis montana</i> 'Elizabeth' Elizabeth Anemone Clematis | GC | 2.40 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Clematis montana</i> 'Grandiflora' Grandiflora Anemone Clematis | GC | 2.84 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Clematis montana</i> 'Marjorie' Marjorie Anemone Clematis | GC | 1.73 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Clematis montana</i> 'Tetrarose' Tetra rose Anemone Clematis | GC | 2.29 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Clematis montana</i> var. <i>rubens</i> Rubens Anemone Clematis | GC | 1.59 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Clematis montana</i> var. <i>wilsonii</i> Wilson Anemone Clematis | GC | 1.22 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Clematis orientalis</i> Oriental Clematis | GC | 1.00 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Clematis orientalis</i> 'Burford' Burford Oriental Clematis | GC | 1.00 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Clematis paniculata</i> Sweet Autumn Clematis | GC | 1.49 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Clematis recta</i> Ground Clematis | HP | 2.30 | G1 | 3-6 | 7-9A | | | 3 |
| <i>Clematis recta</i> 'Purpurea' Purple Ground Clematis | HP | 1.57 | G1 | 3-6 | 7-9A | | | 3 |
| <i>Clematis recta</i> var. <i>mandschurica</i> See - <i>Clematis mandschurica</i> | GC | 1.56 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Clematis spooneri</i> No Common Name Found | GC | 2.68 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Clematis tangutica</i> Golden Clematis | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|---------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors | |
| | | | | | | | | |
| <i>Clematis tangutica</i> 'Bill MacKenzie' Bill MacKenzie Clematis | GC | 1.90 | G1 | 6-7 | 8-10A | | | 1.00 5 |
| <i>Clematis terniflora</i> No Common Name Found | GC | 1.00 | G1 | 6 | 7-9A | | | 1.00 6 |
| <i>Clematis texensis</i> Scarlet Clematis | HP | 2.14 | G1 | 5-6 | 7-9A | | | 5 |
| <i>Clematis virginiana</i> Virginsbower | HP | 2.37 | G1 | 4-6 | 7-9A | | | 4 |
| <i>Clematis vitalba</i> Traveller's Joy Clematis | GC | 1.00 | G1 | 4-6 | 7-9A | | | 1.00 4 |
| <i>Clematis viticella</i> Italian Clematis | GC | 1.49 | G1 | 6 | 7-9A | | | 1.00 6 |
| <i>Clematis viticella</i> 'Abundance' Abundance Italian Clematis | GC | 1.00 | G1 | 6 | 7-9A | | | 1.00 6 |
| <i>Clematis viticella</i> 'Alba Luxurians' Alba Luxurians Italian Clematis | GC | 1.60 | G1 | 6 | 7-9A | | | 1.00 6 |
| <i>Clematis viticella</i> 'Purpurea Plena Elegans' Purpurea Plena Elegans Italian Clematis | GC | 3.26 | G1 | 6 | 7-9A | | | 1.00 6 |
| <i>Clematis viticella</i> 'Rubra' Rubra Italian Clematis | GC | 1.00 | G1 | 6 | 7-9A | | | 1.00 6 |
| <i>Cleome hassleriana</i> Spider Flower | AN | 1.10 | G4 | 9 | 10A-11 | | | 8 |
| <i>Cleome hassleriana</i> 'Cherry Queen' Cherry Queen Spider Flower | AN | 1.10 | G4 | 9 | 10A-11 | | | 8 |
| <i>Clerodendrum bungei</i> Cashmere Bouquet | BS | 1.05 | G1 | 9 | 10A-11 | | | 1.00 8 |
| <i>Clerodendrum colebrookianum</i> No Common Name Found | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Clerodendrum heterophyllum</i> No Common Name Found | BS | 0.70 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Clerodendrum inerme</i> No Common Name Found | BS | 0.95 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Clerodendrum kaempferi</i> No Common Name Found | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Clerodendrum minahassae</i> No Common Name Found | BS | 1.09 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Clerodendrum myricoides</i> No Common Name Found | BS | 0.90 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Clerodendrum paniculatum</i> Pagoda Flower | BS | 1.03 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Clerodendrum philippinum</i> Glory Bower | BS | 1.33 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Clerodendrum quadriloculare</i> Starburst Flower | BS | 1.08 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Clerodendrum speciosissimum</i> No Common Name Found | BS | 1.06 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Clerodendrum splendens</i> No Common Name Found | GC | 1.34 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Clerodendrum squamatum</i> See - <i>Clerodendrum kaempferi</i> | GC | 0.94 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Clerodendrum thomsoniae</i> Bleeding Heart Vine | GC | 1.06 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Clerodendrum thomsoniae</i> 'Delectum' Delectum Bleeding Heart Vine | GC | 1.01 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Clerodendrum thomsoniae</i> 'Variegatum' Variegated Bleeding Heart Vine | GC | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Clerodendrum tomentosum</i> Lolly Bush | BS | | | | | | | 1.00 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Clerodendrum trichotomum</i> Harlequin Glory Bower | BS | 1.04 | G1 | 9B | 10A-11 | | 0.94 | 10 |
| <i>Clerodendrum ugandense</i> No Common Name Found | BS | 0.88 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Clerodendrum wallichii</i> No Common Name Found | BS | 1.36 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Clethra acuminata</i> Cinnamon Clethra | BS | 1.07 | G1 | | 6-10A | | 1.00 | 6 |
| <i>Clethra alnifolia</i> Summersweet Clethra | DS | 1.24 | G1 | | 3-9B | | 1.03 | 3 |
| <i>Clethra alnifolia</i> 'Compacta' Compact Summersweet Clethra | DS | 1.11 | G1 | | 3-9B | | 1.03 | 3 |
| <i>Clethra alnifolia</i> 'Fern Valley Late Sweet' Fern Valley Late Sweet Summersweet Clethra | DS | 1.33 | G1 | | 3-9B | | 1.03 | 3 |
| <i>Clethra alnifolia</i> 'Hummingbird' Hummingbird Summersweet Clethra | DS | 1.12 | G1 | | 3-9B | | 1.19 | 3 |
| <i>Clethra alnifolia</i> 'Paniculata' Paniculata Summersweet Clethra | DS | 1.04 | G1 | | 3-9B | | 1.03 | 3 |
| <i>Clethra alnifolia</i> 'Pink Spires' Pink Spires Summersweet Clethra | DS | 1.30 | G1 | | 3-9B | | 1.14 | 3 |
| <i>Clethra alnifolia</i> 'Rosea' Pink Summersweet Clethra | DS | 1.18 | G1 | | 3-9B | | 1.22 | 3 |
| <i>Clethra alnifolia</i> 'Ruby Spice' Ruby Spice Summersweet Clethra | DS | 1.30 | G1 | | 3-9B | | 1.24 | 3 |
| <i>Clethra barbinervis</i> Japanese Clethra | DS | 1.31 | G1 | 5-6 | 7-9A | | 1.63 | 5 |
| <i>Cleyera japonica</i> Sakaki | BS | 0.81 | G1 | 8 | 9 | | 1.00 | 8 |
| <i>Clianthus puniceus</i> Glory Pea | HP | 1.09 | G4 | | 9A-10A | | | 8 |
| <i>Clianthus puniceus</i> 'Flamingo' Flamingo Glory Pea | HP | 1.09 | G4 | | 9A-10A | | | 8 |
| <i>Clianthus puniceus</i> 'Red Cardinal' Red Cardinal Glory Pea | HP | 1.09 | G4 | | 9A-10A | | | 8 |
| <i>Clianthus puniceus</i> 'White Heron' White Heron Glory Pea | HP | 1.09 | G4 | | 9A-10A | | | 8 |
| <i>Clinostigma samoensis</i> No Common Name Found | BE | 1.44 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Clitoria ternatea</i> Blue Pea | GC | 1.12 | G4 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Clivia miniata</i> Scarlet Kaffir Lily | HP | 1.89 | G4 | | 9B-11 | | | 10 |
| <i>Clivia miniata</i> 'Belgian Hybrid' Belgian Hybrid Scarlet Kaffir Lily | HP | 1.18 | G4 | | 9B-11 | | | 10 |
| <i>Clivia miniata</i> 'Flame' See - <i>Clivia miniata</i> 'Monya' P.P. 6205 | HP | 1.38 | G4 | | 9B-11 | | | 10 |
| <i>Clivia miniata</i> 'French Hybrid' French Hybrid Kaffir Lily | HP | 1.03 | G4 | | 9B-11 | | | 10 |
| <i>Clivia miniata</i> 'Monya' P.P. 6205 Flame™ Kaffir Lily | HP | 1.03 | G4 | | 9B-11 | | | 10 |
| <i>Clivia miniata</i> 'Robusta' Robusta Kaffir Lily | HP | 1.03 | G4 | | 9B-11 | | | 10 |
| <i>Clusia major</i> Balsam Apple | BE | 1.02 | G1 | 10A | 10B-11 | 1.00 | 2.00 | 9 |
| <i>Clusia major</i> 'Compacta' Compact Balsam Apple | BS | 1.67 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Clusia rosea</i> See - <i>Clusia major</i> | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Clytostoma callistegioides</i> Argentine Trumpet Vine | GC | 0.96 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Cnidoscolus chayamansa</i> Spurge Nettle | BS | 1.19 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Cobaea scandens</i> Cup & Saucer Vine | GC | 1.24 | G4 | | 9B-11 | | 1.00 | 9 |
| <i>Coccocloba diversifolia</i> Pigeon Plum | BE | 0.86 | G1 | 10A | 10B-11 | 1.00 | 0.91 | 10 |
| <i>Coccocloba uvifera</i> Sea Grape | BE | 0.65 | G1 | | 10A-11 | 1.00 | 0.67 | 10 |
| <i>Coccothrinax alta</i> Silver Palm | BE | 2.09 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Coccothrinax argentata</i> Florida Silver Palm | BE | 1.92 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Coccothrinax barbadensis</i> See - <i>Coccothrinax dussiana</i> | BE | 6.36 | G1 | 10A | 10B-11 | 1.00 | 9.94 | 10 |
| <i>Coccothrinax crinita</i> Thatch Palm | BE | 1.87 | G1 | 10A | 10B-11 | 1.00 | 4.85 | 10 |
| <i>Coccothrinax dussiana</i> No Common Name Found | BE | 2.16 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Coccothrinax miraguama</i> Miraguama Palm | BE | 0.73 | G1 | 9 | 10 | | 1.00 | 9 |
| <i>Coccucus laurifolius</i> Laurelleaf Moonseed | BS | 1.79 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10B |
| <i>Cochlospermum vitifolium</i> Buttercup Tree | DT | 0.93 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Cocos nucifera</i> Coconut Palm | BE | 0.72 | G1 | 10A | 10B-11 | 1.00 | 0.79 | 10 |
| <i>Cocos nucifera</i> 'Dwarf Golden Malay' Dwarf Golden Malay Coconut Palm | BE | 0.76 | G1 | 10A | 10B-11 | 1.00 | 0.86 | 10 |
| <i>Cocos nucifera</i> 'Green Malayan' Green Malayan Coconut Palm | BE | 0.74 | G1 | 10A | 10B-11 | 1.00 | 0.79 | 10 |
| <i>Cocos nucifera</i> 'Maypan' Maypan Coconut Palm | FO | 0.37 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> Garden Croton | BS | 0.89 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'AFD 5' AFD 5 Garden Croton | BS | 1.02 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'AFD 7' AFD 7 Garden Croton | BS | 0.94 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Andreanum' Andreanum Garden Croton | BS | 1.23 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Angelwing' Angelwing Garden Croton | BS | 0.98 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Banana' Banana Garden Croton | BS | 0.79 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Corkscrew' Corkscrew Garden Croton | BS | 0.81 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Curly Boy' Curly Boy Garden Croton | BS | 0.79 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Excellent' Excellent Garden Croton | BS | 0.79 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Fancy Spot' Fancy Spot Garden Croton | BS | 1.05 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'General Padgett' General Padgett Garden Croton | BS | 0.74 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Gold Dust' Gold Dust Garden Croton | BS | 0.74 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Johanna Coppering' | BS | 0.99 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| Johanna Coppering Garden Croton | | | | | | | | |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Norma' | FO | 0.65 | G3 | 8-10A | 10B-11 | | | 10 |
| Norma Garden Croton | | | | | | | | |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Petra' | BS | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| Petra Garden Croton | | | | | | | | |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Piecrust' | BS | 0.73 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| Piecrust Garden Croton | | | | | | | | |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Rainbow' | BS | 0.82 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| Rainbow Garden Croton | | | | | | | | |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Rooster Tail' | BS | 0.98 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| Rooster Tail Garden Croton | | | | | | | | |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Scarletta' | BS | 0.70 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| Scarletta Garden Croton | | | | | | | | |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> 'Sloppy Painter' | BS | 0.79 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| Sloppy Painter Garden Croton | | | | | | | | |
| <i>Coelogyne ovalis</i> | FO | 1.08 | G3 | 8-10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Coffea arabica</i> | BS | 1.42 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Common Coffee | | | | | | | | |
| <i>Coix lacryma-jobi</i> | HP | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| Job's Tears | | | | | | | | |
| <i>Colchicum agrippinum</i> | HP | 1.00 | G4 | | 5-9A | | | 5 |
| Agrippa Crocus | | | | | | | | |
| <i>Colchicum speciosum</i> | HP | 1.00 | G4 | | 6-10A | | | 6 |
| Showy Crocus | | | | | | | | |
| <i>Colchicum speciosum</i> 'The Giant' | HP | 1.00 | G4 | | 6-10A | | | 6 |
| The Giant Showy Crocus | | | | | | | | |
| <i>Coleonema album</i> | BS | 0.82 | G2 | | 9A-10A | | 1.00 | 9 |
| White Breath of Heaven | | | | | | | | |
| <i>Coleonema pulchrum</i> | BS | 0.77 | G2 | | 9A-10A | | 1.00 | 9 |
| Pink Breath of Heaven | | | | | | | | |
| <i>Coleonema pulchrum</i> 'Danny's Gold Sport' | BS | 0.81 | G2 | | 9A-10A | | 1.00 | 9 |
| Danny's Gold Sport Pink Breath of Heaven | | | | | | | | |
| <i>Coleonema pulchrum</i> 'Sunset Gold' | BS | 0.81 | G2 | | 9A-10A | | 1.00 | 9 |
| Sunset Gold Pink Breath of Heaven | | | | | | | | |
| <i>Coleostephus myconis</i> | HP | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| Golden Raindrop Daisy | | | | | | | | |
| <i>Coleus amboinicus</i> | | | | | | | | |
| See - <i>Plectranthus amboinicus</i> | | | | | | | | |
| <i>Coleus x hybridus</i> | | | | | | | | |
| See - <i>Solenostemon scutellarioides</i> | | | | | | | | |
| <i>Colocasia esculenta</i> | HP | 1.51 | G1 | 10A | 10B-11 | | | 10 |
| Cocoyam | | | | | | | | |
| <i>Colpothrinax wrightii</i> | BE | 1.27 | G1 | 10A | 10B-11 | 1.00 | 3.94 | 10B |
| Bottle Palm | | | | | | | | |
| <i>Colvillea racemosa</i> | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Colville's Glory | | | | | | | | |
| <i>Comarostaphylis diversifolia</i> | BS | 0.94 | G2 | | 8-9B | | 1.00 | 8 |
| Summer Holly | | | | | | | | |
| <i>Comptonia peregrina</i> | HP | 1.04 | G1 | | 2-6 | | | 4 |
| Sweetfern | | | | | | | | |
| <i>Conocarpus erectus</i> | BE | 0.69 | G1 | 10A | 10B-11 | 1.25 | 0.68 | 10B |
| Buttonwood | | | | | | | | |
| <i>Conocarpus erectus</i> var. <i>sericeus</i> | BS | 0.80 | G1 | 10A | 10B-11 | | 0.64 | 10B |
| Silver Buttonwood | | | | | | | | |
| <i>Conoclinium coelestinum</i> | HP | 0.87 | G1 | 10A | 10B-11 | | | 6 |
| Hardy Ageratum | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|------|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Conoclinium coelestinum</i> 'Album' White Hardy Ageratum | HP | 0.84 | G1 | 10A | 10B-11 | | | 6 |
| <i>Conoclinium coelestinum</i> 'Cori' Cori Hardy Ageratum | HP | 0.97 | G1 | 10A | 10B-11 | | | 6 |
| <i>Conradina verticillata</i> Cumberland Mountain Rosemary | BS | 1.15 | G1 | 7 | 8-10A | | 1.00 | 7 |
| <i>Convallaria majalis</i> Lily-of-the-Valley | HP | 0.94 | G4 | | 4-8 | | | 3 |
| <i>Convallaria majalis</i> 'Fortin's Giant' Fortin's Giant Lily-of-the-Valley | HP | 0.96 | G4 | | 4-8 | | | 3 |
| <i>Convallaria majalis</i> 'Rosea' Pink Lily-of-the-Valley | HP | 0.94 | G4 | | 4-8 | | | 3 |
| <i>Convolvulus cneorum</i> Silverbush Morning Glory | BS | 0.75 | G2 | | 8-10A | | 1.00 | 8 |
| <i>Convolvulus mauritanicus</i> See - <i>Convolvulus sabatius</i> | GC | 0.81 | G4 | | 8-10A | | 1.00 | 8 |
| <i>Convolvulus sabatius</i> Ground Morning Glory | | | | | | | | |
| <i>Copernicia alba</i> Caranday Palm | BE | 2.35 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Copernicia baileyana</i> Bailey's Palm | BE | 3.16 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Copernicia berteroana</i> Yarey | BE | 4.24 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Copernicia glabrescens</i> Guano Blanco Palm | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Copernicia hospita</i> Hospita Palm | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Copernicia macroglossa</i> Cuban Petticoat Palm | BE | 3.80 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Copernicia prunifera</i> Carnauba Palm | BE | 1.63 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Copernicia rigida</i> No Common Name Found | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10B |
| <i>Coprosma x kirkii</i> Kirk Coprosma | BS | 0.78 | G2 | | 9A-10B | | 1.00 | 9 |
| <i>Coprosma repens</i> Mirror Plant | BS | 0.71 | G2 | | 9A-10B | | 1.00 | 9 |
| <i>Coprosma repens</i> 'Variegata' Variegated Mirror Plant | BS | 0.71 | G2 | | 9A-10B | | 1.00 | 9 |
| <i>Cordia boissieri</i> Anacahuita | BE | 0.95 | G1 | 8-9A | 9B-10B | 1.00 | 1.29 | 10 |
| <i>Cordia lutea</i> Yellow Geiger Tree | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Cordia parvifolia</i> Small Leaf Geiger Tree | BS | 0.55 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Cordia sebestena</i> Geiger Tree | BE | 0.93 | G1 | 10A | 10B-11 | 1.00 | 1.17 | 10 |
| <i>Cordia subcordata</i> Marer | BS | 1.22 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Cordyline</i> Dracena | FO | 0.45 | G1 | | 10A-11 | | | 10 |
| <i>Cordyline</i> 'Baueri' Bauer's Dracena | FO | 0.51 | G1 | | 10A-11 | | | 10 |
| <i>Cordyline australis</i> Cabbage Tree | BE | 0.91 | G1 | | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Cordyline australis</i> 'Alberti' Albert Cabbage Tree | BE | 2.02 | G1 | | 10A-11 | 1.00 | 1.00 | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Cordyline australis</i> 'Atropurpurea' Bronze Cabbage Tree | BE | 0.92 | G1 | | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Cordyline australis</i> 'Purpurea' Purpurea Cabbage Tree | BE | 1.00 | G1 | | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Cordyline fruticosa</i> See - <i>Cordyline terminalis</i> | | | | | | | | |
| <i>Cordyline indivisa</i> Blue Dracena Palm | BE | 1.02 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Cordyline stricta</i> No Common Name Found | FO | 1.00 | G1 | | 10A-11 | | | 10 |
| <i>Cordyline terminalis</i> Common Dracena | FO | 0.55 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Cordyline terminalis</i> 'Baby Doll' Baby Doll Common Dracena | FO | 0.38 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Cordyline terminalis</i> 'Black Magic' Black Magic Common Dracena | FO | 0.57 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Cordyline terminalis</i> 'Calypso Queen' Calypso Queen Common Dracena | FO | 0.57 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Cordyline terminalis</i> 'Kiwi' Kiwi Common Dracena | FO | 0.61 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Cordyline terminalis</i> 'Madame Eugene Andre' Madame Eugene Andre Common Dracena | FO | 0.38 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Cordyline terminalis</i> 'Red Sister' Red Sister Common Dracena | FO | 0.47 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Cordyline terminalis</i> 'Sherbert' Sherbert Common Dracena | FO | 0.57 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Cordyline terminalis</i> 'Tricolor' Tricolor Common Dracena | FO | 0.44 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Coreopsis auriculata</i> Eared Coreopsis | HP | 1.03 | G4 | 9 | 10 | | | 4 |
| <i>Coreopsis auriculata</i> 'Nana' Dwarf Eared Coreopsis | HP | 1.03 | G4 | 9 | 10 | | | 4 |
| <i>Coreopsis gigantea</i> No Common Name Found | HP | 1.00 | G4 | | 8-9B | | | 8 |
| <i>Coreopsis grandiflora</i> Tickseed | HP | 0.96 | G4 | 7-8 | 9A-10A | | | 7 |
| <i>Coreopsis grandiflora</i> 'Badengold' Badengold Tickseed | HP | 1.02 | G4 | 7-8 | 9A-10A | | | 7 |
| <i>Coreopsis grandiflora</i> 'Domino' Domino Tickseed | HP | 0.91 | G4 | 7-8 | 9A-10A | | | 7 |
| <i>Coreopsis grandiflora</i> 'Early Sunrise' Early Sunrise Tickseed | HP | 0.92 | G4 | 7-8 | 9A-10A | | | 7 |
| <i>Coreopsis grandiflora</i> 'Flying Saucers' P.P.A.F. Flying Saucers Tickseed | HP | 1.07 | G4 | 7-8 | 9A-10A | | | 7 |
| <i>Coreopsis grandiflora</i> 'Sunray' Sunray Tickseed | HP | 1.03 | G4 | 7-8 | 9A-10A | | | 7 |
| <i>Coreopsis lanceolata</i> Lanceleaf Coreopsis | HP | 0.91 | G4 | 9 | 10 | | | 3 |
| <i>Coreopsis lanceolata</i> 'Baby Sun' Baby Sun Coreopsis | HP | 0.96 | G4 | 9 | 10 | | | 3 |
| <i>Coreopsis lanceolata</i> 'Double Sunburst' Double Sunburst Coreopsis | HP | 0.93 | G4 | 9 | 10 | | | 3 |
| <i>Coreopsis lanceolata</i> 'Goldfink' Goldfink Coreopsis | HP | 0.90 | G4 | 9 | 10 | | | 3 |
| <i>Coreopsis lanceolata</i> 'Goldteppich' Goldteppich Lanceleaf Coreopsis | HP | 0.88 | G4 | 9 | 10 | | | 3 |
| <i>Coreopsis lanceolata</i> 'Rotkehlchen' Rotkehlchen Lanceleaf Coreopsis | HP | 0.88 | G4 | 9 | 10 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Coreopsis lanceolata</i> 'Sterntaler' Sterntaler Lanceleaf Coreopsis | HP | 0.93 | G4 | 9 | 10 | | | 3 |
| <i>Coreopsis lanceolata</i> 'Sunburst' Sunburst Coreopsis | HP | 1.14 | G4 | 9 | 10 | | | 3 |
| <i>Coreopsis maritima</i> Sea Dahlia | HP | 0.93 | G4 | | 8-9B | | | 8 |
| <i>Coreopsis palmata</i> Prairie Tickseed | HP | 1.10 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Coreopsis rosea</i> Pink Tickseed | HP | 0.91 | G4 | 4-6 | 7-9A | | | 4 |
| <i>Coreopsis rosea</i> 'American Dream' See - <i>Coreopsis rosea</i> | HP | 0.92 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Coreopsis tinctoria</i> Plains Tickseed | HP | 0.99 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Coreopsis tripteris</i> Tall Tickseed | HP | 0.93 | G4 | 9 | 10 | | | 6 |
| <i>Coreopsis verticillata</i> Thread Leaf Tickseed | HP | 1.02 | G4 | 9 | 10 | | | 6 |
| <i>Coreopsis verticillata</i> 'Golden Showers' Grandiflora Thread Leaf Tickseed | HP | 0.95 | G4 | 9 | 10 | | | 6 |
| <i>Coreopsis verticillata</i> 'Moonbeam' Moonbeam Thread Leaf Tickseed | HP | 0.93 | G4 | 9 | 10 | | | 6 |
| <i>Coreopsis verticillata</i> 'Zagreb' Zagreb Thread Leaf Tickseed | HP | 0.93 | G4 | 9 | 10 | | | 6 |
| <i>Coriandrum sativum</i> Coriander | AN | 1.11 | G1 | 10A | 10B-11 | | | 8 |
| <i>Coriaria japonica</i> Japanese Coriaria | BS | 1.00 | G1 | 8-9A | 9B-10B | | 1.00 | 8 |
| <i>Cornus</i> Hybrid Dogwood | DT | 1.18 | G1 | 3-8 | 9B-10B | 1.21 | 1.19 | 5 |
| <i>Cornus</i> 'Aurora' See - <i>Cornus</i> 'Rutban' P.P. 7205 | DT | 1.38 | G1 | 3-8 | 9A-10B | 1.42 | 1.34 | 5 |
| <i>Cornus</i> 'Celestial' See - <i>Cornus</i> 'Rutdan' P.P. 7204 | DT | 1.22 | G1 | 3-8 | 9A-10B | 1.39 | 1.19 | 5 |
| <i>Cornus</i> 'Constellation' See - <i>Cornus</i> 'Rutcan' P.P. 7210 | DT | 1.18 | G1 | 3-8 | 9A-10B | 1.21 | 1.30 | 5 |
| <i>Cornus</i> 'Rutban' P.P. 7205 Aurora® Rutgers Hybrid Dogwood | DT | 1.18 | G1 | 3-8 | 9A-10B | 1.21 | 1.19 | 5 |
| <i>Cornus</i> 'Rutcan' P.P. 7210 Constellation® Rutgers Hybrid Dogwood | DT | 1.39 | G1 | 3-8 | 9A-10B | 1.25 | 1.25 | 5 |
| <i>Cornus</i> 'Rutdan' P.P. 7204 Celestial® Rutgers Hybrid Dogwood | DT | 1.66 | G1 | 3-8 | 9A-10B | 1.51 | 1.33 | 5 |
| <i>Cornus</i> 'Rutfan' P.P. 7206 Stardust® Rutgers Hybrid Dogwood | DS | 1.06 | G1 | | 3-7 | | 0.58 | 3 |
| <i>Cornus</i> 'Rutgan' P.P. 7207 Stellar Pink® Rutgers Hybrid Dogwood | DS | 1.11 | G1 | | 3-7 | | 0.89 | 3 |
| <i>Cornus</i> 'Ruth Ellen' See - <i>Cornus</i> 'Rutlan' P.P. 7732 | DS | 1.11 | G1 | | 3-7 | | | |
| <i>Cornus</i> 'Rutlan' P.P. 7732 Ruth Ellen® Rutgers Hybrid Dogwood | DS | 1.11 | G1 | | 3-7 | | | |
| <i>Cornus</i> 'Stardust' See - <i>Cornus</i> 'Rutfan' P.P. 7206 | DS | 1.11 | G1 | | 3-7 | | | |
| <i>Cornus</i> 'Stellar Pink' See - <i>Cornus</i> 'Rutgan' P.P. 7207 | DS | 1.11 | G1 | | 3-7 | | | |
| <i>Cornus alba</i> Tatarian Dogwood | | | | | | | | |
| <i>Cornus alba</i> 'Argenteo-marginata' Elegantissima Dogwood | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Cornus alba</i> 'Aurea' Aurea Tatarian Dogwood | DS | 0.85 | G1 | | 3-7 | | | 0.58 3 |
| <i>Cornus alba</i> 'Bailhalo' Ivory Halo™ Tatarian Dogwood | DS | 1.10 | G1 | | 3-7 | | | 0.95 3 |
| <i>Cornus alba</i> 'Gouchaultii' Gouchaultii Tatarian Dogwood | DS | 0.99 | G1 | | 3-7 | | | 0.58 3 |
| <i>Cornus alba</i> 'Ivory Halo' See - <i>Cornus alba</i> 'Bailhalo' | DS | 0.85 | G1 | | 3-7 | | | 0.58 3 |
| <i>Cornus alba</i> 'Kesselringii' Kesselring Tartarian Dogwood | DS | 0.85 | G1 | | 3-7 | | | 0.58 3 |
| <i>Cornus alba</i> 'Sibirica Bloodgood' Bloodgood Sibirica Tatarian Dogwood | DS | 0.85 | G1 | | 3-7 | | | 0.58 3 |
| <i>Cornus alba</i> 'Sibirica' Sibirica Tatarian Dogwood | DS | 0.93 | G1 | | 3-7 | | | 0.66 3 |
| <i>Cornus alba</i> 'Spaethii' Spaethii Tatarian Dogwood | DS | 0.85 | G1 | | 3-7 | | | 0.58 3 |
| <i>Cornus alternifolia</i> Pagoda Dogwood | DS | 1.12 | G1 | | 3-7 | | | 1.43 3 |
| <i>Cornus alternifolia</i> 'Argentea' Argentea Pagoda Dogwood | DS | 5.15 | G1 | | 3-7 | | | 1.43 3 |
| <i>Cornus amomum</i> Silky Dogwood | DS | 0.96 | G1 | 5-7 | 8-10B | | | 0.64 5 |
| <i>Cornus asperifolia</i> Routhleaf Dogwood | DS | 1.00 | G1 | | 9A-10B | | | 1.00 9 |
| <i>Cornus baileyi</i> Bailey Red Twig Dogwood | DS | 0.89 | G1 | 5-8 | 9A-10B | | | 0.66 2 |
| <i>Cornus canadensis</i> Bunchberry | HP | 1.58 | G4 | | 2-7 | | | 2 |
| <i>Cornus capitata</i> Bentham's Cornel | BE | 1.03 | G1 | | 8-9A | 1.00 | 1.00 | 8 |
| <i>Cornus controversa</i> Giant Dogwood | DT | 0.88 | G1 | | 5-8 | 1.09 | 1.00 | 5 |
| <i>Cornus controversa</i> 'Variegata' Wedding Cake Tree | DT | 5.91 | G1 | | 5-8 | 1.09 | 1.00 | 5 |
| <i>Cornus florida</i> White Flowering Dogwood | DT | 0.83 | G1 | | 5-9B | 1.01 | 0.82 | 5 |
| <i>Cornus florida</i> 'American Beauty Red' American Beauty Red Flowering Dogwood | DT | 0.83 | G1 | | 5-9B | 1.01 | 0.50 | 5 |
| <i>Cornus florida</i> 'Barton' Barton Flowering Dogwood | DT | 1.18 | G1 | | 5-9B | 1.01 | 0.50 | 5 |
| <i>Cornus florida</i> 'Cherokee Brave' Cherokee Brave Flowering Dogwood | DT | 1.13 | G1 | | 5-9B | 1.44 | 1.10 | 5 |
| <i>Cornus florida</i> 'Cherokee Chief' Cherokee Chief Flowering Dogwood | DT | 1.01 | G1 | | 5-9B | 1.29 | 1.07 | 5 |
| <i>Cornus florida</i> 'Cherokee Daybreak' See - <i>Cornus florida</i> 'Daybreak' P.P. 6320 | DT | 0.99 | G1 | | 5-9B | 1.12 | 0.91 | 5 |
| <i>Cornus florida</i> 'Cherokee Princess' Cherokee Princess Flowering Dogwood | DT | | | | | | | |
| <i>Cornus florida</i> 'Cherokee Sunset' See - <i>Cornus florida</i> 'Sunset' P.P. 6305 | DT | 1.04 | G1 | | 5-9B | 1.27 | 1.03 | 5 |
| <i>Cornus florida</i> 'Cloud Nine' Cloud Nine Flowering Dogwood | DT | 0.90 | G1 | | 5-9B | 1.47 | 1.16 | 5 |
| <i>Cornus florida</i> 'Daybreak' P.P. 6320 Cherokee Daybreak® Flowering Dogwood | DT | 1.21 | G1 | | 5-9B | 1.09 | 1.09 | 5 |
| <i>Cornus florida</i> 'First Lady' First Lady Flowering Dogwood | DT | 0.83 | G1 | | 5-9B | 1.01 | 0.50 | 5 |
| <i>Cornus florida</i> 'Green Glow' Green Glow Flowering Dogwood | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Cornus florida</i> 'Hohman's Gold' Hohman's Gold Flowering Dogwood | DT | 0.83 | G1 | | 5-9B | 1.01 | 0.50 | 5 |
| <i>Cornus florida</i> 'Marzelli' Rainbow® Flowering Dogwood | DT | 0.88 | G1 | | 5-9B | 1.01 | 1.24 | 5 |
| <i>Cornus florida</i> 'Pendula' Weeping Flowering Dogwood | DT | 0.89 | G1 | | 5-9B | 1.43 | 1.42 | 5 |
| <i>Cornus florida</i> 'Pink Flame' P.P. 4300 Pink Flame Flowering Dogwood | DT | 1.28 | G1 | | 5-9B | 1.43 | 0.87 | 5 |
| <i>Cornus florida</i> 'Plena' Double White Flowering Dogwood | DT | 1.20 | G1 | | 5-9B | 1.22 | 0.96 | 5 |
| <i>Cornus florida</i> 'Purple Glory' P.P. 4627 Purple Glory Flowering Dogwood | DT | 0.83 | G1 | | 5-9B | 1.64 | 1.10 | 5 |
| <i>Cornus florida</i> 'Pygmaea' Pygmy Flowering Dogwood | DT | 0.83 | G1 | | 5-9B | 1.01 | 0.50 | 5 |
| <i>Cornus florida</i> 'Rainbow' See - <i>Cornus florida</i> 'Marzelli' | DT | 0.83 | G1 | | 5-9B | 1.01 | 1.11 | 5 |
| <i>Cornus florida</i> 'Red Cloud' Red Cloud Flowering Dogwood | DT | 0.83 | G1 | | 5-9B | 1.01 | 0.50 | 5 |
| <i>Cornus florida</i> 'Richland' Richland White Flowering Dogwood | DT | 0.83 | G1 | | 5-9B | 1.23 | 1.00 | 5 |
| <i>Cornus florida</i> 'Rubra' Pink Flowering Dogwood | DT | 1.02 | G1 | | 5-9B | 1.37 | 1.16 | 5 |
| <i>Cornus florida</i> 'Sunset' P.P. 6305 Cherokee Sunset® Flowering Dogwood | DT | 1.26 | G1 | | 5-9B | 1.01 | 0.50 | 5 |
| <i>Cornus florida</i> 'Sweetwater Red' Sweetwater Red Flowering Dogwood | DT | 0.83 | G1 | | 5-9B | 1.01 | 0.50 | 5 |
| <i>Cornus florida</i> 'Weaver's White' Weaver's White Flowering Dogwood | DT | 1.04 | G1 | | 5-9B | 1.43 | 1.42 | 5 |
| <i>Cornus florida</i> 'Welchii' Welch Flowering Dogwood | DT | 1.28 | G1 | | 5-9B | 1.09 | 1.00 | 5 |
| <i>Cornus foemina</i> See - <i>Cornus stricta</i> | DT | 0.93 | G1 | | 5-8 | 1.09 | 1.00 | 5 |
| <i>Cornus kousa</i> Kousa Dogwood | DT | 0.93 | G1 | | 5-8 | 1.09 | 1.00 | 5 |
| <i>Cornus kousa</i> 'Beni Fuji' Beni Fuji Kousa Dogwood | DT | 0.93 | G1 | | 5-8 | 1.09 | 1.00 | 5 |
| <i>Cornus kousa</i> 'Dwarf Pink' Dwarf Pink Kousa Dogwood | DT | 0.93 | G1 | | 5-8 | 1.09 | 1.00 | 5 |
| <i>Cornus kousa</i> 'Gold Star' Gold Star Kousa Dogwood | DT | 1.46 | G1 | | 5-8 | 1.09 | 1.36 | 5 |
| <i>Cornus kousa</i> 'Lustgarten Weeping' Lustgarten Weeping Kousa Dogwood | DT | 0.93 | G1 | | 5-8 | 1.09 | 3.01 | 5 |
| <i>Cornus kousa</i> 'Madame Butterfly' Madame Butterfly Kousa Dogwood | DT | 0.93 | G1 | | 5-8 | 1.09 | 1.18 | 5 |
| <i>Cornus kousa</i> 'Rosabella' Rosabella Kousa Dogwood | DT | 0.93 | G1 | | 5-8 | 1.67 | 1.67 | 5 |
| <i>Cornus kousa</i> 'Snowboy' Snowboy Kousa Dogwood | DT | 0.93 | G1 | | 5-8 | 1.09 | 1.00 | 5 |
| <i>Cornus kousa</i> 'Square Dance' Square Dance Kousa Dogwood | DT | 0.93 | G1 | | 5-8 | 1.09 | 1.18 | 5 |
| <i>Cornus kousa</i> 'Wolf Eye' Wolf Eye Kousa Dogwood | DT | 0.93 | G1 | | 5-8 | 1.68 | 1.00 | 5 |
| <i>Cornus kousa</i> var. <i>angustata</i> Angustata Kousa Dogwood | DT | 1.00 | G1 | | 5-8 | 1.00 | 1.44 | 7 |
| <i>Cornus kousa</i> var. <i>chinensis</i> Chinese Kousa Dogwood | DT | 0.91 | G1 | | 5-8 | 1.01 | 0.87 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'China Girl' China Girl Chinese Kousa Dogwood | DT | 0.89 | G1 | | 5-8 | 1.01 | 1.19 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|----------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Greensleaves' Greensleaves Chinese Kousa Dogwood | DT | 0.89 | G1 | | 5-8 | 1.01 | 0.87 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Milky Way' Milky Way Chinese Kousa Dogwood | DT | 0.97 | G1 | | 5-8 | 1.25 | 0.91 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Moonbeam' Moonbeam Chinese Kousa Dogwood | DT | 0.89 | G1 | | 5-8 | 1.01 | 1.73 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'National' National Chinese Kousa Dogwood | DT | 1.55 | G1 | | 5-8 | 1.65 | 1.18 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Radiant Rose' Radiant Rose Chinese Kousa Dogwood | DT | 0.94 | G1 | | 5-8 | 1.01 | 0.87 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Satomi' Satomi Red Chinese Kousa Dogwood | DT | 1.20 | G1 | | 5-8 | 1.38 | 1.22 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Snowflake' Snowflake Chinese Kousa Dogwood | DT | 0.89 | G1 | | 5-8 | 1.01 | 0.87 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Trinity Star' Trinity Star Chinese Kousa Dogwood | DT | 0.89 | G1 | | 5-8 | 1.01 | 0.87 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Weaver's Weeping' Weaver's Weeping Chinese Kousa Dogwood | DT | 0.89 | G1 | | 5-8 | 1.01 | 0.87 | 5 |
| <i>Cornus mas</i> Cornelian Cherry Dogwood | DS | 1.22 | G1 | | 5-9A | | 1.14 | 5 |
| <i>Cornus mas</i> 'Elegantissima' Elegantissima Cornelian Cherry Dogwood | DS | 1.12 | G1 | | 5-9A | | 1.14 | 5 |
| <i>Cornus mas</i> 'Golden Glory' Golden Glory Cornelian Cherry Dogwood | DS | 1.17 | G1 | | 5-9A | | 1.43 | 5 |
| <i>Cornus nuttallii</i> Pacific Dogwood | DT | 0.71 | G1 | | 7-9A | 1.25 | 0.86 | 7 |
| <i>Cornus nuttallii</i> 'Corego Giant' Corego Giant Pacific Dogwood | DT | 0.71 | G1 | | 7-9A | 1.25 | 0.92 | 7 |
| <i>Cornus nuttallii</i> 'Eddie's White Wonder' Eddie's White Wonder Pacific Dogwood | DT | 1.13 | G1 | | 7-9A | 1.27 | 0.86 | 7 |
| <i>Cornus nuttallii</i> 'Pink Blush' Pink Blush Pacific Dogwood | DT | 0.71 | G1 | | 7-9A | 1.25 | 0.86 | 7 |
| <i>Cornus obliqua</i> Pale Dogwood | DS | 1.00 | G1 | | 4-9A | | 1.00 | 4 |
| <i>Cornus officinalis</i> Japanese Cornel Dogwood | DS | 1.00 | G1 | | 6-9B | | 1.09 | 6 |
| <i>Cornus paniculata</i> See - <i>Cornus racemosa</i> | DS | 0.85 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Cornus pumila</i> No Common Name Found | | | | | | | | |
| <i>Cornus purpurea</i> See - <i>Cornus obliqua</i> | DS | 0.91 | G1 | | 5-9B | | 0.62 | 5 |
| <i>Cornus racemosa</i> Grey Dogwood | DS | 0.91 | G1 | | 5-9B | | 0.62 | 5 |
| <i>Cornus racemosa</i> 'Geauga' See - <i>Cornus racemosa</i> 'Geazam' | DS | 0.91 | G1 | | 5-9B | | 0.62 | 5 |
| <i>Cornus racemosa</i> 'Geazam' Geauga™ Gray Dogwood | DS | 0.91 | G1 | | 5-9B | | 0.62 | 5 |
| <i>Cornus racemosa</i> 'Mahoning' See - <i>Cornus racemosa</i> 'Mahzam' | DS | 0.91 | G1 | | 5-9B | | 0.62 | 5 |
| <i>Cornus racemosa</i> 'Mahzam' Mahoning™ Gray Dogwood | DS | 0.91 | G1 | | 5-9B | | 0.62 | 5 |
| <i>Cornus racemosa</i> 'Muskingum' See - <i>Cornus racemosa</i> 'Muszam' | DS | 0.91 | G1 | | 5-9B | | 0.62 | 5 |
| <i>Cornus racemosa</i> 'Muszam' Muskingum Gray Dogwood | DS | 0.91 | G1 | | 5-9B | | 0.62 | 5 |
| <i>Cornus sanguinea</i> Bloodtwig Dogwood | DS | 1.11 | G1 | | 5-9B | | 0.60 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Cornus sanguinea</i> 'Winter Beauty' Winter Beauty Bloodtwig Dogwood | DS | 1.11 | G1 | | 5-9B | | | 0.67 5 |
| <i>Cornus sericea</i> Redosier Dogwood | DS | 0.87 | G1 | | 2-7 | | | 0.61 2 |
| <i>Cornus sericea</i> 'Allemans Dwarf' Allemans Dwarf Redosier Dogwood | DS | 0.96 | G1 | | 2-7 | | | 0.81 2 |
| <i>Cornus sericea</i> 'Bailey' See - <i>Cornus baileyi</i> | DS | 0.93 | G1 | | 2-7 | | | 0.61 2 |
| <i>Cornus sericea</i> 'Bud's Yellow' Bud's Yellow Redosier Dogwood | DS | 0.93 | G1 | | 2-7 | | | 0.68 2 |
| <i>Cornus sericea</i> 'Cardinal' Cardinal Redosier Dogwood | DS | 0.86 | G1 | | 2-7 | | | 0.61 2 |
| <i>Cornus sericea</i> 'Cheyenne' Cheyenne Redosier Dogwood | DS | 0.88 | G1 | | 2-7 | | | 0.67 2 |
| <i>Cornus sericea</i> 'Flaviramea' Yellowtwig Redosier Dogwood | DS | 0.94 | G1 | | 2-7 | | | 0.86 2 |
| <i>Cornus sericea</i> 'Isanti' Isanti Redosier Dogwood | DS | 0.91 | G1 | | 2-7 | | | 1.02 2 |
| <i>Cornus sericea</i> 'Kelsey' Kelsey Redosier Dogwood | DS | 1.12 | G1 | | 2-7 | | | 1.31 2 |
| <i>Cornus sericea</i> 'Silver and Gold' Silver and Gold Redosier Dogwood | DS | 0.86 | G1 | | 2-7 | | | 0.61 2 |
| <i>Cornus sericea</i> var. <i>occidentalis</i> See - <i>Cornus sericea</i> 'Sunshine' | DS | 0.61 | G1 | | 8-10A | | | 1.00 8 |
| <i>Cornus stolonifera</i> See - <i>Cornus sericea</i> | DS | 1.00 | G1 | | 2-7 | | | 1.00 2 |
| <i>Cornus stricta</i> Stiff Dogwood | BS | 1.00 | G1 | | 8-9B | | | 1.00 8 |
| <i>Cornus suecica</i> No Common Name Found | BS | 0.78 | G1 | | 8-9B | | | 1.00 8 |
| <i>Corokia cotoneaster</i> Wire Netting Bush | BS | 0.78 | G1 | | 8-9B | | | 1.00 8 |
| <i>Corokia x virgata</i> No Common Name Found | BS | 0.78 | G1 | | 8-9B | | | 1.00 8 |
| <i>Corokia x virgata</i> 'Red Wonder' Red Wonder Corokia | BS | 0.78 | G1 | | 8-9B | | | 1.00 8 |
| <i>Corokia x virgata</i> 'Yellow Wonder' Yellow Wonder Corokia | BS | 0.78 | G1 | | 8-9B | | | 1.00 8 |
| <i>Coronilla varia</i> Crown Vetch | HP | 0.61 | G4 | | 4-8 | | | 6 |
| <i>Coronilla varia</i> 'Pennigft' Pennigft Crown Vetch | HP | 0.61 | G4 | | 4-8 | | | 6 |
| <i>Correa</i> Australian Fuchsia | BS | 0.81 | G2 | | 9A-10B | | | 1.00 9 |
| <i>Correa</i> 'Carmine Bells' Carmine Bells Australian Fuchsia | BS | 0.81 | G2 | | 9A-10B | | | 1.00 9 |
| <i>Correa</i> 'Dusky Bells' Dusky Bells Australian Fuchsia | BS | 0.81 | G2 | | 9A-10B | | | 1.00 9 |
| <i>Correa</i> 'Ivory Bells' Ivory Bells Australian Fuchsia | BS | 0.81 | G2 | | 9A-10B | | | 1.00 9 |
| <i>Correa alba</i> White Australian Fuchsia | BS | 0.81 | G2 | | 9A-10B | | | 1.00 9 |
| <i>Correa x harrisii</i> Harris Australian Fuchsia | BS | 0.81 | G2 | | 9A-10B | | | 1.00 9 |
| <i>Correa pulchella</i> No Common Name Found | BS | 0.81 | G2 | | 9A-10B | | | 1.00 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Correa schlechtendalii</i> No Common Name Found | BS | 0.81 | G2 | | 9A-10B | | 1.00 | 9 |
| <i>Cortaderia jubata</i> Pink Pampas Grass | HP | 0.85 | G4 | 7-8 | 9A-11 | | | 8 |
| <i>Cortaderia richardii</i> Richard's Pampas Grass | HP | 1.36 | G4 | 7-8 | 9A-11 | | | 8 |
| <i>Cortaderia selloana</i> Pampas Grass | HP | 0.72 | G4 | 7-8 | 9A-11 | | | 5 |
| <i>Cortaderia selloana</i> 'Andes Silver' Andes Silver Pampas Grass | HP | 2.27 | G4 | 7-8 | 9A-11 | | | 5 |
| <i>Cortaderia selloana</i> 'Aureolineata' Aureolineata Pampas Grass | HP | 1.36 | G4 | 7-8 | 9A-11 | | | 5 |
| <i>Cortaderia selloana</i> 'Carminea Rendatleri' Carminea Rendatleri Pampas Grass | HP | 1.36 | G4 | 7-8 | 9A-11 | | | 5 |
| <i>Cortaderia selloana</i> 'Elegans' Elegans Pampas Grass | HP | 1.36 | G4 | 7-8 | 9A-11 | | | 5 |
| <i>Cortaderia selloana</i> 'Ivory Feathers' See - <i>Cortaderia selloana</i> 'Pumila' | HP | 1.06 | G4 | 7-8 | 9A-11 | | | 5 |
| <i>Cortaderia selloana</i> 'Monvin' P.P. 5136 Sun Stripe™ Pampas Grass | HP | 2.27 | G4 | 7-8 | 9A-11 | | | 5 |
| <i>Cortaderia selloana</i> 'Patagonia' Patagonia Pampas Grass | HP | 1.06 | G4 | 7-8 | 9A-11 | | | 5 |
| <i>Cortaderia selloana</i> 'Pumila' Ivory Feathers™ Pampas Grass | HP | 0.98 | G4 | 7-8 | 9A-11 | | | 5 |
| <i>Cortaderia selloana</i> 'Rosea' Rose Pampas Grass | HP | 1.36 | G4 | 7-8 | 9A-11 | | | 5 |
| <i>Cortaderia selloana</i> 'Silver Comet' Silver Comet Pampas Grass | HP | 1.36 | G4 | 7-8 | 9A-11 | | | 5 |
| <i>Cortaderia selloana</i> 'Sun Stripe' See - <i>Cortaderia selloana</i> 'Monvin' P.P. 5136 | HP | 1.36 | G4 | 7-8 | 9A-11 | | | 5 |
| <i>Coryanthes speciosa</i> No Common Name Found | FO | 2.03 | G1 | 10A | 10B-11 | | | 10 |
| <i>Coryanthes verrucolineata</i> No Common Name Found | FO | 2.44 | G1 | 10A | 10B-11 | | | 10 |
| <i>Corydalis flexuosa</i> Blue Corydalis | HP | 1.91 | G1 | | 6-10A | | | 5 |
| <i>Corydalis flexuosa</i> 'Blue Panda' Blue Panda Blue Corydalis | HP | 2.10 | G1 | | 6-10A | | | 5 |
| <i>Corydalis lutea</i> Yellow Corydalis | HP | 1.19 | G1 | | 6-10A | | | 6 |
| <i>Corydalis ochroleuca</i> No Common Name Found | HP | 1.00 | G1 | | 5-9B | | | 7 |
| <i>Corydalis ophiocarpa</i> No Common Name Found | HP | 0.96 | G1 | | 6-10A | | | 6 |
| <i>Corydalis sempervirens</i> Roman Wormwood | HP | 0.96 | G1 | | 6-10A | | | 6 |
| <i>Corydalis wilsonii</i> Fern-leaved Corydalis | HP | 1.00 | G1 | | 7-10A | | | 7 |
| <i>Corylopsis glabrescens</i> Fragrant Winterhazel | DS | 1.00 | G1 | | 7-10A | | 1.00 | 6 |
| <i>Corylopsis pauciflora</i> Buttercup Winterhazel | DS | 1.55 | G1 | | 6-9B | | 2.33 | 6 |
| <i>Corylopsis sinensis</i> var. <i>calvescens</i> No Common Name Found | DS | 1.23 | G1 | | 7-10A | | 1.00 | 6 |
| <i>Corylopsis sinensis</i> var. <i>sinensis</i> No Common Name Found | DS | 1.00 | G1 | | 7-10A | | 1.00 | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Corylopsis spicata</i> Spike Winterhazel | DS | 1.47 | G1 | | 6-9A | | 1.60 | 6 |
| <i>Corylopsis veitchiana</i> See - <i>Corylopsis sinensis</i> var. <i>calvescens</i> | | | | | | | | |
| <i>Corylopsis willmottiae</i> See - <i>Corylopsis sinensis</i> var. <i>sinensis</i> | | | | | | | | |
| <i>Corylus americana</i> American Filbert | DS | 0.97 | G1 | | 4-9B | | 0.88 | 4 |
| <i>Corylus avellana</i> European Filbert | DS | 1.66 | G1 | | 4-7 | | 1.84 | 4 |
| <i>Corylus avellana</i> 'Contorta' Harry Lauder's Walkingstick | DS | 2.15 | G1 | | 4-7 | | 3.08 | 4 |
| <i>Corylus avellana</i> 'Pendula' Weeping European Filbert | DS | 1.66 | G1 | | 4-7 | | 1.84 | 4 |
| <i>Corylus colurna</i> Turkish Filbert | DS | 1.00 | G1 | | 4-7 | | 1.22 | 5 |
| <i>Corylus maxima</i> Giant Filbert | DS | 1.00 | G1 | | 4-7 | | 1.80 | 5 |
| <i>Corylus maxima</i> 'Purpurea' Purple Giant Filbert | DS | 1.00 | G1 | | 4-7 | | 1.80 | 5 |
| <i>Corylus maxima</i> 'Rote Zellernuss' Rote Zeller Giant Filbert | DS | 1.00 | G1 | | 4-7 | | 1.80 | 5 |
| <i>Corypha umbraculifera</i> Talipot Palm | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Corypha utan</i> Gebang Palm | BE | 1.73 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Cosmos atrosanguineus</i> Black Cosmos | AN | 1.37 | G4 | | 8-10A | | | 8 |
| <i>Cosmos bipinnatus</i> Common Cosmos | AN | 0.64 | G4 | 8-10A | 10B-11 | | | 8 |
| <i>Cosmos bipinnatus</i> 'Sensation Mix' Sensation Mix Common Cosmos | AN | 0.64 | G4 | 8-10A | 10B-11 | | | 8 |
| <i>Cosmos bipinnatus</i> 'Sunny Gold' Sunny Gold Cosmos | AN | 0.64 | G4 | 8-10A | 10B-11 | | | 8 |
| <i>Costus afer</i> Spiral Ginger | HP | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Costus barbatus</i> Red Tower Ginger | HP | 2.96 | G3 | 10A | 10B-11 | | | 9 |
| <i>Costus curvibractaeus</i> No Common Name Found | HP | 2.64 | G3 | 10A | 10B-11 | | | 10 |
| <i>Costus cuspidatus</i> Fiery Costus | HP | 1.08 | G3 | 10A | 10B-11 | | | 10 |
| <i>Costus igneus</i> See - <i>Costus cuspidatus</i> | HP | 1.71 | G3 | 10A | 10B-11 | | | 10 |
| <i>Costus malortieanus</i> Spiral Ginger | HP | 2.06 | G3 | 10A | 10B-11 | | | 10 |
| <i>Costus pictus</i> No Common Name Found | HP | 1.70 | G3 | 10A | 10B-11 | | | 10 |
| <i>Costus speciosus</i> Crepe Ginger | HP | 1.56 | G3 | 10A | 10B-11 | | | 10 |
| <i>Costus speciosus</i> 'Variegatus' Variegated Crepe Ginger | HP | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Costus spicatus</i> Indianhead Ginger | HP | 1.17 | G3 | 10A | 10B-11 | | | 10 |
| <i>Costus spiralis</i> Scarlet Spiral Flag | DT | 0.68 | G1 | | 7-10A | 1.00 | 1.00 | 7 |
| <i>Cotinus</i> Hybrid Smoketree | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cotinus 'Grace'</i> Grace Dummler Hybrid Smoketree | DT | 0.68 | G1 | | 7-10A | 1.00 | 1.00 | 7 |
| <i>Cotinus coggygria</i> Smoketree | DT | 0.79 | G1 | | 5-8 | 1.13 | 0.85 | 5 |
| <i>Cotinus coggygria 'Daydream'</i> Daydream Smoketree | DT | 1.22 | G1 | | 5-8 | 0.70 | 1.45 | 5 |
| <i>Cotinus coggygria 'Nordine'</i> Nordine Smoketree | DT | 0.63 | G1 | | 5-8 | 0.70 | 0.44 | 5 |
| <i>Cotinus coggygria 'Pink Champagne'</i> Pink Champagne Smoketree | DT | 0.63 | G1 | | 5-8 | 0.70 | 0.44 | 5 |
| <i>Cotinus coggygria 'Purpureus'</i> Purple Smoketree | DT | 0.65 | G1 | | 5-8 | 0.96 | 0.91 | 5 |
| <i>Cotinus coggygria 'Royal Purple'</i> Royal Purple Smoketree | DT | 0.93 | G1 | | 5-8 | 0.70 | 0.98 | 5 |
| <i>Cotinus coggygria 'Velvet Cloak'</i> Velvet Cloak Purple Smoketree | DT | 0.78 | G1 | | 5-8 | 0.70 | 0.77 | 5 |
| <i>Cotinus obovatus</i> American Smoketree | DT | 0.86 | G1 | | 5-9A | 1.00 | 1.05 | 5 |
| <i>Cotoneaster acutifolius</i> Peking Cotoneaster | BS | 0.73 | G1 | 5-6 | 7-10A | | 0.33 | 4 |
| <i>Cotoneaster adpressus</i> Creeping Cotoneaster | BS | 1.06 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Cotoneaster adpressus 'Little Gem'</i> Little Gem Creeping Cotoneaster | BS | 1.06 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Cotoneaster adpressus</i> var. <i>praecox</i> See - <i>Cotoneaster nanshan</i> | BS | 0.93 | G1 | 4-6 | 7 | | 1.03 | 4 |
| <i>Cotoneaster apiculatus</i> Cranberry Cotoneaster | BS | 0.86 | G1 | 4-6 | 7 | | 1.03 | 4 |
| <i>Cotoneaster apiculatus 'Blackburn'</i> Blackburn Cranberry Cotoneaster | BS | 1.05 | G1 | 4-6 | 7 | | 2.83 | 4 |
| <i>Cotoneaster apiculatus 'Tom Thumb'</i> Tom Thumb Cranberry Cotoneaster | BS | 1.00 | G1 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Cotoneaster bullatus</i> Vilmorin Cotoneaster | BS | 0.53 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Cotoneaster congestus</i> No Common Name Found | BS | 0.87 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Cotoneaster congestus</i> Pyrenees Cotoneaster | BS | 0.87 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Cotoneaster congestus 'Liaking'</i> Liaking Pyrenees Cotoneaster | BS | 0.91 | G1 | 5-6 | 7-8 | | 2.59 | 5 |
| <i>Cotoneaster dammeri</i> Bearberry Cotoneaster | BS | 0.94 | G1 | 5-6 | 7-8 | | 1.49 | 5 |
| <i>Cotoneaster dammeri</i> 'Canadian Creeper' See - <i>Cotoneaster dammeri</i> 'Moner' | BS | 0.84 | G1 | 5-6 | 7-8 | | 0.55 | 5 |
| <i>Cotoneaster dammeri</i> 'Coral Beauty' Coral Beauty Bearberry Cotoneaster | BS | 0.85 | G1 | 5-6 | 7-8 | | 0.55 | 5 |
| <i>Cotoneaster dammeri</i> 'Eichholz' Eichholz Bearberry Cotoneaster | BS | 1.01 | G1 | 5-6 | 7-8 | | 0.55 | 5 |
| <i>Cotoneaster dammeri</i> 'Lowfast' Lowfast Bearberry Cotoneaster | BS | 0.99 | G1 | 5-6 | 7-8 | | 0.55 | 5 |
| <i>Cotoneaster dammeri</i> 'Moner' Canadian Creeper™ Bearberry Cotoneaster | BS | 0.86 | G1 | 5-6 | 7-8 | | 0.55 | 5 |
| <i>Cotoneaster dammeri</i> 'Moon creeper' Moon creeper Bearberry Cotoneaster | BS | 0.80 | G1 | 5-6 | 7-8 | | 0.55 | 5 |
| <i>Cotoneaster dammeri</i> 'Royal Beauty' Royal Beauty Bearberry Cotoneaster | BS | 0.80 | G1 | 5-6 | 7-8 | | 0.55 | 5 |
| <i>Cotoneaster dammeri</i> 'Skogsholmen' Christmas Carpet Bearberry Cotoneaster | BS | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Cotoneaster dammeri</i> 'Walters Canadian' Walters Canadian Bearberry Cotoneaster | BS | 0.80 | G1 | 5-6 | 7-8 | | | 0.55 5 |
| <i>Cotoneaster divaricatus</i> Spreading Cotoneaster | BS | 0.80 | G1 | 4-6 | 7 | | | 0.64 5 |
| <i>Cotoneaster franchetii</i> Franchet Cotoneaster | BS | 0.83 | G1 | 6 | 7-9A | | | 1.00 6 |
| <i>Cotoneaster frigidus</i> Himalayan Cotoneaster | BS | 0.71 | G1 | | 7-9A | | | 1.00 7 |
| <i>Cotoneaster glaucophyllus</i> Brightbead Cotoneaster | BS | 0.80 | G1 | | 7-9B | | | 1.00 7 |
| <i>Cotoneaster horizontalis</i> Rockspray Cotoneaster | BS | 0.94 | G1 | 5-6 | 7-8 | | | 0.55 4 |
| <i>Cotoneaster horizontalis</i> 'Hessei' Hessei Rockspray Cotoneaster | BS | 0.77 | G1 | 5-6 | 7-8 | | | 0.63 4 |
| <i>Cotoneaster horizontalis</i> 'Minor' Minor Rockspray Cotoneaster | BS | 0.74 | G1 | 5-6 | 7-8 | | | 0.55 4 |
| <i>Cotoneaster horizontalis</i> 'Perpusilla' Perpusilla Rockspray Cotoneaster | BS | 1.01 | G1 | 5-6 | 7-8 | | | 0.55 4 |
| <i>Cotoneaster horizontalis</i> 'Robusta' Robusta Rockspray Cotoneaster | BS | 0.74 | G1 | 5-6 | 7-8 | | | 0.55 4 |
| <i>Cotoneaster horizontalis</i> 'Variegatus' Variegated Rockspray Cotoneaster | BS | 0.99 | G1 | 5-6 | 7-8 | | | 0.55 4 |
| <i>Cotoneaster integrifolius</i> Integerrimus Cotoneaster | BS | 1.00 | G1 | 6 | 7-9B | | | 1.00 6 |
| <i>Cotoneaster lacteus</i> Parney Cotoneaster | BS | 0.79 | G1 | 6 | 7-9A | | | 1.00 6 |
| <i>Cotoneaster lucidus</i> Hedge Cotoneaster | BS | 0.86 | G1 | 4-6 | 7-9B | | | 0.39 4 |
| <i>Cotoneaster microphyllus</i> Little-leaf Cotoneaster | BS | 0.85 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Cotoneaster microphyllus</i> 'Cooperi' Cooper Little-leaf Cotoneaster | BS | 1.06 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Cotoneaster microphyllus</i> 'Emerald Spray' Emerald Spray Little-leaf Cotoneaster | BS | 0.77 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Cotoneaster microphyllus</i> var. <i>thymifolius</i> Thymifolius Little-Leaf Cotoneaster | BS | 0.83 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Cotoneaster multiflorus</i> Many-Flowered Cotoneaster | BS | 0.86 | G1 | 5-6 | 7-9A | | | 0.39 5 |
| <i>Cotoneaster nanshan</i> No Common Name Found | BS | 0.91 | G1 | | 7-9A | | | 1.00 7 |
| <i>Cotoneaster parneyi</i> See - <i>Cotoneaster lacteus</i> | BS | 1.00 | G1 | 4-6 | 7-9A | | | 1.00 3 |
| <i>Cotoneaster racemiflorus</i> No Common Name Found | BS | 0.94 | G1 | 6 | 7-9B | | | 0.55 6 |
| <i>Cotoneaster salicifolius</i> Willowleaf Cotoneaster | BS | 0.90 | G1 | 6 | 7-9B | | | 0.55 6 |
| <i>Cotoneaster salicifolius</i> 'Autumn Fire' Autumn Fire Willowleaf Cotoneaster | BS | 0.88 | G1 | 6 | 7-9B | | | 0.55 6 |
| <i>Cotoneaster salicifolius</i> 'Emerald Carpet' Emerald Carpet Willowleaf Cotoneaster | BS | 0.95 | G1 | 6 | 7-9B | | | 0.55 6 |
| <i>Cotoneaster salicifolius</i> 'Repens' Repens Willowleaf Cotoneaster | BS | 0.96 | G1 | 6 | 7-9B | | | 0.55 6 |
| <i>Cotoneaster salicifolius</i> 'Scarlet Leader' Scarlet Leader Willowleaf Cotoneaster | BS | | | | | | | |
| <i>Cotoneaster thymifolius</i> See - <i>Cotoneaster microphyllus</i> var. <i>thymifolius</i> | | | | | | | | |
| <i>Cotula squalida</i> See - <i>Leptinella squalida</i> | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Couroupita guianensis</i> Cannonball Tree | BE | 1.25 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Cowania mexicana</i> Cliff Rose | BS | 1.13 | G1 | | 9A-10A | | 1.00 | 9 |
| <i>Crambe cordifolia</i> Colewort | HP | 1.24 | G4 | | 6-8 | | | 6 |
| <i>Crambe maritima</i> Sea Kale | HP | 1.00 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Craspedia globosa</i> Drumsticks | HP | 0.78 | G4 | | 8-9B | | | 8 |
| <i>Crassula argentea</i> See - <i>Crassula ovata</i> | | | | | | | | |
| <i>Crassula ovata</i> Jade Tree | FO | 0.38 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Crassula ovata</i> 'Crosby' Crosby Jade Tree | FO | 0.38 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Crataegus ambigua</i> Russian Hawthorn | DT | 1.00 | G1 | | 5-8 | 1.00 | 1.00 | 5 |
| <i>Crataegus apiiifolia</i> Parsley-leaved Thorn | DT | 0.85 | G1 | 7 | 8-9B | 1.00 | 1.10 | 7 |
| <i>Crataegus cordata</i> See - <i>Crataegus phaeopyrum</i> | | | | | | | | |
| <i>Crataegus crus-galli</i> Cockspur Hawthorn | DT | 0.72 | G1 | | 3-7 | 0.84 | 1.09 | 4 |
| <i>Crataegus crus-galli</i> 'Hooks' Hooks Cockspur Hawthorn | DT | 0.72 | G1 | | 3-7 | 0.84 | 1.09 | 4 |
| <i>Crataegus crus-galli</i> var. <i>inermis</i> Thornless Cockspur Hawthorn | DT | 0.89 | G1 | | 3-7 | 1.05 | 1.23 | 4 |
| <i>Crataegus crus-galli</i> var. <i>inermis</i> 'Crusader' See - <i>Crataegus crus-galli</i> var. <i>inermis</i> 'Cruzam' | | | | | | | | |
| <i>Crataegus crus-galli</i> var. <i>inermis</i> 'Cruzam' Crusader® Thornless Cockspur Hawthorn | DT | 1.03 | G1 | | 3-7 | 1.17 | 0.43 | 4 |
| <i>Crataegus douglasii</i> Douglas Hawthorn | DT | 0.55 | G1 | | 5-8 | 1.14 | 1.00 | 3 |
| <i>Crataegus flava</i> Summer Haw | DT | 0.77 | G1 | | 6-8 | 1.00 | 1.00 | 6 |
| <i>Crataegus laevigata</i> English Hawthorn | DT | 0.81 | G1 | | 4-7 | 1.00 | 0.22 | 4 |
| <i>Crataegus laevigata</i> 'Aurea' Golden English Hawthorn | DT | 0.81 | G1 | | 4-7 | 1.00 | 0.22 | 4 |
| <i>Crataegus laevigata</i> 'Autumn Glory' Autumn Glory English Hawthorn | DT | 0.81 | G1 | | 4-7 | 1.02 | 0.72 | 4 |
| <i>Crataegus laevigata</i> 'Crimson Cloud' See - <i>Crataegus laevigata</i> 'Superba' P.P. 2679 | | | | | | | | |
| <i>Crataegus laevigata</i> 'Paul's Scarlet' Paul's Scarlet English Hawthorn | DT | 0.81 | G1 | | 4-7 | 1.12 | 0.22 | 4 |
| <i>Crataegus laevigata</i> 'Plena' Plena English Hawthorn | DT | 0.81 | G1 | | 4-7 | 1.00 | 0.22 | 4 |
| <i>Crataegus laevigata</i> 'Rosea Flore Pleno' Rosea Flore Pleno English Hawthorn | DT | 0.81 | G1 | | 4-7 | 1.00 | 0.22 | 4 |
| <i>Crataegus laevigata</i> 'Rosea' Rosea English Hawthorn | DT | 0.81 | G1 | | 4-7 | 1.00 | 0.22 | 4 |
| <i>Crataegus laevigata</i> 'Superba' P.P. 2679 Crimson Cloud English Hawthorn | DT | 0.82 | G1 | | 4-7 | 1.09 | 0.43 | 4 |
| <i>Crataegus x lavallei</i> Lavalle Hawthorn | DT | 0.98 | G1 | | 4-7 | 1.05 | 0.25 | 5 |
| <i>Crataegus x lavallei</i> 'Carrierei' Carriere Lavalle Hawthorn | DT | 0.67 | G1 | | 4-7 | 0.95 | 0.25 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Crataegus marshallii</i> | | | | | | | | |
| See - <i>Crataegus apiifolia</i> | | | | | | | | |
| <i>Crataegus mollis</i> Downy Hawthorn | DT | 0.88 | G1 | | 3-7 | 0.80 | 0.98 | 3 |
| <i>Crataegus monogyna</i> Single Seed Hawthorn | DT | 1.00 | G1 | | 4-7 | 1.00 | 1.00 | 5 |
| <i>Crataegus monogyna</i> 'Flexuosa' Contorted Single Seed Hawthorn | DT | 1.00 | G1 | | 4-7 | 1.00 | 1.00 | 5 |
| <i>Crataegus x mordenensis</i> Morden Hawthorn | DT | 0.83 | G1 | | 5-8 | 0.85 | 0.38 | 5 |
| <i>Crataegus x mordenensis</i> 'Snowbird' C.O.P.F. Snowbird Morden Hawthorn | DT | 0.83 | G1 | | 5-8 | 1.25 | 0.38 | 5 |
| <i>Crataegus x mordenensis</i> 'Toba' Toba Morden Hawthorn | DT | 0.83 | G1 | | 5-8 | 0.85 | 0.38 | 5 |
| <i>Crataegus nitida</i> Glossy Hawthorn | DT | 1.00 | G1 | | 4-7 | 1.00 | 1.00 | 5 |
| <i>Crataegus oxyacantha</i> See - <i>Crataegus laevigata</i> | | | | | | | | |
| <i>Crataegus pedicellata</i> Scarlet Hawthorn | DT | 1.00 | G1 | | 5-8 | 1.00 | 1.00 | 5 |
| <i>Crataegus phaenopyrum</i> Washington Hawthorn | DT | 0.84 | G1 | | 3-8 | 0.96 | 0.75 | 5 |
| <i>Crataegus phaenopyrum</i> 'Clark' Clark Washington Hawthorn | DT | 0.84 | G1 | | 3-8 | 0.65 | 0.75 | 5 |
| <i>Crataegus phaenopyrum</i> 'PNI 1661' Princeton Sentry® Washington Hawthorn | DT | 0.84 | G1 | | 3-8 | 0.65 | 0.75 | 5 |
| <i>Crataegus phaenopyrum</i> 'Princeton Sentry' See - <i>Crataegus phaenopyrum</i> 'PNI 1661' | | | | | | | | |
| <i>Crataegus phaenopyrum</i> 'Vaughn' Vaughn Washington Hawthorn | DT | 0.84 | G1 | | 3-8 | 0.65 | 0.75 | 5 |
| <i>Crataegus phaenopyrum</i> 'Wide Crown' Wide Crown Washington Hawthorn | DT | 0.84 | G1 | | 3-8 | 0.65 | 0.75 | 5 |
| <i>Crataegus x prunifolia</i> Plum Leaf Hawthorn | DT | 1.00 | G1 | | 5-8 | 1.00 | 1.29 | 5 |
| <i>Crataegus punctata</i> Thicket Hawthorn | DT | 1.00 | G1 | | 4-8 | 1.11 | 0.82 | 4 |
| <i>Crataegus punctata</i> 'Ohio Pioneer' Ohio Pioneer Thicket Hawthorn | DT | 1.00 | G1 | | 4-8 | 1.11 | 0.82 | 4 |
| <i>Crataegus rivularis</i> See - <i>Crataegus douglasii</i> | | | | | | | | |
| <i>Crataegus succulenta</i> Fleshy Hawthorn | DT | 1.00 | G1 | | 4-8 | 1.00 | 1.00 | 4 |
| <i>Crataegus viridis</i> Green Hawthorn | DT | 0.80 | G1 | | 5-8 | 0.97 | 1.51 | 5 |
| <i>Crataegus viridis</i> 'Winter King' Winter King Green Hawthorn | DT | 0.80 | G1 | | 5-8 | 1.04 | 0.69 | 5 |
| <i>Crescentia cujete</i> Calabash Tree | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Crinodendron hookeranum</i> Chilean Lantern Tree | BS | 0.94 | G1 | | 8-9B | | 1.00 | 8 |
| <i>Crinum</i> No Common Name Found | HP | 0.68 | G4 | 8 | 9A-11 | | | 9 |
| <i>Crinum</i> 'Ellen Bosanquet' Ellen Bosanquet Crinum | HP | 0.68 | G4 | 8 | 9A-11 | | | 9 |
| <i>Crinum amabile</i> Giant Spider Lily | HP | 1.00 | G4 | 9 | 10A-11 | | | 9 |
| <i>Crinum americanum</i> Southern Swamp Crinum | HP | 0.79 | G4 | 8 | 9A-11 | | | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Crinum asiaticum</i> Poison Bulb | HP | 0.98 | G4 | 9B | 10A-11 | | | 8 |
| <i>Crinum augustum</i> No Common Name Found | HP | 1.27 | G4 | | 10A-11 | | | 9 |
| <i>Crinum bulbispermum</i> Jamaican Crinum | HP | 1.23 | G4 | 8-9A | 9B-11 | | | 6 |
| <i>Crinum jagus</i> St. Christopher Lily | HP | 1.04 | G4 | 9B | 10A-11 | | | 9 |
| <i>Crinum moorei</i> Long Neck Crinum | HP | 0.68 | G4 | 8 | 9A-11 | | | 8 |
| <i>Crinum x powellii</i> Powell's Swamp Lily | HP | 2.07 | G4 | 6-8 | 9A-11 | | | 6 |
| <i>Crinum x powellii</i> 'Album' White Powell's Swamp Lily | HP | 0.79 | G4 | 8 | 9A-11 | | | 6 |
| <i>Crocosmia</i> Hybrid Montbretia | HP | 1.04 | G4 | 7-9A | 9B-11 | | | 5 |
| <i>Crocosmia</i> 'Bressingham Beacon' Bressingham Beacon Montbretia | HP | 0.96 | G4 | 7-9A | 9B-11 | | | 5 |
| <i>Crocosmia</i> 'Citronella' Citronella Montbretia | HP | 0.86 | G4 | 7-9A | 9B-11 | | | 5 |
| <i>Crocosmia</i> 'Emberglow' Emberglow Montbretia | HP | 1.24 | G4 | 7-9A | 9B-11 | | | 5 |
| <i>Crocosmia</i> 'Emily McKenzie' Emily McKenzie Hybrid Montbretia | HP | 1.05 | G4 | 7-9A | 9B-11 | | | 5 |
| <i>Crocosmia</i> 'George Davidson' George Davidson Hybrid Montbretia | HP | 1.69 | G4 | 7-9A | 9B-11 | | | 5 |
| <i>Crocosmia</i> 'James Coey' James Coey Montbretia | HP | 0.99 | G4 | 7-9A | 9B-11 | | | 5 |
| <i>Crocosmia</i> 'Jenny Bloom' Jenny Bloom Montbretia | HP | 1.04 | G4 | 7-9A | 9B-11 | | | 5 |
| <i>Crocosmia</i> 'Jupiter' Jupiter Montbretia | HP | 0.89 | G4 | 7-9A | 9B-11 | | | 5 |
| <i>Crocosmia</i> 'Lucifer' Lucifer Montbretia | HP | 0.94 | G4 | 7-9A | 9B-11 | | | 5 |
| <i>Crocosmia</i> 'Miss Myrtle' Miss Myrtle Montbretia | HP | 0.88 | G4 | 7-9A | 9B-11 | | | 5 |
| <i>Crocosmia</i> 'Norwich Canary' Norwich Canary Montbretia | HP | 0.97 | G4 | 7-9A | 9B-11 | | | 5 |
| <i>Crocosmia</i> 'Spitfire' Spitfire Montbretia | HP | 0.86 | G4 | 7-9A | 9B-11 | | | 5 |
| <i>Crocosmia x crocosmiiflora</i> No Common Name Found | HP | 0.96 | G4 | 7-9A | 9B-10A | | | 5 |
| <i>Crocosmia masoniorum</i> Golden Swan Montbretia | HP | 0.99 | G4 | 7-9A | 9B-10A | | | 6 |
| <i>Crocosmia pottsii</i> Pott's Copper Tip | HP | 1.00 | G4 | 7-9A | 9B-11 | | | 6 |
| <i>Crossandra infundibuliformis</i> Firecracker Flower | FO | 0.32 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Crossandra infundibuliformis</i> 'Florida Passion' Florida Passion Firecracker Flower | BS | 0.82 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Florida Summer' Florida Summer Firecracker Flower | BS | 0.82 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Mona Walhead' Mona Walhead Firecracker Flower | BS | 0.73 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Crotalaria agatiflora</i> Canary-Bird Bush | BS | 0.81 | G2 | | 9A-10B | | 1.00 | 9 |
| <i>Crotalaria retusa</i> Rattle Box | BS | 1.00 | G4 | | 10A-11 | | 1.00 | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Crowea exalata</i> No Common Name Found | BS | 0.87 | G2 | | 10A-11 | | 1.00 | 10 |
| <i>Cryosophila argentea</i> Silver Rootspine Palm | BE | 2.55 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Cryptanthus</i> Earth Star | HP | 1.40 | G1 | 7-8 | 9A-11 | | | 9 |
| <i>Cryptanthus 'Elaine'</i> Elaine Earth Star | HP | 1.40 | G1 | 7-8 | 9A-11 | | | 9 |
| <i>Cryptomeria japonica</i> Japanese Cedar | CE | 0.94 | G1 | | 5-9B | 1.00 | 1.14 | 6 |
| <i>Cryptomeria japonica</i> 'Bandai-tsugi' Bandai-tsugi Japanese Cedar | CE | 0.79 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Birodo-sugi' Birodo-sugi Japanese Cedar | CE | 0.76 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Black Dragon' Black Dragon Japanese Cedar | CE | 1.40 | G1 | | 5-9B | 1.00 | 1.83 | 6 |
| <i>Cryptomeria japonica</i> 'Compressa' Compressa Japanese Cedar | CE | 0.79 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Cristata' Cristata Japanese Cedar | CE | 0.95 | G1 | | 5-9B | 1.00 | 1.91 | 6 |
| <i>Cryptomeria japonica</i> 'Elegans Aurea' Elegans Aurea Japanese Cedar | CE | 1.34 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Elegans Nana' Elegans Nana Japanese Cedar | CE | 1.17 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Elegans' Elegans Japanese Cedar | CE | 1.00 | G1 | | 5-9B | 1.00 | 0.84 | 6 |
| <i>Cryptomeria japonica</i> 'Globosa Nana' Globosa Nana Japanese Cedar | CS | 0.78 | G1 | | 5-9B | | 1.00 | 6 |
| <i>Cryptomeria japonica</i> 'Globosa' Globosa Japanese Cedar | CE | 0.97 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Gyokruya' Gyokruya Japanese Cedar | CE | 0.76 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Hino-sugi' Hino-sugi Japanese Cedar | CE | 0.76 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Jindai-sugi' Jindai-sugi Japanese Cedar | CE | 1.23 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Kilmacurragh' Kilmacurragh Japanese Cedar | CE | 1.20 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Knaptonensis' Knaptonensis Japanese Cedar | CE | 1.20 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Kokuryow' Kokuryow Japanese Cedar | CE | 0.76 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Lobbii Nana' Dwarf Lobbii Japanese Cedar | CE | 0.92 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Manhismi-sugi' Manhismi-sugi Japanese Cedar | CE | 0.76 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Monstrosa' Monstrosa Japanese Cedar | CE | 0.76 | G1 | | 5-9B | 1.00 | 1.09 | 6 |
| <i>Cryptomeria japonica</i> 'Nana' Dwarf Japanese Cedar | CE | 0.76 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Pygmaea' Pygmy Japanese Cedar | CE | 0.76 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Sekkan-sugi' Sekkan-sugi Japanese Cedar | CE | 1.13 | G1 | | 5-9B | 1.00 | 1.18 | 6 |
| <i>Cryptomeria japonica</i> 'Spiralis' Spiral Japanese Cedar | CE | 1.27 | G1 | | 5-9B | 1.00 | 1.34 | 6 |
| <i>Cryptomeria japonica</i> 'Spiraliter Falcata' Spiraliter Falcata Japanese Cedar | CE | 1.20 | G1 | | 5-9B | 1.00 | 0.64 | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Cryptomeria japonica</i> 'Tansu' Tansu Japanese Cedar | CE | 1.12 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Tenzan' Tenzan Japanese Cedar | CE | 1.38 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Vilmoriniana' Vilmoriniana Japanese Cedar | CE | 1.01 | G1 | | 5-9B | 1.00 | 0.64 | 6 |
| <i>Cryptomeria japonica</i> 'Yoshino' Yoshino Japanese Cedar | CE | 0.95 | G1 | | 5-9B | 1.00 | 1.33 | 6 |
| <i>Cryptostegia grandiflora</i> Rubber Vine | GC | 0.94 | G1 | 10A | 10B-11 | | 1.00 | 10B |
| <i>Cryptostegia madagascariensis</i> Madagascar Rubber Vine | GC | 0.92 | G1 | 10A | 10B-11 | | 1.00 | 10B |
| <i>Ctenanthe lubbersiana</i> No Common Name Found | FO | 0.48 | G3 | 8-10B | 11 | | | 10 |
| <i>Ctenanthe oppenheimiana</i> Giant Bamburanta | FO | 0.93 | G3 | 8-10B | 11 | | | 10 |
| <i>Ctenanthe oppenheimiana</i> 'Tricolor' Never-Never Plant | FO | 0.93 | G3 | 8-10B | 11 | | | 10 |
| <i>Cunninghamia lanceolata</i> Common China Fir | CE | 0.79 | G1 | | 7-8 | 1.00 | 1.64 | 7 |
| <i>Cunninghamia lanceolata</i> 'Glauca' Blue China Fir | CE | 1.09 | G1 | | 7-8 | 1.00 | 1.64 | 7 |
| <i>Cupaniopsis anacardioides</i> Carrotwood | BE | 0.86 | G1 | | 10A-11 | 1.00 | 0.43 | 10B |
| <i>Cuphea hyssopifolia</i> False Heather | HP | 0.57 | G1 | | 10A-11 | | | 10 |
| <i>Cuphea hyssopifolia</i> 'Alba' White False Heather | HP | 0.59 | G1 | | 10A-11 | | | 10 |
| <i>Cuphea hyssopifolia</i> 'Allyson' Allyson False Heather | HP | 0.56 | G1 | | 10A-11 | | | 10 |
| <i>Cuphea hyssopifolia</i> 'Batface' Batface False Heather | HP | 0.80 | G1 | | 10A-11 | | | 10 |
| <i>Cuphea hyssopifolia</i> 'Compacta' Dwarf False Heather | HP | 0.60 | G1 | | 10A-11 | | | 10 |
| <i>Cuphea hyssopifolia</i> 'David Verity' David Verity False Heather | HP | 0.83 | G1 | | 10A-11 | | | 10 |
| <i>Cuphea hyssopifolia</i> 'Rosea' Rose False Heather | HP | 0.80 | G1 | | 10A-11 | | | 10 |
| <i>Cuphea ignea</i> Cigar Plant | HP | 0.89 | G1 | | 10A-11 | | | 9 |
| <i>Cuphea llavea</i> Bat Face Cuphea | HP | 0.75 | G4 | 8-9B | 10A-11 | | | 10 |
| <i>Cuphea melvillei</i> No Common Name Found | HP | 0.59 | G4 | 9 | 10A-11 | | | 10B |
| <i>Cuphea micropetala</i> No Common Name Found | HP | 0.74 | G4 | 10A | 10B-11 | | | 10 |
| x <i>Cupressocyparis leylandii</i> Leyland Cypress | CE | 0.71 | G1 | 6-8 | 9A-10A | 1.00 | 0.99 | 7 |
| x <i>Cupressocyparis leylandii</i> 'Castlewellan Gold' Gold Leyland Cypress | CE | 0.74 | G1 | 6-8 | 9A-10A | 1.00 | 0.83 | 7 |
| x <i>Cupressocyparis leylandii</i> 'Emerald Isle' See - x <i>Cupressocyparis leylandii</i> 'Moncal' | CE | 0.59 | G1 | 6-8 | 9A-10A | 1.00 | 0.83 | 7 |
| x <i>Cupressocyparis leylandii</i> 'Golconda' Golconda Leyland Cypress | CE | 0.59 | G1 | 6-8 | 9A-10A | 1.00 | 0.83 | 7 |
| x <i>Cupressocyparis leylandii</i> 'Gold Cup' Gold Cup Leyland Cypress | CE | 0.59 | G1 | 6-8 | 9A-10A | 1.00 | 0.83 | 7 |
| x <i>Cupressocyparis leylandii</i> 'Leighton Green' Leighton Green Leyland Cypress | CE | 0.78 | G1 | 6-8 | 9A-10A | 1.00 | 0.87 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>x Cupressocyparis leylandii</i> 'Moncal' Emerald Isle™ Leyland Cypress | CE | 0.78 | G1 | 6-8 | 9A-10A | 1.00 | 0.83 | 7 |
| <i>x Cupressocyparis leylandii</i> 'Naylor's Blue' Naylor's Blue Leyland Cypress | CE | 0.96 | G1 | 6-8 | 9A-10A | 1.00 | 0.93 | 7 |
| <i>x Cupressocyparis leylandii</i> 'Silver Dust' Silver Dust Leyland Cypress | CE | 0.70 | G1 | 6-8 | 9A-10A | 1.00 | 0.83 | 7 |
| <i>Cupressus arizonica</i> Arizona Cypress | CE | 0.75 | G1 | | 7-10A | 1.00 | 1.00 | 7 |
| <i>Cupressus arizonica</i> var. <i>glabra</i> Smooth-bark Arizona Cypress | CE | 0.68 | G1 | | 7-10A | 1.00 | 0.95 | 7 |
| <i>Cupressus arizonica</i> var. <i>glabra</i> 'Blue Ice' Blue Ice Smooth-bark Arizona Cypress | CE | 1.09 | G1 | | 7-10A | 1.00 | 1.06 | 7 |
| <i>Cupressus arizonica</i> var. <i>glabra</i> 'Blue Pyramid' Blue Pyramid Smooth-bark Arizona Cypress | CE | 1.03 | G1 | | 7-10A | 1.00 | 0.95 | 7 |
| <i>Cupressus arizonica</i> var. <i>glabra</i> 'Carolina Sapphire' Carolina Sapphire Smooth-bark Arizona Cypress | CE | 0.91 | G1 | | 7-10A | 1.00 | 0.95 | 7 |
| <i>Cupressus arizonica</i> var. <i>glabra</i> 'Silver Smoke' Silver Smoke Smooth-bark Arizona Cypress | CE | 0.72 | G1 | | 7-10A | 1.00 | 0.95 | 7 |
| <i>Cupressus bakeri</i> Modoc Cypress | CE | 1.00 | G1 | | 7-10A | 1.00 | 1.00 | 7 |
| <i>Cupressus glabra</i> See - <i>Cupressus arizonica</i> var. <i>glabra</i> | CE | 0.67 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| <i>Cupressus goveniana</i> Gowen Cypress | CE | 1.00 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| <i>Cupressus guadalupensis</i> Guadalupe Cypress | CE | 0.74 | G2 | | 8-9A | 1.00 | 1.00 | 8 |
| <i>Cupressus macrocarpa</i> Monterey Cypress | CE | 0.74 | G2 | | 8-9A | 1.00 | 1.00 | 8 |
| <i>Cupressus macrocarpa</i> 'Goldcrest' Goldcrest Monterey Cypress | CE | 0.74 | G2 | | 8-9A | 1.00 | 1.00 | 8 |
| <i>Cupressus macrocarpa</i> 'Golden Pillar' Golden Pillar Monterey Cypress | CE | 0.74 | G2 | | 8-9A | 1.00 | 1.00 | 8 |
| <i>Cupressus macrocarpa</i> 'Greenstead Magnificant' Greenstead Magnificant Monterey Cypress | CE | 1.84 | G2 | | 8-9A | 1.00 | 1.00 | 8 |
| <i>Cupressus macrocarpa</i> 'Horizontalis Aurea' Horizontalis Aurea Monterey Cypress | CE | 0.74 | G2 | | 8-9A | 1.00 | 1.00 | 8 |
| <i>Cupressus sargentii</i> Sargent Cypress | CE | 1.00 | G2 | | 8-9B | 1.00 | 1.00 | 8 |
| <i>Cupressus sempervirens</i> Italian Cypress | CE | 0.79 | G2 | | 8-10B | 1.00 | 1.38 | 7 |
| <i>Cupressus sempervirens</i> 'Glaucia' Blue Italian Cypress | CE | 0.73 | G2 | | 8-10B | 1.00 | 1.38 | 7 |
| <i>Cupressus sempervirens</i> 'Stricta' Stricta Italian Cypress | CE | 0.73 | G2 | | 8-10B | 1.00 | 1.38 | 7 |
| <i>Cupressus sempervirens</i> 'Swane's Golden' P.P. 3839 Swane's Golden Italian Cypress | CE | 0.77 | G2 | | 8-10B | 1.00 | 1.38 | 7 |
| <i>Curculigo capitulata</i> Palm Grass | HP | 1.22 | G4 | 10A | 10B-11 | | | 10 |
| <i>Curcuma australasica</i> No Common Name Found | HP | 1.41 | G4 | 9B | 10A-11 | | | 10 |
| <i>Curcuma cordata</i> See - <i>Curcuma petiolata</i> | HP | 1.00 | G4 | 9B | 10A-11 | | | 10 |
| <i>Curcuma domestica</i> See - <i>Curcuma longa</i> | HP | 3.17 | G4 | 9B | 10A-11 | | | 8 |
| <i>Curcuma elata</i> Giant Plume Ginger | HP | | | | | | | |
| <i>Curcuma inodora</i> No Common Name Found | HP | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Curcuma longa</i> Turmeric | HP | 1.34 | G4 | 9B | 10A-11 | | | 10 |
| <i>Curcuma longa</i> 'Olena' Olena Turmeric | HP | 1.90 | G4 | 9B | 10A-11 | | | 10 |
| <i>Curcuma longa</i> 'Panama Purple' Panama Purple Turmeric | HP | 1.34 | G4 | 9B | 10A-11 | | | 10 |
| <i>Curcuma petiolata</i> Queen Lily | HP | 1.34 | G4 | 9B | 10A-11 | | | 10 |
| <i>Curcuma petiolata</i> 'Jewel of Thailand' Jewel of Thailand Queen Lily | HP | 1.34 | G4 | 9B | 10A-11 | | | 10 |
| <i>Curcuma roscoeana</i> Hidden Lily | HP | 1.49 | G4 | 9B | 10A-11 | | | 10 |
| <i>Curcuma zeodaria</i> Zeodary | HP | 1.30 | G4 | 9B | 10A-11 | | | 10 |
| <i>Cyathea australis</i> Rough Tree Fern | FO | 0.65 | G2 | | 9A-11 | | | 9 |
| <i>Cyathea cooperi</i> Australian Tree Fern | BE | 1.12 | G2 | | 9A-11 | 1.00 | 1.00 | 9 |
| <i>Cybistax chrysea</i> No Common Name Found | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Cybistax donnell-smithii</i> Primavera | DT | 0.80 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Cycas circinalis</i> False Sago | BS | 2.10 | G1 | 10A | 10B-11 | | 2.40 | 10 |
| <i>Cycas revoluta</i> King Sago | BS | 1.40 | G1 | 8-9A | 9B-11 | | 4.20 | 9 |
| <i>Cycas rumphii</i> Queen Sago | BS | 2.42 | G1 | 8-9B | 10A-11 | | 1.00 | 10 |
| <i>Cycas taitungensis</i> Emperor Sago Palm | BS | 1.73 | G1 | 8-9B | 10A-11 | | 4.20 | 10 |
| <i>Cycas taiwaniana</i> See - <i>Cycas taitungensis</i> | HP | 2.06 | G4 | | 6-9A | | | 6 |
| <i>Cyclamen hederifolium</i> Hardy Cyclamen | HP | 2.06 | G4 | | 6-9A | | | 6 |
| <i>Cyclamen hederifolium</i> 'Alba' White Hardy Cyclamen | HP | 2.06 | G4 | | 6-9A | | | 6 |
| <i>Cyclamen neapolitanum</i> See - <i>Cyclamen hederifolium</i> | HP | 2.59 | G4 | | 9A-10B | | | 9 |
| <i>Cyclamen persicum</i> Florist's Cyclamen | HP | 2.59 | G4 | | 9A-10B | | | 9 |
| <i>Cyclamen persicum</i> 'High Sierra' High Sierra Florist Cyclamen | HP | 1.00 | G4 | | 7-9A | | | 7 |
| <i>Cyclamen repandum</i> No Common Name Found | GC | 0.99 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Cydista aequinoctialis</i> Garlic-scented Vine | | | | | | | | |
| <i>Cydonia japonica</i> See - <i>Chaenomeles japonica</i> | | | | | | | | |
| <i>Cydonia sinensis</i> See - <i>Pseudocydonia sinensis</i> | HP | 0.75 | G4 | | 7-9A | | | 7 |
| <i>Cymbalaria aequitriloba</i> Toadflax Basket Ivy | HP | 0.75 | G4 | | 4-8 | | | 3 |
| <i>Cymbalaria muralis</i> Kenilworth Ivy | HP | 0.93 | G4 | | 4-8 | | | 3 |
| <i>Cymbalaria muralis</i> 'Nana Alba' Compact White Kenilworth Ivy | HP | 0.93 | G4 | | 4-8 | | | 3 |
| <i>Cymbalaria muralis</i> var. <i>compacta</i> Compact Kenilworth Ivy | HP | 0.93 | G4 | | 4-8 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Cymbidium</i> | FO | 2.08 | G1 | | 9A-10B | | | 9 |
| Cymbidium Orchid | | | | | | | | |
| <i>Cymbopogon citratus</i> | HP | 1.17 | G4 | 8-10A | 10B-11 | | | 9 |
| Lemon Grass | | | | | | | | |
| <i>Cymbopogon nardus</i> | HP | 1.88 | G1 | | 9A-10B | | | 9 |
| Citronella Grass | | | | | | | | |
| <i>Cynara cardunculus</i> | HP | 0.88 | G1 | 6-8 | 9A-10B | | | 6 |
| Cardoon | | | | | | | | |
| <i>Cynara scolymus</i> | HP | 1.15 | G1 | 6-8 | 9A-10B | | | 6 |
| Globe Artichoke | | | | | | | | |
| <i>Cypella coelestis</i> | HP | 1.00 | G4 | | 9A-11 | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Cypella plumbea</i> | | | | | | | | |
| See - <i>Cypella coelestis</i> | | | | | | | | |
| <i>Cyperus albostriatus</i> | HP | 1.18 | G4 | 8-9A | 9B-11 | | | 9 |
| Dwarf Umbrella Plant | | | | | | | | |
| <i>Cyperus alternifolius</i> | HP | 0.79 | G4 | | 10A-11 | | | 9 |
| Umbrella Plant | | | | | | | | |
| <i>Cyperus flabelliformis</i> | | | | | | | | |
| See - <i>Cyperus involucratus</i> | | | | | | | | |
| <i>Cyperus haspan</i> | HP | 1.12 | G4 | 8-9A | 9B-11 | | | 8 |
| No Common Name Found | | | | | | | | |
| <i>Cyperus involucratus</i> | HP | 1.00 | G4 | | 9A-11 | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Cyperus isocladus</i> | | | | | | | | |
| See - <i>Cyperus profiler</i> | | | | | | | | |
| <i>Cyperus papyrus</i> | HP | 1.04 | G4 | 8-9B | 10A-11 | | | 9 |
| Papyrus | | | | | | | | |
| <i>Cyperus profiler</i> | HP | 0.86 | G4 | 9B | 10A-11 | | | 9 |
| Dwarf Papyrus | | | | | | | | |
| <i>Cyrilla racemiflora</i> | BE | 0.75 | G1 | 5-8 | 9A-10B | 1.00 | 1.00 | 5 |
| Leatherwood | | | | | | | | |
| <i>Cyrtanthus brachyscyphus</i> | HP | 1.00 | G4 | 9B | 10A-11 | | | 10 |
| Dobo Lily | | | | | | | | |
| <i>Cyrtanthus elatus</i> | HP | 0.95 | G4 | 9B | 10A-11 | | | 10 |
| George Lily | | | | | | | | |
| <i>Cyrtanthus mackenii</i> var. <i>cooperi</i> | HP | 1.00 | G4 | 9B | 10A-11 | | | 10A |
| Cooper Ifafa Lily | | | | | | | | |
| <i>Cyrtanthus purpureus</i> | | | | | | | | |
| See - <i>Cyrtanthus elatus</i> | | | | | | | | |
| <i>Cyrtomium falcatum</i> | FO | 0.47 | G4 | 8-9A | 9B-11 | | | 9 |
| Holly Fern | | | | | | | | |
| <i>Cyrtomium falcatum</i> 'Rochfordianum' | FO | 0.48 | G4 | 8-9A | 9B-11 | | | 9 |
| Rochford Holly Fern | | | | | | | | |
| <i>Cyrtomium fortunei</i> | HP | 1.03 | G4 | 6-9A | 9B-11 | | | 6 |
| Fortunei Holly Fern | | | | | | | | |
| <i>Cyrtostachys lakka</i> | FO | 2.24 | G3 | 8-10B | 11 | | | 10 |
| Sealing Wax Palm | | | | | | | | |
| <i>Cyrtostachys renda</i> | | | | | | | | |
| See - <i>Cyrtostachys lakka</i> | | | | | | | | |
| <i>Cystopteris bulbifera</i> | HP | 1.21 | G1 | 5-8 | 9A-10B | | | 5 |
| Bulblet Fern | | | | | | | | |
| <i>Cytisus canariensis</i> | | | | | | | | |
| See - <i>Genista canariensis</i> | | | | | | | | |
| <i>Cytisus x kewensis</i> | BS | 0.61 | G1 | 6-7 | 8-9A | | 1.00 | 6 |
| Kew Broom | | | | | | | | |
| <i>Cytisus x praecox</i> | DS | 0.99 | G1 | 5-6 | 7-9A | | 1.49 | 5 |
| Warminster Broom | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Cytisus x praecox</i> 'Allgold' Allgold Warminster Broom | DS | 1.15 | G1 | 5-6 | 7-9A | | 1.49 | 5 |
| <i>Cytisus x praecox</i> 'Hollandia' Holland Warminster Broom | DS | 1.10 | G1 | 5-6 | 7-9A | | 1.49 | 5 |
| <i>Cytisus purgans</i> Province Broom | DS | 1.02 | G1 | 5-6 | 7-9B | | 1.49 | 5 |
| <i>Cytisus scoparius</i> Scotch Broom | BS | 1.23 | G1 | 5-6 | 7-9A | | 0.81 | 5 |
| <i>Cytisus scoparius</i> 'Burkwoodii' Burkwoodii Scotch Broom | BS | 1.07 | G1 | 5-6 | 7-9A | | 0.99 | 5 |
| <i>Cytisus scoparius</i> 'Dorothy Walpole' Dorothy Walpole Scotch Broom | BS | 0.97 | G1 | 5-6 | 7-9A | | 0.81 | 5 |
| <i>Cytisus scoparius</i> 'Lena' Lena Scotch Broom | BS | 1.05 | G1 | 5-6 | 7-9A | | 0.81 | 5 |
| <i>Cytisus scoparius</i> 'Lilac Time' Lilac Time Scotch Broom | BS | 1.03 | G1 | 5-6 | 7-9A | | 0.81 | 5 |
| <i>Cytisus scoparius</i> 'Minstead' Minstead Scotch Broom | BS | 0.79 | G1 | 5-6 | 7-9A | | 0.81 | 5 |
| <i>Cytisus scoparius</i> 'Moonlight' Moonlight Scotch Broom | BS | 0.95 | G1 | 5-6 | 7-9A | | 0.81 | 5 |
| <i>Cytisus scoparius</i> 'Nova Scotia' Nova Scotia Scotch Broom | BS | 0.70 | G1 | 5-6 | 7-9A | | 0.81 | 5 |
| <i>Cytisus scoparius</i> 'Pomona' Pomona Scotch Broom | BS | 0.70 | G1 | 5-6 | 7-9A | | 0.81 | 5 |
| <i>Cytisus spachianus</i> See - <i>Genista x spachiana</i> | BS | 1.06 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> Connemara Heath | BS | 0.85 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> 'Alba' White Connemara Heath | BS | 0.91 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> 'Atropurpurea' Purple Connemara Heath | BS | 0.85 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> 'Praegerae' Praegerae Connemara Heath | BS | 0.87 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> 'William Buchanan Gold' William Buchanan Gold Connemara Heath | BS | 0.85 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> 'William Buchanan' William Buchanan Connemara Heath | HP | 1.01 | G4 | | 5-8 | | 5 | |
| <i>Dactylis glomerata</i> Orchard Grass | HP | 1.01 | G4 | | 5-8 | | 5 | |
| <i>Dactylis glomerata</i> 'Variegata' Variegated Orchard Grass | HP | 1.00 | G4 | 9A | 9B-11 | | 8 | |
| <i>Dahlia imperialis</i> Tree Dahlia | HP | 0.41 | G4 | 9A | 9B-11 | | 8 | |
| <i>Dahlia pinnata</i> Aztec Dahlia | HP | 0.41 | G4 | 9A | 9B-11 | | 8 | |
| <i>Dahlia pinnata</i> 'Diablo' Diablo Aztec Dahlia | HP | 0.67 | G4 | 9A | 9B-11 | | 8 | |
| <i>Dahlia pinnata</i> 'Figaro Mix' Figaro Mix Aztec Dahlia | HP | 0.41 | G4 | 9A | 9B-11 | | 8 | |
| <i>Dahlia pinnata</i> 'Figaro Series' Figaro Series Aztec Dahlia | DT | 0.74 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Dalbergia sissoo</i> Sissoo | HP | 1.07 | G1 | 10A | 10B-11 | | 4 | |
| <i>Dalea candida</i> White Prairie Clover | HP | 1.00 | G1 | 10A | 10B-11 | | 4 | |
| <i>Dalea foliosum</i> Leafy Prairie Clover | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Dalea frutescens</i> Indigo Bush | BS | 0.76 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Dalea gattingeri</i> Purple Prairie Clover | HP | 1.04 | G1 | 10A | 10B-11 | | | 7 |
| <i>Dalea greggii</i> Trailing Indigo Bush | BS | 0.93 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Dampiera diversifolia</i> No Common Name Found | HP | 0.78 | G4 | 9A | 9B-10B | | | 9 |
| <i>Dampiera trigona</i> No Common Name Found | HP | 0.97 | G4 | 9A | 9B-10B | | | 9 |
| <i>Daphne x burkwoodii</i> Burkwood Daphne | BS | 1.46 | G1 | 5-6 | 7-9A | | 0.97 | 5 |
| <i>Daphne x burkwoodii</i> 'Carol Mackie' Carol Mackie Burkwood Daphne | BS | 1.42 | G1 | 5-6 | 7-9A | | 1.03 | 5 |
| <i>Daphne x burkwoodii</i> 'Somerset' Somerset Burkwood Daphne | BS | 1.11 | G1 | 5-6 | 7-9A | | 0.97 | 5 |
| <i>Daphne caucasica</i> Caucasian Daphne | BS | 1.51 | G1 | 6 | 7-9A | | 0.99 | 6 |
| <i>Daphne cneorum</i> Garland Flower | BS | 1.53 | G1 | 4-7 | | | 1.21 | 4 |
| <i>Daphne cneorum</i> 'Ruby Glow' Ruby Glow Garland Flower | BS | 1.53 | G1 | 4-7 | | | 0.98 | 4 |
| <i>Daphne cneorum</i> var. <i>variegata</i> Variegated Garland Flower | BS | 1.23 | G1 | 4-6 | 7-9A | | 0.89 | 4 |
| <i>Daphne cneorum</i> var. <i>verlotii</i> No Common Name Found | BS | 1.00 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Daphne genkwa</i> Lilac Daphne | BS | 1.00 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Daphne giraldii</i> Giraldi Daphne | BS | 1.00 | G1 | 3-6 | 7-9A | | 1.00 | 3 |
| <i>Daphne x mantiensiana</i> Manten Daphne | BS | 1.67 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Daphne mezereum</i> February Daphne | BS | 0.96 | G1 | 4-6 | 7-9A | | 0.99 | 4 |
| <i>Daphne odora</i> Winter Daphne | BS | 1.58 | G1 | | 7-9A | | 1.09 | 7 |
| <i>Daphne odora</i> 'Aureo-marginata' Aureo-marginata Winter Daphne | BS | 1.55 | G1 | | 7-9A | | 1.16 | 7 |
| <i>Daphne odora</i> 'Leucanthe' Leucanthe Winter Daphne | BS | 1.11 | G1 | | 7-9A | | 1.16 | 7 |
| <i>Daphne odora</i> 'Rubra' Red Winter Daphne | BS | 1.11 | G1 | | 7-9A | | 1.09 | 7 |
| <i>Darmera peltata</i> Umbrella Plant | HP | 1.15 | G4 | | 6-9A | | | 6 |
| <i>Dasyliion wheeleri</i> Spoon Flower | BS | 1.34 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Datura cornigera</i> See - <i>Brugmansia arborea</i> | HP | 1.00 | G1 | 9A | 9B-11 | | | 9 |
| <i>Datura innoxia</i> Downy Thorn Apple | HP | 1.00 | G1 | 9A | 9B-11 | | | 9 |
| <i>Datura metel</i> Horn of Plenty | BS | 1.42 | G1 | 9A | 9B-11 | | 1.00 | 9 |
| <i>Daubentonia tripetii</i> See - <i>Sesbania tripetii</i> | AN | 0.96 | G1 | | 10A-11 | | | 3 |
| <i>Daucus carota</i> var. <i>carota</i> Queen Anne's Lace | FO | 0.53 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Davallia fejeensis</i> Rabbit's-Foot Fern | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Davallia trichomanoides</i> Squirrel-foot Fern | FO | 0.45 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Davidia involucrata</i> Dove Tree | DT | 2.06 | G1 | 6-8 | 9A-10B | 1.00 | 2.32 | 6 |
| <i>Deckenia nobilis</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10B |
| <i>Decumaria barbara</i> Southeast Decumaria | GC | 1.47 | G1 | | 7-10B | | 1.00 | 5 |
| <i>Decumaria barbara 'Chatooga'</i> Chatooga Climbing Hydrangea | GC | 1.47 | G1 | | 7-10B | | 1.00 | 5 |
| <i>Delairea odorata</i> German Ivy | GC | 1.03 | G1 | | 9-10B | | 1.00 | 9 |
| <i>Delonix regia</i> Royal Poinciana | DT | 0.97 | G1 | 10A | 10B-11 | 0.99 | 0.95 | 9 |
| <i>Delosperma cooperi</i> Hardy Ice Plant | HP | 0.90 | G1 | 6-8 | 9A-11 | | | 6 |
| <i>Delosperma nubigenum</i> No Common Name Found | HP | 0.90 | G1 | 6-8 | 9A-11 | | | 9 |
| <i>Delosperma nubigenum 'Basutoland'</i> Basutoland Hardy Ice Plant | HP | 1.01 | G1 | 6-8 | 9A-11 | | | 9 |
| <i>Delphinium x belladonna</i> Belladonna Larkspur | HP | 1.01 | G4 | | 3-8 | | | 3 |
| <i>Delphinium x belladonna 'Bellamosa'</i> Bellamosa Belladonna Larkspur | HP | 1.00 | G4 | | 3-8 | | | 3 |
| <i>Delphinium x belladonna 'Casablanca'</i> Casablanca Belladonna Larkspur | HP | 1.03 | G4 | | 3-8 | | | 3 |
| <i>Delphinium x belladonna 'Cliveden Beauty'</i> Cliveden Beauty Belladonna Larkspur | HP | 1.03 | G4 | | 3-8 | | | 3 |
| <i>Delphinium cardinalis</i> Scarlet Larkspur | HP | 0.93 | G4 | | 8-9B | | | 8 |
| <i>Delphinium cardinalis 'Dwarf Scarlet'</i> Dwarf Scarlet Larkspur | HP | 0.93 | G4 | | 8-9B | | | 8 |
| <i>Delphinium elatum</i> Bee Larkspur | HP | 0.85 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum 'Astolat'</i> Astolat Bee Larkspur | HP | 0.92 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum 'Black Knight'</i> Black Knight Bee Larkspur | HP | 0.95 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum 'Blue Bird'</i> Blue Bird Bee Larkspur | HP | 0.98 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum 'Blue Elf'</i> Blue Elf Bee Larkspur | HP | 0.84 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum 'Blue Jay'</i> Blue Jay Bee Larkspur | HP | 0.90 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum 'Blue Springs'</i> Blue Springs Bee Larkspur | HP | 1.03 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum 'Connecticut Yankee'</i> Connecticut Yankee Bee Larkspur | HP | 0.89 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum 'Galahad'</i> Galahad Bee Larkspur | HP | 1.05 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum 'Guinevere'</i> Guinevere Bee Larkspur | HP | 1.01 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum 'King Arthur'</i> King Arthur Bee Larkspur | HP | 1.04 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum 'Magic Fountains Lavender'</i> Magic Fountains Lavender Larkspur | HP | 0.97 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum 'Magic Fountains Mix'</i> Magic Fountains Mix Bee Larkspur | HP | 0.95 | G4 | 4-6 | 7-8 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|---------|-------------|---------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors | |
| | | | | | | | | |
| <i>Delphinium elatum</i> 'Magic Fountains White' Magic Fountains White Bee Larkspur | HP | 1.18 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum</i> 'Pacific Giants Strain' Pacific Giants Strain Bee Larkspur | HP | 0.95 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum</i> 'Pennant' Pennant Bee Larkspur | HP | 0.77 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum</i> 'Standup' Standup Bee Larkspur | HP | 0.77 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium elatum</i> 'Summer Skies' Summer Skies Bee Larkspur | HP | 1.06 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium grandiflorum</i> Chinese Larkspur | AN | 0.97 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium grandiflorum</i> 'Blauer Zweig' Blauer Zweig Chinese Larkspur | AN | 1.05 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium grandiflorum</i> 'Blue Butterfly' Blue Butterfly Chinese Larkspur | AN | 1.17 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium grandiflorum</i> 'Blue Mirror' Blue Mirror Chinese Larkspur | AN | 1.16 | G4 | 4-6 | 7-8 | | | 3 |
| <i>Delphinium nudicaule</i> Orange Larkspur | HP | 1.00 | G4 | | | 8-9B | | 8 |
| <i>Delphinium tricorne</i> Dwarf Larkspur | HP | 1.00 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Dendranthema</i> x <i>grandiflorum</i> See - <i>Chrysanthemum</i> x <i>morifolium</i> | | | | | | | | |
| <i>Dendranthema pacificum</i> See - <i>Chrysanthemum pacificum</i> | | | | | | | | |
| <i>Dendranthema weyrichii</i> See - <i>Chrysanthemum weyrichii</i> | | | | | | | | |
| <i>Dendranthema zawadskii</i> See - <i>Chrysanthemum zawadskii</i> | | | | | | | | |
| <i>Dendrobium</i> Dendrobium Hybrid Orchid | FO | 1.31 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Dendrobium antennatum</i> No Common Name Found | FO | 1.42 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Dendrobium atroviolaceum</i> No Common Name Found | FO | 1.78 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Dendrobium bracteosum</i> No Common Name Found | FO | 2.13 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Dendrobium bullenianum</i> No Common Name Found | FO | 2.37 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Dendrobium finisterreae</i> No Common Name Found | FO | 2.44 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Dendrobium guerreroi</i> No Common Name Found | FO | 2.03 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Dendrobium kingianum</i> Pink Rock Orchid | FO | 1.63 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Dendrobium lasianthera</i> No Common Name Found | FO | 2.03 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Dendrobium lawesii</i> No Common Name Found | FO | 1.00 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Dendrobium palpebrae</i> No Common Name Found | FO | 2.03 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Dendrobium schuetzii</i> No Common Name Found | FO | 2.03 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Dendrobium secundum</i> No Common Name Found | FO | 1.35 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Dendrobium serratilabia</i> var. <i>calcarifera</i> No Common Name Found | FO | 1.00 | G3 | 1-10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Dendrobium smilliae</i> No Common Name Found | FO | 1.35 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Dendrobium topaziacum</i> See - <i>Dendrobium bullenianum</i> | FO | 1.35 | G3 | 1-10A | 10B-11 | | | 10 |
| <i>Dendrobium victoria-reginae</i> No Common Name Found | FO | 1.78 | G1 | | 10A-11 | | | 10 |
| <i>Dendrochilum bicallosum</i> No Common Name Found | FO | 1.00 | G1 | | 10A-11 | | | 10 |
| <i>Dendrochilum filiforme</i> No Common Name Found | FO | 1.07 | G2 | | 8-9B | | 1.00 | 8 |
| <i>Dendromecon rigida</i> ssp. <i>harfordii</i> Island Tree Poppy | HP | 1.10 | G1 | 4-8 | 9A-10B | | | 3 |
| <i>Dennstaedtia punctilobula</i> Hayscented Fern | HP | 1.11 | G4 | | 4-8 | | | 5 |
| <i>Deschampsia caespitosa</i> Tufted Hair Grass | HP | 1.16 | G4 | | 4-8 | | | 5 |
| <i>Deschampsia caespitosa</i> 'Bronzeschleier' Bronzeschleier Tufted Hair Grass | HP | 1.04 | G4 | | 4-8 | | | 5 |
| <i>Deschampsia caespitosa</i> 'Fairy's Joke' Fairy's Joke Tufted Hair Grass | HP | 1.14 | G4 | | 4-8 | | | 5 |
| <i>Deschampsia caespitosa</i> 'Goldgehange' Goldgehange Tufted Hair Grass | HP | 1.12 | G4 | | 4-8 | | | 5 |
| <i>Deschampsia caespitosa</i> 'Goldschleier' Goldschleier Tufted Hair Grass | HP | 1.03 | G4 | | 4-8 | | | 5 |
| <i>Deschampsia caespitosa</i> 'Goldstaub' Goldstaub Tufted Hair Grass | HP | 1.06 | G4 | | 4-8 | | | 5 |
| <i>Deschampsia caespitosa</i> 'Schottland' Schottland Tufted Hair Grass | HP | 1.01 | G4 | | 4-8 | | | 5 |
| <i>Deschampsia caespitosa</i> 'Tardiflora' Tardiflora Tufted Hair Grass | HP | 1.26 | G4 | | 4-8 | | | 5 |
| <i>Deschampsia caespitosa</i> 'Tautraeger' Tautraeger Tufted Hair Grass | HP | 1.01 | G4 | | 4-8 | | | 5 |
| <i>Deschampsia caespitosa</i> 'Vivipara' Silvery Tufted Hair Grass | HP | 1.01 | G4 | | 4-8 | | | 4 |
| <i>Deschampsia flexuosa</i> Crinkled Hair Grass | BS | 1.00 | G1 | 8 | 9A-10A | | 1.00 | 8 |
| <i>Desfontainea spinosa</i> No Common Name Found | HP | 1.00 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Desmanthus illinoensis</i> Illinois Sensitive Plant | HP | 1.00 | G1 | 3-8 | 9A-10A | | | 2 |
| <i>Desmodium canadense</i> Showy Tick Trefoil | HP | 1.00 | G1 | 3-8 | 9A-10A | | | 5 |
| <i>Desmodium illinoense</i> Illinois Tick Trefoil | DS | 0.93 | G1 | 6 | 7-9A | | 1.00 | 5 |
| <i>Deutzia</i> Deutzia | DS | 0.93 | G1 | 6 | 7-9A | | | 1.00 |
| <i>Deutzia</i> 'Monzia' Pink-a-Boo™ Deutzia | DS | 0.93 | G1 | 4-8 | 7-9A | | | 5 |
| <i>Deutzia</i> 'Pink-a-Boo' See - <i>Deutzia</i> 'Monzia' | DS | 1.05 | G1 | | 4-8 | | 0.55 | 4 |
| <i>Deutzia gracilis</i> Slender Deutzia | DS | 0.97 | G1 | | 4-8 | | 0.80 | 4 |
| <i>Deutzia gracilis</i> 'Magician' Magician Slender Deutzia | DS | 1.04 | G1 | | 4-8 | | 0.98 | 4 |
| <i>Deutzia gracilis</i> 'Nikko' Nikko Slender Deutzia | | | | | | | | |
| <i>Deutzia gracilis</i> var. <i>nakaiana</i> 'Nana' See - <i>Deutzia gracilis</i> 'Nikko' | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Deutzia x hybrida</i> Hybrid Deutzia | DS | 0.91 | G1 | 6 | 7-9A | | 1.00 | 5 |
| <i>Deutzia x hybrida</i> 'Mont Rose' Mont Rose Hybrid Deutzia | DS | 0.91 | G1 | 6 | 7-9A | | 1.00 | 5 |
| <i>Deutzia x hybrida</i> 'Pink Pompon' Pink Pompon Deutzia | DS | 1.09 | G1 | 6 | 7-9A | | 1.00 | 5 |
| <i>Deutzia x lemoinei</i> Lemoine Deutzia | DS | 0.96 | G1 | 4-6 | 7-9A | | 1.00 | 4 |
| <i>Deutzia x magnifica</i> No Common Name Found | DS | 0.78 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Deutzia x rosea</i> Pink Deutzia | DS | 1.09 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Deutzia scabra</i> Fuzzy Deutzia | DS | 0.76 | G1 | 5-6 | 7-9A | | 0.43 | 5 |
| <i>Deutzia scabra</i> 'Godsall Pink' Godsall Pink Fuzzy Deutzia | DS | 1.02 | G1 | 5-6 | 7-9A | | 0.43 | 5 |
| <i>Deutzia scabra</i> 'Pride of Rochester' Pride of Rochester Fuzzy Deutzia | DS | 0.96 | G1 | 5-6 | 7-9A | | 0.43 | 5 |
| <i>Diacrimum bicornutum</i> See - <i>Caulanthron bicornutum</i> | HP | 1.00 | G4 | 9B | 10A-11 | | | 9 |
| <i>Dianella ensifolia</i> Umbrella Dracena | HP | 1.00 | G4 | | 9A-10A | | | 9 |
| <i>Dianella intermedia</i> No Common Name Found | HP | 0.82 | G4 | | | | | 9 |
| <i>Dianella tasmanica</i> Blueberry Flax Lily | HP | 1.00 | G4 | 9B | 10A-11 | | | 9 |
| <i>Dianthus</i> Hybrid Pink | HP | 0.87 | G4 | 6 | 7-9A | | | 3 |
| <i>Dianthus</i> 'Itsaul White' Itsaul White Hybrid Pink | HP | 1.03 | G4 | 6 | 7-9A | | | 3 |
| <i>Dianthus</i> 'Laced Romeo' Laced Romeo Hybrid Pink | HP | 0.87 | G4 | 6 | 7-9A | | | 3 |
| <i>Dianthus</i> 'Little Bobby' Little Bobby Hybrid Pink | HP | 0.97 | G4 | 6 | 7-9A | | | 3 |
| <i>Dianthus</i> 'Little Jock' Little Jock Hybrid Pink | HP | 0.89 | G4 | 6 | 7-9A | | | 3 |
| <i>Dianthus</i> 'Mountain Mist' Mountain Mist Hybrid Pink | HP | 0.95 | G4 | 6 | 7-9A | | | 3 |
| <i>Dianthus</i> 'Prairie Pink' Prairie Pink Hybrid Pink | HP | 1.16 | G4 | 6 | 7-9A | | | 3 |
| <i>Dianthus x allwoodii</i> Allwood Pink | HP | 1.04 | G4 | | 4-8 | | | 3 |
| <i>Dianthus x allwoodii</i> 'Alpinus' Alpine Allwood Pink | HP | 0.86 | G4 | | 4-8 | | | 3 |
| <i>Dianthus x allwoodii</i> 'Aqua' Aqua Allwood Pink | HP | 0.86 | G4 | | 4-8 | | | 3 |
| <i>Dianthus x allwoodii</i> 'Doris' Doris Allwood Pink | HP | 0.91 | G4 | | 4-8 | | | 3 |
| <i>Dianthus x allwoodii</i> 'Essex Witch' Essex Witch Allwood Pink | HP | 0.98 | G4 | | 4-8 | | | 3 |
| <i>Dianthus x allwoodii</i> 'Frostfire' Frostfire Allwood Pink | HP | 0.91 | G4 | | 4-8 | | | 3 |
| <i>Dianthus x allwoodii</i> 'Helen' Helen Allwood Pink | HP | 0.91 | G4 | | 4-8 | | | 3 |
| <i>Dianthus alpinus</i> Alpine Pink | HP | 0.88 | G4 | | 3-8 | | | 3 |
| <i>Dianthus arenarius</i> Sand Pink | HP | 0.86 | G4 | 6 | 7-9A | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Dianthus barbatus</i> Sweet William | AN | 1.79 | G4 | | 6-9B | | | 4 |
| <i>Dianthus barbatus</i> 'Auricula-Eyed Mix' Auricula-Eyed Sweet William | AN | 1.24 | G4 | | 6-9B | | | 4 |
| <i>Dianthus barbatus</i> 'Double Midget' Double Midget Sweet William | AN | 1.57 | G4 | | 6-9B | | | 4 |
| <i>Dianthus barbatus</i> 'Indian Carpet' Indian Carpet Sweet William | AN | 1.24 | G4 | | 6-9B | | | 4 |
| <i>Dianthus barbatus</i> 'Nanus' Dwarf Sweet William | AN | 1.24 | G4 | | 6-9B | | | 4 |
| <i>Dianthus caryophyllus</i> Carnation | HP | 0.83 | G4 | 6 | 7-9A | | | 8 |
| <i>Dianthus caryophyllus</i> 'Cardinal Red' Cardinal Red Carnation | HP | 0.84 | G4 | 6 | 7-9A | | | 8 |
| <i>Dianthus caryophyllus</i> 'Dwarf Mix' Dwarf Mix Carnation | HP | 0.75 | G4 | 6 | 7-9A | | | 8 |
| <i>Dianthus caryophyllus</i> 'Golden Sun' Golden Sun Carnation | HP | 0.97 | G4 | 6 | 7-9A | | | 8 |
| <i>Dianthus caryophyllus</i> 'Innocence' Innocence Carnation | HP | 0.79 | G4 | 6 | 7-9A | | | 8 |
| <i>Dianthus caryophyllus</i> 'King of the Blacks' King of the Blacks Carnation | HP | 0.96 | G4 | 6 | 7-9A | | | 8 |
| <i>Dianthus caryophyllus</i> 'Knight Mix' Knight Mix Carnation | HP | 0.75 | G4 | 6 | 7-9A | | | 8 |
| <i>Dianthus caryophyllus</i> 'Mixed Colors' Mixed Colors Carnation | HP | 0.75 | G4 | 6 | 7-9A | | | 8 |
| <i>Dianthus caryophyllus</i> 'Pink' Pink Carnation | HP | 0.84 | G4 | 6 | 7-9A | | | 8 |
| <i>Dianthus caryophyllus</i> 'Triumph Rose' Triumph Rose Carnation | HP | 1.05 | G4 | 6 | 7-9A | | | 8 |
| <i>Dianthus caryophyllus</i> 'White' White Carnation | HP | 0.75 | G4 | 6 | 7-9A | | | 8 |
| <i>Dianthus chinensis</i> Border Pink | AN | 1.02 | G4 | 1-8 | 9A-11 | | | 7 |
| <i>Dianthus chinensis</i> 'Crimson Telstar' Crimson Telstar Border Pink | AN | 1.03 | G4 | 1-8 | 9A-11 | | | 7 |
| <i>Dianthus chinensis</i> 'Danielle Marie' Danielle Marie Border Pink | AN | 1.11 | G4 | 1-8 | 9A-11 | | | 7 |
| <i>Dianthus chinensis</i> 'Picotee' Picotee Border Pink | AN | 1.03 | G4 | 1-8 | 9A-11 | | | 7 |
| <i>Dianthus chinensis</i> 'Pink Telstar' Pink Telstar Border Pink | AN | 1.03 | G4 | 1-8 | 9A-11 | | | 7 |
| <i>Dianthus chinensis</i> 'Purple Telstar' Purple Telstar Border Pink | AN | 1.03 | G4 | 1-8 | 9A-11 | | | 7 |
| <i>Dianthus chinensis</i> 'Snowfire' Snowfire Border Pink | AN | 1.02 | G4 | 1-8 | 9A-11 | | | 7 |
| <i>Dianthus chinensis</i> 'Telstar Series' Telstar Series Border Pink | HP | 0.72 | G4 | 1-8 | 9A-11 | | | 7 |
| <i>Dianthus deltoides</i> Maiden Pink | HP | 1.28 | G4 | | 3-8 | | | 3 |
| <i>Dianthus deltoides</i> 'Albus' White Maiden Pink | HP | 0.96 | G4 | | 3-8 | | | 3 |
| <i>Dianthus deltoides</i> 'Brilliant' Brilliant Maiden Pink | HP | 1.03 | G4 | | 3-8 | | | 3 |
| <i>Dianthus deltoides</i> 'Flashing Light' Flashing Light Maiden Pink | HP | 0.92 | G4 | | 3-8 | | | 3 |
| <i>Dianthus deltoides</i> 'Nelli' Nelli Maiden Pink | HP | 1.02 | G4 | | 3-8 | | | 3 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Dianthus deltoides</i> 'Rosea' Rose Maiden Pink | HP | 0.98 | G4 | | 3-8 | | | 3 |
| <i>Dianthus deltoides</i> 'Vampire' Vampire Maiden Pink | HP | 0.90 | G4 | | 3-8 | | | 3 |
| <i>Dianthus deltoides</i> 'Zing Rose' Zing Rose Maiden Pink | HP | 0.91 | G4 | | 3-8 | | | 3 |
| <i>Dianthus deltoides</i> 'Zing Salmon' Zing Salmon Maiden Pink | HP | 0.93 | G4 | | 3-8 | | | 3 |
| <i>Dianthus freynii</i> No Common Name Found | HP | 1.09 | G4 | 6 | 7-9A | | | 6 |
| <i>Dianthus gratianopolitanus</i> Cheddar Pink | HP | 0.87 | G4 | 4-6 | 7-9A | | | 3 |
| <i>Dianthus gratianopolitanus</i> 'Bath's Pink' Bath's Pink Cheddar Pink | HP | 0.86 | G4 | 4-6 | 7-9A | | | 3 |
| <i>Dianthus gratianopolitanus</i> 'Dottie' Dottie Cheddar Pink | HP | 0.92 | G4 | 4-6 | 7-9A | | | 3 |
| <i>Dianthus gratianopolitanus</i> 'Firewitch' Firewitch Cheddar Pink | HP | 0.91 | G4 | 4-6 | 7-9A | | | 3 |
| <i>Dianthus gratianopolitanus</i> 'Grandiflorus' Grandiflorus Cheddar Pink | HP | 0.89 | G4 | 4-6 | 7-9A | | | 3 |
| <i>Dianthus gratianopolitanus</i> 'La Bourbille' La Bourbille Cheddar Pink | HP | 1.11 | G4 | 4-6 | 7-9A | | | 3 |
| <i>Dianthus gratianopolitanus</i> 'Petite' Petite Cheddar Pink | HP | 0.85 | G4 | 4-6 | 7-9A | | | 3 |
| <i>Dianthus gratianopolitanus</i> 'Saul's White' Saul's White Cheddar Pink | HP | 0.85 | G4 | 4-6 | 7-9A | | | 3 |
| <i>Dianthus gratianopolitanus</i> 'Snow Flurries' Snow Flurries Cheddar Pink | HP | 0.95 | G4 | 4-6 | 7-9A | | | 3 |
| <i>Dianthus gratianopolitanus</i> 'Spotty' Spotty Cheddar Pink | HP | 0.85 | G4 | 4-6 | 7-9A | | | 3 |
| <i>Dianthus gratianopolitanus</i> 'Tiny Rubies' Tiny Rubies Cheddar Pink | HP | 0.92 | G4 | 4-6 | 7-9A | | | 3 |
| <i>Dianthus knappii</i> Hairy Garden Pink | HP | 1.00 | G4 | 6 | 7-9A | | | 3 |
| <i>Dianthus petraeus</i> ssp. <i>noeanus</i> No Common Name Found | HP | 0.93 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Dianthus plumarius</i> Cottage Pink | HP | 0.86 | G4 | | 4-8 | | | 3 |
| <i>Dianthus plumarius</i> 'Alba' White Cottage Pink | HP | 0.90 | G4 | | 4-8 | | | 3 |
| <i>Dianthus plumarius</i> 'Ballade' Ballade Cottage Pink | HP | 0.86 | G4 | | 4-8 | | | 3 |
| <i>Dianthus plumarius</i> 'Desmond' Desmond Cottage Pink | HP | 0.89 | G4 | | 4-8 | | | 3 |
| <i>Dianthus plumarius</i> 'Spring Beauty' Spring Beauty Cottage Pink | HP | 1.05 | G4 | | 4-8 | | | 3 |
| <i>Dianthus x roysii</i> Roysii Pink | HP | 0.93 | G4 | 6 | 7-9A | | | 3 |
| <i>Dianthus x roysii</i> 'Roseus' Rose Roysii Pink | HP | 0.93 | G4 | 6 | 7-9A | | | 3 |
| <i>Dianthus simulans</i> No Common Name Found | HP | 1.09 | G4 | 6 | 7-9A | | | 7 |
| <i>Dianthus subacaulis</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7-9A | | | 5 |
| <i>Dianthus superbus</i> Lavender Lace Pink | HP | 0.87 | G4 | 6 | 7-9A | | | 4 |
| <i>Diaphananthe pellucida</i> No Common Name Found | HP | 6.21 | G1 | | 9A-10B | | | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---------------------------------------|--------------|-----------|----|--------|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Diascia</i> | | | | | | | | |
| Twinspur | HP | 0.84 | G4 | 8 | 9A-10A | | | 8 |
| <i>Diascia 'Jack Elliot'</i> | HP | 0.93 | G4 | 8 | 9A-10A | | | 8 |
| Jack Elliot Twinspur | | | | | | | | |
| <i>Diascia 'Salmon Supreme'</i> | HP | 0.84 | G4 | 8 | 9A-10A | | | 8 |
| Salmon Supreme Twinspur | | | | | | | | |
| <i>Diascia barberae</i> | HP | 0.84 | G4 | 8 | 9A-10A | | | 8 |
| Twinspur | | | | | | | | |
| <i>Diascia barberae 'Ruby Field'</i> | HP | 0.84 | G4 | 8 | 9A-10A | | | 8 |
| Ruby Field Twinspur | | | | | | | | |
| <i>Diascia fetcaniensis</i> | HP | 0.84 | G4 | 8 | 9A-10A | | | 8 |
| No Common Name Found | | | | | | | | |
| <i>Diascia rigescens</i> | HP | 0.93 | G4 | 8 | 9A-10A | | | 8 |
| Rigid Twinspur | | | | | | | | |
| <i>Diascia vigilis</i> | HP | 1.00 | G4 | 8 | 9A-10A | | | 8 |
| No Common Name Found | | | | | | | | |
| <i>Dicentra</i> | HP | 1.05 | G4 | | | 5-8 | | 3 |
| Hybrid Bleeding Heart | | | | | | | | |
| <i>Dicentra 'Adrian Bloom'</i> | HP | 1.47 | G4 | | | 5-8 | | 3 |
| Adrian Bloom Bleeding Heart | | | | | | | | |
| <i>Dicentra 'Bacchanal'</i> | HP | 1.47 | G4 | | | 4-8 | | 3 |
| Bacchanal Bleeding Heart | | | | | | | | |
| <i>Dicentra 'Langtrees'</i> | HP | 1.15 | G4 | | | 5-8 | | 3 |
| Langtrees Bleeding Heart | | | | | | | | |
| <i>Dicentra 'Luxuriant' P.P. 3324</i> | HP | 1.26 | G4 | | | 5-8 | | 3 |
| Luxuriant Bleeding Heart | | | | | | | | |
| <i>Dicentra 'Snowdrift'</i> | HP | 1.06 | G4 | | | 4-8 | | 3 |
| Snowdrift Bleeding Heart | | | | | | | | |
| <i>Dicentra 'Stuart Boothman'</i> | HP | 1.05 | G4 | | | 4-8 | | 3 |
| Stuart Boothman Bleeding Heart | | | | | | | | |
| <i>Dicentra 'Zestful'</i> | HP | 1.33 | G4 | | | 4-8 | | 3 |
| Zestful Bleeding Heart | | | | | | | | |
| <i>Dicentra canadensis</i> | HP | 1.50 | G4 | | | 5-8 | | 5 |
| Squirrel Corn | | | | | | | | |
| <i>Dicentra cucullaria</i> | HP | 1.39 | G4 | | | 5-8 | | 5 |
| Dutchman's Breeches | | | | | | | | |
| <i>Dicentra eximia</i> | HP | 0.98 | G4 | | | 4-8 | | 5 |
| Fringed Bleeding Heart | | | | | | | | |
| <i>Dicentra eximia 'Alba'</i> | HP | 0.90 | G4 | | | 4-8 | | 5 |
| White Fringed Bleeding Heart | | | | | | | | |
| <i>Dicentra formosa</i> | HP | 1.11 | G4 | | | 5-8 | | 5 |
| Pacific Bleeding Heart | | | | | | | | |
| <i>Dicentra formosa 'Alba'</i> | HP | 1.69 | G4 | | | 5-8 | | 5 |
| White Pacific Bleeding Heart | | | | | | | | |
| <i>Dicentra formosa 'Bountiful'</i> | HP | 1.53 | G4 | | | 5-8 | | 5 |
| Bountiful Pacific Bleeding Heart | | | | | | | | |
| <i>Dicentra spectabilis</i> | HP | 1.04 | G4 | | | 4-8 | | 6 |
| Common Bleeding Heart | | | | | | | | |
| <i>Dicentra spectabilis 'Alba'</i> | HP | 1.15 | G4 | | | 4-8 | | 6 |
| White Common Bleeding Heart | | | | | | | | |
| <i>Dichondra micrantha</i> | HP | 1.00 | G1 | | | 10A-11 | | 10 |
| Pennywort | | | | | | | | |
| <i>Dichorisandra thyrsiflora</i> | HP | 1.12 | G4 | 9B-10A | 10B-11 | | | 9 |
| Blue Ginger | | | | | | | | |
| <i>Dicksonia antarctica</i> | BS | 0.95 | G3 | 8-9A | 9B-11 | | 1.00 | 8 |
| Tasmanian Tree Fern | | | | | | | | |
| <i>Dicliptera suberecta</i> | HP | 0.78 | G4 | | | 10A-11 | | 10 |
| No Common Name Found | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Dictamnus albus</i> Gas Plant | HP | 1.89 | G4 | | 4-8 | | | 3 |
| <i>Dictamnus albus</i> 'Albiflorus' Albiflorus Gas Plant | HP | 1.79 | G4 | | 4-8 | | | 3 |
| <i>Dictamnus albus</i> 'Purpureus' Purple Gas Plant | HP | 1.70 | G4 | | 4-8 | | | 3 |
| <i>Dictyosperma album</i> Princess Palm | BE | 1.25 | G1 | 10 | 11 | 1.00 | 1.16 | 10 |
| <i>Didymochlaena truncatula</i> Tree Maidenhair Fern | FO | 0.46 | G1 | | 10A-11 | | | 10 |
| <i>Dieffenbachia</i> Dumb Cane | FO | 0.72 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia</i> '68814' P.P. 9051 Star Bright™ Dumb Cane | FO | 0.74 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia</i> '695-1' P.P. 9050 Sparkles™ Dumb Cane | FO | 0.72 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia</i> 'Sparkles' See - <i>Dieffenbachia</i> '695-1' P.P. 9050 | | | | | | | | |
| <i>Dieffenbachia</i> 'Star Bright' See - <i>Dieffenbachia</i> '68814' P.P. 9051 | FO | 0.73 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia</i> 'Tiki' P.P. 7298 Tiki Dumb Cane | FO | 0.74 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia</i> 'Tropic Marianne' P.P. 8832 Tropic Marianne Dumb Cane | FO | 0.67 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia amoena</i> Dumb Cane | FO | 1.00 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia</i> x <i>bausei</i> No Common Name Found | FO | 0.47 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia maculata</i> Spotted Dumb Cane | FO | 0.47 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia maculata</i> 'Bali Hai' P.P. 6872 Bali Hai Spotted Dumb Cane | FO | 0.49 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia maculata</i> 'Camille' Camille Spotted Dumb Cane | FO | 0.59 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia maculata</i> 'Exotica Compacta' Exotic Compact Spotted Dumb Cane | FO | 0.59 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia maculata</i> 'Exotica Perfection' Exotica Perfection Spotted Dumb Cane | FO | 0.73 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia maculata</i> 'Paradise' P.P. 6854 Paradise Spotted Dumb Cane | FO | 0.71 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia maculata</i> 'Perfection Compacta' Perfection Compacta Spotted Dumb Cane | FO | 0.67 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia maculata</i> 'Tropic Snow' Tropic Snow Spotted Dumb Cane | FO | 0.61 | G3 | 8-10B | 11 | | | 10 |
| <i>Dieffenbachia</i> x <i>memoria-corsii</i> No Common Name Found | HP | 0.95 | G4 | | 8-10B | | | 7 |
| <i>Dierama pendulum</i> Grassy-Bell Fishing Rods | HP | 0.95 | G4 | | 8-10B | | | 7 |
| <i>Dierama pulcherrimum</i> Wandflower | BS | 0.76 | G1 | | 3-8 | | 0.49 | 3 |
| <i>Diervilla lonicera</i> Dwarf Bush Honeysuckle | BS | 0.86 | G1 | | 4-8 | | 1.00 | 4 |
| <i>Diervilla sessilifolia</i> Southern Bush Honeysuckle | BS | 0.86 | G1 | | 4-8 | | 1.00 | 3 |
| <i>Diervilla</i> x <i>splendens</i> Splendens Bush Honeysuckle | HP | 0.49 | G4 | 9 | 10A-11 | | | 9 |
| <i>Dieterella</i> Fortnight Lily | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Dietes</i> 'Lemon Drops' | HP | 0.88 | G4 | 9 | 10A-11 | | | 9 |
| Lemon Drops Fortnight Lily | | | | | | | | |
| <i>Dietes</i> 'Orange Drops' | HP | 0.88 | G4 | 9 | 10A-11 | | | 9 |
| Orange Drops Fortnight Lily | | | | | | | | |
| <i>Dietes bicolor</i> | HP | 0.68 | G4 | 9 | 10A-11 | | | 9 |
| Bicolor Fortnight Lily | | | | | | | | |
| <i>Dietes iridioides</i> | HP | 0.74 | G4 | 9 | 10A-11 | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Dietes robinsoniana</i> | HP | 0.95 | G4 | 9 | 10A-11 | | | 9 |
| Robinson Fortnight Lily | | | | | | | | |
| <i>Dietes vegeta</i> | | | | | | | | |
| See - <i>Dietes iridioides</i> | | | | | | | | |
| <i>Digitalis ambigua</i> | | | | | | | | |
| See - <i>Digitalis grandiflora</i> | | | | | | | | |
| <i>Digitalis ferruginea</i> | HP | 0.92 | G4 | 6 | 7-9B | | | 4 |
| Rusty Foxglove | | | | | | | | |
| <i>Digitalis grandiflora</i> | HP | 0.90 | G4 | 6 | 7-9B | | | 3 |
| Yellow Foxglove | | | | | | | | |
| <i>Digitalis laevigata</i> | HP | 0.93 | G4 | 6 | 7-9B | | | 4 |
| No Common Name Found | | | | | | | | |
| <i>Digitalis lanata</i> | HP | 0.98 | G4 | 7-8 | 9 | | | 3 |
| Grecian Foxglove | | | | | | | | |
| <i>Digitalis lutea</i> | HP | 0.98 | G4 | 6 | 7-9B | | | 3 |
| Straw Foxglove | | | | | | | | |
| <i>Digitalis x mertonensis</i> | HP | 0.91 | G4 | 5-6 | 7-9A | | | 3 |
| Strawberry Foxglove | | | | | | | | |
| <i>Digitalis parviflora</i> | HP | 0.93 | G4 | 8 | 9 | | | 4 |
| Spanish Foxglove | | | | | | | | |
| <i>Digitalis purpurea</i> | HP | 1.01 | G4 | | 4-9A | | | 4 |
| Common Foxglove | | | | | | | | |
| <i>Digitalis purpurea</i> 'Alba' | HP | 0.97 | G4 | | 4-9A | | | 4 |
| White Common Foxglove | | | | | | | | |
| <i>Digitalis purpurea</i> 'Apricot' | HP | 1.00 | G4 | | 4-9A | | | 4 |
| Apricot Common Foxglove | | | | | | | | |
| <i>Digitalis purpurea</i> 'Excelsior' | HP | 1.01 | G4 | | 4-9A | | | 4 |
| Excelsior Common Foxglove | | | | | | | | |
| <i>Digitalis purpurea</i> 'Foxy' | HP | 0.92 | G4 | | 4-9A | | | 4 |
| Foxy Common Foxglove | | | | | | | | |
| <i>Digitalis purpurea</i> 'Giant Shirley' | HP | 1.18 | G4 | | 4-9A | | | 4 |
| Giant Shirley Common Foxglove | | | | | | | | |
| <i>Digitalis purpurea</i> 'Gloxiniiflora' | HP | 0.92 | G4 | | 4-9A | | | 4 |
| Gloxiniiflora Common Foxglove | | | | | | | | |
| <i>Dillenia indica</i> | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10B |
| Elephant Apple | | | | | | | | |
| <i>Dimerocostus strobilaceus</i> | HP | 2.00 | G4 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Dimocarpus longan</i> | FN | 1.00 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| Longan | | | | | | | | |
| <i>Dimorphotheca sinuata</i> | HP | 1.00 | G4 | 5-6 | 7-8 | | | 9 |
| Cape Marigold | | | | | | | | |
| <i>Dionaea muscipula</i> | HP | 1.00 | G1 | | 8-10A | | | 8 |
| Venus' Fly Trap | | | | | | | | |
| <i>Dioon califanoi</i> | BS | 4.43 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Dioon edule</i> | BS | 2.39 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| Virgin's Palm | | | | | | | | |
| <i>Dioon mejiae</i> | BS | 3.32 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Dioon spinulosum</i> Giant Dioon | BS | 2.17 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Diosma pulchra</i> See - <i>Coleonema pulchrum</i> | | | | | | | | |
| <i>Diospyros kaki</i> Japanese Persimmon | FN | 1.24 | G1 | 8 | 9A-10A | 2.12 | 1.85 | 8 |
| <i>Diospyros kaki</i> 'Eureka' Eureka Japanese Persimmon | FN | 1.24 | G1 | 8 | 9A-10A | 2.12 | 1.85 | 8 |
| <i>Diospyros kaki</i> 'Fuyu' Fuyu Japanese Persimmon | FN | 1.24 | G1 | 8 | 9A-10A | 2.12 | 1.85 | 8 |
| <i>Diospyros kaki</i> 'Tamopan' Tamopan Persimmon | FN | 1.59 | G1 | 8 | 9A-10A | 2.12 | 1.85 | 8 |
| <i>Diospyros kaki</i> 'Tannenashi' Tannenashi Japanese Persimmon | FN | 1.34 | G1 | 8 | 9A-10A | 2.12 | 1.85 | 8 |
| <i>Diospyros texana</i> Texas Persimmon | DT | 0.94 | G1 | 8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Diospyros virginiana</i> Common Persimmon | DT | 0.55 | G1 | 4-8 | 9A-10A | 0.77 | 0.53 | 4 |
| <i>Dipladenia sanderi</i> See - <i>Mandevilla sanderi</i> | | | | | | | | |
| <i>Dipladenia splendens</i> See - <i>Mandevilla splendens</i> | | | | | | | | |
| <i>Diplazium acrostichoides</i> Silvery Spleenwort | FO | 0.38 | G1 | | 10A-11 | | | 10 |
| <i>Diplazium pycnocarpon</i> See - <i>Athyrium pycnocarpon</i> | | | | | | | | |
| <i>Dipogon lignosus</i> Australian Pea | GC | 1.09 | G4 | | 9A-10B | | 1.00 | 9 |
| <i>Disanthus cercidifolius</i> No Common Name Found | DS | 1.32 | G1 | 8 | 9A-10A | | 1.58 | 8 |
| <i>Distictis</i> Trumpet Vine | GC | 1.63 | G1 | | 10A-11 | | 1.00 | 9 |
| <i>Distictis</i> 'Rivers' Royal Trumpet Vine | GC | 1.63 | G1 | | 10A-11 | | 1.00 | 9 |
| <i>Distictis buccinatoria</i> Blood Trumpet Vine | GC | 1.23 | G1 | 9A | 9B-11 | | 1.00 | 9 |
| <i>Dodecatheon clevelandii</i> Cleveland Shooting Star | HP | 1.00 | G4 | | 6-8 | | | 6 |
| <i>Dodecatheon jeffreyi</i> Sierra Shooting Star | HP | 1.09 | G4 | | 5-8 | | | 5 |
| <i>Dodecatheon meadia</i> Shooting Star | HP | 1.04 | G4 | | 3-8 | | | 3 |
| <i>Dodecatheon meadia</i> 'Album' White Shooting Star | HP | 1.04 | G4 | | 3-8 | | | 3 |
| <i>Dodonaea viscosa</i> Hopseed Bush | BS | 0.74 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Dodonaea viscosa</i> 'Purpurea' Purple Hopseed Bush | BS | 0.71 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Dolichos lablab</i> See - <i>Lablab purpureus</i> | | | | | | | | |
| <i>Dombeya burgessiae</i> Wedding Flower | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Dombeya rotundifolia</i> See - <i>Dombeya spectabilis</i> | | | | | | | | |
| <i>Dombeya spectabilis</i> Wild Pear | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Donorium austriacum</i> Austriacum Leopard's Bane | HP | 1.00 | G4 | | 6-9A | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|-------------|---------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | |
| <i>Doronicum cordatum</i> | | | | | | | |
| See - <i>Doronicum orientale</i> | | | | | | | |
| <i>Doronicum orientale</i> | HP | 0.92 | G4 | | 6-9A | | 5 |
| Caucasian Leopard's Bane | | | | | | | |
| <i>Doronicum orientale</i> 'Finesse' | HP | 0.89 | G4 | | 6-9A | | 5 |
| Finesse Caucasian Leopard's Bane | | | | | | | |
| <i>Doronicum orientale</i> 'Magnificum' | HP | 0.95 | G4 | | 6-9A | | 5 |
| Magnificum Caucasian Leopard's Bane | | | | | | | |
| <i>Doronicum orientale</i> 'Spring Beauty' | HP | 0.89 | G4 | | 6-9A | | 5 |
| Spring Beauty Caucasian Leopard's Bane | | | | | | | |
| <i>Doryanthes palmeri</i> | BS | 2.53 | G1 | | 10A-11 | | 1.00 10 |
| No Common Name Found | | | | | | | |
| <i>Dorycnium hirsutum</i> | HP | 1.03 | G4 | | 8-10A | | 8 |
| Hairy Canary Clover | | | | | | | |
| <i>Draba aizoides</i> | HP | 1.00 | G1 | 4-8 | 9A-10B | | 4 |
| Whitlowgrass | | | | | | | |
| <i>Draba sibirica</i> | HP | 0.71 | G1 | 1-8 | 9A-10A | | 1 |
| Siberian Draba | | | | | | | |
| <i>Dracaena arborea</i> | BS | 2.25 | G3 | 8-10A | 10B-11 | | 1.00 9 |
| Tree Dracena | | | | | | | |
| <i>Dracaena bicolor</i> | FO | 0.47 | G3 | 8-10A | 10B-11 | | 9 |
| No Common Name Found | | | | | | | |
| <i>Dracaena cincta</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 9 |
| No Common Name Found | | | | | | | |
| <i>Dracaena deremensis</i> | FO | 0.40 | G3 | 8-10A | 10B-11 | | 9 |
| No Common Name Found | | | | | | | |
| <i>Dracaena deremensis</i> 'Janet Craig' | FO | 0.64 | G3 | 8-10A | 10B-11 | | 9 |
| Janet Craig Dracena | | | | | | | |
| <i>Dracaena deremensis</i> 'Souvenir de Schriever' | FO | 0.62 | G3 | 8-10A | 10B-11 | | 9 |
| Souvenir de Schriever Dracena | | | | | | | |
| <i>Dracaena draco</i> | BE | 1.36 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 9 |
| Dragon Plant | | | | | | | |
| <i>Dracaena fragrans</i> | FO | 0.92 | G3 | 8-10A | 10B-11 | | 9 |
| Fragrant Dracena | | | | | | | |
| <i>Dracaena fragrans</i> 'Lindenii' | FO | 0.82 | G3 | 8-10A | 10B-11 | | 9 |
| Linden Fragrant Dracena | | | | | | | |
| <i>Dracaena fragrans</i> 'Massangeana' | FO | 0.82 | G3 | 8-10A | 10B-11 | | 9 |
| Corn Plant | | | | | | | |
| <i>Dracaena marginata</i> | FO | 0.54 | G3 | 8-10A | 10B-11 | | 9 |
| Madagascar Dragon Tree | | | | | | | |
| <i>Dracaena marginata</i> 'Colorama' | FO | 0.47 | G3 | 8-10A | 10B-11 | | 9 |
| Colorama Madagascar Dragon Tree | | | | | | | |
| <i>Dracaena marginata</i> 'Magenta' | FO | 0.45 | G3 | 8-10A | 10B-11 | | 9 |
| Magenta Madagascar Dragon Tree | | | | | | | |
| <i>Dracaena marginata</i> 'Tricolor' | FO | 0.40 | G3 | 8-10A | 10B-11 | | 9 |
| Tricolor Madagascar Dragon Tree | | | | | | | |
| <i>Dracaena reflexa</i> | FO | 0.67 | G3 | 8-10A | 10B-11 | | 9 |
| Mauritius Dracena | | | | | | | |
| <i>Dracaena reflexa</i> 'Song of India' | FO | 0.78 | G3 | 8-10A | 10B-11 | | 9 |
| Song of India Mauritius Dracena | | | | | | | |
| <i>Dracaena reflexa</i> 'Song of Jamaica' | FO | 0.74 | G3 | 8-10A | 10B-11 | | 9 |
| Song of Jamaica Mauritius Dracena | | | | | | | |
| <i>Dracaena sanderiana</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 9 |
| Ribbon Plant | | | | | | | |
| <i>Dracaena surculosa</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 9 |
| Gold Dust Dracena | | | | | | | |
| <i>Dracaena thaloides</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 9 |
| No Common Name Found | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Drepanostachyum falcatum</i> No Common Name Found | BS | 1.34 | G1 | 8 | 9A-10B | | 1.00 | 8 |
| <i>Drepanostachyum hookerianum</i> No Common Name Found | BS | 1.34 | G1 | 8 | 9A-10B | | 1.00 | 8 |
| <i>Drimys lanceolata</i> Pepper Tree | BE | 0.98 | G1 | 8 | 9 | 1.00 | 1.00 | 8 |
| <i>Drimys winteri</i> Winter's Bark Drimys | BE | 1.12 | G1 | 8 | 9 | 1.00 | 1.00 | 8 |
| <i>Drosera binata</i> No Common Name Found | HP | 1.35 | G4 | 9 | 10A-11 | | | 9 |
| <i>Drosera capensis</i> No Common Name Found | HP | 1.00 | G4 | 9 | 10A-11 | | | 9 |
| <i>Drosera capillaris</i> No Common Name Found | HP | 1.00 | G4 | 9 | 10A-11 | | | 9 |
| <i>Drosera filiformis</i> var. <i>tracyi</i> No Common Name Found | HP | 1.05 | G4 | 8-9 | 10A-11 | | | 8 |
| <i>Drosera tracyi</i> See - <i>Drosera filiformis</i> var. <i>tracyi</i> | BS | 1.00 | G2 | | 9A-10B | | 1.00 | 9 |
| <i>Dryandra formosa</i> Showy Dryandra | BS | 2.40 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Drymophloeus beguinii</i> No Common Name Found | BE | 3.54 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Drymophloeus oliviformis</i> No Common Name Found | BE | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Drynaria quercifolia</i> Oak-leaved Fern | HP | 1.21 | G4 | 6 | 7-9A | | | 6 |
| <i>Dryopteris affinis</i> Golden Shield Fern | HP | 1.21 | G4 | 6 | 7-9A | | | 6 |
| <i>Dryopteris affinis</i> 'Crispa' Crispa Golden Shield Fern | HP | 1.04 | G4 | | 7-9A | | | 7 |
| <i>Dryopteris arguta</i> Coastal Wood Fern | HP | 1.08 | G4 | | 7-9A | | | 7 |
| <i>Dryopteris atrata</i> Shaggy Shield Fern | HP | 1.15 | G4 | | 7-9A | | | 5 |
| <i>Dryopteris austriaca</i> var. <i>spinulosa</i> Toothed Wood Fern | HP | 1.00 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Dryopteris carthusiana</i> Narrow Buckler Toothed Wood Fern | HP | 1.06 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Dryopteris celsa</i> Log Fern | HP | 1.02 | G4 | 6 | 7-9A | | | 4 |
| <i>Dryopteris cristata</i> Crested Wood Fern | HP | 1.01 | G4 | 4-6 | 7-9A | | | 6 |
| <i>Dryopteris cyadina</i> No Common Name Found | HP | 1.08 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Dryopteris dilatata</i> Spreading Wood Fern | HP | 1.17 | G4 | 8 | 9A-11 | | | 8 |
| <i>Dryopteris dilatata</i> 'Lepidota Cristata' Lepidota Cristata Spreading Wood Fern | HP | 1.08 | G4 | 3-6 | 7-8 | | | 2 |
| <i>Dryopteris erythrosora</i> Japanese Shield Fern | HP | 1.01 | G4 | 3-6 | 7-8 | | | 2 |
| <i>Dryopteris filix-mas</i> Male Fern | HP | 1.10 | G4 | 3-6 | 7-8 | | | 2 |
| <i>Dryopteris filix-mas</i> 'Linearis' Linearis Male Fern | HP | 1.12 | G4 | 3-6 | 7-8 | | | 3 |
| <i>Dryopteris filix-mas</i> 'Undulata Robusta' Undulata Robusta Male Fern | HP | 1.12 | G4 | 3-6 | 7-8 | | | 3 |
| <i>Dryopteris goldiana</i> Goldie's Fern | HP | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Dryopteris linnaeana</i> | | | | | | | | |
| See - <i>Gymnocarpium dryopteris</i> | | | | | | | | |
| <i>Dryopteris ludoviciana</i> | HP | 0.98 | G4 | 8 | 9A-11 | | | 8 |
| Southern Wood Fern | | | | | | | | |
| <i>Dryopteris marginalis</i> | HP | 1.07 | G4 | 4-6 | 7-8 | | | 4 |
| Leatherwood Fern | | | | | | | | |
| <i>Dryopteris normalis</i> | | | | | | | | |
| See - <i>Thelypteris normalis</i> | | | | | | | | |
| <i>Dryopteris spinulosa</i> | | | | | | | | |
| See - <i>Dryopteris austriaca</i> var. <i>spinulosa</i> | | | | | | | | |
| <i>Dryopteris thelypteris</i> | | | | | | | | |
| See - <i>Thelypteris palustris</i> | | | | | | | | |
| <i>Dryopteris wallichiana</i> | HP | 0.97 | G4 | 4-6 | 7-8 | | | 6 |
| Wallich's Wood Fern | | | | | | | | |
| <i>Duchesnea indica</i> | HP | 1.23 | G4 | | 4-8 | | | 6 |
| Indian Mock Strawberry | | | | | | | | |
| <i>Duchesnea major</i> | HP | 0.68 | G4 | 6 | 7-8 | | | 6 |
| False Strawberry | | | | | | | | |
| <i>Dudleya brittonii</i> | HP | 0.82 | G4 | | 8-9B | | | 8 |
| No Common Name Found | | | | | | | | |
| <i>Dudleya cymosa</i> | HP | 1.00 | G4 | | 8-9B | | | 8 |
| No Common Name Found | | | | | | | | |
| <i>Dudleya pulverulenta</i> | HP | 1.00 | G4 | | 8-9B | | | 8 |
| Chalk Lettuce | | | | | | | | |
| <i>Duranta erecta</i> | BS | 0.66 | G1 | 9B | 10A-11 | | 1.00 | 9 |
| Golden Dewdrop | | | | | | | | |
| <i>Duranta repens</i> | | | | | | | | |
| See - <i>Duranta erecta</i> | | | | | | | | |
| <i>Dymondia margaretae</i> | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Dypsis cabadae</i> | BE | 1.31 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Cabada Palm | | | | | | | | |
| <i>Dypsis decaryi</i> | BE | 1.22 | G1 | 10A | 10B-11 | 1.00 | 1.02 | 10 |
| Triangle Palm | | | | | | | | |
| <i>Dypsis lastelliana</i> | BE | 1.45 | G1 | 10A | 10B-11 | 1.00 | 1.07 | 10 |
| Teddy Bear Palm | | | | | | | | |
| <i>Dypsis lucubensis</i> | | | | | | | | |
| See - <i>Dypsis madagascariensis</i> var. <i>lucubensis</i> | | | | | | | | |
| <i>Dypsis lutescens</i> | BE | 0.96 | G3 | 8-10A | 10B-11 | 1.00 | 0.77 | 10 |
| Yellow Butterfly Palm | | | | | | | | |
| <i>Dypsis madagascariensis</i> | BE | 3.20 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Dypsis madagascariensis</i> var. <i>lucubensis</i> | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Lucubensis Palm | | | | | | | | |
| <i>Dypsis pinnatifrons</i> | BE | 4.97 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Dyschoriste oblongifolia</i> | HP | 0.89 | G1 | 10A | 10B-11 | | | 10 |
| Twinflower | | | | | | | | |
| <i>Dyssodia tenuiloba</i> | | | | | | | | |
| See - <i>Thymophylla tenuiloba</i> | | | | | | | | |
| <i>Echinacea angustifolia</i> | HP | 0.91 | G1 | 3-8 | 9A-10A | | | 3 |
| Western Purple Coneflower | | | | | | | | |
| <i>Echinacea pallida</i> | HP | 0.98 | G1 | 5-8 | 9A-10A | | | 5 |
| Pale Coneflower | | | | | | | | |
| <i>Echinacea paradoxa</i> | HP | 0.92 | G1 | 5-8 | 9A-10A | | | 4 |
| Yellow Coneflower | | | | | | | | |
| <i>Echinacea purpurea</i> | HP | 0.94 | G1 | 9 | 10A | | | 3 |
| Purple Coneflower | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Echinacea purpurea</i> 'Alba' White Purple Coneflower | HP | 0.94 | G1 | 9 | 10A | | | 3 |
| <i>Echinacea purpurea</i> 'Bravado' Bravado Purple Coneflower | HP | 0.95 | G1 | 9 | 10A | | | 3 |
| <i>Echinacea purpurea</i> 'Bright Star' Bright Star Purple Coneflower | HP | 0.92 | G1 | 9 | 10A | | | 3 |
| <i>Echinacea purpurea</i> 'Magnus' Magnus Purple Coneflower | HP | 0.94 | G1 | 9 | 10A | | | 3 |
| <i>Echinacea purpurea</i> 'Springbrook's Crimson Star' Springbrook's Crimson Star Purple Coneflower | HP | 1.25 | G1 | 9 | 10A | | | 3 |
| <i>Echinacea purpurea</i> 'The King' The King Purple Coneflower | HP | 1.36 | G1 | 9 | 10A | | | 3 |
| <i>Echinacea purpurea</i> 'White Lustre' White Lustre Purple Coneflower | HP | 0.91 | G1 | 9 | 10A | | | 3 |
| <i>Echinacea purpurea</i> 'White Swan' White Swan Purple Coneflower | HP | 0.91 | G1 | 9 | 10A | | | 3 |
| <i>Echinacea tennesseensis</i> Tennessee Coneflower | HP | 1.00 | G1 | 9 | 10A | | | 3 |
| <i>Echinocactus grusoni</i> Golden Barrel Cactus | FO | 1.10 | G3 | 1-9B | 10A-11 | | | 9 |
| <i>Echinops ritro</i> Globe Thistle | HP | 1.08 | G4 | 4-6 | 7-9A | | | 3 |
| <i>Echinops ritro</i> 'Blue Glow' Blue Glow Globe Thistle | HP | 0.90 | G4 | | 3-9A | | | 3 |
| <i>Echinops ritro</i> 'Taplow Blue' Taplow Blue Globe Thistle | HP | 1.23 | G4 | | 3-9A | | | 3 |
| <i>Echinops ritro</i> 'Taplow Purple' Taplow Purple Globe Thistle | HP | 1.14 | G4 | 4-6 | 7-9A | | | 3 |
| <i>Echinops ritro</i> 'Veitchii's Blue' Veitchii's Blue Globe Thistle | HP | 1.22 | G4 | 4-6 | 7-9A | | | 3 |
| <i>Echinopsis aurea</i> No Common Name Found | HP | 1.00 | G3 | 1-9B | 10A-11 | | | 9 |
| <i>Echinopsis eyriesii</i> No Common Name Found | HP | 1.00 | G3 | 1-9B | 10A-11 | | | 9 |
| <i>Echinopsis kuehnrichii</i> No Common Name Found | FO | 1.00 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Echium</i> Bugloss | HP | 0.82 | G2 | | 9A-10A | | | 9 |
| <i>Echium</i> 'Purple Tower' Purple Tower Echium | HP | 0.82 | G2 | | 9A-10A | | | 9 |
| <i>Echium candicans</i> Pride of Madeira | HP | 0.81 | G2 | | 9A-10A | | | 9 |
| <i>Echium fastuosum</i> See - <i>Echium candicans</i> | HP | 0.82 | G2 | | 9A-10A | | | 9 |
| <i>Echium pininana</i> No Common Name Found | HP | 0.82 | G2 | | 9A-10A | | | 9 |
| <i>Echium wildpretii</i> Tower of Jewels | HP | 0.82 | G2 | | 9A-10A | | | 9 |
| <i>Edraianthus graminifolius</i> No Common Name Found | HP | 0.93 | G4 | 8 | 9 | | | 8 |
| <i>Edraianthus pumilio</i> No Common Name Found | HP | 1.00 | G4 | 6-7 | 8-9B | | | 6 |
| <i>Ehretia microphylla</i> See - <i>Carmona retusa</i> | HP | 1.00 | G1 | | 10A-11 | | | 10 |
| <i>Eichhornia crassipes</i> Water Hyacinth | HP | 1.00 | G1 | | 10A-11 | | | 10 |
| <i>Elaeagnus angustifolia</i> Russian Olive | BS | 0.77 | G1 | 2-6 | 7-10A | | 0.37 | 2 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Elaeagnus angustifolia</i> 'Red King' Red King Russian Olive | BS | 0.57 | G1 | 2-6 | 7-10A | | 0.37 | 2 |
| <i>Elaeagnus commutata</i> Silverberry | BS | 0.67 | G1 | 2-6 | 7-10A | | 1.00 | 2 |
| <i>Elaeagnus x ebbingei</i> Ebbinge's Silverberry | BS | 0.76 | G1 | 6 | 7-9B | | 0.80 | 6 |
| <i>Elaeagnus x ebbingei</i> 'Gilt Edge' Gilt Edge Ebbinge's Silverberry | BS | 0.85 | G1 | 6 | 7-9B | | 0.80 | 6 |
| <i>Elaeagnus latifolia</i> Oleaster | BS | 0.66 | G1 | | 9A-10A | | 1.00 | 9 |
| <i>Elaeagnus macrophylla</i> No Common Name Found | BS | 0.68 | G1 | 8 | 9A-10A | | 1.00 | 8 |
| <i>Elaeagnus philippinensis</i> No Common Name Found | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Elaeagnus pungens</i> Thorny Oleaster | BS | 0.66 | G1 | | 7-10A | | 0.38 | 7 |
| <i>Elaeagnus pungens</i> 'Fruitlandii' Fruitland Thorny Oleaster | BS | 0.77 | G1 | | 7-10A | | 0.96 | 7 |
| <i>Elaeagnus pungens</i> 'Reflexa' Reflexa Thorny Oleaster | BS | 0.66 | G1 | | 7-10A | | 0.38 | 7 |
| <i>Elaeagnus pungens</i> 'Simonii' Simon Thorny Oleaster | BS | 0.83 | G1 | | 7-10A | | 0.38 | 7 |
| <i>Elaeagnus pungens</i> 'Variegata' Variegated Thorny Oleaster | BS | 0.93 | G1 | | 7-10A | | 0.38 | 7 |
| <i>Elaeagnus umbellata</i> Autumn Olive | BS | 0.53 | G1 | 3-6 | 7-10A | | 0.34 | 3 |
| <i>Elaeagnus umbellata</i> 'Cardinal' Cardinal Autumn Olive | BS | 0.84 | G1 | 3-6 | 7-10A | | 0.40 | 3 |
| <i>Elaeagnus umbellata</i> 'Guardian' Guardian Autumn Olive | BS | 0.53 | G1 | 3-6 | 7-10A | | 0.34 | 3 |
| <i>Elaeagnus umbellata</i> 'Titan' See - <i>Elaeagnus umbellata</i> 'Tizam' P.P. 7750 | BS | 0.53 | G1 | 3-6 | 7-10A | | 0.34 | 3 |
| <i>Elaeagnus umbellata</i> 'Tizam' P.P. 7750 Titan® Autumn Olive | BS | 0.53 | G1 | 3-6 | 7-10A | | 0.34 | 3 |
| <i>Elaeis guineensis</i> African Oil Palm | BE | 1.00 | G2 | 10A | 10B-11 | 1.00 | 1.32 | 10 |
| <i>Elaeis oleifera</i> American Oil Palm | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Elaeocarpus decipiens</i> Japanese Blueberry Tree | BE | 1.39 | G1 | 10A | 10B-11 | 2.55 | 2.10 | 7 |
| <i>Eleocharis cellulosa</i> Spike Rush | HP | 1.09 | G4 | | 10A-11 | | | 10A |
| <i>Eleocharis palustris</i> Creeping Spike Rush | HP | 1.00 | G4 | | 10A-11 | | | 7 |
| <i>Elettaria cardamomum</i> Cardamom | HP | 1.04 | G4 | 10A | 10B-11 | | | 10 |
| <i>Eleutherococcus sieboldianus</i> Fiveleaf Aralia | FO | 0.51 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Eleutherococcus sieboldianus</i> 'Variegatus' Variegated Fiveleaf Aralia | FO | 0.56 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Elsholtzia stauntonii</i> Mint Shrub | BS | 1.93 | G4 | | 7-8 | | 1.00 | 4 |
| <i>Elymus arenarius</i> See - <i>Leymus arenarius</i> | HP | 1.00 | G4 | | 3-8 | | | 3 |
| <i>Elymus canadensis</i> Canada Wild Rye | HP | 1.00 | G4 | | | | | |
| <i>Elymus condensatus</i> See - <i>Leymus condensatus</i> | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Elymus glaucus</i> | | | | | | | | |
| See - <i>Leymus secalinus</i> | | | | | | | | |
| <i>Elymus magellanicus</i> | HP | 1.62 | G4 | | 5-8 | | | 8 |
| Blue Wheat Grass | | | | | | | | |
| <i>Elymus mollis</i> | | | | | | | | |
| See - <i>Leymus mollis</i> | | | | | | | | |
| <i>Elymus racemosus</i> | | | | | | | | |
| See - <i>Leymus racemosus</i> | | | | | | | | |
| <i>Elymus sibiricus</i> | HP | 1.00 | G4 | | 5-8 | | | 5 |
| Siberian Wild Rye | | | | | | | | |
| <i>Elymus virginicus</i> | HP | 1.00 | G1 | | 3-8 | | | 3 |
| Virginia Wild Rye | | | | | | | | |
| <i>Empetrum nigrum</i> | BS | 1.64 | G1 | 3-8 | 9A-10A | | | 1.00 |
| Black Crowberry | | | | | | | | |
| <i>Encelia californica</i> | HP | 1.00 | G2 | | 8-9A | | | 8 |
| California Encelia | | | | | | | | |
| <i>Encelia farinosa</i> | BS | 0.72 | G2 | | 8-9A | | | 1.00 |
| Brittlebush | | | | | | | | |
| <i>Encephalartos ferox</i> | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 |
| No Common Name Found | | | | | | | | |
| <i>Encyclia ceratistes</i> | FO | 1.00 | G1 | | 10A-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Encyclia chiapasensis</i> | FO | 1.35 | G1 | | 10A-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Encyclia fragrans</i> | FO | 1.63 | G1 | | 10A-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Encyclia garcianum</i> | FO | 1.63 | G1 | | 10A-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Encyclia prismatocarpa</i> | FO | 2.03 | G1 | | 10A-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Encyclia radiata</i> | FO | 1.19 | G1 | | 10A-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Encyclia tampensis</i> | FO | 1.63 | G1 | | 10A-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Encyclia vespa</i> | FO | 0.81 | G1 | | 10A-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Enkianthus campanulatus</i> | BS | 1.07 | G1 | 5-8 | 9A-10A | | | 0.90 |
| Redvein Enkianthus | | | | | | | | |
| <i>Enkianthus campanulatus</i> 'Red Bells' | BS | 1.15 | G1 | 5-8 | 9A-10A | | | 0.96 |
| Red Bells Redvein Enkianthus | | | | | | | | |
| <i>Enkianthus campanulatus</i> var. <i>palibinii</i> | BS | 1.40 | G1 | 5-8 | 9A-10A | | | 1.00 |
| Palibin Redvein Enkianthus | | | | | | | | |
| <i>Ensete ventricosum</i> | FN | 0.80 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Abyssinian Banana | | | | | | | | |
| <i>Ensete ventricosum</i> 'Maurelli' | FN | 1.06 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Red-Leaved Banana | | | | | | | | |
| <i>Enterolobium contortisiliqua</i> | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Enterolobium cyclocarpum</i> | DT | 1.17 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| Elephant's Ear | | | | | | | | |
| <i>Enterolobium timbouva</i> | | | | | | | | |
| See - <i>Enterolobium contortisiliqua</i> | | | | | | | | |
| <i>Epacris gunnii</i> | BS | 0.94 | G2 | | 9A-10A | | | 1.00 |
| No Common Name Found | | | | | | | | |
| <i>Epidendrum</i> | FO | 0.80 | G3 | 1-9B | 10A-11 | | | 10 |
| Hybrid Epidendrum Orchid | | | | | | | | |
| <i>Epidendrum eburneum</i> | FO | 2.03 | G3 | 1-9B | 10A-11 | | | 10 |
| No Common Name Found | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|---------|-------------|----------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Epidendrum hokulea</i> No Common Name Found | FO | 1.22 | G3 | 1-9B | 10A-11 | | | 10 |
| <i>Epidendrum ibaguense</i> Reed Stem Orchid | FO | 0.68 | G3 | 1-9B | 10A-11 | | | 10 |
| <i>Epidendrum ilense</i> No Common Name Found | FO | 2.96 | G3 | 1-9B | 10A-11 | | | 10 |
| <i>Epidendrum leucocardium</i> See - <i>Epidendrum eburneum</i> | FO | 0.88 | G3 | 1-9B | 10A-11 | | | 10 |
| <i>Epidendrum x obrienianum</i> O'Brien Orchid | FO | 2.71 | G3 | 1-9B | 10A-11 | | | 10 |
| <i>Epidendrum pfavii</i> No Common Name Found | | | | | | | | |
| <i>Epidendrum pristmatocarpum</i> See - <i>Encyclia pristmatocarpa</i> | | | | | | | | |
| <i>Epidendrum pseudowallisii</i> See - <i>Oerstedella pseudowallisii</i> | | | | | | | | |
| <i>Epidendrum schumannianum</i> See - <i>Oerstedella schumanniana</i> | | | | | | | | |
| <i>Epidendrum schweinfurthianum</i> See - <i>Oerstedella schweinfurthiana</i> | | | | | | | | |
| <i>Epidendrum secundum</i> No Common Name Found | FO | 1.08 | G3 | 1-9B | 10A-11 | | | 10 |
| <i>Epidendrum tampense</i> See - <i>Encyclia tampensis</i> | FO | 1.63 | G3 | 1-9B | 10A-11 | | | 10 |
| <i>Epidendrum violascens</i> No Common Name Found | | | | | | | | |
| <i>Epidendrum wallisii</i> See - <i>Oerstedella wallisii</i> | | | | | | | | |
| <i>Epigeneium cymbidioides</i> No Common Name Found | FO | 1.78 | G1 | | 10A-11 | | | 10 |
| <i>Epilobium angustifolium</i> Great Willow Herb | HP | 1.00 | G4 | | 8-9B | | | 3 |
| <i>Epilobium angustifolium</i> 'Roseum' Roseum Great Willow Herb | HP | 1.00 | G4 | | 8-9B | | | 3 |
| <i>Epilobium canum</i> ssp. <i>canum</i> California Fuchsia | HP | 0.99 | G4 | | 8-9B | | | 8 |
| <i>Epilobium canum</i> ssp. <i>canum</i> 'Solidarity Pink' Solidarity Pink California Fuchsia | HP | 0.97 | G4 | | 8-9B | | | 8 |
| <i>Epilobium canum</i> ssp. <i>latifolium</i> No Common Name Found | HP | 0.83 | G4 | | 8-9B | | | 8 |
| <i>Epilobium septentrionale</i> Humboldt County Fuchsia | HP | 0.97 | G4 | | 8-9B | | | 8 |
| <i>Epimedium alpinum</i> Alpine Barrenwort | HP | 1.33 | G4 | | 5-9A | | | 5 |
| <i>Epimedium alpinum</i> 'Rubrum' Red Alpine Barrenwort | HP | 1.33 | G4 | | 5-9A | | | 5 |
| <i>Epimedium x cantabrigiense</i> No Common Name Found | HP | 1.42 | G4 | | 5-9A | | | 5 |
| <i>Epimedium grandiflorum</i> Longspur Barrenwort | HP | 1.18 | G4 | | 5-9A | | | 5 |
| <i>Epimedium grandiflorum</i> 'Album' White Longspur Barrenwort | HP | 1.52 | G4 | | 5-9A | | | 5 |
| <i>Epimedium grandiflorum</i> 'Lilafée' Lilafée Longspur Barrenwort | HP | 1.54 | G4 | | 5-9A | | | 5 |
| <i>Epimedium grandiflorum</i> 'Rose Queen' Rose Queen Longspur Barrenwort | HP | 1.80 | G4 | | 5-9A | | | 5 |
| <i>Epimedium grandiflorum</i> 'White Queen' White Queen Longspur Barrenwort | HP | 1.59 | G4 | | 5-9A | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|-------------|---------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | |
| <i>Epimedium macranthum</i> | | | | | | | |
| See - <i>Epimedium grandiflorum</i> | | | | | | | |
| <i>Epimedium x perralchicum</i> | HP | 1.96 | G4 | | 8-10A | | 8 |
| No Common Name Found | | | | | | | |
| <i>Epimedium x perralchicum 'Frohnleiten'</i> | HP | 1.96 | G4 | | 8-10A | | 8 |
| Frohnleiten Barrenwort | | | | | | | |
| <i>Epimedium perralderanum</i> | HP | 1.00 | G4 | | 7-10A | | 7 |
| No Common Name Found | | | | | | | |
| <i>Epimedium pinnatum</i> | HP | 1.11 | G4 | | 6-9A | | 6 |
| Persian Barrenwort | | | | | | | |
| <i>Epimedium pinnatum</i> ssp. <i>colchicum</i> | HP | 1.46 | G4 | | 6-9A | | 6 |
| No Common Name Found | | | | | | | |
| <i>Epimedium pubigerum</i> | HP | 1.56 | G4 | | 5-9B | | 5 |
| No Common Name Found | | | | | | | |
| <i>Epimedium x rubrum</i> | HP | 1.64 | G4 | | 4-8 | | 5 |
| Red Barrenwort | | | | | | | |
| <i>Epimedium x versicolor</i> | HP | 1.55 | G4 | | 5-9A | | 5 |
| Bicolor Barrenwort | | | | | | | |
| <i>Epimedium x versicolor 'Sulphureum'</i> | HP | 1.55 | G4 | | 5-9A | | 5 |
| Yellow Bicolor Barrenwort | | | | | | | |
| <i>Epimedium x warlayense</i> | HP | 1.11 | G4 | | 5-9A | | 5 |
| Warlayense Barrenwort | | | | | | | |
| <i>Epimedium x youngianum</i> | HP | 1.66 | G4 | | 5-9A | | 5 |
| Young's Barrenwort | | | | | | | |
| <i>Epimedium x youngianum 'Niveum'</i> | HP | 1.67 | G4 | | 5-9A | | 5 |
| White Young's Barrenwort | | | | | | | |
| <i>Epipremnum aureum</i> | FO | 0.52 | G3 | 8-10A | 10B-11 | | 10 |
| Golden Pothos | | | | | | | |
| <i>Epipremnum aureum 'Jade'</i> | FO | 0.47 | G3 | 8-10A | 10B-11 | | 10 |
| Jade Golden Pothos | | | | | | | |
| <i>Epipremnum aureum 'Marble Queen'</i> | FO | 0.42 | G3 | 8-10A | 10B-11 | | 10 |
| Marble Queen Golden Pothos | | | | | | | |
| <i>Epipremnum aureum 'Wilcoxii'</i> | FO | 0.59 | G3 | 8-10A | 10B-11 | | 10 |
| Wilcox Golden Pothos | | | | | | | |
| <i>Epipremnum pinnatum</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 10 |
| No Common Name Found | | | | | | | |
| <i>Episcia cupreata</i> | FO | 1.00 | G3 | 8-10B | 11 | | 10 |
| Flame Violet | | | | | | | |
| <i>Episcia cupreata 'Silver Sheen'</i> | FO | 1.00 | G3 | 8-10B | 11 | | 10 |
| Silver Sheen Flame Violet | | | | | | | |
| <i>Epithelantha micromeris</i> | FO | 1.00 | G3 | 8-9B | 10A-11 | | 9 |
| Button Cactus | | | | | | | |
| <i>Equisetum hyemale</i> | HP | 0.94 | G4 | 5-6 | 7-10B | | 5 |
| Dutch Rush | | | | | | | |
| <i>Equisetum hyemale</i> var. <i>affine</i> | HP | 0.84 | G4 | 5-6 | 7-10B | | 5 |
| No Common Name Found | | | | | | | |
| <i>Equisetum hyemale</i> var. <i>robustum</i> | HP | 1.63 | G4 | 5-6 | 7-10B | | 5 |
| Robust Dutch Rush | | | | | | | |
| <i>Equisetum scirpoides</i> | HP | 1.28 | G4 | 2-6 | 7-10A | | 2 |
| Dwarf Scouring Rush | | | | | | | |
| <i>Eragrostis spectabilis</i> | HP | 0.97 | G4 | 6-8 | 9A-10A | | 6 |
| Purple Love Grass | | | | | | | |
| <i>Eragrostis trichodes</i> | HP | 1.01 | G4 | | 9A-10A | | 9 |
| Sand Love Grass | | | | | | | |
| <i>Eragrostis trichodes</i> 'Bend' | HP | 0.86 | G4 | | 9A-10A | | 9 |
| Bend Sand Love Grass | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Eranthemum pulchellum</i> Blue Sage | BS | 0.85 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Eremophila maculata</i> Spotted Emu Bush | BS | 0.58 | G1 | | 9A-10B | | | 1.00 9 |
| <i>Eremurus x isabellinus</i> Shelford Foxtail Lily | HP | 1.00 | G4 | 7-8 | 9A | | | 5 |
| <i>Eremurus robustus</i> Giant Desert Candle | HP | 1.00 | G4 | 6-8 | 9A-10A | | | 6 |
| <i>Eremurus stenophyllum</i> Bunge Desert Candle | HP | 1.00 | G4 | 7-8 | 9A | | | 5 |
| <i>Erianthus contortus</i> See - <i>Saccharum contortum</i> | | | | | | | | |
| <i>Erianthus ravennae</i> See - <i>Saccharum ravennae</i> | | | | | | | | |
| <i>Erianthus strictus</i> See - <i>Saccharum strictum</i> | | | | | | | | |
| <i>Erica carnea</i> Winter Heather | BS | 0.93 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica carnea</i> 'December Red' December Red Winter Heather | BS | 0.91 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica carnea</i> 'Loughrigg' Loughrigg Winter Heather | BS | 0.89 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica carnea</i> 'Myretoun Ruby' Myretoun Ruby Winter Heather | BS | 1.01 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica carnea</i> 'Pink Spangles' Pink Spangles Winter Heather | BS | 1.00 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica carnea</i> 'Ruby Glow' Ruby Glow Winter Heather | BS | 0.93 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica carnea</i> 'Springwood Pink' Springwood Pink Winter Heather | BS | 1.00 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica carnea</i> 'Springwood White' Springwood White Winter Heather | BS | 0.89 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica carnea</i> 'Vivellii' Vivellii Winter Heather | BS | 0.91 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica carnea</i> 'Winter Beauty' Winter Beauty Winter Heather | BS | 1.05 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica cinerea</i> Twisted Heather | BS | 0.91 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica cinerea</i> 'Atropurpurea' Purple Twisted Heather | BS | 1.05 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica cinerea</i> 'Atrosanguinea' Atrosanguinea Twisted Heather | BS | 1.03 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica cinerea</i> 'C.D. Eason' C.D. Eason Twisted Heather | BS | 0.98 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica cinerea</i> 'Golden Sport' Golden Sport Twisted Heather | BS | 0.91 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica cinerea</i> 'P.S. Patrick' P.S. Patrick Twisted Heather | BS | 0.91 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica cinerea</i> 'Purple Beauty' Purple Beauty Twisted Heather | BS | 1.02 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica cinerea</i> 'Purple Bell' Purple Bell Twisted Heather | BS | 1.03 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica cinerea</i> 'Rosea' Rosea Twisted Heather | BS | 0.91 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica cinerea</i> 'Vivienne Patricia' Vivienne Patricia Twisted Heather | BS | 0.91 | G1 | 5-6 | 7-9A | | | 1.00 5 |
| <i>Erica x darleyensis</i> Darley Heather | BS | 0.99 | G1 | 6 | 7-9A | | | 1.00 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|---------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors | |
| | | | | | | | | |
| <i>Erica x darleyensis</i> 'Arthur Johnson' Arthur Johnson Heather | BS | 1.01 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Erica x darleyensis</i> 'Darley Dale' Darley Dale Heather | BS | 0.75 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Erica x darleyensis</i> 'Furzey' Furzey Heather | BS | 0.89 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Erica x darleyensis</i> 'George Rendall' George Rendall Heather | BS | 0.99 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Erica x darleyensis</i> 'Ghost Hills' Ghost Hills Heather | BS | 1.01 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Erica x darleyensis</i> 'Margaret Porter' Margaret Porter Heather | BS | 0.88 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Erica x darleyensis</i> 'Mediterranean Pink' Mediterranean Pink Heather | BS | 0.98 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Erica x darleyensis</i> 'Mediterranean White' Mediterranean White Heather | BS | 0.99 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Erica x darleyensis</i> 'Silberschmelze' Silberschmelze Heather | BS | 1.06 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Erica erigena</i> Irish Heath | BS | 0.93 | G2 | | 8-10A | | 1.00 | 8 |
| <i>Erica erigena</i> 'Brightness' Brightness Heather | BS | 1.08 | G2 | | 8-10A | | 1.00 | 8 |
| <i>Erica mammosa</i> Cape Heath | BS | 0.87 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Erica x stuartii</i> No Common Name Found | BS | 0.86 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Erica x stuartii</i> 'Irish Lemon' Irish Lemon Heather | BS | 0.86 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Erica tetralix</i> Cross-leaved Heather | BS | 1.03 | G1 | 3-6 | 7-9A | | 1.00 | 3 |
| <i>Erica tetralix</i> 'Alba' White Cross-leaved Heather | BS | 1.03 | G1 | 3-6 | 7-9A | | 1.00 | 3 |
| <i>Erica tetralix</i> 'George Fraser' George Fraser Cross-leaved Heather | BS | 0.94 | G1 | 3-6 | 7-9A | | 1.00 | 3 |
| <i>Erica vagans</i> Cornish Heather | BS | 0.93 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Erica vagans</i> 'Hookstone Pink' Hookstone Pink Cornish Heather | BS | 0.93 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Erica vagans</i> 'Lyonesse' Lyonesse Cornish Heather | BS | 1.03 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Erica vagans</i> 'Maxwell White' Maxwell White Cornish Heather | BS | 0.93 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Erica vagans</i> 'Miss Waterer' Miss Waterer Cornish Heather | BS | 0.93 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Erica vagans</i> 'Mrs. D.F. Maxwell' Mrs. D.F. Maxwell Cornish Heather | BS | 1.10 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Erica vagans</i> 'St. Keverne' St. Keverne Cornish Heather | BS | 1.03 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Erica x watsonii</i> Watson Heather | BS | 0.89 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Erica x watsonii</i> 'Dawn' Dawn Watson Heather | BS | 0.89 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Erica x williamsii</i> Williams Heather | BS | 0.99 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Erigeron aurantiacus</i> Fleabane | HP | 1.28 | G4 | | 6-9B | | | 6 |
| <i>Erigeron formosissimus</i> No Common Name Found | HP | 0.93 | G4 | | 6-9B | | | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Erigeron glaucus</i> Beach Aster | HP | 0.82 | G4 | | 4-9A | | | 3 |
| <i>Erigeron glaucus</i> 'Arthur Menzies' Arthur Menzies Beach Aster | HP | 0.93 | G4 | | 4-9A | | | 3 |
| <i>Erigeron karvinskianus</i> Mexican Daisy | HP | 0.82 | G4 | | 7-9B | | | 7 |
| <i>Erigeron karvinskianus</i> var. <i>moorheimii</i> Moorheim Mexican Daisy | HP | 0.93 | G4 | | 7-9B | | | 7 |
| <i>Erigeron speciosus</i> Daisy Fleabane | HP | 0.87 | G4 | | 4-10A | | | 3 |
| <i>Erigeron speciosus</i> 'Azure Fairy' Azure Fairy Daisy Fleabane | HP | 0.81 | G4 | | 4-10A | | | 3 |
| <i>Erigeron speciosus</i> 'Darkest of All' Darkest of All | HP | 1.00 | G4 | | 4-10A | | | 3 |
| <i>Erigeron speciosus</i> 'Flore Pleno' Flore Pleno Daisy Fleabane | HP | 0.81 | G4 | | 4-10A | | | 3 |
| <i>Erigeron speciosus</i> 'Foerster's Leibling' Foerster's Leibling Daily Fleabane | HP | 1.08 | G4 | | 4-10A | | | 3 |
| <i>Erigeron speciosus</i> 'Pink Jewel' Pink Jewel Daisy Fleabane | HP | 0.81 | G4 | | 4-10A | | | 3 |
| <i>Erigeron speciosus</i> 'Prosperity' Prosperity Daisy Fleabane | HP | 0.97 | G4 | | 4-10A | | | 3 |
| <i>Erigeron speciosus</i> 'Rosa Jewel' Rosa Jewel Daisy Fleabane | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Erigeron speciosus</i> 'Rosea' Pink Daisy Fleabane | HP | 0.81 | G4 | | 4-10A | | | 3 |
| <i>Erinus alpinus</i> Alpine Liverbalsam | HP | 0.86 | G1 | 6-8 | 9A-10A | | | 6 |
| <i>Eriobotrya</i> Hybrid Loquat | BE | 0.88 | G1 | 9A | 9B-11 | 1.00 | 1.00 | 8 |
| <i>Eriobotrya</i> 'Coppertone' P.P. 4245 Coppertone™ Loquat | BE | 0.88 | G1 | 9A | 9B-11 | 1.00 | 1.00 | 8 |
| <i>Eriobotrya deflexa</i> Bronze Loquat | BE | 0.68 | G1 | 9A | 9B-11 | 1.00 | 1.00 | 8 |
| <i>Eriobotrya japonica</i> Loquat | BE | 0.69 | G1 | 8 | 9A-11 | 1.00 | 0.81 | 7 |
| <i>Eriobotrya japonica</i> 'Gold Nugget' Gold Nugget Loquat | BE | 0.69 | G1 | 8 | 9A-11 | 1.00 | 0.81 | 7 |
| <i>Eriogonum arborescens</i> Shrubby Buckwheat | BS | 0.81 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Eriogonum crocatum</i> Saffron Buckwheat | HP | 0.82 | G4 | | 9A-10A | | | 9 |
| <i>Eriogonum fasciculatum</i> California Buckwheat | BS | 0.81 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Eriogonum fasciculatum</i> 'Dana Point' Dana Point California Buckwheat | BS | 0.81 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Eriogonum giganteum</i> St. Catherine's Lace | BS | 0.81 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Eriogonum latifolium</i> No Common Name Found | HP | 1.00 | G4 | | 8-10A | | | 8 |
| <i>Eriogonum latifolium</i> var. <i>rubescens</i> Red Buckwheat | HP | 0.82 | G4 | | 8-10A | | | 8 |
| <i>Eriogonum umbellatum</i> Sulphur Flower | HP | 0.89 | G4 | | 7-9B | | | 7 |
| <i>Eriophyllum lanatum</i> Woolly Eriophyllum | HP | 0.93 | G4 | | 5-8 | | | 5 |
| <i>Eriophyllum nevinii</i> Woolly Sunflower | HP | 1.00 | G4 | | 8-9B | | | 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Eriophyllum stoechadifolium</i> Lizard-Tail | HP | 1.00 | G4 | | 8-9B | | | 8 |
| <i>Ernodea littoralis</i> Golden Creeper | GC | 0.83 | G1 | | 10A-11 | | 1.00 | 10B |
| <i>Erodium chamaedryoides</i> See - <i>Erodium reichardii</i> | HP | 0.99 | G4 | | 7-9B | | | 7 |
| <i>Erodium chrysanthum</i> No Common Name Found | HP | 0.86 | G4 | | 8-10B | | 1.00 | 8 |
| <i>Erodium corsicum</i> Heron's Bill | HP | 0.86 | G4 | | 8-10B | | 1.00 | 8 |
| <i>Erodium corsicum</i> 'Album' White Heron's Bill | HP | 0.90 | G4 | | 7-9B | | 1.00 | 7 |
| <i>Erodium reichardii</i> Alpine Geranium | HP | 0.92 | G4 | | 7-9B | | 1.00 | 7 |
| <i>Erodium reichardii</i> 'Bishop's Form' Bishop's Form Alpine Geranium | HP | 1.02 | G4 | | 7-9B | | 1.00 | 7 |
| <i>Eruca sativa</i> Edible Arugula | AN | 0.83 | G1 | 7-9 | 10A-11 | | 1.00 | 7 |
| <i>Eruca vesicaria</i> Annual Arugula | AN | 0.97 | G1 | 7-9 | 10A-11 | | 1.00 | 7 |
| <i>Ervatamia divaricata</i> See - <i>Tabernaemontana divaricata</i> | HP | 0.91 | G4 | | 7-9B | | 1.00 | 7 |
| <i>Eryngium agavifolium</i> Bluetop Sea Holly | HP | 1.24 | G4 | | 4-8 | | 1.00 | 4 |
| <i>Eryngium alpinum</i> Alpine Sea Holly | HP | 1.24 | G4 | | 4-8 | | 1.00 | 4 |
| <i>Eryngium alpinum</i> 'Blue Star' Blue Star Alpine Sea Holly | HP | 0.77 | G4 | | 4-8 | | 1.00 | 2 |
| <i>Eryngium amethystinum</i> Amethyst Sea Holly | HP | 0.79 | G4 | | 4-8 | | 1.00 | 4 |
| <i>Eryngium aquaticum</i> Powder Blue Snakeroot | HP | 1.44 | G4 | | 5-8 | | 1.00 | 5 |
| <i>Eryngium bourgatii</i> Mediterranean Sea Holly | HP | 0.75 | G4 | | 5-8 | | 1.00 | 10 |
| <i>Eryngium foetidum</i> Culantro | HP | 0.78 | G4 | | 8-9B | | 1.00 | 8 |
| <i>Eryngium pandanifolium</i> No Common Name Found | HP | 0.93 | G4 | 4-6 | 7-9B | | 1.00 | 4 |
| <i>Eryngium planum</i> Flat Sea Holly | HP | 1.00 | G4 | 4-6 | 7-9B | | 1.00 | 4 |
| <i>Eryngium planum</i> 'Blue Cap' Blue Cap Flat Sea Holly | HP | 1.00 | G4 | 4-6 | 7-9B | | 1.00 | 7 |
| <i>Eryngium variifolium</i> Moroccan Sea Holly | HP | 0.97 | G4 | 4-6 | 7-9B | | 1.00 | 4 |
| <i>Eryngium yuccifolium</i> Rattlesnake Master Sea Holly | HP | 0.78 | G4 | 7-9A | | | 1.00 | 4 |
| <i>Erysimum</i> Hybrid Erysimum | HP | 0.78 | G4 | | 7-9A | | 1.00 | 4 |
| <i>Erysimum</i> 'Bowles Beauty' Bowles Beauty Wallflower | HP | 0.78 | G4 | | 7-9A | | 1.00 | 5 |
| <i>Erysimum</i> 'Bowles Mauve' Bowles Mauve Wallflower | HP | 1.00 | G4 | | 7-9A | | 1.00 | 5 |
| <i>Erysimum</i> 'Jubilee Gold' Jubilee Gold Wallflower | HP | 0.97 | G4 | | 6-9A | | 1.00 | 4 |
| <i>Erysimum</i> 'Wenlock Beauty' Wenlock Beauty Wallflower | HP | 0.78 | G4 | | 6-9A | | 1.00 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Erysimum asperum</i> Western Wallflower | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Erysimum concinnum</i> See - <i>Erysimum suffrutescens</i> | | | | | | | | |
| <i>Erysimum heliticum</i> Tufted Wallflower | HP | 0.97 | G4 | | 6-9A | | | 6 |
| <i>Erysimum hieraciifolium</i> Siberian Wallflower | HP | 0.97 | G4 | | 7-9A | | | 7 |
| <i>Erysimum kotschyanum</i> Kotschy Erysimum | HP | 0.75 | G4 | | 6-9A | | | 6 |
| <i>Erysimum linifolium</i> Alpine Wallflower | HP | 0.73 | G4 | | 6-9A | | | 6 |
| <i>Erysimum linifolium</i> 'Variegatum' Variegated Alpine Wallflower | HP | 0.80 | G4 | | 6-9A | | | 6 |
| <i>Erysimum pulchellum</i> Rockery Wallflower | HP | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Erysimum suffrutescens</i> No Common Name Found | HP | 0.97 | G4 | | 9A-11 | | | 9 |
| <i>Erythrina abyssinica</i> Red Hot Poker Tree | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Erythrina acanthocarpa</i> Tambookie Thorn | DT | 1.00 | G1 | 9A | 9B-10A | 1.00 | 1.00 | 9 |
| <i>Erythrina x bidwillii</i> Florida Coral Bean | DS | 1.24 | G1 | 8 | 9A-11 | | 1.00 | 8 |
| <i>Erythrina coralodendrum</i> Coral Tree | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Erythrina crista-galli</i> Cockspur Coral Tree | DS | 1.28 | G1 | 10A | 10B-11 | | 1.00 | 8 |
| <i>Erythrina falcata</i> No Common Name Found | DT | 0.48 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Erythrina fusca</i> Swam Immortelle | DT | 0.52 | G1 | 8 | 9A-11 | 1.00 | 1.00 | 8 |
| <i>Erythrina herbacea</i> Eastern Coral Bean | DS | 1.39 | G1 | 8 | 9A-11 | | 1.00 | 10 |
| <i>Erythrina humeana</i> Natal Coral Tree | DT | 1.06 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Erythrina indica</i> See - <i>Erythrina variegata</i> | | | | | | | | |
| <i>Erythrina sandwicensis</i> See - <i>Erythrina tahitensis</i> | | | | | | | | |
| <i>Erythrina speciosa</i> No Common Name Found | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Erythrina tahitensis</i> Wilwilli | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Erythrina tomentosa</i> See - <i>Erythrina abyssinica</i> | | | | | | | | |
| <i>Erythrina variegata</i> No Common Name Found | DT | 1.36 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Erythrina variegata</i> 'Picta' Picta Coral Tree | DT | 1.08 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Erythrina vespertilio</i> Batswing Coral Tree | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Erythronium americanum</i> Trout Lily | HP | 1.50 | G1 | 3-8 | 9A-10A | | | 3 |
| <i>Erythronium revolutum</i> No Common Name Found | HP | 1.50 | G1 | 5-8 | 9A-10A | | | 5 |
| <i>Erythronium revolutum</i> 'Pagoda' Pagoda Trout Lily | HP | 1.30 | G1 | 5-8 | 9A-10A | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Escallonia</i> | BS | 1.00 | G1 | 9A | 9B-10A | | 1.00 | 8 |
| Hybrid Escallonia | | | | | | | | |
| <i>Escallonia</i> 'Compakta' | BS | 1.00 | G1 | 9A | 9B-10A | | 1.00 | 8 |
| Compakta Hybrid Escallonia | | | | | | | | |
| <i>Escallonia</i> 'Newport Dwarf' | BS | 1.22 | G1 | 9A | 9B-10A | | 1.00 | 8 |
| Newport Dwarf Escallonia | | | | | | | | |
| <i>Escallonia bifida</i> | BS | 0.77 | G1 | 9A | 9B-10A | | 1.00 | 9 |
| White Escallonia | | | | | | | | |
| <i>Escallonia</i> x <i>exoniensis</i> | BS | 0.81 | G1 | 9A | 9B-10A | | 1.00 | 8 |
| No Common Name Found | | | | | | | | |
| <i>Escallonia</i> x <i>exoniensis</i> 'Frades' | BS | 0.81 | G1 | 9A | 9B-10A | | 1.00 | 8 |
| Frades Escallonia | | | | | | | | |
| <i>Escallonia</i> x <i>langleyensis</i> | BS | 0.99 | G1 | 9A | 9B-10A | | 1.00 | 8 |
| No Common Name Found | | | | | | | | |
| <i>Escallonia</i> x <i>langleyensis</i> 'Apple Blossom' | BS | 0.97 | G1 | 9A | 9B-10A | | 1.00 | 8 |
| Apple Blossom Escallonia | | | | | | | | |
| <i>Escallonia</i> x <i>langleyensis</i> 'Pride of Donard' | BS | 0.99 | G1 | 9A | 9B-10A | | 1.00 | 8 |
| Pride of Donard Escallonia | | | | | | | | |
| <i>Escallonia rosea</i> | BS | 1.09 | G1 | 9A | 9B-10A | | 1.00 | 9 |
| Pink Escallonia | | | | | | | | |
| <i>Escallonia rubra</i> | BS | 0.94 | G1 | 9A | 9B-10A | | 1.00 | 8 |
| Red Escallonia | | | | | | | | |
| <i>Escallonia rubra</i> 'Red Elf' | BS | 1.02 | G1 | 9A | 9B-10A | | 1.00 | 8 |
| Red Elf Escallonia | | | | | | | | |
| <i>Eschscholzia californica</i> | AN | 1.00 | G4 | 6 | 7-9B | | | 6 |
| California Poppy | | | | | | | | |
| <i>Etlingera elatior</i> | HP | 1.60 | G4 | 10A | 10B-11 | | | 10B |
| Torch Ginger | | | | | | | | |
| <i>Eucalyptus caesia</i> | BE | 1.00 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| Gungurru | | | | | | | | |
| <i>Eucalyptus camaldulensis</i> | BE | 0.84 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| Murray Red Gum | | | | | | | | |
| <i>Eucalyptus cinerea</i> | BE | 0.99 | G2 | | 9B-11 | 1.00 | 1.00 | 10 |
| Silver Dollar Tree | | | | | | | | |
| <i>Eucalyptus citriodora</i> | BE | 0.81 | G2 | | 9A-11 | 1.00 | 1.00 | 10 |
| Lemon-Scented Gum | | | | | | | | |
| <i>Eucalyptus cladocalyx</i> | BE | 0.82 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| Sugar Gum | | | | | | | | |
| <i>Eucalyptus deglupta</i> | BE | 1.23 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Rainbow Gum | | | | | | | | |
| <i>Eucalyptus erythrocorys</i> | BE | 0.64 | G2 | | 9A-11 | 1.00 | 1.00 | 10 |
| Illyarrie | | | | | | | | |
| <i>Eucalyptus ficifolia</i> | BE | 0.97 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| Red-Flowering Gum | | | | | | | | |
| <i>Eucalyptus globulus</i> | BE | 1.11 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| Blue Gum | | | | | | | | |
| <i>Eucalyptus globulus</i> 'Compacta' | BE | 0.80 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| Dwarf Blue Gum | | | | | | | | |
| <i>Eucalyptus gunnii</i> | BE | 1.03 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| Cider Gum | | | | | | | | |
| <i>Eucalyptus lehmannii</i> | BE | 0.68 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| Bushy Yate | | | | | | | | |
| <i>Eucalyptus leucoxylon</i> | BE | 1.00 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| Yellow Gum | | | | | | | | |
| <i>Eucalyptus macrocarpa</i> | BE | 0.61 | G2 | | 9A-11 | 1.00 | 1.00 | 10 |
| Large-fruited Gum | | | | | | | | |
| <i>Eucalyptus maculata</i> | BE | 0.97 | G2 | | 9A-11 | 1.00 | 1.00 | 10 |
| Spotted Gum | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Eucalyptus microtheca</i> Flooded Box | BE | 0.51 | G2 | | 9A-11 | 1.00 | 1.00 | 10 |
| <i>Eucalyptus nicholii</i> Nichol's Willow-Leaved Peppermint | BE | 0.85 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| <i>Eucalyptus polyanthemos</i> Silver Dollar Gum | BE | 0.84 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| <i>Eucalyptus pulverulenta</i> Silver Mountain Gum | BE | 1.00 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| <i>Eucalyptus robusta</i> Swamp Mahogany | BE | 1.11 | G2 | | 9A-11 | 1.00 | 1.00 | 10 |
| <i>Eucalyptus rostrata</i> See - <i>Eucalyptus camaldulensis</i> | BE | 0.78 | G2 | | 9A-11 | 1.00 | 1.00 | 10 |
| <i>Eucalyptus rufa</i> Desert Gum | BE | 0.51 | G2 | | 9A-11 | 1.00 | 1.00 | 10 |
| <i>Eucalyptus salmonophloia</i> Salmon Gum | BE | 0.83 | G1 | | 9A-10B | 1.00 | 1.00 | 9 |
| <i>Eucalyptus sideroxylon</i> Red Ironbark | BE | 0.83 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Eucalyptus sideroxylon</i> 'Rosea' Rose Red Ironbark | BE | 0.87 | G2 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Eucalyptus spathulata</i> Narrow-Leaved Gum | BE | 0.53 | G2 | | 9A-11 | 1.00 | 1.00 | 10 |
| <i>Eucalyptus torelliana</i> Cadaga | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Eucalyptus torquata</i> Coral Gum | BE | 0.87 | G2 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Eucalyptus woodwardii</i> Lemon-flowered Gum | BE | 0.51 | G2 | | 9A-11 | 1.00 | 1.00 | 10 |
| <i>Eucharis amazonica</i> Amazon Lily | FO | 0.76 | G1 | 10A | 10B-11 | | | 10 |
| <i>Eucharis grandiflora</i> See - <i>Eucharis amazonica</i> | HP | 0.87 | G4 | | 8-10B | | | 8 |
| <i>Eucomis bicolor</i> Pineapple Flower | DT | 1.00 | G1 | | 4-7 | 1.19 | 1.00 | 5 |
| <i>Eucommia ulmoides</i> Hardy Rubber Tree | | | | | | | | |
| <i>Eucryphia billardieri</i> See - <i>Eucryphia lucida</i> | BE | 1.03 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| <i>Eucryphia glutinosa</i> Nirrhe | BE | 1.12 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| <i>Eucryphia x intermedia</i> No Common Name Found | BE | 1.12 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| <i>Eucryphia lucida</i> Leatherwood | BE | 1.12 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| <i>Eucryphia lucida</i> 'Pink Cloud' Pink Cloud Pinkwood | BE | 1.12 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| <i>Eucryphia x nymansensis</i> No Common Name Found | BE | 0.79 | G2 | | 7-10A | 1.00 | 1.00 | 7 |
| <i>Eucryphia x nymansensis</i> 'Mount Usher' Mount Usher Eucryphia | BE | 0.79 | G2 | | 7-10A | 1.00 | 1.00 | 7 |
| <i>Eugenia axillaris</i> White Stopper | BS | 0.99 | G1 | 10A | 10B-11 | | | 10 |
| <i>Eugenia confusa</i> Red Stopper | BS | 0.99 | G1 | 10A | 10B-11 | | | 10 |
| <i>Eugenia foetida</i> Spanish Stopper | BS | 0.86 | G1 | 10A | 10B-11 | | | 10 |
| <i>Eugenia javanica</i> See - <i>Syzygium samarangense</i> | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Eugenia myrtifolia</i> | | | | | | | | |
| See - <i>Syzygium paniculatum</i> | | | | | | | | |
| <i>Eugenia uniflora</i> Surinam Cherry | BS | 1.06 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Euonymus alatus</i> Winged Euonymus | DS | 1.04 | G1 | | 3-9B | | | 1.13 3 |
| <i>Euonymus alatus</i> 'Chicago Fire' Chicago Fire Winged Euonymus | DS | 0.94 | G1 | | 3-9B | | | 1.21 3 |
| <i>Euonymus alatus</i> 'Compactus' Dwarf Winged Euonymus | DS | 1.11 | G1 | | 3-9B | | | 1.23 3 |
| <i>Euonymus alatus</i> 'Monstrosus' Korean Winged Euonymus | DS | 1.19 | G1 | | 3-9B | | | 1.12 3 |
| <i>Euonymus alatus</i> 'Nordine' Nordine Winged Euonymus | DS | 0.94 | G1 | | 3-9B | | | 1.19 3 |
| <i>Euonymus alatus</i> 'October Glory' See - <i>Euonymus alatus</i> 'PNI 2051' | DS | 0.94 | G1 | | 3-9B | | | 0.97 3 |
| <i>Euonymus alatus</i> 'PNI 2051' October Glory® Winged Euonymus | DS | 0.94 | G1 | | 3-9B | | | 0.97 3 |
| <i>Euonymus alatus</i> 'Timber Creek' Timber Creek Winged Euonymus | DS | 0.94 | G1 | | 3-9B | | | 0.97 3 |
| <i>Euonymus alatus</i> 'Turesi' Tures Winged Euonymus | DS | 0.94 | G1 | | 3-9B | | | 1.01 3 |
| <i>Euonymus americanus</i> Strawberry Bush | DS | 0.98 | G1 | | 6-9B | | | 0.63 6 |
| <i>Euonymus atropurpureus</i> Eastern Wahoo | DS | 0.93 | G1 | | 4-9B | | | 1.01 4 |
| <i>Euonymus europaeus</i> European Euonymus | DS | 1.00 | G1 | | 3-9B | | | 1.08 3 |
| <i>Euonymus europaeus</i> 'Aldenhamensis' Aldenhamensis European Euonymus | DS | 1.00 | G1 | | 3-9B | | | 1.01 3 |
| <i>Euonymus europaeus</i> 'Arnold Globe' Arnold Globe European Euonymus | DS | 1.00 | G1 | | 3-9B | | | 1.01 3 |
| <i>Euonymus europaeus</i> 'Molton' Molton European Euonymus | DS | 1.00 | G1 | | 3-9B | | | 1.01 3 |
| <i>Euonymus europaeus</i> 'Red Cap' Red Cap European Euonymus | DS | 1.00 | G1 | | 3-9B | | | 1.01 3 |
| <i>Euonymus fortunei</i> Wintercreeper Euonymus | GC | 1.08 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| <i>Euonymus fortunei</i> 'Canadale Gold' C.O.P.F. Canadale Gold Wintercreeper Euonymus | GC | 1.18 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| <i>Euonymus fortunei</i> 'Carrierei' Glossy Leaf Wintercreeper Euonymus | GC | 0.78 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| <i>Euonymus fortunei</i> 'Coloratus' Purple Leaf Wintercreeper Euonymus | GC | 0.98 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| <i>Euonymus fortunei</i> 'Corlutz' P.P. 4795 Emerald Surprise™ Euonymus | GC | 1.29 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| <i>Euonymus fortunei</i> 'Corpreme' P.P. 5988 Emerald Delight™ Euonymus | GC | 0.78 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| <i>Euonymus fortunei</i> 'Emerald 'n Gold' P.P. 2231 Emerald 'n Gold Euonymus | GC | 1.29 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| <i>Euonymus fortunei</i> 'Emerald Cushion' Emerald Cushion Euonymus | GC | 1.48 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| <i>Euonymus fortunei</i> 'Emerald Delight' See - <i>Euonymus fortunei</i> 'Corpreme' P.P. 5988 | GC | 1.28 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| <i>Euonymus fortunei</i> 'Emerald Gaiety' P.P. 1960 Emerald Gaiety Euonymus | GC | | | | | | | |
| <i>Euonymus fortunei</i> 'Emerald Pride' Emerald Pride Euonymus | GC | 1.28 | G1 | 5-8 | 9A-10A | | | 1.19 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Euonymus fortunei</i> 'Emerald Surprise' | | | | | | | | |
| See - <i>Euonymus fortunei</i> 'Corlutz' P.P. 4795 | | | | | | | | |
| <i>Euonymus fortunei</i> 'Erecta' | GC | 0.78 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| Erect Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Gold Tip' | | | | | | | | |
| See - <i>Euonymus fortunei</i> 'Golden Prince' P.P. 3211 | | | | | | | | |
| <i>Euonymus fortunei</i> 'Golden Prince' P.P. 3211 | GC | 1.36 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| Golden Prince Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Gracilis' | GC | 1.14 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| Gracilis Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Green Lane' | GC | 1.19 | G1 | 5-8 | 9A-10A | | | 1.45 5 |
| Green Lane Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Ivory Jade' | GC | 1.23 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| Ivory Jade Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Kewensis' | GC | 1.23 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| Kewensis Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Longwood' | GC | 0.78 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| Longwood Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Minimus' | GC | 1.97 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| Small Leaf Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Moonshadow' P.P. 6127 | GC | 1.25 | G1 | 5-8 | 9A-10A | | | 1.49 5 |
| Moonshadow Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'New York' | GC | 0.78 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| New York Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Pincushion' | GC | 0.78 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| Pincushion Sarcoxie Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Raulston's Gold' | GC | 1.16 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| Raulston's Gold Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Sarcoxie Jade Mound' | GC | 0.78 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| Sarcoxie Jade Mound Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Sarcoxie' | GC | 1.26 | G1 | 5-8 | 9A-10A | | | 1.59 5 |
| Upright Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Sheridan Gold' | GC | 1.42 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| Sheridan Gold Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Silver Queen' | GC | 1.05 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| Silver Queen Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Spargozam' | GC | 0.78 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| Sparkle 'n Gold® Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Sparkle 'n Gold' | | | | | | | | |
| See - <i>Euonymus fortunei</i> 'Spargozam' | | | | | | | | |
| <i>Euonymus fortunei</i> 'Sunspot' P.P. 4340 | GC | 1.27 | G1 | 5-8 | 9A-10A | | | 1.49 5 |
| Sunspot Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Thunderbolt' | GC | 0.78 | G1 | 5-8 | 9A-10A | | | 1.19 5 |
| Thunderbolt Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> 'Vegeta' | GC | 1.22 | G1 | 5-8 | 9A-10A | | | 1.41 5 |
| Bigleaf Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> var. <i>acuta</i> | GC | 1.04 | G1 | 5-8 | 9A-10A | | | 1.00 5 |
| Acuta Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> var. <i>radicans</i> | GC | 1.15 | G1 | 5-8 | 9A-10A | | | 1.00 5 |
| Radicans Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus fortunei</i> var. <i>radicans</i> 'Harlequin' | GC | 1.44 | G1 | 5-8 | 9A-10A | | | 1.00 5 |
| Harlequin Wintercreeper Euonymus | | | | | | | | |
| <i>Euonymus hamiltonianus</i> var. <i>sieboldianus</i> | DS | 1.14 | G1 | 4-8 | 9A-10A | | | 1.08 4 |
| Yeddo Euonymus | | | | | | | | |
| <i>Euonymus japonicus</i> | BS | 0.91 | G1 | 7-8 | 9A-10A | | | 0.64 7 |
| Japanese Euonymus | | | | | | | | |
| <i>Euonymus japonicus</i> 'Aurea' | BS | 0.84 | G1 | 7-8 | 9A-10A | | | 0.64 7 |
| Golden Japanese Euonymus | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Euonymus japonicus</i> 'Aureomarginatus' Aureomarginatus Japanese Euonymus | BS | 0.92 | G1 | 7-8 | 9A-10A | | 0.64 | 7 |
| <i>Euonymus japonicus</i> 'Aureovariegatus' Gold Spot Japanese Euonymus | BS | 0.81 | G1 | 7-8 | 9A-10A | | 0.64 | 7 |
| <i>Euonymus japonicus</i> 'Grandifolia' Grandifolia Japanese Euonymus | BS | 0.79 | G1 | 7-8 | 9A-10A | | 0.64 | 7 |
| <i>Euonymus japonicus</i> 'Green Spire' Green Spire Japanese Euonymus | BS | 1.23 | G1 | 7-8 | 9A-10A | | 0.64 | 7 |
| <i>Euonymus japonicus</i> 'Microphyllus Butterscotch' Microphyllus Butterscotch Japanese Euonymus | BS | 1.24 | G1 | 7-8 | 9A-10A | | 0.64 | 7 |
| <i>Euonymus japonicus</i> 'Microphyllus Pulchellus' Microphyllus Pulchellus Japanese Euonymus | BS | 1.01 | G1 | 7-8 | 9A-10A | | 0.64 | 7 |
| <i>Euonymus japonicus</i> 'Microphyllus Variegata' Microphyllus Variegated Japanese Euonymus | BS | 1.05 | G1 | 7-8 | 9A-10A | | 0.64 | 7 |
| <i>Euonymus japonicus</i> 'Microphyllus' Microphyllus Japanese Euonymus | BS | 0.92 | G1 | 7-8 | 9A-10A | | 0.64 | 7 |
| <i>Euonymus japonicus</i> 'Moness' Silver Princess™ Japanese Euonymus | BS | 1.27 | G1 | 7-8 | 9A-10A | | 0.64 | 7 |
| <i>Euonymus japonicus</i> 'Silver King' Silver King Japanese Euonymus | BS | 0.91 | G1 | 7-8 | 9A-10A | | 0.64 | 7 |
| <i>Euonymus japonicus</i> 'Silver Princess' See - <i>Euonymus japonicus</i> 'Moness' | BS | 0.81 | G1 | 7-8 | 9A-10A | | 0.64 | 7 |
| <i>Euonymus japonicus</i> 'Variegatus' Variegated Japanese Euonymus | BS | 0.81 | G1 | 5-8 | 9 | | 0.58 | 7 |
| <i>Euonymus kiautschovica</i> Spreading Euonymus | BS | 0.79 | G1 | 5-8 | 9 | | 0.58 | 7 |
| <i>Euonymus kiautschovica</i> 'Manhattan' Manhattan Spreading Euonymus | BS | 0.80 | G1 | 5-8 | 9 | | 0.58 | 7 |
| <i>Euonymus kiautschovica</i> 'Pauli' Pauli Spreading Euonymus | BS | 1.00 | G1 | 2-8 | 9A-10A | | 1.00 | 2 |
| <i>Euonymus nanus</i> Dwarf Euonymus | DS | 1.00 | G1 | 2-8 | 9A-10A | | 1.00 | 2 |
| <i>Euonymus nanus</i> 'Turkestanicus' Dwarf Turkish Euonymus | | | | | | | | |
| <i>Euonymus patens</i> See - <i>Euonymus kiautschovica</i> | | | | | | | | |
| <i>Euonymus radicans</i> See - <i>Euonymus fortunei</i> var. <i>radicans</i> | | | | | | | | |
| <i>Euonymus radicans</i> var. <i>argenteomarginata</i> See - <i>Euonymus fortunei</i> 'Gracilis' | | | | | | | | |
| <i>Euonymus yedoensis</i> See - <i>Euonymus hamiltonianus</i> var. <i>sieboldianus</i> | HP | 1.05 | G1 | 5-8 | 9A-10A | | 5 | |
| <i>Eupatorium cannabinum</i> Hemp Agrimony | | | | | | | | |
| <i>Eupatorium coelestinum</i> See - <i>Conoclinium coelestinum</i> | HP | 0.88 | G1 | 5-8 | 9A-10A | | 4 | |
| <i>Eupatorium fistulosum</i> Hollow Joe Pye Weed | HP | 1.16 | G1 | 5-8 | 9A-10A | | 4 | |
| <i>Eupatorium fistulosum</i> 'Bartered Bride' Bartered Bride Hollow Joe Pye Weed | HP | 0.87 | G1 | 5-8 | 9A-10A | | 7 | |
| <i>Eupatorium greggii</i> Palmleaf Eupatorium | HP | 0.87 | G1 | 5-8 | 9A-10A | | 7 | |
| <i>Eupatorium havanense</i> Fragrant Mist Flower | HP | 1.00 | G1 | 5-8 | 9A-10A | | 5 | |
| <i>Eupatorium hyssopifolium</i> Thoroughwort | HP | 0.87 | G1 | 5-8 | 9A-10A | | 5 | |
| <i>Eupatorium maculatum</i> Spotted Joe Pye Weed | HP | 0.87 | G1 | 5-8 | 9A-10A | | 5 | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Eupatorium maculatum</i> 'Atropurpureum' Atropurpureum Spotted Joe Pye Weed | HP | 1.03 | G1 | 5-8 | 9A-10A | | | 5 |
| <i>Eupatorium maculatum</i> 'Gateway' Gateway Spotted Joe Pye Weed | HP | 1.00 | G1 | 5-8 | 9A-10A | | | 5 |
| <i>Eupatorium perfoliatum</i> Common Boneset | HP | 1.02 | G1 | 3-8 | 9A-10A | | | 3 |
| <i>Eupatorium purpureum</i> Joe Pye Weed | HP | 0.94 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Eupatorium rugosum</i> See - <i>Ageratina altissima</i> | FO | 0.98 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Euphorbia abyssinica</i> No Common Name Found | | | | | | | | |
| <i>Euphorbia acurensis</i> See - <i>Euphorbia abyssinica</i> | HP | 1.34 | G4 | | 7-9A | | | 7 |
| <i>Euphorbia amygdaloides</i> Wood Spurge | HP | 1.34 | G4 | | 7-9A | | | 7 |
| <i>Euphorbia amygdaloides</i> 'Purpurea' Purpurea Wood Spurge | HP | 1.19 | G4 | | 7-9A | | | 7 |
| <i>Euphorbia amygdaloides</i> var. <i>robbiae</i> Robb's Wood Spurge | HP | 1.00 | G4 | 8 | 9 | | | 7 |
| <i>Euphorbia characias</i> Mediterranean Spurge | HP | 1.00 | G4 | 8 | 9 | | | 7 |
| <i>Euphorbia characias</i> 'Lambrook Gold' Lambrook Gold Mediterranean Spurge | HP | 1.00 | G4 | 8 | 9 | | | 7 |
| <i>Euphorbia characias</i> ssp. <i>wulfenii</i> Wulfen Mediterranean Spurge | HP | 1.31 | G4 | 8 | 9 | | | 7 |
| <i>Euphorbia corollata</i> Flowering Spurge | HP | 1.69 | G4 | | 4-8 | | | 5 |
| <i>Euphorbia cotinifolia</i> Caribbean Copper Plant | BS | 1.62 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Euphorbia cyparissias</i> Cypress Spurge | HP | 0.82 | G4 | | 4-8 | | | 6 |
| <i>Euphorbia dulcis</i> No Common Name Found | HP | 1.29 | G4 | | 6-9A | | | 6 |
| <i>Euphorbia dulcis</i> 'Chameleon' Chameleon Euphorbia | HP | 1.29 | G4 | | 6-9A | | | 6 |
| <i>Euphorbia epithymoides</i> See - <i>Euphorbia polychroma</i> | BS | 1.00 | G4 | | 7-9B | | | 1.00 7 |
| <i>Euphorbia grandicornis</i> Big Horned Euphorbia | BS | 1.43 | G4 | | 5-9A | | | 5 |
| <i>Euphorbia griffithii</i> Griffith's Spurge | HP | 1.43 | G4 | | 5-9A | | | 5 |
| <i>Euphorbia griffithii</i> 'Fireglow' Fireglow Griffith's Spurge | FO | 1.23 | G4 | | 7-9B | | | 7 |
| <i>Euphorbia ingens</i> Cactus Euphorbia | FO | 0.73 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Euphorbia lactea</i> Candelabra Plant | FO | 0.62 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Euphorbia lactea</i> 'Cristata' Crested Euphorbia | AN | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Euphorbia lathyris</i> Caper Spurge | BS | 1.54 | G3 | 9-10A | 10B-11 | | | 1.00 9 |
| <i>Euphorbia leucocephala</i> Pascuita | FO | 1.00 | G4 | | 7-9B | | | 7 |
| <i>Euphorbia mammillaris</i> Corn Cob | HP | 1.40 | G4 | | 7-9A | | | 7 |
| <i>Euphorbia x martinii</i> No Common Name Found | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Euphorbia milii</i> Crown of Thorns | BS | 0.79 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'American Beauty' American Beauty Crown of Thorns | BS | 0.89 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Bicolor' Bicolor Crown of Thorns | BS | 1.27 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Cherokee' Cherokee Crown of Thorns | BS | 1.24 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Keysii' Keysii Crown of Thorns | BS | 0.78 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Little Red' Little Red Crown of Thorns | BS | 1.27 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Red Hot' Red Hot Crown of Thorns | BS | 0.76 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Red Pixie' Red Pixie Crown of Thorns | BS | 1.79 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Rosy' Rosy Crown of Thorns | BS | 1.21 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Yellow' Yellow Crown of Thorns | BS | 1.79 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Euphorbia myrsinites</i> Myrtle Euphorbia | HP | 1.14 | G4 | | 5-8 | | | 6 |
| <i>Euphorbia nerifolia</i> Hedge Euphorbia | BS | 0.62 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Euphorbia nerifolia</i> 'Variegata Cristata' Variegata Cristata Hedge Euphorbia | BS | 0.62 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Euphorbia palustris</i> No Common Name Found | HP | 1.34 | G4 | | 5-9A | | | 5 |
| <i>Euphorbia polychroma</i> Cushion Spurge | HP | 1.02 | G4 | | 6-9A | | | 6 |
| <i>Euphorbia polychroma</i> 'Purpurea' Purpurea Cushion Spurge | HP | 1.27 | G4 | | 6-9A | | | 6 |
| <i>Euphorbia pulcherrima</i> Poinsettia | BS | 1.77 | G3 | 1-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphorbia rigida</i> No Common Name Found | HP | 1.00 | G4 | | 8-9B | | | 8 |
| <i>Euphorbia seguieriana</i> No Common Name Found | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Euphorbia seguieriana</i> ssp. <i>niciciana</i> No Common Name Found | HP | 0.97 | G4 | | 5-9A | | | 5 |
| <i>Euphorbia tirucalli</i> Milkbrush | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 7 |
| <i>Euphorbia trigona</i> Abyssinian Euphorbia | BS | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Euphoria longan</i> See - <i>Dimocarpus longan</i> | BS | 1.00 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Eurya japonica</i> No Common Name Found | BS | 1.00 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Eurya japonica</i> 'Winter Wine' Winter Wine Eurya | BS | 1.00 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Euryops pectinatus</i> Gray-leaved Euryops | HP | 0.68 | G1 | 9 | 10 | | | 8 |
| <i>Euryops pectinatus</i> 'Munchkin' Munchkin Gray-Leaved Euryops | HP | 0.73 | G1 | 9 | 10 | | | 8 |
| <i>Euryops pectinatus</i> 'Viridis' Green Gray-Leaved Euryops | HP | 0.80 | G1 | 9 | 10 | | | 8 |
| <i>Euscaphis japonica</i> No Common Name Found | DT | 1.00 | G1 | | 10A-11 | 1.10 | 1.00 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Eustoma grandiflorum</i> Prairie Gentian | AN | 1.01 | G4 | 8 | 9A-10B | | | 9 |
| <i>Euterpe edulis</i> Palmito Palm | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Euterpe oleracea</i> Assai Palm | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Euterpe precatoria</i> No Common Name Found | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Evodia daniellii</i> See - <i>Tetradium daniellii</i> | HP | 0.65 | G4 | 8-10A | 10B-11 | | | 7 |
| <i>Evolvulus glomeratus</i> Blue Daze | HP | 0.65 | G4 | 8-10A | 10B-11 | | | 7 |
| <i>Evolvulus glomeratus</i> 'Blue Eyes' Blue Eyes Blue Daze | HP | | | | | | | |
| <i>Evolvulus nuttallianus</i> See - <i>Evolvulus pilosus</i> | GC | 1.00 | G4 | 7-10A | 10B-11 | | 1.00 | 7 |
| <i>Evolvulus pilosus</i> No Common Name Found | AN | 2.03 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Exacum affine</i> German Violet | DS | 1.00 | G1 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Exochorda x macrantha</i> Hybrid Pearlbush | BS | 1.40 | G1 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Exochorda x macrantha</i> 'The Bride' The Bride Pearlbush | BS | 1.09 | G1 | 4-6 | 7-8 | | 1.00 | 4 |
| <i>Exochorda racemosa</i> Common Pearlbush | BE | 1.27 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Fagraea berteriana</i> Pua-Kenikeni | DT | 1.00 | G1 | | 4-8 | 1.00 | 1.00 | 4 |
| <i>Fagus crenata</i> Japanese Beech | DT | 0.81 | G1 | | 4-8 | 1.06 | 0.70 | 4 |
| <i>Fagus grandifolia</i> American Beech | DT | 1.68 | G1 | | 5-8 | 1.00 | 1.00 | 5 |
| <i>Fagus orientalis</i> Oriental Beech | DT | 0.93 | G1 | | 4-7 | 0.99 | 0.68 | 4 |
| <i>Fagus sylvatica</i> European Beech | DT | 1.93 | G1 | | 4-7 | 1.55 | 1.20 | 4 |
| <i>Fagus sylvatica</i> 'Asplenifolia' Fernleaf European Beech | DT | 1.02 | G1 | | 4-7 | 0.88 | 0.73 | 4 |
| <i>Fagus sylvatica</i> 'Atropunicea' Purple Leaf European Beech | DT | 0.93 | G1 | | 4-7 | 0.88 | 0.68 | 4 |
| <i>Fagus sylvatica</i> 'Cockleshell' Cockleshell European Beech | DT | 0.93 | G1 | | 4-7 | 1.40 | 0.68 | 4 |
| <i>Fagus sylvatica</i> 'Cristata' Cristata European Beech | DT | 0.93 | G1 | | 4-7 | 1.20 | 1.17 | 4 |
| <i>Fagus sylvatica</i> 'Cuprea' See - <i>Fagus sylvatica</i> 'Atropunicea' | DT | 0.93 | G1 | | 4-7 | 1.30 | 1.20 | 4 |
| <i>Fagus sylvatica</i> 'Dawyck Gold' Dawyck Gold European Beech | DT | 1.22 | G1 | | 4-7 | 1.56 | 1.22 | 4 |
| <i>Fagus sylvatica</i> 'Dawyck Purple' Dawyck Purple European Beech | DT | 0.93 | G1 | | 4-7 | 1.54 | 0.68 | 4 |
| <i>Fagus sylvatica</i> 'Dawyck' Dawyck European Beech | DT | 1.06 | G1 | | 4-7 | 1.54 | 0.68 | 4 |
| <i>Fagus sylvatica</i> 'Grandidentata' Grandidentata European Beech | DT | 0.93 | G1 | | 4-7 | 1.54 | 0.68 | 4 |
| <i>Fagus sylvatica</i> 'Laciniate' Cutleaf European Beech | DT | 0.93 | G1 | | 4-7 | 1.54 | 0.68 | 4 |
| <i>Fagus sylvatica</i> 'Mercedes' Mercedes European Beech | DT | 1.75 | G1 | | 4-7 | 0.88 | 0.68 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Fagus sylvatica</i> 'Pendula' Green Weeping European Beech | DT | 1.12 | G1 | | 4-7 | 1.39 | 1.08 | 4 |
| <i>Fagus sylvatica</i> 'Purple Fountain' Purple Fountain European Beech | DT | 1.23 | G1 | | 4-7 | 1.60 | 1.11 | 4 |
| <i>Fagus sylvatica</i> 'Purpurea Pendula' Purple Weeping European Beech | DT | 1.21 | G1 | | 4-7 | 1.62 | 1.53 | 4 |
| <i>Fagus sylvatica</i> 'Purpurea Tricolor' Purpurea Tricolor European Beech | DT | 1.44 | G1 | | 4-7 | 0.88 | 1.33 | 4 |
| <i>Fagus sylvatica</i> 'Red Obelisk' Red Obelisk European Beech | DT | 1.33 | G1 | | 4-7 | 2.32 | 1.14 | 4 |
| <i>Fagus sylvatica</i> 'Riversii' Rivers European Beech | DT | 1.22 | G1 | | 4-7 | 1.64 | 1.16 | 4 |
| <i>Fagus sylvatica</i> 'Rohanii' Purple Sawtooth European Beech | DT | 1.33 | G1 | | 4-7 | 1.40 | 1.07 | 4 |
| <i>Fagus sylvatica</i> 'Roseo-marginata' Roseo-marginata European Beech | DT | 1.54 | G1 | | 4-7 | 2.32 | 1.52 | 4 |
| <i>Fagus sylvatica</i> 'Rotundifolia' Round Leaf European Beech | DT | 0.93 | G1 | | 4-7 | 2.10 | 0.92 | 4 |
| <i>Fagus sylvatica</i> 'Spaethiana' Spaeth European Beech | DT | 1.13 | G1 | | 4-7 | 1.41 | 1.07 | 4 |
| <i>Fagus sylvatica</i> 'Torulosa Purpurea' Purple Torulosa Weeping European Beech | DT | 1.75 | G1 | | 4-7 | 0.88 | 0.68 | 4 |
| <i>Fagus sylvatica</i> 'Tricolor' Tricolor European Beech | DT | 1.60 | G1 | | 4-7 | 2.02 | 1.26 | 4 |
| <i>Fagus sylvatica</i> 'Zlatia' Zlatia European Beech | DT | 0.93 | G1 | | 4-7 | 1.44 | 1.19 | 4 |
| <i>Fallugia paradoxa</i> Apache-plume | DS | 0.94 | G1 | | 6-8 | | 1.00 | 5 |
| <i>Farfugium japonicum</i> Green Leopard Plant | HP | 1.12 | G1 | 10A | 10B-11 | | | 5 |
| <i>Farfugium japonicum</i> 'Aureo-maculata' Aureo-maculata Green Leopard Plant | HP | 1.60 | G1 | 10A | 10B-11 | | | 5 |
| <i>Fargesia fungosa</i> No Common Name Found | BS | 1.10 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Fargesia murielae</i> Umbrella Bamboo | BS | 3.67 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Fargesia nitida</i> Fountain Bamboo | BS | 5.41 | G1 | | 6-9A | | 1.00 | 5 |
| x <i>Fatschedera lizei</i> Aralia Ivy Tree | BS | 1.03 | G1 | | 6-9A | | 1.00 | 7 |
| x <i>Fatschedera lizei</i> 'Variegata' Variegated Aralia Ivy Tree | BS | 0.89 | G1 | | 6-9A | | 1.00 | 7 |
| <i>Fatsia japonica</i> Japanese Aralia | BS | 0.84 | G3 | 8-9A | 9B-11 | | 1.00 | 8 |
| <i>Feijoa sellowiana</i> See - <i>Acca sellowiana</i> | HP | 0.64 | G4 | 9A | 9B-10A | | | 9 |
| <i>Felicia amelloides</i> Blue Marguerite | HP | 0.72 | G2 | | 8-10A | | | 9 |
| <i>Felicia fruticosa</i> Kingfisher Daisy | HP | 1.00 | G3 | 1-9B | 10A-11 | | | 10 |
| <i>Ferocactus glaucescens</i> Blue Barrel Cactus | FO | 1.29 | G4 | | 5-9A | | | 5 |
| <i>Festuca amethystina</i> Large Blue Fescue | HP | 1.01 | G4 | | 5-9A | | | 5 |
| <i>Festuca amethystina</i> 'Aprilgrun' Aprilgrun Tufted Fescue | HP | 1.03 | G4 | | 5-9A | | | 5 |
| <i>Festuca amethystina</i> 'Bronzeglanz' Bronze Large Blue Fescue | HP | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Festuca amethystina</i> 'Klose' Klose Large Blue Fescue | HP | 1.01 | G4 | | 5-9A | | | 5 |
| <i>Festuca amethystina</i> 'Superba' Superba Large Blue Fescue | HP | 1.01 | G4 | | 5-9A | | | 5 |
| <i>Festuca californica</i> California Fescue | HP | 0.82 | G4 | | 7-9A | | | 5 |
| <i>Festuca californica</i> 'Blue Fountain' Blue Fountain California Fescue | HP | 0.82 | G4 | | 7-9A | | | 5 |
| <i>Festuca cinerea</i> No Common Name Found | HP | 1.09 | G4 | | 7-9A | | | 5 |
| <i>Festuca cinerea</i> 'Azurit' Azure Blue Fescue | HP | 0.99 | G4 | | 7-9A | | | 5 |
| <i>Festuca cinerea</i> 'Blaufuchs' Blaufuchs Fescue | HP | 1.14 | G4 | | 7-9A | | | 5 |
| <i>Festuca gautieri</i> Bearskin Fescue | HP | 1.00 | G4 | | 7-9A | | | 5 |
| <i>Festuca gigantea</i> Giant Fescue | HP | 1.01 | G4 | | 7-9A | | | 5 |
| <i>Festuca glauca</i> Blue Fescue | HP | 1.08 | G4 | | 5-8 | | | 5 |
| <i>Festuca glauca</i> 'Blauglut' Blauglut Blue Fescue | HP | 1.01 | G4 | | 5-8 | | | 5 |
| <i>Festuca glauca</i> 'Blausilber' Blausilber Blue Fescue | HP | 1.02 | G4 | | 5-8 | | | 5 |
| <i>Festuca glauca</i> 'Blue Finch' Blue Finch Blue Fescue | HP | 1.02 | G4 | | 5-8 | | | 5 |
| <i>Festuca glauca</i> 'Blue Sea' Blue Sea Blue Fescue | HP | 1.12 | G4 | | 5-8 | | | 5 |
| <i>Festuca glauca</i> 'Daeumling' Daeumling Blue Fescue | HP | 1.01 | G4 | | 5-8 | | | 5 |
| <i>Festuca glauca</i> 'Elijah Blue' Elijah Blue Blue Fescue | HP | 1.12 | G4 | | 5-8 | | | 5 |
| <i>Festuca glauca</i> 'Fruhlingsblau' Fruhlingsblau Blue Fescue | HP | 1.01 | G4 | | 5-8 | | | 5 |
| <i>Festuca glauca</i> 'Harz' Harz Blue Fescue | HP | 1.01 | G4 | | 5-8 | | | 5 |
| <i>Festuca glauca</i> 'Palatinat' Palatinat Blue Fescue | HP | 1.01 | G4 | | 5-8 | | | 5 |
| <i>Festuca glauca</i> 'Sea Eagle' Sea Eagle Blue Fescue | HP | 0.99 | G4 | | 5-8 | | | 5 |
| <i>Festuca glauca</i> 'Silberreiher' Silberreiher Blue Fescue | HP | 0.99 | G4 | | 5-8 | | | 5 |
| <i>Festuca glauca</i> 'Soehrenwald' Soehrenwald Blue Fescue | HP | 1.01 | G4 | | 5-8 | | | 5 |
| <i>Festuca glauca</i> 'Solling' Solling Blue Fescue | HP | 1.01 | G4 | | 5-8 | | | 5 |
| <i>Festuca idahoensis</i> Idaho Fescue | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Festuca idahoensis</i> 'Muse Meadow' Muse Meadow Idaho Fescue | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Festuca idahoensis</i> 'Snow Mountain' Snow Mountain Idaho Fescue | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Festuca idahoensis</i> 'Warren Peak' Warren Peak Idaho Fescue | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Festuca mairei</i> Atlas Fescue | HP | 1.01 | G4 | | 7-9A | | | 7 |
| <i>Festuca muelleri</i> No Common Name Found | HP | 1.00 | G4 | | 5-8 | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Festuca ovina</i> Sheep Fescue | HP | 1.09 | G4 | | 5-8 | | | 5 |
| <i>Festuca ovina</i> 'Sea Urchin' Sea Urchin Sheep Fescue | HP | 1.09 | G4 | | 5-8 | | | 5 |
| <i>Festuca ovina</i> var. <i>glauca</i> See - <i>Festuca glauca</i> | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Festuca quadriflora</i> Four-leaved Fescue | HP | 0.97 | G4 | | 5-9A | | | 5 |
| <i>Festuca rubra</i> Red Fescue | HP | 0.99 | G4 | | 5-8 | | | 5 |
| <i>Festuca tenuifolia</i> Hair Fescue | HP | 1.14 | G4 | | 5-8 | | | 5 |
| <i>Festuca valesiaca</i> No Common Name Found | BE | 1.00 | G3 | 8-10A | 10B-11 | 1.00 | 0.71 | 10 |
| <i>Ficus aurea</i> Golden Fig | BE | 1.00 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ficus benghalensis</i> Indian Banyan Tree | BE | 0.82 | G3 | 8-10A | 10B-11 | 1.00 | 0.73 | 10 |
| <i>Ficus benjamina</i> Weeping Fig | FO | 0.63 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus benjamina</i> 'Exotica' Exotic Weeping Fig | FO | 0.89 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus benjamina</i> 'Indigo' Indigo Weeping Fig | FO | 0.58 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus benjamina</i> 'Jacqueline' Jacqueline Weeping Fig | FO | 0.66 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus benjamina</i> 'Midnight' P.P. 9856 Midnight Weeping Fig | FO | 0.61 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus benjamina</i> 'Monique' P.P. 8637 Monique Weeping Fig | FO | 0.41 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus benjamina</i> 'Spearmint' Spearmint Weeping Fig | FO | 0.68 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus benjamina</i> 'Spire' Spire Weeping Fig | FO | 0.41 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus benjamina</i> 'TooLittle' P.P. 8939 TooLittle Weeping Fig | FO | 0.58 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus benjamina</i> 'Variegata' Variegated Weeping Fig | FO | 0.45 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus benjamina</i> 'Wintergreen' Wintergreen Weeping Fig | FO | 0.95 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus benjamina</i> var. <i>nuda</i> No Common Name Found | FN | 0.63 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus binnendykii</i> Narrow-leaf Fig | FN | 0.67 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus binnendykii</i> 'Alii' Alii Narrow-leaf Fig | FN | 0.63 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus binnendykii</i> 'Amstel King' P.P. 8776 Amstel King Narrow-leaf Fig | FN | 0.76 | G3 | 8-10A | 10B-11 | 1.07 | 1.31 | 7 |
| <i>Ficus carica</i> Common Fig | FN | 0.85 | G3 | 8-10A | 10B-11 | 1.07 | 1.31 | 7 |
| <i>Ficus carica</i> 'Black Jack' Black Jack Fig | FN | 0.95 | G3 | 8-10A | 10B-11 | 1.07 | 1.31 | 7 |
| <i>Ficus carica</i> 'Black Mission' Black Mission Fig | FN | 0.76 | G3 | 8-10A | 10B-11 | 1.07 | 1.31 | 7 |
| <i>Ficus carica</i> 'Brown Turkey' Brown Turkey Fig | FN | 0.78 | G3 | 8-10A | 10B-11 | 1.07 | 1.35 | 7 |
| <i>Ficus carica</i> 'Celeste' Celeste Common Fig | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Ficus carica</i> 'Kadota' Kadota Fig | FN | 0.85 | G3 | 8-10A | 10B-11 | 1.07 | 1.31 | 7 |
| <i>Ficus carica</i> 'Mission' Mission Fig | FN | 0.92 | G3 | 8-10A | 10B-11 | 1.07 | 1.31 | 7 |
| <i>Ficus carica</i> 'Peter's Honey' Peter's Honey Fig | FN | 0.83 | G3 | 8-10A | 10B-11 | 1.07 | 1.31 | 7 |
| <i>Ficus carica</i> 'Texas Everbearing' Texas Everbearing Fig | FN | 0.76 | G3 | 8-10A | 10B-11 | 1.10 | 1.44 | 7 |
| <i>Ficus deltoidea</i> Mistletoe Fig | FO | 0.33 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus elastica</i> Indian Rubber Tree | FO | 0.47 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus elastica</i> 'Burgundy' Burgundy Indian Rubber Tree | FO | 0.47 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus elastica</i> 'Decora' Decora Indian Rubber Tree | FO | 0.46 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus elastica</i> 'Robusta' Robusta Indian Rubber Tree | FO | 0.47 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus exotica</i> See - <i>Ficus benjamina</i> 'Exotica' | | | | | | | | |
| <i>Ficus lutea</i> Lagos Rubber Tree | BE | 0.65 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ficus lyrata</i> Fiddle-leaf Fig | FO | 0.65 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus macclllandii</i> 'Alii' See - <i>Ficus binnendykii</i> 'Alii' | | | | | | | | |
| <i>Ficus macrophylla</i> Moreton Bay Fig | BE | 0.71 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ficus microcarpa</i> Indian Laurel Fig | FO | 0.53 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus microcarpa</i> 'Green Gem' Green Gem Indian Laurel Fig | FO | 0.50 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus natalensis</i> Natal Fig | BE | 1.00 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ficus natalensis</i> ssp. <i>leptopetala</i> No Common Name Found | BE | 0.96 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ficus nebulosa</i> See - <i>Ficus lutea</i> | | | | | | | | |
| <i>Ficus nerifolia</i> No Common Name Found | FO | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Ficus nitida</i> See - <i>Ficus microcarpa</i> | | | | | | | | |
| <i>Ficus pandurata</i> See - <i>Ficus lyrata</i> | | | | | | | | |
| <i>Ficus petiolaris</i> Petiolate Fig | FO | 0.50 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus pseudopalma</i> Philippine Fig | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ficus pumila</i> Creeping Fig | GC | 1.15 | G1 | 9A | 9B-11 | | | 1.00 |
| <i>Ficus pumila</i> 'Minima' Minima Creeping Fig | GC | 0.99 | G1 | 9A | 9B-11 | | | 1.00 |
| <i>Ficus pumila</i> 'Variegata' Variegated Creeping Fig | GC | 1.12 | G1 | 9A | 9B-11 | | | 1.00 |
| <i>Ficus religiosa</i> Sacred Fig | BE | 1.00 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ficus repens</i> See - <i>Ficus pumila</i> | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Ficus rubiginosa</i> Rusty Fig | BE | 1.00 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ficus triangularis</i> See - <i>Ficus natalensis</i> ssp. <i>leptostachya</i> | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.04 | 10B |
| <i>Filicium decipiens</i> Japanese Fern Tree | BE | | | | | | | |
| <i>Filipendula hexapetala</i> See - <i>Filipendula vulgaris</i> | HP | 1.10 | G4 | | 4-8 | | | 2 |
| <i>Filipendula palmata</i> Siberian Meadowsweet | HP | 1.02 | G4 | | 4-8 | | | 2 |
| <i>Filipendula palmata</i> 'Elegans' Elegans Siberian Meadowsweet | HP | 0.98 | G4 | | 4-8 | | | 2 |
| <i>Filipendula palmata</i> 'Nana' Dwarf Siberian Meadowsweet | HP | 1.08 | G4 | | 6-9A | | | 6 |
| <i>Filipendula purpurea</i> Japanese Meadowsweet | HP | 0.93 | G4 | | 6-9A | | | 6 |
| <i>Filipendula purpurea</i> 'Alba' White Japanese Meadowsweet | HP | 0.98 | G4 | | 4-8 | | | 2 |
| <i>Filipendula rubra</i> Queen-of-the-Prairie | HP | 1.05 | G4 | | 4-8 | | | 2 |
| <i>Filipendula rubra</i> 'Albicans' Albicans Queen-of-the-Prairie | HP | 1.17 | G4 | | 4-8 | | | 2 |
| <i>Filipendula rubra</i> 'Venusta Magnificum' Venusta Magnificum Queen-of-the-Prairie | HP | 1.00 | G4 | | 4-8 | | | 2 |
| <i>Filipendula rubra</i> 'Venusta' Venusta Queen-of-the-Prairie | HP | 1.06 | G4 | | 4-8 | | | 2 |
| <i>Filipendula ulmaria</i> Queen-of-the-Meadow | HP | | | | | | | |
| <i>Filipendula ulmaria</i> 'Aureo-Variegata' See - <i>Filipendula ulmaria</i> 'Variegata' | HP | 1.92 | G4 | | 4-8 | | | 2 |
| <i>Filipendula ulmaria</i> 'Variegata' Variegated Queen-of-the-Meadow | HP | 1.05 | G4 | | 4-8 | | | 3 |
| <i>Filipendula vulgaris</i> Dropwort | DT | 0.94 | G1 | | 7-9B | 0.98 | 0.85 | 9 |
| <i>Filipendula vulgaris</i> 'Flore Pleno' Flore Pleno Double Dropwort | HP | 1.21 | G4 | | 4-8 | | | 3 |
| <i>Firmiana simplex</i> Chinese Parasol Tree | FO | 0.40 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Fittonia verschaffeltii</i> Mosaic Plant | AN | 1.10 | G1 | 5-6 | 7-8 | | | 5 |
| <i>Foeniculum vulgare</i> Fennel | AN | 1.33 | G1 | 5-6 | 7-8 | | | 5 |
| <i>Foeniculum vulgare</i> 'Finocchio' Florence Fennel | AN | 0.83 | G1 | 5-6 | 7-8 | | | 5 |
| <i>Foeniculum vulgare</i> var. <i>azoricum</i> Sweet Florence Fennel | AN | 1.23 | G1 | 5-6 | 7-8 | | | 5 |
| <i>Foeniculum vulgare</i> var. <i>dulce</i> No Common Name Found | DS | 1.00 | G1 | 6-8 | 9A-10A | 1.00 | 5 | |
| <i>Foeniculum vulgare</i> var. <i>dulce</i> 'Rubrum' Bronze Fennel | DS | 0.83 | G1 | 5-6 | 7-8 | | | 5 |
| <i>Fontanesia fortunei</i> Fortune Fontanesia | DS | 1.00 | G1 | 6-8 | 9A-10A | 1.00 | 5 | |
| <i>Fontanesia fortunei</i> 'Titan' Titan Fortune Fontanesia | DS | 0.77 | G1 | 8 | 9A-11 | 1.00 | 6 | |
| <i>Forestiera neomexicana</i> Desert Olive | DS | 0.75 | G1 | 8 | 9A-11 | 1.00 | 6 | |
| <i>Forestiera segregata</i> Florida Privet | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Forestiera segregata</i> var. <i>pinetorum</i> Pineland Florida Privet | DS | 1.00 | G1 | 9A | 9B-11 | | 1.00 | 6 |
| <i>Forsythia</i> Hybrid Forsythia | DS | 0.90 | G1 | | 5-8 | | 0.54 | 5 |
| <i>Forsythia 'Courtasol'</i> P.P. 9104 Gold Tide Forsythia | DS | 1.07 | G1 | | 5-8 | | 0.99 | 5 |
| <i>Forsythia 'Gold Tide'</i> See - <i>Forsythia 'Courtasol'</i> P.P. 9104 | DS | 0.90 | G1 | | 5-8 | | 0.63 | 5 |
| <i>Forsythia 'Meadowlark'</i> Meadowlark Forsythia | DS | 0.90 | G1 | | 5-8 | | 0.54 | 5 |
| <i>Forsythia 'Nakai'</i> Nakai Forsythia | DS | 0.90 | G1 | | 5-8 | | 0.77 | 5 |
| <i>Forsythia 'New Hampshire Gold'</i> New Hampshire Gold Forsythia | DS | 0.90 | G1 | | 5-8 | | 0.61 | 5 |
| <i>Forsythia 'Northern Girl'</i> Northern Girl Forsythia | DS | 0.90 | G1 | | 5-8 | | 0.54 | 5 |
| <i>Forsythia 'Northern Gold'</i> Northern Gold Hybrid Forsythia | DS | 0.90 | G1 | | 5-8 | | 0.44 | 5 |
| <i>Forsythia 'Northern Sun'</i> Northern Sun Forsythia | DS | 0.93 | G1 | | 5-8 | | 0.57 | 5 |
| <i>Forsythia x intermedia</i> Border Forsythia | DS | 0.73 | G1 | | 5-8 | | 0.44 | 5 |
| <i>Forsythia x intermedia</i> 'Arnold Dwarf' Arnold Dwarf Border Forsythia | DS | 0.84 | G1 | | 5-8 | | 0.67 | 5 |
| <i>Forsythia x intermedia</i> 'Beatrix Farrand' Beatrix Farrand Border Forsythia | DS | 0.86 | G1 | | 5-8 | | 0.56 | 5 |
| <i>Forsythia x intermedia</i> 'Fiesta' Fiesta Border Forsythia | DS | 1.05 | G1 | | 5-8 | | 0.44 | 5 |
| <i>Forsythia x intermedia</i> 'Goldzauber' Goldzauber Border Forsythia | DS | 0.72 | G1 | | 5-8 | | 0.44 | 5 |
| <i>Forsythia x intermedia</i> 'Karl Sax' Karl Sax Border Forsythia | DS | 0.88 | G1 | | 5-8 | | 0.57 | 5 |
| <i>Forsythia x intermedia</i> 'Lynwood' Lynwood Border Forsythia | DS | 0.83 | G1 | | 5-8 | | 0.44 | 5 |
| <i>Forsythia x intermedia</i> 'Minigold' Minigold Border Forsythia | DS | 0.95 | G1 | | 5-8 | | 0.44 | 5 |
| <i>Forsythia x intermedia</i> 'Mr. K' Mr. K Border Forsythia | DS | 0.72 | G1 | | 5-8 | | 0.44 | 5 |
| <i>Forsythia x intermedia</i> 'Nana' Dwarf Border Forsythia | DS | 0.72 | G1 | | 5-8 | | 0.44 | 5 |
| <i>Forsythia x intermedia</i> 'Spectabilis' Showy Border Forsythia | DS | 0.78 | G1 | | 5-8 | | 0.66 | 5 |
| <i>Forsythia x intermedia</i> 'Spring Glory' Spring Glory Border Forsythia | DS | 0.84 | G1 | | 5-8 | | 0.59 | 5 |
| <i>Forsythia x intermedia</i> 'Springwood Gold' Springwood Gold Border Forsythia | DS | 0.72 | G1 | | 5-8 | | 0.44 | 5 |
| <i>Forsythia x intermedia</i> 'Tremonia' Tremonia Border Forsythia | DS | 0.72 | G1 | | 5-8 | | 0.44 | 5 |
| <i>Forsythia x intermedia</i> 'Winterthur' Winterthur Border Forsythia | DS | 0.79 | G1 | | 5-8 | | 0.44 | 5 |
| <i>Forsythia mandschurica</i> Manchurian Forsythia | DS | 1.00 | G1 | | 5-8 | | 0.55 | 6 |
| <i>Forsythia mandschurica</i> 'Vermont Sun' Vermont Sun Forsythia | DS | 1.00 | G1 | | 5-8 | | 0.55 | 6 |
| <i>Forsythia ovata</i> Early Forsythia | DS | 0.91 | G1 | | 5-8 | | 0.67 | 5 |
| <i>Forsythia ovata</i> 'Sunrise' Sunrise Early Forsythia | DS | 0.91 | G1 | | 5-8 | | 0.67 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|----------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Forsythia ovata</i> 'Tetragold' Tetragold Early Forsythia | DS | 0.91 | G1 | | 5-8 | | | 0.67 5 |
| <i>Forsythia suspensa</i> Weeping Forsythia | DS | 0.92 | G1 | | 5-8 | | | 0.74 5 |
| <i>Forsythia suspensa</i> var. <i>sieboldii</i> Siebold Trailing Forsythia | DS | 0.94 | G1 | | 5-8 | | | 1.00 5 |
| <i>Forsythia viridissima</i> Greenstem Forsythia | DS | 1.02 | G1 | | 5-8 | | | 0.99 5 |
| <i>Forsythia viridissima</i> 'Bronxensis' Bronxensis Dwarf Greenstem Forsythia | DS | 1.02 | G1 | | 5-8 | | | 0.87 5 |
| <i>Fortunella crassifolia</i> Meiwa Kumquat | FN | 1.09 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Fortunella japonica</i> Round Kumquat | FN | 1.16 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Fortunella margarita</i> Nagami Kumquat | FN | 1.10 | G1 | 8 | 9A-11 | 1.00 | 1.00 | 8 |
| <i>Fothergilla gardenii</i> Dwarf Fothergilla | DS | 1.47 | G1 | | 5-8 | | | 1.98 5 |
| <i>Fothergilla gardenii</i> 'Blue Mist' Blue Mist Dwarf Fothergilla | DS | 1.54 | G1 | | 5-8 | | | 2.27 5 |
| <i>Fothergilla gardenii</i> 'Mt. Airy' Mt. Airy Dwarf Fothergilla | DS | 1.42 | G1 | | 5-8 | | | 2.19 5 |
| <i>Fothergilla major</i> Large Fothergilla | DS | 1.58 | G1 | | 4-8 | | | 2.68 5 |
| <i>Fothergilla monticola</i> See - <i>Fothergilla major</i> | | | | | | | | |
| <i>Fouquieria splendens</i> Ocotillo | DS | 1.00 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Fragaria</i> Strawberry | SF | 1.01 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria</i> 'Frel' P.P. 7598 Pink Panda™ Strawberry | SF | 1.01 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria</i> 'Lipstick' Lipstick Strawberry | SF | 1.08 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria</i> 'Mara Des Bois' P.P. 8517 Mara Des Bois Strawberry | SF | 1.15 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria</i> 'Pink Panda' See - <i>Fragaria</i> 'Frel' P.P. 7598 | SF | 1.15 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria</i> 'Serenata' P.P. 8801 Serenata Strawberry | SF | | | | | | | |
| <i>Fragaria alpina</i> See - <i>Fragaria vesca</i> 'Semperflorens' | SF | 0.87 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria</i> x <i>ananassa</i> Garden Strawberry | SF | 0.87 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria</i> x <i>ananassa</i> 'All Star' All Star Garden Strawberry | SF | 0.87 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria</i> x <i>ananassa</i> 'Blakemore' Blakemore Garden Strawberry | SF | 0.87 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria</i> x <i>ananassa</i> 'Everbearing Gem' Everbearing Gem Garden Strawberry | SF | 0.87 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria</i> x <i>ananassa</i> 'Ft. Laramie' Ft. Laramie Garden Strawberry | SF | 0.87 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria</i> x <i>ananassa</i> 'Guardian' Guardian Garden Strawberry | SF | 0.87 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria</i> x <i>ananassa</i> 'Ozark Beauty' Ozark Beauty Garden Strawberry | SF | 0.96 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria</i> x <i>ananassa</i> 'Quinault' Quinault Garden Strawberry | SF | 0.87 | G4 | | 5-8 | | | 1.00 5 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Fragaria x ananassa</i> 'Streamliner' Streamliner Garden Strawberry | SF | 0.87 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria x ananassa</i> 'Sweetheart' Sweetheart Garden Strawberry | SF | 0.87 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria chiloensis</i> Beach Strawberry | SF | 0.83 | G4 | | 5-8 | | | 1.00 4 |
| <i>Fragaria vesca</i> European Strawberry | SF | 0.97 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria vesca</i> 'Alpine Improved Rugen' Alpine Rugen Wood Strawberry | SF | 0.96 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria vesca</i> 'Charles V' Charles V Wood Strawberry | SF | 0.96 | G4 | | 5-8 | | | 1.00 5 |
| <i>Fragaria vesca</i> 'Semperflorens' Alpine Strawberry | SF | 0.96 | G4 | | 5-8 | | | 1.00 5 |
| <i>Francoa ramosa</i> Bridal Wreath | HP | 1.00 | G4 | | 7-9B | | | 7 |
| <i>Francoa sonchifolia</i> No Common Name Found | HP | 1.00 | G4 | | 7-9B | | | 7 |
| <i>Franklinia alatamaha</i> Franklin Tree | DS | 1.45 | G1 | 5-6 | 7-9B | | | 2.00 8 |
| <i>Fraxinus americana</i> White Ash | DT | 0.77 | G1 | | 3-9B | 0.82 | 0.32 | 3 |
| <i>Fraxinus americana</i> 'Autumn Applause' P.P. 3769 Autumn Applause White Ash | DT | 1.31 | G1 | | 3-9B | 1.10 | 1.01 | 3 |
| <i>Fraxinus americana</i> 'Autumn Blaze' Autumn Blaze White Ash | DT | 0.93 | G1 | | 3-9B | 1.10 | 0.42 | 3 |
| <i>Fraxinus americana</i> 'Autumn Purple' See - <i>Fraxinus americana</i> 'Junginger' | DT | 0.77 | G1 | | 3-9B | 1.19 | 0.32 | 3 |
| <i>Fraxinus americana</i> 'Champaign County' P.P. 3762 Champaign County White Ash | DT | 0.77 | G1 | | 3-9B | 1.24 | 0.32 | 3 |
| <i>Fraxinus americana</i> 'Chicago Regal' Chicago Regal White Ash | DT | 0.77 | G1 | | 3-9B | 1.25 | 1.09 | 3 |
| <i>Fraxinus americana</i> 'Elk Grove' Elk Grove White Ash | DT | 0.77 | G1 | | 3-9B | 1.21 | 0.32 | 3 |
| <i>Fraxinus americana</i> 'Fall Festival' Fall Festival White Ash | DT | 0.77 | G1 | | 3-9B | 1.07 | 0.88 | 3 |
| <i>Fraxinus americana</i> 'Greenspire' See - <i>Fraxinus americana</i> 'PNI 2331' | DT | 0.92 | G1 | | 3-9B | 1.07 | 0.32 | 3 |
| <i>Fraxinus americana</i> 'Junginger' Autumn Purple® White Ash | DT | 0.77 | G1 | | 3-9B | 1.07 | 1.76 | 3 |
| <i>Fraxinus americana</i> 'Kleinburg' Kleinburg White Ash | DT | 0.77 | G1 | | 3-9B | 1.07 | 0.32 | 3 |
| <i>Fraxinus americana</i> 'Manitou' Manitou White Ash | DT | 0.77 | G1 | | 3-9B | 1.07 | 1.04 | 3 |
| <i>Fraxinus americana</i> 'Northern Blaza' P.P.A.F. Northern Blaze White Ash | DT | 0.77 | G1 | | 3-9B | 0.73 | 0.32 | 3 |
| <i>Fraxinus americana</i> 'PNI 2331' Greenspire® White Ash | DT | 0.77 | G1 | | 3-9B | 1.04 | 0.66 | 3 |
| <i>Fraxinus americana</i> 'Rosehill' P.P. 2678 Rosehill White Ash | DT | 1.29 | G1 | | 3-9B | 1.10 | 1.35 | 3 |
| <i>Fraxinus americana</i> 'Royal Purple' Royal Purple White Ash | DT | 0.77 | G1 | | 3-9B | 1.18 | 1.66 | 3 |
| <i>Fraxinus americana</i> 'Skycole' P.P. 4756 Skyline® White Ash | DT | 0.77 | G1 | | 3-9B | 1.06 | 1.06 | 3 |
| <i>Fraxinus americana</i> 'Skyline' See - <i>Fraxinus americana</i> 'Skycole' P.P. 4756 | DT | 0.77 | G1 | | 3-9B | 1.22 | 1.76 | 3 |
| <i>Fraxinus americana</i> 'Tures' Windy City® White Ash | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|-----------|---------------------|-------------|---------|------------|
| | | | SK | Insurable HZ Req | Not Req | Caliper | |
| <i>Fraxinus americana</i> 'Windy City' | | | | | | | |
| See - <i>Fraxinus americana</i> 'Tures' | | | | | | | |
| <i>Fraxinus angustifolia</i> | DT | 0.91 | G1 | | 6-8 | 0.91 | 1.00 6 |
| Claret Ash | | | | | | | |
| <i>Fraxinus angustifolia</i> 'Aureafolia' | DT | 0.91 | G1 | | 6-8 | 0.91 | 1.00 6 |
| Golden Desert™ Claret Ash | | | | | | | |
| <i>Fraxinus angustifolia</i> 'Flame' P.P. 2566 | DT | 0.91 | G1 | | 6-8 | 0.91 | 1.00 6 |
| Flame Claret Ash | | | | | | | |
| <i>Fraxinus angustifolia</i> 'Golden Desert' | | | | | | | |
| See - <i>Fraxinus angustifolia</i> 'Aureafolia' | | | | | | | |
| <i>Fraxinus angustifolia</i> 'Raywoodi' | DT | 0.91 | G1 | | 6-8 | 0.91 | 1.00 6 |
| Raywood Claret Ash | | | | | | | |
| <i>Fraxinus biltmoreana</i> | DT | 1.00 | G1 | | 4-9B | 1.00 | 1.00 4 |
| Biltmore Ash | | | | | | | |
| <i>Fraxinus caroliniana</i> | DT | 0.46 | G1 | 7-8 | 9A-10B | 1.00 | 1.00 6 |
| Water Ash | | | | | | | |
| <i>Fraxinus excelsior</i> | DT | 1.00 | G1 | | 5-7 | 1.02 | 1.00 4 |
| Common Ash | | | | | | | |
| <i>Fraxinus excelsior</i> 'Aurea' | DT | 1.00 | G1 | | 5-7 | 0.98 | 1.00 4 |
| Aurea Common Ash | | | | | | | |
| <i>Fraxinus excelsior</i> 'Globosa' | DT | 1.00 | G1 | | 5-7 | 0.98 | 1.00 4 |
| Globe Common Ash | | | | | | | |
| <i>Fraxinus excelsior</i> 'Hessei' | DT | 1.00 | G1 | | 5-7 | 1.05 | 1.00 4 |
| Hessei Common Ash | | | | | | | |
| <i>Fraxinus excelsior</i> 'Kimberly' | DT | 1.00 | G1 | | 5-7 | 0.98 | 1.00 4 |
| Kimberly Common Ash | | | | | | | |
| <i>Fraxinus excelsior</i> 'Pendula' | DT | 1.00 | G1 | | 5-7 | 1.19 | 1.00 4 |
| Weeping Common Ash | | | | | | | |
| <i>Fraxinus holotricha</i> | DT | 0.89 | G1 | | 6-8 | 1.00 | 1.00 6 |
| Moraine Ash | | | | | | | |
| <i>Fraxinus lanceolata</i> | | | | | | | |
| See - <i>Fraxinus pennsylvanica</i> | | | | | | | |
| <i>Fraxinus latifolia</i> | DT | 0.60 | G1 | | 6-8 | 1.00 | 1.00 6 |
| Oregon Ash | | | | | | | |
| <i>Fraxinus mandshurica</i> | DT | 1.00 | G1 | 7-8 | 9A-10B | 1.01 | 1.00 6 |
| Manchurian Ash | | | | | | | |
| <i>Fraxinus mandshurica</i> 'Mancana' | DT | 1.00 | G1 | 7-8 | 9A-10B | 1.01 | 1.00 6 |
| Mancana Manchurian Ash | | | | | | | |
| <i>Fraxinus nigra</i> | DT | 0.89 | G1 | 7-8 | 9A-10B | 1.04 | 0.55 2 |
| Black Ash | | | | | | | |
| <i>Fraxinus nigra</i> 'Fallgold' | DT | 0.89 | G1 | 7-8 | 9A-10B | 1.04 | 0.42 2 |
| Fallgold Black Ash | | | | | | | |
| <i>Fraxinus ormus</i> | DT | 1.00 | G1 | | 5-6 | 1.00 | 1.00 6 |
| Flowering Ash | | | | | | | |
| <i>Fraxinus oxyacarpa</i> | | | | | | | |
| See - <i>Fraxinus angustifolia</i> | | | | | | | |
| <i>Fraxinus pennsylvanica</i> | DT | 0.81 | G1 | | 3-9B | 0.76 | 0.31 3 |
| Red Ash | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Aerial' | | | | | | | |
| See - <i>Fraxinus pennsylvanica</i> 'Lednaw' P.P. 7120 | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Bergeson' P.P. 4904 | DT | 0.81 | G1 | | 3-9B | 0.94 | 0.94 3 |
| Bergeson Red Ash | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Centerpoint' | DT | 0.81 | G1 | | 3-9B | 0.76 | 0.31 3 |
| Centerpoint Red Ash | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Cimarron' | | | | | | | |
| See - <i>Fraxinus pennsylvanica</i> 'Cimmzam' P.P. 8077 | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Cimmzam' P.P. 8077 | DT | 0.92 | G1 | | 3-9B | 1.01 | 0.79 3 |
| Cimarron® Red Ash | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Fraxinus pennsylvanica</i> 'Dakota Centennial' | | | | | | | | |
| See - <i>Fraxinus pennsylvanica</i> 'Whapeton' P.P.A.F. | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Emerald' P.P. 3088 | DT | 0.81 | G1 | | 3-9B | 0.76 | 0.31 | 3 |
| Emerald Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Johnson' P.P. 9136 | DT | 0.81 | G1 | | 3-9B | 1.21 | 0.31 | 3 |
| Leprechaun™ Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Kankakee' | DT | 0.81 | G1 | | 3-9B | 0.98 | 0.31 | 3 |
| Kankakee Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Kindred' | DT | 0.81 | G1 | | 3-9B | 0.86 | 1.17 | 3 |
| Kindred Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'King Richard' | DT | 0.81 | G1 | | 3-9B | 1.00 | 0.31 | 3 |
| King Richard Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Lednaw' P.P. 7120 | DT | 0.85 | G1 | | 3-9B | 0.86 | 1.17 | 3 |
| Aerial™ Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Leprechaun' | | | | | | | | |
| See - <i>Fraxinus pennsylvanica</i> 'Johnson' P.P. 9136 | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Mahle' | DT | 0.81 | G1 | | 3-9B | 0.76 | 0.31 | 3 |
| Mahle Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Marshall's Seedless' | DT | 0.90 | G1 | | 3-9B | 0.96 | 0.49 | 3 |
| Marshall's Seedless Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Newport' | DT | 0.81 | G1 | | 3-9B | 1.01 | 0.59 | 3 |
| Newport Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Patmore' P.P. 4684 | DT | 0.85 | G1 | | 3-9B | 1.00 | 0.74 | 3 |
| Patmore Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Prairie Spire' | | | | | | | | |
| See - <i>Fraxinus pennsylvanica</i> 'Rugby' P.P.A.F. | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Robinhood' | DT | 0.81 | G1 | | 3-9B | 0.77 | 0.31 | 3 |
| Robinhood Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Rugby' P.P.A.F. | DT | 0.85 | G1 | | 3-9B | 0.83 | 0.42 | 3 |
| Prairie Spire™ Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Sherwood Glen' | DT | 0.81 | G1 | | 3-9B | 1.10 | 0.31 | 3 |
| Sherwood Glen Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Skyward' | | | | | | | | |
| See - <i>Fraxinus pennsylvanica</i> 'Wandell' P.P.A.F. | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Summit' | DT | 0.89 | G1 | | 3-9B | 0.98 | 0.63 | 3 |
| Summit Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Urbanite' P.P. 6215 | DT | 0.99 | G1 | | 3-9B | 0.98 | 0.39 | 3 |
| Urbanite® Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Wandell' P.P.A.F. | DT | 0.81 | G1 | | 3-9B | 0.76 | 0.31 | 3 |
| Skyward™ Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Waverly' | DT | 0.81 | G1 | | 3-9B | 0.76 | 0.31 | 3 |
| Waverly Red Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Whapeton' P.P.A.F. | DT | 1.01 | G1 | | 3-9B | 0.76 | 0.31 | 3 |
| Dakota Centennial™ Red Ash | | | | | | | | |
| <i>Fraxinus quadrangulata</i> | DT | 1.09 | G1 | | 4-9B | 1.23 | 1.00 | 4 |
| Blue Ash | | | | | | | | |
| <i>Fraxinus texensis</i> | DT | 0.85 | G1 | | 6-9B | 1.00 | 1.00 | 6 |
| Texas Ash | | | | | | | | |
| <i>Fraxinus uhdei</i> | DT | 0.63 | G1 | | 8-9B | 1.00 | 1.00 | 8 |
| Evergreen Ash | | | | | | | | |
| <i>Fraxinus uhdei</i> 'Majestic Beauty' | | | | | | | | |
| See - <i>Fraxinus uhdei</i> 'Monus' P.P. 2860 | | | | | | | | |
| <i>Fraxinus uhdei</i> 'Monus' P.P. 2860 | DT | 0.80 | G1 | | 8-9B | 1.00 | 1.00 | 8 |
| Majestic Beauty™ Evergreen Ash | | | | | | | | |
| <i>Fraxinus velutina</i> | DT | 0.81 | G1 | 7-8 | 9A-10B | 0.58 | 1.00 | 7 |
| Arizona Ash | | | | | | | | |
| <i>Fraxinus velutina</i> 'Fan-Tex' | DT | 0.94 | G1 | 7-8 | 9A-10B | 0.58 | 1.00 | 7 |
| Fan-Tex Arizona Ash | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Fraxinus velutina</i> 'Modesto' Modesto Arizona Ash | DT | 0.82 | G1 | 7-8 | 9A-10B | 0.90 | 1.00 | 7 |
| <i>Fraxinus velutina</i> 'Rio Grande' Rio Grande Arizona Ash | DT | 0.69 | G1 | 7-8 | 9A-10B | 0.58 | 1.00 | 7 |
| <i>Freesia x hybrida</i> Hybrid Freesia | HP | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Freesia x hybrida</i> 'Red' Red Garden Freesia | HP | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Freesia x hybrida</i> 'Yellow' Yellow Garden Freesia | HP | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Fremontodendron californicum</i> Common Flannel Bush | BS | 1.07 | G1 | | 8-9A | | | 1.00 |
| <i>Fremontodendron mexicanum</i> Southern Flannel Bush | BS | 1.07 | G1 | | 8-9A | | | 1.00 |
| <i>Fremontodendron mexicanum</i> 'California Glory' California Glory Southern Flannel Bush | BS | 1.03 | G1 | | 8-9A | | | 1.00 |
| <i>Fremontodendron mexicanum</i> 'Eldorado Gold' Eldorado Gold Southern Flannel Bush | BS | 0.87 | G1 | | 8-9A | | | 1.00 |
| <i>Fremontodendron mexicanum</i> 'Pacific Sunset' Pacific Sunset Southern Flannel Bush | BS | 1.03 | G1 | | 8-9A | | | 1.00 |
| <i>Fremontodendron mexicanum</i> 'San Gabriel' San Gabriel Southern Flannel Bush | BS | 1.03 | G1 | | 8-9A | | | 1.00 |
| <i>Freycinetia arborea</i> Climbing Screw Pine | BS | 2.38 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Fuchsia</i> Fuchsia | BS | 0.73 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Fuchsia</i> 'Double Otto' Double Otto Fuchsia | BS | 0.95 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Fuchsia</i> 'Gartenmeister Bonstedt' Gartenmeister Bonstedt Fuchsia | BS | 0.73 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Fuchsia</i> 'Island Sunset' P.P. 7270 Island Sunset Fuchsia | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Fuchsia</i> 'Papoose' Papoose Fuchsia | BS | 0.90 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Fuchsia</i> 'Santa Claus' Santa Claus Fuchsia | BS | 0.94 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Fuchsia</i> 'Tom Thumb' Tom Thumb Fuchsia | BS | 1.09 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Fuchsia arborescens</i> Tree Fuchsia | BS | 0.77 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Fuchsia magellanica</i> Hardy Fuchsia | BS | 1.04 | G1 | 6-8 | 9A-11 | | | 1.00 |
| <i>Fuchsia thymifolia</i> No Common Name Found | BS | 0.96 | G1 | | 9A-10A | | | 1.00 |
| <i>Furcraea foetida</i> Mauritius Hemp | BS | 2.22 | G1 | 9 | 10A-11 | | | 1.00 |
| <i>Furcraea foetida</i> 'Mediopicta' Mediopicta Mauritius Hemp | BS | 2.22 | G1 | 9 | 10A-11 | | | 1.00 |
| <i>Furcraea stricta</i> Giant False Agave | BS | 2.77 | G1 | 9 | 10A-11 | | | 1.00 |
| <i>Gaillardia aristata</i> Common Blanket Flower | HP | 0.81 | G4 | 8 | 9A-10A | | | 8 |
| <i>Gaillardia x grandiflora</i> Fiesta Daisy | HP | 0.60 | G4 | 4-8 | 9A-11 | | | 4 |
| <i>Gaillardia x grandiflora</i> 'Baby Cole' Baby Cole Fiesta Daisy | HP | 0.94 | G4 | 4-8 | 9A-11 | | | 4 |
| <i>Gaillardia x grandiflora</i> 'Bremen' Bremen Fiesta Daisy | HP | 0.75 | G4 | 4-8 | 9A-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Gaillardia x grandiflora</i> 'Burgundy' Burgundy Fiesta Daisy | HP | 1.04 | G4 | 4-8 | 9A-11 | | | 4 |
| <i>Gaillardia x grandiflora</i> 'Dazzler' Dazzler Fiesta Daisy | HP | 1.03 | G4 | 4-8 | 9A-11 | | | 4 |
| <i>Gaillardia x grandiflora</i> 'Goblin' Goblin Fiesta Daisy | HP | 0.90 | G4 | 4-8 | 9A-11 | | | 4 |
| <i>Gaillardia x grandiflora</i> 'Golden Goblin' Golden Goblin Fiesta Daisy | HP | 1.01 | G4 | 4-8 | 9A-11 | | | 4 |
| <i>Gaillardia x grandiflora</i> 'Mandarin' Mandarin Fiesta Daisy | HP | 0.97 | G4 | 4-8 | 9A-11 | | | 4 |
| <i>Gaillardia x grandiflora</i> 'Orange Tokay' Orange Tokay Fiesta Daisy | HP | 0.93 | G4 | 4-8 | 9A-11 | | | 4 |
| <i>Gaillardia pulchella</i> Blanket Flower | HP | 0.74 | G4 | 8 | 9A-10A | | | 8 |
| <i>Galax urceolata</i> Galax | HP | 0.99 | G1 | 5-8 | 9A-10A | | | 5 |
| <i>Galega officinalis</i> Goat's Rue | HP | 0.93 | G4 | | 5-8 | | | 4 |
| <i>Galium boreale</i> Northern Bedstraw | HP | 1.00 | G4 | | 3-8 | | | 2 |
| <i>Galium odoratum</i> Sweet Woodruff | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Galium verum</i> Yellow Bedstraw | HP | 0.96 | G4 | | 3-8 | | | 3 |
| <i>Galphimia glauca</i> Rain-of-Gold | BS | 0.80 | G1 | 9B | 10A-11 | | 1.00 | 10A |
| <i>Galphimia gracilis</i> No Common Name Found | BS | 1.02 | G1 | 9B | 10A-11 | | 1.00 | 10A |
| <i>Galtonia candicans</i> Summer Hyacinth | HP | 1.00 | G4 | 6 | 7-9B | | | 5 |
| <i>Galvezia speciosa</i> Island Bush Snapdragon | BS | 0.81 | G2 | 8 | 9A-11 | | 1.00 | 8 |
| <i>Galvezia speciosa</i> 'Bocarosa' Bocarosa Island Bush Snapdragon | BS | 0.81 | G2 | 8 | 9A-11 | | 1.00 | 8 |
| <i>Galvezia speciosa</i> 'Firecracker' Firecracker Island Bush Snapdragon | BS | 0.81 | G2 | 8 | 9A-11 | | 1.00 | 8 |
| <i>Gamolepis chrysanthemoides</i> Daisy Bush | HP | 0.66 | G4 | 9 | 10A-11 | | | 10B |
| <i>Garcinia mangostana</i> Mangosteen | FN | 3.20 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Garcinia spicata</i> No Common Name Found | BE | 3.50 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Gardenia augusta</i> Common Gardenia | BS | 0.94 | G1 | 8-9B | 10A-11 | | 1.00 | 8 |
| <i>Gardenia augusta</i> 'Aimee Yoshida' First Love™ Common Gardenia | BS | 1.09 | G1 | 8-9B | 10A-11 | | 1.00 | 8 |
| <i>Gardenia augusta</i> 'August Beauty' August Beauty Common Gardenia | BS | 0.76 | G1 | 8-9B | 10A-11 | | 1.00 | 8 |
| <i>Gardenia augusta</i> 'Chuck Hayes' P.P. 8755 Chuck Hayes Gardenia | BS | 0.88 | G1 | 8-9B | 10A-11 | | 1.00 | 8 |
| <i>Gardenia augusta</i> 'First Love' See - <i>Gardenia augusta</i> 'Aimee Yoshida' | BS | 1.13 | G1 | 8-9B | 10A-11 | | 1.00 | 8 |
| <i>Gardenia augusta</i> 'Kleim's Hardy' Kleim's Hardy Common Gardenia | BS | 0.82 | G1 | 8-9B | 10A-11 | | 1.00 | 8 |
| <i>Gardenia augusta</i> 'Miami Supreme' Miami Supreme Common Gardenia | BS | 0.75 | G1 | 8-9B | 10A-11 | | 1.00 | 8 |
| <i>Gardenia augusta</i> 'Mystery' Mystery Common Gardenia | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Gardenia augusta</i> 'Radicans Variegata' Variegated Radicans Common Gardenia | BS | 1.06 | G1 | 8-9B | 10A-11 | | 1.00 | 8 |
| <i>Gardenia augusta</i> 'Radicans' Radicans Common Gardenia | BS | 0.81 | G1 | 8-9B | 10A-11 | | 1.00 | 8 |
| <i>Gardenia augusta</i> 'Veitchii' Everblooming Common Gardenia | BS | 0.79 | G1 | 8-9B | 10A-11 | | 1.00 | 8 |
| <i>Gardenia augusta</i> 'White Gem' White Gem Common Gardenia | BS | 1.18 | G1 | 8-9B | 10A-11 | | 1.00 | 8 |
| <i>Gardenia jasminoides</i> See - <i>Gardenia augusta</i> | | | | | | | | |
| <i>Gardenia taitensis</i> Tahitian Gardenia | BS | 1.57 | G1 | 8-9B | 10A-11 | | 1.00 | 11 |
| <i>Garrya elliptica</i> Silk Tassel | BS | 1.09 | G2 | | 8-10A | | 1.00 | 8 |
| <i>Garrya elliptica</i> 'Evie' Evie Silk Tassel | BS | 1.03 | G2 | | 8-10A | | 1.00 | 8 |
| <i>Garrya elliptica</i> 'James Roof' James Roof Silk Tassel | BS | 1.12 | G2 | | 8-10A | | 1.00 | 8 |
| <i>Garrya fremontii</i> Fever Bush | BS | 1.00 | G2 | | 7-9B | | 1.00 | 7 |
| x <i>Gaultheria wisleyensis</i> See - <i>Gaultheria x wisleyensis</i> | | | | | | | | |
| <i>Gaultheria hookeri</i> No Common Name Found | BS | 1.00 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Gaultheria mucronata</i> Chilean Wintergreen | BS | 1.02 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Gaultheria mucronata</i> 'Rubra' Red Chilean Wintergreen | BS | 1.02 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Gaultheria procumbens</i> Wintergreen | BS | 1.17 | G1 | | 4-8 | | 1.00 | 4 |
| <i>Gaultheria shallon</i> Salal | BS | 1.02 | G1 | | 7-9A | | 1.00 | 8 |
| <i>Gaultheria x wisleyensis</i> Wisley Gaultheria | BS | 1.00 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Gaultheria x wisleyensis</i> 'Wisley Pearl' Wisley Pearl Gaultheria | BS | 1.00 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Gaura lindheimeri</i> White Gaura | HP | 0.95 | G4 | 6 | 7-10A | | 4 | |
| <i>Gaura lindheimeri</i> 'Corrie's Gold' Corrie's Gold White Gaura | HP | 1.23 | G4 | 6 | 7-10A | | 4 | |
| <i>Gaura lindheimeri</i> 'Siskiyou Pink' Siskiyou Pink White Gaura | HP | 0.94 | G4 | 6 | 7-10A | | 4 | |
| <i>Gaura lindheimeri</i> 'Whirling Butterflies' Whirling Butterflies White Gaura | HP | 1.04 | G4 | 6 | 7-10A | | 4 | |
| <i>Gaussia attenuata</i> Llume Palm | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Gaussia maya</i> Maya Palm | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Gaylussacia baccata</i> Black Huckleberry | DS | 1.00 | G1 | 7-8 | 9 | | 0.53 | 3 |
| <i>Gaylussacia dumosa</i> Dwarf Huckleberry | DS | 0.76 | G1 | 7-8 | 9 | | 1.00 | 7 |
| <i>Gazania linearis</i> Pied Gazania | HP | 0.57 | G4 | 8-10A | 10B-11 | | 9 | |
| <i>Gazania longiscapa</i> See - <i>Gazania linearis</i> | | | | | | | | |
| <i>Gazania rigens</i> Treasure Flower | HP | 0.60 | G4 | 8-10A | 10B-11 | | 9 | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Gazania rigens</i> 'Aztec Queen' Aztec Queen Treasure Flower | HP | 0.60 | G4 | 8-10A | 10B-11 | | | 9 |
| <i>Gazania rigens</i> 'Fiesta Red' Fiesta Red Treasure Flower | HP | 0.60 | G4 | 8-10A | 10B-11 | | | 9 |
| <i>Gazania rigens</i> 'Gold Rush' Gold Rush Treasure Flower | HP | 0.60 | G4 | 8-10A | 10B-11 | | | 9 |
| <i>Gazania rigens</i> 'Mini Star Tangerine' Mini Star Tangerine Treasure Flower | HP | 0.60 | G4 | 8-10A | 10B-11 | | | 9 |
| <i>Gazania rigens</i> 'Moon Glow' Moon Glow Treasure Flower | HP | 0.60 | G4 | 8-10A | 10B-11 | | | 9 |
| <i>Gazania rigens</i> 'Sunshine Mix' Sunshine Mix Treasure Flower | HP | 0.60 | G4 | 8-10A | 10B-11 | | | 9 |
| <i>Gazania rigens</i> var. <i>leucolaena</i> Trailing Treasure Flower | HP | 1.00 | G4 | 8-10A | 10B-11 | | | 9 |
| <i>Geijera parviflora</i> Australian Willow Tree | BE | 0.83 | G1 | | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Gelsemium rankinii</i> Yellow Jessamine | GC | 1.11 | G2 | 8 | 9A-10A | | 1.00 | 8 |
| <i>Gelsemium sempervirens</i> False Jasmine | GC | 0.90 | G2 | 7-8 | 9A-10A | | 1.00 | 9 |
| <i>Gelsemium sempervirens</i> 'Plena' Plena Carolina Jessamine | GC | 1.12 | G2 | 7-8 | 9A-10A | | 1.00 | 9 |
| <i>Genista canariensis</i> Canary Island Broom | BS | 1.00 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Genista lydia</i> Lydia Broom | DS | 0.97 | G2 | | 7-9B | | 1.00 | 7 |
| <i>Genista pilosa</i> Silkyleaf Broom | DS | 0.94 | G2 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Genista pilosa</i> 'Vancouver Gold' C.O.P.F. Vancouver Gold Silkyleaf Broom | DS | 1.10 | G2 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Genista x spachiana</i> Sweet Broom | DS | 0.79 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Genista tinctoria</i> Common Broom | DS | 0.84 | G1 | 4-6 | 7-9B | | 1.00 | 3 |
| <i>Genista tinctoria</i> 'Royal Gold' Royal Gold Common Broom | DS | 0.97 | G1 | 4-6 | 7-9B | | 1.00 | 3 |
| <i>Gentiana alba</i> Cream Gentian | HP | 1.28 | G4 | | 5-8 | | | 5 |
| <i>Gentiana andrewsii</i> Bottle Gentian | HP | 1.23 | G4 | | 6-7 | | | 6 |
| <i>Gentiana asclepiadea</i> Willow Gentian | HP | 1.40 | G4 | | 6-7 | | | 6 |
| <i>Gentiana cruciata</i> Cross Gentian | HP | 1.00 | G4 | | 5-7 | | | 5 |
| <i>Gentiana dahurica</i> No Common Name Found | HP | 1.25 | G4 | | 4-7 | | | 4 |
| <i>Gentiana gracilipes</i> No Common Name Found | HP | 1.36 | G4 | | 6-8 | | | 6 |
| <i>Gentiana lagodechiana</i> See - <i>Gentiana septemfida</i> var. <i>lagodechiana</i> | HP | 1.10 | G4 | | 6-8 | | | 6 |
| <i>Gentiana makinoi</i> No Common Name Found | HP | 1.10 | G4 | | 6-8 | | | 6 |
| <i>Gentiana makinoi</i> 'Royal Blue' Royal Blue Gentian | HP | 1.10 | G4 | | 6-8 | | | 6 |
| <i>Gentiana scabra</i> Rough Gentian | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Gentiana septemfida</i> Crested Gentian | HP | 1.10 | G4 | | 3-8 | | | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Gentiana septemfida</i> var. <i>lagodechiana</i> | HP | 0.99 | G4 | | 3-8 | | | 6 |
| No Common Name Found | | | | | | | | |
| <i>Geranium</i> | HP | 0.91 | G4 | | 6-9A | | | 5 |
| <i>Geranium</i> | | | | | | | | |
| <i>Geranium 'Ann Folkard'</i> | HP | 1.82 | G4 | | 6-9A | | | 5 |
| Ann Folkard Cranesbill | | | | | | | | |
| <i>Geranium 'Johnson's Blue'</i> | HP | 1.19 | G4 | | 6-9A | | | 5 |
| Johnson's Blue Cranebill | | | | | | | | |
| <i>Geranium x cantabrigiense</i> | HP | 1.07 | G4 | | 5-9A | | | 5 |
| Cambridge Geranium | | | | | | | | |
| <i>Geranium x cantabrigiense</i> 'Biokovo Karmina' | HP | 1.13 | G4 | | 5-9A | | | 5 |
| Biokovo Karmina Cambridge Geranium | | | | | | | | |
| <i>Geranium x cantabrigiense</i> 'Biokovo' | HP | 1.13 | G4 | | 5-9A | | | 5 |
| Biokovo Geranium | | | | | | | | |
| <i>Geranium cinereum</i> | HP | 1.07 | G4 | | 5-8 | | | 5 |
| Grayleaf Cranesbill | | | | | | | | |
| <i>Geranium cinereum</i> 'Ballerina' | HP | 1.29 | G4 | | 5-8 | | | 5 |
| Ballerina Grayleaf Cranesbill | | | | | | | | |
| <i>Geranium cinereum</i> 'Giuseppi' | HP | 1.37 | G4 | | 5-8 | | | 5 |
| Giuseppi Grayleaf Cranesbill | | | | | | | | |
| <i>Geranium cinereum</i> 'Lawrence Flatman' | HP | 1.36 | G4 | | 5-8 | | | 5 |
| Lawrence Flatman Grayleaf Cranesbill | | | | | | | | |
| <i>Geranium cinereum</i> 'Splendens' | HP | 1.07 | G4 | | 5-8 | | | 5 |
| Splendens Grayleaf Cranesbill | | | | | | | | |
| <i>Geranium cinereum</i> var. <i>subcaulescens</i> | HP | 1.12 | G4 | | 5-8 | | | 5 |
| Subcaulescens Grayleaf Cranesbill | | | | | | | | |
| <i>Geranium clarkei</i> | HP | 1.12 | G4 | | 7-9B | | | 7 |
| Clarke's Geranium | | | | | | | | |
| <i>Geranium clarkei</i> 'Kashmir Purple' | HP | 1.12 | G4 | | 7-9B | | | 7 |
| Kashmir Purple Clarke's Geranium | | | | | | | | |
| <i>Geranium clarkei</i> 'Kashmir White' | HP | 1.12 | G4 | | 7-9B | | | 7 |
| Kashmir White Clarke's Geranium | | | | | | | | |
| <i>Geranium dalmaticum</i> | HP | 1.12 | G4 | | 5-8 | | | 5 |
| Dalmatian Cranesbill | | | | | | | | |
| <i>Geranium endressii</i> | HP | 1.35 | G4 | | 5-8 | | | 5 |
| Endress's Geranium | | | | | | | | |
| <i>Geranium endressii</i> 'Wargrave Pink' | HP | 1.07 | G4 | | 5-8 | | | 5 |
| Wargrave Pink Endress's Geranium | | | | | | | | |
| <i>Geranium himalayense</i> | HP | 0.87 | G4 | | 4-8 | | | 4 |
| Lilac Geranium | | | | | | | | |
| <i>Geranium himalayense</i> 'Birch Double' | HP | 1.42 | G4 | | 4-8 | | | 4 |
| Birch Double Lilac Geranium | | | | | | | | |
| <i>Geranium himalayense</i> 'Gravetye' | HP | 1.08 | G4 | | 4-8 | | | 4 |
| Gravetye Lilac Geranium | | | | | | | | |
| <i>Geranium himalayense</i> var. <i>alpinum</i> | HP | 1.10 | G4 | | 4-8 | | | 4 |
| Dwarf Blue Lilac Geranium | | | | | | | | |
| <i>Geranium ibericum</i> | HP | 1.30 | G4 | | 6-9A | | | 6 |
| Caucasus Geranium | | | | | | | | |
| <i>Geranium incanum</i> | HP | 0.92 | G4 | | 9A-10A | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Geranium macrorrhizum</i> | HP | 1.16 | G4 | | 4-9A | | | 4 |
| Bigroot Geranium | | | | | | | | |
| <i>Geranium macrorrhizum</i> 'Album' | HP | 1.07 | G4 | | 4-9A | | | 4 |
| White Bigroot Geranium | | | | | | | | |
| <i>Geranium macrorrhizum</i> 'Bevan's Variety' | HP | 1.14 | G4 | | 4-9A | | | 4 |
| Bevan's Variety Bigroot Geranium | | | | | | | | |
| <i>Geranium macrorrhizum</i> 'Czakor' | HP | 1.69 | G4 | | 4-9A | | | 4 |
| Czakor Bigroot Geranium | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Geranium macrorrhizum</i> 'Ingwersen's Variety' Ingwersen's Variety Bigroot Geranium | HP | 1.14 | G4 | | 4-9A | | | 4 |
| <i>Geranium macrorrhizum</i> 'Spessart' Spessart Bigroot Geranium | HP | 1.23 | G4 | | 4-9A | | | 4 |
| <i>Geranium maculatum</i> Wild Geranium | HP | 1.03 | G4 | | 5-8 | | | 4 |
| <i>Geranium maculatum</i> 'Album' White Wild Geranium | HP | 1.02 | G4 | | 5-8 | | | 4 |
| <i>Geranium maderense</i> No Common Name Found | HP | 0.88 | G4 | | 9A-10A | | | 9 |
| <i>Geranium x magnificum</i> Showy Geranium | HP | 1.38 | G4 | | 5-8 | | | 5 |
| <i>Geranium nepalense</i> var. <i>thunbergii</i> No Common Name Found | HP | 1.00 | G4 | | 7-9B | | | 7 |
| <i>Geranium nodosum</i> No Common Name Found | HP | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Geranium orientalitibeticum</i> No Common Name Found | HP | 1.00 | G4 | 8 | 9A-10A | | | 8 |
| <i>Geranium x oxonianum</i> Oxford Geranium | HP | 0.95 | G4 | | 5-8 | | | 5 |
| <i>Geranium x oxonianum</i> 'A.T. Johnson' A.T. Johnson Geranium | HP | 1.14 | G4 | | 5-8 | | | 5 |
| <i>Geranium x oxonianum</i> 'Claridge Dulce' Claridge Dulce Geranium | HP | 1.07 | G4 | | 5-8 | | | 5 |
| <i>Geranium x oxonianum</i> 'Rose Clair' Rose Clair Geranium | HP | 1.21 | G4 | | 5-8 | | | 5 |
| <i>Geranium x oxonianum</i> 'Thurstonianum' Thurstonianum Geranium | HP | 0.95 | G4 | | 5-8 | | | 5 |
| <i>Geranium palmatum</i> No Common Name Found | HP | 0.98 | G4 | | 9A-10A | | | 9 |
| <i>Geranium phaeum</i> Mourning Widow Geranium | HP | 1.14 | G4 | | 5-9A | | | 5 |
| <i>Geranium phaeum</i> 'Album' White Mourning Widow Geranium | HP | 1.08 | G4 | | 5-9A | | | 5 |
| <i>Geranium platypetalum</i> Broad-petaled Geranium | HP | 1.18 | G4 | | 6-9A | | | 6 |
| <i>Geranium pratense</i> Meadow Cranesbill | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Geranium pratense</i> 'Mrs. Kendall Clarke' Mrs. Kendall Clarke Meadow Cranesbill | HP | 1.45 | G4 | | 5-9A | | | 5 |
| <i>Geranium psilostemon</i> Armenian Geranium | HP | 1.29 | G4 | | 6-9A | | | 6 |
| <i>Geranium pylzowianum</i> No Common Name Found | HP | 1.69 | G4 | | 5-9A | | | 5 |
| <i>Geranium renardii</i> No Common Name Found | HP | 1.62 | G4 | | 6-9A | | | 3 |
| <i>Geranium x riversleaianum</i> No Common Name Found | HP | 1.10 | G4 | | 7-9B | | | 7 |
| <i>Geranium x riversleaianum</i> 'Russell Prichard' Russell Prichard Hybrid Geranium | HP | 1.10 | G4 | | 7-9B | | | 7 |
| <i>Geranium sanguineum</i> Bloody Cranesbill | HP | 0.99 | G4 | | 5-9A | | | 5 |
| <i>Geranium sanguineum</i> 'Album' White Bloody Cranesbill | HP | 1.17 | G4 | | 5-9A | | | 5 |
| <i>Geranium sanguineum</i> 'Cedric Morris' Cedric Morris Bloody Cranesbill | HP | 1.47 | G4 | | 5-9A | | | 5 |
| <i>Geranium sanguineum</i> 'Elspeth' Elspeth Bloody Cranesbill | HP | 1.20 | G4 | | 5-9A | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Geranium sanguineum</i> 'John Elsley' John Elsley Bloody Cranesbill | HP | 1.22 | G4 | | 5-9A | | | 5 |
| <i>Geranium sanguineum</i> 'Max Frei' Max Frei Bloody Cranesbill | HP | 1.38 | G4 | | 5-9A | | | 5 |
| <i>Geranium sanguineum</i> 'New Hampshire Purple' New Hampshire Purple Bloody Cranesbill | HP | 1.15 | G4 | | 5-9A | | | 5 |
| <i>Geranium sanguineum</i> 'Purple Flame' Purple Flame Bloody Cranesbill | HP | 0.99 | G4 | | 5-9A | | | 5 |
| <i>Geranium sanguineum</i> 'Vision' Vision Bloody Cranesbill | HP | 0.99 | G4 | | 5-9A | | | 5 |
| <i>Geranium sanguineum</i> var. <i>prostratum</i> Dwarf Bloody Cranesbill | HP | 1.13 | G4 | | 5-9A | | | 5 |
| <i>Geranium sanguineum</i> var. <i>striatum</i> Striped Bloody Cranesbill | HP | 1.24 | G4 | | 5-9A | | | 5 |
| <i>Geranium sanguineum</i> var. <i>striatum</i> 'Lancastriense' Lancastriense Bloody Cranesbill | HP | 1.09 | G4 | | 5-9A | | | 5 |
| <i>Geranium sylvaticum</i> Wood Cranesbill | HP | 1.10 | G4 | | 4-8 | | | 4 |
| <i>Geranium sylvaticum</i> 'Album' White Wood Cranesbill | HP | 1.10 | G4 | | 4-8 | | | 4 |
| <i>Geranium sylvaticum</i> 'Birch Lilac' Birch Lilac Wood Cranesbill | HP | 1.12 | G4 | | 4-8 | | | 4 |
| <i>Geranium sylvaticum</i> 'Mayflower' Mayflower Wood Cranesbill | HP | 1.10 | G4 | | 4-8 | | | 4 |
| <i>Geranium viscosissimum</i> No Common Name Found | HP | 0.90 | G4 | | 7-9B | | | 7 |
| <i>Geranium wallichianum</i> Wallich Geranium | HP | 1.00 | G4 | | 7-9B | | | 7 |
| <i>Geranium wlassovianum</i> No Common Name Found | HP | 2.08 | G4 | | 3-8 | | | 3 |
| <i>Gerbera jamesonii</i> Transvaal Daisy | HP | 0.99 | G4 | 8-9B | 10A-11 | | | 8 |
| <i>Geum</i> Hybrid Avens | HP | 0.90 | G4 | | 8-9B | | | 4 |
| <i>Geum</i> 'Georgenburg' Georgenburg Avens | HP | 0.97 | G4 | | 8-9B | | | 4 |
| <i>Geum</i> 'Starkers Magnificum' Starkers Magnificum Avens | HP | 0.90 | G4 | | 8-9B | | | 4 |
| <i>Geum x borisii</i> Boris Avens | HP | 1.00 | G4 | | 8-9B | | | 3 |
| <i>Geum chiloense</i> Chilean Avens | HP | 0.86 | G4 | | 8-9B | | | 5 |
| <i>Geum chiloense</i> 'Lady Stratheden' Lady Stratheden Chilean Avens | HP | 1.05 | G4 | | 8-9B | | | 5 |
| <i>Geum chiloense</i> 'Mrs. Bradshaw' Mrs. Bradshaw Chilean Avens | HP | 0.86 | G4 | | 8-9B | | | 5 |
| <i>Geum chiloense</i> 'Princess Juliana' Princess Juliana Chilean Avens | HP | 0.86 | G4 | | 8-9B | | | 5 |
| <i>Geum chiloense</i> 'Red Wings' Red Wings Chilean Avens | HP | 1.20 | G4 | | 8-9B | | | 5 |
| <i>Geum x heldreichii</i> Heldreichi Avens | HP | 1.00 | G4 | | 8-9B | | | 5 |
| <i>Geum montanum</i> Mountain Avens | HP | 1.07 | G4 | | 6-9B | | | 6 |
| <i>Geum quellyon</i> See - <i>Geum chiloense</i> | | | | | | | | |
| <i>Geum reptans</i> Creeping Avens | HP | 1.00 | G4 | | 6-9B | | | 6 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Geum rivale</i> Water Avens | HP | 0.99 | G4 | | 6-9B | | | 3 |
| <i>Geum rivale</i> 'Leonard's Variety' Leonard's Variety Water Avens | HP | 0.99 | G4 | | 6-9B | | | 3 |
| <i>Geum triflorum</i> Prairie Smoke | HP | 1.06 | G4 | | 7-9B | | | 1 |
| <i>Gillenia trifoliata</i> Bowman's Root | HP | 1.16 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Ginkgo biloba</i> Maidenhair Tree | DT | 0.80 | G1 | | 3-9B | 1.25 | 0.64 | 4 |
| <i>Ginkgo biloba</i> 'Autumn Gold' Autumn Gold Maidenhair Tree | DT | 1.56 | G1 | | 3-9B | 1.81 | 1.26 | 4 |
| <i>Ginkgo biloba</i> 'Chi-Chi' Chi-Chi Maidenhair Tree | DT | 0.80 | G1 | | 3-9B | 1.25 | 0.64 | 4 |
| <i>Ginkgo biloba</i> 'Fairmount' Fairmount Maidenhair Tree | DT | 1.74 | G1 | | 3-9B | 1.78 | 1.29 | 4 |
| <i>Ginkgo biloba</i> 'Gresham' Gresham Maidenhair Tree | DT | 1.75 | G1 | | 3-9B | 1.25 | 0.64 | 4 |
| <i>Ginkgo biloba</i> 'Jade Butterfly' Jade Butterfly Maidenhair Tree | DT | 3.81 | G1 | | 3-9B | 1.25 | 0.64 | 4 |
| <i>Ginkgo biloba</i> 'Magyar' Magyar Upright Maidenhair Tree | DT | 1.75 | G1 | | 3-9B | 1.63 | 1.35 | 4 |
| <i>Ginkgo biloba</i> 'Mayfield' Mayfield Maidenhair Tree | DT | 1.79 | G1 | | 3-9B | 1.25 | 0.64 | 4 |
| <i>Ginkgo biloba</i> 'PNI 2720' P.P. 2726 Princeton Sentry® Maidenhair Tree | DT | 1.72 | G1 | | 3-9B | 1.67 | 1.34 | 4 |
| <i>Ginkgo biloba</i> 'Pendula' Weeping Maidenhair Tree | DT | 1.75 | G1 | | 3-9B | 1.25 | 0.64 | 4 |
| <i>Ginkgo biloba</i> 'Princeton Sentry' See - <i>Ginkgo biloba</i> 'PNI 2720' P.P. 2726 | DT | 1.44 | G1 | | 3-9B | 1.78 | 1.46 | 4 |
| <i>Ginkgo biloba</i> 'Saratoga' Saratoga Maidenhair Tree | DT | 1.75 | G1 | | 3-9B | 1.25 | 0.64 | 4 |
| <i>Ginkgo biloba</i> 'Shangri-la' P.P. 5521 Shangri-la® Maidenhair Tree | DT | 1.75 | G1 | | 3-9B | 1.25 | 0.64 | 4 |
| <i>Ginkgo biloba</i> 'Tubliformis' Tubliformis Maidenhair Tree | DT | 1.75 | G1 | | 3-9B | 1.25 | 0.64 | 4 |
| <i>Ginkgo biloba</i> 'Variegata' Variegated Maidenhair Tree | DT | 1.75 | G1 | | 3-9B | 1.25 | 0.64 | 4 |
| <i>Ginkgo biloba</i> 'Windover Gold' Windover Gold Maidenhair Tree | DT | 1.79 | G1 | | 3-9B | 1.25 | 0.64 | 4 |
| <i>Gladiolus callianthus</i> Abyssinian Gladiolus | HP | 1.00 | G4 | | 9A-11 | | | 9 |
| <i>Gladiolus cardinalis</i> Waterfall Gladiolus | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Gladiolus carneus</i> Snowpink Gladiolus | HP | 1.00 | G4 | 8 | 9A-10A | | | 9 |
| <i>Gladiolus x colvillei</i> Baby Gladiolus | HP | 1.00 | G4 | 8 | 9A-10B | | | 8 |
| <i>Gladiolus communis</i> No Common Name Found | HP | 1.00 | G4 | | 6-9B | | | 6 |
| <i>Gladiolus dalenii</i> No Common Name Found | HP | 1.10 | G4 | 9A | 9B-11 | | | 9 |
| <i>Gladiolus tristis</i> Eveningflower Gladiolus | HP | 1.10 | G4 | 7-8 | 9A-10B | | | 7 |
| <i>Gladiolus watsonius</i> No Common Name Found | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Glechoma hederacea</i> Ground Ivy | GC | 1.17 | G4 | | 6-9A | | 1.00 | 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Gleditsia triacanthos</i> Honeylocust | DT | 0.60 | G1 | | 3-9B | 0.64 | 0.65 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> Thornless Honeylocust | DT | 0.86 | G1 | | 3-9B | 0.72 | 0.29 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> '(Unnamed Cultivar 01)' Summer Lace® Thornless Honeylocust | DT | 0.86 | G1 | | 3-9B | 0.72 | 0.29 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> '(Unnamed Cultivar 02)' True Shade® Thornless Honeylocust | DT | 0.86 | G1 | | 3-9B | 0.93 | 0.57 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Christie' P.P. 3096 Halka™ Thornless Honeylocust | DT | 0.99 | G1 | | 3-9B | 0.98 | 0.54 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Continental' P.P. 1752 Continental Thornless Honeylocust | DT | 0.86 | G1 | | 3-9B | 0.96 | 0.60 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Elegantissima' Elegantissima Thornless Honeylocust | DT | 0.86 | G1 | | 3-9B | 0.72 | 0.29 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Emerald Kascade' Emerald Kascade Thornless Honeylocust | DT | 0.92 | G1 | | 3-9B | 1.03 | 1.79 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Fairview' Fairview Thornless Honeylocust | DT | 0.86 | G1 | | 3-9B | 0.90 | 0.29 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Golden Halo' Golden Halo Thornless Honeylocust | DT | 0.86 | G1 | | 3-9B | 0.72 | 0.29 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Green Glory' Green Glory Thornless Honeylocust | DT | 0.86 | G1 | | 3-9B | 0.92 | 0.29 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Halka' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Christie' P.P. 3096 | DT | 0.87 | G1 | | 3-9B | 1.02 | 0.58 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Impcole' Imperial® Thornless Honeylocust | DT | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Imperial' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Impcole' | DT | 0.86 | G1 | | 3-9B | 0.72 | 0.29 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Marando' Marando Thornless Honeylocust | DT | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Moraine' Moraine Thornless Honeylocust | DT | 0.86 | G1 | | 3-9B | 0.99 | 0.37 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'PNI 2835' P.P. 1515 Shademaster® Thornless Honeylocust | DT | 0.90 | G1 | | 3-9B | 0.99 | 0.44 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Perfection' Perfection Thornless Honeylocust | DT | 0.86 | G1 | | 3-9B | 0.72 | 0.29 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Ruby Lace' P.P. 2038 Ruby Lace™ Thornless Honeylocust | DT | 0.86 | G1 | | 3-9B | 0.72 | 0.29 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Shademaster' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'PNI 2835' P.P. 1515 | DT | 0.98 | G1 | | 3-9B | 1.03 | 0.50 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Skycole' P.P. 1619 Skyline® Thornless Honeylocust | DT | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Skyline' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Skycole' P.P. 1619 | DT | 0.86 | G1 | | 3-9B | 0.72 | 0.29 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Spectrum' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Speczam' | DT | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Speczam' Spectrum™ Thornless Honeylocust | DT | 0.86 | G1 | | 3-9B | 0.72 | 0.29 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Summer Lace' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> '(Unnamed Cultivar 01)' | DT | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Sunburst' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Suncole' | DT | 1.00 | G1 | | 3-9B | 1.03 | 0.54 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Suncole' Sunburst® Thornless Honeylocust | DT | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'True Shade' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> '(Unnamed Cultivar 02)' | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Gliricidia sepium Madre de Cacao | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Globba bulbifera</i> | | | | | | | | |
| See - <i>Globba marantina</i> | | | | | | | | |
| <i>Globba marantina</i> | HP | 0.94 | G4 | 9 | 10A-11 | | | 9 |
| Yellow Dancing Ladies | | | | | | | | |
| <i>Globba winitii</i> | HP | 1.15 | G4 | 9 | 10A-11 | | | 9 |
| Ginger Lily | | | | | | | | |
| <i>Globba winitii</i> 'Blushing Maiden' P.P.A.F. | HP | 2.07 | G4 | 9 | 10A-11 | | | 9 |
| Blushing Maiden Ginger Lily | | | | | | | | |
| <i>Globba winitii</i> 'Dancing Girl' | HP | 1.45 | G4 | 9 | 10A-11 | | | 9 |
| Dancing Girl Ginger Lily | | | | | | | | |
| <i>Globba winitii</i> 'Pristine Pink' P.P.A.F. | HP | 2.07 | G4 | 9 | 10A-11 | | | 9 |
| Pristine Pink Ginger Lily | | | | | | | | |
| <i>Globba winitii</i> 'Ruby Queen' P.P.A.F. | HP | 0.72 | G4 | 9 | 10A-11 | | | 9 |
| Ruby Queen Ginger Lily | | | | | | | | |
| <i>Globba winitii</i> 'White Dragon' | HP | 1.55 | G4 | 9 | 10A-11 | | | 9 |
| White Dragon Ginger Lily | | | | | | | | |
| <i>Globularia cordifolia</i> | HP | 1.00 | G1 | | | 6-9A | | 6 |
| Heartleaf Globularia | | | | | | | | |
| <i>Globularia indubia</i> | HP | 0.82 | G1 | | | 7-9B | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Gloxinia sylvatica</i> | HP | 0.67 | G4 | | | 10A-11 | | 10B |
| Bolivian Sunset | | | | | | | | |
| <i>Glyceria maxima</i> | HP | 1.39 | G4 | | | 5-8 | | 5 |
| Reed Manna Grass | | | | | | | | |
| <i>Glyceria maxima</i> 'Variegata' | HP | 1.00 | G4 | | | 5-8 | | 5 |
| Striped Reed Manna Grass | | | | | | | | |
| <i>Gmelina arborea</i> | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Gmelina hystrix</i> | | | | | | | | |
| See - <i>Gmelina philippensis</i> | | | | | | | | |
| <i>Gmelina philippensis</i> | BS | 1.33 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Wild Sage | | | | | | | | |
| <i>Gomphrena globosa</i> | AN | 0.69 | G4 | 1-9B | 10A-11 | | | 9 |
| Globe Amaranth | | | | | | | | |
| <i>Gomphrena globosa</i> 'Buddy Purple' | AN | 0.64 | G4 | 1-9B | 10A-11 | | | 9 |
| Buddy Purple Globe Amaranth | | | | | | | | |
| <i>Gongora histrionica</i> | FO | 1.63 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Gongora nigrita</i> | FO | 1.63 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Gongora sanderiana</i> | FO | 3.39 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Goniolimon callicomum</i> | HP | 1.00 | G1 | 10A | 10B-11 | | | 3 |
| No Common Name Found | | | | | | | | |
| <i>Goniolimon incanum</i> | HP | 1.00 | G1 | 10A | 10B-11 | | | 4 |
| No Common Name Found | | | | | | | | |
| <i>Goniolimon speciosum</i> | | | | | | | | |
| See - <i>Goniolimon incanum</i> | | | | | | | | |
| <i>Goniolimon tataricum</i> | HP | 0.96 | G1 | 10A | 10B-11 | | | 4 |
| German Statice | | | | | | | | |
| <i>Goniophlebium subauriculatum</i> | HP | 1.00 | G3 | 8-9B | 10A-11 | | | 10 |
| Jointed Pine Fern | | | | | | | | |
| <i>Goodyera pubescens</i> | HP | 1.00 | G4 | | | 6-9B | | 6 |
| Rattlesnake Orchid | | | | | | | | |
| <i>Gordonia axillaris</i> | BE | 0.79 | G1 | 8-9A | 9B-10B | 1.00 | 1.00 | 8 |
| No Common Name Found | | | | | | | | |
| <i>Gordonia lasianthus</i> | BE | 0.83 | G1 | | 7-10A | 1.00 | 1.01 | 9 |
| Loblolly Bay | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Grammatophyllum scriptum</i> No Common Name Found | FO | 1.90 | G1 | 10A | 10B-11 | | | 10 |
| <i>Graptophyllum pictum</i> Caricature Plant | BS | 0.82 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Graptophyllum pictum</i> 'Tricolor' Tricolor Caricature Plant | FO | 0.36 | G1 | 10A | 10B-11 | | | 10 |
| <i>Grevillea</i> Grevillea | BS | 0.74 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea</i> 'Austraflora Canterbury Gold' Austraflora Canterbury Gold Spider Flower | BS | 0.81 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea</i> 'Boongala Spinebill' Boongala Spinebill Spider Flower | BS | 0.94 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea</i> 'Bronze Rambler' Bronze Rambler Spider Flower | BS | 0.93 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea</i> 'Canberra Gem' Canberra Gem Spider Flower | BS | 0.78 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea</i> 'Constance' Constance Spider Flower | BS | 0.81 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea</i> 'Noell' Noell Spider Flower | BS | 0.74 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea</i> 'Poorinda Golden Lyre' Poorinda Golden Lyre Spider Flower | BS | 0.81 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea</i> 'Robyn Gordon' Robyn Gordon Spider Flower | BS | 0.94 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea</i> 'White Wings' White Wings Spider Flower | BS | 0.81 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea alpina</i> Mountain Grevillea | BS | 0.81 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea alpina</i> 'East Grampians' East Grampians Mountain Grevillea | BS | 0.81 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea gaudichaudii</i> No Common Name Found | BS | 0.94 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea johnsonii</i> No Common Name Found | BS | 0.94 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea juniperina</i> No Common Name Found | BS | 0.81 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea lanigera</i> Woolly Grevillea | BS | 0.81 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea lanigera</i> 'Mt. Tamboritha' Mt. Tamboritha Woolly Grevillea | BS | 1.02 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea lavandulacea</i> Lavender Grevillea | BS | 0.94 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea lavandulacea</i> 'Billywing' Billywing Lavender Grevillea | BS | 0.94 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea robusta</i> Silky Oak | BE | 0.69 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Grevillea rosmarinifolia</i> Rosemary Grevillea | BS | 0.81 | G1 | 9A | 9B-10A | | | 1.00 8 |
| <i>Grevillea rosmarinifolia</i> 'Noellii' Noellii Rosemary Grevillea | BS | 0.81 | G1 | 9A | 9B-10A | | | 1.00 8 |
| <i>Grevillea shiressii</i> No Common Name Found | BS | 0.81 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grevillea victoriae</i> No Common Name Found | BS | 0.81 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Grewia caffra</i> No Common Name Found | BS | 0.84 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Grewia occidentalis</i> Lavender Starflower | BS | 0.98 | G1 | 10A | 10B-11 | | | 1.00 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Grindelia stricta</i> Pacific Grindelia | HP | 1.00 | G4 | | 8-9B | | | 8 |
| <i>Gronophyllum ramsayi</i> Northern Kentia Palm | BE | 2.88 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Guaiacum officinale</i> Common Lignum-vitae | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Guaiacum sanctum</i> No Common Name Found | BE | 1.93 | G1 | 10A | 10B-11 | 1.00 | 1.74 | 10 |
| <i>Guapira discolor</i> Blolly | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Guettarda scabra</i> Greenheart | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Gunnera chilensis</i> See - <i>Gunnera tinctoria</i> | HP | 1.39 | G4 | | 8-9B | | | 8 |
| <i>Gunnera magellanica</i> No Common Name Found | HP | 3.91 | G4 | | 8-9B | | | 8 |
| <i>Gunnera manicata</i> Giant Rhubarb | HP | 2.10 | G4 | | 8-9B | | | 8 |
| <i>Gunnera tinctoria</i> No Common Name Found | FO | 0.45 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania</i> Guzmania | FO | 0.45 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Clementina'</i> Clementina Guzmania | FO | 0.45 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Eloy'</i> Eloy Guzmania | FO | 0.45 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Hilda'</i> Hilda Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Irene'</i> Irene Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Kapoho Fire'</i> Kapoho Fire Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Lemonade'</i> Lemonade Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Lipstick'</i> Lipstick Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Loja'</i> Loja Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Luna'</i> Luna Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Mandarine'</i> Mandarine Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Marjan'</i> Marjan Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Neon'</i> Neon Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Ostara'</i> Ostara Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Puna Gold' P.P. 9768</i> Puna Gold™ Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Rana'</i> Rana Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Red Pearl'</i> Red Pearl Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Tutti Frutti'</i> Tutti Frutti Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania 'Ultra'</i> Ultra Guzmania | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Guzmania lingulata</i> Orange Star | FO | 1.21 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania lingulata</i> 'Empire' Empire Orange Star | FO | 0.45 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania lingulata</i> 'Variegata' Variegated Orange Star | FO | 0.45 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Guzmania wittmackii</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Gymnocalycium mihanovichii</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Gymnocarpium dryopteris</i> Oak Fern | HP | 1.00 | G1 | 4-8 | 9A-10A | | | 3 |
| <i>Gymnocladus dioica</i> Kentucky Coffee Tree | DT | 0.93 | G1 | | 3-8 | 1.12 | 0.55 | 3 |
| <i>Gynura aurantiaca</i> Purple Velvet Plant | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10B |
| <i>Gypsophila cerastioides</i> Mouse-ear Gypsophila | HP | 0.86 | G4 | | 5-8 | | | 5 |
| <i>Gypsophila pacifica</i> No Common Name Found | HP | 0.91 | G4 | | 4-8 | | | 3 |
| <i>Gypsophila paniculata</i> Baby's Breath | HP | 0.83 | G4 | | 4-8 | | | 4 |
| <i>Gypsophila paniculata</i> 'Bristol Fairy' Bristol Fairy Baby's Breath | HP | 0.84 | G4 | | 4-8 | | | 4 |
| <i>Gypsophila paniculata</i> 'Compacta Plena' Compacta Plena Baby's Breath | HP | 1.14 | G4 | | 4-8 | | | 4 |
| <i>Gypsophila paniculata</i> 'Festival Pink' Festival Pink Baby's Breath | HP | 0.89 | G4 | | 4-8 | | | 4 |
| <i>Gypsophila paniculata</i> 'Festival' Festival Baby's Breath | HP | 0.85 | G4 | | 4-8 | | | 4 |
| <i>Gypsophila paniculata</i> 'Flamingo' Flamingo Baby's Breath | HP | 0.83 | G4 | | 4-8 | | | 4 |
| <i>Gypsophila paniculata</i> 'Perfecta' Perfecta Baby's Breath | HP | 0.83 | G4 | | 4-8 | | | 4 |
| <i>Gypsophila paniculata</i> 'Pink Fairy' Pink Fairy Baby's Breath | HP | 1.11 | G4 | | 4-8 | | | 4 |
| <i>Gypsophila paniculata</i> 'Red Sea' Red Sea Baby's Breath | HP | 0.83 | G4 | | 4-8 | | | 4 |
| <i>Gypsophila paniculata</i> 'Snowflake' Snowflake Baby's Breath | HP | 0.92 | G4 | | 4-8 | | | 4 |
| <i>Gypsophila paniculata</i> 'Vlette's Dwarf' Vlette's Dwarf Baby's Breath | HP | 0.88 | G4 | | 4-8 | | | 4 |
| <i>Gypsophila repens</i> Creeping Baby's Breath | HP | 1.13 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Gypsophila repens</i> 'Alba' White Creeping Baby's Breath | HP | 0.90 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Gypsophila repens</i> 'Rosea' Pink Creeping Baby's Breath | HP | 1.02 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Habranthus robustus</i> No Common Name Found | HP | 1.48 | G4 | | 8-11 | | | 9 |
| <i>Habranthus texanus</i> See - <i>Habranthus tubispathus</i> | HP | 1.00 | G4 | | 8-11 | | | 9 |
| <i>Habranthus tubispathus</i> No Common Name Found | HP | 1.00 | G4 | | 8-11 | | | 9 |
| <i>Habranthus tubispathus</i> 'Cupreus' Cupreus Habranthus | HP | 1.05 | G4 | 9A | 9B-11 | | | 9 |
| <i>Haemanthus albiflos</i> White Blood Lily | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Haemanthus katherinae</i> | | | | | | | | |
| See - <i>Scadoxus multiflorus</i> ssp. <i>katherinae</i> | | | | | | | | |
| <i>Haemanthus multiflorus</i> | HP | 1.33 | G4 | 9A | 9B-11 | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Haemaria discolor</i> | | | | | | | | |
| See - <i>Ludisia discolor</i> | | | | | | | | |
| <i>Hakonechloa macra</i> | HP | 1.22 | G4 | | 5-9A | | | 5 |
| Japanese Forest Grass | | | | | | | | |
| <i>Hakonechloa macra</i> 'Aureola' | HP | 1.23 | G4 | | 5-9A | | | 5 |
| Golden Japanese Forest Grass | | | | | | | | |
| <i>Halesia carolina</i> | | | | | | | | |
| See - <i>Halesia tetrapeta</i> | | | | | | | | |
| <i>Halesia diptera</i> | DS | 1.14 | G1 | 6 | 7-9B | | | 1.02 6 |
| Snowdrop Tree | | | | | | | | |
| <i>Halesia monticola</i> | DS | 1.57 | G1 | | 5-9A | | | 1.06 5 |
| Mountain Silverbell | | | | | | | | |
| <i>Halesia monticola</i> 'Rosea' | DS | 1.57 | G1 | | 5-9A | | | 1.52 5 |
| Pink Mountain Silverbell | | | | | | | | |
| <i>Halesia tetrapeta</i> | DS | 1.16 | G1 | 5-6 | 7-9A | | | 1.03 5 |
| Silverbell | | | | | | | | |
| x <i>Halimocistus sahucii</i> | BS | 0.81 | G1 | | 8-10A | | | 1.00 8 |
| No Common Name Found | | | | | | | | |
| x <i>Halimocistus wintonensis</i> | BS | 0.97 | G1 | | 8-10A | | | 1.00 8 |
| No Common Name Found | | | | | | | | |
| <i>Halimium lasianthum</i> | BS | 0.81 | G2 | | 8-9B | | | 1.00 8 |
| No Common Name Found | | | | | | | | |
| <i>Halmoorea trispatha</i> | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Hamamelis x intermedia</i> | DS | 1.65 | G1 | | 5-8 | | | 1.68 5 |
| Hybrid Witchhazel | | | | | | | | |
| <i>Hamamelis x intermedia</i> 'Arnold Promise' | DS | 1.68 | G1 | | 5-8 | | | 1.76 5 |
| Arnold Promise Hybrid Witchhazel | | | | | | | | |
| <i>Hamamelis x intermedia</i> 'Diane' | DS | 1.67 | G1 | | 5-8 | | | 1.73 5 |
| Diane Hybrid Witchhazel | | | | | | | | |
| <i>Hamamelis x intermedia</i> 'Feuerzauber' | DS | 1.81 | G1 | | 5-8 | | | 1.84 5 |
| Feuerzauber Hybrid Witchhazel | | | | | | | | |
| <i>Hamamelis x intermedia</i> 'Jelena' | DS | 1.60 | G1 | | 5-8 | | | 1.68 5 |
| Jelena Hybrid Witchhazel | | | | | | | | |
| <i>Hamamelis x intermedia</i> 'Primavera' | DS | 1.76 | G1 | | 5-8 | | | 2.10 5 |
| Primavera Hybrid Witchhazel | | | | | | | | |
| <i>Hamamelis x intermedia</i> 'Ruby Glow' | DS | 1.92 | G1 | | 5-8 | | | 1.87 5 |
| Ruby Glow Hybrid Witchhazel | | | | | | | | |
| <i>Hamamelis x intermedia</i> 'Sunburst' | DS | 1.74 | G1 | | 5-8 | | | 2.09 5 |
| Sunburst Hybrid Witchhazel | | | | | | | | |
| <i>Hamamelis x intermedia</i> 'Vesna' | DS | 1.27 | G1 | | 5-8 | | | 2.01 5 |
| Vesna Hybrid Witchhazel | | | | | | | | |
| <i>Hamamelis x intermedia</i> 'Westerstede' | DS | 1.27 | G1 | | 5-8 | | | 1.92 5 |
| Westerstede Hybrid Witchhazel | | | | | | | | |
| <i>Hamamelis japonica</i> | DS | 1.00 | G1 | | 5-8 | | | 1.73 5 |
| Japanese Witchhazel | | | | | | | | |
| <i>Hamamelis mollis</i> | DS | 1.35 | G1 | | 5-8 | | | 1.84 6 |
| Chinese Witchhazel | | | | | | | | |
| <i>Hamamelis mollis</i> 'Brevipetala' | DS | 1.29 | G1 | | 5-8 | | | 1.84 6 |
| Brevipetala Chinese Witchhazel | | | | | | | | |
| <i>Hamamelis mollis</i> 'Goldcrest' | DS | 1.76 | G1 | | 5-8 | | | 2.12 6 |
| Goldcrest Chinesse Witchhazel | | | | | | | | |
| <i>Hamamelis mollis</i> 'Pallida' | DS | 1.29 | G1 | | 5-8 | | | 1.84 6 |
| Pallida Chinese Witchhazel | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Hamamelis vernalis</i> Vernal Witchhazel | DS | 0.99 | G1 | | 4-8 | | | 1.16 5 |
| <i>Hamamelis vernalis</i> 'Autumn Embers' Autumn Embers Vernal Witchhazel | DS | 0.99 | G1 | | 4-8 | | | 3.92 5 |
| <i>Hamamelis vernalis</i> 'Carnea' Red Petal Vernal Witchhazel | DS | 0.99 | G1 | | 4-8 | | | 0.82 5 |
| <i>Hamamelis vernalis</i> 'Christmas Cheer' Christmas Cheer Vernal Witchhazel | DS | 0.99 | G1 | | 4-8 | | | 2.65 5 |
| <i>Hamamelis vernalis</i> 'Rubra' Red Vernal Witchhazel | DS | 0.99 | G1 | | 4-8 | | | 0.82 5 |
| <i>Hamamelis vernalis</i> 'Sandra' Sandra Vernal Witchhazel | DS | 0.99 | G1 | | 4-8 | | | 1.88 5 |
| <i>Hamamelis virginiana</i> Common Witchhazel | DS | 1.03 | G1 | | 3-8 | | | 0.98 3 |
| <i>Hamelia patens</i> Scarlet Bush | BS | 0.77 | G2 | 10A | 10B-11 | | | 1.00 10 |
| <i>Hardenbergia violacea</i> Vine Lilac | GC | 0.88 | G2 | | 9A-10B | | | 1.00 9 |
| <i>Hardenbergia violacea</i> 'Happy Wanderer' Happy Wanderer Vine Lilac | GC | 1.08 | G2 | | 9A-10B | | | 1.00 9 |
| <i>Harpephyllum caffrum</i> Kaffir Plum | BE | 1.00 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Harpullia arborea</i> No Common Name Found | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Harpullia pendula</i> Tulipwood | BE | 0.86 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Haworthia fasciata</i> Zebra Haworthia | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Hebe</i> Hybrid Hebe | BS | 0.66 | G2 | | 7-9B | | | 1.00 8 |
| <i>Hebe</i> 'Amy' Amy Hebe | BS | 0.93 | G2 | | 7-9B | | | 1.00 8 |
| <i>Hebe</i> 'Autumn Glory' Autumn Glory Hebe | BS | 1.03 | G2 | | 7-9B | | | 1.00 8 |
| <i>Hebe</i> 'Coed' Coed Hebe | BS | 0.77 | G2 | | 8-9B | | | 1.00 8 |
| <i>Hebe</i> 'Lake' Lake Hebe | BS | 0.66 | G2 | | 7-9B | | | 1.00 8 |
| <i>Hebe</i> 'MacEwanii' MacEwan Hebe | BS | 0.66 | G2 | | 8-9B | | | 1.00 8 |
| <i>Hebe</i> 'Patty's Purple' Patty's Purple Hebe | BS | 0.93 | G2 | | 8-9B | | | 1.00 8 |
| <i>Hebe buxifolia</i> Boxleaf Hebe | BS | 0.91 | G2 | | 7-9B | | | 1.00 7 |
| <i>Hebe buxifolia</i> 'Nana' Compact Boxleaf Hebe | BS | 1.11 | G2 | | 7-9B | | | 1.00 7 |
| <i>Hebe carnosula</i> No Common Name Found | BS | 0.77 | G2 | | 6-9B | | | 1.00 6 |
| <i>Hebe glaucocephala</i> No Common Name Found | BS | 0.92 | G2 | | 7-9B | | | 1.00 7 |
| <i>Hebe pinguifolia</i> No Common Name Found | BS | 1.00 | G2 | | 6-9B | | | 1.00 6 |
| <i>Hedera canariensis</i> Algerian Ivy | GC | 1.42 | G1 | 9A | 9B-11 | | | 1.00 8 |
| <i>Hedera canariensis</i> 'Gloire de Marengo' Gloire de Marengo Algerian Ivy | GC | 1.43 | G1 | 9A | 9B-11 | | | 1.00 8 |
| <i>Hedera canariensis</i> 'Variegata' Variegated Algerian Ivy | GC | 0.99 | G1 | 9A | 9B-11 | | | 1.00 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hedera colchica</i> Persian Ivy | GC | 1.26 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Hedera colchica</i> 'Dentata Variegata' Dentata Variegata Persian Ivy | GC | 1.13 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Hedera colchica</i> 'My Heart' My Heart Persian Ivy | GC | 1.13 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Hedera colchica</i> 'Sulphur Heart' Sulphur Heart Persian Ivy | GC | 1.31 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Hedera helix</i> English Ivy | GC | 1.05 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> '238th Street' 238th Street English Ivy | GC | 0.92 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Anne Marie' Anne Marie English Ivy | GC | 1.23 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Baltica' Baltic English Ivy | GC | 0.99 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Bulgaria' Bulgarian English Ivy | GC | 0.92 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Buttercup' Buttercup English Ivy | GC | 1.96 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'California' California English Ivy | GC | 0.97 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Chester' Chester English Ivy | GC | 0.92 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Conglomerata' Conglomerata English Ivy | GC | 0.92 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Deltoidea' Sweetheart English Ivy | GC | 1.19 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Duckfoot' Duckfoot English Ivy | GC | 0.92 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Erecta' Erecta English Ivy | GC | 1.32 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Galaxy' Galaxy English Ivy | GC | 0.92 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Glacier' Glacier English Ivy | GC | 1.17 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Gold Dust' Gold Dust English Ivy | GC | 0.92 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Goldchild' Goldchild English Ivy | GC | 1.29 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Goldheart' Goldheart English Ivy | GC | 1.22 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Green Ripple' Green Ripple English Ivy | GC | 0.92 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Hahns' Hahn's English Ivy | GC | 1.13 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Harrison' Harrison English Ivy | GC | 0.92 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Inglesse' Inglesse English Ivy | GC | 0.92 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Ivalace' Ivalace English Ivy | GC | 1.20 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Manda's Crested' Manda's Crested English Ivy | GC | 0.92 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Needlepoint' Needlepoint English Ivy | GC | 1.16 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Nepal' Nepal English Ivy | GC | 1.10 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|--------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hedera helix</i> 'Pittsburgh' Pittsburgh English Ivy | GC | 1.06 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Pixie' Pixie English Ivy | GC | 0.94 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Rembrandt' See - <i>Hedera helix</i> 'Remzam' | GC | 0.92 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Remzam' Rembrandt™ English Ivy | GC | 1.23 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Sagittifolia' Sagittifolia English Ivy | GC | 1.13 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Shamrock' Shamrock English Ivy | GC | 1.07 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Silverdust' Silverdust English Ivy | GC | 1.24 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Spuetley' Gnome English Ivy | GC | 0.92 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Suzanne' Suzanne English Ivy | GC | 1.06 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Telecurl' Telecurl English Ivy | GC | 1.05 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Thorndale' Thorndale English Ivy | GC | 0.92 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Tom Boy' Tom Boy English Ivy | GC | 1.01 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Woerner' Woerner English Ivy | GC | 0.92 | G3 | 8-9B | 10A-11 | | 1.00 | 5 |
| <i>Hedychium</i> Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | 10 | |
| <i>Hedychium</i> 'Anne Bishop' Anne Bishop Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | 10 | |
| <i>Hedychium</i> 'Ayo' Ayo Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | 10 | |
| <i>Hedychium</i> 'Carnival' Carnival Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | 10 | |
| <i>Hedychium</i> 'Double Eagle' Double Eagle Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | 10 | |
| <i>Hedychium</i> 'Elizabeth' Elizabeth Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | 10 | |
| <i>Hedychium</i> 'Filagree' Filagree Ginger Lily | HP | 0.93 | G3 | 9A-10A | 10B-11 | | 10 | |
| <i>Hedychium</i> 'Fireworks' Fireworks Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | 10 | |
| <i>Hedychium</i> 'Gold Flame' Gold Flame Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | 10 | |
| <i>Hedychium</i> 'Golden Glow' Golden Glow Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | 10 | |
| <i>Hedychium</i> 'Kewense' Kewense Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | 10 | |
| <i>Hedychium</i> 'Kinkaku' Kinkaku Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | 10 | |
| <i>Hedychium</i> 'Lemon Beauty' Lemon Beauty Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | 10 | |
| <i>Hedychium</i> 'Lemon Sherbet' Lemon Sherbet Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | 10 | |
| <i>Hedychium</i> 'Luna Moth' Luna Moth Ginger Lily | HP | 1.12 | G3 | 9A-10A | 10B-11 | | 10 | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hedychium</i> 'Pink Flame' Pink Flame Ginger Lily | HP | 0.93 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Hedychium</i> 'Pink Sparks' Pink Sparks Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Hedychium</i> 'Pink V' Pink V Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Hedychium</i> 'Raffilii' Raffilii Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Hedychium</i> 'Tropic Bird' Tropic Bird Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Hedychium</i> 'White Starburst' White Starburst Ginger Lily | HP | 0.52 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Hedychium chrysoleucum</i> No Common Name Found | HP | 1.14 | G3 | 9A-10A | 10B-11 | | | 9 |
| <i>Hedychium coccineum</i> Red Ginger Lily | HP | 1.17 | G3 | 9A-10A | 10B-11 | | | 9 |
| <i>Hedychium coccineum</i> 'Tara' Tara Red Ginger Lily | HP | 1.17 | G3 | 9A-10A | 10B-11 | | | 9 |
| <i>Hedychium coronarium</i> White Ginger Lily | HP | 1.01 | G3 | 9A-10A | 10B-11 | | | 9 |
| <i>Hedychium coronarium</i> var. <i>chrysoleucum</i> See - <i>Hedychium chrysoleucum</i> | HP | 0.90 | G3 | 9A-10A | 10B-11 | | | 8 |
| <i>Hedychium densiflorum</i> No Common Name Found | HP | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Hedychium ellipticum</i> No Common Name Found | HP | 1.23 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Hedychium flavescens</i> Cream Ginger Lily | HP | 1.01 | G3 | 9A-10A | 10B-11 | | | 9 |
| <i>Hedychium flavum</i> Yellow Ginger Lily | HP | 1.05 | G3 | 9A-10A | 10B-11 | | | 8 |
| <i>Hedychium gardnerianum</i> Kahili Ginger Lily | HP | 1.05 | G3 | 9A-10A | 10B-11 | | | 8 |
| <i>Hedychium gardnerianum</i> 'Fiesta' Fiesta Kahili Ginger Lily | HP | 1.04 | G3 | 9A-10A | 10B-11 | | | 8 |
| <i>Hedychium greenei</i> Red Leaf Ginger | HP | 1.00 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Hedychium spicatum</i> No Common Name Found | HP | 1.00 | G3 | 9A-10A | 10B-11 | | | 9 |
| <i>Hedychium spicatum</i> 'White Wings' White Wings Ginger Lily | HP | 1.00 | G3 | 9A-10A | 10B-11 | | | 9 |
| <i>Hedychium thyrsiforme</i> Pincushion Ginger | HP | 1.00 | G3 | 9A-10A | 10B-11 | | | 9 |
| <i>Hedyotis caerulea</i> See - <i>Houstonia caerulea</i> | HP | 0.98 | G1 | 4-8 | 9A-10A | | | 3 |
| <i>Hedysarum coronarium</i> French Honeysuckle | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Hedyscepe canterburyana</i> Umbrella Palm | HP | 1.00 | G4 | | 8-9B | | | 5 |
| <i>Helenium</i> Sneezeweed | HP | 1.00 | G4 | | 8-9B | | | 5 |
| <i>Helenium</i> 'Goldrausch' Goldrausch Hybrid Sneezeweed | HP | 1.00 | G4 | | 4-8 | | | 3 |
| <i>Helenium autumnale</i> Sneezeweed | HP | 0.87 | G4 | | 4-8 | | | 3 |
| <i>Helenium autumnale</i> 'Baudirektor Linne' Baudirektor Linne Sneezeweed | HP | 1.69 | G4 | | 4-8 | | | 3 |
| <i>Helenium autumnale</i> 'Bruno' Bruno Sneezeweed | HP | 1.26 | G4 | | 4-8 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Helenium autumnale</i> 'Kugelsonne' | HP | 1.69 | G4 | | 4-8 | | | 3 |
| Kugelsonne Sneezeweed | | | | | | | | |
| <i>Helenium autumnale</i> 'Moerheim Beauty' | HP | 0.97 | G4 | | 4-8 | | | 3 |
| Moerheim Beauty Sneezeweed | | | | | | | | |
| <i>Helenium autumnale</i> 'Praecox' | HP | 1.15 | G4 | | 4-8 | | | 3 |
| Praecox Sneezeweed | | | | | | | | |
| <i>Helenium autumnale</i> 'Pumilum Magnificum' | HP | 1.19 | G4 | | 4-8 | | | 3 |
| Pumilum Magnificum Sneezeweed | | | | | | | | |
| <i>Helenium autumnale</i> 'Riverton Beauty' | HP | 1.10 | G4 | | 4-8 | | | 3 |
| Riverton Beauty Sneezeweed | | | | | | | | |
| <i>Helenium autumnale</i> 'Zimbelstern' | HP | 1.50 | G4 | | 4-8 | | | 3 |
| Zimbelstern Sneezeweed | | | | | | | | |
| <i>Helenium bigelovii</i> | HP | 0.93 | G4 | | 7-9A | | | 7 |
| Bigelow Sneezeweed | | | | | | | | |
| <i>Helenium hoopesii</i> | HP | 0.97 | G4 | | 3-9A | | | 3 |
| Orange Sneezeweed | | | | | | | | |
| <i>Helenium puberulum</i> | HP | 1.00 | G4 | | 8-9B | | | 8 |
| Rosilla | | | | | | | | |
| <i>Helianthemum</i> | HP | 0.99 | G1 | | 7-9A | | | 6 |
| Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Annabel' | HP | 0.82 | G1 | | 7-9A | | | 6 |
| Annabel Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Belgravia Rose' | HP | 0.93 | G1 | | 7-9A | | | 6 |
| Belgravia Rose Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Ben Ledi' | HP | 0.85 | G1 | | 7-9A | | | 6 |
| Ben Ledi Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Ben Nevis' | HP | 0.85 | G1 | | 7-9A | | | 6 |
| Ben Nevis Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Boule de Fen' | HP | 0.93 | G1 | | 7-9A | | | 6 |
| Boule de Fen Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Brunette' | HP | 0.93 | G1 | | 7-9A | | | 6 |
| Brunette Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Buttercup' | HP | 0.93 | G1 | | 7-9A | | | 6 |
| Buttercup Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Dazzler' | HP | 0.88 | G1 | | 7-9A | | | 6 |
| Dazzler Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Fire Dragon' | HP | 0.82 | G1 | | 7-9A | | | 6 |
| Fire Dragon Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Henfield Brilliant' | HP | 0.86 | G1 | | 7-9A | | | 6 |
| Henfield Brilliant Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Mesa Rose' | HP | 0.93 | G1 | | 7-9A | | | 6 |
| Mesa Rose Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Mesa Wine' | HP | 0.93 | G1 | | 7-9A | | | 6 |
| Mesa Wine Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Mrs. Mould' | HP | 0.87 | G1 | | 7-9A | | | 6 |
| Mrs. Mould Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Mutabile' | HP | 0.91 | G1 | | 7-9A | | | 6 |
| Mutabile Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Orange Sunrise' | HP | 0.75 | G1 | | 7-9A | | | 6 |
| Orange Sunrise Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Prima Donna' | HP | 0.93 | G1 | | 7-9A | | | 6 |
| Prima Donna Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Raspberry Ripple' | HP | 0.85 | G1 | | 7-9A | | | 6 |
| Raspberry Ripple Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'Spotlight' | HP | 0.93 | G1 | | 7-9A | | | 6 |
| Spotlight Sun Rose | | | | | | | | |
| <i>Helianthemum</i> 'St. Mary's' | HP | 0.88 | G1 | | 7-9A | | | 6 |
| St. Mary's Sun Rose | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Helianthemum</i> 'Sun Fleck' Sun Fleck Sun Rose | HP | 0.75 | G1 | | 7-9A | | | 6 |
| <i>Helianthemum</i> 'Wisley Pink' Wisley Pink Sun Rose | HP | 0.89 | G1 | | 7-9A | | | 6 |
| <i>Helianthemum</i> 'Wisley Primrose' Wisley Primrose Sun Rose | HP | 0.84 | G1 | | 7-9A | | | 6 |
| <i>Helianthemum apenninum</i> Apennine Sun Rose | HP | 1.00 | G1 | | 6-9A | | | 6 |
| <i>Helianthemum nummularium</i> Common Sun Rose | HP | 1.00 | G1 | | 5-9A | | | 5 |
| <i>Helianthemum nummularium</i> 'Amy Baring' Amy Baring Sun Rose | HP | 1.00 | G1 | | 5-9A | | | 5 |
| <i>Helianthus angustifolius</i> Swamp Sunflower | HP | 0.89 | G4 | | 6-10A | | | 6 |
| <i>Helianthus atrorubens</i> Dark-Eye Sunflower | HP | 1.00 | G4 | | 7-10A | | | 7 |
| <i>Helianthus debilis</i> Cucumber-leaf Sunflower | HP | 0.78 | G4 | 8-9A | 9B-11 | | | 9 |
| <i>Helianthus decapetalus</i> Thin-Leaf Sunflower | HP | 0.86 | G4 | | 5-8 | | | 5 |
| <i>Helianthus maximiliani</i> Maximilian Sunflower | HP | 0.97 | G4 | | 4-8 | | | 4 |
| <i>Helianthus mollis</i> Downy Sunflower | HP | 0.89 | G4 | | 4-8 | | | 4 |
| <i>Helianthus x multiflorus</i> Many-flowered Sunflower | HP | 1.08 | G4 | | 5-8 | | | 5 |
| <i>Helianthus x multiflorus</i> 'Flore-plena' Flore-plena Many-flowered Sunflower | HP | 1.08 | G4 | | 5-8 | | | 5 |
| <i>Helianthus x multiflorus</i> 'Loddon Gold' Loddon Gold Many-flowered Sunflower | HP | 1.08 | G4 | | 5-8 | | | 5 |
| <i>Helianthus occidentalis</i> Western Sunflower | HP | 1.07 | G4 | | 4-8 | | | 4 |
| <i>Helianthus pauciflorus</i> Showy Sunflower | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Helianthus rigidus</i> See - <i>Helianthus pauciflorus</i> | HP | 0.97 | G4 | | 4-8 | | | 4 |
| <i>Helianthus salicifolius</i> Willowleaf Sunflwoer | HP | 1.15 | G4 | | 4-8 | | | 4 |
| <i>Helianthus salicifolius</i> 'Lemon Queen' Lemon Queen Willowleaf Sunflower | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Helianthus strumosus</i> No Common Name Found | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Helianthus tomentosus</i> See - <i>Helianthus tuberosus</i> | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Helianthus tuberosus</i> Jerusalem Artichoke | HP | 1.13 | G4 | | 9A-10B | | | 10 |
| <i>Helichrysum</i> Strawflower | HP | 0.86 | G4 | | 9A-10B | | | 10 |
| <i>Helichrysum</i> 'Honeymoon' See - <i>Helichrysum</i> 'Monow' | HP | 0.86 | G4 | | 9A-10B | | | 10 |
| <i>Helichrysum</i> 'June Bride' See - <i>Helichrysum</i> 'Monse' | HP | 0.86 | G4 | | 9A-10B | | | 10 |
| <i>Helichrysum</i> 'Monite' Star Struck™ Strawflower | HP | 0.86 | G4 | | 9A-10B | | | 10 |
| <i>Helichrysum</i> 'Monld' Spring Fever™ Strawflower | HP | 0.86 | G4 | | 9A-10B | | | 10 |
| <i>Helichrysum</i> 'Monow' Honeymoon™ Strawflower | HP | 0.86 | G4 | | 9A-10B | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable Req | Not Req | Caliper | Factors High/Wide | |
| <i>Helichrysum</i> 'Monse' June Bride™ Strawflower | HP | 0.86 | G4 | | 9A-10B | | | 10 |
| <i>Helichrysum</i> 'Spring Fever' | | | | | | | | |
| See - <i>Helichrysum</i> 'Monld' | | | | | | | | |
| <i>Helichrysum</i> 'Star Struck' | | | | | | | | |
| See - <i>Helichrysum</i> 'Monite' | | | | | | | | |
| <i>Helichrysum angustifolium</i> | | | | | | | | |
| See - <i>Helichrysum italicum</i> | | | | | | | | |
| <i>Helichrysum bracteatum</i> | HP | 0.64 | G4 | | 9A-10B | | | 8 |
| Strawflower | | | | | | | | |
| <i>Helichrysum bracteatum</i> 'Diamond Head' | HP | 0.97 | G4 | | 9A-10B | | | 8 |
| Diamond Head Strawflower | | | | | | | | |
| <i>Helichrysum italicum</i> | HP | 0.96 | G4 | | 8-10A | | | 8 |
| Whiteleaf Everlasting | | | | | | | | |
| <i>Helichrysum petiolare</i> | HP | 1.00 | G4 | | 10A-11 | | | 10 |
| Licorice Plant | | | | | | | | |
| <i>Helichrysum petiolare</i> 'Dargon Hill Monarch' | HP | 0.97 | G4 | | 10A-11 | | | 10 |
| Dargon Hill Monarch Licorice Plant | | | | | | | | |
| <i>Helichrysum petiolare</i> 'Minus' | HP | 1.02 | G4 | | 10A-11 | | | 10 |
| Minus Licorice Plant | | | | | | | | |
| <i>Helichrysum petiolare</i> 'Variegatum' | HP | 0.75 | G4 | | 10A-11 | | | 10 |
| Variegated Licorice Plant | | | | | | | | |
| <i>Helichrysum petiolare</i> 'White Licorice' | HP | 0.78 | G4 | | 10A-11 | | | 10 |
| White Licorice Plant | | | | | | | | |
| <i>Helichrysum petiolatum</i> | | | | | | | | |
| See - <i>Helichrysum petiolare</i> | | | | | | | | |
| <i>Heliconia</i> | HP | 1.89 | G3 | 9A-10A | 10B-11 | | | 10 |
| False Bird of Paradise | | | | | | | | |
| <i>Heliconia</i> 'Criswick' | HP | 1.93 | G3 | 9A-10A | 10B-11 | | | 10 |
| Criswick Heliconia | | | | | | | | |
| <i>Heliconia</i> 'Jacquinii' | HP | 1.99 | G3 | 9A-10A | 10B-11 | | | 10 |
| Jacquinii Heliconia | | | | | | | | |
| <i>Heliconia</i> 'Kawauchi' | HP | 2.13 | G3 | 9A-10A | 10B-11 | | | 10 |
| Kawauchi Heliconia | | | | | | | | |
| <i>Heliconia</i> 'Richmond' | HP | 1.89 | G3 | 9A-10A | 10B-11 | | | 10 |
| Richmond Heliconia | | | | | | | | |
| <i>Heliconia angusta</i> | HP | 1.77 | G3 | 9A-10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Heliconia angusta</i> 'Holiday' | HP | 1.77 | G3 | 9A-10A | 10B-11 | | | 10 |
| Holiday Heliconia | | | | | | | | |
| <i>Heliconia angusta</i> 'Orange Christmas' | HP | 1.77 | G3 | 9A-10A | 10B-11 | | | 10 |
| Orange Christmas Ginger | | | | | | | | |
| <i>Heliconia angusta</i> 'Yellow Christmas' | HP | 1.77 | G3 | 9A-10A | 10B-11 | | | 10 |
| Yellow Christmas Ginger | | | | | | | | |
| <i>Heliconia bihai</i> | HP | 1.65 | G3 | 9A-10A | 10B-11 | | | 9 |
| Wild Plantain | | | | | | | | |
| <i>Heliconia bihai</i> 'Chocolate Dancer' | HP | 2.08 | G3 | 9A-10A | 10B-11 | | | 9 |
| Chocolate Dancer Wild Plantain | | | | | | | | |
| <i>Heliconia bihai</i> 'Yellow Dancer' | HP | 1.69 | G3 | 9A-10A | 10B-11 | | | 9 |
| Yellow Dancer Wild Plantain | | | | | | | | |
| <i>Heliconia caribaea</i> | HP | 0.80 | G3 | 9A-10A | 10B-11 | | | 10 |
| Caribbean Heliconia | | | | | | | | |
| <i>Heliconia caribaea</i> 'Gold' | HP | 2.23 | G3 | 9A-10A | 10B-11 | | | 10 |
| Gold Caribbean Heliconia | | | | | | | | |
| <i>Heliconia caribaea</i> 'Purpurea' | HP | 2.22 | G3 | 9A-10A | 10B-11 | | | 10 |
| Purple Caribbean Heliconia | | | | | | | | |
| <i>Heliconia chartacea</i> | HP | 2.22 | G3 | 9A-10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Heliconia chartacea</i> 'Sexy Pink' Sexy Pink Wild Plantain | HP | 2.22 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia collinsiana</i> Waxy-leaved Heliconia | HP | 1.45 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia distans</i> See - <i>Heliconia latispatha</i> | HP | 3.17 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia episcopalis</i> No Common Name Found | HP | 1.67 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia hirsuta</i> No Common Name Found | HP | 1.67 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia hirsuta</i> 'Trinidad Red' No Common Name Found | HP | 1.23 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia latispatha</i> No Common Name Found | HP | 1.23 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia latispatha</i> 'Orange Gyro' Orange Gyro Bird of Paradise | HP | 2.23 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia lingulata</i> No Common Name Found | HP | 1.60 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia x nickeriensis</i> No Common Name Found | HP | 1.84 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia pendula</i> No Common Name Found | HP | 0.84 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> Parrot's Flower | HP | 1.91 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Alan Carter' Alan Carter Parrot's Flower | HP | 0.86 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Andromeda' Andromeda Parrot's Flower | HP | 0.76 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Choconiana' Choconiana Parrot's Flower | HP | 0.76 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Double B' Double B Parrot's Flower | HP | 1.07 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Golden Torch' Golden Torch Parrot's Flower | HP | 1.12 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Kathy' Kathy Parrot's Flower | HP | 0.76 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Keanea' Keanea Parrot's Flower | HP | 0.84 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Lady Di' Lady Di Parrot's Flower | HP | 1.09 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Lizette' Lizette Parrot's Flower | HP | 1.20 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Petra' Petra Parrot's Flower | HP | 0.76 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Pinky' Pinky Parrot's Flower | HP | 1.09 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Red Vee' Red Vee Parrot's Flower | HP | 0.90 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Rosi' Rosi Parrot's Flower | HP | 0.76 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Sassy' Sassy Parrot's Flower | HP | 1.03 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Sherbet' Sherbet Parrot's Flower | HP | 0.76 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia psittacorum</i> 'Strawberries and Cream' Strawberries and Cream Parrot's Flower | HP | 1.09 | G3 | 9A-10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Heliconia psittacorum</i> 'Tangerine' Tangerine Parrot's Flower | HP | 0.76 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia rostrata</i> Lobster Claw | HP | 1.34 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia stricta</i> Stricta Heliconia | HP | 1.13 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia stricta</i> 'Bucky' Bucky Stricta Heliconia | HP | 1.56 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia stricta</i> 'Carli's Sharonii' Carli's Sharonii Stricta Heliconia | HP | 1.13 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia stricta</i> 'Dimples' Dimples Stricta Heliconia | HP | 3.57 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia stricta</i> 'Dorado Gold' Dorado Gold Stricta Heliconia | HP | 2.57 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia stricta</i> 'Dwarf Jamaican' Dwarf Jamaican Stricta Heliconia | HP | 1.27 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia stricta</i> 'Fire Bird' Fire Bird Stricta Heliconia | HP | 1.60 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia stricta</i> 'Iris Bannochie' Iris Bannochie Stricta Heliconia | HP | 2.07 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia stricta</i> 'Tagami' Tagami Stricta Heliconia | HP | 1.58 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Heliconia wagneriana</i> Wagner Heliconia | HP | 1.36 | G3 | 9A-10A | 10B-11 | | | 10 |
| <i>Helictotrichon sempervirens</i> Avena | HP | 1.14 | G4 | | | 5-9A | | 5 |
| <i>Helictotrichon sempervirens</i> 'Saphirsprundel' Saphirsprundel Avena | HP | 1.08 | G4 | | | 5-9A | | 5 |
| <i>Heliopsis helianthoides</i> Sunflower Heliopsis | HP | 1.23 | G4 | | | 4-8 | | 4 |
| <i>Heliopsis helianthoides</i> 'Ballerina' Ballerina Sunflower Heliopsis | HP | 0.88 | G4 | | | 4-8 | | 4 |
| <i>Heliopsis helianthoides</i> 'Golden Plume' Golden Plume Sunflower Heliopsis | HP | 1.44 | G4 | | | 4-8 | | 4 |
| <i>Heliopsis helianthoides</i> 'Goldgreenheart' Goldgreenheart Sunflower Heliopsis | HP | 0.88 | G4 | | | 4-8 | | 4 |
| <i>Heliopsis helianthoides</i> 'Hohlspiegel' Hohlspiegel Sunflower Heliopsis | HP | 1.44 | G4 | | | 4-8 | | 4 |
| <i>Heliopsis helianthoides</i> 'Incomparabilis' Incomparabilis Sunflower Heliopsis | HP | 0.88 | G4 | | | 4-8 | | 4 |
| <i>Heliopsis helianthoides</i> 'Karat' Karat Sunflower Heliopsis | HP | 1.22 | G4 | | | 4-8 | | 4 |
| <i>Heliopsis helianthoides</i> 'Summer Sun' Summer Sun Sunflower Heliopsis | HP | 0.96 | G4 | | | 4-8 | | 4 |
| <i>Heliopsis helianthoides</i> var. <i>scabra</i> Rough Heliopsis | HP | 0.89 | G4 | | | 4-8 | | 4 |
| <i>Heliotropium amplexicaule</i> No Common Name Found | HP | 0.98 | G2 | 9B | | 10A-11 | | 10 |
| <i>Heliotropium arborescens</i> Heliotrope | HP | 0.67 | G2 | 9B | | 10A-11 | | 10 |
| <i>Heliotropium arborescens</i> 'Black Beauty' Black Beauty Heliotrope | HP | 0.78 | G2 | 9B | | 10A-11 | | 10 |
| <i>Heliotropium arborescens</i> 'Iowa' Iowa Heliotrope | HP | 0.78 | G2 | 9B | | 10A-11 | | 10 |
| <i>Helleborus argutifolius</i> Corsican Hellebore | HP | 1.56 | G4 | | | 7-9A | | 7 |
| <i>Helleborus atrorubens</i> No Common Name Found | HP | 1.20 | G4 | | | 6-9A | | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Helleborus cyclophyllus</i> | HP | 1.00 | G4 | | 7-9A | | | 7 |
| No Common Name Found | | | | | | | | |
| <i>Helleborus foetidus</i> | HP | 1.56 | G4 | | 6-9A | | | 6 |
| Bearsfoot Hellebore | | | | | | | | |
| <i>Helleborus niger</i> | HP | 1.58 | G4 | | 4-8 | | | 3 |
| Christmas Rose | | | | | | | | |
| <i>Helleborus niger</i> 'White Magic' | HP | 1.36 | G4 | | 4-8 | | | 3 |
| White Magic Christmas Rose | | | | | | | | |
| <i>Helleborus odorus</i> | HP | 1.69 | G4 | | 6-9A | | | 6 |
| No Common Name Found | | | | | | | | |
| <i>Helleborus orientalis</i> | HP | 1.57 | G4 | | 5-8 | | | 6 |
| Lenten Rose | | | | | | | | |
| <i>Helleborus purpurascens</i> | HP | 2.01 | G4 | | 6-9A | | | 6 |
| No Common Name Found | | | | | | | | |
| <i>Helleborus viridis</i> | HP | 1.00 | G4 | | 6-9A | | | 6 |
| Green Hellebore | | | | | | | | |
| <i>Helxine soleirolii</i> | | | | | | | | |
| See - <i>Soleirolia soleirolii</i> | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> | | | | | | | | |
| Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Across the Miles' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Across the Miles Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Addie Branch Smith' | HP | 1.20 | G4 | | 4-11 | | | 4 |
| Addie Branch Smith Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Alaska Gold' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Alaska Gold Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Alice in Wonderland' | HP | 1.23 | G4 | | 4-11 | | | 4 |
| Alice in Wonderland Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Allapattah' | HP | 0.79 | G4 | | 4-11 | | | 4 |
| Allapattah Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Allison' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Allison Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Alluring Peach' | HP | 3.26 | G4 | | 4-11 | | | 4 |
| Alluring Peach Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Amarillo' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Amarillo Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Amen' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Amen Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'American Elite Mix' | HP | 0.83 | G4 | | 4-11 | | | 4 |
| American Elite Mix Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'American Folklife' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| American Folklife Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'American Pastels' | HP | 0.75 | G4 | | 4-11 | | | 4 |
| American Pastels Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'American Revolution' | HP | 1.03 | G4 | | 4-11 | | | 4 |
| American Revolution Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Amethystine' | HP | 0.79 | G4 | | 4-11 | | | 4 |
| Amethystine Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Angel Mine' | HP | 0.88 | G4 | | 4-11 | | | 4 |
| Angel Mine Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Angel Sublime' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Angel Sublime Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Angel's Delight' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Angel's Delight Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Ann Abbott' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Ann Abbott Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Anna Warner' | HP | 0.98 | G4 | | 4-11 | | | 4 |
| Anna Warner Daylily | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Anne Butcher' Anne Butcher Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Antietam' Antietam Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Anzac' Anzac Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Apollodorus' Apollodorus Daylily | HP | 1.13 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Apple Tart' Apple Tart Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Apricot Beauty' Apricot Beauty Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Apricot Cherry' Apricot Cherry Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Apricot Surprise' Apricot Surprise Daylily | HP | 0.70 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Apricot' Apricot Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Aquarius' Aquarius Daylily | HP | 1.05 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Arkansas Post' Arkansas Post Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Around Town' Around Town Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Artist Etching' Artist Etching Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Artistic Masterpiece' Artistic Masterpiece Daylily | HP | 1.02 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Atem' Atem Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Aten' Aten Daylily | HP | 1.20 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Atlanta Full House' Atlanta Full House Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Atlanta Moonlight' Atlanta Moonlight Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Attention Please' Attention Please Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'August Bright' August Bright Daylily | HP | 0.95 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'August Flame' August Flame Daylily | HP | 0.89 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'August Ruby' August Ruby Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Aurora Raspberry' Aurora Raspberry Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Austin and Faye' Austin and Faye Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Autumn Lace' Autumn Lace Daylily | HP | 1.10 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Autumn Minaret' Autumn Minaret Daylily | HP | 0.86 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Autumn Red' Autumn Red Daylily | HP | 1.10 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Aztec Gold' Aztec Gold Daylily | HP | 1.14 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Baby Julia' Baby Julia Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hemerocallis</i> 'Baby Moon' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Baby Moon Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Baja' | HP | 1.07 | G4 | | 4-11 | | | 4 |
| Baja Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Bald Eagle' | HP | 0.99 | G4 | | 4-11 | | | 4 |
| Bald Eagle Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Ballerina' | HP | 1.46 | G4 | | 4-11 | | | 4 |
| Ballerina Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Baltimore Oriole' | HP | 1.07 | G4 | | 4-11 | | | 4 |
| Baltimore Oriole Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Bama Maid' | HP | 1.04 | G4 | | 4-11 | | | 4 |
| Bama Maid Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Bama Music' | HP | 1.26 | G4 | | 4-11 | | | 4 |
| Bama Music Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Barbary Corsair' | HP | 0.88 | G4 | | 4-11 | | | 4 |
| Barbary Corsair Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Beautiful Morning' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Beautiful Morning Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Beloved Country' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Beloved Country Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Bertie Ferris' | HP | 1.04 | G4 | | 4-11 | | | 4 |
| Bertie Ferris Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Best of Friends' | HP | 1.06 | G4 | | 4-11 | | | 4 |
| Best of Friends Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Better Believe It' | HP | 1.16 | G4 | | 4-11 | | | 4 |
| Better Believe It Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Big Bird' | HP | 1.02 | G4 | | 4-11 | | | 4 |
| Big Bird Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Big Buster' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Big Buster Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Big League' | HP | 0.95 | G4 | | 4-11 | | | 4 |
| Big League Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Big Splash' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Big Splash Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Big Wig' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Big Wig Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Biggie' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Biggie Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Bite Size' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Bite Size Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Bitsy' | HP | 0.95 | G4 | | 4-11 | | | 4 |
| Bitsy Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Bittersweet Honey' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Bittersweet Honey Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Black Eyed Stella' P.P. 7909 | HP | 1.64 | G4 | | 4-11 | | | 4 |
| Black Eyed Stella Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Black Prince' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Black Prince Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Blazing Sun' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Blazing Sun Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Blessed Peace' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Blessed Peace Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Blonde Goddess' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Blonde Goddess Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Blue Sheen' | HP | 0.95 | G4 | | 4-11 | | | 4 |
| Blue Sheen Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Bold Streaker' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Bold Streaker Daylily | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Bonanza' Bonanza Daylily | HP | 1.11 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Bonnie Barbara Allen' Bonnie Barbara Allen Daylily | HP | 1.16 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Bonny Hour' Bonny Hour Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Border Baby' Border Baby Daylily | HP | 1.03 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Border Beauty' Border Beauty Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Border Honey' Border Honey Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Border Star' Border Star Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Bountiful Valley' Bountiful Valley Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Bowl of Roses' Bowl of Roses Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Brackle' Brackle Daylily | HP | 1.04 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Bright Banner' Bright Banner Daylily | HP | 0.86 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Broadway Lullaby' Broadway Lullaby Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Bronze' Bronze Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Bunting' Bunting Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Buried Treasure' Buried Treasure Daylily | HP | 0.94 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Burning Daylight' Burning Daylight Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Buttercurls' Buttercurls Daylily | HP | 1.01 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Buttered Popcorn' Buttered Popcorn Daylily | HP | 1.10 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Butterflake' Butterflake Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Butterpat' Butterpat Daylily | HP | 1.19 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Butterscotch Ruffles' Butterscotch Ruffles Daylily | HP | 0.79 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Butterworth' Butterworth Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Buzz Bomb' Buzz Bomb Daylily | HP | 0.97 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'By Myself' By Myself Daylily | HP | 0.88 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Canadian Goose' Canadian Goose Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Canary Glow' Canary Glow Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Candy Apple' Candy Apple Daylily | HP | 0.93 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cara Mia' Cara Mia Daylily | HP | 1.57 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Carefree Browneye Susan' Carefree Browneye Susan Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hemerocallis</i> 'Carefree Peach' Carefree Peach Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Carey Quinn' Carey Quinn Daylily | HP | 1.17 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Carmel Valley' Carmel Valley Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Carmen Marie' Carmen Marie Daylily | HP | 1.12 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Carolyn Criswell' Carolyn Criswell Daylily | HP | 1.37 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Carousel Capers' Carousel Capers Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Carousel Princess' Carousel Princess Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Casedenia' Casedenia Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Castilian' Castilian Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Catherine Woodbury' Catherine Woodbury Daylily | HP | 1.16 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cedar Waxwing' Cedar Waxwing Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Channel Island' Channel Island Daylily | HP | 1.24 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chartreuse Magic' Chartreuse Magic Daylily | HP | 0.99 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cheek to Cheek' Cheek to Cheek Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cherry Cheeks' Cherry Cheeks Daylily | HP | 1.20 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cherry Lace' Cherry Lace Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Antique Tapestry' Chicago Antique Tapestry Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Apache' Chicago Apache Daylily | HP | 1.21 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Arnie's Choice' Chicago Arnie's Choice Daylily | HP | 1.13 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Atlas' Chicago Atlas Daylily | HP | 1.39 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Aztec' Chicago Aztec Daylily | HP | 1.42 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Blue Eyes' Chicago Blue Eyes Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Candy Cane' Chicago Candy Cane Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Cattelya' Chicago Cattelya Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Cherry' Chicago Cherry Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Comanche' Chicago Comanche Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Coral' Chicago Coral Daylily | HP | 1.45 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Fire' Chicago Fire Daylily | HP | 1.31 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Full Moon' Chicago Full Moon Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hemerocallis</i> 'Chicago Gold Coast' Chicago Gold Coast Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Goldstrike' Chicago Goldstrike Daylily | HP | 1.04 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Gown' Chicago Gown Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Happiness' Chicago Happiness Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Heirloom' Chicago Heirloom Daylily | HP | 1.26 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Jewel' Chicago Jewel Daylily | HP | 1.04 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Knobby' Chicago Knobby Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Knockout' Chicago Knockout Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Orchid' Chicago Orchid Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Pansy' Chicago Pansy Daylily | HP | 1.45 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Peach Parfait' Chicago Peach Parfait Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Peach' Chicago Peach Daylily | HP | 1.28 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Petite Lace' Chicago Petite Lace Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Petticoats' Chicago Petticoats Daylily | HP | 1.15 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Picotee Memories' Chicago Picotee Memories Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Picotee Pride' Chicago Picotee Pride Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Pink Peace' Chicago Pink Peace Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Plum Pudding' Chicago Plum Pudding Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Princess' Chicago Princess Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Queen' Chicago Queen Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Rosy' Chicago Rosy Daylily | HP | 1.57 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Royal Crown' Chicago Royal Crown Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Royal Heritage' Chicago Royal Heritage Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Royal Robe' Chicago Royal Robe Daylily | HP | 1.37 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Royal' Chicago Royal Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Scintillation' Chicago Scintillation Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Silver' Chicago Silver Daylily | HP | 1.31 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Sugar Plum' Chicago Sugar Plum Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Sunrise' Chicago Sunrise Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Chicago Violet' Chicago Violet Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chicago Weathermaster' Chicago Weathermaster Daylily | HP | 1.17 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Child Bride' Child Bride Daylily | HP | 0.99 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chloe' Chloe Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Choral Angel' Choral Angel Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Chosen Love' Chosen Love Daylily | HP | 0.97 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Christmas Candles' Christmas Candles Daylily | HP | 0.88 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Christmas Carol' Christmas Carol Daylily | HP | 0.92 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Christmas Is' Christmas Is Daylily | HP | 1.57 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Christmas Time' Christmas Time Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cinnamon Glow' Cinnamon Glow Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cinnamon Pleasure' Cinnamon Pleasure Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Citrina' Citrina Daylily | HP | 1.36 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Classic Simplicity' Classic Simplicity Daylily | HP | 1.21 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Classy Lassie' Classy Lassie Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Close-up' Close-up Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'College Try' College Try Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Color Pageant' Color Pageant Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Colorful Summer' Colorful Summer Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Comedienne' Comedienne Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Commandment' Commandment Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cookie Monster' Cookie Monster Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cooling Fountain' Cooling Fountain Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Copper Medallion' Copper Medallion Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Corryton Pink' Corryton Pink Daylily | HP | 1.43 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Countess Carrots' Countess Carrots Daylily | HP | 0.86 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Country Fair Winds' Country Fair Winds Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Country Melody' Country Melody Daylily | HP | 1.33 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Country Stroll' Country Stroll Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Country Uncle' Country Uncle Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cradle Song' Cradle Song Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cradle' Cradle Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cranberry Baby' Cranberry Baby Daylily | HP | 1.10 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cream Cloud' Cream Cloud Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cream Drop' Cream Drop Daylily | HP | 0.85 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cream Pudding' Cream Pudding Daylily | HP | 3.26 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Crestwood Ann' Crestwood Ann Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cricket' Cricket Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Crimson Pirate' Crimson Pirate Daylily | HP | 0.90 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Crimson Shadow' Crimson Shadow Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Crown' Crown Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cub Scout' Cub Scout Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Curls' Curls Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Cutie Pie' Cutie Pie Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Dacquiri' Dacquiri Daylily | HP | 1.04 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Dad's Best White' Dad's Best White Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Dainty Deb' Dainty Deb Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Danish Style' Danish Style Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Darius' Darius Daylily | HP | 1.04 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Dark Star' Dark Star Daylily | HP | 0.94 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Datebook' Datebook Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Dawn Ballet' Dawn Ballet Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Dawning Light' Dawning Light Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Decatur Double' Decatur Double Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Decatur Gold' Decatur Gold Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Demetrius' Demetrius Daylily | HP | 1.36 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Denmark' Denmark Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Derby Bound' Derby Bound Daylily | HP | 1.02 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Designer Gown' Designer Gown Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Dewey Fresh' Dewey Fresh Daylily | HP | 0.95 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Display' Display Daylily | HP | 0.94 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Divine Gift' Divine Gift Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Doll House' Doll House Daylily | HP | 0.99 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Double Almond' Double Almond Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Double Charm' Double Charm Daylily | HP | 0.88 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Double Cutie' Double Cutie Daylily | HP | 0.84 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Double Daffodil' Double Daffodil Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Double Delight' Double Delight Daylily | HP | 1.08 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Double Firecracker' Double Firecracker Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Double Gold' Double Gold Daylily | HP | 1.06 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Double Honey' Double Honey Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Double Jackpot' Double Jackpot Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Double Oh' Double Oh Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Double Peach Charmer' Double Peach Charmer Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Double Persimmon' Double Persimmon Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Double Pompom' Double Pompom Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Double Recurve' Double Recurve Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Double Talk' Double Talk Daylily | HP | 0.79 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Dover' Dover Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Down Town' Down Town Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Dragon Mouth' Dragon Mouth Daylily | HP | 0.94 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Dream Baby' Dream Baby Daylily | HP | 1.07 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Dresden Beauty' Dresden Beauty Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Duke of Durham' Duke of Durham Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Dutch Treat' Dutch Treat Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Dwarf Peach' Dwarf Peach Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Earliana' Earliana Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Early Sunset' Early Sunset Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Ed Murray' Ed Murray Daylily | HP | 0.89 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Eenie Allegro' Eenie Allegro Daylily | HP | 1.01 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Eenie Chorus' Eenie Chorus Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Eenie Fanfare' Eenie Fanfare Daylily | HP | 1.17 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Eenie Sentry' Eenie Sentry Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Eenie Weenie' Eenie Weenie Daylily | HP | 1.10 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Egyptian Spice' Egyptian Spice Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Elaine Strutt' Elaine Strutt Daylily | HP | 1.19 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Elegant Greeting' Elegant Greeting Daylily | HP | 0.95 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Elfin Stella' Elfin Stella Daylily | HP | 1.10 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Elfin' Elfin Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Emerald Crown' Emerald Crown Daylily | HP | 0.99 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Emerald Gown' Emerald Gown Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Eric Jr.' Eric Jr. Daylily | HP | 1.57 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Erin Prairie' Erin Prairie Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Eruption' Eruption Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Etched in Gold' Etched in Gold Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Evelyn Claar' Evelyn Claar Daylily | HP | 1.42 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Evening Gown' Evening Gown Daylily | HP | 1.13 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Exaltation' Exaltation Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Exceptional Display' Exceptional Display Daylily | HP | 2.71 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Fabula' Fabula Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Fair Annet' Fair Annet Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Fair Isabel' Fair Isabel Daylily | HP | 1.33 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Fairy Bonnet' Fairy Bonnet Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Fairy Charm' Fairy Charm Daylily | HP | 0.86 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Fairy Tale Pink' Fairy Tale Pink Daylily | HP | 1.39 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Faith Nabor' Faith Nabor Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Fall Glow' Fall Glow Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Family Party' Family Party Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Feather Down' Feather Down Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Fiesta Skirt' Fiesta Skirt Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Fire Cup' Fire Cup Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Fireside' Fireside Daylily | HP | 1.14 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Firestorm' Firestorm Daylily | HP | 0.86 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'First Stop' First Stop Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Flamboyant Show' Flamboyant Show Daylily | HP | 2.71 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Flames of Fantasy' Flames of Fantasy Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Flamingo' Flamingo Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Florissant Charm' Florissant Charm Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Flower Basket' Flower Basket Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Flying Saucer' Flying Saucer Daylily | HP | 1.03 | G4 | | 4-11 | | | 3 |
| <i>Hemerocallis</i> 'Fragrant Light' Fragrant Light Daylily | HP | 1.75 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Fragrant Pastel Cheers' Fragrant Pastel Cheers Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Fragrant Treasure' Fragrant Treasure Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Frances Fay' Frances Fay Daylily | HP | 0.94 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Frank Gladney' Frank Gladney Daylily | HP | 0.88 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Frans Hals' Frans Hals Daylily | HP | 1.11 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Frilly Ruffles' Frilly Ruffles Daylily | HP | 0.99 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Frosty Beauty' Frosty Beauty Daylily | HP | 1.11 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Frozen Jade' Frozen Jade Daylily | HP | 1.63 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Fuchsia Dream' Fuchsia Dream Daylily | HP | 1.43 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Fuchsia Flame' Fuchsia Flame Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Galena Moon' Galena Moon Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Galliano' Galliano Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Gambler's Prize' Gambler's Prize Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Garden Party' Garden Party Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hemerocallis</i> 'Garnet Robe' Garnet Robe Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Gentle Country Breeze' Gentle Country Breeze Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Gentle Shepherd' Gentle Shepherd Daylily | HP | 0.93 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Gentleman Lou' Gentleman Lou Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'George C. Bingham' George C. Bingham Daylily | HP | 1.00 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Georgette Belden' Georgette Belden Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Giant Fling' Giant Fling Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Girl Scout' Girl Scout Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Glowing Cantaloupe' Glowing Cantaloupe Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Glowing Heart' Glowing Heart Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Going Places' Going Places Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Gold Crown' Gold Crown Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Gold Medallion' Gold Medallion Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Gold Star' Gold Star Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Belle' Golden Belle Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Candles' Golden Candles Daylily | HP | 0.85 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Chance' Golden Chance Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Chimes' Golden Chimes Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Corduroy' Golden Corduroy Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Dewdrop' Golden Dewdrop Daylily | HP | 0.88 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Gate' Golden Gate Daylily | HP | 1.10 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Gift' Golden Gift Daylily | HP | 1.05 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Ginkgo' Golden Ginkgo Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Mint' Golden Mint Daylily | HP | 0.89 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Peace' Golden Peace Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Plover' Golden Plover Daylily | HP | 1.42 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Prize' Golden Prize Daylily | HP | 1.06 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Riches' Golden Riches Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Sands' Golden Sands Daylily | HP | 0.79 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hemerocallis</i> 'Golden Sky' Golden Sky Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Golden Tycoon' Golden Tycoon Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Gordon Biggs' Gordon Biggs Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Graceful Eye' Graceful Eye Daylily | HP | 0.79 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Grammie's List' Grammie's List Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Grape Magic' Grape Magic Daylily | HP | 0.97 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Grape Season' Grape Season Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Grape Velvet' Grape Velvet Daylily | HP | 1.01 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Grapette' Grapette Daylily | HP | 1.00 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Grebe' Grebe Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Green Eyes Wink' Green Eyes Wink Daylily | HP | 0.86 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Green Flutter' Green Flutter Daylily | HP | 1.06 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Green Glitter' Green Glitter Daylily | HP | 1.18 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Green Mansions' Green Mansions Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Green Tarantula' Green Tarantula Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Gregg's Early Yellow' Gregg's Early Yellow Daylily | HP | 1.25 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Greta' Greta Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Ground Master' Ground Master Daylily | HP | 1.30 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Grouse' Grouse Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Guardian Angel' Guardian Angel Daylily | HP | 1.43 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Hall's Pink' Hall's Pink Daylily | HP | 1.10 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Happy Apple' Happy Apple Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Happy Returns' Happy Returns Daylily | HP | 1.53 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Hawaiian Punch' Hawaiian Punch Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Hazel Monette' Hazel Monette Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Heady Wine' Heady Wine Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Hearts of Fire' Hearts of Fire Daylily | HP | 1.13 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Heaven's Trophy' Heaven's Trophy Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Heavenly Crown' Heavenly Crown Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Heavenly Gem' Heavenly Gem Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Heavenly Harp' Heavenly Harp Daylily | HP | 0.88 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Heavenly Hope' Heavenly Hope Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Heavenly Lace' Heavenly Lace Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Heavenly Peace' Heavenly Peace Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Heavenly Touch' Heavenly Touch Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Heavenly Treasure' Heavenly Treasure Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Heavens Rejoice' Heavens Rejoice Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Heidi Edelweiss' Heidi Edelweiss Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Heirloom Lace' Heirloom Lace Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Helios' Helios Daylily | HP | 0.94 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Hello Dolly' Hello Dolly Daylily | HP | 1.33 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Hemlock' Hemlock Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Heron' Heron Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Hey There' Hey There Daylily | HP | 1.10 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Hillsdale' Hillsdale Daylily | HP | 1.21 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Honey Redhead' Honey Redhead Daylily | HP | 1.02 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Hope Diamond' Hope Diamond Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Hortensia' Hortensia Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Hosanna' Hosanna Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'How About That' How About That Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Howdy' Howdy Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Hyperion Elite' Hyperion Elite Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Hyperion Supreme' Hyperion Supreme Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Hyperion' Hyperion Daylily | HP | 0.85 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Ice Cap' Ice Cap Daylily | HP | 0.89 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Ice Carnival' Ice Carnival Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Ice Snow' Ice Snow Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Icy Clouds' Icy Clouds Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hemerocallis</i> 'Imperial Lemon' Imperial Lemon Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Indian Paintbrush' Indian Paintbrush Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Irish Elf' Irish Elf Daylily | HP | 0.99 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Irish Heart' Irish Heart Daylily | HP | 0.99 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Irish Ice' Irish Ice Daylily | HP | 1.04 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Irish Limerick' Irish Limerick Daylily | HP | 0.88 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Isaac' Isaac Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Isaiah' Isaiah Daylily | HP | 1.10 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Island Sand Dollar' Island Sand Dollar Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Iverson's Orange' Iverson's Orange Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Iverson's Red' Iverson's Red Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Iverson's Yellow' Iverson's Yellow Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Ivory Snow' Ivory Snow Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Ivydale' Ivydale Daylily | HP | 1.33 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Jack Straw' Jack Straw Daylily | HP | 1.63 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Jade Bowl' Jade Bowl Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Jade Star' Jade Star Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Jamaican Drum' Jamaican Drum Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'James Marsh' James Marsh Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Java Sea' Java Sea Daylily | HP | 0.88 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Jay' Jay Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Je Jung Kim' Je Jung Kim Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Jennifer Grovatt' Jennifer Grovatt Daylily | HP | 1.36 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Jimmy Fry' Jimmy Fry Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Jingle Shell' Jingle Shell Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Jo Jo' Jo Jo Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Joan Senior' Joan Senior Daylily | HP | 1.15 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Joel' Joel Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Jolly Dimples' Jolly Dimples Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Jolly Heart' Jolly Heart Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Joyful Fancy Free' Joyful Fancy Free Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Juanita' Juanita Daylily | HP | 1.57 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Judah' Judah Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Julia Dillon' Julia Dillon Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'July Gold' July Gold Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'July Sunshine' July Sunshine Daylily | HP | 1.36 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Jungle Princess' Jungle Princess Daylily | HP | 0.76 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Just Sara' Just Sara Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Just So' Just So Daylily | HP | 1.17 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Just Watch' Just Watch Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Justin Miller' Justin Miller Daylily | HP | 0.86 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Katie' Katie Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Kent's Lavender' Kent's Lavender Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'King Alfred' King Alfred Daylily | HP | 1.12 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'King Royale' King Royale Daylily | HP | 1.42 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'King of Hearts' King of Hearts Daylily | HP | 0.95 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'King's Cloak' King's Cloak Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Kissy Face' Kissy Face Daylily | HP | 0.65 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Kitten's Paw' Kitten's Paw Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'L 82 S' L 82 S Daylily | HP | 2.03 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'La Louisianne' La Louisianne Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'La Mer' La Mer Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lady Eleanor' Lady Eleanor Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lamplighter' Lamplighter Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Landscape Supreme Red' Landscape Supreme Red Daylily | HP | 0.63 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Landscape Supreme Yellow' Landscape Supreme Yellow Daylily | HP | 0.78 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Late Cream' Late Cream Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Late Glory' Late Glory Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hemerocallis</i> 'Late Plum' Late Plum Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Late Summer' Late Summer Daylily | HP | 1.36 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lavender Aristocrat' Lavender Aristocrat Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lavender Bubbles' Lavender Bubbles Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lavender Dew' Lavender Dew Daylily | HP | 0.82 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lavender Eyes' Lavender Eyes Daylily | HP | 2.03 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lavender Frolic' Lavender Frolic Daylily | HP | 1.00 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lavender Peace' Lavender Peace Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lavender Sky' Lavender Sky Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lemon Bells' Lemon Bells Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lemon Cap' Lemon Cap Daylily | HP | 2.03 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lemon Drop' Lemon Drop Daylily | HP | 1.19 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lemon Lace' Lemon Lace Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lemon Mint' Lemon Mint Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lemon Pectin' Lemon Pectin Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lemon Yellow' Lemon Yellow Daylily | HP | 1.05 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Liberator' Liberator Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lights of Paris' Lights of Paris Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lilac Greeting' Lilac Greeting Daylily | HP | 0.99 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lilio' Lilio Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lillian Fry' Lillian Fry Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Linda' Linda Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Audrey' Little Audrey Daylily | HP | 1.18 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Beige Magic' Little Beige Magic Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Bugger' Little Bugger Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Bumblebee' Little Bumblebee Daylily | HP | 1.20 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Business' Little Business Daylily | HP | 1.02 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Cadet' Little Cadet Daylily | HP | 0.90 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Carnation' Little Carnation Daylily | HP | 1.71 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Little Carpet' Little Carpet Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Carrot Top' Little Carrot Top Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Celena' Little Celena Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Cherub' Little Cherub Daylily | HP | 0.99 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Cobbler' Little Cobbler Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Cranberry Cove' Little Cranberry Cove Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Cutie' Little Cutie Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Dandy' Little Dandy Daylily | HP | 1.00 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Delight' Little Delight Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Fairy' Little Fairy Daylily | HP | 0.85 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Fantastic' Little Fantastic Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Flock' Little Flock Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Grapette' Little Grapette Daylily | HP | 1.32 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Heart' Little Heart Daylily | HP | 1.36 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Idy' Little Idy Daylily | HP | 1.00 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Lavendar Princess' Little Lavendar Princess Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Men' Little Men Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Miss Sunshine' Little Miss Sunshine Daylily | HP | 1.10 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Monica' Little Monica Daylily | HP | 1.00 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Orange Giant' Little Orange Giant Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Peach Parfait' Little Peach Parfait Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Pumpkin Face' Little Pumpkin Face Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Rainbow' Little Rainbow Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Red Hot' Little Red Hot Daylily | HP | 1.23 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Sweet Sue' Little Sweet Sue Daylily | HP | 0.78 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Tawny' Little Tawny Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Tyke' Little Tyke Daylily | HP | 0.99 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Wart' Little Wart Daylily | HP | 0.82 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Little Wine Cup' Little Wine Cup Daylily | HP | 1.36 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hemerocallis</i> 'Little Women' Little Women Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Loaded' Loaded Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lollipop' Lollipop Daylily | HP | 0.99 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Look of Love' Look of Love Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lord Camden' Lord Camden Daylily | HP | 1.30 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lord Randal' Lord Randal Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Love It' Love It Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Loveliest Grace' Loveliest Grace Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lovely Rose' Lovely Rose Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Loving Memories' Loving Memories Daylily | HP | 0.74 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Luana' Luana Daylily | HP | 0.66 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lupine' Lupine Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lusty Leland' Lusty Leland Daylily | HP | 1.30 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Luxury Lace' Luxury Lace Daylily | HP | 1.00 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Lynn Hall' Lynn Hall Daylily | HP | 0.95 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Madam Chiang' Madam Chiang Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Madison Avenue' Madison Avenue Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Magic Dawn' Magic Dawn Daylily | HP | 0.97 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Magic Wand' Magic Wand Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Mallard' Mallard Daylily | HP | 1.11 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Manilla Moon' Manilla Moon Daylily | HP | 0.99 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Marcia Faye' Marcia Faye Daylily | HP | 0.79 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Margaret Terry' Margaret Terry Daylily | HP | 1.02 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Margaret Weimer' Margaret Weimer Daylily | HP | 1.08 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Marginella' Marginella Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Mary Elizabeth' Mary Elizabeth Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Mary Reed' Mary Reed Daylily | HP | 0.78 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Mary Todd' Mary Todd Daylily | HP | 1.21 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Mateus' Mateus Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hemerocallis</i> 'Matt' Matt Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'May Colvin' May Colvin Daylily | HP | 1.02 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Mayan Gold' Mayan Gold Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Maybe So' Maybe So Daylily | HP | 0.99 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'McPick' McPick Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Meadow Lark' Meadow Lark Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Meadow Mist' Meadow Mist Daylily | HP | 1.13 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Melon Balls' Melon Balls Daylily | HP | 1.13 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Meno' Meno Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Mexican Dance' Mexican Dance Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Miami Mood' Miami Mood Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Mikado' Mikado Daylily | HP | 1.17 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Ming Snow' Ming Snow Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Ming Toy' Ming Toy Daylily | HP | 0.86 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Mini Gold' Mini Gold Daylily | HP | 1.36 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Mini Pearl' Mini Pearl Daylily | HP | 1.36 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Mini Stella' Mini Stella Daylily | HP | 1.14 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Minnie Morgan' Minnie Morgan Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Minor' Minor Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Minstrel Boy' Minstrel Boy Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Miss Aimee' Miss Aimee Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Miss Ozzie' Miss Ozzie Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Mission Moonlight' Mission Moonlight Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Missouri Beauty Yellow' Missouri Beauty Yellow Daylily | HP | 0.93 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Missouri Beauty' Missouri Beauty Daylily | HP | 1.01 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Mockingbird' Mockingbird Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Molten Magma' Molten Magma Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Mond' Starburst™ Red Daylily | HP | 0.89 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Monge' Starburst™ Orange Daylily | HP | 0.89 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hemerocallis</i> 'Monie' | HP | 0.89 | G4 | | 4-11 | | | 4 |
| Starburst™ Susie Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Monld' | HP | 0.89 | G4 | | 4-11 | | | 4 |
| Starburst™ Single Gold Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Monold' | HP | 0.89 | G4 | | 4-11 | | | 4 |
| Starburst™ Double Gold Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Monon' | HP | 0.89 | G4 | | 4-11 | | | 4 |
| Starburst™ Salmon Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Monow' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Starburst™ Yellow Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Monve' | HP | 0.89 | G4 | | 4-11 | | | 4 |
| Starburst™ Mauve Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Moonlight Cannonball' | HP | 1.02 | G4 | | 4-11 | | | 4 |
| Moonlight Cannonball Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Mountain Heights' | HP | 1.51 | G4 | | 4-11 | | | 4 |
| Mountain Heights Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Mountain Laurel' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Mountain Laurel Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Mountain Violet' | HP | 1.17 | G4 | | 4-11 | | | 4 |
| Mountain Violet Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'My Funny Valentine' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| My Funny Valentine Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'My Hope' | HP | 1.05 | G4 | | 4-11 | | | 4 |
| My Hope Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'My Regards' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| My Regards Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'My Signature' | HP | 1.10 | G4 | | 4-11 | | | 4 |
| My Signature Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'My Ways' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| My Ways Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Naomi Ruth' | HP | 1.22 | G4 | | 4-11 | | | 4 |
| Naomi Ruth Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Nashville' | HP | 1.26 | G4 | | 4-11 | | | 4 |
| Nashville Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Neyron Rose' | HP | 1.57 | G4 | | 4-11 | | | 4 |
| Neyron Rose Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'North Star' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| North Star Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Northfield' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Northfield Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Numinous Moments' | HP | 0.89 | G4 | | 4-11 | | | 4 |
| Numinous Moments Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Nut Hatch' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Nut Hatch Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Nymph' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Nymph Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Ocean Rain' | HP | 0.96 | G4 | | 4-11 | | | 4 |
| Ocean Rain Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Olympic Gold' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Olympic Gold Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Ophia' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Ophia Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Orange Blaze' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Orange Blaze Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Orange Buttons' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Orange Buttons Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Orange Gumdrop' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Orange Gumdrop Daylily | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Orange King' Orange King Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Orange Monarch' Orange Monarch Daylily | HP | 1.12 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Orange Surprise' Orange Surprise Daylily | HP | 0.95 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Oriental Gem' Oriental Gem Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Oriental Ruby' Oriental Ruby Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Over There' Over There Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Painted Trillium' Painted Trillium Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pandora's Box' Pandora's Box Daylily | HP | 0.88 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Paradise Prince' Paradise Prince Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pardon Me' Pardon Me Daylily | HP | 1.50 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Parfait' Parfait Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Party Partner' Party Partner Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pastel Inspiration' Pastel Inspiration Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Patricia Fay' Patricia Fay Daylily | HP | 1.18 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Patterns' Patterns Daylily | HP | 0.92 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Patti Neyland' Patti Neyland Daylily | HP | 0.92 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Peach Fairy' Peach Fairy Daylily | HP | 2.03 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Peach Pebbles' Peach Pebbles Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Peach Pep Talk' Peach Pep Talk Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Peachy Pink' Peachy Pink Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pennsworth' Pennsworth Daylily | HP | 1.03 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Perennial Pleasure' Perennial Pleasure Daylily | HP | 1.48 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Perian China' Perian China Daylily | HP | 1.08 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Perpetual Motion' Perpetual Motion Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Persian Market' Persian Market Daylily | HP | 0.93 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Persian Peach' Persian Peach Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Persian Shrine' Persian Shrine Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Personal Appearance' Personal Appearance Daylily | HP | 0.92 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Petite Ballet' Petite Ballet Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Petite One' Petite One Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Petite Palace Rose' Petite Palace Rose Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Petite Rouge' Petite Rouge Daylily | HP | 1.38 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Phoebe' Phoebe Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Picture Hat' Picture Hat Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pieces of Eight' Pieces of Eight Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pilot Light' Pilot Light Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pineapple Frost' Pineapple Frost Daylily | HP | 1.24 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pink Bailey' Pink Bailey Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pink Ballerina' Pink Ballerina Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pink Charme' Pink Charme Daylily | HP | 0.85 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pink Damask' Pink Damask Daylily | HP | 1.13 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pink Delight' Pink Delight Daylily | HP | 1.63 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pink Embers' Pink Embers Daylily | HP | 1.19 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pink Glow' Pink Glow Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pink Lavender Appeal' Pink Lavender Appeal Daylily | HP | 1.18 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pink Lemonade' Pink Lemonade Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pink Sparkler' Pink Sparkler Daylily | HP | 1.10 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pink Tangerine' Pink Tangerine Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pittance' Pittance Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pixie Beauty' Pixie Beauty Daylily | HP | 0.81 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pixie Face' Pixie Face Daylily | HP | 1.47 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pixie Parasol' Pixie Parasol Daylily | HP | 0.89 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pixie Peach' Pixie Peach Daylily | HP | 1.12 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pizza' Pizza Daylily | HP | 1.00 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pleasant Hours' Pleasant Hours Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pleasing Lavender' Pleasing Lavender Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Plum Beauty' Plum Beauty Daylily | HP | 1.36 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Plush' Plush Daylily | HP | 0.82 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hemerocallis</i> 'Pojo' Pojo Daylily | HP | 0.79 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pomp and Circumstance' Pomp and Circumstance Daylily | HP | 0.78 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pompeian Purple' Pompeian Purple Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pony' Pony Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Ponytail Pink' Ponytail Pink Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Posh Design' Posh Design Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Potters Clay' Potters Clay Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Prairie Belle' Prairie Belle Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Prairie Blue Eyes' Prairie Blue Eyes Daylily | HP | 1.26 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Prairie Lark' Prairie Lark Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Prairie Moonlight' Prairie Moonlight Daylily | HP | 1.26 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Prairie Sunburst' Prairie Sunburst Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Prayer Song' Prayer Song Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Precious Love' Precious Love Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Precious One' Precious One Daylily | HP | 1.02 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pretty Miss' Pretty Miss Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Prima Donna' Prima Donna Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Prize Picotee Deluxe' Prize Picotee Deluxe Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Prize Picotee Elite' Prize Picotee Elite Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Psalter and Harp' Psalter and Harp Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Puddin' Puddin Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pure Bliss' Pure Bliss Daylily | HP | 1.26 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Pure Light' Pure Light Daylily | HP | 0.88 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Purely' Purely Daylily | HP | 1.11 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Purest Treasure' Purest Treasure Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Purple Dot' Purple Dot Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Purple Galaxy' Purple Galaxy Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Purple Magic' Purple Magic Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Purple Pauper' Purple Pauper Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hemerocallis</i> 'Purple Sherbet' Purple Sherbet Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Purple Splendor' Purple Splendor Daylily | HP | 0.96 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Purple Waters' Purple Waters Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Purple de Oro' Purple de Oro Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Quaking Aspen' Quaking Aspen Daylily | HP | 1.54 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Queen Eleanor' Queen Eleanor Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Radiant Beams' Radiant Beams Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Rain Drop' Rain Drop Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Rajah' Rajah Daylily | HP | 0.92 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Raspberry Charm' Raspberry Charm Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Raspberry Pixie' Raspberry Pixie Daylily | HP | 1.41 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Raspberry Season' Raspberry Season Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Readers Vision' Readers Vision Daylily | HP | 1.10 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Rebel Boy' Rebel Boy Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Reblooming Gold' Reblooming Gold Daylily | HP | 3.26 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Red Cup' Red Cup Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Red Evergreen' Red Evergreen Daylily | HP | 1.02 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Red Magic' Red Magic Daylily | HP | 1.00 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Red Mittens' Red Mittens Daylily | HP | 1.00 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Red Pinnocio' Red Pinnocio Daylily | HP | 1.20 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Red Poll' Red Poll Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Red Razzmatazz' Red Razzmatazz Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Red Reward' Red Reward Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Red Ripples' Red Ripples Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Red Rocket' Red Rocket Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Red Rum' Red Rum Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Red Select' Red Select Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Red Siren' Red Siren Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Red Top' Red Top Daylily | HP | 1.31 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Red Volunteer' Red Volunteer Daylily | HP | 1.11 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Red W76-82' Red W76-82 Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Redstart' Redstart Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Renee' Renee Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Renegade Red' Renegade Red Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Resounding Harp' Resounding Harp Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Resplendent' Resplendent Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Resurrection Yellow' Resurrection Yellow Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Rhapsody in Pink' Rhapsody in Pink Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Rocket City' Rocket City Daylily | HP | 1.23 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Root Beer' Root Beer Daylily | HP | 1.22 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Rooten Tooten Red' Rooten Tooten Red Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Rose Echo' Rose Echo Daylily | HP | 1.02 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Rose Festival' Rose Festival Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Rosie Meyer' Rosie Meyer Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Rosy Echo' Rosy Echo Daylily | HP | 1.33 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Route Sixty-Six' Route Sixty-Six Daylily | HP | 1.04 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Royal Garnet' Royal Garnet Daylily | HP | 1.19 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Royal Mountie' Royal Mountie Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Royal Palace Guard' Royal Palace Guard Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Royal Palace Prince' Royal Palace Prince Daylily | HP | 1.29 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Royal Red' Royal Red Daylily | HP | 0.88 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Ruby Throat' Ruby Throat Daylily | HP | 1.25 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Ruffled Apricot' Ruffled Apricot Daylily | HP | 1.12 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Ruffled Ruby' Ruffled Ruby Daylily | HP | 1.41 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Russian Rhapsody' Russian Rhapsody Daylily | HP | 0.87 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Rusty' Rusty Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Ruthie Baby' Ruthie Baby Daylily | HP | 1.02 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sacred Shield' Sacred Shield Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Sacred Song' Sacred Song Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sahara Sands' Sahara Sands Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Salmon Sheen' Salmon Sheen Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sammy Russell' Sammy Russell Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Samoa' Samoa Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sassy Sally' Sassy Sally Daylily | HP | 0.68 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Satin Clouds' Satin Clouds Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Satinique' Satinique Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Savanna Moon' Savanna Moon Daylily | HP | 0.99 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Scarlet Apache' Scarlet Apache Daylily | HP | 1.05 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Scarlet Oak' Scarlet Oak Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Scarlet Orbit' Scarlet Orbit Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Scarlet Romance' Scarlet Romance Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Scarlet Royalty' Scarlet Royalty Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Scarlet Tanager' Scarlet Tanager Daylily | HP | 0.87 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Scotch Bonnet' Scotch Bonnet Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Screaming Yellow Zonkers' Screaming Yellow Zonkers Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Screech Owl' Screech Owl Daylily | HP | 1.23 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sea Gold' Sea Gold Daylily | HP | 0.95 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Searcy Marsh' Searcy Marsh Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Secret Hearts' Secret Hearts Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Select Set' Select Set Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'September Gold' September Gold Daylily | HP | 1.10 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Serpentine' Serpentine Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Shades of Stella' Shades of Stella Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Shady Lady' Shady Lady Daylily | HP | 0.88 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Shaman' Shaman Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Shari Harrison' Shari Harrison Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Shiloh Red' Shiloh Red Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Shortee' | HP | 1.91 | G4 | | 4-11 | | | 4 |
| Shortee or Stella Junior Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Silent Stars' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Silent Stars Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Silk Ruffles' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Silk Ruffles Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Baby Talk' | HP | 0.98 | G4 | | 4-11 | | | 4 |
| Siloam Baby Talk Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Betty Barnes' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Siloam Betty Barnes Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Button Box' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Siloam Button Box Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Byelo' | HP | 0.86 | G4 | | 4-11 | | | 4 |
| Siloam Byelo Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Charles Stinnett' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Siloam Charles Stinnett Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Cherry Chimes' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Siloam Cherry Chimes Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Cinderella' | HP | 0.86 | G4 | | 4-11 | | | 4 |
| Siloam Cinderella Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Doodlebug' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Siloam Doodlebug Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Edith Sholar' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Siloam Edith Sholar Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Ethel Smith' | HP | 0.97 | G4 | | 4-11 | | | 4 |
| Siloam Ethel Smith Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Fairy Tale' | HP | 1.12 | G4 | | 4-11 | | | 4 |
| Siloam Fairy Tale Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Gold Nugget' | HP | 1.23 | G4 | | 4-11 | | | 4 |
| Siloam Gold Nugget Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Joan Senior' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Siloam Joan Senior Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam June Bug' | HP | 1.18 | G4 | | 4-11 | | | 4 |
| Siloam June Bug Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Kewpie Doll' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Siloam Kewpie Doll Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Little Girl' | HP | 1.54 | G4 | | 4-11 | | | 4 |
| Siloam Little Girl Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Merle Kent' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Siloam Merle Kent Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Mixed' | HP | 1.03 | G4 | | 4-11 | | | 4 |
| Siloam Mixed Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Orchid Jewel' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Siloam Orchid Jewel Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Pee Wee' | HP | 1.30 | G4 | | 4-11 | | | 4 |
| Siloam Pee Wee Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Pink Glow' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Siloam Pink Glow Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Pink Petite' | HP | 0.86 | G4 | | 4-11 | | | 4 |
| Siloam Pink Petite Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Plum Tree' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Siloam Plum Tree Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Pocket Size' | HP | 0.86 | G4 | | 4-11 | | | 4 |
| Siloam Pocket Size Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Prissy' | HP | 0.59 | G4 | | 4-11 | | | 4 |
| Siloam Prissy Daylily | | | | | | | | |
| <i>Hemerocallis</i> 'Siloam Rainbow Magic' | HP | 1.87 | G4 | | 4-11 | | | 4 |
| Siloam Rainbow Magic Daylily | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Siloam Red Ruby' Siloam Red Ruby Daylily | HP | 0.87 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Siloam Red Toy' Siloam Red Toy Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Siloam Red Velvet' Siloam Red Velvet Daylily | HP | 0.97 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Siloam Ribbon Candy' Siloam Ribbon Candy Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Siloam Sugar Plum' Siloam Sugar Plum Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Siloam Sugar Time' Siloam Sugar Time Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Siloam Tee Tiny' Siloam Tee Tiny Daylily | HP | 0.92 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Siloam Tinker Toy' Siloam Tinker Toy Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Siloam Tiny Mite' Siloam Tiny Mite Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Siloam Toddler' Siloam Toddler Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Siloam Ury Winniford' Siloam Ury Winniford Daylily | HP | 1.52 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Siloam Virginia Henson' Siloam Virginia Henson Daylily | HP | 1.10 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Silver Fan' Silver Fan Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Silver Trumpet' Silver Trumpet Daylily | HP | 1.07 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Simply Wild' Simply Wild Daylily | HP | 0.79 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sincere Wishes' Sincere Wishes Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sing Again' Sing Again Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sirocco' Sirocco Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sleigh Ride' Sleigh Ride Daylily | HP | 0.97 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Snappy Yellow' Snappy Yellow Daylily | HP | 1.05 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Snow Valley' Snow Valley Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Snowy Apparition' Snowy Apparition Daylily | HP | 1.15 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Snowy Owl' Snowy Owl Daylily | HP | 1.05 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sombrero Gold' Sombrero Gold Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sombrero Way' Sombrero Way Daylily | HP | 1.06 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Song Sparrow' Song Sparrow Daylily | HP | 1.19 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Song of Praise' Song of Praise Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Songbird' Songbird Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sparkling Raiment' Sparkling Raiment Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Sparkling Stars' Sparkling Stars Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Spectacular Sight' Spectacular Sight Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Spellbinder' Spellbinder Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Spider Man' Spider Man Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Spider Mixed' Spider Mixed Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Spring Bride' Spring Bride Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Spring Chimes' Spring Chimes Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Staghorn Sumac' Staghorn Sumac Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Star Dream' Star Dream Daylily | HP | 1.07 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Starburst Double Gold' See - <i>Hemerocallis</i> 'Monold' | | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Mauve' See - <i>Hemerocallis</i> 'Monve' | | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Orange' See - <i>Hemerocallis</i> 'Monge' | | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Red' See - <i>Hemerocallis</i> 'Mond' | | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Salmon' See - <i>Hemerocallis</i> 'Monon' | | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Single Gold' See - <i>Hemerocallis</i> 'Monld' | | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Susie' See - <i>Hemerocallis</i> 'Monie' | | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Yellow' See - <i>Hemerocallis</i> 'Monow' | | | | | | | | |
| <i>Hemerocallis</i> 'Starling' Starling Daylily | HP | 1.04 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Stella de Oro' Stella de Oro Daylily | HP | 1.18 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sue Rothbauer' Sue Rothbauer Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sultan's Ruby' Sultan's Ruby Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Summer Love' Summer Love Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Summer Tanager' Summer Tanager Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Summer Wine' Summer Wine Daylily | HP | 1.19 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sun Glory' Sun Glory Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sun Pixie' Sun Pixie Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sunburnt Mandarin' Sunburnt Mandarin Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Suncapers' Suncapers Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sunday Gloves' Sunday Gloves Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hemerocallis</i> 'Sunny Delight' Sunny Delight Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sunset Flare' Sunset Flare Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Superior Apricot' Superior Apricot Daylily | HP | 0.78 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Superior Red' Superior Red Daylily | HP | 0.78 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Suzy Wong' Suzy Wong Daylily | HP | 0.97 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Swamp Yankee' Swamp Yankee Daylily | HP | 0.89 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sweet Georgia Brown' Sweet Georgia Brown Daylily | HP | 0.78 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sweet Pea' Sweet Pea Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Sweet Reflection' Sweet Reflection Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Swelling Anthem' Swelling Anthem Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Swing Again' Swing Again Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Swirling Water' Swirling Water Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Swiss Miss' Swiss Miss Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Tangerine' Tangerine Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Techny Breeze' Techny Breeze Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Techny Peach Lace' Techny Peach Lace Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Techny Perfume Delight' Techny Perfume Delight Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Techny Spider' Techny Spider Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Techny Water Bug' Techny Water Bug Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Teenager' Teenager Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Tejas' Tejas Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Temple Bells' Temple Bells Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Tender Shepherd' Tender Shepherd Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Teri Ellis' Teri Ellis Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Terra Cotta Baby' Terra Cotta Baby Daylily | HP | 1.00 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Tetraploid Stella de Oro' Tetraploid Stella de Oro Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Tetrina's Daughter' Tetrina's Daughter Daylily | HP | 0.96 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Thankful Song' Thankful Song Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Thousand Voices' Thousand Voices Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hemerocallis</i> 'Thumbelina' Thumbelina Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Thunder Gold' Thunder Gold Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Tick Tock' Tick Tock Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Timeless Sands' Timeless Sands Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Timeless' Timeless Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Tiny Miss' Tiny Miss Daylily | HP | 0.99 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Tiny Pumpkin' Tiny Pumpkin Daylily | HP | 0.70 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Tobie Genie' Tobie Genie Daylily | HP | 1.12 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Todd Monroe' Todd Monroe Daylily | HP | 0.86 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Tommy' Tommy Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Too Marvelous' Too Marvelous Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Tootsie' Tootsie Daylily | HP | 0.79 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Touch of Mink' Touch of Mink Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Towhee' Towhee Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Toyland' Toyland Daylily | HP | 1.58 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Traffic Signal' Traffic Signal Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Treasure Gold' Treasure Gold Daylily | HP | 2.03 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Treasure Room' Treasure Room Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Tree Swallow' Tree Swallow Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Tricolor Rose Ruffles' Tricolor Rose Ruffles Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Triumph Glorious' Triumph Glorious Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Tropical Sherbet' Tropical Sherbet Daylily | HP | 1.00 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Tropical Sun' Tropical Sun Daylily | HP | 1.36 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Upper Class Peach' Upper Class Peach Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Valentine Hearts' Valentine Hearts Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Valley Isle' Valley Isle Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Varsity' Varsity Daylily | HP | 0.88 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Velvet Butterfly' Velvet Butterfly Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Velvet Wine' Velvet Wine Daylily | HP | 1.09 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Verger' Verger Daylily | HP | 0.74 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Victoria Aden' Victoria Aden Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Viette's Cream' Viette's Cream Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Vireo' Vireo Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Vivacious' Vivacious Daylily | HP | 0.93 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Walk Humbly' Walk Humbly Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wally Nance' Wally Nance Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wayside Cantaloupe Caper' Wayside Cantaloupe Caper Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wayside Doe Eyes' Wayside Doe Eyes Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wayside Green Imp' Wayside Green Imp Daylily | HP | 0.98 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wayside King Royale' Wayside King Royale Daylily | HP | 1.05 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wayside Lavender Frills' Wayside Lavender Frills Daylily | HP | 1.05 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wayside Painted Lady' Wayside Painted Lady Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wayside Peach Parfait' Wayside Peach Parfait Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wayside Plains Indian' Wayside Plains Indian Daylily | HP | 1.05 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wayside Princess' Wayside Princess Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wayside Red Ensign' Wayside Red Ensign Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wayside Sweet Impression' Wayside Sweet Impression Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Welcome Mat' Welcome Mat Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Westward Vision' Westward Vision Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'White Dish' White Dish Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'White Lady' White Lady Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'White Temptation' White Temptation Daylily | HP | 0.97 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'White Triangle' White Triangle Daylily | HP | 1.29 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'White Zircon' White Zircon Daylily | HP | 0.88 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Whiz Bang' Whiz Bang Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wild Heart' Wild Heart Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wild Turkey' Wild Turkey Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wild Welcome' Wild Welcome Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Will Return' Will Return Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wilson Yellow' Wilson Yellow Daylily | HP | 0.83 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Window Dressing' Window Dressing Daylily | HP | 1.05 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wine Bubbles' Wine Bubbles Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wine Delight' Wine Delight Daylily | HP | 0.90 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Winnie the Pooh' Winnie the Pooh Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Winning Ways' Winning Ways Daylily | HP | 0.94 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Winter Olympics' Winter Olympics Daylily | HP | 1.05 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Witch Hazel' Witch Hazel Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wood Duck' Wood Duck Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Woodcock' Woodcock Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wren' Wren Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Wynnson' Wynnson Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Yellow Diamond' Yellow Diamond Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Yellow Explosion' Yellow Explosion Daylily | HP | 1.43 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Yellow Ladyslipper' Yellow Ladyslipper Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Yellow Lollipop' Yellow Lollipop Daylily | HP | 1.26 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Yellow Multiflora' Yellow Multiflora Daylily | HP | 0.86 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Yellow Petticoats' Yellow Petticoats Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Yellow Shiners' Yellow Shiners Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Yellow Smurf' Yellow Smurf Daylily | HP | 2.33 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Yellow Tinkerbelle' Yellow Tinkerbelle Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Yellow Treasure' Yellow Treasure Daylily | HP | 2.03 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Yellowstone' Yellowstone Daylily | HP | 1.18 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Young Countess' Young Countess Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Young Love' Young Love Daylily | HP | 1.03 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Zarahemia' Zarahemia Daylily | HP | 0.91 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Zielone Zloto' Zielone Zloto Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis</i> 'Zippity Do Da' Zippity Do Da Daylily | HP | 0.59 | G4 | | 4-11 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Hemerocallis citrina</i> Citron Daylily | HP | 1.00 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis flava</i> See - <i>Hemerocallis lilioasphodelus</i> | HP | 0.93 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis fulva</i> Tawny Daylily | HP | 0.85 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis fulva</i> 'Kwanso' Kwanso Tawny Daylily | HP | 0.85 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis fulva</i> 'Orange' Orange Tawny Daylily | HP | 1.23 | G4 | | 4-11 | | | 4 |
| <i>Hemerocallis lilioasphodelus</i> Lemon Lily | HP | 1.30 | G4 | | 4-11 | | | 5 |
| <i>Hemerocallis middendorffii</i> Middendorffii Daylily | HP | 0.60 | G4 | 9A-10A | 10B-11 | | | 10 |
| <i>Hemigraphis alternata</i> Red Ivy | FO | 0.29 | G4 | 9A-10A | 10B-11 | | | 10 |
| <i>Hemigraphis repanda</i> Dwarf Waffle Plant | FO | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Hemionitis arifolia</i> No Common Name Found | HP | 1.30 | G1 | 4-8 | 9A-10B | | | 4 |
| <i>Hepatica acutiloba</i> Sharp-Lobed Liverleaf | HP | 1.30 | G1 | 4-8 | 9A-10B | | | 4 |
| <i>Hepatica americana</i> Round-Lobed Liverleaf | HP | 1.37 | G1 | 10A | 10B-11 | | | 5 |
| <i>Heptacodium miconioides</i> Seven Son Flower | HP | 1.00 | G1 | 10A | 10B-11 | | | 4 |
| <i>Heracleum sphondylium</i> ssp. <i>montanum</i> American Cow Parsnip | BE | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Hermannia verticillata</i> Honeybells | AN | 1.45 | G1 | 5-8 | 9A-10B | | | 5 |
| <i>Hernandia ovigera</i> Sea Cups | BS | 0.86 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Hernandia sonora</i> No Common Name Found | HP | 1.44 | G1 | 10A | 10B-11 | | | 10 |
| <i>Herniaria glabra</i> Rupturewort | BS | 0.82 | G1 | 4-8 | 9A-10A | | | 3 |
| <i>Hesperaloe parviflora</i> Red Yucca | HP | 1.10 | G1 | 4-8 | 9A-10A | 1.00 | 1.00 | 7 |
| <i>Hesperantha buhrii</i> No Common Name Found | HP | 0.96 | G4 | 9A | 9B-10B | | | 9 |
| <i>Hesperis matronalis</i> Dame's Rocket | BS | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Hesperis matronalis</i> 'Alba' White Dame's Rocket | BE | 0.86 | G1 | 5-8 | 9A-10B | | | 5 |
| <i>Heterocentron elegans</i> Spanish Shawl | HP | 0.86 | G1 | 10A-11 | | | | 9 |
| <i>Heteromeles arbutifolia</i> Toyon | BS | 0.96 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Heterospathe elata</i> Sagisi Palm | BE | 0.96 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Heterospathe minor</i> No Common Name Found | HP | 0.93 | G1 | | 5-9A | | | 5 |
| <i>Heterotheca villosa</i> Hairy Golden Aster | HP | 0.93 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Heterotheca villosa</i> 'San Bruno Mountain' San Bruno Mountain Hairy Golden Aster | HP | 0.93 | G1 | | 5-9A | | | 5 |
| <i>Heuchera</i> Alum Root | HP | 0.95 | G4 | | 4-9B | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Heuchera</i> 'Canyon Delight' Canyon Delight Coral Bells | HP | 1.00 | G4 | | 4-9B | | | 4 |
| <i>Heuchera</i> 'Canyon Pink' Canyon Pink Coral Bells | HP | 1.00 | G4 | | 4-9B | | | 4 |
| <i>Heuchera</i> 'Chatterbox' Chatterbox Coral Bells | HP | 0.95 | G4 | | 4-9B | | | 3 |
| <i>Heuchera</i> 'Cherry Splash' Cherry Splash Coral Bells | HP | 1.27 | G4 | | 4-9B | | | 3 |
| <i>Heuchera</i> 'Crimson Cloud' Crimson Cloud Coral Bells | HP | 1.00 | G4 | | 4-9B | | | 4 |
| <i>Heuchera</i> 'Frosty' Frosty Coral Bells | HP | 1.23 | G4 | | 4-9B | | | 4 |
| <i>Heuchera</i> 'Montrose Ruby' Montrose Ruby Coral Bells | HP | 0.97 | G4 | | 4-9B | | | 4 |
| <i>Heuchera</i> 'Queen of Hearts' Queen of Hearts Coral Bells | HP | 1.46 | G4 | | 4-9B | | | 4 |
| <i>Heuchera</i> 'Sioux Falls' Sioux Falls Coral Bells | HP | 1.00 | G4 | | 4-9B | | | 4 |
| <i>Heuchera</i> 'Strawberry Swirl' Strawberry Swirl Coral Bells | HP | 1.26 | G4 | | 4-9B | | | 4 |
| <i>Heuchera</i> 'White Cloud' White Cloud Coral Bells | HP | 1.02 | G4 | | 4-9B | | | 4 |
| <i>Heuchera americana</i> American Alum Root | HP | 0.95 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Amethyst Mist' Amethyst Mist American Alum Root | HP | 1.82 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Can-can' Can-can American Alum Root | HP | 1.34 | G4 | | 4-9B | | | 4 |
| <i>Heuchera americana</i> 'Cappuccino' Cappuccino American Alum Root | HP | 1.36 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Cascade Dawn' Cascade Dawn American Alum Root | HP | 1.99 | G4 | | 4-9B | | | 4 |
| <i>Heuchera americana</i> 'Cathedral Windows' Cathedral Windows American Alum Root | HP | 1.68 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Checkers' Checkers American Alum Root | HP | 1.27 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Chocolate Ruffles' Chocolate Ruffles American Alum Root | HP | 1.38 | G4 | | 4-9B | | | 4 |
| <i>Heuchera americana</i> 'Chocolate Veil' Chocolate Veil American Alum Root | HP | 1.34 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Dale's Strain' Dale's Strain American Alum Root | HP | 0.95 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Eco Magnifolia' Eco Magnifolia American Alum Root | HP | 1.26 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Eco-Improved' Eco-Improved American Alum Root | HP | 1.62 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Garnet' Garnet American Alum Root | HP | 0.99 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Palace Passion' Palace Passion American Alum Root | HP | 1.38 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Pewter Moon' Pewter Moon American Alum Root | HP | 1.34 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Pewter Veil' Pewter Veil American Alum Root | HP | 1.65 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Plum Puddin' Plum Puddin American Alum Root | HP | 1.56 | G4 | | 4-9B | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Heuchera americana</i> 'Purple Petticoats' Purple Petticoats American Alum Root | HP | 1.36 | G4 | | 4-9B | | | 4 |
| <i>Heuchera americana</i> 'Purple Sails' Purple Sails American Alum Root | HP | 0.99 | G4 | | 4-9B | | | 4 |
| <i>Heuchera americana</i> 'Regal Robe' Regal Robe Americcan Alum Root | HP | 1.82 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Ring of Fire' Ring of Fire American Alum Root | HP | 1.36 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Ruby Ruffles' Ruby Ruffles American Alum Root | HP | 1.53 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Ruby Veil' Ruby Veil American Alum Root | HP | 1.62 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Ruffles' Ruffles American Alum Root | HP | 1.36 | G4 | | 4-9A | | | 4 |
| <i>Heuchera americana</i> 'Silver Shadows' Silver Shadows American Alum Root | HP | 1.36 | G4 | | 4-9B | | | 4 |
| <i>Heuchera americana</i> 'Stormy Seas' Stormy Seas American Alum Root | HP | 1.57 | G4 | | 4-9B | | | 4 |
| <i>Heuchera x brizoides</i> Hybrid Coral Bells | HP | 0.85 | G4 | | 4-9A | | | 4 |
| <i>Heuchera x brizoides</i> 'Bressingham Bronze' Bressingham Bronze Hybrid Coral Bells | HP | 1.23 | G4 | | 4-9B | | | 4 |
| <i>Heuchera x brizoides</i> 'Bressingham Hybrids' Bressingham Hybrid Coral Bells | HP | 0.87 | G4 | | 4-9B | | | 4 |
| <i>Heuchera x brizoides</i> 'Coral Cloud' Coral Cloud Hybrid Coral Bells | HP | 0.95 | G4 | | 4-9A | | | 4 |
| <i>Heuchera x brizoides</i> 'Firefly' Firefly Hybrid Coral Bells | HP | 0.85 | G4 | | 4-9B | | | 4 |
| <i>Heuchera x brizoides</i> 'Huntsman' Huntsman Hybrid Coral Bells | HP | 1.14 | G4 | | 4-9A | | | 4 |
| <i>Heuchera x brizoides</i> 'Jubilee' Jubilee Hybrid Coral Bells | HP | 1.01 | G4 | | 4-9A | | | 4 |
| <i>Heuchera x brizoides</i> 'Oakington Jewel' Oakington Jewel Hybrid Coral Bells | HP | 1.82 | G4 | | 4-9A | | | 4 |
| <i>Heuchera x brizoides</i> 'Pretty Polly' Pretty Polly Hybrid Coral Bells | HP | 1.46 | G4 | | 4-9A | | | 4 |
| <i>Heuchera x brizoides</i> 'Red Spangles' Red Spangles Hybrid Coral Bells | HP | 1.17 | G4 | | 4-9A | | | 4 |
| <i>Heuchera cylindrica</i> No Common Name Found | HP | 1.00 | G4 | | 4-9A | | | 4 |
| <i>Heuchera cylindrica</i> 'Greenfinch' Greenfinch Alum Root | HP | 1.15 | G4 | | 4-9A | | | 4 |
| <i>Heuchera maxima</i> Island Alum Root | HP | 0.82 | G4 | | 6-9B | | | 6 |
| <i>Heuchera micrantha</i> Small Flowered Alum Root | HP | 0.96 | G4 | | 5-9A | | | 5 |
| <i>Heuchera micrantha</i> 'Palace Purple' Palace Purple Small Flowered Alum Root | HP | 0.96 | G4 | | 5-9A | | | 5 |
| <i>Heuchera micrantha</i> 'Raspberry Regal' Raspberry Regal Small Flowered Alum Root | HP | 1.35 | G4 | | 5-9A | | | 5 |
| <i>Heuchera richardsonii</i> No Common Name Found | HP | 0.96 | G4 | | 5-9A | | | 5 |
| <i>Heuchera sanguinea</i> Coral Bells | HP | 0.89 | G4 | | 4-9B | | | 3 |
| <i>Heuchera sanguinea</i> 'Fire Sprite' Fire Sprite Coral Bells | HP | 0.81 | G4 | | 4-9B | | | 3 |
| <i>Heuchera sanguinea</i> 'Glow Worm' Glow Worm Coral Bells | HP | 0.81 | G4 | | 4-9B | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Heuchera sanguinea</i> 'June Bride' June Bride Coral Bells | HP | 1.01 | G4 | | 4-9B | | | 3 |
| <i>Heuchera sanguinea</i> 'Matin Bells' Matin Bells Coral Bells | HP | 0.81 | G4 | | 4-9B | | | 3 |
| <i>Heuchera sanguinea</i> 'Mt. St. Helens' Mt. St. Helens Coral Bells | HP | 1.11 | G4 | | 4-9B | | | 3 |
| <i>Heuchera sanguinea</i> 'Pluie De Feu' Pluie De Feu Coral Bells | HP | 1.14 | G4 | | 4-9A | | | 3 |
| <i>Heuchera sanguinea</i> 'Silver Veil' Silver Veil Coral Bells | HP | 1.32 | G4 | | 4-9B | | | 3 |
| <i>Heuchera sanguinea</i> 'Snow Storm' Snow Storm Coral Bells | HP | 0.81 | G4 | | 4-9B | | | 3 |
| <i>Heuchera sanguinea</i> 'Splendens' Splendens Coral Bells | HP | 0.99 | G4 | | 4-9B | | | 3 |
| <i>Heuchera sanguinea</i> 'Winfield Pink' Winfield Pink Coral Bells | HP | 0.81 | G4 | | 4-9B | | | 3 |
| <i>Heuchera villosa</i> Hairy Alum Root | HP | 0.77 | G4 | | 5-9A | | | 5 |
| <i>Heuchera villosa</i> 'Purpurea' Purple Hairy Alum Root | HP | 1.20 | G4 | | 5-9A | | | 5 |
| <i>Heuchera villosa</i> 'Royal Red' Royal Red Hairy Alum Root | HP | 1.08 | G4 | | 5-9A | | | 5 |
| x <i>Heucherella alba</i> White Foamy Bells | HP | 0.99 | G4 | | 5-9A | | | 5 |
| x <i>Heucherella alba</i> 'Pink Frost' Pink Frost White Foamy Bells | HP | 1.25 | G4 | | 5-9A | | | 5 |
| x <i>Heucherella alba</i> 'Rosalie' Rosalie White Foamy Bells | HP | 0.99 | G4 | | 5-9A | | | 5 |
| x <i>Heucherella alba</i> 'Snow White' Snow White Foamy Bells | HP | 1.04 | G4 | | 5-9A | | | 5 |
| x <i>Heucherella tiareloides</i> Foamy Bells | HP | 1.26 | G4 | | 5-9A | | | 5 |
| x <i>Heucherella tiareloides</i> 'Bridget Bloom' Bridget Bloom Foamy Bells | HP | 1.26 | G4 | | 5-9A | | | 5 |
| x <i>Hibonobambusa tranquillans</i> Inyou-Chikuzoku | BS | 1.06 | G1 | | 8-10B | | | 1.00 8 |
| x <i>Hibonobambusa tranquillans</i> 'Shiroshima' Shiroshima Inyou-Chikuzoku | BS | 1.06 | G1 | | 8-10B | | | 1.00 8 |
| <i>Hibbertia scandens</i> Gold Guinea Plant | GC | 0.86 | G2 | | 10A-11 | | | 1.00 10 |
| <i>Hibiscus acetosella</i> Red Shield Hibiscus | HP | 0.77 | G4 | 10A | 10B-11 | | | 10 |
| <i>Hibiscus arnottianus</i> Hawaiian White Hibiscus | BE | 1.00 | G4 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Hibiscus cannabinus</i> Kenaf | HP | 0.77 | G4 | 10A | 10B-11 | | | 10 |
| <i>Hibiscus coccineus</i> Scarlet Rose Mallow | HP | 0.86 | G4 | 6 | 7-10A | | | 7 |
| <i>Hibiscus grandiflorus</i> Great Rose Mallow | HP | 0.73 | G4 | 7 | 8-10A | | | 8 |
| <i>Hibiscus indicus</i> No Common Name Found | HP | 0.46 | G4 | 10A | 10B-11 | | | 10 |
| <i>Hibiscus martianus</i> Heartleaf Hibiscus | HP | 1.12 | G4 | 10A | 10B-11 | | | 9 |
| <i>Hibiscus militaris</i> Soldier Rose Mallow | HP | 0.77 | G4 | 5-8 | 9A-10A | | | 6 |
| <i>Hibiscus moscheutos</i> Rose Mallow | HP | 0.98 | G4 | 4-8 | 9A-10A | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hibiscus moscheutos</i> 'Blue River II' Blue River II Rose Mallow | HP | 1.06 | G4 | 4-8 | 9A-10A | | | 5 |
| <i>Hibiscus moscheutos</i> 'Crimson Wonder' Crimson Wonder Rose Mallow | HP | 0.94 | G4 | 4-8 | 9A-10A | | | 5 |
| <i>Hibiscus moscheutos</i> 'Disco Belle Mixed' Disco Belle Mixed Rose Mallow | HP | 1.04 | G4 | 4-8 | 9A-10A | | | 5 |
| <i>Hibiscus moscheutos</i> 'Disco Belle Pink' Disco Belle Pink Rose Mallow | HP | 0.98 | G4 | 4-8 | 9A-10A | | | 5 |
| <i>Hibiscus moscheutos</i> 'Disco Belle Red' Disco Belle Red Rose Mallow | HP | 0.99 | G4 | 4-8 | 9A-10A | | | 5 |
| <i>Hibiscus moscheutos</i> 'Disco Belle White' Disco Belle White Rose Mallow | HP | 1.02 | G4 | 4-8 | 9A-10A | | | 5 |
| <i>Hibiscus moscheutos</i> 'Disco Belle' Disco Belle Rose Mallow | HP | 0.97 | G4 | 4-8 | 9A-10A | | | 5 |
| <i>Hibiscus moscheutos</i> 'Disco Rosy Red' Disco Rosy Red Rose Mallow | HP | 0.82 | G4 | 4-8 | 9A-10A | | | 5 |
| <i>Hibiscus moscheutos</i> 'Fleming Hybrid' Fleming Hybrid Rose Mallow | HP | 1.12 | G4 | 4-8 | 9A-10A | | | 5 |
| <i>Hibiscus moscheutos</i> 'Frisbee' Frisbee Rose Mallow | HP | 0.82 | G4 | 4-8 | 9A-10A | | | 5 |
| <i>Hibiscus moscheutos</i> 'Southern Belle' Southern Belle Rose Mallow | HP | 0.90 | G4 | 4-8 | 9A-10A | | | 5 |
| <i>Hibiscus moscheutos</i> 'Super Rose' Super Rose Rose Mallow | HP | 1.01 | G4 | 4-8 | 9A-10A | | | 5 |
| <i>Hibiscus moscheutos</i> ssp. <i>palustris</i> Marsh Mallow | HP | 1.02 | G4 | 4-8 | 9A-10A | | | 5 |
| <i>Hibiscus mutabilis</i> Cottonrose Hibiscus | HP | 0.83 | G4 | 7 | 8-10A | | | 8 |
| <i>Hibiscus mutabilis</i> 'Rubrus' Red Cottonrose Hibiscus | HP | 0.86 | G4 | 7 | 8-10A | | | 8 |
| <i>Hibiscus rosa-sinensis</i> Chinese Hibiscus | BS | 0.90 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Agnes Gault' Agnes Gault Chinese Hibiscus | BS | 0.38 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Amour' Amour Chinese Hibiscus | BS | 0.83 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Bridal Veil' See - <i>Hibiscus rosa-sinensis</i> 'Monora' P.P. 6473 | BS | 0.83 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Bride' Bride Chinese Hibiscus | BS | 0.83 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Brilliant' Brilliant Chinese Hibiscus | BS | 0.78 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Butterball' Butterball Chinese Hibiscus | BS | 0.84 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Butterfly' Butterfly Chinese Hibiscus | BS | 0.84 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'California Gold' California Gold Chinese Hibiscus | BS | 0.38 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Cecelia' Cecelia Chinese Hibiscus | BS | 0.76 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Cherie' Cherie Chinese Hibiscus | BS | 0.84 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Crown of Bohemia' Crown of Bohemia Chinese Hibiscus | BS | 0.81 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Diamond Head' Diamond Head Chinese Hibiscus | BS | 0.81 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Empire' Empire Chinese Hibiscus | BS | 0.83 | G3 | 8-10B | 11 | | | 0.65 9 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hibiscus rosa-sinensis</i> 'Estelle' Estelle Chinese Hibiscus | BS | 1.05 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Fiesta' P.P. 2760 Fiesta Chinese Hibiscus | BS | 0.82 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Florida Sunset' Florida Sunset Chinese Hibiscus | BS | 0.38 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Fullmoon' See - <i>Hibiscus rosa-sinensis</i> 'Monoon' | BS | 0.83 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Golden Dust' Golden Dust Chinese Hibiscus | BS | 0.76 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Hula Girl' Hula Girl Chinese Hibiscus | BS | 0.81 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Itsy Bitsy Kona Princess' See - <i>Hibiscus rosa-sinensis</i> 'Monria' | BS | 0.67 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Itsy Bitsy Red' See - <i>Hibiscus rosa-sinensis</i> 'Moned' | BS | 0.38 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Jane Cowl' Jane Cowl Chinese Hibiscus | BS | 0.81 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Jason Okumoto' Jason Okumoto Chinese Hibiscus | BS | 0.67 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Joann' Joann Chinese Hibiscus | BS | 0.38 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Kate Sessions' Kate Sessions Chinese Hibiscus | BS | 0.38 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Kona Improved' Kona Improved Chinese Hibiscus | BS | 0.81 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Kona' Kona Chinese Hibiscus | BS | 0.83 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Lipstick' Lipstick Chinese Hibiscus | BS | 0.87 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Moned' Itsy Bitsy™ Red Chinese Hibiscus | BS | 0.87 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mongon' Red Dragon™ Chinese Hibiscus | BS | 0.75 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Monoon' Fullmoon™ Chinese Hibiscus | BS | 0.83 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Monora' P.P. 6473 Bridal Veil™ Chinese Hibiscus | BS | 0.86 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Monria' Itsy Bitsy™ Kona Princess Chinese Hibiscus | BS | 0.83 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Monsa' Powder Puff™ Chinese Hibiscus | BS | 0.82 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Morning Glory' Morning Glory Chinese Hibiscus | BS | 0.67 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mrs. Jimmy Spangler' Mrs. Jimmy Spangler Chinese Hibiscus | BS | 0.86 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Nairobi' Nairobi Chinese Hibiscus | BS | 1.05 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Powder Puff' See - <i>Hibiscus rosa-sinensis</i> 'Monsa' | BS | 1.13 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'President' President Chinese Hibiscus | BS | 0.81 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Red Dragon' See - <i>Hibiscus rosa-sinensis</i> 'Mongon' | BS | 0.70 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Ross Estey' Ross Estey Chinese Hibiscus | BS | 0.81 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Ruby Brown' Ruby Brown Chinese Hibiscus | BS | 0.70 | G3 | 8-10B | 11 | | | 0.65 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Hibiscus rosa-sinensis</i> 'Ruth Wilcox' Ruth Wilcox Chinese Hibiscus | BS | 0.70 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Santa Ana' Santa Ana Chinese Hibiscus | BS | 0.38 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Seminole' Seminole Chinese Hibiscus | BS | 1.14 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Snow Queen' Snow Queen Chinese Hibiscus | BS | 0.81 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Sundance' Sundance Chinese Hibiscus | BS | 0.94 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Sundown' Sundown Chinese Hibiscus | BS | 0.38 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'The Path' The Path Chinese Hibiscus | BS | 1.06 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Vulcan' Vulcan Chinese Hibiscus | BS | 0.38 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'White Wings' White Wings Chinese Hibiscus | BS | 0.76 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus rosa-sinensis</i> 'Yellow Moon' Yellow Moon Chinese Hibiscus | BS | 0.88 | G3 | 8-10B | 11 | | | 0.65 9 |
| <i>Hibiscus sabdariffa</i> Roselle | AN | 0.98 | G4 | 10A | 10B-11 | | | 10 |
| <i>Hibiscus schizopetalus</i> Japanese Hibiscus | BS | 1.00 | G4 | 10A | 10B-11 | | | 1.00 10 |
| <i>Hibiscus syriacus</i> Rose of Sharon | DS | 0.89 | G1 | | 5-10A | | | 0.66 5 |
| <i>Hibiscus syriacus</i> 'Amplissimus' Amplissimus Rose of Sharon | DS | 0.82 | G1 | | 5-10A | | | 0.55 5 |
| <i>Hibiscus syriacus</i> 'Anemoneaeflorus' Anaemoneaeflorus Rose of Sharon | DS | 0.88 | G1 | | 5-10A | | | 0.79 5 |
| <i>Hibiscus syriacus</i> 'Anne Arundel' Anne Arundel Rose of Sharon | DS | 1.76 | G1 | | 5-10A | | | 0.49 5 |
| <i>Hibiscus syriacus</i> 'Aphrodite' Aphrodite Rose of Sharon | DS | 0.94 | G1 | | 5-10A | | | 0.84 5 |
| <i>Hibiscus syriacus</i> 'Ardens Blue' Ardens Blue Rose of Sharon | DS | 0.83 | G1 | | 5-10A | | | 0.73 5 |
| <i>Hibiscus syriacus</i> 'Ardens' Ardens Rose of Sharon | DS | 1.03 | G1 | | 5-10A | | | 0.56 5 |
| <i>Hibiscus syriacus</i> 'Bluebird' Bluebird Rose of Sharon | DS | 1.01 | G1 | | 5-10A | | | 0.63 5 |
| <i>Hibiscus syriacus</i> 'Blushing Bride' Blushing Bride Rose of Sharon | DS | 0.93 | G1 | | 5-10A | | | 0.54 5 |
| <i>Hibiscus syriacus</i> 'Coelestis' Coelestis Rose of Sharon | DS | 0.99 | G1 | | 5-10A | | | 0.66 5 |
| <i>Hibiscus syriacus</i> 'Collie Mullens' Collie Mullens Rose of Sharon | DS | 0.96 | G1 | | 5-10A | | | 0.49 5 |
| <i>Hibiscus syriacus</i> 'Diana' Diana Rose of Sharon | DS | 0.95 | G1 | | 5-10A | | | 0.78 5 |
| <i>Hibiscus syriacus</i> 'Friberg' Friberg Rose of Sharon | DS | 0.82 | G1 | | 5-10A | | | 0.49 5 |
| <i>Hibiscus syriacus</i> 'Hamabo' Hamabo Rose of Sharon | DS | 0.83 | G1 | | 5-10A | | | 0.49 5 |
| <i>Hibiscus syriacus</i> 'Helene' Helene Rose of Sharon | DS | 0.99 | G1 | | 5-10A | | | 0.57 5 |
| <i>Hibiscus syriacus</i> 'Jeanne d'Arc' Jeanne d'Arc Rose of Sharon | DS | 0.98 | G1 | | 5-10A | | | 0.56 5 |
| <i>Hibiscus syriacus</i> 'Lady Baltimore' Lady Baltimore Rose of Sharon | DS | 1.28 | G1 | | 5-10A | | | 0.49 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Hibiscus syriacus</i> 'Lady Stanley' Lady Stanley Rose of Sharon | DS | 0.92 | G1 | | 5-10A | | 1.01 | 5 |
| <i>Hibiscus syriacus</i> 'Lord Baltimore' Lord Baltimore Rose of Sharon | DS | 1.16 | G1 | | 5-10A | | 0.49 | 5 |
| <i>Hibiscus syriacus</i> 'Lucy' Lucy Rose of Sharon | DS | 1.02 | G1 | | 5-10A | | 0.66 | 5 |
| <i>Hibiscus syriacus</i> 'Minerva' Minerva Rose of Sharon | DS | 1.00 | G1 | | 5-10A | | 0.82 | 5 |
| <i>Hibiscus syriacus</i> 'Morning Star' Morning Star Rose of Sharon | DS | 0.95 | G1 | | 5-10A | | 0.49 | 5 |
| <i>Hibiscus syriacus</i> 'Paenaeflorus' Paenaeflorus Rose of Sharon | DS | 1.14 | G1 | | 5-10A | | 0.56 | 5 |
| <i>Hibiscus syriacus</i> 'Pulcherrimus' Pulcherrimus Rose of Sharon | DS | 0.84 | G1 | | 5-10A | | 0.57 | 5 |
| <i>Hibiscus syriacus</i> 'Purpureus Variegatus' Variegated Rose of Sharon | DS | 0.93 | G1 | | 5-10A | | 0.49 | 5 |
| <i>Hibiscus syriacus</i> 'Red Heart' Red Heart Rose of Sharon | DS | 0.91 | G1 | | 5-10A | | 0.67 | 5 |
| <i>Hibiscus syriacus</i> 'Rubis' Red Rose of Sharon | DS | 0.92 | G1 | | 5-10A | | 0.81 | 5 |
| <i>Hibiscus syriacus</i> 'Sweet Caroline' Sweet Caroline Rose of Sharon | DS | 1.25 | G1 | | 5-10A | | 0.49 | 5 |
| <i>Hibiscus syriacus</i> 'Tricolor' Tricolor Rose of Sharon | DS | 1.02 | G1 | | 5-10A | | 0.49 | 5 |
| <i>Hibiscus syriacus</i> 'William R. Smith' William R. Smith Rose of Sharon | DS | 0.82 | G1 | | 5-10A | | 0.49 | 5 |
| <i>Hibiscus syriacus</i> 'Woodbridge' Woodbridge Rose of Sharon | DS | 0.95 | G1 | | 5-10A | | 0.70 | 5 |
| <i>Hibiscus tiliaceus</i> Sea Hibiscus | BE | 0.83 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Hibiscus trionum</i> Flower-of-an-Hour | AN | 1.04 | G4 | | 10A-11 | | | 10 |
| <i>Hibiscus waimae</i> Kauai White Hibiscus | BE | 1.00 | G4 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Hieracium aurantiacum</i> See - <i>Pilosella aurantiaca</i> | | | | | | | | |
| <i>Hieracium villosum</i> Shaggy Hawkweed | HP | 1.00 | G4 | | 6-9B | | | 6 |
| <i>Hierochloe odorata</i> Vanilla Grass | HP | 1.00 | G1 | 10A | 10B-11 | | | 8 |
| <i>Hippeastrum leopoldii</i> No Common Name Found | HP | 0.86 | G4 | 8-9A | 9B-11 | | | 11 |
| <i>Hippeastrum puniceum</i> Barbados Lily | HP | 0.95 | G4 | 8-9A | 9B-11 | | | 9 |
| <i>Hippophae rhamnoides</i> Common Seabuckthorn | DS | 0.66 | G1 | 4-8 | 9A-10A | | 0.48 | 3 |
| <i>Holboellia coriacea</i> No Common Name Found | GC | 1.00 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Holcus lanatus</i> Velvet Grass | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Holcus mollis</i> Creeping Soft Grass | HP | 1.01 | G4 | | 5-8 | | | 5 |
| <i>Holcus mollis</i> 'Albo-variegata' Albo-variegata Creeping Soft Grass | HP | 1.01 | G4 | | 5-8 | | | 5 |
| <i>Holmskioldia sanguinea</i> Chinese Hat Plant | BS | 1.13 | G1 | 10A | 10B-11 | | 1.00 | 10B |
| <i>Holodiscus discolor</i> Ocean Spray | DS | 0.94 | G1 | 6 | 7-9A | | 1.00 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Holodiscus dumosus</i> | DS | 0.85 | G1 | 4-6 | 7-9A | | | 1.00 |
| Rock Spirea | | | | | | | | 4 |
| <i>Homalomena</i> | HP | 1.79 | G1 | 9 | 10A-11 | | | 10 |
| Homalomena | | | | | | | | |
| <i>Homalomena 'Emerald Gem'</i> | HP | 1.79 | G1 | 9 | 10A-11 | | | 10 |
| Emerald Gem Homalomena | | | | | | | | |
| <i>Homeria collina</i> var. <i>aurantiaca</i> | | | | | | | | |
| See - <i>Homeria flaccida</i> | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| <i>Homeria flaccida</i> | | | | | | | | |
| No Common Name Found | | | | | | | | |
| <i>Homeria ochroleuca</i> | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Homerica collina</i> var. <i>ochroleuca</i> | | | | | | | | |
| See - <i>Homeria ochroleuca</i> | | | | | | | | |
| <i>Homoglossum watsonianum</i> | | | | | | | | |
| See - <i>Gladiolus watsonius</i> | | | | | | | | |
| <i>Hormidium vespa</i> | | | | | | | | |
| See - <i>Encyclia vespa</i> | | | | | | | | |
| <i>Hosta</i> | HP | 0.85 | G4 | | 4-9B | | | 3 |
| Hosta | | | | | | | | |
| <i>Hosta 'Abby'</i> | HP | 0.85 | G4 | | 4-9B | | | 3 |
| Abby Hosta | | | | | | | | |
| <i>Hosta 'Abiqua Ariel'</i> | HP | 0.85 | G4 | | 4-9B | | | 3 |
| Abiqua Ariel Hosta | | | | | | | | |
| <i>Hosta 'Abiqua Blue Crinkles'</i> | HP | 0.85 | G4 | | 4-9B | | | 3 |
| Abiqua Blue Crinkles Hosta | | | | | | | | |
| <i>Hosta 'Abiqua Drinking Gourd'</i> | HP | 1.50 | G4 | | 4-9B | | | 3 |
| Abiqua Drinking Gourd Hosta | | | | | | | | |
| <i>Hosta 'Abiqua Moonbeam'</i> | HP | 0.85 | G4 | | 4-9B | | | 3 |
| Abiqua Moonbeam Hosta | | | | | | | | |
| <i>Hosta 'Abiqua Recluse'</i> | HP | 2.10 | G4 | | 4-9B | | | 3 |
| Abiqua Recluse Hosta | | | | | | | | |
| <i>Hosta 'Allan P. McConnell'</i> | HP | 1.47 | G4 | | 4-9B | | | 3 |
| Allan P. McConnell Hosta | | | | | | | | |
| <i>Hosta 'Amy Aden'</i> | HP | 0.85 | G4 | | 4-9B | | | 3 |
| Amy Aden Hosta | | | | | | | | |
| <i>Hosta 'Antioch'</i> | HP | 1.22 | G4 | | 4-9B | | | 3 |
| Antioch Hosta | | | | | | | | |
| <i>Hosta 'Aqua Velva'</i> | HP | 0.85 | G4 | | 4-9B | | | 3 |
| Aqua Velva Hosta | | | | | | | | |
| <i>Hosta 'Aspen Gold'</i> | HP | 0.85 | G4 | | 4-9B | | | 3 |
| Aspen Gold Hosta | | | | | | | | |
| <i>Hosta 'August Moon'</i> | HP | 1.04 | G4 | | 4-9B | | | 3 |
| August Moon Hosta | | | | | | | | |
| <i>Hosta 'Aurora Borealis'</i> | HP | 0.85 | G4 | | 4-9B | | | 3 |
| Aurora Borealis Hosta | | | | | | | | |
| <i>Hosta 'Aztec Treasure'</i> | HP | 0.85 | G4 | | 4-9B | | | 3 |
| Aztec Treasure Hosta | | | | | | | | |
| <i>Hosta 'Bella'</i> | HP | 0.85 | G4 | | 4-9B | | | 3 |
| Bella Hosta | | | | | | | | |
| <i>Hosta 'Betcher's Blue'</i> | HP | 1.56 | G4 | | 4-9B | | | 3 |
| Betcher's Blue Hosta | | | | | | | | |
| <i>Hosta 'Betsy King'</i> | HP | 1.38 | G4 | | 4-9B | | | 3 |
| Betsy King Hosta | | | | | | | | |
| <i>Hosta 'Big Daddy'</i> | HP | 1.23 | G4 | | 4-9B | | | 3 |
| Big Daddy Hosta | | | | | | | | |
| <i>Hosta 'Big Mama'</i> | HP | 1.38 | G4 | | 4-9B | | | 3 |
| Big Mama Hosta | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hosta</i> 'Birchwood Parky's Gold' Birchwood Parky's Gold Hosta | HP | 1.34 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Black Hills' Black Hills Hosta | HP | 1.84 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blonde Elf' Blonde Elf Hosta | HP | 1.42 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Angel' Blue Angel Hosta | HP | 1.28 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Arrow' Blue Arrow Hosta | HP | 1.57 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Belle' Blue Belle Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Blush' Blue Blush Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Boy' Blue Boy Hosta | HP | 1.93 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Cadet' Blue Cadet Hosta | HP | 1.63 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Danube' Blue Danube Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Diamond' Blue Diamond Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Dimples' Blue Dimples Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Giant' Blue Giant Hosta | HP | 1.06 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Mammoth' Blue Mammoth Hosta | HP | 1.40 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Moon' Blue Moon Hosta | HP | 1.91 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Seer' Blue Seer Hosta | HP | 2.05 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Shadows' Blue Shadows Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Umbrellas' Blue Umbrellas Hosta | HP | 1.64 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Vision' Blue Vision Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Blue Wedgwood' Blue Wedgwood Hosta | HP | 1.44 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Bold Ribbons' Bold Ribbons Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Bold Ruffles' Bold Ruffles Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Borwick Beauty' Borwick Beauty Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Bountiful' Bountiful Hosta | HP | 1.12 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Bressingham Blue' Bressingham Blue Hosta | HP | 1.12 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Bright Glow' Bright Glow Hosta | HP | 1.21 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Bright Lights' Bright Lights Hosta | HP | 2.05 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Brim Cup' Brim Cup Hosta | HP | 1.38 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Brother Ronald' Brother Ronald Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | High/Wide | | |
| <i>Hosta</i> 'Bruce's Blue' Bruce's Blue Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Buckshaw Blue' Buckshaw Blue Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Bunchoko' Bunchoko Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Camelot' Camelot Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Candy Hearts' Candy Hearts Hosta | HP | 1.04 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Carol' Carol Hosta | HP | 1.44 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Celebration' Celebration Hosta | HP | 1.37 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Change of Tradition' Change of Tradition Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Chartreuse Wiggles' Chartreuse Wiggles Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Chinese Sunrise' Chinese Sunrise Hosta | HP | 1.19 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Chiquita' Chiquita Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Christmas Tree' Christmas Tree Hosta | HP | 1.82 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Color Glory' Color Glory Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Colossal' Colossal Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Creme de Menthe' Creme de Menthe Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Crepe Suzette' Crepe Suzette Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Crested Reef' Crested Reef Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Crispula' Crispula Hosta | HP | 1.06 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Crown Jewel' Crown Jewel Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Crowned Imperial' Crowned Imperial Hosta | HP | 1.06 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Daybreak' Daybreak Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Decorata' Decorata Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Diamond Tiara' Diamond Tiara Hosta | HP | 1.27 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Don Stevens' Don Stevens Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Dorset Blue' Dorset Blue Hosta | HP | 1.05 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Doubloons' Doubloons Hosta | HP | 1.29 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'DuPage Delight' DuPage Delight Hosta | HP | 1.37 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'El Capitan' El Capitan Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Elatia' Elatia Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hosta</i> 'Elisabeth' Elisabeth Hosta | HP | 0.90 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Ellerbroek' Ellerbroek Hosta | HP | 1.23 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Emerald Tiara' Emerald Tiara Hosta | HP | 1.84 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Emily Dickinson' Emily Dickinson Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Evelyn McCafferty' Evelyn McCafferty Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Excitation' Excitation Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Exotic Frances Williams' Exotic Frances Williams Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Fall Bouquet' Fall Bouquet Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Fantastic' Fantastic Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Feather Boa' Feather Boa Hosta | HP | 1.44 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Floradora' Floradora Hosta | HP | 1.16 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Flower Power' Flower Power Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Formal Attire' Formal Attire Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Fortunei Albomarginata' Fortunei Albomarginata Hosta | HP | 1.08 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Fortunei Albopicta' Fortunei Albopicta Hosta | HP | 1.18 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Fortunei Aoki' Fortunei Aoki Hosta | HP | 0.98 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Fortunei Aurea' Fortunei Aurea Hosta | HP | 1.36 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Fortunei Aureomarginata' Fortunei Aureomarginata Hosta | HP | 1.13 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Fortunei Gigantea' Fortunei Gigantea Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Fortunei Hyacinthina' Fortunei Hyacinthina Hosta | HP | 1.06 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Fortunei Obscura' Fortunei Obscura Hosta | HP | 0.98 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Fragrant Blue' Fragrant Blue Hosta | HP | 1.27 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Fragrant Bouquet' Fragrant Bouquet Hosta | HP | 2.05 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Fragrant Gold' Fragrant Gold Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Francee' Francee Hosta | HP | 1.10 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Freising' Freising Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Fresh' Fresh Hosta | HP | 1.38 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Fringe Benefit' Fringe Benefit Hosta | HP | 1.10 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Frosted Jade' Frosted Jade Hosta | HP | 2.16 | G4 | | 4-9B | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hosta</i> 'Gaijin' Gaijin Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Geisha' Geisha Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Ginko Craig' Ginko Craig Hosta | HP | 1.51 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Gloriosa' Gloriosa Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Gold Drop' Gold Drop Hosta | HP | 1.12 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Gold Edger' Gold Edger Hosta | HP | 1.26 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Gold Regal' Gold Regal Hosta | HP | 2.11 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Gold Standard' Gold Standard Hosta | HP | 1.24 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Golden Anniversary' Golden Anniversary Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Golden Bullion' Golden Bullion Hosta | HP | 1.33 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Golden Crown' Golden Crown Hosta | HP | 0.92 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Golden Medallion' Golden Medallion Hosta | HP | 2.21 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Golden Oriole' Golden Oriole Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Golden Prayers' Golden Prayers Hosta | HP | 1.13 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Golden Scepter' Golden Scepter Hosta | HP | 1.22 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Golden Sculpture' Golden Sculpture Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Golden Sunburst' Golden Sunburst Hosta | HP | 1.29 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Golden Tiara' Golden Tiara Hosta | HP | 1.16 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Granary Gold' Granary Gold Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Grand Master' Grand Master Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Great Expectations' Great Expectations Hosta | HP | 2.75 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Green Angel' Green Angel Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Green Fountain' Green Fountain Hosta | HP | 0.87 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Green Gold' Green Gold Hosta | HP | 1.13 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Green Kabitan' Green Kabitan Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Green Piecrust' Green Piecrust Hosta | HP | 1.21 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Green Sheen' Green Sheen Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Green Smash' Green Smash Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Green Velveteen' Green Velveteen Hosta | HP | 1.23 | G4 | | 4-9B | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hosta</i> 'Ground Sulphur' Ground Sulphur Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Groundmaster' Groundmaster Hosta | HP | 1.38 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Hadspen Blue' Hadspen Blue Hosta | HP | 1.58 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Hadspen Hawk' Hadspen Hawk Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Hadspen Heron' Hadspen Heron Hosta | HP | 1.89 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Halcyon' Halcyon Hosta | HP | 1.09 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Happy Hearts' Happy Hearts Hosta | HP | 1.12 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Harmony' Harmony Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Helen Doriot' Helen Doriot Hosta | HP | 1.14 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Helonoides Albopicta' Helonoides Albopicta Hosta | HP | 0.98 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Herifu' Herifu Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'High Kicker' High Kicker Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Hirao Majesty' Hirao Majesty Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Hirao Splendor' Hirao Splendor Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Hirao Supreme' Hirao Supreme Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Honeybells' Honeybells Hosta | HP | 1.12 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Hydon Sunset' Hydon Sunset Hosta | HP | 1.56 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Inniswood' Inniswood Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Invincible' Invincible Hosta | HP | 1.30 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Jade Beauty' Jade Beauty Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Jade Scepter' Jade Scepter Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Jadette' Jadette Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Janet' Janet Hosta | HP | 1.22 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Joker' Joker Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'June' June Hosta | HP | 2.89 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Just So' Just So Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Kabitan' Kabitan Hosta | HP | 2.07 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'King Tut' King Tut Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Knockout' Knockout Hosta | HP | 2.34 | G4 | | 4-9B | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Hosta</i> 'Krossa Cream Edge' Krossa Cream Edge Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Krossa Regal' Krossa Regal Hosta | HP | 1.12 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Lady Helen' Lady Helen Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Lancifolia' Lancifolia Hosta | HP | 1.07 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Leather Sheen' Leather Sheen Hosta | HP | 2.12 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Lemon Lime' Lemon Lime Hosta | HP | 1.74 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Leola Fraim' Leola Fraim Hosta | HP | 1.37 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Little Aurora' Little Aurora Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Little Blue' Little Blue Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Little Razor' Little Razor Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Love Pat' Love Pat Hosta | HP | 1.83 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Lunar Eclipse' Lunar Eclipse Hosta | HP | 0.90 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Maekawa' Maekawa Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Marilyn' Marilyn Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Maruba Iwa' Maruba Iwa Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Metallic Sheen' Metallic Sheen Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Midas Touch' Midas Touch Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Middle Ridge' Middle Ridge Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Midwest Magic' Midwest Magic Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Mildred Seaver' Mildred Seaver Hosta | HP | 1.70 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Moerheim' Moerheim Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Montreal' Montreal Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Moonlight' Moonlight Hosta | HP | 1.24 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Moscow Blue' Moscow Blue Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Mountain Snow' Mountain Snow Hosta | HP | 2.56 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Mountain Sunrise' Mountain Sunrise Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Nakaimo' Nakaimo Hosta | HP | 0.90 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'New Wave' New Wave Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'North Hills' North Hills Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hosta</i> 'Northern Halo' Northern Halo Hosta | HP | 2.51 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'On Stage' On Stage Hosta | HP | 2.72 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Osprey' Osprey Hosta | HP | 1.38 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Pacific Blue Edger' Pacific Blue Edger Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Patriot' Patriot Hosta | HP | 1.61 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Paul's Glory' Paul's Glory Hosta | HP | 3.76 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Peace' Peace Hosta | HP | 1.44 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Pearl Lake' Pearl Lake Hosta | HP | 1.08 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Perfect' Perfect Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Piedmont Gold' Piedmont Gold Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Pineapple Poll' Pineapple Poll Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Pizzazz' Pizzazz Hosta | HP | 1.37 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Platinum Tiara' Platinum Tiara Hosta | HP | 1.12 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Purple Dwarf' Purple Dwarf Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Purple Lady Finger' Purple Lady Finger Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Radiant Edger' Radiant Edger Hosta | HP | 1.71 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Raspberry Sorbet' Raspberry Sorbet Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Regal Splendor' Regal Splendor Hosta | HP | 2.56 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Resonance' Resonance Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Reversed' Reversed Hosta | HP | 1.26 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Richland Gold' Richland Gold Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Royal Standard' Royal Standard Hosta | HP | 0.92 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Ryan's Big One' Ryan's Big One Hosta | HP | 1.45 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Saishu Jima' Saishu Jima Hosta | HP | 1.07 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Samual Blue' Samual Blue Hosta | HP | 1.44 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sea Dream' Sea Dream Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sea Fire' Sea Fire Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sea Gold Star' Sea Gold Star Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sea Grotto' Sea Grotto Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Hosta</i> 'Sea Lotus Leaf' Sea Lotus Leaf Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sea Mist' Sea Mist Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sea Sapphire' Sea Sapphire Hosta | HP | 1.21 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'September Song' September Song Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Serendipity' Serendipity Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Shade Fanfare' Shade Fanfare Hosta | HP | 1.22 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Shade Master' Shade Master Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sharmon' Sharmon Hosta | HP | 0.90 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Shining Tot' Shining Tot Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Silver Crown' Silver Crown Hosta | HP | 0.92 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sitting Pretty' Sitting Pretty Hosta | HP | 1.71 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Slim Polly' Slim Polly Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Snow Cap' Snow Cap Hosta | HP | 2.25 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Snow Crust' Snow Crust Hosta | HP | 1.21 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Snow Flakes' Snow Flakes Hosta | HP | 1.10 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Snowden' Snowden Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Snowstorm' Snowstorm Hosta | HP | 1.06 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'So Sweet' So Sweet Hosta | HP | 1.98 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Something Blue' Something Blue Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sparkling Burgundy' Sparkling Burgundy Hosta | HP | 1.51 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sparky' Sparky Hosta | HP | 2.05 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Special Gift' Special Gift Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Spritzer' Spritzer Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Stiletto' Stiletto Hosta | HP | 1.48 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sugar Plum Fairy' Sugar Plum Fairy Hosta | HP | 1.05 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sugar and Cream' Sugar and Cream Hosta | HP | 1.18 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sum and Substance' Sum and Substance Hosta | HP | 1.65 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Summer Fragrance' Summer Fragrance Hosta | HP | 1.44 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Summer Music' Summer Music Hosta | HP | 2.87 | G4 | | 4-9B | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Hosta</i> 'Summer Snow' Summer Snow Hosta | HP | 1.42 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sun Power' Sun Power Hosta | HP | 2.33 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sunshine Glory' Sunshine Glory Hosta | HP | 2.05 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Super Bowl' Super Bowl Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sweet Susan' Sweet Susan Hosta | HP | 1.26 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Sweetie' Sweetie Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Tamborine' Tamborine Hosta | HP | 1.82 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Temple Bells' Temple Bells Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Tenryu' Tenryu Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Thomas Hogg' Thomas Hogg Hosta | HP | 1.56 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Tiny Tears' Tiny Tears Hosta | HP | 2.61 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Tokudama Aureonebulosa' Tokudama Aureonebulosa Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Tokudama Flavocircinalis' Tokudama Flavocircinalis Hosta | HP | 1.56 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Tokudama' Tokudama Hosta | HP | 2.00 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'True Blue' True Blue Hosta | HP | 1.23 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Twinkles' Twinkles Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Undulata Albomarginata' Undulata Albomarginata Hosta | HP | 1.10 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Undulata Erromena' Undulata Erromena Hosta | HP | 1.00 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Undulata Unvittata' Undulata Unvittata Hosta | HP | 1.07 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Undulata' Wavy Hosta | HP | 1.07 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Valentine Lace' Valentine Lace Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Vanilla Cream' Vanilla Cream Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Vera Verde' Vera Verde Hosta | HP | 1.37 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Vilmoriniana' Vilmoriniana Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Wheaton Blue' Wheaton Blue Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Whirlwind' Whirlwind Hosta | HP | 2.39 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Wide Brim' Wide Brim Hosta | HP | 1.43 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Winning Edge' Winning Edge Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Wogon' Wogon Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hosta</i> 'Woodland Green' Woodland Green Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Yellow River' Yellow River Hosta | HP | 0.85 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Yellow Splash Rim' Yellow Splash Rim Hosta | HP | 1.63 | G4 | | 4-9B | | | 3 |
| <i>Hosta</i> 'Zounds' Zounds Hosta | HP | 1.39 | G4 | | 4-9B | | | 3 |
| <i>Hosta capitata</i> Capitata Hosta | HP | 1.00 | G4 | | 4-9B | | | 3 |
| <i>Hosta clausa</i> Clusa Hosta | HP | 1.36 | G4 | | 4-9B | | | 3 |
| <i>Hosta clausa</i> var. <i>normalis</i> Clusa Normalis Hosta | HP | 1.12 | G4 | | 4-9B | | | 3 |
| <i>Hosta flutuans</i> Flutuans Hosta | HP | 1.33 | G4 | | 4-9B | | | 3 |
| <i>Hosta flutuans</i> 'Sagae' See - <i>Hosta flutuans</i> 'Variegated' | HP | 1.33 | G4 | | 4-9B | | | 3 |
| <i>Hosta flutuans</i> 'Variegated' Variegated Flutuans Hosta | HP | 2.01 | G4 | | 4-9B | | | 3 |
| <i>Hosta fortunei</i> 'Aureomaculata' See - <i>Hosta</i> 'Fortunei Albopicta' | HP | 1.00 | G4 | | 4-9B | | | 3 |
| <i>Hosta hypoleuca</i> Hypoleuca Hosta | HP | 1.00 | G4 | | 4-9B | | | 3 |
| <i>Hosta kikutii</i> Kikutii Hosta | HP | 1.00 | G4 | | 4-9B | | | 3 |
| <i>Hosta kikutii</i> 'Kifukurin' Kifukurin Kikutii Hosta | HP | 1.00 | G4 | | 4-9B | | | 3 |
| <i>Hosta longissima</i> Longissima Hosta | HP | 1.00 | G4 | | 4-9B | | | 3 |
| <i>Hosta minor</i> Mini Hosta | HP | 1.49 | G4 | | 4-9B | | | 3 |
| <i>Hosta minor</i> 'Alba' Alba Mini Hosta | HP | 1.49 | G4 | | 4-9B | | | 3 |
| <i>Hosta montana</i> Montana Hosta | HP | 1.45 | G4 | | 4-9B | | | 3 |
| <i>Hosta montana</i> 'Aureomarginata' Aureomarginata Montana Hosta | HP | 1.52 | G4 | | 4-9B | | | 3 |
| <i>Hosta nakaiana</i> Nakaiana Hosta | HP | 1.00 | G4 | | 4-9B | | | 3 |
| <i>Hosta nigrescens</i> Nigrescens Hosta | HP | 1.53 | G4 | | 4-9B | | | 3 |
| <i>Hosta nigrescens</i> 'Elatior' Elatior Nigrescens Hosta | HP | 1.53 | G4 | | 4-9B | | | 3 |
| <i>Hosta plantaginea</i> August Lily | HP | 1.59 | G4 | | 4-9B | | | 3 |
| <i>Hosta plantaginea</i> 'Aphrodite' Aphrodite Plantain Hosta | HP | 1.96 | G4 | | 4-9B | | | 3 |
| <i>Hosta plantaginea</i> 'Grandiflora' See - <i>Hosta plantaginea</i> | HP | 1.37 | G4 | | 4-9B | | | 3 |
| <i>Hosta pulchella</i> Pulchella Hosta | HP | 1.37 | G4 | | 4-9B | | | 3 |
| <i>Hosta pulchella</i> 'Kifukurin' Kifukurin Hosta | HP | 1.04 | G4 | | 4-9B | | | 3 |
| <i>Hosta rectifolia</i> Rectifolia Hosta | HP | 1.04 | G4 | | 4-9B | | | 3 |
| <i>Hosta rectifolia</i> 'Chionea' Chionea Rectifolia Hosta | HP | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hosta rupifraga</i> Rupifraga Hosta | HP | 1.00 | G4 | | 4-9B | | | 3 |
| <i>Hosta sieboldiana</i> Sieboldiana Hosta | HP | 1.09 | G4 | | 4-9B | | | 3 |
| <i>Hosta sieboldiana</i> 'Elegans' Elegans Sieboldiana Hosta | HP | 1.08 | G4 | | 4-9B | | | 3 |
| <i>Hosta sieboldiana</i> 'Frances Williams' Frances Williams Sieboldiana Hosta | HP | 1.22 | G4 | | 4-9B | | | 3 |
| <i>Hosta sieboldii</i> Albomarginata Sieboldii Hosta | HP | 0.99 | G4 | | 4-9B | | | 3 |
| <i>Hosta sieboldii</i> 'Alba' White Sieboldii Hosta | HP | 1.25 | G4 | | 4-9B | | | 3 |
| <i>Hosta tardiflora</i> Tardiflora Hosta | HP | 1.00 | G4 | | 4-9B | | | 3 |
| <i>Hosta undulata</i> 'Medio-variegata' See - <i>Hosta</i> 'Undulata' | HP | 1.14 | G4 | | 4-9B | | | 3 |
| <i>Hosta ventricosa</i> Ventricosa Hosta | HP | | | | | | | |
| <i>Hosta ventricosa</i> 'Aureomaculata' Aureomaculata Ventricosa Hosta | HP | 1.05 | G4 | | 4-9B | | | 3 |
| <i>Hosta ventricosa</i> 'Aureomarginata' Aureomarginata Ventricosa Hosta | HP | 1.40 | G4 | | 4-9B | | | 3 |
| <i>Hosta ventricosa</i> 'Variegata' See - <i>Hosta ventricosa</i> 'Aureomarginata' | HP | 1.10 | G4 | | 4-9B | | | 3 |
| <i>Hosta venusta</i> Venusta Hosta | HP | | | | | | | |
| <i>Hosta venusta</i> 'Variegated' Variegated Venusta Hosta | HP | 1.10 | G4 | | 4-9B | | | 3 |
| <i>Hosta yingeri</i> Yingeri Hosta | HP | 1.00 | G4 | | 4-9B | | | 3 |
| <i>Houstonia caerulea</i> Bluets | HP | 0.96 | G1 | 6 | 7-10A | | | 6 |
| <i>Houttuynia cordata</i> No Common Name Found | HP | 0.94 | G4 | 5-8 | | | | 5 |
| <i>Houttuynia cordata</i> 'Chameleon' Chameleon Plant | HP | 0.86 | G4 | 5-8 | | | | 5 |
| <i>Houttuynia cordata</i> 'Flore-plena' Flore-plena Chameleon Plant | HP | 0.86 | G4 | 5-8 | | | | 5 |
| <i>Hovenia dulcis</i> Japanese Raisin Tree | DT | 1.00 | G1 | 6 | 7-10A | 1.00 | 1.00 | 6 |
| <i>Howea belmoreana</i> Belmore Sentry Palm | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Howea forsteriana</i> Sentry Palm | FO | 3.05 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Hoya carnosia</i> Wax Plant | FO | 0.23 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Hoya imperialis</i> No Common Name Found | FO | 1.56 | G1 | 9 | 10A-11 | | | 10 |
| <i>Humata tyermannii</i> Bear-Foot Fern | FO | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Humulus lupulus</i> Common Hop | HP | 1.23 | G1 | 5-8 | 9A-10A | | | 5 |
| <i>Humulus lupulus</i> 'Aureus' Golden Common Hop | HP | 1.23 | G1 | 5-8 | 9A-10A | | | 5 |
| <i>Humulus lupulus</i> 'Blue Northern' Blue Northern Common Hop | HP | 1.23 | G1 | 5-8 | 9A-10A | | | 5 |
| <i>Humulus lupulus</i> 'Brewer's Gold' Brewer's Gold Common Hop | HP | 1.23 | G1 | 5-8 | 9A-10A | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Humulus lupulus</i> 'Cascade' | HP | 1.23 | G1 | 5-8 | 9A-10A | | | 5 |
| Cascade Common Hop | | | | | | | | |
| <i>Humulus lupulus</i> 'Nuggett' | HP | 1.23 | G1 | 5-8 | 9A-10A | | | 5 |
| Nuggett Common Hop | | | | | | | | |
| <i>Humulus lupulus</i> 'Willamette' | HP | 1.23 | G1 | 5-8 | 9A-10A | | | 5 |
| Willamette Common Hop | | | | | | | | |
| <i>Hunnemannia fumariifolia</i> | AN | 1.11 | G4 | 8 | 9A-10B | | | 8 |
| Mexican Tulip Poppy | | | | | | | | |
| <i>Hyacinthus orientalis</i> | HP | 1.00 | G1 | 10A | 10B-11 | | | 3 |
| Common Hyacinth | | | | | | | | |
| <i>Hydrangea acuminata</i> | | | | | | | | |
| See - <i>Hydrangea serrata</i> | | | | | | | | |
| <i>Hydrangea anomala</i> ssp. <i>petiolaris</i> | GC | 1.62 | G1 | 4-6 | 7 | | | 1.00 5 |
| Climbing Hydrangea | | | | | | | | |
| <i>Hydrangea arborescens</i> | DS | 1.12 | G1 | 3-6 | 7-9B | | | 1.02 3 |
| Smooth Hydrangea | | | | | | | | |
| <i>Hydrangea arborescens</i> 'Annabelle' | DS | 1.12 | G1 | 3-6 | 7-9B | | | 1.33 3 |
| Annabelle Smooth Hydrangea | | | | | | | | |
| <i>Hydrangea arborescens</i> 'Grandiflora' | DS | 1.26 | G1 | 3-6 | 7-9B | | | 1.02 3 |
| Hills of Snow Smooth Hydrangea | | | | | | | | |
| <i>Hydrangea aspera</i> | DS | 1.12 | G1 | 7-8 | 9 | | | 1.00 7 |
| No Common Name Found | | | | | | | | |
| <i>Hydrangea involucrata</i> | DS | 1.11 | G1 | 7-8 | 9 | | | 1.00 7 |
| No Common Name Found | | | | | | | | |
| <i>Hydrangea macrophylla</i> | DS | 0.88 | G1 | 6-8 | 9 | | | 1.85 5 |
| Bigleaf Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Adria' | DS | 2.02 | G1 | 6-8 | 9 | | | 1.00 5 |
| Adria Mophead Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'All Summer Beauty' | DS | 1.14 | G1 | 6-8 | 9 | | | 1.12 5 |
| All Summer Beauty Bigleaf Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Alpenglow' | DS | 1.23 | G1 | 6-8 | 9 | | | 1.00 5 |
| Alpenglow Bigleaf Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Alpengluhen' | DS | 0.93 | G1 | 6-8 | 9 | | | 1.00 5 |
| Alpengluhen Bigleaf Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Altona' | DS | 0.93 | G1 | 6-8 | 9 | | | 1.00 5 |
| Altona Mophead Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Amethyst' | DS | 1.00 | G1 | 6-8 | 9 | | | 1.00 5 |
| Amethyst Mophead Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Ami Pasquier' | DS | 0.93 | G1 | 6-8 | 9 | | | 1.00 5 |
| Ami Pasquier Mophead Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Atlantic' | DS | 2.02 | G1 | 6-8 | 9 | | | 1.00 5 |
| Atlantic Mophead Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Ayesha' | DS | 1.06 | G1 | 6-8 | 9 | | | 1.00 5 |
| Ayesha Bigleaf Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Beauty Vendomoise' | DS | 1.30 | G1 | 6-8 | 9 | | | 1.00 5 |
| Beauty Vendomoise Lacecap Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Blauer Prinz' | DS | 0.93 | G1 | 6-8 | 9 | | | 1.00 5 |
| Blauer Prinz Mophead Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Blauer Zweig' | DS | 2.02 | G1 | 6-8 | 9 | | | 1.00 5 |
| Blauer Zweig Mophead Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Blaumeise' | DS | 0.93 | G1 | 6-8 | 9 | | | 1.00 5 |
| Blaumeise Lacecap Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Blue Danube' | DS | 2.02 | G1 | 6-8 | 9 | | | 1.00 5 |
| Blue Danube Mophead Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Blue Wave' | DS | 1.12 | G1 | 6-8 | 9 | | | 1.00 5 |
| Blue Wave Bigleaf Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Bodensee Rose' | DS | 0.93 | G1 | 6-8 | 9 | | | 1.00 5 |
| Bodensee Rose Mophead Hydrangea | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hydrangea macrophylla</i> 'Bottstein' Bottstein Mophead Hydrangea | DS | 2.02 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Bouquet Rose' Bouquet Rose Mophead Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Breslenburg' Breslenburg Mophead Hydrangea | DS | 2.02 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Cardinal' Cardinal Bigleaf Hydrangea | DS | 1.09 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Charm' Charm Bigleaf Hydrangea | DS | 1.23 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Coerulea' Blue Bigleaf Hydrangea | DS | 1.01 | G1 | 6-8 | 9 | | 1.44 | 5 |
| <i>Hydrangea macrophylla</i> 'Deutschland' Deutschland Mophead Hydrangea | DS | 2.02 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Domotoi' Domotoi Bigleaf Hydrangea | DS | 1.09 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Eisvogel' Eisvogel Mophead Hydrangea | DS | 2.02 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Enziandon' Enziandom Mophead Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Europa' Europa Bigleaf Hydrangea | DS | 1.01 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Fasan' Fasan Lacecap Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Forever Pink' Forever Pink Bigleaf Hydrangea | DS | 1.12 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Garten-Baudirecktor Kuhnert' Garten-Baudirecktor Kuhnert Mophead Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Generale Vicomtesse de Vibraye' Generale Vicomtesse de Vibraye Mophead Hydrangea | DS | 1.11 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Geoffrey Chadbund' Geoffrey Chadbund Lacecap Hydrangea | DS | 0.88 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Gerda Steiniger' Gerda Steiniger Mophead Hydrangea | DS | 2.02 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Gertrude Glahn' Gertrude Glahn Mophead Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Glory Blue' Glory Blue Bigleaf Hydrangea | DS | 1.07 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Glowing Embers' Glowing Embers Bigleaf Hydrangea | DS | 1.12 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Goliath' Goliath Bigleaf Hydrangea | DS | 1.11 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Hamburg' Hamburg Mophead Hydrangea | DS | 1.11 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Heinrich Seidel' Heinrich Seidel Mophead Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Holstein' Holstein Mophead Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'King George' King George Mophead Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Kluis Superba' Kluis Superba Mophead Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Lanarth White' Lanarth White Lacecap Hydrangea | DS | 1.07 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Leuchtfeuer' Leuchtfeuer Mophead Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Libelle' Libelle Lacecap Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hydrangea macrophylla</i> 'Lilacina' Lilacina Lacecap Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Maculata' Maculata Lacecap Hydrangea | DS | 0.88 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Madame Emile Mouillere' Madame Emile Mouillere Bigleaf Hydrangea | DS | 1.03 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Madame Faustin Travouillon' Madame Faustin Travouillon Mophead Hydrangea | DS | 1.11 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Marechal Foch' Marchal Foch Mophead Hydrangea | DS | 1.11 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Mariesii Variegata' Variegated Mariesii Bigleaf Hydrangea | DS | 0.96 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Mariesii' Mariesii Bigleaf Hydrangea | DS | 0.99 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Masja' Masja Mophead Hydrangea | DS | 1.02 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Mathilda Gutges' Mathilda Gutges Mophead Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Merritt's Beauty' Merritt's Beauty Bigleaf Hydrangea | DS | 0.98 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Merritt's Blue' Merritt's Blue Bigleaf Hydrangea | DS | 0.88 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Merritt's Pink' Merritt's Pink Bigleaf Hydrangea | DS | 0.88 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Merritt's Supreme' Merritt's Supreme Bigleaf Hydrangea | DS | 0.96 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Miss Belgium' Miss Belgium Mophead Hydrangea | DS | 1.11 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Moesmee' Moesmee Lacecap Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Monink' Pink 'n Pretty™ Bigleaf Hydrangea | DS | 1.08 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Monred' Red 'n Pretty™ Bigleaf Hydrangea | DS | 1.08 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Monte Forte Perle' Monte Forte Perle Mophead Hydrangea | DS | 2.02 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Mousseline' Mousseline Bigleaf Hydrangea | DS | 1.15 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Mrs. Hepburn' Mrs. Hepburn Mophead Hydrangea | DS | 2.02 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Niedersachen' Niedersachen Mophead Hydrangea | DS | 1.11 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Nigra' Nigra Bigleaf Hydrangea | DS | 1.09 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Nikko Blue' Nikko Blue Bigleaf Hydrangea | DS | 1.12 | G1 | 6-8 | 9 | | 1.04 | 5 |
| <i>Hydrangea macrophylla</i> 'Otsaka' Otsaka Bigleaf Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Paris' Paris Mophead Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Pia' Pink Elf™ Bigleaf Hydrangea | DS | 1.24 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Pink 'n Pretty' See - <i>Hydrangea macrophylla</i> 'Monink' | DS | 1.18 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Pink Beauty' Pink Beauty Bigleaf Hydrangea | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Pink Elf' See - <i>Hydrangea macrophylla</i> 'Pia' | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Hydrangea macrophylla</i> 'Pink Lace' Pink Lace Bigleaf Hydrangea | DS | 1.08 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Princess Beatrice' Princess Beatrice Mophead Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Red 'n Pretty' See - <i>Hydrangea macrophylla</i> 'Monred' | DS | 0.95 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Red Cardinal' Red Cardinal Bigleaf Hydrangea | DS | 0.99 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Red Star' Red Star Bigleaf Hydrangea | DS | 2.02 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Rosita' Rosita Mophead Hydrangea | DS | 2.02 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Schenkenburg' Schenkenburg Mophead Hydrangea | DS | 0.88 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Sea Foam' Sea Foam Lacecap Hydrangea | DS | 0.95 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Sister Theresa' Sister Theresa Bigleaf Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Souvenir de President Doumer' Souvenir de President Doumer Mophead Hydrangea | DS | 2.02 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Stratford' Stratford Mophead Hydrangea | DS | 0.99 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Sybilla' Sybilla Mophead Hydrangea | DS | 2.02 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Taube' Taube Bigleaf Hydrangea | DS | 1.01 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Teller Blue' Teller Blue Bigleaf Hydrangea | DS | 1.15 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Teller Red' Teller Red Bigleaf Hydrangea | DS | 1.13 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Teller White' Teller White Bigleaf Hydrangea | DS | 1.37 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Ticino' Ticino Mophead Hydrangea | DS | 2.02 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Todi' Todi Mophead Hydrangea | DS | 1.02 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Tokyo Delight' Tokyo Delight Lacecap Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Tovelit' Tovelit Mophead Hydrangea | DS | 1.37 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Tricolor' Tricolor Lacecap Hydrangea | DS | 1.00 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Variegata' Variegated Bigleaf Hydrangea | DS | 0.95 | G1 | 6-8 | 9A-10A | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Veitchii' Veitchii Lacecap Hydrangea | DS | 1.02 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'White Wave' White Wave Lacecap Hydrangea | DS | 0.93 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'White' White Bigleaf Hydrangea | DS | 1.06 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> 'Zaunkoenig' Zaunkoenig Lacecap Hydrangea | DS | 1.04 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea macrophylla</i> var. <i>normalis</i> No Common Name Found | DS | 0.95 | G1 | 6-8 | 9 | | 1.00 | 5 |
| <i>Hydrangea paniculata</i> Panicle Hydrangea | DS | 0.97 | G1 | 3-6 | 7-9B | | 1.08 | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Hydrangea paniculata</i> 'Brussel's Lace' Brussel's Lace Panicle Hydrangea | DS | 1.12 | G1 | 3-6 | 7-9B | | 0.81 | 3 |
| <i>Hydrangea paniculata</i> 'Burgundy Lace' Burgundy Lace Panicle Hydrangea | DS | 1.11 | G1 | 3-6 | 7-9B | | 1.16 | 3 |
| <i>Hydrangea paniculata</i> 'Floribunda' Floribunda Panicle Hydrangea | DS | 1.10 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Hydrangea paniculata</i> 'Grandiflora Improved' Peegee Improved Panicle Hydrangea | DS | 0.93 | G1 | 3-6 | 7-9B | | 0.81 | 3 |
| <i>Hydrangea paniculata</i> 'Grandiflora' PeeGee Panicle Hydrangea | DS | 0.93 | G1 | 3-6 | 7-9B | | 0.81 | 3 |
| <i>Hydrangea paniculata</i> 'Greenspire' Greenspire Panicle Hydrangea | DS | 2.02 | G1 | 3-6 | 7-9B | | 0.81 | 3 |
| <i>Hydrangea paniculata</i> 'Kyushu' Kyushu Panicle Hydrangea | DS | 1.23 | G1 | 3-6 | 7-9B | | 0.81 | 3 |
| <i>Hydrangea paniculata</i> 'Pee Wee' Pee Wee Panicle Hydrangea | DS | 1.62 | G1 | 3-6 | 7-9B | | 0.81 | 3 |
| <i>Hydrangea paniculata</i> 'Pink Diamond' Pink Diamond Panicle Hydrangea | DS | 1.13 | G1 | 3-6 | 7-9B | | 1.27 | 3 |
| <i>Hydrangea paniculata</i> 'Praecox' Praecox Panicle Hydrangea | DS | 1.34 | G1 | 3-6 | 7-9B | | 0.81 | 3 |
| <i>Hydrangea paniculata</i> 'Tardiva' Tardiva Panicle Hydrangea | DS | 1.08 | G1 | 3-6 | 7-9B | | 1.07 | 3 |
| <i>Hydrangea paniculata</i> 'Unique' Unique Panicle Hydrangea | DS | 1.17 | G1 | 3-6 | 7-9B | | 1.12 | 3 |
| <i>Hydrangea paniculata</i> 'White Moth' White Moth Panicle Hydrangea | DS | 1.11 | G1 | 3-6 | 7-9B | | 1.12 | 3 |
| <i>Hydrangea quercifolia</i> Oakleaf Hydrangea | DS | 1.01 | G1 | 5-6 | 7-9B | | 1.21 | 5 |
| <i>Hydrangea quercifolia</i> 'Alice' Alice Oakleaf Hydrangea | DS | 1.40 | G1 | 5-6 | 7-9B | | 1.76 | 5 |
| <i>Hydrangea quercifolia</i> 'Alison' Alison Oakleaf Hydrangea | DS | 1.13 | G1 | 5-6 | 7-9B | | 1.21 | 5 |
| <i>Hydrangea quercifolia</i> 'Sikes Dwarf' Sikes Dwarf Oakleaf Hydrangea | DS | 1.69 | G1 | 5-6 | 7-9B | | 1.21 | 5 |
| <i>Hydrangea quercifolia</i> 'Snow Giant' Snow Giant Oakleaf Hydrangea | DS | 2.02 | G1 | 5-6 | 7-9B | | 1.21 | 5 |
| <i>Hydrangea quercifolia</i> 'Snow Queen' P.P. 4458 Snow Queen Oakleaf Hydrangea | DS | 1.43 | G1 | 5-6 | 7-9B | | 1.60 | 5 |
| <i>Hydrangea quercifolia</i> 'Snowflake' P.P. 3047 Snowflake Oakleaf Hydrangea | DS | 1.18 | G1 | 5-6 | 7-9B | | 1.21 | 5 |
| <i>Hydrangea sargentiana</i> Sargent Hydrangea | DS | 0.98 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Hydrangea serrata</i> Tea of Heaven Hydrangea | DS | 1.08 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Hydrangea serrata</i> 'Beni-gaku' Beni-gaku Tea of Heaven Hydrangea | DS | 0.93 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Hydrangea serrata</i> 'Blue Billow' Blue Billow Tea of Heaven Hydrangea | DS | 1.22 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Hydrangea serrata</i> 'Blue Deckle' Blue Deckle Tea of Heaven Hydrangea | DS | 2.02 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Hydrangea serrata</i> 'Bluebird' Bluebird Tea of Heaven Hydrangea | DS | 1.18 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Hydrangea serrata</i> 'Grayswood' Grayswood Tea of Heaven Hydrangea | DS | 1.02 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Hydrangea serrata</i> 'Preziosa' Preziosa Tea of Heaven Hydrangea | DS | 1.15 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Hydrastis canadensis</i> Golden Seal | HP | 2.07 | G1 | 4-8 | 9A-10A | | | 3 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Hydrophyllum virginianum</i> Virginia Waterleaf | HP | 1.00 | G1 | 5-8 | 9A-10A | | | 4 |
| <i>Hylocereus undatus</i> Night Blooming Cereus | FO | 0.40 | G1 | 10A | 10B-11 | | | 9 |
| <i>Hylotelephium</i> Stonecrop | HP | 0.91 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium</i> 'Autumn Joy' Autumn Joy Stonecrop | HP | 0.91 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium</i> 'Emerald Crest' Emerald Crest Stonecrop | HP | 0.91 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium</i> 'Frosty Morn' Frosty Morn Stonecrop | HP | 1.05 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium</i> 'John Creech' John Creech Stonecrop | HP | 1.08 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium</i> 'Mohrchen' Mohrchen Stonecrop | HP | 1.10 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium</i> 'Rosy Glow' Rosy Glow Stonecrop | HP | 0.94 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium</i> 'Sparkle Yellow' Sparkle Yellow Stonecrop | HP | 0.91 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium</i> 'Vera Jameson' Vera Jameson Stonecrop | HP | 0.91 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium cauticolum</i> No Common Name Found | HP | 0.93 | G4 | | 4-11 | | | 4 |
| <i>Hylotelephium cauticolum</i> 'Lidakense' Lidakense Stonecrop | HP | 1.00 | G4 | | 4-11 | | | 4 |
| <i>Hylotelephium erythrostictum</i> Showy Stonecrop | HP | 1.01 | G4 | | 4-11 | | | 4 |
| <i>Hylotelephium erythrostictum</i> 'Medio-variegatum' Medio-variegatum Showy Stonecrop | HP | 1.01 | G4 | | 4-11 | | | 4 |
| <i>Hylotelephium ewersii</i> No Common Name Found | HP | 0.92 | G4 | | 4-11 | | | 4 |
| <i>Hylotelephium sieboldii</i> Siebold Stonecrop | HP | 1.01 | G4 | | 4-11 | | | 6 |
| <i>Hylotelephium spectabile</i> Ice Plant | HP | 0.75 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium spectabile</i> 'Brilliant' Brilliant Ice Plant | HP | 0.92 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium spectabile</i> 'Cappa Blanca' Cappa Blanca Ice Plant | HP | 0.75 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium spectabile</i> 'Carmen' Carmen Ice Plant | HP | 0.99 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium spectabile</i> 'Indian Chief' Indian Chief Ice Plant | HP | 0.95 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium spectabile</i> 'Meteor' Meteor Ice Plant | HP | 1.09 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium spectabile</i> 'Stardust' Stardust Ice Plant | HP | 1.02 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium spectabile</i> 'Variegatum' Variegated Ice Plant | HP | 0.90 | G4 | | 4-11 | | | 3 |
| <i>Hylotelephium telephium</i> Orpine | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hylotelephium telephium</i> 'Atropurpureum' Mahogany Plant | HP | 1.09 | G4 | | 4-11 | | | 4 |
| <i>Hymenocallis caroliniana</i> Inland Spider Lily | HP | 1.02 | G4 | 7-8 | 9A-10A | | | 7 |
| <i>Hymenocallis latifolia</i> Cayman Islands Spider Lily | HP | 0.77 | G4 | 10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Hymenocallis littoralis</i> No Common Name Found | HP | 1.26 | G4 | 10A | 10B-11 | | | 10 |
| <i>Hymenocallis littoralis</i> 'Variegata' Variegated Spider Lily | HP | 1.26 | G4 | 10A | 10B-11 | | | 10 |
| <i>Hymenocallis narcissiflora</i> Peruvian Daffodil | HP | 0.85 | G4 | 9-10A | 10B-11 | | | 9 |
| <i>Hymenolepis parviflora</i> Coulter Bush | BS | 1.00 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Hymenosporum flavum</i> Sweetshade Tree | BE | 0.71 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Hyophorbe indica</i> No Common Name Found | BE | 2.72 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Hyophorbe lagenicaulis</i> Bottle Palm | BE | 2.05 | G1 | 10A | 10B-11 | 1.00 | 3.97 | 10 |
| <i>Hyophorbe verschaffeltii</i> Spindle Palm | BE | 1.25 | G1 | 10A | 10B-11 | 1.00 | 1.16 | 10 |
| <i>Hypericum</i> St. John's-Wort | HP | 0.88 | G2 | | 8-10A | | | 6 |
| <i>Hypericum 'Hidcote'</i> Hidcote St. John's-Wort | BS | 0.96 | G2 | | 8-10A | | 1.00 | 6 |
| <i>Hypericum 'Rowallane'</i> Rowallane St. John's-Wort | BS | 0.77 | G2 | | 8-10A | | 1.00 | 6 |
| <i>Hypericum androsaemum</i> Tutsan | DS | 1.00 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Hypericum androsaemum</i> 'Albury Purple' Albury Purple Tutsan | DS | 1.00 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Hypericum ascyron</i> Great St. John's-Wort | HP | 1.15 | G1 | 4-6 | 7-10A | | | 3 |
| <i>Hypericum beanii</i> No Common Name Found | BS | 0.82 | G1 | | 7-9B | | 1.00 | 7 |
| <i>Hypericum calycinum</i> Aaronsbeard St. John's-Wort | GC | 1.16 | G1 | | 5-8 | | 1.00 | 6 |
| <i>Hypericum empetrifolium</i> No Common Name Found | GC | 1.13 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Hypericum frondosum</i> Golden St. John's-Wort | BS | 0.99 | G1 | | 5-9A | | 1.00 | 5 |
| <i>Hypericum frondosum</i> 'Sunburst' Sunburst Golden St. John's-Wort | BS | 0.99 | G1 | | 5-9A | | 1.00 | 5 |
| <i>Hypericum galiodoides</i> Bedstraw St. John's-Wort | HP | 0.59 | G2 | | 8-10A | | | 8 |
| <i>Hypericum x inodorum</i> No Common Name Found | DS | 1.00 | G2 | | 8-10A | | 1.00 | 8 |
| <i>Hypericum x inodorum</i> 'Summergold' Summergold St. John's-Wort | DS | 1.00 | G2 | | 8-10A | | 1.00 | 8 |
| <i>Hypericum kalmianum</i> Kalm St. John's-Wort | BS | 0.87 | G1 | 3-7 | 8-10A | | 0.57 | 2 |
| <i>Hypericum kalmianum</i> 'Ames' Ames Kalm St. John's-Wort | HP | 0.91 | G1 | 3-7 | 8-10A | | | 2 |
| <i>Hypericum kelleri</i> No Common Name Found | HP | 0.97 | G4 | | 8-10A | | | 8 |
| <i>Hypericum kouytchense</i> Sungold St. John's-Wort | BS | 1.00 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Hypericum x moserianum</i> Moser's St. John's-Wort | BS | 0.91 | G1 | | 7-9B | | 1.00 | 7 |
| <i>Hypericum x moserianum</i> 'Tricolor' Tricolor Moser's St. John's-Wort | BS | 0.93 | G1 | | 7-9B | | 1.00 | 7 |
| <i>Hypericum olympicum</i> No Common Name Found | BS | 0.96 | G1 | 6 | 7-9A | | 1.00 | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | 1.00 | G1 | 6 | 7-9A | 1.00 | High/Wide | 6 |
| <i>Hypericum patulum</i> Goldencup St. John's-Wort | BS | 1.00 | G1 | 6 | 7-9A | 1.00 | High/Wide | 6 |
| <i>Hypericum patulum</i> 'Henry' See - <i>Hypericum beanii</i> | | | | | | | | |
| <i>Hypericum patulum</i> 'Hidcote' See - <i>Hypericum 'Hidcote'</i> | | | | | | | | |
| <i>Hypericum patulum</i> 'Sungold' See - <i>Hypericum kouytchense</i> | | | | | | | | |
| <i>Hypericum prolificum</i> Shrubby St. John's-Wort | BS | 0.83 | G1 | | 4-8 | | | 1.00 4 |
| <i>Hypericum pyramidatum</i> See - <i>Hypericum ascyron</i> | | | | | | | | |
| <i>Hypericum reptans</i> Creeping St. John's-Wort | GC | 1.16 | G1 | | 7-9B | | | 1.00 7 |
| <i>Hyphaene thebaica</i> Doum Palm | BE | 1.00 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Hypoestes phyllostachya</i> Polka-dot Plant | FO | 0.23 | G4 | 9A-10A | 10B-11 | | | 9 |
| <i>Hypoestes phyllostachya</i> 'Splash Select Series' Splash Select Series Polka-Dot Plant | FO | 0.28 | G4 | 9A-10A | 10B-11 | | | 9 |
| <i>Hypoxis hirsuta</i> Yellow Star Grass | HP | 1.00 | G1 | 6-8 | 9A-10A | | | 5 |
| <i>Hyssopus officinalis</i> Hyssop | HP | 0.96 | G1 | 4-8 | 9A-10A | | | 3 |
| <i>Hystrix patula</i> Bottlebrush Grass | HP | 1.15 | G4 | | 5-8 | | | 4 |
| <i>Iberis gibraltarica</i> Gibraltar Candytuft | HP | 0.93 | G4 | | 7-9B | | | 7 |
| <i>Iberis sempervirens</i> Evergreen Candytuft | HP | 0.98 | G4 | | 4-8 | | | 4 |
| <i>Iberis sempervirens</i> 'Alexander's White' Alexander's White Evergreen Candytuft | HP | 1.03 | G4 | | 4-8 | | | 4 |
| <i>Iberis sempervirens</i> 'Autumn Beauty' Autumn Beauty Evergreen Candytuft | HP | 0.87 | G4 | | 4-8 | | | 4 |
| <i>Iberis sempervirens</i> 'Autumn Snow' Autumn Snow Evergreen Candytuft | HP | 0.96 | G4 | | 4-8 | | | 4 |
| <i>Iberis sempervirens</i> 'Little Gem' Little Gem Evergreen Candytuft | HP | 0.87 | G4 | | 4-8 | | | 4 |
| <i>Iberis sempervirens</i> 'Purity' Purity Evergreen Candytuft | HP | 0.98 | G4 | | 4-8 | | | 4 |
| <i>Iberis sempervirens</i> 'Snowflake' Snowflake Evergreen Candytuft | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Iboza riparium</i> See - <i>Tetradenia riparia</i> | | | | | | | | |
| <i>Ilex</i> Holly | BS | 0.59 | G1 | 7-8 | 9 | | | 0.62 3 |
| <i>Ilex</i> 'Apollo' Apollo Male Holly | BS | 1.03 | G1 | 7-8 | 9 | | | 0.75 3 |
| <i>Ilex</i> 'Autumn Glow' Autumn Glow Holly | BS | 0.59 | G1 | 7-8 | 9 | | | 0.75 3 |
| <i>Ilex</i> 'Bonfire' Bonfire Holly | BS | 0.59 | G1 | 7-8 | 9 | | | 0.72 5 |
| <i>Ilex</i> 'Cardinal' See - <i>Ilex</i> 'Conal' P.P. 9485 | | | | | | | | |
| <i>Ilex</i> 'China Boy' See - <i>Ilex</i> 'Mesdob' P.P. 4803 | | | | | | | | |
| <i>Ilex</i> 'China Girl' See - <i>Ilex</i> 'Mesog' P.P. 4878 | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Ilex</i> 'Conaf' P.P. 9487 Oakleaf™ Holly | BS | 0.97 | G1 | 7-8 | 9 | | 0.62 | 6 |
| <i>Ilex</i> 'Conal' P.P. 9485 Cardinal™ Holly | BS | 1.04 | G1 | 7-8 | 9 | | 0.62 | 6 |
| <i>Ilex</i> 'Coned' P.P. 9484 Little Red™ Holly | BS | 1.02 | G1 | 7-8 | 9 | | 0.62 | 6 |
| <i>Ilex</i> 'Conin' P.P. 9486 Robin™ Holly | BS | 0.97 | G1 | 7-8 | 9 | | 0.62 | 6 |
| <i>Ilex</i> 'Conive' P.P. 9498 Festive™ Holly | BS | 0.91 | G1 | 7-8 | 9 | | 0.62 | 6 |
| <i>Ilex</i> 'Dr. Kassab' Dr. Kassab Holly | BS | 1.25 | G1 | 7-8 | 9 | | 1.54 | 5 |
| <i>Ilex</i> 'Dragon Lady' See - <i>Ilex</i> 'Meschick' P.P. 4996 | BS | 1.30 | G1 | 7-8 | 9 | | 0.62 | 6 |
| <i>Ilex</i> 'Ebony Magic' P.P. 5004 Ebony Magic™ Holly | BS | 0.92 | G1 | 7-8 | 9 | | 1.19 | 7 |
| <i>Ilex</i> 'Emily Brunner' Emily Brunner Holly | BS | 0.59 | G1 | 7-8 | 9 | | 0.62 | 3 |
| <i>Ilex</i> 'Festive' See - <i>Ilex</i> 'Conive' P.P. 9498 | BS | 0.59 | G1 | 7-8 | 9 | | 0.62 | 3 |
| <i>Ilex</i> 'Harvest Red' Harvest Red Holly | BS | 0.59 | G1 | 7-8 | 9 | | 0.62 | 6 |
| <i>Ilex</i> 'Little Rascal' See - <i>Ilex</i> 'Mondo' P.P.A.F. | BS | 0.75 | G1 | 7-8 | 9 | 1.00 | 0.95 | 7 |
| <i>Ilex</i> 'Little Red' See - <i>Ilex</i> 'Coned' P.P. 9484 | BS | 1.37 | G1 | 7-8 | 9 | | 1.26 | 6 |
| <i>Ilex</i> 'Lydia Morris' Lydia Morris Holly | BS | 1.21 | G1 | 7-8 | 9 | | 1.32 | 3 |
| <i>Ilex</i> 'Mary Nell' Mary Nell Hybrid Holly | BS | 1.21 | G1 | 7-8 | 9 | | 0.62 | 6 |
| <i>Ilex</i> 'Meschick' P.P. 4996 Dragon Lady™ Holly | BS | 1.29 | G1 | 7-8 | 9 | | 1.34 | 3 |
| <i>Ilex</i> 'Mesdob' P.P. 4803 China Boy® Holly | BS | 0.89 | G1 | 7-8 | 9 | | 1.12 | 6 |
| <i>Ilex</i> 'Mesog' P.P. 4878 China Girl® Holly | BS | 0.89 | G1 | 7-8 | 9 | | 0.74 | 3 |
| <i>Ilex</i> 'Mondo' P.P.A.F. Little Rascal™ Holly | BS | 0.91 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Ilex</i> 'Nellie R. Stevens' Nellie R. Stevens Holly | BS | 0.91 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Ilex</i> 'Oakleaf' See - <i>Ilex</i> 'Conaf' P.P. 9487 | BS | 0.91 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Ilex</i> 'Raritan Chief' Raritan Chief Holly | BS | 0.91 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Ilex</i> 'Robin' See - <i>Ilex</i> 'Conin' P.P. 9486 | BS | 0.91 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Ilex</i> 'Sparkleberry' Sparkleberry Holly | BS | 0.91 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Ilex</i> x <i>altaclarensis</i> Altaclara Holly | BE | 0.93 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Ilex</i> x <i>altaclarensis</i> 'Indigo Knight' See - <i>Ilex</i> x <i>altaclarensis</i> 'Wight Selection' P.P. 6978 | BS | 0.93 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Ilex</i> x <i>altaclarensis</i> 'Wight Selection' P.P. 6978 Indigo Knight Altaclara Holly | BS | 0.93 | G1 | 6 | 7-9B | | 1.00 | 6 |
| <i>Ilex</i> x <i>altaclarensis</i> 'Wilsonii' Wilson Altaclara Holly | BE | 0.89 | G1 | 6 | 7-8 | 1.00 | 0.81 | 6 |
| <i>Ilex aquifolium</i> English Holly | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Ilex aquifolium</i> 'Argenteo-marginata' Argenteo-marginata English Holly | BE | 0.96 | G1 | 6 | 7-8 | 1.00 | 0.81 | 6 |
| <i>Ilex aquifolium</i> 'Aureo-marginata' Aureo-marginata English Holly | BS | 1.19 | G1 | 6 | 7-8 | | 1.00 | 6 |
| <i>Ilex aquifolium</i> 'Balkans' Balkans English Holly | BE | 0.87 | G1 | 6 | 7-8 | 1.00 | 0.84 | 6 |
| <i>Ilex aquifolium</i> 'Ciliata Major' Ciliata Major English Holly | BE | 1.25 | G1 | 6 | 7-8 | 1.00 | 1.51 | 6 |
| <i>Ilex aquifolium</i> 'Ferox' Hedgehog English Holly | BE | 1.40 | G1 | 6 | 7-8 | 1.00 | 0.81 | 6 |
| <i>Ilex aquifolium</i> 'Gold Coast' See - <i>Ilex aquifolium</i> 'Monvila' P.P. 5143 | BE | 0.84 | G1 | 6 | 7-8 | 1.00 | 0.81 | 6 |
| <i>Ilex aquifolium</i> 'Monler' Sparkler™ English Holly | BE | 1.29 | G1 | 6 | 7-8 | 1.00 | 0.81 | 6 |
| <i>Ilex aquifolium</i> 'Monvila' P.P. 5143 Gold Coast™ English Holly | BE | 0.70 | G1 | 6 | 7-8 | 1.00 | 0.81 | 6 |
| <i>Ilex aquifolium</i> 'Sadie's Deluxe' Sadie's Deluxe English Holly | BE | 0.85 | G1 | 6 | 7-8 | 1.00 | 0.81 | 6 |
| <i>Ilex aquifolium</i> 'San Gabriel' San Gabriel English Holly | BE | 0.70 | G1 | 6 | 7-8 | 1.00 | 0.81 | 6 |
| <i>Ilex aquifolium</i> 'Silver Queen' Silver Queen English Holly | BE | 0.70 | G1 | 6 | 7-8 | 1.00 | 0.81 | 6 |
| <i>Ilex aquifolium</i> 'Sparkler' See - <i>Ilex aquifolium</i> 'Monler' | BE | 0.70 | G1 | 6 | 7-8 | 1.00 | 0.81 | 6 |
| <i>Ilex aquifolium</i> 'Teufel's Silver Variegated' Teufel's Silver Variegated English Holly | BE | 0.70 | G1 | 6 | 7-8 | 1.00 | 0.81 | 6 |
| <i>Ilex aquifolium</i> 'Teufel's Weeping' Teufel's Weeping Holly | BE | 0.70 | G1 | 6 | 7-8 | 1.00 | 0.81 | 6 |
| <i>Ilex x aquipernyi</i> Hybrid Holly | BS | 0.98 | G1 | 6 | 7-9B | | 1.34 | 6 |
| <i>Ilex x aquipernyi</i> 'San Jose' San Jose Holly | BS | 0.98 | G1 | 6 | 7-9B | | 1.34 | 6 |
| <i>Ilex x attenuata</i> Foster's Hybrid Holly | BE | 0.76 | G2 | 8 | 9A-10B | 1.45 | 0.91 | 7 |
| <i>Ilex x attenuata</i> 'Eagleston' Eagleston Foster's Hybrid Holly | BE | 0.95 | G2 | 8 | 9A-10B | 1.45 | 0.89 | 7 |
| <i>Ilex x attenuata</i> 'East Palatka' East Palatka Foster's Hybrid Holly | BE | 0.75 | G2 | 8 | 9A-10B | 1.45 | 0.83 | 7 |
| <i>Ilex x attenuata</i> 'Foster #2' Fosteri #2 Female Foster's Hybrid Holly | BE | 0.75 | G2 | 8 | 9A-10B | 1.45 | 0.85 | 7 |
| <i>Ilex x attenuata</i> 'Foster #4' Fosteri #4 Male Foster's Hybrid Holly | BE | 0.87 | G2 | 8 | 9A-10B | 1.45 | 0.83 | 7 |
| <i>Ilex x attenuata</i> 'Nasa' Nasa Foster's Hybrid Holly | BE | 0.85 | G2 | 8 | 9A-10B | 1.45 | 0.83 | 7 |
| <i>Ilex x attenuata</i> 'Savannah' Savannah Foster's Hybrid Holly | BE | 0.76 | G2 | 8 | 9A-10B | 1.45 | 0.90 | 7 |
| <i>Ilex cassine</i> Dahoon Holly | BE | 0.68 | G2 | 8 | 9A-11 | 1.23 | 0.96 | 6 |
| <i>Ilex cornuta</i> Chinese Holly | BS | 0.75 | G1 | 6 | 7-10B | | 0.88 | 6 |
| <i>Ilex cornuta</i> 'Anicet Delcambre' Anicet Delcambre Chinese Holly | BS | 0.77 | G1 | 6 | 7-10B | | 0.88 | 6 |
| <i>Ilex cornuta</i> 'Berries Jubilee' P.P. 3168 Berries Jubilee Chinese Holly | BS | 1.03 | G1 | 6 | 7-10B | | 0.88 | 6 |
| <i>Ilex cornuta</i> 'Burfordii' Burford Chinese Holly | BS | 0.76 | G1 | 6 | 7-10B | | 1.21 | 6 |
| <i>Ilex cornuta</i> 'Carissa' Carissa Chinese Holly | BS | 0.89 | G1 | 6 | 7-10B | | 0.88 | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Ilex cornuta</i> 'Dazzler' Dazzler Chinese Holly | BS | 0.87 | G1 | 6 | 7-10B | | 0.88 | 6 |
| <i>Ilex cornuta</i> 'Delcon' Delcon Chinese Holly | BS | 0.75 | G1 | 6 | 7-10B | | 1.48 | 6 |
| <i>Ilex cornuta</i> 'Dwarf Burford' Dwarf Burford Chinese Holly | BS | 0.81 | G1 | 6 | 7-10B | | 1.34 | 6 |
| <i>Ilex cornuta</i> 'Fineline' Fineline Chinese Holly | BS | 0.80 | G1 | 6 | 7-10B | | 0.88 | 6 |
| <i>Ilex cornuta</i> 'Needlepoint' Needlepoint Chinese Holly | BS | 0.81 | G1 | 6 | 7-10B | | 1.25 | 6 |
| <i>Ilex cornuta</i> 'O'Spring' O'Spring Chinese Holly | BS | 0.82 | G1 | 6 | 7-10B | | 0.88 | 6 |
| <i>Ilex cornuta</i> 'Rotunda' Rotunda Chinese Holly | BS | 0.89 | G1 | 6 | 7-10B | | 0.88 | 6 |
| <i>Ilex cornuta</i> 'Willowleaf' P.P. 2290 Willowleaf Chinese Holly | BS | 0.86 | G1 | 6 | 7-10B | | 0.88 | 6 |
| <i>Ilex crenata</i> Japanese Holly | BS | 0.94 | G1 | | 5-10A | | 1.10 | 6 |
| <i>Ilex crenata</i> 'Beehive' Beehive Japanese Holly | BS | 0.98 | G1 | | 5-10A | | 0.63 | 6 |
| <i>Ilex crenata</i> 'Bennett' Bennett Japanese Holly | BS | 0.78 | G1 | | 5-10A | | 0.74 | 6 |
| <i>Ilex crenata</i> 'Black Beauty' Black Beauty Japanese Holly | BS | 1.04 | G1 | | 5-10A | | 0.63 | 6 |
| <i>Ilex crenata</i> 'Cherokee' Cherokee Japanese Holly | BS | 0.77 | G1 | | 5-10A | | 0.63 | 6 |
| <i>Ilex crenata</i> 'Chesapeake' Chesapeake Japanese Holly | BS | 1.09 | G1 | | 5-10A | | 1.30 | 6 |
| <i>Ilex crenata</i> 'Compacta' Compact Japanese Holly | BS | 0.88 | G1 | | 5-10A | | 1.00 | 6 |
| <i>Ilex crenata</i> 'Convexa' Convexa Japanese Holly | BS | 1.02 | G1 | | 5-10A | | 0.86 | 6 |
| <i>Ilex crenata</i> 'Fastigiata' Fastigiate Japanese Holly | BS | 0.77 | G1 | | 5-10A | | 0.79 | 6 |
| <i>Ilex crenata</i> 'Foster #1' Foster #1 Japanese Holly | BS | 1.02 | G1 | | 5-10A | | 0.93 | 6 |
| <i>Ilex crenata</i> 'Glory' Glory Japanese Holly | BS | 1.00 | G1 | | 5-10A | | 0.65 | 6 |
| <i>Ilex crenata</i> 'Green Dragon' Green Dragon Japanese Holly | BS | 1.06 | G1 | | 5-10A | | 0.63 | 6 |
| <i>Ilex crenata</i> 'Green Island' Green Island Japanese Holly | BS | 0.97 | G1 | | 5-10A | | 0.89 | 6 |
| <i>Ilex crenata</i> 'Green Luster' Green Luster Japanese Holly | BS | 0.92 | G1 | | 5-10A | | 0.79 | 6 |
| <i>Ilex crenata</i> 'Green Pagoda' Green Pagoda Japanese Holly | BS | 2.07 | G1 | | 5-10A | | 0.63 | 6 |
| <i>Ilex crenata</i> 'Helleri' Heller Japanese Holly | BS | 0.92 | G1 | | 5-10A | | 0.81 | 6 |
| <i>Ilex crenata</i> 'Hetzii' Hetzii Japanese Holly | BS | 0.95 | G1 | | 5-10A | | 0.72 | 6 |
| <i>Ilex crenata</i> 'Hoogendoorn' Hoogendoorn Japanese Holly | BS | 0.92 | G1 | | 5-10A | | 0.63 | 6 |
| <i>Ilex crenata</i> 'Howard' Howard Japanese Holly | BS | 0.77 | G1 | | 5-10A | | 0.63 | 6 |
| <i>Ilex crenata</i> 'Jersey Pinnacle' Jersey Pinnacle Japanese Holly | BS | 1.13 | G1 | | 5-10A | | 0.63 | 6 |
| <i>Ilex crenata</i> 'Major' Major Japanese Holly | BS | 0.77 | G1 | | 5-10A | | 0.70 | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ | |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|---|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | | |
| <i>Ilex crenata</i> 'Maxwellii' Maxwell Japanese Holly | BS | 0.77 | G1 | | 5-10A | | 0.72 | 6 | |
| <i>Ilex crenata</i> 'Microphylla' Microphylla Japanese Holly | BS | 0.97 | G1 | | 5-10A | | 0.79 | 6 | |
| <i>Ilex crenata</i> 'Nigra' Nigra Japanese Holly | BS | 0.97 | G1 | | 5-10A | | 0.82 | 6 | |
| <i>Ilex crenata</i> 'Northern Beauty' Northern Beauty Japanese Holly | BS | 1.02 | G1 | | 5-10A | | 0.81 | 6 | |
| <i>Ilex crenata</i> 'Pin Cushion' Pin Cushion Japanese Holly | BS | 0.77 | G1 | | 5-10A | | 0.63 | 6 | |
| <i>Ilex crenata</i> 'Pyramidalis' Pyramidal Japanese Holly | BS | 0.98 | G1 | | 5-10A | | 1.05 | 6 | |
| <i>Ilex crenata</i> 'Recurvifolia' Recurvifolia Japanese Holly | BS | 0.77 | G1 | | 5-10A | | 0.63 | 6 | |
| <i>Ilex crenata</i> 'Repandens' Repandens Japanese Holly | BS | 0.97 | G1 | | 5-10A | | 0.63 | 6 | |
| <i>Ilex crenata</i> 'Rotundifolia' Rotundifolia Japanese Holly | BS | 0.90 | G1 | | 5-10A | | 0.75 | 6 | |
| <i>Ilex crenata</i> 'Schwoebel's Compact' Schwoebel's Compact Japanese Holly | BS | 1.05 | G1 | | 5-10A | | 0.63 | 6 | |
| <i>Ilex crenata</i> 'Sky Pencil' Sky Pencil Japanese Holly | BS | 0.92 | G1 | | 5-10A | | 0.63 | 6 | |
| <i>Ilex crenata</i> 'Soft Touch' Soft Touch Japanese Holly | BS | 0.89 | G1 | | 5-10A | | 0.63 | 6 | |
| <i>Ilex crenata</i> 'Steeds' Steeds Japanese Holly | BS | 0.87 | G1 | | 5-10A | | 1.16 | 6 | |
| <i>Ilex crenata</i> 'Stokes' Stokes Japanese Holly | BS | 0.87 | G1 | | 5-10A | | 0.63 | 6 | |
| <i>Ilex crenata</i> 'Wayne' Wayne Japanese Holly | BS | 0.77 | G1 | | 5-10A | | 0.88 | 6 | |
| <i>Ilex decidua</i> Possum Haw | DT | 0.84 | G1 | | 6-9A | 1.00 | 1.05 | 6 | |
| <i>Ilex decidua</i> 'Council Fire' Council Fire Possum Haw | DT | 0.60 | G1 | | 6-9A | 1.00 | 1.20 | 6 | |
| <i>Ilex decidua</i> 'Pocahontas' Pocahontas Possum Haw | DT | 1.10 | G1 | | 6-9A | 1.00 | 1.12 | 6 | |
| <i>Ilex decidua</i> 'Warren Red' Warren Red Possum Haw | DT | 0.60 | G1 | | 6-9A | 1.00 | 1.01 | 6 | |
| <i>Ilex dimorphophylla</i> Okinawa Holly | BS | 1.12 | G1 | | 7-9B | | 1.00 | 7 | |
| <i>Ilex glabra</i> Inkberry | BS | 1.09 | G1 | | 4-10A | | 1.05 | 3 | |
| <i>Ilex glabra</i> 'Chamzin' P.P. 6962 Nordic® Inkberry | BS | 1.18 | G1 | | 4-10A | | 0.87 | 3 | |
| <i>Ilex glabra</i> 'Compacta' Compact Inkberry | BS | 1.06 | G1 | | 4-10A | | 0.91 | 3 | |
| <i>Ilex glabra</i> 'Densa' Dense Inkberry | BS | 1.31 | G1 | | 4-10A | | 0.88 | 3 | |
| <i>Ilex glabra</i> 'Nordic' See - <i>Ilex glabra</i> 'Chamzin' P.P. 6962 | BS | 1.12 | G1 | | 4-10A | | 0.84 | 3 | |
| <i>Ilex glabra</i> 'Shamrock' Shamrock Inkberry | BS | 1.12 | G1 | 7-8 | 9 | 1.00 | 1.00 | 7 | |
| <i>Ilex integra</i> Nepal Holly | BE | 0.90 | G1 | 7-8 | 9 | | | | |
| <i>Ilex x koehneana</i> Koehne Holly | BS | 0.79 | G1 | 7-8 | 9 | | | 1.65 | 7 |
| <i>Ilex x koehneana</i> 'Wirt L. Winn' Wirt L. Winn Koehne Holly | BS | 0.79 | G1 | 7-8 | 9 | | | 1.18 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ilex latifolia</i> Lusterleaf Holly | BE | 0.70 | G1 | 7-8 | 9 | 1.00 | 1.10 | 7 |
| <i>Ilex x meserveae</i> Meserve Hybrid Holly | BS | 0.94 | G1 | 3-6 | 7 | | 0.88 | 5 |
| <i>Ilex x meserveae</i> 'Berri-Magic' See - <i>Ilex x meserveae</i> 'Kids' | BS | 1.19 | G1 | 3-6 | 7 | | 0.85 | 5 |
| <i>Ilex x meserveae</i> 'Blue Angel' P.P. 3662 Blue Angel Meserve Hybrid Holly | BS | 1.13 | G1 | 3-6 | 7 | | 1.21 | 5 |
| <i>Ilex x meserveae</i> 'Blue Boy' Blue Boy Meserve Hybrid Holly | BS | 0.94 | G1 | 3-6 | 7 | | 1.22 | 5 |
| <i>Ilex x meserveae</i> 'Blue Girl' Blue Girl Meserve Hybrid Holly | BS | 1.16 | G1 | 3-6 | 7 | | 1.16 | 5 |
| <i>Ilex x meserveae</i> 'Blue Maid' See - <i>Ilex x meserveae</i> 'Mesid' P.P. 4685 | BS | 1.13 | G1 | 3-6 | 7 | | 0.85 | 5 |
| <i>Ilex x meserveae</i> 'Blue Prince' P.P. 3517 Blue Prince Meserve Hybrid Holly | BS | 1.16 | G1 | 3-6 | 7 | | 1.30 | 5 |
| <i>Ilex x meserveae</i> 'Blue Princess' P.P. 3675 Blue Princess Meserve Hybrid Holly | BS | 1.31 | G1 | 3-6 | 7 | | 1.23 | 5 |
| <i>Ilex x meserveae</i> 'Blue Stallion' See - <i>Ilex x meserveae</i> 'Mesan' P.P. 4804 | BS | 1.18 | G1 | 3-6 | 7 | | 1.28 | 5 |
| <i>Ilex x meserveae</i> 'Centennial Girl' Centennial Girl Meserve Hybrid Holly | BS | 1.29 | G1 | 3-6 | 7 | | 1.00 | 7 |
| <i>Ilex x meserveae</i> 'Golden Girl' See - <i>Ilex x meserveae</i> 'Mesgolg' P.P. 7652 | BS | 1.42 | G1 | 3-6 | 7 | | 0.85 | 5 |
| <i>Ilex x meserveae</i> 'Kids' Berri-Magic™ Meserve Hybrid Holly | BS | 1.18 | G1 | 3-6 | 7 | | 1.32 | 5 |
| <i>Ilex x meserveae</i> 'Mesan' P.P. 4804 Blue Stallion® Meserve Hybrid Holly | BS | 1.20 | G1 | 3-6 | 7 | | 1.00 | 5 |
| <i>Ilex x meserveae</i> 'Mesgolg' P.P. 7652 Golden Girl® Meserve Hybrid Holly | BS | 1.20 | G1 | 3-6 | 7 | | 0.90 | 5 |
| <i>Ilex x meserveae</i> 'Mesid' P.P. 4685 Blue Maid® Meserve Hybrid Holly | BS | 0.76 | G1 | 7-8 | 9 | | 1.00 | 5 |
| <i>Ilex myrtifolia</i> Myrtle Holly | BE | 1.03 | G1 | | 5-9B | 1.00 | 0.96 | 5 |
| <i>Ilex opaca</i> American Holly | BE | 0.84 | G1 | | 5-9B | 1.00 | 0.90 | 5 |
| <i>Ilex opaca</i> 'Greenleaf' Greenleaf American Holly | BE | 0.84 | G1 | | 5-9B | 1.00 | 0.90 | 5 |
| <i>Ilex opaca</i> 'Princeton Gold' Princeton Gold American Holly | BE | 1.54 | G1 | | 5-9B | 1.00 | 1.00 | 5 |
| <i>Ilex opaca</i> var. <i>arenicola</i> Dune Holly | BE | 1.17 | G1 | 6 | 7-8 | 1.00 | 1.44 | 5 |
| <i>Ilex pedunculosa</i> Longstalk Holly | BS | 1.00 | G1 | 5-6 | 7-8 | | 1.00 | 3 |
| <i>Ilex rugosa</i> Prostrate Holly | DS | 3.01 | G1 | 6-7 | 8 | | 3.08 | 5 |
| <i>Ilex serrata</i> Finetooth Holly | DS | 3.01 | G1 | 6-7 | 8 | | 3.08 | 5 |
| <i>Ilex serrata</i> 'Xanthocarpa' Xanthocarpa Finetooth Holly | DS | 1.06 | G1 | | 3-8 | | 1.00 | 3 |
| <i>Ilex verticillata</i> Winterberry | DS | 1.11 | G1 | | 3-8 | | 1.28 | 3 |
| <i>Ilex verticillata</i> 'Afterglow' Afterglow Winterberry | DS | 0.86 | G1 | | 3-8 | | 1.25 | 3 |
| <i>Ilex verticillata</i> 'Aurantiaca' Yellow Fruit Winterberry | DS | 1.31 | G1 | | 3-8 | | 1.41 | 3 |
| <i>Ilex verticillata</i> 'Cacapon' Cacapon Winterberry | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Ilex verticillata</i> 'Carolina Cardinal' Carolina Cardinal Winterberry | DS | 1.52 | G1 | | 3-8 | | | 1.71 3 |
| <i>Ilex verticillata</i> 'Christmas Cheer' Christmas Cheer Winterberry | DS | 0.86 | G1 | | 3-8 | | | 1.00 3 |
| <i>Ilex verticillata</i> 'Jim Dandy' Jim Dandy Winterberry | DS | 1.16 | G1 | | 3-8 | | | 1.16 3 |
| <i>Ilex verticillata</i> 'Johnny Come Lately' Johnny Come Lately Winterberry | DS | 0.86 | G1 | | 3-8 | | | 1.01 3 |
| <i>Ilex verticillata</i> 'Late Male' Late Male Winterberry | DS | 1.17 | G1 | | 3-8 | | | 1.12 3 |
| <i>Ilex verticillata</i> 'Quansoo' Quansoo Winterberry | DS | 1.04 | G1 | | 3-8 | | | 1.39 3 |
| <i>Ilex verticillata</i> 'Red Sprite' Red Sprite Dwarf Winterberry | DS | 1.17 | G1 | | 3-8 | | | 1.16 3 |
| <i>Ilex verticillata</i> 'Rhett Butler' Rhett Butler Winterberry | DS | 0.86 | G1 | | 3-8 | | | 1.21 3 |
| <i>Ilex verticillata</i> 'Scarlet O'Hara' Scarlet O'Hara Winterberry | DS | 0.86 | G1 | | 3-8 | | | 1.18 3 |
| <i>Ilex verticillata</i> 'Shaver' Shaver Winterberry | DT | 0.62 | G1 | | 3-8 | 1.00 | 0.83 | 3 |
| <i>Ilex verticillata</i> 'Stoplight' Stoplight Winterberry | DT | 0.79 | G1 | | 3-8 | 1.00 | 0.87 | 3 |
| <i>Ilex verticillata</i> 'Sunset' Sunset Winterberry | DT | 0.62 | G1 | | 3-8 | 1.00 | 0.83 | 3 |
| <i>Ilex verticillata</i> 'Upright Red' Upright Red Winterberry | DT | 0.85 | G1 | | 3-8 | 1.00 | 0.89 | 3 |
| <i>Ilex verticillata</i> 'Winter Red' P.P. 4146 Winter Red Winterberry | DT | 0.73 | G1 | | 3-8 | 1.00 | 0.92 | 3 |
| <i>Ilex verticillata</i> 'Wintergold' Wintergold Winterberry | DT | 0.86 | G1 | | 3-8 | 1.00 | 0.84 | 3 |
| <i>Ilex vomitoria</i> Yaupon Holly | BE | 0.75 | G1 | 7-8 | 9A-11 | 1.00 | 0.92 | 7 |
| <i>Ilex vomitoria</i> 'Bordeaux' See - <i>Ilex vomitoria</i> 'Condeaux' P.P. 8779 | BS | 0.91 | G1 | 7-8 | 9A-11 | | 0.94 | 7 |
| <i>Ilex vomitoria</i> 'Condeaux' P.P. 8779 Bordeaux™ Yaupon Holly | BE | 0.78 | G1 | 7-8 | 9A-11 | 1.00 | 0.86 | 7 |
| <i>Ilex vomitoria</i> 'Folsom's Weeping' Folsom's Weeping Yaupon Holly | BS | 0.83 | G1 | 7-8 | 9A-11 | | 0.94 | 7 |
| <i>Ilex vomitoria</i> 'Kathy Ann Batson' Kathy Ann Batson Yaupon Holly | BS | 0.76 | G1 | 7-8 | 9A-11 | | 1.34 | 7 |
| <i>Ilex vomitoria</i> 'Nana' Dwarf Yaupon Holly | BS | 0.61 | G1 | 7-8 | 9A-11 | | 0.94 | 7 |
| <i>Ilex vomitoria</i> 'Orient Jewel' Orient Jewel Yaupon Holly | BE | 0.83 | G1 | 7-8 | 9A-11 | 1.00 | 0.86 | 7 |
| <i>Ilex vomitoria</i> 'Pendula' Weeping Yaupon Holly | BS | 0.84 | G1 | 7-8 | 9A-11 | | 0.94 | 7 |
| <i>Ilex vomitoria</i> 'Pride of Houston' Pride of Houston Yaupon Holly | BS | 0.80 | G1 | 7-8 | 9A-11 | | 0.94 | 7 |
| <i>Ilex vomitoria</i> 'Schelling's Dwarf' Schelling's Dwarf Yaupon Holly | BS | 0.94 | G1 | 7-8 | 9A-11 | | 0.95 | 7 |
| <i>Ilex vomitoria</i> 'Shadow's Female' Shadow's Female Yaupon Holly | BS | 0.76 | G1 | 7-8 | 9A-11 | | 0.94 | 7 |
| <i>Ilex vomitoria</i> 'Stoke's Dwarf' Stoke's Dwarf Yaupon Holly | BS | 0.61 | G1 | 7-8 | 9A-11 | | 0.94 | 7 |
| <i>Ilex vomitoria</i> 'Straughn's' Straughn's Yaupon Holly | BS | 0.83 | G1 | 7-8 | 9A-11 | | 0.94 | 7 |
| <i>Ilex vomitoria</i> 'Will Fleming' Will Fleming Yaupon Holly | BS | | | | | | 0.94 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Iliamna remota</i> Kankakee Mallow | HP | 1.09 | G1 | 7-8 | 9A-11 | | | 5 |
| <i>Illicium anisatum</i> Chinese Anise Tree | BS | 0.87 | G1 | | 7-9B | | | 0.56 7 |
| <i>Illicium floridanum</i> Florida Anise Tree | BS | 0.87 | G1 | 8 | 9A-10A | | | 1.00 7 |
| <i>Illicium floridanum</i> 'Alba' White Florida Anise Tree | BS | 0.87 | G1 | 8 | 9A-10A | | | 1.00 7 |
| <i>Illicium mexicanum</i> Mexican Anise Tree | BS | 1.02 | G1 | 8 | 9A-10A | | | 1.00 8 |
| <i>Illicium parviflorum</i> Small Anise Tree | BS | 0.84 | G1 | 8 | 9A-10A | | | 0.79 8 |
| <i>Impatiens balfourii</i> No Common Name Found | AN | 1.15 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens balsamina</i> Common Impatiens | AN | 0.78 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens hawkeri</i> No Common Name Found | HP | 0.77 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens linearifolia</i> See - <i>Impatiens hawkeri</i> | | | | | | | | |
| <i>Impatiens oliveri</i> See - <i>Impatiens sodenii</i> | | | | | | | | |
| <i>Impatiens sodenii</i> Poor Man's Rhododendron | HP | 0.82 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> Busy Lizzy | AN | 0.71 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> 'Accent Lavender' Accent Lavender Impatiens | AN | 0.71 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> 'Accent Mixed' Accent Mixed Impatiens | AN | 0.71 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> 'Accent Orange' Accent Orange Impatiens | AN | 0.71 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> 'Accent Pink' Accent Pink Impatiens | AN | 0.71 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> 'Accent Red' Accent Red Impatiens | AN | 0.71 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> 'Accent Rose' Accent Rose Impatiens | AN | 0.71 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> 'Accent Salmon' Accent Salmon Impatiens | AN | 0.71 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> 'Accent White' Accent White Impatiens | AN | 0.71 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> 'Accent' Accent Impatiens | AN | 0.71 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> 'Dazzler' Dazzler Impatiens | AN | 0.85 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> 'New Guinea Assortment' New Guinea Assortment Impatiens | AN | 1.09 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> 'Novette' Novette Impatiens | AN | 0.71 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> 'Rosette Mix' Rosette Mix Impatiens | AN | 0.71 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> 'Super Elfin Cherry' Super Elfin Cherry Impatiens | AN | 0.71 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Impatiens walleriana</i> 'Super Elfin Mix' Super Elfin Mix Impatiens | AN | 0.71 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Imperata cylindrica</i> Blood Grass | HP | 1.15 | G4 | | 7-8 | | | 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Imperata cylindrica</i> 'Red Baron' | HP | 1.26 | G4 | | 7-8 | | | 8 |
| Red Baron Blood Grass | | | | | | | | |
| <i>Incarvillea delavayi</i> | HP | 0.94 | G4 | 6 | 7-9B | | | 6 |
| Delavy Incarvillea | | | | | | | | |
| <i>Incarvillea mairei</i> var. <i>grandiflora</i> | HP | 1.00 | G4 | 4-6 | 7-10A | | | 4 |
| Bigflower Incarvillea | | | | | | | | |
| <i>Indigofera australis</i> | BS | 1.00 | G1 | | 10A-11 | | | 1.00 |
| No Common Name Found | | | | | | | | |
| <i>Indigofera decora</i> | BS | 1.19 | G1 | 6-8 | 9A-11 | | | 1.00 |
| No Common Name Found | | | | | | | | |
| <i>Indigofera incarnata</i> | | | | | | | | |
| See - <i>Indigofera decora</i> | | | | | | | | |
| <i>Indigofera kirilowii</i> | BS | 0.87 | G1 | 6-8 | 9A-11 | | | 1.00 |
| No Common Name Found | | | | | | | | |
| <i>Indocalamus tessellatus</i> | BS | 1.15 | G1 | 8 | 9A-10A | | | 1.00 |
| No Common Name Found | | | | | | | | |
| <i>Inula ensifolia</i> | HP | 1.05 | G4 | | 5-9A | | | 5 |
| Swordleaf Inula | | | | | | | | |
| <i>Inula helenium</i> | HP | 1.00 | G4 | | 5-9A | | | 5 |
| Elecampane | | | | | | | | |
| <i>Inula magnifica</i> | HP | 1.00 | G4 | | 6-9A | | | 6 |
| No Common Name Found | | | | | | | | |
| <i>Inula orientalis</i> | HP | 0.75 | G4 | | 6-9A | | | 6 |
| Caucasian Inula | | | | | | | | |
| <i>Inula orientalis</i> 'Grandiflora' | HP | 0.99 | G4 | | 6-9A | | | 6 |
| Grandiflora Caucasian Inula | | | | | | | | |
| <i>Iochroma coccinea</i> | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 |
| No Common Name Found | | | | | | | | |
| <i>Iochroma cyanea</i> | BS | 0.86 | G1 | 10A | 10B-11 | | | 1.00 |
| Violet Bush | | | | | | | | |
| <i>Iochroma fuchsoides</i> | BS | 0.81 | G2 | | 9A-11 | | | 1.00 |
| No Common Name Found | | | | | | | | |
| <i>Ipheion uniflorum</i> | HP | 1.00 | G4 | | 6-9A | | | 6 |
| Spring Starflower | | | | | | | | |
| <i>Ipheion uniflorum</i> 'Wisley Blue' | HP | 1.00 | G4 | | 6-9A | | | 6 |
| Wisley Blue Spring Starflower | | | | | | | | |
| <i>Ipomoea acuminata</i> | | | | | | | | |
| See - <i>Ipomoea indica</i> | | | | | | | | |
| <i>Ipomoea alba</i> | GC | 1.39 | G1 | 8-9 | 10A-11 | | | 1.00 |
| Moonflower | | | | | | | | |
| <i>Ipomoea arborescens</i> | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | | 1.00 |
| Casahuate Tree | | | | | | | | |
| <i>Ipomoea batatas</i> | GC | 1.35 | G1 | 9 | 10A-11 | | | 1.00 |
| Sweet Potato | | | | | | | | |
| <i>Ipomoea batatas</i> 'Blackie' | GC | 1.23 | G1 | 9 | 10A-11 | | | 1.00 |
| Blackie Sweet Potato | | | | | | | | |
| <i>Ipomoea batatas</i> 'Margarita' | GC | 1.25 | G1 | 9 | 10A-11 | | | 1.00 |
| Margarita Sweet Potato | | | | | | | | |
| <i>Ipomoea batatas</i> 'Tricolor' | GC | 1.23 | G1 | 9 | 10A-11 | | | 1.00 |
| Tricolor Sweet Potato | | | | | | | | |
| <i>Ipomoea carnea</i> | GC | 0.55 | G1 | 9 | 10A-11 | | | 1.00 |
| Mexican Morning Glory | | | | | | | | |
| <i>Ipomoea horsfalliae</i> | GC | 1.00 | G1 | 10A | 10B-11 | | | 1.00 |
| Perennial Morning Glory | | | | | | | | |
| <i>Ipomoea indica</i> | AN | 1.26 | G4 | 9A | 9B-11 | | | 9 |
| Blue Dawn Flower | | | | | | | | |
| <i>Ipomoea lobata</i> | GC | 1.09 | G4 | | 8-10A | | | 1.00 |
| Spanish Flag | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Ipomoea x multifida</i> Cardinal Climber | GC | 1.39 | G4 | | 8-10A | | 1.00 | 8 |
| <i>Ipomoea pes-caprae</i> Beach Morning Glory | GC | 0.73 | G1 | 9B | 10A-11 | | 1.00 | 9 |
| <i>Ipomoea quamoclit</i> Cypress Vine | GC | 1.22 | G4 | 8-9B | 10A-11 | | 1.00 | 8 |
| <i>Ipomopsis rubra</i> Standing Rocket Cypress | HP | 0.80 | G1 | 8 | 9A-10A | | | 8 |
| <i>Iresine herbstii</i> Beef Plant | FO | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Iriartea andicola</i> See - <i>Ceroxylon alpinum</i> | | | | | | | | |
| <i>Iris</i> Hybrid Iris | HP | 0.93 | G4 | | 7-9B | | | 2 |
| <i>Iris 'Allison Roderique'</i> Allison Roderique Tall Bearded Iris | HP | 6.63 | G4 | | 7-9B | | | 3 |
| <i>Iris 'Ann Chowning'</i> Ann Chowning Louisiana Hybrid Iris | HP | 0.97 | G4 | | 7-9B | | | 4 |
| <i>Iris 'Apricot Beauty'</i> Apricot Beauty Tall Bearded Iris | HP | 1.04 | G4 | | 7-9B | | | 3 |
| <i>Iris 'Autumn Bugler'</i> Autumn Bugler Tall Bearded Iris | HP | 1.36 | G4 | | 7-9B | | | 3 |
| <i>Iris 'Best Bet'</i> Best Bet Tall Bearded Iris | HP | 1.09 | G4 | | 7-9B | | | 3 |
| <i>Iris 'Beverly Sills'</i> Beverly Sills Tall Bearded Iris | HP | 1.04 | G4 | | 4-8 | | | 3 |
| <i>Iris 'Blue Petticoats'</i> Blue Petticoats Tall Bearded Iris | HP | 1.04 | G4 | | 7-9B | | | 3 |
| <i>Iris 'Champagne Elegance'</i> Champagne Elegance Tall Bearded Iris | HP | 1.09 | G4 | | 7-9B | | | 3 |
| <i>Iris 'Charade'</i> Charade Tall Bearded Iris | HP | 1.04 | G4 | | 7-9B | | | 3 |
| <i>Iris 'Cherry Cup'</i> Cherry Cup Louisiana Hybrid Iris | HP | 0.99 | G4 | | 7-9B | | | 4 |
| <i>Iris 'Clara Goula'</i> Clara Goula Louisiana Hybrid Iris | HP | 0.99 | G4 | | 7-9B | | | 4 |
| <i>Iris 'Cut Crystal'</i> Cut Crystal Tall Bearded Iris | HP | 1.04 | G4 | | 7-9B | | | 3 |
| <i>Iris 'Full Eclipse'</i> Full Eclipse Louisiana Hybrid Iris | HP | 0.98 | G4 | | 7-9B | | | 4 |
| <i>Iris 'Glowlight'</i> Glowlight Louisiana Hybrid Iris | HP | 0.99 | G4 | | 7-9B | | | 4 |
| <i>Iris 'Hello Darkness'</i> Hello Darkness Tall Bearded Iris | HP | 1.09 | G4 | | 7-9B | | | 3 |
| <i>Iris 'I Bless'</i> I Bless Tall Bearded Iris | HP | 1.36 | G4 | | 7-9B | | | 3 |
| <i>Iris 'Immortality'</i> Immortality Tall Bearded Iris | HP | 1.09 | G4 | | 7-9B | | | 3 |
| <i>Iris 'Jeri'</i> Jeri Louisiana Hybrid Iris | HP | 0.99 | G4 | | 7-9B | | | 4 |
| <i>Iris 'Kay Nelson'</i> Kay Nelson Louisiana Hybrid Iris | HP | 0.95 | G4 | | 7-9B | | | 4 |
| <i>Iris 'Lacy Snowflake'</i> Lacy Snowflake Tall Bearded Iris | HP | 0.95 | G4 | | 7-9B | | | 3 |
| <i>Iris 'Lola Comeaux'</i> Lola Comeaux Louisiana Hybrid Iris | HP | 0.93 | G4 | | 7-9B | | | 4 |
| <i>Iris 'Lynn Hantel'</i> Lynn Hantel Louisiana Hybrid Iris. | HP | 0.93 | G4 | | 7-9B | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Iris</i> 'Margaret Hunter' Margaret Hunter Louisiana Hybrid Iris | HP | 0.93 | G4 | | 7-9B | | | 4 |
| <i>Iris</i> 'May Magic' May Magic Tall Bearded Iris | HP | 1.04 | G4 | | 7-9B | | | 3 |
| <i>Iris</i> 'Mrs. Ira Nelson' Mrs. Ira Nelson Louisiana Hybrid Iris | HP | 0.97 | G4 | | 7-9B | | | 3 |
| <i>Iris</i> 'Night Deposit' Night Deposit Tall Bearded Iris | HP | 1.04 | G4 | | 7-9B | | | 3 |
| <i>Iris</i> 'Night Owl' Night Owl Tall Bearded Iris | HP | 1.04 | G4 | | 7-9B | | | 3 |
| <i>Iris</i> 'Pink Taffeta' Pink Taffeta Tall Bearded Iris | HP | 1.09 | G4 | | 7-9B | | | 3 |
| <i>Iris</i> 'Sinfonietta' Sinfonietta Louisiana Hybrid Iris | HP | 0.95 | G4 | | 7-9B | | | 3 |
| <i>Iris</i> 'Space Odyssey' Space Odyssey Tall Bearded Iris | HP | 1.04 | G4 | | 7-9B | | | 3 |
| <i>Iris</i> 'Summer Olympics' Summer Olympics Tall Bearded Iris | HP | 1.09 | G4 | | 7-9B | | | 3 |
| <i>Iris</i> 'Summer Promise' Summer Promise Tall Bearded Iris | HP | 1.38 | G4 | | 7-9B | | | 3 |
| <i>Iris</i> 'Sun Fury' Sun Fury Louisiana Hybrid Iris | HP | 0.95 | G4 | | 7-9B | | | 3 |
| <i>Iris</i> 'Superstition' Superstition Tall Bearded Iris | HP | 0.95 | G4 | | 7-9B | | | 3 |
| <i>Iris</i> 'Vermillion Queen' Vermillion Queen Louisiana Hybrid Iris | HP | 0.95 | G4 | | 7-9B | | | 4 |
| <i>Iris</i> 'Viette Bronze Red' Viette Bronze Red Tall Bearded Iris | HP | 1.04 | G4 | | 7-9B | | | 3 |
| <i>Iris chrysographes</i> Goldvein Iris | HP | 1.00 | G4 | | 7-9B | | | 3 |
| <i>Iris confusa</i> No Common Name Found | HP | 0.95 | G4 | | 7-9B | | | 8 |
| <i>Iris cristata</i> Crested Iris | HP | 1.37 | G4 | | 7-9B | | | 3 |
| <i>Iris cristata</i> 'Alba' White Crested Iris | HP | 1.47 | G4 | | 7-9B | | | 3 |
| <i>Iris cristata</i> 'Shenandoah Sky' Shenandoah Sky Crested Iris | HP | 1.54 | G4 | | 7-9B | | | 3 |
| <i>Iris darwasica</i> Darwasica Iris | HP | 1.00 | G4 | | 7-9B | | | 8 |
| <i>Iris douglasiana</i> Douglas Iris | HP | 0.95 | G4 | | 8-9B | | | 8 |
| <i>Iris douglasiana</i> 'Canyon Snow' Canyon Snow Douglas Iris | HP | 0.95 | G4 | | 8-9B | | | 8 |
| <i>Iris douglasiana</i> 'Goat Rock' Goat Rock Douglas Iris | HP | 0.95 | G4 | | 8-9B | | | 8 |
| <i>Iris douglasiana</i> 'Portuguese Beach' Portuguese Beach Douglas Iris | HP | 0.95 | G4 | | 8-9B | | | 8 |
| <i>Iris ensata</i> Japanese Iris | HP | 1.20 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Activity' Activity Japanese Iris | HP | 0.95 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Cry of Rejoice' Cry of Rejoice Japanese Iris | HP | 1.52 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Daisekke' Daisekke Japanese Iris | HP | 0.95 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Darling' Darling Japanese Iris | HP | 1.05 | G4 | | 8-9B | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Iris ensata</i> 'Emotion' Emotion Japanese Iris | HP | 0.95 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Favour' Favour Japanese Iris | HP | 1.05 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Favourite' Favourite Japanese Iris | HP | 0.95 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Gekkeikan' Gekkeikan Japanese Iris | HP | 1.03 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Gracieuse' Gracieuse Japanese Iris | HP | 1.16 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Innocence' Innocence Japanese Iris | HP | 1.26 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Iso-no-nami' Iso-no-nami Japanese Iris | HP | 1.16 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Kasumi-no-koromo' Kasumi-no-koromo Japanese Iris | HP | 0.95 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Moonlight Waves' Moonlight Waves Japanese Iris | HP | 0.95 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Murakumo' Murakumo Japanese Iris | HP | 1.00 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Oriental Eyes' Oriental Eyes Japanese Iris | HP | 1.27 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Pink Frost' Pink Frost Japanese Iris | HP | 0.95 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Pink Lady' Pink Lady Japanese Iris | HP | 1.08 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Royal Banner' Royal Banner Japanese Iris | HP | 1.03 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Ruby King' Ruby King Japanese Iris | HP | 1.18 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Shihoden' Shihoden Japanese Iris | HP | 0.95 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Variegata' Variegated Japanese Iris | HP | 1.47 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Velvety Queen' Velvety Queen Japanese Iris | HP | 2.27 | G4 | | 8-9B | | | 4 |
| <i>Iris ensata</i> 'Waka-Murasaki' Waka-Murasaki Japanese Iris | HP | 1.34 | G4 | | 8-9B | | | 4 |
| <i>Iris foetidissima</i> Gladwin Iris | HP | 1.00 | G4 | | 5-9A | | | 6 |
| <i>Iris germanica</i> Bearded Iris | HP | 1.13 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Angel Joy' Angel Joy Bearded Iris | HP | 1.17 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Babbling Brook' Babbling Brook Bearded Iris | HP | 0.94 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Blue Rhythm' Blue Rhythm Bearded Iris | HP | 1.17 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Blue Sapphire' Blue Sapphire Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Blue Staccato' Blue Staccato Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Bronze Charm' Bronze Charm Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Celestial Flame' Celestial Flame Bearded Iris | HP | 0.99 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'China Dragon' China Dragon Bearded Iris | HP | 0.99 | G4 | | 4-8 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Iris germanica</i> 'Cranberry Ice' Cranberry Ice Bearded Iris | HP | 0.89 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Depth of Field' Depth of Field Bearded Iris | HP | 0.95 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Gold Galore' Gold Galore Bearded Iris | HP | 1.04 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Golden Promenade' Golden Promenade Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Gypsy Eyes' Gypsy Eyes Dwarf Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Henry Shaw' Henry Shaw Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Matinata' Matinata Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Mica Maker' Mica Maker Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Music Maker' Music Maker Bearded Iris | HP | 1.17 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Nights of Gladness' Nights of Gladness Bearded Iris | HP | 0.99 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Olakala' Olakala Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Old Rose' Old Rose Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Pacific Panorama' Pacific Panorama Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Painted Pictures' Painted Pictures Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Party Girl' Party Girl Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Peking Summer' Peking Summer Bearded Iris | HP | 0.99 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Perfect Interlude' Perfect Interlude Bearded Iris | HP | 0.99 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Pink Horizon' Pink Horizon Bearded Iris | HP | 0.94 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Radiant Apogee' Radiant Apogee Bearded Iris | HP | 0.93 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Ringo' Ringo Bearded Iris | HP | 0.99 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Royal Touch' Royal Touch Bearded Iris | HP | 1.09 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Ruffled Ballet' Ruffled Ballet Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Sapphire Hills' Sapphire Hills Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Sheer Bliss' Sheer Bliss Bearded Iris | HP | 0.99 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Singing Angel' Singing Angel Dwarf Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Skating Party' Skating Party Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Spartan' Spartan Bearded Iris | HP | 0.94 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Stepping Out' Stepping Out Bearded Iris | HP | 0.99 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Study in Black' Study in Black Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Iris germanica</i> 'Sultan's Palace' Sultan's Palace Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Summer Sunshine' Summer Sunshine Bearded Iris | HP | 0.99 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Sunday Sunrise' Sunday Sunrise Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Sunday Sunshine' Sunday Sunshine Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Super Simon' Super Simon Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Surfing Sea' Surfing Sea Dwarf Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Van Gogh' Van Gogh Bearded Iris | HP | 0.99 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Victorian Lace' Victorian Lace Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Vitafire' Vitafire Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Watercolor' Watercolor Dwarf Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'Wenatchee Skies' Wenatchee Skies Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris germanica</i> 'White Frost' White Frost Bearded Iris | HP | 0.88 | G4 | | 4-8 | | | 3 |
| <i>Iris hexagona</i> Dixie Iris | HP | 0.60 | G4 | 8 | | 9A-10B | | 3 |
| <i>Iris innominata</i> No Common Name Found | HP | 1.00 | G4 | | | 8-9B | | 8 |
| <i>Iris japonica</i> Fringed Iris | HP | 0.97 | G4 | | | 7-9B | | 8 |
| <i>Iris japonica</i> 'Variegata' Variegated Fringed Iris | HP | 1.39 | G4 | | | 7-9B | | 8 |
| <i>Iris kaempferi</i> See - <i>Iris ensata</i> | | | | | | | | |
| <i>Iris laevigata</i> Rabbit-Ear Iris | HP | 1.23 | G4 | | | 7-9B | | 4 |
| <i>Iris macrospiphon</i> Pacific Coast Iris | HP | 0.95 | G4 | | | 8-9B | | 8 |
| <i>Iris nertschinskia</i> See - <i>Iris sanguinea</i> | | | | | | | | |
| <i>Iris pallida</i> Sweet Iris | HP | 1.73 | G4 | | | 5-8 | | 4 |
| <i>Iris pallida</i> 'Argentea Variegata' Argentea Variegata Sweet Iris | HP | 2.00 | G4 | | | 5-8 | | 4 |
| <i>Iris pallida</i> 'Aurea Variegata' Aurea Variegata Sweet Iris | HP | 1.73 | G4 | | | 5-8 | | 4 |
| <i>Iris pallida</i> var. <i>dalmatica</i> Dalmation Sweet Iris | HP | 0.95 | G4 | | | 5-8 | | 4 |
| <i>Iris pseudacorus</i> Yellow Flag Iris | HP | 1.05 | G4 | | | 5-8 | | 5 |
| <i>Iris pseudacorus</i> 'Alba' White Yellow Flag Iris | HP | 1.05 | G4 | | | 5-8 | | 5 |
| <i>Iris pseudacorus</i> 'Flore-pleno' Flore-pleno Yellow Flag Iris | HP | 1.35 | G4 | | | 5-8 | | 5 |
| <i>Iris pseudacorus</i> var. <i>variegatus</i> Variegated Yellow Flag Iris | HP | 1.47 | G4 | | | 5-8 | | 5 |
| <i>Iris pumila</i> Dwarf Bearded Iris | HP | 1.07 | G4 | | | 7-9B | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Iris pumila</i> 'Apple Blossom' Apple Blossom Dwarf Bearded Iris | HP | 1.09 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Banbury Ruffles' Banbury Ruffles Dwarf Bearded Iris | HP | 1.45 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Be Dazzled' Be Dazzled Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Beechfield' Beechfield Dwarf Bearded Iris | HP | 0.92 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Betsy Boo' Betsy Boo Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Boo' Boo Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Brassie' Brassie Dwarf Bearded Iris | HP | 1.08 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Bright White' Bright White Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Butterfly' Butterfly Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Cherry Garden' Cherry Garden Dwarf Bearded Iris | HP | 1.08 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Crispy' Crispy Dwarf Bearded Iris | HP | 1.00 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Cyanea' Cyanea Dwarf Bearded Iris | HP | 1.08 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Dark Blue' Dark Blue Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Elfin Queen' Elfin Queen Dwarf Bearded Iris | HP | 0.92 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Eyebright' Eyebright Dwarf Bearded Iris | HP | 1.09 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Lemon Puff' Lemon Puff Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Little Episode' Little Episode Dwarf Bearded Iris | HP | 1.09 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Little Imp' Little Imp Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Little Sapphire' Little Sapphire Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Little Villain' Little Villain Dwarf Bearded Iris | HP | 0.92 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Mahogany' Mahogany Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Mr. Roberts' Mr. Roberts Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Pixie Princess' Pixie Princess Dwarf Bearded Iris | HP | 1.09 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Royal Contrast' Royal Contrast Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Salem Yellow' Salem Yellow Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Sambo' Sambo Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Truly' Truly Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Twinkling Star' Twinkling Star Dwarf Bearded Iris | HP | 0.91 | G4 | | 7-9B | | | 3 |
| <i>Iris pumila</i> 'Vera Gay' Vera Gay Dwarf Bearded Iris | HP | 0.95 | G4 | | 7-9B | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Iris pumila</i> 'Verona' Verona Dwarf Bearded Iris | HP | 0.92 | G4 | | 7-9B | | | 3 |
| <i>Iris reticulata</i> Netted Iris | HP | 0.96 | G4 | | 7-9B | | | 5 |
| <i>Iris sanguinea</i> No Common Name Found | HP | 0.99 | G4 | | 7-9B | | | 3 |
| <i>Iris setosa</i> Alaskan Iris | HP | 1.00 | G4 | | 7-9B | | | 2 |
| <i>Iris setosa</i> 'Nana' Dwarf Alaskan Iris | HP | 1.11 | G4 | | 7-9B | | | 2 |
| <i>Iris sibirica</i> Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Alice Mae Cox' Alice Mae Cox Siberian Iris | HP | 1.03 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Anniversary' Anniversary Siberian Iris | HP | 1.05 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Augry' Augry Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Baby Sister' Baby Sister Siberian Iris | HP | 1.30 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Bennerup Blue' Bennerup Blue Siberian Iris | HP | 0.98 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Blue Burgee' Blue Burgee Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Blue King' Blue King Siberian Iris | HP | 1.02 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Blue Pennant' Blue Pennant Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Blue Wilson' Blue Wilson Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Butter and Sugar' Butter and Sugar Siberian Iris | HP | 1.09 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Caesar' Caesar Siberian Iris | HP | 1.01 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Caesar's Brother' Caesar's Brother Siberian Iris | HP | 0.99 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Chartreuse Bounty' Chartreuse Bounty Siberian Iris | HP | 0.95 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Chilled Wine' Chilled Wine Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Cleve Dodge' Cleve Dodge Siberian Iris | HP | 0.94 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Contrast in Styles' Contrast in Styles Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Dancing Nanou' Dancing Nanou Siberian Iris | HP | 1.03 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Dear Diane' Dear Diane Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Dewful' Dewful Siberian Iris | HP | 1.01 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Dreaming Spires' Dreaming Spires Siberian Iris | HP | 1.24 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Ego' Ego Siberian Iris | HP | 1.07 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Eric the Red' Eric the Red Siberian Iris | HP | 1.13 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Flight of Butterflies' Flight of Butterflies Siberian Iris | HP | 1.10 | G4 | | 4-10A | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Iris sibirica</i> 'Floating Island' Floating Island Siberian Iris | HP | 0.94 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Forrest McCord' Forrest McCord Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Fourfold White' Fourfold White Siberian Iris | HP | 1.16 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Gulls Wing' Gulls Wing Siberian Iris | HP | 0.99 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Happiness' Happiness Siberian Iris | HP | 1.11 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Heliotrope Bouquet' Heliotrope Bouquet Siberian Iris | HP | 0.99 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'High Standards' High Standards Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Illini Charm' Illini Charm Siberian Iris | HP | 1.00 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Indy' Indy Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Jewelled Crown' Jewelled Crown Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Lady Vanessa' Lady Vanessa Siberian Iris | HP | 1.07 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Lights of Paris' Lights of Paris Siberian Iris | HP | 0.98 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Little White' Little White Siberian Iris | HP | 1.02 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Navy Brass' Navy Brass Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Ongis' Ongis Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Orville Fay' Orville Fay Siberian Iris | HP | 1.21 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Ottawa' Ottawa Siberian Iris | HP | 1.10 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Painted Desert' Painted Desert Siberian Iris | HP | 1.05 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Papillon' Papillon Siberian Iris | HP | 1.15 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Pas de Deux' Pas de Deux Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Perry Blue' Perry Blue Siberian Iris | HP | 0.95 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Pink Haze' Pink Haze Siberian Iris | HP | 1.05 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Pirate Prince' Pirate Prince Siberian Iris | HP | 0.97 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Polly Dodge' Polly Dodge Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Ruffled Velvet' Ruffled Velvet Siberian Iris | HP | 1.13 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Showdon' Showdon Siberian Iris | HP | 1.04 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Silver Edge' Silver Edge Siberian Iris | HP | 1.07 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Sky Wings' Sky Wings Siberian Iris | HP | 1.18 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Snow Crest' Snow Crest Siberian Iris | HP | 1.01 | G4 | | 4-10A | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Iris sibirica</i> 'Snow Queen' Snow Queen Siberian Iris | HP | 1.06 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Sparkling Rose' Sparkling Rose Siberian Iris | HP | 1.13 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Steve Varner' Steve Varner Siberian Iris | HP | 1.09 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Sultan's Ruby' Sultan's Ruby Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Super Ego' Super Ego Siberian Iris | HP | 1.02 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Teal Velvet' Teal Velvet Siberian Iris | HP | 1.09 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Tealwood' Tealwood Siberian Iris | HP | 1.15 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Tycoon' Tycoon Siberian Iris | HP | 1.05 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Vi Luihn' Vi Luihn Siberian Iris | HP | 1.01 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Violet Swirls' Violet Swirls Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'White Sails' White Sails Siberian Iris | HP | 1.01 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'White Swirl' White Swirl Siberian Iris | HP | 1.02 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Windwood Serenade' Windwood Serenade Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Windwood Spring' Windwood Spring Siberian Iris | HP | 1.01 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Wizardry' Wizardry Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris sibirica</i> 'Yankee Consul' Yankee Consul Siberian Iris | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Iris tectorum</i> Roof Iris | HP | 1.30 | G4 | | 5-7 | | | 4 |
| <i>Iris tectorum</i> 'Alba' White Roof Iris | HP | 1.29 | G4 | | 5-7 | | | 4 |
| <i>Iris tenax</i> Oregon Iris | HP | 0.86 | G4 | | 8-9B | | | 8 |
| <i>Iris unguicularis</i> Winter Iris | HP | 1.00 | G4 | | 7-9B | | | 7 |
| <i>Iris uniflora</i> var. <i>carinata</i> Korean Iris | HP | 0.99 | G4 | | 7-9B | | | 8 |
| <i>Iris uniflora</i> var. <i>carinata</i> 'Kitagawa' Kitagawa Korean Iris | HP | 0.99 | G4 | | 7-9B | | | 8 |
| <i>Iris verna</i> Dwarf Iris | HP | 1.03 | G4 | | 7-9B | | | 6 |
| <i>Iris versicolor</i> Blue Flag Iris | HP | 1.11 | G4 | | 7-9B | | | 5 |
| <i>Iris virginica</i> Blue Flag | HP | 0.80 | G4 | 7-8 | 9A-10A | | | 8 |
| <i>Iris virginica</i> var. <i>shrevei</i> Wild Blue Virginia Iris | HP | 1.09 | G4 | 7-8 | 9A-10A | | | 8 |
| <i>Iris xiphium</i> Dutch Iris | HP | 1.00 | G4 | | 7-9B | | | 6 |
| <i>Isatis tinctoria</i> Dyers Woad | AN | 1.00 | G1 | 7 | 8-10A | | | 7 |
| <i>Isolepis cernua</i> Fiber Optics Grass | HP | 1.06 | G1 | 8 | 9A-10A | | | 8 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | High/Wide | | |
| <i>Isoplexis chalcantha</i> | BS | 0.94 | G2 | | 9A-10B | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Isopogon formosus</i> | HP | 0.95 | G2 | | 9A-10B | | | 9 |
| Rose Cone Flower | | | | | | | | |
| <i>Itea ilicifolia</i> | DS | 1.29 | G1 | 5-6 | 7-10B | | 1.00 | 7 |
| Hollyleaf Sweetspire | | | | | | | | |
| <i>Itea japonica</i> | BS | 1.00 | G1 | 5-6 | 7-10B | | 1.00 | 6 |
| Japanese Sweetspire | | | | | | | | |
| <i>Itea japonica 'Beppu'</i> | BS | 0.91 | G1 | 5-6 | 7-10B | | 1.00 | 6 |
| Beppu Japanese Sweetspire | | | | | | | | |
| <i>Itea virginica</i> | DS | 1.10 | G1 | 5-6 | 7-10B | | 0.60 | 5 |
| Virginia Sweetspire | | | | | | | | |
| <i>Itea virginica 'Henry's Garnet'</i> | DS | 1.09 | G1 | 5-6 | 7-10B | | 1.14 | 5 |
| Henry's Garnet Virginia Sweetspire | | | | | | | | |
| <i>Itea virginica 'Little Henry'</i> | | | | | | | | |
| See - <i>Itea virginica 'Sprich'</i> P.P. 10988 | | | | | | | | |
| <i>Itea virginica 'Sarah Eve'</i> | DS | 1.04 | G1 | 5-6 | 7-10B | | 0.60 | 5 |
| Sarah Eve Japanese Sweetspire | | | | | | | | |
| <i>Itea virginica 'Saturnalia'</i> | DS | 0.98 | G1 | 5-6 | 7-10B | | 0.60 | 5 |
| Saturnalia Virginia Sweetspire | | | | | | | | |
| <i>Itea virginica 'Sprich'</i> P.P. 10988 | DS | 0.99 | G1 | 5-6 | 7-10B | | 0.60 | 5 |
| Little Henry® Virginia Sweetspire | | | | | | | | |
| <i>Iva frutescens</i> | BS | 1.07 | G1 | 10A | 10B-11 | | 0.55 | 8 |
| Marsh Elder | | | | | | | | |
| <i>Ixia monadelpha</i> | HP | 1.00 | G4 | | 9A-11 | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Ixia paniculata</i> | HP | 1.00 | G4 | | 9A-11 | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Ixora</i> | BS | 0.53 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Ixora | | | | | | | | |
| <i>Ixora 'Carmen'</i> | BS | 0.38 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Carmen Ixora | | | | | | | | |
| <i>Ixora 'Florida Sunset'</i> | BS | 0.66 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Florida Sunset Ixora | | | | | | | | |
| <i>Ixora 'Frankie Hipp'</i> P.P. 9200 | BS | 0.65 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Frankie Hipp Ixora | | | | | | | | |
| <i>Ixora 'Maui'</i> | BS | 0.60 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Maui Ixora | | | | | | | | |
| <i>Ixora 'Nora Grant'</i> | BS | 0.99 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Nora Grant Ixora | | | | | | | | |
| <i>Ixora 'Petite Pink'</i> | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Petite Pink Ixora | | | | | | | | |
| <i>Ixora 'Petite Red'</i> | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Petite Red Ixora | | | | | | | | |
| <i>Ixora 'Petite Yellow'</i> | BS | 0.89 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Petite Yellow Ixora | | | | | | | | |
| <i>Ixora casei</i> | BS | 0.73 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Ixora chinensis</i> | BS | 0.63 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Chinese Ixora | | | | | | | | |
| <i>Ixora coccinea</i> | BS | 0.70 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Flame of the Woods | | | | | | | | |
| <i>Ixora javanica</i> | BS | 0.57 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Common Red Ixora | | | | | | | | |
| <i>Ixora longifolia</i> | BS | 1.08 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| See - <i>Ixora longifolia</i> | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Jacaranda acutifolia</i> | | | | | | | | |
| See - <i>Jacaranda mimosifolia</i> | | | | | | | | |
| <i>Jacaranda cuspidifolia</i> | DT | 1.00 | G1 | | 10A-11 | 1.00 | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Jacaranda mimosifolia</i> | DT | 0.82 | G1 | | 10A-11 | 1.00 | 1.30 | 9 |
| Mimosa-leaved Ebony | | | | | | | | |
| <i>Jacaranda mimosifolia 'Alba'</i> | DT | 0.82 | G1 | | 10A-11 | 1.00 | 1.30 | 9 |
| White Mimosa-leaved Ebony | | | | | | | | |
| <i>Jacquinia keyensis</i> | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Joewood | | | | | | | | |
| <i>Jasminum azoricum</i> | BS | 0.94 | G2 | | 9A-11 | | 1.00 | 9 |
| Azores Jasmine | | | | | | | | |
| <i>Jasminum beesianum</i> | DS | 1.08 | G1 | | 7-10B | | 1.00 | 7 |
| Bees Jasmine | | | | | | | | |
| <i>Jasminum floridum</i> | BS | 0.81 | G2 | | 9A-11 | | 0.66 | 9 |
| Showy Jasmine | | | | | | | | |
| <i>Jasminum humile</i> | GC | 0.70 | G2 | | 8-11 | | 1.00 | 8 |
| Italian Yellow Jasmine | | | | | | | | |
| <i>Jasminum illicifolium</i> | | | | | | | | |
| See - <i>Jasminum nitidum</i> | | | | | | | | |
| <i>Jasminum leratii</i> | BS | 0.94 | G2 | | 9A-11 | | 1.00 | 10 |
| Privet-leaved Jasmine | | | | | | | | |
| <i>Jasminum ligustrifolium</i> | | | | | | | | |
| See - <i>Jasminum leratii</i> | | | | | | | | |
| <i>Jasminum mesnyi</i> | BS | 0.72 | G1 | 9A | 9B-10B | | 1.00 | 8 |
| Japanese Jasmine | | | | | | | | |
| <i>Jasminum multiflorum</i> | BS | 0.55 | G1 | 9 | 10 | | 1.00 | 10B |
| Scented Star Jasmine | | | | | | | | |
| <i>Jasminum multipartitum</i> | BS | 1.00 | G2 | | 9A-11 | | 1.00 | 10B |
| African Jasmine | | | | | | | | |
| <i>Jasminum nitidum</i> | BS | 0.70 | G1 | 9A | 9B-10B | | 1.00 | 10B |
| Angel-Wing Jasmine | | | | | | | | |
| <i>Jasminum nudiflorum</i> | DS | 0.89 | G1 | 6 | 7-9B | | 1.00 | 6 |
| Winter Jasmine | | | | | | | | |
| <i>Jasminum officinale</i> | DS | 1.12 | G1 | | 7-10B | | 1.00 | 7 |
| Poet's Jasmine | | | | | | | | |
| <i>Jasminum parkeri</i> | BS | 2.56 | G1 | | 7-10B | | 1.00 | 7 |
| Parker Jasmine | | | | | | | | |
| <i>Jasminum polyanthum</i> | BS | 0.97 | G2 | | 8-11 | | 1.00 | 8 |
| Pink Jasmine | | | | | | | | |
| <i>Jasminum polyanthum 'Variegatum'</i> | BS | 1.07 | G2 | | 8-11 | | 1.00 | 8 |
| Variegated Pink Jasmine | | | | | | | | |
| <i>Jasminum primulinum</i> | | | | | | | | |
| See - <i>Jasminum mesnyi</i> | | | | | | | | |
| <i>Jasminum pubescens</i> | | | | | | | | |
| See - <i>Jasminum multiflorum</i> | | | | | | | | |
| <i>Jasminum sambac</i> | GC | 0.85 | G1 | | 10A-11 | | 1.00 | 9 |
| Arabian Jasmine | | | | | | | | |
| <i>Jasminum sambac 'Grand Duke of Tuscany'</i> | GC | 1.26 | G1 | | 10A-11 | | 1.00 | 9 |
| Grand Duke of Tuscany Arabian Jasmine | | | | | | | | |
| <i>Jasminum x stephanense</i> | GC | 1.27 | G1 | 7-8 | 9A-11 | | 1.00 | 7 |
| Stephan Jasmine | | | | | | | | |
| <i>Jasminum volubile</i> | GC | 0.63 | G1 | 9B | 10A-11 | | 1.00 | 10B |
| No Common Name Found | | | | | | | | |
| <i>Jatropha integerrima</i> | BS | 1.00 | G1 | 10A | 10B-11 | | 0.99 | 10 |
| Peregrina | | | | | | | | |
| <i>Jatropha integerrima 'Compacta'</i> | BS | 1.26 | G1 | 10A | 10B-11 | | 0.99 | 10 |
| Compact Peregrina | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Jatropha multifida</i> Coral Plant | BS | 0.94 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Jatropha pandurifolia</i> See - <i>Jatropha integerrima</i> | FO | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Jatropha podagraria</i> Gout Plant | HP | 1.07 | G1 | 5-8 | 9A-10A | | | 5 |
| <i>Jeffersonia diphylla</i> Twinleaf | FO | 5.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Johannesteijsmannia altifrons</i> No Common Name Found | BE | 1.00 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Jubaeopsis caffra</i> Caffra Palm | DT | 1.00 | G1 | | 4-8 | 0.89 | 0.23 | 4 |
| <i>Juglans cinerea</i> Butternut | DT | 0.76 | G1 | | 8-10A | 1.00 | 1.00 | 8 |
| <i>Juglans hindsii</i> Hinds Black Walnut | DT | 0.55 | G1 | | 4-8 | 0.87 | 0.30 | 4 |
| <i>Juglans nigra</i> Black Walnut | FN | 1.00 | G1 | | 5-8 | 1.67 | 1.66 | 5 |
| <i>Juglans regia</i> English Walnut | HP | 0.93 | G4 | | 5-8 | | | 4 |
| <i>Juncus effusus</i> Common Rush | HP | 0.83 | G4 | | 5-8 | | | 4 |
| <i>Juncus effusus</i> 'Carmen's Japanese' Carmen's Japanese Rush | HP | 1.34 | G4 | | 5-8 | | | 4 |
| <i>Juncus effusus</i> 'Spiralis' Corkscrew Rush | HP | 1.00 | G4 | | 7-10A | | | 9 |
| <i>Juncus patens</i> California Gray Rush | CS | 0.62 | G1 | | 3-10B | | 1.21 | 4 |
| <i>Juniperus chinensis</i> Chinese Juniper | CS | 0.86 | G1 | | 3-10B | | 0.85 | 4 |
| <i>Juniperus chinensis</i> 'Ames' Ames Juniper | CS | 0.85 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Angelica Blue' Angelica Blue Juniper | CS | 0.62 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Aquarius' See - <i>Juniperus chinensis</i> 'Aquazam' | CS | 0.62 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Aquazam' Aquarius® Juniper | CS | 0.62 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Arctic' Arctic Juniper | CS | 0.89 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Armstrongii' Armstrong Juniper | CS | 0.89 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Aurea' P.P. 2491 Gold Coast™ Juniper | CS | 0.89 | G1 | | 3-10B | | 0.57 | 4 |
| <i>Juniperus chinensis</i> 'Blaauw' Blaauw Juniper | CS | 0.81 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Blue Point' Blue Point Juniper | CS | 1.07 | G1 | | 3-10B | | 0.63 | 4 |
| <i>Juniperus chinensis</i> 'Blue Vase' Blue Vase Juniper | CS | 0.62 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Borlyn' P.P. 6149 Golden Glow™ Juniper | CS | 1.10 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Fairview' Fairview Juniper | CS | 1.15 | G1 | | 3-10B | | 0.76 | 4 |
| <i>Juniperus chinensis</i> 'Femina' Femina Juniper | CS | 1.25 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Fremontii' Fremont Juniper | CS | 0.62 | G1 | | 3-10B | | 0.52 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Juniperus chinensis</i> 'Fruitlandii' | CS | 0.82 | G1 | | 3-10B | | 0.62 | 4 |
| Fruitlandii Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Gold Coast' | | | | | | | | |
| See - <i>Juniperus chinensis</i> 'Aurea' P.P. 2491 | | | | | | | | |
| <i>Juniperus chinensis</i> 'Gold Lace' P.P. 8202 | CS | 1.18 | G1 | | 3-10B | | 0.52 | 4 |
| Gold Lace Chinese Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Gold Star' | CS | 1.01 | G1 | | 3-10B | | 0.59 | 4 |
| Gold Star Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Golden Glow' | | | | | | | | |
| See - <i>Juniperus chinensis</i> 'Borlyn' P.P. 6149 | | | | | | | | |
| <i>Juniperus chinensis</i> 'Hetzii Columnaris' | | | | | | | | |
| See - <i>Juniperus chinensis</i> 'Fairview' | | | | | | | | |
| <i>Juniperus chinensis</i> 'Hetzii Glauca' | CS | 0.94 | G1 | | 3-10B | | 0.55 | 4 |
| Hetzi Glauca Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Hetzii Viridis' | CS | 0.62 | G1 | | 3-10B | | 0.52 | 4 |
| Green Hetzi Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Hetzii' | CS | 1.02 | G1 | | 3-10B | | 0.52 | 4 |
| Hetzi Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Holbert' | CS | 0.87 | G1 | | 3-10B | | 0.52 | 4 |
| Holbert Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Hooks #6' | CS | 0.62 | G1 | | 3-10B | | 0.80 | 4 |
| Hooks #6 Upright Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Iowa' | CS | 0.62 | G1 | | 3-10B | | 0.73 | 4 |
| Iowa Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Kaizuka Variegated' | CS | 1.26 | G1 | | 3-10B | | 0.86 | 4 |
| Hollywood Variegated Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Kaizuka' | CS | 0.91 | G1 | | 3-10B | | 0.93 | 4 |
| Hollywood Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Keteleeri' | CS | 0.93 | G1 | | 3-10B | | 0.78 | 4 |
| Keteleeri Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Kuriwao Gold' | CS | 0.88 | G1 | | 3-10B | | 0.52 | 4 |
| Kuriwao Gold Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Lemon Hill' | CS | 2.73 | G1 | | 3-10B | | 0.52 | 4 |
| Lemon Hill Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Mac's Golden' | CS | 1.21 | G1 | | 3-10B | | 0.52 | 4 |
| Mac's Golden Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Maney' | CS | 0.97 | G1 | | 3-10B | | 0.68 | 4 |
| Maney Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Mint Julep' | | | | | | | | |
| See - <i>Juniperus chinensis</i> 'Monlep' | | | | | | | | |
| <i>Juniperus chinensis</i> 'Monlep' | CS | 0.98 | G1 | | 3-10B | | 0.56 | 4 |
| Mint Julep™ Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Mountbatten' | CS | 0.62 | G1 | | 3-10B | | 0.88 | 4 |
| Mountbatten Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'New Gold' | CS | 0.62 | G1 | | 3-10B | | 0.52 | 4 |
| New Gold Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Old Gold' | CS | 0.96 | G1 | | 3-10B | | 0.56 | 4 |
| Old Gold Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Oxford' | CS | 0.76 | G1 | | 3-10B | | 0.52 | 4 |
| Oxford Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Perfecta' | CS | 0.62 | G1 | | 3-10B | | 0.73 | 4 |
| Perfecta Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Pfitzerana Aurea' | CS | 1.02 | G1 | | 3-10B | | 0.57 | 4 |
| Gold Tip Pfitzer Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Pfitzerana Compacta Nicks' | CS | 0.86 | G1 | | 3-10B | | 0.56 | 4 |
| Nicks Compact Pfitzer Juniper | | | | | | | | |
| <i>Juniperus chinensis</i> 'Pfitzerana Compacta' | CS | 0.93 | G1 | | 3-10B | | 0.58 | 4 |
| Compact Pfitzer Juniper | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Juniperus chinensis</i> 'Pfitzerana Daub's Frosted' Daub's Frosted Pfitzer Juniper | CS | 2.02 | G1 | | 3-10B | | 2.10 | 4 |
| <i>Juniperus chinensis</i> 'Pfitzerana Glauca' Blue Pfitzer Juniper | CS | 0.82 | G1 | | 3-10B | | 0.53 | 4 |
| <i>Juniperus chinensis</i> 'Pfitzerana Kallay's Compacta' Kallay Compact Pfitzer Juniper | CS | 0.94 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Pfitzerana Klehm Compact' Klehm Compact Pfitzer Juniper | CS | 0.62 | G1 | | 3-10B | | 0.53 | 4 |
| <i>Juniperus chinensis</i> 'Pfitzerana Owens' Owens Compact Pfitzer Juniper | CS | 0.62 | G1 | | 3-10B | | 0.60 | 4 |
| <i>Juniperus chinensis</i> 'Pfitzerana Ozark' Ozark Compact Pfitzer Juniper | CS | 0.87 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Pfitzerana Stay Low' Stay Low Green Pfitzer Juniper | CS | 0.62 | G1 | | 3-10B | | 0.53 | 4 |
| <i>Juniperus chinensis</i> 'Pfitzerana' Pfitzer Juniper | CS | 0.80 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Plumosa Aurea' Plumosa Aurea Juniper | CS | 0.62 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Prostrata Variegated' Variegated Prostrate Juniper | CS | 0.84 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Pyramidalis' Pyramidal Chinese Juniper | CS | 0.62 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Ramsosa' Ramsosa Juniper | CS | 0.63 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Robusta Green' Robusta Green Juniper | CS | 1.05 | G1 | | 3-10B | | 0.94 | 4 |
| <i>Juniperus chinensis</i> 'Rockery Gem' Rockery Gem Juniper | CS | 0.62 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Rosefield' Rosefield Juniper | CS | 0.62 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'San Jose Variegata' San Jose Variegated Juniper | CS | 0.62 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'San Jose' San Jose Juniper | CS | 0.94 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Saybrook Gold' P.P. 5014 Saybrook Gold Juniper | CS | 1.26 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Sea Green' Sea Green Juniper | CS | 0.94 | G1 | | 3-10B | | 0.57 | 4 |
| <i>Juniperus chinensis</i> 'Sea Spray' Sea Spray Juniper | CS | 0.66 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Shimpaku' Shimpaku Juniper | CS | 1.99 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Spartan' Spartan Juniper | CS | 1.08 | G1 | | 3-10B | | 0.80 | 4 |
| <i>Juniperus chinensis</i> 'Spearmint' Spearmint Juniper | CS | 1.47 | G1 | | 3-10B | | 0.64 | 4 |
| <i>Juniperus chinensis</i> 'Sulphur Spray' Sulphur Spray Juniper | CS | 0.62 | G1 | | 3-10B | | 0.52 | 4 |
| <i>Juniperus chinensis</i> 'Torulosa' See - <i>Juniperus chinensis</i> 'Kaizuka' | CS | 0.62 | G1 | | 3-10B | | 0.91 | 4 |
| <i>Juniperus chinensis</i> 'Wintergreen' Wintergreen Juniper | CS | 0.62 | G1 | | 3-10B | | 0.41 | 2 |
| <i>Juniperus chinensis</i> var. <i>sargentii</i> See - <i>Juniperus sargentii</i> | CS | 0.82 | G1 | | 2-8 | | 0.32 | 2 |
| <i>Juniperus communis</i> Common Juniper | CS | 0.82 | G1 | | 2-8 | | | |
| <i>Juniperus communis</i> 'Aurea' Golden Common Juniper | CS | 0.82 | G1 | | 2-8 | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Juniperus communis</i> 'Berkshire' Berkshire Juniper | CS | 1.02 | G1 | | 2-8 | | 0.32 | 2 |
| <i>Juniperus communis</i> 'Compressa' Compressa Juniper | CS | 2.89 | G1 | | 2-8 | | 1.33 | 2 |
| <i>Juniperus communis</i> 'Depressa Aurea' Depressa Golden Common Juniper | CS | 0.87 | G1 | | 2-8 | | 0.44 | 2 |
| <i>Juniperus communis</i> 'Effusa' Effusa Common Juniper | CS | 0.83 | G1 | | 2-8 | | 0.32 | 2 |
| <i>Juniperus communis</i> 'Gold Cone' Gold Cone Juniper | CS | 1.80 | G1 | | 2-8 | | 1.18 | 2 |
| <i>Juniperus communis</i> 'Hibernica' Irish Common Juniper | CS | 0.94 | G1 | | 2-8 | | 0.32 | 2 |
| <i>Juniperus communis</i> 'Montana' Montana Common Juniper | CS | 0.90 | G1 | | 2-8 | | 0.76 | 2 |
| <i>Juniperus communis</i> 'Pencil Point' Pencil Point Common Juniper | CS | 0.82 | G1 | | 2-8 | | 0.32 | 2 |
| <i>Juniperus communis</i> 'Repanda' Repanda Common Juniper | CS | 1.08 | G1 | | 2-8 | | 0.32 | 2 |
| <i>Juniperus communis</i> 'Sentinel' Sentinel Common Juniper | CS | 1.77 | G1 | | 2-8 | | 0.32 | 2 |
| <i>Juniperus communis</i> 'Suecica' Swedish Juniper | CS | 0.82 | G1 | | 2-8 | | 1.47 | 2 |
| <i>Juniperus communis</i> ssp. <i>nana</i> Mountain Juniper | CS | 1.00 | G1 | | 2-8 | | 1.00 | 2 |
| <i>Juniperus conferta</i> Shore Juniper | CS | 0.88 | G1 | | 5-10B | | 0.47 | 5 |
| <i>Juniperus conferta</i> 'Blue Pacific' Blue Pacific Shore Juniper | CS | 0.85 | G1 | | 5-10B | | 0.54 | 5 |
| <i>Juniperus conferta</i> 'Compacta' Compact Shore Juniper | CS | 0.52 | G1 | | 5-10B | | 0.47 | 5 |
| <i>Juniperus conferta</i> 'Emerald Sea' Emerald Sea Shore Juniper | CS | 0.98 | G1 | | 5-10B | | 0.59 | 5 |
| <i>Juniperus conferta</i> 'Silver Mist' Silver Mist Shore Juniper | CS | 1.00 | G1 | | 5-10B | | 0.47 | 5 |
| <i>Juniperus davurica</i> Dahurian Juniper | CS | 0.76 | G1 | | 4-10B | | 0.58 | 3 |
| <i>Juniperus davurica</i> 'Expansa Aureospicata' Expansa Aureospicata Dahurian Juniper | CS | 0.76 | G1 | | 4-10B | | 0.58 | 3 |
| <i>Juniperus davurica</i> 'Expansa Variegata' Expansa Variegata Dahurian Juniper | CS | 0.76 | G1 | | 4-10B | | 0.58 | 3 |
| <i>Juniperus davurica</i> 'Expansa' Expansa Dahurian Juniper | CS | 0.79 | G1 | | 4-10B | | 0.58 | 3 |
| <i>Juniperus excelsa</i> Greek Juniper | CS | 0.75 | G1 | 7-8 | 9A-10A | | 0.50 | 6 |
| <i>Juniperus excelsa</i> 'Stricta' Spiny Greek Juniper | CS | 0.91 | G1 | 7-8 | 9A-10A | | 0.43 | 6 |
| <i>Juniperus formosana</i> Taiwan Juniper | CE | 1.00 | G1 | | 8-10B | 1.00 | 1.00 | 8 |
| <i>Juniperus horizontalis</i> Creeping Juniper | CS | 0.93 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Bar Harbor' Bar Harbor Juniper | CS | 0.94 | G1 | | 3-10B | | 0.63 | 4 |
| <i>Juniperus horizontalis</i> 'Blue Chip' Blue Chip Juniper | CS | 1.00 | G1 | | 3-10B | | 0.65 | 4 |
| <i>Juniperus horizontalis</i> 'Blue Horizon' Blue Horizon Juniper | CS | 0.77 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Blue Mat' Blue Mat Juniper | CS | 0.92 | G1 | | 3-10B | | 0.51 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Juniperus horizontalis</i> 'Bowdak' Prairie Elegance™ Juniper | CS | 0.98 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Douglasii' Douglas Creeping Juniper | CS | 0.77 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Emerald Isle' Emerald Isle Juniper | CS | 0.77 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Emerald Spreader' Emerald Spreader Creeping Juniper | CS | 0.77 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Glomerata' Glomerata Juniper | CS | 0.77 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Hughes' Hughes Juniper | CS | 0.91 | G1 | | 3-10B | | 0.56 | 4 |
| <i>Juniperus horizontalis</i> 'Icee Blue' See - <i>Juniperus horizontalis</i> 'Monber' P.P. 9639 | CS | 0.77 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Jade River' Jade River Juniper | CS | 0.77 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Jade Spreader' Jade Spreader Juniper | CS | 0.77 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Marcellus' Marcellus Juniper | CS | 0.77 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Monber' P.P. 9639 Icee Blue™ Juniper | CS | 1.09 | G1 | | 3-10B | | 0.61 | 4 |
| <i>Juniperus horizontalis</i> 'Monise' Turquoise Spreader™ Juniper | CS | 0.93 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Mother Lode' P.P. 5948 Mother Lode Juniper | CS | 1.61 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Plumosa Aunt Jemima' Aunt Jemima Andorra Juniper | CS | 0.77 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Plumosa Compacta Youngstown' Youngstown Andorra Compact Juniper | CS | 0.95 | G1 | | 3-10B | | 0.53 | 4 |
| <i>Juniperus horizontalis</i> 'Plumosa Compacta' Andorra Compact Juniper | CS | 0.88 | G1 | | 3-10B | | 0.56 | 4 |
| <i>Juniperus horizontalis</i> 'Plumosa Wilms' Wilms Andorra Juniper | CS | 0.77 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Plumosa' Andorra Juniper | CS | 0.94 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Prairie Elegance' See - <i>Juniperus horizontalis</i> 'Bowdak' | CS | 0.92 | G1 | | 3-10B | | 0.61 | 3 |
| <i>Juniperus horizontalis</i> 'Prince of Wales' Prince of Wales Juniper | CS | 0.77 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Turquoise Spreader' See - <i>Juniperus horizontalis</i> 'Monise' | CS | 0.77 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Two Medicine' Two Medicine Juniper | CS | 1.08 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Waukegan' Waukegan Juniper | CS | 0.92 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Webberi' Webber Juniper | CS | 0.90 | G1 | | 3-10B | | 0.58 | 4 |
| <i>Juniperus horizontalis</i> 'Wiltonii' Blue Rug Juniper | CS | 0.83 | G1 | | 3-10B | | 0.51 | 4 |
| <i>Juniperus horizontalis</i> 'Yukon Belle' Yukon Belle Juniper | CS | 1.30 | G1 | 7-8 | 9A-10B | 1.00 | 1.00 | 7 |
| <i>Juniperus monosperma</i> Cherrystone Juniper | CE | | | | | | | |
| <i>Juniperus morrisonicola</i> No Common Name Found | CS | | | | | | | |
| <i>Juniperus occidentalis</i> Sierra Juniper | CS | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|---------------------|-------------|---------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | |
| <i>Juniperus pingii</i> | | | | | | | |
| See - <i>Juniperus morrisonicola</i> | | | | | | | |
| <i>Juniperus procumbens</i> | CS | 0.84 | G1 | | 4-10B | | 1.09 4 |
| Japanese Rock Garden Juniper | | | | | | | |
| <i>Juniperus procumbens</i> 'Greenmound' | CS | 0.92 | G1 | | 4-10B | | 1.09 4 |
| Greenmound Japanese Rock Garden Juniper | | | | | | | |
| <i>Juniperus procumbens</i> 'Nana Hilli' | CS | 0.84 | G1 | | 4-10B | | 1.09 4 |
| Hills Dwarf Japanese Rock Garden Juniper | | | | | | | |
| <i>Juniperus procumbens</i> 'Nana' | CS | 0.95 | G1 | | 4-10B | | 1.09 4 |
| Dwarf Japanese Rock Garden Juniper | | | | | | | |
| <i>Juniperus procumbens</i> 'Variegata' | CS | 0.92 | G1 | | 4-10B | | 1.09 4 |
| Variegated Japanese Rock Garden Juniper | | | | | | | |
| <i>Juniperus recurva</i> var. <i>coxii</i> | CS | 1.00 | G1 | | 7-10B | | 1.00 7 |
| Cox Himalayan Juniper | | | | | | | |
| <i>Juniperus rigida</i> | CS | 1.45 | G1 | | 5-9A | | 1.20 5 |
| Needle Juniper | | | | | | | |
| <i>Juniperus rigida</i> 'Pendula' | CS | 1.45 | G1 | | 5-9A | | 1.20 5 |
| Weeping Needle Juniper | | | | | | | |
| <i>Juniperus sabina</i> | CS | 0.89 | G1 | | 3-7 | | 0.47 3 |
| Savin Juniper | | | | | | | |
| <i>Juniperus sabina</i> 'Arcadia' | CS | 0.90 | G1 | | 3-7 | | 0.47 3 |
| Arcadia Juniper | | | | | | | |
| <i>Juniperus sabina</i> 'Blue Danube' | CS | 0.79 | G1 | | 3-7 | | 0.47 3 |
| Blue Danube Arcadia Juniper | | | | | | | |
| <i>Juniperus sabina</i> 'Broadmoor' | CS | 0.83 | G1 | | 3-7 | | 0.62 3 |
| Broadmoor Juniper | | | | | | | |
| <i>Juniperus sabina</i> 'Buffalo' | CS | 0.92 | G1 | | 3-7 | | 0.47 3 |
| Buffalo Juniper | | | | | | | |
| <i>Juniperus sabina</i> 'Calgary Carpet' | | | | | | | |
| See - <i>Juniperus sabina</i> 'Monna' | CS | 0.96 | G1 | | 3-7 | | 0.47 3 |
| <i>Juniperus sabina</i> 'Cupressifolia' | CS | 0.96 | G1 | | 3-7 | | 0.47 3 |
| Cupressifolia Juniper | | | | | | | |
| <i>Juniperus sabina</i> 'Mini Arcade' | CS | 0.92 | G1 | | 3-7 | | 0.47 3 |
| Mini Arcade Juniper | | | | | | | |
| <i>Juniperus sabina</i> 'Monard' P.P. 6656 | CS | 1.06 | G1 | | 3-7 | | 0.47 3 |
| Moor-Dense™ Juniper | | | | | | | |
| <i>Juniperus sabina</i> 'Monna' | CS | 0.91 | G1 | | 3-7 | | 0.53 3 |
| Calgary Carpet™ Juniper | | | | | | | |
| <i>Juniperus sabina</i> 'Moor-Dense' | | | | | | | |
| See - <i>Juniperus sabina</i> 'Monard' P.P. 6656 | CS | 0.93 | G1 | | 3-7 | | 0.47 3 |
| <i>Juniperus sabina</i> 'Pepin' | CS | 0.93 | G1 | | 3-7 | | 0.47 3 |
| Pepin Juniper | | | | | | | |
| <i>Juniperus sabina</i> 'Sierra Spreader' | CS | 1.02 | G1 | | 3-7 | | 0.47 3 |
| Sierra Spreader Juniper | | | | | | | |
| <i>Juniperus sabina</i> 'Skandia' | CS | 0.99 | G1 | | 3-7 | | 0.47 3 |
| Skandia Juniper | | | | | | | |
| <i>Juniperus sabina</i> 'Tamariscifolia New Blue' | CS | 0.89 | G1 | | 3-7 | | 0.59 3 |
| Tam New Blue Savin Juniper | | | | | | | |
| <i>Juniperus sabina</i> 'Tamariscifolia' | CS | 0.90 | G1 | | 3-7 | | 0.53 3 |
| Tam Juniper | | | | | | | |
| <i>Juniperus sabina</i> 'Von Ehren' | CS | 0.79 | G1 | | 3-7 | | 0.47 3 |
| Von Ehren Savin Juniper | | | | | | | |
| <i>Juniperus sargentii</i> | CS | 0.88 | G1 | | 3-10B | | 0.58 4 |
| Sargent Juniper | | | | | | | |
| <i>Juniperus sargentii</i> 'Compacta' | CS | 0.88 | G1 | | 3-10B | | 0.56 4 |
| Compact Sargent Juniper | | | | | | | |
| <i>Juniperus sargentii</i> 'Glaucia' | CS | 0.98 | G1 | | 3-10B | | 0.56 4 |
| Blue Sargent Juniper | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Juniperus sargentii</i> 'Viridis' Green Sargent Juniper | CS | 0.92 | G1 | | 3-10B | | 0.60 | 4 |
| <i>Juniperus scopulorum</i> Rocky Mountain Juniper | CS | 0.98 | G1 | | 3-9A | | 0.95 | 3 |
| <i>Juniperus scopulorum</i> 'Admiral' Admiral Juniper | CS | 0.78 | G1 | | 3-9A | | 0.78 | 3 |
| <i>Juniperus scopulorum</i> 'Blue Creeper' See - <i>Juniperus scopulorum</i> 'Monam' P.P. 5084 | CS | 1.23 | G1 | | 3-9A | | 0.75 | 3 |
| <i>Juniperus scopulorum</i> 'Blue Heaven' Blue Heaven Juniper | CS | 0.78 | G1 | | 3-9A | | 0.76 | 3 |
| <i>Juniperus scopulorum</i> 'Blue Trails' Blue Trails Juniper | CS | 1.30 | G1 | | 3-9A | | 0.78 | 3 |
| <i>Juniperus scopulorum</i> 'Cologreen' Cologreen Juniper | CS | 0.78 | G1 | | 3-9A | | 0.52 | 3 |
| <i>Juniperus scopulorum</i> 'Cupressifolia Erecta' Cupressifolia Erecta Juniper | CS | 0.78 | G1 | | 3-9A | | 0.52 | 3 |
| <i>Juniperus scopulorum</i> 'Erecta Glauca' Erecta Glauca Juniper | CS | 0.78 | G1 | | 3-9A | | 0.52 | 3 |
| <i>Juniperus scopulorum</i> 'Gray Gleam' Gray Gleam Juniper | CS | 1.31 | G1 | | 3-9A | | 0.81 | 3 |
| <i>Juniperus scopulorum</i> 'Green Ice' See - <i>Juniperus scopulorum</i> 'Monwade' | CS | 1.44 | G1 | | 3-9A | | 0.81 | 3 |
| <i>Juniperus scopulorum</i> 'Medora' Medora Juniper | CS | 1.02 | G1 | | 3-9A | | 0.52 | 3 |
| <i>Juniperus scopulorum</i> 'Monam' P.P. 5084 Blue Creeper™ Juniper | CS | 1.47 | G1 | | 3-9A | | 0.55 | 3 |
| <i>Juniperus scopulorum</i> 'Monwade' Green Ice™ Juniper | CS | 1.05 | G1 | | 3-9A | | 0.75 | 3 |
| <i>Juniperus scopulorum</i> 'Moonglow' Moonglow Juniper | CS | 1.08 | G1 | | 3-9A | | 0.78 | 3 |
| <i>Juniperus scopulorum</i> 'Pathfinder' Pathfinder Juniper | CS | 0.98 | G1 | | 3-9A | | 0.78 | 3 |
| <i>Juniperus scopulorum</i> 'Skyrocket' Skyrocket Juniper | CS | 0.78 | G1 | | 3-9A | | 0.71 | 3 |
| <i>Juniperus scopulorum</i> 'Sutherland' Sutherland Juniper | CS | 0.96 | G1 | | 3-9A | | 0.52 | 3 |
| <i>Juniperus scopulorum</i> 'Table Top' Table Top Rocky Mountain Juniper | CS | 0.90 | G1 | | 3-9A | | 0.52 | 3 |
| <i>Juniperus scopulorum</i> 'Tabletop' Tabletop Blue Juniper | CS | 2.29 | G1 | | 3-9A | | 1.08 | 3 |
| <i>Juniperus scopulorum</i> 'Tolleson's Blue Weeping' Tolleson's Blue Weeping Juniper | CS | 0.97 | G1 | | 3-9A | | 0.84 | 3 |
| <i>Juniperus scopulorum</i> 'Tolleson's Green Weeping' Tolleson's Green Weeping Juniper | CS | 0.95 | G1 | | 3-9A | | 0.78 | 3 |
| <i>Juniperus scopulorum</i> 'Welchii' Welch Juniper | CS | 1.25 | G1 | | 3-9A | | 0.79 | 3 |
| <i>Juniperus scopulorum</i> 'Wichita Blue' Wichita Blue Juniper | CE | 0.49 | G1 | | 8-10B | 1.00 | 0.88 | 8 |
| <i>Juniperus scopulorum</i> 'Winter Blue' Winter Blue Juniper | CE | 0.78 | G1 | | 8-10B | 1.00 | 0.88 | 8 |
| <i>Juniperus silicicola</i> Southern Red Cedar | CS | 0.93 | G1 | | 4-8 | | 0.40 | 4 |
| <i>Juniperus silicicola</i> 'Brodie' Brodie Southern Red Cedar | CS | 1.25 | G1 | | 4-8 | | 0.40 | 4 |
| <i>Juniperus squamata</i> Flaky Juniper | CE | | | | | | | |
| <i>Juniperus squamata</i> 'Blue Alps' Blue Alps Juniper | CE | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Juniperus squamata</i> 'Blue Carpet' Blue Carpet Juniper | CS | 1.05 | G1 | | 4-8 | | | 0.90 4 |
| <i>Juniperus squamata</i> 'Blue Star' Blue Star Juniper | CS | 1.22 | G1 | | 4-8 | | | 1.29 4 |
| <i>Juniperus squamata</i> 'Holger' Holger Juniper | CS | 1.20 | G1 | | 4-8 | | | 0.40 4 |
| <i>Juniperus squamata</i> 'Loderi' Loderi Juniper | CS | 0.93 | G1 | | 4-8 | | | 0.40 4 |
| <i>Juniperus squamata</i> 'Meyeri' Meyeri Juniper | CS | 0.93 | G1 | | 4-8 | | | 0.40 4 |
| <i>Juniperus squamata</i> 'Parsonii' See - <i>Juniperus davurica</i> 'Expansa' | CS | 1.10 | G1 | | 4-8 | | | 1.33 4 |
| <i>Juniperus squamata</i> 'Prostrata' Prostrata Juniper | CS | 2.04 | G1 | | 4-8 | | | 0.40 4 |
| <i>Juniperus squamata</i> 'Rigida Pendula' Rigida Pendula Juniper | CE | 0.71 | G1 | | 2-9B | 1.77 | 0.70 | 3 |
| <i>Juniperus virginiana</i> Eastern Red Cedar | CS | 1.04 | G1 | | 2-9B | | | 0.57 3 |
| <i>Juniperus virginiana</i> 'Blue Arrow' Blue Arrow Red Cedar | CS | 0.72 | G1 | | 2-9B | | | 0.57 3 |
| <i>Juniperus virginiana</i> 'Blue Mountain' Blue Mountain Red Cedar | CS | 0.97 | G1 | | 2-9B | | | 0.71 3 |
| <i>Juniperus virginiana</i> 'Burkii' Burki Red Cedar | CS | 0.96 | G1 | | 2-9B | | | 0.71 3 |
| <i>Juniperus virginiana</i> 'Canaertii' Canaerti Red Cedar | CS | 0.99 | G1 | | 2-9B | | | 1.07 3 |
| <i>Juniperus virginiana</i> 'Corcoror' P.P. 5041 Emerald Sentinel™ Red Cedar | CS | 0.72 | G1 | | 2-9B | | | 0.72 3 |
| <i>Juniperus virginiana</i> 'Cupressifolia' See - <i>Juniperus virginiana</i> 'Hillspire' | CS | 0.83 | G1 | | 2-9B | | | 0.66 3 |
| <i>Juniperus virginiana</i> 'Dundee' Dundee Red Cedar | CS | 0.72 | G1 | | 2-9B | | | 0.57 3 |
| <i>Juniperus virginiana</i> 'Emerald Sentinel' See - <i>Juniperus virginiana</i> 'Corcoror' P.P. 5041 | CS | 0.72 | G1 | | 2-9B | | | 0.57 3 |
| <i>Juniperus virginiana</i> 'Glauca' Glauca Red Cedar | CS | 0.83 | G1 | | 2-9B | | | 0.76 3 |
| <i>Juniperus virginiana</i> 'Grey Owl' Grey Owl Red Cedar | CS | 0.72 | G1 | | 2-9B | | | 0.57 3 |
| <i>Juniperus virginiana</i> 'Hillii' Hillii Red Cedar | CS | 1.32 | G1 | | 2-9B | | | 0.57 3 |
| <i>Juniperus virginiana</i> 'Hillspire' Hillspire Red Cedar | CS | 1.37 | G1 | | 2-9B | | | 0.89 3 |
| <i>Juniperus virginiana</i> 'Idyllwild' Idyllwild Juniper | CS | 1.16 | G1 | | 2-9B | | | 0.57 3 |
| <i>Juniperus virginiana</i> 'Manhattan Blue' Manhattan Blue Red Cedar | CS | 0.81 | G1 | | 2-9B | | | 0.57 3 |
| <i>Juniperus virginiana</i> 'Mona' Silver Spreader™ Red Cedar | CS | 0.72 | G1 | | 2-9B | | | 0.57 3 |
| <i>Juniperus virginiana</i> 'O'Connor' O'Connor Blue Red Cedar | CS | 0.72 | G1 | | 2-9B | | | 0.57 3 |
| <i>Juniperus virginiana</i> 'Pendula' Weeping Red Cedar | CS | 0.72 | G1 | | 2-9B | | | 0.57 3 |
| <i>Juniperus virginiana</i> 'Silver Spreader' See - <i>Juniperus virginiana</i> 'Mona' | BS | 1.08 | G1 | | 10A-11 | | | 1.00 9 |
| <i>Justicia aurea</i> No Common Name Found | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Justicia brandegeana</i> Shrimp Plant | BS | 0.71 | G4 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Justicia californica</i> Chuparosa Honeysuckle | BS | 0.71 | G4 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Justicia carnea</i> Brazilian Plume Plant | BS | 0.70 | G4 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Justicia carnea</i> 'Alba' White Brazilian Plume Plant | BS | 0.73 | G4 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Justicia cydoniifolia</i> Brazilian Bower Plant | BS | 1.00 | G4 | 9B-10A | 10B-11 | | 1.00 | 9 |
| <i>Justicia flava</i> No Common Name Found | BS | 0.76 | G4 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Justicia fulvicoma</i> No Common Name Found | BS | 1.00 | G4 | 8-9B | 10A-11 | | 1.00 | 9 |
| <i>Justicia leonardii</i> No Common Name Found | BS | 0.77 | G2 | 8 | 9A-10B | | 1.00 | 9 |
| <i>Justicia spicigera</i> Mohintli | BS | 0.73 | G4 | 10A | 10B-11 | | 1.00 | 10B |
| <i>Kadsura japonica</i> Scarlet Kadsura | GC | 1.38 | G1 | 7-8 | 9A | | 1.00 | 7 |
| <i>Kadsura japonica</i> 'Fukurin' Fukurin Scarlet Kadsura | GC | 1.38 | G1 | 7-8 | 9A | | 1.00 | 7 |
| <i>Kaempferia atrovirens</i> Peacock Plant | HP | 1.38 | G3 | 9 | 10A-11 | | | 9 |
| <i>Kaempferia elegans</i> No Common Name Found | HP | 1.22 | G3 | 9 | 10A-11 | | | 9 |
| <i>Kaempferia galanga</i> No Common Name Found | HP | 1.00 | G3 | 9 | 10A-11 | | | 9 |
| <i>Kaempferia gilbertii</i> Variegated Ginger Lily | HP | 1.38 | G3 | 9 | 10A-11 | | | 9 |
| <i>Kaempferia gilbertii</i> '3-D' 3-D Variegated Ginger Lily | HP | 1.38 | G3 | 9 | 10A-11 | | | 9 |
| <i>Kaempferia masonii</i> See - <i>Kaempferia pulchra</i> | HP | | | | | | | |
| <i>Kaempferia pulchra</i> Pretty Resurrection Lily | HP | 1.32 | G3 | 9 | 10A-11 | | | 9 |
| <i>Kaempferia pulchra</i> 'Bronze Peacock' Bronze Peacock Resurrection Lily | HP | 1.21 | G3 | 9 | 10A-11 | | | 9 |
| <i>Kaempferia pulchra</i> 'Mansonii' Manson Resurrection Lily | HP | 1.11 | G3 | 9 | 10A-11 | | | 9 |
| <i>Kaempferia pulchra</i> 'Silver Spot' Silver Spot Resurrection Lily | HP | 1.11 | G3 | 9 | 10A-11 | | | 9 |
| <i>Kaempferia roscooeana</i> Peacock Lily | HP | 1.81 | G3 | 9 | 10A-11 | | | 9 |
| <i>Kaempferia rotunda</i> Resurrection Lily | HP | 1.59 | G3 | 9 | 10A-11 | | | 9 |
| <i>Kalanchoe beharensis</i> Feltbush | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Kalanchoe delagonensis</i> Chandelier Plant | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Kalanchoe fedtschenkoi</i> South American Air Plant | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Kalanchoe pinnata</i> Air Plant | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10B |
| <i>Kalanchoe pumila</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Kalanchoe thyrsiflora</i> No Common Name Found | FO | 0.73 | G3 | 8-10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Kalanchoe tomentosa</i> Pussy-Ears | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Kalanchoe tubiflora</i> See - <i>Kalanchoe delagonensis</i> | | | | | | | | |
| <i>Kalimeris incisa</i> No Common Name Found | HP | 1.26 | G1 | 7-8 | 9A-10B | | | 4 |
| <i>Kalimeris pinnatifida</i> Japanese Aster | HP | 1.04 | G1 | 7-8 | 9A-10B | | | 6 |
| <i>Kalmia angustifolia</i> Sheep Laurel | BS | 1.50 | G1 | | 2-9B | | 1.00 | 2 |
| <i>Kalmia latifolia</i> Mountain Laurel | BS | 1.57 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Alpine Pink' Alpine Pink Mountain Laurel | BS | 1.32 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Bay State' Bay State Mountain Laurel | BS | 1.37 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Bullseye' Bullseye Mountain Laurel | BS | 1.39 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Candy' Candy Mountain Laurel | BS | 1.38 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Carol' Carol Mountain Laurel | BS | 1.37 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Carousel' Carousel Mountain Laurel | BS | 1.49 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Elf' Elf Mountain Laurel | BS | 1.44 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Freckles' Freckles Mountain Laurel | BS | 1.46 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Fresca' Fresca Mountain Laurel | BS | 1.24 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Heart of Fire' Heart of Fire Mountain Laurel | BS | 1.48 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Hearts Desire' Hearts Desire Mountain Laurel | BS | 1.29 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Kaleidoscope' Kaleidoscope Mountain Laurel | BS | 1.49 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Little Linda' Little Linda Mountain Laurel | BS | 1.47 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Minuet' Minuet Mountain Laurel | BS | 1.45 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Nathan Hale' Nathan Hale Mountain Laurel | BS | 1.66 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Nipmuck' Nipmuck Mountain Laurel | BS | 1.41 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Olympic Fire' Olympic Fire Mountain Laurel | BS | 1.43 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Olympic Wedding' Olympic Wedding Mountain Laurel | BS | 1.37 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Ostbo Red' Ostbo Red Mountain Laurel | BS | 1.41 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Pink Charm' Pink Charm Mountain Laurel | BS | 1.42 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Pink Frost' Pink Frost Mountain Laurel | BS | 1.24 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Pink Star' Pink Star Mountain Laurel | BS | 1.24 | G1 | | 4-9B | | 1.01 | 4 |
| <i>Kalmia latifolia</i> 'Pink Surprise' Pink Surprise Mountain Laurel | BS | 1.52 | G1 | | 4-9B | | 1.01 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Kalmia latifolia</i> 'Pink Woodland' Pink Woodland Mountain Laurel | BS | 1.24 | G1 | | 4-9B | | | 1.01 4 |
| <i>Kalmia latifolia</i> 'Pinwheel' Pinwheel Mountain Laurel | BS | 1.48 | G1 | | 4-9B | | | 1.01 4 |
| <i>Kalmia latifolia</i> 'Pristine' Pristine Mountain Laurel | BS | 1.25 | G1 | | 4-9B | | | 1.01 4 |
| <i>Kalmia latifolia</i> 'Raspberry Glow' Raspberry Glow Mountain Laurel | BS | 1.56 | G1 | | 4-9B | | | 1.01 4 |
| <i>Kalmia latifolia</i> 'Richard Jaynes' Richard Jaynes Mountain Laurel | BS | 1.52 | G1 | | 4-9B | | | 1.01 4 |
| <i>Kalmia latifolia</i> 'Sarah' Sarah Mountain Laurel | BS | 1.36 | G1 | | 4-9B | | | 1.01 4 |
| <i>Kalmia latifolia</i> 'Shooting Star' Shooting Star Mountain Laurel | BS | 1.37 | G1 | | 4-9B | | | 1.01 4 |
| <i>Kalmia latifolia</i> 'Silver Dollar' Silver Dollar Mountain Laurel | BS | 1.24 | G1 | | 4-9B | | | 1.01 4 |
| <i>Kalmia latifolia</i> 'Snowdrift' Snowdrift Mountain Laurel | BS | 1.48 | G1 | | 4-9B | | | 1.01 4 |
| <i>Kalmia latifolia</i> 'Star Cluster' Star Cluster Mountain Laurel | BS | 1.37 | G1 | | 4-9B | | | 1.01 4 |
| <i>Kalmia latifolia</i> 'Tiddlywinks' Tiddlywinks Mountain Laurel | BS | 1.38 | G1 | | 4-9B | | | 1.01 4 |
| <i>Kalmia latifolia</i> 'Tinkerbell' Tinkerbell Mountain Laurel | BS | 1.65 | G1 | | 4-9B | | | 1.01 4 |
| <i>Kalmia latifolia</i> 'Weston Redbud' Weston Redbud Mountain Laurel | BS | 1.37 | G1 | | 4-9B | | | 1.01 4 |
| <i>Kalmia latifolia</i> 'Yankee Doodle' Yankee Doodle Mountain Laurel | BS | 1.47 | G1 | | 4-9B | | | 1.01 4 |
| <i>Kalmia microphylla</i> See - <i>Kalmia polifolia</i> var. <i>microphylla</i> | | | | | | | | |
| <i>Kalmia polifolia</i> Bog Kalmia | BS | 0.89 | G1 | | 2-9B | | | 1.00 2 |
| <i>Kalmia polifolia</i> var. <i>microphylla</i> Western Laurel | BS | 1.00 | G1 | | 2-9B | | | 1.00 2 |
| <i>Kalmiopsis leachiana</i> Leach Kalmiopsis | BS | 1.00 | G1 | 7 | 8-10A | | | 1.00 7 |
| <i>Kalopanax pictus</i> See - <i>Kalopanax septemlobus</i> | | | | | | | | |
| <i>Kalopanax septemlobus</i> Castor-alia | BE | 1.00 | G1 | 5-8 | 9A-10A | 1.00 | 1.00 | 5 |
| <i>Kennedia nigricans</i> Black Coral Pea | GC | 1.09 | G2 | | 10A-11 | | | 1.00 10 |
| <i>Kennedia rubicunda</i> Dusky Coral Pea | GC | 1.09 | G2 | | 10A-11 | | | 1.00 10 |
| <i>Kenttiopsis oliviformis</i> No Common Name Found | BE | 5.37 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Kerria japonica</i> Japanese Kerria | DS | 0.99 | G1 | | 4-9B | | | 0.46 4 |
| <i>Kerria japonica</i> 'Aureo-variegata' Variegated Japanese Kerria | DS | 1.22 | G1 | | 4-9B | | | 0.46 4 |
| <i>Kerria japonica</i> 'Golden Guinea' Golden Guinea Japanese Kerria | DS | 1.10 | G1 | | 4-9B | | | 0.46 4 |
| <i>Kerria japonica</i> 'Picta' Picta Japanese Kerria | DS | 1.08 | G1 | | 4-9B | | | 0.46 4 |
| <i>Kerria japonica</i> 'Pleniflora' Double Japanese Kerria | DS | 1.05 | G1 | | 4-9B | | | 0.46 4 |
| <i>Kerria japonica</i> 'Shannon' Shannon Japanese Kerria | DS | 1.00 | G1 | | 4-9B | | | 0.46 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Kerriodoxa elegans</i> No Common Name Found | FO | 2.22 | G3 | 10A | 10B-11 | | | 10 |
| <i>Kigelia pinnata</i> Sausage Tree | BE | 0.94 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Kirengeshoma koreana</i> Korean Yellow Waxbells | HP | 1.37 | G1 | 5-8 | 9A-10A | | | 5 |
| <i>Kirengeshoma palmata</i> Yellow Waxbells | HP | 1.29 | G1 | 5-8 | 9A-10A | | | 5 |
| <i>Knautia arvensis</i> Blue Buttons | HP | 1.00 | G1 | | 6-9B | | | 6 |
| <i>Knautia macedonica</i> No Common Name Found | HP | 1.02 | G1 | | 6-9B | | | 6 |
| <i>Kniphofia</i> Poker Plant | HP | 0.85 | G4 | | 8-10B | | | 7 |
| <i>Kniphofia 'Alcazar'</i> Alcazar Poker Plant | HP | 1.02 | G4 | | 8-10B | | | 7 |
| <i>Kniphofia 'Amsterdam'</i> Amsterdam Poker Plant | HP | 1.26 | G4 | | 8-10B | | | 7 |
| <i>Kniphofia 'Border Ballet'</i> Border Ballet Poker Plant | HP | 1.00 | G4 | | 8-10B | | | 7 |
| <i>Kniphofia 'Little Maid'</i> Little Maid Poker Plant | HP | 1.04 | G4 | | 8-10B | | | 7 |
| <i>Kniphofia 'Pfitzeri'</i> Pfitzer Poker Plant | HP | 0.90 | G4 | | 8-10B | | | 7 |
| <i>Kniphofia 'Primrose Beauty'</i> Primrose Beauty Poker Plant | HP | 0.85 | G4 | | 8-10B | | | 7 |
| <i>Kniphofia 'Rosea Superba'</i> Rosea Superba Poker Plant | HP | 0.85 | G4 | | 8-10B | | | 7 |
| <i>Kniphofia 'Royal Castle'</i> Royal Castle Poker Plant | HP | 0.85 | G4 | | 8-10B | | | 7 |
| <i>Kniphofia 'Royal Standard'</i> Royal Standard Poker Plant | HP | 1.02 | G4 | | 8-10B | | | 7 |
| <i>Kniphofia 'Shining Sceptre'</i> Shining Sceptre Poker Plant | HP | 0.99 | G4 | | 8-10B | | | 7 |
| <i>Kniphofia 'Springtime'</i> Springtime Poker Plant | HP | 0.94 | G4 | | 8-10B | | | 7 |
| <i>Kniphofia 'White Fairy'</i> White Fairy Poker Plant | HP | 0.85 | G4 | | 8-10B | | | 7 |
| <i>Kniphofia galpinii</i> Galpin Torch Lily | HP | 0.82 | G4 | | 7-10B | | | 7 |
| <i>Kniphofia uvaria</i> Poker Plant | HP | 0.83 | G4 | 5-9B | 10A | | | 5 |
| <i>Koeleria argentea</i> Silver Hair Grass | HP | 1.09 | G4 | | 6-8 | | | 6 |
| <i>Koeleria cristata</i> June Grass | HP | 1.12 | G4 | | 6-8 | | | 2 |
| <i>Koeleria glauca</i> Large Blue Hair Grass | HP | 1.00 | G4 | | 6-8 | | | 4 |
| <i>Koeleria pyramidata</i> Crested Hair Grass | HP | 1.00 | G4 | | 2-8 | | | 2 |
| <i>Koelreuteria bipinnata</i> Bipinnata Goldenrain Tree | DT | 0.83 | G1 | | 10A-11 | 1.02 | 0.50 | 8 |
| <i>Koelreuteria elegans</i> Flamegold | DT | 0.89 | G1 | | 9A-11 | 1.18 | 1.10 | 9 |
| <i>Koelreuteria formosana</i> See - <i>Koelreuteria elegans</i> | DT | 0.83 | G1 | | 5-10A | 1.02 | 0.66 | 6 |
| <i>Koelreuteria paniculata</i> Panicle Goldenrain Tree | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Koelreuteria paniculata</i> 'Fastigiata' Columnar Goldenrain Tree | DT | 0.83 | G1 | | 5-10A | 1.02 | 0.66 | 6 |
| <i>Koelreuteria paniculata</i> 'September' September Goldenrain Tree | DT | 0.83 | G1 | | 5-10A | 1.02 | 0.66 | 6 |
| <i>Kolkwitzia amabilis</i> Beautybush | DS | 1.01 | G1 | | 4-8 | | 0.84 | 4 |
| <i>Kolkwitzia amabilis</i> 'Pink Cloud' Pink Cloud Beautybush | DS | 1.00 | G1 | | 4-8 | | 0.73 | 4 |
| <i>Kosteletzkyia virginica</i> Seashore Mallow | HP | 0.91 | G1 | 10A | 10B-11 | | | 10 |
| <i>Krigia biflora</i> False Dandelion | HP | 1.00 | G1 | 4-7 | 8-10A | | | 5 |
| <i>Krugiodendron ferreum</i> Black Ironwood | BE | 1.04 | G1 | 10A | 10B-11 | 1.00 | 1.11 | 10B |
| <i>Kuhnia eupatorioides</i> var. <i>corymbulosa</i> False Boneset | HP | 1.00 | G1 | 10A | 10B-11 | | | 4 |
| <i>Lablab purpureus</i> Hyacinth Bean | GC | 1.17 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| x <i>Laburnocytisus adami</i> No Common Name Found | DS | 1.01 | G1 | 5-7 | 8-10A | | 1.00 | 9 |
| <i>Laburnum alpinum</i> Scotch Goldenchain | DT | 1.00 | G1 | | 5-10A | 1.00 | 1.00 | 5 |
| <i>Laburnum anagyroides</i> Common Laburnum | DT | 0.91 | G1 | | 5-10A | 1.16 | 1.00 | 5 |
| <i>Laburnum anagyroides</i> 'Pendulum' Weeping Goldenchain | DT | 1.15 | G1 | | 5-10A | 1.16 | 1.00 | 5 |
| <i>Laburnum x waterei</i> Goldenchain | DT | 1.00 | G1 | | 5-6 | 1.22 | 0.25 | 6 |
| <i>Laburnum x waterei</i> 'Vossii' Voss Goldenchain | DT | 0.99 | G1 | | 5-6 | 0.76 | 0.25 | 6 |
| <i>Laccospadix australasica</i> Atherton Tableland Palm | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Lachenalia aloides</i> Cape Cowslip | HP | 1.00 | G4 | | 9A-11 | | | 9 |
| <i>Lachenalia aloides</i> 'Pearsonii' Pearson Cape Cowslip | HP | 1.00 | G4 | | 9A-11 | | | 9 |
| <i>Lachenalia bulbifera</i> No Common Name Found | HP | 1.00 | G4 | | 9A-11 | | | 9 |
| <i>Lachenalia mutabilis</i> No Common Name Found | HP | 1.00 | G4 | | 9A-11 | | | 9 |
| <i>Lachenalia pendula</i> See - <i>Lachenalia bulbifera</i> | | | | | | | | |
| <i>Lacospadix australasica</i> Atherton Palm | BE | 1.33 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Laelia anceps</i> Amalia Orchid | FO | 2.03 | G1 | 10A | 10B-11 | | | 10 |
| <i>Laelia anceps</i> 'Veitchiana' Veitchiana Amalia Orchid | FO | 2.03 | G1 | 10A | 10B-11 | | | 10 |
| <i>Laelia perrinii</i> No Common Name Found | FO | 2.44 | G1 | 10A | 10B-11 | | | 10 |
| x <i>Laeliocattleya</i> Laeliocattleya Hybrid Orchid | FO | 1.19 | G1 | 10A | 10B-11 | | | 10 |
| <i>Lagerstroemia</i> Hybrid Crape Myrtle | DT | 0.49 | G2 | 7-8 | 9A-10B | 1.38 | 1.05 | 7 |
| <i>Lagerstroemia</i> 'Choctaw' Choctaw Hybrid Crape Myrtle | DT | 0.58 | G2 | 7-8 | 9A-10B | 1.38 | 1.05 | 7 |
| <i>Lagerstroemia</i> 'Heavenly Blue' Heavenly Blue Crape Myrtle | DT | 0.76 | G2 | 7-8 | 9A-10B | 1.38 | 1.05 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Lagerstroemia</i> 'Muskogee' | DT | 0.76 | G2 | 7-8 | 9A-10B | 1.46 | 1.15 | 7 |
| Muskogee Hybrid Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> 'Natchez' | DT | 0.75 | G2 | 7-8 | 9A-10B | 1.38 | 1.05 | 7 |
| Natchez Hybrid Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> 'Pecos' | DT | 0.66 | G2 | 7-8 | 9A-10B | 1.38 | 1.05 | 7 |
| Pecos Hybrid Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> 'Tonto' | DT | 0.65 | G2 | 7-8 | 9A-10B | 1.38 | 1.05 | 7 |
| Tonto Hybrid Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> 'Velma's Royal Delight' | DT | 0.49 | G2 | 7-8 | 9A-10B | 1.38 | 1.05 | 7 |
| Velma's Royal Delight Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> 'Zuni' | DT | 0.55 | G2 | 7-8 | 9A-10B | 1.38 | 1.42 | 7 |
| Zuni Hybrid Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>fauriei</i> | DT | 0.76 | G1 | 7-8 | 9A-11 | 1.00 | 1.03 | 7 |
| Fauriei Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>fauriei</i> 'Fantasy' | DT | 0.76 | G1 | 7-8 | 9A-11 | 1.00 | 1.03 | 7 |
| Fantasy Fauriei Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> | DT | 0.58 | G2 | 7-8 | 9A-10B | 1.00 | 0.80 | 7 |
| Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> '06/marie' P.P. 4182 | DT | 0.67 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Bourbon Street Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Acoma' | DT | 0.62 | G2 | 7-8 | 9A-10B | 1.00 | 1.53 | 7 |
| Acoma Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Alba' | DT | 0.65 | G2 | 7-8 | 9A-10B | 1.00 | 0.74 | 7 |
| White Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Apalachee' | DT | 0.46 | G2 | 7-8 | 9A-10B | 1.00 | 0.82 | 7 |
| Apalachee Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Basham's Party Pink' | DT | 0.72 | G2 | 7-8 | 9A-10B | 1.00 | 0.99 | 7 |
| Basham's Party Pink Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Baton Rouge' | | | | | | | | |
| See - <i>Lagerstroemia</i> <i>indica</i> 'Beverly' P.P. 4183 | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Beverly' P.P. 4183 | DT | 0.71 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Baton Rouge Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Biloxi' | DT | 0.60 | G2 | 7-8 | 9A-10B | 1.00 | 1.13 | 7 |
| Biloxi Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Bourbon Street' | | | | | | | | |
| See - <i>Lagerstroemia</i> <i>indica</i> '06/marie' P.P. 4182 | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Byers Wonderful White' | DT | 0.50 | G2 | 7-8 | 9A-10B | 1.00 | 0.93 | 7 |
| Byers Wonderful White Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Candycane' | DT | 0.53 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Candycane Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Carolina Beauty' | DT | 0.63 | G2 | 7-8 | 9A-10B | 1.00 | 1.21 | 7 |
| Carolina Beauty Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Catawba' | DT | 0.65 | G2 | 7-8 | 9A-10B | 1.00 | 1.59 | 7 |
| Catawba Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Centennial Spirit' P.P. 6383 | DT | 0.57 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Centennial Spirit Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Centennial' | DT | 0.76 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Centennial Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Cherokee' | DT | 0.55 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Cherokee Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Chica Pink' | | | | | | | | |
| See - <i>Lagerstroemia</i> <i>indica</i> 'Monink' P.P. 8599 | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Chica Red' | | | | | | | | |
| See - <i>Lagerstroemia</i> <i>indica</i> 'Monred' P.P. 8600 | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Chickasaw' | DT | 0.71 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Chickasaw Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia</i> <i>indica</i> 'Comanche' | DT | 0.69 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Comanche Crape Myrtle | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Lagerstroemia indica</i> 'Cordon Bleu' | | | | | | | | |
| See - <i>Lagerstroemia indica</i> 'Louisa' P.P. 4256 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Country Red' | DT | 0.56 | G2 | 7-8 | 9A-10B | 1.00 | 1.09 | 7 |
| Country Red Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Dallas Red' | DT | 0.76 | G2 | 7-8 | 9A-10B | 1.00 | 0.94 | 7 |
| Dallas Red Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Delta Blush' | | | | | | | | |
| See - <i>Lagerstroemia indica</i> 'Pink Blush' P.P. 4186 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Dynamite' | | | | | | | | |
| See - <i>Lagerstroemia indica</i> 'Whit II' P.P. 10296 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Fire Cracker' | DT | 0.46 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Fire Cracker Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Glendora White' | DT | 0.65 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Glendora White Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Hardy White' | DT | 0.57 | G2 | 7-8 | 9A-10B | 1.00 | 0.83 | 7 |
| Hardy White Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Hopi' | DT | 0.50 | G2 | 7-8 | 9A-10B | 1.00 | 1.17 | 7 |
| Hopi Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Houston' P.P.A.F. | DT | 0.55 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Houston Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Lipan' | DT | 0.47 | G2 | 7-8 | 9A-10B | 1.00 | 1.42 | 7 |
| Lipan Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Little Chief' | DS | 0.68 | G2 | 7-8 | 9A-10B | | 0.55 | 7 |
| Little Chief Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Louisa' P.P. 4256 | DT | 0.46 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Cordon Bleu Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Majestic Orchid' | | | | | | | | |
| See - <i>Lagerstroemia indica</i> 'Monia' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Mandi' | DT | 0.71 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Mandi Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Miami' | DT | 0.62 | G2 | 7-8 | 9A-10B | 1.00 | 1.24 | 7 |
| Miami Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Moners' | DS | 0.95 | G2 | 7-8 | 9A-10B | | 0.55 | 7 |
| Petite Embers™ Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Monhid' | DS | 0.95 | G2 | 7-8 | 9A-10B | | 0.55 | 7 |
| Petite Orchid™ Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Monia' | DT | 0.61 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Majestic Orchid™ Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Monimp' | DS | 0.90 | G2 | 7-8 | 9A-10B | | 0.55 | 7 |
| Petite Red Imp™ Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Monink' P.P. 8599 | DT | 0.58 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Chica™ Pink Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Monkie' | DS | 1.00 | G2 | 7-8 | 9A-10B | | 0.55 | 7 |
| Petite Pinkie™ Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Monow' | DS | 0.96 | G2 | 7-8 | 9A-10B | | 0.55 | 7 |
| Petite Snow™ Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Monred' P.P. 8600 | DT | 0.58 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| Chica™ Red Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Monum' | DS | 0.96 | G2 | 7-8 | 9A-10B | | 0.55 | 7 |
| Petite Plum™ Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Nana' | DS | 1.04 | G2 | 7-8 | 9A-10B | | 0.68 | 7 |
| Peppermint Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Near East' | DT | 0.57 | G2 | 7-8 | 9A-10B | 1.00 | 1.16 | 7 |
| Near East Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'New Orleans' | | | | | | | | |
| See - <i>Lagerstroemia indica</i> 'Passion' P.P. 4184 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Osage' | DT | 0.62 | G2 | 7-8 | 9A-10B | 1.00 | 1.00 | 7 |
| Osage Crape Myrtle | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Lagerstroemia indica</i> 'Ozark Spring' Ozark Spring Crape Myrtle | DT | 0.58 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'Passion' P.P. 4184 New Orleans Crape Myrtle | DT | 0.86 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'Peppermint Lace' P.P. 3169 Peppermint Lace Crape Myrtle | DT | 0.62 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'Petite Embers' See - <i>Lagerstroemia indica</i> 'Moners' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Petite Orchid' See - <i>Lagerstroemia indica</i> 'Monhid' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Petite Pinkie' See - <i>Lagerstroemia indica</i> 'Monkie' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Petite Plum' See - <i>Lagerstroemia indica</i> 'Monum' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Petite Red Imp' See - <i>Lagerstroemia indica</i> 'Monimp' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Petite Snow' See - <i>Lagerstroemia indica</i> 'Monow' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Pink Blush' P.P. 4186 Delta Blush Crape Myrtle | DT | 0.67 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'Pink Lace' Pink Lace Crape Myrtle | DT | 0.52 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'Pink Ruffles' Pink Ruffles Crape Myrtle | DT | 0.62 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'Pixie White' Pixie White Crape Myrtle | DT | 0.57 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'Potomac' Potomac Crape Myrtle | DT | 0.63 | G2 | 7-8 | 9A-10B | 1.00 | 1.02 | 7 |
| <i>Lagerstroemia indica</i> 'Powhatan' Powhatan Crape Myrtle | DT | 0.65 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'Prairie Lace' Prairie Lace Crape Myrtle | DT | 0.58 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'Purple' Purple Crape Myrtle | DT | 0.63 | G2 | 7-8 | 9A-10B | 1.00 | 0.95 | 7 |
| <i>Lagerstroemia indica</i> 'Regal Red' Regal Red Crape Myrtle | DT | 0.59 | G2 | 7-8 | 9A-10B | 1.00 | 0.89 | 7 |
| <i>Lagerstroemia indica</i> 'Rosea' Pink Crape Myrtle | DT | 0.53 | G2 | 7-8 | 9A-10B | 1.00 | 1.30 | 7 |
| <i>Lagerstroemia indica</i> 'Royal Velvet' See - <i>Lagerstroemia indica</i> 'Whit III' P.P. 10319 | DT | 0.58 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'Royalty' Royalty Crape Myrtle | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Rubra Compacta' Red Compact Crape Myrtle | DS | 0.68 | G2 | 7-8 | 9A-10B | | 0.55 | 7 |
| <i>Lagerstroemia indica</i> 'Rubra' Red Crape Myrtle | DT | 0.53 | G2 | 7-8 | 9A-10B | 1.00 | 0.76 | 7 |
| <i>Lagerstroemia indica</i> 'Seminole' Seminole Crape Myrtle | DT | 0.63 | G2 | 7-8 | 9A-10B | 1.00 | 1.57 | 7 |
| <i>Lagerstroemia indica</i> 'Sioux' Sioux Crape Myrtle | DT | 0.74 | G2 | 7-8 | 9A-10B | 1.00 | 0.94 | 7 |
| <i>Lagerstroemia indica</i> 'Tuscarora' Tuscaroraa Crape Myrtle | DT | 0.73 | G2 | 7-8 | 9A-10B | 1.00 | 1.17 | 7 |
| <i>Lagerstroemia indica</i> 'Tuskegee' Tuskegee Crape Myrtle | DT | 0.66 | G2 | 7-8 | 9A-10B | 1.00 | 1.13 | 7 |
| <i>Lagerstroemia indica</i> 'Twilight' Twilight Crape Myrtle | DT | 0.72 | G2 | 7-8 | 9A-10B | 1.00 | 0.94 | 7 |
| <i>Lagerstroemia indica</i> 'Victor' Victor Crape Myrtle | DT | 0.63 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Lagerstroemia indica</i> 'Watermelon Red' Watermelon Red Crape Myrtle | DT | 0.59 | G2 | 7-8 | 9A-10B | 1.00 | 1.13 | 7 |
| <i>Lagerstroemia indica</i> 'Whit I' P.P. 10297 Raspberry Sundae™ Crape Myrtle | DT | 0.56 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'Whit II' P.P. 10296 Dynamite™ Crape Myrtle | DT | 0.51 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'Whit III' P.P. 10319 Royal Velvet™ Crape Myrtle | DT | 0.56 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'William Toovey' William Toovey Crape Myrtle | DT | 0.73 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'World's Fair' P.P. 5283 World's Fair Crape Myrtle | DT | 0.66 | G2 | 7-8 | 9A-10B | 1.00 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'Yuma' Yuma Crape Myrtle | DT | 0.49 | G2 | 7-8 | 9A-10B | 1.00 | 0.82 | 7 |
| <i>Lagerstroemia speciosa</i> Queen's Crape Myrtle | BE | 1.29 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Lagerstroemia indica</i> 'Raspberry Sundae' See - <i>Lagerstroemia indica</i> 'Whit I' P.P. 10297 | BE | 1.00 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Lagunaria patersonii</i> Paterson Sugar Plum Tree | | | | | | | | |
| <i>Lamiastrum galeobdolon</i> See - <i>Lamium galeobdolon</i> | | | | | | | | |
| <i>Lamium galeobdolon</i> Yellow Archangel | HP | 0.94 | G4 | | 6-9A | | | 6 |
| <i>Lamium galeobdolon</i> 'Florentinum' Florentinum Yellow Archangel | HP | 0.64 | G4 | | 6-9A | | | 6 |
| <i>Lamium galeobdolon</i> 'Herman's Pride' Herman's Pride Yellow Archangel | HP | 0.91 | G4 | | 6-9A | | | 6 |
| <i>Lamium galeobdolon</i> 'Silver Carpet' Silver Carpet Yellow Archangel | HP | 1.01 | G4 | | 6-9A | | | 6 |
| <i>Lamium galeobdolon</i> 'Silver Spangled' Silver Spangled Yellow Archangel | HP | 0.99 | G4 | | 6-9A | | | 6 |
| <i>Lamium galeobdolon</i> 'Variegatum' Variegated Yellow Archangel | HP | 0.85 | G4 | | 6-9A | | | 6 |
| <i>Lamium maculatum</i> Spotted Nettle | GC | 1.38 | G4 | | 4-9A | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Alba' White Spotted Nettle | GC | 1.41 | G4 | | 4-9A | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Aureum' Yellow-Leaved Spotted Nettle | GC | 1.45 | G4 | | 4-9A | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Beacon Silver' Beacon Silver Spotted Nettle | GC | 1.10 | G4 | | 4-9A | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Beedham's White' Beedham's White Spotted Nettle | HP | 1.02 | G4 | | 4-9A | | | 4 |
| <i>Lamium maculatum</i> 'Chequers' Chequers Spotted Nettle | GC | 1.45 | G4 | | 4-9A | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Pink Pewter' Pink Pewter Spotted Nettle | GC | 1.41 | G4 | | 4-9A | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Red Nancy' Red Nancy Spotted Nettle | GC | 1.52 | G4 | | 4-9A | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Shell Pink' Shell Pink Spotted Nettle | GC | 1.40 | G4 | | 4-9A | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'White Nancy' White Nancy Spotted Nettle | GC | 1.10 | G4 | | 4-9A | | 1.00 | 4 |
| <i>Lampranthus deltoides</i> No Common Name Found | HP | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Lantana</i> Hybrid Lantana | BS | 0.68 | G1 | 9B | 10A-11 | | 1.00 | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Lantana</i> 'Confetti' P.P. 1478 Confetti Lantana | BS | 0.68 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana</i> 'Cream Carpet' P.P. 1841 Cream Carpet Lantana | BS | 0.68 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana</i> 'Lady Olivia' Lady Olivia Lantana | BS | 0.89 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana</i> 'Mone' Tangerine™ Lantana | BS | 0.84 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana</i> 'Monine' Spreading Sunshine™ Lantana | GC | 1.30 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana</i> 'Orange Crush' Orange Crush Lantana | BS | 0.89 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana</i> 'Patriot Cherry' P.P.A.F. Patriot Cherry Lantana | BS | 0.86 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana</i> 'Patriot Desert Sunset' Patriot Desert Sunset Lantana | BS | 0.82 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana</i> 'Patriot Firewagon' Patriot Firewagon Lantana | BS | 0.82 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana</i> 'Patriot Rainbow' P.P.A.F. Patriot Rainbow Lantana | BS | 0.89 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana</i> 'Spreading Sunset' P.P. 1477 Spreading Sunset Lantana | GC | 1.05 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana</i> 'Spreading Sunshine' See - <i>Lantana</i> 'Monine' | BS | 1.01 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana</i> 'Sunburst' P.P. 1842 Sunburst Lantana | BS | | | | | | | |
| <i>Lantana</i> 'Tangerine' See - <i>Lantana</i> 'Mone' | BS | 0.82 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> Common Lantana | BS | 0.79 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'American Red' American Red Lantana | BS | 1.18 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Bronze' Bronze Lantana | BS | 0.65 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Carnival' Carnival Lantana | BS | 0.65 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Christine' Christine Lantana | BS | 0.69 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Dallas Red' Dallas Red Lantana | BS | 0.69 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Dennholm White' Dennholm White Lantana | BS | 1.18 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Dwarf Pink' Dwarf Pink Lantana | BS | 0.65 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Dwarf White' Dwarf White Lantana | BS | 0.79 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Dwarf Yellow' Dwarf Yellow Lantana | BS | 0.69 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Gold Mound' Gold Mound Lantana | BS | 0.93 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Gold Rush' See - <i>Lantana camara</i> 'Monol' | BS | 0.65 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Golden Glow' Golden Glow Lantana | BS | 0.72 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Irene' Irene Lantana | BS | 0.65 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Kathleen' Kathleen Lantana | BS | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Lantana camara</i> 'Lemon Drop' Lemon Drop Lantana | BS | 1.04 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Lemon Swirl' See - <i>Lantana camara</i> 'Variegata' | BS | 0.79 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Monol' Gold Rush™ Lantana | BS | 0.96 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Ms. Huff' Ms. Huff Lantana | BS | 0.86 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'New Gold' New Gold Lantana | BS | 0.90 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Pink Caprice' Pink Caprice Lantana | BS | 0.89 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Pink Lace' Pink Lace Lantana | BS | 0.83 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Radiation' Radiation Lantana | BS | 0.93 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Samantha' Samantha Lantana | BS | 0.93 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Silver Mound' Silver Mound Lantana | BS | 0.77 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Upright Yellow' Upright Yellow Lantana | BS | 0.79 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana camara</i> 'Variegata' Lemon Swirl™ Lantana | BS | 0.76 | G1 | 9B | 10A-11 | | 1.00 | 7 |
| <i>Lantana horrida</i> Texas Lantana | GC | 0.74 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana montevidensis</i> Trailing Sellowiana Lantana | GC | 1.10 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana montevidensis</i> 'Lavender Swirl' See - <i>Lantana montevidensis</i> 'Monswee' P.P. 7626 | GC | 0.89 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana montevidensis</i> 'Monma' White Lightnin'™ Trailing Lantana | GC | 0.67 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana montevidensis</i> 'Monswee' P.P. 7626 Lavender Swirl™ Trailing Lantana | GC | 1.06 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana montevidensis</i> 'Trailing Orange' Trailing Orange Lantana | GC | 0.67 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana montevidensis</i> 'Trailing White' Trailing White Lantana | GC | 0.67 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana montevidensis</i> 'Trailing Yellow' Trailing Yellow Lantana | GC | 1.38 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Lantana montevidensis</i> 'White Lightnin' See - <i>Lantana montevidensis</i> 'Monma' | GC | 1.00 | G4 | | 9A-10A | | 1.00 | 9 |
| <i>Lantana sellowiana</i> See - <i>Lantana montevidensis</i> | CE | 0.72 | G1 | | 2-6 | 1.46 | 0.84 | 3 |
| <i>Lapageria rosea</i> Chilean Bellflower | CE | 1.38 | G1 | | 2-6 | 1.39 | 1.12 | 3 |
| <i>Larix decidua</i> European Larch | CE | 2.29 | G1 | | 2-7 | 1.00 | 1.00 | 1 |
| <i>Larix decidua</i> 'Pendula' Weeping European Larch | CE | 0.87 | G1 | | 4-7 | 1.46 | 1.08 | 4 |
| <i>Larix x eurolepis</i> See - <i>Larix x marschlinsii</i> | CE | | | | 4-7 | 1.46 | 0.97 | 4 |
| <i>Larix gmelinii</i> Dahurian Larch | CE | | | | 1.00 | | | |
| <i>Larix kaempferi</i> Japanese Larch | CE | | | | 1.46 | | | |
| <i>Larix kaempferi</i> 'Blue Rabbit' Blue Rabbit Japanese Larch | CE | | | | 1.46 | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Larix kaempferi</i> 'Diana' Diana Japanese Larch | CE | 1.05 | G1 | | 4-7 | 1.46 | 0.97 | 4 |
| <i>Larix kaempferi</i> 'Pendula' Weeping Japanese Larch | CE | 1.35 | G1 | | 4-7 | 1.46 | 1.13 | 4 |
| <i>Larix laricina</i> American Larch | CE | 1.36 | G1 | | 1-5 | 1.00 | 0.62 | 2 |
| <i>Larix laricina</i> 'Newport Beauty #7' Newport Beauty #7 American Larch | CE | 1.36 | G1 | | 1-5 | 1.00 | 0.62 | 2 |
| <i>Larix laricina</i> 'Newport Beauty #9' Newport Beauty #9 American Larch | CE | 1.36 | G1 | | 1-5 | 1.00 | 0.62 | 2 |
| <i>Larix leptolepis</i> See - <i>Larix kaempferi</i> | | | | | | | | |
| <i>Larix x marschalinii</i> Dunkeld Larch | CE | 1.46 | G1 | | 4-7 | 1.00 | 1.05 | 4 |
| <i>Larix x marschalinii</i> 'Varied Directions' Varied Directions Dunkeld Larch | CE | 1.46 | G1 | | 4-7 | 1.00 | 1.05 | 4 |
| <i>Larix occidentalis</i> Western Larch | CE | 0.58 | G1 | | 4-7 | 1.00 | 0.78 | 4 |
| <i>Larix principis-rupprechtii</i> Prince Rupprecht Larch | CE | 1.00 | G1 | | 4-7 | 1.00 | 1.00 | 4 |
| <i>Larix russica</i> Siberian Larch | CE | 1.66 | G1 | | 2-7 | 1.00 | 0.90 | 1 |
| <i>Larix russica</i> 'Conica' Conica Siberian Larch | CE | 1.66 | G1 | | 2-7 | 1.00 | 0.90 | 1 |
| <i>Larix russica</i> 'Pendula' Weeping Siberian Larch | CE | 1.66 | G1 | | 2-7 | 1.00 | 0.90 | 1 |
| <i>Larix sibirica</i> See - <i>Larix russica</i> | | | | | | | | |
| <i>Larrea tridentata</i> Creosote Bush | BS | 1.05 | G1 | 9 | 10A-11 | | 1.00 | 8 |
| <i>Latania borbonica</i> See - <i>Latania lontaroides</i> | | | | | | | | |
| <i>Latania loddigesii</i> Blue Latan Palm | BE | 1.80 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Latania lontaroides</i> Red Latan Palm | BE | 1.83 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Latania verschaffeltii</i> Yellow Latan Palm | BE | 2.30 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Lathyrus latifolius</i> Everlasting Sweet Pea | HP | 0.94 | G4 | | 4-7 | | | 5 |
| <i>Lathyrus latifolius</i> 'Red Pearl' Red Pearl Everlasting Sweet Pea | HP | 0.94 | G4 | | 4-7 | | | 5 |
| <i>Laurentia fluviatilis</i> Blue Star Creeper | HP | 0.79 | G4 | | 9A-10A | | | 8 |
| <i>Laurus nobilis</i> Bay Laurel | BE | 0.92 | G1 | 8-9A | 9B-10A | 1.00 | 1.00 | 8 |
| <i>Laurus nobilis</i> 'Saratoga' Saratoga Bay Laurel | BE | 0.90 | G1 | 8-9A | 9B-10A | 1.00 | 1.00 | 8 |
| <i>Lavandula angustifolia</i> English Lavender | BS | 0.91 | G4 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Blue Cushion' Blue Cushion English Lavender | BS | 1.20 | G4 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Hidcote Blue' Hidcote Blue English Lavender | BS | 0.90 | G4 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Jean Davis' Jean Davis English Lavender | BS | 1.25 | G4 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Lavender Lady' Lavender Lady English Lavender | BS | 0.86 | G4 | 5-6 | 7-10A | | 1.00 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Lavandula angustifolia</i> 'Lodden Pink' Lodden Pink English Lavender | BS | 0.66 | G4 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Martha Roderick' Martha Roderick English Lavender | BS | 1.08 | G4 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Munstead' Munstead English Lavender | BS | 0.91 | G4 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Nana' Nana English Lavender | BS | 0.66 | G4 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Lavandula angustifolia</i> 'Twickel Purple' Twickel Purple English Lavender | BS | 0.66 | G4 | 5-6 | 7-10A | | 1.00 | 5 |
| <i>Lavandula dentata</i> Fringed Lavender | BS | 0.79 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Lavandula dentata</i> 'Variegata' Variegated Fringed Lavender | BS | 0.91 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Lavandula dentata</i> var. <i>candidans</i> Grey French Lavender | BS | 1.12 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Lavandula x intermedia</i> Hybrid Lavender | BS | 0.94 | G1 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Lavandula x intermedia</i> 'Alba' White Hybrid Lavender | BS | 1.01 | G1 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Lavandula x intermedia</i> 'Dutch' Dutch Hybrid Lavender | BS | 0.94 | G1 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Lavandula x intermedia</i> 'Fred Boutin' Fred Boutin Hybrid Lavender | BS | 1.25 | G1 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Lavandula x intermedia</i> 'Grosso' Grosso Hybrid Lavender | BS | 0.94 | G1 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Lavandula x intermedia</i> 'Provence' Provence Hybrid Lavender | BS | 1.25 | G1 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Lavandula lanata</i> No Common Name Found | BS | 0.77 | G2 | | 8-10A | | 1.00 | 8 |
| <i>Lavandula latifolia</i> Spike Lavender | BS | 1.18 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Lavandula multifida</i> Fern-leaf Lavender | BS | 1.06 | G2 | | 8-10A | | 1.00 | 7 |
| <i>Lavandula pinnata</i> No Common Name Found | BS | 1.10 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Lavandula stoechas</i> Spanish Lavender | BS | 0.91 | G2 | | 8-10A | | 1.00 | 8 |
| <i>Lavandula stoechas</i> 'Otto Quast' Otto Quast Spanish Lavender | BS | 1.05 | G2 | | 8-10A | | 1.00 | 8 |
| <i>Lavandula vera</i> See - <i>Lavandula angustifolia</i> | BS | 0.77 | G2 | | 9A-10B | | 1.00 | 9 |
| <i>Lavandula viridis</i> No Common Name Found | BS | 0.77 | G2 | | 9A-10B | | 1.00 | 9 |
| <i>Lavatera assurgentiflora</i> Malva Rosa | DS | 0.80 | G2 | | 9A-10B | | 1.00 | 9 |
| <i>Lavatera bicolor</i> See - <i>Lavatera maritima</i> | BS | 0.77 | G2 | | 9A-10B | | 1.00 | 9 |
| <i>Lavatera maritima</i> No Common Name Found | BS | 0.77 | G2 | | 9A-10B | | 1.00 | 9 |
| <i>Lavatera thuringiaca</i> Tree Lavatera | HP | 0.78 | G4 | | 8-10A | | | 8 |
| <i>Lavatera thuringiaca</i> 'Barnsley' Barnsley Tree Mallow | HP | 0.84 | G4 | | 8-10A | | | 8 |
| <i>Lavatera thuringiaca</i> 'Burgundy Wine' Burgundy Wine Tree Mallow | HP | 0.80 | G4 | | 8-10A | | | 8 |
| <i>Lavatera thuringiaca</i> 'Kew Rose' Kew Rose Tree Mallow | HP | 0.78 | G4 | | 8-10A | | | 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Lawsonia inerma</i> Henna | BS | 0.93 | G1 | 9B | 10A-11 | | 1.00 | 9 |
| <i>Ledebouria cooperi</i> No Common Name Found | HP | 2.15 | G1 | 7-8 | 9A-11 | | | 9 |
| <i>Ledum decumbens</i> See - <i>Ledum palustre</i> var. <i>decumbens</i> | BS | 1.16 | G1 | | 4-7 | | 1.00 | 2 |
| <i>Ledum groenlandicum</i> Labrador Tea | BS | 1.00 | G1 | | 4-7 | | 1.00 | 2 |
| <i>Ledum palustre</i> var. <i>decumbens</i> No Common Name Found | FO | 1.17 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Leea coccinea</i> West Indian Holly | FO | 0.49 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Leea coccinea</i> 'Rubra' Red West Indian Holly | HP | 1.06 | G1 | 9 | 10A-11 | | | 2 |
| <i>Leersia oryzoides</i> Rice Cutgrass | BS | 0.98 | G1 | | 6-9B | | 1.00 | 5 |
| <i>Leiophyllum buxifolium</i> Sand Myrtle | HP | 0.75 | G2 | | 9A-11 | | | 9 |
| <i>Leonotis leonurus</i> Lion's Ear | HP | 0.94 | G4 | | 4-7 | | | 5 |
| <i>Leontopodium alpinum</i> Edelweiss | HP | 1.00 | G4 | | 4-7 | | | 4 |
| <i>Leontopodium ochroleucum</i> var. <i>campestre</i> No Common Name Found | HP | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Leontopodium palibinianum</i> See - <i>Leontopodium ochroleucum</i> var. <i>campestre</i> | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Leonurus sibiricus</i> Motherwort | BS | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Lepidorrhachis mooreana</i> Little Mountain Palm | BS | 1.00 | G4 | | 6-9A | | | 5 |
| <i>Lepidozamia peroffskyana</i> Scaly Zamia | HP | 1.00 | G4 | | 6-9A | | | 8 |
| <i>Leptinella squalida</i> No Common Name Found | HP | 1.00 | G4 | | 8-9B | | | 9 |
| <i>Leptodactylon californicum</i> Prickly Phlox | BE | 0.80 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| <i>Leptospermum flavescens</i> See - <i>Leptospermum polygalifolium</i> | BS | 0.94 | G2 | | 9A-10B | | | 9 |
| <i>Leptospermum humifusum</i> See - <i>Leptospermum rupestre</i> | BS | 1.00 | G1 | 8-9A | 9B-10A | 1.00 | 1.00 | 8 |
| <i>Leptospermum laevigatum</i> Australian Tea Tree | BS | 0.81 | G2 | | 9A-10B | | | 9 |
| <i>Leptospermum laevigatum</i> 'Reevesii Compacta' Reeves Compact Australian Tea Tree | BS | 0.81 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| <i>Leptospermum polygalifolium</i> No Common Name Found | BS | 0.81 | G2 | | 9A-10B | | | 9 |
| <i>Leptospermum rotundifolium</i> Round-leaved Tea Tree | BS | 0.92 | G1 | 8-9A | 9B-10A | 1.00 | 1.00 | 8 |
| <i>Leptospermum rotundifolium</i> 'Manning's Choice' Manning's Choice Round-leaved Tea Tree | BS | 0.92 | G1 | 8-9A | 9B-10A | 1.00 | 1.00 | 9 |
| <i>Leptospermum rupestre</i> No Common Name Found | BS | 0.92 | G1 | 8-9A | 9B-10A | 1.00 | 1.00 | 9 |
| <i>Leptospermum scoparium</i> Tea Tree | BS | 0.59 | G1 | 8-9A | 9B-10A | 1.00 | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Burgundy Queen' Burgundy Queen Tea Tree | BS | 0.77 | G1 | 8-9A | 9B-10A | 1.00 | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Gaiety Girl' Gaiety Girl Tea Tree | BS | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ | |
|--|--------------|-----------|----|------|-------------------------|-------------|----------------------|---------------|---|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | | |
| <i>Leptospermum scoparium</i> 'Helene Strybling' Helene Strybling Tea Tree | BS | 0.74 | G1 | 8-9A | 9B-10A | | 1.00 | 8 | |
| <i>Leptospermum scoparium</i> 'Martinii' Martinii Tea Tree | BS | 0.59 | G1 | 8-9A | 9B-10A | | 1.00 | 8 | |
| <i>Leptospermum scoparium</i> 'Nanum Tui' Nanum Tui Tea Tree | BS | 0.82 | G1 | 8-9A | 9B-10A | | 1.00 | 8 | |
| <i>Leptospermum scoparium</i> 'Pink Cascade' Pink Cascade Tea Tree | BS | 0.81 | G1 | 8-9A | 9B-10A | | 1.00 | 8 | |
| <i>Leptospermum scoparium</i> 'Pink Pearl' Pink Pearl Tea Tree | BS | 0.81 | G1 | 8-9A | 9B-10A | | 1.00 | 8 | |
| <i>Leptospermum scoparium</i> 'Ruby Glow' Ruby Glow Tea Tree | BS | 0.74 | G1 | 8-9A | 9B-10A | | 1.00 | 8 | |
| <i>Leptospermum scoparium</i> 'Snow White' Snow White Tea Tree | BS | 0.59 | G1 | 8-9A | 9B-10A | | 1.00 | 8 | |
| <i>Leptospermum scoparium</i> 'Winter Cheer' Winter Cheer Tea Tree | BS | 0.59 | G1 | 8-9A | 9B-10A | | 1.00 | 8 | |
| <i>Lespedeza bicolor</i> Shrub Bush Clover | BS | 0.69 | G4 | | | 6-9A | | 1.00 | 5 |
| <i>Lespedeza bicolor</i> 'Avalanche' Avalanche Bush Clover | BS | 1.22 | G4 | | | 6-9A | | 1.00 | 5 |
| <i>Lespedeza capitata</i> Bush Clover | HP | 1.09 | G4 | | | 6-9A | | 4 | |
| <i>Lespedeza thunbergii</i> Japanese Bush Clover | HP | 0.87 | G4 | | | 6-9A | | 6 | |
| <i>Lespedeza thunbergii</i> 'Alba' White Japanese Bush Clover | HP | 0.87 | G4 | | | 6-9A | | 6 | |
| <i>Lespedeza thunbergii</i> 'Edo Shibori' Tokyo Brocade Japanese Bush Clover | HP | 1.22 | G4 | | | 6-9A | | 6 | |
| <i>Lespedeza thunbergii</i> 'Gibraltar' Gibraltar Japanese Bush Clover | HP | 0.94 | G4 | | | 6-9A | | 6 | |
| <i>Lespedeza thunbergii</i> 'Samidare' Summer Showers Japanese Bush Clover | HP | 1.23 | G4 | | | 6-9A | | 6 | |
| <i>Leucaena glauca</i> See - <i>Leucaena leucocephala</i> | BE | 1.00 | G1 | | | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Leucaena leucocephala</i> Leadtree | BE | 0.69 | G1 | 9 | | 10A-11 | 1.00 | 1.00 | 7 |
| <i>Leucaena retusa</i> Texas Goldball Leadtree | HP | 1.00 | G1 | 7-9 | | 10A-11 | | | 6 |
| <i>Leucanthemum maximum</i> Maximum Daisy | HP | 1.00 | G1 | 7-9 | | 10A-11 | | | 8 |
| <i>Leucanthemum paludosum</i> Paludosum Daisy | HP | 0.89 | G1 | 7-9 | | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> Shasta Daisy | HP | 1.27 | G1 | 7-9 | | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'Aglaia' Aglaia Shasta Daisy | HP | 0.93 | G1 | 7-9 | | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'Alaska' Alaska Shasta Daisy | HP | 1.15 | G1 | 7-9 | | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'Cobham Gold' Cobham Gold Shasta Daisy | HP | 0.96 | G1 | 7-9 | | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'Esther Read' Esther Read Shasta Daisy | HP | 1.00 | G1 | 7-9 | | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'Little Miss Muffet' Little Miss Muffet Shasta Daisy | HP | 0.90 | G1 | 7-9 | | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'Little Princess' Little Princess Shasta Daisy | HP | 1.30 | G1 | 7-9 | | 10A-11 | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Leucanthemum x superbum</i> 'Majestic' Majestic Shasta Daisy | HP | 0.72 | G1 | 7-9 | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'Marconi' Marconi Shasta Daisy | HP | 1.00 | G1 | 7-9 | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'Northern Lights' Northern Lights Shasta Daisy | HP | 0.93 | G1 | 7-9 | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'Polaris' Polaris Shasta Daisy | HP | 0.90 | G1 | 7-9 | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'Silver Princess' Silver Princess Shasta Daisy | HP | 0.94 | G1 | 7-9 | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'Snow Lady' Snow Lady Shasta Daisy | HP | 0.92 | G1 | 7-9 | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'Snowcap' Snowcap Shasta Daisy | HP | 1.08 | G1 | 7-9 | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'Starburst' Starburst Shasta Daisy | HP | 0.72 | G1 | 7-9 | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'Switzerland' Switzerland Shasta Daisy | HP | 0.84 | G1 | 7-9 | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'T.E. Killin' T.E. Killin Shasta Daisy | HP | 0.96 | G1 | 7-9 | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'White Knight' White Knight Shasta Daisy | HP | 0.76 | G1 | 7-9 | 10A-11 | | | 5 |
| <i>Leucanthemum x superbum</i> 'Wirral Pride' Wirral Price Shasta Daisy | HP | 1.04 | G1 | 7-9 | 10A-11 | | | 5 |
| <i>Leucanthemum vulgare</i> Ox-Eye Daisy | HP | 1.13 | G1 | 7-9 | 10A-11 | | | 3 |
| <i>Leucanthemum vulgare</i> 'May Queen' May Queen Ox-Eye Daisy | HP | 0.92 | G1 | 7-9 | 10A-11 | | | 3 |
| <i>Leucophyllum candidum</i> Violet Sage | BS | 0.73 | G1 | | 8-10B | | 1.00 | 9 |
| <i>Leucophyllum candidum</i> 'Silver Cloud' Silver Cloud Violet Sage | BS | 0.73 | G1 | | 8-10B | | 1.00 | 9 |
| <i>Leucophyllum frutescens</i> Barometer Bush | BS | 0.77 | G1 | | 8-10B | | 1.00 | 9 |
| <i>Leucophyllum frutescens</i> 'Compactum' Compact Texas Sage | BS | 0.85 | G1 | | 8-10B | | 1.00 | 9 |
| <i>Leucophyllum frutescens</i> 'Green Cloud' Green Cloud TAMREP™ Texas Sage | BS | 0.75 | G1 | | 8-10B | | 1.00 | 9 |
| <i>Leucophyllum frutescens</i> 'White Cloud' White Cloud Texas Sage | BS | 0.68 | G1 | | 8-10B | | 1.00 | 9 |
| <i>Leucophyllum laevigatum</i> Chihuahuan Sage | BS | 0.69 | G1 | | 8-10B | | 1.00 | 9 |
| <i>Leucothoe axillaris</i> Coast Leucothoe | BS | 1.10 | G1 | | 5-7 | | 0.76 | 6 |
| <i>Leucothoe catesbaei</i> No Common Name Found | BS | 1.03 | G1 | | 5-7 | | 0.84 | 5 |
| <i>Leucothoe fontanesiana</i> Drooping Leucothoe | BS | 1.00 | G1 | | 4-7 | | 0.94 | 5 |
| <i>Leucothoe fontanesiana</i> 'Lovita' See - <i>Leucothoe fontanesiana</i> 'Zebonard' P.P. 5229 | BS | 1.08 | G1 | | 4-7 | | 1.27 | 5 |
| <i>Leucothoe fontanesiana</i> 'Nana' Dwarf Drooping Leucothoe | BS | 1.13 | G1 | | 4-7 | | 0.72 | 5 |
| <i>Leucothoe fontanesiana</i> 'Rainbow' Rainbow Drooping Leucothoe | BS | 1.32 | G1 | | 4-7 | | 0.72 | 5 |
| <i>Leucothoe fontanesiana</i> 'Rollisoni' Rollison Drooping Leucothoe | BS | | | | | | | |
| <i>Leucothoe fontanesiana</i> 'Scarletta' See - <i>Leucothoe fontanesiana</i> 'Zeblid' P.P. 5195 | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Leucothoe fontanesiana</i> 'Zeblid' P.P. 5195 Scarletta Drooping Leucothoe | BS | 1.10 | G1 | | 4-7 | | | 0.72 5 |
| <i>Leucothoe fontanesiana</i> 'Zebonard' P.P. 5229 Lovita Drooping Leucothoe | BS | 1.06 | G1 | | 4-7 | | | 0.72 5 |
| <i>Leucothoe populifolia</i> See - <i>Agarista populifolia</i> | | | | | | | | |
| <i>Leucothoe racemosa</i> Sweetbells | DS | 1.00 | G1 | | 4-7 | | | 1.10 5 |
| <i>Levisticum officinale</i> Lovage | HP | 0.84 | G1 | 6-9 | 10A-11 | | | 4 |
| <i>Lewisia columbiana</i> Columbia Lewisia | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Lewisia columbiana</i> ssp. <i>rupicola</i> No Common Name Found | HP | 0.95 | G4 | | 5-9A | | | 5 |
| <i>Lewisia cotyledon</i> Rock Garden Lewisia | HP | 1.04 | G4 | | 6-9A | | | 6 |
| <i>Lewisia pygmaea</i> Little Lewisia | HP | 1.21 | G4 | | 3-8 | | | 3 |
| <i>Lewisia rediviva</i> Bitter Root | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Lewisia tweedyi</i> Tweedy Lewisia | HP | 1.21 | G4 | | 5-9A | | | 5 |
| <i>Leymus arenarius</i> Blue Lyme Grass | HP | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Leymus condensatus</i> Giant Wild Rye | HP | 1.00 | G4 | | 7-9A | | | 7 |
| <i>Leymus condensatus</i> 'Canyon Prince' Canyon Prince Giant Wild Rye | HP | 1.00 | G4 | | 7-9A | | | 7 |
| <i>Leymus mollis</i> No Common Name Found | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Leymus racemosus</i> Giant Blue Wild Rye | HP | 1.02 | G4 | | 5-8 | | | 5 |
| <i>Leymus secalinus</i> Blue Wild Rye | HP | 1.10 | G4 | | 5-8 | | | 5 |
| <i>Liatris aspera</i> Rough Gayfeather | HP | 1.05 | G4 | | 5-9A | | | 5 |
| <i>Liatris cylindracea</i> Cylindric Gayfeather | HP | 1.09 | G4 | | 4-9A | | | 4 |
| <i>Liatris gracilis</i> No Common Name Found | HP | 0.89 | G4 | | 6-9A | | | 6 |
| <i>Liatris graminifolia</i> Grassleaf Gayfeather | HP | 1.00 | G4 | | 6-9A | | | 3 |
| <i>Liatris ligulistylis</i> No Common Name Found | HP | 1.09 | G4 | | 3-9A | | | 3 |
| <i>Liatris microcephala</i> No Common Name Found | HP | 0.90 | G4 | | 6-9A | | | 6 |
| <i>Liatris punctata</i> Dotted Gayfeather | HP | 0.94 | G4 | | 3-9A | | | 3 |
| <i>Liatris pycnostachya</i> Prairie Blazing Star | HP | 0.93 | G4 | | 3-9A | | | 3 |
| <i>Liatris pycnostachya</i> var. <i>alba</i> White Prairie Gayfeather | HP | 0.91 | G4 | | 3-9A | | | 3 |
| <i>Liatris scariosa</i> Tall Gayfeather | HP | 1.00 | G4 | | 4-8 | | | 3 |
| <i>Liatris scariosa</i> 'September Glory' September Glory Tall Gayfeather | HP | 1.00 | G4 | | 4-8 | | | 3 |
| <i>Liatris scariosa</i> 'White Spire' White Spire Tall Gayfeather | HP | 1.00 | G4 | | 4-8 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Liatris spicata</i> | HP | 0.92 | G4 | | 4-10A | | | 3 |
| Spike Gayfeather | | | | | | | | |
| <i>Liatris spicata 'Alba'</i> | HP | 0.85 | G4 | | 4-10A | | | 3 |
| White Spike Gayfeather | | | | | | | | |
| <i>Liatris spicata 'Floristan Violet'</i> | HP | 0.94 | G4 | | 4-10A | | | 3 |
| Floristan Violet Spike Gayfeather | | | | | | | | |
| <i>Liatris spicata 'Floristan White'</i> | HP | 1.05 | G4 | | 4-10A | | | 3 |
| Floristan White Spike Gayfeather | | | | | | | | |
| <i>Liatris spicata 'Floristan'</i> | HP | 0.88 | G4 | | 4-10A | | | 3 |
| Floristan Spike Gayfeather | | | | | | | | |
| <i>Liatris spicata 'Kobold'</i> | HP | 0.98 | G4 | | 4-10A | | | 3 |
| Kobold Spike Gayfeather | | | | | | | | |
| <i>Liatris spicata 'Snow White'</i> | HP | 0.97 | G4 | | 4-10A | | | 3 |
| Snow White Spike Gayfeather | | | | | | | | |
| <i>Liatris squarrosa</i> | HP | 1.00 | G4 | | 3-9A | | | 4 |
| No Common Name Found | | | | | | | | |
| <i>Libertia caerulescens</i> | HP | 0.82 | G4 | | 8-9B | | | 8 |
| No Common Name Found | | | | | | | | |
| <i>Libertia grandiflora</i> | HP | 0.82 | G4 | | 8-9B | | | 8 |
| No Common Name Found | | | | | | | | |
| <i>Libertia peregrinans</i> | HP | 0.88 | G4 | | 8-9B | | | 8 |
| No Common Name Found | | | | | | | | |
| <i>Libocedrus decurrens</i> | | | | | | | | |
| See - <i>Calocedrus decurrens</i> | | | | | | | | |
| <i>Licania michauxii</i> | GC | 1.67 | G1 | 8 | 9A-11 | | 1.00 | 8 |
| Gopher Apple | | | | | | | | |
| <i>Licuala grandis</i> | BE | 3.20 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 10 |
| Ruffled Fan Palm | | | | | | | | |
| <i>Licuala lauterbachii</i> | BS | 4.66 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Licuala paludosa</i> | BS | 5.91 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Licuala peltata</i> | BS | 5.01 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Licuala peltata</i> ssp. <i>sumawongii</i> | BS | 7.34 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Licuala ramsayi</i> | BE | 3.93 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Licuala spinosa</i> | BS | 2.16 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| Spiny Licuala Palm | | | | | | | | |
| <i>Ligularia dentata</i> | HP | 1.00 | G4 | | 4-8 | | | 4 |
| Bigleaf Ligularia | | | | | | | | |
| <i>Ligularia dentata</i> 'Desdemona' | HP | 1.11 | G4 | | 4-8 | | | 4 |
| Desdemona Bigleaf Ligularia | | | | | | | | |
| <i>Ligularia dentata</i> 'Gregynog Gold' | HP | 1.28 | G4 | | 4-8 | | | 4 |
| Gregynog Gold Bigleaf Ligularia | | | | | | | | |
| <i>Ligularia dentata</i> 'Othello' | HP | 1.06 | G4 | | 4-8 | | | 4 |
| Othello Bigleaf Ligularia | | | | | | | | |
| <i>Ligularia x hessei</i> | HP | 1.64 | G4 | | 5-8 | | | 5 |
| Hess Ligularia | | | | | | | | |
| <i>Ligularia japonica</i> | HP | 1.22 | G4 | | 5-8 | | | 5 |
| No Common Name Found | | | | | | | | |
| <i>Ligularia palmatiloba</i> | HP | 0.91 | G4 | | 5-8 | | | 5 |
| No Common Name Found | | | | | | | | |
| <i>Ligularia przewalskii</i> | HP | 1.06 | G4 | | 4-8 | | | 4 |
| Shavalski's Ligularia | | | | | | | | |
| <i>Ligularia przewalskii</i> 'The Rocket' | HP | 1.06 | G4 | | 4-8 | | | 4 |
| The Rocket Shavalski's Ligularia | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | High/Wide | | |
| <i>Ligularia stenocephala</i> Narrow-spiked Ligularia | HP | 1.19 | G4 | | 5-8 | | | 5 |
| <i>Ligularia tussilaginea</i> See - <i>Farfugium japonicum</i> | HP | 1.15 | G4 | | 5-8 | | | 5 |
| <i>Ligularia wilsoniana</i> Giant Groundsel | HP | 0.45 | G1 | | 3-7 | | | 0.20 |
| <i>Ligustrum amurense</i> Amur River Privet | BS | 0.50 | G1 | | | | | 0.20 |
| <i>Ligustrum coriaceum</i> See - <i>Ligustrum japonicum</i> 'Rotundifolium' | BS | 0.81 | G1 | | 4-7 | | | 0.26 |
| <i>Ligustrum x ibolium</i> Ibolium Privet | BS | 0.76 | G2 | 7-8 | 9A-11 | | | 0.26 |
| <i>Ligustrum x ibolium</i> 'Variegatum' Variegated Ibolium Privet | BS | 0.69 | G2 | 7-8 | 9A-11 | | | 0.28 |
| <i>Ligustrum japonicum</i> Japanese Privet | BS | 0.70 | G2 | 7-8 | 9A-11 | | | 0.28 |
| <i>Ligustrum japonicum</i> 'Howard' Howard Japanese Privet | BS | 0.90 | G2 | 7-8 | 9A-11 | | | 0.28 |
| <i>Ligustrum japonicum</i> 'Jack Frost' Jack Frost Japanese Privet | BS | 0.87 | G2 | 7-8 | 9A-11 | | | 0.28 |
| <i>Ligustrum japonicum</i> 'Korea Dwarf' Korea Dwarf Japanese Privet | BS | 0.91 | G2 | 7-8 | 9A-11 | | | 0.28 |
| <i>Ligustrum japonicum</i> 'Nobilis' Noble Japanese Privet | BS | 0.65 | G2 | 7-8 | 9A-11 | | | 0.28 |
| <i>Ligustrum japonicum</i> 'Rotundifolium' Rotundifolium Japanese Privet | BS | 0.75 | G2 | 7-8 | 9A-11 | | | 0.28 |
| <i>Ligustrum japonicum</i> 'Silver Star' P.P. 3026 Silver Star Texan Japanese Privet | BS | 0.76 | G2 | 7-8 | 9A-11 | | | 0.28 |
| <i>Ligustrum japonicum</i> 'Suwanee River' Suwanee River Texan Japanese Privet | BS | 0.76 | G2 | 7-8 | 9A-11 | | | 0.28 |
| <i>Ligustrum japonicum</i> 'Texanum' Texan Japanese Privet | BS | 0.96 | G2 | 7-8 | 9A-11 | | | 0.28 |
| <i>Ligustrum lucidum</i> Glossy Privet | BS | 0.84 | G2 | 8 | 9A-11 | | | 0.28 |
| <i>Ligustrum lucidum</i> 'Davison Hardy' Davison Hardy Glossy Privet | BS | 0.84 | G2 | 8 | 9A-11 | | | 0.28 |
| <i>Ligustrum lucidum</i> 'Recurvifolium' Recurvifolium Glossy Privet | BS | 0.76 | G2 | 8 | 9A-11 | | | 0.28 |
| <i>Ligustrum lucidum</i> 'Repandum' Repandum Glossy Privet | BE | 1.00 | G2 | 8 | 9A-11 | 1.00 | 1.00 | 0.28 |
| <i>Ligustrum lucidum</i> 'Tricolor' Tricolor Glossy Privet | BE | 1.00 | G2 | 8 | 9A-11 | 1.00 | 1.00 | 0.28 |
| <i>Ligustrum obtusifolium</i> Border Privet | DS | 1.00 | G1 | | 3-7 | | | 1.00 |
| <i>Ligustrum obtusifolium</i> var. <i>regelianum</i> Regel's Privet | DS | 0.83 | G1 | | 3-7 | | | 0.74 |
| <i>Ligustrum ovalifolium</i> California Privet | BS | 0.73 | G1 | | 5-8 | | | 0.25 |
| <i>Ligustrum ovalifolium</i> 'Aureum' Gold California Privet | DS | 0.68 | G1 | | 5-8 | | | 1.00 |
| <i>Ligustrum sinense</i> Chinese Privet | DS | 0.77 | G2 | 7-8 | 9A-10B | | | 0.54 |
| <i>Ligustrum sinense</i> 'Variegatum' Variegated Chinese Privet | DS | 0.79 | G2 | 7-8 | 9A-10B | | | 0.54 |
| <i>Ligustrum sinense</i> 'Wimbei' Wimbei Chinese Privet | BS | 1.43 | G2 | 7-8 | 9A-10B | | | 1.00 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|---------------------|-------------|---------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | |
| <i>Ligustrum texanum</i> | | | | | | | |
| See - <i>Ligustrum japonicum</i> 'Texanum' | | | | | | | |
| <i>Ligustrum x vicaryi</i> | DS | 0.95 | G1 | | 5-8 | | 0.90 5 |
| Golden Vicary Privet | | | | | | | |
| <i>Ligustrum x vicaryi</i> 'Hillside' | DS | 0.95 | G1 | | 5-8 | | 0.90 5 |
| Hillside Golden Vicary Privet | | | | | | | |
| <i>Ligustrum vulgare</i> | DS | 0.85 | G1 | | 4-7 | | 0.56 4 |
| European Privet | | | | | | | |
| <i>Ligustrum vulgare</i> 'Cheyenne' | DS | 0.97 | G1 | | 4-7 | | 0.56 4 |
| Cheyenne European Privet | | | | | | | |
| <i>Ligustrum vulgare</i> 'Lodense' | DS | 0.93 | G1 | | 4-7 | | 0.68 4 |
| Lodense European Privet | | | | | | | |
| <i>Lilium</i> | HP | 0.78 | G4 | | 6-9A | | 3 |
| Hybrid Lily | | | | | | | |
| <i>Lilium</i> 'Acapulco' | HP | 1.36 | G4 | | 6-9A | | 4 |
| Acapulco Lily | | | | | | | |
| <i>Lilium</i> 'Admiration' | HP | 0.78 | G4 | | 6-9A | | 4 |
| Admiration Lily | | | | | | | |
| <i>Lilium</i> 'African Queen' | HP | 0.78 | G4 | | 6-9A | | 4 |
| African Queen Lily | | | | | | | |
| <i>Lilium</i> 'Arena' | HP | 1.36 | G4 | | 6-9A | | 4 |
| Arena Lily | | | | | | | |
| <i>Lilium</i> 'Avignon' | HP | 0.78 | G4 | | 6-9A | | 3 |
| Avignon Lily | | | | | | | |
| <i>Lilium</i> 'Black Dragon' | HP | 0.91 | G4 | | 6-9A | | 4 |
| Black Dragon Lily | | | | | | | |
| <i>Lilium</i> 'Buff Pixie' | HP | 1.27 | G4 | | 6-9A | | 5 |
| Buff Pixie Lily | | | | | | | |
| <i>Lilium</i> 'Butter Pixie' | HP | 0.98 | G4 | | 6-9A | | 4 |
| Butter Pixie Lily | | | | | | | |
| <i>Lilium</i> 'Casablanca' | HP | 1.01 | G4 | | 6-9A | | 4 |
| Casablanca Oriental Lily | | | | | | | |
| <i>Lilium</i> 'Choice' | HP | 0.78 | G4 | | 6-9A | | 4 |
| Choice Lily | | | | | | | |
| <i>Lilium</i> 'Citronella' | HP | 0.78 | G4 | | 6-9A | | 4 |
| Citronella Lily | | | | | | | |
| <i>Lilium</i> 'Connecticut Beauty' | HP | 0.78 | G4 | | 6-9A | | 4 |
| Connecticut Beauty Lily | | | | | | | |
| <i>Lilium</i> 'Connecticut King' | HP | 0.89 | G4 | | 6-9A | | 4 |
| Connecticut King Lily | | | | | | | |
| <i>Lilium</i> 'Corina' | HP | 0.92 | G4 | | 6-9A | | 4 |
| Corina Lily | | | | | | | |
| <i>Lilium</i> 'Crimson Elegance' | HP | 0.78 | G4 | | 6-9A | | 4 |
| Crimson Elegance Oriental Lily | | | | | | | |
| <i>Lilium</i> 'Crimson Pixie' | HP | 0.98 | G4 | | 6-9A | | 3 |
| Crimson Pixie Lily | | | | | | | |
| <i>Lilium</i> 'Dandy' | HP | 1.11 | G4 | | 6-9A | | 4 |
| Dandy Lily | | | | | | | |
| <i>Lilium</i> 'Enchantment' | HP | 1.05 | G4 | | 6-9A | | 3 |
| Enchantment Asiatic Lily | | | | | | | |
| <i>Lilium</i> 'Fireking' | HP | 0.78 | G4 | | 6-9A | | 4 |
| Fireking Lily | | | | | | | |
| <i>Lilium</i> 'Geneve' | HP | 0.78 | G4 | | 6-9A | | 4 |
| Geneve Lily | | | | | | | |
| <i>Lilium</i> 'Golden Elegance' | HP | 0.78 | G4 | | 6-9A | | 4 |
| Golden Elegance Oriental Lily | | | | | | | |
| <i>Lilium</i> 'Golden Melody' | HP | 0.78 | G4 | | 6-9A | | 4 |
| Golden Melody Lily | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Lilium</i> 'Golden Splendor' Golden Splendor Lily | HP | 0.78 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Le Reve' Le Reve Lily | HP | 1.26 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Lemon Pixie' Lemon Pixie Lily | HP | 0.84 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Lush Life' Lush Life Oriental Lily | HP | 1.12 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Miss Burma' Miss Burma Lily | HP | 1.21 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Mont Blanc' Mont Blanc Lily | HP | 0.85 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Monte Negro' Monte Negro Lily | HP | 0.78 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Monte Rosa' Monte Rosa Lily | HP | 0.78 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Montreux' Montreux Lily | HP | 0.78 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Olympic' Olympic Lily | HP | 0.78 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Orange Pixie' Orange Pixie Lily | HP | 0.93 | G4 | | 6-9A | | | 5 |
| <i>Lilium</i> 'Paris' Paris Lily | HP | 0.78 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Peach Blush' Peach Blush Lily | HP | 0.78 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Peach Pixie' Peach Pixie Lily | HP | 0.93 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Pink Perfection' Pink Perfection Lily | HP | 0.98 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Pink Pixie' Pink Pixie Lily | HP | 1.10 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Plenty M' Plenty M Lily | HP | 0.91 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Plenty' Plenty Lily | HP | 0.78 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Red Pixie' Red Pixie Lily | HP | 0.98 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Roma' Roma Lily | HP | 0.78 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Rose Elegance' Rose Elegance Oriental Lily | HP | 0.78 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Rosita' Rosita Lily | HP | 0.92 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Rouge Pixie' Rouge Pixie Lily | HP | 0.91 | G4 | | 6-9A | | | 5 |
| <i>Lilium</i> 'Sterling Star' Sterling Star Lily | HP | 0.92 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Sunray' Sunray Lily | HP | 0.87 | G4 | | 6-9A | | | 3 |
| <i>Lilium</i> 'Symphony' Symphony Lily | HP | 1.26 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Tap Toe' Tap Toe Lily | HP | 0.78 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Tiber' Tiber Lily | HP | 1.36 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Toscana' Toscana Lily | HP | 0.78 | G4 | | 6-9A | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Lilium</i> 'Uchida' Uchida Lily | HP | 1.01 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'White Pixie' White Pixie Lily | HP | 0.87 | G4 | | 6-9A | | | 4 |
| <i>Lilium</i> 'Yellow Pixie' Yellow Pixie Lily | HP | 0.98 | G4 | | 6-9A | | | 4 |
| <i>Lilium auratum</i> var. <i>platyphyllum</i> No Common Name Found | HP | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Lilium auratum</i> var. <i>platyphyllum</i> 'Kimona' Kimona Goldband Lily | HP | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Lilium canadense</i> Canada Lily | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Lilium catesbaei</i> Catesby's Lily | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Lilium columbianum</i> Columbia Lily | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Lilium formosanum</i> Formosa Lily | HP | 0.81 | G4 | | 5-8 | | | 5 |
| <i>Lilium humboldtii</i> Humboldt Lily | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Lilium lancifolium</i> Tiger Lily | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Lilium lancifolium</i> 'Pink' Pink Tiger Lily | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Lilium lancifolium</i> 'White' White Tiger Lily | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Lilium lancifolium</i> var. <i>flaviflorum</i> No Common Name Found | HP | 0.92 | G4 | | 4-8 | | | 4 |
| <i>Lilium lancifolium</i> var. <i>flaviflorum</i> 'Yellow Star' Yellow Star Tiger Lily | HP | 0.92 | G4 | | 4-8 | | | 4 |
| <i>Lilium lancifolium</i> var. <i>splendens</i> Splendens Tiger Lily | HP | 1.01 | G4 | | 4-8 | | | 4 |
| <i>Lilium longiflorum</i> Trumpet Lily | HP | 1.82 | G4 | 6-8 | 9A-10A | | | 5 |
| <i>Lilium longiflorum</i> 'Croft' Croft Easter Lily | HP | 1.82 | G4 | 6-8 | 9A-10A | | | 5 |
| <i>Lilium martagon</i> Martagon Lily | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Lilium michiganense</i> Michigan Lily | HP | 2.30 | G4 | | 4-8 | | | 4 |
| <i>Lilium pardalinum</i> Leopard Lily | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Lilium pumilum</i> Coral Lily | HP | 1.14 | G4 | | 5-8 | | | 5 |
| <i>Lilium regale</i> Regal Lily | HP | 1.01 | G4 | | 5-8 | | | 5 |
| <i>Lilium speciosum</i> Showy Lily | HP | 0.96 | G4 | 6-8 | 9A-10A | | | 6 |
| <i>Lilium speciosum</i> 'Barracuda' Barracuda Showy Lily | HP | 0.96 | G4 | 6-8 | 9A-10A | | | 6 |
| <i>Lilium speciosum</i> 'Grand Commander' Grand Commander Showy Lily | HP | 0.96 | G4 | 6-8 | 9A-10A | | | 6 |
| <i>Lilium speciosum</i> 'Rubrum' Red Showy Lily | HP | 0.96 | G4 | 6-8 | 9A-10A | | | 6 |
| <i>Lilium speciosum</i> 'San Souci' San Souci Showy Lily | HP | 1.01 | G4 | 6-8 | 9A-10A | | | 6 |
| <i>Lilium speciosum</i> 'Stargazer' Stargazer Showy Lily | HP | 1.20 | G4 | 6-8 | 9A-10A | | | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Lilium superbum</i> Turk's-Cap Lily | HP | 1.00 | G4 | | 4-8 | | | 3 |
| <i>Lilium tigrinum</i> See - <i>Lilium lancifolium</i> | HP | 1.00 | G1 | 5-9 | 10A | | | 4 |
| <i>Limonium gmelinii</i> Siberian Statice | HP | 1.07 | G4 | 9 | 10A | | | 5 |
| <i>Limonium incanum</i> See - <i>Goniolimon callicomum</i> | HP | 1.36 | G4 | 9 | 10A | | | 5 |
| <i>Limonium latifolium</i> Sea Lavender | HP | 1.00 | G3 | 8-9 | 10A | | | 8 |
| <i>Limonium latifolium</i> 'Violetta' Violetta Sea Lavender | HP | 0.73 | G2 | | 9A-10A | | | 9 |
| <i>Limonium minutum</i> No Common Name Found | HP | | | | | | | |
| <i>Limonium perezii</i> Perez Statice | HP | | | | | | | |
| <i>Limonium tataricum</i> See - <i>Goniolimon tataricum</i> | HP | 0.75 | G4 | | 4-8 | | | 4 |
| <i>Linaria aequitriloba</i> See - <i>Cymbalaria aequitriloba</i> | AN | 1.00 | G4 | 6-8 | 9 | | | 9 |
| <i>Linaria alpina</i> Alpine Toadflax | HP | 1.00 | G4 | | 5-8 | | | 6 |
| <i>Linaria cymbalaria</i> See - <i>Cymbalaria muralis</i> | HP | 1.00 | G4 | | 7-9B | | | 9 |
| <i>Linaria maroccana</i> Morocco Toadflax | DS | 1.35 | G1 | | 5-8 | | | 0.77 |
| <i>Linaria purpurea</i> Purple Toadflax | HP | 1.10 | G3 | | 3-9B | | | 5 |
| <i>Linaria supina</i> No Common Name Found | HP | 0.90 | G4 | | 4-8 | | | 4 |
| <i>Linaria vulgaris</i> Butter and Eggs | HP | 0.80 | G4 | | 5-8 | | | 5 |
| <i>Lindera benzoin</i> Spicebush | AN | 1.00 | G4 | 6-8 | 9A | | | 8 |
| <i>Linnaea borealis</i> No Common Name Found | HP | 1.10 | G4 | | 5-9A | | | 5 |
| <i>Linum flavum</i> Golden Flax | HP | 1.06 | G4 | 5-8 | 9 | | | 7 |
| <i>Linum flavum</i> 'Compactum' Compact Golden Flax | HP | 0.91 | G4 | 5-8 | 9 | | | 7 |
| <i>Linum grandiflorum</i> Flowering Flax | AN | 0.95 | G4 | 5-8 | 9 | | | 7 |
| <i>Linum lewisii</i> See - <i>Linum perenne</i> ssp. <i>lewisii</i> | HP | 0.77 | G4 | 5-8 | 9 | | | 7 |
| <i>Linum narbonense</i> Narbonne Flax | HP | 0.92 | G4 | 5-8 | 9 | | | 7 |
| <i>Linum perenne</i> Perennial Flax | HP | 0.92 | G4 | 5-8 | 9 | | | 7 |
| <i>Linum perenne</i> 'Alba' White Perennial Flax | HP | 0.92 | G4 | 5-8 | 9 | | | 7 |
| <i>Linum perenne</i> 'Diamant White' Diamant White Perennial Flax | HP | 0.92 | G4 | 5-8 | 9 | | | 7 |
| <i>Linum perenne</i> 'Saphyr' Saphyr Perennial Flax | HP | 0.92 | G4 | 5-8 | 9 | | | 7 |
| <i>Linum perenne</i> ssp. <i>lewisii</i> Prairie Flax | DT | 1.02 | G1 | 7-9B | 1.00 | 1.00 | | 7 |
| <i>Liquidambar formosana</i> Formosan Gum | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Liquidambar orientalis</i> Oriental Sweetgum | DT | 1.00 | G1 | | 8-9B | 1.00 | 1.00 | 8 |
| <i>Liquidambar styraciflua</i> American Sweetgum | DT | 0.83 | G1 | | 5-9B | 0.94 | 0.39 | 5 |
| <i>Liquidambar styraciflua</i> 'Aurea' Golden American Sweetgum | DT | 0.83 | G1 | | 5-9B | 1.15 | 0.39 | 5 |
| <i>Liquidambar styraciflua</i> 'Burgundy' Burgundy™ American Sweetgum | DT | 0.89 | G1 | | 5-9B | 0.79 | 0.39 | 5 |
| <i>Liquidambar styraciflua</i> 'Festival' Festival American Sweetgum | DT | 0.91 | G1 | | 5-9B | 0.79 | 0.39 | 5 |
| <i>Liquidambar styraciflua</i> 'Goduzam' Gold Dust® American Sweetgum | DT | 0.83 | G1 | | 5-9B | 0.79 | 0.39 | 5 |
| <i>Liquidambar styraciflua</i> 'Gold Dust' See - <i>Liquidambar styraciflua</i> 'Goduzam' | DT | 1.29 | G1 | | 5-9B | 1.34 | 0.39 | 5 |
| <i>Liquidambar styraciflua</i> 'Moraine' P.P. 4601 Moraine American Sweetgum | DT | 0.91 | G1 | | 5-9B | 0.79 | 0.48 | 5 |
| <i>Liquidambar styraciflua</i> 'Palo Alto' Palo Alto American Sweetgum | DT | 0.84 | G1 | | 5-9B | 1.04 | 0.65 | 5 |
| <i>Liquidambar styraciflua</i> 'Rotundiloba' Rotundiloba Fruitless American Sweetgum | DT | 0.83 | G1 | | 5-9B | 0.79 | 0.39 | 5 |
| <i>Liquidambar styraciflua</i> 'Variegata' Variegated American Sweetgum | DT | 1.06 | G1 | | 5-9B | 1.10 | 0.60 | 5 |
| <i>Liquidambar styraciflua</i> 'Worplesdon' Worplesdon American Sweetgum | DT | 0.72 | G1 | | 4-9B | 0.92 | 0.38 | 4 |
| <i>Liriodendron tulipifera</i> Tulip Tree | DT | 1.26 | G1 | | 4-9B | 0.92 | 0.38 | 4 |
| <i>Liriodendron tulipifera</i> 'Arnold' Arnold Tulip Tree | DT | 0.82 | G1 | | 4-9B | 0.92 | 0.38 | 4 |
| <i>Liriodendron tulipifera</i> 'Aureo-marginatum' Majestic Beauty™ Variegated Tulip Tree | DT | 0.94 | G4 | | 8-10B | 1.00 | 8 | |
| <i>Liriodendron tulipifera</i> 'Fastigiatum' Pyramidal Tulip Tree | DT | 1.00 | G4 | | 8-10B | 1.00 | 8 | |
| <i>Liriodendron tulipifera</i> 'Majestic Beauty' See - <i>Liriodendron tulipifera</i> 'Aureo-marginatum' | GC | 0.79 | G4 | 6-8 | 9A-11 | 0.93 | 6 | |
| <i>Liriope gigantea</i> Giant Liliy turf | GC | 1.13 | G4 | 6-8 | 9A-11 | 0.93 | 6 | |
| <i>Liriope graminifolia</i> No Common Name Found | GC | 1.26 | G4 | 6-8 | 9A-11 | 0.93 | 6 | |
| <i>Liriope muscari</i> Blue Liliy turf | GC | 0.89 | G4 | 6-8 | 9A-11 | 0.93 | 6 | |
| <i>Liriope muscari</i> 'Aztec' Aztec Blue Liliy turf | GC | 1.07 | G4 | 6-8 | 9A-11 | 0.93 | 6 | |
| <i>Liriope muscari</i> 'Big Blue' Big Blue Blue Liliy turf | GC | 1.29 | G4 | 6-8 | 9A-11 | 0.93 | 6 | |
| <i>Liriope muscari</i> 'Christmas Tree' Christmas Tree Blue Liliy turf | GC | 1.16 | G4 | 6-8 | 9A-11 | 0.93 | 6 | |
| <i>Liriope muscari</i> 'Evergreen Giant' Evergreen Giant Blue Liliy turf | GC | 1.24 | G4 | 6-8 | 9A-11 | 0.93 | 6 | |
| <i>Liriope muscari</i> 'Gold Banded' Gold Banded Blue Liliy turf | GC | 1.12 | G4 | 6-8 | 9A-11 | 0.93 | 6 | |
| <i>Liriope muscari</i> 'John Burch' John Burch Blue Liliy turf | GC | 1.21 | G4 | 6-8 | 9A-11 | 0.93 | 6 | |
| <i>Liriope muscari</i> 'Lilac Beauty' Lilac Beauty Blue Liliy turf | GC | 1.10 | G4 | 6-8 | 9A-11 | 0.93 | 6 | |
| <i>Liriope muscari</i> 'Majestic' Majestic Blue Liliy turf | GC | 1.08 | G4 | 6-8 | 9A-11 | 0.93 | 6 | |
| <i>Liriope muscari</i> 'Monroe's White' Monroe's White Blue Liliy turf | GC | 1.05 | G4 | 6-8 | 9A-11 | 0.93 | 6 | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Liriope muscari</i> 'Royal Purple' Royal Purple Blue Lilityturf | GC | 1.19 | G4 | 6-8 | 9A-11 | | 0.93 | 6 |
| <i>Liriope muscari</i> 'Silver Midget' Silver Midget Blue Lilityturf | GC | 1.13 | G4 | 6-8 | 9A-11 | | 0.93 | 6 |
| <i>Liriope muscari</i> 'Silvery Sunproof' Silvery Sunproof Blue Lilityturf | GC | 1.03 | G4 | 6-8 | 9A-11 | | 0.93 | 6 |
| <i>Liriope muscari</i> 'Variegata' Variegated Blue Lilityturf | GC | 1.10 | G4 | 6-8 | 9A-11 | | 0.93 | 6 |
| <i>Liriope muscari</i> 'Webster Wideleaf' Webster Wideleaf Blue Lilityturf | GC | 0.91 | G4 | 6-8 | 9A-11 | | 0.93 | 6 |
| <i>Liriope spicata</i> Creeping Lilityturf | GC | 1.13 | G4 | 4-8 | 9A-11 | | 1.00 | 4 |
| <i>Liriope spicata</i> 'Franklin Mint' Franklin Mint Creeping Lilityturf | GC | 1.13 | G4 | 4-8 | 9A-11 | | 1.00 | 4 |
| <i>Liriope spicata</i> 'Silver Dragon' Silver Dragon Creeping Lilityturf | GC | 1.16 | G4 | 4-8 | 9A-11 | | 1.00 | 4 |
| <i>Lisianthus nigrescens</i> Flor de Muerto | BS | 0.70 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Litchi chinensis</i> Lychee | FN | 1.50 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Lithocarpus densiflorus</i> Tanbark Oak | BE | 1.00 | G1 | | 7-9A | 1.00 | 1.00 | 7 |
| <i>Lithocarpus edulis</i> Japanese False Oak | BE | 1.26 | G1 | | 7-9A | 1.00 | 1.00 | 7 |
| <i>Lithodora diffusa</i> Acidsoil Lithodora | HP | 0.76 | G2 | | 7-9B | | | 7 |
| <i>Lithodora diffusa</i> 'Grace Ward' Grace Ward Acidsoil Lithodora | HP | 0.94 | G2 | | 7-9B | | | 7 |
| <i>Lithodora diffusa</i> 'Heavenly Blue' Heavenly Blue Acidsoil Lithodora | HP | 0.83 | G2 | | 7-9B | | | 7 |
| <i>Lithospermum diffusum</i> See - <i>Lithodora diffusa</i> | | | | | | | | |
| <i>Livistona australis</i> Gippsland Palm | BE | 0.97 | G1 | 9A | 9B-11 | 1.00 | 1.00 | 10 |
| <i>Livistona chinensis</i> Chinese Fan Palm | BE | 0.96 | G1 | 9A | 9B-11 | 1.00 | 1.04 | 10 |
| <i>Livistona decipiens</i> Weeping Cabbage Palm | BE | 0.93 | G1 | 9A | 9B-11 | 1.00 | 0.99 | 10 |
| <i>Livistona drudei</i> No Common Name Found | BE | 1.00 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Livistona mariae</i> Central Australian Fan Palm | BE | 1.00 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Livistona muelleri</i> Dwarf Fan Palm | BE | 1.00 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Livistona rigida</i> No Common Name Found | BE | 1.00 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Livistona robinsoniana</i> No Common Name Found | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Livistona rotundifolia</i> No Common Name Found | BE | 1.48 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Livistona saribus</i> Taraw Palm | BE | 1.00 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Lobelia</i> Lobeliea | HP | 0.98 | G4 | 3-6 | 7-10A | | | 3 |
| <i>Lobelia</i> 'Brightness' Brightness Hybrid Lobelia | HP | 0.98 | G4 | 3-6 | 7-10A | | | 3 |
| <i>Lobelia cardinalis</i> Cardinal Flower | HP | 1.00 | G4 | 3-6 | 7-10A | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Lobelia erinus</i> | AN | 0.64 | G4 | 3-6 | 7-10A | | | 10 |
| Edging Lobelia | | | | | | | | |
| <i>Lobelia erinus 'Moon Series'</i> | AN | 0.64 | G4 | 3-6 | 7-10A | | | 10 |
| Moon Series Lobelia | | | | | | | | |
| <i>Lobelia erinus 'Riviera Series'</i> | AN | 0.64 | G4 | 3-6 | 7-10A | | | 10 |
| Riviera Series Lobelia | | | | | | | | |
| <i>Lobelia fulgens</i> | | | | | | | | |
| See - <i>Lobelia splendens</i> | | | | | | | | |
| <i>Lobelia x gerardii</i> | HP | 0.75 | G4 | 3-6 | 7-10A | | | 7 |
| Purple Hybrid Lobelia | | | | | | | | |
| <i>Lobelia x gerardii 'Vedrariensis'</i> | HP | 1.14 | G4 | 3-6 | 7-10A | | | 7 |
| Vedrariensis Purple Hybrid Lobelia | | | | | | | | |
| <i>Lobelia inflata</i> | HP | 1.00 | G4 | 3-6 | 7-10A | | | 5 |
| Indian Tobacco | | | | | | | | |
| <i>Lobelia laxiflora</i> | HP | 1.03 | G4 | | 9A-10B | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Lobelia siphilitica</i> | HP | 0.99 | G4 | | 5-9A | | | 5 |
| Big Blue Lobelia | | | | | | | | |
| <i>Lobelia siphilitica 'Alba'</i> | HP | 1.01 | G4 | | 5-9A | | | 5 |
| White Big Blue Lobelia | | | | | | | | |
| <i>Lobelia siphilitica 'Blue Select'</i> | HP | 1.02 | G4 | | 5-9A | | | 5 |
| Blue Select Big Blue Lobelia | | | | | | | | |
| <i>Lobelia x speciosa</i> | HP | 0.64 | G4 | | 5-9A | | | 3 |
| Hybrid Lobelia | | | | | | | | |
| <i>Lobelia x speciosa 'Bees' Flame'</i> | HP | 1.01 | G4 | | 5-9A | | | 3 |
| Bees' Flame Hybrid Lobelia | | | | | | | | |
| <i>Lobelia x speciosa 'Dark Crusader'</i> | HP | 1.06 | G4 | | 5-9A | | | 3 |
| Dark Crusader Hybrid Lobelia | | | | | | | | |
| <i>Lobelia x speciosa 'Elm Fire'</i> | HP | 1.09 | G4 | | 5-9A | | | 3 |
| Elm Fire Hybrid Lobelia | | | | | | | | |
| <i>Lobelia x speciosa 'Pink Flamingo'</i> | HP | 1.09 | G4 | | 5-9A | | | 3 |
| Pink Flamingo Hybrid Lobelia | | | | | | | | |
| <i>Lobelia x speciosa 'Queen Victoria'</i> | HP | 0.92 | G4 | | 5-9A | | | 3 |
| Queen Victoria Hybrid Lobelia | | | | | | | | |
| <i>Lobelia x speciosa 'Rose Beacon'</i> | HP | 1.27 | G4 | | 5-9A | | | 3 |
| Rose Beacon Hybrid Lobelia | | | | | | | | |
| <i>Lobelia x speciosa 'Ruby Slippers'</i> | HP | 1.13 | G4 | | 5-9A | | | 3 |
| Ruby Slippers Hybrid Lobelia | | | | | | | | |
| <i>Lobelia x speciosa 'Russian Princess'</i> | HP | 1.14 | G4 | | 5-9A | | | 3 |
| Russian Princess Hybrid Lobelia | | | | | | | | |
| <i>Lobelia x speciosa 'Tania'</i> | HP | 1.44 | G4 | | 5-9A | | | 3 |
| Tania Hybrid Lobelia | | | | | | | | |
| <i>Lobelia x speciosa 'Wildwood Splendor'</i> | HP | 1.48 | G4 | | 5-9A | | | 3 |
| Wildwood Splendor Hybrid Lobelia | | | | | | | | |
| <i>Lobelia splendens</i> | HP | 1.00 | G4 | 3-6 | 7-10A | | | 8 |
| Mexican Lobelia | | | | | | | | |
| <i>Lobelia tupa</i> | HP | 1.00 | G4 | 8 | 9A-10A | | | 8 |
| Blood Lobelia | | | | | | | | |
| <i>Lobivia densispina</i> | | | | | | | | |
| See - <i>Echinopsis kuehnrichii</i> | | | | | | | | |
| <i>Lobularia maritima</i> | AN | 0.64 | G1 | | 7-10A | | | 7 |
| Sweet Alyssum | | | | | | | | |
| <i>Lobularia maritima 'Carpet of Snow'</i> | AN | 0.64 | G1 | | 7-10A | | | 7 |
| Carpet of Snow Alyssum | | | | | | | | |
| <i>Lobularia maritima 'Easter Bonnet Series'</i> | AN | 0.64 | G1 | | 7-10A | | | 7 |
| Easter Bonnet Series Alyssum | | | | | | | | |
| <i>Lobularia maritima 'Snowdrift'</i> | AN | 0.64 | G1 | | 7-10A | | | 7 |
| Snowdrift Alyssum | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | 7-10A | 10B-11 | | | | | | |
| <i>Lobularia maritima</i> 'Wonderland Rose' Wonderland Rose Alyssum | AN | 0.64 | G1 | | 7-10A | | | 7 |
| <i>Lobularia maritima</i> 'Wonderland White' Wonderland White Alyssum | AN | 0.64 | G1 | | 7-10A | | | 7 |
| <i>Lonchocarpus punctatus</i> Florida Lilac | BE | 0.96 | G1 | 9A-10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Lonchocarpus violaceus</i> Lancepod Tree | BE | 1.12 | G1 | 9A-10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Lonicera</i> Honeysuckle | DS | 1.00 | G1 | | 4-8 | | | 1.00 |
| <i>Lonicera</i> 'Honeyrose' Honeyrose Honeysuckle | GC | 0.81 | G1 | | 4-8 | | | 1.00 |
| <i>Lonicera x brownii</i> Brown's Honeysuckle | DS | 1.13 | G1 | | 4-8 | | | 1.00 |
| <i>Lonicera x brownii</i> 'Dropmore Scarlet' Dropmore Scarlet Brown's Honeysuckle | DS | 1.13 | G1 | | 4-8 | | | 1.00 |
| <i>Lonicera caerulea</i> No Common Name Found | DS | 1.00 | G1 | | 3-8 | | | 1.00 |
| <i>Lonicera caerulea</i> var. <i>edulis</i> No Common Name Found | DS | 1.00 | G1 | | 3-8 | | | 1.00 |
| <i>Lonicera fragrantissima</i> Winter Honeysuckle | BS | 0.87 | G1 | | 4-8 | | | 0.38 |
| <i>Lonicera x heckrottii</i> Goldflame Honeysuckle | DS | 1.13 | G1 | | 5-9A | | | 1.00 |
| <i>Lonicera x heckrottii</i> '(Unnamed Cultivar)' Pink Lemonade™ Goldflame Honeysuckle | DS | 1.30 | G1 | | 5-9A | | | 1.00 |
| <i>Lonicera x heckrottii</i> 'Pink Lemonade' See - <i>Lonicera x heckrottii</i> '(Unnamed Cultivar)' | BS | 1.00 | G1 | | 4-8 | | | 1.00 |
| <i>Lonicera henryi</i> Henry's Honeysuckle | BS | 1.00 | G1 | | 4-8 | | | 1.00 |
| <i>Lonicera hildebrandiana</i> Giant Burmese Honeysuckle | BS | 1.20 | G2 | | 9A-10B | | | 1.00 |
| <i>Lonicera hispida</i> Hairy Honeysuckle | DS | 1.00 | G1 | | 6-9A | | | 1.00 |
| <i>Lonicera involucrata</i> Twinberry | DS | 0.87 | G1 | | 4-8 | | | 1.00 |
| <i>Lonicera japonica</i> Japanese Honeysuckle | BS | 0.67 | G1 | | 4-10A | | | 0.38 |
| <i>Lonicera japonica</i> 'Aureo-reticulata' Aureo-reticulata Japanese Honeysuckle | BS | 0.86 | G1 | | 4-10A | | | 0.38 |
| <i>Lonicera japonica</i> 'Halliana' Hall's Japanese Honeysuckle | BS | 0.87 | G1 | | 4-10A | | | 0.38 |
| <i>Lonicera japonica</i> 'Purpurea' Purple Hall's Japanese Honeysuckle | BS | 0.85 | G1 | | 4-10A | | | 0.38 |
| <i>Lonicera korolkowii</i> Blueleaf Honeysuckle | DS | 0.89 | G1 | | 5-8 | | | 0.86 |
| <i>Lonicera korolkowii</i> 'Freedom' Freedom Blueleaf Honeysuckle | DS | 0.89 | G1 | | 5-8 | | | 0.86 |
| <i>Lonicera korolkowii</i> var. <i>zabelii</i> See - <i>Lonicera tatarica</i> 'Zabelii' | DS | 0.95 | G1 | | 3-8 | | | 1.00 |
| <i>Lonicera maackii</i> Amur Honeysuckle | DS | 0.95 | G1 | | 3-8 | | | 1.00 |
| <i>Lonicera maackii</i> 'Rem Red' Rem Red Amur Honeysuckle | DS | 1.00 | G1 | | 3-8 | | | 1.00 |
| <i>Lonicera maackii</i> var. <i>podocarpa</i> No Common Name Found | DS | 1.00 | G1 | | 3-8 | | | 1.00 |
| <i>Lonicera maximowiczii</i> No Common Name Found | DS | 1.00 | G1 | | 4-8 | | | 1.00 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|----------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Lonicera maximowiczii</i> var. <i>sachalinensis</i> Sakhalin Honeysuckle | DS | 1.02 | G1 | | 4-8 | | | 1.00 4 |
| <i>Lonicera Morrowii</i> Morrow Honeysuckle | DS | 0.96 | G1 | | 4-8 | | | 1.00 3 |
| <i>Lonicera Morrowii</i> 'Xanthocarpa' Xanthocarpa Morrow Honeysuckle | DS | 0.96 | G1 | | 4-8 | | | 1.00 3 |
| <i>Lonicera nitida</i> Boxleaf Honeysuckle | BS | 1.02 | G1 | | 7-9A | | | 1.00 7 |
| <i>Lonicera nitida</i> 'Gold Coast' Gold Coast Boxleaf Honeysuckle | BS | 1.02 | G1 | | 7-9A | | | 1.00 7 |
| <i>Lonicera periclymenum</i> Woodbine Honeysuckle | GC | 1.21 | G1 | | 4-8 | | | 1.00 4 |
| <i>Lonicera periclymenum</i> 'Berries Jubilee' See - <i>Lonicera periclymenum</i> 'Monul' | GC | 1.41 | G1 | | 4-8 | | | 1.00 4 |
| <i>Lonicera periclymenum</i> 'Graham Thomas' Graham Thomas Woodbine Honeysuckle | GC | 1.21 | G1 | | 4-8 | | | 1.00 4 |
| <i>Lonicera periclymenum</i> 'Monul' Berries Jubilee™ Woodbine Honeysuckle | BS | 0.96 | G1 | 6-8 | | | | 0.57 5 |
| <i>Lonicera pileata</i> Privet Honeysuckle | GC | 0.95 | G1 | 6-8 | | | | 1.00 5 |
| <i>Lonicera pileata</i> 'Royal Carpet' Royal Carpet Privet Honeysuckle | GC | 0.91 | G1 | 4-6 | 7-10A | | | 1.00 3 |
| <i>Lonicera sempervirens</i> Trumpet Honeysuckle | GC | 1.24 | G1 | 4-6 | 7-10A | | | 1.00 3 |
| <i>Lonicera sempervirens</i> 'Blanche Sandman' Blanche Sandman Trumpet Honeysuckle | GC | 1.18 | G1 | 4-6 | 7-10A | | | 1.00 3 |
| <i>Lonicera sempervirens</i> 'Magnifica' Magnifica Trumpet Honeysuckle | GC | 0.94 | G1 | 4-6 | 7-10A | | | 1.00 3 |
| <i>Lonicera sempervirens</i> 'Sulphurea' Sulphurea Trumpet Honeysuckle | GC | 0.91 | G1 | 4-6 | 7-10A | | | 1.00 3 |
| <i>Lonicera sempervirens</i> 'Superba' Superba Trumpet Honeysuckle | DS | 0.93 | G1 | | 3-8 | | | 0.79 3 |
| <i>Lonicera tatarica</i> Tatarian Honeysuckle | DS | 0.71 | G1 | | 3-8 | | | 0.57 3 |
| <i>Lonicera tatarica</i> 'Alba' White Tatarian Honeysuckle | DS | 0.93 | G1 | | 3-8 | | | 0.57 3 |
| <i>Lonicera tatarica</i> 'Arnold Red' Arnold Red Tatarian Honeysuckle | DS | 0.71 | G1 | | 3-8 | | | 0.57 3 |
| <i>Lonicera tatarica</i> 'Beavermor' Beavermor Tatarian Honeysuckle | DS | 0.71 | G1 | | 3-8 | | | 0.57 3 |
| <i>Lonicera tatarica</i> 'Grandiflora' Grandiflora Tatarian Honeysuckle | DS | 0.71 | G1 | | 3-8 | | | 0.57 3 |
| <i>Lonicera tatarica</i> 'Hack's Red' Hack's Red Tatarian Honeysuckle | DS | 0.71 | G1 | | 3-8 | | | 0.57 3 |
| <i>Lonicera tatarica</i> 'LeRoyana' LeRoyana Tatarian Honeysuckle | DS | 0.71 | G1 | | 3-8 | | | 0.57 3 |
| <i>Lonicera tatarica</i> 'Lutea' Lutea Tatarian Honeysuckle | DS | 0.71 | G1 | | 3-8 | | | 0.57 3 |
| <i>Lonicera tatarica</i> 'Morden Orange' Morden Orange Tatarian Honeysuckle | DS | 0.71 | G1 | | 3-8 | | | 0.57 3 |
| <i>Lonicera tatarica</i> 'Nana' Dwarf Tatarian Honeysuckle | DS | 0.71 | G1 | | 3-8 | | | 0.66 3 |
| <i>Lonicera tatarica</i> 'Rosea' Pink Tatarian Honeysuckle | DS | 0.71 | G1 | | 3-8 | | | 0.57 3 |
| <i>Lonicera tatarica</i> 'Sibirica' Rubra Honeysuckle | DS | 0.71 | G1 | | 3-8 | | | 0.57 3 |
| <i>Lonicera tatarica</i> 'Valencia' Valencia Tatarian Honeysuckle | DS | 0.71 | G1 | | 3-8 | | | 0.57 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Lonicera tatarica</i> 'Virginalis' Virginalis Tatarian Honeysuckle | DS | 0.71 | G1 | | 3-8 | | | 0.57 3 |
| <i>Lonicera tatarica</i> 'Zabelii' Zabelii Tatarian Honeysuckle | DS | 0.76 | G1 | | 3-8 | | | 0.57 3 |
| <i>Lonicera x tellmanniana</i> Tellman Honeysuckle | DS | 1.33 | G1 | | 5-8 | | | 1.00 5 |
| <i>Lonicera utahensis</i> Utah Honeysuckle | DS | 0.91 | G1 | | 4-8 | | | 1.00 4 |
| <i>Lonicera wheeleri</i> Wheeling Honeysuckle | DS | 1.00 | G1 | | 4-8 | | | 1.00 5 |
| <i>Lonicera x xylosteoides</i> Hybrid Honeysuckle | DS | 0.91 | G1 | | 4-8 | | | 0.76 6 |
| <i>Lonicera x xylosteoides</i> 'Clavey Dwarf' Clavey Dwarf Honeysuckle | DS | 0.91 | G1 | | 4-8 | | | 0.76 6 |
| <i>Lonicera x xylosteoides</i> 'Emerald Mound' Emerald Mound Honeysuckle | DS | 1.00 | G1 | | 4-8 | | | 1.02 6 |
| <i>Lonicera x xylosteoides</i> 'Hedge King' Hedge King Honeysuckle | DS | 0.91 | G1 | | 4-8 | | | 0.87 6 |
| <i>Lonicera x xylosteoides</i> 'Miniglobe' Miniglobe Honeysuckle | DS | 0.94 | G1 | | 4-8 | | | 0.76 6 |
| <i>Lonicera xylosteum</i> European Fly Honeysuckle | DS | 1.00 | G1 | | 4-8 | | | 1.00 3 |
| <i>Lophomyrtus x ralphii</i> No Common Name Found | BS | 0.87 | G2 | | 9A-10B | | | 1.00 9 |
| <i>Loropetalum chinense</i> Fringe Flower | BS | 0.96 | G1 | 8 | 9 | | | 1.12 8 |
| <i>Loropetalum chinense</i> 'Alba' White Fringe Flower | BS | 1.10 | G1 | 8 | 9 | | | 1.12 8 |
| <i>Loropetalum chinense</i> 'Blush' See - <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Monraz' | BS | 0.99 | G1 | 8 | 9 | | | 1.00 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> Red-leaved Fringe Flower | BS | 1.19 | G1 | 8 | 9 | | | 1.00 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> '(Unnamed Cultivar 1)' Plum Delight™ Fringe Flower | BS | 1.14 | G1 | 8 | 9 | | | 1.00 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Burgundy' Burgundy Fringe Flower | BS | 0.99 | G1 | 8 | 9 | | | 1.00 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Monraz' Razzleberry™ Fringe Flower | BS | 1.06 | G1 | 8 | 9 | | | 1.00 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Plum Delight' See - <i>Loropetalum chinense</i> var. <i>rubrum</i> '(Unnamed Cultivar 1)' | BS | 0.99 | G1 | 8 | 9 | | | 1.00 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Razzleberry' See - <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Monraz' | BS | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| <i>Lotus berthelotii</i> Parrot's Beak | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| <i>Lotus berthelotii</i> 'Gold Flash' Gold Flash Parrot's Beak | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| <i>Lotus corniculatus</i> Bird's-foot Trefoil | HP | 0.28 | G4 | | 5-9A | | | 5 |
| <i>Luculia gratissima</i> Fragrant Luculia | BS | 1.00 | G2 | | 10A-11 | | | 1.00 10 |
| <i>Luculia pinceana</i> No Common Name Found | BS | 0.94 | G2 | | 9A-11 | | | 1.00 9 |
| <i>Ludisia discolor</i> Jewel Orchid | FO | 1.03 | G3 | 8-10A | 10B-11 | | | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ludwigia alternifolia</i> Seed Box | HP | 1.00 | G1 | | 4-8 | | | 4 |
| <i>Luffa acutangula</i> Angled Loofah | AN | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Luffa cylindrica</i> Loofah | AN | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Luma apiculata</i> Arrayan | BE | 0.80 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| <i>Lunaria annua</i> Money Plant | AN | 1.51 | G1 | 9 | 10A-11 | | | 8 |
| <i>Lunaria annua</i> 'Purple Giant' Purple Giant Money Plant | AN | 1.51 | G1 | 9 | 10A-11 | | | 8 |
| <i>Lupinus</i> Hybrid Lupine | HP | 0.87 | G2 | | 8-9B | | | 4 |
| <i>Lupinus</i> 'Chandelier' | HP | 0.99 | G2 | | 8-9B | | | 4 |
| Chandelier Hybrid Lupine | | | | | | | | |
| <i>Lupinus</i> 'Gallery Blue' | HP | 1.21 | G2 | | 8-9B | | | 4 |
| Gallery Blue Hybrid Lupine | | | | | | | | |
| <i>Lupinus</i> 'Gallery Hybrids' | HP | 0.93 | G2 | | 8-9B | | | 4 |
| Gallery Hybrids Lupine | | | | | | | | |
| <i>Lupinus</i> 'Gallery Pink' | HP | 0.99 | G2 | | 8-9B | | | 4 |
| Gallery Pink Hybrid Lupine | | | | | | | | |
| <i>Lupinus</i> 'Gallery Red' | HP | 0.87 | G2 | | 8-9B | | | 4 |
| Gallery Red Hybrid Lupine | | | | | | | | |
| <i>Lupinus</i> 'Gallery White' | HP | 1.46 | G2 | | 8-9B | | | 4 |
| Gallery White Hybrid Lupine | | | | | | | | |
| <i>Lupinus</i> 'Gallery Yellow' | HP | 0.87 | G2 | | 8-9B | | | 4 |
| Gallery Yellow Hybrid Lupine | | | | | | | | |
| <i>Lupinus</i> 'Minarette' | HP | 0.97 | G2 | | 8-9B | | | 4 |
| Minarette Hybrid Lupine | | | | | | | | |
| <i>Lupinus</i> 'Mon Chateau' | HP | 0.87 | G2 | | 8-9B | | | 4 |
| Mon Chateau Hybrid Lupine | | | | | | | | |
| <i>Lupinus</i> 'Mrs. Rudolph' | HP | 0.87 | G2 | | 8-9B | | | 4 |
| Mrs. Rudolph Hybrid Lupine | | | | | | | | |
| <i>Lupinus</i> 'My Castle' | HP | 1.15 | G2 | | 8-9B | | | 4 |
| My Castle Hybrid Lupine | | | | | | | | |
| <i>Lupinus</i> 'Noble Maiden' | HP | 1.03 | G2 | | 8-9B | | | 4 |
| Noble Maiden Hybrid Lupine | | | | | | | | |
| <i>Lupinus</i> 'The Chatelaine' | HP | 1.27 | G2 | | 8-9B | | | 4 |
| The Chatelaine Hybrid Lupine | | | | | | | | |
| <i>Lupinus</i> 'The Governor' | HP | 1.10 | G2 | | 8-9B | | | 4 |
| The Governor Hybrid Lupine | | | | | | | | |
| <i>Lupinus</i> 'The Pages' | HP | 1.03 | G2 | | 8-9B | | | 4 |
| The Pages Hybrid Lupine | | | | | | | | |
| <i>Lupinus albifrons</i> No Common Name Found | BS | 0.77 | G2 | | 8-9B | 1.00 | 8 | |
| <i>Lupinus arboreus</i> Tree Lupine | BS | 0.77 | G2 | | 8-9B | 1.00 | 8 | |
| <i>Lupinus argenteus</i> Silvery Lupine | HP | 0.92 | G4 | | 4-8 | | | 4 |
| <i>Lupinus chamissonis</i> No Common Name Found | HP | 1.00 | G4 | | 8-9B | | | 8 |
| <i>Lupinus excubitus</i> No Common Name Found | BS | 0.77 | G2 | | 8-9B | 1.00 | 8 | |
| <i>Lupinus polyphyllus</i> Washington Lupine | HP | 0.90 | G4 | | 3-8 | | | 3 |
| <i>Lupinus polyphyllus</i> 'Russell Blue Hybrid' | HP | 0.80 | G4 | | 3-8 | | | 3 |
| Russell Blue Hybrid Lupine | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Lupinus polyphyllus</i> 'Russell Hybrid' Russell Hybrid Lupine | HP | 0.96 | G4 | | 4-7 | | | 3 |
| <i>Lupinus polyphyllus</i> 'Russell Red Hybrid' Russell Red Hybrid Lupine | HP | 0.78 | G4 | | 3-8 | | | 3 |
| <i>Lupinus polyphyllus</i> 'Russell Yellow Hybrid' Russell Yellow Hybrid Lupine | HP | 0.78 | G4 | | 3-8 | | | 3 |
| <i>Luzula maxima</i> | | | | | | | | |
| See - <i>Luzula sylvatica</i> | | | | | | | | |
| <i>Luzula nivea</i> Snowy Woodrush | HP | 1.13 | G4 | 6 | 7-9A | | | 6 |
| <i>Luzula sylvatica</i> Greater Woodrush | HP | 0.89 | G4 | 6 | 7-9A | | | 6 |
| <i>Luzula sylvatica</i> 'High Tatra' High Tatra Greater Woodrush | HP | 1.01 | G4 | 6 | 7-9A | | | 6 |
| <i>Luzula sylvatica</i> 'Marginata' Marginata Greater Woodrush | HP | 1.31 | G4 | 6 | 7-9A | | | 6 |
| <i>Lychnis alpina</i> Alpine Campion | HP | 0.88 | G4 | | 5-9A | | | 5 |
| <i>Lychnis x arkwrightii</i> Arkwright's Campion | HP | 0.97 | G4 | | 5-9A | | | 6 |
| <i>Lychnis x arkwrightii</i> 'Vesuvius' Vesuvius Arkwright's Campion | HP | 0.97 | G4 | | 5-9A | | | 6 |
| <i>Lychnis chalcedonica</i> Maltese Cross | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Lychnis coronaria</i> Rose Campion | HP | 0.92 | G4 | | 4-9A | | | 4 |
| <i>Lychnis coronaria</i> 'Alba' White Rose Campion | HP | 0.93 | G4 | | 4-9A | | | 4 |
| <i>Lychnis coronaria</i> 'Angel Blush' Angel Blush Rose Campion | HP | 0.99 | G4 | | 4-9A | | | 4 |
| <i>Lychnis coronaria</i> 'Blood Red' Blood Red Rose Campion | HP | 0.77 | G4 | | 4-9A | | | 4 |
| <i>Lychnis coronaria</i> 'Oculata' Oculata Rose Campion | HP | 0.75 | G4 | | 4-9A | | | 4 |
| <i>Lychnis flos-cuculi</i> Ragged Robin | HP | 1.04 | G4 | | 5-9A | | | 6 |
| <i>Lychnis x haageana</i> Haage's Campion | HP | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Lychnis viscaria</i> German Catchfly | HP | 0.91 | G4 | | 4-9A | | | 4 |
| <i>Lychnis viscaria</i> 'Alba' White German Catchfly | HP | 0.91 | G4 | | 4-9A | | | 4 |
| <i>Lychnis viscaria</i> 'Fever' Fever German Catchfly | HP | 0.91 | G4 | | 4-9A | | | 4 |
| <i>Lychnis viscaria</i> 'Splendens' Splendens German Catchfly | HP | 0.91 | G4 | | 4-9A | | | 4 |
| <i>Lychnis viscaria</i> 'Thurnau' Thurnau German Catchfly | HP | 1.01 | G4 | | 4-9A | | | 4 |
| <i>Lycopersicon esculentum</i> Tomato | AN | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Lycopersicon esculentum</i> 'Heartland' Heartland Tomato | AN | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Lycopersicon lycopersicum</i> See - <i>Lycopersicon esculentum</i> | | | | | | | | |
| <i>Lygodium japonicum</i> Japanese Climbing Fern | FO | 0.49 | G4 | 9A | 9B-10B | | | 10 |
| <i>Lyonia ferruginea</i> Rusty Lyonia | BS | 0.76 | G1 | | 9-10A | | 1.00 | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Lyonia lucida</i> Fetter Bush | BS | 0.75 | G1 | 6 | 7-10A | | 1.00 | 5 |
| <i>Lyonothamnus floribundus</i> Catalina Ironwood | BE | 1.00 | G2 | | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Lyonothamnus floribundus</i> ssp. <i>asplenifolius</i> Fernleaf Catalina Ironwood | BE | 1.12 | G2 | | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Lysiloma bahamensis</i> See - <i>Lysiloma latisiliqua</i> | BE | 0.70 | G1 | 10A | 10B-11 | 1.00 | 0.71 | 9 |
| <i>Lysiloma latisiliqua</i> Wild Tamarind | BS | 0.50 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Lysiloma microphylla</i> var. <i>thornberi</i> Feather Bush | BS | 0.71 | G1 | 10A | 10B-11 | 1.00 | 0.68 | 10 |
| <i>Lysiloma sabicu</i> Sabicu | HP | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Lysimachia atropurpurea</i> No Common Name Found | HP | 0.97 | G4 | | 4-8 | | | 4 |
| <i>Lysimachia ciliata</i> Fringed Loosestrife | HP | 1.04 | G4 | | 4-8 | | | 4 |
| <i>Lysimachia ciliata</i> 'Purpurea' Purple Fringed Loosestrife | HP | 0.98 | G4 | 7-9A | 9B-10A | | | 7 |
| <i>Lysimachia clethroides</i> Gooseneck Loosestrife | HP | 1.48 | G4 | 7-9A | 9B-10A | | | 7 |
| <i>Lysimachia congestiflora</i> Dense-flowered Loosestrife | HP | 0.89 | G4 | 7-9A | 9B-10A | | | 7 |
| <i>Lysimachia congestiflora</i> 'Eco Dark Satin' Eco Dark Satin Dense-flowered Loosestrife | HP | 0.75 | G4 | 7-9A | 9B-10A | | | 7 |
| <i>Lysimachia congestiflora</i> 'Outback Sunset' Outback Sunset™ Dense-flowered Loosestrife | HP | 0.83 | G4 | 7-9A | 9B-10A | | | 7 |
| <i>Lysimachia ephemerum</i> No Common Name Found | HP | 0.88 | G4 | 7-9A | 9B-10A | | | 7 |
| <i>Lysimachia fortunei</i> No Common Name Found | HP | 0.89 | G4 | 7-9A | 9B-10A | | | 7 |
| <i>Lysimachia nummularia</i> Creeping Jenny | HP | 0.97 | G4 | | 4-10A | | | 4 |
| <i>Lysimachia nummularia</i> 'Aurea' Aurea Moneywort | HP | 1.00 | G4 | | 4-10A | | | 4 |
| <i>Lysimachia punctata</i> Yellow Loosestrife | HP | 0.96 | G4 | | 4-10A | | | 3 |
| <i>Lysimachia quadriflora</i> Narrow-Leaved Loosestrife | HP | 0.97 | G4 | 7-9A | 9B-10A | | | 4 |
| <i>Lythrum alatum</i> Winged Loosestrife | HP | 0.89 | G4 | | 4-10A | | | 3 |
| <i>Lythrum salicaria</i> Purple Lythrum | HP | 0.89 | G4 | | 4-10A | | | 3 |
| <i>Lythrum salicaria</i> 'Robert' Robert Purple Lythrum | HP | 0.89 | G4 | | 4-10A | | | 3 |
| <i>Lythrum salicaria</i> 'Roseum Superbum' Roseum Superbum Purple Lythrum | HP | 0.89 | G4 | | 4-10A | | | 3 |
| <i>Lythrum salicaria</i> 'Rosy Spires' Rosy Spires Purple Lythrum | HP | 1.07 | G4 | | 4-10A | | | 3 |
| <i>Lythrum salicaria</i> 'The Beacon' The Beacon Purple Lythrum | HP | 0.89 | G4 | | 4-10A | | | 3 |
| <i>Lythrum salicaria</i> 'Zigeunerblut' Eigeunerblut Purple Lythrum | HP | 1.02 | G4 | | 4-10A | | | 3 |
| <i>Lythrum virgatum</i> Purple Loosestrife | HP | 0.80 | G4 | | 4-10A | | | 5 |
| <i>Lythrum virgatum</i> 'Dropmore Purple' Dropmore Purple Loosestrife | HP | 1.05 | G4 | | 4-10A | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Lythrum virgatum</i> 'Morden Gleam' Morden Gleam Purple Loosestrife | HP | 0.83 | G4 | | 4-10A | | | 5 |
| <i>Lythrum virgatum</i> 'Morden Pink' Morden Pink Purple Loosestrife | HP | 1.02 | G4 | | 4-10A | | | 5 |
| <i>Lythrum virgatum</i> 'Purple Spires' Purple Spires Purple Loosestrife | HP | 0.80 | G4 | | 4-10A | | | 5 |
| <i>Lytocaryum weddellianum</i> Baby Cocos | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Maackia amurensis</i> Amur Maackia | DS | 1.34 | G1 | | 3-7 | | 1.00 | 4 |
| <i>Macadamia integrifolia</i> Macadamia Nut | FN | 1.00 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Macaranga grandifolia</i> Coral Tree | BE | 1.00 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Macfadyena unguis-cati</i> Cat's Claw Vine | GC | 0.93 | G1 | 9A | 9B-11 | | 1.00 | 8 |
| <i>Machilus thunbergii</i> Tabu-No-Ki Tree | BE | 0.85 | G1 | | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Macleaya cordata</i> Plume Poppy | HP | 0.99 | G4 | 4-7 | | | | 3 |
| <i>Macleaya microcarpa</i> Small-fruited Plume Poppy | HP | 0.82 | G4 | | 5-9A | | | 5 |
| <i>Macleaya microcarpa</i> 'Kelway's Coral Plume' Kelway's Coral Plume Small-fruited Plume Poppy | HP | 0.96 | G4 | | 5-9A | | | 5 |
| <i>Maclura pomifera</i> Osage Orange | DT | 0.91 | G4 | | 5-9A | 1.00 | 0.74 | 5 |
| <i>Macrozamia communis</i> Burrawong | BS | 1.00 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Macrozamia moorei</i> No Common Name Found | BS | 2.42 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Magnolia</i> Magnolia | DT | 0.73 | G1 | 3-6 | 7-8 | 0.94 | 0.86 | 4 |
| <i>Magnolia</i> 'Apollo' Apollo Magnolia | DS | 1.17 | G1 | 3-6 | 7-8 | | 1.18 | 6 |
| <i>Magnolia</i> 'Athene' Athene Magnolia | DS | 1.17 | G1 | 3-6 | 7-8 | | 1.18 | 5 |
| <i>Magnolia</i> 'Atlas' Atlas Magnolia | DS | 1.17 | G1 | 3-6 | 7-8 | | 1.18 | 5 |
| <i>Magnolia</i> 'Butterflies' Butterflies Magnolia | DS | 2.19 | G1 | 3-6 | 7-8 | | 2.00 | 6 |
| <i>Magnolia</i> 'Galaxy' Galaxy Magnolia | DS | 1.30 | G1 | 3-6 | 7-8 | | 1.18 | 6 |
| <i>Magnolia</i> 'Gold Star' Gold Star Magnolia | DT | 0.73 | G1 | 3-6 | 7-8 | 0.94 | 2.03 | 6 |
| <i>Magnolia</i> 'Heaven Scent' Heaven Scent Magnolia | DS | 1.17 | G1 | 3-6 | 7-8 | | 1.18 | 6 |
| <i>Magnolia</i> 'Iolanthe' Iolanthe Magnolia | DS | 1.54 | G1 | 3-6 | 7-8 | | 1.53 | 5 |
| <i>Magnolia</i> 'Ivory Chalice' Ivory Chalice Magnolia | DT | 0.73 | G1 | 3-6 | 7-8 | 1.08 | 1.73 | 4 |
| <i>Magnolia</i> 'Legacy' Legacy Magnolia | DT | 0.73 | G1 | 3-6 | 7-8 | 0.94 | 1.51 | 6 |
| <i>Magnolia</i> 'Manchu Fan' Manchu Fan Magnolia | DT | 1.44 | G1 | 3-6 | 7-8 | 0.94 | 0.86 | 5 |
| <i>Magnolia</i> 'Milky Way' Milky Way Magnolia | DT | 1.44 | G1 | 3-6 | 7-8 | 0.94 | 0.86 | 5 |
| <i>Magnolia</i> 'Royal Crown' Royal Crown Hybrid Magnolia | DT | 0.73 | G1 | 3-6 | 7-8 | 0.94 | 0.86 | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Magnolia</i> 'Sayonara' Sayonara Magnolia | DT | 0.73 | G1 | 3-6 | 7-8 | 0.94 | 1.41 | 6 |
| <i>Magnolia</i> 'Serene' Serene Magnolia | DT | 1.44 | G1 | 3-6 | 7-8 | 0.94 | 0.86 | 6 |
| <i>Magnolia</i> 'Spectrum' Spectrum Magnolia | DT | 1.41 | G1 | 3-6 | 7-8 | 0.94 | 1.41 | 6 |
| <i>Magnolia</i> 'Sundance' Sundance Magnolia | DT | 1.50 | G1 | 3-6 | 7-8 | 0.94 | 0.86 | 4 |
| <i>Magnolia</i> 'Vulcan' Vulcan Magnolia | DT | 1.38 | G1 | 3-6 | 7-8 | 0.94 | 0.86 | 6 |
| <i>Magnolia</i> 'Yellow Garland' Yellow Garland Magnolia | DT | 0.73 | G1 | 3-6 | 7-8 | 1.08 | 1.42 | 4 |
| <i>Magnolia acuminata</i> Cucumbertree Magnolia | DT | 0.73 | G1 | 3-6 | 7-8 | 0.91 | 1.24 | 4 |
| <i>Magnolia acuminata</i> 'Elizabeth' Elizabeth Cucumbertree Magnolia | DT | 1.94 | G1 | 3-6 | 7-8 | 1.28 | 1.53 | 4 |
| <i>Magnolia acuminata</i> 'Golden Glow' Golden Glow Cucumbertree Magnolia | DT | 1.44 | G1 | 3-6 | 7-8 | 0.91 | 1.24 | 4 |
| <i>Magnolia acuminata</i> 'Koban Dori' Koban Dori Cucumbertree Magnolia | DT | 1.44 | G1 | 3-6 | 7-8 | 0.91 | 1.24 | 4 |
| <i>Magnolia acuminata</i> 'Yellow Bird' Yellow Bird Cucumbertree Magnolia | DT | 0.73 | G1 | 3-6 | 7-8 | 0.91 | 1.24 | 4 |
| <i>Magnolia acuminata</i> var. <i>subcordata</i> Yellow Cucumbertree Magnolia | DT | 1.00 | G1 | 3-6 | 7-8 | 1.00 | 1.00 | 4 |
| <i>Magnolia acuminata</i> var. <i>subcordata</i> 'Miss Honeybee' Miss Honeybee Yellow Cucumbertree Magnolia | DT | 1.00 | G1 | 3-6 | 7-8 | 1.00 | 1.00 | 4 |
| <i>Magnolia ashei</i> Ashe Magnolia | DT | 1.00 | G1 | | 7-10A | 1.00 | 1.00 | 7 |
| <i>Magnolia x brooklynensis</i> Hybrid Magnolia | DT | 1.00 | G1 | 5-6 | 7-9B | 1.00 | 1.00 | 5 |
| <i>Magnolia x brooklynensis</i> 'Evamaria' Evamaria Magnolia | DT | 1.00 | G1 | 5-6 | 7-9B | 1.00 | 1.00 | 5 |
| <i>Magnolia x brooklynensis</i> 'Woodsman' Woodsman Magnolia | DT | 1.00 | G1 | 5-6 | 7-9B | 1.00 | 1.00 | 5 |
| <i>Magnolia campbellii</i> Campbell Magnolia | DT | 1.00 | G1 | | 8-10A | 1.00 | 1.00 | 8 |
| <i>Magnolia campbellii</i> var. <i>alba</i> White Campbell Magnolia | DT | 1.44 | G1 | | 8-10A | 1.00 | 1.00 | 8 |
| <i>Magnolia campbellii</i> var. <i>alba</i> 'Strybing White' Strybing White Campbell Magnolia | DT | 1.44 | G1 | | 8-10A | 1.00 | 1.00 | 8 |
| <i>Magnolia denudata</i> Yulan Magnolia | DT | 0.90 | G1 | 6 | 7-9B | 1.29 | 1.17 | 6 |
| <i>Magnolia denudata</i> 'Forrest's Pink' Forrest's Pink Yulan Magnolia | DT | 1.38 | G1 | 6 | 7-9B | 1.29 | 1.17 | 6 |
| <i>Magnolia grandiflora</i> Southern Magnolia | BE | 0.73 | G1 | 6-8 | 9A-10A | 0.85 | 0.66 | 6 |
| <i>Magnolia grandiflora</i> 'Bracken's Brown Beauty' P.P. 5520 BE Bracken's Brown Beauty Southern Magnolia | BE | 1.11 | G1 | 6-8 | 9A-10A | 4.31 | 1.25 | 6 |
| <i>Magnolia grandiflora</i> 'Claudia Wannamaker' Claudia Wannamaker Southern Magnolia | BE | 1.10 | G1 | 6-8 | 9A-10A | 1.00 | 0.98 | 6 |
| <i>Magnolia grandiflora</i> 'Coco' Coco Southern Magnolia | BE | 0.73 | G1 | 6-8 | 9A-10A | 0.85 | 0.66 | 6 |
| <i>Magnolia grandiflora</i> 'D.D. Blanchard' D.D. Blanchard Southern Magnolia | BE | 0.98 | G1 | 6-8 | 9A-10A | 0.85 | 1.08 | 6 |
| <i>Magnolia grandiflora</i> 'Edith Bogue' Edith Bogue Southern Magnolia | BE | 1.25 | G1 | 6-8 | 9A-10A | 0.85 | 1.30 | 6 |
| <i>Magnolia grandiflora</i> 'Emerald Jewel' Emerald Jewel Southern Magnolia | BE | 0.73 | G1 | 6-8 | 9A-10A | 0.85 | 0.66 | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Magnolia grandiflora</i> 'Ferruginea' Ferruginea Southern Magnolia | BE | 0.82 | G1 | 6-8 | 9A-10A | 0.85 | 1.01 | 6 |
| <i>Magnolia grandiflora</i> 'Greenback' See - <i>Magnolia grandiflora</i> 'MGTIG' P.P. 9243 | BS | 1.23 | G1 | 6-8 | 9A-10A | | 1.42 | 6 |
| <i>Magnolia grandiflora</i> 'Little Gem' Little Gem Southern Magnolia | BE | 1.19 | G1 | 6-8 | 9A-10A | 0.85 | 0.66 | 6 |
| <i>Magnolia grandiflora</i> 'MGTIG' P.P. 9243 Greenback™ Southern Magnolia | BE | 1.14 | G1 | 6-8 | 9A-10A | 0.85 | 1.19 | 6 |
| <i>Magnolia grandiflora</i> 'Majestic Beauty' See - <i>Magnolia grandiflora</i> 'Monlia' P.P. 2250 | BE | 1.28 | G1 | 6-8 | 9A-10A | 0.85 | 0.66 | 6 |
| <i>Magnolia grandiflora</i> 'Monlia' P.P. 2250 Majestic Beauty™ Southern Magnolia | BE | 1.01 | G1 | 6-8 | 9A-10A | 0.85 | 0.93 | 6 |
| <i>Magnolia grandiflora</i> 'Poconos' Poconos Southern Magnolia | BE | 0.95 | G1 | 6-8 | 9A-10A | 0.85 | 0.90 | 6 |
| <i>Magnolia grandiflora</i> 'Russet' Russet Southern Magnolia | BE | 0.86 | G1 | 6-8 | 9A-10A | 0.90 | 0.95 | 6 |
| <i>Magnolia grandiflora</i> 'Saint Mary' Saint Mary Southern Magnolia | BE | 1.31 | G1 | 6-8 | 9A-10A | 0.85 | 0.66 | 6 |
| <i>Magnolia grandiflora</i> 'Samuel Sommer' Samuel Sommer Southern Magnolia | DT | 1.00 | G1 | 6-8 | 9A-10A | 0.94 | 0.85 | 6 |
| <i>Magnolia grandiflora</i> 'Symmes Select' Symmes Select Southern Magnolia | DT | 1.46 | G1 | 4-6 | 7-8 | 1.53 | 1.15 | 5 |
| <i>Magnolia grandiflora</i> 'Victoria' Victoria Southern Magnolia | DT | 0.92 | G1 | 4-6 | 7-8 | 1.39 | 0.91 | 5 |
| <i>Magnolia heptapeta</i> See - <i>Magnolia denudata</i> | DS | 1.08 | G1 | 6-8 | 9A-10A | | 1.20 | 6 |
| <i>Magnolia hypoleuca</i> White Bark Magnolia | DS | 1.19 | G1 | 6-8 | 9A-10A | | 1.02 | 6 |
| <i>Magnolia kobus</i> Kobus Magnolia | DS | 1.10 | G1 | 6-8 | 9A-10A | | 1.24 | 6 |
| <i>Magnolia kobus</i> 'Wada's Memory' Wada's Memory Kobus Magnolia | DS | 1.08 | G1 | 6-8 | 9A-10A | | 1.02 | 6 |
| <i>Magnolia kobus</i> var. <i>borealis</i> See - <i>Magnolia kobus</i> | DS | 1.13 | G1 | 6-8 | 9A-10A | | 1.05 | 6 |
| <i>Magnolia liliiflora</i> Lily Magnolia | DS | 1.36 | G1 | 6-8 | 9A-10A | | 1.34 | 6 |
| <i>Magnolia liliiflora</i> 'Ann' Ann Lily Magnolia | DS | 2.00 | G1 | 6-8 | 9A-10A | | 1.02 | 6 |
| <i>Magnolia liliiflora</i> 'Betty' Betty Lily Magnolia | DS | 1.13 | G1 | 6-8 | 9A-10A | | 1.04 | 6 |
| <i>Magnolia liliiflora</i> 'Gracilis' Gracilis Lily Magnolia | DS | 1.10 | G1 | 6-8 | 9A-10A | | 1.42 | 6 |
| <i>Magnolia liliiflora</i> 'Jane' Jane Lily Magnolia | DS | 1.08 | G1 | 6-8 | 9A-10A | | 1.35 | 6 |
| <i>Magnolia liliiflora</i> 'Marillyn' Marillyn Lily Magnolia | DS | 1.08 | G1 | 6-8 | 9A-10A | | 1.02 | 6 |
| <i>Magnolia liliiflora</i> 'Monland' P.P. 6178 Timeless Beauty™ Lily Magnolia | DS | 1.08 | G1 | 6-8 | 9A-10A | | 1.47 | 6 |
| <i>Magnolia liliiflora</i> 'Nigra' Purple Lily Magnolia | DS | 1.08 | G1 | 6-8 | 9A-10A | | 1.43 | 6 |
| <i>Magnolia liliiflora</i> 'Pinkie' Pinkie Lily Magnolia | DS | 1.08 | G1 | 6-8 | 9A-10A | | 1.08 | 6 |
| <i>Magnolia liliiflora</i> 'Randy' Randy Lily Magnolia | DS | 1.08 | G1 | 6-8 | 9A-10A | | 1.08 | 6 |
| <i>Magnolia liliiflora</i> 'Ricki' Ricki Lily Magnolia | DS | 1.08 | G1 | 6-8 | 9A-10A | | 1.08 | 6 |
| <i>Magnolia liliiflora</i> 'Satellite' Satellite Lily Magnolia | DS | 1.08 | G1 | 6-8 | 9A-10A | | 1.08 | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | 6-8 | 9A-10A | High/Wide | | |
| <i>Magnolia liliiflora</i> 'Susan' Susan Lily Magnolia | DS | 1.11 | G1 | 6-8 | 9A-10A | | 1.38 | 6 |
| <i>Magnolia liliiflora</i> 'Timeless Beauty' See - <i>Magnolia liliiflora</i> 'Monland' P.P. 6178 | DS | 1.33 | G1 | 5-6 | 7-9A | | 1.63 | 5 |
| <i>Magnolia x loebneri</i> Loebner Magnolia | DS | 1.84 | G1 | 5-6 | 7-9A | | 2.28 | 5 |
| <i>Magnolia x loebneri</i> 'Ballerina' Ballerina Loebner Magnolia | DS | 1.27 | G1 | 5-6 | 7-9A | | 1.49 | 5 |
| <i>Magnolia x loebneri</i> 'Leonard Messel' Leonard Messel Loebner Magnolia | DS | 1.21 | G1 | 5-6 | 7-9A | | 1.38 | 5 |
| <i>Magnolia x loebneri</i> 'Merrill' Dr. Merrill Loebner Magnolia | DS | 0.77 | G1 | 5-6 | 7-9A | | 1.46 | 5 |
| <i>Magnolia x loebneri</i> 'Powder Puff' Powder Puff Loebner Magnolia | DS | 0.77 | G1 | 5-6 | 7-9A | | 1.19 | 5 |
| <i>Magnolia x loebneri</i> 'Spring Joy' Spring Joy Loebner Magnolia | DS | 0.77 | G1 | 5-6 | 7-9A | | 0.83 | 5 |
| <i>Magnolia x loebneri</i> 'Spring Snow' Spring Snow Loebner Magnolia | DS | 0.77 | G1 | 5-6 | 7-9A | | 1.68 | 5 |
| <i>Magnolia x loebneri</i> 'White Rose' White Rose Loebner Magnolia | DS | 0.77 | G1 | 5-6 | 7-9A | | 1.00 | 6 |
| <i>Magnolia macrophylla</i> Large-leaved Cucumber Tree | DT | 0.71 | G1 | 5-6 | 7-8 | 1.28 | 0.96 | 6 |
| <i>Magnolia salicifolia</i> Anise Magnolia | DT | 1.00 | G1 | 6-8 | 9A-10A | 1.00 | 0.80 | 6 |
| <i>Magnolia sargentiana</i> No Common Name Found | DT | 1.00 | G1 | | 9-10A | 1.54 | 1.26 | 9 |
| <i>Magnolia sargentiana</i> 'Caerhays Belle' Caerhays Belle Magnolia | DT | 1.00 | G1 | | 9-10A | 1.54 | 1.26 | 9 |
| <i>Magnolia sieboldii</i> Oyama Magnolia | DT | 1.00 | G1 | | 7-9B | 1.54 | 1.26 | 7 |
| <i>Magnolia x soulangiana</i> Saucer Magnolia | DT | 0.89 | G1 | 4-6 | 7-9B | 1.19 | 1.02 | 4 |
| <i>Magnolia x soulangiana</i> 'Alexandrina' Alexandrina Saucer Magnolia | DT | 0.81 | G1 | 4-6 | 7-9B | 1.25 | 0.97 | 4 |
| <i>Magnolia x soulangiana</i> 'Brozzonii' Brozzonii Saucer Magnolia | DT | 0.77 | G1 | 4-6 | 7-9B | 1.28 | 0.94 | 4 |
| <i>Magnolia x soulangiana</i> 'Coates' Coates Saucer Magnolia | DT | 0.81 | G1 | 4-6 | 7-9B | 1.36 | 1.17 | 4 |
| <i>Magnolia x soulangiana</i> 'Lennei Alba' White Lennei Saucer Magnolia | DT | 0.61 | G1 | 4-6 | 7-9B | 0.94 | 0.87 | 4 |
| <i>Magnolia x soulangiana</i> 'Lennei' Lennei Saucer Magnolia | DT | 0.96 | G1 | 4-6 | 7-9B | 1.39 | 1.15 | 4 |
| <i>Magnolia x soulangiana</i> 'Lilliputian' Lilliputian Saucer Magnolia | DT | 1.46 | G1 | 4-6 | 7-9B | 0.94 | 1.83 | 4 |
| <i>Magnolia x soulangiana</i> 'Picture' Picture Saucer Magnolia | DT | 0.61 | G1 | 4-6 | 7-9B | 0.94 | 0.87 | 4 |
| <i>Magnolia x soulangiana</i> 'Rustica Rubra' Rustica Rubra Saucer Magnolia | DT | 0.94 | G1 | 4-6 | 7-9B | 1.33 | 1.13 | 4 |
| <i>Magnolia x soulangiana</i> 'San Jose' San Jose Saucer Magnolia | DT | 0.61 | G1 | 4-6 | 7-9B | 0.94 | 0.95 | 4 |
| <i>Magnolia x soulangiana</i> 'Verbanica' Verbanica Saucer Magnolia | DT | 1.14 | G1 | 4-6 | 7-9B | 1.26 | 1.01 | 4 |
| <i>Magnolia stellata</i> Star Magnolia | DS | 1.15 | G1 | 3-8 | | | 1.53 | 4 |
| <i>Magnolia stellata</i> 'Centennial' Centennial Star Magnolia | DS | 1.20 | G1 | 3-8 | | | 1.79 | 4 |
| <i>Magnolia stellata</i> 'Chrysanthemumiflora' Chrysanthemumiflora Star Magnolia | DS | 0.86 | G1 | 3-8 | | | 1.00 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|----------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Magnolia stellata</i> 'King Rose' King Rose Star Magnolia | DS | 1.24 | G1 | 3-8 | | | | 1.75 4 |
| <i>Magnolia stellata</i> 'Rosea' Pink Star Magnolia | DS | 1.15 | G1 | 3-8 | | | | 1.42 4 |
| <i>Magnolia stellata</i> 'Royal Star' Royal Star Magnolia | DS | 1.27 | G1 | 3-8 | | | | 1.57 4 |
| <i>Magnolia stellata</i> 'Rubra' Red Star Magnolia | DS | 0.86 | G1 | 3-8 | | | | 1.00 4 |
| <i>Magnolia stellata</i> 'Super Star' Super Star Star Magnolia | DS | 0.86 | G1 | 3-8 | | | | 1.00 4 |
| <i>Magnolia stellata</i> 'Waterlily' Waterlily Star Magnolia | DS | 1.21 | G1 | 3-8 | | | | 1.48 4 |
| <i>Magnolia tripetala</i> Umbrella Magnolia | DT | 0.83 | G1 | 4-6 | 7-8 | 1.00 | 1.00 5 | |
| <i>Magnolia x veitchii</i> No Common Name Found | DT | 1.26 | G1 | | 7-9B | 1.00 | 1.00 7 | |
| <i>Magnolia x veitchii</i> 'Columbus' Columbus Magnolia | DT | 1.26 | G1 | | 7-9B | 1.00 | 1.00 7 | |
| <i>Magnolia virginiana</i> Sweetbay Magnolia | BE | 0.75 | G1 | 5-6 | 7-11 | 0.90 | 0.67 5 | |
| <i>Magnolia virginiana</i> 'Henry Hicks' Henry Hicks Sweetbay Magnolia | BE | 0.72 | G1 | 5-6 | 7-11 | 0.90 | 0.57 5 | |
| <i>Magnolia virginiana</i> var. <i>australis</i> No Common Name Found | BE | 0.79 | G1 | 5-6 | 7-11 | 1.00 | 1.02 5 | |
| <i>Mahonia aquifolium</i> Oregon Grapeholly | BS | 0.90 | G1 | 5-6 | 7-9A | | 0.99 5 | |
| <i>Mahonia aquifolium</i> 'Compactum' Compact Oregon Grapeholly | BS | 1.14 | G1 | 5-6 | 7-9A | | 0.99 5 | |
| <i>Mahonia aquifolium</i> 'King's Ransom' King's Ransom Oregon Grapeholly | BS | 0.70 | G1 | 5-6 | 7-9A | | 0.99 5 | |
| <i>Mahonia bealei</i> Leatherleaf Mahonia | BS | 0.89 | G1 | 6-8 | 9 | | 0.93 6 | |
| <i>Mahonia fortunei</i> Chinese Mahonia | BS | 0.88 | G1 | | 7-9A | | 1.00 7 | |
| <i>Mahonia nervosa</i> Cascades Mahonia | BS | 0.97 | G1 | 5-6 | 7-9A | | 0.99 6 | |
| <i>Mahonia nevinii</i> No Common Name Found | BS | 0.94 | G1 | | 8-9B | | 1.00 8 | |
| <i>Mahonia pinnata</i> Cluster Mahonia | BS | 0.87 | G1 | | 7-9A | | 1.00 7 | |
| <i>Mahonia pinnata</i> 'Ken Hartman' Ken Hartman Cluster Mahonia | BS | 0.87 | G1 | | 7-9A | | 1.00 7 | |
| <i>Mahonia repens</i> Creeping Mahonia | BS | 1.00 | G1 | | 6-9A | | 0.99 6 | |
| <i>Maianthemum bifolium</i> False Lily-of-the-Valley | HP | 1.00 | G4 | | 3-8 | | | 3 |
| <i>Maianthemum dilatatum</i> See - <i>Maianthemum bifolium</i> | | | | | | | | |
| <i>Malpighia coccigera</i> Miniature Holly or Singapore Holly | BS | 0.96 | G1 | 10A | 10B-11 | | 1.00 10 | |
| <i>Malpighia glabra</i> Barbados Cherry | BS | 0.86 | G1 | 10A | 10B-11 | | 1.00 10 | |
| <i>Malus</i> Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 3 | |
| <i>Malus</i> 'Adams' Adams Crabapple | DT | 0.77 | G1 | | 4-9B | 0.97 | 1.10 4 | |
| <i>Malus</i> 'Adirondack' Adirondack Crabapple | DT | 0.83 | G1 | | 4-9B | 0.89 | 1.23 4 | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus</i> 'Almey' Almey Crabapple | DT | 0.80 | G1 | | 4-9B | 0.91 | 0.22 | 4 |
| <i>Malus</i> 'Amaszam' American Masterpiece® Crabapple | DT | 0.81 | G1 | | 4-9B | 0.79 | 1.23 | 4 |
| <i>Malus</i> 'Amberina' Amberina Crabapple | DT | 0.65 | G1 | | 4-9B | 0.92 | 1.32 | 4 |
| <i>Malus</i> 'American Beauty' P.P. 2821 American Beauty Crabapple | DT | 0.65 | G1 | | 4-9B | 0.77 | 0.22 | 4 |
| <i>Malus</i> 'American Masterpiece' See - <i>Malus</i> 'Amaszam' | | | | | | | | |
| <i>Malus</i> 'American Salute' See - <i>Malus</i> 'Amsalzam' | | | | | | | | |
| <i>Malus</i> 'American Spirit' See - <i>Malus</i> 'Amerspirzam' | | | | | | | | |
| <i>Malus</i> 'American Triumph' See - <i>Malus</i> 'Amertrizam' | | | | | | | | |
| <i>Malus</i> 'Amerspirzam' American Spirit™ Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Amertrizam' American Triumph™ Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Ames White' Ames White Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 1.05 | 4 |
| <i>Malus</i> 'Amsalzam' American Salute™ Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Anne E.' See - <i>Malus</i> 'Manbeck Weeper' | | | | | | | | |
| <i>Malus</i> 'Autumn Glory' Autumn Glory Crabapple | DT | 0.65 | G1 | | 4-9B | 0.71 | 0.22 | 4 |
| <i>Malus</i> 'Ballerina' Ballerina Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.73 | 4 |
| <i>Malus</i> 'Barbara Ann' Barbara Ann Crabapple | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus</i> 'Baskatong' Baskatong Crabapple | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus</i> 'Bechtel' Bechtel Crabapple | DT | 0.86 | G1 | | 4-9B | 0.88 | 0.22 | 4 |
| <i>Malus</i> 'Beverly' Beverly Crabapple | DT | 0.83 | G1 | | 4-9B | 0.80 | 1.17 | 4 |
| <i>Malus</i> 'Big Red' Big Red Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Birdland' Birdland Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Bob White' Bob White Crabapple | DT | 0.83 | G1 | | 4-9B | 0.87 | 1.13 | 4 |
| <i>Malus</i> 'Brandywine' See - <i>Malus</i> 'Branzam' | | | | | | | | |
| <i>Malus</i> 'Branzam' Brandywine™ Crabapple | DT | 0.80 | G1 | | 4-9B | 0.99 | 0.98 | 4 |
| <i>Malus</i> 'Bridal Bouquet' Bridal Bouquet Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Burgundy' Burgundy Crabapple | DT | 0.65 | G1 | | 4-9B | 0.87 | 1.23 | 4 |
| <i>Malus</i> 'Callaway' Callaway Crabapple | DT | 0.78 | G1 | | 4-9B | 0.85 | 1.06 | 4 |
| <i>Malus</i> 'Camelot' See - <i>Malus</i> 'Camzam' | | | | | | | | |
| <i>Malus</i> 'Camzam' Camelot® Crabapple | DT | 0.85 | G1 | | 4-9B | 0.77 | 1.23 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus</i> 'Canary' Canary Crabapple | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus</i> 'Candymint' P.P. 6606 Candymint Crabapple | DT | 0.79 | G1 | | 4-9B | 1.03 | 1.19 | 4 |
| <i>Malus</i> 'Canterbury' See - <i>Malus</i> 'Canterzam' | DT | 1.04 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Canterzam' Canterbury™ Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Cardinal's Robes' Cardinal's Robes Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Cascade' Cascade Crabapple | DT | 0.65 | G1 | | 4-9B | 0.98 | 0.22 | 4 |
| <i>Malus</i> 'Centennial' Centennial Crabapple | DT | 0.65 | G1 | | 4-9B | 0.50 | 0.22 | 4 |
| <i>Malus</i> 'Centurion' See - <i>Malus</i> 'Centzam' | DT | 0.78 | G1 | | 4-9B | 0.91 | 0.68 | 4 |
| <i>Malus</i> 'Centzam' Centurion® Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Chantilly' See - <i>Malus</i> 'Chantzam' | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Chantzam' Chantilly™ Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Charlotte' Charlotte Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Chestnut' Chestnut Crabapple | DT | 0.65 | G1 | | 4-9B | 0.50 | 0.22 | 4 |
| <i>Malus</i> 'Chrishozam' Christmas Holly™ Crabapple | DT | 0.74 | G1 | | 4-9B | 0.87 | 1.23 | 4 |
| <i>Malus</i> 'Christmas Holly' See - <i>Malus</i> 'Chrishozam' | | | | | | | | |
| <i>Malus</i> 'Cinderella' See - <i>Malus</i> 'Cinzam' | DT | 0.65 | G1 | | 4-9B | 1.08 | 1.23 | 4 |
| <i>Malus</i> 'Cinzam' Cinderella® Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Columbia' Columbia Crabapple | DT | 0.65 | G1 | | 4-9B | 0.77 | 0.22 | 4 |
| <i>Malus</i> 'Coral Cascade' Coral Cascade Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Coralburst' See - <i>Malus</i> 'Coralcole' P.P. 2983 | DT | 1.14 | G1 | | 4-9B | 1.12 | 1.78 | 4 |
| <i>Malus</i> 'Coralcole' P.P. 2983 Coralburst® Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Cranberry Lace' Cranberry Lace Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Crimson Gold' Crimson Gold Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'CrimsonSpire' See - <i>Malus</i> 'Obelisk' P.P.A.F. | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Dainty' Dainty Crabapple | DT | 0.84 | G1 | | 4-9B | 0.94 | 1.12 | 4 |
| <i>Malus</i> 'David' David Crabapple | DT | 0.76 | G1 | | 4-9B | 0.93 | 0.87 | 3 |
| <i>Malus</i> 'Dolgo' Dolgo Crabapple | DT | 0.81 | G1 | | 4-9B | 0.85 | 1.12 | 4 |
| <i>Malus</i> 'Donald Wyman' Donald Wyman Crabapple | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus</i> 'Dorothea' Dorothea Crabapple | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|----------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus</i> 'Doubloons' P.P. 7216 Doubloons Crabapple | DT | 0.65 | G1 | | 4-9B | 0.73 | 1.20 | 4 |
| <i>Malus</i> 'Egret' Egret Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Eleyi' Eleyi Crabapple | DT | 0.87 | G1 | | 4-9B | 0.78 | 0.43 | 4 |
| <i>Malus</i> 'Ellen Gerhart' Ellen Gerhart Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'EmeraldSpire' See - <i>Malus</i> 'Tuscan' P.P. 6225 | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Evelyn' Evelyn Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Excalibur' See - <i>Malus</i> 'Excazam' | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Excazam' Excalibur™ Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Flame' Flame Crabapple | DT | 0.75 | G1 | | 4-9B | 0.85 | 0.73 | 4 |
| <i>Malus</i> 'Fox Fire' See - <i>Malus</i> 'Fozam' | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Fozam' Fox Fire™ Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Franz Lipp' Franz Lipp Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Frettingham' Frettingham Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Garnet' Garnet Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Golden Hornet' Golden Hornet Crabapple | DT | 0.88 | G1 | | 4-9B | 0.95 | 0.65 | 4 |
| <i>Malus</i> 'Gorgeous' Gorgeous Crabapple | DT | 0.65 | G1 | | 4-9B | 1.16 | 0.22 | 4 |
| <i>Malus</i> 'Guinevere' See - <i>Malus</i> 'Guinzam' P.P. 7773 | DT | 0.97 | G1 | | 4-9B | 1.06 | 1.23 | 4 |
| <i>Malus</i> 'Guinzam' P.P. 7773 Guinevere® Crabapple | DT | 0.97 | G1 | | 4-9B | 1.06 | 1.23 | 4 |
| <i>Malus</i> 'Hamlet' See - <i>Malus</i> 'Hamzam' | DT | 0.98 | G1 | | 4-9B | 0.92 | 1.23 | 4 |
| <i>Malus</i> 'Hamzam' Hamlet® Crabapple | DT | 0.90 | G1 | | 4-9B | 0.96 | 1.01 | 4 |
| <i>Malus</i> 'Hargozam' Harvest Gold® Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Harvest Gold' See - <i>Malus</i> 'Hargozam' | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Henry Kohankie' Henry Kohankie Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Holiday Gold' See - <i>Malus</i> 'Hozam' | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Hooks #14' Hooks #14 Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Hooks #15' Hooks #15 Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Hooks #19' Hooks #19 Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Hooks #23' Hooks #23 Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Hopa' Hopa Crabapple | DT | 0.77 | G1 | | 4-9B | 0.77 | 0.62 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus</i> 'Hozam' | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| Holiday Gold™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Huber' | DT | 0.86 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| Royal Fountain™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Indian Magic' | DT | 0.86 | G1 | | 4-9B | 0.91 | 0.87 | 4 |
| Indian Magic Crabapple | | | | | | | | |
| <i>Malus</i> 'Indian Summer' | DT | 0.84 | G1 | | 4-9B | 0.88 | 1.23 | 4 |
| Indian Summer Crabapple | | | | | | | | |
| <i>Malus</i> 'Ivanhoe' | | | | | | | | |
| See - <i>Malus</i> 'Ivazam' | | | | | | | | |
| <i>Malus</i> 'Ivazam' | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| Ivanhoe™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Jewelberry' | DT | 0.65 | G1 | | 4-9B | 0.93 | 1.23 | 4 |
| Jewelberry Crabapple | | | | | | | | |
| <i>Malus</i> 'Jewelcole' P.P. 3267 | DT | 0.82 | G1 | | 4-9B | 0.89 | 1.07 | 4 |
| Red Jewel™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Katherine' | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| Katherine Crabapple | | | | | | | | |
| <i>Malus</i> 'Kelsey' | DT | 0.90 | G1 | | 4-9B | 0.87 | 1.14 | 4 |
| Kelsey Crabapple | | | | | | | | |
| <i>Malus</i> 'Kibele' | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| Kibele Crabapple | | | | | | | | |
| <i>Malus</i> 'Kinarzam' | DT | 0.65 | G1 | | 4-9B | 0.87 | 1.23 | 4 |
| King Arthur™ Crabapple | | | | | | | | |
| <i>Malus</i> 'King Arthur' | | | | | | | | |
| See - <i>Malus</i> 'Kinarzam' | | | | | | | | |
| <i>Malus</i> 'Kirk' | DT | 0.65 | G1 | | 4-9B | 0.78 | 0.22 | 4 |
| Kirk Crabapple | | | | | | | | |
| <i>Malus</i> 'Klehm's Improved Bechtel' | DT | 0.93 | G1 | | 4-9B | 1.07 | 0.52 | 4 |
| Klehm's Improved Bechtel Crabapple | | | | | | | | |
| <i>Malus</i> 'Lancelot' | | | | | | | | |
| See - <i>Malus</i> 'Lanzam' P.P. 8056 | | | | | | | | |
| <i>Malus</i> 'Lanzam' P.P. 8056 | DT | 0.93 | G1 | | 4-9B | 0.92 | 1.23 | 4 |
| Lancelot® Crabapple | | | | | | | | |
| <i>Malus</i> 'Leprechaun' | DT | 0.65 | G1 | | 4-9B | 0.63 | 0.22 | 4 |
| Leprechaun Crabapple | | | | | | | | |
| <i>Malus</i> 'Liset Dwarf' | DT | 0.65 | G1 | | 4-9B | 0.85 | 0.22 | 4 |
| Dwarf Liset Crabapple | | | | | | | | |
| <i>Malus</i> 'Liset' | DT | 0.89 | G1 | | 4-9B | 0.90 | 1.15 | 4 |
| Liset Crabapple | | | | | | | | |
| <i>Malus</i> 'Louisa' | DT | 0.86 | G1 | | 4-9B | 1.03 | 1.07 | 4 |
| Louisa Crabapple | | | | | | | | |
| <i>Malus</i> 'Lullaby' | DT | 0.65 | G1 | | 4-9B | 0.63 | 0.22 | 4 |
| Lullaby Crabapple | | | | | | | | |
| <i>Malus</i> 'Luwick' | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| Luwick Crabapple | | | | | | | | |
| <i>Malus</i> 'Madonna' | | | | | | | | |
| See - <i>Malus</i> 'Mazam' P.P. 6672 | | | | | | | | |
| <i>Malus</i> 'Makamik' | DT | 1.11 | G1 | | 4-9B | 1.13 | 0.22 | 4 |
| Makamik Crabapple | | | | | | | | |
| <i>Malus</i> 'Manbeck Weeper' | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| Anne E.™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Maria' | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| Maria Crabapple | | | | | | | | |
| <i>Malus</i> 'Marshall Oyama' | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| Marshall Oyama Crabapple | | | | | | | | |
| <i>Malus</i> 'Mary Potter' | DT | 0.86 | G1 | | 4-9B | 0.84 | 1.10 | 4 |
| Mary Potter Crabapple | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus</i> 'Matthew' Matthew Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Maypole' P.P. 6184 Maypole Colonnade Crabapple | DT | 0.85 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus</i> 'Mazam' P.P. 6672 Madonna® Crabapple | DT | 0.92 | G1 | | 4-9B | 0.87 | 1.09 | 4 |
| <i>Malus</i> 'Michael' Michael Crabapple | DT | 0.65 | G1 | | 4-9B | 0.81 | 1.08 | 4 |
| <i>Malus</i> 'Molazam' Molten Lava® Crabapple | DT | 1.08 | G1 | | 4-9B | 0.86 | 1.18 | 4 |
| <i>Malus</i> 'Mollie Ann' Mollie Ann Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Molten Lava' See - <i>Malus</i> 'Molazam' | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Mount Arbor Special' Mount Arbor Special Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Narragansett' Narragansett Crabapple | DT | 0.73 | G1 | | 4-9B | 0.78 | 1.18 | 4 |
| <i>Malus</i> 'New York' New York Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Obelisk' P.P.A.F. Crimsonspire™ Colonnade Crabapple | DT | 1.04 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Oekonomierat Echtermeyer' Oekonomierat Echtermeyer Crabapple | DT | 0.65 | G1 | | 4-9B | 0.90 | 1.23 | 4 |
| <i>Malus</i> 'Orange Crush' Orange Crush Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Ormiston Roy' Ormiston Roy Crabapple | DT | 0.65 | G1 | | 4-9B | 0.69 | 1.19 | 4 |
| <i>Malus</i> 'Park Center' Park Center Crabapple | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus</i> 'Parrsi' Pink Princess® Crabapple | DT | 0.75 | G1 | | 4-9B | 1.02 | 1.60 | 4 |
| <i>Malus</i> 'Pear Leaf' Pear Leaf Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Pink Cascade' Pink Cascade Crabapple | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus</i> 'Pink Dawn' Pink Dawn Crabapple | DT | 0.87 | G1 | | 4-9B | 0.82 | 1.10 | 4 |
| <i>Malus</i> 'Pink Perfection' P.P. 2912 Pink Perfection Crabapple | DT | 0.72 | G1 | | 4-9B | 0.76 | 1.23 | 4 |
| <i>Malus</i> 'Pink Princess' See - <i>Malus</i> 'Parrsi' | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus</i> 'Pink Satin' Pink Satin Crabapple | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus</i> 'Pink Spires' Pink Spires Crabapple | DT | 0.74 | G1 | | 4-9B | 0.92 | 0.99 | 4 |
| <i>Malus</i> 'Pink Star' Pink Star Crabapple | DT | 0.79 | G1 | | 4-9B | 0.84 | 1.23 | 4 |
| <i>Malus</i> 'Prairie Maid' Prairie Maid Crabapple | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus</i> 'Prairifire' Prairifire Crabapple | DT | 0.87 | G1 | | 4-9B | 0.99 | 1.01 | 4 |
| <i>Malus</i> 'Prince Georges' Prince Georges Crabapple | DT | 0.65 | G1 | | 4-9B | 0.90 | 0.22 | 4 |
| <i>Malus</i> 'Professor Sprenger' Professor Sprenger Crabapple | DT | 0.65 | G1 | | 4-9B | 0.70 | 1.23 | 4 |
| <i>Malus</i> 'Profusion Dwarf' Dwarf Profusion Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Malus</i> 'Profusion' Profusion Crabapple | DT | 0.86 | G1 | | 4-9B | 0.91 | 0.94 | 4 |
| <i>Malus</i> 'Purple Prince' P.P. 8478 Purple Prince Crabapple | DT | 0.98 | G1 | | 4-9B | 1.07 | 1.23 | 4 |
| <i>Malus</i> 'Radiant' Radiant Crabapple | DT | 0.85 | G1 | | 4-9B | 0.99 | 0.65 | 4 |
| <i>Malus</i> 'Rainbow' Rainbow Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Ralph Shay' Ralph Shay Crabapple | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus</i> 'Red Barron' Red Barron Crabapple | DT | 0.70 | G1 | | 4-9B | 0.93 | 1.12 | 4 |
| <i>Malus</i> 'Red Bird' Red Bird Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Red Jade' P.P. 1497 Red Jade Crabapple | DT | 0.94 | G1 | | 4-9B | 0.97 | 1.05 | 3 |
| <i>Malus</i> 'Red Jewel' See - <i>Malus</i> 'Jewelcole' P.P. 3267 | DT | 0.65 | G1 | | 4-9B | 0.79 | 1.22 | 4 |
| <i>Malus</i> 'Red Peacock' Red Peacock Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Red Rock' Red Rock Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Red Silver' Red Silver Crabapple | DT | 0.66 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Red Splendor Dwarf' Dwarf Red Splendor Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Red Splendor' Red Splendor Crabapple | DT | 0.89 | G1 | | 4-9B | 0.87 | 0.99 | 3 |
| <i>Malus</i> 'Red Swan' Red Swan Crabapple | DT | 0.65 | G1 | | 4-9B | 0.90 | 1.58 | 4 |
| <i>Malus</i> 'Robinson Dwarf' Dwarf Robinson Crabapple | DT | 0.90 | G1 | | 4-9B | 0.84 | 1.43 | 4 |
| <i>Malus</i> 'Robinson' Robinson Crabapple | DT | 0.84 | G1 | | 4-9B | 0.94 | 1.02 | 4 |
| <i>Malus</i> 'Royal Fountain' See - <i>Malus</i> 'Huber' | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus</i> 'Royal Ruby' Royal Ruby Crabapple | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus</i> 'Royal Scepter' See - <i>Malus</i> 'Roycezam' | DT | 0.65 | G1 | | 4-9B | 1.03 | 0.22 | 4 |
| <i>Malus</i> 'Royalty Dwarf' Dwarf Royalty Crabapple | DT | 0.77 | G1 | | 4-9B | 0.96 | 0.59 | 4 |
| <i>Malus</i> 'Royalty' Royalty Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Roycezam' Royal Scepter™ Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Ruby Lustre' Ruby Lustre Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Russet' Russet Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Satin Cloud' Satin Cloud Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'ScarletSpire' See - <i>Malus</i> 'Trajan' P.P. 6226 | DT | 0.65 | G1 | | 4-9B | 0.91 | 1.16 | 3 |
| <i>Malus</i> 'Selkirk' Selkirk Crabapple | DT | 0.72 | G1 | | 4-9B | 0.74 | 1.21 | 4 |
| <i>Malus</i> 'Sentinel' Sentinel Crabapple | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|----------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus</i> 'Serenade' Serenade Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 1.19 | 4 |
| <i>Malus</i> 'Serenity' See - <i>Malus</i> 'Serzam' | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Serzam' Serenity™ Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Shakespeare' Shakespeare Crabapple | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus</i> 'Silver Drift' Silver Drift Crabapple | DT | 0.65 | G1 | | 4-9B | 0.89 | 0.22 | 4 |
| <i>Malus</i> 'Silver Moon' Silver Moon Crabapple | DT | 0.65 | G1 | | 4-9B | 0.64 | 0.22 | 4 |
| <i>Malus</i> 'Simpson 10-35' Simpson 10-35 Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Simpson' Simpson Crabapple | DT | 0.65 | G1 | | 4-9B | 0.71 | 1.23 | 4 |
| <i>Malus</i> 'Sinai Fire' P.P. 7492 Sinai Fire Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Sir Galahad' See - <i>Malus</i> 'Sircazam' | DT | 0.65 | G1 | | 4-9B | 0.90 | 1.43 | 4 |
| <i>Malus</i> 'Sircazam' Sir Galahad® Crabapple | DT | 0.76 | G1 | | 4-9B | 0.83 | 1.10 | 4 |
| <i>Malus</i> 'Snow Magic' P.P. 4815 Snow Magic Crabapple | DT | 0.94 | G1 | | 4-9B | 0.96 | 1.10 | 4 |
| <i>Malus</i> 'Snowcloud' P.P. 2913 Snowcloud Crabapple | DT | 0.65 | G1 | | 4-9B | 0.90 | 1.02 | 4 |
| <i>Malus</i> 'Snowdrift Dwarf' Dwarf Snowdrift Crabapple | DT | 0.86 | G1 | | 4-9B | 0.91 | 1.23 | 4 |
| <i>Malus</i> 'Snowdrift' Snowdrift Crabapple | DT | 0.65 | G1 | | 4-9B | 0.89 | 1.45 | 4 |
| <i>Malus</i> 'Sparkler' Sparkler Crabapple | DT | 0.65 | G1 | | 4-9B | 0.86 | 1.09 | 4 |
| <i>Malus</i> 'Spring Snow Dwarf' Dwarf Spring Snow Crabapple | DT | 0.65 | G1 | | 4-9B | 0.99 | 0.22 | 4 |
| <i>Malus</i> 'Spring Snow' P.P. 2667 Spring Snow Crabapple | DT | 0.81 | G1 | | 4-9B | 0.86 | 0.22 | 4 |
| <i>Malus</i> 'Spring Song' Spring Song Crabapple | DT | 0.65 | G1 | | 4-9B | 1.31 | 0.22 | 4 |
| <i>Malus</i> 'Strathmore' Strathmore Crabapple | DT | 0.65 | G1 | | 4-9B | 0.88 | 1.23 | 4 |
| <i>Malus</i> 'Strawberry Parfait' P.P. 4632 Strawberry Parfait Crabapple | DT | 0.88 | G1 | | 4-9B | 0.95 | 0.90 | 4 |
| <i>Malus</i> 'Sugar Tyme' See - <i>Malus</i> 'Sutyzam' P.P. 7062 | DT | 0.83 | G1 | | 4-9B | 0.95 | 0.90 | 4 |
| <i>Malus</i> 'Sutyzam' P.P. 7062 Sugar Tyme® Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Taliak' Taliak Crabapple | DT | 1.04 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Telamon' P.P. 6224 UltraSpire™ Colonnade Crabapple | DT | 0.78 | G1 | | 4-9B | 1.03 | 1.06 | 4 |
| <i>Malus</i> 'Thunderchild' Thunderchild Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Tolsteme' Tolsteme Crabapple | DT | 1.04 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Tajan' P.P. 6226 ScarletSpire™ Colonnade Crabapple | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| <i>Malus</i> 'Turesii' Turesi' Crabapple | DT | | | | | 0.31 | 0.22 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Malus</i> 'Tuscan' P.P. 6225 | DT | 1.04 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| EmeraldSpire™ Colonnade Crabapple | | | | | | | | |
| <i>Malus</i> 'UltraSpire' | | | | | | | | |
| See - <i>Malus</i> 'Telamon' P.P. 6224 | | | | | | | | |
| <i>Malus</i> 'Van Eseltine' | DT | 0.65 | G1 | | 4-9B | 0.84 | 1.23 | 4 |
| Van Eseltine Crabapple | | | | | | | | |
| <i>Malus</i> 'Vanguard' | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| Vanguard Crabapple | | | | | | | | |
| <i>Malus</i> 'Velvet Pillar' | | | | | | | | |
| See - <i>Malus</i> 'Velvetcole' P.P. 4758 | | | | | | | | |
| <i>Malus</i> 'Velvetcole' P.P. 4758 | DT | 0.83 | G1 | | 4-9B | 0.89 | 0.92 | 4 |
| Velvet Pillar™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Victorian' | | | | | | | | |
| See - <i>Malus</i> 'Viczam' | | | | | | | | |
| <i>Malus</i> 'Viczam' | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| Victorian™ Crabapple | | | | | | | | |
| <i>Malus</i> 'W.T. Schroeder' | DT | 0.65 | G1 | | 4-9B | 0.31 | 0.22 | 4 |
| W.T. Schroeder Crabapple | | | | | | | | |
| <i>Malus</i> 'Weepcanzam' P.P. 4038 | DT | 0.78 | G1 | | 4-9B | 0.95 | 1.09 | 4 |
| Weeping Candied Apple® Crabapple | | | | | | | | |
| <i>Malus</i> 'Weeping Candied Apple' | | | | | | | | |
| See - <i>Malus</i> 'Weepcanzam' P.P. 4038 | | | | | | | | |
| <i>Malus</i> 'White Angel' | DT | 0.65 | G1 | | 4-9B | 0.84 | 1.14 | 4 |
| White Angel® Crabapple | | | | | | | | |
| <i>Malus</i> 'White Candle' | DT | 0.65 | G1 | | 4-9B | 0.80 | 1.23 | 4 |
| White Candle Crabapple | | | | | | | | |
| <i>Malus</i> 'White Cascade' P.P. 3644 | DT | 0.88 | G1 | | 4-9B | 0.91 | 1.70 | 4 |
| White Cascade Crabapple | | | | | | | | |
| <i>Malus</i> 'Whitney' | DT | 0.65 | G1 | | 4-9B | 0.67 | 0.22 | 4 |
| Whitney Crabapple | | | | | | | | |
| <i>Malus</i> 'Winter Gem' | DT | 0.70 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| Winter Gem Crabapple | | | | | | | | |
| <i>Malus</i> 'Winter Gold' | DT | 0.83 | G1 | | 4-9B | 0.88 | 1.36 | 4 |
| Winter Gold Crabapple | | | | | | | | |
| <i>Malus</i> 'Yellow Jewell' | DT | 0.65 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| Yellow Jewell Crabapple | | | | | | | | |
| <i>Malus</i> 'Zumi Wooster' | DT | 0.65 | G1 | | 4-9B | 0.31 | 1.17 | 4 |
| Zumi Wooster Crabapple | | | | | | | | |
| <i>Malus</i> 'Zumirang' | DT | 0.65 | G1 | | 4-9B | 0.80 | 1.23 | 4 |
| Zumirang Crabapple | | | | | | | | |
| <i>Malus angustifolia</i> | DT | 0.60 | G1 | | 4-9B | 1.00 | 0.90 | 6 |
| Southern Crabapple | | | | | | | | |
| <i>Malus</i> x <i>arnoldiana</i> | DT | 1.00 | G1 | | 4-9B | 1.00 | 1.00 | 4 |
| Arnold Crabapple | | | | | | | | |
| <i>Malus</i> x <i>atrosanguinea</i> | DT | 1.00 | G1 | | 4-9B | 0.86 | 1.06 | 4 |
| Carmine Crabapple | | | | | | | | |
| <i>Malus baccata</i> | DT | 1.03 | G1 | | 4-9B | 0.98 | 0.95 | 2 |
| Siberian Crabapple | | | | | | | | |
| <i>Malus baccata</i> 'Andrew Tures' | DT | 1.03 | G1 | | 4-9B | 0.74 | 1.06 | 2 |
| Andrew Tures Siberian Crabapple | | | | | | | | |
| <i>Malus baccata</i> 'Columnaris' | DT | 1.03 | G1 | | 4-9B | 0.89 | 0.95 | 2 |
| Columnar Siberian Crabapple | | | | | | | | |
| <i>Malus baccata</i> 'Horizontalis' | DT | 1.03 | G1 | | 4-9B | 0.74 | 0.95 | 2 |
| Horizontal Siberian Crabapple | | | | | | | | |
| <i>Malus baccata</i> 'Jackii' | DT | 1.03 | G1 | | 4-9B | 0.74 | 1.19 | 2 |
| Jackii Siberian Crabapple | | | | | | | | |
| <i>Malus baccata</i> 'Walters' | DT | 1.03 | G1 | | 4-9B | 0.80 | 1.18 | 2 |
| Walters Siberian Crabapple | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Malus baccata</i> var. <i>mandshurica</i> Manchurian Siberian Crabapple | DT | 1.00 | G1 | | 4-9B | 0.63 | 1.00 | 2 |
| <i>Malus floribunda</i> Japanese Flowering Crabapple | DT | 0.76 | G1 | | 4-9B | 0.88 | 1.03 | 4 |
| <i>Malus floribunda</i> 'Dwarf' Dwarf Japanese Flowering Crabapple | DT | 0.76 | G1 | | 4-9B | 0.93 | 1.37 | 4 |
| <i>Malus fusca</i> Oregon Crab | DT | 0.63 | G1 | | 4-9B | 1.00 | 1.00 | 6 |
| <i>Malus hupehensis</i> Tea Crabapple | DT | 0.81 | G1 | | 4-9B | 0.91 | 1.23 | 4 |
| <i>Malus hupehensis</i> 'Cardinal' P.P. 7147 Cardinal Tea Crabapple | DT | 0.81 | G1 | | 4-9B | 0.74 | 0.76 | 4 |
| <i>Malus ioensis</i> Prairie Crabapple | DT | 1.00 | G1 | | 4-9B | 0.91 | 1.00 | 2 |
| <i>Malus x micromalus</i> Midget Crabapple | DT | 1.00 | G1 | | 4-9B | 1.00 | 1.00 | 4 |
| <i>Malus pumila</i> No Common Name Found | DT | 1.00 | G1 | | 4-9B | 1.00 | 1.00 | 3 |
| <i>Malus x robusta</i> Robusta Crabapple | DT | 1.00 | G1 | | 4-9B | 1.00 | 1.00 | 3 |
| <i>Malus sargentii</i> Sargent Crabapple | DT | 0.91 | G1 | | 4-9B | 1.01 | 1.23 | 4 |
| <i>Malus sargentii</i> 'Candy Mint' Candy Mint Sargent Crabapple | DT | 0.91 | G1 | | 4-9B | 0.95 | 1.23 | 4 |
| <i>Malus sargentii</i> 'Rosea' Rosea Sargent Crabapple | DT | 0.91 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus sargentii</i> 'Roseglow' Roseglow Sargent Crabapple | DT | 0.91 | G1 | | 4-9B | 0.77 | 1.23 | 4 |
| <i>Malus sargentii</i> 'Tina Dwarf' Dwarf Tina Sargent Crabapple | DT | 1.10 | G1 | | 4-9B | 1.32 | 1.23 | 4 |
| <i>Malus sargentii</i> 'Tina' Tina Sargent Crabapple | DT | 1.02 | G1 | | 4-9B | 1.10 | 2.01 | 4 |
| <i>Malus sibirica</i> See - <i>Malus baccata</i> | | | | | | | | |
| <i>Malus sieboldii</i> Toringo Crabapple | DT | 0.68 | G1 | | 4-9B | 0.72 | 1.23 | 5 |
| <i>Malus sieboldii</i> 'Fuji' Fuji Toringo Crabapple | DT | 0.68 | G1 | | 4-9B | 0.72 | 1.23 | 5 |
| <i>Malus spectabilis</i> Chinese Crabapple | DT | 1.00 | G1 | | 4-9B | 1.00 | 1.00 | 4 |
| <i>Malus spectabilis</i> 'Alba' White Chinese Crabapple | DT | 1.00 | G1 | | 4-9B | 1.00 | 1.00 | 4 |
| <i>Malus sylvestris</i> European Apple | FN | 1.00 | G1 | | 4-9B | 1.00 | 1.00 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> Orchard Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Acey Mac' Acey Mac Apple | FN | 0.72 | G1 | | 4-9B | 0.94 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Akane' Akane Apple | FN | 0.72 | G1 | | 4-9B | 0.77 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Anna' Anna Apple | FN | 0.91 | G1 | | 4-9B | 0.97 | 1.44 | 8 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Arkansas Black' Arkansas Black Apple | FN | 1.00 | G1 | | 4-9B | 0.97 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Arlet' P.P. 6689 Swiss Gourmet™ Apple | FN | 0.72 | G1 | | 4-9B | 1.04 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Aurora' Joburn™ Braeburn Apple | FN | 0.72 | G1 | | 4-9B | 0.93 | 0.44 | 5 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Autumn Gold' P.P. 9907FN Autumn Gold® Apple | | 0.72 | G1 | | 4-9B | 0.94 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Baigent' P.P. 10016 Brookfield™ Gala Apple | FN | 0.72 | G1 | | 4-9B | 0.94 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Beacon Dwarf' Beacon Dwarf Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Beacon' Beacon Apple | FN | 0.72 | G1 | | 4-9B | 0.64 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Beverly Hills' Beverly Hills Apple | FN | 0.72 | G1 | | 4-9B | 0.93 | 0.44 | 9 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Braeburn' Braeburn Apple | FN | 0.91 | G1 | | 4-9B | 0.87 | 1.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Brookfield Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Baigent' P.P. 10016 | | 0.72 | G1 | | 4-9B | 0.98 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Buckeye Gala' P.P.A.F. FN Buckeye™ Gala Apple | | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Cameo' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Caudle' P.P. 9068 | | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Campbell Red Delicious' FN Campbell Red Delicious Apple | | 0.72 | G1 | | 4-9B | 0.95 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Caudle' P.P. 9068 Cameo™ Apple | FN | 0.72 | G1 | | 4-9B | 0.86 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Chieftain' Chieftain Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Compact Red McIntosh' FN Compact Red McIntosh Apple | | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Compact Red Rome' Compact Red Rome Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Compact Winter Banana' FN Compact Winter Banana Apple | | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Connell Red Dwarf' Connell Red Dwarf Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Connell Red' Connell Red Apple | FN | 0.72 | G1 | | 4-9B | 0.64 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Coop 13' P.P. 4322 Redfree Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Cortland Dwarf' Cortland Dwarf Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Cortland' Cortland Apple | FN | 0.88 | G1 | | 4-9B | 0.88 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Crimson Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Walliser Gala' P.P. 8673 | | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Davis' P.P. 10010 Galasupreme® Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Del Red Rome' Del™ Red Rome Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Delcon' Delcon Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Early Red One Delicious' FN Early Red One™ Delicious Apple | | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ein Shemer' Ein Shemer Apple | FN | 0.80 | G1 | | 4-9B | 0.94 | 1.44 | 8 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Empire' Empire Apple | FN | 0.97 | G1 | | 4-9B | 0.91 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Enterprise' Enterprise Apple | FN | 0.93 | G1 | | 4-9B | 0.77 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Fireside Dwarf' Fireside Dwarf Apple | FN | 0.83 | G1 | | 4-9B | 0.54 | 0.44 | 4 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|----------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Fireside' Fireside Apple | FN | 0.72 | G1 | | 4-9B | 0.64 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Firmgold' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Howell' P.P. 4166 | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Fortune' Fortune Apple | FN | 0.88 | G1 | | 4-9B | 0.97 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Gala' Gala Apple | FN | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Galasupreme' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Davis' P.P. 10010 | FN | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Gale Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Malaga' P.P. 10114 | FN | 0.72 | G1 | | 4-9B | 0.88 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Gibson Golden Delicious' Gibson Golden Delicious Apple | FN | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ginger Gold' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Mt. Cove' P.P. 7063 | FN | 1.15 | G1 | | 4-9B | 0.54 | 1.45 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Golden Delicious Dwarf' Golden Delicious Dwarf Apple | FN | 0.81 | G1 | | 4-9B | 1.14 | 1.17 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Golden Delicious' Golden Delicious Apple | FN | 0.76 | G1 | | 4-9B | 1.00 | 0.44 | 8 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Golden Dorsett' Golden Dorsett Apple | FN | 0.72 | G1 | | 4-9B | 0.88 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Golden Supreme' Golden Supreme® Apple | FN | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Goldspur Delicious' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Sundale' | FN | 0.89 | G1 | | 4-9B | 1.98 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Goodland' Goodland Apple | FN | 0.80 | G1 | | 4-9B | 1.52 | 1.44 | 6 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Granny Smith Dwarf' Granny Smith Dwarf Apple | FN | 0.86 | G1 | | 4-9B | 0.89 | 1.32 | 6 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Granny Smith' Granny Smith Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Grimes Golden' Grimes Golden Apple | FN | 0.83 | G1 | | 4-9B | 0.54 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Haralred Dwarf' Haralred Dwarf Apple | FN | 0.77 | G1 | | 4-9B | 0.67 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Haralred' Haralred Apple | FN | 0.83 | G1 | | 4-9B | 0.54 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Haralson Dwarf' Haralson Dwarf Apple | FN | 0.96 | G1 | | 4-9B | 0.65 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Haralson' Haralson Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Hazen Dwarf' Hazen Dwarf Apple | FN | 0.72 | G1 | | 4-9B | 1.98 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Hazen' Hazen Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Heyer 12' Heyer 12 Apple | FN | 0.72 | G1 | | 4-9B | 1.01 | 0.44 | 9 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Holland' Holland Apple | FN | 0.81 | G1 | | 4-9B | 0.54 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Honeycrisp Dwarf' Honeycrisp Dwarf Apple | FN | 0.99 | G1 | | 4-9B | 0.98 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Honeycrisp' P.P. 7197 Honeycrisp Apple | FN | 0.85 | G1 | | 4-9B | 0.54 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Honeygold Dwarf' Honeygold Dwarf Apple | FN | 0.84 | G1 | | 4-9B | 1.40 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Honeygold' Honeygold Apple | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Howell' P.P. 4166 Firmgold® Apple | FN | 0.72 | G1 | | 4-9B | 1.01 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Idared' Idared Apple | FN | 0.72 | G1 | | 4-9B | 0.88 | 0.44 | 8 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Imperial Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Penroy' P.P. 4121 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Improved Gala' Improved Gala Apple | FN | 0.72 | G1 | | 4-9B | 0.86 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'It Red Delicious' It® Red Delicious Apple | FN | 0.72 | G1 | | 4-9B | 0.86 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jerseymac' Jerseymac Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Joburn Braeburn' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Aurora' | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonagold De Coster' P.P. 3049 Jonagold De Coster Apple | FN | 0.72 | G1 | | 4-9B | 1.01 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonagold Dwarf' Jonagold Dwarf Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonagold' Jonagold Apple | FN | 1.13 | G1 | | 4-9B | 1.12 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonagored' P.P. 5937 Morrens® Jonagored Apple | FN | 0.72 | G1 | | 4-9B | 0.78 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonamac' Jonamac Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonathan Dwarf' Jonathan Dwarf Apple | FN | 0.88 | G1 | | 4-9B | 0.54 | 1.46 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonathan' Jonathan Apple | FN | 0.94 | G1 | | 4-9B | 1.01 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonica' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Schneida' P.P. 7146 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Keepsake Dwarf' Keepsake Dwarf Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Keepsake' Keepsake Apple | FN | 0.72 | G1 | | 4-9B | 0.64 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Law Red Rome' Law Red Rome Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Lawspur Rome' Lawspur® Rome Apple | FN | 0.72 | G1 | | 4-9B | 0.78 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Liberty' Liberty Apple | FN | 0.89 | G1 | | 4-9B | 0.85 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Lochbuie Braeburn' Lochbuie™ Braeburn Apple | FN | 0.72 | G1 | | 4-9B | 0.93 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Lodi' Lodi Apple | FN | 0.91 | G1 | | 4-9B | 0.85 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Lucky Rose' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Lucky Stemilt' P.P.A.F. | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Lucky Stemilt' P.P.A.F. Lucky Rose™ Apple | FN | 0.72 | G1 | | 4-9B | 0.95 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Macoun Dwarf' Macoun Dwarf Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Macoun' Macoun Apple | FN | 0.77 | G1 | | 4-9B | 1.07 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Malaga' P.P. 10114 Gale Gala™ Apple | FN | 0.72 | G1 | | 4-9B | 1.04 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mantet' Mantet Apple | FN | 0.72 | G1 | | 4-9B | 0.64 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'McIntosh Dwarf' McIntosh Dwarf Apple | FN | 1.01 | G1 | | 4-9B | 0.54 | 1.46 | 4 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|----------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'McIntosh' McIntosh Apple | FN | 1.03 | G1 | | 4-9B | 1.45 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Melrose' Melrose Apple | FN | 0.72 | G1 | | 4-9B | 1.11 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Midnight Red Spur Delicious' Midnight Red Spur Delicious Apple | FN | 0.72 | G1 | | 4-9B | 0.96 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mollie's Delicious' Mollie's Delicious Apple | FN | 0.79 | G1 | | 4-9B | 0.54 | 0.44 | 9 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Morgan Spur' Morgan Spur® Apple | FN | 0.72 | G1 | | 4-9B | 0.90 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Morren's Jonagored' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonagored' P.P. 5937 | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mr. K' Mr. K Apple | FN | 0.72 | G1 | | 4-9B | 1.04 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mt. Cove' P.P. 7063 Ginger Gold® Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mutsu Dwarf' Mutsu Dwarf Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 6 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mutsu' Mutsu Apple | FN | 0.92 | G1 | | 4-9B | 0.88 | 0.44 | 6 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Myra Fuji' P.P. 9645 Myra Fuji Apple | FN | 0.72 | G1 | | 4-9B | 0.97 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Norcue' Norcue Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Norland' Norland Apple | FN | 0.72 | G1 | | 4-9B | 1.97 | 0.47 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Northern Lights' Northern Lights Apple | FN | 0.72 | G1 | | 4-9B | 0.64 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Northern Spy' Northern Spy Apple | FN | 0.95 | G1 | | 4-9B | 0.85 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Northwest Greening' Northwest Greening Apple | FN | 0.86 | G1 | | 4-9B | 0.86 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Olsentwo' P.P. 9681 Pacific Gala® Apple | FN | 0.72 | G1 | | 4-9B | 0.98 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Oregon Spur' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'W & W' P.P. 4819 | FN | 0.72 | G1 | | 4-9B | 0.87 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Orin' Orin Apple | FN | 0.72 | G1 | | 4-9B | 1.38 | 0.47 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ozark Gold Dwarf' Ozark Gold Dwarf Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ozark Gold' Ozark Gold Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Pacific Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Olsentwo' P.P. 9681 | FN | 0.72 | G1 | | 4-9B | 2.38 | 0.47 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Parkland' Parkland Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Paula Red' Paula Red Apple | FN | 0.72 | G1 | | 4-9B | 0.85 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Penroy' P.P. 4121 Imperial Gala® Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Prima' Prima Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Prime Gold' Prime Gold Apple | FN | 0.72 | G1 | | 4-9B | 0.98 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'RAdiant Red Spur Delicious' RAdiant® Red Spur Delicious Apple | FN | 0.72 | G1 | | 4-9B | 1.04 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Rafzubin' P.P. 6588 Rubinette® Apple | FN | 0.72 | G1 | | 4-9B | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Baron Dwarf' Red Baron Dwarf Apple | FN | 0.83 | G1 | | 4-9B | 0.54 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Baron' Red Baron Apple | FN | 0.96 | G1 | | 4-9B | 1.01 | 1.25 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Delicious Dwarf' Red Delicious Dwarf Apple | FN | 0.89 | G1 | | 4-9B | 0.54 | 1.45 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Delicious' Red Delicious Apple | FN | 0.85 | G1 | | 4-9B | 1.37 | 1.17 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Duchess' Red Duchess Apple | FN | 0.72 | G1 | | 4-9B | 0.64 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Fuji BC#2' Red Fuji BX#2 Apple | FN | 0.72 | G1 | | 4-9B | 0.90 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Fuji Nagafu 12' Red Fuji Nagafu 12 Apple | FN | 0.72 | G1 | | 4-9B | 0.89 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Fuji Nagafu 6' Red Fuji Nagafu 6 Apple | FN | 0.72 | G1 | | 4-9B | 0.90 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Gravenstein' Red Gravenstein Apple | FN | 1.03 | G1 | | 4-9B | 1.11 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red McIntosh' Red McIntosh Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Prairie Spy Dwarf' Red Prairie Spy Dwarf Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Prairie Spy' Red Prairie Spy Apple | FN | 0.72 | G1 | | 4-9B | 1.06 | 1.46 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Stayman' Red Stayman Apple | FN | 0.72 | G1 | | 4-9B | 0.85 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Wealthy' Red Wealthy Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Winesap' Red Winesap Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Redchief Heinicke' Redchief® Heinicke® Apple | FN | 0.72 | G1 | | 4-9B | 0.85 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Redcort' P.P. 5095 Redcort® Apple | FN | 0.72 | G1 | | 4-9B | 0.90 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Redfree' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Coop 13' P.P. 4322 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Redmax' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Starling' P.P. 7167 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Regent Dwarf' Regent Dwarf Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Regent' Regent Apple | FN | 0.72 | G1 | | 4-9B | 0.66 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Rome Beauty Dwarf' Rome Beauty Dwarf Apple | FN | 0.92 | G1 | | 4-9B | 0.54 | 0.44 | 8 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Rome Beauty' Rome Beauty Apple | FN | 0.96 | G1 | | 4-9B | 0.91 | 1.17 | 8 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Royal Empire' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Teeple' P.P. 7820 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Royal Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Tenroy' P.P. 4121 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Rubinette' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Rafzubin' P.P. 6588 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Rubinstar Jonagold' P.P. 7237 Rubinstar Jonagold Apple | FN | 0.72 | G1 | | 4-9B | 0.92 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ruby Jon' P.P.A.F. Ruby Jon® Apple | FN | 0.72 | G1 | | 4-9B | 0.92 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sali Red Delicious' P.P. 7237 Sali™ Red Delicious Apple | FN | 0.72 | G1 | | 4-9B | 1.01 | 0.44 | 5 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sandidge' P.P. 4819 Super Chief® Apple | FN | 0.72 | G1 | | 4-9B | 1.01 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sansa' Sansa Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Scarlet Spur' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Snipes' P.P. 4839 | FN | 0.72 | G1 | | 4-9B | 1.01 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Schneida' P.P. 7146 Jonica™ Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Senshu' Senshu Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Shamrock' Shamrock Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Smoothee' Smoothee® Apple | FN | 0.72 | G1 | | 4-9B | 0.78 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Snipes' P.P. 4839 Scarlet Spur® Apple | FN | 0.72 | G1 | | 4-9B | 1.01 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Spartan' Spartan Apple | FN | 0.72 | G1 | | 4-9B | 0.85 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Spigold' Spigold Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Spur Winter Banana' Spur Winter Banana Apple | FN | 0.72 | G1 | | 4-9B | 0.82 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Spur York' Spur York Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Starling' P.P. 7167 Redmax Apple | FN | 0.72 | G1 | | 4-9B | 0.78 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'State Fair Dwarf' State Fair Dwarf Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'State Fair' State Fair Apple | FN | 0.72 | G1 | | 4-9B | 0.66 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Stayman Dwarf' Stayman Dwarf Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Stayman' Stayman Apple | FN | 0.86 | G1 | | 4-9B | 0.98 | 1.17 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Summerred' Summerred Apple | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 6 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sun Fuji' Sun Fuji™ Apple | FN | 0.72 | G1 | | 4-9B | 0.92 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sundale' Goldspur Delicious Apple | FN | 0.72 | G1 | | 4-9B | 0.88 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Super Chief' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Sandidge' P.P. 4819 | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sweet Sixteen Dwarf' Sweet Sixteen Dwarf Apple | FN | 0.72 | G1 | | 4-9B | 0.66 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sweet Sixteen' Sweet Sixteen Apple | FN | 0.72 | G1 | | 4-9B | 0.66 | 0.44 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Swiss Gourmet' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Arlet' P.P. 6689 | FN | 0.72 | G1 | | 4-9B | 0.90 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'TF808' P.P. 8010 Thome Empire™ Apple | FN | 0.72 | G1 | | 4-9B | 0.99 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Teeple' P.P. 7820 Royal Empire™ Apple | FN | 0.72 | G1 | | 4-9B | 0.86 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Tenroy' P.P. 4121 Royal Gala® Apple | FN | 0.72 | G1 | | 4-9B | 0.91 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Tex Red Winesap' Tex Red Winesap Apple | FN | 0.72 | G1 | | 4-9B | 0.87 | 0.44 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'The Ace Spur Red Delicious' P.P. 4580 The Ace Spur Red Delicious Apple | FN | 0.72 | G1 | | 4-9B | 0.87 | 0.44 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|-----------|-----|--------------|---------|------------|
| | | | SK | Req | Insurable HZ | Not Req | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Thome Empire' | | | | | | | |
| See - <i>Malus sylvestris</i> var. <i>domestica</i> 'TF808' P.P. 8010 | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Tydeman's Red' | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 |
| Tydeman's Red Apple | | | | | | | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Valstar' P.P.A.F. | FN | 0.72 | G1 | | 4-9B | 1.01 | 0.44 |
| Valstar™ Apple | | | | | | | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'W & W' P.P. 4819 | FN | 0.72 | G1 | | 4-9B | 1.01 | 0.44 |
| Oregon Spur® II Apple | | | | | | | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Walliser Gala' P.P. 8673 | FN | 0.72 | G1 | | 4-9B | 0.99 | 0.44 |
| Crimson Gala™ Apple | | | | | | | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Washington Spur' | FN | 0.72 | G1 | | 4-9B | 0.92 | 0.44 |
| Washington Spur™ Apple | | | | | | | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Wealthy Dwarf' | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 |
| Wealthy Dwarf Apple | | | | | | | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Wealthy' | FN | 0.90 | G1 | | 4-9B | 0.91 | 0.44 |
| Wealthy Apple | | | | | | | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Westland' | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 |
| Westland Apple | | | | | | | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Winesap Dwarf' | FN | 0.72 | G1 | | 4-9B | 0.54 | 0.44 |
| Winesap Dwarf Apple | | | | | | | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Winesap' | FN | 0.93 | G1 | | 4-9B | 0.67 | 1.17 |
| Winesap Apple | | | | | | | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Winter Banana' | FN | 0.87 | G1 | | 4-9B | 0.54 | 0.44 |
| Winter Banana Apple | | | | | | | 8 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Wolf River' | FN | 0.72 | G1 | | 4-9B | 0.64 | 0.44 |
| Wolf River Apple | | | | | | | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Yellow Newton' | FN | 0.72 | G1 | | 4-9B | 0.89 | 0.44 |
| Yellow Newton Apple | | | | | | | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Yellow Transparent' | FN | 0.72 | G1 | | 4-9B | 0.78 | 0.97 |
| Yellow Transparent Apple | | | | | | | 4 |
| <i>Malus transitoria</i> | DT | 0.78 | G1 | | 4-9B | 0.95 | 1.23 |
| No Common Name Found | | | | | | | 5 |
| <i>Malus transitoria</i> 'Golden Raindrops' | | | | | | | |
| See - <i>Malus transitoria</i> 'Schmidtcutleaf' | DT | 0.78 | G1 | | 4-9B | 0.95 | 1.23 |
| <i>Malus transitoria</i> 'Schmidtcutleaf' | | | | | | | 4 |
| Golden Raindrops™ Crabapple | | | | | | | |
| <i>Malus tschonoskii</i> | DT | 0.79 | G1 | | 4-9B | 0.77 | 1.23 |
| Tschonoski Crabapple | | | | | | | 6 |
| <i>Malus yunnanensis</i> var. <i>veitchii</i> | DT | 1.00 | G1 | | 4-9B | 1.00 | 1.00 |
| Veitch's Crabapple | | | | | | | 6 |
| <i>Malus x zumi</i> | DT | 0.79 | G1 | | 4-9B | 0.92 | 0.82 |
| Zumi Crabapple | | | | | | | 5 |
| <i>Malus x zumi</i> var. <i>calocarpa</i> | DT | 0.84 | G1 | | 4-9B | 0.89 | 1.07 |
| Redbud Zumi Crabapple | | | | | | | 5 |
| <i>Malus x zumi</i> var. <i>calocarpa</i> 'Yellow Fruit' | DT | 0.84 | G1 | | 4-9B | 0.89 | 0.80 |
| Yellow Fruit Zumi Crabapple | | | | | | | 5 |
| <i>Malva alcea</i> | HP | 0.91 | G1 | 4-6 | 7-9A | | 4 |
| Hollyhock Mallow | | | | | | | |
| <i>Malva alcea</i> 'Fastigiata' | HP | 1.29 | G1 | 4-6 | 7-9A | | 4 |
| Fastigiata Hollyhock Mallow | | | | | | | |
| <i>Malva moschata</i> | HP | 0.96 | G1 | 4-6 | 7-9A | | 3 |
| Musk Mallow | | | | | | | |
| <i>Malva moschata</i> 'Alba' | HP | 0.98 | G1 | 4-6 | 7-9A | | 3 |
| White Musk Mallow | | | | | | | |
| <i>Malva sylvestris</i> | HP | 0.98 | G1 | 4-6 | 7-9A | | 5 |
| High Mallow | | | | | | | |
| <i>Malva sylvestris</i> 'Mauritiana' | HP | 0.92 | G1 | 4-6 | 7-9A | | 5 |
| Mauritiana High Mallow | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Malva sylvestris</i> 'Primley's Blue' Primley's Blue High Mallow | HP | 1.39 | G1 | 4-6 | 7-9A | | | 5 |
| <i>Malva sylvestris</i> 'Zebrina' Zebrina Tree Mallow | FN | 0.64 | G1 | 4-6 | 7-9A | 1.00 | 1.00 | 5 |
| <i>Malvaviscus arboreus</i> Wax Mallow | BS | 0.75 | G1 | 9B | 10A-11 | | | 9 |
| <i>Malvaviscus arboreus</i> var. <i>drummondii</i> No Common Name Found | BS | 0.88 | G1 | 9B | 10A-11 | | | 9 |
| <i>Malvaviscus arboreus</i> var. <i>mexicanus</i> Turk's Cap | BS | 0.67 | G1 | 9B | 10A-11 | | | 9 |
| <i>Malvaviscus drummondii</i> See - <i>Malvaviscus arboreus</i> var. <i>drummondii</i> | | | | | | | | |
| <i>Malvaviscus mollis</i> See - <i>Malvaviscus arboreus</i> | | | | | | | | |
| <i>Mammillaria baumii</i> No Common Name Found | FO | 1.00 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Mammillaria elongata</i> Lace Cactus | FO | 1.00 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Mammillaria nejapensis</i> No Common Name Found | FO | 1.00 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Mammillaria parkinsonii</i> Owl's Eyes | FO | 1.00 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Mandevilla</i> Mandevilla | GC | 1.12 | G1 | 10A | 10B-11 | | | 10 |
| <i>Mandevilla</i> 'Ruby Star' P.P. 8842 Ruby Star Mandevilla | GC | 1.12 | G1 | 10A | 10B-11 | | | 10 |
| <i>Mandevilla</i> 'White Delight' See - <i>Mandevilla</i> 'White Delite' P.P. 8479 | GC | 1.12 | G1 | 10A | 10B-11 | | | 10 |
| <i>Mandevilla</i> 'White Delite' P.P. 8479 White Delight Mandevilla | GC | 1.12 | G1 | 10A | 10B-11 | | | 10 |
| <i>Mandevilla x amabilis</i> Jasmine | GC | 1.17 | G1 | 10A | 10B-11 | | | 10 |
| <i>Mandevilla x amabilis</i> 'Alice du Pont' Alice du Pont Jasmine | GC | 1.17 | G1 | 10A | 10B-11 | | | 10 |
| <i>Mandevilla x amabilis</i> 'Monte' P.P.A.F. Summer Snow™ Jasmine | GC | 1.40 | G1 | 10A | 10B-11 | | | 10 |
| <i>Mandevilla x amabilis</i> 'Summer Snow' See - <i>Mandevilla x amabilis</i> 'Monte' P.P.A.F. | GC | 1.07 | G1 | 10A | 10B-11 | | | 10 |
| <i>Mandevilla boliviensis</i> White Dipladenia | GC | 1.23 | G1 | 9B | 10A-11 | | | 9 |
| <i>Mandevilla laxa</i> Chilean Jasmine | GC | 1.06 | G1 | 10A | 10B-11 | | | 10 |
| <i>Mandevilla sandera</i> Rose Dipladenia | GC | 1.36 | G1 | 10A | 10B-11 | | | 10 |
| <i>Mandevilla sandera</i> 'Red Riding Hood' Red Riding Hood Rose Dipladenia | GC | 1.30 | G1 | 10A | 10B-11 | | | 10 |
| <i>Mandevilla splendens</i> Pleasing Dipladenia | GC | 1.64 | G1 | 10A | 10B-11 | | | 10 |
| <i>Mandevilla suaveolens</i> See - <i>Mandevilla laxa</i> | FN | 1.64 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Mangifera indica</i> Mango | FN | 1.64 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Mangifera indica</i> 'Fairchild' Fairchild Mango | FN | 1.64 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Mangifera indica</i> 'Haden' Haden Mango | FN | 1.64 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Mangifera indica</i> 'Julie' Julie Mango | FN | 1.64 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Mangifera indica</i> 'Pirie' | FN | 1.64 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Pirie Mango | | | | | | | | |
| <i>Mangifera indica</i> 'Zill' | FN | 1.64 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Zill Mango | | | | | | | | |
| <i>Manihot esculenta</i> | BS | 0.76 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Cassava | | | | | | | | |
| <i>Manihot esculenta</i> 'Variegata' | BS | 0.76 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Variegated Cassava | | | | | | | | |
| <i>Manilkara roxburghiana</i> | BE | 1.67 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Manilkara zapota</i> | BE | 2.88 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Sapodilla | | | | | | | | |
| <i>Maranta leuconeura</i> | FO | 1.00 | G3 | 8-10B | 11 | | | 10 |
| Prayer Plant | | | | | | | | |
| <i>Maranta leuconeura</i> var. <i>erythroneura</i> | FO | 0.28 | G3 | 8-10B | 11 | | | 10 |
| Red-vein Prayer Plant | | | | | | | | |
| <i>Marojejya darianii</i> | FO | 2.10 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Marrubium vulgare</i> | HP | 0.75 | G1 | | 5-9A | | | 3 |
| Common Horehound | | | | | | | | |
| <i>Marshallia grandiflora</i> | HP | 1.01 | G1 | | 5-9A | | | 5 |
| Barbara's Buttons | | | | | | | | |
| <i>Mascagnia macroptera</i> | GC | 1.08 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| Gold Butterfly Vine | | | | | | | | |
| <i>Mascarena lagenicaulis</i> | | | | | | | | |
| See - <i>Hyophorbe lagenicaulis</i> | | | | | | | | |
| <i>Mascarena verschaffeltii</i> | | | | | | | | |
| See - <i>Hyophorbe verschaffeltii</i> | | | | | | | | |
| <i>Mastichodendron foetidissimum</i> | BE | 0.67 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Mastic | | | | | | | | |
| <i>Matricaria recutita</i> | AN | 1.17 | G1 | 10A | 10B-11 | | | 8 |
| Sweet False Chamomile | | | | | | | | |
| <i>Matteuccia pensylvanica</i> | HP | 1.38 | G4 | | 4-7 | | | 4 |
| No Common Name Found | | | | | | | | |
| <i>Matteuccia struthiopteris</i> | HP | 1.05 | G4 | | 3-7 | | | 2 |
| Ostrich Fern | | | | | | | | |
| <i>Matthiola incana</i> | AN | 0.64 | G4 | | 6-9B | | | 6 |
| Stock | | | | | | | | |
| <i>Matthiola incana</i> 'Midget Series' | AN | 0.64 | G4 | | 6-9B | | | 6 |
| Midget Series Stock | | | | | | | | |
| <i>Matthiola incana</i> 'Trysomic Mix' | AN | 0.64 | G4 | | 6-9B | | | 6 |
| Trysomic Mix Stock | | | | | | | | |
| <i>Maurandya barclaiana</i> | | | | | | | | |
| See - <i>Asarina barclaiana</i> | | | | | | | | |
| <i>Maurandya erubescens</i> | | | | | | | | |
| See - <i>Asarina erubescens</i> | | | | | | | | |
| <i>Mauritia flexuosa</i> | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Ita Palm | | | | | | | | |
| <i>Maxillaria camaridii</i> | FO | 1.63 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Maytenus boaria</i> | BE | 0.76 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| Mayten Tree | | | | | | | | |
| <i>Maytenus boaria</i> 'Green Showers' | BE | 1.12 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| Green Showers Mayten Tree | | | | | | | | |
| <i>Mazus radicans</i> | HP | 0.75 | G4 | | 6-9B | | | 6 |
| No Common Name Found | | | | | | | | |
| <i>Mazus reptans</i> | HP | 0.97 | G4 | | 3-9B | | | 3 |
| Mazus | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Mazus reptans</i> 'Albus' White Mazus | HP | 0.95 | G4 | | 3-9B | | | 3 |
| <i>Meconopsis cambrica</i> Welsh Poppy | HP | 1.00 | G4 | 6-8 | | | | 6 |
| <i>Medinilla magnifica</i> No Common Name Found | FO | 0.85 | G3 | 10A | 10B-11 | | | 10 |
| <i>Megaclinium falcatum</i> See - <i>Bulbophyllum falcatum</i> | BS | 1.14 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Megaskepasma erythrochlamys</i> Brazilian Red Cloak | BS | 1.00 | G1 | 9A | 9B-11 | | 1.00 | 9 |
| <i>Melaleuca armillaris</i> Bracelet Honey Myrtle | BE | 0.84 | G1 | 9A | 9B-11 | 1.00 | 1.00 | 9 |
| <i>Melaleuca incana</i> Gray Honey Myrtle | BE | 0.78 | G1 | 9A | 9B-11 | 1.00 | 1.00 | 9 |
| <i>Melaleuca leucadendron</i> River Tea Tree | BE | 0.76 | G1 | 9A | 9B-11 | 1.00 | 1.00 | 9 |
| <i>Melaleuca nesophila</i> Western Tea Myrtle | BE | 0.84 | G1 | 9A | 9B-11 | 1.00 | 1.00 | 9 |
| <i>Melaleuca quinquenervia</i> See - <i>Melaleuca viridiiflora</i> var. <i>ruberiflora</i> | BE | 0.84 | G1 | 9A | 9B-11 | 1.00 | 1.00 | 9 |
| <i>Melaleuca thymifolia</i> No Common Name Found | BE | 1.00 | G1 | 9A | 9B-11 | 1.00 | 1.00 | 9 |
| <i>Melaleuca viridiiflora</i> var. <i>ruberiflora</i> Paperbark Tree | BE | 0.84 | G1 | 9A | 9B-11 | 1.00 | 1.00 | 9 |
| <i>Melaleuca wilsonii</i> No Common Name Found | BE | 0.92 | G4 | | 5-9A | | | 4 |
| <i>Melampodium leucanthum</i> Blackfoot Daisy | HP | 0.63 | G4 | | 5-9A | | | 9 |
| <i>Melampodium paludosum</i> No Common Name Found | HP | 0.63 | G4 | | 5-9A | | | 9 |
| <i>Melampodium paludosum</i> 'Showstar' Showstar Melampodium | HP | 0.89 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Melastoma sanguineum</i> No Common Name Found | BS | 0.76 | G1 | 9A | 9B-11 | 0.61 | 1.00 | 7 |
| <i>Melia azedarach</i> Chinaberry | DT | 0.85 | G1 | 9A | 9B-11 | 0.61 | 1.00 | 7 |
| <i>Melia azedarach</i> 'Umbraculiformis' Texas Umbrella Tree | DT | 0.85 | G1 | 9A | 9B-11 | 0.61 | 1.00 | 7 |
| <i>Melianthus major</i> Honey Bush | BS | 0.94 | G1 | | 9-10B | | | 9 |
| <i>Melica altissima</i> Siberian Melic Grass | HP | 1.01 | G4 | | 5-9A | | | 5 |
| <i>Melica altissima</i> 'Atropurpurea' Purple Siberian Melic Grass | HP | 1.01 | G4 | | 5-9A | | | 5 |
| <i>Melica ciliata</i> Hairy Melic Grass | HP | 1.01 | G4 | | 6-10A | | | 6 |
| <i>Melissa officinalis</i> Lemon Balm | HP | 0.78 | G4 | | 4-9A | | | 4 |
| <i>Mentha aquatica</i> Water Mint | HP | 0.79 | G4 | | 6-9A | | | 6 |
| <i>Mentha x gentilis</i> See - <i>Mentha x gracilis</i> | HP | 0.54 | G4 | | 6-9A | | | 6 |
| <i>Mentha x gracilis</i> Red Mint | HP | 0.78 | G4 | | 6-9A | | | 3 |
| <i>Mentha x piperita</i> Peppermint | HP | 0.82 | G4 | | 6-9A | | | 3 |
| <i>Mentha x piperita</i> 'Chocolate' Chocolate Mint | HP | 0.82 | G4 | | 6-9A | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Mentha x piperita</i> 'Lime Mint' Lime Mint | HP | 0.68 | G4 | | 6-9A | | | 3 |
| <i>Mentha x piperita</i> 'Spicata' Doublemint | HP | 1.30 | G4 | | 6-9A | | | 3 |
| <i>Mentha x piperita</i> 'Variegata' Variegated Peppermint | HP | 0.97 | G4 | | 6-9A | | | 3 |
| <i>Mentha x piperita</i> var. <i>citrata</i> Orange Mint | HP | 0.82 | G4 | | 6-9A | | | 3 |
| <i>Mentha pulegium</i> Pennyroyal | HP | 0.86 | G4 | | 7-10A | | | 7 |
| <i>Mentha requienii</i> Corsican Mint | HP | 0.80 | G4 | | 6-9A | | | 6 |
| <i>Mentha x rotundifolia</i> See - <i>Mentha suaveolens</i> | HP | 0.77 | G4 | | 4-8 | | | 3 |
| <i>Mentha spicata</i> Spearmint | HP | 0.92 | G4 | | 4-8 | | | 3 |
| <i>Mentha spicata</i> 'Candy' Candy Spearmint | HP | 0.92 | G4 | | 4-8 | | | 3 |
| <i>Mentha spicata</i> 'Kentucky Colonel' Kentucky Colonel Spearmint | HP | 0.83 | G4 | | 6-9A | | | 6 |
| <i>Mentha suaveolens</i> Apple Mint | HP | 0.81 | G4 | | 6-9A | | | 6 |
| <i>Mentha suaveolens</i> 'Variegata' Pineapple Mint | HP | 0.81 | G1 | | 6-9A | | | 6 |
| <i>Mentha suaveolens</i> 'Villosa' Villosa Apple Mint | HP | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Menziesia ferruginea</i> Blazing Star | BS | 0.93 | G4 | | 8-9B | | | 4 |
| <i>Menziesia ferruginea</i> Rusty Leaf | BS | 1.00 | G4 | | 6-9A | | | 1.00 |
| <i>Merremia tuberosa</i> Wood Rose | GC | 1.00 | G4 | | 6-9A | | | 1.00 |
| <i>Mertensia virginica</i> Bluebells | HP | 1.04 | G4 | | 4-8 | | | 3 |
| <i>Mesembryanthemum cordifolium</i> See - <i>Aptenia cordifolia</i> | BS | 1.58 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Messerschmidia argentea</i> Tree Heliotrope | CE | 0.95 | G1 | | 4-8 | 1.07 | 0.91 | 5 |
| <i>Metasequoia glyptostroboides</i> Dawn Redwood | CE | 0.95 | G1 | | 4-8 | 1.07 | 0.91 | 5 |
| <i>Metasequoia glyptostroboides</i> 'National' National Dawn Redwood | CE | 0.95 | G1 | | 4-8 | 1.07 | 0.91 | 5 |
| <i>Metasequoia glyptostroboides</i> 'Ogon' Ogon Dawn Redwood | CE | 0.95 | G1 | | 4-8 | 1.07 | 0.91 | 5 |
| <i>Metasequoia glyptostroboides</i> 'Sheridan Spire' Sheridan Spire Dawn Redwood | CE | 1.23 | G1 | | 4-8 | 1.07 | 0.91 | 5 |
| <i>Metrosideros excelsa</i> New Zealand Christmas Tree | BE | 0.95 | G1 | 9A | 9B-10A | 1.00 | 1.00 | 9 |
| <i>Metrosideros kermadecensis</i> Kermadec Pohutukawa | BE | 1.78 | G1 | 9A | 9B-10A | 1.00 | 1.00 | 9 |
| <i>Metrosideros polymorpha</i> See - <i>Metrosideros kermadecensis</i> | BS | 1.25 | G1 | 9B | 10A-11 | | | 1.00 |
| <i>Metrosideros tomentosa</i> See - <i>Metrosideros excelsa</i> | BS | 1.39 | G1 | 9 | 10A | | | 1.00 |
| <i>Michelia alba</i> Champac | BS | | | | | | | 9 |
| <i>Michelia champaca</i> Orange Champac | BS | | | | | | | 9 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Michelia doltsopa</i> Sweet Michelia | BS | 1.10 | G1 | 8-9B | 10A | | | 1.00 9 |
| <i>Michelia figo</i> Banana Shrub | BS | 0.93 | G1 | 9A | 9B-10A | | | 0.95 9 |
| <i>Michelia figo</i> 'Port Wine' Port Wine Banana Shrub | BS | 0.98 | G1 | 9A | 9B-10A | | | 0.95 9 |
| <i>Michelia x foggii</i> Hybrid Michelia | BS | 0.89 | G1 | 9 | 10A | | | 1.00 8 |
| <i>Michelia x foggii</i> 'Jack Fogg' Jack Fogg Hybrid Michelia | BS | 1.49 | G1 | 9 | 10A | | | 1.00 8 |
| <i>Michelia fuscata</i> See - <i>Michelia figo</i> | | | | | | | | |
| <i>Microbiota decussata</i> Siberian Cypress | CE | 0.83 | G4 | | 3-10A | 1.00 | 1.00 | 3 |
| <i>Microbiota decussata</i> 'UBC Clone' C.O.P.F. UBC Clone Siberian Cypress | CE | 0.80 | G4 | | 3-10A | 1.00 | 1.00 | 3 |
| <i>Microgramma squamulosa</i> No Common Name Found | FO | 0.61 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Microlepia speluncae</i> See - <i>Microlepia strigosa</i> | | | | | | | | |
| <i>Microlepia strigosa</i> No Common Name Found | FO | 0.42 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Micromeria chamissonis</i> Yerba Buena | HP | 1.00 | G4 | | 7-10A | | | 7 |
| <i>Microsorium diversifolium</i> Kangaroo Fern | FO | 0.31 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Microsorium punctatum</i> Climbing Birds-nest Fern | FO | 0.47 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Microsorium scolopendrium</i> Wart Fern | FO | 0.46 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Milium effusum</i> Millet Grass | HP | 1.31 | G4 | 6 | 7-9A | | | 6 |
| <i>Milium effusum</i> 'Aureum' Wood Millet Grass | HP | 1.31 | G4 | 6 | 7-9A | | | 6 |
| <i>Millettia dura</i> No Common Name Found | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Millettia ovalifolia</i> No Common Name Found | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Millettia reticulata</i> Evergreen Wisteria | BS | 0.98 | G1 | 8-9A | 9B-10A | | | 1.00 8 |
| <i>Millettia taiwanensis</i> Chinese Evergreen Wisteria | BE | 1.07 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 7 |
| <i>Miltonia warscewiczii</i> No Common Name Found | FO | 2.71 | G1 | 10A | 10B-11 | | | 10 |
| <i>Miltoniopsis</i> Miltoniopsis Hybrid Orchid | FO | 1.63 | G1 | 10A | 10B-11 | | | 10 |
| <i>Miltoniopsis santanae</i> No Common Name Found | FO | 2.03 | G1 | 10A | 10B-11 | | | 10 |
| <i>Mimulus bifidus</i> No Common Name Found | AN | 1.15 | G4 | | 7-9A | | | 7 |
| <i>Mimulus cardinalis</i> Scarlet Monkey Flower | HP | 0.86 | G4 | | 8-9A | | | 7 |
| <i>Mimulus cupreus</i> No Common Name Found | AN | 1.00 | G4 | | 7-9A | | | 7 |
| <i>Mimulus guttatus</i> Common Monkey Flower | AN | 1.28 | G4 | | 7-9A | | | 6 |
| <i>Mimulus x hybridus</i> Hybrid Monkey Flower | AN | 1.00 | G4 | 6 | 7-9A | | | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Mimulus x hybridus</i> 'Mystic Mix' Mystic Mix Monkey Flower | AN | 1.00 | G4 | 6 | 7-9A | | | 6 |
| <i>Mimulus lewisii</i> Great Purple Monkey Flower | HP | 0.90 | G4 | | 5-9A | | | 5 |
| <i>Mimulus longiflorus</i> Salmon Bush Monkey Flower | HP | 1.00 | G2 | | 9A-10B | | | 9 |
| <i>Mimulus puniceus</i> Red Bush Monkey Flower | HP | 1.00 | G2 | | 9A-10B | | | 9 |
| <i>Mimulus ringens</i> Allegheny Monkey Flower | HP | 1.00 | G4 | | 4-8 | | | 3 |
| <i>Mimulus tilingii</i> Large Mountain Monkey Flower | HP | 0.86 | G4 | | 7-9A | | | 7 |
| <i>Mimusops elengi</i> Spanish Cherry | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Mimusops roxburghiana</i> See - <i>Manilkara roxburghiana</i> | | | | | | | | |
| <i>Mina lobata</i> See - <i>Ipomoea lobata</i> | | | | | | | | |
| <i>Minuartia verna</i> Irish Moss | HP | 0.89 | G1 | | 5-9A | | | 2 |
| <i>Minuartia verna</i> 'Aurea' See - <i>Sagina subulata</i> 'Aurea' | AN | 1.10 | G4 | 8-9A | 9B-11 | | | 8 |
| <i>Mirabilis jalapa</i> Four O'Clock | | | | | | | | |
| <i>Misanthus floridulus</i> Giant Chinese Silver Grass | HP | 1.10 | G4 | | 5-8 | | | 6 |
| <i>Misanthus sacchariflorus</i> Silver Amur Grass | HP | 0.98 | G4 | | 5-8 | | | 8 |
| <i>Misanthus sinensis</i> Eulalia Grass | HP | 1.04 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Misanthus sinensis</i> 'Adagio' Adagio Eulalia Grass | HP | 0.92 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Misanthus sinensis</i> 'Altweibersommer' Altweibersommer Eulalia Grass | HP | 0.91 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Misanthus sinensis</i> 'Andante' Andante Eulalia Grass | HP | 0.91 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Misanthus sinensis</i> 'Arabesque' Arabesque Eulalia Grass | HP | 1.03 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Misanthus sinensis</i> 'Autumn Light' Autumn Light Eulalia Grass | HP | 1.04 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Misanthus sinensis</i> 'Autumn Red' Autumn Red Eulalia Grass | HP | 0.94 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Misanthus sinensis</i> 'Blondo' Silver Eulalia Grass | HP | 1.84 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Misanthus sinensis</i> 'Bluetenwunder' Bluetenwunder Eulalia Grass | HP | 1.77 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Misanthus sinensis</i> 'Burgunder' Burgunder Eulalia Grass | HP | 0.91 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Misanthus sinensis</i> 'Cabaret' Cabaret Eulalia Grass | HP | 1.19 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Misanthus sinensis</i> 'Condensatus' Condensatus Eulalia Grass | HP | 1.13 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Misanthus sinensis</i> 'Cosmopolitan' Cosmopolitan Eulalia Grass | HP | 1.22 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Misanthus sinensis</i> 'Dixieland' Dixieland Eulalia Grass | HP | 0.96 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Misanthus sinensis</i> 'Emerald Shadow' Emerald Shadow Eulalia Grass | HP | 1.07 | G4 | 5-6 | 7-9A | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Miscanthus sinensis</i> 'Ferner Osten' Ferner Osten Eulalia Grass | HP | 1.01 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Flamingo' Flamingo Eulalia Grass | HP | 1.11 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Giganteus' Giant Eulalia Grass | HP | 1.09 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Gold und Silber' Gold und Silver Eulalia Grass | HP | 0.91 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Goldfeder' Goldfeder Eulalia Grass | HP | 1.10 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Goliath' Goliath Eulalia Grass | HP | 1.03 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Gracillimus' Maiden Eulalia Grass | HP | 1.03 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Graziella' Graziella Eulalia Grass | HP | 1.07 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Grosse Fontane' Grosse Fontane Eulalia Grass | HP | 1.28 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Helga Reich' Helga Reich Eulalia Grass | HP | 1.10 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Hinjo' Little Nicky™ Eulalia Grass | HP | 1.17 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Juli' Juli Eulalia Grass | HP | 0.91 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Kascade' Kascade Eulalia Grass | HP | 0.96 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Kleine Fontane' Kleine Fontane Eulalia Grass | HP | 1.12 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Kleine Silberspinne' Kleine Silberspinne Eulalia Grass | HP | 1.01 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Little Nicky' See - <i>Miscanthus sinensis</i> 'Hinjo' | HP | 1.14 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Malepartus' Malepartus Eulalia Grass | HP | 1.05 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Morning Light' Morning Light Eulalia Grass | HP | 1.03 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Nippon' Nippon Eulalia Grass | HP | 1.30 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'November Sunset' November Sunset Eulalia Grass | HP | 1.33 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Positano' Positano Eulalia Grass | HP | 1.31 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Punktchen' Little Dot Eulalia Grass | HP | 1.02 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Purpureus' Purpureus Eulalia Grass | HP | 0.96 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Rigoletto' Rigoletto Eulalia Grass | HP | 0.91 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Roland' Roland Eulalia Grass | HP | 1.16 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Roterpfeil' Roterpfeil Eulalia Grass | HP | 1.17 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Rotsilber' Rotsilber Eulalia Grass | HP | 1.06 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Sarabande' Sarabande Eulalia Grass | HP | 1.06 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Silberfeder' Silver Feather Eulalia Grass | HP | 1.06 | G4 | 5-6 | 7-9A | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | High/Wide | | |
| <i>Miscanthus sinensis</i> 'Silberpfeil' Silver Arrow Eulalia Grass | HP | 0.94 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Silberspinne' Silberspinne Eulalia Grass | HP | 1.03 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Silberturm' Silberturm Eulalia Grass | HP | 1.07 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Silver Shadow' Silver Shadow Eulalia Grass | HP | 1.00 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Sirene' Sirene Eulalia Grass | HP | 0.91 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Strictus' Porcupine Eulalia Grass | HP | 1.04 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Undine' Undine Eulalia Grass | HP | 1.29 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Variegatus' Variegated Silver Eulalia Grass | HP | 1.03 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Yaku Jima' Yaku Jima Dwarf Eulalia Grass | HP | 1.06 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Zebrinus' Zebra Eulalia Grass | HP | 1.06 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Zwergelefant' Zwergelefant Eulalia Grass | HP | 0.91 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus sinensis</i> 'Zwergzebra' Zwergzebra Eulalia Grass | HP | 1.84 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Miscanthus transmorrisonensis</i> No Common Name Found | HP | 0.84 | G4 | | | 7-9A | | 6 |
| <i>Mitchella repens</i> Partridgeberry | GC | 1.32 | G1 | | | 3-8 | | 1.00 3 |
| <i>Mitella diphylla</i> Coolwort | HP | 1.00 | G1 | | | 3-8 | | 3 |
| <i>Molinia caerulea</i> Moor Grass | HP | 1.04 | G4 | | | 4-8 | | 5 |
| <i>Molinia caerulea</i> 'Dauerstrahl' Dauerstrahl Moor Grass | HP | 1.62 | G4 | | | 4-8 | | 5 |
| <i>Molinia caerulea</i> 'Heidebraut' Heidebraut Moor Grass | HP | 1.62 | G4 | | | 4-8 | | 5 |
| <i>Molinia caerulea</i> 'Moorflamme' Moorflamme Moor Grass | HP | 1.69 | G4 | | | 4-8 | | 5 |
| <i>Molinia caerulea</i> 'Moorhexe' Moorhexe Moor Grass | HP | 1.62 | G4 | | | 4-8 | | 5 |
| <i>Molinia caerulea</i> 'Strahlenquelle' Strahlenquelle Moor Grass | HP | 1.69 | G4 | | | 4-8 | | 5 |
| <i>Molinia caerulea</i> 'Variegata' Variegated Moor Grass | HP | 1.01 | G4 | | | 4-8 | | 5 |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> Tall Purple Moor Grass | HP | 0.97 | G4 | | | 4-8 | | 5 |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Altissima' Altissima Tall Purple Moor Grass | HP | 0.97 | G4 | | | 4-8 | | 5 |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Bergfreund' Bergfreund Tall Purple Moor Grass | HP | 1.36 | G4 | | | 4-8 | | 5 |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Fontane' Fontane Tall Purple Moor Grass | HP | 1.36 | G4 | | | 4-8 | | 5 |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Sky Racer' Sky Racer Tall Purple Moor Grass | HP | 0.97 | G4 | | | 4-8 | | 5 |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Staefa' Staefa Tall Purple Moor Grass | HP | 1.36 | G4 | | | 4-8 | | 5 |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Transparent' Transparent Tall Purple Moor Grass | HP | 1.36 | G4 | | | 4-8 | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Windspiel' Windspiel Tall Purple Moor Grass | HP | 1.42 | G4 | | 4-8 | | | 5 |
| <i>Monarda</i> Bee Balm | HP | 1.00 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda</i> 'Beauty of Cobham' Beauty of Cobham Bee Balm | HP | 1.00 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda</i> 'Blue Stocking' Blue Stocking Bee Balm | HP | 1.00 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda</i> 'Croftway Pink' Croftway Pink Bee Balm | HP | 1.03 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda</i> 'Kardinal' Kardinal Bee Balm | HP | 1.08 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda</i> 'Mahogany' Mahogany Bee Balm | HP | 1.00 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda</i> 'Marshall's Delight' Marshall's Delight Bee Balm | HP | 1.07 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda</i> 'Prairie Night' Prairie Night Bee Balm | HP | 1.01 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda</i> 'Snow Queen' Snow Queen Bee Balm | HP | 1.01 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda citriodora</i> Lemon Mint | HP | 0.86 | G4 | 5-6 | 7-10A | | | 8 |
| <i>Monarda clinopodia</i> No Common Name Found | HP | 1.00 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Monarda didyma</i> Bee Balm | HP | 0.89 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Adam' Adam Bee Balm | HP | 1.09 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Alba' White Bee Balm | HP | 0.91 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Aquarius' Aquarius Bee Balm | HP | 0.88 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Balance' Balance Bee Balm | HP | 1.27 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Blaukranz' Blaukranz Bee Balm | HP | 0.86 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Cambridge Scarlet' Cambridge Scarlet Bee Balm | HP | 1.19 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Donnerwolke' Donnerwolke Bee Balm | HP | 1.01 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Feuernschopf' Feuernschopf Bee Balm | HP | 0.86 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Fishes' Fishes Bee Balm | HP | 1.21 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Gardenview Scarlet' Gardenview Scarlet Bee Balm | HP | 0.94 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Jacob Cline' Jacob Cline Bee Balm | HP | 0.86 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Mrs. Perry' Mrs. Perry Bee Balm | HP | 0.98 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Petite Delight' Petite Delight Bee Balm | HP | 1.24 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Purple Ann' Purple Ann Bee Balm | HP | 1.27 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Purple Crown' Purple Crown Bee Balm | HP | 1.01 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Raspberry Wine' Raspberry Wine Bee Balm | HP | 1.00 | G4 | 5-6 | 7-10A | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Monarda didyma</i> 'Scorpion' Scorpion Bee Balm | HP | 1.00 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Snow Maiden' Snow Maiden Bee Balm | HP | 1.06 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Squaw' Squaw Bee Balm | HP | 1.14 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda didyma</i> 'Violet Queen' Violet Queen Bee Balm | HP | 0.95 | G4 | 5-6 | 7-10A | | | 4 |
| <i>Monarda fistulosa</i> Wild Bergamont | HP | 1.03 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Monarda punctata</i> Dotted Horsemint | HP | 0.85 | G4 | 6-8 | 9A-10A | | | 6 |
| <i>Monardella macrantha</i> No Common Name Found | HP | 0.95 | G4 | | 9A-10B | | | 9 |
| <i>Monardella villosa</i> Coyote Mint | HP | 1.00 | G4 | | 8-9B | | | 8 |
| <i>Monochaetum vulcanicum</i> No Common Name Found | BS | 0.77 | G2 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Monstera deliciosa</i> Ceriman | FO | 0.48 | G3 | 8-10A | 10B-11 | | | 10B |
| <i>Montanoa grandiflora</i> No Common Name Found | BS | 0.87 | G2 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Montezuma speciosissima</i> Hibiscus Tree | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Moraea</i> Butterfly Iris | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Moraea</i> 'Oakhurst' Oakhurst Butterfly Iris | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Moraea bicolor</i> See - <i>Dieteres bicolor</i> | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Moraea polystachya</i> No Common Name Found | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Moraea ramosissima</i> No Common Name Found | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Moraea spathacea</i> See - <i>Moraea spathulata</i> | HP | 1.00 | G4 | 9A | 9B-11 | | | 8 |
| <i>Moraea spathulata</i> No Common Name Found | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Moraea tripetala</i> No Common Name Found | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Morina longifolia</i> Whorlflower | HP | 0.93 | G4 | 6 | 7-9A | | | 6 |
| <i>Morinda citrifolia</i> Indian Mulberry | BE | 0.66 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Moringa oleifera</i> Horseradish Tree | BE | 1.08 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Moringa pterygosperma</i> See - <i>Moringa oleifera</i> | FO | 2.03 | G1 | 9 | 10A-11 | | | 9 |
| <i>Mormodes tuxtlensis</i> No Common Name Found | DT | 0.67 | G1 | | 4-8 | 0.97 | 0.98 | 4 |
| <i>Morus alba</i> White Mulberry | DT | 1.06 | G1 | | 4-8 | 1.02 | 0.98 | 4 |
| <i>Morus alba</i> 'Chaparral' Chaparral Common Mulberry | DT | 0.86 | G1 | | 4-8 | 0.55 | 0.98 | 4 |
| <i>Morus alba</i> 'Fruitless' Fruitless Mulberry | DT | 0.55 | G1 | | 4-8 | 0.55 | 0.98 | 4 |
| <i>Morus alba</i> 'Illinois Everbearing' Illinois Everbearing Common Mulberry | DT | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Morus alba</i> 'Kingan' Kingan Common Mulberry | DT | 0.55 | G1 | | 4-8 | 1.16 | 0.98 | 4 |
| <i>Morus alba</i> 'Pendula' Weeping Common Mulberry | DT | 0.95 | G1 | | 4-8 | 1.02 | 0.99 | 4 |
| <i>Morus alba</i> 'Striblingii' Stribling Common Mulberry | DT | 0.55 | G1 | | 4-8 | 0.86 | 0.98 | 4 |
| <i>Morus alba</i> 'Tatarica' Russian Common Mulberry | DT | 0.55 | G1 | | 4-8 | 0.55 | 0.98 | 4 |
| <i>Morus australis</i> Contorted Mulberry | DS | 1.13 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Morus australis</i> 'Unryu' Unryu Contorted Mulberry | DS | 1.13 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Morus nigra</i> Black Mulberry | DT | 0.73 | G1 | | 4-8 | 1.00 | 1.00 | 5 |
| <i>Morus rubra</i> Red Mulberry | DT | 0.35 | G1 | | 4-8 | 1.00 | 1.00 | 5 |
| <i>Mucuna bennettii</i> New Guinea Creeper | GC | 4.79 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Muehlenbeckia axillaris</i> Wire Plant | HP | 0.88 | G4 | | 8-9B | | | 8 |
| <i>Muhlenbergia dumosa</i> Bamboo Muhly Grass | HP | 0.88 | G4 | | 6-8 | | | 7 |
| <i>Muhlenbergia lindheimeri</i> No Common Name Found | HP | 0.80 | G4 | | 8-9B | | | 7 |
| <i>Muhlenbergia rigens</i> Muhly Grass | HP | 0.73 | G4 | | 8-9A | | | 8 |
| <i>Murraya exotica</i> See - <i>Murraya paniculata</i> | BS | 0.83 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Murraya paniculata</i> Orange Jessamine | BS | 0.80 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Murraya paniculata</i> 'Lakeview' Lakeview Orange Jessamine | FN | 0.95 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Musa acuminata</i> Edible Banana | FN | 0.93 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Musa acuminata</i> 'Cavendish' Cavendish Edible Banana | FN | 0.99 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Musa acuminata</i> 'Dwarf Cavendish' Dwarf Cavendish Edible Banana | FN | 1.02 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Musa acuminata</i> 'Enano Gigante' Dwarf Giant Edible Banana | FN | 0.94 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Musa acuminata</i> 'Gran Nain' Gran Nain Edible Banana | FN | 0.91 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Musa acuminata</i> 'Rio' Rio Edible Banana | FN | 0.95 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Musa acuminata</i> 'Sumatrana' Red Banana | FN | 1.49 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Musa basjoo</i> Japanese Banana | HP | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Musa coccinea</i> See - <i>Musa uranoscopus</i> | HP | | | | | | | |
| <i>Musa ensete</i> See - <i>Ensete ventricosum</i> | HP | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Musa manii</i> No Common Name Found | HP | 0.94 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Musa ornata</i> Flowering Banana | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Musa ornata</i> 'Bronze' Bronze Flowering Banana | FO | 0.64 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Musa ornata</i> 'Lavender Beauty' Lavender Beauty Flowering Banana | FO | 0.64 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Musa ornata</i> 'Leyte White' Leyte White Flowering Banana | FO | 0.64 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Musa ornata</i> 'Milky Way' Milky Way Flowering Banana | FO | 0.64 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Musa ornata</i> 'Royal Purple' Royal Purple Flowering Banana | FO | 0.64 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Musa uranoscopus</i> Red Flowering Banana | HP | 0.65 | G3 | 10A | 10B-11 | | | 10 |
| <i>Musa velutina</i> No Common Name Found | FN | 1.01 | G3 | 8-10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Musa zebrina</i> See - <i>Musa acuminata</i> 'Sumatrana' | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Muscari armeniacum</i> Armenian Grape Hyacinth | HP | 1.00 | G4 | | 7-9A | | | 7 |
| <i>Muscari macrocarpum</i> No Common Name Found | HP | 1.00 | G1 | 10A | 10B-11 | | | 7 |
| <i>Musella lasiocarpa</i> Chinese Yellow Banana | BS | 1.77 | G3 | 8-10B | 11 | | | 1.00 10 |
| <i>Mussaenda erythrophylla</i> Ashanti Blood | BS | 1.77 | G3 | 8-10B | 11 | | | 1.00 10 |
| <i>Mussaenda erythrophylla</i> 'Rosea' Rosea Ashanti Blood | BS | 1.77 | G3 | 8-10B | 11 | | | 1.00 10 |
| <i>Mussaenda frondosa</i> No Common Name Found | BS | 1.77 | G3 | 8-10B | 11 | | | 1.00 10 |
| <i>Mussaenda frondosa</i> 'Aurorae' Aurorae Mussaenda | BS | 1.77 | G3 | 8-10B | 11 | | | 1.00 10 |
| <i>Mussaenda philippica</i> No Common Name Found | BS | 0.63 | G3 | 8-10B | 11 | | | 1.00 10 |
| <i>Myoporum</i> Hybrid Myoporum | GC | 1.00 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Myoporum</i> 'Pacificum' Pacific Myoporum | GC | 1.00 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Myoporum debile</i> No Common Name Found | BS | 0.64 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Myoporum laetum</i> Mouse-hole Tree | BE | 0.73 | G1 | 9A | 9B-10A | 1.00 | 1.00 | 9 |
| <i>Myoporum laetum</i> 'Carsonii' Carson Myoporum | BE | 0.73 | G1 | 9A | 9B-10A | 1.00 | 1.00 | 9 |
| <i>Myoporum parvifolium</i> Creeping Myoporum | GC | 0.91 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Myoporum parvifolium</i> 'Burgundy Carpet' Burgundy Carpet Creeping Myoporum | GC | 1.15 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Myoporum parvifolium</i> 'Pink' Pink Creeping Myoporum | GC | 0.75 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Myoporum parvifolium</i> 'Prostrata' Prostrate Creeping Myoporum | GC | 0.86 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Myoporum parvifolium</i> 'Putah Creek' Putah Creek Creeping Myoporum | GC | 0.98 | G1 | 9A | 9B-10A | | | 1.00 9 |
| <i>Myoporum sandwicense</i> Bastard Sandalwood | BE | 1.00 | G1 | 9A | 9B-10A | 1.00 | 1.00 | 9 |
| <i>Myosotis alpestris</i> See - <i>Myosotis sylvatica</i> | HP | 0.95 | G4 | | 6-9A | | | 4 |
| <i>Myosotis palustris</i> No Common Name Found | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Myosotis scorpioides</i> Forget-Me-Not | HP | 1.13 | G4 | | 5-8 | | | 5 |
| <i>Myosotis scorpioides</i> 'Sapphire' Sapphire Forget-Me-Not | HP | 0.94 | G4 | | 5-8 | | | 5 |
| <i>Myosotis scorpioides</i> 'Semperflorens' Semperflorens Forget-Me-Not | HP | 1.02 | G4 | | 5-8 | | | 5 |
| <i>Myosotis sylvatica</i> Garden Forget-Me-Not | HP | 0.79 | G4 | | 5-8 | | | 5 |
| <i>Myosotis sylvatica</i> 'Blue Ball' Blue Ball Forget-Me-Not | HP | 0.79 | G4 | | 5-8 | | | 5 |
| <i>Myosotis sylvatica</i> 'Marina' Marina Forget-Me-Not | HP | 0.79 | G4 | | 5-8 | | | 5 |
| <i>Myosotis sylvatica</i> 'Rogli' Rogli Woodland Forget-Me-Not | HP | 0.79 | G4 | | 5-8 | | | 5 |
| <i>Myosotis sylvatica</i> 'Rosea' Rose Forget-Me-Not | HP | 0.85 | G4 | | 5-8 | | | 5 |
| <i>Myosotis sylvatica</i> 'Royal Blue' Royal Blue Forget-Me-Not | HP | 0.95 | G4 | | 5-8 | | | 5 |
| <i>Myrcianthes fragrans</i> Simpson's Stopper | BS | 0.82 | G1 | 9B | 10A-11 | | | 1.00 10A |
| <i>Myrcia cauliflora</i> Jaboticaba | FN | 1.57 | G1 | 10A | 10B-11 | 1.00 | | 1.00 10 |
| <i>Myrica californica</i> Pacific Waxmyrtle | BS | 0.96 | G1 | | 7-9A | | | 0.88 7 |
| <i>Myrica cerifera</i> Southern Waxmyrtle | BS | 0.77 | G2 | | 8-11 | | | 0.71 6 |
| <i>Myrica cerifera</i> '(Unnamed Cultivar 01)' Fairfax™ Southern Waxmyrtle | BS | 0.82 | G2 | | 8-11 | | | 0.71 6 |
| <i>Myrica cerifera</i> 'Emperor' See - <i>Myrica cerifera</i> 'Lane' P.P. 7555 | | | | | | | | |
| <i>Myrica cerifera</i> 'Fairfax' See - <i>Myrica cerifera</i> '(Unnamed Cultivar 01)' | | | | | | | | |
| <i>Myrica cerifera</i> 'Lane' P.P. 7555 Emperor™ Southern Waxmyrtle | BS | 0.90 | G2 | | 8-11 | | | 0.71 6 |
| <i>Myrica cerifera</i> var. <i>pumila</i> Dwarf Southern Waxmyrtle | BS | 0.76 | G2 | | 8-11 | | | 1.00 6 |
| <i>Myrica gale</i> Sweet Gale | BS | 1.00 | G1 | | 2-7 | | | 1.00 1 |
| <i>Myrica pensylvanica</i> Northern Bayberry | DS | 1.09 | G1 | | 2-7 | | | 1.20 2 |
| <i>Myrica pusilla</i> Dwarf Waxmyrtle | BS | 0.82 | G2 | | 8-11 | | | 1.00 6 |
| <i>Myrica pusilla</i> 'Don's Dwarf' Don's Dwarf Waxmyrtle | BS | 0.90 | G2 | | 8-11 | | | 1.00 6 |
| <i>Myristica fragrans</i> Nutmeg | BE | 1.77 | G1 | 10A | 10B-11 | 1.00 | | 1.00 10 |
| <i>Myroxylon balsamum</i> Tolu Balsam Tree | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | | 1.00 8 |
| <i>Myrrhis odorata</i> Sweet Cicely | HP | 1.30 | G4 | | 5-9A | | | 5 |
| <i>Myrsine africana</i> African Boxwood | BS | 0.77 | G2 | | 9A-10B | | | 1.00 9 |
| <i>Myrsine guianensis</i> Rapanea | BS | 0.84 | G1 | 9B | 10A-11 | | | 1.00 10B |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Myrtus communis</i> Myrtle | BS | 0.95 | G1 | | 8-9A | | 1.00 | 8 |
| <i>Myrtus communis</i> 'Boetica' Boetica Myrtle | BS | 0.73 | G1 | | 8-9A | | 1.00 | 8 |
| <i>Myrtus communis</i> 'Compacta Variegata' Compact Variegated Myrtle | BS | 0.73 | G1 | | 8-9A | | 1.00 | 8 |
| <i>Myrtus communis</i> 'Compacta' Compact Myrtle | BS | 0.73 | G1 | | 8-9A | | 1.00 | 8 |
| <i>Myrtus communis</i> 'Variegata' Variegated Myrtle | BS | 0.81 | G1 | | 8-9A | | 1.00 | 8 |
| <i>Nageia nagi</i> Broadleaf Podocarpus | CE | 1.02 | G4 | | 8-11 | 1.00 | 1.00 | 8 |
| <i>Nandina domestica</i> Heavenly Bamboo | BS | 0.76 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'Alba' White Heavenly Bamboo | BS | 0.82 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'Compacta' Dwarf Heavenly Bamboo | BS | 0.86 | G1 | 6-8 | 9A-10B | | 0.96 | 7 |
| <i>Nandina domestica</i> 'Fire Power' Fire Power Heavenly Bamboo | BS | 0.99 | G1 | 6-8 | 9A-10B | | 0.85 | 7 |
| <i>Nandina domestica</i> 'Greray' P.P. 8530 Sunray Heavenly Bamboo | BS | 0.74 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'Gulf Stream' P.P. 5656 Gulf Stream Heavenly Bamboo | BS | 1.30 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'Harbour Dwarf' Harbour Dwarf Heavenly Bamboo | BS | 1.03 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'Lemon Dwarf' Lemon Dwarf Heavenly Bamboo | BS | 1.00 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'Mardi Gras' Mardi Gras Heavenly Bamboo | BS | 1.00 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'Monum' P.P.A.F. Plum Passion™ Heavenly Bamboo | BS | 1.24 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'Moon Bay' P.P. 5659 Moon Bay Heavenly Bamboo | BS | 1.24 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'Moyer Red' Moyer Red Heavenly Bamboo | BS | 0.94 | G1 | 6-8 | 9A-10B | | 0.85 | 7 |
| <i>Nandina domestica</i> 'Nana Purpurea' Dwarf Purple Heavenly Bamboo | BS | 1.01 | G1 | 6-8 | 9A-10B | | 0.89 | 7 |
| <i>Nandina domestica</i> 'Nana' Compact Heavenly Bamboo | BS | 1.05 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'Plum Passion' See - <i>Nandina domestica</i> 'Monum' P.P.A.F. | BS | 0.84 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'Royal Princess' Royal Princess Heavenly Bamboo | BS | 0.98 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'San Gabriel' San Gabriel Heavenly Bamboo | BS | 1.06 | G1 | 6-8 | 9A-10B | | 0.89 | 7 |
| <i>Nandina domestica</i> 'Sunray' See - <i>Nandina domestica</i> 'Greray' P.P. 8530 | BS | 0.87 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'Umpqua Chief' Umpqua Chief Heavenly Bamboo | BS | 0.94 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'Umpqua Princess' Umpqua Princess Heavenly Bamboo | BS | 1.00 | G1 | 6-8 | 9A-10B | | 0.89 | 7 |
| <i>Nandina domestica</i> 'Umpqua Warrior' Umpqua Warrior Heavenly Bamboo | BS | 0.74 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'Woods Dwarf' Woods Dwarf Heavenly Bamboo | BS | 1.00 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |
| <i>Nandina domestica</i> 'Yellow-fruited' Yellow-fruited Heavenly Bamboo | BS | 1.06 | G1 | 6-8 | 9A-10B | | 0.70 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Nannorrhops ritchiana</i> Mazari Palm | BS | 1.00 | G4 | | 8-10B | | 1.00 | 8 |
| <i>Napaea dioica</i> Glade Mallow | HP | 1.09 | G1 | | 5-9A | | | 4 |
| <i>Nasturtium officinale</i> Watercress | HP | 0.60 | G1 | | 6-9A | | | 6 |
| <i>Nauplius sericeus</i> No Common Name Found | HP | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Nelumbo lutea</i> Water Chinquapin | HP | 1.25 | G1 | | 6-9A | | | 4 |
| <i>Nemesia strumosa</i> Pouch Nemesia | AN | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Nemesia strumosa</i> 'Carnival Mix' Carnival Mix Pouch Nemesia | AN | 1.00 | G1 | 9 | 10A-11 | | | 9 |
| <i>Nemopanthus mucronatus</i> Mountain Holly | BS | 1.00 | G1 | 5-9 | 10 | | 0.51 | 5 |
| <i>Nenga pumila</i> No Common Name Found | BE | 2.74 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Neodypsis decaryi</i> See - <i>Dypsis decaryi</i> | | | | | | | | |
| <i>Neodypsis lastelliana</i> See - <i>Dypsis lastelliana</i> | | | | | | | | |
| <i>Neolitsea sericea</i> Japanese Silver Tree | DT | 0.80 | G4 | | 9-10A | 1.00 | 1.00 | 7 |
| <i>Neomarica caerulea</i> Twelve Apostles | HP | 0.95 | G4 | | 10A-11 | | | 10 |
| <i>Neomarica gracilis</i> Apostle Plant | HP | 0.84 | G4 | 10A | 10B-11 | | | 10 |
| <i>Neomarica northiana</i> No Common Name Found | HP | 0.88 | G4 | | 10A-11 | | | 10 |
| <i>Neoregelia carolinae</i> Blushing Bromeliad | FO | 2.35 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Neoregelia carolinae</i> 'Flandria' Flandria Blushing Bromeliad | FO | 0.90 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Neoregelia carolinae</i> 'Tricolor' Tricolor Blushing Bromeliad | FO | 0.90 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Neoregelia macwilliamsii</i> No Common Name Found | FO | 1.02 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Neoviettchia storckii</i> Unleito Palm | BE | 2.95 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Nepenthes alata</i> No Common Name found | HP | 4.63 | G4 | 8-9 | 10A-11 | | | 10 |
| <i>Nepenthes bicalcarata</i> No Common Name Found | HP | 4.79 | G4 | 8-9 | 10A-11 | | | 10 |
| <i>Nepenthes x coccinea</i> No Common Name Found | FO | 1.01 | G4 | | 10A-11 | | | 10 |
| <i>Nepenthes madagascariensis</i> Asian Pitcher Plant | FO | 1.14 | G4 | | 10A-11 | | | 10 |
| <i>Nepenthes maxima</i> No Common Name Found | HP | 5.38 | G4 | 8-9 | 10A-11 | | | 10 |
| <i>Nepenthes ventricosa</i> No Common Name Found | HP | 3.40 | G4 | 8-9 | 10A-11 | | | 10 |
| <i>Nepeta cataria</i> Catnip | HP | 0.85 | G4 | | 3-8 | | | 3 |
| <i>Nepeta x faassenii</i> Faassen's Catmint | HP | 0.89 | G4 | | 3-8 | | | 3 |
| <i>Nepeta x faassenii</i> 'Blue Wonder' Blue Wonder Faassen's Catmint | HP | 0.92 | G4 | | 3-8 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Nepeta x faassenii</i> 'Dropmore' Dropmore Faassen's Nepeta | HP | 1.01 | G4 | | 3-8 | | | 3 |
| <i>Nepeta x faassenii</i> 'Six Hills Giant' Six Hills Giant Faassen's Catmint | HP | 0.97 | G4 | | 3-8 | | | 3 |
| <i>Nepeta x faassenii</i> 'Snowflake' Snowflake Faassen's Catmint | HP | 1.00 | G4 | | 3-8 | | | 3 |
| <i>Nepeta x faassenii</i> 'Walker's Low' Walker's Low Faassen's Catmint | HP | 1.05 | G4 | | 3-8 | | | 3 |
| <i>Nepeta mussinii</i> See - <i>Nepeta x faassenii</i> | | | | | | | | |
| <i>Nepeta nervosa</i> Veined Nepeta | HP | 1.32 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Nepeta nervosa</i> 'Blue Carpet' Blue Carpet Veined Nepeta | HP | 0.93 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Nepeta sibirica</i> Siberian Catmint | HP | 0.88 | G4 | | 3-8 | | | 3 |
| <i>Nepeta sibirica</i> 'Souvenir d'Andre Chaudron' Souvenir d'Andre Chaudron | HP | 0.98 | G4 | | 3-8 | | | 3 |
| <i>Nepeta subsessilis</i> No Common Name Found | HP | 1.19 | G4 | | 8-10A | | | 5 |
| <i>Nepeta tuberosa</i> No Common Name Found | HP | 1.00 | G4 | | 8-10A | | | 8 |
| <i>Nephrolepis biserrata</i> Broad Sword Fern | HP | 0.80 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis biserrata</i> 'Macho' Macho Broad Sword Fern | FO | 0.46 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis cordifolia</i> Erect Sword Fern | HP | 0.86 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis exaltata</i> Sword Fern | HP | 0.78 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis exaltata</i> 'Bostoniensis' Boston Fern | FO | 0.50 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis exaltata</i> 'Compacta' Compact Boston Fern | FO | 0.37 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis exaltata</i> 'Dallas Jewel' P.P. 5755 Dallas Boston Fern | FO | 0.44 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis exaltata</i> 'Dallasi' | | | | | | | | |
| See - <i>Nephrolepis exaltata</i> 'Dallas Jewel' P.P. 5755 | | | | | | | | |
| <i>Nephrolepis exaltata</i> 'Fluffy Ruffles' Fluffy Ruffles Boston Fern | FO | 0.44 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis exaltata</i> 'Hillii' Hills Boston Fern | FO | 0.27 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis exaltata</i> 'Kimberly Queen' Kimberly Queen Boston Fern | HP | 1.04 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis exaltata</i> 'Maasii' Maasii Boston Fern | FO | 0.40 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis exaltata</i> 'Orlando' P.P. 9067 Orlando Boston Fern | FO | 0.30 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis exaltata</i> 'Roosevelti' Roosevelt Boston Fern | FO | 0.27 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis exaltata</i> 'Whitmannii' Whitmann Boston Fern | FO | 0.27 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis falcata</i> No Common Name Found | HP | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis falcata</i> var. <i>furcans</i> Fishtail Fern | HP | 1.02 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrolepis hirsutula</i> No Common Name Found | FO | 0.38 | G3 | 8-10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-------|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Nephrolepis obliterata</i> Australian Sword Fern | FO | 0.49 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Nephrosperma vanhoutteanum</i> Latanier Millepattes Palm | BE | 3.80 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Nerine bowdenii</i> Cape Colony Nerine | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| <i>Nerine filamentosa</i> No Common Name Found | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| <i>Nerine filifolia</i> No Common Name Found | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| <i>Nerine masonorum</i> No Common Name Found | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| <i>Nerine sarniensis</i> Guernsey Lily | HP | 0.95 | G4 | 8 | 9A-10B | | | 8 |
| <i>Nerium oleander</i> Common Oleander | BS | 0.80 | G1 | 8-9A | 9B-11 | | | 0.55 |
| <i>Nerium oleander 'Alba'</i> White Oleander | BS | 0.81 | G1 | 8-9A | 9B-11 | | | 0.55 |
| <i>Nerium oleander 'Algiers'</i> See - <i>Nerium oleander 'Monal'</i> | BS | 0.75 | G1 | 8-9A | 9B-11 | | | 0.78 |
| <i>Nerium oleander 'Calypso'</i> Calypso Oleander | BS | 0.77 | G1 | 8-9A | 9B-11 | | | 0.55 |
| <i>Nerium oleander 'Cardinal'</i> Cardinal Oleander | BS | 0.78 | G1 | 8-9A | 9B-11 | | | 8 |
| <i>Nerium oleander 'Casablanca'</i> See - <i>Nerium oleander 'Monca'</i> | BS | 0.76 | G1 | 8-9A | 9B-11 | | | 0.55 |
| <i>Nerium oleander 'Cherry Ripe'</i> Cherry Ripe Oleander | BS | 0.68 | G1 | 8-9A | 9B-11 | | | 8 |
| <i>Nerium oleander 'Crimson'</i> Crimson Oleander | BS | 0.78 | G1 | 8-9A | 9B-11 | | | 0.55 |
| <i>Nerium oleander 'Hardy Pink'</i> Hardy Pink Oleander | BS | 0.78 | G1 | 8-9A | 9B-11 | | | 0.55 |
| <i>Nerium oleander 'Hardy Red'</i> Hardy Red Oleander | BS | 0.78 | G1 | 8-9A | 9B-11 | | | 0.63 |
| <i>Nerium oleander 'Isle of Capri'</i> Isle of Capri Oleander | BS | 0.68 | G1 | 8-9A | 9B-11 | | | 0.55 |
| <i>Nerium oleander 'Jannoch'</i> Jannoch Oleander | BS | 0.68 | G1 | 8-9A | 9B-11 | | | 0.55 |
| <i>Nerium oleander 'Little Red' P.P. 4836</i> Little Red Dwarf Oleander | BS | 0.91 | G1 | 8-9A | 9B-11 | | | 0.55 |
| <i>Nerium oleander 'Little White'</i> Little White Oleander | BS | 0.88 | G1 | 8-9A | 9B-11 | | | 0.55 |
| <i>Nerium oleander 'Marrakesh'</i> See - <i>Nerium oleander 'Moned'</i> | BS | 0.68 | G1 | 8-9A | 9B-11 | | | 8 |
| <i>Nerium oleander 'Monal'</i> Algiers™ Oleander | BS | 0.68 | G1 | 8-9A | 9B-11 | | | 0.55 |
| <i>Nerium oleander 'Monca'</i> Casablanca™ Oleander | BS | 0.68 | G1 | 8-9A | 9B-11 | | | 8 |
| <i>Nerium oleander 'Moned'</i> Marrakesh™ Dwarf Oleander | BS | 0.76 | G1 | 8-9A | 9B-11 | | | 0.55 |
| <i>Nerium oleander 'Monta'</i> Tangier™ Oleander | BS | 0.71 | G1 | 8-9A | 9B-11 | | | 0.55 |
| <i>Nerium oleander 'Monte'</i> Morocco™ Dwarf Oleander | BS | 0.76 | G1 | 8-9A | 9B-11 | | | 0.55 |
| <i>Nerium oleander 'Monvis' P.P. 5866</i> Ruby Lace™ Oleander | BS | 0.68 | G1 | 8-9A | 9B-11 | | | 8 |
| <i>Nerium oleander 'Morocco'</i> See - <i>Nerium oleander 'Monte'</i> | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Nerium oleander</i> 'Mrs. Roeding' Mrs. Roeding Oleander | BS | 0.79 | G1 | 8-9A | 9B-11 | | 0.55 | 8 |
| <i>Nerium oleander</i> 'Petite Pink' Petite Pink Dwarf Oleander | BS | 0.68 | G1 | 8-9A | 9B-11 | | 0.55 | 8 |
| <i>Nerium oleander</i> 'Petite Salmon' Petite Salmon Dwarf Oleander | BS | 0.70 | G1 | 8-9A | 9B-11 | | 0.55 | 8 |
| <i>Nerium oleander</i> 'Pink Betty' Pink Betty Oleander | BS | 0.68 | G1 | 8-9A | 9B-11 | | 0.55 | 8 |
| <i>Nerium oleander</i> 'Ruby Lace' See - <i>Nerium oleander</i> 'Monvis' P.P. 5866 | BS | 0.82 | G1 | 8-9A | 9B-11 | | 0.55 | 8 |
| <i>Nerium oleander</i> 'Sealy Pink' Sealy Pink Oleander | BS | 0.68 | G1 | 8-9A | 9B-11 | | 0.55 | 8 |
| <i>Nerium oleander</i> 'Shari D' See - <i>Nerium oleander</i> 'Turner's Shari D' P.P. 5378 | BS | 0.76 | G1 | 8-9A | 9B-11 | | 0.55 | 8 |
| <i>Nerium oleander</i> 'Shasta' Shasta Oleander | BS | 0.75 | G1 | 8-9A | 9B-11 | | 0.55 | 8 |
| <i>Nerium oleander</i> 'Single Pink' Single Pink Oleander | BS | 0.75 | G1 | 8-9A | 9B-11 | | 0.55 | 8 |
| <i>Nerium oleander</i> 'Sister Agnes' Sister Agnes Oleander | BS | 0.86 | G1 | 8-9A | 9B-11 | | 0.55 | 8 |
| <i>Nerium oleander</i> 'Tangier' See - <i>Nerium oleander</i> 'Monta' <i>Nerium oleander</i> 'Turner's Carnival' P.P. 6339 | BS | 0.71 | G1 | 8-9A | 9B-11 | | 0.55 | 8 |
| Turner's Carnival Oleander | | | | | | | | |
| <i>Nerium oleander</i> 'Turner's Shari D' P.P. 5378 Shari D Oleander | DS | 0.78 | G1 | | 4-8 | | 1.00 | 5 |
| <i>Neviusia alabamensis</i> Snow-Wreath | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Newbouldia laevis</i> No Common Name Found | | | | | | | | |
| <i>Nicolaia elatior</i> See - <i>Etlingera elatior</i> | AN | 1.00 | G4 | 1-9B | 10A-11 | | 7 | |
| <i>Nicotiana alata</i> Flowering Tobacco | AN | 0.78 | G4 | 1-9B | 10A-11 | | 7 | |
| <i>Nicotiana x sanderae</i> Hybrid Flowering Tobacco | AN | 0.78 | G4 | 1-9B | 10A-11 | | 7 | |
| <i>Nicotiana x sanderae</i> 'Domino Series' Domino Series Hybrid Flowering Tobacco | AN | 0.65 | G4 | 8-9A | 9B-11 | | 8 | |
| <i>Nierembergia hippomanica</i> Dwarf Cup Flower | HP | 0.65 | G4 | 8-9A | 9B-11 | | 8 | |
| <i>Nierembergia hippomanica</i> 'Mont Blanc' Mont Blanc Cup Flower | HP | 0.65 | G4 | 8-9A | 9B-11 | | 8 | |
| <i>Nierembergia hippomanica</i> 'Purple Robe' Purple Robe Cup Flower | HP | 0.65 | G4 | 8-9A | 9B-11 | | 8 | |
| <i>Nierembergia repens</i> Whitecup | HP | 0.75 | G4 | 8-9A | 9B-11 | | 7 | |
| <i>Nipponanthemum nipponicum</i> Nippon Daisy | HP | 0.96 | G1 | 8-9 | 10A-11 | | 8 | |
| <i>Nolina microcarpa</i> Beargrass | BS | 0.64 | G1 | 9B | 10A-11 | | 1.00 | 10 |
| <i>Nolina parryi</i> No Common Name Found | HP | 0.82 | G1 | 9B | 10A-11 | | 10 | |
| <i>Nolina recurvata</i> Ponytail Palm | FO | 0.57 | G1 | 9B | 10A-11 | | 10 | |
| <i>Nolina texana</i> Sacahuista | BS | 1.13 | G1 | 9B | 10A-11 | | 1.00 | 7 |
| <i>Norantea guianensis</i> Norantea Vine | GC | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Normanbya normanbyi</i> Black Palm | BE | 1.46 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Noronhia emarginata</i> Madagascar Olive | BE | 1.65 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10B |
| <i>Nothocalais cuspidata</i> See - <i>Agoseris cuspidata</i> | DT | 1.23 | G4 | | 7-10A | 0.98 | 1.00 | 7 |
| <i>Nothofagus antarctica</i> Antarctic Beech | | | | | | | | |
| <i>Notocactus leninghausii</i> See - <i>Parodia leninghausii</i> | HP | 1.44 | G1 | 10A | 10B-11 | | | 10 |
| <i>Nototrichium sandwicense</i> Kulu'i | HP | 1.30 | G4 | | 4-8 | | | 4 |
| <i>Nuphar lutea</i> Yellow Water Lily | HP | 1.95 | G4 | | 3-11 | | | 3 |
| <i>Nymphaea odorata</i> Fragrant Water Lily | DT | 0.74 | G1 | 6 | 7-10A | 1.00 | 0.60 | 7 |
| <i>Nyssa aquatica</i> Cotton Gum | DT | 0.89 | G1 | | 3-9B | 1.22 | 0.75 | 3 |
| <i>Nyssa sylvatica</i> Black Tupelo | DT | 0.45 | G1 | | 3-9B | 1.00 | 1.00 | 3 |
| <i>Nyssa sylvatica</i> var. <i>biflora</i> Swamp Tupelo | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Ochna kirkii</i> Mickey Mouse Plant | BS | 0.82 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Ochna serrulata</i> Bird's Eye Bush | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ochrosia elliptica</i> Deadly Ochrosia | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ochrosia elliptica</i> 'Nana' Dwarf Deadly Ochrosia | AN | 1.12 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum basilicum</i> Sweet Basil | AN | 1.11 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum basilicum</i> 'African Blue' African Blue Basil | AN | 0.83 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum basilicum</i> 'Americanum' American Basil | AN | 1.16 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum basilicum</i> 'Cinnamon' Cinnamon Basil | AN | 1.05 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum basilicum</i> 'Citriodorum' Lemon Basil | AN | 0.88 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum basilicum</i> 'Dark Opal' Dark Opal Basil | AN | 0.83 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum basilicum</i> 'Fino Verde' Fino Verde Basil | AN | 0.90 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum basilicum</i> 'Licorice' Licorice Basil | AN | 0.83 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum basilicum</i> 'Minimum' Bush Basil | AN | 0.83 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum basilicum</i> 'Neapolitanum' Italian Basil | AN | 0.83 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum basilicum</i> 'Purple Ruffles' Purple Ruffles Basil | AN | 1.14 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum basilicum</i> 'Purpureum' Purple Basil | HP | 0.61 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum basilicum</i> 'Red Rubin' Red Rubin Basil | AN | 0.98 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum basilicum</i> 'Siam Queen' Siam Queen Basil | AN | 0.91 | G1 | 10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ocimum basilicum</i> 'Spicy Globe' Spicy Globe Basil | AN | 1.07 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum basilicum</i> 'Sweet Dani' Sweet Dani Basil | AN | 0.90 | G1 | 10A | 10B-11 | | | 10 |
| <i>Ocimum sanctum</i> See - <i>Ocimum tenuiflorum</i> | | | | | | | | |
| <i>Ocimum tenuiflorum</i> Holy Basil | HP | 0.62 | G1 | 10A | 10B-11 | | | 10 |
| <i>Odontonema strictum</i> Firespike | BS | 0.77 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Oemleria cerasiformis</i> Indian Plum | DS | 1.00 | G4 | | 6-9A | | | 1.00 |
| <i>Oenothera berlandieri</i> Mexican Evening Primrose | HP | 0.87 | G4 | | 7-10B | | | 5 |
| <i>Oenothera berlandieri</i> 'Siskiyou' Siskiyou Mexican Evening Primrose | HP | 1.05 | G4 | | 7-10B | | | 5 |
| <i>Oenothera berlandieri</i> 'Woodside White' Woodside White Mexican Evening Primrose | HP | 0.86 | G4 | | 7-10B | | | 5 |
| <i>Oenothera caespitosa</i> Tufted Evening Primrose | HP | 0.94 | G4 | | 5-8 | | | 4 |
| <i>Oenothera erythrosepala</i> See - <i>Oenothera glazioviana</i> | | | | | | | | |
| <i>Oenothera fruticosa</i> Sundrops | HP | 1.03 | G4 | | 5-8 | | | 4 |
| <i>Oenothera fruticosa</i> 'Fireworks' Fireworks Sundrops | HP | 0.98 | G4 | | 5-8 | | | 4 |
| <i>Oenothera fruticosa</i> 'Summer Solstice' Summer Solstice Sundrops | HP | 1.05 | G4 | | 5-8 | | | 4 |
| <i>Oenothera fruticosa</i> 'Youngii-lapsley' Youngii-lapsley Sundrops | HP | 0.88 | G4 | | 5-8 | | | 4 |
| <i>Oenothera fruticosa</i> ssp. <i>glaucoides</i> Young Sundrops | HP | 0.94 | G4 | | 5-8 | | | 4 |
| <i>Oenothera glazioviana</i> Large-flowered Evening Primrose | HP | 1.00 | G4 | | 4-8 | | | 3 |
| <i>Oenothera macrocarpa</i> Ozark Sundrops | HP | 1.07 | G4 | | 5-8 | | | 5 |
| <i>Oenothera macrocarpa</i> 'Greencourt Lemon' Greencourt Lemon Ozark Sundrops | HP | 0.97 | G4 | | 5-8 | | | 5 |
| <i>Oenothera missouriensis</i> See - <i>Oenothera macrocarpa</i> | | | | | | | | |
| <i>Oenothera odorata</i> Twisted Evening Primrose | HP | 1.02 | G4 | | 5-8 | | | 4 |
| <i>Oenothera pallida</i> No Common Name Found | HP | 0.97 | G4 | | 4-8 | | | 4 |
| <i>Oenothera rosea</i> Rosy Evening Primrose | HP | 0.97 | G4 | | 6-9A | | | 6 |
| <i>Oenothera speciosa</i> Showy Evening Primrose | HP | 0.98 | G4 | | 7-10B | | | 5 |
| <i>Oenothera speciosa</i> 'Rosea' Rosea Showy Evening Primrose | HP | 1.01 | G4 | | 7-10B | | | 5 |
| <i>Oenothera stubbei</i> Baja Evening Primrose | HP | 1.00 | G4 | 8 | 9 | | | 8 |
| <i>Oenothera youngii</i> See - <i>Oenothera fruticosa</i> ssp. <i>glaucoides</i> | | | | | | | | |
| <i>Oenothera polystachys</i> No Common Name Found | FO | 1.42 | G1 | 10A | 10B-11 | | | 10 |
| <i>Oerstedella pseudowallisiae</i> No Common Name Found | FO | 1.35 | G1 | 10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Oerstedella schumanniana</i> | FO | 2.03 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Oerstedella schweinfurthiana</i> | FO | 1.63 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Oerstedella wallisii</i> | FO | 2.17 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Olea europaea</i> | BE | 0.94 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| Common Olive | | | | | | | | |
| <i>Olea europaea</i> 'Little Ollie' | | | | | | | | |
| See - <i>Olea europaea</i> 'Montra' P.P. 6266 | | | | | | | | |
| <i>Olea europaea</i> 'Majestic Beauty' | | | | | | | | |
| See - <i>Olea europaea</i> 'Monher' P.P. 5649 | | | | | | | | |
| <i>Olea europaea</i> 'Manzanillo' | BE | 0.94 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| Manzillo Common Olive | | | | | | | | |
| <i>Olea europaea</i> 'Mission' | BE | 0.94 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| Mission Common Olive | | | | | | | | |
| <i>Olea europaea</i> 'Monher' P.P. 5649 | BE | 1.24 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| Majestic Beauty™ Common Olive | | | | | | | | |
| <i>Olea europaea</i> 'Montra' P.P. 6266 | BS | 0.99 | G2 | | 8-10A | | 1.00 | 8 |
| Little Ollie™ Common Olive | | | | | | | | |
| <i>Olea europaea</i> 'Wilsonii' | BE | 0.94 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| Wilson Common Olive | | | | | | | | |
| <i>Olneya tesota</i> | BS | 1.00 | G1 | | 8-9A | | 1.00 | 9 |
| Desert Ironwood | | | | | | | | |
| <i>Omphalodes cappadocica</i> | HP | 1.00 | G4 | | 6-8 | | | 6 |
| Navel-seed | | | | | | | | |
| <i>Omphalodes verna</i> | HP | 1.69 | G4 | | 6-9A | | | 6 |
| Creeping Forget-Me-Not | | | | | | | | |
| <i>Omphalodes verna</i> 'Alba' | HP | 1.00 | G4 | | 6-9A | | | 6 |
| White Creeping Forget-Me-Not | | | | | | | | |
| <i>Oncidium</i> | FO | 1.53 | G1 | 10A | 10B-11 | | | 10 |
| Oncidium Hybrid Orchid | | | | | | | | |
| <i>Oncidium haempraticum</i> | FO | 2.03 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Oncidium hastatum</i> | FO | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Oncidium isthmii</i> | FO | 1.63 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Oncidium onustum</i> | FO | 1.08 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Oncidium ornithorhynchum</i> | FO | 1.08 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Oncidium papilio</i> | | | | | | | | |
| See - <i>Psychopsis papilio</i> | | | | | | | | |
| <i>Oncidium trulliferum</i> | FO | 0.95 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Oncidium velutinum</i> | FO | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Onoclea sensibilis</i> | HP | 1.14 | G4 | | 4-9A | | | 4 |
| Sensitive Fern | | | | | | | | |
| <i>Ophiopogon clarkei</i> | HP | 1.69 | G4 | 7-8 | 9A-11 | | | 7 |
| No Common Name found | | | | | | | | |
| <i>Ophiopogon jaburan</i> | HP | 0.75 | G4 | | 7-10B | | | 7 |
| Jaburan Lilyturf | | | | | | | | |
| <i>Ophiopogon jaburan</i> 'Vittatus' | HP | 0.75 | G4 | | 7-10B | | | 7 |
| Vittatus Jaburan Lilyturf | | | | | | | | |
| <i>Ophiopogon japonicus</i> | HP | 0.73 | G4 | 7-8 | 9A-11 | | | 7 |
| Mondo Grass | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-------|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Ophiopogon japonicus</i> 'Gyoko-ryu' Gyoko-ryu Mondo Grass | HP | 1.36 | G4 | 7-8 | 9A-11 | | | 7 |
| <i>Ophiopogon japonicus</i> 'Kijimafukiduma' Kijimafukiduma Mondo Grass | HP | 0.73 | G4 | 7-8 | 9A-11 | | | 7 |
| <i>Ophiopogon japonicus</i> 'Kyoto Dwarf' Kyoto Dwarf Mondo Grass | HP | 1.28 | G4 | 7-8 | 9A-11 | | | 7 |
| <i>Ophiopogon japonicus</i> 'Nanus' Dwarf Mondo Grass | HP | 0.78 | G4 | 7-8 | 9A-11 | | | 7 |
| <i>Ophiopogon japonicus</i> 'Silver Dragon' Silver Dragon Mondo Grass | HP | 0.84 | G4 | 7-8 | 9A-11 | | | 7 |
| <i>Ophiopogon japonicus</i> 'Variegatus' Silver Mist Mondo Grass | HP | 0.87 | G4 | 7-8 | 9A-11 | | | 7 |
| <i>Ophiopogon planiscapus</i> No Common Name Found | HP | 1.00 | G4 | 6 | | 7-10A | | 6 |
| <i>Ophiopogon planiscapus</i> 'Ebknizam' Ebony Knight® Mondo Grass | HP | 2.04 | G4 | 6 | | 7-10A | | 6 |
| <i>Ophiopogon planiscapus</i> 'Ebony Knight' See - <i>Ophiopogon planiscapus</i> 'Ebknizam' | HP | 2.28 | G4 | 6 | | 7-10A | | 6 |
| <i>Ophiopogon planiscapus</i> 'Nigrescens' Black Mondo Grass | HP | 1.00 | G4 | | | 4-8 | | 1.00 |
| <i>Oplopanax horridus</i> Devil's Club | DS | | | | | | | 4 |
| <i>Opuntia compressa</i> Prickly Pear Cactus | BS | 0.81 | G2 | 5-6 | | 7-11 | | 1.00 |
| <i>Opuntia decumbens</i> Paddle Cactus | FO | 1.00 | G3 | 8-10A | | 10B-11 | | 9 |
| <i>Opuntia falcata</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | | 10B-11 | | 9 |
| <i>Opuntia fragilis</i> Brittle Prickly-Pear | BS | 1.00 | G2 | 5-6 | | 7-11 | | 1.00 |
| <i>Opuntia humifusa</i> See - <i>Opuntia compressa</i> | FO | 1.00 | G3 | 8-10A | | 10B-11 | | 9 |
| <i>Opuntia leucotricha</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | | 10B-11 | | 9 |
| <i>Opuntia lindheimeri</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | | 10B-11 | | 9 |
| <i>Opuntia microdasys</i> Rabbit-Ear Cactus | FO | 1.00 | G3 | 8-9B | | 10A-11 | | 8 |
| <i>Opuntia monacantha</i> Prickly Pear | FO | 0.74 | G3 | 8-10A | | 10B-11 | | 9 |
| <i>Opuntia ramosissima</i> Pencil Cactus | BS | 0.96 | G3 | 8 | | 9A-11 | | 1.00 |
| <i>Opuntia subulata</i> Eve's Pin Cactus | FO | 1.00 | G3 | 8-9B | | 10A-11 | | 9 |
| <i>Orania palindan</i> No Common Name Found | BE | 1.00 | G3 | 10A | | 10B-11 | 1.00 | 1.00 |
| <i>Origanum calcaratum</i> No Common Name Found | HP | 0.97 | G4 | | | 8-9B | | 8 |
| <i>Origanum dictamnus</i> Dittany of Crete | HP | 1.03 | G4 | | | 7-9B | | 7 |
| <i>Origanum heracleoticum</i> See - <i>Origanum vulgare</i> ssp. <i>hirtum</i> | HP | 0.97 | G4 | | | 8-9B | | 8 |
| <i>Origanum laevigatum</i> No Common Name Found | HP | 1.00 | G4 | | | 8-9B | | 8 |
| <i>Origanum laevigatum</i> 'Herrenhausen' Herrenhausen Marjoram | HP | 0.86 | G4 | | | 8-9B | | 8 |
| <i>Origanum laevigatum</i> 'Hopley's' Hopley's Marjoram | HP | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Origanum majorana</i> Sweet Marjoram | HP | 0.76 | G4 | | 7-10A | | | 7 |
| <i>Origanum microphyllum</i> No Common Name Found | HP | 0.97 | G4 | | 8-9B | | | 8 |
| <i>Origanum pulchellum</i> No Common Name Found | HP | 0.97 | G4 | | 8-9B | | | 8 |
| <i>Origanum rotundifolium</i> No Common Name Found | HP | 0.97 | G2 | | 8-9B | | | 8 |
| <i>Origanum tournefortii</i> See - <i>Origanum calcaratum</i> | HP | 0.76 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Origanum vulgare</i> Wild Marjoram | HP | 0.84 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Origanum vulgare 'Aureum'</i> Golden Wild Marjoram | HP | 0.83 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Origanum vulgare 'Compactum'</i> Dwarf Wild Marjoram | HP | 0.71 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Origanum vulgare 'Gracile'</i> Russian Wild Marjoram | HP | 0.71 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Origanum vulgare 'Thumble's Variety'</i> Thumble's Variety Wild Marjoram | HP | 0.80 | G4 | | 7-9B | | | 5 |
| <i>Origanum vulgare ssp. <i>hirtum</i></i> Greek Marjoram | HP | 1.00 | G4 | 8 | 9 | | | 9 |
| <i>Ornithogalum thyrsoides</i> Wonder Flower | HP | 1.00 | G4 | 5-8 | 9 | | | 5 |
| <i>Ornithogalum umbellatum</i> Star of Bethlehem | HP | 0.62 | G1 | 10A | 10B-11 | | | 10 |
| <i>Orthosiphon stamineus</i> Cat Whiskers | HP | 0.88 | G4 | | 9A-10B | | | 9 |
| <i>Orthrosanthus chimboracensis</i> No Common Name Found | HP | 0.88 | G4 | | 9A-10B | | | 9 |
| <i>Orthrosanthus multiflorus</i> No Common Name Found | HP | 0.92 | G1 | | 9-10B | | | 0.91 |
| <i>Oscularia deltoides</i> See - <i>Lampranthus deltoides</i> | BS | 0.91 | G1 | | 6-9A | | | 0.89 |
| <i>Osmanthus americanus</i> Devilwood | BS | 0.81 | G1 | | 7-9A | | | 1.00 |
| <i>Osmanthus x burkwoodii</i> Burkwood Osmanthus | BS | 0.99 | G1 | | 7-9A | | | 0.83 |
| <i>Osmanthus decorus</i> No Common Name Found | BS | 0.91 | G1 | 7-8 | 9 | | | 1.28 |
| <i>Osmanthus delavayi</i> Delavay Osmanthus | BS | 0.81 | G1 | 7-8 | 9 | | | 1.28 |
| <i>Osmanthus x fortunei</i> Fortune's Osmanthus | BS | 0.90 | G1 | 7-8 | 9 | | | 0.98 |
| <i>Osmanthus x fortunei 'San Jose'</i> San Jose Fortune's Osmanthus | BS | 0.98 | G1 | 7-8 | 9 | | | 1.06 |
| <i>Osmanthus fragrans</i> Sweet Olive | BS | 0.99 | G1 | 8-9A | 9B | | | 0.98 |
| <i>Osmanthus heterophyllus</i> Holly Olive | BS | 1.26 | G1 | 7-8 | 9 | | | 0.88 |
| <i>Osmanthus heterophyllus 'Goshiki'</i> Goshiki Holly Olive | BS | 0.90 | G1 | 7-8 | 9 | | | 0.88 |
| <i>Osmanthus heterophyllus 'Gulf tide'</i> Gulf tide Holly Olive | BS | 0.98 | G1 | 7-8 | 9 | | | 0.88 |
| <i>Osmanthus heterophyllus 'Illicifolius'</i> Illicifolius Holly Olive | BS | 0.99 | G1 | 7-8 | 9 | | | 0.88 |
| <i>Osmanthus heterophyllus 'Purpureus'</i> Purpureus Holly Olive | BS | | | | | | | 0.88 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Osmanthus heterophyllus</i> 'Rotundifolius' Rotundifolius Holly Olive | BS | 0.91 | G1 | 7-8 | 9 | | | 1.05 6 |
| <i>Osmanthus heterophyllus</i> 'Variegatus' Variegated Holly Olive | BS | 0.85 | G1 | 7-8 | 9 | | | 0.88 6 |
| x <i>Osmarea burkwoodii</i> See - <i>Osmanthus x burkwoodii</i> | | | | | | | | |
| <i>Osmaronia cerasiformis</i> See - <i>Oemleria cerasiformis</i> | | | | | | | | |
| <i>Osmunda cinnamomea</i> Cinnamon Fern | HP | 1.05 | G4 | | | 3-8 | | 3 |
| <i>Osmunda claytoniana</i> Interrupted Fern | HP | 0.96 | G4 | | | 3-8 | | 3 |
| <i>Osmunda regalis</i> Royal Fern | HP | 1.10 | G4 | 3-6 | | 7-11 | | 2 |
| <i>Osmunda regalis</i> var. <i>spectabilis</i> American Royal Fern | HP | 1.09 | G4 | 3-6 | | 7-11 | | 2 |
| <i>Osteomeles anthyllidifolia</i> See - <i>Osteomeles schwerinae</i> | | | | | | | | |
| <i>Osteomeles schwerinae</i> No Common Name Found | BS | 1.55 | G4 | | | 8-10A | | 1.00 8 |
| <i>Osteomeles subrotunda</i> Fernleaf Box | BS | 1.21 | G4 | | | 8-10A | | 1.00 8 |
| <i>Osteospermum ecklonis</i> No Common Name Found | GC | 1.00 | G1 | 9 | | 10A-11 | | 1.00 9 |
| <i>Osteospermum fruticosum</i> Trailing African Daisy | GC | 1.69 | G1 | | | 10A-11 | | 1.00 9 |
| <i>Osteospermum fruticosum</i> 'Double Royal' Double Royal Trailing African Daisy | GC | 1.69 | G1 | 9 | | 10A-11 | | 1.00 9 |
| <i>Osteospermum fruticosum</i> 'Lavender' Lavender Trailing African Daisy | GC | 1.69 | G1 | 9 | | 10A-11 | | 1.00 9 |
| <i>Osteospermum fruticosum</i> 'Whirligig' Whirligig African Daisy | GC | 1.69 | G1 | 9 | | 10A-11 | | 1.00 9 |
| <i>Osteospermum fruticosum</i> 'White' White African Daisy | GC | 1.69 | G1 | 9 | | 10A-11 | | 1.00 9 |
| <i>Ostrya carpinifolia</i> European Hornbeam | DT | 1.00 | G1 | | 6-9B | | 1.30 | 1.02 6 |
| <i>Ostrya virginiana</i> American Hop hornbeam | DT | 0.87 | G1 | | 3-9B | | 1.10 | 0.74 4 |
| <i>Otacanthus coeruleus</i> Brazilian Snapdragon | HP | 0.69 | G4 | 9B-10A | 10B-11 | | | 10 |
| <i>Otatea acuminata</i> var. <i>aztecorum</i> Mexican Weeping Bamboo | BS | 1.35 | G4 | 10A | 10B-11 | | | 1.00 10 |
| <i>Oxalis acetosella</i> Wood Sorrel | HP | 1.00 | G4 | 3-6 | 7-9A | | | 3 |
| <i>Oxalis acetosella</i> var. <i>purpurascens</i> Rose-Pink Wood Sorrel | HP | 1.27 | G4 | 3-6 | 7-9A | | | 3 |
| <i>Oxalis brasiliensis</i> Brazilian Sorrel | HP | 1.00 | G4 | | | 9A-11 | | 8 |
| <i>Oxalis deppei</i> See - <i>Oxalis tetraphylla</i> | | | | | | | | |
| <i>Oxalis magellanica</i> No Common Name Found | HP | 1.00 | G4 | 6 | | 7-9A | | 6 |
| <i>Oxalis obtusa</i> No Common Name Found | HP | 1.00 | G4 | | | 9A-11 | | 9 |
| <i>Oxalis oregana</i> Redwood Sorrel | HP | 0.91 | G4 | | | 7-9A | | 7 |
| <i>Oxalis purpurea</i> No Common Name Found | HP | 1.00 | G4 | | | 9A-11 | | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Oxalis purpurea</i> Cape Sorrel | HP | 1.00 | G4 | | 9A-11 | | | 8 |
| <i>Oxalis regnelli</i> Shamrock Plant | HP | 0.95 | G4 | 8 | 9A-11 | | | 8 |
| <i>Oxalis rubra</i> Window Box Sorrel | HP | 1.69 | G4 | | 9A-11 | | | 9 |
| <i>Oxalis tetraphylla</i> Good Luck Plant | HP | 1.00 | G4 | 8 | 9A-11 | | | 8 |
| <i>Oxydendrum arboreum</i> Sourwood Tree | DT | 0.73 | G1 | | 4-9B | 1.18 | 0.87 | 5 |
| <i>Oxydendrum arboreum</i> 'Chameleon' Chameleon Sourwood Tree | DT | 0.73 | G1 | | 4-9B | 1.18 | 0.87 | 5 |
| <i>Oxydendrum arboreum</i> 'Mt. Charm' Mt. Charm Sourwood Tree | DT | 0.91 | G1 | | 4-9B | 1.18 | 0.87 | 5 |
| <i>Oxypetalum caeruleum</i> See - <i>Tweedia caerulea</i> | HP | 1.00 | G1 | 10A | 10B-11 | | | 8 |
| <i>Oxypolis rigidior</i> Cowbane | HP | 1.00 | G4 | | 3-8 | | | 3 |
| <i>Oxytropis lambertii</i> Purple Locoweed | HP | 1.00 | G4 | | | | | |
| <i>Ozothamnus rosmarinifolius</i> No Common Name Found | BS | 0.87 | G2 | | 8-10B | | 1.00 | 8 |
| <i>Pachira aquatica</i> Guiana Chestnut | BE | 2.56 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Pachira insignis</i> Wild Chestnut | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Pachypodium geayi</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Pachypodium lamerei</i> Madagascar Palm | FO | 0.68 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Pachypodium succulentum</i> No Common Name Found | FO | 0.93 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Pachysandra procumbens</i> Alleghany Spurge | GC | 1.80 | G4 | | 5-8 | | 1.00 | 6 |
| <i>Pachysandra terminalis</i> Japanese Spurge | GC | 1.01 | G4 | | 5-9B | | 1.00 | 5 |
| <i>Pachysandra terminalis</i> 'Green Carpet' Green Carpet Japanese Spurge | GC | 1.02 | G4 | | 5-9B | | 1.00 | 5 |
| <i>Pachysandra terminalis</i> 'Green Sheen' Green Sheen Japanese Spurge | GC | 1.25 | G4 | | 5-9B | | 1.00 | 5 |
| <i>Pachysandra terminalis</i> 'Kingswood' Kingswood Japanese Spurge | GC | 1.01 | G4 | | 5-9B | | 1.00 | 5 |
| <i>Pachysandra terminalis</i> 'Silver Edge' Silver Edge Japanese Spurge | GC | 1.18 | G4 | | 5-9B | | 1.00 | 5 |
| <i>Pachysandra terminalis</i> 'Variegata' Variegated Japanese Spurge | GC | 1.16 | G4 | | 5-9B | | 1.00 | 5 |
| <i>Pachystachys coccinea</i> Cardinal's Guard | BS | 0.86 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Pachystachys lutea</i> Lollipop Plant | BS | 0.75 | G4 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Packera aurea</i> Golden Groundsel | HP | 1.01 | G1 | 7-9 | 10A-11 | | | 3 |
| <i>Paeonia</i> Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'A La Mode' A La Mode Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Abalone Pink' Abalone Pink Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Paeonia 'Alesia'</i> Alesia Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Alice Roberts'</i> Alice Roberts Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'America' P.P. 4246</i> America Peony | HP | 2.36 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Angel Cheeks'</i> Angel Cheeks Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Annisquam'</i> Annisquam Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Auten's Red Sport'</i> Auten's Red Sport Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Avalanche'</i> Avalanche Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Bandit'</i> Bandit Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Baroness Schroeder'</i> Baroness Schroeder Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Barrington Belle'</i> Barrington Belle Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Belle Center'</i> Belle Center Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Belle Chinoise'</i> Belle Chinoise Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Best Man'</i> Best Man Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Betty Groff'</i> Betty Groff Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Bev'</i> Bev Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Blaze'</i> Blaze Peony | HP | 2.36 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Blush White'</i> Blush White Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Border Gem'</i> Border Gem Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Bowl of Beauty'</i> Bowl of Beauty Peony | HP | 1.76 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Bowl of Cream'</i> Bowl of Cream Estate Peony | HP | 1.11 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Break O' Day'</i> Break O' Day Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Bridal Gown'</i> Bridal Gown Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Bridal Icing'</i> Bridal Icing Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Bridal Shower'</i> Bridal Shower Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Bride's Dream'</i> Bride's Dream Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Bright Knight'</i> Bright Knight Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Bu-te'</i> Bu-te Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Buckeye Belle'</i> Buckeye Belle Peony | HP | 2.08 | G4 | | 8-11 | | | 3 |
| <i>Paeonia 'Burma Midnight'</i> Burma Midnight Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Paeonia</i> 'Butch' Butch Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Butter Bowl' Butter Bowl Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Camden' Camden Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Cardinal's Robe' Cardinal's Robe Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Carol' Carol Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Caroline Mathers' Caroline Mathers Peony | HP | 1.27 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Carrara' Carrara Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Charles Burgess' Charles Burgess Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Charles White' Charles White Estate Peony | HP | 1.61 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Charm' Charm Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Cheddar Charm' Cheddar Charm Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Cheddar Cheese' Cheddar Cheese Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Cheddar Gold' Cheddar Gold Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Cheddar PomPom' Cheddar PomPom Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Cheddar Regal' Cheddar Regal Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Cheddar Royal' Cheddar Royal Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Cheddar Supreme' Cheddar Supreme Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Cheddar Surprise' Cheddar Surprise Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Chiffon Parfait' Chiffon Parfait Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Cincinnati' Cincinnati Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Class Act' Class Act Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Commando' Commando Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Coral 'n Gold' Coral 'n Gold Peony | HP | 1.74 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Coral Charm' P.P. 4247 Coral Charm Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Coral Fay' Coral Fay Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Coral Sunset' Coral Sunset Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Coral Supreme' Coral Supreme Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'County Fair' County Fair Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Couronne D'Or' Couronne D'Or Peony | HP | 1.10 | G4 | | 8-11 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Paeonia</i> 'Crusader' Crusader Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Dainty Lass' Dainty Lass Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Dauntless' Dauntless Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'David Harum' David Harum Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Defender' Defender Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Dia Jo Kuhan' Dia Jo Kuhan Peony | HP | 1.10 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Dinner Plate' Dinner Plate Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Divine Gift' Divine Gift Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Do Tell' Do Tell Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Dolorodell' Dolorodell Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Don Richardson' Don Richardson Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Doreen' Doreen Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Double Blush White' Double Blush White Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Double Pale Pink' Double Pale Pink Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Double White' Double White Peony | HP | 1.05 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Duchess D'Orleans' Duchess D'Orleans Peony | HP | 1.01 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Duchess de Nemours' Duchess de Nemours Peony | HP | 1.30 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Early Cerise Red' Early Cerise Red Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Early Scout' Early Scout Peony | HP | 2.73 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Edulis Superba' Edulis Superba Peony | HP | 1.40 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Edulus Supreme' Edulus Supreme Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Edwin C. Bills' Edwin C. Bills Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Elsa Sass' Elsa Sass Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Ethel Mars' Ethel Mars Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Evelyn Tibbits' Evelyn Tibbits Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Evening Star' Evening Star Peony | HP | 1.08 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'F.G. Brethour' F.G. Brethour Estate Peony | HP | 1.08 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Fairy Princess' Fairy Princess Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Fairy's Petticoat' Fairy's Petticoat Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Paeonia</i> 'Fancy Nancy' Fancy Nancy Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Felix Crousse' Felix Crousse Peony | HP | 1.63 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Felix Supreme' Felix Supreme Peony | HP | 0.93 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Festiva Pixie' Festiva Pixie Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Festiva Powder Puff' Festiva Powder Puff Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Festiva Supreme' Festiva Supreme Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Fibrio Gold' Fibrio Gold Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Fire Opal' Fire Opal Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Firebelle' Firebelle Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'First Lady' First Lady Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Flame' Flame Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Fluffy' Fluffy Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Francis Mains' Francis Mains Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Francis Ortegat' Francis Ortegat Peony | HP | 1.06 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Fringed Ivory' Fringed Ivory Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Gay Paree' Gay Paree Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Gerry' Gerry Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Glory Hallelujah' Glory Hallelujah Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Gold Rush' Gold Rush Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Gold Standard' Gold Standard Peony | HP | 1.41 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Guilles Red' Guilles Red Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Hans P. Sass' Hans P. Sass Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Harry L. Smith' Harry L. Smith Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Helen Hayes' Helen Hayes Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Heritage' Heritage Peony | HP | 0.93 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Hermoine' Hermoine Peony | HP | 1.25 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Honey N' Cream' Honey N' Cream Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Hoosierland' Hoosierland Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Horizon' Horizon Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--------------------------------------|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Paeonia</i> 'Illini Warrior' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Illini Warrior Peony | | | | | | | | |
| <i>Paeonia</i> 'Immaculee' | HP | 1.08 | G4 | | 8-11 | | | 3 |
| Immaculee Peony | | | | | | | | |
| <i>Paeonia</i> 'Inspecteur Lavergne' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Inspecteur Lavergne Peony | | | | | | | | |
| <i>Paeonia</i> 'Israel' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Israel Peony | | | | | | | | |
| <i>Paeonia</i> 'J.H. Wigell' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| J.H. Wigell Peony | | | | | | | | |
| <i>Paeonia</i> 'Jan Van Leeuwen' | HP | 1.40 | G4 | | 8-11 | | | 3 |
| Jan Van Leeuwen Peony | | | | | | | | |
| <i>Paeonia</i> 'Jay Cee' | HP | 0.93 | G4 | | 8-11 | | | 3 |
| Jay Cee Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'John Whitis' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| John Whitis Peony | | | | | | | | |
| <i>Paeonia</i> 'June Rose' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| June Rose Peony | | | | | | | | |
| <i>Paeonia</i> 'Kansas' | HP | 1.21 | G4 | | 8-11 | | | 3 |
| Kansas Peony | | | | | | | | |
| <i>Paeonia</i> 'Karen Gray' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Karen Gray Peony | | | | | | | | |
| <i>Paeonia</i> 'Karl Rosenfield' | HP | 1.26 | G4 | | 8-11 | | | 3 |
| Karl Rosenfield Peony | | | | | | | | |
| <i>Paeonia</i> 'Kevin' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Kevin Peony | | | | | | | | |
| <i>Paeonia</i> 'Krinkled White' | HP | 1.47 | G4 | | 8-11 | | | 3 |
| Krinkled White Peony | | | | | | | | |
| <i>Paeonia</i> 'Lake of Silver' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Lake of Silver Peony | | | | | | | | |
| <i>Paeonia</i> 'Lancaster Imp' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Lancaster Imp Peony | | | | | | | | |
| <i>Paeonia</i> 'Largo' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Largo Peony | | | | | | | | |
| <i>Paeonia</i> 'Late Double Blush' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Late Double Blush Peony | | | | | | | | |
| <i>Paeonia</i> 'Laura Dessert' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Laura Dessert Peony | | | | | | | | |
| <i>Paeonia</i> 'Le Jour' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Le Jour Peony | | | | | | | | |
| <i>Paeonia</i> 'Lee' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Lee Peony | | | | | | | | |
| <i>Paeonia</i> 'Legion of Honor' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Legion of Honor Peony | | | | | | | | |
| <i>Paeonia</i> 'Lil' Sweetie' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Lil' Sweetie Peony | | | | | | | | |
| <i>Paeonia</i> 'Lobata' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Lobata Peony | | | | | | | | |
| <i>Paeonia</i> 'Lois Kelsey' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Lois Kelsey Peony | | | | | | | | |
| <i>Paeonia</i> 'Lora Dexheimer' | HP | 1.05 | G4 | | 8-11 | | | 3 |
| Lora Dexheimer Peony | | | | | | | | |
| <i>Paeonia</i> 'Lord Cavin' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Lord Cavin Peony | | | | | | | | |
| <i>Paeonia</i> 'Lotus Queen' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Lotus Queen Peony | | | | | | | | |
| <i>Paeonia</i> 'Louis Van Houtte' | HP | 1.81 | G4 | | 8-11 | | | 3 |
| Louis Van Houtte Peony | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Paeonia</i> 'Lullaby' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Lullaby Peony | | | | | | | | |
| <i>Paeonia</i> 'Luxor' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Luxor Peony | | | | | | | | |
| <i>Paeonia</i> 'Madame Emile Debatene' | HP | 0.93 | G4 | | 8-11 | | | 3 |
| Madame Emile Debatene Peony | | | | | | | | |
| <i>Paeonia</i> 'Maestro' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Maestro Peony | | | | | | | | |
| <i>Paeonia</i> 'Mahogany' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Mahogany Peony | | | | | | | | |
| <i>Paeonia</i> 'Maid Marion' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Maid Marion Peony | | | | | | | | |
| <i>Paeonia</i> 'Marie Elizabeth' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Marie Elizabeth Peony | | | | | | | | |
| <i>Paeonia</i> 'Marietta Sisson' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Marietta Sisson Peony | | | | | | | | |
| <i>Paeonia</i> 'Marshmallow Button' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Marshmallow Button Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'Marshmallow Puff' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Marshmallow Puff Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'Marshmallow Tart' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Marshmallow Tart Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'Martha Reed' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Martha Reed Peony | | | | | | | | |
| <i>Paeonia</i> 'Mary Auten' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Mary Auten Peony | | | | | | | | |
| <i>Paeonia</i> 'May Apple' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| May Apple Peony | | | | | | | | |
| <i>Paeonia</i> 'Midnight Sun' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Midnight Sun Peony | | | | | | | | |
| <i>Paeonia</i> 'Mikado' | HP | 0.90 | G4 | | 8-11 | | | 3 |
| Mikado Peony | | | | | | | | |
| <i>Paeonia</i> 'Minnie Shaylor' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Minnie Shaylor Peony | | | | | | | | |
| <i>Paeonia</i> 'Mischief' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Mischief Peony | | | | | | | | |
| <i>Paeonia</i> 'Miss America' | HP | 1.11 | G4 | | 8-11 | | | 3 |
| Miss America Peony | | | | | | | | |
| <i>Paeonia</i> 'Miss Mary' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Miss Mary Peony | | | | | | | | |
| <i>Paeonia</i> 'Mister Ed' | HP | 1.11 | G4 | | 8-11 | | | 3 |
| Mister Ed Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'Mme. De Verneville' | HP | 1.25 | G4 | | 8-11 | | | 3 |
| Mme. De Verneville Peony | | | | | | | | |
| <i>Paeonia</i> 'Modesta' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Modesta Peony | | | | | | | | |
| <i>Paeonia</i> 'Mons. Jules Elie' | HP | 1.47 | G4 | | 8-11 | | | 3 |
| Mons. Jules Elie Peony | | | | | | | | |
| <i>Paeonia</i> 'Montezuma' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Montezuma Peony | | | | | | | | |
| <i>Paeonia</i> 'Moon Over Barrington' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Moon Over Barrington Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'Moon River' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Moon River Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'Mothers Choice' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Mothers Choice Peony | | | | | | | | |
| <i>Paeonia</i> 'Mr. Ed' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Mr. Ed Peony | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Paeonia</i> 'Mrs. Bryce Fontaine' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Mrs. Bryce Fontaine Peony | | | | | | | | |
| <i>Paeonia</i> 'Mrs. Euclid Snow' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Mrs. Euclid Snow Peony | | | | | | | | |
| <i>Paeonia</i> 'Mrs. F.D. Roosevelt' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Mrs. F.D. Roosevelt Peony | | | | | | | | |
| <i>Paeonia</i> 'Mrs. Fern Lough' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Mrs. Fern Lough Peony | | | | | | | | |
| <i>Paeonia</i> 'Mrs. Frank Beach' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Mrs. Frank Beach Peony | | | | | | | | |
| <i>Paeonia</i> 'Mrs. G.F. Hemerick' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Mrs. G.F. Hemerick Peony | | | | | | | | |
| <i>Paeonia</i> 'Mrs. Livingston Farrand' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Mrs. Livingston Farrand Peony | | | | | | | | |
| <i>Paeonia</i> 'Mrs. Wilder Bancroft' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Mrs. Wilder Bancroft Peony | | | | | | | | |
| <i>Paeonia</i> 'My Pal Rudy' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| My Pal Rudy Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'Myron Branson' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Myron Branson Peony | | | | | | | | |
| <i>Paeonia</i> 'Nancy Dolman' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Nancy Dolman Peony | | | | | | | | |
| <i>Paeonia</i> 'Nancy Nicholls' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Nancy Nicholls Peony | | | | | | | | |
| <i>Paeonia</i> 'Nice Gal' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Nice Gal Peony | | | | | | | | |
| <i>Paeonia</i> 'Nick Shaylor' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Nick Shaylor Peony | | | | | | | | |
| <i>Paeonia</i> 'Nippon Beauty' | HP | 1.37 | G4 | | 8-11 | | | 3 |
| Nippon Beauty Peony | | | | | | | | |
| <i>Paeonia</i> 'Norma Volz' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Norma Volz Peony | | | | | | | | |
| <i>Paeonia</i> 'Okinawa' | HP | 1.08 | G4 | | 8-11 | | | 3 |
| Okinawa Peony | | | | | | | | |
| <i>Paeonia</i> 'Paul Bunyan' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Paul Bunyan Peony | | | | | | | | |
| <i>Paeonia</i> 'Peggy' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Peggy Peony | | | | | | | | |
| <i>Paeonia</i> 'Petticoat Flounce' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Petticoat Flounce Peony | | | | | | | | |
| <i>Paeonia</i> 'Petticoat Parade' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Petticoat Parade Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'Phipps White' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Phipps White Peony | | | | | | | | |
| <i>Paeonia</i> 'Pillow Talk' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Pillow Talk Peony | | | | | | | | |
| <i>Paeonia</i> 'Pink Formal' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Pink Formal Peony | | | | | | | | |
| <i>Paeonia</i> 'Pink Glow' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Pink Glow Peony | | | | | | | | |
| <i>Paeonia</i> 'Pink Hawaiian Coral' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Pink Hawaiian Coral Peony | | | | | | | | |
| <i>Paeonia</i> 'Pink Parfait' | HP | 0.97 | G4 | | 8-11 | | | 3 |
| Pink Parfait Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'Pink Princess' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Pink Princess Peony | | | | | | | | |
| <i>Paeonia</i> 'Port Royale' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Port Royale Peony | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Paeonia</i> 'Postilion' Postilion Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Prairie Affire' Prairie Affire Peony | HP | 0.93 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'President Lincoln' President Lincoln Peony | HP | 0.93 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'President Taft' President Taft Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Primevere' Primevere Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Princess Margaret' Princess Margaret Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Rachel' Rachel Peony | HP | 0.89 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Raspberry Charm' Raspberry Charm Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Raspberry Ice' Raspberry Ice Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Raspberry Sundae' Raspberry Sundae Estate Peony | HP | 1.89 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Ray Payton' Ray Payton Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Red Charm' Red Charm Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Red Grace' Red Grace Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Reine Deluxe' Reine Deluxe Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Reine Hortense' Reine Hortense Estate Peony | HP | 1.08 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Reine Supreme' Reine Supreme Estate Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Renato' Renato Peony | HP | 0.93 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Requiem' Requiem Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Richard Carvel' Richard Carvel Peony | HP | 1.18 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Rosalie' Rosalie Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Rose Beauty' Rose Beauty Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Rosedale' Rosedale Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Roselette' Roselette Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Salmon Glory' Salmon Glory Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Sarah Bernhardt' Sarah Bernhardt Peony | HP | 1.34 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Scarlet O'Hara' Scarlet O'Hara Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Schafe' Schafe Peony | HP | 0.84 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Shawnee Chief' Shawnee Chief Peony | HP | 1.08 | G4 | | 8-11 | | | 3 |
| <i>Paeonia</i> 'Shirley Temple' Shirley Temple Peony | HP | 1.27 | G4 | | 8-11 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Paeonia</i> 'Silver Daubed' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Silver Daubed Peony | | | | | | | | |
| <i>Paeonia</i> 'Silver Dawn Mixture' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Silver Dawn Mixture Peony | | | | | | | | |
| <i>Paeonia</i> 'Snow Swan' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Snow Swan Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'Springfield' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Springfield Peony | | | | | | | | |
| <i>Paeonia</i> 'Stardust' | HP | 2.36 | G4 | | 8-11 | | | 3 |
| Stardust Peony | | | | | | | | |
| <i>Paeonia</i> 'Sunbright' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Sunbright Peony | | | | | | | | |
| <i>Paeonia</i> 'Sunburst' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Sunburst Peony | | | | | | | | |
| <i>Paeonia</i> 'Susie Q' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Susie Q Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'Sweet 16' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Sweet 16 Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'Sword Dance' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Sword Dance Peony | | | | | | | | |
| <i>Paeonia</i> 'Tango' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Tango Peony | | | | | | | | |
| <i>Paeonia</i> 'The Belgian' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| The Belgian Peony | | | | | | | | |
| <i>Paeonia</i> 'Tom Eckhardt' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Tom Eckhardt Peony | | | | | | | | |
| <i>Paeonia</i> 'Tondelion' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Tondelion Peony | | | | | | | | |
| <i>Paeonia</i> 'Top Brass' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Top Brass Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'Toro-No-Maki' | HP | 0.93 | G4 | | 8-11 | | | 3 |
| Toro-No-Maki Peony | | | | | | | | |
| <i>Paeonia</i> 'Viking Chief' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Viking Chief Peony | | | | | | | | |
| <i>Paeonia</i> 'Vivid Rose' | HP | 0.93 | G4 | | 8-11 | | | 3 |
| Vivid Rose Peony | | | | | | | | |
| <i>Paeonia</i> 'Walter Faxon' | HP | 1.11 | G4 | | 8-11 | | | 3 |
| Walter Faxon Peony | | | | | | | | |
| <i>Paeonia</i> 'West Elkton' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| West Elkton Peony | | | | | | | | |
| <i>Paeonia</i> 'Westerner' | HP | 0.93 | G4 | | 8-11 | | | 3 |
| Westerner Peony | | | | | | | | |
| <i>Paeonia</i> 'White Anemone' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| White Anemone Peony | | | | | | | | |
| <i>Paeonia</i> 'White Ivory' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| White Ivory Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'White Wings' | HP | 1.11 | G4 | | 8-11 | | | 3 |
| White Wings Peony | | | | | | | | |
| <i>Paeonia</i> 'Whopper' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Whopper Estate Peony | | | | | | | | |
| <i>Paeonia</i> 'Wrinkles and Crinkles' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Wrinkles and Crinkles Peony | | | | | | | | |
| <i>Paeonia</i> 'Zuzu' | HP | 0.84 | G4 | | 8-11 | | | 3 |
| Zuzu Peony | | | | | | | | |
| <i>Paeonia cambessedesii</i> | HP | 1.00 | G4 | | 8-11 | | | 8 |
| Majorcan Peony | | | | | | | | |
| <i>Paeonia lactiflora</i> | HP | 1.61 | G4 | | 4-8 | | | 6 |
| Chinese Peony | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Paeonia lactiflora</i> 'Festiva Maxima' Festiva Maxima Chinese Peony | HP | 1.29 | G4 | | 4-8 | | | 6 |
| <i>Paeonia mlokosewitschii</i> Caucasian Peony | HP | 1.00 | G4 | 6 | 7-8 | | | 6 |
| <i>Paeonia mollis</i> Mollis Peony | HP | 1.63 | G4 | 6 | 7-8 | | | 8 |
| <i>Paeonia officinalis</i> Common Peony | HP | 0.93 | G4 | | 8-11 | | | 8 |
| <i>Paeonia officinalis</i> 'Alba Plena' Alba Plena Common Peony | HP | 0.93 | G4 | | 8-11 | | | 8 |
| <i>Paeonia officinalis</i> 'Mollis' See - <i>Paeonia mollis</i> | HP | 0.93 | G4 | | 8-11 | | | 8 |
| <i>Paeonia officinalis</i> 'Rosea Plena' Rosea Plena Common Peony | HP | 0.93 | G4 | | 8-11 | | | 8 |
| <i>Paeonia officinalis</i> 'Rubra Plena' Rubra Plena Common Peony | HP | 0.93 | G4 | | 8-11 | | | 8 |
| <i>Paeonia suffruticosa</i> Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Age of Gold' Age of Gold Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Alhambra' Alhambra Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Angelette' Angelette Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Anna Marie' Anna Marie Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Artemis' Artemis Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Banquet' Banquet Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Black Panther' Black Panther Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Boreas' Boreas Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Canary' Canary Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Chinese Dragon' Chinese Dragon Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Chore' Chore Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Godaishu' Godaishu Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Gold Finch' Gold Finch Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Golden Bowl' Golden Bowl Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Golden Vanitie' Golden Vanitie Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Hana-kisoi' Hana-kisoi Tree Peony | DS | 2.11 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Harvest' Harvest Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Helios' Helios Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Icarus' Icarus Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Kinkoh' Kinkoh Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|---------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors | |
| | | | | | | | | |
| <i>Paeonia suffruticosa</i> 'Marchioness' Marchioness Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Murad of Hershey Bar' Murad of Hershey Bar Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Renown' Renown Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Rimpo' Rimpo Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Roman Gold' Roman Gold Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Savage Splendor' Savage Splendor Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Shimadaijin' Shimadaijin Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Shimane Otone Mai' Shimane Otone Mai Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Shinome Cho Juraka' Shinome Cho Juraka Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Silver Sails' Silver Sails Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Souviner de Maxime Cornu' Souviner de Maxime Cornu Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Spring Carnival' Spring Carnival Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Summer Night' Summer Night Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Taiyo' Taiyo Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Terpsichore' Terpsichore Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Tessera' Tessera Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Themis' Themis Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Thunderbolt' Thunderbolt Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Tria' Tria Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Vesuvian' Vesuvian Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia suffruticosa</i> 'Yaezakura' Yaezakura Tree Peony | DS | 2.10 | G4 | 5-6 | 7-8 | | | 1.00 7 |
| <i>Paeonia tenuifolia</i> Fernleaf Peony | HP | 1.00 | G4 | | | 5-8 | | 8 |
| <i>Pandanus amaryllifolius</i> No Common Name Found | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Pandanus baptistii</i> Blue Screw Pine | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Pandanus odoratissimus</i> Hala Screw Pine | FO | 0.41 | G1 | 10A | 10B-11 | | | 10 |
| <i>Pandanus sanderi</i> Sander Screw Pine | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Pandanus tectorius</i> Pandanus Palm | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Pandanus utilis</i> Common Screw Pine | BE | 1.13 | G1 | 10A | 10B-11 | 1.00 | 2.02 | 10 |
| <i>Pandanus veitchii</i> Veitch Screw Pine | BS | 1.26 | G1 | 10A | 10B-11 | | | 1.00 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Pandorea jasminoides</i> Bower Vine | GC | 0.82 | G1 | | 10A-11 | | 1.00 | 9 |
| <i>Pandorea jasminoides</i> 'Alba' White Bower Vine | GC | 0.97 | G1 | | 10A-11 | | 1.00 | 9 |
| <i>Pandorea jasminoides</i> 'Lady Di' Lady Di Bower Vine | GC | 1.12 | G1 | | 10A-11 | | 1.00 | 9 |
| <i>Pandorea jasminoides</i> 'Rosea Superba' Pink Bower Vine | GC | 1.09 | G1 | | 10A-11 | | 1.00 | 9 |
| <i>Pandorea jasminoides</i> 'Rosea' Pink Bower Plant | GC | 1.03 | G1 | | 10A-11 | | 1.00 | 9 |
| <i>Pandorea jasminoides</i> 'Variegata' Variegated Bower Plant | GC | 0.94 | G1 | | 10A-11 | | 1.00 | 9 |
| <i>Pandorea pandorana</i> Wonga-Wonga Vine | GC | 1.09 | G1 | | 9A-11 | | 1.00 | 9 |
| <i>Panicum clandestinum</i> Deer Tongue Grass | HP | 1.01 | G4 | | 5-8 | | | 5 |
| <i>Panicum virgatum</i> Switch Grass | HP | 1.06 | G4 | | 5-8 | | | 5 |
| <i>Panicum virgatum</i> 'Cloud Nine' Cloud Nine Switch Grass | HP | 1.43 | G4 | | 5-8 | | | 5 |
| <i>Panicum virgatum</i> 'Haense Herms' Haense Herms Red Switch Grass | HP | 1.05 | G4 | | 5-8 | | | 5 |
| <i>Panicum virgatum</i> 'Heavy Metal' Heavy Metal Switch Grass | HP | 1.07 | G4 | | 5-8 | | | 5 |
| <i>Panicum virgatum</i> 'Northwinds' Northwinds Switch Grass | HP | 1.07 | G4 | | 5-8 | | | 5 |
| <i>Panicum virgatum</i> 'Pathfinder' Pathfinder Switch Grass | HP | 0.77 | G4 | | 5-8 | | | 5 |
| <i>Panicum virgatum</i> 'Prairie Sky' Prairie Sky Switch Grass | HP | 1.13 | G4 | | 5-8 | | | 5 |
| <i>Panicum virgatum</i> 'Rehbraun' Rehbraun Switch Grass | HP | 1.07 | G4 | | 5-8 | | | 5 |
| <i>Panicum virgatum</i> 'Rotstrahlbusch' Rotstrahlbusch Switch Grass | HP | 1.09 | G4 | | 5-8 | | | 5 |
| <i>Panicum virgatum</i> 'Rubrum' Red Switch Grass | HP | 1.02 | G4 | | 5-8 | | | 5 |
| <i>Panicum virgatum</i> 'Squaw' Squaw Switch Grass | HP | 1.01 | G4 | | 5-8 | | | 5 |
| <i>Panicum virgatum</i> 'Strictum' Tall Switch Grass | HP | 1.12 | G4 | | 5-8 | | | 5 |
| <i>Panicum virgatum</i> 'Warrior' Warrior Switch Grass | HP | 1.01 | G4 | | 5-8 | | | 5 |
| <i>Papaver alpinum</i> Alpine Poppy | HP | 1.27 | G4 | | 5-9A | | | 5 |
| <i>Papaver anomalam</i> No Common Name Found | HP | 0.97 | G4 | | 7-9A | | | 7 |
| <i>Papaver nudicaule</i> Iceland Poppy | HP | 1.30 | G4 | | 3-7 | | | 2 |
| <i>Papaver nudicaule</i> 'Champagne Bubbles' Champagne Bubbles Iceland Poppy | HP | 0.86 | G4 | | 3-7 | | | 2 |
| <i>Papaver nudicaule</i> 'Wonderland Mix' Wonderland Mix Iceland Poppy | HP | 0.89 | G4 | | 3-7 | | | 2 |
| <i>Papaver orientale</i> Oriental Poppy | HP | 1.11 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Allegro' Allegro Oriental Poppy | HP | 0.96 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Beauty of Livermore' Beauty of Livermore Oriental Poppy | HP | 0.85 | G4 | | 4-7 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Papaver orientale</i> 'Betty Ann' Betty Ann Oriental Poppy | HP | 1.10 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Brilliant' Brilliant Oriental Poppy | HP | 0.91 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Carmen' Carmen Oriental Poppy | HP | 1.10 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Carousel' Carousel Oriental Poppy | HP | 1.28 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'China Boy' China Boy Oriental Poppy | HP | 1.51 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Curlilocks' Curlilocks Oriental Poppy | HP | 0.84 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Degas' Degas Oriental Poppy | HP | 2.03 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Doubloon' Doubloon Oriental Poppy | HP | 0.84 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Fatima' Fatima Oriental Poppy | HP | 2.03 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Field Marshall Vonder Glotz' Field Marshall Vonder Glotz Oriental Poppy | HP | 1.10 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Harvest Moon' Harvest Moon Oriental Poppy | HP | 1.08 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Helen Elizabeth' Helen Elizabeth Oriental Poppy | HP | 1.09 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Julianna' Julianna Oriental Poppy | HP | 2.03 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Karine' Karine Oriental Poppy | HP | 2.03 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Mrs. Perry' Mrs. Perry Oriental Poppy | HP | 1.07 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Perry's White' Perry's White Oriental Poppy | HP | 1.21 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Picottee' Picottee Oriental Poppy | HP | 1.00 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Pinnacle' Pinnacle Oriental Poppy | HP | 0.93 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Pizzicato' Pizzicato Oriental Poppy | HP | 0.90 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Prince of Orange' Prince of Orange Oriental Poppy | HP | 0.95 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Princess Victoria Louise' Princess Victoria Louise Oriental Poppy | HP | 1.02 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Queen Alexander' Queen Alexander Oriental Poppy | HP | 0.84 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Rembrandt' Rembrandt Oriental Poppy | HP | 0.98 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Salmon Glow' Salmon Glow Oriental Poppy | HP | 0.95 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Snow Queen' Snow Queen Oriental Poppy | HP | 1.10 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Turkenlouis' Turkenlouis Oriental Poppy | HP | 1.00 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Victoria Dreyfuss' Victoria Dreyfuss Oriental Poppy | HP | 1.05 | G4 | | 4-7 | | | 3 |
| <i>Papaver orientale</i> 'Watermelon' Watermelon Oriental Poppy | HP | 1.09 | G4 | | 4-7 | | | 3 |
| <i>Papaver pilosum</i> Olympic Poppy | HP | 0.97 | G4 | | 6-9A | | | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|------|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Paphiopedilum</i> | FO | 4.26 | G1 | 10A | 10B-11 | | | 10 |
| Pahiopedilum Orchid | | | | | | | | |
| <i>Papilionanthe hookeriana</i> | FO | 1.35 | G1 | 10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Paradisea liliastrum</i> | HP | 1.00 | G4 | | 7-10A | | | 7 |
| St. Bruno's Lily | | | | | | | | |
| <i>Paradisea liliastrum 'Major'</i> | HP | 1.00 | G4 | | 7-10A | | | 7 |
| Major St. Bruno's Lily | | | | | | | | |
| <i>Parahebe linifolia</i> | BS | 0.77 | G2 | 8 | 9A-10B | | 1.00 | 8 |
| No Common Name Found | | | | | | | | |
| <i>Parahebe perfoliata</i> | BS | 0.77 | G2 | 8 | 9A-10B | | 1.00 | 9 |
| Digger's Speedwell | | | | | | | | |
| <i>Parathelypteris noveboracensis</i> | HP | 1.03 | G1 | 10A | 10B-11 | | | 10 |
| New York Fern | | | | | | | | |
| <i>Pardancanda norrisii</i> | HP | 1.01 | G1 | 10A | 10B-11 | | | 5 |
| Candylily | | | | | | | | |
| <i>Parkinsonia aculeata</i> | BE | 0.82 | G1 | 9A | 9B-10B | 1.00 | 1.00 | 9 |
| Jerusalem Thorn | | | | | | | | |
| <i>Parnassia glauca</i> | HP | 1.00 | G4 | | 3-8 | | | 3 |
| Blue Grass of Parnassus | | | | | | | | |
| <i>Parochetus communis</i> | HP | 1.00 | G4 | | 9A-10B | | | 9 |
| Shamrock Pea | | | | | | | | |
| <i>Parodia leninghausii</i> | FO | 1.00 | G3 | 8-9B | 10A-11 | | | 9 |
| Golden Ball Cactus | | | | | | | | |
| <i>Parrotia persica</i> | DT | 1.18 | G1 | | 4-8 | 1.63 | 1.68 | 5 |
| Persian Parrotia | | | | | | | | |
| <i>Parrotia persica 'Vanessa'</i> | DT | 1.18 | G1 | | 4-8 | 1.51 | 1.23 | 5 |
| Vanessa Persian Parrotia | | | | | | | | |
| <i>Parthenium integrifolium</i> | HP | 1.07 | G4 | | 4-9A | | | 3 |
| Wild Quinine | | | | | | | | |
| <i>Parthenocissus henryana</i> | GC | 1.24 | G1 | | 7-9B | | 1.00 | 7 |
| Silver Vein Creeper | | | | | | | | |
| <i>Parthenocissus inserta</i> | GC | 1.29 | G1 | | 3-10A | | 1.00 | 3 |
| No Common Name Found | | | | | | | | |
| <i>Parthenocissus quinquefolia</i> | GC | 1.06 | G1 | | 3-10A | | 1.00 | 3 |
| Virginia Creeper | | | | | | | | |
| <i>Parthenocissus quinquefolia 'Engelmannii'</i> | GC | 1.33 | G1 | | 3-10A | | 1.00 | 3 |
| Engelmannii Virginia Creeper | | | | | | | | |
| <i>Parthenocissus quinquefolia 'Monham' P.P.A.F.</i> | GC | 1.64 | G1 | | 3-10A | | 1.00 | 3 |
| Star Showers™ Virginia Creeper | | | | | | | | |
| <i>Parthenocissus quinquefolia 'Star Showers'</i> | | | | | | | | |
| See - <i>Parthenocissus quinquefolia 'Monham' P.P.A.F.</i> | | | | | | | | |
| <i>Parthenocissus tricuspidata</i> | GC | 1.29 | G1 | | 4-9B | | 1.00 | 4 |
| Boston Ivy | | | | | | | | |
| <i>Parthenocissus tricuspidata 'Fenway Park'</i> | GC | 1.13 | G1 | | 4-9B | | 1.00 | 4 |
| Fenway Park Boston Ivy | | | | | | | | |
| <i>Parthenocissus tricuspidata 'Ginza Lights'</i> | GC | 1.07 | G1 | | 4-9B | | 1.00 | 4 |
| Ginza Lights Boston Ivy | | | | | | | | |
| <i>Parthenocissus tricuspidata 'Green Showers'</i> | GC | 1.41 | G1 | | 4-9B | | 1.00 | 4 |
| Green Showers Boston Ivy | | | | | | | | |
| <i>Parthenocissus tricuspidata 'Lowii'</i> | GC | 1.41 | G1 | | 4-9B | | 1.00 | 4 |
| Lowii Boston Ivy | | | | | | | | |
| <i>Parthenocissus tricuspidata 'Robusta'</i> | GC | 1.18 | G1 | | 4-9B | | 1.00 | 4 |
| Robusta Creeping Boston Ivy | | | | | | | | |
| <i>Parthenocissus tricuspidata 'Veitchii'</i> | GC | 1.06 | G1 | | 4-9B | | 1.00 | 4 |
| Veitchii Boston Ivy | | | | | | | | |
| <i>Pasania edulis</i> | | | | | | | | |
| See - <i>Lithocarpus edulis</i> | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Passiflora</i> | GC | 2.05 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Passion Flower | | | | | | | | |
| <i>Passiflora 'Amethyst'</i> | GC | 2.05 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Amethyst Passion Flower | | | | | | | | |
| <i>Passiflora 'Star of Bristol'</i> | GC | 2.05 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Star of Bristol Passion Flower | | | | | | | | |
| <i>Passiflora x alato-caerulea</i> | GC | 0.93 | G1 | | 9A-11 | | 1.00 | 9 |
| Showy Passionflower Vine | | | | | | | | |
| <i>Passiflora caerulea</i> | GC | 1.25 | G1 | 7-8 | 9A-11 | | 1.00 | 7 |
| Blue Passionflower Vine | | | | | | | | |
| <i>Passiflora caerulea 'Constance Elliott'</i> | GC | 1.09 | G1 | 7-8 | 9A-11 | | 1.00 | 7 |
| Constance Elliott Blue Passionflower Vine | | | | | | | | |
| <i>Passiflora coccinea</i> | GC | 0.88 | G3 | 8-9B | | | 1.00 | 10 |
| Red Passionflower Vine | | | | | | | | |
| <i>Passiflora edulis</i> | SF | 0.99 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Purple Grandilla | | | | | | | | |
| <i>Passiflora edulis 'Black Knight'</i> | SF | 0.99 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Black Knight Purple Granadilla | | | | | | | | |
| <i>Passiflora x exoniensis</i> | GC | 1.09 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Passiflora incarnata</i> | HP | 0.69 | G1 | 10A | 10B-11 | | | 6 |
| Maypop | | | | | | | | |
| <i>Passiflora jamesonii</i> | GC | 1.55 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| Pink Passionflower Vine | | | | | | | | |
| <i>Passiflora manicata</i> | GC | 1.09 | G1 | 9A | 9B-11 | | 1.00 | 9 |
| Red Passionflower Vine | | | | | | | | |
| <i>Passiflora mixta</i> | GC | 1.09 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Passiflora mollissima</i> | GC | 1.09 | G1 | 7-8 | 9A-10B | | 1.00 | 6 |
| Banana Passionflower | | | | | | | | |
| <i>Passiflora pfordtii</i> | | | | | | | | |
| See - <i>Passiflora x alato-caerulea</i> | GC | 1.64 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Passiflora quadrangularis</i> | | | | | | | | |
| Granadilla | | | | | | | | |
| <i>Passiflora suberosa</i> | GC | 0.83 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Passiflora subpetiata</i> | GC | 1.37 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Granadina | | | | | | | | |
| <i>Passiflora vitifolia</i> | GC | 0.99 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| Crimson Passion Vine | | | | | | | | |
| <i>Patrinia gibbosa</i> | HP | 0.96 | G1 | 9A-10A | 10B-11 | | | 5 |
| No Common Name Found | | | | | | | | |
| <i>Patrinia scabiosifolia</i> | HP | 1.20 | G1 | 10A | 10B-11 | | | 5 |
| No Common Name Found | | | | | | | | |
| <i>Patrinia triloba</i> | HP | 1.00 | G1 | 10A | 10B-11 | | | 5 |
| No Common Name Found | | | | | | | | |
| <i>Patrinia villosa</i> | HP | 1.00 | G1 | 10A | 10B-11 | | | 5 |
| No Common Name Found | | | | | | | | |
| <i>Paulownia tomentosa</i> | DT | 0.71 | G1 | 5-6 | 7-9A | 1.08 | 1.00 | 5 |
| Princess Tree | | | | | | | | |
| <i>Pavonia lasiocarpa</i> | BS | 0.93 | G4 | 8-10A | 10B-11 | | 1.00 | 7 |
| Pavonia | | | | | | | | |
| <i>Paxistima canbyi</i> | BS | 1.04 | G1 | 3-8 | 9 | | 1.00 | 3 |
| Mountain Lover | | | | | | | | |
| <i>Paxistima myrsinoides</i> | | | | | | | | |
| See - <i>Paxistima myrtifolia</i> | BS | 1.12 | G1 | 6-8 | 9 | | 1.00 | 6 |
| <i>Paxistima myrtifolia</i> | | | | | | | | |
| Oregon Boxwood | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Pedicularis lanceolata</i> | HP | 1.00 | G1 | 10A | 10B-11 | | | 3 |
| Swamp Betony | | | | | | | | |
| <i>Pedilanthus tithymaloides</i> | FO | 0.37 | G1 | 10A | 10B-11 | | | 9 |
| Japanese Poinsettia | | | | | | | | |
| <i>Pelagodoxa henryana</i> | FO | 6.60 | G3 | 10A | 10B-11 | | | 10 |
| Vahana Palm | | | | | | | | |
| <i>Pelargonium</i> | HP | 1.79 | G4 | 8-10A | 10B-11 | | | 10 |
| Geranium | | | | | | | | |
| <i>Pelargonium 'Chocolate Mint'</i> | HP | 1.79 | G4 | 8-10A | 10B-11 | | | 10 |
| Chocolate Mint Geranium | | | | | | | | |
| <i>Pelargonium 'Countess of Scarborough'</i> | HP | 1.79 | G4 | 8-10A | 10B-11 | | | 10 |
| Countess of Scarborough Geranium | | | | | | | | |
| <i>Pelargonium 'Torento'</i> | HP | 1.79 | G4 | 8-10A | 10B-11 | | | 10 |
| Ginger Geranium | | | | | | | | |
| <i>Pelargonium capitatum</i> | HP | 1.44 | G4 | 8-10A | 10B-11 | | | 10 |
| Rose-scented Geranium | | | | | | | | |
| <i>Pelargonium x citrosum</i> | HP | 1.99 | G4 | 8-10A | 10B-11 | | | 10 |
| Orange Geranium | | | | | | | | |
| <i>Pelargonium cordifolium</i> | HP | 0.78 | G4 | 8-10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Pelargonium crispum</i> | HP | 1.10 | G4 | 8-10A | 10B-11 | | | 10 |
| Lemon Geranium | | | | | | | | |
| <i>Pelargonium x domesticum</i> | HP | 1.00 | G4 | 8-10A | 10B-11 | | | 10 |
| Regal Pelargonium | | | | | | | | |
| <i>Pelargonium x fragrans</i> | HP | 1.79 | G4 | 8-10A | 10B-11 | | | 10 |
| Nutmeg Geranium | | | | | | | | |
| <i>Pelargonium graveolens</i> | HP | 1.79 | G4 | 8-10A | 10B-11 | | | 10 |
| Rose Geranium | | | | | | | | |
| <i>Pelargonium graveolens 'Rober's Lemon Rose'</i> | HP | 1.44 | G4 | 8-10A | 10B-11 | | | 10 |
| Rober's Lemon Rose Geranium | | | | | | | | |
| <i>Pelargonium grossularioides</i> | HP | 1.79 | G4 | 8-10A | 10B-11 | | | 10 |
| Coconut Geranium | | | | | | | | |
| <i>Pelargonium x hortorum</i> | HP | 1.00 | G4 | 8-10A | 10B-11 | | | 10 |
| Common Geranium | | | | | | | | |
| <i>Pelargonium x hortorum 'Pink'</i> | HP | 1.00 | G4 | 8-10A | 10B-11 | | | 10 |
| Pink Common Geranium | | | | | | | | |
| <i>Pelargonium x hortorum 'Red'</i> | HP | 1.00 | G4 | 8-10A | 10B-11 | | | 10 |
| Red Common Geranium | | | | | | | | |
| <i>Pelargonium x hortorum 'Salmon'</i> | HP | 1.00 | G4 | 8-10A | 10B-11 | | | 10 |
| Salmon Common Geranium | | | | | | | | |
| <i>Pelargonium x nervosum</i> | HP | 1.79 | G4 | 8-10A | 10B-11 | | | 10 |
| Lime Geranium | | | | | | | | |
| <i>Pelargonium odoratissimum</i> | HP | 1.79 | G4 | 8-10A | 10B-11 | | | 10 |
| Apple Geranium | | | | | | | | |
| <i>Pelargonium peltatum</i> | HP | 0.95 | G4 | | | 10A-11 | | 10 |
| Ivy Geranium | | | | | | | | |
| <i>Pelargonium scabrum</i> | HP | 1.79 | G4 | 8-10A | 10B-11 | | | 10 |
| Apricot Geranium | | | | | | | | |
| <i>Pelargonium x scarboroviae</i> | | | | | | | | |
| See - <i>Pelargonium 'Countess of Scarborough'</i> | HP | 1.79 | G4 | 8-10A | 10B-11 | | | 10 |
| <i>Pelargonium tomentosum</i> | HP | 1.79 | G4 | 8-10A | 10B-11 | | | 10 |
| Peppermint Geranium | | | | | | | | |
| <i>Pellaea falcata</i> | FO | 0.37 | G3 | 8-10A | 10B-11 | | | 10 |
| Australian Cliff Brake | | | | | | | | |
| <i>Pellaea mucronata</i> | HP | 1.35 | G4 | | | 9A-10B | | 9 |
| Bird's Foot Fern | | | | | | | | |
| <i>Pellaea rotundifolia</i> | FO | 0.44 | G4 | 9 | | 10A-11 | | 10 |
| Button Fern | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Peltandra virginica</i> Arrow Arum | HP | 0.89 | G4 | | 5-9A | | | 5 |
| <i>Peltiphyllum peltatum</i> See - <i>Darmera peltata</i> | | | | | | | | |
| <i>Peltophorum dubium</i> No Common Name Found | DT | 1.08 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Peltophorum pterocarpum</i> Yellow Poinciana | DT | 1.08 | G1 | | 10A-11 | 1.00 | 1.10 | 9 |
| <i>Pennisetum alopecuroides</i> Fountain Grass | HP | 0.97 | G4 | 8 | 9A-10A | | | 6 |
| <i>Pennisetum alopecuroides</i> 'Cassian' Cassian's Fountain Grass | HP | 0.99 | G4 | 8 | 9A-10A | | | 6 |
| <i>Pennisetum alopecuroides</i> 'Hameln' Hameln Dwarf Fountain Grass | HP | 1.02 | G4 | 8 | 9A-10A | | | 6 |
| <i>Pennisetum alopecuroides</i> 'Herbstzauber' Herbstzauber Fountain Grass | HP | 1.03 | G4 | 8 | 9A-10A | | | 6 |
| <i>Pennisetum alopecuroides</i> 'Japonicum' Japonicum Fountain Grass | HP | 0.88 | G4 | 8 | 9A-10A | | | 6 |
| <i>Pennisetum alopecuroides</i> 'Little Bunny' Little Bunny Fountain Grass | HP | 1.01 | G4 | 8 | 9A-10A | | | 6 |
| <i>Pennisetum alopecuroides</i> 'Moudry' Moudry Fountain Grass | HP | 0.93 | G4 | 8 | 9A-10A | | | 6 |
| <i>Pennisetum alopecuroides</i> 'National Arboretum' National Arboretum Fountain Grass | HP | 1.02 | G4 | 8 | 9A-10A | | | 6 |
| <i>Pennisetum alopecuroides</i> 'Weserbergland' Weserbergland Fountain Grass | HP | 0.88 | G4 | 8 | 9A-10A | | | 6 |
| <i>Pennisetum alopecuroides</i> var. <i>purpurascens</i> Black Fountain Grass | HP | 0.91 | G4 | 8 | 9A-10A | | | 6 |
| <i>Pennisetum alopecuroides</i> var. <i>viridescens</i> Viridescens Fountain Grass | HP | 0.87 | G4 | 8 | 9A-10A | | | 6 |
| <i>Pennisetum caudatum</i> See - <i>Pennisetum alopecuroides</i> | | | | | | | | |
| <i>Pennisetum incomptum</i> Meadow Pennisetum | HP | 1.00 | G4 | 8 | 9A-10A | | | 6 |
| <i>Pennisetum macrostachyum</i> No Common Name Found | HP | 0.98 | G4 | | 7-10A | | | 9 |
| <i>Pennisetum macrostachyum</i> 'Burgundy Giant' Giant Burgundy Fountain Grass | HP | 0.98 | G4 | | 7-10A | | | 9 |
| <i>Pennisetum orientale</i> Oriental Fountain Grass | HP | 0.97 | G4 | | 7-10A | | | 7 |
| <i>Pennisetum ruppelii</i> See - <i>Pennisetum setaceum</i> | | | | | | | | |
| <i>Pennisetum setaceum</i> Tender Fountain Grass | HP | 0.97 | G4 | 8 | 9A-11 | | | 9 |
| <i>Pennisetum setaceum</i> 'Atropurpureum' See - <i>Pennisetum setaceum</i> 'Rubrum' | | | | | | | | |
| <i>Pennisetum setaceum</i> 'Cupreum Compactum' Compact Purple Fountain Grass | HP | 1.16 | G4 | 8 | 9A-11 | | | 9 |
| <i>Pennisetum setaceum</i> 'Eaton Canyon' Eaton Canyon Fountain Grass | HP | 0.79 | G4 | 8 | 9A-11 | | | 9 |
| <i>Pennisetum setaceum</i> 'Rubrum' Crimson Tender Fountain Grass | HP | 0.79 | G4 | 8 | 9A-11 | | | 9 |
| <i>Pennisetum villosum</i> Feathertop | HP | 1.17 | G4 | | 8-10A | | | 8 |
| <i>Penstemon</i> Hybrid Penstemon | HP | 0.72 | G4 | | 8-10A | | | 5 |
| <i>Penstemon</i> 'Apple Blossom' Apple Blossom Hybrid Penstemon | HP | 0.72 | G4 | | 8-10A | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Penstemon</i> 'Catherine de la Mare' Catherine de la Mare Hybrid Penstemon | HP | 0.85 | G4 | | 8-10A | | | 5 |
| <i>Penstemon</i> 'Elfin Pink' Elfin Pink Hybrid Penstemon | HP | 0.97 | G4 | | 8-10A | | | 5 |
| <i>Penstemon</i> 'Firebird' Firebird Hybrid Penstemon | HP | 0.73 | G4 | | 8-10A | | | 5 |
| <i>Penstemon</i> 'Garnet' Garnet Hybrid Penstemon | HP | 0.82 | G4 | | 8-10A | | | 5 |
| <i>Penstemon</i> 'Hidcote Pink' Hidcote Pink Hybrid Penstemon | HP | 0.74 | G4 | | 8-10A | | | 5 |
| <i>Penstemon</i> 'Midnight' Midnight Hybrid Penstemon | HP | 0.97 | G4 | | 8-10A | | | 5 |
| <i>Penstemon</i> 'Prairie Dusk' Prairie Dusk Hybrid Penstemon | HP | 1.22 | G4 | | 8-10A | | | 5 |
| <i>Penstemon</i> 'Prairie Fire' Prairie Fire Hybrid Penstemon | HP | 1.04 | G4 | | 8-10A | | | 5 |
| <i>Penstemon</i> 'Prairie Splendor' Prairie Splendor Hybrid Penstemon | HP | 1.09 | G4 | | 8-10A | | | 5 |
| <i>Penstemon</i> 'Rose Elf' Rose Elf Hybrid Penstemon | HP | 0.72 | G4 | | 8-10A | | | 5 |
| <i>Penstemon</i> 'Ruby' Ruby Penstemon | HP | 0.86 | G4 | | 8-10A | | | 5 |
| <i>Penstemon</i> 'Sour Grapes' Sour Grapes Penstemon | HP | 0.92 | G4 | | 8-10A | | | 5 |
| <i>Penstemon</i> 'Stapleford Gem' Stapleford Gem Hybrid Penstemon | HP | 1.22 | G4 | | 8-10A | | | 5 |
| <i>Penstemon australis</i> Southern Penstemon | HP | 0.89 | G4 | | 7-10A | | | 7 |
| <i>Penstemon baccharifolius</i> Rock Penstemon | HP | 0.81 | G4 | | 7-10A | | | 7 |
| <i>Penstemon barbatus</i> Beard Tongue | HP | 0.91 | G4 | | 4-9A | | | 3 |
| <i>Penstemon barbatus</i> 'Bashful' Bashful Common Beard Tongue | HP | 0.97 | G4 | | 4-9A | | | 3 |
| <i>Penstemon barbatus</i> 'Coccineus' Coccineus Common Beard Tongue | HP | 0.99 | G4 | | 4-9A | | | 3 |
| <i>Penstemon barbatus</i> ssp. <i>torreyi</i> Torrey Common Beard Tongue | HP | 1.00 | G4 | | 4-9A | | | 3 |
| <i>Penstemon barrettiae</i> No Common Name Found | HP | 1.00 | G4 | | 7-10A | | | 7 |
| <i>Penstemon campanulatus</i> Harebell Penstemon | HP | 0.89 | G4 | 9A | 9B-10B | | | 9 |
| <i>Penstemon cardinalis</i> Red Penstemon | HP | 0.97 | G4 | | 9A-10A | | | 9 |
| <i>Penstemon centranthifolius</i> Scarlet Bugler | HP | 1.00 | G4 | | 9A-10A | | | 9 |
| <i>Penstemon cobaea</i> Cobaea Penstemon | HP | 0.92 | G4 | | 4-8 | | | 4 |
| <i>Penstemon cordifolius</i> No Common Name Found | HP | 1.00 | G2 | | 8-9B | | | 8 |
| <i>Penstemon cyananthus</i> Wasatch Penstemon | HP | 0.76 | G4 | | 4-8 | | | 4 |
| <i>Penstemon deustus</i> Hot-Rock Penstemon | HP | 0.92 | G4 | | 3-8 | | | 3 |
| <i>Penstemon digitalis</i> White Beard Tongue | HP | 0.94 | G4 | | 3-8 | | | 3 |
| <i>Penstemon digitalis</i> 'Husker Red' Husker Red White Beard Tongue | HP | 0.96 | G4 | | 3-8 | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|--------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Penstemon eatonii</i> Firecracker Penstemon | HP | 0.77 | G4 | | 5-9A | | | 4 |
| <i>Penstemon fruticosus</i> Bush Penstemon | HP | 0.92 | G1 | | 4-8 | | | 4 |
| <i>Penstemon gentianoides</i> Hartwegii Beard Tongue | HP | 0.86 | G4 | | 9A-10A | | | 9 |
| <i>Penstemon glaber</i> No Common Name Found | HP | 1.00 | G4 | | 3-8 | | | 3 |
| <i>Penstemon gracilis</i> Slender Beard Tongue | HP | 1.00 | G4 | | 3-8 | | | 3 |
| <i>Penstemon grandiflorus</i> Shell-leaf Beard Tongue | HP | 1.07 | G4 | | 3-8 | | | 3 |
| <i>Penstemon grinnellii</i> No Common Name Found | HP | 1.00 | G2 | | 8-10A | | | 8 |
| <i>Penstemon hartwegii</i> Hartweg Beard Tongue | HP | 1.00 | G4 | | 9A-10A | | | 9 |
| <i>Penstemon heterophyllus</i> Foothill Penstemon | HP | 0.75 | G4 | 8 | 9A-10A | | | 8 |
| <i>Penstemon heterophyllus</i> 'Zuriblau' Zuriblau Foothill Penstemon | HP | 0.75 | G4 | 8 | 9A-10A | | | 8 |
| <i>Penstemon hirsutus</i> Hairy Beard Tongue | HP | 1.01 | G4 | | 3-8 | | | 3 |
| <i>Penstemon hirsutus</i> 'Pygmaeus' Dwarf Hairy Beard Tongue | HP | 0.99 | G4 | | 3-8 | | | 3 |
| <i>Penstemon humilis</i> No Common Name Found | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Penstemon pallidus</i> Pale Beard Tongue | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Penstemon palmeri</i> Scented Penstemon | HP | 0.77 | G4 | | 5-9A | | | 5 |
| <i>Penstemon pinifolius</i> No Common Name Found | HP | 1.08 | G2 | | 8-9A | | | 8 |
| <i>Penstemon smallii</i> Smallii Beard Tongue | HP | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Penstemon spectabilis</i> Showy Penstemon | HP | 0.97 | G4 | | 7-9B | | | 7 |
| <i>Penstemon strictus</i> Stiff Beard Tongue | HP | 0.80 | G4 | | 3-8 | | | 3 |
| <i>Penstemon utahensis</i> Utah Bugler | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Penstemon whippleanus</i> No Common Name Found | HP | 0.76 | G4 | | 4-8 | | | 4 |
| <i>Pentapterygium</i> 'Ludgvan Cross' See - <i>Agapetes</i> 'Ludgvan Cross' | | | | | | | | |
| <i>Pentapterygium serpens</i> See - <i>Agapetes serpens</i> | | | | | | | | |
| <i>Pentas lanceolata</i> Star Cluster | HP | 0.67 | G4 | 9A-10A | 10B-11 | | | 10 |
| <i>Pentas lanceolata</i> 'Cheers' Cheers Star Cluster | HP | 0.83 | G4 | 9A-10A | 10B-11 | | | 10 |
| <i>Pentas lanceolata</i> 'Cranberry' Cranberry Star Cluster | HP | 0.81 | G4 | 9A-10A | 10B-11 | | | 10 |
| <i>Pentas lanceolata</i> 'Jessica' Jessica Star Cluster | HP | 0.93 | G4 | 9A-10A | 10B-11 | | | 10 |
| <i>Pentas lanceolata</i> 'Lavender Delight' Lavender Delight Star Cluster | HP | 0.91 | G4 | 9A-10A | 10B-11 | | | 10 |
| <i>Pentas lanceolata</i> 'Lilac Mist' Lilac Mist Star Cluster | HP | 0.82 | G4 | 9A-10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pentas lanceolata</i> 'New Look Cherry' New Look Cherry Star Cluster | HP | 0.93 | G4 | 9A-10A | 10B-11 | | | 10 |
| <i>Pentas lanceolata</i> 'New Look Pink' New Look Pink Star Cluster | HP | 0.87 | G4 | 9A-10A | 10B-11 | | | 10 |
| <i>Pentas lanceolata</i> 'New Look Red' New Look Red Star Cluster | HP | 0.87 | G4 | 9A-10A | 10B-11 | | | 10 |
| <i>Pentas lanceolata</i> 'New Look Violet' New Look Violet Star Cluster | HP | 0.87 | G4 | 9A-10A | 10B-11 | | | 10 |
| <i>Pentas lanceolata</i> 'Nova' Nova Star Cluster | HP | 0.86 | G4 | 9A-10A | 10B-11 | | | 10 |
| <i>Pentas lanceolata</i> 'Pink Profusion' Pink Profusion Dwarf Star Cluster | HP | 0.83 | G4 | 9A-10A | 10B-11 | | | 10 |
| <i>Pentas lanceolata</i> 'Polar White' Polar White Star Cluster | HP | 0.86 | G4 | 9A-10A | 10B-11 | | | 10 |
| <i>Pentas lanceolata</i> 'Ruby Glow' Ruby Glow Star Cluster | HP | 0.85 | G4 | 9A-10A | 10B-11 | | | 10 |
| <i>Peperomia obtusifolia</i> Baby Rubber Plant | FO | 0.34 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Pereskia bleo</i> Orange Rose Cactus | FO | 0.73 | G1 | 10A | 10B-11 | | | 9 |
| <i>Pereskia corrugata</i> See - <i>Pereskia bleo</i> | FO | 0.62 | G1 | 10A | 10B-11 | | | 9 |
| <i>Pereskia grandifolia</i> Rose Cactus | FO | 1.25 | G1 | 9 | 10A-11 | | | 9 |
| <i>Pericallis x hybridus</i> Florist's Cineraria | AN | 1.05 | G1 | 8-9 | 10A-11 | | | 8 |
| <i>Perilla frutescens</i> Common Perilla | AN | 1.63 | G1 | 8-9 | 10A-11 | | | 8 |
| <i>Perilla frutescens</i> 'Crispa' Crispa Perilla | AN | 1.05 | G1 | 8-9 | 10A-11 | | | 8 |
| <i>Perilla frutescens</i> 'Purple Shisho' Purple Shisho Perilla | AN | 1.05 | G1 | 8-9 | 10A-11 | | | 8 |
| <i>Pernettya mucronata</i> See - <i>Gaultheria mucronata</i> | HP | 0.93 | G1 | | 6-9A | | | 6 |
| <i>Perovskia</i> Perovskia | HP | 0.93 | G1 | | 6-9A | | | 6 |
| <i>Perovskia</i> 'Longin' Longin Hybrid Perovskia | HP | 0.78 | G1 | | 5-9A | | | 5 |
| <i>Perovskia abrotanoides</i> Caspian Perovskia | HP | 0.96 | G4 | | 6-8 | | | 6 |
| <i>Perovskia atriplicifolia</i> Russian Sage | HP | 0.98 | G4 | | 6-8 | | | 6 |
| <i>Perovskia atriplicifolia</i> 'Filagan' Filagan Russian Sage | HP | 0.94 | G4 | | 6-8 | | | 6 |
| <i>Perovskia atriplicifolia</i> 'Superba' Superba Russian Sage | HP | 1.01 | G1 | | 6-9A | | | 6 |
| <i>Perovskia scrophulariifolia</i> No Common Name Found | FN | 1.72 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Persea americana</i> Avocado | FN | 1.38 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Persea americana</i> 'Bacon' Bacon Avocado | FN | 1.03 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Persea americana</i> 'Dwarf' Dwarf Avocado | FN | 1.38 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Persea americana</i> 'Fuerte' Fuerte Avocado | FN | 1.92 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Persea americana</i> 'Gwen' P.P. 5298 Gwen Avocado | FN | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Persea americana</i> 'Hass' Hass Avocado | FN | 1.38 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Persea borbonia</i> Red Bay Tree | BE | 0.60 | G1 | | 7-10B | 1.00 | 0.66 | 10 |
| <i>Persea palustris</i> Swamp Red Bay Tree | BE | 0.67 | G1 | 10A | 10B-11 | 1.00 | 0.64 | 7 |
| <i>Persicaria affinis</i> See - <i>Polygonum affine</i> | | | | | | | | |
| <i>Pescatoria cerina</i> No Common Name Found | FO | 2.20 | G1 | 10A | 10B-11 | | | 10 |
| <i>Petalostemon candidum</i> See - <i>Dalea candida</i> | | | | | | | | |
| <i>Petalostemon foliosum</i> See - <i>Dalea foliosum</i> | | | | | | | | |
| <i>Petalostemon purpureum</i> See - <i>Dalea gattingeri</i> | | | | | | | | |
| <i>Petasites albus</i> White Butterbur | HP | 2.03 | G1 | | 5-9A | | | 5 |
| <i>Petasites japonicus</i> Fuki | HP | 1.55 | G1 | | 5-9A | | | 5 |
| <i>Petrea volubilis</i> Queen's Wreath Vine | GC | 1.24 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Petrorhagia saxifraga</i> Tunic Flower | HP | 0.92 | G1 | 6-9 | 10A-11 | | | 6 |
| <i>Petrorhagia saxifraga</i> 'Flore Pleno' Flore Pleno Tunic Flower | HP | 0.75 | G1 | 6-9 | 10A-11 | | | 6 |
| <i>Petrorhagia saxifraga</i> 'Rosette' Rosette Tunic Flower | HP | 1.28 | G1 | 6-9 | 10A-11 | | | 6 |
| <i>Petroselinum crispum</i> Parsley | AN | 1.09 | G4 | 10A | 10B-11 | | | 6 |
| <i>Petroselinum crispum</i> var. <i>crispum</i> Curly Parsley | AN | 1.11 | G1 | 10A | 10B-11 | | | 6 |
| <i>Petroselinum crispum</i> var. <i>neapolitanum</i> Italian Parsley | AN | 1.13 | G1 | 10A | 10B-11 | | | 6 |
| <i>Petunia x hybrida</i> Garden Petunia | AN | 0.64 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Aladdin Series' Aladdin Series Petunia | AN | 0.64 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Dream Series' Dream Series Petunia | AN | 0.64 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Eagle Series' Eagle Series Petunia | AN | 0.64 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Fantasy Pink' Fantasy Pink Petunia | AN | 0.78 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Fantasy Series' Fantasy Series Petunia | AN | 0.64 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Flash Mix' Flash Mix Petunia | AN | 0.64 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Flash Series' Flash Series Petunia | AN | 0.64 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Madness' Madness Petunia | AN | 0.64 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Red Carpet' Red Carpet Petunia | AN | 0.78 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Rose Carpet' Rose Carpet Petunia | AN | 0.78 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Storm Series' Storm Series Petunia | AN | 0.64 | G4 | 9 | 10A-11 | | | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Petunia x hybrida</i> 'Total Madness' Total Madness Petunia | AN | 0.64 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Ultra Blue Star' Ultra Blue Star Garden Petunia | AN | 0.64 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Ultra Pink' Ultra Pink Garden Petunia | AN | 0.64 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Ultra Plum' Ultra Plum Garden Petunia | AN | 0.64 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Ultra Red' Ultra Red Garden Petunia | AN | 0.64 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia x hybrida</i> 'Ultra White' Ultra White Garden Petunia | AN | 0.64 | G4 | 9 | 10A-11 | | | 7 |
| <i>Petunia integrifolia</i> Violet-flowered Petunia | AN | 1.26 | G4 | 9 | 10A-11 | | | 7 |
| <i>Peucedanum verticillare</i> No Common Name Found | HP | 1.01 | G1 | 8-9 | 10-11 | | | 7 |
| <i>Phaeoranassa carnioli</i> No Common Name Found | HP | 1.05 | G4 | | 8-11 | | | 8 |
| <i>Phaius tankervilliae</i> Swamp Orchid | FO | 1.29 | G1 | 10A | 10B-11 | | | 10 |
| <i>Phalaenopsis</i> Phalaenopsis Hybrid Orchid | FO | 1.98 | G1 | 10A | 10B-11 | | | 10 |
| <i>Phalaenopsis amabilis</i> No Common Name Found | FO | 2.37 | G1 | 10A | 10B-11 | | | 10 |
| <i>Phalaenopsis pulchra</i> No Common Name Found | FO | 2.03 | G1 | 10A | 10B-11 | | | 10 |
| <i>Phalaenopsis stuartiana</i> No Common Name Found | FO | 1.19 | G4 | 10A | 10B-11 | | | 10 |
| <i>Phalaris arundinacea</i> Ribbon Grass | HP | 0.94 | G4 | | 5-8 | | | 4 |
| <i>Phalaris arundinacea</i> 'Feesey' Feesey Ribbon Grass | HP | 1.01 | G4 | | 5-8 | | | 4 |
| <i>Phalaris arundinacea</i> 'Luteo-Picta' Luteo-Picta Ribbon Grass | HP | 1.06 | G4 | | 5-8 | | | 4 |
| <i>Phalaris arundinacea</i> 'Picta' Gardener's Garters | HP | 1.05 | G4 | | 5-8 | | | 4 |
| <i>Phalaris arundinacea</i> 'Rosea' Pink Ribbon Grass | HP | 0.94 | G4 | | 5-8 | | | 4 |
| <i>Phalaris arundinacea</i> 'Tricolor' Tricolor Ribbon Grass | HP | 1.03 | G4 | | 5-8 | | | 4 |
| <i>Phaseolus giganteus</i> See - <i>Vigna caracalla</i> | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Phegopteris connectilis</i> Narrow Beech Fern | HP | 1.22 | G4 | | 6-9A | | | 6 |
| <i>Phegopteris decursive-pinnata</i> No Common Name Found | DT | 1.00 | G1 | | 3-7 | 0.98 | 0.40 | 3 |
| <i>Phellodendron amurense</i> Amur Corktree | DT | 1.00 | G1 | | 3-7 | 0.88 | 0.40 | 3 |
| <i>Phellodendron amurense</i> '(Unnamed Cultivar 01)' P.P.A.F.DT Macho® Amur Corktree | DT | 1.00 | G1 | | 3-7 | 1.20 | 1.01 | 3 |
| <i>Phellodendron amurense</i> 'Macho' See - <i>Phellodendron amurense</i> '(Unnamed Cultivar 01)' P.P.A.F. | DT | 1.00 | G1 | | 3-7 | | | |
| <i>Phellodendron amurense</i> 'PNI 4551' Shademaster® Amur Corktree | | | | | | | | |
| <i>Phellodendron amurense</i> 'Shademaster' See - <i>Phellodendron amurense</i> 'PNI 4551' | | | | | | | | |
| <i>Phellodendron amurense</i> 'Superfection' See - <i>Phellodendron amurense</i> 'Supzam' | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Phellodendron amurense</i> 'Supzam' Superfection™ Amur Corktree | DT | 1.00 | G1 | | 3-7 | 0.71 | 0.40 | 3 |
| <i>Phellodendron amurense</i> 'U.S.D.A. Budded Strain' Budded Strain Amur Corktree | DT | 1.00 | G1 | | 3-7 | 0.71 | 0.40 | 3 |
| <i>Phellodendron sachalinense</i> Sakhalin Corktree | DT | 1.00 | G1 | | 3-7 | 0.74 | 1.00 | 3 |
| <i>Philadelphus</i> Hybrid Mock Orange | DS | 0.85 | G1 | | 5-9A | | 0.50 | 4 |
| <i>Philadelphus</i> 'Buckley's Quill' Buckley's Quill Hybrid Mock Orange | DT | 0.68 | G1 | | 5-9A | 1.00 | 1.00 | 4 |
| <i>Philadelphus</i> 'Enchantment' Enchantment Hybrid Mock Orange | DS | 0.85 | G1 | | 5-9A | | 0.50 | 4 |
| <i>Philadelphus</i> 'Galahad' Galahad Hybrid Mock Orange | DS | 0.85 | G1 | | 5-9A | | 0.50 | 4 |
| <i>Philadelphus</i> 'Miniature Snowflake' Miniature Snowflake Hybrid Mock Orange | DS | 1.07 | G1 | | 5-9A | | 0.50 | 4 |
| <i>Philadelphus</i> 'Natchez' Natchez Hybrid Mock Orange | DS | 0.91 | G1 | | 5-9A | | 0.91 | 4 |
| <i>Philadelphus</i> 'Polar Star' Polar Star Hybrid Mock Orange | DS | 1.09 | G1 | | 5-9A | | 0.50 | 4 |
| <i>Philadelphus</i> 'Silver Showers' Silver Showers Hybrid Mock Orange | DS | 0.85 | G1 | | 5-9A | | 0.50 | 4 |
| <i>Philadelphus</i> 'Snowgoose' Snowgoose Hybrid Mock Orange | DS | 0.85 | G1 | | 5-9A | | 0.50 | 4 |
| <i>Philadelphus coronarius</i> Sweet Mock Orange | DS | 0.74 | G1 | | 5-9A | | 0.57 | 4 |
| <i>Philadelphus coronarius</i> 'Aureus' Golden Sweet Mock Orange | DS | 1.01 | G1 | | 5-9A | | 1.01 | 4 |
| <i>Philadelphus delavayi</i> No Common Name Found | DS | 1.00 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Philadelphus inodorus</i> var. <i>grandiflorus</i> Scentless Mock Orange | DS | 1.00 | G1 | | 5-9A | | 1.00 | 5 |
| <i>Philadelphus x lemoinei</i> Lemoine Mock Orange | DS | 0.90 | G1 | | 5-9A | | 1.00 | 5 |
| <i>Philadelphus x lemoinei</i> 'Belle Etoile' Belle Etoile Lemoine Mock Orange | DS | 0.90 | G1 | | 5-9A | | 1.00 | 5 |
| <i>Philadelphus lewisii</i> Wild Mock Orange | DS | 0.86 | G1 | | 5-9A | | 1.00 | 5 |
| <i>Philadelphus lewisii</i> 'Goose Creek' Goose Creek Wild Mock Orange | DS | 0.90 | G1 | | 5-9A | | 1.00 | 5 |
| <i>Philadelphus mexicanus</i> Evergreen Mock Orange | DS | 0.90 | G2 | | 9A-10B | | 1.00 | 9 |
| <i>Philadelphus microphyllus</i> Littleleaf Mock Orange | DS | 0.90 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Philadelphus x virginiana</i> Hybrid Virginal Mock Orange | DS | 0.88 | G1 | | 5-9A | | 0.52 | 5 |
| <i>Philadelphus x virginiana</i> 'Albatre' Albatre Virginal Mock Orange | DS | 0.88 | G1 | | 5-9A | | 0.52 | 5 |
| <i>Philadelphus x virginiana</i> 'Argentine' Argentine Virginal Mock Orange | DS | 0.88 | G1 | | 5-9A | | 0.52 | 5 |
| <i>Philadelphus x virginiana</i> 'Bouquet Blanc' Bouquet Blanc Virginal Mock Orange | DS | 0.88 | G1 | | 5-9A | | 0.52 | 5 |
| <i>Philadelphus x virginiana</i> 'Burfordiensis' Burford Virginal Mock Orange | DS | 0.88 | G1 | | 5-9A | | 0.52 | 5 |
| <i>Philadelphus x virginiana</i> 'Dwarf Snowflake' Dwarf Snowflake Virginal Mock Orange | DS | 0.91 | G1 | | 5-9A | | 0.52 | 5 |
| <i>Philadelphus x virginiana</i> 'Glacier' Glacier Virginal Mock Orange | DS | 0.98 | G1 | | 5-9A | | 0.52 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Philadelphus x virginalis</i> 'Grandiflora' Grandiflora Virginal Mock Orange | DS | 0.88 | G1 | | 5-9A | | 0.52 | 5 |
| <i>Philadelphus x virginalis</i> 'Minnesota Snowflake' Minnesota Snowflake Virginal Mock Orange | DS | 0.89 | G1 | | 5-9A | | 0.63 | 5 |
| <i>Philadelphus x virginalis</i> 'Roy's Selection' Roy's Selection Virginal Mock Orange | DS | 0.88 | G1 | | 5-9A | | 0.52 | 5 |
| <i>Philadelphus x virginalis</i> 'Virginal' Virginal Mock Orange | DS | 0.88 | G1 | | 5-9A | | 0.62 | 5 |
| <i>Philodendron</i> Philodendron | FO | 0.64 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Philodendron</i> 'Winterbourn' P.P. 7030 Xanadu Philodendron | FO | 0.64 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Philodendron</i> 'Xanadu' See - <i>Philodendron</i> 'Winterbourn' P.P. 7030 | FO | 0.30 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Philodendron cordatum</i> Heart-leaf Philodendron | FO | 0.85 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Philodendron erubescens</i> Red-leaf Philodendron | FO | 0.86 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Philodendron erubescens</i> 'Imperial Green' P.P. 6086 Imperial Green Red-leaf Philodendron | FO | 0.85 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Philodendron erubescens</i> 'Imperial Red' P.P. 6337 Imperial Red Red-leaf Philodendron | FO | 0.85 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Philodendron pertusum</i> See - <i>Monstera deliciosa</i> | FO | 0.36 | G3 | 8-10A | 10B-11 | | | 10B |
| <i>Philodendron scandens</i> ssp. <i>oxycardium</i> Parlor Ivy | BS | 0.71 | G1 | 9B | 10A-11 | | 1.00 | 10A |
| <i>Philodendron selloum</i> Cut Leaf Philodendron | FO | 1.54 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Philodendron verrucosum</i> No Common Name Found | FO | 0.52 | G1 | 10A | 10B-11 | | | 10 |
| <i>Phlebodium aureum</i> Golden Polypody | FO | 0.52 | G1 | 10A | 10B-11 | | | 10 |
| <i>Phlebodium aureum</i> 'Mandaianum' Mandaianum Golden Polypody | FO | 1.24 | G4 | | 7-9A | | | 7 |
| <i>Phlomis fruticosa</i> Jerusalem Sage | HP | 0.82 | G4 | | 8-10A | | | 8 |
| <i>Phlomis italicica</i> Italian Sage | BS | 1.00 | G4 | | 8-10A | | 1.00 | 8 |
| <i>Phlomis lanata</i> No Common Name Found | HP | 1.02 | G4 | | 7-9A | | | 7 |
| <i>Phlomis russeliana</i> Sticky Jerusalem Sage | HP | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Phlomis tuberosa</i> No Common Name Found | HP | 0.81 | G4 | | 6-9A | | | 4 |
| <i>Phlox</i> Phlox | HP | 1.09 | G4 | | 6-9A | | | 4 |
| <i>Phlox</i> 'Chatahoochee' Chatahoochee Hybrid Phlox | HP | 1.06 | G4 | | 6-9A | | | 4 |
| <i>Phlox</i> 'Spring Delight' Spring Delight Hybrid Phlox | HP | 1.03 | G4 | | 3-9A | | | 3 |
| <i>Phlox adsurgens</i> Periwinkle Phlox | HP | 1.09 | G4 | | 3-9A | | | 3 |
| <i>Phlox x arendsi</i> Arend's Phlox | HP | 1.09 | G4 | | 3-9A | | | 3 |
| <i>Phlox x arendsi</i> 'Anja' Anja Arend's Phlox | HP | 1.03 | G4 | | 3-9A | | | 3 |
| <i>Phlox x arendsi</i> 'Hilda' Hilda Arend's Phlox | HP | 1.03 | G4 | | 3-9A | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Phlox x arendsi</i> 'Susanne' Susanne Arend's Phlox | HP | 1.03 | G4 | | 3-9A | | | 3 |
| <i>Phlox bifida</i> Sand Phlox | HP | 1.05 | G4 | | 6-9A | | | 6 |
| <i>Phlox borealis</i> Arctic Phlox | HP | 1.00 | G4 | | 3-9A | | | 2 |
| <i>Phlox buckleyi</i> Sword-leaf Phlox | HP | 0.75 | G4 | | 6-9A | | | 6 |
| <i>Phlox carolina</i> Thick-leaf Phlox | HP | 1.11 | G4 | | 5-8 | | | 5 |
| <i>Phlox carolina</i> 'Magnificence' Magnificence Phlox | HP | 1.11 | G4 | | 5-8 | | | 5 |
| <i>Phlox divaricata</i> Blue Phlox | HP | 0.99 | G4 | 4-6 | 7-9B | | | 4 |
| <i>Phlox divaricata</i> 'Blue Perfume' Blue Perfume Blue Phlox | HP | 1.08 | G4 | 4-6 | 7-9B | | | 4 |
| <i>Phlox divaricata</i> 'Clouds of Perfume' Clouds of Perfume Blue Phlox | HP | 0.99 | G4 | 4-6 | 7-9B | | | 4 |
| <i>Phlox divaricata</i> 'Dirgo Ice' Dirgo Ice Blue Phlox | HP | 1.03 | G4 | 4-6 | 7-9B | | | 4 |
| <i>Phlox divaricata</i> 'Fuller's White' Fuller's White Blue Phlox | HP | 1.03 | G4 | 4-6 | 7-9B | | | 4 |
| <i>Phlox divaricata</i> 'London Grove Blue' London Grove Blue Phlox | HP | 0.84 | G4 | 4-6 | 7-9B | | | 4 |
| <i>Phlox divaricata</i> 'Louisiana' Louisiana Blue Phlox | HP | 0.88 | G4 | 4-6 | 7-9B | | | 4 |
| <i>Phlox divaricata</i> 'Sweet Lilac' Sweet Lilac Blue Phlox | HP | 1.79 | G4 | 4-6 | 7-9B | | | 4 |
| <i>Phlox divaricata</i> 'White Perfume' White Perfume Blue Phlox | HP | 1.08 | G4 | 4-6 | 7-9B | | | 4 |
| <i>Phlox divaricata</i> var. <i>laphamii</i> Laphamii Blue Phlox | HP | 1.00 | G4 | 4-6 | 7-9B | | | 4 |
| <i>Phlox drummondii</i> Annual Phlox | AN | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Phlox drummondii</i> 'Twinkles Mix' Twinkles Mix Annual Phlox | AN | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Phlox glaberrima</i> Smooth Phlox | HP | 1.01 | G4 | 4-6 | 7-9B | | | 4 |
| <i>Phlox glaberrima</i> 'Interior' Interior Smooth Phlox | HP | 1.12 | G4 | 4-6 | 7-9B | | | 4 |
| <i>Phlox glaberrima</i> ssp. <i>triflora</i> Triflora Smooth Phlox | HP | 1.01 | G4 | 4-6 | 7-9B | | | 4 |
| <i>Phlox maculata</i> Wild Sweet William | HP | 1.06 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Phlox maculata</i> 'Alpha' Alpha Wild Sweet William | HP | 1.05 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Phlox maculata</i> 'Delta' Delta Wild Sweet William | HP | 1.11 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Phlox maculata</i> 'Miss Lingard' Miss Lingard Sweet William | HP | 1.02 | G4 | | 5-8 | | | 5 |
| <i>Phlox maculata</i> 'Natascha' Natascha Sweet William | HP | 1.07 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Phlox maculata</i> 'Omega' Omega Wild Sweet William | HP | 0.99 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Phlox maculata</i> 'Rosalinde' Rosalinde Wild Sweet William | HP | 1.03 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Phlox paniculata</i> Garden Phlox | HP | 0.90 | G4 | | 4-8 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Phlox paniculata</i> 'Admiral' Admiral Garden Phlox | HP | 1.11 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Alba' White Garden Phlox | HP | 0.78 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Amethyst' Amethyst Garden Phlox | HP | 1.06 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Balmoral' Balmoral Garden Phlox | HP | 0.78 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Blue Boy' Blue Boy Garden Phlox | HP | 0.99 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Blue Paradise' Blue Paradise Garden Phlox | HP | 1.28 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Brigadier' Brigadier Garden Phlox | HP | 0.78 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Bright Eyes' Bright Eyes Garden Phlox | HP | 0.91 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Cynthia' Cynthia Garden Phlox | HP | 0.92 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'David' David Garden Phlox | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Dodo Hanbury-Forbes' Dodo Hanbury-Forbes Garden Phlox | HP | 0.79 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Dorffreude' Dorffreude Garden Phlox | HP | 1.14 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Dresden China' Dresden China Garden Phlox | HP | 0.78 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Dusterlohe' Dusterlohe Garden Phlox | HP | 1.44 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Europa' Europa Garden Phlox | HP | 0.96 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Eva Cullum' Eva Cullum Garden Phlox | HP | 1.07 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Fairest One' Fairest One Garden Phlox | HP | 1.05 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Fairy's Petticoat' Fairy's Petticoat Garden Phlox | HP | 0.78 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Fesselballon' Fesselballon Garden Phlox | HP | 1.29 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Flamingo' Flamingo Garden Phlox | HP | 1.06 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Franz Schubert' Franz Schubert Garden Phlox | HP | 1.03 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Frosted Elegance' Frosted Elegance Garden Phlox | HP | 2.00 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Graf Zeppelin' Graf Zeppelin Garden Phlox | HP | 1.04 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Juliet' Juliet Garden Phlox | HP | 1.16 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Juliglut' Juliglut Garden Phlox | HP | 1.03 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Katherine' Katherine Garden Phlox | HP | 1.24 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Lilac Time' Lilac Time Garden Phlox | HP | 0.90 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Little Boy' Little Boy Garden Phlox | HP | 1.07 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Little Laura' Little Laura Garden Phlox | HP | 1.16 | G4 | | 4-8 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Phlox paniculata</i> 'Little Princess' Little Princess Garden Phlox | HP | 1.16 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Look Again' Look Again Garden Phlox | HP | 1.29 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Mia Ruys' Mia Ruys Garden Phlox | HP | 0.78 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Mt. Fuji' Mt. Fuji Garden Phlox | HP | 0.85 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'New Bird' New Bird Garden Phlox | HP | 0.78 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Nicky' Nicky Garden Phlox | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Nora Leigh' Nora Leigh Garden Phlox | HP | 1.48 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Orange Perfection' Orange Perfection Garden Phlox | HP | 0.97 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Pax' Pax Garden Phlox | HP | 1.12 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Powder Puff' Powder Puff Garden Phlox | HP | 0.99 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Prime Minister' Prime Minister Garden Phlox | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Rembrandt' Rembrandt Garden Phlox | HP | 0.78 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Rijnstroom' Rijnstroom Garden Phlox | HP | 1.06 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Sandra' Sandra Garden Phlox | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Shortwood' Shortwood Garden Phlox | HP | 1.01 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Special Pink' Special Pink Garden Phlox | HP | 0.78 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Starfire' Starfire Garden Phlox | HP | 0.91 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Starlight' Starlight Garden Phlox | HP | 1.03 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Sternhimmel' Sternhimmel Garden Phlox | HP | 1.22 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Tenor' Tenor Garden Phlox | HP | 1.01 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'The King' The King Garden Phlox | HP | 1.10 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Violetta Gloriosa' Violetta Gloriosa Garden Phlox | HP | 1.29 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'White Admiral' White Admiral Garden Phlox | HP | 0.91 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'White Alex' White Alex Garden Phlox | HP | 1.29 | G4 | | 4-8 | | | 4 |
| <i>Phlox paniculata</i> 'Windsor' Windsor Garden Phlox | HP | 0.97 | G4 | | 4-8 | | | 4 |
| <i>Phlox pilosa</i> Prairie Phlox | HP | 1.09 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Phlox pilosa</i> ssp. <i>ozarkana</i> Ozarkana Phlox | HP | 1.09 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Phlox x procumbens</i> Trailing Phlox | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Phlox x procumbens</i> 'Folio-variegata' Variegated Trailing Phlox | HP | 1.00 | G4 | | 4-8 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Phlox stolonifera</i> Creeping Phlox | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Phlox stolonifera</i> 'Blue Ridge' Blue Ridge Creeping Phlox | HP | 1.07 | G4 | | 4-8 | | | 4 |
| <i>Phlox stolonifera</i> 'Bruce's White' Bruce's White Creeping Phlox | HP | 1.10 | G4 | | 4-8 | | | 4 |
| <i>Phlox stolonifera</i> 'Home Fires' Home Fires Creeping Phlox | HP | 1.02 | G4 | | 4-8 | | | 4 |
| <i>Phlox stolonifera</i> 'Iridescent' Iridescent Creeping Phlox | HP | 1.02 | G4 | | 4-8 | | | 4 |
| <i>Phlox stolonifera</i> 'Pink Ridge' Pink Ridge Creeping Phlox | HP | 1.11 | G4 | | 4-8 | | | 4 |
| <i>Phlox stolonifera</i> 'Sherwood Purple' Sherwood Purple Creeping Phlox | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Phlox subulata</i> Moss Phlox | HP | 1.17 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Apple Blossom' Apple Blossom Moss Phlox | HP | 0.82 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Atropurpurea' Atropurpurea Moss Phlox | HP | 0.82 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Blue Emerald' Blue Emerald Moss Phlox | HP | 0.90 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Blue Hills' Blue Hills Moss Phlox | HP | 0.90 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Candy Stripe' Candy Stripe Moss Phlox | HP | 0.99 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Coral Eye' Coral Eye Moss Phlox | HP | 0.90 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Crimson Beauty' Crimson Beauty Moss Phlox | HP | 0.93 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Dirgo Arbutus' Dirgo Arbutus Moss Phlox | HP | 0.90 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Emerald Cushion Blue' Emerald Cushion Blue Moss Phlox | HP | 0.97 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Emerald Pink' Emerald Pink Moss Phlox | HP | 0.98 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Fort Hill' Fort Hill Moss Phlox | HP | 0.91 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Maiden Blush' Maiden Blush Moss Phlox | HP | 0.90 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Millstream Daphne' Millstream Daphne Moss Phlox | HP | 1.18 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Millstream Jupiter' Millstream Jupiter Moss Phlox | HP | 0.95 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Millstream Variety' Millstream Variety Moss Phlox | HP | 1.18 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Red Wings' Red Wings Moss Phlox | HP | 0.90 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Rosea' Rosea Moss Phlox | HP | 0.97 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'Scarlet Flame' Scarlet Flame Moss Phlox | HP | 0.87 | G4 | | 4-7 | | | 3 |
| <i>Phlox subulata</i> 'White Delight' White Delight Moss Phlox | HP | 0.90 | G4 | | 4-7 | | | 3 |
| <i>Phoenicophorium borsigianum</i> Latanier Palm | BE | 6.49 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Phoenix canariensis</i> Canary Island Date Palm | BE | 0.77 | G1 | 8 | 9A-11 | 1.00 | 1.88 | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Phoenix dactylifera</i> Date Palm | BE | 0.77 | G1 | 9A | 9B-11 | 1.00 | 3.28 | 9 |
| <i>Phoenix hanceana</i> See - <i>Phoenix loureirii</i> | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Phoenix loureirii</i> No Common Name Found | BE | 1.00 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Phoenix pusilla</i> Ceylon Date Palm | BE | 0.91 | G1 | 9B | 10A-11 | 1.00 | 1.21 | 9 |
| <i>Phoenix reclinata</i> Senegal Date Palm | BE | 0.95 | G1 | 10A | 10B-11 | 1.00 | 1.22 | 9 |
| <i>Phoenix roebelenii</i> Pygmy Date Palm | BE | 0.65 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Phoenix rupicola</i> Cliff Date Palm | BE | 1.59 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Phoenix sylvestris</i> Wild Date Palm | HP | 0.95 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phoenix zeylanica</i> See - <i>Phoenix pusilla</i> | HP | 0.95 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium</i> Hybrid Flax | HP | 0.95 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium 'Thumbelina'</i> Thumbelina Flax | HP | 0.96 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium colensoi</i> Mountain Flax | HP | 0.96 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium colensoi</i> 'Apricot Queen' Apricot Queen Mountain Flax | HP | 0.96 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium colensoi</i> 'Maori Maiden' Maori Maiden Mountain Flax | HP | 1.77 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium colensoi</i> 'Sundowner' Sundowner Mountain Flax | HP | 1.77 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium colensoi</i> 'Tricolor' Tricolor Mountain Flax | HP | 1.77 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium cookianum</i> See - <i>Phormium colensoi</i> | HP | 0.75 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium tenax</i> New Zealand Flax | HP | 0.93 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium tenax</i> 'Atropurpureum' Purple New Zealand Flax | HP | 1.38 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium tenax</i> 'Bronze Baby' Bronze Baby New Zealand Flax | HP | 0.96 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium tenax</i> 'Dark Delight' Dark Delight New Zealand Flax | HP | 0.96 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium tenax</i> 'Dazzler' Dazzler New Zealand Flax | HP | 0.96 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium tenax</i> 'Jack Spratt' Jack Spratt New Zealand Flax | HP | 1.43 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium tenax</i> 'Rubrum' Red New Zealand Flax | HP | 0.81 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium tenax</i> 'Variegatum' Variegated New Zealand Flax | HP | 0.96 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium tenax</i> 'Williamsii Variegated' Williams Variegated New Zealand Flax | HP | 1.16 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Phormium tenax</i> 'Yellow Wave' Yellow Wave New Zealand Flax | HP | 0.96 | G4 | 8-9B | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Photinia davidiana</i> Chinese Photinia | BS | 0.92 | G4 | | 8-10A | | | 8 |
| <i>Photinia davidiana</i> 'Prostrata' Prostrate Chinese Photinia | BS | 1.00 | G4 | | 8-10A | 1.00 | | 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Photinia davidiana</i> var. <i>undulata</i> No Common Name Found | BS | 1.19 | G4 | | 8-10A | | 1.00 | 8 |
| <i>Photinia x fraseri</i> Fraser Photinia | BS | 0.77 | G1 | | 7-10A | | 0.55 | 8 |
| <i>Photinia x fraseri</i> 'Red Robin' Red Robin Fraser Photinia | BS | 0.89 | G1 | | 7-10A | | 0.96 | 8 |
| <i>Photinia glabra</i> Japanese Photinia | BS | 0.98 | G1 | | 7-10A | | 0.94 | 7 |
| <i>Photinia villosa</i> Oriental Photinia | BS | 1.00 | G4 | 5-6 | 7-9B | | 1.00 | 4 |
| <i>Phragmites australis</i> Common Reed | HP | 4.86 | G4 | | 6-9A | | | 5 |
| <i>Phragmites australis</i> 'Variegatus' Variegated Common Reed | HP | 4.86 | G4 | | 6-9A | | | 5 |
| <i>Phygelius capensis</i> Cape Fuchsia | HP | 1.00 | G2 | | 8-10B | | | 8 |
| <i>Phygelius x rectus</i> Hybrid Fuchsia | HP | 0.78 | G2 | | 8-10B | | | 8 |
| <i>Phygelius x rectus</i> 'African Queen' African Queen Hybrid Fuchsia | HP | 1.10 | G2 | | 8-10B | | | 8 |
| <i>Phygelius x rectus</i> 'Moonraker' Moonraker Hybrid Fuchsia | HP | 0.78 | G2 | | 8-10B | | | 8 |
| <i>Phyla nodiflora</i> Frogfruit | HP | 0.68 | G1 | 10A | 10B-11 | | | 10 |
| <i>Phyllitis scolopendrium</i> See - <i>Asplenium scolopendrium</i> | BS | 1.26 | G1 | 6 | 7-10A | | 0.47 | 6 |
| <i>Phyllostachys aurea</i> Golden Bamboo | BS | 1.25 | G1 | 6 | 7-10A | | 1.00 | 6 |
| <i>Phyllostachys aureosulcata</i> Yellow-Groove Bamboo | BS | 1.32 | G1 | 7-8 | 9A-10A | | 1.00 | 7 |
| <i>Phyllostachys bambusoides</i> Giant Timber Bamboo | BS | 1.61 | G1 | 7-8 | 9A-10A | | 1.00 | 7 |
| <i>Phyllostachys bambusoides</i> 'Castillonis' Castillonis Giant Timber Bamboo | BS | 1.34 | G1 | 7-8 | 9A-10A | | 1.00 | 7 |
| <i>Phyllostachys bambusoides</i> 'Slender Crookstem' Slender Crookstem Giant Timber Bamboo | BS | 1.10 | G1 | 7-8 | 9A-10A | | 1.00 | 7 |
| <i>Phyllostachys edulis</i> Moso Bamboo | BS | 1.18 | G1 | 8-9A | 9B-11 | | 1.00 | 6 |
| <i>Phyllostachys flexuosa</i> Flexible Bamboo | BS | 1.65 | G1 | 8-9A | 9B-11 | | 1.00 | 7 |
| <i>Phyllostachys nigra</i> Black Bamboo | BS | 1.41 | G1 | 8-9A | 9B-11 | | 1.00 | 7 |
| <i>Phyllostachys nigra</i> 'Boryana' Boryana Black Bamboo | BS | 1.12 | G1 | 8-9A | 9B-11 | | 1.00 | 7 |
| <i>Phyllostachys nigra</i> var. <i>henonis</i> Henon Black Bamboo | BS | 1.65 | G1 | 8-9A | 9B-11 | | 1.00 | 8 |
| <i>Phyllostachys pubescens</i> See - <i>Phyllostachys edulis</i> | BS | 1.31 | G1 | 7-8 | 9A-10A | | 1.00 | 7 |
| <i>Phyllostachys sulphurea</i> 'Robert Young' See - <i>Phyllostachys sulphurea</i> var. <i>viridis</i> | BS | 0.91 | G4 | | 4-9B | | | 6 |
| <i>Phyllostachys sulphurea</i> var. <i>viridis</i> Robert Young Kou-Chiku | HP | | | | | | | |
| <i>Physalis alkekengi</i> Chinese Lantern | | | | | | | | |
| <i>Physalis franchetii</i> See - <i>Physalis alkekengi</i> | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Physocarpus capitatus</i> Pacific Ninebark | DS | 0.96 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Physocarpus malvaceus</i> Mallos Ninebark | DS | 0.91 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Physocarpus monogynus</i> Mountain Ninebark | DS | 1.00 | G1 | 5-6 | 7-9A | | 1.00 | 5 |
| <i>Physocarpus opulifolius</i> Common Ninebark | DS | 0.77 | G1 | | 2-7 | | 0.52 | 2 |
| <i>Physocarpus opulifolius</i> 'Dart's Gold' Dart's Gold Common Ninebark | DS | 0.93 | G1 | | 2-7 | | 0.72 | 2 |
| <i>Physocarpus opulifolius</i> 'Dwarf's Gold' Dwarf's Gold Common Ninebark | DS | 0.77 | G1 | | 2-7 | | 0.52 | 2 |
| <i>Physocarpus opulifolius</i> 'Luteus' Golden Common Ninebark | DS | 0.77 | G1 | | 2-7 | | 0.52 | 2 |
| <i>Physocarpus opulifolius</i> 'Nanus' Dwarf Common Ninebark | DS | 0.90 | G1 | | 2-7 | | 0.63 | 2 |
| <i>Physocarpus opulifolius</i> 'Nugget' Nugget Common Ninebark | DS | 0.80 | G1 | | 2-7 | | 0.52 | 2 |
| <i>Physocarpus opulifolius</i> 'Snowfall' Snowfall Common Ninebark | DS | 0.98 | G1 | | 2-7 | | 0.52 | 2 |
| <i>Physocarpus opulifolius</i> var. <i>intermedius</i> No Common Name Found | DS | 1.00 | G1 | | 2-7 | | 1.00 | 2 |
| <i>Physostegia purpurea</i> No Common Name Found | HP | 0.69 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Physostegia virginiana</i> False Dragonhead | HP | 0.90 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Physostegia virginiana</i> 'Alba' White False Dragonhead | HP | 0.99 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Physostegia virginiana</i> 'Bouquet Rose' Bouquet Rose False Dragonhead | HP | 0.86 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Physostegia virginiana</i> 'Pink Bouquet' Pink Bouquet False Dragonhead | HP | 0.86 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Physostegia virginiana</i> 'Rose Crown' Rose Crown False Dragonhead | HP | 0.86 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Physostegia virginiana</i> 'Rosea' Pink False Dragonhead | HP | 0.98 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Physostegia virginiana</i> 'Snow Crown' Snow Crown False Dragonhead | HP | 0.97 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Physostegia virginiana</i> 'Summer Snow' Summer Snow False Dragonhead | HP | 0.99 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Physostegia virginiana</i> 'Variegata' Variegated False Dragonhead | HP | 1.02 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Physostegia virginiana</i> 'Vivid' Vivid False Dragonhead | HP | 1.00 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Physostegia virginiana</i> var. <i>speciosa</i> Showy Obedient Plant | HP | 1.00 | G4 | 4-6 | 7-10A | | | 4 |
| <i>Phytelephas macrocarpa</i> Ivory Palm | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Phyteuma nigrum</i> Horned Rampion | HP | 0.97 | G4 | 6 | 7-9A | | | 6 |
| <i>Picea abies</i> Norway Spruce | CE | 0.76 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea abies</i> 'Acrocona' Acrocona Norway Spruce | CE | 1.38 | G1 | | 2-7 | 1.00 | 1.29 | 3 |
| <i>Picea abies</i> 'Argenteospica' Argenteospica Norway Spruce | CE | 0.76 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| <i>Picea abies</i> 'Asselyn' Asselyn Norway Spruce | CE | 0.76 | G1 | | 2-7 | 1.00 | 0.87 | 3 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Picea abies</i> 'Aurea' | CE | 1.53 | G1 | | 2-7 | 1.00 | 1.19 | 3 |
| Gold Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Aurescens' | CE | 0.76 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| Aurescens Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Berry Garden' | CE | 0.76 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| Berry Garden Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Capitata' | CE | 1.44 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| Capitata Semi-Dwarf Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Cincinnata' | CE | 0.76 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| Cincinnata Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Clanbrassiliiana Stricta' | CS | 1.88 | G1 | | 2-7 | | 0.71 | 3 |
| Clanbrassiliiana Stricta Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Clanbrassiliiana' | CE | 1.09 | G1 | | 2-7 | 1.00 | 1.06 | 3 |
| Clanbrassiliiana Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Compacta' | CE | 0.76 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| Compact Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Cranstonii' | CE | 0.76 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| Cranston Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Crippsi' | CE | 0.76 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| Crippsi Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Cupressina' | CE | 1.84 | G1 | | 2-7 | 1.00 | 1.33 | 3 |
| Cupressina Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Elegans' | CS | 1.28 | G1 | | 2-7 | | 0.71 | 3 |
| Elegans Dwarf Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Elegantissima' | CS | 1.09 | G1 | | 2-7 | | 0.71 | 3 |
| Elegantissima Dwarf Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Ellwangeriana' | CS | 1.09 | G1 | | 2-7 | | 0.71 | 3 |
| Ellwangeriana Dwarf Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Frohburg' | CE | 1.34 | G1 | | 2-7 | 1.00 | 1.18 | 3 |
| Frohburg Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Glauca Pendula' | CE | 1.73 | G1 | | 2-7 | 1.00 | 1.06 | 3 |
| Blue Weeping Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Globosa' | CE | 1.28 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| Globe Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Gregoryana Parsonsii' | CE | 1.13 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| Gregoryana Parsonsii Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Gregoryana' | CS | 1.54 | G1 | | 2-7 | | 0.71 | 3 |
| Gregoryana Dwarf Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Hillside Upright' | CE | 0.76 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| Hillside Upright Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Humilis' | CE | 1.20 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| Humilis Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Inversa' | CE | 0.76 | G1 | | 2-7 | 1.00 | 1.59 | 3 |
| Drooping Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Little Gem' | CS | 1.47 | G1 | | 2-7 | | 2.38 | 3 |
| Little Gem Dwarf Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Maxwellii' | CS | 1.23 | G1 | | 2-7 | | 0.89 | 3 |
| Maxwell Dwarf Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Microsperma' | CE | 0.76 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| Microsperma Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Monstrosa' | CE | 0.76 | G1 | | 2-7 | 1.00 | 1.01 | 3 |
| Monstrosa Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Mucronata' | CS | 1.42 | G1 | | 2-7 | | 0.89 | 3 |
| Mucronata Dwarf Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Nana' | CS | 1.14 | G1 | | 2-7 | | 0.71 | 3 |
| Dwarf Norway Spruce | | | | | | | | |
| <i>Picea abies</i> 'Nidiformis' | CE | 0.86 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| Bird's Nest Norway Spruce | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Picea abies</i> 'Ohlendorffi' Ohlendorffi Norway Spruce | CE | 0.76 | G1 | | 2-7 | 1.00 | 1.58 | 3 |
| <i>Picea abies</i> 'Parsonii' Parson Dwarf Norway Spruce | CS | 1.09 | G1 | | 2-7 | | 1.42 | 3 |
| <i>Picea abies</i> 'Pendula Major' Pendula Major Norway Spruce | CE | 1.58 | G1 | | 2-7 | 1.00 | 0.99 | 3 |
| <i>Picea abies</i> 'Pendula Monstrosa' Pendula Monstrosa Norway Spruce | CE | 1.17 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| <i>Picea abies</i> 'Pendula' Weeping Norway Spruce | CE | 1.55 | G1 | | 2-7 | 1.00 | 1.39 | 3 |
| <i>Picea abies</i> 'Procumbens' Procumbens Norway Spruce | CE | 0.76 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| <i>Picea abies</i> 'Pumila Nigra' Dwarf Black Nest Norway Spruce | CS | 1.09 | G1 | | 2-7 | | 1.72 | 3 |
| <i>Picea abies</i> 'Pumila' Pumila Dwarf Norway Spruce | CS | 1.30 | G1 | | 2-7 | | 0.81 | 3 |
| <i>Picea abies</i> 'Pygmaea' Pygmy Dwarf Norway Spruce | CS | 1.80 | G1 | | 2-7 | | 0.71 | 3 |
| <i>Picea abies</i> 'Pyramidata' Pyramidata Norway Spruce | CE | 1.51 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| <i>Picea abies</i> 'Remontii' Remontii Dwarf Norway Spruce | CS | 1.09 | G1 | | 2-7 | | 2.57 | 3 |
| <i>Picea abies</i> 'Repens' Repens Dwarf Norway Spruce | CS | 1.41 | G1 | | 2-7 | | 0.71 | 3 |
| <i>Picea abies</i> 'Virgata' Snake-Branch Spruce | CE | 0.76 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| <i>Picea abies</i> 'Witch's Brood' Witch's Brood Norway Spruce | CE | 0.76 | G1 | | 2-7 | 1.00 | 0.87 | 3 |
| <i>Picea alcoquiana</i> Alcock Spruce | CE | 1.00 | G1 | | 5-9A | 1.00 | 1.00 | 5 |
| <i>Picea alcoquiana</i> 'Howell's Dwarf Tigertail' Howell's Dwarf Tigertail Alcock Spruce | CS | 1.87 | G1 | | 6-9A | | 1.41 | 5 |
| <i>Picea alcoquiana</i> 'Prostrata' Prostrate Alcock Spruce | CS | 1.92 | G1 | | 5-9A | | 1.41 | 5 |
| <i>Picea asperata</i> Dragon Spruce | CE | 1.00 | G1 | | 6-9A | 1.00 | 1.00 | 6 |
| <i>Picea asperata</i> 'Dwarf' Dwarf Dragon Spruce | CS | 1.00 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Picea asperata</i> 'Notabilis' Notable Dragon Spruce | CE | 1.00 | G1 | | 6-9A | 1.00 | 1.00 | 6 |
| <i>Picea asperata</i> 'Pendula' Weeping Dragon Spruce | CE | 1.00 | G1 | | 6-9A | 1.00 | 1.00 | 6 |
| <i>Picea asperata</i> 'Retroflexa' Retroflexa Dragon Spruce | CE | 1.00 | G1 | | 6-9A | 1.00 | 1.00 | 6 |
| <i>Picea balfouriana</i> Balfour Spruce | CE | 2.29 | G1 | | 6-9A | 1.00 | 1.00 | 6 |
| <i>Picea bicolor</i> See - <i>Picea alcoquiana</i> | CE | 1.00 | G1 | 8 | 9A-10A | 1.00 | 1.16 | 8 |
| <i>Picea brachytyla</i> Sargent Spruce | CE | 1.00 | G1 | | 6-9A | 1.00 | 1.04 | 6 |
| <i>Picea breweriana</i> Brewer Spruce | CE | 1.29 | G1 | | 3-8 | 1.00 | 1.03 | 3 |
| <i>Picea engelmannii</i> Engelmann Spruce | CE | 0.60 | G1 | | 3-8 | 1.00 | 1.03 | 3 |
| <i>Picea engelmannii</i> 'Argentea' Argentea Engelmann Spruce | CE | 0.60 | G1 | | 3-8 | 1.00 | 1.03 | 3 |
| <i>Picea engelmannii</i> 'Glauca' Glauca Engelmann Spruce | BE | 1.00 | G1 | | 3-8 | 1.00 | 1.00 | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Picea engelmannii</i> 'Hoodie' Hoodie Engelmann Spruce | CE | 0.60 | G1 | | 3-8 | 1.00 | 1.03 | 3 |
| <i>Picea engelmannii</i> 'Stanley Mountain' Stanley Mountain Engelmann Spruce | CE | 2.04 | G1 | | 3-8 | 1.00 | 1.03 | 3 |
| <i>Picea gemmata</i> No Common Name Found | CE | 1.00 | G1 | | 5-9A | 1.00 | 1.00 | 9 |
| <i>Picea glauca</i> White Spruce | CE | 0.76 | G1 | | 2-7 | 0.85 | 0.97 | 2 |
| <i>Picea glauca</i> 'Alberta Globe' Dwarf Alberta Globe Spruce | CS | 1.82 | G1 | | 2-7 | | 1.19 | 2 |
| <i>Picea glauca</i> 'Arneson Blue' Arneson Blue White Spruce | CE | 0.74 | G1 | | 2-7 | 0.85 | 1.67 | 2 |
| <i>Picea glauca</i> 'Brevifolia' Brevifolia White Spruce | CE | 0.74 | G1 | | 2-7 | 0.85 | 0.45 | 2 |
| <i>Picea glauca</i> 'Cecilia' Cecilia White Spruce | CE | 0.74 | G1 | | 2-7 | 0.85 | 0.45 | 2 |
| <i>Picea glauca</i> 'Coerulea' Coerulea White Spruce | CE | 0.74 | G1 | | 2-7 | 0.85 | 0.45 | 2 |
| <i>Picea glauca</i> 'Conica' Dwarf Alberta Spruce | CS | 1.41 | G1 | | 2-7 | | 1.19 | 2 |
| <i>Picea glauca</i> 'Densata' Black Hills Spruce | CE | 0.74 | G1 | | 2-7 | 0.85 | 1.19 | 2 |
| <i>Picea glauca</i> 'Echiniformis' Echiniformis Spruce | CE | 1.10 | G1 | | 2-7 | 0.85 | 0.45 | 2 |
| <i>Picea glauca</i> 'Gnom' Gnom Alberta Spruce | CS | 3.03 | G1 | | 2-7 | | 1.19 | 2 |
| <i>Picea glauca</i> 'Humpty Dumpty' Humpty Dumpty White Spruce | CE | 0.74 | G1 | | 2-7 | 0.85 | 0.45 | 2 |
| <i>Picea glauca</i> 'Jean's Dilly' Jean's Dilly Alberta Spruce | CE | 1.39 | G1 | | 2-7 | 0.85 | 0.45 | 2 |
| <i>Picea glauca</i> 'Little Globe' Little Globe Alberta Spruce | CE | 1.43 | G1 | | 2-7 | 0.85 | 1.50 | 2 |
| <i>Picea glauca</i> 'Pendula' Weeping White Spruce | CE | 1.98 | G1 | | 2-7 | 0.85 | 0.45 | 2 |
| <i>Picea glauca</i> 'Pixie' Pixie Alberta Spruce | CS | 3.27 | G1 | | 2-7 | | 1.19 | 2 |
| <i>Picea glauca</i> 'Rainbow's End' Rainbow's End White Spruce | CE | 1.34 | G1 | | 2-7 | 0.85 | 0.45 | 2 |
| <i>Picea glauca</i> 'Sander's Blue' Sander's Blue White Spruce | CE | 1.45 | G1 | | 2-7 | 0.85 | 1.44 | 2 |
| <i>Picea glauca</i> 'Sander's Fastigiate' Sander's Fastigiate White Spruce | CE | 1.20 | G1 | | 2-7 | 0.85 | 0.45 | 2 |
| <i>Picea glauca</i> 'Wild Acres' Wild Acres White Spruce | CE | 0.74 | G1 | | 2-7 | 0.85 | 0.45 | 2 |
| <i>Picea glauca</i> var. <i>albertiana</i> Western White Spruce | CE | 1.00 | G1 | | 2-7 | 1.00 | 0.83 | 2 |
| <i>Picea jezoensis</i> Yezo Spruce | CE | 1.00 | G1 | | 2-7 | 1.00 | 1.00 | 2 |
| <i>Picea jezoensis</i> 'Yatsubusa' Yatsubusa Yezo Spruce | CE | 1.00 | G1 | | 2-7 | 1.00 | 1.00 | 2 |
| <i>Picea likiangensis</i> Lijiang Spruce | CE | 1.33 | G1 | 8 | 9A-10A | 1.00 | 1.20 | 8 |
| <i>Picea likiangensis</i> var. <i>balfouriana</i> See - <i>Picea balfouriana</i> | | | | | | | | |
| <i>Picea likiangensis</i> var. <i>purpurea</i> See - <i>Picea purpurea</i> | | | | | | | | |
| <i>Picea x lutzii</i> Lutz Spruce | BE | 1.00 | G1 | | 3-8 | 1.00 | 1.01 | 3 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Picea mariana</i> Black Spruce | CE | 0.63 | G1 | | 2-7 | 1.00 | 0.37 | 2 |
| <i>Picea mariana</i> 'Beissneri' Beissneri Black Spruce | CE | 0.63 | G1 | | 2-7 | 1.00 | 0.37 | 2 |
| <i>Picea mariana</i> 'Ericoides' Ericoides Blue Nest Spruce | CE | 0.97 | G1 | | 2-7 | 1.00 | 0.37 | 2 |
| <i>Picea mariana</i> 'Golden' Golden Black Spruce | CE | 0.63 | G1 | | 2-7 | 1.00 | 0.37 | 2 |
| <i>Picea mariana</i> 'Nana' Dwarf Black Spruce | CS | 1.19 | G1 | | 2-7 | | 0.72 | 2 |
| <i>Picea mariana</i> 'Wellspire' Wellspire Columnar Black Spruce | CE | 0.63 | G1 | | 2-7 | 1.00 | 0.37 | 2 |
| <i>Picea meyeri</i> Meyer Spruce | CE | 1.00 | G1 | 8 | 9A-10B | 1.00 | 1.00 | 6 |
| <i>Picea morrisonicola</i> Taiwan Spruce | CE | 1.00 | G1 | | 4-7 | 1.00 | 1.07 | 4 |
| <i>Picea omorika</i> Serbian Spruce | CE | 0.68 | G1 | | 4-7 | 1.00 | 1.07 | 4 |
| <i>Picea omorika</i> 'Nana' Dwarf Serbian Spruce | CS | 1.92 | G1 | | 4-7 | | 2.15 | 4 |
| <i>Picea omorika</i> 'Pendula' Weeping Serbian Spruce | CE | 1.45 | G1 | | 4-7 | 1.00 | 1.22 | 4 |
| <i>Picea omorika</i> 'Pimoko' Pimoko Serbian Spruce | CE | 1.84 | G1 | | 4-7 | 1.00 | 1.07 | 4 |
| <i>Picea omorika</i> 'Riverside' Riverside Columnar Serbian Spruce | CE | 0.68 | G1 | | 4-7 | 1.00 | 1.07 | 4 |
| <i>Picea orientalis</i> Oriental Spruce | CE | 1.03 | G1 | | 4-7 | 1.00 | 1.30 | 5 |
| <i>Picea orientalis</i> 'Atrovirens' Atrovirens Oriental Spruce | CE | 2.17 | G1 | | 4-7 | 1.00 | 0.97 | 5 |
| <i>Picea orientalis</i> 'Aurea' Aurea Oriental Spruce | CE | 1.03 | G1 | | 4-7 | 1.00 | 0.97 | 5 |
| <i>Picea orientalis</i> 'Aureospicata' Aureospicata Oriental Spruce | CE | 1.70 | G1 | | 4-7 | 1.00 | 1.95 | 5 |
| <i>Picea orientalis</i> 'Barnes' Barnes Oriental Spruce | CE | 1.57 | G1 | | 4-7 | 1.00 | 0.97 | 5 |
| <i>Picea orientalis</i> 'Bergman's Gem' Bergman's Gem Oriental Spruce | CE | 2.35 | G1 | | 4-7 | 1.00 | 0.97 | 5 |
| <i>Picea orientalis</i> 'Compacta Pendula' Compact Weeping Oriental Spruce | CE | 1.03 | G1 | | 4-7 | 1.00 | 0.97 | 5 |
| <i>Picea orientalis</i> 'Compacta' Compact Oriental Spruce | CE | 1.03 | G1 | | 4-7 | 1.00 | 1.81 | 5 |
| <i>Picea orientalis</i> 'Gowdy' Gowdy Oriental Spruce | CE | 1.03 | G1 | | 4-7 | 1.00 | 0.97 | 5 |
| <i>Picea orientalis</i> 'Gracilis' Gracilis Oriental Spruce | CE | 1.03 | G1 | | 4-7 | 1.00 | 0.97 | 5 |
| <i>Picea orientalis</i> 'Nana Kolaga' Nana Kolaga Oriental Spruce | CS | 1.92 | G1 | | 4-7 | | 1.00 | 5 |
| <i>Picea orientalis</i> 'Nana' Nana Oriental Spruce | CS | 1.92 | G1 | | 4-7 | | 1.00 | 5 |
| <i>Picea orientalis</i> 'Nigra Compacta' Compact Nigra Oriental Spruce | CE | 1.03 | G1 | | 4-7 | 1.00 | 0.97 | 5 |
| <i>Picea orientalis</i> 'Pendula' Weeping Oriental Spruce | CE | 1.03 | G1 | | 4-7 | 1.00 | 0.97 | 5 |
| <i>Picea orientalis</i> 'Skylands' Skylands Oriental Spruce | CE | 1.76 | G1 | | 4-7 | 1.00 | 1.65 | 5 |
| <i>Picea polita</i> | | | | | | | | |

See - *Picea torana*

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Picea pungens</i> Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 1.15 | 3 |
| <i>Picea pungens</i> 'Argentea' Silver Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Aurea' Golden Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Baby Blue Eyes' Baby Blue Eyes Colorado Blue Spruce | CS | 0.92 | G1 | | 2-7 | | 1.94 | 3 |
| <i>Picea pungens</i> 'Bakeri' Bakeri Colorado Spruce | CE | 1.41 | G1 | | 2-7 | 1.00 | 1.47 | 3 |
| <i>Picea pungens</i> 'Blue Mist' Blue Mist Colorado Spruce | CE | 1.20 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Blue Totem' Blue Totem Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 1.91 | 3 |
| <i>Picea pungens</i> 'Buckwheat' Buckwheat Colorado Spruce | CE | 4.61 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Charmer' Charmer Colorado Spruce | CE | 4.61 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Columnaris' Columnar Colorado Spruce | CE | 1.25 | G1 | | 2-7 | 1.00 | 1.23 | 3 |
| <i>Picea pungens</i> 'Compacta' Compact Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Corbet' Corbet Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Emerald Cushion' Emerald Cushion Colorado Spruce | CS | 0.92 | G1 | | 2-7 | | 1.94 | 3 |
| <i>Picea pungens</i> 'Endts' Endts Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Fat Albert' Fat Albert Colorado Spruce | CE | 1.54 | G1 | | 2-7 | 1.00 | 1.52 | 3 |
| <i>Picea pungens</i> 'Foxtail' Foxtail Colorado Blue Spruce | CE | 1.38 | G1 | | 2-7 | 1.00 | 1.46 | 3 |
| <i>Picea pungens</i> 'Furst Bismark' Furst Bismark Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Glauca Blue Pagoda' Blue Pagoda Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Glauca Continental' Continental Colorado Blue Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 1.16 | 3 |
| <i>Picea pungens</i> 'Glauca Fastigiata' Columnar Colorado Blue Spruce | CE | 1.49 | G1 | | 2-7 | 1.00 | 1.47 | 3 |
| <i>Picea pungens</i> 'Glauca Globosa' Dwarf Globe Blue Spruce | CS | 2.38 | G1 | | 2-7 | | 2.33 | 3 |
| <i>Picea pungens</i> 'Glauca Pendula' Blue Weeping Colorado Spruce | CE | 1.82 | G1 | | 2-7 | 1.00 | 1.77 | 3 |
| <i>Picea pungens</i> 'Glauca Procumbens' Blue Spreading Colorado Spruce | CE | 2.38 | G1 | | 2-7 | 1.00 | 1.46 | 3 |
| <i>Picea pungens</i> 'Glauca Prostrata' Prostrate Colorado Blue Spruce | CS | 0.92 | G1 | | 2-7 | | 2.23 | 3 |
| <i>Picea pungens</i> 'Glauca Shiner' Colorado Blue Spruce Shiners | CE | 0.68 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Glauca Silver Falls' Silver Falls Colorado Blue Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Glauca' Colorado Blue Spruce | CE | 0.77 | G1 | | 2-7 | 1.00 | 1.24 | 3 |
| <i>Picea pungens</i> 'Globe' Globe Colorado Spruce | CE | 1.44 | G1 | | 2-7 | 1.00 | 2.19 | 3 |
| <i>Picea pungens</i> 'Gotelli Prostrate' Gotelli Prostrate Colorado Spruce | CS | 0.92 | G1 | | 2-7 | | 1.94 | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Picea pungens</i> 'Green Mound' Green Mound Colorado Spruce | CS | 0.92 | G1 | | 2-7 | | 1.94 | 3 |
| <i>Picea pungens</i> 'Green Spire' Green Spire Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Hillside #1' Hillside #1 Colorado Spruce | CE | 2.35 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Hoopsii' Hoopsii Colorado Spruce | CE | 1.58 | G1 | | 2-7 | 1.00 | 1.57 | 3 |
| <i>Picea pungens</i> 'Hunnewelliana' Hunnewell Colorado Spruce | CE | 1.69 | G1 | | 2-7 | 1.00 | 1.64 | 3 |
| <i>Picea pungens</i> 'Iseli Fastigate' Iseli Fastigate Colorado Spruce | CE | 1.54 | G1 | | 2-7 | 1.00 | 1.67 | 3 |
| <i>Picea pungens</i> 'Iseli Foxtail' Iseli Foxtail Colorado Spruce | CE | 1.37 | G1 | | 2-7 | 1.00 | 1.30 | 3 |
| <i>Picea pungens</i> 'Iseli Select' Iseli Select Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Jean Iseli' Jean Iseli Colorado Spruce | CE | 1.84 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Koster' Koster Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 1.54 | 3 |
| <i>Picea pungens</i> 'Mesa Verde' Mesa Verde Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Minuta Green Mound' Green Mound Dwarf Colorado Spruce | CS | 0.92 | G1 | | 2-7 | | 1.94 | 3 |
| <i>Picea pungens</i> 'Mission Blue' Mission Blue Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 1.49 | 3 |
| <i>Picea pungens</i> 'Moerheimii' Moerheim Colorado Spruce | CE | 1.40 | G1 | | 2-7 | 1.00 | 1.40 | 3 |
| <i>Picea pungens</i> 'Montgomery' Montgomery Colorado Spruce | CE | 1.92 | G1 | | 2-7 | 1.00 | 1.97 | 3 |
| <i>Picea pungens</i> 'Mrs. Cessarini' Mrs. Cessarini Colorado Spruce | CE | 1.42 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Pendula' Weeping Colorado Spruce | CE | 2.01 | G1 | | 2-7 | 1.00 | 2.00 | 3 |
| <i>Picea pungens</i> 'Procumbens' Procumbens Colorado Spruce | CS | 1.94 | G1 | | 2-7 | | 2.61 | 3 |
| <i>Picea pungens</i> 'Prostrata' Prostrata Colorado Spruce | CS | 2.18 | G1 | | 2-7 | | 2.28 | 3 |
| <i>Picea pungens</i> 'Prostrate Blue Mist' Prostrate Blue Mist Colorado Spruce | CS | 0.92 | G1 | | 2-7 | | 1.94 | 3 |
| <i>Picea pungens</i> 'Shilo-Weeping' Shilo-Weeping Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 1.59 | 3 |
| <i>Picea pungens</i> 'Snowkiss' Snowkiss Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'St. Mary's Broom' St. Mary's Broom Colorado Spruce | CE | 1.77 | G1 | | 2-7 | 1.00 | 2.13 | 3 |
| <i>Picea pungens</i> 'Stanley's Gold' Stanley's Gold Colorado Spruce | CE | 1.48 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Taponus' Taponus Colorado Spruce | CE | 4.61 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'The Blues' The Blues Colorado Spruce | CE | 4.61 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea pungens</i> 'Thompsonii' Thompson Colorado Spruce | CE | 1.31 | G1 | | 2-7 | 1.00 | 1.46 | 3 |
| <i>Picea pungens</i> 'Thume' Thume Dwarf Colorado Spruce | CS | 0.92 | G1 | | 2-7 | | 2.48 | 3 |
| <i>Picea pungens</i> 'Viola' Viola Colorado Spruce | CE | 0.68 | G1 | | 2-7 | 1.00 | 0.98 | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Picea pungens</i> 'Viridis' Viridis Colorado Spruce | BE | 1.00 | G1 | | 2-7 | 1.00 | 1.00 | 3 |
| <i>Picea pungens</i> 'Walnut Glen' Walnut Glen Colorado Spruce | CE | 1.52 | G1 | | 2-7 | 1.00 | 0.98 | 3 |
| <i>Picea purpurea</i> Purple-Cone Spruce | CE | 1.48 | G1 | | 5-9A | 1.00 | 1.00 | 5 |
| <i>Picea rubens</i> Red Spruce | BE | 1.00 | G1 | | 3-8 | 1.00 | 1.00 | 3 |
| <i>Picea sitchensis</i> Sitka Spruce | CE | 0.96 | G1 | | 4-7 | 1.00 | 1.04 | 7 |
| <i>Picea sitchensis</i> 'Aurea' Aurea Sitka Spruce | CE | 1.84 | G1 | | 4-7 | 1.00 | 1.04 | 7 |
| <i>Picea sitchensis</i> 'Tenas' Tenas Sitka Spruce | CE | 1.10 | G1 | | 4-7 | 1.00 | 1.51 | 7 |
| <i>Picea smithiana</i> Himalayan Spruce | CE | 1.48 | G1 | | 4-7 | 1.00 | 1.00 | 7 |
| <i>Picea torana</i> Tiger Tail Spruce | CE | 1.00 | G1 | | 6-9A | 1.00 | 1.00 | 6 |
| <i>Pieris floribunda</i> Fetter Bush | BS | 1.00 | G1 | | 4-8 | | 1.00 | 5 |
| <i>Pieris japonica</i> Lily of the Valley Bush | BS | 1.14 | G1 | | 5-8 | | 0.99 | 6 |
| <i>Pieris japonica</i> 'Brouwer's Beauty' Brouwer's Beauty Lily of the Valley Bush | BS | 1.32 | G1 | | 5-8 | | 1.06 | 6 |
| <i>Pieris japonica</i> 'Captain Blood' Captain Blood Lily of the Valley Bush | BS | 1.15 | G1 | | 5-8 | | 0.81 | 6 |
| <i>Pieris japonica</i> 'Christmas Cheer' Christmas Cheer Lily of the Valley Bush | CE | 0.71 | G1 | | 5-8 | 1.00 | 1.00 | 6 |
| <i>Pieris japonica</i> 'Coleman' Coleman Lily of the Valley Bush | BS | 1.06 | G1 | | 5-8 | | 0.81 | 6 |
| <i>Pieris japonica</i> 'Compacta' Compact Lily of the Valley Bush | BS | 1.16 | G1 | | 5-8 | | 0.81 | 6 |
| <i>Pieris japonica</i> 'Dorothy Wycoff' Dorothy Wycoff Lily of the Valley Bush | BS | 1.20 | G1 | | 5-8 | | 1.06 | 6 |
| <i>Pieris japonica</i> 'Flamingo' Flamingo Lily of the Valley Bush | BS | 1.14 | G1 | | 5-8 | | 0.98 | 6 |
| <i>Pieris japonica</i> 'Forest Flame' Forest Flame Lily of the Valley Bush | BS | 1.13 | G1 | | 5-8 | | 0.99 | 6 |
| <i>Pieris japonica</i> 'Geisha' Geisha Japanese Pieris | BS | 0.86 | G1 | | 5-8 | | 0.81 | 6 |
| <i>Pieris japonica</i> 'Karenoma' Karenoma Lily of the Valley Bush | BS | 1.16 | G1 | | 5-8 | | 0.99 | 6 |
| <i>Pieris japonica</i> 'Mountain Fire' Mountain Fire Lily of the Valley Bush | BS | 1.16 | G1 | | 5-8 | | 1.00 | 6 |
| <i>Pieris japonica</i> 'Pink Flamingo' Pink Flamingo Lily of the Valley Bush | BS | 0.96 | G1 | | 5-8 | | 0.81 | 6 |
| <i>Pieris japonica</i> 'Purity' Purity Lily of the Valley Bush | BS | 1.29 | G1 | | 5-8 | | 0.81 | 6 |
| <i>Pieris japonica</i> 'Pygmaea' Dwarf Lily of the Valley Bush | BS | 1.10 | G1 | | 5-8 | | 0.81 | 6 |
| <i>Pieris japonica</i> 'Red Head' Red Head Lily of the Valley Bush | BS | 1.03 | G1 | | 5-8 | | 0.81 | 6 |
| <i>Pieris japonica</i> 'Red Mill' See - <i>Pieris japonica</i> 'Zeris' P.P. 4111 | BS | 1.23 | G1 | | 5-8 | | 1.02 | 6 |
| <i>Pieris japonica</i> 'Scarlet O'Hara' Scarlet O'Hara Lily of the Valley Bush | BS | 1.41 | G1 | | 5-8 | | 0.81 | 6 |
| <i>Pieris japonica</i> 'Snow Bells' Snow Bells Lily of the Valley Bush | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Pieris japonica</i> 'Snow Drift' Snow Drift Lily of the Valley Bush | BS | 1.13 | G1 | | 5-8 | | 0.81 | 6 |
| <i>Pieris japonica</i> 'Spring Snow' Spring Snow Lily of the Valley Bush | BS | 1.26 | G1 | | 5-8 | | 0.81 | 6 |
| <i>Pieris japonica</i> 'Temple Bells' Temple Bells Lily of the Valley Bush | BS | 0.97 | G1 | | 5-8 | | 1.06 | 6 |
| <i>Pieris japonica</i> 'Valley Fire' Valley Fire Lily of the Valley Bush | BS | 1.15 | G1 | | 5-8 | | 1.02 | 6 |
| <i>Pieris japonica</i> 'Valley Rose' Valley Rose Lily of the Valley Bush | BS | 1.16 | G1 | | 5-8 | | 0.99 | 6 |
| <i>Pieris japonica</i> 'Valley Valentine' Valley Valentine Lily of the Valley Bush | BS | 1.17 | G1 | | 5-8 | | 1.01 | 6 |
| <i>Pieris japonica</i> 'Variegata' Variegated Lily of the Valley Bush | BS | 1.24 | G1 | | 5-8 | | 0.87 | 6 |
| <i>Pieris japonica</i> 'White Cascade' White Cascade Lily of the Valley Bush | BS | 1.00 | G1 | | 5-8 | | 0.98 | 6 |
| <i>Pieris japonica</i> 'White Water' White Water Lily of the Valley Bush | BS | 1.41 | G1 | | 5-8 | | 0.81 | 6 |
| <i>Pieris japonica</i> 'Zeris' P.P. 4111 Red Mill Lily of the Valley Bush | BS | 1.34 | G1 | | 5-8 | | 0.98 | 6 |
| <i>Pieris japonica</i> var. <i>yakushimanum</i> Yakushimanum Lily of the Valley Bush | BS | 1.06 | G1 | | 5-8 | | 0.87 | 6 |
| <i>Pieris japonica</i> var. <i>yakushimanum</i> 'Cavatine' Cavatine Yakushimanum Lily of the Valley Bush | BS | 1.23 | G1 | | 5-8 | | 1.15 | 6 |
| <i>Pieris japonica</i> var. <i>yakushimanum</i> 'Nocturne' Nocturne Yakushimanum Lily of the Valley Bush | BS | 1.13 | G1 | | 5-8 | | 0.87 | 6 |
| <i>Pieris japonica</i> var. <i>yakushimanum</i> 'Prelude' Prelude Yakushimanum Lily of the Valley Bush | BS | 1.37 | G1 | | 5-8 | | 0.87 | 6 |
| <i>Pieris japonica</i> var. <i>yakushimanum</i> 'Sarabande' Sarabande Yakushimanum Lily of the Valley Bush | BS | 1.18 | G1 | | 5-8 | | 1.15 | 6 |
| <i>Pieris taiwanensis</i> See - <i>Pieris japonica</i> | | | | | | | | |
| <i>Pigafetta filaris</i> Wanga Palm | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Pilea cardierei</i> Aluminum Plant | FO | 0.28 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Pilea microphylla</i> Artillery Plant | FO | 0.24 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Pilea nummulariifolia</i> Creeping Charlie | FO | 0.37 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Pilea repens</i> Black-leaf Panamica | FO | 0.32 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Pilea serpyllacea</i> No Common Name Found | FO | 0.28 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Pilosella aurantiaca</i> Orange Hawkweed | HP | 1.00 | G1 | | 5-9A | | | 5 |
| <i>Pimelea humilis</i> No Common Name Found | BS | 1.00 | G1 | 9 | 10A-11 | | | 1.00 |
| <i>Pimelea prostrata</i> No Common Name Found | BS | 0.84 | G2 | | 9A-10B | | | 1.00 |
| <i>Pimenta dioica</i> Allspice | BE | 1.27 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10B |
| <i>Pimpinella anisum</i> Anise | AN | 0.83 | G1 | 5-8 | 9-10A | | | 9 |
| <i>Pinanga coronata</i> Ivory Cane Palm | FO | 1.41 | G3 | 10A | 10B-11 | | | 10 |
| <i>Pinanga dicksonii</i> No Common Name Found | FO | 1.72 | G3 | 10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pinanga kuhlia</i> | | | | | | | | |
| See - <i>Pinanga coronata</i> | | | | | | | | |
| <i>Pinellia ternata</i> | HP | 1.00 | G4 | 6 | 7-9A | | | 6 |
| No Common Name Found | | | | | | | | |
| <i>Pinus albicaulis</i> | CE | 1.00 | G1 | | 2-7 | 1.00 | 1.37 | 2 |
| White Bark Pine | | | | | | | | |
| <i>Pinus aristata</i> | CE | 1.11 | G1 | | 4-7 | 1.00 | 1.28 | 3 |
| Bristlecone Pine | | | | | | | | |
| <i>Pinus aristata</i> 'Bashful' | CE | 4.61 | G1 | | 4-7 | 1.00 | 1.28 | 3 |
| Bashful Bristlecone Pine | | | | | | | | |
| <i>Pinus aristata</i> 'Cecilia' | CE | 1.11 | G1 | | 4-7 | 1.00 | 1.28 | 3 |
| Cecilia Bristlecone Pine | | | | | | | | |
| <i>Pinus aristata</i> 'Doc' | CE | 4.61 | G1 | | 4-7 | 1.00 | 1.28 | 3 |
| Doc Bristlecone Pine | | | | | | | | |
| <i>Pinus aristata</i> 'Dopey' | CE | 4.61 | G1 | | 4-7 | 1.00 | 1.28 | 3 |
| Dopey Bristlecone Pine | | | | | | | | |
| <i>Pinus aristata</i> 'Grumpy' | CE | 4.61 | G1 | | 4-7 | 1.00 | 1.28 | 3 |
| Grumpy Bristlecone Pine | | | | | | | | |
| <i>Pinus aristata</i> 'Happy' | CE | 4.61 | G1 | | 4-7 | 1.00 | 1.28 | 3 |
| Happy Bristlecone Pine | | | | | | | | |
| <i>Pinus aristata</i> 'Sherwood Compact' | CS | 2.73 | G1 | | 4-7 | | 1.00 | 3 |
| Sherwood Compact Bristlecone Pine | | | | | | | | |
| <i>Pinus aristata</i> 'Sleepy' | CE | 4.61 | G1 | | 4-7 | 1.00 | 1.28 | 3 |
| Sleepy Bristlecone Pine | | | | | | | | |
| <i>Pinus aristata</i> 'Sneezy' | CE | 4.61 | G1 | | 4-7 | 1.00 | 1.28 | 3 |
| Sneezy Bristlecone Pine | | | | | | | | |
| <i>Pinus attenuata</i> | CE | 1.00 | G1 | | 7-9A | 1.00 | 1.00 | 7 |
| Knobcone Pine | | | | | | | | |
| <i>Pinus ayacahuite</i> | CE | 1.00 | G1 | | 7-9A | 1.00 | 1.04 | 7 |
| Mexican White Pine | | | | | | | | |
| <i>Pinus banksiana</i> | CE | 0.60 | G1 | | 7-9B | 1.00 | 1.41 | 2 |
| Jack Pine | | | | | | | | |
| <i>Pinus banksiana</i> 'Broom' | CE | 0.60 | G1 | | 7-9B | 1.00 | 1.41 | 2 |
| Broom Jack Pine | | | | | | | | |
| <i>Pinus banksiana</i> 'Manomet' | CE | 0.60 | G1 | | 7-9B | 1.00 | 1.41 | 2 |
| Manomet Jack Pine | | | | | | | | |
| <i>Pinus banksiana</i> 'Schoodic' | CE | 1.31 | G1 | | 7-9B | 1.00 | 1.41 | 2 |
| Schoodic Jack Pine | | | | | | | | |
| <i>Pinus banksiana</i> 'Uncle Foggy' | CE | 1.44 | G1 | | 7-9B | 1.00 | 1.41 | 2 |
| Uncle Foggy Jack Pine | | | | | | | | |
| <i>Pinus brutia</i> | CE | 1.00 | G1 | | 7-9B | 1.00 | 1.00 | 7 |
| Turkish Pine | | | | | | | | |
| <i>Pinus brutia</i> ssp. <i>eldarica</i> | CE | 0.69 | G1 | | 7-9B | 1.00 | 0.63 | 7 |
| Eldar Pine | | | | | | | | |
| <i>Pinus brutia</i> ssp. <i>eldarica</i> '(Unnamed Cultivar 01)' | CE | 1.12 | G1 | | 7-9B | 1.00 | 0.63 | 7 |
| Christmas Blue™ Eldar Pine | | | | | | | | |
| <i>Pinus brutia</i> ssp. <i>eldarica</i> 'Christmas Blue' | | | | | | | | |
| See - <i>Pinus brutia</i> ssp. <i>eldarica</i> '(Unnamed Cultivar 01)' | CE | 1.49 | G1 | | 4-8 | 1.00 | 1.70 | 5 |
| <i>Pinus bungeana</i> | | | | | | | | |
| Lacebark Pine | | | | | | | | |
| <i>Pinus canariensis</i> | CE | 0.65 | G1 | | 9-10A | 1.00 | 1.00 | 9 |
| Canary Island Pine | | | | | | | | |
| <i>Pinus cembra</i> | CE | 1.17 | G1 | | 4-7 | 1.00 | 1.72 | 1 |
| Swiss Pine | | | | | | | | |
| <i>Pinus cembra</i> 'Blue Mound' | CS | 1.77 | G1 | | 4-7 | | 1.00 | 1 |
| Blue Mound Swiss Pine | | | | | | | | |
| <i>Pinus cembra</i> 'Glauca Compacta' | CS | 2.20 | G1 | | 4-7 | | 1.00 | 1 |
| Compact Blue Swiss Pine | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Pinus cembra</i> 'Glauca' Blue Swiss Pine | CE | 1.57 | G1 | | 4-7 | 1.00 | 1.75 | 1 |
| <i>Pinus cembra</i> 'Pygmaea' Pygmy Swiss Pine | CS | 1.77 | G1 | | 4-7 | | 1.00 | 1 |
| <i>Pinus cembra</i> ssp. <i>sibirica</i> Siberian Pine | CE | 1.00 | G1 | | 4-7 | 1.00 | 1.00 | 1 |
| <i>Pinus cembroides</i> Mexican Nut Pine | CE | 1.00 | G2 | | 8-9A | 1.00 | 1.14 | 8 |
| <i>Pinus cembroides</i> var. <i>edulis</i> See - <i>Pinus edulis</i> | CE | 0.42 | G1 | | 9A-10B | 1.00 | 1.00 | 9 |
| <i>Pinus clausa</i> Sand Pine | CE | 0.69 | G1 | | 7-9A | 1.00 | 1.06 | 5 |
| <i>Pinus contorta</i> Lodgepole Pine | CE | 1.97 | G1 | | 7-9A | | 2.18 | 5 |
| <i>Pinus contorta</i> 'Spaan's Dwarf' Spaan's Dwarf Shore Pine | CE | 0.76 | G1 | | 7-9A | 1.00 | 0.82 | 5 |
| <i>Pinus contorta</i> var. <i>contorta</i> Shore Pine | CE | 0.78 | G1 | | 7-9A | 1.00 | 0.92 | 3 |
| <i>Pinus contorta</i> var. <i>latifolia</i> Lodgepole Pine | CE | 4.61 | G1 | | 7-9A | 1.00 | 0.92 | 3 |
| <i>Pinus contorta</i> var. <i>latifolia</i> 'Chief Joseph' Chief Joseph Lodgepole Pine | CE | 1.00 | G1 | | 7-8 | 1.00 | 1.00 | 7 |
| <i>Pinus contorta</i> var. <i>murrayana</i> Sierra Lodgepole Pine | CE | 1.00 | G2 | | 8-9A | 1.00 | 1.00 | 8 |
| <i>Pinus coulteri</i> Big Cone Pine | CE | 0.69 | G1 | | 3-7 | 1.00 | 1.15 | 3 |
| <i>Pinus densiflora</i> Japanese Red Pine | CE | 0.69 | G1 | | 3-7 | 1.00 | 1.36 | 3 |
| <i>Pinus densiflora</i> 'Alice Verkade' Alice Verkade Japanese Red Pine | CE | 1.35 | G1 | | 3-7 | 1.00 | 1.05 | 3 |
| <i>Pinus densiflora</i> 'Aurea' Golden Japanese Red Pine | CE | 1.58 | G1 | | 3-7 | 1.00 | 1.38 | 3 |
| <i>Pinus densiflora</i> 'Globosa' Globe Japanese Red Pine | CE | 1.58 | G1 | | 3-7 | 1.00 | 1.39 | 3 |
| <i>Pinus densiflora</i> 'Jane Kluis' Jane Kluis Japanese Red Pine | CE | 1.00 | G1 | | 3-7 | 1.00 | 1.00 | 3 |
| <i>Pinus densiflora</i> 'Little Christopher' Little Christopher Japanese Red Pine | CS | 1.41 | G1 | | 3-7 | 1.00 | 1.40 | 3 |
| <i>Pinus densiflora</i> 'Oculus-draconis' Dragon Eye Japanese Red Pine | CE | 1.31 | G1 | | 3-7 | 1.00 | 1.27 | 3 |
| <i>Pinus densiflora</i> 'Pendula' Weeping Japanese Red Pine | CE | 0.69 | G1 | | 3-7 | 1.00 | 1.05 | 3 |
| <i>Pinus densiflora</i> 'Soft Green' Soft Green Japanese Red Pine | CE | 1.28 | G1 | | 3-7 | 1.00 | 1.45 | 3 |
| <i>Pinus densiflora</i> 'Tanyosho' See - <i>Pinus densiflora</i> 'Umbraculifera' | CE | 1.61 | G1 | | 3-7 | 1.00 | 1.52 | 3 |
| <i>Pinus densiflora</i> 'Umbraculifera Compacta' Tanyosho Compact Japanese Red Pine | CE | 0.69 | G1 | | 3-7 | 1.00 | 1.05 | 3 |
| <i>Pinus densiflora</i> 'Witch's Broom #7' Witch's Broom #7 Japanese Red Pine | CE | 1.00 | G1 | | 6-9A | 1.00 | 1.00 | 6 |
| <i>Pinus edulis</i> Pinyon Pine | CE | 0.67 | G1 | | 5-8 | 1.00 | 0.95 | 5 |
| <i>Pinus eldarica</i> See - <i>Pinus brutia</i> ssp. <i>eldarica</i> | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Pinus elliottii</i> Slash Pine | CE | 0.59 | G1 | | 8-11 | 0.86 | 0.75 | 8 |
| <i>Pinus elliottii</i> var. <i>densa</i> See - <i>Pinus elliottii</i> | | | | | | | | |
| <i>Pinus flexilis</i> Limber Pine | CE | 0.83 | G1 | | 3-8 | 1.00 | 1.35 | 3 |
| <i>Pinus flexilis</i> 'Cesserini Blue' Cesserini Blue Limber Pine | CE | 0.83 | G1 | | 3-8 | 1.00 | 0.73 | 3 |
| <i>Pinus flexilis</i> 'Compacta' Compact Limber Pine | CE | 1.48 | G1 | | 3-8 | 1.00 | 0.73 | 3 |
| <i>Pinus flexilis</i> 'Extra Blue' Extra Blue Limber Pine | CE | 0.83 | G1 | | 3-8 | 1.00 | 0.73 | 3 |
| <i>Pinus flexilis</i> 'Glauca Pendula' Blue Pendula Limber Pine | CE | 0.83 | G1 | | 3-8 | 1.00 | 0.73 | 3 |
| <i>Pinus flexilis</i> 'Glauca Reflexa' Blue Reflexa Limber Pine | CE | 1.48 | G1 | | 3-8 | 1.00 | 0.73 | 3 |
| <i>Pinus flexilis</i> 'Glauca' Blue Limber Pine | CE | 1.44 | G1 | | 3-8 | 1.00 | 1.31 | 3 |
| <i>Pinus flexilis</i> 'J. Michael' J. Michael Limber Pine | CE | 4.61 | G1 | | 3-8 | 1.00 | 0.73 | 3 |
| <i>Pinus flexilis</i> 'Mill Creek' Mill Creek Limber Pine | CE | 0.83 | G1 | | 3-8 | 1.00 | 0.73 | 3 |
| <i>Pinus flexilis</i> 'Nana' Dwarf Limber Pine | CE | 0.83 | G1 | | 3-8 | 1.00 | 0.73 | 3 |
| <i>Pinus flexilis</i> 'Pearl' Pearl Limber Pine | CE | 4.61 | G1 | | 3-8 | 1.00 | 0.73 | 3 |
| <i>Pinus flexilis</i> 'Pendula' Weeping Limber Pine | CE | 1.37 | G1 | | 3-8 | 1.00 | 1.23 | 3 |
| <i>Pinus flexilis</i> 'Ririe' Ririe Limber Pine | CE | 4.61 | G1 | | 3-8 | 1.00 | 0.73 | 3 |
| <i>Pinus flexilis</i> 'Riverbend' Riverbend Limber Pine | CE | 0.83 | G1 | | 3-8 | 1.00 | 0.73 | 3 |
| <i>Pinus flexilis</i> 'Shadow's Blue' Shadow's Blue Limber Pine | CE | 0.83 | G1 | | 3-8 | 1.00 | 0.73 | 3 |
| <i>Pinus flexilis</i> 'Silver' Silver Limber Pine | CE | 0.83 | G1 | | 3-8 | 1.00 | 0.73 | 3 |
| <i>Pinus flexilis</i> 'Vanderwolf's Pyramid' Vanderwolf's Pyramid Limber Pine | CE | 1.56 | G1 | | 3-8 | 1.00 | 1.46 | 3 |
| <i>Pinus gerardiana</i> Chilgoza Pine | CE | 1.20 | G1 | | 7-9A | 1.00 | 1.00 | 7 |
| <i>Pinus glabra</i> Spruce Pine | CE | 0.64 | G1 | | 8-10A | 1.00 | 1.00 | 8 |
| <i>Pinus griffithii</i> See - <i>Pinus wallichiana</i> | | | | | | | | |
| <i>Pinus x hakkodensis</i> Hakkodensis Pine | CE | 1.00 | G1 | | 4-8 | 1.00 | 1.00 | 4 |
| <i>Pinus halepensis</i> Aleppo Pine | CE | 0.67 | G1 | | 8-10A | 1.00 | 1.00 | 8 |
| <i>Pinus heldreichii</i> Bosnian Pine | CE | 1.00 | G1 | | 5-9A | 1.00 | 0.76 | 5 |
| <i>Pinus heldreichii</i> var. <i>leucodermis</i> No Common Name Found | CE | 0.78 | G1 | | 5-9A | 1.00 | 0.96 | 5 |
| <i>Pinus jeffreyi</i> Jeffrey's Pine | CE | 0.61 | G1 | | 6-8 | 1.00 | 0.81 | 8 |
| <i>Pinus kochiana</i> See - <i>Pinus sylvestris</i> var. <i>hamata</i> | | | | | | | | |
| <i>Pinus koraiensis</i> Korean Pine | CE | 1.24 | G1 | | 3-8 | 1.00 | 1.59 | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Pinus koraiensis</i> 'Glauca' Blue Korean Pine | CE | 1.24 | G1 | | 3-8 | 1.00 | 1.59 | 3 |
| <i>Pinus koraiensis</i> 'Nana' Dwarf Korean Pine | CS | 1.77 | G1 | | 3-8 | | 1.00 | 3 |
| <i>Pinus koraiensis</i> 'Silveray' Silveray Korean Pine | CE | 2.53 | G1 | | 3-8 | 1.00 | 1.59 | 3 |
| <i>Pinus koraiensis</i> 'Sunray' Sunray Korean Pine | CE | 1.24 | G1 | | 3-8 | 1.00 | 1.59 | 3 |
| <i>Pinus koraiensis</i> 'Winton' Winton Korean Pine | CE | 1.24 | G1 | | 3-8 | 1.00 | 1.59 | 3 |
| <i>Pinus kwangtungensis</i> Kwangtung Pine | CE | 1.18 | G1 | | 7-8 | 1.00 | 0.93 | 5 |
| <i>Pinus lambertiana</i> Sugar Pine | CE | 1.00 | G1 | | 7-8 | 1.00 | 1.00 | 7 |
| <i>Pinus monophylla</i> Single-leaf Pinyon Pine | CE | 1.84 | G1 | | 6-8 | 1.00 | 1.00 | 6 |
| <i>Pinus monophylla</i> 'Barb's Best' Barb's Best Single-leaf Pinyon Pine | CE | 4.61 | G1 | | 6-8 | 1.00 | 1.00 | 6 |
| <i>Pinus monophylla</i> 'Elegance' Elegance Single-leaf Pinyon Pine | CE | 1.84 | G1 | | 6-8 | 1.00 | 1.00 | 6 |
| <i>Pinus monophylla</i> 'Kyle's Blue' Kyle's Blue Single-leaf Pinyon Pine | CE | 4.61 | G1 | | 6-8 | 1.00 | 1.00 | 6 |
| <i>Pinus monophylla</i> 'Larry's Blue' Larry's Blue Single-leaf Pinyon Pine | CE | 4.61 | G1 | | 6-8 | 1.00 | 1.00 | 6 |
| <i>Pinus monophylla</i> 'Stanley's Pyramid' Stanley's Pyramid Single-leaf Pinyon Pine | CE | 1.84 | G1 | | 6-8 | 1.00 | 1.00 | 6 |
| <i>Pinus monticola</i> Western White Pine | CE | 0.71 | G1 | | 4-8 | 1.00 | 1.14 | 4 |
| <i>Pinus mugo</i> Mountain Pine | CS | 1.12 | G1 | | 2-7 | | 1.03 | 3 |
| <i>Pinus mugo</i> 'Aurea' Golden Mugo Pine | CS | 1.76 | G1 | | 2-7 | | 1.70 | 3 |
| <i>Pinus mugo</i> 'Big Tuna' Big Tuna Mugo Pine | CS | 2.54 | G1 | | 2-7 | | 0.78 | 3 |
| <i>Pinus mugo</i> 'Columnare' Columnar Mugo Pine | CS | 1.12 | G1 | | 2-7 | | 0.78 | 3 |
| <i>Pinus mugo</i> 'Compacta' Compact Mugo Pine | CS | 1.12 | G1 | | 2-7 | | 0.78 | 3 |
| <i>Pinus mugo</i> 'Enci' Enci Mugo Pine | CS | 1.34 | G1 | | 2-7 | | 0.78 | 3 |
| <i>Pinus mugo</i> 'Flat Top' Flat Top Mugo Pine | CS | 1.12 | G1 | | 2-7 | | 0.78 | 3 |
| <i>Pinus mugo</i> 'Gnom' Gnom Mugo Pine | CS | 1.12 | G1 | | 2-7 | | 1.32 | 3 |
| <i>Pinus mugo</i> 'Gold Spire' Gold Spire Mugo Pine | CS | 1.12 | G1 | | 2-7 | | 0.78 | 3 |
| <i>Pinus mugo</i> 'Mitsch's Mini' Mitsch's Mini Mugo Pine | CS | 1.77 | G1 | | 2-7 | | 0.78 | 3 |
| <i>Pinus mugo</i> 'Montana' Montana Mugo Pine | CS | 1.12 | G1 | | 2-7 | | 0.78 | 3 |
| <i>Pinus mugo</i> 'Mops' Mops Mugo Pine | CS | 1.75 | G1 | | 2-7 | | 1.81 | 3 |
| <i>Pinus mugo</i> 'Oregon Jade' Oregon Jade Mugo Pine | CS | 1.12 | G1 | | 2-7 | | 0.78 | 3 |
| <i>Pinus mugo</i> 'Paul's Dwarf' Paul's Dwarf Mugo Pine | CS | 1.12 | G1 | | 2-7 | | 0.78 | 3 |
| <i>Pinus mugo</i> 'Prostrata' Prostrate Mugo Pine | CS | 1.12 | G1 | | 2-7 | | 1.57 | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Pinus mugo</i> 'Sherwood Compacta' Sherwood Compact Mugo Pine | CS | 1.12 | G1 | | 2-7 | | | 0.78 3 |
| <i>Pinus mugo</i> 'White Bud' White Bud Mugo Pine | CS | 1.12 | G1 | | 2-7 | | | 1.46 3 |
| <i>Pinus mugo</i> var. <i>mughus</i> Mugo Pine | CS | 1.13 | G1 | | 2-7 | | | 0.97 3 |
| <i>Pinus mugo</i> var. <i>pumilio</i> Dwarf Mugo Pine | CS | 1.15 | G1 | | 2-7 | | | 0.93 3 |
| <i>Pinus mugo</i> var. <i>pumilio</i> 'Valley Cushion' Valley Cushion Dwarf Mugo Pine | CS | 1.97 | G1 | | 2-7 | | | 1.94 3 |
| <i>Pinus mugo</i> var. <i>tyroleana</i> Dwarf Tyrolean Mugo Pine | CS | 1.07 | G1 | | 2-7 | | | 0.74 3 |
| <i>Pinus muricata</i> Bishop Pine | CE | 1.00 | G2 | | 8-9A | 1.00 | 1.00 | 8 |
| <i>Pinus nigra</i> Austrian Pine | CE | 0.71 | G1 | | 4-7 | 1.00 | 1.14 | 3 |
| <i>Pinus nigra</i> 'Arnolds Sentinel' Arnolds Sentinel Columnar Austrian Pine | CE | 2.29 | G1 | | 4-7 | 1.00 | 1.03 | 3 |
| <i>Pinus nigra</i> 'Candlewood' Candlewood Austrian Pine | CE | 1.57 | G1 | | 4-7 | 1.00 | 1.03 | 3 |
| <i>Pinus nigra</i> 'Columnaris' Columnar Austrian Pine | CE | 0.71 | G1 | | 4-7 | 1.00 | 1.03 | 3 |
| <i>Pinus nigra</i> 'Compacta' Compact Austrian Pine | CS | 0.90 | G1 | | 4-7 | | | 1.09 3 |
| <i>Pinus nigra</i> 'Globosa' Globe Austrian Pine | CE | 0.71 | G1 | | 4-7 | 1.00 | 1.03 | 3 |
| <i>Pinus nigra</i> 'Helena' Helena Austrian Pine | CE | 0.71 | G1 | | 4-7 | 1.00 | 1.03 | 3 |
| <i>Pinus nigra</i> 'Hornbrookiana' Hornbrookiana Dwarf Austrian Pine | CE | 1.54 | G1 | | 4-7 | 1.00 | 1.44 | 3 |
| <i>Pinus nigra</i> 'Jeddeloh' Jeddeloh Austrian Pine | CE | 0.71 | G1 | | 4-7 | 1.00 | 1.03 | 3 |
| <i>Pinus nigra</i> 'Monstrosa' Monstrosa Austrian Pine | CE | 0.71 | G1 | | 4-7 | 1.00 | 1.03 | 3 |
| <i>Pinus nigra</i> 'Nana' Dwarf Austrian Pine | CS | 0.90 | G1 | | 4-7 | | | 1.09 3 |
| <i>Pinus nigra</i> 'Nishiki' See - <i>Pinus nigra</i> 'Candlewood' | | | | | | | | |
| <i>Pinus nigra</i> 'Pygmaea' See - <i>Pinus sylvestris</i> 'Moseri' | | | | | | | | |
| <i>Pinus nigra</i> 'Pyramidalis' Pyramidal Austrian Pine | CE | 1.56 | G1 | | 4-7 | 1.00 | 1.03 | 3 |
| <i>Pinus nigra</i> 'Variegata' Variegated Austrian Pine | CE | 0.71 | G1 | | 4-7 | 1.00 | 1.03 | 3 |
| <i>Pinus nigra</i> ssp. <i>nigra</i> No Common Name Found | CE | 0.89 | G1 | | 4-7 | 1.00 | 1.00 | 3 |
| <i>Pinus nigra</i> ssp. <i>salzmannii</i> Salzmann Austrian Pine | CE | 1.00 | G1 | | 4-7 | 1.00 | 1.00 | 3 |
| <i>Pinus oocarpa</i> Ocarpa Pine | CE | 1.00 | G1 | | 9-10B | 1.00 | 1.00 | 9 |
| <i>Pinus palustris</i> Longleaf Pine | CE | 0.71 | G1 | | 9A-10B | 1.28 | 1.00 | 8 |
| <i>Pinus parviflora</i> Japanese White Pine | CE | 1.44 | G1 | | 4-7 | 1.00 | 1.39 | 5 |
| <i>Pinus parviflora</i> 'Adcock's Dwarf' Adcock's Dwarf Japanese White Pine | CS | 1.87 | G1 | | 4-7 | | | 1.82 5 |
| <i>Pinus parviflora</i> 'Aizu' Aizu Japanese White Pine | CE | 1.44 | G1 | | 4-7 | 1.00 | 1.02 | 5 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Pinus parviflora</i> 'Bergman' Bergman Japanese White Pine | CE | 2.29 | G1 | | 4-7 | 1.00 | 1.02 | 5 |
| <i>Pinus parviflora</i> 'Brevifolia' Brevifolia Japanese White Pine | CE | 1.44 | G1 | | 4-7 | 1.00 | 1.27 | 5 |
| <i>Pinus parviflora</i> 'Compacta Nana' Compacta Nana Japanese White Pine | CS | 1.92 | G1 | | 4-7 | | 1.82 | 5 |
| <i>Pinus parviflora</i> 'Fukusumi' Fukusumi Japanese White Pine | CE | 1.56 | G1 | | 4-7 | 1.00 | 1.90 | 5 |
| <i>Pinus parviflora</i> 'Gimborn's Ideal' Gimborn's Ideal Japanese White Pine | CE | 1.48 | G1 | | 4-7 | 1.00 | 1.38 | 5 |
| <i>Pinus parviflora</i> 'Gimborn's Pyramid' Gimborn's Pyramid Japanese White Pine | CE | 1.44 | G1 | | 4-7 | 1.00 | 1.02 | 5 |
| <i>Pinus parviflora</i> 'Glauca Nana' Blue Nana Japanese White Pine | CS | 2.29 | G1 | | 4-7 | | 1.90 | 5 |
| <i>Pinus parviflora</i> 'Glauca' Blue Japanese White Pine | CE | 1.51 | G1 | | 4-7 | 1.00 | 1.25 | 5 |
| <i>Pinus parviflora</i> 'Hagoromo' Hagoromo Japanese White Pine | CE | 2.77 | G1 | | 4-7 | 1.00 | 1.02 | 5 |
| <i>Pinus parviflora</i> 'Ibo-can' Ibo-can Japanese White Pine | CE | 1.59 | G1 | | 4-7 | 1.00 | 1.02 | 5 |
| <i>Pinus parviflora</i> 'Ogon Janome' Ogon Janome Japanese White Pine | CE | 1.84 | G1 | | 4-7 | 1.00 | 1.02 | 5 |
| <i>Pinus parviflora</i> 'Tani Mano Uki' Tani Mano Uki Japanese White Pine | CE | 4.61 | G1 | | 4-7 | 1.00 | 1.02 | 5 |
| <i>Pinus parviflora</i> 'Templehof' Templehof Japanese White Pine | CE | 1.61 | G1 | | 4-7 | 1.00 | 1.02 | 5 |
| <i>Pinus parviflora</i> 'Yatsubusa' Yatsubusa Japanese White Pine | CE | 1.48 | G1 | | 4-7 | 1.00 | 1.02 | 5 |
| <i>Pinus parviflora</i> var. <i>pentaphylla</i> No Common Name Found | CE | 1.84 | G1 | | 4-7 | 1.00 | 1.00 | 5 |
| <i>Pinus parviflora</i> var. <i>pentaphylla</i> 'Azuma' Azuma Japanese White Pine | CE | 1.84 | G1 | | 4-7 | 1.00 | 1.00 | 5 |
| <i>Pinus parviflora</i> var. <i>pentaphylla</i> 'Kanrico' Kanrico Japanese White Pine | CE | 1.84 | G1 | | 4-7 | 1.00 | 1.00 | 5 |
| <i>Pinus parviflora</i> var. <i>pentaphylla</i> 'Nasu' Nasu Japanese White Pine | CE | 2.29 | G1 | | 4-7 | 1.00 | 1.00 | 5 |
| <i>Pinus pentaphylla</i> See - <i>Pinus parviflora</i> | | | | | | | | |
| <i>Pinus peuce</i> Balkan Pine | CE | 1.00 | G1 | | 5-9A | 1.00 | 1.41 | 5 |
| <i>Pinus pinea</i> Italian Stone Pine | CE | 0.69 | G1 | | 8-10B | 1.00 | 1.00 | 8 |
| <i>Pinus ponderosa</i> Ponderosa Pine | CE | 0.63 | G1 | | 3-7 | 1.00 | 1.08 | 3 |
| <i>Pinus ponderosa</i> 'Dixie' Dixie Ponderosa Pine | CE | 4.61 | G1 | | 3-7 | 1.00 | 1.08 | 3 |
| <i>Pinus ponderosa</i> 'Hi Desert' Hi Desert Ponderosa Pine | CE | 4.61 | G1 | | 3-7 | 1.00 | 1.08 | 3 |
| <i>Pinus pumila</i> Japanese Stone Pine | CS | 2.73 | G1 | | 2-7 | | 2.78 | 1 |
| <i>Pinus pumila</i> 'Glauca' Blue Dwarf Stone Pine | CS | 2.51 | G1 | | 2-7 | | 2.78 | 1 |
| <i>Pinus pumila</i> 'Globe' Globe Dwarf Stone Pine | CS | 2.51 | G1 | | 2-7 | | 2.78 | 1 |
| <i>Pinus pumila</i> 'Nana' Dwarf Stone Pine | CS | 2.51 | G1 | | 2-7 | | 2.78 | 1 |
| <i>Pinus pumila</i> 'Yes-Alpina' Yes-Alpina Japanese Stone Pine | CS | 2.51 | G1 | | 2-7 | | 2.78 | 1 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Pinus radiata</i> Monterey Pine | CE | 0.71 | G2 | | 8-9A | 1.00 | 1.00 | 8 |
| <i>Pinus resinosa</i> Red Pine | CE | 0.82 | G1 | | 2-6 | 1.00 | 0.97 | 2 |
| <i>Pinus resinosa</i> 'Don Smith' Don Smith Red Pine | CE | 0.82 | G1 | | 2-6 | 1.00 | 0.97 | 2 |
| <i>Pinus resinosa</i> 'Morel' Morel Red Pine | CE | 0.82 | G1 | | 2-6 | 1.00 | 0.97 | 2 |
| <i>Pinus rigida</i> Pitch Pine | CE | 0.95 | G1 | | 4-8 | 1.00 | 1.17 | 4 |
| <i>Pinus roxburghii</i> Chir Pine | CE | 0.55 | G1 | | 9A-10B | 1.00 | 1.00 | 9 |
| <i>Pinus sabiniana</i> Digger Pine | CE | 1.00 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| <i>Pinus serotina</i> Pond Pine | CE | 1.00 | G1 | | 8-10B | 1.00 | 1.00 | 8 |
| <i>Pinus strobus</i> Mexican Border Pine | CE | 0.89 | G2 | | 8-10A | 1.00 | 1.04 | 8 |
| <i>Pinus strobus</i> 'Loma Linda' Loma Linda Southwestern White Pine | CE | 4.61 | G2 | | 8-10A | 1.00 | 1.04 | 8 |
| <i>Pinus strobus</i> White Pine | CE | 0.65 | G1 | | 3-8 | 0.73 | 0.83 | 3 |
| <i>Pinus strobus</i> 'Alba' Alba White Pine | CE | 0.65 | G1 | | 3-8 | 0.73 | 0.93 | 3 |
| <i>Pinus strobus</i> 'Anna Fiele' Anna Fiele White Pine | CE | 0.65 | G1 | | 3-8 | 0.73 | 0.62 | 3 |
| <i>Pinus strobus</i> 'Bennett Clumpleaf' Bennett Clumpleaf White Pine | CE | 0.65 | G1 | | 3-8 | 0.73 | 0.62 | 3 |
| <i>Pinus strobus</i> 'Billow' Billow White Pine | CE | 0.65 | G1 | | 3-8 | 0.73 | 0.62 | 3 |
| <i>Pinus strobus</i> 'Blue Mountain' Blue Mountain White Pine | CE | 0.65 | G1 | | 3-8 | 0.73 | 0.72 | 3 |
| <i>Pinus strobus</i> 'Blue Shag' Blue Shag White Pine | CE | 1.47 | G1 | | 3-8 | 0.73 | 1.31 | 3 |
| <i>Pinus strobus</i> 'Brevifolia' Brevifolia White Pine | CE | 1.72 | G1 | | 3-8 | 0.73 | 0.62 | 3 |
| <i>Pinus strobus</i> 'Colson's Nest' Colson's Nest White Pine | CE | 0.65 | G1 | | 3-8 | 0.73 | 0.62 | 3 |
| <i>Pinus strobus</i> 'Contorta' Contorted White Pine | CE | 1.57 | G1 | | 3-8 | 0.73 | 0.62 | 3 |
| <i>Pinus strobus</i> 'Densa' Dense White Pine | CE | 0.65 | G1 | | 3-8 | 1.16 | 0.74 | 3 |
| <i>Pinus strobus</i> 'Domingo' Domingo White Pine | CE | 0.65 | G1 | | 3-8 | 0.73 | 1.54 | 3 |
| <i>Pinus strobus</i> 'Fastigiata' Columnar White Pine | CE | 1.43 | G1 | | 3-8 | 0.73 | 1.09 | 3 |
| <i>Pinus strobus</i> 'Glauca Nana' Dwarf Blue White Pine | CS | 1.91 | G1 | | 3-8 | | 1.95 | 3 |
| <i>Pinus strobus</i> 'Greg's Witch's Broom' Greg's Witch's Broom White Pine | CE | 0.65 | G1 | | 3-8 | 0.73 | 0.62 | 3 |
| <i>Pinus strobus</i> 'Hillside Winter Gold' Hillside Winter Gold White Pine | CE | 0.65 | G1 | | 3-8 | 0.73 | 1.05 | 3 |
| <i>Pinus strobus</i> 'Horsford Dwarf' Horsford Dwarf White Pine | CS | 1.94 | G1 | | 3-8 | | 1.70 | 3 |
| <i>Pinus strobus</i> 'Macopin' Macopin White Pine | CE | 1.79 | G1 | | 3-8 | 0.73 | 2.45 | 3 |
| <i>Pinus strobus</i> 'Merrimack' Merrimack White Pine | CE | 1.20 | G1 | | 3-8 | 0.73 | 1.25 | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Pinus strobus</i> 'Minuta' Minuta White Pine | CE | 1.48 | G1 | | 3-8 | 0.73 | 0.62 | 3 |
| <i>Pinus strobus</i> 'Nana' Dwarf White Pine | CS | 1.58 | G1 | | 3-8 | | 1.83 | 3 |
| <i>Pinus strobus</i> 'Oliver Dwarf' Oliver Dwarf White Pine | CS | 0.60 | G1 | | 3-8 | | 1.70 | 3 |
| <i>Pinus strobus</i> 'Ontario' Ontario White Pine | CE | 0.65 | G1 | | 3-8 | 0.73 | 0.62 | 3 |
| <i>Pinus strobus</i> 'Pendula' Weeping White Pine | CE | 1.41 | G1 | | 3-8 | 1.96 | 1.23 | 3 |
| <i>Pinus strobus</i> 'Pumila' Pumila White Pine | CE | 0.65 | G1 | | 3-8 | 0.73 | 0.62 | 3 |
| <i>Pinus strobus</i> 'Pygmaea' Pygmy White Pine | CS | 0.60 | G1 | | 3-8 | | 1.70 | 3 |
| <i>Pinus strobus</i> 'Sea Urchin' Sea Urchin White Pine | CE | 1.52 | G1 | | 3-8 | 0.73 | 1.58 | 3 |
| <i>Pinus strobus</i> 'Torulosa' Twisted White Pine | CE | 1.26 | G1 | | 3-8 | 0.73 | 0.94 | 3 |
| <i>Pinus strobus</i> 'Umbraculifera' Umbrella White Pine | CE | 0.65 | G1 | | 3-8 | 0.73 | 0.62 | 3 |
| <i>Pinus strobus</i> 'Uncatena' Uncatena White Pine | CE | 0.65 | G1 | | 3-8 | 0.73 | 0.62 | 3 |
| <i>Pinus strobus</i> 'White Mountain' White Mountain White Pine | CE | 1.55 | G1 | | 3-8 | 0.73 | 0.88 | 3 |
| <i>Pinus sylvestris</i> Scotch Pine | CE | 0.63 | G1 | | 2-8 | 1.00 | 1.10 | 2 |
| <i>Pinus sylvestris</i> 'Albyn's' Albyn's Scotch Pine | CE | 1.95 | G1 | | 2-8 | 1.00 | 0.78 | 2 |
| <i>Pinus sylvestris</i> 'Arctic Strain' Arctic Strain Scotch Pine | CE | 0.63 | G1 | | 2-8 | 1.00 | 0.78 | 2 |
| <i>Pinus sylvestris</i> 'Aurea' Golden Scotch Pine | CE | 1.28 | G1 | | 2-8 | 1.00 | 1.37 | 2 |
| <i>Pinus sylvestris</i> 'Beauvronensis' Beauvronensis Scotch Pine | CE | 1.52 | G1 | | 2-8 | 1.00 | 1.25 | 2 |
| <i>Pinus sylvestris</i> 'Belgium' Belgium Scotch Pine | CE | 0.63 | G1 | | 2-8 | 1.00 | 0.78 | 2 |
| <i>Pinus sylvestris</i> 'East Anglia' East Anglia Scotch Pine | CE | 0.63 | G1 | | 2-8 | 1.00 | 0.78 | 2 |
| <i>Pinus sylvestris</i> 'Fastigiata' Sentinel Pine | CE | 1.47 | G1 | | 2-8 | 1.00 | 1.21 | 2 |
| <i>Pinus sylvestris</i> 'French Blue' French Blue Scotch Pine | CE | 0.91 | G1 | | 2-8 | 1.00 | 0.78 | 2 |
| <i>Pinus sylvestris</i> 'Glaucia Nana' Dwarf Blue Scotch Pine | CS | 1.54 | G1 | | 2-8 | | 1.71 | 2 |
| <i>Pinus sylvestris</i> 'Globosa Viridis' Globe Viridis Scotch Pine | CE | 1.41 | G1 | | 2-8 | 1.00 | 1.33 | 2 |
| <i>Pinus sylvestris</i> 'Greg's Variegated' Greg's Variegated Scotch Pine | CE | 1.48 | G1 | | 2-8 | 1.00 | 0.78 | 2 |
| <i>Pinus sylvestris</i> 'Hillside Creeper' Hillside Creeper Scotch Pine | CE | 1.50 | G1 | | 2-8 | 1.00 | 1.53 | 2 |
| <i>Pinus sylvestris</i> 'Mitsch's Weeper' Mitsch's Weeper Scotch Pine | CE | 1.55 | G1 | | 2-8 | 1.00 | 1.36 | 2 |
| <i>Pinus sylvestris</i> 'Moseri' Moseri Scotch Pine | CS | 1.35 | G1 | | 4-7 | | 1.58 | 2 |
| <i>Pinus sylvestris</i> 'Nana Compressa' Nana Compressa Scotch Pine | CS | 1.35 | G1 | | 2-8 | | 1.58 | 2 |
| <i>Pinus sylvestris</i> 'Nana' Dwarf Scotch Pine | CS | 1.74 | G1 | | 2-8 | | 1.58 | 2 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Pinus sylvestris</i> 'Pyramidalis Compacta' Compact Pyramidal Scotch Pine | CS | 1.35 | G1 | | 2-8 | | 1.58 | 2 |
| <i>Pinus sylvestris</i> 'Pyramidalis Glauca' Pyramidal Glauca Scotch Pine | CE | 0.63 | G1 | | 2-8 | 1.00 | 0.78 | 2 |
| <i>Pinus sylvestris</i> 'Repens' Repens Scotch Pine | CS | 2.21 | G1 | | 2-8 | | 2.09 | 2 |
| <i>Pinus sylvestris</i> 'Riverside Gem' Riverside Gem Scotch Pine | CS | 1.35 | G1 | | 2-8 | | 1.67 | 2 |
| <i>Pinus sylvestris</i> 'Van's #31' Van's #31 Scotch Pine | CS | 1.35 | G1 | | 2-8 | | 1.58 | 2 |
| <i>Pinus sylvestris</i> 'Van's #33' Van's #33 Scotch Pine | CS | 1.35 | G1 | | 2-8 | | 1.58 | 2 |
| <i>Pinus sylvestris</i> 'Viridis Compacta' Compact Viridis Scotch Pine | CE | 0.63 | G1 | | 2-8 | 1.00 | 1.37 | 2 |
| <i>Pinus sylvestris</i> 'Watereri' Watereri Scotch Pine | CE | 1.68 | G1 | | 2-8 | 1.00 | 1.55 | 2 |
| <i>Pinus sylvestris</i> var. <i>hamata</i> Southwestern Austrian Pine | CE | 1.00 | G1 | | 2-8 | 1.00 | 0.91 | 2 |
| <i>Pinus sylvestris</i> var. <i>rigensis</i> No Common Name Found | CE | 1.00 | G1 | | 2-8 | 1.00 | 1.00 | 2 |
| <i>Pinus sylvestris</i> var. <i>scotica</i> Highland Pine | CE | 1.00 | G1 | | 2-8 | 1.00 | 1.00 | 2 |
| <i>Pinus tabuliformis</i> Chinese Red Pine | CE | 1.00 | G1 | | 5-9A | 1.00 | 1.00 | 5 |
| <i>Pinus taeda</i> Loblolly Pine | CE | 0.66 | G1 | | 7-10A | 0.70 | 0.62 | 7 |
| <i>Pinus thunbergii</i> Japanese Black Pine | CE | 0.71 | G1 | | 5-10A | 1.00 | 0.87 | 6 |
| <i>Pinus thunbergii</i> 'Arakawa Sho' Arakawa Sho Japanese Black Pine | CE | 0.71 | G1 | | 5-10A | 1.00 | 0.62 | 6 |
| <i>Pinus thunbergii</i> 'Banshoho' Banshoho Japanese Black Pine | CE | 1.64 | G1 | | 5-10A | 1.00 | 1.56 | 6 |
| <i>Pinus thunbergii</i> 'Beni Kujaki' Beni Kujaki Japanese Black Pine | CE | 2.29 | G1 | | 5-10A | 1.00 | 0.62 | 6 |
| <i>Pinus thunbergii</i> 'Iseli' Iseli Japanese Black Pine | CE | 0.71 | G1 | | 5-10A | 1.00 | 0.62 | 6 |
| <i>Pinus thunbergii</i> 'Kujaki' Kujaki Japanese Black Pine | CE | 1.48 | G1 | | 5-10A | 1.00 | 0.62 | 6 |
| <i>Pinus thunbergii</i> 'Majestic Beauty' See - <i>Pinus thunbergii</i> 'Monina' P.P. 5078 | CE | 1.14 | G1 | | 5-10A | 1.00 | 0.62 | 6 |
| <i>Pinus thunbergii</i> 'Monina' P.P. 5078 Majestic Beauty™ Japanese Black Pine | CE | 1.48 | G1 | | 5-10A | 1.00 | 0.62 | 6 |
| <i>Pinus thunbergii</i> 'Mt. Hood Prostrate' Mt. Hood Prostrate Japanese Black Pine | CE | 0.71 | G1 | | 5-10A | 1.00 | 0.62 | 6 |
| <i>Pinus thunbergii</i> 'Nishiki Matsu' Nishiki Matsu Japanese Black Pine | CE | 1.39 | G1 | | 5-10A | 1.00 | 1.05 | 6 |
| <i>Pinus thunbergii</i> 'Oculus-draconis' Oculus-draconis Japanese Black Pine | CE | 1.00 | G1 | | 5-10A | 1.00 | 1.00 | 6 |
| <i>Pinus thunbergii</i> 'Pygmaea' Pygmy Black Pine | CS | 1.84 | G1 | | 5-10A | | | |
| <i>Pinus thunbergii</i> 'Shirome Janome' Shirome Janome Japanese Black Pine | CE | 1.34 | G1 | | 5-10A | 1.00 | 0.62 | 6 |
| <i>Pinus thunbergii</i> 'Thunderhead' Thunderhead Japanese Black Pine | CE | 1.50 | G1 | | 5-10A | 1.00 | 1.54 | 6 |
| <i>Pinus torreyana</i> Soledad Pine | CE | 1.00 | G2 | | 8-9A | 1.00 | 1.00 | 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pinus uncinata</i> | | | | | | | | |
| See - <i>Pinus mugo</i> | | | | | | | | |
| <i>Pinus virginiana</i> Virginia Pine | CE | 0.68 | G1 | | 4-8 | 0.48 | 0.61 | 6 |
| <i>Pinus virginiana</i> 'Wate's Golden' Wate's Golden Virginia Scrub Pine | CE | 1.00 | G1 | | 4-8 | 0.48 | 0.91 | 6 |
| <i>Pinus wallichiana</i> Himalayan Pine | CE | 0.76 | G1 | | 5-7 | 1.00 | 0.95 | 5 |
| <i>Pinus wallichiana</i> 'Morton Arboretum' Morton Arboretum Himalayan Pine | CE | 0.76 | G1 | | 5-7 | 1.00 | 0.95 | 5 |
| <i>Pinus wallichiana</i> 'Zebrina' Zebrina Himalayan Pine | CE | 1.32 | G1 | | 5-7 | 1.00 | 0.97 | 5 |
| <i>Pistacia chinensis</i> Chinese Pistachio | DT | 0.84 | G1 | | 6-9B | 0.94 | 0.96 | 8 |
| <i>Pistacia lentiscus</i> Mastic Tree | BE | 1.45 | G1 | | 8-11 | 1.00 | 1.00 | 9 |
| <i>Pistia stratiotes</i> Water Lettuce | HP | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Pithecellobium dulce</i> Huamuchil | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Pithecellobium flexicaule</i> Texas Ebony | BE | 1.00 | G1 | 9A | 9B-10A | 1.00 | 1.00 | 10 |
| <i>Pittosporum crassifolium</i> Karo | BS | 0.81 | G1 | | 9A-11 | | 1.00 | 9 |
| <i>Pittosporum crassifolium</i> 'Compactum' Dwarf Karo | BS | 0.79 | G1 | | 9A-11 | | 1.00 | 9 |
| <i>Pittosporum eugenoides</i> Tarata | BE | 0.78 | G1 | | 9A-11 | 1.00 | 1.00 | 9 |
| <i>Pittosporum phillyraeoides</i> Narrow-leaved Pittosporum | BS | 1.00 | G1 | | 9A-11 | | 1.00 | 9 |
| <i>Pittosporum rhombifolium</i> Queensland Pittosporum | BE | 0.64 | G1 | | 9A-11 | 1.00 | 1.00 | 9 |
| <i>Pittosporum tenuifolium</i> Tawhiwhi | BE | 0.83 | G1 | | 9A-11 | 1.00 | 1.00 | 9 |
| <i>Pittosporum tenuifolium</i> 'Deborah' Deborah Tawhiwhi | BE | 1.12 | G1 | | 9A-11 | 1.00 | 1.00 | 9 |
| <i>Pittosporum tobira</i> Tobira | BS | 0.70 | G1 | 9A | 9B-11 | | 1.00 | 9 |
| <i>Pittosporum tobira</i> 'Compactum' Compact Japanese Pittosporum | BS | 0.78 | G1 | 9A | 9B-11 | | 1.00 | 9 |
| <i>Pittosporum tobira</i> 'Cream de Mint' See - <i>Pittosporum tobira</i> 'Shima' P.P. 6449 | BS | 0.57 | G1 | 9A | 9B-11 | | 1.00 | 9 |
| <i>Pittosporum tobira</i> 'Glen Special' Glen Special Japanese Pittosporum | BS | 0.92 | G1 | 9A | 9B-11 | | 1.00 | 9 |
| <i>Pittosporum tobira</i> 'Shima' P.P. 6449 Cream de Mint™ Dwarf Japanese Pittosporum | BS | 0.57 | G1 | 9A | 9B-11 | | 1.00 | 9 |
| <i>Pittosporum tobira</i> 'Turner's Dwarf' Turner's Dwarf Variegated Japanese Pittosporum | BS | 0.70 | G1 | 9A | 9B-11 | | 1.00 | 9 |
| <i>Pittosporum tobira</i> 'Variegata' Variegated Japanese Pittosporum | BS | 0.76 | G1 | 9A | 9B-11 | | 1.00 | 9 |
| <i>Pityopsis graminifolia</i> Silk Grass | HP | 0.89 | G4 | | 8-10A | | | 8 |
| <i>Platanus x acerifolia</i> London Planetree | DT | 0.88 | G1 | | 4-9B | 0.94 | 0.83 | 7 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Platanus x acerifolia</i> 'Bloodgood' Bloodgood London Planetree | DT | 0.82 | G1 | | 4-9B | 0.98 | 0.34 | 7 |
| <i>Platanus x acerifolia</i> 'Columbia' Columbia London Planetree | DT | 0.82 | G1 | | 4-9B | 1.03 | 0.34 | 7 |
| <i>Platanus x acerifolia</i> 'Liberty' Liberty London Planetree | DT | 0.82 | G1 | | 4-9B | 0.94 | 0.34 | 7 |
| <i>Platanus x acerifolia</i> 'Metroshade' See - <i>Platanus x acerifolia</i> 'Metzam' | DT | 0.82 | G1 | | 4-9B | 0.94 | 0.34 | 7 |
| <i>Platanus x acerifolia</i> 'Metzam' Metroshade™ London Planetree | DT | 0.82 | G1 | | 4-9B | 0.94 | 0.34 | 7 |
| <i>Platanus x acerifolia</i> 'Yarwood' Yarwood London Planetree | DT | 0.85 | G1 | | 4-9B | 0.94 | 0.34 | 7 |
| <i>Platanus occidentalis</i> Sycamore | DT | 0.71 | G1 | | 4-10A | 0.81 | 0.37 | 5 |
| <i>Platanus orientalis</i> Oriental Planetree | DT | 1.00 | G1 | | 7-10A | 0.88 | 1.00 | 7 |
| <i>Platanus racemosa</i> California Sycamore Tree | DT | 0.78 | G1 | | 8-9A | 1.00 | 1.00 | 8 |
| <i>Platanus wrightii</i> Arizona Sycamore | DT | 0.84 | G1 | | 8-9A | 0.87 | 1.00 | 8 |
| <i>Platycerium bifurcatum</i> Elkhorn Fern | FO | 0.86 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Platycerium hillii</i> Northern Elkhorn Fern | FO | 0.62 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Platycladus orientalis</i> Oriental Arborvitae | CS | 0.60 | G1 | 5-6 | 7-11 | | 0.38 | 6 |
| <i>Platycladus orientalis</i> 'Aureus Nanus' Golden Oriental Arborvitae | CS | 0.92 | G1 | 5-6 | 7-11 | | 0.54 | 6 |
| <i>Platycladus orientalis</i> 'Bakeri' Baker Oriental Arborvitae | CS | 0.60 | G1 | 5-6 | 7-11 | | 0.39 | 6 |
| <i>Platycladus orientalis</i> 'Blue Cone' Blue Cone Oriental Arborvitae | CS | 0.66 | G1 | 5-6 | 7-11 | | 0.66 | 6 |
| <i>Platycladus orientalis</i> 'Blue Spire' Blue Spire Oriental Arborvitae | CS | 0.63 | G1 | 5-6 | 7-11 | | 0.62 | 6 |
| <i>Platycladus orientalis</i> 'Bonita' Bonita Oriental Arborvitae | CS | 0.60 | G1 | 5-6 | 7-11 | | 0.38 | 6 |
| <i>Platycladus orientalis</i> 'Elegantissima' Elegantissima Oriental Arborvitae | CS | 0.72 | G1 | 5-6 | 7-11 | | 0.58 | 6 |
| <i>Platycladus orientalis</i> 'Fruitlandii' Fruitland Oriental Arborvitae | CS | 1.15 | G1 | 5-6 | 7-11 | | 0.55 | 6 |
| <i>Platycladus orientalis</i> 'Globosa' Globe Oriental Arborvitae | CS | 0.60 | G1 | 5-6 | 7-11 | | 0.58 | 6 |
| <i>Platycladus orientalis</i> 'Golden Surprise' Golden Surprise Oriental Arborvitae | CE | 1.00 | G1 | 5-6 | 7-11 | 1.00 | 1.00 | 6 |
| <i>Platycladus orientalis</i> 'Green Cone' Green Cone Oriental Arborvitae | CS | 0.88 | G1 | 5-6 | 7-11 | | 0.92 | 6 |
| <i>Platycladus orientalis</i> 'Minima Glauca' Dwarf Blue Oriental Arborvitae | CS | 0.85 | G1 | 5-6 | 7-11 | | 0.38 | 6 |
| <i>Platycladus orientalis</i> 'Raffles' Raffles Oriental Arborvitae | CS | 0.87 | G1 | 5-6 | 7-11 | | 0.38 | 6 |
| <i>Platycladus orientalis</i> 'Sanderi' Sanderi Oriental Arborvitae | CS | 2.13 | G1 | 5-6 | 7-11 | | 0.38 | 6 |
| <i>Platycladus orientalis</i> 'Sudworthii' Sudworth Oriental Arborvitae | CS | 1.17 | G1 | 5-6 | 7-11 | | 0.38 | 6 |
| <i>Platycladus orientalis</i> 'Sunkist' Sunkist Oriental Arborvitae | CS | 1.05 | G1 | 5-6 | 7-11 | | 0.38 | 6 |
| <i>Platycladus orientalis</i> 'Sunlight' Sunlight Oriental Arborvitae | CS | 0.60 | G1 | 5-6 | 7-11 | | 0.38 | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Platycladus orientalis</i> 'Westmont' P.P. 2685 Westmont Oriental Arborvitae | CS | 0.95 | G1 | 5-6 | 7-11 | | | 0.38 6 |
| <i>Platycodon grandiflorus</i> Balloon Flower | HP | 1.17 | G4 | 4-8 | 9A-10A | | | 4 |
| <i>Platycodon grandiflorus</i> 'Alba' White Balloon Flower | HP | 1.03 | G4 | 4-8 | 9A-10A | | | 4 |
| <i>Platycodon grandiflorus</i> 'Fuji Blue' Fuji Blue Balloon Flower | HP | 1.03 | G4 | 4-8 | 9A-10A | | | 4 |
| <i>Platycodon grandiflorus</i> 'Fuji Pink' Fuji Pink Balloon Flower | HP | 0.95 | G4 | 4-8 | 9A-10A | | | 4 |
| <i>Platycodon grandiflorus</i> 'Fuji White' Fuji White Balloon Flower | HP | 1.01 | G4 | 4-8 | 9A-10A | | | 4 |
| <i>Platycodon grandiflorus</i> 'Hakone Double Blue' Hakone Double Blue Balloon Flower | HP | 0.86 | G4 | 4-8 | 9A-10A | | | 4 |
| <i>Platycodon grandiflorus</i> 'Komachi' Komachi Balloon Flower | HP | 0.97 | G4 | 4-8 | 9A-10A | | | 4 |
| <i>Platycodon grandiflorus</i> 'Misato Purple' Misato Purple Balloon Flower | HP | 1.09 | G4 | 4-8 | 9A-10A | | | 4 |
| <i>Platycodon grandiflorus</i> 'Perlmutterschale' Perlmutterschale Balloon Flower | HP | 1.02 | G4 | 4-8 | 9A-10A | | | 4 |
| <i>Platycodon grandiflorus</i> 'Sentimental Blue' Sentimental Blue Balloon Flower | HP | 0.91 | G4 | 4-8 | 9A-10A | | | 4 |
| <i>Platycodon grandiflorus</i> 'Shell Pink' Shell Pink Balloon Flower | HP | 1.03 | G4 | 4-8 | 9A-10A | | | 4 |
| <i>Platycodon grandiflorus</i> var. <i>mariesii</i> Blue Balloon Flower | HP | 1.04 | G4 | 4-8 | 9A-10A | | | 4 |
| <i>Platymiscium pinnatum</i> Roble | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Plecostachys serpyllifolia</i> No Common Name Found | HP | 0.78 | G4 | | 9A-10B | | | 9 |
| <i>Plectranthus amboinicus</i> Spanish Thyme | HP | 0.54 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Plectranthus amboinicus</i> 'Variegatus' Variegated Spanish Thyme | FO | 0.25 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Plectranthus argentatus</i> No Common Name Found | FO | 0.35 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Plectranthus australis</i> Swedish Ivy | FO | 0.54 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Pleioblastus argenteostriatus</i> No Common Name Found | BS | 1.32 | G1 | 7-8 | 9A-10A | | 1.00 | 7 |
| <i>Pleioblastus auricoma</i> Kamuro-Zasa | BS | 1.04 | G1 | 7-8 | 9A-10A | | 1.00 | 7 |
| <i>Pleioblastus chino</i> No Common Name Found | BS | 1.00 | G1 | 6 | 7-10A | | 1.00 | 6 |
| <i>Pleioblastus distichus</i> No Common Name Found | BS | 0.79 | G1 | 6 | 7-10A | | 1.00 | 8 |
| <i>Pleioblastus distichus</i> 'Mini' Mini Bamboo | BS | 0.79 | G1 | 6 | 7-10A | | 1.00 | 8 |
| <i>Pleioblastus distichus</i> 'Okinosasa' Okinosasa Bamboo | BS | 1.21 | G1 | 6 | 7-10A | | 1.00 | 8 |
| <i>Pleioblastus fortunei</i> Dwarf White Stripe Bamboo | BS | 0.97 | G1 | 7-8 | 9A-10A | | 1.00 | 7 |
| <i>Pleioblastus gramineus</i> No Common Name Found | BS | 0.93 | G1 | 7-8 | 9A-10A | | 1.00 | 7 |
| <i>Pleioblastus hogumosasa</i> No Common Name Found | BS | 1.24 | G1 | 6 | 7-10A | | 1.00 | 7 |
| <i>Pleioblastus linearis</i> No Common Name Found | BS | 0.93 | G1 | 7-8 | 9A-10A | | 1.00 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Pleioblastus pygmaeus</i> Dwarf Fern-leaf Bamboo | BS | 1.06 | G1 | 6 | 7-10A | | 1.00 | 6 |
| <i>Pleioblastus simonii</i> Simon Bamboo | BS | 0.93 | G1 | 6 | 7-10A | | 1.00 | 6 |
| <i>Pleioblastus simonii</i> ssp. <i>variegatus</i> No Common Name Found | BS | 0.93 | G1 | 6 | 7-10A | | 1.00 | 6 |
| <i>Pleioblastus tsugosasa</i> No Common Name Found | BS | 1.24 | G1 | 6 | 7-10A | | 1.00 | 7 |
| <i>Pleioblastus viridistriatus</i> Dwarf Greenstripe Bamboo | BS | 1.02 | G1 | 7-8 | 9A-10A | | 1.00 | 6 |
| <i>Pleioblastus viridistriatus</i> 'Chrysophyllus' Chrysophyllus Dwarf Greenstripe Bamboo | BS | 1.02 | G1 | 7-8 | 9A-10A | | 1.00 | 6 |
| <i>Pleomele deremensis</i> See - <i>Dracaena deremensis</i> | | | | | | | | |
| <i>Pleomele reflexa</i> See - <i>Dracaena reflexa</i> | | | | | | | | |
| <i>Pleomele thaloides</i> See - <i>Dracaena thaloides</i> | | | | | | | | |
| <i>Plumbago auriculata</i> Cape Leadwort | BS | 0.70 | G2 | 9A | 9B-11 | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Alba' White Cape Leadwort | BS | 0.73 | G2 | 9A | 9B-11 | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Dwarf Blue' Dwarf Blue Cape Leadwort | BS | 0.68 | G2 | 9A | 9B-11 | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Imperial Blue' Imperial Blue Cape Leadwort | BS | 0.68 | G2 | 9A | 9B-11 | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Monott' P.P. 7822 Royal Cape™ Leadwort | BS | 0.85 | G2 | 9A | 9B-11 | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Royal Cape' See - <i>Plumbago auriculata</i> 'Monott' P.P. 7822 | | | | | | | | |
| <i>Plumbago capensis</i> See - <i>Plumbago auriculata</i> | | | | | | | | |
| <i>Plumbago indica</i> Scarlet Leadwort | BS | 0.89 | G2 | 9A | 9B-11 | | 1.00 | 10 |
| <i>Plumbago scandens</i> Devil's Herb | BS | 1.00 | G2 | 9A | 9B-11 | | 1.00 | 10 |
| <i>Plumbago zeylanica</i> No Common Name Found | BS | 1.00 | G2 | 9A | 9B-11 | | 1.00 | 10 |
| <i>Plumeria</i> Hybrid Plumeria | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Plumeria</i> 'Singapore' Singapore Hybrid Plumeria | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Plumeria obtusa</i> Blunt-leaved Frangipani | DT | 2.92 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Plumeria rubra</i> Nosegay | DT | 1.04 | G1 | 10A | 10B-11 | 1.00 | 1.68 | 10 |
| <i>Poa chaixii</i> Forest Bluegrass | HP | 1.01 | G4 | | 4-7 | | | 5 |
| <i>Podocarpus andinus</i> See - <i>Prumnopitys andina</i> | | | | | | | | |
| <i>Podocarpus elongatus</i> Cape Yellowwood | CE | 0.87 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Podocarpus gracilior</i> See - <i>Afrocarpus gracilior</i> | | | | | | | | |
| <i>Podocarpus henkelii</i> Long Leafed Yellowwood | CE | 0.81 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Podocarpus macrophyllus</i> Southern Yew Pine | CS | 0.86 | G1 | 9A | 9B-11 | | 1.14 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Podocarpus macrophyllus</i> 'Maki' Shrubby Yew Pine | CS | 0.89 | G1 | 9A | 9B-11 | | | 1.78 |
| <i>Podocarpus manni</i> | | | | | | | | 7 |
| See - <i>Afrocarpus manni</i> | | | | | | | | |
| <i>Podocarpus nagi</i> | | | | | | | | |
| See - <i>Nageia nagi</i> | | | | | | | | |
| <i>Podocarpus nivalis</i> Alpine Totara | CS | 0.94 | G1 | 7-8 | 9 | | | 1.00 |
| <i>Podophyllum peltatum</i> May Apple | HP | 1.07 | G1 | | 4-8 | | | 4 |
| <i>Podranea ricasoliana</i> Pink Trumpet Vine | GC | 0.95 | G1 | | 10A-11 | | | 1.00 |
| <i>Polygonatherum paniceum</i> | | | | | | | | |
| See - <i>Polygonatherum saccharoideum</i> | | | | | | | | |
| <i>Polygonatherum saccharoideum</i> Bamboo Grass | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Poinciana pulcherrima</i> | | | | | | | | |
| See - <i>Caesalpinia pulcherrima</i> | | | | | | | | |
| <i>Polemonium caeruleum</i> Jacob's Ladder | HP | 1.03 | G4 | | 4-8 | | | 2 |
| <i>Polemonium caeruleum</i> var. <i>album</i> White Jacob's Ladder | HP | 1.03 | G4 | | 4-8 | | | 2 |
| <i>Polemonium carneum</i> Salmon Polemonium | HP | 0.84 | G4 | | 6-9B | | | 6 |
| <i>Polemonium pulcherrimum</i> Skunkleaf Polemonium | HP | 0.91 | G4 | | 4-8 | | | 4 |
| <i>Polemonium reptans</i> Creeping Jacob's Ladder | HP | 1.03 | G4 | | 4-8 | | | 4 |
| <i>Polemonium reptans</i> 'Blue Pearl' Blue Pearl Jacob's Ladder | HP | 1.02 | G4 | | 4-8 | | | 4 |
| <i>Polemonium viscosum</i> Sticky Polemonium | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Polianthes geminiflora</i> No Common Name Found | HP | 1.00 | G4 | | 9A-10B | | | 9 |
| <i>Polianthes tuberosa</i> Tuberose | HP | 2.10 | G4 | | 9A-10B | | | 9 |
| <i>Polyalthia longifolia</i> | BE | 1.00 | G1 | | 8-10A | 1.00 | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Polyalthia longifolia</i> 'Pendula' | BE | 1.00 | G1 | | 10B-11 | 1.00 | 1.00 | 10 |
| Ashoka Tree | | | | | | | | |
| <i>Polyandrococos caudescens</i> Buri Palm | BE | 2.15 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Polygala chamaebuxus</i> Groundbox Polygala | HP | 1.00 | G1 | 6 | 7-9A | | | 6 |
| <i>Polygala x dalmaisiana</i> Dalmatian Polygala | HP | 0.81 | G1 | | 7-9A | | | 9 |
| <i>Polygala senega</i> Seneca Snakeroot | HP | 1.00 | G1 | | 2-7 | | | 2 |
| <i>Polygonatum biflorum</i> Small Solomon's Seal | HP | 1.10 | G4 | 3-6 | 7-9A | | | 3 |
| <i>Polygonatum commutatum</i> Great Solomon's Seal | HP | 0.88 | G4 | 3-6 | 7-9A | | | 3 |
| <i>Polygonatum humile</i> Dwarf Solomon's Seal | HP | 1.27 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Polygonatum x hybridum</i> Hybrid Solomon's Seal | HP | 1.40 | G4 | 6 | 7-9A | | | 6 |
| <i>Polygonatum x hybridum</i> 'Striatum' Striatum Hybrid Solomon's Seal | HP | 1.40 | G4 | 6 | 7-9A | | | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Polygonatum multiflorum</i> Eurasian Solomon's Seal | HP | 1.16 | G4 | 4-6 | 7-9A | | | 4 |
| <i>Polygonatum odoratum</i> Fragrant Solomon's Seal | HP | 0.79 | G4 | 4-6 | 7-9A | | | 4 |
| <i>Polygonatum odoratum</i> 'Variegatum' Variegated Fragrant Solomon's Seal | HP | 1.28 | G4 | 4-6 | 7-9A | | | 4 |
| <i>Polygonatum odoratum</i> var. <i>thunbergii</i> No Common Name Found | HP | 1.00 | G4 | 4-6 | 7-9A | | | 4 |
| <i>Polygonum affine</i> Himalayan Fleece Flower | HP | 0.97 | G4 | | 3-8 | | | 3 |
| <i>Polygonum affine</i> 'Darjeeling Red' Darjeeling Himalayan Fleece Flower | HP | 0.89 | G4 | | 3-8 | | | 3 |
| <i>Polygonum affine</i> 'Dimity' Dimity Himalayan Fleece Flower | HP | 1.09 | G4 | | 3-8 | | | 3 |
| <i>Polygonum amplexicaule</i> Mountain Fleece Flower | HP | 1.01 | G4 | | 6-9A | | | 5 |
| <i>Polygonum amplexicaule</i> 'Atrosanguineum' Atrosanguineum Mountain Fleece Flower | HP | 1.09 | G4 | | 6-9A | | | 5 |
| <i>Polygonum amplexicaule</i> 'Firetail' Firetail Mountain Fleece Flower | HP | 1.47 | G4 | | 6-9A | | | 5 |
| <i>Polygonum aubertii</i> Russian Vine | HP | 1.13 | G4 | | 5-8 | | | 4 |
| <i>Polygonum bistorta</i> Snakeweed | HP | 1.11 | G4 | | 5-8 | | | 4 |
| <i>Polygonum bistorta</i> 'Superbum' Superbum Snakeweed | HP | 1.11 | G4 | | 5-8 | | | 4 |
| <i>Polygonum capitatum</i> Pink Clover | HP | 1.00 | G4 | | 8-10A | | | 8 |
| <i>Polygonum cuspidatum</i> See - <i>Polygonum japonicum</i> | HP | 0.74 | G4 | | 7-9A | | | 7 |
| <i>Polygonum emodi</i> No Common Name Found | | | | | | | | |
| <i>Polygonum filiforme</i> See - <i>Polygonum virginianum</i> | HP | 1.41 | G4 | | 4-8 | | | 4 |
| <i>Polygonum japonicum</i> Japanese Knotweed | HP | 1.41 | G4 | | 4-8 | | | 4 |
| <i>Polygonum japonicum</i> 'Border Jewel' Border Jewel Japanese Knotweed | HP | 0.69 | G4 | | 4-8 | | | 4 |
| <i>Polygonum japonicum</i> var. <i>compactum</i> Compact Japanese Knotweed | HP | 0.91 | G4 | | 6-9A | | | 6 |
| <i>Polygonum polystachyum</i> Himalayan Knotweed | | | | | | | | |
| <i>Polygonum reynoutria</i> See - <i>Polygonum japonicum</i> var. <i>compactum</i> | HP | 1.01 | G4 | | 5-9A | | | 5 |
| <i>Polygonum virginianum</i> Tovara | HP | 1.28 | G4 | | 5-9A | | | 5 |
| <i>Polygonum virginianum</i> 'Painter's Palette' Painter's Palette Tovara | HP | 1.05 | G4 | | 5-9A | | | 5 |
| <i>Polygonum virginianum</i> 'Variegatum' Variegated Tovara | HP | 0.91 | G4 | | 5-9A | | | 5 |
| <i>Polygonum weyrichii</i> No Common Name Found | | | | | | | | |
| <i>Polypodium californicum</i> California Polypody | HP | 1.35 | G4 | | 9A-10B | | | 9 |
| <i>Polypodium punctatum</i> See - <i>Microsorium punctatum</i> | | | | | | | | |
| <i>Polypodium scolopendrium</i> See - <i>Microsorium scolopendrium</i> | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|-------------|---------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | |
| <i>Polypodium squamulosum</i> | | | | | | | |
| See - <i>Microgramma squamulosa</i> | | | | | | | |
| <i>Polypodium subauriculatum</i> | | | | | | | |
| See - <i>Goniophlebium subauriculatum</i> | | | | | | | |
| <i>Polypodium virginianum</i> | HP | 1.17 | G4 | | 5-9A | | 5 |
| Rock Polypody | | | | | | | |
| <i>Polypodium vulgare</i> | HP | 1.08 | G4 | | 3-8 | | 3 |
| Common Polypody | | | | | | | |
| <i>Polyscias</i> | FO | 2.67 | G3 | 8-10A | 10B-11 | | 10 |
| Aralia | | | | | | | |
| <i>Polyscias 'Crispata'</i> | FO | 2.67 | G3 | 8-10A | 10B-11 | | 10 |
| Chicken Gizzard Aralia | | | | | | | |
| <i>Polyscias balfouriana</i> | | | | | | | |
| See - <i>Polyscias scutellaria 'Balfourii'</i> | | | | | | | |
| <i>Polyscias fruticosa</i> | FO | 1.56 | G3 | 8-10A | 10B-11 | | 10 |
| Ming Aralia | | | | | | | |
| <i>Polyscias guilfoylei</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | 10 |
| Geranium Aralia | | | | | | | |
| <i>Polyscias pinnata</i> | | | | | | | |
| See - <i>Polyscias scutellaria</i> | | | | | | | |
| <i>Polyscias scutellaria</i> | FO | 1.24 | G3 | 8-10A | 10B-11 | | 10 |
| Dinner Plate Aralia | | | | | | | |
| <i>Polyscias scutellaria 'Balfourii'</i> | FO | 1.24 | G3 | 8-10A | 10B-11 | | 10 |
| Balfour Aralia | | | | | | | |
| <i>Polystichum acrostichoides</i> | HP | 1.07 | G4 | 4-6 | 7-9A | | 4 |
| Christmas Fern | | | | | | | |
| <i>Polystichum angulare</i> | | | | | | | |
| See - <i>Polystichum setiferum</i> | | | | | | | |
| <i>Polystichum braunii</i> | HP | 1.06 | G4 | 5-6 | 7-9A | | 5 |
| Braun's Holly Fern | | | | | | | |
| <i>Polystichum californicum</i> | HP | 1.09 | G4 | | 8-10A | | 8 |
| California Holly Fern | | | | | | | |
| <i>Polystichum munitum</i> | HP | 0.98 | G4 | 5-6 | 7-10A | | 4 |
| Western Sword Fern | | | | | | | |
| <i>Polystichum polylepharum</i> | HP | 0.96 | G4 | 6-8 | 9A-10B | | 5 |
| Tassel Fern | | | | | | | |
| <i>Polystichum setiferum</i> | HP | 0.98 | G4 | | 7-9B | | 7 |
| Soft-shield Fern | | | | | | | |
| <i>Polystichum setiferum 'Congestum'</i> | HP | 1.08 | G4 | | 7-9B | | 7 |
| Congestum Soft-shield Fern | | | | | | | |
| <i>Polystichum setiferum 'Cristatum'</i> | HP | 0.93 | G4 | | 7-9B | | 7 |
| Hardy Crested Fern | | | | | | | |
| <i>Polystichum setiferum 'Divisilobum'</i> | HP | 1.17 | G4 | | 7-9B | | 7 |
| Divisilobum Soft Shield Fern | | | | | | | |
| <i>Polystichum x setigerum</i> | HP | 1.20 | G4 | | 3-8 | | 3 |
| Alaskan Holly Fern | | | | | | | |
| <i>Polystichum tsussimense</i> | HP | 1.07 | G4 | 8 | 9A-10B | | 7 |
| Korean Rock Fern | | | | | | | |
| <i>Poncirus trifoliata</i> | DT | 1.19 | G4 | | 5-9A | 1.00 | 1.12 |
| Trifoliate Orange | | | | | | | 5 |
| <i>Poncirus trifoliata 'Flying Dragon'</i> | DT | 1.19 | G4 | | 5-9A | 1.00 | 1.47 |
| Flying Dragon Trifoliate Orange | | | | | | | 5 |
| <i>Pongamia pinnata</i> | DT | 1.00 | G1 | 10A | 10B-11 | 1.11 | 1.18 |
| Karum Tree | | | | | | | 10 |
| <i>Pontederia cordata</i> | HP | 0.98 | G4 | | 7-11 | | 4 |
| Pickerel Weed | | | | | | | |
| <i>Populus</i> | DT | 1.00 | G1 | | 3-9B | 0.64 | 1.00 |
| Poplar | | | | | | | 2 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Populus</i> 'Brooks #6' Brooks #6 Poplar | DT | 1.00 | G1 | | 3-9B | 0.72 | 1.00 | 2 |
| <i>Populus</i> 'Highland' Highland Poplar | DT | 1.00 | G1 | | 3-9B | 0.64 | 1.00 | 2 |
| <i>Populus</i> 'Northwest' Northwest Poplar | DT | 1.00 | G1 | | 3-9B | 0.72 | 1.00 | 2 |
| <i>Populus x acuminata</i> Lanceleaf Cottonwood | DT | 0.67 | G1 | | 3-9B | 1.02 | 1.00 | 3 |
| <i>Populus alba</i> White Poplar | DT | 0.83 | G1 | | 3-9B | 1.00 | 0.79 | 3 |
| <i>Populus alba</i> 'Nivea' Nivea White Poplar | DT | 0.63 | G1 | | 3-9B | 1.00 | 0.62 | 3 |
| <i>Populus alba</i> 'Pyramidalis' Bolleana White Poplar | DT | 0.63 | G1 | | 3-9B | 1.00 | 0.62 | 3 |
| <i>Populus angustifolia</i> Narrowleaf Cottonwood | DT | 0.49 | G1 | | 3-8 | 1.04 | 1.00 | 3 |
| <i>Populus balsamifera</i> Balsam Poplar | DT | 0.55 | G1 | | 3-9B | 1.00 | 1.00 | 2 |
| <i>Populus x canadensis</i> Canadian Poplar | DT | 0.57 | G1 | | 4-9B | 0.42 | 1.00 | 4 |
| <i>Populus x canadensis</i> 'Eugenei' Eugene Canadian Poplar | DT | 0.57 | G1 | | 4-9B | 0.42 | 1.00 | 4 |
| <i>Populus x canadensis</i> 'Nor'easter' Nor'easter Canadian Poplar | DT | 0.74 | G1 | | 4-9B | 0.76 | 1.00 | 4 |
| <i>Populus x canadensis</i> 'Serotina Aurea' Golden Canadian Poplar | DT | 0.57 | G1 | | 4-9B | 0.42 | 1.00 | 4 |
| <i>Populus canescens</i> Gray Poplar | DT | 1.06 | G1 | | 4-9B | 1.17 | 1.00 | 4 |
| <i>Populus canescens</i> 'Tower' Tower Poplar | DT | 1.06 | G1 | | 4-9B | 1.17 | 1.00 | 4 |
| <i>Populus deltoides</i> Cottonless Cottonwood | DT | 0.64 | G1 | | 2-8 | 0.48 | 0.55 | 2 |
| <i>Populus deltoides</i> 'Imperial' Imperial Cottonless Poplar | DT | 0.57 | G1 | | 2-8 | 0.42 | 0.55 | 2 |
| <i>Populus deltoides</i> 'Mighty Moe' Mighty Moe Cottonless Poplar | DT | 0.57 | G1 | | 2-8 | 0.42 | 0.55 | 2 |
| <i>Populus deltoides</i> 'N.E. 17' N.E. 17 Cottonless Poplar | DT | 0.57 | G1 | | 2-8 | 0.42 | 0.55 | 2 |
| <i>Populus deltoides</i> 'N.E. 308' N.E. 308 Cottonless Poplar | DT | 0.57 | G1 | | 2-8 | 0.42 | 0.55 | 2 |
| <i>Populus deltoides</i> 'Red Caudina' Red Caudina Cottonless Poplar | DT | 0.57 | G1 | | 3-9B | 0.42 | 0.55 | 2 |
| <i>Populus deltoides</i> 'Robusta' Robusta Cottonless Poplar | DT | 0.57 | G1 | | 2-8 | 0.71 | 0.55 | 2 |
| <i>Populus deltoides</i> 'Siouxland' Siouxland Cottonless Poplar | DT | 0.74 | G1 | | 2-8 | 0.74 | 0.55 | 2 |
| <i>Populus deltoides</i> ssp. <i>monilifera</i> No Common Name Found | DT | 0.59 | G1 | | 2-8 | 0.72 | 1.00 | 2 |
| <i>Populus fremontii</i> Fremont Cottonwood | DT | 0.63 | G1 | | 7-8 | 0.90 | 1.00 | 7 |
| <i>Populus grandidentata</i> Bigtooth Aspen | DT | 1.00 | G1 | | 3-9B | 1.00 | 1.00 | 3 |
| <i>Populus maximowiczii</i> Japanese Poplar | DT | 1.00 | G1 | | 4-9B | 1.00 | 1.00 | 4 |
| <i>Populus maximowiczii</i> 'Androscoggins' Androscoggins Poplar | DT | 1.00 | G1 | | 4-9B | 1.00 | 1.00 | 4 |
| <i>Populus nigra</i> Black Poplar | DT | 0.50 | G1 | | 3-9B | 0.84 | 0.23 | 2 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Populus nigra</i> 'Afghanica' Afghan Black Poplar | DT | 0.50 | G1 | | 3-9B | 0.42 | 0.23 | 2 |
| <i>Populus nigra</i> 'Italica' Lombardy Black Poplar | DT | 0.81 | G1 | | 3-9B | 0.53 | 0.23 | 2 |
| <i>Populus nigra</i> var. <i>thevestina</i> See - <i>Populus nigra</i> 'Afghanica' | | | | | | | | |
| <i>Populus sargentii</i> See - <i>Populus deltoides</i> ssp. <i>monilifera</i> | | | | | | | | |
| <i>Populus simonii</i> Simons Columnar Poplar | DT | 1.00 | G1 | | 3-9B | 1.00 | 1.00 | 2 |
| <i>Populus tremula</i> European Aspen | DT | 0.75 | G1 | | 3-9B | 0.94 | 0.49 | 2 |
| <i>Populus tremula</i> 'Erecta' Upright European Aspen | DT | 0.94 | G1 | | 3-9B | 1.01 | 0.86 | 2 |
| <i>Populus tremuloides</i> Quaking Aspen | DT | 0.65 | G1 | | 1-8 | 0.90 | 0.92 | 1 |
| <i>Populus trichocarpa</i> Western Balsam Poplar | DT | 0.54 | G1 | | 5-8 | 1.16 | 0.41 | 5 |
| <i>Populus tristis</i> Himalayan Poplar | DT | 1.00 | G1 | | 2-8 | 0.72 | 1.00 | 1 |
| <i>Porana paniculata</i> Bridal Bouquet | GC | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Portea petropolitana</i> No Common Name Found | HP | 1.00 | G4 | 8-9 | 10A-11 | | | 9 |
| <i>Portulaca grandiflora</i> Moss Rose | AN | 0.94 | G4 | 9 | 10A-11 | | | 10B |
| <i>Portulaca grandiflora</i> 'Sundial Series' Sundial Series Moss Rose | AN | 0.72 | G4 | 9 | 10A-11 | | | 10B |
| <i>Portulaca oleracea</i> Purslane | HP | 0.59 | G4 | 9 | 10A-11 | | | 10 |
| <i>Portulaca oleracea</i> 'Golden Sunset' Golden Sunset Purslane | HP | 0.62 | G4 | 9 | 10A-11 | | | 10 |
| <i>Portulaca oleracea</i> 'Peppermint Star' Peppermint Star Purslane | HP | 0.62 | G4 | 9 | 10A-11 | | | 10 |
| <i>Portulaca pilosa</i> Shaggy Purslane | HP | 1.00 | G4 | 8-9A | 9B-11 | | | 10 |
| <i>Portulacaria afra</i> Elephant Bush | FO | 0.54 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Portulacaria afra</i> 'Variegata' Variegated Elephant Bush | FO | 0.61 | G3 | 8-9B | 10A-11 | | | 9 |
| <i>Potentilla alba</i> White Cinquefoil | HP | 1.10 | G4 | | 5-8 | | | 5 |
| <i>Potentilla argentea</i> Hoary Cinquefoil | HP | 1.00 | G4 | | 5-8 | | | 4 |
| <i>Potentilla argentea</i> var. <i>calabra</i> See - <i>Potentilla calabra</i> | | | | | | | | |
| <i>Potentilla arguta</i> Prairie Cinquefoil | HP | 1.00 | G4 | | 5-8 | | | 3 |
| <i>Potentilla atrosanguinea</i> Himalayan Cinquefoil | HP | 1.15 | G4 | | 5-8 | | | 5 |
| <i>Potentilla atrosanguinea</i> 'Flamenco' Flamenco Himalayan Cinquefoil | HP | 1.11 | G4 | | 5-8 | | | 5 |
| <i>Potentilla atrosanguinea</i> 'Gibson Scarlet' Gibson Scarlet Himalayan Cinquefoil | HP | 1.31 | G4 | | 5-8 | | | 5 |
| <i>Potentilla atrosanguinea</i> 'William Rollinson' William Rollinson Himalayan Cinquefoil | HP | 1.05 | G4 | | 5-8 | | | 5 |
| <i>Potentilla atrosanguinea</i> 'Yellow Queen' Yellow Queen Himalayan Cinquefoil | HP | 1.52 | G4 | | 5-8 | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Potentilla aurea</i> Golden Cinquefoil | HP | 1.01 | G4 | | 5-8 | | | 5 |
| <i>Potentilla calabra</i> No Common Name Found | HP | 0.99 | G4 | | 5-8 | | | 3 |
| <i>Potentilla cinerea</i> Rusty Cinquefoil | HP | 1.26 | G4 | | 5-8 | | | 3 |
| <i>Potentilla fragiformis</i> See - <i>Potentilla megalantha</i> | | | | | | | | |
| <i>Potentilla fruticosa</i> Bush Cinquefoil | DS | 0.90 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa 'Abbotswood'</i> Abbotswood Bush Cinquefoil | DS | 1.01 | G1 | 5-6 | 7-8 | | | 0.76 2 |
| <i>Potentilla fruticosa 'Absaraka'</i> Dakota Goldrush™ Bush Cinquefoil | DS | 0.66 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa 'Annette'</i> Annette Bush Cinquefoil | DS | 0.96 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa 'Apricot Whisper'</i> Apricot Whisper Bush Cinquefoil | DS | 0.94 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa 'Beesii'</i> Beesii Bush Cinquefoil | HP | 1.09 | G1 | 5-6 | 7-8 | | | 2 |
| <i>Potentilla fruticosa 'Blink' P.P. 5106</i> Princess™ Bush Cinquefoil | DS | 1.07 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa 'Boskoop Red'</i> Boskoop Red Bush Cinquefoil | HP | 1.07 | G1 | 5-6 | 7-8 | | | 2 |
| <i>Potentilla fruticosa 'Buttercup'</i> Buttercup Bush Cinquefoil | DS | 1.07 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa 'Coronation Triumph'</i> Coronation Triumph Bush Cinquefoil | DS | 0.86 | G1 | 5-6 | 7-8 | | | 0.77 2 |
| <i>Potentilla fruticosa 'Dakota Goldrush'</i> See - <i>Potentilla fruticosa 'Absaraka'</i> | | | | | | | | |
| <i>Potentilla fruticosa 'Dakota Sunspot'</i> See - <i>Potentilla fruticosa 'Fargo'</i> | | | | | | | | |
| <i>Potentilla fruticosa 'Daydawn'</i> Daydawn Bush Cinquefoil | DS | 0.85 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa 'Fargo'</i> Dakota Sunspot™ Bush Cinquefoil | DS | 1.02 | G1 | 5-6 | 7-8 | | | 0.96 2 |
| <i>Potentilla fruticosa 'Fredrichsenii'</i> Fredrichsenii Bush Cinquefoil | HP | 1.07 | G1 | 5-6 | 7-8 | | | 2 |
| <i>Potentilla fruticosa 'Glenroy Pink'</i> Glenroy Pink Bush Cinquefoil | DS | 0.94 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa 'Gold Drop'</i> Gold Drop Bush Cinquefoil | DS | 1.01 | G1 | 5-6 | 7-8 | | | 0.73 2 |
| <i>Potentilla fruticosa 'Gold Star'</i> Gold Star Bush Cinquefoil | DS | 0.94 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa 'Goldfinger'</i> Goldfinger Bush Cinquefoil | DS | 1.01 | G1 | 5-6 | 7-8 | | | 0.74 2 |
| <i>Potentilla fruticosa 'Hall Gold'</i> Hall Gold Bush Cinquefoil | DS | 0.66 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa 'Hallman's Dwarf'</i> Hallman's Dwarf Bush Cinquefoil | HP | 1.07 | G1 | 5-6 | 7-8 | | | 2 |
| <i>Potentilla fruticosa 'Hinerob' P.P. 9321</i> Marion Red Robin™ Bush Cinquefoil | DS | 1.18 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa 'Hollandia Gold'</i> Hollandia Gold Bush Cinquefoil | DS | 1.08 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa 'Hurstborne'</i> Hurstborne Bush Cinquefoil | DS | 0.66 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa 'Jackmanii'</i> Jackman's Bush Cinquefoil | DS | 0.87 | G1 | 5-6 | 7-8 | | | 0.77 2 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Potentilla fruticosa</i> 'Katherine Dykes' Katherine Dykes Bush Cinquefoil | DS | 0.92 | G1 | 5-6 | 7-8 | | | 0.81 2 |
| <i>Potentilla fruticosa</i> 'Klondike' Klondike Bush Cinquefoil | DS | 0.89 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Kobold' Kobold Bush Cinquefoil | DS | 0.92 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Lemon Drop' Lemon Drop Bush Cinquefoil | DS | 0.66 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Longacre' Longacre Bush Cinquefoil | DS | 0.96 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Maanelys' Maanelys Bush Cinquefoil | DS | 0.93 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Marion Red Robin' See - <i>Potentilla fruticosa</i> 'Hinerob' P.P. 9321 | DS | 0.89 | G1 | 5-6 | 7-8 | | | 0.85 2 |
| <i>Potentilla fruticosa</i> 'McKay's White' McKay's White Bush Cinquefoil | DS | 0.86 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Mount Everest' Mount Everest Bush Cinquefoil | DS | 0.66 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Pink Beauty' P.P. 9874 Pink Beauty Bush Cinquefoil | DS | 1.04 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Pink Queen' Pink Queen Bush Cinquefoil | DS | 0.99 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Pink Whisper' Pink Whisper Bush Cinquefoil | DS | 0.95 | G1 | 5-6 | 7-8 | | | 0.69 2 |
| <i>Potentilla fruticosa</i> 'Primrose Beauty' Primrose Beauty Bush Cinquefoil | DS | 1.01 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Princess' See - <i>Potentilla fruticosa</i> 'Blink' P.P. 5106 | DS | 0.98 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Red Ace' P.P. 4226 Red Ace Bush Cinquefoil | DS | 0.90 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Red Joker' Red Joker Bush Cinquefoil | DS | 0.66 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Red Sunset' Red Sunset Bush Cinquefoil | DS | 0.66 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Silverlace' Silverlace Bush Cinquefoil | DS | 0.98 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Snowbird' Snowbird Bush Cinquefoil | DS | 0.98 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Snowflake' Snowflake Bush Cinquefoil | HP | 0.90 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Sundance' Sundance Bush Cinquefoil | DS | 0.91 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Sunset' Sunset Bush Cinquefoil | DS | 0.92 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Sutters Gold' Sutters Gold Bush Cinquefoil | DS | 0.93 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Tangerine' Tangerine Bush Cinquefoil | DS | 0.66 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Tilford Cream' Tilford Cream Bush Cinquefoil | DS | 0.66 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Vilmoriniana' Vilmoriniana Bush Cinquefoil | DS | 0.66 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Yellow Gem' Yellow Gem Bush Cinquefoil | DS | 0.91 | G1 | 5-6 | 7-8 | | | 0.37 2 |
| <i>Potentilla fruticosa</i> 'Yellowbird' Yellowbird Bush Cinquefoil | DS | 0.88 | G1 | 5-6 | 7-8 | | | 0.88 2 |
| <i>Potentilla megalantha</i> Strawberry Cinquefoil | HP | 1.02 | G4 | | 5-8 | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Potentilla nepalensis</i> Nepal Cinquefoil | HP | 0.91 | G4 | | 5-8 | | | 5 |
| <i>Potentilla nepalensis</i> 'Miss Wilmott' Miss Wilmott Nepal Cinquefoil | HP | 0.91 | G4 | | 5-8 | | | 5 |
| <i>Potentilla neumanniana</i> Creeping Spring Cinquefoil | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Potentilla neumanniana</i> var. <i>nana</i> Nana Spring Cinquefoil | HP | 1.06 | G4 | | 5-8 | | | 5 |
| <i>Potentilla recta</i> Sulphur Cinquefoil | HP | 0.97 | G4 | | 4-8 | | | 4 |
| <i>Potentilla recta</i> 'Warrenii' Warren Sulfur Cinquefoil | HP | 0.97 | G4 | | 4-8 | | | 4 |
| <i>Potentilla rupestris</i> Rock Cinquefoil | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Potentilla tabernaemontani</i> See - <i>Potentilla neumanniana</i> | | | | | | | | |
| <i>Potentilla tabernaemontani</i> var. <i>nana</i> See - <i>Potentilla neumanniana</i> var. <i>nana</i> | | | | | | | | |
| <i>Potentilla x tonguei</i> Tormentilla Cinquefoil | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Potentilla tridentata</i> Three-Toothed Cinquefoil | HP | 1.11 | G4 | | 5-8 | | | 2 |
| <i>Potentilla tridentata</i> 'Minima' Minima Three-Toothed Cinquefoil | HP | 0.90 | G4 | | 5-8 | | | 2 |
| <i>Poterium sanguisorba</i> See - <i>Sanguisorba minor</i> | | | | | | | | |
| <i>Pouteria campechiana</i> Eggfruit | FN | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Pratia angulata</i> No Common Name Found | HP | 1.00 | G1 | 7-9 | 10A-11 | | | 7 |
| <i>Pratia pedunculata</i> No Common Name Found | HP | 1.12 | G1 | 7-9 | 10A-11 | | | 7 |
| <i>Prenanthes racemosa</i> Glaucous White Lettuce | HP | 1.00 | G1 | 7-9 | 10A-11 | | | 5 |
| <i>Primula acaulis</i> See - <i>Primula vulgaris</i> | | | | | | | | |
| <i>Primula auricula</i> Auricula Primrose | HP | 1.00 | G4 | 4-9A | | | | 3 |
| <i>Primula beesiana</i> No Common Name Found | HP | 1.04 | G4 | 4-9A | | | | 5 |
| <i>Primula x bulleesiana</i> No Common Name Found | HP | 1.06 | G4 | 4-9A | | | | 5 |
| <i>Primula bulleyana</i> No Common Name Found | HP | 1.04 | G4 | 4-9A | | | | 6 |
| <i>Primula burmanica</i> No Common Name Found | HP | 0.93 | G4 | 4-9A | | | | 6 |
| <i>Primula denticulata</i> Drumstick Primrose | HP | 1.05 | G4 | | 5-9A | | | 5 |
| <i>Primula denticulata</i> 'Alba' White Drumstick Primrose | HP | 1.04 | G4 | | 5-9A | | | 5 |
| <i>Primula denticulata</i> 'Cashmeriana Rubin' Cashmeriana Rubin Drumstick Primrose | HP | 1.04 | G4 | | 5-9A | | | 5 |
| <i>Primula denticulata</i> 'Ronsdorf Strain' Ronsdorf Strain Drumstick Primrose | HP | 0.91 | G4 | | 5-9A | | | 5 |
| <i>Primula denticulata</i> 'Rosa Tone' Rosa Tone Drumstick Primrose | HP | 0.91 | G4 | | 5-9A | | | 5 |
| <i>Primula elatior</i> Oxlip Primrose | HP | 1.01 | G4 | 4-9A | | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Primula elatior</i> 'Alba' White Oxlip Primrose | HP | 1.01 | G4 | 4-9A | | | | 5 |
| <i>Primula elatior</i> 'Aurea' Aurea Oxlip Primrose | HP | 1.20 | G4 | 4-9A | | | | 5 |
| <i>Primula elatior</i> 'Rote Farbern' Rote Farbern Oxlip Primrose | HP | 1.01 | G4 | 4-9A | | | | 5 |
| <i>Primula japonica</i> Japanese Primrose | HP | 1.04 | G4 | 4-9A | | | | 5 |
| <i>Primula japonica</i> 'Alba' White Japanese Primrose | HP | 1.04 | G4 | 4-9A | | | | 5 |
| <i>Primula japonica</i> 'Miller's Crimson' Miller's Crimson Japanese Primrose | HP | 1.04 | G4 | 4-9A | | | | 5 |
| <i>Primula juliae</i> Julia Primrose | HP | 1.08 | G4 | 4-9A | | | | 5 |
| <i>Primula juliae</i> 'Wanda' Wanda Julia's Primrose | HP | 1.08 | G4 | 4-9A | | | | 5 |
| <i>Primula malacoides</i> Fairy Primrose | AN | 1.00 | G4 | 4-9A | | | | 8 |
| <i>Primula x polyantha</i> Polyantha Primrose | HP | 1.02 | G4 | 4-9A | | | | 3 |
| <i>Primula x polyantha</i> 'Pacific Giant Mixed' Pacific Giant Polyantha Primrose | HP | 1.11 | G4 | 4-9A | | | | 3 |
| <i>Primula x polyantha</i> 'Pacific Giant Yellow' Pacific Giant Yellow Polyantha Primrose | HP | 1.02 | G4 | 4-9A | | | | 3 |
| <i>Primula x pubescens</i> Hybrid Primrose | HP | 1.00 | G4 | 4-9A | | | | 5 |
| <i>Primula rosea</i> Rose Primrose | HP | 0.97 | G4 | | 6-9A | | | 6 |
| <i>Primula rosea</i> 'Gigas' Gigas Rose Primrose | HP | 0.97 | G4 | | 6-9A | | | 6 |
| <i>Primula rosea</i> 'Grandiflora' Grandiflora Rose Primrose | HP | 0.97 | G4 | | 6-9A | | | 6 |
| <i>Primula sikkimensis</i> Sikkim Primrose | HP | 1.11 | G4 | | 6-9A | | | 6 |
| <i>Primula veris</i> Cowslip Primrose | HP | 0.89 | G4 | | 5-9A | | | 5 |
| <i>Primula vialii</i> Vial's Primrose | HP | 1.00 | G4 | | 7-9A | | | 7 |
| <i>Primula vulgaris</i> English Primrose | HP | 0.84 | G4 | 4-9A | | | | 6 |
| <i>Primula yargongensis</i> No Common Name Found | HP | 0.97 | G4 | | 6-9A | | | 7 |
| <i>Pritchardia affinis</i> Lou Palm | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Pritchardia hillebrandii</i> Loulou Lelo Palm | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Pritchardia pacifica</i> Fiji Fan Palm | BE | 1.25 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Pritchardia thurstonii</i> Thurston Palm | BE | 1.99 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Prosopis chilensis</i> See - <i>Prosopis glandulosa</i> | DT | 1.10 | G1 | | 9B-10B | 1.05 | 1.17 | 10 |
| <i>Prosopis glandulosa</i> Honey Mesquite | | | | | | | | |
| <i>Prostanthera denticulata</i> Prostrate Mint Bush | BS | 0.81 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Prostanthera lasianthos</i> Victoria Dogwood | BS | 0.81 | G2 | | 9A-11 | | 1.00 | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Prostanthera rotundifolia</i> Mint Bush | BS | 1.09 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Prostanthera rotundifolia</i> 'Ghost Cave' Ghost Cave Mint Bush | BS | 0.81 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Prostanthera rotundifolia</i> 'Rosea' Rose Mint Bush | BS | 0.81 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Prumnopitys andina</i> Plum-fruited Yew | CE | 1.00 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 8 |
| <i>Prunella grandiflora</i> Bigflower Self-heal | HP | 0.93 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Prunella grandiflora</i> 'Alba' White Bigflower Self-heal | HP | 0.93 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Prunella grandiflora</i> 'Carminea' Carminea Bigflower Self-heal | HP | 0.93 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Prunella grandiflora</i> 'Pink Loveliness' Pink Loveliness Self-heal | HP | 1.03 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Prunella laciniata</i> Cut-leaf Self-heal | HP | 1.11 | G4 | 6 | 7-9B | | | 6 |
| <i>Prunella vulgaris</i> Common Self-heal | HP | 1.00 | G4 | 3-6 | 7-9A | | | 3 |
| <i>Prunella x webbiana</i> Hybrid Self-heal | HP | 0.67 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Prunella x webbiana</i> 'Loveliness' Loveliness Hybrid Self-heal | HP | 1.01 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Prunella x webbiana</i> 'Rosea' Rose Hybrid Self-heal | HP | 0.67 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Prunus</i> Hybrid Plum | FN | 0.66 | G1 | 6 | 7-9A | 1.48 | 1.00 | 4 |
| <i>Prunus</i> 'Alderman' Alderman Plum | FN | 0.66 | G1 | 6 | 7-9A | 1.56 | 1.00 | 4 |
| <i>Prunus</i> 'Ember' Ember Plum | FN | 0.66 | G1 | 6 | 7-9A | 1.48 | 1.00 | 4 |
| <i>Prunus</i> 'La Crescent' La Crescent Plum | FN | 0.66 | G1 | 6 | 7-9A | 1.48 | 1.00 | 4 |
| <i>Prunus</i> 'Pembina' Pembina Plum | FN | 0.66 | G1 | 6 | 7-9A | 1.48 | 1.00 | 3 |
| <i>Prunus</i> 'Pipestone' Pipestone Plum | FN | 0.66 | G1 | 6 | 7-9A | 1.48 | 1.00 | 3 |
| <i>Prunus</i> 'Redglow' Redglow Plum | FN | 0.66 | G1 | 6 | 7-9A | 1.48 | 1.00 | 4 |
| <i>Prunus</i> 'Snofozam' Snow Fountains Cherry | DT | 1.11 | G1 | 6 | 7-9A | 1.12 | 0.78 | 5 |
| <i>Prunus</i> 'Snow Fountains' See - <i>Prunus</i> 'Snofozam' | FN | 1.06 | G1 | 6 | 7-9A | 1.48 | 1.00 | 4 |
| <i>Prunus</i> 'Superior' Superior Plum | FN | 1.06 | G1 | 6 | 7-9A | 1.48 | 1.00 | 4 |
| <i>Prunus</i> 'Toka' Toka Plum | FN | 1.15 | G1 | 6 | 7-9A | 1.48 | 1.00 | 3 |
| <i>Prunus</i> 'Underwood' Underwood Plum | FN | 0.66 | G1 | 6 | 7-9A | 1.48 | 1.00 | 4 |
| <i>Prunus</i> 'Waneta' Waneta Plum | FN | 0.66 | G1 | 6 | 7-9A | 1.48 | 1.00 | 3 |
| <i>Prunus americana</i> American Red Plum | DT | 0.48 | G1 | | 3-9A | 0.74 | 1.03 | 3 |
| <i>Prunus angustifolia</i> Chickasaw Plum | DT | 0.59 | G1 | 6 | 7-9A | 1.00 | 1.00 | 6 |
| <i>Prunus armeniaca</i> Apricot | FN | 1.02 | G1 | 5-6 | 7-9A | 0.79 | 1.00 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Prunus armeniaca</i> 'Blenheim' Blenheim Apricot | FN | 0.95 | G1 | 5-6 | 7-9A | 0.89 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Chinese' Chinese Apricot | FN | 0.95 | G1 | 5-6 | 7-9A | 0.93 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Coffing' Coffing Apricot | FN | 0.79 | G1 | 5-6 | 7-9A | 0.79 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Curtis' Curtis Apricot | FN | 0.79 | G1 | 5-6 | 7-9A | 0.79 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Early Golden' Early Golden Apricot | FN | 0.85 | G1 | 5-6 | 7-9A | 0.83 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Goldbar' P.P. 7045 Goldbar Apricot | FN | 0.79 | G1 | 5-6 | 7-9A | 0.89 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Goldcot' Goldcot Apricot | FN | 0.92 | G1 | 5-6 | 7-9A | 0.83 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Goldrich' Goldrich Apricot | FN | 0.79 | G1 | 5-6 | 7-9A | 0.81 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Goldstrike' P.P. 7035 Goldstrike Apricot | FN | 0.79 | G1 | 5-6 | 7-9A | 0.89 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Lehrman' Lehrman Apricot | FN | 0.79 | G1 | 5-6 | 7-9A | 0.83 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Moongold' Moongold Apricot | FN | 0.96 | G1 | 5-6 | 7-9A | 0.79 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Moorpark' Moorpark Apricot | FN | 1.03 | G1 | 5-6 | 7-9A | 0.99 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Perfection' Perfection Apricot | FN | 0.89 | G1 | 5-6 | 7-9A | 0.82 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Rival' Rival Apricot | FN | 0.79 | G1 | 5-6 | 7-9A | 0.82 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Royal' Royal Apricot | FN | 1.00 | G1 | 5-6 | 7-9A | 1.04 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Scout' Scout Apricot | FN | 0.79 | G1 | 5-6 | 7-9A | 0.79 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Sungold' Sungold Apricot | FN | 0.79 | G1 | 5-6 | 7-9A | 0.79 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Tilton' Tilton Apricot | FN | 0.93 | G1 | 5-6 | 7-9A | 0.89 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Tomcot' P.P. 7034 Tomcot Apricot | FN | 0.79 | G1 | 5-6 | 7-9A | 0.90 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Wenatchee Moorpark' Wenatchee Moorpark Apricot | FN | 0.79 | G1 | 5-6 | 7-9A | 0.85 | 1.00 | 5 |
| <i>Prunus armeniaca</i> var. <i>mandshurica</i> See - <i>Prunus mandshurica</i> | FN | 0.63 | G1 | | 3-9A | 0.89 | 1.87 | 3 |
| <i>Prunus avium</i> Mazzard Cherry | FN | 0.96 | G1 | | 3-9A | 0.89 | 1.87 | 3 |
| <i>Prunus avium</i> 'Attika' See - <i>Prunus avium</i> 'Kordia' | FN | 0.86 | G1 | | 3-9A | 0.94 | 1.87 | 3 |
| <i>Prunus avium</i> 'Bing Dwarf' Bing Dwarf Sweet Cherry | FN | 0.63 | G1 | | 3-9A | 0.89 | 1.87 | 3 |
| <i>Prunus avium</i> 'Bing' Bing Sweet Cherry | FN | 0.86 | G1 | | 3-9A | 0.94 | 1.87 | 3 |
| <i>Prunus avium</i> 'Black Republican' Black Republican Sweet Cherry | FN | 0.63 | G1 | | 3-9A | 0.89 | 1.87 | 3 |
| <i>Prunus avium</i> 'Black Tartarian' Black Tartarian Sweet Cherry | FN | 0.86 | G1 | | 3-9A | 0.97 | 1.87 | 3 |
| <i>Prunus avium</i> 'Chelan' See - <i>Prunus avium</i> 'PC 7146-23' P.P. 8545 | FN | 0.63 | G1 | | 3-9A | 0.91 | 1.87 | 3 |
| <i>Prunus avium</i> 'Emperor Francis' Emperor Francis Sweet Cherry | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Prunus avium</i> 'Hardy Giant' Hardy Giant Sweet Cherry | FN | 0.63 | G1 | | 3-9A | 0.91 | 1.87 | 3 |
| <i>Prunus avium</i> 'Hedelfingen' Hedelfingen Sweet Cherry | FN | 0.63 | G1 | | 3-9A | 0.91 | 1.87 | 3 |
| <i>Prunus avium</i> 'Index' P.P.A.F. Index Sweet Cherry | FN | 0.63 | G1 | | 3-9A | 0.96 | 1.87 | 3 |
| <i>Prunus avium</i> 'Kordia' Attika Sweet Cherry | FN | 0.63 | G1 | | 3-9A | 0.95 | 1.87 | 3 |
| <i>Prunus avium</i> 'Lambert' Lambert Sweet Cherry | FN | 0.93 | G1 | | 3-9A | 0.91 | 1.87 | 3 |
| <i>Prunus avium</i> 'Lapins' Lapins Sweet Cherry | FN | 0.85 | G1 | | 3-9A | 0.94 | 1.87 | 3 |
| <i>Prunus avium</i> 'Mesabi' Mesabi Sweet Cherry | FN | 0.63 | G1 | | 3-9A | 0.89 | 1.87 | 3 |
| <i>Prunus avium</i> 'PC 7146-23' P.P. 8545 Chelan Sweet Cherry | FN | 0.63 | G1 | | 3-9A | 0.99 | 1.87 | 3 |
| <i>Prunus avium</i> 'Rainier' Rainier Sweet Cherry | FN | 0.90 | G1 | | 3-9A | 0.94 | 1.87 | 3 |
| <i>Prunus avium</i> 'Regina' Regina Sweet Cherry | FN | 0.63 | G1 | | 3-9A | 1.01 | 1.87 | 3 |
| <i>Prunus avium</i> 'Royal Ann' Royal Ann Sweet Cherry | FN | 0.82 | G1 | | 3-9A | 0.93 | 1.87 | 3 |
| <i>Prunus avium</i> 'Schmidt' Schmidt Sweet Cherry | FN | 0.63 | G1 | | 3-9A | 0.91 | 1.87 | 3 |
| <i>Prunus avium</i> 'Schneider' Schneider Sweet Cherry | FN | 0.63 | G1 | | 3-9A | 0.91 | 1.87 | 3 |
| <i>Prunus avium</i> 'Sonata' Sonata™ Sweet Cherry | FN | 0.63 | G1 | | 3-9A | 0.98 | 1.87 | 3 |
| <i>Prunus avium</i> 'Stella' Stella Sweet Cherry | FN | 0.82 | G1 | | 3-9A | 0.98 | 1.87 | 3 |
| <i>Prunus avium</i> 'Sweetheart' Sweetheart® Sweet Cherry | FN | 0.63 | G1 | | 3-9A | 1.00 | 1.87 | 3 |
| <i>Prunus avium</i> 'Ulster' Ulster Sweet Cherry | FN | 0.63 | G1 | | 3-9A | 0.93 | 1.87 | 3 |
| <i>Prunus avium</i> 'Utah Giant' Utah Giant Sweet Cherry | FN | 0.63 | G1 | | 3-9A | 0.98 | 1.87 | 3 |
| <i>Prunus avium</i> 'Van' Van Sweet Cherry | FN | 0.94 | G1 | | 3-9A | 0.95 | 1.87 | 3 |
| <i>Prunus besseyi</i> Western Sand Cherry | SF | 0.92 | G1 | | 3-9A | | 1.00 | 3 |
| <i>Prunus besseyi</i> 'Compass' Compass Sand Cherry | SF | 0.60 | G1 | | 3-9A | | 1.00 | 3 |
| <i>Prunus besseyi</i> 'Red Diamond' Red Diamond Sand Cherry | SF | 0.60 | G1 | | 3-9A | | 1.00 | 3 |
| <i>Prunus besseyi</i> 'Sapalta' Sapalta Sand Cherry | SF | 0.60 | G1 | | 3-9A | | 1.00 | 3 |
| <i>Prunus x blireiana</i> Blireiana Plum | FN | 0.78 | G1 | | 5-9B | 0.76 | 0.72 | 5 |
| <i>Prunus campanulata</i> Taiwan Cherry | DT | 1.06 | G1 | | 7-8 | 1.31 | 0.41 | 7 |
| <i>Prunus campanulata</i> 'Okame' Okame Taiwan Cherry | DT | 0.83 | G1 | | 7-8 | 0.95 | 0.54 | 7 |
| <i>Prunus caroliniana</i> Carolina Cherry Laurel | BE | 0.73 | G1 | | 8-10A | 1.00 | 0.79 | 7 |
| <i>Prunus caroliniana</i> 'Bright 'n Tight' See - <i>Prunus caroliniana</i> 'Monus' | BS | 0.82 | G1 | | 8-10A | | 1.00 | 7 |
| <i>Prunus caroliniana</i> 'Compacta' Compact Carolina Cherry Laurel | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Prunus caroliniana</i> 'Monus' Bright 'n Tight™ Carolina Cherry Laurel | BE | 1.06 | G1 | | 8-10A | 1.00 | 0.79 | 7 |
| <i>Prunus cerasifera</i> Cherry Plum | DT | 0.88 | G1 | | 3-8 | 0.39 | 0.22 | 4 |
| <i>Prunus cerasifera</i> 'Alfred' Alfred Cherry Plum | DT | 0.89 | G1 | | 3-8 | 0.39 | 0.22 | 4 |
| <i>Prunus cerasifera</i> 'Frankthrees' P.P. 4987 Mt. St. Helens Cherry Plum | DT | 0.96 | G1 | | 3-8 | 0.99 | 0.65 | 4 |
| <i>Prunus cerasifera</i> 'Krauter Vesuvius' Krauter Vesuvius Cherry Plum | DT | 0.86 | G1 | | 3-8 | 0.91 | 0.31 | 4 |
| <i>Prunus cerasifera</i> 'Mt. St. Helens' See - <i>Prunus cerasifera</i> 'Frankthrees' P.P. 4987 | DT | 0.85 | G1 | | 3-8 | 0.39 | 0.22 | 4 |
| <i>Prunus cerasifera</i> 'Newport West Coast Strain' Newport West Coast Strain Purple Cherry Plum | DT | 0.85 | G1 | | 3-8 | 0.88 | 0.39 | 4 |
| <i>Prunus cerasifera</i> 'Newport' Newport Purple Cherry Plum | DT | 0.85 | G1 | | 3-8 | 0.92 | 0.42 | 4 |
| <i>Prunus cerasifera</i> 'Pissardii' Pissardii Cherry Plum | DT | 0.85 | G1 | | 3-8 | 0.39 | 0.22 | 4 |
| <i>Prunus cerasifera</i> 'Purple Pony' Purple Pony Cherry Plum | DT | 0.88 | G1 | | 3-8 | 0.39 | 0.22 | 4 |
| <i>Prunus cerasifera</i> 'Thundercloud' Thundercloud Cherry Plum | DT | 0.91 | G1 | | 3-8 | 0.93 | 1.36 | 3 |
| <i>Prunus cerasus</i> Tart Cherry | FN | 0.87 | G1 | | 3-9B | 0.93 | 1.36 | 3 |
| <i>Prunus cerasus</i> 'Early Richmond' Early Richmond Tart Cherry | FN | 1.08 | G1 | | 3-9B | 1.15 | 1.36 | 3 |
| <i>Prunus cerasus</i> 'Gold' Gold Tart Cherry | FN | 0.87 | G1 | | 3-9B | 0.93 | 1.36 | 3 |
| <i>Prunus cerasus</i> 'Meteor' Meteor Tart Cherry | FN | 0.92 | G1 | | 3-9B | 0.93 | 1.36 | 3 |
| <i>Prunus cerasus</i> 'Montmorency' Montmorency Tart Cherry | FN | 0.87 | G1 | | 3-9B | 1.26 | 1.64 | 3 |
| <i>Prunus cerasus</i> 'North Star' North Star Dwarf Tart Cherry | FN | 0.94 | G1 | | 3-9B | 1.05 | 1.36 | 3 |
| <i>Prunus x cistena</i> Purpleleaf Sand Cherry | DS | 1.07 | G1 | | 3-9B | | 0.70 | 3 |
| <i>Prunus x cistena</i> 'Big Cis' See - <i>Prunus x cistena</i> 'Schmidtcis' P.P. 5003 | DS | 1.50 | G1 | | 3-9B | | 0.70 | 3 |
| <i>Prunus x cistena</i> 'Schmidtcis' P.P. 5003 Big Cis™ Purpleleaf Sand Cherry | FN | 0.83 | G1 | 5-6 | 7-9A | 0.81 | 1.00 | 5 |
| <i>Prunus domestica</i> Common Plum | FN | 0.83 | G1 | 5-6 | 7-9A | 0.81 | 1.00 | 5 |
| <i>Prunus domestica</i> 'Early Italian' Early Italian Plum | FN | 0.83 | G1 | 5-6 | 7-9A | 0.81 | 1.00 | 5 |
| <i>Prunus domestica</i> 'Elephant Heart' Elephant Heart Plum | FN | 0.92 | G1 | 5-6 | 7-9A | 0.91 | 1.00 | 5 |
| <i>Prunus domestica</i> 'Green Gage' Green Gage Plum | FN | 1.01 | G1 | 5-6 | 7-9A | 0.91 | 1.00 | 5 |
| <i>Prunus domestica</i> 'Italian' Italian Prune Plum | FN | 0.83 | G1 | 5-6 | 7-9A | 0.85 | 1.00 | 5 |
| <i>Prunus domestica</i> 'Mt. Royal' Mt. Royal Plum | FN | 0.85 | G1 | 5-6 | 7-9A | 0.84 | 1.00 | 5 |
| <i>Prunus domestica</i> 'President' President Plum | FN | 0.83 | G1 | 5-6 | 7-9A | 0.82 | 1.00 | 5 |
| <i>Prunus domestica</i> 'Simka' Simka Plum | FN | 0.83 | G1 | 5-6 | 7-9A | 0.81 | 1.00 | 5 |
| <i>Prunus domestica</i> 'Stanley Dwarf' Stanley Dwarf Plum | FN | 0.96 | G1 | 5-6 | 7-9A | 0.98 | 1.00 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Prunus domestica</i> 'Stanley' Stanley Prune Plum | FN | 0.83 | G1 | 5-6 | 7-9A | 0.85 | 1.00 | 5 |
| <i>Prunus domestica</i> 'Sugar Prune' Sugar Prune Plum | FN | 0.83 | G1 | 5-6 | 7-9A | 0.84 | 1.00 | 5 |
| <i>Prunus dulcis</i> Almond | FN | 0.89 | G1 | | 7-10A | 0.72 | 1.59 | 7 |
| <i>Prunus dulcis</i> 'Ne Plus Ultra' Ne Plus Ultra Almond | FN | 0.89 | G1 | | 7-10A | 0.72 | 1.81 | 7 |
| <i>Prunus dulcis</i> 'Nonpareil' Nonpareil Almond | FN | 0.91 | G1 | | 7-10A | 0.88 | 1.81 | 7 |
| <i>Prunus dulcis</i> 'Texas Mission' Texas Mission Almond | FN | 0.91 | G1 | | 7-10A | 0.88 | 1.59 | 7 |
| <i>Prunus fruticosa</i> Steppe Cherry | DS | 1.00 | G1 | | 4-8 | | 1.00 | 4 |
| <i>Prunus glandulosa</i> Dwarf Flowering Almond | DT | 0.70 | G1 | | 4-8 | 1.00 | 0.58 | 4 |
| <i>Prunus glandulosa</i> 'Rosea' Rosea Dwarf Flowering Almond | DT | 0.68 | G1 | | 4-8 | 1.00 | 0.58 | 4 |
| <i>Prunus glandulosa</i> 'Sinensis' Sinensis Dwarf Flowering Almond | DT | 0.66 | G1 | | 4-8 | 1.00 | 0.58 | 4 |
| <i>Prunus ilicifolia</i> Holly-leaved Cherry | BS | 0.81 | G1 | | 9A-10A | | 1.00 | 9 |
| <i>Prunus japonica</i> Japanese Bush Cherry | DS | 1.00 | G1 | | 4-9A | | 1.00 | 4 |
| <i>Prunus laurocerasus</i> Cherry Laurel | BS | 0.83 | G1 | 6-8 | | | 0.76 | 7 |
| <i>Prunus laurocerasus</i> 'Caucasica Nana' Caucasica Nana Cherry Laurel | BS | 0.93 | G1 | 6-8 | | | 0.97 | 7 |
| <i>Prunus laurocerasus</i> 'Compacta' Compact Cherry Laurel | BS | 0.78 | G1 | 6-8 | | | 0.89 | 7 |
| <i>Prunus laurocerasus</i> 'Majestic Jade' Majestic Jade Cherry Laurel | BS | 1.11 | G1 | 6-8 | | | 0.76 | 7 |
| <i>Prunus laurocerasus</i> 'Marbled Dragon' Marbled Dragon Cherry Laurel | BS | 0.91 | G1 | 6-8 | | | 0.76 | 7 |
| <i>Prunus laurocerasus</i> 'Mt. Vernon' Mt. Vernon Cherry Laurel | BS | 1.22 | G1 | 6-8 | | | 0.76 | 7 |
| <i>Prunus laurocerasus</i> 'Nana' Dwarf Cherry Laurel | BS | 0.95 | G1 | 6-8 | | | 0.82 | 7 |
| <i>Prunus laurocerasus</i> 'Otto Luyken' Otto Luyken Cherry Laurel | BS | 1.03 | G1 | 6-8 | | | 0.89 | 7 |
| <i>Prunus laurocerasus</i> 'S & S Supreme' S & S Supreme Cherry Laurel | BS | 1.02 | G1 | 6-8 | | | 1.01 | 7 |
| <i>Prunus laurocerasus</i> 'Schipkaensis' Skip Cherry Laurel | BS | 0.92 | G1 | 6-8 | | | 0.93 | 7 |
| <i>Prunus laurocerasus</i> 'Zabeliana' Zabel Cherry Laurel | BS | 0.90 | G1 | 6-8 | | | 0.87 | 7 |
| <i>Prunus lusitanica</i> Portugal Laurel Cherry | BS | 0.97 | G1 | | 7-10A | | 0.87 | 7 |
| <i>Prunus lyoni</i> Catalina Cherry | BS | 0.81 | G1 | | 8-10A | | 1.00 | 8 |
| <i>Prunus maackii</i> Amur Chokecherry | DT | 0.75 | G1 | | 3-9B | 0.98 | 1.36 | 2 |
| <i>Prunus mahaleb</i> Mahaleb | DT | 1.00 | G1 | 5-6 | 7-10A | 1.00 | 1.00 | 5 |
| <i>Prunus mandshurica</i> Manchurian Apricot | FN | 1.31 | G1 | 6 | 7-10A | 1.47 | 1.00 | 5 |
| <i>Prunus maritima</i> Beach Plum | DS | 1.07 | G1 | | 3-9B | | 1.03 | 3 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Prunus mexicana</i> Big-tree Plum | BE | 0.88 | G1 | 6 | 7-10A | 0.72 | 1.00 | 6 |
| <i>Prunus mume</i> Japanese Apricot | DT | 1.08 | G1 | 6 | 7-10A | 1.08 | 0.94 | 6 |
| <i>Prunus mume</i> 'Bonita' Bonita Japanese Apricot | DT | 0.95 | G1 | 6 | 7-10A | 1.00 | 0.94 | 6 |
| <i>Prunus mume</i> 'Dawn' Dawn Japanese Apricot | DT | 0.88 | G1 | 6 | 7-10A | 1.00 | 0.94 | 6 |
| <i>Prunus mume</i> 'Peggy Clarke' Peggy Clarke Japanese Apricot | DT | 0.88 | G1 | 6 | 7-10A | 0.89 | 0.94 | 6 |
| <i>Prunus mume</i> 'Rosemary Clarke' Rosemary Clark Japanese Apricot | DT | 0.82 | G1 | 6 | 7-10A | 1.00 | 0.94 | 6 |
| <i>Prunus mume</i> 'Weeping Pink' Weeping Pink Japanese Apricot | DT | 0.72 | G1 | 6 | 7-10A | 0.89 | 0.94 | 6 |
| <i>Prunus myrobalana</i> See - <i>Prunus cerasifera</i> | | | | | | | | |
| <i>Prunus nigra</i> Canadian Plum | DT | 0.96 | G1 | | 3-9B | 1.22 | 1.00 | 2 |
| <i>Prunus nigra</i> 'Princess Kay' Princess Kay Canada Plum | DT | 0.96 | G1 | | 3-9B | 1.22 | 1.00 | 2 |
| <i>Prunus padus</i> Bird Cherry | DT | 0.76 | G1 | | 3-9B | 0.94 | 0.84 | 3 |
| <i>Prunus padus</i> 'DTR 117' Summer Glow® Bird Cherry | DT | 0.76 | G1 | | 3-9B | 0.80 | 0.38 | 3 |
| <i>Prunus padus</i> 'Dropmore' Dropmore Bird Cherry | DT | 0.76 | G1 | | 3-9B | 0.80 | 0.38 | 3 |
| <i>Prunus padus</i> 'Plena' Plena Bird Cherry | DT | 0.76 | G1 | | 3-9B | 0.80 | 0.38 | 3 |
| <i>Prunus padus</i> 'Spaethii' Spaethii Bird Cherry | DT | 0.76 | G1 | | 3-9B | 0.80 | 0.38 | 3 |
| <i>Prunus padus</i> 'Summer Glow' See - <i>Prunus padus</i> 'DTR 117' | | | | | | | | |
| <i>Prunus padus</i> 'Wateri' Wateri Bird Cherry | DT | 0.76 | G1 | | 3-9B | 0.80 | 0.38 | 3 |
| <i>Prunus padus</i> var. <i>commutata</i> May Day Tree | DT | 1.00 | G1 | | 3-9B | 1.04 | 1.00 | 3 |
| <i>Prunus pensylvanica</i> Pin Cherry | DT | 1.00 | G1 | | 3-9B | 1.12 | 1.00 | 2 |
| <i>Prunus pensylvanica</i> 'Stockton' Stockton Pin Cherry | DT | 1.00 | G1 | | 3-9B | 1.12 | 1.00 | 2 |
| <i>Prunus persica</i> Common Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.72 | 1.17 | 5 |
| <i>Prunus persica</i> 'Alba' White Flowering Peach | DT | 0.44 | G1 | 5-6 | 7-10A | 0.58 | 0.32 | 5 |
| <i>Prunus persica</i> 'Angelus' Angelus Peach | DT | 0.44 | G1 | 5-6 | 7-10A | 0.58 | 0.32 | 5 |
| <i>Prunus persica</i> 'Arctic Gem' P.P. 7065 Arctic Gem Peach | DT | 0.44 | G1 | 5-6 | 7-10A | 0.85 | 0.32 | 5 |
| <i>Prunus persica</i> 'Arkansas 9' Arkansas 9 Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.81 | 1.17 | 5 |
| <i>Prunus persica</i> 'Babcock' Babcock Peach | FN | 0.94 | G1 | 5-6 | 7-10A | 0.98 | 1.17 | 5 |
| <i>Prunus persica</i> 'Babygold 5' Babygold 5 Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.81 | 1.17 | 5 |
| <i>Prunus persica</i> 'Bailey Hardy' Bailey Hardy Peach | FN | 1.16 | G1 | 5-6 | 7-10A | 1.65 | 1.17 | 5 |
| <i>Prunus persica</i> 'Belle of Georgia Dwarf' Belle of Georgia Dwarf Peach | FN | 1.14 | G1 | 5-6 | 7-10A | 0.72 | 1.44 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Prunus persica</i> 'Belle of Georgia' Belle of Georgia Peach | FN | 0.88 | G1 | 5-6 | 7-10A | 0.91 | 1.17 | 5 |
| <i>Prunus persica</i> 'Blushingstar' Blushingstar™ Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.96 | 1.17 | 5 |
| <i>Prunus persica</i> 'Canadian Harmony' Canadian Harmony Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.89 | 1.17 | 5 |
| <i>Prunus persica</i> 'Cresthaven' Cresthaven Peach | FN | 0.89 | G1 | 5-6 | 7-10A | 0.79 | 1.17 | 5 |
| <i>Prunus persica</i> 'Delp Hale' Delp Hale Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.83 | 1.17 | 5 |
| <i>Prunus persica</i> 'Desert Gold' Desert Gold Peach | FN | 0.97 | G1 | 5-6 | 7-10A | 0.98 | 1.17 | 5 |
| <i>Prunus persica</i> 'Early Elberta' Early Elberta Peach | FN | 0.91 | G1 | 5-6 | 7-10A | 0.87 | 1.17 | 5 |
| <i>Prunus persica</i> 'Early Redhaven' Early Redhaven Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.81 | 1.17 | 5 |
| <i>Prunus persica</i> 'Elberta Dwarf' Elberta Dwarf Peach | FN | 1.07 | G1 | 5-6 | 7-10A | 1.59 | 1.44 | 5 |
| <i>Prunus persica</i> 'Elberta' Elberta Peach | FN | 0.84 | G1 | 5-6 | 7-10A | 0.87 | 1.17 | 5 |
| <i>Prunus persica</i> 'Fairhaven' Fairhaven Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.82 | 1.17 | 5 |
| <i>Prunus persica</i> 'Flordabelle' Flordabelle Peach | FN | 0.75 | G1 | 5-6 | 7-10A | 0.72 | 1.17 | 5 |
| <i>Prunus persica</i> 'Flordahome' Flordahome Peach | FN | 0.82 | G1 | 5-6 | 7-10A | 0.72 | 1.17 | 5 |
| <i>Prunus persica</i> 'Flordaking' Flordaking Peach | FN | 0.83 | G1 | 5-6 | 7-10A | 0.72 | 1.17 | 5 |
| <i>Prunus persica</i> 'Flordaprince' Flordaprince Peach | FN | 0.87 | G1 | 5-6 | 7-10A | 0.72 | 1.17 | 5 |
| <i>Prunus persica</i> 'Flordaqueen' Flordaqueen Peach | FN | 0.75 | G1 | 5-6 | 7-10A | 0.72 | 1.17 | 5 |
| <i>Prunus persica</i> 'Flordasun' Flordasun Peach | FN | 0.75 | G1 | 5-6 | 7-10A | 0.72 | 1.17 | 5 |
| <i>Prunus persica</i> 'Flordawon' Flordawon Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.72 | 1.17 | 5 |
| <i>Prunus persica</i> 'Glohaven' Glohaven Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.78 | 1.17 | 5 |
| <i>Prunus persica</i> 'Golden Jubilee Dwarf' Golden Jubilee Dwarf Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.72 | 1.17 | 5 |
| <i>Prunus persica</i> 'Golden Jubilee' Golden Jubilee Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.82 | 1.17 | 5 |
| <i>Prunus persica</i> 'Golden Monarch' P.P. 3342 Golden Monarch Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.83 | 1.17 | 5 |
| <i>Prunus persica</i> 'Halehaven Dwarf' Halehaven Dwarf Peach | FN | 0.79 | G1 | 5-6 | 7-10A | 0.72 | 1.17 | 5 |
| <i>Prunus persica</i> 'Halehaven' Halehaven Peach | FN | 1.08 | G1 | 5-6 | 7-10A | 0.88 | 1.17 | 5 |
| <i>Prunus persica</i> 'J.H. Hale' J.H. Hale Peach | FN | 0.89 | G1 | 5-6 | 7-10A | 0.83 | 1.17 | 5 |
| <i>Prunus persica</i> 'June Gold' June Gold Peach | FN | 0.87 | G1 | 5-6 | 7-10A | 0.95 | 1.17 | 5 |
| <i>Prunus persica</i> 'Loring' Loring Peach | FN | 0.92 | G1 | 5-6 | 7-10A | 0.87 | 1.17 | 5 |
| <i>Prunus persica</i> 'M.A. Blake' M.A. Blake Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.81 | 1.17 | 5 |
| <i>Prunus persica</i> 'Madison' Madison Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.83 | 1.17 | 5 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Prunus persica</i> 'Maygold' Maygold Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.72 | 1.17 | 5 |
| <i>Prunus persica</i> 'Melba' Melba Peach | FN | 0.87 | G1 | 5-6 | 7-10A | 0.72 | 1.17 | 5 |
| <i>Prunus persica</i> 'Newhaven' Newhaven Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.78 | 1.17 | 5 |
| <i>Prunus persica</i> 'O'Henry' O'Henry Peach | FN | 0.88 | G1 | 5-6 | 7-10A | 0.79 | 1.17 | 5 |
| <i>Prunus persica</i> 'Peppermint Stick' Peppermint Stick Peach | FN | 1.27 | G1 | 5-6 | 7-10A | 0.72 | 1.21 | 5 |
| <i>Prunus persica</i> 'Ranger' Ranger Peach | FN | 0.94 | G1 | 5-6 | 7-10A | 0.98 | 1.17 | 5 |
| <i>Prunus persica</i> 'Red Fremont' Red Fremont Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.89 | 1.17 | 5 |
| <i>Prunus persica</i> 'Red Skin' Red Skin Peach | FN | 0.90 | G1 | 5-6 | 7-10A | 0.87 | 1.17 | 5 |
| <i>Prunus persica</i> 'Redglobe' Redglobe Peach | FN | 0.83 | G1 | 5-6 | 7-10A | 0.79 | 1.17 | 5 |
| <i>Prunus persica</i> 'Redhaven Dwarf' Redhaven Dwarf Peach | FN | 0.95 | G1 | 5-6 | 7-10A | 1.55 | 1.44 | 5 |
| <i>Prunus persica</i> 'Redhaven' Redhaven Peach | FN | 0.87 | G1 | 5-6 | 7-10A | 0.81 | 1.17 | 5 |
| <i>Prunus persica</i> 'Reliance Dwarf' Reliance Dwarf Peach | FN | 0.91 | G1 | 5-6 | 7-10A | 1.66 | 1.17 | 5 |
| <i>Prunus persica</i> 'Reliance' Reliance Peach | FN | 0.90 | G1 | 5-6 | 7-10A | 0.91 | 1.17 | 5 |
| <i>Prunus persica</i> 'Rio Oso Gem' Rio Oso Gem Peach | FN | 0.92 | G1 | 5-6 | 7-10A | 0.84 | 1.17 | 5 |
| <i>Prunus persica</i> 'Rosea' Pink Flowering Peach | DT | 0.44 | G1 | 5-6 | 7-10A | 0.58 | 0.32 | 5 |
| <i>Prunus persica</i> 'Roza' Roza Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.78 | 1.17 | 5 |
| <i>Prunus persica</i> 'Rubroplena' Red Flowering Peach | DT | 0.71 | G1 | 5-6 | 7-10A | 0.58 | 0.32 | 5 |
| <i>Prunus persica</i> 'Suncrest' Suncrest Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.79 | 1.17 | 5 |
| <i>Prunus persica</i> 'Suwanee' Suwanee Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.72 | 1.17 | 5 |
| <i>Prunus persica</i> 'Topaz' Topaz Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.78 | 1.17 | 5 |
| <i>Prunus persica</i> 'Versicolor' Versicolor Flowering Peach | FN | 0.85 | G1 | 5-6 | 7-10A | 0.72 | 1.17 | 5 |
| <i>Prunus persica</i> 'Veteran' Veteran Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 1.12 | 1.17 | 5 |
| <i>Prunus persica</i> 'Yakima Hale' Yakima Hale Peach | FN | 0.74 | G1 | 5-6 | 7-10A | 0.83 | 1.17 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> Nectarine | FN | 0.81 | G1 | 5-6 | 7-10A | 0.72 | 1.00 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Arctic Glo' P.P. 7884 Arctic Glo Nectarine | FN | 0.81 | G1 | 5-6 | 7-10A | 1.16 | 1.00 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Cavalier' Cavalier Nectarine | FN | 1.16 | G1 | 5-6 | 7-10A | 1.18 | 1.00 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Fantasia' Fantasia Nectarine | FN | 0.91 | G1 | 5-6 | 7-10A | 0.88 | 1.00 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Firebright' Firebright Nectarine | FN | 0.81 | G1 | 5-6 | 7-10A | 0.83 | 1.00 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Flavortop' Flavortop Nectarine | FN | 0.88 | G1 | 5-6 | 7-10A | 0.81 | 1.00 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Garden State' Garden State Nectarine | FN | 0.85 | G1 | 5-6 | 7-10A | 0.78 | 1.00 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Goldmine' Goldmine Nectarine | FN | 0.93 | G1 | 5-6 | 7-10A | 1.06 | 1.00 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Independence' Independence Nectarine | FN | 0.94 | G1 | 5-6 | 7-10A | 0.92 | 1.00 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Le Grand' Le Grand Nectarine | FN | 1.16 | G1 | 5-6 | 7-10A | 1.18 | 1.00 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Red Gold' Red Gold Nectarine | FN | 0.88 | G1 | 5-6 | 7-10A | 0.80 | 1.00 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Redchief' Redchief Nectarine | FN | 0.86 | G1 | 5-6 | 7-10A | 0.78 | 1.00 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sunglo' Sunglo Nectarine | FN | 0.84 | G1 | 5-6 | 7-10A | 0.72 | 1.00 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sunred' Sunred Nectarine | FN | 0.96 | G1 | 5-6 | 7-10A | 0.98 | 1.00 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Suregold' Suregold Nectarine | FN | 0.81 | G1 | 5-6 | 7-10A | 0.72 | 1.00 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sweet Scarlett' Sweet Scarlett Nectarine | FN | 0.81 | G1 | 5-6 | 7-10A | 0.83 | 1.00 | 5 |
| <i>Prunus pumila</i> var. <i>depressa</i> Sand Cherry | DS | 1.00 | G1 | | 3-9B | | 0.65 | 2 |
| <i>Prunus salicina</i> Japanese Plum | FN | 0.80 | G1 | 6 | 7-10A | 0.72 | 1.17 | 6 |
| <i>Prunus salicina</i> 'Abundance' Abundance Japanese Plum | FN | 0.80 | G1 | 6 | 7-10A | 0.72 | 1.17 | 6 |
| <i>Prunus salicina</i> 'Burbank' Burbank Japanese Plum | FN | 0.89 | G1 | 6 | 7-10A | 0.72 | 1.17 | 6 |
| <i>Prunus salicina</i> 'Damson' Damson Japanese Plum | FN | 0.80 | G1 | 6 | 7-10A | 0.82 | 1.17 | 6 |
| <i>Prunus salicina</i> 'Methley' Methley Japanese Plum | FN | 0.83 | G1 | 6 | 7-10A | 0.95 | 1.17 | 6 |
| <i>Prunus salicina</i> 'Ozark Premier' Ozark Premier Japanese Plum | FN | 0.88 | G1 | 6 | 7-10A | 0.95 | 1.17 | 6 |
| <i>Prunus salicina</i> 'Santa Rosa' Santa Rosa Japanese Plum | FN | 0.84 | G1 | 6 | 7-10A | 0.85 | 1.17 | 6 |
| <i>Prunus salicina</i> 'Satsuma' Satsuma Japanese Plum | FN | 0.92 | G1 | 6 | 7-10A | 0.91 | 1.17 | 6 |
| <i>Prunus salicina</i> 'Shiro' Shiro Japanese Plum | FN | 0.90 | G1 | 6 | 7-10A | 0.81 | 1.17 | 6 |
| <i>Prunus sargentii</i> Sargent Cherry | DT | 0.98 | G1 | | 4-7 | 1.01 | 1.13 | 4 |
| <i>Prunus sargentii</i> 'Accolade' Accolade Sargent Cherry | DT | 0.98 | G1 | | 4-7 | 0.70 | 0.34 | 4 |
| <i>Prunus sargentii</i> 'Columnaris' Columnar Sargent Cherry | DT | 0.98 | G1 | | 4-7 | 1.08 | 0.34 | 4 |
| <i>Prunus serotina</i> Black Cherry | DT | 0.54 | G1 | | 3-9B | 0.80 | 0.42 | 3 |
| <i>Prunus serrula</i> Red Bark Cherry | DT | 1.00 | G1 | 5-6 | 7-10A | 0.96 | 1.00 | 5 |
| <i>Prunus serrulata</i> Oriental Cherry | DT | 0.85 | G1 | | 5-7 | 0.73 | 1.08 | 5 |
| <i>Prunus serrulata</i> 'Amanogawa' Amanogawa Japanese Flowering Cherry | DT | 1.28 | G1 | | 5-7 | 1.05 | 0.33 | 5 |
| <i>Prunus serrulata</i> 'Kwanzan' Kwanzan Japanese Flowering Cherry | DT | 0.95 | G1 | | 5-7 | 0.97 | 0.51 | 5 |
| <i>Prunus serrulata</i> 'Mt. Fuji' Mt. Fuji Japanese Flowering Cherry | DT | 1.12 | G1 | | 5-7 | 1.05 | 0.38 | 5 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Prunus serrulata</i> 'Pendula' Weeping Japanese Flowering Cherry | DT | 1.38 | G1 | | 5-7 | 1.08 | 0.82 | 5 |
| <i>Prunus serrulata</i> 'Royal Burgundy' P.P. 6520 Royal Burgundy Japanese Flowering Cherry | DT | 0.95 | G1 | | 5-7 | 1.12 | 0.45 | 5 |
| <i>Prunus serrulata</i> 'Shirofugen' Shirofugen Japanese Flowering Cherry | DT | 1.28 | G1 | | 5-7 | 1.09 | 0.34 | 5 |
| <i>Prunus serrulata</i> 'Shogetsu' Shogetsu Japanese Flowering Cherry | DT | 0.85 | G1 | | 5-7 | 1.12 | 0.52 | 5 |
| <i>Prunus serrulata</i> 'Tai Haku' Great White Cherry | DT | 0.86 | G1 | | 5-7 | 1.00 | 0.33 | 5 |
| <i>Prunus subhirtella</i> Higan Cherry | DT | 1.91 | G1 | | 4-9B | 0.93 | 0.44 | 5 |
| <i>Prunus subhirtella</i> 'Autumnalis' Autumn Higan Cherry | DT | 0.88 | G1 | | 4-9B | 1.02 | 0.44 | 5 |
| <i>Prunus subhirtella</i> 'Hally Jolivette' Hally Jolivette Higan Cherry | FN | 1.20 | G1 | | 4-9B | 1.33 | 2.04 | 5 |
| <i>Prunus subhirtella</i> 'Pendula Plena Rosea' See - <i>Prunus subhirtella</i> 'Yae-shidare-higan' | DT | 1.12 | G1 | | 4-9B | 1.08 | 0.68 | 5 |
| <i>Prunus subhirtella</i> 'Pendula' Weeping Higan Cherry | DT | 0.88 | G1 | | 4-9B | 0.94 | 0.44 | 5 |
| <i>Prunus subhirtella</i> 'Rosy Cloud' P.P. 4540 Rosy Cloud Higan Cherry | DT | 0.91 | G1 | | 4-9B | 0.89 | 0.55 | 5 |
| <i>Prunus subhirtella</i> 'Snow Goose' Snow Goose Higan Cherry | DT | 1.20 | G1 | | 4-9B | 1.07 | 1.11 | 5 |
| <i>Prunus subhirtella</i> 'Whitcombi' Whitcomb Higan Cherry | FN | 1.00 | G1 | | 4-9B | 1.05 | 0.44 | 5 |
| <i>Prunus subhirtella</i> 'Yae-shidare-higan' Yae-shidare-higan Higan Cherry | DS | 0.95 | G1 | | 3-9B | | 1.00 | 2 |
| <i>Prunus tenella</i> Dwarf Russian Almond | DS | 0.78 | G1 | | 3-9B | | 0.70 | 2 |
| <i>Prunus tomentosa</i> Nanking Cherry | DT | 1.00 | G1 | | 3-9B | 1.00 | 1.00 | 2 |
| <i>Prunus tomentosa</i> 'Leucocarpa' Leucocarpa Downy Cherry | DS | 0.89 | G1 | 5-6 | 7-10A | | 0.86 | 3 |
| <i>Prunus triloba</i> Flowering Plum | DS | 1.00 | G1 | 5-6 | 7-10A | | 1.00 | 3 |
| <i>Prunus triloba</i> var. <i>multiplex</i> Double Flowering Plum | DS | 0.92 | G1 | | 3-9B | | 0.70 | 2 |
| <i>Prunus virginiana</i> Common Chokecherry | DS | 1.08 | G1 | | 3-9B | | 0.60 | 2 |
| <i>Prunus virginiana</i> 'Canada Red' See - <i>Prunus virginiana</i> 'Schubert' | DS | 1.11 | G1 | | 3-9B | | 0.71 | 2 |
| <i>Prunus virginiana</i> 'Schubert Select' Schubert Select Chokecherry | DS | 0.86 | G1 | | 5-8 | 0.93 | 0.49 | 5 |
| <i>Prunus virginiana</i> 'Schubert' Schubert Chokecherry | DT | 0.86 | G1 | | 5-8 | 1.00 | 0.39 | 5 |
| <i>Prunus x yedoensis</i> Yoshino Cherry | DT | 0.86 | G1 | | 5-8 | 0.95 | 0.39 | 5 |
| <i>Prunus x yedoensis</i> 'After Glow' P.P. 5730 After Glow Yoshino Cherry | DT | 1.00 | G1 | | 5-8 | 1.00 | 0.39 | 5 |
| <i>Prunus x yedoensis</i> 'Akebono' Akebono Yoshino Cherry | DT | 0.86 | G1 | | 5-8 | 1.00 | 0.39 | 5 |
| <i>Prunus x yedoensis</i> 'Shidare Yoshino' Weeping Yoshino Cherry | DT | 0.86 | G1 | | 5-8 | 1.00 | 0.39 | 5 |
| <i>Pseuderanthemum alatum</i> Chocolate Plant | BS | 0.79 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Pseuderanthemum atropurpureum</i> Purple False Eranthemum | BS | 1.01 | G1 | 10A | 10B-11 | | 1.00 | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Pseuderanthemum atropurpureum</i> 'Variegatum' Variegated Purple False Eranthemum | BS | 0.81 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Pseuderanthemum reticulatum</i> Reticulated Pseuderanthemum | BS | 0.70 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Pseudobombax ellipticum</i> Shaving Brush Tree | DT | 1.11 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Pseudocydonia sinensis</i> Chinese Quince | DS | 1.00 | G1 | 6 | 7-9A | | 1.00 | 6 |
| <i>Pseudogynoxys chenopodioides</i> Mexican Flame Vine | GC | 1.05 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Pseudolarix amabilis</i> Golden Larch | CE | 1.00 | G1 | | 4-7 | 1.00 | 1.16 | 6 |
| <i>Pseudolarix kaempferi</i> See - <i>Pseudolarix amabilis</i> | | | | | | | | |
| <i>Pseudopanax ferox</i> Toothed Lancewood | BE | 1.00 | G2 | 9 | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Pseudopanax lessonii</i> Houmspara | BS | 1.00 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Pseudophoenix sargentii</i> Buccaneer Palm | BE | 7.09 | G1 | 10A | 10B-11 | 1.00 | 8.88 | 10B |
| <i>Pseudosasa japonica</i> Arrow Bamboo | BS | 1.14 | G1 | 8 | 9A-10B | | 1.00 | 6 |
| <i>Pseudosasa japonica</i> var. <i>tsutsumiana</i> Dwarf Arrow Bamboo | BS | 1.06 | G1 | 8 | 9A-10B | | 1.00 | 6 |
| <i>Pseudotsuga menziesii</i> Douglas Fir | CE | 0.66 | G1 | | 4-6 | 0.77 | 1.06 | 4 |
| <i>Pseudotsuga menziesii</i> 'Carnefix Weeping' Carnefix Weeping Douglas Fir | CE | 0.66 | G1 | | 4-6 | 0.77 | 0.91 | 4 |
| <i>Pseudotsuga menziesii</i> 'Compacta Glauca' Compact Blue Douglas Fir | CE | 0.66 | G1 | | 4-6 | 0.77 | 0.91 | 4 |
| <i>Pseudotsuga menziesii</i> 'Fastigiata' Pyramidal Douglas Fir | CE | 0.66 | G1 | | 4-6 | 0.77 | 1.50 | 4 |
| <i>Pseudotsuga menziesii</i> 'Fletcheri' Fletcher Douglas Fir | CE | 1.24 | G1 | | 4-6 | 0.77 | 1.23 | 4 |
| <i>Pseudotsuga menziesii</i> 'Glauca Fastigiata' Blue Columnar Douglas Fir | CE | 1.57 | G1 | | 4-6 | 0.77 | 0.91 | 4 |
| <i>Pseudotsuga menziesii</i> 'Glauca Pendula' Blue Weeping Douglas Fir | CE | 1.35 | G1 | | 4-6 | 0.77 | 1.09 | 4 |
| <i>Pseudotsuga menziesii</i> 'Glauca' Blue Douglas Fir | CE | 1.33 | G1 | | 4-6 | 0.77 | 0.91 | 4 |
| <i>Pseudotsuga menziesii</i> 'Graceful Grace' Graceful Grace Douglas Fir | CE | 1.65 | G1 | | 4-6 | 0.77 | 1.22 | 4 |
| <i>Pseudotsuga menziesii</i> 'Hornecker' Hornecker Douglas Fir | CE | 1.20 | G1 | | 4-6 | 0.77 | 0.91 | 4 |
| <i>Pseudotsuga menziesii</i> 'Idaho Gem' Idaho Gem Douglas Fir | CE | 0.66 | G1 | | 4-6 | 0.77 | 0.91 | 4 |
| <i>Pseudotsuga menziesii</i> 'Little Jon' Little Jon Douglas Fir | CE | 0.66 | G1 | | 4-6 | 0.77 | 0.91 | 4 |
| <i>Pseudotsuga menziesii</i> 'Nana' Dwarf Douglas Fir | CS | 1.00 | G1 | | 4-6 | | 1.00 | 4 |
| <i>Pseudotsuga menziesii</i> 'Pendula' Weeping Douglas Fir | CE | 1.23 | G1 | | 4-6 | 0.77 | 1.30 | 4 |
| <i>Pseudotsuga menziesii</i> 'Skyline' Skyline Douglas Fir | CE | 1.20 | G1 | | 4-6 | 0.77 | 0.91 | 4 |
| <i>Psidium cattleianum</i> See - <i>Psidium littorale</i> var. <i>longipes</i> | FN | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Psidium guajava</i> Common Guava | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Psidium littorale</i> var. <i>littorale</i> Yellow Strawberry Guava | FN | 0.86 | G1 | 10A | 10B-11 | 1.00 | 1.50 | 10 |
| <i>Psidium littorale</i> var. <i>longipes</i> Purple Strawberry Guava | CE | 1.02 | G1 | 10A | 10B-11 | 1.40 | 1.11 | 10 |
| <i>Psidium lucidum</i> See - <i>Psidium littorale</i> var. <i>littorale</i> | | | | | | | | |
| <i>Psychopsis papilio</i> Butterfly Orchid | FO | 1.63 | G1 | 10A | 10B-11 | | | 10 |
| <i>Psychotria nervosa</i> Wild Coffee | BS | 0.56 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Ptelea trifoliata</i> Hop Tree | DS | 0.75 | G4 | | 5-9A | | 0.55 | 5 |
| <i>Pteridium aquilinum</i> Bracken | HP | 1.05 | G1 | 4-8 | 9-10A | | | 4 |
| <i>Pteris cretica</i> Cretan Brake | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Pteris cretica</i> 'Albo-lineata' Albo-lineata Cretan Brake | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Pteris ensiformis</i> Sword Brake | FO | 0.65 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Pteris ensiformis</i> 'Victoriae' Victory Sword Brake | FO | 0.65 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Pteris nodulosa</i> See - <i>Matteuccia struthiopteris</i> | | | | | | | | |
| <i>Pterocarpus indicus</i> Padauk | BE | 1.12 | G4 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Pterocephalus parnassi</i> See - <i>Pterocephalus perennis</i> | | | | | | | | |
| <i>Pterocephalus perennis</i> Dwarf Scabiosa | HP | 0.83 | G4 | | 6-9B | | | 6 |
| <i>Pterospermum acerifolium</i> Maple-leaved Bayur | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Pterostyrax hispida</i> Fragrant Epaulette Tree | DT | 0.82 | G4 | | 6-9B | 1.00 | 1.00 | 6 |
| <i>Ptychococcus elatus</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ptychococcus lepidotus</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ptychococcus paradoxus</i> No Common Name Found | BE | 2.12 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ptychosperma angustifolia</i> See - <i>Ptychosperma schefferi</i> | | | | | | | | |
| <i>Ptychosperma burretianum</i> No Common Name Found | BE | 0.64 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ptychosperma elegans</i> Solitaire Palm | BE | 0.93 | G3 | 10A | 10B-11 | 1.00 | 0.85 | 10 |
| <i>Ptychosperma macarthurii</i> McArthur Palm | BE | 1.04 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10B |
| <i>Ptychosperma propinquum</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ptychosperma salomonense</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ptychosperma sanderianum</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ptychosperma schefferi</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ptychosperma waitianum</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Pulmonaria</i> | HP | 1.05 | G4 | | 4-8 | | | 3 |
| Lungwort | | | | | | | | |
| <i>Pulmonaria 'British Sterling'</i> | HP | 1.19 | G4 | | 4-8 | | | 3 |
| British Sterling Hybrid Lungwort | | | | | | | | |
| <i>Pulmonaria 'Excalibur'</i> | HP | 1.24 | G4 | | 4-8 | | | 3 |
| Excalibur Hybrid Lungwort | | | | | | | | |
| <i>Pulmonaria 'Regal Ruffles'</i> | HP | 1.05 | G4 | | 4-8 | | | 3 |
| Regal Ruffles Hybrid Lungwort | | | | | | | | |
| <i>Pulmonaria 'Smokey Blue'</i> | HP | 1.26 | G4 | | 4-8 | | | 3 |
| Smokey Blue Hybrid Lungwort | | | | | | | | |
| <i>Pulmonaria angustifolia</i> | HP | 1.06 | G4 | | 4-8 | | | 3 |
| Blue Lungwort | | | | | | | | |
| <i>Pulmonaria angustifolia 'Azurea'</i> | HP | 1.42 | G4 | | 4-8 | | | 3 |
| Azurea Blue Lungwort | | | | | | | | |
| <i>Pulmonaria angustifolia 'Blaues Meer'</i> | HP | 1.57 | G4 | | 4-8 | | | 3 |
| Blaues Meer Blue Lungwort | | | | | | | | |
| <i>Pulmonaria angustifolia 'Johnson's Blue'</i> | HP | 1.16 | G4 | | 4-8 | | | 3 |
| Johnson's Blue Lungwort | | | | | | | | |
| <i>Pulmonaria angustifolia 'Mawson's Variety'</i> | HP | 1.05 | G4 | | 4-8 | | | 3 |
| Mawson's Variety Blue Lungwort | | | | | | | | |
| <i>Pulmonaria angustifolia 'Munstead Blue'</i> | HP | 1.69 | G4 | | 4-8 | | | 3 |
| Munstead Blue Lungwort | | | | | | | | |
| <i>Pulmonaria angustifolia 'Variegated'</i> | HP | 1.05 | G4 | | 4-8 | | | 3 |
| Variegated Blue Lungwort | | | | | | | | |
| <i>Pulmonaria longifolia</i> | HP | 1.23 | G4 | | 6-9A | | | 6 |
| Long-leaved Lungwort | | | | | | | | |
| <i>Pulmonaria longifolia 'Bertram Anderson'</i> | HP | 1.16 | G4 | | 6-9A | | | 6 |
| Bertram Anderson Long-leaved Lungwort | | | | | | | | |
| <i>Pulmonaria longifolia 'Cevennensis'</i> | HP | 1.34 | G4 | | 6-9A | | | 6 |
| Cevennensis Long-leaved Lungwort | | | | | | | | |
| <i>Pulmonaria montana</i> | HP | 1.38 | G4 | | 6-9A | | | 6 |
| Red Lungwort | | | | | | | | |
| <i>Pulmonaria montana 'Red Start'</i> | HP | 1.38 | G4 | | 6-9A | | | 6 |
| Red Start Red Lungwort | | | | | | | | |
| <i>Pulmonaria officinalis</i> | HP | 1.24 | G4 | | 6-9A | | | 6 |
| Jerusalem Sage | | | | | | | | |
| <i>Pulmonaria officinalis 'White Wings'</i> | HP | 1.24 | G4 | | 6-9A | | | 6 |
| White Wings Jerusalem Sage | | | | | | | | |
| <i>Pulmonaria saccharata</i> | HP | 1.12 | G4 | | 4-8 | | | 3 |
| Bethlehem Sage | | | | | | | | |
| <i>Pulmonaria saccharata 'Berries and Cream'</i> | HP | 1.30 | G4 | | 4-8 | | | 3 |
| Berries and Cream Bethlehem Sage | | | | | | | | |
| <i>Pulmonaria saccharata 'Dora Bielefeld'</i> | HP | 1.32 | G4 | | 4-8 | | | 3 |
| Dora Bielefeld Bethlehem Sage | | | | | | | | |
| <i>Pulmonaria saccharata 'Highdown'</i> | HP | 1.15 | G4 | | 4-8 | | | 3 |
| Highdown Bethlehem Sage | | | | | | | | |
| <i>Pulmonaria saccharata 'Janet Fisk'</i> | HP | 1.27 | G4 | | 4-8 | | | 3 |
| Janet Fisk Bethlehem Sage | | | | | | | | |
| <i>Pulmonaria saccharata 'Leopard'</i> | HP | 1.82 | G4 | | 4-8 | | | 3 |
| Leopard Bethlehem Sage | | | | | | | | |
| <i>Pulmonaria saccharata 'Little Star'</i> | HP | 1.39 | G4 | | 4-8 | | | 3 |
| Little Star Bethlehem Sage | | | | | | | | |
| <i>Pulmonaria saccharata 'Margery Fish'</i> | HP | 1.13 | G4 | | 4-8 | | | 3 |
| Margery Fish Bethlehem Sage | | | | | | | | |
| <i>Pulmonaria saccharata 'Milky Way'</i> | HP | 1.12 | G4 | | 4-8 | | | 3 |
| Milky Way Bethlehem Sage | | | | | | | | |
| <i>Pulmonaria saccharata 'Mrs. Moon'</i> | HP | 1.24 | G4 | | 4-8 | | | 3 |
| Mrs. Moon Bethlehem Sage | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Pulmonaria saccharata</i> 'Pierre's Pure Pink' Pierre's Pure Pink Bethlehem Sage | HP | 1.40 | G4 | | 4-8 | | | 3 |
| <i>Pulmonaria saccharata</i> 'Pink Dawn' Pink Dawn Bethlehem Sage | HP | 1.12 | G4 | | 4-8 | | | 3 |
| <i>Pulmonaria saccharata</i> 'Roy Davidson' Roy Davidson Bethlehem Sage | HP | 1.13 | G4 | | 4-8 | | | 3 |
| <i>Pulmonaria saccharata</i> 'Sissinghurst White' Sissinghurst White Bethlehem Sage | HP | 1.25 | G4 | | 4-8 | | | 3 |
| <i>Pulsatilla patens</i> Eastern Pasque Flower | HP | 0.92 | G1 | 4-8 | 9A-10A | | | 4 |
| <i>Pulsatilla patens</i> var. <i>wolfgangiana</i> Spreading Pasque Flower | HP | 1.00 | G4 | 5-6 | 7-8 | | | 4 |
| <i>Pulsatilla vulgaris</i> Pasque Flower | HP | 1.01 | G1 | 5-8 | 9A-10A | | | 5 |
| <i>Pulsatilla vulgaris</i> 'Alba' White Pasque Flower | HP | 1.04 | G1 | 5-8 | 9A-10A | | | 5 |
| <i>Pulsatilla vulgaris</i> 'Rode Klokke' Rode Klokke Pasque Flower | HP | 0.99 | G1 | 5-8 | 9A-10A | | | 5 |
| <i>Pulsatilla vulgaris</i> 'Rubra' Red Pasque Flower | HP | 0.91 | G1 | 5-8 | 9A-10A | | | 5 |
| <i>Punica granatum</i> Pomegranate | FN | 0.69 | G4 | | 9-10B | 1.00 | 1.66 | 9 |
| <i>Punica granatum</i> 'California Sunset' See - <i>Punica granatum</i> 'Legrellei' | FN | 0.90 | G4 | | 9-10B | 1.00 | 1.63 | 9 |
| <i>Punica granatum</i> 'Chico' Chico Dwarf Pomegranate | FN | 0.77 | G4 | | 9-10B | 1.00 | 1.63 | 9 |
| <i>Punica granatum</i> 'Legrellei' Legrellei Pomegranate | FN | 0.83 | G4 | | 9-10B | 0.55 | 9 | |
| <i>Punica granatum</i> 'Nana' Dwarf Pomegranate | BS | 0.76 | G4 | | 9-10B | | | |
| <i>Punica granatum</i> 'Nochi Shibari' Nochi Shibari Pomegranate | FN | 0.76 | G4 | | 9-10B | 1.00 | 1.63 | 9 |
| <i>Punica granatum</i> 'Toyosho' Toyosho Pomegranate | FN | 0.82 | G4 | | 9-10B | 1.00 | 1.63 | 9 |
| <i>Puya alpestris</i> See - <i>Puya berteroniana</i> | BS | 0.81 | G4 | 8 | 9A-10A | 1.00 | 8 | |
| <i>Puya berteroniana</i> No Common Name Found | HP | 1.01 | G1 | 5-6 | 7-10A | | | 5 |
| <i>Pycnanthemum flexuosum</i> American Mountain Mint | HP | 0.77 | G1 | 5-6 | 7-10A | | | 5 |
| <i>Pycnanthemum virginianum</i> Common Mountain Mint | BS | 0.68 | G1 | 6-8 | 9A-10A | 1.00 | 5 | |
| <i>Pyracantha</i> Hybrid Pyracantha | BS | 1.09 | G1 | 6-8 | 9A-10A | 1.00 | 6 | |
| <i>Pyracantha</i> 'Harlequin' Harlequin Hybrid Firethorn | BS | 0.87 | G1 | 6-8 | 9A-10A | 1.00 | 6 | |
| <i>Pyracantha</i> 'Lowboy' Lowboy Garden Pyracantha | BS | 0.88 | G1 | 7-8 | 9A-10A | 1.00 | 7 | |
| <i>Pyracantha</i> 'Mohave' Mohave Garden Pyracantha | BS | 1.01 | G1 | 6-8 | 9A-10A | 1.00 | 6 | |
| <i>Pyracantha</i> 'Monelf' Red Elf™ Garden Pyracantha | BS | 0.97 | G1 | 6-8 | 9A-10A | 1.00 | 6 | |
| <i>Pyracantha</i> 'Navajo' Navajo Garden Pyracantha | BS | 0.68 | G1 | 6-8 | 9A-10A | 1.00 | 6 | |
| <i>Pyracantha</i> 'Pauciflora' Pauciflora Pyracantha | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pyracantha</i> 'Red Elf' | | | | | | | | |
| See - <i>Pyracantha</i> 'Monelf' | | | | | | | | |
| <i>Pyracantha</i> 'Ruby Mound' P.P. 3344 | BS | 0.90 | G1 | 6-8 | 9A-10A | | | 1.00 6 |
| Ruby Mound Garden Pyracantha | | | | | | | | |
| <i>Pyracantha</i> 'Rutgers' | BS | 0.80 | G1 | 6-8 | 9A-10A | | | 1.00 5 |
| Rutgers Garden Pyracantha | | | | | | | | |
| <i>Pyracantha</i> 'Teton' | BS | 1.05 | G1 | 6-8 | 9A-10A | | | 1.00 6 |
| Teton Garden Pyracantha | | | | | | | | |
| <i>Pyracantha</i> 'Wonderberry' | BS | 0.83 | G1 | 6-8 | 9A-10A | | | 1.00 7 |
| Wonderberry Garden Pyracantha | | | | | | | | |
| <i>Pyracantha angustifolia</i> | BS | 0.84 | G1 | 6-8 | 9A-10A | | | 1.00 7 |
| Narrowleaf Firethorn | | | | | | | | |
| <i>Pyracantha angustifolia</i> 'Gnome' | | | | | | | | |
| See - <i>Pyracantha angustifolia</i> 'Gnozam' | | | | | | | | |
| <i>Pyracantha angustifolia</i> 'Gnozam' | BS | 0.84 | G1 | 6-8 | 9A-10A | | | 1.00 7 |
| Gnome® Narrowleaf Firethorn | | | | | | | | |
| <i>Pyracantha angustifolia</i> 'Monon' | BS | 0.86 | G1 | 6-8 | 9A-10A | | | 1.00 7 |
| Yukon Belle™ Narrowleaf Firethorn | | | | | | | | |
| <i>Pyracantha angustifolia</i> 'Yukon Belle' | | | | | | | | |
| See - <i>Pyracantha angustifolia</i> 'Monon' | | | | | | | | |
| <i>Pyracantha coccinea</i> | BS | 1.04 | G1 | 6-8 | 9A-10A | | | 1.00 6 |
| Scarlet Firethorn | | | | | | | | |
| <i>Pyracantha coccinea</i> 'Fiery Cascade' | BS | 0.92 | G1 | 6-8 | 9A-10A | | | 1.00 6 |
| Fiery Cascade Scarlet Firethorn | | | | | | | | |
| <i>Pyracantha coccinea</i> 'Government Red' | BS | 0.92 | G1 | 6-8 | 9A-10A | | | 1.00 6 |
| Government Red Scarlet Firethorn | | | | | | | | |
| <i>Pyracantha coccinea</i> 'Kasan' | BS | 0.93 | G1 | 6-8 | 9A-10A | | | 1.00 6 |
| Kasan Scarlet Firethorn | | | | | | | | |
| <i>Pyracantha coccinea</i> 'Lalandei Monrovia' | BS | 0.84 | G1 | 6-8 | 9A-10A | | | 1.00 6 |
| Laland Monrovia Scarlet Firethorn | | | | | | | | |
| <i>Pyracantha coccinea</i> 'Lalandei' | BS | 0.91 | G1 | 6-8 | 9A-10A | | | 1.00 6 |
| Laland Scarlet Firethorn | | | | | | | | |
| <i>Pyracantha coccinea</i> 'Wyattii' | BS | 0.68 | G1 | 6-8 | 9A-10A | | | 1.00 6 |
| Wyatt Scarlet Firethorn | | | | | | | | |
| <i>Pyracantha crenatoserrata</i> | BS | 0.93 | G1 | 7-8 | 9A-10A | | | 1.00 7 |
| Chinese Firethorn | | | | | | | | |
| <i>Pyracantha crenatoserrata</i> 'Cherri Berri' | BS | 0.99 | G1 | 7-8 | 9A-10A | | | 1.00 7 |
| Cherri Berri Chinese Firethorn | | | | | | | | |
| <i>Pyracantha crenatoserrata</i> 'Graberii' | BS | 0.86 | G1 | 7-8 | 9A-10A | | | 1.00 7 |
| Graber Chinese Firethorn | | | | | | | | |
| <i>Pyracantha fortuneana</i> | | | | | | | | |
| See - <i>Pyracantha crenatoserrata</i> | | | | | | | | |
| <i>Pyracantha koidzumii</i> | BS | 1.09 | G1 | 8 | 9A-10A | | | 1.00 8 |
| Formosa Firethorn | | | | | | | | |
| <i>Pyracantha koidzumii</i> 'Santa Cruz' | BS | 0.91 | G1 | 8 | 9A-10A | | | 1.00 8 |
| Santa Cruz Formosa Firethorn | | | | | | | | |
| <i>Pyracantha koidzumii</i> 'Victory' | BS | 0.86 | G1 | 8 | 9A-10A | | | 1.00 8 |
| Victory Formosa Firethorn | | | | | | | | |
| <i>Pyracantha koidzumii</i> 'Walderi Prostrata' | BS | 0.86 | G1 | 8 | 9A-10A | | | 1.00 8 |
| Walderi Prostrata Formosa Firethorn | | | | | | | | |
| <i>Pyrethropsis hosmariensis</i> | HP | 1.00 | G1 | 10A | 10B-11 | | | 5 |
| No Common Name Found | | | | | | | | |
| <i>Pyrostegia venusta</i> | GC | 1.08 | G1 | 9B | 10A-11 | | | 1.00 10 |
| Flame Vine | | | | | | | | |
| <i>Pyrrosia hastata</i> | FO | 0.61 | G4 | 9A | 9B-10B | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Pyrrosia lingua</i> | FO | 0.47 | G3 | 8-9B | 10A-11 | | | 10 |
| Tongue Fern | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pyrrosia lingua</i> 'Eboshi' Eboshi Tongue Fern | FO | 0.61 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Pyrrosia lingua</i> 'Variegata' Variegated Tongue Fern | FO | 0.51 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Pyrrosia polydactyla</i> No Common Name Found | FO | 0.51 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Pyrus arbutifolia</i> See - <i>Aronia arbutifolia</i> | DT | 1.13 | G1 | | 5-8 | 1.02 | 1.00 | 5 |
| <i>Pyrus betulifolia</i> Chinese Sand Pear | DT | 1.13 | G1 | | 5-8 | 1.02 | 1.00 | 5 |
| <i>Pyrus betulifolia</i> 'Dancer' See - <i>Pyrus betulifolia</i> 'Southworth' | DT | 0.76 | G1 | | 4-8 | 0.93 | 0.55 | 5 |
| <i>Pyrus betulifolia</i> 'Southworth' Dancer Chinese Sand Pear | DT | 0.93 | G1 | | 4-8 | 1.04 | 0.59 | 5 |
| <i>Pyrus calleryana</i> Callery Pear | DT | 0.86 | G1 | | 4-8 | 1.12 | 1.27 | 5 |
| <i>Pyrus calleryana</i> '(Unnamed Cultivar 01)' P.P. 3193 Aristocrat® Callery Pear | DT | 0.85 | G1 | | 4-8 | 0.97 | 0.55 | 5 |
| <i>Pyrus calleryana</i> 'Aristocrat' See - <i>Pyrus calleryana</i> '(Unnamed Cultivar 01)' P.P. 3193 | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Autumn Blaze' P.P. 4591 Autumn Blaze Callery Pear | DT | 0.99 | G1 | | 4-8 | 1.06 | 0.74 | 5 |
| <i>Pyrus calleryana</i> 'Bradford' Bradford Callery Pear | DT | 0.81 | G1 | | 4-8 | 0.71 | 0.57 | 5 |
| <i>Pyrus calleryana</i> 'Burgundy Snow' See - <i>Pyrus calleryana</i> 'Bursnozam' | DT | 0.94 | G1 | | 4-8 | 0.71 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Burgundy Snow™ Callery Pear | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Capital' Capital Callery Pear | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Chanticleer' See - <i>Pyrus calleryana</i> 'Glen's Form' P.P. 2489 | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Cleprizam' Cleveland Pride® Callery Pear | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Cleveland Pride' See - <i>Pyrus calleryana</i> 'Cleprizam' | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Cleveland Select' See - <i>Pyrus calleryana</i> 'Glen's Form' P.P. 2489 | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Early Red' Early Red Callery Pear | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Edgedell' P.P. 10151 Edgewood™ Callery Hybrid Pear | DT | 0.76 | G1 | | 4-8 | 0.74 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Edgewood' See - <i>Pyrus calleryana</i> 'Edgedell' P.P. 10151 | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Frontier' See - <i>Pyrus calleryana</i> 'Fronzam' | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Fronzam' Frontier™ Callery Pear | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Gladiator' See - <i>Pyrus calleryana</i> 'Gladzam' | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Gladzam' Gladiator™ Callery Pear | DT | 0.94 | G1 | | 4-8 | 1.06 | 0.80 | 5 |
| <i>Pyrus calleryana</i> 'Glen's Form' P.P. 2489 Chanticleer® Callery Pear | DT | 0.76 | G1 | | 4-8 | 0.74 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Holmford' New Bradford™ Callery Pear | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.49 | 5 |
| <i>Pyrus calleryana</i> 'Mepozam' Metropolitan™ Callery Pear | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.49 | 5 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|--|-----------|-----------|----|---------------------|-------------|---------|------------|---|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | | |
| <i>Pyrus calleryana</i> 'Metropolitan' | | | | | | | | |
| See - <i>Pyrus calleryana</i> 'Mepozam' | | | | | | | | |
| <i>Pyrus calleryana</i> 'New Bradford' | | | | | | | | |
| See - <i>Pyrus calleryana</i> 'Holmford' | | | | | | | | |
| <i>Pyrus calleryana</i> 'Paradise' | DT | 0.94 | G1 | | 4-8 | 1.10 | 0.49 | 5 |
| Paradise Callery Pear | | | | | | | | |
| <i>Pyrus calleryana</i> 'Princess' | DT | 0.76 | G1 | | 4-8 | 1.12 | 0.49 | 5 |
| Princess Callery Pear | | | | | | | | |
| <i>Pyrus calleryana</i> 'Rancho' | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.49 | 5 |
| Rancho Callery Pear | | | | | | | | |
| <i>Pyrus calleryana</i> 'Redspire' P.P. 3815 | DT | 0.99 | G1 | | 4-8 | 1.09 | 0.76 | 5 |
| Redspire Callery Pear | | | | | | | | |
| <i>Pyrus calleryana</i> 'Stonehill' | DT | 1.03 | G1 | | 4-8 | 1.04 | 0.49 | 5 |
| Stonehill Callery Pear | | | | | | | | |
| <i>Pyrus calleryana</i> 'Trinity' P.P. 4530 | DT | 0.85 | G1 | | 4-8 | 1.08 | 0.49 | 5 |
| Trinity® Callery Pear | | | | | | | | |
| <i>Pyrus calleryana</i> 'Valiant' | | | | | | | | |
| See - <i>Pyrus calleryana</i> 'Valzam' P.P. 8050 | | | | | | | | |
| <i>Pyrus calleryana</i> 'Valzam' P.P. 8050 | DT | 0.76 | G1 | | 4-8 | 0.71 | 0.57 | 5 |
| Valiant® Callery Pear | | | | | | | | |
| <i>Pyrus calleryana</i> 'Whitehouse' | DT | 0.96 | G1 | | 4-8 | 1.07 | 0.49 | 5 |
| Whitehouse Callery Pear | | | | | | | | |
| <i>Pyrus communis</i> | FN | 0.63 | G1 | | 4-8 | 0.78 | 1.17 | 4 |
| Common Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Anjou' | FN | 0.91 | G1 | | 4-8 | 0.87 | 1.17 | 4 |
| Anjou Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Ayers' | FN | 1.02 | G1 | | 4-8 | 0.78 | 1.17 | 4 |
| Ayers Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Baldwin' | FN | 0.75 | G1 | | 4-8 | 0.78 | 1.17 | 4 |
| Baldwin Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Bartlett Dwarf' | FN | 0.92 | G1 | | 4-8 | 0.96 | 1.17 | 4 |
| Bartlett Dwarf Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Bartlett' | FN | 0.80 | G1 | | 4-8 | 0.90 | 1.23 | 4 |
| Bartlett Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Bosc Dwarf' | FN | 0.63 | G1 | | 4-8 | 0.96 | 1.17 | 4 |
| Bosc Dwarf Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Bosc' | FN | 0.88 | G1 | | 4-8 | 0.91 | 1.17 | 4 |
| Bosc Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Cascade' | | | | | | | | |
| See - <i>Pyrus communis</i> 'Reimer' P.P. 6245 | | | | | | | | |
| <i>Pyrus communis</i> 'Clapp Favorite Dwarf' | FN | 0.63 | G1 | | 4-8 | 0.96 | 1.17 | 4 |
| Clapp Favorite Dwarf Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Clapp Favorite' | FN | 1.08 | G1 | | 4-8 | 1.25 | 1.17 | 4 |
| Clapp Favorite Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Columbia Red Anjou' P.P. 6194 | FN | 0.63 | G1 | | 4-8 | 1.00 | 1.17 | 4 |
| Columbia Red Anjou Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Comice' | FN | 0.88 | G1 | | 4-8 | 0.89 | 1.17 | 4 |
| Comice Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Concorde' P.P. 9192 | FN | 0.63 | G1 | | 4-8 | 1.02 | 1.17 | 4 |
| Concorde Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Duchess Dwarf' | FN | 0.63 | G1 | | 4-8 | 1.39 | 1.17 | 4 |
| Duchess Dwarf Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Duchess' | FN | 1.24 | G1 | | 4-8 | 1.44 | 1.17 | 4 |
| Duchess Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Flemish Beauty Dwarf' | FN | 0.63 | G1 | | 4-8 | 0.95 | 1.17 | 4 |
| Flemish Beauty Dwarf Pear | | | | | | | | |
| <i>Pyrus communis</i> 'Flemish Beauty' | FN | 0.91 | G1 | | 4-8 | 0.87 | 1.17 | 4 |
| Flemish Beauty Pear | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Factors | Caliper | |
| <i>Pyrus communis</i> 'Flordahome' Flordahome Pear | FN | 0.78 | G1 | | 4-8 | 0.78 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Forelle' Forelle Pear | FN | 0.63 | G1 | | 4-8 | 0.89 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Golden Russet Bosc' P.P. 5243 Golden Russet Bosc Pear | FN | 0.63 | G1 | | 4-8 | 1.03 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Gourmet' Gourmet Pear | FN | 0.63 | G1 | | 4-8 | 0.78 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Hardy' Hardy Pear | FN | 0.63 | G1 | | 4-8 | 0.78 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Hood' Hood Pear | FN | 0.78 | G1 | | 4-8 | 1.02 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Kieffer' Kieffer Pear | FN | 0.84 | G1 | | 4-8 | 0.98 | 1.17 | 4 |
| <i>Pyrus communis</i> 'LeConte' LeConte Pear | FN | 0.84 | G1 | | 4-8 | 0.78 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Lincoln' Lincoln Pear | FN | 0.63 | G1 | | 4-8 | 0.78 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Luscious' Luscious Pear | FN | 0.87 | G1 | | 4-8 | 0.78 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Max-Red Bartlett' Max-Red Bartlett Pear | FN | 0.63 | G1 | | 4-8 | 0.78 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Maxine' Dwarf Maxine Pear | FN | 0.63 | G1 | | 4-8 | 0.78 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Monterrey' Monterrey Pear | FN | 1.06 | G1 | | 4-8 | 1.04 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Moonglow' Moonglow Pear | FN | 0.84 | G1 | | 4-8 | 1.02 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Noble Russet Bosc' Noble Russet® Bosc Pear | FN | 0.63 | G1 | | 4-8 | 0.98 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Old Home' Old Home Pear | FN | 0.63 | G1 | | 4-8 | 0.85 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Orient' Orient Pear | FN | 1.03 | G1 | | 4-8 | 1.04 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Parker Dwarf' Parker Dwarf Pear | FN | 0.63 | G1 | | 4-8 | 1.39 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Parker' Parker Pear | FN | 0.81 | G1 | | 4-8 | 0.78 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Patten' Patten Pear | FN | 0.63 | G1 | | 4-8 | 0.78 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Red Anjou' Red Anjou Pear | FN | 0.91 | G1 | | 4-8 | 0.90 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Red Clapp's' Red Clapp's Pear | FN | 0.63 | G1 | | 4-8 | 0.88 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Red Sensation' Red Sensation Pear | FN | 0.63 | G1 | | 4-8 | 0.89 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Reimer' P.P. 6245 Cascade™ Pear | FN | 0.63 | G1 | | 4-8 | 1.03 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Seckel Dwarf' Seckel Dwarf Pear | FN | 0.63 | G1 | | 4-8 | 0.95 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Seckel' Seckel Pear | FN | 0.92 | G1 | | 4-8 | 0.91 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Summercrisp Dwarf' Summercrisp Dwarf Pear | FN | 0.63 | G1 | | 4-8 | 1.48 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Summercrisp' Summercrisp Pear | FN | 0.83 | G1 | | 4-8 | 0.78 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Taylor's Gold' P.P. 8308 Taylor's Gold Pear | FN | 0.63 | G1 | | 4-8 | 1.09 | 1.17 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Pyrus communis</i> 'Ure' Ure Pear | FN | 0.63 | G1 | | 4-8 | 0.78 | 1.17 | 4 |
| <i>Pyrus communis</i> 'Wenatchi Gold' Wenatchi Gold™ Pear | FN | 0.63 | G1 | | 4-8 | 0.89 | 1.17 | 4 |
| <i>Pyrus fauriei</i> Dwarf Pear | DT | 1.00 | G1 | | 9-10B | 1.13 | 0.49 | 3 |
| <i>Pyrus fauriei</i> 'Korean Sun' See - <i>Pyrus fauriei</i> 'Westwood' | DT | 1.00 | G1 | | 9-10B | 0.67 | 0.49 | 3 |
| <i>Pyrus fauriei</i> 'Westwood' Korean Sun™ Dwarf Pear | | | | | | | | |
| <i>Pyrus fusca</i> See - <i>Malus fusca</i> | | | | | | | | |
| <i>Pyrus kawakamii</i> Evergreen Pear | BS | 0.90 | G1 | | 8-10B | | 1.00 | 8 |
| <i>Pyrus pyrifolia</i> Asian Pear | DT | 0.71 | G1 | 6-8 | 9A-10A | 0.65 | 0.51 | 6 |
| <i>Pyrus pyrifolia</i> 'Hosui' Hosui Asian Pear | DT | 0.73 | G1 | 6-8 | 9A-10A | 0.70 | 0.51 | 6 |
| <i>Pyrus pyrifolia</i> 'Nijiseiki' Nijisesiki Asian Pear | DT | 0.71 | G1 | 6-8 | 9A-10A | 0.65 | 0.51 | 6 |
| <i>Pyrus pyrifolia</i> 'Shinseiki' Shinseiki Asian Pear | DT | 0.72 | G1 | 6-8 | 9A-10A | 0.70 | 0.51 | 6 |
| <i>Pyrus regleii</i> No Common Name Found | DS | 1.00 | G1 | 6-8 | 9A-10A | | 1.00 | 6 |
| <i>Pyrus regleii</i> 'Angel Wing' See - <i>Pyrus regleii</i> 'Bailwing' | DS | 1.00 | G1 | 6-8 | 9A-10A | | 1.00 | 6 |
| <i>Pyrus regleii</i> 'Bailwing' Angel Wing® Pear | | | | | | | | |
| <i>Pyrus salicifolia</i> Willowleaf Pear | DT | 1.17 | G1 | | 4-8 | 1.02 | 1.00 | 4 |
| <i>Pyrus salicifolia</i> 'Pendula' Weeping Willowleaf Pear | DT | 1.17 | G1 | | 4-8 | 1.02 | 1.00 | 4 |
| <i>Pyrus salicifolia</i> 'Silfrozam' Silver Frost® Willowleaf Pear | DT | 1.17 | G1 | | 4-8 | 1.20 | 1.00 | 4 |
| <i>Pyrus salicifolia</i> 'Silver Frost' See - <i>Pyrus salicifolia</i> 'Silfrozam' | | | | | | | | |
| <i>Pyrus ussuriensis</i> Ussurian Pear | DT | 1.10 | G1 | | 4-8 | 1.18 | 1.00 | 4 |
| <i>Pyrus ussuriensis</i> 'Mordak' Prairie Gem® Ussurian Pear | DT | 1.10 | G1 | | 4-8 | 1.18 | 1.00 | 4 |
| <i>Pyrus ussuriensis</i> 'Prairie Gem' See - <i>Pyrus ussuriensis</i> 'Mordak' | | | | | | | | |
| <i>Quercus acuta</i> Japanese Evergreen Oak | BE | 0.82 | G1 | | 7-10A | 1.00 | 1.05 | 7 |
| <i>Quercus acutissima</i> Sawtooth Oak | DT | 0.62 | G1 | | 5-9B | 0.96 | 0.44 | 5 |
| <i>Quercus acutissima</i> 'Gobbler' Gobbler Sawtooth Oak | DT | 0.62 | G1 | | 5-9B | 0.96 | 0.44 | 5 |
| <i>Quercus agrifolia</i> California Live Oak | BE | 1.01 | G2 | | 8-10A | 1.00 | 1.00 | 8 |
| <i>Quercus alba</i> White Oak | DT | 0.72 | G1 | | 3-9B | 1.11 | 0.62 | 4 |
| <i>Quercus bicolor</i> Swamp White Oak | DT | 0.91 | G1 | | 4-9B | 1.17 | 1.04 | 4 |
| <i>Quercus borealis</i> See - <i>Quercus rubra</i> | | | | | | | | |
| <i>Quercus cerris</i> Turkey Oak | DT | 0.53 | G2 | | 7-9B | 1.00 | 1.00 | 5 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Quercus chapmanii</i> Chapman Oak | BS | 1.00 | G1 | | 4-9B | | 1.00 | 8 |
| <i>Quercus chrysolepis</i> Canyon Oak | BE | 1.00 | G2 | | 7-9B | 1.00 | 1.00 | 7 |
| <i>Quercus coccinea</i> Scarlet Oak | DT | 0.81 | G1 | | 4-8 | 1.08 | 0.43 | 4 |
| <i>Quercus x comptoniae</i> No Common Name found | BE | 1.00 | G1 | | 7-9B | 1.00 | 1.00 | 5 |
| <i>Quercus douglasii</i> Blue Oak | BE | 1.00 | G2 | | 7-9B | 1.00 | 1.00 | 7 |
| <i>Quercus dumosa</i> California Scrub Oak | BE | 1.00 | G2 | | 8-9B | 1.00 | 1.00 | 8 |
| <i>Quercus ellipsoidalis</i> Northern Pin Oak | DT | 1.00 | G1 | | 4-9B | 1.29 | 1.00 | 4 |
| <i>Quercus falcata</i> Southern Red Oak | DT | 0.72 | G1 | 6-8 | 9 | 0.92 | 0.62 | 6 |
| <i>Quercus falcata</i> var. <i>pagodifolia</i> Cherrybark Oak | DT | 0.39 | G1 | 6-8 | 9 | 0.90 | 0.66 | 6 |
| <i>Quercus frainetto</i> Italian Oak | DT | 1.00 | G1 | 6-8 | 9 | 1.00 | 1.00 | 6 |
| <i>Quercus frainetto</i> 'Forest Green' See - <i>Quercus frainetto</i> 'Schmidt' | DT | 1.00 | G1 | 6-8 | 9 | 1.00 | 1.00 | 6 |
| <i>Quercus frainetto</i> 'Schmidt' Forest Green® Italian Oak | DT | 1.00 | G1 | 6-8 | 9 | | | |
| <i>Quercus gambelii</i> Gambel Oak | DS | 1.40 | G1 | | 4-9B | | 3.65 | 4 |
| <i>Quercus garryana</i> Oregon Oak | DT | 1.21 | G1 | | 6-8 | 1.56 | 1.91 | 5 |
| <i>Quercus geminata</i> Sand Live Oak | DT | 0.58 | G2 | | 7-9B | 1.00 | 1.00 | 7 |
| <i>Quercus ilex</i> Holm Oak | BE | 0.72 | G2 | | 7-9B | 1.00 | 1.00 | 7 |
| <i>Quercus imbricaria</i> Shingle Oak | DT | 1.00 | G1 | | 4-8 | 1.22 | 1.06 | 5 |
| <i>Quercus incana</i> Bluejack Oak | DT | 0.61 | G2 | | 7-9B | 1.00 | 1.00 | 7 |
| <i>Quercus kelloggii</i> California Black Oak | DT | 0.53 | G1 | | 6-9B | 1.00 | 1.00 | 8 |
| <i>Quercus laevis</i> American Turkey Oak | DT | 0.68 | G1 | 8 | 9A-10A | 1.00 | 1.00 | 6 |
| <i>Quercus laurifolia</i> Laurel Oak | BE | 0.71 | G2 | | 7-9B | 0.99 | 0.70 | 7 |
| <i>Quercus laurifolia</i> 'Darlington' Darlington Laurel Oak | BE | 0.72 | G2 | | 7-9B | 1.13 | 0.58 | 7 |
| <i>Quercus lobata</i> Valley Oak | DT | 0.83 | G2 | | 7-9B | 1.00 | 1.00 | 7 |
| <i>Quercus lyrata</i> Overcup Oak | DT | 1.04 | G1 | 5-6 | 7-9B | 0.94 | 0.61 | 5 |
| <i>Quercus macrocarpa</i> Bur Oak | DT | 0.88 | G1 | | 2-8 | 1.20 | 0.55 | 3 |
| <i>Quercus michauxii</i> Swamp Chestnut Oak | DT | 0.81 | G1 | 7-8 | 9 | 1.00 | 0.64 | 6 |
| <i>Quercus montana</i> See - <i>Quercus prinus</i> | DT | 0.90 | G1 | | 4-9B | 1.20 | 1.00 | 4 |
| <i>Quercus muehlenbergii</i> Chinkapin Oak | DT | 0.90 | G1 | | 4-9B | 1.20 | 1.00 | 4 |
| <i>Quercus myrsinifolia</i> Chinese Evergreen Oak | BE | 0.91 | G2 | | 7-9B | 1.00 | 1.00 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Quercus myrtifolia</i> Myrtle Oak | BS | 0.89 | G1 | | 8-10A | | 1.00 | 8 |
| <i>Quercus nigra</i> Water Oak | BE | 0.77 | G2 | | 7-10A | 0.92 | 0.26 | 6 |
| <i>Quercus nuttallii</i> Nuttall Oak | DT | 0.85 | G1 | 7-8 | 9 | 0.83 | 0.40 | 6 |
| <i>Quercus pagodifolia</i> See - <i>Quercus falcata</i> var. <i>pagodifolia</i> | DT | 0.85 | G1 | | 4-9B | 1.00 | 0.40 | 4 |
| <i>Quercus palustris</i> Pin Oak | DT | 0.85 | G1 | | 4-9B | 0.95 | 0.40 | 4 |
| <i>Quercus palustris</i> 'Crownright' Crownright Pin Oak | DT | 0.85 | G1 | | 4-9B | 0.95 | 0.40 | 4 |
| <i>Quercus phellos</i> Willow Oak | DT | 0.82 | G1 | 6 | 7-9A | 0.99 | 0.48 | 6 |
| <i>Quercus polymorpha</i> Mexican White Oak | BE | 0.86 | G1 | | 7-9B | 1.00 | 1.00 | 7 |
| <i>Quercus prinus</i> Chestnut Oak | DT | 1.00 | G1 | | 5-9B | 0.86 | 0.36 | 5 |
| <i>Quercus robur</i> English Oak | DT | 0.72 | G1 | | 4-8 | 1.09 | 0.45 | 6 |
| <i>Quercus robur</i> 'Attention' See - <i>Quercus robur</i> 'Wandell' P.P. 6746 | DT | 0.72 | G1 | | 4-8 | 1.55 | 1.43 | 6 |
| <i>Quercus robur</i> 'Clemons' Heritage® English Oak | DT | 0.85 | G1 | | 4-8 | 1.19 | 1.01 | 6 |
| <i>Quercus robur</i> 'Fastigiata' Skyrocket™ English Oak | DT | 0.85 | G1 | | 4-8 | 0.98 | 0.40 | 6 |
| <i>Quercus robur</i> 'Heritage' See - <i>Quercus robur</i> 'Clemons' | DT | 0.72 | G1 | | 4-8 | 0.98 | 0.40 | 6 |
| <i>Quercus robur</i> 'Long' Regal Prince® English Oak | DT | 0.72 | G1 | | 4-8 | 0.98 | 0.40 | 6 |
| <i>Quercus robur</i> 'Michround' P.P. 3708 Westminster Globe™ English Oak | DT | 0.72 | G1 | | 4-8 | 0.98 | 0.40 | 6 |
| <i>Quercus robur</i> 'Pyramich' P.P. 3707 Skymaster™ English Oak | DT | 1.20 | G1 | | 4-8 | 1.13 | 0.40 | 6 |
| <i>Quercus robur</i> 'Regal Prince' See - <i>Quercus robur</i> 'Long' | DT | 0.72 | G1 | | 4-8 | 1.02 | 0.51 | 6 |
| <i>Quercus robur</i> 'Rosehill' P.P. 6539 Rosehill English Oak | DT | 0.72 | G1 | | 4-8 | 1.28 | 0.40 | 6 |
| <i>Quercus robur</i> 'Skymaster' See - <i>Quercus robur</i> 'Pyramich' P.P. 3707 | DT | 0.72 | G1 | | 4-8 | 1.12 | 0.52 | 3 |
| <i>Quercus robur</i> 'Skyrocket' See - <i>Quercus robur</i> 'Fastigiata' | DT | 0.72 | G1 | | 4-8 | 0.98 | 0.40 | 6 |
| <i>Quercus robur</i> 'Wandell' P.P. 6746 Attention® English Oak | DT | 0.72 | G1 | | 4-8 | 1.00 | 1.00 | 5 |
| <i>Quercus robur</i> 'Westminster Globe' See - <i>Quercus robur</i> 'Michround' P.P. 3708 | DT | 0.72 | G1 | | 4-8 | 0.98 | 0.40 | 6 |
| <i>Quercus robur</i> 'Willamette' Willamette English Oak | DT | 0.88 | G1 | | 4-8 | 1.12 | 0.52 | 3 |
| <i>Quercus rubra</i> Northern Red Oak | DT | 0.83 | G1 | | 5-9B | 0.96 | 0.47 | 5 |
| <i>Quercus shumardii</i> Shumard Oak | DT | 0.26 | G1 | | 5-9B | 1.00 | 1.00 | 5 |
| <i>Quercus stellata</i> Post Oak | BE | 0.72 | G2 | | 8-9B | 1.00 | 1.00 | 8 |
| <i>Quercus suber</i> Cork Oak | DT | 0.93 | G1 | | 7-9B | 0.89 | 1.00 | 7 |
| <i>Quercus texana</i> Spanish Oak | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Quercus tomentella</i> Island Oak | BE | 1.00 | G2 | | 9A-10B | 1.00 | 1.00 | 8 |
| <i>Quercus velutina</i> Black Oak | DT | 0.84 | G1 | | 6-9B | 1.17 | 0.64 | 4 |
| <i>Quercus virginiana</i> Live Oak | BE | 0.72 | G1 | | 7-9B | 1.01 | 0.93 | 7 |
| <i>Quercus wislizenii</i> Interior Live Oak | BE | 1.00 | G2 | | 8-9B | 1.00 | 1.00 | 8 |
| <i>Quillaja saponaria</i> Soapbark Tree | BS | 1.07 | G2 | | 9B-11 | | 1.00 | 10 |
| <i>Quisqualis indica</i> Rangoon Creeper | GC | 1.07 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Radermachera sinica</i> China Doll | FO | 0.56 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Randia aculeata</i> White Indigoberry | BS | 0.63 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Ranunculus cortusifolius</i> No Common Name Found | HP | 0.97 | G4 | 9A | 9B-11 | | | 9 |
| <i>Ranunculus occidentalis</i> Western Buttercup | HP | 1.00 | G4 | | 7-10A | | | 7 |
| <i>Ranunculus repens</i> Creeping Buttercup | HP | 0.76 | G4 | 4-6 | 7-10A | | | 3 |
| <i>Ranunculus repens</i> 'Pleniflorus' Pleniflorus Creeping Buttercup | HP | 0.79 | G4 | 4-6 | 7-10A | | | 3 |
| <i>Ranunculus rhomboideus</i> Prairie Buttercup | HP | 1.00 | G4 | 5-6 | 7-10A | | | 7 |
| <i>Raoulia australis</i> Silvermat Raoulia | HP | 0.86 | G4 | | 7-10B | | | 7 |
| <i>Ratibida columnifera</i> Prairie Coneflower | HP | 0.97 | G4 | 3-6 | 7-9B | | | 3 |
| <i>Ratibida pinnata</i> Grey-head Coneflower | HP | 1.03 | G4 | 3-6 | 7-9B | | | 3 |
| <i>Rauvolfia tetraphylla</i> No Common Name Found | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Rauvolfia verticillata</i> No Common Name Found | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Ravenala madagascariensis</i> Traveler's Palm | BE | 1.04 | G1 | 10A | 10B-11 | 1.00 | 0.90 | 10 |
| <i>Ravenea glauca</i> No Common Name Found | BE | 3.46 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Ravenea rivularis</i> Majesty Palm | FO | 0.69 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ravenea robustior</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Rehmannia elata</i> Foxglove Gloxinia | HP | 1.00 | G4 | 8 | 9A-11 | | | 9 |
| <i>Reineckia carnea</i> No Common Name Found | HP | 0.97 | G4 | 7-8 | 9A-10A | | | 7 |
| <i>Reinhardtia gracilis</i> Window Palm | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Reinhardtia simplex</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Reinwardtia indica</i> Yellow Flax | BS | 0.66 | G3 | 8-10A | 10B-11 | | 1.00 | 9 |
| <i>Reseda luteola</i> Weld | HP | 1.00 | G1 | 6-9 | 10A-11 | | | 6 |
| <i>Restrepia striata</i> No Common Name Found | FO | 1.00 | G1 | 10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rhamnus alaternus</i> Italian Buckthorn | BS | 0.81 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Rhamnus alaternus</i> 'Argenteo-variegata' Variegated Italian Buckthorn | BS | 0.90 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Rhamnus alaternus</i> 'John Edwards' John Edwards Italian Buckthorn | BS | 0.81 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Rhamnus californicus</i> Coffeeberry | BS | 0.81 | G1 | | 7-8 | | 1.00 | 7 |
| <i>Rhamnus californicus</i> 'Eve Case' Eve Case Coffeeberry | BS | 0.81 | G1 | | 7-8 | | 1.00 | 7 |
| <i>Rhamnus californicus</i> 'Seaview Improved' Seaview Improved Coffeeberry | BS | 0.81 | G1 | | 7-8 | | 1.00 | 7 |
| <i>Rhamnus carolinianus</i> Carolina Buckthorn | DS | 0.89 | G1 | | 6-9B | | 1.00 | 6 |
| <i>Rhamnus catharticus</i> Common Buckthorn | DS | 1.03 | G1 | | 3-8 | | 0.40 | 3 |
| <i>Rhamnus croceus</i> Redberry | BS | 1.00 | G1 | | 8-10A | | 1.00 | 8 |
| <i>Rhamnus frangula</i> Glossy Buckthorn | BS | 0.62 | G1 | | 2-7 | | 0.28 | 3 |
| <i>Rhamnus frangula</i> 'Asplenifolia' Feathery Glossy Buckthorn | BS | 0.76 | G1 | | 2-7 | | 0.52 | 3 |
| <i>Rhamnus frangula</i> 'Columnaris' See - <i>Rhamnus frangula</i> 'Tallcole' | BS | 0.72 | G1 | | 2-7 | | 0.28 | 3 |
| <i>Rhamnus frangula</i> 'Tallcole' Tallhedge® Glossy Buckthorn | BS | 0.72 | G1 | | 2-7 | | 0.28 | 3 |
| <i>Rhamnus frangula</i> 'Tallhedge' See - <i>Rhamnus frangula</i> 'Tallcole' | DS | 0.92 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Rhamnus purshianus</i> Cascara Sagrada | BS | 0.60 | G2 | | 7-10B | | 1.00 | 8 |
| No Common Name Found | | | | | | | | |
| <i>Rhaphiolepis x delacourii</i> 'Elizabeth' | BS | 0.60 | G2 | | 7-10B | | 1.00 | 8 |
| Elizabeth Hawthorn | | | | | | | | |
| <i>Rhaphiolepis indica</i> Indian Hawthorn | BS | 0.82 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> '(Unnamed Cultivar 01)' Gulf Green™ Indian Hawthorn | BS | 1.04 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Alba' White Indian Hawthorn | BS | 0.83 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Ballerina' Ballerina Indian Hawthorn | BS | 0.86 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Bay Breeze' Bay Breeze Indian Hawthorn | BS | 1.15 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Carmensita' Carmensita Indian Hawthorn | BS | 0.75 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Clara' Clara Indian Hawthorn | BS | 0.79 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Conia' Olivia™ Indian Hawthorn | BS | 0.92 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Conor' P.P. 9398 Eleanor Tabor™ Indian Hawthorn | BS | 0.86 | G2 | | 7-10B | | 1.00 | 8 |
| See - <i>Rhaphiolepis indica</i> 'Conor' P.P. 9398 <i>Rhaphiolepis indica</i> 'Enchantress' | | | | | | | | |
| See - <i>Rhaphiolepis indica</i> 'Moness' | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Gulf Green' | | | | | | | | |
| See - <i>Rhaphiolepis indica</i> '(Unnamed Cultivar 01)' | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Harbinger of Spring' Harbinger of Spring Indian Hawthorn | BS | 0.81 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Indian Princess' See - <i>Rhaphiolepis indica</i> 'Monto' P.P. 5862 | BS | 0.83 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Jack Evans' Jack Evans Indian Hawthorn | BS | 0.75 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Janice' Janice Indian Hawthorn | BS | 0.75 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Majestic Beauty' See - <i>Rhaphiolepis indica</i> 'Montic' P.P. 3349 | BS | 0.75 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Monant' White Enchantress™ Indian Hawthorn | BS | 0.84 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Monness' Enchantress™ Indian Hawthorn | BS | 0.84 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Monme' Springtime™ Indian Hawthorn | BS | 0.80 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Monrey' P.P. 5215 Spring Rapture™ Indian Hawthorn | BS | 1.01 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Montic' P.P. 3349 Majestic Beauty™ Indian Hawthorn | BS | 0.91 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Monto' P.P. 5862 Indian Princess™ Indian Hawthorn | BS | 0.83 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Olivia' See - <i>Rhaphiolepis indica</i> 'Conia' | BS | 0.75 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Pink Clara' Pink Clara Indian Hawthorn | BS | 0.75 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Pink Cloud' Pink Cloud Indian Hawthorn | BS | 0.75 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Pink Dancer' Pink Dancer Indian Hawthorn | BS | 0.85 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Pink Flush' Pink Flush Indian Hawthorn | BS | 0.96 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Pink Lady' Pink Lady Indian Hawthorn | BS | 0.83 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Snow White' Snow White Indian Hawthorn | BS | 0.81 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis indica</i> 'Spring Rapture' See - <i>Rhaphiolepis indica</i> 'Monrey' P.P. 5215 | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Springtime' See - <i>Rhaphiolepis indica</i> 'Monme' | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'White Enchantress' See - <i>Rhaphiolepis indica</i> 'Monant' | | | | | | | | |
| <i>Rhaphiolepis japonica</i> See - <i>Rhaphiolepis umbellata</i> | | | | | | | | |
| <i>Rhaphiolepis umbellata</i> Round-Leaf Hawthorn | BS | 0.78 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis umbellata</i> 'Minor Gulf Green' Minor Gulf Green Round-Leaf Hawthorn | BS | 0.78 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhaphiolepis umbellata</i> 'Minor' Minor Round-Leaf Hawthorn | BS | 0.87 | G2 | | 7-10B | | 1.00 | 8 |
| <i>Rhipidophyllum hystrix</i> Needle Palm | BE | 1.48 | G1 | | 8-11 | 1.00 | 1.00 | 8 |
| <i>Rhipis excelsa</i> Ground Rattan | BS | 3.56 | G3 | 9B | 10A-11 | | 2.48 | 9 |
| <i>Rhipis humilis</i> Slender Lady Palm | BS | 1.00 | G3 | 9B | 10A-11 | | 1.00 | 9 |
| <i>Rhipis multifida</i> Finger Palm | FO | 1.82 | G3 | 9B | 10A-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Rhipis subtilis</i> | BS | 1.68 | G3 | 9B | 10A-11 | | | 1.00 |
| No Common Name Found | | | | | | | | 9 |
| <i>Rheum australe</i> | HP | 1.00 | G1 | 4-9 | 10A-11 | | | 6 |
| Red-veined Pie Plant | | | | | | | | |
| <i>Rheum x cultorum</i> | HP | 1.02 | G1 | 4-9 | 10A-11 | | | 3 |
| Garden Rhubarb | | | | | | | | |
| <i>Rheum x cultorum</i> 'Canadian Red' | HP | 0.96 | G1 | 4-9 | 10A-11 | | | 3 |
| Canadian Red Rhubarb | | | | | | | | |
| <i>Rheum x cultorum</i> 'Chipman's Canada Red' | HP | 0.97 | G1 | 4-9 | 10A-11 | | | 3 |
| Chipman's Canada Red Rhubarb | | | | | | | | |
| <i>Rheum x cultorum</i> 'Valentine' | HP | 1.03 | G1 | 4-9 | 10A-11 | | | 3 |
| Valentine Rhubarb | | | | | | | | |
| <i>Rheum x cultorum</i> 'Victoria' | HP | 1.09 | G1 | 4-9 | 10A-11 | | | 3 |
| Victoria Rhubarb | | | | | | | | |
| <i>Rheum palmatum</i> var. <i>tanguticum</i> | HP | 1.44 | G1 | 6-9 | 10A-11 | | | 6 |
| No Common Name Found | | | | | | | | |
| <i>Rheum rhabarbarum</i> | | | | | | | | |
| See - <i>Rheum x cultorum</i> | | | | | | | | |
| <i>Rhizophora mangle</i> | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| American Mangrove | | | | | | | | |
| <i>Rhodochiton antrosanguineum</i> | GC | 1.24 | G4 | 9 | 10A-11 | | | 1.00 |
| No Common Name Found | | | | | | | | 9 |
| <i>Rhododendron</i> | BS | 0.56 | G1 | 8 | 9A-10B | | | 0.63 |
| Rhododendron | | | | | | | | 4 |
| <i>Rhododendron</i> '(Unnamed Cultivar 01)' | BS | 0.83 | G1 | 8 | 9A-10B | | | 0.63 |
| Imperial Countess™ Evergreen Azalea | | | | | | | | 8 |
| <i>Rhododendron</i> '(Unnamed Cultivar 02)' | BS | 0.95 | G1 | 8 | 9A-10B | | | 0.63 |
| Imperial Duchess™ Evergreen Azalea | | | | | | | | 8 |
| <i>Rhododendron</i> '1000 Butterflies' | BS | 0.56 | G1 | | 4-8 | | | 0.63 |
| 1000 Butterflies Rhododendron | | | | | | | | 6 |
| <i>Rhododendron</i> 'Accomplishment' | BS | 0.56 | G1 | | 4-8 | | | 0.99 |
| Accomplishment Rhododendron | | | | | | | | 6 |
| <i>Rhododendron</i> 'Addy Wery' | BS | 0.92 | G1 | | 4-8 | | | 0.63 |
| Addy Wery Evergreen Azalea | | | | | | | | 6 |
| <i>Rhododendron</i> 'Aglo' | BS | 1.32 | G1 | | 4-8 | | | 1.14 |
| Aglo Rhododendron | | | | | | | | 4 |
| <i>Rhododendron</i> 'Aikoku' | BS | 0.74 | G1 | | 4-8 | | | 0.63 |
| Aikoku Evergreen Azalea | | | | | | | | 7 |
| <i>Rhododendron</i> 'Alaska' | BS | 0.96 | G1 | | 4-8 | | | 0.63 |
| Alaska Evergreen Azalea | | | | | | | | 7 |
| <i>Rhododendron</i> 'Albert Close' | BS | 0.56 | G1 | | 4-8 | | | 0.63 |
| Albert Close Rhododendron | | | | | | | | 6 |
| <i>Rhododendron</i> 'Alexander' | BS | 1.03 | G1 | | 4-8 | | | 0.63 |
| Alexander Evergreen Azalea | | | | | | | | 6 |
| <i>Rhododendron</i> 'Amagasa' | BS | 0.85 | G1 | | 4-8 | | | 0.63 |
| Amagasa Evergreen Azalea | | | | | | | | 7 |
| <i>Rhododendron</i> 'Ambrosia' | BS | 0.56 | G1 | | 4-8 | | | 0.63 |
| Ambrosia Evergreen Azalea | | | | | | | | 6 |
| <i>Rhododendron</i> 'Amethyst' | BS | 0.56 | G1 | | 4-8 | | | 0.63 |
| Amethyst Rhododendron | | | | | | | | 4 |
| <i>Rhododendron</i> 'Amity' | BS | 0.92 | G1 | | 4-8 | | | 0.92 |
| Amity Rhododendron | | | | | | | | 6 |
| <i>Rhododendron</i> 'Amoenum' | BS | 1.03 | G1 | | 4-8 | | | 0.63 |
| Amoenum Evergreen Azalea | | | | | | | | 6 |
| <i>Rhododendron</i> 'Anchorite' | BS | 0.92 | G1 | | 4-8 | | | 0.63 |
| Anchorite Evergreen Azalea | | | | | | | | 6 |
| <i>Rhododendron</i> 'Anna Kehr' | BS | 0.90 | G1 | | 4-8 | | | 0.63 |
| Anna Kehr Evergreen Azalea | | | | | | | | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Antoon van Welie' Antoon van Welie Rhododendron | BS | 0.73 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Aozora' Aozora Evergreen Azalea | BS | 0.98 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Aphrodite' Aphrodite Evergreen Azalea | BS | 1.06 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Appleblossom' Appleblossom Evergreen Azalea | BS | 0.85 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Apricot Surprise' Apricot Surprise Northern Lights Azalea | DS | 1.11 | G1 | | 4-8 | | | 1.65 4 |
| <i>Rhododendron</i> 'April Dawn' April Dawn Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 1.12 4 |
| <i>Rhododendron</i> 'April Gem' April Gem Rhododendron | BS | 1.14 | G1 | | 4-8 | | | 1.04 5 |
| <i>Rhododendron</i> 'April Mist' April Mist Rhododendron | BS | 1.26 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'April Reign' April Reign Rhododendron | BS | 1.10 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'April Rose' April Rose Rhododendron | BS | 1.23 | G1 | | 4-8 | | | 1.01 4 |
| <i>Rhododendron</i> 'April Snow' April Snow Rhododendron | BS | 1.49 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'April White' April White Rhododendron | BS | 1.20 | G1 | | 4-8 | | | 1.12 4 |
| <i>Rhododendron</i> 'Arabesk' Arabesk Evergreen Azalea | BS | 0.87 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Arctic Pearl' Arctic Pearl Rhododendron | BS | 1.19 | G1 | | 4-8 | | | 1.10 4 |
| <i>Rhododendron</i> 'Argentina' Argentina Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Arneson Gem' Arneson Gem Deciduous Azalea | DS | 1.42 | G1 | | 4-8 | | | 0.96 4 |
| <i>Rhododendron</i> 'Avalanche' Avalanche Rhododendron | BS | 0.92 | G1 | | 4-8 | | | 0.92 6 |
| <i>Rhododendron</i> 'Avenir' Avenir Evergreen Azalea | BS | 1.07 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Azor' Azor Rhododendron | BS | 1.15 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Azurro' Azurro Rhododendron | BS | 1.31 | G1 | | 4-8 | | | 0.99 5 |
| <i>Rhododendron</i> 'B.Y. Morrison' B.Y. Morrison Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Bali' Bali Rhododendron | BS | 1.20 | G1 | | 4-8 | | | 0.91 5 |
| <i>Rhododendron</i> 'Balta' Balta Rhododendron | BS | 1.22 | G1 | | 4-8 | | | 1.25 4 |
| <i>Rhododendron</i> 'Balzac' Balzac Exbury Hybrid Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Bambino' Bambino Rhododendron | BS | 1.20 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Bangkok' Bangkok Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Banshin' Banshin Evergreen Azalea | BS | 0.77 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Bariton' Bariton Rhododendron | BS | 1.06 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Barmstedt' Barmstedt Rhododendron | BS | 1.52 | G1 | | 4-8 | | | 0.63 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Rhododendron</i> 'Barto Alpine' Barto Alpine Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.99 6 |
| <i>Rhododendron</i> 'Belle Heller' Belle Heller Rhododendron | BS | 1.06 | G1 | | 4-8 | | | 1.08 6 |
| <i>Rhododendron</i> 'Ben Morrison' Ben Morrison Evergreen Azalea | BS | 0.86 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Ben Moseley' Ben Moseley Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Beni Kirishima' Beni Kirishima Evergreen Azalea | BS | 0.92 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Berryrose' Berryrose Exbury Hybrid Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Besse Howells' Besse Howells Rhododendron | BS | 1.21 | G1 | | 4-8 | | | 1.04 5 |
| <i>Rhododendron</i> 'Beth Bullard' Beth Bullard Evergreen Azalea | BS | 0.86 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Betty Anne Voss' Betty Ann Voss Evergreen Azalea | BS | 0.94 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Betty Hume' Betty Hume Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Betty Muir' Betty Muir Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.99 6 |
| <i>Rhododendron</i> 'Bikini Island' Bikini Island Rhododendron | BS | 1.35 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Blaauw's Pink' Blaauw's Pink Evergreen Azalea | BS | 0.93 | G1 | | 4-8 | | | 0.71 6 |
| <i>Rhododendron</i> 'Black Eye' Black Eye Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 5 |
| <i>Rhododendron</i> 'Black Satin' Black Satin Rhododendron | BS | 1.20 | G1 | | 4-8 | | | 1.08 4 |
| <i>Rhododendron</i> 'Blaney's Blue' Blaney's Blue Rhododendron | BS | 1.15 | G1 | | 4-8 | | | 1.05 6 |
| <i>Rhododendron</i> 'Blitz' Blitz Rhododendron | BS | 1.19 | G1 | | 4-8 | | | 0.94 6 |
| <i>Rhododendron</i> 'Blue Bird' Blue Bird Rhododendron | BS | 1.54 | G1 | | 4-8 | | | 1.05 7 |
| <i>Rhododendron</i> 'Blue Boy' Blue Boy Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 1.05 5 |
| <i>Rhododendron</i> 'Blue Danube' Blue Danube Evergreen Azalea | BS | 1.00 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Bluette' Bluette Rhododendron | BS | 1.01 | G1 | | 4-8 | | | 0.92 6 |
| <i>Rhododendron</i> 'Bob Bovee' Bob Bovee Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.99 5 |
| <i>Rhododendron</i> 'Bob's Blue' Bob's Blue Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Borneo' Borneo Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Boudoir' Boudoir Evergreen Azalea | BS | 0.93 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Boule de Neige' Boule de Neige Rhododendron | BS | 1.25 | G1 | | 4-8 | | | 1.05 4 |
| <i>Rhododendron</i> 'Bravo' Bravo Rhododendron | BS | 0.93 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Brazil' Brazil Exbury Hybrid Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Brilliant' Brilliant Evergreen Azalea | BS | 0.77 | G1 | | 4-8 | | | 0.63 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Rhododendron</i> 'Brittany' Brittany Rhododendron | BS | 1.39 | G1 | | 4-8 | | | 1.03 5 |
| <i>Rhododendron</i> 'Brown Eyes' Brown Eyes Rhododendron | BS | 1.11 | G1 | | 4-8 | | | 1.00 5 |
| <i>Rhododendron</i> 'Bruce Brechtbill' Bruce Brechtbill Rhododendron | BS | 1.15 | G1 | | 4-8 | | | 1.02 7 |
| <i>Rhododendron</i> 'Buccaneer' Buccaneer Evergreen Azalea | BS | 0.93 | G1 | | 4-8 | | | 0.81 6 |
| <i>Rhododendron</i> 'Burma' Burma Rhododendron | BS | 1.00 | G1 | | 4-8 | | | 1.10 5 |
| <i>Rhododendron</i> 'Buttermint' Buttermint Rhododendron | BS | 0.92 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Buttons and Bows' Buttons and Bows Exbury Hybrid Azalea | DS | 1.26 | G1 | | 4-8 | | | 0.96 6 |
| <i>Rhododendron</i> 'Buzzard' Buzzard Deciduous Azalea | DS | 0.96 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'C.B. van Nes' C.B. van Nes Deciduous Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'California Peach' California Peach Evergreen Azalea | BS | 1.07 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'California Snow' California Snow Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'California Sunset' California Sunset Evergreen Azalea | BS | 1.19 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Calsap' Calsap Rhododendron | BS | 1.21 | G1 | | 4-8 | | | 1.03 4 |
| <i>Rhododendron</i> 'Canary Islands' Canary Islands Rhododendron | BS | 0.96 | G1 | | 4-8 | | | 1.03 5 |
| <i>Rhododendron</i> 'Cannon's Double' Cannon's Double Exbury Hybrid Azalea | DS | 1.21 | G1 | | 4-8 | | | 1.45 5 |
| <i>Rhododendron</i> 'Capistrano' Capistrano Rhododendron | BS | 1.31 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Carmen' Carmen Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.99 6 |
| <i>Rhododendron</i> 'Carol Jean' Carol Jean Rhododendron | BS | 1.04 | G1 | | 4-8 | | | 0.97 5 |
| <i>Rhododendron</i> 'Carol Kitchen' Carol Kitchen Evergreen Azalea | BS | 0.84 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Carolina Gold' Carolina Gold Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Caroline Gable' Caroline Gable Evergreen Azalea | BS | 0.99 | G1 | | 4-8 | | | 0.92 6 |
| <i>Rhododendron</i> 'Carroll' Carroll Evergreen Azalea | BS | 0.84 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Cary's Red' Cary's Red Exbury Hybrid Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Casablanca Improved' Casablanca Improved Evergreen Azalea | BS | 0.93 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Casanova' Casanova Rhododendron | BS | 1.18 | G1 | | 4-8 | | | 1.07 5 |
| <i>Rhododendron</i> 'Cascade' Cascade Evergreen Azalea | BS | 1.03 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Cavalier' Cavalier Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Cavendishi' Cavendishi Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Cecile' Cecile Exbury Hybrid Azalea | DS | 1.19 | G1 | | 4-8 | | | 0.96 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Rhododendron</i> 'Centennial Celebration' Centennial Celebration Rhododendron | BS | 0.96 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Centennial' Centennial Exbury Hybrid Azalea | DS | 1.18 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Chanson' Chanson Evergreen Azalea | BS | 0.96 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Chapman's Wonder' Chapman's Wonder Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.99 4 |
| <i>Rhododendron</i> 'Cheerful Giant' Cheerful Giant Exbury Hybrid Azalea | BS | 0.99 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Cherry Float' Cherry Float Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Chetco' Chetco Deciduous Azalea | BS | 1.07 | G1 | | 4-8 | | | 0.94 5 |
| <i>Rhododendron</i> 'Chichibu' Chichibu Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Chikor' Chikor Rhododendron | BS | 1.12 | G1 | | 4-8 | | | 1.02 7 |
| <i>Rhododendron</i> 'Chimes' Chimes Evergreen Azalea | BS | 0.94 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'China Seas' China Seas Evergreen Azalea | BS | 0.66 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Chinsei' Chinsei Evergreen Azalea | BS | 1.01 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Chinzan' Chinzan Evergreen Azalea | BS | 0.86 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Christina Marie' Christina Marie Evergreen Azalea | BS | 0.85 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Christine Ann' Christine Ann Evergreen Azalea | BS | 0.66 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Christmas Cheer' Christmas Cheer Evergreen Azalea | BS | 0.91 | G1 | | 4-8 | | | 0.99 7 |
| <i>Rhododendron</i> 'Clare Marie' Clare Marie Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Clementine Lemaire' Clementine Lemaire Rhododendron | BS | 1.15 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Colonel Coen' Colonel Coen Rhododendron | BS | 1.04 | G1 | | 4-8 | | | 1.05 5 |
| <i>Rhododendron</i> 'Comte de Gomer' Comte de Gomer Deciduous Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Comte de Papadopoli' Comte de Papadopoli Deciduous Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Comtesse de Kerchove' Comtesse de Kerchove Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Conewago' Conewago Rhododendron | BS | 1.57 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Connecticut Yankee' Connecticut Yankee Rhododendron | BS | 1.11 | G1 | | 4-8 | | | 1.06 4 |
| <i>Rhododendron</i> 'Conversation Piece' Conversation Piece Evergreen Azalea | BS | 0.82 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Copperman' Copperman Evergreen Azalea | BS | 0.84 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Coral Bells' Coral Bells Evergreen Azalea | BS | 0.87 | G1 | | 4-8 | | | 0.72 6 |
| <i>Rhododendron</i> 'Coral Cascade' Coral Cascade Evergreen Azalea | BS | 0.89 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Coral Velvet' Coral Velvet Rhododendron | BS | 1.17 | G1 | | 4-8 | | | 1.15 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Rhododendron</i> 'Coralie' Coralie Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Corry' Corry Evergreen Azalea | BS | 0.80 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Corsage' Corsage Evergreen Azalea | BS | 0.86 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Cotton Candy' Cotton Candy Rhododendron | BS | 0.94 | G1 | | 4-8 | | | 0.96 4 |
| <i>Rhododendron</i> 'County of York' County of York Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 1.05 5 |
| <i>Rhododendron</i> 'Cream Crest' Cream Crest Rhododendron | BS | 1.29 | G1 | | 4-8 | | | 1.02 7 |
| <i>Rhododendron</i> 'Cream Glory' Cream Glory Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Creamy Chiffon' Creamy Chiffon Rhododendron | BS | 1.12 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Creole Belle' Creole Belle Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Crest' Crest Rhododendron | BS | 1.18 | G1 | | 4-8 | | | 1.06 6 |
| <i>Rhododendron</i> 'Cupcake' Cupcake Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 5 |
| <i>Rhododendron</i> 'Curlew' Curlew Rhododendron | BS | 1.36 | G1 | | 4-8 | | | 1.02 6 |
| <i>Rhododendron</i> 'Cynthia' Cynthia Rhododendron | BS | 1.20 | G1 | | 4-8 | | | 1.07 5 |
| <i>Rhododendron</i> 'Cyprus' Cyprus Rhododendron | BS | 0.83 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Daniela' Daniela Rhododendron | BS | 1.52 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Daphne Salmon' Daphne Salmon Evergreen Azalea | BS | 0.76 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Dawn's Chorus' Dawn's Chorus Exbury Hybrid Azalea | DS | 1.09 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Daybreak' Daybreak Exbury Hybrid Azalea | DS | 1.17 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Dayspring' Dayspring Evergreen Azalea | BS | 0.94 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Delaware Valley White' Delaware Valley White Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.67 5 |
| <i>Rhododendron</i> 'Delaware' Delaware Exbury Hybrid Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 6 |
| <i>Rhododendron</i> 'Denali' Denali Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Desiree' Desiree Evergreen Azalea | BS | 1.03 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Diny Dee' Diny Dee Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Doc' Doc Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.99 5 |
| <i>Rhododendron</i> 'Donna Totten' Donna Totten Rhododendron | BS | 1.71 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Donna's Day' Donna's Day Rhododendron | BS | 1.25 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Dorothy Amateis' Dorothy Amateis Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Dorothy Gish' Dorothy Gish Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Dorothy Hayden' Dorothy Hayden Evergreen Azalea | BS | 0.79 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Dorothy Rees' Dorothy Rees Evergreen Azalea | BS | 0.94 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Dorothy Russell' Dorothy Russell Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Dorothy Swift' Dorothy Swift Rhododendron | BS | 1.79 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Double Delight' Double Delight Deciduous Azalea | BS | 1.30 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Dreamland' Dreamland Rhododendron | BS | 1.09 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Duc de Rohan' Duc de Rohan Evergreen Azalea | BS | 0.70 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Duchess of Cypress' Duchess of Cypress Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Duchess of York' Duchess of York Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 5 |
| <i>Rhododendron</i> 'Early Beni' Early Beni Evergreen Azalea | BS | 0.92 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Edith Bosley' Edith Bosley Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 1.08 4 |
| <i>Rhododendron</i> 'Edmond Amateis' Edmond Amateis Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.99 5 |
| <i>Rhododendron</i> 'Edward Dunn' Edward Dunn Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Edward M. Boehm' Edward M. Boehm Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Eider' Eider Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Eikwan' Eikwan Evergreen Azalea | BS | 0.87 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'El Frida' El Frida Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Elegans Superba' Elegans Superba Evergreen Azalea | BS | 0.72 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Elie' Elie Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Elise Norfleet' Elise Norfleet Evergreen Azalea | BS | 0.87 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Elizabeth Gable' Elizabeth Gable Evergreen Azalea | BS | 0.91 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Elizabeth' Elizabeth Rhododendron | BS | 1.21 | G1 | | 4-8 | | | 1.02 6 |
| <i>Rhododendron</i> 'Ellie Harris' Ellie Harris Evergreen Azalea | BS | 0.92 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Elsie Lee' Elsie Lee Evergreen Azalea | BS | 0.88 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Elsie Pratt' Elsie Pratt Exbury Hybrid Azalea | DS | 1.17 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Ernie Dee' Ernie Dee Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.99 7 |
| <i>Rhododendron</i> 'Eureka' Eureka Evergreen Azalea | BS | 1.08 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Everest' Everest Evergreen Azalea | BS | 1.01 | G1 | | 4-8 | | | 0.94 7 |
| <i>Rhododendron</i> 'Exbury' Exbury Hybrid Azalea | DS | 1.29 | G1 | | 4-8 | | | 1.56 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Rhododendron</i> 'Fairfax' Fairfax Evergreen Azalea | BS | 0.85 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Fascination' Fascination Evergreen Azalea | BS | 1.08 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Fashion' Fashion Evergreen Azalea | BS | 0.81 | G1 | | 4-8 | | | 0.64 7 |
| <i>Rhododendron</i> 'Festive' Festive Evergreen Azalea | BS | 0.70 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Fielder's White' Fielder's White Evergreen Azalea | BS | 0.73 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Fireball' Fireball Exbury Hybrid Azalea | DS | 1.17 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Firecracker' Firecracker Deciduous Azalea | DS | 1.45 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Fireman Jeff' Fireman Jeff Rhododendron | BS | 1.17 | G1 | | 4-8 | | | 0.96 7 |
| <i>Rhododendron</i> 'Firestar' Firestar Evergreen Azalea | BS | 0.80 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Firestorm' Firestorm Rhododendron | BS | 1.19 | G1 | | 4-8 | | | 1.05 4 |
| <i>Rhododendron</i> 'Fisher Pink' Fisher Pink Evergreen Azalea | BS | 0.78 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Flame Creeper' Flame Creeper Evergreen Azalea | BS | 0.91 | G1 | | 4-8 | | | 0.81 7 |
| <i>Rhododendron</i> 'Formosa' Formosa Evergreen Azalea | BS | 0.70 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Fragrans Affinity' Fragrans Affinity Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Francesca' Francesca Rhododendron | BS | 1.10 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Frank Galsworthy' Frank Galsworthy Rhododendron | BS | 1.10 | G1 | | 4-8 | | | 0.87 5 |
| <i>Rhododendron</i> 'Friday' Friday Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 5 |
| <i>Rhododendron</i> 'Frosted Orange' Frosted Orange Evergreen Azalea | BS | 0.89 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Frosty' Frosty Evergreen Azalea | BS | 1.05 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Fuchsia' Fuchsia Evergreen Azalea | BS | 0.78 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Fuji Asahi' Fuji Asahi Evergreen Azalea | BS | 1.03 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Gabrielle Hill' Gabrielle Hill Evergreen Azalea | BS | 1.08 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Gaiety' Gaiety Evergreen Azalea | BS | 0.99 | G1 | | 4-8 | | | 0.81 7 |
| <i>Rhododendron</i> 'Gallipoli' Gallipoli Exbury Hybrid Azalea | DS | 1.09 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Garden State Glow' Garden State Glow Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Garden State White' Garden State White Evergreen Azalea | BS | 0.92 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Gartendirektor Glockner' Gartendirektor Glockner Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Gee Gee' Gee Gee Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Geisha' Geisha Evergreen Azalea | BS | 0.71 | G1 | | 4-8 | | | 0.63 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'George Lindley Taber' George Lindley Taber Evergreen Azalea | BS | 0.71 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'George Reynolds' George Reynolds Exbury Hybrid Azalea | DS | 1.01 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'George's Delight' George's Delight Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Getsutoku' Getsutoku Evergreen Azalea | BS | 0.97 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Gi Gi' Gi Gi Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Gibraltar' Gibraltar Exbury Hybrid Azalea | DS | 1.19 | G1 | | 4-8 | | | 1.01 5 |
| <i>Rhododendron</i> 'Giganteum' Giganteum Rhododendron | BS | 1.01 | G1 | | 4-8 | | | 0.92 5 |
| <i>Rhododendron</i> 'Ginny Gee' Ginny Gee Rhododendron | BS | 1.28 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Girard's Better Letter' Girard's Better Letter Deciduous Azalea | BS | 0.72 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Girard's Border Gem' Girard's Border Gem Evergreen Azalea | BS | 1.09 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Girard's Chiara' Girard's Chiara Evergreen Azalea | BS | 0.94 | G1 | | 4-8 | | | 0.81 5 |
| <i>Rhododendron</i> 'Girard's Crimson' Girard's Crimson Evergreen Azalea | BS | 0.91 | G1 | | 4-8 | | | 0.81 6 |
| <i>Rhododendron</i> 'Girard's Fireflash' Girard's Fireflash Deciduous Azalea | BS | 0.72 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Girard's Fuchsia' Girard's Fuchsia Evergreen Azalea | BS | 0.94 | G1 | | 4-8 | | | 0.81 6 |
| <i>Rhododendron</i> 'Girard's Hot Shot' Girard's Hot Shot Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.68 6 |
| <i>Rhododendron</i> 'Girard's Joshua' Girard's Joshua Evergreen Azalea | BS | 1.35 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Girard's National Beauty' Girard's National Beauty Evergreen Azalea | BS | 0.92 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Girard's Pink' Girard's Pink Evergreen Azalea | BS | 0.89 | G1 | | 4-8 | | | 0.81 6 |
| <i>Rhododendron</i> 'Girard's Rose' Girard's Rose Evergreen Azalea | BS | 0.91 | G1 | | 4-8 | | | 0.64 6 |
| <i>Rhododendron</i> 'Girard's Scarlet' Girard's Scarlet Evergreen Azalea | BS | 0.93 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Glacier' Glacier Evergreen Azalea | BS | 0.86 | G1 | | 4-8 | | | 0.81 6 |
| <i>Rhododendron</i> 'Glamour' Glamour Evergreen Azalea | BS | 0.98 | G1 | | 4-8 | | | 0.92 6 |
| <i>Rhododendron</i> 'Gloria' Gloria Evergreen Azalea | BS | 0.85 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Glory of Sunninghill' Glory of Sunninghill Evergreen Azalea | BS | 0.68 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Glory' Glory Evergreen Azalea | BS | 0.78 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Glowing Embers' Glowing Embers Exbury Hybrid Azalea | DS | 1.14 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Gold Fee' Gold Fee Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 1.15 5 |
| <i>Rhododendron</i> 'Golden Anniversary' Golden Anniversary Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 7 |
| <i>Rhododendron</i> 'Golden Eagle' Golden Eagle Deciduous Azalea | DS | 1.17 | G1 | | 4-8 | | | 0.96 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Rhododendron</i> 'Golden Flare' Golden Flare Exbury Hybrid Azalea | DS | 1.23 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Golden Gala' Golden Gala Rhododendron | BS | 1.08 | G1 | | 4-8 | | | 1.01 5 |
| <i>Rhododendron</i> 'Golden Gate' Golden Gate Rhododendron | BS | 1.19 | G1 | | 4-8 | | | 0.99 6 |
| <i>Rhododendron</i> 'Golden Genie' Golden Genie Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Golden Lights' Golden Lights Azalea | DS | 1.29 | G1 | | 4-8 | | | 1.48 4 |
| <i>Rhododendron</i> 'Golden Oriole' Golden Oriole Deciduous Azalea | BS | 1.16 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Golden Princess' Golden Princess Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Golden Star' Golden Star Rhododendron | BS | 1.09 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Golden Sunset' Golden Sunset Exbury Hybrid Azalea | DS | 1.05 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Golden Witt' Golden Witt Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 7 |
| <i>Rhododendron</i> 'Goldfingers' Goldfingers Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Goldflimmer' Goldflimmer Rhododendron | BS | 1.07 | G1 | | 4-8 | | | 1.04 5 |
| <i>Rhododendron</i> 'Goldilocks' Goldilocks Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Goldkrone' Goldkrone Rhododendron | BS | 1.20 | G1 | | 4-8 | | | 1.15 5 |
| <i>Rhododendron</i> 'Goldworth Yellow' Goldworth Yellow Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Goosander' Goosander Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Grace Seabrook' Grace Seabrook Rhododendron | BS | 1.12 | G1 | | 4-8 | | | 1.03 6 |
| <i>Rhododendron</i> 'Graf Zeppelin' Graf Zeppelin Rhododendron | BS | 1.18 | G1 | | 4-8 | | | 0.98 6 |
| <i>Rhododendron</i> 'Greeting' Greeting Evergreen Azalea | BS | 0.80 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Gretel' Gretel Rhododendron | BS | 0.87 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Gumpo Pink' Gumpo Pink Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.72 6 |
| <i>Rhododendron</i> 'Gumpo Red' Gumpo Red Evergreen Azalea | BS | 0.86 | G1 | | 4-8 | | | 0.81 6 |
| <i>Rhododendron</i> 'Gumpo White' Gumpo White Evergreen Azalea | BS | 0.89 | G1 | | 4-8 | | | 0.72 6 |
| <i>Rhododendron</i> 'Gwenda' Gwenda Evergreen Azalea | BS | 0.88 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Gyokudo' Gyokudo Evergreen Azalea | BS | 0.99 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Gyokushin' Gyokushin Evergreen Azalea | BS | 0.92 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Gypsy Queen' Gypsy Queen Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 7 |
| <i>Rhododendron</i> 'H.H. Hume' H.H. Hume Evergreen Azalea | BS | 0.79 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Hachmann's Belona' Hachmann's Belona Rhododendron | BS | 1.25 | G1 | | 4-8 | | | 0.63 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Hachmann's Charmant' Hachmann's Charmant Rhododendron | BS | 1.34 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Hachmann's Feuerschein' Hachmann's Feuerschein Rhododendron | BS | 1.34 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Hachmann's Polaris' Hachmann's Polaris Rhododendron | BS | 1.08 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Hachmann's Rosita' Hachmann's Rosita Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Hahn's Red' Hahn's Red Evergreen Azalea | BS | 1.09 | G1 | | 4-8 | | | 0.81 7 |
| <i>Rhododendron</i> 'Hakuo Nishiki' Hakuo Nishiki Evergreen Azalea | BS | 1.03 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Halfdan Lem' Halfdan Lem Rhododendron | BS | 1.04 | G1 | | 4-8 | | | 0.89 6 |
| <i>Rhododendron</i> 'Hallelujah' Hallelujah Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.97 5 |
| <i>Rhododendron</i> 'Hampton Beauty' Hampton Beauty Evergreen Azalea | BS | 0.70 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Hansel' Hansel Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Happy Days' See - <i>Rhododendron</i> 'Nuccio's Happy Days' | | | | | | | | |
| <i>Rhododendron</i> 'Hardijzer's Beauty' Hardijzer's Beauty Rhododendron | BS | 1.11 | G1 | | 4-8 | | | 1.00 7 |
| <i>Rhododendron</i> 'Hardy Gardenia' Hardy Gardenia Evergreen Azalea | BS | 0.89 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Harvest Moon' Harvest Moon Exbury Hybrid Azalea | DS | 1.29 | G1 | | 4-8 | | | 2.03 5 |
| <i>Rhododendron</i> 'Hawaii' Hawaii Yak Hybrid Rhododendron | BS | 1.33 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Heiwa' Heiwa Evergreen Azalea | BS | 0.85 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Helen Close' Helen Close Evergreen Azalea | BS | 0.99 | G1 | | 4-8 | | | 0.81 6 |
| <i>Rhododendron</i> 'Helen Curtis' Helen Curtis Evergreen Azalea | BS | 0.93 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Helen Schiffner' Helen Schiffner Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Hello Dolly' Hello Dolly Rhododendron | BS | 1.17 | G1 | | 4-8 | | | 1.12 6 |
| <i>Rhododendron</i> 'Henry's Red' Henry's Red Rhododendron | BS | 1.21 | G1 | | 4-8 | | | 1.03 4 |
| <i>Rhododendron</i> 'Herbert' Herbert Evergreen Azalea | BS | 0.91 | G1 | | 4-8 | | | 0.73 6 |
| <i>Rhododendron</i> 'Hershey's Bright Red' Hershey's Bright Red Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.68 6 |
| <i>Rhododendron</i> 'Hershey's Orange' Hershey's Orange Evergreen Azalea | BS | 0.78 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Hexe' Hexe Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.81 8 |
| <i>Rhododendron</i> 'Higasa' Higasa Evergreen Azalea | BS | 0.93 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'High Gold' High Gold Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Hilda Niblett' Hilda Niblett Evergreen Azalea | BS | 0.84 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Hill's' Hill's Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Rhododendron</i> 'Hindustan' Hindustan Rhododendron | BS | 1.22 | G1 | | 4-8 | | | 1.18 |
| <i>Rhododendron</i> 'Hino Crimson' Hino Crimson Evergreen Azalea | BS | 0.93 | G1 | | 4-8 | | | 0.84 |
| <i>Rhododendron</i> 'Hino Scarlet' Hino Scarlet Evergreen Azalea | BS | 0.77 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Hino-Pink' Hino-Pink Evergreen Azalea | BS | 1.03 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Hino-White' Hino-White Evergreen Azalea | BS | 1.01 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Hinode Giri' Hinode Giri Evergreen Azalea | BS | 0.85 | G1 | | 4-8 | | | 0.87 |
| <i>Rhododendron</i> 'Holden' Holden Rhododendron | BS | 1.15 | G1 | | 4-8 | | | 1.03 |
| <i>Rhododendron</i> 'Homebush' Homebush Exbury Hybrid Azalea | DS | 1.22 | G1 | | 4-8 | | | 1.21 |
| <i>Rhododendron</i> 'Honey Bee' Honey Bee Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Honeysuckle' Honeysuckle Exbury Hybrid Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 |
| <i>Rhododendron</i> 'Hong Kong' Hong Kong Rhododendron | BS | 1.20 | G1 | | 4-8 | | | 1.03 |
| <i>Rhododendron</i> 'Horizon Snowbird' Horizon Snowbird Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Hotei' Hotei Rhododendron | BS | 1.13 | G1 | | 4-8 | | | 1.01 |
| <i>Rhododendron</i> 'Hotspur' Hotspur Exbury Hybrid Azalea | DS | 1.21 | G1 | | 4-8 | | | 0.96 |
| <i>Rhododendron</i> 'Hudson Bay' Hudson Bay Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 1.12 |
| <i>Rhododendron</i> 'Hugo Koster' Hugo Koster Deciduous Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 |
| <i>Rhododendron</i> 'Hurricane' Hurricane Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 1.00 |
| <i>Rhododendron</i> 'Ice Cube' Ice Cube Rhododendron | BS | 0.99 | G1 | | 4-8 | | | 1.03 |
| <i>Rhododendron</i> 'Ilam Louie Williams' Ilam Louie Williams Deciduous Azalea | DS | 1.17 | G1 | | 4-8 | | | 0.96 |
| <i>Rhododendron</i> 'Ilam Melford Lemon' Ilam Melford Lemon Deciduous Azalea | DS | 1.17 | G1 | | 4-8 | | | 0.96 |
| <i>Rhododendron</i> 'Ilam Peachy Keen' Ilam Peachy Keen Deciduous Azalea | DS | 1.96 | G1 | | 4-8 | | | 0.96 |
| <i>Rhododendron</i> 'Ilam Yellow Beauty' Ilam Yellow Beauty Deciduous Azalea | DS | 1.05 | G1 | | 4-8 | | | 0.96 |
| <i>Rhododendron</i> 'Imperial Countess' See - <i>Rhododendron</i> '(Unnamed Cultivar 01)' | | | | | | | | |
| <i>Rhododendron</i> 'Imperial Duchess' See - <i>Rhododendron</i> '(Unnamed Cultivar 02)' | | | | | | | | |
| <i>Rhododendron</i> 'Imperial Princess' See - <i>Rhododendron</i> 'Moness' P.P. 2754 | | | | | | | | |
| <i>Rhododendron</i> 'Imperial Queen' See - <i>Rhododendron</i> 'Monal' P.P. 2753 | BS | 0.88 | G1 | | 4-8 | | | 0.87 |
| <i>Rhododendron</i> 'Imperial' Imperial Rhododendron | BS | 1.29 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Ingrid Mehlquist' Ingrid Mehlquist Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.99 |
| <i>Rhododendron</i> 'Intricatum' Intricatum Rhododendron | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Irene Koster' Irene Koster Exbury Hybrid Azalea | DS | 1.27 | G1 | | 4-8 | | | 1.47 7 |
| <i>Rhododendron</i> 'Ivory Coast' Ivory Coast Rhododendron | BS | 0.95 | G1 | | 4-8 | | | 1.03 5 |
| <i>Rhododendron</i> 'Iwato Kagami' Iwato Kagami Evergreen Azalea | BS | 1.03 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Jack A. Sand' Jack A. Sand Deciduous Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Jan Bee' Jan Bee Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Jane Abbott' Jane Abbott Deciduous Azalea | BS | 1.16 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Janet Blair' Janet Blair Rhododendron | BS | 1.18 | G1 | | 4-8 | | | 1.02 5 |
| <i>Rhododendron</i> 'Janet Rhea' Janet Rhea Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Jeanne Weeks' Jeanne Weeks Evergreen Azalea | BS | 1.06 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Jeremiah' Jeremiah Evergreen Azalea | BS | 0.97 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Jericho' Jericho Rhododendron | BS | 1.07 | G1 | | 4-8 | | | 1.03 5 |
| <i>Rhododendron</i> 'Joan Garrett' Joan Garrett Evergreen Azalea | BS | 0.80 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Joe Paterno' Joe Paterno Rhododendron | BS | 1.14 | G1 | | 4-8 | | | 1.02 4 |
| <i>Rhododendron</i> 'Johga' Johga Evergreen Azalea | BS | 0.80 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'John Eichelser' John Eichelser Exbury Hybrid Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'John Walter' John Walter Rhododendron | BS | 1.04 | G1 | | 4-8 | | | 0.98 5 |
| <i>Rhododendron</i> 'Jonathan Shaw' Jonathan Shaw Rhododendron | BS | 1.13 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Joseph Hill' Joseph Hill Evergreen Azalea | BS | 1.02 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Joshua' Joshua Rhododendron | BS | 1.34 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Juan de Fuca' Juan de Fuca Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 7 |
| <i>Rhododendron</i> 'Judge Solomon' Judge Solomon Evergreen Azalea | BS | 0.72 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Juko' Juko Evergreen Azalea | BS | 1.08 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Junefire' Junefire Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Kaempo' Kaempo Evergreen Azalea | BS | 1.05 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Kagetsu Muji' Kagetsu Muji Evergreen Azalea | BS | 0.94 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Kagura' Kagura Evergreen Azalea | BS | 0.79 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Karen Triplett' Karen Triplett Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Karens' Karens Evergreen Azalea | BS | 1.01 | G1 | | 4-8 | | | 0.64 4 |
| <i>Rhododendron</i> 'Kathy' Kathy Evergreen Azalea | BS | 0.94 | G1 | | 4-8 | | | 0.64 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Katie' Katie Evergreen Azalea | BS | 1.00 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Kazan' Kazan Evergreen Azalea | BS | 1.23 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Kimberly' Kimberly Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Kimbeth' Kimbeth Rhododendron | BS | 1.08 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'King Red' King Red Exbury Hybrid Azalea | DS | 1.09 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'King Tut' King Tut Rhododendron | BS | 1.12 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Kingston' Kingston Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Kinpai' Kinpai Evergreen Azalea | BS | 1.03 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Klondyke' Klondyke Exbury Hybrid Azalea | DS | 1.24 | G1 | | 4-8 | | | 1.50 5 |
| <i>Rhododendron</i> 'Kokardia' Kokardia Rhododendron | BS | 1.13 | G1 | | 4-8 | | | 1.06 5 |
| <i>Rhododendron</i> 'Kozan' Kozan Evergreen Azalea | BS | 1.24 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Kristin' Kristin Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'L.J. Bobbink' L.J. Bobbink Evergreen Azalea | BS | 0.80 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'LaRoche' LaRoche Evergreen Azalea | BS | 0.76 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Lady Louise' Lady Louise Evergreen Azalea | BS | 0.92 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Lady Robin' Lady Robin Evergreen Azalea | BS | 0.96 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Laura Morland' Laura Morland Evergreen Azalea | BS | 1.08 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Laurie' Laurie Rhododendron | BS | 1.33 | G1 | | 4-8 | | | 1.08 5 |
| <i>Rhododendron</i> 'Lavender Princess' Lavender Princess Rhododendron | BS | 1.04 | G1 | | 4-8 | | | 1.03 6 |
| <i>Rhododendron</i> 'Lavendula' Lavendula Rhododendron | BS | 1.42 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Ledifolia Alba' See - <i>Rhododendron</i> 'Mucronatum' | BS | 0.96 | G1 | | 4-8 | | | 1.03 6 |
| <i>Rhododendron</i> 'Lem's Monarch' Lem's Monarch Rhododendron | BS | 0.99 | G1 | | 4-8 | | | 0.95 5 |
| <i>Rhododendron</i> 'Lem's Stormcloud' Lem's Stormcloud Rhododendron | DS | 1.36 | G1 | | 4-8 | | | 0.96 4 |
| <i>Rhododendron</i> 'Lemon Drop' Lemon Drop Deciduous Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Lemon Float' Lemon Float Rhododendron | BS | 1.05 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Leslie's Purple' Leslie's Purple Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Leuchtenfuer' Leuchtenfuer Evergreen Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Lily Marin' Lily Marin Exbury Hybrid Azalea | BS | 1.08 | G1 | | 4-8 | | | 0.63 5 |
| Linda Jean Evergreen Azalea | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Linda R.' | BS | 1.00 | G1 | | 4-8 | | | 0.63 |
| Linda R. Evergreen Azalea | | | | | | | | 7 |
| <i>Rhododendron</i> 'Linda Stuart' | BS | 1.08 | G1 | | 4-8 | | | 0.63 |
| Linda Stuart Evergreen Azalea | | | | | | | | 5 |
| <i>Rhododendron</i> 'Linwood Lavender' | BS | 0.90 | G1 | | 4-8 | | | 0.63 |
| Linwood Lavender Evergreen Azalea | | | | | | | | 7 |
| <i>Rhododendron</i> 'Linwood Lustre' | BS | 0.90 | G1 | | 4-8 | | | 0.63 |
| Linwood Lustre Evergreen Azalea | | | | | | | | 8 |
| <i>Rhododendron</i> 'Linwood Pink' | BS | 0.90 | G1 | | 4-8 | | | 0.63 |
| Linwood Pink Evergreen Azalea | | | | | | | | 7 |
| <i>Rhododendron</i> 'Linwood Salmon' | BS | 0.90 | G1 | | 4-8 | | | 0.63 |
| Linwood Salmon Evergreen Azalea | | | | | | | | 7 |
| <i>Rhododendron</i> 'Little Gem' | BS | 1.39 | G1 | | 4-8 | | | 0.63 |
| Little Gem Rhododendron | | | | | | | | 5 |
| <i>Rhododendron</i> 'Little John' | BS | 0.56 | G1 | | 4-8 | | | 0.63 |
| Little John Evergreen Azalea | | | | | | | | 8 |
| <i>Rhododendron</i> 'Liz Ann' | BS | 1.02 | G1 | | 4-8 | | | 0.99 |
| Liz Ann Rhododendron | | | | | | | | 6 |
| <i>Rhododendron</i> 'Llenroc' | BS | 0.95 | G1 | | 4-8 | | | 1.05 |
| Llenroc Rhododendron | | | | | | | | 5 |
| <i>Rhododendron</i> 'Loderi King George' | BS | 0.98 | G1 | | 4-8 | | | 0.63 |
| Loderi King George Rhododendron | | | | | | | | 6 |
| <i>Rhododendron</i> 'Lodestar' | BS | 1.14 | G1 | | 4-8 | | | 0.99 |
| Lodestar Rhododendron | | | | | | | | 5 |
| <i>Rhododendron</i> 'Lollipop' | BS | 1.32 | G1 | | 4-8 | | | 0.63 |
| Lollipop Azalea | | | | | | | | 4 |
| <i>Rhododendron</i> 'Lori Eichelser' | BS | 1.43 | G1 | | 4-8 | | | 1.05 |
| Lori Eichelser Rhododendron | | | | | | | | 6 |
| <i>Rhododendron</i> 'Lorna' | BS | 0.97 | G1 | | 4-8 | | | 0.81 |
| Lorna Evergreen Azalea | | | | | | | | 6 |
| <i>Rhododendron</i> 'Louisa' | BS | 0.92 | G1 | | 4-8 | | | 0.63 |
| Louisa Evergreen Azalea | | | | | | | | 6 |
| <i>Rhododendron</i> 'Louise Gable' | BS | 0.97 | G1 | | 4-8 | | | 0.81 |
| Louise Gable Evergreen Azalea | | | | | | | | 6 |
| <i>Rhododendron</i> 'Macrantha Pink' | BS | 0.83 | G1 | | 4-8 | | | 0.81 |
| Macrantha Pink Evergreen Azalea | | | | | | | | 7 |
| <i>Rhododendron</i> 'Macrantha Salmon' | BS | 1.07 | G1 | | 4-8 | | | 0.63 |
| Macrantha Salmon Evergreen Azalea | | | | | | | | 7 |
| <i>Rhododendron</i> 'Macrantha' | BS | 0.90 | G1 | | 4-8 | | | 0.87 |
| Macrantha Evergreen Azalea | | | | | | | | 7 |
| <i>Rhododendron</i> 'Madame Alphonse Pericat' | BS | 0.73 | G1 | | 4-8 | | | 0.63 |
| Madame Alphonse Pericat Evergreen Azalea | | | | | | | | 7 |
| <i>Rhododendron</i> 'Madonna' | BS | 0.78 | G1 | | 4-8 | | | 0.63 |
| Madonna (Brooks) Evergreen Azalea | | | | | | | | 8 |
| <i>Rhododendron</i> 'Madrid' | BS | 1.17 | G1 | | 4-8 | | | 0.97 |
| Madrid Rhododendron | | | | | | | | 4 |
| <i>Rhododendron</i> 'Magic Moments' | BS | 0.88 | G1 | | 4-8 | | | 0.87 |
| Magic Moments Rhododendron | | | | | | | | 6 |
| <i>Rhododendron</i> 'Mai Hime' | BS | 0.87 | G1 | | 4-8 | | | 0.63 |
| Mai Hime Evergreen Azalea | | | | | | | | 7 |
| <i>Rhododendron</i> 'Malta' | BS | 1.03 | G1 | | 4-8 | | | 1.21 |
| Malta Rhododendron | | | | | | | | 4 |
| <i>Rhododendron</i> 'Manda Sue' | BS | 1.05 | G1 | | 4-8 | | | 0.87 |
| Manda Sue Rhododendron | | | | | | | | 7 |
| <i>Rhododendron</i> 'Mandarin Lights' | DS | 1.38 | G1 | | 4-8 | | | 1.52 |
| Mandarin Lights Deciduous Azalea | | | | | | | | 4 |
| <i>Rhododendron</i> 'Manitau' | BS | 1.33 | G1 | | 4-8 | | | 0.63 |
| Manitau Rhododendron | | | | | | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Rhododendron</i> 'Margaret Douglas' Margaret Douglas Evergreen Azalea | BS | 0.79 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Maria Derby' Maria Derby Evergreen Azalea | BS | 0.97 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Marian Lee' Marian Lee Evergreen Azalea | BS | 0.85 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Marie's Choice' Marie's Choice Evergreen Azalea | BS | 1.03 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Marilee' Marilee Evergreen Azalea | BS | 1.32 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Markeeta's Flame' Markeeta's Flame Rhododendron | BS | 0.97 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Martha Hitchcock' Martha Hitchcock Evergreen Azalea | BS | 0.88 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Martha Isaacson' Martha Isaacson Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Mary Elizabeth' Mary Elizabeth Evergreen Azalea | BS | 0.87 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Mary Fleming' Mary Fleming Rhododendron | BS | 1.29 | G1 | | 4-8 | | | 1.05 5 |
| <i>Rhododendron</i> 'Mary Lynn' Mary Lynn Evergreen Azalea | BS | 1.00 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Mary Poppins' Mary Poppins Exbury Hybrid Azalea | DS | 1.21 | G1 | | 4-8 | | | 1.69 5 |
| <i>Rhododendron</i> 'Maryann' Maryann Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Massasoit' Massasoit Evergreen Azalea | BS | 0.82 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Matsu no Hikari' Matsu no Hikari Evergreen Azalea | BS | 0.77 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Matthew's Memory' Matthew's Memory Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Maxecat' Maxecat Rhododendron | BS | 1.09 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'May Belle' May Belle Evergreen Azalea | BS | 1.03 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Medusa' Medusa Rhododendron | BS | 0.92 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Memoire John Haerens' Memoire John Haerens Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Merlin' Merlin Evergreen Azalea | BS | 0.82 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Michael Hill' Michael Hill Evergreen Azalea | BS | 0.97 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Midway' Midway Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Mildred Mae' Mildred Mae Azalea | BS | 0.82 | G1 | | 4-8 | | | 0.83 6 |
| <i>Rhododendron</i> 'Milestone' Milestone Rhododendron | BS | 1.22 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Millie Mac' Millie Mac Deciduous Azalea | DS | 1.55 | G1 | | 4-8 | | | 0.96 7 |
| <i>Rhododendron</i> 'Mimi' Mimi Evergreen Azalea | BS | 0.99 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Minato' Minato Evergreen Azalea | BS | 0.82 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Minnetonka' Minnetonka Rhododendron | BS | 1.14 | G1 | | 4-8 | | | 1.05 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|---------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors | |
| | | | | | | | | |
| <i>Rhododendron</i> 'Miss Louisa Hunnewell' Miss Louisa Hunnewell Deciduous Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Miss Suzie' Miss Suzie Evergreen Azalea | BS | 0.97 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Mistral' Mistral Evergreen Azalea | BS | 0.65 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Mme. Alfred Sanders' Mme. Alfred Sanders Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Molalla' Molalla Deciduous Azalea | DS | 1.24 | G1 | | 4-8 | | | 0.96 7 |
| <i>Rhododendron</i> 'Mollis' See - <i>Rhododendron x kosteranum</i> | BS | 1.24 | G1 | | 4-8 | | | 0.96 6 |
| <i>Rhododendron</i> 'Molly Ann' Molly Ann Rhododendron | BS | 1.24 | G1 | | 4-8 | | | 0.96 6 |
| <i>Rhododendron</i> 'Molly Fordham' Molly Fordham Rhododendron | BS | 1.32 | G1 | | 4-8 | | | 1.12 5 |
| <i>Rhododendron</i> 'Monal' P.P. 2753 Imperial Queen™ Evergreen Azalea | BS | 0.80 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Monea' Plum Crazy™ Evergreen Azalea | BS | 0.79 | G1 | | 4-8 | | | 0.63 9 |
| <i>Rhododendron</i> 'Moness' P.P. 2754 Imperial Princess™ Evergreen Azalea | BS | 0.80 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Montego' Montego Rhododendron | BS | 0.86 | G1 | | 4-8 | | | 1.02 5 |
| <i>Rhododendron</i> 'Moonstone' Moonstone Evergreen Azalea | BS | 1.63 | G1 | | 4-8 | | | 1.05 6 |
| <i>Rhododendron</i> 'Morgenrot' Morgenrot Rhododendron | BS | 1.27 | G1 | | 4-8 | | | 1.15 5 |
| <i>Rhododendron</i> 'Mother Greer' Mother Greer Rhododendron | BS | 1.50 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Mother's Day' Mother's Day Evergreen Azalea | BS | 0.93 | G1 | | 4-8 | | | 0.88 6 |
| <i>Rhododendron</i> 'Mount Saint Helens' Mount Saint Helens Exbury Hybrid Azalea | DS | 1.35 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Mount Seven Star' Mount Seven Star Evergreen Azalea | BS | 1.03 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Mrs. E.C. Sterling' Mrs. E.C. Sterling Rhododendron | BS | 1.06 | G1 | | 4-8 | | | 1.06 6 |
| <i>Rhododendron</i> 'Mrs. Emil Hager' Mrs. Emil Hager Evergreen Azalea | BS | 0.96 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Mrs. Fisher' Mrs. Fisher Evergreen Azalea | BS | 0.84 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Mrs. Furnival' Mrs. Furnival Rhododendron | BS | 1.18 | G1 | | 4-8 | | | 0.95 4 |
| <i>Rhododendron</i> 'Mrs. G.G. Gerbing' Mrs. G.G. Gerbing Evergreen Azalea | BS | 0.70 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Mrs. G.W. Leak' Mrs. G.W. Leak Rhododendron | BS | 1.10 | G1 | | 4-8 | | | 0.96 6 |
| <i>Rhododendron</i> 'Mrs. Glass Dexter' Mrs. Glass Dexter Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Mt. Clearview' Mt. Clearview Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 5 |
| <i>Rhododendron</i> 'Mt. Mazama' Mt. Mazama Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Mucronatum' Mucronatum Evergreen Azalea | BS | 0.80 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Multimaculatum' Multimaculatum Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Nancy Evans' Nancy Evans Rhododendron | BS | 1.13 | G1 | | 4-8 | | | 1.05 6 |
| <i>Rhododendron</i> 'Nancy of Robinhill' Nancy of Robinhill Evergreen Azalea | BS | 0.88 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Nancy' Nancy Evergreen Azalea | BS | 0.79 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Narihira' Narihira Evergreen Azalea | BS | 0.74 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Naselle' Naselle Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Nassau' Nassau Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Ne Plus Ultra' Ne Plus Ultra Tropical Rhododendron | BS | 3.04 | G1 | | 4-8 | | | 0.63 10 |
| <i>Rhododendron</i> 'Nepal' Nepal Rhododendron | BS | 1.13 | G1 | | 4-8 | | | 1.08 4 |
| <i>Rhododendron</i> 'New Patriot' New Patriot Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Nico' Nico Evergreen Azalea | BS | 0.99 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Night Editor' Night Editor Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.99 6 |
| <i>Rhododendron</i> 'No Suchianum' No Suchianum Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Normandy' Normandy Rhododendron | BS | 1.26 | G1 | | 4-8 | | | 0.97 4 |
| <i>Rhododendron</i> 'Northern Hi-Lights' Northern Hi-Lights Azalea | DS | 1.33 | G1 | | 4-8 | | | 1.21 4 |
| <i>Rhododendron</i> 'Northern Lights' Northern Lights Azalea | DS | 1.39 | G1 | | 4-8 | | | 1.52 4 |
| <i>Rhododendron</i> 'Northern Starburst' P.P.A.F. Northern Starburst Rhododendron | BS | 1.61 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Nuccio's Carnival' Nuccio's Carnival Evergreen Azalea | BS | 0.80 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Nuccio's Happy Days' Nuccio's Happy Days Evergreen Azalea | BS | 0.68 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Nuccio's Pink Champagne' Nuccio's Pink Champagne Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Nuccio's Wild Cherry' Nuccio's Wild Cherry Evergreen Azalea | BS | 0.85 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Nudiflora Pink' Nudiflora Pink Evergreen Azalea | BS | 1.04 | G1 | | 4-8 | | | 0.72 6 |
| <i>Rhododendron</i> 'Oceanlake' Oceanlake Rhododeneron | BS | 1.28 | G1 | | 4-8 | | | 1.06 6 |
| <i>Rhododendron</i> 'Odee Wright' Odee Wright Rhododendron | BS | 1.00 | G1 | | 4-8 | | | 0.96 6 |
| <i>Rhododendron</i> 'Odoratum' Odoratum Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 5 |
| <i>Rhododendron</i> 'Old Gold' Old Gold Azalea | DS | 2.16 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Olga Mezitt' Olga Mezitt Rhododendron | BS | 1.29 | G1 | | 4-8 | | | 1.10 5 |
| <i>Rhododendron</i> 'Olga Niblett' Olga Niblett Evergreen Azalea | BS | 0.91 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Olin O. Dobbs' Olin O. Dobbs Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 5 |
| <i>Rhododendron</i> 'Olive' Olive Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.99 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|----------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Olympic Lady' Olympic Lady Rhododendron | BS | 1.00 | G1 | | 4-8 | | | 0.96 6 |
| <i>Rhododendron</i> 'Orange Chimes' Orange Chimes Evergreen Azalea | BS | 1.07 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Orange Cup' Orange Cup Evergreen Azalea | BS | 0.71 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Orange Delight' Orange Delight Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Orange Jolly' Orange Jolly Deciduous Azalea | DS | 1.21 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Orangeade' Orangeade Exbury Hybrid Azalea | DS | 1.05 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Orchid Beauty' Orchid Beauty Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Orchid Lights' Orchid Lights Azalea | DS | 1.30 | G1 | | 4-8 | | | 1.50 4 |
| <i>Rhododendron</i> 'Orchid Sunset' Orchid Sunset Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Osakazuki' Osakazuki Evergreen Azalea | BS | 0.74 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Ostbo's Red Leaf Elizabeth' Osto's Red Leaf Elizabeth Rhododendron | BS | 1.20 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Otto Lilienthal' Otto Lilenthal Deciduous Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Oudijks Sensation' Oudijks Sensation Rhododendron | BS | 1.16 | G1 | | 4-8 | | | 0.99 6 |
| <i>Rhododendron</i> 'Oxydol' Oxydol Exbury Hybrid Azalea | DS | 1.40 | G1 | | 4-8 | | | 1.76 5 |
| <i>Rhododendron</i> 'P.J.M. Compacta' P.J.M. Compact Rhododendron | BS | 1.24 | G1 | | 4-8 | | | 1.10 4 |
| <i>Rhododendron</i> 'P.J.M. Elite' P.J.M. Elite Rhododendron | BS | 1.27 | G1 | | 4-8 | | | 1.11 4 |
| <i>Rhododendron</i> 'P.J.M. Regal' P.J.M. Regal Rhododendron | BS | 1.31 | G1 | | 4-8 | | | 1.13 4 |
| <i>Rhododendron</i> 'P.J.M. Resistant' P.J.M. Resistant Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 1.11 4 |
| <i>Rhododendron</i> 'P.J.M.' P.J.M. Rhododendron | BS | 1.31 | G1 | | 4-8 | | | 1.13 4 |
| <i>Rhododendron</i> 'P.J.M.-K' P.J.M.-K Rhododendron | BS | 1.28 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Paprika Spiced' Paprika Spiced Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Parade' Parade Deciduous Azalea | BS | 1.20 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Parker's Pink' Parker's Pink Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Party Pillow' Party Pillow Rhododendron | BS | 1.24 | G1 | | 4-8 | | | 1.16 5 |
| <i>Rhododendron</i> 'Patty Bee' Patty Bee Rhododendron | BS | 1.35 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Paul Bosely' Paul Bosely Rhododendron | BS | 0.93 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Paul Mauney' Paul Mauney Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Paul Vossberg' Paul Vossberg Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Pearce's American Beauty' Pearce's American Beauty Rhododendron | BS | 1.21 | G1 | | 4-8 | | | 1.06 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Pearl Bradford' Pearl Bradford Evergreen Azalea | BS | 0.95 | G1 | | 4-8 | | 0.81 | 6 |
| <i>Rhododendron</i> 'Peeping Tom' Peeping Tom Rhododendron | BS | 1.15 | G1 | | 4-8 | | 0.63 | 6 |
| <i>Rhododendron</i> 'Peking' Peking Rhododendron | BS | 0.56 | G1 | | 4-8 | | 0.63 | 5 |
| <i>Rhododendron</i> 'Persia' Persia Rhododendron | BS | 0.56 | G1 | | 4-8 | | 0.63 | 4 |
| <i>Rhododendron</i> 'Persil' Persil Exbury Hybrid Azalea | DS | 0.83 | G1 | | 4-8 | | 0.96 | 5 |
| <i>Rhododendron</i> 'Peter Alan' Peter Alan Rhododendron | BS | 1.39 | G1 | | 4-8 | | 0.63 | 5 |
| <i>Rhododendron</i> 'Peter Pooker' Peter Pooker Evergreen Azalea | BS | 0.76 | G1 | | 4-8 | | 0.63 | 6 |
| <i>Rhododendron</i> 'Phidias' Phidias Deciduous Azalea | DS | 0.83 | G1 | | 4-8 | | 0.96 | 5 |
| <i>Rhododendron</i> 'Phoenicia' Phoenicia Evergreen Azalea | BS | 0.89 | G1 | | 4-8 | | 0.63 | 5 |
| <i>Rhododendron</i> 'Phyllis Korn' Phyllis Korn Rhododendron | BS | 0.83 | G1 | | 4-8 | | 0.87 | 5 |
| <i>Rhododendron</i> 'Pink Camellia' Pink Camellia Evergreen Azalea | BS | 0.73 | G1 | | 4-8 | | 0.63 | 7 |
| <i>Rhododendron</i> 'Pink Cascade' Pink Cascade Evergreen Azalea | BS | 0.82 | G1 | | 4-8 | | 0.63 | 7 |
| <i>Rhododendron</i> 'Pink Cherub' Pink Cherub Rhododendron | BS | 0.56 | G1 | | 4-8 | | 0.63 | 6 |
| <i>Rhododendron</i> 'Pink Dawn' Pink Dawn Evergreen Azalea | BS | 0.97 | G1 | | 4-8 | | 0.63 | 6 |
| <i>Rhododendron</i> 'Pink Diamond' Pink Diamond Rhododendron | BS | 1.25 | G1 | | 4-8 | | 0.63 | 6 |
| <i>Rhododendron</i> 'Pink Flourish' Pink Flourish Rhododendron | BS | 1.10 | G1 | | 4-8 | | 1.05 | 5 |
| <i>Rhododendron</i> 'Pink Jeans' Pink Jeans Rhododendron | BS | 0.94 | G1 | | 4-8 | | 0.89 | 6 |
| <i>Rhododendron</i> 'Pink Lace' Pink Lace Evergreen Azalea | BS | 0.86 | G1 | | 4-8 | | 0.63 | 7 |
| <i>Rhododendron</i> 'Pink Pancake' Pink Pancake Evergreen Azalea | BS | 1.10 | G1 | | 4-8 | | 0.63 | 6 |
| <i>Rhododendron</i> 'Pink Pearl' Pink Pearl Evergreen Azalea | BS | 0.83 | G1 | | 4-8 | | 1.08 | 5 |
| <i>Rhododendron</i> 'Pink Ruffles' Pink Ruffles Azalea | BS | 0.81 | G1 | | 4-8 | | 0.63 | 9 |
| <i>Rhododendron</i> 'Pink and Sweet' Pink and Sweet Azalea | BS | 1.32 | G1 | | 4-8 | | 0.63 | 5 |
| <i>Rhododendron</i> 'Pioneer Silvery Pink' Pioneer Silvery Pink Rhododendron | BS | 1.18 | G1 | | 4-8 | | 1.02 | 4 |
| <i>Rhododendron</i> 'Platinum Pearl' Platinum Pearl Rhododendron | BS | 1.18 | G1 | | 4-8 | | 0.63 | 6 |
| <i>Rhododendron</i> 'Pleasant White' Pleasant White Evergreen Azalea | BS | 0.92 | G1 | | 4-8 | | 0.64 | 6 |
| <i>Rhododendron</i> 'Plum Crazy' See - <i>Rhododendron</i> 'Monea' | BS | 0.95 | G1 | | 4-8 | | 0.97 | 6 |
| <i>Rhododendron</i> 'Point Defiance' Point Defiance Rhododendron | BS | 0.78 | G1 | | 4-8 | | 0.63 | 7 |
| <i>Rhododendron</i> 'Polar Bear' Polar Bear Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | 0.63 | 8 |
| <i>Rhododendron</i> 'Posaeman' Posaeman Evergreen Azalea | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'President Claeys' President Claeys Evergreen Azalea | BS | 0.72 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'President Roosevelt' President Roosevelt Rhododendron | BS | 1.16 | G1 | | 4-8 | | | 1.00 5 |
| <i>Rhododendron</i> 'Pride of Dorking' Pride of Dorking Evergreen Azalea | BS | 0.78 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Princess Anne' Princess Anne Rhododendron | BS | 1.54 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Professor Wolters' Professor Wolters Evergreen Azalea | BS | 1.07 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Prudence' Prudence Evergreen Azalea | BS | 0.83 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Purple Gem' Purple Gem Rhododendron | BS | 1.31 | G1 | | 4-8 | | | 1.10 4 |
| <i>Rhododendron</i> 'Purple Majestic' Purple Majestic Evergreen Azalea | BS | 0.99 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Purple Splendor' Purple Splendor Evergreen Azalea | BS | 0.99 | G1 | | 4-8 | | | 0.84 5 |
| <i>Rhododendron</i> 'Queen Anne's' Queen Anne's Rhododendron | BS | 1.05 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Ramapo' Ramapo Rhododendron | BS | 1.23 | G1 | | 4-8 | | | 1.07 5 |
| <i>Rhododendron</i> 'Ravenna' Ravenna Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Ray's Rubra' Ray's Rubra Evergreen Azalea | BS | 0.91 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Red Beauty' P.P. 2308 Red Beauty Evergreen Azalea | BS | 0.83 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Red Bird' Red Bird Evergreen Azalea | BS | 0.95 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Red Eye' Red Eye Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Red Formosa' Red Formosa Evergreen Azalea | BS | 0.68 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Red Fountain' Red Fountain Evergreen Azalea | BS | 0.97 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Red Frilled' Red Frilled Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Red Poppy' Red Poppy Evergreen Azalea | BS | 1.19 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Red Red' Red Red Evergreen Azalea | BS | 1.02 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Red River' Red River Rhododendron | BS | 1.34 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Red Ruffles' Red Ruffles Evergreen Azalea | BS | 0.76 | G1 | | 4-8 | | | 0.63 9 |
| <i>Rhododendron</i> 'Red Sunset' Red Sunset Evergreen Azalea | BS | 0.97 | G1 | | 4-8 | | | 0.90 6 |
| <i>Rhododendron</i> 'Red Walloper' Red Walloper Rhododendron | BS | 0.94 | G1 | | 4-8 | | | 0.96 6 |
| <i>Rhododendron</i> 'Red Wing' Red Wing Evergreen Azalea | BS | 0.91 | G1 | | 4-8 | | | 0.99 8 |
| <i>Rhododendron</i> 'Redder Yet' Redder Yet Rhododendron | BS | 1.04 | G1 | | 4-8 | | | 0.97 4 |
| <i>Rhododendron</i> 'Reid Red' Reid Red Evergreen Azalea | BS | 0.83 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Renee Michelle' Renee Michelle Evergreen Azalea | BS | 0.89 | G1 | | 4-8 | | | 0.64 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Rhododendron</i> 'Reward Two' Reward Two Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 5 |
| <i>Rhododendron</i> 'Ria Hardijzer' Ria Hardijzer Rhododendron | BS | 1.03 | G1 | | 4-8 | | | 0.99 7 |
| <i>Rhododendron</i> 'Rimfire' Rimfire Evergreen Azalea | BS | 0.77 | G1 | | 4-8 | | | 0.76 7 |
| <i>Rhododendron</i> 'Ring of Fire' Ring of Fire Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 7 |
| <i>Rhododendron</i> 'Rio' Rio Rhododendron | BS | 1.07 | G1 | | 4-8 | | | 1.01 4 |
| <i>Rhododendron</i> 'Rising Star' Rising Star Deciduous Azalea | BS | 0.77 | G1 | | 4-8 | | | 0.76 6 |
| <i>Rhododendron</i> 'Robert Korn' Robert Korn Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Roberta' Roberta Evergreen Azalea | BS | 0.93 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Robin Hill Congo' Robin Hill Congo Evergreen Azalea | BS | 1.09 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Robin Hill Gillie' Robin Hill Gillie Evergreen Azalea | BS | 0.82 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Rocket' Rocket Rhododendron | BS | 1.16 | G1 | | 4-8 | | | 1.01 5 |
| <i>Rhododendron</i> 'Roddy' Roddy Evergreen Azalea | BS | 0.76 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Roehr's Peggy Ann' Roehr's Peggy Ann Evergreen Azalea | BS | 0.97 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Romany-Chad' Romany-Chad Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Rosa Flora' Rosa Flora Exbury Hybrid Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 7 |
| <i>Rhododendron</i> 'Rosa Regen' Rosa Regen Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Rose Elf' Rose Elf Rhododendron | BS | 1.38 | G1 | | 4-8 | | | 1.05 7 |
| <i>Rhododendron</i> 'Rose Glow' Rose Glow Evergreen Azalea | BS | 0.94 | G1 | | 4-8 | | | 0.63 9 |
| <i>Rhododendron</i> 'Rose Greeley' Rose Greeley Evergreen Azalea | BS | 1.21 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Rose Queen' Rose Queen Evergreen Azalea | BS | 0.97 | G1 | | 4-8 | | | 0.63 9 |
| <i>Rhododendron</i> 'Rose' Rose Evergreen Azalea | BS | 0.78 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Rosea' Rosea Evergreen Azalea | BS | 0.73 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Rosebud' Rosebud Evergreen Azalea | BS | 0.96 | G1 | | 4-8 | | | 0.76 6 |
| <i>Rhododendron</i> 'Roslyn' Roslyn Rhododendron | BS | 1.13 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Rosy Lights' Rosy Lights Azalea | DS | 1.28 | G1 | | 4-8 | | | 1.34 4 |
| <i>Rhododendron</i> 'Royal Command' Royal Command Exbury Hybrid Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Royal Purple' Royal Purple Rhododendron | BS | 1.07 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Royal Robe' Royal Robe Evergreen Azalea | BS | 1.00 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Royalty' Royalty Evergreen Azalea | BS | 0.95 | G1 | | 4-8 | | | 0.87 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Rubicon' Rubicon Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 1.05 |
| <i>Rhododendron</i> 'Ruby Hart' Ruby Hart Rhododendron | BS | 1.50 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Rukizon' See - <i>Rhododendron</i> 'Kazan' | BS | 1.20 | G1 | | 4-8 | | | 0.97 |
| <i>Rhododendron</i> 'Russell Harmon' Russell Harmon Rhododendron | BS | 0.98 | G1 | | 4-8 | | | 1.07 |
| <i>Rhododendron</i> 'Rutgers' Rutgers Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Saint Merryn' Saint Merryn Rhododendron | BS | 0.74 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Salmon Bells' Salmon Bells Evergreen Azalea | BS | 1.21 | G1 | | 4-8 | | | 0.96 |
| <i>Rhododendron</i> 'Salmon Delight' Salmon Delight Deciduous Azalea | DS | 0.72 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Salmon Solomon' Salmon Solomon Evergreen Azalea | BS | 0.84 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Salmon Spray' Salmon Spray Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Samoa' Samoa Rhododendron | BS | 0.77 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Sandra Ann' Sandra Ann Evergreen Azalea | BS | 1.19 | G1 | | 4-8 | | | 0.98 |
| <i>Rhododendron</i> 'Sapphire' Sapphire Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 1.13 |
| <i>Rhododendron</i> 'Satin' Satin Rhododendron | BS | 0.87 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Saybrook Glory' Saybrook Glory Evergreen Azalea | BS | 1.03 | G1 | | 4-8 | | | 1.02 |
| <i>Rhododendron</i> 'Scarlet Romance' Scarlet Romance Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Schneebucket' Schneebucket Rhododendrom | BS | 0.56 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Schubert' Schubert Evergreen Azalea | BS | 1.20 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Scintillation' Scintillation Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 1.09 |
| <i>Rhododendron</i> 'Seafoam' Seafoam Evergreen Azalea | BS | 0.98 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Seika' Seika Evergreen Azalea | BS | 1.17 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'September Song' September Song Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 1.06 |
| <i>Rhododendron</i> 'Seta' Seta Rhododendron | BS | 1.09 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Sham's Juliet' Sham's Juliet Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Sham's Ruby' Sham's Ruby Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Sherwood Orchid' Sherwood Orchid Evergreen Azalea | BS | 0.84 | G1 | | 4-8 | | | 0.72 |
| <i>Rhododendron</i> 'Sherwood Red' Sherwood Red Evergreen Azalea | BS | 0.99 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Shiko no Kagami' Shiko no Kagami Evergreen Azalea | BS | 0.83 | G1 | | 4-8 | | | 0.63 |
| <i>Rhododendron</i> 'Shinkigen' Shinkigen Evergreen Azalea | | | | | | | | 0.63 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Rhododendron</i> 'Shinnyo no Tsuki' Shinnyo no Tsuki Evergreen Azalea | BS | 0.84 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Showboat' Showboat Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Shugetsu' Shugetsu Evergreen Azalea | BS | 0.89 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Siesta' Siesta Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 5 |
| <i>Rhododendron</i> 'Silver King' Silver King Evergreen Azalea | BS | 0.81 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Silver Slipper' Silver Slipper Exbury Hybrid Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Silver Sword' Silver Sword Evergreen Azalea | BS | 0.97 | G1 | | 4-8 | | | 0.79 5 |
| <i>Rhododendron</i> 'Simmon's Classic' Simmon's Classic Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Sir Charles Lemon' Sir Charles Lemon Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Sir Robert' Sir Robert Evergreen Azalea | BS | 0.95 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Siskin' Siskin Deciduous Azalea | DS | 1.46 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Slim Jim' Slim Jim Evergreen Azalea | BS | 0.92 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Small Gem' Small Gem Rhododendron | BS | 1.60 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Small Wonder' Small Wonder Rhododendron | BS | 1.34 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Smokey #9' Smokey #9 Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Snipe' Snipe Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.99 5 |
| <i>Rhododendron</i> 'Snow Lady' Snow Lady Rhododendron | BS | 1.33 | G1 | | 4-8 | | | 1.02 7 |
| <i>Rhododendron</i> 'Snow' Snow Evergreen Azalea | BS | 0.83 | G1 | | 4-8 | | | 0.81 6 |
| <i>Rhododendron</i> 'Snowball' Snowball Evergreen Azalea | BS | 0.86 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Snowbird' Snowbird Azalea | BS | 1.14 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Snowdrift' Snowdrift Deciduous Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Songbird' Songbird Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.99 6 |
| <i>Rhododendron</i> 'Southern Belle' Southern Belle Evergreen Azalea | BS | 0.85 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Southern Charm' Southern Charm Evergreen Azalea | BS | 0.70 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Spellbinder' Spellbinder Rhododendron | BS | 1.28 | G1 | | 4-8 | | | 1.04 5 |
| <i>Rhododendron</i> 'Spicy Lights' Spicy Lights Azalea | BS | 1.11 | G1 | | 4-8 | | | 0.97 4 |
| <i>Rhododendron</i> 'Spitfire' Spitfire Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 8 |
| <i>Rhododendron</i> 'Spring Dawn' Spring Dawn Rhododendron | BS | 1.22 | G1 | | 4-8 | | | 1.00 7 |
| <i>Rhododendron</i> 'Spring Glory' Spring Glory Rhododendron | BS | 1.09 | G1 | | 4-8 | | | 0.91 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Springtime' Springtime Rhododendron | BS | 1.14 | G1 | | 4-8 | | | 1.03 6 |
| <i>Rhododendron</i> 'Starburst' Starburst Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 7 |
| <i>Rhododendron</i> 'Starry Night' Starry Night Rhododendron | BS | 1.22 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Stewartsonian' Stewartsonian Evergreen Azalea | BS | 0.97 | G1 | | 4-8 | | | 0.84 5 |
| <i>Rhododendron</i> 'Strawberry Ice' Strawberry Ice Exbury Hybrid Azalea | DS | 1.20 | G1 | | 4-8 | | | 1.54 5 |
| <i>Rhododendron</i> 'Sumatra' Sumatra Rhododendron | BS | 1.30 | G1 | | 4-8 | | | 1.15 5 |
| <i>Rhododendron</i> 'Summer Glow' Summer Glow Rhododendron | BS | 0.98 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Summer Snow' Summer Snow Rhododendron | BS | 0.93 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Summer Summit' Summer Summit Rhododendron | BS | 1.07 | G1 | | 4-8 | | | 1.03 6 |
| <i>Rhododendron</i> 'Sunglow' Sunglow Evergreen Azalea | BS | 0.78 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Sunset Pink' Sunset Pink Exbury Hybrid Azalea | BS | 1.06 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Susan' Susan Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Swamp Beauty' Swamp Beauty Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Swan' Swan Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Sweet Briar' Sweet Briar Evergreen Azalea | BS | 0.95 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Sweetheart Supreme' Sweetheart Supreme Azalea | BS | 0.65 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Sylphides' Sylphides Exbury Hybrid Azalea | DS | 1.17 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Tamino' Tamino Evergreen Azalea | BS | 1.08 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Tara' Tara Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Taurus' Taurus Rhododendron | BS | 0.95 | G1 | | 4-8 | | | 1.03 6 |
| <i>Rhododendron</i> 'Tempest Sister' Tempest Sister Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Tennessee' Tennessee Rhododendron | BS | 1.34 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Tequila Sunrise' Tequila Sunrise Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Thor' Thor Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 7 |
| <i>Rhododendron</i> 'Thunder' Thunder Rhododendron | BS | 1.79 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Tickled Pink' Tickled Pink Evergreen Azalea | BS | 1.07 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'Todmorden' Todmorden Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 5 |
| <i>Rhododendron</i> 'Tom Everett' Tom Everett Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Tony' Tony Rhododendron | BS | 1.15 | G1 | | 4-8 | | | 1.03 5 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Top Banana' Top Banana Rhododendron | BS | 0.94 | G1 | | 4-8 | | | 0.89 7 |
| <i>Rhododendron</i> 'Topsvort Pearl' Topsvort Pearl Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Totally Awesome' Totally Awesome Azalea | DS | 1.38 | G1 | | 4-8 | | | 0.96 6 |
| <i>Rhododendron</i> 'Towhead' Towhead Rhododendron | BS | 1.32 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'Tradition' Tradition Evergreen Azalea | BS | 0.92 | G1 | | 4-8 | | | 0.68 7 |
| <i>Rhododendron</i> 'Trail Blazer' Trail Blazer Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Treasure' Treasure Evergreen Azalea | BS | 0.98 | G1 | | 4-8 | | | 0.90 6 |
| <i>Rhododendron</i> 'Trinidad' Trinidad Rhododendron | BS | 1.03 | G1 | | 4-8 | | | 0.87 4 |
| <i>Rhododendron</i> 'Trouper' Trouper Evergreen Azalea | BS | 0.79 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Tunis' Tunis Exbury Hybrid Azalea | DS | 1.18 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Turkish Delight' Turkish Delight Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Tutti Frutti' Tutti Frutti Exbury Hybrid Azalea | BS | 1.14 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Twenty Grand' Twenty Grand Evergreen Azalea | BS | 1.04 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Twilight Pink' Twilight Pink Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Umpqua Queen' Umpqua Queen Deciduous Azalea | DS | 1.11 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Unsurpassable' Unsurpassable Evergreen Azalea | BS | 0.92 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Usuyukari' Usuyukari Evergreen Azalea | BS | 1.03 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Van' Van Rhododendron | BS | 1.04 | G1 | | 4-8 | | | 1.00 6 |
| <i>Rhododendron</i> 'Venetia' Venetia Exbury Hybrid Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Vernus' Vernus Rhododendron | BS | 1.15 | G1 | | 4-8 | | | 1.06 4 |
| <i>Rhododendron</i> 'Vespers' Vespers Evergreen Azalea | BS | 0.68 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Vestal' Vestal Evergreen Azalea | BS | 0.70 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Victor' Victor Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 1.25 5 |
| <i>Rhododendron</i> 'Vinecrest' Vinecrest Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.97 5 |
| <i>Rhododendron</i> 'Vinemark' Vinemark Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.97 4 |
| <i>Rhododendron</i> 'Violetta' Violetta Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Viscy' Viscy Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Vuyk's Rosyred' Vuyk's Rosyred Evergreen Azalea | BS | 0.96 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Vuyk's Scarlet' Vuyk's Scarlet Evergreen Azalea | BS | 0.98 | G1 | | 4-8 | | | 0.81 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Wakaebisu' Wakaebisu Evergreen Azalea | BS | 0.77 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Wallowa Red' Wallowa Red Deciduous Azalea | BS | 1.14 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Waltham' Waltham Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Watchet' Watchet Evergreen Azalea | BS | 0.77 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Wedding Bouquet' Wedding Bouquet Deciduous Azalea | DS | 0.97 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Westbury' Westbury Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Weston's Innocence' Weston's Innocence Deciduous Azalea | DS | 1.36 | G1 | | 4-8 | | | 0.96 4 |
| <i>Rhododendron</i> 'Weston's Pink Diamond' Weston's Pink Diamond Rhododendron | BS | 1.33 | G1 | | 4-8 | | | 1.12 5 |
| <i>Rhododendron</i> 'Wheatley' Wheatley Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Whisperingrose' Whisperingrose Rhododendron | BS | 1.34 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'White Dwarf' White Dwarf Evergreen Azalea | BS | 0.95 | G1 | | 4-8 | | | 0.81 6 |
| <i>Rhododendron</i> 'White Find' White Find Deciduous Azalea | DS | 1.73 | G1 | | 4-8 | | | 0.96 4 |
| <i>Rhododendron</i> 'White Grandeur' White Grandeur Evergreen Azalea | BS | 0.81 | G1 | | 4-8 | | | 0.63 8 |
| <i>Rhododendron</i> 'White Lightning' White Lightning Deciduous Azalea | DS | 1.72 | G1 | | 4-8 | | | 0.96 4 |
| <i>Rhododendron</i> 'White Lights' White Lights Azalea | DS | 1.27 | G1 | | 4-8 | | | 1.35 4 |
| <i>Rhododendron</i> 'White Moon' White Moon Evergreen Azalea | BS | 0.90 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'White Perfection' White Perfection Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 4 |
| <i>Rhododendron</i> 'White Rosebud' White Rosebud Evergreen Azalea | BS | 0.94 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'White Swan' White Swan Exbury Hybrid Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'White Throat' White Throat Exbury Hybrid Azalea | DS | 1.00 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Whitney's Orange' Whitney's Orange Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Wigeon' Wigeon Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Wild Affair' Wild Affair Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Williams' Williams Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 5 |
| <i>Rhododendron</i> 'Windbeam' Windbeam Rhododendron | BS | 1.23 | G1 | | 4-8 | | | 1.02 4 |
| <i>Rhododendron</i> 'Windsor Appleblossom' Windsor Appleblossom Azalea | DS | 0.83 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Windsor Buttercup' Windsor Buttercup Deciduous Azalea | DS | 1.36 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Winsome' Winsome Rhododendron | BS | 0.89 | G1 | | 4-8 | | | 0.87 7 |
| <i>Rhododendron</i> 'Wintergreen' Wintergreen Evergreen Azalea | BS | 1.13 | G1 | | 4-8 | | | 0.63 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Rhododendron</i> 'Wissahickon' Wissahickon Rhododendron | BS | 1.07 | G1 | | 4-8 | | | 1.03 6 |
| <i>Rhododendron</i> 'Witchdoctor Dwarf' Witchdoctor Dwarf Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 7 |
| <i>Rhododendron</i> 'Wizzard' Wizzard Rhododendron | BS | 0.88 | G1 | | 4-8 | | | 0.87 6 |
| <i>Rhododendron</i> 'Wojnar's Purple' Wojnar's Purple Rhododendron | BS | 1.09 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Wolfpack Red' Wolfpack Red Evergreen Azalea | BS | 0.73 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Wren' Wren Rhododendron | BS | 1.15 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Wyandanch Pink' Wyandanch Pink Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.97 5 |
| <i>Rhododendron</i> 'Wynterset Pink' Wynterset Pink Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Wynterset White' Wynterset White Rhododendron | BS | 1.15 | G1 | | 4-8 | | | 1.07 4 |
| <i>Rhododendron</i> 'Yama no Hikari' Yama no Hikari Evergreen Azalea | BS | 0.99 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Yankee Doodle' Yankee Doodle Evergreen Azalea | BS | 1.25 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Yellow Delight' Yellow Delight Deciduous Azalea | DS | 1.55 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Yellow Pages' Yellow Pages Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 5 |
| <i>Rhododendron</i> 'Yellow Petticoats' Yellow Petticoats Rhododendron | BS | 0.56 | G1 | | 4-8 | | | 0.63 6 |
| <i>Rhododendron</i> 'Yellow Pom Pom' Yellow Pom Pom Deciduous Azalea | DS | 1.55 | G1 | | 4-8 | | | 0.96 5 |
| <i>Rhododendron</i> 'Yoshimi' Yoshimi Evergreen Azalea | BS | 0.56 | G1 | | 4-8 | | | 0.63 7 |
| <i>Rhododendron</i> 'Zuiko' Zuiko Rhododendron | BS | 1.02 | G1 | | 4-8 | | | 0.99 6 |
| <i>Rhododendron</i> <i>arborescens</i> Sweet Deciduous Azalea | DS | 1.22 | G1 | | 4-8 | | | 1.00 4 |
| <i>Rhododendron</i> <i>atlanticum</i> Coastal Deciduous Azalea | DS | 1.32 | G1 | | 6-9A | | | 1.00 5 |
| <i>Rhododendron</i> <i>atlanticum</i> 'Choptank Yellow and Orange' Choptank Yellow and Orange Coast Azalea | BS | 1.63 | G1 | | 6-9A | | | 1.00 5 |
| <i>Rhododendron</i> <i>atlanticum</i> 'Nacoochee' Nacoochee Coast Azalea | BS | 1.63 | G1 | | 6-9A | | | 1.00 5 |
| <i>Rhododendron</i> <i>augustinii</i> Augustinii Rhododendron | BS | 1.06 | G1 | | 6-9A | | | 0.99 6 |
| <i>Rhododendron</i> <i>austrinum</i> Florida Flame Azalea | DS | 1.16 | G1 | | 6-9A | | | 1.00 7 |
| <i>Rhododendron</i> <i>austrinum</i> 'My Mary' My Mary Florida Azalea | DS | 1.55 | G1 | | 6-9A | | | 1.00 7 |
| <i>Rhododendron</i> <i>bureavii</i> No Common Name Found | BS | 1.00 | G1 | | 6-9A | | | 1.00 6 |
| <i>Rhododendron</i> <i>bureavii</i> 'Lem's Form' Lem's Form Rhododendron | BS | 1.00 | G1 | | 6-9A | | | 1.00 6 |
| <i>Rhododendron</i> <i>calendulaceum</i> Flame Deciduous Azalea | DS | 1.30 | G1 | | 5-9A | | | 2.08 5 |
| <i>Rhododendron</i> <i>calophytum</i> No Common Name Found | BS | 0.88 | G1 | | 6-9A | | | 0.87 6 |
| <i>Rhododendron</i> <i>calostrotum</i> Calostrotum Rhododendron | BS | 1.00 | G1 | | 6-9A | | | 1.00 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|---------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Rhododendron campylogynum</i> No Common Name Found | BS | 1.02 | G1 | | 7-10A | | 0.99 | 7 |
| <i>Rhododendron camtschaticum</i> No Common Name Found | BS | 1.00 | G1 | | 5-9A | | 1.00 | 5 |
| <i>Rhododendron canescens</i> Piedmont Deciduous Azalea | DS | 1.08 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Rhododendron carolinianum</i> Carolina Rhododendron | BS | 1.17 | G1 | | 5-8 | | 1.10 | 4 |
| <i>Rhododendron carolinianum</i> 'Caroline' Caroline Carolina Rhododendron | BS | 0.99 | G1 | | 5-8 | | 1.01 | 4 |
| <i>Rhododendron carolinianum</i> 'Pink' Pink Carolina Rhododendron | BS | 0.99 | G1 | | 5-8 | | 1.01 | 4 |
| <i>Rhododendron carolinianum</i> var. <i>album</i> White Carolina Rhododendron | BS | 1.57 | G1 | | 5-8 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> Catawbiense Rhododendron | BS | 1.09 | G1 | | 4-8 | | 1.20 | 4 |
| <i>Rhododendron catawbiense</i> 'A. Bedford' A. Bedford Rhododendron | BS | 1.19 | G1 | | 4-8 | | 0.95 | 4 |
| <i>Rhododendron catawbiense</i> 'Album Elegans' Album Elegans Rhododendron | BS | 1.18 | G1 | | 4-8 | | 1.02 | 4 |
| <i>Rhododendron catawbiense</i> 'Album' Album Catawbiense Rhododendron | BS | 1.27 | G1 | | 4-8 | | 1.04 | 4 |
| <i>Rhododendron catawbiense</i> 'Alice' Alice Rhododendron | BS | 0.97 | G1 | | 4-8 | | 0.98 | 4 |
| <i>Rhododendron catawbiense</i> 'America' America Rhododendron | BS | 1.08 | G1 | | 4-8 | | 1.01 | 4 |
| <i>Rhododendron catawbiense</i> 'Anah Kruschke' Anah Kruschke Rhododendron | BS | 1.07 | G1 | | 4-8 | | 1.03 | 4 |
| <i>Rhododendron catawbiense</i> 'Anna Rose Whitney' Anna Rose Whitney Rhododendron | BS | 1.22 | G1 | | 4-8 | | 1.07 | 4 |
| <i>Rhododendron catawbiense</i> 'Autumn Gold' Autumn Gold Rhododendron | BS | 1.01 | G1 | | 4-8 | | 0.92 | 4 |
| <i>Rhododendron catawbiense</i> 'Baden Baden' Baden Baden Rhododendron | BS | 1.26 | G1 | | 4-8 | | 1.08 | 4 |
| <i>Rhododendron catawbiense</i> 'Betty Wormald' Betty Wormald Rhododendron | BS | 0.73 | G1 | | 4-8 | | 0.87 | 4 |
| <i>Rhododendron catawbiense</i> 'Blue Diamond' Blue Diamond Rhododendron | BS | 1.17 | G1 | | 4-8 | | 1.13 | 4 |
| <i>Rhododendron catawbiense</i> 'Blue Ensign' Blue Ensign Rhododendron | BS | 0.92 | G1 | | 4-8 | | 0.92 | 4 |
| <i>Rhododendron catawbiense</i> 'Blue Jay' Blue Jay Rhododendron | BS | 1.26 | G1 | | 4-8 | | 0.98 | 4 |
| <i>Rhododendron catawbiense</i> 'Blue Peter' Blue Peter Rhododendron | BS | 1.10 | G1 | | 4-8 | | 1.02 | 4 |
| <i>Rhododendron catawbiense</i> 'Boursault' Boursault Catawbiense Rhododendron | BS | 1.23 | G1 | | 4-8 | | 1.11 | 4 |
| <i>Rhododendron catawbiense</i> 'Bow Bells' Bow Bells Rhododendron | BS | 1.22 | G1 | | 4-8 | | 1.10 | 4 |
| <i>Rhododendron catawbiense</i> 'Butterfly' Butterfly Rhododendron | BS | 1.20 | G1 | | 4-8 | | 0.94 | 4 |
| <i>Rhododendron catawbiense</i> 'Caractacus' Caractacus Rhododendron | BS | 1.01 | G1 | | 4-8 | | 0.92 | 4 |
| <i>Rhododendron catawbiense</i> 'Cary Ann' Cary Ann Rhododendron | BS | 1.19 | G1 | | 4-8 | | 1.03 | 4 |
| <i>Rhododendron catawbiense</i> 'Cheer' Cheer Rhododendron | BS | 1.20 | G1 | | 4-8 | | 1.06 | 4 |
| <i>Rhododendron catawbiense</i> 'Chionoides' Chionoides Rhododendron | BS | 1.22 | G1 | | 4-8 | | 1.03 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rhododendron catawbiense</i> 'Christmas Cheer' Christmas Cheer Rhododendron | BS | 0.73 | G1 | | 4-8 | | 0.87 | 4 |
| <i>Rhododendron catawbiense</i> 'Compactum' Compact Catawba Rhododendron | BS | 0.73 | G1 | | 4-8 | | 0.87 | 4 |
| <i>Rhododendron catawbiense</i> 'Cunningham's Blush' Cunningham's Blush Rhododendron | BS | 1.22 | G1 | | 4-8 | | 1.11 | 4 |
| <i>Rhododendron catawbiense</i> 'Cunningham's White' Cunningham's White Rhododendron | BS | 1.23 | G1 | | 4-8 | | 1.02 | 4 |
| <i>Rhododendron catawbiense</i> 'Daphnoides' Daphnoides Rhododendron | BS | 1.22 | G1 | | 4-8 | | 1.05 | 4 |
| <i>Rhododendron catawbiense</i> 'Dora Amateis' Dora Amateis Rhododendron | BS | 1.24 | G1 | | 4-8 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'Elisabeth Hobbie' Elisabeth Hobbie Rhododendron | BS | 1.10 | G1 | | 4-8 | | 1.02 | 4 |
| <i>Rhododendron catawbiense</i> 'Elisabeth' Elisabeth Rhododendron | BS | 1.12 | G1 | | 4-8 | | 1.05 | 4 |
| <i>Rhododendron catawbiense</i> 'English Roseum' English Roseum Rhododendron | BS | 1.25 | G1 | | 4-8 | | 1.11 | 4 |
| <i>Rhododendron catawbiense</i> 'Evening Glow' Evening Glow Rhododendron | BS | 1.12 | G1 | | 4-8 | | 0.99 | 4 |
| <i>Rhododendron catawbiense</i> 'Everestianum' Everest Rhododendron | BS | 1.10 | G1 | | 4-8 | | 1.05 | 4 |
| <i>Rhododendron catawbiense</i> 'Fastuosum Flore Pleno' Fastuosum Flore Pleno Rhododendron | BS | 1.17 | G1 | | 4-8 | | 0.95 | 4 |
| <i>Rhododendron catawbiense</i> 'Furnivall's Daughter' Furnivall's Daughter Rhododendron | BS | 1.04 | G1 | | 4-8 | | 0.95 | 4 |
| <i>Rhododendron catawbiense</i> 'Gomer Waterer' Gomer Waterer Rhododendron | BS | 1.18 | G1 | | 4-8 | | 1.02 | 4 |
| <i>Rhododendron catawbiense</i> 'Grandiflorum' Grandiflorum Catawbiense Rhododendron | BS | 1.26 | G1 | | 4-8 | | 1.06 | 4 |
| <i>Rhododendron catawbiense</i> 'Henrietta Sargent' Henrietta Sargent Rhododendron | BS | 1.09 | G1 | | 4-8 | | 1.08 | 4 |
| <i>Rhododendron catawbiense</i> 'Ignatius Sargent' Ignatius Sargent Rhododendron | BS | 1.07 | G1 | | 4-8 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'Jean Marie de Montague' Jean Marie de Montague Rhododendron | BS | 1.03 | G1 | | 4-8 | | 1.07 | 4 |
| <i>Rhododendron catawbiense</i> 'Jock' Jock Rhododendron | BS | 1.23 | G1 | | 4-8 | | 1.05 | 4 |
| <i>Rhododendron catawbiense</i> 'Kluis Sensation' Kluis Sensation Rhododendron | BS | 1.14 | G1 | | 4-8 | | 0.95 | 4 |
| <i>Rhododendron catawbiense</i> 'Lady Clementine Mitford' Lady Clementine Mitford Rhododendron | BS | 1.17 | G1 | | 4-8 | | 1.22 | 4 |
| <i>Rhododendron catawbiense</i> 'Lavender Queen' Lavender Queen Rhododendron | BS | 1.19 | G1 | | 4-8 | | 1.01 | 4 |
| <i>Rhododendron catawbiense</i> 'Lee's Best Purple' Lee's Best Purple Rhododendron | BS | 0.73 | G1 | | 4-8 | | 0.97 | 4 |
| <i>Rhododendron catawbiense</i> 'Lee's Dark Purple' Lee's Dark Purple Rhododendron | BS | 1.24 | G1 | | 4-8 | | 1.11 | 4 |
| <i>Rhododendron catawbiense</i> 'Loder's White' Loder's White Rhododendron | BS | 1.14 | G1 | | 4-8 | | 0.89 | 4 |
| <i>Rhododendron catawbiense</i> 'Lord Roberts' Lord Roberts Rhododendron | BS | 1.07 | G1 | | 4-8 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'Madame Masson' Madame Masson Rhododendron | BS | 1.05 | G1 | | 4-8 | | 0.98 | 4 |
| <i>Rhododendron catawbiense</i> 'Madame de Bruin' Madame de Bruin Rhododendron | BS | 1.01 | G1 | | 4-8 | | 0.87 | 4 |
| <i>Rhododendron catawbiense</i> 'Marchioness of Lansdowne' Marchioness of Lansdowne Rhododendron | BS | 0.73 | G1 | | 4-8 | | 0.97 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhododendron catawbiense</i> 'Michael Waterer' Michael Waterer Rhododendron | BS | 1.05 | G1 | | 4-8 | | | 1.05 4 |
| <i>Rhododendron catawbiense</i> 'Mrs. Betty Robertson' Mrs. Betty Robertson Rhododendron | BS | 1.15 | G1 | | 4-8 | | | 0.87 4 |
| <i>Rhododendron catawbiense</i> 'Mrs. C.S. Sargent' Mrs. C.S. Sargent Rhododendron | BS | 0.98 | G1 | | 4-8 | | | 1.07 4 |
| <i>Rhododendron catawbiense</i> 'Mrs. Charles Pearson' Mrs. Charles Pearson Rhododendron | BS | 1.10 | G1 | | 4-8 | | | 1.04 4 |
| <i>Rhododendron catawbiense</i> 'Mrs. T.H. Lowinsky' Mrs. T.H. Lowinsky Rhododendron | BS | 1.16 | G1 | | 4-8 | | | 1.09 4 |
| <i>Rhododendron catawbiense</i> 'Nova Zembla' Nova Zembla Rhododendron | BS | 1.26 | G1 | | 4-8 | | | 1.05 4 |
| <i>Rhododendron catawbiense</i> 'Old Port' Old Port Rhododendron | BS | 0.73 | G1 | | 4-8 | | | 0.87 4 |
| <i>Rhododendron catawbiense</i> 'Parsons Gloriosum' Parson's Gloriosum Rhododendron | BS | 1.17 | G1 | | 4-8 | | | 1.02 4 |
| <i>Rhododendron catawbiense</i> 'Party Pink' Party Pink Rhododendron | BS | 1.13 | G1 | | 4-8 | | | 1.00 4 |
| <i>Rhododendron catawbiense</i> 'Pink Twins' Pink Twins Rhododendron | BS | 1.16 | G1 | | 4-8 | | | 0.87 4 |
| <i>Rhododendron catawbiense</i> 'President Lincoln' President Lincoln Rhododendron | BS | 1.21 | G1 | | 4-8 | | | 1.03 4 |
| <i>Rhododendron catawbiense</i> 'Purple Lace' Purple Lace Rhododendron | BS | 1.04 | G1 | | 4-8 | | | 1.00 4 |
| <i>Rhododendron catawbiense</i> 'Purple Splendour' Purple Splendour Rhododendron | BS | 1.16 | G1 | | 4-8 | | | 1.01 4 |
| <i>Rhododendron catawbiense</i> 'Purpureum Elegans' Purpureum Elegans Rhododendron | BS | 1.22 | G1 | | 4-8 | | | 1.08 4 |
| <i>Rhododendron catawbiense</i> 'Purpureum Grandiflorum' Purpureum Grandiflorum Rhododendron | BS | 1.05 | G1 | | 4-8 | | | 1.02 4 |
| <i>Rhododendron catawbiense</i> 'Rosamundii' Rosamundii Rhododendron | BS | 1.14 | G1 | | 4-8 | | | 0.99 4 |
| <i>Rhododendron catawbiense</i> 'Roseum Album' Roseum Album Rhododendron | BS | 0.73 | G1 | | 4-8 | | | 0.87 4 |
| <i>Rhododendron catawbiense</i> 'Roseum Elegans' Roseum Elegans Rhododendron | BS | 1.25 | G1 | | 4-8 | | | 1.10 4 |
| <i>Rhododendron catawbiense</i> 'Roseum Pink' Roseum Pink Rhododendron | BS | 1.22 | G1 | | 4-8 | | | 1.15 4 |
| <i>Rhododendron catawbiense</i> 'Roseum Superbum' Roseum Superbum Rhododendron | BS | 1.20 | G1 | | 4-8 | | | 1.22 4 |
| <i>Rhododendron catawbiense</i> 'Roseum Two' Roseum Two Rhododendron | BS | 1.30 | G1 | | 4-8 | | | 1.02 4 |
| <i>Rhododendron catawbiense</i> 'Sappho' Sappho Rhododendron | BS | 1.01 | G1 | | 4-8 | | | 0.96 4 |
| <i>Rhododendron catawbiense</i> 'Scarlet Wonder' Scarlet Wonder Rhododendron | BS | 1.11 | G1 | | 4-8 | | | 1.08 4 |
| <i>Rhododendron catawbiense</i> 'Sham's Candy' Sham's Candy Rhododendron | BS | 1.08 | G1 | | 4-8 | | | 1.06 4 |
| <i>Rhododendron catawbiense</i> 'Shamrock' Shamrock Rhododendron | BS | 1.36 | G1 | | 4-8 | | | 1.05 4 |
| <i>Rhododendron catawbiense</i> 'Swans Downe' Swans Downe Rhododendron | BS | 1.18 | G1 | | 4-8 | | | 1.08 4 |
| <i>Rhododendron catawbiense</i> 'The General' The General Rhododendron | BS | 1.21 | G1 | | 4-8 | | | 1.01 4 |
| <i>Rhododendron catawbiense</i> 'Trilby' Trilby Rhododendron | BS | 1.20 | G1 | | 4-8 | | | 0.97 4 |
| <i>Rhododendron catawbiense</i> 'Trude Webster' Trude Webster Catawba Rhododendron | BS | 0.97 | G1 | | 4-8 | | | 1.02 4 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhododendron catawbiense</i> 'Unique' Unique Rhododendron | BS | 1.09 | G1 | | 4-8 | | | 1.04 4 |
| <i>Rhododendron catawbiense</i> 'Virginia Richards' Virginia Richards Rhododendron | BS | 1.06 | G1 | | 4-8 | | | 1.03 4 |
| <i>Rhododendron catawbiense</i> 'Vivacious' Vivacious Rhododendron | BS | 1.26 | G1 | | 4-8 | | | 1.08 4 |
| <i>Rhododendron catawbiense</i> 'Vulcan' Vulcan Rhododendron | BS | 1.07 | G1 | | 4-8 | | | 1.02 4 |
| <i>Rhododendron catawbiense</i> 'Vulcan's Flame' Vulcan's Flame Rhododendron | BS | 1.08 | G1 | | 4-8 | | | 0.93 4 |
| <i>Rhododendron catawbiense</i> 'Wilgens Ruby' Wilgens Ruby Rhododendron | BS | 1.19 | G1 | | 4-8 | | | 0.94 5 |
| <i>Rhododendron x cilpinense</i> Cilpinense Rhododendron | BS | 1.13 | G1 | | 7-10A | | | 1.02 7 |
| <i>Rhododendron concinnum</i> Concinnum Rhododendron | BS | 1.02 | G1 | | 7-10A | | | 0.99 7 |
| <i>Rhododendron cumberlandense</i> Cumberland Deciduous Azalea | DS | 1.36 | G1 | | 6-9A | | | 1.00 6 |
| <i>Rhododendron dauricum</i> Dahurian Rhododendron | BS | 1.02 | G1 | | 5-9A | | | 0.99 5 |
| <i>Rhododendron dauricum</i> 'Madison Snow' Madison Snow Dahurian Rhododendron | BS | 1.02 | G1 | | 5-9A | | | 0.99 5 |
| <i>Rhododendron drumoniu</i> m See - <i>Rhododendron telmateium</i> | | | | | | | | |
| <i>Rhododendron flammeum</i> Oconee Azalea | DS | 1.17 | G1 | 8-9A | 9B | | | 1.00 6 |
| <i>Rhododendron flammeum</i> 'Hazel Hamilton' Hazel Hamilton Oconee Deciduous Azalea | DS | 1.17 | G1 | 8-9A | 9B | | | 1.00 6 |
| <i>Rhododendron formosum</i> No Common Name Found | BS | 1.46 | G1 | 8-9A | 9B | | | 1.00 8 |
| <i>Rhododendron hippophaeoides</i> Hippophaeoides Rhododendron | BS | 1.02 | G1 | | 6-9A | | | 0.99 6 |
| <i>Rhododendron impeditum</i> Cloudland Rhododendron | BS | 1.23 | G1 | | 4-8 | | | 1.08 4 |
| <i>Rhododendron impeditum</i> 'Melrose' Melrose Cloudland Rhododendron | BS | 1.23 | G1 | | 4-8 | | | 1.08 4 |
| <i>Rhododendron kaempferi</i> Evergreen Azalea | BS | 0.71 | G1 | | 5-9A | | | 1.05 5 |
| <i>Rhododendron kaempferi</i> 'Barbara' Barbara Torch Evergreen Azalea | BS | 1.08 | G1 | | 5-9A | | | 1.05 5 |
| <i>Rhododendron kaempferi</i> 'Fedora' Fedora Torch Evergreen Azalea | BS | 1.02 | G1 | | 5-9A | | | 1.05 5 |
| <i>Rhododendron kaempferi</i> 'Holland' Holland Torch Evergreen Azalea | BS | 1.01 | G1 | | 5-9A | | | 1.05 5 |
| <i>Rhododendron kaempferi</i> 'Johanna' Johanna Torch Evergreen Azalea | BS | 1.01 | G1 | | 5-9A | | | 1.05 5 |
| <i>Rhododendron kaempferi</i> 'Royal Pink' Royal Pink Torch Evergreen Azalea | BS | 1.14 | G1 | | 5-9A | | | 1.05 5 |
| <i>Rhododendron keiskei</i> Keisk Rhododendron | BS | 1.02 | G1 | | 5-9A | | | 0.99 5 |
| <i>Rhododendron keleticum</i> Keleticum Rhododendron | BS | 1.13 | G1 | | 5-9A | | | 0.99 6 |
| <i>Rhododendron kiusianum</i> Kiusianum Azalea | BS | 0.99 | G1 | | 6-9A | | | 0.99 6 |
| <i>Rhododendron kiusianum</i> 'Album' White Kiusianum Azalea | BS | 1.00 | G1 | | 6-9A | | | 0.99 6 |
| <i>Rhododendron kiusianum</i> 'Komokulshan' Komokulshan Kiusianum Azalea | BS | 1.01 | G1 | | 6-9A | | | 0.99 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Rhododendron x kosteranum</i> Mollis Hybrid Azalea | BS | 1.14 | G1 | | 5-8 | | | 0.73 5 |
| <i>Rhododendron x laetevirens</i> Wilson Rhododendron | BS | 1.25 | G1 | | 5-8 | | | 1.10 7 |
| <i>Rhododendron laetum</i> Laetum Rhododendron | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Rhododendron laetum</i> 'Zoelleri' Laetum Zoelleri Rhododendron | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Rhododendron lapponicum</i> No Common Name Found | BS | 1.00 | G1 | | 3-8 | | | 1.00 2 |
| <i>Rhododendron linearifolium</i> No Common Name Found | BS | 0.95 | G1 | | 6-9A | | | 1.00 6 |
| <i>Rhododendron linearifolium</i> 'Koromo Shikibu' Koromo Shikibu Evergreen Azalea | BS | 0.93 | G1 | | 6-9A | | | 1.00 6 |
| <i>Rhododendron luteum</i> Pontic Azalea | BS | 0.77 | G1 | | 5-9A | | | 0.76 5 |
| <i>Rhododendron macrophyllum</i> No Common Name Found | BS | 0.88 | G1 | | 6-9A | | | 0.87 6 |
| <i>Rhododendron maximum</i> Rosebay Rhododendron | BS | 1.00 | G1 | | 3-8 | | | 1.07 3 |
| <i>Rhododendron maximum</i> var. <i>roseum</i> Maximum Roseum Rhododendron | BS | 1.28 | G1 | | 3-8 | | | 1.05 3 |
| <i>Rhododendron minus</i> Piedmont Rhododendron | BS | 1.24 | G1 | | 4-8 | | | 0.97 4 |
| <i>Rhododendron mucronulatum</i> Korean Rhododendron | BS | 1.34 | G1 | | 4-8 | | | 1.05 4 |
| <i>Rhododendron mucronulatum</i> 'Cama' Cama Korean Rhododendron | BS | 1.08 | G1 | | 4-8 | | | 1.05 4 |
| <i>Rhododendron mucronulatum</i> 'Cornell Pink' Cornell Pink Korean Rhododendron | BS | 1.22 | G1 | | 4-8 | | | 1.05 4 |
| <i>Rhododendron mucronulatum</i> 'Crater's Edge' Crater's Edge Korean Rhododendron | BS | 1.08 | G1 | | 4-8 | | | 1.05 4 |
| <i>Rhododendron mucronulatum</i> 'Mahogany Red' Mahogany Red Korean Rhododendron | BS | 1.08 | G1 | | 4-8 | | | 1.05 4 |
| <i>Rhododendron x myrtifolium</i> Myrtifolium Rhododendron | BS | 1.13 | G1 | | 5-9A | | | 1.02 5 |
| <i>Rhododendron mytilloides</i> See - <i>Rhododendron campylogynum</i> | | | | | | | | |
| <i>Rhododendron nudiflorum</i> See - <i>Rhododendron periclymenoides</i> | | | | | | | | |
| <i>Rhododendron obtusum</i> Hiryu Azalea | BS | 1.00 | G1 | 6-9A | 9B-10B | | | 1.00 6 |
| <i>Rhododendron occidentale</i> Western Azalea | DS | 1.02 | G1 | 6 | 7-9B | | | 1.00 6 |
| <i>Rhododendron occidentale</i> 'Leonard Frisbie' Leonard Frisbie Western Azalea | BS | 1.07 | G1 | 6 | 7-9B | | | 1.00 6 |
| <i>Rhododendron orbiculare</i> Orbiculare Rhododendron | BS | 1.02 | G1 | 6 | 7-9B | | | 0.99 6 |
| <i>Rhododendron periclymenoides</i> Pinxterbloom Deciduous Azalea | DS | 1.32 | G1 | | 3-8 | | | 1.12 3 |
| <i>Rhododendron ponticum</i> Ponticum Rhododendron | BS | 0.97 | G1 | 6 | 7-9B | | | 1.01 6 |
| <i>Rhododendron ponticum</i> 'Variegatum' Variegated Ponticum Rhododendron | BS | 0.97 | G1 | 6 | 7-9B | | | 1.01 6 |
| <i>Rhododendron prinophyllum</i> Roseshell Deciduous Azalea | DS | 1.18 | G1 | 6 | 7-9B | | | 1.00 4 |
| <i>Rhododendron prunifolium</i> Plumleaf Azalea | DS | 1.24 | G1 | 6 | 7-9B | | | 1.00 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Rhododendron pseudochrysanthemum</i> Chrysanthemum Rhododendron | BS | 1.00 | G1 | 8-9A | 9B | | 1.00 | 8 |
| <i>Rhododendron roseum</i> See - <i>Rhododendron prinophyllum</i> | BS | 1.00 | G1 | | 5-9A | | 1.00 | 5 |
| <i>Rhododendron russatum</i> Russatum Rhododendron | BS | 0.54 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Rhododendron scabrum</i> No Common Name Found | DS | 1.57 | G1 | | 4-8 | | 1.03 | 4 |
| <i>Rhododendron schlippenbachii</i> Royal Deciduous Azalea | BS | 0.88 | G1 | | 4-8 | | 0.87 | 4 |
| <i>Rhododendron smirnowii</i> Smirnow Rhododendron | BS | 1.00 | G1 | | 4-8 | | 1.00 | 8 |
| <i>Rhododendron sublanceolatum</i> See - <i>Rhododendron scabrum</i> | DS | 1.35 | G1 | 8-9A | 9B | | 1.81 | 4 |
| <i>Rhododendron telmateium</i> Woodelf Rhododendron | DS | 1.32 | G1 | | 4-8 | | 1.09 | 3 |
| <i>Rhododendron vaseyi</i> Pinkshell Deciduous Azalea | DS | 1.32 | G1 | | 3-8 | | 1.19 | 3 |
| <i>Rhododendron viscosum</i> Swamp Deciduous Azalea | BS | 1.02 | G1 | | 4-8 | | 0.99 | 7 |
| <i>Rhododendron viscosum</i> 'Diorama' Diorama Swamp Deciduous Azalea | BS | 1.02 | G1 | | 4-8 | | 0.99 | 7 |
| <i>Rhododendron williamsianum</i> Williamsianum Rhododendron | BS | 1.25 | G1 | | 4-8 | | 1.09 | 7 |
| <i>Rhododendron yakushimanum</i> Yak Rhododendron | BS | 1.30 | G1 | | 4-8 | | 1.17 | 7 |
| <i>Rhododendron yakushimanum</i> 'Aloha' Aloha Yakushimanum Rhododendron | BS | 0.88 | G1 | | 4-8 | | 1.05 | 7 |
| <i>Rhododendron yakushimanum</i> 'Anna H. Hall' Anna H. Hall Yakushimanum Rhododendron | BS | 0.88 | G1 | | 4-8 | | 0.87 | 7 |
| <i>Rhododendron yakushimanum</i> 'Crete' Crete Yakushimanum Rhododendron | BS | 1.30 | G1 | | 4-8 | | 1.15 | 7 |
| <i>Rhododendron yakushimanum</i> 'Dopey' Dopey Yakushimanum Rhododendron | BS | 1.30 | G1 | | 4-8 | | 1.06 | 7 |
| <i>Rhododendron yakushimanum</i> 'Fantastica' Fantastica Yakushimanum Rhododendron | BS | 0.88 | G1 | | 4-8 | | 0.87 | 7 |
| <i>Rhododendron yakushimanum</i> 'Flirt' Flirt Yakushimanum Rhododendron | BS | 0.88 | G1 | | 4-8 | | 0.87 | 7 |
| <i>Rhododendron yakushimanum</i> 'Fred G. Peste' Fred G. Peste Yakushimanum Rhododendron | BS | 0.91 | G1 | | 4-8 | | 0.97 | 7 |
| <i>Rhododendron yakushimanum</i> 'Golden Torch' Golden Torch Yakushimanum Rhododendron | BS | 0.88 | G1 | | 4-8 | | 1.08 | 7 |
| <i>Rhododendron yakushimanum</i> 'Golden Wedding' Golden Wedding Yakushimanum Rhododendron | BS | 0.88 | G1 | | 4-8 | | 0.87 | 7 |
| <i>Rhododendron yakushimanum</i> 'Hydon Dawn' Hydon Dawn Yakushimanum Rhododendron | BS | 0.88 | G1 | | 4-8 | | 0.87 | 7 |
| <i>Rhododendron yakushimanum</i> 'Irene Bain' Irene Bain Yakushimanum Rhododendron | BS | 0.88 | G1 | | 4-8 | | 0.87 | 7 |
| <i>Rhododendron yakushimanum</i> 'Ken Janeck' Ken Janeck Yakushimanum Rhododendron | BS | 0.88 | G1 | | 4-8 | | 1.05 | 7 |
| <i>Rhododendron yakushimanum</i> 'Lillian Peste' Lillian Peste Yakushimanum Rhododendron | BS | 0.88 | G1 | | 4-8 | | 1.03 | 7 |
| <i>Rhododendron yakushimanum</i> 'Looking Glass' Looking Glass Yakushimanum Rhododendron | BS | 0.88 | G1 | | 4-8 | | 1.06 | 7 |
| <i>Rhododendron yakushimanum</i> 'Mardi Gras' Mardi Gras Yakushimanum Rhododendron | BS | 1.19 | G1 | | 4-8 | | 1.06 | 7 |
| <i>Rhododendron yakushimanum</i> 'Marlene Peste' Marlene Peste Yakushimanum Rhododendron | BS | 1.20 | G1 | | 4-8 | | 1.06 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rhododendron yakushimanum</i> 'Martha Peste' | BS | 0.88 | G1 | | 4-8 | | | 0.87 |
| Martha Peste Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Mist Maiden' | BS | 1.29 | G1 | | 4-8 | | | 0.87 |
| Mist Maiden Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Morning Cloud' | BS | 0.88 | G1 | | 4-8 | | | 0.87 |
| Morning Cloud Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Noble Mountain' | BS | 1.37 | G1 | | 4-8 | | | 0.87 |
| Noble Mountain Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Percy Wiseman' | BS | 1.28 | G1 | | 4-8 | | | 1.01 |
| Percy Wiseman Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Picote' | BS | 0.88 | G1 | | 4-8 | | | 1.15 |
| Picote Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Pink Parasol' | BS | 1.25 | G1 | | 4-8 | | | 0.87 |
| Pink Parasol Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Pirouette' | BS | 0.88 | G1 | | 4-8 | | | 0.87 |
| Pirouette Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Polaris' | BS | 0.88 | G1 | | 4-8 | | | 0.97 |
| Polaris Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Proposal' | BS | 0.88 | G1 | | 4-8 | | | 0.87 |
| Proposal Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Queen Alice' | BS | 1.21 | G1 | | 4-8 | | | 1.12 |
| Queen Alice Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Rosy Dream' | BS | 1.33 | G1 | | 4-8 | | | 0.87 |
| Rosy Dream Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Senorita Cheri' | BS | 0.88 | G1 | | 4-8 | | | 1.10 |
| Senorita Cheri Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Shrimp Girl' | BS | 1.32 | G1 | | 4-8 | | | 0.87 |
| Shrimp Girl Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Skookum' | BS | 1.24 | G1 | | 4-8 | | | 1.14 |
| Skookum Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Skookumchuck' | BS | 1.30 | G1 | | 4-8 | | | 0.87 |
| Skookumchuck Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Sneezy' | BS | 0.88 | G1 | | 4-8 | | | 0.87 |
| Sneezy Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Solidarity' | BS | 1.10 | G1 | | 4-8 | | | 1.01 |
| Solidarity Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Sonatine' | BS | 1.34 | G1 | | 4-8 | | | 0.87 |
| Sonatine Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Sunrise' | BS | 1.32 | G1 | | 4-8 | | | 1.15 |
| Sunrise Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Surrey Heath' | BS | 0.88 | G1 | | 4-8 | | | 0.87 |
| Surrey Heath Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Tea Party' | BS | 0.88 | G1 | | 4-8 | | | 0.87 |
| Tea Party Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Teddy Bear' | BS | 1.28 | G1 | | 4-8 | | | 1.05 |
| Teddy Bear Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Titian Beauty' | BS | 1.09 | G1 | | 4-8 | | | 0.87 |
| Titian Beauty Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Yaku 291' | BS | 0.88 | G1 | | 4-8 | | | 0.87 |
| Yaku 291 Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Yaku Angel' | BS | 1.42 | G1 | | 4-8 | | | 1.05 |
| Yaku Angel Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Yaku Duchess' | BS | 0.88 | G1 | | 4-8 | | | 1.15 |
| Yaku Duchess Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Yaku Duke' | BS | 0.88 | G1 | | 4-8 | | | 0.87 |
| Yaku Duke Yakushimanum Rhododendron | | | | | | | | 7 |
| <i>Rhododendron yakushimanum</i> 'Yaku King' | BS | 1.41 | G1 | | 4-8 | | | 0.87 |
| Yaku King Yakushimanum Rhododendron | | | | | | | | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Rhododendron yakushimanum</i> 'Yaku Prince' Yaku Prince Yakushimanum Rhododendron | BS | 1.30 | G1 | | 4-8 | | | 1.07 7 |
| <i>Rhododendron yakushimanum</i> 'Yaku Princess' Yaku Princess Yakushimanum Rhododendron | BS | 1.27 | G1 | | 4-8 | | | 1.01 7 |
| <i>Rhododendron yakushimanum</i> 'Yaku Queen' Yaku Queen Yakushimanum Rhododendron | BS | 1.08 | G1 | | 4-8 | | | 1.25 7 |
| <i>Rhododendron yedoense</i> var. <i>poukhanense</i> Korean Deciduous Azalea | DS | 1.03 | G1 | | 5-9A | | | 1.71 5 |
| <i>Rhododendron yedoense</i> var. <i>poukhanense</i> 'Compacta' Compact Korean Deciduous Azalea | DS | 1.13 | G1 | | 5-9A | | | 1.30 5 |
| <i>Rhodohypoxis baurii</i> Red Star | HP | 1.00 | G4 | 8-9A | 9B-11 | | | 8 |
| <i>Rhodohypoxis baurii</i> 'Great Scott' Great Scott Red Star | HP | 1.00 | G4 | 8-9A | 9B-11 | | | 8 |
| <i>Rhodohypoxis baurii</i> 'Pictus' Pictus Red Star | HP | 1.00 | G4 | 8-9A | 9B-11 | | | 8 |
| <i>Rhodohypoxis baurii</i> 'Pintado' Pintado Red Star | HP | 1.00 | G4 | 8-9A | 9B-11 | | | 8 |
| <i>Rhodohypoxis baurii</i> 'Tetra Red' Tetra Red Red Star | HP | 1.00 | G4 | 8-9A | 9B-11 | | | 8 |
| <i>Rhodohypoxis baurii</i> var. <i>platypetala</i> Platypetala Red Star | HP | 1.00 | G4 | 8-9A | 9B-11 | | | 8 |
| <i>Rhodophiala bifida</i> No Common Name Found | HP | 1.00 | G4 | 8 | 9A-10B | | | 8 |
| <i>Rhodotypos scandens</i> Jetbead | DS | 0.84 | G1 | | 5-9A | | | 0.91 5 |
| <i>Rhoeo spathacea</i> See - <i>Tradescantia spathacea</i> | | | | | | | | |
| <i>Rhopaloblaste augusta</i> No Common Name Found | FO | 0.83 | G3 | 10A | 10B-11 | | | 10 |
| <i>Rhopalostylis cheesmanii</i> Kermadec Nikau Palm | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Rhopalostylis sapida</i> Feather Duster Palm | BE | 1.00 | G1 | 9A | 9B-10A | 1.00 | 1.00 | 10 |
| <i>Rhus aromatica</i> Fragrant Sumac | DS | 0.95 | G1 | | 3-8 | | | 0.77 3 |
| <i>Rhus aromatica</i> 'Green Globe' Green Globe Fragrant Sumac | DS | 1.26 | G1 | | 3-8 | | | 0.77 3 |
| <i>Rhus aromatica</i> 'Gro-Low' Gro-Low Fragrant Sumac | DS | 1.05 | G1 | | 3-8 | | | 1.03 3 |
| <i>Rhus aromatica</i> 'Konka' Konka Fragrant Sumac | DS | 1.20 | G1 | | 3-8 | | | 0.77 3 |
| <i>Rhus chinensis</i> Chinese Gall | DS | 1.29 | G2 | 8 | 9A-10A | | | 1.00 8 |
| <i>Rhus chinensis</i> 'September Beauty' September Beauty Chinese Gall | DS | 1.29 | G2 | 8 | 9A-10A | | | 1.00 8 |
| <i>Rhus copallina</i> Flameleaf Sumac | DS | 0.83 | G1 | | 6-9A | | | 0.29 5 |
| <i>Rhus glabra</i> Smooth Sumac | DS | 0.91 | G1 | | 3-8 | | | 0.54 2 |
| <i>Rhus glabra</i> 'Laciniata' Cutleaf Smooth Sumac | DS | 0.91 | G1 | | 3-8 | | | 0.54 2 |
| <i>Rhus glabra</i> 'Morden' Morden Smooth Sumac | DS | 0.96 | G1 | | 3-8 | | | 0.54 2 |
| <i>Rhus glabra</i> var. <i>cismontana</i> No Common Name Found | DS | 0.84 | G1 | | 3-8 | | | 1.00 2 |
| <i>Rhus integrifolia</i> Lemonade Sourberry | BS | 0.73 | G2 | | 9A-10A | | | 1.00 9 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Rhus lancea</i> African Sumac | BE | 0.86 | G2 | | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Rhus ovata</i> Sugar Bush | BS | 0.81 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Rhus trilobata</i> Skunkbush Sumac | DS | 0.91 | G1 | | 6-9A | | 1.00 | 5 |
| <i>Rhus typhina</i> Staghorn Sumac | DS | 0.95 | G1 | | 3-8 | | 0.54 | 3 |
| <i>Rhus typhina</i> 'Dissecta' Dissecta Staghorn Sumac | DS | 0.95 | G1 | | 3-8 | | 0.54 | 3 |
| <i>Rhus typhina</i> 'Laciniata' Cutleaf Staghorn Sumac | DS | 1.11 | G1 | | 3-8 | | 0.86 | 3 |
| <i>Rhynchospermum asiaticum</i> See - <i>Trachelospermum asiaticum</i> | | | | | | | | |
| <i>Rhynchospermum jasminoides</i> See - <i>Trachelospermum jasminoides</i> | | | | | | | | |
| <i>Ribes alpinum</i> Alpine Currant | DS | 0.97 | G1 | | 2-7 | | 0.89 | 2 |
| <i>Ribes alpinum</i> 'Aureum' Dwarf Aureum Alpine Currant | DS | 0.87 | G1 | | 2-7 | | 0.89 | 2 |
| <i>Ribes alpinum</i> 'Europa' European Alpine Currant | DS | 1.02 | G1 | | 2-7 | | 1.14 | 2 |
| <i>Ribes alpinum</i> 'Green Mound' Green Mound Alpine Currant | DS | 1.05 | G1 | | 2-7 | | 1.13 | 2 |
| <i>Ribes alpinum</i> 'Pumila' Dwarf Pumila Alpine Currant | DS | 1.07 | G1 | | 2-7 | | 0.89 | 2 |
| <i>Ribes aureum</i> Golden Currant | DS | 0.93 | G1 | | 3-7 | | 1.00 | 2 |
| <i>Ribes aureum</i> var. <i>gracillimum</i> California Golden Currant | DS | 0.84 | G1 | | 3-7 | | 1.00 | 2 |
| <i>Ribes californicum</i> California Currant | DS | 1.00 | G1 | | 7-9B | | 1.00 | 7 |
| <i>Ribes cereum</i> Squaw Currant | DS | 0.85 | G1 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Ribes divaricatum</i> Straggly Gooseberry | DS | 0.90 | G1 | | 4-8 | | 1.00 | 4 |
| <i>Ribes hirtellum</i> Gooseberry | DS | 0.96 | G1 | | 4-8 | | 1.00 | 4 |
| <i>Ribes hirtellum</i> 'Hinnomaki Red' Hinnomaki Red Gooseberry | SF | 0.78 | G1 | | 4-8 | | 1.04 | 4 |
| <i>Ribes hirtellum</i> 'Hinnomaki Yellow' Hinnomaki Yellow Gooseberry | SF | 0.78 | G1 | | 4-8 | | 1.04 | 4 |
| <i>Ribes hirtellum</i> 'Oregon Champion' Oregon Champion Gooseberry | SF | 0.86 | G1 | | 4-8 | | 1.04 | 4 |
| <i>Ribes hirtellum</i> 'Pixwell' Pixwell Gooseberry | SF | 0.78 | G1 | | 4-8 | | 1.04 | 4 |
| <i>Ribes indecorum</i> White-flowered Currant | DS | 0.84 | G1 | | 8-10A | | 1.00 | 8 |
| <i>Ribes malvaceum</i> Chaparral Currant | DS | 1.00 | G1 | | 7-9B | | 1.00 | 7 |
| <i>Ribes nigrum</i> Black Currant | SF | 1.21 | G1 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Ribes nigrum</i> 'Boskoop Giant' Boskoop Giant Black Currant | SF | 1.21 | G1 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Ribes nigrum</i> 'Crusader' Crusader Black Currant | DS | 0.62 | G1 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Ribes nigrum</i> 'Swedish Black' Swedish Black Currant | SF | 1.21 | G1 | 5-6 | 7-9B | | 1.00 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Ribes odoratum</i> Clove Currant | SF | 1.00 | G1 | 5-6 | 7-9B | | | 1.02 5 |
| <i>Ribes sanguineum</i> Winter Currant | DS | 0.98 | G1 | 6 | 7-9B | | | 1.22 6 |
| <i>Ribes sanguineum</i> 'Album' White Winter Currant | DS | 0.84 | G1 | 6 | 7-9B | | | 1.22 6 |
| <i>Ribes sanguineum</i> 'Barrie Coate' Barrie Coate Winter Currant | DS | 0.84 | G1 | 6 | 7-9B | | | 1.22 6 |
| <i>Ribes sanguineum</i> 'Claremont' Claremont Winter Currant | DS | 0.84 | G1 | 6 | 7-9B | | | 1.22 6 |
| <i>Ribes sanguineum</i> 'King Edward VII' King Edward VII Winter Currant | DS | 0.94 | G1 | 6 | 7-9B | | | 1.22 6 |
| <i>Ribes sanguineum</i> 'Spring Showers' Spring Showers Winter Currant | DS | 0.84 | G1 | 6 | 7-9B | | | 1.22 6 |
| <i>Ribes sanguineum</i> 'White Icicle' White Icicle Winter Currant | DS | 0.84 | G1 | 6 | 7-9B | | | 1.22 6 |
| <i>Ribes sativum</i> See - <i>Ribes silvestre</i> | | | | | | | | |
| <i>Ribes silvestre</i> Red Currant | DS | 1.00 | G1 | 6 | 7-9B | | | 1.00 3 |
| <i>Ribes silvestre</i> 'Perfection' Perfection Common Currant | SF | 0.81 | G1 | 6 | 7-9B | | | 1.16 3 |
| <i>Ribes silvestre</i> 'Red Lake' Red Lake Common Currant | SF | 0.81 | G1 | 6 | 7-9B | | | 0.98 3 |
| <i>Ribes silvestre</i> 'Wilder' Wilder Common Currant | SF | 0.81 | G1 | 6 | 7-9B | | | 0.98 3 |
| <i>Ribes speciosum</i> Pink-flowering Gooseberry | BS | 0.94 | G2 | | 7-10A | | | 1.00 7 |
| <i>Ribes triste</i> Swamp Red Currant | SF | 1.00 | G1 | | 3-7 | | | 1.00 2 |
| <i>Ribes triste</i> 'Holland Long Bunch' Holland Long Bunch Swamp Red Currant | SF | 1.00 | G1 | | 3-7 | | | 1.00 2 |
| <i>Ribes triste</i> 'White Imperial' White Imperial Swamp Red Currant | SF | 1.00 | G1 | | 3-7 | | | 1.00 2 |
| <i>Ribes viburnifolium</i> Evergreen Currant | BS | 0.81 | G2 | | 9A-10A | | | 1.00 9 |
| <i>Rivina humilis</i> Rouge Plant | HP | 0.94 | G1 | 9 | 10A-11 | | | 9 |
| <i>Robinia x ambigua</i> Hybrid Locust | DT | 0.82 | G1 | | 3-9B | 1.19 | 1.00 | 3 |
| <i>Robinia x ambigua</i> 'Idahoensis' Pink Idaho Locust | DT | 0.82 | G1 | | 3-9B | 1.19 | 1.00 | 3 |
| <i>Robinia hispida</i> Roseacacia Locust | DS | 1.00 | G1 | | 5-10A | | | 1.00 5 |
| <i>Robinia hispida</i> 'Macrophylla' Macrophylla Roseacacia Locust | DS | 1.00 | G1 | | 5-10A | | | 1.00 5 |
| <i>Robinia pseudoacacia</i> Black Locust | DT | 0.59 | G1 | | 3-9B | 0.99 | 0.37 | 3 |
| <i>Robinia pseudoacacia</i> '(Unnamed Cultivar 01)' Purple Robe™ Black Locust | DT | 0.87 | G1 | | 3-9B | 1.14 | 0.37 | 3 |
| <i>Robinia pseudoacacia</i> 'Frisia' Frisia Black Locust | DT | 0.87 | G1 | | 3-9B | 0.89 | 0.37 | 3 |
| <i>Robinia pseudoacacia</i> 'Inermis' Globe Black Locust | DT | 0.59 | G1 | | 3-9B | 1.17 | 0.37 | 3 |
| <i>Robinia pseudoacacia</i> 'Purple Crown' P.P. 7731 Purple Crown Black Locust | DT | 0.85 | G1 | | 3-9B | 1.27 | 0.37 | 3 |
| See - <i>Robinia pseudoacacia</i> '(Unnamed Cultivar 01)' | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Robinia pseudoacacia</i> 'Umbraculifera' Umbraculifera Black Locust | DT | 0.59 | G1 | | 3-9B | 0.89 | 0.37 | 3 |
| <i>Rodgersia aesculifolia</i> Fingerleaf Rodgersia | HP | 1.09 | G4 | | 5-8 | | | 5 |
| <i>Rodgersia henrici</i> No Common Name Found | HP | 1.52 | G4 | | 6-9A | | | 6 |
| <i>Rodgersia pinnata</i> Featherleaf Rodger's Flower | HP | 1.06 | G4 | | 6-9A | | | 6 |
| <i>Rodgersia pinnata</i> 'Alba' White Featherleaf Rodger's Flower | HP | 1.06 | G4 | | 6-9A | | | 6 |
| <i>Rodgersia pinnata</i> 'Elegans' Elegans Featherleaf Rodger's Flower | HP | 1.13 | G4 | | 6-9A | | | 6 |
| <i>Rodgersia pinnata</i> 'Superba' Superba Feathleaf Rodger's Flower | HP | 1.58 | G4 | | 6-9A | | | 6 |
| <i>Rodgersia podophylla</i> Bronzeleaf Rodger's Flower | HP | 1.00 | G1 | | 5-8 | | | 5 |
| <i>Rodgersia sambucifolia</i> No Common Name Found | HP | 1.29 | G4 | | 6-9A | | | 6 |
| <i>Rodgersia tabularis</i> See - <i>Astilboides tabularis</i> | | | | | | | | |
| <i>Rodriguezia lemannii</i> No Common Name Found | FO | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Rohdea japonica</i> Sacred Lily | HP | 1.05 | G4 | 7-8 | 9 | | | 7 |
| <i>Romneya coulteri</i> Matilija Poppy | HP | 0.95 | G4 | 7-8 | 9A-10A | | | 7 |
| <i>Romneya coulteri</i> var. <i>trichocalyx</i> No Common Name Found | HP | 0.96 | G4 | 7-8 | 9A-10A | | | 7 |
| <i>Romneya coulteri</i> var. <i>trichocalyx</i> 'White Cloud' White Cloud Matilija Poppy | HP | 0.96 | G4 | 7-8 | 9A-10A | | | 7 |
| <i>Rondeletia</i> Rondeletia | BS | 1.08 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Rondeletia</i> 'Splendens' Splendens Rondeletia | BS | 1.08 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Rosa</i> Rose | RO | 0.73 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| <i>Rosa</i> '(Unnamed Cultivar 01)' The Squire® English Rose | RO | 1.25 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| <i>Rosa</i> 'Abraham Darby' See - <i>Rosa</i> 'Auscot' | | | | | | | | |
| <i>Rosa</i> 'Adelaide Hoodless' Adelaide Hoodless Shrub Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| <i>Rosa</i> 'Alba Meidiland' See - <i>Rosa</i> 'Meiflopan' P.P. 6891 | | | | | | | | |
| <i>Rosa</i> 'Alchymist' Alchymist Climbing Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| <i>Rosa</i> 'Alexander Mackenzie' Alexander Mackenzie Shrub Rose | RO | 0.97 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| <i>Rosa</i> 'Amber Flash' See - <i>Rosa</i> 'Wildak' P.P. 5271 | | | | | | | | |
| <i>Rosa</i> 'Amber Queen' Amber Queen Floribunda Rose | RO | 1.07 | G1 | 5-6 | 7-11 | | 0.96 | 6 |
| <i>Rosa</i> 'Ambridge Rose' Ambridge Rose English Rose | RO | 1.42 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| <i>Rosa</i> 'America' America Climbing Rose | RO | 0.85 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| <i>Rosa</i> 'Angel Face' Angel Face Floribunda Rose | RO | 0.91 | G1 | 5-6 | 7-11 | | 0.96 | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Rosa 'Arizona' Arizona Grandiflora Rose | RO | 0.86 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Arplumi' Fragrant Plum Grandiflora Rose | RO | 0.96 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Assininoine' Assininoine Shrub Rose | RO | 0.73 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'Ausblush' Heritage™ English Rose | RO | 1.23 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Ausbuss' English Garden™ English Rose | RO | 0.73 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Ausca' P.P.A.F. Fair Bianca® English Rose | RO | 1.31 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Auscot' Abraham Darby™ English Rose | RO | 1.25 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Auscrim' P.P. 8154 L.D. Braithwaite™ English Rose | RO | 1.14 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Auslo' P.P. 7212 Othello™ English Rose | RO | 1.16 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Ausmary' P.P.A.F. Mary Rose™ English Rose | RO | 1.17 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Ausmas' Graham Thomas™ English Rose | RO | 1.20 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Autumn Sunblaze' See - Rosa 'Meiferjac' P.P. 9562 | RO | 1.10 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Benblack' P.P. 5925 Black Jade™ Miniature Rose | RO | 0.92 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Betty Boop' See - Rosa 'Wekplapic' P.P.A.F. | RO | 0.88 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Betty Prior' Betty Prior Floribunda Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Black Jade' See - Rosa 'Benblack' P.P. 5925 | RO | 0.88 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Blaze Improved' Blaze Improved Climbing Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Blaze' Blaze Climbing Rose | RO | 0.96 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Blue Nile' See - Rosa 'Delnible' P.P. 4671 | RO | 1.22 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Blueberry Hill' See - Rosa 'Wekcryplag' P.P. 10072 | RO | 1.00 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Bonica Meidiland' See - Rosa 'Meidomonac' P.P. 5105 | RO | 0.96 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Brass Band' Brass Band Floribunda Rose | RO | 1.05 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'Buchbi' P.P. 4225 Carefree Beauty™ Shrub Rose | RO | 1.05 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'Candy Stripe' Candy Stripe Hybrid Tea Rose | RO | 1.05 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'Candy Sunblaze' See - Rosa 'Meidanclar' P.P. 7621 | RO | 1.05 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'Captain Samuel Holland' Captain Samuel Holland Climbing Rose | RO | 1.05 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'Carefree Beauty' See - Rosa 'Buchbi' P.P. 4225 | RO | 1.05 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'Carefree Delight' See - Rosa 'Meipotal' P.P. 8841 | RO | 1.05 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'Carefree Wonder' See - Rosa 'Meipitac' P.P. 7783 | RO | 1.05 | G1 | 5-6 | 7-11 | | 0.96 | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|----------------------------------|-----------|-----------|----|-----|---------|-------------|---------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors | |
| | | | | | | | | |
| Rosa 'Caribbean' | RO | 1.12 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Caribbean Grandiflora Rose | | | | | | | | |
| Rosa 'Carousel' | RO | 0.73 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Carousel Grandiflora Rose | | | | | | | | |
| Rosa 'Cecile Brunner' | RO | 0.90 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Cecile Brunner Polyantha Rose | | | | | | | | |
| Rosa 'Champlain' | RO | 1.01 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Champlain Shrub Rose | | | | | | | | |
| Rosa 'Charles Austin' | RO | 1.30 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Charles Austin English Rose | | | | | | | | |
| Rosa 'Cherry Meidiland' | | | | | | | | |
| See - Rosa 'Meirumour' P.P. 9251 | | | | | | | | |
| Rosa 'Cherry Sunblaze' | | | | | | | | |
| See - Rosa 'Meibokarb' P.P. 8448 | | | | | | | | |
| Rosa 'Christian Dior' | RO | 0.96 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Christian Dior Tea Rose | | | | | | | | |
| Rosa 'Chuckles' | RO | 0.94 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Chuckles Polyantha Rose | | | | | | | | |
| Rosa 'Circus' | RO | 0.95 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Circus Floribunda Rose | | | | | | | | |
| Rosa 'Class Act' | RO | 0.73 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Class Act Floribunda Rose | | | | | | | | |
| Rosa 'Constance Spry' | RO | 1.09 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Constance Spry English Rose | | | | | | | | |
| Rosa 'Coral Meidiland' | | | | | | | | |
| See - Rosa 'Meippopol' P.P. 9777 | | | | | | | | |
| Rosa 'Countess Celeste' | | | | | | | | |
| See - Rosa 'Pouldron' P.P.A.F. | | | | | | | | |
| Rosa 'Country Dancer' | RO | 0.94 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Country Dancer Shrub Rose | | | | | | | | |
| Rosa 'Cuthbert Grant' | RO | 0.96 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Cuthbert Grant Shrub Rose | | | | | | | | |
| Rosa 'David Thompson' | RO | 0.97 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| David Thompson Shrub Rose | | | | | | | | |
| Rosa 'Dawn Creeper' | | | | | | | | |
| See - Rosa 'Wildawn' P.P. 9647 | | | | | | | | |
| Rosa 'Debut' | | | | | | | | |
| See - Rosa 'Meibarke' P.P. 6791 | | | | | | | | |
| Rosa 'Delnible' P.P. 4671 | RO | 1.23 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Blue Nile Hybrid Tea Rose | | | | | | | | |
| Rosa 'Devrudi' P.P.A.F. | RO | 1.11 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| First Light Shrub Rose | | | | | | | | |
| Rosa 'Don Juan' | RO | 0.88 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Don Juan Climbing Rose | | | | | | | | |
| Rosa 'Dortmund' | RO | 0.96 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Dortmund Climbing Rose | | | | | | | | |
| Rosa 'Duchesse de Brabant' | RO | 0.73 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Duchesse de Brabant Tea Rose | | | | | | | | |
| Rosa 'Easy Going' | | | | | | | | |
| See - Rosa 'Harflow' P.P.A.F. | | | | | | | | |
| Rosa 'Eden Climber' | RO | 0.73 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Eden Climber Climbing Rose | | | | | | | | |
| Rosa 'English Garden' | | | | | | | | |
| See - Rosa 'Ausbuss' | | | | | | | | |
| Rosa 'Europeana' | RO | 0.83 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Europeana Floribunda Rose | | | | | | | | |
| Rosa 'Eutin' | RO | 0.73 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Eutin Floribunda Rose | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Field Grown | | Minimum HZ |
|----------------------------------|--------------|--------|-----------|---------------------|-------------|---------|---------------|
| | | | SK | Insurable HZ Req | Not Req | Caliper | |
| Rosa 'Fair Bianca' | | | | | | | |
| See - Rosa 'Ausca' P.P.A.F. | | | | | | | |
| Rosa 'Fashion' | RO | 0.87 | G1 | 5-6 | 7-11 | | 0.96 5 |
| Fashion Floribunda Rose | | | | | | | |
| Rosa 'Ferdy Meidiland' | | | | | | | |
| See - Rosa 'Keitol' P.P. 5841 | | | | | | | |
| Rosa 'First Edition' | RO | 0.97 | G1 | 5-6 | 7-11 | | 0.96 4 |
| First Edition Floribunda Rose | | | | | | | |
| Rosa 'First Light' | | | | | | | |
| See - Rosa 'Devrudi' P.P.A.F. | | | | | | | |
| Rosa 'Fisherman's Friend' | RO | 1.11 | G1 | 5-6 | 7-11 | | 0.96 5 |
| Fisherman's Friend English Rose | | | | | | | |
| Rosa 'Flower Carpet Pink' | | | | | | | |
| See - Rosa 'Noatraum' P.P. 7282 | | | | | | | |
| Rosa 'Flower Carpet White' | | | | | | | |
| See - Rosa 'Noaschnee' P.P. 9573 | | | | | | | |
| Rosa 'Flower Carpet' P.P. 7282 | RO | 1.43 | G1 | 5-6 | 7-11 | | 0.96 4 |
| Flower Carpet Shrub Rose | | | | | | | |
| Rosa 'Flutterbye' | | | | | | | |
| See - Rosa 'Wekplasol' P.P. 9715 | | | | | | | |
| Rosa 'Fourth of July' | | | | | | | |
| See - Rosa 'Wekroalt' P.P.A.F. | | | | | | | |
| Rosa 'Fragrant Cloud' | RO | 0.90 | G1 | 5-6 | 7-11 | | 0.96 5 |
| Fragrant Cloud Tea Rose | | | | | | | |
| Rosa 'Fragrant Plum' | | | | | | | |
| See - Rosa 'Arplumi' | | | | | | | |
| Rosa 'Frytrooper' P.P. 9211 | RO | 1.16 | G1 | 5-6 | 7-11 | | 0.96 5 |
| Raven™ Shrub Rose | | | | | | | |
| Rosa 'Fuchsia Meidiland' | | | | | | | |
| See - Rosa 'Meipelta' P.P. 8839 | | | | | | | |
| Rosa 'Gene Boerner' | RO | 0.83 | G1 | 5-6 | 7-11 | | 0.96 5 |
| Gene Boerner Floribunda Rose | | | | | | | |
| Rosa 'Gertrude Jekyll' | RO | 1.23 | G1 | 5-6 | 7-11 | | 0.96 5 |
| Gertrude Jekyll English Rose | | | | | | | |
| Rosa 'Glamis Castle' | RO | 1.42 | G1 | 5-6 | 7-11 | | 0.96 5 |
| Glamis Castle English Rose | | | | | | | |
| Rosa 'Gold Rush' | RO | 0.99 | G1 | 5-6 | 7-11 | | 0.96 5 |
| Gold Rush Climbing Rose | | | | | | | |
| Rosa 'Golden Showers' | RO | 0.97 | G1 | 5-6 | 7-11 | | 0.96 6 |
| Golden Showers English Rose | | | | | | | |
| Rosa 'Golden Sunblaze' | | | | | | | |
| See - Rosa 'Meicupag' P.P. 8493 | | | | | | | |
| Rosa 'Golden Wings' | RO | 0.99 | G1 | 5-6 | 7-11 | | 0.96 5 |
| Golden Wings Shrub Rose | | | | | | | |
| Rosa 'Gourmet Popcorn' | | | | | | | |
| See - Rosa 'Weopop' P.P. 6809 | | | | | | | |
| Rosa 'Graham Thomas' | | | | | | | |
| See - Rosa 'Ausmas' | | | | | | | |
| Rosa 'Gruss an Aachen' | RO | 1.09 | G1 | 5-6 | 7-11 | | 0.96 5 |
| Gruss an Aachen Floribunda Rose | | | | | | | |
| Rosa 'Harflow' P.P.A.F. | RO | 1.09 | G1 | 5-6 | 7-11 | | 0.96 4 |
| Easy Going™ Floribunda Rose | | | | | | | |
| Rosa 'Henry Kelsey' | RO | 1.00 | G1 | 5-6 | 7-11 | | 0.96 3 |
| Henry Kelsey Climbing Rose | | | | | | | |
| Rosa 'Heritage' | | | | | | | |
| See - Rosa 'Ausblush' | | | | | | | |
| Rosa 'Iceberg' | RO | 0.93 | G1 | 5-6 | 7-11 | | 0.96 4 |
| Iceberg Floribunda Rose | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | 5-6 | 7-11 | | High/Wide | |
| Rosa 'Intrigue' Intrigue Floribunda Rose | RO | 1.04 | G1 | 5-6 | 7-11 | | 0.96 | 6 |
| Rosa 'Ivory Carpet' See - Rosa 'Wilvory' P.P. 9648 | RO | 0.98 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'J.P. Connell' J.P. Connell Shrub Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'Jens Munk' Jens Munk Shrub Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'John Cabot' John Cabot Climbing Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'John Davis' John Davis Climbing Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'John Franklin' John Franklin Shrub Rose | RO | 0.97 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'Joseph's Coat' Joseph's Coat Climbing Rose | RO | 0.90 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Keitolii' P.P. 5841 Ferdy Meidiland™ Rose | RO | 0.73 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'King's Ransom' King's Ransom Tea Rose | RO | 0.88 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Korconta' P.P.A.F. Moon River Groundcover Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Korttemma' P.P. 9115 Red Ribbons Groundcover Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Korwest' Westerland Climbing Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'L.D. Braithwaite' See - Rosa 'Auscrim' P.P. 8154 | RO | 0.73 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Lillian Gibson' Lillian Gibson Shrub Rose | RO | | | | | | | |
| Rosa 'Linda Campbell' See - Rosa 'Morten' P.P. 8199 | RO | 1.10 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Livin' Easy' Livin' Easy Floribunda Rose | RO | | | | | | | |
| Rosa 'Macoranlem' P.P. 9191 Oranges 'n' Lemons Shrub Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Magic Meidiland' See - Rosa 'Meibonrib' P.P. 9469 | RO | 1.04 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'Martin Frobisher' Martin Frobisher Shrub Rose | RO | | | | | | | |
| Rosa 'Mary Rose' See - Rosa 'Ausmary' P.P.A.F. | RO | 0.88 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Medallion' Medallion Tea Rose | RO | | | | | | | |
| Rosa 'Meialate' P.P.A.F. Mystic Meidiland™ Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Meibarke' P.P. 6791 Debut™ Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Meibokarb' P.P. 8448 Cherry Sunblaze™ Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Meibonrib' P.P. 9469 Magic Meidiland™ Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Meichonar' P.P. 9536 Pearl Sevillana™ Rose | RO | 1.16 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Meicoublan' P.P. 6088 White Meidiland™ Rose | RO | 1.11 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Meicupag' P.P. 8493 Golden Sunblaze™ Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 0.96 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| Rosa 'Meidanclar' P.P. 7621 Candy Sunblaze™ Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Meidomonac' P.P. 5105 Bonica Meidiland™ Rose | RO | 1.05 | G1 | 5-6 | 7-11 | | | 1.04 4 |
| Rosa 'Meiferjac' P.P. 9562 Autumn Sunblaze™ Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Meiflopam' P.P. 6891 Alba Meidiland® Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Meigekanu' P.P. 6384 Sevillana™ Rose | RO | 1.25 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Rosa 'Meikrotal' P.P. 6087 Scarlet Meidiland® Rose | RO | 1.09 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Meimodac' P.P. 8840 Royal Bonica™ Rose | RO | 1.18 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Meineble' P.P. 7116 Red Meidiland™ Rose | RO | 1.12 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Meipelta' P.P. 8839 Fuchsia Meidiland™ Rose | RO | 1.16 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Meipitac' P.P. 7783 Carefree Wonder™ Shrub Rose | RO | 1.09 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Rosa 'Meiplatin' P.P. 6807 Pearl Meidiland™ Rose | RO | 1.11 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Meipoque' P.P. 5956 Pink Meidiland™ Rose | RO | 1.15 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Meipotal' P.P. 8841 Carefree Delight® Shrub Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Rosa 'Meippopol' P.P. 9777 Coral Meidiland™ Rose | RO | 1.02 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Meirumour' P.P. 9251 Cherry Meidiland™ Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Moon River' See - Rosa 'Korconta' P.P.A.F. | RO | 1.04 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Rosa 'Morden Blush' Morden Blush Shrub Rose | RO | 0.98 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Rosa 'Morden Centennial' Morden Centennial Shrub Rose | RO | 1.04 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Rosa 'Morden Fireglow' Morden Fireglow Shrub Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Rosa 'Morden Ruby' Morden Ruby Shrub Rose | RO | 1.05 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Morten' P.P. 8199 Linda Campbell Shrub Rose | RO | 1.22 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Rosa 'Mount Hood' Mount Hood Grandiflora Rose | RO | 0.97 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Mystic Meidiland' See - Rosa 'Meialate' P.P.A.F. | RO | 1.24 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Rosa 'Nearly Wild' Nearly Wild Shrub Rose | RO | 0.88 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'New Blaze' New Blaze Climbing Rose | RO | 1.14 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'New Dawn' New Dawn Climbing Rose | RO | 1.66 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Rosa 'New Day' New Day Tea Rose | RO | 1.53 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Noaschnee' P.P. 9573 Flower Carpet White® Shrub Rose | RO | 1.53 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Noatraum' P.P. 7282 Flower Carpet Pink® Shrub Rose | RO | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| Rosa 'Oklahoma' Oklahoma Hybrid Tea Rose | RO | 0.92 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Rosa 'Oranges 'n' Lemons' See - Rosa 'Macoranlem' P.P. 9191 | | | | | | | | |
| Rosa 'Othello' See - Rosa 'Auslo' P.P. 7212 | | | | | | | | |
| Rosa 'Pavement Dwarf' Pavement Dwarf Shrub Rose | RO | 1.01 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Rosa 'Pavement Foxi' Pavement Foxy Shrub Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Rosa 'Pavement Pierette' Pavement Pierette Shrub Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Rosa 'Pavement Pink' Pavement Pink Shrub Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Rosa 'Pavement Pristine' Pavement Pristine Shrub Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Rosa 'Pavement Purple' Pavement Purple Shrub Rose | RO | 0.93 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Rosa 'Pavement Scarlet' Pavement Scarlet Shrub Rose | RO | 1.01 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Rosa 'Pavement Snow' Pavement Snow Shrub Rose | RO | 1.01 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Rosa 'Pavement White' Pavement White Shrub Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Rosa 'Pearl Meidiland' See - Rosa 'Meiplatin' P.P. 6807 | | | | | | | | |
| Rosa 'Pearl Sevillana' See - Rosa 'Meichonar' P.P. 9536 | | | | | | | | |
| Rosa 'Perle des Jardins' Perle des Jardins Tea Rose | RO | 0.85 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Rosa 'Pink Meidiland' See - Rosa 'Meipoque' P.P. 5956 | | | | | | | | |
| Rosa 'Playboy' Playboy Floribunda Rose | RO | 0.96 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Pleasure' Pleasure Floribunda Rose | RO | 0.73 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Rosa 'Pouldron' P.P.A.F. Countess Celeste™ Shrub Rose | RO | 1.16 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Poultex' P.P. 6261 Texas Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Prairie Fire' Prairie Fire Shrub Rose | RO | 0.93 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Rosa 'Prairie Joy' Prairie Joy Shrub Rose | RO | 1.03 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Rosa 'Prairie Wild' Prairie Wild Shrub Rose | RO | 0.73 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Queen Elizabeth' Queen Elizabeth Grandiflora Rose | RO | 0.87 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Rosa 'Raven' See - Rosa 'Frytrooper' P.P. 9211 | | | | | | | | |
| Rosa 'Red Fountain' Red Fountain Climbing Rose | RO | 0.98 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Rosa 'Red Meidiland' See - Rosa 'Meineble' P.P. 7116 | | | | | | | | |
| Rosa 'Red Pinocchio' Red Pinocchio Floribunda Rose | RO | 0.73 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Rosa 'Red Rascal' Red Rascal Shrub Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | | 0.96 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|-------------------------------------|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| Rosa 'Red Ribbons' | | | | | | | | |
| See - Rosa 'Kortemma' P.P. 9115 | | | | | | | | |
| Rosa 'Redgold' | RO | 0.77 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Redgold Floribunda Rose | | | | | | | | |
| Rosa 'Rockin' Robin' | | | | | | | | |
| See - Rosa 'Wekboroco' P.P. 10070 | | | | | | | | |
| Rosa 'Royal Bonica' | | | | | | | | |
| See - Rosa 'Meimodac' P.P. 8840 | | | | | | | | |
| Rosa 'Scarlet Meidiland' | | | | | | | | |
| See - Rosa 'Meikrotal' P.P. 6087 | | | | | | | | |
| Rosa 'Scarlet Spreader' | | | | | | | | |
| See - Rosa 'Wilscar' P.P. 9649 | | | | | | | | |
| Rosa 'Scentimental' | | | | | | | | |
| See - Rosa 'Wekplapep' P.P. 10126 | | | | | | | | |
| Rosa 'Sea Foam' | RO | 0.95 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Sea Foam Shrub Rose | | | | | | | | |
| Rosa 'Seven Sisters' | RO | 0.92 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Seven Sisters Climbing Rose | | | | | | | | |
| Rosa 'Sevillana' | | | | | | | | |
| See - Rosa 'Meigekanu' P.P. 6384 | | | | | | | | |
| Rosa 'Sharifa Asma' | RO | 1.47 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Sharifa Asma English Rose | | | | | | | | |
| Rosa 'Shining Hour' | RO | 0.73 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Shining Hour Grandiflora Rose | | | | | | | | |
| Rosa 'Simon Fraser' | RO | 1.10 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Simon Fraser Shrub Rose | | | | | | | | |
| Rosa 'Simplicity' | RO | 1.04 | G1 | 5-6 | 7-11 | | | 0.96 3 |
| Simplicity Shrub Rose | | | | | | | | |
| Rosa 'Singin' in the Rain' | RO | 1.22 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Singin' in the Rain Floribunda Rose | | | | | | | | |
| Rosa 'Snow Carpet' P.P. 4612 | RO | 0.94 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Snow Carpet™ Shrub Rose | | | | | | | | |
| Rosa 'Solitude' | RO | 0.73 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Solitude Grandiflora Rose | | | | | | | | |
| Rosa 'Sterling Silver' | RO | 0.96 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Sterling Silver Hybrid Tea Rose | | | | | | | | |
| Rosa 'Summer Sunshine' | RO | 0.77 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Summer Sunshine Tea Rose | | | | | | | | |
| Rosa 'Sun Flare' | RO | 1.10 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Sun Flare Floribunda Rose | | | | | | | | |
| Rosa 'Sunny June' | RO | 1.16 | G1 | 5-6 | 7-11 | | | 0.96 4 |
| Sunny June Shrub Rose | | | | | | | | |
| Rosa 'Sunsprite' | RO | 0.91 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Sunsprite Floribunda Rose | | | | | | | | |
| Rosa 'Tamora' | RO | 1.36 | G1 | 5-6 | 7-11 | | | 0.96 6 |
| Tamora Rose | | | | | | | | |
| Rosa 'Texas' | | | | | | | | |
| See - Rosa 'Poultex' P.P. 6261 | | | | | | | | |
| Rosa 'The Fairy' | RO | 0.99 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| The Fairy Polyantha Rose | | | | | | | | |
| Rosa 'The Prince' | RO | 1.42 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| The Prince English Rose | | | | | | | | |
| Rosa 'The Squire' | | | | | | | | |
| See - Rosa '(Unnamed Cultivar 01)' | | | | | | | | |
| Rosa 'Twoadvance' P.P. 7978 | RO | 1.09 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| All That Jazz™ Shrub Rose | | | | | | | | |
| Rosa 'Viking Queen' | RO | 0.73 | G1 | 5-6 | 7-11 | | | 0.96 5 |
| Viking Queen Climbing Rose | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Rosa 'Vogue' Vogue Floribunda Rose | RO | 0.73 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Weeping China Doll' P.P. 4323 Weeping China Doll Climbing Rose | RO | 0.99 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Wekboroco' P.P. 10070 Rockin' Robin™ Shrub Rose | RO | 1.16 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Wekcryplag' P.P. 10072 Blueberry Hill™ Floribunda Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Wekplapep' P.P. 10126 Scentimental™ Floribunda Rose | RO | 1.02 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Weklapic' P.P.A.F. Betty Boop Floribunda Rose | RO | 1.09 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Wekplasol' P.P. 9715 Flutterbye™ Shrub Rose | RO | 1.15 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Wekroalt' P.P.A.F. Fourth of July™ Climbing Rose | RO | 1.09 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Weopop' P.P. 6809 Gourmet Popcorn™ Shrub Rose | RO | 1.03 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Westerland' See - Rosa 'Korwest' | | | | | | | | |
| Rosa 'White Dawn' White Dawn Climbing Rose | RO | 1.18 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'White Meidiland' See - Rosa 'Meicoublan' P.P. 6088 | RO | 1.10 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Wildak' P.P. 5271 Amber Flash™ Miniature Rose | RO | 1.07 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Wildawn' P.P. 9647 Dawn Creeper™ Shrub Rose | RO | 1.01 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'William Baffin' William Baffin Climbing Rose | RO | 1.07 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Wilscar' P.P. 9649 Scarlet Spreader™ Shrub Rose | RO | 1.07 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Wilvory' P.P. 9648 Ivory Carpet™ Shrub Rose | RO | 1.07 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Winchester Cathedral' Winchester Cathedral English Rose | RO | 1.42 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa 'Winnipeg Parks' Winnipeg Parks Shrub Rose | RO | 0.99 | G1 | 5-6 | 7-11 | | 0.96 | 3 |
| Rosa 'Yellow Jacket' Yellow Jacket Shrub Rose | RO | 0.73 | G1 | 5-6 | 7-11 | | 0.96 | 4 |
| Rosa 'Zephirine Drouhin' Zephirine Drouhin Shrub Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 0.96 | 5 |
| Rosa <i>acicularis</i> Shrub Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | 1.00 | 2 |
| Rosa <i>x alba</i> Alba Rose | RO | 1.12 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| Rosa <i>x alba</i> 'Queen of Denmark' Queen of Denmark Alba Rose | RO | 1.12 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| Rosa <i>arkansana</i> Prairie Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| Rosa <i>banksiae</i> Lady Banks' Rose | RO | 0.90 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| Rosa <i>banksiae</i> 'Alba Plena' Alba Plena Lady Banks' Rose | RO | 0.98 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| Rosa <i>banksiae</i> 'Lutea' Lutea Lady Banks' Rose | RO | 0.97 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| Rosa <i>blanda</i> Early Wild Rose | RO | 1.50 | G1 | 5-6 | 7-11 | | 1.00 | 2 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rosa carolina</i> Pasture Rose | RO | 1.22 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa chinensis</i> China Rose | RO | 0.76 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> 'Cramoisi Superieur' Cramoisi Superieur China Rose | RO | 0.76 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> 'Mutabilis' Mutabilis Rose | RO | 0.80 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> 'Old Blush' Old Blush China Rose | RO | 0.85 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Baby Betsy McCall' Baby Betsy McCall Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Beauty Secret' Beauty Secret Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Brian Donn' Brian Donn Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Cal Poly' Cal Poly Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Cheers' Cheers Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Comsilk' Comsilk Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Cri-Cri' Cri-Cri Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Crimson Gem' Crimson Gem Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Cupcake' Cupcake Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Gold Coin' Gold Coin Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Green Ice' Green Ice Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Herbie' Herbie Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Irresistible' Irresistible Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Jean Kenneally' Jean Kenneally Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Judy Fischer' Judy Fischer Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Lavender Lace' Lavender Lace Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Magic Carousel' Magic Carousel Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Meizogrel' White Mini-Wonder Miniature Rose | RO | 1.56 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'My Sunshine' My Sunshine Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Pacesetter' Pacesetter Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Peach Brandy' Peach Brandy Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Poulnish Sunbird' Poulnish Sunbird Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Rainbow's End' Rainbow's End Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Red Imp' Red Imp Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Ring of Fire' Ring of Fire Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Ruirdero' Red Rosamini Miniature Rose | RO | 1.56 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'September Days' September Days Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Shooting Star' Shooting Star Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Starina' Starina Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Toy Clown' Toy Clown Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'White Mini-Wonder' See - <i>Rosa chinensis</i> var. <i>minima</i> 'Meizogrel' | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Yantai' Yantai Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa chinensis</i> var. <i>minima</i> 'Yellow Doll' Yellow Doll Miniature Rose | RO | 1.10 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x damascena</i> Damask Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa x damascena</i> 'Mme. Hardy' Mme. Hardy Damask Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa eglanteria</i> Eglantine Rose | RO | 0.98 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa foetida</i> Austrian Brier Rose | RO | 0.91 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa foetida</i> 'Bicolor' Bicolor Austrian Copper Brier Rose | RO | 0.91 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa foetida</i> 'Harison's Yellow' Harison's Yellow Austrian Brier Rose | RO | 0.93 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa foetida</i> 'Hazeldean' Hazeldean Brier Rose | RO | 0.91 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa foetida</i> 'Persian Yellow' Persian Yellow Austrian Brier Rose | RO | 0.97 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa glauca</i> Redleaf Rose | RO | 0.98 | G1 | 5-6 | 7-11 | | 1.44 | 2 |
| <i>Rosa glauca</i> 'Carmenetta' Carmenetta Rose | RO | 0.98 | G1 | 5-6 | 7-11 | | 1.44 | 2 |
| <i>Rosa hugonis</i> Father Hugo Rose | RO | 1.02 | G1 | 5-6 | 7-11 | | 1.00 | 5 |
| <i>Rosa x kordesii</i> No Common Name Found | RO | 1.00 | G1 | 5-6 | 7-11 | | 1.00 | 5 |
| <i>Rosa moschata</i> Musk Rose | RO | 1.06 | G1 | 5-6 | 7-11 | | 1.00 | 6 |
| <i>Rosa moschata</i> 'Buff Beauty' Buff Beauty Musk Rose | RO | 1.06 | G1 | 5-6 | 7-11 | | 1.00 | 6 |
| <i>Rosa multiflora</i> Japanese or Multiflora Rose | RO | 0.98 | G1 | 5-6 | 7-11 | | 1.00 | 5 |
| <i>Rosa nitida</i> Shining Rose | RO | 1.02 | G1 | 5-6 | 7-11 | | 1.00 | 3 |
| <i>Rosa nutkana</i> Nootka Rose | RO | 0.97 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa x odorata</i> Tea Rose | RO | 0.63 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'All American Beauty' All American Beauty Tea Rose | RO | 0.63 | G1 | 5-6 | 7-11 | | 1.00 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rosa x odorata</i> 'Americana' Americana Tea Rose | RO | 0.63 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Blue Girl' Blue Girl Tea Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Brigadoon' Brigadoon Tea Rose | RO | 1.11 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Charlotte Armstrong' Charlotte Armstrong Tea Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Chicago Peace' Chicago Peace Tea Rose | RO | 0.84 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Chrysler Imperial' Chrysler Imperial Tea Rose | RO | 0.83 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Crimson Glory' Crimson Glory Tea Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Double Delight' Double Delight Tea Rose | RO | 0.87 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Eclipse' Eclipse Tea Rose | RO | 0.63 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'F.K. Druschki' F.K. Druschki Tea Rose | RO | 0.63 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'First Prize' First Prize Tea Rose | RO | 0.90 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Garden Party' Garden Party Tea Rose | RO | 0.96 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Golden Masterpiece' Golden Masterpiece Tea Rose | RO | 0.93 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Helen Traubel' Helen Traubel Tea Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'John F. Kennedy' John F. Kennedy Tea Rose | RO | 0.87 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Kings Ransom' Kings Ransom Tea Rose | RO | 0.96 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Kordes Perfecta' Kordes Perfecta Tea Rose | RO | 0.80 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Lowell Thomas' Lowell Thomas Tea Rose | RO | 0.63 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Midas Touch' Midas Touch Tea Rose | RO | 1.16 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Mikado' Mikado Tea Rose | RO | 1.22 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Mirandy' Mirandy Tea Rose | RO | 0.82 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Miss All American Beauty' Miss All American Beauty Tea Rose | RO | 0.86 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Mister Lincoln' Mister Lincoln Tea Rose | RO | 0.85 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Mojave' Mojave Tea Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Montezuma' Montezuma Tea Rose | RO | 0.96 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'New Yorker' New Yorker Tea Rose | RO | 0.63 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Oregold' Oregold Tea Rose | RO | 0.80 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Paradise' Paradise Tea Rose | RO | 1.22 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Pascali' Pascali Tea Rose | RO | 0.86 | G1 | 5-6 | 7-11 | | 1.00 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rosa x odorata</i> 'Peace' Peace Tea Rose | RO | 0.85 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Perfect Moment' Perfect Moment Tea Rose | RO | 1.22 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Perfume Delight' Perfume Delight Tea Rose | RO | 0.86 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Pink Peace' Pink Peace Tea Rose | RO | 0.84 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Red Peace' Red Peace Tea Rose | RO | 0.63 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Rio Samba' Rio Samba Tea Rose | RO | 1.16 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Royal Highness' Royal Highness Tea Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Secret' Secret Tea Rose | RO | 1.22 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Sheer Elegance' Sheer Elegance Tea Rose | RO | 1.22 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'St. Patrick' St. Patrick Tea Rose | RO | 1.17 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Sutters Gold' Sutters Gold Tea Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Sweet Surrender' Sweet Surrender Tea Rose | RO | 1.22 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Tiffany' Tiffany Tea Rose | RO | 0.85 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'Tropicana' Tropicana Tea Rose | RO | 0.85 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa x odorata</i> 'White Knight' White Knight Tea Rose | RO | 0.63 | G1 | 5-6 | 7-11 | | 1.00 | 7 |
| <i>Rosa palustris</i> Swamp Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | 0.93 | 4 |
| <i>Rosa pimpinellifolia</i> Burnet Rose | RO | 0.93 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa pimpinellifolia</i> 'Fruhlingsgold' Fruhlingsgold Burnet Rose | RO | 0.93 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa pimpinellifolia</i> 'Fruhlingsmorgen' Frunlingsmorgen Burnet Rose | RO | 0.93 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa pimpinellifolia</i> 'Grandiflora' Grandiflora Burnet Rose | RO | 0.93 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa pimpinellifolia</i> 'Lutea' Lutea Burnet Rose | RO | 0.93 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa pimpinellifolia</i> 'Prairie Charm' Prairie Charm Burnet Rose | RO | 0.93 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa pimpinellifolia</i> 'Prairie Dawn' Prairie Dawn Burnet Rose | RO | 0.93 | G1 | 5-6 | 7-11 | | 1.00 | 4 |
| <i>Rosa pisocarpa</i> Cluster Rose | RO | 0.79 | G1 | 5-6 | 7-11 | | 1.00 | 6 |
| <i>Rosa rubiginosa</i> See - <i>Rosa eglanteria</i> | | | | | | | | |
| <i>Rosa rubrifolia</i> See - <i>Rosa glauca</i> | | | | | | | | |
| <i>Rosa rugosa</i> Rugosa Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | 0.95 | 2 |
| <i>Rosa rugosa</i> 'Agnes' Agnes Rugosa Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | 0.95 | 2 |
| <i>Rosa rugosa</i> 'Alba' White Rugosa Rose | RO | 0.96 | G1 | 5-6 | 7-11 | | 0.97 | 2 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rosa rugosa</i> 'Albo-plena' Albo-plena Rugosa Rose | RO | 1.04 | G1 | 5-6 | 7-11 | | | 1.34 2 |
| <i>Rosa rugosa</i> 'Belle Poitevine' Belle Poitevine Rugosa Rose | RO | 0.99 | G1 | 5-6 | 7-11 | | | 1.42 2 |
| <i>Rosa rugosa</i> 'Blanc Double de Coubert' Blanc Double de Coubert Rugosa Rose | RO | 0.99 | G1 | 5-6 | 7-11 | | | 0.95 2 |
| <i>Rosa rugosa</i> 'Charles Albanel' Charles Albanel Rugosa Rose | RO | 0.99 | G1 | 5-6 | 7-11 | | | 0.95 2 |
| <i>Rosa rugosa</i> 'F.J. Grootendorst' F.J. Grootendorst Rugosa Rose | RO | 0.93 | G1 | 5-6 | 7-11 | | | 0.95 2 |
| <i>Rosa rugosa</i> 'Frau Dagmar Hastrup' Frau Dagmar Hastrup Rugosa Rose | RO | 1.05 | G1 | 5-6 | 7-11 | | | 0.95 2 |
| <i>Rosa rugosa</i> 'Grootendorst Supreme' Grootendorst Supreme Shrub Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | | 0.95 2 |
| <i>Rosa rugosa</i> 'Hansa' Hansa Rugosa Rose | RO | 0.94 | G1 | 5-6 | 7-11 | | | 1.31 2 |
| <i>Rosa rugosa</i> 'Henry Hudson' Henry Hudson Rugosa Rose | RO | 1.07 | G1 | 5-6 | 7-11 | | | 0.95 2 |
| <i>Rosa rugosa</i> 'Hunter' Hunter Rugosa Rose | RO | 0.92 | G1 | 5-6 | 7-11 | | | 0.95 2 |
| <i>Rosa rugosa</i> 'Magnifica' Magnifica Rugosa Rose | RO | 1.01 | G1 | 5-6 | 7-11 | | | 0.95 2 |
| <i>Rosa rugosa</i> 'Max Graf' Max Graf Rugosa Rose | RO | 0.94 | G1 | 5-6 | 7-11 | | | 0.95 2 |
| <i>Rosa rugosa</i> 'Mont Blanc' Mont Blanc Rugosa Rose | RO | 1.47 | G1 | 5-6 | 7-11 | | | 0.95 2 |
| <i>Rosa rugosa</i> 'Pink Grootendorst' Pink Grootendorst Rugosa Rose | RO | 0.94 | G1 | 5-6 | 7-11 | | | 0.95 2 |
| <i>Rosa rugosa</i> 'Rubra' Red Rugosa Rose | RO | 0.92 | G1 | 5-6 | 7-11 | | | 1.37 2 |
| <i>Rosa rugosa</i> 'Rugelda' Rugelda Rugosa Rose | RO | 0.92 | G1 | 5-6 | 7-11 | | | 0.95 2 |
| <i>Rosa rugosa</i> 'Sir Thomas Lipton' Sir Thomas Lipton Rugosa Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | | 0.95 2 |
| <i>Rosa rugosa</i> 'The Hunter' The Hunter Rugosa Rose | RO | 1.02 | G1 | 5-6 | 7-11 | | | 0.95 2 |
| <i>Rosa rugosa</i> 'Therese Bugnet' Therese Bugnet Rugosa Rose | RO | 0.93 | G1 | 5-6 | 7-11 | | | 1.24 2 |
| <i>Rosa rugosa</i> 'Topaz Jewel' Topaz Jewel Rugosa Rose | RO | 1.05 | G1 | 5-6 | 7-11 | | | 0.95 2 |
| <i>Rosa setigera</i> Prairie Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | | 1.00 4 |
| <i>Rosa villosa</i> Apple Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | | 1.00 5 |
| <i>Rosa virginiana</i> Virginia Rose | RO | 0.90 | G1 | 5-6 | 7-11 | | | 0.93 3 |
| <i>Rosa wichuraiana</i> Memorial Rose | RO | 0.95 | G1 | 5-6 | 7-11 | | | 1.00 5 |
| <i>Rosa wichuraiana</i> 'Dorothy Perkins' Dorothy Perkins Memorial Rose | RO | 0.94 | G1 | 5-6 | 7-11 | | | 1.00 5 |
| <i>Rosa wichuraiana</i> 'Excelsa' Excelsa Memorial Rose | RO | 0.94 | G1 | 5-6 | 7-11 | | | 1.00 5 |
| <i>Rosa wichuraiana</i> 'Poterifolia' Miniature Memorial Rose | RO | 0.88 | G1 | 5-6 | 7-11 | | | 1.00 5 |
| <i>Rosa woodsii</i> Western Wild Rose | RO | 0.98 | G1 | 5-6 | 7-11 | | | 1.00 4 |
| <i>Rosa xanthina</i> Xanthin Rose | RO | 1.00 | G1 | 5-6 | 7-11 | | | 1.00 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Roscheria melanochaetes</i> | BE | 6.49 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Latanier Hauban | | | | | | | | |
| <i>Roscoea purpurea</i> | HP | 1.35 | G4 | 6 | 7-9A | | | 6 |
| No Common Name Found | | | | | | | | |
| <i>Rosmarinus officinalis</i> | BS | 1.06 | G1 | 6-8 | 9A-10B | | 1.00 | 6 |
| Rosemary | | | | | | | | |
| <i>Rosmarinus officinalis</i> 'Albus' | BS | 1.14 | G1 | 6-8 | 9A-10B | | 1.00 | 6 |
| White Rosemary | | | | | | | | |
| <i>Rosmarinus officinalis</i> 'Arp' | BS | 1.08 | G1 | 6-8 | 9A-10B | | 1.00 | 6 |
| Arp Rosemary | | | | | | | | |
| <i>Rosmarinus officinalis</i> 'Benenden Blue' | BS | 0.77 | G1 | 6-8 | 9A-10B | | 1.00 | 6 |
| Benenden Blue Rosemary | | | | | | | | |
| <i>Rosmarinus officinalis</i> 'Golden Rain' | BS | 0.91 | G1 | 6-8 | 9A-10B | | 1.00 | 6 |
| Golden Rain Rosemary | | | | | | | | |
| <i>Rosmarinus officinalis</i> 'Huntington Carpet' | BS | 0.76 | G1 | 6-8 | 9A-10B | | 1.00 | 6 |
| Huntington Carpet Rosemary | | | | | | | | |
| <i>Rosmarinus officinalis</i> 'Ken Taylor' | BS | 0.88 | G1 | 6-8 | 9A-10B | | 1.00 | 6 |
| Ken Taylor Rosemary | | | | | | | | |
| <i>Rosmarinus officinalis</i> 'Lockwood de Forest' | BS | 0.77 | G1 | 6-8 | 9A-10B | | 1.00 | 6 |
| Lockwood de Forest Rosemary | | | | | | | | |
| <i>Rosmarinus officinalis</i> 'Majorca Pink' | BS | 1.11 | G1 | 6-8 | 9A-10B | | 1.00 | 6 |
| Majorca Pink Rosemary | | | | | | | | |
| <i>Rosmarinus officinalis</i> 'Prostratus' | BS | 0.85 | G1 | 6-8 | 9A-10B | | 1.00 | 6 |
| Prostrate Rosemary | | | | | | | | |
| <i>Rosmarinus officinalis</i> 'Salem' | BS | 1.03 | G1 | 6-8 | 9A-10B | | 1.00 | 6 |
| Salem Rosemary | | | | | | | | |
| <i>Rosmarinus officinalis</i> 'Tuscan Blue' | BS | 0.86 | G1 | 6-8 | 9A-10B | | 1.00 | 6 |
| Tuscan Blue Rosemary | | | | | | | | |
| <i>Rosularia chrysantha</i> | HP | 0.98 | G1 | 7-8 | 9A-10B | | | 7 |
| No Common Name Found | | | | | | | | |
| <i>Roystonea elata</i> | BE | 1.00 | G1 | | 10A-11 | 1.00 | 0.84 | 10A |
| Florida Royal Palm | | | | | | | | |
| <i>Roystonea oleracea</i> | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| Caribbean Royal Palm | | | | | | | | |
| <i>Roystonea regia</i> | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 0.78 | 10A |
| Cuban Royal Palm | | | | | | | | |
| <i>Rubia tinctoria</i> | HP | 1.00 | G1 | | 6-9A | | | 6 |
| Madder | | | | | | | | |
| <i>Rubus arcticus</i> | GC | 1.00 | G1 | 3-6 | 7-9B | | 1.00 | 1 |
| Crimson Bramble | | | | | | | | |
| <i>Rubus calycinoides</i> | | | | | | | | |
| See - <i>Rubus pentalobus</i> | | | | | | | | |
| <i>Rubus flagellaris</i> | BS | 1.01 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| Dewberry | | | | | | | | |
| <i>Rubus flagellaris</i> 'Austin' | BS | 1.01 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| Austin Dewberry | | | | | | | | |
| <i>Rubus idaeus</i> | SF | 0.93 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| Red Raspberry | | | | | | | | |
| <i>Rubus idaeus</i> 'Autumn Britten' | SF | 0.99 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| Autumn Britten Red Raspberry | | | | | | | | |
| <i>Rubus idaeus</i> 'Boyne' | SF | 0.96 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| Boyne Red Raspberry | | | | | | | | |
| <i>Rubus idaeus</i> 'Canby Red' | SF | 0.89 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| Canby Red Raspberry | | | | | | | | |
| <i>Rubus idaeus</i> 'Chief' | SF | 0.83 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| Chief Red Raspberry | | | | | | | | |
| <i>Rubus idaeus</i> 'Dormanred' | SF | 0.83 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| Dormanred Red Raspberry | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Rubus idaeus</i> 'Fallgold' Fallgold Red Raspberry | SF | 1.04 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Gatineau' Gatineau Red Raspberry | SF | 0.83 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Goldie' Goldie Yellow Raspberry | SF | 0.94 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Heritage' Heritage Red Raspberry | SF | 0.97 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Hilton' Hilton Red Raspberry | SF | 0.83 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Indian Summer' Indian Summer Red Raspberry | SF | 0.83 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Jewel' Jewel Red Raspberry | SF | 0.94 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Latham' Latham Red Raspberry | SF | 0.88 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Madwaska' Madwaska Red Raspberry | SF | 0.83 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Newburgh' Newburgh Red Raspberry | SF | 0.95 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Nordic' Nordic Red Raspberry | SF | 1.17 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Red Wing' Red Wing Red Raspberry | SF | 1.11 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Reveille' Reveille Red Raspberry | SF | 0.99 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Royalty' Royalty Purple-Red Raspberry | SF | 1.14 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'September' September Red Raspberry | SF | 0.97 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Summit' Summit Red Raspberry | SF | 0.91 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> var. <i>strigosus</i> No Common Name Found | SF | 1.00 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus idaeus</i> var. <i>strigosus</i> 'Kiska' Kiska Red Raspberry | SF | 1.00 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus occidentalis</i> Black Raspberry | SF | 0.99 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus occidentalis</i> 'Black Hawk' Black Hawk Black Raspberry | SF | 0.80 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus occidentalis</i> 'Bristol' Bristol Black Raspberry | SF | 1.11 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus occidentalis</i> 'Cumberland' Cumberland Black Raspberry | SF | 1.06 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus occidentalis</i> 'Logan' Logan Black Raspberry | SF | 0.80 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus odoratus</i> Flowering Raspberry | DS | 0.89 | G1 | 3-6 | 7-9B | | 1.00 | 3 |
| <i>Rubus parviflorus</i> Thimbleberry | SF | 1.07 | G1 | 6 | 7-10A | | 1.00 | 3 |
| <i>Rubus pentalobus</i> Taiwan Creeping Berry | GC | 1.12 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Rubus pentalobus</i> 'Emerald Carpet' Emerald Carpet Taiwan Creeping Berry | GC | 1.09 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Rubus spectabilis</i> Salmonberry | SF | 1.09 | G1 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Rubus ursinus</i> Blackberry | SF | 0.73 | G1 | 5-6 | 7-10A | | 1.00 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rubus ursinus</i> 'Arapaho' Arapaho Blackberry | SF | 0.97 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Black Satin' Black Satin Blackberry | SF | 1.00 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Brazos' Brazos Blackberry | SF | 0.97 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Cherokee' Cherokee Blackberry | SF | 0.83 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Chester' Chester Blackberry | SF | 0.87 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Cheyenne' Cheyenne Blackberry | SF | 0.87 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Choctaw' Choctaw Blackberry | SF | 0.83 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Comanche' Comanche Blackberry | SF | 0.87 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Darrow' Darrow Blackberry | SF | 0.94 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Dirksen' Dirksen Blackberry | SF | 0.83 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Hull' Hull Blackberry | SF | 0.83 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Illini Hardy' Illini Hardy Blackberry | SF | 1.17 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Kiowa' Kiowa Blackberry | SF | 0.83 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Navajo' P.P. 6679 Navajo Blackberry | SF | 0.95 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Shawnee' Shawnee Blackberry | SF | 0.83 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Snyder' Snyder Blackberry | SF | 0.73 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Thornless Boysen' Thornless Boysenberry | SF | 0.96 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rubus ursinus</i> 'Thornless' Thornless Blackberry | SF | 0.93 | G1 | 5-6 | 7-10A | | 1.00 | 7 |
| <i>Rudbeckia fulgida</i> Orange Coneflower | HP | 1.26 | G4 | 9 | 10A | | 4 | |
| <i>Rudbeckia fulgida</i> 'Double Gloriosa' Double Gloriosa Orange Coneflower | HP | 0.93 | G4 | 9 | 10A | | 4 | |
| <i>Rudbeckia fulgida</i> 'Goldilocks' Goldilocks Orange Coneflower | HP | 0.98 | G4 | 9 | 10A | | 4 | |
| <i>Rudbeckia fulgida</i> 'Marmalade' Marmalade Orange Coneflower | HP | 0.93 | G4 | 9 | 10A | | 4 | |
| <i>Rudbeckia fulgida</i> var. <i>deamii</i> Deamii Orange Coneflower | HP | 0.88 | G4 | 9 | 10A | | 4 | |
| <i>Rudbeckia fulgida</i> var. <i>speciosa</i> Showy Coneflower | HP | 0.94 | G4 | 9 | 10A | | 4 | |
| <i>Rudbeckia fulgida</i> var. <i>speciosa</i> 'Summer Blaze' Summer Blaze Showy Coneflower | HP | 1.03 | G4 | 9 | 10A | | 4 | |
| <i>Rudbeckia fulgida</i> var. <i>speciosa</i> 'Vierre's Little Suzy' Vierre's Little Suzy Showy Coneflower | HP | 1.23 | G4 | 9 | 10A | | 4 | |
| <i>Rudbeckia fulgida</i> var. <i>sullivantii</i> Sullivan Coneflower | HP | 0.92 | G4 | 9 | 10A | | 4 | |
| <i>Rudbeckia fulgida</i> var. <i>sullivantii</i> 'Goldsturm' Goldsturm Sullivan Coneflower | HP | 0.92 | G4 | 9 | 10A | | 4 | |
| <i>Rudbeckia hirta</i> Black-Eyed Susan | HP | 0.93 | G4 | 9 | 10A | | 4 | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rudbeckia hirta</i> 'Indian Summer' Indian Summer Black-Eyed Susan | HP | 0.89 | G4 | 9 | 10A | | | 4 |
| <i>Rudbeckia hirta</i> 'Irish Eyes' Irish Eyes Black-Eyed Susan | HP | 1.02 | G4 | 9 | 10A | | | 4 |
| <i>Rudbeckia hirta</i> var. <i>pulcherrima</i> No Common Name Found | HP | 1.00 | G4 | 9 | 10A | | | 4 |
| <i>Rudbeckia laciniata</i> Cutleaf Coneflower | HP | 1.00 | G4 | 9 | 10A | | | 3 |
| <i>Rudbeckia laciniata</i> 'Goldquelle' Goldquelle Cutleaf Coneflower | HP | 1.11 | G4 | 9 | 10A | | | 3 |
| <i>Rudbeckia maxima</i> Great Coneflower | HP | 1.03 | G4 | 9 | 10A | | | 7 |
| <i>Rudbeckia nitida</i> Shining Coneflower | HP | 0.91 | G4 | 9 | 10A | | | 3 |
| <i>Rudbeckia nitida</i> 'Autumn Glory' Autumn Glory Shining Coneflower | HP | 0.91 | G4 | 9 | 10A | | | 3 |
| <i>Rudbeckia nitida</i> 'Herbstonne' Herbstonne Shining Coneflower | HP | 0.99 | G4 | 9 | 10A | | | 3 |
| <i>Rudbeckia nitida</i> 'Juligold' Juligold Shining Coneflower | HP | 0.91 | G4 | 9 | 10A | | | 3 |
| <i>Rudbeckia speciosa</i> See - <i>Rudbeckia fulgida</i> var. <i>speciosa</i> | HP | 1.14 | G4 | 9 | 10A | | | 5 |
| <i>Rudbeckia subtomentosa</i> Sweet Coneflower | HP | 1.11 | G4 | 9 | 10A | | | 5 |
| <i>Rudbeckia triloba</i> Three-lobed Coneflower | HP | 0.96 | G4 | 9 | 10A | | | 5 |
| <i>Rudbeckia triloba</i> 'Flore-Pleno' Flore-Pleno Three-lobed Coneflower | HP | 0.61 | G4 | 9 | 10A-11 | | | 10B |
| <i>Ruellia brittoniana</i> Mexican Bluebell | HP | 0.69 | G4 | 9 | 10A-11 | | | 10B |
| <i>Ruellia brittoniana</i> 'Chi Chi' Chi Chi Mexican Bluebell | HP | 0.74 | G4 | 9 | 10A-11 | | | 10B |
| <i>Ruellia brittoniana</i> 'Katie' Katie Dwarf Mexican Bluebell | HP | 0.72 | G4 | 9 | 10A-11 | | | 10B |
| <i>Ruellia brittoniana</i> 'Purple Showers' Purple Showers Mexican Bluebell | HP | 0.73 | G4 | 9 | 10A-11 | | | 10B |
| <i>Ruellia brittoniana</i> 'Snow Queen' Snow Queen Mexican Bluebell | HP | 0.62 | G4 | 9 | 10A-11 | | | 10B |
| <i>Ruellia brittoniana</i> 'White Snow' White Snow Mexican Bluebell | HP | 0.89 | G3 | 8-10A | 10B-11 | | | 5 |
| <i>Ruellia caroliniensis</i> No Common Name Found | HP | 1.00 | G3 | 8-10A | 10B-11 | | | 7 |
| <i>Ruellia ciliosa</i> No Common Name Found | BS | 1.00 | G3 | 8-10A | 10B-11 | | 1.00 | 10 |
| <i>Ruellia colorata</i> Red Shrimp Plant | HP | 0.90 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ruellia graecizans</i> No Common Name Found | HP | 0.92 | G3 | 8-10A | 10B-11 | | | 4 |
| <i>Ruellia humilis</i> Wild Petunia | FO | 0.35 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ruellia macrantha</i> No Common Name Found | FO | 0.51 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ruellia makoyana</i> Monkey Plant | HP | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Ruellia malacosperma</i> No Common Name Found | HP | 0.71 | G1 | 4-9 | 10A-11 | | | 3 |
| <i>Rumex acetosa</i> Sorrel | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Rumex scutatus</i> French Sorrel | HP | 0.82 | G1 | 6-9 | 10A-11 | | | 6 |
| <i>Rumohra adiantiformis</i> Leatherleaf Fern | FO | 0.41 | G4 | 9 | 10A-11 | | | 10A |
| <i>Ruscus hypoglossum</i> Butcher's Broom | BS | 0.99 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Ruspolia hypocrateriformis</i> Firecracker Bush | BS | 0.89 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Russelia equisetiformis</i> Coral Plant | BS | 0.71 | G1 | 9B | 10A-11 | | 1.00 | 9 |
| <i>Russelia sarmentosa</i> No Common Name Found | BS | 0.79 | G1 | 9B | 10A-11 | | 1.00 | 9 |
| <i>Ruta graveolens</i> Rue | BS | 0.91 | G4 | 6-8 | 9A-11 | | 1.00 | 5 |
| <i>Ruta graveolens</i> 'Blue Mound' Blue Mound Rue | HP | 1.10 | G4 | 6-8 | 9A-11 | | | 5 |
| <i>Ruta graveolens</i> 'Curly Girl' Curly Girl Dwarf Rue | BS | 0.90 | G4 | 6-8 | 9A-11 | | 1.00 | 5 |
| <i>Ruta graveolens</i> 'Jackman's Blue' Jackman's Blue Rue | BS | 0.90 | G4 | 6-8 | 9A-11 | | 1.00 | 5 |
| <i>Ruttya fruticosa</i> No Common Name Found | BS | 0.63 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Sabal bermudana</i> Bermuda Palmetto | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Sabal blackburniana</i> No Common Name Found | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Sabal causiarum</i> Puerto Rican Hat Palm | BE | 1.44 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Sabal deeringiana</i> See - <i>Sabal minor</i> | BE | 1.06 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Sabal etonia</i> Scrub Palmetto | BE | 1.44 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Sabal mauritiiformis</i> Palma Amarga | BE | 0.73 | G1 | | 8-11 | 1.00 | 1.00 | 9 |
| <i>Sabal mexicana</i> Texas Palmetto | BS | 1.02 | G1 | 7-8 | 9A-11 | | 1.00 | 9 |
| <i>Sabal minor</i> Dwarf Palmetto | BE | 1.00 | G1 | | 8-11 | 1.00 | 1.63 | 8 |
| <i>Sabal palmetto</i> Palmetto | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Sabal princeps</i> No Common Name Found | BE | 1.00 | G1 | | | | | |
| <i>Sabal umbraculifera</i> See - <i>Sabal blackburniana</i> | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Sabal yapa</i> No Common Name Found | HP | 1.01 | G4 | | 9-10 | | | 7 |
| <i>Saccharum contortum</i> Bent Awn Plume Grass | HP | 1.01 | G4 | | 8-10A | | | 5 |
| <i>Saccharum ravennae</i> Ravenna Plume Grass | HP | 1.01 | G4 | | 9-10 | | | 7 |
| <i>Saccharum strictum</i> Narrow Plume Grass | BS | 0.97 | G1 | 10A | 10B-11 | | 1.00 | 7 |
| <i>Sageretia thea</i> Chinese Sweet Plum | HP | 0.93 | G1 | 4-9 | 10A-11 | | | 4 |
| <i>Sageretia theezans</i> See - <i>Sageretia thea</i> | | | | | | | | |
| <i>Sagina subulata</i> Pearlwort | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Sagina subulata</i> 'Aurea' Gold Pearlwort | HP | 1.00 | G1 | 4-9 | 10A-11 | | | 4 |
| <i>Sagittaria lancifolia</i> No Common Name Found | HP | 1.00 | G4 | | 9-10B | | | 9 |
| <i>Sagittaria latifolia</i> Common Arrowhead | HP | 0.95 | G4 | | 7-10A | | | 7 |
| <i>Saintpaulia ionantha</i> African Violet | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Salix</i> Hybrid Willow | DT | 0.65 | G1 | | 2-9B | 0.97 | 1.00 | 3 |
| <i>Salix</i> 'Flame' Flame Willow | DT | 0.65 | G1 | | 2-9B | 0.97 | 1.00 | 4 |
| <i>Salix</i> 'Prairie Cascade' Prairie Cascade Willow | DT | 0.68 | G1 | | 2-9B | 0.97 | 1.00 | 3 |
| <i>Salix alba</i> White Willow | DT | 1.00 | G1 | | 2-9B | 0.82 | 0.36 | 2 |
| <i>Salix alba</i> 'Britzensis' Coral Bark Willow | DT | 1.00 | G1 | | 2-9B | 0.82 | 0.36 | 2 |
| <i>Salix alba</i> 'Tristis' See - <i>Salix x sepulcralis</i> var. <i>chrysocoma</i> | DT | 1.00 | G1 | | 2-9B | 1.00 | 1.00 | 2 |
| <i>Salix alba</i> var. <i>sericea</i> Silver Willow | DT | 1.00 | G1 | | 2-9B | 0.91 | 1.00 | 2 |
| <i>Salix alba</i> var. <i>vitellina</i> Golden Willow | DT | 1.00 | G1 | | 2-9B | | | |
| <i>Salix arbuscula</i> No Common Name Found | DS | 1.00 | G1 | | 3-9B | | | 1.00 |
| <i>Salix arctica</i> Arctic Willow | DS | 1.00 | G1 | | 2-9B | | | 1.00 |
| <i>Salix babylonica</i> Babylon Weeping Willow | DT | 0.76 | G1 | | 2-8 | 0.83 | 0.39 | 5 |
| <i>Salix x bebbii</i> No Common Name Found | DS | 0.79 | G4 | | 4-9B | | | 1.00 |
| <i>Salix x blanda</i> See - <i>Salix x pendulina</i> var. <i>blanda</i> | DS | 1.00 | G1 | | 4-9B | | | 4 |
| <i>Salix brachycarpa</i> No Common Name Found | DS | 1.00 | G1 | | 5-9B | | | 1.00 |
| <i>Salix candida</i> Sage Willow | DS | 1.00 | G1 | | 4-8 | 1.17 | 0.59 | 4 |
| <i>Salix caprea</i> Goat Willow | DT | 0.68 | G1 | | 4-8 | 1.17 | 0.58 | 4 |
| <i>Salix caprea</i> 'Pendula' Weeping Goat Willow | DT | 1.50 | G1 | | 4-8 | 1.00 | 1.00 | 6 |
| <i>Salix caroliniana</i> Coastal Plain Willow | DT | 0.34 | G1 | 6 | 7-8 | 1.00 | 1.00 | 5 |
| <i>Salix chaenomeloides</i> Japanese Pussy Willow | DT | 0.65 | G1 | | 4-9B | | | 1.00 |
| <i>Salix commutata</i> No Common Name Found | DS | 1.00 | G1 | | 5-9B | 1.00 | 0.54 | 5 |
| <i>Salix cottedii</i> Banker's Willow | DT | 0.70 | G1 | | 4-8 | | | 0.62 |
| <i>Salix discolor</i> Pussy Willow | DS | 0.91 | G1 | | 4-8 | | | 0.62 |
| <i>Salix discolor</i> 'Pendula' Weeping Pussy Willow | DS | 1.28 | G1 | | 4-8 | | | 0.62 |
| <i>Salix discolor</i> 'Rosea' Pink Pussy Willow | DS | 1.13 | G1 | | 4-8 | | | 0.62 |
| <i>Salix x elegantissima</i> Thurlow Weeping Willow | DT | 0.79 | G1 | | 4-8 | 0.86 | 1.00 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Salix exigua</i> Coyote Willow | DT | 0.47 | G1 | | 3-9B | 1.00 | 0.51 | 2 |
| <i>Salix glauca</i> Arctic Grey Willow | DS | 1.00 | G1 | | 3-9B | | 1.00 | 2 |
| <i>Salix hastata</i> Halberd Willow | DS | 1.00 | G1 | | 6-9B | | 1.00 | 6 |
| <i>Salix hookeriana</i> No Common Name Found | DS | 0.89 | G1 | | 6-9B | | 1.00 | 6 |
| <i>Salix integra</i> No Common Name Found | DT | 0.75 | G1 | | 6-9B | 1.00 | 1.00 | 6 |
| <i>Salix integra</i> 'Itakuro Nishiki' Itakuro Nishiki Pussy Willow | DT | 0.75 | G1 | | 6-9B | 1.00 | 1.00 | 6 |
| <i>Salix interior</i> See - <i>Salix exigua</i> | | | | | | | | |
| <i>Salix laevigata</i> Red Willow | DT | 1.00 | G1 | | 5-8 | 1.00 | 1.00 | 5 |
| <i>Salix lanata</i> Woolly Willow | DS | 1.00 | G1 | | 3-9B | | 1.00 | 2 |
| <i>Salix lasiandra</i> No Common Name Found | DT | 0.50 | G1 | | 5-8 | 1.00 | 1.00 | 5 |
| <i>Salix lasiolepis</i> Arroyo Willow | DS | 1.00 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Salix matsudana</i> Hankow Willow | DT | 0.68 | G1 | | 4-8 | 0.67 | 0.33 | 5 |
| <i>Salix matsudana</i> 'Golden Curls' Golden Curls Hankow Willow | DT | 0.68 | G1 | | 4-8 | 0.78 | 0.33 | 5 |
| <i>Salix matsudana</i> 'Navajo' Globe Navajo Hankow Willow | DT | 0.81 | G1 | | 4-8 | 0.92 | 0.33 | 5 |
| <i>Salix matsudana</i> 'Scarcuzam' Scarlet Curls® Hankow Willow | DT | 0.68 | G1 | | 4-8 | 0.67 | 0.33 | 5 |
| <i>Salix matsudana</i> 'Scarlet Curls' See - <i>Salix matsudana</i> 'Scarcuzam' | | | | | | | | |
| <i>Salix matsudana</i> 'Snake' Snake Hankow Willow | DT | 0.70 | G1 | | 4-8 | 0.67 | 0.33 | 5 |
| <i>Salix matsudana</i> 'Tortuosa' Corkscrew Willow | DT | 0.83 | G1 | | 4-8 | 0.67 | 0.33 | 5 |
| <i>Salix matsudana</i> 'Umbraculifera' Umbraculifera Hankow Willow | DT | 0.87 | G1 | | 4-8 | 0.67 | 0.33 | 5 |
| <i>Salix melanostachys</i> Black Pussy Willow | DT | 0.61 | G1 | | 5-8 | 1.00 | 1.00 | 6 |
| <i>Salix myrtilloides</i> Swamp Willow | DS | 1.00 | G1 | | 3-9B | | 1.00 | 2 |
| <i>Salix nigra</i> Black Willow | DT | 0.63 | G1 | | 4-8 | 0.48 | 0.43 | 4 |
| <i>Salix x pendulina</i> Niobe Weeping Willow | DT | 0.84 | G1 | | 4-8 | 0.81 | 0.36 | 4 |
| <i>Salix x pendulina</i> var. <i>blanda</i> Wisconsin Weeping Willow | DT | 0.55 | G1 | | 4-8 | 0.65 | 1.00 | 4 |
| <i>Salix pentandra</i> Laurel Leaf Willow | DT | 0.71 | G1 | | 5-8 | 0.59 | 1.00 | 5 |
| <i>Salix planifolia</i> No Common Name Found | DT | 1.00 | G1 | | 5-8 | 1.00 | 1.00 | 1 |
| <i>Salix polaris</i> Polar Willow | GC | 1.00 | G1 | | 3-9B | | 1.00 | 2 |
| <i>Salix purpurea</i> Purple Willow | DS | 0.97 | G1 | | 3-8 | | 0.59 | 3 |
| <i>Salix purpurea</i> 'Gracilis' Gracilis Purple Willow | DS | 0.90 | G1 | | 3-8 | | 0.59 | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Salix purpurea</i> 'Nana' Arctic Blue Willow | DS | 0.92 | G1 | | 3-8 | | 0.81 | 3 |
| <i>Salix purpurea</i> 'Pendula' Weeping Purple Willow | DT | 1.39 | G1 | | 3-8 | 1.37 | 1.00 | 3 |
| <i>Salix purpurea</i> 'Streamco' Streamco Purple Willow | DS | 0.90 | G1 | | 3-8 | | 0.66 | 3 |
| <i>Salix repens</i> Creeping Willow | GC | 1.00 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Salix repens</i> 'Nitida' Silver Creeping Willow | GC | 1.00 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Salix reticulata</i> No Common Name Found | DS | 1.00 | G1 | | 3-9B | | 1.00 | 1 |
| <i>Salix rotundifolia</i> Round-leaved Willow | DS | 1.00 | G1 | | 3-9B | | 1.00 | 2 |
| <i>Salix sachalinensis</i> See - <i>Salix udensis</i> | | | | | | | | |
| <i>Salix scouleriana</i> Scouler Willow | DT | 0.52 | G1 | | 6-9B | 1.00 | 1.00 | 6 |
| <i>Salix x sepulcralis</i> Weeping Willow | DT | 0.78 | G1 | | 2-9B | 0.63 | 1.00 | 2 |
| <i>Salix x sepulcralis</i> var. <i>chrysocoma</i> Golden Weeping Willow | DT | 0.74 | G1 | | 2-9B | 0.86 | 0.32 | 2 |
| <i>Salix sitchensis</i> Sitka Willow | DT | 0.51 | G1 | | 4-8 | 1.00 | 1.00 | 4 |
| <i>Salix udensis</i> Japanese Fantail Willow | DT | 0.80 | G1 | | 5-9A | 1.00 | 1.00 | 5 |
| <i>Salix udensis</i> 'Sekka' Sekka Japanese Fantail Willow | DT | 0.80 | G1 | | 5-9A | 1.00 | 1.00 | 5 |
| <i>Salvia</i> Sage | HP | 0.67 | G4 | 1-9B | 10A-11 | | | 7 |
| <i>Salvia</i> 'Indigo Spires' Indigo Spires Hybrid Sage | HP | 0.69 | G4 | 1-9B | 10A-11 | | | 7 |
| <i>Salvia</i> 'Purple Majesty' Purple Majesty Hybrid Sage | HP | 0.67 | G4 | 1-9B | 10A-11 | | | 7 |
| <i>Salvia argentea</i> Silver Sage | HP | 1.11 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Salvia azurea</i> Azure Sage | HP | 0.71 | G4 | 4-9A | 9B-11 | | | 4 |
| <i>Salvia azurea</i> var. <i>grandiflora</i> No Common Name Found | HP | 0.87 | G4 | 4-9A | 9B-11 | | | 4 |
| <i>Salvia blepharophylla</i> No Common Name Found | HP | 0.77 | G4 | | 9A-11 | | | 9 |
| <i>Salvia buchananii</i> No Common Name Found | HP | 0.69 | G4 | | 9A-11 | | | 9 |
| <i>Salvia cacaliifolia</i> No Common Name Found | HP | 0.78 | G4 | 9A | 9B-10B | | | 9 |
| <i>Salvia canariensis</i> Canary Island Sage | HP | 1.12 | G1 | 9 | 10A-11 | | | 9 |
| <i>Salvia chamaedryoides</i> No Common Name Found | HP | 0.77 | G4 | | 8-10B | | | 8 |
| <i>Salvia clevelandii</i> Jim Sage | HP | 0.77 | G2 | | 8-10B | | | 8 |
| <i>Salvia coccinea</i> Annual Scarlet Sage | HP | 1.10 | G4 | 8-9A | 9B-11 | | | 10 |
| <i>Salvia coccinea</i> 'Brenthurst' Brenthurst Annual Scarlet Sage | HP | 0.93 | G4 | 8-9A | 9B-11 | | | 10 |
| <i>Salvia coccinea</i> 'Lady in Red' Lady in Red Annual Scarlet Sage | HP | 0.69 | G4 | 8-9A | 9B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Salvia columbariae</i> | HP | 0.63 | G4 | 7-9A | 9B-11 | | | 7 |
| No Common Name Found | | | | | | | | |
| <i>Salvia confertifolia</i> | HP | 0.78 | G4 | 9A | 9B-11 | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Salvia darcyi</i> | HP | 1.00 | G4 | 9A | 9B-11 | | | 7 |
| No Common Name Found | | | | | | | | |
| <i>Salvia discolor</i> | HP | 0.72 | G4 | 9A | 9B-11 | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Salvia dorisiana</i> | HP | 1.02 | G4 | | | 10A-11 | | 10 |
| Fruit Sage | | | | | | | | |
| <i>Salvia elegans</i> | HP | 0.85 | G4 | 8 | 9A-10B | | | 8 |
| Pineapple Sage | | | | | | | | |
| <i>Salvia farinacea</i> | HP | 0.69 | G4 | 4-9B | 10A-11 | | | 9 |
| Mealycup Sage | | | | | | | | |
| <i>Salvia farinacea</i> 'Rhea' | HP | 0.86 | G4 | 4-9B | 10A-11 | | | 9 |
| Rhea Mealycup Sage | | | | | | | | |
| <i>Salvia farinacea</i> 'Victoria' | HP | 0.56 | G4 | 4-9B | 10A-11 | | | 9 |
| Victoria Mealycup Sage | | | | | | | | |
| <i>Salvia fulgens</i> | HP | 0.78 | G4 | 9A | 9B-11 | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Salvia gesneriiflora</i> | HP | 0.74 | G4 | 9A | 9B-11 | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Salvia glechomifolia</i> | HP | 0.86 | G4 | 9A | 9B-11 | | | 7 |
| No Common Name Found | | | | | | | | |
| <i>Salvia glutinosa</i> | HP | 1.01 | G4 | 5-6 | 7-9B | | | 5 |
| Jupiter's Distaff | | | | | | | | |
| <i>Salvia grahamii</i> | | | | | | | | |
| See - <i>Salvia microphylla</i> | | | | | | | | |
| <i>Salvia greggii</i> | HP | 0.82 | G4 | 7-8 | 9A-10A | | | 7 |
| Autumn Sage | | | | | | | | |
| <i>Salvia greggii</i> 'Alba' | HP | 0.78 | G4 | 7-8 | 9A-10A | | | 7 |
| White Autumn Sage | | | | | | | | |
| <i>Salvia greggii</i> 'Cherry Queen' | HP | 0.73 | G4 | 7-8 | 9A-10A | | | 7 |
| Cherry Queen Autumn Sage | | | | | | | | |
| <i>Salvia greggii</i> 'Chiffon' | HP | 0.79 | G4 | 7-8 | 9A-10A | | | 7 |
| Chiffon Autumn Sage | | | | | | | | |
| <i>Salvia greggii</i> 'Cienego D'Oro' | HP | 0.74 | G4 | 7-8 | 9A-10A | | | 7 |
| Cienego D'Oro Autumn Sage | | | | | | | | |
| <i>Salvia greggii</i> 'Dark Dancer' | HP | 0.79 | G4 | 7-8 | 9A-10A | | | 7 |
| Dark Dancer Autumn Sage | | | | | | | | |
| <i>Salvia greggii</i> 'Furman's Red' | HP | 0.84 | G4 | 7-8 | 9A-10A | | | 7 |
| Furman's Red Autumn Sage | | | | | | | | |
| <i>Salvia greggii</i> 'San Antonio' | HP | 0.79 | G4 | 7-8 | 9A-10A | | | 7 |
| San Antonio Autumn Sage | | | | | | | | |
| <i>Salvia greggii</i> 'San Isidro' | HP | 0.79 | G4 | 7-8 | 9A-10A | | | 7 |
| San Isidro Autumn Sage | | | | | | | | |
| <i>Salvia greggii</i> 'San Takao' | HP | 0.79 | G4 | 7-8 | 9A-10A | | | 7 |
| San Takao Autumn Sage | | | | | | | | |
| <i>Salvia guaranitica</i> | HP | 0.90 | G4 | 9 | 10A-11 | | | 9 |
| Blue Anise Sage | | | | | | | | |
| <i>Salvia guaranitica</i> 'Argentina Skies' | HP | 0.73 | G4 | 9 | 10A-11 | | | 9 |
| Argentina Skies Blue Anise Sage | | | | | | | | |
| <i>Salvia hians</i> | HP | 0.76 | G4 | 6 | 7-9A | | | 6 |
| No Common Name Found | | | | | | | | |
| <i>Salvia interrupta</i> | HP | 1.00 | G4 | | 9A-11 | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Salvia involucrata</i> | HP | 0.68 | G4 | 9 | 10A-11 | | | 9 |
| Rosy-leaf Sage | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Salvia jurasicii</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7-9B | | | 6 |
| <i>Salvia koyamae</i> Yellow Sage | HP | 0.78 | G4 | 8 | 9A-10A | | | 6 |
| <i>Salvia lavandulifolia</i> No Common Name Found | HP | 1.01 | G4 | 6 | 7-9B | | | 5 |
| <i>Salvia leptophylla</i> See - <i>Salvia reptans</i> | HP | 0.69 | G4 | 9B | 10A-11 | | | 10 |
| <i>Salvia leucantha</i> Mexican Bush Sage | HP | 0.89 | G4 | 9B | 10A-11 | | | 10 |
| <i>Salvia leucantha</i> 'Blue on Blue' Blue on Blue Mexican Bush Sage | HP | 0.78 | G2 | | 8-10B | | | 8 |
| <i>Salvia leucophylla</i> Chaparral Sage | HP | 0.78 | G2 | | 8-10B | | | 8 |
| <i>Salvia leucophylla</i> 'Figueroa' Figueroa Chaparral Sage | HP | 0.78 | G2 | | 8-10B | | | 8 |
| <i>Salvia leucophylla</i> 'Point Sal' Point Sal Chaparral Sage | HP | 0.78 | G2 | | 8-10B | | | 8 |
| <i>Salvia lyrata</i> Cancer Weed | HP | 0.77 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia madrensis</i> No Common Name Found | HP | 0.69 | G2 | | 8-10B | | | 7 |
| <i>Salvia mellifera</i> California Black Sage | HP | 0.78 | G2 | | 8-10B | | | 8 |
| <i>Salvia mexicana</i> No Common Name Found | HP | 0.78 | G2 | | 9A-11 | | | 9 |
| <i>Salvia microphylla</i> Baby Sage | HP | 0.91 | G4 | | 9A-10B | | | 9 |
| <i>Salvia minuta</i> Belize Sage | HP | 0.69 | G4 | | 10A-11 | | | 8 |
| <i>Salvia muelleri</i> No Common Name Found | HP | 0.78 | G2 | 8 | 9A-10B | | | 9 |
| <i>Salvia officinalis</i> Common Sage | HP | 0.85 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Salvia officinalis</i> 'Aurea' Gold Garden Sage | HP | 0.81 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Salvia officinalis</i> 'Berggarten' Berggarten Garden Sage | HP | 0.92 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Salvia officinalis</i> 'Icterina' Icterina Garden Sage | HP | 0.85 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Salvia officinalis</i> 'Purpurea' Purple Garden Sage | HP | 0.87 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Salvia officinalis</i> 'Rubra' Red Garden Sage | HP | 0.81 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Salvia officinalis</i> 'Tricolor' Tricolor Garden Sage | HP | 0.81 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Salvia patens</i> Gentian Sage | HP | 0.84 | G4 | 8 | 9A-10B | | | 8 |
| <i>Salvia pratensis</i> Meadow Sage | HP | 0.78 | G4 | 3-6 | 7-9A | | | 3 |
| <i>Salvia pratensis</i> 'Baumgartenii' Baumgartenii Meadow Sage | HP | 1.00 | G4 | 3-6 | 7-9A | | | 3 |
| <i>Salvia pratensis</i> 'Haematodes' Haematodes Meadow Sage | HP | 0.78 | G4 | 3-6 | 7-9A | | | 3 |
| <i>Salvia pratensis</i> 'Rosea' Rosea Meadow Sage | HP | 0.78 | G4 | 3-6 | 7-9A | | | 3 |
| <i>Salvia regla</i> No Common Name Found | HP | 0.87 | G2 | | 9A-10B | | | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Salvia regla</i> 'Huntington' Huntington Sage | HP | 0.78 | G2 | | 9A-10B | | | 9 |
| <i>Salvia reptans</i> No Common Name Found | HP | 0.78 | G4 | | 9A-10B | | | 9 |
| <i>Salvia roemeriana</i> No Common Name Found | HP | 1.04 | G4 | 8 | 9A-10B | | | 8 |
| <i>Salvia sclarea</i> Clary | HP | 0.88 | G4 | | 5-9A | | | 5 |
| <i>Salvia sinaloensis</i> Sinaloa Sage | HP | 0.72 | G4 | | 9A-10B | | | 9 |
| <i>Salvia sonomensis</i> Creeping Sage | HP | 1.00 | G2 | | 8-10B | | | 8 |
| <i>Salvia spathacea</i> Pitcher Sage | HP | 1.00 | G4 | 8 | 9A-10B | | | 8 |
| <i>Salvia splendens</i> Red Sage | AN | 0.64 | G4 | 1-9B | 10A-11 | | | 9 |
| <i>Salvia splendens</i> 'Hot Line Red' Hot Line Red Sage | AN | 0.64 | G4 | 1-9B | 10A-11 | | | 9 |
| <i>Salvia splendens</i> 'Red Hot Sally' Red Hot Sally Scarlet Sage | AN | 0.92 | G4 | 1-9B | 10A-11 | | | 9 |
| <i>Salvia splendens</i> 'Salsa Scarlet' Salsa Scarlet Sage | AN | 0.71 | G4 | 1-9B | 10A-11 | | | 9 |
| <i>Salvia splendens</i> 'Sizzler Red' Sizzler Red Scarlet Sage | AN | 0.78 | G4 | 1-9B | 10A-11 | | | 9 |
| <i>Salvia splendens</i> 'Sizzler Series' Sizzler Series Scarlet Sage | AN | 0.64 | G4 | 1-9B | 10A-11 | | | 9 |
| <i>Salvia x superba</i> No Common Name Found | HP | 0.93 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia x sylvestris</i> Hybrid Sage | HP | 0.92 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia x sylvestris</i> 'Blue Hill' Blue Hill Hybrid Sage | HP | 0.96 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia x sylvestris</i> 'Blue Queen' Blue Queen Hybrid Sage | HP | 0.92 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia x sylvestris</i> 'East Friesland' East Friesland Hybrid Sage | HP | 0.95 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia x sylvestris</i> 'Lubeca' Lubeca Hybrid Sage | HP | 0.92 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia x sylvestris</i> 'Lye End' Lye End Hybrid Sage | HP | 1.36 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia x sylvestris</i> 'May Night' May Night Hybrid Sage | HP | 0.96 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia x sylvestris</i> 'Purple Glory' Purple Glory Hybrid Sage | HP | 1.04 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia x sylvestris</i> 'Rose Queen' Rose Queen Hybrid Sage | HP | 1.07 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia x sylvestris</i> 'Rose Wine' Rose Wine Hybrid Sage | HP | 1.01 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia x sylvestris</i> 'Ruegen' Ruegen Hybrid Sage | HP | 1.01 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia x sylvestris</i> 'Senior' Senior Hybrid Sage | HP | 1.01 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia x sylvestris</i> 'Tanzerin' Tanzerin Hybrid Sage | HP | 1.01 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia x sylvestris</i> 'Viola Klose' Viola Klose Hybrid Sage | HP | 0.92 | G4 | 5-6 | 7-9B | | | 5 |
| <i>Salvia x sylvestris</i> 'Wesuwe' Wesuwe Hybrid Sage | HP | 1.22 | G4 | 5-6 | 7-9B | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-------|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Salvia uliginosa</i> Bog Sage | HP | 0.79 | G4 | 9B | 10A-11 | | | 9 |
| <i>Salvia van houttei</i> Van Houtt's Sage | HP | 0.93 | G4 | 9B | 10A-11 | | | 8 |
| <i>Salvia verticillata</i> Lilac Sage | HP | 1.01 | G4 | 6 | 7-9B | | | 6 |
| <i>Salvia verticillata</i> 'Alba' White Lilac Sage | HP | 1.00 | G4 | 6 | 7-9B | | | 6 |
| <i>Salvia verticillata</i> 'Purple Rain' Purple Rain Lilac Sage | HP | 1.10 | G4 | 6 | 7-9B | | | 6 |
| <i>Samanea saman</i> See - <i>Albizia saman</i> | | | | | | | | |
| <i>Sambucus caerulea</i> Blue Elder | DS | 0.95 | G1 | 5-6 | 7-9B | | | 1.00 5 |
| <i>Sambucus callicarpa</i> Pacific Coast Red Elder | DS | 0.83 | G1 | 6 | 7-9B | | | 1.00 6 |
| <i>Sambucus canadensis</i> American Elder | DS | 1.07 | G1 | 5-6 | 7-9B | | | 0.47 3 |
| <i>Sambucus canadensis</i> 'Acutiloba' Acutiloba American Elder | DS | 0.81 | G1 | 5-6 | 7-9B | | | 0.47 3 |
| <i>Sambucus canadensis</i> 'Adams' Adams American Elder | DS | 0.99 | G1 | 5-6 | 7-9B | | | 0.47 3 |
| <i>Sambucus canadensis</i> 'Aurea' Golden American Elder | DS | 0.81 | G1 | 5-6 | 7-9B | | | 0.70 3 |
| <i>Sambucus canadensis</i> 'Maxima' Maxima American Elder | DS | 0.81 | G1 | 5-6 | 7-9B | | | 0.47 3 |
| <i>Sambucus canadensis</i> 'Rubra' Red American Elder | DS | 0.81 | G1 | 5-6 | 7-9B | | | 0.47 3 |
| <i>Sambucus canadensis</i> 'York' York American Elder | DS | 1.19 | G1 | 5-6 | 7-9B | | | 0.47 3 |
| <i>Sambucus nigra</i> Black Elder | DS | 0.86 | G1 | 5-6 | 7-9B | | | 1.00 5 |
| <i>Sambucus nigra</i> 'Lacinata' Cutleaf Black Elder | DS | 1.07 | G1 | 5-6 | 7-9B | | | 1.00 5 |
| <i>Sambucus nigra</i> 'Madonna' Madonna Black Elder | DS | 1.15 | G1 | 5-6 | 7-9B | | | 1.00 5 |
| <i>Sambucus nigra</i> 'Marginata' Marginata Black Elder | DS | 0.86 | G1 | 5-6 | 7-9B | | | 1.00 5 |
| <i>Sambucus pubens</i> American Red Elder | DS | 1.00 | G1 | 5-6 | 7-9B | | | 1.00 5 |
| <i>Sambucus racemosa</i> European Red Elder | DS | 0.93 | G1 | 5-6 | 7-9B | | | 1.00 4 |
| <i>Sambucus racemosa</i> 'Flavescens' Flavescens European Red Elder | DS | 0.93 | G1 | 5-6 | 7-9B | | | 1.00 4 |
| <i>Sambucus racemosa</i> 'Plumosa Aurea' Plumosa Aurea European Red Elder | DS | 0.93 | G1 | 5-6 | 7-9B | | | 1.00 4 |
| <i>Sambucus racemosa</i> 'Sutherland Gold' Sutherland Gold European Red Elder | DS | 0.93 | G1 | 5-6 | 7-9B | | | 1.00 4 |
| <i>Sanchezia nobilis</i> See - <i>Sanchezia speciosa</i> | | | | | | | | |
| <i>Sanchezia speciosa</i> Sanchezia | FO | 0.46 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Sanguinaria canadensis</i> Bloodroot | HP | 1.07 | G1 | 5-6 | 7-10A | | | 3 |
| <i>Sanguisorba canadensis</i> Canadian Burnet | HP | 1.10 | G1 | 5-6 | 7-10A | | | 4 |
| <i>Sanguisorba minor</i> Burnet | HP | 0.83 | G1 | 5-6 | 7-10A | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|---------|-------------|---------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors | |
| | | | | | | | | |
| <i>Sanguisorba obtusa</i> Japanese Burnet | HP | 1.13 | G1 | 5-6 | 7-10A | | | 5 |
| <i>Sanguisorba tenuifolia</i> No Common Name Found | HP | 0.95 | G1 | 5-6 | 7-10A | | | 4 |
| <i>Sanguisorba tenuifolia</i> 'Purpurea' Purpurea Burnet | HP | 0.95 | G1 | 5-6 | 7-10A | | | 4 |
| <i>Sansevieria cylindrica</i> No Common Name Found | FO | 0.41 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Sansevieria trifasciata</i> Snake Plant | FO | 0.34 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Sansevieria trifasciata</i> 'Black Coral' Black Coral Snake Plant | FO | 0.50 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Sansevieria trifasciata</i> 'Black Gold' Black Gold Snake Plant | FO | 0.58 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Sansevieria trifasciata</i> 'Hahnii' Hahn Snake Plant | FO | 0.48 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Sansevieria trifasciata</i> 'Laurentii' Laurentii Snake Plant | FO | 0.47 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Sansevieria trifasciata</i> 'Silver Laurentii' Silver Laurentii Snake Plant | FO | 0.55 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Sansevieria trifasciata</i> 'Silver Queen' Silver Queen Snake Plant | FO | 0.42 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Sansevieria zeylanica</i> Ceylon Bowstring Hemp | FO | 0.47 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Santalum ellipticum</i> Iliahi | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10B |
| <i>Santolina chamaecyparissus</i> Lavender Cotton | HP | 1.06 | G4 | 6 | 7-10B | | | 7 |
| <i>Santolina chamaecyparissus</i> 'Lemon Queen' Lemon Queen Lavender Cotton | HP | 0.85 | G4 | 6 | 7-10B | | | 7 |
| <i>Santolina chamaecyparissus</i> 'Nana' Nana Lavender Cotton | HP | 0.93 | G4 | 6 | 7-10B | | | 7 |
| <i>Santolina chamaecyparissus</i> 'Pretty Carol' Pretty Carol Lavender Cotton | HP | 1.01 | G4 | 6 | 7-10B | | | 7 |
| <i>Santolina ericoides</i> See - <i>Santolina pinnata</i> | | | | | | | | |
| <i>Santolina incana</i> See - <i>Santolina chamaecyparissus</i> | | | | | | | | |
| <i>Santolina pinnata</i> No Common Name Found | HP | 0.86 | G4 | 7-8 | 9A-10A | | | 7 |
| <i>Santolina pinnata</i> ssp. <i>neapolitana</i> No Common Name Found | HP | 1.01 | G4 | 7-8 | 9A-10A | | | 7 |
| <i>Santolina rosmarinifolia</i> Green Lavender Cotton | HP | 0.87 | G4 | 7-8 | 9A-10A | | | 7 |
| <i>Santolina virens</i> See - <i>Santolina rosmarinifolia</i> | | | | | | | | |
| <i>Sapindus drumondii</i> Western Soapberry | DT | 0.89 | G1 | | 6-9B | 0.85 | 1.00 | 8 |
| <i>Sapindus saponaria</i> Soapberry | DT | 0.85 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Sapium sebiferum</i> Chinese Tallow Tree | DT | 0.61 | G1 | 8 | 9A-10B | 0.85 | 0.41 | 9 |
| <i>Saponaria x lempergii</i> No Common Name Found | HP | 1.12 | G4 | | 4-8 | | | 2 |
| <i>Saponaria x lempergii</i> 'Max Frei' Max Frei Soapwort | HP | 1.12 | G4 | | 4-8 | | | 2 |
| <i>Saponaria ocymoides</i> Rock Soapwort | HP | 1.06 | G4 | | 4-8 | | | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Saponaria ocymoides</i> 'Alba' White Rock Soapwort | HP | 1.04 | G4 | | 4-8 | | | 4 |
| <i>Saponaria officinalis</i> Bouncing Bet | HP | 0.98 | G4 | | 4-8 | | | 4 |
| <i>Saponaria officinalis</i> 'Rubra Plena' Rubra Plena Bouncing Bet | HP | 1.04 | G4 | | 4-8 | | | 4 |
| <i>Saponaria pumilio</i> No Common Name Found | HP | 1.00 | G4 | 6 | 7-9B | | | 6 |
| <i>Sarcococca confusa</i> No Common Name Found | BS | 0.95 | G1 | 6 | 7-9B | | | 1.00 |
| <i>Sarcococca hookeriana</i> Himalayan Sweet Box | BS | 1.00 | G1 | 6 | 7-9B | | | 1.00 |
| <i>Sarcococca hookeriana</i> var. <i>humilis</i> No Common Name Found | BS | 1.56 | G1 | 6 | 7-9B | | | 1.00 |
| <i>Sarcococca ruscifolia</i> Fragrant Sarcococca | BS | 0.95 | G2 | | 9A-10B | | | 1.00 |
| <i>Saritaea magnifica</i> Purple Funnel Vine | GC | 1.00 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Sarracenia x excellens</i> No Common Name Found | HP | 2.71 | G4 | 8-9B | 10A-11 | | | 8 |
| <i>Sarracenia flava</i> Yellow Trumpet | HP | 2.41 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Sarracenia leucophylla</i> White Trumpet | HP | 4.52 | G4 | 8-9B | 10A-11 | | | 8 |
| <i>Sarracenia minor</i> Hooded Pitcher Plant | HP | 2.04 | G4 | 8-9B | 10A-11 | | | 8 |
| <i>Sarracenia purpurea</i> Common Pitcher Plant | HP | 1.81 | G4 | 8-9B | 10A-11 | | | 6 |
| <i>Sarracenia rubra</i> Sweet Trumpet Plant | HP | 2.41 | G4 | 8-9B | 10A-11 | | | 8 |
| <i>Sarracenia x wrigleyana</i> No Common Name Found | HP | 4.52 | G4 | 8-9B | 10A-11 | | | 8 |
| <i>Sasa kurilensis</i> No Common Name Found | BS | 1.07 | G1 | 7-8 | 9A-10A | | | 1.00 |
| <i>Sasa palmata</i> No Common Name Found | BS | 1.18 | G1 | 7-8 | 9A-10A | | | 1.00 |
| <i>Sasa tessellata</i> See - <i>Indocalamus tessellatus</i> | BS | 1.43 | G1 | 8 | 9A-10B | | | 1.00 |
| <i>Sasa veitchii</i> Kuma Bamboo | BS | 1.03 | G1 | 7-8 | 9A-10A | | | 1.00 |
| <i>Sasaella masumuneana</i> Shiya-zasa | BS | 1.38 | G1 | 7-8 | 9A-10A | | | 1.00 |
| <i>Sasaella masumuneana</i> ssp. <i>albostriata</i> No Common Name Found | DT | 0.80 | G1 | | 4-8 | 0.66 | 0.44 | 5 |
| <i>Sassafras albidum</i> Common Sassafras | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Sassafras variifolium</i> See - <i>Sassafras albidum</i> | | | | | | | | |
| <i>Satakentia liukiuensis</i> Satake Palm | | | | | | | | |
| <i>Satureja douglasii</i> See - <i>Micromeria chamissonis</i> | | | | | | | | |
| <i>Satureja hortensis</i> Summer Savory | HP | 0.73 | G1 | 8-9 | 10A-11 | | | 8 |
| <i>Satureja montana</i> Winter Savory | HP | 0.96 | G1 | 8-9 | 10A-11 | | | 6 |
| <i>Saururus cernuus</i> Swamp Lily | HP | 0.89 | G1 | 5-8 | 9A-11 | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Saxifraga</i> | HP | 0.89 | G4 | | 4-7 | | | 3 |
| Hybrid Saxifrage | | | | | | | | |
| <i>Saxifraga 'Carnival'</i> | HP | 0.89 | G4 | | 4-7 | | | 3 |
| Carnival Saxifrage | | | | | | | | |
| <i>Saxifraga x andrewsii</i> | HP | 0.75 | G4 | | 4-7 | | | 3 |
| No Common Name Found | | | | | | | | |
| <i>Saxifraga x arendsi</i> | HP | 1.00 | G4 | 6 | 7-9A | | | 6 |
| Arend's Saxifrage | | | | | | | | |
| <i>Saxifraga x arendsi 'Flower Carpet'</i> | HP | 1.00 | G4 | 6 | 7-9A | | | 6 |
| Flower Carpet Arend's Saxifrage | | | | | | | | |
| <i>Saxifraga cotyledon</i> | HP | 0.97 | G4 | 6 | 7-9A | | | 6 |
| Jungfrau Saxifrage | | | | | | | | |
| <i>Saxifraga decipiens</i> | | | | | | | | |
| See - <i>Saxifraga rosacea</i> | | | | | | | | |
| <i>Saxifraga hypnoides</i> | HP | 0.82 | G4 | 6 | 7-9A | | | 6 |
| Mossy Saxifrage | | | | | | | | |
| <i>Saxifraga pensylvanica</i> | HP | 1.00 | G4 | 6 | 7-9A | | | 4 |
| Swamp Saxifrage | | | | | | | | |
| <i>Saxifraga rosacea</i> | HP | 0.97 | G4 | 6 | 7-9A | | | 6 |
| No Common Name Found | | | | | | | | |
| <i>Saxifraga stolonifera</i> | HP | 0.90 | G4 | 5-6 | 7-9B | | | 5 |
| Strawberry Saxifrage | | | | | | | | |
| <i>Saxifraga umbrosa</i> | HP | 0.97 | G4 | | 7-9B | | | 7 |
| No Common Name Found | | | | | | | | |
| <i>Saxifraga x urbium</i> | HP | 1.00 | G4 | | 7-9B | | | 7 |
| London Pride Saxifrage | | | | | | | | |
| <i>Saxifraga x urbium 'Aureopunctata'</i> | HP | 1.04 | G4 | | 7-9B | | | 7 |
| Aureopunctata London Pride Saxifrage | | | | | | | | |
| <i>Scabiosa anthemifolia</i> | HP | 1.00 | G4 | 8 | 9A-10A | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Scabiosa atropurpurea</i> | HP | 1.00 | G4 | 8 | 9A-10A | | | 10 |
| Mournful Widow | | | | | | | | |
| <i>Scabiosa caucasica</i> | HP | 0.93 | G4 | 4-6 | 7-8 | | | 4 |
| Caucasian Pincushion Flower | | | | | | | | |
| <i>Scabiosa caucasica 'Alba'</i> | HP | 0.91 | G4 | 4-6 | 7-8 | | | 4 |
| White Caucasian Pincushion Flower | | | | | | | | |
| <i>Scabiosa caucasica 'Blue Perfection'</i> | HP | 0.83 | G4 | 4-6 | 7-8 | | | 4 |
| Blue Perfection Caucasian Pincushion Flowe | | | | | | | | |
| <i>Scabiosa caucasica 'Compliment'</i> | HP | 0.98 | G4 | 4-6 | 7-8 | | | 4 |
| Compliment Caucasian Pincushion Flower | | | | | | | | |
| <i>Scabiosa caucasica 'Fama'</i> | HP | 1.02 | G4 | 4-6 | 7-8 | | | 4 |
| Fama Caucasian Pincushion Flower | | | | | | | | |
| <i>Scabiosa caucasica 'House Hybrid'</i> | HP | 0.83 | G4 | 4-6 | 7-8 | | | 4 |
| House Hybrid Caucasian Pincushion Flower | | | | | | | | |
| <i>Scabiosa caucasica 'Perfecta'</i> | HP | 0.92 | G4 | 4-6 | 7-8 | | | 4 |
| Perfecta Caucasian Pincushion Flower | | | | | | | | |
| <i>Scabiosa caucasica 'White Perfection'</i> | HP | 0.99 | G4 | 4-6 | 7-8 | | | 4 |
| White Perfection Caucasian Pincushion Flower | | | | | | | | |
| <i>Scabiosa columbaria</i> | HP | 1.06 | G4 | 6 | 7-9A | | | 6 |
| Dove Pincushion Flower | | | | | | | | |
| <i>Scabiosa columbaria 'Butterfly Blue'</i> | HP | 1.06 | G4 | 6 | 7-9A | | | 6 |
| Butterfly Blue Dove Pincushion Flower | | | | | | | | |
| <i>Scabiosa columbaria 'Pink Mist' P.P. 8957</i> | HP | 1.07 | G4 | 6 | 7-9A | | | 6 |
| Pink Mist Dove Pincushion Flower | | | | | | | | |
| <i>Scabiosa japonica</i> | HP | 1.00 | G4 | | 7-9B | | | 7 |
| No Common Name Found | | | | | | | | |
| <i>Scabiosa lucida</i> | HP | 0.95 | G4 | 5-6 | 7-9A | | | 5 |
| Shining Pincushion Flower | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Scabiosa ochroleuca</i> Cream Scabious | HP | 1.00 | G4 | 6 | 7-9A | | | 6 |
| <i>Scadoxus multiflorus</i> ssp. <i>katherinae</i> Blood Lily | HP | 0.95 | G1 | 10A | 10B-11 | | | 10 |
| <i>Scaevola</i> Scaevola | BS | 1.11 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Scaevola</i> 'Blue Wonder' Blue Wonder Hybrid Scaevola | HP | 1.34 | G1 | 10A | 10B-11 | | | 10 |
| <i>Scaevola</i> 'Mauve Clusters' Mauve Clusters Hybrid Scaevola | BS | 0.77 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Scaevola</i> 'New Wonder' New Wonder Hybrid Scaevola | HP | 0.94 | G1 | 10A | 10B-11 | | | 10 |
| <i>Scaevola aemula</i> No Common Name Found | HP | 0.93 | G1 | 10A | 10B-11 | | | 10 |
| <i>Scaevola frutescens</i> Beach Naupaka | BS | 0.57 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Scaevola frutescens</i> var. <i>sericea</i> No Common Name Found | BS | 0.83 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Schefflera actinophylla</i> Queensland Umbrella Tree | FO | 0.49 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Schefflera actinophylla</i> 'Amate' Amate Queensland Umbrella Tree | FO | 0.88 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Schefflera arboricola</i> Hawaiian Elf Umbrella Tree | FO | 0.49 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Schefflera arboricola</i> 'Covette' Covette Umbrella Tree | FO | 0.64 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Schefflera arboricola</i> 'Gold Capella' Gold Capella Umbrella Tree | FO | 0.56 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Schefflera arboricola</i> 'Hong Kong' Hong Kong Umbrella Tree | FO | 0.44 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Schefflera arboricola</i> 'Jacqueline' Jacqueline Umbrella Tree | FO | 0.44 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Schefflera arboricola</i> 'Renate' Renate Umbrella Tree | FO | 0.44 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Schefflera arboricola</i> 'Trinette' Trinette Umbrella Tree | FO | 0.44 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Schefflera elegantissima</i> False Aralia | FO | 0.72 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Schefflera pueckleri</i> Mallet Flower | FO | 0.52 | G3 | 10A | 10B-11 | | | 10 |
| <i>Schinus dependens</i> See - <i>Schinus latifolius</i> | | | | | | | | |
| <i>Schinus latifolius</i> Molle | BE | 0.78 | G2 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Schinus molle</i> California Pepper Tree | BE | 0.86 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| <i>Schinus terebinthifolius</i> Brazilian Pepper Tree | BE | 0.80 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 9 |
| <i>Schippia concolor</i> Pimento Palm | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Schizachyrium scoparium</i> Little Bluestem | HP | 1.12 | G1 | | 5-9A | | | 5 |
| <i>Schizachyrium scoparium</i> 'The Blues' The Blues Little Bluestem | HP | 1.04 | G1 | | 5-9A | | | 5 |
| <i>Schizanthus x wisetonensis</i> Hybrid Butterfly Flower | AN | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Schizanthus x wisetonensis</i> 'Star Parade' Star Parade Butterfly Flower | AN | 1.00 | G1 | 10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Schizolobium parahybum</i> Bacurubu | DT | 1.34 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Schizophragma hydrangeoides</i> Japanese Hydrangea Vine | GC | 1.67 | G1 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Schizophragma hydrangeoides</i> 'Moonlight' Moonlight Japanese Hydrangea Vine | GC | 1.40 | G1 | 5-6 | 7-9B | | 1.00 | 5 |
| <i>Schizophragma integrifolium</i> No Common Name Found | GC | 1.00 | G1 | 7-8 | 9 | | 1.00 | 7 |
| <i>Schizostylis coccinea</i> Kaffir Lily | HP | 1.06 | G4 | 7-8 | 9A-10B | | | 6 |
| <i>Schizostylis coccinea</i> 'Alba' White Kaffir Lily | HP | 0.95 | G4 | 7-8 | 9A-10B | | | 6 |
| <i>Schizostylis coccinea</i> 'Mrs. Hegarty' Mrs. Hegarty Kaffir Lily | HP | 0.95 | G4 | 7-8 | 9A-10B | | | 6 |
| <i>Schlumbergera bridgesii</i> See - <i>Schlumbergera x buckleyi</i> | FO | 0.52 | G1 | 9 | 10A-11 | | | 9 |
| <i>Schlumbergera x buckleyi</i> Christmas Cactus | HP | 1.00 | G4 | | 4-9A | | | 4 |
| <i>Schoenoplectus lacustris</i> Bulrush | HP | 1.09 | G4 | | 4-9A | | | 4 |
| <i>Schoenoplectus lacustris</i> ssp. <i>tabernaemontani</i> No Common Name Found | HP | 1.09 | G4 | | 4-9A | | | 4 |
| <i>Schoenoplectus lacustris</i> ssp. <i>tabernaemontani</i> 'Zebrinus' Zebra Rush | HP | 1.09 | G4 | | 4-9A | | | 4 |
| <i>Schoenoplectus validus</i> Softstem Bulrush | HP | 0.90 | G4 | | 4-9A | | | 7 |
| <i>Schotia brachypetala</i> Weeping Boerboon | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Schotia latifolia</i> Elephant Hedge Bean Tree | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Sciadopitys verticillata</i> Japanese Umbrella Pine | CE | 2.01 | G1 | | 4-8 | 1.00 | 3.17 | 6 |
| <i>Sciadopitys verticillata</i> 'Ossorio's Gold' Ossorio's Gold Japanese Umbrella Pine | CE | 9.22 | G1 | | 4-8 | 1.00 | 3.17 | 6 |
| <i>Sciadopitys verticillata</i> 'Variegata' Variegated Japanese Umbrella Pine | CE | 4.25 | G1 | | 4-8 | 1.00 | 3.17 | 6 |
| <i>Sciadopitys verticillata</i> 'Wintergreen' Wintergreen Japanese Umbrella Pine | CE | 3.31 | G1 | | 4-8 | 1.00 | 3.17 | 6 |
| <i>Scindapsus aureus</i> See - <i>Epipremnum aureum</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Scindapsus pictus</i> No Common Name Found | HP | 1.03 | G1 | 7-9 | 10A-11 | | | 5 |
| <i>Scirpus acutus</i> Tall Bulrush | HP | | | | | | | |
| <i>Scirpus cernuus</i> See - <i>Isolepis cernua</i> | HP | 1.15 | G1 | 7-9 | 10A-11 | | | 7 |
| <i>Scirpus cyperinus</i> Wool Grass | HP | | | | | | | |
| <i>Scirpus validus</i> See - <i>Schoenoplectus validus</i> | HP | 1.00 | G4 | 7-9 | 10A-11 | | | 7 |
| <i>Scleranthus biflorus</i> Knawel | HP | | | | | | | |
| <i>Scleranthus uniflorus</i> See - <i>Scleranthus biflorus</i> | HP | 1.24 | G4 | 5-6 | 7-10A | | | 5 |
| <i>Scrophularia auriculata</i> Water Betony | HP | | | | | | | |
| <i>Scrophularia auriculata</i> 'Variegata' Variegated Water Figwort | HP | 1.24 | G4 | 5-6 | 7-10A | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Scrophularia californica</i> California Figwort | HP | 1.00 | G4 | | 7-9B | | | 7 |
| <i>Scrophularia marilandica</i> Late Figwort | HP | 1.00 | G4 | 5-6 | 7-10A | | | 7 |
| <i>Scutellaria alpina</i> Alpine Skullcap | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Scutellaria orientalis</i> No Common Name Found | HP | 0.97 | G4 | | 7-9B | | | 7 |
| <i>Seaforthia elegans</i> See - <i>Ptychosperma elegans</i> | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Securidaca longipedunculata</i> Violet Tree | HP | 0.76 | G4 | 5-7 | 8-10B | | | 5 |
| <i>Sedum acre</i> Gold Moss Stonecrop | HP | 0.68 | G4 | 5-7 | 8-10B | | | 6 |
| <i>Sedum album</i> Worm Grass | HP | 0.68 | G4 | 5-7 | 8-10B | | | 6 |
| <i>Sedum album</i> 'Chubby Fingers' Chubby Fingers Worm Grass | HP | 0.96 | G4 | 5-7 | 8-10B | | | 6 |
| <i>Sedum album</i> 'Coral Carpet' Coral Carpet Worm Grass | HP | 0.84 | G4 | 5-7 | 8-10B | | | 6 |
| <i>Sedum album</i> 'Murale' Murale Worm Grass | HP | 0.82 | G4 | | 8-9B | | | 8 |
| <i>Sedum cauticolum</i> See - <i>Hylotelephium cauticolum</i> | HP | 0.88 | G4 | | 7-9B | | | 7 |
| <i>Sedum dasypphyllum</i> Leafy Stonecrop | HP | 0.81 | G4 | | 7-9B | | | 7 |
| <i>Sedum erythrostictum</i> See - <i>Hylotelephium erythrostictum</i> | HP | 0.79 | G4 | | 8-9B | | | 8 |
| <i>Sedum ewersii</i> See - <i>Hylotelephium ewersii</i> | HP | 0.97 | G4 | | 7-9B | | | 7 |
| <i>Sedum floriferum</i> No Common Name Found | HP | 0.83 | G4 | | 7-9B | | | 7 |
| <i>Sedum floriferum</i> 'Weihenstephaner Gold' Weihenstephaner Gold Stonecrop | HP | 0.83 | G4 | | 7-9B | | | 7 |
| <i>Sedum hispanicum</i> Mexican Stonecrop | HP | 0.83 | G4 | | 7-9B | | | 8 |
| <i>Sedum japonicum</i> No Common Name Found | HP | 0.77 | G4 | | 7-9B | | | 7 |
| <i>Sedum kamtschaticum</i> Kamschatka Stonecrop | HP | 0.83 | G4 | | 7-9B | | | 7 |
| <i>Sedum kamtschaticum</i> 'Ellacombianum' Ellacombianum Kamschatka Stonecrop | HP | 0.83 | G4 | | 7-9B | | | 7 |
| <i>Sedum kamtschaticum</i> 'Variegatum' Variegated Kamschatka Stonecrop | HP | 1.01 | G4 | | 7-9B | | | 7 |
| <i>Sedum lineare</i> No Common Name Found | HP | 1.01 | G4 | | 7-9B | | | 7 |
| <i>Sedum lineare</i> 'Variegatum' Variegated Stonecrop | HP | 1.01 | G4 | | 7-9B | | | 7 |
| <i>Sedum obtusatum</i> No Common Name Found | HP | 0.97 | G4 | | 8-9B | | | 8 |
| <i>Sedum oreganum</i> Oregon Stonecrop | HP | 0.86 | G4 | | 6-9A | | | 6 |
| <i>Sedum reflexum</i> Stone Orpine | HP | 0.88 | G4 | | 7-9B | | | 7 |
| <i>Sedum reflexum</i> 'Blue Spruce' Blue Spruce Stone Orpine | HP | 0.90 | G4 | | 7-9B | | | 7 |
| <i>Sedum reflexum</i> 'Cristatum' Cristatum Stone Orpine | HP | 0.96 | G4 | | 7-9B | | | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sedum reflexum</i> 'Forsteranum' Forsteranum Stone Orpine | HP | 0.68 | G4 | | 7-9B | | | 7 |
| <i>Sedum reflexum</i> 'Iceberg' Iceberg Stone Orpine | HP | 0.68 | G4 | | 7-9B | | | 7 |
| <i>Sedum rupestre</i> See - <i>Sedum reflexum</i> | HP | 0.65 | G4 | | 7-9B | | | 7 |
| <i>Sedum sarmentosum</i> Stringy Stonecrop | HP | 1.01 | G4 | | 7-9B | | | 7 |
| <i>Sedum senanense</i> See - <i>Sedum japonicum</i> | HP | 0.75 | G4 | | 7-9B | | | 7 |
| <i>Sedum sexangulare</i> No Common Name Found | HP | 0.84 | G4 | | 7-9B | | | 7 |
| <i>Sedum sieboldii</i> See - <i>Hylotelephium sieboldii</i> | HP | 0.97 | G4 | | 7-9B | | | 7 |
| <i>Sedum spathulifolium</i> Stonecrop | HP | 0.75 | G4 | | 7-9B | | | 7 |
| <i>Sedum spathulifolium</i> 'Cape Blanco' Cape Blanco Stonecrop | HP | 0.84 | G4 | | 7-9B | | | 7 |
| <i>Sedum spathulifolium</i> 'Purpureum' Purpureum Stonecrop | HP | 0.97 | G4 | | 7-9B | | | 7 |
| <i>Sedum spathulifolium</i> 'Red Chalk' Red Chalk Stonecrop | HP | 0.75 | G4 | | 7-9B | | | 7 |
| <i>Sedum spectabile</i> See - <i>Hylotelephium spectabile</i> | HP | 0.83 | G4 | | 4-11 | | | 3 |
| <i>Sedum spurium</i> Two Row Stonecrop | HP | 0.92 | G4 | | 4-11 | | | 3 |
| <i>Sedum spurium</i> 'Bronze Carpet' Bronze Carpet Two Row Stonecrop | HP | 0.83 | G4 | | 4-11 | | | 3 |
| <i>Sedum spurium</i> 'Dragon's Blood' Dragon's Blood Two Row Stonecrop | HP | 0.93 | G4 | | 4-11 | | | 3 |
| <i>Sedum spurium</i> 'Fuldaglut' Fuldaglut Two Row Stonecrop | HP | 1.10 | G4 | | 4-11 | | | 3 |
| <i>Sedum spurium</i> 'Purpurteppich' Purpurteppich Two Row Stonecrop | HP | 1.14 | G4 | | 4-11 | | | 3 |
| <i>Sedum spurium</i> 'Red Carpet' Red Carpet Two Row Stonecrop | HP | 1.02 | G4 | | 4-11 | | | 3 |
| <i>Sedum spurium</i> 'Ruby Glow' Ruby Glow Two Row Stonecrop | HP | 0.96 | G4 | | 4-11 | | | 3 |
| <i>Sedum spurium</i> 'Ruby Mantle' Ruby Mantle Two Row Stonecrop | HP | 1.13 | G4 | | 4-11 | | | 3 |
| <i>Sedum spurium</i> 'Tricolor' Tricolor Two Row Stonecrop | HP | 0.83 | G4 | | 4-11 | | | 3 |
| <i>Sedum spurium</i> 'Yellow Carpet' Yellow Carpet Two Row Stonecrop | HP | 1.00 | G4 | | 7-9B | | | 7 |
| <i>Sedum stoloniferum</i> Pink Stonecrop | HP | | | | | | | |
| <i>Sedum telephium</i> See - <i>Hylotelephium telephium</i> | HP | 0.74 | G4 | 6 | 7-9B | | | 6 |
| <i>Sedum ternatum</i> Whorled Stonecrop | HP | 1.20 | G4 | 6 | 7-9B | | | 6 |
| <i>Selaginella kraussiana</i> Spreading Clubmoss | FO | 1.00 | G3 | 9-10A | 10B-11 | | | 9 |
| <i>Selaginella uncinata</i> Peacock Moss | FO | 0.42 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Selaginella willdenovii</i> Peacock Fern | FO | 0.44 | G3 | 8-10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Semiaquilegia adoxoides</i> | HP | 1.00 | G4 | | 6-9B | | | 6 |
| No Common Name Found | | | | | | | | |
| <i>Semiaquilegia ecalcarata</i> | HP | 0.97 | G4 | | 6-9B | | | 6 |
| No Common Name Found | | | | | | | | |
| <i>Semiarundinaria fastuosa</i> | BS | 1.14 | G1 | | 7-9B | | | 1.00 |
| Narihira Bamboo | | | | | | | | 7 |
| <i>Sempervivum</i> | HP | 0.75 | G4 | 5-6 | 7-9B | | | 4 |
| Houseleek | | | | | | | | |
| <i>Sempervivum 'Pekinese'</i> | HP | 0.75 | G4 | 5-6 | 7-9B | | | 4 |
| Pekinese Houseleek | | | | | | | | |
| <i>Sempervivum arachnoideum</i> | HP | 0.88 | G4 | 5-6 | 7-9B | | | 5 |
| Cobweb Houseleek | | | | | | | | |
| <i>Sempervivum arachnoideum 'Kalinda'</i> | HP | 0.90 | G4 | 5-6 | 7-9B | | | 5 |
| Kalinda Cobweb Houseleek | | | | | | | | |
| <i>Sempervivum arachnoideum 'Red Beauty'</i> | HP | 0.93 | G4 | 5-6 | 7-9B | | | 5 |
| Red Beauty Cobweb Houseleek | | | | | | | | |
| <i>Sempervivum arachnoideum 'Red Cobweb'</i> | HP | 0.90 | G4 | 5-6 | 7-9B | | | 5 |
| Red Cobweb Houseleek | | | | | | | | |
| <i>Sempervivum arachnoideum 'Silverine'</i> | HP | 0.90 | G4 | 5-6 | 7-9B | | | 5 |
| Silverine Cobweb Houseleek | | | | | | | | |
| <i>Sempervivum arachnoideum 'Stansfieldii'</i> | HP | 0.75 | G4 | 5-6 | 7-9B | | | 5 |
| Stansfield Cobweb Houseleek | | | | | | | | |
| <i>Sempervivum arachnoideum</i> var. <i>tomentosum</i> | HP | 0.71 | G4 | 5-6 | 7-9B | | | 5 |
| Tomentosum Cobweb Houseleek | | | | | | | | |
| <i>Sempervivum montanum</i> | HP | 0.68 | G4 | 5-6 | 7-9B | | | 5 |
| Gray-Green Houseleek | | | | | | | | |
| <i>Sempervivum montanum</i> var. <i>brauni</i> | HP | 0.68 | G4 | 5-6 | 7-9B | | | 5 |
| Brauni Gray-Green Houseleek | | | | | | | | |
| <i>Sempervivum purpureum</i> | HP | 0.68 | G4 | 5-6 | 7-9B | | | 5 |
| Purple Houseleek | | | | | | | | |
| <i>Sempervivum tectorum</i> | HP | 1.05 | G4 | | 5-10A | | | 4 |
| Hens & Chicks | | | | | | | | |
| <i>Senecio aureus</i> | | | | | | | | |
| See - <i>Packera aurea</i> | | | | | | | | |
| <i>Senecio cineraria</i> | HP | 0.66 | G4 | 1-8 | 9A-10A | | | 8 |
| Dusty Miller | | | | | | | | |
| <i>Senecio confusus</i> | | | | | | | | |
| See - <i>Pseudogynoxys chenopodioides</i> | | | | | | | | |
| <i>Senecio doria</i> | HP | 1.01 | G4 | 6-8 | 9A-11 | | | 6 |
| No Common Name Found | | | | | | | | |
| <i>Senecio greyi</i> | | | | | | | | |
| See - <i>Brachyglossis greyi</i> | | | | | | | | |
| <i>Senecio x hybridus</i> | | | | | | | | |
| See - <i>Pericallis x hybridus</i> | | | | | | | | |
| <i>Senecio macroglossus</i> | GC | 1.46 | G4 | | 10A-11 | | | 1.00 |
| Natal Ivy | | | | | | | | 10 |
| <i>Senecio macroglossus</i> 'Variegatus' | GC | 1.46 | G4 | | 10A-11 | | | 1.00 |
| Variegated Natal Ivy | | | | | | | | 10 |
| <i>Senecio mandraliscae</i> | HP | 1.00 | G2 | | 9A-11 | | | 9 |
| Groundsel | | | | | | | | |
| <i>Senecio mikanioides</i> | | | | | | | | |
| See - <i>Delairea odorata</i> | | | | | | | | |
| <i>Senecio serpens</i> | HP | 1.00 | G2 | | 9A-11 | | | 9 |
| Blue Chalksticks | | | | | | | | |
| <i>Senecio smithii</i> | HP | 0.91 | G4 | | 7-10B | | | 7 |
| No Common Name Found | | | | | | | | |
| <i>Senecio tanguticus</i> | | | | | | | | |
| See - <i>Sinacalia tangutica</i> | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Senecio viravira</i> Dusty Miller | HP | 1.00 | G4 | | 8-10A | | | 8 |
| <i>Senna alata</i> Ringworm Cassia | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Senna artemisioides</i> Feathery Cassia | BS | 0.57 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Senna australis</i> No Common Name Found | BS | 0.81 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Senna bicapsularis</i> Bicapsularis Senna | BS | 0.68 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Senna candolleana</i> New Zealand Senna | BS | 0.59 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Senna corymbosa</i> Summer Senna | BE | 0.79 | G1 | 8-10A | 10B-11 | 1.00 | 1.00 | 8 |
| <i>Senna didymobotrya</i> Popcorn Bush | BE | 0.99 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Senna hebecarpa</i> Wild Senna | BS | 0.79 | G1 | 10A | 10B-11 | | | 1.00 5 |
| <i>Senna multijuga</i> November Shower Tree | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Senna nemophila</i> Desert Cassia | BS | 0.53 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Senna oligophylla</i> No Common Name Found | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Senna pallida</i> No Common Name Found | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Senna phyllodinea</i> Silver Cassia | BS | 0.60 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Senna polyphylla</i> No Common Name Found | BE | 0.95 | G1 | 10A | 10B-11 | 1.00 | 1.13 | 10 |
| <i>Senna siamea</i> Kassod Tree | BE | 1.62 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Senna spectabilis</i> No Common Name Found | BE | 1.11 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Senna splendida</i> Golden Wonder Senna Tree | BE | 0.94 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Senna sturtii</i> No Common Name Found | BE | 0.61 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Sequoia sempervirens</i> Coast Redwood | CE | 1.19 | G1 | 8 | 9A-10A | 1.00 | 1.00 | 8 |
| <i>Sequoia sempervirens</i> 'Adpressa' Adpressa Coast Redwood | CE | 1.48 | G1 | 8 | 9A-10A | 1.00 | 1.00 | 8 |
| <i>Sequoia sempervirens</i> 'Albospica' See - <i>Sequoia sempervirens</i> 'Adpressa' | CE | 0.78 | G1 | 8 | 9A-10A | 1.00 | 1.00 | 8 |
| <i>Sequoia sempervirens</i> 'Aptos Blue' Aptos Blue Coast Redwood | CE | 0.74 | G1 | 8 | 9A-10A | 1.00 | 1.00 | 8 |
| <i>Sequoia sempervirens</i> 'Cantab' Cantab Coast Redwood | CE | 0.74 | G1 | 8 | 9A-10A | 1.00 | 1.00 | 8 |
| <i>Sequoia sempervirens</i> 'Glauc'a' Blue Coast Redwood | CE | 1.48 | G1 | 8 | 9A-10A | 1.00 | 1.00 | 8 |
| <i>Sequoia sempervirens</i> 'Henderson Blue' Henderson Blue Coast Redwood | CE | 0.74 | G1 | 8 | 9A-10A | 1.00 | 1.00 | 8 |
| <i>Sequoia sempervirens</i> 'Los Altos' Los Altos Coast Redwood | CE | 0.74 | G1 | 8 | 9A-10A | 1.00 | 1.00 | 8 |
| <i>Sequoia sempervirens</i> 'Majestic Beauty' See - <i>Sequoia sempervirens</i> 'Monty' | CE | 0.87 | G1 | 8 | 9A-10A | 1.00 | 1.00 | 8 |
| <i>Sequoia sempervirens</i> 'Monty' Majestic Beauty™ Coast Redwood | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Sequoia sempervirens</i> 'Nana Pendula' Nana Pendula Coast Redwood | CE | 1.48 | G1 | 8 | 9A-10A | 1.00 | 1.00 | 8 |
| <i>Sequoia sempervirens</i> 'Santa Cruz' Santa Cruz Coast Redwood | CE | 0.77 | G1 | 8 | 9A-10A | 1.00 | 1.00 | 8 |
| <i>Sequoia sempervirens</i> 'Simpson's Silver' Simpson's Silver Coast Redwood | CE | 0.74 | G1 | 8 | 9A-10A | 1.00 | 1.00 | 8 |
| <i>Sequoia sempervirens</i> 'Soquel' Soquel Coast Redwood | CE | 0.78 | G1 | 8 | 9A-10A | 1.00 | 1.00 | 8 |
| <i>Sequoiadendron giganteum</i> Giant Sequoia | CE | 0.77 | G1 | | 7-9A | 1.00 | 0.91 | 7 |
| <i>Sequoiadendron giganteum</i> 'Glauicum' Glauicum Giant Sequoia | CE | 1.48 | G1 | | 7-9A | 1.00 | 0.91 | 7 |
| <i>Sequoiadendron giganteum</i> 'Hazel Smith' Hazel Smith Giant Sequoia | CE | 1.48 | G1 | | 7-9A | 1.00 | 0.91 | 7 |
| <i>Sequoiadendron giganteum</i> 'Pendulum' Pendulum Giant Sequoia | CE | 1.49 | G1 | | 7-9A | 1.00 | 1.23 | 7 |
| <i>Sequoiadendron giganteum</i> 'Variegata' Variegated Giant Sequoia | CE | 1.71 | G1 | | 7-9A | 1.00 | 0.91 | 7 |
| <i>Serenoa repens</i> Saw Palmetto | BS | 1.70 | G1 | | 7-11 | | 3.16 | 8 |
| <i>Seriphidium canum</i> Silver Sagebrush | HP | 1.00 | G1 | | 7-10A | | | 7 |
| <i>Seriphidium tridentatum</i> Common Sagebrush | BS | 0.77 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Serissa foetida</i> Yellow Rim | BS | 1.09 | G1 | | 9A-11 | | 1.00 | 10B |
| <i>Serissa foetida</i> 'Kyoto' Kyoto Yellow Rim | BS | 1.08 | G1 | | 9A-11 | | 1.00 | 10B |
| <i>Serissa foetida</i> 'Mount Fuji' Mount Fuji Yellow Rim | BS | 0.81 | G1 | | 9A-11 | | 1.00 | 10B |
| <i>Serissa foetida</i> 'Snow Rose' Snow Rose Yellow Rim | BS | 0.84 | G1 | | 9A-11 | | 1.00 | 10B |
| <i>Serissa foetida</i> 'Variegata Pink' Variegated Pink Yellow Rim | BS | 0.95 | G1 | | 9A-11 | | 1.00 | 10B |
| <i>Serissa foetida</i> 'Variegata' Variegated Yellow Rim | BS | 0.96 | G1 | | 9A-11 | | 1.00 | 10B |
| <i>Sesbania aegyptiaca</i> See - <i>Sesbania sesban</i> | BS | 1.13 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Sesbania grandiflora</i> Vegetable Hummingbird | BS | 1.17 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Sesbania punicea</i> False Poinciana | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 9 |
| <i>Sesbania sesban</i> No Common Name Found | BE | 0.96 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| <i>Sesbania tripetii</i> Scarlet Wisteria Tree | HP | 1.10 | G4 | 6 | 7-9A | | | 6 |
| <i>Sesleria autumnalis</i> Autumn Moor Grass | HP | 1.01 | G4 | 6 | 7-9A | | | 4 |
| <i>Sesleria caerulea</i> Blue Moor Grass | HP | 1.01 | G4 | 6 | 7-9A | | | 4 |
| <i>Sesleria heufleriana</i> Blue-green Moor Grass | HP | 1.00 | G4 | 6 | 7-9A | | | 6 |
| <i>Sesleria nitida</i> Grey Moor Grass | HP | 0.82 | G1 | 9 | 10A-11 | | | 9 |
| <i>Setaria palmifolia</i> Palm Grass | FO | 0.41 | G4 | 9B | 10A-11 | | | 9 |
| <i>Setcreasea pallida</i> Purple Heart | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Severinia buxifolia</i> Chineses Box Orange | BS | 0.72 | G1 | | 9A-11 | | 1.00 | 10 |
| <i>Shepherdia argentea</i> Silver Buffaloberry | BS | 0.69 | G1 | | 3-9B | | 1.00 | 2 |
| <i>Shepherdia canadensis</i> Russet Buffaloberry | DS | 1.00 | G1 | | 3-9B | | 1.00 | 2 |
| <i>Shibataea kumasasa</i> Okame-zasa | BS | 1.25 | G1 | 8 | 9A-10B | | 1.00 | 6 |
| <i>Sida fallax</i> Ilima | HP | 1.42 | G1 | 10A | 10B-11 | | | 11 |
| <i>Sidalcea candida</i> Wild Hollyhock | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Sidalcea malviflora</i> Checkerbloom | HP | 0.98 | G4 | | 5-8 | | | 6 |
| <i>Sidalcea malviflora</i> 'Brilliant' Brilliant Checkerbloom | HP | 0.99 | G4 | | 5-8 | | | 6 |
| <i>Sidalcea malviflora</i> 'Elsie Heugh' Elsie Heugh Checkerbloom | HP | 1.00 | G4 | | 5-8 | | | 6 |
| <i>Sidalcea malviflora</i> 'Mr. Lindbergh' Mr. Lindbergh Checkerbloom | HP | 1.21 | G4 | | 5-8 | | | 6 |
| <i>Sidalcea malviflora</i> 'Party Girl' Party Girl Checkerbloom | HP | 1.00 | G4 | | 5-8 | | | 6 |
| <i>Sidalcea malviflora</i> 'Rosanna' Rosanna Checkerbloom | HP | 1.01 | G4 | | 5-8 | | | 6 |
| <i>Sidalcea malviflora</i> 'Stark's Hybrid Mixture' Stark's Hybrid Mixture Checkerbloom | HP | 0.99 | G4 | | 5-8 | | | 6 |
| <i>Silene</i> Campion | HP | 0.89 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Silene</i> 'Longwood' Longwood Campion | HP | 0.89 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Silene armeria</i> Sweet William Catchfly | HP | 1.00 | G4 | 5-6 | 7-9A | | | 8 |
| <i>Silene caroliniana</i> Wild Pink | HP | 1.00 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Silene laciniata</i> Indian Pink | HP | 0.97 | G4 | | 7-9A | | | 7 |
| <i>Silene latifolia</i> No Common Name Found | HP | 1.10 | G4 | | 6-9A | | | 6 |
| <i>Silene pratensis</i> See - <i>Silene latifolia</i> | | | | | | | | |
| <i>Silene quadrifida</i> Alpine Catchfly | HP | 1.00 | G4 | 5-6 | 7-9A | | | 5 |
| <i>Silene regia</i> Royal Catchfly | HP | 1.07 | G4 | 5-6 | 7-9A | | | 4 |
| <i>Silene schafta</i> Schafta Campion | HP | 0.87 | G4 | | 5-8 | | | 4 |
| <i>Silene schafta</i> 'Splendens' Splendens Schaftha Campion | HP | 0.81 | G4 | | 5-8 | | | 4 |
| <i>Silene stellata</i> Starry Campion | HP | 1.00 | G4 | | 5-8 | | | 6 |
| <i>Silene uniflora</i> Sea Campion | HP | 0.97 | G4 | | 3-8 | | | 3 |
| <i>Silene uniflora</i> 'Robin Whitebreast' Robin Whitebreast Sea Campion | HP | 0.71 | G4 | | 3-8 | | | 3 |
| <i>Silene uniflora</i> 'Swan Lake' Swan Lake Sea Campion | HP | 1.08 | G4 | | 3-8 | | | 3 |
| <i>Silene vulgaris</i> ssp. <i>maritima</i> See - <i>Silene uniflora</i> | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Silphium integrifolium</i> Rosin Weed | HP | 1.00 | G4 | 5-9 | 10A-11 | | | 5 |
| <i>Silphium lacinatum</i> Compass Plant | HP | 1.03 | G4 | 5-9 | 10A-11 | | | 4 |
| <i>Silphium perfoliatum</i> Cup Plant | HP | 0.96 | G4 | 5-9 | 10A-11 | | | 4 |
| <i>Silphium terebinthinaceum</i> Prairie Dock | HP | 1.09 | G4 | 5-9 | 10A-11 | | | 4 |
| <i>Simarouba glauca</i> Paradise Tree | BE | 0.88 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10B |
| <i>Sinacalia tangutica</i> No Common Name Found | HP | 1.69 | G1 | 5-9 | 10A-11 | | | 5 |
| <i>Sinarundinaria nitida</i> See - <i>Fargesia nitida</i> | | | | | | | | |
| <i>Sinningia speciosa</i> Common Gloxinia | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Sinningia tubiflora</i> No Common Name Found | FO | 0.37 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Siphokentia beguinii</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10B |
| <i>Siphonochilus aethiopicus</i> No Common Name Found | HP | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Siphonochilus aethiopicus</i> 'Sunrise Trumpet' Sunrise Trumpet Ginger Lily | HP | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Siphonochilus decorus</i> Dwarf Ginger Lily | HP | 1.08 | G1 | 10A | 10B-11 | | | 10 |
| <i>Siphonochilus kirkii</i> No Common Name Found | HP | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Siphonochilus kirkii</i> 'Pink Trumpet' Pink Trumpet Ginger Lily | HP | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Sisyrinchium</i> Sisyrinchium | HP | 0.97 | G4 | | 8-10B | | | 4 |
| <i>Sisyrinchium</i> 'E.K. Balls' E.K. Balls Sisyrinchium | HP | 0.97 | G4 | | 8-10B | | | 4 |
| <i>Sisyrinchium albidum</i> No Common Name Found | HP | 1.00 | G4 | 4-7 | 8-10B | | | 4 |
| <i>Sisyrinchium atlanticum</i> No Common Name Found | HP | 0.89 | G4 | 5-7 | 8-10B | | | 6 |
| <i>Sisyrinchium bellum</i> Blue-eyed Grass | HP | 0.87 | G4 | | 8-10A | | | 8 |
| <i>Sisyrinchium bellum</i> 'Arroyo de la Cruz' Arroyo de la Cruz Blue-Eyed Grass | HP | 0.97 | G4 | | 8-10A | | | 8 |
| <i>Sisyrinchium bellum</i> 'Figueroa' Figueroa Blue-Eyed Grass | HP | 0.97 | G4 | | 8-10A | | | 8 |
| <i>Sisyrinchium bellum</i> 'H Bar H White' H Bar H White Blue-Eyed Grass | HP | 0.97 | G4 | | 8-10A | | | 8 |
| <i>Sisyrinchium bellum</i> 'Merk's White' Merk's White Blue-Eyed Grass | HP | 0.97 | G4 | | 8-10A | | | 8 |
| <i>Sisyrinchium bellum</i> 'Occidental' Occidental Blue-Eyed Grass | HP | 0.97 | G4 | | 8-10A | | | 8 |
| <i>Sisyrinchium californicum</i> California Yellow-Eyed Grass | HP | 0.97 | G4 | | 8-10A | | | 8 |
| <i>Sisyrinchium campestre</i> Prairie Blue-Eyed Grass | HP | 1.00 | G4 | 5-7 | 8-10B | | | 5 |
| <i>Sisyrinchium convolutum</i> No Common Name Found | HP | 0.97 | G4 | | 9-11 | | | 9 |
| <i>Sisyrinchium striatum</i> Argentine Blue-Eyed Grass | HP | 0.77 | G4 | | 8-10B | | | 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Skimmia japonica</i> Japanese Skimmia | BS | 1.18 | G1 | 7-8 | | | 1.00 | 7 |
| <i>Skimmia japonica</i> 'Teufel's Dwarf' Teufel's Dwarf Japanese Skimimia | BS | 1.18 | G1 | 7-8 | | | 1.00 | 7 |
| <i>Skimmia reevesiana</i> Reeves Skimmia | BS | 1.06 | G1 | 7-8 | | | 1.00 | 7 |
| <i>Smilacina racemosa</i> False Solomon Seal | HP | 1.02 | G4 | | 4-7 | | | 4 |
| <i>Sobralia macrantha</i> No Common Name Found | FO | 0.48 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Sobralia xantholeuca</i> No Common Name Found | FO | 2.71 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Sobralia xantholeuca</i> 'Super Select' Super Select Orchid | FO | 3.39 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Solandra grandiflora</i> No Common Name Found | GC | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Solandra guttata</i> Goldcup | GC | 1.16 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Solandra maxima</i> Cup of Gold Vine | GC | 1.31 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Solanum aviculare</i> Kangaroo Apple | BS | 0.77 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Solanum crispum</i> Nightshade | BS | 1.00 | G2 | | 8-10B | | 1.00 | 8 |
| <i>Solanum crispum</i> 'Glasnevin' Glasnevin Nightshade | GC | 0.94 | G2 | | 8-10B | | 1.00 | 8 |
| <i>Solanum jasminoides</i> Potato Vine | GC | 1.01 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Solanum jasminoides</i> 'Grandiflora' Grandiflora Potato Vine | GC | 1.20 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Solanum jasminoides</i> 'Variegatum' Variegated Potato Vine | GC | 1.01 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Solanum macranthum</i> See - <i>Solanum wrightii</i> | | | | | | | | |
| <i>Solanum rantonnetii</i> Blue Potato Vine | GC | 0.85 | G1 | 9 | 10A-11 | | 1.00 | 10B |
| <i>Solanum rantonnetii</i> 'Royal Robe' Royal Robe Blue Potato Vine | GC | 0.81 | G1 | 9 | 10A-11 | | 1.00 | 10B |
| <i>Solanum wrightii</i> Potato Tree | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Solanum xantii</i> Purple Nightshade | GC | 0.89 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Soleirolia soleirolii</i> Baby's Tears | GC | 0.93 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Solenostemon scutellarioides</i> Garden Coleus | AN | 0.64 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Alabama Sunset' Alabama Sunset Garden Coleus | AN | 1.15 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Burgundy Sun' Burgundy Sun Garden Coleus | AN | 0.78 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Duck's Foot' Duck's Foot Garden Coleus | AN | 1.06 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Freckles' Freckles Garden Coleus | AN | 1.15 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Frisbee Freckles' Frisbee Freckles Garden Coleus | AN | 0.95 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Plum Parfait' Plum Parfait Garden Coleus | AN | 0.78 | G1 | 10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|---------------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Solenostemon scutellarioides</i> 'Poncho' Poncho Garden Coleus | AN | 0.64 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Red Ruffle' Red Ruffle Garden Coleus | AN | 1.20 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Red Trailing' Red Trailing Garden Coleus | AN | 0.95 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Saber' Saber Garden Coleus | AN | 0.64 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Saint Valentine' Saint Valentine Garden Coleus | AN | 1.06 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Solar Eclipse' Solar Eclipse Garden Coleus | AN | 1.06 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Solar Flair' Solar Flair Garden Coleus | AN | 0.92 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Solar Furnace' Solar Furnace Garden Coleus | AN | 0.95 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Solar Shadow' Solar Shadow Garden Coleus | AN | 1.06 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Solar Spectrum' Solar Spectrum Garden Coleus | AN | 0.95 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Solar Sunrise' Solar Sunrise Garden Coleus | AN | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Sunset' Sunset Garden Coleus | AN | 1.06 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Tri-color' Tri-color Garden Coleus | AN | 1.06 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solenostemon scutellarioides</i> 'Wizard' Wizard Garden Coleus | AN | 0.64 | G1 | 10A | 10B-11 | | | 10 |
| <i>Solidago</i> Hybrid Goldenrod | HP | 0.93 | G4 | | | 4-8 | | 5 |
| <i>Solidago</i> 'Cloth of Gold' Cloth of Gold Goldenrod | HP | 0.93 | G4 | | | 4-8 | | 5 |
| <i>Solidago</i> 'Crown of Rays' Crown of Rays Goldenrod | HP | 1.00 | G4 | | | 4-8 | | 5 |
| <i>Solidago</i> 'Fireworks' Fireworks Goldenrod | HP | 1.02 | G4 | | | 4-8 | | 5 |
| <i>Solidago</i> 'Golden Baby' Golden Baby Goldenrod | HP | 1.04 | G4 | | | 4-8 | | 5 |
| <i>Solidago</i> 'Lauren' Lauren Goldenrod | HP | 0.93 | G4 | | | 4-8 | | 5 |
| <i>Solidago caesia</i> Wreath Goldenrod | HP | 1.00 | G4 | | | 4-8 | | 4 |
| <i>Solidago flexicaulis</i> Broad-Leaved Goldenrod | HP | 1.00 | G4 | | | 4-8 | | 4 |
| <i>Solidago glomerata</i> No Common Name Found | HP | 1.00 | G4 | | | 6-9A | | 6 |
| <i>Solidago nemoralis</i> Dyersweed Goldenrod | HP | 1.00 | G4 | | | 4-8 | | 3 |
| <i>Solidago ohioensis</i> Ohio Goldenrod | HP | 0.98 | G4 | | | 4-8 | | 5 |
| <i>Solidago riddellii</i> Riddell's Goldenrod | HP | 1.00 | G4 | | | 4-8 | | 4 |
| <i>Solidago rigida</i> Stiff Goldenrod | HP | 1.03 | G4 | | | 4-8 | | 4 |
| <i>Solidago speciosa</i> Noble Goldenrod | HP | 0.95 | G4 | | | 4-8 | | 5 |
| <i>Solidago sphacelata</i> No Common Name Found | HP | 1.01 | G4 | | | 4-8 | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| | | | | | | | | |
| <i>Solidago sphacelata</i> 'Golden Fleece' Golden Fleece Goldenrod | HP | 1.08 | G4 | | 4-8 | | | 5 |
| <i>Solidago stricta</i> No Common Name Found | HP | 0.89 | G4 | | 4-8 | | | 5 |
| x <i>Solidaster luteus</i> Golden Aster | HP | 1.32 | G1 | 6-9 | 10A-11 | | | 6 |
| x <i>Solidaster luteus</i> 'Lemore' Lemore Golden Aster | HP | 0.87 | G1 | 6-9 | 10A-11 | | | 6 |
| <i>Sollya fusiformis</i> See - <i>Sollya heterophylla</i> | BS | 0.81 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Sollya heterophylla</i> Australian Bluebell Creeper | BS | 0.81 | G2 | | 9A-11 | | 1.00 | 9 |
| <i>Sollya heterophylla</i> 'Alba' White Australian Bluebell Creeper | BE | 10.87 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Sommieria elegans</i> No Common Name Found | DT | 1.14 | G2 | | 8-10B | 1.00 | 1.16 | 8 |
| <i>Sophora affinis</i> Eve's Necklace | DT | 0.91 | G1 | 4-6 | 7-8 | 1.05 | 0.98 | 5 |
| <i>Sophora japonica</i> Japanese Pagodatree | DT | 0.91 | G1 | 4-6 | 7-8 | 1.06 | 0.98 | 5 |
| <i>Sophora japonica</i> 'PNI 5625' P.P. 2338 Regent® Japanese Pagodatree | DT | 0.91 | G1 | 4-6 | 7-8 | 1.05 | 0.98 | 5 |
| <i>Sophora japonica</i> 'Pendula' Weeping Japanese Pagodatree | DT | 0.91 | G1 | 4-6 | 7-8 | 1.05 | 0.98 | 5 |
| <i>Sophora japonica</i> 'Princeton Upright' P.P. 5524 Princeton Upright Japanese Pagodatree | DT | 0.91 | G1 | 4-6 | 7-8 | 1.07 | 0.98 | 5 |
| <i>Sophora japonica</i> 'Regent' See - <i>Sophora japonica</i> 'PNI 5625' P.P. 2338 | BE | 1.00 | G2 | | 8-10B | 1.00 | 1.00 | 8 |
| <i>Sophora microphylla</i> No Common Name Found | BE | 1.10 | G1 | 8-9A | 9B-10A | 1.00 | 2.97 | 8 |
| <i>Sophora secundiflora</i> Texas Mountain Laurel | BS | 0.57 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Sophora tomentosa</i> Silverbush | FO | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Sophronitis cernua</i> No Common Name Found | DS | 0.92 | G1 | 6-9 | 10A-11 | | 0.70 | 2 |
| <i>Sorbaria sorbifolia</i> Ural False Spirea | DT | 1.00 | G1 | | 3-7 | 0.83 | 0.40 | 6 |
| <i>Sorbus alnifolia</i> Korean Mountain Ash | DT | 1.00 | G1 | | 3-7 | 0.83 | 0.40 | 6 |
| <i>Sorbus alnifolia</i> 'Erecta' Upright Korean Mountain Ash | DT | 1.00 | G1 | | 3-7 | 1.04 | 1.00 | 2 |
| <i>Sorbus americana</i> American Mountain Ash | DT | 0.83 | G1 | | 3-7 | 0.86 | 0.42 | 2 |
| <i>Sorbus aucuparia</i> European Mountain Ash | DT | 0.75 | G1 | | 3-7 | 0.86 | 0.42 | 2 |
| <i>Sorbus aucuparia</i> '(Unnamed Cultivar 01)' Columbia Queen® European Mountain Ash | DT | 0.80 | G1 | | 3-7 | 0.86 | 0.42 | 2 |
| <i>Sorbus aucuparia</i> '(Unnamed Cultivar 02)' Coral Fire® European Mountain Ash | DT | 0.75 | G1 | | 3-7 | 0.86 | 0.42 | 2 |
| <i>Sorbus aucuparia</i> 'Asplenifolia' Asplenifolia European Mountain Ash | DT | 0.75 | G1 | | 3-7 | 0.86 | 0.42 | 2 |
| <i>Sorbus aucuparia</i> 'Black Hawk' Black Hawk European Mountain Ash | DT | 0.75 | G1 | | 3-7 | 0.86 | 0.42 | 2 |
| <i>Sorbus aucuparia</i> 'Brilliant Yellow' Brilliant Yellow European Mountain Ash | DT | 0.75 | G1 | | 3-7 | 0.86 | 0.42 | 2 |
| See - <i>Sorbus aucuparia</i> 'Michred' P.P. 3114 | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|---|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sorbus aucuparia</i> 'Columbia Queen' | | | | | | | | |
| See - | <i>Sorbus aucuparia</i> '(Unnamed Cultivar 01)' | | | | | | | |
| <i>Sorbus aucuparia</i> 'Coral Fire' | | | | | | | | |
| See - | <i>Sorbus aucuparia</i> '(Unnamed Cultivar 02)' | | | | | | | |
| <i>Sorbus aucuparia</i> 'Edulis' | DT | 0.75 | G1 | | 3-7 | 0.86 | 0.42 | 2 |
| Edulis European Mountain Ash | | | | | | | | |
| <i>Sorbus aucuparia</i> 'Fastigiata' | DT | 0.75 | G1 | | 3-7 | 0.86 | 0.42 | 2 |
| Fastigiata European Mountain Ash | | | | | | | | |
| <i>Sorbus aucuparia</i> 'King Midas' | DT | 0.75 | G1 | | 3-7 | 0.86 | 0.42 | 2 |
| King Midas European Mountain Ash | | | | | | | | |
| <i>Sorbus aucuparia</i> 'Meinichii' | DT | 0.75 | G1 | | 3-7 | 0.86 | 0.42 | 2 |
| Meinichii Mountain Ash | | | | | | | | |
| <i>Sorbus aucuparia</i> 'Michred' P.P. 3114 | DT | 0.90 | G1 | | 3-7 | 0.86 | 0.44 | 2 |
| Cardinal Royal™ European Mountain Ash | | | | | | | | |
| <i>Sorbus aucuparia</i> 'Pendula' | DT | 0.75 | G1 | | 3-7 | 0.86 | 0.42 | 2 |
| Weeping European Mountain Ash | | | | | | | | |
| <i>Sorbus aucuparia</i> 'Rossica' | DT | 0.75 | G1 | | 3-7 | 1.04 | 0.42 | 2 |
| Rossica Mountain Ash | | | | | | | | |
| <i>Sorbus aucuparia</i> 'Xanthocarpa' | DT | 0.75 | G1 | | 3-7 | 0.86 | 0.42 | 2 |
| Xanthocarpa European Mountain Ash | | | | | | | | |
| <i>Sorbus decora</i> | DT | 0.88 | G1 | | 3-7 | 1.03 | 1.00 | 2 |
| Showy Mountain Ash | | | | | | | | |
| <i>Sorbus hybrida</i> | DT | 0.90 | G1 | | 3-7 | 1.00 | 1.00 | 5 |
| Oak-leaved Mountain Ash | | | | | | | | |
| <i>Sorbus rufoferruginea</i> | DT | 1.00 | G1 | | 3-7 | 1.00 | 1.00 | 6 |
| No Common Name Found | | | | | | | | |
| <i>Sorbus rufoferruginea</i> 'Longwood Sunset' | DT | 1.00 | G1 | | 3-7 | 1.00 | 1.00 | 6 |
| Longwood Sunset™ Mountain Ash | | | | | | | | |
| <i>Sorbus scopulina</i> | BS | 0.74 | G1 | | 3-7 | | 1.00 | 5 |
| No Common Name Found | | | | | | | | |
| <i>Sorbus sitchensis</i> | DS | 1.00 | G1 | | 3-7 | | 1.00 | 5 |
| No Common Name Found | | | | | | | | |
| <i>Sorbus x thuringiaca</i> | DT | 1.00 | G4 | | 3-7 | 1.05 | 1.00 | 6 |
| Oak Leaf Mountain Ash | | | | | | | | |
| <i>Sorbus x thuringiaca</i> 'Leonard Springer' | DT | 1.00 | G1 | | 3-7 | 1.05 | 1.00 | 6 |
| Leonard Springer Oak Leaf Mountain Ash | | | | | | | | |
| <i>Sorbus x thuringiaca</i> 'Quercifolia' | DT | 1.00 | G1 | | 3-7 | 1.05 | 1.00 | 6 |
| Quercifolia Oak Leaf Mountain Ash | | | | | | | | |
| <i>Sorbus tianshanica</i> | DT | 1.00 | G1 | | 3-7 | 1.00 | 1.00 | 6 |
| Turkistan Mountain Ash | | | | | | | | |
| <i>Sorbus tianshanica</i> 'Dwarf crown' P.P. 4157 | DT | 1.00 | G1 | | 3-7 | 1.00 | 1.00 | 6 |
| Red Cascade™ Turkistan Mountain Ash | | | | | | | | |
| <i>Sorbus tianshanica</i> 'Red Cascade' | | | | | | | | |
| See - | <i>Sorbus tianshanica</i> 'Dwarf crown' P.P. 4157 | | | | | | | |
| <i>Sorghastrum avenaceum</i> | | | | | | | | |
| See - | <i>Sorghastrum nutans</i> | | | | | | | |
| <i>Sorghastrum nutans</i> | HP | 1.10 | G4 | | 5-9A | | | 5 |
| Indian Grass | | | | | | | | |
| <i>Sorghastrum nutans</i> 'Sioux Blue' | HP | 1.83 | G4 | | 5-9A | | | 5 |
| Sioux Blue Indian Grass | | | | | | | | |
| <i>Sorghastrum secundum</i> | HP | 0.69 | G4 | 8 | 9A-11 | | | 5 |
| No Common Name Found | | | | | | | | |
| <i>Sparaxis tricolor</i> | HP | 2.24 | G4 | 9A | 9B-11 | | | 9 |
| Harlequin Flower | | | | | | | | |
| <i>Sparganium erectum</i> | HP | 1.62 | G1 | 6-8 | 9-11 | | | 6 |
| Bur Reed | | | | | | | | |
| <i>Sparganium eurycarpum</i> | HP | 1.00 | G1 | 5-8 | 9A-11 | | | 5 |
| Great Bur Reed | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sparmannia africana</i> African Linden | BS | 0.87 | G2 | | 10A-11 | | 1.00 | 10 |
| <i>Spartina alterniflora</i> Saltwater Cordgrass | HP | 1.00 | G1 | | 5-9A | | | 5 |
| <i>Spartina pectinata</i> Prairie Cord Grass | HP | 0.77 | G1 | | 5-9A | | | 5 |
| <i>Spartina pectinata</i> 'Aureo-marginata' Aureo-marginata Prairie Cord Grass | HP | 1.22 | G1 | | 5-9A | | | 5 |
| <i>Spartium junceum</i> Spanish Broom | HP | 0.78 | G1 | 8 | 9A-11 | | | 8 |
| <i>Spathiphyllum</i> Spathiphyllum | FO | 0.56 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Ceres' P.P. 8844 Ceres Peace Lily | FO | 0.76 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Emerald Swirl' Emerald Swirl Peace Lily | FO | 0.86 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Gorgusis No. 1' P.P. 6964 Sensation™ Peace Lily | FO | 0.92 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Jetty' P.P. 9957 Jetty Peace Lily | FO | 0.83 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Knockout' Knockout Peace Lily | FO | 0.56 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Linda' Linda Peace Lily | FO | 0.77 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Lynise' P.P. 6145 Lynise Peace Lily | FO | 0.78 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Mauna Loa' Mauna Loa Peace Lily | FO | 0.76 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Petite' Petite Peace Lily | FO | 0.77 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'S4' 10013 Sonya™ Peace Lily | FO | 0.56 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'S8' P.P. 9677 Sierra™ Peace Lily | FO | 0.77 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Sensation' See - <i>Spathiphyllum</i> 'Gorgusis No. 1' P.P. 6964 | | | | | | | | |
| <i>Spathiphyllum</i> 'Sierra' See - <i>Spathiphyllum</i> 'S8' P.P. 9677 | | | | | | | | |
| <i>Spathiphyllum</i> 'Sonya' See - <i>Spathiphyllum</i> 'S4' 10013 | | | | | | | | |
| <i>Spathiphyllum</i> 'Sparkle' P.P. 8367 Sparkle Peace Lily | FO | 0.83 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Starlight' Starlight Peace Lily | FO | 0.74 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Stephanie' P.P. 9943 Stephanie Peace Lily | FO | 0.83 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Supreme' Supreme Peace Lily | FO | 0.73 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Symphony' Symphony Peace Lily | FO | 0.78 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Tasson' Tasson Peace Lily | FO | 0.86 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum</i> 'Viscount' Viscount Peace Lily | FO | 0.74 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum wallisii</i> No Common Name Found | FO | 0.26 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Spathiphyllum wallisii</i> 'Clevelandii' Cleveland Peace Lily | FO | 0.26 | G3 | 8-10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Spathodea campanulata</i> African Tulip Tree | BE | 1.21 | G1 | 10A | 10B-11 | 1.00 | 1.60 | 10 |
| <i>Spathoglottis plicata</i> Phillippine Ground Orchid | HP | 1.86 | G4 | 10A | 10B-11 | | | 10 |
| <i>Sphaeralcea munroana</i> No Common Name Found | HP | 0.78 | G4 | | 5-9A | | | 4 |
| <i>Sphaeropteris cooperi</i> See - <i>Cyathea cooperi</i> | | | | | | | | |
| <i>Spiraea alba</i> Meadowsweet | DS | 0.77 | G1 | | 5-9B | | 0.68 | 5 |
| <i>Spiraea albiflora</i> See - <i>Spiraea japonica 'Albiflora'</i> | DS | 1.01 | G1 | | 4-9B | | 1.00 | 4 |
| <i>Spiraea x arguta</i> Garland Spirea | DS | 1.01 | G1 | | 4-9B | | 1.00 | 4 |
| <i>Spiraea x arguta 'Compacta'</i> Compact Garland Spirea | DS | 0.92 | G1 | | 5-9B | | 1.00 | 2 |
| <i>Spiraea betulifolia</i> Birchleaf Spirea | DS | 0.97 | G1 | | 4-9B | | 0.62 | 4 |
| <i>Spiraea x billardii</i> Billard Spirea | DS | 0.97 | G1 | | 4-9B | | 0.68 | 4 |
| <i>Spiraea x billardii 'Macrothyrsa'</i> Ever-blooming Pink Billard Spirea | DS | 1.18 | G1 | | 3-9B | | 0.86 | 3 |
| <i>Spiraea x billardii 'Triumphans'</i> Triumphans Billard Spirea | DS | 0.79 | G1 | | 3-9B | | 0.55 | 3 |
| <i>Spiraea x bumalda</i> Bumald Spirea | DS | 0.96 | G1 | | 3-9B | | 0.88 | 3 |
| <i>Spiraea x bumalda 'Anthony Waterer'</i> Anthony Waterer Bumald Spirea | DS | 0.92 | G1 | | 3-9B | | 0.55 | 3 |
| <i>Spiraea x bumalda 'Coccinea'</i> Dwarf Red Flowering Bumald Spirea | DS | 0.82 | G1 | | 3-9B | | 0.55 | 3 |
| <i>Spiraea x bumalda 'Crispa'</i> Crispleaf Bumald Spirea | DS | 1.01 | G1 | | 3-9B | | 0.89 | 3 |
| <i>Spiraea x bumalda 'Dart's Red'</i> Dart's Red Bumald Spirea | DS | 0.99 | G1 | | 3-9B | | 0.89 | 3 |
| <i>Spiraea x bumalda 'Dolchica'</i> Dolchica Bumald Spirea | DS | 0.97 | G1 | | 3-9B | | 0.55 | 3 |
| <i>Spiraea x bumalda 'Flaming Mound'</i> Flaming Mound Bumald Spirea | DS | 0.82 | G1 | | 3-9B | | 0.55 | 3 |
| <i>Spiraea x bumalda 'Fritchiana'</i> Fritchiana Bumald Spirea | DS | 0.79 | G1 | | 3-9B | | 0.55 | 3 |
| <i>Spiraea x bumalda 'Froebelii Compacta'</i> Compact Froebel Bumald Spirea | DS | 1.07 | G1 | | 3-9B | | 0.91 | 3 |
| <i>Spiraea x bumalda 'Froebelii'</i> Froebel Bumald Spirea | DS | 0.99 | G1 | | 3-9B | | 0.82 | 3 |
| <i>Spiraea x bumalda 'Glutinosa'</i> Glutinosa Bumald Spirea | DS | 0.79 | G1 | | 3-9B | | 0.55 | 3 |
| <i>Spiraea x bumalda 'Golden Princess'</i> See - <i>Spiraea x bumalda 'Lisp' P.P. 7537</i> | DS | 0.99 | G1 | | 3-9B | | 0.90 | 3 |
| <i>Spiraea x bumalda 'Goldflame'</i> Goldflame Bumald Spirea | DS | 0.98 | G1 | | 3-9B | | 0.95 | 3 |
| <i>Spiraea x bumalda 'Goldmound'</i> Goldmound Bumald Spirea | DS | 1.00 | G1 | | 3-9B | | 0.91 | 3 |
| <i>Spiraea x bumalda 'Gumball'</i> Gumball Bumald Spirea | | | | | | | | |
| <i>Spiraea x bumalda 'Limemound'</i> See - <i>Spiraea x bumalda 'Monhub' P.P. 5834</i> | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Spiraea x bumalda</i> 'Lisp' P.P. 7537 Golden Princess Bumald Spirea | DS | 1.05 | G1 | | 3-9B | | 0.55 | 3 |
| <i>Spiraea x bumalda</i> 'Monhub' P.P. 5834 Limemound™ Bumald Spirea | DS | 1.11 | G1 | | 3-9B | | 1.11 | 3 |
| <i>Spiraea canoniensis</i> Reeves Spirea | DS | 0.74 | G1 | | 6-9A | | 0.60 | 6 |
| <i>Spiraea canoniensis</i> 'Lanceata' Double Reeves Spirea | DS | 0.86 | G1 | | 6-9A | | 0.60 | 6 |
| <i>Spiraea x cinerea</i> No Common Name Found | DS | 1.02 | G1 | | 5-9A | | 0.93 | 5 |
| <i>Spiraea x cinerea</i> 'Grefsheim' Grefsheim Spirea | DS | 1.02 | G1 | | 5-9A | | 0.93 | 5 |
| <i>Spiraea densiflora</i> No Common Name Found | DS | 0.99 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Spiraea densiflora</i> 'Monvis' Summer Song™ Spirea | DS | 0.99 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Spiraea densiflora</i> 'Summer Song' See - <i>Spiraea densiflora</i> 'Monvis' | DS | 0.87 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Spiraea douglasii</i> Western Spirea | DS | 1.09 | G1 | | 6-9A | | 0.97 | 5 |
| <i>Spiraea fritschiana</i> Fritschiana Spirea | DS | 0.89 | G1 | | 3-8 | | 0.88 | 4 |
| <i>Spiraea japonica</i> Japanese Spirea | DS | 0.95 | G1 | | 3-8 | | 0.93 | 4 |
| <i>Spiraea japonica</i> 'Albiflora' Japanese White Spirea | DS | 1.04 | G1 | | 3-8 | | 0.97 | 4 |
| <i>Spiraea japonica</i> 'Alpina' Alpine Japanese Spirea | DS | 1.01 | G1 | | 3-8 | | 0.99 | 4 |
| <i>Spiraea japonica</i> 'Coccinea' Coccinea Japanese Spirea | DS | 0.89 | G1 | | 3-8 | | 0.88 | 4 |
| <i>Spiraea japonica</i> 'Dakota Goldcharm' See - <i>Spiraea japonica</i> 'Mertyann' | DS | 0.99 | G1 | | 3-8 | | 0.96 | 4 |
| <i>Spiraea japonica</i> 'Fortunei' Fortunei Japanese Spirea | DS | 1.02 | G1 | | 3-8 | | 0.93 | 4 |
| <i>Spiraea japonica</i> 'Little Princess' Little Princess Japanese Spirea | DS | 1.05 | G1 | | 3-8 | | 1.32 | 4 |
| <i>Spiraea japonica</i> 'Magic Carpet' See - <i>Spiraea japonica</i> 'Walbuma' P.P. 9363 | DS | 1.04 | G1 | | 3-8 | | 0.88 | 4 |
| <i>Spiraea japonica</i> 'Mertyann' Dakota Goldcharm® Japanese Spirea | DS | 1.02 | G1 | | 3-8 | | 0.88 | 4 |
| <i>Spiraea japonica</i> 'Neon Flash' Neon Flash Japanese Spirea | DS | 1.00 | G1 | | 3-8 | | 0.93 | 4 |
| <i>Spiraea japonica</i> 'Norman' Norman Japanese Spirea | DS | 1.04 | G1 | | 3-8 | | 0.88 | 4 |
| <i>Spiraea japonica</i> 'Shibori' Bi-Color Japanese Spirea | DS | 1.02 | G1 | | 3-8 | | 0.88 | 4 |
| <i>Spiraea japonica</i> 'Shirobana' Tri-Color Japanese Spirea | DS | 0.99 | G1 | | 3-8 | | 1.38 | 4 |
| <i>Spiraea japonica</i> 'Walbuma' P.P. 9363 Magic Carpet™ Japanese Spirea | DS | 1.05 | G1 | | 3-8 | | 1.08 | 4 |
| <i>Spiraea nipponica</i> Nippon Spirea | DS | 0.97 | G1 | | 3-8 | | 0.80 | 4 |
| <i>Spiraea nipponica</i> 'Halward's Silver' Halward's Silver Nippon Spirea | DS | 0.97 | G1 | | 3-8 | | 1.03 | 4 |
| <i>Spiraea nipponica</i> 'June Bride' June Bride Nippon Spirea | DS | 0.98 | G1 | | 3-8 | | 0.85 | 4 |
| <i>Spiraea nipponica</i> 'Snowmound' Snowmound Nippon Spirea | DS | 0.97 | G1 | | 3-8 | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Spiraea nipponica</i> var. <i>tosaensis</i> Tosa Nippon Spirea | DS | 1.00 | G1 | | 3-8 | | 1.00 | 4 |
| <i>Spiraea prunifolia</i> Bridalwreath Spirea | DS | 0.90 | G1 | | 4-8 | | 0.88 | 4 |
| <i>Spiraea prunifolia</i> 'Plena' Plena Bridalwreath Spirea | DS | 0.83 | G1 | | 4-8 | | 0.88 | 4 |
| <i>Spiraea reevesiana</i> See - <i>Spiraea cantoniensis</i> | | | | | | | | |
| <i>Spiraea thunbergii</i> Thunberg Spirea | DS | 0.92 | G1 | | 4-8 | | 0.75 | 4 |
| <i>Spiraea thunbergii</i> 'Fujino Pink' Fujino Pink Thunberg Spirea | DS | 1.10 | G1 | | 4-8 | | 1.00 | 4 |
| <i>Spiraea thunbergii</i> 'Mellow Yellow' See - <i>Spiraea thunbergii</i> 'Ogon' | | | | | | | | |
| <i>Spiraea thunbergii</i> 'Ogon' Mellow Yellow™ Thunberg Spirea | DS | 1.09 | G1 | | 4-8 | | 0.75 | 4 |
| <i>Spiraea tomentosa</i> Hard Hack | DS | 1.13 | G1 | | 3-9B | | 1.00 | 3 |
| <i>Spiraea tomentosa</i> 'Alba' White Hard Hack | DS | 1.13 | G1 | | 3-9B | | 1.00 | 3 |
| <i>Spiraea tomentosa</i> 'Rosea' Rosea Hard Hack | DS | 1.13 | G1 | | 3-9B | | 1.00 | 3 |
| <i>Spiraea trilobata</i> Threelobe Spirea | DS | 0.95 | G1 | | 5-9A | | 0.74 | 3 |
| <i>Spiraea trilobata</i> 'Fairy Queen' Fairy Queen Threelobe Spirea | DS | 0.95 | G1 | | 5-9A | | 0.74 | 3 |
| <i>Spiraea trilobata</i> 'Swan Lake' Swan Lake Threelobe Spirea | DS | 0.95 | G1 | | 5-9A | | 0.74 | 3 |
| <i>Spiraea x vanhouttei</i> Vanhoutte Spirea | DS | 0.86 | G1 | | 4-8 | | 0.75 | 3 |
| <i>Spiraea x vanhouttei</i> 'Renaissance' Renaissance Vanhoutte Spirea | DS | 0.97 | G1 | | 4-8 | | 0.97 | 3 |
| <i>Spiraea x vanhouttei</i> 'Snowwhite' Snowwhite Vanhoutte Spirea | DS | 0.89 | G1 | | 4-8 | | 0.99 | 3 |
| <i>Spodiopogon sibiricus</i> Silver Spike Grass | HP | 0.95 | G4 | | 7-10 | | | 7 |
| <i>Sporobolus heterolepis</i> Prairie Dropseed | HP | 1.16 | G1 | 9 | 10A-11 | | | 4 |
| <i>Sprekelia formosissima</i> Aztec Lily | HP | 0.95 | G4 | 8 | 9A-11 | | | 9 |
| <i>Stachys byzantina</i> Lamb's Ears | HP | 0.91 | G4 | | 5-9A | | | 5 |
| <i>Stachys byzantina</i> 'Cotton Boll' Cotton Boll Lamb's Ears | HP | 0.91 | G4 | | 5-9A | | | 5 |
| <i>Stachys byzantina</i> 'Countess Helene von Stein' Countess Helene von Stein Lamb's Ears | HP | 1.06 | G4 | | 5-9A | | | 5 |
| <i>Stachys byzantina</i> 'Primrose Heron' Primrose Heron Lamb's Ears | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Stachys byzantina</i> 'Silver Carpet' Silver Carpet Lamb's Ears | HP | 1.06 | G4 | | 5-9A | | | 5 |
| <i>Stachys coccinea</i> No Common Name Found | HP | 0.80 | G4 | | 7-9B | | | 7 |
| <i>Stachys grandiflora</i> Big Betony | HP | 1.19 | G4 | | 5-9A | | | 5 |
| <i>Stachys grandiflora</i> 'Superba' Superba Big Betony | HP | 1.19 | G4 | | 5-9A | | | 5 |
| <i>Stachys lanata</i> See - <i>Stachys byzantina</i> | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Stachys monieri</i> No Common Name Found | HP | 1.00 | G4 | | 5-9A | | | 2 |
| <i>Stachys officinalis</i> Common Betony | HP | 1.16 | G4 | | 5-9A | | | 5 |
| <i>Stachys officinalis</i> 'Rosea Superba' Rosea Superba Wood Betony | HP | 1.06 | G4 | | 5-9A | | | 5 |
| <i>Stachytarpheta frantzii</i> No Common Name Found | HP | 0.54 | G4 | 10A | 10B-11 | | | 10 |
| <i>Stachytarpheta jamaicensis</i> Blue Snakeweed | HP | 0.64 | G1 | 10A | 10B-11 | | | 10 |
| <i>Stachytarpheta mutabilis</i> Pink Snakeweed | HP | 0.79 | G1 | 10A | 10B-11 | | | 10 |
| <i>Stachytarpheta urticifolia</i> Blue Rat's Rail | HP | 0.56 | G1 | 10A | 10B-11 | | | 10 |
| <i>Stachyurus praecox</i> Spiketail | HP | 1.64 | G1 | | 7-9A | | | 7 |
| <i>Stanhopea embreei</i> No Common Name Found | FO | 2.61 | G1 | 10A | 10B-11 | | | 10 |
| <i>Stanhopea embreei</i> 'Tropical Splendor' Tropical Splendor Orchid | FO | 2.61 | G1 | 10A | 10B-11 | | | 10 |
| <i>Stanhopea gibbosa</i> No Common Name Found | FO | 1.78 | G1 | 10A | 10B-11 | | | 10 |
| <i>Stanhopea inodora</i> Stanhopea inodora | FO | 2.37 | G1 | 10A | 10B-11 | | | 10 |
| <i>Stanhopea inodora</i> 'Alba' No Common Name Found | FO | 2.37 | G1 | 10A | 10B-11 | | | 10 |
| <i>Stanhopea oculata</i> No Common Name Found | FO | 2.13 | G1 | 10A | 10B-11 | | | 10 |
| <i>Stanhopea panamensis</i> No Common Name Found | FO | 1.90 | G1 | 10A | 10B-11 | | | 10 |
| <i>Stanhopea panamensis</i> 'Chocolate Mint' Chocolate Mint Orchid | FO | 1.90 | G1 | 10A | 10B-11 | | | 10 |
| <i>Stanhopea tigrina</i> El Toro Orchid | FO | 3.39 | G1 | 10A | 10B-11 | | | 10 |
| <i>Stanhopea tigrina</i> 'Glory of Mexico' Glory of Mexico Orchid | FO | 3.39 | G1 | 10A | 10B-11 | | | 10 |
| <i>Stanhopea tricornis</i> No Common Name Found | FO | 1.78 | G1 | 10A | 10B-11 | | | 10 |
| <i>Stapelia gigantea</i> Giant Starfish Flower | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Statice gmelinii</i> See - <i>Limonium gmelinii</i> | | | | | | | | |
| <i>Statice latifolium</i> See - <i>Limonium latifolium</i> | | | | | | | | |
| <i>Statice perezii</i> See - <i>Limonium perezii</i> | | | | | | | | |
| <i>Stemmadenia galeottiana</i> See - <i>Stemmadenia litoralis</i> | | | | | | | | |
| <i>Stemmadenia litoralis</i> No Common Name Found | BS | 1.38 | G4 | | 10A-11 | | 1.00 | 10 |
| <i>Stenocarpus sinuatus</i> Firewheel Tree | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Stenoglottis longifolia</i> No Common Name Found | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Stenolobium stans</i> See - <i>Tecoma stans</i> | | | | | | | | |
| <i>Stenomesson variegatum</i> No Common Name Found | HP | 1.05 | G4 | | 8-9B | | | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Stephanandra incisa</i> Cutleaf Stephanandra | DS | 1.40 | G1 | | 3-7 | | 0.90 | 5 |
| <i>Stephanandra incisa 'Crispa'</i> Crispa Cutleaf Stephanandra | DS | 1.03 | G1 | | 3-7 | | 0.90 | 5 |
| <i>Stephanotis floribunda</i> Madagascar Jasmine | GC | 1.11 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Sterculia foetida</i> Indian Almond | BE | 1.00 | G4 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Stereospermum chelonoides</i> Yellow Snake Tree | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Stewartia koreana</i> See - <i>Stewartia pteropetiola</i> var. <i>koreana</i> | DS | 2.57 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Stewartia malacodendron</i> Silky Stewartia | DS | 1.46 | G1 | | 6-9B | 1.66 | 1.53 | 6 |
| <i>Stewartia monadelpha</i> Tall Stewartia | DT | 2.57 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Stewartia ovata</i> Mountain Stewartia | BS | 1.49 | G1 | | 5-8 | 1.51 | 1.79 | 5 |
| <i>Stewartia pseudocamellia</i> Japanese Stewartia | DT | 1.39 | G1 | | 5-8 | | 0.85 | 5 |
| <i>Stewartia pteropetiola</i> var. <i>koreana</i> Korean Stewartia | DT | 1.00 | G1 | | 7-10A | 1.00 | 1.00 | 7 |
| <i>Stewartia rostrata</i> Rostrata Japanese Stewartia | DT | 1.59 | G1 | | 6-9B | 1.00 | 1.00 | 6 |
| <i>Stewartia sinensis</i> Chinese Stewartia | GC | 1.23 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Stigmaphyllon ciliatum</i> Golden Vine | GC | 1.16 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Stigmaphyllon littorale</i> Brazilian Golden Vine | HP | 1.00 | G4 | 8 | 9A-10A | | | |
| <i>Stipa arundinacea</i> New Zealand Wind Grass | HP | 0.84 | G4 | 6-8 | | | | |
| <i>Stipa capillata</i> No Common Name Found | HP | 1.08 | G4 | 8 | 9A-10B | | | |
| <i>Stipa gigantea</i> Giant Feather Grass | HP | 2.27 | G4 | 8 | 9A-10B | | | |
| <i>Stipa pennata</i> European Feather Grass | HP | 1.40 | G4 | | 8-10B | | | |
| <i>Stipa pulchra</i> Purple Needle Grass | HP | 1.00 | G4 | | 8-10B | | | |
| <i>Stipa tenuissima</i> No Common Name Found | HP | 0.87 | G4 | | 5-10A | | | |
| <i>Stokesia laevis</i> Stokes' Aster | HP | 0.99 | G4 | | 5-10A | | | |
| <i>Stokesia laevis 'Alba'</i> White Stokes' Aster | HP | 0.97 | G4 | | 5-10A | | | |
| <i>Stokesia laevis 'Blue Danube'</i> Blue Danube Stokes' Aster | HP | 1.18 | G4 | | 5-10A | | | |
| <i>Stokesia laevis 'Klaus Jelitto'</i> Klaus Jelitto Stokes' Aster | HP | 1.03 | G4 | | 5-10A | | | |
| <i>Stokesia laevis 'Omega Skyrocket'</i> Omega Skyrocket Stokes' Aster | HP | 1.10 | G4 | | 5-10A | | | |
| <i>Stokesia laevis 'Silver Moon'</i> Silver Moon Stokes' Aster | HP | 0.97 | G4 | | 5-10A | | | |
| <i>Stokesia laevis 'Wyoming'</i> Wyoming Stokes' Aster | HP | 1.08 | G4 | | 5-10A | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Stranvaesia davidiana</i> See - <i>Photinia davidiana</i> | | | | | | | | |
| <i>Strelitzia nicolai</i> Giant Bird of Paradise | FO | 0.74 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Strelitzia reginae</i> Bird of Paradise Flower | HP | 1.08 | G4 | 10A | 10B-11 | | | 9 |
| <i>Strelitzia reginae</i> 'Kirstenbosch Gold' Kirstenbosch Gold Bird of Paradise | HP | 1.59 | G4 | 10A | 10B-11 | | | 9 |
| <i>Streptocarpus x hybridus</i> Hybrid Cape Primrose | HP | 1.31 | G1 | 10A | 10B-11 | | | 10 |
| <i>Streptocarpus x hybridus</i> 'Bavarian Series' Bavarian Series Hybrid Cape Primrose | HP | 1.43 | G1 | 10A | 10B-11 | | | 10 |
| <i>Streptocarpus x hybridus</i> 'Olympus Series' Olympus Series Hybrid Cape Primrose | HP | 1.43 | G1 | 10A | 10B-11 | | | 10 |
| <i>Streptosolen jamesonii</i> Orange Browallia | BS | 0.72 | G1 | 9 | 10A-11 | | 1.00 | 9 |
| <i>Strobilanthes dyerianus</i> Persian Shield | BS | 0.75 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Strobilanthes isophyllus</i> Bedding Conehead | BS | 0.70 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Stromanthus sanguinea</i> No Common Name Found | FO | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Strongylodon macrobotrys</i> Jade Vine | GC | 4.79 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Strophanthus gratus</i> Climbing Oleander | GC | 2.05 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Stylium adnatum</i> No Common Name Found | HP | 1.00 | G4 | 9A | 9B-10B | | | 9 |
| <i>Stylophorum diphyllum</i> Celandine Poppy | HP | 1.03 | G4 | | 6-8 | | | 7 |
| <i>Styrax americanum</i> No Common Name Found | DT | 0.53 | G1 | | 6-9A | 1.00 | 1.00 | 6 |
| <i>Styrax japonicum</i> Japanese Snowbell | DS | 1.21 | G1 | | 5-7 | | 1.10 | 5 |
| <i>Styrax japonicum</i> 'Carillon' Carillon Japanese Snowbell | DS | 1.21 | G1 | | 5-7 | | 1.10 | 5 |
| <i>Styrax japonicum</i> 'Kusan' Kusan Japanese Snowbell | DS | 1.21 | G1 | | 5-7 | | 1.10 | 5 |
| <i>Styrax japonicum</i> 'Pendula' Weeping Japanese Snowbell | DS | 1.21 | G1 | | 5-7 | | 1.10 | 5 |
| <i>Styrax japonicum</i> 'Pink Chimes' Pink Chimes Japanese Snowbell | DS | 2.21 | G1 | | 5-7 | | 1.83 | 5 |
| <i>Styrax obassia</i> Fragrant Snowbell | DT | 1.27 | G1 | | 6-8 | 1.37 | 1.14 | 6 |
| <i>Styrax officinale</i> No Common Name Found | DS | 1.11 | G1 | | 9A-10B | | 1.00 | 9 |
| <i>Sutherlandia frutescens</i> Balloon Pea | BS | 1.00 | G1 | 9B | 10A-11 | | 1.00 | 9 |
| <i>Swainsona galegifolia</i> Swan Flower | HP | 0.82 | G1 | 9B | 10A-11 | | | 9 |
| <i>Swietenia macrophylla</i> Honduras Mahogany | BE | 1.00 | G1 | | 10B-11 | 1.00 | 1.00 | 10B |
| <i>Swietenia mahogani</i> West Indian Mahogany | BE | 0.67 | G1 | 10A | 10B-11 | 1.19 | 0.70 | 10B |
| <i>Syagrus amara</i> Overtop Palm | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Syagrus coronata</i> Licury Palm | BE | 1.44 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Syagrus romanzoffiana</i> Queen Palm | BE | 0.78 | G1 | 9B | 10A-11 | 1.00 | 0.52 | 10 |
| <i>Syagrus sancona</i> Giant Foxtail Palm | BE | 0.86 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Syagrus schizophylla</i> Arikury Palm | BE | 1.44 | G1 | 10A | 10B-11 | 1.00 | 1.93 | 10 |
| <i>Symporicarpos albus</i> Common Snowberry | DS | 0.89 | G1 | | 3-7 | | 0.81 | 3 |
| <i>Symporicarpos albus</i> 'Ovatus' Ovatus Common Snowberry | DS | 0.89 | G1 | | 3-7 | | 0.81 | 3 |
| <i>Symporicarpos albus</i> var. <i>laevigatus</i> No Common Name Found | DS | 1.00 | G1 | | 3-7 | | 1.00 | 3 |
| <i>Symporicarpos</i> x <i>chenaultii</i> Chenault Coralberry | DS | 1.01 | G1 | | 4-8 | | 1.00 | 4 |
| <i>Symporicarpos</i> x <i>chenaultii</i> 'Hancock' Hancock Chenault Coralberry | DS | 0.90 | G1 | | 4-8 | | 1.00 | 4 |
| <i>Symporicarpos</i> x <i>doorenbosii</i> Doorenbos Hybrid Coralberry | DS | 1.00 | G1 | | 4-8 | | 0.59 | 4 |
| <i>Symporicarpos</i> x <i>doorenbosii</i> 'Magic Berry' Magic Berry Doorenbos Hybrid Coralberry | DS | 1.00 | G1 | | 4-8 | | 0.59 | 4 |
| <i>Symporicarpos</i> x <i>doorenbosii</i> 'White Hedge' White Hedge Coralberry | DS | 1.00 | G1 | | 4-8 | | 0.59 | 4 |
| <i>Symporicarpos mollis</i> Creeping Snowberry | DS | 0.79 | G1 | | 4-8 | | 1.00 | 7 |
| <i>Symporicarpos orbiculatus</i> Indiancurrant Coralberry | DS | 0.90 | G1 | | 3-7 | | 0.92 | 2 |
| <i>Symporicarpos orbiculatus</i> 'Aureovariegatus' Aureovariegatus Indiancurrant Coralberry | DS | 0.85 | G1 | | 3-7 | | 0.92 | 2 |
| <i>Symporicarpos orbiculatus</i> 'Spun Sugar' Spun Sugar Indiancurrant Coralberry | DS | 0.85 | G1 | | 3-7 | | 0.92 | 2 |
| <i>Sympyandra hoffmannii</i> No Common Name Found | HP | 0.97 | G4 | | 4-9A | | | 4 |
| <i>Sympyandra pendula</i> No Common Name Found | HP | 0.93 | G4 | | 6-9B | | | 6 |
| <i>Sympytum</i> Comfrey | HP | 1.04 | G4 | | 5-8 | | | 5 |
| <i>Sympytum</i> 'Goldsmith' Goldsmith Comfrey | HP | 1.64 | G4 | | 5-8 | | | 5 |
| <i>Sympytum</i> 'Hidcote Blue' Hidcote Blue Comfrey | HP | 1.04 | G4 | | 5-8 | | | 5 |
| <i>Sympytum caucasicum</i> Caucasian Comfrey | HP | 1.24 | G4 | | 5-8 | | | 5 |
| <i>Sympytum grandiflorum</i> Large-flowered Comfrey | HP | 0.99 | G4 | | 5-8 | | | 5 |
| <i>Sympytum officinale</i> Common Comfrey | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Sympytum</i> x <i>rubrum</i> Red-flowered Comfrey | HP | 0.92 | G4 | | 5-8 | | | 5 |
| <i>Sympytum</i> x <i>uplandicum</i> Russian Comfrey | HP | 1.10 | G1 | | 6-9A | | | 5 |
| <i>Sympytum</i> x <i>uplandicum</i> 'Variegatum' Varietated Russian Comfrey | HP | 1.10 | G1 | | 6-9A | | | 5 |
| <i>Symplocarpus foetidus</i> Skunk Cabbage | HP | 1.03 | G4 | 5-6 | 7-11 | | | 4 |
| <i>Synechanthus fibrosus</i> No Common Name Found | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10A |
| <i>Syngonium</i> African Evergreen | FO | 0.27 | G3 | 8-10A | 10B-11 | | | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-------|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Syngonium</i> 'Maria Allusion' Maria Allusion African Evergreen | FO | 0.27 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Syngonium</i> 'Pixie' Pixie African Evergreen | FO | 0.38 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Syngonium</i> 'Regina Red' Regina Red African Evergreen | FO | 0.43 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Syngonium</i> 'Totems' Totems African Evergreen | FO | 1.18 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Syngonium</i> 'White Butterfly' White Butterfly African Evergreen | FO | 0.43 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Syngonium podophyllum</i> Nephthytis | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Synsepalum dulcificum</i> Miracle Fruit | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Syringa</i> Hybrid Lilac | DS | 1.04 | G1 | | 5-8 | | 0.89 | 2 |
| <i>Syringa</i> 'Aladdin' Aladdin Lilac | DS | 1.04 | G1 | | 5-8 | | 1.12 | 2 |
| <i>Syringa</i> 'Hedin' Hedin Lilac | DS | 1.04 | G1 | | 5-8 | | 0.89 | 2 |
| <i>Syringa</i> 'Minuet' Minuet Lilac | DS | 1.11 | G1 | | 5-8 | | 1.09 | 2 |
| <i>Syringa</i> 'Miss Canada' Miss Canada Lilac | DS | 1.04 | G1 | | 5-8 | | 0.89 | 2 |
| <i>Syringa amurensis</i> var. <i>japonica</i> See - <i>Syringa reticulata</i> var. <i>reticulata</i> | DS | 0.95 | G1 | | 5-8 | | 1.18 | 4 |
| <i>Syringa x chinensis</i> Chinese Lilac | DS | 0.95 | G1 | | 5-8 | | 1.10 | 4 |
| <i>Syringa x chinensis</i> 'Alba' White Chinese Lilac | DS | 1.03 | G1 | | 5-8 | | 1.10 | 4 |
| <i>Syringa x chinensis</i> 'Saugeana' Saugeana Chinese Lilac | DS | 1.00 | G1 | | 5-8 | | 0.42 | 4 |
| <i>Syringa x henryi</i> Henry Lilac | DS | 1.00 | G1 | | 5-8 | | 0.42 | 4 |
| <i>Syringa x henryi</i> 'Germinal' Germinal Henry Lilac | DS | 1.00 | G1 | | 5-8 | | 0.42 | 4 |
| <i>Syringa x henryi</i> 'Lutece' Lutece Henry Lilac | DS | 1.00 | G1 | | 5-8 | | 0.42 | 4 |
| <i>Syringa x hyacinthiflora</i> No Common Name Found | DS | 0.92 | G1 | | 5-8 | | 0.79 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Anabel' Anabel Hybrid Lilac | DS | 0.92 | G1 | | 5-8 | | 0.94 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Asessippi' Asessippi Hybrid Lilac | DS | 1.02 | G1 | | 5-8 | | 0.81 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Big Blue' Big Blue Hybrid Lilac | DS | 0.92 | G1 | | 5-8 | | 0.79 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Blanche Sweet' Blanche Sweet Hybrid Lilac | DS | 0.92 | G1 | | 5-8 | | 0.81 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Catinat' Catinat Hybrid Lilac | DS | 0.92 | G1 | | 5-8 | | 0.79 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Doctor Chadwick' Doctor Chadwick Hybrid Lilac | DS | 0.92 | G1 | | 5-8 | | 0.89 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Esther Staley' Esther Staley Hybrid Lilac | DT | 0.82 | G1 | | 5-8 | 1.00 | 0.71 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Evangeline' Evangeline Hybrid Lilac | DS | 0.92 | G1 | | 5-8 | | 0.79 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Excel' Excel Hybrid Lilac | DS | 1.04 | G1 | | 5-8 | | 1.09 | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Syringa x hyacinthiflora</i> 'Fantasy' Fantasy Hybrid Lilac | DS | 0.92 | G1 | | 5-8 | | 0.79 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Lamartine' Lamartine Hybrid Lilac | DS | 0.92 | G1 | | 5-8 | | 0.79 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Lavender Lady' P.P. 1238 Lavender Lady Hybrid Lilac | DS | 0.92 | G1 | | 5-8 | | 1.17 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Louvois' Louvois Hybrid Lilac | DS | 0.92 | G1 | | 5-8 | | 0.79 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Maiden's Blush' Maiden's Blush Hybrid Lilac | DS | 0.96 | G1 | | 5-8 | | 0.87 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Mount Baker' Mount Baker Hybrid Lilac | DS | 1.05 | G1 | | 5-8 | | 0.98 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Mt. Baker' Mt. Baker Early Flowering Lilac | DS | 1.10 | G1 | | 5-8 | | 0.90 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Necker' Necker Hybrid Lilac | DS | 0.92 | G1 | | 5-8 | | 0.79 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Pocahontas' Pocahontas Hybrid Lilac | DS | 1.09 | G1 | | 5-8 | | 0.89 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Royal Purple' Royal Purple Hybrid Lilac | DS | 0.92 | G1 | | 5-8 | | 0.79 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Turgot' Turgot Hybrid Lilac | DS | 0.92 | G1 | | 5-8 | | 0.79 | 3 |
| <i>Syringa x josiflexa</i> No Common Name Found | DS | 0.97 | G1 | | 5-8 | | 0.86 | 5 |
| <i>Syringa x josiflexa</i> 'Nellie Bean' Nellie Bean Hybrid Lilac | DS | 0.97 | G1 | | 5-8 | | 0.86 | 5 |
| <i>Syringa x josiflexa</i> 'Royalty' Royalty Hybrid Lilac | DS | 0.97 | G1 | | 5-8 | | 0.86 | 5 |
| <i>Syringa laciniata</i> Cutleaf Lilac | DS | 1.14 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Syringa meyeri</i> Korean Lilac | DS | 1.12 | G1 | | 3-7 | | 1.38 | 3 |
| <i>Syringa meyeri</i> 'Palibin' Dwarf Korean Lilac | DS | 1.14 | G1 | | 3-7 | | 1.29 | 3 |
| <i>Syringa microphylla</i> Littleleaf Lilac | DS | 0.98 | G1 | | 4-8 | | 1.21 | 5 |
| <i>Syringa microphylla</i> 'Superba' Superba Littleleaf Lilac | DS | 0.98 | G1 | | 4-8 | | 1.21 | 5 |
| <i>Syringa oblata</i> Early Lilac | DS | 1.00 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Syringa oblata</i> var. <i>dilatata</i> Korean Early Lilac | DS | 1.00 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Syringa oblata</i> var. <i>dilatata</i> 'Cheyenne' Cheyenne Korean Early Lilac | DS | 1.00 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Syringa patula</i> Manchurian Lilac | DS | 1.13 | G1 | | 5-9A | | 1.25 | 4 |
| <i>Syringa patula</i> 'Miss Kim' Miss Kim Manchurian Lilac | DS | 1.15 | G1 | | 5-9A | | 1.25 | 4 |
| <i>Syringa pekinensis</i> Pekin Lilac | DS | 1.01 | G1 | | 6-9A | | 0.90 | 6 |
| <i>Syringa pekinensis</i> 'Boerner' Boerner Pekin Lilac | DS | 1.01 | G1 | | 6-9A | | 1.39 | 6 |
| <i>Syringa pekinensis</i> 'DTR 124' P.P. 8951 Summer Charm Pekin Lilac | DS | 1.01 | G1 | | 6-9A | | 0.38 | 6 |
| <i>Syringa pekinensis</i> 'Summer Charm' See - <i>Syringa pekinensis</i> 'DTR 124' P.P. 8951 | DS | 0.89 | G1 | | 5-9A | | 0.68 | 3 |
| <i>Syringa x persica</i> Persian Lilac | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Syringa x persica</i> 'Alba' White Persian Lilac | DS | 0.89 | G1 | | 5-9A | | 0.68 | 3 |
| <i>Syringa x prestoniae</i> Preston Lilac | DS | 0.88 | G1 | | 4-9A | | 0.83 | 3 |
| <i>Syringa x prestoniae</i> 'Alexander's Pink' Alexander's Pink Preston Lilac | DS | 0.88 | G1 | | 4-9A | | 0.76 | 3 |
| <i>Syringa x prestoniae</i> 'Coral' Coral Preston Lilac | DS | 0.88 | G1 | | 4-9A | | 0.76 | 3 |
| <i>Syringa x prestoniae</i> 'Donald Wyman' Donald Wyman Preston Lilac | DS | 1.05 | G1 | | 4-9A | | 0.99 | 3 |
| <i>Syringa x prestoniae</i> 'Ethel M. Webster' Ethel M. Webster Preston Lilac | DS | 0.88 | G1 | | 4-9A | | 0.76 | 3 |
| <i>Syringa x prestoniae</i> 'Handel' Handel Preston Lilac | DS | 0.88 | G1 | | 4-9A | | 0.76 | 3 |
| <i>Syringa x prestoniae</i> 'Hiawatha' Hiawatha Preston Lilac | DS | 0.88 | G1 | | 4-9A | | 0.76 | 3 |
| <i>Syringa x prestoniae</i> 'Isabella' Isabella Preston Lilac | DS | 0.88 | G1 | | 4-9A | | 1.12 | 3 |
| <i>Syringa x prestoniae</i> 'James Macfarlane' James MacFarlane Preston Lilac | DS | 1.05 | G1 | | 4-9A | | 0.98 | 3 |
| <i>Syringa x prestoniae</i> 'Nocturne' Nocturne Preston Lilac | DS | 0.88 | G1 | | 4-9A | | 0.76 | 3 |
| <i>Syringa x prestoniae</i> 'Redwine' Redwine Preston Lilac | DS | 0.88 | G1 | | 4-9A | | 0.76 | 3 |
| <i>Syringa reflexa</i> Nodding Lilac | DS | 1.00 | G1 | | 5-9A | | 1.00 | 5 |
| <i>Syringa reticulata</i> No Common Name Found | DS | 1.15 | G1 | | 3-7 | | 1.24 | 3 |
| <i>Syringa reticulata</i> 'Chantilly Lace' Chantilly Lace Japanese Tree Lilac | DS | 1.15 | G1 | | 3-7 | | 1.24 | 3 |
| <i>Syringa reticulata</i> 'Ivory Silk' C.O.P.F. Ivory Silk Japanese Tree Lilac | DS | 1.27 | G1 | | 3-7 | | 1.40 | 3 |
| <i>Syringa reticulata</i> 'PNI 5723' Regent® Japanese Tree Lilac | DS | 1.15 | G1 | | 3-7 | | 1.24 | 3 |
| <i>Syringa reticulata</i> 'Regent' See - <i>Syringa reticulata</i> 'PNI 5723' | DS | 1.15 | G1 | | 3-7 | | 1.24 | 3 |
| <i>Syringa reticulata</i> 'Summer Snow' Summer Snow Japanese Tree Lilac | DS | 1.15 | G1 | | 3-7 | | 1.24 | 3 |
| <i>Syringa reticulata</i> var. <i>amurensis</i> Amur Lilac | DS | 1.00 | G1 | | 3-7 | | 1.00 | 3 |
| <i>Syringa reticulata</i> var. <i>reticulata</i> Japanese Tree Lilac | DS | 1.30 | G1 | | 3-7 | | 1.28 | 3 |
| <i>Syringa rothmagenesis</i> See - <i>Syringa x chinensis</i> | DS | 0.98 | G1 | | 2-7 | | 0.91 | 3 |
| <i>Syringa villosa</i> Late Lilac | DS | 0.98 | G1 | | 3-7 | | 0.83 | 3 |
| <i>Syringa vulgaris</i> Common Lilac | DS | 1.03 | G1 | | 3-7 | | 0.77 | 3 |
| <i>Syringa vulgaris</i> 'Adelaide Dunbar' Adelaide Dunbar Common Lilac | DS | 0.98 | G1 | | 3-7 | | 0.56 | 3 |
| <i>Syringa vulgaris</i> 'Agincourt Beauty' Agincourt Beauty Common Lilac | DS | 0.67 | G1 | | 3-7 | | 1.04 | 3 |
| <i>Syringa vulgaris</i> 'Alba' White Common Lilac | DS | 1.03 | G1 | | 3-7 | | 0.73 | 3 |
| <i>Syringa vulgaris</i> 'Albert F. Holden' Albert F. Holden Common Lilac | DS | 1.06 | G1 | | 3-7 | | 0.56 | 3 |
| <i>Syringa vulgaris</i> 'Aloise' Aloise Common Lilac | DS | 0.67 | G1 | | 3-7 | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Syringa vulgaris</i> 'Alphonse Lavallee' Alphonse Lavallee Common Lilac | DS | 1.53 | G1 | | 3-7 | | | 1.78 3 |
| <i>Syringa vulgaris</i> 'Ami Schott' Ami Schott Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Angel White' Angel White Common Lilac | DS | 0.98 | G1 | | 3-7 | | | 0.95 3 |
| <i>Syringa vulgaris</i> 'Arch McKean' Arch McKean Common Lilac | DS | 1.14 | G1 | | 3-7 | | | 1.00 3 |
| <i>Syringa vulgaris</i> 'Atheline Wilbur' Atheline Wilbur Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Avalanche' Avalanche Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.59 3 |
| <i>Syringa vulgaris</i> 'Belle de Nancy' Belle de Nancy Common Lilac | DS | 1.04 | G1 | | 3-7 | | | 0.87 3 |
| <i>Syringa vulgaris</i> 'Blue Skies' See - <i>Syringa vulgaris</i> 'Monore' P.P. 6877 | DS | 1.06 | G1 | | 3-7 | | | 1.02 3 |
| <i>Syringa vulgaris</i> 'Charles Joly' Charles Joly Common Lilac | DS | 1.16 | G1 | | 3-7 | | | 0.89 3 |
| <i>Syringa vulgaris</i> 'Charles X' Charles X Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 1.09 3 |
| <i>Syringa vulgaris</i> 'Charm' Charm Common Lilac | DS | 1.07 | G1 | | 3-7 | | | 0.97 3 |
| <i>Syringa vulgaris</i> 'Congo' Congo Common Lilac | DS | 0.86 | G1 | | 3-7 | | | 0.70 3 |
| <i>Syringa vulgaris</i> 'Dappled Dawn' Dappled Dawn Common Lilac | DS | 1.07 | G1 | | 3-7 | | | 0.83 3 |
| <i>Syringa vulgaris</i> 'Edith Cavell' Edith Cavell Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Edmond Boissier' Edmond Boissier Common Lilac | DS | 1.17 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Edouard Andrae' Edouard Andrae Common Lilac | DS | 1.17 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Edward J. Gardner' Edward J. Gardner Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.93 3 |
| <i>Syringa vulgaris</i> 'Etna' Etna Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Flora' Flora Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Frank Paterson' Frank Paterson Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'General Sheridan' General Sheridan Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Georges Bellaire' Georges Bellaire Common Lilac | DS | 0.98 | G1 | | 3-7 | | | 0.89 3 |
| <i>Syringa vulgaris</i> 'Glory' Glory Common Lilac | DS | 1.23 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Hugo Koster' Hugo Koster Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Hugo de Vries' Hugo de Vries Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'John L. Fiala' John L. Fiala Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.76 3 |
| <i>Syringa vulgaris</i> 'Katherine Havemeyer' Katherine Havemeyer Common Lilac | DS | 1.07 | G1 | | 3-7 | | | 0.87 3 |
| <i>Syringa vulgaris</i> 'Krasavitsa Moskvy' Beauty of Moscow Common Lilac | DS | 0.98 | G1 | | 3-7 | | | 0.90 3 |
| <i>Syringa vulgaris</i> 'Leon Gambetta' Leon Gambetta Common Lilac | DS | 0.98 | G1 | | 3-7 | | | 0.89 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Syringa vulgaris</i> 'Letha B. House' Letha B. House Common Lilac | DS | 0.67 | G1 | | 3-7 | | 0.72 | 3 |
| <i>Syringa vulgaris</i> 'Little Boy Blue' Little Boy Blue Common Lilac | DS | 1.13 | G1 | | 3-7 | | 0.78 | 3 |
| <i>Syringa vulgaris</i> 'Lucie Baltet' Lucie Baltet Common Lilac | DS | 0.98 | G1 | | 3-7 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Ludwig Spaeth' Ludwig Spaeth Common Lilac | DS | 1.08 | G1 | | 3-7 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Macrostachya' Macrostachya Common Lilac | DS | 0.67 | G1 | | 3-7 | | 0.56 | 3 |
| <i>Syringa vulgaris</i> 'Marechal Foch' Marechal Foch Common Lilac | DS | 0.67 | G1 | | 3-7 | | 0.56 | 3 |
| <i>Syringa vulgaris</i> 'Marie Finon' Marie Finon Common Lilac | DS | 0.98 | G1 | | 3-7 | | 0.89 | 3 |
| <i>Syringa vulgaris</i> 'Marie Francis' Marie Francis Common Lilac | DS | 1.09 | G1 | | 3-7 | | 0.76 | 3 |
| <i>Syringa vulgaris</i> 'Michel Buchner' Michel Buchner Common Lilac | DS | 1.14 | G1 | | 3-7 | | 0.73 | 3 |
| <i>Syringa vulgaris</i> 'Miss Ellen Willmott' Miss Ellen Willmott Common Lilac | DS | 1.12 | G1 | | 3-7 | | 1.00 | 3 |
| <i>Syringa vulgaris</i> 'Mme. Abel Chatenay' Mme. Abel Chatenay Common Lilac | DS | 1.15 | G1 | | 3-7 | | 0.56 | 3 |
| <i>Syringa vulgaris</i> 'Mme. Antoine Buchner' Mme. Antoine Buchner Common Lilac | DS | 0.67 | G1 | | 3-7 | | 0.56 | 3 |
| <i>Syringa vulgaris</i> 'Mme. Casimir Perier' Mme. Casimir Perier Common Lilac | DS | 1.16 | G1 | | 3-7 | | 0.56 | 3 |
| <i>Syringa vulgaris</i> 'Mme. F. Morel' Mme. F. Morel Common Lilac | DS | 0.67 | G1 | | 3-7 | | 0.56 | 3 |
| <i>Syringa vulgaris</i> 'Mme. Florent Stepman' Mme. Florent Stepman Common Lilac | DS | 0.67 | G1 | | 3-7 | | 0.56 | 3 |
| <i>Syringa vulgaris</i> 'Mme. Lemoine' Mme. Lemoine Common Lilac | DS | 1.08 | G1 | | 3-7 | | 0.90 | 3 |
| <i>Syringa vulgaris</i> 'Monge' Monge Common Lilac | DS | 1.14 | G1 | | 3-7 | | 1.04 | 3 |
| <i>Syringa vulgaris</i> 'Monore' P.P. 6877 Blue Skies™ Common Lilac | DS | 1.06 | G1 | | 3-7 | | 1.15 | 3 |
| <i>Syringa vulgaris</i> 'Mont Blanc' Mont Blanc Common Lilac | DS | 0.89 | G1 | | 3-7 | | 0.56 | 3 |
| <i>Syringa vulgaris</i> 'Montaigne' Montaigne Common Lilac | DS | 1.04 | G1 | | 3-7 | | 0.96 | 3 |
| <i>Syringa vulgaris</i> 'Mrs. Edward Harding' Mrs. Edward Harding Common Lilac | DS | 1.00 | G1 | | 3-7 | | 0.56 | 3 |
| <i>Syringa vulgaris</i> 'Mrs. W.E. Marshall' Mrs. W.E. Marshall Common Lilac | DS | 0.67 | G1 | | 3-7 | | 0.56 | 3 |
| <i>Syringa vulgaris</i> 'My Favorite' My Favorite Common Lilac | DS | 1.09 | G1 | | 3-7 | | 0.56 | 3 |
| <i>Syringa vulgaris</i> 'Mystery' Mystery Common Lilac | DS | 0.67 | G1 | | 3-7 | | 0.56 | 3 |
| <i>Syringa vulgaris</i> 'Nadezhda' Nadezhda Common Lilac | DS | 0.78 | G1 | | 3-7 | | 0.56 | 3 |
| <i>Syringa vulgaris</i> 'Olivier de Serres' Olivier de Serres Common Lilac | DS | 0.96 | G1 | | 3-7 | | 0.81 | 3 |
| <i>Syringa vulgaris</i> 'Paul Hariot' Paul Hariot Common Lilac | DS | 0.98 | G1 | | 3-7 | | 0.87 | 3 |
| <i>Syringa vulgaris</i> 'Paul Thirion' Paul Thirion Common Lilac | DS | 0.67 | G1 | | 3-7 | | 0.69 | 3 |
| <i>Syringa vulgaris</i> 'President Carnot' President Carnot Common Lilac | DS | 0.67 | G1 | | 3-7 | | 0.56 | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Syringa vulgaris</i> 'President Grevy' President Grevy Common Lilac | DS | 1.10 | G1 | | 3-7 | | | 0.90 3 |
| <i>Syringa vulgaris</i> 'President Harding' President Harding Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'President Lincoln' President Lincoln Common Lilac | DS | 1.10 | G1 | | 3-7 | | | 0.84 3 |
| <i>Syringa vulgaris</i> 'President Poincare' President Poincare Common Lilac | DS | 0.98 | G1 | | 3-7 | | | 1.06 3 |
| <i>Syringa vulgaris</i> 'Primrose' Primrose Common Lilac | DS | 1.08 | G1 | | 3-7 | | | 1.00 3 |
| <i>Syringa vulgaris</i> 'Ruhm von Horstenstein' Ruhm von Horstenstein Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Sarah Sands' Sarah Sands Common Lilac | DS | 1.10 | G1 | | 3-7 | | | 0.89 3 |
| <i>Syringa vulgaris</i> 'Sensation' P.P. 1242 Sensation Common Lilac | DS | 1.00 | G1 | | 3-7 | | | 0.91 3 |
| <i>Syringa vulgaris</i> 'Slater's Elegance' Slater's Elegance Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Thunberg' Thunberg Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Vestale' Vestale Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Villars' Villars Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Violet Glory' Violet Glory Common Lilac | DS | 0.98 | G1 | | 3-7 | | | 0.89 3 |
| <i>Syringa vulgaris</i> 'Vivian-Morel' Vivian-Morel Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Volcan' Volcan Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Wedgwood Blue' Wedgwood Blue Common Lilac | DS | 1.00 | G1 | | 3-7 | | | 0.76 3 |
| <i>Syringa vulgaris</i> 'White Primrose' White Primrose Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.63 3 |
| <i>Syringa vulgaris</i> 'William Robinson' William Robinson Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Yankee Doodle' Yankee Doodle Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syringa vulgaris</i> 'Zulu' Zulu Common Lilac | DS | 0.67 | G1 | | 3-7 | | | 0.56 3 |
| <i>Syzygium cumini</i> Java Plum | BE | 1.00 | G1 | | 10A-11 | 1.00 | 0.70 | 10 |
| <i>Syzygium jambos</i> Rose Apple | BE | 1.00 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Syzygium malaccense</i> Malay Apple | BE | 1.00 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Syzygium paniculatum</i> Australian Brush Cherry | BS | 0.71 | G1 | | 10A-11 | | | 1.00 10 |
| <i>Syzygium paniculatum</i> 'Compacta' Compact Australian Brush Cherry | BS | 0.75 | G1 | | 10A-11 | | | 1.00 10 |
| <i>Syzygium paniculatum</i> 'Globulus' Globe Australian Brush Cherry | BS | 1.09 | G1 | | 10A-11 | | | 1.00 10 |
| <i>Syzygium paniculatum</i> 'Monterey Bay' Monterey Bay Australian Brush Cherry | BS | 0.82 | G1 | | 10A-11 | | | 1.00 10 |
| <i>Syzygium paniculatum</i> 'Nanum' Teenie Geenie™ Australian Brush Cherry | BS | 1.18 | G1 | | 10A-11 | | | 1.00 10 |
| <i>Syzygium paniculatum</i> 'Teenie Geenie' | | | | | | | | |

See - *Syzygium paniculatum* 'Nanum'

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Syzygium samarangense</i> Java Apple | BE | 1.00 | G1 | | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Tabebuia argentea</i> Tree of Gold | DT | 0.67 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Tabebuia caraiba</i> Silver Trumpet Tree | DT | 0.58 | G1 | 9B | 10A-11 | 1.00 | 1.07 | 10 |
| <i>Tabebuia chrysea</i> See - <i>Cybistax chrysea</i> | DT | 0.92 | G1 | | 10A-11 | 2.09 | 1.24 | 10 |
| <i>Tabebuia chrysotricha</i> Golden Trumpet Tree | | | | | | | | |
| <i>Tabebuia donnell-smithii</i> See - <i>Cybistax donnell-smithii</i> | BE | 0.76 | G1 | 10A | 10B-11 | 1.00 | 0.69 | 10 |
| <i>Tabebuia heterophylla</i> Pink Trumpet Tree | | | | | | | | |
| <i>Tabebuia impetiginosa</i> Purple Trumpet Tree | DT | 0.79 | G1 | 9B | 10A-11 | 1.39 | 1.29 | 10 |
| <i>Tabebuia ipe</i> See - <i>Tabebuia impetiginosa</i> | | | | | | | | |
| <i>Tabebuia pentaphylla</i> See - <i>Tabebuia rosea</i> | DT | 1.10 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Tabebuia rosea</i> Pink Pouí | | | | | | | | |
| <i>Tabebuia umbellata</i> Yellow Trumpet Tree | DT | 1.06 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Tabernaemontana divaricata</i> Crepe Jasmine | BS | 0.87 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Tacca chantrieri</i> Bat Flower | FO | 1.20 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Tagetes erecta</i> African Marigold | AN | 0.64 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Tagetes erecta</i> 'Discovery Series' Discovery Series African Marigold | AN | 0.64 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Tagetes lemmonii</i> Mexican Marigold | AN | 0.87 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Tagetes lucida</i> Sweet Scented Marigold | HP | 0.83 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Tagetes patula</i> French Marigold | AN | 0.64 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Tagetes patula</i> 'Bonanza Harmony' Bonanza Harmony French Marigold | AN | 0.64 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Tagetes patula</i> 'Bonanza Orange' Bonanza Orange French Marigold | AN | 0.64 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Tagetes patula</i> 'Bonanza Yellow' Bonanza Yellow French Marigold | AN | 0.64 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Tagetes patula</i> 'Janie Series' Janie Series French Marigold | AN | 0.64 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Tagetes tenuifolia</i> Signet Marigold | AN | 1.00 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Tagetes tenuifolia</i> 'Pumila' Marigold Dwarf | AN | 1.00 | G4 | 8-9B | 10A-11 | | | 9 |
| <i>Talinum calycinum</i> Rockpink FameFlower | HP | 0.97 | G4 | | 10A-11 | | | 10 |
| <i>Talinum paniculatum</i> Jewels of Opar | HP | 0.89 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Tamarindus indica</i> Tamarind | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Tamarix africanus</i> African Tamarisk | BS | 1.05 | G4 | 8-9B | 10A-11 | | 0.62 | 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|------|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Tamarix aphylla</i> Athl | BS | 1.00 | G4 | 8-9B | 10A-11 | | 1.00 | 8 |
| <i>Tamarix chinensis</i> Chinese Tree | BS | 1.00 | G4 | 7-9B | 10A-11 | | 1.00 | 7 |
| <i>Tamarix pentandra</i> No Common Name Found | BS | 1.00 | G1 | | 5-9A | | 1.00 | 5 |
| <i>Tamarix ramosissima</i> Stamen Tamarisk | BE | 0.82 | G4 | | 3-9B | 1.00 | 0.27 | 2 |
| <i>Tamarix ramosissima</i> 'Pink Cascade' Pink Cascade Stamen Tamarisk | BE | 0.82 | G4 | | 3-9B | 1.00 | 0.27 | 2 |
| <i>Tamarix ramosissima</i> 'Summer Glow' Summer Glow Stamen Tamarisk | BE | 0.87 | G4 | | 3-9B | 1.00 | 0.40 | 2 |
| <i>Tanacetum balsamita</i> Costmary | HP | 1.02 | G4 | | 6-9A | | | 6 |
| <i>Tanacetum coccineum</i> Painted Daisy | HP | 1.23 | G4 | | 5-8 | | | 5 |
| <i>Tanacetum coccineum</i> 'James Kelway' James Kelway Painted Daisy | HP | 0.91 | G4 | | 5-8 | | | 5 |
| <i>Tanacetum coccineum</i> 'Robinson's Crimson' Robinson's Crimson Painted Daisy | HP | 0.97 | G4 | | 5-8 | | | 5 |
| <i>Tanacetum coccineum</i> 'Robinson's Mixed' Robinson's Mixed Painted Daisy | HP | 0.97 | G4 | | 5-8 | | | 5 |
| <i>Tanacetum coccineum</i> 'Robinson's Pink' Robinson's Pink Painted Daisy | HP | 0.75 | G4 | | 5-8 | | | 5 |
| <i>Tanacetum coccineum</i> 'Robinson's Red' Robinson's Red Painted Daisy | HP | 0.75 | G4 | | 5-8 | | | 5 |
| <i>Tanacetum coccineum</i> 'Robinson's Roseum' Robinson's Rose Painted Daisy | HP | 0.82 | G4 | | 5-8 | | | 5 |
| <i>Tanacetum coccineum</i> 'Roseum' Roseum Painted Daisy | HP | 0.75 | G4 | | 5-8 | | | 5 |
| <i>Tanacetum haradjanii</i> No Common Name Found | HP | 0.78 | G4 | | 8-10A | | | 8 |
| <i>Tanacetum macrophyllum</i> No Common Name Found | HP | 0.96 | G4 | | 6-9A | | | 6 |
| <i>Tanacetum parthenium</i> Feverfew | HP | 0.90 | G4 | | 6-9A | | | 6 |
| <i>Tanacetum parthenium</i> 'Aureum' Golden Feverfew | HP | 0.94 | G4 | | 6-9A | | | 6 |
| <i>Tanacetum parthenium</i> 'Ultra Double White' Ultra Double White Feverfew | HP | 0.90 | G4 | | 4-8 | | | 6 |
| <i>Tanacetum ptarmiciflorum</i> Silver Lace | HP | 1.00 | G4 | | 9-11 | | | 9 |
| <i>Tanacetum vulgare</i> Common Tansy | HP | 0.89 | G4 | | 4-8 | | | 4 |
| <i>Tanacetum vulgare</i> var. <i>crispum</i> Fernleaf Common Tansy | HP | 0.86 | G4 | | 4-8 | | | 4 |
| <i>Tapeinochilus ananassae</i> Giant Spiral Ginger | HP | 1.78 | G4 | 10A | 10B-11 | | | 10 |
| <i>Taxodium ascendens</i> Pond Cypress | CE | 0.51 | G1 | | 4-11 | 1.29 | 0.30 | 7 |
| <i>Taxodium ascendens</i> 'Nutans' Nutans Pond Cypress | CE | 1.15 | G1 | | 4-11 | 1.29 | 1.15 | 7 |
| <i>Taxodium ascendens</i> 'Prairie Sentinel' Prairie Sentinel Pond Cypress | CE | 0.51 | G1 | | 4-11 | 1.29 | 0.30 | 7 |
| <i>Taxodium distichum</i> Bald Cypress | CE | 0.85 | G1 | | 4-11 | 1.05 | 0.63 | 6 |
| <i>Taxodium distichum</i> 'Fastigiata' Fastigiata Bald Cypress | CE | 1.84 | G1 | | 4-11 | 1.05 | 0.63 | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ | |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|---|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | | |
| <i>Taxodium distichum</i> 'Mickelson' Shawnee Brave® Bald Cypress | CE | 1.18 | G1 | | 4-11 | | 1.41 | 0.63 | 6 |
| <i>Taxodium distichum</i> 'Pendens' Pendens Bald Cypress | CE | 1.84 | G1 | | 4-11 | | 1.05 | 0.63 | 6 |
| <i>Taxodium distichum</i> 'Seacrest' Seacrest Bald Cypress | CE | 3.28 | G1 | | 4-11 | | 1.05 | 0.63 | 6 |
| <i>Taxodium distichum</i> 'Shawnee Brave' See - <i>Taxodium distichum</i> 'Mickelson' | CE | 0.81 | G1 | | 9A-10B | | 1.19 | 0.94 | 9 |
| <i>Taxodium mucronatum</i> Montezuma Cypress | CE | 0.51 | G1 | | 5-7 | | | 0.94 | 6 |
| <i>Taxus baccata</i> English Yew | CS | 0.51 | G1 | | 5-7 | | | 0.86 | 6 |
| <i>Taxus baccata</i> 'Adpressa' Adpressa Yew | CS | 0.51 | G1 | | 5-7 | | | 0.86 | 6 |
| <i>Taxus baccata</i> 'Amersfoort' Amersfoort English Yew | CS | 0.51 | G1 | | 5-7 | | | 0.86 | 6 |
| <i>Taxus baccata</i> 'Dovastoniana' Dovastoniana English Yew | CS | 0.55 | G1 | | 5-7 | | | 0.86 | 6 |
| <i>Taxus baccata</i> 'Elegantissima' Elegantissima Yew | CS | 0.51 | G1 | | 5-7 | | | 0.86 | 6 |
| <i>Taxus baccata</i> 'Erecta' Erecta Yew | CS | 0.51 | G1 | | 5-7 | | | 0.86 | 6 |
| <i>Taxus baccata</i> 'Fastigiata Aurea' Gold Columnar English Yew | CS | 0.51 | G1 | | 5-7 | | | 0.86 | 6 |
| <i>Taxus baccata</i> 'Fastigiata' Columnar English Yew | CS | 1.12 | G1 | | 5-7 | | | 1.00 | 6 |
| <i>Taxus baccata</i> 'Repandens' Repandens English Yew | CS | 1.28 | G1 | | 5-7 | | | 1.01 | 6 |
| <i>Taxus baccata</i> 'Summergold' Summergold English Yew | CS | 0.51 | G1 | | 5-7 | | | 0.86 | 6 |
| <i>Taxus baccata</i> 'Washingtonii' Washington English Yew | CS | 0.51 | G1 | | 5-7 | | | 0.86 | 6 |
| <i>Taxus brevifolia</i> Western Yew | CE | 1.00 | G1 | | 5-7 | | 1.00 | 0.66 | 6 |
| <i>Taxus chinensis</i> Chinese Yew | CE | 1.00 | G1 | | 5-7 | | 1.00 | 1.00 | 6 |
| <i>Taxus cuspidata</i> 'Emerald Spreader' See - <i>Taxus cuspidata</i> 'Monloo' P.P.A.F. | CS | 1.08 | G1 | | 4-7 | | | 0.88 | 4 |
| <i>Taxus cuspidata</i> Japanese Yew | CS | 1.05 | G1 | | 4-7 | | | 0.83 | 4 |
| <i>Taxus cuspidata</i> 'Adam's Columnar' Adam's Columnar Japanese Yew | CS | 0.73 | G1 | | 4-7 | | | 0.68 | 4 |
| <i>Taxus cuspidata</i> 'Capitata Compacta' Capitata Compact Japanese Yew | CS | 0.73 | G1 | | 4-7 | | | 0.68 | 4 |
| <i>Taxus cuspidata</i> 'Capitata Natural' Capitata Unsheared Japanese Yew | CS | 0.73 | G1 | | 4-7 | | | 1.37 | 4 |
| <i>Taxus cuspidata</i> 'Capitata' Capitata Japanese Yew | CS | 1.55 | G1 | | 4-7 | | | 1.19 | 4 |
| <i>Taxus cuspidata</i> 'Densa' Dense Spreading Japanese Yew | CS | 1.01 | G1 | | 4-7 | | | 0.82 | 4 |
| <i>Taxus cuspidata</i> 'Dwarf Bright Gold' Dwarf Bright Gold Japanese Yew | CS | 0.73 | G1 | | 4-7 | | | 0.68 | 4 |
| <i>Taxus cuspidata</i> 'Emerald Mist' Emerald Mist Japanese Yew | CS | 0.73 | G1 | | 4-7 | | | 0.68 | 4 |
| <i>Taxus cuspidata</i> 'Exansa' Exansa Japanese Yew | CS | 0.73 | G1 | | 4-7 | | | 0.68 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Taxus cuspidata</i> 'Fastigiata' Fastigiata Japanese Yew | CS | 0.87 | G1 | | 4-7 | | | 0.79 4 |
| <i>Taxus cuspidata</i> 'Green Mountain' Green Mountain Japanese Yew | CS | 0.87 | G1 | | 4-7 | | | 0.68 4 |
| <i>Taxus cuspidata</i> 'Hinsdale Dark Green' Hinsdale Dark Green Japanese Yew | BS | 1.00 | G1 | | 4-7 | | | 1.00 4 |
| <i>Taxus cuspidata</i> 'Intermedia' Intermedia Japanese Yew | CS | 0.73 | G1 | | 4-7 | | | 0.76 4 |
| <i>Taxus cuspidata</i> 'Klehm's Spreader' Klehm's Spreader Japanese Yew | CS | 0.73 | G1 | | 4-7 | | | 0.92 4 |
| <i>Taxus cuspidata</i> 'Littleford' Littleford Japanese Yew | CS | 0.73 | G1 | | 4-7 | | | 0.68 4 |
| <i>Taxus cuspidata</i> 'Monloo' P.P.A.F. Emerald Spreader™ Japanese Yew | CS | 1.18 | G1 | | 4-7 | | | 0.89 4 |
| <i>Taxus cuspidata</i> 'Nana Aurescens' Nana Aurescens Japanese Yew | CS | 0.73 | G1 | | 4-7 | | | 0.68 4 |
| <i>Taxus cuspidata</i> 'Nana' Dwarf Japanese Yew | CS | 1.25 | G1 | | 4-7 | | | 0.96 4 |
| <i>Taxus cuspidata</i> 'Rover' Rover Spreading Japanese Yew | CS | 0.73 | G1 | | 4-7 | | | 0.75 4 |
| <i>Taxus cuspidata</i> 'Spring Green' Spring Green Japanese Yew | CS | 0.73 | G1 | | 4-7 | | | 0.96 4 |
| <i>Taxus cuspidata</i> 'Thayerae' Thayerae Japanese Yew | CS | 0.73 | G1 | | 4-7 | | | 0.70 4 |
| <i>Taxus cuspidata</i> 'Tvurdy' Tvurdy Japanese Yew | CS | 0.73 | G1 | | 4-7 | | | 0.87 4 |
| <i>Taxus x hunnewelliana</i> Hunnewell Yew | CS | 1.00 | G1 | | 4-7 | | | 0.74 4 |
| <i>Taxus x media</i> Intermediate Yew | CS | 1.23 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Adams' Adams Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Amherst' Amherst Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.71 5 |
| <i>Taxus x media</i> 'Anderson' Anderson Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Anthony Wayne' Anthony Wayne Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.92 5 |
| <i>Taxus x media</i> 'Bergi' Bergi Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.97 5 |
| <i>Taxus x media</i> 'Berryhill' Berryhill Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.76 5 |
| <i>Taxus x media</i> 'Brownii Globe' Brown's Globe Intermediate Yew | CS | 0.75 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Brownii Pyramidal' Brown's Pyramidal Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.79 5 |
| <i>Taxus x media</i> 'Brownii' Brown's Intermediate Yew | CS | 1.13 | G1 | | 4-7 | | | 0.88 5 |
| <i>Taxus x media</i> 'Chadwickii' Chadwick Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.96 5 |
| <i>Taxus x media</i> 'Citation' Citation Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.97 5 |
| <i>Taxus x media</i> 'Cliftonii' Clifton Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 1.05 5 |
| <i>Taxus x media</i> 'Dark Green Spreader' Dark Green Spreader Intermediate Yew | CS | 1.13 | G1 | | 4-7 | | | 0.93 5 |
| <i>Taxus x media</i> 'Densiformis' Dense Intermediate Yew | CS | 1.14 | G1 | | 4-7 | | | 0.87 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Taxus x media</i> 'Eldonii' Eldon Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Erie Shores' See - <i>Taxus x media</i> 'Ershzam' | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Ershzam' Erie Shores™ Intermediate Yew | CS | 1.02 | G1 | | 4-7 | | | 1.00 5 |
| <i>Taxus x media</i> 'Everlow' Everlow Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.81 5 |
| <i>Taxus x media</i> 'Fairview Globe' Fairview Globe Intermediate Yew | CS | 0.91 | G1 | | 4-7 | | | 0.92 5 |
| <i>Taxus x media</i> 'Fairview' Fairview Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Fiore Strain' Fiore Strain Intermediate Yew | CS | 1.05 | G1 | | 4-7 | | | 0.84 5 |
| <i>Taxus x media</i> 'Flemer' Flemer Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Gem' Gem Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Green Wave' Green Wave Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.92 5 |
| <i>Taxus x media</i> 'Halloriana' Halloran Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.87 5 |
| <i>Taxus x media</i> 'Hatfieldii Pyramidalis' Hatfield Pyramidal Intermediate Yew | CS | 0.98 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Hatfieldii' Hatfield Intermediate Yew | CS | 1.04 | G1 | | 4-7 | | | 0.77 5 |
| <i>Taxus x media</i> 'Heasleyi' Heasley Intermediate Yew | CS | 1.08 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Henryi' Henry Intermediate Yew | CS | 1.34 | G1 | | 4-7 | | | 0.88 5 |
| <i>Taxus x media</i> 'Hicksii' Hicks Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Hillii' Hill's Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Hinsdale #2' Hinsdale #2 Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Hiti' Hiti Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.88 5 |
| <i>Taxus x media</i> 'Kelseyi' Kelsey Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.70 5 |
| <i>Taxus x media</i> 'L.C. Bobbink' L.C. Bobbink Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Natorp' Natorp Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Nigra' Nigra Intermediate Yew | CS | 1.13 | G1 | | 4-7 | | | 0.87 5 |
| <i>Taxus x media</i> 'Ohio Globe' Ohio Globe Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Roy's Spreader' Roy's Spreader Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Runyanii' Runyan Intermediate Yew | CS | 1.08 | G1 | | 4-7 | | | 0.89 5 |
| <i>Taxus x media</i> 'Sebian' Sebian Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.84 5 |
| <i>Taxus x media</i> 'Sentinalis' Sentinal Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Slavin' Slavin Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.92 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Taxus x media</i> 'Stovekenii' Stoveken Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.89 5 |
| <i>Taxus x media</i> 'T.V.' T.V. Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Tauntonii' Taunton Intermediate Yew | CS | 1.20 | G1 | | 4-7 | | | 1.00 5 |
| <i>Taxus x media</i> 'Vermeulen' Vermeulen Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.91 5 |
| <i>Taxus x media</i> 'Viridis' Viride Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 1.02 5 |
| <i>Taxus x media</i> 'Wardii' Ward Intermediate Yew | CS | 0.96 | G1 | | 4-7 | | | 0.89 5 |
| <i>Taxus x media</i> 'Wellesleyana' Wellesleyana Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Taxus x media</i> 'Winter Jewel' Winter Jewel Intermediate Yew | CS | 0.68 | G1 | | 4-7 | | | 0.69 5 |
| <i>Tecoma alata</i> See - <i>Tecoma x smithii</i> | | | | | | | | |
| <i>Tecoma garrocha</i> Garrocha | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Tecoma x smithii</i> No Common Name Found | BE | 1.09 | G1 | 10A | 10B-11 | 1.00 | | 1.00 10 |
| <i>Tecoma stans</i> Yellowbells | BE | 0.83 | G1 | 9B | 10A-11 | 1.00 | | 1.00 10 |
| <i>Tecoma stans</i> var. <i>angustata</i> No Common Name Found | BS | 0.80 | G1 | 9B | 10A-11 | | | 1.00 10 |
| <i>Tecomanthe dendrophila</i> No Common Name Found | GC | 1.00 | G2 | | 10-11 | | | 1.00 10 |
| <i>Tecomanthe speciosa</i> No Common Name Found | GC | 1.09 | G2 | | 9A-11 | | | 1.00 9 |
| <i>Tecomaria capensis</i> Orange Cape Honeysuckle | BS | 0.73 | G1 | 9B | 10A-11 | | | 1.00 9 |
| <i>Tecomaria capensis</i> 'Aurea' Gold Cape Honeysuckle | BS | 0.77 | G1 | 9B | 10A-11 | | | 1.00 9 |
| <i>Tecomaria capensis</i> 'Lutea' Yellow Cape Honeysuckle | BS | 0.77 | G1 | 9B | 10A-11 | | | 1.00 9 |
| <i>Tecomaria capensis</i> 'Red' Red Cape Honeysuckle | BS | 0.73 | G1 | 9B | 10A-11 | | | 1.00 9 |
| <i>Tectona grandis</i> Teak | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | | 1.00 10 |
| <i>Telekia speciosa</i> No Common Name Found | HP | 1.00 | G1 | 6-9 | 10A-11 | | | 6 |
| <i>Tellima grandiflora</i> Fringe Cup | HP | 1.02 | G4 | | 6-9A | | | 6 |
| <i>Telopea speciosissima</i> Waratah | BS | 1.07 | G2 | 9A | 9B-10B | | | 1.00 9 |
| <i>Telopea truncata</i> Tasmanian Waratah | BS | 1.07 | G2 | 9A | 9B-10B | | | 1.00 9 |
| <i>Tephrosia grandiflora</i> Hoary Pea | HP | 0.82 | G2 | 9A | 9B-10B | | | 9 |
| <i>Terminalia catappa</i> Tropical Almond | DT | 1.00 | G1 | 10A | 10B-11 | 1.00 | | 1.00 10B |
| <i>Ternstroemia gymnanthera</i> Japanese Ternstroemia | BS | 0.81 | G1 | | 9 | | | 1.07 9 |
| <i>Ternstroemia gymnanthera</i> 'Copper Crown' See - <i>Ternstroemia gymnanthera</i> 'Grewad' P.P.A.F. | | | | | | | | |
| <i>Ternstroemia gymnanthera</i> 'Grevan' P.P.A.F. Jade Tiara™ Japanese Ternstroemia | BS | 0.90 | G1 | | 9 | | | 1.07 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Ternstroemia gymnanthera</i> 'Grewad' P.P.A.F. Copper Crown™ Japanese Ternstroemia | BS | 0.88 | G1 | | 9 | | | 1.07 9 |
| <i>Ternstroemia gymnanthera</i> 'Greyou' P.P.A.F. Sovereign™ Japanese Ternstroemia | BS | 0.86 | G1 | | 9 | | | 1.07 9 |
| <i>Ternstroemia gymnanthera</i> 'Jade Tiara' See - <i>Ternstroemia gymnanthera</i> 'Grevan' P.P.A.F. | | | | | | | | |
| <i>Ternstroemia gymnanthera</i> 'Sovereign' See - <i>Ternstroemia gymnanthera</i> 'Greyou' P.P.A.F. | | | | | | | | |
| <i>Ternstroemia gymnanthera</i> 'Variegata' Variegated Japanese Ternstroemia | BS | 0.76 | G1 | | 9 | | | 1.07 9 |
| <i>Ternstroemia japonica</i> See - <i>Ternstroemia gymnanthera</i> | | | | | | | | |
| <i>Tetradenia riparia</i> Labiateae | HP | 1.30 | G1 | 10A | 10B-11 | | | 10 |
| <i>Tetradium daniellii</i> Korean Evodia | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Tetramicra canaliculata</i> No Common Name Found | FO | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Tetrastigma voinierianum</i> Chestnut Vine | GC | 1.58 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Tetratheca thymifolia</i> No Common Name Found | BS | 1.00 | G2 | 9A | 9B-10B | | | 1.00 9 |
| <i>Teucrium canadense</i> American Germander | BS | 1.33 | G4 | | 4-8 | | | 1.00 4 |
| <i>Teucrium chamaedrys</i> Wall Germander | HP | 1.02 | G4 | | 5-8 | | | 5 |
| <i>Teucrium chamaedrys</i> 'Prostratum' Prostratum Wall Germander | HP | 0.97 | G4 | | 5-8 | | | 5 |
| <i>Teucrium fruticans</i> Tree Germander | HP | 1.04 | G2 | | 8-9B | | | 8 |
| <i>Teucrium fruticans</i> 'Azurea' Blue Tree Germander | HP | 0.89 | G2 | | 8-9B | | | 8 |
| <i>Teucrium fruticans</i> 'Compactum' Compact Tree Germander | HP | 0.82 | G2 | | 8-9B | | | 8 |
| <i>Teucrium hyrcanicum</i> No Common Name Found | HP | 0.97 | G4 | | 6-9B | | | 6 |
| <i>Teucrium majoricum</i> Majorcan Germander | HP | 1.00 | G4 | | 7-9B | | | 4 |
| <i>Teucrium marum</i> Cat Thyme | HP | 0.97 | G2 | | 9A-10B | | | 9 |
| <i>Teucrium scorodonia</i> Wood Germander | HP | 0.97 | G4 | 6 | 7-9B | | | 6 |
| <i>Teucrium scorodonia</i> 'Crispum' Crispum Wood Germander | HP | 0.97 | G4 | 6 | 7-9B | | | 6 |
| <i>Thalia dealbata</i> Purple Water Canna | HP | 1.23 | G1 | 9 | 10A-11 | | | 9 |
| <i>Thalia geniculata</i> No Common Name Found | HP | 0.48 | G1 | 9 | 10A-11 | | | 9 |
| <i>Thalictrum alpinum</i> Alpine Meadow Rue | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Thalictrum aquilegiifolium</i> Columbine Meadow Rue | HP | 0.95 | G4 | | 6-9A | | | 6 |
| <i>Thalictrum aquilegiifolium</i> 'Album' White Meadow Rue | HP | 0.86 | G4 | | 6-9A | | | 6 |
| <i>Thalictrum aquilegiifolium</i> 'Atropurpureum' Atropurpureum Columbine Meadow Rue | HP | 1.10 | G4 | | 6-9A | | | 6 |
| <i>Thalictrum aquilegiifolium</i> 'Thundercloud' Thundercloud Columbine Meadow Rue | HP | 0.89 | G4 | | 6-9A | | | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|-------------|---------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | |
| <i>Thalictrum coreanum</i> | | | | | | | |
| See - <i>Thalictrum ichangense</i> | | | | | | | |
| <i>Thalictrum dasycarpum</i> Purple Meadow Rue | HP | 1.07 | G4 | | 5-8 | | 2 |
| <i>Thalictrum delavayi</i> Yunnan Meadow Rue | HP | 1.00 | G4 | | 7-9B | | 7 |
| <i>Thalictrum delavayi</i> 'Hewitt's Double' Hewitt's Double Yunnan Meadow Rue | HP | 1.29 | G4 | | 7-9B | | 7 |
| <i>Thalictrum dioicum</i> Early Meadow Rue | HP | 0.87 | G4 | | 5-8 | | 5 |
| <i>Thalictrum dipterocarpum</i> | | | | | | | |
| See - <i>Thalictrum delavayi</i> | | | | | | | |
| <i>Thalictrum flavum</i> Yellow Meadow Rue | HP | 1.00 | G4 | | 6-9A | | 6 |
| <i>Thalictrum flavum</i> ssp. <i>glaucum</i> Glaucum Yellow Meadow Rue | HP | 1.08 | G4 | | 6-9A | | 6 |
| <i>Thalictrum ichangense</i> No Common Name Found | HP | 1.00 | G4 | | 7-9B | | 7 |
| <i>Thalictrum minus</i> Lesser Meadow Rue | HP | 0.95 | G4 | | 5-8 | | 6 |
| <i>Thalictrum minus</i> 'Adiantifolium' Adiantifolium Lesser Meadow Rue | HP | 0.95 | G4 | | 5-8 | | 6 |
| <i>Thalictrum polycarpum</i> Western Meadow Rue | HP | 0.73 | G4 | | 6-9A | | 5 |
| <i>Thalictrum rochebrunianum</i> No Common Name Found | HP | 1.10 | G4 | | 8-9B | | 8 |
| <i>Thalictrum rochebrunianum</i> 'Lavender Mist' Lavender Mist | HP | 0.83 | G4 | | 8-9B | | 8 |
| <i>Thalictrum speciosissimum</i> | | | | | | | |
| See - <i>Thalictrum flavum</i> ssp. <i>glaucum</i> | | | | | | | |
| <i>Thea sinensis</i> | | | | | | | |
| See - <i>Camellia sinensis</i> | | | | | | | |
| <i>Thelypteris decursive-pinnata</i> | | | | | | | |
| See - <i>Phegopteris decursive-pinnata</i> | | | | | | | |
| <i>Thelypteris normalis</i> Wood Fern | HP | 1.04 | G4 | | 8-10B | | 8 |
| <i>Thelypteris noveboracensis</i> | | | | | | | |
| See - <i>Parathelypteris noveboracensis</i> | | | | | | | |
| <i>Thelypteris palustris</i> Marsh Fern | HP | 0.98 | G4 | | 8-10B | | 4 |
| <i>Thelypteris phegopteris</i> | | | | | | | |
| See - <i>Phegopteris connectilis</i> | | | | | | | |
| <i>Themeda japonica</i> Japanese Themedia | HP | 0.96 | G4 | | 9-10 | | 9 |
| <i>Theobroma cacao</i> Cacao | FN | 2.71 | G1 | 10A | 10B-11 | 1.00 | 1.00 |
| <i>Thermopsis caroliniana</i> | | | | | | | |
| See - <i>Thermopsis villosa</i> | | | | | | | |
| <i>Thermopsis lanceolata</i> Lanceleaf Thermopsis | HP | 0.90 | G4 | | 3-8 | | 3 |
| <i>Thermopsis lupinoides</i> | | | | | | | |
| See - <i>Thermopsis lanceolata</i> | | | | | | | |
| <i>Thermopsis montana</i> | | | | | | | |
| See - <i>Thermopsis rhombifolia</i> | | | | | | | |
| <i>Thermopsis rhombifolia</i> Prairie Thermopsis | HP | 0.90 | G4 | | 4-8 | | 4 |
| <i>Thermopsis villosa</i> Southern Lupine | HP | 1.04 | G4 | | 3-8 | | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Thespesia populnea</i> Portia Tree | BE | 1.23 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Thevetia nerifolia</i> See - <i>Thevetia peruviana</i> | BS | 0.83 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Thevetia peruviana</i> Yellow Oleander | HP | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Thlaspi alpestre</i> Alpine Pennycress | BE | 1.15 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Thrinax excelsa</i> Jamaican Thatch Palm | BE | 1.44 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Thrinax morrisii</i> Peaberry Palm | BE | 1.24 | G1 | 10A | 10B-11 | 1.00 | 2.62 | 10 |
| <i>Thrinax radiata</i> Florida Thatch Palm | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Thryptomene saxicola</i> No Common Name Found | BS | 1.00 | G1 | 10A | 10B-11 | | | |
| <i>Thryptomene saxicola</i> 'Payne's Hybrid' Payne's Hybrid Heath Myrtle | BS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Thuja koraiensis</i> Korean Arborvitae | CE | 1.00 | G1 | | 5-8 | 1.00 | 0.88 | 5 |
| <i>Thuja occidentalis</i> American Arborvitae | CE | 0.59 | G1 | | 2-8 | 1.00 | 0.60 | 2 |
| <i>Thuja occidentalis</i> 'Ada Pendula' Ada Pendula Weeping American Arborvitae | CE | 0.56 | G1 | | 2-8 | 1.00 | 0.39 | 2 |
| <i>Thuja occidentalis</i> 'Aurea' Golden American Arborvitae | CE | 0.56 | G1 | | 2-8 | 1.00 | 0.39 | 2 |
| <i>Thuja occidentalis</i> 'Bodmeri' Bodmeri American Arborvitae | CS | 0.82 | G1 | | 2-8 | | 0.52 | 2 |
| <i>Thuja occidentalis</i> 'Boothii' Booth American Arborvitae | CE | 0.59 | G1 | | 2-8 | 1.00 | 0.52 | 2 |
| <i>Thuja occidentalis</i> 'Brabant' Brabant American Arborvitae | CE | 0.67 | G1 | | 2-8 | 1.00 | 0.60 | 2 |
| <i>Thuja occidentalis</i> 'Brandon' Brandon American Arborvitae | CE | 0.70 | G1 | | 2-8 | 1.00 | 0.49 | 2 |
| <i>Thuja occidentalis</i> 'Compacta' Compact American Arborvitae | CS | 0.82 | G1 | | 2-8 | | 0.72 | 2 |
| <i>Thuja occidentalis</i> 'Danica' Danica Dwarf American Arborvitae | CS | 1.14 | G1 | | 2-8 | | 0.65 | 2 |
| <i>Thuja occidentalis</i> 'DeGroot's Spire' DeGroot's Spire American Arborvitae | CE | 1.17 | G1 | | 2-8 | 1.00 | 1.04 | 2 |
| <i>Thuja occidentalis</i> 'Douglasii Aurea' Douglas Golden American Arborvitae | CE | 0.56 | G1 | | 2-8 | 1.00 | 0.53 | 2 |
| <i>Thuja occidentalis</i> 'Elegantissima' Elegantissima American Arborvitae | CE | 0.61 | G1 | | 2-8 | 1.00 | 0.55 | 2 |
| <i>Thuja occidentalis</i> 'Emerald' See - <i>Thuja occidentalis</i> 'Smaragd' | CS | 0.82 | G1 | | 2-8 | | 0.52 | 2 |
| <i>Thuja occidentalis</i> 'Ericoides' Ericoides American Arborvitae | CE | 0.56 | G1 | | 2-8 | 1.00 | 0.63 | 2 |
| <i>Thuja occidentalis</i> 'Europe Gold' Europe Gold American Arborvitae | CE | 0.66 | G1 | | 2-8 | 1.00 | 0.54 | 2 |
| <i>Thuja occidentalis</i> 'Fastigiata' Pyramidal American Arborvitae | CE | 2.31 | G1 | | 2-8 | 1.00 | 0.39 | 2 |
| <i>Thuja occidentalis</i> 'Filiformis' Filiformis American Arborvitae | CE | 0.65 | G1 | | 2-8 | 1.00 | 0.72 | 2 |
| <i>Thuja occidentalis</i> 'George Peabody' George Peabody American Arborvitae | CE | 0.69 | G1 | | 2-8 | 1.00 | 0.39 | 2 |
| <i>Thuja occidentalis</i> 'George Washington' George Washington American Arborvitae | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Thuja occidentalis</i> 'Globosa' Dwarf Globe American Arborvitae | CS | 0.99 | G1 | | 2-8 | | 0.52 | 2 |
| <i>Thuja occidentalis</i> 'Golden Globe' Golden Globe American Arborvitae | CS | 1.02 | G1 | | 2-8 | | 0.52 | 2 |
| <i>Thuja occidentalis</i> 'Golden Splashes' Golden Splashes American Arborvitae | CE | 0.56 | G1 | | 2-8 | 1.00 | 0.39 | 2 |
| <i>Thuja occidentalis</i> 'Green Globe' Green Globe American Arborvitae | CE | 0.61 | G1 | | 2-8 | 1.00 | 0.39 | 2 |
| <i>Thuja occidentalis</i> 'Hetz Midget' Hetz Midget Dwarf Arborvitae | CS | 1.05 | G1 | | 2-8 | | 0.71 | 2 |
| <i>Thuja occidentalis</i> 'Hills Dark Green' Hills Dark Green American Arborvitae | CE | 0.56 | G1 | | 2-8 | 1.00 | 0.39 | 2 |
| <i>Thuja occidentalis</i> 'Holmstrup' Holmstrup American Arborvitae | CE | 0.72 | G1 | | 2-8 | 1.00 | 0.61 | 2 |
| <i>Thuja occidentalis</i> 'Hovey' Hovey American Arborvitae | CS | 0.82 | G1 | | 2-8 | | 0.52 | 2 |
| <i>Thuja occidentalis</i> 'Klehm Strain' Klehm Strain American Arborvitae | CE | 0.56 | G1 | | 2-8 | 1.00 | 0.67 | 2 |
| <i>Thuja occidentalis</i> 'Little Champion' Little Champion American Arborvitae | CS | 0.82 | G1 | | 2-8 | | 0.52 | 2 |
| <i>Thuja occidentalis</i> 'Little Gem' Little Gem Dwarf Arborvitae | CS | 0.96 | G1 | | 2-8 | | 0.58 | 2 |
| <i>Thuja occidentalis</i> 'Little Giant' Little Giant Dwarf Arborvitae | CS | 0.99 | G1 | | 2-8 | | 0.68 | 2 |
| <i>Thuja occidentalis</i> 'Masonic' Masonic Arborvitae | CE | 0.65 | G1 | | 2-8 | 1.00 | 0.39 | 2 |
| <i>Thuja occidentalis</i> 'Nigra' Dark American Arborvitae | CE | 0.65 | G1 | | 2-8 | 1.00 | 0.56 | 2 |
| <i>Thuja occidentalis</i> 'Pendula' Weeping American Arborvitae | CE | 1.66 | G1 | | 2-8 | 1.00 | 0.72 | 2 |
| <i>Thuja occidentalis</i> 'Pygmy Globe' Pygmy Globe Arborvitae | CS | 0.97 | G1 | | 2-8 | | 0.66 | 2 |
| <i>Thuja occidentalis</i> 'Pyramidalis' See - <i>Thuja occidentalis</i> 'Fastigiata' | | | | | | | | |
| <i>Thuja occidentalis</i> 'Recurva Nana' Recurva Nana American Arborvitae | CS | 0.82 | G1 | | 2-8 | | 0.66 | 2 |
| <i>Thuja occidentalis</i> 'Recurvata' Twisted American Arborvitae | CE | 0.56 | G1 | | 2-8 | 1.00 | 0.39 | 2 |
| <i>Thuja occidentalis</i> 'Rheingold' Rheingold Arborvitae | CE | 0.76 | G1 | | 2-8 | 1.00 | 1.08 | 2 |
| <i>Thuja occidentalis</i> 'Rockwood Gold' Rockwood Gold American Arborvitae | CE | 0.56 | G1 | | 2-8 | 1.00 | 0.39 | 2 |
| <i>Thuja occidentalis</i> 'Roy's Select' Roy's Select American Arborvitae | CE | 0.56 | G1 | | 2-8 | 1.00 | 0.39 | 2 |
| <i>Thuja occidentalis</i> 'Shermani' Sherman American Arborvitae | CE | 0.59 | G1 | | 2-8 | 1.00 | 0.39 | 2 |
| <i>Thuja occidentalis</i> 'Sherwood Moss' Sherwood Moss American Arborvitae | CE | 1.08 | G1 | | 2-8 | 1.00 | 0.39 | 2 |
| <i>Thuja occidentalis</i> 'Smaragd' Emerald Green Arborvitae | CE | 0.68 | G1 | | 2-8 | 1.00 | 0.55 | 2 |
| <i>Thuja occidentalis</i> 'Spiralis' Spiralis American Arborvitae | CE | 0.77 | G1 | | 2-8 | 1.00 | 0.44 | 2 |
| <i>Thuja occidentalis</i> 'Sudworthii' Sudworth American Arborvitae | CE | 0.75 | G1 | | 2-8 | 1.00 | 0.49 | 2 |
| <i>Thuja occidentalis</i> 'Sunkist' Sunkist Arborvitae | CE | 0.76 | G1 | | 2-8 | 1.00 | 0.39 | 2 |
| <i>Thuja occidentalis</i> 'Techny' Techny Arborvitae | CE | 0.67 | G1 | | 2-8 | 1.00 | 0.61 | 2 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Thuja occidentalis</i> 'Tiny Tim' Tiny Tim American Arborvitae | CS | 1.05 | G1 | | 2-8 | | 0.52 | 2 |
| <i>Thuja occidentalis</i> 'Umbraculifera' Umbraculifera Dwarf American Arborvitae | CS | 0.97 | G1 | | 2-8 | | 0.52 | 2 |
| <i>Thuja occidentalis</i> 'Wareana' Wareana American Arborvitae | CE | 0.56 | G1 | | 2-8 | 1.00 | 0.61 | 2 |
| <i>Thuja occidentalis</i> 'Wintergreen' Wintergreen American Arborvitae | CE | 0.73 | G1 | | 2-8 | 1.00 | 0.62 | 2 |
| <i>Thuja occidentalis</i> 'Woodwardii' Woodward Arborvitae | CE | 0.68 | G1 | | 2-8 | 1.00 | 0.44 | 2 |
| <i>Thuja occidentalis</i> 'Yellow Ribbon' Yellow Ribbon American Arborvitae | CE | 0.92 | G1 | | 2-8 | 1.00 | 0.39 | 2 |
| <i>Thuja orientalis</i> See - <i>Platycladus orientalis</i> | | | | | | | | |
| <i>Thuja plicata</i> Western Red Cedar | CE | 0.66 | G1 | | 5-7 | 1.00 | 0.64 | 6 |
| <i>Thuja plicata</i> 'Atrovirens' Atrovirens Western Red Cedar | CE | 0.81 | G1 | | 5-7 | 1.00 | 0.65 | 6 |
| <i>Thuja plicata</i> 'Canadian Gold' Canadian Gold Western Red Cedar | CE | 0.61 | G1 | | 5-7 | 1.00 | 0.60 | 6 |
| <i>Thuja plicata</i> 'Cuprea' Cuprea Western Red Cedar | CE | 1.20 | G1 | | 5-7 | 1.00 | 0.60 | 6 |
| <i>Thuja plicata</i> 'Excelsa' Excelsa Western Red Cedar | CE | 0.61 | G1 | | 5-7 | 1.00 | 0.60 | 6 |
| <i>Thuja plicata</i> 'Fastigiata' Hogan Western Red Cedar | CE | 0.72 | G1 | | 5-7 | 1.00 | 0.73 | 6 |
| <i>Thuja plicata</i> 'Gold Spot' Gold Spot Western Red Cedar | CE | 0.61 | G1 | | 5-7 | 1.00 | 0.60 | 6 |
| <i>Thuja plicata</i> 'Green Giant' Green Giant Western Red Cedar | CE | 0.70 | G1 | | 5-7 | 1.00 | 0.65 | 6 |
| <i>Thuja plicata</i> 'Pacific Gold' Pacific Gold Western Red Cedar | CE | 0.61 | G1 | | 5-7 | 1.00 | 0.60 | 6 |
| <i>Thuja plicata</i> 'Rogersii' Rogers Western Red Cedar | CE | 0.61 | G1 | | 5-7 | 1.00 | 0.60 | 6 |
| <i>Thuja plicata</i> 'Stoneham Dwarf' Stoneham Dwarf Western Red Cedar | CS | 1.00 | G1 | | 5-7 | | 1.00 | 6 |
| <i>Thuja plicata</i> 'Stoneham Gold' Stoneham Gold Western Red Cedar | CE | 1.46 | G1 | | 5-7 | 1.00 | 0.60 | 6 |
| <i>Thuja plicata</i> 'Sunshine' Sunshine Western Red Cedar | CE | 0.96 | G1 | | 5-7 | 1.00 | 0.60 | 6 |
| <i>Thuja plicata</i> 'Zebrina' Zebrina Western Red Cedar | CE | 0.61 | G1 | | 5-7 | 1.00 | 0.79 | 6 |
| <i>Thujopsis dolabrata</i> Hiba Arborvitae | CE | 0.64 | G1 | | 5-9A | 1.00 | 1.00 | 5 |
| <i>Thujopsis dolabrata</i> 'Nana' Dwarf Hiba Arborvitae | CS | 1.30 | G1 | | 5-9A | | 1.00 | 5 |
| <i>Thunbergia alata</i> Clock Vine | AN | 1.18 | G1 | | 10A-11 | | | 10 |
| <i>Thunbergia alata</i> 'Suzie Mix' Suzie Mix Clock Vine | AN | 1.18 | G1 | | 10A-11 | | | 10 |
| <i>Thunbergia battiscombei</i> No Common Name Found | GC | 1.10 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Thunbergia erecta</i> King's Mantle | GC | 0.74 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Thunbergia erecta</i> 'Alba' White King's Mantle | BS | 0.54 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Thunbergia fragrans</i> Sweet Clock Vine | GC | 2.05 | G1 | 10A | 10B-11 | | 1.00 | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Thunbergia gibsonii</i> | | | | | | | | |
| See - <i>Thunbergia gregorii</i> | | | | | | | | |
| <i>Thunbergia grandiflora</i> Blue Trumpet Vine | GC | 1.01 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Thunbergia grandiflora</i> 'Alba' White Sky Vine | GC | 1.09 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Thunbergia gregorii</i> Orange Clock Vine | GC | 1.16 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Thunbergia laurifolia</i> No Common Name Found | GC | 1.00 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Thunbergia mysorensis</i> No Common Name Found | GC | 1.30 | G1 | 10A | 10B-11 | | | 1.00 10 |
| <i>Thymophylla tenuiloba</i> Dahlberg Daisy | HP | 0.62 | G1 | 9 | 10A-11 | | | 9 |
| <i>Thymus camphoratus</i> No Common Name Found | HP | 0.97 | G4 | | 7-9B | | | 7 |
| <i>Thymus x citriodorus</i> Lemon Thyme | HP | 1.07 | G4 | | 7-9B | | | 7 |
| <i>Thymus x citriodorus</i> 'Archer's Gold' Archer's Gold Lemon Thyme | HP | 0.88 | G4 | | 7-9B | | | 7 |
| <i>Thymus x citriodorus</i> 'Argenteus Variegatus' Argenteus Variegatus Lemon Thyme | HP | 0.71 | G4 | | 7-9B | | | 7 |
| <i>Thymus x citriodorus</i> 'Argenteus' Silver Lemon Thyme | HP | 0.84 | G4 | | 7-9B | | | 7 |
| <i>Thymus x citriodorus</i> 'Aureus' Golden Lemon Thyme | HP | 0.86 | G4 | | 7-9B | | | 7 |
| <i>Thymus x citriodorus</i> 'Doone Valley' Doone Valley Lemon Thyme | HP | 0.84 | G4 | | 7-9B | | | 7 |
| <i>Thymus x citriodorus</i> 'Silver Queen' Silver Queen Lemon Thyme | HP | 1.30 | G4 | | 7-9B | | | 7 |
| <i>Thymus x citriodorus</i> 'Variegata' Silveredge Lemon Thyme | HP | 0.99 | G4 | | 7-9B | | | 7 |
| <i>Thymus herba-barona</i> Caraway Thyme | HP | 0.77 | G4 | | 8-9B | | | 5 |
| <i>Thymus hirsutus</i> No Common Name Found | HP | 0.97 | G1 | | 5-9A | | | 5 |
| <i>Thymus lanuginosus</i> See - <i>Thymus pseudolanuginosus</i> | HP | 1.14 | G4 | | 5-8 | | | 5 |
| <i>Thymus praecox</i> Mother of Thyme | HP | 1.03 | G4 | | 5-8 | | | 5 |
| <i>Thymus praecox</i> 'Albus' White Mother of Thyme | HP | 1.03 | G4 | | 5-8 | | | 5 |
| <i>Thymus praecox</i> 'Minus' Minus Mother of Thyme | HP | 1.03 | G4 | | 5-8 | | | 5 |
| <i>Thymus praecox</i> ssp. <i>arcticus</i> Arcticus Mother of Thyme | HP | 0.90 | G4 | | 5-8 | | | 5 |
| <i>Thymus pseudolanuginosus</i> Woolly Thyme | HP | 1.02 | G4 | | 6-9A | | | 6 |
| <i>Thymus pseudolanuginosus</i> 'Hall's' Hall's Woolly Thyme | HP | 1.48 | G4 | | 6-9A | | | 6 |
| <i>Thymus pulegioides</i> No Common Name Found | HP | 0.71 | G1 | | 5-8 | | | 5 |
| <i>Thymus serpyllum</i> Wild Thyme | HP | 1.07 | G4 | 9 | 10A | | | 5 |
| <i>Thymus serpyllum</i> 'Coccineus' Red Wild Thyme | HP | 0.97 | G4 | 9 | 10A | | | 5 |
| <i>Thymus serpyllum</i> 'Elfin' Elfin Wild Thyme | HP | 1.00 | G4 | 9 | 10A | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|--------|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Thymus serpyllum</i> 'Pink Chintz' Pink Chintz Wild Thyme | HP | 0.86 | G4 | 9 | 10A | | | 5 |
| <i>Thymus vulgaris</i> Common Thyme | HP | 0.83 | G4 | | 7-10B | | | 7 |
| <i>Thymus vulgaris</i> 'Baltic' Baltic Common Thyme | HP | 0.83 | G4 | | 7-10B | | | 7 |
| <i>Thymus vulgaris</i> 'English' English Common Thyme | HP | 0.94 | G4 | | 7-10B | | | 7 |
| <i>Thymus vulgaris</i> 'French' French Common Thyme | HP | 0.97 | G4 | | 7-10B | | | 7 |
| <i>Tiarella cordifolia</i> Allegheny Foamflower | HP | 1.01 | G4 | | 5-8 | | | 3 |
| <i>Tiarella cordifolia</i> 'Brandywine' Brandywine Allegheny Foamflower | HP | 0.99 | G4 | | 5-8 | | | 3 |
| <i>Tiarella cordifolia</i> 'Dark Eye' Dark Eye Allegheny Foamflower | HP | 1.37 | G4 | | 5-8 | | | 3 |
| <i>Tiarella cordifolia</i> 'Inkblot' Inkblot Allegheny Foamflower | HP | 1.17 | G4 | | 5-8 | | | 3 |
| <i>Tiarella cordifolia</i> 'Running Tapestry' Running Tapestry Allegheny Foamflower | HP | 1.27 | G4 | | 5-8 | | | 3 |
| <i>Tiarella cordifolia</i> 'Slick Rock' Slick Rock Allegheny Foamflower | HP | 1.23 | G4 | | 5-8 | | | 3 |
| <i>Tiarella cordifolia</i> 'Tiger Stripe' Tiger Stripe Allegheny Foamflower | HP | 1.35 | G4 | | 5-8 | | | 3 |
| <i>Tiarella cordifolia</i> var. <i>collina</i> See - <i>Tiarella wherryi</i> | | | | | | | | |
| <i>Tiarella trifoliata</i> Three-leaved Foamflower | HP | 1.34 | G4 | | 5-8 | | | 5 |
| <i>Tiarella trifoliata</i> 'Filigree Lace' Filigree Lace Three-leaved Foamflower | HP | 1.34 | G4 | | 5-8 | | | 5 |
| <i>Tiarella wherryi</i> Wherry Foamflower | HP | 1.21 | G4 | | 6-9A | | | 6 |
| <i>Tiarella wherryi</i> 'Dunvegan' Dunvegan Wherry Foamflower | HP | 1.10 | G4 | | 6-9A | | | 6 |
| <i>Tiarella wherryi</i> 'Oakleaf' Oakleaf Foamflower | HP | 1.21 | G4 | | 6-9A | | | 6 |
| <i>Tibouchina elegans</i> No Common Name Found | BS | 0.91 | G1 | 9B-10A | 10B-11 | | 1.00 | 10 |
| <i>Tibouchina grandifolia</i> No Common Name Found | BS | 1.86 | G1 | 9B-10A | 10B-11 | | 1.00 | 10 |
| <i>Tibouchina granulosa</i> Purple Glory Tree | BS | 1.06 | G1 | 9B-10A | 10B-11 | | 1.00 | 10 |
| <i>Tibouchina heteromalla</i> No Common Name Found | BS | 0.81 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Tibouchina semidecandra</i> See - <i>Tibouchina urvilleana</i> | | | | | | | | |
| <i>Tibouchina urvilleana</i> Glory Bush | BS | 0.85 | G1 | 9B-10A | 10B-11 | | 1.00 | 10 |
| <i>Tibouchina urvilleana</i> 'Athens Blue' Athens Blue Glory Bush | BS | 0.75 | G1 | 9B-10A | 10B-11 | | 1.00 | 10 |
| <i>Tilia americana</i> American Linden | DT | 1.04 | G1 | | 2-8 | 0.96 | 0.41 | 3 |
| <i>Tilia americana</i> 'Bailyard' Frontyard™ American Linden | DT | 1.02 | G1 | | 2-8 | 1.05 | 0.34 | 3 |
| <i>Tilia americana</i> 'Boulevard' Boulevard American Linden | DT | 0.95 | G1 | | 2-8 | 0.94 | 0.34 | 3 |
| <i>Tilia americana</i> 'Capital' Capital American Linden | DT | 0.95 | G1 | | 2-8 | 1.20 | 0.34 | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Tilia americana</i> 'Douglas' Douglas American Linden | DT | 0.95 | G1 | | 2-8 | 0.88 | 0.34 | 3 |
| <i>Tilia americana</i> 'Fastigiata' Pyramidal American Linden | DT | 0.95 | G1 | | 2-8 | 0.74 | 0.34 | 3 |
| <i>Tilia americana</i> 'Frontyard' See - <i>Tilia americana</i> 'Bailyard' | | | | | | | | |
| <i>Tilia americana</i> 'Legend' See - <i>Tilia americana</i> 'Wandell' P.P.A.F. | DT | 0.95 | G1 | | 2-8 | 0.74 | 0.34 | 3 |
| <i>Tilia americana</i> 'Lincoln' Lincoln American Linden | DT | 0.95 | G1 | | 2-8 | 1.06 | 1.16 | 3 |
| <i>Tilia americana</i> 'Redmond' Redmond American Linden | DT | 0.95 | G1 | | 2-8 | 0.76 | 0.34 | 3 |
| <i>Tilia americana</i> 'Rosehill' Rosehill American Linden | DT | 0.95 | G1 | | 2-8 | 1.11 | 0.36 | 3 |
| <i>Tilia americana</i> 'Sentry' Sentry American Linden | DT | 1.06 | G1 | | 2-8 | 0.97 | 0.36 | 3 |
| <i>Tilia americana</i> 'Wandell' P.P.A.F. Legend™ American Linden | DT | 0.95 | G1 | | 2-8 | 1.00 | 1.00 | 7 |
| <i>Tilia caroliniana</i> Carolina Linden | DT | 0.35 | G1 | | 7-10A | 0.86 | 0.37 | 3 |
| <i>Tilia cordata</i> Little Leaf Linden | DT | 0.82 | G1 | | 3-7 | 1.06 | 0.37 | 3 |
| <i>Tilia cordata</i> 'Baileyi' Shamrock™ Little Leaf Linden | DT | 1.04 | G1 | | 3-7 | 1.04 | 1.48 | 3 |
| <i>Tilia cordata</i> 'Chancellor' See - <i>Tilia cordata</i> 'Chancolle' P.P. 2712 | DT | 0.82 | G1 | | 3-7 | 1.04 | 1.48 | 3 |
| <i>Tilia cordata</i> 'Chancolle' P.P. 2712 Chancellor Little Leaf Linden | | | | | | | | |
| <i>Tilia cordata</i> 'Corinthian' See - <i>Tilia cordata</i> 'Corzam' | DT | 1.27 | G1 | | 3-7 | 0.77 | 0.37 | 3 |
| <i>Tilia cordata</i> 'Corzam' Corinthian® Little Leaf Linden | | | | | | | | |
| <i>Tilia cordata</i> 'Cully' Cully Little Leaf Linden | DT | 0.82 | G1 | | 3-7 | 0.77 | 0.37 | 3 |
| <i>Tilia cordata</i> 'DeGroot' DeGroot Little Leaf Linden | DT | 0.82 | G1 | | 3-7 | 0.77 | 0.37 | 3 |
| <i>Tilia cordata</i> 'Fairview' Fairview Little Leaf Linden | DT | 0.82 | G1 | | 3-7 | 0.89 | 0.37 | 3 |
| <i>Tilia cordata</i> 'Glenleven' Glenleven Little Leaf Linden | DT | 0.82 | G1 | | 3-7 | 1.05 | 1.16 | 3 |
| <i>Tilia cordata</i> 'Greenspire' See - <i>Tilia cordata</i> 'PNI 6025' P.P. 2086 | DT | 0.82 | G1 | | 3-7 | 1.04 | 1.48 | 3 |
| <i>Tilia cordata</i> 'June Bride' June Bride Little Leaf Linden | | | | | | | | |
| <i>Tilia cordata</i> 'Klehm #2' Klehm #2 Little Leaf Linden | DT | 0.82 | G1 | | 3-7 | 1.03 | 0.37 | 3 |
| <i>Tilia cordata</i> 'Klehm #3' Klehm #3 Little Leaf Linden | DT | 0.82 | G1 | | 3-7 | 0.81 | 0.37 | 3 |
| <i>Tilia cordata</i> 'Morden' Morden Little Leaf Linden | DT | 0.82 | G1 | | 3-7 | 0.77 | 0.37 | 3 |
| <i>Tilia cordata</i> 'Norlin' See - <i>Tilia cordata</i> 'Ronald' P.P.A.F. | DT | 0.82 | G1 | | 3-7 | 0.90 | 0.37 | 3 |
| <i>Tilia cordata</i> 'Olympic' Olympic Little Leaf Linden | | | | | | | | |
| <i>Tilia cordata</i> 'PNI 6025' P.P. 2086 Greenspire® Little Leaf Linden | DT | 0.91 | G1 | | 3-7 | 1.05 | 1.10 | 3 |
| <i>Tilia cordata</i> 'Prestige' Prestige Little Leaf Linden | DT | 0.82 | G1 | | 3-7 | 1.10 | 0.37 | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Tilia cordata</i> 'Rancho' Rancho Little Leaf Linden | DS | 1.00 | G1 | | 3-7 | | 1.00 | 3 |
| <i>Tilia cordata</i> 'Ronald' P.P.A.F. Norlin™ Little Leaf Linden | DT | 0.82 | G1 | | 3-7 | 0.77 | 0.37 | 3 |
| <i>Tilia cordata</i> 'Salem' Salem™ Little Leaf Linden | DT | 0.82 | G1 | | 3-7 | 0.99 | 0.37 | 3 |
| <i>Tilia cordata</i> 'Shamrock' See - <i>Tilia cordata</i> 'Bailey' | DT | 0.82 | G1 | | 3-7 | 0.83 | 0.37 | 3 |
| <i>Tilia cordata</i> 'Turesi' Tures Pyramidal Little Leaf Linden | DT | 0.82 | G1 | | 3-7 | 0.77 | 0.37 | 3 |
| <i>Tilia cordata</i> 'Wratislaviensis' Wratslavensis Golden Little Leaf Linden | DT | 0.82 | G1 | | 3-7 | 1.00 | 1.00 | 5 |
| <i>Tilia dasystyla</i> No Common Name Found | DT | 1.00 | G1 | | 5-7 | 0.99 | 0.67 | 3 |
| <i>Tilia x euchlora</i> Crimean Linden | DT | 1.00 | G1 | | 4-7 | 1.00 | 1.00 | 5 |
| <i>Tilia x euchlora</i> 'Laurelhurst' Laurelhurst Crimean Linden | DT | 1.00 | G1 | | 4-7 | 0.99 | 0.67 | 3 |
| <i>Tilia x europaea</i> See - <i>Tilia x vulgaris</i> | DT | 1.00 | G1 | | 3-7 | 1.00 | 1.00 | 3 |
| <i>Tilia mongolica</i> Mongolian Linden | DT | 1.00 | G1 | | 3-7 | 1.00 | 1.00 | 5 |
| <i>Tilia petiolaris</i> Pendent Silver Linden | DT | 1.00 | G1 | | 5-7 | 1.00 | 1.00 | 5 |
| <i>Tilia platyphyllos</i> Bigleaf Linden | DT | 1.00 | G1 | | 5-7 | 1.00 | 1.00 | 5 |
| <i>Tilia platyphyllos</i> 'Fastigiata' Columnar Bigleaf Linden | DT | 1.00 | G1 | | 5-7 | 1.00 | 1.00 | 5 |
| <i>Tilia platyphyllos</i> 'Laciniata' Cutleaf Bigleaf Linden | DT | 1.00 | G1 | | 5-7 | 1.00 | 1.00 | 5 |
| <i>Tilia tomentosa</i> Silver Linden | DT | 1.00 | G1 | | 4-7 | 0.98 | 1.20 | 6 |
| <i>Tilia tomentosa</i> 'Brabant' Brabant Silver Linden | DT | 1.00 | G1 | | 4-7 | 0.81 | 0.56 | 6 |
| <i>Tilia tomentosa</i> 'Green Mountain' See - <i>Tilia tomentosa</i> 'PNI 6051' | DT | 1.00 | G1 | | 4-7 | 0.96 | 0.56 | 6 |
| <i>Tilia tomentosa</i> 'PNI 6051' Green Mountain® Silver Linden | DT | 1.00 | G1 | | 4-7 | 1.04 | 0.56 | 6 |
| <i>Tilia tomentosa</i> 'Princeton' Princeton Silver Linden | DT | 1.00 | G1 | | 4-7 | 0.81 | 0.56 | 6 |
| <i>Tilia tomentosa</i> 'Sashazam' Satin Shadow™ Silver Linden | DT | 1.00 | G1 | | 4-7 | 0.81 | 0.56 | 6 |
| <i>Tilia tomentosa</i> 'Satin Shadow' See - <i>Tilia tomentosa</i> 'Sashazam' | DT | 1.00 | G1 | | 4-7 | 1.07 | 1.24 | 6 |
| <i>Tilia tomentosa</i> 'Sterling Silver' See - <i>Tilia tomentosa</i> 'Sterling' P.P. 6511 | DT | 1.00 | G1 | | 4-7 | 1.00 | 1.00 | 3 |
| <i>Tilia tomentosa</i> 'Sterling' P.P. 6511 Sterling Silver® Linden | DT | 1.00 | G1 | | 3-7 | 1.00 | 1.00 | 3 |
| <i>Tilia x vulgaris</i> European Linden | DT | 1.00 | G1 | | 3-7 | 1.00 | 1.00 | 3 |
| <i>Tilia x vulgaris</i> 'Gocrozam' Gold Crown® European Linden | DT | 1.00 | G1 | | 3-7 | 1.00 | 1.00 | 3 |
| <i>Tilia x vulgaris</i> 'Gold Crown' See - <i>Tilia x vulgaris</i> 'Gocrozam' | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia aeranthos</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia albertiana</i> No Common Name Found | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | High/Wide | | |
| <i>Tillandsia araujuei</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Tillandsia argentea</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Tillandsia atroviridipetala</i> See - <i>Tillandsia plumosa</i> | | | | | | | | |
| <i>Tillandsia baileyi</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia balbisiana</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia bergeri</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia brachycaulos</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia bulbosa</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Tillandsia butzii</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia cacticola</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia caerulea</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia califani</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia capitata</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia caput-medusae</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Tillandsia caulescens</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia circinnata</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia concolor</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Tillandsia crocata</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia cyanea</i> No Common Name Found | FO | 0.87 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia cyanea</i> '3-D' 3-D Tillandsia | FO | 0.54 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia cyanea</i> 'Anita' Anita Tillandsia | FO | 0.45 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia duratii</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia fasciculata</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Tillandsia festucoides</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia filifolia</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Tillandsia flabellata</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Tillandsia funckiana</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia gardneri</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia ionantha</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-------|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Tillandsia ionantha</i> var. <i>van hyningii</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia ixioides</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia juncea</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia latifolia</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia latifolia</i> var. <i>divaricata</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia latifolia</i> var. <i>latifolia</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia latifolia</i> var. <i>major</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia lorentziana</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia magnusiana</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Tillandsia mallemontii</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia matudai</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia meridionalis</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia myosura</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia oaxacana</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia paleacea</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia paucifolia</i> See - <i>Tillandsia circinnata</i> | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia plumosa</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia polystachya</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia pruinosa</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia punctulata</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Tillandsia purpurea</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia reichenbachii</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia schiedeana</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Tillandsia seleriana</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Tillandsia straminea</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia streptocarpa</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia streptophylla</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 10 |
| <i>Tillandsia stricta</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia tectorum</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-------|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Tillandsia tenuifolia</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia tricolor</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 9 |
| <i>Tillandsia usneoides</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 8 |
| <i>Tillandsia utriculata</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 8 |
| <i>Tillandsia valenzuelana</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia vernicosa</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tillandsia xerographica</i> No Common Name Found | FO | 1.00 | G3 | 10A | 10B-11 | | | 9 |
| <i>Tipuana tipu</i> Rose Wood | BE | 0.90 | G1 | 10A | 10B-11 | 1.23 | 1.00 | 10 |
| <i>Toona sinensis</i> No Common Name Found | DT | 1.00 | G1 | 5-8 | 9A-10B | 1.00 | 1.00 | 5 |
| <i>Torenia fournieri</i> Wishbone Flower | AN | 0.61 | G4 | 1-9B | 10A-11 | | | 9 |
| <i>Torenia fournieri</i> 'Clown Series' Clown Series Wishbone Flower | AN | 0.64 | G4 | 1-9B | 10A-11 | | | 9 |
| <i>Trachelospermum asiaticum</i> Asiatic Jasmine | GC | 0.93 | G2 | 8 | 9A-10B | | 1.00 | 9 |
| <i>Trachelospermum asiaticum</i> 'Asia Minor' P.P. 5346 Asia Minor Asiatic Jasmine | GC | 0.88 | G2 | 8 | 9A-10B | | 1.00 | 9 |
| <i>Trachelospermum asiaticum</i> 'Bronze Beauty' Bronze Beauty Asiatic Jasmine | GC | 1.11 | G2 | 8 | 9A-10B | | 1.00 | 9 |
| <i>Trachelospermum asiaticum</i> 'Minima' Minima Asiatic Jasmine | GC | 0.84 | G2 | 8 | 9A-10B | | 1.00 | 9 |
| <i>Trachelospermum asiaticum</i> 'Texas Long' Texas Long Asiatic Jasmine | GC | 1.10 | G2 | 8 | 9A-10B | | 1.00 | 9 |
| <i>Trachelospermum asiaticum</i> 'Variegata' Variegated Asiatic Jasmine | GC | 0.94 | G2 | 8 | 9A-10B | | 1.00 | 9 |
| <i>Trachelospermum jasminoides</i> Star Jasmine | GC | 0.78 | G2 | 9A | 9B-10B | | 1.00 | 8 |
| <i>Trachelospermum jasminoides</i> 'Madison' Madison Confederate Jasmine | GC | 1.16 | G2 | 9A | 9B-10B | | 1.00 | 8 |
| <i>Trachelospermum jasminoides</i> 'Variegatum' Variegated Star Jasmine | GC | 0.92 | G2 | 9A | 9B-10B | | 1.00 | 8 |
| <i>Trachycarpus fortunei</i> Windmill Palm | BE | 0.87 | G2 | | 8-11 | 1.00 | 2.91 | 9 |
| <i>Trachycarpus takil</i> No Common Name Found | BE | 1.00 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Trachycarpus wagnerianus</i> No Common Name Found | BE | 1.00 | G1 | 7-8 | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Trachystemon orientalis</i> No Common Name Found | GC | 0.77 | G1 | 7-9 | 10 | | 1.00 | 6 |
| <i>Tradescantia x andersoniana</i> See - <i>Tradescantia virginiana</i> | | | | | | | | |
| <i>Tradescantia fluminensis</i> No Common Name Found | FO | 0.30 | G4 | 5-6 | 7-10B | | | 9 |
| <i>Tradescantia fluminensis</i> 'Tricolor Minima' Tricolor Minima Spiderwort | FO | 0.30 | G4 | 5-6 | 7-10B | | | 9 |
| <i>Tradescantia hirsuticaulis</i> Virginia Spiderwort | HP | 1.00 | G4 | 6 | 7-10B | | | 9 |
| <i>Tradescantia ohioensis</i> Ohio Spiderwort | HP | 0.98 | G4 | 5-6 | 7-10B | | | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Tradescantia ohiensis</i> 'Alba' White Ohio Spiderwort | HP | 0.98 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia spathacea</i> Oyster Plant | FO | 0.23 | G4 | 5-6 | 7-10B | | | 9 |
| <i>Tradescantia virginiana</i> Spiderwort | HP | 0.76 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia virginiana</i> 'Bluestone' Bluestone Spiderwort | HP | 0.99 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia virginiana</i> 'Concord Grape' Concord Grape Spiderwort | HP | 1.09 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia virginiana</i> 'Hawaiian Punch' Hawaiian Punch Spiderwort | HP | 1.12 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia virginiana</i> 'Innocence' Innocence Spiderwort | HP | 0.99 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia virginiana</i> 'Isis' Isis Spiderwort | HP | 1.02 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia virginiana</i> 'J.C. Weguelin' J.C. Weguelin Spiderwort | HP | 1.03 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia virginiana</i> 'Little Doll' Little Doll Spiderwort | HP | 1.12 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia virginiana</i> 'Pauline' Pauline Spiderwort | HP | 1.05 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia virginiana</i> 'Purple Dome' Purple Dome Spiderwort | HP | 0.92 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia virginiana</i> 'Purple Profusion' Purple Profusion Spiderwort | HP | 1.27 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia virginiana</i> 'Red Cloud' Red Cloud Spiderwort | HP | 1.21 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia virginiana</i> 'Rubra' Red Spiderwort | HP | 1.03 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia virginiana</i> 'Snowcap' Snowcap Spiderwort | HP | 1.04 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia virginiana</i> 'Valor' Valor Spiderwort | HP | 0.90 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia virginiana</i> 'Zwanenburg Blue' Zwanenburg Blue Spiderwort | HP | 1.20 | G4 | 5-6 | 7-10B | | | 7 |
| <i>Tradescantia zebrina</i> Wandering Jew | FO | 0.45 | G4 | 5-6 | 7-10B | | | 9 |
| <i>Trevesia palmata</i> Himalayan Trevisia | FO | 1.00 | G1 | 10A | 10B-11 | | | 10 |
| <i>Trichillia dregeana</i> Forest Mahogany | BE | 1.00 | G1 | 9 | 10A-11 | 1.00 | 1.00 | 10B |
| <i>Trichostema dichotomum</i> Bastard Pennyroyal | HP | 0.89 | G2 | | 8-10B | | | 6 |
| <i>Trichostema lanatum</i> Woolly Blue Curls | BS | 1.07 | G2 | | 8-10B | | 1.00 | 9 |
| <i>Tricopilia sauvis</i> No Common Name Found | FO | 2.03 | G1 | 10A | 10B-11 | | | 10 |
| <i>Tricyrtis</i> Toad Lily | HP | 1.41 | G4 | | 7-10A | | | 5 |
| <i>Tricyrtis</i> 'Shirohotogisu' Shirohotogisu Toad Lily | HP | 1.41 | G4 | | 7-10A | | | 5 |
| <i>Tricyrtis formosana</i> Formosa Toad Lily | HP | 1.33 | G4 | | 7-10A | | | 7 |
| <i>Tricyrtis hirta</i> Common Toad Lily | HP | 1.24 | G4 | | 5-9A | | | 5 |
| <i>Tricyrtis hirta</i> 'Albo-Marginata' Albo-Marginata Common Toad Lily | HP | 1.03 | G4 | | 5-9A | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Tricyrtis hirta</i> 'Aureo-Marginata' Aureo-Marginata Common Toad Lily | HP | 1.03 | G4 | | 5-9A | | | 5 |
| <i>Tricyrtis hirta</i> 'Miyazaki' Miyazaki Common Toad Lily | HP | 1.08 | G4 | | 5-9A | | | 5 |
| <i>Tricyrtis hirta</i> 'Variegata' Variegated Common Toad Lily | HP | 1.03 | G4 | | 5-9A | | | 5 |
| <i>Tricyrtis hirta</i> 'White Towers' White Towers Common Toad Lily | HP | 1.23 | G4 | | 5-9A | | | 5 |
| <i>Tricyrtis macrantha</i> No Common Name Found | HP | 0.97 | G4 | | 6-9A | | | 6 |
| <i>Tricyrtis macropoda</i> Speckled Toad Lily | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Tricyrtis maculata</i> No Common Name Found | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Tricyrtis stolonifera</i> See - <i>Tricyrtis formosana</i> | HP | 0.91 | G4 | | 4-8 | | | 4 |
| <i>Trifolium repens</i> Shamrock Clover | HP | 0.97 | G4 | | 4-8 | | | 4 |
| <i>Trifolium repens</i> 'Atropurpureum' Atropurpureum White Clover | HP | 1.43 | G1 | | 4-8 | | | 4 |
| <i>Trillium erectum</i> Purple Trillium | HP | 1.19 | G1 | | 5-9A | | | 5 |
| <i>Trillium grandiflorum</i> White Trillium | HP | 1.43 | G1 | | 5-9A | | | 5 |
| <i>Trillium luteum</i> Yellow Wood Trillium | HP | 0.95 | G1 | | 5-9A | | | 5 |
| <i>Trillium recurvatum</i> Red Trillium | HP | 1.00 | G1 | | 4-8 | | | 4 |
| <i>Trillium sessile</i> Toad Trillium | HP | 1.00 | G1 | | 4-8 | | | 4 |
| <i>Trillium undulatum</i> Painted Trillium | HP | 1.00 | G1 | | 4-8 | | | 4 |
| <i>Trillium viride</i> var. <i>luteum</i> See - <i>Trillium luteum</i> | HP | 0.67 | G4 | 10A | 10B-11 | | | 10 |
| <i>Trimezia martinicensis</i> No Common Name Found | BS | 0.82 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Triphasia trifolia</i> Lime Berry | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Triplaris cumingiana</i> No Common Name Found | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Triplaris surinamensis</i> See - <i>Triplaris weigeltiana</i> | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Triplaris weigeltiana</i> Guayabo Hormiguero | HP | 0.62 | G4 | | 9A-11 | | | 8 |
| <i>Tripsacum dactyloides</i> Fakahatchee Grass | HP | 0.60 | G4 | 8 | 9A-11 | | | 8 |
| <i>Tripsacum floridana</i> Florida Gama Grass | BE | 0.75 | G2 | | 9A-10B | 1.00 | 1.00 | 9 |
| <i>Tristania conferta</i> Brisbane Box Tree | GC | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 11 |
| <i>Tristellateia australasiae</i> Galphimia Vine | HP | 1.00 | G4 | | 5-8 | | | 4 |
| <i>Triteleia hyacintha</i> White Brodiaea | HP | 1.00 | G4 | | 6-8 | | | 4 |
| <i>Triteleia laxa</i> Grass Nut | HP | 1.00 | G4 | | 6-8 | | | 4 |
| <i>Triteleia laxa</i> 'Queen Fabiola' Queen Fabiola Grass Nut | HP | 1.00 | G4 | | 6-8 | | | 4 |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Triteleia peduncularis</i> Long-rayed Triteleia | HP | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Trithrinax acanthocoma</i> Spiny Fibre Palm | BE | 1.00 | G1 | 9B | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Tritoma uvaria</i> See - <i>Kniphofia uvaria</i> | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Tritonia crocata</i> <i>'Princess Beatrix'</i> | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| Princess Beatrix Tritonia | | | | | | | | |
| <i>Tritonia hyalina</i> No Common Name Found | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Trollius chinensis</i> No Common Name Found | HP | 1.00 | G4 | | 5-8 | | | 5 |
| <i>Trollius x cultorum</i> Hybrid Globeflower | HP | 1.10 | G4 | | 6-9A | | | 5 |
| <i>Trollius x cultorum</i> 'Alabaster' Alabaster Hybrid Globeflower | HP | 1.10 | G4 | | 6-9A | | | 5 |
| <i>Trollius x cultorum</i> 'Earliest of All' Earliest of All Hybrid Globeflower | HP | 1.17 | G4 | | 6-9A | | | 5 |
| <i>Trollius x cultorum</i> 'Golden Queen' Golden Queen Hybrid Globeflower | HP | 1.16 | G4 | | 6-9A | | | 5 |
| <i>Trollius x cultorum</i> 'Lemon Queen' Lemon Queen Hybrid Globeflower | HP | 1.10 | G4 | | 6-9A | | | 5 |
| <i>Trollius x cultorum</i> 'Orange Globe' Orange Globe Hybrid Globeflower | HP | 1.24 | G4 | | 6-9A | | | 5 |
| <i>Trollius europaeus</i> Common Globeflower | HP | 1.26 | G4 | | 5-8 | | | 5 |
| <i>Trollius europaeus</i> 'Superbus' Superbus Common Globeflower | HP | 1.09 | G4 | | 5-8 | | | 5 |
| <i>Trollius pumilus</i> No Common Name Found | HP | 1.19 | G4 | | 5-8 | | | 5 |
| <i>Tsuga canadensis</i> Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Abbot's Dwarf' Abbot's Dwarf Canadian Hemlock | CS | 1.60 | G1 | | 3-7 | | | 1.67 |
| <i>Tsuga canadensis</i> 'Albospica' Albospica Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 3.24 | 4 |
| <i>Tsuga canadensis</i> 'Angustifolia' Angustifolia Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Aurea Compacta' Golden Compact Canadian Hemlock | CS | 1.60 | G1 | | 3-7 | | | 1.67 |
| <i>Tsuga canadensis</i> 'Aurea' Golden Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 1.12 | 4 |
| <i>Tsuga canadensis</i> 'Baldwin Dwarf Pyramid' Baldwin Dwarf Pyramid Canadian Hemlock | CS | 1.60 | G1 | | 3-7 | | | 1.67 |
| <i>Tsuga canadensis</i> 'Beaujean' Beaujean Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 1.41 | 4 |
| <i>Tsuga canadensis</i> 'Beehive' Beehive Canadian Hemlock | CE | 1.74 | G1 | | 3-7 | 1.00 | 2.22 | 4 |
| <i>Tsuga canadensis</i> 'Bennett' Bennett Canadian Hemlock | CE | 1.51 | G1 | | 3-7 | 1.00 | 1.95 | 4 |
| <i>Tsuga canadensis</i> 'Bergman's Snowflake' Bergman's Snowflake Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Betty Rose' Betty Rose Canadian Hemlock | CE | 1.84 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Brandleyii' Brandley Canadian Hemlock | CE | 1.14 | G1 | | 3-7 | 1.00 | 0.98 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Tsuga canadensis</i> 'Canby' Canby Canadian Hemlock | CE | 2.77 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Cloud Prune' Cloud Prune Canadian Hemlock | CE | 1.84 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Coffin' Coffin Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Cole' Cole Canadian Hemlock | CE | 1.50 | G1 | | 3-7 | 1.00 | 1.34 | 4 |
| <i>Tsuga canadensis</i> 'Creamy' Creamy Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Curly' Curly Canadian Hemlock | CE | 1.42 | G1 | | 3-7 | 1.00 | 2.01 | 4 |
| <i>Tsuga canadensis</i> 'Dawsoniana' Dawson Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Dwarf Upright' Dwarf Upright Canadian Hemlock | CS | 1.65 | G1 | | 3-7 | | 1.67 | 4 |
| <i>Tsuga canadensis</i> 'Elm City' Elm City Canadian Hemlock | CE | 2.17 | G1 | | 3-7 | 1.00 | 2.51 | 4 |
| <i>Tsuga canadensis</i> 'Emerald Fountain' See - <i>Tsuga canadensis</i> 'Monler' P.P.A.F. | CE | 2.01 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Everitt Golden' Everitt Golden Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 1.41 | 4 |
| <i>Tsuga canadensis</i> 'Fantana' Fantana Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 1.41 | 4 |
| <i>Tsuga canadensis</i> 'Fremdii' Fremdii Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Frostie' Frostie Canadian Hemlock | CE | 2.29 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Geneva' Geneva Canadian Hemlock | CE | 1.37 | G1 | | 3-7 | 1.00 | 1.60 | 4 |
| <i>Tsuga canadensis</i> 'Gentsch Variegated' Variegated Gentsch Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Gentsch White' Gentsch White Canadian Hemlock | CE | 1.31 | G1 | | 3-7 | 1.00 | 1.57 | 4 |
| <i>Tsuga canadensis</i> 'Golden Splendor' Golden Splendor Canadian Hemlock | CE | 1.12 | G1 | | 3-7 | 1.00 | 1.01 | 4 |
| <i>Tsuga canadensis</i> 'Gracilis' Gracilis Canadian Hemlock | CE | 1.46 | G1 | | 3-7 | 1.00 | 2.04 | 4 |
| <i>Tsuga canadensis</i> 'Greenbrier' Greenbrier Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Harmon' Harmon Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Horsford Contorted' Horsford Contorted Canadian Hemlock | CE | 1.20 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Horsford Dwarf' Horsford Dwarf Canadian Hemlock | CS | 1.60 | G1 | | 3-7 | | 1.67 | 4 |
| <i>Tsuga canadensis</i> 'Humphrey Welch' Humphrey Welch Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Hussii' Hussii Canadian Hemlock | CE | 1.42 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'J-210' J-210 Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Jacqueline Verkade' Jacqueline Verkade Canadian Hemlock | CE | 1.58 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Jeddeloh' Jeddeloh Canadian Hemlock | CE | 1.21 | G1 | | 3-7 | 1.00 | 1.90 | 4 |
| <i>Tsuga canadensis</i> 'Jervis' Jervis Canadian Hemlock | CE | 1.50 | G1 | | 3-7 | 1.00 | 0.98 | 4 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Tsuga canadensis</i> 'Kelsey's Weeping' Kelsey's Weeping Eastern Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Kingsville #9' Kingsville #9 Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Labar's White Tip' Labar's White Tip Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Lewisii' Lewis Dwarf Canadian Hemlock | CS | 1.75 | G1 | | 3-7 | | 1.67 | 4 |
| <i>Tsuga canadensis</i> 'Minima' Minima Canadian Hemlock | CS | 1.60 | G1 | | 3-7 | | 1.67 | 4 |
| <i>Tsuga canadensis</i> 'Minuta' Minuta Canadian Hemlock | CS | 2.76 | G1 | | 3-7 | | 1.67 | 4 |
| <i>Tsuga canadensis</i> 'Monler' P.P.A.F. Emerald Fountain™ Canadian Hemlock | CE | 1.03 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Mt. Bachelor' Mt. Bachelor Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Mt. Jefferson' Mt. Jefferson Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Mt. South Sister' Mt. South Sister Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Mt. St. Helens' Mt. St. Helens Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'New Gold' New Gold Canadian Hemlock | CE | 1.76 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Palamino' Palamino Canadian Hemlock | CE | 2.14 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Pendula' Weeping Canadian Hemlock | CE | 1.65 | G1 | | 3-7 | 1.00 | 1.97 | 4 |
| <i>Tsuga canadensis</i> 'Prostrata' Prostrate Eastern Hemlock | CS | 1.60 | G1 | | 3-7 | | 1.67 | 4 |
| <i>Tsuga canadensis</i> 'Rugg's Washington Dwarf' Rugg's Washington Dwarf Canadian Hemlock | CS | 1.82 | G1 | | 3-7 | | 1.67 | 4 |
| <i>Tsuga canadensis</i> 'Sargentii' See - <i>Tsuga canadensis</i> 'Pendula' | CS | 2.68 | G1 | | 3-7 | | 1.67 | 4 |
| <i>Tsuga canadensis</i> 'Sherwood Compacta' Sherwood Compact Canadian Hemlock | CS | 1.25 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Slenderella' Slenderella Canadian Hemlock | CS | 2.73 | G1 | | 3-7 | | 1.67 | 4 |
| <i>Tsuga canadensis</i> 'Stewart's Pygmy' Stewart's Pygmy Canadian Hemlock | CS | 2.61 | G1 | | 3-7 | | 1.67 | 4 |
| <i>Tsuga canadensis</i> 'Stockman's Dwarf' Stockman's Dwarf Canadian Hemlock | CS | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Stranger' Stranger Canadian Hemlock | CE | 2.21 | G1 | | 3-7 | 1.00 | 2.51 | 4 |
| <i>Tsuga canadensis</i> 'Summer Snow' Summer Snow Canadian Hemlock | CE | 2.77 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Tualatin' Tualatin Canadian Hemlock | CE | 1.60 | G1 | | 3-7 | | 1.67 | 4 |
| <i>Tsuga canadensis</i> 'Von Helms Dwarf' Von Helms Dwarf Canadian Hemlock | CE | 0.68 | G1 | | 3-7 | 1.00 | 0.98 | 4 |
| <i>Tsuga canadensis</i> 'Warner Globe' Warner Globe Canadian Hemlock | CE | 1.00 | G1 | | 4-7 | 1.00 | 0.89 | 6 |
| <i>Tsuga caroliniana</i> Carolina Hemlock | CE | 1.00 | G1 | | 4-7 | 1.00 | 0.89 | 6 |
| <i>Tsuga caroliniana</i> 'Labar's Weeping' Labar's Weeping Carolina Hemlock | CE | 0.82 | G1 | | 4-7 | 1.00 | 1.00 | 6 |
| <i>Tsuga chinensis</i> Chinese Hemlock | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Tsuga diversifolia</i> Northern Japanese Hemlock | CE | 1.25 | G1 | | 4-7 | 1.00 | 1.00 | 5 |
| <i>Tsuga heterophylla</i> Western Hemlock | CE | 0.78 | G1 | | 4-7 | 1.00 | 0.80 | 6 |
| <i>Tsuga heterophylla</i> 'Tharsen's Weeping' Tharsen's Weeping Western Hemlock | CE | 0.78 | G1 | | 4-7 | 1.00 | 0.80 | 6 |
| <i>Tsuga mertensiana</i> Mountain Hemlock | CE | 0.79 | G1 | | 4-7 | 1.00 | 1.07 | 4 |
| <i>Tsuga mertensiana</i> 'Elizabeth' Elizabeth Mountain Hemlock | CE | 0.79 | G1 | | 4-7 | 1.00 | 1.07 | 4 |
| <i>Tsuga mertensiana</i> 'Nana' Dwarf Mountain Hemlock | CS | 1.00 | G1 | | 4-7 | | 1.00 | 4 |
| <i>Tsuga mertensiana</i> 'Van Winkle Prostrate' Van Winkle Prostrate Mountain Hemlock | CS | 1.00 | G1 | | 4-7 | | 1.00 | 4 |
| <i>Tsuga sieboldii</i> Southern Japanese Hemlock | CE | 1.00 | G1 | | 4-7 | 1.00 | 2.15 | 6 |
| <i>Tulbaghia violacea</i> Society Garlic | HP | 0.67 | G4 | 9 | 10A-11 | | | 7 |
| <i>Tulbaghia violacea</i> 'Silver Lace' Silver Lace Society Garlic | HP | 0.83 | G4 | 9 | 10A-11 | | | 7 |
| <i>Tulbaghia violacea</i> 'Tricolor' Tricolor Society Garlic | HP | 0.88 | G4 | 9 | 10A-11 | | | 7 |
| <i>Tupidanthus calypratus</i> See - <i>Schefflera pueckleri</i> | | | | | | | | |
| <i>Turnera ulmifolia</i> Yellow Alder | HP | 0.65 | G1 | 10A | 10B-11 | | | 10 |
| <i>Tussilago farfara</i> No Common Name Found | HP | 0.96 | G1 | | 6-9 | | | 5 |
| <i>Tweedia caerulea</i> No Common Name Found | HP | 0.78 | G4 | | 10A-11 | | | 9 |
| <i>Typha angustifolia</i> Narrowleaf Cattail | HP | 0.94 | G4 | | 3-8 | | | 3 |
| <i>Typha latifolia</i> Common Cattail | HP | 0.89 | G4 | | 3-8 | | | 3 |
| <i>Typha minima</i> Miniature Cattail | HP | 1.06 | G4 | | 4-8 | | | 6 |
| <i>Typha shuttleworthii</i> No Common Name Found | HP | 1.62 | G4 | | 5-8 | | | 5 |
| <i>Ugni molinae</i> Chilean Guava | BS | 0.81 | G2 | | 9A-10B | | 1.00 | 9 |
| <i>Ulmus alata</i> Small-leaved Elm | DT | 0.57 | G1 | | 6-9B | 1.00 | 1.00 | 4 |
| <i>Ulmus americana</i> American Elm | DT | 0.52 | G1 | | 3-9A | 0.98 | 0.48 | 3 |
| <i>Ulmus americana</i> 'Delaware #2' Delaware #2 American Elm | DT | 0.52 | G1 | | 3-9A | 1.28 | 0.81 | 3 |
| <i>Ulmus americana</i> 'Princeton' Princeton American Elm | DT | 0.52 | G1 | | 3-9A | 1.04 | 0.48 | 3 |
| <i>Ulmus carpinifolia</i> Smoothleaf Elm | DT | 0.79 | G1 | | 4-7 | 1.03 | 1.52 | 5 |
| <i>Ulmus carpinifolia</i> 'Cathedral' Cathedral Smoothleaf Elm | DT | 0.79 | G1 | | 4-7 | 1.03 | 1.52 | 5 |
| <i>Ulmus carpinifolia</i> 'Homestead' Homestead Smoothleaf Elm | DT | 0.97 | G1 | | 4-7 | 1.03 | 1.52 | 5 |
| <i>Ulmus carpinifolia</i> 'Pioneer' Pioneer Smoothleaf Elm | DT | 0.79 | G1 | | 4-7 | 1.24 | 1.52 | 5 |
| <i>Ulmus carpinifolia</i> 'Regal' P.P.A.F. Regal Smoothleaf Elm | DT | 0.97 | G1 | | 4-7 | 1.06 | 1.52 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Ulmus carpinifolia</i> 'Sapporo Autumn Gold' Sapporo Autumn Gold Smoothleaf Elm | DT | 0.79 | G1 | | 4-7 | 1.03 | 1.52 | 5 |
| <i>Ulmus carpinifolia</i> 'Urban' Urban Smoothleaf Elm | DT | 0.79 | G1 | | 4-7 | 1.03 | 1.52 | 5 |
| <i>Ulmus crassifolia</i> Cedar Elm | DT | 0.85 | G1 | | 8-10A | 0.84 | 1.00 | 7 |
| <i>Ulmus glabra</i> Scotch Elm | DT | 1.71 | G1 | | 4-7 | 1.11 | 1.48 | 5 |
| <i>Ulmus glabra</i> 'Camperdownii' Camperdownii Scotch Elm | DT | 1.71 | G1 | | 4-7 | 1.11 | 1.48 | 5 |
| <i>Ulmus glabra</i> 'Pendula' Weeping Scotch Elm | DT | 1.00 | G1 | | 4-7 | 0.91 | 1.00 | 5 |
| <i>Ulmus x hollandica</i> Dutch Elm | DT | 1.00 | G1 | | 4-7 | 1.44 | 1.24 | 5 |
| <i>Ulmus x hollandica</i> 'Groenveldt' Groenveldt Dutch Elm | DT | 1.00 | G1 | | 4-7 | 1.44 | 1.24 | 5 |
| <i>Ulmus parvifolia</i> Chinese Elm | DT | 0.88 | G1 | | 4-10B | 1.02 | 0.54 | 5 |
| <i>Ulmus parvifolia</i> 'Allee' See - <i>Ulmus parvifolia</i> 'Emer II' P.P. 7552 | | | | | | | | |
| <i>Ulmus parvifolia</i> 'Athena' See - <i>Ulmus parvifolia</i> 'Emer I' P.P. 7551 | DT | 0.92 | G1 | | 4-10B | 0.92 | 1.08 | 5 |
| <i>Ulmus parvifolia</i> 'Drake' Drake Chinese Elm | DT | 0.95 | G1 | | 4-10B | 1.12 | 0.81 | 5 |
| <i>Ulmus parvifolia</i> 'Dynasty' Dynasty Chinese Elm | DT | 1.15 | G1 | | 4-10B | 1.30 | 0.56 | 5 |
| <i>Ulmus parvifolia</i> 'Emer I' P.P. 7551 Athena® Chinese Elm | DT | 1.19 | G1 | | 4-10B | 1.10 | 0.54 | 5 |
| <i>Ulmus parvifolia</i> 'Emer II' P.P. 7552 Allee Chinese Elm | DT | 0.70 | G1 | | 4-10B | 1.01 | 1.03 | 5 |
| <i>Ulmus parvifolia</i> 'Frontier' Frontier Chinese Elm | DT | 0.70 | G1 | | 4-10B | 1.07 | 0.54 | 5 |
| <i>Ulmus parvifolia</i> 'Golden Rey' P.P. 7240 Golden Rey Chinese Elm | DT | 0.70 | G1 | | 4-10B | 0.92 | 0.54 | 5 |
| <i>Ulmus parvifolia</i> 'Hokkaido' Hokkaido Chinese Elm | DT | 0.70 | G1 | | 4-10B | 1.16 | 1.52 | 5 |
| <i>Ulmus parvifolia</i> 'King's Choice' King's Choice Chinese Elm | DT | 0.70 | G1 | | 4-10B | 0.92 | 0.54 | 5 |
| <i>Ulmus parvifolia</i> 'Ohio' Ohio Chinese Elm | DT | 0.70 | G1 | | 4-10B | 0.92 | 0.54 | 5 |
| <i>Ulmus parvifolia</i> 'Prince Richard' Prince Richard Chinese Elm | DT | 0.70 | G1 | | 4-10B | 0.92 | 0.54 | 5 |
| <i>Ulmus parvifolia</i> 'Prospector' Prospector Chinese Elm | DT | 0.70 | G1 | | 4-10B | 0.92 | 0.54 | 5 |
| <i>Ulmus parvifolia</i> 'Seiju' Seiju Chinese Elm | DT | 0.76 | G1 | | 4-10B | 0.92 | 0.54 | 5 |
| <i>Ulmus parvifolia</i> 'Sempervirens' Evergreen Chinese Elm | DT | 0.92 | G1 | | 4-10B | 1.42 | 1.61 | 5 |
| <i>Ulmus parvifolia</i> 'True Green' True Green Chinese Elm | DT | 1.00 | G1 | 6-7 | 8-10A | 1.00 | 1.00 | 6 |
| <i>Ulmus procera</i> English Elm | DT | 1.00 | G1 | 6-7 | 8-10A | 1.00 | 1.00 | 6 |
| <i>Ulmus procera</i> 'Aurea' Golden English Elm | DT | 0.74 | G1 | | 3-8 | 0.62 | 0.36 | 3 |
| <i>Ulmus pumila</i> Siberian Elm | DT | 1.00 | G1 | | 3-8 | 1.00 | 1.52 | 3 |
| <i>Ulmus rubra</i> Slippery Elm | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Ulmus rubra</i> 'Lincoln' Lincoln Slippery Elm | DT | 1.00 | G1 | | 3-8 | 1.00 | 1.52 | 3 |
| <i>Umbellularia californica</i> Oregon Myrtle | BE | 1.14 | G2 | | 7-9A | 1.00 | 1.13 | 7 |
| <i>Uncinia uncinata</i> Hook Sedge | HP | 1.00 | G4 | | 8-10B | | | 7 |
| <i>Ungnadia speciosa</i> Mexican Buckeye | DS | 0.90 | G1 | 9 | 10A-11 | | 1.49 | 9 |
| <i>Uniola latifolia</i> See - <i>Chasmanthium latifolium</i> | HP | 0.79 | G4 | 8-9B | 10A-11 | | | 7 |
| <i>Uniola paniculata</i> Sea Oats | GC | 1.00 | G1 | | 10A-11 | | 1.00 | 10B |
| <i>Urechites lutea</i> Wild Allamanda | HP | 0.82 | G4 | 9A | 9B-11 | | | 9 |
| <i>Urginea maritima</i> Sea Onion | HP | 0.83 | G1 | 5-9 | 10A-11 | | | 3 |
| <i>Uvularia grandiflora</i> Big Merrybells | HP | 1.00 | G1 | 5-9 | 10A-11 | | | 4 |
| <i>Uvularia sessilifolia</i> Wild Oats | SF | 1.25 | G1 | | 3-8 | | 1.55 | 2 |
| <i>Vaccinium angustifolium</i> Lowbush Blueberry | DS | 0.95 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Vaccinium arboreum</i> Fuckleberry | SF | 0.93 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> Rabbit-eye Blueberry | SF | 0.93 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Alice Blue' Alice Blue Rabbit-eye Blueberry | SF | 0.93 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Baldwin' Baldwin Rabbit-eye Blueberry | SF | 0.93 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Becky Blue' Becky Blue Rabbit-eye Blueberry | SF | 0.93 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Bluebelle' Bluebelle Rabbit-eye Blueberry | SF | 0.93 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Bonita' Bonita Rabbit-eye Blueberry | SF | 0.93 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Brightwell' Brightwell Rabbit-eye Blueberry | SF | 0.95 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Briteblue' Briteblue Rabbit-eye Blueberry | SF | 0.94 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Centurion' Centurion Rabbit-eye Blueberry | SF | 0.93 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Chaucer' Chaucer Rabbit-eye Blueberry | SF | 0.93 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Climax' Climax Rabbit-eye Blueberry | SF | 0.95 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Delite' Delite Rabbit-eye Blueberry | SF | 0.93 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Powder Blue' Powder Blue Rabbit-eye Blueberry | SF | 0.93 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Premier' Premier Rabbit-eye Blueberry | SF | 0.93 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Southland' Southland Rabbit-eye Blueberry | SF | 0.93 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Tifblue' Tifblue Rabbit-eye Blueberry | SF | 0.89 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Vaccinium ashei</i> 'Woodward' Woodward Rabbit-eye Blueberry | SF | 0.91 | G1 | | 8-11 | | 1.00 | 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Vaccinium corymbosum</i> Highbush Blueberry | SF | 1.07 | G1 | | 3-8 | | 0.99 | 2 |
| <i>Vaccinium corymbosum</i> 'Berkeley' Berkeley Highbush Blueberry | SF | 1.62 | G1 | | 3-8 | | 0.46 | 2 |
| <i>Vaccinium corymbosum</i> 'Blue Crop' Blue Crop Highbush Blueberry | SF | 1.23 | G1 | | 3-8 | | 0.52 | 2 |
| <i>Vaccinium corymbosum</i> 'Blue Jay' Blue Jay Highbush Blueberry | SF | 1.20 | G1 | | 3-8 | | 0.46 | 2 |
| <i>Vaccinium corymbosum</i> 'Blueray' Blueray Highbush Blueberry | SF | 1.24 | G1 | | 3-8 | | 0.54 | 2 |
| <i>Vaccinium corymbosum</i> 'Bluetta' Bluetta Highbush Blueberry | SF | 1.61 | G1 | | 3-8 | | 0.52 | 2 |
| <i>Vaccinium corymbosum</i> 'Cape Fear' Cape Fear Highbush Blueberry | SF | 1.58 | G1 | | 3-8 | | 0.56 | 2 |
| <i>Vaccinium corymbosum</i> 'Chippewa' Chippewa Highbush Blueberry | SF | 1.88 | G1 | | 3-8 | | 0.46 | 2 |
| <i>Vaccinium corymbosum</i> 'Cooper' Cooper Highbush Blueberry | SF | 0.93 | G1 | | 3-8 | | 0.46 | 2 |
| <i>Vaccinium corymbosum</i> 'Coville' Coville Highbush Blueberry | SF | 1.31 | G1 | | 3-8 | | 0.46 | 2 |
| <i>Vaccinium corymbosum</i> 'Duke' Duke Highbush Blueberry | SF | 1.70 | G1 | | 3-8 | | 0.50 | 2 |
| <i>Vaccinium corymbosum</i> 'Earliblue' Earliblue Highbush Blueberry | SF | 1.10 | G1 | | 3-8 | | 0.50 | 2 |
| <i>Vaccinium corymbosum</i> 'Elliot' Elliot Highbush Blueberry | SF | 1.61 | G1 | | 3-8 | | 0.52 | 2 |
| <i>Vaccinium corymbosum</i> 'Friendship' Friendship Highbush Blueberry | SF | 1.21 | G1 | | 3-8 | | 1.10 | 2 |
| <i>Vaccinium corymbosum</i> 'Georgia Gem' Georgia Gem Highbush Blueberry | SF | 1.56 | G1 | | 3-8 | | 0.56 | 2 |
| <i>Vaccinium corymbosum</i> 'Hardiblue' Hardiblue Highbush Blueberry | SF | 1.65 | G1 | | 3-8 | | 0.46 | 2 |
| <i>Vaccinium corymbosum</i> 'Jersey' Jersey Highbush Blueberry | SF | 1.23 | G1 | | 3-8 | | 0.46 | 2 |
| <i>Vaccinium corymbosum</i> 'Nelson' Nelson Highbush Blueberry | SF | 1.22 | G1 | | 3-8 | | 0.50 | 2 |
| <i>Vaccinium corymbosum</i> 'Northblue' Northblue Highbush Blueberry | SF | 1.66 | G1 | | 3-8 | | 1.10 | 2 |
| <i>Vaccinium corymbosum</i> 'Northcountry' Northcountry Highbush Blueberry | SF | 1.77 | G1 | | 3-8 | | 0.46 | 2 |
| <i>Vaccinium corymbosum</i> 'Northland' Northland Highbush Blueberry | SF | 1.33 | G1 | | 3-8 | | 0.46 | 2 |
| <i>Vaccinium corymbosum</i> 'Northsky' Northsky Highbush Blueberry | SF | 1.72 | G1 | | 3-8 | | 0.46 | 2 |
| <i>Vaccinium corymbosum</i> 'O'Neal' O'Neal Highbush Blueberry | SF | 1.56 | G1 | | 3-8 | | 0.56 | 2 |
| <i>Vaccinium corymbosum</i> 'Patriot' Patriot Highbush Blueberry | SF | 1.24 | G1 | | 3-8 | | 0.52 | 2 |
| <i>Vaccinium corymbosum</i> 'Polaris' Polaris Highbush Blueberry | SF | 1.89 | G1 | | 3-8 | | 0.46 | 2 |
| <i>Vaccinium corymbosum</i> 'Sharpblue' Sharpblue Highbush Blueberry | SF | 0.93 | G1 | | 3-8 | | 0.46 | 2 |
| <i>Vaccinium corymbosum</i> 'St. Cloud' St. Cloud Highbush Blueberry | SF | 1.18 | G1 | | 3-8 | | 0.46 | 2 |
| <i>Vaccinium corymbosum</i> 'Top Hat' Top Hat Highbush Blueberry | SF | 1.74 | G1 | | 3-8 | | 0.46 | 2 |
| <i>Vaccinium corymbosum</i> 'Toro' Toro Highbush Blueberry | SF | 1.71 | G1 | | 3-8 | | 0.50 | 2 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Vaccinium crassifolium</i> Creeping Blueberry | BS | 1.49 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Vaccinium crassifolium</i> 'Wells Delight' Wells Delight Creeping Blueberry | BS | 1.49 | G1 | | 7-9A | | 1.00 | 7 |
| <i>Vaccinium macrocarpon</i> American Cranberry | SF | 1.37 | G1 | | 3-8 | | 1.00 | 2 |
| <i>Vaccinium moupinense</i> Himalayan Blueberry | BS | 1.15 | G1 | | 9A-10A | | 1.00 | 9 |
| <i>Vaccinium myrsinites</i> Shiny Blueberry | BS | 0.89 | G1 | 7-8 | 9A-10A | | 1.00 | 7 |
| <i>Vaccinium ovalifolium</i> Mathers | DS | 1.00 | G1 | | 3-8 | | 1.00 | 3 |
| <i>Vaccinium ovatum</i> Evergreen Huckleberry | BS | 1.00 | G1 | | 7-9B | | 1.00 | 7 |
| <i>Vaccinium oxycoccus</i> Small Cranberry | BS | 1.00 | G1 | | 2-8 | | 1.00 | 2 |
| <i>Vaccinium parvifolium</i> Red Huckleberry | DS | 1.35 | G1 | | 6-9A | | 1.00 | 6 |
| <i>Vaccinium uliginosum</i> Bog Whortleberry | DS | 1.15 | G1 | | 2-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> Cowberry | BS | 0.95 | G1 | | 5-8 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaeavar. minus</i> Mountain Cranberry | BS | 1.37 | G1 | | 5-8 | | 1.00 | 2 |
| <i>Valeriana officinalis</i> Common Valerian | HP | 1.02 | G4 | | 5-8 | | 3 | |
| <i>Vallisneria americana</i> Eel Grass | HP | 1.00 | G4 | | 3-11 | | 9 | |
| <i>Vancouveria hexandra</i> American Barrenwort | HP | 1.39 | G4 | | 5-9A | | 5 | |
| <i>Vancouveria planipetala</i> Redwood Ivy | HP | 1.35 | G4 | | 7-9A | | 7 | |
| <i>Vanda</i> Vanda Hybrid Orchid | FO | 2.73 | G1 | 9 | 10A-11 | | 10 | |
| <i>Vanda hookeriana</i> See - <i>Papilionanthe hookeriana</i> | FO | 2.03 | G1 | 9 | 10A-11 | | 10 | |
| <i>Vanda tessellata</i> No Common Name Found | FO | 2.03 | G1 | 9 | 10A-11 | | 10 | |
| <i>Vauquelinia californica</i> Arizona Rosewood | BS | 0.56 | G4 | | 8-9A | | 1.00 | 9 |
| <i>Veitchia arecina</i> No Common Name Found | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Veitchia joannis</i> No Common Name Found | BE | 1.19 | G1 | 10A | 10B-11 | 1.00 | 0.86 | 10 |
| <i>Veitchia mcdanielsii</i> No Common Name Found | BE | 0.80 | G1 | 10A | 10B-11 | 1.00 | 0.86 | 10 |
| <i>Veitchia merrillii</i> Manila Palm | BE | 1.35 | G1 | 10A | 10B-11 | 1.00 | 1.12 | 10 |
| <i>Veitchia montgomeryana</i> No Common Name Found | BE | 0.62 | G1 | 10A | 10B-11 | 1.00 | 1.03 | 10 |
| <i>Veitchia winin</i> No Common Name Found | BE | 1.00 | G1 | 10A | 10B-11 | 1.00 | 1.02 | 10 |
| <i>Verbascum</i> Mullein | AN | 2.06 | G4 | | 6-9A | | 5 | |
| <i>Verbascum</i> 'Helen Johnson' Helen Johnson Hybrid Mullein | AN | 2.06 | G4 | | 6-9A | | 5 | |
| <i>Verbascum bombyciferum</i> No Common Name Found | AN | 1.11 | G4 | | 6-9A | | 6 | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Verbascum bombyciferum</i> 'Polar Summer' Polar Summer Mullein | AN | 1.38 | G4 | | 6-9A | | | 6 |
| <i>Verbascum chaixii</i> Nettle-leaved Mullein | HP | 1.01 | G4 | | 5-9A | | | 5 |
| <i>Verbascum chaixii</i> 'Album' White Nettle-leaved Mullein | HP | 0.92 | G4 | | 5-9A | | | 5 |
| <i>Verbascum densiflorum</i> No Common Name Found | AN | 1.38 | G4 | | 5-9A | | | 5 |
| <i>Verbascum x hybridum</i> Hybrid Mullein | AN | 1.00 | G4 | | 4-8 | | | 6 |
| <i>Verbascum olympicum</i> No Common Name Found | HP | 0.48 | G4 | | 6-9A | | | 6 |
| <i>Verbascum phoeniceum</i> Purple Mullein | HP | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Verbascum thapsiforme</i> See - <i>Verbascum densiflorum</i> | | | | | | | | |
| <i>Verbascum thapsus</i> Common Mullein | AN | 1.30 | G4 | | 3-9A | | | 3 |
| <i>Verbena</i> | HP | 0.83 | G4 | 8 | 9A-11 | | | 7 |
| <i>Verbena</i> | HP | 0.91 | G4 | 8 | 9A-11 | | | 8 |
| <i>Verbena</i> 'Abbeville' Abbeville Verbena | HP | 0.96 | G4 | 8 | 9A-11 | | | 8 |
| <i>Verbena</i> 'Big Red' Big Red Verbena | HP | 0.86 | G4 | 8 | 9A-11 | | | 7 |
| <i>Verbena</i> 'Camp Joy' Camp Joy Verbena | HP | 0.96 | G4 | 8 | 9A-11 | | | 8 |
| <i>Verbena</i> 'Evelyn Scott' Evelyn Scott Verbena | HP | 0.91 | G4 | 8 | 9A-11 | | | 8 |
| <i>Verbena</i> 'Homestead Purple' Homestead Purple Verbena | HP | 0.83 | G4 | 8 | 9A-11 | | | 8 |
| <i>Verbena</i> 'Silver Anne' Silver Anne Verbena | HP | 0.94 | G4 | 8 | 9A-11 | | | 8 |
| <i>Verbena</i> 'Taylortown Red' Taylortown Red Verbena | HP | 0.87 | G4 | 8 | 9A-11 | | | 8 |
| <i>Verbena bonariensis</i> Brazilian Verbena | HP | 0.93 | G4 | 4-6 | 7-9A | | | 4 |
| <i>Verbena canadensis</i> Rose Verbena | HP | 1.00 | G4 | | 9A-11 | | | 9 |
| <i>Verbena gooddingii</i> Desert Verbena | HP | 1.02 | G4 | 3-8 | 9A-11 | | | 3 |
| <i>Verbena hastata</i> Blue Vervain | HP | 1.00 | G4 | 8-10A | 10B-11 | | | 9 |
| <i>Verbena x hybrida</i> Garden Verbena | HP | 1.00 | G4 | 8-10A | 10B-11 | | | 9 |
| <i>Verbena x hybrida</i> 'Amour Pink' Amour Pink Garden Verbena | HP | 1.00 | G4 | 8-10A | 10B-11 | | | 9 |
| <i>Verbena x hybrida</i> 'Amour Rose' Amour Rose Garden Verbena | HP | 1.00 | G4 | 8-10A | 10B-11 | | | 9 |
| <i>Verbena x hybrida</i> 'Novalis Series' Novalis Series Garden Verbena | AN | 0.64 | G4 | 8-10A | 10B-11 | | | 9 |
| <i>Verbena x hybrida</i> 'Peaches & Cream' Peaches & Cream Garden Verbena | HP | 1.00 | G4 | 8-10A | 10B-11 | | | 9 |
| <i>Verbena x hybrida</i> 'Romance Series' Romance Series Garden Verbena | AN | 0.64 | G4 | 8-10A | 10B-11 | | | 9 |
| <i>Verbena x hybrida</i> 'Sunnmeref TP-L' P.P. 9121 Tapiens Lavender Garden Verbena | AN | 1.09 | G4 | 8-10A | 10B-11 | | | 9 |
| <i>Verbena x hybrida</i> 'Sunnmeref TP-P' P.P. 9014 Tapiens Pink Garden Verbena | AN | 1.07 | G4 | 8-10A | 10B-11 | | | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|-------------|---------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | |
| <i>Verbena x hybrida</i> 'Tapiens Lavender' | | | | | | | |
| See - <i>Verbena x hybrida</i> 'Sunmeref TP-L' P.P. 9121 | | | | | | | |
| <i>Verbena x hybrida</i> 'Tapiens Pink' | | | | | | | |
| See - <i>Verbena x hybrida</i> 'Sunmeref TP-P' P.P. 9014 | | | | | | | |
| <i>Verbena peruviana</i> | HP | 0.81 | G4 | | 9A-11 | | 9 |
| Peruvian Verbena | | | | | | | |
| <i>Verbena peruviana</i> 'Alba' | HP | 0.93 | G4 | | 9A-11 | | 9 |
| White Peruvian Verbena | | | | | | | |
| <i>Verbena peruviana</i> 'Aphrodite' | HP | 3.08 | G4 | | 9A-11 | | 9 |
| Aphrodite Peruvian Verbena | | | | | | | |
| <i>Verbena peruviana</i> 'Purple' | HP | 0.81 | G4 | | 9A-11 | | 9 |
| Purple Peruvian Verbena | | | | | | | |
| <i>Verbena peruviana</i> 'Red' | HP | 0.81 | G4 | | 9A-11 | | 9 |
| Red Peruvian Verbena | | | | | | | |
| <i>Verbena peruviana</i> 'Saint Paul' | HP | 0.87 | G4 | | 9A-11 | | 9 |
| Saint Paul Peruvian Verbena | | | | | | | |
| <i>Verbena rigida</i> | HP | 0.58 | G4 | 8 | 9A-11 | | 8 |
| Verined Verbena | | | | | | | |
| <i>Verbena tenera</i> | HP | 0.92 | G4 | | 9A-11 | | 9 |
| No Common Name Found | | | | | | | |
| <i>Verbena tenera</i> 'Sissinghurst' | HP | 0.92 | G4 | | 9A-11 | | 9 |
| Sissinghurst Verbena | | | | | | | |
| <i>Verbena tenuisecta</i> | AN | 0.92 | G4 | | 9A-11 | | 9 |
| Moss Verbena | | | | | | | |
| <i>Verbena tenuisecta</i> 'Tapien Blue' | AN | 0.87 | G4 | | 9A-11 | | 9 |
| Tapien Blue Moss Verbena | | | | | | | |
| <i>Verbena tenuisecta</i> 'Tapien Pink' | AN | 0.82 | G4 | | 9A-11 | | 9 |
| Tapien Pink Moss Verbena | | | | | | | |
| <i>Verbesina alternifolia</i> | HP | 1.00 | G1 | | 5-9A | | 5 |
| Wingstem | | | | | | | |
| <i>Vernonia arkansana</i> | HP | 0.91 | G1 | | 4-8 | | 5 |
| No Common Name Found | | | | | | | |
| <i>Vernonia crinita</i> | | | | | | | |
| See - <i>Vernonia arkansana</i> | | | | | | | |
| <i>Vernonia fasciculata</i> | HP | 1.01 | G1 | | 3-8 | | 3 |
| Common Ironweed | | | | | | | |
| <i>Vernonia noveboracensis</i> | HP | 0.89 | G1 | | 5-9A | | 5 |
| New York Ironweed | | | | | | | |
| <i>Vernonia noveboracensis</i> 'Alba' | HP | 0.91 | G1 | | 5-9A | | 5 |
| White New York Ironweed | | | | | | | |
| <i>Veronica</i> | HP | 0.93 | G4 | 4-6 | 7-8 | | 4 |
| Speedwell | | | | | | | |
| <i>Veronica</i> 'Sunny Border Blue' | HP | 0.93 | G4 | 4-6 | 7-8 | | 4 |
| Sunny Border Blue Speedwell | | | | | | | |
| <i>Veronica allionii</i> | HP | 1.03 | G4 | 4-6 | 7-8 | | 4 |
| Speedwell | | | | | | | |
| <i>Veronica alpina</i> | HP | 0.82 | G4 | | 2-8 | | 2 |
| Alpine Speedwell | | | | | | | |
| <i>Veronica alpina</i> 'Alba' | HP | 0.82 | G4 | | 2-8 | | 2 |
| White Alpine Speedwell | | | | | | | |
| <i>Veronica alpina</i> 'Goodness Grows' | HP | 0.91 | G4 | | 2-8 | | 2 |
| Goodness Grows Alpine Speedwell | | | | | | | |
| <i>Veronica austriaca</i> | HP | 1.00 | G4 | | 6-9A | | 6 |
| Austrian Speedwell | | | | | | | |
| <i>Veronica austriaca</i> ssp. <i>teucrium</i> | HP | 0.91 | G4 | | 6-9A | | 6 |
| Teucrium Austrian Speedwell | | | | | | | |
| <i>Veronica austriaca</i> ssp. <i>teucrium</i> 'Crater Lake Blue' | HP | 0.96 | G4 | | 6-9A | | 6 |
| Crater Lake Blue Austrian Speedwell | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| Not Req | | | | | | | | |
| <i>Veronica austriaca</i> ssp. <i>teucrium</i> 'Royal Blue' Royal Blue Austrian Speedwell | HP | 0.91 | G4 | | 6-9A | | | 6 |
| <i>Veronica chamaedrys</i> Bird's Eye Speedwell | HP | 1.00 | G4 | | 3-8 | | | 3 |
| <i>Veronica gentianoides</i> Gentian Speedwell | HP | 0.89 | G4 | | 4-8 | | | 4 |
| <i>Veronica gentianoides</i> 'Variegata' Variegated Gentian Speedwell | HP | 1.56 | G4 | | 4-8 | | | 4 |
| <i>Veronica grandis</i> var. <i>holophylla</i> Holophylla Speedwell | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Veronica incana</i> Woolly Speedwell | HP | 1.20 | G4 | | 3-8 | | | 3 |
| <i>Veronica longifolia</i> Long Leaf Speedwell | HP | 0.92 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Veronica longifolia</i> 'Blaureisen' Blaureisen Long-leaf Speedwell | HP | 0.44 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Veronica longifolia</i> 'Rosea' Rosea Long Leaf Speedwell | HP | 0.96 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Veronica longifolia</i> 'Schneeriesin' Schneeriesin Long Leaf Veronica | HP | 1.12 | G4 | 4-6 | 7-8 | | | 4 |
| <i>Veronica pectinata</i> Comb Speedwell | HP | 1.07 | G4 | | 3-8 | | | 3 |
| <i>Veronica peduncularis</i> No Common Name Found | HP | 0.98 | G4 | | 6-9A | | | 6 |
| <i>Veronica peduncularis</i> 'Georgia Blue' Georgia Blue Speedwell | HP | 0.98 | G4 | | 6-9A | | | 6 |
| <i>Veronica petraea</i> No Common Name Found | HP | 1.00 | G4 | | 6-9A | | | 6 |
| <i>Veronica prostrata</i> Harebell Speedwell | HP | 0.90 | G4 | | 5-8 | | | 5 |
| <i>Veronica prostrata</i> 'Heavenly Blue' Heavenly Blue Harebell Speedwell | HP | 0.83 | G4 | | 5-8 | | | 5 |
| <i>Veronica prostrata</i> 'Trehane' Trehane Harebell Speedwell | HP | 1.28 | G4 | | 5-8 | | | 5 |
| <i>Veronica repens</i> Creeping Speedwell | HP | 1.10 | G4 | | 5-8 | | | 5 |
| <i>Veronica spicata</i> Spiked Speedwell | HP | 0.89 | G4 | | 4-10A | | | 3 |
| <i>Veronica spicata</i> 'Blue Banquet' Blue Banquet Spiked Speedwell | HP | 0.87 | G4 | | 4-10A | | | 3 |
| <i>Veronica spicata</i> 'Blue Charm' Blue Charm Spiked Speedwell | HP | 0.96 | G4 | | 4-10A | | | 3 |
| <i>Veronica spicata</i> 'Blue Fox' Blue Fox Spiked Speedwell | HP | 0.89 | G4 | | 4-10A | | | 3 |
| <i>Veronica spicata</i> 'Blue Peter' Blue Peter Spiked Speedwell | HP | 1.10 | G4 | | 4-10A | | | 3 |
| <i>Veronica spicata</i> 'Blue' Cat's-Tail Spiked Speedwell | HP | 0.97 | G4 | | 4-10A | | | 3 |
| <i>Veronica spicata</i> 'Heidekind' Heidekind Spiked Speedwell | HP | 0.85 | G4 | | 4-10A | | | 3 |
| <i>Veronica spicata</i> 'Icicle' Icicle Spiked Speedwell | HP | 1.02 | G4 | | 4-10A | | | 3 |
| <i>Veronica spicata</i> 'Minuet' Minuet Spiked Speedwell | HP | 0.99 | G4 | | 4-10A | | | 3 |
| <i>Veronica spicata</i> 'Red Fox' Red Fox Spiked Speedwell | HP | 0.93 | G4 | | 4-10A | | | 3 |
| <i>Veronica spicata</i> 'Waterperry' Waterperry Spiked Speedwell | HP | 0.99 | G4 | | 4-10A | | | 3 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Veronica spicata</i> var. <i>nana</i> Dwarf Spiked Speedwell | HP | 0.90 | G4 | | 4-10A | | | 3 |
| <i>Veronica teucrium</i> See - <i>Veronica austriaca</i> ssp. <i>teucrium</i> | | | | | | | | |
| <i>Veronica virginica</i> See - <i>Veronicastrum virginicum</i> | HP | 0.97 | G1 | 5-8 | 9A-10A | | | 3 |
| <i>Veronicastrum virginicum</i> Culver's Root | HP | 1.01 | G1 | 5-8 | 9A-10A | | | 3 |
| <i>Veronicastrum virginicum</i> var. <i>alba</i> White Culver's Root | HP | 0.95 | G1 | 5-8 | 9A-10A | | | 3 |
| <i>Veronicastrum virginicum</i> var. <i>rosea</i> Rose Culver's Root | FO | 2.19 | G3 | 10 | 11 | | | 10 |
| <i>Verschaffeltia splendida</i> Stilt Palm | HP | 1.09 | G4 | 9A | 9B-11 | | | 9 |
| <i>Vetiveria zizanioides</i> Khus Khus Grass | DS | 0.96 | G1 | | 3-8 | | 0.73 | 5 |
| <i>Viburnum</i> Hybrid Viburnum | DS | 0.96 | G1 | | 3-8 | | 1.45 | 5 |
| <i>Viburnum 'Chippewa'</i> Chippewa Hybrid Viburnum | DS | 0.96 | G1 | | 3-8 | | 0.73 | 5 |
| <i>Viburnum 'Huron'</i> Huron Hybrid Viburnum | DS | 0.96 | G1 | | 3-8 | | 0.73 | 5 |
| <i>Viburnum 'Sarcoxie'</i> Sarcoxie Hybrid Viburnum | DS | 0.96 | G1 | | 3-8 | | 0.73 | 5 |
| <i>Viburnum acerifolium</i> Maple-leaved Viburnum | DS | 2.31 | G1 | | 3-8 | | 1.00 | 3 |
| <i>Viburnum bitchiuense</i> Bitchiu Viburnum | DS | 1.00 | G1 | | 6-8 | | 1.67 | 6 |
| <i>Viburnum x bodnantense</i> No Common Name Found | DS | 0.99 | G1 | | 7-10A | | 1.41 | 7 |
| <i>Viburnum x bodnantense</i> 'Dawn' Pink Dawn Viburnum | DS | 1.05 | G1 | | 7-10A | | 1.09 | 7 |
| <i>Viburnum bracteatum</i> Bracted Viburnum | DS | 0.80 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Viburnum bracteatum</i> 'Emerald Luster' Emerald Luster Bracted Viburnum | DS | 1.11 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Viburnum x burkwoodii</i> Burkwood Viburnum | DS | 1.03 | G1 | | 5-8 | | 1.13 | 5 |
| <i>Viburnum x burkwoodii</i> 'Anne Russell' Anne Russell Burkwood Viburnum | DS | 1.42 | G1 | | 5-8 | | 0.92 | 5 |
| <i>Viburnum x burkwoodii</i> 'Chenault' Chenault Burkwood Viburnum | DS | 1.26 | G1 | | 5-8 | | 1.16 | 5 |
| <i>Viburnum x burkwoodii</i> 'Fulbrook' Fulbrook Burkwood Viburnum | DS | 1.01 | G1 | | 5-8 | | 0.92 | 5 |
| <i>Viburnum x burkwoodii</i> 'Mohawk' Mohawk Burkwood Viburnum | DS | 1.01 | G1 | | 5-8 | | 1.28 | 5 |
| <i>Viburnum x carlecephalum</i> Fragrant Snowball | DS | 1.44 | G1 | | 5-8 | | 1.33 | 5 |
| <i>Viburnum carlesii</i> Koreanspice Viburnum | DS | 1.25 | G1 | 9 | 10A-11 | | 1.47 | 5 |
| <i>Viburnum carlesii</i> 'Aurora' Aurora Koreanspice Viburnum | DS | 1.48 | G1 | 9 | 10A-11 | | 1.61 | 5 |
| <i>Viburnum carlesii</i> 'Cayuga' Cayuga Koreanspice Viburnum | DS | 1.04 | G1 | 9 | 10A-11 | | 1.71 | 5 |
| <i>Viburnum carlesii</i> 'Compactum' Dwarf Koreanspice Viburnum | DS | 1.33 | G1 | 9 | 10A-11 | | 1.65 | 5 |
| <i>Viburnum carlesii</i> 'Diana' Diana Koreanspice Viburnum | DS | 1.04 | G1 | 9 | 10A-11 | | 1.47 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Viburnum cassinoides</i> Witherod Viburnum | DS | 1.11 | G1 | | 3-8 | | | 1.07 2 |
| <i>Viburnum cinnamomifolium</i> No Common Name Found | BS | 0.97 | G1 | | 7-10A | | | 0.99 7 |
| <i>Viburnum davidii</i> David Viburnum | BS | 1.04 | G1 | | 7-9A | | | 0.95 7 |
| <i>Viburnum dentatum</i> Arrowwood Viburnum | DS | 0.94 | G1 | | 3-8 | | | 0.82 2 |
| <i>Viburnum dentatum</i> 'Autumn Jazz' See - <i>Viburnum dentatum</i> 'Ralph Senior' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Chicago Lustre' See - <i>Viburnum dentatum</i> 'Synnestvedt' | DS | 1.07 | G1 | | 3-8 | | | 0.79 2 |
| <i>Viburnum dentatum</i> 'Morton' Northern Burgundy™ Arrowwood Viburnum | DS | 0.91 | G1 | | 3-8 | | | 0.66 2 |
| <i>Viburnum dentatum</i> 'Northern Burgundy' See - <i>Viburnum dentatum</i> 'Morton' | DS | 0.95 | G1 | | 3-8 | | | 0.80 2 |
| <i>Viburnum dentatum</i> 'Pubescens' Downy Semi-Dwarf Arrowwood Viburnum | DS | 0.91 | G1 | | 3-8 | | | 0.85 2 |
| <i>Viburnum dentatum</i> 'Ralph Senior' Autumn Jazz™ Arrowwood Viburnum | DS | 0.91 | G1 | | 3-8 | | | 0.93 5 |
| <i>Viburnum dentatum</i> 'Synnestvedt' Chicago Lustre™ Arrowwood Viburnum | DS | 0.94 | G1 | | 5-7 | | | 1.29 5 |
| <i>Viburnum dilatatum</i> Linden Viburnum | DS | 0.94 | G1 | | 5-7 | | | 1.30 5 |
| <i>Viburnum dilatatum</i> 'Asian Beauty' Asian Beauty Linden Viburnum | DS | 0.94 | G1 | | 5-7 | | | 0.99 6 |
| <i>Viburnum dilatatum</i> 'Catskill' Catskill Linden Viburnum | DS | 0.94 | G1 | | 5-7 | | | 0.99 6 |
| <i>Viburnum dilatatum</i> 'Erie' Erie Linden Viburnum | DS | 1.11 | G1 | | 5-7 | | | 1.00 5 |
| <i>Viburnum dilatatum</i> 'Michael Dodge' Michael Dodge Linden Viburnum | DS | 0.94 | G1 | | 5-7 | | | 1.00 5 |
| <i>Viburnum dilatatum</i> 'Mt. Airy' Mt. Airy Linden Viburnum | DS | 1.18 | G1 | | 5-7 | | | 1.00 5 |
| <i>Viburnum dilatatum</i> 'Oneida' Oneida Linden Viburnum | DS | 1.18 | G1 | | 5-7 | | | 1.00 5 |
| <i>Viburnum edule</i> No Common Name Found | DS | 1.00 | G1 | | 5-7 | | | 0.99 6 |
| <i>Viburnum farreri</i> Fragrant Viburnum | DS | 1.04 | G1 | | 6-8 | | | 0.99 6 |
| <i>Viburnum farreri</i> 'Nanum' Dwarf Fragrant Viburnum | DS | 1.19 | G1 | | 6-8 | | | 0.99 6 |
| <i>Viburnum japonicum</i> Japanese Viburnum | BS | 0.78 | G1 | | 7-10A | | | 0.85 3 |
| <i>Viburnum x juddii</i> Judd Viburnum | DS | 1.23 | G1 | | 5-7 | | | 0.87 3 |
| <i>Viburnum lantana</i> Wayfaring Tree Viburnum | DS | 0.93 | G1 | | 3-7 | | | 0.79 3 |
| <i>Viburnum lantana</i> 'Mohican' Mohican Wayfaring Tree Viburnum | DS | 1.11 | G1 | | 3-7 | | | 0.79 3 |
| <i>Viburnum lantana</i> 'Rugosum' Rugosum Wayfaring Tree Viburnum | DS | 0.93 | G1 | | 3-7 | | | 0.79 3 |
| <i>Viburnum lantana</i> 'Variegata' Variegated Wayfaring Tree Viburnum | DS | 0.93 | G1 | | 3-7 | | | 0.70 2 |
| <i>Viburnum lentago</i> Nannyberry Viburnum | DS | 0.99 | G1 | | 3-7 | | | 0.71 6 |
| <i>Viburnum macrocephalum</i> Chinese Snowball Viburnum | DS | 1.02 | G1 | | 6-8 | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Viburnum mariesii</i> | | | | | | | | |
| See - <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Mariesii' | | | | | | | | |
| <i>Viburnum molle</i> | DS | 1.00 | G1 | | 6-8 | | | 1.00 6 |
| Kentucky Viburnum | | | | | | | | |
| <i>Viburnum nudum</i> | DS | 0.97 | G1 | | 6-8 | | | 1.59 6 |
| Smooth Witherod | | | | | | | | |
| <i>Viburnum nudum</i> 'Winterthur' | DS | 0.97 | G1 | | 6-8 | | | 1.59 6 |
| Winterthur Smooth Witherod | | | | | | | | |
| <i>Viburnum obovatum</i> | DS | 0.80 | G1 | 7-8 | 9A-10A | | | 1.00 7 |
| Black Haw | | | | | | | | |
| <i>Viburnum odoratissimum</i> | BS | 0.69 | G2 | 9A | 9B-10B | | | 0.95 9 |
| Sweet Viburnum | | | | | | | | |
| <i>Viburnum odoratissimum</i> var. <i>awabuki</i> | BS | 0.81 | G2 | 9A | 9B-10B | | | 1.00 9 |
| Awabuki Sweet Viburnum | | | | | | | | |
| <i>Viburnum odoratissimum</i> var. <i>awabuki</i> 'Chindo' | BS | 0.86 | G2 | 9A | 9B-10B | | | 1.00 9 |
| Chindo Awabuki Sweet Viburnum | | | | | | | | |
| <i>Viburnum opulus</i> | DS | 0.91 | G1 | | 3-8 | | | 0.78 3 |
| European Cranberrybush Viburnum | | | | | | | | |
| <i>Viburnum opulus</i> 'Aureum' | DS | 0.91 | G1 | | 3-8 | | | 0.78 3 |
| Golden European Cranberrybush Viburnum | | | | | | | | |
| <i>Viburnum opulus</i> 'Compacta' | DS | 0.97 | G1 | | 3-8 | | | 1.36 3 |
| Compact European Cranberrybush Viburnum | | | | | | | | |
| <i>Viburnum opulus</i> 'Leonard's Dwarf' | DS | 0.91 | G1 | | 3-8 | | | 1.32 3 |
| Leonard's Dwarf European Cranberrybush Viburnum | | | | | | | | |
| <i>Viburnum opulus</i> 'Nanum' | DS | 1.29 | G1 | | 3-8 | | | 1.31 3 |
| Dwarf European Cranberrybush Viburnum | | | | | | | | |
| <i>Viburnum opulus</i> 'Notcutt' | DS | 0.91 | G1 | | 3-8 | | | 0.90 3 |
| Notcutt European Cranberrybush Viburnum | | | | | | | | |
| <i>Viburnum opulus</i> 'Roseum' | DS | 0.96 | G1 | | 3-8 | | | 0.84 3 |
| Sterile European Snowball Viburnum | | | | | | | | |
| <i>Viburnum opulus</i> 'Sterile' | | | | | | | | |
| See - <i>Viburnum opulus</i> 'Roseum' | | | | | | | | |
| <i>Viburnum opulus</i> 'Xanthocarpum' | DS | 1.03 | G1 | | 3-8 | | | 1.18 3 |
| Compact Yellow-Fruited Eur. Cranberrybush Viburnum | | | | | | | | |
| <i>Viburnum plicatum</i> | DS | 0.94 | G1 | | 4-8 | | | 0.76 4 |
| Japanese Snowball Viburnum | | | | | | | | |
| <i>Viburnum plicatum</i> 'Mary Milton' | DS | 0.94 | G1 | | 4-8 | | | 1.29 4 |
| Mary Milton Japanese Snowball Viburnum | | | | | | | | |
| <i>Viburnum plicatum</i> 'Newport' | | | | | | | | |
| See - <i>Viburnum plicatum</i> 'Newzam' | | | | | | | | |
| <i>Viburnum plicatum</i> 'Newzam' | DS | 1.02 | G1 | | 4-8 | | | 1.70 4 |
| Newport® Japanese Snowball Viburnum | | | | | | | | |
| <i>Viburnum plicatum</i> 'Roseace' | DS | 1.37 | G1 | | 4-8 | | | 1.29 4 |
| Roseace Japanese Snowball Viburnum | | | | | | | | |
| <i>Viburnum plicatum</i> 'Rotundifolium' | DS | 0.94 | G1 | | 4-8 | | | 1.08 4 |
| Rotundifolium Japanese Snowball Viburnum | | | | | | | | |
| <i>Viburnum plicatum</i> 'Triumph' | | | | | | | | |
| See - <i>Viburnum plicatum</i> 'Trizam' | | | | | | | | |
| <i>Viburnum plicatum</i> 'Trizam' | DS | 0.94 | G1 | | 4-8 | | | 1.91 4 |
| Triumph™ Japanese Snowball Viburnum | | | | | | | | |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> | DS | 0.87 | G1 | | 5-8 | | | 0.94 4 |
| Doublefile Viburnum | | | | | | | | |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Fireworks' | DS | 0.87 | G1 | | 5-8 | | | 1.07 4 |
| Fireworks Doublefile Viburnum | | | | | | | | |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Igloo' | DS | 0.87 | G1 | | 5-8 | | | 1.58 4 |
| Igloo Doublefile Viburnum | | | | | | | | |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Lanarth' | DS | 0.87 | G1 | | 5-8 | | | 1.53 4 |
| Lanarth Doublefile Viburnum | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Mariesii' Mariesii Doublefile Viburnum | DS | 0.97 | G1 | | 5-8 | | 0.93 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Nanum Semperflorens' Nanum Semperflorens Doublefile Viburnum | DS | 1.18 | G1 | | 5-8 | | 1.42 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Pink Beauty' Pink Beauty Doublefile Viburnum | DS | 1.03 | G1 | | 5-8 | | 1.15 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Popcorn' Popcorn Doublefile Viburnum | DS | 1.13 | G1 | | 5-8 | | 1.07 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Roseum' Rose Doublefile Viburnum | DS | 0.97 | G1 | | 5-8 | | 0.93 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Shasta' Shasta Doublefile Viburnum | DS | 0.97 | G1 | | 5-8 | | 1.02 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Shoshoni' Shoshoni Doublefile Viburnum | DS | 1.11 | G1 | | 5-8 | | 1.14 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Summer Snowflake' Summer Snowflake Doublefile Viburnum | DS | 1.15 | G1 | | 5-8 | | 1.34 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Summer Stars' Summer Stars Doublefile Viburnum | DS | 1.34 | G1 | | 5-8 | | 1.28 | 4 |
| <i>Viburnum x pragense</i> Prague Viburnum | BS | 0.95 | G1 | | 6-8 | | 0.66 | 6 |
| <i>Viburnum x pragense</i> 'Decker' Decker Prague Viburnum | BS | 1.01 | G1 | | 6-8 | | 0.66 | 6 |
| <i>Viburnum prunifolium</i> Blackhaw Viburnum | DS | 1.04 | G1 | | 3-8 | | 0.99 | 3 |
| <i>Viburnum x rhytidophyllumoides</i> Lantanaphyllum Viburnum | DS | 0.87 | G1 | | 3-8 | | 0.78 | 5 |
| <i>Viburnum x rhytidophyllumoides</i> 'Allegheny' Allegheny Lantanaphyllum Viburnum | DS | 0.97 | G1 | | 3-8 | | 0.91 | 5 |
| <i>Viburnum x rhytidophyllumoides</i> 'Dart's Duke' Dart's Duke Lantanaphyllum Viburnum | DS | 0.87 | G1 | | 3-8 | | 1.17 | 5 |
| <i>Viburnum x rhytidophyllumoides</i> 'Willowwood' Willowwood Lantanaphyllum Viburnum | DS | 0.89 | G1 | | 3-8 | | 0.79 | 5 |
| <i>Viburnum rhytidophyllum</i> Leatherleaf Viburnum | BS | 0.85 | G1 | | 5-9B | | 0.64 | 6 |
| <i>Viburnum rufidulum</i> Rusty Blackhaw Viburnum | DS | 0.92 | G1 | | 5-8 | | 0.91 | 5 |
| <i>Viburnum sargentii</i> Sargent Viburnum | DS | 0.75 | G1 | | 4-8 | | 0.58 | 4 |
| <i>Viburnum sargentii</i> 'Onondaga' Onondaga Sargent Viburnum | DS | 0.99 | G1 | | 4-8 | | 0.98 | 4 |
| <i>Viburnum sargentii</i> 'Susquehanna' Susquehanna Sargent Viburnum | DS | 0.75 | G1 | | 4-8 | | 0.66 | 4 |
| <i>Viburnum setigerum</i> Tea Viburnum | DS | 1.00 | G1 | | 5-8 | | 0.87 | 5 |
| <i>Viburnum sieboldii</i> Siebold Viburnum | DS | 0.92 | G1 | | 4-8 | | 0.98 | 4 |
| <i>Viburnum sieboldii</i> 'Seneca' Seneca Siebold Viburnum | DS | 0.96 | G1 | | 4-8 | | 0.98 | 4 |
| <i>Viburnum suspensum</i> Sandankwa Viburnum | BS | 0.71 | G2 | 9A | 9B-10B | | 1.00 | 9 |
| <i>Viburnum tinus</i> Laurustinus | BS | 0.83 | G1 | | 7-10B | | 1.00 | 7 |
| <i>Viburnum tinus</i> 'Compactum' Compact Laurustinus | BS | 0.90 | G1 | | 7-10B | | 1.00 | 7 |
| <i>Viburnum tinus</i> 'Robustum' Roundleaf Laurustinus | BS | 0.94 | G1 | | 7-10B | | 1.00 | 7 |
| <i>Viburnum tinus</i> 'Spring Bouquet' Spring Bouquet Laurustinus | BS | 0.82 | G1 | | 7-10B | | 1.00 | 7 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Viburnum trilobum</i> | DS | 1.05 | G1 | | 2-7 | | | 0.81 2 |
| American Cranberry Viburnum | | | | | | | | |
| <i>Viburnum trilobum</i> 'Alfredo' | DS | 1.05 | G1 | | 2-7 | | | 1.26 2 |
| Compact Alfredo American Cranberry Viburnum | | | | | | | | |
| <i>Viburnum trilobum</i> 'Bailey Compact' | DS | 1.21 | G1 | | 2-7 | | | 1.26 2 |
| Bailey Compact American Cranberry Viburnum | | | | | | | | |
| <i>Viburnum trilobum</i> 'Compactum' | DS | 1.03 | G1 | | 2-7 | | | 1.23 2 |
| Dwarf American Cranberry Viburnum | | | | | | | | |
| <i>Viburnum trilobum</i> 'Hahs' | DS | 1.20 | G1 | | 2-7 | | | 1.16 2 |
| Hahs American Cranberry Viburnum | | | | | | | | |
| <i>Viburnum trilobum</i> 'Phillip' | DS | 0.97 | G1 | | 2-7 | | | 0.99 2 |
| Phillip American Cranberry Viburnum | | | | | | | | |
| <i>Viburnum trilobum</i> 'Spring Green' | DS | 0.97 | G1 | | 2-7 | | | 1.30 2 |
| Spring Green American Cranberry Viburnum | | | | | | | | |
| <i>Viburnum trilobum</i> 'Spring Red' | DS | 0.97 | G1 | | 2-7 | | | 0.81 2 |
| Spring Red American Cranberry Viburnum | | | | | | | | |
| <i>Viburnum trilobum</i> 'Wentworth' | DS | 0.97 | G1 | | 2-7 | | | 0.86 2 |
| Wentworth American Cranberry Viburnum | | | | | | | | |
| <i>Viburnum utile</i> | BS | 0.93 | G1 | | 7-9B | | | 0.68 7 |
| Service Viburnum | | | | | | | | |
| <i>Viburnum utile</i> 'Chesapeake' | BS | 1.04 | G1 | | 7-9B | | | 0.68 7 |
| Chesapeake Service Viburnum | | | | | | | | |
| <i>Viburnum utile</i> 'Conoy' | BS | 0.93 | G1 | | 7-9B | | | 0.89 7 |
| Conoy Service Viburnum | | | | | | | | |
| <i>Viburnum utile</i> 'Eskimo' | BS | 1.04 | G1 | | 7-9B | | | 0.93 7 |
| Eskimo Service Viburnum | | | | | | | | |
| <i>Viburnum wrightii</i> | DS | 1.02 | G1 | | 5-8 | | | 1.00 5 |
| Wright Viburnum | | | | | | | | |
| <i>Vigna caracalla</i> | GC | 0.97 | G4 | 10A | 10B-11 | | | 1.00 9 |
| Snail Vine | | | | | | | | |
| <i>Viminaria denudata</i> | | | | | | | | |
| See - <i>Viminaria juncea</i> | | | | | | | | |
| <i>Viminaria juncea</i> | BS | 1.00 | G1 | 9 | 10A-11 | | | 1.00 8 |
| Golden Spray | | | | | | | | |
| <i>Vinca major</i> | GC | 1.13 | G4 | 8 | 9A-10A | | | 1.00 7 |
| Large Periwinkle | | | | | | | | |
| <i>Vinca major</i> 'Variegata' | GC | 1.14 | G4 | 8 | 9A-10A | | | 1.00 7 |
| Variegated Large Periwinkle | | | | | | | | |
| <i>Vinca minor</i> | GC | 0.98 | G4 | | 3-8 | | | 1.00 4 |
| Common Periwinkle | | | | | | | | |
| <i>Vinca minor</i> 'Alba' | GC | 1.11 | G4 | | 3-8 | | | 1.00 4 |
| White Common Periwinkle | | | | | | | | |
| <i>Vinca minor</i> 'Atropurpurea' | GC | 1.05 | G4 | | 3-8 | | | 1.00 4 |
| Purple Common Periwinkle | | | | | | | | |
| <i>Vinca minor</i> 'Aureovariegata' | GC | 1.10 | G4 | | 3-8 | | | 1.00 4 |
| Aureovariegata Common Periwinkle | | | | | | | | |
| <i>Vinca minor</i> 'Bowles' | GC | 1.08 | G4 | | 3-8 | | | 1.00 4 |
| Bowles Common Periwinkle | | | | | | | | |
| <i>Vinca minor</i> 'Dart's Blue' | GC | 1.17 | G4 | | 3-8 | | | 1.00 4 |
| Dart's Blue Common Periwinkle | | | | | | | | |
| <i>Vinca minor</i> 'Emerald Beauty' | GC | 1.41 | G4 | | 3-8 | | | 1.00 4 |
| Emerald Beauty Common Periwinkle | | | | | | | | |
| <i>Vinca minor</i> 'Emily' | GC | 1.10 | G4 | | 3-8 | | | 1.00 4 |
| Emily Common Periwinkle | | | | | | | | |
| <i>Vinca minor</i> 'Gertrude Jekyll' | GC | 1.13 | G4 | | 3-8 | | | 1.00 4 |
| Gertrude Jekyll Common Periwinkle | | | | | | | | |
| <i>Vinca minor</i> 'PNI 6526' | GC | 0.98 | G4 | | 3-8 | | | 1.00 4 |
| Shademaster® Common Periwinkle | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Vinca minor</i> 'Plena' Plena Common Periwinkle | GC | 1.31 | G4 | | 3-8 | | | 1.00 4 |
| <i>Vinca minor</i> 'Ralph Shugert' P.P. 6960 Ralph Shugert Common Periwinkle | GC | 1.27 | G4 | | 3-8 | | | 1.00 4 |
| <i>Vinca minor</i> 'Rosea' Pink Common Periwinkle | GC | 1.11 | G4 | | 3-8 | | | 1.00 4 |
| <i>Vinca minor</i> 'Shademaster' See - <i>Vinca minor</i> 'PNI 6526' | GC | 1.23 | G4 | | 3-8 | | | 1.00 4 |
| <i>Vinca minor</i> 'Sterling Silver' Sterling Silver Common Periwinkle | GC | 1.04 | G4 | | 3-8 | | | 1.00 4 |
| <i>Vinca minor</i> 'Variegata' Variegated Common Periwinkle | GC | 1.01 | G4 | | 3-8 | | | 1.00 4 |
| <i>Vinca minor</i> 'Wine' Wine Common Periwinkle | GC | 0.92 | G4 | | 5-8 | | | 1.00 4 |
| <i>Viola</i> Hybrid Violet | HP | 0.92 | G4 | | 5-8 | | | 3 |
| <i>Viola</i> 'Admiration' Admiration Violet | HP | 0.92 | G4 | | 5-8 | | | 3 |
| <i>Viola</i> 'Helen Mount' Johnny Jump Up Violet | HP | 0.92 | G4 | | 5-8 | | | 3 |
| <i>Viola</i> 'Maggie Mott' Maggie Mott Violet | HP | 1.02 | G4 | | 5-8 | | | 3 |
| <i>Viola adunca</i> Western Dog Violet | HP | 0.97 | G4 | | 5-8 | | | 4 |
| <i>Viola affinis</i> No Common Name Found | HP | 0.79 | G4 | | 3-7 | | | 3 |
| <i>Viola blanda</i> Willdenow Violet | HP | 0.96 | G4 | | 3-7 | | | 2 |
| <i>Viola canadensis</i> White Violet | HP | 1.00 | G4 | | 5-8 | | | 4 |
| <i>Viola cornuta</i> Horned Violet | HP | 0.62 | G4 | | 7-9A | | | 7 |
| <i>Viola cornuta</i> 'Alba' White Horned Violet | HP | 1.00 | G4 | | 7-9A | | | 7 |
| <i>Viola cornuta</i> 'Arkwright Ruby' Arkwright Ruby Horned Violet | HP | 0.62 | G4 | | 7-9A | | | 7 |
| <i>Viola cornuta</i> 'Azurella' Azurella Horned Violet | HP | 0.62 | G4 | | 7-9A | | | 7 |
| <i>Viola cornuta</i> 'Black Magic' Black Magic Horned Violet | HP | 0.96 | G4 | | 7-9A | | | 7 |
| <i>Viola cornuta</i> 'Blue Perfection' Blue Perfection Horned Violet | HP | 0.99 | G4 | | 7-9A | | | 7 |
| <i>Viola cornuta</i> 'Chantreyland' Chantreyland Horned Violet | HP | 1.01 | G4 | | 7-9A | | | 7 |
| <i>Viola cornuta</i> 'Formula Mix' Formula Mix Horned Violet | HP | 0.62 | G4 | | 7-9A | | | 7 |
| <i>Viola cornuta</i> 'Pretty' Pretty Horned Violet | HP | 0.62 | G4 | | 7-9A | | | 7 |
| <i>Viola cornuta</i> 'Prince John' Prince John Horned Violet | HP | 0.62 | G4 | | 7-9A | | | 7 |
| <i>Viola cornuta</i> 'Queen Charlotte' Queen Charlotte Horned Violet | HP | 1.30 | G4 | | 7-9A | | | 7 |
| <i>Viola cornuta</i> 'White Perfection' White Perfection Horned Violet | HP | 0.96 | G4 | | 7-9A | | | 7 |
| <i>Viola cornuta</i> 'Yellow Perfection' Yellow Perfection Horned Violet | HP | 0.96 | G4 | | 7-9A | | | 7 |
| <i>Viola cucullata</i> See - <i>Viola obliqua</i> | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Viola floridana</i> Florida Violet | HP | 0.79 | G4 | | 5-8 | | | 8 |
| <i>Viola hederacea</i> Australian Violet | HP | 1.09 | G4 | | 5-8 | | | 9 |
| <i>Viola japonica</i> Japanese Violet | HP | 0.97 | G4 | | 7-9A | | | 8 |
| <i>Viola labradorica</i> Labrador Violet | HP | 1.06 | G4 | | 2-7 | | | 2 |
| <i>Viola obliqua</i> Marsh Blue Violet | HP | 0.96 | G4 | | 5-8 | | | 4 |
| <i>Viola obliqua</i> 'Freckles' Freckles Marsh Blue Violet | HP | 1.03 | G4 | | 5-8 | | | 4 |
| <i>Viola obliqua</i> 'Red Giant' Red Giant Marsh Blue Violet | HP | 0.96 | G4 | | 5-8 | | | 4 |
| <i>Viola obliqua</i> 'Royal Robe' Royal Robe Marsh Blue Violet | HP | 1.22 | G4 | | 5-8 | | | 4 |
| <i>Viola odorata</i> Sweet Violet | HP | 1.08 | G4 | | 5-8 | | | 8 |
| <i>Viola odorata</i> 'Rosina' Rosina Sweet Violet | HP | 0.97 | G4 | | 5-8 | | | 8 |
| <i>Viola odorata</i> 'White Czar' White Czar Sweet Violet | HP | 1.19 | G4 | | 5-8 | | | 8 |
| <i>Viola odorata</i> 'White Queen' White Queen Sweet Violet | HP | 0.90 | G4 | | 5-8 | | | 8 |
| <i>Viola palmata</i> Early Blue Violet | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Viola pedata</i> Bird-Foot Violet | HP | 0.88 | G4 | | 4-8 | | | 4 |
| <i>Viola priceana</i> See - <i>Viola sororia</i> | HP | | | | | | | |
| <i>Viola pubescens</i> Downy Yellow Violet | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Viola rupestris</i> Teesdale Violet | HP | 1.11 | G4 | | 4-8 | | | 5 |
| <i>Viola sempervirens</i> Redwood Violet | HP | 1.00 | G4 | | 8-9B | | | 5 |
| <i>Viola sororia</i> Wooly Blue Violet | HP | 1.00 | G4 | | 4-8 | | | 4 |
| <i>Viola tricolor</i> Johnny Jump-Up | AN | 1.51 | G4 | | 4-8 | | | 4 |
| <i>Viola x wittrockiana</i> Common Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x wittrockiana</i> 'Crown Azure' Crown Azure Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x wittrockiana</i> 'Crown Deep Blue' Crown Deep Blue Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x wittrockiana</i> 'Crown Golden' Crown Golden Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x wittrockiana</i> 'Crown Orange' Crown Orange Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x wittrockiana</i> 'Crown Rose' Crown Rose Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x wittrockiana</i> 'Crown Scarlet' Crown Scarlet Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x wittrockiana</i> 'Crown Series' Crown Series Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x wittrockiana</i> 'Crown White' Crown White Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|-------------------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Viola x witrockiana</i> 'Crystal Bowl Primrose' Crystal Bowl Primrose Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Crystal Bowl Series' Crystal Bowl Series Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Crystal Bowl True Blue' Crystal Bowl True Blue Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Crystal Bowl Yellow' Crystal Bowl Yellow Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Delta Series' Delta Series Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Imperial Pink Shades' Imperial Pink Shades Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Imperial Purple' Imperial Purple Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Imperial White' Imperial White Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Imperial Wine Fashion' Imperial Wine Fashion Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Majestic Blue' Majestic Blue Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Majestic Purple' Majestic Purple Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Majestic White' Majestic White Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Majestic Yellow' Majestic Yellow Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Maxim Series' Maxim Series Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Universal Beaconsfield' Universal Beaconsfield Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Universal Blue' Universal Blue Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Universal Red' Universal Red Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Universal True Blue' Universal True Blue Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Universal White with Face' Universal White with Face Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Viola x witrockiana</i> 'Universal Yellow' Universal Yellow Pansy | AN | 0.64 | G4 | 1-8 | 9A-10B | | | 5 |
| <i>Vitex agnus-castus</i> Chaste Tree | DT | 0.59 | G1 | | 7-9A | 1.00 | 0.67 | 7 |
| <i>Vitex agnus-castus</i> 'Alba' White Chaste Tree | DT | 0.72 | G1 | | 7-9A | 1.00 | 0.67 | 7 |
| <i>Vitex agnus-castus</i> 'Rosea' Rose Chaste Tree | DT | 0.78 | G1 | | 7-9A | 1.00 | 0.67 | 7 |
| <i>Vitex agnus-castus</i> var. <i>latifolia</i> No Common Name Found | DT | 1.00 | G1 | | 7-9A | 1.00 | 0.78 | 7 |
| <i>Vitex macrophylla</i> See - <i>Vitex agnus-castus</i> var. <i>latifolia</i> | DS | 0.83 | G1 | 6 | 7-8 | | 0.75 | 8 |
| <i>Vitex negundo</i> No Common Name Found | | | | | | | | |
| <i>Vitex ovata</i> See - <i>Vitex rotundifolia</i> | | | | | | | | |
| <i>Vitex rotundifolia</i> No Common Name Found | DT | 0.53 | G1 | 10A | 10B-11 | 1.00 | 1.00 | 10 |
| <i>Vitex trifolia</i> Blue Vitex | DS | 0.99 | G1 | 10A | 10B-11 | | 1.00 | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | | | | |
| <i>Vitex trifolia</i> var. <i>simplicifolia</i> Prostrate Vitex | DS | 1.00 | G1 | 10A | 10B-11 | | 1.00 | 10 |
| <i>Vitis californica</i> California Grape | GC | 1.09 | G1 | | 7-10B | | 1.00 | 7 |
| <i>Vitis labrusca</i> Fox Grape | SF | 0.84 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Bluebell' Bluebell Fox Grape | SF | 1.01 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Caco' Caco Fox Grape | SF | 0.84 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Canadice' Canadice Fox Grape | SF | 1.00 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Catawba' Catawba Fox Grape | SF | 0.96 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Concord Seedless' Concord Seedless Fox Grape | SF | 0.90 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Concord' Concord Fox Grape | SF | 1.04 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Delaware' Delaware Fox Grape | SF | 0.84 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Eastern Concord' Eastern Concord Fox Grape | SF | 1.08 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Edelweiss' Edelweiss Fox Grape | SF | 1.11 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Fredonia' Fredonia Fox Grape | SF | 0.96 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Fresno Seedless' Fresno Seedless Grape | SF | 0.84 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Glenora' Glenora Fox Grape | SF | 1.00 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Himrod' Himrod Fox Grape | SF | 1.06 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Interlaken Seedless' Interlaken Seedless Fox Grape | SF | 0.97 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Kay Gray' Kay Gray Fox Grape | SF | 0.99 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'LaCrosse' P.P. 5588 LaCrosse Fox Grape | SF | 0.84 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Lakemont' Lakemont Fox Grape | SF | 0.98 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Niagara' Niagara Fox Grape | SF | 0.97 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Reliance Seedless' Reliance Seedless Fox Grape | SF | 1.02 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Romulus' Romulus Fox Grape | SF | 0.84 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'St. Croix' St. Croix Fox Grape | SF | 1.00 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Suffolk Red' Suffolk Red Seedless Fox Grape | SF | 1.03 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Swenson Red' Swenson Red Fox Grape | SF | 0.97 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Valiant' Valiant Fox Grape | SF | 1.12 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Vanessa Seedless' Vanessa Seedless Fox Grape | SF | 1.04 | G1 | | 5-9B | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Worden' Worden Fox Grape | SF | 1.09 | G1 | | 5-9B | | 1.00 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|--------------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Vitis riparia</i> Riverbank Grape | GC | 0.89 | G1 | | 2-8 | | 1.00 | 2 |
| <i>Vitis riparia</i> 'Beta' Beta Riverbank Grape | GC | 1.49 | G1 | | 2-8 | | 1.00 | 2 |
| <i>Vitis rotundifolia</i> Muscadine Grape | SF | 1.26 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Alachua' Alachua Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Albemarle' Albemarle Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Carlos' Carlos Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Chowan' Chowan Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Cowart' Cowart Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Dearing' Dearing Muscadine Grape | SF | 0.99 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Doreen' Doreen Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Fry' Fry Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Golden Isles' Golden Isles Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Higgins' Higgins Muscadine Grape | SF | 1.09 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Hunt' Hunt Muscadine Grape | SF | 1.09 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Jumbo' Jumbo Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Loomis' Loomis Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Magnolia' Magnolia Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Magoon' Magoon Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Nesbitt' Nesbitt Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Noble' Noble Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Pride' Pride Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Regale' Regale Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Scarlett' Scarlett Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Scuppernong' Scuppernong Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Southern Home' Southern Home Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Southland' Southland Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Sterling' Sterling Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Summit' Summit Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Tara' Tara Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Vitis rotundifolia</i> 'Topsail' Topsail Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Triumph' Triumph Muscadine Grape | SF | 0.92 | G1 | | 5-8 | | 1.00 | 5 |
| <i>Vitis vinifera</i> Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Black Monukka' Black Monukka Seedless Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Cabernet Franc' Cabernet Franc Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Cabernet Sauvignon' Cabernet Sauvignon Wine Grape | SF | 0.48 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Chardonnay' Chardonnay Wine Grape | SF | 0.48 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Chenin Blanc' Chenin Blanc Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Flame' Flame Wine Grape | SF | 0.84 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Gamay Beaujolais' Gamay Beaujolais Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Gewurztraminer' Gewurztraminer Wine Grape | SF | 0.61 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Johannisberg Riesling' Johannisberg Riesling Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Lemberger' Lemberger Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Merlot' Merlot Wine Grape | SF | 0.48 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Meunier' Meunier Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Muscat Blanc' Muscat Blanc Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Muscat Ottonel' Muscat Ottonel Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Muscat' Muscat Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Nebbiolo' Nebbiolo Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Perlette' Perlette Wine Grape | SF | 0.65 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Pinot Blanc' Pinot Blanc Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Pinot Gris' Pinot Gris Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Pinot Noir' Pinot Noir Wine Grape | SF | 0.48 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Ruby Seedless' Ruby Seedless Wine Grape | SF | 0.74 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Sangiovese' Sangiovese Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Sauvignon Blanc' Sauvignon Blanc Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Seibel' Seibel Wine Grape | SF | 0.93 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Semillon' Semillon Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Shiraz' Shiraz Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-------|--------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors High/Wide | |
| <i>Vitis vinifera</i> 'Syrah' Syrah Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Thompson Seedless' Thompson Seedless Wine Grape | SF | 0.84 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Viognier' Viognier Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'White Flame' White Flame Wine Grape | SF | 0.43 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'White Riesling' White Riesling Wine Grape | SF | 0.61 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Zinfandel' Zinfandel Wine Grape | SF | 0.48 | G1 | | 6-10B | | 1.00 | 6 |
| <i>Vriesea</i> | FO | 0.45 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Vriesea</i> | | | | | | | | |
| <i>Vriesea</i> 'Charlotte' Charlotte Vriesea | FO | 1.05 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Vriesea</i> 'Christiane' Christiane Vriesea | FO | 0.45 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Vriesea</i> 'Ella' Ella Vriesea | FO | 0.45 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Vriesea</i> 'Eva' Eva Vriesea | FO | 1.05 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Vriesea</i> 'Poelmannii' Poelmannii Vriesea | FO | 0.92 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Vriesea</i> 'Splenreit' Splenreit Vriesea | FO | 0.45 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Vriesea</i> <i>espinosae</i> No Common Name Found | FO | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Vriesea psittacina</i> | FO | 0.70 | G3 | 8-10A | 10B-11 | | | 10 |
| No Common Name Found | | | | | | | | |
| <i>Vriesea splendens</i> | FO | 0.91 | G3 | 8-10A | 10B-11 | | | 10 |
| Flaming Sword | | | | | | | | |
| <i>Wachendorfia thyrsiflora</i> | HP | 0.82 | G4 | | 9A-10B | | | 8 |
| No Common Name Found | | | | | | | | |
| <i>Waldsteinia fragarioides</i> | HP | 0.91 | G4 | | 3-8 | | | 3 |
| Barren Strawberry | | | | | | | | |
| <i>Waldsteinia geoides</i> | HP | 1.01 | G4 | | 5-8 | | | 5 |
| Russian Barren Strawberry | | | | | | | | |
| <i>Waldsteinia lobata</i> | HP | 1.00 | G4 | | 8-11 | | | 8 |
| Large Leaf Barren Strawberry | | | | | | | | |
| <i>Waldsteinia ternata</i> | HP | 0.97 | G4 | | 4-8 | | | 3 |
| Siberian Barren Strawberry | | | | | | | | |
| <i>Wallichia densiflora</i> | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| Wallich Palm | | | | | | | | |
| <i>Wallichia disticha</i> | BE | 1.00 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Washingtonia filifera</i> | BE | 0.78 | G2 | | 8-11 | 1.00 | 0.90 | 8 |
| Petticoat Palm | | | | | | | | |
| <i>Washingtonia robusta</i> | BE | 0.79 | G2 | 8 | 9A-11 | 1.00 | 0.69 | 8 |
| Southern Washingtonia | | | | | | | | |
| <i>Watsonia</i> | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| No Common Name Found | | | | | | | | |
| <i>Watsonia</i> 'Dazzler' | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| Dazzler Hybrid Watsonia | | | | | | | | |
| <i>Watsonia</i> 'Malvern' | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| Malvern Hybrid Watsonia | | | | | | | | |
| <i>Watsonia</i> 'Mrs. Bullard's White' | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| Mrs. Bullard's White Hybrid Watsonia | | | | | | | | |

AZ, CA, NV, UT

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Watsonia</i> 'Rubra' Red Hybrid Watsonia | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Watsonia aletroides</i> No Common Name Found | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Watsonia beatricis</i> See - <i>Watsonia pillansii</i> | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Watsonia humilis</i> No Common Name Found | HP | 1.00 | G4 | 9A | 9B-11 | | | 9 |
| <i>Watsonia pillansii</i> No Common Name Found | HP | 1.00 | G4 | 9A | 9B-11 | | | 7 |
| <i>Wedelia trilobata</i> Creeping Daisy | GC | 0.89 | G1 | | 10A-11 | | 1.00 | 10 |
| <i>Weigela</i> Weigela | DS | 0.73 | G1 | | 3-8 | | 0.53 | 5 |
| <i>Weigela</i> 'Boskoop Glory' Boskoop Glory Weigela | DS | 0.73 | G1 | | 3-8 | | 0.53 | 5 |
| <i>Weigela</i> 'Carnival' Carnival Weigela | DS | 1.03 | G1 | | 3-8 | | 0.53 | 5 |
| <i>Weigela</i> 'Looymansii Aurea' Looymansii Aurea Weigela | DS | 0.93 | G1 | | 3-8 | | 0.53 | 5 |
| <i>Weigela florida</i> Old Fashioned Weigela | DS | 0.79 | G1 | | 3-8 | | 0.61 | 5 |
| <i>Weigela florida</i> 'Alexandra' P.P. 10772 Wine and Roses® Old Fashioned Weigela | DS | 1.06 | G1 | | 3-8 | | 0.61 | 5 |
| <i>Weigela florida</i> 'Bristol Ruby' Bristol Ruby Old Fashioned Weigela | DS | 0.96 | G1 | | 3-8 | | 0.70 | 5 |
| <i>Weigela florida</i> 'Bristol Snowflake' Bristol Snowflake Old Fashioned Weigela | DS | 0.98 | G1 | | 3-8 | | 0.61 | 5 |
| <i>Weigela florida</i> 'Candida' Candida Old Fashioned Weigela | DS | 0.85 | G1 | | 3-8 | | 0.61 | 5 |
| <i>Weigela florida</i> 'Centennial' Centennial Old Fashioned Weigela | DS | 1.02 | G1 | | 3-8 | | 0.61 | 5 |
| <i>Weigela florida</i> 'Dart's Coloramea' Dart's Coloramea Old Fashioned Weigela | DS | 1.11 | G1 | | 3-8 | | 0.61 | 5 |
| <i>Weigela florida</i> 'Dart's Colordream' Dart's Colordream Old Fashioned Weigela | DS | 0.79 | G1 | | 3-8 | | 0.61 | 5 |
| <i>Weigela florida</i> 'Eva Rathke' Eva Rathke Old Fashioned Weigela | DS | 0.79 | G1 | | 3-8 | | 0.61 | 5 |
| <i>Weigela florida</i> 'Eva Supreme' Eva Supreme Old Fashioned Weigela | DS | 0.79 | G1 | | 3-8 | | 0.61 | 5 |
| <i>Weigela florida</i> 'Evita' Evita Old Fashioned Weigela | DS | 0.80 | G1 | | 3-8 | | 0.61 | 5 |
| <i>Weigela florida</i> 'Folliis Purpureis' Purple Leaf Old Fashioned Weigela | DS | 0.79 | G1 | | 3-8 | | 0.61 | 5 |
| <i>Weigela florida</i> 'Java Red' Java Red Old Fashioned Weigela | DS | 0.95 | G1 | | 3-8 | | 0.84 | 5 |
| <i>Weigela florida</i> 'Minuet' C.O.P.F. Minuet Old Fashioned Weigela | DS | 1.03 | G1 | | 3-8 | | 0.91 | 5 |
| <i>Weigela florida</i> 'Newport Red' Newport Red Old Fashioned Weigela | DS | 0.97 | G1 | | 3-8 | | 0.65 | 5 |
| <i>Weigela florida</i> 'Pink Delight' Pink Delight Old Fashioned Weigela | DS | 0.86 | G1 | | 3-8 | | 0.79 | 5 |
| <i>Weigela florida</i> 'Pink Princess' Pink Princess Old Fashioned Weigela | DS | 0.98 | G1 | | 3-8 | | 0.66 | 5 |
| <i>Weigela florida</i> 'Polka' Polka Old Fashioned Weigela | DS | 0.99 | G1 | | 3-8 | | 0.61 | 5 |
| <i>Weigela florida</i> 'Red Prince' Red Prince Old Fashioned Weigela | DS | 1.01 | G1 | | 3-8 | | 0.79 | 5 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Weigela florida</i> 'Rosea' Pink Old Fashioned Weigela | DS | 0.97 | G1 | | 3-8 | | | 0.62 5 |
| <i>Weigela florida</i> 'Rubigold' Rubigold Old Fashioned Weigela | DS | 1.08 | G1 | | 3-8 | | | 0.61 5 |
| <i>Weigela florida</i> 'Rumba' Rumba Old Fashioned Weigela | DS | 1.01 | G1 | | 3-8 | | | 0.85 5 |
| <i>Weigela florida</i> 'Tango' Tango Old Fashioned Weigela | DS | 1.10 | G1 | | 3-8 | | | 0.61 5 |
| <i>Weigela florida</i> 'Vanicek' See - <i>Weigela florida</i> 'Newport Red' | DS | 0.88 | G1 | | 3-8 | | | 0.67 5 |
| <i>Weigela florida</i> 'Variegata Nana' Variegated Dwarf Old Fashioned Weigela | DS | 1.00 | G1 | | 3-8 | | | 0.68 5 |
| <i>Weigela florida</i> 'Variegata' Variegated Old Fashioned Weigela | DS | 0.93 | G1 | | 3-8 | | | 0.61 5 |
| <i>Weigela florida</i> 'Victoria' Victoria Old Fashioned Weigela | DS | 0.89 | G1 | | 3-8 | | | 0.70 5 |
| <i>Weigela florida</i> 'White Knight' P.P. 8348 White Knight Old Fashioned Weigela | DS | 1.10 | G1 | | 3-8 | | | 1.00 4 |
| <i>Weigela florida</i> 'Wine and Roses' See - <i>Weigela florida</i> 'Alexandra' P.P. 10772 | DS | 1.06 | G1 | | 3-8 | | | 1.00 5 |
| <i>Weigela middendorffiana</i> Middendorf Weigela | DS | 0.91 | G1 | | 3-8 | | | 1.00 5 |
| <i>Weigela praecox</i> No Common Name Found | BS | 0.77 | G1 | 9B | 10 | | | 1.00 9 |
| <i>Weigela praecox</i> 'Korean Sunrise' Korean Sunrise Weigela | BS | 0.88 | G1 | 9B | 10 | | | 1.00 9 |
| <i>Westringia fruticosa</i> Westringia | BS | 0.77 | G1 | 9B | 10 | | | 1.00 9 |
| <i>Westringia fruticosa</i> 'Morning Light' Morning Light Coast Rosemary | BS | 0.77 | G1 | 9B | 10 | | | 1.00 9 |
| <i>Westringia fruticosa</i> 'Wynyabbie Gem' Wynyabbie Gem Coast Rosemary | BS | 0.77 | G1 | 9B | 10 | | | 1.00 10 |
| <i>Westringia glabra</i> No Common Name Found | BS | 0.77 | G1 | 9B | 10 | | | 1.00 10 |
| <i>Westringia raleighii</i> No Common Name Found | BS | 0.74 | G1 | 9B | 10 | | | 1.00 10 |
| <i>Westringia rosmariniformis</i> White False Rosemary | BS | 2.45 | G1 | 10A | 10B-11 | | | 1.00 9 |
| <i>Wikstroemia uva-ursi</i> No Common Name Found | GC | 1.20 | G1 | | 4-9B | | | 1.10 4 |
| <i>Wisteria floribunda</i> Japanese Wisteria | GC | 1.22 | G1 | | 4-9B | | | 1.46 4 |
| <i>Wisteria floribunda</i> 'Alba' White Japanese Wisteria | GC | 1.38 | G1 | | 4-9B | | | 1.10 4 |
| <i>Wisteria floribunda</i> 'Issai Perfect' Issai Perfect Japanese Wisteria | GC | 1.35 | G1 | | 4-9B | | | 1.10 4 |
| <i>Wisteria floribunda</i> 'Longissima Alba' Longissima Alba Japanese Wisteria | GC | 1.85 | G1 | | 4-9B | | | 1.10 4 |
| <i>Wisteria floribunda</i> 'Macrobotrys' Macrobotrys Japanese Wisteria | GC | 1.07 | G1 | | 4-9B | | | 1.10 4 |
| <i>Wisteria floribunda</i> 'Plena' Plena Japanese Wisteria | GC | 1.07 | G1 | | 4-9B | | | 1.10 4 |
| <i>Wisteria floribunda</i> 'Purpurea' Purple Japanese Wisteria | GC | 1.14 | G1 | | 4-9B | | | 1.10 4 |
| <i>Wisteria floribunda</i> 'Rosea' Pink Japanese Wisteria | GC | 1.94 | G1 | | 4-9B | | | 1.10 4 |
| <i>Wisteria floribunda</i> 'Royal Purple' Royal Purple Japanese Wisteria | | | | | | | | |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Wisteria floribunda</i> 'Snow Showers' Snow Showers Japanese Wisteria | GC | 1.66 | G1 | | 4-9B | | | 1.71 4 |
| <i>Wisteria floribunda</i> 'Texas Purple' Texas Purple Japanese Wisteria | GC | 1.37 | G1 | | 4-9B | | | 1.10 4 |
| <i>Wisteria floribunda</i> 'Violacea Plena' Double Purple Japanese Wisteria | GC | 1.52 | G1 | | 4-9B | | | 1.12 4 |
| <i>Wisteria frutescens</i> American Wisteria | GC | 0.95 | G1 | | 4-9B | | | 1.00 5 |
| <i>Wisteria sinensis</i> Chinese Wisteria | GC | 1.03 | G1 | | 5-9B | | | 0.65 5 |
| <i>Wisteria sinensis</i> 'Alba' White Chinese Wisteria | GC | 1.03 | G1 | | 5-9B | | | 0.65 5 |
| <i>Wisteria sinensis</i> 'Amethyst' Amethyst Chinese Wisteria | GC | 1.39 | G1 | | 5-9B | | | 0.65 5 |
| <i>Wisteria sinensis</i> 'Aunt Dee' Aunt Dee Chinese Wisteria | GC | 1.32 | G1 | | 5-9B | | | 0.65 5 |
| <i>Wisteria sinensis</i> 'Caroline' Caroline Chinese Wisteria | GC | 1.42 | G1 | | 5-9B | | | 1.10 5 |
| <i>Wisteria sinensis</i> 'Cooke's Special' Cooke's Special Chinese Wisteria | GC | 1.53 | G1 | | 5-9B | | | 0.65 5 |
| <i>Wisteria sinensis</i> 'Jako' Jako Chinese Wisteria | GC | 1.64 | G1 | | 5-9B | | | 0.65 5 |
| <i>Wisteria sinensis</i> 'Long Grove Purple' Long Grove Purple Chinese Wisteria | GC | 1.03 | G1 | | 5-9B | | | 0.65 5 |
| <i>Wisteria sinensis</i> 'Purpurea' Purple Chinese Wisteria | GC | 1.21 | G1 | | 5-9B | | | 0.65 5 |
| <i>Wisteria sinensis</i> 'Rosea' Pink Chinese Wisteria | GC | 1.14 | G1 | | 5-9B | | | 0.65 5 |
| <i>Wisteria venusta</i> Silky Wisteria | GC | 1.65 | G1 | | 5-9B | | | 1.10 5 |
| <i>Wisteria venusta</i> 'Alba' See - <i>Wisteria venusta</i> | | | | | | | | |
| <i>Wodyetia bifurcata</i> Foxtail Palm | BE | 1.34 | G1 | 10A | 10B-11 | 1.00 | 1.16 | 10A |
| <i>Woodwardia areolata</i> Netted Chain Fern | HP | 1.00 | G4 | | 5-9A | | | 5 |
| <i>Woodwardia fimbriata</i> Giant Chain Fern | HP | 1.11 | G4 | | 8-10A | | | 8 |
| <i>Xanthoceras sorbifolium</i> Yellowhorn | DS | 0.95 | G1 | | 6-9B | | | 1.00 6 |
| <i>Xanthorhiza simplicissima</i> Shrub Yellow Root | HP | 1.74 | G1 | | 5-9B | | | 4 |
| <i>Xanthorrhoea preissii</i> Blackboy | HP | 0.95 | G4 | | 10A-11 | | | 10 |
| <i>Xanthosoma lindenii</i> See - <i>Caladium lindenii</i> | | | | | | | | |
| <i>Xanthosoma robusta</i> Green Ape | FO | 1.04 | G1 | 10A | 10B-11 | | | 10 |
| <i>Xanthosoma sagittifolium</i> Tannia | FO | 0.62 | G1 | 10A | 10B-11 | | | 10 |
| <i>Xeronema callistemon</i> Poor Knight's Lily | HP | 0.88 | G4 | | 10A-11 | | | 10 |
| <i>Xerophyllum tenax</i> Elk Grass | HP | 0.95 | G4 | | 5-9A | | | 5 |
| <i>Xylosma congestum</i> Shiny Xylosma | BS | 0.72 | G1 | | 8-10B | | | 1.00 8 |
| <i>Xylosma congestum</i> 'Compactum' Dwarf Shiny Xylosma | BS | 0.73 | G1 | | 8-10B | | | 1.00 8 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Xylosma congestum</i> 'El Dorado' El Dorado Shiny Xylosma | BS | 0.73 | G1 | | 8-10B | | 1.00 | 8 |
| <i>Xylosma senticosum</i> | | | | | | | | |
| See - <i>Xylosma congestum</i> | | | | | | | | |
| <i>Yucca aloifolia</i> Spanish Bayonet | BS | 0.87 | G1 | | 8-11 | | 1.00 | 8 |
| <i>Yucca baccata</i> Datil Yucca | BS | 0.94 | G2 | | 9A-10A | | 1.00 | 9 |
| <i>Yucca elata</i> Soaptree Yucca | BE | 0.85 | G2 | | 9A-10A | 1.00 | 1.00 | 9 |
| <i>Yucca elephantipes</i> Spineless Yucca | BE | 1.08 | G3 | 9 | 10A-11 | 1.00 | 1.00 | 10 |
| <i>Yucca filamentosa</i> Spoonleaf Yucca | BS | 0.80 | G4 | | 5-11 | | 0.49 | 4 |
| <i>Yucca filamentosa</i> 'Bright Edge' Bright Edge Adam's Needle | BS | 1.13 | G4 | | 5-11 | | 0.84 | 4 |
| <i>Yucca filamentosa</i> 'Color Guard' Color Guard Adam's Needle | BS | 1.34 | G4 | | 5-11 | | 0.49 | 4 |
| <i>Yucca filamentosa</i> 'Elegantissima' Elegantissima Adam's Needle | BS | 0.91 | G4 | | 5-11 | | 0.49 | 4 |
| <i>Yucca filamentosa</i> 'Gold Edge' Gold Edge Adam's Needle | BS | 1.28 | G4 | | 5-11 | | 0.49 | 4 |
| <i>Yucca filamentosa</i> 'Ivory Tower' Ivory Tower Adam's Needle | BS | 0.94 | G4 | | 5-11 | | 0.49 | 4 |
| <i>Yucca filamentosa</i> 'Starburst' See - <i>Yucca filamentosa</i> 'Variegata' | BS | 1.00 | G4 | | 5-11 | | 0.54 | 4 |
| <i>Yucca filamentosa</i> 'Variegata' Starburst™ Adam's Needle | BS | 0.86 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Yucca filifera</i> Weakleaf Yucca | BS | 1.12 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Yucca filifera</i> 'Golden Sword' Golden Sword Weakleaf Yucca | BS | 0.95 | G4 | | 5-11 | | 1.00 | 4 |
| <i>Yucca flaccida</i> See - <i>Yucca filifera</i> | BS | 0.83 | G1 | | 7-10A | | 1.00 | 7 |
| <i>Yucca glauca</i> Small Soapweed | BS | 0.93 | G4 | | 8-10A | | 1.00 | 8 |
| <i>Yucca gloriosa</i> Spanish Dagger | BS | 1.02 | G2 | | 9A-10B | | 1.00 | 8 |
| <i>Yucca pendula</i> See - <i>Yucca recurvifolia</i> | BS | 1.02 | G2 | | 9A-10B | | 1.00 | 9 |
| <i>Yucca recurvifolia</i> No Common Name Found | BS | 0.84 | G4 | | 8-9B | | 1.00 | 8 |
| <i>Yucca rostrata</i> No Common Name Found | BS | 0.93 | G1 | 9A | 9B-10B | | 1.00 | 9 |
| <i>Yucca smalliana</i> Smalliana Yucca | HP | 1.02 | G2 | | 10A | | 1.00 | 10 |
| <i>Yucca smalliana</i> 'Variegata' Variegated Smalliana Yucca | HP | 1.02 | G2 | | 10A | | 1.00 | 10 |
| <i>Yucca whipplei</i> Our Lord's Candle | BS | 1.02 | G2 | | 10A | | 1.00 | 10 |
| <i>Yushania anceps</i> No Common Name Found | BS | 1.02 | G2 | | 10A | | 1.00 | 10 |
| <i>Zamia domingensis</i> See - <i>Zamia pumila</i> | BS | 1.02 | G2 | | 10A | | 1.00 | 10 |
| <i>Zamia fairchildiana</i> No Common Name Found | BS | 1.02 | G2 | | 10A | | 1.00 | 10 |
| <i>Zamia fischeri</i> Fischer Zamia | BS | 1.02 | G2 | | 10A | | 1.00 | 10 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|------|--------------|-------------|---------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| <i>Zamia floridana</i> Coontie | BS | 1.62 | G1 | | 9A-11 | | | 1.02 |
| <i>Zamia furfuracea</i> Cardboard Palm | BS | 1.60 | G1 | 10A | 10B-11 | | | 4.08 |
| <i>Zamia integrifolia</i> Sago Cycad | BS | 1.00 | G1 | | 9A-11 | | | 1.00 |
| <i>Zamia lindenii</i> No Common Name Found | BS | 7.32 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Zamia loddigesii</i> No Common Name Found | BS | 1.00 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Zamia muricata</i> No Common Name Found | BS | 4.43 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Zamia muricata</i> var. <i>picta</i> No Common Name Found | BS | 8.23 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Zamia pumila</i> Florida Arrowroot | BS | 1.73 | G1 | 9A | 9B-11 | | | 1.00 |
| <i>Zamia roezlii</i> No Common Name Found | BS | 8.93 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Zamia skinneri</i> No Common Name Found | BS | 6.45 | G1 | 10A | 10B-11 | | | 1.00 |
| <i>Zamioculcas zamiifolia</i> No Common Name Found | FO | 0.77 | G1 | 10A | 10B-11 | | | 10 |
| <i>Zantedeschia aethiopica</i> Calla Lily | HP | 1.25 | G4 | 8-9B | 10A-11 | | | 8 |
| <i>Zantedeschia aethiopica</i> 'Green Goddess' Green Goddess Calla Lily | HP | 1.08 | G4 | 8-9B | 10A-11 | | | 8 |
| <i>Zantedeschia elliotiana</i> Elliot's Calla Lily | HP | 1.10 | G4 | | 9A-11 | | | 9 |
| <i>Zantedeschia rehmannii</i> Pink Calla Lily | HP | 1.10 | G4 | 9 | 10A-11 | | | 9 |
| <i>Zanthoxylum clava-herculis</i> Hercules Club | DS | 0.70 | G1 | | 7-10A | | | 1.00 |
| <i>Zanthoxylum fagara</i> Wild Lime | BS | 1.00 | G1 | | 10A-11 | | | 1.00 |
| <i>Zauschneria californica</i> See - <i>Epilobium canum</i> ssp. <i>canum</i> | | | | | | | | |
| <i>Zauschneria latifolia</i> See - <i>Epilobium canum</i> ssp. <i>latifolium</i> | | | | | | | | |
| <i>Zauschneria septentrionalis</i> See - <i>Epilobium septentrionale</i> | | | | | | | | |
| <i>Zebrina pendula</i> See - <i>Tradescantia zebrina</i> | | | | | | | | |
| <i>Zelkova serrata</i> Japanese Zelkova | DT | 0.94 | G1 | | 5-8 | 0.95 | 0.46 | 5 |
| <i>Zelkova serrata</i> '(Unnamed Cultivar 02)' P.P. 2337 Village Green™ Japanese Zelkova | DT | 1.11 | G1 | | 5-8 | 1.14 | 0.94 | 5 |
| <i>Zelkova serrata</i> 'Green Vase' P.P. 5080 Green Vase® Japanese Zelkova | DT | 1.16 | G1 | | 5-8 | 1.12 | 0.60 | 5 |
| <i>Zelkova serrata</i> 'Halka' P.P. 5687 Halka Japanese Zelkova | DT | 0.94 | G1 | | 5-8 | 1.24 | 0.46 | 5 |
| <i>Zelkova serrata</i> 'Village Green' See - <i>Zelkova serrata</i> '(Unnamed Cultivar 02)' P.P. 2337 | DT | 1.00 | G1 | | 6-9A | 1.00 | 1.00 | 6 |
| <i>Zelkova sinica</i> Chinese Zelkova | | | | | | | | |
| <i>Zephyranthes candida</i> No Common Name Found | HP | 0.97 | G4 | 8 | 9A-11 | | | 9 |
| <i>Zephyranthes grandiflora</i> No Common Name Found | HP | 0.98 | G4 | 8 | 9A-11 | | | 9 |

2001 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-------|--------------|-------------|-----------|------------|
| | | Factor | SK | Req | Insurable HZ | Caliper | Factors | |
| | | | | | Not Req | | High/Wide | |
| <i>Zephyranthes rosea</i> No Common Name Found | HP | 0.88 | G4 | 10A | 10B-11 | | | 10 |
| <i>Zingiber</i> Ginger | HP | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Zingiber</i> 'Chiang Mai Princess' Chiang Mai Princess Ginger | HP | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Zingiber</i> 'Milky Way' Milky Way Ginger | HP | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Zingiber</i> 'Thai Giant' Thai Giant Ginger | HP | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Zingiber mioga</i> Japanese Ginger | HP | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Zingiber officinale</i> Common Ginger | HP | 1.00 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Zingiber spectabile</i> Blushing Ginger | HP | 3.48 | G3 | 8-10A | 10B-11 | | | 10 |
| <i>Zingiber zerumbet</i> Pine Cone Ginger | HP | 1.50 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Zingiber zerumbet</i> 'Darceyi' Darcey Pine Cone Ginger | HP | 1.11 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Zingiber zerumbet</i> 'Variegata' Variegated Pine Cone Ginger | HP | 3.11 | G3 | 8-9B | 10A-11 | | | 10 |
| <i>Zinnia angustifolia</i> Narrow-leaf Zinnia | AN | 0.74 | G1 | 1-9B | 10A-11 | | | 10 |
| <i>Zinnia angustifolia</i> 'Star Series' Star Series Narrow-leaf Zinnia | AN | 0.74 | G1 | 1-9B | 10A-11 | | | 10 |
| <i>Zinnia elegans</i> Common Zinnia | AN | 1.00 | G1 | 1-9B | 10A-11 | | | 10 |
| <i>Zinnia elegans</i> 'Dreamland Series' Dreamland Series Zinnia | AN | 1.00 | G1 | 1-9B | 10A-11 | | | 10 |
| <i>Zinnia linearis</i> See - <i>Zinnia angustifolia</i> | | | | | | | | |
| <i>Zizania latifolia</i> Manchurian Wild Rice | HP | 0.91 | G4 | | 8-10 | | | 9 |
| <i>Zizia aptera</i> Heart-Leaved Meadow Parsnip | HP | 1.07 | G1 | 5-9 | 10A-11 | | | 3 |
| <i>Zizia aurea</i> Golden Alexander | HP | 0.96 | G1 | 5-9 | 10A-11 | | | 3 |
| <i>Zombia antillarum</i> Zombie Palm | BE | 5.30 | G3 | 10A | 10B-11 | 1.00 | 1.00 | 10B |
| <i>Zoysia tenuifolia</i> Mascarene Grass | HP | 1.62 | G4 | | 9-10 | | | 10 |
| <i>Zygopetalum mackii</i> No Common Name Found | FO | 1.51 | G1 | 9 | 10-11 | | | 10 |

APPENDIX

County Hardiness Zones

| State | County | Zone |
|--------------|----------------|-------------|
| Arizona | Apache | 6 |
| | Cochise | 9A |
| | Coconino | 8 |
| | Gila | 9B |
| | Graham | 8 |
| | Greenlee | 8 |
| | La Paz | 9B |
| | Maricopa | 9A |
| | Mohave | 9A |
| | Navajo | 7 |
| | Pima | 10A |
| | Pinal | 9B |
| | Santa Cruz | 8 |
| | Yavapai | 9A |
| | Yuma | 10A |
| California | Alameda | 9A |
| | Alpine | 7 |
| | Amador | 9B |
| | Butte | 9A |
| | Calaveras | 9B |
| | Colusa | 9B |
| | Contra Costa | 9B |
| | Del Norte | 9B |
| | El Dorado | 8A |
| | Fresno | 9B |
| | Glenn | 9A |
| | Humboldt | 10A |
| | Imperial | 10A |
| | Inyo | 9A |
| | Kern | 9A |
| | Kings | 9A |
| | Lake | 9B |
| | Lassen | 7 |
| | Los Angeles | 9A |
| | Madera | 9B |
| | Marin | 9B |
| | Mariposa | 9A |
| | Mendocino | 10A |
| | Merced | 9A |
| | Modoc | 6 |
| | Mono | 7 |
| | Monterey | 9A |
| | Napa | 9A |
| | Nevada | 9A |
| | Orange | 9B |
| | Placer | 9B |
| | Plumas | 8 |
| | Riverside | 9A |
| | Sacramento | 9B |
| | San Benito | 9A |
| | San Bernardino | 9A |
| | San Diego | 9A |
| | San Francisco | 10A |
| | San Joaquin | 9A |

County Hardiness Zones

| State | County | Zone |
|--------------|-----------------|-------------|
| California | San Luis Obispo | 9A |
| | San Mateo | 9B |
| | Santa Barbara | 9B |
| | Santa Clara | 9A |
| | Santa Cruz | 9B |
| | Shasta | 9A |
| | Sierra | 8 |
| | Siskiyou | 8 |
| | Solano | 9B |
| | Sonoma | 9B |
| | Stanislaus | 9A |
| | Sutter | 9B |
| | Tehama | 9A |
| | Trinity | 9A |
| | Tulare | 9A |
| | Tuolumne | 9A |
| | Ventura | 9A |
| | Yolo | 9B |
| | Yuba | 9A |
| Nevada | Carson City | 7 |
| | Churchill | 7 |
| | Clark | 9B |
| | Douglas | 6 |
| | Elko | 6 |
| | Esmeralda | 8 |
| | Eureka | 6 |
| | Humboldt | 7 |
| | Lander | 6 |
| | Lincoln | 8 |
| | Lyon | 7 |
| | Mineral | 7 |
| | Nye | 8 |
| | Pershing | 7 |
| | Storey | 7 |
| | Washoe | 7 |
| | White Pine | 6 |
| Utah | Beaver | 5 |
| | Box Elder | 6 |
| | Cache | 5 |
| | Carbon | 6 |
| | Daggett | 5 |
| | Davis | 7 |
| | Duchesne | 5 |
| | Emery | 6 |
| | Garfield | 8 |
| | Grand | 7 |
| | Iron | 6 |
| | Juab | 6 |
| | Kane | 8 |
| | Millard | 6 |
| | Morgan | 6 |
| | Piute | 5 |
| | Rich | 5 |
| | Salt Lake | 7 |

County Hardiness Zones

| State | County | Zone |
|-------|------------|------|
| Utah | San Juan | 8 |
| | Sanpete | 6 |
| | Sevier | 6 |
| | Summit | 5 |
| | Tooele | 7 |
| | Uintah | 5 |
| | Utah | 6 |
| | Wasatch | 5 |
| | Washington | 8 |
| | Wayne | 7 |
| | Weber | 6 |

STORAGE KEY G1

Woody plants (crop types): DT, BE, CE, FN, DS, BS, CS, SF, RO, GC

Hardiness Zones 1-6

Storage structures, such as:

1. Poly covered walk-in Quonset House with functional irrigation and
 - a. Supplemental heat or
 - b. Poly liners or
 - c. Thermo blankets.
2. Storage barns or buildings proven satisfactory in previous seasons.

Hardiness Zones 7-8

Storage structures, such as:

1. Poly covered walk-in Quonset Houses or
2. Low Hoop Houses or
3. Pit frames covered with poly or
4. Outside beds covered with thermo blankets or poly.

Hardiness Zones 9-10

Storage, such as:

1. Overhead irrigation with sprinklers capable of providing complete coverage of the crop throughout the duration of cold temperatures or
2. Plastic film covered structures without heat or overhead irrigation or
3. Plants covered with thermo blankets or poly during periods of cold temperature. Over-sized containerized plants (plants that are too large) should be laid on their side prior to covering.

NOTE: If wind conditions prevent effective use of overhead irrigation, either strategy #2 or #3 must be followed.

NOTE: The storage temperature must be established to prevent above freezing low temperature damage to the species being produced, including protection from dry, desiccating winds, either by covering the plants, use of overhead irrigation, or wind blocks.

Hardiness Zone 11

Storage, such as:

1. Overhead irrigation with sprinklers capable of providing complete coverage of the crop throughout the duration of cold temperatures or
2. Plants covered with thermo blankets or poly during periods of cold temperature. Over-sized containerized plants (plants that are too large) should be laid on their side prior to covering.

STORAGE KEY G2

Woody plants (crop types): DT, BE, CE, FN, DS, BS, CS, SF, RO, GC

Note: If other than white or clear poly is used to cover plants for cold protection, it must be removed prior to sun exposure the following day.

Hardiness Zones 1-6

Storage structures, such as:

1. Poly covered walk-in Quonset Houses or
2. Low Hoop Houses or
3. Pit frames covered with poly or
4. Outside beds covered with thermo blankets or poly.

Hardiness Zones 7-8

Storage structures, such as:

1. Overhead irrigation with sprinklers capable of providing complete coverage of the crop throughout the duration of cold temperatures or
2. Plastic film covered structures without heat or overhead irrigation or
3. Plants covered with thermo blankets or poly during periods of cold temperature. Over-sized containerized plants (plants that are too large) should be laid on their side prior to covering.

Hardiness Zones 9-10

Storage, such as:

Plants covered with thermo blankets or poly during periods of cold temperature. Over-sized containerized plants (plants that are too large) should be laid on their side prior to covering.

Hardiness Zone 11

No cold protection required.

STORAGE KEY G3

Foliage (crop type): FO

For all zones – The storage temperature should be established to prevent low temperature damage to the species being produced.

Hardiness Zones 1-9A

Plants to be stored in a greenhouse, covered with glass or plastic film, equipped with irrigation and a heating system.

Hardiness Zones 9B-10A

Plants to be stored in a greenhouse or a shadehouse covered with plastic film during the cold season and equipped with irrigation and a heating system, or a below bench and/or aisle irrigation system capable of maintaining the air temperature around the plants above critical minimums for the crops grown (minimum water temperature for heating purposes: 70° F).

Hardiness Zones 10B-11

Plants to be stored in a shadehouse covered with plastic film during the cold season and equipped with irrigation system.

STORAGE KEY G4

Herbaceous (crop types): SF, HP, GC, AN

Hardiness Zones 1-6

Storage, such as:

1. Glass, fiberglass, polycarbonate or poly covered greenhouse with supplemental heat and irrigation or
2. Poly covered structures plus supplemental heat with overhead irrigation from sprinklers or mist or
3. Poly covered structures with irrigation.

Hardiness Zones 7-8

Storage, such as:

1. Poly covered structures plus supplemental heat with overhead irrigation from sprinklers or mist or
2. Poly covered structures with irrigation.

NOTE: The storage temperature should be established to prevent low temperature damage to the species being produced.

Hardiness Zones 9-10A

Storage, such as:

1. Poly covered structures with supplemental heat and irrigation or
2. Poly covered structures with irrigation or
3. Outside beds covered with thermal blankets during periods of cold weather.

NOTE: The storage temperature should be established to prevent low temperature damage to the species being produced.

Hardiness Zone 11

Overhead irrigation from sprinklers.

STORAGE KEY R1

Hardiness Zones 1-8

Storage structures, such as:

1. Glass or poly greenhouses with supplemental heat and irrigation.
2. Pot-in-Pot with adequate drainage to prevent water-logging and excess salt accumulation.

STORAGE KEY R2

Hardiness Zones 1-8

Storage structure, such as glass or poly greenhouses with supplemental heat and irrigation.

STORAGE KEY S1

Alaska Hardiness Zones 2-3

Containers standing or laid on their side; containers mulched with 6-10 inches of straw, hay, leaves, evergreen boughs, or wood chips from the top of the container, mulch material covered with netting or floating row cover to hold mulch in place, if necessary, or

Containers/B&B set in trench and backfilled with soil, straw, hay or leaves.

Rodent proofing required.

Hardiness Zones 1-6

Mandatory cold protection level 1 (Winter Long Protection)

Storage, such as:

1. Co-poly (white preferred) covered walk-in Quonset House and poly liners or
2. Thermal blankets covered with poly or
3. Supplemental heat.

Hardiness Zones 7-8

Mandatory cold protection level 2 (Winter Long Protection)

Storage structures, such as:

1. Co-poly (white preferred) covered walk-in Quonset House or
2. Co-poly (white preferred) covered Hoop House or
3. Structureless storage, such as: Outside beds covered with thermal blankets laminated or overlaid with white co-poly (white required).

STORAGE KEY S2

Mandatory cold protection level 1 (Winter Long Protection)

Storage structures, such as:

1. Co-poly (white preferred) covered walk-in Quonset House and poly liners or
2. Thermal blankets covered with poly or
3. Supplemental heat.

STORAGE KEY S3

Mandatory cold protection level 2 (Winter Long Protection)

Storage structures, such as:

1. Co-poly (white preferred) covered walk-in Quonset House or
2. Co-poly (white preferred) covered Hoop House or
3. Structureless storage, such as: Outside beds covered with thermal blankets laminated or overlaid with white co-poly (white required).

STORAGE KEY S4

Hardiness Zones 1-6

Mandatory cold protection level 1 (Winter Long Protection)

Storage structures, such as controlled environment greenhouses.

Hardiness Zones 7-8

Mandatory cold protection level 2 (Winter Long Protection)

Storage structures, such as:

1. Co-poly (white preferred) covered walk-in Quonset House or
2. Co-poly (white preferred) covered Hoop House or
3. Structureless storage, such as: Outside beds covered with thermal blankets laminated or overlaid with white co-poly (white required).

STORAGE KEY S5

Mandatory cold protection level 1 (Winter Long Protection)

Storage structures, such as controlled environment greenhouses.

STORAGE KEY NR

No cold protection required.

STORAGE KEY XX

The "XX" code does not communicate any information regarding storage requirements. Rather, it is used in situations where it is necessary to communicate that field grown material is insurable and container material is not insurable.

INSURANCE PRICE CALCULATION WORKSHEET

SAMPLE FOR REPRODUCTION

Plant Name: _____

Crop Type: _____
(from Eligible Plant List)

Size: _____

Measurement Method: Container _____ Caliper _____ High/Wide _____

Factor: _____
(from Eligible Plant List)

Base Price: _____
(from Base Price Table for Crop Type)

Calculation of Max. Price:


$$\frac{\text{Base Price}}{\text{Factor}} = \text{Max. Price}$$

Insurance Price: Lesser of Max. Price or Grower Lowest Wholesale Price

Max. Price _____ Grower Lowest Wholesale Price _____

CONTAINER VOLUME CALCULATION WORKSHEET

Round container volume calculation:



Calculate radius R_1 and R_2 in inches using diameter D_1 and D_2 in inches:

$$R_1 \text{ (inches)} = D_1 \div 2$$


$$R_2 \text{ (inches)} = D_2 \div 2$$

Calculate volume in gallons using R_1 , R_2 and H in inches:

$$\text{Volume (gallons)} = \frac{3.1416 (H \div 3) [(R_1 \times R_1) + (R_1 \times R_2) + (R_2 \times R_2)]}{231}$$

Note: Measurements for D_1 , D_2 and H should be taken inside the container.

Square/rectangular container volume calculation:



Calculate top (Y) and bottom (Z) area in square inches using T₁, T₂, B₁, and B₂ in inches:

$$Y \text{ (square inches)} = T_1 \times T_2$$

$$Z \text{ (square inches)} = B_1 \times B_2$$

Calculate volume in gallons using Y and Z in square inches and H in inches:

$$\text{Volume (gallons)} = \frac{(H \div 3)(Y + Z + \sqrt{Y \times Z})}{231}$$

Note: Measurements for T₁, T₂, B₁, B₂ and H should be taken inside the container.

FCIC CONTAINER DEFINITIONS

| FCIC SIZE NAME | GALLON MEASUREMENT | | CUBIC INCH EQUIVALENT | | INCLUDES STANDARD ANSI CLASS |
|----------------------|--------------------|---------|-----------------------|---------|------------------------------------|
| | MINIMUM | MAXIMUM | MINIMUM | MAXIMUM | |
| POT | 0.08 | 0.19 | 18 | 45 | SP3 |
| 1 QUART | 0.20 | 0.39 | 46 | 91 | SP4 |
| 2 QUART | 0.40 | 0.59 | 92 | 137 | SP5 |
| 1 GALLON | 0.60 | 1.37 | 138 | 318 | 1 |
| 2 GALLON | 1.38 | 2.49 | 319 | 576 | 2 |
| 3 GALLON | 2.50 | 3.39 | 577 | 784 | 3 |
| 5 GALLON | 3.40 | 5.77 | 785 | 1,334 | 5 |
| 7 GALLON | 5.78 | 8.49 | 1,335 | 1,962 | 7 |
| 10 GALLON | 8.50 | 11.97 | 1,963 | 2,766 | 10 |
| 15 GALLON | 11.98 | 17.49 | 2,767 | 4,041 | 15 |
| 20 GALLON | 17.50 | 22.49 | 4,042 | 5,196 | 20 |
| 25 GALLON | 22.50 | 29.79 | 5,197 | 6,883 | 25 |
| 30 GALLON | 29.80 | 32.49 | 6,884 | 7,506 | N/A |
| 35 GALLON | 32.50 | 37.49 | 7,507 | 8,661 | N/A |
| 40 GALLON | 37.50 | 42.49 | 8,662 | 9,816 | N/A |
| 45 GALLON | 42.50 | 47.49 | 9,817 | 10,971 | N/A |
| 50 GALLON | 47.50 | 52.49 | 10,972 | 12,126 | N/A |
| 55 GALLON | 52.50 | 57.49 | 12,127 | 13,281 | N/A |
| 60 GALLON | 57.50 | 62.49 | 13,282 | 14,436 | N/A |
| 65 GALLON | 62.50 | 67.49 | 14,437 | 15,591 | N/A |
| 70 GALLON | 67.50 | 72.49 | 15,592 | 16,746 | N/A |
| 75 GALLON | 72.50 | 77.49 | 16,747 | 17,901 | N/A |
| 80 GALLON | 77.50 | 82.49 | 17,902 | 19,056 | N/A |
| 85 GALLON | 82.50 | 87.49 | 19,057 | 20,211 | N/A |
| 90 GALLON | 87.50 | 92.49 | 20,212 | 21,366 | N/A |
| 95 GALLON | 92.50 | 97.49 | 21,367 | 22,521 | N/A |
| 100 GALLON | 97.50 | 102.49 | 22,522 | 23,676 | N/A |

